



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:28 AM GMT

PDB ID : 2QWK
Title : THE X-RAY STRUCTURE OF A COMPLEX OF 5-N-ACETYL-5-AMINO-3-(1-ETHYLPROPOXY)-1-CYCLOHEXENE-1-CARBOXYLIC ACID (GS4071) AND WILDTYPE TERN N9 INFLUENZA VIRUS NEURAMINIDASE
Authors : Varghese, J.N.
Deposited on : 1998-04-07
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	5383 (1.80-1.80)
Ramachandran outliers	100387	5320 (1.80-1.80)
Sidechain outliers	100360	5319 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	388	 88% 11%

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 3564 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NEURAMINIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	388	Total	C	N	O	S	13	0	0
			3067	1914	538	592	23			


- Molecule 2 is a polymer of unknown type called SUGAR (7-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	7	Total	C	N	O	0	0
			83	46	2	35		

- Molecule 3 is a polymer of unknown type called SUGAR (2-MER).


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 4 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 5 is (3R,4R,5S)-4-(ACETYLAMINO)-5-AMINO-3-(PENTAN-3-YLOXY)CYCLOHEX-1-ENE-1-CARBOXYLIC ACID (three-letter code: G39) (formula: $C_{14}H_{24}N_2O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			20	14	2	4		

- Molecule 6 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	2	Total	Ca	0	0
			2	2		

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	350	Total	O	0	0
			350	350		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: NEURAMINIDASE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	I 4 3 2	Depositor
Cell constants a, b, c, α , β , γ	180.95Å 180.95Å 180.95Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	6.00 – 1.80	Depositor
% Data completeness (in resolution range)	79.6 (6.00-1.80)	Depositor
R_{merge}	0.09	Depositor
R_{sym}	0.09	Depositor
Refinement program	X-PLOR 3.0	Depositor
R, R_{free}	0.172 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3564	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: G39, CA, BMA, NAG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.62	0/3150	0.84	1/4290 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	185	ASP	CB-CG-OD1	5.22	123.00	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	423	TYR	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3067	0	2893	40	0
2	A	83	0	70	1	0
3	A	28	0	23	0	0
4	A	14	0	13	0	0
5	A	20	0	23	1	0
6	A	2	0	0	0	0
7	A	350	0	0	6	11
All	All	3564	0	3022	41	11

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (41) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:172:ARG:HD3	1:A:209:ARG:NH2	1.79	0.97
1:A:87:LEU:H	1:A:233:HIS:HD2	1.16	0.90
1:A:168:THR:H	1:A:170:ASN:HD21	1.25	0.81
1:A:98:HIS:HE1	1:A:419:ARG:HH11	1.26	0.79
1:A:170:ASN:HB3	7:A:1309(P):HOH:O	1.84	0.77
1:A:98:HIS:CE1	1:A:419:ARG:HH11	2.03	0.76
1:A:172:ARG:CD	1:A:209:ARG:NH2	2.58	0.66
1:A:87:LEU:H	1:A:233:HIS:CD2	2.08	0.65
1:A:170:ASN:H	1:A:170:ASN:HD22	1.46	0.63
1:A:84:PHE:CE1	1:A:187:LYS:HD2	2.34	0.62
1:A:221:ASN:HB3	1:A:244:GLY:HA2	1.86	0.58
1:A:144:HIS:HD2	7:A:1036(W):HOH:O	1.88	0.56
1:A:97:TRP:H	1:A:395:GLN:HE22	1.53	0.56
1:A:82:ARG:N	7:A:1175(G):HOH:O	2.41	0.53
1:A:172:ARG:HD3	1:A:209:ARG:HH22	1.66	0.52
1:A:465:GLU:CD	1:A:465:GLU:H	2.12	0.52
1:A:168:THR:OG1	1:A:170:ASN:ND2	2.42	0.51
1:A:98:HIS:CE1	1:A:419:ARG:NH1	2.74	0.51
1:A:228:SER:HB3	1:A:350:LYS:HE2	1.93	0.51
1:A:94:ILE:HG23	1:A:448:SER:HB2	1.93	0.50
5:A:800:G39:H821	7:A:1132(E):HOH:O	2.13	0.48
1:A:188:THR:HG22	1:A:207:TYR:CZ	2.49	0.47
1:A:274:HIS:HB3	1:A:293:ASP:OD1	2.14	0.46
1:A:295:TRP:CG	1:A:296:GLN:HG3	2.50	0.46
1:A:238:PRO:HA	1:A:255:TYR:O	2.16	0.46
1:A:228:SER:HB3	1:A:350:LYS:CE	2.46	0.45
1:A:204:VAL:HG13	7:A:1043(W):HOH:O	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:364:ARG:HD2	1:A:375:GLU:OE2	2.17	0.45
1:A:325:ASN:O	1:A:348:GLY:HA2	2.18	0.44
1:A:188:THR:CG2	1:A:207:TYR:CZ	3.00	0.44
1:A:140:ILE:HD11	7:A:1018(W):HOH:O	2.17	0.44
1:A:315:GLN:HG3	1:A:316:TYR:N	2.33	0.43
1:A:172:ARG:HD2	1:A:174:GLU:OE2	2.19	0.43
1:A:170:ASN:N	1:A:170:ASN:HD22	2.09	0.42
1:A:220:ARG:NH2	2:A:469(A):NAG:H82	2.34	0.42
1:A:172:ARG:HD3	1:A:209:ARG:CZ	2.44	0.41
1:A:168:THR:H	1:A:170:ASN:ND2	2.05	0.41
1:A:94:ILE:HG21	1:A:97:TRP:CZ2	2.55	0.41
1:A:149:ILE:HD12	1:A:430:ARG:HB3	2.03	0.41
1:A:121:TYR:CG	1:A:228:SER:HA	2.56	0.41
1:A:245:SER:O	1:A:274:HIS:HE1	2.04	0.41

All (11) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:1333(R):HOH:O	7:A:1342(S):HOH:O[48_555]	0.05	2.15
7:A:1335(R):HOH:O	7:A:1344(S):HOH:O[48_555]	0.10	2.10
7:A:1338(R):HOH:O	7:A:1347(S):HOH:O[48_555]	0.11	2.09
7:A:1337(R):HOH:O	7:A:1346(S):HOH:O[48_555]	0.25	1.95
7:A:1334(R):HOH:O	7:A:1343(S):HOH:O[48_555]	0.31	1.89
7:A:1340(R):HOH:O	7:A:1349(S):HOH:O[48_555]	0.33	1.87
7:A:1336(R):HOH:O	7:A:1345(S):HOH:O[48_555]	0.36	1.84
7:A:1324(Q):HOH:O	7:A:1324(Q):HOH:O[48_555]	0.38	1.82
7:A:1339(R):HOH:O	7:A:1348(S):HOH:O[48_555]	0.57	1.63
7:A:1313(Q):HOH:O	7:A:1314(Q):HOH:O[48_555]	0.64	1.56
7:A:1271(N):HOH:O	7:A:1271(N):HOH:O[48_555]	1.06	1.14

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	386/388 (100%)	365 (95%)	21 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	341/341 (100%)	334 (98%)	7 (2%)	61	47

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	170	ASN
1	A	204	VAL
1	A	221	ASN
1	A	230	CYS
1	A	364	ARG
1	A	400	ASN
1	A	465	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	95	ASN
1	A	98	HIS
1	A	144	HIS
1	A	170	ASN
1	A	221	ASN
1	A	233	HIS
1	A	346	ASN
1	A	392	GLN
1	A	395	GLN
1	A	400	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

9 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAG	A	469(A)	1,2	14,14,15	1.12	2 (14%)	15,19,21	1.26	1 (6%)
2	NAG	A	470(B)	2	14,14,15	1.66	4 (28%)	15,19,21	2.53	7 (46%)
2	BMA	A	471(C)	2	11,11,12	0.87	1 (9%)	14,15,17	1.01	0
2	MAN	A	472(D)	2	11,11,12	2.44	3 (27%)	14,15,17	2.23	4 (28%)
2	MAN	A	473(E)	2	11,11,12	1.15	1 (9%)	14,15,17	1.19	1 (7%)
2	MAN	A	474(F)	2	11,11,12	1.89	3 (27%)	14,15,17	1.51	2 (14%)
2	MAN	A	475(G)	2	11,11,12	1.77	3 (27%)	14,15,17	1.87	2 (14%)
3	NAG	A	476(A)	1,3	14,14,15	1.28	2 (14%)	15,19,21	2.05	5 (33%)
3	NAG	A	477(B)	3	14,14,15	1.96	4 (28%)	15,19,21	5.88	11 (73%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	469(A)	1,2	-	0/6/23/26	0/1/1/1
2	NAG	A	470(B)	2	-	0/6/23/26	0/1/1/1
2	BMA	A	471(C)	2	-	0/2/19/22	0/1/1/1
2	MAN	A	472(D)	2	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MAN	A	473(E)	2	-	0/2/19/22	0/1/1/1
2	MAN	A	474(F)	2	-	0/2/19/22	0/1/1/1
2	MAN	A	475(G)	2	-	0/2/19/22	0/1/1/1
3	NAG	A	476(A)	1,3	-	0/6/23/26	0/1/1/1
3	NAG	A	477(B)	3	-	0/6/23/26	0/1/1/1

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	477(B)	NAG	C1-C2	-3.64	1.47	1.52
2	A	472(D)	MAN	C4-C5	-3.47	1.45	1.53
2	A	473(E)	MAN	C2-C3	-3.24	1.48	1.52
2	A	472(D)	MAN	O5-C1	-3.11	1.38	1.43
2	A	470(B)	NAG	O5-C1	-3.05	1.38	1.43
2	A	470(B)	NAG	O5-C5	-2.70	1.37	1.43
2	A	475(G)	MAN	C4-C3	-2.64	1.45	1.52
2	A	470(B)	NAG	C3-C2	-2.63	1.46	1.52
2	A	475(G)	MAN	O5-C5	-2.30	1.38	1.43
2	A	470(B)	NAG	O3-C3	-2.16	1.37	1.43
3	A	476(A)	NAG	O5-C1	-2.04	1.40	1.43
2	A	471(C)	BMA	C2-C3	2.02	1.55	1.52
2	A	475(G)	MAN	C1-C2	2.24	1.57	1.52
3	A	477(B)	NAG	O5-C5	2.31	1.48	1.43
2	A	474(F)	MAN	O5-C5	2.51	1.49	1.43
2	A	469(A)	NAG	O4-C4	2.54	1.49	1.43
2	A	469(A)	NAG	C4-C5	2.65	1.58	1.53
3	A	477(B)	NAG	C4-C3	2.79	1.59	1.52
2	A	474(F)	MAN	C4-C3	2.88	1.60	1.52
3	A	476(A)	NAG	O5-C5	2.92	1.49	1.43
2	A	474(F)	MAN	C4-C5	4.03	1.61	1.53
3	A	477(B)	NAG	C4-C5	4.20	1.62	1.53
2	A	472(D)	MAN	C2-C3	6.26	1.61	1.52

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	477(B)	NAG	C4-C3-C2	-6.68	100.85	111.23
2	A	475(G)	MAN	O4-C4-C3	-4.95	99.20	110.34
3	A	477(B)	NAG	C8-C7-N2	-4.93	106.67	116.11
2	A	470(B)	NAG	O7-C7-C8	-4.72	113.39	122.06
3	A	476(A)	NAG	C6-C5-C4	-4.60	101.66	113.02
2	A	472(D)	MAN	C3-C4-C5	-3.62	103.88	110.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	470(B)	NAG	C4-C3-C2	-3.56	105.70	111.23
2	A	472(D)	MAN	O2-C2-C1	-2.93	103.33	109.21
2	A	470(B)	NAG	C1-O5-C5	-2.63	108.91	112.25
2	A	470(B)	NAG	C3-C2-N2	-2.63	104.27	110.56
3	A	477(B)	NAG	C3-C4-C5	-2.61	105.64	110.20
3	A	477(B)	NAG	O3-C3-C2	-2.59	103.98	109.11
3	A	476(A)	NAG	O7-C7-C8	-2.48	117.52	122.06
3	A	477(B)	NAG	O6-C6-C5	-2.35	103.56	111.33
2	A	472(D)	MAN	O6-C6-C5	-2.31	103.71	111.33
2	A	473(E)	MAN	O4-C4-C3	-2.16	105.48	110.34
2	A	470(B)	NAG	O6-C6-C5	-2.13	104.28	111.33
3	A	476(A)	NAG	C8-C7-N2	2.02	119.97	116.11
3	A	476(A)	NAG	O3-C3-C2	2.25	113.58	109.11
3	A	477(B)	NAG	O4-C4-C3	2.47	115.90	110.34
2	A	474(F)	MAN	C1-O5-C5	2.49	115.41	112.25
2	A	470(B)	NAG	O3-C3-C2	3.27	115.59	109.11
3	A	477(B)	NAG	O3-C3-C4	3.27	117.71	110.34
3	A	477(B)	NAG	O7-C7-C8	3.36	128.22	122.06
2	A	469(A)	NAG	C1-O5-C5	3.44	116.62	112.25
2	A	475(G)	MAN	O3-C3-C2	3.53	116.38	110.00
2	A	474(F)	MAN	O5-C1-C2	3.63	116.75	110.86
3	A	477(B)	NAG	C1-O5-C5	3.64	116.87	112.25
3	A	476(A)	NAG	C1-O5-C5	4.06	117.40	112.25
3	A	477(B)	NAG	C3-C2-N2	4.30	120.87	110.56
2	A	470(B)	NAG	C8-C7-N2	4.68	125.06	116.11
2	A	472(D)	MAN	C1-O5-C5	5.47	119.19	112.25
3	A	477(B)	NAG	C2-N2-C7	19.07	147.53	123.04

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	469(A)	NAG	1	0

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul

statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	A	478(A)	1	14,14,15	2.35	3 (21%)	15,19,21	2.47	6 (40%)
5	G39	A	800	-	16,20,20	2.27	4 (25%)	12,27,27	2.35	1 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	478(A)	1	-	0/6/23/26	0/1/1/1
5	G39	A	800	-	-	0/12/32/32	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	478(A)	NAG	C1-C2	-7.04	1.42	1.52
5	A	800	G39	C1-C2	-5.68	1.41	1.51
5	A	800	G39	O7-C8	-4.64	1.38	1.44
4	A	478(A)	NAG	C3-C2	-2.56	1.46	1.52
5	A	800	G39	C4-N4	-2.14	1.39	1.47
4	A	478(A)	NAG	C8-C7	3.03	1.56	1.50
5	A	800	G39	C7-C2	4.31	1.41	1.34

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	478(A)	NAG	C2-N2-C7	-6.00	115.32	123.04
4	A	478(A)	NAG	C3-C4-C5	-3.47	104.15	110.20
4	A	478(A)	NAG	O4-C4-C3	-3.36	102.76	110.34
4	A	478(A)	NAG	C3-C2-N2	-2.92	103.56	110.56
4	A	478(A)	NAG	C6-C5-C4	2.14	118.30	113.02
4	A	478(A)	NAG	O3-C3-C2	2.83	114.71	109.11
5	A	800	G39	C4-C3-C2	7.82	119.60	109.65

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	800	G39	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section will therefore be empty.

6.4 Ligands [i](#)

EDS was not executed - this section will therefore be empty.

6.5 Other polymers [i](#)

EDS was not executed - this section will therefore be empty.