



# wwPDB X-ray Structure Validation Summary Report ⓘ

Aug 4, 2016 – 08:11 PM EDT

PDB ID : 4UHL  
Title : HUMAN STEROL 14-ALPHA DEMETHYLASE (CYP51) IN COMPLEX  
WITH VFV IN P1 SPACE GROUP  
Authors : Hargrove, T.Y.; Wawrzak, Z.; I Lipesheva, G.  
Deposited on : 2015-03-24  
Resolution : 2.50 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.1 (RC1), CSD as537be (2016)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20027939  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20027939


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3553 (2.50-2.50)
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	446	<div> <div style="width: 100%;"></div> <div> <span style="display: inline-block; width: 100%; height: 10px; background: linear-gradient(to right, red, orange, yellow, green);"></span> <div> <span style="position: absolute; left: 0; top: -10px;">%</span> <span style="position: absolute; left: 86%; top: -10px;">86%</span> <span style="position: absolute; left: 93%; top: -10px;">13%</span> </div> </div> </div>
1	B	446	<div> <div style="width: 100%;"></div> <div> <span style="display: inline-block; width: 100%; height: 10px; background: linear-gradient(to right, red, orange, yellow, green);"></span> <div> <span style="position: absolute; left: 0; top: -10px;">%</span> <span style="position: absolute; left: 85%; top: -10px;">85%</span> <span style="position: absolute; left: 94%; top: -10px;">14%</span> </div> </div> </div>
1	C	446	<div> <div style="width: 100%;"></div> <div> <span style="display: inline-block; width: 100%; height: 10px; background: linear-gradient(to right, red, orange, yellow, green);"></span> <div> <span style="position: absolute; left: 0; top: -10px;">%</span> <span style="position: absolute; left: 85%; top: -10px;">85%</span> <span style="position: absolute; left: 95%; top: -10px;">15%</span> </div> </div> </div>
1	D	446	<div> <div style="width: 100%;"></div> <div> <span style="display: inline-block; width: 100%; height: 10px; background: linear-gradient(to right, red, orange, yellow, green);"></span> <div> <span style="position: absolute; left: 0; top: -10px;">%</span> <span style="position: absolute; left: 89%; top: -10px;">89%</span> <span style="position: absolute; left: 94%; top: -10px;">10%</span> </div> </div> </div>
1	E	446	<div> <div style="width: 100%;"></div> <div> <span style="display: inline-block; width: 100%; height: 10px; background: linear-gradient(to right, red, orange, yellow, green);"></span> <div> <span style="position: absolute; left: 0; top: -10px;">3%</span> <span style="position: absolute; left: 85%; top: -10px;">85%</span> <span style="position: absolute; left: 94%; top: -10px;">14%</span> </div> </div> </div>
1	F	446	<div> <div style="width: 100%;"></div> <div> <span style="display: inline-block; width: 100%; height: 10px; background: linear-gradient(to right, red, orange, yellow, green);"></span> <div> <span style="position: absolute; left: 0; top: -10px;">7%</span> <span style="position: absolute; left: 80%; top: -10px;">80%</span> <span style="position: absolute; left: 97%; top: -10px;">19%</span> </div> </div> </div>

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	446	<div><div></div><div>2%</div><div>82%</div><div>16%</div><div></div></div>
1	H	446	<div><div></div><div>2%</div><div>87%</div><div>13%</div><div></div></div>

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 30632 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called STEROL 14-ALPHA DEMETHYLASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	445	Total	C	N	O	S	0	0	0
			3588	2310	611	651	16			
1	B	445	Total	C	N	O	S	0	0	0
			3588	2310	611	651	16			
1	C	445	Total	C	N	O	S	0	0	0
			3588	2310	611	651	16			
1	D	445	Total	C	N	O	S	0	0	0
			3588	2310	611	651	16			
1	E	445	Total	C	N	O	S	0	0	0
			3588	2310	611	651	16			
1	F	445	Total	C	N	O	S	0	0	0
			3588	2310	611	651	16			
1	G	445	Total	C	N	O	S	0	0	0
			3588	2310	611	651	16			
1	H	445	Total	C	N	O	S	0	0	0
			3588	2310	611	651	16			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	58	GLY	-	EXPRESSION TAG	UNP Q16850
A	59	LYS	-	EXPRESSION TAG	UNP Q16850
A	60	LEU	-	EXPRESSION TAG	UNP Q16850
B	58	GLY	-	EXPRESSION TAG	UNP Q16850
B	59	LYS	-	EXPRESSION TAG	UNP Q16850
B	60	LEU	-	EXPRESSION TAG	UNP Q16850
C	58	GLY	-	EXPRESSION TAG	UNP Q16850
C	59	LYS	-	EXPRESSION TAG	UNP Q16850
C	60	LEU	-	EXPRESSION TAG	UNP Q16850
D	58	GLY	-	EXPRESSION TAG	UNP Q16850
D	59	LYS	-	EXPRESSION TAG	UNP Q16850
D	60	LEU	-	EXPRESSION TAG	UNP Q16850
E	58	GLY	-	EXPRESSION TAG	UNP Q16850

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	59	LYS	-	EXPRESSION TAG	UNP Q16850
E	60	LEU	-	EXPRESSION TAG	UNP Q16850
F	58	GLY	-	EXPRESSION TAG	UNP Q16850
F	59	LYS	-	EXPRESSION TAG	UNP Q16850
F	60	LEU	-	EXPRESSION TAG	UNP Q16850
G	58	GLY	-	EXPRESSION TAG	UNP Q16850
G	59	LYS	-	EXPRESSION TAG	UNP Q16850
G	60	LEU	-	EXPRESSION TAG	UNP Q16850
H	58	GLY	-	EXPRESSION TAG	UNP Q16850
H	59	LYS	-	EXPRESSION TAG	UNP Q16850
H	60	LEU	-	EXPRESSION TAG	UNP Q16850

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	D	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	E	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

*Continued on next page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	F	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	G	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	H	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- # VFV

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 41	C 32	F 2	N 5	O 2	0	0
3	A	1	Total 41	C 32	F 2	N 5	O 2	0	0
3	B	1	Total 41	C 32	F 2	N 5	O 2	0	0
3	B	1	Total 41	C 32	F 2	N 5	O 2	0	0
3	C	1	Total 41	C 32	F 2	N 5	O 2	0	0
3	C	1	Total 41	C 32	F 2	N 5	O 2	0	0
3	D	1	Total 41	C 32	F 2	N 5	O 2	0	0



*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	D	1	Total	C	F	N	O	0	0
			41	32	2	5	2		
3	E	1	Total	C	F	N	O	0	0
			41	32	2	5	2		
3	E	1	Total	C	F	N	O	0	0
			41	32	2	5	2		
3	F	1	Total	C	F	N	O	0	0
			41	32	2	5	2		
3	F	1	Total	C	F	N	O	0	0
			41	32	2	5	2		
3	G	1	Total	C	F	N	O	0	0
			41	32	2	5	2		
3	G	1	Total	C	F	N	O	0	0
			41	32	2	5	2		
3	H	1	Total	C	F	N	O	0	0
			41	32	2	5	2		
3	H	1	Total	C	F	N	O	0	0
			41	32	2	5	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	120	Total	O	0	0
			120	120		
4	B	152	Total	O	0	0
			152	152		
4	C	141	Total	O	0	0
			141	141		
4	D	144	Total	O	0	0
			144	144		
4	E	113	Total	O	0	0
			113	113		
4	F	62	Total	O	0	0
			62	62		
4	G	114	Total	O	0	0
			114	114		
4	H	82	Total	O	0	0
			82	82		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: STEROL 14-ALPHA DEMETHYLASE



#### • Molecule 1: STEROL 14-ALPHA DEMETHYLASE




#### • Molecule 1: STEROL 14-ALPHA DEMETHYLASE




#### • Molecule 1: STEROL 14-ALPHA DEMETHYLASE







• Molecule 1: STEROL 14-ALPHA DEMETHYLASE





• Molecule 1: STEROL 14-ALPHA DEMETHYLASE



• Molecule 1: STEROL 14-ALPHA DEMETHYLASE



• Molecule 1: STEROL 14-ALPHA DEMETHYLASE



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	111.21Å 111.50Å 118.48Å 64.09° 75.07° 62.42°	Depositor
Resolution (Å)	54.27 – 2.50 54.27 – 2.50	Depositor EDS
% Data completeness (in resolution range)	98.5 (54.27-2.50) 84.6 (54.27-2.50)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.22 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.8.0107	Depositor
R, $R_{free}$	0.190 , 0.237 0.192 , 0.236	Depositor DCC
$R_{free}$ test set	7786 reflections (5.32%)	DCC
Wilson B-factor (Å <sup>2</sup> )	59.6	Xtriage
Anisotropy	0.049	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 49.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	30632	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.98% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: VFV, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.26	0/3681	0.46	1/4986 (0.0%)
1	B	0.26	0/3681	0.45	0/4986
1	C	0.28	0/3681	0.46	0/4986
1	D	0.25	0/3681	0.44	0/4986
1	E	0.25	0/3681	0.44	0/4986
1	F	0.25	0/3681	0.44	0/4986
1	G	0.27	0/3681	0.48	4/4986 (0.1%)
1	H	0.26	0/3681	0.43	0/4986
All	All	0.26	0/29448	0.45	5/39888 (0.0%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	272	ARG	NE-CZ-NH1	7.14	123.87	120.30
1	G	488	ILE	N-CA-C	-6.45	93.59	111.00
1	G	276	GLU	N-CA-C	-6.07	94.62	111.00
1	G	275	GLN	N-CA-C	5.41	125.60	111.00
1	G	487	MET	CA-CB-CG	-5.03	104.75	113.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3588	0	3581	41	0
1	B	3588	0	3581	51	0
1	C	3588	0	3581	64	0
1	D	3588	0	3581	40	0
1	E	3588	0	3581	53	0
1	F	3588	0	3581	81	0
1	G	3588	0	3581	76	0
1	H	3588	0	3581	45	0
2	A	43	0	30	7	0
2	B	43	0	30	2	0
2	C	43	0	30	7	0
2	D	43	0	30	4	0
2	E	43	0	30	9	0
2	F	43	0	30	7	0
2	G	43	0	30	5	0
2	H	43	0	30	8	0
3	A	82	0	46	5	0
3	B	82	0	46	7	0
3	C	82	0	46	17	0
3	D	82	0	46	5	0
3	E	82	0	46	5	0
3	F	82	0	46	17	0
3	G	82	0	46	5	0
3	H	82	0	46	12	0
4	A	120	0	0	4	0
4	B	152	0	0	3	0
4	C	141	0	0	6	0
4	D	144	0	0	2	0
4	E	113	0	0	6	0
4	F	62	0	0	3	0
4	G	114	0	0	4	0
4	H	82	0	0	2	0
All	All	30632	0	29256	477	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 477 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:107:TYR:OH	3:C:600:VFV:H12	1.38	1.19
1:F:155:GLN:HG2	1:F:304:MET:CE	1.94	0.97

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:107:TYR:OH	3:G:600:VFV:H12	1.67	0.95
1:G:272:ARG:HG2	1:G:272:ARG:HH11	1.32	0.93
1:F:101:VAL:HG21	3:F:600:VFV:CAN	2.00	0.92

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	443/446 (99%)	431 (97%)	12 (3%)	0	100	100
1	B	443/446 (99%)	434 (98%)	9 (2%)	0	100	100
1	C	443/446 (99%)	434 (98%)	9 (2%)	0	100	100
1	D	443/446 (99%)	434 (98%)	9 (2%)	0	100	100
1	E	443/446 (99%)	431 (97%)	12 (3%)	0	100	100
1	F	443/446 (99%)	431 (97%)	11 (2%)	1 (0%)	52	75
1	G	443/446 (99%)	432 (98%)	10 (2%)	1 (0%)	52	75
1	H	443/446 (99%)	428 (97%)	14 (3%)	1 (0%)	52	75
All	All	3544/3568 (99%)	3455 (98%)	86 (2%)	3 (0%)	56	78

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	69	PRO
1	F	69	PRO
1	G	69	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	389/390 (100%)	387 (100%)	2 (0%)	92	98
1	B	389/390 (100%)	386 (99%)	3 (1%)	86	96
1	C	389/390 (100%)	384 (99%)	5 (1%)	76	92
1	D	389/390 (100%)	385 (99%)	4 (1%)	82	95
1	E	389/390 (100%)	389 (100%)	0	100	100
1	F	389/390 (100%)	385 (99%)	4 (1%)	82	95
1	G	389/390 (100%)	385 (99%)	4 (1%)	82	95
1	H	389/390 (100%)	388 (100%)	1 (0%)	94	99
All	All	3112/3120 (100%)	3089 (99%)	23 (1%)	88	97

5 of 23 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	135	THR
1	D	372	ARG
1	G	430	ASN
1	D	219	LEU
1	D	385	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 9 such sidechains are listed below:

Mol	Chain	Res	Type
1	F	149	ASN
1	H	458	GLN
1	G	430	ASN
1	D	273	GLN
1	F	236	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

24 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	HEM	A	540	1,3	24,50,50	0.92	2 (8%)	16,82,82	1.51	3 (18%)
3	VFV	A	580	2	38,46,46	1.94	6 (15%)	50,64,64	1.02	2 (4%)
3	VFV	A	600	-	38,46,46	2.45	5 (13%)	50,64,64	1.39	6 (12%)
2	HEM	B	540	1,3	24,50,50	0.96	2 (8%)	16,82,82	1.57	3 (18%)
3	VFV	B	580	2	38,46,46	1.79	6 (15%)	50,64,64	1.18	4 (8%)
3	VFV	B	600	-	38,46,46	2.39	5 (13%)	50,64,64	0.99	2 (4%)
2	HEM	C	540	1,3	24,50,50	0.92	2 (8%)	16,82,82	1.56	3 (18%)
3	VFV	C	580	2	38,46,46	1.87	6 (15%)	50,64,64	1.14	4 (8%)
3	VFV	C	600	-	38,46,46	2.46	7 (18%)	50,64,64	1.25	5 (10%)
2	HEM	D	540	1,3	24,50,50	0.97	2 (8%)	16,82,82	1.42	2 (12%)
3	VFV	D	580	2	38,46,46	1.94	5 (13%)	50,64,64	1.10	4 (8%)
3	VFV	D	600	-	38,46,46	2.30	6 (15%)	50,64,64	1.10	3 (6%)
2	HEM	E	540	1,3	24,50,50	0.99	2 (8%)	16,82,82	1.46	2 (12%)
3	VFV	E	580	2	38,46,46	2.09	7 (18%)	50,64,64	1.12	4 (8%)
3	VFV	E	600	-	38,46,46	2.21	5 (13%)	50,64,64	1.19	3 (6%)
2	HEM	F	540	1,3	24,50,50	0.98	1 (4%)	16,82,82	1.55	3 (18%)
3	VFV	F	580	2	38,46,46	1.92	5 (13%)	50,64,64	1.09	5 (10%)
3	VFV	F	600	-	38,46,46	2.49	6 (15%)	50,64,64	1.28	4 (8%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	HEM	G	540	1,3	24,50,50	1.06	2 (8%)	16,82,82	1.68	2 (12%)
3	VFV	G	580	2	38,46,46	1.87	7 (18%)	50,64,64	1.09	5 (10%)
3	VFV	G	600	-	38,46,46	2.36	7 (18%)	50,64,64	1.24	2 (4%)
2	HEM	H	540	1,3	24,50,50	1.00	2 (8%)	16,82,82	1.72	3 (18%)
3	VFV	H	580	2	38,46,46	1.81	6 (15%)	50,64,64	1.13	5 (10%)
3	VFV	H	600	-	38,46,46	2.78	7 (18%)	50,64,64	1.05	2 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	540	1,3	-	0/6/54/54	0/0/8/8
3	VFV	A	580	2	-	0/24/28/28	0/5/6/6
3	VFV	A	600	-	-	0/24/28/28	0/5/6/6
2	HEM	B	540	1,3	-	0/6/54/54	0/0/8/8
3	VFV	B	580	2	-	0/24/28/28	0/5/6/6
3	VFV	B	600	-	-	0/24/28/28	0/5/6/6
2	HEM	C	540	1,3	-	0/6/54/54	0/0/8/8
3	VFV	C	580	2	-	0/24/28/28	0/5/6/6
3	VFV	C	600	-	-	0/24/28/28	0/5/6/6
2	HEM	D	540	1,3	-	0/6/54/54	0/0/8/8
3	VFV	D	580	2	-	0/24/28/28	0/5/6/6
3	VFV	D	600	-	-	0/24/28/28	0/5/6/6
2	HEM	E	540	1,3	-	0/6/54/54	0/0/8/8
3	VFV	E	580	2	-	0/24/28/28	0/5/6/6
3	VFV	E	600	-	-	0/24/28/28	0/5/6/6
2	HEM	F	540	1,3	-	0/6/54/54	0/0/8/8
3	VFV	F	580	2	-	0/24/28/28	0/5/6/6
3	VFV	F	600	-	-	0/24/28/28	0/5/6/6
2	HEM	G	540	1,3	-	0/6/54/54	0/0/8/8
3	VFV	G	580	2	-	0/24/28/28	0/5/6/6
3	VFV	G	600	-	-	0/24/28/28	0/5/6/6
2	HEM	H	540	1,3	-	0/6/54/54	0/0/8/8
3	VFV	H	580	2	-	0/24/28/28	0/5/6/6
3	VFV	H	600	-	-	0/24/28/28	0/5/6/6

The worst 5 of 111 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	H	600	VFV	NAZ-NAY	-12.43	1.13	1.37
3	A	600	VFV	NAZ-NAY	-10.38	1.17	1.37
3	B	600	VFV	NAZ-NAY	-10.17	1.17	1.37
3	F	600	VFV	NAZ-NAY	-9.55	1.18	1.37
3	D	600	VFV	NAZ-NAY	-9.06	1.19	1.37

The worst 5 of 81 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	600	VFV	CAV-CBE-CBK	-4.02	119.17	123.71
3	F	600	VFV	CAV-CBE-CBK	-3.87	119.34	123.71
2	G	540	HEM	C3C-CAC-CBC	-3.81	118.74	126.40
2	F	540	HEM	C3B-CAB-CBB	-3.75	118.86	126.40
2	A	540	HEM	C3C-CAC-CBC	-3.62	119.12	126.40

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

23 monomers are involved in 119 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	540	HEM	7	0
3	A	580	VFV	1	0
3	A	600	VFV	4	0
2	B	540	HEM	2	0
3	B	580	VFV	6	0
3	B	600	VFV	1	0
2	C	540	HEM	7	0
3	C	580	VFV	7	0
3	C	600	VFV	10	0
2	D	540	HEM	4	0
3	D	600	VFV	5	0
2	E	540	HEM	9	0
3	E	580	VFV	2	0
3	E	600	VFV	3	0
2	F	540	HEM	7	0
3	F	580	VFV	1	0
3	F	600	VFV	16	0
2	G	540	HEM	5	0
3	G	580	VFV	4	0
3	G	600	VFV	1	0
2	H	540	HEM	8	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	H	580	VFV	3	0
3	H	600	VFV	9	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	445/446 (99%)	-0.04	4 (0%) 85 88	46, 61, 81, 110	0
1	B	445/446 (99%)	0.04	6 (1%) 79 82	40, 57, 82, 126	0
1	C	445/446 (99%)	-0.07	6 (1%) 79 82	43, 57, 80, 122	0
1	D	445/446 (99%)	-0.06	4 (0%) 85 88	42, 55, 78, 112	0
1	E	445/446 (99%)	0.25	13 (2%) 55 60	43, 65, 92, 126	0
1	F	445/446 (99%)	0.40	30 (6%) 21 23	48, 76, 102, 132	0
1	G	445/446 (99%)	0.07	8 (1%) 71 75	42, 62, 86, 139	0
1	H	445/446 (99%)	-0.01	10 (2%) 65 69	45, 68, 96, 120	0
All	All	3560/3568 (99%)	0.07	81 (2%) 64 67	40, 62, 91, 139	0

The worst 5 of 81 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	277	LYS	5.7
1	B	278	ILE	5.1
1	F	392	GLY	4.4
1	B	275	GLN	4.3
1	G	278	ILE	4.3

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	VFV	H	580	41/41	0.94	0.17	0.93	36,45,71,78	0
2	HEM	G	540	43/43	0.98	0.18	0.41	44,51,58,61	0
2	HEM	D	540	43/43	0.98	0.18	0.36	38,44,54,59	0
2	HEM	A	540	43/43	0.98	0.16	0.26	45,51,59,61	0
2	HEM	H	540	43/43	0.99	0.16	0.11	45,52,63,71	0
3	VFV	F	600	41/41	0.92	0.20	0.05	44,58,84,87	0
2	HEM	E	540	43/43	0.98	0.15	-0.05	46,53,60,65	0
3	VFV	H	600	41/41	0.94	0.15	-0.18	38,51,73,88	0
2	HEM	B	540	43/43	0.98	0.17	-0.24	39,45,50,55	0
2	HEM	F	540	43/43	0.98	0.16	-0.25	53,63,75,81	0
3	VFV	C	600	41/41	0.96	0.15	-0.32	41,53,78,87	0
3	VFV	B	600	41/41	0.95	0.16	-0.33	40,53,71,78	0
3	VFV	E	600	41/41	0.96	0.16	-0.33	37,55,76,99	0
3	VFV	C	580	41/41	0.94	0.14	-0.47	36,43,64,71	0
3	VFV	G	600	41/41	0.95	0.18	-0.62	38,49,71,77	0
2	HEM	C	540	43/43	0.99	0.14	-0.63	41,48,54,56	0
3	VFV	D	600	41/41	0.95	0.15	-0.76	38,52,74,89	0
3	VFV	E	580	41/41	0.96	0.14	-0.77	36,41,61,70	0
3	VFV	D	580	41/41	0.96	0.14	-0.78	35,42,57,63	0
3	VFV	A	600	41/41	0.94	0.16	-0.79	37,53,73,81	0
3	VFV	G	580	41/41	0.96	0.15	-0.79	36,41,69,77	0
3	VFV	A	580	41/41	0.95	0.13	-0.92	34,43,66,70	0
3	VFV	B	580	41/41	0.95	0.14	-1.19	34,40,64,73	0
3	VFV	F	580	41/41	0.94	0.14	-1.57	36,46,68,70	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.