



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:48 AM GMT

PDB ID : 2UVF
Title : STRUCTURE OF YERSINIA ENTEROCOLITICA FAMILY 28 EXOPOLY-
GALACTURONASE IN COMPLEX WITH DIGALATURONIC ACID
Authors : Abbott, D.W.; Boraston, A.B.
Deposited on : 2007-03-09
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3939 (2.10-2.10)
Clashscore	102246	4460 (2.10-2.10)
Ramachandran outliers	100387	4413 (2.10-2.10)
Sidechain outliers	100360	4414 (2.10-2.10)
RSRZ outliers	91569	3948 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	608	<div> <div>14%</div> <div>68%</div> <div>22%</div> <div>• 6%</div> </div>
1	B	608	<div> <div>5%</div> <div>75%</div> <div>16%</div> <div>• 7%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	A	1610	-	-	-	X
2	SO4	A	1611	-	-	-	X
2	SO4	B	1612	-	-	-	X
2	SO4	B	1619	-	-	-	X
5	ACT	B	1629	-	-	-	X
6	PEG	B	1630	-	-	-	X

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 9493 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called EXOPOLYGALACTURONASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	571	Total	C	N	O	S	0	4	0
			4459	2795	781	868	15			
1	B	567	Total	C	N	O	S	0	0	0
			4392	2760	766	851	15			

- Molecule 2 is SULFATE ION (three-letter code: SO₄) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0

- Molecule 3 is NICKEL (II) ION (three-letter code: NI) (formula: Ni).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	6	Total Ni 6 6	0	0
3	A	4	Total Ni 4 4	0	0

- Molecule 4 is DIGALACTURONIC ACID (three-letter code: AD0) (formula: C₁₂H₁₈O₁₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			25	12	13		

- Molecule 5 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			4	2	2		


- Molecule 6 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			7	4	3		
6	B	1	Total	C	O	0	0
			7	4	3		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	184	Total	O	0	0
			184	184		
7	B	303	Total	O	0	0
			303	303		



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	91.02Å 79.66Å 98.49Å 90.00° 103.90° 90.00°	Depositor
Resolution (Å)	19.72 – 2.10 19.72 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.1 (19.72-2.10) 99.0 (19.72-2.10)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.52 (at 2.09Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.232 , 0.284 0.225 , 0.271	Depositor DCC
R_{free} test set	3976 reflections (5.30%)	DCC
Wilson B-factor (Å ²)	33.3	Xtriage
Anisotropy	0.037	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 61.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	1 of 79046 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9493	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.40% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NI, PEG, SO4, AD0, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.59	0/4552	0.71	2/6179 (0.0%)
1	B	0.71	1/4482 (0.0%)	0.79	4/6083 (0.1%)
All	All	0.65	1/9034 (0.0%)	0.75	6/12262 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5
1	B	1	5
All	All	1	10

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	183	CYS	CB-SG	-6.50	1.71	1.82

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	262	ARG	NE-CZ-NH2	-9.02	115.79	120.30
1	B	262	ARG	NE-CZ-NH1	8.38	124.49	120.30
1	A	601	VAL	N-CA-C	7.93	132.42	111.00
1	B	442	SER	N-CA-CB	6.48	120.22	110.50
1	B	446	ALA	N-CA-C	-5.82	95.29	111.00
1	A	599	VAL	C-N-CA	5.11	134.47	121.70

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	B	442	SER	CA

All (10) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	440	THR	Peptide
1	A	502	ALA	Peptide
1	A	600	LYS	Peptide
1	A	602	ASP	Peptide
1	A	604	LYS	Peptide
1	B	251	ASN	Peptide
1	B	441	GLY	Peptide
1	B	602	ASP	Peptide
1	B	603	GLY	Peptide
1	B	604	LYS	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4459	0	4340	109	0
1	B	4392	0	4289	73	0
2	A	30	0	0	0	0
2	B	60	0	0	0	0
3	A	4	0	0	0	0
3	B	6	0	0	0	0
4	A	25	0	16	1	0
5	B	16	0	12	1	0
6	B	14	0	20	2	0
7	A	184	0	0	3	0
7	B	303	0	0	9	0
All	All	9493	0	8677	182	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (182) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:502:ALA:HB3	1:A:503:ASP:HA	1.30	1.10
1:B:422:LYS:HD3	7:B:2226:HOH:O	1.63	0.98
1:B:601:VAL:O	1:B:603:GLY:HA2	1.67	0.93
1:A:502:ALA:CB	1:A:503:ASP:HA	1.98	0.92
1:B:113:GLN:H	1:B:428:ASN:HD21	1.10	0.89
1:B:177:GLN:HE22	1:B:202:TRP:H	1.26	0.82
1:A:113:GLN:H	1:A:428:ASN:HD21	1.29	0.80
1:A:252:ASN:HB2	7:A:2075:HOH:O	1.85	0.76
1:B:508:ILE:HD12	5:B:1626:ACT:H2	1.69	0.75
1:B:174:LYS:O	1:B:178:GLN:HG3	1.85	0.75
1:B:573:ARG:HH22	6:B:1631:PEG:H12	1.51	0.74
1:A:502:ALA:HB3	1:A:503:ASP:CA	2.15	0.74
1:B:488:ARG:HD2	7:B:2045:HOH:O	1.87	0.74
1:A:167:ASP:CB	1:A:168:GLY:HA2	2.16	0.74
1:A:502:ALA:CB	1:A:503:ASP:CA	2.64	0.73
1:B:452:LEU:HB2	6:B:1630:PEG:H22	1.70	0.73
1:B:415:ALA:HA	1:B:418:GLN:HE21	1.53	0.72
1:A:37:ALA:HB2	1:A:141:VAL:HG23	1.73	0.69
1:A:180:ILE:O	1:A:183:CYS:HB2	1.93	0.69
1:A:531[A]:ASN:HD22	1:A:563[A]:ASN:HB3	1.57	0.68
1:B:355:HIS:HD2	1:B:379:ASN:O	1.76	0.68
1:B:113:GLN:H	1:B:428:ASN:ND2	1.90	0.68
1:A:605:PRO:O	1:A:606:VAL:HG22	1.94	0.67
1:A:504:SER:HA	1:A:505:ASN:C	2.15	0.67
1:A:444:THR:HG22	1:A:448:ILE:HD12	1.79	0.65
1:B:531:ASN:HD22	1:B:563:ASN:HB3	1.62	0.65
1:A:240:ARG:HH21	1:A:328:GLN:HE22	1.45	0.65
1:A:141:VAL:HG22	7:A:2039:HOH:O	1.97	0.64
1:A:240:ARG:HE	1:A:328:GLN:NE2	1.96	0.64
1:B:456:ASN:H	1:B:485:ASN:HD22	1.44	0.63
1:A:167:ASP:CG	1:A:168:GLY:HA2	2.19	0.63
1:A:602:ASP:N	1:A:603:GLY:HA2	2.14	0.63
1:A:599:VAL:HA	1:A:600:LYS:HB2	1.81	0.63
1:A:167:ASP:HB2	1:A:168:GLY:CA	2.30	0.62
1:B:113:GLN:N	1:B:428:ASN:HD21	1.90	0.62
1:B:600:LYS:HG2	1:B:605:PRO:HD3	1.81	0.61
1:B:450:ASP:OD1	7:B:2231:HOH:O	2.16	0.61
1:B:442:SER:HB3	7:B:2229:HOH:O	1.99	0.61
1:A:446:ALA:O	1:A:447:TRP:HB2	1.99	0.61
1:A:456:ASN:H	1:A:485:ASN:HD22	1.48	0.60
1:B:498:THR:HG22	1:B:542:LYS:HD3	1.83	0.59
1:A:575:SER:O	1:A:599:VAL:HB	2.03	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:294:VAL:HG11	1:A:304:ASP:HB3	1.83	0.59
1:A:576:GLU:HA	1:A:600:LYS:O	2.03	0.59
1:A:167:ASP:HB2	1:A:168:GLY:HA2	1.83	0.59
1:B:114:ASN:ND2	1:B:395:ASN:HD21	2.01	0.58
1:B:601:VAL:C	1:B:603:GLY:HA2	2.22	0.58
1:B:508:ILE:HA	7:B:2253:HOH:O	2.04	0.57
1:B:255:PRO:HG3	1:B:361:GLU:O	2.05	0.57
1:A:599:VAL:O	1:A:606:VAL:N	2.38	0.57
1:B:600:LYS:HB3	1:B:603:GLY:HA3	1.86	0.56
1:A:341:ASN:ND2	1:A:364:ASN:HD22	2.04	0.55
1:B:111:VAL:H	1:B:455:ASN:ND2	2.03	0.55
1:A:407:PHE:O	1:A:441:GLY:HA3	2.07	0.55
1:B:508:ILE:N	1:B:509:ASP:HB2	2.21	0.55
1:A:605:PRO:O	1:A:606:VAL:CG2	2.54	0.55
1:B:498:THR:CG2	1:B:542:LYS:HD3	2.37	0.55
1:A:204:LYS:O	1:A:207:MET:HG2	2.06	0.55
1:A:167:ASP:CB	1:A:168:GLY:CA	2.84	0.54
1:A:114:ASN:ND2	1:A:395:ASN:HD21	2.04	0.54
1:B:407:PHE:O	1:B:441:GLY:HA3	2.07	0.54
1:A:503:ASP:H	1:A:505:ASN:HB2	1.72	0.54
1:A:72:PHE:HE2	1:A:131:LYS:HG3	1.73	0.53
1:A:111:VAL:H	1:A:455:ASN:ND2	2.07	0.53
1:A:294:VAL:CG1	1:A:304:ASP:HB3	2.38	0.53
1:B:114:ASN:HD21	1:B:395:ASN:HD21	1.56	0.53
1:A:413:GLU:OE1	1:A:513:ALA:HA	2.08	0.53
1:A:499:LEU:HB2	1:A:551:HIS:CE1	2.43	0.53
1:A:531[A]:ASN:ND2	1:A:563[A]:ASN:HB3	2.25	0.52
1:A:199:GLY:HA3	1:A:225:ASP:HB3	1.92	0.52
1:B:450:ASP:OD1	1:B:479:ASN:ND2	2.43	0.51
1:A:471:SER:CB	1:A:501:TYR:HA	2.41	0.51
1:A:114:ASN:HD21	1:A:395:ASN:HD21	1.59	0.51
1:B:444:THR:O	1:B:446:ALA:O	2.28	0.50
1:A:548:LYS:HA	1:A:550:TRP:CZ3	2.45	0.50
1:A:113:GLN:N	1:A:428:ASN:HD21	2.05	0.50
1:A:442:SER:HA	1:A:468:LYS:O	2.11	0.50
1:A:363:HIS:NE2	1:A:419:GLU:OE1	2.33	0.50
1:A:73:SER:HB2	1:A:78:LEU:HD11	1.93	0.50
1:B:557:ASN:ND2	7:B:2268:HOH:O	2.45	0.50
1:B:454:GLU:HA	1:B:483:ARG:O	2.12	0.49
1:B:570:SER:HB2	1:B:594:SER:O	2.12	0.49
1:A:463:ILE:HA	1:A:493:GLN:O	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:320:MET:CE	1:A:329:ARG:HD3	2.42	0.49
1:B:536:ASN:HB3	1:B:537:PRO:HD2	1.94	0.49
1:A:413:GLU:HB2	1:A:512:PRO:O	2.13	0.49
1:A:416:GLN:C	1:A:418:GLN:H	2.16	0.49
1:A:501:TYR:CE1	1:A:503:ASP:OD2	2.65	0.49
1:B:171:LEU:HD11	1:B:220:SER:HB2	1.95	0.48
1:B:101:ASN:HB2	7:B:2036:HOH:O	2.11	0.48
1:B:288:ARG:NH1	7:B:2160:HOH:O	2.40	0.48
1:B:520:TYR:HA	1:B:552:ARG:O	2.14	0.47
1:A:164:ALA:HA	1:A:172:ASN:OD1	2.14	0.47
1:B:167:ASP:OD2	1:B:170:THR:OG1	2.32	0.47
1:A:240:ARG:HE	1:A:328:GLN:HE21	1.61	0.47
1:B:233:TYR:CZ	1:B:410:GLY:HA2	2.50	0.47
1:A:442:SER:HB2	1:A:468:LYS:HD3	1.95	0.47
1:A:394:PHE:HA	1:A:427:PHE:O	2.15	0.47
1:B:573:ARG:HA	1:B:597:LYS:O	2.15	0.47
1:A:537:PRO:HG2	1:A:568:ALA:HB3	1.97	0.47
1:A:174:LYS:O	1:A:178:GLN:HB2	2.14	0.47
1:B:483:ARG:HA	1:B:525:LYS:O	2.14	0.47
1:B:183:CYS:HB2	1:B:204:LYS:HE2	1.96	0.47
1:B:413:GLU:OE2	1:B:416:GLN:NE2	2.48	0.46
1:A:274:TRP:HB2	1:A:351:ASN:HD21	1.80	0.46
1:B:471:SER:O	1:B:516:PRO:HA	2.14	0.46
1:B:462:ASP:C	1:B:463:ILE:HG13	2.35	0.46
1:B:93:PRO:HB2	1:B:286:LEU:HD21	1.97	0.46
1:A:341:ASN:HD22	1:A:364:ASN:HB2	1.81	0.46
1:A:72:PHE:CE2	1:A:131:LYS:HG3	2.51	0.46
1:B:563:ASN:ND2	1:B:586:ARG:HH11	2.13	0.45
1:A:508:ILE:HG22	1:A:510:TYR:O	2.16	0.45
1:A:472:THR:HG23	1:A:502:ALA:HB3	1.99	0.45
1:B:448:ILE:O	1:B:477:ALA:HA	2.17	0.45
1:B:221:GLU:HG3	7:B:2174:HOH:O	2.16	0.45
1:A:471:SER:HB3	1:A:501:TYR:HA	1.99	0.45
1:B:508:ILE:HG22	1:B:509:ASP:OD2	2.16	0.45
1:B:37:ALA:O	1:B:39:GLN:NE2	2.44	0.45
1:B:456:ASN:H	1:B:485:ASN:ND2	2.14	0.45
1:A:253:SER:HB2	1:A:361[A]:GLU:OE2	2.16	0.45
1:B:121:LYS:HB3	1:B:121:LYS:HE2	1.61	0.45
1:A:337:ARG:HA	1:A:360:LEU:O	2.17	0.45
1:A:413:GLU:OE1	1:A:514:LYS:N	2.41	0.45
1:B:71:ILE:HD12	1:B:71:ILE:N	2.32	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:98:PHE:CE1	1:A:488:ARG:HB3	2.53	0.44
1:A:127:GLN:OE1	1:A:145:PRO:HB3	2.18	0.44
1:B:525:LYS:HE2	1:B:557:ASN:HB2	2.00	0.44
1:B:171:LEU:HD12	1:B:171:LEU:HA	1.83	0.44
1:A:532:SER:HB2	1:A:564:VAL:HG12	1.99	0.44
1:A:536:ASN:HB2	7:A:2165:HOH:O	2.17	0.44
1:A:525:LYS:HA	1:A:557:ASN:O	2.17	0.44
1:B:508:ILE:HG23	1:B:509:ASP:HA	1.99	0.44
1:B:523:THR:HG23	1:B:525:LYS:HE3	2.00	0.44
1:A:121:LYS:HE2	1:A:121:LYS:HB2	1.81	0.44
1:A:494:VAL:HG22	1:A:529:VAL:HG21	2.00	0.44
1:A:415:ALA:O	1:A:418:GLN:HG3	2.17	0.44
1:B:174:LYS:HA	1:B:174:LYS:HD2	1.83	0.44
1:A:167:ASP:OD1	1:A:167:ASP:N	2.51	0.43
1:B:414:LYS:HE3	1:B:511:PRO:HG2	2.00	0.43
1:A:86:ASP:OD1	1:A:92:LYS:NZ	2.52	0.43
1:A:402:ASP:OD1	4:A:1617:AD0:H1'	2.19	0.43
1:B:389:GLN:HE22	1:B:419:GLU:HB3	1.83	0.43
1:B:375:TYR:HA	1:B:376:ASP:HA	1.84	0.43
1:A:471:SER:HB2	1:A:501:TYR:HA	2.02	0.42
1:B:177:GLN:NE2	1:B:202:TRP:H	2.07	0.42
1:A:113:GLN:H	1:A:428:ASN:ND2	2.07	0.42
1:A:47:ALA:HB1	1:A:54:VAL:HB	2.01	0.42
1:B:525:LYS:HA	1:B:557:ASN:O	2.20	0.42
1:B:444:THR:HG22	1:B:448:ILE:HD12	2.02	0.42
1:A:254:LYS:HA	1:A:255:PRO:HD3	1.94	0.42
1:A:240:ARG:HH21	1:A:328:GLN:NE2	2.15	0.42
1:A:499:LEU:HD11	1:A:518:GLN:HA	2.01	0.42
1:A:448:ILE:O	1:A:477:ALA:HA	2.19	0.42
1:A:388:SER:O	1:A:389:GLN:HG2	2.20	0.42
1:A:393:VAL:HB	1:A:426:LEU:HD12	2.02	0.41
1:A:120:LEU:HG	1:A:126:TYR:CE2	2.55	0.41
1:A:441:GLY:O	1:A:442:SER:HB3	2.20	0.41
1:A:274:TRP:H	1:A:351:ASN:HD21	1.67	0.41
1:A:454:GLU:HA	1:A:483:ARG:O	2.19	0.41
1:A:520:TYR:HA	1:A:552:ARG:O	2.20	0.41
1:B:166:ASP:HB3	1:B:196:TYR:CZ	2.55	0.41
1:A:341:ASN:HD21	1:A:364:ASN:HD22	1.66	0.41
1:A:153:LYS:HD2	1:A:154:PRO:HD2	2.02	0.41
1:A:211:LEU:O	1:A:265:GLY:HA3	2.20	0.41
1:A:500:ASP:OD1	1:A:500:ASP:N	2.53	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:153:LYS:CE	1:B:154:PRO:HD2	2.51	0.41
1:A:46:LEU:HD11	1:A:260:ASN:HA	2.02	0.41
1:A:470:THR:HB	1:A:500:ASP:O	2.20	0.41
1:A:268:VAL:HG22	1:A:348:THR:HB	2.03	0.41
1:B:596:VAL:HB	1:B:599:VAL:HG13	2.03	0.41
1:A:411:THR:HA	1:A:473:ILE:HG23	2.03	0.41
1:A:540:GLU:HA	1:A:568:ALA:O	2.22	0.40
1:A:94:TYR:HB3	1:A:430:TYR:CE1	2.56	0.40
1:A:506:ALA:O	1:A:508:ILE:N	2.54	0.40
1:A:440:THR:O	1:A:467:ALA:HA	2.21	0.40
1:B:530:ASP:O	1:B:531:ASN:HB2	2.21	0.40
1:A:240:ARG:NH2	1:A:328:GLN:HE22	2.17	0.40
1:B:369:GLY:HA2	1:B:395:ASN:O	2.21	0.40
1:A:375:TYR:HA	1:A:376:ASP:HA	1.77	0.40
1:A:71:ILE:HG22	1:A:78:LEU:HD12	2.04	0.40
1:B:466:ARG:HD3	1:B:496:VAL:HB	2.04	0.40
1:A:249:ASP:HB2	1:A:257:THR:HG21	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	573/608 (94%)	522 (91%)	41 (7%)	10 (2%)	11	5
1	B	563/608 (93%)	527 (94%)	31 (6%)	5 (1%)	21	15
All	All	1136/1216 (93%)	1049 (92%)	72 (6%)	15 (1%)	16	9

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	600	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	601	VAL
1	B	605	PRO
1	A	503	ASP
1	A	507	ASN
1	A	442	SER
1	A	605	PRO
1	B	252	ASN
1	B	442	SER
1	A	447	TRP
1	B	604	LYS
1	A	598	ASN
1	A	531[A]	ASN
1	A	531[B]	ASN
1	B	306	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	481/507 (95%)	450 (94%)	31 (6%)	22	18
1	B	472/507 (93%)	451 (96%)	21 (4%)	35	33
All	All	953/1014 (94%)	901 (94%)	52 (6%)	27	23

All (52) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	36	ASP
1	A	76	LYS
1	A	101	ASN
1	A	104	ASP
1	A	105	ASN
1	A	120	LEU
1	A	123	GLU
1	A	127	GLN
1	A	147	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	165	ILE
1	A	167	ASP
1	A	174	LYS
1	A	178	GLN
1	A	183	CYS
1	A	204	LYS
1	A	254	LYS
1	A	286	LEU
1	A	333	LEU
1	A	351	ASN
1	A	418	GLN
1	A	435	HIS
1	A	461	THR
1	A	468	LYS
1	A	499	LEU
1	A	500	ASP
1	A	503	ASP
1	A	509	ASP
1	A	532	SER
1	A	574	ASP
1	A	599	VAL
1	A	601	VAL
1	B	36	ASP
1	B	87	ASN
1	B	103	LYS
1	B	121	LYS
1	B	127	GLN
1	B	153	LYS
1	B	174	LYS
1	B	251	ASN
1	B	281	GLU
1	B	317	SER
1	B	333	LEU
1	B	351	ASN
1	B	390	ASN
1	B	426	LEU
1	B	461	THR
1	B	499	LEU
1	B	508	ILE
1	B	548	LYS
1	B	599	VAL
1	B	601	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	605	PRO

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (29) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	105	ASN
1	A	114	ASN
1	A	177	GLN
1	A	328	GLN
1	A	341	ASN
1	A	351	ASN
1	A	390	ASN
1	A	418	GLN
1	A	428	ASN
1	A	455	ASN
1	A	485	ASN
1	A	592	HIS
1	B	105	ASN
1	B	114	ASN
1	B	127	GLN
1	B	177	GLN
1	B	252	ASN
1	B	324	ASN
1	B	351	ASN
1	B	355	HIS
1	B	387	ASN
1	B	416	GLN
1	B	418	GLN
1	B	428	ASN
1	B	455	ASN
1	B	485	ASN
1	B	531	ASN
1	B	557	ASN
1	B	563	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 35 ligands modelled in this entry, 10 are monoatomic - leaving 25 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	A	1607	-	4,4,4	0.09	0	6,6,6	0.39	0
2	SO4	A	1608	-	4,4,4	0.06	0	6,6,6	0.21	0
2	SO4	A	1609	-	4,4,4	0.16	0	6,6,6	0.25	0
2	SO4	A	1610	-	4,4,4	0.25	0	6,6,6	0.24	0
2	SO4	A	1611	-	4,4,4	0.23	0	6,6,6	0.26	0
2	SO4	A	1612	-	4,4,4	0.17	0	6,6,6	0.20	0
4	AD0	A	1617	-	20,26,26	1.50	1 (5%)	29,39,39	1.39	4 (13%)
2	SO4	B	1608	-	4,4,4	0.11	0	6,6,6	0.22	0
2	SO4	B	1609	-	4,4,4	0.18	0	6,6,6	0.11	0
2	SO4	B	1610	-	4,4,4	0.34	0	6,6,6	0.26	0
2	SO4	B	1611	-	4,4,4	0.15	0	6,6,6	0.09	0
2	SO4	B	1612	-	4,4,4	0.21	0	6,6,6	0.13	0
2	SO4	B	1613	-	4,4,4	0.16	0	6,6,6	0.22	0
2	SO4	B	1614	-	4,4,4	0.22	0	6,6,6	0.35	0
2	SO4	B	1615	-	4,4,4	0.22	0	6,6,6	0.19	0
2	SO4	B	1616	-	4,4,4	0.13	0	6,6,6	0.27	0
2	SO4	B	1617	-	4,4,4	0.20	0	6,6,6	0.22	0
2	SO4	B	1618	-	4,4,4	0.17	0	6,6,6	0.38	0
2	SO4	B	1619	-	4,4,4	0.49	0	6,6,6	0.51	0
5	ACT	B	1626	-	1,3,3	1.92	0	0,3,3	0.00	-
5	ACT	B	1627	-	1,3,3	1.64	0	0,3,3	0.00	-
5	ACT	B	1628	-	1,3,3	1.88	0	0,3,3	0.00	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	ACT	B	1629	-	1,3,3	1.07	0	0,3,3	0.00	-
6	PEG	B	1630	-	6,6,6	0.34	0	5,5,5	0.94	0
6	PEG	B	1631	-	6,6,6	0.56	0	5,5,5	0.16	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	1607	-	-	0/0/0/0	0/0/0/0
2	SO4	A	1608	-	-	0/0/0/0	0/0/0/0
2	SO4	A	1609	-	-	0/0/0/0	0/0/0/0
2	SO4	A	1610	-	-	0/0/0/0	0/0/0/0
2	SO4	A	1611	-	-	0/0/0/0	0/0/0/0
2	SO4	A	1612	-	-	0/0/0/0	0/0/0/0
4	AD0	A	1617	-	-	0/4/52/52	0/2/2/2
2	SO4	B	1608	-	-	0/0/0/0	0/0/0/0
2	SO4	B	1609	-	-	0/0/0/0	0/0/0/0
2	SO4	B	1610	-	-	0/0/0/0	0/0/0/0
2	SO4	B	1611	-	-	0/0/0/0	0/0/0/0
2	SO4	B	1612	-	-	0/0/0/0	0/0/0/0
2	SO4	B	1613	-	-	0/0/0/0	0/0/0/0
2	SO4	B	1614	-	-	0/0/0/0	0/0/0/0
2	SO4	B	1615	-	-	0/0/0/0	0/0/0/0
2	SO4	B	1616	-	-	0/0/0/0	0/0/0/0
2	SO4	B	1617	-	-	0/0/0/0	0/0/0/0
2	SO4	B	1618	-	-	0/0/0/0	0/0/0/0
2	SO4	B	1619	-	-	0/0/0/0	0/0/0/0
5	ACT	B	1626	-	-	0/0/0/0	0/0/0/0
5	ACT	B	1627	-	-	0/0/0/0	0/0/0/0
5	ACT	B	1628	-	-	0/0/0/0	0/0/0/0
5	ACT	B	1629	-	-	0/0/0/0	0/0/0/0
6	PEG	B	1630	-	-	0/4/4/4	0/0/0/0
6	PEG	B	1631	-	-	0/4/4/4	0/0/0/0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1617	AD0	O5'-C5'	4.32	1.49	1.43

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
4	A	1617	AD0	O5'-C1'-C2'	-2.91	105.16	109.80
4	A	1617	AD0	C1'-C2'-C3'	-2.50	106.71	110.43
4	A	1617	AD0	C1-O5-C5	2.14	115.49	112.17
4	A	1617	AD0	C1'-O5'-C5'	3.00	116.64	112.22

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1617	AD0	1	0
5	B	1626	ACT	1	0
6	B	1630	PEG	1	0
6	B	1631	PEG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	571/608 (93%)	0.98	86 (15%) 3 4	15, 39, 64, 86	2 (0%)
1	B	567/608 (93%)	0.32	32 (5%) 28 36	14, 27, 42, 58	1 (0%)
All	All	1138/1216 (93%)	0.65	118 (10%) 8 12	14, 32, 56, 86	3 (0%)

All (118) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	546	ALA	13.8
1	A	545	THR	9.9
1	A	502	ALA	9.4
1	A	506	ALA	8.9
1	A	508	ILE	8.8
1	B	508	ILE	8.7
1	A	507	ASN	8.0
1	A	504	SER	7.5
1	A	515	ILE	7.3
1	A	505	ASN	7.2
1	A	501	TYR	7.1
1	B	432	ARG	6.9
1	A	432	ARG	6.8
1	A	548	LYS	6.7
1	B	607	ALA	6.3
1	A	168	GLY	6.0
1	A	544	ASP	5.8
1	B	135	ALA	5.8
1	A	503	ASP	5.5
1	B	501	TYR	5.5
1	A	550	TRP	5.3
1	B	502	ALA	5.2
1	A	603	GLY	5.1
1	A	169	LYS	5.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	74	ALA	4.9
1	A	417	GLU	4.8
1	A	104	ASP	4.7
1	B	251	ASN	4.7
1	A	604	LYS	4.5
1	A	231	ARG	4.3
1	A	137	GLY	4.2
1	A	606	VAL	4.2
1	A	101	ASN	4.0
1	A	599	VAL	4.0
1	A	103	LYS	3.9
1	A	572	LEU	3.9
1	A	76	LYS	3.9
1	A	36	ASP	3.8
1	A	135	ALA	3.8
1	A	416	GLN	3.8
1	A	500	ASP	3.7
1	A	472	THR	3.6
1	A	278	LYS	3.6
1	B	604	LYS	3.5
1	A	307	LEU	3.5
1	A	132	ALA	3.5
1	A	250	PRO	3.4
1	A	514	LYS	3.4
1	B	104	ASP	3.4
1	B	514	LYS	3.3
1	B	136	ASP	3.3
1	B	101	ASN	3.3
1	A	75	GLY	3.3
1	A	209	LEU	3.2
1	A	189	VAL	3.2
1	A	191	ILE	3.1
1	A	511	PRO	3.1
1	A	539	ILE	3.1
1	B	446	ALA	3.0
1	B	509	ASP	3.0
1	B	65	LYS	3.0
1	A	509	ASP	2.9
1	A	119	GLY	2.9
1	A	418	GLN	2.9
1	A	547	ASN	2.9
1	B	153	LYS	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	353	ALA	2.9
1	A	156	ILE	2.8
1	A	251	ASN	2.8
1	B	417	GLU	2.8
1	A	152	ALA	2.8
1	A	130	VAL	2.8
1	A	141	VAL	2.8
1	A	302	HIS	2.7
1	A	234	PRO	2.7
1	A	185	PRO	2.6
1	A	184	LYS	2.6
1	A	62	ASP	2.6
1	A	125	SER	2.5
1	A	166	ASP	2.5
1	A	570	SER	2.5
1	B	535	LYS	2.5
1	A	170	THR	2.5
1	B	416	GLN	2.5
1	A	136	ASP	2.5
1	A	167	ASP	2.5
1	A	263	ILE	2.5
1	A	556	VAL	2.4
1	A	308	ALA	2.4
1	B	55	LEU	2.4
1	A	155	GLN	2.4
1	A	153	LYS	2.4
1	B	103	LYS	2.4
1	A	594	SER	2.3
1	B	105	ASN	2.3
1	B	561	LEU	2.3
1	A	183	CYS	2.3
1	B	589	THR	2.3
1	A	64	ARG	2.3
1	B	606	VAL	2.3
1	A	273	GLY	2.2
1	B	529	VAL	2.2
1	A	127	GLN	2.2
1	B	499	LEU	2.2
1	B	137	GLY	2.2
1	A	510	TYR	2.2
1	B	252	ASN	2.2
1	A	178	GLN	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	278	LYS	2.1
1	A	65	LYS	2.1
1	A	124	THR	2.1
1	B	515	ILE	2.1
1	A	499	LEU	2.1
1	A	228	ALA	2.1
1	A	410	GLY	2.1
1	A	473	ILE	2.0
1	A	171	LEU	2.0
1	B	554	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	SO4	B	1612	5/5	0.86	0.33	11.30	97,97,97,98	0
2	SO4	A	1610	5/5	0.87	0.30	11.08	82,82,83,83	0
6	PEG	B	1630	7/7	0.89	0.28	8.11	33,37,43,43	0
2	SO4	B	1619	5/5	0.93	0.32	6.12	40,41,42,42	0
5	ACT	B	1629	4/4	0.91	0.19	3.80	36,36,36,36	0
2	SO4	A	1611	5/5	0.92	0.32	3.71	73,73,74,74	0
5	ACT	B	1627	4/4	0.82	0.19	1.85	48,48,48,49	0
2	SO4	B	1618	5/5	0.87	0.20	1.78	73,73,74,74	0
4	AD0	A	1617	25/25	0.85	0.20	1.34	40,47,51,52	0
5	ACT	B	1628	4/4	0.87	0.15	0.77	42,42,42,43	0
5	ACT	B	1626	4/4	0.60	0.26	0.30	44,44,44,44	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	SO4	A	1608	5/5	0.95	0.21	0.16	61,62,63,63	0
2	SO4	B	1610	5/5	0.98	0.17	-0.26	41,42,42,46	0
2	SO4	A	1607	5/5	0.95	0.18	-0.32	52,54,56,56	0
2	SO4	A	1609	5/5	0.96	0.12	-1.39	53,53,55,55	0
3	NI	B	1620	1/1	0.99	0.06	-2.13	28,28,28,28	0
3	NI	A	1614	1/1	0.99	0.05	-2.57	34,34,34,34	0
3	NI	B	1621	1/1	0.94	0.05	-3.33	50,50,50,50	0
2	SO4	B	1613	5/5	0.86	0.33	-	87,87,87,87	0
2	SO4	B	1617	5/5	0.97	0.20	-	60,60,60,61	0
2	SO4	B	1611	5/5	0.86	0.34	-	112,112,112,112	0
3	NI	B	1622	1/1	0.48	0.17	-	93,93,93,93	0
3	NI	B	1625	1/1	0.95	0.03	-	75,75,75,75	0
3	NI	A	1616	1/1	0.89	0.06	-	75,75,75,75	0
2	SO4	B	1616	5/5	0.92	0.33	-	71,71,72,73	0
3	NI	B	1623	1/1	0.99	0.13	-	40,40,40,40	0
2	SO4	B	1615	5/5	0.86	0.38	-	97,97,97,98	0
3	NI	B	1624	1/1	0.89	0.08	-	85,85,85,85	0
3	NI	A	1615	1/1	0.98	0.14	-	49,49,49,49	0
2	SO4	B	1609	5/5	0.97	0.15	-	47,48,49,49	0
6	PEG	B	1631	7/7	0.87	0.28	-	46,48,50,50	0
2	SO4	B	1614	5/5	0.88	0.40	-	77,78,78,78	0
2	SO4	A	1612	5/5	0.74	0.52	-	104,104,105,105	0
2	SO4	B	1608	5/5	0.94	0.21	-	75,75,76,76	0
3	NI	A	1613	1/1	0.98	0.11	-	32,32,32,32	0

6.5 Other polymers [i](#)

There are no such residues in this entry.