



## wwPDB EM Map/Model Validation Report ⓘ

Apr 10, 2016 – 02:59 PM BST

PDB ID : 4V4N  
EMDB ID: : EMD-5691  
Title : Structure of the Methanococcus jannaschii ribosome-SecYEBeta channel complex  
Authors : Menetret, J.F.; Park, E.; Gumbart, J.C.; Ludtke, S.J.; Li, W.; Whynot, A.; Rapoport, T.A.; Akey, C.W.  
Deposited on : 2013-06-17  
Resolution : 9.00 Å(reported)  
Based on PDB ID : 3J2L, 3J21, 3J20, 1RHZ

This is a wwPDB EM Map/Model Validation Report for a publicly released PDB/EMDB entry.  
For rigid body fitted models, validation errors reported here could stem from errors in the original structure(s) used in the fitting.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/EMValidationReportHelp>

---


MolProbity : 4.02b-467  
Mogul : unknown  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk27241

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 9.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	114402	924
Ramachandran outliers	111179	726
Sidechain outliers	111093	686
RNA backbone	3027	244

The table below summarises the geometric issues observed across the polymeric chains. The red, orange, yellow and green segments on the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A7	67	<div><div>70%24%.</div></div>
2	A8	52	<div><div>54%6%38%.</div></div>
3	Af	51	<div><div>59%39%.</div></div>
4	AQ	150	<div><div>71%25%.</div></div>
5	AS	150	<div><div>73%22%5%.</div></div>
6	AT	84	<div><div>67%32%.</div></div>
7	AU	121	<div><div>71%26%.</div></div>
8	AW	72	<div><div>78%11%8%.</div></div>


























Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
9	AX	436	 71% 25% ..
10	B1	77	 32% 51% 17%
11	B2	1495	 38% 46% 16%
12	AG	123	 81% 15% ..
12	B3	123	 80% 19% .
13	BA	190	 63% 29% 8%
14	BB	202	 68% 30% .
15	BC	186	 75% 22% .
16	BD	172	 74% 20% 6% .
17	BE	241	 68% 27% 5%
18	BF	217	 73% 21% 6%
19	BG	125	 73% 22% ..
20	BH	215	 61% 25% 12% .
21	BI	129	 77% 20% ..
22	BJ	127	 65% 30% 5%
23	BK	135	 65% 30% .
24	BL	102	 61% 29% 9% .
25	BM	133	 71% 26% .
26	BN	145	 70% 26% ..
27	BO	148	 72% 21% 7%
28	BP	56	 61% 27% 11% .
29	BQ	158	 70% 22% 6% .
30	BR	113	 70% 24% 6%
31	BS	67	 75% 21% ..
32	BT	111	 68% 25% 5% .

*Continued on next page...*










Continued from previous page...

Mol	Chain	Length	Quality of chain
33	BU	144	
34	BV	99	
35	BW	63	
36	BX	71	
37	BY	50	
38	A1	3049	
39	A3	126	
40	A5	81	
40	AK	81	
41	AA	216	
42	Aa	92	
43	AB	239	
44	Ab	127	
45	AC	365	
46	AD	255	
47	Ad	89	
48	AE	186	
49	Ae	62	
50	AF	184	
51	Ag	45	
52	AH	134	
53	Ah	24	
54	AI	142	
55	Ai	78	
56	AJ	132	

Continued on next page...



*Continued from previous page...*

Mol	Chain	Length	Quality of chain
57	Aj	94	 60% 33% 7%
58	Ak	212	 79% 17% •
59	AL	147	 67% 21% 10% •
60	AM	194	 68% 27% 5%
61	AN	168	 66% 28% • •
62	AO	197	 68% 28% • •
63	AP	120	 72% 23% • •
64	AR	95	 69% 25% • •
65	AV	66	 65% 29% 6%
66	AY	155	 76% 21% •
67	AZ	99	 73% 21% • •

## 2 Entry composition [i](#)

There are 67 unique types of molecules in this entry. The entry contains 171094 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Preprotein translocase subunit SecE.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A7	65	Total	C	N	O	S	0	0
			525	348	85	91	1		

- Molecule 2 is a protein called Preprotein translocase subunit SecG.

Mol	Chain	Residues	Atoms				AltConf	Trace
2	A8	32	Total	C	N	O	0	0
			258	172	42	44		

- Molecule 3 is a protein called 50S ribosomal protein L39E.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	Af	51	Total	C	N	O	S	0	0
			445	284	98	62	1		

- Molecule 4 is a protein called 50S ribosomal protein L19E.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	AQ	150	Total	C	N	O	S	0	0
			1256	794	255	202	5		

- Molecule 5 is a protein called 50S ribosomal protein L22P.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	AS	150	Total	C	N	O	S	0	0
			1200	764	230	202	4		

- Molecule 6 is a protein called 50S ribosomal protein L23P.

Mol	Chain	Residues	Atoms				AltConf	Trace
6	AT	84	Total	C	N	O	0	0
			680	440	118	122		

- Molecule 7 is a protein called 50S ribosomal protein L24P.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	AU	121	Total	C	N	O	S	0	0
			1008	637	195	172	4		

- Molecule 8 is a protein called 50S ribosomal protein L29P.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	AW	66	Total	C	N	O	S	0	0
			546	338	105	99	4		

- Molecule 9 is a protein called Protein translocase subunit SecY.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	AX	432	Total	C	N	O	S	0	0
			3309	2210	521	559	19		

- Molecule 10 is a RNA chain called E-tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	B1	77	Total	C	N	O	P	0	0
			1646	734	303	533	76		

- Molecule 11 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	B2	1495	Total	C	N	O	P	0	0
			32132	14297	5954	10387	1494		

- Molecule 12 is a protein called 30S ribosomal protein L7AE.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	B3	123	Total	C	N	O	S	0	0
			939	599	155	181	4		
12	AG	123	Total	C	N	O	S	0	0
			939	599	155	181	4		

- Molecule 13 is a protein called 30S ribosomal protein S3AE.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	BA	190	Total	C	N	O	S	0	0
			1559	1007	273	274	5		

- Molecule 14 is a protein called 30S ribosomal protein S2P.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	BB	202	Total	C	N	O	S	0	0
			1623	1046	282	290	5		

- Molecule 15 is a protein called 30S ribosomal protein S3P.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	BC	186	Total	C	N	O	S	0	0
			1460	933	271	252	4		

- Molecule 16 is a protein called 30S ribosomal protein S4P.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	BD	172	Total	C	N	O	S	0	0
			1434	902	273	255	4		

- Molecule 17 is a protein called 30S ribosomal protein S4E.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	BE	241	Total	C	N	O	S	0	0
			1976	1277	355	339	5		

- Molecule 18 is a protein called 30S ribosomal protein S5P.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	BF	217	Total	C	N	O	S	0	0
			1717	1084	319	306	8		

- Molecule 19 is a protein called 30S ribosomal protein S6E.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	BG	125	Total	C	N	O	S	0	0
			984	623	180	179	2		

- Molecule 20 is a protein called 30S ribosomal protein S7P.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	BH	215	Total	C	N	O	S	0	0
			1736	1100	326	302	8		

- Molecule 21 is a protein called 30S ribosomal protein S8P.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	BI	129	Total	C	N	O	S	0	0
			1028	668	178	180	2		

- Molecule 22 is a protein called 30S ribosomal protein S8E.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	BJ	127	Total	C	N	O	S	0	0
			1004	622	207	174	1		

- Molecule 23 is a protein called 30S ribosomal protein S9P.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	BK	135	Total	C	N	O	S	0	0
			1072	671	205	190	6		

- Molecule 24 is a protein called 30S ribosomal protein S10P.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	BL	102	Total	C	N	O	S	0	0
			822	507	159	152	4		

- Molecule 25 is a protein called 30S ribosomal protein S11P.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	BM	133	Total	C	N	O	S	0	0
			1004	623	200	179	2		

- Molecule 26 is a protein called 30S ribosomal protein S12P.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	BN	145	Total	C	N	O	S	0	0
			1141	722	223	193	3		

- Molecule 27 is a protein called 30S ribosomal protein S13P.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	BO	148	Total	C	N	O	S	0	0
			1189	746	237	200	6		

- Molecule 28 is a protein called 30S ribosomal protein S14P.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	BP	56	Total	C	N	O	S	0	0
			462	292	95	69	6		

- Molecule 29 is a protein called 30S ribosomal protein S15P/S13E.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	BQ	158	Total	C	N	O	S	0	0
			1310	834	250	221	5		

- Molecule 30 is a protein called 30S ribosomal protein S17P.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	BR	113	Total	C	N	O	S	0	0
			934	592	177	160	5		

- Molecule 31 is a protein called 30S ribosomal protein S17E.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	BS	67	Total	C	N	O	S	0	0
			556	353	105	95	3		

- Molecule 32 is a protein called 30S ribosomal protein S19P.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	BT	111	Total	C	N	O	S	0	0
			924	594	173	151	6		

- Molecule 33 is a protein called 30S ribosomal protein S19E.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	BU	144	Total	C	N	O	S	0	0
			1176	758	212	205	1		

- Molecule 34 is a protein called 30S ribosomal protein S24E.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	BV	99	Total	C	N	O	S	0	0
			823	532	134	154	3		

- Molecule 35 is a protein called 30S ribosomal protein S27E.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	BW	63	Total	C	N	O	S	0	0
			478	306	85	81	6		

- Molecule 36 is a protein called 30S ribosomal protein S28E.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	BX	71	Total	C	N	O	S	0	0
			568	345	115	107	1		

- Molecule 37 is a protein called 30S ribosomal protein S27AE.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	BY	50	Total	C	N	O	S	0	0
			409	262	75	66	6		

- Molecule 38 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	A1	2969	Total	C	N	O	P	0	0
			63885	28427	11905	20589	2964		

- Molecule 39 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	A3	126	Total	C	N	O	P	0	0
			2691	1199	492	875	125		

- Molecule 40 is a protein called 50S ribosomal protein L14E.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	A5	81	Total	C	N	O	S	0	0
			614	386	119	108	1		
40	AK	81	Total	C	N	O	S	0	0
			614	386	119	108	1		

- Molecule 41 is a protein called 50S ribosomal protein L1P.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	AA	216	Total	C	N	O	S	0	0
			1677	1068	300	304	5		

- Molecule 42 is a protein called 50S ribosomal protein L31E.

Mol	Chain	Residues	Atoms				AltConf	Trace
42	Aa	82	Total	C	N	O		
			677	444	126	107	0	0

- Molecule 43 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	AB	239	Total	C	N	O	S		
			1838	1169	347	317	5	0	0

- Molecule 44 is a protein called 50S ribosomal protein L32E.

Mol	Chain	Residues	Atoms				AltConf	Trace
44	Ab	127	Total	C	N	O	S	
			1075	689	217	168	1	0

- Molecule 45 is a protein called 50S ribosomal protein L3P.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	AC	342	Total	C	N	O	S		
			2717	1741	495	467	14	0	0

- Molecule 46 is a protein called 50S ribosomal protein L4P.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	AD	255	Total	C	N	O	S		
			2026	1288	391	342	5	0	0

- Molecule 47 is a protein called 50S ribosomal protein L34E.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	Ad	89	Total	C	N	O	S		
			740	463	158	108	11	0	0

- Molecule 48 is a protein called 50S ribosomal protein L5P.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	AE	186	Total	C	N	O	S		
			1489	937	278	265	9	0	0

- Molecule 49 is a protein called 50S ribosomal protein L37E.



Mol	Chain	Residues	Atoms					AltConf	Trace
49	Ae	62	Total	C	N	O	S	0	0
			506	312	111	78	5		

- Molecule 50 is a protein called 50S ribosomal protein L6P.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	AF	184	Total	C	N	O	S	0	0
			1476	956	252	266	2		

- Molecule 51 is a protein called 50S ribosomal protein L40E.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	Ag	45	Total	C	N	O	S	0	0
			372	236	76	56	4		

- Molecule 52 is a protein called 50S ribosomal protein L11P.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	AH	134	Total	C	N	O	S	0	0
			989	635	164	184	6		

- Molecule 53 is a protein called 50S ribosomal protein L41E.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	Ah	24	Total	C	N	O	S	0	0
			230	147	54	28	1		

- Molecule 54 is a protein called 50S ribosomal protein L13P.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	AI	142	Total	C	N	O	S	0	0
			1150	737	215	195	3		

- Molecule 55 is a protein called 50S ribosomal protein L37AE.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	Ai	78	Total	C	N	O	S	0	0
			590	368	122	95	5		

- Molecule 56 is a protein called 50S ribosomal protein L14P.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	AJ	132	Total	C	N	O	S	0	0
			1014	631	204	176	3		

- Molecule 57 is a protein called 50S ribosomal protein L44E.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	Aj	94	Total	C	N	O	S	0	0
			788	499	162	122	5		

- Molecule 58 is a protein called 50S ribosomal protein P0/L10E.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	Ak	212	Total	C	N	O	S	0	0
			1633	1051	272	304	6		

- Molecule 59 is a protein called 50S ribosomal protein L15P.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	AL	147	Total	C	N	O	S	0	0
			1154	727	227	195	5		

- Molecule 60 is a protein called 50S ribosomal protein L15E.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	AM	194	Total	C	N	O	S	0	0
			1595	1020	316	253	6		

- Molecule 61 is a protein called 50S ribosomal protein L10E/L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
61	AN	168	Total	C	N	O	S	0	0
			1379	872	268	233	6		

- Molecule 62 is a protein called 50S ribosomal protein L18P.

Mol	Chain	Residues	Atoms					AltConf	Trace
62	AO	197	Total	C	N	O	S	0	0
			1598	1021	299	275	3		

- Molecule 63 is a protein called 50S ribosomal protein L18E.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	AP	120	Total	C	N	O	S	0	0
			966	606	186	171	3		

- Molecule 64 is a protein called 50S ribosomal protein L21E.

Mol	Chain	Residues	Atoms					AltConf	Trace
64	AR	95	Total	C	N	O	S	0	0
			787	501	160	125	1		

- Molecule 65 is a protein called 50S ribosomal protein L24E.

Mol	Chain	Residues	Atoms					AltConf	Trace
65	AV	66	Total	C	N	O	S	0	0
			555	351	106	91	7		

- Molecule 66 is a protein called 50S ribosomal protein L30P.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	AY	155	Total	C	N	O	S	0	0
			1243	788	235	213	7		

- Molecule 67 is a protein called 50S ribosomal protein L30E.

Mol	Chain	Residues	Atoms					AltConf	Trace
67	AZ	99	Total	C	N	O	S	0	0
			754	489	121	142	2		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Preprotein translocase subunit SecE

Chain A7: 



- Molecule 2: Preprotein translocase subunit SecG

Chain A8: 



- Molecule 3: 50S ribosomal protein L39E

Chain Af: 





- Molecule 4: 50S ribosomal protein L19E

Chain AQ: 




- Molecule 5: 50S ribosomal protein L22P


Chain AS: 




- Molecule 6: 50S ribosomal protein L23P




- Molecule 7: 50S ribosomal protein L24P




- Molecule 8: 50S ribosomal protein L29P



- Molecule 9: Protein translocase subunit SecY



- Molecule 10: E-tRNA



- Molecule 11: 16S ribosomal RNA

## Chain B2:

38%


46%

16%

A1	A61	G131	G181	U241	G301	A361	U421	C481	G541	G601	G661	A721	U781	C841	G901
U2	G62	C122	A182	A242	A302	C362	U422	G482	G542	G602	G662	G722	A782	U842	U902
U3	G63	U123	A183	G243	G303	C363	U423	G483	C543	G603	G663	G723	G783	G843	G903
C4	G64	C124	G184	G244	C304	G364	U424	U484	C544	G604	G664	G724	G784	G844	G904
C5	G65	G125	G185	U245	C305	C365	C425	A485	C545	G605	G665	G725	G785	G845	G905
G6	G66	G126	U186	A246	C306	C366	U426	U486	C546	G606	G666	G726	G786	G846	G906
G7	G67	G127	C187	U247	G307	G367	U427	A487	C547	G607	G667	G727	U787	A847	G907
U8	G68	A128	C188	U248	G308	C368	G428	A488	C548	G608	G668	G728	G788	G848	G908
U9	G69	G129	A189	U249	A309	A369	A429	A489	C549	G609	A669	G729	G789	U849	U909
C70	C71	G130	C190	G250	A310	U370	U430	G490	G550	G610	G670	G730	G790	A850	G910
A11	C72	A191	A191	G251	A311	U371	U431	G491	U551	A611	C671	G731	G791	C851	C911
U12	U73	G132	G192	U252	U312	G372	G432	G492	C552	G612	G672	G732	G792	G852	G912
C13	U74	G133	G193	G253	G313	C373	U433	C493	C553	G613	G673	G733	G793	G853	G913
C14		A134	C194	G254	G314	G374	A434	G494	C554	G614	G674	G734	A794	C854	U914
U15		U135	G195	G255	A315	G375	A435	G495	U555	G615	A675	G735	G795	C855	U915
G16	U76	A136	G196	G256	C316	G376	A436	G496	G556	G616	G676	A736	C796	G856	U916
C17	G77	A137	A197	U257	A317	A377	U437	C497	G557	G617	U677	G737	U797	A857	A917
C18	G78	C138	A198	A258	C318	A378	A438	C498	C558	G618	G678	G738	G798	A858	A918
C19	G79	C139	A199	A259	U319	A379	G439	C499	G559	G619	G679	G739	G799	A859	U919
G20	A80	C140	G200	C260	G320	C380	C440	A500	A560	G620	G680	G740	G800	G860	U920
A21	C81	C141	G201	G261	A321	C381	U441	G501	A561	G621	C681	A741	A801	G861	G921
G22	G82	G142	G202	G262	G322	C382	C442	U502	A562	G622	A682	U742	G802	C862	G922
G23	C83	G143	A203	C263	A323	C383	C443	G503	A563	G623	A683	U743	C803	U863	A923
C24	G84	G144	G204	C264	C324	C384	G444	G504	A564	G624	G684	A744	U804	G864	U924
C25	A85	A145	C205	C265	A325	C385	G445	U505	C565	G625	G685	G745	C805	A865	U925
A26	C86	A146	C206	A266	C326	C386	G446	G506	C566	G626	C686	A746	G806	A866	C926
C27	C87	A147	G207	C267	G327	C387	A447	G507	A567	G627	G687	U747	C807	A867	A927
U28	C88	C148	U208	C268	G328	C388	A448	G508	C568	G628	C688	A748	C808	C868	A928
G29	G89	U149	A209	A269	G329	C389	U449	C509	A569	G629	C689	C749	G809	U869	C929
C30	C90	C150	A210	A270	U330	C390	A450	G510	A570	G630	C690	C750	G810	U870	G930
U31	G91	G151	G211	G271	C331	C391	A451	C511	A571	G631	C691	C751	G811	A871	C931
A32	G92	G152	G212	C272	C332	C392	G452	U512	U572	G632	C692	G752	U812	A872	C932
U33	A93	G153	C213	C273	A333	C393	G453	A513	C573	G633	C693	G753	G813	A873	G933
G34	C94	C154	C214	G274	G334	C394	G454	U514	A574	G634	U694	G754	C814	G874	G934
G35	G95	U155	C215	A274	G335	C395	C455	U515	A575	G635	G695	U755	G815	G875	G935
G36	G96	A156	G216	A276	C336	C396	U456	A516	C576	G636	G696	A756	G816	A876	A936
C37	C97	C157	G217	G277	C337	C397	G457	U517	C577	G637	A697	G757	U817	A877	A937
G38	U98	U158	C218	A278	C338	C398	G458	U518	C578	G638	A698	U758	G818	U878	C938
U39	C99	C159	C219	U279	U339	A399	G459	G519	U579	G639	C699	C759	G819	U879	C939
C40	A100	C160	G220	C280	A340	G400	C460	G520	G580	G640	G700	C760	G820	G880	U940
C41	G101	C161	A221	G281	C341	U401	A461	G521	G581	A641	G701	U761	G821	C881	C941
U42	U102	C162	G222	G282	G342	A402	A462	C522	G582	G642	G702	G762	A822	C882	A942
A43	A103	C163	G223	U283	G343	C403	G463	C523	G583	G643	U703	G763	G823	G883	C943
C44	A104	A164	A224	A284	G344	C404	G464	U524	G584	G644	C704	G764	G824	G884	C944
U45	C105	U165	U225	C285	G345	G405	C465	A525	U585	G645	G705	U765	C825	G885	G945
A46	A106	A166	G226	G286	C346	U406	G466	A526	C586	G646	G706	G766	G826	G886	G946
C48	G108	C168	G228	C288	C348	C408	G468	G528	G588	A648	G708	U768	U828	A888	G948
C49	U109	C169	G229	C289	A349	C409	U469	C529	U589	G649	G709	A769	U829	G889	G949
C50	C110	C170	C230	C290	G350	U410	G470	G530	G590	A650	G710	A770	A830	C890	C950
A51	G111	U171	G231	G291	C351	C411	C471	G531	G591	U651	U711	G771	G831	A891	G951
U52	G112	G172	G232	U292	A352	U412	G472	C532	G592	G652	G712	G772	G832	C892	A952
C53	U113	C173	C233	C293	G353	G413	G473	C533	G593	G653	A713	A773	C833	U893	C953
C54	A114	G174	G234	A294	G354	G414	G474	G534	A594	U654	G714	G774	G834	A894	G954
G55	G115	G175	G235	G295	G355	C415	C475	U535	U595	G655	G715	G775	C835	C895	G955
A56	C116	U176	C236	A296	G356	A416	C476	A536	A596	U656	G716	C776	G836	A896	C956
G57	C117	A177	C237	G297	C357	C417	G477	G537	C597	A657	C717	G777	C837	A897	A957
U58	U118	C178	G238	C298	A358	G418	C478	U538	U598	A658	G718	G778	G838	G898	G958
C59	U119	A239	G239	G299	A359	G419	C479	C539	G599	U659	G719	G779	G839	G899	G959
A60	C120	G180	U240	G300	A360	C420	G480	G540	C600	G660	A720	G780	C840	G900	


U961	C1021	C1081	G1141	G1201	U1261	U1321	G1381	G1441
G962	U1022	A1082	G1142	G1202	U1262	C1322	G1382	G1442
A963	C1023	G1083	G1143	G1203	U1263	A1323	A1383	G1443
A964	G1024	U1084	G1144	C1204	G1264	U1324	G1384	G1444
G965	U1025	C1085	C1145	G1205	G1265	G1325	U1385	G1445
G966	A1026	C1086	G1146	G1206	A1266	G1326	G1386	G1446
C967	C1027	C1087	G1147	G1207	U1267	C1327	G1387	A1447
C968	C1028	U1088	G1148	A1208	C1268	G1328	G1388	A1448
A969	G1029	C1089	G1149	C1209	G1269	G1329	G1389	G1449
G970	U1030	C1090	G1150	A1210	C1270	G1330	U1390	U1450
G971	G1031	C1091	A1151	A1211	G1271	G1331	G1391	U1451
C972	A1032	G1092	C1152	U1212	G1272	C1332	G1392	G1452
U973	G1033	C1093	G1153	G1213	G1273	G1333	A1393	G1453
G974	G1034	U1094	G1154	G1214	C1274	A1334	G1394	A1454
A975	C1035	C1095	U1155	G1215	U1275	A1335	G1395	A1455
A976	G1036	G1096	A1156	A1216	G1276	U1336	G1396	C1456
G977	U1037	G1097	G1157	C1217	G1277	A1337	G1397	A1457
G978	C1038	G1098	G1158	G1218	A1278	C1338	U1398	A1458
U979	G1039	A1099	U1159	C1219	A1279	G1339	G1399	G1459
C980	A1040	G1100	C1160	G1220	C1280	U1340	A1400	G1460
U981	C1041	G1101	A1161	A1221	U1281	C1341	U1401	U1461
U982	U1042	A1102	G1162	C1222	C1282	C1342	C1402	A1462
G983	U1043	G1103	U1163	C1223	G1283	C1343	U1403	A1463
C984	A1044	G1104	A1164	U1224	C1284	U1344	C1404	C1464
C985	U1045	C1105	U1165	C1225	C1285	G1345	C1405	C1465
G986	G1046	A1106	G1166	G1226	C1286	C1346	U1406	G1466
G987	U1047	C1107	C1167	A1227	G1287	U1347	U1407	U1467
A988	G1048	U1108	C1168	C1228	C1288	C1348	A1408	A1468
C989	U1049	C1109	G1169	A1229	G1289	U1349	G1409	G1469
G990	G1050	U1110	C1170	G1230	U1290	U1350	G1410	G1470
C991	U1051	G1111	G1171	G1231	G1291	U1351	G1411	G1471
G992	U1052	G1112	A1172	G1232	A1292	C1352	A1412	G1472
C993	A1053	G1113	A1173	G1233	A1293	G1353	G1413	G1473
C994	A1054	G1114	A1174	A1234	G1294	A1354	G1414	A1474
G995	C1055	G1115	C1175	A1235	C1295	C1355	U1415	C1475
A996	G1056	G1116	C1176	G1236	U1296	A1356	C1416	C1476
G997	U1057	A1117	C1177	G1237	G1297	C1357	A1417	U1477
A998	G1058	C1118	C1178	G1238	G1298	A1358	G1418	A1478
G999	C1059	U1119	C1179	A1239	A1299	C1359	G1419	C1479
G1000	G1060	G1120	G1180	A1240	A1300	C1360	U1420	G1480
A1001	A1061	C1121	C1181	U1241	U1301	G1361	G1421	G1481
G1002	G1062	C1122	G1182	C1242	C1302	C1362	G1422	C1482
G1003	A1063	G1123	C1183	C1243	C1303	C1363	G1423	U1483
U1004	C1064	G1124	U1184	C1244	C1304	C1364	G1424	C1484
G1005	C1065	C1125	A1185	C1245	U1305	G1365	C1425	G1485
C1006	G1066	G1126	C1186	U1246	A1306	U1366	C1426	A1486
A1007	G1067	A1127	A1187	A1247	G1307	C1367	G1427	U1487
U1008	C1068	U1128	C1188	A1248	A1308	A1368	G1428	C1488
G1009	G1069	A1129	G1189	A1249	A1309	C1369	G1429	A1489
G1010	C1070	U1130	C1190	C1250	C1310	U1370	G1430	C1490
C1011	C1071	G1131	G1191	C1251	C1311	C1371	A1431	C1491
G1012	C1072	C1132	C1192	C1252	C1312	C1372	U1432	U1492
G1013	C1073	G1133	G1193	G1253	C1313	A1373	C1433	C1493
C1014	C1074	C1134	C1194	C1254	C1314	C1374	G1434	C1494
C1015	A1075	G1135	U1195	C1255	C1315	C1375	G1435	U1495
G1016	G1076	A1136	A1196	C1256	U1316	C1376	U1436	G1496
U1017	U1077	G1137	C1197	U1257	G1317	G1377	G1437	G1497
C1018	U1078	G1138	A1198	C1258	U1318	A1378	A1438	A1498
A1019	G1079	A1139	A1199	A1259	C1319	G1379	G1439	G1499
G1020	C1080	U1140	U1200	G1260	A1320	C1380	G1440	


• Molecule 12: 30S ribosomal protein L7AE

Chain B3:  80% 19%




• Molecule 12: 30S ribosomal protein L7AE

Chain AG:  81% 15%



• Molecule 13: 30S ribosomal protein S3AE


Chain BA:  63% 29% 8%





• Molecule 14: 30S ribosomal protein S2P

Chain BB: 68% 30%




• Molecule 15: 30S ribosomal protein S3P

Chain BC: 75% 22%




• Molecule 16: 30S ribosomal protein S4P

Chain BD: 74% 20% 6%



• Molecule 17: 30S ribosomal protein S4E


Chain BE: 68% 27% 5%



• Molecule 18: 30S ribosomal protein S5P

Chain BF: 73% 21% 6%






- Molecule 19: 30S ribosomal protein S6E

Chain BG: 73% 22% . .




- Molecule 20: 30S ribosomal protein S7P

Chain BH: 61% 25% 12% .



- Molecule 21: 30S ribosomal protein S8P

Chain BI: 77% 20% . .




- Molecule 22: 30S ribosomal protein S8E


Chain BJ: 65% 30% 5%



- Molecule 23: 30S ribosomal protein S9P


Chain BK: 65% 30% .







- Molecule 24: 30S ribosomal protein S10P

Chain BL: 61% 29% 9% .




- Molecule 25: 30S ribosomal protein S11P

Chain BM: 71% 26% .




- Molecule 26: 30S ribosomal protein S12P

Chain BN: 70% 26% . .



- Molecule 27: 30S ribosomal protein S13P

Chain BO: 72% 21% 7%



- Molecule 28: 30S ribosomal protein S14P

Chain BP: 61% 27% 11% .



- Molecule 29: 30S ribosomal protein S15P/S13E

R1	A2	H5	A6	R7	K8	R9	K15	R16	R17	P18	R19	I24	P25	V26	E27	Y28	K39	Y45	S46	M49	R55	Y58	G59	I60	V63	D70	R74	L75	L76	T77	L78	R79	R80	K84	D94	R100	R101	A102	V103	R106	H112	P113	K114	R120	E126	Y135	Y136	K137	R138	K139	G140	K141	L142	W146	R147	Y148	D149	P150	E151	T152	R158
----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

- |    |    |    |    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |      |      |      |      |      |      |      |      |      |      |
|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|
| R1 | R2 | R3 | R8 | P12 | D17 | H24 | G31 | F34 | E35 | V39 | S40 | K42 | P43 | R44 | R51 | G52 | Y53 | Y54 | F55 | Y56 | Y60 | E61 | R62 | Y63 | R66 | D84 | L87 | R92 | P93 | L94 | S95 | F100 | V103 | L106 | E107 | R108 | A109 | E110 | E111 | R112 | R113 |
|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|

- 

- |    |    |    |    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |      |      |      |      |      |
|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|------|
| F6 | R7 | Y8 | C9 | R10 | G11 | Y11 | L12 | L13 | E14 | Q15 | L16 | M19 | S20 | L21 | R26 | L27 | P28 | F29 | A30 | R33 | R34 | R38 | T41 | R49 | R52 | Y59 | R64 | G65 | H66 | C67 | R68 | L73 | M76 | Y82 | V83 | F89 | E93 | Y102 | L103 | F106 | R110 | C116 |
|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|------|

- |    |    |    |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |      |      |
|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|
| M1 | A2 | Y5 | R15 | V16 | R19 | T23 | P24 | E25 | I26 | K27 | V35 | R36 | T37 | G38 | R39 | H40 | R43 | W50 | Y52 | Y53 | R54 | R60 | R61 | D65 | R72 | L73 | R74 | T75 | Y76 | Y77 | G78 | G79 | R80 | R83 | G84 | F90 | Y91 | G94 | I97 | I98 | R99 | A100 | C109 |
|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|

```

graph LR
    F110[F110] --- V114[V114]
    V114 --- G118[G118]
    G118 --- I121[I121]
    I121 --- G125[G125]
    G125 --- R126[R126]
    R126 --- S127[S127]
    S127 --- F128[F128]
    F128 --- I143[I143]
    I143 --- I144[I144]

```

- |     |     |     |
|-----|-----|-----|
| M1  | R4  | K9  |
| K12 | L13 | I14 |
| G15 | R16 | K17 |
| E18 | I19 | F20 |
| F21 | E22 | I23 |
| H24 | P26 | R33 |
| K34 | D35 | L40 |
| L46 | T50 | T51 |
| V52 | Y55 | S56 |
| R57 | S58 | O59 |
| S62 | Y63 | Y68 |
| A69 | K70 | A71 |
| Z72 | D73 | R77 |
| X80 | I81 | E84 |
| Y85 | I88 | R90 |
| D90 | E94 | K95 |
| X96 | E97 | G98 |
| E99 |     |     |

- 


Chain BW: 




- Molecule 36: 30S ribosomal protein S28E

Chain BX: 




- Molecule 37: 30S ribosomal protein S27AE

Chain BY: 



- Molecule 38: 23S ribosomal RNA

Chain A1: 




G1501	G1441	C1381	C	G1261	G1201	C1141	U1081	G1021	G961	C901	U841	G781		G721	G661	A601
G1502	G1442	C1382	G1322	C1262	G1202	A1142	A1082	G1022	G962	C902	C842	G782		G722	A662	G602
G1503	G1443	C1383	U1323	G1263	C1203	A1143	G1083	C1023	G963	C903	C843	G783		G723	A663	G603
G1504	G1444	C1384	G1324	G1264	G1204	A1144	G1084	G1024	G964	G904	C844	G784		G724	A664	A604
G1505	G1445	C1385	U1325	A1265	U1205	G1145	G1085	A1025	G965	G905	U845	G785		G725	C665	A605
G1506	G1446	C1386	G1326	A1266	A1206	U1146	U1086	A1026	G966	G906	C846	G786		G726	A666	A606
G1507	G1447	C1387	G1327	A1267	G1207	G1147	G1087	A1027	G967	G907	A847	G787		A727	C667	G607
A1508	G1448	U1388	G1328	A1268	A1208	C1148	G1088	G1028	A968	U908	A848	A788		A728	G668	G608
G1509	G1449	G1329	G1329	U1269	A1209	C1149	C1089	C1029	U969	A909	C849	G789		A729	G669	G609
U1510	U1390	G1330	G1330	G1270	G1210	G1150	G1090	C1030	G970	G910	C850	U790		C730	G670	G610
C1511	A1451	U1331	G1331	G1271	C1211	G1151	G1091	C1031	G971	G911	C851	G791		C731	G671	G611
G1512	G1452	A1332	A1332	A1272	A1212	G1152	U1092	C1032	G972	G912	A852	A792		G732	C672	G612
G1513	G1453	C1333	G1333	C1273	G1213	U1153	G1093	C1033	C973	G913	G853	C793		A733	A673	G613
C1514	G1454	G1334	G1334	G1274	C1214	A1154	U1094	G1034	U974	U914	G854	G794		C734	G674	G614
U1515	U1455	G1335	G1335	G1275	G1215	A1155	A1095	G1035	C975	G915	G855	G795		A735	G675	A615
C1516	A1396	G1336	G1336	G1276	A1216	G1156	A1096	C1036	C976	A916	A856	G796		U736	G676	G616
G1517	C1457	G1337	G1337	G1277	U1217	U1157	G1097	C1037	C977	A917	U857	G797		G737	A677	G617
G1518	U1458	G1338	G1338	C1278	G1218	G1158	C1098	U1038	C978	A918	G858	G798		C738	G678	G618
G1519	A1459	C1339	C1339	U1279	C1219	U1159	C1099	C1039	G979	G919	G859	C799		C739	U679	G619
G1520	C1460	U1400	G1340	C1280	U1220	U1160	G1100	C1040	G980	G920	A860	G800		C740	U680	G620
G1521	G1461	U1341	U1341	A1281	U1221	A1161	U1041	U1041	G981	G921	G861	A801		C741	G681	G621
A1522	G1462	C1402	G1342	A1282	C1222	C1162	C1102	G1042	G982	C922	G862	G802		C742	G682	A622
A1523	C1463	C1343	G1343	G1283	A1223	U1163	C1103	U1043	G983	A923	C863	A803		A743	C683	G623
A1524	A1464	G1404	C1344	A1284	A1224	C1164	A1104	C1044	U984	A924	C864	C804		G744	G684	U624
G1525	G1465	G1405	G1345	C1285	A1225	C1165	C1105	A1045	A985	U925	C865	C805		C745	G685	A625
G1526	U1466	G1406	G1346	G1286	G1226	A1166	C1106	A1046	G986	C926	G866	C806		C746	C686	G626
G1527	G1467	A1407	U1347	G1287	A1227	A1167	G1107	A1047	G987	G927	C867	G807		G747	G687	G627
A1528	G1468	C1348	G1348	C1288	G1228	A1168	A1108	C1048	G988	A928	U868	A808		G748	G688	A628
A1529	U1469	G1409	G1349	C1289	U1229	G1169	G1109	U1049	G989	G929	A869	A809		G749	G689	A629
A1530	C1470	A1410	C1350	G1290	G1230	G1170	A1110	C1050	G990	G930	G870	A810		C	G690	G630
G1531	G1471	G1411	G1351	C1291	C1231	G1171	G1111	C1051	U991	C931	G871	C811		U	G691	G631
G1532	U1472	C1412	U1352	C1292	G1232	U1172	G1112	G1052	G992	C932	G872	C812		U	C692	G632
G1533	C1473	A1413	A1353	G1293	U1233	G1173	G1113	A1053	G993	G933	G873	C813		A	G693	A633
G1534	A1474	G1414	G1354	A1294	A1234	U1174	G1114	A1054	G994	G934	U874	G814		U	A694	G634
U1535	G1475	C1415	A1355	G1295	A1235	C1175	G1115	C1055	G995	A935	G875	U815		G	G695	G635
U1536	C1476	G1416	A1356	A1296	C1236	C1176	A1116	C1056	U996	G936	C876	C816		C	G696	G636
U1537	G1477	U1417	G1357	G1297	A1237	G1177	G1117	C1057	A997	A937	U877	G817		C757	U697	G637
A1538	G1478	A1418	C1358	C1298	G1238	G1178	A1118	A1058	G998	U938	G878	A818		C758	U698	A638
U1539	U1479	G1419	C1359	C1299	C1239	G1179	A1119	C1059	A999	A939	A879	U819		G759	A699	C639
A1540	G1480	U1420	G1360	G1300	U1240	G1180	C1120	C1060	G1000	G940	U880	C820		G760	A700	G640
U1541	G1481	C1421	G1361	G1301	C1241	C1181	C1121	G1061	C1001	C941	G881	U821		U761	G701	G641
U1542	G1482	G1422	G1362	G1302	A1242	C1182	C1122	C1062	A1002	U942	U882	A822		G762	G702	G642
C1543	U1483	G1423	C1363	C1303	C1243	U1183	A1123	C1063	G1003	G943	G883	G823		A763	G703	G643
C1544	U1484	G1424	C1364	G1304	G1244	U1184	G1124	G1064	U1004	G944	C884	C824		G764	G704	G644
C1545	A1485	U1425	G1365	C1305	C1245	A1185	A1125	C1065	G1005	U945	A885	C825		G765	G705	U645
G1546	G1486	G1426	U1366	A1306	G1246	G1186	C1126	C1066	A1006	U946	G886	C826		G766	U706	U646
U1547	U1487	A1427	A1367	C1307	U1247	A1187	C1127	G1067	U1007	G947	U887	G827		G767	U707	G647
A1548	G1488	G1428	A1368	G1308	C1248	C1188	G1128	U1068	U1008	C948	U888	G828		C768	A708	C648
C1549	G1489	A1429	G1369	G1309	G1249	A1189	G1129	A1069	U1009	C949	C889	G829		G769	A709	A649
C1550	U1490	A1430	G1370	A1310	A1250	G1190	G1130	G1070	G1010	G950	G890	G830		G770	G710	C650
G1551	U1491	U1431	U1371	C	A1251	C1191	G1131	A1071	C951	C951	U891	C831		G771	C711	C651
C1552	C1492	C1432	C1372	C	G1252	G1192	U1132	U1072	G1012	C952	U892	A832		G772	C712	G652
G1553	C1493	C1433	C1373	G	U1253	G1193	G1073	G1073	G953	G953	C893	G833		G773	C713	U653
G1554	U1494	C1434	G1374	A	C1254	G1194	A1134	G1074	A954	A954	C894	G834		G774	C714	G654
G1555	A1495	G1435	G1375	U	C1255	G1195	G1075	G1075	G955	G955	C895	G835		G775	G715	C655
G1556	A1496	A1436	U1376	U	G1256	G1196	G1136	G1076	U956	U956	G896	U836		G776	U716	G656
G1557	C1497	C1437	G1377	G	G1257	G1197	G1137	G1077	A1017	C957	U897	G837		A777	A717	U657
U1558	C1498	G1438	G1378	G	G1258	G1198	C1138	G1078	A958	A958	G898	A838		A778	G718	C658
A1559	G1499	G1439	A1379	U	G1259	U1199	C1139	A1079	G1019	U959	A899	A839		A779	C719	U659
G1560	C1500	C1440	G1380	C	C1260	A1200	C1140	G1080	G1020	C960	C900	G840		G780	C720	U660

C2461	A2401	G2344	A2281	A2221	A2161	A2101	U2041	G1981	U1921	G1861	G1801	C1741	G1681	G1621	G1561
U2462	A2402	C2342	G2282	C2222	G2162	A2102	A2042	C1982	A1922	G1862	G1802	C1742	C1682	G1622	U1562
G2463	G2403	G2343	C2283	G2223	G2163	C2103	A2043	G1983	A1923	G1863	U1803	G1743	C1683	C1623	G1563
G2464	G2404	G2344	C2284	G2224	G2164	G2104	C2044	G1984	A1924	G1864	G1804	A1744	C1684	U1624	C1564
A2465	U2405	U2345	G2285	C2225	A2165	A2105	C2045	G1985	A1925	U1865	C1805	G1745	C1685	A1625	G1565
G2466	G2406	U2346	U2286	G2226	C2166	G2106	C2046	U1986	A1926	G1866	C1806	G1746	C1686	A1626	G1566
C2467	G2407	G2347	C2287	G2227	C2167	G2107	U2047	A1987	C1927	C1867	G1807	C1747	C1687	C1627	C1567
C2468	G2408	U2348	C2288	G2228	C2168	U2108	C2048	U1988	A1928	C1868	G1808	C1748	C1688	A1628	A1568
G2469	G2409	U2349	G2289	G2229	C2169	C2109	U2049	U1989	C1929	G1869	G1809	G1749	G1689	G1629	A1569
U2470	U2410	G2350	U2290	G2230	C2170	C2110	U2050	U1990	A1930	C1870	G1810	C1750	U1690	U1630	C1570
A2471	C2411	G2351	G2291	G2231	C2171	C2111	A2051	G1991	C1931	C1871	U1691	C1751	U1691	A1631	C1571
G2472	A2412	G2352	A2292	U2232	G2172	C2112	A2052	A1992	G1932	G1872	A1812	G1752	A1692	U1632	C1572
C2473	G2413	C2353	G2293	U2233	U2173	G2113	G2053	A1993	C1933	G1873	A1813	G1753	G1693	A1633	A1573
A2474	G2414	A2354	A2294	C2234	G2174	C2114	G2054	G1994	C1934	G1874	A1814	A1754	G1694	A1634	A1574
G2475	G2415	U2355	G2295	G2235	G2175	U2115	U2055	C1995	C1935	U1875	G1815	C1755	G1695	G1635	G1575
A2476	G2416	U2356	A2296	C2236	C2176	C2116	A2056	G1996	C1936	C1876	C1816	C1756	G1696	C1636	C1576
G2477	G2417	U2357	C2297	A2237	A2177	U2117	G2057	C1997	A1937	C1877	C1817	G1757	G1697	C1637	C1577
G2478	G2418	U2358	C2298	G2238	A2178	C2118	C2058	G1998	G1938	G1878	G1818	U1758	G1698	C1638	C1578
C2479	U2419	G2359	G2299	C2239	G2179	C2119	G2059	G1999	C1939	U1879	G1819	A1759	U1699	G1639	G1579
G2480	C2420	G2360	C2300	G2240	C2180	C2120	A2060	G2000	U1940	A1880	C1820	C1760	U1700	G1640	G1580
A2481	A2421	C2361	U2241	U2241	G2181	C2121	A2061	G2001	U1941	A1881	C1821	C1761	C1701	A1581	A1581
G2482	G2422	U2362	C2302	A2242	A2182	G2122	A2062	C2002	G1942	C1882	G1822	G1762	C1702	G1642	G1582
U2483	G2423	G2363	A2303	G2243	C2183	G2123	U2063	C2003	C1943	C1883	A1823	G1763	C1703	A1643	G1583
A2484	A2424	G2364	C2304	G2244	G2184	C2124	U2064	A2004	C1944	C1884	G1824	G1764	C1704	G1644	G1584
C2485	A2425	U2365	U2305	G2245	A2185	C2125	C2065	G1995	C1945	G1885	G1825	A1765	C1705	U1645	U1585
A2486	U2426	G2366	C2306	G2246	C2186	G2126	C2066	C2006	G1946	C1886	G1826	A1766	G1706	G1646	G1586
G2487	C2427	C2367	C2307	G2247	C2187	G2127	U2067	C2007	A1947	A1887	A1827	C1767	U1707	C1647	A1587
C2488	C2428	U2368	C2308	G2248	C2188	G2128	U2068	A1948	C1948	C1888	A1828	C1768	U1708	C1648	C1588
G2489	G2429	G2369	C2309	A2249	C2189	G2129	C2069	G2009	A1949	G1889	C1829	G1769	C1709	G1649	G1589
C2490	C2430	U2370	G2310	G2250	A2190	C2130	U2070	G2010	G1950	U1890	U1830	A1770	C1710	U1650	C1590
C2491	C2431	A2371	C2311	G2251	U2191	C2131	C2071	U2011	G1951	C1891	C1831	C1771	C1711	A1651	C1591
G2492	G2432	C2372	U2312	C2252	G2192	C2132	G2072	G2012	G1952	C1892	G1832	A1772	C1712	U1652	U1592
A2493	U2433	C2373	G2313	G2253	G2193	C2133	G2073	A2013	G1953	C1893	G1833	C1773	G1713	C1653	C1593
A2494	A2434	C2374	U2314	C2254	C2194	G2134	U2074	A2014	U1954	A1894	C1834	G1774	G1714	G1654	G1594
A2495	G2435	C2375	G2315	C2255	G2195	C2135	U2075	G2015	U1955	G1895	A1835	G1775	G1715	G1655	G1595
G2496	A2436	U2376	U2316	G2256	C2196	G2136	A2076	C2016	G1956	U1896	A1836	G1776	G1716	C1656	G1596
G2497	G2437	C2377	G2317	A2257	U2197	A2137	A2077	U1957	U1957	G1897	A1837	U1777	C1717	G1657	G1597
G2498	U2438	U2378	G2318	A2258	U2198	A2138	A2078	C2018	A1958	A1898	C1838	G1778	C1718	A1658	U1598
G2499	G2439	G2379	C2319	G2259	U2199	A2139	U2079	C2019	C1959	C1899	U1839	C1779	C1719	G1659	A1599
G2500	C2440	A2380	U2320	C2260	A2200	C2140	G2080	C2020	U1960	U1900	G1840	C1780	G1720	A1660	G1600
G2501	A2441	A2381	A2321	C2261	C2201	C2141	C2081	C2021	G1961	A1901	G1841	C1781	U1721	A1661	G1601
C2502	A2442	U2382	A2322	C2262	U2202	U2142	C2082	U2022	G1962	C1902	C1842	C1782	G1722	C1662	C1602
G2503	G2443	C2383	C2323	G2263	G2203	C2143	G2083	A2023	G1963	G1903	C1843	U1783	A1723	G1663	G1603
U2504	G2444	G2384	C2324	G2264	C2204	U2144	A2084	A2024	G1964	G1904	C1844	G1784	A1724	G1664	G1604
A2505	G2445	G2385	C2325	C2265	A2205	G2145	C2085	A2025	C1965	G1905	C1845	G1785	A1725	G1665	A1605
G2506	C2446	U2386	C2326	C2266	G2206	C2146	C2086	C2026	C1966	G1906	G1846	G1786	A1726	G1666	C1606
C2507	A2447	A2387	C2327	U2267	C2207	C2147	U2087	G2027	G1967	G1907	U1847	U1787	G1727	U1667	C1607
G2508	A2448	U2388	G2328	C2268	C2208	U2148	G2088	C2028	A1968	C1908	A1848	G1788	C1728	G1668	G1608
A2509	A2449	C2389	A2329	C2269	U2209	G2149	C2089	C2029	C1969	A1909	A1849	A1789	G1729	A1669	G1609
A2510	A2450	G2390	A2330	G2270	G2210	C2150	A2090	G2030	G1970	C1910	C1850	G1790	C1730	A1670	C1610
G2511	G2451	G2391	A2331	G2271	C2211	C2151	U2091	G2031	C1971	G1911	U1851	A1791	U1731	A1671	C1611
C2512	C2452	A2392	G2332	G2272	C2212	G2152	G2092	G2032	C1972	A1912	U1852	A1792	C1732	G1672	G1612
C2513	C2453	G2393	G2333	U2273	C2213	C2153	A2093	C2033	U1973	C1913	C1853	G1793	C1733	C1673	A1613
G2514	G2454	G2394	C2334	C2274	U2214	G2154	A2094	G2034	G1974	U1914	G1854	G1794	G1734	G1674	U1614
U2515	G2455	C2395	G2335	G2275	U2215	C2155	U2095	C2035	C1975	G1915	G1855	C1795	G1735	C1675	G1615
G2516	C2456	G2396	G2336	G2276	G2216	A2156	G2096	A2036	G1976	U1916	G1856	U1796	G1736	G1676	A1616
U2517	C2457	C2397	G2337	G2277	C2217	U2157	G2097	A2037	C1977	U1917	A1857	A1797	A1737	A1677	G1617
G2518	U2458	C2398	A2338	G2278	C2218	G2158	C2098	G2038	C1978	U1918	G1858	A1798	U1738	A1678	G1618
C2519	G2459	G2399	C2339	G2279	A2219	C2159	G2099	C2039	G1979	A1919	A1859	A1799	U1739	G1679	C1619
C2520	A2460	U2400	A2340	G2280	C2220	C2160	U2100	A2040	U1980	A1920	A1860	G1800	U1740	G1680	C1620




Chain AK:  65% 31% .




- Molecule 41: 50S ribosomal protein L1P

Chain AA:  68% 27% .




- Molecule 42: 50S ribosomal protein L31E

Chain Aa:  58% 29% 11% .




- Molecule 43: 50S ribosomal protein L2

Chain AB:  70% 25% 5% .



- Molecule 44: 50S ribosomal protein L32E

Chain Ab:  72% 21% 6% .




- Molecule 45: 50S ribosomal protein L3P

Chain AC:  67% 23% 6% .









- Molecule 46: 50S ribosomal protein L4P

Chain AD: 67% 27% 5% .




- Molecule 47: 50S ribosomal protein L34E

Chain Ad: 65% 33% .



- Molecule 48: 50S ribosomal protein L5P

Chain AE: 75% 18% 6% .




- Molecule 49: 50S ribosomal protein L37E

Chain Ae: 60% 32% 8%



- Molecule 50: 50S ribosomal protein L6P

Chain AF: 74% 24% .




- Molecule 51: 50S ribosomal protein L40E

Chain Ag: 60% 27% 11% .




- Molecule 52: 50S ribosomal protein L11P

Chain AH: 80% 17% ..




- Molecule 53: 50S ribosomal protein L41E

Chain Ah: 71% 21% 8%



- Molecule 54: 50S ribosomal protein L13P

Chain AI: 63% 34% ..




- Molecule 55: 50S ribosomal protein L37AE

Chain Ai: 73% 24% ..




- Molecule 56: 50S ribosomal protein L14P


Chain AJ: 74% 20% 5%




- Molecule 57: 50S ribosomal protein L44E




- Molecule 58: 50S ribosomal protein P0/L10E




- Molecule 59: 50S ribosomal protein L15P




- Molecule 60: 50S ribosomal protein L15E



- Molecule 61: 50S ribosomal protein L10E/L16



- Molecule 62: 50S ribosomal protein L18P



## 4 Experimental information

Property	Value	Source
Reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	Depositor
Number of images	37000	Depositor
Resolution determination method	FSC at 0.5 cut-off using a comparison between experimental map and a map of the docked ribosomal models calculated at 7 Angstrom resolution with EMAN	Depositor
CTF correction method	per micrograph	Depositor
Microscope	FEI TECNAI F20	Depositor
Voltage (kV)	200	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	20	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	50000	Depositor
Image detector	Not provided	Depositor

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 2$	RMSZ	$\# Z  > 2$
1	A7	1.64	2/534 (0.4%)	1.97	14/719 (1.9%)
10	B1	3.41	257/1840 (14.0%)	3.87	460/2869 (16.0%)
11	B2	3.43	4996/35963 (13.9%)	3.79	8330/56134 (14.8%)
12	AG	1.71	4/951 (0.4%)	1.82	14/1281 (1.1%)
12	B3	1.62	3/951 (0.3%)	1.78	13/1281 (1.0%)
13	BA	1.74	21/1585 (1.3%)	2.02	45/2124 (2.1%)
14	BB	1.72	15/1654 (0.9%)	1.96	43/2233 (1.9%)
15	BC	1.82	18/1481 (1.2%)	2.03	41/1985 (2.1%)
16	BD	1.77	14/1457 (1.0%)	2.13	51/1953 (2.6%)
17	BE	1.76	25/2025 (1.2%)	2.01	58/2732 (2.1%)
18	BF	1.81	29/1746 (1.7%)	2.04	51/2350 (2.2%)
19	BG	1.72	9/999 (0.9%)	1.94	22/1337 (1.6%)
2	A8	1.75	1/263 (0.4%)	1.81	4/354 (1.1%)
20	BH	1.79	22/1773 (1.2%)	2.00	62/2381 (2.6%)
21	BI	1.77	13/1049 (1.2%)	2.04	27/1408 (1.9%)
22	BJ	1.83	14/1013 (1.4%)	2.02	22/1349 (1.6%)
23	BK	1.76	10/1088 (0.9%)	1.96	31/1455 (2.1%)
24	BL	1.76	10/830 (1.2%)	2.00	26/1113 (2.3%)
25	BM	1.83	16/1022 (1.6%)	1.90	24/1375 (1.7%)
26	BN	1.74	8/1157 (0.7%)	2.06	37/1536 (2.4%)
27	BO	1.78	13/1208 (1.1%)	2.02	32/1619 (2.0%)
28	BP	1.94	12/471 (2.5%)	2.31	20/620 (3.2%)
29	BQ	1.75	14/1338 (1.0%)	1.95	34/1797 (1.9%)
3	Af	1.83	4/453 (0.9%)	2.10	15/603 (2.5%)
30	BR	1.75	12/956 (1.3%)	2.06	24/1287 (1.9%)
31	BS	1.70	4/562 (0.7%)	1.95	10/744 (1.3%)
32	BT	1.78	11/943 (1.2%)	2.23	35/1257 (2.8%)
33	BU	1.80	13/1204 (1.1%)	2.01	30/1621 (1.9%)
34	BV	1.80	13/839 (1.5%)	2.13	29/1122 (2.6%)
35	BW	1.68	2/485 (0.4%)	1.93	11/651 (1.7%)
36	BX	1.84	7/570 (1.2%)	1.93	9/760 (1.2%)
37	BY	1.66	4/421 (1.0%)	2.22	16/558 (2.9%)
38	A1	3.42	9848/71524 (13.8%)	3.76	16432/111652 (14.7%)
39	A3	3.37	408/3007 (13.6%)	3.87	667/4689 (14.2%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >2	RMSZ	# Z  >2
4	AQ	1.80	16/1272 (1.3%)	2.05	35/1676 (2.1%)
40	A5	1.85	11/618 (1.8%)	1.97	14/829 (1.7%)
40	AK	1.64	4/618 (0.6%)	1.97	16/829 (1.9%)
41	AA	1.71	17/1702 (1.0%)	2.12	52/2293 (2.3%)
42	Aa	1.72	11/690 (1.6%)	2.12	23/926 (2.5%)
43	AB	1.80	20/1883 (1.1%)	1.99	66/2540 (2.6%)
44	Ab	1.81	13/1100 (1.2%)	1.99	30/1466 (2.0%)
45	AC	1.73	29/2774 (1.0%)	1.98	77/3727 (2.1%)
46	AD	1.74	29/2068 (1.4%)	2.04	58/2787 (2.1%)
47	Ad	1.84	13/758 (1.7%)	2.12	28/1007 (2.8%)
48	AE	1.75	14/1513 (0.9%)	1.98	30/2026 (1.5%)
49	Ae	1.87	6/517 (1.2%)	2.04	15/681 (2.2%)
5	AS	1.80	17/1226 (1.4%)	2.14	41/1649 (2.5%)
50	AF	1.71	18/1507 (1.2%)	1.89	24/2033 (1.2%)
51	Ag	1.89	5/381 (1.3%)	2.19	15/504 (3.0%)
52	AH	1.59	2/1002 (0.2%)	1.82	15/1351 (1.1%)
53	Ah	1.81	3/233 (1.3%)	2.32	10/301 (3.3%)
54	AI	1.81	11/1168 (0.9%)	1.94	31/1561 (2.0%)
55	Ai	1.86	10/599 (1.7%)	1.97	14/798 (1.8%)
56	AJ	1.86	13/1027 (1.3%)	1.92	17/1385 (1.2%)
57	Aj	1.85	12/806 (1.5%)	2.18	30/1065 (2.8%)
58	Ak	1.74	16/1660 (1.0%)	1.92	34/2253 (1.5%)
59	AL	1.82	14/1175 (1.2%)	2.03	34/1563 (2.2%)
6	AT	1.69	6/689 (0.9%)	2.00	19/924 (2.1%)
60	AM	1.85	27/1634 (1.7%)	2.11	53/2179 (2.4%)
61	AN	1.85	24/1410 (1.7%)	2.05	43/1890 (2.3%)
62	AO	1.73	17/1636 (1.0%)	2.11	47/2196 (2.1%)
63	AP	1.82	12/980 (1.2%)	2.03	26/1313 (2.0%)
64	AR	1.74	10/808 (1.2%)	1.97	23/1080 (2.1%)
65	AV	1.91	9/570 (1.6%)	2.18	23/758 (3.0%)
66	AY	1.69	8/1262 (0.6%)	1.98	33/1687 (2.0%)
67	AZ	1.68	2/764 (0.3%)	1.94	21/1028 (2.0%)
7	AU	1.81	15/1024 (1.5%)	2.04	30/1365 (2.2%)
8	AW	1.76	5/547 (0.9%)	1.95	12/725 (1.7%)
9	AX	1.71	31/3383 (0.9%)	1.98	79/4593 (1.7%)
All	All	2.89	16322/184366 (8.9%)	3.26	27857/271937 (10.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
10	B1	0	35
11	B2	0	725
12	AG	0	2
13	BA	0	11
14	BB	0	2
15	BC	0	8
16	BD	0	7
17	BE	0	9
18	BF	0	3
19	BG	1	4
2	A8	0	1
20	BH	4	13
21	BI	0	3
22	BJ	0	6
23	BK	0	7
24	BL	0	8
25	BM	0	2
26	BN	0	4
27	BO	0	5
28	BP	0	1
29	BQ	0	7
3	Af	0	6
30	BR	0	3
31	BS	0	2
32	BT	0	5
33	BU	0	4
34	BV	0	12
35	BW	0	1
36	BX	0	3
37	BY	0	3
38	A1	2	1412
39	A3	0	55
4	AQ	0	5
40	A5	0	2
40	AK	0	2
41	AA	0	4
42	Aa	0	2
43	AB	0	8
44	Ab	0	9
45	AC	0	7
46	AD	0	9
47	Ad	0	1
48	AE	0	6

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	#Chirality outliers	#Planarity outliers
49	Ae	1	9
5	AS	0	5
50	AF	0	3
51	Ag	1	5
52	AH	1	2
53	Ah	0	2
54	AI	0	7
55	Ai	0	2
56	AJ	0	4
57	Aj	0	7
58	Ak	0	4
59	AL	2	10
6	AT	0	2
60	AM	0	4
61	AN	0	7
62	AO	0	10
63	AP	0	4
64	AR	0	1
65	AV	0	5
66	AY	0	2
67	AZ	0	1
7	AU	0	4
9	AX	0	9
All	All	12	2533

All (16322) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	770	A	N7-C5	-18.72	1.28	1.39
11	B2	470	G	N9-C8	18.32	1.50	1.37
38	A1	2257	A	N7-C5	-18.29	1.28	1.39
38	A1	910	G	N7-C5	-17.89	1.28	1.39
38	A1	2164	G	N7-C5	-17.73	1.28	1.39
38	A1	1754	A	N9-C4	17.48	1.48	1.37
38	A1	1090	G	N7-C5	-17.48	1.28	1.39
38	A1	474	G	C6-N1	17.23	1.51	1.39
38	A1	563	A	N3-C4	-17.23	1.24	1.34
11	B2	513	A	N9-C4	-17.21	1.27	1.37
38	A1	2134	G	C2-N3	17.14	1.46	1.32
38	A1	2945	A	N7-C5	-17.10	1.28	1.39
38	A1	2185	A	N7-C5	-16.83	1.29	1.39
10	B1	22	A	N9-C4	16.66	1.47	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
39	A3	102	G	N7-C5	-16.63	1.29	1.39
38	A1	1522	A	N7-C5	-16.62	1.29	1.39
39	A3	30	G	N7-C5	-16.49	1.29	1.39
38	A1	552	A	N7-C5	-16.13	1.29	1.39
38	A1	2266	C	N1-C6	16.06	1.46	1.37
38	A1	1901	A	N7-C5	-16.04	1.29	1.39
38	A1	483	C	N1-C6	15.99	1.46	1.37
11	B2	1227	A	N7-C5	-15.90	1.29	1.39
38	A1	733	A	C5-C4	15.89	1.49	1.38
11	B2	1079	G	N7-C5	-15.74	1.29	1.39
39	A3	84	U	C2-N3	15.73	1.48	1.37
38	A1	628	A	N9-C4	15.55	1.47	1.37
11	B2	191	A	N7-C5	-15.50	1.29	1.39
38	A1	2380	A	N7-C5	-15.47	1.29	1.39
38	A1	2469	G	N1-C2	15.43	1.50	1.37
38	A1	1296	A	N7-C5	-15.42	1.29	1.39
38	A1	2684	G	N3-C4	-15.41	1.24	1.35
38	A1	1085	G	N7-C5	-15.40	1.30	1.39
38	A1	2465	A	C6-N6	15.40	1.46	1.33
38	A1	2819	C	N1-C6	15.36	1.46	1.37
11	B2	1013	G	N7-C5	-15.32	1.30	1.39
38	A1	1135	A	N7-C5	-15.28	1.30	1.39
10	B1	70	C	N1-C6	15.23	1.46	1.37
38	A1	502	G	C2-N3	15.17	1.44	1.32
38	A1	279	G	C6-N1	15.16	1.50	1.39
38	A1	999	A	N7-C5	-15.11	1.30	1.39
11	B2	693	C	N1-C6	-15.07	1.28	1.37
38	A1	1335	C	N1-C6	15.03	1.46	1.37
11	B2	1137	G	C2-N3	15.01	1.44	1.32
11	B2	89	G	C2-N3	14.98	1.44	1.32
38	A1	2434	A	C6-N1	14.95	1.46	1.35
38	A1	203	G	C6-N1	14.86	1.50	1.39
11	B2	1462	A	C6-N1	14.86	1.46	1.35
11	B2	1183	C	N1-C6	14.85	1.46	1.37
38	A1	1280	C	C4-N4	14.84	1.47	1.33
38	A1	2747	C	N3-C4	14.82	1.44	1.33
39	A3	35	A	N7-C5	-14.76	1.30	1.39
38	A1	310	C	N1-C6	14.73	1.46	1.37
11	B2	1150	G	N7-C5	14.73	1.48	1.39
38	A1	255	G	N1-C2	14.68	1.49	1.37
38	A1	1780	C	N1-C6	14.68	1.46	1.37
38	A1	194	G	N7-C5	-14.66	1.30	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2682	G	N7-C5	-14.66	1.30	1.39
11	B2	323	A	N7-C5	-14.63	1.30	1.39
11	B2	287	G	N7-C5	-14.58	1.30	1.39
11	B2	824	G	N7-C5	-14.54	1.30	1.39
38	A1	2357	U	C2-N3	14.51	1.48	1.37
11	B2	801	A	N7-C5	-14.47	1.30	1.39
38	A1	761	U	N3-C4	14.47	1.51	1.38
11	B2	55	G	C2-N3	14.46	1.44	1.32
38	A1	467	U	C2-N3	14.46	1.47	1.37
38	A1	2254	U	C2-N3	14.44	1.47	1.37
11	B2	1400	A	N7-C5	-14.43	1.30	1.39
11	B2	729	G	C8-N7	14.43	1.39	1.30
38	A1	761	U	C2-N3	14.39	1.47	1.37
38	A1	2140	C	N1-C6	14.34	1.45	1.37
38	A1	428	A	C6-N1	14.31	1.45	1.35
11	B2	759	C	N1-C6	14.29	1.45	1.37
38	A1	1771	C	N3-C4	14.29	1.44	1.33
38	A1	2542	G	C2-N3	14.29	1.44	1.32
38	A1	1221	U	C2-N3	14.25	1.47	1.37
38	A1	1920	A	C5-C4	14.23	1.48	1.38
38	A1	283	U	C2-N3	14.23	1.47	1.37
38	A1	1030	C	N1-C6	14.22	1.45	1.37
11	B2	1402	C	N1-C6	14.19	1.45	1.37
38	A1	2279	G	C6-N1	14.17	1.49	1.39
11	B2	988	A	C6-N6	14.15	1.45	1.33
11	B2	593	G	N7-C5	-14.13	1.30	1.39
11	B2	1376	C	N1-C6	14.13	1.45	1.37
38	A1	2773	A	N9-C4	-14.11	1.29	1.37
11	B2	971	G	N7-C5	14.11	1.47	1.39
38	A1	743	A	N7-C5	-14.10	1.30	1.39
38	A1	1825	G	C2-N3	14.09	1.44	1.32
38	A1	2403	G	N7-C5	-14.01	1.30	1.39
38	A1	146	U	C2-N3	-13.99	1.27	1.37
38	A1	820	C	N1-C6	13.99	1.45	1.37
11	B2	530	G	N1-C2	13.96	1.49	1.37
38	A1	1012	G	N9-C8	13.95	1.47	1.37
38	A1	355	G	C2-N3	13.93	1.43	1.32
38	A1	2050	U	C2-N3	13.93	1.47	1.37
38	A1	405	G	C6-N1	13.89	1.49	1.39
38	A1	2374	C	N1-C6	13.89	1.45	1.37
11	B2	957	A	N9-C4	13.86	1.46	1.37
11	B2	1306	A	N7-C5	-13.86	1.30	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1248	A	N7-C5	-13.86	1.30	1.39
38	A1	2348	G	N1-C2	13.86	1.48	1.37
38	A1	273	G	C8-N7	13.85	1.39	1.30
38	A1	395	G	N3-C4	13.85	1.45	1.35
11	B2	1010	G	N7-C5	-13.84	1.30	1.39
11	B2	332	C	N3-C4	13.83	1.43	1.33
38	A1	573	G	N1-C2	13.81	1.48	1.37
38	A1	2049	U	C2-N3	13.80	1.47	1.37
38	A1	2001	U	C2-N3	13.78	1.47	1.37
38	A1	2404	G	N7-C5	-13.78	1.30	1.39
11	B2	67	C	C4-N4	13.75	1.46	1.33
11	B2	1397	C	N3-C4	13.73	1.43	1.33
38	A1	1680	G	C5-C4	13.72	1.48	1.38
38	A1	781	C	N3-C4	13.70	1.43	1.33
38	A1	217	A	C6-N1	13.70	1.45	1.35
38	A1	2441	A	N7-C5	-13.66	1.31	1.39
38	A1	2077	A	N3-C4	-13.64	1.26	1.34
38	A1	472	A	N9-C4	-13.63	1.29	1.37
38	A1	1145	G	N9-C8	13.62	1.47	1.37
38	A1	560	G	N7-C5	-13.61	1.31	1.39
38	A1	2780	G	C2-N3	13.61	1.43	1.32
38	A1	507	G	C6-N1	13.61	1.49	1.39
11	B2	1443	G	N1-C2	13.60	1.48	1.37
11	B2	1201	G	P-O5'	-13.58	1.46	1.59
11	B2	520	G	C5-C4	13.57	1.47	1.38
38	A1	367	G	C2-N3	13.56	1.43	1.32
38	A1	404	G	N1-C2	13.55	1.48	1.37
11	B2	1388	G	P-O5'	13.55	1.73	1.59
11	B2	1026	A	N7-C5	-13.54	1.31	1.39
38	A1	1573	A	N3-C4	-13.53	1.26	1.34
38	A1	1161	A	N7-C5	-13.52	1.31	1.39
38	A1	1754	A	C6-N6	13.51	1.44	1.33
11	B2	1334	A	N3-C4	13.50	1.43	1.34
11	B2	157	A	N3-C4	-13.48	1.26	1.34
11	B2	1196	A	N3-C4	-13.48	1.26	1.34
11	B2	426	C	N1-C6	13.48	1.45	1.37
11	B2	1440	G	N3-C4	-13.47	1.26	1.35
38	A1	2088	G	N1-C2	13.47	1.48	1.37
39	A3	71	G	N7-C5	13.47	1.47	1.39
11	B2	1382	G	N7-C5	-13.46	1.31	1.39
11	B2	164	A	C6-N6	13.46	1.44	1.33
38	A1	357	G	N7-C5	-13.42	1.31	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2659	G	N3-C4	-13.42	1.26	1.35
38	A1	1492	C	N3-C4	13.42	1.43	1.33
11	B2	415	C	N1-C6	13.41	1.45	1.37
10	B1	33	C	C4-N4	13.40	1.46	1.33
38	A1	1006	A	C6-N6	13.40	1.44	1.33
38	A1	354	G	N1-C2	13.39	1.48	1.37
11	B2	1390	G	C6-N1	13.39	1.49	1.39
38	A1	1215	C	N1-C6	13.36	1.45	1.37
38	A1	2062	A	C6-N6	13.36	1.44	1.33
38	A1	1936	C	N1-C6	13.33	1.45	1.37
11	B2	1352	G	N7-C5	-13.33	1.31	1.39
11	B2	1279	A	N9-C4	-13.32	1.29	1.37
38	A1	259	A	N7-C5	-13.31	1.31	1.39
38	A1	3015	A	C6-N6	13.31	1.44	1.33
38	A1	1449	C	N1-C6	13.30	1.45	1.37
38	A1	2995	A	C6-N1	13.30	1.44	1.35
38	A1	2754	A	N7-C5	-13.30	1.31	1.39
38	A1	3008	C	N1-C6	13.28	1.45	1.37
38	A1	2302	C	N1-C6	13.27	1.45	1.37
11	B2	1139	A	N7-C5	-13.27	1.31	1.39
11	B2	795	G	C6-N1	13.26	1.48	1.39
11	B2	1373	A	N9-C4	-13.26	1.29	1.37
11	B2	196	G	C6-N1	13.25	1.48	1.39
38	A1	1661	A	C5-C4	13.24	1.48	1.38
38	A1	2738	G	N7-C5	-13.22	1.31	1.39
38	A1	61	G	N7-C5	-13.22	1.31	1.39
38	A1	2873	G	C6-N1	13.22	1.48	1.39
11	B2	1251	C	N1-C6	-13.21	1.29	1.37
38	A1	1295	G	N7-C5	-13.20	1.31	1.39
11	B2	459	G	N1-C2	13.19	1.48	1.37
38	A1	2063	U	C5'-C4'	13.19	1.67	1.51
38	A1	2787	G	C2-N3	13.18	1.43	1.32
38	A1	1136	G	N1-C2	13.14	1.48	1.37
38	A1	1027	A	N7-C5	-13.13	1.31	1.39
38	A1	2408	G	C2-N3	13.12	1.43	1.32
38	A1	1717	C	N1-C6	13.09	1.45	1.37
38	A1	1976	C	N3-C4	13.09	1.43	1.33
38	A1	2383	A	C6-N1	13.08	1.44	1.35
38	A1	680	U	P-O5'	-13.07	1.46	1.59
39	A3	57	C	C4-N4	13.06	1.45	1.33
38	A1	63	A	C6-N6	13.05	1.44	1.33
38	A1	2239	C	C4-N4	13.05	1.45	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1146	G	C2-N3	13.04	1.43	1.32
38	A1	1849	A	C6-N1	13.03	1.44	1.35
11	B2	942	A	N7-C5	-13.02	1.31	1.39
11	B2	953	C	N1-C6	13.01	1.45	1.37
38	A1	1623	C	C4-N4	13.00	1.45	1.33
38	A1	1595	G	N7-C5	-13.00	1.31	1.39
38	A1	2981	G	C2-N3	12.98	1.43	1.32
11	B2	1111	G	C2-N3	12.98	1.43	1.32
11	B2	1159	U	C2-N3	12.98	1.46	1.37
39	A3	124	A	N7-C5	-12.97	1.31	1.39
38	A1	998	G	C8-N7	-12.94	1.23	1.30
11	B2	271	G	C8-N7	-12.93	1.23	1.30
38	A1	123	A	N9-C4	-12.93	1.30	1.37
38	A1	625	A	N3-C4	-12.91	1.27	1.34
38	A1	2240	G	C2-N3	12.90	1.43	1.32
38	A1	617	G	C6-N1	12.90	1.48	1.39
11	B2	1457	A	N9-C4	12.89	1.45	1.37
38	A1	1923	A	N7-C5	-12.87	1.31	1.39
11	B2	672	G	C8-N7	12.86	1.38	1.30
38	A1	563	A	C6-N1	12.85	1.44	1.35
38	A1	2506	G	N7-C5	-12.85	1.31	1.39
38	A1	2547	A	N3-C4	-12.83	1.27	1.34
11	B2	210	A	N9-C4	12.83	1.45	1.37
38	A1	940	G	N9-C4	12.82	1.48	1.38
38	A1	2032	G	C8-N7	-12.82	1.23	1.30
38	A1	2388	U	N3-C4	12.82	1.50	1.38
38	A1	3045	G	N7-C5	-12.81	1.31	1.39
38	A1	1275	G	C6-N1	12.80	1.48	1.39
38	A1	2714	G	C6-N1	12.80	1.48	1.39
38	A1	291	A	C5-C4	12.79	1.47	1.38
38	A1	544	A	N7-C5	-12.79	1.31	1.39
38	A1	1946	G	N7-C5	-12.79	1.31	1.39
11	B2	732	G	C2-N3	12.79	1.43	1.32
11	B2	35	G	N7-C5	-12.78	1.31	1.39
11	B2	266	A	N7-C5	-12.77	1.31	1.39
11	B2	1050	G	N3-C4	-12.74	1.26	1.35
38	A1	2759	A	C6-N6	12.73	1.44	1.33
38	A1	2571	G	C6-N1	12.72	1.48	1.39
11	B2	1024	G	C6-N1	12.72	1.48	1.39
11	B2	1379	G	C2-N3	12.71	1.43	1.32
38	A1	366	G	N1-C2	12.71	1.48	1.37
38	A1	450	G	N1-C2	12.71	1.48	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	971	G	C8-N7	12.70	1.38	1.30
38	A1	966	G	C8-N7	-12.69	1.23	1.30
38	A1	1593	C	N3-C4	12.68	1.42	1.33
11	B2	748	A	N3-C4	12.67	1.42	1.34
11	B2	166	A	N7-C5	-12.66	1.31	1.39
38	A1	1885	G	C2-N3	12.65	1.42	1.32
11	B2	369	A	C8-N7	-12.62	1.22	1.31
11	B2	602	G	N7-C5	-12.62	1.31	1.39
38	A1	1003	C	C4-N4	12.60	1.45	1.33
11	B2	507	G	N1-C2	12.60	1.47	1.37
11	B2	929	C	N1-C6	12.60	1.44	1.37
38	A1	184	A	N7-C5	-12.59	1.31	1.39
38	A1	446	G	C2-N3	12.59	1.42	1.32
38	A1	1723	A	N7-C5	-12.59	1.31	1.39
38	A1	2488	C	N3-C4	12.59	1.42	1.33
38	A1	537	U	C2-N3	12.58	1.46	1.37
38	A1	2682	G	C8-N7	-12.58	1.23	1.30
38	A1	1459	A	N9-C4	12.58	1.45	1.37
38	A1	1873	G	C2-N3	12.57	1.42	1.32
38	A1	2680	A	N7-C5	-12.57	1.31	1.39
38	A1	541	A	C6-N1	12.56	1.44	1.35
38	A1	149	G	N1-C2	12.55	1.47	1.37
38	A1	1465	A	C5-C4	12.55	1.47	1.38
11	B2	601	G	N7-C5	-12.54	1.31	1.39
38	A1	2212	C	C4-N4	12.54	1.45	1.33
38	A1	81	G	N7-C5	-12.53	1.31	1.39
38	A1	1652	A	N9-C4	-12.53	1.30	1.37
11	B2	1444	G	N7-C5	-12.53	1.31	1.39
38	A1	2773	A	N7-C5	-12.53	1.31	1.39
38	A1	2512	C	N1-C6	12.52	1.44	1.37
38	A1	117	A	N7-C5	-12.52	1.31	1.39
38	A1	2948	A	C5-C4	12.52	1.47	1.38
11	B2	1031	G	N7-C5	-12.52	1.31	1.39
38	A1	402	G	N1-C2	12.51	1.47	1.37
11	B2	1344	U	C2-N3	12.48	1.46	1.37
38	A1	125	C	C4-N4	12.46	1.45	1.33
38	A1	936	G	N1-C2	12.46	1.47	1.37
38	A1	1888	G	C6-N1	12.46	1.48	1.39
38	A1	643	G	C6-N1	12.46	1.48	1.39
38	A1	2272	G	C8-N7	12.46	1.38	1.30
11	B2	39	U	C2-N3	12.45	1.46	1.37
38	A1	1783	U	C2-N3	12.45	1.46	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
39	A3	38	U	C2-N3	12.45	1.46	1.37
38	A1	1238	G	C5-C6	-12.45	1.29	1.42
38	A1	2051	A	N7-C5	-12.45	1.31	1.39
11	B2	190	C	N1-C6	12.44	1.44	1.37
10	B1	38	G	C6-N1	12.44	1.48	1.39
38	A1	418	C	C4-N4	12.44	1.45	1.33
38	A1	1715	G	C6-N1	12.44	1.48	1.39
38	A1	1475	G	C6-N1	12.43	1.48	1.39
11	B2	412	U	C2-N3	12.42	1.46	1.37
38	A1	1334	G	C2-N3	12.42	1.42	1.32
39	A3	100	A	C6-N1	12.42	1.44	1.35
11	B2	937	A	C6-N1	12.41	1.44	1.35
38	A1	579	C	C4-C5	12.40	1.52	1.43
11	B2	506	G	N7-C5	-12.40	1.31	1.39
11	B2	560	A	C5-C4	12.40	1.47	1.38
11	B2	55	G	C8-N7	12.39	1.38	1.30
38	A1	1915	G	C2-N3	12.39	1.42	1.32
38	A1	2020	G	C6-N1	12.38	1.48	1.39
38	A1	1734	G	C6-N1	12.37	1.48	1.39
11	B2	1234	A	C5-C4	12.36	1.47	1.38
38	A1	983	G	N7-C5	-12.36	1.31	1.39
11	B2	428	G	N7-C5	-12.34	1.31	1.39
38	A1	123	A	N7-C5	-12.33	1.31	1.39
38	A1	516	A	C6-N1	12.33	1.44	1.35
38	A1	1589	G	N1-C2	12.31	1.47	1.37
11	B2	1260	G	C6-N1	12.30	1.48	1.39
38	A1	1818	G	C2-N3	12.29	1.42	1.32
38	A1	2493	A	N7-C5	-12.29	1.31	1.39
38	A1	1513	G	C6-N1	12.28	1.48	1.39
11	B2	682	A	C5-C4	12.27	1.47	1.38
38	A1	1984	G	N7-C5	-12.27	1.31	1.39
38	A1	2861	A	N3-C4	-12.26	1.27	1.34
38	A1	919	G	N7-C5	-12.25	1.31	1.39
38	A1	3046	C	C2-N3	12.25	1.45	1.35
38	A1	1564	C	N1-C6	-12.23	1.29	1.37
38	A1	2569	G	C2-N3	12.23	1.42	1.32
11	B2	1206	G	N9-C8	12.23	1.46	1.37
38	A1	1507	A	C6-N1	12.22	1.44	1.35
38	A1	1394	G	N7-C5	-12.22	1.31	1.39
38	A1	127	C	N1-C6	12.21	1.44	1.37
38	A1	252	A	N7-C5	-12.21	1.31	1.39
11	B2	1251	C	C4-N4	12.19	1.45	1.33

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1510	U	C2-N3	12.19	1.46	1.37
38	A1	208	A	C5-C4	12.17	1.47	1.38
38	A1	2246	G	C6-N1	12.17	1.48	1.39
38	A1	2279	G	C5-C4	12.17	1.46	1.38
38	A1	1238	G	C8-N7	12.17	1.38	1.30
11	B2	1407	U	C5'-C4'	12.16	1.66	1.51
38	A1	1333	G	N7-C5	12.16	1.46	1.39
38	A1	1975	C	N1-C6	12.16	1.44	1.37
38	A1	2945	A	N3-C4	12.14	1.42	1.34
38	A1	2505	A	N9-C4	12.13	1.45	1.37
38	A1	503	U	C2-N3	12.12	1.46	1.37
38	A1	2529	G	N7-C5	-12.12	1.31	1.39
11	B2	25	C	N3-C4	12.12	1.42	1.33
38	A1	1643	A	N9-C8	12.11	1.47	1.37
11	B2	105	C	C4-N4	12.11	1.44	1.33
38	A1	2946	C	N3-C4	12.10	1.42	1.33
38	A1	2259	G	N7-C5	12.10	1.46	1.39
38	A1	810	A	N7-C5	-12.09	1.31	1.39
11	B2	201	G	C6-N1	12.08	1.48	1.39
38	A1	1117	C	C2-N3	12.08	1.45	1.35
38	A1	2412	A	N3-C4	-12.07	1.27	1.34
38	A1	189	U	C4-C5	12.07	1.54	1.43
38	A1	1563	G	C2-N3	12.06	1.42	1.32
38	A1	1694	G	N1-C2	12.06	1.47	1.37
38	A1	1870	G	N9-C4	-12.05	1.28	1.38
38	A1	437	G	C4'-C3'	12.05	1.66	1.53
38	A1	540	A	C6-N6	12.05	1.43	1.33
39	A3	15	G	C6-N1	12.05	1.48	1.39
38	A1	2756	G	N1-C2	12.04	1.47	1.37
11	B2	61	A	C6-N6	12.04	1.43	1.33
38	A1	2171	G	N1-C2	12.03	1.47	1.37
38	A1	2794	G	N7-C5	-12.03	1.32	1.39
11	B2	1254	C	N3-C4	12.03	1.42	1.33
11	B2	1452	G	C2-N3	12.03	1.42	1.32
38	A1	816	C	N1-C6	12.02	1.44	1.37
38	A1	881	G	N9-C8	12.02	1.46	1.37
11	B2	959	G	N1-C2	12.02	1.47	1.37
11	B2	1390	G	N7-C5	-12.01	1.32	1.39
38	A1	731	C	N3-C4	12.01	1.42	1.33
11	B2	354	G	C6-N1	12.00	1.48	1.39
11	B2	11	A	N7-C5	-11.99	1.32	1.39
38	A1	929	G	N7-C5	-11.98	1.32	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	718	G	C2-N3	11.98	1.42	1.32
38	A1	2605	G	N7-C5	-11.98	1.32	1.39
11	B2	1494	C	C4-N4	11.98	1.44	1.33
38	A1	1707	A	N7-C5	-11.97	1.32	1.39
38	A1	307	C	C4-N4	11.97	1.44	1.33
11	B2	702	G	N1-C2	11.97	1.47	1.37
38	A1	1659	G	N7-C5	-11.97	1.32	1.39
11	B2	542	G	C2-N3	11.95	1.42	1.32
38	A1	474	G	N7-C5	-11.94	1.32	1.39
38	A1	2332	G	N7-C5	-11.95	1.32	1.39
38	A1	1297	C	N3-C4	11.94	1.42	1.33
38	A1	1290	G	C8-N7	-11.94	1.23	1.30
38	A1	317	A	N9-C4	11.93	1.45	1.37
38	A1	2371	A	C6-N1	11.93	1.43	1.35
38	A1	696	G	C6-N1	11.92	1.47	1.39
38	A1	905	G	C6-N1	11.92	1.47	1.39
38	A1	2013	A	N7-C5	-11.92	1.32	1.39
11	B2	1435	G	N9-C8	11.91	1.46	1.37
11	B2	784	G	N7-C5	-11.90	1.32	1.39
11	B2	779	G	N1-C2	11.90	1.47	1.37
38	A1	50	C	C4-N4	11.90	1.44	1.33
38	A1	1786	G	N7-C5	-11.90	1.32	1.39
11	B2	1119	U	C2-N3	11.89	1.46	1.37
38	A1	142	G	C8-N7	11.89	1.38	1.30
38	A1	2785	G	C6-N1	11.88	1.47	1.39
11	B2	963	A	C6-N6	11.87	1.43	1.33
11	B2	1441	G	N1-C2	11.87	1.47	1.37
11	B2	499	G	C2-N3	11.87	1.42	1.32
38	A1	2303	A	C6-N6	11.86	1.43	1.33
38	A1	1353	A	C6-N1	11.85	1.43	1.35
38	A1	2642	C	C2'-C1'	-11.85	1.40	1.53
11	B2	539	C	N1-C6	11.85	1.44	1.37
38	A1	403	G	C2-N3	11.84	1.42	1.32
38	A1	1469	U	N3-C4	11.83	1.49	1.38
38	A1	2023	A	N7-C5	-11.83	1.32	1.39
11	B2	393	A	C5'-C4'	11.82	1.65	1.51
11	B2	846	G	C2-N3	11.82	1.42	1.32
11	B2	1455	A	C6-N6	11.80	1.43	1.33
38	A1	26	G	C2-N3	11.80	1.42	1.32
38	A1	627	G	C6-N1	11.80	1.47	1.39
39	A3	12	G	C6-N1	11.79	1.47	1.39
11	B2	1113	G	C8-N7	11.77	1.38	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2008	G	N3-C4	11.77	1.43	1.35
38	A1	699	A	C5-C4	-11.75	1.30	1.38
38	A1	453	U	C2-N3	11.72	1.46	1.37
38	A1	1732	C	N3-C4	11.72	1.42	1.33
11	B2	542	G	N1-C2	11.72	1.47	1.37
38	A1	1181	C	C4-N4	11.72	1.44	1.33
38	A1	1379	A	N9-C4	11.71	1.44	1.37
11	B2	147	A	N7-C5	-11.71	1.32	1.39
38	A1	2303	A	C8-N7	-11.71	1.23	1.31
38	A1	1789	A	C2'-C1'	-11.71	1.40	1.53
11	B2	637	G	N3-C4	11.71	1.43	1.35
11	B2	260	C	N1-C6	11.70	1.44	1.37
38	A1	2989	A	N7-C5	-11.70	1.32	1.39
11	B2	119	A	N9-C4	11.70	1.44	1.37
38	A1	2137	A	N9-C4	-11.70	1.30	1.37
38	A1	1488	C	N3-C4	11.69	1.42	1.33
38	A1	1802	G	N1-C2	11.69	1.47	1.37
38	A1	2252	C	N1-C6	-11.69	1.30	1.37
38	A1	224	G	N1-C2	11.68	1.47	1.37
38	A1	2270	G	N9-C8	11.68	1.46	1.37
11	B2	164	A	C5-C4	11.67	1.47	1.38
11	B2	1142	G	N1-C2	11.67	1.47	1.37
38	A1	181	U	C2-N3	11.67	1.46	1.37
11	B2	1368	A	C6-N1	11.66	1.43	1.35
38	A1	1753	G	C2-N3	11.66	1.42	1.32
38	A1	1684	C	N1-C6	11.66	1.44	1.37
11	B2	772	G	C8-N7	11.66	1.38	1.30
38	A1	1524	A	N9-C4	-11.66	1.30	1.37
11	B2	910	G	C6-N1	11.65	1.47	1.39
11	B2	454	G	C6-N1	11.65	1.47	1.39
11	B2	1071	C	N3-C4	11.65	1.42	1.33
38	A1	2653	G	C8-N7	-11.65	1.24	1.30
38	A1	415	U	C2-N3	11.65	1.46	1.37
38	A1	1143	A	C8-N7	-11.65	1.23	1.31
38	A1	1059	C	N1-C6	11.65	1.44	1.37
10	B1	62	C	N1-C6	11.64	1.44	1.37
38	A1	1845	C	N1-C6	-11.64	1.30	1.37
38	A1	1208	A	C6-N1	11.62	1.43	1.35
39	A3	41	A	C5-C4	11.62	1.46	1.38
38	A1	2272	G	N1-C2	11.61	1.47	1.37
11	B2	581	G	N7-C5	-11.61	1.32	1.39
38	A1	1898	A	N3-C4	-11.61	1.27	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	633	A	N3-C4	-11.61	1.27	1.34
11	B2	436	A	N9-C4	-11.60	1.30	1.37
38	A1	1173	G	C8-N7	-11.59	1.24	1.30
38	A1	674	G	N7-C5	-11.59	1.32	1.39
38	A1	1270	G	P-O5'	-11.59	1.48	1.59
11	B2	1136	A	C6-N6	11.59	1.43	1.33
38	A1	1781	C	N1-C6	11.58	1.44	1.37
38	A1	2311	C	N1-C6	11.58	1.44	1.37
38	A1	695	G	N1-C2	11.57	1.47	1.37
11	B2	122	C	C4-N4	11.57	1.44	1.33
38	A1	2391	G	C6-N1	11.57	1.47	1.39
38	A1	2352	G	N1-C2	11.56	1.47	1.37
11	B2	90	C	N3-C4	11.56	1.42	1.33
10	B1	26	C	N3-C4	11.55	1.42	1.33
11	B2	145	A	C6-N6	11.55	1.43	1.33
38	A1	831	C	N3-C4	11.54	1.42	1.33
38	A1	1867	C	N1-C6	-11.54	1.30	1.37
38	A1	1978	A	N9-C4	-11.54	1.30	1.37
38	A1	1759	A	N7-C5	-11.54	1.32	1.39
38	A1	1170	G	C5-C4	11.54	1.46	1.38
38	A1	1406	G	C2-N3	11.54	1.42	1.32
38	A1	2190	A	N7-C5	-11.53	1.32	1.39
38	A1	2458	U	C2-N3	11.53	1.45	1.37
11	B2	1112	G	N7-C5	-11.52	1.32	1.39
38	A1	2391	G	C2'-C1'	-11.52	1.40	1.53
38	A1	2210	G	N9-C8	11.52	1.46	1.37
38	A1	1625	A	C6-N6	11.52	1.43	1.33
11	B2	771	G	C2-N2	11.51	1.46	1.34
38	A1	591	G	N9-C4	-11.49	1.28	1.38
38	A1	49	A	N3-C4	-11.49	1.27	1.34
11	B2	748	A	N7-C5	-11.48	1.32	1.39
38	A1	2659	G	N9-C8	11.48	1.45	1.37
38	A1	569	G	C2-N3	11.48	1.42	1.32
11	B2	1366	U	C2-N3	11.48	1.45	1.37
38	A1	1579	G	C2-N3	11.48	1.42	1.32
38	A1	1185	A	N9-C4	11.47	1.44	1.37
11	B2	1394	G	C4'-O4'	11.47	1.60	1.45
38	A1	440	A	C2-N3	11.47	1.43	1.33
38	A1	1230	G	C6-N1	11.47	1.47	1.39
11	B2	277	G	C6-N1	11.45	1.47	1.39
11	B2	1239	A	N7-C5	-11.43	1.32	1.39
38	A1	63	A	N7-C5	-11.43	1.32	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	261	A	C6-N6	11.43	1.43	1.33
38	A1	1511	C	N3-C4	11.43	1.42	1.33
38	A1	2651	G	C2-N3	11.43	1.41	1.32
38	A1	2610	C	C4-N4	11.43	1.44	1.33
11	B2	1150	G	P-O5'	-11.43	1.48	1.59
11	B2	1422	G	C2-N3	11.42	1.41	1.32
11	B2	880	G	N7-C5	-11.42	1.32	1.39
38	A1	1212	A	N9-C4	11.42	1.44	1.37
38	A1	715	G	C5-C4	-11.41	1.30	1.38
11	B2	967	C	C4-N4	11.41	1.44	1.33
38	A1	920	G	N7-C5	-11.40	1.32	1.39
38	A1	1776	G	C2-N3	11.40	1.41	1.32
11	B2	552	C	N1-C6	11.39	1.44	1.37
38	A1	2949	G	C2-N3	11.39	1.41	1.32
11	B2	630	A	N3-C4	-11.39	1.28	1.34
11	B2	37	G	C2-N3	11.38	1.41	1.32
38	A1	1264	G	C5'-C4'	11.38	1.65	1.51
38	A1	606	A	C6-N1	11.38	1.43	1.35
38	A1	1461	G	C5-C4	-11.38	1.30	1.38
11	B2	682	A	N7-C5	-11.38	1.32	1.39
11	B2	479	C	C4-N4	11.38	1.44	1.33
38	A1	526	C	N1-C6	11.38	1.44	1.37
38	A1	2012	G	C2-N3	11.37	1.41	1.32
11	B2	350	G	N7-C5	11.37	1.46	1.39
11	B2	666	G	N9-C8	11.36	1.45	1.37
38	A1	1802	G	C8-N7	-11.36	1.24	1.30
38	A1	2721	C	C4-C5	11.36	1.52	1.43
11	B2	487	U	C2-N3	11.35	1.45	1.37
38	A1	2825	A	C6-N6	11.35	1.43	1.33
38	A1	2053	G	C5-C4	11.35	1.46	1.38
11	B2	1104	G	N1-C2	11.35	1.46	1.37
11	B2	1236	G	C6-N1	11.34	1.47	1.39
38	A1	1442	G	N7-C5	-11.34	1.32	1.39
38	A1	1376	U	C2-N3	11.34	1.45	1.37
11	B2	772	G	C2-N3	11.33	1.41	1.32
11	B2	211	G	C2-N3	11.33	1.41	1.32
11	B2	627	G	N9-C8	11.33	1.45	1.37
38	A1	2538	G	N3-C4	-11.33	1.27	1.35
11	B2	153	G	N7-C5	-11.33	1.32	1.39
11	B2	1005	G	C6-N1	11.32	1.47	1.39
11	B2	1117	A	C8-N7	-11.32	1.23	1.31
38	A1	2554	A	C6-N1	11.31	1.43	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1361	G	C6-N1	11.29	1.47	1.39
38	A1	2247	G	N7-C5	-11.29	1.32	1.39
11	B2	1237	G	N3-C4	11.29	1.43	1.35
38	A1	1566	G	N7-C5	-11.28	1.32	1.39
38	A1	2585	G	N7-C5	-11.28	1.32	1.39
11	B2	226	G	N1-C2	11.28	1.46	1.37
11	B2	1377	G	O3'-P	-11.28	1.47	1.61
38	A1	2322	A	N3-C4	11.27	1.41	1.34
39	A3	72	G	C6-N1	11.27	1.47	1.39
38	A1	3002	A	C6-N6	11.26	1.43	1.33
11	B2	1307	G	N1-C2	11.26	1.46	1.37
38	A1	451	C	C4-N4	11.26	1.44	1.33
38	A1	364	A	C6-N6	11.25	1.43	1.33
38	A1	844	C	N3-C4	11.25	1.41	1.33
38	A1	2167	C	N3-C4	11.25	1.41	1.33
38	A1	2182	A	C6-N1	11.25	1.43	1.35
38	A1	2837	C	P-O5'	-11.25	1.48	1.59
11	B2	537	G	N7-C5	11.25	1.46	1.39
38	A1	3000	U	P-O5'	-11.25	1.48	1.59
11	B2	799	C	N1-C6	-11.24	1.30	1.37
38	A1	1104	A	N7-C5	-11.24	1.32	1.39
38	A1	1836	A	C6-N1	11.24	1.43	1.35
38	A1	2770	A	N7-C5	-11.24	1.32	1.39
11	B2	1191	G	C2-N3	11.24	1.41	1.32
38	A1	1287	G	N7-C5	-11.24	1.32	1.39
38	A1	1846	G	N9-C8	11.24	1.45	1.37
11	B2	1206	G	C6-N1	11.24	1.47	1.39
11	B2	402	G	N1-C2	11.24	1.46	1.37
38	A1	2023	A	C6-N1	11.23	1.43	1.35
38	A1	1161	A	C6-N6	11.23	1.43	1.33
11	B2	196	G	C2-N2	11.22	1.45	1.34
11	B2	1418	G	C2-N3	11.22	1.41	1.32
38	A1	1417	U	C4-C5	11.22	1.53	1.43
38	A1	2497	G	N7-C5	-11.22	1.32	1.39
11	B2	645	G	C6-N1	11.21	1.47	1.39
11	B2	523	C	N1-C6	11.21	1.43	1.37
11	B2	1211	A	C8-N7	-11.21	1.23	1.31
38	A1	2104	G	C2-N3	11.21	1.41	1.32
38	A1	317	A	C6-N6	11.20	1.43	1.33
38	A1	2509	A	N7-C5	-11.20	1.32	1.39
38	A1	2432	G	N7-C5	-11.19	1.32	1.39
11	B2	204	G	C2-N3	11.19	1.41	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	781	U	O3'-P	-11.19	1.47	1.61
38	A1	2496	G	N7-C5	-11.18	1.32	1.39
11	B2	1448	A	N7-C5	-11.18	1.32	1.39
11	B2	347	G	N7-C5	-11.18	1.32	1.39
11	B2	307	G	N9-C8	11.17	1.45	1.37
38	A1	2620	G	N7-C5	-11.17	1.32	1.39
38	A1	2548	A	C6-N1	11.16	1.43	1.35
38	A1	1122	C	N3-C4	11.15	1.41	1.33
38	A1	2096	G	C6-N1	11.15	1.47	1.39
11	B2	1240	A	C6-N1	11.15	1.43	1.35
38	A1	81	G	N1-C2	11.15	1.46	1.37
38	A1	438	G	N9-C8	11.14	1.45	1.37
38	A1	951	C	N3-C4	11.14	1.41	1.33
38	A1	2718	G	C8-N7	-11.14	1.24	1.30
11	B2	53	G	N9-C8	-11.14	1.30	1.37
11	B2	1040	A	N3-C4	11.14	1.41	1.34
38	A1	692	C	C4-N4	11.13	1.44	1.33
11	B2	501	G	N7-C5	-11.13	1.32	1.39
11	B2	1040	A	N9-C4	-11.13	1.31	1.37
38	A1	721	G	C2-N3	11.12	1.41	1.32
38	A1	2629	U	C2-N3	11.12	1.45	1.37
38	A1	2962	A	N3-C4	11.12	1.41	1.34
38	A1	496	A	C5-C4	-11.12	1.30	1.38
38	A1	2585	G	N9-C4	-11.12	1.29	1.38
38	A1	2707	G	C6-N1	11.12	1.47	1.39
11	B2	10	G	C2-N2	11.12	1.45	1.34
38	A1	803	A	C6-N6	11.12	1.42	1.33
38	A1	2653	G	N3-C4	11.11	1.43	1.35
38	A1	3010	C	N3-C4	11.11	1.41	1.33
39	A3	3	G	C8-N7	-11.10	1.24	1.30
38	A1	763	A	N7-C5	-11.10	1.32	1.39
38	A1	15	A	N3-C4	-11.09	1.28	1.34
38	A1	1174	U	C2-N3	11.09	1.45	1.37
38	A1	2975	A	N9-C4	11.09	1.44	1.37
38	A1	2652	G	C6-N1	11.09	1.47	1.39
11	B2	1013	G	C6-N1	11.08	1.47	1.39
38	A1	1386	G	P-O5'	-11.08	1.48	1.59
38	A1	828	G	N7-C5	-11.07	1.32	1.39
38	A1	2958	U	C5'-C4'	11.07	1.64	1.51
38	A1	541	A	C6-N6	11.06	1.42	1.33
38	A1	837	G	C6-N1	11.06	1.47	1.39
38	A1	2832	G	C6-N1	11.06	1.47	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	212	A	C5-C4	11.06	1.46	1.38
38	A1	1970	G	C6-N1	11.06	1.47	1.39
11	B2	714	G	C2-N3	11.05	1.41	1.32
11	B2	202	G	N9-C8	11.05	1.45	1.37
11	B2	1426	C	N1-C6	11.05	1.43	1.37
39	A3	77	A	N7-C5	-11.05	1.32	1.39
38	A1	1881	A	N3-C4	-11.04	1.28	1.34
11	B2	302	A	N7-C5	-11.04	1.32	1.39
38	A1	2734	C	N1-C6	11.04	1.43	1.37
11	B2	970	G	N1-C2	11.04	1.46	1.37
11	B2	626	G	C5-C4	11.04	1.46	1.38
38	A1	1136	G	N9-C8	-11.04	1.30	1.37
38	A1	2496	G	C6-N1	11.03	1.47	1.39
38	A1	2950	G	C5'-C4'	11.03	1.64	1.51
38	A1	170	A	N7-C5	-11.03	1.32	1.39
11	B2	55	G	N7-C5	-11.02	1.32	1.39
38	A1	368	U	O3'-P	-11.02	1.48	1.61
38	A1	780	G	C2-N3	11.01	1.41	1.32
38	A1	2269	C	N1-C6	11.01	1.43	1.37
38	A1	330	U	P-O5'	-11.01	1.48	1.59
38	A1	771	G	N9-C8	-11.01	1.30	1.37
11	B2	1409	G	N7-C5	-11.01	1.32	1.39
38	A1	2384	G	N7-C5	-11.01	1.32	1.39
38	A1	1267	A	N9-C4	-11.00	1.31	1.37
38	A1	2372	C	N3-C4	11.00	1.41	1.33
11	B2	975	A	C6-N6	11.00	1.42	1.33
38	A1	886	G	N1-C2	11.00	1.46	1.37
38	A1	2363	G	N9-C4	11.00	1.46	1.38
38	A1	808	A	N7-C5	-10.99	1.32	1.39
38	A1	2303	A	C5-C4	10.99	1.46	1.38
11	B2	1232	G	C6-N1	10.99	1.47	1.39
38	A1	859	G	C6-N1	10.99	1.47	1.39
38	A1	1013	G	C5-C4	10.97	1.46	1.38
38	A1	2304	C	N3-C4	10.97	1.41	1.33
38	A1	583	A	C6-N6	10.96	1.42	1.33
11	B2	1215	G	N9-C8	10.96	1.45	1.37
38	A1	2507	C	N1-C6	10.96	1.43	1.37
11	B2	167	G	N1-C2	10.96	1.46	1.37
38	A1	862	G	C8-N7	-10.95	1.24	1.30
38	A1	2463	G	C6-N1	10.96	1.47	1.39
11	B2	570	G	N1-C2	10.95	1.46	1.37
11	B2	1283	G	N7-C5	-10.95	1.32	1.39

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	368	C	C4-C5	10.95	1.51	1.43
38	A1	2042	A	C5-C4	10.95	1.46	1.38
38	A1	2393	G	N9-C4	-10.95	1.29	1.38
11	B2	24	C	P-O5'	-10.95	1.48	1.59
38	A1	103	A	N7-C5	-10.95	1.32	1.39
38	A1	733	A	C6-N6	10.95	1.42	1.33
39	A3	52	U	C2-N3	10.95	1.45	1.37
38	A1	402	G	C2-N2	10.94	1.45	1.34
38	A1	2195	G	C6-N1	10.94	1.47	1.39
38	A1	2314	U	N3-C4	10.94	1.48	1.38
38	A1	2862	A	C8-N7	-10.94	1.23	1.31
38	A1	1627	G	C8-N7	-10.94	1.24	1.30
11	B2	1393	A	N9-C4	10.94	1.44	1.37
11	B2	1024	G	N7-C5	-10.93	1.32	1.39
38	A1	954	A	N9-C4	10.93	1.44	1.37
11	B2	60	A	N7-C5	-10.93	1.32	1.39
11	B2	763	G	N7-C5	-10.93	1.32	1.39
11	B2	1429	G	N7-C5	-10.93	1.32	1.39
38	A1	1713	G	C6-N1	10.92	1.47	1.39
11	B2	372	G	N1-C2	10.91	1.46	1.37
38	A1	2869	U	C2-N3	10.91	1.45	1.37
38	A1	2097	G	N7-C5	-10.90	1.32	1.39
11	B2	911	C	N3-C4	10.90	1.41	1.33
38	A1	1584	G	C6-N1	10.90	1.47	1.39
11	B2	20	G	N9-C4	-10.90	1.29	1.38
32	BT	28	PHE	CG-CD2	10.89	1.55	1.38
11	B2	811	G	C6-N1	10.89	1.47	1.39
38	A1	2620	G	C6-N1	10.89	1.47	1.39
11	B2	1067	G	C2-N3	10.88	1.41	1.32
38	A1	1277	G	N1-C2	10.88	1.46	1.37
11	B2	1158	G	C8-N7	10.88	1.37	1.30
11	B2	1171	G	C5-C6	-10.88	1.31	1.42
11	B2	592	G	C2-N3	10.87	1.41	1.32
38	A1	2008	G	C6-N1	10.86	1.47	1.39
38	A1	2382	A	C6-N1	10.86	1.43	1.35
38	A1	2323	C	N3-C4	10.86	1.41	1.33
38	A1	1148	C	N3-C4	10.86	1.41	1.33
11	B2	1143	G	N7-C5	-10.85	1.32	1.39
11	B2	334	G	C6-N1	10.85	1.47	1.39
38	A1	2335	G	C5-C4	10.85	1.46	1.38
38	A1	840	G	C2-N3	10.84	1.41	1.32
10	B1	10	G	C2-N3	10.84	1.41	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	B1	53	G	N1-C2	10.83	1.46	1.37
11	B2	1356	A	C8-N7	-10.83	1.24	1.31
11	B2	1012	C	N3-C4	10.83	1.41	1.33
38	A1	394	A	N9-C4	10.83	1.44	1.37
11	B2	1218	C	N1-C6	10.83	1.43	1.37
38	A1	2685	G	N1-C2	10.82	1.46	1.37
38	A1	1723	A	N9-C4	-10.82	1.31	1.37
11	B2	283	U	C2-N3	10.82	1.45	1.37
38	A1	102	A	C2'-C1'	-10.82	1.41	1.53
11	B2	709	G	C6-N1	10.82	1.47	1.39
11	B2	772	G	C5-C4	10.82	1.46	1.38
11	B2	877	A	N9-C4	10.82	1.44	1.37
11	B2	1472	G	C2-N3	10.82	1.41	1.32
38	A1	2107	G	C6-N1	10.81	1.47	1.39
11	B2	1019	A	N3-C4	-10.81	1.28	1.34
11	B2	312	U	C2-N3	10.80	1.45	1.37
38	A1	19	G	N7-C5	-10.80	1.32	1.39
11	B2	1051	G	C6-N1	10.80	1.47	1.39
11	B2	288	G	C2-N3	10.80	1.41	1.32
11	B2	1055	C	C2'-C1'	-10.80	1.41	1.53
11	B2	492	G	N1-C2	10.79	1.46	1.37
38	A1	477	C	C4-N4	10.79	1.43	1.33
11	B2	665	G	C5-C4	10.79	1.46	1.38
11	B2	702	G	N7-C5	-10.79	1.32	1.39
11	B2	719	G	N9-C8	-10.79	1.30	1.37
38	A1	652	G	C8-N7	10.78	1.37	1.30
38	A1	866	G	N7-C5	-10.78	1.32	1.39
38	A1	2461	C	N1-C6	10.78	1.43	1.37
38	A1	372	A	C6-N1	10.77	1.43	1.35
11	B2	21	A	N9-C4	-10.77	1.31	1.37
38	A1	684	G	N7-C5	-10.77	1.32	1.39
38	A1	668	G	N7-C5	-10.77	1.32	1.39
38	A1	2090	A	N3-C4	-10.77	1.28	1.34
38	A1	1862	G	N9-C8	10.77	1.45	1.37
38	A1	1922	A	C6-N6	10.76	1.42	1.33
11	B2	1441	G	C8-N7	10.76	1.37	1.30
38	A1	2997	G	C6-N1	10.76	1.47	1.39
11	B2	399	A	C6-N6	10.75	1.42	1.33
38	A1	2029	C	N1-C6	10.75	1.43	1.37
11	B2	1032	A	N9-C4	-10.75	1.31	1.37
38	A1	1418	A	C6-N6	10.75	1.42	1.33
38	A1	1720	G	C2-N2	10.75	1.45	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1206	G	N3-C4	-10.74	1.27	1.35
11	B2	1301	U	C2-N3	10.74	1.45	1.37
11	B2	488	A	N9-C4	-10.73	1.31	1.37
38	A1	226	C	N3-C4	10.73	1.41	1.33
38	A1	2442	A	C2'-C1'	-10.73	1.41	1.53
11	B2	1372	C	N3-C4	10.73	1.41	1.33
38	A1	1398	C	N1-C6	10.73	1.43	1.37
11	B2	202	G	N1-C2	10.73	1.46	1.37
38	A1	2377	C	N1-C6	10.73	1.43	1.37
38	A1	397	G	C5-C4	-10.72	1.30	1.38
11	B2	850	A	N7-C5	-10.72	1.32	1.39
38	A1	601	A	N9-C4	-10.72	1.31	1.37
38	A1	803	A	N7-C5	-10.71	1.32	1.39
38	A1	1685	C	N1-C6	-10.72	1.30	1.37
11	B2	765	U	C2-N3	10.71	1.45	1.37
38	A1	116	G	C5'-C4'	10.71	1.64	1.51
38	A1	2184	G	O3'-P	-10.71	1.48	1.61
38	A1	563	A	C5-C4	10.70	1.46	1.38
38	A1	417	C	C4-N4	10.70	1.43	1.33
11	B2	1089	C	N3-C4	10.69	1.41	1.33
11	B2	874	G	N3-C4	-10.69	1.27	1.35
11	B2	1469	G	C2-N2	10.69	1.45	1.34
38	A1	2797	C	P-O5'	10.69	1.70	1.59
11	B2	365	C	N1-C2	10.68	1.50	1.40
38	A1	2175	G	N7-C5	-10.68	1.32	1.39
38	A1	2525	C	N3-C4	10.68	1.41	1.33
38	A1	2310	G	C8-N7	10.68	1.37	1.30
11	B2	1234	A	N7-C5	-10.68	1.32	1.39
11	B2	597	C	C4-C5	10.68	1.51	1.43
38	A1	13	U	C2-N3	10.67	1.45	1.37
38	A1	2109	C	C4-N4	10.67	1.43	1.33
38	A1	2811	U	N3-C4	10.67	1.48	1.38
38	A1	1352	U	C2-N3	10.66	1.45	1.37
38	A1	2028	G	C8-N7	-10.66	1.24	1.30
38	A1	1171	G	N7-C5	-10.65	1.32	1.39
38	A1	59	U	N1-C2	10.65	1.48	1.38
38	A1	2901	C	N1-C6	-10.65	1.30	1.37
38	A1	1591	C	N3-C4	10.64	1.41	1.33
11	B2	152	G	N3-C4	-10.64	1.28	1.35
38	A1	2994	G	C2-N3	10.64	1.41	1.32
38	A1	1578	C	N1-C6	10.64	1.43	1.37
38	A1	2589	C	C4-N4	10.63	1.43	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	81	G	C2-N3	10.63	1.41	1.32
11	B2	228	G	N1-C2	10.63	1.46	1.37
11	B2	217	C	N1-C6	10.62	1.43	1.37
11	B2	741	A	N9-C8	-10.62	1.29	1.37
38	A1	2745	G	C5'-C4'	10.62	1.64	1.51
38	A1	1220	U	C2-N3	10.62	1.45	1.37
38	A1	1932	G	N7-C5	10.62	1.45	1.39
38	A1	1309	G	N1-C2	10.62	1.46	1.37
11	B2	221	A	C6-N6	10.62	1.42	1.33
38	A1	1339	C	N1-C6	10.62	1.43	1.37
38	A1	266	A	N9-C4	10.62	1.44	1.37
11	B2	1203	G	N1-C2	10.61	1.46	1.37
38	A1	2785	G	C2'-C1'	-10.62	1.41	1.53
38	A1	2454	G	C8-N7	10.61	1.37	1.30
38	A1	2344	G	N1-C2	10.61	1.46	1.37
11	B2	830	A	N7-C5	-10.60	1.32	1.39
38	A1	497	G	N1-C2	10.60	1.46	1.37
38	A1	1995	C	C2-N3	10.60	1.44	1.35
11	B2	1086	C	N1-C6	10.60	1.43	1.37
38	A1	1021	G	C2-N3	10.60	1.41	1.32
11	B2	147	A	N9-C4	10.59	1.44	1.37
38	A1	1643	A	N7-C5	10.59	1.45	1.39
38	A1	586	A	N9-C4	10.58	1.44	1.37
38	A1	1293	G	C5'-C4'	10.58	1.64	1.51
38	A1	1692	A	N9-C4	10.58	1.44	1.37
38	A1	2021	G	C6-N1	10.58	1.47	1.39
10	B1	20	G	N1-C2	10.57	1.46	1.37
11	B2	1045	A	C6-N1	10.57	1.43	1.35
38	A1	1950	G	N1-C2	10.57	1.46	1.37
38	A1	627	G	C5'-C4'	-10.57	1.38	1.51
38	A1	208	A	N7-C5	-10.56	1.32	1.39
38	A1	343	C	N3-C4	10.56	1.41	1.33
38	A1	1018	G	N9-C8	10.56	1.45	1.37
38	A1	1277	G	N7-C5	-10.56	1.32	1.39
38	A1	2205	A	N7-C5	-10.56	1.32	1.39
11	B2	625	G	N7-C5	-10.56	1.32	1.39
38	A1	445	G	N9-C8	10.56	1.45	1.37
38	A1	2490	C	C5'-C4'	10.56	1.64	1.51
38	A1	2436	A	N3-C4	-10.55	1.28	1.34
38	A1	615	A	N7-C5	-10.55	1.32	1.39
38	A1	787	G	C2-N3	10.55	1.41	1.32
38	A1	502	G	C8-N7	-10.55	1.24	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1332	A	N7-C5	-10.54	1.32	1.39
11	B2	676	G	N3-C4	10.54	1.42	1.35
38	A1	1846	G	N7-C5	-10.54	1.32	1.39
39	A3	54	A	N7-C5	-10.54	1.32	1.39
39	A3	98	G	N1-C2	10.54	1.46	1.37
38	A1	2107	G	C2-N3	10.53	1.41	1.32
39	A3	11	A	C5'-C4'	10.54	1.64	1.51
38	A1	57	C	C4-N4	10.53	1.43	1.33
38	A1	1792	A	N7-C5	-10.53	1.32	1.39
38	A1	221	G	C5'-C4'	10.52	1.64	1.51
38	A1	2844	G	C8-N7	-10.52	1.24	1.30
38	A1	2877	A	N9-C4	10.52	1.44	1.37
38	A1	563	A	N7-C5	-10.52	1.32	1.39
38	A1	17	C	N3-C4	10.51	1.41	1.33
38	A1	2956	G	C6-N1	10.51	1.47	1.39
38	A1	468	A	N7-C5	-10.51	1.32	1.39
38	A1	695	G	C8-N7	10.51	1.37	1.30
11	B2	650	A	C8-N7	-10.51	1.24	1.31
38	A1	301	G	C6-N1	10.51	1.47	1.39
11	B2	566	C	C2-N3	10.50	1.44	1.35
11	B2	777	G	N9-C8	-10.50	1.30	1.37
11	B2	411	C	N3-C4	10.50	1.41	1.33
11	B2	1154	G	C2-N3	10.50	1.41	1.32
11	B2	1233	G	C6-N1	10.50	1.46	1.39
38	A1	557	G	C6-N1	10.49	1.46	1.39
38	A1	1116	A	C6-N1	10.49	1.42	1.35
11	B2	245	U	C2-N3	10.49	1.45	1.37
11	B2	951	G	C6-N1	10.48	1.46	1.39
38	A1	2554	A	N7-C5	-10.47	1.32	1.39
11	B2	448	A	C6-N1	10.47	1.42	1.35
39	A3	14	G	N1-C2	10.47	1.46	1.37
11	B2	1169	C	C4-C5	10.47	1.51	1.43
11	B2	390	G	O4'-C1'	10.46	1.55	1.41
38	A1	2451	G	N7-C5	-10.46	1.32	1.39
11	B2	666	G	C8-N7	-10.46	1.24	1.30
38	A1	936	G	C6-N1	10.46	1.46	1.39
38	A1	1021	G	N1-C2	10.45	1.46	1.37
11	B2	396	C	C5-C6	-10.45	1.25	1.34
38	A1	1450	C	N3-C4	10.45	1.41	1.33
38	A1	2944	G	N1-C2	10.45	1.46	1.37
38	A1	879	A	N7-C5	-10.45	1.32	1.39
38	A1	430	A	P-O5'	-10.45	1.49	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	551	A	N9-C4	10.45	1.44	1.37
38	A1	1622	G	C2-N3	10.45	1.41	1.32
38	A1	2835	A	N9-C4	-10.45	1.31	1.37
38	A1	3021	C	N3-C4	10.45	1.41	1.33
11	B2	182	A	C6-N6	10.44	1.42	1.33
38	A1	977	C	N1-C6	-10.44	1.30	1.37
11	B2	682	A	N3-C4	-10.44	1.28	1.34
38	A1	1994	G	N3-C4	10.44	1.42	1.35
11	B2	786	G	N1-C2	10.43	1.46	1.37
38	A1	1469	U	C2-N3	10.43	1.45	1.37
38	A1	2743	U	C2-N3	10.43	1.45	1.37
11	B2	842	U	C2-N3	10.43	1.45	1.37
11	B2	281	G	C4'-O4'	10.43	1.59	1.45
38	A1	1823	A	C6-N1	10.43	1.42	1.35
38	A1	1893	C	C4-N4	10.43	1.43	1.33
38	A1	801	A	C6-N6	10.42	1.42	1.33
11	B2	1479	C	N1-C6	10.42	1.43	1.37
39	A3	25	A	N7-C5	-10.42	1.32	1.39
11	B2	922	G	C6-N1	10.42	1.46	1.39
38	A1	1266	A	N3-C4	-10.42	1.28	1.34
38	A1	597	C	C4'-C3'	10.41	1.64	1.53
39	A3	53	A	N7-C5	-10.41	1.33	1.39
39	A3	94	G	N1-C2	10.41	1.46	1.37
11	B2	1098	G	C6-N1	10.41	1.46	1.39
38	A1	1485	A	N9-C4	10.41	1.44	1.37
38	A1	241	C	N1-C6	10.41	1.43	1.37
38	A1	860	A	N3-C4	10.41	1.41	1.34
11	B2	1396	C	N1-C6	10.40	1.43	1.37
38	A1	918	A	N7-C5	-10.40	1.33	1.39
38	A1	2860	G	N7-C5	-10.40	1.33	1.39
38	A1	1639	G	C8-N7	10.40	1.37	1.30
11	B2	321	A	C6-N1	10.40	1.42	1.35
11	B2	569	G	C5-C6	-10.40	1.31	1.42
11	B2	1094	U	C4-C5	10.40	1.52	1.43
38	A1	1553	G	N9-C4	-10.39	1.29	1.38
38	A1	1021	G	P-O5'	-10.39	1.49	1.59
11	B2	1193	G	C5-C4	10.39	1.45	1.38
38	A1	319	A	C4'-C3'	10.38	1.64	1.53
38	A1	890	G	N9-C8	10.38	1.45	1.37
38	A1	2756	G	C6-N1	10.38	1.46	1.39
11	B2	282	G	C5-C4	-10.38	1.31	1.38
38	A1	624	U	C3'-C2'	-10.38	1.41	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1863	G	N9-C8	10.38	1.45	1.37
11	B2	128	A	N7-C5	-10.37	1.33	1.39
11	B2	450	A	N7-C5	-10.37	1.33	1.39
38	A1	2707	G	C4'-C3'	10.37	1.64	1.53
38	A1	18	C	N1-C6	10.37	1.43	1.37
11	B2	1482	C	P-O5'	-10.37	1.49	1.59
38	A1	36	G	C8-N7	10.37	1.37	1.30
11	B2	207	G	C6-N1	10.36	1.46	1.39
11	B2	37	G	N1-C2	10.36	1.46	1.37
38	A1	436	C	C2-N3	10.36	1.44	1.35
10	B1	68	C	N1-C6	10.36	1.43	1.37
38	A1	417	C	N3-C4	10.36	1.41	1.33
38	A1	2896	G	C2-N3	10.36	1.41	1.32
38	A1	243	G	C2-N2	10.36	1.45	1.34
38	A1	447	G	N9-C8	10.36	1.45	1.37
38	A1	1511	C	N1-C6	10.36	1.43	1.37
38	A1	2600	C	C4-C5	10.35	1.51	1.43
38	A1	2820	C	N3-C4	10.35	1.41	1.33
11	B2	922	G	N7-C5	10.35	1.45	1.39
38	A1	1186	G	N3-C4	-10.35	1.28	1.35
38	A1	891	C	C4-C5	10.35	1.51	1.43
38	A1	2093	A	N3-C4	-10.35	1.28	1.34
38	A1	1613	A	C8-N7	-10.35	1.24	1.31
38	A1	2764	G	C6-N1	10.35	1.46	1.39
11	B2	277	G	N9-C8	10.34	1.45	1.37
38	A1	1302	G	N7-C5	-10.34	1.33	1.39
38	A1	1341	U	P-O5'	-10.34	1.49	1.59
38	A1	2221	A	C6-N1	10.34	1.42	1.35
38	A1	2870	A	N9-C4	-10.34	1.31	1.37
11	B2	79	G	N7-C5	-10.34	1.33	1.39
38	A1	1485	A	N7-C5	-10.34	1.33	1.39
11	B2	1124	G	C2-N3	10.34	1.41	1.32
38	A1	707	U	C2-N3	10.33	1.45	1.37
38	A1	1891	C	N3-C4	10.33	1.41	1.33
38	A1	2185	A	C5'-C4'	10.33	1.63	1.51
11	B2	1433	C	N1-C6	10.33	1.43	1.37
38	A1	2201	C	N1-C6	10.33	1.43	1.37
38	A1	2348	G	C2-N3	10.33	1.41	1.32
38	A1	1099	C	N1-C6	10.32	1.43	1.37
11	B2	416	A	N3-C4	-10.32	1.28	1.34
38	A1	1287	G	C6-N1	10.32	1.46	1.39
11	B2	1229	A	N7-C5	-10.32	1.33	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	878	G	N7-C5	-10.32	1.33	1.39
38	A1	1844	C	N1-C6	10.32	1.43	1.37
38	A1	2450	A	N7-C5	-10.32	1.33	1.39
39	A3	87	G	C6-N1	10.32	1.46	1.39
38	A1	1841	G	N3-C4	-10.31	1.28	1.35
38	A1	2653	G	C6-N1	10.31	1.46	1.39
38	A1	2366	G	N9-C8	10.31	1.45	1.37
38	A1	104	C	N1-C6	10.31	1.43	1.37
11	B2	341	C	C4-N4	10.30	1.43	1.33
11	B2	1351	U	C4-C5	10.30	1.52	1.43
38	A1	205	A	C6-N6	10.30	1.42	1.33
11	B2	62	G	N7-C5	-10.30	1.33	1.39
11	B2	1240	A	N7-C5	-10.30	1.33	1.39
10	B1	63	C	N3-C4	10.30	1.41	1.33
11	B2	517	U	C2-N3	10.29	1.45	1.37
38	A1	468	A	C6-N6	10.29	1.42	1.33
11	B2	407	G	C6-N1	10.29	1.46	1.39
38	A1	2118	C	N3-C4	10.29	1.41	1.33
38	A1	2695	U	C5'-C4'	10.29	1.63	1.51
38	A1	646	U	C2-N3	10.28	1.45	1.37
11	B2	1460	G	N9-C8	10.28	1.45	1.37
38	A1	1869	U	C2-N3	10.28	1.45	1.37
38	A1	2612	A	N9-C4	10.28	1.44	1.37
38	A1	66	C	N1-C6	10.27	1.43	1.37
38	A1	2988	A	N9-C8	10.27	1.46	1.37
38	A1	522	A	C6-N6	10.27	1.42	1.33
38	A1	2417	G	C2-N3	10.27	1.41	1.32
38	A1	2643	U	C2-N3	10.27	1.45	1.37
11	B2	1190	C	P-O5'	-10.26	1.49	1.59
38	A1	1392	G	C2-N3	10.26	1.41	1.32
38	A1	337	G	N3-C4	-10.26	1.28	1.35
38	A1	520	G	N3-C4	-10.26	1.28	1.35
38	A1	2900	C	C5'-C4'	10.26	1.63	1.51
11	B2	531	G	N7-C5	-10.26	1.33	1.39
38	A1	2149	G	C6-N1	10.26	1.46	1.39
38	A1	139	G	N9-C4	10.26	1.46	1.38
38	A1	1957	U	C2-N3	10.26	1.45	1.37
38	A1	1355	A	C6-N1	10.25	1.42	1.35
11	B2	826	C	N3-C4	10.25	1.41	1.33
38	A1	2083	G	N7-C5	-10.25	1.33	1.39
39	A3	40	G	C2-N3	10.25	1.41	1.32
38	A1	578	C	C2-N3	10.25	1.44	1.35

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2682	G	C6-N1	10.25	1.46	1.39
38	A1	2880	C	C5'-C4'	10.25	1.63	1.51
39	A3	13	C	N3-C4	10.25	1.41	1.33
11	B2	1035	C	N1-C6	10.24	1.43	1.37
38	A1	456	G	C8-N7	-10.24	1.24	1.30
38	A1	1861	G	N7-C5	10.24	1.45	1.39
38	A1	585	G	N1-C2	10.24	1.46	1.37
38	A1	2987	U	C2-N3	10.24	1.45	1.37
38	A1	2416	G	N1-C2	10.24	1.46	1.37
38	A1	1104	A	P-O5'	-10.24	1.49	1.59
38	A1	1645	U	C2-N3	10.24	1.45	1.37
38	A1	1449	C	C4-N4	10.23	1.43	1.33
38	A1	1590	C	N3-C4	10.23	1.41	1.33
38	A1	187	C	N3-C4	10.23	1.41	1.33
38	A1	236	G	C5-C4	10.23	1.45	1.38
39	A3	25	A	C2'-C1'	-10.23	1.42	1.53
38	A1	1275	G	N9-C8	10.23	1.45	1.37
38	A1	607	C	N3-C4	10.23	1.41	1.33
38	A1	1847	U	C2-N3	10.23	1.45	1.37
38	A1	1025	A	C6-N6	10.22	1.42	1.33
38	A1	1091	G	N7-C5	-10.22	1.33	1.39
10	B1	47	G	C8-N7	10.22	1.37	1.30
11	B2	228	G	C5'-C4'	10.22	1.63	1.51
11	B2	495	G	C5-C4	10.22	1.45	1.38
11	B2	1298	G	N9-C8	10.22	1.45	1.37
38	A1	2276	G	C6-N1	10.22	1.46	1.39
38	A1	803	A	C6-N1	10.22	1.42	1.35
38	A1	238	C	C2-N3	10.22	1.44	1.35
38	A1	137	A	C6-N1	10.21	1.42	1.35
38	A1	1301	G	N7-C5	10.22	1.45	1.39
11	B2	1032	A	C6-N1	10.21	1.42	1.35
38	A1	1617	G	N7-C5	-10.21	1.33	1.39
38	A1	534	G	P-O5'	-10.21	1.49	1.59
38	A1	772	G	C2-N3	10.21	1.41	1.32
38	A1	1527	G	N1-C2	10.21	1.46	1.37
11	B2	1100	G	C6-N1	10.20	1.46	1.39
38	A1	2981	G	N3-C4	-10.20	1.28	1.35
11	B2	847	A	N7-C5	-10.20	1.33	1.39
38	A1	1886	C	C4-N4	10.20	1.43	1.33
39	A3	6	G	N3-C4	-10.20	1.28	1.35
38	A1	2288	C	N1-C6	10.20	1.43	1.37
38	A1	36	G	C5-C6	-10.19	1.32	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	3001	C	C4'-C3'	10.19	1.64	1.53
38	A1	1515	G	N7-C5	-10.19	1.33	1.39
38	A1	1937	A	C8-N7	-10.19	1.24	1.31
11	B2	544	C	C2'-C1'	-10.19	1.42	1.53
38	A1	1634	A	C6-N6	10.19	1.42	1.33
38	A1	1746	C	N3-C4	10.19	1.41	1.33
38	A1	433	C	N3-C4	10.18	1.41	1.33
38	A1	1125	A	C5-C4	10.18	1.45	1.38
11	B2	493	C	N1-C6	10.18	1.43	1.37
11	B2	970	G	N7-C5	-10.18	1.33	1.39
38	A1	1651	A	N3-C4	-10.18	1.28	1.34
38	A1	1656	C	N1-C6	10.18	1.43	1.37
11	B2	766	G	C6-N1	10.17	1.46	1.39
38	A1	1428	G	N7-C5	-10.17	1.33	1.39
38	A1	1617	G	C2-N3	10.17	1.40	1.32
11	B2	274	G	N1-C2	10.17	1.45	1.37
11	B2	530	G	C2-N3	10.17	1.40	1.32
38	A1	2181	G	N1-C2	10.17	1.45	1.37
38	A1	983	G	N9-C8	10.16	1.45	1.37
38	A1	1454	G	C8-N7	-10.16	1.24	1.30
38	A1	1996	C	N3-C4	10.16	1.41	1.33
38	A1	2968	G	C6-N1	10.16	1.46	1.39
11	B2	143	G	C5'-C4'	10.16	1.63	1.51
11	B2	1473	A	C5'-C4'	10.16	1.63	1.51
38	A1	1778	G	N7-C5	-10.16	1.33	1.39
38	A1	194	G	C5'-C4'	10.15	1.63	1.51
38	A1	2521	U	C2-N3	10.15	1.44	1.37
11	B2	191	A	C6-N6	10.15	1.42	1.33
11	B2	748	A	C6-N1	10.15	1.42	1.35
38	A1	2658	G	N7-C5	-10.15	1.33	1.39
38	A1	1028	G	C2-N3	10.15	1.40	1.32
38	A1	2133	G	C2-N3	10.15	1.40	1.32
11	B2	1037	U	C4-C5	10.15	1.52	1.43
10	B1	16	C	C4-C5	-10.14	1.34	1.43
11	B2	1010	G	C6-N1	10.13	1.46	1.39
38	A1	3016	G	N1-C2	10.13	1.45	1.37
38	A1	683	C	P-O5'	10.13	1.69	1.59
11	B2	356	G	N7-C5	-10.13	1.33	1.39
38	A1	2681	A	C6-N6	10.13	1.42	1.33
38	A1	962	C	C4-N4	10.13	1.43	1.33
11	B2	1492	U	C2-N3	10.12	1.44	1.37
38	A1	1387	G	C2-N3	10.12	1.40	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	184	G	N9-C8	-10.12	1.30	1.37
38	A1	1418	A	N3-C4	-10.12	1.28	1.34
38	A1	289	G	C6-N1	10.12	1.46	1.39
10	B1	30	G	N1-C2	10.11	1.45	1.37
38	A1	1662	C	C5'-C4'	10.11	1.63	1.51
11	B2	667	G	C5-C4	10.11	1.45	1.38
38	A1	616	C	C4-N4	10.11	1.43	1.33
38	A1	2960	G	N1-C2	10.11	1.45	1.37
39	A3	65	G	C4'-C3'	10.11	1.64	1.53
38	A1	90	A	C6-N6	10.11	1.42	1.33
38	A1	943	G	N3-C4	-10.10	1.28	1.35
38	A1	1292	C	C2-N3	10.10	1.43	1.35
39	A3	30	G	C6-N1	10.10	1.46	1.39
11	B2	293	G	C6-N1	10.10	1.46	1.39
38	A1	312	G	C2'-C1'	-10.09	1.42	1.53
38	A1	2421	A	N7-C5	-10.09	1.33	1.39
38	A1	120	G	C2'-C1'	-10.09	1.42	1.53
38	A1	1322	G	C6-N1	10.09	1.46	1.39
38	A1	2966	C	N3-C4	10.09	1.41	1.33
11	B2	336	C	N3-C4	10.09	1.41	1.33
38	A1	45	G	N1-C2	10.09	1.45	1.37
38	A1	1356	A	N7-C5	-10.09	1.33	1.39
11	B2	1238	G	N9-C8	10.08	1.45	1.37
11	B2	1140	A	C6-N6	10.08	1.42	1.33
38	A1	463	A	N7-C5	-10.08	1.33	1.39
38	A1	2244	G	N9-C4	-10.08	1.29	1.38
38	A1	2373	G	C6-N1	10.08	1.46	1.39
38	A1	2566	A	N7-C5	-10.08	1.33	1.39
38	A1	2653	G	C2-N3	10.08	1.40	1.32
38	A1	371	U	C5'-C4'	10.07	1.63	1.51
11	B2	504	G	C8-N7	10.07	1.36	1.30
38	A1	2741	U	C2-N3	10.07	1.44	1.37
11	B2	151	G	C2-N2	10.07	1.44	1.34
38	A1	289	G	N7-C5	-10.07	1.33	1.39
11	B2	1041	C	N3-C4	10.06	1.41	1.33
38	A1	422	G	N1-C2	10.06	1.45	1.37
38	A1	216	A	N9-C8	10.06	1.45	1.37
38	A1	432	C	N3-C4	10.06	1.41	1.33
38	A1	507	G	C2-N3	10.06	1.40	1.32
38	A1	847	A	N7-C5	-10.06	1.33	1.39
38	A1	2897	C	N3-C4	10.06	1.41	1.33
38	A1	1618	G	C2'-C1'	-10.05	1.42	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2494	A	N9-C8	10.05	1.45	1.37
11	B2	933	G	N7-C5	-10.05	1.33	1.39
38	A1	585	G	P-O5'	-10.05	1.49	1.59
38	A1	2467	C	N1-C6	10.04	1.43	1.37
38	A1	1162	C	C2'-C1'	-10.04	1.42	1.53
38	A1	2709	C	N3-C4	10.04	1.41	1.33
39	A3	20	G	N7-C5	-10.04	1.33	1.39
11	B2	215	C	N3-C4	10.04	1.41	1.33
11	B2	976	A	C6-N1	10.04	1.42	1.35
11	B2	1313	G	C6-N1	10.04	1.46	1.39
38	A1	1434	C	P-O5'	-10.04	1.49	1.59
11	B2	307	G	N1-C2	10.03	1.45	1.37
11	B2	1096	G	C6-N1	10.03	1.46	1.39
11	B2	1220	G	C2-N3	10.04	1.40	1.32
38	A1	1841	G	N7-C5	10.04	1.45	1.39
11	B2	473	A	N9-C4	-10.03	1.31	1.37
11	B2	384	G	C2-N3	10.02	1.40	1.32
38	A1	1235	A	C6-N1	10.02	1.42	1.35
38	A1	64	A	N9-C4	10.02	1.43	1.37
39	A3	9	A	N7-C5	-10.02	1.33	1.39
38	A1	517	A	C3'-C2'	10.02	1.64	1.52
38	A1	1331	U	C2-N3	10.02	1.44	1.37
39	A3	102	G	C6-N1	10.02	1.46	1.39
38	A1	1723	A	C6-N6	10.02	1.42	1.33
11	B2	349	A	N9-C8	10.01	1.45	1.37
38	A1	396	G	N3-C4	-10.01	1.28	1.35
11	B2	665	G	N9-C4	-10.01	1.29	1.38
38	A1	365	G	N7-C5	-10.01	1.33	1.39
38	A1	1342	G	C2-N3	10.01	1.40	1.32
38	A1	1244	C	C4-N4	10.01	1.43	1.33
38	A1	1524	A	N7-C5	-10.01	1.33	1.39
38	A1	2885	C	C2-N3	10.01	1.43	1.35
11	B2	1457	A	N3-C4	-10.01	1.28	1.34
11	B2	222	G	N7-C5	-10.01	1.33	1.39
11	B2	528	G	N3-C4	10.00	1.42	1.35
11	B2	1173	A	C8-N7	-10.00	1.24	1.31
11	B2	1227	A	C5-C4	10.00	1.45	1.38
38	A1	2606	C	C5'-C4'	10.00	1.63	1.51
38	A1	447	G	N3-C4	-10.00	1.28	1.35
38	A1	907	C	C4-N4	10.00	1.43	1.33
38	A1	1082	A	O3'-P	-10.00	1.49	1.61
38	A1	3029	A	N9-C4	10.00	1.43	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	B1	39	A	C6-N6	10.00	1.42	1.33
38	A1	2053	G	C6-N1	10.00	1.46	1.39
38	A1	562	G	N9-C8	9.99	1.44	1.37
38	A1	1637	C	C2'-C1'	-9.99	1.42	1.53
11	B2	1410	G	N9-C8	-9.99	1.30	1.37
11	B2	1153	G	C2-N3	9.99	1.40	1.32
11	B2	1429	G	C6-N1	9.99	1.46	1.39
38	A1	2718	G	C2-N3	9.99	1.40	1.32
38	A1	1238	G	C6-N1	9.98	1.46	1.39
38	A1	1324	G	N1-C2	9.98	1.45	1.37
11	B2	556	G	C6-N1	9.98	1.46	1.39
11	B2	1470	G	N9-C8	9.98	1.44	1.37
38	A1	98	G	C5'-C4'	9.98	1.63	1.51
38	A1	982	G	C2-N3	9.98	1.40	1.32
38	A1	417	C	N1-C6	9.98	1.43	1.37
38	A1	663	A	C6-N6	9.98	1.42	1.33
38	A1	2549	A	C6-N1	9.98	1.42	1.35
38	A1	3045	G	N1-C2	9.98	1.45	1.37
39	A3	88	A	C6-N6	9.98	1.42	1.33
11	B2	388	G	N1-C2	9.97	1.45	1.37
11	B2	637	G	C6-N1	9.97	1.46	1.39
38	A1	1056	C	N3-C4	9.97	1.41	1.33
38	A1	1113	G	N9-C8	9.97	1.44	1.37
38	A1	2705	C	C4-N4	9.97	1.43	1.33
11	B2	129	G	C2-N3	9.97	1.40	1.32
11	B2	883	G	C6-N1	9.97	1.46	1.39
38	A1	86	G	C6-N1	9.97	1.46	1.39
11	B2	1133	C	N1-C6	9.97	1.43	1.37
38	A1	248	C	C4-C5	9.97	1.50	1.43
38	A1	410	C	N3-C4	9.97	1.41	1.33
11	B2	350	G	N1-C2	9.97	1.45	1.37
38	A1	983	G	C6-N1	9.97	1.46	1.39
38	A1	1964	G	N1-C2	9.97	1.45	1.37
10	B1	43	G	C6-N1	9.96	1.46	1.39
38	A1	1523	A	N3-C4	9.96	1.40	1.34
11	B2	536	A	C6-N6	9.96	1.42	1.33
11	B2	712	G	N7-C5	-9.96	1.33	1.39
11	B2	1076	G	C2-N3	9.96	1.40	1.32
38	A1	1095	A	C8-N7	-9.96	1.24	1.31
38	A1	1213	G	N7-C5	-9.96	1.33	1.39
10	B1	47	G	N9-C4	9.95	1.46	1.38
38	A1	78	C	C2-N3	9.95	1.43	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1494	U	C2-N3	9.95	1.44	1.37
38	A1	1837	A	N3-C4	-9.95	1.28	1.34
38	A1	1912	A	C5-C4	9.95	1.45	1.38
38	A1	1196	A	N9-C4	-9.95	1.31	1.37
11	B2	698	A	C6-N6	9.95	1.42	1.33
11	B2	981	U	N3-C4	9.95	1.47	1.38
11	B2	1216	A	N7-C5	-9.95	1.33	1.39
38	A1	1454	G	N9-C8	-9.95	1.30	1.37
38	A1	1781	C	C4-N4	9.95	1.43	1.33
38	A1	1849	A	N7-C5	-9.95	1.33	1.39
38	A1	2710	G	C2-N3	9.95	1.40	1.32
10	B1	24	A	C4'-C3'	9.94	1.64	1.53
38	A1	2753	G	C5-C4	-9.94	1.31	1.38
38	A1	2993	G	N7-C5	-9.94	1.33	1.39
38	A1	1609	G	C8-N7	9.94	1.36	1.30
38	A1	1769	G	C2-N3	9.94	1.40	1.32
38	A1	2566	A	C6-N1	9.94	1.42	1.35
38	A1	207	A	N3-C4	9.94	1.40	1.34
38	A1	760	G	N3-C4	-9.94	1.28	1.35
38	A1	1012	G	C5-C4	-9.94	1.31	1.38
11	B2	901	G	C8-N7	-9.93	1.25	1.30
38	A1	1032	C	N1-C6	9.93	1.43	1.37
38	A1	1456	U	C2-N3	9.93	1.44	1.37
38	A1	2178	A	C8-N7	-9.93	1.24	1.31
38	A1	1493	C	N1-C6	9.93	1.43	1.37
38	A1	1969	C	C4-N4	9.93	1.42	1.33
38	A1	1612	G	N9-C4	-9.93	1.30	1.38
38	A1	1954	U	N1-C2	9.92	1.47	1.38
11	B2	543	C	N3-C4	9.92	1.40	1.33
38	A1	136	U	C2-N3	9.92	1.44	1.37
38	A1	1717	C	N3-C4	9.92	1.40	1.33
38	A1	2888	G	N9-C8	9.92	1.44	1.37
38	A1	77	C	N1-C6	9.91	1.43	1.37
38	A1	164	A	C6-N6	9.91	1.41	1.33
38	A1	365	G	N1-C2	9.91	1.45	1.37
38	A1	1203	C	N1-C6	9.91	1.43	1.37
38	A1	964	C	N1-C6	9.91	1.43	1.37
11	B2	154	C	N3-C4	9.91	1.40	1.33
38	A1	856	A	N3-C4	-9.91	1.28	1.34
38	A1	1236	C	P-O5'	-9.91	1.49	1.59
39	A3	63	G	N9-C8	9.91	1.44	1.37
38	A1	1502	C	C5-C6	9.90	1.42	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	488	A	N7-C5	-9.90	1.33	1.39
10	B1	13	C	C4-N4	9.90	1.42	1.33
38	A1	2582	C	N3-C4	9.90	1.40	1.33
11	B2	40	C	C4-N4	9.90	1.42	1.33
38	A1	987	G	C2-N3	9.90	1.40	1.32
38	A1	1452	G	N3-C4	-9.89	1.28	1.35
38	A1	657	U	P-O5'	-9.89	1.49	1.59
11	B2	1221	A	C6-N6	9.89	1.41	1.33
38	A1	3043	C	C4-C5	9.89	1.50	1.43
11	B2	457	G	N9-C8	9.89	1.44	1.37
11	B2	976	A	C4'-C3'	9.89	1.64	1.53
11	B2	1188	C	O3'-P	-9.89	1.49	1.61
38	A1	1027	A	C6-N6	9.88	1.41	1.33
38	A1	2033	G	C2-N3	9.88	1.40	1.32
11	B2	820	G	C6-N1	9.88	1.46	1.39
11	B2	1140	A	N9-C4	-9.88	1.31	1.37
38	A1	693	G	N7-C5	-9.88	1.33	1.39
38	A1	826	C	N3-C4	9.88	1.40	1.33
38	A1	2698	G	C6-N1	9.87	1.46	1.39
38	A1	543	G	C2-N3	9.87	1.40	1.32
38	A1	2801	G	N9-C8	9.87	1.44	1.37
11	B2	1187	A	C8-N7	-9.87	1.24	1.31
38	A1	328	G	C6-N1	9.87	1.46	1.39
38	A1	954	A	N7-C5	-9.87	1.33	1.39
38	A1	1440	C	C2-N3	9.87	1.43	1.35
38	A1	2149	G	C2-N3	9.87	1.40	1.32
11	B2	1338	C	N3-C4	9.87	1.40	1.33
38	A1	331	G	N7-C5	-9.87	1.33	1.39
38	A1	2707	G	N7-C5	-9.87	1.33	1.39
38	A1	919	G	C6-N1	9.86	1.46	1.39
11	B2	1405	C	N3-C4	9.86	1.40	1.33
11	B2	271	G	N7-C5	-9.86	1.33	1.39
11	B2	1173	A	N7-C5	-9.86	1.33	1.39
38	A1	2772	U	N1-C6	9.86	1.46	1.38
38	A1	2139	A	C6-N6	9.85	1.41	1.33
11	B2	413	G	C6-N1	9.85	1.46	1.39
38	A1	697	U	C2-N3	9.85	1.44	1.37
11	B2	256	G	C6-N1	9.85	1.46	1.39
11	B2	706	G	N7-C5	-9.85	1.33	1.39
11	B2	620	G	N7-C5	-9.85	1.33	1.39
38	A1	1067	G	C6-N1	9.84	1.46	1.39
38	A1	1518	G	C8-N7	9.84	1.36	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1986	U	C2-N3	9.84	1.44	1.37
38	A1	87	C	C4-N4	9.84	1.42	1.33
11	B2	971	G	C2'-C1'	-9.84	1.42	1.53
38	A1	1616	A	N3-C4	-9.84	1.28	1.34
38	A1	1522	A	C6-N1	-9.84	1.28	1.35
38	A1	518	A	C6-N6	9.84	1.41	1.33
38	A1	895	C	C4-N4	9.84	1.42	1.33
38	A1	2614	C	C4-N4	9.84	1.42	1.33
11	B2	636	G	C8-N7	-9.83	1.25	1.30
38	A1	438	G	C6-N1	9.83	1.46	1.39
11	B2	56	A	O3'-P	-9.83	1.49	1.61
11	B2	388	G	C2-N3	9.83	1.40	1.32
11	B2	1168	C	N3-C4	9.83	1.40	1.33
38	A1	1820	C	C2-N3	9.83	1.43	1.35
11	B2	174	G	C2-N3	9.82	1.40	1.32
38	A1	1644	G	C6-N1	-9.82	1.32	1.39
38	A1	1860	A	N7-C5	-9.82	1.33	1.39
11	B2	642	G	C2-N3	9.82	1.40	1.32
11	B2	1410	G	N1-C2	9.82	1.45	1.37
38	A1	1846	G	C6-N1	9.82	1.46	1.39
38	A1	119	U	N1-C6	9.82	1.46	1.38
38	A1	1347	U	C2-N3	9.82	1.44	1.37
38	A1	628	A	C6-N6	9.82	1.41	1.33
38	A1	73	A	N9-C4	-9.81	1.31	1.37
38	A1	1068	U	N3-C4	9.81	1.47	1.38
38	A1	1435	G	N1-C2	9.81	1.45	1.37
38	A1	1288	C	N3-C4	9.81	1.40	1.33
38	A1	1337	G	N9-C4	-9.81	1.30	1.38
11	B2	70	C	N3-C4	9.81	1.40	1.33
38	A1	175	G	C2-N3	9.81	1.40	1.32
38	A1	1035	G	C2'-C1'	-9.81	1.42	1.53
38	A1	63	A	C2'-C1'	-9.81	1.42	1.53
11	B2	706	G	C8-N7	-9.80	1.25	1.30
11	B2	1016	G	C8-N7	-9.80	1.25	1.30
38	A1	577	C	N3-C4	9.80	1.40	1.33
38	A1	1384	C	N1-C6	9.80	1.43	1.37
11	B2	689	C	N3-C4	9.80	1.40	1.33
38	A1	2218	C	C2-N3	9.80	1.43	1.35
38	A1	317	A	N7-C5	-9.80	1.33	1.39
38	A1	1195	G	C2-N3	9.80	1.40	1.32
38	A1	1488	C	C2'-C1'	-9.80	1.42	1.53
11	B2	210	A	C6-N6	9.79	1.41	1.33

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	824	G	C6-N1	9.79	1.46	1.39
11	B2	45	U	C2-N3	9.79	1.44	1.37
11	B2	1468	A	N3-C4	-9.79	1.28	1.34
38	A1	268	C	C2-N3	9.79	1.43	1.35
38	A1	1861	G	C6-N1	9.79	1.46	1.39
38	A1	964	C	C4-C5	9.79	1.50	1.43
38	A1	1979	G	C6-N1	9.79	1.46	1.39
38	A1	2350	G	N1-C2	9.79	1.45	1.37
38	A1	1666	G	C8-N7	-9.79	1.25	1.30
38	A1	1382	C	N3-C4	9.78	1.40	1.33
38	A1	1870	G	N7-C5	-9.78	1.33	1.39
38	A1	987	G	C2-N2	9.78	1.44	1.34
38	A1	1267	A	N9-C8	9.78	1.45	1.37
38	A1	2668	G	N3-C4	-9.77	1.28	1.35
38	A1	416	A	N7-C5	-9.77	1.33	1.39
11	B2	575	A	C5-C4	9.77	1.45	1.38
38	A1	1463	C	N3-C4	9.77	1.40	1.33
38	A1	1721	U	O3'-P	-9.77	1.49	1.61
38	A1	1722	G	C2-N2	9.77	1.44	1.34
38	A1	1351	G	C8-N7	9.77	1.36	1.30
38	A1	2533	G	C6-N1	9.77	1.46	1.39
38	A1	2851	A	N3-C4	-9.77	1.28	1.34
11	B2	746	A	N9-C4	9.76	1.43	1.37
38	A1	2487	G	C6-N1	9.76	1.46	1.39
38	A1	1971	C	C2-N3	9.76	1.43	1.35
38	A1	1457	C	C4-N4	9.76	1.42	1.33
38	A1	1601	G	C8-N7	9.76	1.36	1.30
38	A1	2750	C	N3-C4	9.76	1.40	1.33
38	A1	370	A	N7-C5	-9.75	1.33	1.39
38	A1	2044	C	N3-C4	9.75	1.40	1.33
11	B2	850	A	C8-N7	-9.75	1.24	1.31
38	A1	1370	G	P-O5'	-9.75	1.50	1.59
38	A1	1570	C	N1-C6	9.75	1.43	1.37
38	A1	1687	C	C4-N4	9.75	1.42	1.33
38	A1	433	C	P-O5'	-9.74	1.50	1.59
38	A1	965	A	N7-C5	-9.74	1.33	1.39
38	A1	2180	C	N3-C4	9.74	1.40	1.33
10	B1	5	C	N3-C4	9.74	1.40	1.33
38	A1	2264	G	C2-N3	9.74	1.40	1.32
39	A3	34	C	C4-N4	9.74	1.42	1.33
38	A1	218	A	C4'-C3'	9.74	1.63	1.53
11	B2	369	A	N9-C8	9.73	1.45	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1199	A	C5-C4	9.73	1.45	1.38
38	A1	35	G	C2-N3	9.73	1.40	1.32
38	A1	1009	G	N1-C2	9.73	1.45	1.37
11	B2	582	G	N7-C5	-9.73	1.33	1.39
38	A1	673	A	C3'-C2'	-9.73	1.42	1.52
38	A1	2879	G	C2-N3	9.73	1.40	1.32
38	A1	1233	U	N3-C4	9.73	1.47	1.38
38	A1	2477	G	N9-C8	-9.73	1.31	1.37
38	A1	1665	G	C5-C4	-9.72	1.31	1.38
11	B2	65	G	C2-N3	9.72	1.40	1.32
11	B2	1376	C	N3-C4	9.72	1.40	1.33
38	A1	2045	C	N3-C4	9.72	1.40	1.33
11	B2	480	G	N1-C2	9.72	1.45	1.37
11	B2	427	G	C3'-C2'	9.71	1.63	1.52
11	B2	816	G	N3-C4	-9.71	1.28	1.35
11	B2	1436	U	C5'-C4'	9.71	1.63	1.51
38	A1	2128	G	C2-N3	9.71	1.40	1.32
38	A1	329	G	C2-N3	9.71	1.40	1.32
38	A1	1118	A	N7-C5	-9.71	1.33	1.39
38	A1	2560	G	N7-C5	-9.71	1.33	1.39
38	A1	85	G	P-O5'	-9.71	1.50	1.59
38	A1	611	G	N9-C8	-9.71	1.31	1.37
38	A1	1205	U	N1-C2	9.71	1.47	1.38
38	A1	1396	A	N1-C2	-9.71	1.25	1.34
38	A1	2664	G	N7-C5	-9.71	1.33	1.39
38	A1	2193	G	C8-N7	9.71	1.36	1.30
11	B2	837	C	N1-C6	9.71	1.43	1.37
11	B2	242	A	O3'-P	-9.70	1.49	1.61
38	A1	429	U	C2-N3	9.70	1.44	1.37
38	A1	495	U	C2-N3	9.70	1.44	1.37
38	A1	2280	G	N9-C8	-9.70	1.31	1.37
38	A1	1508	A	C6-N1	9.70	1.42	1.35
38	A1	2213	G	C2-N3	9.70	1.40	1.32
38	A1	2736	G	C8-N7	9.70	1.36	1.30
11	B2	1466	G	C8-N7	9.69	1.36	1.30
38	A1	580	G	N3-C4	9.69	1.42	1.35
38	A1	830	G	P-O5'	-9.69	1.50	1.59
38	A1	2638	G	C2-N3	9.69	1.40	1.32
38	A1	641	G	N1-C2	9.68	1.45	1.37
11	B2	196	G	C2-N3	9.68	1.40	1.32
38	A1	807	G	N1-C2	9.68	1.45	1.37
38	A1	2718	G	C6-N1	9.68	1.46	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2745	G	C8-N7	9.68	1.36	1.30
11	B2	337	C	C4'-C3'	9.68	1.63	1.53
10	B1	32	A	P-O5'	-9.68	1.50	1.59
38	A1	2045	C	C2-N3	9.68	1.43	1.35
11	B2	1320	A	N3-C4	9.67	1.40	1.34
38	A1	1328	G	C2-N3	9.67	1.40	1.32
38	A1	2145	G	C2-N3	9.67	1.40	1.32
38	A1	2250	G	C2-N3	9.67	1.40	1.32
11	B2	1197	C	N1-C6	9.67	1.43	1.37
38	A1	98	G	C8-N7	-9.67	1.25	1.30
38	A1	386	A	C8-N7	9.67	1.38	1.31
38	A1	1036	C	C4-N4	9.67	1.42	1.33
38	A1	2178	A	N9-C8	9.66	1.45	1.37
38	A1	2259	G	N1-C2	9.66	1.45	1.37
38	A1	1525	G	C8-N7	-9.66	1.25	1.30
11	B2	282	G	N7-C5	-9.66	1.33	1.39
38	A1	2158	G	N7-C5	-9.66	1.33	1.39
38	A1	1572	C	N3-C4	9.66	1.40	1.33
38	A1	2762	G	C6-N1	9.65	1.46	1.39
11	B2	506	G	N1-C2	9.65	1.45	1.37
11	B2	1016	G	C5-C4	9.65	1.45	1.38
38	A1	2200	A	N9-C8	9.65	1.45	1.37
11	B2	1444	G	C6-N1	9.65	1.46	1.39
38	A1	1016	C	N3-C4	9.64	1.40	1.33
38	A1	2462	U	C2-N3	9.64	1.44	1.37
11	B2	281	G	C2-N3	9.64	1.40	1.32
38	A1	511	A	C6-N1	9.64	1.42	1.35
38	A1	286	G	C2-N3	9.64	1.40	1.32
38	A1	848	A	C6-N1	9.64	1.42	1.35
38	A1	873	G	C2-N3	9.64	1.40	1.32
38	A1	1775	G	C4'-C3'	9.64	1.63	1.53
38	A1	2615	U	N1-C2	9.64	1.47	1.38
38	A1	971	G	C2-N3	9.64	1.40	1.32
38	A1	1376	U	C4'-C3'	9.64	1.63	1.53
38	A1	980	G	N3-C4	9.63	1.42	1.35
38	A1	990	G	C6-N1	9.63	1.46	1.39
38	A1	2590	C	N1-C6	9.63	1.43	1.37
11	B2	1157	G	C6-N1	9.63	1.46	1.39
38	A1	1659	G	C6-N1	9.63	1.46	1.39
38	A1	1322	G	N1-C2	9.63	1.45	1.37
38	A1	2188	C	N1-C6	9.63	1.43	1.37
11	B2	141	C	N3-C4	9.63	1.40	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	927	A	N7-C5	-9.62	1.33	1.39
38	A1	909	A	C6-N6	9.62	1.41	1.33
38	A1	1515	G	C2-N3	9.62	1.40	1.32
38	A1	1913	C	N1-C6	9.62	1.43	1.37
38	A1	1230	G	C5-C4	9.62	1.45	1.38
38	A1	1608	G	N7-C5	-9.62	1.33	1.39
38	A1	2177	A	N7-C5	-9.62	1.33	1.39
38	A1	1675	C	N3-C4	9.62	1.40	1.33
38	A1	2881	G	C6-N1	9.62	1.46	1.39
11	B2	1462	A	C6-N6	9.62	1.41	1.33
11	B2	817	U	C2-N3	9.61	1.44	1.37
38	A1	311	C	N3-C4	9.61	1.40	1.33
38	A1	2099	G	C8-N7	-9.61	1.25	1.30
11	B2	1020	G	C5-C4	-9.61	1.31	1.38
38	A1	1289	C	C4-N4	9.61	1.42	1.33
11	B2	1480	G	C2'-C1'	-9.60	1.42	1.53
38	A1	1819	G	N7-C5	-9.60	1.33	1.39
38	A1	2163	G	N7-C5	9.60	1.45	1.39
11	B2	61	A	N9-C4	9.60	1.43	1.37
38	A1	706	U	C2-N3	9.59	1.44	1.37
11	B2	1463	A	C6-N1	9.59	1.42	1.35
38	A1	2624	G	C2'-C1'	-9.59	1.42	1.53
38	A1	2790	C	C4-N4	9.59	1.42	1.33
38	A1	284	U	C2-N3	9.59	1.44	1.37
11	B2	472	C	P-O5'	-9.58	1.50	1.59
38	A1	1722	G	N7-C5	-9.58	1.33	1.39
11	B2	757	G	N9-C8	-9.58	1.31	1.37
38	A1	309	C	N1-C6	9.58	1.42	1.37
38	A1	2787	G	C2'-C1'	-9.58	1.42	1.53
38	A1	3030	A	N3-C4	9.58	1.40	1.34
11	B2	819	G	C2-N3	9.57	1.40	1.32
38	A1	1743	G	N1-C2	9.57	1.45	1.37
38	A1	2446	C	N3-C4	9.57	1.40	1.33
10	B1	47	G	N3-C4	-9.57	1.28	1.35
11	B2	463	G	C5'-C4'	9.57	1.62	1.51
11	B2	1064	C	N3-C4	9.57	1.40	1.33
38	A1	1944	C	N1-C6	9.57	1.42	1.37
11	B2	1401	U	N3-C4	9.57	1.47	1.38
11	B2	72	C	N3-C4	9.56	1.40	1.33
38	A1	1626	A	C6-N6	9.56	1.41	1.33
11	B2	221	A	C5'-C4'	9.56	1.62	1.51
11	B2	1126	G	C8-N7	-9.56	1.25	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	649	A	C6-N1	9.56	1.42	1.35
38	A1	1527	G	N7-C5	-9.56	1.33	1.39
11	B2	1107	C	C4-N4	9.56	1.42	1.33
38	A1	1814	A	C6-N6	9.55	1.41	1.33
38	A1	1047	A	C6-N1	9.55	1.42	1.35
38	A1	1571	G	C8-N7	9.55	1.36	1.30
38	A1	1960	U	N1-C2	9.55	1.47	1.38
39	A3	12	G	N7-C5	-9.55	1.33	1.39
39	A3	6	G	C3'-O3'	9.55	1.55	1.42
38	A1	1385	C	C4-N4	9.55	1.42	1.33
11	B2	6	G	N7-C5	-9.55	1.33	1.39
11	B2	66	G	N1-C2	9.54	1.45	1.37
11	B2	574	A	N3-C4	-9.54	1.29	1.34
11	B2	1007	A	C8-N7	-9.54	1.24	1.31
11	B2	1158	G	C2-N3	9.54	1.40	1.32
11	B2	1276	G	N3-C4	-9.54	1.28	1.35
38	A1	1165	C	N1-C6	-9.54	1.31	1.37
38	A1	481	G	C6-N1	9.54	1.46	1.39
11	B2	23	G	N7-C5	-9.54	1.33	1.39
11	B2	927	A	N3-C4	-9.54	1.29	1.34
38	A1	658	C	O4'-C1'	9.54	1.54	1.41
38	A1	1156	G	C2-N2	9.54	1.44	1.34
38	A1	1768	C	P-O5'	-9.54	1.50	1.59
38	A1	2678	U	C4-C5	9.54	1.52	1.43
39	A3	1	C	C4-C5	-9.53	1.35	1.43
11	B2	455	C	N1-C6	9.53	1.42	1.37
11	B2	554	C	N3-C4	9.53	1.40	1.33
38	A1	688	G	N1-C2	9.53	1.45	1.37
38	A1	2529	G	N9-C8	-9.53	1.31	1.37
38	A1	2258	A	N3-C4	-9.53	1.29	1.34
38	A1	2953	U	C2-N3	9.53	1.44	1.37
10	B1	21	G	C6-N1	9.53	1.46	1.39
38	A1	1468	G	C2-N3	9.53	1.40	1.32
38	A1	1378	G	C2-N3	9.53	1.40	1.32
38	A1	2034	G	C5-C4	-9.53	1.31	1.38
38	A1	2859	U	N3-C4	9.53	1.47	1.38
38	A1	86	G	C5'-C4'	9.52	1.62	1.51
38	A1	556	G	C2-N3	9.52	1.40	1.32
38	A1	217	A	N7-C5	-9.52	1.33	1.39
38	A1	2971	U	N3-C4	9.52	1.47	1.38
38	A1	1587	A	C2'-C1'	-9.52	1.42	1.53
38	A1	2954	C	C4-N4	9.52	1.42	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	192	G	C2-N3	9.51	1.40	1.32
38	A1	513	C	N3-C4	9.51	1.40	1.33
38	A1	1538	A	C6-N1	9.51	1.42	1.35
38	A1	871	G	C2'-C1'	-9.51	1.42	1.53
38	A1	1533	G	C8-N7	-9.51	1.25	1.30
38	A1	2514	C	N1-C6	9.51	1.42	1.37
38	A1	1791	A	C5-C4	-9.51	1.32	1.38
11	B2	196	G	C5-C4	9.51	1.45	1.38
11	B2	434	A	N7-C5	-9.51	1.33	1.39
11	B2	992	G	C5-C4	9.51	1.45	1.38
38	A1	1689	G	C8-N7	-9.50	1.25	1.30
11	B2	1091	C	N3-C4	9.50	1.40	1.33
38	A1	194	G	C8-N7	-9.50	1.25	1.30
38	A1	2376	U	C4'-C3'	-9.50	1.42	1.53
38	A1	2874	C	N1-C6	9.50	1.42	1.37
11	B2	1294	G	C8-N7	-9.50	1.25	1.30
38	A1	1396	A	C8-N7	9.50	1.38	1.31
38	A1	2972	G	C5-C6	-9.50	1.32	1.42
38	A1	546	C	N3-C4	9.49	1.40	1.33
38	A1	1373	C	C4-N4	9.49	1.42	1.33
11	B2	1193	G	C6-N1	9.49	1.46	1.39
38	A1	70	G	C2-N2	9.49	1.44	1.34
11	B2	243	G	C6-N1	9.49	1.46	1.39
11	B2	448	A	N3-C4	-9.49	1.29	1.34
38	A1	2671	C	N3-C4	9.49	1.40	1.33
38	A1	1906	G	C2-N3	9.49	1.40	1.32
11	B2	279	U	C2-N3	9.48	1.44	1.37
11	B2	134	A	N1-C2	9.48	1.42	1.34
38	A1	2269	C	C3'-O3'	9.48	1.55	1.42
11	B2	520	G	N9-C4	-9.48	1.30	1.38
38	A1	943	G	C5-C4	9.48	1.45	1.38
38	A1	2432	G	N9-C4	-9.48	1.30	1.38
11	B2	714	G	N7-C5	9.48	1.45	1.39
38	A1	767	G	N7-C5	-9.48	1.33	1.39
38	A1	1712	U	N3-C4	9.48	1.47	1.38
38	A1	1745	U	N3-C4	9.48	1.47	1.38
38	A1	1831	C	N3-C4	9.48	1.40	1.33
38	A1	2642	C	N3-C4	9.48	1.40	1.33
38	A1	80	G	C2-N3	9.47	1.40	1.32
38	A1	989	G	N7-C5	-9.47	1.33	1.39
38	A1	1189	A	C6-N1	9.47	1.42	1.35
11	B2	1230	G	N3-C4	-9.47	1.28	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1466	G	C4'-O4'	-9.47	1.33	1.45
38	A1	794	G	C2-N3	9.47	1.40	1.32
38	A1	1664	G	N7-C5	-9.47	1.33	1.39
38	A1	2272	G	N9-C8	9.47	1.44	1.37
38	A1	2229	G	N7-C5	-9.47	1.33	1.39
38	A1	709	A	N9-C4	9.47	1.43	1.37
38	A1	2361	C	C2-N3	9.47	1.43	1.35
11	B2	700	G	N7-C5	-9.46	1.33	1.39
11	B2	1014	C	N3-C4	9.46	1.40	1.33
38	A1	1992	A	C6-N6	9.47	1.41	1.33
38	A1	2045	C	N1-C6	9.46	1.42	1.37
38	A1	729	A	C6-N6	9.46	1.41	1.33
11	B2	291	G	C3'-C2'	-9.46	1.42	1.52
38	A1	1112	G	N1-C2	9.46	1.45	1.37
38	A1	794	G	C2'-C1'	-9.46	1.43	1.53
38	A1	824	C	N1-C6	9.46	1.42	1.37
38	A1	1170	G	C8-N7	-9.46	1.25	1.30
11	B2	851	C	N1-C6	9.46	1.42	1.37
38	A1	319	A	N3-C4	-9.46	1.29	1.34
11	B2	1108	U	C4-C5	-9.46	1.35	1.43
11	B2	601	G	N1-C2	9.45	1.45	1.37
38	A1	1005	G	C5'-C4'	9.45	1.62	1.51
11	B2	372	G	N9-C4	-9.45	1.30	1.38
38	A1	2951	G	C6-N1	9.45	1.46	1.39
39	A3	18	G	N7-C5	-9.45	1.33	1.39
38	A1	1430	A	C6-N1	9.45	1.42	1.35
38	A1	2173	U	C2-N3	9.45	1.44	1.37
38	A1	2325	C	N3-C4	9.45	1.40	1.33
11	B2	1154	G	C2'-C1'	-9.44	1.43	1.53
38	A1	741	G	N7-C5	-9.44	1.33	1.39
38	A1	1652	A	C6-N1	9.44	1.42	1.35
38	A1	1695	G	N7-C5	-9.44	1.33	1.39
11	B2	1219	C	C5-C6	-9.44	1.26	1.34
38	A1	2478	G	C8-N7	-9.44	1.25	1.30
10	B1	54	G	P-O5'	9.44	1.69	1.59
38	A1	1522	A	N3-C4	-9.44	1.29	1.34
38	A1	3002	A	N9-C4	-9.44	1.32	1.37
38	A1	3040	G	N1-C2	9.44	1.45	1.37
11	B2	100	A	N7-C5	-9.43	1.33	1.39
11	B2	685	G	C2'-C1'	-9.43	1.43	1.53
38	A1	225	C	N1-C6	-9.43	1.31	1.37
38	A1	981	A	N3-C4	-9.43	1.29	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2703	G	N7-C5	9.43	1.45	1.39
38	A1	718	G	N9-C8	-9.43	1.31	1.37
38	A1	247	A	C6-N1	9.43	1.42	1.35
38	A1	1551	G	C2-N3	9.43	1.40	1.32
38	A1	2750	C	C2-N3	9.43	1.43	1.35
11	B2	737	C	C4-N4	9.42	1.42	1.33
38	A1	631	G	C2-N3	9.42	1.40	1.32
38	A1	2459	G	C8-N7	9.42	1.36	1.30
38	A1	2726	G	N1-C2	9.42	1.45	1.37
38	A1	68	G	N3-C4	9.42	1.42	1.35
38	A1	142	G	N9-C8	9.42	1.44	1.37
11	B2	235	G	C6-O6	-9.42	1.15	1.24
38	A1	222	A	N7-C5	-9.42	1.33	1.39
11	B2	185	G	N7-C5	-9.42	1.33	1.39
11	B2	1027	C	N3-C4	9.42	1.40	1.33
38	A1	734	C	N1-C6	-9.42	1.31	1.37
38	A1	2246	G	N1-C2	9.42	1.45	1.37
39	A3	94	G	C2-N3	9.42	1.40	1.32
11	B2	1131	G	C5-C4	9.41	1.45	1.38
38	A1	1201	G	C5-C4	9.41	1.45	1.38
38	A1	1437	C	N3-C4	9.41	1.40	1.33
38	A1	2133	G	C5-C4	9.41	1.45	1.38
38	A1	2853	A	N9-C4	9.41	1.43	1.37
38	A1	530	A	N7-C5	-9.40	1.33	1.39
11	B2	805	C	C4-N4	9.40	1.42	1.33
38	A1	2746	G	C2-N3	9.40	1.40	1.32
38	A1	176	G	N3-C4	-9.40	1.28	1.35
38	A1	582	A	N9-C4	-9.40	1.32	1.37
38	A1	744	G	C2'-C1'	-9.40	1.43	1.53
38	A1	2184	G	N9-C8	9.40	1.44	1.37
11	B2	814	C	N3-C4	9.40	1.40	1.33
11	B2	1057	A	N7-C5	-9.39	1.33	1.39
39	A3	118	G	C2-N3	9.39	1.40	1.32
11	B2	554	C	N1-C6	9.38	1.42	1.37
11	B2	1046	G	N9-C4	-9.38	1.30	1.38
11	B2	1049	U	C2-N3	9.38	1.44	1.37
11	B2	1378	A	C5-C4	9.39	1.45	1.38
38	A1	2051	A	N3-C4	9.38	1.40	1.34
38	A1	2398	C	N1-C6	-9.38	1.31	1.37
38	A1	1773	C	P-O5'	-9.38	1.50	1.59
38	A1	2737	G	C2-N3	9.38	1.40	1.32
11	B2	1321	U	C2-N3	9.38	1.44	1.37

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1862	G	N3-C4	-9.38	1.28	1.35
38	A1	2534	C	N1-C6	9.38	1.42	1.37
38	A1	2551	G	N3-C4	-9.38	1.28	1.35
11	B2	1209	C	N3-C4	9.38	1.40	1.33
38	A1	111	U	C2-N3	9.38	1.44	1.37
38	A1	2460	A	C6-N6	9.37	1.41	1.33
10	B1	43	G	N7-C5	-9.37	1.33	1.39
11	B2	560	A	C6-N6	9.37	1.41	1.33
11	B2	713	A	C8-N7	9.37	1.38	1.31
38	A1	1422	G	C6-N1	9.37	1.46	1.39
11	B2	488	A	C6-N6	9.37	1.41	1.33
11	B2	665	G	N9-C8	9.37	1.44	1.37
11	B2	1148	G	N7-C5	-9.37	1.33	1.39
38	A1	450	G	N7-C5	-9.37	1.33	1.39
38	A1	2544	C	C2'-C1'	-9.37	1.43	1.53
38	A1	333	A	C6-N1	9.36	1.42	1.35
38	A1	2220	C	C4-N4	9.36	1.42	1.33
38	A1	2014	A	N7-C5	-9.36	1.33	1.39
11	B2	920	U	C4-C5	9.36	1.51	1.43
38	A1	1267	A	N1-C2	-9.36	1.25	1.34
58	Ak	43	ARG	CD-NE	9.36	1.62	1.46
38	A1	1970	G	C2-N3	9.35	1.40	1.32
38	A1	2998	G	C6-N1	9.35	1.46	1.39
38	A1	173	G	N7-C5	9.35	1.44	1.39
38	A1	221	G	C2'-C1'	-9.35	1.43	1.53
38	A1	647	G	C2'-C1'	-9.35	1.43	1.53
11	B2	296	A	C6-N1	9.34	1.42	1.35
38	A1	365	G	N9-C4	-9.34	1.30	1.38
38	A1	2992	G	N7-C5	-9.34	1.33	1.39
38	A1	408	C	N1-C6	9.34	1.42	1.37
38	A1	817	G	N3-C4	-9.34	1.28	1.35
11	B2	1019	A	C6-N6	9.34	1.41	1.33
38	A1	446	G	N1-C2	9.34	1.45	1.37
38	A1	2377	C	N3-C4	9.34	1.40	1.33
11	B2	667	G	N9-C8	9.34	1.44	1.37
38	A1	696	G	N7-C5	-9.34	1.33	1.39
38	A1	1579	G	N1-C2	9.34	1.45	1.37
11	B2	342	G	C4'-C3'	9.34	1.63	1.53
11	B2	667	G	N9-C4	-9.34	1.30	1.38
11	B2	983	G	C5-C6	-9.34	1.33	1.42
11	B2	1115	G	C2'-C1'	-9.34	1.43	1.53
38	A1	1103	C	N3-C4	9.34	1.40	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1605	A	C5-C4	9.34	1.45	1.38
38	A1	747	G	C2-N3	9.33	1.40	1.32
38	A1	861	G	C2-N3	9.33	1.40	1.32
38	A1	1364	C	N3-C4	9.33	1.40	1.33
38	A1	2710	G	C2'-C1'	-9.33	1.43	1.53
38	A1	97	C	C4-N4	9.33	1.42	1.33
38	A1	2471	A	C6-N6	9.33	1.41	1.33
11	B2	1105	C	N3-C4	9.32	1.40	1.33
11	B2	1337	A	C6-N6	9.32	1.41	1.33
38	A1	207	A	C2'-C1'	-9.32	1.43	1.53
38	A1	481	G	N9-C8	9.32	1.44	1.37
38	A1	2066	C	C4-C5	9.32	1.50	1.43
38	A1	2887	C	C4-N4	9.32	1.42	1.33
11	B2	117	C	N1-C6	9.32	1.42	1.37
38	A1	1941	A	N9-C4	9.32	1.43	1.37
38	A1	2106	G	C2-N3	9.32	1.40	1.32
11	B2	1309	A	P-O5'	-9.31	1.50	1.59
11	B2	1345	G	C2-N2	9.31	1.43	1.34
38	A1	1640	G	C6-N1	9.31	1.46	1.39
38	A1	1914	U	C2-N3	9.31	1.44	1.37
38	A1	2364	G	N7-C5	-9.31	1.33	1.39
38	A1	2570	A	C5-C4	9.31	1.45	1.38
11	B2	1360	C	N3-C4	9.31	1.40	1.33
38	A1	2438	U	C2-N3	9.31	1.44	1.37
38	A1	1772	A	P-O5'	-9.31	1.50	1.59
11	B2	1194	C	O3'-P	-9.31	1.50	1.61
38	A1	905	G	N9-C8	9.31	1.44	1.37
38	A1	1635	G	C5-C6	-9.31	1.33	1.42
11	B2	251	G	C2-N3	9.30	1.40	1.32
11	B2	734	G	N1-C2	9.30	1.45	1.37
38	A1	1527	G	N3-C4	9.30	1.42	1.35
11	B2	1356	A	C6-N6	9.30	1.41	1.33
38	A1	1403	C	C2'-C1'	-9.30	1.43	1.53
38	A1	1654	G	C2-N3	9.30	1.40	1.32
11	B2	706	G	C5-C4	-9.29	1.31	1.38
38	A1	2870	A	C6-N1	9.30	1.42	1.35
38	A1	269	C	N3-C4	9.29	1.40	1.33
38	A1	361	G	C5-C4	9.29	1.44	1.38
38	A1	1777	U	N1-C6	9.29	1.46	1.38
38	A1	2876	G	C2-N3	9.29	1.40	1.32
39	A3	90	A	N9-C4	9.29	1.43	1.37
38	A1	2775	G	C6-N1	9.29	1.46	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2563	A	C6-N1	9.29	1.42	1.35
11	B2	881	G	N1-C2	9.29	1.45	1.37
38	A1	304	G	C2-N3	9.29	1.40	1.32
38	A1	225	C	C4-N4	9.28	1.42	1.33
38	A1	2321	A	C6-N1	9.28	1.42	1.35
38	A1	1158	G	C2-N3	9.28	1.40	1.32
38	A1	1791	A	N9-C4	9.28	1.43	1.37
11	B2	773	A	C8-N7	9.27	1.38	1.31
38	A1	506	G	N7-C5	-9.27	1.33	1.39
11	B2	1446	G	N9-C4	-9.27	1.30	1.38
11	B2	1081	C	C4'-C3'	9.27	1.63	1.53
38	A1	575	G	C2'-C1'	-9.27	1.43	1.53
38	A1	2016	C	C4-N4	9.27	1.42	1.33
38	A1	2196	C	N1-C6	9.27	1.42	1.37
38	A1	2863	A	N3-C4	9.27	1.40	1.34
10	B1	35	G	N1-C2	9.27	1.45	1.37
38	A1	17	C	C5'-C4'	9.27	1.62	1.51
38	A1	364	A	N7-C5	-9.27	1.33	1.39
38	A1	1359	C	N3-C4	9.27	1.40	1.33
38	A1	1566	G	C6-N1	9.27	1.46	1.39
38	A1	2331	A	N7-C5	-9.27	1.33	1.39
11	B2	622	C	C2-N3	9.26	1.43	1.35
38	A1	46	C	C4-N4	9.26	1.42	1.33
38	A1	527	G	N1-C2	9.26	1.45	1.37
38	A1	2997	G	N7-C5	-9.26	1.33	1.39
11	B2	287	G	N9-C4	-9.26	1.30	1.38
11	B2	663	G	C8-N7	-9.26	1.25	1.30
11	B2	668	G	C2'-C1'	-9.26	1.43	1.53
38	A1	454	C	N3-C4	9.26	1.40	1.33
38	A1	1442	G	N9-C8	9.26	1.44	1.37
11	B2	1021	C	O3'-P	-9.26	1.50	1.61
11	B2	851	C	N3-C4	9.26	1.40	1.33
11	B2	1154	G	C6-N1	9.25	1.46	1.39
38	A1	1089	C	N3-C4	9.25	1.40	1.33
38	A1	1642	G	N7-C5	-9.25	1.33	1.39
11	B2	1405	C	C4-N4	9.25	1.42	1.33
11	B2	1429	G	C2-N3	9.25	1.40	1.32
38	A1	36	G	N9-C8	-9.25	1.31	1.37
38	A1	1059	C	C4-N4	9.25	1.42	1.33
38	A1	1923	A	C8-N7	-9.25	1.25	1.31
38	A1	774	G	N3-C4	-9.25	1.28	1.35
38	A1	1715	G	P-O5'	-9.25	1.50	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	B1	13	C	N1-C6	9.24	1.42	1.37
11	B2	1324	U	C5'-C4'	9.24	1.62	1.51
38	A1	1415	C	C2'-C1'	-9.24	1.43	1.53
38	A1	1505	G	C6-N1	9.24	1.46	1.39
38	A1	187	C	N1-C6	-9.24	1.31	1.37
38	A1	1634	A	C5'-C4'	9.24	1.62	1.51
38	A1	2980	G	C5'-C4'	9.23	1.62	1.51
11	B2	516	A	O3'-P	-9.23	1.50	1.61
38	A1	2120	C	C4'-C3'	9.23	1.63	1.53
11	B2	1437	G	C3'-C2'	9.23	1.63	1.52
11	B2	243	G	N7-C5	-9.23	1.33	1.39
11	B2	261	G	N1-C2	9.23	1.45	1.37
38	A1	324	C	N3-C4	9.23	1.40	1.33
11	B2	901	G	N9-C4	9.22	1.45	1.38
38	A1	2846	A	C8-N7	-9.22	1.25	1.31
38	A1	2537	G	N9-C8	9.22	1.44	1.37
11	B2	912	G	C5-C6	-9.22	1.33	1.42
38	A1	857	U	N3-C4	9.22	1.46	1.38
38	A1	1381	C	N3-C4	9.22	1.40	1.33
11	B2	344	G	N1-C2	9.21	1.45	1.37
38	A1	445	G	N7-C5	-9.21	1.33	1.39
38	A1	780	G	N7-C5	-9.21	1.33	1.39
11	B2	893	U	C2'-C1'	-9.21	1.43	1.53
38	A1	181	U	C4-C5	-9.21	1.35	1.43
11	B2	633	C	N3-C4	9.21	1.40	1.33
38	A1	108	G	N7-C5	-9.21	1.33	1.39
38	A1	2017	A	C6-N6	9.21	1.41	1.33
38	A1	2167	C	C4-N4	9.21	1.42	1.33
11	B2	73	U	N3-C4	9.20	1.46	1.38
38	A1	1786	G	N3-C4	-9.20	1.29	1.35
38	A1	2887	C	N3-C4	9.20	1.40	1.33
11	B2	1045	A	N3-C4	-9.20	1.29	1.34
38	A1	330	U	C2-N3	9.20	1.44	1.37
38	A1	703	G	N1-C2	9.20	1.45	1.37
38	A1	1087	G	C2-N3	9.20	1.40	1.32
38	A1	2884	C	N3-C4	9.20	1.40	1.33
11	B2	522	C	C4-C5	9.20	1.50	1.43
38	A1	104	C	C4-C5	9.20	1.50	1.43
38	A1	271	G	C8-N7	-9.20	1.25	1.30
38	A1	2002	A	N9-C8	9.20	1.45	1.37
11	B2	307	G	O3'-P	-9.19	1.50	1.61
38	A1	339	A	P-O5'	9.19	1.69	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2032	G	C5-C4	-9.19	1.31	1.38
38	A1	2574	G	N9-C8	9.19	1.44	1.37
11	B2	621	G	C5'-C4'	9.19	1.62	1.51
38	A1	1338	G	N1-C2	9.19	1.45	1.37
38	A1	1355	A	N3-C4	-9.19	1.29	1.34
38	A1	2858	C	N3-C4	9.19	1.40	1.33
11	B2	1207	G	N7-C5	-9.18	1.33	1.39
38	A1	120	G	C2-N2	9.18	1.43	1.34
11	B2	495	G	N7-C5	-9.18	1.33	1.39
11	B2	896	A	N9-C4	-9.18	1.32	1.37
38	A1	1673	C	C4-N4	9.18	1.42	1.33
11	B2	1026	A	N9-C4	-9.18	1.32	1.37
38	A1	1846	G	C2-N3	9.18	1.40	1.32
38	A1	2672	A	C8-N7	-9.18	1.25	1.31
38	A1	2805	U	P-O5'	-9.18	1.50	1.59
38	A1	2824	C	C4-N4	9.18	1.42	1.33
11	B2	204	G	P-O5'	-9.18	1.50	1.59
11	B2	1006	C	P-O5'	9.18	1.69	1.59
38	A1	2133	G	N3-C4	9.18	1.41	1.35
11	B2	952	A	N3-C4	-9.17	1.29	1.34
38	A1	54	G	N1-C2	9.17	1.45	1.37
38	A1	851	G	C6-N1	9.17	1.46	1.39
11	B2	350	G	C2-N3	9.17	1.40	1.32
11	B2	614	G	N1-C2	9.17	1.45	1.37
11	B2	966	G	N7-C5	9.17	1.44	1.39
38	A1	435	G	N7-C5	-9.17	1.33	1.39
11	B2	406	U	N1-C6	9.17	1.46	1.38
38	A1	604	A	C2'-C1'	-9.17	1.43	1.53
11	B2	1325	C	N3-C4	9.16	1.40	1.33
38	A1	1854	G	C5-C4	-9.16	1.31	1.38
38	A1	1956	G	C6-N1	9.16	1.46	1.39
38	A1	2714	G	N3-C4	9.16	1.41	1.35
38	A1	2717	A	N3-C4	-9.16	1.29	1.34
11	B2	641	A	N9-C4	9.16	1.43	1.37
38	A1	110	A	N9-C4	-9.16	1.32	1.37
38	A1	396	G	N7-C5	-9.16	1.33	1.39
38	A1	1878	G	N1-C2	9.16	1.45	1.37
11	B2	1042	U	C4-C5	9.16	1.51	1.43
11	B2	638	G	C6-N1	9.16	1.46	1.39
11	B2	704	C	C5'-C4'	9.16	1.62	1.51
38	A1	982	G	C6-N1	9.16	1.46	1.39
38	A1	2179	G	C2-N3	9.16	1.40	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	478	C	N3-C4	9.15	1.40	1.33
38	A1	2031	G	C2-N3	9.15	1.40	1.32
11	B2	895	C	C4-C5	9.15	1.50	1.43
38	A1	239	G	C6-N1	9.15	1.46	1.39
38	A1	1897	G	C5-C4	9.15	1.44	1.38
11	B2	1311	C	N3-C4	9.15	1.40	1.33
11	B2	1481	G	C2-N3	9.15	1.40	1.32
38	A1	2443	G	N7-C5	-9.15	1.33	1.39
38	A1	2868	C	N3-C4	9.15	1.40	1.33
38	A1	716	U	C2-N3	9.15	1.44	1.37
38	A1	2538	G	N9-C8	-9.15	1.31	1.37
38	A1	1940	U	P-O5'	9.14	1.68	1.59
11	B2	1488	C	N3-C4	9.14	1.40	1.33
11	B2	552	C	C3'-C2'	9.14	1.63	1.52
38	A1	372	A	C5'-C4'	9.14	1.62	1.51
38	A1	469	A	C6-N6	9.14	1.41	1.33
38	A1	1252	G	C8-N7	-9.14	1.25	1.30
38	A1	2058	C	C4-N4	9.14	1.42	1.33
38	A1	2710	G	C8-N7	-9.14	1.25	1.30
38	A1	73	A	C6-N1	9.13	1.42	1.35
55	Ai	43	ARG	CZ-NH2	9.14	1.45	1.33
38	A1	2662	G	C8-N7	-9.13	1.25	1.30
10	B1	56	U	C2-N3	9.13	1.44	1.37
11	B2	568	C	N1-C6	9.13	1.42	1.37
38	A1	2101	A	N3-C4	-9.13	1.29	1.34
38	A1	2962	A	C6-N1	-9.13	1.29	1.35
38	A1	3033	G	C4'-O4'	-9.13	1.33	1.45
11	B2	232	G	C6-N1	9.13	1.46	1.39
11	B2	735	A	N3-C4	-9.12	1.29	1.34
38	A1	544	A	N3-C4	-9.12	1.29	1.34
38	A1	1597	G	C6-N1	9.12	1.46	1.39
38	A1	126	U	N1-C6	9.12	1.46	1.38
38	A1	2755	G	C2-N3	9.12	1.40	1.32
11	B2	1359	C	N3-C4	9.11	1.40	1.33
38	A1	2516	G	C6-N1	9.11	1.46	1.39
38	A1	1456	U	N1-C2	9.11	1.46	1.38
38	A1	2850	G	C2'-C1'	-9.11	1.43	1.53
38	A1	749	G	N7-C5	-9.11	1.33	1.39
38	A1	2244	G	N9-C8	9.11	1.44	1.37
38	A1	2406	C	N3-C4	9.11	1.40	1.33
38	A1	2963	G	N9-C4	9.11	1.45	1.38
11	B2	978	G	N7-C5	-9.11	1.33	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	998	A	N9-C8	9.11	1.45	1.37
11	B2	1331	G	C2-N3	9.11	1.40	1.32
38	A1	22	C	C2'-C1'	-9.11	1.43	1.53
38	A1	989	G	C2-N3	9.11	1.40	1.32
11	B2	1400	A	C5-C4	9.11	1.45	1.38
11	B2	877	A	C2'-C1'	-9.10	1.43	1.53
11	B2	1020	G	C2-N3	9.10	1.40	1.32
38	A1	934	G	C2-N2	9.10	1.43	1.34
38	A1	2492	G	C2-N3	9.10	1.40	1.32
11	B2	771	G	C2-N3	9.10	1.40	1.32
11	B2	1438	A	C6-N6	9.10	1.41	1.33
38	A1	2655	C	C2'-C1'	-9.10	1.43	1.53
11	B2	500	A	O3'-P	-9.09	1.50	1.61
38	A1	305	G	C2-N3	9.09	1.40	1.32
38	A1	1259	G	N3-C4	-9.09	1.29	1.35
11	B2	1174	A	C2-N3	9.09	1.41	1.33
38	A1	2655	C	N3-C4	9.09	1.40	1.33
11	B2	156	A	C8-N7	-9.09	1.25	1.31
11	B2	234	G	C5'-C4'	9.09	1.62	1.51
38	A1	1674	G	C2-N3	9.09	1.40	1.32
11	B2	207	G	C2-N3	9.08	1.40	1.32
38	A1	539	A	N7-C5	-9.08	1.33	1.39
38	A1	854	G	N1-C2	9.08	1.45	1.37
11	B2	197	A	C2'-C1'	-9.08	1.43	1.53
38	A1	266	A	N7-C5	-9.08	1.33	1.39
38	A1	671	G	C8-N7	-9.08	1.25	1.30
11	B2	461	A	C4'-C3'	-9.08	1.43	1.53
11	B2	1017	U	C2-N3	9.08	1.44	1.37
38	A1	2063	U	O4'-C1'	9.08	1.53	1.41
11	B2	720	A	N7-C5	-9.08	1.33	1.39
11	B2	1364	C	C4-N4	9.08	1.42	1.33
38	A1	899	A	N9-C4	9.08	1.43	1.37
11	B2	1430	G	N9-C8	9.07	1.44	1.37
38	A1	101	G	C3'-C2'	-9.07	1.42	1.52
38	A1	975	C	C4-C5	-9.07	1.35	1.43
38	A1	1258	G	N9-C4	9.07	1.45	1.38
38	A1	1962	G	N1-C2	9.07	1.45	1.37
38	A1	137	A	C5-C4	9.07	1.45	1.38
38	A1	1087	G	N1-C2	9.07	1.45	1.37
38	A1	2042	A	C6-N6	9.07	1.41	1.33
38	A1	2278	U	C2-N3	9.07	1.44	1.37
11	B2	462	A	N9-C4	9.07	1.43	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	615	G	C6-N1	9.07	1.45	1.39
11	B2	472	C	N1-C6	-9.07	1.31	1.37
38	A1	3007	A	C6-N1	9.07	1.41	1.35
11	B2	556	G	N3-C4	9.06	1.41	1.35
38	A1	692	C	C2-N3	9.06	1.43	1.35
11	B2	1122	C	C4-C5	9.06	1.50	1.43
38	A1	233	A	P-O5'	9.06	1.68	1.59
38	A1	1903	G	C2-N3	9.06	1.40	1.32
38	A1	2853	A	C8-N7	-9.06	1.25	1.31
11	B2	1226	G	C6-N1	9.06	1.45	1.39
38	A1	2943	G	N1-C2	9.06	1.45	1.37
11	B2	723	G	N3-C4	-9.05	1.29	1.35
38	A1	802	G	P-O5'	-9.05	1.50	1.59
38	A1	866	G	C2-N3	9.05	1.40	1.32
38	A1	2713	A	N3-C4	9.05	1.40	1.34
11	B2	1366	U	N3-C4	9.05	1.46	1.38
38	A1	1668	G	C4'-C3'	9.05	1.63	1.53
38	A1	672	C	C2-N3	9.05	1.43	1.35
38	A1	2810	G	C2-N3	9.05	1.40	1.32
11	B2	126	G	C5-C4	9.05	1.44	1.38
11	B2	442	C	N1-C6	9.05	1.42	1.37
38	A1	779	A	C6-N6	9.05	1.41	1.33
38	A1	2014	A	N3-C4	-9.05	1.29	1.34
38	A1	2844	G	C2'-C1'	-9.05	1.43	1.53
38	A1	1726	A	P-O5'	-9.04	1.50	1.59
38	A1	1744	A	C6-N1	9.04	1.41	1.35
11	B2	1298	G	C5-C4	9.04	1.44	1.38
38	A1	507	G	N1-C2	9.04	1.45	1.37
38	A1	1201	G	C2-N3	9.04	1.40	1.32
38	A1	1810	G	C2'-C1'	-9.04	1.43	1.53
38	A1	2231	G	N1-C2	9.04	1.45	1.37
38	A1	2276	G	N1-C2	9.04	1.45	1.37
11	B2	1314	C	C2-N3	-9.04	1.28	1.35
38	A1	1479	U	C3'-C2'	-9.04	1.42	1.52
11	B2	51	A	N3-C4	-9.04	1.29	1.34
11	B2	54	C	O3'-P	-9.04	1.50	1.61
11	B2	286	G	C6-N1	9.04	1.45	1.39
38	A1	3037	G	C5-C6	-9.03	1.33	1.42
38	A1	1264	G	C2-N3	9.03	1.40	1.32
38	A1	1452	G	C2'-C1'	-9.03	1.43	1.53
38	A1	1633	A	C6-N6	9.03	1.41	1.33
38	A1	2291	G	C2-N3	9.03	1.40	1.32

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2755	G	C6-N1	-9.03	1.33	1.39
11	B2	710	G	C6-N1	9.03	1.45	1.39
38	A1	2254	U	C5'-C4'	9.03	1.62	1.51
11	B2	349	A	C6-N1	9.02	1.41	1.35
38	A1	1305	C	N1-C6	9.02	1.42	1.37
38	A1	2947	G	N9-C8	9.02	1.44	1.37
11	B2	284	A	C6-N1	9.02	1.41	1.35
11	B2	1036	G	C5-C4	9.02	1.44	1.38
38	A1	125	C	N3-C4	9.02	1.40	1.33
38	A1	653	U	N3-C4	9.02	1.46	1.38
38	A1	1570	C	C4-C5	9.02	1.50	1.43
38	A1	959	U	C2-N3	9.02	1.44	1.37
38	A1	1114	G	C6-N1	9.02	1.45	1.39
38	A1	2845	C	N1-C6	-9.02	1.31	1.37
38	A1	1384	C	C4-C5	-9.02	1.35	1.43
38	A1	193	A	N3-C4	-9.01	1.29	1.34
50	AF	120	ARG	NE-CZ	9.01	1.44	1.33
38	A1	1116	A	N9-C4	9.01	1.43	1.37
11	B2	43	A	N3-C4	9.01	1.40	1.34
11	B2	729	G	C5'-C4'	9.01	1.62	1.51
11	B2	1337	A	C4'-C3'	-9.01	1.43	1.53
38	A1	1657	G	C2'-C1'	-9.01	1.43	1.53
38	A1	1798	A	C5'-C4'	9.01	1.62	1.51
38	A1	2892	A	N7-C5	-9.01	1.33	1.39
11	B2	112	G	C2-N3	9.01	1.40	1.32
38	A1	513	C	C4-N4	9.01	1.42	1.33
38	A1	1446	G	N7-C5	-9.01	1.33	1.39
38	A1	2355	G	N1-C2	9.01	1.45	1.37
11	B2	726	A	N9-C4	9.01	1.43	1.37
11	B2	1190	C	N1-C6	9.01	1.42	1.37
38	A1	289	G	N1-C2	9.01	1.45	1.37
38	A1	1686	C	N1-C6	9.01	1.42	1.37
11	B2	258	A	C6-N1	9.00	1.41	1.35
11	B2	524	U	O3'-P	-9.00	1.50	1.61
38	A1	604	A	C6-N6	9.00	1.41	1.33
38	A1	2581	G	N7-C5	-9.00	1.33	1.39
38	A1	2888	G	N3-C4	9.00	1.41	1.35
11	B2	582	G	C6-N1	9.00	1.45	1.39
38	A1	1390	U	C2-N3	9.00	1.44	1.37
38	A1	872	G	C2-N3	9.00	1.40	1.32
38	A1	1569	A	N3-C4	-9.00	1.29	1.34
38	A1	1770	A	N9-C4	9.00	1.43	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2296	A	N7-C5	-9.00	1.33	1.39
38	A1	1490	G	C2-N3	9.00	1.40	1.32
11	B2	620	G	C8-N7	-9.00	1.25	1.30
38	A1	445	G	C6-N1	9.00	1.45	1.39
38	A1	1083	G	C5-C4	-9.00	1.32	1.38
38	A1	2766	C	P-O5'	9.00	1.68	1.59
38	A1	1375	G	C5-C6	-8.99	1.33	1.42
11	B2	1031	G	C2-N2	8.99	1.43	1.34
11	B2	1126	G	C3'-C2'	8.99	1.62	1.52
11	B2	1311	C	N1-C6	8.99	1.42	1.37
38	A1	175	G	C2'-C1'	-8.99	1.43	1.53
38	A1	1474	A	N7-C5	-8.99	1.33	1.39
38	A1	1157	U	C1'-N1	8.99	1.62	1.48
38	A1	1906	G	N7-C5	-8.99	1.33	1.39
38	A1	3023	G	C2-N3	8.99	1.40	1.32
11	B2	672	G	C2-N3	8.99	1.40	1.32
38	A1	2251	G	C6-N1	8.99	1.45	1.39
38	A1	2402	A	C4'-C3'	8.99	1.63	1.53
38	A1	1360	G	N1-C2	8.99	1.45	1.37
11	B2	209	A	N9-C4	8.99	1.43	1.37
10	B1	54	G	N7-C5	-8.98	1.33	1.39
11	B2	933	G	C5-C4	-8.98	1.32	1.38
11	B2	180	G	C2-N3	8.98	1.40	1.32
38	A1	2194	A	N9-C8	8.98	1.45	1.37
38	A1	906	G	N1-C2	8.98	1.45	1.37
10	B1	70	C	O4'-C1'	8.98	1.53	1.41
38	A1	165	G	C6-N1	8.98	1.45	1.39
38	A1	920	G	C2-N3	8.98	1.40	1.32
11	B2	177	A	O3'-P	-8.97	1.50	1.61
11	B2	1073	C	C4-N4	8.97	1.42	1.33
38	A1	587	A	N9-C4	8.97	1.43	1.37
38	A1	2154	G	N9-C8	-8.97	1.31	1.37
11	B2	1354	A	N7-C5	-8.97	1.33	1.39
10	B1	77	A	C6-N6	8.97	1.41	1.33
11	B2	144	G	C8-N7	8.97	1.36	1.30
38	A1	250	G	N9-C8	8.97	1.44	1.37
38	A1	2132	C	N3-C4	8.97	1.40	1.33
11	B2	133	G	C2-N3	8.97	1.40	1.32
11	B2	552	C	N3-C4	8.97	1.40	1.33
11	B2	381	C	C4-N4	8.96	1.42	1.33
38	A1	202	A	C6-N6	8.97	1.41	1.33
38	A1	1749	C	N3-C4	8.96	1.40	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2622	C	N3-C4	8.96	1.40	1.33
11	B2	360	A	C6-N6	8.96	1.41	1.33
38	A1	920	G	C5-C4	8.96	1.44	1.38
38	A1	1186	G	N1-C2	8.96	1.45	1.37
38	A1	2307	C	C2-N3	-8.96	1.28	1.35
11	B2	420	C	C4-C5	8.96	1.50	1.43
38	A1	62	C	N3-C4	8.96	1.40	1.33
38	A1	221	G	N9-C4	8.96	1.45	1.38
38	A1	1005	G	C2-N3	8.96	1.40	1.32
38	A1	2593	A	N9-C4	-8.96	1.32	1.37
11	B2	1233	G	N7-C5	-8.96	1.33	1.39
11	B2	64	G	N9-C8	8.95	1.44	1.37
11	B2	1164	A	N7-C5	-8.96	1.33	1.39
39	A3	105	G	N3-C4	8.96	1.41	1.35
38	A1	1536	U	N1-C2	8.95	1.46	1.38
11	B2	705	C	C2-N3	8.95	1.43	1.35
38	A1	2996	A	C6-N1	8.95	1.41	1.35
38	A1	2203	G	C6-N1	8.95	1.45	1.39
38	A1	2529	G	C2-N2	8.95	1.43	1.34
38	A1	536	G	C8-N7	-8.95	1.25	1.30
11	B2	912	G	N9-C8	8.95	1.44	1.37
38	A1	1056	C	N1-C6	8.95	1.42	1.37
38	A1	1811	G	N9-C8	-8.95	1.31	1.37
38	A1	2032	G	C5'-C4'	8.95	1.62	1.51
10	B1	27	A	N7-C5	-8.94	1.33	1.39
38	A1	483	C	N3-C4	8.94	1.40	1.33
38	A1	1470	C	C4'-C3'	8.94	1.62	1.53
38	A1	2624	G	N1-C2	8.94	1.45	1.37
11	B2	934	G	N7-C5	-8.94	1.33	1.39
11	B2	1040	A	P-O5'	-8.94	1.50	1.59
11	B2	183	A	C6-N6	8.94	1.41	1.33
38	A1	82	C	N3-C4	8.94	1.40	1.33
38	A1	407	A	N9-C4	8.94	1.43	1.37
11	B2	226	G	N7-C5	-8.93	1.33	1.39
38	A1	727	A	C6-N1	8.93	1.41	1.35
38	A1	2042	A	N7-C5	-8.93	1.33	1.39
11	B2	436	A	C8-N7	-8.93	1.25	1.31
11	B2	684	G	N9-C4	-8.93	1.30	1.38
38	A1	1587	A	N7-C5	-8.93	1.33	1.39
38	A1	2206	G	C6-N1	8.93	1.45	1.39
11	B2	886	G	N1-C2	8.92	1.44	1.37
38	A1	1888	G	N7-C5	-8.92	1.33	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2479	C	N1-C6	8.92	1.42	1.37
38	A1	2859	U	C2'-C1'	-8.92	1.43	1.53
11	B2	1012	C	C3'-C2'	-8.92	1.43	1.52
11	B2	990	G	N1-C2	8.92	1.44	1.37
38	A1	1013	G	C2-N3	8.92	1.39	1.32
38	A1	174	C	N1-C6	8.92	1.42	1.37
38	A1	1364	C	N1-C6	8.92	1.42	1.37
11	B2	435	A	N7-C5	-8.91	1.33	1.39
11	B2	1130	A	N9-C4	8.91	1.43	1.37
11	B2	1283	G	C8-N7	8.91	1.36	1.30
11	B2	1409	G	C8-N7	8.91	1.36	1.30
38	A1	589	G	N7-C5	-8.91	1.33	1.39
38	A1	1276	G	N7-C5	-8.91	1.33	1.39
38	A1	2645	C	N3-C4	8.91	1.40	1.33
38	A1	333	A	C6-N6	8.91	1.41	1.33
38	A1	574	C	C2-O2	8.91	1.32	1.24
38	A1	1194	G	N7-C5	8.91	1.44	1.39
38	A1	1966	C	C2-N3	8.91	1.42	1.35
38	A1	2061	A	C5-C4	8.91	1.45	1.38
38	A1	1480	G	C6-N1	8.91	1.45	1.39
38	A1	1915	G	C3'-C2'	-8.91	1.43	1.52
38	A1	2167	C	C2'-C1'	-8.91	1.43	1.53
11	B2	849	U	C2'-C1'	-8.90	1.43	1.53
38	A1	116	G	C2-N3	8.90	1.39	1.32
38	A1	1095	A	C6-N6	8.90	1.41	1.33
38	A1	1561	G	C5'-C4'	8.90	1.62	1.51
11	B2	51	A	C5-C6	8.90	1.49	1.41
38	A1	1130	G	N9-C8	8.90	1.44	1.37
38	A1	2441	A	C6-N1	8.90	1.41	1.35
38	A1	879	A	P-O5'	-8.90	1.50	1.59
38	A1	1217	U	C2-N3	8.90	1.44	1.37
38	A1	1716	G	N3-C4	8.90	1.41	1.35
38	A1	2790	C	C2-N3	8.90	1.42	1.35
38	A1	1758	U	C3'-C2'	8.89	1.62	1.52
38	A1	2612	A	P-O5'	-8.89	1.50	1.59
11	B2	115	A	P-O5'	8.89	1.68	1.59
38	A1	1138	C	N1-C6	-8.89	1.31	1.37
38	A1	2106	G	C6-N1	8.89	1.45	1.39
39	A3	15	G	N1-C2	8.89	1.44	1.37
11	B2	663	G	N7-C5	-8.89	1.33	1.39
38	A1	1554	G	C6-N1	8.89	1.45	1.39
10	B1	2	G	O3'-P	-8.88	1.50	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1066	C	N3-C4	8.89	1.40	1.33
11	B2	538	C	N1-C6	8.88	1.42	1.37
11	B2	84	C	O3'-P	-8.88	1.50	1.61
11	B2	1303	C	C5'-C4'	8.88	1.62	1.51
38	A1	521	C	N3-C4	8.88	1.40	1.33
38	A1	1444	A	C5-C4	8.88	1.45	1.38
38	A1	3011	G	C2'-C1'	-8.88	1.43	1.53
11	B2	1326	G	C6-N1	8.88	1.45	1.39
11	B2	578	G	C5-C6	8.88	1.51	1.42
11	B2	1450	U	C2-N3	8.88	1.44	1.37
38	A1	205	A	C8-N7	8.88	1.37	1.31
38	A1	272	G	C6-N1	8.88	1.45	1.39
38	A1	286	G	C6-N1	8.88	1.45	1.39
38	A1	2226	G	C6-N1	8.88	1.45	1.39
39	A3	88	A	N3-C4	8.88	1.40	1.34
11	B2	361	A	C5'-C4'	8.87	1.61	1.51
11	B2	889	G	C5-C6	-8.87	1.33	1.42
11	B2	1048	G	C6-N1	8.87	1.45	1.39
11	B2	1410	G	C5-C4	-8.87	1.32	1.38
38	A1	28	A	C6-N1	8.87	1.41	1.35
38	A1	2527	G	C2-N3	8.87	1.39	1.32
11	B2	1326	G	N7-C5	-8.87	1.33	1.39
38	A1	9	A	C6-N6	8.87	1.41	1.33
38	A1	1367	A	N7-C5	-8.87	1.33	1.39
38	A1	1707	A	C5-C4	8.87	1.45	1.38
38	A1	1825	G	N1-C2	8.87	1.44	1.37
38	A1	1688	C	C2'-C1'	-8.87	1.43	1.53
38	A1	2018	C	C4-N4	8.86	1.42	1.33
38	A1	301	G	N7-C5	8.86	1.44	1.39
38	A1	1294	A	N7-C5	-8.86	1.33	1.39
11	B2	98	U	N3-C4	8.86	1.46	1.38
11	B2	621	G	C2-N3	8.86	1.39	1.32
11	B2	745	G	N1-C2	8.86	1.44	1.37
11	B2	1481	G	N1-C2	8.86	1.44	1.37
11	B2	92	G	C6-N1	8.86	1.45	1.39
38	A1	193	A	C6-N1	8.86	1.41	1.35
38	A1	1903	G	N7-C5	-8.86	1.33	1.39
38	A1	2102	A	C2'-C1'	-8.86	1.43	1.53
38	A1	2379	G	N1-C2	8.86	1.44	1.37
38	A1	2477	G	C6-N1	8.86	1.45	1.39
11	B2	1325	C	N1-C6	8.85	1.42	1.37
38	A1	732	G	C5-C6	-8.85	1.33	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1182	G	N7-C5	-8.85	1.33	1.39
38	A1	232	U	P-O5'	-8.85	1.50	1.59
38	A1	508	G	C2-N3	8.85	1.39	1.32
38	A1	1193	G	N7-C5	-8.85	1.33	1.39
38	A1	1299	C	N3-C4	8.85	1.40	1.33
38	A1	1858	G	C5'-C4'	8.85	1.61	1.51
11	B2	698	A	N9-C4	8.84	1.43	1.37
11	B2	1236	G	C5-C4	8.84	1.44	1.38
11	B2	432	G	N9-C4	8.84	1.45	1.38
11	B2	1075	A	C6-N1	8.84	1.41	1.35
11	B2	311	A	N3-C4	-8.84	1.29	1.34
11	B2	567	A	C6-N1	8.84	1.41	1.35
38	A1	58	G	N9-C4	-8.84	1.30	1.38
38	A1	1581	A	N9-C4	8.84	1.43	1.37
11	B2	1283	G	C2'-C1'	-8.84	1.43	1.53
38	A1	2164	G	C4'-C3'	8.84	1.62	1.53
38	A1	2447	A	N7-C5	-8.84	1.33	1.39
38	A1	2595	C	N1-C6	8.84	1.42	1.37
38	A1	2845	C	N3-C4	8.84	1.40	1.33
38	A1	667	C	C4-C5	-8.84	1.35	1.43
38	A1	1697	G	N7-C5	-8.84	1.33	1.39
11	B2	1409	G	N1-C2	8.84	1.44	1.37
38	A1	1108	A	C5-C4	8.84	1.45	1.38
38	A1	1534	G	N3-C4	8.84	1.41	1.35
38	A1	1772	A	C6-N6	8.84	1.41	1.33
38	A1	2205	A	C8-N7	-8.84	1.25	1.31
38	A1	2241	U	C2-N3	8.84	1.44	1.37
11	B2	567	A	P-O5'	-8.83	1.50	1.59
39	A3	111	G	C8-N7	-8.83	1.25	1.30
11	B2	1402	C	N3-C4	8.83	1.40	1.33
38	A1	1751	G	N7-C5	-8.83	1.33	1.39
11	B2	1276	G	C2-N3	8.83	1.39	1.32
38	A1	2230	G	C2-N3	8.83	1.39	1.32
11	B2	987	G	C2-N3	8.83	1.39	1.32
38	A1	827	G	C2-N3	8.83	1.39	1.32
38	A1	1964	G	N3-C4	-8.82	1.29	1.35
38	A1	2490	C	N1-C6	8.82	1.42	1.37
38	A1	3038	A	C6-N6	8.82	1.41	1.33
39	A3	114	G	C6-N1	8.82	1.45	1.39
11	B2	357	C	N3-C4	8.82	1.40	1.33
11	B2	527	A	N9-C8	8.82	1.44	1.37
11	B2	623	C	C2-O2	8.82	1.32	1.24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1226	G	N1-C2	8.82	1.44	1.37
38	A1	332	A	N7-C5	-8.82	1.33	1.39
38	A1	366	G	C8-N7	8.82	1.36	1.30
38	A1	1168	A	C2'-C1'	-8.82	1.43	1.53
38	A1	276	G	C2-N3	8.82	1.39	1.32
38	A1	1532	G	C6-N1	8.82	1.45	1.39
11	B2	766	G	N7-C5	-8.82	1.33	1.39
38	A1	83	G	N3-C4	-8.82	1.29	1.35
38	A1	743	A	N9-C4	8.82	1.43	1.37
11	B2	528	G	N9-C8	8.81	1.44	1.37
11	B2	562	A	C6-N6	8.81	1.41	1.33
38	A1	2354	A	O3'-P	-8.81	1.50	1.61
11	B2	879	U	C1'-N1	8.81	1.61	1.48
11	B2	1302	C	P-O5'	-8.81	1.50	1.59
11	B2	1454	A	N7-C5	-8.81	1.33	1.39
38	A1	507	G	C8-N7	8.81	1.36	1.30
38	A1	715	G	C2-N3	8.81	1.39	1.32
11	B2	868	C	C4-N4	8.81	1.41	1.33
38	A1	636	G	N9-C8	8.81	1.44	1.37
38	A1	712	C	N1-C6	8.81	1.42	1.37
11	B2	1485	G	N7-C5	-8.81	1.33	1.39
38	A1	769	G	N3-C4	8.81	1.41	1.35
11	B2	1373	A	C2-N3	8.80	1.41	1.33
38	A1	374	C	C2'-C1'	-8.80	1.43	1.53
38	A1	1231	C	C4-N4	8.80	1.41	1.33
38	A1	2029	C	N3-C4	8.81	1.40	1.33
38	A1	2754	A	C8-N7	8.81	1.37	1.31
38	A1	1264	G	N7-C5	-8.80	1.33	1.39
38	A1	1290	G	C2-N3	8.80	1.39	1.32
38	A1	2512	C	P-O5'	8.80	1.68	1.59
11	B2	922	G	C2'-C1'	-8.80	1.43	1.53
38	A1	809	A	C6-N6	8.80	1.41	1.33
38	A1	1034	G	N9-C4	8.80	1.45	1.38
38	A1	2416	G	C2-N3	8.80	1.39	1.32
11	B2	1328	G	C6-N1	8.79	1.45	1.39
11	B2	1234	A	C6-N6	8.79	1.41	1.33
38	A1	316	G	C2'-C1'	-8.79	1.43	1.53
38	A1	1602	C	O3'-P	-8.79	1.50	1.61
10	B1	65	C	C4-C5	8.79	1.50	1.43
11	B2	472	C	C2-N3	8.79	1.42	1.35
11	B2	1392	G	C2-N2	8.79	1.43	1.34
38	A1	408	C	O3'-P	-8.79	1.50	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2176	G	N9-C8	-8.79	1.31	1.37
38	A1	2359	G	N9-C8	8.79	1.44	1.37
38	A1	3002	A	C6-N1	8.79	1.41	1.35
38	A1	268	C	N3-C4	8.79	1.40	1.33
38	A1	301	G	C5'-C4'	8.79	1.61	1.51
11	B2	550	G	C6-N1	8.79	1.45	1.39
38	A1	826	C	N1-C6	8.79	1.42	1.37
11	B2	1020	G	C6-N1	8.78	1.45	1.39
11	B2	1180	G	C6-N1	8.79	1.45	1.39
38	A1	1337	G	N1-C2	8.79	1.44	1.37
38	A1	553	C	C2'-C1'	-8.78	1.43	1.53
38	A1	807	G	N7-C5	-8.78	1.33	1.39
38	A1	1090	G	C6-O6	-8.79	1.16	1.24
11	B2	300	G	N9-C4	8.78	1.45	1.38
11	B2	838	C	C4'-C3'	-8.78	1.43	1.53
38	A1	132	G	C6-N1	8.78	1.45	1.39
38	A1	141	C	N3-C4	8.78	1.40	1.33
38	A1	690	G	C5-C4	8.78	1.44	1.38
11	B2	950	C	C4-C5	8.78	1.50	1.43
38	A1	281	G	N7-C5	-8.78	1.33	1.39
38	A1	794	G	P-O5'	-8.78	1.50	1.59
11	B2	762	G	C8-N7	-8.78	1.25	1.30
38	A1	10	C	N3-C4	8.78	1.40	1.33
38	A1	1335	C	O3'-P	-8.78	1.50	1.61
38	A1	2302	C	C4-N4	8.78	1.41	1.33
11	B2	1289	G	C6-N1	8.77	1.45	1.39
38	A1	829	G	N1-C2	8.77	1.44	1.37
38	A1	2889	A	N3-C4	8.77	1.40	1.34
11	B2	610	G	C6-N1	8.77	1.45	1.39
38	A1	1393	C	C3'-C2'	-8.77	1.43	1.52
38	A1	2698	G	N9-C8	8.77	1.44	1.37
38	A1	3000	U	C5'-C4'	8.77	1.61	1.51
11	B2	277	G	C5-C4	8.77	1.44	1.38
11	B2	535	U	C4-C5	8.77	1.51	1.43
38	A1	26	G	N9-C8	8.77	1.44	1.37
11	B2	399	A	N7-C5	-8.76	1.33	1.39
38	A1	133	G	N7-C5	-8.76	1.33	1.39
38	A1	1665	G	C2-N3	8.76	1.39	1.32
11	B2	623	C	C2-N3	8.76	1.42	1.35
38	A1	116	G	C6-N1	8.76	1.45	1.39
38	A1	2984	A	C6-N6	8.76	1.41	1.33
11	B2	1482	C	N1-C6	8.76	1.42	1.37

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	199	C	N3-C4	8.76	1.40	1.33
38	A1	995	G	N3-C4	8.76	1.41	1.35
10	B1	48	U	N3-C4	8.76	1.46	1.38
11	B2	162	C	N3-C4	8.76	1.40	1.33
11	B2	700	G	C6-N1	8.76	1.45	1.39
11	B2	1149	C	C4-N4	8.76	1.41	1.33
11	B2	1402	C	C2-N3	-8.76	1.28	1.35
38	A1	76	C	N1-C6	8.76	1.42	1.37
38	A1	1280	C	N3-C4	8.76	1.40	1.33
38	A1	1602	C	P-O5'	-8.76	1.50	1.59
38	A1	2046	C	C4-N4	8.76	1.41	1.33
38	A1	2780	G	C6-N1	8.76	1.45	1.39
11	B2	191	A	C6-N1	8.75	1.41	1.35
38	A1	1652	A	C6-N6	8.75	1.41	1.33
38	A1	1841	G	C2-N3	8.75	1.39	1.32
11	B2	412	U	N3-C4	8.75	1.46	1.38
11	B2	782	A	P-O5'	8.75	1.68	1.59
38	A1	436	C	N1-C6	8.75	1.42	1.37
38	A1	921	C	N1-C6	8.75	1.42	1.37
38	A1	2294	A	N3-C4	8.75	1.40	1.34
38	A1	1738	A	N7-C5	-8.75	1.33	1.39
11	B2	541	G	N1-C2	8.75	1.44	1.37
11	B2	1474	A	C5-C4	8.75	1.44	1.38
38	A1	2333	G	C5-C4	8.75	1.44	1.38
38	A1	2552	C	C4-C5	-8.75	1.35	1.43
38	A1	2883	C	C4-N4	8.75	1.41	1.33
39	A3	79	U	C2-N3	8.75	1.43	1.37
11	B2	750	C	N3-C4	8.75	1.40	1.33
38	A1	1180	G	C6-N1	8.75	1.45	1.39
38	A1	1694	G	N3-C4	8.75	1.41	1.35
39	A3	89	G	C6-N1	8.75	1.45	1.39
11	B2	82	G	C8-N7	-8.74	1.25	1.30
38	A1	379	U	O3'-P	-8.74	1.50	1.61
38	A1	2015	G	C2-N3	8.74	1.39	1.32
38	A1	2051	A	N9-C4	8.74	1.43	1.37
38	A1	2624	G	C2-N3	8.74	1.39	1.32
11	B2	43	A	C4'-C3'	8.74	1.62	1.53
11	B2	932	C	C4'-C3'	8.74	1.62	1.53
38	A1	1609	G	C2-N3	8.74	1.39	1.32
38	A1	2238	G	N9-C4	8.74	1.45	1.38
39	A3	113	C	C5'-C4'	8.74	1.61	1.51
38	A1	108	G	N9-C8	-8.73	1.31	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2365	G	N7-C5	-8.73	1.34	1.39
38	A1	1994	G	N7-C5	-8.73	1.34	1.39
11	B2	394	C	P-O5'	-8.73	1.51	1.59
38	A1	2309	C	N1-C6	8.73	1.42	1.37
11	B2	923	A	N9-C4	-8.73	1.32	1.37
38	A1	30	G	N9-C4	-8.73	1.30	1.38
38	A1	2827	C	N1-C6	-8.73	1.31	1.37
38	A1	1143	A	N3-C4	-8.73	1.29	1.34
10	B1	50	G	C6-N1	8.72	1.45	1.39
11	B2	419	G	C6-N1	8.72	1.45	1.39
38	A1	555	G	N1-C2	8.72	1.44	1.37
38	A1	1165	C	N3-C4	8.72	1.40	1.33
38	A1	1282	A	C5-C4	8.72	1.44	1.38
38	A1	1337	G	C2-N2	8.72	1.43	1.34
38	A1	1342	G	N7-C5	-8.72	1.34	1.39
38	A1	1932	G	N3-C4	-8.72	1.29	1.35
11	B2	391	G	N9-C8	8.72	1.44	1.37
11	B2	556	G	N1-C2	8.72	1.44	1.37
11	B2	752	G	C2-N3	8.72	1.39	1.32
38	A1	2249	A	N9-C4	-8.72	1.32	1.37
38	A1	991	U	C2'-C1'	-8.72	1.43	1.53
38	A1	1215	C	C2-N3	8.72	1.42	1.35
38	A1	2477	G	N7-C5	-8.72	1.34	1.39
38	A1	1239	C	C4-C5	-8.72	1.35	1.43
11	B2	374	G	C8-N7	-8.72	1.25	1.30
38	A1	1658	A	C6-N6	8.72	1.41	1.33
38	A1	1725	A	N9-C4	8.72	1.43	1.37
38	A1	2000	G	N3-C4	-8.72	1.29	1.35
39	A3	12	G	C2'-C1'	-8.72	1.43	1.53
11	B2	247	G	N1-C2	8.72	1.44	1.37
11	B2	334	G	C2-N3	8.71	1.39	1.32
38	A1	295	G	P-O5'	-8.71	1.51	1.59
38	A1	298	G	C2-N3	8.71	1.39	1.32
38	A1	768	C	C2'-C1'	-8.71	1.43	1.53
38	A1	1525	G	C5'-C4'	8.71	1.61	1.51
38	A1	1555	G	N3-C4	-8.71	1.29	1.35
38	A1	1588	C	C2'-C1'	-8.72	1.43	1.53
38	A1	1807	G	N1-C2	8.72	1.44	1.37
38	A1	1949	A	C6-N6	8.71	1.41	1.33
38	A1	423	G	C6-N1	8.71	1.45	1.39
38	A1	1880	A	N9-C8	8.71	1.44	1.37
38	A1	2823	G	C2'-C1'	-8.71	1.43	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2276	G	N9-C8	8.71	1.44	1.37
11	B2	225	U	C2-N3	8.71	1.43	1.37
38	A1	524	C	N1-C6	8.71	1.42	1.37
11	B2	1487	U	C2-N3	8.71	1.43	1.37
38	A1	58	G	C6-N1	8.71	1.45	1.39
38	A1	957	C	N1-C6	8.71	1.42	1.37
38	A1	181	U	N3-C4	8.70	1.46	1.38
11	B2	1166	G	P-O5'	-8.70	1.51	1.59
38	A1	2028	G	C6-N1	8.70	1.45	1.39
38	A1	2340	A	C6-N1	8.70	1.41	1.35
12	AG	45	ARG	CZ-NH1	8.70	1.44	1.33
11	B2	1337	A	N7-C5	-8.70	1.34	1.39
11	B2	858	A	N7-C5	8.70	1.44	1.39
38	A1	219	G	C6-N1	8.70	1.45	1.39
38	A1	1773	C	N1-C6	8.70	1.42	1.37
38	A1	523	C	N1-C6	8.70	1.42	1.37
38	A1	2172	G	C6-N1	8.70	1.45	1.39
38	A1	2844	G	N1-C2	8.70	1.44	1.37
38	A1	141	C	C2'-C1'	-8.70	1.43	1.53
38	A1	1832	G	C6-N1	8.70	1.45	1.39
38	A1	2634	U	C5'-C4'	8.70	1.61	1.51
11	B2	321	A	C6-N6	8.69	1.41	1.33
11	B2	1306	A	C6-N1	8.69	1.41	1.35
38	A1	521	C	C2'-C1'	-8.69	1.43	1.53
38	A1	2500	G	N7-C5	-8.69	1.34	1.39
38	A1	2683	G	C2-N3	8.69	1.39	1.32
11	B2	675	A	C4'-C3'	-8.69	1.43	1.53
38	A1	2491	C	N1-C6	-8.69	1.31	1.37
38	A1	2778	A	N3-C4	-8.69	1.29	1.34
38	A1	1565	G	N7-C5	-8.68	1.34	1.39
38	A1	1682	C	C4-N4	8.68	1.41	1.33
38	A1	1736	G	C6-N1	8.68	1.45	1.39
38	A1	1942	G	N7-C5	-8.68	1.34	1.39
9	AX	168	SER	CA-CB	8.68	1.66	1.52
11	B2	243	G	N9-C8	8.68	1.44	1.37
11	B2	1215	G	C6-N1	8.68	1.45	1.39
38	A1	2448	A	N7-C5	-8.68	1.34	1.39
38	A1	2329	A	C6-N6	8.68	1.40	1.33
11	B2	592	G	C2-N2	8.68	1.43	1.34
38	A1	561	C	N1-C6	8.68	1.42	1.37
38	A1	927	G	N9-C8	8.68	1.44	1.37
38	A1	1393	C	C2-N3	8.67	1.42	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2105	A	N7-C5	-8.67	1.34	1.39
38	A1	2366	G	N1-C2	8.67	1.44	1.37
11	B2	1053	A	C8-N7	-8.67	1.25	1.31
38	A1	2088	G	C2-N3	8.67	1.39	1.32
38	A1	198	C	N3-C4	8.67	1.40	1.33
38	A1	1216	A	C6-N6	8.67	1.40	1.33
38	A1	770	G	C4'-C3'	8.66	1.62	1.53
38	A1	121	G	C2-N3	8.66	1.39	1.32
38	A1	666	A	N7-C5	-8.66	1.34	1.39
11	B2	34	G	N3-C4	8.66	1.41	1.35
11	B2	426	C	N3-C4	8.66	1.40	1.33
11	B2	500	A	C6-N6	8.66	1.40	1.33
38	A1	671	G	N1-C2	8.66	1.44	1.37
38	A1	1407	A	O3'-P	-8.66	1.50	1.61
38	A1	2002	A	N7-C5	-8.66	1.34	1.39
38	A1	2632	C	N3-C4	8.66	1.40	1.33
38	A1	2748	C	N3-C4	8.66	1.40	1.33
11	B2	13	C	C2-N3	8.65	1.42	1.35
11	B2	156	A	N7-C5	-8.65	1.34	1.39
38	A1	60	G	C6-N1	8.65	1.45	1.39
38	A1	562	G	C5'-C4'	8.65	1.61	1.51
38	A1	722	C	N3-C4	8.65	1.40	1.33
38	A1	772	G	C6-N1	8.65	1.45	1.39
38	A1	2026	C	C2'-C1'	-8.65	1.43	1.53
11	B2	844	G	P-O5'	-8.65	1.51	1.59
38	A1	1242	A	N3-C4	8.65	1.40	1.34
38	A1	1596	G	N7-C5	-8.65	1.34	1.39
11	B2	1006	C	C5'-C4'	8.65	1.61	1.51
11	B2	1273	G	N3-C4	-8.65	1.29	1.35
38	A1	1357	G	C6-N1	8.65	1.45	1.39
38	A1	2143	C	C4-N4	8.65	1.41	1.33
38	A1	2332	G	N1-C2	-8.65	1.30	1.37
10	B1	10	G	C6-N1	8.64	1.45	1.39
38	A1	423	G	C8-N7	-8.64	1.25	1.30
11	B2	754	G	C5'-C4'	8.64	1.61	1.51
38	A1	216	A	C6-N1	8.64	1.41	1.35
38	A1	456	G	C6-N1	8.64	1.45	1.39
38	A1	457	C	N1-C6	8.64	1.42	1.37
11	B2	532	C	C1'-N1	8.64	1.61	1.48
38	A1	2252	C	C2-N3	8.64	1.42	1.35
38	A1	323	U	C2-N3	8.64	1.43	1.37
38	A1	597	C	C5-C6	-8.64	1.27	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	B1	50	G	C8-N7	-8.64	1.25	1.30
11	B2	614	G	C5-C4	8.64	1.44	1.38
11	B2	809	C	N1-C6	8.64	1.42	1.37
11	B2	1029	G	N9-C4	-8.64	1.31	1.38
38	A1	130	G	C2-N3	8.64	1.39	1.32
38	A1	1391	C	C4-C5	-8.64	1.36	1.43
38	A1	2681	A	C4'-C3'	8.64	1.62	1.53
38	A1	386	A	N7-C5	-8.64	1.34	1.39
38	A1	2652	G	N1-C2	8.64	1.44	1.37
11	B2	22	G	C5'-C4'	8.63	1.61	1.51
38	A1	1778	G	C5-C4	8.63	1.44	1.38
11	B2	1286	C	C4-N4	8.63	1.41	1.33
38	A1	2972	G	N7-C5	-8.63	1.34	1.39
38	A1	384	G	N9-C8	8.63	1.43	1.37
38	A1	408	C	C4-C5	8.63	1.49	1.43
38	A1	1949	A	C5-C6	-8.63	1.33	1.41
39	A3	63	G	C6-N1	8.63	1.45	1.39
39	A3	109	A	P-O5'	-8.63	1.51	1.59
11	B2	273	C	C3'-C2'	-8.63	1.43	1.52
11	B2	1039	C	C4-N4	8.63	1.41	1.33
38	A1	559	G	C6-N1	8.63	1.45	1.39
38	A1	625	A	C6-N6	8.62	1.40	1.33
38	A1	104	C	O3'-P	-8.62	1.50	1.61
38	A1	454	C	C4-N4	8.62	1.41	1.33
38	A1	636	G	N7-C5	-8.62	1.34	1.39
38	A1	2412	A	C2-N3	8.62	1.41	1.33
38	A1	2618	C	C4-N4	8.62	1.41	1.33
38	A1	2898	G	C2-N3	8.62	1.39	1.32
38	A1	1129	G	N9-C4	-8.62	1.31	1.38
11	B2	407	G	C5'-C4'	8.62	1.61	1.51
11	B2	601	G	C5-C4	8.62	1.44	1.38
11	B2	1252	C	N3-C4	8.62	1.40	1.33
11	B2	1416	C	N3-C4	8.62	1.40	1.33
38	A1	2463	G	N7-C5	-8.62	1.34	1.39
38	A1	2610	C	N3-C4	8.62	1.40	1.33
11	B2	590	G	C2-N3	8.62	1.39	1.32
11	B2	1303	C	C4-N4	8.62	1.41	1.33
11	B2	1455	A	N1-C2	-8.61	1.26	1.34
38	A1	1512	G	N1-C2	8.62	1.44	1.37
38	A1	2038	C	N3-C4	8.61	1.40	1.33
11	B2	7	G	N1-C2	8.61	1.44	1.37
11	B2	1232	G	N9-C8	-8.61	1.31	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	501	G	C2-N3	8.61	1.39	1.32
38	A1	174	C	C4-N4	8.61	1.41	1.33
38	A1	916	A	C6-N1	-8.61	1.29	1.35
38	A1	2464	G	C2-N3	8.61	1.39	1.32
11	B2	980	C	N3-C4	8.60	1.40	1.33
38	A1	1326	U	N3-C4	8.60	1.46	1.38
11	B2	260	C	C4-N4	8.60	1.41	1.33
11	B2	774	U	C2-N3	8.60	1.43	1.37
38	A1	234	G	P-O5'	-8.60	1.51	1.59
38	A1	356	C	N3-C4	8.60	1.40	1.33
38	A1	2301	C	C4-C5	8.60	1.49	1.43
38	A1	39	C	C4-C5	-8.60	1.36	1.43
11	B2	885	G	C2-N2	8.60	1.43	1.34
38	A1	31	G	C2-N3	8.60	1.39	1.32
38	A1	344	G	N7-C5	-8.60	1.34	1.39
38	A1	1384	C	N3-C4	8.60	1.40	1.33
38	A1	1130	G	C6-N1	8.60	1.45	1.39
11	B2	1339	G	C8-N7	8.59	1.36	1.30
11	B2	1359	C	P-O5'	-8.59	1.51	1.59
38	A1	2248	G	C2-N3	8.59	1.39	1.32
38	A1	1780	C	C4'-C3'	8.59	1.62	1.53
11	B2	542	G	C6-N1	8.59	1.45	1.39
38	A1	2306	C	N3-C4	8.59	1.40	1.33
11	B2	649	A	N9-C4	8.59	1.43	1.37
11	B2	1414	G	C5'-C4'	8.59	1.61	1.51
38	A1	742	C	C4-C5	8.59	1.49	1.43
11	B2	351	C	O3'-P	8.59	1.71	1.61
11	B2	536	A	N3-C4	-8.59	1.29	1.34
11	B2	995	G	C2-N3	8.59	1.39	1.32
11	B2	996	A	C6-N6	8.59	1.40	1.33
38	A1	1405	G	C2-N3	8.59	1.39	1.32
38	A1	1565	G	C2-N3	8.59	1.39	1.32
11	B2	456	U	C2-N3	8.58	1.43	1.37
38	A1	317	A	N9-C8	8.58	1.44	1.37
11	B2	1144	G	N9-C8	8.58	1.43	1.37
38	A1	133	G	N3-C4	8.58	1.41	1.35
38	A1	235	G	C6-N1	8.58	1.45	1.39
38	A1	1386	G	N7-C5	-8.58	1.34	1.39
11	B2	359	A	N7-C5	-8.58	1.34	1.39
11	B2	587	G	C6-N1	8.58	1.45	1.39
38	A1	1212	A	N3-C4	-8.58	1.29	1.34
38	A1	1900	U	C2-N3	8.58	1.43	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2794	G	C6-N1	8.58	1.45	1.39
11	B2	751	C	C5-C6	8.58	1.41	1.34
38	A1	532	G	N7-C5	8.58	1.44	1.39
38	A1	885	A	C5-C4	-8.58	1.32	1.38
38	A1	2464	G	N9-C4	-8.58	1.31	1.38
38	A1	601	A	C5-C4	8.57	1.44	1.38
38	A1	732	G	C5-C4	-8.57	1.32	1.38
38	A1	1303	C	C4-C5	8.57	1.49	1.43
11	B2	1455	A	C5'-C4'	8.57	1.61	1.51
11	B2	1475	C	C4-C5	8.57	1.49	1.43
38	A1	2100	U	C5'-C4'	8.57	1.61	1.51
11	B2	1148	G	N1-C2	8.57	1.44	1.37
38	A1	778	A	N9-C8	-8.57	1.30	1.37
39	A3	89	G	N9-C4	-8.57	1.31	1.38
11	B2	1036	G	N7-C5	-8.56	1.34	1.39
11	B2	1433	C	C4-N4	8.56	1.41	1.33
38	A1	1485	A	C8-N7	8.56	1.37	1.31
38	A1	2471	A	N9-C4	-8.56	1.32	1.37
38	A1	2843	C	N3-C4	8.56	1.40	1.33
38	A1	2331	A	C8-N7	-8.56	1.25	1.31
11	B2	550	G	N9-C8	8.56	1.43	1.37
38	A1	1766	A	C8-N7	-8.56	1.25	1.31
38	A1	2037	A	C6-N6	8.56	1.40	1.33
11	B2	1051	G	N1-C2	8.56	1.44	1.37
38	A1	1899	C	N3-C4	8.56	1.40	1.33
38	A1	2335	G	C8-N7	8.56	1.36	1.30
38	A1	2474	A	N7-C5	-8.56	1.34	1.39
38	A1	518	A	C6-N1	8.55	1.41	1.35
38	A1	583	A	C6-N1	8.56	1.41	1.35
38	A1	2127	G	N9-C4	8.55	1.44	1.38
11	B2	250	G	C5-C4	8.55	1.44	1.38
11	B2	1292	A	C5-C4	8.55	1.44	1.38
38	A1	2360	G	C8-N7	8.55	1.36	1.30
11	B2	1046	G	P-O5'	8.55	1.68	1.59
11	B2	1439	G	N7-C5	-8.55	1.34	1.39
38	A1	369	G	C2-N3	8.55	1.39	1.32
38	A1	1111	G	C2-N3	8.55	1.39	1.32
11	B2	182	A	N7-C5	-8.54	1.34	1.39
38	A1	1649	G	N1-C2	8.54	1.44	1.37
38	A1	2354	A	C2'-C1'	-8.54	1.44	1.53
39	A3	40	G	C2-N2	8.54	1.43	1.34
11	B2	837	C	N3-C4	8.54	1.40	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	50	C	N1-C6	-8.54	1.32	1.37
38	A1	800	G	N1-C2	8.54	1.44	1.37
38	A1	1246	G	C5'-C4'	8.54	1.61	1.51
38	A1	1876	G	C6-N1	8.54	1.45	1.39
38	A1	832	A	N3-C4	-8.54	1.29	1.34
38	A1	865	C	C2-N3	8.54	1.42	1.35
38	A1	50	C	P-O5'	8.54	1.68	1.59
11	B2	1123	G	C5-C4	8.54	1.44	1.38
38	A1	2743	U	C2'-C1'	-8.53	1.44	1.53
11	B2	638	G	C5-C4	8.53	1.44	1.38
11	B2	546	G	C5-C4	8.53	1.44	1.38
11	B2	1323	A	N9-C8	8.53	1.44	1.37
38	A1	1884	C	C5-C6	-8.53	1.27	1.34
38	A1	2992	G	C2-N3	8.53	1.39	1.32
38	A1	1658	A	C6-N1	8.53	1.41	1.35
11	B2	250	G	C2-N3	8.53	1.39	1.32
38	A1	924	A	N7-C5	-8.53	1.34	1.39
39	A3	48	A	C6-N6	8.53	1.40	1.33
11	B2	1182	G	N1-C2	8.53	1.44	1.37
38	A1	937	A	C6-N6	8.53	1.40	1.33
38	A1	1210	G	C2-N3	8.53	1.39	1.32
38	A1	2032	G	N7-C5	8.53	1.44	1.39
38	A1	932	C	N3-C4	8.52	1.40	1.33
11	B2	69	U	C5'-C4'	8.52	1.61	1.51
38	A1	1298	C	N3-C4	8.52	1.40	1.33
38	A1	3016	G	C5-C6	-8.52	1.33	1.42
11	B2	728	G	C5-C4	8.52	1.44	1.38
38	A1	1768	C	N3-C4	8.52	1.40	1.33
11	B2	516	A	N3-C4	-8.52	1.29	1.34
11	B2	667	G	C2-N3	8.52	1.39	1.32
38	A1	1325	A	C6-N1	8.52	1.41	1.35
38	A1	426	G	C2-N3	8.51	1.39	1.32
38	A1	851	G	C2-N3	8.51	1.39	1.32
38	A1	1337	G	C5-C4	8.51	1.44	1.38
38	A1	2663	G	N1-C2	8.51	1.44	1.37
38	A1	871	G	N7-C5	-8.51	1.34	1.39
11	B2	736	A	P-O5'	8.50	1.68	1.59
38	A1	1846	G	C2'-C1'	-8.50	1.44	1.53
11	B2	415	C	C5'-C4'	8.50	1.61	1.51
11	B2	1009	G	N7-C5	-8.50	1.34	1.39
38	A1	1351	G	C2-N3	8.50	1.39	1.32
38	A1	1436	A	O4'-C1'	8.50	1.52	1.41

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	157	A	C6-N6	8.50	1.40	1.33
11	B2	159	C	N1-C6	8.50	1.42	1.37
38	A1	3026	C	C2-N3	8.50	1.42	1.35
11	B2	594	A	C8-N7	8.50	1.37	1.31
11	B2	1394	G	N1-C2	8.50	1.44	1.37
38	A1	915	G	C5-C4	8.50	1.44	1.38
38	A1	2453	C	C4-C5	8.50	1.49	1.43
38	A1	2548	A	O3'-P	-8.50	1.50	1.61
11	B2	196	G	O3'-P	-8.49	1.50	1.61
11	B2	237	C	P-O5'	8.49	1.68	1.59
11	B2	1316	U	C2-N3	8.49	1.43	1.37
38	A1	2165	A	C5-C4	8.49	1.44	1.38
38	A1	677	A	N7-C5	-8.49	1.34	1.39
39	A3	79	U	P-O5'	-8.49	1.51	1.59
11	B2	511	C	C4-N4	8.49	1.41	1.33
38	A1	619	G	C3'-C2'	8.49	1.62	1.52
38	A1	1025	A	N9-C4	8.49	1.43	1.37
38	A1	2870	A	C5-C4	8.49	1.44	1.38
38	A1	777	A	N7-C5	8.49	1.44	1.39
38	A1	1238	G	N1-C2	8.49	1.44	1.37
38	A1	338	A	P-O5'	-8.49	1.51	1.59
38	A1	2889	A	N7-C5	-8.49	1.34	1.39
11	B2	44	C	C4-N4	8.48	1.41	1.33
38	A1	1557	G	C6-N1	8.48	1.45	1.39
38	A1	2404	G	C3'-C2'	-8.48	1.43	1.52
38	A1	1070	G	N1-C2	8.48	1.44	1.37
11	B2	22	G	C3'-O3'	8.48	1.54	1.42
38	A1	2694	C	N3-C4	8.48	1.39	1.33
11	B2	737	C	N3-C4	8.48	1.39	1.33
38	A1	1113	G	C2-N3	8.48	1.39	1.32
38	A1	2834	C	N3-C4	8.48	1.39	1.33
11	B2	812	U	C4-O4	8.47	1.30	1.23
11	B2	1141	G	C4'-C3'	-8.47	1.43	1.53
11	B2	1018	C	O3'-P	-8.47	1.50	1.61
38	A1	1693	G	N1-C2	8.47	1.44	1.37
38	A1	12	C	C5'-C4'	8.47	1.61	1.51
38	A1	886	G	C2-N3	8.47	1.39	1.32
38	A1	1860	A	C6-N6	-8.47	1.27	1.33
38	A1	2893	U	N3-C4	8.47	1.46	1.38
10	B1	61	U	C5'-C4'	8.47	1.61	1.51
38	A1	60	G	N1-C2	8.47	1.44	1.37
39	A3	66	A	C5-C4	8.47	1.44	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	B1	15	G	O3'-P	-8.47	1.50	1.61
38	A1	1129	G	C2'-C1'	-8.46	1.44	1.53
11	B2	336	C	O3'-P	-8.46	1.50	1.61
38	A1	1031	C	C2-N3	-8.46	1.28	1.35
38	A1	107	G	C2-N2	8.46	1.43	1.34
38	A1	1765	A	N9-C4	8.46	1.43	1.37
38	A1	2096	G	C3'-C2'	8.46	1.62	1.52
11	B2	964	A	C6-N6	8.46	1.40	1.33
38	A1	475	U	C5'-C4'	8.46	1.61	1.51
38	A1	710	G	N1-C2	8.46	1.44	1.37
38	A1	731	C	C4'-C3'	8.46	1.62	1.53
5	AS	82	ARG	NE-CZ	8.46	1.44	1.33
11	B2	37	G	C5-C4	-8.45	1.32	1.38
11	B2	601	G	C2-N3	8.45	1.39	1.32
11	B2	754	G	N9-C8	8.45	1.43	1.37
11	B2	770	A	N9-C4	8.46	1.43	1.37
11	B2	1264	G	C2-N3	8.46	1.39	1.32
11	B2	174	G	C5-C6	-8.45	1.33	1.42
11	B2	945	G	N7-C5	8.45	1.44	1.39
38	A1	1372	C	C3'-C2'	8.45	1.62	1.52
38	A1	1472	U	C2-N3	8.45	1.43	1.37
38	A1	2901	C	N3-C4	8.45	1.39	1.33
38	A1	3020	G	C5-C4	8.45	1.44	1.38
38	A1	2953	U	P-O5'	-8.45	1.51	1.59
38	A1	2883	C	C2-N3	8.45	1.42	1.35
11	B2	693	C	N3-C4	8.45	1.39	1.33
11	B2	1136	A	C5-C4	8.45	1.44	1.38
38	A1	1952	G	C2-N3	8.45	1.39	1.32
38	A1	2390	G	C2'-C1'	-8.45	1.44	1.53
38	A1	2601	C	C2-N3	8.45	1.42	1.35
39	A3	50	G	C2-N3	8.45	1.39	1.32
24	BL	80	ARG	CZ-NH1	8.45	1.44	1.33
38	A1	1647	C	N1-C6	8.45	1.42	1.37
6	AT	9	ARG	NE-CZ	8.44	1.44	1.33
11	B2	215	C	C2'-C1'	-8.44	1.44	1.53
38	A1	554	C	P-O5'	-8.45	1.51	1.59
38	A1	811	C	N3-C4	8.44	1.39	1.33
38	A1	1730	C	N1-C6	8.44	1.42	1.37
38	A1	2508	G	N7-C5	-8.44	1.34	1.39
11	B2	862	C	O3'-P	-8.44	1.51	1.61
11	B2	194	C	N1-C6	8.44	1.42	1.37
11	B2	656	U	C2-N3	8.44	1.43	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1220	U	C2'-C1'	-8.44	1.44	1.53
38	A1	2204	C	N1-C6	8.44	1.42	1.37
38	A1	235	G	C2-N3	8.44	1.39	1.32
39	A3	82	C	C2'-C1'	-8.44	1.44	1.53
39	A3	123	U	C4'-C3'	8.44	1.62	1.53
11	B2	253	G	C6-N1	8.43	1.45	1.39
11	B2	642	G	C8-N7	-8.43	1.25	1.30
11	B2	721	A	N9-C8	8.43	1.44	1.37
38	A1	1551	G	N9-C4	8.43	1.44	1.38
38	A1	1333	G	C5-C4	8.43	1.44	1.38
38	A1	2147	C	N3-C4	8.43	1.39	1.33
11	B2	975	A	C2-N3	8.43	1.41	1.33
11	B2	1446	G	C2'-C1'	-8.43	1.44	1.53
38	A1	603	G	N7-C5	-8.43	1.34	1.39
38	A1	2282	G	C2-N3	8.43	1.39	1.32
38	A1	2368	G	N7-C5	8.43	1.44	1.39
11	B2	586	C	N3-C4	8.43	1.39	1.33
38	A1	3003	A	P-O5'	-8.43	1.51	1.59
38	A1	191	U	P-O5'	-8.42	1.51	1.59
11	B2	1074	C	C5'-C4'	8.42	1.61	1.51
38	A1	955	A	C6-N1	8.42	1.41	1.35
38	A1	1092	U	N3-C4	8.42	1.46	1.38
11	B2	1426	C	N3-C4	8.42	1.39	1.33
38	A1	1471	G	N7-C5	-8.42	1.34	1.39
38	A1	289	G	C2'-C1'	-8.42	1.44	1.53
38	A1	1868	C	C1'-N1	8.42	1.61	1.48
38	A1	2027	G	C3'-C2'	8.42	1.62	1.52
11	B2	770	A	C6-N1	8.41	1.41	1.35
11	B2	1428	G	N3-C4	-8.41	1.29	1.35
38	A1	453	U	C5-C6	8.41	1.41	1.34
38	A1	2053	G	N1-C2	8.41	1.44	1.37
11	B2	114	A	N9-C4	8.41	1.42	1.37
11	B2	124	C	C5'-C4'	8.41	1.61	1.51
11	B2	164	A	C5-C6	-8.41	1.33	1.41
11	B2	193	G	N9-C8	8.41	1.43	1.37
38	A1	569	G	C6-N1	8.41	1.45	1.39
38	A1	995	G	C5'-C4'	8.41	1.61	1.51
38	A1	1135	A	C6-N6	8.41	1.40	1.33
38	A1	2500	G	C8-N7	-8.41	1.25	1.30
38	A1	2619	U	C2-N3	8.41	1.43	1.37
11	B2	576	C	C5'-C4'	8.41	1.61	1.51
11	B2	1013	G	C2-N3	8.41	1.39	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1153	U	C4-C5	8.41	1.51	1.43
38	A1	2812	U	N3-C4	8.41	1.46	1.38
11	B2	244	G	C2-N3	8.41	1.39	1.32
11	B2	783	G	C2-N3	8.40	1.39	1.32
38	A1	817	G	C2-N3	8.40	1.39	1.32
38	A1	560	G	C2-N3	8.40	1.39	1.32
38	A1	1447	G	N7-C5	-8.40	1.34	1.39
38	A1	1641	G	C6-N1	8.40	1.45	1.39
38	A1	2061	A	C2-N3	8.40	1.41	1.33
38	A1	829	G	C4'-C3'	8.40	1.62	1.53
10	B1	54	G	C2-N3	8.40	1.39	1.32
38	A1	776	G	N1-C2	8.40	1.44	1.37
11	B2	948	G	C5-C6	-8.40	1.33	1.42
11	B2	974	G	O3'-P	-8.40	1.51	1.61
11	B2	1369	C	N1-C6	8.40	1.42	1.37
13	BA	98	ARG	CZ-NH1	8.40	1.44	1.33
38	A1	307	C	N3-C4	8.40	1.39	1.33
38	A1	2955	G	N3-C4	8.40	1.41	1.35
38	A1	1086	U	P-O5'	-8.39	1.51	1.59
11	B2	931	C	C4-N4	8.39	1.41	1.33
38	A1	1374	G	C2-N3	8.39	1.39	1.32
38	A1	2665	G	P-O5'	-8.39	1.51	1.59
11	B2	527	A	C6-N1	8.39	1.41	1.35
38	A1	1861	G	N1-C2	8.39	1.44	1.37
38	A1	2733	A	C6-N1	8.39	1.41	1.35
11	B2	349	A	C5-C4	8.39	1.44	1.38
38	A1	1712	U	C4-C5	8.39	1.51	1.43
39	A3	39	C	N3-C4	8.39	1.39	1.33
11	B2	293	G	C8-N7	-8.39	1.25	1.30
11	B2	800	G	C5'-C4'	8.39	1.61	1.51
38	A1	1772	A	N3-C4	-8.39	1.29	1.34
38	A1	2670	U	C4'-C3'	-8.39	1.44	1.53
38	A1	1124	G	C2-N3	8.39	1.39	1.32
38	A1	2866	A	N9-C4	8.39	1.42	1.37
38	A1	2883	C	N1-C6	8.39	1.42	1.37
11	B2	1114	G	C6-N1	8.38	1.45	1.39
11	B2	1133	C	C2'-C1'	-8.38	1.44	1.53
38	A1	191	U	N1-C2	8.38	1.46	1.38
39	A3	24	C	C4-N4	8.38	1.41	1.33
38	A1	872	G	C6-N1	8.38	1.45	1.39
38	A1	1620	C	C5'-C4'	8.38	1.61	1.51
38	A1	866	G	C8-N7	8.38	1.35	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	302	A	N9-C4	8.38	1.42	1.37
38	A1	566	G	C2-N2	8.38	1.43	1.34
5	AS	23	ARG	CZ-NH2	8.38	1.44	1.33
38	A1	1681	G	C6-N1	-8.38	1.33	1.39
38	A1	435	G	N1-C2	8.37	1.44	1.37
38	A1	1362	G	C8-N7	-8.38	1.25	1.30
38	A1	2891	A	N7-C5	-8.38	1.34	1.39
38	A1	2897	C	C4-N4	8.38	1.41	1.33
38	A1	2042	A	N3-C4	-8.37	1.29	1.34
11	B2	967	C	N3-C4	8.37	1.39	1.33
38	A1	57	C	C5-C6	8.37	1.41	1.34
10	B1	31	G	N1-C2	8.37	1.44	1.37
38	A1	840	G	N7-C5	-8.37	1.34	1.39
38	A1	2158	G	C8-N7	-8.37	1.25	1.30
38	A1	2649	A	C6-N6	8.37	1.40	1.33
60	AM	117	TYR	CE1-CZ	8.37	1.49	1.38
38	A1	705	G	N9-C4	8.37	1.44	1.38
38	A1	969	U	C2-N3	8.37	1.43	1.37
11	B2	1055	C	N3-C4	8.37	1.39	1.33
11	B2	1081	C	N1-C6	8.37	1.42	1.37
38	A1	362	A	C4'-C3'	8.37	1.62	1.53
38	A1	980	G	N7-C5	-8.36	1.34	1.39
38	A1	1118	A	C6-N6	8.37	1.40	1.33
38	A1	2339	C	N1-C6	8.37	1.42	1.37
11	B2	721	A	N7-C5	-8.36	1.34	1.39
11	B2	854	C	N1-C6	8.36	1.42	1.37
38	A1	829	G	N9-C8	8.36	1.43	1.37
38	A1	1535	U	C2-N3	8.36	1.43	1.37
38	A1	1746	C	C5'-C4'	8.36	1.61	1.51
11	B2	144	G	N7-C5	-8.36	1.34	1.39
11	B2	264	C	O3'-P	-8.36	1.51	1.61
11	B2	934	G	C6-N1	8.36	1.45	1.39
38	A1	183	G	C2-N3	8.36	1.39	1.32
11	B2	1384	G	N1-C2	8.36	1.44	1.37
38	A1	425	U	C4'-C3'	-8.36	1.44	1.53
38	A1	634	G	O3'-P	-8.36	1.51	1.61
10	B1	22	A	C6-N6	8.36	1.40	1.33
38	A1	1808	G	N9-C8	8.36	1.43	1.37
38	A1	331	G	C2-N3	8.35	1.39	1.32
38	A1	1609	G	C2'-C1'	-8.35	1.44	1.53
38	A1	2411	C	N1-C6	-8.35	1.32	1.37
11	B2	760	C	C4-C5	8.35	1.49	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	791	G	C6-N1	8.35	1.45	1.39
38	A1	2134	G	C5-C4	8.35	1.44	1.38
38	A1	2776	A	C6-N6	8.35	1.40	1.33
11	B2	1458	A	C5-C4	8.35	1.44	1.38
11	B2	495	G	C6-N1	8.35	1.45	1.39
38	A1	52	A	C6-N1	8.35	1.41	1.35
11	B2	403	C	N3-C4	8.35	1.39	1.33
11	B2	1003	G	C6-N1	8.35	1.45	1.39
38	A1	2660	G	N9-C4	-8.35	1.31	1.38
38	A1	2831	G	N1-C2	8.35	1.44	1.37
11	B2	1405	C	N1-C6	8.34	1.42	1.37
38	A1	2005	A	C4'-C3'	8.34	1.62	1.53
38	A1	2041	U	C5'-C4'	8.34	1.61	1.51
11	B2	368	C	N1-C6	8.34	1.42	1.37
11	B2	1279	A	N3-C4	8.34	1.39	1.34
38	A1	583	A	O3'-P	-8.34	1.51	1.61
11	B2	587	G	N9-C4	8.34	1.44	1.38
38	A1	1404	G	C2-N3	8.34	1.39	1.32
38	A1	1727	G	C2-N3	8.34	1.39	1.32
38	A1	2143	C	N1-C6	8.34	1.42	1.37
11	B2	472	C	C5-C6	-8.33	1.27	1.34
38	A1	1997	C	N3-C4	8.33	1.39	1.33
38	A1	2330	A	N7-C5	-8.33	1.34	1.39
11	B2	969	A	N7-C5	-8.33	1.34	1.39
11	B2	1033	G	C2'-C1'	-8.33	1.44	1.53
38	A1	531	G	C5-C4	-8.33	1.32	1.38
38	A1	1396	A	C5-C6	8.33	1.48	1.41
38	A1	1666	G	C2'-C1'	-8.33	1.44	1.53
38	A1	2703	G	C8-N7	-8.33	1.25	1.30
11	B2	5	C	N1-C6	8.33	1.42	1.37
11	B2	1264	G	N7-C5	-8.33	1.34	1.39
38	A1	574	C	O3'-P	-8.33	1.51	1.61
38	A1	1096	A	N7-C5	-8.33	1.34	1.39
11	B2	62	G	C8-N7	-8.33	1.25	1.30
11	B2	509	C	C4'-C3'	8.32	1.62	1.53
11	B2	694	U	N1-C2	-8.32	1.31	1.38
11	B2	1308	U	C2-N3	8.32	1.43	1.37
38	A1	608	C	N3-C4	8.32	1.39	1.33
38	A1	901	C	C4-N4	8.32	1.41	1.33
38	A1	960	C	C4-N4	8.32	1.41	1.33
11	B2	624	G	N1-C2	8.32	1.44	1.37
38	A1	1642	G	C5'-C4'	8.32	1.61	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	600	A	C6-N6	8.32	1.40	1.33
38	A1	2823	G	O3'-P	-8.32	1.51	1.61
11	B2	617	A	N9-C8	8.32	1.44	1.37
38	A1	52	A	N3-C4	-8.32	1.29	1.34
38	A1	1846	G	C8-N7	-8.32	1.25	1.30
38	A1	2510	A	C8-N7	8.32	1.37	1.31
11	B2	371	U	N1-C2	8.31	1.46	1.38
11	B2	770	A	N9-C8	-8.31	1.31	1.37
11	B2	1317	G	C2-N2	8.31	1.42	1.34
38	A1	1824	G	C2'-C1'	-8.31	1.44	1.53
38	A1	2722	G	C2-N3	8.31	1.39	1.32
38	A1	662	A	N9-C4	8.31	1.42	1.37
38	A1	994	G	C5-C4	8.31	1.44	1.38
38	A1	2787	G	N1-C2	8.31	1.44	1.37
11	B2	1349	C	C2-N3	8.31	1.42	1.35
38	A1	476	C	C2-N3	8.31	1.42	1.35
38	A1	1575	G	C2-N3	8.31	1.39	1.32
38	A1	1912	A	P-O5'	-8.31	1.51	1.59
39	A3	7	C	N1-C2	8.31	1.48	1.40
38	A1	702	G	N3-C4	8.31	1.41	1.35
11	B2	253	G	C2-N2	8.31	1.42	1.34
38	A1	363	G	C5'-C4'	8.31	1.61	1.51
38	A1	1704	C	C4'-C3'	8.31	1.62	1.53
38	A1	1967	G	N7-C5	-8.31	1.34	1.39
38	A1	2138	A	C5-C4	8.31	1.44	1.38
38	A1	2319	C	N1-C6	8.31	1.42	1.37
38	A1	319	A	C5-C6	-8.31	1.33	1.41
38	A1	637	G	C8-N7	8.31	1.35	1.30
38	A1	1147	G	N7-C5	8.30	1.44	1.39
11	B2	500	A	C4'-C3'	8.30	1.62	1.53
38	A1	1096	A	P-O5'	-8.30	1.51	1.59
38	A1	2514	C	C2'-C1'	-8.30	1.44	1.53
38	A1	2602	G	N9-C8	-8.30	1.32	1.37
38	A1	2696	G	C6-N1	8.30	1.45	1.39
38	A1	3034	C	N3-C4	8.30	1.39	1.33
38	A1	1574	A	C8-N7	-8.30	1.25	1.31
38	A1	2214	U	N3-C4	8.30	1.46	1.38
11	B2	622	C	N3-C4	8.30	1.39	1.33
38	A1	1247	U	N1-C2	8.30	1.46	1.38
38	A1	1692	A	C6-N6	8.30	1.40	1.33
38	A1	2742	G	N1-C2	8.30	1.44	1.37
38	A1	128	C	N3-C4	8.30	1.39	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1419	G	N1-C2	8.29	1.44	1.37
11	B2	62	G	N3-C4	-8.29	1.29	1.35
38	A1	2212	C	C2-N3	-8.29	1.29	1.35
11	B2	362	C	N1-C6	8.29	1.42	1.37
11	B2	1469	G	N7-C5	-8.29	1.34	1.39
38	A1	234	G	N1-C2	8.29	1.44	1.37
38	A1	964	C	N3-C4	8.29	1.39	1.33
38	A1	2484	C	C2-N3	-8.29	1.29	1.35
38	A1	2850	G	N3-C4	-8.29	1.29	1.35
11	B2	451	A	C6-N1	8.29	1.41	1.35
38	A1	200	G	N7-C5	8.29	1.44	1.39
38	A1	397	G	C5'-C4'	8.29	1.61	1.51
38	A1	464	C	C4-N4	8.29	1.41	1.33
38	A1	647	G	N9-C8	8.29	1.43	1.37
38	A1	1002	A	C6-N6	8.28	1.40	1.33
38	A1	1214	C	C2-N3	8.28	1.42	1.35
38	A1	2471	A	N7-C5	-8.28	1.34	1.39
11	B2	600	C	P-O5'	-8.28	1.51	1.59
38	A1	748	G	C2-N3	8.28	1.39	1.32
38	A1	1490	G	N7-C5	-8.28	1.34	1.39
11	B2	660	C	N1-C6	8.28	1.42	1.37
11	B2	1253	G	N1-C2	8.28	1.44	1.37
38	A1	2130	C	P-O5'	-8.28	1.51	1.59
38	A1	2490	C	N3-C4	8.28	1.39	1.33
38	A1	2591	A	N9-C8	-8.28	1.31	1.37
11	B2	387	G	C4'-C3'	8.28	1.62	1.53
11	B2	575	A	N7-C5	-8.28	1.34	1.39
38	A1	2493	A	N9-C4	8.28	1.42	1.37
11	B2	366	C	C2-N3	8.28	1.42	1.35
38	A1	1526	G	C2-N3	8.28	1.39	1.32
38	A1	2988	A	C8-N7	-8.28	1.25	1.31
38	A1	383	C	C4-C5	-8.27	1.36	1.43
38	A1	2669	U	N1-C2	8.27	1.46	1.38
38	A1	2474	A	C8-N7	8.27	1.37	1.31
11	B2	394	C	C2-N3	8.27	1.42	1.35
11	B2	802	G	C6-O6	-8.27	1.16	1.24
11	B2	1150	G	N9-C8	8.27	1.43	1.37
38	A1	1528	A	N9-C4	8.27	1.42	1.37
38	A1	2548	A	N9-C4	8.27	1.42	1.37
11	B2	499	G	C6-N1	8.27	1.45	1.39
11	B2	548	A	C2-N3	8.27	1.41	1.33
11	B2	1047	U	N3-C4	8.27	1.45	1.38

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1122	C	C2'-C1'	-8.27	1.44	1.53
38	A1	579	C	C2'-C1'	-8.27	1.44	1.53
38	A1	939	A	C6-N6	8.27	1.40	1.33
38	A1	1262	C	C2-N3	-8.27	1.29	1.35
39	A3	11	A	N7-C5	-8.27	1.34	1.39
11	B2	675	A	N9-C4	-8.26	1.32	1.37
38	A1	65	G	C6-N1	8.26	1.45	1.39
38	A1	418	C	C2'-C1'	-8.26	1.44	1.53
38	A1	2818	C	N1-C6	8.26	1.42	1.37
11	B2	111	G	P-O5'	8.26	1.68	1.59
23	BK	16	ARG	NE-CZ	8.26	1.43	1.33
38	A1	2867	U	C5-C6	-8.26	1.26	1.34
10	B1	54	G	C6-N1	8.26	1.45	1.39
10	B1	57	C	P-O5'	-8.26	1.51	1.59
11	B2	446	G	N9-C8	8.26	1.43	1.37
38	A1	2393	G	N7-C5	-8.26	1.34	1.39
11	B2	881	G	P-O5'	-8.26	1.51	1.59
38	A1	384	G	C6-N1	8.26	1.45	1.39
38	A1	735	A	C5'-C4'	8.26	1.61	1.51
38	A1	1060	C	O3'-P	-8.26	1.51	1.61
38	A1	1897	G	C8-N7	-8.26	1.25	1.30
38	A1	2171	G	C5-C4	8.26	1.44	1.38
11	B2	1358	A	C8-N7	-8.25	1.25	1.31
38	A1	53	A	C2'-C1'	-8.25	1.44	1.53
38	A1	1384	C	C4'-C3'	8.25	1.62	1.53
38	A1	2485	C	N3-C4	8.25	1.39	1.33
38	A1	46	C	N3-C4	8.25	1.39	1.33
38	A1	1207	G	C8-N7	-8.25	1.26	1.30
11	B2	1219	C	C5'-C4'	8.25	1.61	1.51
11	B2	727	G	N9-C8	8.25	1.43	1.37
11	B2	1413	G	C6-N1	8.25	1.45	1.39
38	A1	857	U	P-O5'	-8.25	1.51	1.59
38	A1	1276	G	C2-N2	8.25	1.42	1.34
11	B2	1067	G	C4'-C3'	8.24	1.62	1.53
38	A1	1048	C	N1-C6	8.24	1.42	1.37
11	B2	521	G	N7-C5	-8.24	1.34	1.39
38	A1	2742	G	C6-N1	8.24	1.45	1.39
38	A1	2989	A	C6-N6	8.24	1.40	1.33
11	B2	310	G	N1-C2	8.24	1.44	1.37
11	B2	645	G	N1-C2	8.24	1.44	1.37
38	A1	785	C	O4'-C1'	8.24	1.52	1.41
11	B2	1479	C	N3-C4	8.24	1.39	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	404	G	C2-N2	8.24	1.42	1.34
38	A1	783	C	C4-N4	8.24	1.41	1.33
38	A1	2867	U	O4'-C1'	8.24	1.52	1.41
11	B2	795	G	C2-N3	8.24	1.39	1.32
38	A1	1192	G	O3'-P	-8.24	1.51	1.61
38	A1	719	C	N3-C4	8.24	1.39	1.33
38	A1	817	G	N9-C8	8.24	1.43	1.37
38	A1	1021	G	N9-C8	8.24	1.43	1.37
39	A3	124	A	O3'-P	-8.24	1.51	1.61
38	A1	26	G	C8-N7	8.23	1.35	1.30
38	A1	443	C	N1-C6	8.23	1.42	1.37
38	A1	2016	C	C5'-C4'	8.23	1.61	1.51
38	A1	1619	C	N3-C4	8.23	1.39	1.33
11	B2	1470	G	N7-C5	-8.23	1.34	1.39
38	A1	2166	C	N3-C4	8.23	1.39	1.33
38	A1	2275	G	N1-C2	8.23	1.44	1.37
38	A1	829	G	C8-N7	-8.23	1.26	1.30
38	A1	1379	A	C6-N6	8.23	1.40	1.33
38	A1	1286	G	N9-C4	-8.23	1.31	1.38
38	A1	1334	G	C5-C6	-8.23	1.34	1.42
39	A3	48	A	O3'-P	-8.23	1.51	1.61
11	B2	159	C	N3-C4	8.22	1.39	1.33
11	B2	444	G	N1-C2	8.22	1.44	1.37
11	B2	727	G	N3-C4	-8.22	1.29	1.35
11	B2	1417	A	C2-N3	8.22	1.41	1.33
38	A1	1503	C	N1-C6	8.22	1.42	1.37
38	A1	2141	C	C4-N4	8.22	1.41	1.33
38	A1	2307	C	N3-C4	8.22	1.39	1.33
38	A1	2366	G	C5-C4	8.22	1.44	1.38
38	A1	2586	A	N9-C8	-8.22	1.31	1.37
11	B2	866	A	N7-C5	-8.22	1.34	1.39
11	B2	1492	U	N3-C4	8.22	1.45	1.38
38	A1	125	C	N1-C6	8.22	1.42	1.37
38	A1	388	G	C5'-C4'	8.22	1.61	1.51
38	A1	2660	G	C2-N3	8.22	1.39	1.32
38	A1	2886	C	N3-C4	8.22	1.39	1.33
38	A1	2133	G	P-O5'	-8.22	1.51	1.59
38	A1	113	C	N3-C4	8.22	1.39	1.33
38	A1	337	G	C6-N1	8.22	1.45	1.39
11	B2	708	C	C2'-C1'	-8.21	1.44	1.53
39	A3	100	A	C2'-C1'	-8.22	1.44	1.53
11	B2	903	G	C8-N7	8.21	1.35	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1267	U	C4'-C3'	8.21	1.62	1.53
38	A1	1185	A	N3-C4	8.21	1.39	1.34
38	A1	1333	G	C5'-C4'	8.21	1.61	1.51
38	A1	2886	C	N1-C6	8.21	1.42	1.37
11	B2	1382	G	C2-N2	8.21	1.42	1.34
38	A1	1540	A	C3'-C2'	8.21	1.61	1.52
38	A1	1804	G	C2-N3	8.21	1.39	1.32
38	A1	1856	G	N9-C8	8.21	1.43	1.37
38	A1	2495	A	N3-C4	-8.21	1.29	1.34
38	A1	247	A	C8-N7	-8.21	1.25	1.31
38	A1	1760	C	C5'-C4'	8.21	1.61	1.51
38	A1	1383	G	N3-C4	-8.20	1.29	1.35
11	B2	59	C	C4-N4	8.20	1.41	1.33
38	A1	560	G	C8-N7	8.20	1.35	1.30
38	A1	864	C	C3'-C2'	8.20	1.61	1.52
38	A1	1612	G	C2-N2	8.20	1.42	1.34
38	A1	2642	C	C2-N3	8.20	1.42	1.35
11	B2	327	G	C6-N1	8.20	1.45	1.39
38	A1	1353	A	P-O5'	-8.20	1.51	1.59
11	B2	918	A	N7-C5	-8.20	1.34	1.39
11	B2	1470	G	C6-N1	8.20	1.45	1.39
38	A1	932	C	N1-C6	8.20	1.42	1.37
38	A1	1053	A	C5-C4	8.20	1.44	1.38
11	B2	641	A	C5'-C4'	8.20	1.61	1.51
38	A1	335	C	C4-N4	8.20	1.41	1.33
38	A1	1655	G	N7-C5	-8.20	1.34	1.39
10	B1	6	G	N9-C8	-8.19	1.32	1.37
38	A1	1792	A	C5-C4	8.20	1.44	1.38
38	A1	2334	G	C6-N1	8.20	1.45	1.39
38	A1	2690	U	C2-N3	8.19	1.43	1.37
11	B2	1238	G	C6-N1	8.19	1.45	1.39
11	B2	222	G	C2-N2	8.19	1.42	1.34
11	B2	506	G	C2-N3	8.19	1.39	1.32
38	A1	2321	A	N3-C4	-8.19	1.29	1.34
38	A1	1047	A	C6-N6	8.19	1.40	1.33
38	A1	1502	C	C2-N3	8.19	1.42	1.35
38	A1	363	G	C8-N7	-8.19	1.26	1.30
39	A3	96	C	C5'-C4'	8.19	1.61	1.51
39	A3	111	G	C2-N3	8.19	1.39	1.32
38	A1	856	A	C5-C4	8.19	1.44	1.38
11	B2	77	G	C5'-C4'	8.19	1.61	1.51
11	B2	962	G	C4'-O4'	-8.19	1.34	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2564	U	C2-N3	8.19	1.43	1.37
11	B2	605	C	C4-N4	8.18	1.41	1.33
11	B2	786	G	C6-N1	8.18	1.45	1.39
11	B2	911	C	N1-C6	-8.18	1.32	1.37
38	A1	2276	G	C5'-C4'	8.18	1.61	1.51
11	B2	561	A	N7-C5	-8.18	1.34	1.39
11	B2	978	G	C6-N1	8.18	1.45	1.39
38	A1	1677	A	N9-C4	-8.18	1.32	1.37
38	A1	2162	G	C8-N7	-8.18	1.26	1.30
10	B1	38	G	N3-C4	-8.18	1.29	1.35
38	A1	184	A	N9-C4	8.18	1.42	1.37
38	A1	940	G	C5-C4	-8.18	1.32	1.38
38	A1	2093	A	C6-N1	8.18	1.41	1.35
38	A1	275	C	O3'-P	8.17	1.71	1.61
11	B2	823	A	N9-C4	8.17	1.42	1.37
38	A1	1804	G	C8-N7	-8.17	1.26	1.30
38	A1	2608	U	C2-N3	8.17	1.43	1.37
39	A3	99	G	C5-C6	-8.17	1.34	1.42
11	B2	46	A	N3-C4	8.17	1.39	1.34
11	B2	23	G	C6-N1	8.17	1.45	1.39
11	B2	128	A	C6-N6	8.17	1.40	1.33
11	B2	471	G	N7-C5	-8.17	1.34	1.39
38	A1	2198	U	P-O5'	-8.17	1.51	1.59
38	A1	2533	G	N9-C8	-8.17	1.32	1.37
11	B2	260	C	C2-N3	8.17	1.42	1.35
11	B2	616	G	C6-N1	8.17	1.45	1.39
38	A1	857	U	C2'-C1'	-8.17	1.44	1.53
11	B2	1339	G	C2'-C1'	-8.17	1.44	1.53
11	B2	1413	G	N1-C2	8.17	1.44	1.37
38	A1	349	A	C6-N6	8.17	1.40	1.33
38	A1	2614	C	N1-C6	-8.17	1.32	1.37
38	A1	2103	C	C2'-C1'	-8.16	1.44	1.53
10	B1	70	C	C4'-C3'	8.16	1.62	1.53
11	B2	170	C	C2-N3	8.16	1.42	1.35
11	B2	411	C	C4'-O4'	-8.16	1.34	1.45
38	A1	316	G	C6-N1	8.16	1.45	1.39
10	B1	59	A	O3'-P	-8.16	1.51	1.61
11	B2	1021	C	N1-C6	8.16	1.42	1.37
11	B2	1183	C	C4-C5	8.16	1.49	1.43
11	B2	1259	A	N9-C4	8.16	1.42	1.37
11	B2	1346	C	N1-C6	8.16	1.42	1.37
38	A1	1736	G	C2-N2	8.16	1.42	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1039	C	N3-C4	8.16	1.39	1.33
38	A1	1795	C	N1-C6	8.16	1.42	1.37
38	A1	1840	G	N1-C2	8.16	1.44	1.37
38	A1	2724	A	N3-C4	-8.16	1.29	1.34
11	B2	574	A	C5'-C4'	8.15	1.61	1.51
11	B2	1487	U	C5-C6	8.15	1.41	1.34
11	B2	350	G	N9-C8	8.15	1.43	1.37
11	B2	820	G	C2-N2	8.15	1.42	1.34
11	B2	920	U	C2-N3	8.15	1.43	1.37
38	A1	1720	G	C2'-C1'	-8.15	1.44	1.53
38	A1	1945	C	C4-C5	-8.15	1.36	1.43
38	A1	2262	C	N3-C4	8.15	1.39	1.33
38	A1	2809	G	P-O5'	-8.15	1.51	1.59
38	A1	2285	G	N1-C2	8.15	1.44	1.37
38	A1	2693	G	C2-N3	8.15	1.39	1.32
11	B2	291	G	C4'-C3'	8.15	1.62	1.53
38	A1	1010	G	N7-C5	-8.15	1.34	1.39
38	A1	1566	G	C2-N3	8.15	1.39	1.32
38	A1	2655	C	N1-C6	8.15	1.42	1.37
38	A1	85	G	C6-N1	8.14	1.45	1.39
11	B2	1384	G	N7-C5	-8.14	1.34	1.39
38	A1	2420	C	C4-C5	8.14	1.49	1.43
38	A1	2692	A	N3-C4	-8.14	1.29	1.34
10	B1	23	G	N9-C8	8.14	1.43	1.37
38	A1	564	U	C5'-C4'	8.14	1.61	1.51
38	A1	765	G	C2-N3	8.14	1.39	1.32
38	A1	918	A	C6-N6	8.14	1.40	1.33
38	A1	2700	U	C2-N3	8.14	1.43	1.37
11	B2	375	G	N9-C4	-8.14	1.31	1.38
11	B2	800	G	C6-N1	8.14	1.45	1.39
38	A1	471	U	O3'-P	-8.14	1.51	1.61
38	A1	1669	A	C4'-C3'	-8.14	1.44	1.53
38	A1	2057	G	C5-C4	8.14	1.44	1.38
38	A1	1083	G	N7-C5	-8.14	1.34	1.39
38	A1	1521	G	C6-N1	8.14	1.45	1.39
38	A1	2193	G	N7-C5	-8.14	1.34	1.39
38	A1	2621	U	N3-C4	8.14	1.45	1.38
38	A1	2992	G	C6-N1	8.14	1.45	1.39
67	AZ	25	ARG	CD-NE	8.14	1.60	1.46
11	B2	1118	C	N1-C6	-8.13	1.32	1.37
11	B2	1156	A	C6-N6	8.13	1.40	1.33
11	B2	1457	A	N7-C5	-8.13	1.34	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	887	U	C2-N3	8.13	1.43	1.37
38	A1	2032	G	N1-C2	8.13	1.44	1.37
38	A1	2657	A	C5-C4	8.13	1.44	1.38
11	B2	1002	G	N9-C8	8.13	1.43	1.37
38	A1	2313	G	N9-C8	-8.13	1.32	1.37
11	B2	1388	G	N1-C2	8.13	1.44	1.37
38	A1	534	G	C8-N7	-8.13	1.26	1.30
38	A1	841	U	C2-N3	8.13	1.43	1.37
38	A1	1284	C	N1-C6	8.13	1.42	1.37
11	B2	78	G	C2-N3	8.13	1.39	1.32
11	B2	933	G	N9-C8	-8.13	1.32	1.37
38	A1	1990	U	C5'-C4'	8.13	1.61	1.51
38	A1	2543	A	C8-N7	-8.13	1.25	1.31
38	A1	2900	C	C4-N4	8.13	1.41	1.33
11	B2	122	C	P-O5'	-8.12	1.51	1.59
11	B2	1175	C	C2-N3	8.13	1.42	1.35
38	A1	2266	C	C4-N4	8.13	1.41	1.33
38	A1	2558	U	O3'-P	-8.13	1.51	1.61
11	B2	223	G	N3-C4	-8.12	1.29	1.35
11	B2	544	C	N1-C6	-8.12	1.32	1.37
38	A1	1757	G	O3'-P	-8.12	1.51	1.61
11	B2	114	A	N7-C5	-8.12	1.34	1.39
11	B2	701	G	C6-N1	8.12	1.45	1.39
11	B2	15	U	O4'-C1'	-8.12	1.31	1.41
11	B2	357	C	N1-C6	-8.12	1.32	1.37
11	B2	1319	C	C2-N3	8.12	1.42	1.35
11	B2	1359	C	C2-N3	8.12	1.42	1.35
38	A1	650	C	C4'-C3'	-8.12	1.44	1.53
38	A1	1587	A	C6-N1	8.12	1.41	1.35
38	A1	2199	U	N1-C2	8.12	1.45	1.38
38	A1	2850	G	C6-N1	8.12	1.45	1.39
38	A1	2732	U	O4'-C1'	-8.12	1.31	1.41
11	B2	183	A	N7-C5	-8.12	1.34	1.39
11	B2	251	G	C2-N2	8.12	1.42	1.34
38	A1	285	C	C5-C6	8.12	1.40	1.34
38	A1	2129	G	C3'-C2'	-8.12	1.43	1.52
11	B2	737	C	P-O5'	-8.11	1.51	1.59
38	A1	2812	U	C5-C6	8.11	1.41	1.34
11	B2	239	A	N9-C4	8.11	1.42	1.37
11	B2	405	G	C2-N3	8.11	1.39	1.32
11	B2	789	G	C3'-C2'	-8.11	1.43	1.52
11	B2	977	G	O3'-P	-8.11	1.51	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	772	G	N3-C4	-8.11	1.29	1.35
38	A1	1258	G	C8-N7	8.11	1.35	1.30
38	A1	1442	G	C2-N3	8.11	1.39	1.32
11	B2	1120	G	C5-C4	8.11	1.44	1.38
38	A1	579	C	C5'-C4'	8.11	1.61	1.51
38	A1	2298	C	P-O5'	-8.11	1.51	1.59
11	B2	986	G	N9-C8	-8.11	1.32	1.37
38	A1	1967	G	C4'-C3'	8.11	1.62	1.53
11	B2	494	G	C3'-C2'	8.10	1.61	1.52
11	B2	586	C	P-O5'	-8.10	1.51	1.59
11	B2	740	G	N7-C5	8.10	1.44	1.39
34	BV	57	ARG	CZ-NH2	8.10	1.43	1.33
38	A1	189	U	P-O5'	-8.10	1.51	1.59
38	A1	1608	G	C2-N3	8.10	1.39	1.32
38	A1	1756	C	C2-N3	8.10	1.42	1.35
38	A1	1188	C	P-O5'	-8.10	1.51	1.59
38	A1	1600	G	C2-N3	8.10	1.39	1.32
11	B2	266	A	C6-N6	8.10	1.40	1.33
38	A1	1617	G	N3-C4	-8.10	1.29	1.35
11	B2	435	A	C5'-C4'	8.10	1.61	1.51
11	B2	437	A	N9-C8	8.10	1.44	1.37
11	B2	464	G	O4'-C1'	8.10	1.52	1.41
38	A1	851	G	N9-C4	-8.10	1.31	1.38
11	B2	1134	G	C2-N3	8.10	1.39	1.32
38	A1	72	U	C2-N3	8.10	1.43	1.37
38	A1	785	C	C4'-C3'	8.10	1.62	1.53
11	B2	37	G	C5'-C4'	8.09	1.61	1.51
11	B2	374	G	C6-N1	8.09	1.45	1.39
11	B2	467	G	P-O5'	-8.09	1.51	1.59
11	B2	1401	U	P-O5'	-8.09	1.51	1.59
38	A1	1644	G	N1-C2	8.09	1.44	1.37
38	A1	2017	A	C2'-C1'	-8.09	1.44	1.53
11	B2	994	C	C4-C5	8.09	1.49	1.43
38	A1	1516	C	N3-C4	8.09	1.39	1.33
11	B2	1233	G	N3-C4	8.09	1.41	1.35
38	A1	300	U	N3-C4	8.09	1.45	1.38
38	A1	499	A	N3-C4	-8.09	1.29	1.34
38	A1	2036	A	N9-C4	8.09	1.42	1.37
38	A1	362	A	N9-C8	8.09	1.44	1.37
38	A1	2379	G	N7-C5	-8.09	1.34	1.39
38	A1	2403	G	C2'-C1'	-8.09	1.44	1.53
11	B2	301	G	N7-C5	-8.09	1.34	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	655	A	C6-N1	8.09	1.41	1.35
11	B2	696	G	N9-C8	-8.09	1.32	1.37
11	B2	1166	G	N1-C2	8.09	1.44	1.37
11	B2	9	U	C2'-C1'	-8.08	1.44	1.53
11	B2	200	G	N1-C2	8.08	1.44	1.37
11	B2	464	G	N1-C2	8.08	1.44	1.37
38	A1	1663	C	C2-N3	8.08	1.42	1.35
38	A1	1864	G	C2-N3	8.08	1.39	1.32
38	A1	2295	C	C4'-O4'	-8.08	1.35	1.45
38	A1	406	G	N7-C5	-8.08	1.34	1.39
38	A1	2425	A	N7-C5	-8.08	1.34	1.39
38	A1	2988	A	N3-C4	-8.08	1.30	1.34
39	A3	7	C	N3-C4	8.08	1.39	1.33
11	B2	321	A	C8-N7	-8.08	1.25	1.31
11	B2	561	A	C5'-C4'	-8.08	1.41	1.51
38	A1	1790	G	C5-C4	8.08	1.44	1.38
38	A1	2124	C	C2-N3	8.08	1.42	1.35
38	A1	2880	C	C2'-C1'	-8.08	1.44	1.53
11	B2	620	G	N3-C4	8.07	1.41	1.35
11	B2	1195	U	N1-C2	8.07	1.45	1.38
38	A1	635	G	N7-C5	-8.07	1.34	1.39
38	A1	2297	C	N3-C4	8.07	1.39	1.33
11	B2	1380	C	C2'-C1'	-8.07	1.44	1.53
38	A1	1144	A	C8-N7	-8.07	1.25	1.31
11	B2	405	G	C5-C4	-8.07	1.32	1.38
11	B2	1357	C	C5'-C4'	8.07	1.61	1.51
38	A1	334	G	N7-C5	8.07	1.44	1.39
38	A1	1309	G	C6-N1	8.07	1.45	1.39
38	A1	1446	G	C5-C4	8.07	1.44	1.38
38	A1	2518	G	N1-C2	8.07	1.44	1.37
38	A1	2981	G	C2'-C1'	-8.07	1.44	1.53
11	B2	146	A	N3-C4	8.07	1.39	1.34
11	B2	468	G	C3'-C2'	8.07	1.61	1.52
11	B2	734	G	C2-N3	8.07	1.39	1.32
38	A1	489	G	C2-N3	8.07	1.39	1.32
38	A1	943	G	C2-N3	8.07	1.39	1.32
38	A1	1651	A	C6-N6	8.06	1.40	1.33
10	B1	72	C	C4-N4	8.06	1.41	1.33
11	B2	1033	G	O4'-C1'	8.06	1.52	1.41
11	B2	1403	U	C4'-C3'	8.06	1.62	1.53
38	A1	200	G	N9-C4	-8.06	1.31	1.38
38	A1	202	A	C5'-C4'	8.06	1.61	1.51

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2956	G	C2-N2	8.06	1.42	1.34
11	B2	150	G	O3'-P	-8.06	1.51	1.61
11	B2	749	C	C4-N4	8.06	1.41	1.33
38	A1	1206	A	P-O5'	-8.06	1.51	1.59
38	A1	2890	A	N7-C5	-8.06	1.34	1.39
39	A3	113	C	C4-N4	8.06	1.41	1.33
11	B2	1359	C	N1-C6	8.06	1.42	1.37
11	B2	250	G	N9-C4	8.06	1.44	1.38
11	B2	1150	G	C5'-C4'	8.06	1.61	1.51
11	B2	1174	A	C6-N6	8.06	1.40	1.33
11	B2	200	G	C2-N3	8.06	1.39	1.32
11	B2	510	A	N3-C4	-8.05	1.30	1.34
11	B2	1254	C	C4-C5	-8.05	1.36	1.43
38	A1	263	U	N3-C4	8.06	1.45	1.38
38	A1	1168	A	N9-C8	8.05	1.44	1.37
38	A1	2024	A	C5'-C4'	8.05	1.61	1.51
11	B2	12	U	P-O5'	-8.05	1.51	1.59
38	A1	1899	C	C1'-N1	8.05	1.60	1.48
39	A3	14	G	C2'-C1'	-8.05	1.44	1.53
11	B2	649	A	N7-C5	-8.05	1.34	1.39
11	B2	779	G	N7-C5	-8.05	1.34	1.39
11	B2	1459	G	N9-C4	-8.05	1.31	1.38
38	A1	243	G	C5'-C4'	8.05	1.61	1.51
38	A1	619	G	C6-O6	-8.05	1.17	1.24
38	A1	2338	A	N9-C4	8.05	1.42	1.37
38	A1	2878	A	C2'-C1'	-8.05	1.44	1.53
11	B2	464	G	N7-C5	-8.05	1.34	1.39
11	B2	757	G	C6-N1	8.05	1.45	1.39
38	A1	2371	A	C6-N6	8.05	1.40	1.33
38	A1	2468	C	C2-N3	8.05	1.42	1.35
11	B2	1135	G	N9-C8	-8.04	1.32	1.37
11	B2	1337	A	N9-C4	-8.05	1.33	1.37
38	A1	250	G	C6-N1	8.05	1.45	1.39
38	A1	582	A	C5-C4	-8.04	1.33	1.38
38	A1	1734	G	C5-C6	-8.04	1.34	1.42
11	B2	566	C	C2'-C1'	-8.04	1.44	1.53
11	B2	711	U	C4'-O4'	8.04	1.56	1.45
38	A1	1084	G	C8-N7	8.04	1.35	1.30
38	A1	2604	G	N7-C5	-8.04	1.34	1.39
45	AC	353	ARG	CD-NE	8.04	1.60	1.46
1	A7	20	ARG	NE-CZ	8.04	1.43	1.33
11	B2	702	G	C4'-C3'	-8.04	1.44	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1071	A	C6-N6	8.04	1.40	1.33
38	A1	1385	C	N3-C4	8.04	1.39	1.33
11	B2	5	C	P-O5'	8.04	1.67	1.59
38	A1	169	G	C6-N1	8.04	1.45	1.39
10	B1	25	G	C5-C6	-8.04	1.34	1.42
11	B2	58	U	C2-N3	8.04	1.43	1.37
11	B2	475	C	N3-C4	8.04	1.39	1.33
11	B2	859	A	C6-N1	8.04	1.41	1.35
11	B2	944	C	N3-C4	8.04	1.39	1.33
11	B2	1087	C	N1-C6	8.04	1.42	1.37
11	B2	1150	G	C8-N7	-8.04	1.26	1.30
38	A1	1557	G	C2-N2	8.04	1.42	1.34
39	A3	115	C	P-O5'	-8.04	1.51	1.59
38	A1	165	G	C2-N3	8.03	1.39	1.32
38	A1	913	G	C6-N1	8.03	1.45	1.39
38	A1	1713	G	N1-C2	8.04	1.44	1.37
38	A1	1984	G	C5-C4	8.03	1.44	1.38
10	B1	35	G	P-O5'	8.03	1.67	1.59
11	B2	270	A	P-O5'	-8.03	1.51	1.59
11	B2	1103	G	C6-N1	-8.03	1.33	1.39
11	B2	1398	U	C2-N3	8.03	1.43	1.37
11	B2	1415	U	N3-C4	8.03	1.45	1.38
38	A1	41	G	N9-C8	8.03	1.43	1.37
38	A1	1676	G	N1-C2	8.03	1.44	1.37
38	A1	3024	C	C2'-C1'	-8.03	1.44	1.53
38	A1	1885	G	P-O5'	8.03	1.67	1.59
38	A1	1949	A	O3'-P	-8.03	1.51	1.61
38	A1	2094	A	C8-N7	-8.03	1.25	1.31
11	B2	988	A	C6-N1	8.03	1.41	1.35
38	A1	350	A	C6-N1	8.03	1.41	1.35
38	A1	1860	A	C8-N7	8.03	1.37	1.31
38	A1	2000	G	C5-C4	8.03	1.44	1.38
38	A1	2132	C	C4'-C3'	8.03	1.61	1.53
38	A1	2889	A	C6-N1	8.03	1.41	1.35
11	B2	278	A	C6-N6	8.03	1.40	1.33
11	B2	657	A	N9-C8	-8.03	1.31	1.37
38	A1	2173	U	P-O5'	8.03	1.67	1.59
38	A1	2562	G	C2-N3	8.03	1.39	1.32
38	A1	363	G	C6-N1	8.03	1.45	1.39
38	A1	2517	U	C4-C5	8.03	1.50	1.43
38	A1	2697	G	C8-N7	8.03	1.35	1.30
11	B2	340	A	C3'-C2'	-8.02	1.44	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	648	C	C2-N3	8.02	1.42	1.35
38	A1	1734	G	C2-N2	8.02	1.42	1.34
11	B2	583	G	N1-C2	8.02	1.44	1.37
11	B2	1414	G	N1-C2	8.02	1.44	1.37
38	A1	518	A	N7-C5	-8.02	1.34	1.39
38	A1	772	G	N7-C5	8.02	1.44	1.39
11	B2	120	C	O4'-C1'	8.02	1.52	1.41
11	B2	460	C	C4-N4	8.02	1.41	1.33
11	B2	1155	U	N3-C4	8.02	1.45	1.38
38	A1	294	U	N3-C4	8.02	1.45	1.38
11	B2	440	C	O4'-C1'	8.02	1.52	1.41
11	B2	1123	G	N7-C5	-8.02	1.34	1.39
38	A1	513	C	C2'-C1'	-8.02	1.44	1.53
38	A1	576	G	C2-N3	8.02	1.39	1.32
38	A1	867	C	C2-N3	8.02	1.42	1.35
38	A1	1158	G	C6-N1	8.02	1.45	1.39
11	B2	306	C	O3'-P	-8.02	1.51	1.61
11	B2	542	G	C5-C4	8.02	1.44	1.38
18	BF	136	ARG	CZ-NH1	8.02	1.43	1.33
38	A1	1272	A	C5-C4	8.02	1.44	1.38
38	A1	376	C	N1-C6	8.02	1.42	1.37
38	A1	749	G	C8-N7	-8.02	1.26	1.30
38	A1	2818	C	N3-C4	8.02	1.39	1.33
38	A1	1736	G	N3-C4	8.02	1.41	1.35
11	B2	396	C	C4-C5	8.01	1.49	1.43
11	B2	789	G	N3-C4	8.01	1.41	1.35
11	B2	1206	G	N1-C2	8.01	1.44	1.37
33	BU	110	PHE	CG-CD1	8.01	1.50	1.38
38	A1	1403	C	C4-N4	8.01	1.41	1.33
38	A1	2499	U	C2-N3	8.01	1.43	1.37
38	A1	2244	G	C2-N3	8.01	1.39	1.32
38	A1	2816	C	N3-C4	-8.01	1.28	1.33
39	A3	77	A	N9-C4	-8.01	1.33	1.37
11	B2	1152	C	N3-C4	8.01	1.39	1.33
11	B2	1460	G	C2-N3	8.01	1.39	1.32
38	A1	242	C	O3'-P	-8.01	1.51	1.61
38	A1	399	C	C2-N3	8.01	1.42	1.35
38	A1	488	A	C5-C6	8.01	1.48	1.41
38	A1	2727	C	C4'-C3'	8.01	1.61	1.53
11	B2	152	G	P-O5'	8.01	1.67	1.59
11	B2	483	G	N1-C2	8.01	1.44	1.37
38	A1	68	G	N7-C5	-8.01	1.34	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	843	C	C4-N4	8.01	1.41	1.33
38	A1	2562	G	C3'-C2'	8.01	1.61	1.52
38	A1	3006	G	C8-N7	8.01	1.35	1.30
11	B2	1	A	C6-N6	8.00	1.40	1.33
38	A1	58	G	C5-C4	8.00	1.44	1.38
38	A1	594	U	N1-C2	8.00	1.45	1.38
11	B2	254	G	N9-C8	8.00	1.43	1.37
11	B2	1341	C	N3-C4	8.00	1.39	1.33
38	A1	413	A	C6-N6	8.00	1.40	1.33
38	A1	832	A	N9-C8	8.00	1.44	1.37
38	A1	2034	G	C8-N7	-8.00	1.26	1.30
39	A3	47	G	C2-N3	8.00	1.39	1.32
11	B2	503	G	C2-N2	-8.00	1.26	1.34
11	B2	1116	G	C2-N3	8.00	1.39	1.32
11	B2	1234	A	C6-N1	8.00	1.41	1.35
38	A1	2340	A	N3-C4	-8.00	1.30	1.34
39	A3	3	G	N1-C2	8.00	1.44	1.37
39	A3	108	G	N3-C4	8.00	1.41	1.35
11	B2	597	C	N1-C6	8.00	1.42	1.37
11	B2	856	G	N1-C2	8.00	1.44	1.37
11	B2	976	A	C5-C4	8.00	1.44	1.38
38	A1	406	G	C6-N1	8.00	1.45	1.39
38	A1	693	G	C6-N1	8.00	1.45	1.39
38	A1	2499	U	N3-C4	8.00	1.45	1.38
11	B2	649	A	C6-N1	7.99	1.41	1.35
11	B2	1259	A	C6-N6	7.99	1.40	1.33
11	B2	1280	C	C5'-C4'	7.99	1.60	1.51
11	B2	1457	A	C6-N6	7.99	1.40	1.33
38	A1	632	G	C6-N1	7.99	1.45	1.39
38	A1	727	A	C4'-C3'	7.99	1.61	1.53
38	A1	913	G	C2'-C1'	-7.99	1.44	1.53
38	A1	1080	G	N9-C8	7.99	1.43	1.37
38	A1	1530	A	N7-C5	-7.99	1.34	1.39
38	A1	2184	G	N1-C2	7.99	1.44	1.37
11	B2	516	A	C6-N1	7.99	1.41	1.35
11	B2	1041	C	N1-C6	7.99	1.42	1.37
11	B2	1428	G	C8-N7	-7.99	1.26	1.30
38	A1	556	G	C6-N1	7.99	1.45	1.39
11	B2	504	G	C6-N1	7.99	1.45	1.39
39	A3	106	G	N9-C8	-7.99	1.32	1.37
11	B2	203	A	C8-N7	-7.99	1.25	1.31
38	A1	1586	G	C5-C4	-7.99	1.32	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1139	A	C5'-C4'	7.99	1.60	1.51
11	B2	1434	C	C2'-C1'	-7.99	1.44	1.53
38	A1	1530	A	N9-C4	-7.99	1.33	1.37
38	A1	2801	G	N9-C4	-7.99	1.31	1.38
39	A3	111	G	C6-N1	7.99	1.45	1.39
27	BO	113	ARG	CZ-NH2	7.98	1.43	1.33
38	A1	118	A	N7-C5	-7.98	1.34	1.39
10	B1	60	A	N3-C4	7.98	1.39	1.34
11	B2	996	A	C6-N1	7.98	1.41	1.35
11	B2	1454	A	N3-C4	7.98	1.39	1.34
38	A1	60	G	C5'-C4'	7.98	1.60	1.51
38	A1	747	G	N7-C5	-7.98	1.34	1.39
38	A1	847	A	C6-N6	7.98	1.40	1.33
10	B1	17	C	N1-C6	7.98	1.42	1.37
11	B2	370	A	N9-C4	-7.98	1.33	1.37
11	B2	987	G	N7-C5	-7.98	1.34	1.39
11	B2	1271	G	C6-N1	7.98	1.45	1.39
38	A1	419	G	N7-C5	-7.98	1.34	1.39
38	A1	1491	U	N1-C6	7.98	1.45	1.38
21	BI	26	TYR	CE2-CZ	7.98	1.49	1.38
38	A1	1861	G	P-O5'	-7.98	1.51	1.59
38	A1	2587	G	C8-N7	-7.98	1.26	1.30
38	A1	2609	G	C2-N3	7.98	1.39	1.32
38	A1	2404	G	N1-C2	7.98	1.44	1.37
11	B2	1466	G	C5-C4	7.97	1.44	1.38
38	A1	2055	U	P-O5'	-7.97	1.51	1.59
38	A1	2685	G	C2-N3	7.97	1.39	1.32
38	A1	2775	G	N7-C5	-7.97	1.34	1.39
38	A1	2943	G	O3'-P	-7.97	1.51	1.61
39	A3	49	A	C2-N3	7.97	1.40	1.33
11	B2	1381	G	N7-C5	-7.97	1.34	1.39
38	A1	2715	A	C6-N6	7.97	1.40	1.33
38	A1	2270	G	C5'-C4'	7.97	1.60	1.51
40	A5	47	ARG	NE-CZ	7.97	1.43	1.33
38	A1	829	G	C6-N1	7.97	1.45	1.39
38	A1	2122	G	N9-C8	7.97	1.43	1.37
10	B1	58	A	C4'-C3'	7.97	1.61	1.53
11	B2	822	A	C6-N1	7.97	1.41	1.35
38	A1	1845	C	O3'-P	-7.97	1.51	1.61
38	A1	2330	A	C6-N1	7.97	1.41	1.35
10	B1	20	G	N9-C8	7.96	1.43	1.37
38	A1	884	C	N3-C4	7.96	1.39	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1534	G	N7-C5	-7.96	1.34	1.39
38	A1	1900	U	C4'-C3'	7.96	1.61	1.53
38	A1	264	G	C2-N3	7.96	1.39	1.32
11	B2	970	G	C6-N1	7.96	1.45	1.39
11	B2	1469	G	C6-N1	7.96	1.45	1.39
38	A1	486	A	N3-C4	7.96	1.39	1.34
38	A1	840	G	C8-N7	-7.96	1.26	1.30
38	A1	2043	A	N7-C5	-7.96	1.34	1.39
11	B2	239	A	N7-C5	-7.96	1.34	1.39
11	B2	88	G	C8-N7	7.96	1.35	1.30
38	A1	1278	C	C2-N3	7.96	1.42	1.35
38	A1	1847	U	C5'-C4'	7.96	1.60	1.51
38	A1	2127	G	C6-N1	7.96	1.45	1.39
38	A1	2303	A	N3-C4	-7.96	1.30	1.34
38	A1	2639	G	C8-N7	7.96	1.35	1.30
38	A1	307	C	O3'-P	-7.96	1.51	1.61
11	B2	1383	A	N9-C4	-7.96	1.33	1.37
38	A1	2772	U	C4-C5	7.96	1.50	1.43
11	B2	310	G	C2-N3	7.95	1.39	1.32
11	B2	974	G	N1-C2	7.95	1.44	1.37
38	A1	1557	G	O3'-P	-7.95	1.51	1.61
11	B2	54	C	N1-C6	7.95	1.42	1.37
11	B2	648	A	N3-C4	-7.95	1.30	1.34
38	A1	297	G	N7-C5	-7.95	1.34	1.39
38	A1	1548	A	N9-C4	7.95	1.42	1.37
38	A1	354	G	C3'-C2'	7.95	1.61	1.52
38	A1	1660	A	C6-N6	7.95	1.40	1.33
38	A1	2626	U	O3'-P	-7.95	1.51	1.61
39	A3	95	G	N7-C5	-7.95	1.34	1.39
11	B2	219	C	C2-N3	7.95	1.42	1.35
11	B2	837	C	C4-N4	7.95	1.41	1.33
11	B2	1399	G	C2-N2	7.95	1.42	1.34
38	A1	3026	C	C3'-C2'	7.95	1.61	1.52
11	B2	61	A	O3'-P	-7.95	1.51	1.61
11	B2	195	C	C4-N4	7.95	1.41	1.33
11	B2	1493	C	N3-C4	7.95	1.39	1.33
38	A1	1291	C	N3-C4	7.95	1.39	1.33
38	A1	1788	G	N9-C8	7.95	1.43	1.37
38	A1	2693	G	C8-N7	-7.95	1.26	1.30
38	A1	40	G	N7-C5	-7.94	1.34	1.39
11	B2	151	G	N1-C2	7.94	1.44	1.37
11	B2	899	G	N9-C8	-7.94	1.32	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1582	G	C6-N1	7.94	1.45	1.39
11	B2	803	C	C5'-C4'	7.94	1.60	1.51
11	B2	1134	G	C8-N7	7.94	1.35	1.30
38	A1	1944	C	N3-C4	7.94	1.39	1.33
38	A1	1782	C	N3-C4	7.94	1.39	1.33
38	A1	1932	G	C2'-C1'	-7.94	1.44	1.53
11	B2	119	A	C6-N1	7.94	1.41	1.35
38	A1	419	G	C6-N1	7.94	1.45	1.39
38	A1	893	C	C5'-C4'	7.94	1.60	1.51
38	A1	1663	C	C4'-C3'	-7.94	1.44	1.53
38	A1	2379	G	N9-C4	7.94	1.44	1.38
10	B1	26	C	N1-C6	-7.94	1.32	1.37
11	B2	753	G	C2-N3	7.93	1.39	1.32
38	A1	563	A	C5'-C4'	7.93	1.60	1.51
38	A1	1356	A	N3-C4	-7.93	1.30	1.34
38	A1	2529	G	C5'-C4'	7.93	1.60	1.51
38	A1	2839	A	N7-C5	-7.93	1.34	1.39
11	B2	954	G	N7-C5	-7.93	1.34	1.39
11	B2	1172	A	C6-N6	7.93	1.40	1.33
38	A1	172	C	C5'-C4'	7.93	1.60	1.51
38	A1	1142	A	C8-N7	-7.93	1.25	1.31
39	A3	48	A	C6-N1	7.93	1.41	1.35
11	B2	397	C	C2'-C1'	-7.93	1.44	1.53
11	B2	486	A	C2-N3	7.93	1.40	1.33
38	A1	699	A	N9-C4	7.93	1.42	1.37
38	A1	1703	G	C2-N3	7.93	1.39	1.32
38	A1	2612	A	N3-C4	-7.93	1.30	1.34
39	A3	24	C	N3-C4	7.93	1.39	1.33
11	B2	580	G	C2-N3	7.93	1.39	1.32
11	B2	641	A	N7-C5	-7.93	1.34	1.39
38	A1	2693	G	C4'-C3'	-7.93	1.44	1.53
38	A1	2750	C	P-O5'	-7.93	1.51	1.59
11	B2	1386	C	C2'-C1'	-7.93	1.44	1.53
38	A1	2864	G	C8-N7	-7.93	1.26	1.30
38	A1	1051	C	N3-C4	7.92	1.39	1.33
38	A1	70	G	C6-N1	7.92	1.45	1.39
38	A1	1477	C	N3-C4	7.92	1.39	1.33
38	A1	2206	G	N3-C4	-7.92	1.29	1.35
38	A1	1970	G	C3'-C2'	-7.92	1.44	1.52
38	A1	40	G	C5'-C4'	7.92	1.60	1.51
38	A1	2724	A	N7-C5	-7.92	1.34	1.39
39	A3	27	C	N1-C6	7.92	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	204	G	N1-C2	7.92	1.44	1.37
11	B2	808	C	N1-C6	7.92	1.42	1.37
11	B2	1112	G	N1-C2	7.92	1.44	1.37
11	B2	1131	G	N7-C5	-7.92	1.34	1.39
38	A1	1882	C	C4-N4	7.92	1.41	1.33
11	B2	95	G	C6-N1	7.91	1.45	1.39
11	B2	1252	C	C4-N4	7.91	1.41	1.33
38	A1	1721	U	C2'-C1'	-7.91	1.44	1.53
39	A3	44	C	C2-N3	7.91	1.42	1.35
11	B2	630	A	C6-N1	7.91	1.41	1.35
38	A1	1254	C	C5'-C4'	7.91	1.60	1.51
11	B2	1027	C	C4'-C3'	7.91	1.61	1.53
11	B2	1433	C	C4'-C3'	7.91	1.61	1.53
38	A1	635	G	N9-C8	7.91	1.43	1.37
38	A1	1021	G	C8-N7	-7.91	1.26	1.30
38	A1	2661	U	C2-N3	7.91	1.43	1.37
38	A1	2846	A	N7-C5	-7.91	1.34	1.39
39	A3	123	U	O3'-P	-7.91	1.51	1.61
11	B2	728	G	N9-C8	-7.91	1.32	1.37
11	B2	779	G	C2-N3	7.91	1.39	1.32
38	A1	619	G	N1-C2	7.91	1.44	1.37
38	A1	1050	C	N3-C4	7.91	1.39	1.33
38	A1	1218	C	C4'-C3'	7.91	1.61	1.53
38	A1	1949	A	N9-C8	7.91	1.44	1.37
38	A1	2826	U	C4-C5	7.91	1.50	1.43
38	A1	484	C	N3-C4	7.91	1.39	1.33
38	A1	1083	G	N9-C8	-7.91	1.32	1.37
38	A1	2793	C	C5-C6	-7.91	1.28	1.34
38	A1	2281	A	P-O5'	-7.91	1.51	1.59
38	A1	2382	A	N7-C5	-7.90	1.34	1.39
10	B1	17	C	C2-N3	7.90	1.42	1.35
11	B2	105	C	N1-C6	7.90	1.41	1.37
11	B2	718	G	N1-C2	7.90	1.44	1.37
11	B2	1041	C	C2'-C1'	-7.90	1.44	1.53
38	A1	502	G	C3'-C2'	7.90	1.61	1.52
38	A1	1224	A	C6-N6	7.90	1.40	1.33
11	B2	991	C	C4-N4	7.90	1.41	1.33
38	A1	508	G	N9-C4	-7.90	1.31	1.38
38	A1	920	G	N1-C2	7.90	1.44	1.37
38	A1	2476	A	C5-C4	-7.90	1.33	1.38
10	B1	35	G	C6-N1	-7.90	1.34	1.39
11	B2	1225	C	C5-C6	-7.90	1.28	1.34

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	147	C	N1-C6	7.90	1.41	1.37
11	B2	178	C	C3'-C2'	7.89	1.61	1.52
11	B2	298	C	O3'-P	-7.89	1.51	1.61
11	B2	728	G	C6-N1	7.89	1.45	1.39
11	B2	1131	G	N1-C2	7.89	1.44	1.37
38	A1	1039	C	N1-C6	7.89	1.41	1.37
38	A1	1460	C	C2-N3	7.89	1.42	1.35
11	B2	851	C	C2-N3	7.89	1.42	1.35
11	B2	1136	A	N3-C4	7.89	1.39	1.34
38	A1	434	G	N1-C2	7.89	1.44	1.37
38	A1	549	G	C2-N3	7.89	1.39	1.32
11	B2	1493	C	C4'-C3'	-7.89	1.44	1.53
38	A1	563	A	C6-N6	7.89	1.40	1.33
38	A1	1661	A	C6-N1	7.89	1.41	1.35
38	A1	1694	G	C6-N1	7.89	1.45	1.39
38	A1	169	G	C5-C4	7.89	1.43	1.38
38	A1	737	G	C5-C4	7.89	1.43	1.38
38	A1	1094	U	N1-C2	-7.89	1.31	1.38
38	A1	1401	G	C5-C6	-7.89	1.34	1.42
38	A1	1356	A	C6-N6	7.89	1.40	1.33
38	A1	875	G	C6-N1	7.89	1.45	1.39
38	A1	1454	G	N3-C4	7.89	1.41	1.35
38	A1	1607	C	N3-C4	7.89	1.39	1.33
38	A1	1874	G	N9-C8	7.89	1.43	1.37
11	B2	60	A	C6-N6	-7.88	1.27	1.33
11	B2	376	G	C5'-C4'	7.88	1.60	1.51
11	B2	1324	U	C2-N3	7.88	1.43	1.37
38	A1	785	C	C2'-C1'	-7.88	1.44	1.53
38	A1	1507	A	C5-C4	7.88	1.44	1.38
38	A1	1764	G	N9-C8	7.88	1.43	1.37
38	A1	2691	G	N1-C2	7.88	1.44	1.37
38	A1	2755	G	C2'-C1'	-7.88	1.44	1.53
11	B2	314	G	C3'-C2'	-7.88	1.44	1.52
11	B2	519	G	N1-C2	7.88	1.44	1.37
38	A1	1409	U	C5'-C4'	-7.88	1.41	1.51
11	B2	1443	G	C8-N7	7.88	1.35	1.30
38	A1	503	U	C4-C5	7.88	1.50	1.43
38	A1	2584	A	N9-C8	7.88	1.44	1.37
38	A1	2810	G	C8-N7	-7.88	1.26	1.30
38	A1	679	U	C2-N3	7.88	1.43	1.37
38	A1	2999	G	C5-C4	7.88	1.43	1.38
38	A1	1967	G	C6-N1	7.88	1.45	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2333	G	N7-C5	-7.88	1.34	1.39
38	A1	2899	G	N9-C8	7.88	1.43	1.37
10	B1	23	G	C6-N1	7.88	1.45	1.39
11	B2	343	G	C4'-C3'	7.88	1.61	1.53
11	B2	1315	G	C5'-C4'	7.88	1.60	1.51
38	A1	48	G	C6-N1	7.88	1.45	1.39
38	A1	1210	G	O4'-C1'	-7.88	1.31	1.41
38	A1	2475	G	N7-C5	7.88	1.44	1.39
38	A1	1948	A	C6-N6	7.88	1.40	1.33
38	A1	2872	G	N1-C2	7.88	1.44	1.37
11	B2	995	G	N9-C8	-7.87	1.32	1.37
38	A1	1916	U	P-O5'	-7.87	1.51	1.59
11	B2	847	A	C5-C6	7.87	1.48	1.41
11	B2	948	G	C8-N7	-7.87	1.26	1.30
11	B2	1297	G	C2-N3	7.87	1.39	1.32
38	A1	964	C	C4-N4	7.87	1.41	1.33
38	A1	1048	C	P-O5'	7.87	1.67	1.59
38	A1	1428	G	N9-C8	-7.87	1.32	1.37
38	A1	1654	G	C6-N1	7.87	1.45	1.39
11	B2	757	G	N7-C5	-7.87	1.34	1.39
38	A1	347	G	C2-N2	7.87	1.42	1.34
11	B2	1016	G	C2-N2	7.87	1.42	1.34
11	B2	1335	A	N7-C5	-7.87	1.34	1.39
38	A1	535	G	C4'-C3'	7.87	1.61	1.53
38	A1	1504	C	P-O5'	-7.87	1.51	1.59
38	A1	2043	A	C5-C4	7.87	1.44	1.38
38	A1	2635	C	N3-C4	7.87	1.39	1.33
11	B2	1280	C	N3-C4	7.87	1.39	1.33
38	A1	516	A	C5-C6	7.87	1.48	1.41
38	A1	1160	U	C4'-C3'	-7.87	1.44	1.53
38	A1	219	G	C2-N3	7.87	1.39	1.32
38	A1	933	G	C6-N1	7.87	1.45	1.39
38	A1	1445	G	C5'-C4'	7.87	1.60	1.51
11	B2	793	G	C2-N3	7.86	1.39	1.32
38	A1	170	A	C5-C6	7.86	1.48	1.41
38	A1	173	G	N1-C2	7.86	1.44	1.37
38	A1	632	G	N7-C5	7.86	1.44	1.39
38	A1	957	C	C2'-C1'	-7.86	1.44	1.53
38	A1	1304	G	C8-N7	-7.86	1.26	1.30
11	B2	1272	G	N9-C4	-7.86	1.31	1.38
11	B2	755	U	P-O5'	-7.86	1.51	1.59
11	B2	223	G	C2'-C1'	-7.86	1.44	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2871	A	P-O5'	-7.86	1.51	1.59
56	AJ	70	ARG	CZ-NH2	7.86	1.43	1.33
11	B2	864	G	N7-C5	-7.86	1.34	1.39
11	B2	883	G	C2-N3	7.86	1.39	1.32
11	B2	988	A	C4'-O4'	-7.86	1.35	1.45
11	B2	1492	U	C3'-O3'	7.86	1.53	1.42
38	A1	211	A	N9-C4	7.86	1.42	1.37
38	A1	2080	G	C6-N1	7.86	1.45	1.39
38	A1	2883	C	N1-C2	-7.86	1.32	1.40
38	A1	1766	A	C6-N1	7.85	1.41	1.35
11	B2	284	A	N9-C8	7.85	1.44	1.37
38	A1	337	G	C2-N2	7.85	1.42	1.34
38	A1	2084	A	C6-N6	7.85	1.40	1.33
38	A1	524	C	C4-N4	7.85	1.41	1.33
38	A1	2889	A	C8-N7	-7.85	1.26	1.31
38	A1	1559	A	N9-C8	-7.85	1.31	1.37
38	A1	1950	G	C8-N7	-7.85	1.26	1.30
38	A1	623	G	N1-C2	7.85	1.44	1.37
38	A1	46	C	C4-C5	-7.85	1.36	1.43
38	A1	196	A	N3-C4	7.85	1.39	1.34
38	A1	301	G	N9-C8	-7.85	1.32	1.37
38	A1	2256	G	C5'-C4'	7.85	1.60	1.51
38	A1	2096	G	N9-C4	-7.84	1.31	1.38
11	B2	213	C	N3-C4	7.84	1.39	1.33
38	A1	1261	C	C4'-C3'	7.84	1.61	1.53
10	B1	23	G	N3-C4	7.84	1.41	1.35
11	B2	360	A	N3-C4	-7.84	1.30	1.34
11	B2	446	G	N1-C2	7.84	1.44	1.37
11	B2	1237	G	C5-C6	7.84	1.50	1.42
20	BH	36	TYR	CG-CD2	7.84	1.49	1.39
38	A1	1058	A	C5-C4	7.84	1.44	1.38
38	A1	1512	G	N3-C4	7.84	1.41	1.35
39	A3	86	C	N1-C6	7.84	1.41	1.37
38	A1	40	G	N9-C4	7.84	1.44	1.38
38	A1	343	C	C4-N4	7.84	1.41	1.33
38	A1	1549	C	C5'-C4'	7.84	1.60	1.51
38	A1	2893	U	C2-N3	7.84	1.43	1.37
38	A1	1470	C	O3'-P	-7.84	1.51	1.61
39	A3	24	C	N1-C6	7.84	1.41	1.37
11	B2	556	G	C2-N2	7.84	1.42	1.34
11	B2	891	A	O3'-P	-7.84	1.51	1.61
11	B2	1072	C	N3-C4	7.84	1.39	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1348	C	C4-C5	7.84	1.49	1.43
38	A1	1140	C	N1-C6	-7.84	1.32	1.37
38	A1	1684	C	C5'-C4'	7.84	1.60	1.51
38	A1	3035	C	N1-C6	7.84	1.41	1.37
38	A1	1633	A	N3-C4	-7.83	1.30	1.34
38	A1	2604	G	C5'-C4'	7.83	1.60	1.51
11	B2	380	C	C5'-C4'	7.83	1.60	1.51
11	B2	584	C	N3-C4	7.83	1.39	1.33
11	B2	692	G	C4'-C3'	7.83	1.61	1.53
38	A1	785	C	C2-N3	7.83	1.42	1.35
38	A1	1845	C	P-O5'	-7.83	1.51	1.59
38	A1	2333	G	C6-N1	7.83	1.45	1.39
10	B1	44	G	C6-N1	7.83	1.45	1.39
11	B2	1202	G	N1-C2	7.83	1.44	1.37
38	A1	1828	A	N9-C4	7.83	1.42	1.37
39	A3	109	A	O3'-P	-7.83	1.51	1.61
10	B1	51	G	C6-N1	7.83	1.45	1.39
11	B2	54	C	C4'-C3'	7.83	1.61	1.53
38	A1	430	A	C5-C4	7.83	1.44	1.38
11	B2	1252	C	N1-C6	7.83	1.41	1.37
38	A1	1603	G	C5-C4	7.83	1.43	1.38
38	A1	2354	A	N9-C4	-7.83	1.33	1.37
38	A1	2717	A	C2'-C1'	-7.83	1.44	1.53
38	A1	3022	C	C5'-C4'	7.83	1.60	1.51
38	A1	2006	C	N1-C6	7.83	1.41	1.37
11	B2	19	G	N1-C2	7.83	1.44	1.37
38	A1	118	A	O3'-P	-7.83	1.51	1.61
38	A1	864	C	O4'-C1'	7.83	1.51	1.41
38	A1	1071	A	N9-C4	-7.83	1.33	1.37
38	A1	1265	A	C5-C6	-7.83	1.34	1.41
11	B2	1227	A	C6-N6	7.82	1.40	1.33
38	A1	455	G	C6-N1	7.82	1.45	1.39
38	A1	1474	A	N9-C8	-7.82	1.31	1.37
38	A1	1710	C	N3-C4	7.82	1.39	1.33
64	AR	30	ARG	NE-CZ	7.82	1.43	1.33
10	B1	55	U	C2-N3	7.82	1.43	1.37
11	B2	26	A	C8-N7	7.82	1.37	1.31
38	A1	2450	A	C6-N1	7.82	1.41	1.35
11	B2	699	C	C4-N4	7.82	1.41	1.33
38	A1	204	G	C2-N2	7.82	1.42	1.34
38	A1	258	C	N3-C4	7.82	1.39	1.33
38	A1	1744	A	N3-C4	-7.82	1.30	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1461	U	C3'-C2'	7.82	1.61	1.52
38	A1	85	G	N7-C5	-7.82	1.34	1.39
38	A1	281	G	N1-C2	7.82	1.44	1.37
38	A1	1582	G	C2-N3	7.82	1.39	1.32
38	A1	970	G	C6-N1	7.82	1.45	1.39
11	B2	108	G	C2-N3	7.82	1.39	1.32
11	B2	999	G	P-O5'	-7.82	1.51	1.59
38	A1	617	G	C8-N7	-7.82	1.26	1.30
38	A1	817	G	N1-C2	7.82	1.44	1.37
38	A1	1715	G	C2-N3	7.82	1.39	1.32
38	A1	2096	G	N3-C4	-7.82	1.29	1.35
11	B2	616	G	N1-C2	7.81	1.44	1.37
38	A1	235	G	C6-O6	-7.81	1.17	1.24
11	B2	131	G	N7-C5	-7.81	1.34	1.39
11	B2	305	C	C2-N3	7.81	1.42	1.35
38	A1	2056	A	C6-N1	7.81	1.41	1.35
38	A1	2266	C	C5'-C4'	7.81	1.60	1.51
38	A1	2719	G	N7-C5	7.81	1.44	1.39
38	A1	1683	C	N3-C4	7.81	1.39	1.33
38	A1	2359	G	C2-N2	7.81	1.42	1.34
38	A1	2664	G	C6-N1	7.81	1.45	1.39
10	B1	2	G	C5-C4	-7.81	1.32	1.38
38	A1	567	G	N9-C4	7.81	1.44	1.38
38	A1	2591	A	C6-N1	7.81	1.41	1.35
11	B2	906	G	N1-C2	7.81	1.44	1.37
11	B2	1274	C	C2-N3	7.81	1.42	1.35
38	A1	1685	C	C2'-C1'	-7.81	1.44	1.53
38	A1	1707	A	C4'-C3'	7.81	1.61	1.53
38	A1	2273	U	C2-N3	7.81	1.43	1.37
38	A1	2285	G	C5-C4	7.81	1.43	1.38
38	A1	2436	A	C5-C4	7.81	1.44	1.38
38	A1	428	A	N7-C5	-7.81	1.34	1.39
11	B2	1034	G	C2-N2	7.80	1.42	1.34
11	B2	1202	G	C8-N7	-7.80	1.26	1.30
11	B2	1250	C	C4-C5	-7.80	1.36	1.43
38	A1	971	G	N1-C2	7.80	1.44	1.37
38	A1	407	A	C2'-C1'	-7.80	1.44	1.53
38	A1	2576	C	O3'-P	-7.80	1.51	1.61
11	B2	1306	A	P-O5'	-7.80	1.51	1.59
38	A1	930	G	N1-C2	7.80	1.44	1.37
38	A1	1164	C	N3-C4	7.80	1.39	1.33
38	A1	1276	G	N1-C2	7.80	1.44	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2673	C	N1-C6	7.80	1.41	1.37
16	BD	79	ARG	CZ-NH1	7.80	1.43	1.33
38	A1	856	A	C8-N7	-7.80	1.26	1.31
38	A1	1399	C	N1-C6	7.80	1.41	1.37
38	A1	2723	G	C8-N7	-7.80	1.26	1.30
38	A1	3013	U	C2'-C1'	-7.80	1.44	1.53
39	A3	7	C	N1-C6	7.80	1.41	1.37
11	B2	1083	G	N9-C4	-7.80	1.31	1.38
11	B2	1192	C	C4-N4	7.80	1.41	1.33
38	A1	1552	C	N1-C6	7.80	1.41	1.37
38	A1	2383	A	N7-C5	-7.80	1.34	1.39
11	B2	29	G	C2-N3	7.80	1.39	1.32
11	B2	386	C	N1-C6	-7.80	1.32	1.37
38	A1	211	A	C5-C6	-7.80	1.34	1.41
38	A1	224	G	C8-N7	-7.80	1.26	1.30
38	A1	860	A	N9-C4	7.80	1.42	1.37
38	A1	1702	C	C4-N4	7.80	1.41	1.33
38	A1	1770	A	N7-C5	-7.80	1.34	1.39
43	AB	54	ARG	NE-CZ	7.80	1.43	1.33
11	B2	947	G	N9-C8	-7.79	1.32	1.37
38	A1	613	C	C4-C5	-7.79	1.36	1.43
38	A1	1910	C	N3-C4	7.79	1.39	1.33
38	A1	2121	C	N3-C4	7.79	1.39	1.33
11	B2	77	G	N1-C2	7.79	1.44	1.37
11	B2	312	U	C1'-N1	7.79	1.60	1.48
11	B2	723	G	C8-N7	-7.79	1.26	1.30
38	A1	575	G	N7-C5	-7.79	1.34	1.39
38	A1	2724	A	N9-C8	7.79	1.44	1.37
11	B2	1054	A	C6-N6	7.79	1.40	1.33
11	B2	445	G	C2-N3	7.79	1.39	1.32
38	A1	1108	A	C6-N1	7.79	1.41	1.35
11	B2	120	C	P-O5'	-7.79	1.51	1.59
38	A1	1342	G	C2-N2	7.79	1.42	1.34
38	A1	2562	G	C2'-C1'	-7.79	1.44	1.53
11	B2	690	C	N3-C4	7.79	1.39	1.33
38	A1	2308	C	N3-C4	7.79	1.39	1.33
38	A1	2709	C	O3'-P	-7.79	1.51	1.61
11	B2	769	A	N7-C5	-7.78	1.34	1.39
38	A1	547	C	C4-N4	7.78	1.41	1.33
38	A1	1072	U	C2'-C1'	7.78	1.61	1.53
38	A1	1331	U	N3-C4	7.78	1.45	1.38
38	A1	2740	G	C2-N3	7.78	1.39	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1863	G	C5'-C4'	7.78	1.60	1.51
11	B2	970	G	C2-N2	7.78	1.42	1.34
38	A1	2902	G	C2'-C1'	-7.78	1.44	1.53
11	B2	1335	A	C6-N6	7.78	1.40	1.33
38	A1	645	U	P-O5'	-7.78	1.51	1.59
11	B2	716	G	C2-N2	7.78	1.42	1.34
11	B2	1162	G	C5-C6	7.78	1.50	1.42
11	B2	1361	G	N7-C5	-7.78	1.34	1.39
38	A1	1333	G	N9-C8	7.78	1.43	1.37
38	A1	2368	G	C2-N2	7.78	1.42	1.34
11	B2	985	C	C2-N3	7.77	1.42	1.35
38	A1	2168	C	O4'-C1'	7.77	1.51	1.41
60	AM	91	SER	CA-CB	7.77	1.64	1.52
11	B2	546	G	C5-C6	-7.77	1.34	1.42
38	A1	2010	G	C2-N3	7.77	1.39	1.32
38	A1	109	G	N7-C5	-7.77	1.34	1.39
38	A1	356	C	N1-C6	7.77	1.41	1.37
11	B2	1099	A	N9-C4	-7.77	1.33	1.37
11	B2	1238	G	O3'-P	-7.77	1.51	1.61
38	A1	1397	U	C2-N3	7.77	1.43	1.37
11	B2	282	G	C8-N7	-7.77	1.26	1.30
38	A1	2720	U	N3-C4	7.77	1.45	1.38
11	B2	313	G	N7-C5	-7.76	1.34	1.39
38	A1	2777	G	C6-N1	7.76	1.45	1.39
11	B2	310	G	C5-C6	-7.76	1.34	1.42
11	B2	1315	G	P-O5'	-7.76	1.51	1.59
11	B2	1457	A	C8-N7	-7.76	1.26	1.31
38	A1	745	C	C5'-C4'	7.76	1.60	1.51
38	A1	796	C	C4-C5	7.76	1.49	1.43
38	A1	2408	G	C5-C4	-7.76	1.32	1.38
11	B2	901	G	C2-N3	7.76	1.39	1.32
38	A1	749	G	C5-C4	-7.76	1.32	1.38
38	A1	2542	G	N1-C2	7.76	1.44	1.37
11	B2	448	A	C2'-C1'	-7.76	1.44	1.53
11	B2	958	G	N7-C5	-7.76	1.34	1.39
11	B2	1414	G	N7-C5	-7.76	1.34	1.39
38	A1	1818	G	C2'-C1'	-7.76	1.44	1.53
38	A1	1820	C	N3-C4	7.76	1.39	1.33
38	A1	2897	C	C4-C5	7.76	1.49	1.43
11	B2	630	A	C5-C4	-7.76	1.33	1.38
38	A1	12	C	N3-C4	7.76	1.39	1.33
38	A1	1107	G	N9-C8	7.76	1.43	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1608	G	C4'-C3'	-7.76	1.44	1.53
38	A1	984	U	C5'-C4'	-7.75	1.42	1.51
38	A1	2109	C	N1-C2	7.75	1.48	1.40
38	A1	1079	A	C6-N1	7.75	1.41	1.35
38	A1	1567	C	C4-N4	7.75	1.41	1.33
38	A1	2258	A	C6-N1	7.75	1.41	1.35
11	B2	1370	U	C2'-C1'	-7.75	1.44	1.53
38	A1	626	C	N3-C4	7.75	1.39	1.33
38	A1	1695	G	N9-C8	-7.75	1.32	1.37
11	B2	722	G	N3-C4	-7.75	1.30	1.35
38	A1	809	A	N7-C5	-7.75	1.34	1.39
38	A1	2453	C	N1-C6	-7.75	1.32	1.37
38	A1	114	C	P-O5'	-7.75	1.52	1.59
38	A1	2840	C	N1-C6	7.75	1.41	1.37
11	B2	83	C	C2'-C1'	-7.75	1.44	1.53
11	B2	903	G	O3'-P	-7.75	1.51	1.61
38	A1	573	G	C5-C4	7.75	1.43	1.38
38	A1	1242	A	N7-C5	-7.75	1.34	1.39
38	A1	2316	U	C4-C5	7.75	1.50	1.43
38	A1	2655	C	C5'-C4'	7.75	1.60	1.51
38	A1	920	G	C5'-C4'	7.75	1.60	1.51
11	B2	141	C	C2-N3	7.74	1.42	1.35
11	B2	454	G	N7-C5	-7.74	1.34	1.39
11	B2	939	C	C4-N4	7.74	1.41	1.33
11	B2	990	G	C4'-C3'	7.74	1.61	1.53
11	B2	1111	G	C4'-C3'	7.74	1.61	1.53
38	A1	2785	G	C2-N3	7.74	1.39	1.32
38	A1	2821	G	C2-N2	7.74	1.42	1.34
38	A1	2770	A	N3-C4	-7.74	1.30	1.34
38	A1	2772	U	C2-N3	7.74	1.43	1.37
11	B2	38	G	N9-C8	-7.74	1.32	1.37
11	B2	133	G	N3-C4	-7.74	1.30	1.35
11	B2	447	A	C8-N7	7.74	1.36	1.31
11	B2	490	C	C4-C5	-7.74	1.36	1.43
38	A1	1755	C	C2-O2	-7.74	1.17	1.24
11	B2	70	C	P-O5'	7.74	1.67	1.59
11	B2	211	G	C2-N2	7.74	1.42	1.34
11	B2	932	C	C1'-N1	7.74	1.60	1.48
38	A1	1202	G	C6-N1	7.74	1.45	1.39
38	A1	1697	G	C8-N7	-7.74	1.26	1.30
38	A1	2222	C	C4'-C3'	7.74	1.61	1.53
38	A1	1147	G	C2-N3	7.74	1.39	1.32

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2489	C	N3-C4	7.74	1.39	1.33
11	B2	643	G	C6-N1	7.73	1.45	1.39
38	A1	771	G	N7-C5	-7.73	1.34	1.39
38	A1	1776	G	C6-N1	7.73	1.45	1.39
39	A3	83	C	C2-N3	7.73	1.42	1.35
11	B2	89	G	C6-N1	7.73	1.45	1.39
38	A1	485	G	N9-C4	-7.73	1.31	1.38
39	A3	21	C	C3'-O3'	-7.73	1.31	1.42
10	B1	50	G	C5-C4	7.73	1.43	1.38
11	B2	704	C	N1-C6	7.73	1.41	1.37
11	B2	1070	C	C4-C5	-7.73	1.36	1.43
11	B2	1266	A	C5-C4	7.73	1.44	1.38
38	A1	1097	G	N3-C4	-7.73	1.30	1.35
38	A1	1336	G	C2-N3	7.73	1.39	1.32
38	A1	1398	C	C4-N4	7.73	1.41	1.33
38	A1	1660	A	N1-C2	7.73	1.41	1.34
11	B2	693	C	C5'-C4'	7.72	1.60	1.51
11	B2	1046	G	C6-N1	7.72	1.45	1.39
11	B2	1137	G	C2-N2	7.72	1.42	1.34
11	B2	1383	A	C8-N7	-7.72	1.26	1.31
38	A1	1101	U	N3-C4	7.72	1.45	1.38
38	A1	2341	G	N9-C8	7.72	1.43	1.37
11	B2	887	G	N3-C4	-7.72	1.30	1.35
38	A1	722	C	N1-C6	7.72	1.41	1.37
38	A1	1335	C	C2-N3	7.72	1.42	1.35
38	A1	1659	G	C5-C4	7.72	1.43	1.38
38	A1	1916	U	O3'-P	-7.72	1.51	1.61
38	A1	2449	A	N3-C4	-7.72	1.30	1.34
38	A1	1626	A	N9-C4	7.72	1.42	1.37
38	A1	1713	G	C2-N3	7.72	1.39	1.32
38	A1	1197	G	C5-C4	-7.72	1.32	1.38
38	A1	1556	G	C6-N1	7.72	1.45	1.39
38	A1	327	G	P-O5'	-7.72	1.52	1.59
11	B2	1253	G	C5-C6	-7.71	1.34	1.42
38	A1	1622	G	C6-N1	7.71	1.45	1.39
38	A1	2495	A	C6-N1	7.71	1.41	1.35
11	B2	418	G	C4'-C3'	-7.71	1.44	1.53
38	A1	1264	G	C5-C4	7.71	1.43	1.38
11	B2	613	C	N3-C4	7.71	1.39	1.33
11	B2	645	G	C8-N7	-7.71	1.26	1.30
11	B2	1042	U	C2-N3	7.71	1.43	1.37
38	A1	480	A	C5'-C4'	7.71	1.60	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	687	C	C2-N3	7.71	1.42	1.35
39	A3	21	C	C2-N3	7.71	1.42	1.35
38	A1	1568	A	C6-N6	7.71	1.40	1.33
38	A1	2727	C	N3-C4	7.71	1.39	1.33
11	B2	79	G	N1-C2	7.70	1.44	1.37
11	B2	232	G	C8-N7	-7.70	1.26	1.30
11	B2	553	C	C4-N4	7.70	1.40	1.33
38	A1	244	A	C6-N6	7.70	1.40	1.33
38	A1	423	G	N7-C5	-7.70	1.34	1.39
38	A1	2362	U	C2-N3	7.70	1.43	1.37
38	A1	3030	A	N7-C5	-7.70	1.34	1.39
11	B2	114	A	C5-C4	7.70	1.44	1.38
38	A1	394	A	N3-C4	-7.70	1.30	1.34
38	A1	1613	A	C5-C4	7.70	1.44	1.38
38	A1	2736	G	C5'-C4'	7.70	1.60	1.51
11	B2	1249	A	N7-C5	-7.70	1.34	1.39
11	B2	1404	C	C4-N4	7.70	1.40	1.33
38	A1	265	A	N7-C5	-7.70	1.34	1.39
38	A1	1780	C	C4-C5	-7.70	1.36	1.43
38	A1	1801	C	N3-C4	7.70	1.39	1.33
38	A1	517	A	P-O5'	-7.70	1.52	1.59
38	A1	2818	C	C4-C5	7.70	1.49	1.43
11	B2	256	G	N7-C5	-7.70	1.34	1.39
11	B2	377	A	C6-N6	7.70	1.40	1.33
11	B2	635	C	N3-C4	7.70	1.39	1.33
11	B2	1111	G	C4'-O4'	-7.70	1.35	1.45
38	A1	120	G	N3-C4	-7.70	1.30	1.35
38	A1	1620	C	N3-C4	7.70	1.39	1.33
38	A1	350	A	C2'-C1'	-7.69	1.44	1.53
38	A1	2610	C	P-O5'	7.69	1.67	1.59
11	B2	199	A	C6-N6	7.69	1.40	1.33
38	A1	905	G	N1-C2	7.69	1.44	1.37
38	A1	1351	G	C6-N1	7.69	1.45	1.39
38	A1	1911	G	C5-C4	7.69	1.43	1.38
38	A1	268	C	N1-C6	7.69	1.41	1.37
38	A1	2665	G	C1'-N9	-7.69	1.36	1.46
11	B2	1425	C	P-O5'	7.69	1.67	1.59
38	A1	48	G	C8-N7	-7.69	1.26	1.30
38	A1	950	G	C8-N7	7.69	1.35	1.30
11	B2	733	C	C2-N3	7.69	1.41	1.35
38	A1	702	G	C8-N7	-7.69	1.26	1.30
38	A1	2293	G	N7-C5	-7.69	1.34	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
39	A3	33	U	C5'-C4'	7.69	1.60	1.51
11	B2	460	C	C2-N3	-7.69	1.29	1.35
38	A1	849	C	C4'-C3'	-7.69	1.44	1.53
11	B2	235	G	C2-N3	7.68	1.38	1.32
11	B2	389	G	N1-C2	7.68	1.43	1.37
11	B2	844	G	C6-N1	-7.68	1.34	1.39
11	B2	1466	G	C2-N2	7.68	1.42	1.34
38	A1	43	G	N9-C4	-7.68	1.31	1.38
38	A1	1027	A	N3-C4	7.68	1.39	1.34
38	A1	1207	G	N3-C4	-7.68	1.30	1.35
38	A1	1641	G	C2-N2	7.68	1.42	1.34
38	A1	1946	G	P-O5'	-7.68	1.52	1.59
38	A1	1985	G	N9-C8	7.68	1.43	1.37
38	A1	1976	C	C4-N4	7.68	1.40	1.33
11	B2	729	G	C2-N3	7.68	1.38	1.32
38	A1	542	A	O3'-P	-7.68	1.51	1.61
38	A1	2679	A	N7-C5	7.68	1.43	1.39
11	B2	537	G	N3-C4	7.68	1.40	1.35
11	B2	974	G	C2-N3	7.68	1.38	1.32
11	B2	1006	C	C4-N4	7.68	1.40	1.33
11	B2	1078	U	N3-C4	7.68	1.45	1.38
38	A1	2195	G	C2'-C1'	-7.68	1.45	1.53
38	A1	2459	G	C5'-C4'	7.68	1.60	1.51
38	A1	2685	G	C5-C4	7.68	1.43	1.38
11	B2	397	C	C4-N4	7.68	1.40	1.33
38	A1	2036	A	N9-C8	7.68	1.43	1.37
38	A1	2239	C	N3-C4	7.68	1.39	1.33
11	B2	283	U	N3-C4	7.67	1.45	1.38
11	B2	1146	G	C2-N2	7.67	1.42	1.34
38	A1	212	A	C6-N1	7.67	1.41	1.35
38	A1	1306	A	N1-C2	-7.67	1.27	1.34
38	A1	1351	G	N1-C2	7.67	1.43	1.37
38	A1	2599	C	C4-C5	7.67	1.49	1.43
38	A1	527	G	N9-C8	7.67	1.43	1.37
38	A1	2068	U	C2'-C1'	-7.67	1.45	1.53
11	B2	988	A	N9-C4	7.67	1.42	1.37
4	AQ	139	TYR	CE2-CZ	7.67	1.48	1.38
10	B1	53	G	C2-N3	7.67	1.38	1.32
11	B2	858	A	C6-N6	7.67	1.40	1.33
38	A1	905	G	O3'-P	-7.67	1.51	1.61
38	A1	1429	A	C6-N1	7.67	1.41	1.35
11	B2	150	G	C6-N1	7.67	1.45	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	387	G	N9-C8	7.67	1.43	1.37
11	B2	1242	C	C4-C5	-7.67	1.36	1.43
11	B2	1302	C	C2-N3	7.67	1.41	1.35
38	A1	736	U	O3'-P	-7.67	1.51	1.61
38	A1	1795	C	C5-C6	-7.67	1.28	1.34
38	A1	1903	G	P-O5'	-7.67	1.52	1.59
11	B2	289	C	N1-C6	7.67	1.41	1.37
11	B2	1099	A	C4'-C3'	7.67	1.61	1.53
38	A1	618	C	C4-N4	7.67	1.40	1.33
38	A1	1919	A	C4'-C3'	7.67	1.61	1.53
11	B2	242	A	C6-N1	7.67	1.41	1.35
11	B2	550	G	N1-C2	7.66	1.43	1.37
11	B2	728	G	C2-N3	7.66	1.38	1.32
11	B2	1162	G	N3-C4	-7.66	1.30	1.35
38	A1	400	U	N3-C4	7.66	1.45	1.38
38	A1	1410	A	N7-C5	-7.66	1.34	1.39
38	A1	2384	G	C6-N1	7.66	1.45	1.39
38	A1	2595	C	N3-C4	7.66	1.39	1.33
38	A1	970	G	N7-C5	-7.66	1.34	1.39
11	B2	1115	G	C2-N2	7.66	1.42	1.34
38	A1	1479	U	C2-N3	7.66	1.43	1.37
38	A1	1579	G	N7-C5	-7.66	1.34	1.39
38	A1	2482	G	C8-N7	-7.66	1.26	1.30
11	B2	106	A	N7-C5	-7.66	1.34	1.39
11	B2	1272	G	C5'-C4'	7.66	1.60	1.51
38	A1	350	A	N7-C5	-7.66	1.34	1.39
38	A1	1911	G	N9-C4	-7.66	1.31	1.38
11	B2	161	C	P-O5'	-7.66	1.52	1.59
11	B2	454	G	C5'-C4'	7.66	1.60	1.51
38	A1	715	G	N3-C4	-7.66	1.30	1.35
38	A1	986	G	C5-C4	7.66	1.43	1.38
38	A1	2186	C	N3-C4	7.66	1.39	1.33
38	A1	2862	A	C6-N6	7.66	1.40	1.33
11	B2	1045	A	O4'-C1'	7.66	1.51	1.41
38	A1	2213	G	N3-C4	-7.66	1.30	1.35
11	B2	416	A	C5-C4	7.65	1.44	1.38
38	A1	445	G	N1-C2	7.65	1.43	1.37
11	B2	1045	A	N9-C4	-7.65	1.33	1.37
38	A1	787	G	N3-C4	-7.65	1.30	1.35
38	A1	1169	G	N3-C4	-7.65	1.30	1.35
38	A1	2397	C	C2-N3	7.65	1.41	1.35
38	A1	3044	U	N1-C2	7.65	1.45	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
39	A3	67	U	N1-C6	7.65	1.44	1.38
11	B2	518	U	C4'-C3'	-7.65	1.44	1.53
38	A1	222	A	N9-C4	-7.65	1.33	1.37
38	A1	774	G	C6-N1	7.65	1.45	1.39
38	A1	836	U	C2-N3	7.65	1.43	1.37
38	A1	1782	C	N1-C6	7.65	1.41	1.37
38	A1	1840	G	C5'-C4'	7.65	1.60	1.51
38	A1	2948	A	N3-C4	-7.65	1.30	1.34
38	A1	3025	C	C2-N3	7.65	1.41	1.35
39	A3	30	G	O3'-P	-7.65	1.51	1.61
11	B2	955	G	C2-N3	7.65	1.38	1.32
38	A1	311	C	C2'-C1'	-7.65	1.45	1.53
11	B2	26	A	C2'-C1'	-7.64	1.45	1.53
38	A1	344	G	C2-N3	7.64	1.38	1.32
38	A1	1119	A	C6-N6	7.64	1.40	1.33
38	A1	1852	U	P-O5'	7.64	1.67	1.59
38	A1	1928	A	N9-C8	7.64	1.43	1.37
38	A1	2472	A	C5'-C4'	7.64	1.60	1.51
43	AB	25	ARG	NE-CZ	7.64	1.43	1.33
10	B1	14	A	N7-C5	-7.64	1.34	1.39
11	B2	398	C	C5-C6	7.64	1.40	1.34
38	A1	452	A	N7-C5	-7.64	1.34	1.39
38	A1	1968	A	P-O5'	-7.64	1.52	1.59
11	B2	192	G	C2'-C1'	-7.64	1.45	1.53
11	B2	910	G	C3'-C2'	7.64	1.61	1.52
11	B2	1396	C	C4-N4	7.64	1.40	1.33
38	A1	1461	G	P-O5'	-7.64	1.52	1.59
38	A1	2122	G	C8-N7	7.64	1.35	1.30
11	B2	492	G	N3-C4	-7.64	1.30	1.35
11	B2	493	C	N3-C4	7.64	1.39	1.33
11	B2	1223	C	P-O5'	-7.64	1.52	1.59
38	A1	146	U	C4'-C3'	7.64	1.61	1.53
38	A1	264	G	P-O5'	-7.64	1.52	1.59
38	A1	334	G	C2'-C1'	-7.64	1.45	1.53
38	A1	605	A	C8-N7	7.64	1.36	1.31
11	B2	1012	C	N1-C6	7.63	1.41	1.37
38	A1	535	G	N1-C2	7.63	1.43	1.37
38	A1	2062	A	C3'-C2'	7.63	1.61	1.52
38	A1	2750	C	O4'-C1'	7.63	1.51	1.41
11	B2	211	G	O3'-P	-7.63	1.51	1.61
11	B2	1455	A	C6-N1	7.63	1.40	1.35
38	A1	966	G	C5'-C4'	7.63	1.60	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2175	G	N9-C8	7.63	1.43	1.37
38	A1	1171	G	C6-N1	7.63	1.44	1.39
38	A1	2026	C	N3-C4	7.63	1.39	1.33
38	A1	883	G	C5-C4	7.63	1.43	1.38
38	A1	2877	A	N7-C5	-7.63	1.34	1.39
11	B2	381	C	C4-C5	7.63	1.49	1.43
11	B2	583	G	C2-N2	7.63	1.42	1.34
11	B2	1181	G	N1-C2	7.63	1.43	1.37
38	A1	401	C	O3'-P	-7.63	1.51	1.61
38	A1	1073	G	C6-N1	7.63	1.44	1.39
11	B2	453	G	N1-C2	7.63	1.43	1.37
38	A1	479	G	C6-N1	7.63	1.44	1.39
38	A1	494	C	N1-C6	-7.63	1.32	1.37
38	A1	537	U	C3'-C2'	-7.63	1.44	1.52
38	A1	835	G	N7-C5	7.63	1.43	1.39
38	A1	1226	G	O3'-P	-7.63	1.51	1.61
38	A1	2554	A	N3-C4	7.63	1.39	1.34
11	B2	79	G	C5'-C4'	7.62	1.60	1.51
38	A1	2101	A	C6-N1	7.62	1.40	1.35
38	A1	492	A	C6-N1	7.62	1.40	1.35
38	A1	1761	C	N3-C4	7.62	1.39	1.33
38	A1	554	C	N3-C4	7.62	1.39	1.33
38	A1	2037	A	C4'-C3'	7.62	1.61	1.53
38	A1	2710	G	N1-C2	7.62	1.43	1.37
11	B2	315	A	N9-C4	7.62	1.42	1.37
11	B2	701	G	C8-N7	7.62	1.35	1.30
11	B2	1328	G	C2-N3	7.62	1.38	1.32
38	A1	167	G	C2-N3	7.62	1.38	1.32
38	A1	650	C	N1-C6	7.62	1.41	1.37
38	A1	1088	G	N7-C5	-7.62	1.34	1.39
38	A1	1616	A	N7-C5	-7.62	1.34	1.39
38	A1	2803	U	N1-C2	-7.62	1.31	1.38
38	A1	167	G	C8-N7	-7.62	1.26	1.30
38	A1	986	G	C8-N7	7.62	1.35	1.30
11	B2	93	A	P-O5'	-7.62	1.52	1.59
11	B2	130	G	P-O5'	-7.62	1.52	1.59
11	B2	541	G	N3-C4	-7.62	1.30	1.35
23	BK	25	ARG	CZ-NH2	7.62	1.43	1.33
38	A1	1132	U	N3-C4	7.62	1.45	1.38
38	A1	1858	G	N1-C2	7.62	1.43	1.37
38	A1	2557	C	N3-C4	7.62	1.39	1.33
11	B2	826	C	C4-C5	7.61	1.49	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	95	G	N3-C4	-7.61	1.30	1.35
38	A1	2838	U	N1-C2	7.61	1.45	1.38
38	A1	234	G	N9-C4	-7.61	1.31	1.38
38	A1	318	G	N7-C5	-7.61	1.34	1.39
38	A1	1104	A	C6-N6	7.61	1.40	1.33
38	A1	1128	G	N3-C4	-7.61	1.30	1.35
38	A1	1600	G	N7-C5	-7.61	1.34	1.39
38	A1	1964	G	N7-C5	-7.61	1.34	1.39
11	B2	966	G	C6-N1	7.61	1.44	1.39
38	A1	166	G	C6-N1	7.61	1.44	1.39
38	A1	730	C	N3-C4	7.61	1.39	1.33
38	A1	766	G	C6-N1	7.61	1.44	1.39
11	B2	1419	G	N9-C8	7.61	1.43	1.37
11	B2	67	C	N3-C4	7.61	1.39	1.33
11	B2	564	C	O3'-P	-7.61	1.52	1.61
38	A1	596	C	P-O5'	-7.61	1.52	1.59
38	A1	865	C	N1-C6	7.61	1.41	1.37
38	A1	1044	C	N1-C6	-7.61	1.32	1.37
38	A1	2119	C	C4-N4	7.61	1.40	1.33
38	A1	2489	C	C2'-C1'	-7.61	1.45	1.53
11	B2	649	A	C5-C4	7.60	1.44	1.38
11	B2	356	G	N9-C8	-7.60	1.32	1.37
11	B2	1227	A	C6-N1	7.60	1.40	1.35
38	A1	257	G	C8-N7	-7.60	1.26	1.30
38	A1	1863	G	C4'-O4'	7.60	1.55	1.45
38	A1	1968	A	N3-C4	-7.60	1.30	1.34
38	A1	2558	U	P-O5'	7.60	1.67	1.59
38	A1	2976	G	C6-N1	7.60	1.44	1.39
11	B2	1304	C	N3-C4	7.60	1.39	1.33
11	B2	1228	A	C8-N7	-7.60	1.26	1.31
38	A1	846	C	N3-C4	7.60	1.39	1.33
38	A1	1693	G	C5-C4	7.60	1.43	1.38
11	B2	616	G	C4'-C3'	7.60	1.61	1.53
38	A1	466	C	C4-C5	-7.60	1.36	1.43
38	A1	2373	G	C5'-C4'	7.60	1.60	1.51
41	AA	215	GLU	CD-OE2	7.60	1.34	1.25
10	B1	49	C	N3-C4	7.60	1.39	1.33
11	B2	659	U	C2'-C1'	-7.60	1.45	1.53
11	B2	812	U	N3-C4	7.60	1.45	1.38
38	A1	1778	G	C6-N1	7.59	1.44	1.39
38	A1	2347	G	C5-C4	7.59	1.43	1.38
38	A1	2854	A	C2'-C1'	-7.59	1.45	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	2	U	N3-C4	7.59	1.45	1.38
11	B2	1136	A	N9-C4	-7.59	1.33	1.37
38	A1	265	A	C6-N6	7.59	1.40	1.33
38	A1	1528	A	N7-C5	-7.59	1.34	1.39
38	A1	1759	A	C6-N1	7.59	1.40	1.35
38	A1	2010	G	C6-N1	7.59	1.44	1.39
38	A1	2702	A	N9-C8	7.59	1.43	1.37
38	A1	2094	A	C6-N6	7.58	1.40	1.33
39	A3	100	A	N9-C8	7.58	1.43	1.37
38	A1	844	C	P-O5'	-7.58	1.52	1.59
38	A1	1534	G	P-O5'	7.58	1.67	1.59
38	A1	1751	G	C5-C6	7.58	1.50	1.42
11	B2	1481	G	C6-N1	7.58	1.44	1.39
38	A1	197	C	C2-N3	7.58	1.41	1.35
38	A1	342	C	N3-C4	7.58	1.39	1.33
39	A3	47	G	C4'-O4'	7.58	1.55	1.45
38	A1	1286	G	N7-C5	7.58	1.43	1.39
11	B2	797	U	C2-N3	7.58	1.43	1.37
11	B2	1475	C	N3-C4	7.58	1.39	1.33
38	A1	382	G	C2-N3	7.58	1.38	1.32
38	A1	1946	G	C2-N3	7.58	1.38	1.32
38	A1	1977	C	N3-C4	7.58	1.39	1.33
65	AV	52	TRP	CB-CG	7.58	1.63	1.50
38	A1	1401	G	C8-N7	7.58	1.35	1.30
38	A1	1699	U	P-O5'	-7.58	1.52	1.59
38	A1	2484	C	P-O5'	-7.58	1.52	1.59
11	B2	91	G	C4'-C3'	7.57	1.61	1.53
11	B2	912	G	C2'-C1'	-7.57	1.45	1.53
38	A1	75	G	N3-C4	7.57	1.40	1.35
38	A1	2238	G	C6-N1	7.57	1.44	1.39
11	B2	915	U	C2-N3	7.57	1.43	1.37
11	B2	1164	A	N9-C4	7.57	1.42	1.37
38	A1	2476	A	C6-N1	7.57	1.40	1.35
11	B2	387	G	C2'-C1'	-7.57	1.45	1.53
38	A1	656	G	N7-C5	-7.57	1.34	1.39
38	A1	771	G	N3-C4	-7.57	1.30	1.35
38	A1	802	G	C2-N3	7.57	1.38	1.32
38	A1	2417	G	C5-C4	-7.57	1.33	1.38
38	A1	2799	C	N3-C4	7.57	1.39	1.33
38	A1	1711	C	N1-C6	7.57	1.41	1.37
38	A1	1833	G	C2-N3	7.57	1.38	1.32
38	A1	2151	C	C4-N4	7.57	1.40	1.33

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1167	C	C4-C5	7.57	1.49	1.43
11	B2	1182	G	C4'-C3'	-7.57	1.44	1.53
38	A1	802	G	C8-N7	7.57	1.35	1.30
38	A1	1693	G	C8-N7	7.57	1.35	1.30
38	A1	2221	A	C5-C6	7.57	1.47	1.41
38	A1	2511	C	C5-C6	-7.57	1.28	1.34
11	B2	26	A	C6-N6	7.57	1.40	1.33
11	B2	75	C	N3-C4	7.57	1.39	1.33
11	B2	615	G	N1-C2	7.57	1.43	1.37
11	B2	1055	C	C4-N4	7.57	1.40	1.33
38	A1	1653	U	N1-C2	7.57	1.45	1.38
10	B1	19	G	N3-C4	7.56	1.40	1.35
11	B2	1481	G	C4'-C3'	7.56	1.61	1.53
38	A1	261	A	C8-N7	-7.56	1.26	1.31
38	A1	1446	G	N3-C4	-7.56	1.30	1.35
11	B2	1297	G	N9-C4	7.56	1.44	1.38
38	A1	1533	G	C2-N2	7.56	1.42	1.34
38	A1	1639	G	O3'-P	-7.56	1.52	1.61
38	A1	1788	G	C8-N7	7.56	1.35	1.30
38	A1	2579	G	N1-C2	7.56	1.43	1.37
11	B2	899	G	O4'-C1'	7.56	1.51	1.41
11	B2	1122	C	N3-C4	7.56	1.39	1.33
38	A1	337	G	N9-C4	-7.56	1.31	1.38
11	B2	110	C	N3-C4	7.56	1.39	1.33
11	B2	140	C	O3'-P	7.56	1.70	1.61
11	B2	173	G	C2-N3	7.56	1.38	1.32
11	B2	684	G	C2-N2	7.56	1.42	1.34
38	A1	141	C	C4-N4	7.56	1.40	1.33
38	A1	980	G	C5-C4	7.56	1.43	1.38
38	A1	1144	A	N1-C2	7.56	1.41	1.34
38	A1	1784	G	C8-N7	-7.56	1.26	1.30
38	A1	2159	C	P-O5'	-7.56	1.52	1.59
11	B2	166	A	C8-N7	-7.56	1.26	1.31
11	B2	367	G	C8-N7	-7.56	1.26	1.30
11	B2	419	G	N1-C2	7.56	1.43	1.37
11	B2	937	A	C4'-C3'	7.56	1.61	1.53
11	B2	1102	A	C2'-C1'	-7.56	1.45	1.53
38	A1	524	C	C2-N3	7.56	1.41	1.35
38	A1	636	G	C5'-C4'	7.56	1.60	1.51
38	A1	700	A	C2'-C1'	-7.56	1.45	1.53
38	A1	1577	C	N3-C4	7.56	1.39	1.33
38	A1	1775	G	C2-N3	7.56	1.38	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2133	G	C6-N1	7.56	1.44	1.39
38	A1	667	C	P-O5'	-7.56	1.52	1.59
38	A1	1279	U	C5-C6	-7.56	1.27	1.34
11	B2	95	G	C8-N7	-7.55	1.26	1.30
38	A1	1430	A	C6-N6	7.55	1.40	1.33
11	B2	16	G	N9-C8	7.55	1.43	1.37
11	B2	405	G	N1-C2	7.55	1.43	1.37
11	B2	829	U	C2-N3	7.55	1.43	1.37
11	B2	921	G	C5'-C4'	7.55	1.60	1.51
11	B2	1330	G	C6-N1	7.55	1.44	1.39
38	A1	9	A	N7-C5	-7.55	1.34	1.39
38	A1	1109	G	N9-C8	-7.55	1.32	1.37
38	A1	1114	G	C4'-C3'	7.55	1.61	1.53
38	A1	1351	G	C2-N2	7.55	1.42	1.34
38	A1	1470	C	C4-N4	7.55	1.40	1.33
38	A1	1275	G	C2'-C1'	-7.55	1.45	1.53
38	A1	2422	G	O3'-P	-7.55	1.52	1.61
46	AD	64	GLY	CA-C	-7.55	1.39	1.51
38	A1	2275	G	C5-C4	7.55	1.43	1.38
11	B2	446	G	C2'-C1'	-7.54	1.45	1.53
38	A1	1009	G	C6-N1	7.54	1.44	1.39
11	B2	1299	A	C5-C4	7.54	1.44	1.38
38	A1	2753	G	N9-C8	7.54	1.43	1.37
11	B2	1199	A	C8-N7	-7.54	1.26	1.31
38	A1	2494	A	C5'-C4'	7.54	1.60	1.51
38	A1	1199	U	C2'-C1'	-7.54	1.45	1.53
38	A1	2478	G	C5-C6	-7.54	1.34	1.42
38	A1	803	A	C5-C4	7.54	1.44	1.38
38	A1	916	A	C6-N6	7.54	1.40	1.33
38	A1	2396	G	C8-N7	-7.54	1.26	1.30
38	A1	256	G	O3'-P	-7.54	1.52	1.61
11	B2	1446	G	C6-N1	7.54	1.44	1.39
38	A1	179	A	N9-C8	7.54	1.43	1.37
38	A1	705	G	C6-N1	7.54	1.44	1.39
38	A1	1654	G	N1-C2	7.54	1.43	1.37
38	A1	2002	A	C3'-C2'	7.54	1.61	1.52
38	A1	2398	C	C2-N3	-7.54	1.29	1.35
11	B2	1157	G	N3-C4	7.53	1.40	1.35
11	B2	1480	G	N7-C5	-7.53	1.34	1.39
38	A1	132	G	N3-C4	-7.53	1.30	1.35
38	A1	348	G	C5-C4	7.53	1.43	1.38
38	A1	2508	G	C2-N2	7.53	1.42	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1937	A	N3-C4	-7.53	1.30	1.34
38	A1	42	G	N1-C2	7.53	1.43	1.37
38	A1	139	G	C2-N3	7.53	1.38	1.32
38	A1	1017	A	C6-N1	7.53	1.40	1.35
38	A1	2037	A	C8-N7	-7.53	1.26	1.31
38	A1	2299	G	P-O5'	-7.53	1.52	1.59
11	B2	726	A	C6-N6	7.53	1.40	1.33
11	B2	1014	C	C4-N4	7.53	1.40	1.33
18	BF	82	ARG	CZ-NH1	7.53	1.42	1.33
38	A1	989	G	N1-C2	7.53	1.43	1.37
38	A1	1618	G	N7-C5	-7.53	1.34	1.39
38	A1	1796	U	C2-N3	7.53	1.43	1.37
38	A1	2792	G	N3-C4	-7.53	1.30	1.35
11	B2	426	C	C2-O2	-7.53	1.17	1.24
38	A1	123	A	C6-N6	7.53	1.40	1.33
38	A1	1600	G	O3'-P	-7.53	1.52	1.61
38	A1	1972	C	C4-N4	7.53	1.40	1.33
38	A1	509	A	C6-N6	7.53	1.40	1.33
38	A1	597	C	N1-C6	7.53	1.41	1.37
11	B2	1153	G	P-O5'	-7.52	1.52	1.59
38	A1	2375	C	C2-N3	7.52	1.41	1.35
11	B2	16	G	N1-C2	7.52	1.43	1.37
11	B2	630	A	N9-C8	-7.52	1.31	1.37
38	A1	227	G	N9-C4	7.52	1.44	1.38
38	A1	1565	G	C5'-C4'	7.52	1.60	1.51
38	A1	2543	A	C6-N1	7.52	1.40	1.35
38	A1	2590	C	C5'-C4'	7.52	1.60	1.51
11	B2	1374	C	N1-C6	7.52	1.41	1.37
38	A1	292	U	C2-N3	7.52	1.43	1.37
38	A1	853	G	N7-C5	-7.52	1.34	1.39
38	A1	1112	G	N3-C4	7.52	1.40	1.35
38	A1	1984	G	N9-C4	-7.52	1.31	1.38
38	A1	1989	G	O3'-P	-7.52	1.52	1.61
39	A3	3	G	C5-C6	-7.52	1.34	1.42
11	B2	991	C	N1-C6	7.52	1.41	1.37
38	A1	359	C	C5'-C4'	7.52	1.60	1.51
38	A1	1061	G	C5'-C4'	7.52	1.60	1.51
38	A1	1305	C	C1'-N1	7.52	1.60	1.48
11	B2	722	G	C5-C4	7.52	1.43	1.38
11	B2	390	G	C2'-C1'	-7.51	1.45	1.53
11	B2	484	U	C2-N3	7.51	1.43	1.37
11	B2	1103	G	N1-C2	7.51	1.43	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1471	G	C2-N3	7.51	1.38	1.32
38	A1	2288	C	C4-N4	7.51	1.40	1.33
38	A1	1396	A	C6-N6	7.51	1.40	1.33
11	B2	587	G	C2-N3	7.51	1.38	1.32
11	B2	1315	G	C6-N1	-7.51	1.34	1.39
11	B2	1342	C	N1-C6	7.51	1.41	1.37
38	A1	165	G	N9-C4	7.51	1.44	1.38
11	B2	1153	G	C5-C4	7.51	1.43	1.38
38	A1	929	G	C5'-C4'	7.51	1.60	1.51
38	A1	2685	G	N9-C8	7.51	1.43	1.37
38	A1	1965	C	N1-C6	7.51	1.41	1.37
38	A1	2192	G	C6-N1	7.51	1.44	1.39
11	B2	1154	G	C5-C6	-7.51	1.34	1.42
11	B2	1486	A	N7-C5	-7.51	1.34	1.39
38	A1	2322	A	C6-N1	-7.51	1.30	1.35
39	A3	85	C	C4-C5	7.51	1.49	1.43
38	A1	1119	A	N9-C4	-7.50	1.33	1.37
38	A1	2310	G	C2-N3	7.50	1.38	1.32
11	B2	548	A	O4'-C1'	7.50	1.51	1.41
11	B2	752	G	N3-C4	-7.50	1.30	1.35
11	B2	1120	G	O3'-P	-7.50	1.52	1.61
11	B2	1419	G	N7-C5	-7.50	1.34	1.39
38	A1	885	A	N9-C4	7.50	1.42	1.37
38	A1	456	G	C2-N3	7.50	1.38	1.32
38	A1	1743	G	N7-C5	-7.50	1.34	1.39
11	B2	1037	U	C2-N3	7.50	1.43	1.37
38	A1	1228	G	C5'-C4'	7.50	1.60	1.51
38	A1	1873	G	N1-C2	7.50	1.43	1.37
38	A1	2299	G	C6-N1	7.50	1.44	1.39
50	AF	8	ARG	CZ-NH1	7.50	1.42	1.33
11	B2	384	G	C2'-C1'	-7.50	1.45	1.53
38	A1	235	G	C4'-C3'	-7.50	1.45	1.53
38	A1	703	G	C8-N7	-7.50	1.26	1.30
38	A1	2741	U	C2'-C1'	-7.50	1.45	1.53
39	A3	54	A	C5'-C4'	7.50	1.60	1.51
38	A1	261	A	N3-C4	-7.50	1.30	1.34
38	A1	1893	C	N1-C6	7.50	1.41	1.37
38	A1	2384	G	C8-N7	-7.50	1.26	1.30
38	A1	2761	G	C8-N7	-7.50	1.26	1.30
11	B2	145	A	C6-N1	7.50	1.40	1.35
38	A1	749	G	C6-N1	7.50	1.44	1.39
38	A1	857	U	O3'-P	-7.50	1.52	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	930	G	C2'-C1'	-7.50	1.45	1.53
38	A1	2009	G	N7-C5	-7.50	1.34	1.39
38	A1	2881	G	N1-C2	7.50	1.43	1.37
11	B2	351	C	C4-N4	7.49	1.40	1.33
38	A1	719	C	C4-C5	7.49	1.49	1.43
38	A1	1452	G	N9-C8	-7.49	1.32	1.37
38	A1	2054	G	C4'-C3'	7.49	1.61	1.53
38	A1	2222	C	N3-C4	7.49	1.39	1.33
38	A1	2252	C	C3'-C2'	7.49	1.61	1.52
38	A1	2365	G	C5-C4	7.49	1.43	1.38
38	A1	2413	G	C6-N1	7.49	1.44	1.39
38	A1	2572	U	C4-C5	7.49	1.50	1.43
11	B2	521	G	N1-C2	7.49	1.43	1.37
11	B2	1255	C	N1-C2	7.49	1.47	1.40
20	BH	202	SER	CA-CB	7.49	1.64	1.52
38	A1	1812	A	N9-C8	-7.49	1.31	1.37
39	A3	52	U	C5-C6	7.49	1.40	1.34
11	B2	203	A	N7-C5	-7.49	1.34	1.39
11	B2	946	G	C5-C6	-7.49	1.34	1.42
11	B2	1085	C	C1'-N1	7.49	1.59	1.48
11	B2	683	A	C8-N7	-7.49	1.26	1.31
11	B2	691	G	N9-C8	-7.49	1.32	1.37
38	A1	426	G	C6-N1	7.49	1.44	1.39
38	A1	902	C	N1-C6	7.49	1.41	1.37
38	A1	2795	G	N7-C5	-7.49	1.34	1.39
38	A1	62	C	N1-C6	7.49	1.41	1.37
38	A1	1551	G	C6-N1	7.49	1.44	1.39
11	B2	290	C	N1-C6	7.49	1.41	1.37
11	B2	1101	G	N1-C2	7.49	1.43	1.37
11	B2	1450	U	N1-C2	7.49	1.45	1.38
38	A1	512	G	C2-N3	7.49	1.38	1.32
38	A1	822	A	C3'-O3'	7.49	1.52	1.42
38	A1	1101	U	C2-N3	7.49	1.43	1.37
11	B2	267	C	C3'-C2'	7.48	1.61	1.52
38	A1	539	A	C6-N1	7.48	1.40	1.35
38	A1	1118	A	C3'-C2'	7.48	1.61	1.52
38	A1	2749	G	P-O5'	-7.48	1.52	1.59
11	B2	304	C	C5'-C4'	7.48	1.60	1.51
38	A1	1468	G	N1-C2	7.48	1.43	1.37
38	A1	775	C	C2-N3	7.48	1.41	1.35
38	A1	2633	A	C8-N7	-7.48	1.26	1.31
38	A1	2867	U	N1-C2	7.48	1.45	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	B1	20	G	C2-N3	7.48	1.38	1.32
10	B1	69	G	N3-C4	-7.48	1.30	1.35
10	B1	29	C	C4-N4	7.48	1.40	1.33
11	B2	878	U	P-O5'	-7.48	1.52	1.59
11	B2	986	G	N9-C4	7.48	1.44	1.38
11	B2	1143	G	N1-C2	7.48	1.43	1.37
38	A1	727	A	N3-C4	-7.48	1.30	1.34
38	A1	1165	C	C4'-O4'	-7.48	1.35	1.45
38	A1	1488	C	C2-O2	-7.48	1.17	1.24
38	A1	1875	U	N3-C4	7.48	1.45	1.38
39	A3	41	A	C6-N6	7.48	1.40	1.33
10	B1	32	A	C5-C6	-7.48	1.34	1.41
11	B2	1377	G	N1-C2	7.48	1.43	1.37
39	A3	76	U	C5'-C4'	7.48	1.60	1.51
11	B2	398	C	C2-N3	-7.47	1.29	1.35
38	A1	1537	U	C2-N3	7.47	1.43	1.37
38	A1	1735	G	C5-C6	-7.47	1.34	1.42
38	A1	2612	A	N9-C8	7.47	1.43	1.37
38	A1	2779	G	N3-C4	7.47	1.40	1.35
39	A3	117	G	C2-N3	7.47	1.38	1.32
11	B2	1083	G	N1-C2	7.47	1.43	1.37
38	A1	1275	G	C2-N3	7.47	1.38	1.32
38	A1	1386	G	C5'-C4'	7.47	1.60	1.51
38	A1	1470	C	N1-C6	7.47	1.41	1.37
39	A3	10	U	C4'-C3'	7.47	1.61	1.53
10	B1	27	A	N9-C4	7.47	1.42	1.37
11	B2	347	G	C2-N3	7.47	1.38	1.32
11	B2	966	G	N1-C2	7.47	1.43	1.37
11	B2	1177	C	C4-C5	7.47	1.49	1.43
13	BA	128	ARG	CD-NE	7.47	1.59	1.46
38	A1	907	C	N1-C6	-7.47	1.32	1.37
11	B2	310	G	N7-C5	-7.47	1.34	1.39
11	B2	466	C	N1-C2	7.47	1.47	1.40
11	B2	712	G	C2-N3	7.47	1.38	1.32
11	B2	892	C	N3-C4	7.47	1.39	1.33
38	A1	844	C	O4'-C1'	7.47	1.51	1.41
38	A1	287	G	C8-N7	-7.47	1.26	1.30
38	A1	482	A	N3-C4	-7.47	1.30	1.34
38	A1	1340	G	N7-C5	-7.47	1.34	1.39
38	A1	2763	U	P-O5'	-7.47	1.52	1.59
11	B2	126	G	C2'-C1'	-7.47	1.45	1.53
38	A1	115	C	N3-C4	7.47	1.39	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	167	G	C1'-N9	-7.47	1.36	1.46
38	A1	727	A	N9-C4	7.47	1.42	1.37
38	A1	884	C	C4-C5	7.47	1.49	1.43
38	A1	1021	G	O3'-P	-7.47	1.52	1.61
38	A1	1282	A	C6-N1	7.47	1.40	1.35
38	A1	1489	G	C2-N3	7.47	1.38	1.32
38	A1	2509	A	C3'-C2'	7.47	1.61	1.52
10	B1	6	G	C2-N3	7.46	1.38	1.32
11	B2	1122	C	C4'-C3'	7.46	1.61	1.53
38	A1	69	C	N1-C6	7.46	1.41	1.37
38	A1	3026	C	N3-C4	7.46	1.39	1.33
39	A3	100	A	O3'-P	-7.46	1.52	1.61
11	B2	871	A	N3-C4	-7.46	1.30	1.34
11	B2	1273	G	N7-C5	-7.46	1.34	1.39
38	A1	249	G	N1-C2	7.46	1.43	1.37
38	A1	1582	G	C5-C4	7.46	1.43	1.38
11	B2	90	C	O3'-P	-7.46	1.52	1.61
11	B2	816	G	C2-N3	7.46	1.38	1.32
11	B2	1131	G	C2-N3	7.46	1.38	1.32
11	B2	1198	A	C2'-C1'	-7.46	1.45	1.53
38	A1	64	A	C5-C6	-7.46	1.34	1.41
38	A1	625	A	C5-C4	7.46	1.44	1.38
11	B2	103	A	C2'-C1'	-7.46	1.45	1.53
22	BJ	62	TYR	CE1-CZ	7.46	1.48	1.38
38	A1	856	A	C2'-C1'	-7.46	1.45	1.53
38	A1	1163	U	N3-C4	7.46	1.45	1.38
38	A1	2270	G	C4'-C3'	7.46	1.61	1.53
38	A1	2308	C	N1-C6	7.46	1.41	1.37
38	A1	2955	G	N7-C5	7.46	1.43	1.39
39	A3	99	G	C4'-C3'	-7.46	1.45	1.53
11	B2	444	G	N3-C4	-7.46	1.30	1.35
11	B2	1208	A	P-O5'	-7.46	1.52	1.59
38	A1	1164	C	C4-C5	7.46	1.49	1.43
38	A1	1560	G	C6-N1	7.46	1.44	1.39
38	A1	1738	A	P-O5'	7.46	1.67	1.59
38	A1	2658	G	C5-C6	-7.46	1.34	1.42
38	A1	2798	U	N1-C2	-7.46	1.31	1.38
38	A1	529	G	O3'-P	-7.46	1.52	1.61
11	B2	623	C	C2'-C1'	-7.45	1.45	1.53
11	B2	836	G	N9-C8	7.45	1.43	1.37
38	A1	1391	C	O3'-P	-7.45	1.52	1.61
38	A1	1547	U	C5-C6	7.45	1.40	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	181	G	C5-C4	7.45	1.43	1.38
38	A1	1076	G	C2-N3	7.45	1.38	1.32
11	B2	139	C	N3-C4	7.45	1.39	1.33
11	B2	277	G	C2-N3	7.45	1.38	1.32
11	B2	396	C	C4-N4	7.45	1.40	1.33
11	B2	674	C	O4'-C1'	7.45	1.51	1.41
38	A1	449	G	C5-C4	7.45	1.43	1.38
38	A1	1190	G	N9-C4	7.45	1.44	1.38
38	A1	2537	G	C6-N1	7.45	1.44	1.39
38	A1	2834	C	C2-N3	7.45	1.41	1.35
11	B2	27	C	C5-C6	-7.45	1.28	1.34
11	B2	63	G	O3'-P	-7.45	1.52	1.61
11	B2	865	A	C6-N6	7.45	1.40	1.33
38	A1	326	C	C2-N3	7.45	1.41	1.35
38	A1	1130	G	P-O5'	-7.45	1.52	1.59
38	A1	2012	G	N7-C5	-7.45	1.34	1.39
38	A1	2157	U	C2-N3	7.45	1.43	1.37
38	A1	2243	G	N9-C8	7.45	1.43	1.37
38	A1	2480	G	N1-C2	7.45	1.43	1.37
38	A1	966	G	N3-C4	7.45	1.40	1.35
38	A1	1655	G	C2-N3	7.45	1.38	1.32
38	A1	2729	A	P-O5'	-7.45	1.52	1.59
11	B2	1481	G	N7-C5	-7.44	1.34	1.39
38	A1	1814	A	N9-C8	7.44	1.43	1.37
11	B2	500	A	C8-N7	-7.44	1.26	1.31
38	A1	940	G	C2-N3	7.44	1.38	1.32
38	A1	1418	A	N7-C5	-7.44	1.34	1.39
38	A1	1746	C	C3'-C2'	7.44	1.61	1.52
11	B2	896	A	N3-C4	7.44	1.39	1.34
11	B2	951	G	N9-C8	-7.44	1.32	1.37
38	A1	626	C	P-O5'	-7.44	1.52	1.59
38	A1	1595	G	C2-N2	7.44	1.42	1.34
38	A1	1615	G	C5'-C4'	7.44	1.60	1.51
38	A1	3022	C	C4-N4	7.44	1.40	1.33
56	AJ	74	ARG	CD-NE	7.44	1.59	1.46
11	B2	92	G	N3-C4	-7.44	1.30	1.35
11	B2	437	A	N3-C4	7.44	1.39	1.34
11	B2	534	G	N7-C5	-7.44	1.34	1.39
11	B2	1431	C	N3-C4	7.44	1.39	1.33
38	A1	9	A	C8-N7	-7.44	1.26	1.31
38	A1	1661	A	N7-C5	-7.44	1.34	1.39
38	A1	2583	G	C2-N2	7.44	1.42	1.34

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2699	U	C2-N3	7.44	1.43	1.37
11	B2	1387	C	O3'-P	-7.44	1.52	1.61
38	A1	109	G	C2'-C1'	-7.44	1.45	1.53
38	A1	1751	G	C2-N3	7.44	1.38	1.32
38	A1	100	C	O3'-P	-7.43	1.52	1.61
38	A1	577	C	N1-C6	7.43	1.41	1.37
38	A1	1022	G	N3-C4	-7.43	1.30	1.35
38	A1	1253	U	C2-N3	7.43	1.43	1.37
38	A1	1304	G	P-O5'	7.43	1.67	1.59
38	A1	1570	C	P-O5'	-7.43	1.52	1.59
39	A3	30	G	C2-N3	7.43	1.38	1.32
39	A3	40	G	N9-C8	-7.43	1.32	1.37
11	B2	12	U	C2-N3	7.43	1.43	1.37
11	B2	122	C	C4'-C3'	7.43	1.61	1.53
38	A1	18	C	C4-N4	7.43	1.40	1.33
38	A1	510	A	N7-C5	-7.43	1.34	1.39
11	B2	377	A	C2-N3	7.43	1.40	1.33
38	A1	1278	C	N1-C6	7.43	1.41	1.37
38	A1	1892	G	N1-C2	7.43	1.43	1.37
38	A1	867	C	C4-C5	7.43	1.48	1.43
11	B2	561	A	C8-N7	-7.43	1.26	1.31
11	B2	778	G	O3'-P	-7.43	1.52	1.61
38	A1	23	G	C2-N3	7.43	1.38	1.32
38	A1	374	C	N1-C6	7.43	1.41	1.37
38	A1	1657	G	N3-C4	7.43	1.40	1.35
38	A1	62	C	C5-C6	-7.43	1.28	1.34
38	A1	1251	G	C5'-C4'	7.43	1.60	1.51
38	A1	2168	C	P-O5'	-7.43	1.52	1.59
38	A1	2832	G	C5-C6	-7.43	1.34	1.42
38	A1	2991	C	N1-C6	7.43	1.41	1.37
11	B2	165	U	N3-C4	7.42	1.45	1.38
11	B2	899	G	C5'-C4'	7.42	1.60	1.51
38	A1	630	G	C2-N2	7.42	1.42	1.34
57	Aj	50	PHE	CG-CD1	7.42	1.49	1.38
11	B2	960	A	N3-C4	7.42	1.39	1.34
11	B2	1352	G	N3-C4	-7.42	1.30	1.35
38	A1	1214	C	N3-C4	7.42	1.39	1.33
11	B2	137	A	O4'-C1'	7.42	1.51	1.41
38	A1	203	G	C5-C4	7.42	1.43	1.38
38	A1	861	G	C4'-C3'	7.42	1.61	1.53
38	A1	912	G	C2-N3	7.42	1.38	1.32
38	A1	1454	G	O3'-P	-7.42	1.52	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2533	G	N9-C4	7.42	1.43	1.38
38	A1	2683	G	N7-C5	-7.42	1.34	1.39
38	A1	2766	C	N3-C4	7.42	1.39	1.33
11	B2	579	U	C2-N3	7.42	1.43	1.37
11	B2	1156	A	N3-C4	-7.42	1.30	1.34
38	A1	1987	A	C6-N6	7.42	1.39	1.33
11	B2	835	C	N3-C4	7.42	1.39	1.33
38	A1	545	G	N1-C2	7.42	1.43	1.37
38	A1	1477	C	O3'-P	7.42	1.70	1.61
38	A1	2334	G	C5-C4	-7.42	1.33	1.38
38	A1	239	G	N1-C2	7.42	1.43	1.37
38	A1	759	G	C4'-C3'	7.42	1.61	1.53
38	A1	107	G	P-O5'	7.42	1.67	1.59
38	A1	1293	G	O4'-C1'	-7.41	1.32	1.41
38	A1	1574	A	N3-C4	-7.41	1.30	1.34
38	A1	2662	G	P-O5'	-7.41	1.52	1.59
11	B2	16	G	C2-N3	7.41	1.38	1.32
11	B2	1024	G	N9-C8	7.41	1.43	1.37
38	A1	704	G	N1-C2	7.41	1.43	1.37
38	A1	1876	G	C5-C6	-7.41	1.34	1.42
38	A1	2889	A	C4'-C3'	7.41	1.61	1.53
51	Ag	10	ARG	CD-NE	7.41	1.59	1.46
11	B2	1495	U	C2-N3	7.41	1.43	1.37
38	A1	470	A	O3'-P	-7.41	1.52	1.61
38	A1	767	G	C5'-C4'	7.41	1.60	1.51
38	A1	1798	A	C5-C4	-7.41	1.33	1.38
38	A1	2863	A	C6-N6	7.41	1.39	1.33
11	B2	301	G	C2-N3	7.41	1.38	1.32
38	A1	725	G	N1-C2	7.41	1.43	1.37
38	A1	856	A	N7-C5	-7.41	1.34	1.39
38	A1	1003	C	O3'-P	-7.41	1.52	1.61
38	A1	2280	G	C2-N2	7.41	1.42	1.34
38	A1	2586	A	C6-N1	7.41	1.40	1.35
10	B1	21	G	P-O5'	-7.41	1.52	1.59
11	B2	598	U	P-O5'	-7.41	1.52	1.59
11	B2	872	A	N3-C4	7.41	1.39	1.34
38	A1	729	A	N1-C2	7.41	1.41	1.34
38	A1	1548	A	C6-N6	7.41	1.39	1.33
38	A1	1832	G	N9-C8	7.41	1.43	1.37
38	A1	2699	U	O3'-P	-7.41	1.52	1.61
11	B2	353	G	N9-C8	-7.40	1.32	1.37
38	A1	10	C	C4-N4	7.40	1.40	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	523	C	C4-C5	7.40	1.48	1.43
38	A1	626	C	C3'-O3'	7.40	1.52	1.42
38	A1	2539	G	C2'-C1'	-7.40	1.45	1.53
39	A3	52	U	O3'-P	-7.40	1.52	1.61
23	BK	134	TYR	CZ-OH	7.40	1.50	1.37
38	A1	482	A	C8-N7	-7.40	1.26	1.31
38	A1	790	U	N1-C2	7.40	1.45	1.38
38	A1	2609	G	C3'-O3'	7.40	1.52	1.42
39	A3	59	C	N3-C4	7.40	1.39	1.33
38	A1	1613	A	N9-C8	7.40	1.43	1.37
38	A1	3030	A	C5-C6	-7.40	1.34	1.41
11	B2	998	A	N9-C4	7.40	1.42	1.37
38	A1	1349	G	C5-C4	7.40	1.43	1.38
10	B1	30	G	N7-C5	7.40	1.43	1.39
11	B2	807	C	N3-C4	7.40	1.39	1.33
11	B2	1001	A	C8-N7	7.40	1.36	1.31
38	A1	95	G	C2'-C1'	-7.40	1.45	1.53
38	A1	1092	U	C2-N3	7.40	1.43	1.37
11	B2	388	G	C5-C4	7.40	1.43	1.38
38	A1	23	G	N7-C5	-7.40	1.34	1.39
38	A1	2128	G	N9-C8	7.40	1.43	1.37
11	B2	1235	A	P-O5'	-7.39	1.52	1.59
38	A1	144	A	N7-C5	-7.39	1.34	1.39
38	A1	1608	G	C2'-C1'	-7.39	1.45	1.53
11	B2	836	G	C2'-C1'	-7.39	1.45	1.53
38	A1	1130	G	C2'-C1'	-7.39	1.45	1.53
38	A1	1713	G	C8-N7	-7.39	1.26	1.30
38	A1	1904	G	N1-C2	7.39	1.43	1.37
38	A1	1997	C	N1-C6	-7.39	1.32	1.37
38	A1	2984	A	N7-C5	7.39	1.43	1.39
38	A1	1583	G	C4'-C3'	7.39	1.61	1.53
38	A1	1621	G	N1-C2	7.39	1.43	1.37
11	B2	271	G	N9-C4	-7.39	1.32	1.38
38	A1	905	G	C8-N7	7.39	1.35	1.30
38	A1	1618	G	C2-N3	7.39	1.38	1.32
38	A1	1737	A	C4'-C3'	7.39	1.61	1.53
39	A3	8	C	N3-C4	7.39	1.39	1.33
10	B1	77	A	N9-C4	7.39	1.42	1.37
11	B2	781	U	N3-C4	7.39	1.45	1.38
11	B2	147	A	C5-C4	7.39	1.44	1.38
38	A1	854	G	C6-N1	7.39	1.44	1.39
38	A1	1628	C	N3-C4	7.39	1.39	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2043	A	C5'-C4'	7.39	1.60	1.51
11	B2	389	G	N9-C8	7.38	1.43	1.37
11	B2	701	G	P-O5'	7.38	1.67	1.59
11	B2	1048	G	C2-N3	7.38	1.38	1.32
11	B2	1342	C	P-O5'	-7.38	1.52	1.59
18	BF	130	SER	CA-CB	7.38	1.64	1.52
38	A1	1785	G	C6-N1	7.38	1.44	1.39
38	A1	1924	A	P-O5'	-7.38	1.52	1.59
38	A1	2290	U	C2-N3	7.38	1.43	1.37
38	A1	2843	C	C2'-C1'	-7.38	1.45	1.53
11	B2	361	A	C6-N6	7.38	1.39	1.33
11	B2	1298	G	C6-N1	7.38	1.44	1.39
38	A1	1591	C	C2-N3	7.38	1.41	1.35
38	A1	2729	A	N3-C4	-7.38	1.30	1.34
38	A1	394	A	C2'-C1'	-7.38	1.45	1.53
38	A1	704	G	N9-C4	-7.38	1.32	1.38
38	A1	2176	G	N1-C2	7.38	1.43	1.37
38	A1	2736	G	C2-N3	7.38	1.38	1.32
11	B2	1199	A	C2-N3	7.38	1.40	1.33
38	A1	17	C	P-O5'	-7.38	1.52	1.59
38	A1	1667	U	N1-C2	7.38	1.45	1.38
38	A1	2272	G	C2'-C1'	-7.38	1.45	1.53
38	A1	2532	G	N9-C4	-7.38	1.32	1.38
11	B2	198	A	O3'-P	-7.38	1.52	1.61
38	A1	216	A	C6-N6	7.38	1.39	1.33
38	A1	996	U	C5'-C4'	7.38	1.60	1.51
38	A1	1326	U	O4'-C1'	7.38	1.51	1.41
38	A1	2788	U	C2-N3	7.38	1.43	1.37
11	B2	647	G	N7-C5	7.38	1.43	1.39
11	B2	1102	A	C8-N7	-7.38	1.26	1.31
38	A1	2457	C	N1-C6	7.38	1.41	1.37
11	B2	766	G	N9-C8	7.37	1.43	1.37
11	B2	1161	A	O3'-P	-7.37	1.52	1.61
38	A1	798	G	C2-N3	7.37	1.38	1.32
38	A1	2006	C	C4-N4	7.37	1.40	1.33
38	A1	1652	A	N7-C5	-7.37	1.34	1.39
38	A1	2298	C	N1-C6	7.37	1.41	1.37
38	A1	2568	A	C6-N1	7.37	1.40	1.35
38	A1	2612	A	C6-N1	7.37	1.40	1.35
11	B2	1458	A	P-O5'	-7.37	1.52	1.59
38	A1	3019	C	P-O5'	-7.37	1.52	1.59
38	A1	1406	G	O3'-P	-7.37	1.52	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2588	C	N3-C4	7.37	1.39	1.33
4	AQ	62	ARG	NE-CZ	7.37	1.42	1.33
10	B1	2	G	C5-C6	7.37	1.49	1.42
11	B2	995	G	C2-N2	7.37	1.42	1.34
38	A1	617	G	N7-C5	-7.37	1.34	1.39
38	A1	2069	G	N1-C2	7.37	1.43	1.37
38	A1	1133	U	C5'-C4'	7.36	1.60	1.51
38	A1	1620	C	C1'-N1	7.36	1.59	1.48
38	A1	1898	A	C8-N7	-7.36	1.26	1.31
64	AR	73	TYR	CE1-CZ	7.36	1.48	1.38
11	B2	390	G	N7-C5	-7.36	1.34	1.39
38	A1	1427	A	C5-C6	-7.36	1.34	1.41
38	A1	1521	G	C5-C4	7.36	1.43	1.38
38	A1	2794	G	C2'-C1'	-7.36	1.45	1.53
11	B2	3	U	C2'-C1'	-7.36	1.45	1.53
38	A1	2091	U	N1-C2	-7.36	1.31	1.38
38	A1	2280	G	C2-N3	7.36	1.38	1.32
11	B2	474	G	C2-N2	7.36	1.42	1.34
11	B2	890	C	N3-C4	7.36	1.39	1.33
11	B2	1357	C	C2-N3	7.36	1.41	1.35
11	B2	23	G	C8-N7	7.36	1.35	1.30
11	B2	169	C	C5-C6	-7.36	1.28	1.34
11	B2	415	C	P-O5'	-7.36	1.52	1.59
38	A1	243	G	N9-C8	-7.36	1.32	1.37
38	A1	1097	G	N1-C2	7.36	1.43	1.37
58	AK	213	TYR	CE1-CZ	7.36	1.48	1.38
11	B2	923	A	C5'-C4'	7.36	1.60	1.51
11	B2	1316	U	N3-C4	7.36	1.45	1.38
15	BC	131	ARG	CZ-NH1	7.36	1.42	1.33
38	A1	213	G	N3-C4	-7.36	1.30	1.35
38	A1	1387	G	C8-N7	-7.36	1.26	1.30
38	A1	2688	C	C4-N4	7.36	1.40	1.33
11	B2	387	G	C6-N1	7.35	1.44	1.39
11	B2	1085	C	N3-C4	7.35	1.39	1.33
11	B2	1166	G	C2-N3	7.35	1.38	1.32
38	A1	481	G	C2'-C1'	-7.35	1.45	1.53
11	B2	159	C	C2-O2	-7.35	1.17	1.24
11	B2	1416	C	C2-N3	7.35	1.41	1.35
38	A1	911	G	C5-C4	7.35	1.43	1.38
38	A1	957	C	N3-C4	7.35	1.39	1.33
38	A1	1834	C	N1-C6	7.35	1.41	1.37
38	A1	2702	A	C8-N7	-7.35	1.26	1.31

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1400	U	N3-C4	7.35	1.45	1.38
38	A1	2346	A	C8-N7	7.35	1.36	1.31
11	B2	471	G	C5-C6	7.35	1.49	1.42
11	B2	790	G	O3'-P	-7.35	1.52	1.61
11	B2	1138	G	C6-N1	7.35	1.44	1.39
11	B2	1300	A	C8-N7	-7.35	1.26	1.31
38	A1	718	G	N9-C4	7.35	1.43	1.38
38	A1	1199	U	O4'-C1'	7.35	1.51	1.41
38	A1	1612	G	C5-C4	7.35	1.43	1.38
38	A1	2072	G	N7-C5	7.35	1.43	1.39
38	A1	2268	C	N3-C4	7.35	1.39	1.33
39	A3	49	A	C6-N1	7.35	1.40	1.35
11	B2	374	G	N9-C8	7.35	1.43	1.37
11	B2	746	A	C6-N6	7.35	1.39	1.33
11	B2	1097	G	C5-C6	-7.35	1.35	1.42
11	B2	1422	G	C2'-C1'	-7.35	1.45	1.53
38	A1	380	A	N7-C5	-7.35	1.34	1.39
38	A1	1677	A	C5-C4	7.35	1.43	1.38
38	A1	1966	C	C4-N4	7.35	1.40	1.33
38	A1	2355	G	O3'-P	-7.35	1.52	1.61
11	B2	244	G	C3'-C2'	-7.35	1.44	1.52
38	A1	2786	G	C5-C6	-7.35	1.35	1.42
11	B2	381	C	N3-C4	7.34	1.39	1.33
11	B2	591	G	C2-N3	7.34	1.38	1.32
11	B2	1048	G	N9-C4	7.34	1.43	1.38
28	BP	12	ARG	CZ-NH1	7.34	1.42	1.33
38	A1	2147	C	O4'-C1'	7.34	1.51	1.41
38	A1	2872	G	N7-C5	-7.34	1.34	1.39
38	A1	567	G	C4'-C3'	7.34	1.61	1.53
38	A1	1538	A	N3-C4	-7.34	1.30	1.34
39	A3	71	G	N3-C4	-7.34	1.30	1.35
11	B2	174	G	P-O5'	7.34	1.67	1.59
11	B2	1138	G	C5-C4	7.34	1.43	1.38
29	BQ	120	ARG	CZ-NH2	7.34	1.42	1.33
38	A1	1722	G	C5-C4	7.34	1.43	1.38
38	A1	2303	A	N9-C8	7.34	1.43	1.37
38	A1	2752	U	C5'-C4'	7.34	1.60	1.51
11	B2	728	G	N7-C5	-7.34	1.34	1.39
11	B2	1255	C	N3-C4	7.34	1.39	1.33
11	B2	1273	G	C2'-C1'	-7.34	1.45	1.53
38	A1	619	G	C2'-C1'	-7.34	1.45	1.53
38	A1	1470	C	P-O5'	7.34	1.67	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1827	A	C6-N6	7.34	1.39	1.33
38	A1	2276	G	N7-C5	-7.34	1.34	1.39
11	B2	227	C	C4-N4	7.34	1.40	1.33
11	B2	796	C	O3'-P	-7.34	1.52	1.61
38	A1	665	C	N3-C4	7.34	1.39	1.33
38	A1	1609	G	C4'-C3'	-7.34	1.45	1.53
38	A1	1905	G	C8-N7	7.34	1.35	1.30
38	A1	147	C	C4-C5	7.34	1.48	1.43
38	A1	174	C	N3-C4	7.34	1.39	1.33
38	A1	2830	C	N3-C4	7.34	1.39	1.33
4	AQ	28	ARG	NE-CZ	7.33	1.42	1.33
11	B2	696	G	C5-C4	7.33	1.43	1.38
11	B2	706	G	C5'-C4'	7.33	1.60	1.51
38	A1	687	C	P-O5'	-7.33	1.52	1.59
38	A1	1432	C	N3-C4	7.33	1.39	1.33
38	A1	1901	A	P-O5'	-7.33	1.52	1.59
38	A1	2300	C	C4-N4	7.33	1.40	1.33
38	A1	2416	G	C5-C4	7.33	1.43	1.38
10	B1	50	G	N7-C5	-7.33	1.34	1.39
11	B2	831	A	N7-C5	-7.33	1.34	1.39
38	A1	912	G	N9-C8	7.33	1.43	1.37
38	A1	1206	A	N7-C5	-7.33	1.34	1.39
38	A1	1236	C	N3-C4	7.33	1.39	1.33
38	A1	2689	G	N7-C5	-7.33	1.34	1.39
39	A3	21	C	C3'-C2'	7.33	1.61	1.52
38	A1	2802	G	C2'-C1'	-7.33	1.45	1.53
11	B2	438	A	N7-C5	-7.33	1.34	1.39
11	B2	701	G	N1-C2	7.33	1.43	1.37
38	A1	1083	G	C2'-C1'	-7.33	1.45	1.53
10	B1	30	G	N3-C4	-7.33	1.30	1.35
10	B1	32	A	N3-C4	-7.33	1.30	1.34
11	B2	905	A	C6-N6	7.33	1.39	1.33
11	B2	1199	A	N7-C5	-7.33	1.34	1.39
38	A1	1027	A	C2'-C1'	-7.33	1.45	1.53
38	A1	1340	G	N3-C4	-7.33	1.30	1.35
38	A1	1396	A	C1'-N9	7.33	1.59	1.48
38	A1	3002	A	N7-C5	-7.33	1.34	1.39
25	BM	23	PHE	CB-CG	7.32	1.63	1.51
38	A1	966	G	C2-N3	7.32	1.38	1.32
38	A1	1183	U	C4'-O4'	-7.32	1.36	1.45
38	A1	2352	G	C5-C6	-7.32	1.35	1.42
38	A1	2541	U	P-O5'	-7.32	1.52	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	966	G	C2-N3	7.32	1.38	1.32
38	A1	1121	C	N3-C4	7.32	1.39	1.33
38	A1	1880	A	C8-N7	-7.32	1.26	1.31
38	A1	1968	A	C5-C4	-7.32	1.33	1.38
11	B2	156	A	C6-N6	7.32	1.39	1.33
11	B2	995	G	C8-N7	7.32	1.35	1.30
38	A1	2649	A	N9-C4	7.32	1.42	1.37
38	A1	2980	G	C2'-C1'	-7.32	1.45	1.53
38	A1	2291	G	O3'-P	-7.32	1.52	1.61
11	B2	679	G	C6-N1	7.32	1.44	1.39
38	A1	1345	G	N9-C8	7.32	1.43	1.37
38	A1	2394	G	P-O5'	-7.32	1.52	1.59
38	A1	2449	A	C5-C6	-7.32	1.34	1.41
38	A1	2457	C	C5'-C4'	7.32	1.60	1.51
38	A1	1295	G	C6-N1	7.31	1.44	1.39
10	B1	51	G	C2-N3	7.31	1.38	1.32
11	B2	860	G	N3-C4	7.31	1.40	1.35
38	A1	474	G	C2'-C1'	-7.31	1.45	1.53
38	A1	662	A	N3-C4	-7.31	1.30	1.34
38	A1	764	G	N1-C2	7.31	1.43	1.37
38	A1	1861	G	C8-N7	-7.31	1.26	1.30
38	A1	3039	G	O3'-P	-7.31	1.52	1.61
11	B2	514	U	C3'-O3'	7.31	1.52	1.42
11	B2	1136	A	N7-C5	-7.31	1.34	1.39
38	A1	1531	C	C2-N3	7.31	1.41	1.35
11	B2	900	G	N3-C4	-7.31	1.30	1.35
11	B2	1160	C	N1-C6	7.31	1.41	1.37
11	B2	1247	A	C8-N7	-7.31	1.26	1.31
11	B2	1345	G	C6-N1	7.31	1.44	1.39
38	A1	1044	C	N3-C4	7.31	1.39	1.33
38	A1	1158	G	C2-N2	7.31	1.41	1.34
38	A1	1565	G	C4'-C3'	-7.31	1.45	1.53
38	A1	1669	A	C8-N7	-7.31	1.26	1.31
38	A1	1729	C	O4'-C1'	7.31	1.51	1.41
38	A1	1786	G	N9-C8	7.31	1.43	1.37
10	B1	10	G	C5-C4	-7.31	1.33	1.38
38	A1	82	C	C4-C5	7.31	1.48	1.43
38	A1	1089	C	N1-C6	7.31	1.41	1.37
38	A1	2471	A	C6-N1	7.31	1.40	1.35
38	A1	536	G	N7-C5	-7.31	1.34	1.39
38	A1	2769	U	C2-N3	7.31	1.42	1.37
11	B2	858	A	C5'-C4'	7.30	1.60	1.51

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1393	A	O3'-P	-7.30	1.52	1.61
38	A1	130	G	C4'-O4'	7.30	1.55	1.45
38	A1	1032	C	C4-N4	7.30	1.40	1.33
38	A1	2456	C	N1-C6	-7.30	1.32	1.37
38	A1	2814	U	C2'-C1'	-7.30	1.45	1.53
38	A1	2818	C	P-O5'	7.30	1.67	1.59
38	A1	239	G	C4'-C3'	7.30	1.61	1.53
38	A1	998	G	N9-C8	7.30	1.43	1.37
39	A3	119	C	C5'-C4'	-7.30	1.42	1.51
38	A1	1144	A	C5-C4	7.30	1.43	1.38
38	A1	1207	G	N7-C5	-7.30	1.34	1.39
38	A1	1416	G	C2-N3	7.30	1.38	1.32
10	B1	62	C	C1'-N1	7.30	1.59	1.48
11	B2	650	A	C6-N1	7.30	1.40	1.35
11	B2	876	A	N9-C4	-7.30	1.33	1.37
38	A1	474	G	C8-N7	7.30	1.35	1.30
38	A1	2372	C	C3'-C2'	7.30	1.60	1.52
11	B2	821	G	N1-C2	7.30	1.43	1.37
38	A1	858	G	C5-C4	-7.30	1.33	1.38
38	A1	2106	G	N7-C5	-7.30	1.34	1.39
38	A1	2501	G	C2'-C1'	-7.30	1.45	1.53
38	A1	2804	C	N1-C6	7.30	1.41	1.37
11	B2	107	C	C4-N4	7.30	1.40	1.33
38	A1	8	G	N9-C8	7.30	1.43	1.37
38	A1	375	C	C5-C6	7.30	1.40	1.34
38	A1	1084	G	C2-N3	7.30	1.38	1.32
38	A1	2527	G	N7-C5	-7.30	1.34	1.39
39	A3	35	A	C6-N6	7.30	1.39	1.33
38	A1	720	C	N1-C6	7.29	1.41	1.37
38	A1	1094	U	C2-N3	7.29	1.42	1.37
38	A1	2227	G	C6-N1	7.29	1.44	1.39
11	B2	559	G	P-O5'	-7.29	1.52	1.59
11	B2	174	G	N3-C4	7.29	1.40	1.35
11	B2	236	C	N1-C6	7.29	1.41	1.37
11	B2	1128	U	C2'-C1'	-7.29	1.45	1.53
38	A1	86	G	C5-C4	7.29	1.43	1.38
38	A1	480	A	C4'-C3'	7.29	1.61	1.53
38	A1	1712	U	O3'-P	7.29	1.69	1.61
38	A1	2663	G	N7-C5	-7.29	1.34	1.39
38	A1	2803	U	C2-N3	7.29	1.42	1.37
11	B2	978	G	C2-N3	7.29	1.38	1.32
11	B2	1106	A	C5'-C4'	7.29	1.60	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	247	A	O3'-P	-7.29	1.52	1.61
38	A1	1463	C	P-O5'	-7.29	1.52	1.59
38	A1	2104	G	C5-C6	-7.29	1.35	1.42
65	AV	41	TYR	CB-CG	7.29	1.62	1.51
11	B2	192	G	N9-C8	7.29	1.43	1.37
38	A1	1225	A	C6-N6	7.29	1.39	1.33
38	A1	1426	G	C8-N7	7.29	1.35	1.30
38	A1	1836	A	C8-N7	7.29	1.36	1.31
38	A1	1860	A	N1-C2	7.29	1.41	1.34
38	A1	2226	G	C2-N3	7.29	1.38	1.32
38	A1	2373	G	O3'-P	-7.29	1.52	1.61
11	B2	256	G	C4'-C3'	7.29	1.61	1.53
38	A1	1858	G	C6-N1	7.29	1.44	1.39
38	A1	2374	C	C4-C5	7.29	1.48	1.43
11	B2	137	A	C5-C4	7.29	1.43	1.38
11	B2	1461	U	C2-N3	7.29	1.42	1.37
38	A1	237	G	C6-N1	7.29	1.44	1.39
38	A1	996	U	O4'-C1'	7.29	1.51	1.41
38	A1	1076	G	N7-C5	-7.29	1.34	1.39
38	A1	1628	C	C2-N3	7.29	1.41	1.35
38	A1	2163	G	N3-C4	-7.29	1.30	1.35
38	A1	2279	G	C2-N3	7.29	1.38	1.32
38	A1	3009	C	N1-C2	7.29	1.47	1.40
11	B2	1242	C	N1-C6	7.28	1.41	1.37
11	B2	1423	A	N9-C4	7.28	1.42	1.37
38	A1	1485	A	N1-C2	7.28	1.41	1.34
11	B2	1422	G	N7-C5	-7.28	1.34	1.39
38	A1	304	G	C8-N7	7.28	1.35	1.30
38	A1	559	G	N9-C8	7.28	1.43	1.37
38	A1	1271	G	N1-C2	7.28	1.43	1.37
38	A1	2700	U	C2'-C1'	-7.28	1.45	1.53
11	B2	648	A	C6-N6	7.28	1.39	1.33
38	A1	1518	G	N9-C8	7.28	1.43	1.37
38	A1	1672	G	N1-C2	7.28	1.43	1.37
38	A1	2663	G	C2-N2	7.28	1.41	1.34
38	A1	2857	C	C4-N4	7.28	1.40	1.33
11	B2	253	G	P-O5'	-7.28	1.52	1.59
11	B2	416	A	N9-C8	-7.28	1.31	1.37
11	B2	1168	C	C1'-N1	7.28	1.59	1.48
38	A1	300	U	C2-N3	7.28	1.42	1.37
38	A1	312	G	C2-N3	7.28	1.38	1.32
11	B2	381	C	C5'-C4'	7.28	1.60	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	639	C	C4-N4	7.28	1.40	1.33
38	A1	676	G	C2-N2	7.28	1.41	1.34
38	A1	809	A	N1-C2	7.28	1.40	1.34
38	A1	1454	G	C5'-C4'	7.28	1.60	1.51
11	B2	709	G	C8-N7	7.27	1.35	1.30
11	B2	1018	C	N1-C6	-7.27	1.32	1.37
10	B1	19	G	N1-C2	7.27	1.43	1.37
11	B2	150	G	C5-C4	-7.27	1.33	1.38
11	B2	845	G	C5-C4	7.27	1.43	1.38
38	A1	669	G	C2-N3	7.27	1.38	1.32
38	A1	992	G	C5-C6	7.27	1.49	1.42
38	A1	1336	G	C5-C4	7.27	1.43	1.38
38	A1	2171	G	N7-C5	-7.27	1.34	1.39
38	A1	2681	A	N1-C2	-7.27	1.27	1.34
38	A1	2855	G	C6-N1	7.27	1.44	1.39
11	B2	503	G	C2'-O2'	7.27	1.51	1.41
11	B2	185	G	C3'-C2'	7.27	1.60	1.52
11	B2	934	G	O3'-P	-7.27	1.52	1.61
11	B2	1204	C	C2-N3	7.27	1.41	1.35
38	A1	264	G	N7-C5	-7.27	1.34	1.39
38	A1	1140	C	C2'-C1'	-7.27	1.45	1.53
38	A1	2253	G	N9-C4	7.27	1.43	1.38
38	A1	2664	G	P-O5'	-7.27	1.52	1.59
38	A1	2744	U	N3-C4	7.27	1.45	1.38
11	B2	338	C	C2-N3	7.27	1.41	1.35
11	B2	1247	A	O4'-C1'	-7.27	1.32	1.41
38	A1	409	C	N1-C6	-7.27	1.32	1.37
38	A1	693	G	N3-C4	7.27	1.40	1.35
38	A1	1408	G	C2-N2	7.27	1.41	1.34
38	A1	1756	C	N1-C6	7.27	1.41	1.37
38	A1	2249	A	C6-N6	7.27	1.39	1.33
38	A1	2651	G	C2'-C1'	-7.27	1.45	1.53
39	A3	49	A	C8-N7	-7.27	1.26	1.31
9	AX	319	TYR	CG-CD2	7.27	1.48	1.39
38	A1	2423	G	C5-C6	-7.26	1.35	1.42
38	A1	2556	C	N3-C4	7.26	1.39	1.33
10	B1	64	C	N1-C6	-7.26	1.32	1.37
38	A1	723	A	O3'-P	-7.26	1.52	1.61
11	B2	273	C	N3-C4	7.26	1.39	1.33
38	A1	993	G	C2-N2	7.26	1.41	1.34
38	A1	1422	G	N1-C2	7.26	1.43	1.37
38	A1	1575	G	N1-C2	7.26	1.43	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	576	C	P-O5'	-7.26	1.52	1.59
11	B2	700	G	P-O5'	-7.26	1.52	1.59
11	B2	858	A	N9-C4	7.26	1.42	1.37
11	B2	941	C	O3'-P	-7.26	1.52	1.61
11	B2	978	G	N9-C4	7.26	1.43	1.38
11	B2	1184	U	C1'-N1	7.26	1.59	1.48
38	A1	2482	G	N7-C5	-7.26	1.34	1.39
56	AJ	96	ARG	CD-NE	7.26	1.58	1.46
11	B2	669	A	N7-C5	-7.26	1.34	1.39
11	B2	1040	A	N7-C5	7.26	1.43	1.39
11	B2	1076	G	C4'-O4'	-7.26	1.36	1.45
38	A1	1789	A	N1-C2	7.26	1.40	1.34
38	A1	2718	G	C2'-C1'	-7.26	1.45	1.53
38	A1	2809	G	N1-C2	7.26	1.43	1.37
11	B2	75	C	C4-N4	7.26	1.40	1.33
11	B2	212	G	C8-N7	-7.26	1.26	1.30
38	A1	690	G	C2-N2	7.26	1.41	1.34
38	A1	2083	G	N1-C2	7.26	1.43	1.37
38	A1	2764	G	C5'-C4'	7.26	1.60	1.51
38	A1	350	A	P-O5'	-7.25	1.52	1.59
38	A1	1351	G	C2'-C1'	-7.25	1.45	1.53
38	A1	2542	G	C5-C4	-7.25	1.33	1.38
11	B2	1245	C	C4'-C3'	7.25	1.61	1.53
11	B2	978	G	N1-C2	7.25	1.43	1.37
38	A1	305	G	N9-C8	-7.25	1.32	1.37
38	A1	2220	C	P-O5'	-7.25	1.52	1.59
11	B2	502	U	C5'-C4'	7.25	1.60	1.51
11	B2	719	G	C6-N1	7.25	1.44	1.39
38	A1	43	G	N9-C8	7.25	1.43	1.37
38	A1	1138	C	N3-C4	7.25	1.39	1.33
38	A1	545	G	N7-C5	7.25	1.43	1.39
38	A1	1209	A	C5-C6	7.25	1.47	1.41
38	A1	2125	C	P-O5'	-7.25	1.52	1.59
38	A1	2617	G	C2-N3	7.25	1.38	1.32
11	B2	6	G	C2'-C1'	-7.25	1.45	1.53
11	B2	943	C	N3-C4	7.25	1.39	1.33
11	B2	1443	G	C2'-C1'	-7.25	1.45	1.53
38	A1	170	A	P-O5'	-7.25	1.52	1.59
38	A1	540	A	C3'-O3'	7.25	1.52	1.42
38	A1	886	G	C5-C4	7.25	1.43	1.38
38	A1	2847	G	N9-C8	7.25	1.43	1.37
11	B2	578	G	N9-C4	-7.25	1.32	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1411	G	N9-C8	-7.25	1.32	1.37
38	A1	2965	C	C2-N3	7.25	1.41	1.35
38	A1	558	C	C2'-C1'	-7.24	1.45	1.53
38	A1	930	G	C8-N7	-7.24	1.26	1.30
38	A1	2063	U	C2'-C1'	7.24	1.61	1.53
38	A1	256	G	C2-N2	7.24	1.41	1.34
38	A1	480	A	C6-N1	7.24	1.40	1.35
38	A1	1069	A	N7-C5	-7.24	1.34	1.39
38	A1	2952	C	N1-C6	7.24	1.41	1.37
11	B2	936	A	O4'-C1'	-7.24	1.32	1.41
11	B2	1256	C	C4-N4	7.24	1.40	1.33
38	A1	1032	C	C5-C6	-7.24	1.28	1.34
38	A1	2893	U	N1-C6	7.24	1.44	1.38
38	A1	3022	C	N3-C4	7.24	1.39	1.33
11	B2	729	G	P-O5'	-7.24	1.52	1.59
11	B2	730	G	C2-N3	7.24	1.38	1.32
11	B2	1373	A	C5-C4	7.24	1.43	1.38
38	A1	393	C	C4'-O4'	7.24	1.54	1.45
38	A1	977	C	C4-N4	7.24	1.40	1.33
38	A1	1185	A	C6-N1	7.24	1.40	1.35
38	A1	2806	A	C2'-C1'	-7.24	1.45	1.53
38	A1	2856	G	C4'-O4'	7.24	1.54	1.45
11	B2	552	C	N1-C2	-7.24	1.32	1.40
11	B2	1209	C	C3'-C2'	7.24	1.60	1.52
11	B2	1275	U	C3'-C2'	-7.24	1.44	1.52
38	A1	120	G	C8-N7	-7.24	1.26	1.30
38	A1	958	A	C5'-C4'	7.24	1.60	1.51
38	A1	2168	C	C5'-C4'	7.24	1.60	1.51
11	B2	852	G	N1-C2	7.23	1.43	1.37
38	A1	740	C	C3'-C2'	-7.23	1.44	1.52
38	A1	979	G	C8-N7	-7.23	1.26	1.30
38	A1	2163	G	C6-N1	7.23	1.44	1.39
38	A1	1651	A	N9-C4	-7.23	1.33	1.37
38	A1	1956	G	N7-C5	-7.23	1.34	1.39
11	B2	88	G	N7-C5	-7.23	1.34	1.39
11	B2	1132	C	C3'-C2'	7.23	1.60	1.52
38	A1	661	G	N9-C4	7.23	1.43	1.38
38	A1	2369	G	N7-C5	-7.23	1.34	1.39
38	A1	1119	A	C3'-C2'	7.23	1.60	1.52
33	BU	61	ARG	NE-CZ	7.23	1.42	1.33
38	A1	1734	G	P-O5'	-7.23	1.52	1.59
38	A1	2903	U	C4'-C3'	7.23	1.61	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
39	A3	8	C	C4-N4	7.23	1.40	1.33
11	B2	948	G	C5-C4	7.23	1.43	1.38
38	A1	1135	A	C5-C4	7.23	1.43	1.38
11	B2	289	C	C4-N4	7.22	1.40	1.33
11	B2	458	G	N9-C4	7.22	1.43	1.38
11	B2	869	U	C4'-C3'	-7.22	1.45	1.53
11	B2	977	G	C6-N1	7.22	1.44	1.39
38	A1	635	G	C6-N1	7.22	1.44	1.39
38	A1	1426	G	N9-C8	7.22	1.43	1.37
38	A1	1596	G	N1-C2	7.22	1.43	1.37
38	A1	2156	A	N7-C5	-7.22	1.34	1.39
38	A1	2876	G	C6-N1	7.22	1.44	1.39
12	AG	27	ARG	CZ-NH1	7.22	1.42	1.33
11	B2	1144	G	N7-C5	-7.22	1.34	1.39
11	B2	1398	U	N3-C4	7.22	1.45	1.38
38	A1	179	A	C6-N6	7.22	1.39	1.33
38	A1	633	A	N9-C8	7.22	1.43	1.37
38	A1	2078	A	C2'-C1'	-7.22	1.45	1.53
38	A1	2592	U	C2-N3	7.22	1.42	1.37
11	B2	638	G	C2-N3	7.22	1.38	1.32
11	B2	813	G	C5-C6	-7.22	1.35	1.42
38	A1	2714	G	C5-C4	-7.22	1.33	1.38
11	B2	668	G	N9-C8	-7.22	1.32	1.37
11	B2	1400	A	N3-C4	7.22	1.39	1.34
38	A1	892	U	C2-N3	7.22	1.42	1.37
11	B2	619	A	C5-C4	7.22	1.43	1.38
11	B2	1180	G	N1-C2	7.22	1.43	1.37
38	A1	1122	C	C2-N3	7.22	1.41	1.35
38	A1	1776	G	P-O5'	-7.22	1.52	1.59
38	A1	784	C	N1-C6	7.22	1.41	1.37
38	A1	1401	G	N3-C4	-7.22	1.30	1.35
38	A1	1858	G	C4'-C3'	7.22	1.61	1.53
38	A1	1881	A	N1-C2	7.22	1.40	1.34
39	A3	27	C	N3-C4	7.22	1.39	1.33
38	A1	204	G	N9-C8	7.21	1.42	1.37
11	B2	351	C	C4'-C3'	7.21	1.61	1.53
38	A1	834	G	C2'-C1'	-7.21	1.45	1.53
38	A1	1322	G	C5-C4	-7.21	1.33	1.38
38	A1	2223	G	N1-C2	7.21	1.43	1.37
38	A1	2230	G	C6-N1	7.21	1.44	1.39
38	A1	2410	U	C2-N3	7.21	1.42	1.37
11	B2	324	C	C4-C5	7.21	1.48	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1430	G	N9-C4	-7.21	1.32	1.38
11	B2	294	A	C6-N1	7.21	1.40	1.35
38	A1	777	A	N9-C8	7.21	1.43	1.37
38	A1	1037	C	C5-C6	7.21	1.40	1.34
38	A1	1086	U	C3'-C2'	-7.21	1.44	1.52
38	A1	1604	G	N1-C2	7.21	1.43	1.37
11	B2	211	G	N1-C2	7.21	1.43	1.37
11	B2	782	A	C6-N1	7.21	1.40	1.35
11	B2	1245	C	N3-C4	7.21	1.39	1.33
38	A1	1405	G	N1-C2	7.21	1.43	1.37
11	B2	466	C	C5-C6	-7.21	1.28	1.34
38	A1	403	G	N1-C2	7.21	1.43	1.37
38	A1	532	G	C2-N3	7.21	1.38	1.32
38	A1	1740	U	C2-N3	-7.21	1.32	1.37
38	A1	2437	G	C6-N1	7.21	1.44	1.39
11	B2	530	G	C5-C4	7.20	1.43	1.38
11	B2	546	G	N3-C4	-7.20	1.30	1.35
11	B2	555	U	C4'-O4'	-7.20	1.36	1.45
11	B2	647	G	C2-N3	7.20	1.38	1.32
11	B2	681	G	N1-C2	7.20	1.43	1.37
11	B2	684	G	C4'-C3'	-7.20	1.45	1.53
11	B2	1027	C	C2-N3	7.20	1.41	1.35
11	B2	1123	G	N9-C8	7.20	1.42	1.37
38	A1	1464	A	C5-C6	7.20	1.47	1.41
38	A1	2158	G	N1-C2	7.20	1.43	1.37
39	A3	46	G	C2-N3	7.20	1.38	1.32
39	A3	69	C	C2'-C1'	-7.20	1.45	1.53
11	B2	221	A	N9-C4	-7.20	1.33	1.37
38	A1	930	G	C6-N1	7.20	1.44	1.39
11	B2	177	A	C8-N7	-7.20	1.26	1.31
11	B2	756	A	C2'-C1'	-7.20	1.45	1.53
38	A1	89	C	N3-C4	7.20	1.39	1.33
38	A1	132	G	C2'-C1'	-7.20	1.45	1.53
38	A1	762	G	C5'-C4'	7.20	1.59	1.51
38	A1	2565	A	C2'-C1'	-7.20	1.45	1.53
11	B2	840	C	C2'-C1'	-7.20	1.45	1.53
38	A1	636	G	N1-C2	7.20	1.43	1.37
38	A1	2301	C	P-O5'	-7.20	1.52	1.59
39	A3	42	A	N3-C4	-7.20	1.30	1.34
11	B2	1015	C	C4-C5	7.20	1.48	1.43
38	A1	327	G	N3-C4	-7.20	1.30	1.35
11	B2	14	C	C2'-O2'	7.20	1.51	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	580	G	C4'-C3'	7.20	1.61	1.53
11	B2	648	A	C8-N7	-7.20	1.26	1.31
11	B2	763	G	O3'-P	-7.20	1.52	1.61
11	B2	1181	G	C4'-C3'	7.20	1.61	1.53
38	A1	953	G	C5'-C4'	7.20	1.59	1.51
38	A1	2391	G	N7-C5	-7.20	1.34	1.39
11	B2	88	G	N1-C2	7.19	1.43	1.37
11	B2	531	G	C6-N1	7.19	1.44	1.39
11	B2	732	G	C6-N1	7.19	1.44	1.39
11	B2	845	G	O3'-P	-7.19	1.52	1.61
38	A1	1491	U	C5'-C4'	7.19	1.59	1.51
11	B2	278	A	N7-C5	-7.19	1.34	1.39
38	A1	874	U	C4-C5	7.19	1.50	1.43
38	A1	1180	G	C2-N3	7.19	1.38	1.32
38	A1	1505	G	C2'-C1'	-7.19	1.45	1.53
38	A1	2373	G	N1-C2	7.19	1.43	1.37
11	B2	512	U	N3-C4	7.19	1.45	1.38
38	A1	228	U	C5'-C4'	7.19	1.59	1.51
38	A1	982	G	N7-C5	-7.19	1.34	1.39
38	A1	1006	A	N7-C5	7.19	1.43	1.39
38	A1	1025	A	C5'-C4'	7.19	1.59	1.51
38	A1	1336	G	C6-O6	-7.19	1.17	1.24
38	A1	1438	C	C2-N3	7.19	1.41	1.35
38	A1	1713	G	P-O5'	7.19	1.67	1.59
38	A1	2054	G	C2-N3	7.19	1.38	1.32
38	A1	2662	G	N9-C8	7.19	1.42	1.37
11	B2	259	A	N7-C5	-7.19	1.34	1.39
38	A1	1533	G	C5'-C4'	7.19	1.59	1.51
38	A1	1904	G	N7-C5	-7.19	1.34	1.39
38	A1	1323	U	C2-N3	7.19	1.42	1.37
38	A1	1624	U	C4'-O4'	7.19	1.54	1.45
38	A1	2251	G	C8-N7	-7.19	1.26	1.30
39	A3	15	G	C2'-C1'	-7.19	1.45	1.53
11	B2	460	C	O3'-P	-7.19	1.52	1.61
11	B2	846	G	N7-C5	-7.19	1.34	1.39
38	A1	2297	C	C4-C5	7.19	1.48	1.43
39	A3	4	C	C2-N3	7.19	1.41	1.35
11	B2	1340	U	N1-C2	7.18	1.45	1.38
38	A1	2065	C	C2-N3	7.18	1.41	1.35
38	A1	2220	C	N1-C6	7.18	1.41	1.37
39	A3	80	G	C5-C4	7.18	1.43	1.38
11	B2	228	G	C5-C6	-7.18	1.35	1.42

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1322	C	C5'-C4'	7.18	1.59	1.51
38	A1	1475	G	C2'-C1'	-7.18	1.45	1.53
38	A1	1548	A	C8-N7	-7.18	1.26	1.31
38	A1	1627	G	N1-C2	7.18	1.43	1.37
39	A3	16	G	C8-N7	7.18	1.35	1.30
11	B2	632	C	C5'-C4'	7.18	1.59	1.51
11	B2	1355	C	N1-C6	7.18	1.41	1.37
38	A1	1766	A	O3'-P	-7.18	1.52	1.61
38	A1	2347	G	N9-C4	7.18	1.43	1.38
11	B2	1127	A	N3-C4	-7.18	1.30	1.34
38	A1	830	G	C2-N3	7.18	1.38	1.32
38	A1	1000	G	N9-C8	7.18	1.42	1.37
39	A3	71	G	C2'-C1'	-7.18	1.45	1.53
10	B1	7	G	C8-N7	7.18	1.35	1.30
11	B2	356	G	P-O5'	-7.18	1.52	1.59
38	A1	1065	C	N1-C2	7.18	1.47	1.40
38	A1	1789	A	N9-C4	7.18	1.42	1.37
38	A1	2856	G	C2-N2	7.18	1.41	1.34
38	A1	2947	G	N7-C5	-7.18	1.34	1.39
38	A1	2966	C	P-O5'	-7.18	1.52	1.59
38	A1	2976	G	N1-C2	7.18	1.43	1.37
38	A1	2986	G	N3-C4	7.18	1.40	1.35
11	B2	352	A	N7-C5	-7.17	1.34	1.39
11	B2	520	G	C5-C6	-7.17	1.35	1.42
11	B2	1096	G	P-O5'	-7.17	1.52	1.59
38	A1	1167	A	N3-C4	-7.17	1.30	1.34
38	A1	1354	G	C6-N1	7.17	1.44	1.39
38	A1	1884	C	C2'-C1'	-7.17	1.45	1.53
11	B2	616	G	C5-C4	7.17	1.43	1.38
11	B2	1419	G	C2-N3	7.17	1.38	1.32
38	A1	180	A	C6-N6	7.17	1.39	1.33
38	A1	378	G	C5-C6	-7.17	1.35	1.42
38	A1	586	A	C5-C4	7.17	1.43	1.38
38	A1	879	A	C6-N6	7.17	1.39	1.33
38	A1	2057	G	C8-N7	-7.17	1.26	1.30
11	B2	172	G	C4'-C3'	7.17	1.61	1.53
38	A1	1468	G	C5-C4	7.17	1.43	1.38
11	B2	722	G	C2-N2	-7.17	1.27	1.34
38	A1	1586	G	O3'-P	-7.17	1.52	1.61
38	A1	1905	G	N7-C5	-7.17	1.34	1.39
38	A1	2785	G	O3'-P	-7.17	1.52	1.61
11	B2	199	A	N9-C8	7.17	1.43	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	202	G	C2-N2	7.17	1.41	1.34
11	B2	1428	G	C5-C6	-7.17	1.35	1.42
38	A1	221	G	C6-N1	7.17	1.44	1.39
38	A1	1564	C	P-O5'	7.17	1.67	1.59
38	A1	1659	G	C2-N2	7.17	1.41	1.34
38	A1	2332	G	C5-C4	-7.17	1.33	1.38
38	A1	2944	G	C2-N3	7.17	1.38	1.32
11	B2	11	A	C2'-C1'	-7.17	1.45	1.53
11	B2	1367	C	C4-C5	-7.17	1.37	1.43
38	A1	2149	G	N1-C2	7.17	1.43	1.37
38	A1	2739	G	C2'-C1'	-7.17	1.45	1.53
11	B2	662	C	C5'-C4'	7.16	1.59	1.51
11	B2	1212	U	N3-C4	7.16	1.44	1.38
11	B2	1443	G	C5-C4	7.16	1.43	1.38
38	A1	440	A	C6-N6	7.16	1.39	1.33
38	A1	1258	G	C2-N3	7.16	1.38	1.32
38	A1	2630	C	C4-C5	7.16	1.48	1.43
38	A1	2846	A	C3'-C2'	-7.16	1.44	1.52
38	A1	2855	G	N7-C5	-7.16	1.34	1.39
11	B2	720	A	C5-C4	-7.16	1.33	1.38
11	B2	1185	A	C6-N6	7.16	1.39	1.33
38	A1	1694	G	C2-N2	7.16	1.41	1.34
38	A1	90	A	O3'-P	-7.16	1.52	1.61
11	B2	133	G	C6-N1	7.16	1.44	1.39
11	B2	241	U	C2-N3	7.16	1.42	1.37
11	B2	1473	A	C5-C4	7.16	1.43	1.38
38	A1	184	A	C5-C6	7.16	1.47	1.41
38	A1	851	G	C2'-C1'	-7.16	1.45	1.53
38	A1	1181	C	O3'-P	-7.16	1.52	1.61
38	A1	1633	A	C6-N1	7.16	1.40	1.35
38	A1	1808	G	N9-C4	-7.16	1.32	1.38
11	B2	451	A	C5-C6	7.16	1.47	1.41
11	B2	1167	C	N3-C4	7.16	1.39	1.33
11	B2	305	C	N3-C4	7.16	1.39	1.33
11	B2	970	G	C1'-N9	7.16	1.59	1.48
11	B2	1273	G	C5-C4	-7.16	1.33	1.38
38	A1	114	C	N1-C2	-7.16	1.32	1.40
38	A1	241	C	C2'-C1'	-7.16	1.45	1.53
38	A1	618	C	C4-C5	7.16	1.48	1.43
38	A1	1460	C	C4-N4	7.16	1.40	1.33
38	A1	1633	A	C2'-C1'	-7.16	1.45	1.53
38	A1	1655	G	C8-N7	-7.16	1.26	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1688	C	C3'-C2'	-7.16	1.44	1.52
38	A1	1966	C	P-O5'	7.16	1.67	1.59
38	A1	2253	G	N7-C5	7.16	1.43	1.39
11	B2	1028	C	N3-C4	7.15	1.39	1.33
11	B2	1415	U	P-O5'	-7.15	1.52	1.59
38	A1	1467	G	N1-C2	7.15	1.43	1.37
10	B1	69	G	P-O5'	7.15	1.67	1.59
11	B2	498	C	C3'-C2'	7.15	1.60	1.52
11	B2	1108	U	N1-C2	-7.15	1.32	1.38
38	A1	131	C	O4'-C1'	7.15	1.50	1.41
38	A1	1109	G	C6-N1	7.15	1.44	1.39
11	B2	1036	G	N3-C4	7.15	1.40	1.35
21	BI	77	PRO	N-CD	-7.15	1.37	1.47
38	A1	923	A	O3'-P	-7.15	1.52	1.61
38	A1	1631	A	N3-C4	-7.15	1.30	1.34
38	A1	1787	U	N1-C2	-7.15	1.32	1.38
38	A1	2838	U	N3-C4	7.15	1.44	1.38
38	A1	1945	C	N3-C4	7.15	1.39	1.33
11	B2	371	U	C4-C5	7.15	1.50	1.43
17	BE	60	ARG	NE-CZ	7.15	1.42	1.33
38	A1	327	G	N9-C4	7.15	1.43	1.38
38	A1	474	G	C2-N3	7.15	1.38	1.32
38	A1	2023	A	C2-N3	7.15	1.40	1.33
11	B2	1429	G	C5-C6	-7.15	1.35	1.42
38	A1	122	G	C5-C6	-7.15	1.35	1.42
38	A1	2329	A	N3-C4	-7.15	1.30	1.34
11	B2	613	C	P-O5'	-7.14	1.52	1.59
38	A1	741	G	C2-N3	7.14	1.38	1.32
38	A1	1819	G	N9-C8	-7.14	1.32	1.37
11	B2	170	C	C4-N4	7.14	1.40	1.33
11	B2	349	A	C4'-O4'	-7.14	1.36	1.45
38	A1	146	U	C3'-C2'	7.14	1.60	1.52
38	A1	1030	C	C4'-C3'	7.14	1.61	1.53
38	A1	1942	G	N9-C4	7.14	1.43	1.38
38	A1	1137	G	C5-C6	-7.14	1.35	1.42
11	B2	164	A	P-O5'	-7.14	1.52	1.59
38	A1	244	A	C5-C6	7.14	1.47	1.41
38	A1	534	G	O3'-P	-7.14	1.52	1.61
38	A1	1271	G	C6-N1	7.14	1.44	1.39
38	A1	2269	C	C2-N3	7.14	1.41	1.35
38	A1	2481	G	N9-C8	-7.14	1.32	1.37
10	B1	68	C	C4-N4	7.14	1.40	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1662	C	N3-C4	7.14	1.39	1.33
45	AC	337	ARG	CD-NE	7.14	1.58	1.46
38	A1	904	G	N3-C4	-7.13	1.30	1.35
38	A1	2498	G	N1-C2	7.13	1.43	1.37
39	A3	73	U	C5'-C4'	7.13	1.59	1.51
38	A1	1126	C	C4-N4	7.13	1.40	1.33
11	B2	623	C	C4-C5	7.13	1.48	1.43
11	B2	1345	G	N9-C8	7.13	1.42	1.37
38	A1	656	G	C5-C4	7.13	1.43	1.38
38	A1	1117	C	O3'-P	-7.13	1.52	1.61
38	A1	1444	A	N9-C8	7.13	1.43	1.37
38	A1	1786	G	C6-O6	-7.13	1.17	1.24
38	A1	2161	A	N9-C4	7.13	1.42	1.37
38	A1	2261	C	C3'-C2'	7.13	1.60	1.52
39	A3	29	G	C2-N2	7.13	1.41	1.34
39	A3	111	G	N7-C5	-7.13	1.34	1.39
11	B2	732	G	N9-C8	7.13	1.42	1.37
38	A1	672	C	C2'-C1'	-7.13	1.45	1.53
38	A1	829	G	O3'-P	-7.13	1.52	1.61
38	A1	927	G	C6-N1	7.13	1.44	1.39
38	A1	1426	G	C2-N3	7.13	1.38	1.32
38	A1	2155	C	C2-O2	7.13	1.30	1.24
38	A1	2272	G	N9-C4	7.13	1.43	1.38
38	A1	2374	C	O3'-P	-7.13	1.52	1.61
38	A1	2425	A	C6-N1	7.13	1.40	1.35
38	A1	3044	U	P-O5'	-7.13	1.52	1.59
11	B2	80	A	C6-N6	7.13	1.39	1.33
11	B2	259	A	C5'-C4'	7.13	1.59	1.51
11	B2	367	G	C2-N2	7.13	1.41	1.34
11	B2	1332	C	C4-N4	7.13	1.40	1.33
38	A1	48	G	N7-C5	-7.13	1.34	1.39
38	A1	1013	G	C8-N7	7.13	1.35	1.30
38	A1	1330	G	P-O5'	7.13	1.66	1.59
38	A1	1808	G	C2-N3	7.13	1.38	1.32
38	A1	2681	A	N3-C4	-7.13	1.30	1.34
38	A1	1486	G	N1-C2	7.12	1.43	1.37
38	A1	2617	G	C8-N7	-7.12	1.26	1.30
11	B2	20	G	C2-N3	7.12	1.38	1.32
38	A1	1061	G	C4'-C3'	-7.12	1.45	1.53
38	A1	1508	A	C6-N6	7.12	1.39	1.33
11	B2	492	G	C5-C4	-7.12	1.33	1.38
38	A1	2691	G	O4'-C1'	7.12	1.50	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1492	C	O3'-P	-7.12	1.52	1.61
38	A1	2063	U	N1-C6	-7.12	1.31	1.38
11	B2	692	G	C5-C4	7.12	1.43	1.38
11	B2	808	C	C4-N4	7.12	1.40	1.33
11	B2	1192	C	N3-C4	7.12	1.39	1.33
11	B2	1254	C	C4-N4	7.12	1.40	1.33
24	BL	55	GLY	CA-C	-7.12	1.40	1.51
38	A1	1164	C	C2-N3	7.12	1.41	1.35
38	A1	1788	G	C2-N3	7.12	1.38	1.32
38	A1	2350	G	C2-N2	7.12	1.41	1.34
38	A1	2687	A	C4'-C3'	7.12	1.60	1.53
11	B2	683	A	N9-C8	-7.12	1.32	1.37
11	B2	785	U	C4-C5	7.12	1.50	1.43
11	B2	1319	C	N3-C4	7.12	1.39	1.33
38	A1	358	C	P-O5'	-7.12	1.52	1.59
11	B2	784	G	N9-C8	-7.12	1.32	1.37
11	B2	1233	G	C4'-C3'	7.12	1.60	1.53
11	B2	1240	A	C6-N6	7.12	1.39	1.33
38	A1	9	A	C5-C4	7.12	1.43	1.38
11	B2	279	U	C2'-C1'	-7.11	1.45	1.53
11	B2	735	A	C5'-C4'	7.11	1.59	1.51
38	A1	315	U	C2-N3	7.11	1.42	1.37
38	A1	1106	C	C4-N4	7.11	1.40	1.33
38	A1	2743	U	C3'-C2'	-7.11	1.45	1.52
38	A1	1332	A	C3'-O3'	7.11	1.52	1.42
11	B2	1000	G	C8-N7	-7.11	1.26	1.30
38	A1	866	G	C2'-C1'	-7.11	1.45	1.53
38	A1	1514	C	C5-C6	7.11	1.40	1.34
38	A1	1831	C	C2-N3	7.11	1.41	1.35
38	A1	2759	A	C2'-C1'	-7.11	1.45	1.53
11	B2	1007	A	P-O5'	7.11	1.66	1.59
11	B2	1099	A	C5'-C4'	7.11	1.59	1.51
38	A1	282	G	C6-O6	7.11	1.30	1.24
10	B1	72	C	C2-N3	7.11	1.41	1.35
11	B2	456	U	C4'-O4'	7.11	1.54	1.45
11	B2	839	G	O4'-C1'	7.11	1.50	1.41
18	BF	40	ARG	NE-CZ	7.11	1.42	1.33
38	A1	1527	G	C2'-C1'	-7.11	1.45	1.53
38	A1	1822	G	N1-C2	7.11	1.43	1.37
38	A1	2339	C	P-O5'	-7.11	1.52	1.59
11	B2	1237	G	C2-N3	7.11	1.38	1.32
11	B2	1418	G	N7-C5	-7.11	1.34	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1202	G	N7-C5	-7.11	1.34	1.39
38	A1	2761	G	C6-N1	7.11	1.44	1.39
39	A3	22	C	N1-C2	7.11	1.47	1.40
11	B2	19	G	C6-N1	7.10	1.44	1.39
38	A1	46	C	C2-N3	7.10	1.41	1.35
38	A1	800	G	C5-C6	-7.10	1.35	1.42
10	B1	60	A	C6-N1	7.10	1.40	1.35
11	B2	414	G	C5-C6	-7.10	1.35	1.42
11	B2	1136	A	C2'-C1'	-7.10	1.45	1.53
11	B2	1339	G	C6-N1	7.10	1.44	1.39
38	A1	468	A	C2'-C1'	-7.10	1.45	1.53
38	A1	1664	G	N9-C8	-7.10	1.32	1.37
38	A1	991	U	C4-C5	7.10	1.50	1.43
11	B2	618	G	C2-N3	7.10	1.38	1.32
11	B2	750	C	N1-C6	7.10	1.41	1.37
11	B2	1056	G	C2'-C1'	-7.10	1.45	1.53
11	B2	1232	G	C5-C6	7.10	1.49	1.42
38	A1	412	G	N3-C4	-7.10	1.30	1.35
38	A1	1074	G	C8-N7	7.10	1.35	1.30
38	A1	1391	C	P-O5'	-7.10	1.52	1.59
38	A1	2019	C	C2'-C1'	-7.10	1.45	1.53
38	A1	2647	G	C8-N7	-7.10	1.26	1.30
11	B2	57	G	O3'-P	-7.10	1.52	1.61
11	B2	424	U	C2-N3	7.10	1.42	1.37
11	B2	534	G	C6-N1	7.10	1.44	1.39
38	A1	649	A	N3-C4	-7.10	1.30	1.34
38	A1	1095	A	O3'-P	-7.10	1.52	1.61
38	A1	2424	A	C6-N1	7.10	1.40	1.35
11	B2	285	C	N1-C6	7.09	1.41	1.37
11	B2	545	C	O4'-C1'	7.09	1.50	1.41
38	A1	340	G	O3'-P	-7.09	1.52	1.61
38	A1	454	C	C5-C6	-7.09	1.28	1.34
38	A1	1437	C	P-O5'	-7.09	1.52	1.59
38	A1	1530	A	C6-N6	7.09	1.39	1.33
38	A1	2892	A	N3-C4	7.09	1.39	1.34
38	A1	2995	A	C5-C4	7.09	1.43	1.38
39	A3	78	C	C4'-C3'	7.09	1.60	1.53
11	B2	368	C	C4'-O4'	7.09	1.54	1.45
16	BD	53	ARG	CD-NE	7.09	1.58	1.46
11	B2	641	A	C6-N6	7.09	1.39	1.33
11	B2	1053	A	N9-C8	-7.09	1.32	1.37
11	B2	1335	A	N9-C4	-7.09	1.33	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	51	G	C4'-C3'	-7.09	1.45	1.53
38	A1	1180	G	C4'-C3'	7.09	1.60	1.53
38	A1	1293	G	C6-N1	7.09	1.44	1.39
38	A1	2340	A	N7-C5	-7.09	1.34	1.39
38	A1	2873	G	N3-C4	-7.09	1.30	1.35
38	A1	2985	U	N1-C2	7.09	1.45	1.38
11	B2	494	G	N9-C4	7.09	1.43	1.38
38	A1	658	C	C2'-C1'	-7.09	1.45	1.53
38	A1	738	C	C5-C6	-7.09	1.28	1.34
38	A1	1071	A	N1-C2	7.09	1.40	1.34
38	A1	1941	A	N1-C2	7.09	1.40	1.34
10	B1	77	A	N7-C5	-7.09	1.34	1.39
11	B2	131	G	C2-N3	7.09	1.38	1.32
13	BA	181	ARG	NE-CZ	7.09	1.42	1.33
38	A1	1170	G	N9-C8	7.09	1.42	1.37
38	A1	1475	G	C2-N3	7.09	1.38	1.32
38	A1	1780	C	O4'-C1'	7.09	1.50	1.41
38	A1	1992	A	O3'-P	-7.09	1.52	1.61
38	A1	2447	A	N9-C4	-7.09	1.33	1.37
38	A1	414	G	N7-C5	-7.09	1.34	1.39
38	A1	631	G	N9-C8	7.09	1.42	1.37
38	A1	827	G	O3'-P	-7.09	1.52	1.61
38	A1	966	G	C6-N1	7.09	1.44	1.39
38	A1	1496	A	N7-C5	-7.09	1.34	1.39
38	A1	2609	G	N7-C5	7.09	1.43	1.39
11	B2	274	G	C8-N7	7.08	1.35	1.30
38	A1	234	G	N3-C4	-7.08	1.30	1.35
38	A1	980	G	C6-N1	7.08	1.44	1.39
38	A1	1767	C	N3-C4	7.08	1.39	1.33
11	B2	559	G	C6-N1	7.08	1.44	1.39
11	B2	1036	G	C5'-C4'	7.08	1.59	1.51
38	A1	95	G	C6-O6	-7.08	1.17	1.24
38	A1	2020	G	N9-C8	7.08	1.42	1.37
38	A1	2590	C	C1'-N1	7.08	1.59	1.48
38	A1	2599	C	C2-N3	7.08	1.41	1.35
11	B2	219	C	C5'-C4'	7.08	1.59	1.51
11	B2	223	G	C3'-O3'	7.08	1.52	1.42
11	B2	339	U	N3-C4	7.08	1.44	1.38
11	B2	505	U	C4-C5	7.08	1.50	1.43
38	A1	733	A	C6-N1	7.08	1.40	1.35
38	A1	1927	C	P-O5'	-7.08	1.52	1.59
11	B2	355	C	C5-C6	-7.08	1.28	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2864	G	C2-N3	7.08	1.38	1.32
11	B2	791	G	C2'-C1'	-7.08	1.45	1.53
38	A1	258	C	C4-N4	7.08	1.40	1.33
38	A1	314	A	C6-N6	7.08	1.39	1.33
38	A1	723	A	N3-C4	-7.08	1.30	1.34
38	A1	2581	G	O3'-P	-7.08	1.52	1.61
38	A1	2586	A	C6-N6	7.08	1.39	1.33
39	A3	55	G	N9-C8	7.08	1.42	1.37
11	B2	665	G	N7-C5	-7.08	1.35	1.39
11	B2	708	C	C2-O2	-7.08	1.18	1.24
38	A1	917	A	N3-C4	-7.08	1.30	1.34
38	A1	2181	G	N7-C5	-7.08	1.35	1.39
39	A3	120	C	C4-N4	7.08	1.40	1.33
11	B2	48	G	N9-C4	-7.08	1.32	1.38
11	B2	444	G	N9-C8	-7.08	1.32	1.37
38	A1	2998	G	N3-C4	-7.08	1.30	1.35
38	A1	3024	C	C2-N3	-7.08	1.30	1.35
11	B2	884	G	P-O5'	7.07	1.66	1.59
11	B2	996	A	N9-C4	-7.07	1.33	1.37
38	A1	188	A	C4'-C3'	7.07	1.60	1.53
38	A1	880	U	C2-N3	-7.07	1.32	1.37
38	A1	1489	G	C3'-C2'	-7.07	1.45	1.52
38	A1	1578	C	N1-C2	7.07	1.47	1.40
38	A1	2315	G	C6-N1	7.07	1.44	1.39
38	A1	2386	U	C4-C5	7.07	1.50	1.43
38	A1	2498	G	N9-C8	7.07	1.42	1.37
38	A1	565	A	C8-N7	-7.07	1.26	1.31
38	A1	615	A	C8-N7	-7.07	1.26	1.31
38	A1	1392	G	C6-N1	7.07	1.44	1.39
38	A1	2200	A	C6-N6	7.07	1.39	1.33
11	B2	153	G	C6-N1	7.07	1.44	1.39
11	B2	207	G	N1-C2	7.07	1.43	1.37
11	B2	729	G	N9-C8	7.07	1.42	1.37
11	B2	933	G	C5-C6	7.07	1.49	1.42
38	A1	218	A	C6-N1	7.07	1.40	1.35
38	A1	2477	G	C2-N3	7.07	1.38	1.32
38	A1	2679	A	C6-N6	7.07	1.39	1.33
39	A3	122	C	C5-C6	7.07	1.40	1.34
11	B2	33	U	O4'-C1'	-7.07	1.32	1.41
11	B2	1152	C	N1-C6	7.07	1.41	1.37
38	A1	1465	A	N9-C8	-7.07	1.32	1.37
11	B2	583	G	C2'-C1'	-7.07	1.45	1.53

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	610	G	N9-C8	7.07	1.42	1.37
11	B2	1099	A	N9-C8	7.07	1.43	1.37
26	BN	20	ARG	CZ-NH2	7.07	1.42	1.33
38	A1	382	G	C4'-C3'	7.07	1.60	1.53
38	A1	1866	G	N1-C2	7.07	1.43	1.37
38	A1	2165	A	C4'-C3'	-7.07	1.45	1.53
38	A1	322	C	C2'-C1'	-7.07	1.45	1.53
38	A1	998	G	N3-C4	7.07	1.40	1.35
38	A1	1449	C	C2-N3	7.07	1.41	1.35
11	B2	418	G	C2-N2	7.06	1.41	1.34
38	A1	802	G	C4'-C3'	-7.06	1.45	1.53
38	A1	2162	G	N1-C2	7.06	1.43	1.37
38	A1	2321	A	C5'-C4'	7.06	1.59	1.51
43	AB	185	ARG	CZ-NH1	7.06	1.42	1.33
10	B1	28	C	C4-N4	7.06	1.40	1.33
38	A1	763	A	P-O5'	-7.06	1.52	1.59
38	A1	1080	G	C5-C6	7.06	1.49	1.42
38	A1	1485	A	N9-C8	7.06	1.43	1.37
38	A1	1704	C	N1-C6	7.06	1.41	1.37
38	A1	1938	G	C6-N1	7.06	1.44	1.39
38	A1	2200	A	N7-C5	-7.06	1.35	1.39
10	B1	43	G	N1-C2	7.06	1.43	1.37
38	A1	1255	C	C4-N4	7.06	1.40	1.33
38	A1	1419	G	C6-N1	7.06	1.44	1.39
38	A1	1422	G	C3'-O3'	7.06	1.52	1.42
38	A1	1856	G	N1-C2	7.06	1.43	1.37
38	A1	2488	C	N1-C6	7.06	1.41	1.37
11	B2	347	G	C4'-C3'	7.06	1.60	1.53
38	A1	69	C	P-O5'	-7.06	1.52	1.59
38	A1	678	G	C2-N3	7.06	1.38	1.32
38	A1	892	U	N3-C4	7.06	1.44	1.38
38	A1	1415	C	N3-C4	7.06	1.38	1.33
38	A1	2140	C	C4-C5	-7.06	1.37	1.43
38	A1	2993	G	C4'-C3'	7.06	1.60	1.53
11	B2	636	G	N9-C4	-7.06	1.32	1.38
11	B2	983	G	N9-C8	7.06	1.42	1.37
38	A1	222	A	C6-N6	7.06	1.39	1.33
38	A1	1865	U	C5-C6	-7.06	1.27	1.34
38	A1	2275	G	C6-N1	7.06	1.44	1.39
38	A1	2312	U	N1-C6	7.06	1.44	1.38
38	A1	3034	C	C4-N4	7.06	1.40	1.33
11	B2	347	G	C6-N1	7.06	1.44	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	760	C	C4-N4	7.06	1.40	1.33
11	B2	813	G	C5-C4	7.06	1.43	1.38
38	A1	1093	G	N9-C8	-7.06	1.32	1.37
38	A1	2026	C	C3'-C2'	-7.06	1.45	1.52
10	B1	37	A	N9-C4	7.05	1.42	1.37
11	B2	218	C	C2-N3	7.05	1.41	1.35
11	B2	255	G	N1-C2	7.05	1.43	1.37
11	B2	300	G	N9-C8	7.05	1.42	1.37
11	B2	352	A	P-O5'	-7.05	1.52	1.59
11	B2	662	C	C4-N4	-7.05	1.27	1.33
11	B2	918	A	C8-N7	-7.05	1.26	1.31
11	B2	1195	U	N3-C4	7.05	1.44	1.38
38	A1	570	G	N1-C2	7.05	1.43	1.37
38	A1	689	U	C5'-C4'	7.05	1.59	1.51
38	A1	2228	G	C2-N3	7.05	1.38	1.32
38	A1	2581	G	C5'-C4'	7.05	1.59	1.51
39	A3	68	C	N3-C4	7.05	1.38	1.33
11	B2	1115	G	N9-C8	7.05	1.42	1.37
38	A1	1026	A	C2'-C1'	7.05	1.61	1.53
38	A1	2680	A	N3-C4	-7.05	1.30	1.34
11	B2	300	G	C2-N2	7.05	1.41	1.34
11	B2	1059	C	N3-C4	7.05	1.38	1.33
11	B2	1294	G	N7-C5	-7.05	1.35	1.39
38	A1	366	G	C2'-C1'	-7.05	1.45	1.53
38	A1	385	U	C2-O2	7.05	1.28	1.22
38	A1	661	G	C3'-C2'	7.05	1.60	1.52
38	A1	1228	G	C6-N1	7.05	1.44	1.39
38	A1	875	G	C2'-C1'	-7.05	1.45	1.53
38	A1	1435	G	C2'-C1'	-7.05	1.45	1.53
38	A1	1581	A	P-O5'	-7.05	1.52	1.59
38	A1	2574	G	P-O5'	-7.05	1.52	1.59
11	B2	577	C	C4-N4	7.05	1.40	1.33
11	B2	353	G	C2'-C1'	-7.05	1.45	1.53
11	B2	881	G	O3'-P	-7.05	1.52	1.61
38	A1	557	G	C2'-C1'	-7.05	1.45	1.53
38	A1	1699	U	C4-C5	-7.05	1.37	1.43
38	A1	2099	G	C6-N1	7.05	1.44	1.39
38	A1	2373	G	C8-N7	-7.05	1.26	1.30
38	A1	2476	A	C8-N7	-7.05	1.26	1.31
11	B2	531	G	N9-C4	-7.04	1.32	1.38
11	B2	1018	C	C4'-C3'	-7.04	1.45	1.53
16	BD	138	ARG	CZ-NH1	7.04	1.42	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	B1	57	C	N3-C4	7.04	1.38	1.33
11	B2	208	U	N3-C4	7.04	1.44	1.38
11	B2	742	U	C2-N3	7.04	1.42	1.37
11	B2	1254	C	C2-N3	-7.04	1.30	1.35
11	B2	1345	G	C5-C4	-7.04	1.33	1.38
38	A1	2102	A	C3'-O3'	7.04	1.52	1.42
11	B2	67	C	C2-N3	7.04	1.41	1.35
11	B2	544	C	C2-N3	7.04	1.41	1.35
38	A1	210	A	O3'-P	-7.04	1.52	1.61
38	A1	1492	C	C2'-C1'	-7.04	1.45	1.53
11	B2	1413	G	C2-N3	7.04	1.38	1.32
38	A1	209	G	C5-C4	7.04	1.43	1.38
38	A1	2417	G	N1-C2	-7.04	1.32	1.37
11	B2	1243	C	C4'-O4'	7.04	1.54	1.45
38	A1	103	A	N3-C4	7.04	1.39	1.34
38	A1	946	U	N1-C6	7.04	1.44	1.38
38	A1	1665	G	C6-N1	7.04	1.44	1.39
38	A1	2890	A	N9-C8	-7.04	1.32	1.37
39	A3	42	A	N7-C5	-7.04	1.35	1.39
38	A1	137	A	C1'-N9	7.04	1.59	1.48
38	A1	1371	U	N1-C6	7.04	1.44	1.38
11	B2	237	C	C4'-C3'	7.03	1.60	1.53
30	BR	62	ARG	NE-CZ	7.03	1.42	1.33
38	A1	254	A	C4'-C3'	7.03	1.60	1.53
38	A1	278	C	C2-N3	7.03	1.41	1.35
38	A1	292	U	C4'-C3'	7.03	1.60	1.53
38	A1	479	G	C2-N3	7.03	1.38	1.32
38	A1	1333	G	C8-N7	7.03	1.35	1.30
38	A1	1812	A	C5'-C4'	7.03	1.59	1.51
38	A1	1175	C	N1-C6	7.03	1.41	1.37
38	A1	2983	G	N9-C8	-7.03	1.32	1.37
38	A1	1343	C	C2-N3	7.03	1.41	1.35
38	A1	673	A	C6-N6	7.03	1.39	1.33
38	A1	1745	U	C5'-C4'	7.03	1.59	1.51
38	A1	1811	G	C2-N3	7.03	1.38	1.32
38	A1	2869	U	C5'-C4'	7.03	1.59	1.51
11	B2	1354	A	O3'-P	7.03	1.69	1.61
38	A1	314	A	N7-C5	-7.03	1.35	1.39
38	A1	524	C	N3-C4	7.03	1.38	1.33
38	A1	1031	C	P-O5'	7.03	1.66	1.59
38	A1	2247	G	C2-N3	7.03	1.38	1.32
38	A1	2879	G	N1-C2	7.03	1.43	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	131	G	N3-C4	7.02	1.40	1.35
11	B2	629	U	O3'-P	-7.02	1.52	1.61
38	A1	2599	C	C5-C6	7.02	1.40	1.34
11	B2	489	C	N3-C4	7.02	1.38	1.33
38	A1	1150	G	N7-C5	-7.02	1.35	1.39
38	A1	1900	U	C2'-C1'	-7.02	1.45	1.53
38	A1	2122	G	C2-N3	7.02	1.38	1.32
38	A1	2297	C	C1'-N1	7.02	1.59	1.48
38	A1	2359	G	N7-C5	-7.02	1.35	1.39
38	A1	2518	G	C6-N1	7.02	1.44	1.39
38	A1	2787	G	C5-C4	7.02	1.43	1.38
39	A3	24	C	C2-N3	-7.02	1.30	1.35
11	B2	1416	C	C2'-C1'	-7.02	1.45	1.53
38	A1	974	U	C1'-N1	7.02	1.59	1.48
38	A1	2390	G	N1-C2	7.02	1.43	1.37
11	B2	1338	C	N1-C6	7.02	1.41	1.37
38	A1	123	A	C5'-C4'	7.02	1.59	1.51
38	A1	382	G	C8-N7	7.02	1.35	1.30
38	A1	1001	C	C5'-C4'	7.02	1.59	1.51
38	A1	1327	C	N1-C6	7.02	1.41	1.37
38	A1	2204	C	C5-C6	-7.02	1.28	1.34
38	A1	2422	G	C6-N1	7.02	1.44	1.39
38	A1	2466	C	C2'-C1'	7.02	1.61	1.53
38	A1	2949	G	N9-C4	7.02	1.43	1.38
11	B2	1383	A	N7-C5	-7.02	1.35	1.39
23	BK	84	ARG	NE-CZ	7.02	1.42	1.33
38	A1	678	G	N7-C5	-7.02	1.35	1.39
38	A1	2588	C	N1-C6	7.02	1.41	1.37
11	B2	894	A	O4'-C1'	7.02	1.50	1.41
38	A1	609	G	C3'-O3'	7.02	1.51	1.42
11	B2	212	G	N3-C4	-7.01	1.30	1.35
11	B2	253	G	C2-N3	7.01	1.38	1.32
11	B2	1181	G	C2-N3	7.01	1.38	1.32
38	A1	2084	A	C6-N1	7.01	1.40	1.35
38	A1	470	A	C6-N1	7.01	1.40	1.35
38	A1	1006	A	C3'-C2'	-7.01	1.45	1.52
38	A1	2409	C	C4-N4	7.01	1.40	1.33
11	B2	1448	A	C6-N1	7.01	1.40	1.35
38	A1	714	C	P-O5'	7.01	1.66	1.59
38	A1	1657	G	C8-N7	-7.01	1.26	1.30
38	A1	1825	G	C5-C4	-7.01	1.33	1.38
38	A1	2138	A	C6-N6	7.01	1.39	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	577	C	C5'-C4'	7.01	1.59	1.51
11	B2	681	G	C5-C6	-7.01	1.35	1.42
38	A1	38	U	C2-N3	7.01	1.42	1.37
38	A1	1028	G	N3-C4	-7.01	1.30	1.35
38	A1	1143	A	C6-N1	7.01	1.40	1.35
38	A1	1647	C	P-O5'	-7.01	1.52	1.59
38	A1	3009	C	N1-C6	-7.01	1.32	1.37
11	B2	393	A	C5-C4	7.01	1.43	1.38
38	A1	557	G	N9-C4	-7.01	1.32	1.38
38	A1	996	U	N3-C4	7.01	1.44	1.38
38	A1	1090	G	C2-N2	7.01	1.41	1.34
11	B2	791	G	C4'-O4'	-7.01	1.36	1.45
38	A1	2084	A	N9-C8	7.01	1.43	1.37
38	A1	2463	G	C5-C4	7.01	1.43	1.38
38	A1	2873	G	C2'-C1'	-7.00	1.45	1.53
57	Aj	46	GLY	CA-C	-7.00	1.40	1.51
11	B2	59	C	N1-C2	-7.00	1.33	1.40
11	B2	1052	U	N3-C4	7.00	1.44	1.38
30	BR	112	ARG	CZ-NH2	7.00	1.42	1.33
38	A1	638	A	N7-C5	-7.00	1.35	1.39
38	A1	1100	G	N7-C5	-7.00	1.35	1.39
38	A1	1358	C	N1-C6	7.00	1.41	1.37
38	A1	1659	G	N3-C4	-7.00	1.30	1.35
38	A1	1959	C	N1-C6	7.00	1.41	1.37
38	A1	2104	G	C8-N7	-7.00	1.26	1.30
38	A1	2725	U	C4-O4	-7.00	1.18	1.23
38	A1	2797	C	N1-C6	7.00	1.41	1.37
11	B2	1381	G	C6-N1	7.00	1.44	1.39
38	A1	880	U	N3-C4	7.00	1.44	1.38
38	A1	1239	C	C5'-C4'	7.00	1.59	1.51
38	A1	2675	C	C4-N4	7.00	1.40	1.33
38	A1	1393	C	C4-N4	7.00	1.40	1.33
38	A1	2196	C	C5'-C4'	7.00	1.59	1.51
38	A1	2354	A	C5-C4	-7.00	1.33	1.38
11	B2	271	G	C2'-C1'	-7.00	1.45	1.53
11	B2	359	A	N3-C4	-7.00	1.30	1.34
11	B2	364	U	C4-O4	-7.00	1.18	1.23
11	B2	1381	G	C8-N7	7.00	1.35	1.30
38	A1	303	A	N9-C4	7.00	1.42	1.37
38	A1	890	G	C6-N1	7.00	1.44	1.39
38	A1	1175	C	N3-C4	7.00	1.38	1.33
38	A1	1218	C	C4-N4	7.00	1.40	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1464	A	N7-C5	-7.00	1.35	1.39
38	A1	1631	A	C4'-C3'	7.00	1.60	1.53
38	A1	1723	A	P-O5'	7.00	1.66	1.59
11	B2	1310	C	N3-C4	7.00	1.38	1.33
38	A1	193	A	C5-C4	7.00	1.43	1.38
38	A1	571	G	C5-C4	-7.00	1.33	1.38
66	AY	133	SER	CA-CB	7.00	1.63	1.52
11	B2	965	G	C2-N3	7.00	1.38	1.32
11	B2	1477	U	N3-C4	7.00	1.44	1.38
11	B2	1335	A	N9-C8	-6.99	1.32	1.37
23	BK	27	ARG	CZ-NH1	6.99	1.42	1.33
38	A1	623	G	C2'-C1'	-6.99	1.45	1.53
38	A1	748	G	O4'-C1'	6.99	1.50	1.41
38	A1	813	G	C6-N1	6.99	1.44	1.39
38	A1	1341	U	N3-C4	6.99	1.44	1.38
38	A1	2352	G	O4'-C1'	6.99	1.50	1.41
11	B2	63	G	C8-N7	-6.99	1.26	1.30
38	A1	2220	C	N3-C4	6.99	1.38	1.33
38	A1	725	G	C2-N2	6.99	1.41	1.34
38	A1	2257	A	N3-C4	-6.99	1.30	1.34
38	A1	2335	G	N7-C5	-6.99	1.35	1.39
38	A1	2440	C	P-O5'	-6.99	1.52	1.59
38	A1	2452	C	C4-N4	6.99	1.40	1.33
38	A1	1173	G	C5-C4	-6.99	1.33	1.38
38	A1	1830	U	C4-C5	6.99	1.49	1.43
11	B2	431	U	C1'-N1	6.99	1.59	1.48
38	A1	1735	G	C5'-C4'	6.99	1.59	1.51
38	A1	2556	C	O3'-P	-6.99	1.52	1.61
11	B2	77	G	N7-C5	-6.99	1.35	1.39
38	A1	841	U	C4-C5	6.99	1.49	1.43
38	A1	1387	G	C5'-C4'	6.99	1.59	1.51
38	A1	1617	G	O4'-C1'	-6.99	1.32	1.41
38	A1	2105	A	C5'-C4'	6.99	1.59	1.51
38	A1	2753	G	C4'-C3'	6.99	1.60	1.53
11	B2	963	A	N9-C4	6.98	1.42	1.37
11	B2	1410	G	N9-C4	6.98	1.43	1.38
38	A1	1452	G	C5-C6	-6.98	1.35	1.42
39	A3	2	G	C5-C4	-6.98	1.33	1.38
11	B2	1220	G	C6-N1	6.98	1.44	1.39
38	A1	1445	G	C2-N2	6.98	1.41	1.34
38	A1	1637	C	O3'-P	6.98	1.69	1.61
38	A1	2602	G	N9-C4	6.98	1.43	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2779	G	N9-C8	6.98	1.42	1.37
10	B1	60	A	P-O5'	-6.98	1.52	1.59
11	B2	1383	A	C6-N6	6.98	1.39	1.33
38	A1	1058	A	N3-C4	-6.98	1.30	1.34
38	A1	236	G	C2-N3	6.98	1.38	1.32
11	B2	230	C	C5'-C4'	6.98	1.59	1.51
11	B2	744	A	N9-C4	6.98	1.42	1.37
11	B2	778	G	C6-O6	-6.98	1.17	1.24
11	B2	917	A	N7-C5	-6.98	1.35	1.39
27	BO	145	ARG	CA-CB	6.98	1.69	1.53
38	A1	349	A	N9-C4	6.98	1.42	1.37
11	B2	481	C	N1-C6	6.98	1.41	1.37
38	A1	1043	U	N1-C6	6.98	1.44	1.38
38	A1	1254	C	C2'-C1'	6.98	1.61	1.53
38	A1	1370	G	C8-N7	-6.98	1.26	1.30
38	A1	1993	A	O3'-P	-6.98	1.52	1.61
38	A1	2250	G	N7-C5	-6.98	1.35	1.39
11	B2	153	G	O3'-P	-6.97	1.52	1.61
11	B2	259	A	N9-C4	6.97	1.42	1.37
11	B2	979	U	C3'-C2'	-6.97	1.45	1.52
11	B2	1313	G	P-O5'	-6.97	1.52	1.59
38	A1	2019	C	N3-C4	6.97	1.38	1.33
11	B2	168	G	C5-C4	6.97	1.43	1.38
11	B2	470	G	C4'-C3'	6.97	1.60	1.53
11	B2	618	G	P-O5'	-6.97	1.52	1.59
16	BD	25	ARG	NE-CZ	6.97	1.42	1.33
38	A1	2011	U	N1-C2	-6.97	1.32	1.38
38	A1	2613	C	C2'-C1'	-6.97	1.45	1.53
38	A1	2986	G	C8-N7	-6.97	1.26	1.30
39	A3	5	G	C5-C6	6.97	1.49	1.42
39	A3	30	G	N3-C4	-6.97	1.30	1.35
38	A1	542	A	P-O5'	-6.97	1.52	1.59
38	A1	1405	G	C8-N7	6.97	1.35	1.30
11	B2	790	G	N9-C8	6.97	1.42	1.37
11	B2	825	C	C4'-O4'	6.97	1.54	1.45
38	A1	1117	C	N3-C4	6.97	1.38	1.33
38	A1	1199	U	N1-C2	6.97	1.44	1.38
38	A1	1706	G	N1-C2	6.97	1.43	1.37
38	A1	2165	A	C2'-C1'	-6.97	1.45	1.53
38	A1	2330	A	N9-C8	-6.97	1.32	1.37
38	A1	2446	C	C5-C6	-6.97	1.28	1.34
11	B2	199	A	C1'-N9	6.97	1.59	1.48

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	469	U	N1-C2	6.97	1.44	1.38
11	B2	582	G	C2-N3	6.97	1.38	1.32
11	B2	737	C	O3'-P	-6.97	1.52	1.61
11	B2	783	G	C2'-C1'	-6.97	1.45	1.53
38	A1	112	U	C2-N3	6.97	1.42	1.37
38	A1	585	G	C8-N7	-6.97	1.26	1.30
38	A1	2411	C	C3'-C2'	-6.97	1.45	1.52
38	A1	2617	G	C6-N1	6.97	1.44	1.39
11	B2	117	C	C4-N4	6.96	1.40	1.33
38	A1	792	A	N9-C4	-6.96	1.33	1.37
38	A1	1659	G	C2'-C1'	-6.96	1.45	1.53
39	A3	19	G	C5-C6	-6.96	1.35	1.42
38	A1	2380	A	N9-C4	-6.96	1.33	1.37
38	A1	399	C	N1-C6	6.96	1.41	1.37
38	A1	2272	G	P-O5'	-6.96	1.52	1.59
38	A1	2450	A	C6-N6	6.96	1.39	1.33
38	A1	2999	G	C5-C6	-6.96	1.35	1.42
58	Ak	172	GLU	CD-OE2	6.96	1.33	1.25
11	B2	46	A	C8-N7	6.96	1.36	1.31
38	A1	1804	G	C2'-C1'	-6.96	1.45	1.53
38	A1	2287	C	C2'-C1'	-6.96	1.45	1.53
38	A1	2366	G	N3-C4	6.96	1.40	1.35
11	B2	491	G	C5-C4	6.96	1.43	1.38
11	B2	924	U	C4-O4	6.96	1.29	1.23
38	A1	393	C	C4-N4	6.96	1.40	1.33
38	A1	2685	G	N7-C5	-6.96	1.35	1.39
11	B2	400	G	C8-N7	6.96	1.35	1.30
11	B2	1262	U	C5'-C4'	6.96	1.59	1.51
38	A1	122	G	C5-C4	6.96	1.43	1.38
38	A1	785	C	O3'-P	-6.96	1.52	1.61
38	A1	1119	A	O3'-P	-6.96	1.52	1.61
38	A1	1234	A	C8-N7	-6.96	1.26	1.31
38	A1	1558	U	C3'-C2'	-6.96	1.45	1.52
38	A1	2021	G	C2'-C1'	-6.96	1.45	1.53
38	A1	2289	A	O3'-P	-6.96	1.52	1.61
38	A1	2323	C	P-O5'	-6.96	1.52	1.59
38	A1	2331	A	C6-N6	6.96	1.39	1.33
38	A1	2545	A	N9-C4	6.96	1.42	1.37
8	AW	7	ARG	CD-NE	6.96	1.58	1.46
11	B2	575	A	C6-N6	6.96	1.39	1.33
11	B2	1260	G	C5'-C4'	6.96	1.59	1.51
11	B2	1403	U	C5'-C4'	6.96	1.59	1.51

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	451	A	C4'-C3'	6.95	1.60	1.53
11	B2	1026	A	C6-N6	6.95	1.39	1.33
38	A1	283	U	P-O5'	-6.95	1.52	1.59
38	A1	1911	G	N9-C8	6.95	1.42	1.37
38	A1	2096	G	C2-N3	6.95	1.38	1.32
38	A1	2131	C	C4-N4	6.95	1.40	1.33
38	A1	2356	U	C3'-O3'	6.95	1.51	1.42
11	B2	141	C	O4'-C1'	6.95	1.50	1.41
11	B2	521	G	C8-N7	-6.95	1.26	1.30
11	B2	690	C	N1-C2	6.95	1.47	1.40
38	A1	466	C	C2'-C1'	-6.95	1.45	1.53
38	A1	1071	A	N7-C5	-6.95	1.35	1.39
38	A1	2084	A	C2-N3	-6.95	1.27	1.33
11	B2	1144	G	C4'-O4'	-6.95	1.36	1.45
11	B2	1180	G	P-O5'	6.95	1.66	1.59
11	B2	1463	A	C2'-C1'	-6.95	1.45	1.53
38	A1	256	G	C2-N3	6.95	1.38	1.32
38	A1	351	C	C5'-C4'	6.95	1.59	1.51
38	A1	1609	G	C6-N1	6.95	1.44	1.39
38	A1	1911	G	N7-C5	-6.95	1.35	1.39
38	A1	2639	G	N9-C8	-6.95	1.32	1.37
11	B2	434	A	C3'-C2'	-6.95	1.45	1.52
11	B2	1439	G	C2'-C1'	-6.95	1.45	1.53
38	A1	541	A	N9-C4	6.95	1.42	1.37
38	A1	990	G	C2-N3	6.95	1.38	1.32
38	A1	1045	A	C8-N7	-6.95	1.26	1.31
38	A1	1227	A	N1-C2	6.95	1.40	1.34
38	A1	2377	C	C5'-C4'	6.95	1.59	1.51
38	A1	223	U	C3'-C2'	-6.94	1.45	1.52
38	A1	676	G	C5-C6	-6.94	1.35	1.42
38	A1	576	G	N3-C4	-6.94	1.30	1.35
38	A1	777	A	C6-N1	6.94	1.40	1.35
38	A1	942	U	C2'-C1'	-6.94	1.45	1.53
38	A1	2723	G	C6-N1	6.94	1.44	1.39
38	A1	3030	A	C6-N6	6.94	1.39	1.33
60	AM	183	ARG	NE-CZ	6.94	1.42	1.33
11	B2	264	C	P-O5'	-6.94	1.52	1.59
11	B2	1246	U	N3-C4	6.94	1.44	1.38
38	A1	379	U	C5'-C4'	6.94	1.59	1.51
38	A1	973	C	C5'-C4'	6.94	1.59	1.51
38	A1	1067	G	C8-N7	6.94	1.35	1.30
38	A1	1858	G	O3'-P	-6.94	1.52	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2032	G	C4'-C3'	6.94	1.60	1.53
38	A1	2170	C	C4-C5	-6.94	1.37	1.43
65	AV	28	ARG	CZ-NH1	6.94	1.42	1.33
11	B2	431	U	N1-C6	6.94	1.44	1.38
38	A1	1562	U	C1'-N1	6.94	1.59	1.48
38	A1	2676	A	C2'-C1'	-6.94	1.45	1.53
11	B2	559	G	C3'-C2'	-6.94	1.45	1.52
11	B2	886	G	C2-N3	6.94	1.38	1.32
38	A1	810	A	N3-C4	-6.94	1.30	1.34
38	A1	1609	G	C2-N2	6.94	1.41	1.34
38	A1	1653	U	N1-C6	-6.94	1.31	1.38
11	B2	1293	A	P-O5'	-6.94	1.52	1.59
38	A1	793	C	C2'-C1'	-6.94	1.45	1.53
38	A1	2294	A	N7-C5	-6.94	1.35	1.39
38	A1	2451	G	C5'-C4'	6.94	1.59	1.51
38	A1	2879	G	C2'-C1'	-6.94	1.45	1.53
11	B2	106	A	C2-N3	-6.93	1.27	1.33
38	A1	304	G	N7-C5	-6.93	1.35	1.39
38	A1	361	G	C4'-C3'	6.93	1.60	1.53
38	A1	858	G	C2-N3	6.93	1.38	1.32
38	A1	1171	G	C5-C4	6.93	1.43	1.38
38	A1	1659	G	N9-C8	6.93	1.42	1.37
38	A1	1940	U	C4-C5	6.93	1.49	1.43
38	A1	1974	G	N3-C4	6.93	1.40	1.35
38	A1	2404	G	C2'-C1'	-6.93	1.45	1.53
38	A1	2851	A	C8-N7	-6.93	1.26	1.31
11	B2	99	C	N1-C6	-6.93	1.32	1.37
11	B2	479	C	C3'-O3'	6.93	1.51	1.42
11	B2	810	G	N7-C5	-6.93	1.35	1.39
38	A1	9	A	P-O5'	6.93	1.66	1.59
38	A1	400	U	N1-C2	6.93	1.44	1.38
38	A1	1394	G	C5'-C4'	6.93	1.59	1.51
38	A1	1812	A	C4'-O4'	6.93	1.54	1.45
38	A1	1970	G	C5'-C4'	6.93	1.59	1.51
38	A1	2580	G	N9-C8	6.93	1.42	1.37
38	A1	1395	G	N1-C2	6.93	1.43	1.37
38	A1	2630	C	O4'-C1'	6.93	1.50	1.41
39	A3	37	U	C4-C5	6.93	1.49	1.43
39	A3	51	U	C2-N3	-6.93	1.32	1.37
10	B1	60	A	N9-C8	6.93	1.43	1.37
11	B2	250	G	N1-C2	6.93	1.43	1.37
11	B2	358	G	N9-C4	6.93	1.43	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	373	C	C5'-C4'	6.93	1.59	1.51
11	B2	622	C	C4'-C3'	-6.93	1.45	1.53
38	A1	2182	A	C6-N6	6.93	1.39	1.33
38	A1	2751	C	N3-C4	6.93	1.38	1.33
38	A1	2799	C	C3'-C2'	6.93	1.60	1.52
39	A3	90	A	N7-C5	6.93	1.43	1.39
9	AX	46	TYR	CG-CD1	6.93	1.48	1.39
38	A1	1435	G	N7-C5	-6.93	1.35	1.39
38	A1	2855	G	C3'-C2'	6.93	1.60	1.52
11	B2	740	G	N1-C2	6.93	1.43	1.37
38	A1	1527	G	C2-N3	6.93	1.38	1.32
38	A1	2002	A	C4'-C3'	6.93	1.60	1.53
11	B2	816	G	C6-N1	6.92	1.44	1.39
38	A1	516	A	C8-N7	-6.92	1.26	1.31
38	A1	1508	A	N7-C5	-6.92	1.35	1.39
38	A1	2629	U	N1-C6	-6.92	1.31	1.38
38	A1	2657	A	C2'-C1'	-6.92	1.45	1.53
38	A1	2960	G	O3'-P	-6.92	1.52	1.61
11	B2	270	A	C5-C4	6.92	1.43	1.38
38	A1	1043	U	C5-C6	-6.92	1.27	1.34
11	B2	214	C	C4-C5	6.92	1.48	1.43
11	B2	246	A	N3-C4	6.92	1.39	1.34
11	B2	926	C	C5'-C4'	6.92	1.59	1.51
11	B2	1005	G	C2'-C1'	-6.92	1.45	1.53
38	A1	870	G	O3'-P	-6.92	1.52	1.61
38	A1	1942	G	C5-C4	6.92	1.43	1.38
38	A1	2807	C	N3-C4	6.92	1.38	1.33
38	A1	3042	C	C2'-C1'	-6.92	1.45	1.53
11	B2	1386	C	C4-N4	6.92	1.40	1.33
38	A1	2050	U	O4'-C1'	6.92	1.50	1.41
11	B2	1419	G	C2-N2	6.92	1.41	1.34
38	A1	929	G	N9-C8	6.92	1.42	1.37
38	A1	1301	G	C2'-C1'	-6.92	1.45	1.53
38	A1	1525	G	C2-N3	6.92	1.38	1.32
38	A1	1944	C	C4-N4	6.92	1.40	1.33
38	A1	2455	G	N1-C2	6.92	1.43	1.37
60	AM	75	ARG	NE-CZ	6.92	1.42	1.33
11	B2	594	A	C6-N1	6.92	1.40	1.35
11	B2	716	G	N3-C4	-6.92	1.30	1.35
11	B2	716	G	N9-C4	6.92	1.43	1.38
11	B2	791	G	C1'-N9	6.92	1.59	1.48
11	B2	1394	G	C6-N1	6.92	1.44	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	355	G	N1-C2	6.92	1.43	1.37
38	A1	1213	G	C6-N1	6.92	1.44	1.39
38	A1	1351	G	C5-C4	6.92	1.43	1.38
38	A1	1378	G	N7-C5	-6.92	1.35	1.39
11	B2	357	C	C4-N4	6.92	1.40	1.33
11	B2	511	C	N3-C4	6.91	1.38	1.33
38	A1	1213	G	N1-C2	6.91	1.43	1.37
38	A1	1413	A	N9-C4	6.91	1.42	1.37
38	A1	2163	G	C5-C4	6.91	1.43	1.38
11	B2	1423	A	C6-N1	6.91	1.40	1.35
38	A1	481	G	C5'-C4'	6.91	1.59	1.51
38	A1	1727	G	N3-C4	-6.91	1.30	1.35
38	A1	382	G	C6-N1	6.91	1.44	1.39
38	A1	649	A	N9-C4	6.91	1.42	1.37
38	A1	1985	G	N1-C2	6.91	1.43	1.37
11	B2	34	G	C2-N2	6.91	1.41	1.34
11	B2	329	G	N3-C4	6.91	1.40	1.35
11	B2	692	G	N1-C2	6.91	1.43	1.37
38	A1	1428	G	C2-N2	6.91	1.41	1.34
38	A1	1566	G	C2'-C1'	-6.91	1.45	1.53
38	A1	2147	C	C5-C6	6.91	1.39	1.34
38	A1	2434	A	N7-C5	-6.91	1.35	1.39
38	A1	2853	A	C2-N3	-6.91	1.27	1.33
38	A1	446	G	C2'-C1'	-6.91	1.45	1.53
38	A1	2206	G	N9-C8	-6.91	1.33	1.37
38	A1	1302	G	C6-N1	6.91	1.44	1.39
38	A1	1754	A	N1-C2	6.91	1.40	1.34
30	BR	35	GLU	CD-OE2	6.90	1.33	1.25
38	A1	561	C	C4'-C3'	6.90	1.60	1.53
38	A1	633	A	C6-N6	6.90	1.39	1.33
38	A1	1984	G	C2'-C1'	-6.90	1.45	1.53
11	B2	702	G	C5-C4	6.90	1.43	1.38
38	A1	644	G	C8-N7	-6.90	1.26	1.30
38	A1	663	A	O3'-P	-6.90	1.52	1.61
38	A1	1027	A	C5'-C4'	6.90	1.59	1.51
38	A1	2162	G	C6-N1	6.90	1.44	1.39
38	A1	2343	G	P-O5'	-6.90	1.52	1.59
38	A1	2413	G	N1-C2	6.90	1.43	1.37
11	B2	664	G	C6-N1	6.90	1.44	1.39
38	A1	433	C	N1-C6	6.90	1.41	1.37
38	A1	1892	G	N7-C5	-6.90	1.35	1.39
38	A1	2448	A	O4'-C1'	-6.90	1.32	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	11	A	C4'-C3'	-6.90	1.45	1.53
38	A1	717	A	C6-N6	6.90	1.39	1.33
38	A1	2260	C	C2-N3	6.90	1.41	1.35
11	B2	379	A	N7-C5	-6.90	1.35	1.39
11	B2	394	C	N3-C4	6.90	1.38	1.33
11	B2	537	G	C2-N3	6.90	1.38	1.32
11	B2	666	G	C2-N3	6.90	1.38	1.32
11	B2	836	G	C3'-C2'	6.90	1.60	1.52
38	A1	481	G	N1-C2	6.90	1.43	1.37
38	A1	998	G	C2-N3	6.90	1.38	1.32
38	A1	1454	G	N7-C5	6.90	1.43	1.39
38	A1	1961	G	C5-C6	-6.90	1.35	1.42
38	A1	2967	C	P-O5'	-6.90	1.52	1.59
16	BD	160	PHE	CG-CD2	6.90	1.49	1.38
38	A1	325	G	C2'-C1'	-6.90	1.45	1.53
38	A1	1486	G	N3-C4	-6.90	1.30	1.35
38	A1	2083	G	C6-N1	-6.90	1.34	1.39
11	B2	320	G	C6-N1	6.89	1.44	1.39
11	B2	369	A	O3'-P	-6.89	1.52	1.61
11	B2	379	A	C5'-C4'	6.89	1.59	1.51
11	B2	1205	G	C8-N7	6.89	1.35	1.30
11	B2	188	C	P-O5'	-6.89	1.52	1.59
11	B2	1036	G	C5-C6	-6.89	1.35	1.42
11	B2	1072	C	C2'-C1'	-6.89	1.45	1.53
38	A1	1121	C	O3'-P	-6.89	1.52	1.61
38	A1	1806	C	O4'-C1'	6.89	1.50	1.41
38	A1	2464	G	C5-C4	6.89	1.43	1.38
38	A1	2832	G	P-O5'	-6.89	1.52	1.59
38	A1	2293	G	N1-C2	6.89	1.43	1.37
38	A1	3022	C	C4'-C3'	6.89	1.60	1.53
39	A3	63	G	C5'-C4'	6.89	1.59	1.51
11	B2	597	C	C4-N4	6.89	1.40	1.33
11	B2	844	G	N3-C4	-6.89	1.30	1.35
11	B2	1050	G	N1-C2	6.89	1.43	1.37
38	A1	171	A	C4'-C3'	6.89	1.60	1.53
38	A1	464	C	C4'-C3'	6.89	1.60	1.53
38	A1	735	A	C4'-C3'	-6.89	1.45	1.53
38	A1	2456	C	C2'-C1'	-6.89	1.45	1.53
11	B2	523	C	C2'-C1'	-6.89	1.45	1.53
38	A1	201	C	N3-C4	6.89	1.38	1.33
38	A1	2750	C	O3'-P	-6.89	1.52	1.61
11	B2	752	G	N1-C2	6.89	1.43	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1060	G	N1-C2	6.89	1.43	1.37
38	A1	581	A	N7-C5	-6.89	1.35	1.39
38	A1	869	A	N3-C4	-6.89	1.30	1.34
38	A1	1799	G	C4'-O4'	-6.89	1.36	1.45
38	A1	2329	A	N9-C8	-6.89	1.32	1.37
38	A1	3016	G	O3'-P	-6.89	1.52	1.61
50	AF	30	GLY	N-CA	-6.89	1.35	1.46
11	B2	798	U	C4-C5	6.88	1.49	1.43
38	A1	1032	C	N3-C4	6.88	1.38	1.33
38	A1	2443	G	N9-C8	-6.88	1.33	1.37
38	A1	2508	G	C2-N3	6.88	1.38	1.32
11	B2	52	U	N1-C6	-6.88	1.31	1.38
38	A1	19	G	C5-C6	-6.88	1.35	1.42
11	B2	791	G	N7-C5	-6.88	1.35	1.39
11	B2	1321	U	C2'-C1'	-6.88	1.45	1.53
38	A1	1202	G	N3-C4	-6.88	1.30	1.35
38	A1	1631	A	C3'-C2'	-6.88	1.45	1.52
38	A1	2238	G	N7-C5	-6.88	1.35	1.39
38	A1	2281	A	C6-N6	6.88	1.39	1.33
11	B2	969	A	C6-N6	6.88	1.39	1.33
11	B2	1365	G	C8-N7	6.88	1.35	1.30
38	A1	394	A	N7-C5	6.88	1.43	1.39
38	A1	404	G	C4'-O4'	-6.88	1.36	1.45
38	A1	2517	U	N1-C6	6.88	1.44	1.38
11	B2	678	G	N1-C2	6.88	1.43	1.37
11	B2	887	G	C6-N1	6.88	1.44	1.39
11	B2	1116	G	N7-C5	-6.88	1.35	1.39
38	A1	1394	G	C8-N7	-6.88	1.26	1.30
38	A1	1504	C	C2'-C1'	-6.88	1.45	1.53
38	A1	2565	A	C5'-C4'	6.88	1.59	1.51
41	AA	93	SER	CA-CB	6.88	1.63	1.52
11	B2	47	A	N9-C4	6.88	1.42	1.37
11	B2	366	C	C3'-C2'	-6.88	1.45	1.52
38	A1	293	G	C8-N7	-6.88	1.26	1.30
38	A1	404	G	C2-N3	6.88	1.38	1.32
38	A1	642	G	C3'-C2'	-6.88	1.45	1.52
38	A1	1678	A	C5-C4	6.88	1.43	1.38
38	A1	2214	U	C4'-O4'	-6.88	1.36	1.45
39	A3	90	A	C8-N7	6.88	1.36	1.31
43	AB	10	ARG	CZ-NH2	6.88	1.42	1.33
11	B2	32	A	C6-N6	6.88	1.39	1.33
38	A1	1419	G	C8-N7	6.88	1.35	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1560	G	N9-C8	-6.88	1.33	1.37
11	B2	491	G	N9-C4	-6.87	1.32	1.38
11	B2	933	G	C2-N3	6.87	1.38	1.32
38	A1	208	A	C6-N1	6.87	1.40	1.35
38	A1	926	C	C5'-C4'	6.87	1.59	1.51
38	A1	1528	A	C8-N7	6.87	1.36	1.31
38	A1	1990	U	P-O5'	-6.87	1.52	1.59
38	A1	2223	G	P-O5'	-6.87	1.52	1.59
38	A1	2813	G	C3'-O3'	6.87	1.51	1.42
38	A1	2876	G	N3-C4	-6.87	1.30	1.35
10	B1	32	A	N7-C5	-6.87	1.35	1.39
11	B2	1285	C	P-O5'	-6.87	1.52	1.59
38	A1	2248	G	N9-C8	6.87	1.42	1.37
11	B2	992	G	N1-C2	6.87	1.43	1.37
38	A1	1836	A	N7-C5	-6.87	1.35	1.39
38	A1	2949	G	P-O5'	-6.87	1.52	1.59
11	B2	137	A	N7-C5	-6.87	1.35	1.39
11	B2	822	A	N7-C5	-6.87	1.35	1.39
38	A1	1444	A	C5'-C4'	6.87	1.59	1.51
11	B2	1124	G	N3-C4	-6.87	1.30	1.35
38	A1	1891	C	C5'-C4'	6.87	1.59	1.51
11	B2	317	A	N7-C5	-6.87	1.35	1.39
11	B2	871	A	C6-N6	6.87	1.39	1.33
11	B2	949	G	C3'-O3'	6.87	1.51	1.42
11	B2	1009	G	C4'-C3'	6.87	1.60	1.53
38	A1	2306	C	N1-C6	6.87	1.41	1.37
38	A1	2416	G	N3-C4	-6.87	1.30	1.35
38	A1	2580	G	C4'-C3'	6.87	1.60	1.53
38	A1	2731	C	O3'-P	-6.87	1.52	1.61
46	AD	27	ARG	CZ-NH2	6.87	1.42	1.33
11	B2	621	G	C8-N7	6.86	1.35	1.30
11	B2	1130	A	N9-C8	-6.86	1.32	1.37
11	B2	1297	G	C2'-C1'	-6.86	1.45	1.53
38	A1	180	A	C5-C4	-6.86	1.33	1.38
38	A1	548	U	O3'-P	-6.86	1.52	1.61
38	A1	567	G	C2'-C1'	-6.86	1.45	1.53
38	A1	872	G	C8-N7	-6.86	1.26	1.30
38	A1	1944	C	N1-C2	-6.86	1.33	1.40
38	A1	2709	C	C2-N3	-6.86	1.30	1.35
51	Ag	8	GLU	CD-OE1	6.86	1.33	1.25
11	B2	655	A	N3-C4	6.86	1.39	1.34
11	B2	1477	U	C4'-C3'	6.86	1.60	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1186	G	C4'-C3'	-6.86	1.45	1.53
38	A1	2103	C	N3-C4	6.86	1.38	1.33
38	A1	2115	U	C4-C5	6.86	1.49	1.43
38	A1	2723	G	C2-N3	6.86	1.38	1.32
38	A1	2888	G	C6-N1	6.86	1.44	1.39
11	B2	284	A	N7-C5	-6.86	1.35	1.39
38	A1	698	U	C2-N3	6.86	1.42	1.37
38	A1	1083	G	C2-N3	6.86	1.38	1.32
38	A1	1354	G	C8-N7	6.86	1.35	1.30
38	A1	2250	G	N1-C2	6.86	1.43	1.37
38	A1	2379	G	O3'-P	-6.86	1.52	1.61
38	A1	2537	G	P-O5'	-6.86	1.52	1.59
38	A1	2859	U	P-O5'	6.86	1.66	1.59
38	A1	2998	G	C5'-C4'	6.86	1.59	1.51
10	B1	39	A	O3'-P	-6.86	1.52	1.61
38	A1	2134	G	N3-C4	-6.86	1.30	1.35
38	A1	1555	G	C2-N3	6.86	1.38	1.32
38	A1	1881	A	C6-N6	6.86	1.39	1.33
38	A1	2385	G	N3-C4	6.86	1.40	1.35
38	A1	2486	A	C8-N7	-6.86	1.26	1.31
38	A1	2512	C	C4-C5	-6.86	1.37	1.43
38	A1	2813	G	C2-N3	6.86	1.38	1.32
38	A1	3005	C	N3-C4	6.86	1.38	1.33
11	B2	127	G	N7-C5	-6.86	1.35	1.39
38	A1	410	C	C4-N4	6.86	1.40	1.33
38	A1	1278	C	C4-C5	6.86	1.48	1.43
39	A3	106	G	C6-N1	6.86	1.44	1.39
11	B2	818	A	C3'-C2'	6.85	1.60	1.52
38	A1	922	C	C2-N3	6.85	1.41	1.35
11	B2	211	G	C8-N7	-6.85	1.26	1.30
11	B2	1112	G	C5'-C4'	6.85	1.59	1.51
11	B2	1246	U	C4'-C3'	-6.85	1.45	1.53
38	A1	167	G	N7-C5	-6.85	1.35	1.39
38	A1	870	G	N7-C5	-6.85	1.35	1.39
38	A1	1075	G	C5-C4	-6.85	1.33	1.38
38	A1	1465	A	C2'-C1'	6.85	1.60	1.53
38	A1	264	G	N3-C4	-6.85	1.30	1.35
11	B2	851	C	P-O5'	-6.85	1.52	1.59
11	B2	1131	G	C8-N7	6.85	1.35	1.30
11	B2	1430	G	C3'-C2'	-6.85	1.45	1.52
38	A1	706	U	N1-C2	6.85	1.44	1.38
38	A1	792	A	C3'-C2'	-6.85	1.45	1.52

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1945	C	C2'-C1'	-6.85	1.45	1.53
11	B2	110	C	C4-N4	6.85	1.40	1.33
11	B2	273	C	C5'-C4'	6.85	1.59	1.51
38	A1	1250	A	N3-C4	6.85	1.39	1.34
38	A1	2396	G	O3'-P	-6.85	1.52	1.61
38	A1	2579	G	P-O5'	-6.85	1.52	1.59
38	A1	3032	C	N3-C4	6.85	1.38	1.33
11	B2	426	C	C2'-C1'	6.85	1.60	1.53
38	A1	206	A	C6-N6	6.85	1.39	1.33
38	A1	1103	C	C5'-C4'	6.85	1.59	1.51
38	A1	1477	C	P-O5'	-6.85	1.52	1.59
11	B2	397	C	O3'-P	-6.84	1.52	1.61
11	B2	908	G	C2-N2	6.84	1.41	1.34
11	B2	910	G	C8-N7	-6.84	1.26	1.30
38	A1	735	A	C8-N7	-6.84	1.26	1.31
38	A1	2367	C	O3'-P	-6.84	1.52	1.61
38	A1	3039	G	C6-N1	6.84	1.44	1.39
11	B2	581	G	C2-N3	6.84	1.38	1.32
11	B2	860	G	N1-C2	6.84	1.43	1.37
11	B2	1223	C	C4-N4	6.84	1.40	1.33
11	B2	1486	A	P-O5'	-6.84	1.52	1.59
38	A1	1693	G	C5'-C4'	6.84	1.59	1.51
38	A1	2145	G	N9-C8	6.84	1.42	1.37
38	A1	2256	G	C8-N7	6.84	1.35	1.30
11	B2	456	U	P-O5'	-6.84	1.52	1.59
11	B2	756	A	C6-N1	-6.84	1.30	1.35
11	B2	1328	G	N7-C5	-6.84	1.35	1.39
38	A1	1261	C	C4-N4	6.84	1.40	1.33
38	A1	2207	C	N3-C4	6.84	1.38	1.33
38	A1	2210	G	C2-N3	6.84	1.38	1.32
38	A1	2666	G	N3-C4	-6.84	1.30	1.35
11	B2	336	C	N1-C6	6.84	1.41	1.37
38	A1	466	C	N1-C6	6.84	1.41	1.37
38	A1	1797	A	C6-N6	6.84	1.39	1.33
38	A1	2762	G	N7-C5	-6.84	1.35	1.39
11	B2	146	A	C6-N1	6.84	1.40	1.35
38	A1	219	G	C5-C4	-6.84	1.33	1.38
38	A1	1334	G	N7-C5	-6.84	1.35	1.39
56	AJ	17	PRO	CA-C	-6.84	1.39	1.52
38	A1	10	C	P-O5'	-6.83	1.52	1.59
38	A1	1423	G	N1-C2	6.83	1.43	1.37
38	A1	2551	G	C2-N2	-6.83	1.27	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	B1	15	G	C5-C6	-6.83	1.35	1.42
11	B2	138	C	C2-N3	6.83	1.41	1.35
11	B2	609	G	P-O5'	6.83	1.66	1.59
11	B2	1209	C	C5-C6	6.83	1.39	1.34
38	A1	1245	C	O3'-P	-6.83	1.52	1.61
11	B2	216	G	N1-C2	6.83	1.43	1.37
11	B2	251	G	N1-C2	6.83	1.43	1.37
11	B2	558	C	N3-C4	6.83	1.38	1.33
38	A1	205	A	N7-C5	-6.83	1.35	1.39
38	A1	995	G	C5-C4	6.83	1.43	1.38
38	A1	1679	U	C2-N3	6.83	1.42	1.37
38	A1	1749	C	C2'-C1'	-6.83	1.45	1.53
38	A1	1950	G	C2-N2	6.83	1.41	1.34
38	A1	2073	G	C4'-O4'	6.83	1.54	1.45
38	A1	2235	G	N7-C5	-6.83	1.35	1.39
11	B2	61	A	C2-N3	6.83	1.39	1.33
38	A1	1050	C	C4-N4	6.83	1.40	1.33
38	A1	2587	G	C5'-C4'	6.83	1.59	1.51
11	B2	345	G	C6-O6	-6.83	1.18	1.24
11	B2	387	G	C5'-C4'	6.83	1.59	1.51
38	A1	505	A	N7-C5	-6.83	1.35	1.39
38	A1	1402	C	C4-N4	6.83	1.40	1.33
38	A1	1562	U	N1-C6	6.83	1.44	1.38
39	A3	45	C	C2-N3	6.83	1.41	1.35
38	A1	1404	G	P-O5'	6.83	1.66	1.59
11	B2	843	G	C2-N3	6.83	1.38	1.32
11	B2	1491	C	O3'-P	-6.83	1.52	1.61
29	BQ	59	GLY	CA-C	-6.83	1.41	1.51
38	A1	842	C	C3'-C2'	-6.83	1.45	1.52
11	B2	1320	A	N7-C5	-6.82	1.35	1.39
38	A1	1520	G	C4'-O4'	6.82	1.54	1.45
38	A1	2079	U	C4'-C3'	6.82	1.60	1.53
38	A1	2282	G	P-O5'	-6.82	1.52	1.59
38	A1	2633	A	C6-N6	6.82	1.39	1.33
11	B2	969	A	C6-N1	6.82	1.40	1.35
38	A1	257	G	N1-C2	6.82	1.43	1.37
38	A1	573	G	C8-N7	6.82	1.35	1.30
38	A1	1128	G	C4'-C3'	6.82	1.60	1.53
38	A1	1505	G	C2-N3	6.82	1.38	1.32
11	B2	246	A	C8-N7	-6.82	1.26	1.31
11	B2	389	G	C2-N2	6.82	1.41	1.34
11	B2	799	C	N3-C4	6.82	1.38	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	528	G	C2'-C1'	-6.82	1.45	1.53
38	A1	2202	U	N3-C4	6.82	1.44	1.38
10	B1	38	G	O3'-P	-6.82	1.52	1.61
11	B2	216	G	C6-N1	-6.82	1.34	1.39
11	B2	255	G	C5'-C4'	6.82	1.59	1.51
11	B2	696	G	N7-C5	-6.82	1.35	1.39
11	B2	839	G	C3'-C2'	6.82	1.60	1.52
11	B2	1021	C	C5-C6	6.82	1.39	1.34
16	BD	54	ARG	NE-CZ	6.82	1.42	1.33
38	A1	380	A	O3'-P	-6.82	1.52	1.61
38	A1	744	G	C2-N3	6.82	1.38	1.32
38	A1	1124	G	N7-C5	6.82	1.43	1.39
38	A1	1295	G	C2'-C1'	-6.82	1.45	1.53
38	A1	1638	C	O3'-P	-6.82	1.52	1.61
38	A1	2060	A	N9-C4	6.82	1.42	1.37
38	A1	2583	G	N9-C4	6.82	1.43	1.38
9	AX	348	ARG	CZ-NH2	6.82	1.42	1.33
10	B1	14	A	C5-C4	6.82	1.43	1.38
11	B2	191	A	C2'-C1'	-6.82	1.45	1.53
11	B2	569	G	C6-N1	6.82	1.44	1.39
11	B2	1452	G	C2'-C1'	-6.82	1.45	1.53
38	A1	711	C	N3-C4	6.82	1.38	1.33
38	A1	1136	G	C2'-C1'	-6.82	1.45	1.53
38	A1	3037	G	N3-C4	6.82	1.40	1.35
38	A1	3038	A	N7-C5	-6.82	1.35	1.39
38	A1	617	G	C2-N3	6.81	1.38	1.32
38	A1	735	A	P-O5'	-6.81	1.52	1.59
38	A1	1467	G	N9-C8	-6.81	1.33	1.37
38	A1	1650	U	C2-N3	6.81	1.42	1.37
38	A1	75	G	C4'-C3'	6.81	1.60	1.53
38	A1	107	G	N9-C8	6.81	1.42	1.37
38	A1	680	U	C2'-C1'	-6.81	1.45	1.53
38	A1	929	G	N3-C4	-6.81	1.30	1.35
38	A1	1028	G	C6-N1	6.81	1.44	1.39
38	A1	1991	G	N7-C5	-6.81	1.35	1.39
38	A1	2643	U	N1-C6	-6.81	1.31	1.38
11	B2	101	G	C2-N2	6.81	1.41	1.34
11	B2	512	U	P-O5'	6.81	1.66	1.59
38	A1	394	A	C6-N1	6.81	1.40	1.35
38	A1	408	C	C5-C6	6.81	1.39	1.34
38	A1	1357	G	N1-C2	6.81	1.43	1.37
38	A1	1584	G	C5'-C4'	6.81	1.59	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1683	C	C4-C5	6.81	1.48	1.43
38	A1	2338	A	O4'-C1'	6.81	1.50	1.41
38	A1	2636	C	N3-C4	6.81	1.38	1.33
11	B2	142	G	C2'-C1'	-6.81	1.45	1.53
11	B2	1417	A	N9-C4	6.81	1.42	1.37
38	A1	51	G	C8-N7	-6.81	1.26	1.30
38	A1	1634	A	C5-C4	-6.81	1.33	1.38
38	A1	1784	G	N9-C8	6.81	1.42	1.37
38	A1	1885	G	N9-C8	6.81	1.42	1.37
38	A1	1974	G	O3'-P	-6.81	1.52	1.61
38	A1	2529	G	O3'-P	-6.81	1.52	1.61
38	A1	2660	G	C6-N1	6.81	1.44	1.39
11	B2	300	G	C6-N1	6.81	1.44	1.39
38	A1	1354	G	P-O5'	6.81	1.66	1.59
11	B2	1114	G	C2-N3	6.80	1.38	1.32
38	A1	687	C	C4'-O4'	6.80	1.54	1.45
38	A1	919	G	C2'-C1'	-6.80	1.45	1.53
38	A1	2697	G	N1-C2	6.80	1.43	1.37
38	A1	570	G	C5-C4	6.80	1.43	1.38
38	A1	1164	C	N1-C6	6.80	1.41	1.37
38	A1	2466	C	C5'-C4'	6.80	1.59	1.51
45	AC	157	GLU	CG-CD	6.80	1.62	1.51
11	B2	403	C	C5-C6	-6.80	1.28	1.34
11	B2	1323	A	C8-N7	-6.80	1.26	1.31
38	A1	820	C	C5'-C4'	6.80	1.59	1.51
38	A1	1540	A	N7-C5	-6.80	1.35	1.39
38	A1	1728	C	N3-C4	6.80	1.38	1.33
38	A1	2109	C	P-O5'	-6.80	1.52	1.59
38	A1	2169	C	C4-N4	6.80	1.40	1.33
38	A1	2280	G	C2'-C1'	-6.80	1.45	1.53
38	A1	2994	G	C8-N7	-6.80	1.26	1.30
11	B2	1341	C	P-O5'	-6.80	1.52	1.59
38	A1	527	G	C5'-C4'	6.80	1.59	1.51
38	A1	575	G	C3'-C2'	6.80	1.60	1.52
38	A1	886	G	C5-C6	6.80	1.49	1.42
38	A1	2311	C	C4-N4	6.80	1.40	1.33
38	A1	2612	A	C6-N6	6.80	1.39	1.33
38	A1	2656	A	C5-C4	6.80	1.43	1.38
11	B2	365	C	N3-C4	6.80	1.38	1.33
11	B2	1280	C	P-O5'	-6.80	1.52	1.59
38	A1	861	G	C6-N1	6.80	1.44	1.39
38	A1	1906	G	C3'-C2'	-6.80	1.45	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	702	G	P-O5'	6.80	1.66	1.59
38	A1	113	C	C2-N3	6.80	1.41	1.35
38	A1	1677	A	P-O5'	6.80	1.66	1.59
11	B2	431	U	C2-N3	6.79	1.42	1.37
11	B2	1449	G	C5'-C4'	6.79	1.59	1.51
38	A1	1302	G	N9-C4	-6.79	1.32	1.38
38	A1	2313	G	C5'-C4'	6.79	1.59	1.51
11	B2	166	A	C2-N3	-6.79	1.27	1.33
11	B2	1410	G	C2-N3	6.79	1.38	1.32
38	A1	119	U	C4'-C3'	-6.79	1.45	1.53
38	A1	842	C	N3-C4	6.79	1.38	1.33
38	A1	1465	A	C4'-C3'	6.79	1.60	1.53
38	A1	1556	G	C8-N7	-6.79	1.26	1.30
38	A1	2215	U	C4-O4	-6.79	1.18	1.23
58	AK	186	GLU	CD-OE2	6.79	1.33	1.25
38	A1	1161	A	C8-N7	6.79	1.36	1.31
38	A1	1889	G	C2-N3	6.79	1.38	1.32
38	A1	2336	G	N7-C5	-6.79	1.35	1.39
38	A1	2468	C	C5'-C4'	6.79	1.59	1.51
11	B2	425	C	O4'-C1'	6.79	1.50	1.41
11	B2	663	G	C2-N3	6.79	1.38	1.32
38	A1	1310	A	N3-C4	6.79	1.39	1.34
38	A1	1519	G	C4'-C3'	6.79	1.60	1.53
38	A1	1596	G	C3'-C2'	-6.79	1.45	1.52
38	A1	2042	A	N9-C8	6.79	1.43	1.37
38	A1	2375	C	N1-C6	6.79	1.41	1.37
10	B1	67	C	C2-N3	6.79	1.41	1.35
11	B2	152	G	N1-C2	6.79	1.43	1.37
11	B2	153	G	C5'-C4'	6.79	1.59	1.51
11	B2	206	C	O3'-P	-6.79	1.53	1.61
11	B2	233	C	N3-C4	6.79	1.38	1.33
11	B2	499	G	N1-C2	6.79	1.43	1.37
11	B2	1442	G	N7-C5	-6.79	1.35	1.39
38	A1	133	G	C2'-C1'	-6.79	1.45	1.53
38	A1	288	G	N9-C4	-6.79	1.32	1.38
38	A1	2483	U	O3'-P	-6.79	1.53	1.61
38	A1	2567	C	N1-C6	6.79	1.41	1.37
38	A1	621	G	C6-N1	6.79	1.44	1.39
38	A1	2139	A	C4'-C3'	6.79	1.60	1.53
51	Ag	38	ARG	CZ-NH1	6.79	1.41	1.33
11	B2	402	G	P-O5'	-6.79	1.52	1.59
11	B2	889	G	C2'-C1'	-6.79	1.45	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1001	A	C5'-C4'	6.79	1.59	1.51
11	B2	1210	A	C2'-C1'	-6.79	1.45	1.53
38	A1	3033	G	C4'-C3'	6.79	1.60	1.53
11	B2	525	A	N7-C5	-6.78	1.35	1.39
18	BF	192	ARG	CZ-NH2	6.78	1.41	1.33
38	A1	952	C	C3'-C2'	6.78	1.60	1.52
11	B2	513	A	C6-N6	6.78	1.39	1.33
38	A1	655	C	C5-C6	6.78	1.39	1.34
38	A1	1990	U	N3-C4	6.78	1.44	1.38
13	BA	91	TYR	CE1-CZ	6.78	1.47	1.38
38	A1	1738	A	C6-N1	6.78	1.40	1.35
38	A1	2039	U	N3-C4	6.78	1.44	1.38
38	A1	2195	G	C5-C6	-6.78	1.35	1.42
38	A1	2790	C	N1-C6	6.78	1.41	1.37
11	B2	1473	A	C2'-C1'	-6.78	1.45	1.53
38	A1	332	A	N3-C4	-6.78	1.30	1.34
11	B2	1107	C	N1-C6	6.78	1.41	1.37
15	BC	61	ARG	CZ-NH2	6.78	1.41	1.33
38	A1	42	G	C2'-C1'	-6.78	1.45	1.53
38	A1	172	C	P-O5'	6.78	1.66	1.59
38	A1	965	A	P-O5'	-6.78	1.52	1.59
38	A1	1079	A	N1-C2	-6.78	1.28	1.34
38	A1	1166	A	C2'-C1'	-6.78	1.45	1.53
38	A1	2977	G	C2-N2	6.78	1.41	1.34
7	AU	73	ARG	CZ-NH2	6.78	1.41	1.33
11	B2	1473	A	N9-C8	6.78	1.43	1.37
11	B2	1481	G	N9-C4	-6.78	1.32	1.38
38	A1	386	A	C6-N1	6.78	1.40	1.35
38	A1	895	C	C2-N3	6.78	1.41	1.35
38	A1	1014	U	C2'-C1'	-6.78	1.45	1.53
38	A1	1206	A	C5-C6	-6.78	1.34	1.41
38	A1	1428	G	O4'-C1'	6.78	1.50	1.41
38	A1	1647	C	C4-N4	6.78	1.40	1.33
38	A1	2847	G	C6-N1	6.78	1.44	1.39
38	A1	2880	C	P-O5'	-6.78	1.52	1.59
39	A3	80	G	N1-C2	6.78	1.43	1.37
11	B2	471	G	C5-C4	6.77	1.43	1.38
11	B2	780	C	P-O5'	-6.77	1.52	1.59
38	A1	1116	A	C2'-C1'	-6.77	1.45	1.53
38	A1	1724	A	N3-C4	6.77	1.39	1.34
38	A1	2868	C	C4'-C3'	-6.77	1.45	1.53
11	B2	520	G	C2-N3	6.77	1.38	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	698	A	C6-N1	6.77	1.40	1.35
11	B2	1156	A	C5-C6	6.77	1.47	1.41
11	B2	1157	G	C4'-C3'	6.77	1.60	1.53
38	A1	137	A	C6-N6	6.77	1.39	1.33
38	A1	309	C	C2'-C1'	-6.77	1.46	1.53
38	A1	463	A	P-O5'	6.77	1.66	1.59
38	A1	867	C	C3'-C2'	-6.77	1.45	1.52
38	A1	2684	G	C5-C4	6.77	1.43	1.38
38	A1	2706	C	N3-C4	6.77	1.38	1.33
38	A1	318	G	C5-C4	-6.77	1.33	1.38
38	A1	2328	G	N9-C4	-6.77	1.32	1.38
11	B2	209	A	C6-N1	6.77	1.40	1.35
11	B2	1152	C	O3'-P	-6.77	1.53	1.61
11	B2	1310	C	N1-C6	6.77	1.41	1.37
11	B2	1392	G	N3-C4	-6.77	1.30	1.35
38	A1	605	A	C6-N6	6.77	1.39	1.33
38	A1	1156	G	P-O5'	6.77	1.66	1.59
38	A1	1519	G	C2-N2	6.77	1.41	1.34
38	A1	1588	C	C4'-C3'	6.77	1.60	1.53
38	A1	1647	C	N3-C4	6.77	1.38	1.33
38	A1	1825	G	N3-C4	-6.77	1.30	1.35
38	A1	2439	G	C6-N1	6.77	1.44	1.39
38	A1	3015	A	C6-N1	6.77	1.40	1.35
11	B2	458	G	N1-C2	6.77	1.43	1.37
38	A1	209	G	N9-C4	-6.77	1.32	1.38
38	A1	737	G	C3'-C2'	-6.77	1.45	1.52
38	A1	959	U	C2'-C1'	-6.77	1.46	1.53
38	A1	1061	G	C5-C4	-6.77	1.33	1.38
38	A1	1185	A	C3'-O3'	6.77	1.51	1.42
38	A1	1227	A	C8-N7	-6.77	1.26	1.31
38	A1	2232	U	P-O5'	-6.77	1.52	1.59
38	A1	2860	G	C2-N3	6.77	1.38	1.32
39	A3	89	G	N3-C4	-6.77	1.30	1.35
61	AN	107	ARG	NE-CZ	6.77	1.41	1.33
11	B2	168	G	O3'-P	-6.76	1.53	1.61
11	B2	872	A	N9-C8	-6.76	1.32	1.37
11	B2	1088	U	C2-N3	6.76	1.42	1.37
38	A1	482	A	C6-N1	6.76	1.40	1.35
38	A1	1412	C	O3'-P	-6.76	1.53	1.61
38	A1	1744	A	C6-N6	6.76	1.39	1.33
38	A1	2794	G	O4'-C1'	6.76	1.50	1.41
11	B2	1212	U	C2-N3	6.76	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
30	BR	51	ARG	NE-CZ	6.76	1.41	1.33
38	A1	1940	U	C4'-C3'	6.76	1.60	1.53
38	A1	2584	A	P-O5'	-6.76	1.52	1.59
10	B1	7	G	C2-N2	6.76	1.41	1.34
11	B2	201	G	N1-C2	6.76	1.43	1.37
11	B2	281	G	N1-C2	6.76	1.43	1.37
11	B2	1039	C	C2-N3	6.76	1.41	1.35
11	B2	1247	A	N1-C2	-6.76	1.28	1.34
38	A1	22	C	C4-N4	6.76	1.40	1.33
38	A1	743	A	C2'-C1'	-6.76	1.46	1.53
38	A1	746	C	C1'-N1	6.76	1.58	1.48
38	A1	1151	G	N1-C2	6.76	1.43	1.37
38	A1	2244	G	P-O5'	-6.76	1.52	1.59
38	A1	3006	G	N1-C2	6.76	1.43	1.37
38	A1	36	G	C5-C4	-6.76	1.33	1.38
38	A1	833	G	N1-C2	6.76	1.43	1.37
60	AM	65	ARG	CZ-NH1	6.76	1.41	1.33
38	A1	368	U	C4-C5	6.76	1.49	1.43
38	A1	493	A	C6-N1	6.76	1.40	1.35
38	A1	1380	G	C2'-C1'	-6.76	1.46	1.53
38	A1	1515	G	P-O5'	-6.76	1.52	1.59
38	A1	1575	G	N7-C5	-6.76	1.35	1.39
38	A1	2789	G	C5'-C4'	6.76	1.59	1.51
55	Ai	18	GLY	N-CA	-6.76	1.35	1.46
11	B2	318	C	C4-N4	6.75	1.40	1.33
38	A1	1226	G	C2-N2	6.75	1.41	1.34
11	B2	544	C	C4-N4	6.75	1.40	1.33
11	B2	566	C	N3-C4	6.75	1.38	1.33
11	B2	625	G	C5-C4	6.75	1.43	1.38
11	B2	732	G	N1-C2	6.75	1.43	1.37
11	B2	757	G	C5-C6	-6.75	1.35	1.42
11	B2	776	C	N1-C6	6.75	1.41	1.37
11	B2	1058	G	C8-N7	-6.75	1.26	1.30
38	A1	347	G	C8-N7	6.75	1.35	1.30
38	A1	1125	A	N7-C5	-6.75	1.35	1.39
38	A1	1590	C	C5'-C4'	6.75	1.59	1.51
38	A1	2425	A	N3-C4	-6.75	1.30	1.34
49	Ae	22	ARG	CZ-NH2	6.75	1.41	1.33
11	B2	687	G	C3'-C2'	6.75	1.60	1.52
11	B2	740	G	C3'-C2'	-6.75	1.45	1.52
38	A1	168	G	C2'-C1'	-6.75	1.46	1.53
38	A1	715	G	P-O5'	6.75	1.66	1.59

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1308	G	C5-C6	6.75	1.49	1.42
38	A1	2227	G	C8-N7	-6.75	1.26	1.30
38	A1	2714	G	C2-N2	6.75	1.41	1.34
38	A1	2722	G	C6-N1	6.75	1.44	1.39
38	A1	624	U	O3'-P	-6.75	1.53	1.61
38	A1	1338	G	C4'-O4'	6.75	1.54	1.45
38	A1	1530	A	O3'-P	-6.75	1.53	1.61
38	A1	2364	G	C4'-C3'	-6.75	1.45	1.53
11	B2	432	G	C5'-C4'	6.75	1.59	1.51
11	B2	841	C	C4-N4	6.75	1.40	1.33
11	B2	947	G	C6-N1	6.75	1.44	1.39
11	B2	1042	U	N3-C4	6.75	1.44	1.38
38	A1	1530	A	C5-C4	6.75	1.43	1.38
38	A1	1534	G	N1-C2	6.75	1.43	1.37
38	A1	1624	U	N3-C4	6.75	1.44	1.38
38	A1	1660	A	C6-N1	6.75	1.40	1.35
11	B2	553	C	C2-N3	6.75	1.41	1.35
19	BG	98	GLU	CG-CD	6.75	1.62	1.51
38	A1	1586	G	O4'-C1'	6.75	1.50	1.41
38	A1	1444	A	N9-C4	-6.75	1.33	1.37
11	B2	223	G	C2-N3	6.74	1.38	1.32
11	B2	434	A	O3'-P	-6.74	1.53	1.61
11	B2	741	A	C6-N6	6.74	1.39	1.33
11	B2	927	A	C5-C4	6.74	1.43	1.38
11	B2	951	G	N7-C5	-6.74	1.35	1.39
38	A1	193	A	O3'-P	-6.74	1.53	1.61
38	A1	983	G	C8-N7	6.74	1.34	1.30
38	A1	170	A	C2'-C1'	-6.74	1.46	1.53
38	A1	367	G	C2-N2	6.74	1.41	1.34
38	A1	591	G	C4'-C3'	6.74	1.60	1.53
38	A1	1395	G	N9-C4	-6.74	1.32	1.38
38	A1	1429	A	N9-C8	6.74	1.43	1.37
10	B1	60	A	C8-N7	-6.74	1.26	1.31
11	B2	329	G	C6-N1	6.74	1.44	1.39
38	A1	186	A	C2'-C1'	6.74	1.60	1.53
38	A1	540	A	O3'-P	-6.74	1.53	1.61
38	A1	2009	G	C2-N3	6.74	1.38	1.32
39	A3	107	G	C2-N3	6.74	1.38	1.32
11	B2	1485	G	N1-C2	6.74	1.43	1.37
38	A1	1051	C	C5'-C4'	6.74	1.59	1.51
38	A1	1762	G	N7-C5	6.74	1.43	1.39
38	A1	1961	G	N1-C2	6.74	1.43	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1971	C	N1-C6	6.74	1.41	1.37
39	A3	60	C	C4-C5	6.74	1.48	1.43
11	B2	260	C	C4-C5	6.74	1.48	1.43
38	A1	798	G	C5-C4	6.74	1.43	1.38
44	Ab	72	ARG	NE-CZ	6.74	1.41	1.33
11	B2	691	G	N7-C5	-6.74	1.35	1.39
11	B2	1291	G	N9-C4	-6.74	1.32	1.38
38	A1	539	A	P-O5'	-6.74	1.53	1.59
38	A1	975	C	C3'-C2'	6.74	1.60	1.52
38	A1	2150	G	C3'-C2'	6.74	1.60	1.52
38	A1	2442	A	P-O5'	-6.74	1.53	1.59
11	B2	299	G	C6-N1	6.73	1.44	1.39
38	A1	1373	C	N1-C6	6.73	1.41	1.37
38	A1	1930	A	N9-C4	-6.73	1.33	1.37
10	B1	11	C	C2-O2	6.73	1.30	1.24
11	B2	401	U	P-O5'	-6.73	1.53	1.59
11	B2	874	G	C8-N7	-6.73	1.26	1.30
38	A1	512	G	C8-N7	-6.73	1.26	1.30
38	A1	1272	A	N9-C4	-6.73	1.33	1.37
38	A1	1453	G	C2-N3	6.73	1.38	1.32
38	A1	1701	C	C1'-N1	6.73	1.58	1.48
38	A1	2226	G	N9-C4	-6.73	1.32	1.38
11	B2	41	C	C4-C5	6.73	1.48	1.43
11	B2	148	C	C4-N4	6.73	1.40	1.33
11	B2	1000	G	N9-C4	-6.73	1.32	1.38
38	A1	123	A	C5-C6	6.73	1.47	1.41
38	A1	176	G	C4'-C3'	-6.73	1.45	1.53
38	A1	491	G	N7-C5	-6.73	1.35	1.39
38	A1	748	G	N7-C5	-6.73	1.35	1.39
38	A1	2648	C	C5'-C4'	6.73	1.59	1.51
38	A1	2684	G	C3'-O3'	6.73	1.51	1.42
38	A1	3003	A	C6-N1	6.73	1.40	1.35
38	A1	811	C	C4'-C3'	-6.73	1.45	1.53
11	B2	139	C	O4'-C1'	6.73	1.50	1.41
11	B2	295	G	C2-N2	6.73	1.41	1.34
11	B2	1115	G	C6-N1	6.73	1.44	1.39
11	B2	1241	U	C2-N3	6.73	1.42	1.37
38	A1	329	G	N9-C8	-6.73	1.33	1.37
38	A1	1370	G	O3'-P	-6.73	1.53	1.61
38	A1	1483	U	N1-C2	6.73	1.44	1.38
38	A1	2005	A	O3'-P	-6.73	1.53	1.61
10	B1	44	G	C5-C4	-6.72	1.33	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	69	U	C2'-C1'	-6.72	1.46	1.53
11	B2	806	G	N9-C4	-6.72	1.32	1.38
11	B2	864	G	N1-C2	6.72	1.43	1.37
38	A1	175	G	O3'-P	-6.72	1.53	1.61
38	A1	656	G	N3-C4	-6.72	1.30	1.35
38	A1	2253	G	C4'-O4'	-6.72	1.36	1.45
11	B2	1264	G	N9-C8	6.72	1.42	1.37
38	A1	1699	U	N1-C2	6.72	1.44	1.38
39	A3	64	C	C2-N3	6.72	1.41	1.35
61	AN	24	ARG	CD-NE	6.72	1.57	1.46
38	A1	356	C	C2-N3	6.72	1.41	1.35
38	A1	574	C	C2-N3	6.72	1.41	1.35
11	B2	306	C	C4'-C3'	-6.72	1.45	1.53
11	B2	796	C	C2-N3	6.72	1.41	1.35
11	B2	823	A	N3-C4	-6.72	1.30	1.34
38	A1	329	G	C2-N2	6.72	1.41	1.34
38	A1	1240	U	N3-C4	6.72	1.44	1.38
38	A1	1656	C	C2'-C1'	-6.72	1.46	1.53
38	A1	1980	U	C4-O4	6.72	1.29	1.23
38	A1	2063	U	C1'-N1	6.72	1.58	1.48
38	A1	2185	A	C6-N1	6.72	1.40	1.35
38	A1	2410	U	C2'-C1'	-6.72	1.46	1.53
38	A1	2968	G	C5-C4	6.72	1.43	1.38
11	B2	204	G	C3'-C2'	-6.72	1.45	1.52
11	B2	391	G	P-O5'	-6.72	1.53	1.59
11	B2	496	C	C5'-C4'	6.72	1.59	1.51
38	A1	1856	G	C6-N1	6.72	1.44	1.39
38	A1	2304	C	C4'-C3'	6.72	1.60	1.53
10	B1	7	G	P-O5'	-6.72	1.53	1.59
11	B2	666	G	N1-C2	6.72	1.43	1.37
11	B2	869	U	C2'-O2'	-6.72	1.32	1.41
11	B2	948	G	C2-N3	6.72	1.38	1.32
11	B2	1040	A	C3'-C2'	-6.72	1.45	1.52
38	A1	438	G	C4'-C3'	6.72	1.60	1.53
38	A1	528	G	N3-C4	-6.72	1.30	1.35
38	A1	735	A	C6-N1	6.72	1.40	1.35
38	A1	855	G	C5'-C4'	6.72	1.59	1.51
38	A1	1020	G	O4'-C1'	6.72	1.50	1.41
38	A1	2647	G	N1-C2	6.72	1.43	1.37
38	A1	2817	U	C2-N3	6.72	1.42	1.37
11	B2	255	G	C4'-C3'	6.71	1.60	1.53
11	B2	328	G	C8-N7	6.71	1.34	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	522	C	N1-C6	6.71	1.41	1.37
11	B2	1184	U	C2-N3	6.71	1.42	1.37
38	A1	383	C	O4'-C1'	6.71	1.50	1.41
38	A1	664	A	C6-N6	6.71	1.39	1.33
38	A1	1621	G	N7-C5	-6.71	1.35	1.39
38	A1	2671	C	C4-N4	6.71	1.40	1.33
38	A1	2802	G	C5-C6	6.71	1.49	1.42
32	BT	64	ARG	CZ-NH2	6.71	1.41	1.33
7	AU	36	ARG	NE-CZ	6.71	1.41	1.33
11	B2	674	C	C2'-C1'	6.71	1.60	1.53
11	B2	1392	G	C6-N1	6.71	1.44	1.39
38	A1	92	G	C4'-C3'	-6.71	1.45	1.53
38	A1	254	A	O4'-C1'	6.71	1.50	1.41
38	A1	510	A	C4'-C3'	6.71	1.60	1.53
38	A1	701	G	O3'-P	-6.71	1.53	1.61
38	A1	946	U	P-O5'	-6.71	1.53	1.59
38	A1	2368	G	C4'-C3'	6.71	1.60	1.53
41	AA	128	ARG	CZ-NH2	6.71	1.41	1.33
44	Ab	13	ARG	NE-CZ	6.71	1.41	1.33
11	B2	1245	C	C4-N4	6.71	1.40	1.33
38	A1	2108	U	C5'-C4'	6.71	1.59	1.51
38	A1	2326	C	C4-N4	6.71	1.40	1.33
38	A1	2647	G	C2-N3	6.71	1.38	1.32
11	B2	101	G	C2-N3	6.71	1.38	1.32
11	B2	567	A	N7-C5	-6.71	1.35	1.39
11	B2	923	A	C4'-C3'	-6.71	1.45	1.53
38	A1	348	G	C2-N2	6.71	1.41	1.34
38	A1	1790	G	C2-N2	6.71	1.41	1.34
38	A1	1964	G	C5'-C4'	6.71	1.59	1.51
38	A1	2469	G	C5'-C4'	6.71	1.59	1.51
38	A1	2488	C	O3'-P	-6.71	1.53	1.61
11	B2	328	G	N3-C4	-6.71	1.30	1.35
11	B2	329	G	C8-N7	-6.71	1.26	1.30
11	B2	922	G	C5-C4	-6.71	1.33	1.38
11	B2	1037	U	C4-O4	-6.71	1.18	1.23
38	A1	872	G	C3'-C2'	6.71	1.60	1.52
38	A1	1073	G	C5-C6	6.71	1.49	1.42
38	A1	1455	U	C4-C5	6.71	1.49	1.43
38	A1	1594	G	N9-C8	6.71	1.42	1.37
38	A1	2313	G	C6-N1	-6.71	1.34	1.39
38	A1	2459	G	N9-C8	6.71	1.42	1.37
38	A1	2587	G	C6-N1	6.71	1.44	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
45	AC	26	ARG	NE-CZ	6.71	1.41	1.33
10	B1	29	C	N1-C6	6.71	1.41	1.37
11	B2	63	G	C2'-C1'	-6.71	1.46	1.53
11	B2	354	G	C8-N7	-6.70	1.26	1.30
38	A1	63	A	C8-N7	-6.70	1.26	1.31
38	A1	323	U	C4-C5	6.70	1.49	1.43
11	B2	202	G	C8-N7	-6.70	1.26	1.30
11	B2	738	C	C4-C5	6.70	1.48	1.43
11	B2	798	U	N3-C4	6.70	1.44	1.38
38	A1	135	U	C2-N3	-6.70	1.33	1.37
38	A1	1085	G	C8-N7	-6.70	1.26	1.30
11	B2	964	A	O3'-P	-6.70	1.53	1.61
11	B2	1381	G	O3'-P	-6.70	1.53	1.61
38	A1	622	A	N9-C4	-6.70	1.33	1.37
10	B1	27	A	O3'-P	-6.70	1.53	1.61
11	B2	43	A	C6-N1	6.70	1.40	1.35
11	B2	625	G	C2-N3	6.70	1.38	1.32
38	A1	339	A	N9-C4	6.70	1.41	1.37
38	A1	604	A	C4'-O4'	-6.70	1.36	1.45
38	A1	1227	A	N9-C4	6.70	1.41	1.37
38	A1	1684	C	C2'-C1'	-6.70	1.46	1.53
38	A1	2291	G	N9-C4	6.70	1.43	1.38
38	A1	2792	G	N9-C8	6.70	1.42	1.37
38	A1	823	G	N7-C5	-6.70	1.35	1.39
38	A1	1393	C	N3-C4	6.70	1.38	1.33
43	AB	185	ARG	NE-CZ	6.70	1.41	1.33
11	B2	126	G	C2-N3	6.70	1.38	1.32
11	B2	601	G	C2'-C1'	-6.70	1.46	1.53
11	B2	638	G	N1-C2	6.70	1.43	1.37
24	BL	5	ARG	NE-CZ	6.70	1.41	1.33
38	A1	999	A	C2'-C1'	-6.70	1.46	1.53
38	A1	1113	G	N1-C2	6.70	1.43	1.37
38	A1	1738	A	C6-N6	6.70	1.39	1.33
38	A1	2346	A	C6-N6	6.70	1.39	1.33
38	A1	2868	C	C4-N4	6.70	1.40	1.33
39	A3	3	G	P-O5'	-6.70	1.53	1.59
11	B2	256	G	N3-C4	6.69	1.40	1.35
11	B2	439	G	N7-C5	-6.69	1.35	1.39
11	B2	666	G	C6-N1	6.69	1.44	1.39
11	B2	1349	C	C3'-O3'	6.69	1.51	1.42
38	A1	824	C	O3'-P	-6.69	1.53	1.61
38	A1	1277	G	N9-C8	6.69	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1403	C	N1-C6	-6.69	1.33	1.37
38	A1	2342	C	C4'-C3'	6.69	1.60	1.53
11	B2	177	A	C5-C4	-6.69	1.34	1.38
38	A1	223	U	C4'-O4'	6.69	1.54	1.45
38	A1	677	A	N3-C4	-6.69	1.30	1.34
38	A1	1449	C	P-O5'	-6.69	1.53	1.59
38	A1	1906	G	N9-C8	-6.69	1.33	1.37
38	A1	2712	G	C5-C4	-6.69	1.33	1.38
38	A1	2836	G	C5-C4	-6.69	1.33	1.38
11	B2	1417	A	N3-C4	6.69	1.38	1.34
38	A1	1905	G	P-O5'	-6.69	1.53	1.59
11	B2	246	A	C6-N6	6.69	1.39	1.33
11	B2	806	G	C3'-O3'	6.69	1.51	1.42
38	A1	968	A	C5'-C4'	6.69	1.59	1.51
38	A1	2813	G	C8-N7	6.69	1.34	1.30
10	B1	25	G	C6-N1	6.68	1.44	1.39
11	B2	418	G	N1-C2	6.68	1.43	1.37
11	B2	1025	U	P-O5'	6.68	1.66	1.59
38	A1	789	G	C8-N7	-6.68	1.26	1.30
39	A3	124	A	C8-N7	-6.68	1.26	1.31
57	Aj	47	TYR	CZ-OH	6.68	1.49	1.37
11	B2	18	C	C2-N3	6.68	1.41	1.35
38	A1	242	C	N1-C6	6.68	1.41	1.37
38	A1	437	G	N1-C2	6.68	1.43	1.37
38	A1	956	U	C3'-O3'	6.68	1.51	1.42
38	A1	2277	G	C5'-C4'	6.68	1.59	1.51
38	A1	2656	A	C2'-O2'	-6.68	1.32	1.41
11	B2	894	A	C5-C4	-6.68	1.34	1.38
11	B2	1315	G	N3-C4	-6.68	1.30	1.35
38	A1	98	G	N3-C4	-6.68	1.30	1.35
38	A1	576	G	N1-C2	6.68	1.43	1.37
38	A1	2356	U	N1-C6	6.68	1.44	1.38
11	B2	374	G	N3-C4	6.68	1.40	1.35
11	B2	1390	G	P-O5'	-6.68	1.53	1.59
38	A1	265	A	N9-C4	-6.68	1.33	1.37
38	A1	1671	A	C5'-C4'	6.68	1.59	1.51
38	A1	1734	G	N9-C8	-6.68	1.33	1.37
38	A1	2125	C	C5-C6	6.68	1.39	1.34
39	A3	19	G	C2-N3	6.68	1.38	1.32
11	B2	31	U	C2'-C1'	-6.68	1.46	1.53
11	B2	86	C	O3'-P	-6.68	1.53	1.61
38	A1	337	G	C5-C4	6.68	1.43	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	795	G	N1-C2	6.68	1.43	1.37
38	A1	2632	C	C4-N4	6.68	1.40	1.33
11	B2	575	A	P-O5'	-6.68	1.53	1.59
11	B2	1131	G	N9-C4	-6.68	1.32	1.38
11	B2	1188	C	C5'-C4'	6.68	1.59	1.51
38	A1	1093	G	N9-C4	-6.68	1.32	1.38
38	A1	1623	C	C2-N3	6.68	1.41	1.35
11	B2	1234	A	N3-C4	-6.67	1.30	1.34
38	A1	839	A	N7-C5	-6.67	1.35	1.39
11	B2	237	C	C4-N4	6.67	1.40	1.33
11	B2	1292	A	C6-N6	6.67	1.39	1.33
11	B2	1407	U	O3'-P	-6.67	1.53	1.61
38	A1	7	G	N9-C8	-6.67	1.33	1.37
38	A1	448	A	C2'-O2'	6.67	1.50	1.41
38	A1	830	G	C5-C4	6.67	1.43	1.38
38	A1	1269	U	C5'-C4'	6.67	1.59	1.51
11	B2	195	C	N3-C4	6.67	1.38	1.33
11	B2	1410	G	C4'-C3'	-6.67	1.45	1.53
38	A1	254	A	N7-C5	-6.67	1.35	1.39
38	A1	610	C	N1-C6	6.67	1.41	1.37
38	A1	1420	U	C2-N3	6.67	1.42	1.37
38	A1	1810	G	N1-C2	6.67	1.43	1.37
38	A1	1956	G	O3'-P	-6.67	1.53	1.61
38	A1	2357	U	C2'-C1'	-6.67	1.46	1.53
11	B2	997	G	C2-N2	6.67	1.41	1.34
38	A1	1156	G	C8-N7	6.67	1.34	1.30
38	A1	1379	A	N3-C4	6.67	1.38	1.34
38	A1	1443	G	C5'-C4'	6.67	1.59	1.51
11	B2	65	G	N7-C5	6.67	1.43	1.39
11	B2	786	G	C2-N3	6.67	1.38	1.32
11	B2	803	C	C5-C6	-6.67	1.29	1.34
11	B2	830	A	N3-C4	-6.67	1.30	1.34
11	B2	913	G	C8-N7	6.67	1.34	1.30
11	B2	982	U	O3'-P	-6.67	1.53	1.61
11	B2	1043	U	C2-N3	6.67	1.42	1.37
11	B2	1067	G	C5-C4	6.67	1.43	1.38
11	B2	1163	U	C2'-O2'	-6.67	1.32	1.41
38	A1	512	G	O3'-P	-6.67	1.53	1.61
38	A1	742	C	N3-C4	6.67	1.38	1.33
38	A1	887	U	C4-O4	6.67	1.28	1.23
38	A1	1815	C	C2'-C1'	-6.67	1.46	1.53
38	A1	471	U	P-O5'	-6.67	1.53	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	474	G	N1-C2	6.67	1.43	1.37
38	A1	1430	A	C8-N7	-6.67	1.26	1.31
38	A1	2188	C	C2-O2	-6.67	1.18	1.24
38	A1	2269	C	C4'-C3'	6.67	1.60	1.53
11	B2	736	A	N9-C8	-6.66	1.32	1.37
37	BY	17	ARG	CZ-NH2	6.66	1.41	1.33
38	A1	423	G	C2'-C1'	-6.66	1.46	1.53
38	A1	758	C	O3'-P	-6.66	1.53	1.61
38	A1	857	U	N1-C6	-6.66	1.31	1.38
38	A1	1158	G	C5-C6	-6.66	1.35	1.42
38	A1	1866	G	N9-C4	6.66	1.43	1.38
38	A1	2061	A	N9-C8	-6.66	1.32	1.37
38	A1	2360	G	C2-N2	6.66	1.41	1.34
45	AC	6	ARG	CD-NE	6.66	1.57	1.46
11	B2	940	U	C5'-C4'	6.66	1.59	1.51
38	A1	1259	G	N9-C8	6.66	1.42	1.37
10	B1	73	C	C2-N3	6.66	1.41	1.35
11	B2	1076	G	C2'-C1'	-6.66	1.46	1.53
22	BJ	24	ARG	NE-CZ	6.66	1.41	1.33
38	A1	381	G	C2-N3	6.66	1.38	1.32
38	A1	569	G	C2-N2	6.66	1.41	1.34
38	A1	986	G	N7-C5	-6.66	1.35	1.39
38	A1	1080	G	O3'-P	-6.66	1.53	1.61
38	A1	1436	A	N9-C8	6.66	1.43	1.37
38	A1	2476	A	C6-N6	6.66	1.39	1.33
38	A1	2551	G	N9-C4	6.66	1.43	1.38
11	B2	944	C	O4'-C1'	6.66	1.50	1.41
38	A1	36	G	N1-C2	6.66	1.43	1.37
38	A1	2052	A	N7-C5	-6.66	1.35	1.39
38	A1	2101	A	C4'-C3'	6.66	1.60	1.53
38	A1	2322	A	C6-N6	6.66	1.39	1.33
38	A1	2977	G	N9-C4	6.66	1.43	1.38
11	B2	66	G	P-O5'	-6.66	1.53	1.59
11	B2	1221	A	C6-N1	6.66	1.40	1.35
38	A1	678	G	N9-C4	6.66	1.43	1.38
38	A1	2131	C	N1-C6	-6.66	1.33	1.37
38	A1	2184	G	P-O5'	-6.66	1.53	1.59
10	B1	12	U	C3'-O3'	6.66	1.51	1.42
11	B2	175	G	N3-C4	-6.66	1.30	1.35
11	B2	1201	G	N3-C4	-6.66	1.30	1.35
38	A1	133	G	C4'-O4'	6.66	1.54	1.45
38	A1	497	G	C5'-C4'	6.66	1.59	1.51

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1794	C	N3-C4	6.66	1.38	1.33
38	A1	2891	A	C6-N6	6.66	1.39	1.33
11	B2	1428	G	N1-C2	6.65	1.43	1.37
38	A1	621	G	N7-C5	-6.65	1.35	1.39
38	A1	2215	U	C2'-C1'	-6.65	1.46	1.53
11	B2	20	G	C5'-C4'	6.65	1.59	1.51
11	B2	461	A	O3'-P	-6.65	1.53	1.61
11	B2	999	G	N1-C2	6.65	1.43	1.37
38	A1	178	G	N1-C2	6.65	1.43	1.37
38	A1	360	G	C5-C4	6.65	1.43	1.38
11	B2	299	G	N1-C2	6.65	1.43	1.37
11	B2	304	C	O4'-C1'	6.65	1.50	1.41
11	B2	789	G	N9-C4	-6.65	1.32	1.38
11	B2	1418	G	C8-N7	-6.65	1.26	1.30
38	A1	303	A	C4'-C3'	6.65	1.60	1.53
38	A1	437	G	C2-N2	6.65	1.41	1.34
38	A1	560	G	C5-C4	6.65	1.43	1.38
38	A1	814	G	C6-N1	6.65	1.44	1.39
38	A1	2282	G	C5'-C4'	6.65	1.59	1.51
11	B2	270	A	C2-N3	-6.65	1.27	1.33
38	A1	1964	G	C8-N7	6.65	1.34	1.30
11	B2	89	G	P-O5'	-6.65	1.53	1.59
11	B2	284	A	C2-N3	6.65	1.39	1.33
11	B2	492	G	N7-C5	-6.65	1.35	1.39
11	B2	671	C	C4'-O4'	6.65	1.54	1.45
11	B2	901	G	C5-C4	-6.65	1.33	1.38
11	B2	1158	G	C6-O6	6.65	1.30	1.24
11	B2	1426	C	C2'-O2'	6.65	1.50	1.41
38	A1	318	G	C6-N1	6.65	1.44	1.39
38	A1	2712	G	C3'-O3'	6.65	1.51	1.42
38	A1	2728	U	C4'-C3'	-6.65	1.45	1.53
11	B2	964	A	N7-C5	-6.65	1.35	1.39
38	A1	68	G	N9-C8	6.65	1.42	1.37
38	A1	1143	A	N7-C5	-6.65	1.35	1.39
38	A1	2427	C	C4-N4	6.65	1.40	1.33
11	B2	101	G	O4'-C1'	-6.64	1.33	1.41
11	B2	288	G	N7-C5	-6.64	1.35	1.39
11	B2	1471	G	P-O5'	-6.64	1.53	1.59
38	A1	75	G	C2-N2	6.64	1.41	1.34
38	A1	81	G	C6-N1	6.64	1.44	1.39
38	A1	192	U	N3-C4	6.64	1.44	1.38
38	A1	804	C	C2-N3	6.64	1.41	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1441	C	C5'-C4'	6.64	1.59	1.51
38	A1	1835	A	C4'-C3'	-6.64	1.45	1.53
38	A1	2483	U	C4'-C3'	6.64	1.60	1.53
38	A1	2601	C	C5-C6	6.64	1.39	1.34
38	A1	2703	G	C6-N1	-6.64	1.34	1.39
4	AQ	60	ARG	NE-CZ	6.64	1.41	1.33
38	A1	1109	G	C3'-C2'	6.64	1.60	1.52
38	A1	1459	A	C6-N1	6.64	1.40	1.35
38	A1	1938	G	C2-N3	6.64	1.38	1.32
38	A1	2315	G	C2-N3	6.64	1.38	1.32
11	B2	291	G	C6-N1	6.64	1.44	1.39
11	B2	362	C	C4-C5	6.64	1.48	1.43
11	B2	1216	A	C6-N1	6.64	1.40	1.35
38	A1	1276	G	C4'-C3'	6.64	1.60	1.53
38	A1	1816	C	N3-C4	6.64	1.38	1.33
38	A1	1979	G	N1-C2	6.64	1.43	1.37
11	B2	54	C	P-O5'	6.64	1.66	1.59
11	B2	577	C	C2'-C1'	-6.64	1.46	1.53
38	A1	2501	G	C4'-O4'	6.64	1.54	1.45
11	B2	382	G	N9-C8	6.64	1.42	1.37
11	B2	437	A	C2-N3	6.64	1.39	1.33
38	A1	444	U	O4'-C1'	-6.64	1.33	1.41
38	A1	671	G	N7-C5	6.64	1.43	1.39
38	A1	1478	G	C4'-C3'	6.64	1.60	1.53
38	A1	1604	G	C2-N2	6.64	1.41	1.34
38	A1	2454	G	C6-N1	6.64	1.44	1.39
38	A1	2784	A	N3-C4	-6.64	1.30	1.34
39	A3	106	G	N3-C4	6.64	1.40	1.35
11	B2	177	A	C6-N1	6.63	1.40	1.35
11	B2	426	C	C4-C5	-6.63	1.37	1.43
38	A1	596	C	C5'-C4'	6.63	1.59	1.51
38	A1	1385	C	P-O5'	-6.63	1.53	1.59
38	A1	2173	U	C1'-N1	6.63	1.58	1.48
38	A1	2630	C	C2'-C1'	-6.63	1.46	1.53
11	B2	775	G	N7-C5	-6.63	1.35	1.39
11	B2	1238	G	C2-N3	6.63	1.38	1.32
38	A1	479	G	N1-C2	6.63	1.43	1.37
38	A1	835	G	C5-C4	-6.63	1.33	1.38
38	A1	868	U	P-O5'	-6.63	1.53	1.59
38	A1	1256	G	C6-N1	6.63	1.44	1.39
38	A1	1359	C	N1-C6	-6.63	1.33	1.37
38	A1	1622	G	C6-O6	6.63	1.30	1.24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2675	C	C4'-O4'	-6.63	1.36	1.45
39	A3	52	U	C3'-C2'	6.63	1.60	1.52
38	A1	761	U	C5'-C4'	6.63	1.59	1.51
38	A1	1476	C	C4-N4	6.63	1.40	1.33
11	B2	1399	G	C2-N3	6.63	1.38	1.32
11	B2	1486	A	C6-N6	6.63	1.39	1.33
38	A1	931	C	O4'-C1'	6.63	1.50	1.41
38	A1	2018	C	C2-N3	6.63	1.41	1.35
38	A1	2540	A	N9-C8	-6.63	1.32	1.37
38	A1	3005	C	C4-C5	6.63	1.48	1.43
39	A3	112	C	C4-C5	6.63	1.48	1.43
11	B2	795	G	O3'-P	-6.63	1.53	1.61
11	B2	888	A	P-O5'	-6.63	1.53	1.59
38	A1	919	G	N1-C2	6.63	1.43	1.37
38	A1	1070	G	C4'-O4'	-6.63	1.36	1.45
38	A1	1556	G	C2-N3	6.63	1.38	1.32
38	A1	1915	G	N9-C4	-6.63	1.32	1.38
38	A1	2103	C	N1-C6	6.63	1.41	1.37
38	A1	2149	G	P-O5'	-6.63	1.53	1.59
11	B2	56	A	N3-C4	6.62	1.38	1.34
11	B2	277	G	N1-C2	6.62	1.43	1.37
11	B2	644	G	C2-N2	6.62	1.41	1.34
11	B2	1144	G	C2'-C1'	-6.62	1.46	1.53
11	B2	1268	C	N3-C4	6.62	1.38	1.33
38	A1	604	A	N7-C5	-6.62	1.35	1.39
38	A1	617	G	N9-C8	-6.62	1.33	1.37
38	A1	923	A	C5'-C4'	6.62	1.59	1.51
10	B1	18	U	C2-N3	6.62	1.42	1.37
11	B2	1289	G	C3'-C2'	6.62	1.60	1.52
11	B2	1466	G	C4'-C3'	6.62	1.60	1.53
38	A1	130	G	N1-C2	6.62	1.43	1.37
38	A1	1523	A	N9-C8	-6.62	1.32	1.37
38	A1	1553	G	O3'-P	-6.62	1.53	1.61
38	A1	1644	G	P-O5'	-6.62	1.53	1.59
38	A1	1652	A	N3-C4	6.62	1.38	1.34
38	A1	2763	U	N1-C6	6.62	1.44	1.38
11	B2	308	G	C8-N7	6.62	1.34	1.30
11	B2	787	U	N1-C6	6.62	1.44	1.38
20	BH	50	ARG	NE-CZ	6.62	1.41	1.33
27	BO	136	ARG	CZ-NH2	6.62	1.41	1.33
38	A1	130	G	N3-C4	-6.62	1.30	1.35
38	A1	218	A	C6-N6	6.62	1.39	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	955	A	C5-C6	-6.62	1.35	1.41
38	A1	2008	G	P-O5'	6.62	1.66	1.59
38	A1	2015	G	C5-C4	6.62	1.43	1.38
38	A1	2600	C	C4-N4	6.62	1.40	1.33
38	A1	2842	C	N1-C6	6.62	1.41	1.37
38	A1	3003	A	C6-N6	6.62	1.39	1.33
11	B2	834	C	C4-N4	6.62	1.40	1.33
25	BM	133	ARG	CZ-NH2	6.62	1.41	1.33
38	A1	818	A	C5-C6	6.62	1.47	1.41
38	A1	2458	U	N1-C2	-6.62	1.32	1.38
39	A3	28	C	C2-N3	-6.62	1.30	1.35
11	B2	479	C	C5'-C4'	6.62	1.59	1.51
11	B2	928	A	C6-N1	6.62	1.40	1.35
38	A1	2301	C	C2'-C1'	6.62	1.60	1.53
11	B2	48	G	C2-N3	6.62	1.38	1.32
11	B2	958	G	C6-N1	6.62	1.44	1.39
11	B2	1001	A	C6-N1	6.62	1.40	1.35
11	B2	1074	C	N1-C6	-6.62	1.33	1.37
38	A1	217	A	N9-C8	6.62	1.43	1.37
38	A1	566	G	N1-C2	6.62	1.43	1.37
38	A1	714	C	N1-C6	-6.62	1.33	1.37
38	A1	1837	A	P-O5'	-6.62	1.53	1.59
38	A1	2403	G	C2-N3	6.62	1.38	1.32
38	A1	2808	C	C5'-C4'	6.62	1.59	1.51
38	A1	2959	A	N9-C4	-6.62	1.33	1.37
60	AM	63	ARG	CZ-NH2	6.62	1.41	1.33
10	B1	18	U	N1-C2	6.61	1.44	1.38
11	B2	977	G	N9-C8	6.61	1.42	1.37
11	B2	1112	G	C8-N7	6.61	1.34	1.30
38	A1	143	C	N3-C4	6.61	1.38	1.33
38	A1	431	U	N3-C4	6.61	1.44	1.38
38	A1	1195	G	N1-C2	6.61	1.43	1.37
38	A1	1631	A	C6-N6	6.61	1.39	1.33
38	A1	1917	U	C2'-C1'	-6.61	1.46	1.53
38	A1	1398	C	C4'-C3'	6.61	1.60	1.53
38	A1	1410	A	O3'-P	-6.61	1.53	1.61
10	B1	47	G	C5'-C4'	6.61	1.59	1.51
11	B2	697	A	C5-C4	-6.61	1.34	1.38
11	B2	1330	G	C8-N7	-6.61	1.26	1.30
28	BP	23	ARG	CD-NE	6.61	1.57	1.46
38	A1	126	U	P-O5'	-6.61	1.53	1.59
38	A1	437	G	C6-N1	6.61	1.44	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	811	C	C4-C5	6.61	1.48	1.43
38	A1	2029	C	O4'-C1'	6.61	1.50	1.41
38	A1	2157	U	N1-C2	6.61	1.44	1.38
39	A3	63	G	C5-C4	6.61	1.43	1.38
11	B2	208	U	P-O5'	-6.61	1.53	1.59
18	BF	184	TRP	CD2-CE2	-6.61	1.33	1.41
38	A1	191	U	O4'-C1'	6.61	1.50	1.41
38	A1	234	G	N7-C5	-6.61	1.35	1.39
38	A1	852	A	C8-N7	6.61	1.36	1.31
38	A1	955	A	C5'-C4'	6.61	1.59	1.51
11	B2	275	A	O3'-P	-6.61	1.53	1.61
11	B2	801	A	C6-N1	6.61	1.40	1.35
11	B2	809	C	O4'-C1'	6.61	1.50	1.41
11	B2	859	A	N9-C8	6.61	1.43	1.37
38	A1	15	A	N7-C5	-6.61	1.35	1.39
38	A1	788	A	P-O5'	-6.61	1.53	1.59
38	A1	2127	G	N1-C2	6.61	1.43	1.37
38	A1	2375	C	N3-C4	6.61	1.38	1.33
38	A1	2577	U	N3-C4	6.61	1.44	1.38
39	A3	2	G	C2'-C1'	-6.61	1.46	1.53
39	A3	100	A	N7-C5	-6.61	1.35	1.39
11	B2	49	C	P-O5'	-6.61	1.53	1.59
11	B2	695	G	N9-C4	6.61	1.43	1.38
38	A1	1196	A	C2'-C1'	-6.61	1.46	1.53
38	A1	1561	G	O4'-C1'	6.61	1.50	1.41
38	A1	2496	G	C8-N7	-6.61	1.26	1.30
38	A1	2699	U	P-O5'	6.61	1.66	1.59
11	B2	294	A	N7-C5	-6.60	1.35	1.39
11	B2	754	G	C6-N1	-6.60	1.34	1.39
11	B2	1411	G	C2'-C1'	-6.60	1.46	1.53
38	A1	353	C	C4-N4	6.60	1.39	1.33
38	A1	1352	U	N1-C2	6.60	1.44	1.38
38	A1	1560	G	C2-N3	6.60	1.38	1.32
38	A1	2302	C	C4-C5	6.60	1.48	1.43
38	A1	2563	A	C2'-O2'	-6.60	1.33	1.41
11	B2	221	A	C6-N1	6.60	1.40	1.35
11	B2	356	G	C6-N1	6.60	1.44	1.39
11	B2	669	A	N9-C4	6.60	1.41	1.37
11	B2	1121	C	C4-N4	6.60	1.39	1.33
38	A1	792	A	N7-C5	-6.60	1.35	1.39
38	A1	1655	G	N1-C2	6.60	1.43	1.37
38	A1	1844	C	N3-C4	6.60	1.38	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1228	A	C4'-O4'	-6.60	1.36	1.45
38	A1	930	G	N9-C4	-6.60	1.32	1.38
38	A1	1153	U	C5'-C4'	6.60	1.59	1.51
38	A1	2086	C	C4'-C3'	6.60	1.60	1.53
38	A1	2091	U	C2-N3	6.60	1.42	1.37
39	A3	107	G	C4'-C3'	-6.60	1.45	1.53
10	B1	73	C	N1-C6	-6.60	1.33	1.37
11	B2	663	G	N9-C8	-6.60	1.33	1.37
38	A1	450	G	C2-N2	6.60	1.41	1.34
38	A1	578	C	N3-C4	6.60	1.38	1.33
38	A1	799	C	C4-C5	6.60	1.48	1.43
38	A1	2131	C	C2'-C1'	-6.60	1.46	1.53
11	B2	292	U	C2'-C1'	-6.60	1.46	1.53
11	B2	527	A	C8-N7	6.60	1.36	1.31
11	B2	927	A	C5'-C4'	6.60	1.59	1.51
11	B2	1283	G	N9-C4	6.60	1.43	1.38
27	BO	137	ARG	CD-NE	6.60	1.57	1.46
38	A1	1871	C	C2-N3	6.60	1.41	1.35
60	AM	170	ARG	CZ-NH2	6.60	1.41	1.33
62	AO	15	ARG	NE-CZ	6.60	1.41	1.33
38	A1	852	A	C6-N1	6.60	1.40	1.35
11	B2	164	A	N9-C8	6.59	1.43	1.37
11	B2	790	G	C5-C4	6.59	1.43	1.38
11	B2	791	G	N9-C4	-6.59	1.32	1.38
11	B2	1114	G	C2-N2	6.59	1.41	1.34
17	BE	12	ARG	CZ-NH1	6.59	1.41	1.33
38	A1	1288	C	C2-N3	6.59	1.41	1.35
38	A1	1485	A	N3-C4	-6.59	1.30	1.34
38	A1	1753	G	N1-C2	6.59	1.43	1.37
38	A1	1874	G	C8-N7	6.59	1.34	1.30
38	A1	1922	A	C6-N1	6.59	1.40	1.35
39	A3	10	U	C2'-C1'	6.59	1.60	1.53
11	B2	768	A	N9-C4	6.59	1.41	1.37
38	A1	641	G	N9-C8	6.59	1.42	1.37
38	A1	1184	U	N1-C6	6.59	1.43	1.38
59	AL	12	ARG	C-N	6.59	1.45	1.33
9	AX	291	ARG	NE-CZ	6.59	1.41	1.33
11	B2	9	U	C4'-O4'	6.59	1.54	1.45
11	B2	100	A	C8-N7	-6.59	1.26	1.31
11	B2	662	C	C5-C6	6.59	1.39	1.34
38	A1	213	G	O3'-P	-6.59	1.53	1.61
38	A1	929	G	C6-N1	6.59	1.44	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1353	A	C2'-C1'	-6.59	1.46	1.53
38	A1	2097	G	N3-C4	-6.59	1.30	1.35
38	A1	2995	A	C8-N7	-6.59	1.26	1.31
11	B2	560	A	C2-N3	6.59	1.39	1.33
38	A1	2503	C	C5'-C4'	6.59	1.59	1.51
38	A1	2551	G	C4'-O4'	6.59	1.54	1.45
38	A1	2734	C	C2'-C1'	-6.59	1.46	1.53
7	AU	108	GLU	N-CA	-6.59	1.33	1.46
11	B2	114	A	C4'-O4'	-6.59	1.36	1.45
11	B2	765	U	C5'-C4'	6.59	1.59	1.51
11	B2	801	A	C6-N6	6.59	1.39	1.33
25	BM	114	ARG	NE-CZ	6.59	1.41	1.33
38	A1	424	U	C5'-C4'	6.59	1.59	1.51
38	A1	492	A	C5-C6	-6.59	1.35	1.41
38	A1	1418	A	C8-N7	-6.59	1.26	1.31
11	B2	906	G	N3-C4	6.59	1.40	1.35
38	A1	653	U	N1-C6	-6.59	1.32	1.38
38	A1	1010	G	C2-N2	6.59	1.41	1.34
38	A1	1354	G	N9-C8	6.59	1.42	1.37
38	A1	1501	G	C2'-C1'	-6.59	1.46	1.53
38	A1	1544	C	N1-C2	6.59	1.46	1.40
38	A1	1641	G	C8-N7	-6.59	1.26	1.30
38	A1	2148	U	C3'-C2'	6.59	1.60	1.52
39	A3	91	G	C2-N3	6.59	1.38	1.32
39	A3	123	U	C1'-N1	6.59	1.58	1.48
11	B2	447	A	C4'-O4'	6.58	1.54	1.45
11	B2	952	A	C8-N7	-6.58	1.26	1.31
11	B2	1229	A	C2'-C1'	-6.58	1.46	1.53
38	A1	130	G	O3'-P	-6.58	1.53	1.61
38	A1	1478	G	C5-C4	6.58	1.43	1.38
11	B2	180	G	P-O5'	-6.58	1.53	1.59
11	B2	1494	C	C2-N3	6.58	1.41	1.35
38	A1	1752	C	C4-N4	6.58	1.39	1.33
38	A1	2658	G	C2'-C1'	-6.58	1.46	1.53
38	A1	2972	G	C6-N1	6.58	1.44	1.39
11	B2	321	A	C5-C4	-6.58	1.34	1.38
11	B2	746	A	N1-C2	6.58	1.40	1.34
11	B2	1099	A	C6-N1	6.58	1.40	1.35
38	A1	259	A	C2-N3	6.58	1.39	1.33
38	A1	398	U	N1-C6	6.58	1.43	1.38
38	A1	1802	G	C5'-C4'	6.58	1.59	1.51
38	A1	2662	G	C2'-C1'	-6.58	1.46	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2899	G	C3'-C2'	-6.58	1.45	1.52
11	B2	356	G	N3-C4	6.58	1.40	1.35
38	A1	480	A	N3-C4	-6.58	1.30	1.34
38	A1	2129	G	C8-N7	6.58	1.34	1.30
38	A1	2599	C	C5'-C4'	6.58	1.59	1.51
11	B2	435	A	C3'-C2'	6.58	1.60	1.52
11	B2	813	G	O3'-P	-6.58	1.53	1.61
11	B2	1460	G	C4'-O4'	6.58	1.54	1.45
38	A1	355	G	C1'-N9	6.58	1.58	1.48
38	A1	664	A	N9-C4	-6.58	1.33	1.37
38	A1	724	G	C2'-C1'	-6.58	1.46	1.53
38	A1	922	C	N3-C4	6.58	1.38	1.33
38	A1	1725	A	N7-C5	-6.58	1.35	1.39
38	A1	2266	C	P-O5'	-6.58	1.53	1.59
38	A1	172	C	N3-C4	6.58	1.38	1.33
38	A1	1520	G	C2'-C1'	-6.58	1.46	1.53
38	A1	1877	C	C3'-C2'	6.58	1.60	1.52
38	A1	1937	A	C6-N1	6.58	1.40	1.35
38	A1	2299	G	C2-N3	6.58	1.38	1.32
38	A1	3029	A	C2'-C1'	6.58	1.60	1.53
39	A3	115	C	C3'-O3'	6.58	1.51	1.42
46	AD	47	GLY	CA-C	-6.58	1.41	1.51
60	AM	157	ARG	CZ-NH1	6.58	1.41	1.33
11	B2	1213	G	C2-N3	6.58	1.38	1.32
38	A1	2344	G	O4'-C1'	6.58	1.50	1.41
38	A1	2469	G	N9-C8	6.58	1.42	1.37
11	B2	228	G	C8-N7	-6.57	1.27	1.30
38	A1	544	A	C4'-O4'	6.57	1.54	1.45
38	A1	634	G	C2-N2	6.57	1.41	1.34
38	A1	2421	A	C6-N6	6.57	1.39	1.33
39	A3	107	G	C6-N1	6.57	1.44	1.39
38	A1	297	G	C6-N1	6.57	1.44	1.39
38	A1	1728	C	C4-N4	6.57	1.39	1.33
38	A1	1866	G	C2-N2	6.57	1.41	1.34
38	A1	1153	U	N3-C4	6.57	1.44	1.38
38	A1	1243	C	C4-C5	6.57	1.48	1.43
38	A1	1615	G	P-O5'	-6.57	1.53	1.59
38	A1	2259	G	C2'-C1'	-6.57	1.46	1.53
38	A1	2820	C	N1-C6	6.57	1.41	1.37
39	A3	124	A	C2-N3	6.57	1.39	1.33
38	A1	609	G	N1-C2	6.57	1.43	1.37
38	A1	668	G	N1-C2	-6.57	1.32	1.37

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2126	G	N9-C8	6.57	1.42	1.37
11	B2	251	G	C3'-C2'	-6.57	1.45	1.52
11	B2	676	G	N1-C2	6.57	1.43	1.37
38	A1	381	G	C6-N1	6.57	1.44	1.39
38	A1	588	U	C2'-C1'	-6.57	1.46	1.53
38	A1	883	G	N1-C2	6.57	1.43	1.37
38	A1	1874	G	C2-N3	6.57	1.38	1.32
11	B2	1083	G	N3-C4	6.57	1.40	1.35
38	A1	231	G	C6-N1	6.57	1.44	1.39
38	A1	771	G	C2-N3	6.57	1.38	1.32
38	A1	1992	A	N7-C5	-6.57	1.35	1.39
38	A1	2280	G	C5'-C4'	6.57	1.59	1.51
38	A1	2350	G	N9-C4	6.57	1.43	1.38
38	A1	2390	G	C2-N3	6.57	1.38	1.32
38	A1	95	G	N1-C2	6.56	1.43	1.37
38	A1	1417	U	C4'-C3'	6.56	1.60	1.53
38	A1	2281	A	O3'-P	-6.56	1.53	1.61
11	B2	222	G	C6-N1	6.56	1.44	1.39
11	B2	258	A	N7-C5	-6.56	1.35	1.39
11	B2	588	C	C2'-C1'	-6.56	1.46	1.53
11	B2	600	C	N1-C6	-6.56	1.33	1.37
38	A1	108	G	C2'-C1'	6.56	1.60	1.53
38	A1	230	A	C6-N6	6.56	1.39	1.33
38	A1	801	A	C5'-C4'	6.56	1.59	1.51
38	A1	908	U	C4'-C3'	6.56	1.60	1.53
38	A1	1438	C	N1-C6	6.56	1.41	1.37
38	A1	2689	G	C8-N7	6.56	1.34	1.30
38	A1	2717	A	C6-N1	6.56	1.40	1.35
38	A1	2735	C	C4-N4	6.56	1.39	1.33
11	B2	507	G	C6-N1	6.56	1.44	1.39
38	A1	215	A	C5'-C4'	6.56	1.59	1.51
38	A1	917	A	C6-N6	6.56	1.39	1.33
39	A3	34	C	N1-C2	-6.56	1.33	1.40
11	B2	1120	G	N1-C2	6.56	1.43	1.37
38	A1	169	G	N9-C4	6.56	1.43	1.38
38	A1	1387	G	N7-C5	-6.56	1.35	1.39
38	A1	2517	U	N1-C2	6.56	1.44	1.38
38	A1	2556	C	C4-N4	6.56	1.39	1.33
10	B1	55	U	C1'-N1	6.56	1.58	1.48
11	B2	266	A	C4'-O4'	6.56	1.54	1.45
11	B2	345	G	N1-C2	6.56	1.43	1.37
11	B2	1000	G	C2-N2	6.56	1.41	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	118	A	N3-C4	6.56	1.38	1.34
11	B2	1041	C	C4'-C3'	6.56	1.60	1.53
38	A1	630	G	C2'-C1'	-6.56	1.46	1.53
47	Ad	41	ARG	CD-NE	6.56	1.57	1.46
62	AO	34	ARG	NE-CZ	6.56	1.41	1.33
11	B2	639	G	N3-C4	6.55	1.40	1.35
11	B2	858	A	N3-C4	6.55	1.38	1.34
38	A1	299	U	C4'-C3'	6.55	1.60	1.53
38	A1	440	A	N7-C5	-6.55	1.35	1.39
38	A1	739	C	N3-C4	6.55	1.38	1.33
38	A1	909	A	C6-N1	6.55	1.40	1.35
38	A1	1995	C	N3-C4	6.55	1.38	1.33
38	A1	2540	A	C4'-C3'	6.55	1.60	1.53
11	B2	261	G	N9-C8	6.55	1.42	1.37
11	B2	502	U	N3-C4	6.55	1.44	1.38
11	B2	762	G	N1-C2	6.55	1.43	1.37
11	B2	900	G	N9-C4	6.55	1.43	1.38
38	A1	12	C	C2-N3	6.55	1.41	1.35
38	A1	619	G	N9-C8	6.55	1.42	1.37
38	A1	875	G	C4'-C3'	6.55	1.60	1.53
38	A1	1432	C	C4'-O4'	-6.55	1.37	1.45
38	A1	2476	A	N3-C4	6.55	1.38	1.34
38	A1	2857	C	C3'-C2'	6.55	1.60	1.52
11	B2	1257	U	N3-C4	6.55	1.44	1.38
13	BA	143	GLU	CD-OE1	6.55	1.32	1.25
18	BF	155	ARG	CD-NE	6.55	1.57	1.46
38	A1	1438	C	N3-C4	6.55	1.38	1.33
38	A1	1668	G	C5-C4	6.55	1.43	1.38
38	A1	2428	C	C2-N3	6.55	1.41	1.35
38	A1	3032	C	C5'-C4'	6.55	1.59	1.51
39	A3	75	G	P-O5'	-6.55	1.53	1.59
43	AB	233	ARG	NE-CZ	6.55	1.41	1.33
15	BC	126	ARG	CZ-NH1	6.55	1.41	1.33
38	A1	375	C	P-O5'	-6.55	1.53	1.59
38	A1	462	A	N1-C2	6.55	1.40	1.34
38	A1	1310	A	N7-C5	-6.55	1.35	1.39
38	A1	1750	C	P-O5'	-6.55	1.53	1.59
38	A1	60	G	N9-C8	-6.55	1.33	1.37
38	A1	1894	A	N9-C4	6.55	1.41	1.37
11	B2	46	A	C6-N6	6.55	1.39	1.33
11	B2	65	G	C6-N1	6.55	1.44	1.39
11	B2	393	A	N9-C8	-6.55	1.32	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	452	G	N9-C4	6.55	1.43	1.38
11	B2	1462	A	N9-C8	6.55	1.43	1.37
14	BB	33	TYR	CG-CD1	6.55	1.47	1.39
38	A1	169	G	C5'-C4'	6.55	1.59	1.51
38	A1	514	U	C2-N3	6.55	1.42	1.37
38	A1	533	G	C5'-C4'	6.55	1.59	1.51
38	A1	536	G	N9-C8	6.55	1.42	1.37
38	A1	2158	G	N9-C8	6.55	1.42	1.37
38	A1	2674	C	P-O5'	6.55	1.66	1.59
11	B2	29	G	N3-C4	6.54	1.40	1.35
38	A1	16	G	N1-C2	6.54	1.43	1.37
38	A1	205	A	C2'-C1'	-6.54	1.46	1.53
10	B1	62	C	C4-N4	6.54	1.39	1.33
11	B2	534	G	C2-N2	6.54	1.41	1.34
11	B2	1179	C	N3-C4	6.54	1.38	1.33
38	A1	455	G	N9-C8	6.54	1.42	1.37
38	A1	1188	C	C1'-N1	6.54	1.58	1.48
38	A1	1558	U	C2'-C1'	-6.54	1.46	1.53
38	A1	1978	A	N7-C5	-6.54	1.35	1.39
11	B2	155	U	N3-C4	6.54	1.44	1.38
11	B2	329	G	N9-C4	6.54	1.43	1.38
11	B2	356	G	C4'-O4'	6.54	1.54	1.45
11	B2	519	G	P-O5'	-6.54	1.53	1.59
11	B2	1150	G	N1-C2	6.54	1.43	1.37
38	A1	659	U	N3-C4	6.54	1.44	1.38
38	A1	937	A	N7-C5	-6.54	1.35	1.39
38	A1	1357	G	N3-C4	-6.54	1.30	1.35
38	A1	1705	C	P-O5'	-6.54	1.53	1.59
38	A1	2797	C	C5'-C4'	6.54	1.59	1.51
38	A1	3012	C	P-O5'	-6.54	1.53	1.59
39	A3	2	G	O3'-P	-6.54	1.53	1.61
11	B2	618	G	C3'-O3'	6.54	1.51	1.42
31	BS	24	PHE	CB-CG	-6.54	1.40	1.51
38	A1	773	U	N3-C4	6.54	1.44	1.38
38	A1	846	C	C2-N3	6.54	1.41	1.35
38	A1	1812	A	C4'-C3'	-6.54	1.46	1.53
11	B2	135	U	C3'-C2'	6.54	1.60	1.52
38	A1	281	G	C2'-C1'	-6.54	1.46	1.53
38	A1	1817	C	C2-O2	-6.54	1.18	1.24
38	A1	2419	U	N1-C6	6.54	1.43	1.38
39	A3	93	G	C4'-C3'	6.54	1.60	1.53
11	B2	326	C	O3'-P	-6.54	1.53	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	962	G	O3'-P	-6.54	1.53	1.61
11	B2	1217	C	C4'-C3'	6.54	1.60	1.53
11	B2	1443	G	N7-C5	-6.54	1.35	1.39
38	A1	690	G	C5-C6	-6.54	1.35	1.42
38	A1	1077	G	C2-N3	6.54	1.38	1.32
38	A1	2094	A	P-O5'	-6.54	1.53	1.59
38	A1	2790	C	C4-C5	-6.54	1.37	1.43
38	A1	2995	A	C6-N6	6.54	1.39	1.33
11	B2	58	U	O3'-P	-6.54	1.53	1.61
11	B2	388	G	N7-C5	-6.54	1.35	1.39
11	B2	1388	G	C6-N1	6.54	1.44	1.39
38	A1	650	C	C4'-O4'	6.54	1.54	1.45
38	A1	812	C	C4-C5	6.54	1.48	1.43
38	A1	1459	A	C5-C4	-6.54	1.34	1.38
38	A1	1997	C	C4-N4	6.54	1.39	1.33
11	B2	776	C	P-O5'	-6.53	1.53	1.59
11	B2	1171	G	N1-C2	6.53	1.43	1.37
12	B3	108	ARG	NE-CZ	6.53	1.41	1.33
38	A1	1187	A	N3-C4	6.53	1.38	1.34
38	A1	1591	C	O3'-P	-6.53	1.53	1.61
38	A1	1907	G	C2-N3	6.53	1.38	1.32
38	A1	2107	G	N1-C2	6.53	1.43	1.37
38	A1	2150	G	C2-N3	6.53	1.38	1.32
38	A1	2389	C	C4-N4	6.53	1.39	1.33
38	A1	2409	C	P-O5'	-6.53	1.53	1.59
11	B2	1012	C	C1'-N1	-6.53	1.37	1.46
38	A1	233	A	C2'-C1'	-6.53	1.46	1.53
38	A1	903	C	N3-C4	6.53	1.38	1.33
38	A1	1184	U	C2'-C1'	-6.53	1.46	1.53
38	A1	1422	G	N3-C4	-6.53	1.30	1.35
38	A1	2334	G	C2-N3	6.53	1.38	1.32
11	B2	734	G	C6-N1	6.53	1.44	1.39
11	B2	917	A	N3-C4	-6.53	1.30	1.34
38	A1	91	G	C8-N7	6.53	1.34	1.30
38	A1	518	A	N3-C4	-6.53	1.30	1.34
38	A1	890	G	C2-N2	6.53	1.41	1.34
38	A1	925	U	N1-C2	6.53	1.44	1.38
38	A1	1124	G	N1-C2	6.53	1.43	1.37
38	A1	1470	C	C4-C5	6.53	1.48	1.43
38	A1	1701	C	C5'-C4'	6.53	1.59	1.51
39	A3	49	A	O3'-P	-6.53	1.53	1.61
38	A1	2396	G	C2-N3	6.53	1.38	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	61	G	C2-N3	6.53	1.38	1.32
38	A1	896	G	C6-O6	-6.53	1.18	1.24
38	A1	1802	G	C2-N2	6.53	1.41	1.34
38	A1	2445	G	N7-C5	6.53	1.43	1.39
38	A1	2872	G	O4'-C1'	6.53	1.50	1.41
11	B2	280	C	N1-C6	6.53	1.41	1.37
11	B2	646	U	N3-C4	6.53	1.44	1.38
11	B2	1229	A	N1-C2	6.53	1.40	1.34
11	B2	1409	G	C2-N3	6.53	1.38	1.32
38	A1	916	A	C2'-C1'	-6.53	1.46	1.53
36	BX	71	ARG	CD-NE	6.52	1.57	1.46
38	A1	201	C	C4-N4	6.52	1.39	1.33
38	A1	592	C	N1-C6	6.52	1.41	1.37
11	B2	111	G	N1-C2	6.52	1.43	1.37
11	B2	824	G	C5-C4	6.52	1.43	1.38
11	B2	1069	G	C5-C4	-6.52	1.33	1.38
38	A1	93	C	N3-C4	6.52	1.38	1.33
38	A1	1228	G	C2-N3	6.52	1.38	1.32
38	A1	1525	G	C2'-C1'	-6.52	1.46	1.53
38	A1	2142	U	O4'-C1'	6.52	1.50	1.41
38	A1	2651	G	N7-C5	6.52	1.43	1.39
38	A1	2950	G	N9-C4	-6.52	1.32	1.38
61	AN	163	ARG	CD-NE	6.52	1.57	1.46
38	A1	636	G	C2-N3	6.52	1.38	1.32
38	A1	741	G	C2-N2	6.52	1.41	1.34
11	B2	590	G	N9-C8	-6.52	1.33	1.37
11	B2	1395	G	C2-N3	6.52	1.38	1.32
38	A1	774	G	N9-C8	6.52	1.42	1.37
38	A1	941	C	N1-C6	6.52	1.41	1.37
38	A1	1310	A	N9-C4	-6.52	1.33	1.37
38	A1	1604	G	C4'-C3'	6.52	1.60	1.53
38	A1	2823	G	P-O5'	-6.52	1.53	1.59
38	A1	170	A	C6-N1	6.52	1.40	1.35
38	A1	1693	G	C2-N3	6.52	1.38	1.32
38	A1	1811	G	N1-C2	6.52	1.43	1.37
11	B2	1337	A	C5-C6	6.52	1.47	1.41
38	A1	614	G	C5-C4	-6.52	1.33	1.38
63	AP	83	TRP	CD2-CE2	6.52	1.49	1.41
10	B1	7	G	N1-C2	6.51	1.43	1.37
11	B2	1182	G	C6-N1	6.51	1.44	1.39
11	B2	1241	U	N1-C6	6.51	1.43	1.38
38	A1	667	C	O3'-P	-6.51	1.53	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	919	G	N9-C4	6.51	1.43	1.38
38	A1	1930	A	C8-N7	-6.51	1.26	1.31
38	A1	2336	G	C5-C6	-6.51	1.35	1.42
38	A1	2581	G	C6-N1	6.51	1.44	1.39
11	B2	682	A	C8-N7	6.51	1.36	1.31
11	B2	832	G	C2-N2	6.51	1.41	1.34
38	A1	674	G	N3-C4	-6.51	1.30	1.35
38	A1	1440	C	N1-C6	6.51	1.41	1.37
38	A1	1630	U	C2'-C1'	-6.51	1.46	1.53
38	A1	2176	G	C5'-C4'	6.51	1.59	1.51
38	A1	2310	G	N1-C2	6.51	1.43	1.37
38	A1	2347	G	O3'-P	-6.51	1.53	1.61
11	B2	318	C	C2-N3	6.51	1.41	1.35
11	B2	1140	A	C5-C4	6.51	1.43	1.38
38	A1	2685	G	C2-N2	6.51	1.41	1.34
46	AD	238	ARG	CZ-NH1	6.51	1.41	1.33
11	B2	105	C	N3-C4	6.51	1.38	1.33
11	B2	197	A	N3-C4	6.51	1.38	1.34
11	B2	1199	A	C6-N1	6.51	1.40	1.35
11	B2	1298	G	C2-N3	6.51	1.38	1.32
11	B2	1377	G	C5-C6	-6.51	1.35	1.42
38	A1	52	A	C2'-C1'	-6.51	1.46	1.53
38	A1	1499	C	C4-N4	6.51	1.39	1.33
38	A1	1518	G	C6-N1	-6.51	1.34	1.39
38	A1	2253	G	C5-C6	-6.51	1.35	1.42
38	A1	2968	G	C2-N3	6.51	1.38	1.32
38	A1	881	G	O3'-P	-6.51	1.53	1.61
38	A1	2965	C	C4'-C3'	-6.51	1.46	1.53
11	B2	315	A	C4'-C3'	6.51	1.60	1.53
11	B2	578	G	N1-C2	6.51	1.43	1.37
11	B2	1255	C	C2'-C1'	-6.51	1.46	1.53
11	B2	1329	C	C4-N4	6.51	1.39	1.33
38	A1	300	U	C4'-C3'	6.51	1.60	1.53
38	A1	621	G	O3'-P	-6.51	1.53	1.61
38	A1	633	A	C8-N7	-6.51	1.26	1.31
38	A1	706	U	C2'-C1'	6.51	1.60	1.53
38	A1	990	G	N1-C2	6.51	1.43	1.37
38	A1	1669	A	C3'-C2'	6.51	1.60	1.52
38	A1	2455	G	P-O5'	-6.51	1.53	1.59
39	A3	63	G	N7-C5	-6.51	1.35	1.39
11	B2	1384	G	C2-N3	6.50	1.38	1.32
32	BT	102	TYR	CE2-CZ	6.50	1.47	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	82	C	C5'-C4'	6.50	1.59	1.51
38	A1	681	C	C2-N3	6.50	1.41	1.35
38	A1	777	A	C5'-C4'	6.50	1.59	1.51
38	A1	2903	U	N1-C6	6.50	1.43	1.38
11	B2	46	A	C2-N3	-6.50	1.27	1.33
11	B2	384	G	O4'-C1'	6.50	1.50	1.41
11	B2	818	A	P-O5'	6.50	1.66	1.59
38	A1	578	C	C5-C6	6.50	1.39	1.34
38	A1	1017	A	C5-C4	6.50	1.43	1.38
38	A1	1756	C	N3-C4	6.50	1.38	1.33
38	A1	2226	G	C5-C4	6.50	1.43	1.38
38	A1	2333	G	O3'-P	-6.50	1.53	1.61
38	A1	2515	U	C2-N3	6.50	1.42	1.37
39	A3	77	A	C4'-O4'	-6.50	1.37	1.45
11	B2	172	G	N1-C2	6.50	1.43	1.37
11	B2	301	G	P-O5'	6.50	1.66	1.59
11	B2	1248	A	N3-C4	6.50	1.38	1.34
38	A1	493	A	C5-C4	6.50	1.43	1.38
38	A1	1357	G	C5'-C4'	6.50	1.59	1.51
38	A1	2180	C	C2-N3	6.50	1.41	1.35
33	BU	125	GLY	N-CA	-6.50	1.36	1.46
38	A1	1260	C	N3-C4	6.50	1.38	1.33
38	A1	1445	G	C6-N1	6.50	1.44	1.39
38	A1	1601	G	C2-N3	6.50	1.38	1.32
38	A1	2085	C	C1'-N1	6.50	1.58	1.48
38	A1	2498	G	N7-C5	6.50	1.43	1.39
38	A1	396	G	C5-C6	-6.50	1.35	1.42
38	A1	641	G	C5-C4	6.50	1.42	1.38
38	A1	911	G	C5-C6	-6.50	1.35	1.42
38	A1	1406	G	C5'-C4'	6.50	1.59	1.51
38	A1	2506	G	C4'-O4'	6.50	1.53	1.45
38	A1	2785	G	C5-C4	6.50	1.42	1.38
11	B2	587	G	N9-C8	-6.50	1.33	1.37
11	B2	974	G	N9-C8	6.50	1.42	1.37
18	BF	92	ARG	CZ-NH2	6.50	1.41	1.33
38	A1	78	C	C4'-O4'	6.50	1.53	1.45
38	A1	314	A	N3-C4	6.50	1.38	1.34
38	A1	1349	G	N9-C4	6.50	1.43	1.38
20	BH	88	ARG	CZ-NH1	6.50	1.41	1.33
38	A1	205	A	C2-N3	6.50	1.39	1.33
38	A1	593	C	C2'-C1'	-6.50	1.46	1.53
38	A1	1596	G	N9-C4	6.50	1.43	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2090	A	N1-C2	6.50	1.40	1.34
38	A1	2789	G	P-O5'	6.50	1.66	1.59
11	B2	78	G	C2-N2	6.49	1.41	1.34
11	B2	1388	G	C8-N7	-6.49	1.27	1.30
38	A1	113	C	C4-N4	6.49	1.39	1.33
38	A1	461	C	N1-C6	-6.49	1.33	1.37
38	A1	506	G	C5-C4	6.49	1.42	1.38
38	A1	900	C	N1-C6	6.49	1.41	1.37
38	A1	1587	A	C2-N3	6.49	1.39	1.33
38	A1	2341	G	N9-C4	-6.49	1.32	1.38
11	B2	158	U	N1-C2	6.49	1.44	1.38
38	A1	1447	G	N9-C8	-6.49	1.33	1.37
10	B1	6	G	N7-C5	-6.49	1.35	1.39
11	B2	233	C	O4'-C1'	6.49	1.50	1.41
11	B2	248	U	C4'-C3'	-6.49	1.46	1.53
11	B2	1275	U	C2-N3	6.49	1.42	1.37
11	B2	1284	C	C5'-C4'	6.49	1.59	1.51
38	A1	241	C	C4-C5	6.49	1.48	1.43
38	A1	765	G	C3'-C2'	6.49	1.60	1.52
38	A1	963	G	N1-C2	6.49	1.43	1.37
11	B2	813	G	C6-N1	6.49	1.44	1.39
11	B2	1304	C	C1'-N1	6.49	1.58	1.48
38	A1	883	G	C2-N3	6.49	1.38	1.32
38	A1	1855	G	N1-C2	6.49	1.43	1.37
38	A1	1928	A	N3-C4	-6.49	1.30	1.34
38	A1	1998	G	C8-N7	-6.49	1.27	1.30
38	A1	2104	G	C2-N2	6.49	1.41	1.34
38	A1	2141	C	C1'-N1	6.49	1.58	1.48
38	A1	2168	C	C2-N3	6.49	1.41	1.35
38	A1	2398	C	C2'-C1'	-6.49	1.46	1.53
38	A1	2509	A	C1'-N9	-6.49	1.37	1.46
11	B2	736	A	C2-N3	6.49	1.39	1.33
11	B2	1321	U	C4-O4	-6.49	1.18	1.23
11	B2	1394	G	C2-N2	6.49	1.41	1.34
38	A1	139	G	N9-C8	6.49	1.42	1.37
38	A1	247	A	C6-N6	6.49	1.39	1.33
38	A1	2613	C	C5'-C4'	6.49	1.59	1.51
4	AQ	28	ARG	CZ-NH1	6.49	1.41	1.33
38	A1	402	G	C3'-C2'	-6.49	1.45	1.52
38	A1	1291	C	C4'-O4'	-6.49	1.37	1.45
38	A1	1511	C	C5'-C4'	6.49	1.59	1.51
38	A1	2229	G	C4'-C3'	6.49	1.60	1.53

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	637	G	N7-C5	-6.48	1.35	1.39
11	B2	879	U	C4'-O4'	6.48	1.53	1.45
32	BT	7	ARG	NE-CZ	6.48	1.41	1.33
35	BW	54	VAL	CB-CG1	6.48	1.66	1.52
38	A1	398	U	C5'-C4'	6.48	1.59	1.51
38	A1	2100	U	C3'-C2'	-6.48	1.45	1.52
11	B2	788	C	C4-C5	6.48	1.48	1.43
11	B2	1392	G	N7-C5	-6.48	1.35	1.39
38	A1	662	A	C3'-C2'	-6.48	1.45	1.52
38	A1	1301	G	C8-N7	6.48	1.34	1.30
38	A1	1423	G	N7-C5	-6.48	1.35	1.39
38	A1	2222	C	C4'-O4'	6.48	1.53	1.45
39	A3	97	G	N9-C4	-6.48	1.32	1.38
54	AI	96	ARG	CZ-NH1	6.48	1.41	1.33
11	B2	291	G	N9-C4	6.48	1.43	1.38
11	B2	335	G	N3-C4	6.48	1.40	1.35
11	B2	1034	G	N9-C8	6.48	1.42	1.37
11	B2	1315	G	C2-N2	6.48	1.41	1.34
11	B2	1322	C	P-O5'	6.48	1.66	1.59
38	A1	1044	C	C3'-O3'	6.48	1.51	1.42
38	A1	1689	G	N7-C5	6.48	1.43	1.39
38	A1	2124	C	C4-C5	-6.48	1.37	1.43
38	A1	2283	C	N1-C6	-6.48	1.33	1.37
38	A1	2456	C	C4'-C3'	6.48	1.60	1.53
38	A1	120	G	N7-C5	6.48	1.43	1.39
38	A1	2557	C	P-O5'	6.48	1.66	1.59
48	AE	93	ARG	CZ-NH1	6.48	1.41	1.33
11	B2	1123	G	N1-C2	6.48	1.43	1.37
11	B2	1323	A	N7-C5	-6.48	1.35	1.39
20	BH	73	ARG	NE-CZ	6.48	1.41	1.33
38	A1	953	G	C4'-O4'	-6.48	1.37	1.45
38	A1	998	G	C2'-C1'	-6.48	1.46	1.53
38	A1	1486	G	C5'-C4'	6.48	1.59	1.51
38	A1	2524	C	N3-C4	6.48	1.38	1.33
38	A1	2539	G	C3'-C2'	6.48	1.60	1.52
38	A1	2821	G	C6-N1	6.48	1.44	1.39
39	A3	124	A	N9-C4	6.48	1.41	1.37
11	B2	30	C	N3-C4	6.47	1.38	1.33
11	B2	585	U	C4-C5	6.47	1.49	1.43
11	B2	1079	G	C8-N7	6.47	1.34	1.30
11	B2	1394	G	P-O5'	-6.47	1.53	1.59
38	A1	397	G	C4'-O4'	6.47	1.53	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	466	C	C4-N4	6.47	1.39	1.33
38	A1	878	G	N1-C2	6.47	1.43	1.37
38	A1	1150	G	N9-C8	6.47	1.42	1.37
38	A1	1415	C	O3'-P	-6.47	1.53	1.61
38	A1	1633	A	C3'-C2'	-6.47	1.45	1.52
38	A1	2005	A	C2'-C1'	-6.47	1.46	1.53
10	B1	64	C	C4-N4	6.47	1.39	1.33
11	B2	376	G	N9-C4	6.47	1.43	1.38
11	B2	876	A	N7-C5	-6.47	1.35	1.39
11	B2	944	C	C4'-C3'	6.47	1.60	1.53
11	B2	1187	A	N7-C5	-6.47	1.35	1.39
38	A1	213	G	C1'-N9	6.47	1.58	1.48
38	A1	2047	U	C3'-C2'	-6.47	1.45	1.52
38	A1	2270	G	C2-N3	6.47	1.38	1.32
38	A1	2394	G	N1-C2	6.47	1.43	1.37
38	A1	2899	G	N3-C4	6.47	1.40	1.35
34	BV	16	ARG	NE-CZ	6.47	1.41	1.33
38	A1	1222	U	C4-C5	6.47	1.49	1.43
38	A1	2505	A	N7-C5	-6.47	1.35	1.39
10	B1	24	A	N9-C4	-6.47	1.33	1.37
11	B2	1107	C	N3-C4	6.47	1.38	1.33
38	A1	19	G	N9-C4	-6.47	1.32	1.38
38	A1	348	G	N9-C8	6.47	1.42	1.37
38	A1	1179	G	C5-C6	-6.47	1.35	1.42
38	A1	1640	G	C2-N2	6.47	1.41	1.34
38	A1	2036	A	P-O5'	6.47	1.66	1.59
11	B2	309	A	C6-N1	6.47	1.40	1.35
38	A1	2182	A	P-O5'	-6.47	1.53	1.59
38	A1	2216	G	P-O5'	-6.47	1.53	1.59
10	B1	30	G	C2-N2	6.47	1.41	1.34
11	B2	45	U	C4-O4	-6.47	1.18	1.23
11	B2	79	G	P-O5'	-6.47	1.53	1.59
11	B2	299	G	O4'-C1'	-6.47	1.33	1.41
11	B2	308	G	N7-C5	-6.47	1.35	1.39
11	B2	450	A	C6-N6	6.47	1.39	1.33
11	B2	520	G	N1-C2	6.47	1.43	1.37
11	B2	960	A	N7-C5	-6.47	1.35	1.39
38	A1	1736	G	O3'-P	-6.47	1.53	1.61
38	A1	2312	U	C2'-O2'	6.47	1.50	1.41
38	A1	2335	G	N9-C8	6.47	1.42	1.37
39	A3	113	C	P-O5'	-6.47	1.53	1.59
58	Ak	201	TYR	CE2-CZ	6.47	1.47	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1398	U	C2'-C1'	-6.46	1.46	1.53
38	A1	384	G	N3-C4	6.46	1.40	1.35
38	A1	482	A	C5-C4	6.46	1.43	1.38
38	A1	2235	G	N3-C4	-6.46	1.30	1.35
38	A1	2353	C	C5'-C4'	6.46	1.59	1.51
38	A1	2464	G	N7-C5	-6.46	1.35	1.39
38	A1	2646	A	C6-N6	6.46	1.39	1.33
11	B2	1102	A	C5-C4	6.46	1.43	1.38
38	A1	338	A	O3'-P	-6.46	1.53	1.61
38	A1	2129	G	C5-C4	6.46	1.42	1.38
38	A1	128	C	N1-C6	6.46	1.41	1.37
11	B2	1247	A	C6-N1	6.46	1.40	1.35
11	B2	1487	U	C1'-N1	6.46	1.58	1.48
38	A1	810	A	C8-N7	-6.46	1.27	1.31
38	A1	843	C	C4-C5	6.46	1.48	1.43
38	A1	1356	A	N1-C2	6.46	1.40	1.34
38	A1	1465	A	C8-N7	6.46	1.36	1.31
38	A1	2734	C	N3-C4	6.46	1.38	1.33
60	AM	4	TYR	CE2-CZ	6.46	1.47	1.38
10	B1	49	C	C2-N3	-6.46	1.30	1.35
11	B2	624	G	P-O5'	-6.46	1.53	1.59
11	B2	977	G	C2-N2	6.46	1.41	1.34
11	B2	1335	A	C5-C6	-6.46	1.35	1.41
11	B2	1390	G	C8-N7	6.46	1.34	1.30
38	A1	1502	C	O3'-P	-6.46	1.53	1.61
38	A1	1927	C	C4-N4	6.46	1.39	1.33
38	A1	2434	A	C5-C4	-6.46	1.34	1.38
38	A1	2704	A	C6-N1	6.46	1.40	1.35
11	B2	746	A	N3-C4	-6.46	1.30	1.34
11	B2	761	U	C2-N3	6.46	1.42	1.37
11	B2	821	G	N7-C5	-6.46	1.35	1.39
11	B2	1045	A	N7-C5	-6.46	1.35	1.39
38	A1	209	G	C6-N1	6.46	1.44	1.39
38	A1	733	A	P-O5'	-6.46	1.53	1.59
38	A1	1039	C	C4'-C3'	-6.46	1.46	1.53
38	A1	2688	C	C2-N3	6.46	1.41	1.35
38	A1	2801	G	C2-N3	6.46	1.38	1.32
39	A3	56	C	C2'-O2'	6.46	1.50	1.41
41	AA	119	ARG	NE-CZ	6.46	1.41	1.33
11	B2	302	A	N9-C8	6.46	1.43	1.37
11	B2	543	C	O4'-C1'	6.46	1.50	1.41
11	B2	872	A	O4'-C1'	-6.46	1.33	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1064	C	O3'-P	-6.46	1.53	1.61
38	A1	1735	G	N3-C4	6.46	1.40	1.35
38	A1	2706	C	C4-C5	6.46	1.48	1.43
11	B2	433	U	N1-C2	-6.45	1.32	1.38
11	B2	977	G	C2-N3	6.45	1.38	1.32
38	A1	57	C	C2-N3	6.45	1.41	1.35
38	A1	2508	G	C4'-C3'	6.45	1.60	1.53
38	A1	3038	A	C2'-C1'	-6.45	1.46	1.53
39	A3	61	C	C4-N4	6.45	1.39	1.33
10	B1	52	G	C2-N3	6.45	1.38	1.32
11	B2	576	C	C4'-O4'	6.45	1.53	1.45
11	B2	1077	U	C2-N3	6.45	1.42	1.37
38	A1	1047	A	O3'-P	-6.45	1.53	1.61
10	B1	69	G	C4'-C3'	6.45	1.60	1.53
11	B2	48	G	N1-C2	6.45	1.43	1.37
11	B2	176	U	C5-C6	6.45	1.40	1.34
11	B2	460	C	P-O5'	-6.45	1.53	1.59
38	A1	928	A	N3-C4	-6.45	1.30	1.34
38	A1	1097	G	C2-N3	6.45	1.38	1.32
38	A1	1495	A	C5-C4	6.45	1.43	1.38
38	A1	2248	G	N7-C5	6.45	1.43	1.39
38	A1	2492	G	C6-N1	6.45	1.44	1.39
38	A1	2689	G	C2'-C1'	-6.45	1.46	1.53
64	AR	69	ARG	NE-CZ	6.45	1.41	1.33
11	B2	28	U	N1-C6	-6.45	1.32	1.38
11	B2	1423	A	C4'-C3'	6.45	1.60	1.53
38	A1	406	G	C5'-C4'	6.45	1.59	1.51
38	A1	534	G	N1-C2	6.45	1.43	1.37
38	A1	1916	U	C2-N3	6.45	1.42	1.37
38	A1	2564	U	C2'-O2'	-6.45	1.33	1.41
11	B2	419	G	C8-N7	6.45	1.34	1.30
38	A1	944	G	C4'-C3'	6.45	1.60	1.53
11	B2	463	G	C2-N3	6.45	1.38	1.32
11	B2	824	G	N9-C4	6.45	1.43	1.38
11	B2	826	C	C2'-C1'	-6.45	1.46	1.53
11	B2	957	A	N7-C5	-6.45	1.35	1.39
11	B2	1398	U	N1-C2	6.45	1.44	1.38
38	A1	959	U	C4-C5	6.45	1.49	1.43
38	A1	1134	A	N9-C4	6.45	1.41	1.37
38	A1	1836	A	C6-N6	6.45	1.39	1.33
38	A1	2836	G	C5'-C4'	6.45	1.59	1.51
10	B1	37	A	C5'-C4'	6.44	1.59	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	391	G	C2-N3	6.44	1.38	1.32
38	A1	1191	C	C4-N4	6.44	1.39	1.33
38	A1	1371	U	N3-C4	6.44	1.44	1.38
11	B2	560	A	N7-C5	-6.44	1.35	1.39
38	A1	67	U	C2-N3	6.44	1.42	1.37
38	A1	1057	C	N3-C4	6.44	1.38	1.33
38	A1	1310	A	C2'-C1'	-6.44	1.46	1.53
38	A1	1834	C	C5'-C4'	6.44	1.59	1.51
39	A3	90	A	C3'-C2'	6.44	1.60	1.52
7	AU	42	ARG	CD-NE	6.44	1.57	1.46
11	B2	924	U	C2-N3	6.44	1.42	1.37
11	B2	1279	A	C3'-C2'	6.44	1.60	1.52
11	B2	1394	G	C8-N7	-6.44	1.27	1.30
38	A1	587	A	C2'-C1'	-6.44	1.46	1.53
38	A1	612	G	C8-N7	-6.44	1.27	1.30
38	A1	776	G	C2-N3	6.44	1.38	1.32
38	A1	1514	C	C4-N4	6.44	1.39	1.33
38	A1	1694	G	C2-N3	6.44	1.38	1.32
38	A1	1785	G	N1-C2	6.44	1.43	1.37
38	A1	1818	G	C8-N7	6.44	1.34	1.30
38	A1	2210	G	C4'-C3'	6.44	1.60	1.53
11	B2	989	C	C5-C6	6.44	1.39	1.34
15	BC	177	GLY	CA-C	-6.44	1.41	1.51
38	A1	619	G	C2-N3	6.44	1.38	1.32
38	A1	1559	A	N7-C5	-6.44	1.35	1.39
38	A1	1864	G	C6-N1	6.44	1.44	1.39
38	A1	2071	C	N3-C4	6.44	1.38	1.33
38	A1	2673	C	N1-C2	6.44	1.46	1.40
38	A1	2867	U	C2'-O2'	6.44	1.50	1.41
11	B2	164	A	N9-C4	6.44	1.41	1.37
11	B2	1147	G	C4'-C3'	-6.44	1.46	1.53
23	BK	130	ARG	CZ-NH2	6.44	1.41	1.33
38	A1	107	G	C4'-C3'	6.44	1.60	1.53
38	A1	389	C	N1-C6	-6.44	1.33	1.37
38	A1	547	C	C4'-O4'	6.44	1.53	1.45
38	A1	559	G	C2-N2	6.44	1.41	1.34
38	A1	1926	A	N7-C5	-6.44	1.35	1.39
38	A1	2011	U	C4-C5	6.44	1.49	1.43
38	A1	2293	G	C4'-C3'	6.44	1.60	1.53
38	A1	2842	C	N1-C2	-6.44	1.33	1.40
11	B2	855	C	C2-N3	6.44	1.40	1.35
11	B2	956	C	C2-N3	-6.44	1.30	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1332	A	N3-C4	-6.44	1.30	1.34
38	A1	2611	U	C2-N3	6.44	1.42	1.37
11	B2	442	C	P-O5'	-6.43	1.53	1.59
38	A1	71	A	P-O5'	-6.43	1.53	1.59
38	A1	444	U	C2-N3	6.43	1.42	1.37
38	A1	702	G	C6-N1	6.43	1.44	1.39
38	A1	803	A	C3'-O3'	6.43	1.51	1.42
38	A1	1049	U	C2-N3	6.43	1.42	1.37
38	A1	1125	A	C6-N6	6.43	1.39	1.33
38	A1	1330	G	C5-C6	6.43	1.48	1.42
38	A1	1668	G	C2-N3	6.43	1.37	1.32
38	A1	2054	G	N7-C5	6.43	1.43	1.39
38	A1	2227	G	C2-N3	6.43	1.37	1.32
38	A1	2421	A	C2'-C1'	-6.43	1.46	1.53
38	A1	2557	C	C4-N4	6.43	1.39	1.33
38	A1	2801	G	N1-C2	6.43	1.42	1.37
38	A1	2846	A	C5-C4	-6.43	1.34	1.38
11	B2	295	G	C2'-C1'	-6.43	1.46	1.53
11	B2	833	C	C2'-C1'	-6.43	1.46	1.53
38	A1	1272	A	N7-C5	-6.43	1.35	1.39
38	A1	2283	C	C4-N4	6.43	1.39	1.33
39	A3	69	C	P-O5'	6.43	1.66	1.59
11	B2	251	G	C5'-C4'	-6.43	1.43	1.51
11	B2	1298	G	C2-N2	6.43	1.41	1.34
38	A1	505	A	C6-N6	6.43	1.39	1.33
38	A1	1570	C	N3-C4	6.43	1.38	1.33
38	A1	1931	G	N1-C2	6.43	1.42	1.37
38	A1	2165	A	N7-C5	-6.43	1.35	1.39
38	A1	2606	C	C4-C5	6.43	1.48	1.43
38	A1	2775	G	C8-N7	-6.43	1.27	1.30
11	B2	833	C	C4-N4	6.43	1.39	1.33
38	A1	407	A	C5-C4	6.43	1.43	1.38
38	A1	1139	C	C4-N4	6.43	1.39	1.33
38	A1	1209	A	C6-N6	6.43	1.39	1.33
38	A1	1725	A	O3'-P	6.43	1.68	1.61
38	A1	1776	G	C3'-C2'	6.43	1.60	1.52
38	A1	1826	G	C6-N1	6.43	1.44	1.39
38	A1	2222	C	C4-N4	6.43	1.39	1.33
38	A1	2545	A	C4'-C3'	-6.43	1.46	1.53
38	A1	2702	A	C3'-O3'	6.43	1.51	1.42
38	A1	2801	G	C4'-C3'	6.43	1.60	1.53
10	B1	31	G	C5'-C4'	6.43	1.59	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	788	A	N1-C2	6.43	1.40	1.34
38	A1	2246	G	P-O5'	-6.43	1.53	1.59
11	B2	478	C	C4-N4	6.43	1.39	1.33
11	B2	546	G	C2-N3	6.43	1.37	1.32
11	B2	1060	G	N7-C5	6.43	1.43	1.39
11	B2	1173	A	N1-C2	-6.43	1.28	1.34
11	B2	1269	G	C5'-C4'	6.43	1.59	1.51
38	A1	129	C	O3'-P	-6.43	1.53	1.61
38	A1	721	G	C2-N2	6.43	1.41	1.34
38	A1	2664	G	N9-C8	6.43	1.42	1.37
11	B2	148	C	C5'-C4'	6.42	1.59	1.51
11	B2	331	C	P-O5'	-6.42	1.53	1.59
11	B2	786	G	C6-O6	6.42	1.29	1.24
11	B2	840	C	C4-N4	6.42	1.39	1.33
11	B2	875	G	C4'-C3'	6.42	1.60	1.53
11	B2	1124	G	C2'-C1'	-6.42	1.46	1.53
13	BA	37	ALA	N-CA	-6.42	1.33	1.46
38	A1	596	C	C2'-C1'	-6.42	1.46	1.53
38	A1	1791	A	C6-N6	6.42	1.39	1.33
38	A1	2142	U	N3-C4	6.42	1.44	1.38
38	A1	2454	G	C2'-C1'	-6.42	1.46	1.53
38	A1	2615	U	C5'-C4'	6.42	1.59	1.51
38	A1	2988	A	C2-N3	6.42	1.39	1.33
39	A3	45	C	C4-N4	6.42	1.39	1.33
58	Ak	42	ARG	NE-CZ	6.42	1.41	1.33
11	B2	639	G	C4'-C3'	-6.42	1.46	1.53
11	B2	1135	G	N1-C2	6.42	1.42	1.37
11	B2	1220	G	C5-C6	-6.42	1.35	1.42
38	A1	991	U	C4'-O4'	-6.42	1.37	1.45
38	A1	1725	A	P-O5'	-6.42	1.53	1.59
38	A1	1938	G	N1-C2	6.42	1.42	1.37
38	A1	1986	U	C4'-C3'	6.42	1.60	1.53
38	A1	2871	A	C6-N6	6.42	1.39	1.33
11	B2	561	A	C2'-C1'	-6.42	1.46	1.53
11	B2	1056	G	N1-C2	6.42	1.42	1.37
11	B2	1472	G	N9-C8	6.42	1.42	1.37
17	BE	198	ARG	CZ-NH2	6.42	1.41	1.33
38	A1	682	G	N7-C5	6.42	1.43	1.39
38	A1	976	C	C4-N4	6.42	1.39	1.33
38	A1	1505	G	C4'-C3'	6.42	1.60	1.53
38	A1	2762	G	N3-C4	6.42	1.40	1.35
38	A1	2982	G	C2'-C1'	-6.42	1.46	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	216	G	C4'-C3'	-6.42	1.46	1.53
11	B2	792	C	C5'-C4'	6.42	1.59	1.51
38	A1	1066	C	O3'-P	-6.42	1.53	1.61
38	A1	1875	U	C2-N3	6.42	1.42	1.37
10	B1	35	G	C2'-C1'	-6.42	1.46	1.53
11	B2	597	C	C4'-C3'	-6.42	1.46	1.53
14	BB	161	ARG	CZ-NH2	6.42	1.41	1.33
38	A1	95	G	C2-N3	6.42	1.37	1.32
38	A1	557	G	N1-C2	6.42	1.42	1.37
38	A1	1208	A	C5-C4	6.42	1.43	1.38
38	A1	2516	G	C2-N2	6.42	1.41	1.34
38	A1	2634	U	C4-C5	-6.42	1.37	1.43
11	B2	69	U	N1-C2	6.42	1.44	1.38
11	B2	405	G	C5'-C4'	6.42	1.59	1.51
11	B2	1484	C	N1-C6	6.42	1.41	1.37
38	A1	89	C	C4-C5	6.42	1.48	1.43
38	A1	214	C	N1-C6	6.42	1.41	1.37
38	A1	1141	C	N3-C4	6.42	1.38	1.33
38	A1	2083	G	O3'-P	-6.42	1.53	1.61
11	B2	207	G	N7-C5	-6.42	1.35	1.39
11	B2	370	A	C1'-N9	6.42	1.58	1.48
11	B2	954	G	N9-C8	6.42	1.42	1.37
38	A1	80	G	N3-C4	-6.42	1.30	1.35
38	A1	2855	G	C8-N7	-6.42	1.27	1.30
10	B1	35	G	N9-C4	6.41	1.43	1.38
11	B2	103	A	N7-C5	-6.41	1.35	1.39
11	B2	383	C	N3-C4	6.41	1.38	1.33
11	B2	756	A	C8-N7	-6.41	1.27	1.31
11	B2	811	G	P-O5'	6.41	1.66	1.59
11	B2	1350	U	C2-N3	6.41	1.42	1.37
38	A1	2469	G	C2-N3	6.41	1.37	1.32
38	A1	2654	C	C4-C5	-6.41	1.37	1.43
11	B2	7	G	C6-N1	6.41	1.44	1.39
11	B2	987	G	C8-N7	-6.41	1.27	1.30
38	A1	1388	U	C2'-C1'	-6.41	1.46	1.53
39	A3	35	A	N9-C4	-6.41	1.34	1.37
11	B2	556	G	O3'-P	6.41	1.68	1.61
11	B2	577	C	N1-C6	6.41	1.41	1.37
11	B2	764	C	C2-N3	6.41	1.40	1.35
11	B2	876	A	N9-C8	-6.41	1.32	1.37
11	B2	905	A	N7-C5	6.41	1.43	1.39
11	B2	1103	G	P-O5'	6.41	1.66	1.59

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1134	G	N3-C4	-6.41	1.30	1.35
38	A1	784	C	C2'-C1'	-6.41	1.46	1.53
38	A1	824	C	O4'-C1'	-6.41	1.33	1.41
38	A1	2506	G	N3-C4	6.41	1.40	1.35
38	A1	2568	A	N7-C5	-6.41	1.35	1.39
57	Aj	41	ARG	CZ-NH2	6.41	1.41	1.33
9	AX	171	GLY	CA-C	-6.41	1.41	1.51
10	B1	21	G	N7-C5	-6.41	1.35	1.39
11	B2	47	A	C5'-C4'	6.41	1.59	1.51
11	B2	738	C	C1'-N1	6.41	1.58	1.48
11	B2	1245	C	C1'-N1	6.41	1.58	1.48
38	A1	901	C	C2'-C1'	-6.41	1.46	1.53
38	A1	1630	U	C1'-N1	6.41	1.58	1.48
38	A1	1725	A	C2'-C1'	-6.41	1.46	1.53
11	B2	620	G	C2'-C1'	-6.41	1.46	1.53
38	A1	132	G	C8-N7	-6.41	1.27	1.30
38	A1	203	G	N7-C5	-6.41	1.35	1.39
38	A1	1137	G	P-O5'	6.41	1.66	1.59
38	A1	2526	G	N9-C8	-6.41	1.33	1.37
11	B2	1097	G	C2'-C1'	-6.41	1.46	1.53
11	B2	1202	G	C2-N2	6.41	1.41	1.34
25	BM	75	GLY	CA-C	6.41	1.62	1.51
34	BV	89	ARG	CZ-NH2	6.41	1.41	1.33
38	A1	359	C	C4-N4	6.41	1.39	1.33
38	A1	1301	G	C6-N1	6.41	1.44	1.39
38	A1	2421	A	C6-N1	6.41	1.40	1.35
11	B2	381	C	N1-C6	-6.40	1.33	1.37
38	A1	280	A	C5-C6	6.40	1.46	1.41
38	A1	576	G	C8-N7	-6.40	1.27	1.30
10	B1	66	C	C2-N3	6.40	1.40	1.35
11	B2	254	G	N7-C5	-6.40	1.35	1.39
11	B2	527	A	N3-C4	-6.40	1.31	1.34
38	A1	485	G	N9-C8	6.40	1.42	1.37
38	A1	1155	A	C5-C6	-6.40	1.35	1.41
38	A1	1942	G	C6-N1	-6.40	1.35	1.39
38	A1	1988	U	C4-O4	-6.40	1.18	1.23
38	A1	2717	A	N9-C4	6.40	1.41	1.37
11	B2	356	G	C8-N7	6.40	1.34	1.30
11	B2	518	U	P-O5'	6.40	1.66	1.59
11	B2	678	G	C2-N3	6.40	1.37	1.32
11	B2	1031	G	N1-C2	6.40	1.42	1.37
11	B2	1148	G	C8-N7	-6.40	1.27	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1230	G	C5'-C4'	6.40	1.59	1.51
11	B2	1246	U	O4'-C1'	6.40	1.50	1.41
38	A1	531	G	N3-C4	-6.40	1.30	1.35
38	A1	641	G	C4'-O4'	-6.40	1.37	1.45
38	A1	801	A	N9-C8	6.40	1.42	1.37
38	A1	928	A	O3'-P	-6.40	1.53	1.61
38	A1	1110	A	N3-C4	-6.40	1.31	1.34
38	A1	1837	A	N9-C4	6.40	1.41	1.37
11	B2	624	G	C2'-C1'	-6.40	1.46	1.53
11	B2	1157	G	C2-N2	6.40	1.41	1.34
38	A1	738	C	N3-C4	6.40	1.38	1.33
38	A1	1685	C	N3-C4	6.40	1.38	1.33
38	A1	2206	G	C2-N3	6.40	1.37	1.32
38	A1	2789	G	C2-N3	6.40	1.37	1.32
11	B2	294	A	C4'-C3'	6.40	1.60	1.53
11	B2	790	G	C4'-C3'	6.40	1.60	1.53
11	B2	1371	C	C4-C5	6.40	1.48	1.43
38	A1	295	G	C2-N2	6.40	1.41	1.34
38	A1	2223	G	N9-C8	6.40	1.42	1.37
38	A1	2410	U	C4'-C3'	6.40	1.60	1.53
38	A1	1115	A	C5-C4	-6.40	1.34	1.38
56	AJ	114	ARG	NE-CZ	6.40	1.41	1.33
11	B2	315	A	C8-N7	-6.39	1.27	1.31
38	A1	472	A	N9-C8	6.39	1.42	1.37
38	A1	1607	C	C2'-C1'	-6.39	1.46	1.53
38	A1	1612	G	C2'-C1'	-6.39	1.46	1.53
38	A1	2047	U	N3-C4	6.39	1.44	1.38
38	A1	2210	G	N9-C4	-6.39	1.32	1.38
38	A1	2861	A	N7-C5	-6.39	1.35	1.39
11	B2	10	G	N7-C5	-6.39	1.35	1.39
11	B2	843	G	C6-N1	6.39	1.44	1.39
11	B2	954	G	C2-N2	6.39	1.41	1.34
11	B2	1104	G	C2'-C1'	-6.39	1.46	1.53
11	B2	1395	G	N1-C2	6.39	1.42	1.37
11	B2	1466	G	C2-N3	6.39	1.37	1.32
38	A1	1290	G	N9-C8	6.39	1.42	1.37
38	A1	2038	C	C2'-O2'	-6.39	1.33	1.41
38	A1	2197	U	O3'-P	-6.39	1.53	1.61
38	A1	2655	C	C4-C5	6.39	1.48	1.43
38	A1	51	G	N3-C4	-6.39	1.30	1.35
38	A1	184	A	C2-N3	6.39	1.39	1.33
38	A1	1854	G	N3-C4	6.39	1.40	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2370	C	N1-C2	6.39	1.46	1.40
11	B2	146	A	C4'-C3'	6.39	1.60	1.53
11	B2	582	G	O3'-P	-6.39	1.53	1.61
11	B2	1097	G	C2-N3	6.39	1.37	1.32
11	B2	1236	G	C2-N2	6.39	1.41	1.34
25	BM	114	ARG	CD-NE	6.39	1.57	1.46
38	A1	285	C	C2'-C1'	-6.39	1.46	1.53
38	A1	1547	U	C2-N3	6.39	1.42	1.37
38	A1	1584	G	P-O5'	-6.39	1.53	1.59
38	A1	1857	A	N3-C4	6.39	1.38	1.34
38	A1	2327	C	N1-C6	6.39	1.41	1.37
38	A1	2581	G	C2-N3	6.39	1.37	1.32
38	A1	2651	G	N9-C8	6.39	1.42	1.37
39	A3	72	G	O4'-C1'	6.39	1.50	1.41
11	B2	492	G	C2-N3	6.39	1.37	1.32
11	B2	800	G	P-O5'	-6.39	1.53	1.59
38	A1	34	C	C4-N4	6.39	1.39	1.33
11	B2	129	G	C5'-C4'	6.39	1.59	1.51
38	A1	1210	G	N9-C4	6.39	1.43	1.38
43	AB	189	TRP	CB-CG	6.39	1.61	1.50
11	B2	3	U	C1'-N1	6.38	1.58	1.48
11	B2	346	C	C4-N4	6.38	1.39	1.33
11	B2	1073	C	C2-N3	6.38	1.40	1.35
11	B2	1258	C	O3'-P	-6.38	1.53	1.61
11	B2	1356	A	C6-N1	6.38	1.40	1.35
38	A1	218	A	N9-C4	6.38	1.41	1.37
38	A1	443	C	C2-N3	-6.38	1.30	1.35
38	A1	889	C	O3'-P	-6.38	1.53	1.61
38	A1	936	G	N3-C4	-6.38	1.30	1.35
38	A1	1120	C	C2-N3	6.38	1.40	1.35
38	A1	1987	A	C6-N1	6.38	1.40	1.35
38	A1	2767	C	C2'-C1'	-6.38	1.46	1.53
38	A1	2996	A	N7-C5	-6.38	1.35	1.39
11	B2	571	C	C3'-O3'	6.38	1.51	1.42
11	B2	895	C	N1-C2	6.38	1.46	1.40
38	A1	2647	G	C6-N1	6.38	1.44	1.39
11	B2	217	C	C4'-O4'	-6.38	1.37	1.45
11	B2	342	G	C5-C4	-6.38	1.33	1.38
11	B2	509	C	N3-C4	6.38	1.38	1.33
11	B2	1484	C	N3-C4	6.38	1.38	1.33
38	A1	491	G	N9-C8	6.38	1.42	1.37
38	A1	845	U	N1-C6	6.38	1.43	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	852	A	C2'-C1'	-6.38	1.46	1.53
38	A1	1725	A	C6-N6	6.38	1.39	1.33
38	A1	1875	U	C1'-N1	6.38	1.58	1.48
38	A1	2211	C	O4'-C1'	6.38	1.50	1.41
38	A1	2354	A	C3'-C2'	6.38	1.59	1.52
48	AE	177	GLU	CD-OE2	6.38	1.32	1.25
11	B2	1230	G	N7-C5	-6.38	1.35	1.39
38	A1	1408	G	C2-N3	6.38	1.37	1.32
11	B2	375	G	C2-N2	6.38	1.41	1.34
11	B2	863	U	N1-C6	-6.38	1.32	1.38
11	B2	1280	C	C3'-C2'	6.38	1.59	1.52
11	B2	1404	C	N3-C4	6.38	1.38	1.33
17	BE	195	ARG	CD-NE	6.38	1.57	1.46
38	A1	206	A	N3-C4	-6.38	1.31	1.34
38	A1	419	G	N1-C2	6.38	1.42	1.37
38	A1	733	A	N9-C4	-6.38	1.34	1.37
11	B2	1290	U	P-O5'	-6.38	1.53	1.59
38	A1	542	A	C5-C4	6.38	1.43	1.38
38	A1	1423	G	C6-N1	6.38	1.44	1.39
38	A1	2520	C	C2-N3	6.38	1.40	1.35
38	A1	340	G	C6-N1	6.38	1.44	1.39
38	A1	1281	A	O3'-P	-6.38	1.53	1.61
38	A1	1997	C	C3'-O3'	6.38	1.51	1.42
38	A1	2698	G	C5-C4	6.38	1.42	1.38
11	B2	428	G	C5-C6	-6.37	1.35	1.42
11	B2	1224	U	N1-C2	6.37	1.44	1.38
14	BB	50	GLU	CG-CD	6.37	1.61	1.51
38	A1	189	U	N1-C2	6.37	1.44	1.38
38	A1	1661	A	C2-N3	6.37	1.39	1.33
11	B2	166	A	N9-C4	-6.37	1.34	1.37
11	B2	395	C	C2-N3	-6.37	1.30	1.35
38	A1	673	A	C8-N7	6.37	1.36	1.31
38	A1	872	G	N7-C5	6.37	1.43	1.39
38	A1	1119	A	P-O5'	-6.37	1.53	1.59
38	A1	1537	U	N1-C2	6.37	1.44	1.38
38	A1	529	G	N9-C8	6.37	1.42	1.37
38	A1	1012	G	N1-C2	6.37	1.42	1.37
38	A1	1111	G	C8-N7	6.37	1.34	1.30
38	A1	1302	G	C8-N7	-6.37	1.27	1.30
11	B2	785	U	C2-N3	6.37	1.42	1.37
11	B2	1287	G	C2-N3	6.37	1.37	1.32
38	A1	130	G	C2-N2	6.37	1.41	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	178	G	N3-C4	6.37	1.40	1.35
38	A1	237	G	N1-C2	6.37	1.42	1.37
38	A1	325	G	N9-C4	6.37	1.43	1.38
38	A1	368	U	C4'-C3'	-6.37	1.46	1.53
38	A1	881	G	C3'-O3'	6.37	1.51	1.42
10	B1	14	A	C5-C6	-6.37	1.35	1.41
11	B2	100	A	C6-N6	6.37	1.39	1.33
11	B2	279	U	C4'-C3'	6.37	1.60	1.53
11	B2	673	C	N3-C4	6.37	1.38	1.33
38	A1	189	U	C3'-C2'	-6.37	1.45	1.52
38	A1	1813	A	N9-C4	6.37	1.41	1.37
11	B2	482	G	C1'-N9	6.37	1.58	1.48
11	B2	595	U	C4'-C3'	6.37	1.60	1.53
11	B2	623	C	C4-N4	6.37	1.39	1.33
11	B2	1318	U	C2-N3	6.37	1.42	1.37
11	B2	1437	G	P-O5'	6.37	1.66	1.59
38	A1	466	C	C2-N3	6.37	1.40	1.35
38	A1	1034	G	C8-N7	6.37	1.34	1.30
38	A1	1380	G	N9-C4	-6.37	1.32	1.38
38	A1	1807	G	C5-C6	-6.37	1.35	1.42
38	A1	2195	G	C8-N7	-6.37	1.27	1.30
38	A1	2321	A	N7-C5	-6.37	1.35	1.39
11	B2	62	G	C5-C4	6.36	1.42	1.38
11	B2	205	C	O4'-C1'	-6.36	1.33	1.41
38	A1	1368	A	C5-C4	6.36	1.43	1.38
38	A1	2223	G	C3'-O3'	6.36	1.51	1.42
38	A1	2243	G	C2-N3	6.36	1.37	1.32
38	A1	2547	A	N9-C8	6.36	1.42	1.37
38	A1	2601	C	N1-C6	6.36	1.41	1.37
38	A1	89	C	C2-O2	-6.36	1.18	1.24
38	A1	436	C	C4-N4	6.36	1.39	1.33
10	B1	42	C	C1'-N1	6.36	1.58	1.48
11	B2	123	U	O4'-C1'	6.36	1.50	1.41
11	B2	670	C	C4-N4	6.36	1.39	1.33
38	A1	1442	G	C3'-C2'	6.36	1.59	1.52
38	A1	1710	C	N1-C6	6.36	1.41	1.37
38	A1	2378	C	P-O5'	-6.36	1.53	1.59
38	A1	3030	A	N9-C8	-6.36	1.32	1.37
12	AG	33	ARG	NE-CZ	6.36	1.41	1.33
61	AN	168	GLU	CD-OE1	6.36	1.32	1.25
11	B2	744	A	O3'-P	-6.36	1.53	1.61
11	B2	1063	A	C5'-C4'	6.36	1.58	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1173	A	C6-N6	6.36	1.39	1.33
38	A1	740	C	C4'-C3'	6.36	1.60	1.53
38	A1	999	A	C5'-C4'	6.36	1.58	1.51
38	A1	1059	C	C2-N3	6.36	1.40	1.35
38	A1	2440	C	C4-N4	6.36	1.39	1.33
11	B2	311	A	C6-N6	6.36	1.39	1.33
11	B2	821	G	C2-N3	6.36	1.37	1.32
38	A1	720	C	N1-C2	-6.36	1.33	1.40
38	A1	1147	G	N3-C4	-6.36	1.30	1.35
38	A1	1633	A	C4'-C3'	6.36	1.60	1.53
38	A1	2441	A	C5'-C4'	6.36	1.58	1.51
38	A1	2532	G	C2-N3	6.36	1.37	1.32
5	AS	131	ARG	CZ-NH2	6.36	1.41	1.33
11	B2	395	C	C4'-C3'	6.36	1.60	1.53
11	B2	684	G	C6-N1	6.36	1.44	1.39
11	B2	887	G	N1-C2	6.36	1.42	1.37
11	B2	1048	G	C5-C4	6.36	1.42	1.38
11	B2	1169	C	C3'-C2'	-6.36	1.45	1.52
38	A1	762	G	C8-N7	6.36	1.34	1.30
38	A1	1494	U	C4-C5	6.36	1.49	1.43
38	A1	2300	C	C2'-C1'	-6.36	1.46	1.53
38	A1	2738	G	N1-C2	6.36	1.42	1.37
39	A3	13	C	C4'-O4'	6.36	1.53	1.45
49	Ae	19	ARG	CZ-NH1	6.36	1.41	1.33
11	B2	430	G	N1-C2	6.35	1.42	1.37
11	B2	642	G	O3'-P	6.35	1.68	1.61
38	A1	988	C	C5'-C4'	6.35	1.58	1.51
38	A1	2067	U	O4'-C1'	6.35	1.50	1.41
11	B2	522	C	O3'-P	-6.35	1.53	1.61
11	B2	949	G	C2'-C1'	-6.35	1.46	1.53
38	A1	779	A	P-O5'	-6.35	1.53	1.59
38	A1	2426	U	O3'-P	-6.35	1.53	1.61
11	B2	754	G	N7-C5	-6.35	1.35	1.39
11	B2	830	A	C5-C6	6.35	1.46	1.41
11	B2	1151	A	C4'-O4'	-6.35	1.37	1.45
38	A1	1408	G	N1-C2	6.35	1.42	1.37
38	A1	184	A	N3-C4	6.35	1.38	1.34
38	A1	591	G	C2-N3	6.35	1.37	1.32
38	A1	840	G	P-O5'	-6.35	1.53	1.59
38	A1	1774	A	N3-C4	-6.35	1.31	1.34
38	A1	1952	G	C2'-C1'	-6.35	1.46	1.53
38	A1	2055	U	C4'-O4'	6.35	1.53	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2465	A	O3'-P	-6.35	1.53	1.61
11	B2	318	C	C5'-C4'	6.35	1.58	1.51
11	B2	1067	G	N7-C5	-6.35	1.35	1.39
11	B2	1378	A	N9-C4	6.35	1.41	1.37
38	A1	201	C	C5'-C4'	6.35	1.58	1.51
38	A1	860	A	C5-C4	6.35	1.43	1.38
38	A1	2215	U	P-O5'	-6.35	1.53	1.59
38	A1	3040	G	O3'-P	-6.35	1.53	1.61
39	A3	77	A	C2-N3	6.35	1.39	1.33
11	B2	179	U	P-O5'	-6.35	1.53	1.59
11	B2	482	G	C6-N1	6.35	1.44	1.39
11	B2	1236	G	N9-C4	6.35	1.43	1.38
38	A1	1706	G	C4'-O4'	6.35	1.53	1.45
38	A1	2023	A	C2'-C1'	-6.35	1.46	1.53
38	A1	74	A	C6-N1	6.34	1.40	1.35
38	A1	550	A	N3-C4	6.34	1.38	1.34
38	A1	616	C	N3-C4	6.34	1.38	1.33
38	A1	1246	G	C6-N1	6.34	1.44	1.39
38	A1	2633	A	N3-C4	-6.34	1.31	1.34
39	A3	46	G	N1-C2	6.34	1.42	1.37
59	AL	64	SER	CB-OG	6.34	1.50	1.42
11	B2	98	U	C2-N3	6.34	1.42	1.37
11	B2	485	A	C5'-C4'	6.34	1.58	1.51
11	B2	899	G	C5-C4	-6.34	1.33	1.38
38	A1	971	G	C2'-C1'	-6.34	1.46	1.53
38	A1	1056	C	C4'-C3'	6.34	1.60	1.53
38	A1	1482	G	N7-C5	-6.34	1.35	1.39
38	A1	2344	G	C2'-C1'	-6.34	1.46	1.53
10	B1	74	A	C3'-C2'	6.34	1.59	1.52
11	B2	420	C	N1-C6	6.34	1.41	1.37
38	A1	525	C	N1-C2	-6.34	1.33	1.40
38	A1	661	G	N3-C4	6.34	1.39	1.35
38	A1	1446	G	C2'-O2'	-6.34	1.33	1.41
38	A1	1868	C	C4'-C3'	6.34	1.60	1.53
11	B2	244	G	C6-N1	6.34	1.44	1.39
38	A1	507	G	C5-C4	6.34	1.42	1.38
38	A1	1521	G	P-O5'	-6.34	1.53	1.59
38	A1	1618	G	N3-C4	-6.34	1.31	1.35
38	A1	2282	G	C6-O6	6.34	1.29	1.24
11	B2	919	U	C3'-C2'	6.34	1.59	1.52
11	B2	1180	G	N9-C4	-6.34	1.32	1.38
38	A1	228	U	C2'-C1'	-6.34	1.46	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	346	U	O4'-C1'	-6.34	1.33	1.41
38	A1	2676	A	N7-C5	6.34	1.43	1.39
11	B2	385	A	N3-C4	-6.34	1.31	1.34
11	B2	743	U	C2'-C1'	6.34	1.60	1.53
11	B2	1290	U	N3-C4	6.34	1.44	1.38
11	B2	1446	G	C2-N3	6.34	1.37	1.32
38	A1	243	G	N3-C4	6.34	1.39	1.35
38	A1	1519	G	O4'-C1'	6.34	1.49	1.41
38	A1	2076	A	N3-C4	-6.34	1.31	1.34
11	B2	784	G	C8-N7	6.33	1.34	1.30
38	A1	1899	C	O3'-P	-6.33	1.53	1.61
38	A1	2532	G	N7-C5	-6.33	1.35	1.39
39	A3	9	A	C6-N6	6.33	1.39	1.33
38	A1	1066	C	C3'-O3'	6.33	1.51	1.42
38	A1	1229	U	C4-C5	6.33	1.49	1.43
38	A1	1603	G	C6-N1	6.33	1.44	1.39
38	A1	1603	G	N1-C2	6.33	1.42	1.37
38	A1	1639	G	C2-N3	6.33	1.37	1.32
38	A1	1909	C	C2'-C1'	-6.33	1.46	1.53
59	AL	18	GLY	CA-C	-6.33	1.41	1.51
11	B2	807	C	O3'-P	-6.33	1.53	1.61
38	A1	539	A	C2-N3	6.33	1.39	1.33
38	A1	1095	A	C4'-O4'	-6.33	1.37	1.45
38	A1	1485	A	C2'-C1'	-6.33	1.46	1.53
38	A1	1673	C	C4-C5	6.33	1.48	1.43
38	A1	1878	G	C2'-C1'	6.33	1.60	1.53
11	B2	11	A	C6-N1	6.33	1.40	1.35
11	B2	1081	C	N1-C2	-6.33	1.33	1.40
11	B2	1397	C	O4'-C1'	6.33	1.49	1.41
38	A1	2495	A	C6-N6	6.33	1.39	1.33
39	A3	38	U	C4-C5	6.33	1.49	1.43
39	A3	80	G	N7-C5	-6.33	1.35	1.39
21	BI	39	ARG	CD-NE	6.33	1.57	1.46
38	A1	848	A	N9-C8	6.33	1.42	1.37
38	A1	1672	G	C3'-C2'	6.33	1.59	1.52
38	A1	2766	C	O4'-C1'	-6.33	1.33	1.41
39	A3	93	G	C8-N7	-6.33	1.27	1.30
11	B2	302	A	C6-N1	6.33	1.40	1.35
38	A1	413	A	C8-N7	-6.33	1.27	1.31
11	B2	166	A	C5'-C4'	6.33	1.58	1.51
11	B2	315	A	N9-C8	6.33	1.42	1.37
11	B2	966	G	O4'-C1'	6.33	1.49	1.41

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1358	A	C6-N6	6.33	1.39	1.33
11	B2	1459	G	C5'-C4'	6.33	1.58	1.51
38	A1	281	G	C2-N3	6.33	1.37	1.32
11	B2	429	A	C1'-N9	6.32	1.58	1.48
11	B2	1078	U	C1'-N1	6.32	1.58	1.48
11	B2	1325	C	O3'-P	-6.32	1.53	1.61
38	A1	2059	G	C2'-C1'	-6.32	1.46	1.53
39	A3	59	C	N1-C6	6.32	1.41	1.37
11	B2	495	G	C3'-C2'	-6.32	1.45	1.52
38	A1	1569	A	N9-C8	-6.32	1.32	1.37
38	A1	2270	G	N9-C4	-6.32	1.32	1.38
38	A1	2695	U	P-O5'	-6.32	1.53	1.59
11	B2	324	C	N3-C4	6.32	1.38	1.33
11	B2	1037	U	O3'-P	-6.32	1.53	1.61
29	BQ	148	TYR	CE1-CZ	6.32	1.46	1.38
38	A1	628	A	C6-N1	6.32	1.40	1.35
38	A1	1250	A	C2'-C1'	-6.32	1.46	1.53
38	A1	1612	G	C2'-O2'	-6.32	1.33	1.41
38	A1	2246	G	O3'-P	-6.32	1.53	1.61
11	B2	1475	C	C5'-C4'	6.32	1.58	1.51
38	A1	521	C	C4-N4	6.32	1.39	1.33
38	A1	777	A	C3'-O3'	6.32	1.50	1.42
38	A1	993	G	C3'-C2'	-6.32	1.45	1.52
11	B2	362	C	C4-N4	6.32	1.39	1.33
11	B2	489	C	C4-N4	6.32	1.39	1.33
11	B2	548	A	N9-C8	-6.32	1.32	1.37
11	B2	688	C	C5'-C4'	6.32	1.58	1.51
11	B2	845	G	C2-N3	6.32	1.37	1.32
26	BN	141	ARG	NE-CZ	6.32	1.41	1.33
38	A1	1218	C	N1-C6	-6.32	1.33	1.37
38	A1	1354	G	C5'-C4'	6.32	1.58	1.51
38	A1	1505	G	C8-N7	6.32	1.34	1.30
38	A1	2059	G	C8-N7	-6.32	1.27	1.30
38	A1	2630	C	P-O5'	-6.32	1.53	1.59
39	A3	125	U	C5-C6	-6.32	1.28	1.34
11	B2	290	C	O4'-C1'	6.32	1.49	1.41
11	B2	401	U	C1'-N1	6.32	1.58	1.48
11	B2	595	U	C5'-C4'	6.32	1.58	1.51
11	B2	619	A	N7-C5	-6.32	1.35	1.39
11	B2	713	A	N7-C5	-6.32	1.35	1.39
38	A1	256	G	C2'-C1'	-6.32	1.46	1.53
38	A1	928	A	C5-C6	-6.32	1.35	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1277	G	C5-C6	-6.32	1.36	1.42
38	A1	1386	G	C4'-C3'	6.32	1.60	1.53
38	A1	1542	U	C5-C6	6.32	1.39	1.34
38	A1	2616	C	C4-N4	6.32	1.39	1.33
38	A1	2674	C	N1-C6	6.32	1.41	1.37
39	A3	13	C	C3'-C2'	-6.32	1.45	1.52
38	A1	568	A	N9-C8	-6.31	1.32	1.37
38	A1	2359	G	N1-C2	6.31	1.42	1.37
38	A1	2982	G	C6-N1	6.31	1.44	1.39
63	AP	16	ARG	CZ-NH2	6.31	1.41	1.33
10	B1	36	A	C8-N7	-6.31	1.27	1.31
11	B2	948	G	N1-C2	6.31	1.42	1.37
25	BM	82	ARG	NE-CZ	6.31	1.41	1.33
25	BM	109	GLY	CA-C	-6.31	1.41	1.51
38	A1	100	C	C4'-C3'	6.31	1.60	1.53
38	A1	2366	G	C8-N7	-6.31	1.27	1.30
38	A1	2597	A	N3-C4	6.31	1.38	1.34
11	B2	657	A	C8-N7	-6.31	1.27	1.31
11	B2	1058	G	N1-C2	6.31	1.42	1.37
38	A1	572	U	C2-N3	6.31	1.42	1.37
38	A1	3016	G	C4'-O4'	6.31	1.53	1.45
11	B2	1148	G	C3'-O3'	6.31	1.50	1.42
38	A1	639	C	O3'-P	-6.31	1.53	1.61
38	A1	766	G	C3'-C2'	6.31	1.59	1.52
38	A1	838	A	N3-C4	6.31	1.38	1.34
38	A1	1745	U	O3'-P	-6.31	1.53	1.61
38	A1	1915	G	C2-N2	6.31	1.40	1.34
38	A1	1919	A	C5-C4	6.31	1.43	1.38
38	A1	2745	G	C2-N3	6.31	1.37	1.32
11	B2	216	G	N7-C5	-6.31	1.35	1.39
11	B2	846	G	N9-C8	-6.31	1.33	1.37
11	B2	1010	G	N1-C2	6.31	1.42	1.37
11	B2	1043	U	C1'-N1	6.31	1.58	1.48
11	B2	1257	U	C2-N3	-6.31	1.33	1.37
38	A1	214	C	C4-N4	6.31	1.39	1.33
38	A1	1330	G	C8-N7	-6.31	1.27	1.30
38	A1	1402	C	N1-C6	6.31	1.41	1.37
38	A1	2072	G	C5-C4	-6.31	1.33	1.38
38	A1	2658	G	C4'-O4'	-6.31	1.37	1.45
38	A1	2730	U	C2-N3	6.31	1.42	1.37
11	B2	60	A	N3-C4	-6.31	1.31	1.34
11	B2	934	G	N9-C8	6.31	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	25	U	C2-N3	6.31	1.42	1.37
38	A1	600	A	C6-N1	6.31	1.40	1.35
38	A1	1139	C	C2'-C1'	-6.31	1.46	1.53
11	B2	1055	C	P-O5'	-6.30	1.53	1.59
11	B2	1367	C	N3-C4	6.30	1.38	1.33
11	B2	1424	G	C2-N3	6.30	1.37	1.32
38	A1	200	G	C6-N1	6.30	1.44	1.39
38	A1	418	C	O3'-P	-6.30	1.53	1.61
38	A1	1045	A	N9-C8	6.30	1.42	1.37
38	A1	2169	C	C1'-N1	6.30	1.58	1.48
38	A1	2972	G	P-O5'	6.30	1.66	1.59
11	B2	346	C	O3'-P	-6.30	1.53	1.61
11	B2	921	G	C2-N3	6.30	1.37	1.32
38	A1	229	G	C6-N1	6.30	1.44	1.39
38	A1	2397	C	P-O5'	-6.30	1.53	1.59
38	A1	2702	A	C5-C4	6.30	1.43	1.38
56	AJ	50	ARG	CD-NE	6.30	1.57	1.46
11	B2	1129	A	C6-N6	6.30	1.39	1.33
11	B2	1279	A	C2-N3	-6.30	1.27	1.33
38	A1	208	A	O3'-P	-6.30	1.53	1.61
38	A1	678	G	C2'-C1'	-6.30	1.46	1.53
38	A1	1864	G	N7-C5	-6.30	1.35	1.39
38	A1	2021	G	N3-C4	-6.30	1.31	1.35
38	A1	2190	A	C6-N6	6.30	1.39	1.33
38	A1	2521	U	N3-C4	6.30	1.44	1.38
38	A1	3030	A	C4'-O4'	-6.30	1.37	1.45
58	Ak	46	ARG	NE-CZ	6.30	1.41	1.33
11	B2	143	G	N1-C2	6.30	1.42	1.37
11	B2	338	C	C5-C6	6.30	1.39	1.34
11	B2	696	G	O3'-P	-6.30	1.53	1.61
38	A1	184	A	C6-N6	6.30	1.39	1.33
38	A1	645	U	C4-C5	6.30	1.49	1.43
38	A1	842	C	C4-N4	6.30	1.39	1.33
11	B2	353	G	P-O5'	-6.30	1.53	1.59
11	B2	1286	C	C4'-C3'	-6.30	1.46	1.53
38	A1	674	G	P-O5'	-6.30	1.53	1.59
38	A1	1448	G	C5'-C4'	6.30	1.58	1.51
38	A1	2966	C	C4-N4	6.30	1.39	1.33
5	AS	135	ARG	CD-NE	6.30	1.57	1.46
7	AU	59	TYR	CE1-CZ	6.30	1.46	1.38
11	B2	402	G	C2-N3	6.30	1.37	1.32
11	B2	1291	G	N3-C4	6.30	1.39	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	511	A	P-O5'	-6.30	1.53	1.59
38	A1	671	G	C4'-C3'	6.30	1.60	1.53
38	A1	1189	A	N7-C5	-6.30	1.35	1.39
38	A1	2686	A	C6-N6	6.30	1.39	1.33
11	B2	473	A	C6-N1	6.29	1.40	1.35
11	B2	696	G	N1-C2	6.29	1.42	1.37
38	A1	1535	U	C2'-C1'	-6.29	1.46	1.53
38	A1	2761	G	C2-N3	6.29	1.37	1.32
11	B2	64	G	N1-C2	6.29	1.42	1.37
11	B2	158	U	O3'-P	-6.29	1.53	1.61
11	B2	911	C	C4'-C3'	6.29	1.60	1.53
38	A1	330	U	N1-C6	6.29	1.43	1.38
38	A1	630	G	N9-C4	6.29	1.43	1.38
38	A1	1744	A	C5-C6	6.29	1.46	1.41
38	A1	2420	C	C4'-C3'	-6.29	1.46	1.53
49	Ae	34	TYR	CG-CD2	6.29	1.47	1.39
11	B2	865	A	C4'-C3'	-6.29	1.46	1.53
11	B2	1186	C	O3'-P	-6.29	1.53	1.61
38	A1	113	C	C5-C6	-6.29	1.29	1.34
38	A1	134	C	C2-N3	6.29	1.40	1.35
38	A1	1244	C	N1-C2	-6.29	1.33	1.40
38	A1	1293	G	N1-C2	6.29	1.42	1.37
38	A1	1856	G	C2-N2	6.29	1.40	1.34
38	A1	1971	C	C4-N4	6.29	1.39	1.33
38	A1	2044	C	O4'-C1'	6.29	1.49	1.41
38	A1	2226	G	C8-N7	6.29	1.34	1.30
38	A1	2826	U	C5-C6	-6.29	1.28	1.34
38	A1	2858	C	C2-N3	6.29	1.40	1.35
39	A3	19	G	N7-C5	-6.29	1.35	1.39
11	B2	1444	G	C5'-C4'	6.29	1.58	1.51
38	A1	745	C	N3-C4	6.29	1.38	1.33
38	A1	1114	G	N7-C5	6.29	1.43	1.39
38	A1	3033	G	N9-C8	6.29	1.42	1.37
48	AE	161	PRO	N-CD	6.29	1.56	1.47
11	B2	139	C	C4'-C3'	6.29	1.60	1.53
11	B2	533	C	N1-C2	6.29	1.46	1.40
11	B2	541	G	N9-C8	6.29	1.42	1.37
11	B2	1319	C	C4'-O4'	-6.29	1.37	1.45
11	B2	1353	C	C5'-C4'	6.29	1.58	1.51
38	A1	75	G	C6-N1	6.29	1.44	1.39
38	A1	272	G	C2-N3	6.29	1.37	1.32
38	A1	302	U	C2'-C1'	-6.29	1.46	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2484	C	N1-C6	6.29	1.41	1.37
38	A1	2896	G	N1-C2	6.29	1.42	1.37
39	A3	74	U	O4'-C1'	6.29	1.49	1.41
10	B1	12	U	N1-C2	6.29	1.44	1.38
11	B2	332	C	N1-C6	6.29	1.41	1.37
11	B2	458	G	N3-C4	-6.29	1.31	1.35
11	B2	1155	U	C2'-C1'	-6.29	1.46	1.53
11	B2	184	G	N9-C4	-6.29	1.32	1.38
11	B2	885	G	N3-C4	6.29	1.39	1.35
38	A1	580	G	C2-N2	6.29	1.40	1.34
38	A1	1010	G	P-O5'	-6.29	1.53	1.59
38	A1	1519	G	N9-C8	6.29	1.42	1.37
38	A1	1878	G	N9-C4	6.29	1.43	1.38
38	A1	2770	A	N9-C8	6.29	1.42	1.37
11	B2	110	C	C2-O2	-6.28	1.18	1.24
11	B2	388	G	C5'-C4'	6.28	1.58	1.51
11	B2	1011	C	C5'-C4'	6.28	1.58	1.51
38	A1	590	A	N9-C4	6.28	1.41	1.37
38	A1	851	G	C2-N2	6.28	1.40	1.34
38	A1	1377	G	C5'-C4'	6.28	1.58	1.51
38	A1	1633	A	C1'-N9	6.28	1.58	1.48
11	B2	641	A	C6-N1	6.28	1.40	1.35
11	B2	1411	G	C6-N1	6.28	1.44	1.39
38	A1	1525	G	N7-C5	-6.28	1.35	1.39
11	B2	348	C	O3'-P	-6.28	1.53	1.61
11	B2	424	U	N1-C2	-6.28	1.32	1.38
11	B2	427	G	N1-C2	6.28	1.42	1.37
11	B2	982	U	C4'-O4'	6.28	1.53	1.45
38	A1	346	U	N1-C6	6.28	1.43	1.38
38	A1	414	G	C2-N3	6.28	1.37	1.32
38	A1	1097	G	C2'-C1'	-6.28	1.46	1.53
38	A1	1237	A	C6-N6	6.28	1.39	1.33
38	A1	1504	C	N3-C4	6.28	1.38	1.33
38	A1	1677	A	N7-C5	-6.28	1.35	1.39
38	A1	2090	A	N9-C4	-6.28	1.34	1.37
38	A1	2960	G	N3-C4	6.28	1.39	1.35
11	B2	262	G	N9-C8	6.28	1.42	1.37
11	B2	665	G	C5-C6	-6.28	1.36	1.42
11	B2	708	C	O4'-C1'	-6.28	1.33	1.41
38	A1	33	U	C3'-C2'	6.28	1.59	1.52
38	A1	1721	U	C4'-O4'	-6.28	1.37	1.45
38	A1	2684	G	P-O5'	-6.28	1.53	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	3040	G	N7-C5	6.28	1.43	1.39
10	B1	10	G	N3-C4	-6.28	1.31	1.35
11	B2	382	G	N7-C5	-6.28	1.35	1.39
11	B2	736	A	C4'-O4'	6.28	1.53	1.45
11	B2	875	G	C6-N1	6.28	1.44	1.39
38	A1	762	G	N3-C4	6.28	1.39	1.35
38	A1	846	C	N1-C6	6.28	1.41	1.37
38	A1	936	G	C6-O6	6.28	1.29	1.24
38	A1	1013	G	N1-C2	-6.28	1.32	1.37
38	A1	1097	G	P-O5'	6.28	1.66	1.59
38	A1	1166	A	N3-C4	-6.28	1.31	1.34
38	A1	1743	G	N9-C4	-6.28	1.32	1.38
38	A1	2568	A	C4'-C3'	-6.28	1.46	1.53
38	A1	2848	C	N3-C4	6.28	1.38	1.33
39	A3	93	G	C2-N3	6.28	1.37	1.32
11	B2	913	G	C5-C4	6.28	1.42	1.38
11	B2	1143	G	C2-N2	6.28	1.40	1.34
11	B2	1258	C	N3-C4	6.28	1.38	1.33
11	B2	1464	C	N3-C4	6.28	1.38	1.33
38	A1	1904	G	O3'-P	6.28	1.68	1.61
38	A1	2298	C	C5'-C4'	6.28	1.58	1.51
38	A1	2335	G	P-O5'	-6.28	1.53	1.59
64	AR	21	ARG	CZ-NH2	6.28	1.41	1.33
23	BK	25	ARG	NE-CZ	6.27	1.41	1.33
38	A1	517	A	C2'-C1'	-6.27	1.46	1.53
38	A1	1616	A	C5'-C4'	6.27	1.58	1.51
11	B2	5	C	C5'-C4'	6.27	1.58	1.51
38	A1	1655	G	O3'-P	-6.27	1.53	1.61
38	A1	1748	C	C5'-C4'	6.27	1.58	1.51
38	A1	2374	C	C4-N4	6.27	1.39	1.33
38	A1	2418	G	C6-N1	6.27	1.44	1.39
38	A1	2463	G	O3'-P	-6.27	1.53	1.61
39	A3	33	U	N1-C6	6.27	1.43	1.38
11	B2	1463	A	C6-N6	6.27	1.39	1.33
38	A1	120	G	C5-C4	6.27	1.42	1.38
38	A1	2832	G	C2'-C1'	-6.27	1.46	1.53
11	B2	164	A	C8-N7	-6.27	1.27	1.31
11	B2	262	G	O3'-P	-6.27	1.53	1.61
11	B2	777	G	P-O5'	-6.27	1.53	1.59
11	B2	832	G	C2-N3	6.27	1.37	1.32
11	B2	1173	A	C6-N1	6.27	1.40	1.35
11	B2	1198	A	C8-N7	6.27	1.35	1.31

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	BB	179	ARG	CZ-NH2	6.27	1.41	1.33
38	A1	149	G	O4'-C1'	-6.27	1.33	1.41
38	A1	258	C	C2-N3	6.27	1.40	1.35
38	A1	871	G	C5-C4	6.27	1.42	1.38
38	A1	1751	G	C2-N2	6.27	1.40	1.34
38	A1	2684	G	N1-C2	6.27	1.42	1.37
39	A3	79	U	C4-C5	6.27	1.49	1.43
58	Ak	107	ARG	NE-CZ	6.27	1.41	1.33
11	B2	674	C	N1-C6	6.27	1.41	1.37
38	A1	54	G	C6-N1	6.27	1.44	1.39
38	A1	1287	G	C4'-C3'	6.27	1.60	1.53
38	A1	1575	G	C5-C4	6.27	1.42	1.38
38	A1	1735	G	N7-C5	-6.27	1.35	1.39
38	A1	2097	G	C4'-C3'	6.27	1.60	1.53
38	A1	2381	A	C5-C4	6.27	1.43	1.38
38	A1	2845	C	C5-C6	6.27	1.39	1.34
39	A3	44	C	C1'-N1	6.27	1.58	1.48
11	B2	571	C	N1-C2	6.27	1.46	1.40
38	A1	716	U	C4'-C3'	-6.27	1.46	1.53
11	B2	934	G	C2-N2	6.26	1.40	1.34
11	B2	955	G	C5-C4	-6.26	1.33	1.38
15	BC	26	ARG	CZ-NH2	6.26	1.41	1.33
38	A1	8	G	N1-C2	6.26	1.42	1.37
38	A1	574	C	C4-C5	-6.26	1.38	1.43
38	A1	709	A	C2'-C1'	-6.26	1.46	1.53
38	A1	795	G	N7-C5	-6.26	1.35	1.39
38	A1	2346	A	C5-C4	6.26	1.43	1.38
38	A1	302	U	C4-C5	6.26	1.49	1.43
38	A1	430	A	C6-N6	6.26	1.39	1.33
38	A1	1458	C	C4-N4	6.26	1.39	1.33
38	A1	1559	A	C5-C4	6.26	1.43	1.38
38	A1	2111	C	N1-C6	6.26	1.41	1.37
38	A1	2371	A	C2-N3	6.26	1.39	1.33
11	B2	322	G	C2-N3	6.26	1.37	1.32
11	B2	945	G	N1-C2	6.26	1.42	1.37
38	A1	36	G	C2-N3	6.26	1.37	1.32
38	A1	440	A	C5-C4	6.26	1.43	1.38
38	A1	861	G	C2-N2	6.26	1.40	1.34
38	A1	1820	C	C4-N4	6.26	1.39	1.33
38	A1	2188	C	C4-N4	6.26	1.39	1.33
38	A1	2247	G	N1-C2	6.26	1.42	1.37
38	A1	2634	U	O3'-P	-6.26	1.53	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2995	A	P-O5'	-6.26	1.53	1.59
39	A3	17	G	N7-C5	6.26	1.43	1.39
39	A3	28	C	C5'-C4'	6.26	1.58	1.51
11	B2	9	U	N1-C2	-6.26	1.32	1.38
11	B2	57	G	C2'-C1'	-6.26	1.46	1.53
38	A1	18	C	P-O5'	-6.26	1.53	1.59
38	A1	34	C	N1-C6	6.26	1.41	1.37
38	A1	770	G	C2-N3	6.26	1.37	1.32
38	A1	788	A	C6-N1	6.26	1.40	1.35
38	A1	1569	A	C1'-N9	6.26	1.58	1.48
38	A1	1731	U	C5'-C4'	6.26	1.58	1.51
38	A1	1872	G	N7-C5	6.26	1.43	1.39
11	B2	264	C	C4-N4	6.26	1.39	1.33
38	A1	407	A	N3-C4	-6.26	1.31	1.34
38	A1	1078	G	N9-C4	6.26	1.43	1.38
38	A1	1623	C	C4'-C3'	6.26	1.60	1.53
38	A1	1688	C	C1'-N1	6.26	1.58	1.48
38	A1	2990	G	O3'-P	-6.26	1.53	1.61
11	B2	596	A	N7-C5	-6.26	1.35	1.39
11	B2	960	A	C2-N3	-6.26	1.27	1.33
11	B2	1072	C	C2-O2	6.26	1.30	1.24
11	B2	1302	C	C4-C5	6.26	1.48	1.43
38	A1	448	A	C5'-C4'	6.26	1.58	1.51
38	A1	1000	G	C8-N7	-6.26	1.27	1.30
38	A1	1045	A	C5'-C4'	6.26	1.58	1.51
38	A1	1091	G	C5'-C4'	6.26	1.58	1.51
38	A1	1091	G	C2-N3	6.26	1.37	1.32
38	A1	2582	C	C5-C6	6.26	1.39	1.34
11	B2	922	G	C5-C6	-6.25	1.36	1.42
11	B2	209	A	N3-C4	6.25	1.38	1.34
11	B2	454	G	C5-C6	-6.25	1.36	1.42
11	B2	1374	C	N3-C4	6.25	1.38	1.33
38	A1	80	G	N7-C5	-6.25	1.35	1.39
38	A1	482	A	N9-C4	6.25	1.41	1.37
38	A1	507	G	O4'-C1'	-6.25	1.33	1.41
38	A1	732	G	N1-C2	6.25	1.42	1.37
38	A1	937	A	C5-C4	-6.25	1.34	1.38
38	A1	1393	C	P-O5'	-6.25	1.53	1.59
38	A1	1492	C	C1'-N1	6.25	1.58	1.48
45	AC	84	ARG	CZ-NH2	6.25	1.41	1.33
11	B2	224	A	N3-C4	6.25	1.38	1.34
11	B2	292	U	C2-N3	6.25	1.42	1.37

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1401	U	C2'-C1'	-6.25	1.46	1.53
38	A1	278	C	N1-C2	-6.25	1.33	1.40
38	A1	1437	C	C3'-C2'	6.25	1.59	1.52
38	A1	2115	U	N1-C2	6.25	1.44	1.38
38	A1	2142	U	C5-C6	6.25	1.39	1.34
38	A1	2588	C	C1'-N1	6.25	1.58	1.48
11	B2	656	U	C2'-C1'	-6.25	1.46	1.53
11	B2	881	G	C4'-C3'	6.25	1.60	1.53
11	B2	921	G	C5-C4	6.25	1.42	1.38
11	B2	1331	G	C6-N1	6.25	1.44	1.39
38	A1	1144	A	N3-C4	-6.25	1.31	1.34
38	A1	1776	G	N9-C8	6.25	1.42	1.37
38	A1	2254	U	C5-C6	6.25	1.39	1.34
38	A1	2548	A	N1-C2	-6.25	1.28	1.34
11	B2	436	A	O3'-P	-6.25	1.53	1.61
38	A1	725	G	C5-C4	6.25	1.42	1.38
38	A1	1716	G	C6-N1	6.25	1.44	1.39
61	AN	125	ARG	CZ-NH1	6.25	1.41	1.33
21	BI	100	GLY	CA-C	-6.25	1.41	1.51
38	A1	1832	G	N7-C5	6.25	1.43	1.39
38	A1	1853	C	C5'-C4'	6.25	1.58	1.51
11	B2	403	C	C3'-C2'	6.24	1.59	1.52
11	B2	1252	C	C4-C5	6.24	1.48	1.43
18	BF	116	TYR	CE2-CZ	6.24	1.46	1.38
38	A1	114	C	N1-C6	6.24	1.40	1.37
38	A1	123	A	C1'-N9	6.24	1.58	1.48
38	A1	337	G	C2'-O2'	-6.24	1.33	1.41
38	A1	384	G	C2-N3	6.24	1.37	1.32
38	A1	1380	G	C6-O6	-6.24	1.18	1.24
38	A1	1701	C	O4'-C1'	6.24	1.49	1.41
38	A1	2401	A	N3-C4	6.24	1.38	1.34
38	A1	2709	C	C5'-C4'	6.24	1.58	1.51
38	A1	2739	G	P-O5'	-6.24	1.53	1.59
38	A1	2997	G	C5-C6	-6.24	1.36	1.42
11	B2	498	C	N3-C4	6.24	1.38	1.33
11	B2	954	G	C4'-C3'	6.24	1.60	1.53
11	B2	1472	G	C5-C4	-6.24	1.33	1.38
38	A1	1089	C	C1'-N1	6.24	1.58	1.48
38	A1	1401	G	C2'-C1'	-6.24	1.46	1.53
11	B2	177	A	C4'-C3'	-6.24	1.46	1.53
11	B2	380	C	N3-C4	6.24	1.38	1.33
11	B2	597	C	O4'-C1'	6.24	1.49	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	687	G	C8-N7	6.24	1.34	1.30
11	B2	991	C	C5'-C4'	6.24	1.58	1.51
11	B2	1063	A	C4'-O4'	-6.24	1.37	1.45
11	B2	1423	A	O3'-P	-6.24	1.53	1.61
18	BF	80	ARG	NE-CZ	6.24	1.41	1.33
38	A1	278	C	N1-C6	6.24	1.40	1.37
38	A1	807	G	C4'-C3'	6.24	1.60	1.53
38	A1	1648	C	C2'-C1'	-6.24	1.46	1.53
38	A1	2096	G	C5-C6	-6.24	1.36	1.42
39	A3	99	G	C6-N1	6.24	1.44	1.39
11	B2	194	C	N3-C4	6.24	1.38	1.33
11	B2	1305	U	C4-C5	6.24	1.49	1.43
32	BT	49	ARG	CZ-NH2	6.24	1.41	1.33
38	A1	1248	C	C4-N4	6.24	1.39	1.33
38	A1	2135	C	N1-C2	-6.24	1.33	1.40
38	A1	2347	G	C2'-C1'	-6.24	1.46	1.53
38	A1	2393	G	N1-C2	6.24	1.42	1.37
38	A1	2536	A	N3-C4	6.24	1.38	1.34
39	A3	43	C	N3-C4	6.24	1.38	1.33
39	A3	73	U	C3'-O3'	6.24	1.50	1.42
62	AO	34	ARG	CD-NE	6.24	1.57	1.46
11	B2	393	A	N3-C4	6.24	1.38	1.34
11	B2	1286	C	N1-C6	-6.24	1.33	1.37
38	A1	305	G	C6-N1	6.24	1.44	1.39
38	A1	803	A	C4'-C3'	6.24	1.60	1.53
38	A1	2194	A	N7-C5	-6.24	1.35	1.39
10	B1	50	G	C4'-C3'	6.24	1.60	1.53
11	B2	280	C	C2-N3	6.24	1.40	1.35
11	B2	379	A	C5-C6	6.24	1.46	1.41
11	B2	517	U	C2'-C1'	-6.24	1.46	1.53
38	A1	982	G	C2'-C1'	-6.24	1.46	1.53
38	A1	2393	G	C4'-C3'	6.24	1.60	1.53
38	A1	2488	C	C4'-C3'	-6.24	1.46	1.53
38	A1	2538	G	C2-N3	6.24	1.37	1.32
38	A1	2770	A	C8-N7	6.24	1.35	1.31
38	A1	3021	C	C5'-C4'	6.24	1.58	1.51
11	B2	1478	A	N9-C4	-6.23	1.34	1.37
38	A1	1072	U	N3-C4	6.23	1.44	1.38
38	A1	1281	A	C8-N7	6.23	1.35	1.31
38	A1	1569	A	C6-N6	6.23	1.39	1.33
38	A1	1887	A	N9-C4	-6.23	1.34	1.37
38	A1	1962	G	C3'-C2'	6.23	1.59	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2636	C	P-O5'	-6.23	1.53	1.59
11	B2	1145	C	N1-C6	6.23	1.40	1.37
38	A1	1660	A	C5-C6	-6.23	1.35	1.41
38	A1	2517	U	C2-N3	6.23	1.42	1.37
38	A1	2684	G	C6-N1	6.23	1.44	1.39
38	A1	2978	G	C1'-N9	6.23	1.58	1.48
11	B2	1098	G	C2-N3	6.23	1.37	1.32
11	B2	1127	A	N9-C8	6.23	1.42	1.37
38	A1	65	G	N1-C2	6.23	1.42	1.37
38	A1	592	C	N3-C4	6.23	1.38	1.33
38	A1	942	U	C2-N3	-6.23	1.33	1.37
38	A1	1056	C	C4-C5	6.23	1.48	1.43
38	A1	1126	C	O4'-C1'	6.23	1.49	1.41
38	A1	1891	C	C3'-C2'	6.23	1.59	1.52
38	A1	2049	U	C4-C5	-6.23	1.38	1.43
38	A1	2303	A	O3'-P	-6.23	1.53	1.61
38	A1	2477	G	C2'-C1'	-6.23	1.46	1.53
38	A1	2800	U	O3'-P	-6.23	1.53	1.61
11	B2	635	C	O4'-C1'	6.23	1.49	1.41
11	B2	1069	G	N9-C4	6.23	1.43	1.38
11	B2	1266	A	C4'-C3'	-6.23	1.46	1.53
11	B2	1270	C	C2'-C1'	-6.23	1.46	1.53
38	A1	1204	U	O4'-C1'	-6.23	1.33	1.41
38	A1	1334	G	C5-C4	-6.23	1.33	1.38
11	B2	816	G	C5'-C4'	6.23	1.58	1.51
38	A1	257	G	C2-N3	6.23	1.37	1.32
38	A1	472	A	C8-N7	-6.23	1.27	1.31
38	A1	968	A	C5-C4	6.23	1.43	1.38
38	A1	2021	G	N7-C5	-6.23	1.35	1.39
38	A1	2841	G	C8-N7	6.23	1.34	1.30
39	A3	111	G	N3-C4	6.23	1.39	1.35
9	AX	290	GLY	N-CA	-6.23	1.36	1.46
38	A1	540	A	C5'-C4'	6.23	1.58	1.51
38	A1	748	G	C6-N1	6.23	1.44	1.39
38	A1	1118	A	O4'-C1'	6.23	1.49	1.41
11	B2	120	C	C5'-C4'	6.22	1.58	1.51
11	B2	125	G	N1-C2	6.22	1.42	1.37
11	B2	308	G	C2'-C1'	-6.22	1.46	1.53
11	B2	763	G	N9-C8	-6.22	1.33	1.37
38	A1	63	A	C6-N1	6.22	1.40	1.35
38	A1	394	A	C5'-C4'	6.22	1.58	1.51
38	A1	628	A	C5'-C4'	6.22	1.58	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	743	A	C8-N7	-6.22	1.27	1.31
38	A1	746	C	N3-C4	6.22	1.38	1.33
38	A1	1082	A	O4'-C1'	6.22	1.49	1.41
38	A1	1130	G	N7-C5	-6.22	1.35	1.39
38	A1	1480	G	N3-C4	-6.22	1.31	1.35
38	A1	1966	C	O3'-P	-6.22	1.53	1.61
38	A1	2354	A	C2-N3	6.22	1.39	1.33
38	A1	2771	G	C8-N7	6.22	1.34	1.30
39	A3	126	C	N1-C2	-6.22	1.33	1.40
55	Ai	33	ARG	CD-NE	6.22	1.57	1.46
11	B2	902	U	C5'-C4'	6.22	1.58	1.51
38	A1	539	A	N1-C2	6.22	1.40	1.34
38	A1	558	C	C3'-C2'	6.22	1.59	1.52
38	A1	1421	C	C4-N4	6.22	1.39	1.33
38	A1	1942	G	N1-C2	6.22	1.42	1.37
38	A1	2385	G	C8-N7	6.22	1.34	1.30
38	A1	3013	U	C4-C5	-6.22	1.38	1.43
39	A3	64	C	C3'-C2'	-6.22	1.46	1.52
11	B2	515	U	N1-C2	6.22	1.44	1.38
38	A1	841	U	C4'-C3'	6.22	1.59	1.53
11	B2	22	G	C4'-O4'	6.22	1.53	1.45
11	B2	244	G	O3'-P	-6.22	1.53	1.61
11	B2	869	U	C4-C5	6.22	1.49	1.43
11	B2	990	G	P-O5'	-6.22	1.53	1.59
11	B2	1052	U	C4'-O4'	-6.22	1.37	1.45
11	B2	1472	G	C5'-C4'	6.22	1.58	1.51
38	A1	334	G	C6-N1	6.22	1.44	1.39
38	A1	1632	U	O4'-C1'	-6.22	1.33	1.41
38	A1	2423	G	N3-C4	-6.22	1.31	1.35
38	A1	2892	A	N9-C8	6.22	1.42	1.37
11	B2	256	G	C2'-C1'	-6.22	1.46	1.53
11	B2	778	G	C5'-C4'	6.22	1.58	1.51
11	B2	1411	G	C5'-C4'	6.22	1.58	1.51
38	A1	574	C	C4'-O4'	6.22	1.53	1.45
38	A1	592	C	C1'-N1	6.22	1.58	1.48
38	A1	1611	C	N3-C4	6.22	1.38	1.33
11	B2	497	C	P-O5'	-6.22	1.53	1.59
11	B2	852	G	O3'-P	-6.22	1.53	1.61
11	B2	1339	G	N3-C4	-6.22	1.31	1.35
38	A1	433	C	C4-N4	6.22	1.39	1.33
38	A1	884	C	C3'-O3'	6.22	1.50	1.42
38	A1	1206	A	C1'-N9	-6.22	1.38	1.46

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1307	C	N3-C4	6.22	1.38	1.33
38	A1	2767	C	N3-C4	6.22	1.38	1.33
59	AL	5	ARG	CD-NE	6.22	1.57	1.46
63	AP	91	ARG	NE-CZ	6.22	1.41	1.33
10	B1	33	C	C4'-C3'	6.21	1.59	1.53
11	B2	1101	G	N9-C4	6.21	1.43	1.38
11	B2	1466	G	C6-N1	6.21	1.44	1.39
38	A1	769	G	C2-N3	6.21	1.37	1.32
38	A1	1446	G	C2'-C1'	-6.21	1.46	1.53
38	A1	1749	C	C5'-C4'	6.21	1.58	1.51
38	A1	2355	G	N9-C4	6.21	1.43	1.38
38	A1	2416	G	C8-N7	-6.21	1.27	1.30
38	A1	3038	A	N9-C4	6.21	1.41	1.37
11	B2	273	C	C5-C6	6.21	1.39	1.34
11	B2	831	A	C6-N1	6.21	1.39	1.35
38	A1	628	A	C3'-C2'	-6.21	1.46	1.52
38	A1	2096	G	C3'-O3'	6.21	1.50	1.42
38	A1	2163	G	N1-C2	6.21	1.42	1.37
38	A1	2849	C	C4'-O4'	6.21	1.53	1.45
11	B2	739	G	N9-C8	6.21	1.42	1.37
11	B2	836	G	N9-C4	6.21	1.43	1.38
11	B2	856	G	C2-N3	6.21	1.37	1.32
11	B2	1254	C	C4'-O4'	6.21	1.53	1.45
11	B2	1412	A	N9-C4	-6.21	1.34	1.37
38	A1	1981	G	N9-C8	-6.21	1.33	1.37
38	A1	2052	A	C6-N6	6.21	1.39	1.33
38	A1	2188	C	P-O5'	-6.21	1.53	1.59
11	B2	123	U	C5-C6	6.21	1.39	1.34
11	B2	1038	C	N3-C4	6.21	1.38	1.33
38	A1	2263	G	C5'-C4'	6.21	1.58	1.51
38	A1	2729	A	C6-N6	6.21	1.39	1.33
11	B2	400	G	C6-N1	6.21	1.43	1.39
11	B2	590	G	N1-C2	6.21	1.42	1.37
11	B2	1058	G	N9-C4	-6.21	1.32	1.38
11	B2	1288	C	N3-C4	6.21	1.38	1.33
11	B2	1310	C	C2-N3	6.21	1.40	1.35
38	A1	597	C	P-O5'	-6.21	1.53	1.59
38	A1	714	C	C5'-C4'	6.21	1.58	1.51
38	A1	734	C	N3-C4	6.21	1.38	1.33
38	A1	1862	G	N1-C2	6.21	1.42	1.37
38	A1	1974	G	C6-N1	6.21	1.43	1.39
38	A1	2517	U	N3-C4	6.21	1.44	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2660	G	C4'-C3'	6.21	1.59	1.53
11	B2	768	A	C3'-C2'	-6.21	1.46	1.52
11	B2	1241	U	C4-O4	6.21	1.28	1.23
36	BX	58	ARG	NE-CZ	6.21	1.41	1.33
38	A1	598	C	N3-C4	6.21	1.38	1.33
38	A1	948	C	N3-C4	6.21	1.38	1.33
38	A1	966	G	N7-C5	6.21	1.43	1.39
38	A1	1511	C	C2'-C1'	-6.21	1.46	1.53
38	A1	1776	G	N9-C4	-6.21	1.32	1.38
38	A1	1788	G	N3-C4	-6.21	1.31	1.35
38	A1	1854	G	P-O5'	-6.21	1.53	1.59
38	A1	2346	A	P-O5'	-6.21	1.53	1.59
38	A1	2625	C	N3-C4	6.21	1.38	1.33
38	A1	2710	G	C6-N1	6.21	1.43	1.39
38	A1	2788	U	C4-C5	-6.21	1.38	1.43
11	B2	336	C	C4-N4	6.21	1.39	1.33
11	B2	1480	G	C2-N3	6.21	1.37	1.32
38	A1	441	A	C2-N3	6.21	1.39	1.33
38	A1	1255	C	N3-C4	6.21	1.38	1.33
38	A1	2573	C	C4-C5	6.21	1.48	1.43
38	A1	2760	A	C5'-C4'	6.21	1.58	1.51
10	B1	50	G	C2-N3	6.20	1.37	1.32
11	B2	33	U	N3-C4	6.20	1.44	1.38
11	B2	578	G	O4'-C1'	6.20	1.49	1.41
11	B2	1273	G	C2-N3	6.20	1.37	1.32
38	A1	483	C	C3'-C2'	-6.20	1.46	1.52
38	A1	733	A	C5'-C4'	6.20	1.58	1.51
38	A1	850	C	C5'-C4'	6.20	1.58	1.51
38	A1	851	G	N3-C4	-6.20	1.31	1.35
38	A1	1018	G	C6-O6	-6.20	1.18	1.24
38	A1	1684	C	O3'-P	-6.20	1.53	1.61
38	A1	2454	G	N1-C2	6.20	1.42	1.37
38	A1	2641	C	C5-C6	6.20	1.39	1.34
38	A1	3040	G	C5-C4	6.20	1.42	1.38
39	A3	120	C	C2'-C1'	-6.20	1.46	1.53
11	B2	619	A	C4'-O4'	-6.20	1.37	1.45
11	B2	1031	G	C6-N1	6.20	1.43	1.39
11	B2	623	C	C5'-C4'	6.20	1.58	1.51
11	B2	1035	C	N3-C4	6.20	1.38	1.33
11	B2	1361	G	O4'-C1'	6.20	1.49	1.41
38	A1	230	A	C6-N1	6.20	1.39	1.35
38	A1	907	C	C2'-O2'	6.20	1.49	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1201	G	C5-C6	-6.20	1.36	1.42
38	A1	1601	G	C4'-O4'	-6.20	1.37	1.45
38	A1	2508	G	N9-C8	-6.20	1.33	1.37
38	A1	2999	G	C2-N3	6.20	1.37	1.32
11	B2	644	G	C4'-O4'	6.20	1.53	1.45
11	B2	959	G	C2-N3	6.20	1.37	1.32
11	B2	1055	C	C3'-O3'	6.20	1.50	1.42
11	B2	1105	C	C3'-O3'	6.20	1.50	1.42
38	A1	442	G	C2-N3	6.20	1.37	1.32
38	A1	842	C	C4-C5	6.20	1.48	1.43
10	B1	4	G	C2'-C1'	-6.20	1.46	1.53
11	B2	1306	A	N9-C8	-6.20	1.32	1.37
38	A1	2878	A	C3'-O3'	6.20	1.50	1.42
38	A1	2944	G	C5'-C4'	6.20	1.58	1.51
11	B2	193	G	N7-C5	-6.20	1.35	1.39
11	B2	695	G	N7-C5	-6.20	1.35	1.39
38	A1	319	A	C4'-O4'	6.20	1.53	1.45
38	A1	558	C	N3-C4	6.20	1.38	1.33
38	A1	994	G	N3-C4	6.20	1.39	1.35
38	A1	2350	G	C2-N3	6.20	1.37	1.32
39	A3	124	A	C5'-C4'	6.20	1.58	1.51
11	B2	959	G	N3-C4	-6.19	1.31	1.35
38	A1	91	G	C6-N1	6.19	1.43	1.39
38	A1	858	G	O3'-P	-6.19	1.53	1.61
38	A1	1234	A	C2'-C1'	-6.19	1.46	1.53
11	B2	633	C	C2'-C1'	-6.19	1.46	1.53
11	B2	1074	C	C5-C6	6.19	1.39	1.34
11	B2	1196	A	N7-C5	6.19	1.43	1.39
11	B2	1265	G	C5-C4	6.19	1.42	1.38
11	B2	1267	U	C2'-O2'	6.19	1.49	1.41
11	B2	1298	G	C3'-C2'	6.19	1.59	1.52
38	A1	1169	G	O4'-C1'	6.19	1.49	1.41
38	A1	1196	A	O3'-P	-6.19	1.53	1.61
38	A1	1444	A	N7-C5	-6.19	1.35	1.39
38	A1	1733	C	N3-C4	6.19	1.38	1.33
38	A1	2366	G	C2-N3	6.19	1.37	1.32
11	B2	873	A	O3'-P	-6.19	1.53	1.61
11	B2	1177	C	C4'-C3'	6.19	1.59	1.53
11	B2	1184	U	C5'-C4'	6.19	1.58	1.51
17	BE	76	ARG	NE-CZ	6.19	1.41	1.33
38	A1	11	G	N7-C5	6.19	1.43	1.39
38	A1	149	G	C5-C4	-6.19	1.34	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	924	A	C6-N1	6.19	1.39	1.35
38	A1	1203	C	C4-C5	6.19	1.48	1.43
38	A1	1370	G	N7-C5	-6.19	1.35	1.39
38	A1	2179	G	N1-C2	6.19	1.42	1.37
38	A1	2556	C	N1-C6	6.19	1.40	1.37
44	Ab	42	ARG	CZ-NH1	6.19	1.41	1.33
11	B2	625	G	N1-C2	6.19	1.42	1.37
10	B1	18	U	C2'-C1'	-6.19	1.46	1.53
11	B2	150	G	N1-C2	6.19	1.42	1.37
11	B2	646	U	C1'-N1	6.19	1.58	1.48
38	A1	662	A	C6-N1	6.19	1.39	1.35
38	A1	965	A	N9-C8	-6.19	1.32	1.37
38	A1	1484	U	N3-C4	6.19	1.44	1.38
38	A1	1906	G	P-O5'	-6.19	1.53	1.59
38	A1	2115	U	C4'-C3'	6.19	1.59	1.53
38	A1	2566	A	C6-N6	6.19	1.39	1.33
38	A1	2803	U	C3'-O3'	6.19	1.50	1.42
38	A1	2959	A	C2-N3	6.19	1.39	1.33
13	BA	135	ARG	NE-CZ	6.19	1.41	1.33
39	A3	42	A	C2-N3	6.19	1.39	1.33
9	AX	65	SER	CA-C	-6.18	1.36	1.52
11	B2	526	A	N9-C4	-6.18	1.34	1.37
11	B2	652	C	P-O5'	-6.18	1.53	1.59
11	B2	1031	G	P-O5'	-6.18	1.53	1.59
11	B2	1321	U	C5-C6	6.18	1.39	1.34
38	A1	287	G	C4'-O4'	6.18	1.53	1.45
38	A1	389	C	C5'-C4'	6.18	1.58	1.51
38	A1	1034	G	C5-C6	-6.18	1.36	1.42
38	A1	1773	C	O3'-P	-6.18	1.53	1.61
38	A1	2412	A	C6-N1	6.18	1.39	1.35
38	A1	3037	G	C6-N1	6.18	1.43	1.39
10	B1	2	G	C2-N3	6.18	1.37	1.32
11	B2	107	C	C5'-C4'	6.18	1.58	1.51
11	B2	634	C	P-O5'	-6.18	1.53	1.59
11	B2	1411	G	C5-C4	6.18	1.42	1.38
11	B2	1490	C	C4-C5	6.18	1.47	1.43
38	A1	400	U	C2-N3	6.18	1.42	1.37
38	A1	878	G	C2-N3	6.18	1.37	1.32
38	A1	2531	G	C4'-O4'	6.18	1.53	1.45
38	A1	2582	C	O4'-C1'	6.18	1.49	1.41
11	B2	78	G	C5-C6	-6.18	1.36	1.42
11	B2	611	A	N7-C5	6.18	1.43	1.39

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1056	G	N7-C5	-6.18	1.35	1.39
11	B2	1090	C	C4-N4	6.18	1.39	1.33
38	A1	12	C	P-O5'	6.18	1.66	1.59
38	A1	34	C	C2'-C1'	-6.18	1.46	1.53
38	A1	439	G	C6-N1	6.18	1.43	1.39
38	A1	478	C	C4-C5	6.18	1.47	1.43
38	A1	1411	G	C2-N3	6.18	1.37	1.32
38	A1	2982	G	C5-C4	-6.18	1.34	1.38
38	A1	2994	G	N1-C2	6.18	1.42	1.37
60	AM	6	TYR	CG-CD1	6.18	1.47	1.39
11	B2	261	G	C3'-C2'	-6.18	1.46	1.52
11	B2	957	A	C4'-O4'	-6.18	1.37	1.45
29	BQ	46	SER	CB-OG	6.18	1.50	1.42
38	A1	172	C	C4-N4	6.18	1.39	1.33
38	A1	316	G	C8-N7	-6.18	1.27	1.30
38	A1	1853	C	N3-C4	6.18	1.38	1.33
38	A1	1889	G	C6-O6	6.18	1.29	1.24
38	A1	1905	G	N9-C4	-6.18	1.33	1.38
10	B1	50	G	N1-C2	6.18	1.42	1.37
11	B2	19	G	C2-N3	6.18	1.37	1.32
11	B2	250	G	C2'-C1'	-6.18	1.46	1.53
11	B2	1477	U	C4-C5	6.18	1.49	1.43
38	A1	13	U	N3-C4	6.18	1.44	1.38
38	A1	233	A	N3-C4	6.18	1.38	1.34
38	A1	898	G	N1-C2	6.18	1.42	1.37
38	A1	1348	G	C5'-C4'	6.18	1.58	1.51
10	B1	42	C	P-O5'	-6.18	1.53	1.59
11	B2	437	A	N7-C5	-6.18	1.35	1.39
11	B2	653	C	N1-C6	6.18	1.40	1.37
11	B2	784	G	C2'-C1'	-6.18	1.46	1.53
38	A1	29	U	O3'-P	-6.18	1.53	1.61
38	A1	791	C	N1-C6	6.18	1.40	1.37
38	A1	806	C	C5-C6	-6.18	1.29	1.34
38	A1	832	A	C5-C4	6.18	1.43	1.38
38	A1	2535	C	P-O5'	-6.18	1.53	1.59
11	B2	25	C	C2'-C1'	-6.17	1.46	1.53
11	B2	454	G	O3'-P	-6.17	1.53	1.61
11	B2	1326	G	C5-C6	-6.17	1.36	1.42
38	A1	234	G	C8-N7	-6.17	1.27	1.30
38	A1	378	G	C4'-C3'	6.17	1.59	1.53
38	A1	1108	A	N9-C4	6.17	1.41	1.37
38	A1	1284	C	N3-C4	6.17	1.38	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2445	G	C6-N1	6.17	1.43	1.39
38	A1	2994	G	N7-C5	6.17	1.43	1.39
11	B2	856	G	C5-C6	-6.17	1.36	1.42
11	B2	1438	A	C5'-C4'	6.17	1.58	1.51
38	A1	612	G	N3-C4	6.17	1.39	1.35
38	A1	1488	C	O4'-C1'	6.17	1.49	1.41
38	A1	2317	G	N7-C5	-6.17	1.35	1.39
38	A1	581	A	C8-N7	6.17	1.35	1.31
38	A1	1603	G	C5-C6	-6.17	1.36	1.42
38	A1	1793	G	C5-C4	-6.17	1.34	1.38
38	A1	2240	G	N7-C5	-6.17	1.35	1.39
38	A1	2435	G	C5'-C4'	6.17	1.58	1.51
38	A1	3038	A	C2-N3	6.17	1.39	1.33
39	A3	114	G	N3-C4	-6.17	1.31	1.35
38	A1	748	G	N1-C2	6.17	1.42	1.37
38	A1	1905	G	C6-N1	-6.17	1.35	1.39
11	B2	590	G	C2-N2	6.17	1.40	1.34
11	B2	977	G	C5-C6	-6.17	1.36	1.42
30	BR	43	PRO	CA-CB	6.17	1.65	1.53
38	A1	103	A	C5'-C4'	6.17	1.58	1.51
38	A1	115	C	C4-N4	6.17	1.39	1.33
38	A1	464	C	C2-N3	6.17	1.40	1.35
38	A1	529	G	C2-N3	6.17	1.37	1.32
38	A1	871	G	C2-N2	6.17	1.40	1.34
38	A1	1263	C	N1-C2	-6.17	1.33	1.40
38	A1	2283	C	C4'-C3'	6.17	1.59	1.53
47	Ad	21	ARG	CZ-NH1	6.17	1.41	1.33
38	A1	1546	G	C8-N7	-6.17	1.27	1.30
38	A1	2060	A	P-O5'	-6.17	1.53	1.59
38	A1	3015	A	C5'-C4'	6.17	1.58	1.51
11	B2	962	G	N3-C4	6.17	1.39	1.35
38	A1	1025	A	N7-C5	-6.17	1.35	1.39
39	A3	101	A	O3'-P	-6.17	1.53	1.61
11	B2	59	C	N1-C6	6.16	1.40	1.37
11	B2	627	G	P-O5'	-6.16	1.53	1.59
11	B2	1202	G	C4'-O4'	6.16	1.53	1.45
11	B2	1320	A	C6-N1	6.16	1.39	1.35
38	A1	1559	A	C2'-C1'	-6.16	1.46	1.53
38	A1	1823	A	N9-C8	-6.16	1.32	1.37
38	A1	2056	A	N7-C5	-6.16	1.35	1.39
38	A1	2076	A	C5-C6	6.16	1.46	1.41
38	A1	2195	G	C2-N3	6.16	1.37	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2258	A	C6-N6	6.16	1.38	1.33
38	A1	2604	G	N1-C2	6.16	1.42	1.37
38	A1	221	G	N1-C2	6.16	1.42	1.37
38	A1	470	A	C5-C4	6.16	1.43	1.38
38	A1	571	G	C2-N3	6.16	1.37	1.32
38	A1	2186	C	C5-C6	-6.16	1.29	1.34
38	A1	2821	G	N1-C2	6.16	1.42	1.37
11	B2	135	U	C4-O4	6.16	1.28	1.23
11	B2	275	A	C3'-C2'	6.16	1.59	1.52
11	B2	484	U	C4-O4	6.16	1.28	1.23
11	B2	590	G	C6-N1	6.16	1.43	1.39
11	B2	848	G	C5'-C4'	6.16	1.58	1.51
11	B2	1003	G	N7-C5	6.16	1.43	1.39
11	B2	1176	C	N1-C6	6.16	1.40	1.37
31	BS	14	ARG	CZ-NH1	6.16	1.41	1.33
38	A1	143	C	C2'-C1'	-6.16	1.46	1.53
38	A1	169	G	C2-N2	6.16	1.40	1.34
38	A1	262	C	C5-C6	-6.16	1.29	1.34
38	A1	1155	A	O4'-C1'	6.16	1.49	1.41
38	A1	1211	C	C5-C6	-6.16	1.29	1.34
38	A1	1266	A	C5-C4	6.16	1.43	1.38
38	A1	1388	U	N1-C6	6.16	1.43	1.38
38	A1	1395	G	C5-C6	6.16	1.48	1.42
38	A1	1686	C	O3'-P	-6.16	1.53	1.61
38	A1	2702	A	N7-C5	-6.16	1.35	1.39
38	A1	2943	G	N7-C5	6.16	1.43	1.39
11	B2	325	A	C4'-O4'	-6.16	1.37	1.45
11	B2	629	U	C5-C6	6.16	1.39	1.34
11	B2	822	A	N9-C4	-6.16	1.34	1.37
11	B2	1382	G	C5-C6	-6.16	1.36	1.42
15	BC	61	ARG	CD-NE	6.16	1.56	1.46
38	A1	470	A	C6-N6	6.16	1.38	1.33
38	A1	1145	G	N1-C2	6.16	1.42	1.37
38	A1	2342	C	C5'-C4'	6.16	1.58	1.51
38	A1	2500	G	C4'-C3'	-6.16	1.46	1.53
38	A1	2550	A	C3'-C2'	-6.16	1.46	1.52
11	B2	868	C	C4-C5	6.16	1.47	1.43
11	B2	1285	C	N1-C6	6.16	1.40	1.37
38	A1	274	C	N3-C4	6.16	1.38	1.33
38	A1	471	U	C1'-N1	6.16	1.57	1.48
38	A1	1450	C	C5-C6	-6.16	1.29	1.34
38	A1	1805	U	C5-C6	6.16	1.39	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2107	G	C2'-O2'	6.16	1.49	1.41
38	A1	2500	G	P-O5'	6.16	1.66	1.59
38	A1	2989	A	N9-C8	-6.16	1.32	1.37
10	B1	48	U	C5-C6	6.16	1.39	1.34
11	B2	244	G	N9-C8	-6.16	1.33	1.37
11	B2	626	G	C2-N2	6.16	1.40	1.34
11	B2	694	U	C2-N3	6.16	1.42	1.37
11	B2	738	C	C4-N4	6.16	1.39	1.33
11	B2	956	C	N3-C4	6.16	1.38	1.33
16	BD	56	ARG	CZ-NH2	6.16	1.41	1.33
38	A1	363	G	C4'-C3'	6.16	1.59	1.53
38	A1	682	G	C2-N3	6.16	1.37	1.32
38	A1	1859	A	C8-N7	-6.16	1.27	1.31
38	A1	2225	C	C5-C6	-6.16	1.29	1.34
38	A1	2712	G	N3-C4	6.16	1.39	1.35
38	A1	2950	G	N3-C4	-6.16	1.31	1.35
38	A1	311	C	C4-C5	6.15	1.47	1.43
38	A1	396	G	C8-N7	-6.15	1.27	1.30
38	A1	462	A	C6-N6	6.15	1.38	1.33
38	A1	469	A	C2-N3	6.15	1.39	1.33
38	A1	1142	A	C5'-C4'	6.15	1.58	1.51
11	B2	286	G	N9-C8	6.15	1.42	1.37
11	B2	981	U	N1-C2	6.15	1.44	1.38
11	B2	1191	G	C6-N1	6.15	1.43	1.39
38	A1	14	A	C2-N3	6.15	1.39	1.33
38	A1	497	G	C4'-C3'	6.15	1.59	1.53
38	A1	612	G	C2-N3	6.15	1.37	1.32
38	A1	1371	U	C5'-C4'	6.15	1.58	1.51
38	A1	2786	G	N9-C4	-6.15	1.33	1.38
50	AF	2	PRO	N-CA	-6.15	1.36	1.47
7	AU	118	ARG	NE-CZ	6.15	1.41	1.33
11	B2	919	U	C4'-C3'	6.15	1.59	1.53
11	B2	1044	A	C2-N3	6.15	1.39	1.33
11	B2	1078	U	N1-C6	-6.15	1.32	1.38
11	B2	1396	C	N3-C4	6.15	1.38	1.33
11	B2	1467	U	C2-N3	6.15	1.42	1.37
38	A1	353	C	C2'-C1'	-6.15	1.46	1.53
38	A1	1415	C	N1-C6	6.15	1.40	1.37
38	A1	1857	A	C6-N6	6.15	1.38	1.33
38	A1	2063	U	C2-N3	6.15	1.42	1.37
38	A1	2373	G	N3-C4	-6.15	1.31	1.35
38	A1	2659	G	C6-O6	6.15	1.29	1.24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2815	C	C4-C5	-6.15	1.38	1.43
38	A1	2959	A	C5-C4	6.15	1.43	1.38
47	Ad	12	ARG	CZ-NH2	6.15	1.41	1.33
11	B2	1448	A	N3-C4	-6.15	1.31	1.34
38	A1	1479	U	O3'-P	-6.15	1.53	1.61
38	A1	1895	G	C2-N3	6.15	1.37	1.32
11	B2	179	U	C2-N3	6.15	1.42	1.37
11	B2	413	G	C3'-C2'	-6.15	1.46	1.52
11	B2	507	G	N7-C5	6.15	1.43	1.39
38	A1	521	C	C2-N3	6.15	1.40	1.35
38	A1	666	A	C2'-C1'	-6.15	1.46	1.53
38	A1	1577	C	N1-C2	-6.15	1.34	1.40
38	A1	1774	A	O3'-P	-6.15	1.53	1.61
65	AV	3	ARG	NE-CZ	6.15	1.41	1.33
11	B2	354	G	P-O5'	6.15	1.65	1.59
11	B2	1239	A	N9-C4	6.15	1.41	1.37
38	A1	448	A	C6-N1	6.15	1.39	1.35
38	A1	1757	G	C2-N3	6.15	1.37	1.32
38	A1	2012	G	N9-C8	-6.15	1.33	1.37
38	A1	2316	U	C2-N3	6.15	1.42	1.37
39	A3	77	A	C5-C6	-6.15	1.35	1.41
10	B1	7	G	N9-C4	6.14	1.42	1.38
11	B2	222	G	N1-C2	6.14	1.42	1.37
11	B2	313	G	C2-N3	6.14	1.37	1.32
11	B2	1032	A	N9-C8	-6.14	1.32	1.37
11	B2	1143	G	C6-N1	-6.14	1.35	1.39
38	A1	374	C	C5'-C4'	6.14	1.58	1.51
38	A1	590	A	C6-N1	-6.14	1.31	1.35
38	A1	805	C	N3-C4	6.14	1.38	1.33
38	A1	1027	A	C4'-O4'	6.14	1.53	1.45
38	A1	2157	U	N1-C6	6.14	1.43	1.38
38	A1	2597	A	N9-C4	-6.14	1.34	1.37
10	B1	28	C	O4'-C1'	6.14	1.49	1.41
11	B2	1120	G	C2-N3	6.14	1.37	1.32
38	A1	373	G	C2-N2	6.14	1.40	1.34
38	A1	556	G	P-O5'	-6.14	1.53	1.59
38	A1	1064	G	C2'-C1'	-6.14	1.46	1.53
11	B2	681	G	N3-C4	6.14	1.39	1.35
11	B2	820	G	C5-C4	6.14	1.42	1.38
11	B2	930	G	P-O5'	-6.14	1.53	1.59
38	A1	1963	G	C2-N2	6.14	1.40	1.34
11	B2	243	G	C5'-C4'	6.14	1.58	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	551	A	N3-C4	-6.14	1.31	1.34
38	A1	650	C	N3-C4	6.14	1.38	1.33
38	A1	1015	G	C2-N3	6.14	1.37	1.32
38	A1	2263	G	C8-N7	-6.14	1.27	1.30
39	A3	54	A	N3-C4	-6.14	1.31	1.34
56	AJ	19	ARG	CZ-NH1	6.14	1.41	1.33
11	B2	67	C	C4-C5	6.14	1.47	1.43
38	A1	1407	A	C2'-C1'	-6.14	1.46	1.53
10	B1	47	G	C2-N3	6.14	1.37	1.32
38	A1	303	A	C5-C4	-6.14	1.34	1.38
38	A1	1066	C	P-O5'	-6.14	1.53	1.59
38	A1	2302	C	O3'-P	6.14	1.68	1.61
11	B2	231	G	C5-C4	6.13	1.42	1.38
11	B2	1259	A	C5'-C4'	6.13	1.58	1.51
11	B2	1480	G	N1-C2	6.13	1.42	1.37
38	A1	111	U	C4'-C3'	6.13	1.59	1.53
38	A1	566	G	N7-C5	-6.13	1.35	1.39
38	A1	584	G	C2-N3	6.13	1.37	1.32
38	A1	872	G	N9-C8	-6.13	1.33	1.37
38	A1	1225	A	N7-C5	6.13	1.43	1.39
38	A1	1743	G	C5'-C4'	6.13	1.58	1.51
38	A1	2249	A	C8-N7	-6.13	1.27	1.31
38	A1	2726	G	C5'-C4'	6.13	1.58	1.51
11	B2	1240	A	C5'-C4'	6.13	1.58	1.51
38	A1	198	C	C2'-C1'	-6.13	1.46	1.53
38	A1	2947	G	N3-C4	-6.13	1.31	1.35
11	B2	296	A	C5'-C4'	-6.13	1.44	1.51
11	B2	593	G	N9-C4	-6.13	1.33	1.38
11	B2	1099	A	O4'-C1'	6.13	1.49	1.41
38	A1	94	A	C5-C4	6.13	1.43	1.38
38	A1	198	C	C1'-N1	6.13	1.57	1.48
38	A1	218	A	C4'-O4'	6.13	1.53	1.45
38	A1	782	G	C8-N7	-6.13	1.27	1.30
38	A1	1270	G	N3-C4	-6.13	1.31	1.35
38	A1	1599	A	P-O5'	6.13	1.65	1.59
38	A1	2644	G	N3-C4	-6.13	1.31	1.35
39	A3	47	G	N7-C5	6.13	1.43	1.39
43	AB	205	GLY	CA-C	-6.13	1.42	1.51
11	B2	643	G	N9-C4	6.13	1.42	1.38
38	A1	960	C	N3-C4	6.13	1.38	1.33
38	A1	1082	A	C6-N1	6.13	1.39	1.35
38	A1	1750	C	C5'-C4'	6.13	1.58	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1932	G	C3'-C2'	-6.13	1.46	1.52
38	A1	2156	A	C6-N6	6.13	1.38	1.33
43	AB	60	ARG	NE-CZ	6.13	1.41	1.33
46	AD	212	ARG	NE-CZ	6.13	1.41	1.33
10	B1	23	G	C2-N3	6.13	1.37	1.32
10	B1	39	A	C5'-C4'	6.13	1.58	1.51
11	B2	116	C	N1-C6	6.13	1.40	1.37
11	B2	1169	C	C4'-C3'	6.13	1.59	1.53
38	A1	548	U	C2-N3	6.13	1.42	1.37
38	A1	1708	U	C2-N3	6.13	1.42	1.37
38	A1	1842	C	C3'-O3'	6.13	1.50	1.42
38	A1	2162	G	C5'-C4'	6.13	1.58	1.51
38	A1	2425	A	C5-C4	6.13	1.43	1.38
11	B2	186	U	O4'-C1'	-6.13	1.33	1.41
11	B2	593	G	C2-N3	6.13	1.37	1.32
11	B2	621	G	N7-C5	-6.13	1.35	1.39
11	B2	1103	G	C4'-O4'	6.13	1.53	1.45
38	A1	134	C	N1-C2	6.13	1.46	1.40
38	A1	1771	C	C4-N4	6.13	1.39	1.33
11	B2	482	G	C8-N7	-6.12	1.27	1.30
11	B2	607	U	C4-O4	-6.12	1.18	1.23
11	B2	843	G	C8-N7	6.12	1.34	1.30
11	B2	1097	G	C5-C4	6.12	1.42	1.38
38	A1	97	C	C2-N3	6.12	1.40	1.35
38	A1	937	A	C5'-C4'	6.12	1.58	1.51
38	A1	1094	U	C1'-N1	6.12	1.57	1.48
38	A1	1256	G	N9-C8	-6.12	1.33	1.37
38	A1	1910	C	N1-C6	6.12	1.40	1.37
38	A1	2806	A	N9-C4	6.12	1.41	1.37
10	B1	31	G	C2-N3	6.12	1.37	1.32
11	B2	485	A	N1-C2	-6.12	1.28	1.34
11	B2	600	C	C2'-C1'	-6.12	1.46	1.53
11	B2	1091	C	C2-O2	-6.12	1.19	1.24
38	A1	17	C	N1-C6	-6.12	1.33	1.37
38	A1	703	G	C5'-C4'	6.12	1.58	1.51
38	A1	1380	G	C5-C6	-6.12	1.36	1.42
38	A1	1650	U	N3-C4	6.12	1.44	1.38
38	A1	2244	G	C5-C6	-6.12	1.36	1.42
38	A1	2579	G	C8-N7	-6.12	1.27	1.30
39	A3	115	C	N3-C4	6.12	1.38	1.33
45	AC	242	ARG	NE-CZ	6.12	1.41	1.33
11	B2	933	G	N1-C2	6.12	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1280	C	C4-N4	6.12	1.39	1.33
38	A1	139	G	O3'-P	-6.12	1.53	1.61
38	A1	1425	U	N3-C4	6.12	1.44	1.38
38	A1	2791	C	O4'-C1'	6.12	1.49	1.41
38	A1	2873	G	P-O5'	-6.12	1.53	1.59
10	B1	32	A	C4'-O4'	6.12	1.53	1.45
38	A1	229	G	C2-N3	6.12	1.37	1.32
38	A1	702	G	N9-C4	-6.12	1.33	1.38
38	A1	1891	C	C4-C5	6.12	1.47	1.43
38	A1	2419	U	C2-N3	6.12	1.42	1.37
38	A1	2707	G	O3'-P	-6.12	1.53	1.61
11	B2	463	G	C8-N7	-6.12	1.27	1.30
11	B2	621	G	C2'-C1'	-6.12	1.46	1.53
11	B2	995	G	C6-N1	6.12	1.43	1.39
11	B2	1093	C	C4-N4	6.12	1.39	1.33
11	B2	1326	G	C4'-C3'	6.12	1.59	1.53
38	A1	393	C	C4'-C3'	6.12	1.59	1.53
38	A1	706	U	C4-C5	6.12	1.49	1.43
38	A1	2484	C	C5'-C4'	6.12	1.58	1.51
46	AD	48	ARG	NE-CZ	6.12	1.41	1.33
11	B2	47	A	N3-C4	-6.12	1.31	1.34
11	B2	105	C	C3'-C2'	-6.12	1.46	1.52
11	B2	918	A	C5-C6	-6.12	1.35	1.41
11	B2	957	A	C5-C6	6.12	1.46	1.41
38	A1	624	U	C2'-C1'	-6.12	1.46	1.53
38	A1	1176	C	C4-N4	6.12	1.39	1.33
38	A1	1599	A	N3-C4	-6.12	1.31	1.34
38	A1	2230	G	C3'-O3'	6.12	1.50	1.42
38	A1	2505	A	C6-N6	6.12	1.38	1.33
11	B2	324	C	P-O5'	6.12	1.65	1.59
11	B2	1219	C	C4-N4	6.12	1.39	1.33
11	B2	1329	C	N1-C6	6.12	1.40	1.37
38	A1	17	C	C4-N4	6.12	1.39	1.33
38	A1	1711	C	C3'-C2'	6.12	1.59	1.52
38	A1	2010	G	O3'-P	-6.12	1.53	1.61
38	A1	2898	G	C3'-O3'	6.12	1.50	1.42
11	B2	589	U	C5'-C4'	6.11	1.58	1.51
11	B2	1181	G	C3'-C2'	6.11	1.59	1.52
11	B2	1331	G	C4'-O4'	-6.11	1.37	1.45
11	B2	1389	G	C5-C4	6.11	1.42	1.38
38	A1	297	G	C5-C6	-6.11	1.36	1.42
38	A1	446	G	O3'-P	-6.11	1.53	1.61

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	902	C	P-O5'	-6.11	1.53	1.59
38	A1	2028	G	C2-N3	6.11	1.37	1.32
38	A1	2647	G	C3'-C2'	-6.11	1.46	1.52
38	A1	2713	A	C6-N1	6.11	1.39	1.35
11	B2	661	C	N3-C4	6.11	1.38	1.33
11	B2	1006	C	C4'-O4'	6.11	1.53	1.45
38	A1	634	G	N1-C2	6.11	1.42	1.37
38	A1	1064	G	C6-N1	-6.11	1.35	1.39
38	A1	1829	C	N1-C6	6.11	1.40	1.37
38	A1	2479	C	C4-C5	-6.11	1.38	1.43
63	AP	109	ARG	CD-NE	6.11	1.56	1.46
11	B2	42	G	C5-C6	-6.11	1.36	1.42
11	B2	1096	G	N9-C8	6.11	1.42	1.37
38	A1	656	G	N1-C2	6.11	1.42	1.37
38	A1	1451	A	C3'-C2'	-6.11	1.46	1.52
38	A1	1970	G	C4'-C3'	6.11	1.59	1.53
38	A1	2299	G	C4'-C3'	6.11	1.59	1.53
38	A1	2721	C	C2-N3	6.11	1.40	1.35
40	A5	8	ARG	CD-NE	6.11	1.56	1.46
11	B2	692	G	N9-C4	6.11	1.42	1.38
38	A1	170	A	N9-C8	-6.11	1.32	1.37
38	A1	380	A	P-O5'	-6.11	1.53	1.59
38	A1	859	G	O3'-P	-6.11	1.53	1.61
38	A1	3019	C	O3'-P	-6.11	1.53	1.61
11	B2	229	G	C5-C6	-6.11	1.36	1.42
11	B2	231	G	C2'-C1'	-6.11	1.46	1.53
38	A1	2510	A	N9-C4	6.11	1.41	1.37
11	B2	749	C	C4'-C3'	6.11	1.59	1.53
11	B2	1017	U	C2'-O2'	-6.11	1.33	1.41
38	A1	234	G	C6-N1	6.11	1.43	1.39
38	A1	397	G	C2'-C1'	-6.11	1.46	1.53
38	A1	1053	A	N1-C2	6.11	1.39	1.34
38	A1	1882	C	C4'-C3'	-6.11	1.46	1.53
38	A1	2208	C	C3'-C2'	-6.11	1.46	1.52
38	A1	2335	G	C6-N1	6.11	1.43	1.39
11	B2	87	C	N3-C4	6.10	1.38	1.33
11	B2	694	U	C4-C5	6.10	1.49	1.43
38	A1	225	C	C5-C6	6.10	1.39	1.34
38	A1	2406	C	C2-N3	6.10	1.40	1.35
39	A3	29	G	N7-C5	-6.10	1.35	1.39
38	A1	140	C	N3-C4	6.10	1.38	1.33
38	A1	643	G	C5-C6	6.10	1.48	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1364	C	C2'-C1'	-6.10	1.46	1.53
38	A1	1371	U	C4-C5	6.10	1.49	1.43
38	A1	2051	A	P-O5'	-6.10	1.53	1.59
38	A1	2080	G	C3'-C2'	6.10	1.59	1.52
38	A1	2279	G	N7-C5	-6.10	1.35	1.39
38	A1	2466	C	P-O5'	-6.10	1.53	1.59
38	A1	2594	U	C4-O4	6.10	1.28	1.23
11	B2	134	A	C6-N6	6.10	1.38	1.33
11	B2	852	G	C2-N3	6.10	1.37	1.32
11	B2	1092	G	C2-N3	6.10	1.37	1.32
38	A1	86	G	N3-C4	-6.10	1.31	1.35
38	A1	127	C	O4'-C1'	-6.10	1.33	1.41
38	A1	2199	U	C4-C5	6.10	1.49	1.43
11	B2	564	C	C4-N4	6.10	1.39	1.33
11	B2	853	G	C6-O6	6.10	1.29	1.24
38	A1	661	G	C2-N2	6.10	1.40	1.34
38	A1	998	G	C2'-O2'	-6.10	1.33	1.41
38	A1	1167	A	C2-N3	6.10	1.39	1.33
39	A3	75	G	C6-N1	6.10	1.43	1.39
11	B2	551	U	C4-C5	-6.10	1.38	1.43
38	A1	71	A	N9-C4	6.10	1.41	1.37
38	A1	558	C	C2-O2	6.10	1.29	1.24
38	A1	926	C	C4-C5	-6.10	1.38	1.43
38	A1	1121	C	C2-O2	6.10	1.29	1.24
38	A1	1471	G	C2-N2	6.10	1.40	1.34
38	A1	461	C	C3'-C2'	6.10	1.59	1.52
38	A1	1326	U	C2-N3	6.10	1.42	1.37
38	A1	1365	G	N1-C2	6.10	1.42	1.37
39	A3	98	G	C2-N3	6.10	1.37	1.32
11	B2	429	A	C2'-C1'	-6.09	1.46	1.53
11	B2	522	C	C2'-O2'	-6.09	1.33	1.41
11	B2	618	G	C2-N2	6.09	1.40	1.34
38	A1	1113	G	N9-C4	-6.09	1.33	1.38
38	A1	2289	A	C8-N7	-6.09	1.27	1.31
38	A1	3035	C	C4'-C3'	6.09	1.59	1.53
39	A3	72	G	C5'-C4'	6.09	1.58	1.51
11	B2	38	G	C2-N3	6.09	1.37	1.32
11	B2	59	C	C2-N3	6.09	1.40	1.35
11	B2	942	A	P-O5'	-6.09	1.53	1.59
38	A1	517	A	N1-C2	-6.09	1.28	1.34
11	B2	581	G	C2'-C1'	-6.09	1.46	1.53
11	B2	1378	A	N7-C5	-6.09	1.35	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1399	G	C6-N1	6.09	1.43	1.39
38	A1	545	G	C6-N1	6.09	1.43	1.39
38	A1	1375	G	C6-N1	6.09	1.43	1.39
38	A1	2130	C	N3-C4	6.09	1.38	1.33
38	A1	2387	A	N7-C5	-6.09	1.35	1.39
38	A1	2560	G	N9-C4	-6.09	1.33	1.38
38	A1	2671	C	P-O5'	-6.09	1.53	1.59
38	A1	3033	G	C5-C4	6.09	1.42	1.38
60	AM	49	ARG	CD-NE	6.09	1.56	1.46
11	B2	698	A	N7-C5	-6.09	1.35	1.39
11	B2	1140	A	N7-C5	-6.09	1.35	1.39
38	A1	1091	G	C2-N2	6.09	1.40	1.34
38	A1	1246	G	C4'-C3'	6.09	1.59	1.53
38	A1	1480	G	O3'-P	6.09	1.68	1.61
38	A1	2347	G	C6-N1	6.09	1.43	1.39
38	A1	2773	A	O4'-C1'	-6.09	1.33	1.41
38	A1	3007	A	O4'-C1'	6.09	1.49	1.41
38	A1	3020	G	C5-C6	-6.09	1.36	1.42
61	AN	19	ARG	CD-NE	6.09	1.56	1.46
11	B2	1144	G	C8-N7	-6.09	1.27	1.30
38	A1	516	A	O3'-P	-6.09	1.53	1.61
38	A1	858	G	N9-C4	-6.09	1.33	1.38
39	A3	87	G	O4'-C1'	6.09	1.49	1.41
11	B2	310	G	C4'-C3'	6.09	1.59	1.53
11	B2	985	C	N1-C6	6.09	1.40	1.37
11	B2	1262	U	C2'-C1'	-6.09	1.46	1.53
11	B2	1269	G	C2'-C1'	6.09	1.60	1.53
38	A1	271	G	C5-C4	-6.09	1.34	1.38
38	A1	331	G	C5-C6	6.09	1.48	1.42
38	A1	348	G	C2-N3	6.09	1.37	1.32
38	A1	715	G	C8-N7	-6.09	1.27	1.30
38	A1	765	G	C5'-C4'	6.09	1.58	1.51
38	A1	1338	G	C3'-O3'	6.09	1.50	1.42
38	A1	1671	A	C8-N7	-6.09	1.27	1.31
38	A1	2961	A	N3-C4	-6.09	1.31	1.34
11	B2	1412	A	C2'-C1'	-6.08	1.46	1.53
38	A1	1608	G	C8-N7	-6.08	1.27	1.30
38	A1	2081	C	C4-N4	6.08	1.39	1.33
11	B2	903	G	C2-N2	6.08	1.40	1.34
38	A1	176	G	C5-C4	6.08	1.42	1.38
38	A1	261	A	C5-C4	6.08	1.43	1.38
38	A1	1405	G	C2-N2	6.08	1.40	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1411	G	C6-N1	6.08	1.43	1.39
38	A1	2231	G	C5-C4	6.08	1.42	1.38
38	A1	2246	G	N7-C5	-6.08	1.35	1.39
11	B2	48	G	C2-N2	6.08	1.40	1.34
11	B2	461	A	N7-C5	-6.08	1.35	1.39
11	B2	958	G	N9-C8	6.08	1.42	1.37
38	A1	717	A	N3-C4	6.08	1.38	1.34
38	A1	2149	G	C5'-C4'	-6.08	1.44	1.51
38	A1	2770	A	C4'-C3'	6.08	1.59	1.53
60	AM	31	ARG	CZ-NH1	6.08	1.41	1.33
11	B2	1357	C	C4-N4	6.08	1.39	1.33
38	A1	1169	G	C5-C4	6.08	1.42	1.38
60	AM	157	ARG	CZ-NH2	6.08	1.41	1.33
11	B2	258	A	C6-N6	6.08	1.38	1.33
11	B2	281	G	C1'-N9	6.08	1.57	1.48
11	B2	309	A	C6-N6	6.08	1.38	1.33
11	B2	596	A	N3-C4	-6.08	1.31	1.34
11	B2	730	G	C5-C4	-6.08	1.34	1.38
11	B2	1087	C	N3-C4	6.08	1.38	1.33
11	B2	1181	G	N9-C8	6.08	1.42	1.37
11	B2	1392	G	C2-N3	6.08	1.37	1.32
38	A1	181	U	C1'-N1	6.08	1.57	1.48
38	A1	374	C	C2-N3	6.08	1.40	1.35
38	A1	1421	C	C4'-C3'	6.08	1.59	1.53
11	B2	148	C	C4-C5	6.08	1.47	1.43
11	B2	404	C	N3-C4	6.08	1.38	1.33
11	B2	794	A	C6-N6	6.08	1.38	1.33
11	B2	1411	G	C4'-O4'	6.08	1.53	1.45
38	A1	424	U	N1-C2	6.08	1.44	1.38
38	A1	1989	G	N3-C4	-6.08	1.31	1.35
56	AJ	59	GLY	N-CA	-6.08	1.36	1.46
11	B2	126	G	N9-C4	-6.08	1.33	1.38
11	B2	676	G	N9-C4	6.08	1.42	1.38
11	B2	1242	C	C2'-C1'	-6.08	1.46	1.53
11	B2	1412	A	C6-N1	6.08	1.39	1.35
38	A1	1117	C	N1-C6	-6.08	1.33	1.37
38	A1	1290	G	N1-C2	6.08	1.42	1.37
38	A1	1735	G	C4'-C3'	6.08	1.59	1.53
38	A1	2410	U	C5'-C4'	6.08	1.58	1.51
11	B2	983	G	N7-C5	6.07	1.42	1.39
11	B2	1227	A	C2-N3	6.07	1.39	1.33
28	BP	32	ARG	CZ-NH2	6.07	1.41	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	556	G	O3'-P	-6.07	1.53	1.61
38	A1	1904	G	P-O5'	-6.07	1.53	1.59
13	BA	97	ARG	CZ-NH2	6.07	1.41	1.33
22	BJ	125	LEU	N-CA	-6.07	1.34	1.46
38	A1	324	C	C2-O2	6.07	1.29	1.24
38	A1	1125	A	N1-C2	6.07	1.39	1.34
38	A1	2950	G	C2-N3	6.07	1.37	1.32
11	B2	266	A	C1'-N9	6.07	1.57	1.48
11	B2	625	G	C5'-C4'	6.07	1.58	1.51
11	B2	977	G	C3'-C2'	6.07	1.59	1.52
11	B2	1304	C	C4-N4	6.07	1.39	1.33
13	BA	146	TYR	CZ-OH	6.07	1.48	1.37
38	A1	1123	A	C4'-C3'	6.07	1.59	1.53
38	A1	1815	C	N1-C2	6.07	1.46	1.40
38	A1	1941	A	N3-C4	-6.07	1.31	1.34
38	A1	2083	G	O4'-C1'	6.07	1.49	1.41
38	A1	2829	C	C2-N3	6.07	1.40	1.35
38	A1	1576	C	C5'-C4'	6.07	1.58	1.51
38	A1	2032	G	C3'-C2'	-6.07	1.46	1.52
38	A1	2688	C	N3-C4	6.07	1.38	1.33
8	AW	13	GLU	CB-CG	6.07	1.63	1.52
11	B2	109	U	C5'-C4'	6.07	1.58	1.51
11	B2	606	U	P-O5'	-6.07	1.53	1.59
11	B2	844	G	N9-C4	-6.07	1.33	1.38
11	B2	1170	C	C2-N3	6.07	1.40	1.35
11	B2	1188	C	P-O5'	-6.07	1.53	1.59
11	B2	1494	C	C4-C5	-6.07	1.38	1.43
38	A1	286	G	N3-C4	-6.07	1.31	1.35
38	A1	799	C	P-O5'	-6.07	1.53	1.59
38	A1	914	U	C2-N3	6.07	1.42	1.37
38	A1	1035	G	O3'-P	-6.07	1.53	1.61
38	A1	1502	C	C2-O2	6.07	1.29	1.24
38	A1	1574	A	N7-C5	-6.07	1.35	1.39
38	A1	2303	A	C6-N1	6.07	1.39	1.35
38	A1	2830	C	N1-C6	6.07	1.40	1.37
38	A1	2870	A	P-O5'	6.07	1.65	1.59
11	B2	927	A	C6-N6	6.07	1.38	1.33
38	A1	77	C	C4-C5	6.07	1.47	1.43
38	A1	78	C	O4'-C1'	6.07	1.49	1.41
38	A1	1098	C	C4-C5	6.07	1.47	1.43
38	A1	1823	A	C4'-C3'	-6.07	1.46	1.53
38	A1	2703	G	C2'-C1'	-6.07	1.46	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	635	C	C4'-C3'	6.06	1.59	1.53
11	B2	1319	C	P-O5'	-6.06	1.53	1.59
38	A1	410	C	C2'-C1'	-6.06	1.46	1.53
38	A1	1041	U	C4-O4	6.06	1.28	1.23
38	A1	1328	G	C8-N7	-6.06	1.27	1.30
38	A1	1529	A	C8-N7	6.06	1.35	1.31
38	A1	1970	G	C2-N2	6.06	1.40	1.34
38	A1	2735	C	C2'-O2'	-6.06	1.33	1.41
38	A1	2786	G	C5'-C4'	6.06	1.58	1.51
38	A1	2791	C	O3'-P	-6.06	1.53	1.61
38	A1	3039	G	C5'-C4'	6.06	1.58	1.51
39	A3	71	G	N1-C2	6.06	1.42	1.37
62	AO	166	ARG	CD-NE	6.06	1.56	1.46
11	B2	46	A	N7-C5	-6.06	1.35	1.39
11	B2	1490	C	C5'-C4'	6.06	1.58	1.51
38	A1	814	G	N1-C2	6.06	1.42	1.37
38	A1	917	A	N9-C4	6.06	1.41	1.37
38	A1	1609	G	N9-C4	-6.06	1.33	1.38
38	A1	2137	A	P-O5'	6.06	1.65	1.59
38	A1	2354	A	C5'-C4'	6.06	1.58	1.51
11	B2	1432	U	C4'-C3'	6.06	1.59	1.53
38	A1	2088	G	C5-C6	6.06	1.48	1.42
11	B2	647	G	O3'-P	-6.06	1.53	1.61
11	B2	1271	G	N1-C2	6.06	1.42	1.37
38	A1	697	U	N1-C6	6.06	1.43	1.38
38	A1	1332	A	N9-C4	6.06	1.41	1.37
38	A1	1519	G	N7-C5	-6.06	1.35	1.39
38	A1	1705	C	C4'-C3'	6.06	1.59	1.53
38	A1	1787	U	C4-C5	6.06	1.49	1.43
38	A1	1873	G	C8-N7	6.06	1.34	1.30
38	A1	1913	C	C4-N4	6.06	1.39	1.33
38	A1	2226	G	C2-N2	6.06	1.40	1.34
11	B2	219	C	C3'-O3'	6.06	1.50	1.42
11	B2	325	A	N1-C2	-6.06	1.28	1.34
11	B2	415	C	P-OP1	-6.06	1.38	1.49
38	A1	393	C	C5-C6	6.06	1.39	1.34
38	A1	800	G	C2-N3	6.06	1.37	1.32
38	A1	1274	G	C2-N3	6.06	1.37	1.32
38	A1	1766	A	C6-N6	6.06	1.38	1.33
38	A1	1773	C	N3-C4	6.06	1.38	1.33
38	A1	1989	G	C2-N3	6.06	1.37	1.32
38	A1	2245	C	O4'-C1'	6.06	1.49	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
39	A3	80	G	N3-C4	-6.06	1.31	1.35
11	B2	364	U	C3'-C2'	6.06	1.59	1.52
11	B2	542	G	C4'-C3'	6.06	1.59	1.53
11	B2	1062	G	C6-N1	6.06	1.43	1.39
11	B2	1285	C	C4-N4	6.06	1.39	1.33
38	A1	1925	A	O4'-C1'	-6.06	1.33	1.41
11	B2	1174	A	C6-N1	6.05	1.39	1.35
11	B2	1244	C	N3-C4	6.05	1.38	1.33
11	B2	1316	U	O3'-P	-6.05	1.53	1.61
11	B2	1333	G	N3-C4	-6.05	1.31	1.35
38	A1	383	C	C4-N4	6.05	1.39	1.33
38	A1	1146	U	C2-N3	6.05	1.42	1.37
38	A1	1232	G	C2-N3	6.05	1.37	1.32
38	A1	1524	A	C6-N1	6.05	1.39	1.35
11	B2	1339	G	N7-C5	-6.05	1.35	1.39
38	A1	2704	A	C5-C4	6.05	1.43	1.38
11	B2	906	G	C8-N7	6.05	1.34	1.30
11	B2	1052	U	C5'-C4'	6.05	1.58	1.51
38	A1	853	G	C2'-C1'	-6.05	1.46	1.53
38	A1	940	G	C2-N2	6.05	1.40	1.34
38	A1	1199	U	C4'-C3'	6.05	1.59	1.53
38	A1	1896	U	N3-C4	6.05	1.43	1.38
38	A1	2387	A	C5'-C4'	6.05	1.58	1.51
38	A1	2444	G	O4'-C1'	6.05	1.49	1.41
38	A1	2777	G	N1-C2	6.05	1.42	1.37
50	AF	159	ARG	CZ-NH2	6.05	1.41	1.33
7	AU	75	ARG	CZ-NH2	6.05	1.41	1.33
11	B2	199	A	C5'-C4'	6.05	1.58	1.51
11	B2	223	G	C6-N1	6.05	1.43	1.39
11	B2	244	G	N1-C2	6.05	1.42	1.37
11	B2	1340	U	O3'-P	-6.05	1.53	1.61
38	A1	578	C	N1-C6	-6.05	1.33	1.37
38	A1	675	G	N9-C8	6.05	1.42	1.37
38	A1	775	C	C2-O2	6.05	1.29	1.24
38	A1	1292	C	C4'-O4'	6.05	1.53	1.45
38	A1	1303	C	C5'-C4'	6.05	1.58	1.51
38	A1	2015	G	C2-N2	6.05	1.40	1.34
38	A1	2116	G	N1-C2	6.05	1.42	1.37
38	A1	2540	A	N7-C5	-6.05	1.35	1.39
38	A1	2831	G	C6-N1	6.05	1.43	1.39
11	B2	1129	A	C5-C4	6.05	1.43	1.38
11	B2	1385	U	O3'-P	-6.05	1.53	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	46	C	N1-C6	6.05	1.40	1.37
38	A1	365	G	C8-N7	6.05	1.34	1.30
38	A1	826	C	C5-C6	-6.05	1.29	1.34
38	A1	2134	G	N1-C2	6.05	1.42	1.37
9	AX	46	TYR	CG-CD2	6.05	1.47	1.39
11	B2	540	G	C6-N1	6.05	1.43	1.39
11	B2	1299	A	C6-N6	6.05	1.38	1.33
11	B2	1323	A	C4'-C3'	6.05	1.59	1.53
16	BD	154	TYR	CG-CD1	6.05	1.47	1.39
37	BY	8	TYR	CE1-CZ	6.05	1.46	1.38
38	A1	99	U	C4'-O4'	6.05	1.53	1.45
38	A1	175	G	N9-C4	-6.05	1.33	1.38
38	A1	258	C	C5'-C4'	6.05	1.58	1.51
38	A1	1046	A	C5'-C4'	6.05	1.58	1.51
38	A1	1699	U	N1-C6	6.05	1.43	1.38
38	A1	1802	G	O3'-P	-6.05	1.53	1.61
38	A1	1968	A	N7-C5	-6.05	1.35	1.39
38	A1	2267	U	O4'-C1'	6.05	1.49	1.41
39	A3	117	G	C8-N7	6.05	1.34	1.30
56	AJ	79	ARG	NE-CZ	6.05	1.41	1.33
38	A1	15	A	N9-C4	6.04	1.41	1.37
38	A1	136	U	C3'-O3'	6.04	1.50	1.42
38	A1	2610	C	C5'-C4'	6.04	1.58	1.51
48	AE	145	ARG	CZ-NH2	6.04	1.41	1.33
11	B2	1	A	O3'-P	-6.04	1.53	1.61
11	B2	774	U	C3'-C2'	-6.04	1.46	1.52
11	B2	1174	A	C8-N7	6.04	1.35	1.31
38	A1	181	U	C4'-C3'	6.04	1.59	1.53
38	A1	795	G	C8-N7	6.04	1.34	1.30
38	A1	1362	G	C5-C4	-6.04	1.34	1.38
38	A1	1616	A	C4'-C3'	6.04	1.59	1.53
38	A1	1647	C	C1'-N1	6.04	1.57	1.48
38	A1	2536	A	N7-C5	-6.04	1.35	1.39
58	Ak	100	TYR	CG-CD1	6.04	1.47	1.39
64	AR	30	ARG	C-N	6.04	1.48	1.34
11	B2	501	G	C5'-C4'	6.04	1.58	1.51
11	B2	747	U	N1-C2	6.04	1.44	1.38
38	A1	213	G	N7-C5	-6.04	1.35	1.39
38	A1	866	G	C3'-C2'	6.04	1.59	1.52
38	A1	1828	A	C5-C4	6.04	1.43	1.38
38	A1	1913	C	C5'-C4'	6.04	1.58	1.51
38	A1	2223	G	N7-C5	-6.04	1.35	1.39

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2478	G	C5'-C4'	6.04	1.58	1.51
38	A1	2527	G	C2-N2	6.04	1.40	1.34
61	AN	151	ARG	CZ-NH1	6.04	1.41	1.33
11	B2	111	G	O3'-P	-6.04	1.53	1.61
38	A1	728	A	N9-C4	6.04	1.41	1.37
38	A1	1295	G	O3'-P	-6.04	1.53	1.61
11	B2	200	G	C2'-C1'	-6.04	1.46	1.53
11	B2	439	G	C6-N1	6.04	1.43	1.39
11	B2	997	G	P-O5'	-6.04	1.53	1.59
38	A1	646	U	C5'-C4'	6.04	1.58	1.51
38	A1	851	G	P-O5'	-6.04	1.53	1.59
38	A1	1147	G	C5'-C4'	-6.04	1.44	1.51
38	A1	1506	U	C3'-O3'	6.04	1.50	1.42
38	A1	2734	C	C4-N4	6.04	1.39	1.33
11	B2	890	C	C2-N3	6.04	1.40	1.35
38	A1	48	G	N1-C2	6.04	1.42	1.37
38	A1	2611	U	C2'-C1'	6.04	1.59	1.53
11	B2	99	C	N3-C4	6.04	1.38	1.33
11	B2	140	C	C2'-C1'	-6.04	1.46	1.53
11	B2	410	U	C4'-C3'	6.04	1.59	1.53
11	B2	884	G	N1-C2	6.04	1.42	1.37
11	B2	1308	U	O3'-P	-6.04	1.53	1.61
27	BO	5	ARG	CZ-NH1	6.04	1.40	1.33
38	A1	1268	A	N1-C2	6.04	1.39	1.34
38	A1	1740	U	C3'-C2'	6.04	1.59	1.52
38	A1	2516	G	N9-C4	6.04	1.42	1.38
38	A1	2738	G	C5'-C4'	6.04	1.58	1.51
42	Aa	65	LYS	CA-CB	6.04	1.67	1.53
48	AE	83	ARG	CZ-NH2	6.04	1.40	1.33
11	B2	243	G	O3'-P	-6.03	1.53	1.61
38	A1	61	G	C8-N7	-6.03	1.27	1.30
38	A1	200	G	C2-N2	6.03	1.40	1.34
38	A1	287	G	C5-C4	-6.03	1.34	1.38
38	A1	437	G	C2-N3	6.03	1.37	1.32
38	A1	498	U	N3-C4	6.03	1.43	1.38
38	A1	542	A	C6-N1	6.03	1.39	1.35
38	A1	1347	U	C4-C5	6.03	1.49	1.43
38	A1	1583	G	C2-N2	6.03	1.40	1.34
38	A1	1923	A	C6-N6	6.03	1.38	1.33
38	A1	2442	A	C6-N1	6.03	1.39	1.35
48	AE	40	ARG	CZ-NH2	6.03	1.40	1.33
11	B2	774	U	C4'-C3'	6.03	1.59	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	634	G	C6-N1	6.03	1.43	1.39
38	A1	1009	G	C2'-C1'	-6.03	1.46	1.53
38	A1	1428	G	C5'-C4'	6.03	1.58	1.51
11	B2	1106	A	O4'-C1'	6.03	1.49	1.41
22	BJ	2	ALA	CA-CB	6.03	1.65	1.52
38	A1	14	A	N9-C8	6.03	1.42	1.37
38	A1	1368	A	C8-N7	6.03	1.35	1.31
38	A1	1424	G	C2-N3	6.03	1.37	1.32
38	A1	1538	A	C5-C4	6.03	1.43	1.38
38	A1	1640	G	C2'-C1'	-6.03	1.46	1.53
38	A1	1908	C	N3-C4	6.03	1.38	1.33
38	A1	2502	C	C5'-C4'	6.03	1.58	1.51
11	B2	865	A	O3'-P	-6.03	1.53	1.61
23	BK	121	ARG	CD-NE	6.03	1.56	1.46
38	A1	2631	C	C2-N3	6.03	1.40	1.35
38	A1	2634	U	N1-C6	6.03	1.43	1.38
38	A1	2747	C	C4'-C3'	6.03	1.59	1.53
11	B2	189	C	C2-N3	6.03	1.40	1.35
11	B2	390	G	C3'-C2'	6.03	1.59	1.52
11	B2	460	C	N3-C4	6.03	1.38	1.33
38	A1	1652	A	C2-N3	6.03	1.39	1.33
38	A1	1824	G	N9-C8	6.03	1.42	1.37
38	A1	1838	C	C4-C5	6.03	1.47	1.43
38	A1	1981	G	C2-N3	6.03	1.37	1.32
38	A1	2446	C	N1-C6	-6.03	1.33	1.37
38	A1	2592	U	N1-C6	6.03	1.43	1.38
11	B2	242	A	N7-C5	-6.03	1.35	1.39
11	B2	505	U	C2-N3	6.03	1.42	1.37
11	B2	1480	G	N9-C8	-6.03	1.33	1.37
38	A1	58	G	C8-N7	-6.03	1.27	1.30
38	A1	314	A	C2-N3	6.03	1.39	1.33
38	A1	320	C	C4-C5	-6.03	1.38	1.43
38	A1	836	U	O3'-P	-6.03	1.53	1.61
38	A1	837	G	N3-C4	-6.03	1.31	1.35
38	A1	1784	G	C2-N3	6.03	1.37	1.32
38	A1	2517	U	C5'-C4'	6.03	1.58	1.51
39	A3	52	U	N1-C6	6.03	1.43	1.38
11	B2	143	G	C2'-C1'	-6.02	1.46	1.53
11	B2	1290	U	C4'-C3'	6.02	1.59	1.53
11	B2	1439	G	O4'-C1'	6.02	1.49	1.41
13	BA	138	ARG	CD-NE	6.02	1.56	1.46
38	A1	1626	A	C8-N7	-6.02	1.27	1.31

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2306	C	C2-N3	6.02	1.40	1.35
38	A1	2473	C	C5-C6	-6.02	1.29	1.34
38	A1	2815	C	C4-N4	6.02	1.39	1.33
11	B2	402	G	C4'-C3'	6.02	1.59	1.53
11	B2	769	A	C2-N3	6.02	1.39	1.33
38	A1	310	C	C5-C6	-6.02	1.29	1.34
38	A1	661	G	C5-C6	6.02	1.48	1.42
38	A1	876	C	C4-N4	6.02	1.39	1.33
38	A1	1076	G	O4'-C1'	6.02	1.49	1.41
38	A1	1545	C	O4'-C1'	6.02	1.49	1.41
38	A1	1909	C	C2-O2	-6.02	1.19	1.24
38	A1	1951	G	C2-N3	6.02	1.37	1.32
38	A1	2214	U	C3'-C2'	-6.02	1.46	1.52
38	A1	2363	G	C2-N3	6.02	1.37	1.32
11	B2	1058	G	C4'-C3'	6.02	1.59	1.53
38	A1	1337	G	C2-N3	6.02	1.37	1.32
38	A1	1606	C	C2-N3	6.02	1.40	1.35
10	B1	22	A	C8-N7	-6.02	1.27	1.31
11	B2	98	U	C5'-C4'	6.02	1.58	1.51
11	B2	378	A	N9-C4	6.02	1.41	1.37
11	B2	828	U	N1-C2	6.02	1.44	1.38
11	B2	1153	G	C6-N1	6.02	1.43	1.39
11	B2	1197	C	N3-C4	6.02	1.38	1.33
38	A1	201	C	P-O5'	-6.02	1.53	1.59
38	A1	326	C	C4'-C3'	6.02	1.59	1.53
38	A1	1585	U	P-O5'	-6.02	1.53	1.59
38	A1	2526	G	C2'-C1'	-6.02	1.46	1.53
11	B2	34	G	C5-C4	6.02	1.42	1.38
11	B2	393	A	C8-N7	-6.02	1.27	1.31
11	B2	841	C	N1-C6	6.02	1.40	1.37
11	B2	889	G	C2-N3	-6.02	1.27	1.32
38	A1	36	G	O3'-P	-6.02	1.53	1.61
38	A1	873	G	C5-C4	6.02	1.42	1.38
38	A1	1194	G	C2-N2	6.02	1.40	1.34
38	A1	1841	G	N9-C4	6.02	1.42	1.38
38	A1	1982	C	C5-C6	-6.02	1.29	1.34
38	A1	2040	A	C5'-C4'	6.02	1.58	1.51
11	B2	56	A	C6-N6	6.02	1.38	1.33
11	B2	195	C	O3'-P	-6.02	1.53	1.61
11	B2	653	C	N3-C4	6.02	1.38	1.33
38	A1	923	A	C6-N6	6.02	1.38	1.33
55	Ai	23	ARG	CZ-NH2	6.02	1.40	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	308	G	C5-C4	6.01	1.42	1.38
11	B2	1162	G	C8-N7	6.01	1.34	1.30
38	A1	107	G	C6-N1	6.01	1.43	1.39
38	A1	277	A	N3-C4	-6.01	1.31	1.34
38	A1	787	G	N7-C5	-6.01	1.35	1.39
38	A1	1526	G	C8-N7	6.01	1.34	1.30
38	A1	2424	A	N9-C4	-6.01	1.34	1.37
38	A1	2558	U	C3'-C2'	-6.01	1.46	1.52
38	A1	2817	U	C2'-C1'	-6.01	1.46	1.53
39	A3	6	G	C2-N2	6.01	1.40	1.34
11	B2	523	C	C5'-C4'	6.01	1.58	1.51
38	A1	225	C	C3'-C2'	-6.01	1.46	1.52
38	A1	2819	C	N1-C2	6.01	1.46	1.40
11	B2	229	G	C6-N1	6.01	1.43	1.39
11	B2	798	U	N1-C6	6.01	1.43	1.38
11	B2	948	G	C3'-C2'	6.01	1.59	1.52
11	B2	1297	G	N3-C4	-6.01	1.31	1.35
38	A1	1545	C	C4-N4	6.01	1.39	1.33
38	A1	1700	U	C5'-C4'	-6.01	1.44	1.51
39	A3	73	U	N3-C4	6.01	1.43	1.38
45	AC	304	GLU	CD-OE1	6.01	1.32	1.25
11	B2	407	G	C2-N3	6.01	1.37	1.32
11	B2	993	C	C4-C5	-6.01	1.38	1.43
11	B2	1159	U	N1-C6	6.01	1.43	1.38
38	A1	233	A	C5'-C4'	6.01	1.58	1.51
38	A1	377	C	C4'-O4'	6.01	1.53	1.45
38	A1	603	G	C6-N1	6.01	1.43	1.39
38	A1	633	A	N7-C5	-6.01	1.35	1.39
38	A1	791	C	C4-C5	-6.01	1.38	1.43
38	A1	1032	C	C5'-C4'	6.01	1.58	1.51
38	A1	1176	C	N3-C4	6.01	1.38	1.33
38	A1	1366	U	O3'-P	-6.01	1.53	1.61
38	A1	1404	G	N1-C2	6.01	1.42	1.37
38	A1	1410	A	C2'-C1'	-6.01	1.46	1.53
38	A1	1720	G	N7-C5	-6.01	1.35	1.39
38	A1	1816	C	C4-N4	6.01	1.39	1.33
38	A1	1990	U	O3'-P	-6.01	1.53	1.61
38	A1	2000	G	C6-N1	6.01	1.43	1.39
38	A1	2004	A	N7-C5	-6.01	1.35	1.39
38	A1	2198	U	C4-O4	-6.01	1.18	1.23
38	A1	2773	A	C2-N3	6.01	1.39	1.33
38	A1	3002	A	C2'-O2'	-6.01	1.33	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
39	A3	38	U	P-O5'	-6.01	1.53	1.59
38	A1	465	C	P-O5'	6.01	1.65	1.59
38	A1	1196	A	C5'-C4'	6.01	1.58	1.51
38	A1	1378	G	N3-C4	6.01	1.39	1.35
11	B2	867	A	C2'-C1'	-6.01	1.46	1.53
11	B2	1307	G	C5-C4	6.01	1.42	1.38
11	B2	1405	C	P-O5'	-6.01	1.53	1.59
38	A1	1106	C	N3-C4	6.01	1.38	1.33
38	A1	1826	G	C4'-C3'	-6.01	1.46	1.52
38	A1	2112	C	C4-C5	6.01	1.47	1.43
38	A1	2856	G	C2-N3	6.01	1.37	1.32
11	B2	284	A	N3-C4	-6.00	1.31	1.34
11	B2	883	G	N7-C5	-6.00	1.35	1.39
38	A1	124	C	O3'-P	-6.00	1.53	1.61
38	A1	512	G	C6-N1	6.00	1.43	1.39
38	A1	878	G	C5-C6	6.00	1.48	1.42
38	A1	994	G	C5-C6	-6.00	1.36	1.42
38	A1	1544	C	N1-C6	6.00	1.40	1.37
38	A1	1573	A	N9-C8	6.00	1.42	1.37
38	A1	1999	G	C1'-N9	6.00	1.57	1.48
38	A1	2546	G	N1-C2	6.00	1.42	1.37
44	Ab	101	ARG	CZ-NH2	6.00	1.40	1.33
11	B2	470	G	C8-N7	-6.00	1.27	1.30
11	B2	539	C	N3-C4	6.00	1.38	1.33
11	B2	1058	G	C6-N1	6.00	1.43	1.39
11	B2	1064	C	C4'-C3'	6.00	1.59	1.53
11	B2	1460	G	O3'-P	-6.00	1.53	1.61
38	A1	145	C	C5'-C4'	6.00	1.58	1.51
38	A1	1503	C	C2'-C1'	-6.00	1.46	1.53
38	A1	2513	C	N1-C6	6.00	1.40	1.37
11	B2	52	U	C3'-C2'	-6.00	1.46	1.52
11	B2	345	G	O3'-P	-6.00	1.53	1.61
11	B2	426	C	O3'-P	-6.00	1.53	1.61
11	B2	568	C	C2'-C1'	-6.00	1.46	1.53
11	B2	570	G	O3'-P	-6.00	1.53	1.61
11	B2	1476	C	C4-C5	6.00	1.47	1.43
38	A1	78	C	C5'-C4'	6.00	1.58	1.51
38	A1	129	C	C4-N4	6.00	1.39	1.33
11	B2	103	A	C6-N6	6.00	1.38	1.33
11	B2	1029	G	C6-N1	6.00	1.43	1.39
11	B2	1170	C	P-O5'	-6.00	1.53	1.59
38	A1	1372	C	C2'-C1'	-6.00	1.46	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1995	C	C4-N4	6.00	1.39	1.33
11	B2	527	A	C6-N6	6.00	1.38	1.33
11	B2	540	G	N7-C5	-6.00	1.35	1.39
11	B2	1434	C	O3'-P	-6.00	1.53	1.61
11	B2	1449	G	C2-N2	6.00	1.40	1.34
38	A1	661	G	N7-C5	-6.00	1.35	1.39
38	A1	1848	A	C6-N1	6.00	1.39	1.35
38	A1	2248	G	O3'-P	-6.00	1.53	1.61
45	AC	87	ARG	NE-CZ	6.00	1.40	1.33
11	B2	563	U	C2-N3	6.00	1.42	1.37
11	B2	1361	G	N3-C4	-6.00	1.31	1.35
11	B2	1441	G	C5-C4	6.00	1.42	1.38
38	A1	659	U	C2-N3	6.00	1.42	1.37
38	A1	1101	U	C1'-N1	6.00	1.57	1.48
38	A1	1981	G	C2-N2	6.00	1.40	1.34
38	A1	816	C	O3'-P	-6.00	1.53	1.61
38	A1	1035	G	P-O5'	-6.00	1.53	1.59
38	A1	2691	G	P-O5'	-6.00	1.53	1.59
11	B2	510	A	C3'-C2'	-5.99	1.46	1.52
11	B2	621	G	C5-C4	-5.99	1.34	1.38
11	B2	644	G	N3-C4	-5.99	1.31	1.35
11	B2	965	G	C5-C6	-5.99	1.36	1.42
38	A1	463	A	C3'-C2'	-5.99	1.46	1.52
38	A1	838	A	O3'-P	-5.99	1.53	1.61
38	A1	1296	A	C6-N1	5.99	1.39	1.35
38	A1	1902	G	C5-C4	5.99	1.42	1.38
38	A1	2627	C	N1-C6	-5.99	1.33	1.37
39	A3	117	G	C5-C4	5.99	1.42	1.38
11	B2	521	G	N3-C4	5.99	1.39	1.35
38	A1	2075	U	C2-N3	5.99	1.42	1.37
38	A1	2603	A	C6-N6	5.99	1.38	1.33
11	B2	647	G	O4'-C1'	-5.99	1.33	1.41
11	B2	667	G	C5-C6	5.99	1.48	1.42
11	B2	688	C	N3-C4	5.99	1.38	1.33
38	A1	627	G	N3-C4	5.99	1.39	1.35
38	A1	1651	A	N9-C8	5.99	1.42	1.37
38	A1	1793	G	N9-C8	5.99	1.42	1.37
38	A1	2741	U	N1-C2	5.99	1.44	1.38
11	B2	239	A	C5-C4	5.99	1.43	1.38
11	B2	699	C	N1-C6	5.99	1.40	1.37
38	A1	250	G	C8-N7	-5.99	1.27	1.30
38	A1	377	C	N3-C4	5.99	1.38	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	745	C	O4'-C1'	-5.99	1.33	1.41
38	A1	782	G	O3'-P	-5.99	1.53	1.61
38	A1	1562	U	C5'-C4'	5.99	1.58	1.51
38	A1	1859	A	C2-N3	5.99	1.39	1.33
38	A1	2230	G	N7-C5	5.99	1.42	1.39
38	A1	2446	C	C4-C5	5.99	1.47	1.43
38	A1	2635	C	C4'-O4'	-5.99	1.37	1.45
11	B2	128	A	C2-N3	5.99	1.39	1.33
38	A1	354	G	C2-N2	5.99	1.40	1.34
38	A1	605	A	O3'-P	-5.99	1.53	1.61
38	A1	1739	U	P-O5'	5.99	1.65	1.59
38	A1	1842	C	C4'-O4'	-5.99	1.37	1.45
38	A1	2456	C	N1-C2	5.99	1.46	1.40
11	B2	962	G	C5-C4	5.99	1.42	1.38
11	B2	1198	A	C3'-C2'	5.99	1.59	1.52
38	A1	1374	G	C6-N1	-5.99	1.35	1.39
11	B2	578	G	C4'-C3'	-5.98	1.46	1.52
11	B2	1164	A	C5'-C4'	5.98	1.58	1.51
11	B2	20	G	N1-C2	5.98	1.42	1.37
11	B2	89	G	C6-O6	5.98	1.29	1.24
11	B2	789	G	C8-N7	5.98	1.34	1.30
11	B2	984	C	N1-C6	5.98	1.40	1.37
19	BG	85	ARG	NE-CZ	5.98	1.40	1.33
29	BQ	58	TYR	CZ-OH	5.98	1.48	1.37
38	A1	803	A	N3-C4	-5.98	1.31	1.34
38	A1	950	G	N9-C4	-5.98	1.33	1.38
38	A1	1332	A	C6-N6	5.98	1.38	1.33
38	A1	1916	U	C3'-O3'	5.98	1.50	1.42
38	A1	2233	G	C1'-N9	5.98	1.57	1.48
38	A1	2431	C	N1-C6	5.98	1.40	1.37
38	A1	2474	A	C6-N6	5.98	1.38	1.33
38	A1	2522	C	N3-C4	5.98	1.38	1.33
11	B2	20	G	C2-N2	5.98	1.40	1.34
11	B2	52	U	N1-C2	5.98	1.44	1.38
11	B2	598	U	N3-C4	5.98	1.43	1.38
11	B2	796	C	P-O5'	-5.98	1.53	1.59
11	B2	1363	C	C4-N4	5.98	1.39	1.33
38	A1	768	C	N1-C6	-5.98	1.33	1.37
38	A1	1132	U	C2-N3	5.98	1.42	1.37
38	A1	1222	U	C2'-C1'	-5.98	1.46	1.53
38	A1	1611	C	N1-C6	5.98	1.40	1.37
38	A1	1691	U	P-O5'	5.98	1.65	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2356	U	C2'-C1'	-5.98	1.46	1.53
38	A1	2631	C	C5'-C4'	-5.98	1.44	1.51
38	A1	2800	U	N1-C6	5.98	1.43	1.38
11	B2	33	U	C2-N3	5.98	1.42	1.37
11	B2	804	U	C5'-C4'	5.98	1.58	1.51
11	B2	1111	G	N1-C2	5.98	1.42	1.37
38	A1	453	U	C5'-C4'	5.98	1.58	1.51
38	A1	796	C	C5-C6	5.98	1.39	1.34
46	AD	22	PHE	CG-CD1	5.98	1.47	1.38
9	AX	126	PHE	CG-CD1	5.98	1.47	1.38
11	B2	533	C	C4'-O4'	5.98	1.53	1.45
38	A1	259	A	C6-N6	5.98	1.38	1.33
38	A1	281	G	O4'-C1'	5.98	1.49	1.41
38	A1	2202	U	P-O5'	5.98	1.65	1.59
38	A1	2511	C	C4-N4	5.98	1.39	1.33
38	A1	2998	G	C2'-C1'	-5.98	1.46	1.53
11	B2	92	G	C4'-C3'	-5.98	1.46	1.52
11	B2	474	G	N1-C2	5.98	1.42	1.37
11	B2	650	A	C3'-O3'	-5.98	1.33	1.42
11	B2	1109	C	C2'-C1'	-5.98	1.46	1.53
38	A1	406	G	C8-N7	5.98	1.34	1.30
38	A1	35	G	C4'-C3'	5.97	1.59	1.53
38	A1	939	A	N3-C4	-5.97	1.31	1.34
38	A1	973	C	C4-C5	5.97	1.47	1.43
38	A1	1688	C	C2'-O2'	5.97	1.49	1.41
38	A1	2224	G	P-O5'	-5.97	1.53	1.59
11	B2	1104	G	C3'-C2'	5.97	1.59	1.52
38	A1	908	U	C5'-C4'	5.97	1.58	1.51
38	A1	1408	G	N3-C4	-5.97	1.31	1.35
38	A1	2687	A	N9-C4	5.97	1.41	1.37
39	A3	5	G	C4'-C3'	-5.97	1.46	1.52
16	BD	168	ARG	CZ-NH1	5.97	1.40	1.33
38	A1	1254	C	C4-N4	5.97	1.39	1.33
38	A1	2058	C	N3-C4	5.97	1.38	1.33
38	A1	2501	G	C6-N1	5.97	1.43	1.39
38	A1	2692	A	O3'-P	-5.97	1.53	1.61
10	B1	43	G	C8-N7	-5.97	1.27	1.30
11	B2	574	A	C8-N7	-5.97	1.27	1.31
11	B2	846	G	C4'-O4'	5.97	1.53	1.45
11	B2	1188	C	C2-N3	5.97	1.40	1.35
38	A1	91	G	N3-C4	5.97	1.39	1.35
38	A1	292	U	C5'-C4'	5.97	1.58	1.51

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	883	G	N7-C5	-5.97	1.35	1.39
38	A1	1145	G	C6-N1	5.97	1.43	1.39
38	A1	1556	G	N1-C2	5.97	1.42	1.37
38	A1	1858	G	C2'-C1'	-5.97	1.46	1.53
38	A1	2158	G	N9-C4	-5.97	1.33	1.38
38	A1	2206	G	C2-N2	5.97	1.40	1.34
39	A3	14	G	C6-N1	-5.97	1.35	1.39
11	B2	1047	U	C3'-C2'	-5.97	1.46	1.52
38	A1	85	G	N9-C4	-5.97	1.33	1.38
38	A1	235	G	N3-C4	-5.97	1.31	1.35
38	A1	323	U	O4'-C1'	5.97	1.49	1.41
38	A1	454	C	C4-C5	5.97	1.47	1.43
38	A1	635	G	N3-C4	5.97	1.39	1.35
38	A1	699	A	C6-N6	5.97	1.38	1.33
38	A1	842	C	N1-C6	-5.97	1.33	1.37
38	A1	1590	C	O3'-P	-5.97	1.53	1.61
38	A1	1899	C	C5-C6	5.97	1.39	1.34
41	AA	98	ARG	CZ-NH2	5.97	1.40	1.33
11	B2	124	C	C2'-C1'	-5.97	1.46	1.53
11	B2	289	C	C4-C5	-5.97	1.38	1.43
38	A1	60	G	N7-C5	-5.97	1.35	1.39
38	A1	173	G	C2-N2	5.97	1.40	1.34
38	A1	1747	C	C4-N4	5.97	1.39	1.33
38	A1	1798	A	N3-C4	-5.97	1.31	1.34
38	A1	1813	A	C5'-C4'	5.97	1.58	1.51
38	A1	2315	G	C2-N2	5.97	1.40	1.34
38	A1	2406	C	C5-C6	5.97	1.39	1.34
38	A1	2444	G	C3'-C2'	-5.97	1.46	1.52
38	A1	2846	A	N9-C4	-5.97	1.34	1.37
50	AF	37	ARG	NE-CZ	5.97	1.40	1.33
11	B2	141	C	C4'-C3'	5.96	1.59	1.53
11	B2	585	U	C2'-C1'	5.96	1.59	1.53
11	B2	1123	G	C2-N2	5.96	1.40	1.34
38	A1	697	U	N3-C4	5.96	1.43	1.38
38	A1	1206	A	C6-N1	5.96	1.39	1.35
38	A1	1228	G	N1-C2	5.96	1.42	1.37
38	A1	2061	A	C6-N6	5.96	1.38	1.33
38	A1	2481	G	N3-C4	5.96	1.39	1.35
38	A1	2793	C	N1-C6	5.96	1.40	1.37
53	Ah	2	ARG	NE-CZ	5.96	1.40	1.33
60	AM	112	GLU	CG-CD	-5.96	1.43	1.51
65	AV	24	ARG	CZ-NH2	5.96	1.40	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	716	G	C5-C4	5.96	1.42	1.38
38	A1	28	A	N7-C5	-5.96	1.35	1.39
38	A1	637	G	P-O5'	5.96	1.65	1.59
38	A1	2110	C	C2'-C1'	-5.96	1.46	1.53
38	A1	2401	A	C2-N3	-5.96	1.28	1.33
11	B2	152	G	N9-C8	5.96	1.42	1.37
11	B2	345	G	C4'-O4'	5.96	1.53	1.45
11	B2	402	G	C2-N2	5.96	1.40	1.34
11	B2	929	C	C3'-C2'	-5.96	1.46	1.52
11	B2	1133	C	C4-N4	5.96	1.39	1.33
38	A1	828	G	C4'-C3'	-5.96	1.46	1.52
38	A1	869	A	N7-C5	-5.96	1.35	1.39
38	A1	950	G	N7-C5	5.96	1.42	1.39
38	A1	1479	U	C5'-C4'	5.96	1.58	1.51
39	A3	111	G	C2'-C1'	-5.96	1.46	1.53
11	B2	791	G	C5-C4	-5.96	1.34	1.38
39	A3	116	C	C4'-C3'	5.96	1.59	1.53
11	B2	96	G	C4'-O4'	5.96	1.53	1.45
11	B2	377	A	C2'-C1'	-5.96	1.46	1.53
11	B2	962	G	N1-C2	5.96	1.42	1.37
11	B2	1353	C	C2-O2	5.96	1.29	1.24
38	A1	56	G	N1-C2	5.96	1.42	1.37
38	A1	304	G	N9-C4	5.96	1.42	1.38
38	A1	1071	A	N3-C4	5.96	1.38	1.34
38	A1	1904	G	C5-C6	-5.96	1.36	1.42
38	A1	2166	C	C4'-O4'	5.96	1.53	1.45
38	A1	2899	G	P-O5'	-5.96	1.53	1.59
54	AI	54	GLU	CG-CD	5.96	1.60	1.51
11	B2	570	G	C6-N1	5.96	1.43	1.39
11	B2	590	G	C5-C4	-5.96	1.34	1.38
34	BV	63	TYR	CD2-CE2	5.96	1.48	1.39
38	A1	825	C	C2-N3	5.96	1.40	1.35
38	A1	1053	A	C6-N1	5.96	1.39	1.35
38	A1	1468	G	N3-C4	-5.96	1.31	1.35
63	AP	25	TYR	CD2-CE2	5.96	1.48	1.39
10	B1	54	G	N1-C2	5.96	1.42	1.37
11	B2	571	C	C5-C6	5.96	1.39	1.34
11	B2	996	A	C8-N7	-5.96	1.27	1.31
38	A1	247	A	N3-C4	-5.96	1.31	1.34
38	A1	307	C	P-O5'	-5.96	1.53	1.59
38	A1	976	C	N3-C4	5.96	1.38	1.33
38	A1	1102	C	C5-C6	-5.96	1.29	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	3015	A	O3'-P	-5.96	1.54	1.61
11	B2	139	C	O3'-P	-5.95	1.54	1.61
11	B2	150	G	N9-C8	5.95	1.42	1.37
35	BW	40	CYS	CB-SG	5.95	1.92	1.82
38	A1	35	G	N1-C2	5.95	1.42	1.37
38	A1	1209	A	N7-C5	5.95	1.42	1.39
38	A1	2469	G	C2'-C1'	-5.95	1.46	1.53
38	A1	2480	G	N7-C5	5.95	1.42	1.39
10	B1	35	G	C5-C6	5.95	1.48	1.42
11	B2	618	G	N9-C4	-5.95	1.33	1.38
38	A1	559	G	C2'-C1'	-5.95	1.46	1.53
38	A1	943	G	C6-N1	5.95	1.43	1.39
38	A1	1443	G	C4'-C3'	5.95	1.59	1.53
38	A1	1829	C	C2-N3	5.95	1.40	1.35
38	A1	2153	C	P-O5'	-5.95	1.53	1.59
11	B2	296	A	N1-C2	-5.95	1.28	1.34
11	B2	722	G	C2'-C1'	-5.95	1.46	1.53
38	A1	684	G	C2'-C1'	-5.95	1.46	1.53
38	A1	983	G	C2-N3	5.95	1.37	1.32
38	A1	2875	C	C2-N3	5.95	1.40	1.35
38	A1	3002	A	C5-C4	5.95	1.43	1.38
11	B2	852	G	N9-C4	-5.95	1.33	1.38
11	B2	1358	A	C5'-C4'	5.95	1.58	1.51
11	B2	1463	A	C5-C4	5.95	1.43	1.38
38	A1	361	G	N7-C5	-5.95	1.35	1.39
38	A1	1000	G	C2-N2	-5.95	1.28	1.34
38	A1	2186	C	C4-C5	5.95	1.47	1.43
38	A1	2571	G	C2'-C1'	-5.95	1.46	1.53
38	A1	2979	C	N3-C4	5.95	1.38	1.33
38	A1	2647	G	C2'-C1'	-5.95	1.46	1.53
11	B2	64	G	C2'-C1'	-5.95	1.46	1.53
11	B2	865	A	N7-C5	-5.95	1.35	1.39
11	B2	1108	U	C5-C6	5.95	1.39	1.34
11	B2	1394	G	C2-N3	5.95	1.37	1.32
38	A1	945	U	C5'-C4'	5.95	1.58	1.51
38	A1	1234	A	C6-N1	5.95	1.39	1.35
38	A1	1476	C	C5-C6	-5.95	1.29	1.34
38	A1	1633	A	C5-C4	-5.95	1.34	1.38
38	A1	1817	C	C2'-C1'	5.95	1.59	1.53
38	A1	1899	C	C2'-C1'	-5.95	1.46	1.53
38	A1	2296	A	C6-N1	5.95	1.39	1.35
11	B2	388	G	C2-N2	5.94	1.40	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1339	G	N9-C8	5.94	1.42	1.37
38	A1	3006	G	N9-C4	5.94	1.42	1.38
11	B2	914	U	C3'-O3'	5.94	1.50	1.42
38	A1	353	C	P-O5'	-5.94	1.53	1.59
38	A1	551	A	C5'-C4'	5.94	1.58	1.51
38	A1	770	G	P-O5'	-5.94	1.53	1.59
38	A1	889	C	C1'-N1	5.94	1.57	1.48
38	A1	1691	U	N3-C4	5.94	1.43	1.38
38	A1	2440	C	N3-C4	5.94	1.38	1.33
38	A1	2811	U	P-O5'	-5.94	1.53	1.59
38	A1	3010	C	C4'-O4'	-5.94	1.37	1.45
11	B2	166	A	C6-N6	5.94	1.38	1.33
11	B2	645	G	P-O5'	5.94	1.65	1.59
34	BV	33	ARG	CZ-NH2	5.94	1.40	1.33
38	A1	315	U	N3-C4	5.94	1.43	1.38
38	A1	869	A	C5'-C4'	5.94	1.58	1.51
38	A1	869	A	C6-N6	5.94	1.38	1.33
38	A1	1686	C	P-O5'	5.94	1.65	1.59
38	A1	2525	C	C2-N3	5.94	1.40	1.35
38	A1	2784	A	C8-N7	-5.94	1.27	1.31
11	B2	373	C	C4-C5	5.94	1.47	1.43
11	B2	1032	A	C5-C4	5.94	1.43	1.38
38	A1	1656	C	C4-N4	5.94	1.39	1.33
11	B2	562	A	C5-C6	5.94	1.46	1.41
11	B2	720	A	C8-N7	-5.94	1.27	1.31
11	B2	994	C	C3'-C2'	5.94	1.59	1.52
38	A1	576	G	C4'-C3'	5.94	1.59	1.53
38	A1	726	G	C2-N3	5.94	1.37	1.32
38	A1	1636	C	C4-N4	5.94	1.39	1.33
38	A1	2191	U	C5'-C4'	5.94	1.58	1.51
38	A1	2355	G	C2'-O2'	-5.94	1.33	1.41
38	A1	2545	A	C1'-N9	5.94	1.57	1.48
38	A1	2882	G	C2-N2	5.94	1.40	1.34
38	A1	2999	G	C6-N1	5.94	1.43	1.39
39	A3	16	G	C2-N2	5.94	1.40	1.34
61	AN	66	ARG	CZ-NH1	5.94	1.40	1.33
33	BU	126	ARG	CD-NE	5.94	1.56	1.46
38	A1	2866	A	P-O5'	-5.94	1.53	1.59
11	B2	238	G	C3'-C2'	5.93	1.59	1.52
11	B2	377	A	C3'-C2'	5.93	1.59	1.52
11	B2	1147	G	C8-N7	-5.93	1.27	1.30
38	A1	299	U	N1-C2	5.93	1.43	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2164	G	N1-C2	5.93	1.42	1.37
38	A1	2310	G	N9-C8	5.93	1.42	1.37
38	A1	2425	A	C8-N7	5.93	1.35	1.31
11	B2	88	G	O3'-P	-5.93	1.54	1.61
11	B2	664	G	N3-C4	-5.93	1.31	1.35
11	B2	1056	G	C4'-O4'	-5.93	1.37	1.45
11	B2	1445	A	C6-N1	5.93	1.39	1.35
38	A1	50	C	N3-C4	5.93	1.38	1.33
38	A1	196	A	N9-C8	5.93	1.42	1.37
38	A1	337	G	C2-N3	5.93	1.37	1.32
38	A1	1496	A	N9-C4	5.93	1.41	1.37
38	A1	2546	G	C5-C4	-5.93	1.34	1.38
38	A1	2619	U	C5'-C4'	5.93	1.58	1.51
58	Ak	84	GLU	CD-OE2	5.93	1.32	1.25
2	A8	27	ARG	CD-NE	5.93	1.56	1.46
38	A1	211	A	C5'-C4'	5.93	1.58	1.51
38	A1	453	U	C4'-O4'	-5.93	1.37	1.45
38	A1	2854	A	N7-C5	-5.93	1.35	1.39
10	B1	71	C	P-O5'	5.93	1.65	1.59
11	B2	374	G	N1-C2	5.93	1.42	1.37
11	B2	461	A	C6-N1	5.93	1.39	1.35
11	B2	519	G	O3'-P	-5.93	1.54	1.61
11	B2	994	C	N1-C2	5.93	1.46	1.40
38	A1	1617	G	C5-C6	-5.93	1.36	1.42
38	A1	1942	G	N9-C8	5.93	1.42	1.37
38	A1	2256	G	N1-C2	5.93	1.42	1.37
61	AN	17	TYR	CZ-OH	5.93	1.48	1.37
11	B2	406	U	O4'-C1'	5.93	1.49	1.41
38	A1	884	C	N1-C6	-5.93	1.33	1.37
38	A1	960	C	C4-C5	-5.93	1.38	1.43
38	A1	1290	G	C2-N2	-5.93	1.28	1.34
38	A1	1361	G	C2-N3	5.93	1.37	1.32
38	A1	2240	G	C5'-C4'	5.93	1.58	1.51
38	A1	2739	G	C5-C4	-5.93	1.34	1.38
4	AQ	76	ARG	CD-NE	5.93	1.56	1.46
11	B2	214	C	C5-C6	-5.93	1.29	1.34
11	B2	231	G	N3-C4	-5.93	1.31	1.35
11	B2	317	A	C2-N3	5.93	1.38	1.33
11	B2	419	G	C2-N2	5.93	1.40	1.34
11	B2	420	C	N3-C4	5.93	1.38	1.33
11	B2	757	G	C5'-C4'	5.93	1.58	1.51
38	A1	259	A	C5-C6	-5.93	1.35	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1199	U	N3-C4	5.93	1.43	1.38
38	A1	1345	G	C5-C4	5.93	1.42	1.38
38	A1	1883	C	C4'-C3'	5.93	1.59	1.53
38	A1	2532	G	N1-C2	5.93	1.42	1.37
39	A3	4	C	C4-N4	5.93	1.39	1.33
11	B2	594	A	N9-C4	5.92	1.41	1.37
11	B2	925	U	C3'-C2'	5.92	1.59	1.52
11	B2	1383	A	C6-N1	5.92	1.39	1.35
38	A1	522	A	N7-C5	5.92	1.42	1.39
38	A1	1051	C	O3'-P	-5.92	1.54	1.61
38	A1	1753	G	P-O5'	-5.92	1.53	1.59
38	A1	2605	G	P-O5'	-5.92	1.53	1.59
11	B2	844	G	C4'-C3'	-5.92	1.46	1.52
11	B2	876	A	C8-N7	-5.92	1.27	1.31
38	A1	820	C	C4'-O4'	-5.92	1.37	1.45
38	A1	1802	G	N3-C4	-5.92	1.31	1.35
38	A1	1942	G	C8-N7	-5.92	1.27	1.30
38	A1	2603	A	C8-N7	5.92	1.35	1.31
38	A1	2858	C	P-O5'	-5.92	1.53	1.59
39	A3	54	A	N9-C8	-5.92	1.33	1.37
11	B2	388	G	C8-N7	-5.92	1.27	1.30
11	B2	848	G	C2-N3	5.92	1.37	1.32
11	B2	1419	G	C8-N7	5.92	1.34	1.30
38	A1	128	C	P-O5'	-5.92	1.53	1.59
38	A1	662	A	N7-C5	-5.92	1.35	1.39
38	A1	697	U	C2'-C1'	5.92	1.59	1.53
38	A1	2013	A	C2-N3	-5.92	1.28	1.33
38	A1	321	C	C2'-C1'	-5.92	1.46	1.53
38	A1	2184	G	N7-C5	-5.92	1.35	1.39
38	A1	2755	G	N1-C2	5.92	1.42	1.37
11	B2	169	C	C2-O2	-5.92	1.19	1.24
38	A1	1188	C	C2'-C1'	-5.92	1.46	1.53
38	A1	2070	U	C4'-C3'	5.92	1.59	1.53
38	A1	2441	A	C6-N6	5.92	1.38	1.33
38	A1	2557	C	C3'-O3'	5.92	1.50	1.42
38	A1	2982	G	N1-C2	5.92	1.42	1.37
39	A3	119	C	C4-N4	5.92	1.39	1.33
61	AN	22	TYR	CG-CD1	5.92	1.46	1.39
63	AP	91	ARG	CD-NE	5.92	1.56	1.46
11	B2	1141	G	C6-O6	-5.92	1.18	1.24
11	B2	1321	U	C4'-O4'	-5.92	1.37	1.45
30	BR	3	ARG	CD-NE	5.92	1.56	1.46

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	21	C	C5-C6	5.92	1.39	1.34
38	A1	919	G	C2-N3	5.92	1.37	1.32
38	A1	1803	U	C4'-C3'	5.92	1.59	1.53
38	A1	2681	A	C6-N1	5.92	1.39	1.35
38	A1	2975	A	C8-N7	-5.92	1.27	1.31
11	B2	442	C	C2-N3	5.92	1.40	1.35
38	A1	821	U	O4'-C1'	5.92	1.49	1.41
38	A1	3034	C	C4'-C3'	5.92	1.59	1.53
39	A3	42	A	C6-N1	5.92	1.39	1.35
11	B2	615	G	C2-N2	5.91	1.40	1.34
11	B2	845	G	C5-C6	5.91	1.48	1.42
11	B2	1210	A	C6-N1	5.91	1.39	1.35
11	B2	1292	A	C4'-O4'	-5.91	1.37	1.45
38	A1	1580	G	O3'-P	5.91	1.68	1.61
38	A1	1876	G	P-O5'	-5.91	1.53	1.59
38	A1	1913	C	N3-C4	5.91	1.38	1.33
38	A1	2172	G	N9-C4	5.91	1.42	1.38
11	B2	911	C	C4-C5	-5.91	1.38	1.43
11	B2	956	C	C4-C5	5.91	1.47	1.43
11	B2	1356	A	C2-N3	5.91	1.38	1.33
11	B2	1422	G	C8-N7	-5.91	1.27	1.30
38	A1	969	U	C2'-C1'	-5.91	1.46	1.53
38	A1	1307	C	C2-N3	-5.91	1.31	1.35
38	A1	1684	C	P-O5'	-5.91	1.53	1.59
38	A1	1755	C	N3-C4	5.91	1.38	1.33
38	A1	2201	C	C4'-C3'	5.91	1.59	1.53
38	A1	2268	C	C5'-C4'	5.91	1.58	1.51
38	A1	2347	G	N9-C8	5.91	1.42	1.37
11	B2	814	C	C2'-C1'	-5.91	1.46	1.53
11	B2	1472	G	C2-N2	5.91	1.40	1.34
38	A1	26	G	C2'-C1'	-5.91	1.46	1.53
38	A1	275	C	N3-C4	5.91	1.38	1.33
38	A1	1345	G	N1-C2	5.91	1.42	1.37
38	A1	1485	A	C5-C4	5.91	1.42	1.38
38	A1	1602	C	C3'-C2'	-5.91	1.46	1.52
38	A1	2406	C	O3'-P	-5.91	1.54	1.61
38	A1	2860	G	N1-C2	5.91	1.42	1.37
39	A3	82	C	P-O5'	5.91	1.65	1.59
11	B2	584	C	C4'-C3'	5.91	1.59	1.53
11	B2	702	G	O3'-P	-5.91	1.54	1.61
11	B2	792	C	P-O5'	-5.91	1.53	1.59
11	B2	1361	G	C2'-C1'	-5.91	1.46	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	67	U	C5'-C4'	5.91	1.58	1.51
38	A1	888	U	N1-C6	-5.91	1.32	1.38
38	A1	1279	U	P-O5'	-5.91	1.53	1.59
38	A1	2265	C	N3-C4	5.91	1.38	1.33
38	A1	2304	C	C4-N4	5.91	1.39	1.33
38	A1	2419	U	O4'-C1'	5.91	1.49	1.41
38	A1	2445	G	C5-C4	5.91	1.42	1.38
38	A1	2708	U	C3'-C2'	5.91	1.59	1.52
38	A1	2844	G	N9-C4	-5.91	1.33	1.38
39	A3	94	G	C8-N7	-5.91	1.27	1.30
11	B2	763	G	C6-N1	5.91	1.43	1.39
38	A1	233	A	C6-N1	5.91	1.39	1.35
66	AY	142	TYR	CZ-OH	5.91	1.47	1.37
11	B2	146	A	O4'-C1'	5.91	1.49	1.41
11	B2	177	A	N7-C5	-5.91	1.35	1.39
11	B2	790	G	N1-C2	5.91	1.42	1.37
11	B2	1392	G	C8-N7	-5.91	1.27	1.30
11	B2	1449	G	C5-C4	5.91	1.42	1.38
38	A1	269	C	C4-N4	5.91	1.39	1.33
38	A1	665	C	C2-N3	-5.91	1.31	1.35
38	A1	1455	U	C2-N3	5.91	1.41	1.37
38	A1	1852	U	N3-C4	5.91	1.43	1.38
38	A1	2610	C	N1-C6	5.91	1.40	1.37
38	A1	2656	A	C8-N7	-5.91	1.27	1.31
38	A1	2746	G	C4'-O4'	5.91	1.53	1.45
38	A1	2823	G	N7-C5	-5.91	1.35	1.39
11	B2	1286	C	O3'-P	-5.90	1.54	1.61
11	B2	1415	U	C2'-C1'	-5.90	1.46	1.53
38	A1	600	A	O3'-P	-5.90	1.54	1.61
38	A1	660	U	C4-O4	5.90	1.28	1.23
38	A1	1325	A	C4'-C3'	-5.90	1.46	1.52
38	A1	1870	G	C2'-C1'	-5.90	1.46	1.53
38	A1	1998	G	P-O5'	-5.90	1.53	1.59
38	A1	2872	G	C5-C6	5.90	1.48	1.42
38	A1	2945	A	C5-C6	5.90	1.46	1.41
11	B2	549	A	C5-C4	-5.90	1.34	1.38
11	B2	642	G	N3-C4	-5.90	1.31	1.35
11	B2	768	A	C5-C6	-5.90	1.35	1.41
11	B2	1013	G	N3-C4	5.90	1.39	1.35
11	B2	1260	G	N9-C4	5.90	1.42	1.38
11	B2	1333	G	C2-N2	5.90	1.40	1.34
38	A1	137	A	N3-C4	5.90	1.38	1.34

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	301	G	N9-C4	5.90	1.42	1.38
38	A1	405	G	N9-C4	5.90	1.42	1.38
38	A1	964	C	C4'-C3'	5.90	1.59	1.53
38	A1	1912	A	C8-N7	5.90	1.35	1.31
38	A1	2455	G	N9-C8	-5.90	1.33	1.37
11	B2	532	C	C2-N3	5.90	1.40	1.35
11	B2	682	A	C1'-N9	5.90	1.57	1.48
11	B2	820	G	C5-C6	-5.90	1.36	1.42
11	B2	1230	G	N9-C8	-5.90	1.33	1.37
11	B2	1286	C	C2-N3	5.90	1.40	1.35
11	B2	1494	C	C5-C6	5.90	1.39	1.34
18	BF	11	ARG	CB-CG	5.90	1.68	1.52
38	A1	230	A	N7-C5	5.90	1.42	1.39
38	A1	239	G	C5-C4	5.90	1.42	1.38
38	A1	1095	A	N3-C4	-5.90	1.31	1.34
38	A1	1121	C	N1-C6	5.90	1.40	1.37
38	A1	1365	G	P-O5'	-5.90	1.53	1.59
38	A1	1901	A	C5-C4	-5.90	1.34	1.38
38	A1	2324	C	P-O5'	5.90	1.65	1.59
38	A1	2506	G	C6-N1	-5.90	1.35	1.39
38	A1	3044	U	C3'-C2'	-5.90	1.46	1.52
60	AM	40	GLU	CG-CD	5.90	1.60	1.51
11	B2	947	G	C2-N3	5.90	1.37	1.32
38	A1	1976	C	C2'-C1'	-5.90	1.46	1.53
38	A1	2214	U	N1-C2	-5.90	1.33	1.38
38	A1	2845	C	C4-N4	5.90	1.39	1.33
10	B1	74	A	C5'-C4'	5.90	1.58	1.51
11	B2	148	C	C3'-O3'	5.90	1.50	1.42
11	B2	323	A	C5-C4	-5.90	1.34	1.38
11	B2	900	G	C2-N3	5.90	1.37	1.32
11	B2	1231	G	N9-C4	-5.90	1.33	1.38
38	A1	1085	G	O3'-P	-5.90	1.54	1.61
38	A1	1469	U	C5'-C4'	5.90	1.58	1.51
38	A1	1560	G	P-O5'	5.90	1.65	1.59
38	A1	1668	G	C4'-O4'	-5.90	1.37	1.45
38	A1	1786	G	C4'-O4'	5.90	1.53	1.45
38	A1	1852	U	C1'-N1	5.90	1.57	1.48
38	A1	2468	C	O3'-P	-5.90	1.54	1.61
38	A1	2835	A	C6-N1	5.90	1.39	1.35
42	Aa	25	TRP	CE3-CZ3	5.90	1.48	1.38
19	BG	82	ARG	CZ-NH2	5.90	1.40	1.33
38	A1	34	C	P-O5'	-5.90	1.53	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1337	G	N7-C5	-5.90	1.35	1.39
11	B2	1438	A	C3'-C2'	5.89	1.59	1.52
38	A1	165	G	C5'-C4'	5.89	1.58	1.51
38	A1	389	C	N3-C4	5.89	1.38	1.33
38	A1	590	A	N7-C5	-5.89	1.35	1.39
38	A1	1923	A	C3'-C2'	-5.89	1.46	1.52
38	A1	2036	A	N3-C4	5.89	1.38	1.34
38	A1	2633	A	O3'-P	-5.89	1.54	1.61
38	A1	2822	G	C6-N1	5.89	1.43	1.39
11	B2	583	G	N9-C4	5.89	1.42	1.38
11	B2	869	U	C2'-C1'	-5.89	1.46	1.53
11	B2	1086	C	N3-C4	5.89	1.38	1.33
38	A1	41	G	P-O5'	5.89	1.65	1.59
38	A1	902	C	N3-C4	5.89	1.38	1.33
38	A1	1686	C	C2-N3	5.89	1.40	1.35
39	A3	19	G	P-O5'	-5.89	1.53	1.59
11	B2	128	A	N3-C4	-5.89	1.31	1.34
11	B2	705	C	N3-C4	5.89	1.38	1.33
11	B2	1346	C	C2-N3	5.89	1.40	1.35
11	B2	1369	C	N3-C4	5.89	1.38	1.33
38	A1	1404	G	N9-C8	-5.89	1.33	1.37
38	A1	1717	C	C2'-C1'	-5.89	1.46	1.53
38	A1	1785	G	C1'-N9	5.89	1.57	1.48
38	A1	1818	G	C6-N1	5.89	1.43	1.39
38	A1	1822	G	C4'-C3'	5.89	1.59	1.53
38	A1	2324	C	C2'-O2'	-5.89	1.33	1.41
11	B2	883	G	C4'-C3'	5.89	1.59	1.53
11	B2	925	U	C2'-O2'	5.89	1.49	1.41
38	A1	288	G	N1-C2	5.89	1.42	1.37
38	A1	935	A	C2'-C1'	-5.89	1.46	1.53
38	A1	1622	G	P-O5'	5.89	1.65	1.59
38	A1	1627	G	C6-N1	5.89	1.43	1.39
38	A1	2159	C	O4'-C1'	5.89	1.49	1.41
38	A1	2214	U	C5'-C4'	5.89	1.58	1.51
48	AE	38	GLY	CA-C	5.89	1.61	1.51
11	B2	341	C	C5-C6	5.89	1.39	1.34
11	B2	1408	C	O4'-C1'	5.89	1.49	1.41
29	BQ	9	ARG	CZ-NH1	5.89	1.40	1.33
38	A1	24	G	C4'-C3'	5.89	1.59	1.53
38	A1	645	U	N1-C2	-5.89	1.33	1.38
38	A1	1723	A	C1'-N9	5.89	1.57	1.48
38	A1	2064	U	C2'-O2'	-5.89	1.33	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2731	C	N1-C6	5.89	1.40	1.37
38	A1	2775	G	C3'-C2'	5.89	1.59	1.52
10	B1	68	C	N3-C4	5.89	1.38	1.33
11	B2	507	G	N9-C4	-5.89	1.33	1.38
11	B2	1073	C	P-O5'	-5.89	1.53	1.59
38	A1	110	A	C2-N3	5.89	1.38	1.33
38	A1	130	G	N9-C4	5.89	1.42	1.38
38	A1	1476	C	N1-C6	-5.89	1.33	1.37
38	A1	2257	A	C6-N6	5.89	1.38	1.33
38	A1	2957	G	C8-N7	5.89	1.34	1.30
10	B1	38	G	C8-N7	-5.88	1.27	1.30
11	B2	475	C	C2'-C1'	-5.88	1.46	1.53
38	A1	703	G	N7-C5	-5.88	1.35	1.39
38	A1	2379	G	C8-N7	5.88	1.34	1.30
39	A3	38	U	C4'-O4'	-5.88	1.38	1.45
11	B2	177	A	P-O5'	5.88	1.65	1.59
11	B2	358	G	N7-C5	-5.88	1.35	1.39
11	B2	727	G	C4'-O4'	5.88	1.53	1.45
38	A1	733	A	N3-C4	-5.88	1.31	1.34
38	A1	1299	C	C4'-O4'	-5.88	1.38	1.45
11	B2	259	A	N3-C4	-5.88	1.31	1.34
11	B2	541	G	C2-N3	-5.88	1.28	1.32
38	A1	106	G	C5'-C4'	5.88	1.58	1.51
38	A1	1322	G	C2-N3	5.88	1.37	1.32
38	A1	1329	G	C2-N2	5.88	1.40	1.34
38	A1	1606	C	C4'-C3'	5.88	1.59	1.53
38	A1	1996	C	C4'-C3'	-5.88	1.46	1.52
38	A1	2151	C	N1-C6	-5.88	1.33	1.37
38	A1	2296	A	C8-N7	-5.88	1.27	1.31
38	A1	2392	A	C2-N3	-5.88	1.28	1.33
39	A3	104	C	P-O5'	-5.88	1.53	1.59
10	B1	32	A	N9-C4	5.88	1.41	1.37
11	B2	340	A	C6-N1	5.88	1.39	1.35
38	A1	468	A	C6-N1	5.88	1.39	1.35
38	A1	1981	G	N3-C4	-5.88	1.31	1.35
38	A1	2155	C	N3-C4	5.88	1.38	1.33
5	AS	83	TYR	CG-CD1	5.88	1.46	1.39
11	B2	29	G	N9-C4	-5.88	1.33	1.38
11	B2	213	C	C1'-N1	5.88	1.57	1.48
20	BH	7	GLU	CD-OE1	5.88	1.32	1.25
28	BP	53	ARG	CZ-NH1	5.88	1.40	1.33
38	A1	396	G	C6-N1	5.88	1.43	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	571	G	C8-N7	5.88	1.34	1.30
38	A1	1297	C	P-O5'	-5.88	1.53	1.59
38	A1	2302	C	N3-C4	5.88	1.38	1.33
38	A1	2644	G	C5'-C4'	5.88	1.58	1.51
38	A1	2666	G	C3'-O3'	5.88	1.50	1.42
50	AF	41	TRP	CG-CD1	5.88	1.45	1.36
9	AX	385	VAL	CA-CB	-5.88	1.42	1.54
38	A1	384	G	N7-C5	-5.88	1.35	1.39
38	A1	702	G	C2'-C1'	-5.88	1.46	1.53
38	A1	1226	G	N7-C5	-5.88	1.35	1.39
38	A1	1309	G	C1'-N9	5.88	1.57	1.48
38	A1	1793	G	C4'-O4'	5.88	1.53	1.45
38	A1	2003	C	P-O5'	-5.88	1.53	1.59
38	A1	2171	G	N3-C4	-5.88	1.31	1.35
39	A3	59	C	C5'-C4'	5.88	1.58	1.51
11	B2	363	C	C3'-O3'	5.88	1.50	1.42
11	B2	1260	G	N3-C4	-5.88	1.31	1.35
11	B2	830	A	N9-C4	-5.87	1.34	1.37
11	B2	1026	A	C5-C4	5.87	1.42	1.38
11	B2	1334	A	C6-N6	5.87	1.38	1.33
17	BE	184	TYR	CE1-CZ	5.87	1.46	1.38
38	A1	512	G	C2'-C1'	-5.87	1.46	1.53
38	A1	1013	G	C6-N1	5.87	1.43	1.39
38	A1	1024	G	C4'-C3'	5.87	1.59	1.53
38	A1	1335	C	O4'-C1'	-5.87	1.34	1.41
38	A1	1474	A	C2-N3	5.87	1.38	1.33
38	A1	1698	G	C5-C4	-5.87	1.34	1.38
38	A1	2278	U	C4'-C3'	5.87	1.59	1.53
38	A1	2628	U	C4-C5	5.87	1.48	1.43
38	A1	2779	G	P-O5'	-5.87	1.53	1.59
10	B1	4	G	C8-N7	-5.87	1.27	1.30
38	A1	231	G	N9-C4	5.87	1.42	1.38
38	A1	365	G	N9-C8	-5.87	1.33	1.37
38	A1	903	C	C4-N4	5.87	1.39	1.33
38	A1	1904	G	N9-C4	5.87	1.42	1.38
38	A1	2560	G	O4'-C1'	-5.87	1.34	1.41
38	A1	2601	C	C5'-C4'	5.87	1.58	1.51
38	A1	2602	G	N7-C5	-5.87	1.35	1.39
38	A1	3017	U	C4-O4	-5.87	1.19	1.23
56	AJ	124	ARG	NE-CZ	5.87	1.40	1.33
10	B1	2	G	C4'-O4'	5.87	1.53	1.45
10	B1	45	G	N9-C4	5.87	1.42	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	142	G	N7-C5	-5.87	1.35	1.39
11	B2	695	G	C4'-C3'	5.87	1.59	1.53
11	B2	1347	U	N1-C6	5.87	1.43	1.38
11	B2	1413	G	C5-C4	5.87	1.42	1.38
38	A1	1889	G	C2'-C1'	-5.87	1.46	1.53
38	A1	2208	C	N1-C6	5.87	1.40	1.37
11	B2	317	A	C5-C4	-5.87	1.34	1.38
11	B2	508	C	C2-N3	5.87	1.40	1.35
11	B2	838	C	C2'-C1'	-5.87	1.46	1.53
11	B2	920	U	C3'-C2'	-5.87	1.46	1.52
11	B2	1043	U	N3-C4	5.87	1.43	1.38
11	B2	1222	C	C2-O2	-5.87	1.19	1.24
11	B2	1448	A	C8-N7	-5.87	1.27	1.31
38	A1	1543	C	C2-N3	-5.87	1.31	1.35
38	A1	1969	C	C4'-O4'	5.87	1.53	1.45
38	A1	2171	G	N9-C8	5.87	1.42	1.37
38	A1	2985	U	N3-C4	5.87	1.43	1.38
44	Ab	25	ARG	CZ-NH1	5.87	1.40	1.33
11	B2	612	C	C4-N4	5.87	1.39	1.33
38	A1	969	U	N3-C4	5.87	1.43	1.38
38	A1	2380	A	C5-C4	5.87	1.42	1.38
11	B2	345	G	N9-C8	-5.87	1.33	1.37
11	B2	990	G	C6-N1	5.87	1.43	1.39
11	B2	1172	A	C3'-C2'	5.87	1.59	1.52
11	B2	1312	C	N1-C2	5.87	1.46	1.40
11	B2	1481	G	P-O5'	-5.87	1.53	1.59
20	BH	74	SER	CA-CB	5.87	1.61	1.52
38	A1	35	G	N9-C8	5.87	1.42	1.37
38	A1	881	G	C1'-N9	5.87	1.57	1.48
38	A1	1252	G	C2-N2	5.87	1.40	1.34
38	A1	1989	G	C2-N2	5.87	1.40	1.34
38	A1	2062	A	N9-C8	5.87	1.42	1.37
38	A1	2077	A	C4'-O4'	5.87	1.53	1.45
38	A1	2563	A	C5-C4	5.87	1.42	1.38
38	A1	2646	A	N3-C4	-5.87	1.31	1.34
39	A3	46	G	C4'-C3'	5.87	1.59	1.53
39	A3	105	G	C5-C4	-5.87	1.34	1.38
47	Ad	14	TYR	CE2-CZ	5.87	1.46	1.38
11	B2	1284	C	C3'-C2'	-5.86	1.46	1.52
38	A1	38	U	N3-C4	5.86	1.43	1.38
38	A1	516	A	N3-C4	5.86	1.38	1.34
38	A1	871	G	N1-C2	5.86	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	88	G	C2-N3	5.86	1.37	1.32
11	B2	786	G	N9-C4	5.86	1.42	1.38
38	A1	1277	G	C6-N1	5.86	1.43	1.39
38	A1	2867	U	C3'-O3'	5.86	1.50	1.42
10	B1	21	G	C2'-C1'	-5.86	1.47	1.53
11	B2	269	A	C2'-C1'	-5.86	1.47	1.53
11	B2	769	A	C5-C6	5.86	1.46	1.41
38	A1	122	G	C2'-C1'	5.86	1.59	1.53
38	A1	168	G	N3-C4	-5.86	1.31	1.35
38	A1	527	G	C8-N7	-5.86	1.27	1.30
38	A1	1110	A	C6-N1	5.86	1.39	1.35
38	A1	1666	G	N9-C8	5.86	1.42	1.37
38	A1	2581	G	C8-N7	5.86	1.34	1.30
38	A1	2725	U	C2'-C1'	-5.86	1.47	1.53
38	A1	2795	G	N9-C4	-5.86	1.33	1.38
38	A1	1076	G	N9-C4	-5.86	1.33	1.38
38	A1	1369	G	N3-C4	5.86	1.39	1.35
38	A1	2513	C	C5'-C4'	5.86	1.58	1.51
11	B2	1227	A	C5'-C4'	5.86	1.58	1.51
38	A1	519	A	P-O5'	-5.86	1.53	1.59
38	A1	667	C	N1-C2	5.86	1.46	1.40
38	A1	1863	G	C2'-C1'	-5.86	1.47	1.53
38	A1	1985	G	N9-C4	5.86	1.42	1.38
38	A1	2210	G	C6-N1	5.86	1.43	1.39
38	A1	2282	G	C2'-C1'	5.86	1.59	1.53
38	A1	2413	G	C8-N7	-5.86	1.27	1.30
38	A1	2622	C	N1-C2	-5.86	1.34	1.40
38	A1	2837	C	C1'-N1	5.86	1.57	1.48
18	BF	11	ARG	NE-CZ	5.86	1.40	1.33
38	A1	1133	U	C2-N3	5.86	1.41	1.37
38	A1	2704	A	C6-N6	5.86	1.38	1.33
38	A1	2826	U	N3-C4	5.86	1.43	1.38
38	A1	2959	A	C4'-C3'	5.86	1.59	1.53
38	A1	3014	U	C1'-N1	5.86	1.57	1.48
38	A1	42	G	C6-N1	5.85	1.43	1.39
38	A1	1746	C	C2-O2	5.85	1.29	1.24
38	A1	2619	U	N1-C6	5.85	1.43	1.38
11	B2	72	C	C2-N3	5.85	1.40	1.35
11	B2	467	G	N7-C5	-5.85	1.35	1.39
11	B2	903	G	N1-C2	5.85	1.42	1.37
11	B2	1442	G	C5'-C4'	5.85	1.58	1.51
38	A1	20	C	C4'-C3'	5.85	1.59	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	114	C	C2'-C1'	-5.85	1.47	1.53
38	A1	235	G	C2'-C1'	-5.85	1.47	1.53
38	A1	625	A	C2-N3	5.85	1.38	1.33
38	A1	1009	G	N9-C8	5.85	1.42	1.37
38	A1	1118	A	O3'-P	-5.85	1.54	1.61
38	A1	1546	G	O3'-P	-5.85	1.54	1.61
38	A1	1606	C	P-O5'	-5.85	1.53	1.59
11	B2	1269	G	C3'-O3'	5.85	1.50	1.42
38	A1	220	C	C2-N3	5.85	1.40	1.35
38	A1	1557	G	N1-C2	5.85	1.42	1.37
38	A1	2175	G	C4'-C3'	5.85	1.59	1.53
11	B2	8	U	C2'-C1'	-5.85	1.47	1.53
11	B2	173	G	O3'-P	5.85	1.68	1.61
11	B2	269	A	C3'-C2'	-5.85	1.46	1.52
11	B2	298	C	C4-N4	5.85	1.39	1.33
11	B2	761	U	N1-C6	5.85	1.43	1.38
11	B2	1182	G	C5-C4	5.85	1.42	1.38
36	BX	61	GLU	CD-OE2	5.85	1.32	1.25
38	A1	99	U	N1-C2	5.85	1.43	1.38
38	A1	210	A	C6-N1	5.85	1.39	1.35
38	A1	1163	U	C2-N3	5.85	1.41	1.37
38	A1	1427	A	N7-C5	5.85	1.42	1.39
38	A1	2042	A	C2'-C1'	-5.85	1.47	1.53
38	A1	2583	G	N1-C2	5.85	1.42	1.37
38	A1	2602	G	C5-C6	-5.85	1.36	1.42
61	AN	139	ARG	CZ-NH1	5.85	1.40	1.33
11	B2	699	C	N3-C4	5.85	1.38	1.33
11	B2	804	U	P-O5'	-5.85	1.53	1.59
14	BB	51	ARG	CZ-NH2	5.85	1.40	1.33
38	A1	109	G	N1-C2	5.85	1.42	1.37
38	A1	300	U	C5'-C4'	5.85	1.58	1.51
38	A1	312	G	C5-C4	5.85	1.42	1.38
38	A1	494	C	C5'-C4'	5.85	1.58	1.51
38	A1	973	C	N3-C4	5.85	1.38	1.33
38	A1	1426	G	N3-C4	5.85	1.39	1.35
38	A1	1771	C	N1-C2	5.85	1.46	1.40
38	A1	1934	C	C2'-C1'	-5.85	1.47	1.53
38	A1	2580	G	C2-N3	5.85	1.37	1.32
38	A1	2621	U	C2-N3	5.85	1.41	1.37
38	A1	1099	C	C2-N3	-5.85	1.31	1.35
38	A1	2399	C	C4-N4	5.85	1.39	1.33
38	A1	2606	C	N1-C6	5.85	1.40	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2953	U	N1-C6	5.85	1.43	1.38
39	A3	107	G	N9-C8	5.85	1.42	1.37
11	B2	520	G	C8-N7	-5.84	1.27	1.30
11	B2	1259	A	N7-C5	5.84	1.42	1.39
38	A1	290	G	N9-C4	-5.84	1.33	1.38
38	A1	1288	C	C4'-O4'	5.84	1.53	1.45
38	A1	1781	C	C2-O2	5.84	1.29	1.24
38	A1	2148	U	N1-C6	5.84	1.43	1.38
38	A1	2318	G	C2'-C1'	-5.84	1.47	1.53
40	A5	64	ARG	CD-NE	5.84	1.56	1.46
11	B2	19	G	C5-C4	5.84	1.42	1.38
11	B2	228	G	C4'-C3'	-5.84	1.46	1.52
11	B2	349	A	C6-N6	5.84	1.38	1.33
38	A1	392	G	C2-N3	5.84	1.37	1.32
38	A1	926	C	C2-N3	5.84	1.40	1.35
38	A1	3037	G	C5-C4	-5.84	1.34	1.38
38	A1	1671	A	C3'-O3'	5.84	1.50	1.42
38	A1	2369	G	N1-C2	5.84	1.42	1.37
38	A1	2987	U	N1-C6	5.84	1.43	1.38
11	B2	408	C	C4'-O4'	5.84	1.53	1.45
11	B2	494	G	C5-C4	5.84	1.42	1.38
11	B2	535	U	C4'-C3'	5.84	1.59	1.53
11	B2	1107	C	C2-N3	5.84	1.40	1.35
38	A1	57	C	C2-O2	5.84	1.29	1.24
38	A1	584	G	N1-C2	5.84	1.42	1.37
38	A1	1565	G	C4'-O4'	-5.84	1.38	1.45
38	A1	1862	G	C8-N7	-5.84	1.27	1.30
38	A1	2337	G	C8-N7	-5.84	1.27	1.30
38	A1	2401	A	O4'-C1'	5.84	1.49	1.41
38	A1	2579	G	N7-C5	-5.84	1.35	1.39
38	A1	2638	G	C6-N1	5.84	1.43	1.39
11	B2	730	G	C6-N1	5.84	1.43	1.39
38	A1	57	C	O3'-P	5.84	1.68	1.61
38	A1	1420	U	C2'-C1'	-5.84	1.47	1.53
38	A1	2107	G	C5-C6	-5.84	1.36	1.42
38	A1	2596	G	C8-N7	-5.84	1.27	1.30
38	A1	2666	G	C5-C4	5.84	1.42	1.38
11	B2	558	C	O3'-P	-5.84	1.54	1.61
11	B2	684	G	O3'-P	5.84	1.68	1.61
11	B2	1127	A	N9-C4	-5.84	1.34	1.37
30	BR	54	TYR	CG-CD1	5.84	1.46	1.39
38	A1	486	A	P-O5'	-5.84	1.53	1.59

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2273	U	C3'-C2'	-5.84	1.46	1.52
47	Ad	45	GLY	CA-C	-5.84	1.42	1.51
54	AI	12	GLY	N-CA	-5.84	1.37	1.46
62	AO	8	ARG	NE-CZ	5.84	1.40	1.33
11	B2	342	G	C6-N1	5.83	1.43	1.39
11	B2	827	G	C5'-C4'	5.83	1.58	1.51
22	BJ	47	ARG	CZ-NH1	5.83	1.40	1.33
38	A1	1427	A	N3-C4	-5.83	1.31	1.34
38	A1	1573	A	O3'-P	-5.83	1.54	1.61
38	A1	1918	U	C5'-C4'	5.83	1.58	1.51
11	B2	536	A	C3'-C2'	-5.83	1.46	1.52
11	B2	1207	G	C5-C6	5.83	1.48	1.42
14	BB	34	ARG	CZ-NH2	5.83	1.40	1.33
38	A1	242	C	C2'-C1'	-5.83	1.47	1.53
38	A1	270	C	C4-N4	5.83	1.39	1.33
38	A1	1708	U	O3'-P	5.83	1.68	1.61
11	B2	884	G	N3-C4	5.83	1.39	1.35
11	B2	1439	G	C2-N3	5.83	1.37	1.32
15	BC	118	ARG	CZ-NH1	5.83	1.40	1.33
38	A1	423	G	N3-C4	-5.83	1.31	1.35
38	A1	828	G	C8-N7	5.83	1.34	1.30
38	A1	863	C	C4'-C3'	5.83	1.59	1.53
38	A1	1105	C	C4-C5	-5.83	1.38	1.43
38	A1	1885	G	N3-C4	5.83	1.39	1.35
38	A1	2214	U	C4'-C3'	5.83	1.59	1.53
38	A1	2587	G	N7-C5	-5.83	1.35	1.39
11	B2	471	G	C4'-C3'	5.83	1.59	1.53
38	A1	2160	C	N1-C6	5.83	1.40	1.37
38	A1	2340	A	C5-C4	-5.83	1.34	1.38
38	A1	2754	A	C5-C4	5.83	1.42	1.38
11	B2	124	C	N1-C6	5.83	1.40	1.37
11	B2	531	G	C2-N3	5.83	1.37	1.32
11	B2	630	A	C5'-C4'	5.83	1.58	1.51
11	B2	957	A	C6-N1	-5.83	1.31	1.35
11	B2	1297	G	N9-C8	5.83	1.42	1.37
11	B2	1323	A	P-O5'	5.83	1.65	1.59
38	A1	1116	A	C2-N3	-5.83	1.28	1.33
38	A1	1134	A	C6-N1	5.83	1.39	1.35
38	A1	1322	G	C3'-C2'	-5.83	1.46	1.52
38	A1	2479	C	C2-O2	5.83	1.29	1.24
38	A1	2858	C	C4-N4	5.83	1.39	1.33
39	A3	86	C	N3-C4	5.83	1.38	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	229	G	N1-C2	5.83	1.42	1.37
11	B2	1290	U	C2-N3	5.83	1.41	1.37
38	A1	246	A	C5-C6	5.83	1.46	1.41
38	A1	590	A	C6-N6	5.83	1.38	1.33
11	B2	687	G	C2-N2	5.83	1.40	1.34
11	B2	768	A	C4'-C3'	5.83	1.59	1.53
11	B2	1062	G	N9-C4	5.83	1.42	1.38
27	BO	115	TYR	CE2-CZ	5.83	1.46	1.38
38	A1	532	G	C2-N2	5.83	1.40	1.34
38	A1	2553	U	O3'-P	-5.83	1.54	1.61
39	A3	102	G	C5-C6	-5.83	1.36	1.42
52	AH	27	PRO	N-CD	-5.83	1.39	1.47
11	B2	544	C	O3'-P	-5.82	1.54	1.61
11	B2	773	A	C6-N1	5.82	1.39	1.35
11	B2	827	G	N1-C2	5.82	1.42	1.37
11	B2	1160	C	C5'-C4'	5.82	1.58	1.51
38	A1	342	C	C4-C5	-5.82	1.38	1.43
38	A1	390	C	C2-N3	5.82	1.40	1.35
38	A1	615	A	C2'-C1'	-5.82	1.47	1.53
38	A1	942	U	C5-C6	5.82	1.39	1.34
38	A1	1229	U	C3'-C2'	-5.82	1.46	1.52
38	A1	1972	C	N1-C6	5.82	1.40	1.37
38	A1	2010	G	C8-N7	-5.82	1.27	1.30
38	A1	2083	G	C2-N3	5.82	1.37	1.32
38	A1	2688	C	O4'-C1'	5.82	1.49	1.41
11	B2	149	U	O3'-P	-5.82	1.54	1.61
11	B2	321	A	P-O5'	-5.82	1.53	1.59
38	A1	1130	G	N9-C4	5.82	1.42	1.38
38	A1	2991	C	C3'-O3'	5.82	1.50	1.42
11	B2	37	G	O3'-P	-5.82	1.54	1.61
11	B2	81	C	C4-N4	-5.82	1.28	1.33
11	B2	190	C	C4'-C3'	5.82	1.59	1.53
11	B2	536	A	C2'-C1'	-5.82	1.47	1.53
11	B2	793	G	C5-C6	-5.82	1.36	1.42
11	B2	852	G	N9-C8	5.82	1.42	1.37
38	A1	26	G	O3'-P	-5.82	1.54	1.61
38	A1	311	C	C5-C6	-5.82	1.29	1.34
38	A1	1208	A	C2'-C1'	-5.82	1.47	1.53
38	A1	1280	C	C2'-C1'	-5.82	1.47	1.53
38	A1	2419	U	C4-C5	-5.82	1.38	1.43
38	A1	2615	U	C1'-N1	5.82	1.57	1.48
38	A1	2987	U	O4'-C1'	-5.82	1.34	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	562	A	C6-N1	5.82	1.39	1.35
38	A1	338	A	N9-C8	5.82	1.42	1.37
38	A1	2384	G	P-O5'	5.82	1.65	1.59
11	B2	215	C	C4-N4	5.82	1.39	1.33
11	B2	232	G	C2-N3	5.82	1.37	1.32
11	B2	615	G	O4'-C1'	-5.82	1.34	1.41
11	B2	936	A	C2'-C1'	-5.82	1.47	1.53
11	B2	1321	U	C1'-N1	5.82	1.57	1.48
11	B2	1359	C	C1'-N1	5.82	1.57	1.48
38	A1	122	G	N3-C4	-5.82	1.31	1.35
38	A1	379	U	C4-C5	-5.82	1.38	1.43
38	A1	567	G	C2-N3	5.82	1.37	1.32
38	A1	954	A	C6-N1	5.82	1.39	1.35
38	A1	1247	U	C4-O4	-5.82	1.19	1.23
38	A1	1281	A	P-O5'	5.82	1.65	1.59
38	A1	1287	G	C8-N7	-5.82	1.27	1.30
38	A1	1302	G	N9-C8	5.82	1.42	1.37
38	A1	1589	G	C2-N3	5.82	1.37	1.32
38	A1	2593	A	C6-N6	5.82	1.38	1.33
8	AW	22	ARG	CD-NE	5.82	1.56	1.46
11	B2	120	C	C4-N4	5.82	1.39	1.33
11	B2	525	A	C6-N6	5.82	1.38	1.33
11	B2	1122	C	N1-C6	5.82	1.40	1.37
11	B2	1213	G	N7-C5	-5.82	1.35	1.39
38	A1	31	G	C6-N1	5.82	1.43	1.39
38	A1	1233	U	C4-C5	-5.82	1.38	1.43
38	A1	1616	A	C6-N6	5.82	1.38	1.33
38	A1	1662	C	N1-C6	5.82	1.40	1.37
38	A1	1800	G	N7-C5	-5.82	1.35	1.39
38	A1	2114	C	C5-C6	5.82	1.39	1.34
38	A1	2745	G	C3'-C2'	-5.82	1.46	1.52
38	A1	338	A	C6-N6	5.81	1.38	1.33
38	A1	2988	A	N9-C4	5.81	1.41	1.37
11	B2	115	A	C6-N6	5.81	1.38	1.33
11	B2	133	G	C5'-C4'	5.81	1.58	1.51
11	B2	230	C	C4-N4	5.81	1.39	1.33
11	B2	671	C	C5-C6	5.81	1.39	1.34
38	A1	178	G	C6-O6	5.81	1.29	1.24
38	A1	1205	U	P-O5'	-5.81	1.53	1.59
38	A1	1927	C	N3-C4	5.81	1.38	1.33
38	A1	2209	U	C4'-C3'	5.81	1.59	1.53
38	A1	2651	G	C5'-C4'	5.81	1.58	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2694	C	C1'-N1	5.81	1.57	1.48
38	A1	2817	U	N3-C4	5.81	1.43	1.38
38	A1	3019	C	N3-C4	5.81	1.38	1.33
46	AD	124	TYR	CD2-CE2	5.81	1.48	1.39
66	AY	71	ARG	CD-NE	5.81	1.56	1.46
4	AQ	117	ARG	CZ-NH2	5.81	1.40	1.33
11	B2	1064	C	C4-C5	-5.81	1.38	1.43
11	B2	1118	C	N3-C4	5.81	1.38	1.33
11	B2	1127	A	C6-N1	5.81	1.39	1.35
38	A1	217	A	C6-N6	5.81	1.38	1.33
38	A1	389	C	C5-C6	-5.81	1.29	1.34
38	A1	630	G	N7-C5	-5.81	1.35	1.39
38	A1	2363	G	C2-N2	5.81	1.40	1.34
11	B2	846	G	O3'-P	-5.81	1.54	1.61
38	A1	29	U	N3-C4	5.81	1.43	1.38
38	A1	290	G	N7-C5	-5.81	1.35	1.39
38	A1	378	G	C5-C4	5.81	1.42	1.38
38	A1	390	C	C4-C5	5.81	1.47	1.43
38	A1	818	A	N3-C4	-5.81	1.31	1.34
38	A1	895	C	N1-C6	5.81	1.40	1.37
38	A1	1263	C	C5-C6	5.81	1.39	1.34
38	A1	1351	G	C1'-N9	5.81	1.57	1.48
38	A1	1353	A	C4'-C3'	5.81	1.59	1.53
38	A1	1926	A	N9-C8	-5.81	1.33	1.37
38	A1	2423	G	C2-N2	5.81	1.40	1.34
43	AB	5	LEU	N-CA	-5.81	1.34	1.46
45	AC	28	ARG	NE-CZ	5.81	1.40	1.33
9	AX	413	ARG	CZ-NH2	5.81	1.40	1.33
11	B2	199	A	C6-N1	5.81	1.39	1.35
38	A1	185	A	C6-N1	5.81	1.39	1.35
38	A1	744	G	N9-C8	5.81	1.42	1.37
38	A1	772	G	C8-N7	-5.81	1.27	1.30
38	A1	1943	C	N3-C4	5.81	1.38	1.33
38	A1	1983	C	C2-N3	5.81	1.40	1.35
38	A1	2048	C	N3-C4	5.81	1.38	1.33
39	A3	97	G	C8-N7	5.81	1.34	1.30
11	B2	715	C	C4-C5	-5.81	1.38	1.43
11	B2	992	G	C5-C6	-5.81	1.36	1.42
38	A1	662	A	P-O5'	5.81	1.65	1.59
38	A1	721	G	O4'-C1'	5.81	1.49	1.41
38	A1	1360	G	C4'-O4'	5.81	1.53	1.45
38	A1	2087	U	O3'-P	-5.81	1.54	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2089	C	C4'-C3'	-5.81	1.46	1.52
38	A1	2526	G	C6-N1	5.81	1.43	1.39
11	B2	23	G	P-O5'	5.80	1.65	1.59
11	B2	683	A	C4'-C3'	5.80	1.59	1.53
11	B2	1302	C	C5'-C4'	5.80	1.58	1.51
38	A1	373	G	C5-C6	5.80	1.48	1.42
38	A1	1300	C	P-O5'	-5.80	1.53	1.59
38	A1	2177	A	O3'-P	-5.80	1.54	1.61
38	A1	2374	C	C2'-C1'	-5.80	1.47	1.53
38	A1	2449	A	O3'-P	-5.80	1.54	1.61
11	B2	680	C	C2'-O2'	-5.80	1.34	1.41
11	B2	834	C	C2-O2	5.80	1.29	1.24
38	A1	1082	A	C2'-C1'	-5.80	1.47	1.53
38	A1	1465	A	N3-C4	-5.80	1.31	1.34
40	A5	45	ARG	CZ-NH2	5.80	1.40	1.33
11	B2	710	G	N9-C4	5.80	1.42	1.38
11	B2	949	G	C5'-C4'	5.80	1.58	1.51
11	B2	1058	G	C5-C4	-5.80	1.34	1.38
11	B2	1069	G	C6-N1	5.80	1.43	1.39
11	B2	1431	C	C5'-C4'	5.80	1.58	1.51
38	A1	323	U	N1-C2	5.80	1.43	1.38
38	A1	1016	C	O3'-P	-5.80	1.54	1.61
38	A1	1575	G	N9-C8	-5.80	1.33	1.37
38	A1	2262	C	C4'-O4'	-5.80	1.38	1.45
39	A3	26	C	O3'-P	-5.80	1.54	1.61
39	A3	41	A	N7-C5	-5.80	1.35	1.39
62	AO	30	SER	C-N	5.80	1.43	1.33
11	B2	278	A	C3'-C2'	5.80	1.59	1.52
11	B2	526	A	C8-N7	-5.80	1.27	1.31
11	B2	950	C	N1-C6	5.80	1.40	1.37
11	B2	996	A	C5-C4	5.80	1.42	1.38
11	B2	1185	A	C5'-C4'	5.80	1.58	1.51
11	B2	1493	C	C4-N4	5.80	1.39	1.33
38	A1	766	G	O3'-P	-5.80	1.54	1.61
38	A1	1470	C	C3'-O3'	-5.80	1.34	1.42
38	A1	1655	G	C5'-C4'	5.80	1.58	1.51
38	A1	1825	G	C2-N2	5.80	1.40	1.34
38	A1	3012	C	O3'-P	-5.80	1.54	1.61
38	A1	373	G	C2'-C1'	-5.80	1.47	1.53
38	A1	378	G	N9-C8	-5.80	1.33	1.37
38	A1	610	C	C4'-C3'	5.80	1.59	1.53
38	A1	1525	G	N3-C4	-5.80	1.31	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2052	A	N9-C4	-5.80	1.34	1.37
11	B2	108	G	C2'-O2'	-5.80	1.34	1.41
11	B2	204	G	N7-C5	-5.80	1.35	1.39
11	B2	834	C	C2'-O2'	5.80	1.49	1.41
11	B2	836	G	C2-N3	5.80	1.37	1.32
11	B2	1166	G	C3'-C2'	-5.80	1.46	1.52
11	B2	1272	G	N7-C5	-5.80	1.35	1.39
38	A1	38	U	C2'-C1'	-5.80	1.47	1.53
38	A1	555	G	N9-C4	-5.80	1.33	1.38
38	A1	1451	A	C2'-C1'	-5.80	1.47	1.53
38	A1	1463	C	C4-N4	5.80	1.39	1.33
38	A1	1933	U	P-O5'	-5.80	1.53	1.59
38	A1	2282	G	N7-C5	-5.80	1.35	1.39
47	Ad	85	ARG	CD-NE	5.80	1.56	1.46
38	A1	1426	G	N7-C5	-5.79	1.35	1.39
11	B2	96	G	C2-N3	5.79	1.37	1.32
11	B2	632	C	N3-C4	5.79	1.38	1.33
11	B2	688	C	P-O5'	-5.79	1.53	1.59
11	B2	1130	A	N7-C5	5.79	1.42	1.39
38	A1	107	G	C5-C6	-5.79	1.36	1.42
38	A1	126	U	C2-O2	5.79	1.27	1.22
38	A1	172	C	C3'-O3'	5.79	1.50	1.42
38	A1	328	G	C2-N3	5.79	1.37	1.32
38	A1	651	C	C2'-C1'	-5.79	1.47	1.53
38	A1	990	G	C3'-C2'	5.79	1.59	1.52
38	A1	1170	G	C2-N3	5.79	1.37	1.32
38	A1	1651	A	N1-C2	-5.79	1.29	1.34
38	A1	1695	G	C2-N3	5.79	1.37	1.32
38	A1	2319	C	C2-N3	5.79	1.40	1.35
38	A1	2651	G	C5-C4	5.79	1.42	1.38
38	A1	2839	A	C6-N6	-5.79	1.29	1.33
38	A1	2877	A	C5-C6	-5.79	1.35	1.41
38	A1	2951	G	O3'-P	-5.79	1.54	1.61
46	AD	91	ARG	CZ-NH1	5.79	1.40	1.33
7	AU	28	SER	CA-CB	5.79	1.61	1.52
11	B2	7	G	C2-N3	5.79	1.37	1.32
11	B2	640	U	N1-C6	5.79	1.43	1.38
11	B2	1133	C	C5'-C4'	5.79	1.58	1.51
11	B2	1352	G	C8-N7	5.79	1.34	1.30
11	B2	1441	G	C2-N3	5.79	1.37	1.32
30	BR	113	ARG	NE-CZ	5.79	1.40	1.33
38	A1	363	G	C5-C4	5.79	1.42	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	977	C	N3-C4	5.79	1.38	1.33
38	A1	1469	U	C1'-N1	5.79	1.57	1.48
38	A1	1638	C	O4'-C1'	5.79	1.49	1.41
38	A1	2576	C	C3'-C2'	-5.79	1.46	1.52
38	A1	2761	G	C2-N2	5.79	1.40	1.34
46	AD	111	ARG	CZ-NH2	5.79	1.40	1.33
12	AG	77	TYR	CG-CD1	5.79	1.46	1.39
58	Ak	151	ARG	NE-CZ	5.79	1.40	1.33
28	BP	9	ARG	CZ-NH2	5.79	1.40	1.33
38	A1	128	C	C4'-C3'	5.79	1.59	1.53
38	A1	271	G	C1'-N9	-5.79	1.38	1.46
38	A1	1402	C	P-O5'	5.79	1.65	1.59
38	A1	2424	A	N1-C2	5.79	1.39	1.34
10	B1	3	G	C5'-C4'	5.79	1.58	1.51
11	B2	55	G	C5-C4	5.79	1.42	1.38
11	B2	593	G	N1-C2	5.79	1.42	1.37
38	A1	95	G	N9-C8	5.79	1.42	1.37
38	A1	328	G	N9-C8	5.79	1.42	1.37
38	A1	383	C	N3-C4	5.79	1.38	1.33
38	A1	1296	A	N9-C8	-5.79	1.33	1.37
38	A1	1753	G	C5-C4	5.79	1.42	1.38
38	A1	1987	A	P-O5'	-5.79	1.53	1.59
38	A1	1999	G	N1-C2	5.79	1.42	1.37
38	A1	2316	U	C2-O2	5.79	1.27	1.22
38	A1	2331	A	C2-N3	5.79	1.38	1.33
38	A1	2467	C	N3-C4	5.79	1.38	1.33
38	A1	2648	C	C4-N4	5.79	1.39	1.33
11	B2	682	A	C2-N3	5.79	1.38	1.33
11	B2	1121	C	C5-C6	-5.79	1.29	1.34
24	BL	44	ARG	CZ-NH1	5.79	1.40	1.33
38	A1	13	U	C4-C5	-5.79	1.38	1.43
38	A1	1329	G	C4'-O4'	5.79	1.53	1.45
38	A1	1807	G	C2-N3	5.79	1.37	1.32
39	A3	28	C	N3-C4	5.79	1.38	1.33
5	AS	65	ARG	NE-CZ	5.79	1.40	1.33
11	B2	322	G	C2-N2	5.79	1.40	1.34
11	B2	582	G	C8-N7	-5.79	1.27	1.30
11	B2	1004	U	C5-C6	-5.79	1.28	1.34
11	B2	1332	C	O3'-P	-5.79	1.54	1.61
11	B2	1371	C	O4'-C1'	5.79	1.49	1.41
38	A1	43	G	C8-N7	-5.79	1.27	1.30
38	A1	860	A	C2'-C1'	-5.79	1.47	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1246	G	C8-N7	-5.79	1.27	1.30
38	A1	1478	G	C2'-C1'	-5.79	1.47	1.53
38	A1	1985	G	C4'-O4'	5.79	1.53	1.45
38	A1	2055	U	O4'-C1'	5.79	1.49	1.41
38	A1	2615	U	C2'-C1'	-5.79	1.47	1.53
11	B2	1291	G	N7-C5	-5.78	1.35	1.39
38	A1	107	G	O3'-P	-5.78	1.54	1.61
38	A1	507	G	O3'-P	-5.78	1.54	1.61
38	A1	741	G	C4'-C3'	5.78	1.59	1.53
38	A1	942	U	C1'-N1	5.78	1.57	1.48
38	A1	1592	U	C4-C5	5.78	1.48	1.43
38	A1	1612	G	C5-C6	5.78	1.48	1.42
38	A1	2126	G	C8-N7	-5.78	1.27	1.30
38	A1	2341	G	C2'-C1'	-5.78	1.47	1.53
38	A1	2502	C	C4'-O4'	5.78	1.53	1.45
38	A1	2998	G	C6-O6	-5.78	1.19	1.24
38	A1	3032	C	P-O5'	-5.78	1.53	1.59
11	B2	76	U	N3-C4	5.78	1.43	1.38
11	B2	355	C	O3'-P	-5.78	1.54	1.61
11	B2	399	A	C5-C4	5.78	1.42	1.38
11	B2	863	U	P-O5'	-5.78	1.53	1.59
38	A1	232	U	C2'-C1'	5.78	1.59	1.53
38	A1	301	G	N1-C2	5.78	1.42	1.37
38	A1	403	G	C5'-C4'	5.78	1.58	1.51
38	A1	598	C	C5-C6	-5.78	1.29	1.34
38	A1	1394	G	C5-C4	5.78	1.42	1.38
41	AA	5	ARG	CZ-NH2	5.78	1.40	1.33
10	B1	29	C	C4'-O4'	5.78	1.53	1.45
11	B2	258	A	C3'-C2'	5.78	1.59	1.52
11	B2	946	G	C2-N2	5.78	1.40	1.34
11	B2	1474	A	N7-C5	-5.78	1.35	1.39
27	BO	76	ARG	CZ-NH2	5.78	1.40	1.33
38	A1	566	G	C5-C4	5.78	1.42	1.38
38	A1	1501	G	C5-C6	-5.78	1.36	1.42
38	A1	1542	U	N3-C4	5.78	1.43	1.38
38	A1	2105	A	N3-C4	5.78	1.38	1.34
38	A1	2949	G	C6-N1	5.78	1.43	1.39
11	B2	460	C	N1-C6	-5.78	1.33	1.37
11	B2	710	G	C2-N2	5.78	1.40	1.34
38	A1	276	G	C3'-C2'	5.78	1.59	1.52
38	A1	638	A	C5'-C4'	5.78	1.58	1.51
38	A1	1011	A	C6-N6	5.78	1.38	1.33

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1090	G	C5-C6	-5.78	1.36	1.42
38	A1	1180	G	P-O5'	-5.78	1.53	1.59
38	A1	1653	U	C3'-C2'	-5.78	1.46	1.52
38	A1	2679	A	P-O5'	-5.78	1.53	1.59
10	B1	35	G	N9-C8	-5.78	1.33	1.37
11	B2	68	G	N1-C2	5.78	1.42	1.37
11	B2	1015	C	C5-C6	-5.78	1.29	1.34
38	A1	312	G	N3-C4	-5.78	1.31	1.35
38	A1	1227	A	C2'-C1'	-5.78	1.47	1.53
38	A1	1273	C	O3'-P	-5.78	1.54	1.61
38	A1	1273	C	N1-C6	-5.78	1.33	1.37
38	A1	1276	G	N9-C8	5.78	1.41	1.37
38	A1	1359	C	P-O5'	-5.78	1.53	1.59
38	A1	1698	G	C2-N3	5.78	1.37	1.32
38	A1	2101	A	C6-N6	5.78	1.38	1.33
38	A1	2132	C	C3'-O3'	5.78	1.50	1.42
38	A1	2267	U	C2-N3	5.78	1.41	1.37
11	B2	132	G	N1-C2	5.78	1.42	1.37
11	B2	864	G	N9-C8	5.78	1.41	1.37
38	A1	647	G	O4'-C1'	5.78	1.49	1.41
38	A1	738	C	C4'-C3'	5.78	1.59	1.53
38	A1	1613	A	C6-N1	5.78	1.39	1.35
38	A1	1912	A	N9-C8	5.78	1.42	1.37
38	A1	2808	C	N3-C4	5.78	1.38	1.33
38	A1	2975	A	C6-N1	5.78	1.39	1.35
11	B2	1258	C	N1-C2	5.77	1.46	1.40
19	BG	108	ARG	CZ-NH2	5.77	1.40	1.33
38	A1	708	A	C2-N3	5.77	1.38	1.33
38	A1	942	U	N1-C2	5.77	1.43	1.38
38	A1	1870	G	C8-N7	-5.77	1.27	1.30
4	AQ	60	ARG	CD-NE	5.77	1.56	1.46
11	B2	801	A	C2-N3	5.77	1.38	1.33
11	B2	1058	G	P-O5'	-5.77	1.53	1.59
11	B2	1377	G	C2-N2	-5.77	1.28	1.34
43	AB	25	ARG	CZ-NH2	5.77	1.40	1.33
11	B2	1195	U	C4-O4	5.77	1.28	1.23
11	B2	1426	C	N1-C2	5.77	1.46	1.40
38	A1	392	G	N1-C2	5.77	1.42	1.37
38	A1	2882	G	N7-C5	-5.77	1.35	1.39
11	B2	168	G	N7-C5	5.77	1.42	1.39
11	B2	567	A	C5-C6	-5.77	1.35	1.41
11	B2	627	G	O5'-C5'	5.77	1.53	1.44

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	942	A	C5-C4	5.77	1.42	1.38
38	A1	192	U	C2'-C1'	-5.77	1.47	1.53
38	A1	804	C	O3'-P	-5.77	1.54	1.61
38	A1	1419	G	C2-N3	5.77	1.37	1.32
38	A1	1952	G	O4'-C1'	-5.77	1.34	1.41
38	A1	2333	G	C2'-C1'	-5.77	1.47	1.53
38	A1	2612	A	C5-C4	5.77	1.42	1.38
38	A1	2715	A	C6-N1	5.77	1.39	1.35
38	A1	2761	G	C3'-O3'	5.77	1.50	1.42
38	A1	2945	A	C6-N1	5.77	1.39	1.35
38	A1	3026	C	C4-C5	5.77	1.47	1.43
9	AX	9	GLU	CG-CD	5.77	1.60	1.51
11	B2	433	U	N3-C4	5.77	1.43	1.38
11	B2	852	G	C6-N1	5.77	1.43	1.39
11	B2	985	C	C4-C5	-5.77	1.38	1.43
11	B2	1108	U	C2-N3	5.77	1.41	1.37
38	A1	394	A	P-O5'	5.77	1.65	1.59
38	A1	773	U	O4'-C1'	-5.77	1.34	1.41
38	A1	946	U	C4'-C3'	5.77	1.59	1.53
38	A1	1111	G	C6-N1	5.77	1.43	1.39
38	A1	1212	A	C6-N1	5.77	1.39	1.35
38	A1	2111	C	N3-C4	5.77	1.38	1.33
38	A1	2234	C	O4'-C1'	5.77	1.49	1.41
38	A1	2663	G	O3'-P	-5.77	1.54	1.61
38	A1	2736	G	C2'-C1'	-5.77	1.47	1.53
38	A1	3012	C	C2-O2	5.77	1.29	1.24
11	B2	354	G	C2-N3	5.77	1.37	1.32
38	A1	785	C	C4-N4	5.76	1.39	1.33
38	A1	1039	C	C4-N4	5.76	1.39	1.33
38	A1	1213	G	C8-N7	-5.76	1.27	1.30
38	A1	1918	U	C2-N3	5.76	1.41	1.37
38	A1	2447	A	C6-N1	5.76	1.39	1.35
39	A3	25	A	N9-C8	-5.76	1.33	1.37
39	A3	89	G	C8-N7	5.76	1.34	1.30
11	B2	596	A	C2-N3	5.76	1.38	1.33
11	B2	739	G	C3'-O3'	5.76	1.50	1.42
11	B2	775	G	N9-C8	5.76	1.41	1.37
11	B2	1456	C	C5'-C4'	5.76	1.58	1.51
38	A1	1537	U	P-O5'	-5.76	1.53	1.59
38	A1	2292	A	C2-N3	5.76	1.38	1.33
39	A3	92	G	N9-C8	5.76	1.41	1.37
11	B2	608	G	C1'-N9	5.76	1.57	1.48

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	636	G	C2'-C1'	-5.76	1.47	1.53
11	B2	1058	G	C2-N2	5.76	1.40	1.34
38	A1	81	G	C5'-C4'	5.76	1.58	1.51
38	A1	637	G	N1-C2	5.76	1.42	1.37
38	A1	1243	C	C4-N4	5.76	1.39	1.33
38	A1	1775	G	N1-C2	5.76	1.42	1.37
38	A1	1873	G	N3-C4	-5.76	1.31	1.35
38	A1	1911	G	O4'-C1'	5.76	1.49	1.41
38	A1	2152	G	C6-N1	5.76	1.43	1.39
38	A1	2615	U	C2-N3	5.76	1.41	1.37
11	B2	34	G	C2-N3	5.76	1.37	1.32
11	B2	51	A	N9-C8	5.76	1.42	1.37
38	A1	362	A	C6-N6	5.76	1.38	1.33
38	A1	1746	C	C1'-N1	5.76	1.57	1.48
38	A1	1769	G	C4'-O4'	-5.76	1.38	1.45
38	A1	2340	A	C8-N7	-5.76	1.27	1.31
38	A1	2439	G	C5-C4	5.76	1.42	1.38
38	A1	2459	G	C2-N2	5.76	1.40	1.34
11	B2	1200	U	O3'-P	-5.76	1.54	1.61
38	A1	16	G	N3-C4	-5.76	1.31	1.35
38	A1	585	G	C3'-C2'	-5.76	1.46	1.52
38	A1	1285	C	C4-N4	5.76	1.39	1.33
38	A1	1673	C	N1-C6	5.76	1.40	1.37
5	AS	131	ARG	NE-CZ	5.76	1.40	1.33
38	A1	256	G	N9-C8	5.76	1.41	1.37
38	A1	495	U	N1-C2	5.76	1.43	1.38
38	A1	848	A	N3-C4	-5.76	1.31	1.34
38	A1	1062	C	N3-C4	5.76	1.38	1.33
38	A1	1304	G	N9-C4	-5.76	1.33	1.38
38	A1	1788	G	C5-C4	5.76	1.42	1.38
38	A1	1851	U	C5'-C4'	5.76	1.58	1.51
38	A1	2098	C	C5'-C4'	5.76	1.58	1.51
38	A1	2451	G	N1-C2	5.76	1.42	1.37
38	A1	2750	C	C3'-O3'	5.76	1.50	1.42
63	AP	99	GLU	CB-CG	5.76	1.63	1.52
11	B2	741	A	N9-C4	-5.75	1.34	1.37
11	B2	1199	A	C6-N6	5.75	1.38	1.33
38	A1	314	A	C8-N7	5.75	1.35	1.31
38	A1	1145	G	N3-C4	5.75	1.39	1.35
38	A1	2670	U	C5'-C4'	5.75	1.58	1.51
11	B2	364	U	C2'-C1'	-5.75	1.47	1.53
11	B2	684	G	C3'-C2'	5.75	1.59	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	730	G	O3'-P	-5.75	1.54	1.61
11	B2	875	G	P-O5'	-5.75	1.53	1.59
11	B2	903	G	C2-N3	5.75	1.37	1.32
11	B2	951	G	C2-N3	5.75	1.37	1.32
11	B2	1039	C	C4-C5	-5.75	1.38	1.43
38	A1	45	G	C6-N1	5.75	1.43	1.39
38	A1	413	A	C4'-O4'	-5.75	1.38	1.45
38	A1	762	G	C3'-O3'	-5.75	1.34	1.42
38	A1	905	G	N7-C5	-5.75	1.35	1.39
38	A1	1056	C	C5'-C4'	5.75	1.58	1.51
38	A1	1061	G	C5-C6	-5.75	1.36	1.42
38	A1	1725	A	C8-N7	5.75	1.35	1.31
38	A1	2019	C	O3'-P	-5.75	1.54	1.61
38	A1	2537	G	N1-C2	5.75	1.42	1.37
38	A1	2674	C	O4'-C1'	5.75	1.49	1.41
10	B1	74	A	N1-C2	-5.75	1.29	1.34
11	B2	162	C	P-O5'	-5.75	1.53	1.59
11	B2	239	A	C6-N6	-5.75	1.29	1.33
11	B2	482	G	C5-C4	-5.75	1.34	1.38
11	B2	885	G	P-O5'	-5.75	1.53	1.59
11	B2	1151	A	C6-N6	5.75	1.38	1.33
11	B2	1328	G	C2'-C1'	-5.75	1.47	1.53
11	B2	1366	U	O3'-P	-5.75	1.54	1.61
38	A1	528	G	N1-C2	5.75	1.42	1.37
38	A1	620	G	N3-C4	-5.75	1.31	1.35
38	A1	1017	A	C2'-C1'	-5.75	1.47	1.53
38	A1	1291	C	C1'-N1	5.75	1.57	1.48
38	A1	1301	G	O3'-P	-5.75	1.54	1.61
38	A1	1824	G	C2-N3	5.75	1.37	1.32
38	A1	2249	A	N1-C2	5.75	1.39	1.34
38	A1	2760	A	C3'-C2'	5.75	1.59	1.52
38	A1	2854	A	C8-N7	-5.75	1.27	1.31
51	Ag	3	ARG	CZ-NH1	5.75	1.40	1.33
11	B2	427	G	C2'-C1'	-5.75	1.47	1.53
11	B2	935	G	N1-C2	5.75	1.42	1.37
11	B2	812	U	N1-C6	5.75	1.43	1.38
11	B2	869	U	C3'-O3'	5.75	1.50	1.42
11	B2	1080	C	C2-O2	-5.75	1.19	1.24
11	B2	1335	A	P-O5'	5.75	1.65	1.59
38	A1	213	G	C2-N3	5.75	1.37	1.32
38	A1	382	G	N7-C5	-5.75	1.35	1.39
38	A1	571	G	O3'-P	-5.75	1.54	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	892	U	C2'-C1'	-5.75	1.47	1.53
38	A1	1670	A	C6-N6	5.75	1.38	1.33
38	A1	2069	G	C3'-C2'	-5.75	1.46	1.52
38	A1	2224	G	C6-N1	5.75	1.43	1.39
38	A1	2361	C	C4-C5	5.75	1.47	1.43
38	A1	3002	A	N9-C8	5.75	1.42	1.37
11	B2	625	G	C3'-O3'	5.75	1.50	1.42
11	B2	669	A	N1-C2	5.75	1.39	1.34
11	B2	773	A	C3'-O3'	5.75	1.50	1.42
38	A1	193	A	N7-C5	-5.75	1.35	1.39
38	A1	294	U	C2'-C1'	-5.75	1.47	1.53
38	A1	2158	G	N3-C4	5.75	1.39	1.35
9	AX	107	PHE	CE2-CZ	5.75	1.48	1.37
11	B2	594	A	C3'-C2'	-5.75	1.46	1.52
11	B2	1203	G	C3'-O3'	5.75	1.50	1.42
38	A1	65	G	C8-N7	-5.75	1.27	1.30
38	A1	1283	G	C2-N3	5.75	1.37	1.32
38	A1	1661	A	N9-C8	5.75	1.42	1.37
38	A1	2440	C	C4-C5	5.75	1.47	1.43
38	A1	2520	C	N3-C4	5.75	1.38	1.33
11	B2	100	A	C3'-C2'	-5.74	1.46	1.52
11	B2	121	C	C5'-C4'	5.74	1.58	1.51
11	B2	314	G	P-O5'	-5.74	1.54	1.59
11	B2	351	C	C4'-O4'	5.74	1.53	1.45
11	B2	787	U	N3-C4	5.74	1.43	1.38
11	B2	1273	G	N1-C2	5.74	1.42	1.37
20	BH	145	ARG	CZ-NH2	5.74	1.40	1.33
21	BI	128	TYR	CG-CD1	5.74	1.46	1.39
38	A1	443	C	N3-C4	5.74	1.38	1.33
38	A1	1112	G	O3'-P	-5.74	1.54	1.61
38	A1	1250	A	C5-C4	5.74	1.42	1.38
38	A1	2037	A	C6-N1	5.74	1.39	1.35
38	A1	2176	G	C4'-O4'	5.74	1.53	1.45
38	A1	2864	G	C6-N1	5.74	1.43	1.39
38	A1	2968	G	C3'-O3'	5.74	1.50	1.42
38	A1	3005	C	N1-C6	5.74	1.40	1.37
39	A3	43	C	C1'-N1	5.74	1.57	1.48
39	A3	96	C	O4'-C1'	5.74	1.49	1.41
11	B2	11	A	N3-C4	-5.74	1.31	1.34
11	B2	921	G	C2'-C1'	-5.74	1.47	1.53
38	A1	1445	G	N9-C4	5.74	1.42	1.38
38	A1	2570	A	C6-N6	5.74	1.38	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2965	C	N1-C6	5.74	1.40	1.37
10	B1	32	A	C2-N3	5.74	1.38	1.33
11	B2	363	C	N1-C6	-5.74	1.33	1.37
11	B2	594	A	O4'-C1'	5.74	1.49	1.41
11	B2	733	C	C4'-C3'	5.74	1.59	1.53
11	B2	793	G	N7-C5	5.74	1.42	1.39
11	B2	829	U	P-O5'	-5.74	1.54	1.59
38	A1	26	G	P-O5'	5.74	1.65	1.59
38	A1	914	U	P-O5'	-5.74	1.54	1.59
38	A1	1123	A	C6-N6	5.74	1.38	1.33
38	A1	1612	G	N7-C5	-5.74	1.35	1.39
38	A1	2706	C	C1'-N1	5.74	1.57	1.48
11	B2	193	G	N3-C4	-5.74	1.31	1.35
11	B2	534	G	C3'-C2'	-5.74	1.46	1.52
11	B2	811	G	N3-C4	5.74	1.39	1.35
11	B2	1133	C	C4'-O4'	5.74	1.53	1.45
11	B2	1141	G	C5-C4	-5.74	1.34	1.38
11	B2	1409	G	C5-C6	5.74	1.48	1.42
12	B3	108	ARG	CZ-NH2	5.74	1.40	1.33
38	A1	266	A	N3-C4	-5.74	1.31	1.34
38	A1	1671	A	C5-C4	-5.74	1.34	1.38
38	A1	1774	A	C6-N1	-5.74	1.31	1.35
38	A1	1912	A	N3-C4	-5.74	1.31	1.34
38	A1	2026	C	N1-C6	5.74	1.40	1.37
38	A1	2173	U	C4'-O4'	5.74	1.53	1.45
38	A1	2806	A	C6-N1	5.74	1.39	1.35
3	Af	33	ARG	CD-NE	5.74	1.56	1.46
11	B2	854	C	C5'-C4'	5.74	1.58	1.51
11	B2	966	G	N9-C4	-5.74	1.33	1.38
11	B2	1142	G	C8-N7	5.74	1.34	1.30
38	A1	679	U	N3-C4	5.74	1.43	1.38
38	A1	1018	G	C4'-O4'	-5.74	1.38	1.45
38	A1	2976	G	C5-C4	5.74	1.42	1.38
38	A1	2986	G	C2-N3	5.74	1.37	1.32
10	B1	34	U	C2-N3	5.74	1.41	1.37
10	B1	40	U	N1-C6	5.74	1.43	1.38
11	B2	205	C	C2-N3	5.74	1.40	1.35
11	B2	328	G	N9-C8	-5.74	1.33	1.37
11	B2	1013	G	C8-N7	-5.74	1.27	1.30
38	A1	109	G	C5-C6	5.74	1.48	1.42
38	A1	1460	C	O3'-P	-5.74	1.54	1.61
38	A1	1637	C	C4-N4	5.74	1.39	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1655	G	C4'-C3'	5.74	1.59	1.53
39	A3	106	G	C2'-C1'	-5.73	1.47	1.53
11	B2	215	C	C4'-C3'	-5.73	1.46	1.52
11	B2	420	C	C2-N3	5.73	1.40	1.35
11	B2	558	C	C4'-C3'	-5.73	1.46	1.52
11	B2	960	A	C6-N1	5.73	1.39	1.35
38	A1	16	G	N7-C5	5.73	1.42	1.39
38	A1	834	G	C6-N1	5.73	1.43	1.39
38	A1	1380	G	C6-N1	-5.73	1.35	1.39
38	A1	1427	A	C5-C4	5.73	1.42	1.38
38	A1	1533	G	N9-C4	5.73	1.42	1.38
38	A1	2109	C	C2-N3	5.73	1.40	1.35
38	A1	2122	G	C4'-C3'	5.73	1.59	1.53
38	A1	2305	U	C2-N3	5.73	1.41	1.37
38	A1	2358	U	C4-O4	-5.73	1.19	1.23
38	A1	2481	G	C2-N3	5.73	1.37	1.32
38	A1	2493	A	C3'-C2'	5.73	1.59	1.52
38	A1	2497	G	P-O5'	5.73	1.65	1.59
38	A1	2549	A	C2-N3	5.73	1.38	1.33
38	A1	2983	G	N9-C4	5.73	1.42	1.38
11	B2	209	A	C5-C6	-5.73	1.35	1.41
11	B2	806	G	O5'-C5'	-5.73	1.33	1.42
38	A1	448	A	P-O5'	-5.73	1.54	1.59
38	A1	906	G	C5'-C4'	5.73	1.58	1.51
38	A1	2456	C	N3-C4	5.73	1.38	1.33
11	B2	25	C	P-O5'	-5.73	1.54	1.59
38	A1	340	G	C4'-C3'	-5.73	1.46	1.52
38	A1	2477	G	C8-N7	5.73	1.34	1.30
38	A1	2881	G	C4'-C3'	-5.73	1.46	1.52
11	B2	428	G	N9-C8	5.73	1.41	1.37
11	B2	874	G	N1-C2	5.73	1.42	1.37
38	A1	270	C	N3-C4	5.73	1.38	1.33
38	A1	723	A	C2'-C1'	-5.73	1.47	1.53
38	A1	934	G	N9-C4	-5.73	1.33	1.38
38	A1	1821	C	C2-N3	5.73	1.40	1.35
53	Ah	17	ARG	NE-CZ	5.73	1.40	1.33
11	B2	382	G	C2-N2	5.73	1.40	1.34
11	B2	1449	G	C2-N3	5.73	1.37	1.32
14	BB	51	ARG	CD-NE	5.73	1.56	1.46
10	B1	23	G	O3'-P	5.72	1.68	1.61
11	B2	1425	C	N3-C4	5.72	1.38	1.33
38	A1	781	C	N1-C6	5.72	1.40	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1127	C	C1'-N1	5.72	1.57	1.48
38	A1	2854	A	N9-C4	5.72	1.41	1.37
38	A1	2994	G	N9-C8	5.72	1.41	1.37
11	B2	242	A	C5-C4	5.72	1.42	1.38
11	B2	385	A	N9-C4	-5.72	1.34	1.37
11	B2	396	C	C2'-C1'	-5.72	1.47	1.53
11	B2	998	A	N3-C4	-5.72	1.31	1.34
38	A1	374	C	N3-C4	5.72	1.38	1.33
38	A1	984	U	C2-N3	-5.72	1.33	1.37
38	A1	1182	C	C4'-O4'	-5.72	1.38	1.45
38	A1	1228	G	N7-C5	-5.72	1.35	1.39
38	A1	1512	G	C8-N7	-5.72	1.27	1.30
38	A1	1816	C	C2-N3	5.72	1.40	1.35
38	A1	2347	G	N7-C5	5.72	1.42	1.39
38	A1	2959	A	C6-N1	5.72	1.39	1.35
50	AF	165	ARG	CZ-NH2	5.72	1.40	1.33
11	B2	1471	G	N9-C8	5.72	1.41	1.37
38	A1	1791	A	C4'-C3'	-5.72	1.46	1.52
38	A1	2736	G	O5'-C5'	-5.72	1.33	1.42
9	AX	372	ARG	NE-CZ	5.72	1.40	1.33
11	B2	35	G	N1-C2	5.72	1.42	1.37
11	B2	704	C	N1-C2	5.72	1.45	1.40
17	BE	105	ASN	CA-CB	5.72	1.68	1.53
38	A1	1110	A	C6-N6	5.72	1.38	1.33
38	A1	1134	A	O3'-P	-5.72	1.54	1.61
38	A1	1269	U	N3-C4	5.72	1.43	1.38
38	A1	1539	U	C2'-C1'	-5.72	1.47	1.53
38	A1	1780	C	N3-C4	5.72	1.38	1.33
38	A1	2013	A	C6-N6	5.72	1.38	1.33
38	A1	2607	U	O4'-C1'	-5.72	1.34	1.41
38	A1	2611	U	O4'-C1'	5.72	1.49	1.41
39	A3	14	G	C4'-O4'	5.72	1.52	1.45
41	AA	110	GLU	CG-CD	-5.72	1.43	1.51
11	B2	284	A	C6-N6	5.72	1.38	1.33
38	A1	90	A	C5'-C4'	5.72	1.58	1.51
38	A1	593	C	C5'-C4'	5.72	1.58	1.51
38	A1	2100	U	N1-C6	5.72	1.43	1.38
11	B2	30	C	C2-N3	5.72	1.40	1.35
11	B2	84	C	C4-C5	-5.72	1.38	1.43
11	B2	311	A	C5'-C4'	5.72	1.58	1.51
11	B2	966	G	C2-N2	5.72	1.40	1.34
11	B2	1396	C	C4'-C3'	-5.72	1.46	1.52

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	80	G	N9-C8	5.72	1.41	1.37
38	A1	813	G	P-O5'	5.72	1.65	1.59
38	A1	1169	G	C5'-C4'	5.72	1.58	1.51
38	A1	2228	G	N9-C4	5.72	1.42	1.38
11	B2	767	U	C2'-C1'	-5.71	1.47	1.53
11	B2	792	C	N1-C6	5.71	1.40	1.37
11	B2	889	G	N1-C2	5.71	1.42	1.37
11	B2	1105	C	O3'-P	-5.71	1.54	1.61
38	A1	247	A	C2'-C1'	-5.71	1.47	1.53
38	A1	574	C	C4-N4	5.71	1.39	1.33
38	A1	920	G	N3-C4	-5.71	1.31	1.35
38	A1	1101	U	N1-C6	5.71	1.43	1.38
38	A1	1116	A	C8-N7	5.71	1.35	1.31
38	A1	1246	G	C3'-C2'	-5.71	1.46	1.52
38	A1	1364	C	C4-C5	-5.71	1.38	1.43
38	A1	1785	G	C4'-O4'	5.71	1.52	1.45
38	A1	2236	C	N3-C4	5.71	1.38	1.33
38	A1	2363	G	N1-C2	5.71	1.42	1.37
38	A1	2812	U	C5'-C4'	5.71	1.58	1.51
39	A3	115	C	C5-C6	5.71	1.39	1.34
11	B2	299	G	C2-N3	5.71	1.37	1.32
38	A1	834	G	C2-N3	5.71	1.37	1.32
38	A1	866	G	C5-C4	5.71	1.42	1.38
38	A1	1087	G	C6-N1	5.71	1.43	1.39
38	A1	1102	C	C1'-N1	5.71	1.57	1.48
11	B2	87	C	C5'-C4'	5.71	1.58	1.51
11	B2	283	U	C4'-C3'	5.71	1.59	1.53
11	B2	478	C	C4-C5	5.71	1.47	1.43
11	B2	875	G	C1'-N9	5.71	1.57	1.48
38	A1	560	G	C4'-O4'	-5.71	1.38	1.45
38	A1	610	C	C4-C5	5.71	1.47	1.43
38	A1	695	G	N9-C4	5.71	1.42	1.38
38	A1	1668	G	O3'-P	5.71	1.68	1.61
38	A1	1982	C	N1-C6	5.71	1.40	1.37
38	A1	1995	C	C4'-C3'	-5.71	1.46	1.52
38	A1	2234	C	C2-O2	-5.71	1.19	1.24
11	B2	734	G	C2-N2	5.71	1.40	1.34
11	B2	1180	G	N9-C8	-5.71	1.33	1.37
11	B2	1284	C	N1-C6	5.71	1.40	1.37
38	A1	746	C	C2-N3	5.71	1.40	1.35
38	A1	1454	G	N1-C2	5.71	1.42	1.37
38	A1	1711	C	O5'-C5'	-5.71	1.33	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1736	G	N9-C8	-5.71	1.33	1.37
38	A1	2202	U	C1'-N1	5.71	1.57	1.48
38	A1	2788	U	C3'-C2'	5.71	1.59	1.52
11	B2	330	U	C2-N3	5.71	1.41	1.37
11	B2	406	U	C2-N3	5.71	1.41	1.37
11	B2	744	A	C6-N1	-5.71	1.31	1.35
11	B2	1363	C	O4'-C1'	5.71	1.49	1.41
38	A1	499	A	C6-N6	-5.71	1.29	1.33
38	A1	662	A	C4'-C3'	-5.71	1.46	1.52
38	A1	1044	C	C2-N3	5.71	1.40	1.35
38	A1	1100	G	C8-N7	-5.71	1.27	1.30
38	A1	1125	A	N9-C4	-5.71	1.34	1.37
38	A1	1537	U	C4'-O4'	-5.71	1.38	1.45
38	A1	2513	C	N1-C2	5.71	1.45	1.40
38	A1	2758	G	C8-N7	-5.71	1.27	1.30
38	A1	2861	A	N9-C4	5.71	1.41	1.37
38	A1	2945	A	P-O5'	-5.71	1.54	1.59
11	B2	866	A	N3-C4	5.71	1.38	1.34
11	B2	954	G	C6-N1	5.71	1.43	1.39
38	A1	213	G	C2'-C1'	-5.71	1.47	1.53
38	A1	1262	C	C2'-C1'	-5.71	1.47	1.53
38	A1	1506	U	C5'-C4'	5.71	1.58	1.51
38	A1	1565	G	C5-C6	-5.71	1.36	1.42
38	A1	2510	A	C5-C6	5.71	1.46	1.41
38	A1	2559	G	N7-C5	-5.71	1.35	1.39
38	A1	2712	G	C2-N3	5.71	1.37	1.32
38	A1	2799	C	C4-N4	5.71	1.39	1.33
40	A5	8	ARG	CZ-NH2	5.71	1.40	1.33
11	B2	493	C	C2'-C1'	-5.71	1.47	1.53
29	BQ	28	TYR	CE1-CZ	5.71	1.46	1.38
38	A1	2477	G	C5'-C4'	5.71	1.58	1.51
11	B2	1206	G	O3'-P	5.70	1.68	1.61
11	B2	1219	C	O3'-P	-5.70	1.54	1.61
38	A1	92	G	N1-C2	5.70	1.42	1.37
38	A1	244	A	C3'-C2'	-5.70	1.46	1.52
38	A1	456	G	C2-N2	5.70	1.40	1.34
38	A1	714	C	C2-O2	5.70	1.29	1.24
38	A1	739	C	C2'-C1'	-5.70	1.47	1.53
38	A1	1140	C	C3'-O3'	5.70	1.50	1.42
38	A1	1302	G	N1-C2	5.70	1.42	1.37
38	A1	1394	G	C5-C6	-5.70	1.36	1.42
38	A1	1506	U	C2'-C1'	-5.70	1.47	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1609	G	N7-C5	-5.70	1.35	1.39
38	A1	2330	A	C6-N6	5.70	1.38	1.33
38	A1	2445	G	N1-C2	5.70	1.42	1.37
39	A3	24	C	C5'-C4'	5.70	1.58	1.51
11	B2	968	C	O4'-C1'	5.70	1.49	1.41
38	A1	247	A	N9-C4	-5.70	1.34	1.37
38	A1	272	G	C4'-C3'	5.70	1.59	1.53
38	A1	1131	G	N7-C5	-5.70	1.35	1.39
38	A1	1192	G	C4'-O4'	-5.70	1.38	1.45
38	A1	1494	U	C4'-C3'	-5.70	1.46	1.52
38	A1	2005	A	C6-N6	5.70	1.38	1.33
11	B2	107	C	O3'-P	-5.70	1.54	1.61
11	B2	265	C	C2'-C1'	-5.70	1.47	1.53
11	B2	1354	A	N3-C4	-5.70	1.31	1.34
38	A1	478	C	C4-N4	5.70	1.39	1.33
38	A1	816	C	C4'-C3'	5.70	1.59	1.53
38	A1	1235	A	O3'-P	-5.70	1.54	1.61
38	A1	1526	G	C5-C4	5.70	1.42	1.38
38	A1	1655	G	N9-C8	5.70	1.41	1.37
38	A1	1879	U	C5-C6	5.70	1.39	1.34
38	A1	1887	A	C4'-C3'	5.70	1.59	1.53
38	A1	1891	C	C2-O2	-5.70	1.19	1.24
38	A1	1943	C	C5'-C4'	5.70	1.58	1.51
39	A3	62	A	N9-C4	-5.70	1.34	1.37
10	B1	14	A	C2-N3	5.70	1.38	1.33
10	B1	21	G	N1-C2	5.70	1.42	1.37
11	B2	467	G	C5-C4	-5.70	1.34	1.38
11	B2	905	A	C5-C6	-5.70	1.35	1.41
11	B2	999	G	O4'-C1'	5.70	1.49	1.41
11	B2	1139	A	C6-N1	5.70	1.39	1.35
26	BN	23	PHE	CG-CD1	5.70	1.47	1.38
29	BQ	158	ARG	CA-CB	5.70	1.66	1.53
33	BU	99	ARG	CD-NE	5.70	1.56	1.46
38	A1	47	C	C4'-C3'	-5.70	1.46	1.52
38	A1	1911	G	O3'-P	-5.70	1.54	1.61
38	A1	1930	A	C6-N6	5.70	1.38	1.33
38	A1	2039	U	C4'-O4'	-5.70	1.38	1.45
38	A1	2502	C	C4-N4	5.70	1.39	1.33
38	A1	2583	G	C8-N7	5.70	1.34	1.30
38	A1	2623	G	N9-C4	-5.70	1.33	1.38
38	A1	2692	A	N7-C5	-5.70	1.35	1.39
59	AL	3	ARG	CD-NE	5.70	1.56	1.46

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	B1	9	A	N9-C4	5.70	1.41	1.37
10	B1	24	A	P-O5'	-5.70	1.54	1.59
11	B2	320	G	C8-N7	-5.70	1.27	1.30
25	BM	132	ARG	NE-CZ	5.70	1.40	1.33
11	B2	47	A	C6-N1	5.70	1.39	1.35
11	B2	965	G	O4'-C1'	5.70	1.49	1.41
11	B2	1459	G	C2'-C1'	-5.70	1.47	1.53
38	A1	586	A	N3-C4	5.70	1.38	1.34
38	A1	841	U	N3-C4	5.70	1.43	1.38
38	A1	1004	U	O3'-P	-5.70	1.54	1.61
38	A1	1164	C	C4'-O4'	5.70	1.52	1.45
38	A1	1210	G	C2-N2	5.70	1.40	1.34
38	A1	1446	G	N1-C2	5.70	1.42	1.37
38	A1	2264	G	C3'-C2'	5.70	1.59	1.52
38	A1	2473	C	P-O5'	5.70	1.65	1.59
38	A1	2482	G	C2'-C1'	-5.70	1.47	1.53
39	A3	41	A	C2-N3	5.70	1.38	1.33
39	A3	58	C	C2'-C1'	-5.70	1.47	1.53
5	AS	139	PHE	CE1-CZ	5.69	1.48	1.37
11	B2	767	U	P-O5'	5.69	1.65	1.59
11	B2	897	A	C5'-C4'	5.69	1.58	1.51
11	B2	1230	G	C8-N7	-5.69	1.27	1.30
38	A1	746	C	C4-C5	-5.69	1.38	1.43
38	A1	1553	G	N9-C8	5.69	1.41	1.37
38	A1	2479	C	C4-N4	5.69	1.39	1.33
38	A1	2997	G	P-O5'	-5.69	1.54	1.59
9	AX	396	GLY	N-CA	-5.69	1.37	1.46
11	B2	998	A	C6-N6	5.69	1.38	1.33
34	BV	21	PHE	CG-CD2	5.69	1.47	1.38
38	A1	342	C	C5-C6	5.69	1.39	1.34
38	A1	472	A	C2-N3	5.69	1.38	1.33
38	A1	712	C	C5'-C4'	5.69	1.58	1.51
38	A1	992	G	C5'-C4'	5.69	1.58	1.51
38	A1	1613	A	C6-N6	5.69	1.38	1.33
38	A1	1930	A	P-O5'	5.69	1.65	1.59
42	Aa	25	TRP	NE1-CE2	5.69	1.45	1.37
43	AB	233	ARG	CZ-NH1	5.69	1.40	1.33
11	B2	725	C	C2'-C1'	-5.69	1.47	1.53
11	B2	756	A	C5'-C4'	5.69	1.58	1.51
11	B2	995	G	C5-C6	-5.69	1.36	1.42
11	B2	1005	G	N1-C2	5.69	1.42	1.37
12	B3	44	GLU	CD-OE1	5.69	1.31	1.25

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	282	G	C2'-C1'	-5.69	1.47	1.53
38	A1	492	A	N3-C4	-5.69	1.31	1.34
38	A1	1424	G	N1-C2	5.69	1.42	1.37
38	A1	1582	G	N1-C2	5.69	1.42	1.37
38	A1	1873	G	C2'-C1'	-5.69	1.47	1.53
39	A3	39	C	C4-N4	5.69	1.39	1.33
55	Ai	12	ARG	CZ-NH2	5.69	1.40	1.33
11	B2	1058	G	C2-N3	5.69	1.37	1.32
38	A1	2025	A	C5'-C4'	5.69	1.58	1.51
38	A1	2151	C	N3-C4	5.69	1.38	1.33
11	B2	1300	A	N7-C5	-5.69	1.35	1.39
38	A1	143	C	C4'-C3'	-5.69	1.46	1.52
38	A1	188	A	N3-C4	5.69	1.38	1.34
38	A1	280	A	O4'-C1'	-5.69	1.34	1.41
38	A1	784	C	C5-C6	-5.69	1.29	1.34
38	A1	864	C	C2'-C1'	-5.69	1.47	1.53
38	A1	1354	G	N9-C4	5.69	1.42	1.38
38	A1	1884	C	C4'-O4'	5.69	1.52	1.45
38	A1	2888	G	C5'-C4'	5.69	1.58	1.51
11	B2	259	A	C5-C6	5.69	1.46	1.41
11	B2	518	U	C2'-C1'	-5.69	1.47	1.53
38	A1	228	U	C5-C6	5.69	1.39	1.34
38	A1	1059	C	C4-C5	5.69	1.47	1.43
38	A1	1493	C	C4-N4	5.69	1.39	1.33
38	A1	1552	C	C4'-C3'	5.69	1.59	1.53
38	A1	1897	G	C2-N3	5.69	1.37	1.32
38	A1	2072	G	N3-C4	5.69	1.39	1.35
38	A1	2426	U	C5-C6	5.69	1.39	1.34
43	AB	214	PRO	N-CD	5.69	1.55	1.47
11	B2	309	A	N1-C2	-5.68	1.29	1.34
11	B2	405	G	N9-C4	-5.68	1.33	1.38
11	B2	1009	G	C5'-C4'	5.68	1.58	1.51
38	A1	95	G	C2-N2	5.68	1.40	1.34
38	A1	340	G	C4'-O4'	5.68	1.52	1.45
38	A1	376	C	C4-C5	5.68	1.47	1.43
38	A1	889	C	C4'-C3'	5.68	1.59	1.53
38	A1	1718	C	C4-C5	-5.68	1.38	1.43
38	A1	2336	G	N3-C4	5.68	1.39	1.35
38	A1	2482	G	C3'-C2'	-5.68	1.46	1.52
38	A1	2696	G	O3'-P	-5.68	1.54	1.61
4	AQ	103	ARG	CZ-NH1	5.68	1.40	1.33
11	B2	727	G	C2'-C1'	5.68	1.59	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	93	C	C4-C5	-5.68	1.38	1.43
38	A1	685	G	P-O5'	5.68	1.65	1.59
38	A1	857	U	C2-N3	5.68	1.41	1.37
38	A1	1405	G	O3'-P	-5.68	1.54	1.61
38	A1	2382	A	N9-C8	-5.68	1.33	1.37
38	A1	2570	A	N7-C5	-5.68	1.35	1.39
39	A3	30	G	C8-N7	-5.68	1.27	1.30
61	AN	82	TYR	CE1-CZ	5.68	1.46	1.38
11	B2	701	G	C2-N3	5.68	1.37	1.32
38	A1	915	G	N9-C8	5.68	1.41	1.37
38	A1	1411	G	C2'-C1'	-5.68	1.47	1.53
11	B2	489	C	C5'-C4'	-5.68	1.44	1.51
11	B2	682	A	C2'-C1'	-5.68	1.47	1.53
11	B2	936	A	C5-C4	5.68	1.42	1.38
11	B2	1027	C	O4'-C1'	5.68	1.49	1.41
28	BP	40	ARG	NE-CZ	5.68	1.40	1.33
38	A1	49	A	C3'-C2'	-5.68	1.46	1.52
38	A1	82	C	C3'-C2'	5.68	1.59	1.52
38	A1	486	A	C6-N6	5.68	1.38	1.33
38	A1	676	G	C6-N1	5.68	1.43	1.39
38	A1	2056	A	C1'-N9	5.68	1.57	1.48
38	A1	2115	U	C2-N3	5.68	1.41	1.37
38	A1	2400	U	C2-N3	5.68	1.41	1.37
38	A1	2684	G	C5-C6	-5.68	1.36	1.42
38	A1	2751	C	C2'-C1'	-5.68	1.47	1.53
38	A1	2962	A	C8-N7	-5.68	1.27	1.31
11	B2	239	A	C8-N7	5.68	1.35	1.31
11	B2	887	G	C5'-C4'	5.68	1.58	1.51
11	B2	888	A	C5-C4	5.68	1.42	1.38
11	B2	1099	A	C3'-C2'	5.68	1.59	1.52
11	B2	1232	G	O3'-P	-5.68	1.54	1.61
38	A1	798	G	C5'-C4'	5.68	1.58	1.51
38	A1	1152	C	P-O5'	-5.68	1.54	1.59
38	A1	2090	A	C4'-O4'	5.68	1.52	1.45
11	B2	81	C	N3-C4	5.68	1.38	1.33
11	B2	87	C	C2-N3	5.68	1.40	1.35
11	B2	338	C	C3'-C2'	5.68	1.59	1.52
11	B2	604	C	C4'-O4'	-5.68	1.38	1.45
11	B2	1003	G	N1-C2	-5.68	1.33	1.37
38	A1	1378	G	N9-C8	-5.68	1.33	1.37
38	A1	2016	C	C2'-C1'	-5.68	1.47	1.53
38	A1	2502	C	C2-N3	5.68	1.40	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2655	C	O4'-C1'	5.68	1.49	1.41
38	A1	2717	A	C6-N6	5.68	1.38	1.33
39	A3	41	A	C4'-C3'	-5.68	1.46	1.52
41	AA	194	ARG	CZ-NH2	5.68	1.40	1.33
46	AD	167	TRP	CE3-CZ3	5.68	1.48	1.38
11	B2	107	C	N1-C6	5.67	1.40	1.37
11	B2	355	C	N1-C6	5.67	1.40	1.37
11	B2	498	C	N1-C6	5.67	1.40	1.37
11	B2	1310	C	C4'-C3'	5.67	1.59	1.53
11	B2	1381	G	C2-N2	5.67	1.40	1.34
18	BF	137	ARG	CZ-NH1	5.67	1.40	1.33
20	BH	114	ARG	CZ-NH1	5.67	1.40	1.33
29	BQ	140	GLY	CA-C	-5.67	1.42	1.51
34	BV	4	ARG	NE-CZ	5.67	1.40	1.33
38	A1	17	C	O3'-P	-5.67	1.54	1.61
38	A1	2183	A	C6-N1	5.67	1.39	1.35
38	A1	2836	G	N7-C5	-5.67	1.35	1.39
38	A1	1086	U	C4-C5	5.67	1.48	1.43
38	A1	2002	A	C4'-O4'	5.67	1.52	1.45
38	A1	2191	U	C2-N3	5.67	1.41	1.37
38	A1	3041	U	P-O5'	-5.67	1.54	1.59
11	B2	1344	U	N3-C4	5.67	1.43	1.38
38	A1	121	G	C5-C4	-5.67	1.34	1.38
38	A1	1499	C	C5'-C4'	5.67	1.58	1.51
38	A1	1933	U	N1-C2	5.67	1.43	1.38
38	A1	2307	C	C2'-O2'	-5.67	1.34	1.41
38	A1	2791	C	C2'-C1'	-5.67	1.47	1.53
39	A3	82	C	C5-C6	5.67	1.38	1.34
11	B2	457	G	C2-N2	5.67	1.40	1.34
11	B2	942	A	C3'-O3'	5.67	1.50	1.42
38	A1	447	G	C5-C4	5.67	1.42	1.38
38	A1	975	C	N1-C6	5.67	1.40	1.37
11	B2	99	C	C4-N4	5.67	1.39	1.33
11	B2	101	G	C3'-O3'	5.67	1.50	1.42
11	B2	617	A	C8-N7	5.67	1.35	1.31
11	B2	678	G	N3-C4	-5.67	1.31	1.35
11	B2	1238	G	P-O5'	5.67	1.65	1.59
11	B2	1430	G	C5-C6	-5.67	1.36	1.42
22	BJ	21	ARG	CD-NE	5.67	1.56	1.46
38	A1	436	C	C5'-C4'	5.67	1.58	1.51
38	A1	501	C	O3'-P	-5.67	1.54	1.61
38	A1	819	U	C2'-C1'	-5.67	1.47	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1571	G	C4'-C3'	-5.67	1.46	1.52
38	A1	1958	A	C2'-C1'	-5.67	1.47	1.53
38	A1	2321	A	C6-N6	5.67	1.38	1.33
38	A1	2329	A	N9-C4	5.67	1.41	1.37
38	A1	2413	G	C2-N3	5.67	1.37	1.32
38	A1	2455	G	C2-N2	5.67	1.40	1.34
38	A1	2888	G	N7-C5	-5.67	1.35	1.39
38	A1	3015	A	C2'-C1'	-5.67	1.47	1.53
39	A3	47	G	C2'-C1'	-5.67	1.47	1.53
9	AX	246	LYS	CD-CE	5.67	1.65	1.51
20	BH	174	TYR	CG-CD1	5.67	1.46	1.39
38	A1	288	G	N7-C5	-5.67	1.35	1.39
38	A1	683	C	N1-C2	5.67	1.45	1.40
38	A1	1413	A	P-O5'	-5.67	1.54	1.59
38	A1	2221	A	C3'-C2'	-5.67	1.46	1.52
38	A1	2228	G	O3'-P	-5.67	1.54	1.61
38	A1	2396	G	N3-C4	-5.67	1.31	1.35
40	A5	8	ARG	NE-CZ	5.67	1.40	1.33
50	AF	159	ARG	CZ-NH1	5.67	1.40	1.33
11	B2	457	G	N3-C4	5.67	1.39	1.35
38	A1	280	A	C5'-C4'	5.67	1.58	1.51
38	A1	290	G	O3'-P	-5.67	1.54	1.61
38	A1	850	C	N1-C2	5.67	1.45	1.40
38	A1	949	C	N1-C2	-5.67	1.34	1.40
38	A1	970	G	C6-O6	-5.67	1.19	1.24
11	B2	84	C	N3-C4	5.66	1.38	1.33
11	B2	119	A	C4'-O4'	-5.66	1.38	1.45
11	B2	253	G	C2'-C1'	-5.66	1.47	1.53
11	B2	428	G	N1-C2	5.66	1.42	1.37
11	B2	516	A	N1-C2	-5.66	1.29	1.34
38	A1	23	G	P-O5'	5.66	1.65	1.59
38	A1	654	C	N1-C6	5.66	1.40	1.37
38	A1	1495	A	N3-C4	-5.66	1.31	1.34
38	A1	2305	U	C5'-C4'	5.66	1.58	1.51
38	A1	2340	A	N9-C4	-5.66	1.34	1.37
38	A1	2594	U	C5'-C4'	5.66	1.58	1.51
38	A1	2817	U	C4-C5	-5.66	1.38	1.43
59	AL	34	ARG	CZ-NH2	5.66	1.40	1.33
11	B2	8	U	O3'-P	-5.66	1.54	1.61
11	B2	1161	A	C6-N6	5.66	1.38	1.33
38	A1	491	G	C2'-C1'	-5.66	1.47	1.53
38	A1	785	C	N1-C2	5.66	1.45	1.40

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1260	C	N1-C6	-5.66	1.33	1.37
38	A1	1591	C	P-O5'	-5.66	1.54	1.59
38	A1	1795	C	C2-N3	5.66	1.40	1.35
38	A1	2739	G	C5-C6	-5.66	1.36	1.42
11	B2	79	G	O4'-C1'	5.66	1.49	1.41
11	B2	1199	A	N9-C4	-5.66	1.34	1.37
38	A1	352	G	C8-N7	-5.66	1.27	1.30
38	A1	387	A	C2'-C1'	-5.66	1.47	1.53
38	A1	595	C	N3-C4	5.66	1.38	1.33
38	A1	794	G	N9-C8	-5.66	1.33	1.37
38	A1	2227	G	N9-C8	5.66	1.41	1.37
38	A1	3003	A	C5-C4	5.66	1.42	1.38
39	A3	42	A	C5-C4	5.66	1.42	1.38
39	A3	99	G	N9-C4	-5.66	1.33	1.38
11	B2	767	U	N3-C4	5.66	1.43	1.38
38	A1	1692	A	N1-C2	5.66	1.39	1.34
38	A1	2617	G	N7-C5	5.66	1.42	1.39
38	A1	2821	G	C2-N3	5.66	1.37	1.32
38	A1	240	A	N1-C2	-5.66	1.29	1.34
38	A1	1945	C	N1-C6	5.66	1.40	1.37
11	B2	155	U	C3'-C2'	5.66	1.59	1.52
11	B2	412	U	N1-C6	5.66	1.43	1.38
11	B2	413	G	C5'-C4'	5.66	1.58	1.51
11	B2	994	C	C2-N3	5.66	1.40	1.35
13	BA	128	ARG	CZ-NH1	5.66	1.40	1.33
38	A1	235	G	O4'-C1'	5.66	1.49	1.41
38	A1	253	G	C6-N1	5.66	1.43	1.39
38	A1	1123	A	N9-C4	5.66	1.41	1.37
38	A1	1131	G	C5-C4	5.66	1.42	1.38
38	A1	1420	U	C5'-C4'	5.66	1.58	1.51
38	A1	1639	G	C5-C6	-5.66	1.36	1.42
38	A1	1814	A	C6-N1	5.66	1.39	1.35
38	A1	1858	G	O4'-C1'	5.66	1.49	1.41
38	A1	1926	A	N9-C4	-5.66	1.34	1.37
38	A1	2215	U	N1-C2	-5.66	1.33	1.38
38	A1	2639	G	O3'-P	-5.66	1.54	1.61
38	A1	2662	G	O3'-P	-5.66	1.54	1.61
62	AO	134	SER	CA-CB	5.66	1.61	1.52
11	B2	473	A	C5'-C4'	5.65	1.58	1.51
11	B2	626	G	C5-C6	-5.65	1.36	1.42
38	A1	2432	G	C2-N3	-5.65	1.28	1.32
9	AX	230	ARG	NE-CZ	5.65	1.40	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	811	G	O3'-P	-5.65	1.54	1.61
11	B2	1100	G	O3'-P	-5.65	1.54	1.61
11	B2	1375	C	O4'-C1'	5.65	1.49	1.41
11	B2	1495	U	C3'-O3'	5.65	1.50	1.42
38	A1	1293	G	C2-N3	5.65	1.37	1.32
38	A1	1734	G	C2-N3	5.65	1.37	1.32
38	A1	2297	C	C4'-C3'	-5.65	1.46	1.52
38	A1	2513	C	N3-C4	-5.65	1.29	1.33
38	A1	2585	G	N1-C2	5.65	1.42	1.37
59	AL	54	ALA	CA-CB	5.65	1.64	1.52
10	B1	39	A	N9-C4	5.65	1.41	1.37
11	B2	307	G	C6-N1	5.65	1.43	1.39
11	B2	732	G	C2-N2	5.65	1.40	1.34
11	B2	740	G	C3'-O3'	5.65	1.50	1.42
38	A1	682	G	C8-N7	-5.65	1.27	1.30
38	A1	699	A	C6-N1	5.65	1.39	1.35
38	A1	1146	U	C4-C5	5.65	1.48	1.43
38	A1	1298	C	O3'-P	-5.65	1.54	1.61
38	A1	1331	U	C3'-O3'	5.65	1.50	1.42
38	A1	2098	C	C1'-N1	5.65	1.57	1.48
38	A1	2721	C	C2-O2	-5.65	1.19	1.24
39	A3	5	G	C2'-C1'	-5.65	1.47	1.53
11	B2	323	A	N9-C8	-5.65	1.33	1.37
11	B2	830	A	C5'-C4'	5.65	1.58	1.51
11	B2	861	G	N1-C2	5.65	1.42	1.37
16	BD	40	GLU	CD-OE1	5.65	1.31	1.25
38	A1	143	C	C2-N3	-5.65	1.31	1.35
38	A1	1757	G	C4'-O4'	-5.65	1.38	1.45
38	A1	2141	C	C5'-C4'	5.65	1.58	1.51
11	B2	833	C	C4-C5	5.65	1.47	1.43
11	B2	926	C	N1-C2	5.65	1.45	1.40
11	B2	1048	G	P-O5'	5.65	1.65	1.59
11	B2	1174	A	C3'-C2'	-5.65	1.46	1.52
11	B2	1255	C	C2-O2	5.65	1.29	1.24
38	A1	271	G	C2-N2	5.65	1.40	1.34
38	A1	361	G	N1-C2	5.65	1.42	1.37
38	A1	732	G	C5'-C4'	5.65	1.58	1.51
38	A1	772	G	C5'-C4'	5.65	1.58	1.51
38	A1	974	U	N1-C6	-5.65	1.32	1.38
38	A1	1482	G	C8-N7	-5.65	1.27	1.30
38	A1	1585	U	C2'-C1'	-5.65	1.47	1.53
38	A1	2120	C	N3-C4	5.65	1.38	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2144	U	C3'-C2'	-5.65	1.46	1.52
38	A1	2248	G	C2-N2	5.65	1.40	1.34
38	A1	2681	A	C5-C4	-5.65	1.34	1.38
38	A1	436	C	N3-C4	5.65	1.38	1.33
38	A1	1080	G	N7-C5	-5.65	1.35	1.39
38	A1	1211	C	C5'-C4'	5.65	1.58	1.51
38	A1	1978	A	C6-N1	5.65	1.39	1.35
38	A1	2676	A	N3-C4	-5.65	1.31	1.34
11	B2	165	U	P-O5'	-5.64	1.54	1.59
11	B2	171	U	C4'-C3'	-5.64	1.47	1.52
38	A1	652	G	C5'-C4'	5.64	1.58	1.51
38	A1	994	G	C5'-C4'	5.64	1.58	1.51
38	A1	1252	G	N9-C8	5.64	1.41	1.37
38	A1	2386	U	C2-N3	5.64	1.41	1.37
9	AX	253	TYR	CB-CG	-5.64	1.43	1.51
11	B2	450	A	N3-C4	-5.64	1.31	1.34
11	B2	450	A	C1'-N9	-5.64	1.39	1.46
11	B2	977	G	N1-C2	5.64	1.42	1.37
15	BC	67	ARG	CZ-NH1	5.64	1.40	1.33
38	A1	74	A	N7-C5	-5.64	1.35	1.39
38	A1	117	A	O3'-P	-5.64	1.54	1.61
38	A1	493	A	C6-N6	5.64	1.38	1.33
38	A1	551	A	C6-N1	-5.64	1.31	1.35
38	A1	672	C	N1-C2	-5.64	1.34	1.40
38	A1	1151	G	C2-N2	5.64	1.40	1.34
38	A1	1661	A	N9-C4	-5.64	1.34	1.37
38	A1	2047	U	C3'-O3'	-5.64	1.34	1.42
38	A1	2406	C	C2'-C1'	-5.64	1.47	1.53
38	A1	2860	G	N9-C8	-5.64	1.33	1.37
39	A3	25	A	C8-N7	5.64	1.35	1.31
45	AC	185	TYR	CG-CD1	5.64	1.46	1.39
11	B2	537	G	C5'-C4'	5.64	1.58	1.51
11	B2	557	G	C2-N2	5.64	1.40	1.34
11	B2	1392	G	N1-C2	5.64	1.42	1.37
38	A1	1402	C	C2'-O2'	5.64	1.49	1.41
38	A1	1554	G	C5'-C4'	5.64	1.58	1.51
38	A1	1738	A	C5'-C4'	5.64	1.58	1.51
38	A1	1822	G	C2-N3	5.64	1.37	1.32
38	A1	2470	U	C4-C5	-5.64	1.38	1.43
10	B1	43	G	C5-C4	5.64	1.42	1.38
11	B2	23	G	C5'-C4'	5.64	1.58	1.51
11	B2	319	U	C4-O4	5.64	1.28	1.23

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	453	G	N7-C5	5.64	1.42	1.39
14	BB	128	ARG	CZ-NH2	5.64	1.40	1.33
25	BM	41	ARG	CD-NE	5.64	1.56	1.46
38	A1	405	G	P-O5'	-5.64	1.54	1.59
38	A1	646	U	N1-C2	-5.64	1.33	1.38
38	A1	656	G	C8-N7	5.64	1.34	1.30
38	A1	787	G	N1-C2	5.64	1.42	1.37
38	A1	1235	A	P-O5'	-5.64	1.54	1.59
64	AR	61	ARG	NE-CZ	5.64	1.40	1.33
11	B2	832	G	C5'-C4'	5.64	1.58	1.51
11	B2	849	U	C4'-C3'	-5.64	1.47	1.52
38	A1	540	A	C2'-C1'	-5.64	1.47	1.53
38	A1	651	C	O4'-C1'	5.64	1.49	1.41
38	A1	778	A	N3-C4	5.64	1.38	1.34
38	A1	1369	G	C5'-C4'	5.64	1.58	1.51
38	A1	2836	G	C6-N1	5.64	1.43	1.39
11	B2	328	G	N9-C4	5.64	1.42	1.38
11	B2	740	G	C8-N7	5.64	1.34	1.30
15	BC	83	GLU	CB-CG	5.64	1.62	1.52
38	A1	361	G	O3'-P	-5.64	1.54	1.61
38	A1	820	C	C2'-C1'	-5.64	1.47	1.53
38	A1	2524	C	N1-C6	5.64	1.40	1.37
38	A1	2840	C	C4-C5	-5.64	1.38	1.43
38	A1	2901	C	C2-N3	5.64	1.40	1.35
39	A3	37	U	O4'-C1'	5.64	1.49	1.41
11	B2	872	A	P-O5'	5.63	1.65	1.59
11	B2	1253	G	N9-C4	5.63	1.42	1.38
11	B2	1300	A	C4'-O4'	5.63	1.52	1.45
18	BF	60	ARG	NE-CZ	5.63	1.40	1.33
38	A1	1000	G	N3-C4	-5.63	1.31	1.35
38	A1	1048	C	C2-O2	5.63	1.29	1.24
38	A1	1230	G	N1-C2	-5.63	1.33	1.37
38	A1	2496	G	C5-C6	-5.63	1.36	1.42
38	A1	2880	C	C2-N3	5.63	1.40	1.35
11	B2	600	C	C2-N3	5.63	1.40	1.35
38	A1	643	G	C5'-C4'	5.63	1.58	1.51
38	A1	1011	A	C8-N7	-5.63	1.27	1.31
38	A1	1332	A	C2-N3	5.63	1.38	1.33
38	A1	2108	U	N1-C6	5.63	1.43	1.38
38	A1	2119	C	O3'-P	-5.63	1.54	1.61
11	B2	769	A	N9-C4	-5.63	1.34	1.37
11	B2	1042	U	C1'-N1	5.63	1.57	1.48

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1321	U	N1-C6	5.63	1.43	1.38
38	A1	329	G	C5-C6	-5.63	1.36	1.42
38	A1	697	U	P-O5'	-5.63	1.54	1.59
38	A1	1225	A	C2'-C1'	-5.63	1.47	1.53
38	A1	1434	C	C4'-C3'	-5.63	1.47	1.52
38	A1	1610	C	C5'-C4'	5.63	1.58	1.51
38	A1	2330	A	C2-N3	5.63	1.38	1.33
38	A1	2373	G	C2-N2	5.63	1.40	1.34
38	A1	2669	U	N1-C6	-5.63	1.32	1.38
11	B2	268	C	C2'-C1'	-5.63	1.47	1.53
11	B2	1110	U	C2'-C1'	-5.63	1.47	1.53
11	B2	1210	A	C8-N7	-5.63	1.27	1.31
38	A1	518	A	C5'-C4'	5.63	1.58	1.51
38	A1	589	G	C6-N1	5.63	1.43	1.39
38	A1	805	C	C5-C6	5.63	1.38	1.34
38	A1	1582	G	C3'-O3'	5.63	1.50	1.42
38	A1	2352	G	C2-N3	5.63	1.37	1.32
39	A3	17	G	N9-C8	5.63	1.41	1.37
11	B2	202	G	C2-N3	5.63	1.37	1.32
20	BH	124	VAL	CB-CG1	5.63	1.64	1.52
38	A1	77	C	N3-C4	5.63	1.37	1.33
38	A1	402	G	C5-C4	5.63	1.42	1.38
38	A1	1067	G	C5'-C4'	5.63	1.58	1.51
38	A1	1694	G	C2'-C1'	-5.63	1.47	1.53
38	A1	2531	G	C6-N1	5.63	1.43	1.39
39	A3	15	G	C2-N2	5.63	1.40	1.34
11	B2	190	C	N3-C4	5.63	1.37	1.33
11	B2	262	G	C2-N3	5.63	1.37	1.32
11	B2	405	G	P-O5'	-5.63	1.54	1.59
11	B2	855	C	C3'-C2'	5.63	1.59	1.52
38	A1	298	G	N9-C8	-5.63	1.33	1.37
38	A1	449	G	C6-N1	5.63	1.43	1.39
38	A1	818	A	N7-C5	-5.63	1.35	1.39
38	A1	1242	A	C3'-C2'	-5.63	1.46	1.52
38	A1	2184	G	C2-N3	5.63	1.37	1.32
11	B2	34	G	C4'-C3'	5.62	1.59	1.53
11	B2	679	G	O4'-C1'	5.62	1.49	1.41
11	B2	882	C	C3'-O3'	5.62	1.50	1.42
11	B2	1394	G	C5-C6	-5.62	1.36	1.42
38	A1	1561	G	C6-N1	5.62	1.43	1.39
43	AB	134	ARG	NE-CZ	5.62	1.40	1.33
10	B1	30	G	C4'-C3'	5.62	1.59	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	289	C	C2'-C1'	-5.62	1.47	1.53
11	B2	1206	G	C8-N7	5.62	1.34	1.30
11	B2	1448	A	C5'-C4'	5.62	1.58	1.51
38	A1	331	G	N9-C4	-5.62	1.33	1.38
38	A1	551	A	N7-C5	-5.62	1.35	1.39
38	A1	786	G	C6-N1	5.62	1.43	1.39
38	A1	962	C	C2-N3	5.62	1.40	1.35
38	A1	1381	C	O3'-P	-5.62	1.54	1.61
38	A1	1902	G	N9-C8	-5.62	1.33	1.37
38	A1	1973	U	N1-C2	5.62	1.43	1.38
38	A1	2029	C	C2-N3	5.62	1.40	1.35
38	A1	2821	G	C2'-C1'	-5.62	1.47	1.53
38	A1	2998	G	C5-C6	5.62	1.48	1.42
57	Aj	58	ARG	CD-NE	5.62	1.56	1.46
11	B2	32	A	C3'-C2'	5.62	1.59	1.52
11	B2	565	C	C2'-C1'	-5.62	1.47	1.53
11	B2	812	U	C4-C5	5.62	1.48	1.43
11	B2	862	C	P-O5'	-5.62	1.54	1.59
11	B2	908	G	N7-C5	-5.62	1.35	1.39
38	A1	92	G	N9-C4	5.62	1.42	1.38
38	A1	533	G	O3'-P	-5.62	1.54	1.61
38	A1	1376	U	C4-C5	5.62	1.48	1.43
38	A1	2236	C	C2-O2	5.62	1.29	1.24
39	A3	74	U	C3'-C2'	5.62	1.59	1.52
63	AP	60	GLU	CB-CG	5.62	1.62	1.52
11	B2	399	A	N9-C4	5.62	1.41	1.37
38	A1	616	C	P-O5'	-5.62	1.54	1.59
38	A1	2546	G	C4'-C3'	-5.62	1.47	1.52
66	AY	12	ARG	CZ-NH2	5.62	1.40	1.33
11	B2	57	G	N3-C4	-5.62	1.31	1.35
11	B2	648	A	N9-C4	5.62	1.41	1.37
11	B2	1137	G	N1-C2	5.62	1.42	1.37
11	B2	1399	G	N3-C4	-5.62	1.31	1.35
14	BB	186	GLU	CD-OE1	-5.62	1.19	1.25
38	A1	15	A	C6-N1	5.62	1.39	1.35
38	A1	59	U	C4-C5	-5.62	1.38	1.43
38	A1	347	G	C2-N3	5.62	1.37	1.32
38	A1	362	A	N9-C4	5.62	1.41	1.37
38	A1	500	C	C2-N3	5.62	1.40	1.35
38	A1	1034	G	O4'-C1'	-5.62	1.34	1.41
38	A1	1259	G	N9-C4	-5.62	1.33	1.38
38	A1	1598	U	N3-C4	5.62	1.43	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1832	G	C5'-C4'	5.62	1.58	1.51
38	A1	1963	G	C8-N7	5.62	1.34	1.30
39	A3	101	A	C5-C6	5.62	1.46	1.41
48	AE	59	ARG	CZ-NH1	5.62	1.40	1.33
61	AN	24	ARG	NE-CZ	5.62	1.40	1.33
11	B2	777	G	C2-N2	5.62	1.40	1.34
38	A1	223	U	C2-N3	5.62	1.41	1.37
11	B2	42	G	O3'-P	-5.62	1.54	1.61
11	B2	552	C	C4-N4	-5.62	1.28	1.33
11	B2	813	G	C2-N2	5.62	1.40	1.34
11	B2	1451	C	C2-N3	-5.62	1.31	1.35
38	A1	120	G	N1-C2	5.62	1.42	1.37
38	A1	406	G	C4'-O4'	5.62	1.52	1.45
38	A1	1006	A	C3'-O3'	5.62	1.50	1.42
38	A1	1168	A	C6-N6	5.62	1.38	1.33
38	A1	1664	G	N1-C2	5.62	1.42	1.37
38	A1	1668	G	C8-N7	-5.62	1.27	1.30
38	A1	2208	C	N3-C4	5.62	1.37	1.33
11	B2	54	C	N3-C4	5.61	1.37	1.33
11	B2	417	C	C4-N4	5.61	1.39	1.33
11	B2	464	G	C4'-C3'	5.61	1.59	1.53
20	BH	146	TYR	CE2-CZ	5.61	1.45	1.38
38	A1	1107	G	N7-C5	-5.61	1.35	1.39
38	A1	1569	A	O3'-P	-5.61	1.54	1.61
38	A1	1580	G	P-O5'	5.61	1.65	1.59
38	A1	1707	A	C6-N1	5.61	1.39	1.35
38	A1	2367	C	N3-C4	-5.61	1.30	1.33
38	A1	2822	G	P-O5'	-5.61	1.54	1.59
11	B2	772	G	C2-N2	5.61	1.40	1.34
38	A1	171	A	C6-N1	-5.61	1.31	1.35
38	A1	291	A	C6-N1	5.61	1.39	1.35
38	A1	778	A	N9-C4	5.61	1.41	1.37
11	B2	1194	C	C4-N4	5.61	1.39	1.33
11	B2	1438	A	C6-N1	5.61	1.39	1.35
26	BN	147	ARG	CZ-NH2	5.61	1.40	1.33
38	A1	378	G	N7-C5	-5.61	1.35	1.39
38	A1	970	G	P-O5'	-5.61	1.54	1.59
38	A1	1083	G	C5-C6	-5.61	1.36	1.42
38	A1	1137	G	C5-C4	5.61	1.42	1.38
38	A1	1541	U	C2-O2	5.61	1.27	1.22
38	A1	2025	A	P-O5'	5.61	1.65	1.59
38	A1	2716	C	C4'-C3'	5.61	1.59	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2807	C	N1-C6	5.61	1.40	1.37
38	A1	2902	G	N9-C4	5.61	1.42	1.38
39	A3	12	G	C5'-C4'	5.61	1.58	1.51
11	B2	509	C	C5'-C4'	5.61	1.58	1.51
11	B2	1262	U	C1'-N1	5.61	1.57	1.48
11	B2	1411	G	C2-N3	5.61	1.37	1.32
38	A1	934	G	N9-C8	5.61	1.41	1.37
38	A1	1116	A	C5-C4	5.61	1.42	1.38
38	A1	2489	C	C5'-C4'	5.61	1.58	1.51
39	A3	58	C	P-O5'	5.61	1.65	1.59
43	AB	109	TYR	CZ-OH	5.61	1.47	1.37
59	AL	65	ARG	CZ-NH2	5.61	1.40	1.33
11	B2	398	C	N3-C4	5.61	1.37	1.33
11	B2	425	C	C2'-C1'	-5.61	1.47	1.53
11	B2	1412	A	C2-N3	-5.61	1.28	1.33
21	BI	26	TYR	CG-CD2	5.61	1.46	1.39
38	A1	175	G	N3-C4	-5.61	1.31	1.35
38	A1	385	U	C2'-C1'	-5.61	1.47	1.53
38	A1	684	G	C6-N1	5.61	1.43	1.39
38	A1	950	G	N3-C4	-5.61	1.31	1.35
38	A1	1013	G	C5'-C4'	5.61	1.58	1.51
38	A1	1667	U	C5'-C4'	5.61	1.58	1.51
38	A1	2495	A	C5'-C4'	5.61	1.58	1.51
48	AE	149	ARG	CZ-NH1	5.61	1.40	1.33
10	B1	58	A	N9-C4	-5.61	1.34	1.37
11	B2	89	G	N9-C8	5.61	1.41	1.37
11	B2	581	G	P-O5'	-5.61	1.54	1.59
11	B2	1310	C	C4-C5	-5.61	1.38	1.43
11	B2	1380	C	O4'-C1'	5.61	1.49	1.41
38	A1	775	C	O4'-C1'	5.61	1.49	1.41
38	A1	1105	C	N3-C4	5.61	1.37	1.33
38	A1	1322	G	C5'-C4'	5.61	1.58	1.51
38	A1	1778	G	C2-N3	5.61	1.37	1.32
38	A1	2310	G	C2'-C1'	5.61	1.59	1.53
39	A3	92	G	C4'-C3'	5.61	1.59	1.53
11	B2	896	A	C6-N6	5.60	1.38	1.33
11	B2	1094	U	N3-C4	5.60	1.43	1.38
11	B2	1459	G	O3'-P	-5.60	1.54	1.61
38	A1	1086	U	N1-C2	5.60	1.43	1.38
11	B2	48	G	N9-C8	-5.60	1.33	1.37
11	B2	373	C	C4'-O4'	5.60	1.52	1.45
38	A1	77	C	C4'-O4'	-5.60	1.38	1.45

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	802	G	C5'-C4'	5.60	1.58	1.51
38	A1	1198	G	N1-C2	5.60	1.42	1.37
38	A1	1407	A	N7-C5	-5.60	1.35	1.39
38	A1	1875	U	C5'-C4'	5.60	1.58	1.51
38	A1	2389	C	C5'-C4'	5.60	1.58	1.51
38	A1	2700	U	C3'-O3'	5.60	1.50	1.42
39	A3	15	G	N7-C5	-5.60	1.35	1.39
39	A3	116	C	C3'-O3'	5.60	1.50	1.42
11	B2	997	G	C8-N7	-5.60	1.27	1.30
11	B2	1362	C	C5'-C4'	5.60	1.58	1.51
38	A1	419	G	C5'-C4'	5.60	1.58	1.51
38	A1	860	A	N9-C8	-5.60	1.33	1.37
38	A1	1230	G	C2-N3	5.60	1.37	1.32
38	A1	1838	C	C2-N3	5.60	1.40	1.35
42	Aa	36	ARG	CD-NE	5.60	1.55	1.46
11	B2	877	A	C6-N6	-5.60	1.29	1.33
38	A1	32	C	O4'-C1'	5.60	1.49	1.41
38	A1	745	C	C2-N3	5.60	1.40	1.35
38	A1	1114	G	C2-N2	-5.60	1.28	1.34
38	A1	1840	G	N3-C4	-5.60	1.31	1.35
38	A1	2611	U	O3'-P	-5.60	1.54	1.61
11	B2	6	G	C5-C6	-5.60	1.36	1.42
11	B2	192	G	C5-C4	5.60	1.42	1.38
11	B2	329	G	C5'-C4'	5.60	1.58	1.51
11	B2	692	G	C6-O6	-5.60	1.19	1.24
11	B2	1022	U	O4'-C1'	5.60	1.49	1.41
11	B2	1096	G	N9-C4	5.60	1.42	1.38
18	BF	133	CYS	CB-SG	-5.60	1.72	1.81
38	A1	387	A	C6-N6	5.60	1.38	1.33
38	A1	762	G	C5-C4	5.60	1.42	1.38
38	A1	777	A	C5-C4	5.60	1.42	1.38
38	A1	1158	G	C2'-C1'	-5.60	1.47	1.53
38	A1	1240	U	C3'-O3'	5.60	1.50	1.42
38	A1	1981	G	C8-N7	5.60	1.34	1.30
38	A1	2363	G	C5-C4	5.60	1.42	1.38
38	A1	2460	A	N7-C5	-5.60	1.35	1.39
38	A1	2787	G	C8-N7	5.60	1.34	1.30
39	A3	59	C	C2-N3	-5.60	1.31	1.35
54	AI	122	ARG	NE-CZ	5.60	1.40	1.33
11	B2	110	C	C3'-C2'	5.60	1.59	1.52
11	B2	347	G	C5'-C4'	5.60	1.58	1.51
11	B2	363	C	C4-C5	5.60	1.47	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	471	G	O3'-P	-5.60	1.54	1.61
20	BH	212	GLU	CG-CD	5.60	1.60	1.51
38	A1	471	U	C4'-C3'	5.60	1.59	1.53
38	A1	882	U	C2'-C1'	-5.60	1.47	1.53
38	A1	1055	C	N1-C6	5.60	1.40	1.37
38	A1	1216	A	N9-C8	5.60	1.42	1.37
38	A1	1638	C	C4-N4	5.60	1.39	1.33
46	AD	69	ARG	NE-CZ	5.60	1.40	1.33
11	B2	395	C	C2-O2	5.59	1.29	1.24
11	B2	670	C	C1'-N1	5.59	1.57	1.48
11	B2	1083	G	C4'-C3'	5.59	1.59	1.53
18	BF	134	ARG	CZ-NH2	5.59	1.40	1.33
23	BK	97	GLU	CD-OE1	5.59	1.31	1.25
38	A1	1225	A	O3'-P	-5.59	1.54	1.61
38	A1	1338	G	C8-N7	5.59	1.34	1.30
38	A1	1350	C	C4-N4	5.59	1.39	1.33
38	A1	3028	U	P-O5'	-5.59	1.54	1.59
38	A1	1891	C	C3'-O3'	5.59	1.50	1.42
38	A1	2632	C	C5'-C4'	5.59	1.58	1.51
38	A1	2975	A	C2'-C1'	-5.59	1.47	1.53
11	B2	2	U	C4-C5	5.59	1.48	1.43
11	B2	400	G	O5'-C5'	-5.59	1.33	1.42
11	B2	628	G	C5-C4	5.59	1.42	1.38
11	B2	907	C	C2'-C1'	-5.59	1.47	1.53
11	B2	1221	A	O3'-P	-5.59	1.54	1.61
11	B2	1411	G	C5-C6	-5.59	1.36	1.42
38	A1	262	C	C3'-O3'	5.59	1.50	1.42
38	A1	412	G	N9-C4	5.59	1.42	1.38
38	A1	591	G	O3'-P	-5.59	1.54	1.61
38	A1	1014	U	C1'-N1	5.59	1.57	1.48
38	A1	2716	C	C3'-O3'	5.59	1.50	1.42
11	B2	472	C	C4'-O4'	-5.59	1.38	1.45
38	A1	347	G	C5'-C4'	5.59	1.58	1.51
38	A1	385	U	N1-C6	5.59	1.43	1.38
38	A1	457	C	C5'-C4'	5.59	1.58	1.51
38	A1	710	G	C5-C6	-5.59	1.36	1.42
38	A1	913	G	C4'-O4'	-5.59	1.38	1.45
38	A1	1551	G	C3'-C2'	5.59	1.59	1.52
38	A1	2256	G	O4'-C1'	-5.59	1.34	1.41
38	A1	2275	G	C5-C6	5.59	1.48	1.42
38	A1	2359	G	C6-N1	5.59	1.43	1.39
38	A1	2765	C	P-O5'	-5.59	1.54	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2977	G	C2-N3	5.59	1.37	1.32
38	A1	3002	A	C4'-C3'	5.59	1.59	1.53
46	AD	128	ARG	CD-NE	5.59	1.55	1.46
11	B2	584	C	C5'-C4'	5.59	1.58	1.51
38	A1	933	G	N7-C5	-5.59	1.35	1.39
38	A1	1083	G	C6-N1	-5.59	1.35	1.39
11	B2	132	G	C5'-C4'	5.59	1.58	1.51
11	B2	492	G	N9-C4	-5.59	1.33	1.38
11	B2	713	A	C5-C4	5.59	1.42	1.38
11	B2	993	C	C5'-C4'	5.59	1.58	1.51
38	A1	166	G	N1-C2	5.59	1.42	1.37
38	A1	234	G	C2-N2	5.59	1.40	1.34
38	A1	287	G	C6-N1	5.59	1.43	1.39
38	A1	703	G	P-O5'	-5.59	1.54	1.59
38	A1	705	G	N3-C4	5.59	1.39	1.35
38	A1	1026	A	C6-N6	5.59	1.38	1.33
38	A1	2186	C	P-O5'	-5.59	1.54	1.59
38	A1	3009	C	N3-C4	5.59	1.37	1.33
11	B2	55	G	C5'-C4'	5.58	1.58	1.51
11	B2	340	A	N9-C4	-5.58	1.34	1.37
38	A1	688	G	N9-C4	-5.58	1.33	1.38
38	A1	1744	A	N9-C8	5.58	1.42	1.37
38	A1	2831	G	C4'-C3'	5.58	1.59	1.53
11	B2	705	C	N1-C6	5.58	1.40	1.37
38	A1	91	G	O3'-P	-5.58	1.54	1.61
38	A1	548	U	C2'-C1'	-5.58	1.47	1.53
38	A1	845	U	C3'-O3'	5.58	1.50	1.42
38	A1	1074	G	C5-C4	-5.58	1.34	1.38
38	A1	1361	G	N7-C5	-5.58	1.35	1.39
38	A1	1390	U	C4-C5	5.58	1.48	1.43
38	A1	1445	G	C5-C6	-5.58	1.36	1.42
38	A1	1513	G	C2'-C1'	-5.58	1.47	1.53
38	A1	1584	G	N1-C2	5.58	1.42	1.37
38	A1	1705	C	O3'-P	-5.58	1.54	1.61
38	A1	2965	C	C4-C5	5.58	1.47	1.43
39	A3	9	A	C4'-C3'	5.58	1.59	1.53
47	Ad	11	ARG	CZ-NH1	5.58	1.40	1.33
11	B2	436	A	C1'-N9	5.58	1.57	1.48
11	B2	973	U	C5'-C4'	5.58	1.58	1.51
11	B2	1050	G	C5-C4	5.58	1.42	1.38
11	B2	1174	A	C4'-C3'	5.58	1.59	1.53
32	BT	82	TYR	CE2-CZ	5.58	1.45	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	37	C	N1-C6	5.58	1.40	1.37
38	A1	339	A	N9-C8	5.58	1.42	1.37
38	A1	1983	C	C4-C5	5.58	1.47	1.43
11	B2	1407	U	N3-C4	5.58	1.43	1.38
38	A1	1586	G	C8-N7	5.58	1.34	1.30
11	B2	167	G	N9-C8	5.58	1.41	1.37
11	B2	1424	G	N1-C2	5.58	1.42	1.37
38	A1	627	G	C2-N2	5.58	1.40	1.34
38	A1	1445	G	C2-N3	5.58	1.37	1.32
38	A1	2728	U	C2-N3	5.58	1.41	1.37
38	A1	2801	G	C2-N2	5.58	1.40	1.34
45	AC	17	ARG	NE-CZ	5.58	1.40	1.33
11	B2	21	A	C5'-C4'	5.58	1.58	1.51
11	B2	1034	G	P-O5'	-5.58	1.54	1.59
33	BU	52	TYR	CG-CD2	5.58	1.46	1.39
38	A1	1254	C	N3-C4	5.58	1.37	1.33
38	A1	1394	G	C2'-C1'	-5.58	1.47	1.53
38	A1	1431	U	P-OP1	-5.58	1.39	1.49
38	A1	2130	C	C4-N4	5.58	1.39	1.33
38	A1	2878	A	C6-N1	5.58	1.39	1.35
11	B2	511	C	C2-N3	5.58	1.40	1.35
11	B2	931	C	C4'-O4'	-5.58	1.38	1.45
11	B2	1416	C	C4-N4	5.58	1.39	1.33
38	A1	1362	G	C5'-C4'	-5.58	1.44	1.51
38	A1	1520	G	O3'-P	-5.58	1.54	1.61
38	A1	1901	A	C6-N6	5.58	1.38	1.33
38	A1	1915	G	C5-C4	-5.58	1.34	1.38
38	A1	2278	U	O3'-P	-5.58	1.54	1.61
38	A1	2856	G	C8-N7	-5.58	1.27	1.30
50	AF	118	ALA	CA-CB	5.58	1.64	1.52
10	B1	69	G	N7-C5	-5.57	1.35	1.39
11	B2	480	G	C3'-O3'	5.57	1.50	1.42
11	B2	764	C	C2'-C1'	5.57	1.59	1.53
11	B2	1028	C	C2'-C1'	5.57	1.59	1.53
11	B2	1036	G	N1-C2	5.57	1.42	1.37
38	A1	439	G	C8-N7	-5.57	1.27	1.30
38	A1	691	G	O3'-P	-5.57	1.54	1.61
38	A1	848	A	C2'-O2'	5.57	1.48	1.41
38	A1	1112	G	C1'-N9	5.57	1.57	1.48
38	A1	2184	G	C6-O6	5.57	1.29	1.24
38	A1	2347	G	N3-C4	-5.57	1.31	1.35
38	A1	2687	A	N9-C8	-5.57	1.33	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2718	G	N9-C8	5.57	1.41	1.37
11	B2	42	G	C5'-C4'	5.57	1.58	1.51
11	B2	569	G	N9-C8	5.57	1.41	1.37
30	BR	44	ARG	NE-CZ	5.57	1.40	1.33
38	A1	401	C	C4-N4	5.57	1.39	1.33
38	A1	689	U	C4'-O4'	5.57	1.52	1.45
11	B2	932	C	N3-C4	5.57	1.37	1.33
11	B2	998	A	N1-C2	5.57	1.39	1.34
21	BI	86	PHE	CA-CB	5.57	1.66	1.53
38	A1	505	A	C5'-C4'	5.57	1.58	1.51
38	A1	506	G	C5'-C4'	5.57	1.58	1.51
38	A1	644	G	C2-N3	5.57	1.37	1.32
38	A1	995	G	N1-C2	5.57	1.42	1.37
38	A1	1265	A	C2-N3	5.57	1.38	1.33
38	A1	1571	G	C5-C4	5.57	1.42	1.38
38	A1	2211	C	C5'-C4'	5.57	1.58	1.51
38	A1	2264	G	N1-C2	5.57	1.42	1.37
38	A1	2501	G	P-O5'	-5.57	1.54	1.59
39	A3	19	G	C5-C4	5.57	1.42	1.38
46	AD	42	ARG	CZ-NH1	5.57	1.40	1.33
11	B2	3	U	C5'-C4'	5.57	1.58	1.51
11	B2	198	A	C8-N7	5.57	1.35	1.31
11	B2	287	G	C6-N1	5.57	1.43	1.39
11	B2	887	G	C5-C4	-5.57	1.34	1.38
11	B2	998	A	C5'-C4'	5.57	1.58	1.51
38	A1	424	U	C4-C5	5.57	1.48	1.43
38	A1	1897	G	N9-C8	5.57	1.41	1.37
38	A1	2498	G	C2'-C1'	-5.57	1.47	1.53
39	A3	63	G	C2-N3	5.57	1.37	1.32
10	B1	4	G	N1-C2	5.57	1.42	1.37
11	B2	86	C	N1-C6	-5.57	1.33	1.37
11	B2	434	A	N9-C4	5.57	1.41	1.37
11	B2	510	A	O4'-C1'	5.57	1.48	1.41
11	B2	1169	C	C2'-C1'	-5.57	1.47	1.53
11	B2	1412	A	N1-C2	-5.57	1.29	1.34
13	BA	150	GLU	CD-OE2	5.57	1.31	1.25
38	A1	142	G	C2-N3	5.57	1.37	1.32
38	A1	700	A	P-O5'	5.57	1.65	1.59
38	A1	927	G	C3'-O3'	5.57	1.50	1.42
38	A1	2016	C	C3'-O3'	5.57	1.50	1.42
38	A1	2118	C	O3'-P	-5.57	1.54	1.61
39	A3	89	G	P-O5'	-5.57	1.54	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	AU	91	VAL	CB-CG2	5.57	1.64	1.52
11	B2	459	G	N9-C8	5.57	1.41	1.37
38	A1	303	A	C5'-C4'	5.57	1.58	1.51
38	A1	468	A	C2'-O2'	5.57	1.48	1.41
38	A1	491	G	N1-C2	-5.57	1.33	1.37
38	A1	722	C	O3'-P	-5.57	1.54	1.61
38	A1	855	G	P-O5'	-5.57	1.54	1.59
38	A1	881	G	C2-N3	5.57	1.37	1.32
38	A1	971	G	C3'-C2'	-5.57	1.46	1.52
38	A1	1191	C	C2'-C1'	-5.57	1.47	1.53
38	A1	2415	C	N1-C6	-5.57	1.33	1.37
38	A1	2424	A	C2-N3	-5.57	1.28	1.33
38	A1	2472	A	N7-C5	-5.57	1.35	1.39
11	B2	746	A	C3'-O3'	5.56	1.50	1.42
38	A1	1495	A	C4'-O4'	-5.56	1.38	1.45
38	A1	2312	U	C3'-C2'	-5.56	1.46	1.52
39	A3	59	C	O3'-P	-5.56	1.54	1.61
11	B2	1393	A	C5'-C4'	5.56	1.58	1.51
38	A1	1181	C	P-O5'	-5.56	1.54	1.59
38	A1	1554	G	N7-C5	5.56	1.42	1.39
38	A1	1559	A	N3-C4	5.56	1.38	1.34
38	A1	1827	A	C5-C4	5.56	1.42	1.38
38	A1	2018	C	N1-C2	5.56	1.45	1.40
38	A1	2235	G	C5'-C4'	5.56	1.58	1.51
38	A1	2593	A	N7-C5	-5.56	1.35	1.39
38	A1	2630	C	C5'-C4'	5.56	1.58	1.51
54	AI	80	ARG	CZ-NH1	5.56	1.40	1.33
11	B2	1042	U	C2'-C1'	5.56	1.59	1.53
38	A1	911	G	O3'-P	-5.56	1.54	1.61
5	AS	49	ARG	CD-NE	5.56	1.55	1.46
11	B2	288	G	N9-C8	-5.56	1.33	1.37
11	B2	431	U	P-O5'	-5.56	1.54	1.59
11	B2	787	U	C5'-C4'	5.56	1.58	1.51
11	B2	1219	C	N3-C4	5.56	1.37	1.33
38	A1	528	G	C5'-C4'	5.56	1.58	1.51
38	A1	1218	C	C1'-N1	5.56	1.57	1.48
38	A1	1981	G	N1-C2	5.56	1.42	1.37
38	A1	2048	C	C3'-C2'	5.56	1.59	1.52
38	A1	2453	C	N1-C2	5.56	1.45	1.40
38	A1	2626	U	C4-C5	5.56	1.48	1.43
38	A1	2860	G	N9-C4	-5.56	1.33	1.38
38	A1	2956	G	N1-C2	5.56	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	458	G	O3'-P	-5.56	1.54	1.61
11	B2	663	G	C6-N1	5.56	1.43	1.39
19	BG	125	TYR	CD1-CE1	5.56	1.47	1.39
38	A1	98	G	C2-N3	5.56	1.37	1.32
38	A1	182	U	C5'-C4'	5.56	1.58	1.51
38	A1	277	A	C6-N1	5.56	1.39	1.35
38	A1	347	G	N3-C4	-5.56	1.31	1.35
38	A1	841	U	N1-C6	5.56	1.43	1.38
38	A1	2545	A	N7-C5	-5.56	1.35	1.39
54	AI	46	PHE	CE2-CZ	5.56	1.48	1.37
11	B2	1448	A	C3'-C2'	-5.56	1.46	1.52
38	A1	758	C	C4-C5	-5.56	1.38	1.43
38	A1	1593	C	C2'-C1'	5.56	1.59	1.53
38	A1	2543	A	N7-C5	-5.56	1.35	1.39
38	A1	2843	C	N1-C6	-5.56	1.33	1.37
38	A1	2951	G	N1-C2	5.56	1.42	1.37
38	A1	2989	A	C2-N3	5.56	1.38	1.33
39	A3	119	C	C2'-C1'	-5.56	1.47	1.53
11	B2	14	C	C2'-C1'	-5.55	1.47	1.53
11	B2	371	U	O4'-C1'	5.55	1.48	1.41
11	B2	810	G	C6-N1	5.55	1.43	1.39
11	B2	1418	G	C5-C4	5.55	1.42	1.38
38	A1	708	A	N7-C5	-5.55	1.35	1.39
38	A1	831	C	C3'-C2'	-5.55	1.46	1.52
38	A1	833	G	C5'-C4'	5.55	1.58	1.51
38	A1	873	G	N3-C4	-5.55	1.31	1.35
38	A1	1082	A	N3-C4	-5.55	1.31	1.34
38	A1	1591	C	C4-C5	5.55	1.47	1.43
38	A1	1951	G	C6-N1	5.55	1.43	1.39
38	A1	2712	G	C2-N2	5.55	1.40	1.34
38	A1	2800	U	C4-C5	5.55	1.48	1.43
38	A1	2835	A	C5-C6	5.55	1.46	1.41
39	A3	66	A	C6-N6	5.55	1.38	1.33
9	AX	412	TYR	CE2-CZ	5.55	1.45	1.38
38	A1	774	G	O3'-P	-5.55	1.54	1.61
38	A1	1350	C	N3-C4	5.55	1.37	1.33
38	A1	2783	C	C2-N3	5.55	1.40	1.35
38	A1	716	U	N1-C2	5.55	1.43	1.38
38	A1	1200	A	N7-C5	-5.55	1.35	1.39
38	A1	1767	C	C4-C5	5.55	1.47	1.43
38	A1	2083	G	C2'-O2'	-5.55	1.34	1.41
38	A1	2264	G	P-O5'	-5.55	1.54	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2726	G	C3'-O3'	5.55	1.50	1.42
39	A3	25	A	C6-N1	5.55	1.39	1.35
64	AR	61	ARG	CD-NE	5.55	1.55	1.46
11	B2	456	U	C4-C5	5.55	1.48	1.43
11	B2	504	G	N7-C5	-5.55	1.35	1.39
11	B2	839	G	N9-C8	5.55	1.41	1.37
11	B2	1007	A	C6-N6	5.55	1.38	1.33
13	BA	134	GLU	CB-CG	5.55	1.62	1.52
38	A1	358	C	N3-C4	5.55	1.37	1.33
38	A1	458	U	C2-N3	5.55	1.41	1.37
38	A1	497	G	C3'-C2'	5.55	1.59	1.52
38	A1	819	U	N1-C2	-5.55	1.33	1.38
38	A1	1054	A	C8-N7	-5.55	1.27	1.31
38	A1	2154	G	N9-C4	5.55	1.42	1.38
38	A1	2179	G	C6-N1	5.55	1.43	1.39
38	A1	2272	G	N7-C5	-5.55	1.35	1.39
38	A1	2394	G	O3'-P	-5.55	1.54	1.61
38	A1	2394	G	C8-N7	5.55	1.34	1.30
38	A1	2419	U	C5'-C4'	5.55	1.58	1.51
38	A1	2746	G	O3'-P	-5.55	1.54	1.61
38	A1	2779	G	N1-C2	5.55	1.42	1.37
39	A3	116	C	C5'-C4'	5.55	1.58	1.51
42	Aa	45	ALA	N-CA	-5.55	1.35	1.46
62	AO	141	GLU	CB-CG	5.55	1.62	1.52
9	AX	230	ARG	CZ-NH1	5.55	1.40	1.33
11	B2	24	C	C4-C5	5.55	1.47	1.43
11	B2	690	C	C5'-C4'	5.55	1.58	1.51
38	A1	1333	G	C2-N3	5.55	1.37	1.32
38	A1	1417	U	C2-N3	5.55	1.41	1.37
39	A3	106	G	C2-N3	5.55	1.37	1.32
39	A3	118	G	N1-C2	5.55	1.42	1.37
45	AC	9	ARG	CZ-NH1	5.55	1.40	1.33
11	B2	918	A	C2-N3	5.55	1.38	1.33
11	B2	1411	G	N1-C2	5.55	1.42	1.37
17	BE	19	TRP	CB-CG	5.55	1.60	1.50
38	A1	76	C	C1'-N1	5.55	1.57	1.48
38	A1	557	G	O3'-P	-5.55	1.54	1.61
38	A1	884	C	C4-N4	5.55	1.39	1.33
38	A1	1917	U	N1-C6	5.55	1.43	1.38
38	A1	2193	G	C3'-C2'	-5.55	1.46	1.52
38	A1	2256	G	P-O5'	-5.55	1.54	1.59
41	AA	45	ARG	CZ-NH2	5.55	1.40	1.33

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	973	U	C3'-C2'	5.54	1.59	1.52
38	A1	877	U	C4-O4	5.54	1.28	1.23
38	A1	1592	U	O4'-C1'	5.54	1.48	1.41
38	A1	2231	G	P-O5'	-5.54	1.54	1.59
38	A1	2734	C	C1'-N1	5.54	1.57	1.48
11	B2	467	G	C2-N3	5.54	1.37	1.32
11	B2	556	G	C1'-N9	5.54	1.57	1.48
11	B2	766	G	O4'-C1'	-5.54	1.34	1.41
11	B2	1204	C	C4'-C3'	-5.54	1.47	1.52
11	B2	1270	C	C1'-N1	5.54	1.57	1.48
11	B2	1438	A	C5-C4	5.54	1.42	1.38
38	A1	67	U	C2-O2	5.54	1.27	1.22
38	A1	514	U	O4'-C1'	5.54	1.48	1.41
38	A1	913	G	N9-C4	5.54	1.42	1.38
38	A1	1489	G	C2'-C1'	-5.54	1.47	1.53
38	A1	1642	G	C6-N1	5.54	1.43	1.39
38	A1	2290	U	P-O5'	-5.54	1.54	1.59
38	A1	2627	C	C2-N3	-5.54	1.31	1.35
11	B2	246	A	C2'-C1'	-5.54	1.47	1.53
11	B2	1441	G	O3'-P	5.54	1.67	1.61
38	A1	497	G	C5-C4	-5.54	1.34	1.38
38	A1	1054	A	N1-C2	-5.54	1.29	1.34
46	AD	251	ARG	CZ-NH1	5.54	1.40	1.33
38	A1	480	A	N7-C5	-5.54	1.35	1.39
38	A1	545	G	C8-N7	5.54	1.34	1.30
38	A1	1905	G	C5'-C4'	5.54	1.57	1.51
38	A1	1934	C	C2-N3	-5.54	1.31	1.35
38	A1	2482	G	C4'-C3'	5.54	1.59	1.53
38	A1	2874	C	O4'-C1'	-5.54	1.34	1.41
11	B2	381	C	C4'-C3'	-5.54	1.47	1.52
11	B2	556	G	N7-C5	-5.54	1.35	1.39
11	B2	821	G	C5-C4	5.54	1.42	1.38
11	B2	1375	C	P-O5'	5.54	1.65	1.59
11	B2	1420	U	C2'-C1'	-5.54	1.47	1.53
38	A1	362	A	C6-N1	5.54	1.39	1.35
38	A1	911	G	C2-N3	5.54	1.37	1.32
38	A1	1038	U	N3-C4	5.54	1.43	1.38
38	A1	1294	A	C1'-N9	-5.54	1.39	1.46
38	A1	1521	G	C4'-O4'	5.54	1.52	1.45
38	A1	2048	C	C4-N4	5.54	1.39	1.33
38	A1	2092	G	C1'-N9	5.54	1.57	1.48
38	A1	2659	G	C2-N2	5.54	1.40	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2697	G	P-O5'	5.54	1.65	1.59
10	B1	47	G	C6-O6	-5.54	1.19	1.24
11	B2	432	G	N1-C2	5.54	1.42	1.37
11	B2	458	G	C3'-C2'	5.54	1.59	1.52
38	A1	1007	U	C4'-C3'	-5.54	1.47	1.52
38	A1	1037	C	C2-N3	-5.54	1.31	1.35
38	A1	2310	G	C4'-C3'	5.54	1.59	1.53
57	Aj	58	ARG	NE-CZ	5.54	1.40	1.33
10	B1	23	G	C2'-C1'	-5.54	1.47	1.53
11	B2	18	C	C1'-N1	5.54	1.57	1.48
11	B2	243	G	C8-N7	5.54	1.34	1.30
11	B2	765	U	C5-C6	5.54	1.39	1.34
11	B2	826	C	P-O5'	-5.54	1.54	1.59
11	B2	1185	A	C2'-C1'	-5.54	1.47	1.53
11	B2	1402	C	O4'-C1'	5.54	1.48	1.41
11	B2	1474	A	P-O5'	-5.54	1.54	1.59
22	BJ	92	ARG	NE-CZ	5.54	1.40	1.33
38	A1	44	C	C2-O2	5.54	1.29	1.24
38	A1	364	A	C4'-C3'	5.54	1.59	1.53
38	A1	367	G	N9-C4	5.54	1.42	1.38
38	A1	463	A	C6-N6	5.54	1.38	1.33
38	A1	625	A	C8-N7	-5.54	1.27	1.31
38	A1	654	C	N3-C4	5.54	1.37	1.33
38	A1	936	G	O3'-P	-5.54	1.54	1.61
38	A1	2876	G	C4'-C3'	5.54	1.59	1.53
47	Ad	41	ARG	NE-CZ	5.54	1.40	1.33
11	B2	31	U	P-O5'	-5.53	1.54	1.59
11	B2	131	G	C2'-C1'	-5.53	1.47	1.53
11	B2	167	G	C2-N2	5.53	1.40	1.34
11	B2	691	G	C5-C6	-5.53	1.36	1.42
11	B2	989	C	C2-O2	5.53	1.29	1.24
26	BN	33	ARG	CD-NE	5.53	1.55	1.46
38	A1	766	G	C4'-C3'	-5.53	1.47	1.52
38	A1	835	G	C2-N2	5.53	1.40	1.34
38	A1	1087	G	N7-C5	-5.53	1.35	1.39
38	A1	1130	G	C4'-O4'	5.53	1.52	1.45
38	A1	1272	A	N1-C2	5.53	1.39	1.34
38	A1	1431	U	C2-N3	5.53	1.41	1.37
38	A1	1562	U	O4'-C1'	5.53	1.48	1.41
38	A1	1683	C	C3'-C2'	5.53	1.59	1.52
38	A1	1869	U	C2'-O2'	-5.53	1.34	1.41
38	A1	1994	G	C5-C4	-5.53	1.34	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2733	A	N7-C5	-5.53	1.35	1.39
38	A1	2829	C	C5'-C4'	5.53	1.57	1.51
45	AC	79	ARG	NE-CZ	5.53	1.40	1.33
11	B2	636	G	N7-C5	-5.53	1.35	1.39
11	B2	1132	C	N3-C4	5.53	1.37	1.33
36	BX	17	ARG	CD-NE	5.53	1.55	1.46
38	A1	252	A	C6-N6	5.53	1.38	1.33
38	A1	2237	A	C6-N6	5.53	1.38	1.33
38	A1	2425	A	C3'-O3'	5.53	1.49	1.42
38	A1	2602	G	C8-N7	-5.53	1.27	1.30
10	B1	3	G	C1'-N9	5.53	1.57	1.48
11	B2	285	C	C4-N4	5.53	1.39	1.33
11	B2	444	G	C2-N2	5.53	1.40	1.34
11	B2	765	U	C4'-C3'	-5.53	1.47	1.52
11	B2	1433	C	N3-C4	5.53	1.37	1.33
38	A1	220	C	C2-O2	-5.53	1.19	1.24
38	A1	344	G	C6-N1	5.53	1.43	1.39
38	A1	374	C	O3'-P	-5.53	1.54	1.61
38	A1	496	A	N9-C4	5.53	1.41	1.37
38	A1	668	G	C5'-C4'	5.53	1.57	1.51
38	A1	701	G	P-O5'	5.53	1.65	1.59
38	A1	747	G	N1-C2	5.53	1.42	1.37
38	A1	1842	C	N3-C4	5.53	1.37	1.33
38	A1	2011	U	P-O5'	5.53	1.65	1.59
38	A1	2163	G	C2-N3	5.53	1.37	1.32
38	A1	2172	G	N1-C2	5.53	1.42	1.37
38	A1	2232	U	O3'-P	5.53	1.67	1.61
38	A1	2644	G	C5-C4	5.53	1.42	1.38
39	A3	17	G	P-O5'	5.53	1.65	1.59
11	B2	304	C	O3'-P	-5.53	1.54	1.61
11	B2	1141	G	C2-N3	5.53	1.37	1.32
11	B2	1158	G	N7-C5	-5.53	1.35	1.39
38	A1	1290	G	N7-C5	-5.53	1.35	1.39
38	A1	1502	C	C4'-C3'	5.53	1.59	1.53
38	A1	1599	A	C2-N3	-5.53	1.28	1.33
38	A1	2287	C	N3-C4	5.53	1.37	1.33
10	B1	61	U	C4-O4	5.53	1.28	1.23
11	B2	177	A	C2'-C1'	-5.53	1.47	1.53
11	B2	825	C	C4-N4	5.53	1.39	1.33
38	A1	24	G	C2-N2	5.53	1.40	1.34
38	A1	73	A	C5'-C4'	5.53	1.57	1.51
38	A1	1987	A	O3'-P	-5.53	1.54	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2083	G	C3'-C2'	-5.53	1.46	1.52
38	A1	3042	C	P-O5'	-5.53	1.54	1.59
4	AQ	88	ARG	CZ-NH1	5.53	1.40	1.33
11	B2	528	G	O3'-P	-5.53	1.54	1.61
11	B2	1224	U	C4-O4	-5.53	1.19	1.23
11	B2	1240	A	O3'-P	-5.53	1.54	1.61
38	A1	180	A	C6-N1	5.53	1.39	1.35
38	A1	689	U	C5-C6	-5.53	1.29	1.34
38	A1	726	G	C2'-C1'	-5.53	1.47	1.53
38	A1	1648	C	C1'-N1	5.53	1.57	1.48
38	A1	3023	G	C6-N1	5.53	1.43	1.39
11	B2	773	A	P-O5'	-5.52	1.54	1.59
28	BP	23	ARG	NE-CZ	5.52	1.40	1.33
38	A1	456	G	O3'-P	-5.52	1.54	1.61
38	A1	838	A	C6-N6	5.52	1.38	1.33
38	A1	1334	G	N9-C4	-5.52	1.33	1.38
38	A1	1805	U	C5'-C4'	5.52	1.57	1.51
38	A1	2183	A	N9-C4	-5.52	1.34	1.37
11	B2	510	A	C5-C6	-5.52	1.36	1.41
38	A1	199	C	N1-C6	5.52	1.40	1.37
38	A1	577	C	C4-N4	5.52	1.39	1.33
38	A1	1166	A	N1-C2	5.52	1.39	1.34
38	A1	1421	C	N3-C4	5.52	1.37	1.33
39	A3	17	G	N1-C2	5.52	1.42	1.37
53	Ah	12	ARG	CZ-NH2	5.52	1.40	1.33
11	B2	681	G	C6-N1	5.52	1.43	1.39
11	B2	762	G	C2'-C1'	-5.52	1.47	1.53
38	A1	543	G	C3'-C2'	5.52	1.59	1.52
38	A1	1684	C	C3'-O3'	5.52	1.49	1.42
38	A1	2320	U	P-O5'	-5.52	1.54	1.59
11	B2	104	A	C8-N7	-5.52	1.27	1.31
11	B2	237	C	C4-C5	5.52	1.47	1.43
11	B2	904	G	C8-N7	-5.52	1.27	1.30
11	B2	976	A	C6-N6	5.52	1.38	1.33
11	B2	1338	C	C4-C5	5.52	1.47	1.43
11	B2	1444	G	P-O5'	-5.52	1.54	1.59
38	A1	137	A	P-O5'	-5.52	1.54	1.59
38	A1	249	G	C5-C6	5.52	1.47	1.42
38	A1	987	G	N7-C5	-5.52	1.35	1.39
38	A1	1341	U	C3'-O3'	5.52	1.49	1.42
38	A1	1780	C	C4-N4	5.52	1.39	1.33
38	A1	1867	C	N3-C4	5.52	1.37	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1982	C	C4-C5	-5.52	1.38	1.43
38	A1	2493	A	N3-C4	-5.52	1.31	1.34
11	B2	32	A	C5-C4	-5.52	1.34	1.38
11	B2	627	G	C2-N3	5.52	1.37	1.32
38	A1	847	A	C3'-C2'	5.52	1.59	1.52
38	A1	1234	A	C6-N6	5.52	1.38	1.33
38	A1	1656	C	P-O5'	-5.52	1.54	1.59
38	A1	1972	C	C4-C5	5.52	1.47	1.43
38	A1	2016	C	O3'-P	-5.52	1.54	1.61
38	A1	481	G	O4'-C1'	5.52	1.48	1.41
38	A1	1632	U	C4'-C3'	5.52	1.59	1.53
11	B2	557	G	C6-N1	-5.51	1.35	1.39
11	B2	812	U	C4'-O4'	5.51	1.52	1.45
11	B2	815	C	O4'-C1'	-5.51	1.34	1.41
11	B2	1071	C	C2-N3	5.51	1.40	1.35
17	BE	28	TRP	CD2-CE3	-5.51	1.32	1.40
38	A1	14	A	C6-N1	5.51	1.39	1.35
38	A1	367	G	C6-O6	-5.51	1.19	1.24
38	A1	627	G	O3'-P	-5.51	1.54	1.61
38	A1	987	G	C4'-C3'	5.51	1.59	1.53
38	A1	1129	G	N1-C2	5.51	1.42	1.37
38	A1	1643	A	C8-N7	-5.51	1.27	1.31
38	A1	1896	U	C2-N3	5.51	1.41	1.37
38	A1	1946	G	C8-N7	-5.51	1.27	1.30
38	A1	2213	G	N1-C2	5.51	1.42	1.37
38	A1	2244	G	O3'-P	-5.51	1.54	1.61
38	A1	2313	G	C8-N7	-5.51	1.27	1.30
38	A1	2348	G	N7-C5	5.51	1.42	1.39
39	A3	29	G	C2-N3	5.51	1.37	1.32
49	Ae	28	TYR	CZ-OH	5.51	1.47	1.37
55	Ai	79	ARG	NE-CZ	5.51	1.40	1.33
11	B2	584	C	O3'-P	-5.51	1.54	1.61
38	A1	224	G	C5-C6	-5.51	1.36	1.42
38	A1	941	C	C4-N4	5.51	1.39	1.33
38	A1	1287	G	N1-C2	5.51	1.42	1.37
38	A1	1919	A	P-O5'	-5.51	1.54	1.59
38	A1	2667	U	O5'-C5'	-5.51	1.34	1.42
11	B2	182	A	C2'-C1'	-5.51	1.47	1.53
11	B2	693	C	C2-O2	5.51	1.29	1.24
38	A1	277	A	C3'-C2'	-5.51	1.46	1.52
38	A1	351	C	O3'-P	5.51	1.67	1.61
38	A1	403	G	N7-C5	-5.51	1.35	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	769	G	C5-C6	-5.51	1.36	1.42
38	A1	1356	A	O4'-C1'	5.51	1.48	1.41
38	A1	1813	A	C5-C4	5.51	1.42	1.38
38	A1	1850	C	N1-C6	5.51	1.40	1.37
38	A1	2486	A	N7-C5	-5.51	1.35	1.39
38	A1	2880	C	N3-C4	5.51	1.37	1.33
38	A1	3014	U	N3-C4	5.51	1.43	1.38
59	AL	131	PRO	CA-C	-5.51	1.41	1.52
62	AO	13	ARG	CZ-NH1	5.51	1.40	1.33
11	B2	27	C	N3-C4	5.51	1.37	1.33
11	B2	362	C	C5-C6	-5.51	1.29	1.34
11	B2	1036	G	C1'-N9	-5.51	1.39	1.46
11	B2	1208	A	C6-N6	5.51	1.38	1.33
11	B2	1280	C	C5-C6	5.51	1.38	1.34
38	A1	121	G	C2'-C1'	-5.51	1.47	1.53
38	A1	587	A	N7-C5	-5.51	1.35	1.39
38	A1	1235	A	N7-C5	-5.51	1.35	1.39
38	A1	1729	C	N3-C4	5.51	1.37	1.33
38	A1	1781	C	P-O5'	-5.51	1.54	1.59
38	A1	2325	C	C2'-C1'	-5.51	1.47	1.53
38	A1	2364	G	N1-C2	5.51	1.42	1.37
38	A1	2501	G	C3'-C2'	5.51	1.59	1.52
38	A1	2609	G	N3-C4	5.51	1.39	1.35
39	A3	116	C	C2-N3	5.51	1.40	1.35
11	B2	1483	U	C4-C5	5.51	1.48	1.43
38	A1	307	C	C4'-C3'	5.51	1.59	1.53
38	A1	395	G	N9-C8	-5.51	1.33	1.37
38	A1	470	A	N7-C5	-5.51	1.35	1.39
38	A1	562	G	C2-N3	5.51	1.37	1.32
38	A1	1286	G	C4'-C3'	5.51	1.59	1.53
38	A1	2663	G	N3-C4	-5.51	1.31	1.35
11	B2	153	G	C8-N7	-5.51	1.27	1.30
11	B2	312	U	N1-C6	5.51	1.43	1.38
11	B2	319	U	C2-N3	-5.51	1.33	1.37
11	B2	354	G	N7-C5	5.51	1.42	1.39
11	B2	906	G	N7-C5	5.51	1.42	1.39
38	A1	1283	G	C2'-C1'	5.51	1.59	1.53
38	A1	1300	C	C2'-C1'	-5.51	1.47	1.53
38	A1	1806	C	C2'-C1'	-5.51	1.47	1.53
38	A1	2428	C	C5'-C4'	5.51	1.57	1.51
38	A1	2596	G	C6-N1	5.51	1.43	1.39
11	B2	434	A	N9-C8	-5.50	1.33	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	643	G	C2'-C1'	-5.50	1.47	1.53
11	B2	1445	A	C5'-C4'	5.50	1.57	1.51
10	B1	2	G	N7-C5	5.50	1.42	1.39
11	B2	147	A	P-O5'	5.50	1.65	1.59
11	B2	506	G	C2'-C1'	-5.50	1.47	1.53
38	A1	1843	C	C3'-C2'	5.50	1.59	1.52
38	A1	2059	G	N9-C8	5.50	1.41	1.37
38	A1	2998	G	C5-C4	5.50	1.42	1.38
39	A3	50	G	N7-C5	-5.50	1.35	1.39
39	A3	122	C	N1-C6	-5.50	1.33	1.37
11	B2	286	G	C4'-C3'	-5.50	1.47	1.52
11	B2	313	G	C6-O6	-5.50	1.19	1.24
11	B2	397	C	N3-C4	5.50	1.37	1.33
11	B2	740	G	C5'-C4'	5.50	1.57	1.51
11	B2	1140	A	C3'-C2'	5.50	1.59	1.52
11	B2	1261	U	C2-N3	5.50	1.41	1.37
38	A1	644	G	C2'-O2'	5.50	1.48	1.41
38	A1	832	A	N1-C2	5.50	1.39	1.34
38	A1	1291	C	C4'-C3'	5.50	1.59	1.53
38	A1	1627	G	O3'-P	-5.50	1.54	1.61
38	A1	1643	A	C6-N1	5.50	1.39	1.35
38	A1	2002	A	C2-N3	-5.50	1.28	1.33
38	A1	2041	U	C2'-C1'	-5.50	1.47	1.53
38	A1	2409	C	C4'-C3'	-5.50	1.47	1.52
38	A1	2727	C	P-O5'	-5.50	1.54	1.59
11	B2	886	G	N3-C4	-5.50	1.31	1.35
33	BU	50	TRP	CD2-CE3	-5.50	1.32	1.40
38	A1	289	G	C2-N3	5.50	1.37	1.32
38	A1	368	U	C2-N3	-5.50	1.33	1.37
38	A1	1374	G	N9-C8	5.50	1.41	1.37
38	A1	1676	G	C2'-C1'	-5.50	1.47	1.53
38	A1	1704	C	N3-C4	5.50	1.37	1.33
38	A1	1732	C	C4-C5	-5.50	1.38	1.43
38	A1	2209	U	C2-N3	-5.50	1.33	1.37
38	A1	2223	G	C6-N1	5.50	1.43	1.39
38	A1	2729	A	N7-C5	-5.50	1.35	1.39
39	A3	61	C	C1'-N1	5.50	1.57	1.48
62	AO	7	TYR	CG-CD2	5.50	1.46	1.39
9	AX	37	TYR	CZ-OH	5.50	1.47	1.37
11	B2	92	G	N9-C4	5.50	1.42	1.38
11	B2	355	C	C4-C5	5.50	1.47	1.43
11	B2	385	A	C6-N1	-5.50	1.31	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	480	G	C8-N7	-5.50	1.27	1.30
11	B2	1470	G	C2-N3	5.50	1.37	1.32
38	A1	809	A	N9-C4	5.50	1.41	1.37
38	A1	2176	G	N3-C4	-5.50	1.31	1.35
38	A1	2689	G	C6-N1	5.50	1.43	1.39
10	B1	21	G	C2-N3	5.50	1.37	1.32
11	B2	57	G	C8-N7	-5.50	1.27	1.30
11	B2	1040	A	C4'-C3'	5.50	1.59	1.53
11	B2	1223	C	C1'-N1	5.50	1.56	1.48
38	A1	302	U	N3-C4	5.50	1.43	1.38
38	A1	1748	C	N3-C4	-5.50	1.30	1.33
38	A1	2105	A	C4'-C3'	5.50	1.59	1.53
38	A1	2747	C	C4-N4	5.50	1.38	1.33
38	A1	2959	A	O3'-P	-5.50	1.54	1.61
11	B2	361	A	O4'-C1'	-5.50	1.34	1.41
11	B2	812	U	C5-C6	-5.50	1.29	1.34
11	B2	1238	G	C2'-C1'	-5.50	1.47	1.53
39	A3	114	G	C5'-C4'	5.50	1.57	1.51
10	B1	5	C	C4-N4	5.49	1.38	1.33
11	B2	407	G	N3-C4	5.49	1.39	1.35
11	B2	527	A	C5-C4	5.49	1.42	1.38
11	B2	675	A	P-O5'	-5.49	1.54	1.59
38	A1	374	C	C4'-C3'	-5.49	1.47	1.52
38	A1	524	C	C2'-C1'	-5.49	1.47	1.53
38	A1	1233	U	C2'-O2'	-5.49	1.34	1.41
38	A1	1265	A	N3-C4	-5.49	1.31	1.34
38	A1	1463	C	O4'-C1'	5.49	1.48	1.41
38	A1	1592	U	N1-C2	5.49	1.43	1.38
38	A1	1604	G	C2-N3	5.49	1.37	1.32
38	A1	2013	A	C5-C6	-5.49	1.36	1.41
38	A1	2144	U	C2'-C1'	-5.49	1.47	1.53
38	A1	2507	C	C5-C6	-5.49	1.29	1.34
38	A1	2859	U	C4-C5	-5.49	1.38	1.43
10	B1	7	G	C2-N3	5.49	1.37	1.32
11	B2	114	A	P-O5'	-5.49	1.54	1.59
11	B2	454	G	C3'-O3'	5.49	1.49	1.42
38	A1	332	A	N9-C4	-5.49	1.34	1.37
38	A1	1586	G	N3-C4	-5.49	1.31	1.35
38	A1	1649	G	N9-C8	5.49	1.41	1.37
38	A1	2765	C	N3-C4	5.49	1.37	1.33
38	A1	2802	G	N7-C5	-5.49	1.35	1.39
10	B1	47	G	C5-C4	-5.49	1.34	1.38

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	300	G	O3'-P	-5.49	1.54	1.61
11	B2	789	G	N9-C8	5.49	1.41	1.37
11	B2	984	C	C4'-C3'	-5.49	1.47	1.52
38	A1	317	A	P-O5'	5.49	1.65	1.59
38	A1	552	A	N9-C8	5.49	1.42	1.37
38	A1	730	C	O3'-P	-5.49	1.54	1.61
38	A1	1378	G	C2'-C1'	-5.49	1.47	1.53
38	A1	1482	G	C2-N3	5.49	1.37	1.32
38	A1	2092	G	C5-C4	5.49	1.42	1.38
38	A1	2368	G	C5-C4	5.49	1.42	1.38
38	A1	2583	G	C5-C6	-5.49	1.36	1.42
38	A1	2791	C	N3-C4	5.49	1.37	1.33
38	A1	2970	U	N3-C4	5.49	1.43	1.38
11	B2	973	U	P-O5'	-5.49	1.54	1.59
11	B2	1489	A	P-O5'	-5.49	1.54	1.59
18	BF	39	ARG	CZ-NH2	5.49	1.40	1.33
38	A1	195	U	N3-C4	5.49	1.43	1.38
38	A1	333	A	C8-N7	-5.49	1.27	1.31
38	A1	917	A	C4'-C3'	5.49	1.59	1.53
38	A1	1009	G	N7-C5	-5.49	1.35	1.39
38	A1	1031	C	C5'-C4'	5.49	1.57	1.51
38	A1	1244	C	N3-C4	5.49	1.37	1.33
38	A1	1766	A	N9-C8	5.49	1.42	1.37
38	A1	1994	G	C8-N7	-5.49	1.27	1.30
38	A1	2015	G	C5-C6	-5.49	1.36	1.42
38	A1	2213	G	C6-N1	5.49	1.43	1.39
11	B2	1326	G	N1-C2	5.49	1.42	1.37
38	A1	1425	U	O4'-C1'	5.49	1.48	1.41
38	A1	1555	G	N1-C2	5.49	1.42	1.37
38	A1	2159	C	N1-C6	5.49	1.40	1.37
38	A1	2423	G	C2'-C1'	-5.49	1.47	1.53
11	B2	15	U	C2-N3	5.49	1.41	1.37
11	B2	132	G	C6-N1	5.49	1.43	1.39
11	B2	334	G	C8-N7	-5.49	1.27	1.30
11	B2	381	C	C2'-C1'	-5.49	1.47	1.53
11	B2	1212	U	C5-C6	5.49	1.39	1.34
24	BL	89	ARG	CD-NE	5.49	1.55	1.46
38	A1	416	A	N3-C4	5.49	1.38	1.34
38	A1	471	U	C5-C6	-5.49	1.29	1.34
38	A1	490	C	O4'-C1'	5.49	1.48	1.41
38	A1	586	A	C5-C6	5.49	1.46	1.41
38	A1	612	G	N7-C5	-5.49	1.35	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1209	A	C8-N7	5.49	1.35	1.31
38	A1	1226	G	C5'-C4'	5.49	1.57	1.51
38	A1	1581	A	N9-C8	5.49	1.42	1.37
38	A1	1631	A	N7-C5	-5.49	1.35	1.39
38	A1	1789	A	C2-N3	5.49	1.38	1.33
38	A1	2274	C	C4'-C3'	-5.49	1.47	1.52
38	A1	2770	A	N9-C4	-5.49	1.34	1.37
60	AM	73	ARG	NE-CZ	5.49	1.40	1.33
11	B2	334	G	C3'-C2'	-5.48	1.46	1.52
11	B2	949	G	C2-N2	5.48	1.40	1.34
17	BE	40	ARG	CZ-NH2	5.48	1.40	1.33
38	A1	1054	A	N7-C5	-5.48	1.35	1.39
38	A1	1076	G	C2-N2	-5.48	1.29	1.34
38	A1	2398	C	C4'-C3'	5.48	1.59	1.53
11	B2	57	G	N1-C2	5.48	1.42	1.37
11	B2	444	G	N7-C5	-5.48	1.35	1.39
11	B2	977	G	C2'-O2'	-5.48	1.34	1.41
11	B2	1260	G	C3'-O3'	5.48	1.49	1.42
38	A1	1223	A	C6-N6	5.48	1.38	1.33
38	A1	1388	U	O3'-P	-5.48	1.54	1.61
38	A1	1501	G	C5'-C4'	5.48	1.57	1.51
38	A1	1651	A	C5-C4	5.48	1.42	1.38
38	A1	2047	U	O3'-P	-5.48	1.54	1.61
38	A1	2048	C	O3'-P	-5.48	1.54	1.61
38	A1	2258	A	C8-N7	-5.48	1.27	1.31
40	A5	18	ALA	C-N	5.48	1.43	1.33
10	B1	70	C	P-O5'	-5.48	1.54	1.59
11	B2	446	G	C5'-C4'	5.48	1.57	1.51
11	B2	785	U	C4'-C3'	-5.48	1.47	1.52
11	B2	1464	C	C2'-C1'	-5.48	1.47	1.53
38	A1	64	A	C5'-C4'	5.48	1.57	1.51
38	A1	97	C	C5'-C4'	5.48	1.57	1.51
38	A1	1328	G	C2'-C1'	-5.48	1.47	1.53
38	A1	1379	A	N1-C2	-5.48	1.29	1.34
38	A1	2163	G	C5'-C4'	5.48	1.57	1.51
38	A1	3008	C	C3'-C2'	5.48	1.58	1.52
39	A3	21	C	N3-C4	5.48	1.37	1.33
39	A3	43	C	C2'-C1'	-5.48	1.47	1.53
45	AC	181	GLU	CD-OE2	5.48	1.31	1.25
11	B2	186	U	C1'-N1	5.48	1.56	1.48
11	B2	1483	U	P-O5'	-5.48	1.54	1.59
38	A1	371	U	N3-C4	5.48	1.43	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	564	U	C2-N3	5.48	1.41	1.37
38	A1	885	A	C4'-C3'	-5.48	1.47	1.52
38	A1	1920	A	N7-C5	-5.48	1.35	1.39
11	B2	4	C	C2-O2	-5.48	1.19	1.24
11	B2	1137	G	C8-N7	-5.48	1.27	1.30
11	B2	1353	C	P-O5'	-5.48	1.54	1.59
11	B2	1377	G	C4'-O4'	5.48	1.52	1.45
11	B2	1484	C	C2-O2	-5.48	1.19	1.24
20	BH	69	ASN	CB-CG	5.48	1.63	1.51
38	A1	181	U	C2'-C1'	5.48	1.59	1.53
38	A1	681	C	N1-C6	5.48	1.40	1.37
38	A1	1020	G	C5-C6	-5.48	1.36	1.42
38	A1	1182	C	C5-C6	-5.48	1.29	1.34
38	A1	1437	C	N1-C2	-5.48	1.34	1.40
38	A1	1942	G	C2'-C1'	-5.48	1.47	1.53
38	A1	2059	G	C5-C4	-5.48	1.34	1.38
38	A1	18	C	C4'-C3'	-5.48	1.47	1.52
38	A1	791	C	O3'-P	5.48	1.67	1.61
38	A1	1065	C	P-O5'	-5.48	1.54	1.59
38	A1	1723	A	C2'-C1'	-5.48	1.47	1.53
39	A3	94	G	O3'-P	-5.48	1.54	1.61
39	A3	103	C	P-O5'	5.48	1.65	1.59
11	B2	120	C	N3-C4	5.47	1.37	1.33
11	B2	245	U	C4-O4	-5.47	1.19	1.23
11	B2	459	G	C2-N3	-5.47	1.28	1.32
11	B2	530	G	C8-N7	-5.47	1.27	1.30
15	BC	78	PRO	CA-C	-5.47	1.42	1.52
22	BJ	26	ARG	CZ-NH1	5.47	1.40	1.33
38	A1	838	A	C6-N1	5.47	1.39	1.35
38	A1	928	A	C3'-C2'	-5.47	1.46	1.52
38	A1	1807	G	C8-N7	5.47	1.34	1.30
38	A1	2650	G	N9-C8	5.47	1.41	1.37
49	Ae	45	ARG	CZ-NH1	5.47	1.40	1.33
11	B2	167	G	C2-N3	5.47	1.37	1.32
11	B2	365	C	N1-C6	5.47	1.40	1.37
11	B2	414	G	C5'-C4'	5.47	1.57	1.51
11	B2	1029	G	C2-N2	-5.47	1.29	1.34
38	A1	671	G	C5'-C4'	5.47	1.57	1.51
38	A1	1304	G	C2'-C1'	-5.47	1.47	1.53
38	A1	1813	A	C6-N1	5.47	1.39	1.35
38	A1	2596	G	C2-N3	5.47	1.37	1.32
38	A1	2788	U	C5'-C4'	5.47	1.57	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2993	G	N9-C8	5.47	1.41	1.37
11	B2	1199	A	C3'-C2'	5.47	1.58	1.52
38	A1	633	A	C2'-O2'	5.47	1.48	1.41
38	A1	1865	U	C2-N3	-5.47	1.33	1.37
11	B2	210	A	N1-C2	5.47	1.39	1.34
11	B2	923	A	C6-N1	5.47	1.39	1.35
11	B2	990	G	N3-C4	5.47	1.39	1.35
11	B2	1010	G	O3'-P	-5.47	1.54	1.61
11	B2	1065	C	P-O5'	-5.47	1.54	1.59
11	B2	1249	A	C8-N7	5.47	1.35	1.31
38	A1	51	G	N9-C4	5.47	1.42	1.38
38	A1	215	A	C6-N6	5.47	1.38	1.33
38	A1	357	G	C2-N3	5.47	1.37	1.32
38	A1	1138	C	O4'-C1'	5.47	1.48	1.41
38	A1	1607	C	O4'-C1'	5.47	1.48	1.41
38	A1	1821	C	C5'-C4'	5.47	1.57	1.51
38	A1	2050	U	O3'-P	-5.47	1.54	1.61
38	A1	2665	G	C5'-C4'	5.47	1.57	1.51
38	A1	2696	G	C2-N3	5.47	1.37	1.32
38	A1	2887	C	C2-O2	5.47	1.29	1.24
57	Aj	30	ARG	CZ-NH2	5.47	1.40	1.33
38	A1	632	G	N9-C4	5.47	1.42	1.38
38	A1	2311	C	O3'-P	-5.47	1.54	1.61
38	A1	2342	C	C4-N4	5.47	1.38	1.33
5	AS	83	TYR	CE2-CZ	5.47	1.45	1.38
11	B2	15	U	C3'-C2'	-5.47	1.46	1.52
11	B2	499	G	C2-N2	5.47	1.40	1.34
11	B2	1315	G	N7-C5	5.47	1.42	1.39
11	B2	1448	A	C2-N3	5.47	1.38	1.33
38	A1	463	A	C8-N7	-5.47	1.27	1.31
38	A1	576	G	C2'-C1'	-5.47	1.47	1.53
38	A1	591	G	C5-C4	5.47	1.42	1.38
38	A1	851	G	O3'-P	-5.47	1.54	1.61
38	A1	909	A	N9-C8	5.47	1.42	1.37
38	A1	1505	G	N9-C8	-5.47	1.34	1.37
38	A1	1645	U	C4-O4	-5.47	1.19	1.23
38	A1	1883	C	O3'-P	-5.47	1.54	1.61
38	A1	1920	A	N3-C4	-5.47	1.31	1.34
38	A1	2177	A	C2-N3	-5.47	1.28	1.33
38	A1	2217	C	C5'-C4'	5.47	1.57	1.51
38	A1	2227	G	N9-C4	5.47	1.42	1.38
38	A1	2336	G	P-O5'	5.47	1.65	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	27	C	O4'-C1'	5.46	1.48	1.41
11	B2	87	C	C4-N4	5.46	1.38	1.33
11	B2	172	G	C8-N7	5.46	1.34	1.30
11	B2	1182	G	N3-C4	-5.46	1.31	1.35
11	B2	1241	U	C2'-C1'	-5.46	1.47	1.53
38	A1	354	G	C6-N1	5.46	1.43	1.39
38	A1	408	C	C2'-C1'	-5.46	1.47	1.53
38	A1	1187	A	C3'-C2'	-5.46	1.46	1.52
38	A1	2089	C	O3'-P	-5.46	1.54	1.61
3	Af	22	ARG	NE-CZ	5.46	1.40	1.33
11	B2	101	G	N9-C4	5.46	1.42	1.38
11	B2	233	C	P-O5'	5.46	1.65	1.59
11	B2	1197	C	O3'-P	-5.46	1.54	1.61
38	A1	1145	G	N9-C4	5.46	1.42	1.38
38	A1	1939	C	N3-C4	5.46	1.37	1.33
38	A1	2514	C	C4-N4	5.46	1.38	1.33
38	A1	3045	G	C2-N3	5.46	1.37	1.32
11	B2	146	A	C5-C4	5.46	1.42	1.38
11	B2	170	C	C3'-O3'	5.46	1.49	1.42
11	B2	233	C	C4-C5	5.46	1.47	1.43
11	B2	530	G	O3'-P	-5.46	1.54	1.61
11	B2	707	A	N3-C4	-5.46	1.31	1.34
11	B2	975	A	N9-C4	5.46	1.41	1.37
18	BF	82	ARG	CZ-NH2	5.46	1.40	1.33
23	BK	121	ARG	NE-CZ	5.46	1.40	1.33
38	A1	149	G	N9-C8	5.46	1.41	1.37
38	A1	196	A	N7-C5	-5.46	1.35	1.39
38	A1	243	G	C4'-C3'	5.46	1.59	1.53
38	A1	1975	C	C2-N3	5.46	1.40	1.35
38	A1	2480	G	N9-C4	-5.46	1.33	1.38
38	A1	2857	C	C2'-C1'	-5.46	1.47	1.53
11	B2	80	A	N9-C4	-5.46	1.34	1.37
11	B2	126	G	C8-N7	-5.46	1.27	1.30
11	B2	167	G	C5-C4	5.46	1.42	1.38
27	BO	111	ARG	NE-CZ	5.46	1.40	1.33
38	A1	259	A	C6-N1	5.46	1.39	1.35
38	A1	357	G	C8-N7	-5.46	1.27	1.30
38	A1	552	A	P-O5'	-5.46	1.54	1.59
38	A1	1254	C	C5-C6	-5.46	1.29	1.34
38	A1	1993	A	C3'-O3'	5.46	1.49	1.42
38	A1	2421	A	P-O5'	5.46	1.65	1.59
38	A1	3011	G	P-O5'	5.46	1.65	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	B1	4	G	C5-C6	5.46	1.47	1.42
11	B2	136	A	C4'-C3'	5.46	1.59	1.53
11	B2	335	G	C3'-C2'	-5.46	1.46	1.52
11	B2	420	C	O4'-C1'	5.46	1.48	1.41
11	B2	762	G	C6-N1	5.46	1.43	1.39
11	B2	984	C	C4-N4	-5.46	1.29	1.33
11	B2	1008	U	C5-C6	5.46	1.39	1.34
11	B2	1054	A	O3'-P	-5.46	1.54	1.61
11	B2	1097	G	C6-N1	5.46	1.43	1.39
38	A1	613	C	P-O5'	-5.46	1.54	1.59
38	A1	717	A	N1-C2	-5.46	1.29	1.34
38	A1	1025	A	C2-N3	5.46	1.38	1.33
38	A1	1037	C	C5'-C4'	5.46	1.57	1.51
38	A1	1713	G	N3-C4	-5.46	1.31	1.35
38	A1	2008	G	C4'-C3'	5.46	1.59	1.53
38	A1	2013	A	C5'-C4'	5.46	1.57	1.51
38	A1	2348	G	C8-N7	5.46	1.34	1.30
38	A1	2759	A	C5-C4	-5.46	1.34	1.38
11	B2	1025	U	C2-N3	-5.46	1.33	1.37
32	BT	26	ARG	NE-CZ	5.46	1.40	1.33
38	A1	449	G	C6-O6	5.46	1.29	1.24
38	A1	578	C	O4'-C1'	5.46	1.48	1.41
38	A1	858	G	N7-C5	-5.46	1.35	1.39
38	A1	1342	G	N9-C8	-5.46	1.34	1.37
38	A1	1725	A	N1-C2	5.46	1.39	1.34
38	A1	2066	C	N1-C6	5.46	1.40	1.37
38	A1	2217	C	C4-N4	5.46	1.38	1.33
38	A1	2239	C	C4-C5	5.46	1.47	1.43
38	A1	2305	U	N1-C6	-5.46	1.33	1.38
38	A1	2692	A	O4'-C1'	-5.46	1.34	1.41
38	A1	2866	A	C5-C4	5.46	1.42	1.38
11	B2	781	U	C3'-O3'	5.46	1.49	1.42
11	B2	901	G	C5-C6	5.46	1.47	1.42
38	A1	306	G	C4'-O4'	-5.46	1.38	1.45
38	A1	2204	C	C2-N3	5.46	1.40	1.35
39	A3	2	G	N3-C4	-5.46	1.31	1.35
10	B1	73	C	O4'-C1'	5.45	1.48	1.41
11	B2	135	U	O4'-C1'	-5.45	1.34	1.41
11	B2	386	C	N3-C4	5.45	1.37	1.33
11	B2	667	G	N1-C2	5.45	1.42	1.37
11	B2	1054	A	O4'-C1'	5.45	1.48	1.41
11	B2	1469	G	C2'-C1'	-5.45	1.47	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	BC	111	ARG	CZ-NH2	5.45	1.40	1.33
38	A1	106	G	C3'-C2'	-5.45	1.46	1.52
38	A1	149	G	C2-N2	-5.45	1.29	1.34
38	A1	1156	G	N7-C5	-5.45	1.35	1.39
38	A1	2258	A	C2'-C1'	-5.45	1.47	1.53
38	A1	2879	G	C6-N1	5.45	1.43	1.39
38	A1	2898	G	C5-C4	5.45	1.42	1.38
50	AF	95	SER	CA-CB	5.45	1.61	1.52
11	B2	234	G	C2-N2	5.45	1.40	1.34
11	B2	387	G	C2-N3	5.45	1.37	1.32
11	B2	752	G	N9-C4	5.45	1.42	1.38
18	BF	11	ARG	CD-NE	5.45	1.55	1.46
38	A1	732	G	C6-N1	5.45	1.43	1.39
38	A1	1751	G	N3-C4	-5.45	1.31	1.35
38	A1	2028	G	C5'-C4'	5.45	1.57	1.51
38	A1	2438	U	N1-C2	-5.45	1.33	1.38
38	A1	2767	C	C4-C5	5.45	1.47	1.43
11	B2	617	A	C6-N1	5.45	1.39	1.35
11	B2	1082	A	C6-N1	5.45	1.39	1.35
11	B2	1184	U	C4-C5	5.45	1.48	1.43
11	B2	1290	U	O3'-P	-5.45	1.54	1.61
22	BJ	43	ARG	NE-CZ	5.45	1.40	1.33
38	A1	231	G	C5-C4	-5.45	1.34	1.38
38	A1	544	A	C5-C4	5.45	1.42	1.38
38	A1	567	G	C2-N2	5.45	1.40	1.34
38	A1	609	G	C8-N7	-5.45	1.27	1.30
38	A1	835	G	N1-C2	5.45	1.42	1.37
38	A1	987	G	O4'-C1'	5.45	1.48	1.41
38	A1	1535	U	C1'-N1	5.45	1.56	1.48
38	A1	1921	U	C2'-C1'	-5.45	1.47	1.53
38	A1	2051	A	C6-N6	5.45	1.38	1.33
38	A1	2812	U	C4'-O4'	5.45	1.52	1.45
39	A3	118	G	C3'-C2'	-5.45	1.46	1.52
11	B2	407	G	P-O5'	-5.45	1.54	1.59
38	A1	522	A	N1-C2	5.45	1.39	1.34
38	A1	815	U	C4'-C3'	-5.45	1.47	1.52
38	A1	848	A	C4'-O4'	-5.45	1.38	1.45
38	A1	1631	A	C5'-C4'	5.45	1.57	1.51
39	A3	75	G	C2-N3	5.45	1.37	1.32
60	AM	71	ARG	NE-CZ	5.45	1.40	1.33
11	B2	1243	C	C2-N3	5.45	1.40	1.35
38	A1	438	G	C5-C6	-5.45	1.36	1.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	444	U	P-O5'	5.45	1.65	1.59
38	A1	994	G	C6-N1	5.45	1.43	1.39
38	A1	1629	G	N3-C4	5.45	1.39	1.35
38	A1	1849	A	C5'-C4'	5.45	1.57	1.51
38	A1	2213	G	C3'-C2'	-5.45	1.46	1.52
38	A1	2346	A	O3'-P	-5.45	1.54	1.61
38	A1	2522	C	P-O5'	-5.45	1.54	1.59
38	A1	2789	G	N3-C4	-5.45	1.31	1.35
66	AY	17	ARG	CZ-NH1	5.45	1.40	1.33
5	AS	113	LYS	N-CA	-5.45	1.35	1.46
11	B2	38	G	N7-C5	-5.45	1.35	1.39
11	B2	846	G	N1-C2	5.45	1.42	1.37
38	A1	854	G	N9-C8	-5.45	1.34	1.37
38	A1	1896	U	O3'-P	-5.45	1.54	1.61
38	A1	2157	U	P-O5'	-5.45	1.54	1.59
38	A1	3014	U	N1-C2	5.45	1.43	1.38
39	A3	72	G	C2'-C1'	-5.45	1.47	1.53
40	A5	17	ARG	CZ-NH2	5.45	1.40	1.33
11	B2	1185	A	C3'-C2'	5.44	1.58	1.52
38	A1	1204	U	N3-C4	5.44	1.43	1.38
38	A1	1786	G	C2-N3	5.44	1.37	1.32
38	A1	2010	G	C2'-C1'	-5.44	1.47	1.53
38	A1	2519	C	N3-C4	5.44	1.37	1.33
11	B2	354	G	C2'-C1'	-5.44	1.47	1.53
11	B2	1318	U	C5'-C4'	5.44	1.57	1.51
37	BY	17	ARG	N-CA	-5.44	1.35	1.46
38	A1	183	G	O4'-C1'	-5.44	1.34	1.41
38	A1	1710	C	C2'-C1'	-5.44	1.47	1.53
38	A1	1801	C	C4-N4	5.44	1.38	1.33
38	A1	2240	G	C4'-C3'	5.44	1.59	1.53
38	A1	2272	G	C2-N3	5.44	1.37	1.32
38	A1	2836	G	C2'-C1'	-5.44	1.47	1.53
39	A3	4	C	N3-C4	5.44	1.37	1.33
46	AD	23	PHE	CG-CD2	5.44	1.47	1.38
66	AY	73	ARG	CZ-NH1	5.44	1.40	1.33
38	A1	168	G	N7-C5	-5.44	1.35	1.39
38	A1	232	U	C2-O2	5.44	1.27	1.22
38	A1	423	G	C2-N3	5.44	1.37	1.32
38	A1	428	A	C8-N7	5.44	1.35	1.31
38	A1	759	G	N9-C8	-5.44	1.34	1.37
38	A1	910	G	N1-C2	5.44	1.42	1.37
38	A1	1184	U	C3'-C2'	-5.44	1.46	1.52

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1271	G	C2-N2	5.44	1.40	1.34
38	A1	1655	G	C5-C4	5.44	1.42	1.38
38	A1	1757	G	N1-C2	5.44	1.42	1.37
38	A1	1856	G	C5-C6	-5.44	1.36	1.42
38	A1	2312	U	C3'-O3'	5.44	1.49	1.42
38	A1	2561	G	C5-C6	-5.44	1.36	1.42
38	A1	2719	G	C6-N1	5.44	1.43	1.39
38	A1	2868	C	C2-O2	-5.44	1.19	1.24
39	A3	50	G	C5-C6	5.44	1.47	1.42
40	A5	37	GLY	N-CA	-5.44	1.37	1.46
9	AX	291	ARG	CD-NE	5.44	1.55	1.46
11	B2	1060	G	C2'-C1'	5.44	1.59	1.53
11	B2	1435	G	C5-C6	5.44	1.47	1.42
28	BP	6	TYR	CZ-OH	5.44	1.47	1.37
38	A1	57	C	N1-C6	-5.44	1.33	1.37
38	A1	562	G	C5-C4	5.44	1.42	1.38
38	A1	1897	G	N1-C2	5.44	1.42	1.37
38	A1	2027	G	O3'-P	-5.44	1.54	1.61
11	B2	81	C	O3'-P	-5.44	1.54	1.61
11	B2	335	G	C2-N2	5.44	1.40	1.34
11	B2	814	C	N1-C6	5.44	1.40	1.37
11	B2	848	G	N9-C4	5.44	1.42	1.38
11	B2	1281	U	C5'-C4'	5.44	1.57	1.51
11	B2	1377	G	C2'-C1'	-5.44	1.47	1.53
38	A1	1209	A	C2-N3	-5.44	1.28	1.33
38	A1	1302	G	C2-N3	5.44	1.37	1.32
38	A1	1762	G	C6-N1	5.44	1.43	1.39
38	A1	1906	G	C2-N2	5.44	1.40	1.34
38	A1	2115	U	P-O5'	-5.44	1.54	1.59
38	A1	2133	G	C8-N7	-5.44	1.27	1.30
38	A1	2139	A	P-O5'	5.44	1.65	1.59
38	A1	2164	G	P-O5'	5.44	1.65	1.59
38	A1	2349	U	C3'-C2'	-5.44	1.46	1.52
38	A1	2403	G	N1-C2	5.44	1.42	1.37
38	A1	2406	C	C4-N4	5.44	1.38	1.33
39	A3	125	U	C2-N3	5.44	1.41	1.37
11	B2	373	C	C2-N3	5.44	1.40	1.35
11	B2	376	G	N3-C4	5.44	1.39	1.35
11	B2	1323	A	C2'-C1'	-5.44	1.47	1.53
15	BC	24	GLU	CG-CD	5.44	1.60	1.51
38	A1	832	A	P-O5'	-5.44	1.54	1.59
38	A1	2021	G	C5-C4	5.44	1.42	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2682	G	N1-C2	5.44	1.42	1.37
38	A1	2964	A	C6-N1	5.44	1.39	1.35
11	B2	377	A	N3-C4	5.43	1.38	1.34
11	B2	542	G	C2'-C1'	-5.43	1.47	1.53
11	B2	939	C	O3'-P	-5.43	1.54	1.61
11	B2	1495	U	C2'-C1'	5.43	1.59	1.53
38	A1	371	U	O3'-P	-5.43	1.54	1.61
38	A1	460	C	C4-C5	5.43	1.47	1.43
38	A1	599	G	C5-C6	-5.43	1.36	1.42
38	A1	946	U	N3-C4	5.43	1.43	1.38
38	A1	1858	G	C8-N7	5.43	1.34	1.30
38	A1	2026	C	O3'-P	-5.43	1.54	1.61
38	A1	2288	C	N3-C4	5.43	1.37	1.33
38	A1	2441	A	N3-C4	-5.43	1.31	1.34
38	A1	2727	C	C3'-O3'	5.43	1.49	1.42
38	A1	3032	C	C4-N4	5.43	1.38	1.33
62	AO	168	PHE	CG-CD2	5.43	1.47	1.38
38	A1	29	U	C4-O4	5.43	1.27	1.23
38	A1	34	C	C4'-C3'	-5.43	1.47	1.52
38	A1	170	A	C4'-O4'	-5.43	1.38	1.45
38	A1	344	G	N3-C4	-5.43	1.31	1.35
38	A1	463	A	N3-C4	-5.43	1.31	1.34
38	A1	1013	G	N9-C8	5.43	1.41	1.37
38	A1	1026	A	C6-N1	-5.43	1.31	1.35
38	A1	1165	C	P-O5'	-5.43	1.54	1.59
38	A1	1364	C	C5'-C4'	-5.43	1.44	1.51
38	A1	2014	A	C2'-O2'	5.43	1.48	1.41
38	A1	2519	C	C2'-O2'	5.43	1.48	1.41
61	AN	113	ARG	CZ-NH2	5.43	1.40	1.33
11	B2	1100	G	N7-C5	5.43	1.42	1.39
11	B2	1237	G	P-O5'	-5.43	1.54	1.59
38	A1	1128	G	C8-N7	-5.43	1.27	1.30
38	A1	1426	G	O3'-P	-5.43	1.54	1.61
38	A1	1951	G	C5'-C4'	5.43	1.57	1.51
38	A1	2163	G	N9-C8	5.43	1.41	1.37
38	A1	2450	A	C5'-C4'	5.43	1.57	1.51
10	B1	27	A	C6-N6	5.43	1.38	1.33
11	B2	599	G	C3'-O3'	5.43	1.49	1.42
11	B2	618	G	N7-C5	-5.43	1.35	1.39
11	B2	717	C	N1-C6	5.43	1.40	1.37
11	B2	772	G	N9-C8	5.43	1.41	1.37
17	BE	159	PHE	CD1-CE1	5.43	1.50	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	415	U	C2'-C1'	5.43	1.59	1.53
38	A1	985	A	N7-C5	-5.43	1.35	1.39
38	A1	1176	C	O3'-P	-5.43	1.54	1.61
38	A1	1190	G	N9-C8	5.43	1.41	1.37
38	A1	1803	U	C2-N3	5.43	1.41	1.37
38	A1	1844	C	C4-C5	-5.43	1.38	1.43
38	A1	1891	C	C2'-C1'	-5.43	1.47	1.53
38	A1	2549	A	C1'-N9	5.43	1.56	1.48
38	A1	2652	G	O3'-P	-5.43	1.54	1.61
38	A1	2727	C	N1-C6	5.43	1.40	1.37
39	A3	31	U	C3'-C2'	-5.43	1.46	1.52
42	Aa	41	ARG	NE-CZ	5.43	1.40	1.33
61	AN	82	TYR	CG-CD1	5.43	1.46	1.39
11	B2	967	C	C4-C5	-5.43	1.38	1.43
38	A1	1112	G	N9-C8	-5.43	1.34	1.37
38	A1	1644	G	C2'-C1'	-5.43	1.47	1.53
38	A1	1845	C	C1'-N1	5.43	1.56	1.48
38	A1	2043	A	C6-N1	5.43	1.39	1.35
38	A1	2400	U	P-O5'	-5.43	1.54	1.59
38	A1	2647	G	N7-C5	5.43	1.42	1.39
11	B2	129	G	N7-C5	-5.43	1.35	1.39
11	B2	188	C	N3-C4	5.43	1.37	1.33
11	B2	780	C	O4'-C1'	5.43	1.48	1.41
11	B2	868	C	C5'-C4'	5.43	1.57	1.51
11	B2	936	A	N3-C4	-5.43	1.31	1.34
11	B2	1395	G	C5-C4	5.43	1.42	1.38
11	B2	1480	G	C3'-C2'	-5.43	1.46	1.52
38	A1	446	G	C5-C4	5.43	1.42	1.38
38	A1	1040	C	C2'-O2'	5.43	1.48	1.41
38	A1	1600	G	C2-N2	5.43	1.40	1.34
38	A1	2372	C	C4-N4	5.43	1.38	1.33
38	A1	2475	G	C2-N3	5.43	1.37	1.32
39	A3	47	G	O3'-P	-5.43	1.54	1.61
39	A3	68	C	N1-C6	5.43	1.40	1.37
59	AL	68	GLU	CD-OE2	5.43	1.31	1.25
11	B2	486	A	C1'-N9	-5.42	1.39	1.46
11	B2	839	G	N1-C2	5.42	1.42	1.37
11	B2	1095	C	C2-N3	5.42	1.40	1.35
38	A1	121	G	C1'-N9	5.42	1.56	1.48
38	A1	556	G	N9-C8	5.42	1.41	1.37
38	A1	723	A	C8-N7	5.42	1.35	1.31
38	A1	769	G	C8-N7	-5.42	1.27	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1832	G	C8-N7	5.42	1.34	1.30
38	A1	1934	C	C5'-C4'	5.42	1.57	1.51
38	A1	2439	G	N7-C5	-5.42	1.35	1.39
39	A3	67	U	C5'-C4'	5.42	1.57	1.51
43	AB	146	GLY	CA-C	-5.42	1.43	1.51
10	B1	72	C	C5'-C4'	5.42	1.57	1.51
38	A1	1223	A	N9-C4	-5.42	1.34	1.37
38	A1	1591	C	C2'-C1'	-5.42	1.47	1.53
38	A1	2051	A	C6-N1	5.42	1.39	1.35
11	B2	48	G	C6-N1	5.42	1.43	1.39
11	B2	656	U	N1-C2	5.42	1.43	1.38
11	B2	925	U	C2'-C1'	5.42	1.59	1.53
24	BL	33	ARG	NE-CZ	5.42	1.40	1.33
25	BM	84	ARG	CZ-NH1	5.42	1.40	1.33
38	A1	369	G	C3'-C2'	5.42	1.58	1.52
38	A1	672	C	C4'-C3'	5.42	1.59	1.53
38	A1	854	G	C2'-C1'	-5.42	1.47	1.53
38	A1	1472	U	C4'-C3'	5.42	1.59	1.53
38	A1	1944	C	C2-N3	-5.42	1.31	1.35
38	A1	2401	A	C4'-O4'	-5.42	1.38	1.45
38	A1	2707	G	N3-C4	5.42	1.39	1.35
11	B2	484	U	C2'-C1'	-5.42	1.47	1.53
11	B2	687	G	O3'-P	-5.42	1.54	1.61
38	A1	422	G	C6-N1	5.42	1.43	1.39
38	A1	454	C	P-O5'	-5.42	1.54	1.59
38	A1	2108	U	C2-N3	5.42	1.41	1.37
38	A1	2141	C	C5-C6	-5.42	1.30	1.34
41	AA	83	SER	CA-CB	5.42	1.61	1.52
11	B2	392	G	N1-C2	5.42	1.42	1.37
11	B2	398	C	O3'-P	-5.42	1.54	1.61
11	B2	402	G	C2'-C1'	-5.42	1.47	1.53
11	B2	822	A	C6-N6	5.42	1.38	1.33
11	B2	1325	C	C4-N4	5.42	1.38	1.33
38	A1	103	A	C8-N7	5.42	1.35	1.31
38	A1	352	G	C2'-C1'	-5.42	1.47	1.53
38	A1	661	G	N1-C2	5.42	1.42	1.37
38	A1	693	G	C8-N7	-5.42	1.27	1.30
38	A1	855	G	N7-C5	5.42	1.42	1.39
38	A1	1039	C	C2'-C1'	-5.42	1.47	1.53
38	A1	1173	G	C5-C6	-5.42	1.36	1.42
38	A1	1178	G	O5'-C5'	5.42	1.53	1.44
38	A1	2261	C	P-O5'	-5.42	1.54	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
39	A3	11	A	C5-C4	5.42	1.42	1.38
61	AN	10	ARG	NE-CZ	5.42	1.40	1.33
11	B2	120	C	C2-N3	5.42	1.40	1.35
11	B2	283	U	O4'-C1'	-5.42	1.34	1.41
11	B2	297	G	C3'-C2'	5.42	1.58	1.52
11	B2	929	C	C5'-C4'	5.42	1.57	1.51
30	BR	100	PHE	CG-CD1	5.42	1.46	1.38
38	A1	272	G	N9-C8	5.42	1.41	1.37
38	A1	316	G	C2-N2	5.42	1.40	1.34
38	A1	1223	A	C3'-C2'	5.42	1.58	1.52
38	A1	1259	G	C2'-C1'	-5.42	1.47	1.53
38	A1	1307	C	C4-C5	5.42	1.47	1.43
38	A1	1362	G	C2-N3	5.42	1.37	1.32
38	A1	1663	C	C1'-N1	5.42	1.56	1.48
38	A1	2211	C	N3-C4	5.42	1.37	1.33
38	A1	2666	G	C2'-C1'	-5.42	1.47	1.53
38	A1	2973	A	N9-C8	5.42	1.42	1.37
11	B2	264	C	C2'-C1'	-5.42	1.47	1.53
11	B2	1415	U	C4-O4	5.42	1.27	1.23
38	A1	1545	C	N1-C2	-5.42	1.34	1.40
38	A1	1703	G	N1-C2	5.42	1.42	1.37
60	AM	8	ARG	CD-NE	5.42	1.55	1.46
10	B1	69	G	N9-C4	-5.41	1.33	1.38
22	BJ	43	ARG	CD-NE	5.41	1.55	1.46
38	A1	597	C	C2-N3	5.41	1.40	1.35
38	A1	1459	A	N7-C5	-5.41	1.36	1.39
38	A1	1732	C	C4-N4	-5.41	1.29	1.33
38	A1	2063	U	C5-C6	5.41	1.39	1.34
38	A1	2285	G	C2'-C1'	-5.41	1.47	1.53
38	A1	2703	G	N9-C8	5.41	1.41	1.37
11	B2	266	A	O4'-C1'	5.41	1.48	1.41
38	A1	33	U	C3'-O3'	5.41	1.49	1.42
38	A1	307	C	C2-O2	-5.41	1.19	1.24
38	A1	1010	G	C5-C4	-5.41	1.34	1.38
38	A1	1234	A	C4'-C3'	-5.41	1.47	1.52
38	A1	1666	G	N3-C4	5.41	1.39	1.35
38	A1	2150	G	C5-C4	5.41	1.42	1.38
38	A1	2986	G	O3'-P	-5.41	1.54	1.61
11	B2	176	U	C2'-C1'	-5.41	1.47	1.53
11	B2	972	C	N1-C6	5.41	1.40	1.37
11	B2	1241	U	C2-O2	5.41	1.27	1.22
11	B2	1319	C	C4-C5	5.41	1.47	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	237	G	C2-N2	5.41	1.40	1.34
38	A1	450	G	N3-C4	5.41	1.39	1.35
38	A1	501	C	C2-N3	5.41	1.40	1.35
38	A1	661	G	C4'-O4'	5.41	1.52	1.45
38	A1	794	G	O3'-P	-5.41	1.54	1.61
38	A1	841	U	C3'-O3'	5.41	1.49	1.42
38	A1	1078	G	C8-N7	-5.41	1.27	1.30
38	A1	1214	C	C2'-C1'	-5.41	1.47	1.53
38	A1	1560	G	C2'-C1'	-5.41	1.47	1.53
38	A1	1759	A	N3-C4	5.41	1.38	1.34
38	A1	1943	C	C2'-C1'	-5.41	1.47	1.53
38	A1	2545	A	C5-C4	5.41	1.42	1.38
39	A3	104	C	N1-C2	5.41	1.45	1.40
11	B2	99	C	C4-C5	5.41	1.47	1.43
11	B2	284	A	O3'-P	-5.41	1.54	1.61
11	B2	491	G	N7-C5	-5.41	1.36	1.39
11	B2	576	C	N1-C6	-5.41	1.33	1.37
11	B2	1220	G	O3'-P	-5.41	1.54	1.61
11	B2	1320	A	C8-N7	5.41	1.35	1.31
20	BH	42	ARG	NE-CZ	5.41	1.40	1.33
38	A1	83	G	C5'-C4'	-5.41	1.44	1.51
38	A1	207	A	C6-N6	5.41	1.38	1.33
38	A1	378	G	N3-C4	-5.41	1.31	1.35
38	A1	930	G	C5-C6	-5.41	1.36	1.42
38	A1	964	C	C5-C6	-5.41	1.30	1.34
38	A1	1176	C	C2-N3	5.41	1.40	1.35
38	A1	1250	A	C5'-C4'	5.41	1.57	1.51
38	A1	2038	C	C4-N4	5.41	1.38	1.33
38	A1	2307	C	C4-N4	5.41	1.38	1.33
38	A1	2815	C	C2'-C1'	-5.41	1.47	1.53
38	A1	2828	G	O3'-P	-5.41	1.54	1.61
45	AC	84	ARG	NE-CZ	5.41	1.40	1.33
11	B2	580	G	C6-N1	5.41	1.43	1.39
11	B2	964	A	C1'-N9	5.41	1.56	1.48
38	A1	1563	G	N1-C2	5.41	1.42	1.37
38	A1	2356	U	C4-C5	5.41	1.48	1.43
11	B2	90	C	C2-N3	5.41	1.40	1.35
11	B2	206	C	N1-C6	-5.41	1.33	1.37
11	B2	411	C	C4-N4	5.41	1.38	1.33
11	B2	1055	C	C5'-C4'	5.41	1.57	1.51
11	B2	1421	C	P-O5'	-5.41	1.54	1.59
38	A1	132	G	N7-C5	-5.41	1.36	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1208	A	N7-C5	-5.41	1.36	1.39
38	A1	1328	G	C3'-O3'	5.41	1.49	1.42
38	A1	2116	G	C6-N1	5.41	1.43	1.39
38	A1	2550	A	C6-N1	5.41	1.39	1.35
38	A1	2786	G	N9-C8	5.41	1.41	1.37
38	A1	3018	C	C3'-C2'	5.41	1.58	1.52
11	B2	198	A	C5'-C4'	5.40	1.57	1.51
11	B2	887	G	N7-C5	5.40	1.42	1.39
38	A1	1267	A	P-O5'	5.40	1.65	1.59
38	A1	1427	A	C6-N6	5.40	1.38	1.33
38	A1	2525	C	P-O5'	-5.40	1.54	1.59
11	B2	509	C	C4'-O4'	5.40	1.52	1.45
11	B2	791	G	N1-C2	5.40	1.42	1.37
38	A1	672	C	C4-N4	5.40	1.38	1.33
38	A1	792	A	N9-C8	5.40	1.42	1.37
38	A1	922	C	C2'-C1'	-5.40	1.47	1.53
38	A1	964	C	C4'-O4'	-5.40	1.38	1.45
38	A1	1701	C	C4'-O4'	-5.40	1.38	1.45
38	A1	2208	C	P-O5'	5.40	1.65	1.59
38	A1	2291	G	C8-N7	-5.40	1.27	1.30
5	AS	50	TYR	CE2-CZ	5.40	1.45	1.38
5	AS	135	ARG	CZ-NH1	5.40	1.40	1.33
10	B1	43	G	N3-C4	-5.40	1.31	1.35
11	B2	234	G	N1-C2	5.40	1.42	1.37
11	B2	711	U	C4-C5	-5.40	1.38	1.43
11	B2	787	U	C1'-N1	-5.40	1.39	1.46
11	B2	965	G	N9-C8	5.40	1.41	1.37
11	B2	1172	A	C5'-C4'	5.40	1.57	1.51
11	B2	1271	G	N9-C4	5.40	1.42	1.38
36	BX	35	ARG	NE-CZ	5.40	1.40	1.33
38	A1	122	G	N1-C2	5.40	1.42	1.37
38	A1	318	G	C2-N2	5.40	1.40	1.34
38	A1	511	A	C5'-C4'	5.40	1.57	1.51
38	A1	573	G	C2'-C1'	-5.40	1.47	1.53
38	A1	933	G	C5-C6	-5.40	1.36	1.42
38	A1	1811	G	O3'-P	5.40	1.67	1.61
38	A1	1994	G	N9-C8	-5.40	1.34	1.37
38	A1	2347	G	C2-N2	5.40	1.40	1.34
38	A1	2502	C	N3-C4	5.40	1.37	1.33
38	A1	2955	G	C8-N7	-5.40	1.27	1.30
39	A3	9	A	C5-C6	-5.40	1.36	1.41
39	A3	93	G	N1-C2	5.40	1.42	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
47	Ad	6	ARG	CD-NE	5.40	1.55	1.46
11	B2	1004	U	P-O5'	-5.40	1.54	1.59
11	B2	1354	A	P-O5'	-5.40	1.54	1.59
38	A1	386	A	P-O5'	-5.40	1.54	1.59
38	A1	1470	C	C5-C6	5.40	1.38	1.34
38	A1	2872	G	C8-N7	5.40	1.34	1.30
11	B2	63	G	N9-C4	-5.40	1.33	1.38
11	B2	90	C	N1-C6	5.40	1.40	1.37
11	B2	168	G	N9-C8	5.40	1.41	1.37
11	B2	476	C	C4-N4	5.40	1.38	1.33
38	A1	32	C	C2-O2	5.40	1.29	1.24
38	A1	429	U	C3'-O3'	5.40	1.49	1.42
38	A1	694	A	N9-C4	-5.40	1.34	1.37
38	A1	1012	G	C2-N3	5.40	1.37	1.32
38	A1	1234	A	O4'-C1'	5.40	1.48	1.41
38	A1	1447	G	C6-N1	5.40	1.43	1.39
38	A1	1825	G	C2'-C1'	-5.40	1.47	1.53
38	A1	1849	A	N9-C8	-5.40	1.33	1.37
38	A1	2226	G	O3'-P	-5.40	1.54	1.61
46	AD	78	ARG	CD-NE	5.40	1.55	1.46
55	Ai	80	ARG	NE-CZ	5.40	1.40	1.33
56	AJ	51	ARG	CZ-NH1	5.40	1.40	1.33
11	B2	287	G	C5'-C4'	5.40	1.57	1.51
11	B2	958	G	N1-C2	5.40	1.42	1.37
11	B2	1324	U	C4'-O4'	-5.40	1.38	1.45
38	A1	2331	A	C3'-C2'	-5.40	1.46	1.52
38	A1	2646	A	N1-C2	-5.40	1.29	1.34
11	B2	210	A	N7-C5	-5.39	1.36	1.39
11	B2	542	G	C3'-O3'	5.39	1.49	1.42
11	B2	1370	U	C2-N3	5.39	1.41	1.37
11	B2	1421	C	N1-C6	-5.39	1.33	1.37
38	A1	75	G	O4'-C1'	-5.39	1.34	1.41
38	A1	88	G	C6-N1	5.39	1.43	1.39
38	A1	328	G	N7-C5	5.39	1.42	1.39
38	A1	361	G	C2-N2	5.39	1.40	1.34
38	A1	686	C	C2-N3	5.39	1.40	1.35
38	A1	1935	C	C2-O2	5.39	1.29	1.24
38	A1	2066	C	C4'-C3'	-5.39	1.47	1.52
38	A1	2539	G	C6-N1	5.39	1.43	1.39
38	A1	2982	G	C3'-O3'	5.39	1.49	1.42
48	AE	71	ARG	NE-CZ	5.39	1.40	1.33
10	B1	61	U	C3'-C2'	-5.39	1.46	1.52

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	396	C	N3-C4	5.39	1.37	1.33
11	B2	534	G	N9-C8	5.39	1.41	1.37
11	B2	952	A	C5'-C4'	5.39	1.57	1.51
11	B2	1223	C	C5'-C4'	5.39	1.57	1.51
38	A1	279	G	C2-N2	5.39	1.40	1.34
38	A1	330	U	C2'-C1'	-5.39	1.47	1.53
38	A1	909	A	N1-C2	5.39	1.39	1.34
38	A1	952	C	C4'-C3'	-5.39	1.47	1.52
38	A1	1298	C	C4-C5	5.39	1.47	1.43
38	A1	1369	G	C8-N7	5.39	1.34	1.30
38	A1	1603	G	N7-C5	5.39	1.42	1.39
38	A1	2022	U	C4-C5	-5.39	1.38	1.43
38	A1	2188	C	C5-C6	-5.39	1.30	1.34
39	A3	85	C	C5-C6	5.39	1.38	1.34
44	Ab	84	VAL	N-CA	-5.39	1.35	1.46
11	B2	204	G	C2'-C1'	-5.39	1.47	1.53
11	B2	723	G	C4'-O4'	-5.39	1.38	1.45
11	B2	934	G	C5-C4	5.39	1.42	1.38
11	B2	1056	G	C6-N1	5.39	1.43	1.39
38	A1	347	G	C4'-C3'	5.39	1.59	1.53
38	A1	1074	G	N9-C8	5.39	1.41	1.37
38	A1	1519	G	C2-N3	5.39	1.37	1.32
38	A1	2187	C	O4'-C1'	5.39	1.48	1.41
11	B2	264	C	N1-C2	5.39	1.45	1.40
11	B2	1139	A	C2'-C1'	-5.39	1.47	1.53
38	A1	648	C	C4-N4	5.39	1.38	1.33
38	A1	723	A	C6-N6	5.39	1.38	1.33
38	A1	983	G	N1-C2	5.39	1.42	1.37
38	A1	1492	C	C5'-C4'	5.39	1.57	1.51
38	A1	1810	G	C6-N1	5.39	1.43	1.39
38	A1	2360	G	N7-C5	-5.39	1.36	1.39
65	AV	48	ARG	CZ-NH2	5.39	1.40	1.33
11	B2	1237	G	N7-C5	-5.39	1.36	1.39
11	B2	1333	G	C2'-C1'	-5.39	1.47	1.53
29	BQ	135	TYR	CG-CD1	5.39	1.46	1.39
38	A1	582	A	C6-N1	5.39	1.39	1.35
38	A1	1996	C	P-O5'	-5.39	1.54	1.59
38	A1	2482	G	P-O5'	5.39	1.65	1.59
38	A1	2531	G	C8-N7	-5.39	1.27	1.30
11	B2	106	A	O3'-P	-5.39	1.54	1.61
11	B2	707	A	C8-N7	-5.39	1.27	1.31
11	B2	1109	C	N1-C6	5.39	1.40	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1142	G	C2'-C1'	-5.39	1.47	1.53
38	A1	314	A	N1-C2	5.39	1.39	1.34
38	A1	1544	C	P-O5'	-5.39	1.54	1.59
38	A1	1833	G	N7-C5	-5.39	1.36	1.39
38	A1	2448	A	N9-C8	5.39	1.42	1.37
38	A1	2629	U	C4'-O4'	-5.39	1.38	1.45
40	A5	16	ARG	CZ-NH1	5.39	1.40	1.33
10	B1	35	G	C3'-C2'	5.38	1.58	1.52
11	B2	652	C	C4-N4	5.38	1.38	1.33
11	B2	656	U	N3-C4	-5.38	1.33	1.38
11	B2	1437	G	N7-C5	-5.38	1.36	1.39
33	BU	19	ARG	CZ-NH2	5.38	1.40	1.33
38	A1	7	G	N3-C4	5.38	1.39	1.35
38	A1	763	A	C6-N6	5.38	1.38	1.33
38	A1	2740	G	O4'-C1'	5.38	1.48	1.41
38	A1	2966	C	C4'-C3'	5.38	1.59	1.53
38	A1	3011	G	N7-C5	-5.38	1.36	1.39
40	A5	64	ARG	CZ-NH2	5.38	1.40	1.33
43	AB	189	TRP	NE1-CE2	-5.38	1.30	1.37
48	AE	119	GLU	CB-CG	5.38	1.62	1.52
11	B2	576	C	C2-N3	-5.38	1.31	1.35
24	BL	35	SER	CA-CB	5.38	1.61	1.52
38	A1	579	C	N3-C4	5.38	1.37	1.33
38	A1	963	G	C6-N1	5.38	1.43	1.39
38	A1	2420	C	C5-C6	-5.38	1.30	1.34
38	A1	2500	G	C2-N3	5.38	1.37	1.32
39	A3	52	U	C1'-N1	5.38	1.56	1.48
60	AM	187	ARG	CZ-NH2	5.38	1.40	1.33
11	B2	100	A	O3'-P	-5.38	1.54	1.61
11	B2	450	A	N1-C2	5.38	1.39	1.34
11	B2	822	A	C2'-C1'	-5.38	1.47	1.53
11	B2	1030	U	C4-C5	5.38	1.48	1.43
11	B2	1209	C	C4-N4	5.38	1.38	1.33
11	B2	1474	A	C8-N7	5.38	1.35	1.31
38	A1	1039	C	C1'-N1	5.38	1.56	1.48
38	A1	1472	U	N1-C2	5.38	1.43	1.38
38	A1	1763	A	O3'-P	-5.38	1.54	1.61
38	A1	2658	G	C2-N3	5.38	1.37	1.32
11	B2	44	C	O4'-C1'	-5.38	1.34	1.41
11	B2	1089	C	C3'-O3'	5.38	1.49	1.42
38	A1	1415	C	C4-C5	5.38	1.47	1.43
38	A1	1758	U	N1-C6	5.38	1.42	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1999	G	C6-O6	-5.38	1.19	1.24
38	A1	2414	G	C4'-O4'	5.38	1.52	1.45
38	A1	2815	C	C4'-O4'	-5.38	1.38	1.45
39	A3	18	G	O3'-P	-5.38	1.54	1.61
10	B1	10	G	C4'-O4'	-5.38	1.38	1.45
11	B2	6	G	C6-N1	5.38	1.43	1.39
11	B2	1126	G	N9-C4	5.38	1.42	1.38
38	A1	191	U	N1-C6	5.38	1.42	1.38
38	A1	483	C	C4-C5	5.38	1.47	1.43
38	A1	641	G	C2-N2	-5.38	1.29	1.34
38	A1	1006	A	C2'-C1'	-5.38	1.47	1.53
38	A1	1024	G	C2-N3	5.38	1.37	1.32
38	A1	1484	U	C4-C5	5.38	1.48	1.43
38	A1	2586	A	N7-C5	-5.38	1.36	1.39
11	B2	92	G	C2-N3	5.38	1.37	1.32
11	B2	389	G	N7-C5	-5.38	1.36	1.39
11	B2	644	G	C5'-C4'	5.38	1.57	1.51
11	B2	900	G	C6-N1	5.38	1.43	1.39
11	B2	978	G	C5'-C4'	5.38	1.57	1.51
11	B2	983	G	C6-O6	-5.38	1.19	1.24
38	A1	224	G	C4'-O4'	5.38	1.52	1.45
38	A1	1296	A	C6-N6	5.38	1.38	1.33
38	A1	1623	C	C4'-O4'	-5.38	1.38	1.45
38	A1	1856	G	C5'-C4'	5.38	1.57	1.51
38	A1	2151	C	C4-C5	-5.38	1.38	1.43
38	A1	2659	G	C2-N3	5.38	1.37	1.32
38	A1	2881	G	C2'-C1'	-5.38	1.47	1.53
38	A1	2963	G	C2-N3	5.38	1.37	1.32
7	AU	77	TYR	CG-CD1	5.38	1.46	1.39
11	B2	231	G	C4'-C3'	5.38	1.59	1.53
11	B2	262	G	C2'-C1'	-5.38	1.47	1.53
11	B2	365	C	C2'-C1'	-5.38	1.47	1.53
11	B2	584	C	C2-O2	5.38	1.29	1.24
11	B2	727	G	C2-N3	5.38	1.37	1.32
11	B2	754	G	N1-C2	5.38	1.42	1.37
18	BF	92	ARG	CZ-NH1	5.38	1.40	1.33
38	A1	142	G	N3-C4	-5.38	1.31	1.35
38	A1	982	G	C5-C6	-5.38	1.36	1.42
38	A1	1794	C	N1-C6	5.38	1.40	1.37
38	A1	1948	A	O3'-P	-5.38	1.54	1.61
38	A1	2634	U	C4-O4	5.38	1.27	1.23
60	AM	166	GLY	CA-C	-5.38	1.43	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	206	C	C4'-O4'	-5.37	1.38	1.45
11	B2	516	A	N9-C8	5.37	1.42	1.37
11	B2	947	G	C8-N7	-5.37	1.27	1.30
11	B2	1105	C	C4'-C3'	-5.37	1.47	1.52
14	BB	85	GLU	CD-OE1	5.37	1.31	1.25
38	A1	355	G	N3-C4	-5.37	1.31	1.35
38	A1	488	A	N3-C4	5.37	1.38	1.34
38	A1	652	G	N9-C8	5.37	1.41	1.37
38	A1	1187	A	N7-C5	-5.37	1.36	1.39
38	A1	1672	G	C6-N1	-5.37	1.35	1.39
38	A1	1966	C	N1-C6	5.37	1.40	1.37
38	A1	2033	G	C3'-C2'	-5.37	1.46	1.52
38	A1	2177	A	C5-C4	5.37	1.42	1.38
38	A1	2197	U	C2-N3	-5.37	1.33	1.37
38	A1	2377	C	C4'-C3'	5.37	1.59	1.53
38	A1	2604	G	N9-C4	-5.37	1.33	1.38
38	A1	2975	A	C2-N3	5.37	1.38	1.33
44	Ab	122	GLY	C-N	5.37	1.46	1.34
10	B1	31	G	N7-C5	-5.37	1.36	1.39
11	B2	501	G	C4'-O4'	-5.37	1.38	1.45
11	B2	642	G	N1-C2	5.37	1.42	1.37
11	B2	986	G	C3'-O3'	5.37	1.49	1.42
38	A1	506	G	N9-C8	5.37	1.41	1.37
38	A1	540	A	C6-N1	-5.37	1.31	1.35
38	A1	582	A	C6-N6	5.37	1.38	1.33
38	A1	663	A	C4'-O4'	5.37	1.52	1.45
38	A1	2198	U	C4-C5	5.37	1.48	1.43
38	A1	2595	C	C3'-O3'	5.37	1.49	1.42
38	A1	2785	G	C5'-C4'	-5.37	1.45	1.51
10	B1	25	G	N1-C2	5.37	1.42	1.37
11	B2	292	U	N3-C4	5.37	1.43	1.38
11	B2	376	G	N7-C5	5.37	1.42	1.39
11	B2	588	C	O4'-C1'	-5.37	1.34	1.41
38	A1	1157	U	C2'-C1'	-5.37	1.47	1.53
38	A1	1541	U	N1-C2	5.37	1.43	1.38
56	AJ	16	ARG	CZ-NH2	5.37	1.40	1.33
11	B2	518	U	C2-N3	5.37	1.41	1.37
11	B2	614	G	O3'-P	-5.37	1.54	1.61
11	B2	979	U	C2-N3	5.37	1.41	1.37
11	B2	1265	G	C1'-N9	5.37	1.56	1.48
11	B2	1395	G	C6-N1	5.37	1.43	1.39
38	A1	36	G	N3-C4	5.37	1.39	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	252	A	C2-N3	5.37	1.38	1.33
38	A1	311	C	N1-C6	5.37	1.40	1.37
38	A1	899	A	C6-N6	5.37	1.38	1.33
38	A1	1347	U	C1'-N1	5.37	1.56	1.48
38	A1	1566	G	C5-C4	5.37	1.42	1.38
38	A1	1604	G	N7-C5	-5.37	1.36	1.39
38	A1	1736	G	N9-C4	5.37	1.42	1.38
38	A1	1993	A	C6-N6	5.37	1.38	1.33
38	A1	2359	G	C2'-C1'	-5.37	1.47	1.53
38	A1	2595	C	C2-N3	5.37	1.40	1.35
38	A1	2667	U	C4-C5	5.37	1.48	1.43
38	A1	231	G	N3-C4	-5.37	1.31	1.35
38	A1	565	A	C2'-C1'	-5.37	1.47	1.53
38	A1	1413	A	C2-N3	5.37	1.38	1.33
38	A1	1884	C	N1-C6	5.37	1.40	1.37
38	A1	2057	G	P-O5'	-5.37	1.54	1.59
38	A1	2225	C	C2'-C1'	-5.37	1.47	1.53
38	A1	2557	C	C4'-C3'	-5.37	1.47	1.52
11	B2	195	C	P-O5'	-5.37	1.54	1.59
11	B2	338	C	C2'-C1'	-5.37	1.47	1.53
11	B2	893	U	N3-C4	5.37	1.43	1.38
38	A1	68	G	C2-N3	5.37	1.37	1.32
38	A1	110	A	N7-C5	-5.37	1.36	1.39
38	A1	301	G	C3'-C2'	-5.37	1.46	1.52
38	A1	571	G	C3'-O3'	5.37	1.49	1.42
38	A1	587	A	C6-N6	5.37	1.38	1.33
38	A1	1158	G	N7-C5	-5.37	1.36	1.39
38	A1	1281	A	C6-N6	5.37	1.38	1.33
38	A1	1802	G	N7-C5	-5.37	1.36	1.39
38	A1	2255	C	N1-C6	5.37	1.40	1.37
38	A1	2256	G	N3-C4	5.37	1.39	1.35
38	A1	2657	A	N9-C8	5.37	1.42	1.37
38	A1	2865	C	O3'-P	5.37	1.67	1.61
38	A1	2988	A	C6-N6	5.37	1.38	1.33
39	A3	75	G	N3-C4	-5.37	1.31	1.35
11	B2	202	G	N3-C4	5.36	1.39	1.35
11	B2	213	C	C2-N3	5.36	1.40	1.35
11	B2	461	A	C6-N6	5.36	1.38	1.33
11	B2	1170	C	C5'-C4'	5.36	1.57	1.51
11	B2	1207	G	N1-C2	5.36	1.42	1.37
11	B2	1258	C	C3'-C2'	5.36	1.58	1.52
38	A1	379	U	C4'-O4'	5.36	1.52	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	426	G	C8-N7	5.36	1.34	1.30
38	A1	545	G	C3'-C2'	5.36	1.58	1.52
38	A1	1324	G	C6-N1	5.36	1.43	1.39
38	A1	1380	G	N1-C2	5.36	1.42	1.37
38	A1	1689	G	C2-N3	-5.36	1.28	1.32
38	A1	2775	G	N9-C4	-5.36	1.33	1.38
38	A1	2838	U	C3'-C2'	-5.36	1.46	1.52
38	A1	2948	A	N9-C8	5.36	1.42	1.37
39	A3	98	G	N3-C4	-5.36	1.31	1.35
55	Ai	48	ARG	NE-CZ	5.36	1.40	1.33
11	B2	6	G	C8-N7	5.36	1.34	1.30
11	B2	1005	G	C2-N2	5.36	1.40	1.34
11	B2	1140	A	C6-N1	5.36	1.39	1.35
38	A1	332	A	C5-C6	5.36	1.45	1.41
38	A1	716	U	C4'-O4'	-5.36	1.38	1.45
38	A1	1209	A	C2'-C1'	-5.36	1.47	1.53
38	A1	1693	G	C2'-C1'	-5.36	1.47	1.53
38	A1	2018	C	P-O5'	-5.36	1.54	1.59
11	B2	406	U	C4-C5	5.36	1.48	1.43
11	B2	940	U	N3-C4	5.36	1.43	1.38
11	B2	1216	A	N3-C4	-5.36	1.31	1.34
11	B2	1326	G	C2-N3	5.36	1.37	1.32
11	B2	1369	C	C1'-N1	5.36	1.56	1.48
38	A1	517	A	N7-C5	-5.36	1.36	1.39
38	A1	1131	G	N9-C8	5.36	1.41	1.37
38	A1	1262	C	C5-C6	-5.36	1.30	1.34
38	A1	1397	U	N1-C2	5.36	1.43	1.38
38	A1	1608	G	C3'-O3'	5.36	1.49	1.42
38	A1	2023	A	C4'-C3'	5.36	1.59	1.53
38	A1	2062	A	C6-N1	5.36	1.39	1.35
38	A1	2225	C	C2-N3	5.36	1.40	1.35
38	A1	2320	U	C2-N3	5.36	1.41	1.37
38	A1	2547	A	C5-C6	5.36	1.45	1.41
38	A1	2705	C	N1-C6	5.36	1.40	1.37
44	Ab	59	ARG	CZ-NH2	5.36	1.40	1.33
45	AC	139	TYR	CZ-OH	5.36	1.47	1.37
11	B2	672	G	C2-N2	5.36	1.40	1.34
11	B2	1020	G	N9-C8	-5.36	1.34	1.37
11	B2	1095	C	C3'-C2'	5.36	1.58	1.52
11	B2	1287	G	N9-C8	-5.36	1.34	1.37
29	BQ	80	ARG	CZ-NH2	5.36	1.40	1.33
38	A1	84	A	N7-C5	-5.36	1.36	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	304	G	N1-C2	5.36	1.42	1.37
38	A1	366	G	C6-N1	-5.36	1.35	1.39
38	A1	793	C	C2'-O2'	-5.36	1.34	1.41
38	A1	1065	C	C4-N4	5.36	1.38	1.33
39	A3	11	A	C6-N6	5.36	1.38	1.33
11	B2	186	U	C2-N3	5.36	1.41	1.37
11	B2	219	C	C4-C5	5.36	1.47	1.43
11	B2	254	G	N1-C2	5.36	1.42	1.37
11	B2	314	G	C5'-C4'	-5.36	1.45	1.51
11	B2	561	A	P-O5'	5.36	1.65	1.59
11	B2	977	G	C8-N7	5.36	1.34	1.30
11	B2	1225	C	N1-C2	5.36	1.45	1.40
38	A1	86	G	C8-N7	-5.36	1.27	1.30
38	A1	90	A	N7-C5	-5.36	1.36	1.39
38	A1	148	C	C2-N3	5.36	1.40	1.35
38	A1	261	A	C5-C6	5.36	1.45	1.41
38	A1	849	C	C4-N4	5.36	1.38	1.33
38	A1	1759	A	C1'-N9	5.36	1.56	1.48
38	A1	2528	U	N1-C2	5.36	1.43	1.38
38	A1	2701	U	C4'-C3'	5.36	1.59	1.53
38	A1	3006	G	C5-C6	-5.36	1.36	1.42
38	A1	3006	G	C2'-C1'	-5.36	1.47	1.53
11	B2	33	U	C3'-O3'	5.36	1.49	1.42
11	B2	180	G	N3-C4	5.36	1.39	1.35
11	B2	184	G	C3'-C2'	5.36	1.58	1.52
11	B2	254	G	C2-N3	5.36	1.37	1.32
11	B2	436	A	C6-N6	5.36	1.38	1.33
11	B2	714	G	C5-C4	-5.36	1.34	1.38
11	B2	799	C	C4-N4	5.36	1.38	1.33
11	B2	1094	U	N1-C2	5.36	1.43	1.38
38	A1	137	A	N7-C5	-5.36	1.36	1.39
38	A1	254	A	C5-C4	5.36	1.42	1.38
38	A1	623	G	N7-C5	-5.36	1.36	1.39
38	A1	766	G	C5-C6	-5.36	1.36	1.42
38	A1	1654	G	C5-C4	5.36	1.42	1.38
38	A1	1685	C	P-O5'	-5.36	1.54	1.59
38	A1	1893	C	O4'-C1'	5.36	1.48	1.41
38	A1	2279	G	N9-C8	5.36	1.41	1.37
38	A1	2602	G	O4'-C1'	5.36	1.48	1.41
38	A1	2651	G	N3-C4	-5.36	1.31	1.35
11	B2	790	G	P-O5'	-5.35	1.54	1.59
11	B2	869	U	P-O5'	-5.35	1.54	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1300	A	N1-C2	-5.35	1.29	1.34
11	B2	1399	G	N9-C8	5.35	1.41	1.37
38	A1	618	C	N1-C6	5.35	1.40	1.37
38	A1	2301	C	C1'-N1	5.35	1.56	1.48
38	A1	2531	G	N7-C5	-5.35	1.36	1.39
38	A1	2862	A	O3'-P	-5.35	1.54	1.61
10	B1	52	G	C1'-N9	5.35	1.56	1.48
11	B2	509	C	C2-N3	5.35	1.40	1.35
11	B2	651	U	P-O5'	5.35	1.65	1.59
38	A1	1569	A	N9-C4	-5.35	1.34	1.37
38	A1	1671	A	C6-N1	5.35	1.39	1.35
38	A1	1833	G	N3-C4	-5.35	1.31	1.35
38	A1	2783	C	C4-N4	5.35	1.38	1.33
38	A1	2817	U	N1-C2	5.35	1.43	1.38
60	AM	21	GLU	CB-CG	5.35	1.62	1.52
61	AN	79	ARG	CZ-NH2	5.35	1.40	1.33
34	BV	85	TYR	CE2-CZ	5.35	1.45	1.38
38	A1	971	G	C5-C6	-5.35	1.36	1.42
38	A1	1441	C	N3-C4	5.35	1.37	1.33
38	A1	2192	G	C8-N7	5.35	1.34	1.30
38	A1	3029	A	C5-C4	5.35	1.42	1.38
11	B2	211	G	C3'-O3'	5.35	1.49	1.42
11	B2	653	C	O4'-C1'	5.35	1.48	1.41
11	B2	729	G	C2-N2	-5.35	1.29	1.34
38	A1	244	A	N3-C4	5.35	1.38	1.34
38	A1	407	A	N7-C5	-5.35	1.36	1.39
38	A1	862	G	C5'-C4'	5.35	1.57	1.51
38	A1	1762	G	N1-C2	5.35	1.42	1.37
38	A1	1908	C	C4-N4	5.35	1.38	1.33
38	A1	2139	A	N9-C4	5.35	1.41	1.37
38	A1	2349	U	N3-C4	5.35	1.43	1.38
38	A1	2436	A	C3'-C2'	-5.35	1.46	1.52
38	A1	2600	C	N1-C6	5.35	1.40	1.37
38	A1	2777	G	P-O5'	5.35	1.65	1.59
38	A1	2952	C	C3'-C2'	-5.35	1.46	1.52
45	AC	144	PHE	CG-CD1	5.35	1.46	1.38
11	B2	339	U	P-O5'	-5.35	1.54	1.59
11	B2	786	G	C4'-C3'	5.35	1.59	1.53
38	A1	26	G	N3-C4	5.35	1.39	1.35
38	A1	1097	G	C5'-C4'	5.35	1.57	1.51
38	A1	1516	C	C4-C5	5.35	1.47	1.43
38	A1	1521	G	C2'-C1'	-5.35	1.47	1.53

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1535	U	C4-O4	5.35	1.27	1.23
38	A1	1826	G	C5-C4	5.35	1.42	1.38
38	A1	1837	A	C6-N6	5.35	1.38	1.33
38	A1	2146	C	O4'-C1'	5.35	1.48	1.41
38	A1	2398	C	N3-C4	5.35	1.37	1.33
38	A1	2972	G	N9-C8	5.35	1.41	1.37
11	B2	89	G	N3-C4	-5.35	1.31	1.35
11	B2	146	A	N9-C4	5.35	1.41	1.37
11	B2	321	A	O3'-P	-5.35	1.54	1.61
11	B2	807	C	N1-C2	5.35	1.45	1.40
33	BU	84	GLY	CA-C	-5.35	1.43	1.51
38	A1	649	A	P-O5'	-5.35	1.54	1.59
38	A1	798	G	C4'-O4'	-5.35	1.38	1.45
38	A1	1109	G	N1-C2	5.35	1.42	1.37
38	A1	2804	C	C2-N3	5.35	1.40	1.35
39	A3	120	C	C2-N3	5.35	1.40	1.35
10	B1	29	C	P-O5'	-5.34	1.54	1.59
10	B1	73	C	O3'-P	-5.34	1.54	1.61
11	B2	416	A	N7-C5	5.34	1.42	1.39
11	B2	488	A	C8-N7	-5.34	1.27	1.31
11	B2	530	G	C2-N2	5.34	1.39	1.34
11	B2	721	A	C8-N7	-5.34	1.27	1.31
38	A1	807	G	N9-C4	5.34	1.42	1.38
38	A1	1089	C	O4'-C1'	5.34	1.48	1.41
38	A1	1236	C	O4'-C1'	5.34	1.48	1.41
38	A1	1571	G	N9-C4	5.34	1.42	1.38
38	A1	1644	G	C2-N2	5.34	1.39	1.34
38	A1	1735	G	C2-N3	5.34	1.37	1.32
38	A1	1766	A	N7-C5	-5.34	1.36	1.39
38	A1	1942	G	C2-N2	5.34	1.39	1.34
38	A1	1989	G	C8-N7	5.34	1.34	1.30
38	A1	2025	A	C2-N3	5.34	1.38	1.33
38	A1	2391	G	O4'-C1'	5.34	1.48	1.41
38	A1	2474	A	C2-N3	-5.34	1.28	1.33
11	B2	605	C	C5'-C4'	5.34	1.57	1.51
11	B2	1479	C	C4-C5	5.34	1.47	1.43
38	A1	378	G	C6-N1	5.34	1.43	1.39
38	A1	568	A	C2'-O2'	5.34	1.48	1.41
38	A1	1112	G	N7-C5	-5.34	1.36	1.39
38	A1	1406	G	C4'-C3'	5.34	1.59	1.53
38	A1	2231	G	N3-C4	-5.34	1.31	1.35
38	A1	2551	G	C5'-C4'	-5.34	1.45	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2974	U	C2-N3	5.34	1.41	1.37
11	B2	3	U	C2-O2	5.34	1.27	1.22
11	B2	318	C	O3'-P	-5.34	1.54	1.61
11	B2	783	G	C8-N7	-5.34	1.27	1.30
11	B2	830	A	C2'-C1'	-5.34	1.47	1.53
11	B2	1099	A	N7-C5	-5.34	1.36	1.39
11	B2	1231	G	C1'-N9	5.34	1.56	1.48
11	B2	1236	G	P-O5'	-5.34	1.54	1.59
32	BT	8	TYR	CB-CG	5.34	1.59	1.51
38	A1	324	C	O3'-P	-5.34	1.54	1.61
38	A1	443	C	O3'-P	-5.34	1.54	1.61
38	A1	1585	U	C4'-O4'	5.34	1.52	1.45
38	A1	2219	A	C6-N6	5.34	1.38	1.33
38	A1	2946	C	C2-N3	-5.34	1.31	1.35
39	A3	66	A	N1-C2	5.34	1.39	1.34
11	B2	90	C	P-O5'	-5.34	1.54	1.59
11	B2	126	G	C5'-C4'	5.34	1.57	1.51
11	B2	476	C	C4-C5	5.34	1.47	1.43
11	B2	585	U	N1-C6	-5.34	1.33	1.38
11	B2	780	C	N3-C4	5.34	1.37	1.33
11	B2	921	G	N7-C5	-5.34	1.36	1.39
11	B2	1216	A	C5'-C4'	5.34	1.57	1.51
11	B2	1342	C	C5'-C4'	-5.34	1.45	1.51
11	B2	1446	G	C5-C6	-5.34	1.37	1.42
38	A1	728	A	N7-C5	-5.34	1.36	1.39
38	A1	1163	U	C2'-C1'	-5.34	1.47	1.53
38	A1	1172	U	N1-C2	5.34	1.43	1.38
38	A1	1416	G	P-O5'	5.34	1.65	1.59
38	A1	1691	U	C2-N3	5.34	1.41	1.37
38	A1	2696	G	N9-C4	5.34	1.42	1.38
61	AN	53	GLU	CD-OE1	5.34	1.31	1.25
11	B2	38	G	O5'-C5'	-5.34	1.34	1.42
11	B2	278	A	N9-C8	-5.34	1.33	1.37
11	B2	763	G	N1-C2	5.34	1.42	1.37
11	B2	1102	A	N9-C4	-5.34	1.34	1.37
38	A1	358	C	C4-N4	5.34	1.38	1.33
38	A1	851	G	C5'-C4'	5.34	1.57	1.51
38	A1	1835	A	C6-N1	5.34	1.39	1.35
11	B2	175	G	C3'-O3'	5.34	1.49	1.42
11	B2	493	C	C1'-N1	5.34	1.56	1.48
11	B2	1082	A	C2-N3	5.34	1.38	1.33
11	B2	1180	G	N7-C5	-5.34	1.36	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1339	G	C2-N3	5.34	1.37	1.32
32	BT	68	ARG	CZ-NH1	5.34	1.40	1.33
38	A1	20	C	C5'-C4'	5.34	1.57	1.51
38	A1	277	A	C5'-C4'	5.34	1.57	1.51
38	A1	1040	C	C2'-C1'	5.34	1.59	1.53
38	A1	2136	G	C6-O6	-5.34	1.19	1.24
38	A1	2162	G	N9-C8	5.34	1.41	1.37
38	A1	2706	C	C2-N3	5.34	1.40	1.35
38	A1	2820	C	C5-C6	-5.34	1.30	1.34
40	AK	37	GLY	N-CA	-5.34	1.38	1.46
11	B2	244	G	C5-C4	5.33	1.42	1.38
38	A1	366	G	C5-C4	-5.33	1.34	1.38
38	A1	1298	C	C4'-O4'	-5.33	1.38	1.45
38	A1	1569	A	N7-C5	-5.33	1.36	1.39
5	AS	126	ARG	CZ-NH1	5.33	1.40	1.33
11	B2	189	C	C1'-N1	5.33	1.56	1.48
11	B2	602	G	N9-C8	5.33	1.41	1.37
11	B2	741	A	C6-N1	-5.33	1.31	1.35
11	B2	786	G	N9-C8	5.33	1.41	1.37
11	B2	800	G	N3-C4	5.33	1.39	1.35
11	B2	867	A	O3'-P	5.33	1.67	1.61
11	B2	943	C	C2'-C1'	-5.33	1.47	1.53
11	B2	1232	G	N1-C2	5.33	1.42	1.37
11	B2	1467	U	C4-C5	-5.33	1.38	1.43
29	BQ	16	ARG	CZ-NH1	5.33	1.40	1.33
38	A1	606	A	C8-N7	-5.33	1.27	1.31
38	A1	829	G	O4'-C1'	5.33	1.48	1.41
38	A1	1044	C	C1'-N1	5.33	1.56	1.48
38	A1	1690	U	N1-C6	5.33	1.42	1.38
38	A1	1728	C	C1'-N1	5.33	1.56	1.48
39	A3	29	G	C5-C6	-5.33	1.37	1.42
39	A3	79	U	C5'-C4'	5.33	1.57	1.51
8	AW	29	ARG	NE-CZ	5.33	1.40	1.33
10	B1	57	C	C4'-C3'	5.33	1.59	1.53
11	B2	343	G	C4'-O4'	-5.33	1.38	1.45
11	B2	731	A	N9-C8	-5.33	1.33	1.37
11	B2	750	C	C4-N4	5.33	1.38	1.33
11	B2	804	U	C1'-N1	5.33	1.56	1.48
11	B2	890	C	P-O5'	5.33	1.65	1.59
11	B2	1069	G	N1-C2	5.33	1.42	1.37
11	B2	1153	G	C8-N7	5.33	1.34	1.30
38	A1	1229	U	C1'-N1	5.33	1.56	1.48

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1288	C	C4-N4	5.33	1.38	1.33
38	A1	1896	U	C5-C6	5.33	1.39	1.34
38	A1	2594	U	N1-C6	5.33	1.42	1.38
63	AP	98	GLY	N-CA	-5.33	1.38	1.46
11	B2	615	G	C8-N7	5.33	1.34	1.30
38	A1	336	C	C5'-C4'	5.33	1.57	1.51
38	A1	395	G	C6-N1	5.33	1.43	1.39
38	A1	1195	G	C8-N7	-5.33	1.27	1.30
38	A1	1376	U	C1'-N1	5.33	1.56	1.48
11	B2	195	C	C5-C6	5.33	1.38	1.34
11	B2	304	C	N1-C6	5.33	1.40	1.37
11	B2	432	G	C6-N1	5.33	1.43	1.39
11	B2	889	G	N9-C8	5.33	1.41	1.37
11	B2	1291	G	C3'-O3'	5.33	1.49	1.42
11	B2	1312	C	C4-C5	-5.33	1.38	1.43
11	B2	1323	A	O4'-C1'	5.33	1.48	1.41
19	BG	103	ARG	CZ-NH1	5.33	1.40	1.33
38	A1	88	G	C2-N2	5.33	1.39	1.34
38	A1	880	U	C4-O4	-5.33	1.19	1.23
38	A1	1047	A	N1-C2	5.33	1.39	1.34
38	A1	1096	A	C5-C6	-5.33	1.36	1.41
38	A1	2568	A	C2-N3	-5.33	1.28	1.33
47	Ad	50	ARG	NE-CZ	5.33	1.40	1.33
66	AY	8	ARG	CZ-NH1	5.33	1.40	1.33
11	B2	1254	C	C1'-N1	5.33	1.56	1.48
38	A1	630	G	C4'-O4'	5.33	1.52	1.45
38	A1	1518	G	C2-N3	5.33	1.37	1.32
38	A1	2250	G	C5-C4	5.33	1.42	1.38
38	A1	2670	U	C2-O2	5.33	1.27	1.22
38	A1	2947	G	C2-N2	5.33	1.39	1.34
10	B1	46	U	P-O5'	-5.33	1.54	1.59
11	B2	302	A	C4'-C3'	5.33	1.59	1.53
11	B2	648	A	C6-N1	5.33	1.39	1.35
11	B2	1116	G	C6-N1	5.33	1.43	1.39
11	B2	1124	G	C5-C4	5.33	1.42	1.38
38	A1	407	A	P-O5'	5.33	1.65	1.59
38	A1	422	G	C2-N3	5.33	1.37	1.32
38	A1	462	A	C4'-C3'	5.33	1.59	1.53
38	A1	632	G	P-O5'	-5.33	1.54	1.59
38	A1	657	U	C2'-C1'	-5.33	1.47	1.53
38	A1	1107	G	C5'-C4'	5.33	1.57	1.51
38	A1	1386	G	O3'-P	-5.33	1.54	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1392	G	N7-C5	-5.33	1.36	1.39
38	A1	1591	C	C4'-O4'	5.33	1.52	1.45
38	A1	1732	C	P-O5'	-5.33	1.54	1.59
38	A1	1769	G	N9-C8	-5.33	1.34	1.37
38	A1	1881	A	C6-N1	5.33	1.39	1.35
38	A1	2373	G	C4'-C3'	5.33	1.59	1.53
38	A1	2479	C	N3-C4	5.33	1.37	1.33
42	Aa	91	TYR	CZ-OH	5.33	1.47	1.37
11	B2	91	G	C5-C6	-5.32	1.37	1.42
11	B2	158	U	C3'-O3'	5.32	1.49	1.42
11	B2	780	C	C5-C6	-5.32	1.30	1.34
11	B2	978	G	O5'-C5'	5.32	1.52	1.44
22	BJ	26	ARG	CD-NE	5.32	1.55	1.46
38	A1	2586	A	N1-C2	-5.32	1.29	1.34
39	A3	44	C	C4-N4	5.32	1.38	1.33
50	AF	97	PHE	CE1-CZ	5.32	1.47	1.37
11	B2	446	G	C4'-C3'	-5.32	1.47	1.52
11	B2	1243	C	C4-N4	5.32	1.38	1.33
38	A1	565	A	C4'-C3'	5.32	1.59	1.53
38	A1	1406	G	C5-C4	-5.32	1.34	1.38
11	B2	488	A	O4'-C1'	-5.32	1.34	1.41
11	B2	521	G	C2-N3	5.32	1.37	1.32
11	B2	832	G	N1-C2	5.32	1.42	1.37
11	B2	845	G	C2'-C1'	-5.32	1.47	1.53
11	B2	986	G	N1-C2	5.32	1.42	1.37
11	B2	1248	A	O3'-P	-5.32	1.54	1.61
11	B2	1414	G	P-O5'	-5.32	1.54	1.59
38	A1	239	G	N9-C4	5.32	1.42	1.38
38	A1	562	G	C8-N7	-5.32	1.27	1.30
38	A1	727	A	N9-C8	5.32	1.42	1.37
38	A1	1956	G	N9-C8	5.32	1.41	1.37
42	Aa	91	TYR	CE1-CZ	5.32	1.45	1.38
11	B2	216	G	N9-C8	5.32	1.41	1.37
11	B2	559	G	N9-C8	5.32	1.41	1.37
11	B2	802	G	O3'-P	5.32	1.67	1.61
11	B2	946	G	C5'-C4'	5.32	1.57	1.51
13	BA	157	PHE	CG-CD1	5.32	1.46	1.38
38	A1	576	G	C1'-N9	5.32	1.56	1.48
38	A1	1737	A	C5-C4	-5.32	1.35	1.38
38	A1	1771	C	P-O5'	5.32	1.65	1.59
46	AD	33	ARG	NE-CZ	5.32	1.40	1.33
10	B1	10	G	C5'-C4'	5.32	1.57	1.51

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	438	A	C3'-C2'	5.32	1.58	1.52
11	B2	976	A	N1-C2	5.32	1.39	1.34
11	B2	1069	G	C6-O6	5.32	1.28	1.24
11	B2	1150	G	N3-C4	-5.32	1.31	1.35
11	B2	1435	G	O3'-P	-5.32	1.54	1.61
11	B2	1487	U	C5'-C4'	5.32	1.57	1.51
38	A1	50	C	C1'-N1	5.32	1.56	1.48
38	A1	83	G	O3'-P	-5.32	1.54	1.61
38	A1	221	G	C2-N3	5.32	1.37	1.32
38	A1	374	C	C3'-C2'	5.32	1.58	1.52
38	A1	599	G	C2-N2	5.32	1.39	1.34
38	A1	684	G	N9-C4	5.32	1.42	1.38
38	A1	1338	G	C2-N2	5.32	1.39	1.34
38	A1	2012	G	C2'-C1'	-5.32	1.47	1.53
38	A1	2020	G	N1-C2	5.32	1.42	1.37
38	A1	2053	G	C3'-C2'	-5.32	1.47	1.52
39	A3	64	C	C5'-C4'	5.32	1.57	1.51
11	B2	480	G	C5'-C4'	5.32	1.57	1.51
11	B2	568	C	O4'-C1'	5.32	1.48	1.41
11	B2	612	C	N1-C6	5.32	1.40	1.37
11	B2	712	G	N9-C4	5.32	1.42	1.38
11	B2	729	G	N7-C5	-5.32	1.36	1.39
11	B2	1009	G	C6-N1	5.32	1.43	1.39
11	B2	1050	G	C2-N3	5.32	1.37	1.32
11	B2	1163	U	O4'-C1'	5.32	1.48	1.41
11	B2	1239	A	N9-C8	-5.32	1.33	1.37
11	B2	1437	G	C6-N1	5.32	1.43	1.39
13	BA	46	ARG	CZ-NH1	5.32	1.40	1.33
38	A1	383	C	C5-C6	-5.32	1.30	1.34
38	A1	477	C	P-O5'	5.32	1.65	1.59
38	A1	1854	G	C3'-C2'	5.32	1.58	1.52
38	A1	1866	G	N3-C4	5.32	1.39	1.35
38	A1	2012	G	C2-N2	5.32	1.39	1.34
38	A1	2371	A	C5-C4	5.32	1.42	1.38
38	A1	2727	C	O3'-P	-5.32	1.54	1.61
38	A1	2771	G	P-O5'	-5.32	1.54	1.59
38	A1	2873	G	O3'-P	5.32	1.67	1.61
11	B2	958	G	C4'-C3'	-5.31	1.47	1.52
38	A1	140	C	O3'-P	-5.31	1.54	1.61
38	A1	485	G	N3-C4	-5.31	1.31	1.35
38	A1	1104	A	C6-N1	5.31	1.39	1.35
38	A1	1862	G	C2-N2	5.31	1.39	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2539	G	P-O5'	-5.31	1.54	1.59
38	A1	2668	G	C2-N3	5.31	1.37	1.32
38	A1	2872	G	N9-C8	-5.31	1.34	1.37
38	A1	3018	C	N3-C4	5.31	1.37	1.33
11	B2	67	C	N1-C6	5.31	1.40	1.37
11	B2	189	C	C2-O2	5.31	1.29	1.24
11	B2	560	A	C5-C6	-5.31	1.36	1.41
11	B2	767	U	O3'-P	-5.31	1.54	1.61
22	BJ	102	GLU	CD-OE2	5.31	1.31	1.25
38	A1	203	G	C2'-C1'	-5.31	1.47	1.53
38	A1	1668	G	C2'-C1'	-5.31	1.47	1.53
38	A1	1817	C	O3'-P	-5.31	1.54	1.61
38	A1	1843	C	C4'-O4'	5.31	1.52	1.45
38	A1	1874	G	N7-C5	-5.31	1.36	1.39
38	A1	2462	U	C4'-O4'	-5.31	1.38	1.45
38	A1	2641	C	N1-C6	5.31	1.40	1.37
38	A1	2817	U	C5'-C4'	5.31	1.57	1.51
38	A1	2819	C	C2-N3	5.31	1.40	1.35
38	A1	2889	A	C6-N6	5.31	1.38	1.33
41	AA	146	VAL	CB-CG1	5.31	1.64	1.52
11	B2	553	C	P-O5'	-5.31	1.54	1.59
38	A1	390	C	N3-C4	5.31	1.37	1.33
38	A1	2274	C	C4-C5	5.31	1.47	1.43
11	B2	611	A	C5'-C4'	5.31	1.57	1.51
11	B2	732	G	N9-C4	-5.31	1.33	1.38
11	B2	1213	G	C6-N1	5.31	1.43	1.39
38	A1	848	A	C4'-C3'	5.31	1.58	1.53
38	A1	1165	C	C1'-N1	5.31	1.56	1.48
38	A1	1184	U	N1-C2	5.31	1.43	1.38
38	A1	1956	G	C2-N3	5.31	1.36	1.32
38	A1	2139	A	C3'-O3'	5.31	1.49	1.42
38	A1	2343	G	N7-C5	-5.31	1.36	1.39
39	A3	1	C	N3-C4	5.31	1.37	1.33
11	B2	64	G	N7-C5	5.31	1.42	1.39
11	B2	540	G	C3'-O3'	5.31	1.49	1.42
11	B2	897	A	N1-C2	-5.31	1.29	1.34
11	B2	1183	C	C4'-O4'	5.31	1.52	1.45
33	BU	108	ALA	N-CA	-5.31	1.35	1.46
38	A1	37	C	C2'-C1'	-5.31	1.47	1.53
38	A1	298	G	C4'-C3'	5.31	1.58	1.53
38	A1	1028	G	C4'-C3'	5.31	1.58	1.53
38	A1	1301	G	N9-C4	5.31	1.42	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1841	G	C8-N7	-5.31	1.27	1.30
11	B2	645	G	C2-N2	5.31	1.39	1.34
38	A1	1672	G	N9-C8	5.31	1.41	1.37
38	A1	1783	U	N1-C6	-5.31	1.33	1.38
38	A1	1872	G	O3'-P	-5.31	1.54	1.61
38	A1	2265	C	N1-C6	5.31	1.40	1.37
38	A1	3034	C	C2'-C1'	5.31	1.59	1.53
10	B1	34	U	C2'-C1'	-5.30	1.47	1.53
11	B2	189	C	C2'-C1'	-5.30	1.47	1.53
11	B2	398	C	N1-C2	5.30	1.45	1.40
11	B2	416	A	N9-C4	5.30	1.41	1.37
11	B2	946	G	C1'-N9	-5.30	1.39	1.46
11	B2	1066	C	C2'-C1'	-5.30	1.47	1.53
11	B2	1154	G	N1-C2	5.30	1.42	1.37
11	B2	1205	G	O4'-C1'	5.30	1.48	1.41
17	BE	126	ARG	CD-NE	5.30	1.55	1.46
38	A1	882	U	C4-C5	5.30	1.48	1.43
38	A1	1160	U	C2-N3	5.30	1.41	1.37
38	A1	1329	G	N9-C4	5.30	1.42	1.38
38	A1	1584	G	N7-C5	5.30	1.42	1.39
38	A1	1829	C	C5-C6	5.30	1.38	1.34
38	A1	2137	A	C5-C4	-5.30	1.35	1.38
11	B2	1063	A	C8-N7	-5.30	1.27	1.31
11	B2	1434	C	C4-N4	5.30	1.38	1.33
38	A1	1514	C	C4'-C3'	5.30	1.58	1.53
38	A1	2407	G	N1-C2	5.30	1.42	1.37
38	A1	2864	G	N1-C2	5.30	1.42	1.37
57	Aj	52	ARG	CZ-NH2	5.30	1.40	1.33
11	B2	84	C	C4'-O4'	-5.30	1.38	1.45
11	B2	508	C	C5'-C4'	5.30	1.57	1.51
11	B2	687	G	C5-C4	5.30	1.42	1.38
11	B2	745	G	C2-N3	5.30	1.36	1.32
11	B2	1395	G	N7-C5	5.30	1.42	1.39
15	BC	53	TYR	CZ-OH	5.30	1.46	1.37
17	BE	220	GLY	CA-C	-5.30	1.43	1.51
38	A1	30	G	P-O5'	5.30	1.65	1.59
38	A1	244	A	N7-C5	-5.30	1.36	1.39
38	A1	246	A	N3-C4	5.30	1.38	1.34
38	A1	714	C	C2'-C1'	-5.30	1.47	1.53
38	A1	1862	G	C6-N1	-5.30	1.35	1.39
38	A1	2577	U	C2'-O2'	5.30	1.48	1.41
38	A1	2714	G	C5'-C4'	5.30	1.57	1.51

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	158	U	O4'-C1'	5.30	1.48	1.41
11	B2	744	A	N9-C8	5.30	1.42	1.37
11	B2	1085	C	C4-N4	5.30	1.38	1.33
11	B2	1250	C	C3'-O3'	5.30	1.49	1.42
38	A1	217	A	C2-N3	5.30	1.38	1.33
38	A1	505	A	C3'-C2'	5.30	1.58	1.52
38	A1	568	A	N9-C4	-5.30	1.34	1.37
38	A1	1295	G	N1-C2	5.30	1.42	1.37
38	A1	1753	G	O3'-P	-5.30	1.54	1.61
38	A1	2259	G	C2-N2	5.30	1.39	1.34
39	A3	126	C	N1-C6	5.30	1.40	1.37
3	Af	12	ARG	NE-CZ	5.30	1.40	1.33
11	B2	469	U	C5'-C4'	5.30	1.57	1.51
38	A1	51	G	N7-C5	-5.30	1.36	1.39
38	A1	1114	G	C8-N7	5.30	1.34	1.30
38	A1	2504	U	C5'-C4'	5.30	1.57	1.51
38	A1	2655	C	C3'-C2'	5.30	1.58	1.52
6	AT	18	SER	CA-CB	5.30	1.60	1.52
11	B2	4	C	O3'-P	-5.30	1.54	1.61
11	B2	89	G	O4'-C1'	5.30	1.48	1.41
11	B2	196	G	N9-C8	5.30	1.41	1.37
11	B2	198	A	N9-C4	-5.30	1.34	1.37
11	B2	462	A	O3'-P	-5.30	1.54	1.61
33	BU	39	ARG	CZ-NH2	5.30	1.40	1.33
38	A1	35	G	C5-C4	5.30	1.42	1.38
38	A1	907	C	N3-C4	5.30	1.37	1.33
38	A1	1119	A	O4'-C1'	5.30	1.48	1.41
38	A1	1792	A	N1-C2	5.30	1.39	1.34
38	A1	2822	G	C2-N3	5.30	1.36	1.32
7	AU	47	ARG	CZ-NH1	5.29	1.40	1.33
11	B2	408	C	O3'-P	-5.29	1.54	1.61
11	B2	1004	U	C5'-C4'	5.29	1.57	1.51
38	A1	1991	G	P-O5'	-5.29	1.54	1.59
38	A1	2054	G	C5-C6	-5.29	1.37	1.42
38	A1	2183	A	N1-C2	5.29	1.39	1.34
38	A1	2194	A	N9-C4	-5.29	1.34	1.37
39	A3	6	G	C2-N3	5.29	1.36	1.32
11	B2	686	C	C5'-C4'	5.29	1.57	1.51
11	B2	888	A	C6-N6	5.29	1.38	1.33
38	A1	188	A	C2-N3	5.29	1.38	1.33
38	A1	253	G	N9-C8	5.29	1.41	1.37
38	A1	349	A	C5-C4	5.29	1.42	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	931	C	N1-C6	-5.29	1.33	1.37
38	A1	1109	G	N9-C4	-5.29	1.33	1.38
38	A1	1837	A	C5'-C4'	-5.29	1.45	1.51
38	A1	2009	G	C4'-C3'	5.29	1.58	1.53
6	AT	44	GLU	CD-OE1	5.29	1.31	1.25
9	AX	278	ARG	NE-CZ	5.29	1.40	1.33
11	B2	110	C	N1-C6	5.29	1.40	1.37
11	B2	819	G	C8-N7	5.29	1.34	1.30
11	B2	868	C	O4'-C1'	5.29	1.48	1.41
11	B2	1265	G	C8-N7	-5.29	1.27	1.30
11	B2	1376	C	O3'-P	-5.29	1.54	1.61
27	BO	53	TYR	CE2-CZ	5.29	1.45	1.38
38	A1	574	C	P-O5'	-5.29	1.54	1.59
38	A1	1700	U	C3'-C2'	5.29	1.58	1.52
38	A1	1747	C	O4'-C1'	5.29	1.48	1.41
38	A1	2038	C	N1-C6	-5.29	1.33	1.37
38	A1	2547	A	N1-C2	5.29	1.39	1.34
38	A1	2639	G	C4'-O4'	-5.29	1.38	1.45
38	A1	2732	U	P-O5'	-5.29	1.54	1.59
38	A1	2841	G	C2-N3	5.29	1.36	1.32
38	A1	3033	G	N1-C2	5.29	1.42	1.37
62	AO	63	HIS	CB-CG	5.29	1.59	1.50
38	A1	70	G	O3'-P	-5.29	1.54	1.61
38	A1	105	C	N3-C4	5.29	1.37	1.33
38	A1	1959	C	C5'-C4'	5.29	1.57	1.51
11	B2	110	C	C2'-O2'	-5.29	1.34	1.41
11	B2	222	G	C3'-C2'	5.29	1.58	1.52
11	B2	224	A	C5'-C4'	5.29	1.57	1.51
11	B2	501	G	N9-C4	-5.29	1.33	1.38
11	B2	973	U	O3'-P	-5.29	1.54	1.61
11	B2	1040	A	C6-N6	5.29	1.38	1.33
11	B2	1450	U	C4'-O4'	5.29	1.52	1.45
38	A1	204	G	N3-C4	-5.29	1.31	1.35
38	A1	726	G	N7-C5	-5.29	1.36	1.39
38	A1	958	A	C6-N6	5.29	1.38	1.33
38	A1	1048	C	C2'-C1'	-5.29	1.47	1.53
38	A1	1083	G	C5'-C4'	5.29	1.57	1.51
38	A1	2080	G	C2-N3	5.29	1.36	1.32
38	A1	2205	A	P-O5'	-5.29	1.54	1.59
57	Aj	85	ARG	CZ-NH2	5.29	1.40	1.33
11	B2	96	G	C5-C4	-5.29	1.34	1.38
38	A1	664	A	P-O5'	-5.29	1.54	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2590	C	C2'-C1'	-5.29	1.47	1.53
11	B2	307	G	O4'-C1'	5.29	1.48	1.41
11	B2	320	G	N3-C4	-5.29	1.31	1.35
11	B2	413	G	N1-C2	5.29	1.42	1.37
11	B2	485	A	C8-N7	-5.29	1.27	1.31
11	B2	547	U	C3'-O3'	5.29	1.49	1.42
11	B2	599	G	N1-C2	5.29	1.42	1.37
11	B2	1014	C	C5'-C4'	5.29	1.57	1.51
13	BA	173	GLU	CD-OE1	5.29	1.31	1.25
38	A1	219	G	N9-C4	-5.29	1.33	1.38
38	A1	617	G	N3-C4	5.29	1.39	1.35
38	A1	705	G	C5-C6	-5.29	1.37	1.42
38	A1	793	C	C3'-C2'	5.29	1.58	1.52
38	A1	811	C	O3'-P	-5.29	1.54	1.61
38	A1	1142	A	N7-C5	-5.29	1.36	1.39
38	A1	2493	A	C3'-O3'	5.29	1.49	1.42
38	A1	2834	C	N1-C6	5.29	1.40	1.37
39	A3	94	G	O4'-C1'	5.29	1.48	1.41
51	Ag	15	TYR	CE1-CZ	5.29	1.45	1.38
11	B2	84	C	C5'-C4'	5.28	1.57	1.51
11	B2	645	G	O3'-P	-5.28	1.54	1.61
11	B2	778	G	C4'-O4'	-5.28	1.38	1.45
11	B2	864	G	C5-C4	5.28	1.42	1.38
11	B2	1358	A	N9-C4	-5.28	1.34	1.37
38	A1	271	G	C4'-C3'	5.28	1.58	1.53
38	A1	947	C	N3-C4	5.28	1.37	1.33
38	A1	1329	G	C5-C4	-5.28	1.34	1.38
38	A1	1760	C	C2-N3	-5.28	1.31	1.35
38	A1	2059	G	O3'-P	-5.28	1.54	1.61
38	A1	2280	G	C8-N7	5.28	1.34	1.30
38	A1	2360	G	N9-C4	-5.28	1.33	1.38
38	A1	2427	C	C4-C5	-5.28	1.38	1.43
38	A1	2768	C	N3-C4	5.28	1.37	1.33
38	A1	3040	G	C5'-C4'	5.28	1.57	1.51
46	AD	155	ARG	CA-CB	5.28	1.65	1.53
63	AP	42	ARG	CZ-NH1	5.28	1.40	1.33
11	B2	282	G	C5'-C4'	5.28	1.57	1.51
11	B2	1150	G	C5-C4	-5.28	1.34	1.38
14	BB	174	GLU	CG-CD	5.28	1.59	1.51
17	BE	162	TYR	CG-CD2	5.28	1.46	1.39
38	A1	65	G	C2'-C1'	-5.28	1.47	1.53
38	A1	219	G	C4'-O4'	5.28	1.52	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1578	C	C3'-O3'	5.28	1.49	1.42
38	A1	1674	G	C5-C4	5.28	1.42	1.38
38	A1	1726	A	N7-C5	-5.28	1.36	1.39
38	A1	2481	G	C3'-O3'	5.28	1.49	1.42
39	A3	81	C	C2-O2	5.28	1.29	1.24
47	Ad	14	TYR	CG-CD1	5.28	1.46	1.39
11	B2	58	U	N1-C2	5.28	1.43	1.38
11	B2	461	A	C5'-C4'	5.28	1.57	1.51
11	B2	669	A	O3'-P	-5.28	1.54	1.61
11	B2	858	A	O3'-P	-5.28	1.54	1.61
11	B2	1441	G	C2'-C1'	-5.28	1.47	1.53
38	A1	173	G	N9-C8	5.28	1.41	1.37
38	A1	1385	C	C2-N3	5.28	1.40	1.35
38	A1	1774	A	N9-C4	-5.28	1.34	1.37
38	A1	2150	G	C5'-C4'	5.28	1.57	1.51
44	Ab	38	PRO	N-CD	-5.28	1.40	1.47
11	B2	1458	A	C6-N6	5.28	1.38	1.33
38	A1	632	G	N1-C2	5.28	1.42	1.37
38	A1	796	C	C5'-C4'	5.28	1.57	1.51
38	A1	2209	U	C3'-C2'	-5.28	1.47	1.52
38	A1	2283	C	C5-C6	5.28	1.38	1.34
47	Ad	9	SER	CB-OG	-5.28	1.35	1.42
8	AW	63	ARG	CZ-NH1	5.28	1.40	1.33
11	B2	87	C	P-O5'	5.28	1.65	1.59
11	B2	331	C	C3'-C2'	-5.28	1.47	1.52
11	B2	426	C	C5-C6	5.28	1.38	1.34
11	B2	766	G	N1-C2	5.28	1.42	1.37
11	B2	1207	G	C2-N3	5.28	1.36	1.32
38	A1	602	G	C2'-C1'	-5.28	1.47	1.53
38	A1	778	A	N7-C5	5.28	1.42	1.39
38	A1	1576	C	C4-N4	5.28	1.38	1.33
38	A1	2667	U	C2-N3	5.28	1.41	1.37
38	A1	2840	C	C1'-N1	5.28	1.56	1.48
39	A3	89	G	N1-C2	5.28	1.42	1.37
11	B2	214	C	P-O5'	-5.28	1.54	1.59
11	B2	262	G	C8-N7	-5.28	1.27	1.30
28	BP	24	CYS	C-N	5.28	1.42	1.33
38	A1	985	A	C3'-O3'	5.28	1.49	1.42
38	A1	1193	G	C2'-C1'	-5.28	1.47	1.53
38	A1	1258	G	N1-C2	5.28	1.42	1.37
38	A1	1533	G	N9-C8	5.28	1.41	1.37
38	A1	1952	G	C3'-C2'	5.28	1.58	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2484	C	C4-N4	5.28	1.38	1.33
39	A3	16	G	C2-N3	5.28	1.36	1.32
39	A3	52	U	C4-C5	-5.28	1.38	1.43
62	AO	8	ARG	CZ-NH1	5.28	1.40	1.33
11	B2	514	U	C2-N3	5.27	1.41	1.37
11	B2	1336	U	C4'-O4'	5.27	1.52	1.45
15	BC	89	TYR	CE1-CZ	5.27	1.45	1.38
38	A1	231	G	C2'-C1'	-5.27	1.47	1.53
38	A1	290	G	C5-C6	-5.27	1.37	1.42
38	A1	1334	G	C6-N1	5.27	1.43	1.39
38	A1	1410	A	C8-N7	-5.27	1.27	1.31
38	A1	1714	G	C8-N7	-5.27	1.27	1.30
38	A1	2428	C	C4-C5	5.27	1.47	1.43
9	AX	299	TYR	CE2-CZ	5.27	1.45	1.38
11	B2	222	G	N9-C4	-5.27	1.33	1.38
11	B2	875	G	O3'-P	-5.27	1.54	1.61
11	B2	1086	C	C4-N4	5.27	1.38	1.33
11	B2	1165	U	C3'-O3'	5.27	1.49	1.42
11	B2	1222	C	C2'-O2'	-5.27	1.34	1.41
38	A1	825	C	C2'-O2'	5.27	1.48	1.41
38	A1	967	G	C8-N7	5.27	1.34	1.30
38	A1	1213	G	C4'-C3'	5.27	1.58	1.53
38	A1	1466	U	C3'-C2'	-5.27	1.47	1.52
38	A1	1467	G	C2-N3	5.27	1.36	1.32
38	A1	2542	G	N9-C4	-5.27	1.33	1.38
39	A3	30	G	C5'-C4'	5.27	1.57	1.51
38	A1	821	U	C2'-C1'	-5.27	1.47	1.53
38	A1	979	G	P-O5'	-5.27	1.54	1.59
38	A1	2861	A	C6-N6	5.27	1.38	1.33
5	AS	16	ARG	NE-CZ	5.27	1.40	1.33
11	B2	100	A	N3-C4	5.27	1.38	1.34
11	B2	503	G	C6-O6	-5.27	1.19	1.24
11	B2	585	U	P-O5'	-5.27	1.54	1.59
11	B2	604	C	C3'-C2'	-5.27	1.47	1.52
11	B2	623	C	N1-C2	-5.27	1.34	1.40
11	B2	668	G	C2-N3	5.27	1.36	1.32
11	B2	905	A	C3'-O3'	5.27	1.49	1.42
11	B2	970	G	C5-C4	5.27	1.42	1.38
11	B2	1281	U	C5-C6	5.27	1.38	1.34
38	A1	572	U	N1-C6	-5.27	1.33	1.38
38	A1	1128	G	P-O5'	5.27	1.65	1.59
38	A1	1275	G	C5-C4	-5.27	1.34	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1862	G	C5-C4	5.27	1.42	1.38
38	A1	2743	U	O4'-C1'	-5.27	1.34	1.41
11	B2	63	G	N1-C2	5.27	1.42	1.37
11	B2	257	U	C4'-C3'	5.27	1.58	1.53
11	B2	632	C	C2-O2	5.27	1.29	1.24
11	B2	950	C	C2-N3	5.27	1.40	1.35
11	B2	1198	A	C6-N1	5.27	1.39	1.35
11	B2	1233	G	N9-C4	-5.27	1.33	1.38
11	B2	1399	G	N1-C2	5.27	1.42	1.37
32	BT	14	GLU	CD-OE1	-5.27	1.19	1.25
38	A1	261	A	C6-N1	5.27	1.39	1.35
38	A1	297	G	C8-N7	5.27	1.34	1.30
38	A1	404	G	N7-C5	-5.27	1.36	1.39
38	A1	934	G	O3'-P	-5.27	1.54	1.61
38	A1	1033	C	C4-C5	5.27	1.47	1.43
38	A1	2199	U	P-O5'	-5.27	1.54	1.59
38	A1	2284	C	C4-N4	5.27	1.38	1.33
38	A1	2774	C	C4-C5	-5.27	1.38	1.43
38	A1	2786	G	P-O5'	-5.27	1.54	1.59
39	A3	123	U	N1-C2	5.27	1.43	1.38
11	B2	35	G	C3'-C2'	5.27	1.58	1.52
11	B2	532	C	C4-N4	-5.27	1.29	1.33
38	A1	100	C	N1-C6	5.27	1.40	1.37
38	A1	178	G	C5-C6	-5.27	1.37	1.42
38	A1	733	A	C2-N3	5.27	1.38	1.33
38	A1	1961	G	C5-C4	5.27	1.42	1.38
38	A1	2587	G	C5-C6	-5.27	1.37	1.42
38	A1	2973	A	C5-C6	-5.27	1.36	1.41
46	AD	190	ARG	CD-NE	5.27	1.55	1.46
11	B2	370	A	C8-N7	-5.26	1.27	1.31
11	B2	603	G	C2'-C1'	-5.26	1.47	1.53
11	B2	1200	U	P-O5'	-5.26	1.54	1.59
11	B2	1490	C	C2-N3	5.26	1.40	1.35
38	A1	244	A	C6-N1	5.26	1.39	1.35
38	A1	542	A	N9-C8	5.26	1.42	1.37
38	A1	813	G	N3-C4	-5.26	1.31	1.35
38	A1	892	U	C5-C6	-5.26	1.29	1.34
38	A1	1562	U	C4-C5	-5.26	1.38	1.43
38	A1	1736	G	C4'-C3'	5.26	1.58	1.53
38	A1	2138	A	N1-C2	5.26	1.39	1.34
38	A1	2218	C	C5'-C4'	5.26	1.57	1.51
38	A1	2322	A	N7-C5	-5.26	1.36	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2667	U	C1'-N1	5.26	1.56	1.48
58	Ak	159	ASP	N-CA	-5.26	1.35	1.46
11	B2	122	C	C5-C6	5.26	1.38	1.34
11	B2	703	U	C4-C5	-5.26	1.38	1.43
11	B2	1227	A	N9-C4	5.26	1.41	1.37
38	A1	918	A	O4'-C1'	5.26	1.48	1.41
11	B2	160	C	C4'-C3'	5.26	1.58	1.53
11	B2	783	G	C2-N2	5.26	1.39	1.34
11	B2	801	A	C8-N7	5.26	1.35	1.31
38	A1	87	C	O3'-P	-5.26	1.54	1.61
38	A1	133	G	P-O5'	-5.26	1.54	1.59
38	A1	195	U	C2-N3	-5.26	1.34	1.37
38	A1	354	G	N7-C5	-5.26	1.36	1.39
38	A1	426	G	O3'-P	-5.26	1.54	1.61
38	A1	737	G	C2'-C1'	-5.26	1.47	1.53
38	A1	933	G	C3'-C2'	5.26	1.58	1.52
38	A1	2084	A	N7-C5	-5.26	1.36	1.39
38	A1	2094	A	C6-N1	5.26	1.39	1.35
38	A1	2368	G	C2-N3	5.26	1.36	1.32
38	A1	2401	A	C6-N6	5.26	1.38	1.33
38	A1	2651	G	C6-O6	-5.26	1.19	1.24
39	A3	110	C	N3-C4	5.26	1.37	1.33
44	Ab	117	ARG	CD-NE	5.26	1.55	1.46
11	B2	821	G	N3-C4	5.26	1.39	1.35
38	A1	230	A	P-O5'	-5.26	1.54	1.59
38	A1	614	G	C2-N3	5.26	1.36	1.32
38	A1	911	G	C2-N2	5.26	1.39	1.34
38	A1	1451	A	N7-C5	-5.26	1.36	1.39
38	A1	2312	U	C2'-C1'	-5.26	1.47	1.53
39	A3	73	U	C2-N3	-5.26	1.34	1.37
62	AO	13	ARG	NE-CZ	5.26	1.39	1.33
11	B2	437	A	C5-C6	5.26	1.45	1.41
11	B2	862	C	C4'-O4'	5.26	1.52	1.45
11	B2	1182	G	O4'-C1'	-5.26	1.34	1.41
11	B2	1274	C	N1-C2	5.26	1.45	1.40
38	A1	1088	G	N1-C2	5.26	1.42	1.37
38	A1	2125	C	C4'-O4'	-5.26	1.38	1.45
38	A1	2572	U	N3-C4	5.26	1.43	1.38
38	A1	2639	G	N7-C5	5.26	1.42	1.39
38	A1	2960	G	C2-N2	5.26	1.39	1.34
10	B1	76	C	O4'-C1'	5.26	1.48	1.41
38	A1	1297	C	C4-C5	-5.26	1.38	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1698	G	N7-C5	5.26	1.42	1.39
38	A1	2178	A	C5-C4	-5.26	1.35	1.38
38	A1	2579	G	N9-C4	-5.26	1.33	1.38
39	A3	126	C	N3-C4	5.26	1.37	1.33
50	AF	49	GLU	CD-OE1	5.26	1.31	1.25
38	A1	440	A	C4'-O4'	-5.25	1.38	1.45
38	A1	585	G	O3'-P	5.25	1.67	1.61
38	A1	1048	C	N3-C4	5.25	1.37	1.33
38	A1	2876	G	C5'-C4'	5.25	1.57	1.51
39	A3	96	C	C2-O2	5.25	1.29	1.24
4	AQ	94	LEU	CA-CB	5.25	1.65	1.53
11	B2	367	G	O4'-C1'	5.25	1.48	1.41
11	B2	389	G	C4'-O4'	5.25	1.52	1.45
11	B2	533	C	C3'-O3'	5.25	1.49	1.42
11	B2	691	G	C2-N3	5.25	1.36	1.32
11	B2	749	C	O3'-P	-5.25	1.54	1.61
11	B2	1126	G	C2'-C1'	-5.25	1.47	1.53
11	B2	1371	C	P-O5'	-5.25	1.54	1.59
38	A1	31	G	C4'-C3'	5.25	1.58	1.53
38	A1	93	C	C4-N4	5.25	1.38	1.33
38	A1	650	C	P-O5'	5.25	1.65	1.59
38	A1	958	A	N3-C4	-5.25	1.31	1.34
38	A1	1008	U	O3'-P	-5.25	1.54	1.61
38	A1	1241	C	N1-C6	5.25	1.40	1.37
38	A1	1660	A	C5-C4	-5.25	1.35	1.38
38	A1	2579	G	C2-N3	5.25	1.36	1.32
38	A1	2872	G	C2-N2	5.25	1.39	1.34
39	A3	14	G	C2-N2	5.25	1.39	1.34
39	A3	61	C	N3-C4	5.25	1.37	1.33
45	AC	333	LYS	N-CA	5.25	1.56	1.46
11	B2	106	A	C5'-C4'	5.25	1.57	1.51
11	B2	477	G	N9-C4	5.25	1.42	1.38
11	B2	795	G	C8-N7	-5.25	1.27	1.30
11	B2	979	U	O3'-P	-5.25	1.54	1.61
34	BV	24	TYR	CG-CD1	5.25	1.46	1.39
38	A1	117	A	N9-C8	5.25	1.42	1.37
38	A1	958	A	C4'-C3'	5.25	1.58	1.53
38	A1	1178	G	C2'-C1'	-5.25	1.47	1.53
38	A1	1181	C	C4-C5	5.25	1.47	1.43
38	A1	2010	G	C5'-C4'	5.25	1.57	1.51
38	A1	2326	C	P-O5'	-5.25	1.54	1.59
38	A1	2436	A	N9-C4	5.25	1.41	1.37

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2517	U	C4'-O4'	-5.25	1.38	1.45
38	A1	2796	C	N1-C6	5.25	1.40	1.37
38	A1	2850	G	N9-C4	-5.25	1.33	1.38
38	A1	2981	G	O4'-C1'	5.25	1.48	1.41
39	A3	126	C	C5-C6	-5.25	1.30	1.34
63	AP	13	ARG	NE-CZ	5.25	1.39	1.33
11	B2	315	A	C6-N1	5.25	1.39	1.35
11	B2	937	A	N7-C5	-5.25	1.36	1.39
38	A1	533	G	C4'-O4'	5.25	1.52	1.45
11	B2	24	C	O4'-C1'	5.25	1.48	1.41
11	B2	184	G	O3'-P	-5.25	1.54	1.61
11	B2	375	G	C2-N3	5.25	1.36	1.32
11	B2	418	G	C5'-C4'	5.25	1.57	1.51
11	B2	930	G	C5-C4	-5.25	1.34	1.38
11	B2	1427	C	C1'-N1	5.25	1.56	1.48
38	A1	279	G	C3'-C2'	5.25	1.58	1.52
38	A1	1421	C	P-O5'	5.25	1.65	1.59
38	A1	1776	G	N7-C5	5.25	1.42	1.39
38	A1	1843	C	N3-C4	5.25	1.37	1.33
38	A1	2183	A	N7-C5	-5.25	1.36	1.39
38	A1	2739	G	C2-N3	5.25	1.36	1.32
38	A1	2816	C	P-O5'	-5.25	1.54	1.59
38	A1	2851	A	C6-N6	5.25	1.38	1.33
39	A3	80	G	N9-C8	-5.25	1.34	1.37
11	B2	38	G	N1-C2	5.25	1.42	1.37
38	A1	56	G	C2-N3	5.25	1.36	1.32
38	A1	450	G	C2'-C1'	-5.25	1.47	1.53
38	A1	730	C	C2'-C1'	-5.25	1.47	1.53
38	A1	1112	G	O4'-C1'	-5.25	1.34	1.41
38	A1	1612	G	O3'-P	-5.25	1.54	1.61
38	A1	1883	C	C2-N3	5.25	1.40	1.35
38	A1	1898	A	P-O5'	-5.25	1.54	1.59
38	A1	2863	A	N9-C4	5.25	1.41	1.37
38	A1	18	C	C1'-N1	5.25	1.56	1.48
38	A1	934	G	C5-C6	5.25	1.47	1.42
38	A1	1046	A	C3'-C2'	5.25	1.58	1.52
38	A1	1436	A	C5-C4	-5.25	1.35	1.38
38	A1	2257	A	N9-C8	5.25	1.42	1.37
38	A1	2302	C	O4'-C1'	5.25	1.48	1.41
9	AX	291	ARG	CZ-NH1	5.24	1.39	1.33
11	B2	750	C	C2'-C1'	-5.24	1.47	1.53
11	B2	824	G	N9-C8	-5.24	1.34	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	992	G	O3'-P	-5.24	1.54	1.61
11	B2	1016	G	N7-C5	-5.24	1.36	1.39
38	A1	407	A	C6-N1	5.24	1.39	1.35
38	A1	784	C	C2-N3	5.24	1.40	1.35
38	A1	1237	A	O3'-P	5.24	1.67	1.61
38	A1	1369	G	C3'-C2'	-5.24	1.47	1.52
38	A1	2381	A	N9-C8	5.24	1.42	1.37
10	B1	25	G	C2-N3	5.24	1.36	1.32
38	A1	323	U	N3-C4	5.24	1.43	1.38
38	A1	655	C	N3-C4	-5.24	1.30	1.33
38	A1	993	G	N9-C8	5.24	1.41	1.37
38	A1	998	G	O4'-C1'	-5.24	1.34	1.41
38	A1	1559	A	N9-C4	5.24	1.41	1.37
61	AN	144	PHE	CB-CG	5.24	1.60	1.51
4	AQ	107	ARG	CZ-NH2	5.24	1.39	1.33
5	AS	65	ARG	CZ-NH2	5.24	1.39	1.33
10	B1	68	C	C4-C5	5.24	1.47	1.43
11	B2	106	A	C2'-C1'	-5.24	1.47	1.53
11	B2	391	G	C8-N7	-5.24	1.27	1.30
11	B2	854	C	C3'-C2'	-5.24	1.47	1.52
17	BE	195	ARG	NE-CZ	5.24	1.39	1.33
27	BO	132	ARG	CZ-NH2	5.24	1.39	1.33
38	A1	448	A	C4'-O4'	5.24	1.52	1.45
38	A1	451	C	P-O5'	-5.24	1.54	1.59
38	A1	596	C	C4-N4	5.24	1.38	1.33
38	A1	872	G	N3-C4	-5.24	1.31	1.35
38	A1	1242	A	O3'-P	-5.24	1.54	1.61
38	A1	2372	C	C2-N3	-5.24	1.31	1.35
38	A1	2818	C	C2-N3	5.24	1.40	1.35
38	A1	2888	G	N1-C2	-5.24	1.33	1.37
39	A3	16	G	P-O5'	-5.24	1.54	1.59
45	AC	318	ARG	CZ-NH2	5.24	1.39	1.33
52	AH	112	ASP	CA-CB	5.24	1.65	1.53
11	B2	183	A	N1-C2	-5.24	1.29	1.34
11	B2	500	A	C3'-C2'	5.24	1.58	1.52
11	B2	667	G	C5'-C4'	5.24	1.57	1.51
11	B2	782	A	N9-C8	-5.24	1.33	1.37
11	B2	996	A	C5'-C4'	5.24	1.57	1.51
11	B2	1096	G	C5'-C4'	5.24	1.57	1.51
11	B2	1143	G	P-O5'	-5.24	1.54	1.59
38	A1	624	U	C4-C5	-5.24	1.38	1.43
38	A1	737	G	N9-C8	5.24	1.41	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	774	G	C2-N3	5.24	1.36	1.32
38	A1	874	U	N1-C6	5.24	1.42	1.38
38	A1	991	U	C2-N3	5.24	1.41	1.37
38	A1	1182	C	C4-N4	5.24	1.38	1.33
38	A1	1200	A	C5-C4	5.24	1.42	1.38
38	A1	2430	C	C4'-C3'	5.24	1.58	1.53
60	AM	57	GLN	C-N	5.24	1.42	1.33
38	A1	908	U	O3'-P	-5.24	1.54	1.61
38	A1	1907	G	O3'-P	-5.24	1.54	1.61
38	A1	2399	C	N3-C4	5.24	1.37	1.33
41	AA	164	HIS	N-CA	-5.24	1.35	1.46
11	B2	72	C	C4-C5	-5.24	1.38	1.43
11	B2	105	C	C4-C5	5.24	1.47	1.43
11	B2	393	A	O4'-C1'	-5.24	1.34	1.41
11	B2	400	G	C5-C4	5.24	1.42	1.38
11	B2	406	U	C4'-C3'	5.24	1.58	1.53
11	B2	1181	G	C8-N7	-5.24	1.27	1.30
18	BF	35	HIS	CB-CG	-5.24	1.40	1.50
26	BN	61	GLU	C-N	5.24	1.46	1.34
38	A1	142	G	C4'-O4'	5.24	1.52	1.45
38	A1	623	G	C5-C6	-5.24	1.37	1.42
38	A1	683	C	C2'-O2'	-5.24	1.34	1.41
38	A1	1066	C	C1'-N1	5.24	1.56	1.48
38	A1	1271	G	P-O5'	-5.24	1.54	1.59
38	A1	1554	G	C5-C6	-5.24	1.37	1.42
38	A1	1631	A	P-O5'	-5.24	1.54	1.59
38	A1	2470	U	C4'-C3'	5.24	1.58	1.53
38	A1	2710	G	C5'-C4'	5.24	1.57	1.51
38	A1	2764	G	C8-N7	5.24	1.34	1.30
10	B1	29	C	C2'-O2'	-5.23	1.34	1.41
11	B2	984	C	C2'-C1'	-5.23	1.47	1.53
11	B2	1427	C	C2'-C1'	-5.23	1.47	1.53
38	A1	620	G	N9-C4	-5.23	1.33	1.38
38	A1	1645	U	C3'-C2'	5.23	1.58	1.52
38	A1	2960	G	C8-N7	-5.23	1.27	1.30
11	B2	104	A	C5-C6	-5.23	1.36	1.41
11	B2	380	C	C2-N3	5.23	1.40	1.35
11	B2	406	U	C4'-O4'	5.23	1.52	1.45
38	A1	458	U	C3'-O3'	5.23	1.49	1.42
38	A1	493	A	C2'-O2'	5.23	1.48	1.41
38	A1	514	U	C3'-O3'	5.23	1.49	1.42
38	A1	518	A	C2'-C1'	-5.23	1.47	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1018	G	C2-N3	5.23	1.36	1.32
38	A1	1019	G	N7-C5	-5.23	1.36	1.39
38	A1	1462	G	C2-N3	5.23	1.36	1.32
38	A1	1499	C	C4'-O4'	5.23	1.52	1.45
38	A1	1880	A	P-O5'	-5.23	1.54	1.59
38	A1	2150	G	N3-C4	-5.23	1.31	1.35
38	A1	2182	A	N7-C5	-5.23	1.36	1.39
38	A1	2376	U	C2-O2	5.23	1.27	1.22
38	A1	2414	G	C4'-C3'	5.23	1.58	1.53
38	A1	2535	C	C5'-C4'	5.23	1.57	1.51
38	A1	2551	G	C2'-C1'	5.23	1.59	1.53
38	A1	2761	G	N9-C4	-5.23	1.33	1.38
38	A1	2822	G	C5-C4	-5.23	1.34	1.38
39	A3	47	G	O4'-C1'	5.23	1.48	1.41
57	Aj	56	GLU	C-N	5.23	1.42	1.33
11	B2	977	G	N3-C4	5.23	1.39	1.35
11	B2	1053	A	C6-N1	5.23	1.39	1.35
11	B2	1466	G	N3-C4	-5.23	1.31	1.35
38	A1	395	G	C2-N2	-5.23	1.29	1.34
38	A1	651	C	C3'-O3'	5.23	1.49	1.42
38	A1	1055	C	C2'-C1'	-5.23	1.47	1.53
38	A1	1374	G	P-O5'	-5.23	1.54	1.59
38	A1	2978	G	C4'-O4'	5.23	1.52	1.45
39	A3	58	C	C4-N4	5.23	1.38	1.33
11	B2	752	G	P-O5'	-5.23	1.54	1.59
34	BV	22	GLU	CD-OE2	5.23	1.31	1.25
38	A1	2646	A	C3'-C2'	5.23	1.58	1.52
39	A3	4	C	C5-C6	-5.23	1.30	1.34
39	A3	33	U	C4-O4	-5.23	1.19	1.23
39	A3	75	G	C8-N7	-5.23	1.27	1.30
41	AA	147	GLU	CA-CB	5.23	1.65	1.53
11	B2	315	A	C6-N6	5.23	1.38	1.33
13	BA	146	TYR	CE1-CZ	5.23	1.45	1.38
33	BU	77	TYR	CG-CD2	5.23	1.46	1.39
38	A1	430	A	C5-C6	5.23	1.45	1.41
38	A1	1052	G	C5-C4	5.23	1.42	1.38
38	A1	1287	G	N9-C8	5.23	1.41	1.37
38	A1	1302	G	N3-C4	5.23	1.39	1.35
38	A1	2158	G	O3'-P	-5.23	1.54	1.61
38	A1	2427	C	N3-C4	5.23	1.37	1.33
38	A1	723	A	C3'-C2'	5.23	1.58	1.52
38	A1	1303	C	C4'-O4'	-5.23	1.38	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1862	G	C4'-C3'	5.23	1.58	1.53
38	A1	2722	G	C5'-C4'	5.23	1.57	1.51
39	A3	29	G	C4'-C3'	5.23	1.58	1.53
11	B2	143	G	N9-C8	5.22	1.41	1.37
11	B2	144	G	P-O5'	-5.22	1.54	1.59
11	B2	406	U	O3'-P	-5.22	1.54	1.61
38	A1	91	G	C4'-O4'	-5.22	1.38	1.45
38	A1	328	G	C2'-C1'	-5.22	1.47	1.53
38	A1	368	U	N1-C6	-5.22	1.33	1.38
38	A1	765	G	N3-C4	5.22	1.39	1.35
38	A1	1287	G	C2-N3	5.22	1.36	1.32
38	A1	1700	U	C4-C5	-5.22	1.38	1.43
38	A1	2349	U	C2'-C1'	-5.22	1.47	1.53
38	A1	2811	U	C4'-O4'	5.22	1.52	1.45
4	AQ	8	ARG	CZ-NH1	5.22	1.39	1.33
11	B2	199	A	O3'-P	-5.22	1.54	1.61
11	B2	435	A	C6-N1	5.22	1.39	1.35
11	B2	468	G	N1-C2	5.22	1.42	1.37
11	B2	963	A	P-O5'	-5.22	1.54	1.59
11	B2	1374	C	C5'-C4'	5.22	1.57	1.51
20	BH	215	ARG	CD-NE	5.22	1.55	1.46
38	A1	91	G	N9-C8	-5.22	1.34	1.37
38	A1	134	C	C4'-O4'	5.22	1.52	1.45
38	A1	398	U	C4-O4	-5.22	1.19	1.23
38	A1	1241	C	C2-O2	5.22	1.29	1.24
38	A1	1275	G	C5'-C4'	5.22	1.57	1.51
38	A1	1302	G	C5-C6	5.22	1.47	1.42
38	A1	1676	G	N7-C5	-5.22	1.36	1.39
38	A1	1984	G	C2-N3	5.22	1.36	1.32
38	A1	2562	G	N7-C5	5.22	1.42	1.39
38	A1	2678	U	C2-N3	5.22	1.41	1.37
39	A3	122	C	N3-C4	5.22	1.37	1.33
48	AE	140	CYS	CB-SG	-5.22	1.73	1.81
50	AF	147	VAL	CB-CG1	5.22	1.63	1.52
11	B2	930	G	C6-O6	-5.22	1.19	1.24
11	B2	1474	A	N3-C4	-5.22	1.31	1.34
26	BN	45	GLU	N-CA	-5.22	1.35	1.46
38	A1	234	G	C2'-C1'	-5.22	1.47	1.53
38	A1	462	A	C1'-N9	-5.22	1.39	1.46
38	A1	819	U	C5'-C4'	5.22	1.57	1.51
38	A1	837	G	N1-C2	5.22	1.42	1.37
38	A1	1644	G	C8-N7	5.22	1.34	1.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2221	A	N3-C4	5.22	1.38	1.34
41	AA	75	ARG	NE-CZ	5.22	1.39	1.33
10	B1	46	U	C4'-C3'	5.22	1.58	1.53
10	B1	66	C	N1-C6	5.22	1.40	1.37
11	B2	620	G	O4'-C1'	5.22	1.48	1.41
11	B2	781	U	C4-C5	5.22	1.48	1.43
11	B2	1341	C	C4-C5	5.22	1.47	1.43
11	B2	1471	G	N9-C4	-5.22	1.33	1.38
14	BB	121	ARG	CD-NE	5.22	1.55	1.46
38	A1	138	U	C5'-C4'	5.22	1.57	1.51
38	A1	1249	G	N7-C5	-5.22	1.36	1.39
38	A1	1564	C	C3'-O3'	5.22	1.49	1.42
38	A1	1684	C	C2-N3	5.22	1.40	1.35
38	A1	2446	C	C5'-C4'	5.22	1.57	1.51
38	A1	2708	U	O4'-C1'	5.22	1.48	1.41
39	A3	105	G	C4'-O4'	5.22	1.52	1.45
11	B2	1134	G	N9-C8	5.22	1.41	1.37
38	A1	746	C	N1-C6	5.22	1.40	1.37
38	A1	1799	G	N1-C2	5.22	1.42	1.37
38	A1	2646	A	N7-C5	-5.22	1.36	1.39
38	A1	2871	A	C6-N1	5.22	1.39	1.35
38	A1	3007	A	C5-C4	5.22	1.42	1.38
4	AQ	144	GLU	CG-CD	5.22	1.59	1.51
10	B1	25	G	C8-N7	-5.22	1.27	1.30
11	B2	417	C	C2-O2	5.22	1.29	1.24
29	BQ	120	ARG	NE-CZ	5.22	1.39	1.33
38	A1	74	A	P-O5'	5.22	1.65	1.59
38	A1	440	A	C3'-O3'	5.22	1.49	1.42
38	A1	827	G	C2-N2	5.22	1.39	1.34
38	A1	1160	U	P-O5'	-5.22	1.54	1.59
38	A1	1952	G	N1-C2	5.22	1.42	1.37
10	B1	45	G	N1-C2	5.21	1.42	1.37
11	B2	201	G	O3'-P	-5.21	1.54	1.61
11	B2	342	G	C2-N3	5.21	1.36	1.32
11	B2	569	G	C2'-C1'	-5.21	1.47	1.53
11	B2	1035	C	C4-C5	5.21	1.47	1.43
11	B2	1094	U	P-O5'	-5.21	1.54	1.59
38	A1	329	G	C4'-C3'	5.21	1.58	1.53
38	A1	507	G	N3-C4	-5.21	1.31	1.35
38	A1	627	G	C2-N3	5.21	1.36	1.32
38	A1	1136	G	C3'-C2'	-5.21	1.47	1.52
38	A1	1417	U	N3-C4	5.21	1.43	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1723	A	C8-N7	5.21	1.35	1.31
38	A1	2598	C	O3'-P	-5.21	1.54	1.61
38	A1	2892	A	C2'-O2'	5.21	1.48	1.41
38	A1	3013	U	C5-C6	5.21	1.38	1.34
11	B2	542	G	N3-C4	-5.21	1.31	1.35
38	A1	360	G	P-O5'	5.21	1.65	1.59
38	A1	847	A	N3-C4	-5.21	1.31	1.34
38	A1	1359	C	C3'-C2'	5.21	1.58	1.52
38	A1	1912	A	N9-C4	-5.21	1.34	1.37
38	A1	2124	C	C2'-C1'	5.21	1.59	1.53
38	A1	2334	G	O4'-C1'	5.21	1.48	1.41
38	A1	2554	A	C2-N3	5.21	1.38	1.33
38	A1	2651	G	O4'-C1'	5.21	1.48	1.41
38	A1	3021	C	C5-C6	5.21	1.38	1.34
11	B2	844	G	N7-C5	-5.21	1.36	1.39
11	B2	1287	G	C4'-C3'	5.21	1.58	1.53
17	BE	172	GLU	CG-CD	5.21	1.59	1.51
21	BI	2	THR	N-CA	5.21	1.56	1.46
29	BQ	138	ARG	CD-NE	5.21	1.55	1.46
38	A1	59	U	C5-C6	5.21	1.38	1.34
38	A1	1473	C	C5-C6	5.21	1.38	1.34
38	A1	1963	G	P-O5'	-5.21	1.54	1.59
38	A1	2407	G	N9-C8	5.21	1.41	1.37
39	A3	105	G	P-O5'	5.21	1.65	1.59
60	AM	44	ARG	CZ-NH2	5.21	1.39	1.33
38	A1	402	G	N9-C8	5.21	1.41	1.37
38	A1	2193	G	O3'-P	-5.21	1.54	1.61
11	B2	154	C	N1-C6	5.21	1.40	1.37
11	B2	434	A	C4'-C3'	-5.21	1.47	1.52
11	B2	640	U	O3'-P	-5.21	1.54	1.61
11	B2	675	A	C6-N6	5.21	1.38	1.33
11	B2	1003	G	C4'-C3'	5.21	1.58	1.53
11	B2	1168	C	C4'-C3'	-5.21	1.47	1.52
11	B2	1292	A	O3'-P	-5.21	1.54	1.61
38	A1	24	G	C3'-C2'	-5.21	1.47	1.52
38	A1	466	C	C1'-N1	5.21	1.56	1.48
38	A1	880	U	C2'-C1'	-5.21	1.47	1.53
38	A1	1058	A	N9-C4	-5.21	1.34	1.37
38	A1	1406	G	N1-C2	5.21	1.42	1.37
38	A1	1759	A	N9-C8	5.21	1.42	1.37
38	A1	2090	A	C4'-C3'	5.21	1.58	1.53
38	A1	2667	U	P-O5'	-5.21	1.54	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
45	AC	30	TRP	CD2-CE2	-5.21	1.35	1.41
9	AX	350	GLY	N-CA	-5.21	1.38	1.46
10	B1	58	A	C5-C6	-5.21	1.36	1.41
11	B2	251	G	C3'-O3'	5.21	1.49	1.42
11	B2	472	C	C4-C5	5.21	1.47	1.43
11	B2	1180	G	C2'-C1'	-5.21	1.47	1.53
11	B2	1404	C	C3'-C2'	5.21	1.58	1.52
11	B2	1447	A	C6-N1	5.21	1.39	1.35
38	A1	251	C	C2-N3	5.21	1.40	1.35
38	A1	589	G	N1-C2	5.21	1.42	1.37
38	A1	1091	G	C8-N7	-5.21	1.27	1.30
38	A1	1358	C	N3-C4	5.21	1.37	1.33
38	A1	1450	C	C4-C5	5.21	1.47	1.43
38	A1	1451	A	O4'-C1'	5.21	1.48	1.41
38	A1	1641	G	C5'-C4'	5.21	1.57	1.51
38	A1	2814	U	N3-C4	5.21	1.43	1.38
38	A1	2840	C	N1-C2	-5.21	1.34	1.40
44	Ab	41	ARG	NE-CZ	5.21	1.39	1.33
38	A1	1435	G	C5-C4	5.21	1.42	1.38
38	A1	2348	G	C3'-C2'	5.21	1.58	1.52
9	AX	104	ARG	CZ-NH2	5.20	1.39	1.33
11	B2	415	C	C2'-C1'	-5.20	1.47	1.53
11	B2	665	G	C4'-O4'	5.20	1.52	1.45
11	B2	1120	G	N9-C4	-5.20	1.33	1.38
11	B2	1460	G	C6-N1	5.20	1.43	1.39
11	B2	1476	C	C2'-C1'	-5.20	1.47	1.53
11	B2	1488	C	O3'-P	-5.20	1.54	1.61
38	A1	816	C	C1'-N1	5.20	1.56	1.48
38	A1	915	G	O4'-C1'	-5.20	1.34	1.41
38	A1	974	U	N3-C4	5.20	1.43	1.38
38	A1	1907	G	C5'-C4'	5.20	1.57	1.51
38	A1	1952	G	N7-C5	-5.20	1.36	1.39
38	A1	2077	A	C5-C4	5.20	1.42	1.38
38	A1	2397	C	C5'-C4'	5.20	1.57	1.51
38	A1	2617	G	C5-C4	-5.20	1.34	1.38
39	A3	118	G	C6-N1	5.20	1.43	1.39
46	AD	128	ARG	CZ-NH1	5.20	1.39	1.33
24	BL	83	ARG	CD-NE	5.20	1.55	1.46
38	A1	673	A	C2'-C1'	-5.20	1.47	1.53
38	A1	745	C	C5-C6	-5.20	1.30	1.34
38	A1	919	G	N9-C8	5.20	1.41	1.37
38	A1	931	C	C4'-C3'	5.20	1.58	1.53

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1122	C	O3'-P	-5.20	1.54	1.61
38	A1	1464	A	C6-N6	5.20	1.38	1.33
10	B1	8	U	N3-C4	5.20	1.43	1.38
11	B2	288	G	N1-C2	5.20	1.42	1.37
11	B2	545	C	C1'-N1	5.20	1.56	1.48
11	B2	691	G	N9-C4	5.20	1.42	1.38
11	B2	746	A	C3'-C2'	-5.20	1.47	1.52
11	B2	768	A	C6-N6	5.20	1.38	1.33
11	B2	1359	C	N1-C2	-5.20	1.34	1.40
38	A1	82	C	P-O5'	-5.20	1.54	1.59
38	A1	319	A	N9-C8	-5.20	1.33	1.37
38	A1	549	G	C2'-C1'	-5.20	1.47	1.53
38	A1	658	C	C4-C5	-5.20	1.38	1.43
38	A1	731	C	C3'-C2'	5.20	1.58	1.52
38	A1	1382	C	C4'-O4'	-5.20	1.38	1.45
38	A1	1887	A	C6-N6	5.20	1.38	1.33
38	A1	2404	G	C5-C6	5.20	1.47	1.42
38	A1	2554	A	C5-C6	5.20	1.45	1.41
38	A1	2778	A	O4'-C1'	5.20	1.48	1.41
38	A1	2827	C	O3'-P	-5.20	1.54	1.61
38	A1	2843	C	C4-N4	-5.20	1.29	1.33
38	A1	3019	C	C2-O2	5.20	1.29	1.24
11	B2	247	G	C8-N7	5.20	1.34	1.30
11	B2	635	C	C3'-O3'	5.20	1.49	1.42
11	B2	921	G	N1-C2	5.20	1.42	1.37
11	B2	1116	G	C4'-C3'	5.20	1.58	1.53
38	A1	129	C	C4'-C3'	-5.20	1.47	1.52
38	A1	227	G	O3'-P	-5.20	1.54	1.61
38	A1	600	A	C4'-C3'	5.20	1.58	1.53
38	A1	984	U	N1-C2	5.20	1.43	1.38
38	A1	993	G	C8-N7	-5.20	1.27	1.30
38	A1	1040	C	N1-C6	5.20	1.40	1.37
38	A1	1246	G	N3-C4	5.20	1.39	1.35
38	A1	1647	C	C4-C5	-5.20	1.38	1.43
38	A1	1722	G	N1-C2	5.20	1.42	1.37
38	A1	2014	A	C5-C4	5.20	1.42	1.38
38	A1	2434	A	C2'-C1'	-5.20	1.47	1.53
38	A1	2496	G	N3-C4	-5.20	1.31	1.35
38	A1	2590	C	C4-N4	5.20	1.38	1.33
38	A1	2668	G	C1'-N9	5.20	1.56	1.48
38	A1	3000	U	C2'-C1'	5.20	1.59	1.53
11	B2	30	C	O4'-C1'	5.20	1.48	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1413	A	C2'-O2'	-5.20	1.34	1.41
38	A1	1607	C	P-O5'	-5.20	1.54	1.59
38	A1	1794	C	C4'-O4'	5.20	1.52	1.45
38	A1	2280	G	P-O5'	5.20	1.65	1.59
38	A1	2691	G	C5'-C4'	-5.20	1.45	1.51
11	B2	82	G	C3'-C2'	5.20	1.58	1.52
11	B2	322	G	N9-C8	-5.20	1.34	1.37
11	B2	649	A	N1-C2	5.20	1.39	1.34
11	B2	712	G	O3'-P	-5.20	1.54	1.61
11	B2	793	G	O4'-C1'	5.20	1.48	1.41
38	A1	84	A	C3'-O3'	5.20	1.49	1.42
38	A1	281	G	C8-N7	5.20	1.34	1.30
38	A1	1369	G	C2-N3	-5.20	1.28	1.32
38	A1	1928	A	N1-C2	-5.20	1.29	1.34
10	B1	69	G	N1-C2	5.19	1.42	1.37
11	B2	1306	A	N1-C2	5.19	1.39	1.34
38	A1	664	A	C3'-O3'	5.19	1.49	1.42
38	A1	823	G	C4'-C3'	5.19	1.58	1.53
38	A1	1163	U	O4'-C1'	5.19	1.48	1.41
61	AN	71	ARG	CZ-NH1	5.19	1.39	1.33
9	AX	66	ARG	CZ-NH2	5.19	1.39	1.33
11	B2	53	G	C2-N3	5.19	1.36	1.32
11	B2	320	G	N7-C5	-5.19	1.36	1.39
11	B2	332	C	C4-N4	5.19	1.38	1.33
11	B2	501	G	C2'-C1'	-5.19	1.47	1.53
11	B2	525	A	C2'-C1'	5.19	1.59	1.53
11	B2	809	C	N3-C4	5.19	1.37	1.33
11	B2	866	A	C6-N1	5.19	1.39	1.35
11	B2	894	A	N9-C8	5.19	1.42	1.37
11	B2	993	C	O4'-C1'	5.19	1.48	1.41
11	B2	1000	G	C2'-O2'	-5.19	1.34	1.41
11	B2	1269	G	C2-N2	5.19	1.39	1.34
11	B2	1438	A	N9-C8	5.19	1.42	1.37
38	A1	382	G	N1-C2	5.19	1.42	1.37
38	A1	856	A	N9-C4	5.19	1.41	1.37
38	A1	1000	G	N9-C4	-5.19	1.33	1.38
38	A1	1360	G	C2'-C1'	-5.19	1.47	1.53
38	A1	1589	G	N7-C5	5.19	1.42	1.39
38	A1	1678	A	N9-C8	5.19	1.42	1.37
38	A1	1899	C	C3'-O3'	5.19	1.49	1.42
38	A1	2088	G	C3'-C2'	-5.19	1.47	1.52
38	A1	2102	A	C5-C6	5.19	1.45	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2522	C	C4-N4	5.19	1.38	1.33
38	A1	2828	G	C6-N1	5.19	1.43	1.39
39	A3	116	C	C4-N4	5.19	1.38	1.33
11	B2	100	A	N1-C2	-5.19	1.29	1.34
11	B2	192	G	C4'-C3'	5.19	1.58	1.53
11	B2	619	A	C6-N6	5.19	1.38	1.33
11	B2	620	G	C5'-C4'	5.19	1.57	1.51
11	B2	1090	C	C2-O2	5.19	1.29	1.24
11	B2	1312	C	C5'-C4'	5.19	1.57	1.51
20	BH	8	ARG	CZ-NH2	5.19	1.39	1.33
38	A1	296	G	C6-N1	5.19	1.43	1.39
38	A1	439	G	C2-N3	5.19	1.36	1.32
38	A1	606	A	N1-C2	5.19	1.39	1.34
38	A1	932	C	C4'-C3'	-5.19	1.47	1.52
38	A1	991	U	N1-C6	5.19	1.42	1.38
38	A1	1172	U	C2-N3	5.19	1.41	1.37
38	A1	1644	G	C5'-C4'	5.19	1.57	1.51
38	A1	1681	G	C2-N3	5.19	1.36	1.32
38	A1	1964	G	C5-C4	-5.19	1.34	1.38
38	A1	2003	C	C3'-C2'	-5.19	1.47	1.52
38	A1	2372	C	C4-C5	5.19	1.47	1.43
38	A1	2431	C	C5-C6	5.19	1.38	1.34
38	A1	2549	A	N9-C8	5.19	1.42	1.37
11	B2	1024	G	O3'-P	-5.19	1.54	1.61
38	A1	1864	G	C2'-C1'	-5.19	1.47	1.53
11	B2	420	C	P-O5'	-5.19	1.54	1.59
11	B2	1199	A	P-O5'	-5.19	1.54	1.59
21	BI	93	PHE	CG-CD2	5.19	1.46	1.38
22	BJ	61	ALA	CA-CB	5.19	1.63	1.52
38	A1	63	A	C5-C4	5.19	1.42	1.38
38	A1	195	U	N1-C2	-5.19	1.33	1.38
38	A1	1180	G	C3'-C2'	-5.19	1.47	1.52
38	A1	1524	A	C6-N6	5.19	1.38	1.33
38	A1	1878	G	N3-C4	-5.19	1.31	1.35
38	A1	1881	A	N7-C5	5.19	1.42	1.39
38	A1	2293	G	C2'-C1'	5.19	1.59	1.53
38	A1	2704	A	C4'-C3'	5.19	1.58	1.53
38	A1	2732	U	C2-N3	5.19	1.41	1.37
38	A1	2747	C	C3'-O3'	5.19	1.49	1.42
39	A3	95	G	C4'-C3'	5.19	1.58	1.53
55	Ai	16	ARG	CZ-NH2	5.19	1.39	1.33
10	B1	11	C	O3'-P	5.19	1.67	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	300	G	N7-C5	-5.19	1.36	1.39
11	B2	1446	G	C3'-C2'	5.19	1.58	1.52
38	A1	27	G	C5'-C4'	5.19	1.57	1.51
38	A1	269	C	C3'-C2'	-5.19	1.47	1.52
38	A1	871	G	C6-O6	5.19	1.28	1.24
54	AI	124	SER	CA-CB	5.19	1.60	1.52
11	B2	66	G	P-OP2	-5.18	1.40	1.49
11	B2	1339	G	O3'-P	-5.18	1.54	1.61
38	A1	80	G	C2'-C1'	-5.18	1.47	1.53
38	A1	1132	U	C5'-C4'	5.18	1.57	1.51
38	A1	1193	G	O4'-C1'	5.18	1.48	1.41
38	A1	1380	G	C2-N3	5.18	1.36	1.32
38	A1	2073	G	C2-N3	5.18	1.36	1.32
38	A1	2988	A	O3'-P	-5.18	1.54	1.61
61	AN	136	ARG	NE-CZ	5.18	1.39	1.33
62	AO	65	ARG	NE-CZ	5.18	1.39	1.33
65	AV	63	ARG	CZ-NH1	5.18	1.39	1.33
11	B2	200	G	N9-C8	-5.18	1.34	1.37
11	B2	609	G	C5-C6	-5.18	1.37	1.42
11	B2	872	A	N1-C2	-5.18	1.29	1.34
11	B2	1055	C	N1-C6	-5.18	1.34	1.37
11	B2	1057	A	N9-C4	5.18	1.41	1.37
38	A1	146	U	N3-C4	5.18	1.43	1.38
38	A1	231	G	C5'-C4'	5.18	1.57	1.51
38	A1	523	C	P-O5'	-5.18	1.54	1.59
38	A1	670	G	P-O5'	-5.18	1.54	1.59
38	A1	1354	G	C5-C4	5.18	1.42	1.38
38	A1	1485	A	C4'-C3'	5.18	1.58	1.53
38	A1	1941	A	C6-N6	5.18	1.38	1.33
39	A3	76	U	C2-O2	5.18	1.27	1.22
41	AA	107	PHE	CG-CD1	5.18	1.46	1.38
67	AZ	8	ARG	CZ-NH2	5.18	1.39	1.33
11	B2	499	G	O3'-P	-5.18	1.54	1.61
11	B2	847	A	C8-N7	-5.18	1.27	1.31
38	A1	299	U	C4-C5	5.18	1.48	1.43
38	A1	644	G	C5'-C4'	5.18	1.57	1.51
38	A1	2330	A	N9-C4	5.18	1.41	1.37
38	A1	2368	G	N9-C8	5.18	1.41	1.37
10	B1	17	C	C3'-C2'	5.18	1.58	1.52
11	B2	415	C	C2-N3	5.18	1.39	1.35
11	B2	1479	C	P-O5'	-5.18	1.54	1.59
21	BI	62	ARG	CD-NE	5.18	1.55	1.46

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	53	A	N7-C5	-5.18	1.36	1.39
38	A1	303	A	P-O5'	-5.18	1.54	1.59
38	A1	1377	G	C8-N7	5.18	1.34	1.30
38	A1	1501	G	C3'-O3'	5.18	1.49	1.42
38	A1	1657	G	C2-N2	5.18	1.39	1.34
38	A1	2052	A	N9-C8	5.18	1.41	1.37
38	A1	2214	U	C5-C6	5.18	1.38	1.34
38	A1	2234	C	C2-N3	5.18	1.39	1.35
38	A1	2888	G	C3'-C2'	5.18	1.58	1.52
39	A3	106	G	N1-C2	5.18	1.41	1.37
38	A1	555	G	N7-C5	5.18	1.42	1.39
38	A1	1623	C	C5'-C4'	5.18	1.57	1.51
38	A1	1680	G	N1-C2	5.18	1.41	1.37
38	A1	1685	C	C4'-O4'	5.18	1.52	1.45
38	A1	2464	G	N1-C2	5.18	1.41	1.37
38	A1	2751	C	P-O5'	-5.18	1.54	1.59
54	AI	52	ARG	CZ-NH2	5.18	1.39	1.33
59	AL	116	GLY	CA-C	-5.18	1.43	1.51
11	B2	344	G	N9-C8	5.18	1.41	1.37
38	A1	255	G	C4'-C3'	5.18	1.58	1.53
38	A1	381	G	C2-N2	5.18	1.39	1.34
38	A1	1063	C	O5'-C5'	5.18	1.52	1.44
38	A1	1235	A	C4'-O4'	5.18	1.52	1.45
38	A1	1726	A	C5'-C4'	5.18	1.57	1.51
38	A1	2079	U	C4-C5	5.18	1.48	1.43
38	A1	2451	G	C5-C6	-5.18	1.37	1.42
11	B2	41	C	C2-N3	5.17	1.39	1.35
11	B2	613	C	C5'-C4'	5.17	1.57	1.51
11	B2	656	U	C4'-C3'	5.17	1.58	1.53
11	B2	892	C	O4'-C1'	5.17	1.48	1.41
34	BV	59	TYR	CD1-CE1	-5.17	1.31	1.39
38	A1	227	G	P-O5'	5.17	1.65	1.59
38	A1	374	C	P-O5'	-5.17	1.54	1.59
38	A1	495	U	N1-C6	-5.17	1.33	1.38
38	A1	671	G	C4'-O4'	5.17	1.52	1.45
38	A1	1474	A	C5'-C4'	5.17	1.57	1.51
38	A1	1625	A	C5-C4	-5.17	1.35	1.38
38	A1	2170	C	P-O5'	-5.17	1.54	1.59
38	A1	2276	G	C2-N3	5.17	1.36	1.32
38	A1	2981	G	C2-N2	5.17	1.39	1.34
39	A3	74	U	O3'-P	-5.17	1.54	1.61
38	A1	505	A	C2-N3	5.17	1.38	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	634	G	C5-C4	5.17	1.42	1.38
38	A1	688	G	C5-C4	5.17	1.42	1.38
38	A1	870	G	C6-N1	5.17	1.43	1.39
38	A1	912	G	C6-N1	-5.17	1.35	1.39
45	AC	6	ARG	NE-CZ	5.17	1.39	1.33
40	AK	46	ARG	NE-CZ	5.17	1.39	1.33
11	B2	250	G	P-O5'	5.17	1.65	1.59
11	B2	993	C	C2-O2	5.17	1.29	1.24
11	B2	1063	A	N1-C2	5.17	1.39	1.34
11	B2	1167	C	C4-N4	5.17	1.38	1.33
11	B2	1177	C	C2'-C1'	-5.17	1.47	1.53
11	B2	1250	C	N1-C6	5.17	1.40	1.37
25	BM	135	ARG	CD-NE	5.17	1.55	1.46
38	A1	499	A	C2-N3	5.17	1.38	1.33
38	A1	795	G	N9-C4	-5.17	1.33	1.38
38	A1	1021	G	C2'-C1'	-5.17	1.47	1.53
38	A1	1247	U	C2'-C1'	-5.17	1.47	1.53
38	A1	1360	G	C4'-C3'	5.17	1.58	1.53
38	A1	1687	C	C3'-C2'	5.17	1.58	1.52
38	A1	2307	C	O3'-P	-5.17	1.54	1.61
38	A1	2313	G	C2-N3	5.17	1.36	1.32
38	A1	2318	G	C5-C6	-5.17	1.37	1.42
38	A1	2518	G	C2-N3	5.17	1.36	1.32
38	A1	2951	G	C2-N3	5.17	1.36	1.32
25	BM	133	ARG	CD-NE	5.17	1.55	1.46
38	A1	425	U	C2-O2	5.17	1.27	1.22
38	A1	629	G	N9-C4	-5.17	1.33	1.38
38	A1	997	A	N1-C2	5.17	1.39	1.34
38	A1	1054	A	C2-N3	-5.17	1.28	1.33
38	A1	1607	C	N1-C2	5.17	1.45	1.40
45	AC	90	TYR	CE1-CZ	5.17	1.45	1.38
11	B2	521	G	P-O5'	5.17	1.65	1.59
11	B2	1151	A	N9-C4	5.17	1.41	1.37
11	B2	1428	G	N9-C8	5.17	1.41	1.37
21	BI	89	TRP	CD1-NE1	-5.17	1.29	1.38
30	BR	106	LEU	CA-CB	5.17	1.65	1.53
38	A1	77	C	P-O5'	-5.17	1.54	1.59
38	A1	296	G	C2-N3	5.17	1.36	1.32
38	A1	527	G	N9-C4	5.17	1.42	1.38
38	A1	881	G	C5'-C4'	5.17	1.57	1.51
38	A1	1200	A	O4'-C1'	-5.17	1.34	1.41
38	A1	1249	G	C2-N2	5.17	1.39	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2054	G	C2'-C1'	-5.17	1.47	1.53
38	A1	2215	U	N1-C6	5.17	1.42	1.38
61	AN	107	ARG	CZ-NH1	5.17	1.39	1.33
10	B1	37	A	N3-C4	-5.17	1.31	1.34
11	B2	621	G	N3-C4	5.17	1.39	1.35
11	B2	835	C	C3'-O3'	5.17	1.49	1.42
11	B2	883	G	C5-C6	-5.17	1.37	1.42
11	B2	1278	A	C5-C4	5.17	1.42	1.38
11	B2	1342	C	C4'-C3'	5.17	1.58	1.53
38	A1	84	A	C6-N6	5.17	1.38	1.33
38	A1	234	G	C1'-N9	5.17	1.56	1.48
38	A1	296	G	C4'-C3'	5.17	1.58	1.53
38	A1	657	U	C4-C5	5.17	1.48	1.43
38	A1	1610	C	N1-C2	5.17	1.45	1.40
38	A1	1823	A	C3'-C2'	-5.17	1.47	1.52
38	A1	2121	C	N1-C6	5.17	1.40	1.37
38	A1	2462	U	C1'-N1	5.17	1.56	1.48
38	A1	2542	G	C6-N1	5.17	1.43	1.39
38	A1	2762	G	C4'-C3'	-5.17	1.47	1.52
40	AK	58	GLN	CA-CB	5.17	1.65	1.53
17	BE	121	PHE	CB-CG	5.17	1.60	1.51
38	A1	438	G	P-O5'	-5.17	1.54	1.59
38	A1	1010	G	N1-C2	5.17	1.41	1.37
38	A1	1024	G	N3-C4	-5.17	1.31	1.35
38	A1	1644	G	N9-C8	5.17	1.41	1.37
38	A1	1789	A	C8-N7	-5.17	1.27	1.31
50	AF	133	ARG	CZ-NH2	5.17	1.39	1.33
11	B2	189	C	C4'-O4'	5.16	1.52	1.45
11	B2	944	C	C5'-C4'	5.16	1.57	1.51
38	A1	683	C	C2'-C1'	-5.16	1.47	1.53
38	A1	1642	G	C5-C4	5.16	1.42	1.38
38	A1	1688	C	C4-N4	5.16	1.38	1.33
38	A1	2650	G	C4'-C3'	-5.16	1.47	1.52
38	A1	2781	A	C4'-C3'	5.16	1.58	1.53
38	A1	694	A	C2-N3	5.16	1.38	1.33
38	A1	1642	G	N1-C2	5.16	1.41	1.37
38	A1	2877	A	C5'-C4'	5.16	1.57	1.51
38	A1	2966	C	C2-N3	-5.16	1.31	1.35
54	AI	125	ARG	CD-NE	5.16	1.55	1.46
11	B2	221	A	C2'-C1'	-5.16	1.47	1.53
11	B2	524	U	C1'-N1	5.16	1.56	1.48
11	B2	907	C	C4-C5	5.16	1.47	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1384	G	C8-N7	-5.16	1.27	1.30
38	A1	131	C	C2-N3	5.16	1.39	1.35
38	A1	1176	C	C2'-C1'	5.16	1.59	1.53
38	A1	1492	C	C3'-C2'	5.16	1.58	1.52
38	A1	1654	G	C5-C6	-5.16	1.37	1.42
38	A1	1747	C	N1-C2	5.16	1.45	1.40
38	A1	2695	U	O3'-P	-5.16	1.54	1.61
38	A1	2834	C	C5'-C4'	5.16	1.57	1.51
38	A1	2835	A	O4'-C1'	5.16	1.48	1.41
38	A1	3035	C	C5'-C4'	5.16	1.57	1.51
50	AF	107	GLU	CD-OE2	5.16	1.31	1.25
10	B1	29	C	C2'-C1'	-5.16	1.47	1.53
11	B2	82	G	C5'-C4'	-5.16	1.45	1.51
11	B2	510	A	C8-N7	-5.16	1.27	1.31
11	B2	885	G	C2-N3	5.16	1.36	1.32
11	B2	1102	A	C2-N3	5.16	1.38	1.33
17	BE	23	ARG	CD-NE	5.16	1.55	1.46
38	A1	620	G	C2'-C1'	-5.16	1.47	1.53
38	A1	729	A	N9-C4	-5.16	1.34	1.37
38	A1	947	C	N1-C6	5.16	1.40	1.37
38	A1	1526	G	O4'-C1'	5.16	1.48	1.41
38	A1	1612	G	C2-N3	-5.16	1.28	1.32
38	A1	2001	U	C4-C5	5.16	1.48	1.43
38	A1	2357	U	C4'-C3'	-5.16	1.47	1.52
38	A1	2465	A	N3-C4	5.16	1.38	1.34
38	A1	2673	C	C4-N4	5.16	1.38	1.33
39	A3	65	G	O3'-P	-5.16	1.54	1.61
11	B2	75	C	C5'-C4'	5.16	1.57	1.51
11	B2	271	G	C6-N1	5.16	1.43	1.39
11	B2	1137	G	N9-C8	5.16	1.41	1.37
38	A1	654	C	C4'-C3'	-5.16	1.47	1.52
38	A1	805	C	P-O5'	5.16	1.65	1.59
38	A1	1006	A	N1-C2	-5.16	1.29	1.34
38	A1	1040	C	P-O5'	-5.16	1.54	1.59
38	A1	1640	G	N7-C5	-5.16	1.36	1.39
38	A1	2106	G	C4'-O4'	5.16	1.52	1.45
38	A1	2528	U	C4-C5	5.16	1.48	1.43
59	AL	71	ARG	NE-CZ	5.16	1.39	1.33
10	B1	14	A	N3-C4	-5.16	1.31	1.34
11	B2	1	A	C6-N1	-5.16	1.31	1.35
11	B2	133	G	C2'-C1'	-5.16	1.47	1.53
11	B2	827	G	C8-N7	-5.16	1.27	1.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1079	G	O3'-P	-5.16	1.54	1.61
18	BF	111	ARG	CD-NE	5.16	1.55	1.46
38	A1	193	A	C4'-C3'	5.16	1.58	1.53
38	A1	550	A	N7-C5	-5.16	1.36	1.39
38	A1	794	G	C2'-O2'	-5.16	1.34	1.41
38	A1	1793	G	N9-C4	5.16	1.42	1.38
38	A1	1849	A	P-O5'	-5.16	1.54	1.59
38	A1	2187	C	C4-N4	5.16	1.38	1.33
38	A1	2316	U	N1-C6	5.16	1.42	1.38
38	A1	2874	C	C4'-O4'	5.16	1.52	1.45
11	B2	717	C	O3'-P	-5.15	1.54	1.61
11	B2	921	G	P-O5'	-5.15	1.54	1.59
38	A1	1216	A	O3'-P	-5.15	1.54	1.61
38	A1	1851	U	C1'-N1	5.15	1.56	1.48
11	B2	407	G	C8-N7	-5.15	1.27	1.30
11	B2	993	C	N1-C6	5.15	1.40	1.37
11	B2	1069	G	C2-N3	5.15	1.36	1.32
17	BE	186	PHE	CG-CD1	5.15	1.46	1.38
25	BM	84	ARG	CZ-NH2	5.15	1.39	1.33
38	A1	10	C	C4'-O4'	-5.15	1.38	1.45
38	A1	53	A	C5-C6	-5.15	1.36	1.41
38	A1	54	G	C5'-C4'	5.15	1.57	1.51
38	A1	205	A	N1-C2	5.15	1.39	1.34
38	A1	207	A	C5-C4	5.15	1.42	1.38
38	A1	614	G	C3'-O3'	5.15	1.49	1.42
38	A1	2066	C	C5'-C4'	5.15	1.57	1.51
38	A1	2651	G	P-O5'	-5.15	1.54	1.59
38	A1	2660	G	C8-N7	-5.15	1.27	1.30
38	A1	2696	G	C2-N2	5.15	1.39	1.34
38	A1	2725	U	C4-C5	5.15	1.48	1.43
49	Ae	21	ARG	CD-NE	5.15	1.55	1.46
10	B1	29	C	N3-C4	5.15	1.37	1.33
11	B2	676	G	C2-N3	5.15	1.36	1.32
26	BN	3	GLY	N-CA	5.15	1.53	1.46
38	A1	803	A	N9-C8	-5.15	1.33	1.37
38	A1	1257	G	C4'-O4'	5.15	1.52	1.45
38	A1	1440	C	C3'-C2'	-5.15	1.47	1.52
38	A1	2255	C	C4'-C3'	-5.15	1.47	1.52
38	A1	2603	A	N9-C4	-5.15	1.34	1.37
38	A1	2958	U	C4'-O4'	-5.15	1.38	1.45
38	A1	2981	G	C5'-C4'	5.15	1.57	1.51
39	A3	1	C	C4-N4	5.15	1.38	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
39	A3	103	C	C5'-C4'	5.15	1.57	1.51
18	BF	38	PHE	CG-CD1	5.15	1.46	1.38
38	A1	1768	C	C2'-C1'	-5.15	1.47	1.53
38	A1	1790	G	C2'-C1'	-5.15	1.47	1.53
38	A1	2123	G	C6-N1	5.15	1.43	1.39
38	A1	2603	A	C6-N1	-5.15	1.31	1.35
11	B2	534	G	C8-N7	-5.15	1.27	1.30
11	B2	591	G	N1-C2	5.15	1.41	1.37
11	B2	733	C	C4-C5	5.15	1.47	1.43
11	B2	1305	U	C4'-C3'	5.15	1.58	1.53
17	BE	204	ARG	CD-NE	5.15	1.55	1.46
38	A1	265	A	C2'-C1'	-5.15	1.47	1.53
38	A1	910	G	N9-C4	-5.15	1.33	1.38
38	A1	1733	C	C4-N4	5.15	1.38	1.33
38	A1	2007	C	N1-C6	-5.15	1.34	1.37
38	A1	2313	G	C2'-C1'	-5.15	1.47	1.53
45	AC	8	ARG	CD-NE	5.15	1.55	1.46
62	AO	84	TYR	CG-CD2	5.15	1.45	1.39
11	B2	884	G	C8-N7	-5.15	1.27	1.30
14	BB	179	ARG	NE-CZ	5.15	1.39	1.33
38	A1	124	C	N1-C2	5.15	1.45	1.40
38	A1	514	U	C2'-C1'	-5.15	1.47	1.53
38	A1	544	A	C5-C6	-5.15	1.36	1.41
38	A1	1462	G	C5-C4	5.15	1.42	1.38
38	A1	2092	G	C8-N7	5.15	1.34	1.30
64	AR	21	ARG	CD-NE	5.15	1.55	1.46
11	B2	11	A	N9-C4	-5.14	1.34	1.37
11	B2	35	G	C4'-C3'	5.14	1.58	1.53
11	B2	66	G	C2-N3	-5.14	1.28	1.32
11	B2	212	G	C3'-C2'	5.14	1.58	1.52
11	B2	259	A	C5-C4	-5.14	1.35	1.38
11	B2	813	G	C3'-C2'	-5.14	1.47	1.52
11	B2	877	A	C8-N7	-5.14	1.27	1.31
11	B2	910	G	N1-C2	5.14	1.41	1.37
11	B2	990	G	C4'-O4'	-5.14	1.38	1.45
11	B2	1363	C	C5'-C4'	5.14	1.57	1.51
15	BC	109	PHE	CB-CG	5.14	1.60	1.51
38	A1	263	U	C4-O4	5.14	1.27	1.23
38	A1	317	A	O3'-P	-5.14	1.54	1.61
38	A1	867	C	N1-C6	5.14	1.40	1.37
38	A1	1097	G	C8-N7	-5.14	1.27	1.30
38	A1	1193	G	N3-C4	5.14	1.39	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1284	C	C2-O2	-5.14	1.19	1.24
38	A1	2680	A	C5-C4	5.14	1.42	1.38
38	A1	2840	C	C5-C6	-5.14	1.30	1.34
39	A3	49	A	C3'-O3'	5.14	1.49	1.42
11	B2	49	C	C4'-C3'	5.14	1.58	1.53
11	B2	485	A	C2-N3	5.14	1.38	1.33
11	B2	737	C	C5'-C4'	5.14	1.57	1.51
11	B2	838	C	N1-C6	5.14	1.40	1.37
11	B2	1452	G	C3'-O3'	-5.14	1.34	1.42
38	A1	594	U	C4-C5	-5.14	1.39	1.43
38	A1	1661	A	P-O5'	-5.14	1.54	1.59
38	A1	1796	U	C4-C5	5.14	1.48	1.43
38	A1	1886	C	C2-N3	5.14	1.39	1.35
38	A1	2044	C	P-O5'	-5.14	1.54	1.59
38	A1	2746	G	N1-C2	5.14	1.41	1.37
38	A1	2782	A	C6-N1	5.14	1.39	1.35
57	Aj	47	TYR	CE1-CZ	5.14	1.45	1.38
60	AM	128	PHE	CG-CD2	5.14	1.46	1.38
11	B2	506	G	C3'-C2'	-5.14	1.47	1.52
11	B2	1002	G	P-O5'	5.14	1.64	1.59
11	B2	1157	G	C5'-C4'	5.14	1.57	1.51
11	B2	1314	C	C2-O2	5.14	1.29	1.24
38	A1	421	C	N1-C6	-5.14	1.34	1.37
61	AN	20	ARG	NE-CZ	5.14	1.39	1.33
6	AT	67	TYR	CG-CD2	5.14	1.45	1.39
11	B2	873	A	C2-N3	-5.14	1.28	1.33
18	BF	84	ARG	NE-CZ	5.14	1.39	1.33
38	A1	36	G	O4'-C1'	-5.14	1.34	1.41
38	A1	372	A	N7-C5	-5.14	1.36	1.39
38	A1	1095	A	C6-N1	5.14	1.39	1.35
38	A1	1380	G	C3'-O3'	5.14	1.49	1.42
38	A1	1420	U	C5-C6	-5.14	1.29	1.34
38	A1	1810	G	N9-C8	-5.14	1.34	1.37
38	A1	2194	A	N1-C2	-5.14	1.29	1.34
38	A1	2274	C	N1-C6	5.14	1.40	1.37
38	A1	2781	A	C8-N7	5.14	1.35	1.31
38	A1	2851	A	O3'-P	-5.14	1.54	1.61
39	A3	67	U	N1-C2	-5.14	1.33	1.38
11	B2	1013	G	C6-O6	-5.14	1.19	1.24
11	B2	1127	A	N7-C5	5.14	1.42	1.39
13	BA	102	ARG	CZ-NH1	5.14	1.39	1.33
38	A1	303	A	C6-N1	5.14	1.39	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1692	A	C4'-O4'	5.14	1.52	1.45
38	A1	1850	C	N3-C4	5.14	1.37	1.33
38	A1	2420	C	P-O5'	-5.14	1.54	1.59
46	AD	70	VAL	N-CA	-5.14	1.36	1.46
11	B2	208	U	C4'-C3'	5.14	1.58	1.53
11	B2	267	C	C2'-C1'	-5.14	1.47	1.53
11	B2	281	G	N7-C5	-5.14	1.36	1.39
11	B2	374	G	C2-N2	5.14	1.39	1.34
11	B2	668	G	C5'-C4'	-5.14	1.45	1.51
11	B2	971	G	C6-N1	5.14	1.43	1.39
11	B2	1111	G	C2'-C1'	-5.14	1.47	1.53
11	B2	1384	G	N3-C4	-5.14	1.31	1.35
16	BD	154	TYR	CZ-OH	5.14	1.46	1.37
38	A1	405	G	N9-C8	-5.14	1.34	1.37
38	A1	426	G	N9-C8	5.14	1.41	1.37
38	A1	864	C	N1-C6	5.14	1.40	1.37
38	A1	1004	U	C1'-N1	5.14	1.56	1.48
38	A1	1790	G	P-O5'	-5.14	1.54	1.59
38	A1	2287	C	O3'-P	-5.14	1.54	1.61
44	Ab	18	ARG	CZ-NH2	5.14	1.39	1.33
11	B2	39	U	C4-O4	-5.13	1.19	1.23
11	B2	115	A	N7-C5	-5.13	1.36	1.39
11	B2	612	C	C2-N3	5.13	1.39	1.35
11	B2	769	A	C6-N6	5.13	1.38	1.33
11	B2	1120	G	N3-C4	5.13	1.39	1.35
11	B2	1233	G	N9-C8	5.13	1.41	1.37
11	B2	1256	C	N1-C6	-5.13	1.34	1.37
19	BG	102	ARG	NE-CZ	5.13	1.39	1.33
27	BO	111	ARG	CD-NE	5.13	1.55	1.46
38	A1	529	G	C5'-C4'	5.13	1.57	1.51
38	A1	593	C	N3-C4	5.13	1.37	1.33
38	A1	808	A	C2-N3	5.13	1.38	1.33
38	A1	1503	C	C4-N4	5.13	1.38	1.33
38	A1	1583	G	C5-C4	-5.13	1.34	1.38
38	A1	1603	G	O3'-P	-5.13	1.54	1.61
38	A1	1779	C	P-O5'	-5.13	1.54	1.59
38	A1	2067	U	C2'-C1'	-5.13	1.47	1.53
38	A1	2229	G	P-O5'	-5.13	1.54	1.59
38	A1	2241	U	C2-O2	5.13	1.26	1.22
38	A1	2333	G	C3'-O3'	5.13	1.49	1.42
38	A1	2666	G	C6-N1	5.13	1.43	1.39
38	A1	2811	U	C2-N3	5.13	1.41	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2982	G	P-O5'	-5.13	1.54	1.59
46	AD	187	ARG	CD-NE	5.13	1.55	1.46
50	AF	69	ARG	NE-CZ	5.13	1.39	1.33
11	B2	291	G	C5'-C4'	5.13	1.57	1.51
11	B2	737	C	C2-O2	5.13	1.29	1.24
11	B2	1338	C	O3'-P	-5.13	1.54	1.61
38	A1	479	G	C5-C6	-5.13	1.37	1.42
38	A1	735	A	C4'-O4'	-5.13	1.38	1.45
38	A1	947	C	C2-N3	-5.13	1.31	1.35
38	A1	1021	G	C5-C6	-5.13	1.37	1.42
38	A1	1213	G	O3'-P	-5.13	1.54	1.61
38	A1	2007	C	C4'-C3'	5.13	1.58	1.53
38	A1	2060	A	C2'-C1'	-5.13	1.47	1.53
38	A1	2142	U	C3'-C2'	5.13	1.58	1.52
38	A1	2827	C	C1'-N1	5.13	1.56	1.48
46	AD	187	ARG	CZ-NH1	5.13	1.39	1.33
50	AF	37	ARG	CZ-NH1	5.13	1.39	1.33
11	B2	235	G	C3'-C2'	5.13	1.58	1.52
11	B2	266	A	P-O5'	-5.13	1.54	1.59
11	B2	336	C	C2-O2	5.13	1.29	1.24
11	B2	895	C	C4-N4	5.13	1.38	1.33
38	A1	137	A	C4'-C3'	5.13	1.58	1.53
38	A1	825	C	P-O5'	5.13	1.64	1.59
38	A1	1501	G	N7-C5	5.13	1.42	1.39
38	A1	1613	A	C1'-N9	5.13	1.56	1.48
38	A1	1716	G	C4'-O4'	-5.13	1.38	1.45
38	A1	2025	A	N3-C4	5.13	1.38	1.34
38	A1	2351	G	C2-N2	5.13	1.39	1.34
38	A1	3032	C	C5-C6	5.13	1.38	1.34
11	B2	152	G	C5'-C4'	-5.13	1.45	1.51
38	A1	993	G	C5-C4	5.13	1.42	1.38
38	A1	1434	C	O4'-C1'	-5.13	1.34	1.41
38	A1	495	U	P-O5'	5.13	1.64	1.59
38	A1	890	G	N7-C5	-5.13	1.36	1.39
38	A1	1007	U	C5'-C4'	5.13	1.57	1.51
38	A1	1408	G	N9-C4	5.13	1.42	1.38
38	A1	2231	G	C2-N3	5.13	1.36	1.32
38	A1	2310	G	O3'-P	-5.13	1.54	1.61
38	A1	2474	A	C6-N1	5.13	1.39	1.35
39	A3	40	G	C8-N7	-5.13	1.27	1.30
39	A3	126	C	C4'-C3'	5.13	1.58	1.53
62	AO	115	SER	CA-C	-5.13	1.39	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	72	C	C2'-O2'	5.13	1.48	1.41
11	B2	479	C	N3-C4	5.13	1.37	1.33
30	BR	107	GLU	CD-OE2	-5.13	1.20	1.25
38	A1	484	C	N1-C6	5.13	1.40	1.37
38	A1	939	A	C5-C4	5.13	1.42	1.38
38	A1	1434	C	C2'-C1'	-5.13	1.47	1.53
38	A1	1912	A	C1'-N9	5.13	1.56	1.48
38	A1	2099	G	C5'-C4'	5.13	1.57	1.51
38	A1	2137	A	C8-N7	-5.13	1.27	1.31
38	A1	2645	C	C3'-C2'	5.13	1.58	1.52
11	B2	1404	C	N1-C6	5.12	1.40	1.37
38	A1	102	A	C5'-C4'	5.12	1.57	1.51
38	A1	538	G	C4'-C3'	5.12	1.58	1.53
38	A1	1649	G	C2-N3	5.12	1.36	1.32
38	A1	2089	C	C4-N4	5.12	1.38	1.33
38	A1	2494	A	C6-N6	5.12	1.38	1.33
38	A1	2681	A	C5'-C4'	5.12	1.57	1.51
38	A1	3042	C	O3'-P	-5.12	1.55	1.61
60	AM	38	ARG	CD-NE	5.12	1.55	1.46
11	B2	64	G	C8-N7	-5.12	1.27	1.30
11	B2	185	G	N1-C2	5.12	1.41	1.37
11	B2	533	C	C2-N3	-5.12	1.31	1.35
11	B2	567	A	N3-C4	-5.12	1.31	1.34
11	B2	942	A	C4'-O4'	5.12	1.52	1.45
11	B2	1239	A	P-O5'	-5.12	1.54	1.59
15	BC	27	ARG	NE-CZ	5.12	1.39	1.33
38	A1	1293	G	C8-N7	5.12	1.34	1.30
38	A1	1451	A	C5-C6	5.12	1.45	1.41
38	A1	2787	G	N7-C5	-5.12	1.36	1.39
38	A1	2946	C	N1-C6	5.12	1.40	1.37
11	B2	459	G	C6-N1	5.12	1.43	1.39
11	B2	477	G	P-O5'	-5.12	1.54	1.59
11	B2	1309	A	C8-N7	-5.12	1.27	1.31
38	A1	401	C	N1-C6	5.12	1.40	1.37
38	A1	597	C	C5'-C4'	-5.12	1.45	1.51
38	A1	675	G	C3'-C2'	5.12	1.58	1.52
38	A1	953	G	C3'-C2'	-5.12	1.47	1.52
38	A1	1291	C	C2-O2	5.12	1.29	1.24
38	A1	1500	C	C2-N3	5.12	1.39	1.35
38	A1	1858	G	C5-C4	5.12	1.42	1.38
38	A1	2289	A	C4'-C3'	5.12	1.58	1.53
38	A1	2788	U	C4'-C3'	-5.12	1.47	1.52

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
45	AC	28	ARG	CZ-NH2	5.12	1.39	1.33
11	B2	147	A	C6-N1	5.12	1.39	1.35
11	B2	211	G	C4'-C3'	-5.12	1.47	1.52
11	B2	542	G	N9-C8	-5.12	1.34	1.37
11	B2	1210	A	N9-C4	5.12	1.41	1.37
38	A1	176	G	N7-C5	-5.12	1.36	1.39
38	A1	967	G	C2'-C1'	-5.12	1.47	1.53
38	A1	1084	G	N9-C4	-5.12	1.33	1.38
38	A1	1451	A	C3'-O3'	5.12	1.49	1.42
39	A3	3	G	C3'-C2'	5.12	1.58	1.52
39	A3	121	A	O4'-C1'	-5.12	1.34	1.41
11	B2	238	G	C5-C4	-5.12	1.34	1.38
11	B2	1461	U	C2'-C1'	-5.12	1.47	1.53
38	A1	38	U	P-O5'	-5.12	1.54	1.59
38	A1	144	A	C2'-C1'	-5.12	1.47	1.53
38	A1	282	G	C1'-N9	5.12	1.56	1.48
38	A1	287	G	C2-N3	5.12	1.36	1.32
38	A1	431	U	C4'-C3'	5.12	1.58	1.53
38	A1	462	A	C8-N7	-5.12	1.27	1.31
38	A1	990	G	N9-C8	5.12	1.41	1.37
38	A1	1215	C	C4-N4	5.12	1.38	1.33
38	A1	1266	A	N7-C5	-5.12	1.36	1.39
38	A1	1732	C	O3'-P	-5.12	1.55	1.61
38	A1	2493	A	C6-N1	5.12	1.39	1.35
38	A1	3027	C	N3-C4	5.12	1.37	1.33
39	A3	2	G	N1-C2	5.12	1.41	1.37
39	A3	93	G	N9-C8	-5.12	1.34	1.37
58	Ak	11	GLU	N-CA	-5.12	1.36	1.46
65	AV	35	ARG	NE-CZ	5.12	1.39	1.33
10	B1	65	C	N3-C4	5.12	1.37	1.33
11	B2	426	C	C4'-O4'	5.12	1.52	1.45
11	B2	1115	G	C5-C6	-5.12	1.37	1.42
11	B2	1147	G	C5-C6	5.12	1.47	1.42
38	A1	302	U	C2'-O2'	5.12	1.48	1.41
38	A1	688	G	N3-C4	-5.12	1.31	1.35
38	A1	1188	C	C4'-C3'	-5.12	1.47	1.52
57	Aj	84	PHE	CG-CD1	5.12	1.46	1.38
10	B1	69	G	O3'-P	-5.12	1.55	1.61
11	B2	248	U	C3'-O3'	-5.12	1.34	1.42
11	B2	772	G	C4'-C3'	5.12	1.58	1.53
11	B2	841	C	N3-C4	5.12	1.37	1.33
27	BO	135	PHE	CG-CD2	5.12	1.46	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
31	BS	29	GLU	CD-OE2	5.12	1.31	1.25
37	BY	20	LYS	CA-CB	5.12	1.65	1.53
38	A1	7	G	N1-C2	5.12	1.41	1.37
38	A1	195	U	P-O5'	-5.12	1.54	1.59
38	A1	431	U	C5'-C4'	5.12	1.57	1.51
38	A1	508	G	P-O5'	5.12	1.64	1.59
38	A1	921	C	C3'-O3'	5.12	1.49	1.42
38	A1	1586	G	N1-C2	5.12	1.41	1.37
38	A1	1817	C	C4-C5	5.12	1.47	1.43
38	A1	1981	G	C6-N1	5.12	1.43	1.39
38	A1	2138	A	C8-N7	5.12	1.35	1.31
38	A1	2284	C	C2'-O2'	-5.12	1.34	1.41
38	A1	2362	U	C5'-C4'	5.12	1.57	1.51
38	A1	3026	C	O3'-P	-5.12	1.55	1.61
56	AJ	74	ARG	CZ-NH1	5.12	1.39	1.33
11	B2	467	G	C2'-C1'	-5.11	1.47	1.53
24	BL	14	ARG	CD-NE	5.11	1.55	1.46
38	A1	610	C	C5-C6	-5.11	1.30	1.34
38	A1	862	G	C5-C6	-5.11	1.37	1.42
38	A1	1095	A	P-O5'	-5.11	1.54	1.59
38	A1	1872	G	N3-C4	-5.11	1.31	1.35
38	A1	2118	C	N1-C6	5.11	1.40	1.37
38	A1	2225	C	C4-N4	5.11	1.38	1.33
38	A1	2957	G	C2'-C1'	-5.11	1.47	1.53
11	B2	49	C	O3'-P	5.11	1.67	1.61
11	B2	462	A	C6-N6	5.11	1.38	1.33
11	B2	949	G	C4'-C3'	5.11	1.58	1.53
19	BG	75	ARG	NE-CZ	5.11	1.39	1.33
38	A1	322	C	N1-C6	5.11	1.40	1.37
38	A1	470	A	N3-C4	-5.11	1.31	1.34
7	AU	56	ARG	CZ-NH2	5.11	1.39	1.33
10	B1	33	C	N3-C4	5.11	1.37	1.33
11	B2	563	U	C5'-C4'	5.11	1.57	1.51
11	B2	569	G	C5'-C4'	5.11	1.57	1.51
11	B2	609	G	C6-N1	5.11	1.43	1.39
11	B2	1082	A	C2'-C1'	-5.11	1.47	1.53
38	A1	434	G	C6-N1	5.11	1.43	1.39
38	A1	508	G	C6-N1	-5.11	1.35	1.39
38	A1	1057	C	C4-N4	5.11	1.38	1.33
38	A1	1161	A	C2-N3	5.11	1.38	1.33
38	A1	2156	A	C5-C6	-5.11	1.36	1.41
38	A1	2168	C	C4-N4	5.11	1.38	1.33

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2171	G	O3'-P	-5.11	1.55	1.61
38	A1	2338	A	N1-C2	5.11	1.39	1.34
38	A1	2465	A	C8-N7	5.11	1.35	1.31
39	A3	51	U	P-O5'	-5.11	1.54	1.59
42	Aa	25	TRP	CB-CG	5.11	1.59	1.50
11	B2	1061	A	C3'-C2'	-5.11	1.47	1.52
32	BT	93	GLU	CD-OE1	5.11	1.31	1.25
38	A1	816	C	P-O5'	5.11	1.64	1.59
38	A1	859	G	N3-C4	5.11	1.39	1.35
38	A1	961	C	O3'-P	-5.11	1.55	1.61
38	A1	1011	A	N3-C4	5.11	1.38	1.34
38	A1	2717	A	C2-N3	5.11	1.38	1.33
38	A1	2745	G	N3-C4	-5.11	1.31	1.35
38	A1	2956	G	C5-C6	-5.11	1.37	1.42
11	B2	177	A	C5'-C4'	5.11	1.57	1.51
11	B2	293	G	N7-C5	-5.11	1.36	1.39
11	B2	321	A	N7-C5	5.11	1.42	1.39
11	B2	353	G	C4'-O4'	5.11	1.52	1.45
11	B2	636	G	N1-C2	5.11	1.41	1.37
11	B2	720	A	C6-N6	5.11	1.38	1.33
11	B2	781	U	C1'-N1	5.11	1.56	1.48
11	B2	848	G	N7-C5	-5.11	1.36	1.39
11	B2	872	A	C2-N3	-5.11	1.28	1.33
11	B2	1094	U	C2'-C1'	5.11	1.58	1.53
14	BB	131	VAL	CA-CB	-5.11	1.44	1.54
18	BF	92	ARG	NE-CZ	5.11	1.39	1.33
20	BH	148	VAL	CA-CB	5.11	1.65	1.54
38	A1	1557	G	N9-C4	5.11	1.42	1.38
38	A1	1635	G	C2-N3	5.11	1.36	1.32
38	A1	2090	A	C5'-C4'	5.11	1.57	1.51
38	A1	2647	G	C5-C4	5.11	1.42	1.38
38	A1	2750	C	C5'-C4'	5.11	1.57	1.51
11	B2	258	A	N3-C4	5.11	1.38	1.34
11	B2	1385	U	C2-N3	5.11	1.41	1.37
38	A1	28	A	C1'-N9	5.11	1.56	1.48
38	A1	513	C	C4'-C3'	-5.11	1.47	1.52
38	A1	791	C	C2-N3	5.11	1.39	1.35
38	A1	1695	G	C6-O6	5.11	1.28	1.24
38	A1	2082	C	P-O5'	5.11	1.64	1.59
38	A1	2407	G	C2-N3	5.11	1.36	1.32
38	A1	2414	G	P-O5'	-5.11	1.54	1.59
38	A1	2802	G	C2-N3	5.11	1.36	1.32

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2964	A	C4'-C3'	-5.11	1.47	1.52
54	AI	56	ARG	CZ-NH2	5.11	1.39	1.33
11	B2	7	G	N7-C5	-5.10	1.36	1.39
11	B2	539	C	C5-C6	-5.10	1.30	1.34
11	B2	878	U	C5-C6	5.10	1.38	1.34
38	A1	1759	A	C4'-O4'	5.10	1.52	1.45
38	A1	2396	G	C6-N1	5.10	1.43	1.39
64	AR	13	ARG	NE-CZ	5.10	1.39	1.33
3	Af	33	ARG	CZ-NH1	5.10	1.39	1.33
6	AT	28	PHE	N-CA	-5.10	1.36	1.46
10	B1	77	A	C6-N1	5.10	1.39	1.35
11	B2	212	G	C5-C4	-5.10	1.34	1.38
11	B2	823	A	C6-N1	5.10	1.39	1.35
11	B2	1098	G	C4'-C3'	5.10	1.58	1.53
11	B2	1102	A	C5'-C4'	5.10	1.57	1.51
11	B2	1185	A	C4'-O4'	-5.10	1.39	1.45
19	BG	95	ARG	CZ-NH1	5.10	1.39	1.33
25	BM	132	ARG	CA-C	-5.10	1.39	1.52
38	A1	106	G	C6-N1	5.10	1.43	1.39
38	A1	146	U	N1-C2	5.10	1.43	1.38
38	A1	291	A	N9-C4	5.10	1.41	1.37
38	A1	1205	U	P-OP2	-5.10	1.40	1.49
38	A1	1403	C	C2-O2	5.10	1.29	1.24
38	A1	1404	G	C3'-C2'	-5.10	1.47	1.52
38	A1	1410	A	C5-C6	5.10	1.45	1.41
38	A1	1606	C	C5-C6	-5.10	1.30	1.34
38	A1	2004	A	N1-C2	-5.10	1.29	1.34
38	A1	2097	G	C5-C4	5.10	1.42	1.38
38	A1	2472	A	C5-C4	5.10	1.42	1.38
38	A1	2826	U	C3'-C2'	5.10	1.58	1.52
38	A1	3031	U	C3'-O3'	5.10	1.49	1.42
43	AB	225	ARG	CZ-NH2	5.10	1.39	1.33
11	B2	232	G	C2-N2	-5.10	1.29	1.34
11	B2	261	G	C6-N1	5.10	1.43	1.39
11	B2	460	C	C3'-C2'	5.10	1.58	1.52
11	B2	810	G	C6-O6	-5.10	1.19	1.24
11	B2	971	G	C4'-O4'	5.10	1.52	1.45
11	B2	1226	G	C5-C4	-5.10	1.34	1.38
38	A1	1355	A	C2-N3	5.10	1.38	1.33
38	A1	1577	C	P-O5'	-5.10	1.54	1.59
38	A1	2987	U	C4-O4	-5.10	1.19	1.23
11	B2	349	A	O4'-C1'	5.10	1.48	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1311	C	O5'-C5'	5.10	1.52	1.44
11	B2	1366	U	C4'-C3'	5.10	1.58	1.53
38	A1	235	G	N1-C2	5.10	1.41	1.37
38	A1	1565	G	N1-C2	5.10	1.41	1.37
38	A1	1588	C	C4'-O4'	-5.10	1.39	1.45
38	A1	1745	U	C2-N3	5.10	1.41	1.37
38	A1	1779	C	C4-N4	5.10	1.38	1.33
38	A1	1994	G	C2'-C1'	-5.10	1.47	1.53
38	A1	2153	C	C4-C5	5.10	1.47	1.43
38	A1	2427	C	N1-C2	-5.10	1.35	1.40
38	A1	2978	G	C5-C6	-5.10	1.37	1.42
11	B2	246	A	O3'-P	-5.10	1.55	1.61
11	B2	451	A	C4'-O4'	-5.10	1.39	1.45
11	B2	768	A	C2-N3	5.10	1.38	1.33
38	A1	573	G	C4'-O4'	5.10	1.52	1.45
38	A1	986	G	N1-C2	5.10	1.41	1.37
38	A1	1015	G	N7-C5	5.10	1.42	1.39
38	A1	1436	A	C8-N7	-5.10	1.27	1.31
38	A1	1580	G	C2-N3	5.10	1.36	1.32
38	A1	1638	C	C5'-C4'	5.10	1.57	1.51
38	A1	1661	A	O5'-C5'	5.10	1.52	1.44
38	A1	2173	U	O3'-P	-5.10	1.55	1.61
38	A1	2175	G	C5'-C4'	5.10	1.57	1.51
38	A1	2231	G	O3'-P	-5.10	1.55	1.61
38	A1	2265	C	C3'-O3'	5.10	1.49	1.42
38	A1	2278	U	C5'-C4'	5.10	1.57	1.51
38	A1	2507	C	N3-C4	5.10	1.37	1.33
38	A1	2979	C	C2-O2	-5.10	1.19	1.24
39	A3	13	C	C4'-C3'	5.10	1.58	1.53
63	AP	38	GLU	CD-OE2	5.10	1.31	1.25
9	AX	6	PRO	N-CD	-5.10	1.40	1.47
10	B1	72	C	N3-C4	5.10	1.37	1.33
11	B2	1074	C	C2-N3	5.10	1.39	1.35
38	A1	475	U	C2'-C1'	-5.10	1.47	1.53
38	A1	558	C	C4-C5	-5.10	1.38	1.43
38	A1	1931	G	C2'-C1'	-5.10	1.47	1.53
38	A1	2534	C	C2-N3	5.10	1.39	1.35
38	A1	2650	G	C3'-C2'	-5.10	1.47	1.52
46	AD	32	ARG	CZ-NH1	5.10	1.39	1.33
11	B2	264	C	C3'-O3'	5.09	1.49	1.42
11	B2	488	A	N3-C4	5.09	1.38	1.34
11	B2	1063	A	P-O5'	-5.09	1.54	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	338	A	N3-C4	5.09	1.38	1.34
38	A1	736	U	N3-C4	5.09	1.43	1.38
38	A1	2664	G	O3'-P	-5.09	1.55	1.61
39	A3	107	G	C3'-C2'	-5.09	1.47	1.52
11	B2	1258	C	C4-N4	5.09	1.38	1.33
11	B2	1447	A	N3-C4	-5.09	1.31	1.34
38	A1	964	C	C2'-C1'	-5.09	1.47	1.53
38	A1	1384	C	C5-C6	-5.09	1.30	1.34
38	A1	1882	C	C2'-C1'	-5.09	1.47	1.53
10	B1	56	U	N3-C4	5.09	1.43	1.38
11	B2	305	C	N1-C6	5.09	1.40	1.37
11	B2	319	U	C4-C5	5.09	1.48	1.43
11	B2	520	G	C6-O6	-5.09	1.19	1.24
11	B2	783	G	C3'-O3'	5.09	1.49	1.42
18	BF	92	ARG	CD-NE	5.09	1.55	1.46
21	BI	116	ALA	CA-CB	5.09	1.63	1.52
38	A1	263	U	N1-C2	5.09	1.43	1.38
38	A1	327	G	N1-C2	5.09	1.41	1.37
38	A1	396	G	N9-C8	-5.09	1.34	1.37
38	A1	1889	G	N1-C2	5.09	1.41	1.37
38	A1	2397	C	C4'-O4'	5.09	1.52	1.45
38	A1	2663	G	C6-N1	5.09	1.43	1.39
38	A1	2966	C	N1-C6	-5.09	1.34	1.37
11	B2	237	C	O3'-P	5.09	1.67	1.61
11	B2	647	G	C5-C6	-5.09	1.37	1.42
11	B2	683	A	N7-C5	-5.09	1.36	1.39
11	B2	1019	A	P-O5'	-5.09	1.54	1.59
17	BE	128	ARG	CZ-NH2	5.09	1.39	1.33
38	A1	643	G	N3-C4	-5.09	1.31	1.35
38	A1	658	C	C2'-O2'	5.09	1.48	1.41
38	A1	2023	A	N3-C4	-5.09	1.31	1.34
38	A1	2076	A	O4'-C1'	-5.09	1.35	1.41
38	A1	2423	G	N1-C2	5.09	1.41	1.37
38	A1	2432	G	C6-N1	5.09	1.43	1.39
38	A1	2615	U	C4'-C3'	5.09	1.58	1.53
58	Ak	11	GLU	CD-OE2	-5.09	1.20	1.25
11	B2	105	C	C2'-C1'	-5.09	1.47	1.53
11	B2	1287	G	N3-C4	5.09	1.39	1.35
11	B2	1390	G	C2-N3	5.09	1.36	1.32
38	A1	1222	U	C4'-C3'	5.09	1.58	1.53
38	A1	1784	G	N9-C4	5.09	1.42	1.38
38	A1	2239	C	O3'-P	-5.09	1.55	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2667	U	N1-C6	-5.09	1.33	1.38
38	A1	2823	G	C3'-C2'	-5.09	1.47	1.52
64	AR	40	ARG	CZ-NH1	5.09	1.39	1.33
4	AQ	126	ARG	CZ-NH2	5.09	1.39	1.33
11	B2	259	A	C6-N6	5.09	1.38	1.33
11	B2	567	A	C2'-C1'	-5.09	1.47	1.53
11	B2	776	C	C5-C6	-5.09	1.30	1.34
11	B2	1261	U	N3-C4	-5.09	1.33	1.38
11	B2	1317	G	N1-C2	5.09	1.41	1.37
38	A1	148	C	C1'-N1	5.09	1.56	1.48
38	A1	254	A	C3'-O3'	5.09	1.49	1.42
38	A1	465	C	C2-N3	5.09	1.39	1.35
38	A1	614	G	C8-N7	-5.09	1.27	1.30
38	A1	836	U	C4-O4	-5.09	1.19	1.23
38	A1	1016	C	C2-N3	5.09	1.39	1.35
38	A1	2074	U	C4'-C3'	5.09	1.58	1.53
38	A1	2343	G	C5'-C4'	5.09	1.57	1.51
38	A1	2756	G	C5-C4	5.09	1.42	1.38
11	B2	29	G	C4'-C3'	-5.08	1.47	1.52
38	A1	744	G	N1-C2	5.08	1.41	1.37
38	A1	1627	G	C2'-C1'	-5.08	1.47	1.53
38	A1	1661	A	O3'-P	-5.08	1.55	1.61
38	A1	1924	A	C5-C4	5.08	1.42	1.38
38	A1	2418	G	C2-N3	5.08	1.36	1.32
38	A1	2768	C	C5'-C4'	5.08	1.57	1.51
9	AX	298	TYR	CZ-OH	5.08	1.46	1.37
10	B1	69	G	C2-N3	5.08	1.36	1.32
11	B2	7	G	C4'-C3'	-5.08	1.47	1.52
11	B2	219	C	C2-O2	5.08	1.29	1.24
11	B2	442	C	N1-C2	-5.08	1.35	1.40
38	A1	314	A	C5-C4	-5.08	1.35	1.38
38	A1	834	G	P-O5'	5.08	1.64	1.59
38	A1	1183	U	O3'-P	-5.08	1.55	1.61
38	A1	1628	C	C4'-O4'	5.08	1.52	1.45
38	A1	1935	C	C4-N4	5.08	1.38	1.33
38	A1	2333	G	C6-O6	-5.08	1.19	1.24
10	B1	36	A	N9-C4	5.08	1.40	1.37
11	B2	102	U	O5'-C5'	-5.08	1.34	1.42
11	B2	384	G	C6-N1	5.08	1.43	1.39
11	B2	855	C	C5'-C4'	5.08	1.57	1.51
11	B2	1411	G	N9-C8	5.08	1.41	1.37
38	A1	81	G	C5-C4	5.08	1.42	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	98	G	O5'-C5'	-5.08	1.34	1.42
38	A1	179	A	C1'-N9	5.08	1.56	1.48
38	A1	953	G	N3-C4	-5.08	1.31	1.35
38	A1	1681	G	C2-N2	5.08	1.39	1.34
38	A1	1781	C	C2'-O2'	-5.08	1.35	1.41
38	A1	1789	A	C4'-O4'	-5.08	1.39	1.45
38	A1	1857	A	C5-C6	5.08	1.45	1.41
38	A1	1921	U	O4'-C1'	5.08	1.48	1.41
38	A1	2178	A	C5'-C4'	5.08	1.57	1.51
38	A1	2252	C	C4'-C3'	5.08	1.58	1.53
38	A1	2299	G	N1-C2	5.08	1.41	1.37
39	A3	98	G	N7-C5	-5.08	1.36	1.39
59	AL	3	ARG	NE-CZ	5.08	1.39	1.33
11	B2	137	A	C2'-C1'	-5.08	1.47	1.53
11	B2	248	U	C4-O4	5.08	1.27	1.23
11	B2	1146	G	C6-N1	5.08	1.43	1.39
38	A1	79	C	C3'-C2'	5.08	1.58	1.52
38	A1	1196	A	C4'-C3'	5.08	1.58	1.53
38	A1	1694	G	N7-C5	-5.08	1.36	1.39
38	A1	1808	G	O3'-P	-5.08	1.55	1.61
10	B1	15	G	C2-N2	5.08	1.39	1.34
11	B2	481	C	N1-C2	5.08	1.45	1.40
11	B2	1491	C	C4'-C3'	5.08	1.58	1.53
18	BF	216	GLU	CD-OE2	5.08	1.31	1.25
38	A1	328	G	C5-C4	-5.08	1.34	1.38
38	A1	555	G	C2-N3	5.08	1.36	1.32
38	A1	663	A	C6-N1	5.08	1.39	1.35
38	A1	1193	G	C3'-O3'	5.08	1.49	1.42
38	A1	1544	C	N3-C4	5.08	1.37	1.33
38	A1	1607	C	C2'-O2'	5.08	1.48	1.41
38	A1	1967	G	N3-C4	-5.08	1.31	1.35
38	A1	2336	G	N1-C2	5.08	1.41	1.37
38	A1	2513	C	C4-C5	5.08	1.47	1.43
38	A1	2551	G	C2-N3	5.08	1.36	1.32
38	A1	2867	U	C2-N3	5.08	1.41	1.37
38	A1	2901	C	C1'-N1	-5.08	1.39	1.46
38	A1	2944	G	C5-C4	5.08	1.42	1.38
11	B2	535	U	C2-N3	5.08	1.41	1.37
18	BF	216	GLU	CD-OE1	5.08	1.31	1.25
27	BO	23	TRP	NE1-CE2	5.08	1.44	1.37
38	A1	319	A	C6-N6	5.08	1.38	1.33
38	A1	628	A	N9-C8	5.08	1.41	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	879	A	N3-C4	5.08	1.37	1.34
38	A1	1507	A	O3'-P	-5.08	1.55	1.61
38	A1	2076	A	C6-N1	5.08	1.39	1.35
38	A1	2213	G	C2'-C1'	-5.08	1.47	1.53
38	A1	2265	C	C1'-N1	5.08	1.56	1.48
10	B1	52	G	N9-C4	-5.08	1.33	1.38
10	B1	70	C	C2'-C1'	-5.08	1.47	1.53
11	B2	125	G	C8-N7	-5.08	1.27	1.30
11	B2	402	G	N7-C5	-5.08	1.36	1.39
11	B2	419	G	O4'-C1'	5.08	1.48	1.41
16	BD	116	ARG	NE-CZ	5.08	1.39	1.33
38	A1	779	A	C5'-C4'	5.08	1.57	1.51
38	A1	809	A	N3-C4	5.08	1.37	1.34
38	A1	828	G	C2-N2	5.08	1.39	1.34
38	A1	929	G	C5-C4	-5.08	1.34	1.38
38	A1	1077	G	N7-C5	5.08	1.42	1.39
38	A1	1127	C	C4-N4	5.08	1.38	1.33
38	A1	1417	U	C4-O4	5.08	1.27	1.23
38	A1	1488	C	N1-C6	-5.08	1.34	1.37
38	A1	1773	C	C5-C6	-5.08	1.30	1.34
38	A1	1809	G	C5-C6	-5.08	1.37	1.42
38	A1	1946	G	C2'-O2'	-5.08	1.35	1.41
38	A1	2220	C	C2-N3	5.08	1.39	1.35
38	A1	2382	A	C2'-O2'	-5.08	1.35	1.41
38	A1	2439	G	C2'-C1'	-5.08	1.47	1.53
38	A1	2982	G	C2-N2	5.08	1.39	1.34
10	B1	30	G	C5-C4	5.07	1.42	1.38
11	B2	510	A	C6-N6	5.07	1.38	1.33
11	B2	822	A	N3-C4	-5.07	1.31	1.34
11	B2	934	G	P-O5'	-5.07	1.54	1.59
11	B2	968	C	C5'-C4'	5.07	1.57	1.51
11	B2	1206	G	N7-C5	5.07	1.42	1.39
11	B2	1241	U	C5-C6	5.07	1.38	1.34
11	B2	1256	C	C2-N3	5.07	1.39	1.35
38	A1	478	C	C2'-C1'	-5.07	1.47	1.53
38	A1	867	C	C4'-O4'	-5.07	1.39	1.45
38	A1	1493	C	C3'-C2'	-5.07	1.47	1.52
38	A1	1646	G	C4'-O4'	-5.07	1.39	1.45
38	A1	1657	G	N7-C5	-5.07	1.36	1.39
38	A1	1908	C	P-O5'	-5.07	1.54	1.59
38	A1	2823	G	C4'-O4'	-5.07	1.39	1.45
39	A3	18	G	O4'-C1'	-5.07	1.35	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
46	AD	111	ARG	CA-CB	5.07	1.65	1.53
47	Ad	28	ARG	CZ-NH1	5.07	1.39	1.33
38	A1	132	G	N1-C2	5.07	1.41	1.37
38	A1	822	A	C6-N1	5.07	1.39	1.35
11	B2	860	G	C6-N1	5.07	1.43	1.39
11	B2	1144	G	C3'-O3'	5.07	1.49	1.42
11	B2	1417	A	O3'-P	-5.07	1.55	1.61
11	B2	1465	C	C5'-C4'	5.07	1.57	1.51
16	BD	156	ARG	CD-NE	5.07	1.55	1.46
24	BL	63	ARG	NE-CZ	5.07	1.39	1.33
38	A1	642	G	C8-N7	5.07	1.33	1.30
38	A1	900	C	C3'-O3'	5.07	1.49	1.42
38	A1	969	U	C4-O4	5.07	1.27	1.23
38	A1	2163	G	C4'-C3'	5.07	1.58	1.53
38	A1	2641	C	C3'-C2'	-5.07	1.47	1.52
39	A3	91	G	N1-C2	5.07	1.41	1.37
11	B2	580	G	N7-C5	-5.07	1.36	1.39
11	B2	1464	C	O3'-P	-5.07	1.55	1.61
38	A1	453	U	O4'-C1'	5.07	1.48	1.41
38	A1	978	C	C4-C5	5.07	1.47	1.43
38	A1	1049	U	P-O5'	5.07	1.64	1.59
38	A1	1239	C	C4-N4	5.07	1.38	1.33
38	A1	1730	C	C4-C5	5.07	1.47	1.43
38	A1	1822	G	C2'-O2'	-5.07	1.35	1.41
11	B2	15	U	C2-O2	5.07	1.26	1.22
11	B2	713	A	N9-C4	-5.07	1.34	1.37
11	B2	1103	G	N9-C4	5.07	1.42	1.38
11	B2	1347	U	C2-N3	5.07	1.41	1.37
31	BS	37	GLU	CD-OE1	5.07	1.31	1.25
38	A1	188	A	C2'-C1'	-5.07	1.47	1.53
38	A1	485	G	C4'-O4'	5.07	1.52	1.45
38	A1	576	G	C5-C6	-5.07	1.37	1.42
38	A1	740	C	C2-N3	-5.07	1.31	1.35
38	A1	983	G	C5-C4	5.07	1.41	1.38
38	A1	1743	G	C2-N3	5.07	1.36	1.32
38	A1	1814	A	C5-C4	-5.07	1.35	1.38
38	A1	1819	G	C2-N3	5.07	1.36	1.32
38	A1	2346	A	N9-C8	5.07	1.41	1.37
38	A1	2387	A	C3'-O3'	-5.07	1.35	1.42
42	Aa	52	PRO	CA-C	-5.07	1.42	1.52
40	AK	17	ARG	CZ-NH1	5.07	1.39	1.33
11	B2	77	G	C4'-O4'	5.07	1.52	1.45

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	206	C	P-O5'	-5.07	1.54	1.59
11	B2	333	A	C6-N1	5.07	1.39	1.35
11	B2	962	G	C8-N7	5.07	1.33	1.30
11	B2	1445	A	N7-C5	-5.07	1.36	1.39
38	A1	66	C	C2'-C1'	-5.07	1.47	1.53
38	A1	98	G	O3'-P	-5.07	1.55	1.61
38	A1	612	G	O4'-C1'	5.07	1.48	1.41
38	A1	717	A	C2'-C1'	-5.07	1.47	1.53
38	A1	1709	C	C4-C5	5.07	1.47	1.43
38	A1	1713	G	O4'-C1'	5.07	1.48	1.41
38	A1	1952	G	O3'-P	-5.07	1.55	1.61
38	A1	2443	G	C4'-O4'	5.07	1.52	1.45
38	A1	2732	U	N3-C4	5.07	1.43	1.38
38	A1	2798	U	C2-N3	5.07	1.41	1.37
38	A1	2800	U	C2'-C1'	-5.07	1.47	1.53
38	A1	2947	G	C8-N7	5.07	1.33	1.30
38	A1	2950	G	C4'-C3'	-5.07	1.47	1.52
11	B2	582	G	C5-C4	5.06	1.41	1.38
11	B2	1156	A	C5'-C4'	5.06	1.57	1.51
11	B2	1475	C	C2'-C1'	-5.06	1.47	1.53
28	BP	20	ARG	CZ-NH1	5.06	1.39	1.33
38	A1	364	A	N9-C8	-5.06	1.33	1.37
38	A1	1329	G	C5-C6	5.06	1.47	1.42
38	A1	1520	G	N9-C4	-5.06	1.33	1.38
38	A1	2009	G	C5-C4	5.06	1.41	1.38
38	A1	2794	G	N9-C4	-5.06	1.33	1.38
38	A1	2968	G	N3-C4	-5.06	1.31	1.35
58	Ak	84	GLU	CB-CG	5.06	1.61	1.52
11	B2	612	C	C1'-N1	5.06	1.56	1.48
11	B2	660	C	N3-C4	5.06	1.37	1.33
11	B2	795	G	C2'-C1'	-5.06	1.47	1.53
11	B2	831	A	C3'-O3'	5.06	1.49	1.42
11	B2	1372	C	N1-C6	5.06	1.40	1.37
11	B2	1392	G	N9-C8	-5.06	1.34	1.37
11	B2	1426	C	O4'-C1'	5.06	1.48	1.41
13	BA	67	TYR	N-CA	-5.06	1.36	1.46
38	A1	22	C	N3-C4	5.06	1.37	1.33
38	A1	286	G	C4'-C3'	5.06	1.58	1.53
38	A1	428	A	C5-C4	5.06	1.42	1.38
38	A1	536	G	N9-C4	5.06	1.42	1.38
38	A1	1089	C	C5-C6	-5.06	1.30	1.34
38	A1	1132	U	N1-C2	-5.06	1.33	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2247	G	C2'-C1'	-5.06	1.47	1.53
38	A1	2258	A	C2-N3	-5.06	1.28	1.33
38	A1	2656	A	N9-C4	5.06	1.40	1.37
38	A1	2863	A	N7-C5	-5.06	1.36	1.39
39	A3	86	C	C4-N4	5.06	1.38	1.33
45	AC	325	ALA	N-CA	-5.06	1.36	1.46
45	AC	363	SER	CA-CB	5.06	1.60	1.52
48	AE	153	ARG	CZ-NH2	5.06	1.39	1.33
11	B2	897	A	C3'-C2'	-5.06	1.47	1.52
17	BE	55	TYR	CG-CD1	5.06	1.45	1.39
38	A1	495	U	C2'-C1'	-5.06	1.47	1.53
38	A1	1967	G	C2-N3	5.06	1.36	1.32
38	A1	2069	G	C2-N3	5.06	1.36	1.32
38	A1	2233	G	C5-C6	5.06	1.47	1.42
38	A1	2691	G	C2'-C1'	-5.06	1.47	1.53
38	A1	2778	A	C8-N7	5.06	1.35	1.31
38	A1	2889	A	N1-C2	5.06	1.39	1.34
6	AT	9	ARG	CZ-NH1	5.06	1.39	1.33
11	B2	541	G	C2-N2	5.06	1.39	1.34
11	B2	864	G	C5-C6	-5.06	1.37	1.42
11	B2	1062	G	C2'-O2'	-5.06	1.35	1.41
11	B2	1270	C	C2'-O2'	5.06	1.48	1.41
38	A1	200	G	N9-C8	5.06	1.41	1.37
38	A1	582	A	P-O5'	-5.06	1.54	1.59
38	A1	2112	C	C2-N3	-5.06	1.31	1.35
38	A1	2149	G	N3-C4	-5.06	1.31	1.35
38	A1	2425	A	C4'-O4'	-5.06	1.39	1.45
38	A1	2569	G	C3'-C2'	-5.06	1.47	1.52
38	A1	2584	A	C2-N3	-5.06	1.28	1.33
38	A1	2958	U	N1-C2	5.06	1.43	1.38
11	B2	154	C	N1-C2	-5.06	1.35	1.40
11	B2	609	G	N9-C8	5.06	1.41	1.37
11	B2	1045	A	C6-N6	5.06	1.38	1.33
11	B2	1243	C	C4-C5	5.06	1.47	1.43
11	B2	1435	G	P-O5'	5.06	1.64	1.59
11	B2	1484	C	C4-N4	5.06	1.38	1.33
38	A1	110	A	C2'-C1'	-5.06	1.47	1.53
38	A1	231	G	C6-O6	-5.06	1.19	1.24
38	A1	376	C	C3'-O3'	5.06	1.49	1.42
38	A1	861	G	C2'-C1'	-5.06	1.47	1.53
38	A1	970	G	C2'-C1'	-5.06	1.47	1.53
38	A1	997	A	O4'-C1'	5.06	1.48	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1239	C	N3-C4	5.06	1.37	1.33
38	A1	1869	U	N3-C4	5.06	1.43	1.38
38	A1	2124	C	N1-C6	5.06	1.40	1.37
38	A1	2133	G	C5-C6	-5.06	1.37	1.42
38	A1	2745	G	C1'-N9	5.06	1.56	1.48
38	A1	2822	G	N9-C8	-5.06	1.34	1.37
60	AM	129	GLU	CG-CD	5.06	1.59	1.51
11	B2	1299	A	C6-N1	-5.06	1.32	1.35
11	B2	1380	C	C3'-C2'	5.06	1.58	1.52
20	BH	20	ARG	CD-NE	5.06	1.55	1.46
38	A1	1101	U	C2'-C1'	-5.06	1.47	1.53
38	A1	1292	C	N1-C6	5.06	1.40	1.37
38	A1	1630	U	C4'-C3'	5.06	1.58	1.53
38	A1	2171	G	C8-N7	5.06	1.33	1.30
38	A1	3029	A	N7-C5	5.06	1.42	1.39
45	AC	198	TYR	CG-CD2	5.06	1.45	1.39
5	AS	50	TYR	CB-CG	-5.05	1.44	1.51
11	B2	311	A	C6-N1	5.05	1.39	1.35
11	B2	684	G	N1-C2	5.05	1.41	1.37
11	B2	773	A	N9-C4	5.05	1.40	1.37
11	B2	780	C	C5'-C4'	5.05	1.57	1.51
11	B2	1185	A	N9-C4	5.05	1.40	1.37
11	B2	1453	U	C4'-C3'	5.05	1.58	1.53
38	A1	207	A	P-O5'	-5.05	1.54	1.59
38	A1	338	A	N1-C2	-5.05	1.29	1.34
38	A1	554	C	N1-C6	-5.05	1.34	1.37
38	A1	708	A	N9-C8	-5.05	1.33	1.37
38	A1	1007	U	C2'-C1'	-5.05	1.47	1.53
38	A1	1402	C	C2'-C1'	-5.05	1.47	1.53
38	A1	2086	C	P-O5'	-5.05	1.54	1.59
38	A1	2552	C	N3-C4	5.05	1.37	1.33
39	A3	83	C	O3'-P	-5.05	1.55	1.61
10	B1	2	G	C8-N7	5.05	1.33	1.30
11	B2	750	C	C5-C6	5.05	1.38	1.34
11	B2	1165	U	C5'-C4'	5.05	1.57	1.51
38	A1	345	C	C2'-C1'	-5.05	1.47	1.53
38	A1	1465	A	N1-C2	-5.05	1.29	1.34
38	A1	1784	G	C5-C4	-5.05	1.34	1.38
39	A3	123	U	N1-C6	-5.05	1.33	1.38
10	B1	31	G	O3'-P	-5.05	1.55	1.61
11	B2	33	U	N1-C2	5.05	1.43	1.38
11	B2	103	A	N3-C4	5.05	1.37	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	805	C	O3'-P	5.05	1.67	1.61
11	B2	1484	C	C3'-O3'	5.05	1.49	1.42
38	A1	49	A	C6-N1	-5.05	1.32	1.35
38	A1	123	A	C5-C4	5.05	1.42	1.38
38	A1	635	G	C5-C6	-5.05	1.37	1.42
38	A1	643	G	N1-C2	5.05	1.41	1.37
38	A1	771	G	N9-C4	-5.05	1.33	1.38
38	A1	929	G	C2-N2	5.05	1.39	1.34
38	A1	1443	G	C6-N1	5.05	1.43	1.39
38	A1	1661	A	C5'-C4'	5.05	1.57	1.51
38	A1	1787	U	O5'-C5'	-5.05	1.34	1.42
38	A1	1961	G	N7-C5	-5.05	1.36	1.39
38	A1	2365	G	C6-N1	5.05	1.43	1.39
38	A1	2375	C	C5-C6	-5.05	1.30	1.34
11	B2	833	C	C5'-C4'	5.05	1.57	1.51
11	B2	1336	U	O3'-P	-5.05	1.55	1.61
25	BM	136	ARG	CD-NE	5.05	1.55	1.46
38	A1	45	G	N9-C4	-5.05	1.33	1.38
38	A1	83	G	C3'-C2'	-5.05	1.47	1.52
38	A1	699	A	N7-C5	-5.05	1.36	1.39
38	A1	818	A	N9-C4	5.05	1.40	1.37
38	A1	934	G	C2-N3	5.05	1.36	1.32
38	A1	1282	A	N9-C4	-5.05	1.34	1.37
38	A1	1391	C	N3-C4	5.05	1.37	1.33
38	A1	1421	C	N1-C2	5.05	1.45	1.40
38	A1	1512	G	C5-C4	-5.05	1.34	1.38
38	A1	1516	C	C5'-C4'	5.05	1.57	1.51
38	A1	2267	U	N3-C4	5.05	1.43	1.38
38	A1	2314	U	C5'-C4'	5.05	1.57	1.51
38	A1	2442	A	N1-C2	5.05	1.38	1.34
38	A1	2493	A	C2-N3	5.05	1.38	1.33
38	A1	2809	G	O4'-C1'	-5.05	1.35	1.41
46	AD	212	ARG	CZ-NH2	5.05	1.39	1.33
11	B2	1122	C	P-O5'	-5.05	1.54	1.59
18	BF	5	TRP	CB-CG	5.05	1.59	1.50
34	BV	24	TYR	CE1-CZ	5.05	1.45	1.38
38	A1	90	A	C2'-C1'	-5.05	1.47	1.53
38	A1	573	G	N7-C5	-5.05	1.36	1.39
39	A3	41	A	N9-C4	-5.05	1.34	1.37
1	A7	22	TRP	NE1-CE2	-5.05	1.30	1.37
4	AQ	144	GLU	CA-CB	5.05	1.65	1.53
11	B2	326	C	C2-N3	5.05	1.39	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	459	G	C8-N7	5.05	1.33	1.30
11	B2	1168	C	C2-N3	5.05	1.39	1.35
11	B2	1304	C	C2-N3	5.05	1.39	1.35
11	B2	1317	G	C2'-C1'	-5.05	1.47	1.53
36	BX	8	PRO	N-CD	-5.05	1.40	1.47
38	A1	667	C	C3'-O3'	5.05	1.49	1.42
38	A1	725	G	C4'-C3'	-5.05	1.47	1.52
38	A1	782	G	N1-C2	5.05	1.41	1.37
38	A1	938	U	P-O5'	-5.05	1.54	1.59
38	A1	952	C	P-O5'	-5.05	1.54	1.59
38	A1	1264	G	C8-N7	5.05	1.33	1.30
38	A1	2073	G	C3'-O3'	-5.05	1.35	1.42
38	A1	2194	A	C5'-C4'	5.05	1.57	1.51
41	AA	128	ARG	NE-CZ	5.05	1.39	1.33
38	A1	13	U	O4'-C1'	5.04	1.48	1.41
38	A1	571	G	N1-C2	5.04	1.41	1.37
38	A1	1385	C	O3'-P	-5.04	1.55	1.61
38	A1	1601	G	N7-C5	-5.04	1.36	1.39
38	A1	2414	G	N1-C2	5.04	1.41	1.37
38	A1	2584	A	N9-C4	5.04	1.40	1.37
10	B1	31	G	C2-N2	5.04	1.39	1.34
11	B2	186	U	C3'-O3'	5.04	1.49	1.42
11	B2	327	G	O4'-C1'	5.04	1.48	1.41
11	B2	797	U	O4'-C1'	5.04	1.48	1.41
11	B2	898	G	C2'-O2'	5.04	1.48	1.41
11	B2	1266	A	C2'-C1'	-5.04	1.47	1.53
15	BC	6	TYR	CG-CD1	5.04	1.45	1.39
20	BH	66	ARG	N-CA	-5.04	1.36	1.46
38	A1	786	G	N1-C2	5.04	1.41	1.37
38	A1	1401	G	C6-N1	5.04	1.43	1.39
38	A1	1672	G	C2'-C1'	-5.04	1.47	1.53
38	A1	1985	G	C5-C4	5.04	1.41	1.38
61	AN	69	VAL	CB-CG1	5.04	1.63	1.52
10	B1	19	G	C2'-O2'	-5.04	1.35	1.41
11	B2	794	A	N7-C5	5.04	1.42	1.39
20	BH	10	PHE	CG-CD2	5.04	1.46	1.38
28	BP	53	ARG	NE-CZ	5.04	1.39	1.33
38	A1	340	G	N7-C5	-5.04	1.36	1.39
38	A1	464	C	N3-C4	5.04	1.37	1.33
38	A1	821	U	C1'-N1	5.04	1.56	1.48
38	A1	1104	A	N3-C4	5.04	1.37	1.34
38	A1	1248	C	C2-N3	-5.04	1.31	1.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1723	A	O3'-P	-5.04	1.55	1.61
38	A1	2079	U	C3'-C2'	-5.04	1.47	1.52
38	A1	2384	G	C3'-C2'	5.04	1.58	1.52
38	A1	2466	C	O3'-P	-5.04	1.55	1.61
11	B2	235	G	C4'-O4'	-5.04	1.39	1.45
11	B2	1092	G	C8-N7	-5.04	1.27	1.30
11	B2	1492	U	C2'-C1'	-5.04	1.47	1.53
13	BA	39	ASP	CA-CB	5.04	1.65	1.53
28	BP	25	GLY	CA-C	-5.04	1.43	1.51
38	A1	2513	C	C2-O2	5.04	1.28	1.24
38	A1	2826	U	C4-O4	-5.04	1.19	1.23
11	B2	263	C	C2-O2	5.04	1.28	1.24
11	B2	379	A	C2'-C1'	-5.04	1.47	1.53
11	B2	432	G	O3'-P	-5.04	1.55	1.61
11	B2	682	A	O4'-C1'	5.04	1.48	1.41
11	B2	802	G	C2'-O2'	-5.04	1.35	1.41
38	A1	593	C	C2-N3	5.04	1.39	1.35
38	A1	731	C	C2-N3	5.04	1.39	1.35
38	A1	1081	U	O3'-P	-5.04	1.55	1.61
38	A1	1131	G	C8-N7	-5.04	1.27	1.30
38	A1	1561	G	O3'-P	-5.04	1.55	1.61
38	A1	1598	U	C4-C5	5.04	1.48	1.43
38	A1	1646	G	N7-C5	-5.04	1.36	1.39
38	A1	1745	U	C2-O2	5.04	1.26	1.22
38	A1	1823	A	N3-C4	5.04	1.37	1.34
38	A1	2145	G	C8-N7	5.04	1.33	1.30
38	A1	2501	G	N7-C5	-5.04	1.36	1.39
38	A1	2898	G	N1-C2	5.04	1.41	1.37
38	A1	2976	G	C5'-C4'	5.04	1.57	1.51
11	B2	794	A	N3-C4	5.04	1.37	1.34
38	A1	111	U	C5'-C4'	5.04	1.57	1.51
38	A1	861	G	C8-N7	-5.04	1.27	1.30
38	A1	1766	A	N9-C4	-5.04	1.34	1.37
38	A1	2165	A	C2-N3	-5.04	1.29	1.33
38	A1	3042	C	N1-C6	5.04	1.40	1.37
41	AA	75	ARG	CZ-NH2	5.04	1.39	1.33
7	AU	17	ASN	CB-CG	5.04	1.62	1.51
11	B2	93	A	N1-C2	5.04	1.38	1.34
11	B2	589	U	N1-C2	5.04	1.43	1.38
11	B2	734	G	C5'-C4'	5.04	1.57	1.51
38	A1	1045	A	C6-N6	5.04	1.38	1.33
38	A1	1079	A	C1'-N9	-5.04	1.39	1.46

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1478	G	C2-N3	5.04	1.36	1.32
38	A1	1556	G	N3-C4	-5.04	1.31	1.35
38	A1	1783	U	C2'-C1'	-5.04	1.47	1.53
38	A1	2074	U	N3-C4	5.04	1.43	1.38
38	A1	2136	G	C3'-C2'	-5.04	1.47	1.52
38	A1	2698	G	N1-C2	5.04	1.41	1.37
38	A1	3045	G	N3-C4	5.04	1.39	1.35
46	AD	254	TYR	CE2-CZ	5.04	1.45	1.38
11	B2	193	G	N9-C4	5.03	1.42	1.38
11	B2	241	U	P-O5'	-5.03	1.54	1.59
11	B2	479	C	P-O5'	-5.03	1.54	1.59
11	B2	692	G	C2-N3	5.03	1.36	1.32
11	B2	1130	A	C4'-C3'	5.03	1.58	1.53
11	B2	1262	U	C5-C6	5.03	1.38	1.34
11	B2	1283	G	C1'-N9	5.03	1.56	1.48
11	B2	1332	C	P-O5'	-5.03	1.54	1.59
38	A1	744	G	C8-N7	-5.03	1.27	1.30
38	A1	1177	C	C2-O2	5.03	1.28	1.24
38	A1	1350	C	C2-N3	5.03	1.39	1.35
38	A1	1878	G	C2-N3	5.03	1.36	1.32
38	A1	2209	U	N3-C4	5.03	1.43	1.38
38	A1	2572	U	C5'-C4'	5.03	1.57	1.51
11	B2	43	A	N7-C5	-5.03	1.36	1.39
11	B2	215	C	C3'-C2'	5.03	1.58	1.52
38	A1	44	C	C4'-C3'	5.03	1.58	1.53
38	A1	1484	U	C2-N3	5.03	1.41	1.37
38	A1	1687	C	N1-C6	5.03	1.40	1.37
10	B1	54	G	C1'-N9	-5.03	1.39	1.46
11	B2	217	C	N3-C4	5.03	1.37	1.33
11	B2	947	G	C3'-C2'	-5.03	1.47	1.52
11	B2	989	C	C4-N4	5.03	1.38	1.33
22	BJ	126	GLU	CD-OE1	-5.03	1.20	1.25
36	BX	70	ARG	CZ-NH1	5.03	1.39	1.33
38	A1	145	C	O4'-C1'	-5.03	1.35	1.41
38	A1	343	C	C4-C5	5.03	1.47	1.43
38	A1	427	G	C8-N7	-5.03	1.27	1.30
38	A1	625	A	N9-C4	-5.03	1.34	1.37
38	A1	868	U	C4-O4	-5.03	1.19	1.23
38	A1	1124	G	O4'-C1'	5.03	1.48	1.41
38	A1	1365	G	C6-N1	5.03	1.43	1.39
38	A1	1382	C	C4'-C3'	-5.03	1.47	1.52
38	A1	1683	C	C2'-C1'	5.03	1.58	1.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2076	A	N9-C4	5.03	1.40	1.37
38	A1	2334	G	N7-C5	-5.03	1.36	1.39
38	A1	2454	G	C2-N3	-5.03	1.28	1.32
38	A1	2465	A	C4'-C3'	5.03	1.58	1.53
38	A1	2625	C	N1-C6	5.03	1.40	1.37
38	A1	2773	A	C3'-C2'	-5.03	1.47	1.52
38	A1	2963	G	N3-C4	-5.03	1.31	1.35
42	Aa	71	ARG	CD-NE	5.03	1.55	1.46
44	Ab	15	ARG	CD-NE	5.03	1.55	1.46
59	AL	99	GLY	N-CA	-5.03	1.38	1.46
11	B2	1371	C	C4-N4	5.03	1.38	1.33
38	A1	143	C	C4'-O4'	-5.03	1.39	1.45
38	A1	1759	A	C5-C6	5.03	1.45	1.41
38	A1	1851	U	C3'-C2'	-5.03	1.47	1.52
38	A1	2380	A	C2'-C1'	-5.03	1.47	1.53
11	B2	146	A	C8-N7	-5.03	1.28	1.31
11	B2	328	G	C5-C6	-5.03	1.37	1.42
11	B2	406	U	C2'-C1'	5.03	1.58	1.53
11	B2	731	A	C6-N6	5.03	1.38	1.33
11	B2	1061	A	C6-N6	5.03	1.38	1.33
11	B2	1325	C	O4'-C1'	5.03	1.48	1.41
11	B2	1388	G	N7-C5	-5.03	1.36	1.39
13	BA	135	ARG	CZ-NH1	5.03	1.39	1.33
38	A1	30	G	C2'-C1'	-5.03	1.47	1.53
38	A1	506	G	N3-C4	-5.03	1.31	1.35
38	A1	607	C	P-O5'	-5.03	1.54	1.59
38	A1	1838	C	N1-C2	5.03	1.45	1.40
38	A1	2157	U	C5'-C4'	5.03	1.57	1.51
38	A1	2371	A	C4'-O4'	5.03	1.52	1.45
38	A1	2467	C	C4'-O4'	-5.03	1.39	1.45
38	A1	2963	G	C8-N7	5.03	1.33	1.30
11	B2	1185	A	N7-C5	-5.03	1.36	1.39
11	B2	1473	A	C6-N1	5.03	1.39	1.35
34	BV	80	TYR	CZ-OH	5.03	1.46	1.37
38	A1	83	G	C2-N3	5.03	1.36	1.32
38	A1	406	G	N9-C4	5.03	1.42	1.38
38	A1	677	A	N9-C4	-5.03	1.34	1.37
38	A1	984	U	C2'-C1'	-5.03	1.47	1.53
38	A1	1195	G	O3'-P	-5.03	1.55	1.61
38	A1	1212	A	C4'-C3'	5.03	1.58	1.53
38	A1	1673	C	N3-C4	5.03	1.37	1.33
38	A1	1739	U	N1-C6	-5.03	1.33	1.38

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2492	G	C2'-C1'	-5.03	1.47	1.53
38	A1	2757	G	N9-C8	5.03	1.41	1.37
38	A1	2947	G	C6-N1	5.03	1.43	1.39
46	AD	116	SER	CA-CB	5.03	1.60	1.52
48	AE	101	ARG	CZ-NH2	5.03	1.39	1.33
11	B2	592	G	C3'-C2'	-5.02	1.47	1.52
11	B2	1240	A	C5-C6	-5.02	1.36	1.41
38	A1	50	C	O3'-P	-5.02	1.55	1.61
38	A1	54	G	N3-C4	5.02	1.39	1.35
38	A1	86	G	N7-C5	5.02	1.42	1.39
38	A1	732	G	C2-N2	5.02	1.39	1.34
38	A1	1257	G	N9-C4	-5.02	1.33	1.38
38	A1	1462	G	O5'-C5'	-5.02	1.34	1.42
38	A1	1858	G	N3-C4	5.02	1.39	1.35
38	A1	2084	A	C3'-C2'	-5.02	1.47	1.52
39	A3	103	C	N3-C4	5.02	1.37	1.33
43	AB	42	ARG	NE-CZ	5.02	1.39	1.33
58	Ak	53	ARG	N-CA	-5.02	1.36	1.46
11	B2	129	G	O3'-P	5.02	1.67	1.61
11	B2	186	U	O3'-P	-5.02	1.55	1.61
11	B2	249	U	C4'-C3'	-5.02	1.47	1.52
11	B2	282	G	C2-N2	5.02	1.39	1.34
11	B2	751	C	C4-C5	5.02	1.47	1.43
11	B2	917	A	C6-N6	5.02	1.38	1.33
11	B2	1130	A	C6-N6	5.02	1.38	1.33
11	B2	1379	G	C8-N7	-5.02	1.27	1.30
38	A1	792	A	C6-N6	5.02	1.38	1.33
38	A1	1369	G	N7-C5	-5.02	1.36	1.39
38	A1	1416	G	C8-N7	-5.02	1.27	1.30
38	A1	1442	G	N1-C2	5.02	1.41	1.37
38	A1	1580	G	C2'-C1'	-5.02	1.47	1.53
38	A1	1658	A	C5'-C4'	5.02	1.57	1.51
38	A1	1674	G	C3'-C2'	-5.02	1.47	1.52
38	A1	2889	A	C5-C6	-5.02	1.36	1.41
39	A3	79	U	C4'-O4'	-5.02	1.39	1.45
54	AI	31	VAL	CA-CB	-5.02	1.44	1.54
60	AM	47	ARG	CZ-NH2	5.02	1.39	1.33
10	B1	60	A	C6-N6	5.02	1.38	1.33
11	B2	566	C	C4-C5	5.02	1.47	1.43
11	B2	1473	A	C8-N7	5.02	1.35	1.31
38	A1	204	G	C5-C4	5.02	1.41	1.38
38	A1	765	G	O3'-P	-5.02	1.55	1.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1863	G	C8-N7	-5.02	1.27	1.30
38	A1	2644	G	N9-C4	-5.02	1.33	1.38
38	A1	2709	C	C2'-C1'	-5.02	1.47	1.53
10	B1	60	A	N9-C4	-5.02	1.34	1.37
11	B2	19	G	N9-C4	-5.02	1.33	1.38
11	B2	118	U	C4-O4	-5.02	1.19	1.23
11	B2	128	A	C4'-C3'	5.02	1.58	1.53
11	B2	556	G	C2-N3	5.02	1.36	1.32
11	B2	752	G	C8-N7	5.02	1.33	1.30
11	B2	1053	A	C6-N6	5.02	1.38	1.33
11	B2	1382	G	N1-C2	5.02	1.41	1.37
17	BE	101	ARG	NE-CZ	5.02	1.39	1.33
20	BH	66	ARG	NE-CZ	5.02	1.39	1.33
38	A1	498	U	C2-N3	5.02	1.41	1.37
38	A1	647	G	C2-N2	5.02	1.39	1.34
38	A1	863	C	C2-N3	5.02	1.39	1.35
38	A1	919	G	C5'-C4'	5.02	1.57	1.51
38	A1	1277	G	C2-N3	5.02	1.36	1.32
38	A1	1422	G	C2'-C1'	-5.02	1.47	1.53
38	A1	2103	C	N1-C2	-5.02	1.35	1.40
38	A1	2403	G	N9-C8	-5.02	1.34	1.37
38	A1	2798	U	C5'-C4'	5.02	1.57	1.51
38	A1	2799	C	C2-N3	5.02	1.39	1.35
39	A3	17	G	O3'-P	-5.02	1.55	1.61
43	AB	166	GLY	N-CA	5.02	1.53	1.46
7	AU	118	ARG	CZ-NH1	5.02	1.39	1.33
11	B2	34	G	N9-C8	5.02	1.41	1.37
11	B2	64	G	C6-N1	-5.02	1.36	1.39
11	B2	255	G	C5-C6	-5.02	1.37	1.42
11	B2	543	C	N1-C2	-5.02	1.35	1.40
11	B2	560	A	C5'-C4'	5.02	1.57	1.51
11	B2	569	G	C5-C4	5.02	1.41	1.38
11	B2	747	U	C4-C5	5.02	1.48	1.43
11	B2	798	U	C2-N3	5.02	1.41	1.37
11	B2	913	G	C6-N1	5.02	1.43	1.39
14	BB	201	ARG	CD-NE	5.02	1.54	1.46
38	A1	216	A	C4'-C3'	5.02	1.58	1.53
38	A1	644	G	N7-C5	-5.02	1.36	1.39
38	A1	655	C	C5'-C4'	5.02	1.57	1.51
38	A1	660	U	P-O5'	-5.02	1.54	1.59
38	A1	769	G	C6-N1	5.02	1.43	1.39
38	A1	890	G	N9-C4	-5.02	1.33	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	1034	G	N1-C2	5.02	1.41	1.37
38	A1	1131	G	C5-C6	-5.02	1.37	1.42
38	A1	1491	U	P-O5'	-5.02	1.54	1.59
38	A1	1855	G	C5-C4	5.02	1.41	1.38
38	A1	1882	C	C5'-C4'	5.02	1.57	1.51
38	A1	2233	G	C4'-O4'	5.02	1.52	1.45
38	A1	2386	U	C4'-C3'	5.02	1.58	1.53
38	A1	2578	C	C3'-C2'	5.02	1.58	1.52
38	A1	2594	U	N3-C4	5.02	1.43	1.38
38	A1	2747	C	C5'-C4'	5.02	1.57	1.51
39	A3	99	G	C5'-C4'	5.02	1.57	1.51
11	B2	182	A	C4'-O4'	-5.02	1.39	1.45
11	B2	381	C	C3'-O3'	5.02	1.49	1.42
11	B2	557	G	N3-C4	5.02	1.39	1.35
11	B2	1169	C	C5'-C4'	5.02	1.57	1.51
11	B2	1215	G	P-O5'	5.02	1.64	1.59
11	B2	1218	C	C2-N3	5.02	1.39	1.35
38	A1	144	A	C5-C6	5.02	1.45	1.41
38	A1	798	G	O3'-P	-5.02	1.55	1.61
38	A1	1017	A	N9-C4	-5.02	1.34	1.37
38	A1	1249	G	C6-N1	5.02	1.43	1.39
38	A1	1797	A	N7-C5	-5.02	1.36	1.39
38	A1	2887	C	C5-C6	-5.02	1.30	1.34
38	A1	2966	C	C3'-O3'	-5.02	1.35	1.42
11	B2	226	G	N9-C8	5.01	1.41	1.37
25	BM	107	ARG	CZ-NH2	5.01	1.39	1.33
38	A1	77	C	C2-N3	5.01	1.39	1.35
38	A1	1008	U	C4-O4	5.01	1.27	1.23
38	A1	1232	G	C4'-O4'	5.01	1.52	1.45
38	A1	1556	G	N7-C5	-5.01	1.36	1.39
38	A1	2040	A	C5-C4	-5.01	1.35	1.38
38	A1	2251	G	N1-C2	5.01	1.41	1.37
38	A1	2539	G	C8-N7	-5.01	1.27	1.30
38	A1	2644	G	C5-C6	5.01	1.47	1.42
38	A1	2823	G	C8-N7	5.01	1.33	1.30
38	A1	2832	G	C8-N7	5.01	1.33	1.30
38	A1	2972	G	C8-N7	5.01	1.33	1.30
10	B1	6	G	N3-C4	5.01	1.39	1.35
11	B2	698	A	N3-C4	-5.01	1.31	1.34
38	A1	2986	G	C2-N2	5.01	1.39	1.34
10	B1	10	G	N7-C5	5.01	1.42	1.39
11	B2	962	G	C6-N1	-5.01	1.36	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	1270	C	C5'-C4'	5.01	1.57	1.51
11	B2	1395	G	C5-C6	-5.01	1.37	1.42
16	BD	149	GLU	CG-CD	5.01	1.59	1.51
38	A1	494	C	O4'-C1'	5.01	1.48	1.41
38	A1	999	A	C5-C6	5.01	1.45	1.41
38	A1	1418	A	O4'-C1'	5.01	1.48	1.41
38	A1	1495	A	C8-N7	5.01	1.35	1.31
38	A1	1684	C	C4-C5	-5.01	1.39	1.43
38	A1	2191	U	N1-C6	5.01	1.42	1.38
38	A1	2412	A	C6-N6	5.01	1.38	1.33
38	A1	3000	U	C4-O4	-5.01	1.19	1.23
39	A3	38	U	C2-O2	5.01	1.26	1.22
65	AV	45	ARG	CZ-NH1	5.01	1.39	1.33
10	B1	4	G	C6-N1	5.01	1.43	1.39
11	B2	80	A	N1-C2	-5.01	1.29	1.34
11	B2	884	G	C4'-O4'	5.01	1.52	1.45
11	B2	997	G	C5-C4	-5.01	1.34	1.38
38	A1	26	G	C6-O6	5.01	1.28	1.24
38	A1	472	A	C1'-N9	-5.01	1.39	1.46
38	A1	766	G	C2-N3	5.01	1.36	1.32
38	A1	937	A	C2'-C1'	-5.01	1.47	1.53
38	A1	1184	U	O3'-P	-5.01	1.55	1.61
38	A1	1798	A	C6-N6	5.01	1.38	1.33
38	A1	2125	C	N1-C6	5.01	1.40	1.37
38	A1	2366	G	C2'-C1'	-5.01	1.47	1.53
38	A1	2428	C	C4-N4	5.01	1.38	1.33
38	A1	2473	C	C5'-C4'	5.01	1.57	1.51
38	A1	2475	G	C8-N7	-5.01	1.27	1.30
38	A1	2575	U	N3-C4	-5.01	1.33	1.38
38	A1	2655	C	C2-O2	5.01	1.28	1.24
39	A3	63	G	O4'-C1'	5.01	1.48	1.41
45	AC	19	ARG	CZ-NH1	5.01	1.39	1.33
11	B2	775	G	C2-N2	5.01	1.39	1.34
38	A1	1008	U	O4'-C1'	5.01	1.48	1.41
11	B2	175	G	C2'-O2'	-5.01	1.35	1.41
11	B2	175	G	C3'-C2'	5.01	1.58	1.52
11	B2	720	A	N9-C4	-5.01	1.34	1.37
11	B2	777	G	N9-C4	-5.01	1.33	1.38
11	B2	986	G	N7-C5	-5.01	1.36	1.39
11	B2	1231	G	O3'-P	-5.01	1.55	1.61
11	B2	1239	A	C5'-C4'	5.01	1.57	1.51
11	B2	1254	C	P-O5'	-5.01	1.54	1.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	261	A	O3'-P	-5.01	1.55	1.61
38	A1	709	A	O3'-P	5.01	1.67	1.61
38	A1	804	C	C4'-O4'	5.01	1.52	1.45
38	A1	1365	G	N9-C4	-5.01	1.33	1.38
38	A1	1497	C	C5-C6	5.01	1.38	1.34
38	A1	2234	C	O3'-P	-5.01	1.55	1.61
38	A1	2450	A	C8-N7	-5.01	1.28	1.31
38	A1	2601	C	C2-O2	5.01	1.28	1.24
38	A1	2663	G	C6-O6	5.01	1.28	1.24
38	A1	2669	U	N3-C4	5.01	1.43	1.38
39	A3	47	G	C2-N2	-5.01	1.29	1.34
11	B2	49	C	C4-N4	5.00	1.38	1.33
11	B2	54	C	O4'-C1'	5.00	1.48	1.41
11	B2	200	G	C2-N2	5.00	1.39	1.34
11	B2	341	C	P-O5'	5.00	1.64	1.59
17	BE	3	ARG	NE-CZ	5.00	1.39	1.33
33	BU	15	ARG	CZ-NH1	5.00	1.39	1.33
38	A1	977	C	N1-C2	5.00	1.45	1.40
38	A1	1958	A	C5-C6	-5.00	1.36	1.41
38	A1	2302	C	C2'-C1'	-5.00	1.47	1.53
38	A1	2792	G	C8-N7	-5.00	1.27	1.30
39	A3	102	G	C2'-C1'	-5.00	1.47	1.53
66	AY	153	ARG	NE-CZ	5.00	1.39	1.33
11	B2	148	C	C5-C6	5.00	1.38	1.34
11	B2	532	C	O3'-P	-5.00	1.55	1.61
11	B2	831	A	N9-C4	-5.00	1.34	1.37
11	B2	1083	G	C2-N2	5.00	1.39	1.34
11	B2	1416	C	O4'-C1'	5.00	1.48	1.41
17	BE	221	GLU	CB-CG	5.00	1.61	1.52
21	BI	44	TYR	CE2-CZ	5.00	1.45	1.38
38	A1	116	G	P-O5'	-5.00	1.54	1.59
38	A1	704	G	C8-N7	5.00	1.33	1.30
38	A1	1034	G	O5'-C5'	-5.00	1.34	1.42
38	A1	1405	G	N3-C4	-5.00	1.31	1.35
38	A1	1469	U	P-O5'	-5.00	1.54	1.59
38	A1	1857	A	O4'-C1'	5.00	1.48	1.41
38	A1	2117	U	C4-C5	5.00	1.48	1.43
38	A1	2128	G	N3-C4	5.00	1.39	1.35
38	A1	2301	C	N3-C4	5.00	1.37	1.33
55	Ai	17	TYR	CD2-CE2	5.00	1.46	1.39
7	AU	53	ARG	NE-CZ	5.00	1.39	1.33
11	B2	991	C	C5-C6	-5.00	1.30	1.34

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	B2	992	G	C2'-C1'	-5.00	1.47	1.53
11	B2	1092	G	C3'-C2'	5.00	1.58	1.52
15	BC	26	ARG	NE-CZ	5.00	1.39	1.33
38	A1	52	A	C6-N6	5.00	1.38	1.33
38	A1	215	A	C8-N7	5.00	1.35	1.31
38	A1	387	A	P-O5'	-5.00	1.54	1.59
38	A1	596	C	P-OP2	-5.00	1.40	1.49
38	A1	791	C	P-O5'	-5.00	1.54	1.59
38	A1	841	U	P-O5'	-5.00	1.54	1.59
38	A1	979	G	C1'-N9	-5.00	1.39	1.46
38	A1	1723	A	O4'-C1'	5.00	1.48	1.41
38	A1	2778	A	C2-N3	5.00	1.38	1.33

All (27857) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1445	A	N1-C6-N6	27.58	135.15	118.60
38	A1	277	A	N1-C6-N6	27.04	134.82	118.60
38	A1	2347	G	N1-C6-O6	26.94	136.06	119.90
38	A1	1281	A	N1-C6-N6	26.62	134.57	118.60
38	A1	2540	A	N1-C6-N6	26.19	134.31	118.60
38	A1	1726	A	N1-C6-N6	25.96	134.18	118.60
11	B2	309	A	N1-C6-N6	24.87	133.52	118.60
38	A1	1789	A	N1-C6-N6	24.72	133.43	118.60
38	A1	129	C	P-O3'-C3'	24.61	149.23	119.70
38	A1	2258	A	N1-C6-N6	24.60	133.36	118.60
38	A1	244	A	N1-C6-N6	24.59	133.35	118.60
38	A1	1226	G	P-O3'-C3'	24.43	149.01	119.70
38	A1	729	A	N1-C6-N6	24.31	133.19	118.60
38	A1	1200	A	P-O3'-C3'	24.07	148.58	119.70
11	B2	451	A	N1-C6-N6	24.05	133.03	118.60
38	A1	2681	A	N1-C6-N6	23.86	132.91	118.60
39	A3	52	U	P-O3'-C3'	23.68	148.12	119.70
38	A1	144	A	N1-C6-N6	23.61	132.77	118.60
38	A1	1643	A	N1-C6-N6	23.53	132.72	118.60
39	A3	19	G	P-O3'-C3'	23.50	147.89	119.70
11	B2	56	A	P-O3'-C3'	23.47	147.86	119.70
38	A1	2709	C	N3-C4-C5	-23.42	112.53	121.90
38	A1	2498	G	C5-C6-O6	-23.24	114.66	128.60
38	A1	1931	G	N1-C6-O6	23.20	133.82	119.90
38	A1	2538	G	N1-C6-O6	23.15	133.79	119.90
38	A1	3035	C	P-O3'-C3'	23.04	147.34	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2101	A	N1-C6-N6	23.03	132.42	118.60
10	B1	38	G	N1-C6-O6	22.75	133.55	119.90
38	A1	2275	G	N1-C6-O6	22.73	133.54	119.90
38	A1	2806	A	N1-C6-N6	22.73	132.24	118.60
11	B2	1292	A	N1-C6-N6	22.69	132.22	118.60
38	A1	1096	A	P-O3'-C3'	22.64	146.87	119.70
39	A3	97	G	N1-C6-O6	22.63	133.47	119.90
11	B2	291	G	N1-C6-O6	22.56	133.44	119.90
11	B2	630	A	N1-C6-N6	22.56	132.13	118.60
38	A1	663	A	N1-C6-N6	22.55	132.13	118.60
11	B2	1266	A	N1-C6-N6	22.39	132.03	118.60
11	B2	427	G	C5-C6-O6	-22.27	115.24	128.60
38	A1	1037	C	P-O3'-C3'	22.21	146.35	119.70
38	A1	2447	A	N1-C6-N6	22.13	131.88	118.60
38	A1	261	A	N1-C6-N6	22.07	131.84	118.60
11	B2	427	G	N1-C6-O6	22.01	133.10	119.90
38	A1	1322	G	N1-C6-O6	21.99	133.10	119.90
38	A1	1156	G	N1-C6-O6	21.96	133.08	119.90
38	A1	2106	G	N1-C6-O6	21.74	132.94	119.90
38	A1	662	A	N1-C6-N6	21.66	131.60	118.60
38	A1	1196	A	N1-C6-N6	21.58	131.55	118.60
10	B1	76	C	N3-C4-C5	-21.51	113.30	121.90
38	A1	2785	G	C5-C6-O6	-21.45	115.73	128.60
39	A3	101	A	N1-C6-N6	21.42	131.45	118.60
38	A1	196	A	N1-C6-N6	21.37	131.42	118.60
11	B2	530	G	N1-C6-O6	21.36	132.72	119.90
11	B2	847	A	N1-C6-N6	21.34	131.40	118.60
11	B2	114	A	N1-C6-N6	21.27	131.36	118.60
38	A1	782	G	N1-C6-O6	21.19	132.62	119.90
38	A1	2543	A	P-O3'-C3'	21.15	145.08	119.70
38	A1	1837	A	N1-C6-N6	21.13	131.28	118.60
10	B1	24	A	N1-C6-N6	21.07	131.24	118.60
38	A1	236	G	N1-C6-O6	21.04	132.53	119.90
38	A1	129	C	N3-C4-C5	-21.02	113.49	121.90
39	A3	50	G	C5-C6-O6	-21.02	115.99	128.60
11	B2	392	G	P-O3'-C3'	21.00	144.90	119.70
38	A1	2064	U	P-O3'-C3'	20.99	144.89	119.70
11	B2	1423	A	N1-C6-N6	20.97	131.18	118.60
38	A1	236	G	C5-C6-O6	-20.97	116.02	128.60
11	B2	1447	A	N1-C6-N6	20.90	131.14	118.60
38	A1	838	A	N1-C6-N6	20.82	131.09	118.60
39	A3	97	G	C5-C6-O6	-20.79	116.13	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1407	A	P-O3'-C3'	20.78	144.63	119.70
38	A1	2891	A	P-O3'-C3'	20.78	144.63	119.70
11	B2	1069	G	N1-C6-O6	20.73	132.34	119.90
11	B2	19	G	C5-C6-O6	-20.69	116.19	128.60
38	A1	2995	A	N1-C6-N6	20.66	131.00	118.60
11	B2	924	U	P-O3'-C3'	20.64	144.46	119.70
38	A1	848	A	N1-C6-N6	20.63	130.98	118.60
38	A1	2078	A	N1-C6-N6	20.62	130.97	118.60
11	B2	291	G	C5-C6-O6	-20.59	116.25	128.60
38	A1	858	G	C5-C6-O6	-20.58	116.25	128.60
38	A1	1658	A	N1-C6-N6	20.55	130.93	118.60
38	A1	2383	A	N1-C6-N6	20.53	130.92	118.60
38	A1	171	A	N1-C6-N6	20.52	130.91	118.60
38	A1	1754	A	N1-C6-N6	20.52	130.91	118.60
38	A1	337	G	N1-C6-O6	20.48	132.19	119.90
38	A1	42	G	N1-C6-O6	20.45	132.17	119.90
11	B2	468	G	N1-C6-O6	20.45	132.17	119.90
38	A1	455	G	N1-C6-O6	20.44	132.16	119.90
38	A1	1605	A	N1-C6-N6	20.44	130.86	118.60
38	A1	2425	A	N1-C6-N6	20.39	130.83	118.60
38	A1	437	G	N1-C6-O6	20.38	132.13	119.90
38	A1	1870	G	N1-C6-O6	20.37	132.12	119.90
38	A1	430	A	N1-C6-N6	20.35	130.81	118.60
11	B2	194	C	P-O3'-C3'	20.34	144.10	119.70
11	B2	1050	G	N1-C6-O6	20.33	132.10	119.90
11	B2	710	G	N1-C6-O6	20.31	132.09	119.90
11	B2	399	A	N1-C6-N6	20.30	130.78	118.60
38	A1	2160	C	N3-C4-C5	-20.28	113.79	121.90
39	A3	98	G	N1-C6-O6	20.22	132.03	119.90
38	A1	1198	G	N1-C6-O6	20.06	131.94	119.90
11	B2	786	G	N1-C6-O6	20.04	131.93	119.90
11	B2	710	G	C5-C6-O6	-20.03	116.58	128.60
38	A1	1678	A	N1-C6-N6	19.97	130.58	118.60
11	B2	202	G	C5-C6-O6	-19.92	116.65	128.60
11	B2	578	G	N1-C6-O6	19.91	131.84	119.90
38	A1	250	G	N1-C6-O6	19.91	131.84	119.90
38	A1	2347	G	C5-C6-O6	-19.91	116.65	128.60
11	B2	1189	G	C5-C6-O6	-19.90	116.66	128.60
38	A1	1351	G	N1-C6-O6	19.89	131.83	119.90
38	A1	3011	G	C5-C6-O6	-19.89	116.67	128.60
11	B2	379	A	N1-C6-N6	19.88	130.53	118.60
11	B2	1261	U	P-O3'-C3'	19.82	143.49	119.70

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	530	G	C5-C6-O6	-19.82	116.71	128.60
38	A1	1005	G	N1-C6-O6	19.81	131.79	119.90
11	B2	960	A	N1-C6-N6	19.81	130.49	118.60
38	A1	88	G	N1-C6-O6	19.80	131.78	119.90
11	B2	949	G	C5-C6-O6	-19.78	116.73	128.60
39	A3	25	A	N1-C6-N6	19.77	130.46	118.60
11	B2	698	A	N1-C6-N6	19.76	130.46	118.60
11	B2	945	G	N1-C6-O6	19.75	131.75	119.90
38	A1	1582	G	N1-C6-O6	19.71	131.72	119.90
38	A1	15	A	N1-C6-N6	19.70	130.42	118.60
38	A1	520	G	N1-C6-O6	19.70	131.72	119.90
38	A1	869	A	N1-C6-N6	19.70	130.42	118.60
38	A1	1262	C	C6-N1-C2	-19.65	112.44	120.30
38	A1	586	A	N1-C6-N6	19.65	130.39	118.60
38	A1	605	A	N1-C6-N6	19.65	130.39	118.60
38	A1	858	G	N1-C6-O6	19.65	131.69	119.90
38	A1	1766	A	N1-C6-N6	19.64	130.38	118.60
11	B2	1307	G	N1-C6-O6	19.61	131.66	119.90
38	A1	2056	A	N1-C6-N6	19.59	130.35	118.60
11	B2	413	G	N1-C6-O6	19.57	131.64	119.90
38	A1	2795	G	N1-C6-O6	19.57	131.64	119.90
38	A1	2703	G	N1-C6-O6	19.56	131.63	119.90
38	A1	186	A	N1-C6-N6	19.53	130.32	118.60
38	A1	1351	G	C5-C6-O6	-19.53	116.88	128.60
11	B2	1462	A	N1-C6-N6	19.51	130.31	118.60
38	A1	122	G	N1-C6-O6	19.51	131.61	119.90
11	B2	176	U	P-O3'-C3'	19.51	143.11	119.70
38	A1	88	G	C5-C6-O6	-19.51	116.89	128.60
39	A3	48	A	P-O3'-C3'	19.50	143.10	119.70
11	B2	617	A	N1-C6-N6	19.49	130.29	118.60
38	A1	1418	A	N1-C6-N6	19.47	130.28	118.60
11	B2	1292	A	C5-C6-N1	-19.46	107.97	117.70
11	B2	997	G	C8-N9-C4	-19.45	98.62	106.40
39	A3	19	G	C5-C6-O6	-19.45	116.93	128.60
38	A1	447	G	N1-C6-O6	19.45	131.57	119.90
38	A1	1974	G	C5-C6-O6	-19.44	116.93	128.60
38	A1	379	U	P-O3'-C3'	19.43	143.02	119.70
38	A1	1184	U	O4'-C1'-N1	19.41	123.72	108.20
39	A3	50	G	N1-C6-O6	19.40	131.54	119.90
38	A1	827	G	N1-C6-O6	19.40	131.54	119.90
38	A1	1714	G	N1-C6-O6	19.40	131.54	119.90
38	A1	2398	C	N3-C4-C5	-19.38	114.15	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	542	G	N1-C6-O6	19.37	131.52	119.90
11	B2	591	G	N1-C6-O6	19.34	131.50	119.90
11	B2	810	G	N1-C6-O6	19.33	131.50	119.90
38	A1	1898	A	N1-C6-N6	19.32	130.19	118.60
38	A1	851	G	N1-C6-O6	19.31	131.49	119.90
11	B2	1239	A	N1-C6-N6	19.31	130.19	118.60
38	A1	1180	G	P-O3'-C3'	19.28	142.84	119.70
39	A3	113	C	C6-N1-C2	-19.28	112.59	120.30
38	A1	2005	A	N1-C6-N6	19.24	130.15	118.60
11	B2	1473	A	N1-C6-N6	19.24	130.14	118.60
38	A1	2472	A	N1-C6-N6	19.23	130.13	118.60
38	A1	455	G	C5-C6-O6	-19.22	117.07	128.60
38	A1	2950	G	N1-C6-O6	19.20	131.42	119.90
38	A1	2600	C	N3-C4-C5	-19.20	114.22	121.90
38	A1	638	A	N1-C6-N6	19.18	130.11	118.60
38	A1	1516	C	N3-C4-C5	-19.18	114.23	121.90
38	A1	1476	C	C6-N1-C2	-19.17	112.63	120.30
11	B2	349	A	N1-C6-N6	19.14	130.08	118.60
38	A1	851	G	C5-C6-O6	-19.14	117.12	128.60
38	A1	2802	G	N1-C6-O6	19.12	131.37	119.90
11	B2	356	G	N1-C6-O6	19.12	131.37	119.90
10	B1	74	A	N1-C6-N6	19.11	130.07	118.60
11	B2	591	G	C5-C6-O6	-19.11	117.13	128.60
38	A1	1918	U	P-O3'-C3'	19.08	142.59	119.70
11	B2	1050	G	C5-C6-O6	-19.06	117.17	128.60
38	A1	1154	A	N1-C6-N6	19.05	130.03	118.60
38	A1	1020	G	N1-C6-O6	19.05	131.33	119.90
38	A1	2759	A	N1-C6-N6	19.00	130.00	118.60
11	B2	1032	A	N1-C6-N6	18.99	129.99	118.60
11	B2	300	G	N1-C6-O6	18.98	131.29	119.90
11	B2	166	A	N1-C6-N6	18.98	129.99	118.60
38	A1	2493	A	N1-C6-N6	18.97	129.98	118.60
11	B2	730	G	N1-C6-O6	18.97	131.28	119.90
11	B2	978	G	N1-C6-O6	18.97	131.28	119.90
38	A1	405	G	N1-C6-O6	18.97	131.28	119.90
11	B2	497	C	C5-C6-N1	18.95	130.48	121.00
38	A1	2032	G	N1-C6-O6	18.95	131.27	119.90
38	A1	1495	A	N1-C6-N6	18.94	129.96	118.60
38	A1	2554	A	N1-C6-N6	18.93	129.96	118.60
38	A1	2459	G	N1-C6-O6	18.92	131.25	119.90
11	B2	1299	A	N1-C6-N6	18.90	129.94	118.60
38	A1	1465	A	N1-C6-N6	18.89	129.94	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	12	C	P-O3'-C3'	18.88	142.35	119.70
38	A1	9	A	N1-C6-N6	18.88	129.93	118.60
11	B2	1453	U	P-O3'-C3'	18.87	142.35	119.70
11	B2	804	U	P-O3'-C3'	18.86	142.33	119.70
38	A1	452	A	N1-C6-N6	18.85	129.91	118.60
38	A1	2778	A	N1-C6-N6	18.85	129.91	118.60
38	A1	2365	G	N1-C6-O6	18.84	131.20	119.90
38	A1	1974	G	N1-C6-O6	18.76	131.16	119.90
11	B2	1245	C	P-O3'-C3'	18.74	142.19	119.70
41	AA	120	TYR	CB-CG-CD1	-18.70	109.78	121.00
38	A1	3004	C	P-O3'-C3'	18.70	142.14	119.70
11	B2	952	A	N1-C6-N6	18.70	129.82	118.60
38	A1	319	A	N1-C6-N6	18.69	129.81	118.60
11	B2	868	C	C6-N1-C2	-18.68	112.83	120.30
11	B2	752	G	N1-C6-O6	18.68	131.10	119.90
11	B2	1439	G	C5-C6-O6	-18.66	117.40	128.60
11	B2	1368	A	N1-C6-N6	18.66	129.79	118.60
11	B2	85	A	N1-C6-N6	18.65	129.79	118.60
28	BP	9	ARG	NE-CZ-NH2	-18.65	110.97	120.30
11	B2	975	A	P-O3'-C3'	18.64	142.07	119.70
38	A1	2063	U	C6-N1-C2	-18.63	109.82	121.00
38	A1	2832	G	N1-C6-O6	18.62	131.07	119.90
38	A1	1112	G	N1-C6-O6	18.61	131.07	119.90
11	B2	921	G	N1-C6-O6	18.60	131.06	119.90
38	A1	2548	A	N1-C6-N6	18.60	129.76	118.60
11	B2	1382	G	N1-C6-O6	18.59	131.06	119.90
38	A1	394	A	N1-C6-N6	18.58	129.75	118.60
38	A1	2015	G	N1-C6-O6	18.57	131.04	119.90
11	B2	687	G	N1-C6-O6	18.57	131.04	119.90
38	A1	1582	G	C5-C6-O6	-18.55	117.47	128.60
38	A1	483	C	N3-C4-C5	-18.53	114.49	121.90
38	A1	166	G	N1-C6-O6	18.52	131.01	119.90
38	A1	1752	C	P-O3'-C3'	18.52	141.92	119.70
39	A3	74	U	P-O3'-C3'	18.51	141.91	119.70
38	A1	1816	C	N3-C4-C5	-18.51	114.50	121.90
38	A1	981	A	N1-C6-N6	18.47	129.68	118.60
38	A1	837	G	N1-C6-O6	18.47	130.98	119.90
38	A1	1942	G	C5-C6-O6	-18.46	117.53	128.60
62	AO	21	TYR	CB-CG-CD2	18.43	132.06	121.00
39	A3	40	G	P-O3'-C3'	18.43	141.81	119.70
38	A1	860	A	N1-C6-N6	18.40	129.64	118.60
38	A1	2547	A	N1-C6-N6	18.38	129.63	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	173	G	C5-C6-O6	-18.37	117.58	128.60
38	A1	256	G	N1-C6-O6	18.37	130.92	119.90
11	B2	1244	C	N3-C4-N4	18.37	130.86	118.00
38	A1	2382	A	N1-C6-N6	18.36	129.62	118.60
11	B2	997	G	N1-C6-O6	18.35	130.91	119.90
11	B2	1057	A	N1-C6-N6	18.35	129.61	118.60
38	A1	1931	G	C5-C6-O6	-18.34	117.60	128.60
38	A1	2562	G	P-O3'-C3'	18.32	141.68	119.70
11	B2	356	G	C5-C6-O6	-18.32	117.61	128.60
11	B2	722	G	N1-C6-O6	18.32	130.89	119.90
38	A1	567	G	N1-C6-O6	18.32	130.89	119.90
38	A1	1634	A	N1-C6-N6	18.31	129.59	118.60
10	B1	51	G	C5-C6-O6	-18.30	117.62	128.60
38	A1	1429	A	N1-C6-N6	18.30	129.58	118.60
11	B2	810	G	C5-C6-O6	-18.29	117.63	128.60
38	A1	2437	G	N1-C6-O6	18.29	130.87	119.90
38	A1	347	G	N1-C6-O6	18.28	130.87	119.90
38	A1	1989	G	N1-C6-O6	18.27	130.87	119.90
38	A1	2785	G	N1-C6-O6	18.27	130.86	119.90
11	B2	181	G	N1-C6-O6	18.25	130.85	119.90
38	A1	1017	A	N1-C6-N6	18.22	129.53	118.60
11	B2	103	A	N1-C6-N6	18.22	129.53	118.60
8	AW	53	ARG	NE-CZ-NH2	18.22	129.41	120.30
11	B2	1140	A	N1-C6-N6	18.22	129.53	118.60
38	A1	1267	A	N1-C6-N6	18.21	129.53	118.60
11	B2	728	G	N1-C6-O6	18.19	130.81	119.90
38	A1	1848	A	N1-C6-N6	18.18	129.51	118.60
38	A1	147	C	C6-N1-C2	-18.18	113.03	120.30
38	A1	511	A	N1-C6-N6	18.16	129.50	118.60
38	A1	927	G	C5-C6-O6	-18.15	117.71	128.60
38	A1	343	C	N3-C4-C5	-18.15	114.64	121.90
38	A1	3023	G	N1-C6-O6	18.11	130.77	119.90
39	A3	30	G	N1-C6-O6	18.11	130.77	119.90
38	A1	2545	A	P-O3'-C3'	18.07	141.38	119.70
38	A1	1716	G	N1-C6-O6	18.06	130.74	119.90
38	A1	1989	G	C5-C6-O6	-18.05	117.77	128.60
38	A1	2336	G	N1-C2-N3	-18.04	113.07	123.90
38	A1	2329	A	N1-C6-N6	18.04	129.42	118.60
38	A1	510	A	N1-C6-N6	18.02	129.41	118.60
38	A1	2782	A	N1-C6-N6	18.02	129.41	118.60
38	A1	2498	G	N1-C6-O6	18.02	130.71	119.90
38	A1	2795	G	C5-C6-O6	-18.01	117.79	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1026	A	N1-C6-N6	18.01	129.41	118.60
11	B2	1127	A	N1-C6-N6	18.01	129.41	118.60
38	A1	519	A	N1-C6-N6	18.01	129.41	118.60
38	A1	708	A	N1-C6-N6	18.01	129.40	118.60
38	A1	839	A	N1-C6-N6	18.00	129.40	118.60
11	B2	1307	G	C5-C6-O6	-18.00	117.80	128.60
38	A1	173	G	N1-C6-O6	17.98	130.69	119.90
38	A1	918	A	N1-C6-N6	17.98	129.39	118.60
38	A1	2250	G	N1-C6-O6	17.97	130.68	119.90
11	B2	32	A	N1-C6-N6	17.95	129.37	118.60
38	A1	579	C	P-O3'-C3'	17.92	141.21	119.70
38	A1	2182	A	N1-C6-N6	17.92	129.35	118.60
38	A1	1912	A	N1-C6-N6	17.91	129.34	118.60
38	A1	1942	G	N1-C6-O6	17.90	130.64	119.90
11	B2	63	G	P-O3'-C3'	17.90	141.18	119.70
38	A1	1870	G	C5-C6-O6	-17.88	117.87	128.60
38	A1	1288	C	N3-C4-C5	-17.86	114.75	121.90
38	A1	927	G	N1-C6-O6	17.86	130.62	119.90
38	A1	1020	G	C5-C6-O6	-17.82	117.91	128.60
38	A1	2784	A	N1-C6-N6	17.81	129.28	118.60
11	B2	1463	A	N1-C6-N6	17.80	129.28	118.60
38	A1	349	A	N1-C6-N6	17.80	129.28	118.60
11	B2	242	A	N1-C6-N6	17.80	129.28	118.60
11	B2	296	A	N1-C6-N6	17.78	129.27	118.60
39	A3	21	C	P-O3'-C3'	17.77	141.02	119.70
11	B2	416	A	N1-C6-N6	17.73	129.24	118.60
11	B2	311	A	N1-C6-N6	17.72	129.23	118.60
38	A1	1975	C	C6-N1-C2	-17.72	113.21	120.30
38	A1	2096	G	N1-C6-O6	17.71	130.53	119.90
38	A1	2106	G	C5-C6-O6	-17.71	117.97	128.60
39	A3	40	G	C5-C6-O6	-17.71	117.97	128.60
11	B2	428	G	C5-C6-O6	-17.70	117.98	128.60
38	A1	2010	G	N1-C6-O6	17.70	130.52	119.90
11	B2	271	G	N1-C6-O6	17.70	130.52	119.90
39	A3	65	G	N1-C6-O6	17.69	130.51	119.90
38	A1	2394	G	C5-C6-O6	-17.69	117.98	128.60
38	A1	2476	A	C4-C5-C6	17.68	125.84	117.00
38	A1	1283	G	N1-C6-O6	17.68	130.51	119.90
38	A1	772	G	C5-C6-O6	-17.67	118.00	128.60
11	B2	845	G	N1-C6-O6	17.66	130.50	119.90
38	A1	2334	G	N1-C6-O6	17.66	130.50	119.90
38	A1	1627	G	N1-C6-O6	17.65	130.49	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1643	A	P-O3'-C3'	17.64	140.87	119.70
38	A1	899	A	N1-C6-N6	17.64	129.18	118.60
11	B2	1459	G	N1-C6-O6	17.62	130.47	119.90
39	A3	30	G	C5-C6-O6	-17.62	118.03	128.60
38	A1	2537	G	N1-C6-O6	17.62	130.47	119.90
38	A1	206	A	N1-C6-N6	17.61	129.17	118.60
39	A3	98	G	C5-C6-O6	-17.61	118.03	128.60
38	A1	1759	A	N1-C6-N6	17.60	129.16	118.60
11	B2	65	G	N1-C6-O6	17.57	130.44	119.90
11	B2	1117	A	N1-C6-N6	17.57	129.15	118.60
38	A1	2686	A	N1-C6-N6	17.57	129.14	118.60
39	A3	40	G	N1-C6-O6	17.57	130.44	119.90
11	B2	370	A	N1-C6-N6	17.57	129.14	118.60
38	A1	1080	G	N1-C6-O6	17.56	130.44	119.90
11	B2	730	G	C5-C6-O6	-17.53	118.08	128.60
1	A7	52	TYR	CB-CG-CD2	-17.53	110.48	121.00
11	B2	685	G	N1-C6-O6	17.52	130.41	119.90
11	B2	723	G	C5-C6-O6	-17.52	118.08	128.60
11	B2	63	G	N1-C6-O6	17.52	130.41	119.90
11	B2	1379	G	N1-C6-O6	17.52	130.41	119.90
11	B2	945	G	C5-C6-O6	-17.51	118.09	128.60
11	B2	1	A	N1-C6-N6	17.51	129.10	118.60
39	A3	63	G	C5-C6-O6	-17.51	118.09	128.60
38	A1	772	G	N1-C6-O6	17.50	130.40	119.90
11	B2	1196	A	N1-C6-N6	17.49	129.09	118.60
38	A1	1395	G	N1-C6-O6	17.48	130.39	119.90
38	A1	266	A	N1-C6-N6	17.47	129.09	118.60
11	B2	1373	A	N1-C6-N6	17.46	129.08	118.60
10	B1	20	G	N1-C6-O6	17.45	130.37	119.90
10	B1	3	G	C5-C6-O6	-17.44	118.14	128.60
39	A3	63	G	N1-C6-O6	17.43	130.36	119.90
10	B1	35	G	N1-C6-O6	17.43	130.36	119.90
38	A1	2568	A	N1-C6-N6	17.42	129.05	118.60
11	B2	641	A	P-O3'-C3'	17.42	140.60	119.70
38	A1	319	A	C4-C5-C6	17.42	125.71	117.00
11	B2	99	C	P-O3'-C3'	17.39	140.57	119.70
38	A1	1272	A	N1-C6-N6	17.39	129.03	118.60
39	A3	54	A	N1-C6-N6	17.38	129.03	118.60
38	A1	2394	G	N1-C6-O6	17.38	130.33	119.90
10	B1	2	G	C5-C6-O6	-17.38	118.17	128.60
38	A1	684	G	N1-C6-O6	17.37	130.32	119.90
38	A1	567	G	C5-C6-O6	-17.36	118.18	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2703	G	C5-C6-O6	-17.36	118.18	128.60
11	B2	603	G	N1-C6-O6	17.35	130.31	119.90
38	A1	2043	A	N1-C6-N6	17.35	129.01	118.60
11	B2	37	G	N1-C6-O6	17.34	130.30	119.90
38	A1	1561	G	P-O3'-C3'	17.33	140.50	119.70
11	B2	949	G	N1-C6-O6	17.33	130.30	119.90
38	A1	1904	G	C5-C6-O6	-17.33	118.20	128.60
38	A1	1306	A	N1-C6-N6	17.31	128.99	118.60
39	A3	85	C	N3-C4-C5	-17.31	114.98	121.90
38	A1	744	G	N1-C2-N3	-17.30	113.52	123.90
38	A1	905	G	C5-C6-O6	-17.30	118.22	128.60
38	A1	2437	G	C5-C6-O6	-17.30	118.22	128.60
38	A1	1952	G	C5-C6-O6	-17.29	118.22	128.60
38	A1	2861	A	N1-C6-N6	17.29	128.97	118.60
11	B2	26	A	N1-C6-N6	17.29	128.97	118.60
38	A1	520	G	C5-C6-O6	-17.29	118.23	128.60
11	B2	931	C	N3-C4-C5	-17.28	114.99	121.90
38	A1	2015	G	C5-C6-O6	-17.27	118.24	128.60
11	B2	309	A	C5-C6-N6	-17.26	109.89	123.70
38	A1	2223	G	C5-C6-O6	-17.26	118.24	128.60
11	B2	698	A	C8-N9-C4	-17.25	98.90	105.80
38	A1	2223	G	N1-C6-O6	17.25	130.25	119.90
11	B2	1176	C	N3-C4-N4	17.24	130.07	118.00
38	A1	1118	A	N1-C6-N6	17.24	128.94	118.60
38	A1	577	C	O4'-C1'-N1	17.23	121.99	108.20
11	B2	387	G	N1-C6-O6	17.21	130.23	119.90
38	A1	2406	C	N3-C4-C5	-17.21	115.02	121.90
38	A1	1378	G	C5-C6-O6	-17.20	118.28	128.60
38	A1	3003	A	N1-C6-N6	17.20	128.92	118.60
38	A1	231	G	N1-C6-O6	17.19	130.22	119.90
11	B2	262	G	P-O3'-C3'	17.18	140.31	119.70
38	A1	3038	A	N1-C6-N6	17.18	128.91	118.60
11	B2	1172	A	N1-C6-N6	17.17	128.90	118.60
38	A1	1084	G	P-O3'-C3'	17.17	140.30	119.70
38	A1	2500	G	N1-C6-O6	17.17	130.20	119.90
38	A1	2622	C	N3-C4-C5	-17.17	115.03	121.90
11	B2	183	A	N1-C6-N6	17.15	128.89	118.60
38	A1	2459	G	C5-C6-O6	-17.15	118.31	128.60
11	B2	1483	U	P-O3'-C3'	17.14	140.26	119.70
38	A1	702	G	N1-C6-O6	17.11	130.16	119.90
38	A1	664	A	N1-C6-N6	17.10	128.86	118.60
11	B2	1213	G	N1-C6-O6	17.08	130.15	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	259	A	N1-C6-N6	17.07	128.84	118.60
11	B2	649	A	N1-C6-N6	17.07	128.84	118.60
38	A1	1991	G	N1-C6-O6	17.07	130.14	119.90
38	A1	2032	G	C5-C6-O6	-17.06	118.36	128.60
38	A1	1824	G	C5-C6-O6	-17.06	118.36	128.60
38	A1	42	G	C5-C6-O6	-17.05	118.37	128.60
38	A1	2211	C	N3-C4-C5	-17.05	115.08	121.90
38	A1	2203	G	N1-C6-O6	17.03	130.12	119.90
11	B2	382	G	C5-C6-O6	-17.03	118.38	128.60
11	B2	269	A	N1-C6-N6	17.03	128.82	118.60
11	B2	1000	G	C5-C6-O6	-17.02	118.39	128.60
11	B2	352	A	N1-C6-N6	17.01	128.81	118.60
39	A3	2	G	N1-C6-O6	17.01	130.11	119.90
11	B2	872	A	N1-C6-N6	17.01	128.81	118.60
39	A3	17	G	C5-C6-O6	-17.01	118.39	128.60
38	A1	2258	A	C5-C6-N6	-17.01	110.09	123.70
38	A1	2440	C	N3-C4-C5	-17.00	115.10	121.90
11	B2	578	G	C5-C6-O6	-17.00	118.40	128.60
11	B2	643	G	N1-C6-O6	16.99	130.10	119.90
38	A1	1053	A	N1-C6-N6	16.99	128.79	118.60
11	B2	1002	G	N1-C6-O6	16.93	130.06	119.90
10	B1	2	G	N1-C6-O6	16.91	130.05	119.90
38	A1	2301	C	P-O3'-C3'	16.90	139.99	119.70
11	B2	435	A	N1-C6-N6	16.90	128.74	118.60
11	B2	119	A	C5-N7-C8	16.89	112.34	103.90
38	A1	1651	A	N1-C6-N6	16.88	128.73	118.60
38	A1	2853	A	N1-C6-N6	16.86	128.72	118.60
38	A1	74	A	N1-C6-N6	16.86	128.72	118.60
38	A1	771	G	N1-C6-O6	16.85	130.01	119.90
11	B2	1262	U	O4'-C1'-N1	16.85	121.68	108.20
38	A1	2864	G	N1-C6-O6	16.80	129.98	119.90
38	A1	1751	G	N1-C6-O6	16.80	129.98	119.90
11	B2	1131	G	N1-C6-O6	16.80	129.98	119.90
11	B2	163	C	O4'-C1'-N1	16.79	121.63	108.20
11	B2	37	G	C5-C6-O6	-16.77	118.54	128.60
38	A1	2285	G	N1-C6-O6	16.77	129.96	119.90
11	B2	1345	G	N1-C6-O6	16.76	129.96	119.90
11	B2	529	C	N3-C4-C5	-16.76	115.20	121.90
10	B1	25	G	N1-C6-O6	16.74	129.94	119.90
11	B2	728	G	C5-C6-O6	-16.74	118.55	128.60
11	B2	762	G	C5-C6-O6	-16.74	118.56	128.60
38	A1	1411	G	N1-C6-O6	16.74	129.94	119.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	31	G	N1-C6-O6	16.71	129.93	119.90
38	A1	1198	G	C5-C6-O6	-16.70	118.58	128.60
38	A1	1697	G	N1-C6-O6	16.70	129.92	119.90
38	A1	2194	A	N1-C6-N6	16.69	128.62	118.60
39	A3	75	G	N1-C6-O6	16.69	129.92	119.90
38	A1	1228	G	N3-C2-N2	16.69	131.58	119.90
38	A1	2465	A	N1-C6-N6	16.69	128.61	118.60
11	B2	1161	A	N1-C6-N6	16.68	128.61	118.60
11	B2	713	A	N1-C6-N6	16.68	128.60	118.60
38	A1	1643	A	C4-C5-C6	16.67	125.34	117.00
38	A1	1055	C	C2-N3-C4	16.65	128.23	119.90
38	A1	2020	G	N1-C6-O6	16.65	129.89	119.90
38	A1	2966	C	N3-C4-N4	16.65	129.66	118.00
11	B2	910	G	C5-C6-O6	-16.64	118.62	128.60
38	A1	522	A	N1-C6-N6	16.62	128.57	118.60
38	A1	1071	A	N1-C6-N6	16.61	128.57	118.60
38	A1	1333	G	C5-C6-O6	-16.61	118.63	128.60
10	B1	42	C	N3-C4-C5	-16.59	115.26	121.90
38	A1	2863	A	N1-C6-N6	16.58	128.55	118.60
38	A1	2987	U	P-O3'-C3'	16.58	139.60	119.70
11	B2	561	A	N1-C6-N6	16.57	128.54	118.60
38	A1	306	G	N1-C6-O6	16.57	129.84	119.90
38	A1	1601	G	N1-C6-O6	16.55	129.83	119.90
11	B2	1430	G	N1-C6-O6	16.54	129.83	119.90
11	B2	1412	A	N1-C6-N6	16.53	128.52	118.60
11	B2	1354	A	N1-C6-N6	16.51	128.50	118.60
11	B2	462	A	P-O3'-C3'	16.50	139.50	119.70
38	A1	369	G	N1-C6-O6	16.47	129.78	119.90
11	B2	271	G	C5-C6-O6	-16.46	118.72	128.60
38	A1	1486	G	N1-C6-O6	16.46	129.78	119.90
38	A1	2363	G	P-O3'-C3'	16.46	139.46	119.70
11	B2	717	C	N3-C4-N4	16.46	129.52	118.00
38	A1	1125	A	N1-C6-N6	16.46	128.48	118.60
11	B2	486	A	P-O3'-C3'	16.43	139.42	119.70
38	A1	2551	G	N1-C6-O6	16.43	129.76	119.90
38	A1	2664	G	C5-C6-O6	-16.42	118.75	128.60
38	A1	530	A	N1-C6-N6	16.42	128.45	118.60
38	A1	2292	A	N1-C6-N6	16.41	128.45	118.60
39	A3	124	A	N1-C6-N6	16.41	128.44	118.60
38	A1	2420	C	N3-C4-C5	-16.41	115.34	121.90
38	A1	2232	U	O4'-C1'-N1	16.40	121.32	108.20
11	B2	727	G	C5-C6-O6	-16.40	118.76	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1464	A	N1-C6-N6	16.39	128.43	118.60
38	A1	2900	C	N3-C4-C5	-16.39	115.34	121.90
38	A1	2332	G	N1-C6-O6	16.37	129.72	119.90
38	A1	1906	G	O4'-C1'-N9	16.37	121.30	108.20
10	B1	77	A	N1-C6-N6	16.37	128.42	118.60
38	A1	1557	G	C5-C6-O6	-16.37	118.78	128.60
38	A1	2331	A	N1-C6-N6	16.37	128.42	118.60
38	A1	1956	G	C5-C6-O6	-16.37	118.78	128.60
38	A1	1228	G	N1-C6-O6	16.36	129.72	119.90
38	A1	2821	G	N1-C6-O6	16.36	129.72	119.90
11	B2	1014	C	N3-C4-C5	-16.35	115.36	121.90
11	B2	126	G	P-O3'-C3'	16.35	139.32	119.70
38	A1	2239	C	N3-C4-C5	-16.35	115.36	121.90
11	B2	1015	C	N3-C4-C5	-16.33	115.37	121.90
38	A1	1701	C	C6-N1-C2	-16.33	113.77	120.30
38	A1	825	C	N3-C4-C5	-16.32	115.37	121.90
11	B2	1459	G	C5-C6-O6	-16.31	118.81	128.60
38	A1	1059	C	N3-C4-N4	16.30	129.41	118.00
38	A1	1790	G	N1-C6-O6	16.28	129.67	119.90
38	A1	579	C	N3-C4-C5	-16.28	115.39	121.90
38	A1	1792	A	N1-C6-N6	16.28	128.37	118.60
38	A1	2455	G	C5-C6-O6	-16.27	118.84	128.60
38	A1	48	G	N1-C6-O6	16.27	129.66	119.90
38	A1	1693	G	N1-C6-O6	16.26	129.66	119.90
11	B2	428	G	N1-C6-O6	16.26	129.66	119.90
41	AA	120	TYR	CB-CG-CD2	16.25	130.75	121.00
11	B2	1293	A	N1-C6-N6	16.25	128.35	118.60
11	B2	1439	G	O4'-C1'-N9	16.25	121.20	108.20
38	A1	2839	A	N1-C6-N6	16.24	128.35	118.60
11	B2	451	A	C5-C6-N6	-16.23	110.71	123.70
38	A1	2116	G	N1-C6-O6	16.22	129.63	119.90
38	A1	2315	G	N1-C6-O6	16.20	129.62	119.90
38	A1	2566	A	N1-C6-N6	16.18	128.31	118.60
38	A1	302	U	P-O3'-C3'	16.18	139.11	119.70
38	A1	2190	A	N1-C6-N6	16.17	128.30	118.60
38	A1	1283	G	C5-C6-O6	-16.16	118.90	128.60
11	B2	1189	G	N1-C6-O6	16.16	129.60	119.90
38	A1	123	A	N1-C6-N6	16.15	128.29	118.60
38	A1	256	G	C5-C6-O6	-16.15	118.91	128.60
38	A1	317	A	N1-C6-N6	16.13	128.28	118.60
11	B2	389	G	N1-C6-O6	16.13	129.58	119.90
11	B2	239	A	P-O3'-C3'	16.13	139.06	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	378	A	N1-C6-N6	16.12	128.27	118.60
38	A1	2480	G	N1-C6-O6	16.12	129.57	119.90
38	A1	271	G	N1-C6-O6	16.11	129.57	119.90
11	B2	130	G	N1-C6-O6	16.11	129.57	119.90
38	A1	2398	C	C2-N3-C4	16.11	127.95	119.90
38	A1	2281	A	N1-C6-N6	16.10	128.26	118.60
38	A1	2898	G	N1-C6-O6	16.10	129.56	119.90
39	A3	17	G	N1-C6-O6	16.10	129.56	119.90
11	B2	19	G	N1-C6-O6	16.09	129.56	119.90
38	A1	2036	A	N1-C6-N6	16.09	128.25	118.60
38	A1	2111	C	C6-N1-C2	-16.09	113.86	120.30
38	A1	2299	G	N1-C6-O6	16.07	129.54	119.90
11	B2	1231	G	N1-C6-O6	16.07	129.54	119.90
11	B2	921	G	C5-C6-O6	-16.05	118.97	128.60
38	A1	1818	G	C6-C5-N7	-16.03	120.78	130.40
11	B2	202	G	N1-C6-O6	16.03	129.52	119.90
11	B2	389	G	C5-C6-O6	-16.03	118.98	128.60
38	A1	1407	A	N1-C6-N6	16.02	128.21	118.60
38	A1	2539	G	N1-C6-O6	16.02	129.51	119.90
38	A1	1246	G	N1-C6-O6	16.01	129.51	119.90
38	A1	2250	G	C5-C6-O6	-16.00	119.00	128.60
38	A1	2861	A	C5-C6-N1	-16.00	109.70	117.70
38	A1	1625	A	C4-C5-C6	16.00	125.00	117.00
11	B2	270	A	N1-C6-N6	15.99	128.19	118.60
11	B2	1053	A	P-O3'-C3'	15.99	138.89	119.70
11	B2	1207	G	N1-C6-O6	15.99	129.49	119.90
38	A1	1646	G	N1-C6-O6	15.99	129.49	119.90
11	B2	300	G	C5-C6-O6	-15.98	119.01	128.60
11	B2	340	A	N1-C6-N6	15.98	128.19	118.60
38	A1	1260	C	N3-C4-N4	15.98	129.19	118.00
11	B2	885	G	C5-C6-O6	-15.98	119.01	128.60
11	B2	344	G	C5-C6-O6	-15.98	119.01	128.60
11	B2	1143	G	N1-C6-O6	15.98	129.49	119.90
11	B2	1104	G	C5-C6-O6	-15.97	119.02	128.60
38	A1	786	G	N1-C6-O6	15.97	129.48	119.90
11	B2	461	A	N1-C6-N6	15.96	128.18	118.60
11	B2	722	G	C5-C6-O6	-15.96	119.02	128.60
11	B2	846	G	C5-C6-O6	-15.95	119.03	128.60
11	B2	1475	C	N3-C4-C5	-15.95	115.52	121.90
11	B2	301	G	N1-C6-O6	15.94	129.47	119.90
38	A1	1778	G	N1-C6-O6	15.94	129.46	119.90
11	B2	1436	U	P-O3'-C3'	15.93	138.82	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2873	G	N1-C6-O6	15.93	129.46	119.90
9	AX	156	TYR	CB-CG-CD2	-15.92	111.45	121.00
11	B2	978	G	C5-C6-O6	-15.91	119.05	128.60
38	A1	1015	G	C5-C6-O6	-15.91	119.05	128.60
38	A1	879	A	N1-C6-N6	15.91	128.15	118.60
38	A1	2762	G	C5-C6-O6	-15.91	119.06	128.60
11	B2	258	A	N1-C6-N6	15.90	128.14	118.60
11	B2	1146	G	C5-C6-O6	-15.90	119.06	128.60
11	B2	1455	A	N1-C6-N6	15.90	128.14	118.60
38	A1	322	C	O4'-C1'-N1	15.89	120.92	108.20
11	B2	199	A	N1-C6-N6	15.89	128.14	118.60
11	B2	955	G	N1-C6-O6	15.89	129.44	119.90
11	B2	1439	G	N1-C6-O6	15.88	129.43	119.90
38	A1	2666	G	C5-C6-O6	-15.88	119.07	128.60
38	A1	2348	G	N1-C6-O6	15.88	129.43	119.90
11	B2	754	G	N1-C6-O6	15.88	129.43	119.90
38	A1	439	G	C5-C6-O6	-15.88	119.07	128.60
38	A1	1580	G	O4'-C1'-N9	15.88	120.90	108.20
38	A1	1704	C	P-O3'-C3'	15.86	138.73	119.70
38	A1	1471	G	C5-C6-O6	-15.85	119.09	128.60
38	A1	791	C	C6-N1-C2	-15.85	113.96	120.30
11	B2	1430	G	C5-C6-O6	-15.83	119.10	128.60
38	A1	2436	A	N1-C6-N6	15.83	128.10	118.60
11	B2	822	A	N1-C6-N6	15.83	128.10	118.60
11	B2	885	G	N1-C6-O6	15.82	129.40	119.90
38	A1	506	G	N1-C6-O6	15.82	129.40	119.90
38	A1	1744	A	N1-C6-N6	15.82	128.09	118.60
38	A1	1631	A	N1-C6-N6	15.82	128.09	118.60
11	B2	1426	C	C6-N1-C2	-15.81	113.98	120.30
11	B2	1196	A	C8-N9-C4	15.79	112.11	105.80
38	A1	1627	G	C5-C6-O6	-15.78	119.13	128.60
38	A1	2719	G	C5-C6-O6	-15.78	119.13	128.60
38	A1	2408	G	O4'-C1'-N9	15.78	120.82	108.20
51	Ag	47	ARG	NE-CZ-NH2	15.77	128.18	120.30
10	B1	50	G	N1-C6-O6	15.76	129.36	119.90
38	A1	2998	G	N1-C6-O6	15.76	129.35	119.90
38	A1	1816	C	N3-C4-N4	15.75	129.03	118.00
11	B2	16	G	C8-N9-C4	-15.75	100.10	106.40
38	A1	516	A	N1-C6-N6	15.74	128.04	118.60
38	A1	2178	A	N1-C6-N6	15.73	128.04	118.60
11	B2	866	A	N1-C6-N6	15.73	128.04	118.60
38	A1	584	G	P-O3'-C3'	15.72	138.57	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1080	G	C5-C6-O6	-15.72	119.17	128.60
39	A3	108	G	N1-C6-O6	15.72	129.33	119.90
38	A1	1603	G	N1-C6-O6	15.72	129.33	119.90
38	A1	2037	A	N1-C6-N6	15.71	128.03	118.60
38	A1	709	A	N1-C6-N6	15.71	128.03	118.60
11	B2	685	G	C5-C6-O6	-15.70	119.18	128.60
38	A1	677	A	N1-C6-N6	15.70	128.02	118.60
38	A1	1055	C	N3-C4-C5	-15.70	115.62	121.90
11	B2	197	A	N1-C6-N6	15.69	128.01	118.60
11	B2	400	G	N1-C6-O6	15.69	129.31	119.90
38	A1	2646	A	N1-C6-N6	15.68	128.00	118.60
11	B2	313	G	N1-C6-O6	15.67	129.30	119.90
38	A1	123	A	C5-C6-N6	-15.67	111.16	123.70
11	B2	185	G	N1-C6-O6	15.67	129.30	119.90
38	A1	2860	G	N1-C6-O6	15.67	129.30	119.90
38	A1	966	G	N3-C2-N2	15.67	130.87	119.90
38	A1	1245	C	P-O3'-C3'	15.66	138.50	119.70
39	A3	116	C	N3-C4-N4	15.66	128.97	118.00
38	A1	247	A	N1-C6-N6	15.66	128.00	118.60
38	A1	1762	G	N1-C6-O6	15.65	129.29	119.90
38	A1	2899	G	C5-C6-O6	-15.65	119.21	128.60
38	A1	2007	C	O4'-C1'-N1	15.65	120.72	108.20
38	A1	1835	A	N1-C6-N6	15.64	127.99	118.60
11	B2	408	C	P-O3'-C3'	15.64	138.47	119.70
38	A1	606	A	N1-C6-N6	15.63	127.98	118.60
38	A1	2383	A	C5-C6-N1	-15.63	109.88	117.70
38	A1	584	G	C8-N9-C4	15.63	112.65	106.40
38	A1	2019	C	N3-C4-C5	-15.62	115.65	121.90
38	A1	2794	G	N1-C6-O6	15.62	129.27	119.90
11	B2	132	G	N1-C6-O6	15.62	129.27	119.90
38	A1	2140	C	C6-N1-C2	-15.62	114.05	120.30
38	A1	2693	G	C5-C6-O6	-15.61	119.23	128.60
38	A1	2638	G	N1-C6-O6	15.60	129.26	119.90
38	A1	2289	A	N1-C6-N6	15.60	127.96	118.60
38	A1	206	A	C5-C6-N6	-15.60	111.22	123.70
38	A1	2324	C	P-O3'-C3'	15.58	138.40	119.70
38	A1	664	A	C5-C6-N1	-15.58	109.91	117.70
38	A1	1568	A	N1-C6-N6	15.57	127.94	118.60
38	A1	2045	C	O4'-C1'-N1	15.56	120.65	108.20
11	B2	310	G	C5-C6-O6	-15.56	119.26	128.60
11	B2	958	G	C5-C6-O6	-15.56	119.27	128.60
11	B2	1164	A	C8-N9-C4	-15.55	99.58	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1234	A	C5-C6-N1	-15.55	109.92	117.70
38	A1	2944	G	N1-C6-O6	15.54	129.22	119.90
38	A1	1486	G	C5-C6-O6	-15.54	119.28	128.60
38	A1	2338	A	P-O3'-C3'	15.54	138.34	119.70
38	A1	2526	G	N1-C6-O6	15.54	129.22	119.90
11	B2	717	C	C5-C4-N4	-15.53	109.33	120.20
38	A1	68	G	N1-C6-O6	15.53	129.22	119.90
10	B1	29	C	N3-C4-C5	-15.52	115.69	121.90
11	B2	762	G	N1-C6-O6	15.52	129.21	119.90
38	A1	2454	G	N1-C6-O6	15.51	129.21	119.90
11	B2	344	G	N1-C6-O6	15.51	129.20	119.90
38	A1	98	G	N1-C6-O6	15.50	129.20	119.90
38	A1	1005	G	C5-C6-O6	-15.50	119.30	128.60
38	A1	2841	G	N1-C6-O6	15.50	129.20	119.90
38	A1	448	A	N1-C6-N6	15.50	127.90	118.60
38	A1	2603	A	N1-C6-N6	15.50	127.90	118.60
38	A1	1585	U	O4'-C1'-N1	15.49	120.60	108.20
38	A1	2348	G	C5-C6-O6	-15.49	119.31	128.60
10	B1	36	A	N1-C6-N6	15.48	127.89	118.60
11	B2	27	C	N3-C4-N4	15.47	128.83	118.00
38	A1	1249	G	N1-C6-O6	15.47	129.18	119.90
11	B2	717	C	C6-N1-C2	-15.46	114.11	120.30
38	A1	2242	A	N1-C6-N6	15.46	127.88	118.60
38	A1	2474	A	C2-N3-C4	15.46	118.33	110.60
38	A1	848	A	C5-C6-N1	-15.45	109.97	117.70
38	A1	117	A	N1-C6-N6	15.45	127.87	118.60
38	A1	1470	C	N3-C4-C5	-15.45	115.72	121.90
9	AX	156	TYR	CB-CG-CD1	15.45	130.27	121.00
11	B2	1452	G	C5-C6-O6	-15.45	119.33	128.60
38	A1	2957	G	N1-C6-O6	15.45	129.17	119.90
38	A1	1863	G	C5-C6-O6	-15.45	119.33	128.60
11	B2	860	G	N1-C6-O6	15.43	129.16	119.90
38	A1	295	G	N1-C6-O6	15.42	129.15	119.90
38	A1	1208	A	N1-C2-N3	15.42	137.01	129.30
38	A1	1256	G	N1-C6-O6	15.42	129.15	119.90
11	B2	1146	G	N1-C6-O6	15.41	129.15	119.90
38	A1	405	G	C5-C6-N1	-15.41	103.80	111.50
38	A1	870	G	N1-C6-O6	15.40	129.14	119.90
38	A1	1228	G	C5-C6-O6	-15.39	119.37	128.60
3	Af	42	ARG	NE-CZ-NH2	-15.38	112.61	120.30
38	A1	1045	A	N1-C6-N6	15.38	127.83	118.60
10	B1	38	G	C5-C6-O6	-15.38	119.37	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2643	U	O4'-C1'-N1	15.38	120.50	108.20
38	A1	905	G	N1-C6-O6	15.37	129.12	119.90
38	A1	1095	A	N1-C6-N6	15.37	127.82	118.60
11	B2	623	C	N3-C4-N4	15.37	128.76	118.00
11	B2	969	A	N1-C6-N6	15.36	127.82	118.60
38	A1	1096	A	O4'-C1'-N9	15.37	120.49	108.20
38	A1	2363	G	O4'-C1'-N9	15.37	120.49	108.20
38	A1	1392	G	N1-C6-O6	15.36	129.12	119.90
38	A1	1530	A	N1-C6-N6	15.35	127.81	118.60
11	B2	29	G	C5-C6-O6	-15.34	119.39	128.60
11	B2	185	G	C5-C6-O6	-15.34	119.40	128.60
11	B2	608	G	C5-C6-O6	-15.34	119.40	128.60
38	A1	1737	A	N1-C6-N6	15.33	127.80	118.60
38	A1	2434	A	N1-C6-N6	15.33	127.80	118.60
38	A1	1296	A	N1-C2-N3	15.33	136.96	129.30
11	B2	836	G	N1-C6-O6	15.32	129.09	119.90
38	A1	729	A	C4-C5-C6	15.32	124.66	117.00
11	B2	1211	A	N1-C6-N6	15.29	127.78	118.60
38	A1	735	A	O4'-C1'-N9	15.29	120.44	108.20
38	A1	2002	A	N1-C6-N6	15.30	127.78	118.60
11	B2	1238	G	C4-C5-N7	15.29	116.92	110.80
11	B2	1445	A	C5-C6-N6	-15.29	111.47	123.70
38	A1	1136	G	N1-C6-O6	15.29	129.07	119.90
11	B2	229	G	N1-C6-O6	15.29	129.07	119.90
10	B1	47	G	O4'-C1'-N9	15.29	120.43	108.20
11	B2	996	A	N1-C6-N6	15.29	127.77	118.60
38	A1	2257	A	O4'-C1'-N9	15.28	120.43	108.20
38	A1	1296	A	N1-C6-N6	15.28	127.77	118.60
38	A1	122	G	C5-C6-O6	-15.27	119.44	128.60
11	B2	141	C	O4'-C1'-N1	15.27	120.42	108.20
38	A1	2222	C	N3-C4-C5	-15.27	115.79	121.90
38	A1	314	A	O4'-C1'-N9	15.26	120.41	108.20
38	A1	2780	G	N1-C6-O6	15.26	129.06	119.90
11	B2	1240	A	N1-C6-N6	15.26	127.76	118.60
38	A1	2171	G	N1-C6-O6	15.26	129.05	119.90
38	A1	2423	G	O4'-C1'-N9	15.25	120.40	108.20
11	B2	1428	G	C5-C6-O6	-15.25	119.45	128.60
38	A1	1998	G	N1-C6-O6	15.25	129.05	119.90
11	B2	780	C	N3-C4-C5	-15.24	115.80	121.90
39	A3	124	A	P-O3'-C3'	15.24	137.99	119.70
39	A3	88	A	N1-C6-N6	15.24	127.74	118.60
38	A1	2666	G	N1-C6-O6	15.23	129.04	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	159	C	N3-C4-C5	-15.23	115.81	121.90
11	B2	1013	G	N3-C2-N2	15.22	130.56	119.90
38	A1	196	A	C5-C6-N6	-15.22	111.52	123.70
38	A1	306	G	C5-C6-O6	-15.22	119.47	128.60
38	A1	2402	A	N1-C2-N3	15.21	136.90	129.30
38	A1	1859	A	N1-C6-N6	15.20	127.72	118.60
38	A1	1109	G	N1-C6-O6	15.20	129.02	119.90
38	A1	2948	A	P-O3'-C3'	15.20	137.94	119.70
38	A1	43	G	P-O3'-C3'	15.20	137.94	119.70
38	A1	619	G	N1-C6-O6	15.20	129.02	119.90
38	A1	2719	G	N1-C6-O6	15.20	129.02	119.90
11	B2	358	G	C2-N3-C4	15.19	119.50	111.90
38	A1	1295	G	C5-N7-C8	15.19	111.90	104.30
38	A1	1393	C	O4'-C1'-N1	15.19	120.35	108.20
38	A1	19	G	C8-N9-C4	-15.18	100.33	106.40
38	A1	2365	G	C5-C6-O6	-15.18	119.49	128.60
11	B2	1066	C	N3-C4-C5	-15.18	115.83	121.90
38	A1	3011	G	N1-C6-O6	15.18	129.01	119.90
38	A1	793	C	N3-C4-C5	-15.18	115.83	121.90
38	A1	406	G	O4'-C1'-N9	15.18	120.34	108.20
38	A1	2042	A	N1-C6-N6	15.18	127.71	118.60
38	A1	2677	U	O4'-C1'-N1	15.17	120.33	108.20
38	A1	2957	G	C5-C6-O6	-15.17	119.50	128.60
11	B2	434	A	N1-C6-N6	15.17	127.70	118.60
38	A1	890	G	O4'-C1'-N9	15.16	120.33	108.20
38	A1	1085	G	P-O3'-C3'	15.16	137.90	119.70
38	A1	565	A	N1-C6-N6	15.16	127.70	118.60
38	A1	2430	C	N3-C4-N4	15.15	128.61	118.00
38	A1	1216	A	N1-C6-N6	15.15	127.69	118.60
38	A1	2624	G	N1-C6-O6	15.15	128.99	119.90
38	A1	909	A	N1-C6-N6	15.14	127.68	118.60
11	B2	1198	A	N1-C6-N6	15.13	127.68	118.60
38	A1	649	A	N1-C6-N6	15.12	127.67	118.60
11	B2	320	G	N1-C6-O6	15.12	128.97	119.90
38	A1	595	C	O4'-C1'-N1	15.12	120.29	108.20
38	A1	1082	A	N1-C6-N6	15.12	127.67	118.60
38	A1	1137	G	N1-C6-O6	15.12	128.97	119.90
38	A1	2883	C	O4'-C1'-N1	15.12	120.29	108.20
11	B2	1093	C	C6-N1-C2	-15.11	114.25	120.30
11	B2	662	C	N3-C4-N4	15.11	128.58	118.00
38	A1	1676	G	N1-C6-O6	15.10	128.96	119.90
38	A1	1791	A	N1-C6-N6	15.10	127.66	118.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2281	A	C5-C6-N6	-15.10	111.62	123.70
11	B2	294	A	N1-C6-N6	15.10	127.66	118.60
39	A3	47	G	N1-C6-O6	15.10	128.96	119.90
11	B2	1134	G	N9-C4-C5	15.09	111.44	105.40
38	A1	694	A	N1-C6-N6	15.09	127.65	118.60
38	A1	3015	A	N1-C6-N6	15.08	127.65	118.60
11	B2	1176	C	C5-C4-N4	-15.08	109.65	120.20
38	A1	1586	G	N1-C6-O6	15.07	128.94	119.90
38	A1	852	A	N1-C6-N6	15.07	127.64	118.60
11	B2	697	A	N1-C6-N6	15.07	127.64	118.60
38	A1	985	A	N1-C6-N6	15.07	127.64	118.60
45	AC	9	ARG	NE-CZ-NH2	-15.06	112.77	120.30
38	A1	83	G	P-O3'-C3'	15.06	137.77	119.70
38	A1	1549	C	N3-C4-C5	-15.06	115.88	121.90
11	B2	335	G	N1-C6-O6	15.05	128.93	119.90
38	A1	1513	G	N1-C6-O6	15.05	128.93	119.90
11	B2	438	A	N1-C6-N6	15.04	127.63	118.60
11	B2	1157	G	N1-C6-O6	15.03	128.92	119.90
38	A1	3029	A	N1-C6-N6	15.03	127.62	118.60
11	B2	1227	A	N1-C6-N6	15.02	127.61	118.60
11	B2	628	G	C5-C6-O6	-15.02	119.59	128.60
11	B2	628	G	N1-C6-O6	15.02	128.91	119.90
38	A1	277	A	C5-C6-N6	-15.02	111.69	123.70
11	B2	211	G	N1-C6-O6	15.01	128.91	119.90
38	A1	777	A	N1-C6-N6	15.01	127.61	118.60
39	A3	65	G	C5-C6-O6	-15.01	119.59	128.60
38	A1	2650	G	N1-C6-O6	15.01	128.91	119.90
38	A1	2738	G	N1-C6-O6	15.01	128.91	119.90
38	A1	1858	G	C5-C6-O6	-15.01	119.60	128.60
11	B2	1236	G	N1-C6-O6	15.00	128.90	119.90
38	A1	2986	G	C8-N9-C4	-15.00	100.40	106.40
38	A1	166	G	C5-C6-O6	-15.00	119.60	128.60
11	B2	1392	G	N1-C6-O6	14.99	128.90	119.90
11	B2	25	C	N3-C4-C5	-14.99	115.91	121.90
11	B2	923	A	N1-C6-N6	14.99	127.59	118.60
11	B2	596	A	N1-C6-N6	14.98	127.59	118.60
38	A1	233	A	N1-C6-N6	14.98	127.59	118.60
38	A1	17	C	N3-C4-N4	14.98	128.49	118.00
38	A1	2586	A	N1-C6-N6	14.98	127.59	118.60
38	A1	2950	G	C5-C6-O6	-14.97	119.62	128.60
38	A1	702	G	C5-C6-O6	-14.96	119.62	128.60
38	A1	365	G	C5-C6-O6	-14.95	119.63	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	626	C	N3-C4-C5	-14.94	115.92	121.90
38	A1	522	A	C4-C5-C6	14.93	124.47	117.00
9	AX	348	ARG	NE-CZ-NH1	14.93	127.77	120.30
38	A1	1503	C	N3-C4-C5	-14.93	115.93	121.90
38	A1	347	G	C5-C6-O6	-14.93	119.64	128.60
38	A1	1894	A	N1-C6-N6	14.91	127.55	118.60
38	A1	1078	G	N1-C6-O6	14.90	128.84	119.90
38	A1	2056	A	C5-C6-N1	-14.90	110.25	117.70
38	A1	2878	A	O4'-C1'-N9	14.90	120.12	108.20
38	A1	639	C	P-O3'-C3'	14.89	137.57	119.70
38	A1	1117	C	N3-C4-C5	-14.89	115.94	121.90
11	B2	1053	A	N1-C6-N6	14.88	127.53	118.60
38	A1	2418	G	N1-C6-O6	14.88	128.83	119.90
38	A1	367	G	C5-C6-O6	-14.88	119.67	128.60
11	B2	958	G	N1-C6-O6	14.87	128.82	119.90
38	A1	374	C	N3-C4-C5	-14.87	115.95	121.90
11	B2	196	G	C5-N7-C8	14.86	111.73	104.30
38	A1	2211	C	O4'-C1'-N1	14.86	120.09	108.20
38	A1	842	C	C6-N1-C2	14.86	126.24	120.30
18	BF	95	TYR	CB-CG-CD2	14.85	129.91	121.00
38	A1	2359	G	N1-C6-O6	14.85	128.81	119.90
32	BT	59	TYR	CB-CG-CD1	-14.85	112.09	121.00
11	B2	199	A	P-O3'-C3'	14.85	137.52	119.70
11	B2	1233	G	C8-N9-C4	-14.85	100.46	106.40
11	B2	1294	G	N1-C6-O6	14.85	128.81	119.90
38	A1	1649	G	N1-C6-O6	14.85	128.81	119.90
11	B2	1345	G	C5-C6-O6	-14.84	119.70	128.60
11	B2	1361	G	C5-C6-O6	-14.84	119.70	128.60
11	B2	432	G	N1-C6-O6	14.84	128.80	119.90
38	A1	1915	G	N1-C6-O6	14.84	128.80	119.90
11	B2	430	G	C5-C6-O6	-14.83	119.70	128.60
38	A1	1059	C	C5-C4-N4	-14.83	109.82	120.20
11	B2	695	G	N1-C6-O6	14.82	128.79	119.90
38	A1	372	A	N1-C6-N6	14.82	127.49	118.60
11	B2	1061	A	N1-C6-N6	14.82	127.49	118.60
38	A1	1168	A	N1-C6-N6	14.82	127.49	118.60
39	A3	7	C	C6-N1-C2	-14.82	114.37	120.30
38	A1	1064	G	O4'-C1'-N9	14.82	120.05	108.20
38	A1	55	G	C5-C6-O6	-14.81	119.71	128.60
38	A1	1858	G	N1-C6-O6	14.81	128.79	119.90
38	A1	1280	C	N3-C4-C5	-14.81	115.98	121.90
11	B2	1306	A	P-O3'-C3'	14.81	137.47	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2871	A	O4'-C1'-N9	14.81	120.05	108.20
38	A1	90	A	N1-C6-N6	14.81	127.48	118.60
38	A1	1385	C	N3-C4-C5	-14.80	115.98	121.90
11	B2	682	A	N1-C6-N6	14.80	127.48	118.60
38	A1	2432	G	N1-C6-O6	14.80	128.78	119.90
39	A3	12	G	C5-C6-O6	-14.79	119.72	128.60
11	B2	307	G	C5-C6-O6	-14.79	119.72	128.60
38	A1	319	A	C4-C5-N7	-14.79	103.30	110.70
38	A1	2063	U	O4'-C1'-N1	14.79	120.03	108.20
38	A1	486	A	N1-C6-N6	14.79	127.47	118.60
11	B2	1235	A	N1-C6-N6	14.78	127.47	118.60
38	A1	364	A	P-O3'-C3'	14.78	137.44	119.70
11	B2	1054	A	N1-C6-N6	14.78	127.47	118.60
38	A1	838	A	C5-C6-N6	-14.78	111.88	123.70
38	A1	1130	G	C8-N9-C4	-14.78	100.49	106.40
38	A1	1156	G	C5-C6-O6	-14.77	119.73	128.60
11	B2	891	A	P-O3'-C3'	14.77	137.43	119.70
38	A1	1411	G	C5-C6-O6	-14.77	119.74	128.60
38	A1	2372	C	N3-C4-C5	-14.77	115.99	121.90
11	B2	806	G	P-O5'-C5'	14.76	144.52	120.90
38	A1	2497	G	C5-C6-O6	-14.76	119.74	128.60
11	B2	430	G	N1-C6-O6	14.75	128.75	119.90
11	B2	1380	C	O4'-C1'-N1	14.75	120.00	108.20
11	B2	1460	G	P-O3'-C3'	14.74	137.39	119.70
38	A1	271	G	C5-C6-O6	-14.74	119.76	128.60
38	A1	392	G	C5-C6-O6	-14.74	119.75	128.60
38	A1	2370	C	P-O3'-C3'	14.74	137.38	119.70
38	A1	2284	C	N3-C4-N4	14.73	128.31	118.00
11	B2	898	G	C5-C6-O6	-14.72	119.77	128.60
11	B2	712	G	N3-C2-N2	14.72	130.20	119.90
38	A1	325	G	C5-C6-O6	-14.72	119.77	128.60
38	A1	878	G	N1-C6-O6	14.72	128.73	119.90
38	A1	1608	G	N1-C6-O6	14.71	128.73	119.90
42	Aa	71	ARG	NE-CZ-NH2	-14.71	112.94	120.30
60	AM	59	TYR	CB-CG-CD1	-14.71	112.18	121.00
11	B2	662	C	N3-C4-C5	-14.70	116.02	121.90
38	A1	935	A	N1-C6-N6	14.70	127.42	118.60
11	B2	237	C	N3-C4-C5	-14.70	116.02	121.90
38	A1	1390	U	P-O3'-C3'	14.70	137.34	119.70
11	B2	1002	G	C5-C6-O6	-14.69	119.79	128.60
11	B2	1182	G	N1-C6-O6	14.69	128.71	119.90
38	A1	1256	G	C5-C6-O6	-14.69	119.79	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1968	A	N1-C6-N6	14.69	127.41	118.60
11	B2	229	G	C5-C6-O6	-14.68	119.79	128.60
38	A1	1603	G	C5-C6-O6	-14.68	119.79	128.60
38	A1	817	G	C4-C5-N7	14.67	116.67	110.80
38	A1	823	G	N1-C6-O6	14.67	128.70	119.90
11	B2	1059	C	N3-C4-N4	14.67	128.27	118.00
38	A1	422	G	N1-C2-N3	-14.67	115.10	123.90
57	Aj	82	ARG	NE-CZ-NH2	-14.66	112.97	120.30
11	B2	136	A	C4-C5-C6	14.65	124.33	117.00
38	A1	1901	A	C8-N9-C4	-14.65	99.94	105.80
11	B2	545	C	N3-C4-C5	-14.65	116.04	121.90
38	A1	953	G	N1-C6-O6	14.65	128.69	119.90
6	AT	32	ARG	NE-CZ-NH2	-14.64	112.98	120.30
38	A1	129	C	N3-C4-N4	14.64	128.25	118.00
11	B2	790	G	N1-C6-O6	14.64	128.68	119.90
38	A1	336	C	N3-C4-C5	-14.64	116.04	121.90
38	A1	1676	G	C5-C6-O6	-14.63	119.82	128.60
38	A1	932	C	N3-C4-C5	-14.62	116.05	121.90
39	A3	19	G	N1-C6-O6	14.61	128.67	119.90
38	A1	1601	G	C5-C6-O6	-14.61	119.83	128.60
11	B2	769	A	N1-C6-N6	14.61	127.36	118.60
38	A1	2171	G	C5-C6-O6	-14.61	119.84	128.60
38	A1	2540	A	C5-C6-N6	-14.61	112.02	123.70
11	B2	1092	G	N1-C6-O6	14.60	128.66	119.90
38	A1	434	G	N1-C6-O6	14.60	128.66	119.90
38	A1	2679	A	C4-C5-N7	-14.60	103.40	110.70
11	B2	1452	G	N1-C6-O6	14.60	128.66	119.90
38	A1	2291	G	C5-C6-O6	-14.60	119.84	128.60
38	A1	1443	G	P-O3'-C3'	14.60	137.22	119.70
11	B2	1458	A	N1-C6-N6	14.59	127.36	118.60
38	A1	2099	G	N1-C6-O6	14.59	128.66	119.90
38	A1	2252	C	O4'-C1'-N1	14.59	119.87	108.20
38	A1	2718	G	N1-C6-O6	14.59	128.65	119.90
11	B2	953	C	C6-N1-C2	-14.59	114.47	120.30
38	A1	2062	A	N9-C4-C5	14.59	111.63	105.80
38	A1	2705	C	C5-C4-N4	-14.58	109.99	120.20
38	A1	2649	A	N1-C6-N6	14.58	127.35	118.60
38	A1	2543	A	N1-C6-N6	14.57	127.34	118.60
38	A1	2596	G	N1-C6-O6	14.57	128.64	119.90
11	B2	246	A	P-O3'-C3'	14.56	137.18	119.70
38	A1	674	G	N1-C6-O6	14.56	128.64	119.90
11	B2	971	G	N1-C6-O6	14.56	128.63	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1203	G	C5-C6-O6	-14.56	119.86	128.60
11	B2	1019	A	P-O3'-C3'	14.56	137.17	119.70
38	A1	2988	A	O4'-C1'-N9	14.55	119.84	108.20
38	A1	22	C	N3-C4-N4	14.54	128.18	118.00
38	A1	460	C	N3-C4-C5	-14.54	116.08	121.90
11	B2	1306	A	C5-N7-C8	14.54	111.17	103.90
38	A1	854	G	N1-C6-O6	14.54	128.62	119.90
38	A1	2344	G	N1-C6-O6	14.54	128.62	119.90
11	B2	488	A	N1-C6-N6	14.54	127.32	118.60
38	A1	221	G	N1-C6-O6	14.54	128.62	119.90
38	A1	2237	A	N1-C6-N6	14.53	127.31	118.60
11	B2	1292	A	C4-C5-C6	14.52	124.26	117.00
38	A1	366	G	C6-C5-N7	-14.52	121.69	130.40
38	A1	1885	G	C2-N3-C4	-14.52	104.64	111.90
11	B2	548	A	N1-C6-N6	14.52	127.31	118.60
38	A1	1290	G	N1-C6-O6	14.51	128.61	119.90
11	B2	503	G	N1-C6-O6	14.51	128.61	119.90
38	A1	2997	G	C5-C6-O6	-14.51	119.89	128.60
11	B2	235	G	N1-C2-N3	-14.50	115.20	123.90
38	A1	948	C	N3-C4-C5	-14.50	116.10	121.90
38	A1	1696	G	N1-C6-O6	14.50	128.60	119.90
38	A1	734	C	P-O3'-C3'	14.49	137.09	119.70
38	A1	644	G	N1-C6-O6	14.49	128.59	119.90
11	B2	38	G	N1-C6-O6	14.48	128.59	119.90
39	A3	49	A	N1-C6-N6	14.48	127.29	118.60
11	B2	375	G	N1-C6-O6	14.48	128.59	119.90
11	B2	444	G	N1-C6-O6	14.48	128.59	119.90
38	A1	2657	A	N1-C6-N6	14.47	127.28	118.60
38	A1	55	G	N1-C6-O6	14.47	128.58	119.90
38	A1	1602	C	P-O3'-C3'	14.47	137.06	119.70
10	B1	47	G	C5-C6-O6	-14.47	119.92	128.60
11	B2	1131	G	C4-C5-N7	-14.46	105.01	110.80
11	B2	1162	G	N1-C6-O6	14.46	128.58	119.90
11	B2	1196	A	C5-C6-N1	-14.46	110.47	117.70
38	A1	2479	C	C2-N3-C4	14.46	127.13	119.90
38	A1	1046	A	N1-C2-N3	14.46	136.53	129.30
38	A1	710	G	N1-C6-O6	14.46	128.57	119.90
11	B2	295	G	N1-C6-O6	14.45	128.57	119.90
38	A1	668	G	C4-C5-N7	14.44	116.58	110.80
11	B2	871	A	P-O3'-C3'	14.44	137.03	119.70
38	A1	2093	A	C4-C5-C6	14.44	124.22	117.00
38	A1	2257	A	N1-C6-N6	14.44	127.27	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2244	G	P-O5'-C5'	14.43	144.00	120.90
38	A1	1753	G	N1-C6-O6	14.43	128.56	119.90
38	A1	2412	A	C4-C5-C6	14.43	124.22	117.00
11	B2	1466	G	C5-C6-O6	-14.43	119.94	128.60
38	A1	1533	G	C8-N9-C4	-14.43	100.63	106.40
38	A1	2696	G	C5-C6-O6	-14.43	119.94	128.60
11	B2	347	G	N1-C6-O6	14.43	128.56	119.90
38	A1	883	G	C5-C6-O6	-14.42	119.95	128.60
11	B2	1065	C	N3-C4-N4	14.42	128.09	118.00
11	B2	1001	A	N1-C6-N6	14.42	127.25	118.60
11	B2	731	A	N1-C6-N6	14.42	127.25	118.60
38	A1	1952	G	N1-C6-O6	14.41	128.55	119.90
38	A1	378	G	N1-C6-O6	14.41	128.55	119.90
38	A1	2294	A	C4-C5-C6	14.41	124.20	117.00
38	A1	1763	A	N1-C6-N6	14.40	127.24	118.60
11	B2	27	C	C5-C4-N4	-14.40	110.12	120.20
11	B2	360	A	N1-C6-N6	14.40	127.24	118.60
11	B2	910	G	N1-C6-O6	14.40	128.54	119.90
38	A1	2275	G	C5-C6-O6	-14.40	119.96	128.60
38	A1	2263	G	N1-C6-O6	14.39	128.54	119.90
10	B1	3	G	N1-C6-O6	14.39	128.54	119.90
38	A1	1726	A	C4-C5-C6	14.39	124.20	117.00
38	A1	924	A	N1-C6-N6	14.39	127.23	118.60
38	A1	1019	G	N1-C6-O6	14.39	128.53	119.90
38	A1	1749	C	N3-C4-C5	-14.39	116.14	121.90
11	B2	65	G	C4-C5-C6	14.38	127.43	118.80
11	B2	992	G	C5-C6-O6	-14.38	119.97	128.60
11	B2	1251	C	N3-C4-C5	-14.38	116.15	121.90
11	B2	93	A	O4'-C1'-N9	14.38	119.70	108.20
26	BN	20	ARG	NE-CZ-NH2	-14.38	113.11	120.30
38	A1	17	C	N3-C4-C5	-14.37	116.15	121.90
38	A1	994	G	N1-C6-O6	14.37	128.52	119.90
38	A1	485	G	N1-C6-O6	14.36	128.52	119.90
38	A1	553	C	N3-C4-N4	14.36	128.06	118.00
38	A1	859	G	P-O3'-C3'	14.36	136.94	119.70
39	A3	25	A	P-O3'-C3'	14.37	136.94	119.70
38	A1	708	A	C4-C5-C6	14.36	124.18	117.00
11	B2	201	G	P-O3'-C3'	14.36	136.93	119.70
38	A1	2474	A	N1-C6-N6	14.36	127.21	118.60
11	B2	988	A	N1-C6-N6	14.35	127.21	118.60
11	B2	1352	G	N1-C6-O6	14.35	128.51	119.90
11	B2	784	G	N1-C6-O6	14.35	128.51	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	845	G	C6-N1-C2	14.35	133.71	125.10
38	A1	1275	G	N1-C6-O6	14.34	128.51	119.90
39	A3	39	C	N3-C4-C5	-14.34	116.16	121.90
38	A1	2538	G	C5-C6-O6	-14.34	120.00	128.60
38	A1	2890	A	N1-C6-N6	14.33	127.20	118.60
11	B2	226	G	N1-C6-O6	14.33	128.50	119.90
38	A1	2770	A	N1-C6-N6	14.32	127.19	118.60
11	B2	1400	A	N1-C6-N6	14.32	127.19	118.60
38	A1	493	A	N1-C6-N6	14.32	127.19	118.60
10	B1	33	C	C6-N1-C2	-14.31	114.58	120.30
38	A1	1963	G	N1-C6-O6	14.30	128.48	119.90
38	A1	2120	C	N3-C4-C5	-14.30	116.18	121.90
38	A1	1212	A	C5-C6-N1	-14.30	110.55	117.70
38	A1	2806	A	C5-C6-N6	-14.30	112.26	123.70
38	A1	14	A	N1-C6-N6	14.30	127.18	118.60
38	A1	2514	C	C6-N1-C2	-14.30	114.58	120.30
11	B2	354	G	O4'-C1'-N9	14.29	119.64	108.20
11	B2	1470	G	N1-C6-O6	14.29	128.48	119.90
38	A1	331	G	C5-C6-N1	-14.29	104.35	111.50
38	A1	1570	C	N3-C4-N4	14.29	128.00	118.00
11	B2	55	G	C5-C6-O6	-14.29	120.03	128.60
11	B2	1283	G	C5-C6-O6	-14.29	120.03	128.60
38	A1	200	G	N1-C6-O6	14.29	128.47	119.90
38	A1	227	G	N1-C6-O6	14.29	128.47	119.90
11	B2	748	A	N1-C6-N6	14.29	127.17	118.60
41	AA	41	ARG	NE-CZ-NH2	14.29	127.44	120.30
38	A1	1538	A	C5-C6-N1	-14.28	110.56	117.70
38	A1	1241	C	C6-N1-C2	-14.28	114.59	120.30
38	A1	2718	G	C5-C6-O6	-14.28	120.03	128.60
38	A1	1845	C	O4'-C1'-N1	14.27	119.62	108.20
38	A1	1279	U	O4'-C1'-N1	14.26	119.61	108.20
11	B2	1079	G	C5-C6-O6	-14.26	120.05	128.60
38	A1	2179	G	C5-C6-O6	-14.26	120.05	128.60
11	B2	867	A	N1-C6-N6	14.26	127.16	118.60
38	A1	317	A	C5-N7-C8	14.26	111.03	103.90
38	A1	1260	C	P-O3'-C3'	14.25	136.80	119.70
38	A1	2604	G	C5-C6-O6	-14.25	120.05	128.60
38	A1	1374	G	N1-C6-O6	14.25	128.45	119.90
11	B2	1293	A	C5-C6-N1	-14.25	110.58	117.70
38	A1	2332	G	C5-C6-O6	-14.24	120.05	128.60
11	B2	1194	C	O4'-C1'-N1	14.24	119.59	108.20
11	B2	66	G	C5-C6-O6	-14.24	120.06	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1340	U	P-O3'-C3'	14.24	136.78	119.70
11	B2	63	G	C5-C6-O6	-14.23	120.06	128.60
11	B2	1331	G	N1-C6-O6	14.23	128.44	119.90
38	A1	2871	A	C5-C6-N1	-14.23	110.58	117.70
11	B2	962	G	N1-C6-O6	14.23	128.44	119.90
38	A1	1849	A	N1-C6-N6	14.23	127.14	118.60
38	A1	1985	G	C5-C6-O6	-14.23	120.06	128.60
39	A3	78	C	N3-C4-C5	-14.23	116.21	121.90
38	A1	1261	C	C6-N1-C2	-14.23	114.61	120.30
11	B2	432	G	C5-C6-O6	-14.22	120.07	128.60
38	A1	2303	A	C8-N9-C4	-14.21	100.11	105.80
38	A1	2338	A	N1-C6-N6	14.21	127.13	118.60
38	A1	1909	C	N3-C4-C5	-14.21	116.22	121.90
38	A1	2020	G	C5-C6-O6	-14.21	120.08	128.60
59	AL	127	ARG	NE-CZ-NH2	-14.21	113.20	120.30
38	A1	541	A	N1-C6-N6	14.21	127.12	118.60
38	A1	2693	G	N1-C6-O6	14.20	128.42	119.90
11	B2	844	G	C5-C6-O6	-14.20	120.08	128.60
38	A1	1517	G	C5-C6-O6	-14.20	120.08	128.60
11	B2	813	G	O4'-C1'-N9	14.20	119.56	108.20
38	A1	230	A	C5-C6-N1	-14.20	110.60	117.70
11	B2	485	A	N1-C6-N6	14.19	127.11	118.60
38	A1	389	C	N3-C4-C5	-14.18	116.23	121.90
38	A1	765	G	C5-C6-O6	-14.18	120.09	128.60
38	A1	2077	A	N1-C6-N6	14.18	127.11	118.60
38	A1	492	A	C4-C5-C6	14.18	124.09	117.00
38	A1	2539	G	C5-C6-O6	-14.17	120.10	128.60
11	B2	1244	C	O4'-C1'-N1	14.17	119.54	108.20
11	B2	100	A	N1-C6-N6	14.17	127.10	118.60
38	A1	850	C	C6-N1-C2	-14.16	114.64	120.30
11	B2	177	A	N1-C6-N6	14.15	127.09	118.60
11	B2	130	G	C5-C6-O6	-14.15	120.11	128.60
38	A1	2179	G	N1-C6-O6	14.15	128.39	119.90
38	A1	2760	A	N1-C6-N6	14.15	127.09	118.60
38	A1	735	A	N1-C6-N6	14.15	127.09	118.60
38	A1	947	C	N3-C4-C5	-14.15	116.24	121.90
38	A1	1779	C	N3-C4-C5	-14.14	116.24	121.90
38	A1	1578	C	C4-C5-C6	14.14	124.47	117.40
38	A1	866	G	N1-C6-O6	14.14	128.38	119.90
38	A1	1322	G	C5-C6-O6	-14.13	120.12	128.60
38	A1	1395	G	C5-C6-O6	-14.13	120.12	128.60
38	A1	2596	G	C8-N9-C4	-14.13	100.75	106.40

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2321	A	N1-C6-N6	14.12	127.08	118.60
38	A1	2705	C	N3-C4-N4	14.12	127.89	118.00
11	B2	85	A	C5-C6-N6	-14.12	112.41	123.70
11	B2	595	U	C5-C4-O4	-14.12	117.43	125.90
38	A1	1234	A	N1-C6-N6	14.12	127.07	118.60
11	B2	853	G	C2-N3-C4	14.12	118.96	111.90
38	A1	1422	G	N1-C6-O6	14.12	128.37	119.90
38	A1	1882	C	C6-N1-C2	-14.12	114.65	120.30
11	B2	1207	G	C5-C6-O6	-14.11	120.13	128.60
11	B2	663	G	O4'-C1'-N9	14.11	119.49	108.20
11	B2	845	G	C5-C6-N1	-14.11	104.45	111.50
11	B2	946	G	C5-C6-O6	-14.11	120.14	128.60
38	A1	1802	G	C4-C5-N7	-14.11	105.16	110.80
11	B2	159	C	N3-C4-N4	14.10	127.87	118.00
10	B1	32	A	N1-C6-N6	14.10	127.06	118.60
38	A1	1802	G	C5-N7-C8	14.10	111.35	104.30
38	A1	2154	G	N1-C6-O6	14.10	128.36	119.90
38	A1	2510	A	N1-C6-N6	14.09	127.06	118.60
38	A1	1813	A	C4-C5-C6	14.09	124.04	117.00
38	A1	906	G	N1-C6-O6	14.08	128.35	119.90
11	B2	1485	G	N1-C6-O6	14.08	128.35	119.90
38	A1	202	A	N1-C6-N6	14.08	127.05	118.60
10	B1	76	C	C2-N3-C4	14.07	126.94	119.90
38	A1	249	G	N1-C2-N3	-14.07	115.45	123.90
38	A1	365	G	N1-C6-O6	14.07	128.34	119.90
11	B2	233	C	C6-N1-C2	14.06	125.92	120.30
11	B2	1417	A	N1-C6-N6	14.06	127.04	118.60
38	A1	2832	G	C5-C6-O6	-14.06	120.16	128.60
38	A1	2023	A	N1-C6-N6	14.06	127.04	118.60
11	B2	375	G	C5-C6-O6	-14.05	120.17	128.60
38	A1	2175	G	C5-C6-O6	-14.05	120.17	128.60
38	A1	765	G	O4'-C1'-N9	14.04	119.44	108.20
38	A1	1129	G	N1-C6-O6	14.04	128.32	119.90
39	A3	118	G	N1-C6-O6	14.04	128.32	119.90
11	B2	1161	A	P-O3'-C3'	14.04	136.55	119.70
38	A1	1864	G	N1-C6-O6	14.04	128.32	119.90
38	A1	1107	G	N1-C6-O6	14.04	128.32	119.90
38	A1	2843	C	N3-C4-C5	-14.03	116.29	121.90
11	B2	56	A	C8-N9-C4	-14.03	100.19	105.80
11	B2	617	A	C5-C6-N1	-14.02	110.69	117.70
38	A1	2393	G	N1-C6-O6	14.02	128.31	119.90
38	A1	2680	A	N1-C6-N6	14.01	127.01	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1387	G	C5-C6-O6	-14.01	120.19	128.60
38	A1	1064	G	N1-C6-O6	14.00	128.30	119.90
38	A1	1634	A	C4-C5-C6	14.00	124.00	117.00
11	B2	623	C	C5-C4-N4	-13.99	110.41	120.20
11	B2	1244	C	C5-C4-N4	-13.99	110.41	120.20
38	A1	266	A	C5-C6-N1	-13.99	110.71	117.70
38	A1	1743	G	O4'-C1'-N9	13.98	119.39	108.20
11	B2	406	U	P-O3'-C3'	13.98	136.48	119.70
38	A1	2953	U	O4'-C1'-N1	13.98	119.38	108.20
38	A1	2334	G	C5-C6-O6	-13.98	120.21	128.60
38	A1	2664	G	N1-C6-O6	13.97	128.28	119.90
38	A1	555	G	N1-C6-O6	13.97	128.28	119.90
38	A1	522	A	C5-C6-N1	-13.96	110.72	117.70
11	B2	62	G	C5-C6-O6	-13.96	120.22	128.60
38	A1	979	G	C2-N3-C4	-13.96	104.92	111.90
38	A1	1529	A	N1-C6-N6	13.95	126.97	118.60
38	A1	2871	A	N1-C6-N6	13.95	126.97	118.60
11	B2	1451	C	C5-C6-N1	-13.94	114.03	121.00
38	A1	2841	G	C5-C6-O6	-13.93	120.24	128.60
11	B2	1026	A	C5-C6-N6	-13.93	112.56	123.70
38	A1	2780	G	C5-C6-O6	-13.93	120.24	128.60
11	B2	1204	C	N3-C4-C5	-13.92	116.33	121.90
38	A1	2521	U	C5-C6-N1	13.92	129.66	122.70
48	AE	149	ARG	NE-CZ-NH1	-13.92	113.34	120.30
11	B2	108	G	N1-C6-O6	13.92	128.25	119.90
11	B2	376	G	N1-C6-O6	13.92	128.25	119.90
38	A1	583	A	C5-C6-N1	-13.92	110.74	117.70
38	A1	2604	G	O4'-C1'-N9	13.92	119.34	108.20
11	B2	592	G	N1-C6-O6	13.91	128.25	119.90
38	A1	1809	G	C5-C6-O6	-13.91	120.25	128.60
11	B2	936	A	N1-C6-N6	13.91	126.95	118.60
38	A1	1296	A	C2-N3-C4	-13.91	103.64	110.60
10	B1	43	G	N1-C6-O6	13.91	128.25	119.90
11	B2	507	G	N1-C6-O6	13.91	128.25	119.90
11	B2	865	A	N1-C6-N6	13.91	126.94	118.60
19	BG	82	ARG	NE-CZ-NH2	-13.91	113.35	120.30
11	B2	11	A	N1-C6-N6	13.90	126.94	118.60
11	B2	582	G	N1-C6-O6	13.90	128.24	119.90
38	A1	1335	C	N3-C4-N4	13.90	127.73	118.00
11	B2	713	A	C8-N9-C4	13.90	111.36	105.80
11	B2	1021	C	C2-N3-C4	13.90	126.85	119.90
38	A1	596	C	C6-N1-C2	-13.90	114.74	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1372	C	C2-N3-C4	13.90	126.85	119.90
28	BP	9	ARG	NE-CZ-NH1	13.89	127.25	120.30
11	B2	1337	A	N1-C6-N6	13.89	126.94	118.60
38	A1	767	G	O4'-C1'-N9	13.89	119.31	108.20
38	A1	375	C	N3-C4-C5	-13.88	116.35	121.90
38	A1	2072	G	N1-C6-O6	13.88	128.23	119.90
10	B1	20	G	C5-C6-O6	-13.88	120.27	128.60
11	B2	1271	G	N1-C6-O6	13.87	128.22	119.90
38	A1	2343	G	C5-C6-O6	-13.87	120.28	128.60
38	A1	2749	G	O4'-C1'-N9	13.88	119.30	108.20
11	B2	1091	C	N3-C4-C5	-13.87	116.35	121.90
11	B2	1309	A	N1-C6-N6	13.87	126.92	118.60
48	AE	128	TYR	CB-CG-CD1	-13.87	112.68	121.00
38	A1	2037	A	C4-C5-C6	13.87	123.93	117.00
38	A1	2056	A	C4-C5-C6	13.87	123.93	117.00
38	A1	147	C	C5-C6-N1	13.87	127.93	121.00
11	B2	920	U	O4'-C1'-N1	13.86	119.29	108.20
38	A1	470	A	N1-C6-N6	13.86	126.92	118.60
38	A1	535	G	N1-C6-O6	13.85	128.21	119.90
11	B2	977	G	P-O3'-C3'	13.85	136.32	119.70
11	B2	965	G	N7-C8-N9	-13.85	106.18	113.10
38	A1	1036	C	C6-N1-C2	-13.85	114.76	120.30
32	BT	34	ARG	NE-CZ-NH2	-13.84	113.38	120.30
38	A1	84	A	N1-C6-N6	13.84	126.90	118.60
38	A1	2231	G	N1-C6-O6	13.84	128.20	119.90
10	B1	58	A	N1-C6-N6	13.83	126.90	118.60
11	B2	203	A	N1-C6-N6	13.83	126.89	118.60
11	B2	413	G	C5-C6-O6	-13.83	120.30	128.60
38	A1	430	A	C5-C6-N1	-13.83	110.79	117.70
11	B2	1331	G	C5-C6-O6	-13.82	120.31	128.60
11	B2	868	C	N3-C4-C5	-13.82	116.37	121.90
38	A1	235	G	C5-C6-O6	-13.82	120.31	128.60
11	B2	196	G	P-O3'-C3'	13.82	136.28	119.70
38	A1	119	U	P-O3'-C3'	13.82	136.28	119.70
38	A1	839	A	C5-C6-N6	-13.82	112.64	123.70
38	A1	201	C	N3-C4-N4	13.81	127.67	118.00
38	A1	789	G	N1-C6-O6	13.81	128.19	119.90
38	A1	1343	C	O4'-C1'-N1	13.81	119.25	108.20
38	A1	1949	A	N1-C6-N6	13.81	126.88	118.60
38	A1	1507	A	N1-C6-N6	13.80	126.88	118.60
11	B2	289	C	N3-C4-N4	13.80	127.66	118.00
38	A1	533	G	N1-C6-O6	13.80	128.18	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1965	C	C6-N1-C2	-13.79	114.78	120.30
38	A1	1723	A	N1-C6-N6	13.79	126.88	118.60
39	A3	12	G	N1-C6-O6	13.79	128.17	119.90
38	A1	1551	G	N1-C6-O6	13.78	128.17	119.90
38	A1	1932	G	N1-C6-O6	13.78	128.16	119.90
11	B2	1354	A	C5-N7-C8	13.77	110.79	103.90
39	A3	91	G	N1-C6-O6	13.77	128.16	119.90
38	A1	2471	A	N1-C6-N6	13.77	126.86	118.60
11	B2	664	G	C5-C6-O6	-13.77	120.34	128.60
38	A1	1436	A	N1-C6-N6	13.77	126.86	118.60
11	B2	682	A	C5-C6-N1	-13.76	110.82	117.70
11	B2	526	A	N1-C6-N6	13.76	126.86	118.60
15	BC	61	ARG	NE-CZ-NH2	-13.76	113.42	120.30
11	B2	399	A	C5-C6-N6	-13.76	112.70	123.70
38	A1	2899	G	N1-C6-O6	13.75	128.15	119.90
38	A1	2305	U	O4'-C1'-N1	13.75	119.20	108.20
38	A1	2274	C	O4'-C1'-N1	13.74	119.20	108.20
11	B2	136	A	N1-C6-N6	13.74	126.84	118.60
38	A1	1902	G	C5-C6-O6	-13.74	120.35	128.60
38	A1	1761	C	O4'-C1'-N1	13.74	119.19	108.20
11	B2	699	C	N3-C4-C5	-13.73	116.41	121.90
38	A1	2113	G	N1-C6-O6	13.73	128.14	119.90
38	A1	244	A	C5-C6-N6	-13.73	112.72	123.70
38	A1	2187	C	N3-C4-C5	-13.73	116.41	121.90
38	A1	536	G	N1-C6-O6	13.73	128.13	119.90
38	A1	662	A	C5-C6-N1	-13.72	110.84	117.70
38	A1	1091	G	C4-C5-N7	13.72	116.29	110.80
11	B2	1131	G	C4-C5-C6	13.72	127.03	118.80
38	A1	1377	G	N1-C6-O6	13.72	128.13	119.90
7	AU	77	TYR	CB-CG-CD1	13.71	129.23	121.00
11	B2	1404	C	O4'-C1'-N1	13.71	119.16	108.20
38	A1	1643	A	C5-C6-N1	-13.71	110.85	117.70
38	A1	2183	A	N1-C6-N6	13.70	126.82	118.60
11	B2	1229	A	N1-C6-N6	13.70	126.82	118.60
38	A1	780	G	O4'-C1'-N9	13.70	119.16	108.20
38	A1	1150	G	N1-C6-O6	13.70	128.12	119.90
45	AC	198	TYR	CB-CG-CD1	-13.70	112.78	121.00
38	A1	2526	G	C5-C6-O6	-13.70	120.38	128.60
11	B2	739	G	N1-C6-O6	13.69	128.12	119.90
38	A1	508	G	N1-C6-O6	13.69	128.11	119.90
38	A1	995	G	C5-C6-O6	-13.69	120.39	128.60
38	A1	2721	C	N3-C4-C5	-13.69	116.42	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	519	G	N1-C2-N3	-13.68	115.69	123.90
11	B2	243	G	C8-N9-C4	-13.68	100.93	106.40
11	B2	92	G	O4'-C1'-N9	13.68	119.14	108.20
11	B2	1093	C	C5-C6-N1	13.67	127.84	121.00
38	A1	1840	G	N1-C6-O6	13.67	128.10	119.90
38	A1	2431	C	N3-C4-C5	-13.67	116.43	121.90
38	A1	1696	G	C5-C6-O6	-13.67	120.40	128.60
38	A1	2429	G	N1-C6-O6	13.67	128.10	119.90
38	A1	2126	G	N1-C6-O6	13.67	128.10	119.90
38	A1	1034	G	O4'-C1'-N9	13.67	119.13	108.20
38	A1	1324	G	C6-C5-N7	-13.66	122.20	130.40
38	A1	1885	G	N1-C6-O6	13.66	128.10	119.90
11	B2	282	G	C5-C6-O6	-13.66	120.41	128.60
11	B2	334	G	N1-C6-O6	13.66	128.09	119.90
11	B2	1249	A	N1-C6-N6	13.65	126.79	118.60
11	B2	985	C	P-O3'-C3'	13.64	136.07	119.70
11	B2	1065	C	N3-C4-C5	-13.64	116.44	121.90
38	A1	2960	G	N1-C6-O6	13.64	128.09	119.90
5	AS	131	ARG	NE-CZ-NH2	-13.64	113.48	120.30
38	A1	2955	G	N1-C6-O6	13.64	128.08	119.90
38	A1	2691	G	N1-C6-O6	13.64	128.08	119.90
38	A1	910	G	N1-C6-O6	13.64	128.08	119.90
38	A1	1814	A	C4-C5-C6	13.64	123.82	117.00
38	A1	579	C	N3-C4-N4	13.63	127.54	118.00
38	A1	684	G	C5-C6-O6	-13.63	120.42	128.60
38	A1	1103	C	N3-C4-C5	-13.63	116.45	121.90
11	B2	7	G	N1-C6-O6	13.62	128.07	119.90
11	B2	382	G	N1-C6-O6	13.62	128.07	119.90
11	B2	1117	A	C5-C6-N1	-13.62	110.89	117.70
18	BF	95	TYR	CB-CG-CD1	-13.62	112.83	121.00
38	A1	1501	G	N1-C6-O6	13.62	128.07	119.90
38	A1	8	G	N1-C6-O6	13.61	128.07	119.90
41	AA	75	ARG	NE-CZ-NH1	13.62	127.11	120.30
38	A1	2982	G	C2-N3-C4	13.61	118.71	111.90
38	A1	2513	C	N3-C4-N4	13.61	127.53	118.00
11	B2	1283	G	N1-C6-O6	13.61	128.06	119.90
11	B2	727	G	N3-C2-N2	13.61	129.42	119.90
39	A3	47	G	C5-C6-O6	-13.61	120.44	128.60
38	A1	3000	U	O4'-C1'-N1	13.60	119.08	108.20
38	A1	1281	A	C5-C6-N6	-13.60	112.82	123.70
38	A1	598	C	C5-C6-N1	13.60	127.80	121.00
38	A1	1655	G	N1-C6-O6	13.60	128.06	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	516	A	N1-C6-N6	13.59	126.75	118.60
38	A1	305	G	N1-C6-O6	13.59	128.05	119.90
38	A1	1337	G	O4'-C1'-N9	13.59	119.07	108.20
38	A1	3004	C	N3-C4-N4	13.59	127.51	118.00
38	A1	1478	G	C5-C6-O6	-13.58	120.45	128.60
62	AO	51	TYR	CB-CG-CD2	-13.58	112.85	121.00
10	B1	25	G	C5-C6-O6	-13.58	120.45	128.60
11	B2	946	G	N1-C6-O6	13.57	128.04	119.90
11	B2	299	G	C6-C5-N7	-13.57	122.26	130.40
38	A1	1192	G	N3-C2-N2	13.57	129.40	119.90
38	A1	1525	G	N1-C6-O6	13.57	128.04	119.90
38	A1	171	A	C5-C6-N6	-13.57	112.85	123.70
27	BO	5	ARG	NE-CZ-NH2	-13.56	113.52	120.30
38	A1	848	A	C4-C5-C6	13.56	123.78	117.00
38	A1	699	A	C4-C5-C6	13.56	123.78	117.00
38	A1	2336	G	C2-N3-C4	13.56	118.68	111.90
11	B2	957	A	C8-N9-C4	-13.55	100.38	105.80
38	A1	860	A	C5-C6-N1	-13.55	110.92	117.70
38	A1	2455	G	N1-C6-O6	13.55	128.03	119.90
38	A1	981	A	P-O3'-C3'	13.55	135.96	119.70
38	A1	2500	G	C5-C6-O6	-13.55	120.47	128.60
11	B2	497	C	C6-N1-C2	-13.55	114.88	120.30
4	AQ	120	TYR	CB-CG-CD2	-13.54	112.87	121.00
11	B2	388	G	O4'-C1'-N9	13.54	119.04	108.20
11	B2	239	A	N1-C6-N6	13.54	126.72	118.60
38	A1	709	A	C5-C6-N1	-13.54	110.93	117.70
38	A1	1109	G	P-O3'-C3'	13.54	135.95	119.70
38	A1	1733	C	N3-C4-N4	13.54	127.48	118.00
38	A1	2963	G	O4'-C1'-N9	13.54	119.03	108.20
39	A3	80	G	N1-C6-O6	13.54	128.02	119.90
38	A1	1177	C	N3-C4-N4	13.53	127.47	118.00
38	A1	1433	C	C6-N1-C2	-13.53	114.89	120.30
38	A1	2346	A	N1-C6-N6	13.53	126.72	118.60
38	A1	2966	C	C5-C4-N4	-13.52	110.73	120.20
11	B2	1383	A	N1-C6-N6	13.52	126.71	118.60
38	A1	1137	G	C5-C6-O6	-13.52	120.49	128.60
38	A1	1357	G	O4'-C1'-N9	13.52	119.02	108.20
11	B2	860	G	C5-C6-O6	-13.52	120.49	128.60
38	A1	615	A	N1-C6-N6	13.51	126.71	118.60
38	A1	505	A	N1-C6-N6	13.51	126.70	118.60
38	A1	2126	G	C8-N9-C4	-13.51	101.00	106.40
38	A1	2173	U	C5-C4-O4	-13.51	117.80	125.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
60	AM	65	ARG	NE-CZ-NH1	13.50	127.05	120.30
38	A1	375	C	C2-N3-C4	13.50	126.65	119.90
63	AP	91	ARG	NE-CZ-NH1	13.50	127.05	120.30
39	A3	88	A	C4-C5-C6	13.49	123.75	117.00
38	A1	737	G	N1-C6-O6	13.49	127.99	119.90
38	A1	2217	C	N3-C4-C5	-13.49	116.50	121.90
38	A1	978	C	O4'-C1'-N1	13.49	118.99	108.20
11	B2	1379	G	C5-C6-O6	-13.48	120.51	128.60
38	A1	2418	G	C5-C6-O6	-13.48	120.51	128.60
38	A1	168	G	C5-C6-O6	-13.48	120.51	128.60
38	A1	1765	A	N1-C6-N6	13.48	126.69	118.60
11	B2	6	G	C5-C6-O6	-13.48	120.52	128.60
38	A1	2393	G	C5-C6-O6	-13.47	120.52	128.60
38	A1	1176	C	N1-C2-N3	-13.47	109.77	119.20
38	A1	2398	C	N3-C4-N4	13.47	127.43	118.00
38	A1	468	A	N1-C6-N6	13.47	126.68	118.60
5	AS	59	ARG	NE-CZ-NH2	-13.47	113.57	120.30
11	B2	784	G	C5-C6-O6	-13.47	120.52	128.60
11	B2	906	G	O4'-C1'-N9	13.47	118.97	108.20
38	A1	792	A	N1-C6-N6	13.47	126.68	118.60
38	A1	2063	U	N1-C2-N3	-13.47	106.82	114.90
67	AZ	25	ARG	NE-CZ-NH2	13.47	127.03	120.30
38	A1	1789	A	C5-C6-N6	-13.47	112.93	123.70
11	B2	952	A	C4-C5-C6	13.46	123.73	117.00
11	B2	435	A	C5-C6-N1	-13.46	110.97	117.70
38	A1	1946	G	C8-N9-C4	-13.46	101.02	106.40
38	A1	2898	G	C5-C6-O6	-13.45	120.53	128.60
38	A1	1260	C	N3-C4-C5	-13.45	116.52	121.90
38	A1	1438	C	N3-C4-C5	-13.45	116.52	121.90
38	A1	2315	G	C5-C6-O6	-13.45	120.53	128.60
38	A1	1107	G	C5-C6-O6	-13.44	120.53	128.60
11	B2	1438	A	N1-C6-N6	13.44	126.67	118.60
38	A1	892	U	N3-C4-O4	13.44	128.81	119.40
38	A1	1197	G	N1-C6-O6	13.44	127.96	119.90
38	A1	1861	G	N1-C6-O6	13.44	127.96	119.90
11	B2	1423	A	C5-C6-N6	-13.44	112.95	123.70
38	A1	494	C	C5-C6-N1	13.44	127.72	121.00
38	A1	2862	A	N1-C6-N6	13.44	126.66	118.60
10	B1	64	C	C6-N1-C2	-13.43	114.93	120.30
38	A1	56	G	N1-C6-O6	13.42	127.95	119.90
38	A1	2562	G	N1-C6-O6	13.42	127.95	119.90
11	B2	712	G	N1-C2-N3	-13.42	115.85	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	529	C	C2-N3-C4	13.42	126.61	119.90
38	A1	2426	U	O4'-C1'-N1	13.41	118.93	108.20
11	B2	29	G	N1-C6-O6	13.41	127.95	119.90
38	A1	2172	G	P-O3'-C3'	13.41	135.79	119.70
11	B2	36	G	O4'-C1'-N9	13.40	118.92	108.20
11	B2	652	C	O4'-C1'-N1	13.40	118.92	108.20
38	A1	920	G	N1-C6-O6	13.40	127.94	119.90
38	A1	928	A	N1-C6-N6	13.40	126.64	118.60
38	A1	1750	C	N3-C4-N4	13.39	127.38	118.00
38	A1	2737	G	N1-C6-O6	13.39	127.93	119.90
38	A1	1035	G	O4'-C1'-N9	13.39	118.91	108.20
38	A1	2861	A	C4-C5-C6	13.38	123.69	117.00
38	A1	3041	U	P-O3'-C3'	13.39	135.76	119.70
38	A1	386	A	N1-C6-N6	13.38	126.63	118.60
11	B2	220	G	C5-C6-O6	-13.38	120.57	128.60
38	A1	111	U	O4'-C1'-N1	13.38	118.90	108.20
38	A1	2835	A	N1-C6-N6	13.38	126.63	118.60
38	A1	577	C	N3-C4-N4	13.37	127.36	118.00
38	A1	699	A	N1-C6-N6	13.37	126.62	118.60
38	A1	1104	A	N1-C6-N6	13.37	126.62	118.60
38	A1	2340	A	N1-C6-N6	13.37	126.62	118.60
11	B2	1237	G	N1-C6-O6	13.37	127.92	119.90
38	A1	652	G	C5-C6-O6	-13.36	120.58	128.60
38	A1	1553	G	P-O3'-C3'	13.36	135.73	119.70
11	B2	934	G	C5-C6-O6	-13.36	120.58	128.60
38	A1	1248	C	N3-C4-C5	-13.36	116.56	121.90
16	BD	154	TYR	CB-CG-CD1	-13.35	112.99	121.00
38	A1	871	G	N1-C6-O6	13.35	127.91	119.90
38	A1	2139	A	N1-C6-N6	13.35	126.61	118.60
38	A1	936	G	P-O3'-C3'	13.35	135.71	119.70
38	A1	1681	G	N1-C6-O6	13.35	127.91	119.90
38	A1	552	A	N1-C6-N6	13.34	126.60	118.60
38	A1	1194	G	N1-C6-O6	13.34	127.90	119.90
11	B2	350	G	C5-C6-O6	-13.34	120.60	128.60
11	B2	1361	G	N1-C6-O6	13.34	127.90	119.90
39	A3	102	G	N1-C6-O6	13.34	127.90	119.90
38	A1	2761	G	C5-C6-O6	-13.33	120.60	128.60
11	B2	1151	A	N1-C6-N6	13.33	126.60	118.60
38	A1	1276	G	N1-C6-O6	13.32	127.89	119.90
11	B2	985	C	N3-C4-N4	13.32	127.33	118.00
38	A1	1119	A	N1-C6-N6	13.32	126.59	118.60
39	A3	35	A	C8-N9-C4	-13.32	100.47	105.80

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	439	G	N1-C6-O6	13.32	127.89	119.90
38	A1	914	U	O4'-C1'-N1	13.32	118.85	108.20
11	B2	361	A	N1-C2-N3	13.31	135.96	129.30
11	B2	66	G	N1-C6-O6	13.31	127.89	119.90
38	A1	208	A	N1-C6-N6	13.31	126.59	118.60
38	A1	701	G	C5-C6-O6	-13.31	120.61	128.60
10	B1	60	A	O4'-C1'-N9	13.31	118.85	108.20
38	A1	202	A	O4'-C1'-N9	13.31	118.85	108.20
16	BD	156	ARG	NE-CZ-NH1	-13.31	113.65	120.30
38	A1	744	G	C2-N3-C4	13.31	118.55	111.90
38	A1	1741	C	N3-C4-N4	13.31	127.32	118.00
11	B2	551	U	C5-C4-O4	-13.31	117.92	125.90
11	B2	648	A	N1-C6-N6	13.30	126.58	118.60
60	AM	26	ARG	NE-CZ-NH2	-13.30	113.65	120.30
11	B2	376	G	C5-C6-O6	-13.30	120.62	128.60
11	B2	698	A	N9-C4-C5	13.30	111.12	105.80
38	A1	2764	G	C5-C6-O6	-13.30	120.62	128.60
11	B2	477	G	C5-C6-O6	-13.30	120.62	128.60
38	A1	2127	G	C8-N9-C4	-13.30	101.08	106.40
11	B2	599	G	C5-C6-O6	-13.30	120.62	128.60
38	A1	485	G	C6-C5-N7	-13.29	122.42	130.40
38	A1	1116	A	N1-C6-N6	13.29	126.58	118.60
11	B2	169	C	O4'-C1'-N1	13.29	118.83	108.20
38	A1	2240	G	C5-C6-O6	-13.29	120.62	128.60
38	A1	2251	G	N9-C4-C5	-13.29	100.08	105.40
38	A1	586	A	C8-N9-C4	-13.29	100.48	105.80
11	B2	1356	A	C5-N7-C8	13.28	110.54	103.90
38	A1	395	G	C5-C6-O6	-13.28	120.63	128.60
38	A1	720	C	N3-C4-C5	-13.28	116.59	121.90
11	B2	1273	G	C5-C6-O6	-13.28	120.63	128.60
38	A1	587	A	C5-N7-C8	13.27	110.54	103.90
38	A1	1024	G	O4'-C1'-N9	13.27	118.82	108.20
38	A1	2454	G	C5-C6-O6	-13.27	120.64	128.60
38	A1	3002	A	N1-C6-N6	13.27	126.56	118.60
11	B2	926	C	C6-N1-C2	-13.27	114.99	120.30
38	A1	483	C	O4'-C1'-N1	13.27	118.82	108.20
38	A1	2443	G	C5-C6-O6	-13.27	120.64	128.60
38	A1	979	G	N1-C6-O6	13.27	127.86	119.90
38	A1	1840	G	N3-C4-C5	13.27	135.24	128.60
11	B2	713	A	N7-C8-N9	-13.27	107.17	113.80
11	B2	1384	G	N1-C6-O6	13.26	127.86	119.90
11	B2	733	C	N3-C4-C5	-13.26	116.60	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1059	C	C5-C4-N4	-13.26	110.92	120.20
38	A1	518	A	P-O3'-C3'	13.26	135.61	119.70
38	A1	2900	C	C2-N3-C4	13.26	126.53	119.90
11	B2	1306	A	N7-C8-N9	-13.26	107.17	113.80
38	A1	121	G	N1-C6-O6	13.26	127.85	119.90
38	A1	1668	G	N1-C6-O6	13.26	127.85	119.90
38	A1	1517	G	N1-C6-O6	13.25	127.85	119.90
11	B2	302	A	C8-N9-C4	-13.24	100.50	105.80
11	B2	213	C	N3-C4-N4	13.24	127.27	118.00
38	A1	1827	A	N1-C6-N6	13.24	126.54	118.60
38	A1	1968	A	C4-C5-C6	13.24	123.62	117.00
38	A1	2694	C	N3-C4-N4	13.24	127.27	118.00
38	A1	2403	G	N1-C6-O6	13.24	127.84	119.90
38	A1	184	A	N1-C6-N6	13.23	126.54	118.60
38	A1	506	G	O4'-C1'-N9	13.23	118.79	108.20
38	A1	1387	G	N1-C6-O6	13.23	127.84	119.90
38	A1	2672	A	N1-C6-N6	13.23	126.54	118.60
11	B2	92	G	N1-C6-O6	13.23	127.84	119.90
11	B2	618	G	O4'-C1'-N9	13.23	118.78	108.20
46	AD	251	ARG	NE-CZ-NH1	13.23	126.92	120.30
38	A1	273	G	C6-C5-N7	-13.23	122.46	130.40
38	A1	883	G	N1-C6-O6	13.23	127.84	119.90
38	A1	2102	A	N1-C6-N6	13.23	126.54	118.60
38	A1	1874	G	C4-C5-N7	13.22	116.09	110.80
38	A1	2529	G	N1-C6-O6	13.22	127.83	119.90
10	B1	30	G	C8-N9-C4	13.22	111.69	106.40
11	B2	546	G	N1-C6-O6	13.22	127.83	119.90
38	A1	1415	C	O4'-C1'-N1	13.22	118.78	108.20
38	A1	2014	A	N1-C6-N6	13.22	126.53	118.60
38	A1	211	A	N1-C6-N6	13.21	126.53	118.60
38	A1	2096	G	C5-C6-O6	-13.21	120.67	128.60
11	B2	1161	A	C5-C6-N6	-13.20	113.14	123.70
38	A1	1429	A	C5-N7-C8	13.20	110.50	103.90
38	A1	584	G	N9-C4-C5	-13.20	100.12	105.40
11	B2	723	G	N1-C6-O6	13.20	127.82	119.90
11	B2	955	G	C5-C6-O6	-13.20	120.68	128.60
11	B2	1231	G	C5-C6-O6	-13.20	120.68	128.60
38	A1	506	G	C5-C6-O6	-13.20	120.68	128.60
11	B2	1237	G	C5-C6-O6	-13.19	120.68	128.60
38	A1	1292	C	C6-N1-C2	-13.19	115.02	120.30
38	A1	1767	C	N3-C4-N4	13.19	127.24	118.00
11	B2	136	A	C5-C6-N1	-13.19	111.10	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1324	G	N1-C6-O6	13.19	127.82	119.90
38	A1	1612	G	N1-C6-O6	13.19	127.82	119.90
11	B2	349	A	C5-C6-N1	-13.19	111.11	117.70
38	A1	3036	C	P-O3'-C3'	13.19	135.52	119.70
11	B2	146	A	N1-C6-N6	13.18	126.51	118.60
11	B2	351	C	O4'-C1'-N1	13.18	118.75	108.20
11	B2	1041	C	C2-N3-C4	13.18	126.49	119.90
38	A1	2873	G	C5-C6-O6	-13.18	120.69	128.60
11	B2	997	G	N9-C4-C5	13.18	110.67	105.40
30	BR	63	TYR	CB-CG-CD2	-13.18	113.09	121.00
38	A1	488	A	N1-C6-N6	13.18	126.50	118.60
38	A1	1147	G	N1-C6-O6	13.18	127.81	119.90
38	A1	937	A	N1-C6-N6	13.17	126.50	118.60
38	A1	1970	G	N1-C6-O6	13.17	127.80	119.90
11	B2	447	A	N9-C4-C5	13.17	111.07	105.80
11	B2	1015	C	N3-C4-N4	13.17	127.22	118.00
32	BT	33	ARG	NE-CZ-NH1	13.17	126.89	120.30
38	A1	1726	A	C5-C6-N6	-13.17	113.16	123.70
11	B2	1165	U	O4'-C1'-N1	13.17	118.73	108.20
38	A1	611	G	N7-C8-N9	13.17	119.68	113.10
38	A1	576	G	C5-C6-O6	-13.16	120.70	128.60
38	A1	705	G	N1-C6-O6	13.16	127.80	119.90
38	A1	2889	A	N1-C6-N6	13.16	126.50	118.60
38	A1	2005	A	C5-C6-N6	-13.16	113.17	123.70
38	A1	382	G	N1-C2-N3	-13.16	116.01	123.90
4	AQ	43	ARG	NE-CZ-NH2	-13.15	113.72	120.30
38	A1	966	G	N1-C6-O6	13.15	127.79	119.90
38	A1	1574	A	N1-C6-N6	13.15	126.49	118.60
11	B2	266	A	C5-N7-C8	13.15	110.48	103.90
38	A1	1732	C	P-O3'-C3'	13.15	135.48	119.70
38	A1	376	C	O4'-C1'-N1	13.14	118.72	108.20
38	A1	803	A	C5-C6-N1	-13.14	111.13	117.70
66	AY	118	ARG	NE-CZ-NH2	13.14	126.87	120.30
11	B2	398	C	C6-N1-C2	-13.14	115.04	120.30
38	A1	1993	A	N1-C6-N6	13.14	126.48	118.60
38	A1	3004	C	C5-C4-N4	-13.14	111.00	120.20
39	A3	64	C	N3-C4-C5	-13.14	116.65	121.90
38	A1	84	A	N7-C8-N9	-13.13	107.23	113.80
47	Ad	66	ARG	NE-CZ-NH2	-13.13	113.73	120.30
11	B2	624	G	N1-C6-O6	13.12	127.78	119.90
11	B2	631	C	N3-C4-C5	-13.12	116.65	121.90
38	A1	628	A	C8-N9-C4	-13.12	100.55	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1176	C	C6-N1-C2	13.12	125.55	120.30
38	A1	2842	C	N3-C4-C5	-13.12	116.65	121.90
39	A3	1	C	N3-C4-C5	-13.12	116.65	121.90
39	A3	15	G	N3-C2-N2	13.12	129.09	119.90
38	A1	1573	A	N1-C6-N6	13.12	126.47	118.60
38	A1	1912	A	C5-C6-N1	-13.12	111.14	117.70
38	A1	1571	G	C5-C6-O6	-13.12	120.73	128.60
38	A1	2944	G	C5-C6-O6	-13.12	120.73	128.60
38	A1	918	A	C5-C6-N6	-13.11	113.21	123.70
38	A1	1145	G	N1-C6-O6	13.11	127.77	119.90
39	A3	13	C	N3-C4-C5	-13.11	116.66	121.90
11	B2	649	A	C5-C6-N1	-13.11	111.14	117.70
38	A1	866	G	C5-C6-O6	-13.10	120.74	128.60
38	A1	1302	G	N1-C6-O6	13.10	127.76	119.90
11	B2	1378	A	N1-C6-N6	13.10	126.46	118.60
38	A1	1268	A	N1-C6-N6	13.10	126.46	118.60
38	A1	856	A	N1-C6-N6	13.10	126.46	118.60
38	A1	1292	C	C5-C6-N1	13.10	127.55	121.00
38	A1	481	G	C5-N7-C8	13.09	110.85	104.30
38	A1	1121	C	N3-C4-C5	-13.09	116.66	121.90
38	A1	2323	C	N3-C4-C5	-13.09	116.66	121.90
38	A1	994	G	P-O3'-C3'	13.09	135.41	119.70
38	A1	1623	C	C5-C4-N4	-13.09	111.04	120.20
37	BY	17	ARG	NE-CZ-NH1	13.08	126.84	120.30
11	B2	65	G	C5-C6-N1	-13.08	104.96	111.50
11	B2	311	A	C2-N3-C4	13.08	117.14	110.60
38	A1	1501	G	C5-C6-O6	-13.08	120.75	128.60
11	B2	823	A	C4-C5-C6	13.08	123.54	117.00
38	A1	527	G	N1-C6-O6	13.08	127.75	119.90
38	A1	1788	G	N1-C6-O6	13.07	127.74	119.90
38	A1	1956	G	N1-C6-O6	13.07	127.74	119.90
38	A1	2109	C	C6-N1-C2	-13.07	115.07	120.30
38	A1	2350	G	N1-C6-O6	13.07	127.74	119.90
38	A1	457	C	N3-C4-N4	13.07	127.15	118.00
11	B2	827	G	N1-C6-O6	13.07	127.74	119.90
38	A1	217	A	N1-C6-N6	13.06	126.44	118.60
38	A1	267	C	O4'-C1'-N1	13.06	118.65	108.20
10	B1	59	A	P-O3'-C3'	13.06	135.37	119.70
11	B2	560	A	N1-C6-N6	13.05	126.43	118.60
38	A1	1368	A	N1-C6-N6	13.05	126.43	118.60
48	AE	58	ARG	NE-CZ-NH1	13.06	126.83	120.30
11	B2	1462	A	C4-C5-C6	13.05	123.53	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	168	G	N1-C6-O6	13.05	127.73	119.90
11	B2	1024	G	C8-N9-C4	-13.05	101.18	106.40
38	A1	729	A	C5-C6-N1	-13.05	111.17	117.70
38	A1	227	G	C5-C6-O6	-13.05	120.77	128.60
11	B2	1213	G	C6-C5-N7	-13.05	122.57	130.40
38	A1	1684	C	C6-N1-C2	-13.04	115.08	120.30
11	B2	338	C	N1-C2-O2	-13.04	111.07	118.90
11	B2	931	C	N3-C4-N4	13.04	127.13	118.00
38	A1	2548	A	P-O3'-C3'	13.04	135.35	119.70
38	A1	1557	G	N1-C6-O6	13.04	127.72	119.90
38	A1	1751	G	C5-C6-O6	-13.04	120.78	128.60
38	A1	1470	C	P-O3'-C3'	13.04	135.34	119.70
11	B2	698	A	C4-C5-C6	13.03	123.52	117.00
11	B2	992	G	N1-C6-O6	13.03	127.72	119.90
38	A1	1219	C	O4'-C1'-N1	13.03	118.62	108.20
39	A3	111	G	N1-C6-O6	13.03	127.72	119.90
11	B2	975	A	N1-C6-N6	13.02	126.41	118.60
38	A1	1513	G	O4'-C1'-N9	13.02	118.62	108.20
11	B2	387	G	C5-C6-O6	-13.02	120.79	128.60
38	A1	1369	G	N1-C6-O6	13.02	127.71	119.90
38	A1	666	A	N1-C6-N6	13.02	126.41	118.60
11	B2	1013	G	O4'-C1'-N9	13.01	118.61	108.20
38	A1	902	C	N3-C4-C5	-13.01	116.69	121.90
11	B2	603	G	C5-C6-N1	-13.01	105.00	111.50
38	A1	681	C	N3-C4-C5	-13.01	116.70	121.90
38	A1	1414	G	N1-C2-N3	-13.01	116.09	123.90
11	B2	468	G	C5-C6-O6	-13.01	120.80	128.60
11	B2	1035	C	N3-C4-C5	-13.01	116.70	121.90
38	A1	1605	A	C5-C6-N6	-13.01	113.30	123.70
38	A1	1730	C	C6-N1-C2	13.01	125.50	120.30
38	A1	2447	A	C5-C6-N1	-13.01	111.20	117.70
11	B2	608	G	N1-C6-O6	13.00	127.70	119.90
11	B2	976	A	O4'-C1'-N9	13.00	118.60	108.20
38	A1	1036	C	N3-C4-N4	13.00	127.10	118.00
11	B2	1266	A	C5-C6-N6	-13.00	113.30	123.70
11	B2	184	G	N3-C2-N2	13.00	129.00	119.90
11	B2	610	G	C8-N9-C4	-13.00	101.20	106.40
38	A1	481	G	N1-C6-O6	13.00	127.70	119.90
38	A1	1176	C	C2-N3-C4	13.00	126.40	119.90
38	A1	280	A	N1-C6-N6	13.00	126.40	118.60
11	B2	335	G	C5-C6-O6	-12.99	120.80	128.60
38	A1	1445	G	P-O3'-C3'	12.99	135.29	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1824	G	N1-C6-O6	12.99	127.70	119.90
10	B1	35	G	C5-C6-O6	-12.99	120.81	128.60
38	A1	2606	C	O4'-C1'-N1	12.99	118.59	108.20
38	A1	3010	C	N3-C4-C5	-12.99	116.70	121.90
38	A1	580	G	N1-C6-O6	12.99	127.69	119.90
38	A1	1701	C	C5-C6-N1	12.99	127.49	121.00
11	B2	1444	G	N1-C6-O6	12.98	127.69	119.90
39	A3	48	A	N1-C6-N6	12.98	126.39	118.60
11	B2	907	C	N3-C4-C5	-12.98	116.71	121.90
11	B2	266	A	N1-C6-N6	12.97	126.38	118.60
11	B2	42	G	P-O3'-C3'	12.97	135.26	119.70
38	A1	822	A	N1-C6-N6	12.97	126.38	118.60
11	B2	694	U	O4'-C1'-N1	12.97	118.57	108.20
38	A1	1224	A	N1-C6-N6	12.97	126.38	118.60
38	A1	573	G	N1-C6-O6	12.96	127.68	119.90
38	A1	2192	G	N1-C6-O6	12.96	127.68	119.90
38	A1	2956	G	N1-C6-O6	12.97	127.68	119.90
11	B2	396	C	O4'-C1'-N1	12.96	118.57	108.20
11	B2	1109	C	N3-C4-C5	-12.96	116.72	121.90
11	B2	772	G	N1-C6-O6	12.96	127.68	119.90
38	A1	1712	U	P-O3'-C3'	-12.96	104.15	119.70
38	A1	2797	C	O4'-C1'-N1	12.96	118.57	108.20
39	A3	91	G	C5-C6-O6	-12.96	120.83	128.60
11	B2	1380	C	C6-N1-C2	-12.96	115.12	120.30
11	B2	1293	A	C4-C5-C6	12.95	123.47	117.00
38	A1	642	G	N1-C6-O6	12.95	127.67	119.90
11	B2	1045	A	O4'-C1'-N9	12.95	118.56	108.20
38	A1	993	G	C5-C6-O6	-12.95	120.83	128.60
38	A1	2096	G	O4'-C1'-N9	12.95	118.56	108.20
38	A1	1635	G	N1-C2-N3	-12.94	116.13	123.90
38	A1	2792	G	N1-C6-O6	12.94	127.67	119.90
9	AX	369	ARG	NE-CZ-NH2	-12.94	113.83	120.30
38	A1	654	C	C6-N1-C2	-12.94	115.12	120.30
11	B2	1352	G	N3-C4-C5	-12.94	122.13	128.60
38	A1	583	A	C4-C5-C6	12.94	123.47	117.00
38	A1	2164	G	C8-N9-C4	-12.94	101.22	106.40
38	A1	2046	C	N3-C4-C5	-12.94	116.73	121.90
39	A3	94	G	N1-C2-N3	-12.94	116.14	123.90
11	B2	546	G	C5-C6-O6	-12.93	120.84	128.60
11	B2	1481	G	C5-C6-O6	-12.93	120.84	128.60
38	A1	1937	A	N1-C6-N6	12.93	126.36	118.60
11	B2	764	C	N3-C4-C5	-12.93	116.73	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	A3	45	C	N3-C4-N4	12.93	127.05	118.00
38	A1	803	A	N1-C6-N6	12.93	126.36	118.60
38	A1	2225	C	N3-C4-C5	-12.93	116.73	121.90
11	B2	422	U	P-O3'-C3'	12.92	135.21	119.70
38	A1	1263	C	O4'-C1'-N1	12.92	118.54	108.20
38	A1	2245	C	N3-C4-C5	-12.92	116.73	121.90
62	AO	84	TYR	CB-CG-CD2	-12.92	113.25	121.00
11	B2	601	G	C5-C6-O6	-12.92	120.85	128.60
38	A1	392	G	N1-C6-O6	12.92	127.65	119.90
38	A1	960	C	N3-C4-C5	-12.92	116.73	121.90
38	A1	1928	A	N1-C6-N6	12.92	126.35	118.60
11	B2	268	C	N3-C4-C5	-12.91	116.73	121.90
38	A1	295	G	C5-C6-O6	-12.91	120.85	128.60
38	A1	2781	A	O4'-C1'-N9	12.91	118.53	108.20
38	A1	859	G	O4'-C1'-N9	12.91	118.53	108.20
38	A1	3033	G	N1-C6-O6	12.91	127.65	119.90
11	B2	367	G	N1-C6-O6	12.91	127.65	119.90
11	B2	666	G	C5-C6-O6	-12.91	120.86	128.60
38	A1	1601	G	N3-C2-N2	12.91	128.94	119.90
11	B2	961	U	C5-C4-O4	-12.90	118.16	125.90
38	A1	1429	A	C5-C6-N1	-12.90	111.25	117.70
38	A1	2484	C	N3-C4-N4	12.90	127.03	118.00
39	A3	28	C	C6-N1-C2	-12.90	115.14	120.30
11	B2	994	C	N3-C4-C5	-12.90	116.74	121.90
11	B2	1005	G	C5-C6-O6	-12.90	120.86	128.60
38	A1	972	C	N3-C4-C5	-12.90	116.74	121.90
38	A1	2870	A	N1-C6-N6	12.89	126.33	118.60
38	A1	2973	A	C4-C5-C6	12.89	123.45	117.00
38	A1	694	A	O4'-C1'-N9	12.89	118.51	108.20
38	A1	231	G	C5-C6-O6	-12.89	120.87	128.60
11	B2	7	G	C5-C6-O6	-12.88	120.87	128.60
11	B2	77	G	N1-C6-O6	12.89	127.63	119.90
11	B2	153	G	C5-C6-O6	-12.89	120.87	128.60
11	B2	952	A	C5-C6-N1	-12.88	111.26	117.70
38	A1	1080	G	P-O3'-C3'	12.88	135.16	119.70
38	A1	2799	C	N3-C4-N4	12.88	127.02	118.00
11	B2	238	G	C5-C6-N1	12.88	117.94	111.50
38	A1	2063	U	C3'-C2'-C1'	-12.88	91.20	101.50
38	A1	2755	G	N3-C2-N2	12.88	128.91	119.90
38	A1	529	G	P-O3'-C3'	12.87	135.15	119.70
38	A1	2303	A	N1-C6-N6	12.87	126.32	118.60
38	A1	2724	A	N1-C6-N6	12.87	126.32	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	923	A	C5-C6-N6	-12.87	113.41	123.70
38	A1	743	A	N1-C6-N6	12.86	126.32	118.60
11	B2	232	G	N1-C6-O6	12.86	127.61	119.90
11	B2	1354	A	N7-C8-N9	-12.85	107.38	113.80
11	B2	1014	C	N3-C4-N4	12.85	126.99	118.00
38	A1	1280	C	C6-N1-C2	-12.85	115.16	120.30
38	A1	2387	A	N1-C6-N6	12.85	126.31	118.60
38	A1	1355	A	C4-C5-C6	12.85	123.42	117.00
38	A1	362	A	N1-C6-N6	12.85	126.31	118.60
11	B2	231	G	N1-C6-O6	12.84	127.61	119.90
38	A1	2674	C	C6-N1-C2	-12.84	115.16	120.30
11	B2	562	A	C8-N9-C4	-12.84	100.66	105.80
38	A1	1538	A	N1-C6-N6	12.84	126.30	118.60
11	B2	297	G	C5-C6-O6	-12.84	120.90	128.60
38	A1	2495	A	N1-C6-N6	12.84	126.30	118.60
11	B2	1252	C	O4'-C1'-N1	12.84	118.47	108.20
11	B2	44	C	N3-C4-C5	-12.83	116.77	121.90
11	B2	744	A	N1-C6-N6	12.83	126.30	118.60
38	A1	1990	U	P-O3'-C3'	12.83	135.10	119.70
38	A1	2094	A	N1-C6-N6	12.83	126.30	118.60
38	A1	3004	C	O4'-C1'-N1	12.83	118.47	108.20
39	A3	64	C	C2-N3-C4	12.83	126.32	119.90
38	A1	1263	C	C4-C5-C6	-12.83	110.98	117.40
38	A1	1332	A	C5-N7-C8	12.83	110.31	103.90
38	A1	1680	G	C4-C5-N7	-12.82	105.67	110.80
38	A1	2113	G	C5-C6-O6	-12.82	120.91	128.60
38	A1	2679	A	N1-C2-N3	12.82	135.71	129.30
11	B2	594	A	N1-C6-N6	12.82	126.29	118.60
11	B2	1478	A	N1-C6-N6	12.82	126.29	118.60
38	A1	889	C	N3-C4-N4	12.82	126.97	118.00
38	A1	1333	G	N1-C6-O6	12.82	127.59	119.90
11	B2	1393	A	N1-C6-N6	12.81	126.29	118.60
11	B2	1395	G	N1-C6-O6	12.81	127.59	119.90
38	A1	1811	G	O4'-C1'-N9	12.81	118.45	108.20
38	A1	3006	G	N1-C6-O6	12.81	127.59	119.90
38	A1	132	G	O4'-C1'-N9	12.81	118.45	108.20
38	A1	2709	C	N3-C4-N4	12.81	126.97	118.00
11	B2	1009	G	N1-C6-O6	12.81	127.58	119.90
38	A1	1999	G	N1-C6-O6	12.81	127.58	119.90
38	A1	597	C	C5-C4-N4	-12.81	111.24	120.20
38	A1	1553	G	C5-C6-O6	-12.81	120.92	128.60
11	B2	806	G	N1-C6-O6	12.80	127.58	119.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	B1	8	U	P-O3'-C3'	12.80	135.06	119.70
38	A1	758	C	P-O3'-C3'	12.80	135.06	119.70
38	A1	1082	A	P-O3'-C3'	12.80	135.06	119.70
38	A1	1003	C	P-O3'-C3'	12.79	135.05	119.70
38	A1	1523	A	N1-C6-N6	12.79	126.28	118.60
38	A1	3023	G	C5-C6-O6	-12.79	120.92	128.60
11	B2	553	C	N3-C4-C5	-12.79	116.78	121.90
11	B2	934	G	N1-C6-O6	12.79	127.57	119.90
38	A1	452	A	C5-N7-C8	12.79	110.29	103.90
38	A1	2094	A	C4-C5-C6	12.79	123.39	117.00
38	A1	117	A	C5-N7-C8	12.79	110.29	103.90
38	A1	253	G	N1-C6-O6	12.79	127.57	119.90
38	A1	897	U	P-O3'-C3'	12.79	135.04	119.70
38	A1	2060	A	N1-C6-N6	12.79	126.27	118.60
11	B2	55	G	N1-C6-O6	12.78	127.57	119.90
38	A1	2153	C	N3-C4-C5	-12.78	116.79	121.90
38	A1	2381	A	N1-C6-N6	12.78	126.27	118.60
38	A1	116	G	C2-N3-C4	12.78	118.29	111.90
38	A1	576	G	N3-C2-N2	12.78	128.84	119.90
38	A1	2263	G	C5-C6-O6	-12.78	120.93	128.60
38	A1	1347	U	P-O3'-C3'	12.78	135.03	119.70
38	A1	2012	G	O4'-C1'-N9	12.78	118.42	108.20
39	A3	33	U	O4'-C1'-N1	12.78	118.42	108.20
11	B2	602	G	C5-C6-O6	-12.77	120.94	128.60
38	A1	784	C	O4'-C1'-N1	12.77	118.42	108.20
38	A1	2697	G	N1-C6-O6	12.77	127.56	119.90
62	AO	21	TYR	CB-CG-CD1	-12.77	113.34	121.00
38	A1	210	A	P-O3'-C3'	12.77	135.02	119.70
38	A1	2563	A	N1-C6-N6	12.77	126.26	118.60
11	B2	181	G	C5-C6-O6	-12.77	120.94	128.60
46	AD	180	ARG	NE-CZ-NH2	-12.77	113.92	120.30
11	B2	776	C	C6-N1-C2	-12.76	115.19	120.30
38	A1	2759	A	C5-C6-N6	-12.76	113.49	123.70
39	A3	6	G	N1-C6-O6	12.76	127.56	119.90
11	B2	584	C	O4'-C1'-N1	12.76	118.41	108.20
38	A1	1212	A	C4-C5-C6	12.76	123.38	117.00
38	A1	472	A	N1-C6-N6	12.76	126.25	118.60
38	A1	2303	A	C5-C6-N1	-12.76	111.32	117.70
38	A1	2604	G	N1-C6-O6	12.76	127.55	119.90
38	A1	350	A	N1-C6-N6	12.75	126.25	118.60
38	A1	870	G	C5-C6-O6	-12.75	120.95	128.60
38	A1	2991	C	O4'-C1'-N1	12.75	118.40	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	824	G	N1-C6-O6	12.75	127.55	119.90
11	B2	688	C	N3-C4-N4	12.75	126.92	118.00
11	B2	746	A	P-O3'-C3'	12.75	135.00	119.70
39	A3	84	U	O4'-C1'-N1	12.75	118.40	108.20
11	B2	830	A	N1-C6-N6	12.74	126.25	118.60
38	A1	1042	G	P-O3'-C3'	12.74	134.99	119.70
38	A1	1060	C	N3-C4-C5	-12.74	116.80	121.90
11	B2	503	G	C5-C6-O6	-12.74	120.96	128.60
38	A1	273	G	N1-C6-O6	12.74	127.54	119.90
11	B2	965	G	C4-C5-N7	-12.74	105.71	110.80
38	A1	910	G	C5-C6-O6	-12.74	120.96	128.60
11	B2	100	A	C5-N7-C8	12.73	110.27	103.90
38	A1	210	A	N1-C6-N6	12.73	126.24	118.60
38	A1	2404	G	C2-N3-C4	12.73	118.27	111.90
38	A1	266	A	C8-N9-C4	-12.73	100.71	105.80
11	B2	1158	G	O4'-C1'-N9	12.73	118.38	108.20
38	A1	287	G	N1-C6-O6	12.73	127.54	119.90
38	A1	1825	G	N3-C2-N2	12.73	128.81	119.90
11	B2	1031	G	N3-C2-N2	12.73	128.81	119.90
38	A1	749	G	N1-C6-O6	12.73	127.54	119.90
38	A1	1476	C	C5-C6-N1	12.73	127.36	121.00
11	B2	1031	G	N1-C6-O6	12.72	127.53	119.90
38	A1	1384	C	N3-C4-N4	12.72	126.91	118.00
38	A1	1561	G	N1-C6-O6	12.72	127.53	119.90
38	A1	2286	U	C2-N3-C4	12.72	134.63	127.00
38	A1	831	C	C6-N1-C2	12.72	125.39	120.30
11	B2	400	G	C5-C6-O6	-12.72	120.97	128.60
11	B2	1303	C	O4'-C1'-N1	12.72	118.37	108.20
38	A1	1530	A	O4'-C1'-N9	12.72	118.37	108.20
11	B2	1389	G	N1-C6-O6	12.71	127.53	119.90
38	A1	2803	U	O4'-C1'-N1	12.71	118.37	108.20
38	A1	2962	A	N1-C6-N6	12.71	126.23	118.60
38	A1	842	C	N3-C4-N4	12.71	126.89	118.00
38	A1	1624	U	O4'-C1'-N1	12.71	118.36	108.20
11	B2	638	G	N1-C6-O6	12.70	127.52	119.90
10	B1	50	G	C5-C6-O6	-12.70	120.98	128.60
38	A1	205	A	N1-C6-N6	12.70	126.22	118.60
38	A1	2126	G	C5-C6-O6	-12.70	120.98	128.60
9	AX	56	PHE	CB-CG-CD2	-12.70	111.91	120.80
11	B2	1123	G	N1-C6-O6	12.69	127.52	119.90
11	B2	1474	A	N1-C6-N6	12.69	126.22	118.60
34	BV	59	TYR	CB-CG-CD1	12.69	128.62	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	995	G	N1-C6-O6	12.69	127.52	119.90
38	A1	958	A	C4-C5-C6	12.69	123.34	117.00
11	B2	610	G	N9-C4-C5	12.69	110.48	105.40
50	AF	71	PHE	CB-CG-CD1	12.69	129.68	120.80
38	A1	2771	G	O4'-C1'-N9	12.69	118.35	108.20
38	A1	219	G	P-O5'-C5'	12.69	141.20	120.90
38	A1	1779	C	N3-C4-N4	12.69	126.88	118.00
11	B2	306	C	C5-C6-N1	12.68	127.34	121.00
11	B2	1307	G	P-O3'-C3'	12.68	134.92	119.70
11	B2	1369	C	N3-C4-C5	-12.68	116.83	121.90
38	A1	1720	G	N1-C6-O6	12.68	127.51	119.90
38	A1	1967	G	N1-C6-O6	12.68	127.51	119.90
38	A1	584	G	N1-C6-O6	12.68	127.51	119.90
38	A1	2975	A	N1-C6-N6	12.68	126.21	118.60
39	A3	102	G	C5-C6-O6	-12.68	121.00	128.60
38	A1	2847	G	N1-C6-O6	12.67	127.50	119.90
38	A1	2152	G	N1-C6-O6	12.67	127.50	119.90
10	B1	63	C	N3-C4-N4	12.67	126.87	118.00
38	A1	1015	G	N1-C6-O6	12.67	127.50	119.90
38	A1	1150	G	C5-C6-O6	-12.67	121.00	128.60
38	A1	1649	G	O4'-C1'-N9	12.67	118.33	108.20
38	A1	2428	C	N3-C4-C5	-12.67	116.83	121.90
11	B2	1209	C	N3-C4-C5	-12.66	116.84	121.90
38	A1	702	G	O4'-C1'-N9	12.66	118.33	108.20
38	A1	1872	G	N1-C6-O6	12.66	127.50	119.90
38	A1	2986	G	N7-C8-N9	12.66	119.43	113.10
11	B2	1002	G	O4'-C1'-N9	12.66	118.32	108.20
38	A1	827	G	C5-C6-O6	-12.66	121.01	128.60
38	A1	175	G	O4'-C1'-N9	12.65	118.32	108.20
18	BF	161	ARG	NE-CZ-NH2	-12.65	113.97	120.30
38	A1	685	G	N1-C6-O6	12.65	127.49	119.90
11	B2	434	A	P-O3'-C3'	12.65	134.88	119.70
11	B2	944	C	N3-C4-C5	-12.65	116.84	121.90
38	A1	1649	G	C5-C6-O6	-12.65	121.01	128.60
38	A1	301	G	P-O3'-C3'	12.65	134.88	119.70
38	A1	2211	C	C2-N3-C4	12.65	126.22	119.90
38	A1	1595	G	N1-C6-O6	12.64	127.49	119.90
38	A1	777	A	C5-C6-N1	-12.64	111.38	117.70
38	A1	2231	G	C5-C6-O6	-12.64	121.02	128.60
11	B2	106	A	C8-N9-C4	-12.64	100.74	105.80
38	A1	681	C	C6-N1-C2	-12.64	115.25	120.30
11	B2	1382	G	C5-C6-O6	-12.63	121.02	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	868	C	N3-C4-N4	12.63	126.84	118.00
38	A1	967	G	N1-C6-O6	12.63	127.48	119.90
38	A1	2300	C	C6-N1-C2	-12.63	115.25	120.30
38	A1	2568	A	C5-C6-N6	-12.63	113.60	123.70
7	AU	56	ARG	NE-CZ-NH2	-12.62	113.99	120.30
38	A1	1508	A	O4'-C1'-N9	12.62	118.30	108.20
11	B2	219	C	N3-C4-N4	12.62	126.84	118.00
11	B2	602	G	C4-C5-N7	12.62	115.85	110.80
11	B2	1049	U	O4'-C1'-N1	12.62	118.30	108.20
38	A1	1227	A	N1-C6-N6	12.62	126.17	118.60
38	A1	2901	C	O4'-C1'-N1	12.62	118.30	108.20
11	B2	426	C	N3-C4-N4	12.62	126.83	118.00
11	B2	1141	G	O4'-C1'-N9	12.62	118.29	108.20
11	B2	299	G	C4-C5-C6	12.61	126.37	118.80
11	B2	505	U	O4'-C1'-N1	12.61	118.29	108.20
38	A1	2885	C	O4'-C1'-N1	12.62	118.29	108.20
11	B2	549	A	N9-C4-C5	12.61	110.84	105.80
39	A3	15	G	N1-C6-O6	12.61	127.47	119.90
38	A1	548	U	O4'-C1'-N1	12.61	118.29	108.20
38	A1	1452	G	N1-C6-O6	12.61	127.47	119.90
38	A1	2554	A	C5-C6-N6	-12.61	113.61	123.70
11	B2	411	C	C5-C6-N1	12.60	127.30	121.00
11	B2	958	G	C8-N9-C4	-12.60	101.36	106.40
38	A1	297	G	C8-N9-C4	-12.60	101.36	106.40
38	A1	1548	A	N1-C6-N6	12.60	126.16	118.60
38	A1	2747	C	P-O3'-C3'	12.60	134.82	119.70
38	A1	2446	C	C5-C6-N1	12.60	127.30	121.00
7	AU	47	ARG	NE-CZ-NH1	-12.60	114.00	120.30
38	A1	849	C	N3-C4-C5	-12.60	116.86	121.90
38	A1	1642	G	N1-C6-O6	12.60	127.46	119.90
5	AS	23	ARG	NE-CZ-NH1	12.60	126.60	120.30
38	A1	1515	G	N1-C6-O6	12.60	127.46	119.90
11	B2	358	G	C8-N9-C4	-12.60	101.36	106.40
11	B2	602	G	N1-C6-O6	12.60	127.46	119.90
7	AU	33	ARG	NE-CZ-NH2	12.59	126.60	120.30
9	AX	373	TYR	CB-CG-CD1	12.59	128.56	121.00
11	B2	1221	A	C8-N9-C4	-12.59	100.76	105.80
38	A1	482	A	N1-C6-N6	12.59	126.16	118.60
38	A1	1471	G	C8-N9-C4	-12.59	101.36	106.40
38	A1	2852	U	O4'-C1'-N1	12.59	118.27	108.20
11	B2	365	C	C6-N1-C2	-12.59	115.26	120.30
38	A1	73	A	N1-C6-N6	12.59	126.15	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1256	G	O4'-C1'-N9	12.59	118.27	108.20
32	BT	34	ARG	NE-CZ-NH1	12.58	126.59	120.30
39	A3	90	A	N9-C4-C5	12.58	110.83	105.80
38	A1	7	G	N1-C6-O6	12.58	127.45	119.90
38	A1	1499	C	N3-C4-C5	-12.57	116.87	121.90
38	A1	1044	C	C6-N1-C2	12.57	125.33	120.30
38	A1	2064	U	C1'-O4'-C4'	-12.57	99.84	109.90
10	B1	37	A	N1-C6-N6	12.57	126.14	118.60
11	B2	1011	C	O4'-C1'-N1	12.57	118.26	108.20
38	A1	2025	A	C2-N3-C4	-12.57	104.31	110.60
11	B2	613	C	N3-C4-C5	-12.57	116.87	121.90
38	A1	1648	C	N3-C4-N4	12.56	126.80	118.00
38	A1	180	A	C4-C5-C6	12.56	123.28	117.00
38	A1	2982	G	N1-C2-N3	-12.56	116.36	123.90
38	A1	188	A	N1-C6-N6	12.56	126.13	118.60
38	A1	2686	A	C4-C5-C6	12.56	123.28	117.00
38	A1	360	G	N1-C6-O6	12.55	127.43	119.90
38	A1	2879	G	N1-C6-O6	12.55	127.43	119.90
11	B2	545	C	N3-C4-N4	12.55	126.78	118.00
38	A1	1085	G	N1-C6-O6	12.55	127.43	119.90
38	A1	1657	G	N1-C6-O6	12.55	127.43	119.90
38	A1	2847	G	C5-C6-O6	-12.55	121.07	128.60
38	A1	1936	C	P-O3'-C3'	12.54	134.75	119.70
11	B2	1127	A	C5-C6-N1	-12.54	111.43	117.70
38	A1	437	G	C5-C6-O6	-12.54	121.08	128.60
38	A1	1134	A	C5-N7-C8	12.54	110.17	103.90
11	B2	1109	C	C4-C5-C6	12.54	123.67	117.40
38	A1	30	G	N1-C6-O6	12.54	127.42	119.90
38	A1	1518	G	N7-C8-N9	-12.53	106.83	113.10
38	A1	294	U	O4'-C1'-N1	12.53	118.22	108.20
38	A1	2833	G	N1-C6-O6	12.53	127.42	119.90
38	A1	1519	G	N1-C6-O6	12.52	127.42	119.90
38	A1	1669	A	O4'-C1'-N9	12.52	118.22	108.20
11	B2	138	C	N3-C4-N4	12.52	126.77	118.00
38	A1	690	G	N1-C6-O6	12.52	127.41	119.90
38	A1	1267	A	C5-C6-N6	-12.52	113.69	123.70
38	A1	1001	C	N3-C4-C5	-12.51	116.89	121.90
38	A1	1669	A	C5-N7-C8	12.51	110.16	103.90
11	B2	313	G	C5-C6-O6	-12.51	121.09	128.60
38	A1	1489	G	O4'-C1'-N9	12.51	118.21	108.20
11	B2	246	A	C4-C5-C6	12.50	123.25	117.00
14	BB	149	TYR	CB-CG-CD1	-12.50	113.50	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1000	G	N1-C6-O6	12.50	127.40	119.90
11	B2	1213	G	C5-C6-O6	-12.50	121.10	128.60
11	B2	16	G	N1-C2-N3	-12.49	116.41	123.90
38	A1	1687	C	N3-C4-N4	12.49	126.75	118.00
11	B2	126	G	O4'-C1'-N9	12.49	118.19	108.20
11	B2	786	G	C5-C6-O6	-12.49	121.11	128.60
38	A1	511	A	C5-C6-N6	-12.49	113.71	123.70
11	B2	1315	G	C5-C6-O6	-12.48	121.11	128.60
38	A1	1430	A	N1-C6-N6	12.48	126.09	118.60
38	A1	1879	U	P-O3'-C3'	12.48	134.68	119.70
11	B2	704	C	C6-N1-C2	-12.48	115.31	120.30
11	B2	1245	C	N3-C4-C5	-12.48	116.91	121.90
38	A1	570	G	N1-C6-O6	12.48	127.39	119.90
38	A1	1259	G	C8-N9-C4	-12.48	101.41	106.40
47	Ad	63	ARG	NE-CZ-NH2	-12.48	114.06	120.30
38	A1	1006	A	N1-C6-N6	12.48	126.08	118.60
11	B2	219	C	N3-C4-C5	-12.47	116.91	121.90
39	A3	118	G	O4'-C1'-N9	12.47	118.18	108.20
11	B2	314	G	O4'-C1'-N9	12.47	118.18	108.20
38	A1	1325	A	N1-C6-N6	12.47	126.08	118.60
38	A1	1372	C	N3-C4-C5	-12.47	116.91	121.90
38	A1	1485	A	P-O3'-C3'	12.47	134.66	119.70
38	A1	2291	G	N1-C6-O6	12.47	127.38	119.90
11	B2	1389	G	O4'-C1'-N9	12.47	118.18	108.20
11	B2	134	A	N1-C6-N6	12.47	126.08	118.60
38	A1	1454	G	C5-C6-O6	-12.47	121.12	128.60
38	A1	1693	G	C5-C6-O6	-12.47	121.12	128.60
11	B2	145	A	N1-C6-N6	12.47	126.08	118.60
38	A1	363	G	N1-C6-O6	12.46	127.38	119.90
11	B2	13	C	O4'-C1'-N1	12.46	118.17	108.20
38	A1	1387	G	C2-N3-C4	-12.46	105.67	111.90
11	B2	168	G	C5-C6-O6	-12.46	121.13	128.60
38	A1	1353	A	C4-C5-C6	12.46	123.23	117.00
38	A1	1970	G	C5-C6-O6	-12.46	121.12	128.60
11	B2	358	G	C5-C6-O6	-12.46	121.13	128.60
11	B2	741	A	N1-C6-N6	12.46	126.07	118.60
38	A1	1550	C	O4'-C1'-N1	12.46	118.17	108.20
11	B2	226	G	C5-C6-O6	-12.45	121.13	128.60
11	B2	407	G	N1-C6-O6	12.45	127.37	119.90
38	A1	531	G	C5-C6-O6	-12.45	121.13	128.60
38	A1	2056	A	C8-N9-C4	-12.45	100.82	105.80
11	B2	108	G	C5-C6-O6	-12.45	121.13	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	996	A	C5-C6-N1	-12.45	111.48	117.70
38	A1	648	C	N3-C4-C5	-12.45	116.92	121.90
38	A1	2080	G	C5-C6-N1	-12.45	105.28	111.50
38	A1	2812	U	N3-C4-C5	-12.45	107.13	114.60
11	B2	20	G	O4'-C1'-N9	12.44	118.16	108.20
11	B2	755	U	O4'-C1'-N1	12.44	118.15	108.20
38	A1	381	G	O4'-C1'-N9	12.44	118.15	108.20
11	B2	390	G	N1-C6-O6	12.44	127.36	119.90
11	B2	403	C	O4'-C1'-N1	12.44	118.15	108.20
11	B2	857	C	O4'-C1'-N1	12.44	118.15	108.20
11	B2	1212	U	C5-C4-O4	-12.44	118.44	125.90
38	A1	2382	A	C5-C6-N6	-12.44	113.75	123.70
38	A1	1753	G	P-O3'-C3'	12.43	134.62	119.70
11	B2	1234	A	N1-C6-N6	12.43	126.06	118.60
11	B2	1396	C	O4'-C1'-N1	12.43	118.14	108.20
38	A1	710	G	C5-C6-O6	-12.43	121.14	128.60
38	A1	1449	C	O4'-C1'-N1	12.43	118.14	108.20
10	B1	22	A	N1-C6-N6	12.43	126.06	118.60
38	A1	1764	G	P-O3'-C3'	12.43	134.61	119.70
11	B2	1462	A	N1-C2-N3	12.42	135.51	129.30
11	B2	393	A	N1-C6-N6	12.42	126.05	118.60
38	A1	2872	G	O4'-C1'-N9	12.42	118.14	108.20
38	A1	2397	C	N3-C4-N4	12.42	126.69	118.00
11	B2	119	A	N7-C8-N9	-12.42	107.59	113.80
38	A1	1545	C	O4'-C1'-N1	12.42	118.14	108.20
38	A1	1762	G	C5-C6-N1	-12.41	105.29	111.50
38	A1	2864	G	C5-C6-O6	-12.41	121.15	128.60
38	A1	1885	G	C5-C6-O6	-12.41	121.15	128.60
38	A1	2826	U	C5-C6-N1	12.41	128.91	122.70
10	B1	48	U	N1-C2-O2	-12.41	114.11	122.80
38	A1	71	A	N1-C6-N6	12.41	126.05	118.60
38	A1	562	G	N9-C4-C5	-12.41	100.44	105.40
38	A1	1290	G	C5-N7-C8	12.41	110.50	104.30
11	B2	658	A	N1-C6-N6	12.41	126.05	118.60
38	A1	896	G	C5-C6-O6	-12.41	121.16	128.60
38	A1	2726	G	C5-C6-O6	-12.41	121.16	128.60
11	B2	491	G	C5-C6-O6	-12.41	121.16	128.60
38	A1	1571	G	N1-C6-O6	12.41	127.34	119.90
38	A1	86	G	N7-C8-N9	12.40	119.30	113.10
38	A1	1973	U	O4'-C1'-N1	12.40	118.12	108.20
11	B2	44	C	C6-N1-C2	-12.40	115.34	120.30
11	B2	1072	C	C6-N1-C2	-12.40	115.34	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1233	G	N9-C4-C5	12.40	110.36	105.40
11	B2	1469	G	N1-C6-O6	12.40	127.34	119.90
11	B2	416	A	C5-C6-N6	-12.39	113.79	123.70
38	A1	934	G	C4-C5-N7	12.39	115.76	110.80
38	A1	1192	G	N1-C6-O6	12.39	127.34	119.90
38	A1	2027	G	N1-C6-O6	12.39	127.34	119.90
10	B1	11	C	N3-C4-C5	-12.39	116.94	121.90
11	B2	773	A	N1-C6-N6	12.39	126.03	118.60
38	A1	64	A	C8-N9-C4	-12.39	100.84	105.80
38	A1	1367	A	C4-C5-C6	12.39	123.19	117.00
38	A1	1608	G	C5-C6-O6	-12.39	121.17	128.60
38	A1	1846	G	C8-N9-C4	-12.39	101.44	106.40
11	B2	1373	A	C2-N3-C4	-12.39	104.41	110.60
38	A1	1555	G	N1-C6-O6	12.39	127.33	119.90
11	B2	832	G	C5-C6-O6	-12.38	121.17	128.60
11	B2	1181	G	C4-C5-C6	12.38	126.23	118.80
38	A1	679	U	O4'-C1'-N1	12.38	118.11	108.20
38	A1	1484	U	C5-C6-N1	12.38	128.89	122.70
38	A1	1551	G	C5-C6-O6	-12.38	121.17	128.60
38	A1	2045	C	C6-N1-C2	12.38	125.25	120.30
11	B2	1166	G	C5-C6-O6	-12.38	121.17	128.60
38	A1	936	G	N1-C6-O6	12.38	127.33	119.90
38	A1	1024	G	P-O3'-C3'	12.38	134.56	119.70
11	B2	354	G	N1-C6-O6	12.38	127.33	119.90
38	A1	2883	C	P-O5'-C5'	12.37	140.70	120.90
38	A1	2548	A	C5-C6-N1	-12.37	111.52	117.70
11	B2	41	C	N3-C4-C5	-12.37	116.95	121.90
39	A3	5	G	N1-C6-O6	12.37	127.32	119.90
38	A1	2383	A	C4-C5-C6	12.36	123.18	117.00
38	A1	1730	C	C5-C6-N1	-12.36	114.82	121.00
38	A1	479	G	N1-C6-O6	12.36	127.32	119.90
11	B2	10	G	N1-C6-O6	12.36	127.32	119.90
11	B2	225	U	C2-N3-C4	12.36	134.41	127.00
38	A1	1231	C	C6-N1-C2	-12.36	115.36	120.30
26	BN	146	ARG	NE-CZ-NH2	-12.36	114.12	120.30
38	A1	533	G	C5-C6-O6	-12.36	121.19	128.60
38	A1	418	C	N3-C4-N4	12.35	126.65	118.00
11	B2	846	G	N3-C2-N2	12.35	128.54	119.90
11	B2	866	A	C4-C5-C6	12.35	123.17	117.00
38	A1	1731	U	O4'-C1'-N1	12.35	118.08	108.20
38	A1	2897	C	N3-C4-C5	-12.35	116.96	121.90
38	A1	1368	A	C2-N3-C4	-12.35	104.43	110.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1200	A	C8-N9-C4	-12.35	100.86	105.80
38	A1	2848	C	N3-C4-C5	-12.35	116.96	121.90
11	B2	471	G	C5-C6-N1	-12.34	105.33	111.50
38	A1	807	G	C5-C6-O6	-12.34	121.19	128.60
38	A1	1751	G	C4-C5-N7	12.34	115.74	110.80
11	B2	732	G	C6-C5-N7	-12.34	123.00	130.40
38	A1	1529	A	C4-C5-C6	12.34	123.17	117.00
11	B2	1423	A	P-O3'-C3'	12.34	134.51	119.70
38	A1	452	A	C5-C6-N6	-12.34	113.83	123.70
11	B2	791	G	C6-C5-N7	-12.34	123.00	130.40
11	B2	1480	G	N1-C6-O6	12.34	127.30	119.90
39	A3	19	G	O4'-C1'-N9	12.34	118.07	108.20
38	A1	19	G	C5-C6-O6	-12.33	121.20	128.60
38	A1	1923	A	N1-C6-N6	12.33	126.00	118.60
38	A1	1276	G	C6-C5-N7	-12.33	123.00	130.40
38	A1	2508	G	N1-C2-N3	-12.32	116.50	123.90
38	A1	2339	C	N3-C4-C5	-12.32	116.97	121.90
11	B2	996	A	C4-C5-C6	12.32	123.16	117.00
38	A1	765	G	N1-C6-O6	12.32	127.29	119.90
38	A1	2657	A	C5-C6-N6	-12.32	113.84	123.70
38	A1	349	A	C8-N9-C4	-12.32	100.87	105.80
11	B2	25	C	O4'-C1'-N1	12.32	118.05	108.20
11	B2	99	C	N3-C4-C5	-12.32	116.97	121.90
38	A1	2856	G	N1-C2-N3	-12.32	116.51	123.90
11	B2	868	C	C5-C6-N1	12.31	127.16	121.00
11	B2	943	C	N3-C4-C5	-12.31	116.97	121.90
48	AE	128	TYR	CB-CG-CD2	12.31	128.39	121.00
11	B2	221	A	C5-C6-N1	-12.31	111.54	117.70
11	B2	500	A	C8-N9-C4	-12.31	100.88	105.80
38	A1	728	A	N1-C6-N6	12.31	125.99	118.60
38	A1	2110	C	O4'-C1'-N1	12.31	118.05	108.20
38	A1	319	A	N9-C4-C5	12.31	110.72	105.80
11	B2	622	C	N3-C4-C5	-12.30	116.98	121.90
11	B2	864	G	N1-C6-O6	12.30	127.28	119.90
38	A1	582	A	C4-C5-C6	12.31	123.15	117.00
38	A1	1812	A	N1-C6-N6	12.30	125.98	118.60
38	A1	1027	A	N1-C6-N6	12.30	125.98	118.60
11	B2	301	G	C5-C6-O6	-12.30	121.22	128.60
38	A1	563	A	C5-C6-N1	-12.30	111.55	117.70
38	A1	2680	A	C8-N9-C4	-12.30	100.88	105.80
38	A1	2754	A	N1-C6-N6	12.30	125.98	118.60
38	A1	1253	U	N3-C2-O2	12.30	130.81	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2872	G	C5-C6-O6	-12.30	121.22	128.60
38	A1	831	C	N3-C4-C5	-12.30	116.98	121.90
38	A1	1428	G	C8-N9-C4	-12.30	101.48	106.40
38	A1	2317	G	C5-C6-O6	-12.30	121.22	128.60
38	A1	1166	A	N1-C6-N6	12.30	125.98	118.60
38	A1	2680	A	C5-C6-N1	-12.30	111.55	117.70
11	B2	846	G	N1-C6-O6	12.29	127.28	119.90
38	A1	1190	G	C5-C6-O6	-12.30	121.22	128.60
11	B2	1040	A	C5-C6-N6	-12.29	113.87	123.70
38	A1	764	G	N3-C2-N2	12.29	128.50	119.90
38	A1	1617	G	O4'-C1'-N9	12.29	118.03	108.20
38	A1	1915	G	C5-C6-O6	-12.29	121.22	128.60
39	A3	75	G	C5-C6-O6	-12.29	121.23	128.60
38	A1	2848	C	O4'-C1'-N1	12.29	118.03	108.20
11	B2	488	A	C5-C6-N1	-12.28	111.56	117.70
20	BH	163	ARG	NE-CZ-NH1	12.28	126.44	120.30
38	A1	1461	G	N1-C2-N3	-12.28	116.53	123.90
38	A1	1542	U	P-O3'-C3'	12.28	134.43	119.70
38	A1	704	G	O4'-C1'-N9	12.28	118.02	108.20
11	B2	655	A	P-O3'-C3'	12.27	134.43	119.70
11	B2	898	G	N1-C6-O6	12.27	127.26	119.90
11	B2	1109	C	O4'-C1'-N1	12.27	118.02	108.20
11	B2	576	C	N3-C4-N4	12.27	126.59	118.00
38	A1	1143	A	N1-C2-N3	-12.27	123.17	129.30
38	A1	2802	G	C5-C6-O6	-12.27	121.24	128.60
39	A3	106	G	O4'-C1'-N9	12.26	118.01	108.20
11	B2	1349	C	C6-N1-C2	-12.26	115.40	120.30
38	A1	1138	C	O4'-C1'-N1	12.26	118.01	108.20
11	B2	696	G	N1-C6-O6	12.26	127.25	119.90
11	B2	1109	C	N3-C4-N4	12.26	126.58	118.00
11	B2	1425	C	C5-C6-N1	12.26	127.13	121.00
38	A1	1164	C	N3-C4-N4	12.26	126.58	118.00
11	B2	1235	A	C5-C6-N6	-12.26	113.90	123.70
38	A1	2821	G	C5-C6-O6	-12.26	121.25	128.60
38	A1	344	G	N1-C6-O6	12.25	127.25	119.90
11	B2	1013	G	N9-C4-C5	-12.25	100.50	105.40
11	B2	1177	C	N3-C4-N4	12.25	126.58	118.00
11	B2	1223	C	N3-C4-C5	-12.25	117.00	121.90
38	A1	621	G	C8-N9-C4	-12.25	101.50	106.40
38	A1	1590	C	O4'-C1'-N1	12.25	118.00	108.20
59	AL	71	ARG	NE-CZ-NH1	-12.25	114.18	120.30
11	B2	466	C	C5-C6-N1	12.24	127.12	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	550	A	N1-C6-N6	12.24	125.94	118.60
38	A1	349	A	C4-C5-N7	-12.24	104.58	110.70
38	A1	597	C	N3-C4-N4	12.24	126.57	118.00
38	A1	2623	G	C8-N9-C4	12.24	111.30	106.40
11	B2	876	A	C5-C6-N1	-12.24	111.58	117.70
11	B2	1003	G	O4'-C1'-N9	12.24	117.99	108.20
38	A1	685	G	C5-C6-O6	-12.24	121.26	128.60
11	B2	727	G	N1-C6-O6	12.23	127.24	119.90
38	A1	1583	G	N1-C6-O6	12.23	127.24	119.90
38	A1	725	G	N1-C6-O6	12.23	127.24	119.90
11	B2	950	C	N3-C4-C5	-12.23	117.01	121.90
11	B2	1216	A	N1-C6-N6	12.23	125.94	118.60
38	A1	144	A	C5-C6-N6	-12.23	113.92	123.70
39	A3	28	C	O4'-C1'-N1	12.23	117.98	108.20
11	B2	634	C	O4'-C1'-N1	12.22	117.98	108.20
11	B2	1253	G	N3-C2-N2	12.22	128.46	119.90
11	B2	1394	G	N1-C6-O6	12.22	127.23	119.90
38	A1	2355	G	C8-N9-C4	-12.22	101.51	106.40
11	B2	114	A	C5-C6-N6	-12.22	113.92	123.70
38	A1	443	C	N3-C4-N4	12.22	126.56	118.00
11	B2	880	G	N1-C6-O6	12.22	127.23	119.90
11	B2	1021	C	O4'-C1'-N1	12.22	117.98	108.20
53	Ah	2	ARG	NE-CZ-NH2	-12.22	114.19	120.30
38	A1	1864	G	C5-C6-O6	-12.22	121.27	128.60
38	A1	1458	C	O4'-C1'-N1	12.22	117.97	108.20
11	B2	729	G	N1-C6-O6	12.21	127.23	119.90
38	A1	1260	C	O4'-C1'-N1	12.21	117.97	108.20
11	B2	1007	A	N1-C6-N6	12.21	125.93	118.60
11	B2	1469	G	C5-C6-O6	-12.21	121.27	128.60
11	B2	908	G	O4'-C1'-N9	12.21	117.97	108.20
11	B2	997	G	C5-C6-O6	-12.21	121.28	128.60
37	BY	17	ARG	NE-CZ-NH2	-12.21	114.20	120.30
38	A1	1268	A	C4-C5-C6	12.21	123.10	117.00
38	A1	1631	A	N7-C8-N9	-12.21	107.70	113.80
38	A1	3021	C	O4'-C1'-N1	12.21	117.97	108.20
7	AU	56	ARG	NE-CZ-NH1	12.20	126.40	120.30
38	A1	2130	C	N3-C4-C5	-12.20	117.02	121.90
38	A1	3045	G	N1-C6-O6	12.20	127.22	119.90
11	B2	495	G	N9-C4-C5	-12.20	100.52	105.40
11	B2	827	G	N3-C2-N2	12.20	128.44	119.90
38	A1	1437	C	O4'-C1'-N1	12.20	117.96	108.20
38	A1	211	A	C4-C5-C6	12.20	123.10	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1999	G	C5-C6-O6	-12.20	121.28	128.60
38	A1	747	G	N1-C6-O6	12.20	127.22	119.90
38	A1	1078	G	C5-C6-O6	-12.20	121.28	128.60
38	A1	1323	U	N3-C4-O4	12.19	127.94	119.40
38	A1	2609	G	O4'-C1'-N9	12.20	117.96	108.20
11	B2	106	A	N9-C4-C5	12.19	110.68	105.80
11	B2	817	U	O4'-C1'-N1	12.19	117.95	108.20
38	A1	2403	G	C5-C6-O6	-12.19	121.28	128.60
11	B2	48	G	O4'-C1'-N9	12.19	117.95	108.20
11	B2	1392	G	O4'-C1'-N9	12.19	117.95	108.20
38	A1	979	G	C5-C6-O6	-12.19	121.29	128.60
38	A1	2300	C	N3-C4-C5	-12.19	117.02	121.90
38	A1	611	G	N1-C6-O6	12.18	127.21	119.90
11	B2	1348	C	C2-N3-C4	12.18	125.99	119.90
38	A1	185	A	N1-C6-N6	12.18	125.91	118.60
11	B2	1219	C	N3-C4-N4	12.18	126.53	118.00
38	A1	2116	G	C5-C6-O6	-12.18	121.29	128.60
38	A1	2653	G	O4'-C1'-N9	12.18	117.94	108.20
11	B2	207	G	N1-C6-O6	12.18	127.20	119.90
38	A1	1386	G	C5-C6-O6	-12.18	121.30	128.60
38	A1	2290	U	O4'-C1'-N1	12.18	117.94	108.20
38	A1	2192	G	C5-C6-O6	-12.17	121.30	128.60
11	B2	639	G	N1-C6-O6	12.17	127.20	119.90
38	A1	2871	A	C4-C5-C6	12.17	123.08	117.00
38	A1	329	G	N1-C6-O6	12.17	127.20	119.90
38	A1	2479	C	C5-C6-N1	12.16	127.08	121.00
11	B2	1079	G	N1-C6-O6	12.16	127.20	119.90
38	A1	742	C	O4'-C1'-N1	12.16	117.93	108.20
38	A1	1271	G	N1-C6-O6	12.16	127.20	119.90
11	B2	56	A	N1-C6-N6	12.16	125.90	118.60
38	A1	61	G	N1-C6-O6	12.16	127.19	119.90
38	A1	2059	G	O4'-C1'-N9	12.16	117.93	108.20
11	B2	1260	G	N1-C6-O6	12.16	127.19	119.90
11	B2	1326	G	C5-C6-O6	-12.16	121.31	128.60
38	A1	3038	A	P-O3'-C3'	12.16	134.29	119.70
38	A1	2134	G	N1-C6-O6	12.15	127.19	119.90
38	A1	2600	C	N3-C4-N4	12.15	126.51	118.00
38	A1	231	G	C2-N3-C4	12.15	117.98	111.90
5	AS	129	TYR	CB-CG-CD1	-12.15	113.71	121.00
11	B2	120	C	N3-C4-C5	-12.15	117.04	121.90
38	A1	245	A	O4'-C1'-N9	12.15	117.92	108.20
38	A1	837	G	C5-C6-O6	-12.15	121.31	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	A3	108	G	C5-C6-O6	-12.15	121.31	128.60
11	B2	315	A	N1-C6-N6	12.15	125.89	118.60
11	B2	671	C	N3-C4-C5	-12.15	117.04	121.90
38	A1	655	C	N3-C4-N4	12.15	126.50	118.00
11	B2	207	G	C6-C5-N7	-12.14	123.11	130.40
38	A1	1440	C	N3-C4-C5	12.14	126.76	121.90
38	A1	2264	G	C5-C6-O6	-12.14	121.32	128.60
11	B2	1051	G	N1-C6-O6	12.14	127.18	119.90
11	B2	1264	G	C5-C6-O6	-12.14	121.32	128.60
38	A1	602	G	O4'-C1'-N9	12.14	117.91	108.20
38	A1	2713	A	N1-C6-N6	12.14	125.88	118.60
11	B2	1098	G	N1-C6-O6	12.13	127.18	119.90
11	B2	1105	C	P-O3'-C3'	12.13	134.26	119.70
21	BI	86	PHE	CB-CG-CD2	-12.13	112.31	120.80
38	A1	1082	A	N1-C2-N3	12.13	135.37	129.30
11	B2	1021	C	N3-C4-C5	-12.13	117.05	121.90
38	A1	1400	U	O4'-C1'-N1	12.13	117.90	108.20
11	B2	1295	C	N3-C4-C5	-12.13	117.05	121.90
38	A1	1415	C	N3-C4-C5	-12.13	117.05	121.90
38	A1	1595	G	C5-C6-O6	-12.13	121.32	128.60
38	A1	1349	G	C5-C6-N1	-12.13	105.44	111.50
38	A1	2181	G	N1-C6-O6	12.13	127.18	119.90
38	A1	1413	A	C4-C5-C6	12.12	123.06	117.00
38	A1	1500	C	N3-C4-N4	12.12	126.49	118.00
11	B2	471	G	C6-N1-C2	12.12	132.37	125.10
38	A1	2707	G	N1-C6-O6	12.12	127.17	119.90
11	B2	1369	C	O4'-C1'-N1	12.12	117.89	108.20
16	BD	168	ARG	NE-CZ-NH1	12.12	126.36	120.30
38	A1	2855	G	N1-C6-O6	12.12	127.17	119.90
38	A1	1743	G	N1-C6-O6	12.12	127.17	119.90
38	A1	2886	C	C6-N1-C2	-12.12	115.45	120.30
38	A1	2995	A	C5-C6-N6	-12.12	114.01	123.70
38	A1	1778	G	C5-C6-O6	-12.12	121.33	128.60
38	A1	1268	A	C5-C6-N1	-12.11	111.64	117.70
11	B2	288	G	O4'-C1'-N9	12.11	117.89	108.20
38	A1	1112	G	C5-C6-O6	-12.11	121.33	128.60
11	B2	1356	A	C4-C5-N7	-12.11	104.65	110.70
38	A1	892	U	O4'-C1'-N1	12.11	117.89	108.20
10	B1	64	C	O4'-C1'-N1	12.11	117.88	108.20
38	A1	581	A	N1-C6-N6	12.11	125.86	118.60
38	A1	2551	G	O4'-C1'-N9	12.11	117.89	108.20
11	B2	1314	C	N3-C4-C5	-12.10	117.06	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	788	A	N1-C6-N6	12.10	125.86	118.60
38	A1	908	U	C5-C4-O4	-12.10	118.64	125.90
38	A1	1302	G	C5-C6-O6	-12.10	121.34	128.60
38	A1	1785	G	N3-C2-N2	12.10	128.37	119.90
38	A1	896	G	N1-C6-O6	12.10	127.16	119.90
38	A1	1862	G	C8-N9-C4	-12.10	101.56	106.40
11	B2	957	A	N1-C6-N6	12.10	125.86	118.60
11	B2	1489	A	N1-C6-N6	12.10	125.86	118.60
38	A1	329	G	C5-C6-O6	-12.10	121.34	128.60
38	A1	2449	A	N1-C6-N6	12.10	125.86	118.60
38	A1	2186	C	O4'-C1'-N1	12.10	117.88	108.20
39	A3	12	G	O4'-C1'-N9	12.10	117.88	108.20
11	B2	1444	G	O4'-C1'-N9	12.10	117.88	108.20
38	A1	245	A	C5-C6-N1	-12.10	111.65	117.70
10	B1	27	A	N1-C6-N6	12.09	125.86	118.60
38	A1	2863	A	C4-C5-C6	12.09	123.05	117.00
11	B2	278	A	N1-C6-N6	12.09	125.85	118.60
11	B2	1233	G	N3-C4-N9	-12.09	118.75	126.00
38	A1	2396	G	N1-C6-O6	12.09	127.15	119.90
38	A1	1438	C	C4-C5-C6	12.09	123.44	117.40
11	B2	493	C	N3-C4-N4	12.09	126.46	118.00
38	A1	848	A	C5-N7-C8	12.09	109.94	103.90
10	B1	39	A	C8-N9-C4	-12.08	100.97	105.80
11	B2	1069	G	C5-C6-N1	-12.08	105.46	111.50
66	AY	118	ARG	NE-CZ-NH1	-12.08	114.26	120.30
11	B2	62	G	N1-C6-O6	12.08	127.15	119.90
11	B2	850	A	N1-C6-N6	12.08	125.85	118.60
11	B2	1139	A	N1-C2-N3	12.08	135.34	129.30
11	B2	144	G	C5-C6-O6	-12.08	121.35	128.60
38	A1	3002	A	C2-N3-C4	12.08	116.64	110.60
11	B2	858	A	C4-C5-C6	12.08	123.04	117.00
38	A1	1191	C	N3-C4-N4	12.08	126.46	118.00
11	B2	906	G	N1-C6-O6	12.08	127.15	119.90
11	B2	971	G	C5-C6-O6	-12.08	121.35	128.60
38	A1	631	G	N1-C2-N3	-12.08	116.65	123.90
11	B2	627	G	C5-C6-O6	-12.07	121.36	128.60
38	A1	291	A	N1-C6-N6	12.07	125.84	118.60
38	A1	427	G	P-O3'-C3'	12.07	134.19	119.70
11	B2	111	G	P-O3'-C3'	12.07	134.18	119.70
38	A1	468	A	C5-C6-N1	-12.07	111.67	117.70
38	A1	528	G	N1-C6-O6	12.07	127.14	119.90
38	A1	825	C	C2-N3-C4	12.07	125.93	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1259	G	N9-C4-C5	12.07	110.23	105.40
38	A1	1772	A	N1-C6-N6	12.07	125.84	118.60
39	A3	113	C	O4'-C1'-N1	12.07	117.85	108.20
11	B2	1341	C	N3-C4-C5	-12.06	117.07	121.90
38	A1	1154	A	C5-C6-N6	-12.06	114.05	123.70
38	A1	588	U	P-O3'-C3'	12.06	134.17	119.70
38	A1	1964	G	N1-C6-O6	12.06	127.14	119.90
16	BD	154	TYR	CB-CG-CD2	12.06	128.24	121.00
38	A1	551	A	O4'-C1'-N9	12.06	117.85	108.20
38	A1	2210	G	N1-C6-O6	12.06	127.14	119.90
38	A1	3034	C	O4'-C1'-N1	12.06	117.85	108.20
38	A1	191	U	O4'-C1'-N1	12.06	117.85	108.20
38	A1	2374	C	N3-C4-C5	-12.06	117.08	121.90
20	BH	87	ARG	NE-CZ-NH1	-12.06	114.27	120.30
38	A1	2112	C	O4'-C1'-N1	12.05	117.84	108.20
38	A1	1792	A	C4-C5-C6	12.05	123.03	117.00
11	B2	770	A	N1-C6-N6	12.05	125.83	118.60
38	A1	1056	C	N3-C4-N4	12.05	126.44	118.00
38	A1	333	A	O4'-C1'-N9	12.05	117.84	108.20
38	A1	1992	A	N1-C6-N6	12.05	125.83	118.60
39	A3	21	C	C2-N3-C4	-12.05	113.88	119.90
11	B2	1072	C	N3-C4-C5	-12.04	117.08	121.90
38	A1	1617	G	N1-C2-N3	-12.04	116.67	123.90
38	A1	253	G	C5-C6-O6	-12.04	121.38	128.60
38	A1	2054	G	C5-C6-O6	-12.04	121.38	128.60
11	B2	216	G	C5-C6-O6	-12.04	121.38	128.60
38	A1	130	G	N1-C6-O6	12.03	127.12	119.90
11	B2	1248	A	C5-C6-N1	-12.03	111.69	117.70
11	B2	1490	C	N3-C4-N4	12.03	126.42	118.00
38	A1	1379	A	C5-C6-N1	-12.03	111.69	117.70
49	Ae	21	ARG	NE-CZ-NH2	-12.03	114.28	120.30
38	A1	2350	G	C5-C6-O6	-12.03	121.38	128.60
38	A1	2733	A	C4-C5-C6	12.03	123.01	117.00
11	B2	1380	C	C5-C6-N1	12.02	127.01	121.00
11	B2	55	G	O4'-C1'-N9	12.02	117.82	108.20
11	B2	253	G	N1-C2-N3	-12.02	116.69	123.90
11	B2	983	G	N1-C2-N3	-12.02	116.69	123.90
11	B2	1153	G	C5-C6-O6	-12.02	121.39	128.60
11	B2	434	A	C5-C6-N6	-12.02	114.08	123.70
10	B1	38	G	N7-C8-N9	-12.02	107.09	113.10
38	A1	1618	G	O4'-C1'-N9	12.02	117.81	108.20
11	B2	329	G	C8-N9-C4	-12.02	101.59	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	464	C	C5-C4-N4	-12.02	111.79	120.20
38	A1	1586	G	P-O3'-C3'	12.01	134.11	119.70
38	A1	1813	A	N1-C6-N6	12.01	125.81	118.60
38	A1	2640	C	N3-C4-C5	-12.01	117.09	121.90
38	A1	41	G	N1-C6-O6	12.01	127.11	119.90
38	A1	510	A	C5-C6-N1	-12.01	111.69	117.70
38	A1	2472	A	C5-C6-N1	-12.01	111.69	117.70
38	A1	1355	A	N1-C6-N6	12.01	125.81	118.60
38	A1	2481	G	C4-C5-N7	-12.01	106.00	110.80
11	B2	432	G	P-O3'-C3'	12.01	134.11	119.70
4	AQ	126	ARG	NE-CZ-NH1	12.01	126.30	120.30
38	A1	1769	G	O4'-C1'-N9	12.01	117.81	108.20
38	A1	2369	G	N3-C2-N2	12.01	128.30	119.90
38	A1	2446	C	N3-C4-C5	-12.00	117.10	121.90
38	A1	1136	G	O4'-C1'-N9	12.00	117.80	108.20
11	B2	393	A	C4-C5-N7	-12.00	104.70	110.70
11	B2	756	A	C4-C5-C6	12.00	123.00	117.00
11	B2	248	U	O4'-C1'-N1	11.99	117.80	108.20
38	A1	2638	G	C5-C6-O6	-11.99	121.40	128.60
11	B2	299	G	C5-C6-N1	-11.99	105.50	111.50
38	A1	352	G	N1-C6-O6	11.99	127.10	119.90
38	A1	2051	A	C8-N9-C4	-11.99	101.00	105.80
11	B2	624	G	C5-C6-O6	-11.99	121.41	128.60
38	A1	2982	G	C5-C6-O6	-11.99	121.41	128.60
11	B2	1032	A	C4-C5-C6	11.99	122.99	117.00
38	A1	175	G	N1-C6-O6	11.99	127.09	119.90
38	A1	1289	C	O4'-C1'-N1	11.99	117.79	108.20
11	B2	364	U	N3-C2-O2	11.98	130.59	122.20
11	B2	1060	G	N1-C6-O6	11.98	127.09	119.90
11	B2	1185	A	N1-C6-N6	11.98	125.79	118.60
38	A1	878	G	O4'-C1'-N9	11.98	117.79	108.20
38	A1	2287	C	N3-C4-C5	-11.98	117.11	121.90
38	A1	2389	C	N3-C4-C5	-11.98	117.11	121.90
11	B2	153	G	N1-C6-O6	11.98	127.09	119.90
38	A1	3045	G	C5-C6-O6	-11.98	121.41	128.60
11	B2	19	G	N1-C2-N3	-11.97	116.72	123.90
11	B2	375	G	O4'-C1'-N9	11.97	117.78	108.20
11	B2	835	C	N3-C4-C5	-11.97	117.11	121.90
38	A1	2988	A	C8-N9-C4	-11.97	101.01	105.80
11	B2	1200	U	P-O3'-C3'	11.97	134.06	119.70
27	BO	111	ARG	NE-CZ-NH2	-11.97	114.32	120.30
38	A1	125	C	C6-N1-C2	-11.97	115.51	120.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	590	G	N1-C6-O6	11.96	127.08	119.90
38	A1	958	A	C2-N3-C4	-11.96	104.62	110.60
38	A1	1147	G	C5-C6-O6	-11.96	121.42	128.60
38	A1	2292	A	C5-C6-N6	-11.96	114.13	123.70
11	B2	1291	G	N9-C4-C5	11.96	110.18	105.40
11	B2	904	G	N1-C6-O6	11.96	127.07	119.90
11	B2	1392	G	C5-C6-O6	-11.96	121.42	128.60
38	A1	2484	C	C2-N3-C4	11.96	125.88	119.90
10	B1	22	A	C5-C6-N1	-11.96	111.72	117.70
38	A1	1176	C	N1-C2-O2	11.95	126.07	118.90
38	A1	2392	A	N1-C6-N6	11.95	125.77	118.60
11	B2	959	G	P-O3'-C3'	11.95	134.04	119.70
38	A1	1117	C	P-O3'-C3'	11.95	134.04	119.70
11	B2	616	G	N1-C6-O6	11.95	127.07	119.90
38	A1	785	C	O4'-C1'-N1	11.95	117.76	108.20
38	A1	1750	C	C5-C4-N4	-11.95	111.84	120.20
38	A1	373	G	N3-C2-N2	11.95	128.26	119.90
38	A1	647	G	N1-C6-O6	11.94	127.07	119.90
38	A1	1367	A	N1-C6-N6	11.95	125.77	118.60
11	B2	1345	G	C8-N9-C4	-11.94	101.62	106.40
38	A1	962	C	N3-C4-N4	11.94	126.36	118.00
39	A3	109	A	N1-C6-N6	11.94	125.76	118.60
11	B2	132	G	C5-C6-O6	-11.93	121.44	128.60
38	A1	1168	A	C4-C5-C6	11.93	122.97	117.00
38	A1	1175	C	N3-C4-N4	11.93	126.35	118.00
38	A1	2492	G	N3-C2-N2	11.93	128.25	119.90
38	A1	2653	G	N1-C6-O6	11.93	127.06	119.90
41	AA	75	ARG	NE-CZ-NH2	-11.93	114.33	120.30
10	B1	65	C	O4'-C1'-N1	11.93	117.75	108.20
11	B2	88	G	C6-C5-N7	-11.93	123.24	130.40
11	B2	379	A	C4-C5-C6	11.93	122.97	117.00
38	A1	1301	G	O4'-C1'-N9	11.93	117.74	108.20
38	A1	2043	A	N1-C2-N3	11.93	135.26	129.30
38	A1	2090	A	N1-C6-N6	11.93	125.76	118.60
38	A1	1678	A	C5-C6-N6	-11.93	114.16	123.70
11	B2	1480	G	N1-C2-N3	-11.92	116.75	123.90
38	A1	369	G	C5-C6-O6	-11.92	121.45	128.60
38	A1	1697	G	C5-C6-O6	-11.92	121.45	128.60
38	A1	2122	G	N7-C8-N9	-11.92	107.14	113.10
11	B2	1169	C	O4'-C1'-N1	11.92	117.74	108.20
38	A1	1963	G	C5-C6-O6	-11.92	121.45	128.60
11	B2	605	C	N3-C4-C5	-11.91	117.13	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2900	C	C6-N1-C2	-11.91	115.53	120.30
28	BP	14	PHE	CB-CG-CD1	-11.91	112.46	120.80
11	B2	1315	G	N1-C6-O6	11.91	127.05	119.90
38	A1	1248	C	C2-N3-C4	11.91	125.86	119.90
38	A1	2845	C	C6-N1-C2	11.91	125.06	120.30
38	A1	1409	U	O4'-C1'-N1	11.91	117.73	108.20
39	A3	46	G	O4'-C1'-N9	11.91	117.73	108.20
38	A1	1578	C	N3-C4-C5	-11.91	117.14	121.90
38	A1	682	G	N1-C6-O6	11.90	127.04	119.90
38	A1	1452	G	O4'-C1'-N9	11.90	117.72	108.20
11	B2	494	G	N1-C6-O6	11.90	127.04	119.90
38	A1	784	C	N3-C4-C5	-11.90	117.14	121.90
38	A1	1079	A	N1-C6-N6	11.90	125.74	118.60
11	B2	515	U	O4'-C1'-N1	11.90	117.72	108.20
38	A1	842	C	N3-C4-C5	-11.90	117.14	121.90
38	A1	2868	C	N3-C4-C5	-11.90	117.14	121.90
39	A3	5	G	C4-C5-N7	11.90	115.56	110.80
38	A1	568	A	N1-C6-N6	11.89	125.74	118.60
38	A1	1613	A	N1-C6-N6	11.89	125.74	118.60
38	A1	2156	A	N1-C6-N6	11.89	125.74	118.60
11	B2	905	A	C4-C5-C6	11.89	122.95	117.00
27	BO	41	ARG	NE-CZ-NH2	-11.89	114.36	120.30
38	A1	2673	C	N3-C4-N4	11.88	126.32	118.00
11	B2	27	C	O4'-C1'-N1	11.88	117.70	108.20
11	B2	405	G	N1-C6-O6	11.88	127.03	119.90
38	A1	2685	G	N1-C6-O6	11.88	127.03	119.90
38	A1	1526	G	N1-C6-O6	11.88	127.03	119.90
11	B2	565	C	N3-C4-C5	-11.88	117.15	121.90
11	B2	625	G	N1-C6-O6	11.88	127.03	119.90
38	A1	422	G	N3-C2-N2	11.88	128.21	119.90
38	A1	2624	G	N1-C2-N3	-11.87	116.78	123.90
38	A1	2568	A	C8-N9-C4	-11.87	101.05	105.80
10	B1	53	G	N1-C6-O6	11.87	127.02	119.90
10	B1	59	A	O4'-C1'-N9	11.87	117.69	108.20
38	A1	121	G	C5-C6-O6	-11.87	121.48	128.60
38	A1	1793	G	C5-C6-O6	-11.87	121.48	128.60
38	A1	2300	C	N3-C4-N4	11.87	126.31	118.00
38	A1	2649	A	C5-C6-N6	-11.87	114.20	123.70
11	B2	1182	G	C5-C6-O6	-11.87	121.48	128.60
11	B2	605	C	C2-N3-C4	11.86	125.83	119.90
11	B2	615	G	C5-C6-O6	-11.86	121.48	128.60
38	A1	1047	A	N1-C6-N6	11.86	125.72	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	A3	107	G	O4'-C1'-N9	11.86	117.69	108.20
11	B2	958	G	C2-N3-C4	11.86	117.83	111.90
11	B2	92	G	C5-C6-O6	-11.85	121.49	128.60
11	B2	509	C	N3-C4-N4	11.85	126.30	118.00
11	B2	760	C	N3-C4-C5	-11.85	117.16	121.90
11	B2	1021	C	N3-C4-N4	11.85	126.30	118.00
38	A1	625	A	C2-N3-C4	11.85	116.53	110.60
38	A1	2052	A	N1-C6-N6	11.85	125.71	118.60
11	B2	1355	C	C5-C6-N1	-11.85	115.08	121.00
11	B2	237	C	C2-N3-C4	11.85	125.82	119.90
38	A1	847	A	C4-C5-C6	11.84	122.92	117.00
38	A1	1055	C	N3-C4-N4	11.84	126.29	118.00
38	A1	2154	G	C5-C6-O6	-11.84	121.50	128.60
38	A1	1658	A	C5-C6-N6	-11.84	114.23	123.70
11	B2	83	C	N3-C4-C5	-11.84	117.17	121.90
11	B2	369	A	P-O3'-C3'	11.84	133.91	119.70
11	B2	1046	G	C5-C6-O6	-11.84	121.50	128.60
38	A1	1215	C	O4'-C1'-N1	11.84	117.67	108.20
11	B2	1443	G	C5-C6-O6	-11.84	121.50	128.60
38	A1	508	G	C5-C6-O6	-11.84	121.50	128.60
38	A1	2962	A	O4'-C1'-N9	11.84	117.67	108.20
33	BU	15	ARG	NE-CZ-NH2	-11.83	114.38	120.30
11	B2	949	G	O4'-C1'-N9	11.83	117.67	108.20
11	B2	1205	G	O4'-C1'-N9	11.83	117.67	108.20
38	A1	1121	C	C6-N1-C2	-11.83	115.57	120.30
38	A1	1570	C	N3-C4-C5	-11.83	117.17	121.90
38	A1	2416	G	O4'-C1'-N9	11.83	117.66	108.20
38	A1	514	U	O4'-C1'-N1	11.83	117.66	108.20
38	A1	2160	C	C2-N3-C4	11.83	125.81	119.90
38	A1	2477	G	N1-C6-O6	11.83	127.00	119.90
11	B2	299	G	N1-C6-O6	11.83	127.00	119.90
38	A1	1497	C	C5-C6-N1	-11.83	115.09	121.00
38	A1	2771	G	N1-C6-O6	11.83	127.00	119.90
39	A3	115	C	N3-C4-N4	11.83	126.28	118.00
11	B2	962	G	C5-C6-O6	-11.82	121.51	128.60
38	A1	98	G	C5-C6-O6	-11.82	121.50	128.60
38	A1	847	A	N7-C8-N9	-11.82	107.89	113.80
38	A1	852	A	C5-C6-N6	-11.82	114.24	123.70
38	A1	2789	G	N1-C6-O6	11.82	126.99	119.90
38	A1	116	G	C5-C6-O6	-11.82	121.51	128.60
38	A1	1462	G	C5-C6-O6	-11.82	121.51	128.60
11	B2	612	C	C4-C5-C6	11.82	123.31	117.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	864	G	C5-C6-O6	-11.82	121.51	128.60
11	B2	310	G	N1-C6-O6	11.82	126.99	119.90
38	A1	2448	A	N1-C6-N6	11.82	125.69	118.60
5	AS	133	PHE	CB-CG-CD1	-11.81	112.53	120.80
47	Ad	85	ARG	NE-CZ-NH2	-11.81	114.39	120.30
11	B2	448	A	C5-C6-N1	-11.81	111.79	117.70
11	B2	1061	A	C5-C6-N1	-11.81	111.79	117.70
38	A1	350	A	C5-C6-N1	-11.81	111.79	117.70
10	B1	20	G	C8-N9-C4	-11.81	101.68	106.40
11	B2	78	G	C8-N9-C4	-11.81	101.68	106.40
11	B2	79	G	O4'-C1'-N9	11.81	117.65	108.20
39	A3	109	A	C4-C5-C6	11.81	122.91	117.00
38	A1	2892	A	C5-C6-N6	-11.81	114.25	123.70
38	A1	1640	G	C5-C6-O6	-11.81	121.52	128.60
11	B2	495	G	N1-C6-O6	11.81	126.98	119.90
38	A1	966	G	N1-C2-N3	-11.80	116.82	123.90
11	B2	965	G	C5-N7-C8	11.80	110.20	104.30
11	B2	1005	G	N1-C6-O6	11.80	126.98	119.90
38	A1	1628	C	O4'-C1'-N1	11.80	117.64	108.20
38	A1	1968	A	C5-C6-N1	-11.80	111.80	117.70
39	A3	71	G	C8-N9-C4	11.80	111.12	106.40
11	B2	247	G	N1-C2-N3	-11.80	116.82	123.90
38	A1	1633	A	C4-C5-C6	11.80	122.90	117.00
38	A1	2133	G	C6-C5-N7	-11.80	123.32	130.40
11	B2	1062	G	N1-C6-O6	11.79	126.98	119.90
25	BM	41	ARG	NE-CZ-NH2	-11.79	114.40	120.30
10	B1	51	G	N1-C6-O6	11.79	126.97	119.90
38	A1	496	A	O4'-C1'-N9	11.79	117.63	108.20
38	A1	1113	G	C4-C5-N7	11.79	115.52	110.80
11	B2	1218	C	O4'-C1'-N1	11.79	117.63	108.20
11	B2	1234	A	C4-C5-C6	11.79	122.89	117.00
11	B2	991	C	O4'-C1'-N1	11.78	117.62	108.20
11	B2	1102	A	N1-C6-N6	11.78	125.67	118.60
38	A1	2591	A	C4-C5-C6	11.78	122.89	117.00
11	B2	847	A	C5-C6-N1	-11.78	111.81	117.70
38	A1	85	G	O4'-C1'-N9	11.78	117.62	108.20
38	A1	699	A	O4'-C1'-N9	11.78	117.62	108.20
38	A1	2194	A	N1-C2-N3	11.78	135.19	129.30
38	A1	325	G	N1-C6-O6	11.78	126.97	119.90
38	A1	360	G	C5-C6-O6	-11.78	121.53	128.60
38	A1	1490	G	N1-C6-O6	11.78	126.97	119.90
38	A1	79	C	N3-C4-C5	-11.77	117.19	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1987	A	N1-C6-N6	11.77	125.66	118.60
38	A1	877	U	O4'-C1'-N1	11.77	117.62	108.20
38	A1	2425	A	C5-C6-N1	-11.77	111.81	117.70
38	A1	1478	G	N1-C6-O6	11.77	126.96	119.90
38	A1	1876	G	C5-C6-O6	-11.77	121.54	128.60
38	A1	827	G	C6-C5-N7	-11.77	123.34	130.40
4	AQ	28	ARG	NE-CZ-NH1	-11.77	114.42	120.30
38	A1	2600	C	C2-N3-C4	11.76	125.78	119.90
4	AQ	120	TYR	CB-CG-CD1	11.76	128.06	121.00
38	A1	655	C	C6-N1-C2	-11.76	115.59	120.30
11	B2	442	C	C6-N1-C2	-11.76	115.60	120.30
38	A1	2691	G	C5-C6-O6	-11.76	121.54	128.60
11	B2	1212	U	O4'-C1'-N1	11.76	117.61	108.20
38	A1	471	U	P-O3'-C3'	11.76	133.81	119.70
38	A1	726	G	N1-C6-O6	11.76	126.95	119.90
38	A1	637	G	N1-C6-O6	11.76	126.95	119.90
38	A1	782	G	C5-C6-O6	-11.76	121.55	128.60
11	B2	934	G	P-O3'-C3'	11.75	133.80	119.70
38	A1	230	A	C4-C5-C6	11.75	122.88	117.00
38	A1	1631	A	C5-C6-N6	-11.75	114.30	123.70
38	A1	1635	G	N3-C2-N2	11.75	128.13	119.90
38	A1	2872	G	N1-C6-O6	11.75	126.95	119.90
38	A1	61	G	C5-C6-O6	-11.75	121.55	128.60
11	B2	80	A	N1-C2-N3	11.75	135.18	129.30
11	B2	1060	G	C5-C6-O6	-11.75	121.55	128.60
11	B2	853	G	N1-C2-N3	-11.75	116.85	123.90
11	B2	1143	G	C5-C6-O6	-11.75	121.55	128.60
38	A1	1180	G	N1-C6-O6	11.75	126.95	119.90
47	Ad	63	ARG	NE-CZ-NH1	11.75	126.17	120.30
11	B2	1273	G	C8-N9-C4	-11.74	101.70	106.40
11	B2	567	A	C4-C5-C6	11.74	122.87	117.00
38	A1	50	C	P-O3'-C3'	11.74	133.79	119.70
38	A1	447	G	C5-C6-N1	-11.74	105.63	111.50
38	A1	1814	A	C6-C5-N7	-11.74	124.08	132.30
38	A1	1237	A	C8-N9-C4	-11.74	101.10	105.80
38	A1	964	C	N3-C4-N4	11.74	126.22	118.00
11	B2	192	G	O4'-C1'-C2'	11.74	118.16	107.60
11	B2	1468	A	N1-C6-N6	11.74	125.64	118.60
38	A1	2739	G	O4'-C1'-N9	11.74	117.59	108.20
38	A1	1971	C	N3-C4-N4	11.73	126.21	118.00
38	A1	1132	U	O4'-C1'-N1	11.73	117.58	108.20
30	BR	92	ARG	NE-CZ-NH1	-11.73	114.44	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	3040	G	N1-C6-O6	11.73	126.94	119.90
11	B2	446	G	N1-C6-O6	11.72	126.94	119.90
38	A1	95	G	C5-C6-O6	-11.72	121.56	128.60
11	B2	1418	G	C5-C6-O6	-11.72	121.57	128.60
38	A1	201	C	C5-C4-N4	-11.72	111.99	120.20
11	B2	631	C	N3-C4-N4	11.72	126.20	118.00
11	B2	1304	C	C5-C6-N1	11.72	126.86	121.00
11	B2	1441	G	C5-C6-N1	-11.72	105.64	111.50
19	BG	82	ARG	NE-CZ-NH1	11.72	126.16	120.30
38	A1	480	A	N1-C6-N6	11.72	125.63	118.60
38	A1	1262	C	C5-C6-N1	11.72	126.86	121.00
38	A1	583	A	N1-C6-N6	11.72	125.63	118.60
38	A1	2303	A	C4-C5-C6	11.72	122.86	117.00
39	A3	101	A	C5-C6-N6	-11.72	114.33	123.70
11	B2	959	G	C5-C6-O6	-11.71	121.57	128.60
38	A1	296	G	N1-C6-O6	11.71	126.93	119.90
38	A1	847	A	C5-N7-C8	11.71	109.76	103.90
38	A1	228	U	O4'-C1'-N1	11.71	117.57	108.20
38	A1	273	G	P-O3'-C3'	11.71	133.75	119.70
38	A1	648	C	N3-C4-N4	11.71	126.20	118.00
38	A1	590	A	N1-C6-N6	11.71	125.62	118.60
38	A1	881	G	N1-C6-O6	11.71	126.92	119.90
38	A1	1611	C	O4'-C1'-N1	11.71	117.56	108.20
38	A1	1810	G	O4'-C1'-N9	11.70	117.56	108.20
38	A1	2771	G	C5-C6-O6	-11.71	121.58	128.60
11	B2	78	G	O4'-C1'-N9	11.70	117.56	108.20
11	B2	1377	G	O4'-C1'-N9	11.70	117.56	108.20
38	A1	941	C	C5-C6-N1	-11.70	115.15	121.00
38	A1	1997	C	N3-C4-C5	-11.70	117.22	121.90
11	B2	228	G	C4-C5-N7	-11.70	106.12	110.80
38	A1	350	A	C4-C5-C6	11.70	122.85	117.00
11	B2	220	G	N1-C6-O6	11.70	126.92	119.90
38	A1	261	A	C5-C6-N6	-11.70	114.34	123.70
38	A1	337	G	C5-C6-O6	-11.70	121.58	128.60
38	A1	326	C	N3-C4-N4	11.69	126.19	118.00
38	A1	823	G	C5-C6-O6	-11.69	121.58	128.60
38	A1	1843	C	O4'-C1'-N1	11.69	117.56	108.20
11	B2	954	G	C8-N9-C4	-11.69	101.72	106.40
38	A1	1485	A	C8-N9-C4	-11.69	101.12	105.80
38	A1	782	G	C5-C6-N1	-11.69	105.66	111.50
11	B2	1186	C	P-O3'-C3'	11.69	133.72	119.70
38	A1	722	C	N3-C4-N4	11.69	126.18	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	967	G	C5-C6-O6	-11.69	121.59	128.60
38	A1	464	C	N3-C4-N4	11.68	126.18	118.00
38	A1	250	G	C5-C6-O6	-11.68	121.59	128.60
38	A1	968	A	N1-C6-N6	11.68	125.61	118.60
38	A1	2282	G	C5-C6-O6	-11.68	121.59	128.60
11	B2	1153	G	N1-C6-O6	11.68	126.91	119.90
38	A1	1903	G	N1-C6-O6	11.68	126.91	119.90
22	BJ	79	ARG	NE-CZ-NH1	-11.68	114.46	120.30
11	B2	985	C	N3-C4-C5	-11.68	117.23	121.90
38	A1	231	G	N1-C2-N3	-11.68	116.89	123.90
38	A1	642	G	C5-C6-O6	-11.68	121.59	128.60
38	A1	2788	U	O4'-C1'-N1	11.68	117.54	108.20
28	BP	6	TYR	CB-CG-CD2	-11.67	114.00	121.00
38	A1	611	G	C8-N9-C4	-11.67	101.73	106.40
38	A1	1677	A	N1-C6-N6	11.67	125.60	118.60
38	A1	1930	A	C4-C5-C6	11.67	122.83	117.00
11	B2	381	C	O4'-C1'-N1	11.67	117.53	108.20
11	B2	496	C	O4'-C1'-N1	11.67	117.54	108.20
39	A3	2	G	C5-C6-O6	-11.67	121.60	128.60
38	A1	90	A	C8-N9-C4	-11.67	101.13	105.80
38	A1	584	G	C5-C6-O6	-11.67	121.60	128.60
38	A1	1563	G	N1-C6-O6	11.67	126.90	119.90
38	A1	1766	A	C5-C6-N6	-11.67	114.36	123.70
38	A1	2158	G	P-O3'-C3'	11.67	133.70	119.70
11	B2	90	C	C5-C6-N1	11.66	126.83	121.00
38	A1	1263	C	C5-C6-N1	11.66	126.83	121.00
11	B2	183	A	O4'-C1'-N9	11.66	117.53	108.20
11	B2	1200	U	C2-N1-C1'	11.66	131.69	117.70
38	A1	704	G	C5-C6-O6	-11.66	121.60	128.60
38	A1	704	G	N1-C6-O6	11.66	126.89	119.90
38	A1	1513	G	C5-C6-O6	-11.66	121.61	128.60
11	B2	1352	G	C2-N3-C4	11.65	117.73	111.90
38	A1	2534	C	C2-N3-C4	11.65	125.73	119.90
38	A1	2717	A	N1-C6-N6	11.65	125.59	118.60
11	B2	58	U	O4'-C1'-N1	11.65	117.52	108.20
11	B2	1158	G	N1-C6-O6	11.65	126.89	119.90
11	B2	1469	G	C4-C5-N7	11.65	115.46	110.80
11	B2	1394	G	O4'-C1'-N9	11.64	117.52	108.20
38	A1	723	A	C8-N9-C4	11.64	110.46	105.80
38	A1	885	A	N1-C6-N6	11.64	125.59	118.60
10	B1	77	A	O4'-C1'-N9	11.64	117.51	108.20
11	B2	444	G	C5-C6-O6	-11.64	121.61	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	810	A	C5-C6-N1	-11.64	111.88	117.70
38	A1	1182	C	C4-C5-C6	11.64	123.22	117.40
38	A1	2195	G	N1-C6-O6	11.64	126.88	119.90
38	A1	2779	G	C5-C6-O6	-11.64	121.62	128.60
9	AX	373	TYR	CB-CG-CD2	-11.63	114.02	121.00
11	B2	1100	G	N7-C8-N9	11.64	118.92	113.10
38	A1	830	G	N1-C6-O6	11.64	126.88	119.90
38	A1	1193	G	N1-C6-O6	11.64	126.88	119.90
62	AO	196	PHE	CB-CG-CD1	11.64	128.94	120.80
8	AW	45	ARG	NE-CZ-NH1	11.63	126.12	120.30
11	B2	831	A	N1-C6-N6	11.63	125.58	118.60
11	B2	607	U	O4'-C1'-N1	11.63	117.50	108.20
38	A1	208	A	C5-N7-C8	11.63	109.72	103.90
38	A1	646	U	O4'-C1'-N1	11.63	117.50	108.20
39	A3	26	C	C6-N1-C2	-11.63	115.65	120.30
38	A1	939	A	N1-C6-N6	11.63	125.58	118.60
38	A1	1470	C	C2-N3-C4	11.63	125.71	119.90
11	B2	306	C	N3-C4-C5	-11.63	117.25	121.90
16	BD	168	ARG	NE-CZ-NH2	-11.63	114.49	120.30
38	A1	2776	A	N1-C2-N3	11.62	135.11	129.30
38	A1	2048	C	N3-C4-C5	-11.62	117.25	121.90
11	B2	589	U	C5-C4-O4	-11.62	118.93	125.90
38	A1	1648	C	C5-C4-N4	-11.62	112.07	120.20
11	B2	321	A	O4'-C1'-N9	11.62	117.49	108.20
38	A1	730	C	N3-C4-N4	11.61	126.13	118.00
11	B2	1011	C	C2-N3-C4	11.61	125.70	119.90
38	A1	2747	C	N3-C4-C5	-11.61	117.26	121.90
11	B2	1020	G	N3-C2-N2	11.61	128.02	119.90
38	A1	81	G	N3-C2-N2	11.61	128.02	119.90
38	A1	481	G	C5-C6-O6	-11.61	121.64	128.60
38	A1	2025	A	N1-C6-N6	11.61	125.56	118.60
38	A1	1037	C	N3-C4-C5	-11.60	117.26	121.90
38	A1	2798	U	O4'-C1'-N1	11.60	117.48	108.20
38	A1	883	G	C8-N9-C4	-11.60	101.76	106.40
38	A1	2215	U	P-O3'-C3'	11.60	133.62	119.70
38	A1	344	G	C6-C5-N7	-11.60	123.44	130.40
38	A1	1982	C	N3-C4-N4	11.60	126.12	118.00
38	A1	2415	C	N3-C4-N4	11.60	126.12	118.00
38	A1	2889	A	C4-C5-C6	11.60	122.80	117.00
38	A1	2970	U	O4'-C1'-N1	11.60	117.48	108.20
11	B2	1003	G	C5-C6-O6	-11.59	121.64	128.60
11	B2	1351	U	O4'-C1'-N1	11.59	117.47	108.20

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1359	C	C6-N1-C2	11.59	124.94	120.30
38	A1	2366	G	N3-C2-N2	11.59	128.02	119.90
38	A1	2472	A	N9-C4-C5	11.59	110.44	105.80
11	B2	1	A	C5-C6-N1	-11.59	111.91	117.70
11	B2	1230	G	N9-C4-C5	-11.59	100.76	105.40
38	A1	532	G	N1-C6-O6	11.59	126.86	119.90
38	A1	2737	G	C5-C6-O6	-11.59	121.65	128.60
38	A1	2862	A	N1-C2-N3	11.59	135.09	129.30
11	B2	722	G	O4'-C1'-N9	11.59	117.47	108.20
38	A1	997	A	N1-C6-N6	11.59	125.55	118.60
38	A1	2493	A	C5-C6-N6	-11.59	114.43	123.70
38	A1	81	G	C2-N3-C4	11.59	117.69	111.90
38	A1	972	C	C6-N1-C2	-11.58	115.67	120.30
11	B2	772	G	C5-C6-O6	-11.58	121.65	128.60
38	A1	611	G	C5-C6-N1	-11.58	105.71	111.50
38	A1	663	A	N9-C4-C5	11.58	110.43	105.80
38	A1	1278	C	N3-C4-C5	-11.58	117.27	121.90
38	A1	1602	C	C6-N1-C2	11.58	124.93	120.30
11	B2	942	A	N1-C6-N6	11.57	125.54	118.60
11	B2	1365	G	O4'-C1'-N9	11.57	117.46	108.20
11	B2	379	A	O4'-C1'-N9	11.57	117.46	108.20
38	A1	1810	G	C2-N3-C4	11.57	117.69	111.90
38	A1	2628	U	O4'-C1'-N1	11.57	117.45	108.20
11	B2	51	A	N1-C6-N6	11.57	125.54	118.60
11	B2	160	C	C5-C4-N4	-11.57	112.10	120.20
11	B2	1131	G	C5-C6-N1	-11.57	105.72	111.50
38	A1	2432	G	C5-C6-O6	-11.57	121.66	128.60
5	AS	37	ARG	NE-CZ-NH1	11.56	126.08	120.30
11	B2	625	G	C5-C6-O6	-11.56	121.66	128.60
11	B2	1166	G	N1-C6-O6	11.56	126.84	119.90
11	B2	1363	C	C6-N1-C2	-11.56	115.68	120.30
38	A1	319	A	C2-N3-C4	11.56	116.38	110.60
38	A1	770	G	O4'-C1'-N9	11.56	117.45	108.20
11	B2	295	G	C5-C6-O6	-11.55	121.67	128.60
38	A1	96	C	N3-C4-N4	11.55	126.09	118.00
38	A1	245	A	N1-C6-N6	11.56	125.53	118.60
38	A1	2117	U	O4'-C1'-N1	11.55	117.44	108.20
38	A1	1554	G	N1-C6-O6	11.55	126.83	119.90
11	B2	1041	C	N3-C4-C5	-11.55	117.28	121.90
38	A1	396	G	C5-C6-O6	-11.55	121.67	128.60
38	A1	515	G	N1-C6-O6	11.55	126.83	119.90
38	A1	1518	G	C5-C6-O6	-11.55	121.67	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1613	A	C5-N7-C8	11.55	109.67	103.90
38	A1	526	C	N3-C4-C5	-11.55	117.28	121.90
11	B2	1010	G	N1-C6-O6	11.54	126.83	119.90
38	A1	103	A	N1-C6-N6	11.54	125.53	118.60
38	A1	1322	G	C6-C5-N7	-11.54	123.47	130.40
38	A1	1381	C	O4'-C1'-N1	11.54	117.44	108.20
38	A1	1413	A	C5-N7-C8	11.54	109.67	103.90
38	A1	2509	A	N1-C6-N6	11.54	125.53	118.60
38	A1	2409	C	N3-C4-N4	11.54	126.08	118.00
38	A1	2543	A	O4'-C1'-N9	11.54	117.43	108.20
39	A3	37	U	O4'-C1'-N1	11.54	117.43	108.20
38	A1	278	C	O4'-C1'-N1	11.54	117.43	108.20
38	A1	802	G	N3-C2-N2	11.54	127.98	119.90
38	A1	1194	G	C5-C6-O6	-11.54	121.68	128.60
38	A1	1467	G	C8-N9-C4	11.53	111.01	106.40
38	A1	413	A	N1-C6-N6	11.53	125.52	118.60
38	A1	551	A	N1-C6-N6	11.53	125.52	118.60
38	A1	1136	G	C5-C6-O6	-11.53	121.68	128.60
38	A1	1760	C	N3-C4-N4	11.53	126.07	118.00
11	B2	546	G	N3-C2-N2	11.53	127.97	119.90
38	A1	1716	G	C5-C6-O6	-11.53	121.68	128.60
38	A1	1379	A	N1-C6-N6	11.52	125.51	118.60
11	B2	1068	C	O4'-C1'-N1	11.52	117.42	108.20
11	B2	1164	A	N1-C6-N6	11.52	125.51	118.60
11	B2	689	C	N3-C4-C5	-11.52	117.29	121.90
38	A1	1179	G	C5-C6-O6	-11.52	121.69	128.60
38	A1	2377	C	N3-C4-C5	-11.52	117.29	121.90
38	A1	2990	G	N1-C6-O6	11.52	126.81	119.90
38	A1	1134	A	C5-C6-N1	-11.52	111.94	117.70
38	A1	286	G	C8-N9-C4	11.51	111.00	106.40
11	B2	1481	G	N1-C6-O6	11.51	126.81	119.90
38	A1	215	A	N1-C6-N6	11.51	125.51	118.60
38	A1	1671	A	C6-C5-N7	-11.51	124.24	132.30
38	A1	319	A	N3-C4-C5	-11.51	118.74	126.80
38	A1	1819	G	C5-C6-O6	-11.51	121.69	128.60
38	A1	2810	G	N1-C2-N3	-11.51	116.99	123.90
57	Aj	30	ARG	NE-CZ-NH1	11.51	126.06	120.30
10	B1	43	G	C5-C6-O6	-11.51	121.70	128.60
11	B2	1221	A	N1-C6-N6	11.51	125.50	118.60
38	A1	606	A	C5-C6-N1	-11.51	111.95	117.70
38	A1	905	G	C2-N3-C4	11.51	117.65	111.90
11	B2	452	G	N1-C6-O6	11.51	126.80	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1346	G	O4'-C1'-N9	11.51	117.41	108.20
38	A1	2235	G	C8-N9-C4	-11.51	101.80	106.40
38	A1	1288	C	C2-N3-C4	11.50	125.65	119.90
38	A1	2630	C	N3-C4-C5	-11.50	117.30	121.90
11	B2	160	C	N3-C4-N4	11.50	126.05	118.00
11	B2	1011	C	N3-C4-C5	-11.50	117.30	121.90
11	B2	310	G	C4-C5-N7	-11.50	106.20	110.80
11	B2	1448	A	C8-N9-C4	-11.50	101.20	105.80
11	B2	990	G	C5-C6-O6	-11.50	121.70	128.60
38	A1	418	C	C4-C5-C6	11.49	123.15	117.40
11	B2	1314	C	O4'-C1'-N1	11.49	117.39	108.20
38	A1	1039	C	N3-C4-C5	-11.49	117.30	121.90
11	B2	1356	A	N1-C6-N6	11.49	125.49	118.60
38	A1	924	A	C4-C5-C6	11.49	122.75	117.00
11	B2	917	A	C5-N7-C8	11.49	109.64	103.90
11	B2	321	A	N1-C6-N6	11.49	125.49	118.60
38	A1	614	G	N1-C2-N3	-11.49	117.01	123.90
38	A1	632	G	O4'-C1'-N9	11.49	117.39	108.20
38	A1	800	G	N1-C6-O6	11.49	126.79	119.90
11	B2	1469	G	N9-C4-C5	-11.48	100.81	105.40
38	A1	1759	A	C5-C6-N6	-11.48	114.51	123.70
11	B2	47	A	N1-C6-N6	11.48	125.49	118.60
38	A1	2599	C	N3-C4-N4	11.48	126.04	118.00
38	A1	2975	A	N9-C4-C5	-11.48	101.21	105.80
38	A1	558	C	C2-N3-C4	11.48	125.64	119.90
38	A1	1904	G	N1-C6-O6	11.48	126.79	119.90
11	B2	821	G	N1-C6-O6	11.48	126.79	119.90
11	B2	990	G	N3-C2-N2	11.48	127.93	119.90
38	A1	507	G	C4-C5-C6	11.48	125.69	118.80
11	B2	1335	A	N1-C6-N6	11.47	125.48	118.60
39	A3	18	G	C8-N9-C4	-11.47	101.81	106.40
11	B2	791	G	N1-C6-O6	11.47	126.78	119.90
29	BQ	100	ARG	NE-CZ-NH1	11.47	126.04	120.30
38	A1	2781	A	C4-C5-C6	11.47	122.73	117.00
11	B2	166	A	C5-C6-N6	-11.47	114.53	123.70
38	A1	337	G	C5-C6-N1	-11.47	105.77	111.50
11	B2	71	C	N3-C4-N4	11.46	126.03	118.00
11	B2	847	A	C5-N7-C8	11.46	109.63	103.90
11	B2	963	A	P-O3'-C3'	11.46	133.46	119.70
38	A1	1415	C	N3-C4-N4	11.46	126.03	118.00
38	A1	1935	C	N3-C4-N4	11.46	126.03	118.00
38	A1	835	G	N1-C6-O6	11.46	126.78	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2547	A	C5-C6-N1	-11.46	111.97	117.70
11	B2	377	A	N1-C2-N3	11.46	135.03	129.30
38	A1	2237	A	C5-C6-N6	-11.46	114.53	123.70
11	B2	797	U	C6-N1-C2	-11.46	114.13	121.00
38	A1	2370	C	C5-C4-N4	-11.46	112.18	120.20
62	AO	84	TYR	CB-CG-CD1	11.46	127.88	121.00
11	B2	1193	G	C5-C6-O6	-11.46	121.73	128.60
38	A1	2222	C	O4'-C1'-N1	11.46	117.36	108.20
38	A1	170	A	N1-C2-N3	11.45	135.03	129.30
38	A1	1375	G	N3-C2-N2	11.45	127.92	119.90
38	A1	1225	A	C4-C5-C6	11.45	122.73	117.00
38	A1	1046	A	C6-N1-C2	-11.45	111.73	118.60
38	A1	1407	A	C8-N9-C4	-11.45	101.22	105.80
38	A1	1554	G	C5-C6-O6	-11.45	121.73	128.60
38	A1	362	A	N1-C2-N3	11.45	135.02	129.30
11	B2	283	U	N3-C4-C5	-11.44	107.73	114.60
38	A1	712	C	C2-N3-C4	11.44	125.62	119.90
11	B2	460	C	N3-C4-C5	-11.44	117.33	121.90
38	A1	8	G	C5-C6-O6	-11.44	121.74	128.60
38	A1	235	G	N1-C6-O6	11.44	126.76	119.90
38	A1	449	G	N1-C6-O6	11.44	126.76	119.90
38	A1	474	G	N1-C2-N3	-11.44	117.04	123.90
17	BE	8	ARG	NE-CZ-NH1	11.44	126.02	120.30
11	B2	1404	C	N3-C4-N4	11.44	126.00	118.00
11	B2	404	C	O4'-C1'-N1	11.43	117.35	108.20
11	B2	1435	G	O4'-C1'-N9	11.43	117.35	108.20
38	A1	1283	G	O4'-C1'-N9	11.43	117.35	108.20
11	B2	280	C	O4'-C1'-N1	11.43	117.34	108.20
11	B2	671	C	N3-C4-N4	11.43	126.00	118.00
11	B2	1104	G	C6-N1-C2	-11.43	118.24	125.10
38	A1	403	G	N1-C6-O6	11.43	126.76	119.90
38	A1	2111	C	N1-C2-O2	-11.43	112.04	118.90
60	AM	8	ARG	NE-CZ-NH2	11.43	126.01	120.30
10	B1	20	G	N1-C2-N3	-11.42	117.05	123.90
11	B2	1104	G	N1-C6-O6	11.42	126.75	119.90
38	A1	1023	C	O4'-C1'-N1	11.42	117.34	108.20
11	B2	1173	A	N1-C6-N6	11.42	125.45	118.60
38	A1	801	A	N1-C6-N6	11.42	125.45	118.60
11	B2	903	G	N3-C2-N2	11.42	127.89	119.90
38	A1	1698	G	C5-C6-O6	-11.42	121.75	128.60
11	B2	120	C	C6-N1-C2	-11.41	115.73	120.30
11	B2	519	G	C2-N3-C4	11.41	117.61	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	593	G	N1-C6-O6	11.41	126.75	119.90
16	BD	57	ARG	NE-CZ-NH2	-11.41	114.59	120.30
11	B2	1374	C	C6-N1-C2	-11.41	115.74	120.30
38	A1	273	G	C4-C5-C6	11.41	125.64	118.80
38	A1	1368	A	C5-C6-N1	-11.41	112.00	117.70
38	A1	1360	G	N1-C6-O6	11.40	126.74	119.90
38	A1	1629	G	C5-C6-O6	-11.40	121.76	128.60
38	A1	1861	G	O4'-C1'-N9	11.40	117.32	108.20
38	A1	2206	G	C5-C6-O6	-11.40	121.76	128.60
11	B2	937	A	N1-C6-N6	11.40	125.44	118.60
38	A1	2810	G	O4'-C1'-N9	11.40	117.32	108.20
11	B2	251	G	C5-C6-O6	-11.40	121.76	128.60
11	B2	645	G	N1-C6-O6	11.40	126.74	119.90
11	B2	977	G	C6-C5-N7	-11.40	123.56	130.40
11	B2	1110	U	C5-C6-N1	11.40	128.40	122.70
38	A1	1471	G	N1-C6-O6	11.40	126.74	119.90
11	B2	91	G	O4'-C1'-N9	11.39	117.32	108.20
38	A1	539	A	N1-C6-N6	11.39	125.44	118.60
11	B2	1436	U	O4'-C1'-N1	11.39	117.31	108.20
38	A1	1280	C	C5-C6-N1	11.39	126.70	121.00
38	A1	1521	G	N1-C6-O6	11.39	126.74	119.90
38	A1	1246	G	C5-C6-O6	-11.39	121.77	128.60
38	A1	1964	G	C5-C6-O6	-11.39	121.77	128.60
11	B2	823	A	C5-C6-N1	-11.39	112.00	117.70
38	A1	2185	A	N1-C6-N6	11.39	125.43	118.60
38	A1	2543	A	C5-C6-N6	-11.39	114.59	123.70
11	B2	276	A	C4-C5-C6	11.39	122.69	117.00
38	A1	1406	G	C4-C5-C6	11.39	125.63	118.80
38	A1	1116	A	C8-N9-C4	-11.39	101.25	105.80
11	B2	760	C	N3-C4-N4	11.38	125.97	118.00
11	B2	1447	A	C5-C6-N1	-11.38	112.01	117.70
38	A1	2323	C	N3-C4-N4	11.38	125.97	118.00
38	A1	2702	A	N1-C6-N6	11.38	125.43	118.60
38	A1	1706	G	O4'-C1'-N9	11.38	117.31	108.20
11	B2	911	C	O4'-C1'-N1	11.38	117.30	108.20
38	A1	826	C	N3-C4-C5	-11.38	117.35	121.90
38	A1	859	G	N1-C6-O6	11.38	126.73	119.90
38	A1	1893	C	C2-N3-C4	11.38	125.59	119.90
38	A1	2249	A	C5-N7-C8	11.38	109.59	103.90
7	AU	84	ARG	NE-CZ-NH2	-11.38	114.61	120.30
38	A1	32	C	N3-C4-N4	11.38	125.96	118.00
38	A1	985	A	C8-N9-C4	-11.38	101.25	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2134	G	C5-C6-O6	-11.38	121.77	128.60
57	Aj	69	PHE	CB-CG-CD1	-11.38	112.84	120.80
10	B1	30	G	N9-C4-C5	-11.37	100.85	105.40
38	A1	659	U	O4'-C1'-N1	11.37	117.30	108.20
38	A1	2694	C	C5-C4-N4	-11.37	112.24	120.20
11	B2	886	G	N1-C6-O6	11.37	126.72	119.90
39	A3	16	G	C5-N7-C8	-11.37	98.62	104.30
11	B2	1366	U	C5-C6-N1	11.37	128.38	122.70
38	A1	333	A	N1-C6-N6	11.37	125.42	118.60
11	B2	149	U	O4'-C1'-N1	11.36	117.29	108.20
11	B2	1473	A	N1-C2-N3	11.36	134.98	129.30
39	A3	45	C	C5-C4-N4	-11.36	112.25	120.20
11	B2	1203	G	N1-C6-O6	11.36	126.72	119.90
38	A1	1517	G	O4'-C1'-N9	11.36	117.29	108.20
38	A1	1708	U	C5-C4-O4	-11.36	119.08	125.90
65	AV	31	PHE	CB-CG-CD1	-11.36	112.85	120.80
11	B2	495	G	C5-C6-N1	-11.36	105.82	111.50
11	B2	1417	A	C5-C6-N6	-11.36	114.61	123.70
38	A1	2784	A	C5-C6-N1	-11.36	112.02	117.70
11	B2	752	G	C5-C6-O6	-11.36	121.79	128.60
11	B2	1259	A	N1-C6-N6	11.36	125.41	118.60
38	A1	1052	G	N1-C6-O6	11.36	126.71	119.90
32	BT	11	TYR	CB-CG-CD1	11.35	127.81	121.00
11	B2	570	G	N1-C6-O6	11.35	126.71	119.90
5	AS	65	ARG	NE-CZ-NH2	-11.35	114.62	120.30
38	A1	799	C	N3-C4-C5	-11.35	117.36	121.90
11	B2	402	G	C4-C5-C6	11.35	125.61	118.80
38	A1	906	G	C5-C6-O6	-11.35	121.79	128.60
38	A1	2757	G	C5-C6-O6	-11.35	121.79	128.60
38	A1	559	G	N1-C6-O6	11.34	126.71	119.90
38	A1	1177	C	C5-C4-N4	-11.34	112.26	120.20
38	A1	1416	G	N1-C6-O6	11.34	126.71	119.90
38	A1	2224	G	N1-C6-O6	11.34	126.71	119.90
38	A1	2266	C	N3-C4-N4	11.34	125.94	118.00
11	B2	890	C	N3-C4-C5	-11.34	117.36	121.90
38	A1	2569	G	N1-C6-O6	11.34	126.70	119.90
38	A1	535	G	C5-C6-O6	-11.34	121.80	128.60
38	A1	1792	A	C8-N9-C4	-11.34	101.26	105.80
38	A1	1997	C	O4'-C1'-N1	11.34	117.27	108.20
30	BR	63	TYR	CB-CG-CD1	11.34	127.80	121.00
38	A1	577	C	N3-C4-C5	-11.34	117.37	121.90
38	A1	647	G	C5-C6-O6	-11.34	121.80	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1281	A	C5-C6-N1	-11.34	112.03	117.70
10	B1	24	A	C5-C6-N6	-11.33	114.63	123.70
38	A1	2040	A	O4'-C1'-N9	11.33	117.27	108.20
38	A1	2658	G	N1-C6-O6	11.33	126.70	119.90
38	A1	1119	A	N9-C4-C5	11.33	110.33	105.80
11	B2	353	G	N1-C6-O6	11.33	126.70	119.90
11	B2	1046	G	C5-N7-C8	-11.33	98.63	104.30
38	A1	2008	G	O4'-C1'-N9	11.33	117.26	108.20
11	B2	1220	G	C8-N9-C4	-11.33	101.87	106.40
38	A1	570	G	C5-C6-O6	-11.33	121.80	128.60
11	B2	599	G	N1-C6-O6	11.32	126.69	119.90
38	A1	847	A	C5-C6-N1	-11.32	112.04	117.70
38	A1	1452	G	C5-C6-O6	-11.32	121.81	128.60
38	A1	1789	A	C5-N7-C8	11.32	109.56	103.90
11	B2	668	G	O4'-C1'-N9	11.32	117.26	108.20
11	B2	1260	G	O4'-C1'-N9	11.32	117.26	108.20
38	A1	408	C	P-O3'-C3'	11.32	133.28	119.70
38	A1	1412	C	C2-N3-C4	11.32	125.56	119.90
38	A1	2396	G	P-O3'-C3'	11.32	133.28	119.70
11	B2	790	G	C5-C6-O6	-11.32	121.81	128.60
38	A1	258	C	N3-C4-C5	-11.32	117.37	121.90
38	A1	1977	C	C6-N1-C2	-11.32	115.77	120.30
11	B2	283	U	C5-C4-O4	11.31	132.69	125.90
11	B2	270	A	O4'-C1'-N9	11.31	117.25	108.20
38	A1	1428	G	C4-C5-C6	11.31	125.59	118.80
11	B2	160	C	O4'-C1'-N1	11.31	117.25	108.20
38	A1	1027	A	C8-N9-C4	-11.31	101.28	105.80
11	B2	187	C	C4-C5-C6	11.31	123.05	117.40
11	B2	553	C	N3-C4-N4	11.31	125.92	118.00
38	A1	1842	C	O4'-C1'-N1	11.31	117.25	108.20
38	A1	1906	G	N1-C6-O6	11.31	126.69	119.90
11	B2	436	A	N1-C6-N6	11.30	125.38	118.60
11	B2	1204	C	C2-N3-C4	11.30	125.55	119.90
16	BD	76	ARG	NE-CZ-NH2	-11.30	114.65	120.30
38	A1	456	G	N1-C6-O6	11.30	126.68	119.90
38	A1	1764	G	N1-C6-O6	11.30	126.68	119.90
39	A3	89	G	P-O3'-C3'	11.30	133.26	119.70
38	A1	1331	U	O4'-C1'-N1	11.30	117.24	108.20
38	A1	56	G	C5-C6-O6	-11.30	121.82	128.60
38	A1	852	A	C8-N9-C4	-11.30	101.28	105.80
38	A1	3020	G	O4'-C1'-N9	11.30	117.24	108.20
11	B2	416	A	C8-N9-C4	11.29	110.32	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1268	C	O4'-C1'-N1	11.29	117.24	108.20
38	A1	380	A	C5-C6-N6	-11.29	114.66	123.70
38	A1	1335	C	C5-C4-N4	-11.30	112.29	120.20
38	A1	1732	C	N3-C4-C5	-11.30	117.38	121.90
38	A1	2375	C	N3-C4-N4	11.30	125.91	118.00
38	A1	2782	A	C5-C6-N6	-11.30	114.66	123.70
11	B2	223	G	N1-C6-O6	11.29	126.67	119.90
38	A1	493	A	C5-C6-N1	-11.29	112.05	117.70
38	A1	1813	A	C5-C6-N1	-11.29	112.05	117.70
38	A1	2282	G	N1-C6-O6	11.29	126.67	119.90
11	B2	192	G	O4'-C1'-N9	11.29	117.23	108.20
38	A1	924	A	C5-C6-N1	-11.29	112.06	117.70
38	A1	1225	A	C6-C5-N7	-11.29	124.40	132.30
11	B2	369	A	O4'-C1'-N9	11.29	117.23	108.20
39	A3	92	G	N1-C6-O6	11.29	126.67	119.90
38	A1	631	G	O4'-C1'-N9	11.29	117.23	108.20
38	A1	1433	C	N3-C4-C5	-11.29	117.39	121.90
38	A1	2211	C	N3-C4-N4	11.29	125.90	118.00
10	B1	53	G	C5-C6-O6	-11.28	121.83	128.60
11	B2	777	G	C2-N3-C4	11.28	117.54	111.90
11	B2	1281	U	O4'-C1'-N1	11.28	117.23	108.20
38	A1	55	G	O4'-C1'-N9	11.28	117.23	108.20
38	A1	408	C	C6-N1-C2	-11.28	115.79	120.30
11	B2	756	A	N1-C6-N6	11.28	125.37	118.60
38	A1	1539	U	N3-C4-O4	11.28	127.30	119.40
38	A1	1690	U	C2-N1-C1'	11.28	131.23	117.70
11	B2	824	G	C5-C6-O6	-11.28	121.83	128.60
38	A1	2681	A	C5-C6-N6	-11.28	114.68	123.70
11	B2	545	C	C2-N3-C4	11.28	125.54	119.90
11	B2	684	G	O4'-C1'-N9	11.28	117.22	108.20
11	B2	1472	G	C6-C5-N7	-11.28	123.64	130.40
38	A1	2101	A	C5-C6-N1	-11.28	112.06	117.70
38	A1	1374	G	C6-N1-C2	11.27	131.86	125.10
38	A1	333	A	C5-C6-N1	-11.27	112.06	117.70
38	A1	1426	G	N1-C6-O6	11.27	126.66	119.90
11	B2	245	U	C4-C5-C6	11.27	126.46	119.70
18	BF	188	PHE	CB-CG-CD2	-11.27	112.91	120.80
38	A1	277	A	C2-N3-C4	11.27	116.23	110.60
38	A1	2107	G	N1-C2-N3	-11.27	117.14	123.90
11	B2	1162	G	C5-C6-O6	-11.27	121.84	128.60
38	A1	340	G	C5-C6-O6	-11.27	121.84	128.60
38	A1	654	C	C5-C6-N1	11.26	126.63	121.00

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	811	C	N3-C4-C5	-11.26	117.39	121.90
11	B2	1466	G	N1-C6-O6	11.26	126.66	119.90
38	A1	597	C	C4-C5-C6	11.26	123.03	117.40
38	A1	662	A	N1-C2-N3	-11.26	123.67	129.30
46	AD	69	ARG	NE-CZ-NH2	-11.26	114.67	120.30
11	B2	155	U	N1-C2-N3	11.26	121.65	114.90
11	B2	197	A	C4-C5-C6	11.26	122.63	117.00
38	A1	1334	G	N9-C4-C5	11.26	109.90	105.40
11	B2	1006	C	N3-C4-C5	-11.26	117.40	121.90
38	A1	1347	U	N3-C4-O4	11.26	127.28	119.40
38	A1	1818	G	C4-C5-C6	11.26	125.55	118.80
38	A1	1422	G	C5-C6-O6	-11.26	121.85	128.60
38	A1	2599	C	N3-C4-C5	-11.26	117.40	121.90
38	A1	2842	C	N3-C4-N4	11.26	125.88	118.00
11	B2	435	A	C5-N7-C8	11.25	109.53	103.90
21	BI	46	TYR	CB-CG-CD2	-11.25	114.25	121.00
38	A1	640	C	N3-C4-N4	11.25	125.88	118.00
38	A1	2980	G	O4'-C1'-N9	11.25	117.20	108.20
11	B2	1058	G	C5-C6-O6	-11.25	121.85	128.60
38	A1	1287	G	C5-C6-O6	-11.25	121.85	128.60
38	A1	1985	G	N1-C6-O6	11.25	126.65	119.90
11	B2	851	C	O4'-C1'-N1	11.25	117.20	108.20
11	B2	988	A	P-O3'-C3'	11.25	133.20	119.70
38	A1	355	G	C5-C6-O6	-11.25	121.85	128.60
38	A1	1688	C	N3-C4-N4	11.25	125.87	118.00
11	B2	318	C	N3-C4-N4	11.24	125.87	118.00
11	B2	1429	G	C5-C6-O6	-11.24	121.85	128.60
38	A1	961	C	N3-C4-C5	-11.24	117.40	121.90
38	A1	2285	G	O4'-C1'-N9	11.24	117.19	108.20
38	A1	2697	G	O4'-C1'-N9	11.24	117.19	108.20
39	A3	88	A	N1-C2-N3	11.24	134.92	129.30
11	B2	390	G	C5-C6-N1	-11.24	105.88	111.50
39	A3	29	G	C5-C6-O6	-11.24	121.86	128.60
11	B2	1055	C	N3-C2-O2	11.24	129.77	121.90
11	B2	152	G	C4-C5-N7	11.24	115.30	110.80
11	B2	852	G	N1-C6-O6	11.24	126.64	119.90
38	A1	179	A	N1-C6-N6	11.24	125.34	118.60
38	A1	678	G	C5-N7-C8	11.24	109.92	104.30
11	B2	296	A	C5-C6-N6	-11.23	114.71	123.70
11	B2	778	G	C5-C6-O6	-11.23	121.86	128.60
13	BA	115	TYR	CB-CG-CD2	-11.23	114.26	121.00
38	A1	2181	G	C5-C6-O6	-11.23	121.86	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	103	A	C2-N3-C4	-11.23	104.98	110.60
38	A1	1902	G	N1-C6-O6	11.23	126.64	119.90
38	A1	2624	G	C5-C6-O6	-11.23	121.86	128.60
38	A1	106	G	C5-C6-O6	-11.23	121.86	128.60
38	A1	224	G	N1-C6-O6	11.23	126.64	119.90
38	A1	477	C	O4'-C1'-N1	11.23	117.18	108.20
38	A1	1386	G	N1-C2-N3	-11.23	117.16	123.90
38	A1	3016	G	N1-C2-N3	-11.23	117.16	123.90
11	B2	911	C	N3-C4-C5	-11.22	117.41	121.90
38	A1	1372	C	N3-C4-N4	11.22	125.86	118.00
38	A1	3021	C	C6-N1-C2	11.22	124.79	120.30
38	A1	2477	G	N3-C2-N2	11.22	127.76	119.90
34	BV	16	ARG	NE-CZ-NH2	-11.22	114.69	120.30
38	A1	342	C	N3-C4-C5	-11.22	117.41	121.90
38	A1	1930	A	N1-C6-N6	11.22	125.33	118.60
38	A1	186	A	C5-C6-N6	-11.22	114.73	123.70
38	A1	1353	A	C5-C6-N1	-11.22	112.09	117.70
38	A1	165	G	C8-N9-C4	-11.21	101.91	106.40
11	B2	243	G	C2-N3-C4	11.21	117.51	111.90
11	B2	1491	C	N3-C4-C5	-11.21	117.42	121.90
38	A1	1706	G	N1-C6-O6	11.21	126.63	119.90
38	A1	374	C	C4-C5-C6	11.21	123.00	117.40
38	A1	2354	A	O4'-C1'-N9	11.21	117.17	108.20
11	B2	764	C	O4'-C1'-N1	11.21	117.16	108.20
11	B2	789	G	O4'-C1'-N9	11.21	117.17	108.20
38	A1	2574	G	C5-C6-O6	-11.21	121.88	128.60
11	B2	138	C	N3-C4-C5	-11.20	117.42	121.90
11	B2	324	C	P-O3'-C3'	11.20	133.14	119.70
11	B2	960	A	C5-C6-N1	-11.20	112.10	117.70
38	A1	2109	C	O4'-C1'-N1	11.20	117.16	108.20
11	B2	1069	G	C4-C5-C6	11.20	125.52	118.80
38	A1	427	G	N1-C6-O6	11.20	126.62	119.90
38	A1	129	C	O4'-C1'-N1	11.20	117.16	108.20
38	A1	2437	G	C4-C5-N7	11.20	115.28	110.80
11	B2	939	C	O4'-C1'-N1	11.19	117.15	108.20
11	B2	1298	G	N1-C6-O6	11.19	126.61	119.90
11	B2	323	A	C5-C6-N1	-11.19	112.11	117.70
38	A1	1272	A	C4-C5-N7	-11.19	105.11	110.70
11	B2	520	G	C4-C5-N7	-11.19	106.33	110.80
11	B2	1425	C	O4'-C1'-N1	11.19	117.15	108.20
38	A1	199	C	C5-C6-N1	11.19	126.59	121.00
38	A1	1406	G	N1-C6-O6	11.19	126.61	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1893	C	O4'-C1'-N1	11.19	117.15	108.20
11	B2	355	C	O4'-C1'-N1	11.19	117.15	108.20
38	A1	1142	A	N1-C6-N6	11.19	125.31	118.60
38	A1	2084	A	C5-C6-N1	-11.19	112.11	117.70
38	A1	1809	G	N3-C2-N2	11.19	127.73	119.90
11	B2	545	C	O4'-C1'-N1	11.18	117.15	108.20
38	A1	94	A	N1-C6-N6	11.18	125.31	118.60
38	A1	500	C	O4'-C1'-N1	11.18	117.14	108.20
38	A1	810	A	O4'-C1'-N9	11.18	117.14	108.20
38	A1	2416	G	N1-C6-O6	11.18	126.61	119.90
38	A1	2815	C	C6-N1-C2	-11.18	115.83	120.30
38	A1	663	A	C5-C6-N1	-11.18	112.11	117.70
38	A1	738	C	N3-C4-C5	-11.18	117.43	121.90
38	A1	388	G	C5-C6-O6	-11.18	121.89	128.60
38	A1	1502	C	N3-C4-N4	11.18	125.82	118.00
38	A1	1840	G	C5-C6-O6	-11.18	121.89	128.60
38	A1	2216	G	N7-C8-N9	11.18	118.69	113.10
11	B2	1006	C	N3-C4-N4	11.17	125.82	118.00
11	B2	1210	A	C4-C5-C6	11.17	122.59	117.00
38	A1	586	A	N7-C8-N9	11.17	119.39	113.80
38	A1	1711	C	O4'-C1'-N1	11.17	117.14	108.20
38	A1	2038	C	C5-C6-N1	11.17	126.59	121.00
38	A1	2494	A	N1-C6-N6	11.17	125.30	118.60
5	AS	12	PHE	CB-CG-CD2	11.17	128.62	120.80
11	B2	251	G	N3-C2-N2	11.17	127.72	119.90
38	A1	1075	G	N1-C6-O6	11.17	126.60	119.90
38	A1	1895	G	C5-C6-N1	-11.17	105.92	111.50
38	A1	2010	G	C5-C6-O6	-11.17	121.90	128.60
38	A1	1464	A	C5-C6-N1	-11.17	112.12	117.70
38	A1	1949	A	C5-C6-N6	-11.17	114.77	123.70
38	A1	720	C	N3-C4-N4	11.16	125.82	118.00
11	B2	30	C	C6-N1-C2	-11.16	115.83	120.30
11	B2	154	C	N3-C4-N4	11.16	125.81	118.00
11	B2	164	A	C4-C5-C6	11.16	122.58	117.00
11	B2	358	G	N1-C6-O6	11.16	126.60	119.90
11	B2	549	A	C8-N9-C4	-11.16	101.33	105.80
38	A1	823	G	O4'-C1'-N9	11.16	117.13	108.20
38	A1	1572	C	P-O3'-C3'	11.16	133.10	119.70
38	A1	1363	C	C5-C4-N4	-11.16	112.39	120.20
38	A1	1896	U	P-O3'-C3'	11.16	133.09	119.70
38	A1	1923	A	C5-C6-N6	-11.16	114.77	123.70
38	A1	2176	G	N1-C2-N3	-11.16	117.20	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	A3	104	C	O4'-C1'-N1	11.16	117.13	108.20
38	A1	2696	G	N1-C6-O6	11.16	126.60	119.90
42	Aa	71	ARG	NE-CZ-NH1	11.16	125.88	120.30
38	A1	2435	G	N1-C6-O6	11.16	126.59	119.90
38	A1	2235	G	N1-C6-O6	11.16	126.59	119.90
39	A3	106	G	C8-N9-C4	11.16	110.86	106.40
11	B2	1018	C	N3-C4-C5	-11.15	117.44	121.90
11	B2	1299	A	C5-C6-N6	-11.15	114.78	123.70
11	B2	276	A	N1-C6-N6	11.15	125.29	118.60
38	A1	1074	G	N1-C6-O6	11.15	126.59	119.90
38	A1	2681	A	C5-C6-N1	-11.15	112.12	117.70
38	A1	1868	C	N3-C4-N4	11.15	125.81	118.00
38	A1	2162	G	C8-N9-C4	-11.15	101.94	106.40
38	A1	331	G	N3-C2-N2	11.15	127.70	119.90
38	A1	1862	G	C5-C6-O6	-11.15	121.91	128.60
38	A1	2485	C	N3-C4-C5	-11.15	117.44	121.90
38	A1	862	G	C2-N3-C4	11.14	117.47	111.90
38	A1	381	G	C5-C6-O6	-11.14	121.92	128.60
38	A1	657	U	O4'-C1'-N1	11.14	117.11	108.20
38	A1	2040	A	N1-C6-N6	11.14	125.28	118.60
38	A1	977	C	O4'-C1'-N1	11.14	117.11	108.20
38	A1	1075	G	C5-C6-O6	-11.14	121.92	128.60
38	A1	1605	A	N1-C2-N3	11.14	134.87	129.30
38	A1	1180	G	N9-C4-C5	-11.14	100.94	105.40
63	AP	41	ARG	NE-CZ-NH1	11.14	125.87	120.30
38	A1	2687	A	N1-C6-N6	11.14	125.28	118.60
11	B2	1196	A	N7-C8-N9	-11.13	108.23	113.80
38	A1	2441	A	C5-C6-N1	-11.13	112.13	117.70
10	B1	77	A	C8-N9-C4	-11.13	101.35	105.80
11	B2	630	A	C5-C6-N6	-11.13	114.79	123.70
38	A1	364	A	N1-C6-N6	11.13	125.28	118.60
11	B2	576	C	O4'-C1'-N1	11.13	117.10	108.20
38	A1	614	G	C5-C6-N1	11.13	117.06	111.50
11	B2	1056	G	O4'-C1'-N9	11.13	117.10	108.20
38	A1	771	G	C5-C6-O6	-11.13	121.92	128.60
11	B2	342	G	C2-N3-C4	11.12	117.46	111.90
11	B2	909	U	O4'-C1'-N1	11.12	117.10	108.20
38	A1	321	C	O4'-C1'-N1	11.13	117.10	108.20
38	A1	2028	G	C4-C5-N7	-11.12	106.35	110.80
11	B2	620	G	N1-C6-O6	11.12	126.57	119.90
11	B2	961	U	O4'-C1'-N1	11.12	117.10	108.20
38	A1	372	A	C5-C6-N1	-11.12	112.14	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	701	G	C2-N3-C4	11.12	117.46	111.90
38	A1	954	A	N1-C6-N6	11.12	125.27	118.60
38	A1	1274	G	O4'-C1'-N9	11.12	117.10	108.20
38	A1	1966	C	N3-C4-N4	11.12	125.78	118.00
11	B2	399	A	C5-N7-C8	11.12	109.46	103.90
11	B2	326	C	C4-C5-C6	-11.12	111.84	117.40
27	BO	108	ARG	NE-CZ-NH1	11.11	125.86	120.30
38	A1	1935	C	C5-C4-N4	-11.12	112.42	120.20
11	B2	985	C	O4'-C1'-N1	11.11	117.09	108.20
38	A1	2391	G	N1-C6-O6	11.11	126.57	119.90
46	AD	111	ARG	NE-CZ-NH2	-11.11	114.74	120.30
11	B2	1084	U	O4'-C1'-N1	11.11	117.09	108.20
11	B2	732	G	N1-C6-O6	11.11	126.56	119.90
11	B2	1349	C	N3-C4-C5	-11.11	117.46	121.90
38	A1	2094	A	C5-C6-N1	-11.11	112.15	117.70
38	A1	2646	A	C5-C6-N6	-11.11	114.82	123.70
11	B2	611	A	N1-C6-N6	11.10	125.26	118.60
38	A1	947	C	N3-C4-N4	11.10	125.77	118.00
11	B2	488	A	O4'-C1'-C2'	-11.10	94.70	105.80
11	B2	827	G	C5-C6-O6	-11.10	121.94	128.60
38	A1	2797	C	C5-C6-N1	-11.10	115.45	121.00
38	A1	70	G	N1-C6-O6	11.10	126.56	119.90
38	A1	528	G	C5-C6-O6	-11.10	121.94	128.60
11	B2	528	G	P-O3'-C3'	11.10	133.01	119.70
11	B2	1199	A	N9-C4-C5	-11.10	101.36	105.80
38	A1	309	C	N3-C4-N4	11.10	125.77	118.00
38	A1	1384	C	C5-C4-N4	-11.10	112.43	120.20
38	A1	116	G	N1-C2-N3	-11.09	117.25	123.90
45	AC	9	ARG	NE-CZ-NH1	11.09	125.85	120.30
38	A1	464	C	O4'-C1'-N1	11.09	117.07	108.20
38	A1	361	G	O4'-C1'-N9	11.09	117.07	108.20
38	A1	1017	A	C2-N3-C4	-11.09	105.06	110.60
38	A1	1161	A	C8-N9-C4	-11.09	101.36	105.80
38	A1	1304	G	N7-C8-N9	11.09	118.64	113.10
38	A1	1379	A	C8-N9-C4	-11.09	101.36	105.80
38	A1	2656	A	N1-C6-N6	11.09	125.25	118.60
38	A1	353	C	N3-C4-C5	-11.09	117.47	121.90
38	A1	2863	A	C5-C6-N1	-11.09	112.16	117.70
38	A1	2726	G	N1-C6-O6	11.09	126.55	119.90
5	AS	131	ARG	NE-CZ-NH1	11.08	125.84	120.30
38	A1	1197	G	N1-C2-N3	-11.08	117.25	123.90
38	A1	2120	C	C6-N1-C2	-11.08	115.87	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	311	A	C5-C6-N6	-11.08	114.83	123.70
38	A1	856	A	C5-C6-N1	-11.08	112.16	117.70
38	A1	1623	C	N3-C4-N4	11.08	125.76	118.00
38	A1	2476	A	C6-C5-N7	-11.08	124.54	132.30
65	AV	31	PHE	CB-CG-CD2	11.08	128.56	120.80
11	B2	155	U	P-O3'-C3'	11.08	133.00	119.70
11	B2	405	G	C5-C6-O6	-11.08	121.95	128.60
11	B2	1211	A	C5-C6-N1	-11.08	112.16	117.70
38	A1	349	A	C5-C6-N6	-11.08	114.84	123.70
38	A1	770	G	N1-C6-O6	11.08	126.55	119.90
38	A1	800	G	C5-C6-O6	-11.08	121.95	128.60
38	A1	282	G	N1-C6-O6	11.08	126.55	119.90
38	A1	1548	A	C5-C6-N1	-11.08	112.16	117.70
11	B2	150	G	O4'-C1'-N9	11.07	117.06	108.20
38	A1	1961	G	N3-C2-N2	11.07	127.65	119.90
11	B2	1395	G	C5-C6-O6	-11.07	121.96	128.60
38	A1	1476	C	N3-C4-C5	-11.07	117.47	121.90
38	A1	2013	A	N1-C6-N6	11.07	125.24	118.60
38	A1	2534	C	N1-C2-O2	11.07	125.54	118.90
38	A1	2692	A	O4'-C1'-N9	11.07	117.06	108.20
4	AQ	61	TYR	CB-CG-CD2	11.07	127.64	121.00
11	B2	1023	C	N3-C4-C5	-11.07	117.47	121.90
11	B2	1090	C	C5-C6-N1	-11.07	115.47	121.00
38	A1	344	G	O4'-C1'-N9	11.07	117.06	108.20
38	A1	875	G	C5-C6-O6	-11.07	121.96	128.60
11	B2	222	G	C5-C6-O6	-11.07	121.96	128.60
11	B2	515	U	N1-C2-N3	-11.07	108.26	114.90
11	B2	683	A	N1-C6-N6	11.07	125.24	118.60
38	A1	1363	C	N3-C4-N4	11.07	125.75	118.00
11	B2	668	G	N1-C6-O6	11.06	126.54	119.90
11	B2	357	C	N3-C4-N4	11.06	125.74	118.00
11	B2	922	G	C5-C6-O6	-11.06	121.96	128.60
38	A1	319	A	C5-C6-N6	-11.06	114.85	123.70
38	A1	2804	C	C6-N1-C2	-11.06	115.88	120.30
38	A1	1100	G	N1-C6-O6	11.06	126.54	119.90
38	A1	2633	A	N1-C6-N6	11.06	125.24	118.60
10	B1	65	C	N3-C4-C5	-11.06	117.48	121.90
11	B2	616	G	N9-C4-C5	-11.06	100.98	105.40
38	A1	1746	C	N3-C4-C5	-11.06	117.48	121.90
11	B2	973	U	N3-C4-O4	11.06	127.14	119.40
38	A1	2254	U	C5-C6-N1	11.06	128.23	122.70
11	B2	1357	C	O4'-C1'-N1	11.06	117.05	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
21	BI	46	TYR	CB-CG-CD1	11.06	127.63	121.00
23	BK	104	ARG	NE-CZ-NH2	11.05	125.83	120.30
38	A1	641	G	P-O3'-C3'	11.05	132.97	119.70
38	A1	1425	U	C5-C4-O4	-11.05	119.27	125.90
38	A1	920	G	C5-C6-O6	-11.05	121.97	128.60
38	A1	2372	C	C2-N3-C4	11.05	125.43	119.90
11	B2	97	C	N3-C4-N4	11.05	125.74	118.00
11	B2	224	A	N1-C6-N6	11.05	125.23	118.60
11	B2	1060	G	O4'-C1'-N9	11.05	117.04	108.20
38	A1	1963	G	C8-N9-C4	11.05	110.82	106.40
38	A1	2445	G	N1-C6-O6	11.05	126.53	119.90
11	B2	1249	A	C4-C5-C6	11.05	122.52	117.00
46	AD	69	ARG	NE-CZ-NH1	11.05	125.82	120.30
11	B2	1448	A	O4'-C1'-N9	11.05	117.04	108.20
38	A1	2331	A	C5-C6-N1	-11.05	112.18	117.70
11	B2	726	A	N1-C6-N6	11.04	125.22	118.60
11	B2	1212	U	N3-C4-O4	11.04	127.13	119.40
38	A1	47	C	C6-N1-C2	-11.04	115.88	120.30
38	A1	1736	G	C4-C5-N7	-11.04	106.38	110.80
11	B2	1399	G	C8-N9-C4	-11.04	101.98	106.40
38	A1	1005	G	N3-C2-N2	11.04	127.63	119.90
38	A1	982	G	N1-C6-O6	11.04	126.52	119.90
38	A1	1175	C	N3-C4-C5	-11.04	117.48	121.90
38	A1	485	G	C5-C6-N1	-11.04	105.98	111.50
38	A1	673	A	N1-C6-N6	11.04	125.22	118.60
38	A1	2537	G	C5-C6-N1	-11.04	105.98	111.50
60	AM	80	ARG	NE-CZ-NH1	11.04	125.82	120.30
11	B2	1239	A	C5-C6-N6	-11.03	114.87	123.70
38	A1	526	C	C2-N3-C4	11.03	125.42	119.90
38	A1	2494	A	C4-C5-C6	11.03	122.52	117.00
38	A1	1816	C	O4'-C1'-N1	11.03	117.03	108.20
10	B1	19	G	O4'-C1'-N9	11.03	117.02	108.20
11	B2	558	C	C5-C6-N1	11.03	126.51	121.00
38	A1	207	A	C4-C5-N7	-11.03	105.19	110.70
38	A1	1837	A	C5-C6-N1	-11.03	112.19	117.70
11	B2	41	C	O4'-C1'-N1	11.03	117.02	108.20
38	A1	1334	G	C4-C5-C6	11.03	125.42	118.80
38	A1	2334	G	C6-C5-N7	-11.03	123.78	130.40
11	B2	812	U	C5-C4-O4	11.02	132.51	125.90
11	B2	867	A	O4'-C1'-N9	11.02	117.02	108.20
38	A1	297	G	N1-C2-N3	-11.02	117.29	123.90
38	A1	2123	G	C5-C6-O6	-11.02	121.99	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	A3	30	G	C8-N9-C4	-11.02	101.99	106.40
11	B2	1206	G	O4'-C1'-N9	11.02	117.02	108.20
38	A1	2680	A	C4-C5-C6	11.02	122.51	117.00
38	A1	1079	A	O4'-C1'-N9	11.02	117.02	108.20
38	A1	2063	U	C1'-O4'-C4'	-11.02	101.08	109.90
11	B2	433	U	N3-C2-O2	-11.02	114.49	122.20
11	B2	1100	G	N1-C6-O6	11.02	126.51	119.90
38	A1	2892	A	N1-C6-N6	11.02	125.21	118.60
11	B2	795	G	N1-C6-O6	11.02	126.51	119.90
11	B2	514	U	O4'-C1'-N1	11.01	117.01	108.20
38	A1	479	G	C5-C6-O6	-11.01	121.99	128.60
38	A1	950	G	N1-C6-O6	11.01	126.51	119.90
38	A1	1798	A	C5-C6-N1	-11.01	112.19	117.70
38	A1	2286	U	N1-C2-N3	-11.01	108.29	114.90
38	A1	2821	G	O4'-C1'-N9	11.01	117.01	108.20
11	B2	532	C	C6-N1-C2	-11.01	115.90	120.30
11	B2	1248	A	C4-C5-C6	11.01	122.50	117.00
38	A1	1019	G	C5-C6-O6	-11.01	121.99	128.60
38	A1	1911	G	C5-N7-C8	11.01	109.81	104.30
38	A1	1238	G	C6-N1-C2	-11.01	118.50	125.10
11	B2	951	G	O4'-C1'-N9	11.01	117.00	108.20
38	A1	975	C	C2-N3-C4	11.01	125.40	119.90
38	A1	3027	C	N3-C4-N4	11.01	125.71	118.00
11	B2	1490	C	N3-C4-C5	-11.00	117.50	121.90
11	B2	567	A	N1-C6-N6	11.00	125.20	118.60
38	A1	407	A	O4'-C1'-N9	11.00	117.00	108.20
38	A1	2046	C	C4-C5-C6	11.00	122.90	117.40
38	A1	2672	A	N1-C2-N3	11.00	134.80	129.30
38	A1	2858	C	C5-C6-N1	11.00	126.50	121.00
11	B2	325	A	N1-C2-N3	11.00	134.80	129.30
11	B2	1156	A	N1-C6-N6	11.00	125.20	118.60
38	A1	616	C	O4'-C1'-N1	11.00	117.00	108.20
38	A1	1123	A	N1-C6-N6	11.00	125.20	118.60
38	A1	1540	A	N1-C6-N6	11.00	125.20	118.60
38	A1	2646	A	N1-C2-N3	11.00	134.80	129.30
38	A1	2712	G	C8-N9-C4	-11.00	102.00	106.40
11	B2	452	G	C5-C6-O6	-10.99	122.00	128.60
11	B2	1443	G	N1-C6-O6	10.99	126.50	119.90
38	A1	1584	G	N1-C6-O6	10.99	126.50	119.90
11	B2	581	G	C5-C6-O6	-10.99	122.00	128.60
38	A1	899	A	P-O3'-C3'	10.99	132.89	119.70
38	A1	1596	G	C5-C6-O6	-10.99	122.00	128.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	909	A	C4-C5-C6	10.99	122.49	117.00
38	A1	2591	A	N1-C6-N6	10.99	125.19	118.60
11	B2	549	A	N1-C6-N6	10.99	125.19	118.60
38	A1	1654	G	C5-C6-O6	-10.99	122.01	128.60
38	A1	1057	C	C6-N1-C2	-10.98	115.91	120.30
39	A3	45	C	O4'-C1'-N1	10.98	116.99	108.20
11	B2	814	C	N3-C4-C5	-10.98	117.51	121.90
38	A1	1613	A	O4'-C1'-N9	10.98	116.99	108.20
11	B2	285	C	O4'-C1'-N1	10.98	116.98	108.20
38	A1	2636	C	N3-C4-C5	-10.98	117.51	121.90
38	A1	2983	G	O4'-C1'-N9	10.98	116.98	108.20
38	A1	701	G	N1-C6-O6	10.98	126.49	119.90
38	A1	929	G	N1-C6-O6	10.98	126.49	119.90
38	A1	1091	G	C6-C5-N7	-10.98	123.81	130.40
38	A1	2037	A	C5-C6-N1	-10.97	112.21	117.70
39	A3	88	A	N9-C4-C5	10.97	110.19	105.80
38	A1	177	G	C5-C6-N1	-10.97	106.01	111.50
38	A1	2285	G	C5-C6-N1	-10.97	106.01	111.50
60	AM	106	ARG	NE-CZ-NH1	10.97	125.79	120.30
38	A1	1429	A	N7-C8-N9	-10.97	108.31	113.80
38	A1	1894	A	C4-C5-C6	10.97	122.49	117.00
38	A1	1413	A	N1-C6-N6	10.97	125.18	118.60
38	A1	1863	G	N1-C6-O6	10.97	126.48	119.90
11	B2	687	G	C5-C6-O6	-10.96	122.02	128.60
10	B1	7	G	P-O3'-C3'	10.96	132.86	119.70
11	B2	236	C	N3-C4-C5	-10.96	117.52	121.90
11	B2	1022	U	O4'-C1'-N1	10.96	116.97	108.20
38	A1	2889	A	C5-C6-N1	-10.96	112.22	117.70
38	A1	2591	A	C4-C5-N7	-10.96	105.22	110.70
11	B2	175	G	O4'-C1'-N9	10.96	116.97	108.20
11	B2	177	A	O4'-C1'-N9	10.96	116.97	108.20
11	B2	966	G	C5-N7-C8	-10.96	98.82	104.30
38	A1	1354	G	N1-C6-O6	10.96	126.47	119.90
38	A1	1609	G	O4'-C1'-N9	10.95	116.96	108.20
38	A1	2355	G	N7-C8-N9	10.95	118.58	113.10
10	B1	66	C	O4'-C1'-N1	10.95	116.96	108.20
38	A1	1088	G	O4'-C1'-N9	10.95	116.96	108.20
38	A1	1675	C	O4'-C1'-N1	10.95	116.96	108.20
38	A1	2851	A	N1-C6-N6	10.95	125.17	118.60
11	B2	1046	G	N1-C6-O6	10.95	126.47	119.90
21	BI	124	ARG	NE-CZ-NH1	10.95	125.78	120.30
34	BV	59	TYR	CB-CG-CD2	-10.95	114.43	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	89	C	N3-C4-C5	-10.95	117.52	121.90
38	A1	333	A	C4-C5-C6	10.94	122.47	117.00
38	A1	745	C	C6-N1-C2	-10.94	115.92	120.30
38	A1	1308	G	P-O3'-C3'	10.94	132.83	119.70
38	A1	2274	C	C6-N1-C2	-10.94	115.92	120.30
38	A1	1464	A	C5-N7-C8	10.94	109.37	103.90
38	A1	1511	C	N3-C4-C5	-10.94	117.52	121.90
11	B2	1230	G	C5-C6-N1	-10.94	106.03	111.50
38	A1	683	C	O4'-C1'-N1	10.94	116.95	108.20
11	B2	334	G	C5-C6-N1	-10.94	106.03	111.50
38	A1	2774	C	O4'-C1'-N1	10.94	116.95	108.20
11	B2	193	G	N1-C6-O6	10.94	126.46	119.90
11	B2	1111	G	N3-C2-N2	10.94	127.55	119.90
38	A1	136	U	O4'-C1'-N1	10.94	116.95	108.20
38	A1	663	A	C5-C6-N6	-10.94	114.95	123.70
38	A1	1629	G	N1-C6-O6	10.94	126.46	119.90
38	A1	2370	C	N3-C4-N4	10.94	125.66	118.00
11	B2	553	C	C4-C5-C6	10.93	122.87	117.40
39	A3	25	A	C5-C6-N1	-10.93	112.23	117.70
39	A3	116	C	O4'-C1'-N1	10.93	116.94	108.20
11	B2	32	A	C5-C6-N1	-10.93	112.23	117.70
11	B2	196	G	N1-C6-O6	10.93	126.46	119.90
11	B2	740	G	N1-C6-O6	10.93	126.46	119.90
38	A1	899	A	C5-C6-N6	-10.93	114.96	123.70
38	A1	1152	C	O4'-C1'-N1	10.93	116.94	108.20
39	A3	105	G	N1-C2-N3	-10.93	117.34	123.90
38	A1	1185	A	N1-C6-N6	10.93	125.16	118.60
38	A1	134	C	O4'-C1'-N1	10.93	116.94	108.20
11	B2	1058	G	N1-C6-O6	10.93	126.45	119.90
15	BC	111	ARG	NE-CZ-NH1	10.93	125.76	120.30
38	A1	2480	G	C5-C6-O6	-10.93	122.04	128.60
39	A3	42	A	P-O3'-C3'	10.92	132.81	119.70
38	A1	2389	C	C2-N3-C4	10.92	125.36	119.90
38	A1	3020	G	C5-C6-O6	-10.92	122.05	128.60
38	A1	1612	G	P-O3'-C3'	10.92	132.81	119.70
38	A1	1862	G	C2-N3-C4	10.92	117.36	111.90
38	A1	2333	G	N1-C6-O6	10.92	126.45	119.90
11	B2	480	G	P-O3'-C3'	-10.92	106.60	119.70
38	A1	2158	G	N1-C6-O6	10.92	126.45	119.90
38	A1	2704	A	C5-C6-N1	-10.92	112.24	117.70
38	A1	180	A	N1-C6-N6	10.91	125.15	118.60
38	A1	981	A	O4'-C1'-N9	10.91	116.93	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2339	C	N3-C4-N4	10.91	125.64	118.00
38	A1	480	A	P-O3'-C3'	10.91	132.79	119.70
38	A1	1134	A	N1-C6-N6	10.91	125.15	118.60
38	A1	1200	A	N1-C6-N6	10.91	125.15	118.60
38	A1	2270	G	C5-C6-O6	-10.91	122.05	128.60
38	A1	2589	C	O4'-C1'-N1	10.91	116.93	108.20
38	A1	354	G	C4-C5-C6	10.91	125.35	118.80
38	A1	1071	A	C5-C6-N6	-10.91	114.97	123.70
38	A1	1919	A	P-O3'-C3'	-10.91	106.61	119.70
38	A1	2484	C	N3-C4-C5	-10.91	117.53	121.90
11	B2	391	G	N1-C6-O6	10.91	126.44	119.90
38	A1	2032	G	C6-C5-N7	-10.91	123.86	130.40
11	B2	187	C	N3-C4-C5	-10.90	117.54	121.90
38	A1	1100	G	C5-C6-O6	-10.90	122.06	128.60
38	A1	2301	C	C5-C4-N4	10.90	127.83	120.20
64	AR	21	ARG	NE-CZ-NH1	10.90	125.75	120.30
11	B2	183	A	C5-C6-N6	-10.90	114.98	123.70
38	A1	2479	C	C6-N1-C2	-10.90	115.94	120.30
11	B2	1195	U	O4'-C1'-N1	10.90	116.92	108.20
38	A1	352	G	N9-C4-C5	-10.90	101.04	105.40
38	A1	703	G	C6-C5-N7	-10.90	123.86	130.40
61	AN	136	ARG	NE-CZ-NH1	10.90	125.75	120.30
11	B2	456	U	O4'-C1'-N1	10.89	116.91	108.20
11	B2	1469	G	O4'-C1'-N9	10.89	116.92	108.20
38	A1	2178	A	C4-C5-C6	10.89	122.45	117.00
38	A1	2945	A	N1-C6-N6	10.89	125.14	118.60
11	B2	1035	C	O4'-C1'-N1	10.89	116.91	108.20
11	B2	1124	G	O4'-C1'-N9	10.89	116.91	108.20
11	B2	1235	A	N7-C8-N9	10.89	119.25	113.80
38	A1	1378	G	N1-C6-O6	10.89	126.44	119.90
38	A1	2973	A	C5-C6-N1	-10.89	112.25	117.70
11	B2	408	C	O4'-C1'-N1	10.89	116.91	108.20
11	B2	620	G	C5-N7-C8	10.89	109.74	104.30
11	B2	1480	G	N3-C2-N2	10.89	127.52	119.90
15	BC	73	PHE	CB-CG-CD2	10.89	128.42	120.80
38	A1	234	G	N1-C6-O6	10.89	126.43	119.90
38	A1	1669	A	N1-C6-N6	10.89	125.13	118.60
38	A1	2639	G	N1-C2-N3	-10.89	117.37	123.90
38	A1	2822	G	N1-C6-O6	10.89	126.43	119.90
38	A1	2955	G	C5-C6-O6	-10.89	122.07	128.60
11	B2	250	G	C5-C6-O6	-10.89	122.07	128.60
11	B2	305	C	O4'-C1'-N1	10.89	116.91	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1015	C	O4'-C1'-N1	10.89	116.91	108.20
38	A1	454	C	N3-C4-N4	10.88	125.62	118.00
38	A1	794	G	C5-C6-O6	-10.88	122.07	128.60
38	A1	1480	G	C5-C6-O6	-10.88	122.07	128.60
38	A1	767	G	N3-C4-C5	-10.88	123.16	128.60
38	A1	1619	C	C6-N1-C2	-10.88	115.95	120.30
38	A1	2221	A	N1-C6-N6	10.88	125.13	118.60
11	B2	415	C	N3-C4-N4	10.88	125.61	118.00
11	B2	583	G	O4'-C1'-N9	10.88	116.90	108.20
38	A1	434	G	C5-C6-O6	-10.88	122.07	128.60
38	A1	1889	G	C6-C5-N7	-10.88	123.87	130.40
38	A1	799	C	N3-C4-N4	10.87	125.61	118.00
38	A1	2175	G	C8-N9-C4	-10.88	102.05	106.40
38	A1	2230	G	N1-C6-O6	10.88	126.42	119.90
12	AG	79	TYR	CB-CG-CD1	-10.87	114.47	121.00
38	A1	622	A	N1-C6-N6	10.87	125.12	118.60
38	A1	2194	A	C4-C5-C6	10.87	122.44	117.00
38	A1	2505	A	C4-C5-C6	10.87	122.44	117.00
38	A1	2775	G	N1-C6-O6	10.87	126.42	119.90
11	B2	1358	A	C5-C6-N1	-10.87	112.27	117.70
11	B2	251	G	N1-C6-O6	10.87	126.42	119.90
38	A1	867	C	N3-C4-N4	10.87	125.61	118.00
38	A1	1107	G	C8-N9-C4	-10.87	102.05	106.40
39	A3	34	C	N3-C4-C5	-10.87	117.55	121.90
38	A1	2217	C	O4'-C1'-N1	10.87	116.89	108.20
38	A1	2401	A	P-O3'-C3'	10.87	132.74	119.70
38	A1	2975	A	C2-N3-C4	-10.87	105.17	110.60
59	AL	42	ARG	NE-CZ-NH2	-10.87	114.87	120.30
11	B2	1138	G	C8-N9-C4	-10.86	102.06	106.40
11	B2	1313	G	N1-C6-O6	10.86	126.42	119.90
39	A3	2	G	N1-C2-N3	-10.86	117.38	123.90
21	BI	86	PHE	CB-CG-CD1	10.86	128.40	120.80
38	A1	2784	A	C4-C5-C6	10.86	122.43	117.00
38	A1	1498	C	O4'-C1'-N1	10.86	116.89	108.20
38	A1	2715	A	N1-C2-N3	10.86	134.73	129.30
38	A1	2993	G	C4-C5-N7	10.86	115.14	110.80
38	A1	249	G	N1-C6-O6	10.86	126.41	119.90
38	A1	950	G	N3-C4-N9	-10.86	119.49	126.00
11	B2	1251	C	N3-C4-N4	10.85	125.60	118.00
38	A1	621	G	C5-C6-O6	-10.85	122.09	128.60
38	A1	434	G	O4'-C1'-N9	10.85	116.88	108.20
38	A1	1447	G	C5-C6-O6	-10.85	122.09	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1834	C	N3-C4-C5	-10.85	117.56	121.90
38	A1	2207	C	O4'-C1'-N1	10.85	116.88	108.20
11	B2	57	G	C5-C6-O6	-10.85	122.09	128.60
11	B2	381	C	N3-C4-N4	10.85	125.59	118.00
11	B2	890	C	O4'-C1'-N1	10.85	116.88	108.20
11	B2	988	A	C5-C6-N6	-10.85	115.02	123.70
11	B2	1272	G	C5-C6-O6	-10.85	122.09	128.60
38	A1	769	G	N1-C2-N3	-10.85	117.39	123.90
38	A1	952	C	C5-C6-N1	10.85	126.42	121.00
38	A1	1111	G	C2-N3-C4	-10.85	106.48	111.90
38	A1	2310	G	C5-C6-N1	10.85	116.92	111.50
38	A1	2336	G	O4'-C1'-N9	10.85	116.88	108.20
38	A1	2392	A	O4'-C1'-N9	10.85	116.88	108.20
11	B2	1409	G	C4-C5-N7	10.84	115.14	110.80
11	B2	1495	U	C3'-C2'-C1'	10.84	110.17	101.50
11	B2	140	C	O4'-C1'-N1	10.84	116.87	108.20
11	B2	1076	G	C5-C6-N1	-10.84	106.08	111.50
38	A1	2794	G	O4'-C1'-N9	10.84	116.87	108.20
11	B2	347	G	C6-C5-N7	-10.84	123.90	130.40
11	B2	581	G	N1-C6-O6	10.84	126.40	119.90
11	B2	987	G	C8-N9-C4	-10.84	102.07	106.40
38	A1	582	A	N1-C6-N6	10.84	125.10	118.60
38	A1	1423	G	N1-C6-O6	10.84	126.40	119.90
38	A1	2098	C	N3-C4-C5	-10.84	117.57	121.90
38	A1	2214	U	C5-C6-N1	10.84	128.12	122.70
38	A1	2408	G	C8-N9-C4	-10.84	102.06	106.40
43	AB	25	ARG	NE-CZ-NH1	10.84	125.72	120.30
9	AX	291	ARG	NE-CZ-NH1	-10.83	114.88	120.30
38	A1	361	G	C5-N7-C8	10.83	109.72	104.30
38	A1	701	G	N3-C4-C5	-10.83	123.18	128.60
38	A1	2275	G	C5-C6-N1	-10.83	106.08	111.50
38	A1	10	C	N3-C4-C5	-10.83	117.57	121.90
38	A1	2552	C	N3-C4-N4	10.83	125.58	118.00
38	A1	366	G	N1-C6-O6	10.83	126.40	119.90
38	A1	794	G	N1-C6-O6	10.83	126.40	119.90
39	A3	102	G	C8-N9-C4	-10.83	102.07	106.40
11	B2	1107	C	N3-C4-N4	10.83	125.58	118.00
38	A1	989	G	N1-C6-O6	10.83	126.40	119.90
38	A1	1819	G	C1'-O4'-C4'	-10.83	101.24	109.90
38	A1	1901	A	N9-C4-C5	10.83	110.13	105.80
10	B1	38	G	C8-N9-C4	10.82	110.73	106.40
38	A1	2672	A	C5-C6-N1	-10.82	112.29	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	124	C	N3-C4-C5	-10.82	117.57	121.90
38	A1	1077	G	N1-C6-O6	10.82	126.39	119.90
11	B2	400	G	N9-C4-C5	10.82	109.73	105.40
11	B2	653	C	O4'-C1'-N1	10.82	116.86	108.20
38	A1	684	G	C8-N9-C4	-10.82	102.07	106.40
38	A1	690	G	C4-C5-N7	-10.82	106.47	110.80
38	A1	1343	C	N3-C4-C5	-10.82	117.57	121.90
38	A1	2280	G	P-O3'-C3'	10.82	132.69	119.70
38	A1	2976	G	O4'-C1'-N9	10.82	116.86	108.20
38	A1	2853	A	C5-C6-N6	-10.82	115.04	123.70
38	A1	2988	A	N1-C6-N6	10.82	125.09	118.60
38	A1	1141	C	N3-C4-N4	10.82	125.57	118.00
11	B2	84	C	O4'-C1'-N1	10.82	116.85	108.20
11	B2	1457	A	N9-C4-C5	-10.82	101.47	105.80
38	A1	2722	G	N1-C6-O6	10.82	126.39	119.90
11	B2	1035	C	C2-N3-C4	10.81	125.31	119.90
38	A1	615	A	C5-C6-N6	-10.81	115.05	123.70
38	A1	994	G	C5-C6-O6	-10.81	122.11	128.60
41	AA	154	ARG	NE-CZ-NH1	-10.81	114.89	120.30
38	A1	1786	G	C8-N9-C4	-10.81	102.08	106.40
11	B2	874	G	N1-C6-O6	10.81	126.39	119.90
38	A1	166	G	O4'-C1'-N9	10.81	116.85	108.20
38	A1	729	A	C6-C5-N7	-10.81	124.73	132.30
11	B2	1100	G	C8-N9-C4	-10.81	102.08	106.40
38	A1	954	A	C4-C5-C6	10.81	122.40	117.00
38	A1	3017	U	O4'-C1'-N1	10.81	116.85	108.20
11	B2	372	G	N1-C6-O6	10.81	126.38	119.90
38	A1	2056	A	O4'-C1'-N9	10.81	116.84	108.20
38	A1	2368	G	C4-C5-C6	10.80	125.28	118.80
11	B2	285	C	C5-C4-N4	-10.80	112.64	120.20
38	A1	809	A	N1-C6-N6	10.80	125.08	118.60
38	A1	353	C	N3-C4-N4	10.80	125.56	118.00
38	A1	776	G	C4-C5-N7	-10.80	106.48	110.80
38	A1	979	G	O4'-C1'-N9	10.80	116.84	108.20
38	A1	2391	G	C5-C6-O6	-10.80	122.12	128.60
11	B2	331	C	O4'-C1'-N1	10.80	116.84	108.20
11	B2	1321	U	C5-C4-O4	-10.79	119.42	125.90
38	A1	587	A	N7-C8-N9	-10.79	108.40	113.80
38	A1	699	A	C5-N7-C8	10.79	109.30	103.90
38	A1	1035	G	P-O3'-C3'	10.79	132.65	119.70
38	A1	2469	G	C5-C6-O6	-10.80	122.12	128.60
38	A1	1848	A	C5-C6-N6	-10.79	115.06	123.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2762	G	N1-C6-O6	10.79	126.38	119.90
11	B2	262	G	N1-C6-O6	10.79	126.38	119.90
11	B2	550	G	N7-C8-N9	-10.79	107.70	113.10
38	A1	1179	G	N1-C6-O6	10.79	126.38	119.90
38	A1	1714	G	C5-C6-O6	-10.79	122.12	128.60
38	A1	1725	A	N1-C6-N6	10.79	125.07	118.60
38	A1	2266	C	N3-C4-C5	-10.79	117.58	121.90
11	B2	1150	G	N1-C6-O6	10.79	126.37	119.90
11	B2	1416	C	O4'-C1'-N1	10.79	116.83	108.20
11	B2	542	G	C5-C6-N1	-10.79	106.11	111.50
38	A1	2872	G	N7-C8-N9	-10.79	107.71	113.10
60	AM	117	TYR	CB-CG-CD2	-10.79	114.53	121.00
11	B2	402	G	N1-C6-O6	10.79	126.37	119.90
38	A1	562	G	O4'-C1'-N9	10.79	116.83	108.20
38	A1	573	G	N3-C2-N2	10.79	127.45	119.90
38	A1	3038	A	C2-N3-C4	-10.79	105.21	110.60
11	B2	975	A	N1-C2-N3	-10.78	123.91	129.30
11	B2	1479	C	N3-C4-N4	10.78	125.55	118.00
38	A1	545	G	P-O3'-C3'	10.78	132.64	119.70
38	A1	1397	U	O4'-C1'-N1	10.78	116.83	108.20
11	B2	168	G	O4'-C1'-N9	10.78	116.82	108.20
11	B2	254	G	O4'-C1'-N9	10.78	116.82	108.20
11	B2	982	U	O4'-C1'-N1	10.78	116.82	108.20
38	A1	307	C	C5-C6-N1	10.78	126.39	121.00
38	A1	2251	G	C8-N9-C4	10.78	110.71	106.40
38	A1	2536	A	N1-C6-N6	10.78	125.07	118.60
38	A1	2602	G	N9-C4-C5	-10.78	101.09	105.40
11	B2	54	C	C4-C5-C6	10.78	122.79	117.40
11	B2	1236	G	C5-C6-O6	-10.78	122.13	128.60
38	A1	1083	G	N3-C4-C5	-10.78	123.21	128.60
38	A1	2860	G	C5-C6-O6	-10.78	122.13	128.60
11	B2	1465	C	C6-N1-C2	-10.77	115.99	120.30
38	A1	60	G	N1-C6-O6	10.77	126.36	119.90
38	A1	559	G	C5-C6-O6	-10.77	122.14	128.60
38	A1	585	G	C5-C6-O6	-10.77	122.14	128.60
38	A1	2568	A	N9-C4-C5	10.77	110.11	105.80
38	A1	2660	G	O4'-C1'-N9	10.77	116.82	108.20
11	B2	30	C	C5-C6-N1	10.77	126.39	121.00
38	A1	2411	C	O4'-C1'-N1	10.77	116.82	108.20
11	B2	1008	U	O4'-C1'-N1	10.77	116.81	108.20
11	B2	1123	G	C5-C6-O6	-10.77	122.14	128.60
39	A3	71	G	N1-C2-N3	-10.77	117.44	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	433	C	N3-C4-C5	-10.77	117.59	121.90
38	A1	930	G	C5-C6-N1	-10.77	106.12	111.50
38	A1	1523	A	C5-C6-N6	-10.77	115.09	123.70
38	A1	1829	C	C6-N1-C2	-10.77	115.99	120.30
11	B2	93	A	N1-C6-N6	10.76	125.06	118.60
38	A1	12	C	C6-N1-C2	-10.76	116.00	120.30
38	A1	214	C	O4'-C1'-N1	10.76	116.81	108.20
38	A1	2902	G	C5-C6-N1	-10.76	106.12	111.50
11	B2	1169	C	N3-C4-C5	-10.76	117.60	121.90
38	A1	169	G	O4'-C1'-N9	10.76	116.81	108.20
38	A1	488	A	C5-C6-N1	-10.76	112.32	117.70
38	A1	536	G	O4'-C1'-N9	10.76	116.81	108.20
38	A1	708	A	C5-C6-N6	-10.76	115.09	123.70
38	A1	1057	C	N3-C4-N4	10.76	125.53	118.00
38	A1	2757	G	N1-C6-O6	10.76	126.36	119.90
11	B2	1292	A	C6-N1-C2	10.76	125.05	118.60
38	A1	841	U	O4'-C1'-N1	10.76	116.81	108.20
38	A1	2342	C	N3-C4-N4	10.76	125.53	118.00
38	A1	854	G	N1-C2-N3	-10.76	117.45	123.90
38	A1	1788	G	C5-N7-C8	-10.76	98.92	104.30
38	A1	2469	G	N1-C6-O6	10.76	126.35	119.90
11	B2	1001	A	P-O3'-C3'	10.75	132.60	119.70
38	A1	1705	C	O4'-C1'-N1	10.75	116.80	108.20
38	A1	2130	C	O4'-C1'-N1	10.75	116.80	108.20
38	A1	2563	A	N1-C2-N3	10.75	134.68	129.30
38	A1	1386	G	N1-C6-O6	10.75	126.35	119.90
38	A1	2592	U	O4'-C1'-N1	10.75	116.80	108.20
11	B2	1053	A	C5-C6-N6	-10.75	115.10	123.70
38	A1	19	G	N9-C4-C5	10.75	109.70	105.40
38	A1	2388	U	O4'-C1'-N1	10.75	116.80	108.20
11	B2	526	A	C5-C6-N1	-10.74	112.33	117.70
38	A1	68	G	C5-C6-O6	-10.74	122.15	128.60
38	A1	843	C	N3-C4-N4	10.74	125.52	118.00
38	A1	1529	A	O4'-C1'-N9	10.74	116.79	108.20
38	A1	1261	C	C5-C4-N4	-10.74	112.68	120.20
38	A1	1640	G	N1-C6-O6	10.74	126.34	119.90
11	B2	351	C	N3-C4-C5	-10.74	117.61	121.90
11	B2	1414	G	N9-C4-C5	-10.74	101.11	105.40
38	A1	1809	G	N1-C6-O6	10.74	126.34	119.90
11	B2	1273	G	N1-C6-O6	10.74	126.34	119.90
11	B2	1305	U	C6-N1-C2	-10.74	114.56	121.00
11	B2	1418	G	N1-C6-O6	10.74	126.34	119.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1901	A	N1-C6-N6	10.74	125.04	118.60
38	A1	2160	C	C6-N1-C2	-10.74	116.00	120.30
11	B2	133	G	C5-C6-O6	-10.73	122.16	128.60
38	A1	443	C	N3-C4-C5	-10.73	117.61	121.90
11	B2	666	G	C4-C5-N7	10.73	115.09	110.80
38	A1	104	C	C2-N3-C4	10.73	125.27	119.90
38	A1	2706	C	N3-C4-C5	-10.73	117.61	121.90
38	A1	1416	G	C5-C6-O6	-10.73	122.16	128.60
11	B2	1	A	C4-C5-C6	10.73	122.36	117.00
38	A1	2947	G	C4-C5-N7	10.73	115.09	110.80
11	B2	483	G	O4'-C1'-N9	10.73	116.78	108.20
11	B2	1125	C	C6-N1-C2	-10.73	116.01	120.30
38	A1	507	G	C5-C6-N1	-10.73	106.14	111.50
11	B2	1402	C	C2-N3-C4	10.73	125.26	119.90
38	A1	1808	G	N1-C6-O6	10.73	126.34	119.90
39	A3	112	C	N3-C4-C5	-10.73	117.61	121.90
11	B2	969	A	C4-C5-C6	10.72	122.36	117.00
11	B2	1384	G	O4'-C1'-N9	10.72	116.78	108.20
38	A1	1291	C	O4'-C1'-N1	10.72	116.78	108.20
38	A1	2843	C	O4'-C1'-N1	10.72	116.78	108.20
38	A1	555	G	C5-C6-N1	-10.72	106.14	111.50
38	A1	607	C	N3-C4-N4	10.72	125.51	118.00
38	A1	1026	A	C5-C6-N1	-10.72	112.34	117.70
38	A1	1407	A	C5-C6-N1	-10.72	112.34	117.70
38	A1	2516	G	C4-C5-N7	-10.72	106.51	110.80
11	B2	1185	A	C5-N7-C8	10.72	109.26	103.90
11	B2	192	G	C4-C5-N7	10.72	115.09	110.80
11	B2	559	G	C5-C6-O6	-10.72	122.17	128.60
11	B2	1428	G	O4'-C1'-N9	10.72	116.78	108.20
38	A1	1109	G	C5-C6-O6	-10.72	122.17	128.60
11	B2	727	G	N1-C2-N3	-10.72	117.47	123.90
11	B2	995	G	O4'-C1'-N9	10.72	116.78	108.20
26	BN	36	ARG	NE-CZ-NH2	-10.72	114.94	120.30
26	BN	123	ARG	NE-CZ-NH1	10.72	125.66	120.30
27	BO	76	ARG	NE-CZ-NH1	10.72	125.66	120.30
38	A1	556	G	O4'-C1'-N9	10.72	116.78	108.20
11	B2	1264	G	N1-C6-O6	10.71	126.33	119.90
11	B2	1458	A	C4-C5-C6	10.72	122.36	117.00
38	A1	1369	G	C5-C6-O6	-10.71	122.17	128.60
38	A1	2992	G	N1-C2-N3	-10.71	117.47	123.90
11	B2	112	G	N3-C2-N2	10.71	127.40	119.90
11	B2	455	C	O4'-C1'-N1	10.71	116.77	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	668	G	N3-C2-N2	10.71	127.40	119.90
38	A1	1285	C	N3-C4-C5	-10.71	117.62	121.90
38	A1	2276	G	N1-C6-O6	10.71	126.33	119.90
38	A1	1916	U	O4'-C1'-N1	10.71	116.77	108.20
38	A1	1971	C	C5-C4-N4	-10.71	112.70	120.20
10	B1	15	G	N1-C2-N3	-10.70	117.48	123.90
11	B2	1054	A	C5-C6-N6	-10.70	115.14	123.70
38	A1	252	A	C8-N9-C4	-10.70	101.52	105.80
38	A1	2538	G	C5-C6-N1	-10.71	106.15	111.50
38	A1	2650	G	C5-C6-N1	-10.70	106.15	111.50
38	A1	450	G	C6-C5-N7	-10.70	123.98	130.40
11	B2	379	A	C5-C6-N1	-10.70	112.35	117.70
38	A1	1298	C	N3-C4-N4	10.70	125.49	118.00
38	A1	1401	G	N3-C2-N2	10.70	127.39	119.90
38	A1	2412	A	C5-C6-N1	-10.70	112.35	117.70
11	B2	189	C	C6-N1-C2	10.69	124.58	120.30
38	A1	80	G	C5-C6-O6	-10.69	122.18	128.60
38	A1	572	U	O4'-C1'-N1	10.70	116.76	108.20
38	A1	788	A	C4-C5-C6	10.69	122.35	117.00
38	A1	2421	A	C5-C6-N1	-10.69	112.35	117.70
38	A1	1247	U	O4'-C1'-N1	10.69	116.75	108.20
11	B2	928	A	N1-C2-N3	10.69	134.65	129.30
38	A1	730	C	O4'-C1'-N1	10.69	116.75	108.20
38	A1	2952	C	C4-C5-C6	10.69	122.75	117.40
38	A1	1835	A	C4-C5-C6	10.69	122.34	117.00
11	B2	1098	G	O4'-C1'-N9	10.69	116.75	108.20
11	B2	1248	A	C6-N1-C2	10.69	125.01	118.60
38	A1	2902	G	O4'-C1'-N9	10.69	116.75	108.20
11	B2	1375	C	O4'-C1'-N1	10.69	116.75	108.20
11	B2	1026	A	C4-C5-N7	-10.68	105.36	110.70
38	A1	1418	A	C5-C6-N6	-10.68	115.15	123.70
11	B2	863	U	O4'-C1'-N1	10.68	116.75	108.20
1	A7	20	ARG	NE-CZ-NH2	-10.68	114.96	120.30
11	B2	74	U	N3-C4-C5	-10.68	108.19	114.60
11	B2	441	U	O4'-C1'-N1	10.68	116.75	108.20
38	A1	232	U	C5-C4-O4	-10.68	119.49	125.90
38	A1	1757	G	N1-C6-O6	10.68	126.31	119.90
38	A1	2109	C	C4-C5-C6	10.68	122.74	117.40
38	A1	146	U	O4'-C1'-N1	10.68	116.74	108.20
38	A1	1789	A	C4-C5-C6	10.68	122.34	117.00
38	A1	2481	G	N1-C2-N3	-10.68	117.50	123.90
38	A1	2623	G	C5-C6-O6	-10.68	122.19	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	A3	16	G	C5-C6-O6	-10.68	122.19	128.60
38	A1	2089	C	N3-C4-N4	10.67	125.47	118.00
39	A3	75	G	N3-C2-N2	10.67	127.37	119.90
11	B2	1215	G	C2-N3-C4	10.67	117.23	111.90
38	A1	692	C	C6-N1-C2	-10.67	116.03	120.30
11	B2	671	C	C6-N1-C2	-10.67	116.03	120.30
38	A1	875	G	C4-C5-N7	-10.67	106.53	110.80
38	A1	1065	C	C2-N3-C4	10.67	125.23	119.90
11	B2	370	A	P-O5'-C5'	10.67	137.97	120.90
11	B2	1348	C	N3-C4-C5	-10.67	117.63	121.90
38	A1	2149	G	C5-C6-O6	-10.67	122.20	128.60
38	A1	2631	C	O4'-C1'-N1	10.67	116.73	108.20
39	A3	115	C	C2-N3-C4	10.67	125.23	119.90
11	B2	213	C	N3-C4-C5	-10.66	117.63	121.90
38	A1	1132	U	P-O3'-C3'	10.66	132.50	119.70
38	A1	2536	A	C2-N3-C4	-10.66	105.27	110.60
38	A1	2954	C	N3-C4-C5	-10.66	117.63	121.90
11	B2	616	G	C5-C6-O6	-10.66	122.20	128.60
11	B2	1069	G	C5-C6-O6	-10.66	122.20	128.60
30	BR	3	ARG	NE-CZ-NH2	-10.66	114.97	120.30
11	B2	1358	A	C4-C5-C6	10.66	122.33	117.00
38	A1	1196	A	C5-C6-N1	-10.66	112.37	117.70
38	A1	2972	G	C5-C6-O6	-10.66	122.20	128.60
38	A1	397	G	N1-C6-O6	10.66	126.30	119.90
38	A1	717	A	N1-C6-N6	10.66	125.00	118.60
11	B2	225	U	N3-C4-C5	-10.66	108.21	114.60
11	B2	472	C	N3-C4-C5	-10.66	117.64	121.90
38	A1	3015	A	C5-C6-N6	-10.66	115.17	123.70
11	B2	673	C	O4'-C1'-N1	10.66	116.72	108.20
11	B2	1218	C	N3-C4-C5	-10.66	117.64	121.90
38	A1	2681	A	C5-N7-C8	10.66	109.23	103.90
38	A1	2721	C	C6-N1-C2	-10.66	116.04	120.30
38	A1	194	G	N1-C6-O6	10.65	126.29	119.90
38	A1	2379	G	C8-N9-C4	-10.65	102.14	106.40
38	A1	1519	G	C5-C6-O6	-10.65	122.21	128.60
11	B2	616	G	O4'-C1'-N9	10.65	116.72	108.20
38	A1	1744	A	C2-N3-C4	10.65	115.93	110.60
11	B2	26	A	C4-C5-C6	10.65	122.33	117.00
38	A1	338	A	N1-C6-N6	10.65	124.99	118.60
11	B2	947	G	N1-C6-O6	10.65	126.29	119.90
38	A1	2346	A	C4-C5-C6	10.65	122.32	117.00
11	B2	523	C	N3-C4-N4	10.65	125.45	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	419	G	N1-C6-O6	10.65	126.29	119.90
38	A1	1188	C	O4'-C1'-N1	10.65	116.72	108.20
45	AC	251	ARG	NE-CZ-NH2	-10.65	114.98	120.30
11	B2	1448	A	N1-C6-N6	10.64	124.99	118.60
38	A1	1426	G	C6-C5-N7	-10.64	124.01	130.40
11	B2	943	C	O4'-C1'-N1	10.64	116.71	108.20
11	B2	1153	G	O4'-C1'-N9	10.64	116.71	108.20
38	A1	1069	A	N1-C6-N6	10.64	124.98	118.60
38	A1	2964	A	N1-C6-N6	10.64	124.98	118.60
38	A1	1445	G	N1-C6-O6	10.64	126.28	119.90
11	B2	75	C	C6-N1-C1'	-10.64	108.03	120.80
11	B2	228	G	N1-C6-O6	10.64	126.28	119.90
38	A1	258	C	O4'-C1'-N1	10.64	116.71	108.20
38	A1	586	A	C5-C6-N6	-10.64	115.19	123.70
38	A1	1213	G	C5-C6-O6	-10.64	122.22	128.60
11	B2	927	A	C5-C6-N1	-10.63	112.38	117.70
38	A1	323	U	C5-C6-N1	10.63	128.02	122.70
38	A1	403	G	C5-C6-O6	-10.64	122.22	128.60
38	A1	1463	C	N3-C4-C5	-10.64	117.65	121.90
38	A1	1462	G	N1-C6-O6	10.63	126.28	119.90
10	B1	71	C	N3-C4-C5	-10.63	117.65	121.90
11	B2	872	A	C5-C6-N6	-10.63	115.19	123.70
38	A1	352	G	O4'-C1'-N9	10.63	116.70	108.20
38	A1	1082	A	C4-C5-C6	10.63	122.32	117.00
38	A1	3020	G	N1-C6-O6	10.63	126.28	119.90
53	Ah	17	ARG	NE-CZ-NH2	-10.63	114.98	120.30
48	AE	174	TYR	CB-CG-CD1	10.63	127.38	121.00
11	B2	643	G	C5-C6-O6	-10.63	122.22	128.60
38	A1	98	G	N9-C4-C5	-10.63	101.15	105.40
38	A1	482	A	C5-C6-N1	-10.63	112.39	117.70
11	B2	507	G	C5-C6-O6	-10.62	122.23	128.60
11	B2	664	G	N1-C6-O6	10.62	126.28	119.90
38	A1	1420	U	O4'-C1'-N1	10.63	116.70	108.20
11	B2	1179	C	C6-N1-C2	-10.62	116.05	120.30
38	A1	2249	A	N1-C6-N6	10.62	124.97	118.60
38	A1	2440	C	C4-C5-C6	10.62	122.71	117.40
38	A1	1022	G	N1-C6-O6	10.62	126.27	119.90
11	B2	124	C	C2-N3-C4	10.62	125.21	119.90
38	A1	922	C	N3-C4-N4	10.62	125.43	118.00
11	B2	1023	C	O4'-C1'-N1	10.62	116.69	108.20
38	A1	1054	A	N1-C2-N3	10.62	134.61	129.30
38	A1	2463	G	N1-C6-O6	10.62	126.27	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1265	G	N1-C6-O6	10.62	126.27	119.90
38	A1	1698	G	N1-C6-O6	10.62	126.27	119.90
38	A1	1788	G	C6-C5-N7	-10.62	124.03	130.40
38	A1	2274	C	N3-C4-C5	-10.62	117.65	121.90
10	B1	62	C	N3-C4-C5	-10.61	117.66	121.90
38	A1	456	G	C8-N9-C4	-10.61	102.16	106.40
9	AX	278	ARG	NE-CZ-NH2	-10.61	115.00	120.30
11	B2	100	A	C8-N9-C4	-10.61	101.56	105.80
17	BE	101	ARG	NE-CZ-NH2	-10.61	115.00	120.30
38	A1	1228	G	C8-N9-C4	-10.61	102.16	106.40
38	A1	1976	C	O4'-C1'-N1	10.61	116.69	108.20
11	B2	358	G	N1-C2-N3	-10.61	117.54	123.90
38	A1	1846	G	N1-C2-N3	-10.61	117.54	123.90
62	AO	38	ARG	NE-CZ-NH2	-10.61	115.00	120.30
11	B2	1162	G	O4'-C1'-N9	10.60	116.68	108.20
38	A1	989	G	C5-C6-O6	-10.60	122.24	128.60
38	A1	1053	A	C4-C5-C6	10.60	122.30	117.00
38	A1	1481	G	C5-C6-O6	-10.60	122.24	128.60
38	A1	1775	G	C8-N9-C4	-10.60	102.16	106.40
38	A1	2344	G	C5-C6-O6	-10.60	122.24	128.60
11	B2	390	G	C6-C5-N7	-10.60	124.04	130.40
39	A3	56	C	N3-C4-C5	-10.60	117.66	121.90
41	AA	95	ARG	NE-CZ-NH1	10.60	125.60	120.30
38	A1	2584	A	N1-C6-N6	10.60	124.96	118.60
11	B2	1255	C	C5-C4-N4	-10.59	112.78	120.20
38	A1	2799	C	N3-C4-C5	-10.59	117.66	121.90
11	B2	413	G	N3-C2-N2	10.59	127.31	119.90
38	A1	587	A	N1-C6-N6	10.59	124.95	118.60
38	A1	818	A	N1-C6-N6	10.59	124.95	118.60
38	A1	1556	G	C4-C5-N7	10.59	115.04	110.80
38	A1	2218	C	O4'-C1'-N1	10.59	116.67	108.20
11	B2	172	G	N1-C2-N3	-10.59	117.55	123.90
38	A1	1903	G	C5-C6-O6	-10.59	122.25	128.60
38	A1	2943	G	N1-C2-N3	-10.59	117.55	123.90
11	B2	188	C	N3-C4-C5	-10.59	117.67	121.90
38	A1	179	A	C8-N9-C4	-10.59	101.56	105.80
38	A1	1654	G	N3-C2-N2	10.59	127.31	119.90
38	A1	1714	G	C5-C6-N1	-10.59	106.21	111.50
11	B2	209	A	C4-C5-C6	10.58	122.29	117.00
11	B2	677	U	O4'-C1'-N1	10.58	116.67	108.20
38	A1	379	U	O4'-C1'-N1	10.58	116.67	108.20
38	A1	1065	C	C6-N1-C2	-10.58	116.07	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1074	G	C5-C6-O6	-10.58	122.25	128.60
38	A1	175	G	C5-C6-O6	-10.58	122.25	128.60
11	B2	503	G	O4'-C1'-N9	10.58	116.66	108.20
11	B2	738	C	N3-C4-N4	10.58	125.40	118.00
38	A1	880	U	O4'-C1'-N1	10.58	116.66	108.20
39	A3	23	A	C2-N3-C4	-10.58	105.31	110.60
11	B2	1134	G	N1-C6-O6	10.58	126.25	119.90
38	A1	2491	C	N3-C4-N4	10.58	125.40	118.00
39	A3	55	G	N1-C6-O6	10.58	126.25	119.90
11	B2	796	C	N3-C4-N4	10.57	125.40	118.00
38	A1	2446	C	N3-C4-N4	10.57	125.40	118.00
46	AD	72	ARG	NE-CZ-NH2	-10.57	115.01	120.30
11	B2	845	G	O4'-C1'-N9	10.57	116.66	108.20
38	A1	442	G	N1-C6-O6	10.57	126.24	119.90
38	A1	621	G	N3-C4-C5	-10.57	123.32	128.60
38	A1	1236	C	N3-C4-C5	-10.57	117.67	121.90
38	A1	1310	A	O4'-C1'-N9	10.57	116.66	108.20
38	A1	1543	C	N3-C4-N4	10.57	125.40	118.00
38	A1	1580	G	C5-C6-O6	-10.57	122.26	128.60
38	A1	2525	C	O4'-C1'-N1	10.57	116.66	108.20
38	A1	66	C	N3-C4-N4	10.57	125.40	118.00
38	A1	1298	C	C5-C4-N4	-10.57	112.80	120.20
38	A1	1700	U	O4'-C1'-N1	10.57	116.65	108.20
11	B2	351	C	P-O3'-C3'	-10.56	107.03	119.70
11	B2	1359	C	C4-C5-C6	10.56	122.68	117.40
38	A1	738	C	O4'-C1'-N1	10.56	116.65	108.20
38	A1	2421	A	N1-C6-N6	10.56	124.94	118.60
11	B2	570	G	C5-C6-O6	-10.56	122.27	128.60
11	B2	230	C	C5-C6-N1	10.56	126.28	121.00
38	A1	198	C	N3-C4-N4	10.56	125.39	118.00
38	A1	2591	A	N9-C4-C5	10.56	110.02	105.80
38	A1	2794	G	N9-C4-C5	10.56	109.62	105.40
39	A3	36	U	P-O3'-C3'	10.56	132.37	119.70
11	B2	1353	C	C6-N1-C2	-10.56	116.08	120.30
38	A1	1427	A	O4'-C1'-N9	10.56	116.64	108.20
38	A1	544	A	C5-N7-C8	10.55	109.18	103.90
38	A1	2581	G	C8-N9-C4	-10.55	102.18	106.40
38	A1	9	A	C5-C6-N6	-10.55	115.26	123.70
38	A1	225	C	O4'-C1'-N1	10.55	116.64	108.20
38	A1	457	C	O4'-C1'-N1	10.55	116.64	108.20
38	A1	783	C	N3-C4-C5	-10.55	117.68	121.90
38	A1	1769	G	N1-C6-O6	10.55	126.23	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1514	C	C6-N1-C2	-10.55	116.08	120.30
38	A1	2302	C	C2-N3-C4	10.55	125.17	119.90
11	B2	601	G	N1-C6-O6	10.55	126.23	119.90
11	B2	735	A	C4-C5-C6	10.55	122.27	117.00
38	A1	482	A	C4-C5-C6	10.55	122.27	117.00
38	A1	513	C	P-O3'-C3'	10.55	132.36	119.70
38	A1	862	G	N3-C4-C5	-10.55	123.33	128.60
38	A1	2570	A	N7-C8-N9	10.55	119.07	113.80
38	A1	2888	G	N1-C6-O6	10.55	126.23	119.90
11	B2	962	G	C4-C5-N7	-10.54	106.58	110.80
11	B2	1196	A	C4-C5-C6	10.54	122.27	117.00
38	A1	1654	G	C4-C5-N7	-10.55	106.58	110.80
64	AR	30	ARG	NE-CZ-NH1	-10.55	115.03	120.30
27	BO	76	ARG	NE-CZ-NH2	-10.54	115.03	120.30
38	A1	327	G	C5-C6-O6	-10.54	122.28	128.60
38	A1	1855	G	O4'-C1'-N9	10.54	116.63	108.20
38	A1	1975	C	O4'-C1'-N1	10.54	116.63	108.20
38	A1	2945	A	P-O5'-C5'	10.54	137.76	120.90
39	A3	71	G	N1-C6-O6	10.54	126.22	119.90
56	AJ	129	ARG	NE-CZ-NH1	-10.54	115.03	120.30
11	B2	904	G	C5-C6-O6	-10.54	122.28	128.60
38	A1	1733	C	O4'-C1'-N1	10.54	116.63	108.20
38	A1	1850	C	C5-C4-N4	-10.54	112.82	120.20
38	A1	2181	G	O4'-C1'-N9	10.54	116.63	108.20
38	A1	2698	G	O4'-C1'-N9	10.54	116.63	108.20
38	A1	423	G	N1-C6-O6	10.54	126.22	119.90
11	B2	249	U	O4'-C1'-N1	10.53	116.63	108.20
11	B2	1483	U	C1'-O4'-C4'	10.53	118.33	109.90
38	A1	43	G	O4'-C1'-N9	10.53	116.63	108.20
38	A1	1888	G	C5-C6-N1	-10.54	106.23	111.50
38	A1	2549	A	N1-C6-N6	10.53	124.92	118.60
38	A1	2666	G	C2-N3-C4	10.54	117.17	111.90
38	A1	2755	G	N1-C6-O6	10.53	126.22	119.90
11	B2	997	G	N3-C4-N9	-10.53	119.68	126.00
11	B2	637	G	N3-C2-N2	-10.53	112.53	119.90
11	B2	648	A	C5-C6-N1	-10.52	112.44	117.70
11	B2	824	G	N9-C4-C5	-10.52	101.19	105.40
38	A1	856	A	C5-N7-C8	10.52	109.16	103.90
38	A1	1510	U	C5-C6-N1	10.52	127.96	122.70
38	A1	73	A	C5-C6-N1	-10.52	112.44	117.70
38	A1	1639	G	N1-C6-O6	10.52	126.21	119.90
38	A1	1903	G	C6-C5-N7	-10.52	124.09	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	BE	23	ARG	NE-CZ-NH1	10.52	125.56	120.30
29	BQ	106	ARG	NE-CZ-NH2	-10.52	115.04	120.30
38	A1	197	C	N3-C4-C5	-10.52	117.69	121.90
38	A1	937	A	O4'-C1'-N9	10.52	116.62	108.20
11	B2	221	A	C8-N9-C4	10.52	110.01	105.80
38	A1	1895	G	N1-C6-O6	10.52	126.21	119.90
38	A1	2793	C	O4'-C1'-N1	10.52	116.61	108.20
38	A1	2836	G	C6-C5-N7	-10.52	124.09	130.40
11	B2	975	A	C5-C6-N6	-10.52	115.29	123.70
21	BI	62	ARG	NE-CZ-NH2	-10.52	115.04	120.30
38	A1	2075	U	C6-N1-C2	-10.52	114.69	121.00
38	A1	2417	G	C5-C6-O6	-10.52	122.29	128.60
11	B2	392	G	O4'-C1'-N9	10.51	116.61	108.20
11	B2	410	U	O4'-C1'-N1	10.51	116.61	108.20
38	A1	480	A	O4'-C1'-N9	10.51	116.61	108.20
38	A1	1091	G	N9-C4-C5	-10.51	101.20	105.40
11	B2	144	G	N1-C6-O6	10.51	126.20	119.90
27	BO	5	ARG	NE-CZ-NH1	10.51	125.55	120.30
38	A1	387	A	C4-C5-C6	10.51	122.25	117.00
38	A1	1968	A	N1-C2-N3	-10.51	124.05	129.30
38	A1	2160	C	C4-C5-C6	10.51	122.65	117.40
38	A1	1157	U	O4'-C1'-N1	10.51	116.60	108.20
38	A1	2222	C	N3-C4-N4	10.51	125.35	118.00
11	B2	791	G	C4-C5-N7	10.50	115.00	110.80
38	A1	2978	G	N1-C6-O6	10.50	126.20	119.90
11	B2	837	C	C5-C4-N4	-10.50	112.85	120.20
11	B2	1368	A	C5-C6-N1	-10.50	112.45	117.70
38	A1	229	G	N1-C2-N3	-10.50	117.60	123.90
38	A1	554	C	N3-C4-C5	-10.50	117.70	121.90
38	A1	2099	G	C5-C6-O6	-10.50	122.30	128.60
38	A1	2472	A	C8-N9-C4	-10.50	101.60	105.80
38	A1	512	G	C5-C6-O6	-10.50	122.30	128.60
38	A1	1561	G	O4'-C1'-N9	10.50	116.60	108.20
11	B2	391	G	O4'-C1'-N9	10.49	116.59	108.20
11	B2	399	A	N1-C2-N3	-10.49	124.05	129.30
38	A1	239	G	N1-C6-O6	10.49	126.20	119.90
38	A1	2243	G	N1-C2-N3	-10.49	117.60	123.90
39	A3	116	C	C5-C4-N4	-10.49	112.85	120.20
38	A1	862	G	N3-C4-N9	10.49	132.29	126.00
11	B2	1223	C	C6-N1-C2	-10.49	116.10	120.30
11	B2	416	A	N9-C4-C5	-10.49	101.61	105.80
11	B2	1233	G	O4'-C1'-N9	10.49	116.59	108.20

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1291	G	N1-C6-O6	10.49	126.19	119.90
38	A1	1421	C	N3-C4-N4	10.49	125.34	118.00
38	A1	1828	A	C8-N9-C4	-10.49	101.61	105.80
11	B2	491	G	N1-C6-O6	10.48	126.19	119.90
11	B2	750	C	C2-N3-C4	10.48	125.14	119.90
38	A1	115	C	O4'-C1'-N1	10.48	116.59	108.20
38	A1	525	C	N3-C4-C5	-10.48	117.71	121.90
38	A1	1571	G	N3-C4-C5	-10.48	123.36	128.60
11	B2	1495	U	O4'-C1'-N1	10.48	116.58	108.20
11	B2	211	G	C5-C6-O6	-10.48	122.31	128.60
38	A1	847	A	O4'-C1'-N9	10.48	116.58	108.20
38	A1	857	U	O4'-C1'-N1	10.48	116.58	108.20
38	A1	2367	C	N3-C4-N4	10.48	125.34	118.00
38	A1	2745	G	N1-C6-O6	10.48	126.19	119.90
38	A1	1767	C	C5-C6-N1	10.48	126.24	121.00
11	B2	205	C	C4-C5-C6	10.48	122.64	117.40
11	B2	1313	G	N3-C2-N2	10.48	127.24	119.90
38	A1	164	A	N1-C6-N6	10.48	124.89	118.60
38	A1	2496	G	C5-C6-O6	-10.48	122.31	128.60
38	A1	556	G	C6-C5-N7	-10.47	124.11	130.40
38	A1	829	G	C5-C6-O6	-10.47	122.32	128.60
38	A1	1115	A	N1-C6-N6	10.47	124.88	118.60
38	A1	1448	G	N1-C6-O6	10.47	126.19	119.90
11	B2	56	A	N7-C8-N9	10.47	119.03	113.80
38	A1	2145	G	C5-C6-O6	-10.47	122.32	128.60
11	B2	405	G	O4'-C1'-N9	10.47	116.58	108.20
11	B2	541	G	N1-C6-O6	10.47	126.18	119.90
38	A1	24	G	N1-C6-O6	10.47	126.18	119.90
38	A1	74	A	C5-C6-N1	-10.47	112.47	117.70
38	A1	2326	C	N3-C4-C5	-10.47	117.71	121.90
11	B2	1090	C	O4'-C1'-N1	10.46	116.57	108.20
38	A1	1259	G	C2-N3-C4	10.46	117.13	111.90
11	B2	322	G	C5-C6-N1	-10.46	106.27	111.50
11	B2	1013	G	N1-C2-N2	-10.46	106.78	116.20
11	B2	657	A	N1-C6-N6	10.46	124.88	118.60
11	B2	1066	C	N3-C4-N4	10.46	125.32	118.00
11	B2	1329	C	O4'-C1'-N1	10.46	116.57	108.20
38	A1	796	C	C4-C5-C6	-10.46	112.17	117.40
38	A1	1529	A	C5-C6-N1	-10.46	112.47	117.70
38	A1	2946	C	O4'-C1'-N1	10.46	116.57	108.20
15	BC	26	ARG	NE-CZ-NH2	-10.46	115.07	120.30
38	A1	705	G	C5-C6-O6	-10.46	122.33	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	990	G	O4'-C1'-N9	10.46	116.57	108.20
38	A1	1272	A	C5-C6-N1	-10.46	112.47	117.70
38	A1	1798	A	C4-C5-C6	10.46	122.23	117.00
38	A1	1881	A	N1-C6-N6	10.46	124.87	118.60
11	B2	650	A	N1-C6-N6	10.46	124.87	118.60
38	A1	1500	C	C5-C4-N4	-10.46	112.88	120.20
38	A1	2505	A	C6-C5-N7	-10.46	124.98	132.30
38	A1	304	G	C4-C5-N7	10.45	114.98	110.80
38	A1	2128	G	C6-C5-N7	-10.45	124.13	130.40
11	B2	780	C	C2-N3-C4	10.45	125.12	119.90
38	A1	936	G	C5-C6-N1	-10.45	106.28	111.50
38	A1	2474	A	N1-C2-N3	-10.45	124.08	129.30
11	B2	776	C	C5-C6-N1	10.45	126.22	121.00
11	B2	1441	G	C4-C5-C6	10.45	125.07	118.80
38	A1	593	C	O4'-C1'-N1	10.45	116.56	108.20
38	A1	725	G	N9-C4-C5	-10.45	101.22	105.40
38	A1	2496	G	C5-N7-C8	10.45	109.52	104.30
38	A1	729	A	C5-C6-N6	-10.44	115.35	123.70
38	A1	962	C	O4'-C1'-N1	10.44	116.55	108.20
62	AO	24	ARG	NE-CZ-NH1	10.44	125.52	120.30
11	B2	781	U	O4'-C1'-N1	10.44	116.55	108.20
11	B2	1201	G	C2-N3-C4	10.44	117.12	111.90
38	A1	1957	U	O4'-C1'-N1	10.44	116.55	108.20
38	A1	2809	G	N1-C6-O6	10.44	126.16	119.90
61	AN	19	ARG	NE-CZ-NH2	-10.44	115.08	120.30
38	A1	84	A	C8-N9-C4	10.44	109.97	105.80
38	A1	953	G	C5-C6-O6	-10.44	122.34	128.60
38	A1	1359	C	O4'-C1'-N1	10.44	116.55	108.20
38	A1	1757	G	O4'-C1'-N9	10.44	116.55	108.20
38	A1	1849	A	N1-C2-N3	10.43	134.52	129.30
38	A1	250	G	C5-C6-N1	-10.43	106.28	111.50
38	A1	1226	G	O4'-C1'-N9	10.43	116.55	108.20
38	A1	2971	U	O4'-C1'-N1	10.43	116.55	108.20
11	B2	1319	C	N3-C4-N4	10.43	125.30	118.00
38	A1	100	C	N3-C4-N4	10.43	125.30	118.00
38	A1	129	C	C2-N3-C4	10.43	125.11	119.90
38	A1	699	A	N7-C8-N9	-10.43	108.59	113.80
33	BU	83	ARG	NE-CZ-NH1	10.43	125.51	120.30
38	A1	1358	C	N3-C4-N4	10.43	125.30	118.00
38	A1	1744	A	N9-C4-C5	10.43	109.97	105.80
11	B2	1100	G	C5-C6-N1	-10.42	106.29	111.50
38	A1	331	G	C6-N1-C2	10.42	131.35	125.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1864	G	C4-C5-C6	10.42	125.05	118.80
38	A1	2669	U	O4'-C1'-N1	10.42	116.54	108.20
10	B1	9	A	C2-N3-C4	-10.42	105.39	110.60
11	B2	1172	A	C4-C5-C6	10.42	122.21	117.00
11	B2	1065	C	C6-N1-C2	-10.42	116.13	120.30
21	BI	39	ARG	NE-CZ-NH1	10.42	125.51	120.30
43	AB	225	ARG	NE-CZ-NH2	-10.42	115.09	120.30
38	A1	2966	C	O4'-C1'-N1	10.42	116.53	108.20
10	B1	71	C	N3-C4-N4	10.41	125.29	118.00
10	B1	21	G	C6-C5-N7	-10.41	124.15	130.40
38	A1	602	G	C5-C6-O6	-10.41	122.35	128.60
38	A1	2300	C	O4'-C1'-N1	10.41	116.53	108.20
33	BU	99	ARG	NE-CZ-NH2	-10.41	115.09	120.30
38	A1	270	C	N3-C4-N4	10.41	125.29	118.00
38	A1	715	G	P-O3'-C3'	10.41	132.19	119.70
38	A1	715	G	N3-C2-N2	10.41	127.19	119.90
38	A1	733	A	N1-C6-N6	10.41	124.85	118.60
38	A1	1008	U	N3-C4-O4	10.41	126.69	119.40
38	A1	31	G	C5-C6-O6	-10.41	122.36	128.60
38	A1	219	G	O4'-C1'-N9	10.41	116.53	108.20
38	A1	2571	G	N1-C6-O6	10.41	126.14	119.90
11	B2	1433	C	C2-N3-C4	10.41	125.10	119.90
11	B2	954	G	N1-C6-O6	10.40	126.14	119.90
11	B2	1079	G	C8-N9-C4	-10.40	102.24	106.40
11	B2	1293	A	N9-C4-C5	10.40	109.96	105.80
38	A1	358	C	C6-N1-C2	-10.40	116.14	120.30
38	A1	2083	G	O4'-C1'-N9	10.40	116.52	108.20
38	A1	2416	G	C5-C6-O6	-10.40	122.36	128.60
11	B2	1063	A	C5-N7-C8	10.40	109.10	103.90
11	B2	342	G	N1-C2-N3	-10.40	117.66	123.90
38	A1	367	G	N1-C6-O6	10.40	126.14	119.90
38	A1	662	A	C6-C5-N7	-10.40	125.02	132.30
38	A1	1324	G	C4-C5-C6	10.40	125.04	118.80
38	A1	1659	G	C8-N9-C4	-10.40	102.24	106.40
38	A1	1905	G	C6-C5-N7	-10.40	124.16	130.40
11	B2	130	G	O4'-C1'-N9	10.39	116.52	108.20
38	A1	1596	G	N1-C6-O6	10.39	126.14	119.90
38	A1	310	C	P-O3'-C3'	10.39	132.17	119.70
39	A3	16	G	O4'-C1'-N9	10.39	116.51	108.20
38	A1	1516	C	O4'-C1'-N1	10.39	116.51	108.20
38	A1	1966	C	O4'-C1'-N1	10.39	116.51	108.20
38	A1	2142	U	N1-C2-O2	10.39	130.07	122.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	615	A	C5-N7-C8	10.39	109.09	103.90
11	B2	289	C	C5-C4-N4	-10.38	112.93	120.20
11	B2	1093	C	C2-N3-C4	10.38	125.09	119.90
38	A1	91	G	C5-C6-O6	-10.38	122.37	128.60
38	A1	993	G	N1-C6-O6	10.38	126.13	119.90
38	A1	2753	G	C5-C6-O6	-10.38	122.37	128.60
38	A1	2779	G	N1-C6-O6	10.38	126.13	119.90
11	B2	196	G	C5-C6-O6	-10.38	122.37	128.60
11	B2	696	G	N3-C2-N2	10.38	127.17	119.90
38	A1	618	C	N3-C4-C5	-10.38	117.75	121.90
38	A1	1208	A	N1-C6-N6	10.38	124.83	118.60
38	A1	2146	C	N3-C4-C5	-10.38	117.75	121.90
38	A1	2488	C	N3-C4-C5	-10.38	117.75	121.90
10	B1	76	C	P-O3'-C3'	10.38	132.15	119.70
11	B2	542	G	C5-C6-O6	-10.38	122.37	128.60
11	B2	446	G	C5-C6-O6	-10.38	122.37	128.60
11	B2	897	A	C8-N9-C4	-10.38	101.65	105.80
38	A1	1004	U	O4'-C1'-N1	10.38	116.50	108.20
38	A1	2444	G	C2-N3-C4	10.38	117.09	111.90
38	A1	2888	G	C5-C6-O6	-10.38	122.37	128.60
11	B2	167	G	C5-C6-O6	-10.38	122.38	128.60
11	B2	372	G	C5-C6-O6	-10.38	122.37	128.60
11	B2	930	G	N1-C6-O6	10.38	126.12	119.90
38	A1	404	G	C5-C6-O6	-10.38	122.37	128.60
38	A1	40	G	C8-N9-C4	-10.37	102.25	106.40
38	A1	449	G	C5-C6-O6	-10.37	122.38	128.60
38	A1	1639	G	C5-C6-O6	-10.37	122.38	128.60
11	B2	1334	A	N1-C2-N3	10.37	134.48	129.30
38	A1	784	C	C2-N3-C4	10.37	125.08	119.90
38	A1	2076	A	N1-C6-N6	10.37	124.82	118.60
38	A1	2302	C	N1-C2-O2	10.37	125.12	118.90
38	A1	1583	G	N1-C2-N3	-10.37	117.68	123.90
10	B1	38	G	C5-N7-C8	10.37	109.48	104.30
11	B2	1367	C	C4-C5-C6	10.37	122.58	117.40
38	A1	949	C	O4'-C1'-N1	10.37	116.49	108.20
38	A1	1674	G	N1-C6-O6	10.36	126.12	119.90
11	B2	352	A	C5-C6-N6	-10.36	115.41	123.70
38	A1	1192	G	N1-C2-N2	-10.36	106.87	116.20
39	A3	118	G	C5-C6-O6	-10.36	122.38	128.60
11	B2	603	G	O4'-C1'-N9	10.36	116.49	108.20
15	BC	110	ARG	NE-CZ-NH1	10.36	125.48	120.30
38	A1	1753	G	C5-C6-O6	-10.36	122.38	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2078	A	C5-C6-N6	-10.36	115.41	123.70
38	A1	1573	A	C5-C6-N1	-10.36	112.52	117.70
11	B2	1092	G	C5-C6-O6	-10.36	122.38	128.60
38	A1	84	A	C5-N7-C8	10.36	109.08	103.90
38	A1	1886	C	C6-N1-C2	10.36	124.44	120.30
38	A1	2042	A	C5-C6-N6	-10.36	115.41	123.70
38	A1	491	G	N3-C4-N9	10.36	132.22	126.00
38	A1	1717	C	C6-N1-C2	-10.36	116.16	120.30
11	B2	143	G	N1-C6-O6	10.36	126.11	119.90
11	B2	679	G	C8-N9-C4	-10.36	102.26	106.40
11	B2	695	G	O4'-C1'-N9	10.36	116.48	108.20
38	A1	621	G	N1-C6-O6	10.36	126.11	119.90
38	A1	2059	G	C6-C5-N7	-10.36	124.19	130.40
39	A3	39	C	O4'-C1'-N1	10.36	116.48	108.20
38	A1	1252	G	C5-C6-O6	-10.35	122.39	128.60
11	B2	767	U	O4'-C1'-N1	10.35	116.48	108.20
38	A1	2796	C	C6-N1-C2	-10.35	116.16	120.30
11	B2	1115	G	C5-C6-O6	-10.35	122.39	128.60
38	A1	2889	A	C5-N7-C8	10.35	109.08	103.90
11	B2	137	A	C5-N7-C8	10.35	109.07	103.90
11	B2	392	G	N1-C6-O6	10.35	126.11	119.90
11	B2	698	A	C5-C6-N6	-10.35	115.42	123.70
38	A1	600	A	N1-C6-N6	10.35	124.81	118.60
38	A1	1398	C	N3-C4-C5	-10.35	117.76	121.90
38	A1	1859	A	C5-C6-N6	-10.35	115.42	123.70
38	A1	2072	G	C5-C6-O6	-10.35	122.39	128.60
38	A1	2165	A	C5-N7-C8	10.35	109.07	103.90
38	A1	3003	A	C5-C6-N6	-10.35	115.42	123.70
39	A3	90	A	C4-C5-N7	-10.35	105.53	110.70
11	B2	161	C	C4-C5-C6	10.34	122.57	117.40
11	B2	894	A	N1-C6-N6	10.34	124.80	118.60
50	AF	133	ARG	NE-CZ-NH1	10.34	125.47	120.30
38	A1	1212	A	N1-C6-N6	10.34	124.80	118.60
38	A1	1340	G	C6-C5-N7	-10.34	124.20	130.40
38	A1	2415	C	C5-C4-N4	-10.34	112.97	120.20
38	A1	197	C	O4'-C1'-N1	10.33	116.47	108.20
11	B2	101	G	N1-C6-O6	10.33	126.10	119.90
11	B2	582	G	C5-C6-O6	-10.33	122.40	128.60
11	B2	802	G	C5-C6-O6	-10.33	122.40	128.60
11	B2	1406	U	O4'-C1'-N1	10.33	116.47	108.20
38	A1	430	A	C4-C5-C6	10.33	122.17	117.00
38	A1	2501	G	N1-C6-O6	10.33	126.10	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	AX	56	PHE	CB-CG-CD1	10.33	128.03	120.80
38	A1	445	G	O4'-C1'-N9	10.33	116.46	108.20
11	B2	985	C	C6-N1-C2	-10.33	116.17	120.30
10	B1	23	G	C5-C6-O6	-10.32	122.41	128.60
11	B2	342	G	O4'-C1'-N9	10.32	116.46	108.20
11	B2	1075	A	N1-C2-N3	10.32	134.46	129.30
11	B2	1341	C	O4'-C1'-N1	10.32	116.46	108.20
11	B2	1354	A	C4-C5-C6	10.32	122.16	117.00
38	A1	388	G	N1-C6-O6	10.32	126.09	119.90
38	A1	1022	G	O4'-C1'-N9	10.32	116.46	108.20
11	B2	1047	U	O4'-C1'-N1	10.32	116.46	108.20
11	B2	1098	G	C5-C6-O6	-10.32	122.41	128.60
38	A1	445	G	C8-N9-C4	-10.32	102.27	106.40
38	A1	2279	G	O4'-C1'-C2'	10.32	116.89	107.60
38	A1	2761	G	N1-C6-O6	10.32	126.09	119.90
38	A1	747	G	O4'-C1'-N9	10.32	116.45	108.20
38	A1	2430	C	C5-C4-N4	-10.32	112.98	120.20
11	B2	417	C	O4'-C1'-N1	10.32	116.45	108.20
38	A1	1327	C	C2-N3-C4	10.32	125.06	119.90
38	A1	1666	G	P-O3'-C3'	10.32	132.08	119.70
11	B2	967	C	N3-C4-C5	-10.31	117.77	121.90
11	B2	1215	G	C8-N9-C4	-10.31	102.28	106.40
38	A1	1490	G	C5-C6-O6	-10.31	122.41	128.60
38	A1	1405	G	N7-C8-N9	-10.31	107.94	113.10
39	A3	82	C	C2-N3-C4	10.31	125.06	119.90
38	A1	891	C	N3-C4-N4	10.31	125.22	118.00
38	A1	2056	A	N9-C4-C5	10.31	109.92	105.80
11	B2	227	C	C6-N1-C2	-10.31	116.18	120.30
38	A1	387	A	N1-C6-N6	10.31	124.78	118.60
38	A1	672	C	N3-C4-C5	-10.31	117.78	121.90
38	A1	981	A	C5-C6-N6	-10.31	115.45	123.70
38	A1	1277	G	C6-C5-N7	-10.31	124.22	130.40
38	A1	1393	C	C6-N1-C2	-10.31	116.18	120.30
38	A1	1573	A	C4-C5-C6	10.31	122.15	117.00
38	A1	2495	A	O4'-C1'-N9	10.31	116.45	108.20
39	A3	69	C	O4'-C1'-N1	10.31	116.45	108.20
11	B2	627	G	N1-C6-O6	10.31	126.08	119.90
11	B2	122	C	N3-C4-C5	-10.30	117.78	121.90
11	B2	343	G	O4'-C1'-N9	10.30	116.44	108.20
38	A1	854	G	C5-C6-O6	-10.30	122.42	128.60
38	A1	57	C	N3-C4-C5	-10.30	117.78	121.90
38	A1	331	G	C4-C5-C6	10.30	124.98	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	983	G	C8-N9-C4	-10.30	102.28	106.40
38	A1	1276	G	C5-C6-O6	-10.30	122.42	128.60
38	A1	1525	G	C5-C6-N1	-10.30	106.35	111.50
38	A1	2259	G	C5-N7-C8	-10.30	99.15	104.30
41	AA	36	ASP	CB-CG-OD1	-10.30	109.03	118.30
38	A1	1748	C	O4'-C1'-N1	10.30	116.44	108.20
11	B2	33	U	C6-N1-C2	-10.29	114.82	121.00
11	B2	648	A	N9-C4-C5	-10.29	101.68	105.80
38	A1	1719	C	N3-C4-C5	-10.29	117.78	121.90
38	A1	1838	C	N3-C4-C5	-10.29	117.78	121.90
11	B2	1355	C	C6-N1-C2	10.29	124.42	120.30
11	B2	1403	U	O4'-C1'-N1	10.29	116.43	108.20
38	A1	1005	G	N1-C2-N3	-10.29	117.72	123.90
38	A1	1581	A	C8-N9-C4	-10.29	101.68	105.80
11	B2	193	G	C5-C6-O6	-10.29	122.43	128.60
38	A1	1736	G	C4-C5-C6	10.29	124.97	118.80
38	A1	2738	G	C5-C6-O6	-10.29	122.43	128.60
11	B2	532	C	C5-C4-N4	-10.29	113.00	120.20
38	A1	975	C	C6-N1-C2	-10.29	116.19	120.30
11	B2	1484	C	O4'-C1'-N1	10.28	116.43	108.20
38	A1	134	C	P-O3'-C3'	10.28	132.04	119.70
11	B2	734	G	C6-C5-N7	-10.28	124.23	130.40
38	A1	968	A	C2-N3-C4	-10.28	105.46	110.60
11	B2	106	A	O4'-C1'-N9	10.28	116.42	108.20
14	BB	46	ARG	NE-CZ-NH2	-10.28	115.16	120.30
38	A1	1482	G	O4'-C1'-N9	10.28	116.42	108.20
11	B2	235	G	C6-C5-N7	-10.28	124.23	130.40
11	B2	726	A	C8-N9-C4	-10.28	101.69	105.80
38	A1	674	G	C5-C6-O6	-10.27	122.44	128.60
38	A1	1963	G	N9-C4-C5	-10.27	101.29	105.40
11	B2	464	G	C4-C5-N7	10.27	114.91	110.80
11	B2	619	A	C4-C5-C6	10.27	122.14	117.00
11	B2	908	G	N9-C4-C5	10.27	109.51	105.40
38	A1	544	A	C5-C6-N1	-10.27	112.56	117.70
38	A1	613	C	O4'-C1'-N1	10.27	116.42	108.20
38	A1	885	A	N1-C2-N3	-10.27	124.16	129.30
38	A1	2356	U	O4'-C1'-N1	10.27	116.42	108.20
11	B2	340	A	C4-C5-C6	10.27	122.14	117.00
38	A1	1392	G	C5-C6-O6	-10.27	122.44	128.60
10	B1	14	A	C8-N9-C4	-10.26	101.69	105.80
38	A1	221	G	C5-N7-C8	10.26	109.43	104.30
38	A1	866	G	N3-C4-C5	-10.26	123.47	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	931	C	N3-C4-N4	10.26	125.18	118.00
45	AC	339	ARG	NE-CZ-NH1	10.26	125.43	120.30
38	A1	1509	C	C6-N1-C2	-10.26	116.19	120.30
11	B2	611	A	N9-C4-C5	10.26	109.90	105.80
38	A1	312	G	N1-C6-O6	10.26	126.06	119.90
38	A1	867	C	C6-N1-C1'	-10.26	108.49	120.80
39	A3	8	C	N3-C4-N4	10.26	125.18	118.00
38	A1	1943	C	O4'-C1'-N1	10.26	116.41	108.20
11	B2	1409	G	O4'-C1'-N9	10.26	116.41	108.20
38	A1	982	G	N1-C2-N3	-10.26	117.75	123.90
38	A1	2386	U	N3-C4-O4	10.26	126.58	119.40
38	A1	2681	A	C4-C5-C6	10.26	122.13	117.00
11	B2	977	G	O4'-C1'-N9	10.25	116.40	108.20
38	A1	1775	G	N1-C6-O6	10.25	126.05	119.90
24	BL	83	ARG	NE-CZ-NH1	10.25	125.43	120.30
38	A1	492	A	C6-C5-N7	-10.25	125.12	132.30
38	A1	1874	G	O4'-C1'-N9	10.25	116.40	108.20
38	A1	1956	G	P-O3'-C3'	10.25	132.00	119.70
11	B2	211	G	N1-C2-N3	-10.25	117.75	123.90
11	B2	805	C	N3-C4-N4	10.25	125.17	118.00
11	B2	1395	G	C8-N9-C4	10.25	110.50	106.40
38	A1	265	A	N1-C2-N3	10.25	134.43	129.30
38	A1	331	G	C6-C5-N7	-10.25	124.25	130.40
38	A1	1334	G	N1-C6-O6	10.25	126.05	119.90
38	A1	1655	G	C5-C6-O6	-10.25	122.45	128.60
38	A1	2038	C	C6-N1-C2	-10.25	116.20	120.30
38	A1	2161	A	C5-N7-C8	10.25	109.02	103.90
38	A1	2435	G	O4'-C1'-N9	10.25	116.40	108.20
11	B2	62	G	C8-N9-C4	-10.24	102.30	106.40
11	B2	65	G	N9-C4-C5	10.24	109.50	105.40
38	A1	929	G	C6-C5-N7	-10.24	124.25	130.40
38	A1	1017	A	C5-C6-N1	-10.24	112.58	117.70
39	A3	53	A	C5-C6-N1	-10.24	112.58	117.70
38	A1	2027	G	C5-C6-O6	-10.24	122.45	128.60
38	A1	2505	A	N1-C6-N6	10.24	124.75	118.60
38	A1	2828	G	N1-C6-O6	10.24	126.05	119.90
11	B2	541	G	C5-C6-N1	-10.24	106.38	111.50
16	BD	57	ARG	NE-CZ-NH1	10.24	125.42	120.30
38	A1	844	C	O4'-C1'-N1	10.24	116.39	108.20
11	B2	337	C	N3-C4-C5	-10.24	117.81	121.90
11	B2	1485	G	C5-C6-N1	-10.23	106.38	111.50
38	A1	551	A	C5-C6-N6	-10.23	115.51	123.70

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1018	G	N1-C6-O6	10.23	126.04	119.90
6	AT	32	ARG	NE-CZ-NH1	10.23	125.42	120.30
38	A1	131	C	C5-C6-N1	10.23	126.12	121.00
38	A1	476	C	C5-C6-N1	10.23	126.11	121.00
10	B1	42	C	O4'-C1'-N1	10.23	116.38	108.20
38	A1	1111	G	C5-C6-N1	-10.23	106.39	111.50
38	A1	1465	A	N1-C2-N3	10.23	134.41	129.30
38	A1	1998	G	C5-C6-O6	-10.23	122.46	128.60
38	A1	2606	C	P-O3'-C3'	10.23	131.97	119.70
38	A1	621	G	C2-N3-C4	10.23	117.01	111.90
38	A1	2450	A	N1-C6-N6	10.23	124.74	118.60
11	B2	26	A	P-O5'-C5'	10.22	137.26	120.90
11	B2	164	A	C8-N9-C4	-10.22	101.71	105.80
38	A1	2101	A	C5-C6-N6	-10.22	115.52	123.70
38	A1	2404	G	N1-C6-O6	10.22	126.03	119.90
38	A1	480	A	C5-C6-N1	-10.22	112.59	117.70
38	A1	1806	C	C6-N1-C2	-10.22	116.21	120.30
38	A1	2594	U	O4'-C1'-N1	10.22	116.38	108.20
38	A1	246	A	C4-C5-C6	10.22	122.11	117.00
38	A1	523	C	N3-C4-N4	10.22	125.15	118.00
11	B2	522	C	N3-C4-C5	-10.22	117.81	121.90
38	A1	948	C	C6-N1-C2	-10.22	116.21	120.30
38	A1	1452	G	N7-C8-N9	10.22	118.21	113.10
38	A1	1655	G	C6-C5-N7	-10.22	124.27	130.40
50	AF	71	PHE	CB-CG-CD2	-10.22	113.65	120.80
38	A1	1358	C	N3-C4-C5	-10.21	117.81	121.90
38	A1	2640	C	O4'-C1'-N1	10.21	116.37	108.20
11	B2	463	G	N1-C2-N3	-10.21	117.77	123.90
11	B2	906	G	C5-C6-O6	-10.21	122.47	128.60
11	B2	1438	A	C8-N9-C4	-10.21	101.72	105.80
38	A1	256	G	N3-C2-N2	10.21	127.05	119.90
4	AQ	107	ARG	NE-CZ-NH1	10.21	125.40	120.30
11	B2	768	A	C4-C5-C6	10.21	122.10	117.00
38	A1	516	A	C5-C6-N1	-10.21	112.59	117.70
38	A1	934	G	C6-C5-N7	-10.21	124.27	130.40
38	A1	249	G	C2-N3-C4	10.21	117.00	111.90
38	A1	2768	C	N3-C4-N4	10.21	125.14	118.00
11	B2	834	C	O4'-C1'-N1	10.21	116.36	108.20
38	A1	2723	G	N1-C6-O6	10.21	126.02	119.90
38	A1	802	G	N1-C6-O6	10.20	126.02	119.90
11	B2	243	G	N9-C4-C5	10.20	109.48	105.40
38	A1	331	G	C5-C6-O6	10.20	134.72	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1195	G	C4-C5-C6	10.20	124.92	118.80
38	A1	1280	C	N3-C4-N4	10.20	125.14	118.00
38	A1	2605	G	C5-C6-O6	-10.20	122.48	128.60
38	A1	2504	U	O4'-C1'-N1	10.20	116.36	108.20
6	AT	9	ARG	NE-CZ-NH1	-10.20	115.20	120.30
38	A1	447	G	C5-C6-O6	-10.20	122.48	128.60
11	B2	875	G	C5-C6-O6	-10.20	122.48	128.60
38	A1	1129	G	C5-N7-C8	-10.20	99.20	104.30
11	B2	1344	U	O4'-C1'-N1	10.20	116.36	108.20
38	A1	294	U	C5-C4-O4	10.20	132.02	125.90
38	A1	2701	U	O4'-C1'-N1	10.19	116.36	108.20
57	Aj	80	ARG	NE-CZ-NH1	10.19	125.40	120.30
38	A1	452	A	N7-C8-N9	-10.19	108.70	113.80
38	A1	807	G	N1-C6-O6	10.19	126.02	119.90
38	A1	1186	G	N1-C6-O6	10.19	126.02	119.90
38	A1	2030	G	C2-N3-C4	10.19	117.00	111.90
39	A3	42	A	C4-C5-C6	10.19	122.10	117.00
38	A1	1646	G	C5-C6-N1	-10.19	106.41	111.50
11	B2	759	C	C6-N1-C2	-10.19	116.22	120.30
37	BY	8	TYR	CB-CG-CD2	-10.19	114.89	121.00
38	A1	2985	U	O4'-C1'-N1	10.19	116.35	108.20
38	A1	82	C	N3-C4-C5	-10.19	117.83	121.90
10	B1	22	A	C5-N7-C8	10.19	108.99	103.90
11	B2	568	C	C6-N1-C2	-10.19	116.22	120.30
38	A1	233	A	C5-C6-N1	-10.19	112.61	117.70
38	A1	266	A	C4-C5-C6	10.19	122.09	117.00
38	A1	1258	G	O4'-C1'-N9	10.19	116.35	108.20
38	A1	1651	A	C5-C6-N1	-10.19	112.61	117.70
39	A3	59	C	O4'-C1'-N1	10.19	116.35	108.20
38	A1	2395	C	C6-N1-C2	-10.19	116.23	120.30
11	B2	38	G	C5-C6-O6	-10.18	122.49	128.60
11	B2	212	G	C5-C6-N1	-10.18	106.41	111.50
38	A1	2773	A	N1-C6-N6	10.18	124.71	118.60
11	B2	745	G	C8-N9-C4	-10.18	102.33	106.40
54	AI	52	ARG	NE-CZ-NH1	10.18	125.39	120.30
11	B2	282	G	N1-C6-O6	10.18	126.01	119.90
38	A1	1066	C	O4'-C1'-N1	10.18	116.34	108.20
38	A1	2529	G	N9-C4-C5	-10.18	101.33	105.40
11	B2	40	C	C5-C4-N4	-10.18	113.08	120.20
38	A1	2466	C	N3-C4-N4	10.18	125.12	118.00
11	B2	463	G	N3-C2-N2	10.18	127.02	119.90
11	B2	1115	G	N1-C6-O6	10.18	126.00	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2343	G	N1-C6-O6	10.18	126.00	119.90
11	B2	575	A	N1-C6-N6	10.17	124.70	118.60
11	B2	976	A	N1-C6-N6	10.17	124.70	118.60
38	A1	36	G	C4-C5-C6	10.17	124.90	118.80
38	A1	107	G	N3-C2-N2	10.17	127.02	119.90
38	A1	737	G	C5-C6-O6	-10.17	122.50	128.60
38	A1	1200	A	O4'-C1'-N9	10.17	116.34	108.20
38	A1	2839	A	C5-C6-N6	-10.17	115.56	123.70
11	B2	538	C	N3-C4-N4	10.17	125.12	118.00
11	B2	678	G	N1-C6-O6	10.17	126.00	119.90
11	B2	831	A	C5-C6-N1	-10.17	112.61	117.70
38	A1	281	G	N1-C6-O6	10.17	126.00	119.90
38	A1	396	G	N1-C6-O6	10.17	126.00	119.90
38	A1	867	C	C2-N3-C4	10.17	124.98	119.90
38	A1	895	C	O4'-C1'-N1	10.17	116.33	108.20
38	A1	2273	U	C5-C6-N1	10.17	127.78	122.70
38	A1	2201	C	O4'-C1'-N1	10.17	116.33	108.20
10	B1	54	G	N3-C2-N2	10.17	127.02	119.90
11	B2	974	G	C5-C6-O6	-10.17	122.50	128.60
11	B2	1037	U	P-O3'-C3'	10.17	131.90	119.70
38	A1	1670	A	O4'-C1'-N9	10.17	116.33	108.20
38	A1	1271	G	C5-C6-O6	-10.17	122.50	128.60
38	A1	1539	U	C5-C4-O4	-10.17	119.80	125.90
38	A1	1902	G	O4'-C1'-N9	10.17	116.33	108.20
11	B2	642	G	C5-C6-O6	-10.16	122.50	128.60
38	A1	515	G	C5-C6-O6	-10.16	122.50	128.60
11	B2	1219	C	C5-C4-N4	-10.16	113.09	120.20
38	A1	2361	C	C6-N1-C2	10.16	124.36	120.30
11	B2	286	G	N1-C6-O6	10.16	126.00	119.90
11	B2	850	A	C5-C6-N6	-10.16	115.57	123.70
38	A1	198	C	C5-C4-N4	-10.16	113.09	120.20
11	B2	1117	A	C6-N1-C2	10.16	124.69	118.60
38	A1	1461	G	C2-N3-C4	10.16	116.98	111.90
38	A1	2648	C	C4-C5-C6	10.16	122.48	117.40
11	B2	80	A	C4-C5-C6	10.16	122.08	117.00
11	B2	1373	A	C5-C6-N6	-10.16	115.58	123.70
38	A1	2488	C	N3-C4-N4	10.16	125.11	118.00
38	A1	3035	C	C6-N1-C2	-10.16	116.24	120.30
11	B2	1143	G	O4'-C1'-N9	10.15	116.32	108.20
38	A1	1810	G	C5-C6-O6	-10.15	122.51	128.60
38	A1	2354	A	N7-C8-N9	-10.15	108.72	113.80
11	B2	1227	A	C5-C6-N6	-10.15	115.58	123.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1190	G	N1-C6-O6	10.15	125.99	119.90
38	A1	2650	G	C4-C5-C6	10.15	124.89	118.80
38	A1	2679	A	C5-N7-C8	10.15	108.98	103.90
11	B2	1465	C	C5-C6-N1	10.15	126.08	121.00
38	A1	1519	G	O4'-C1'-N9	10.15	116.32	108.20
11	B2	300	G	C4-C5-N7	10.15	114.86	110.80
38	A1	397	G	C5-C6-O6	-10.15	122.51	128.60
11	B2	744	A	N9-C4-C5	10.15	109.86	105.80
11	B2	1174	A	P-O3'-C3'	10.15	131.88	119.70
38	A1	418	C	N3-C4-C5	-10.15	117.84	121.90
38	A1	1012	G	N1-C6-O6	10.15	125.99	119.90
39	A3	54	A	C5-C6-N6	-10.15	115.58	123.70
11	B2	439	G	P-O3'-C3'	10.14	131.87	119.70
38	A1	847	A	N1-C6-N6	10.14	124.69	118.60
39	A3	34	C	O4'-C1'-N1	10.14	116.32	108.20
29	BQ	16	ARG	NE-CZ-NH2	-10.14	115.23	120.30
38	A1	2328	G	O4'-C1'-N9	10.14	116.31	108.20
11	B2	1063	A	N1-C6-N6	10.14	124.68	118.60
38	A1	116	G	N1-C6-O6	10.14	125.98	119.90
38	A1	1289	C	C5-C6-N1	10.14	126.07	121.00
11	B2	1353	C	N3-C4-N4	10.13	125.09	118.00
38	A1	1606	C	O4'-C1'-N1	10.13	116.31	108.20
38	A1	2342	C	C5-C4-N4	-10.13	113.11	120.20
38	A1	3037	G	N3-C2-N2	10.13	126.99	119.90
11	B2	917	A	N7-C8-N9	-10.13	108.73	113.80
11	B2	1013	G	C4-C5-N7	10.13	114.85	110.80
38	A1	105	C	O4'-C1'-N1	10.13	116.31	108.20
38	A1	632	G	N9-C4-C5	-10.13	101.35	105.40
38	A1	1025	A	C4-C5-C6	10.13	122.07	117.00
38	A1	2032	G	O4'-C1'-N9	10.13	116.31	108.20
11	B2	323	A	C4-C5-C6	10.13	122.06	117.00
38	A1	861	G	N1-C6-O6	10.13	125.98	119.90
38	A1	1370	G	C8-N9-C4	-10.13	102.35	106.40
11	B2	520	G	N1-C2-N3	-10.13	117.82	123.90
38	A1	1310	A	C4-C5-C6	10.13	122.06	117.00
38	A1	2360	G	O4'-C1'-N9	10.13	116.30	108.20
38	A1	2605	G	N3-C2-N2	10.13	126.99	119.90
39	A3	2	G	C6-C5-N7	-10.13	124.32	130.40
11	B2	1157	G	N9-C4-C5	10.12	109.45	105.40
38	A1	1342	G	C5-C6-O6	-10.12	122.53	128.60
38	A1	1198	G	C4-C5-N7	10.12	114.85	110.80
38	A1	2052	A	C4-C5-C6	10.12	122.06	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	592	C	O4'-C1'-N1	10.12	116.30	108.20
5	AS	155	ARG	NE-CZ-NH1	-10.12	115.24	120.30
11	B2	51	A	O4'-C1'-N9	10.12	116.30	108.20
23	BK	25	ARG	NE-CZ-NH2	-10.12	115.24	120.30
38	A1	2163	G	O4'-C1'-N9	10.12	116.30	108.20
11	B2	950	C	N3-C4-N4	10.12	125.08	118.00
38	A1	1534	G	C5-C6-O6	-10.12	122.53	128.60
38	A1	2239	C	N3-C4-N4	10.12	125.08	118.00
38	A1	2299	G	C4-C5-C6	10.12	124.87	118.80
38	A1	805	C	C2-N3-C4	10.12	124.96	119.90
38	A1	1785	G	C5-N7-C8	10.12	109.36	104.30
38	A1	2240	G	O4'-C1'-N9	10.12	116.29	108.20
11	B2	1459	G	P-O3'-C3'	10.11	131.84	119.70
38	A1	1308	G	N1-C6-O6	10.11	125.97	119.90
38	A1	1534	G	N1-C6-O6	10.11	125.97	119.90
38	A1	1779	C	O4'-C1'-N1	10.11	116.29	108.20
11	B2	303	G	N1-C6-O6	10.11	125.97	119.90
38	A1	194	G	C6-C5-N7	-10.11	124.33	130.40
38	A1	442	G	P-O3'-C3'	10.11	131.84	119.70
38	A1	846	C	O4'-C1'-N1	10.11	116.29	108.20
11	B2	210	A	C8-N9-C4	-10.11	101.76	105.80
38	A1	179	A	C4-C5-C6	10.11	122.06	117.00
38	A1	2011	U	C5-C4-O4	-10.11	119.83	125.90
38	A1	2429	G	C5-C6-O6	-10.11	122.53	128.60
38	A1	2527	G	N1-C6-O6	10.11	125.97	119.90
38	A1	1267	A	O4'-C1'-N9	10.11	116.29	108.20
38	A1	3027	C	O4'-C1'-N1	10.11	116.29	108.20
11	B2	99	C	N3-C4-N4	10.11	125.08	118.00
38	A1	2770	A	C5-C6-N6	-10.11	115.61	123.70
11	B2	48	G	N1-C2-N3	-10.10	117.84	123.90
38	A1	177	G	N1-C2-N3	-10.10	117.84	123.90
38	A1	16	G	N1-C6-O6	10.10	125.96	119.90
38	A1	1821	C	C6-N1-C2	-10.10	116.26	120.30
38	A1	575	G	C4-C5-N7	10.10	114.84	110.80
38	A1	626	C	C2-N3-C4	10.10	124.95	119.90
38	A1	644	G	C5-C6-O6	-10.10	122.54	128.60
38	A1	2289	A	C4-C5-N7	-10.10	105.65	110.70
38	A1	2972	G	N1-C2-N3	-10.10	117.84	123.90
38	A1	1754	A	C5-C6-N1	-10.10	112.65	117.70
11	B2	266	A	N7-C8-N9	-10.10	108.75	113.80
11	B2	797	U	C5-C6-N1	10.10	127.75	122.70
11	B2	1317	G	N1-C6-O6	10.10	125.96	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	649	A	C4-C5-C6	10.10	122.05	117.00
11	B2	1312	C	C6-N1-C2	-10.10	116.26	120.30
38	A1	221	G	C5-C6-O6	-10.10	122.54	128.60
38	A1	1162	C	N3-C4-C5	-10.10	117.86	121.90
38	A1	1201	G	N1-C6-O6	10.10	125.96	119.90
38	A1	237	G	C5-C6-O6	-10.10	122.54	128.60
38	A1	530	A	C5-C6-N6	-10.10	115.62	123.70
38	A1	1726	A	C5-C6-N1	-10.10	112.65	117.70
39	A3	35	A	N9-C4-C5	10.10	109.84	105.80
11	B2	8	U	C2-N3-C4	-10.09	120.94	127.00
11	B2	734	G	O4'-C1'-N9	10.09	116.27	108.20
11	B2	1203	G	N3-C2-N2	10.09	126.97	119.90
38	A1	848	A	N9-C4-C5	10.09	109.84	105.80
38	A1	2063	U	C2-N3-C4	-10.09	120.94	127.00
38	A1	2177	A	C5-C6-N1	-10.09	112.65	117.70
38	A1	2302	C	P-O3'-C3'	-10.09	107.59	119.70
38	A1	47	C	N3-C4-N4	10.09	125.06	118.00
38	A1	816	C	O4'-C1'-N1	10.09	116.27	108.20
38	A1	2716	C	N3-C4-N4	10.09	125.06	118.00
38	A1	734	C	N3-C4-C5	-10.09	117.86	121.90
38	A1	2573	C	N3-C4-C5	-10.09	117.86	121.90
11	B2	337	C	N3-C4-N4	10.09	125.06	118.00
11	B2	1154	G	O4'-C1'-N9	10.09	116.27	108.20
11	B2	1132	C	N3-C4-C5	-10.09	117.87	121.90
38	A1	1499	C	O4'-C1'-N1	10.09	116.27	108.20
38	A1	2142	U	C2-N3-C4	10.09	133.05	127.00
38	A1	2673	C	C5-C4-N4	-10.09	113.14	120.20
10	B1	44	G	N3-C2-N2	10.08	126.96	119.90
38	A1	687	C	O4'-C1'-N1	10.08	116.27	108.20
11	B2	193	G	O4'-C1'-N9	10.08	116.27	108.20
38	A1	829	G	N1-C6-O6	10.08	125.95	119.90
38	A1	930	G	N9-C4-C5	10.08	109.43	105.40
38	A1	1249	G	C5'-C4'-O4'	10.08	121.20	109.10
11	B2	1024	G	P-O3'-C3'	10.08	131.80	119.70
38	A1	844	C	N3-C4-C5	-10.08	117.87	121.90
38	A1	2640	C	C6-N1-C2	-10.08	116.27	120.30
39	A3	117	G	N1-C6-O6	10.08	125.95	119.90
10	B1	47	G	N1-C6-O6	10.08	125.95	119.90
11	B2	133	G	N1-C2-N3	-10.08	117.85	123.90
11	B2	437	A	P-O3'-C3'	10.08	131.79	119.70
38	A1	1346	G	C5-C6-O6	-10.08	122.55	128.60
38	A1	1641	G	N7-C8-N9	10.08	118.14	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2028	G	N1-C6-O6	10.08	125.95	119.90
11	B2	246	A	N1-C6-N6	10.07	124.64	118.60
38	A1	16	G	C5-C6-O6	-10.07	122.56	128.60
38	A1	2151	C	O4'-C1'-N1	10.07	116.26	108.20
11	B2	1075	A	C4-C5-C6	10.07	122.04	117.00
38	A1	86	G	N1-C6-O6	10.07	125.94	119.90
38	A1	387	A	N1-C2-N3	-10.07	124.26	129.30
38	A1	1471	G	N3-C4-N9	-10.07	119.96	126.00
38	A1	2092	G	O4'-C1'-N9	10.07	116.26	108.20
38	A1	2619	U	C4-C5-C6	10.07	125.74	119.70
38	A1	176	G	C5-C6-O6	-10.07	122.56	128.60
38	A1	414	G	N1-C6-O6	10.07	125.94	119.90
10	B1	36	A	C5-N7-C8	10.07	108.93	103.90
10	B1	74	A	C5-C6-N1	-10.07	112.67	117.70
11	B2	195	C	O4'-C1'-N1	10.07	116.25	108.20
11	B2	1131	G	O4'-C1'-N9	10.07	116.25	108.20
38	A1	682	G	C5-C6-O6	-10.07	122.56	128.60
38	A1	635	G	C6-C5-N7	-10.07	124.36	130.40
11	B2	290	C	C2-N3-C4	10.06	124.93	119.90
38	A1	1930	A	N1-C2-N3	10.06	134.33	129.30
38	A1	1991	G	C5-C6-N1	-10.06	106.47	111.50
38	A1	2090	A	C4-C5-C6	10.06	122.03	117.00
38	A1	2105	A	C1'-O4'-C4'	10.06	117.95	109.90
38	A1	2683	G	N1-C6-O6	10.06	125.94	119.90
11	B2	326	C	C5-C6-N1	10.06	126.03	121.00
11	B2	532	C	N3-C4-N4	10.06	125.04	118.00
11	B2	619	A	C4-C5-N7	-10.06	105.67	110.70
11	B2	970	G	N1-C6-O6	10.06	125.94	119.90
38	A1	694	A	C5-C6-N6	-10.06	115.65	123.70
38	A1	1515	G	C4-C5-C6	10.06	124.84	118.80
38	A1	2471	A	C4-C5-C6	10.06	122.03	117.00
38	A1	2710	G	C5-C6-O6	-10.06	122.56	128.60
38	A1	476	C	O4'-C1'-N1	10.06	116.25	108.20
11	B2	744	A	C8-N9-C4	-10.06	101.78	105.80
38	A1	576	G	N1-C2-N3	-10.06	117.87	123.90
38	A1	1488	C	O4'-C1'-N1	10.06	116.25	108.20
38	A1	2545	A	C5-C6-N1	-10.06	112.67	117.70
53	Ah	15	ARG	NE-CZ-NH1	10.06	125.33	120.30
11	B2	370	A	C5-C6-N6	-10.05	115.66	123.70
38	A1	336	C	O4'-C1'-N1	10.05	116.24	108.20
38	A1	3005	C	O4'-C1'-N1	10.06	116.25	108.20
38	A1	342	C	C2-N3-C4	10.05	124.93	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	930	G	N1-C2-N3	-10.05	117.87	123.90
38	A1	1619	C	C5-C6-N1	10.05	126.03	121.00
38	A1	2303	A	C4-C5-N7	-10.05	105.67	110.70
11	B2	915	U	C2-N3-C4	10.05	133.03	127.00
61	AN	72	TYR	CB-CG-CD1	-10.05	114.97	121.00
11	B2	1442	G	O4'-C1'-N9	10.05	116.24	108.20
38	A1	928	A	C4-C5-C6	10.05	122.02	117.00
38	A1	1694	G	O4'-C1'-N9	10.05	116.24	108.20
38	A1	1711	C	N3-C4-C5	-10.05	117.88	121.90
11	B2	1220	G	C6-N1-C2	-10.05	119.07	125.10
38	A1	74	A	C4-C5-C6	10.05	122.02	117.00
38	A1	663	A	C8-N9-C4	-10.05	101.78	105.80
38	A1	2556	C	N3-C4-N4	10.05	125.03	118.00
38	A1	3029	A	C5-C6-N6	-10.04	115.66	123.70
38	A1	37	C	N3-C4-C5	-10.04	117.88	121.90
38	A1	2492	G	N1-C2-N3	-10.04	117.87	123.90
38	A1	457	C	C2-N3-C4	10.04	124.92	119.90
11	B2	241	U	O4'-C1'-N1	10.04	116.23	108.20
11	B2	1472	G	C4'-C3'-C2'	-10.04	92.56	102.60
38	A1	298	G	C1'-O4'-C4'	10.04	117.93	109.90
38	A1	726	G	C4-C5-N7	10.04	114.82	110.80
38	A1	2449	A	C5-N7-C8	10.04	108.92	103.90
11	B2	256	G	C5-C6-O6	-10.04	122.58	128.60
66	AY	127	ARG	NE-CZ-NH1	-10.04	115.28	120.30
11	B2	1147	G	N1-C6-O6	10.04	125.92	119.90
38	A1	1071	A	C4-C5-C6	10.04	122.02	117.00
38	A1	1448	G	C5-C6-O6	-10.04	122.58	128.60
11	B2	914	U	O4'-C1'-N1	10.03	116.23	108.20
38	A1	934	G	O4'-C1'-N9	10.04	116.23	108.20
38	A1	2809	G	C5-C6-N1	-10.03	106.48	111.50
11	B2	589	U	O4'-C1'-N1	10.03	116.22	108.20
38	A1	246	A	N1-C6-N6	10.03	124.62	118.60
11	B2	714	G	C5-C6-O6	-10.03	122.58	128.60
38	A1	921	C	O4'-C1'-N1	10.03	116.22	108.20
38	A1	1171	G	C4-C5-N7	-10.03	106.79	110.80
38	A1	1429	A	C4-C5-C6	10.03	122.01	117.00
38	A1	1596	G	N3-C2-N2	10.03	126.92	119.90
38	A1	2482	G	C6-N1-C2	10.03	131.12	125.10
38	A1	489	G	C8-N9-C4	-10.03	102.39	106.40
39	A3	15	G	N1-C2-N3	-10.03	117.88	123.90
11	B2	934	G	N3-C2-N2	10.03	126.92	119.90
11	B2	1354	A	C5-C6-N1	-10.03	112.69	117.70

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	BT	38	ARG	NE-CZ-NH1	-10.03	115.29	120.30
11	B2	16	G	N3-C2-N2	10.02	126.92	119.90
11	B2	447	A	C8-N9-C4	-10.02	101.79	105.80
11	B2	901	G	O4'-C1'-N9	10.02	116.22	108.20
11	B2	1326	G	C8-N9-C4	-10.02	102.39	106.40
38	A1	177	G	O4'-C1'-N9	10.02	116.22	108.20
38	A1	1467	G	N3-C2-N2	10.02	126.92	119.90
41	AA	106	PHE	CB-CG-CD1	-10.02	113.78	120.80
11	B2	675	A	C4-C5-C6	10.02	122.01	117.00
42	Aa	34	PHE	CB-CG-CD2	10.02	127.81	120.80
38	A1	27	G	C5-C6-O6	-10.02	122.59	128.60
38	A1	70	G	C2-N3-C4	10.02	116.91	111.90
38	A1	782	G	C6-N1-C2	10.02	131.11	125.10
38	A1	1687	C	C5-C4-N4	-10.02	113.19	120.20
63	AP	42	ARG	NE-CZ-NH2	10.02	125.31	120.30
17	BE	204	ARG	NE-CZ-NH1	10.02	125.31	120.30
38	A1	605	A	N9-C4-C5	10.02	109.81	105.80
11	B2	429	A	N1-C6-N6	10.02	124.61	118.60
38	A1	1200	A	N7-C8-N9	10.02	118.81	113.80
38	A1	2505	A	C5-C6-N1	-10.02	112.69	117.70
39	A3	124	A	C5-C6-N6	-10.02	115.69	123.70
10	B1	10	G	N1-C6-O6	10.01	125.91	119.90
11	B2	1115	G	O4'-C1'-N9	10.01	116.21	108.20
38	A1	849	C	C2-N3-C4	10.01	124.91	119.90
38	A1	2291	G	C5-N7-C8	10.01	109.31	104.30
66	AY	53	TYR	CB-CG-CD2	-10.01	114.99	121.00
11	B2	1051	G	C2-N3-C4	10.01	116.91	111.90
38	A1	1781	C	N3-C4-N4	10.01	125.01	118.00
38	A1	1249	G	C5-C6-O6	-10.01	122.59	128.60
38	A1	2632	C	N3-C4-N4	10.01	125.01	118.00
39	A3	25	A	C4-C5-C6	10.01	122.00	117.00
11	B2	1177	C	N3-C4-C5	-10.01	117.90	121.90
38	A1	479	G	O4'-C1'-N9	10.01	116.20	108.20
38	A1	2050	U	O4'-C1'-N1	10.01	116.20	108.20
38	A1	2672	A	C4-C5-C6	10.01	122.00	117.00
38	A1	798	G	C5-C6-O6	-10.01	122.60	128.60
38	A1	840	G	C5-C6-O6	-10.01	122.60	128.60
38	A1	1628	C	N3-C4-C5	-10.01	117.90	121.90
38	A1	1885	G	N3-C4-C5	10.01	133.60	128.60
38	A1	2534	C	N3-C4-C5	-10.01	117.90	121.90
38	A1	288	G	C5-C6-O6	-10.00	122.60	128.60
11	B2	1191	G	O4'-C1'-N9	10.00	116.20	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	599	G	C5-C6-O6	-10.00	122.60	128.60
38	A1	2662	G	O4'-C1'-N9	10.00	116.20	108.20
38	A1	2665	G	C5-C6-O6	-10.00	122.60	128.60
39	A3	25	A	O4'-C1'-N9	10.00	116.20	108.20
38	A1	1593	C	O4'-C1'-N1	10.00	116.20	108.20
38	A1	2108	U	O4'-C1'-N1	10.00	116.20	108.20
11	B2	196	G	N7-C8-N9	-9.99	108.10	113.10
38	A1	254	A	C5-N7-C8	9.99	108.90	103.90
38	A1	355	G	N3-C4-C5	9.99	133.60	128.60
38	A1	1702	C	N3-C4-N4	9.99	125.00	118.00
11	B2	621	G	N7-C8-N9	-9.99	108.10	113.10
38	A1	2377	C	C6-N1-C2	-9.99	116.30	120.30
11	B2	1012	C	O4'-C1'-N1	9.99	116.19	108.20
38	A1	1861	G	C4-C5-C6	9.99	124.80	118.80
31	BS	5	ARG	NE-CZ-NH2	-9.99	115.31	120.30
38	A1	117	A	C5-C6-N6	-9.99	115.71	123.70
38	A1	308	C	N3-C4-C5	-9.99	117.90	121.90
38	A1	1168	A	C5-C6-N1	-9.99	112.71	117.70
38	A1	1345	G	C4-C5-N7	9.99	114.80	110.80
11	B2	1156	A	O4'-C1'-N9	9.99	116.19	108.20
38	A1	1823	A	C5-C6-N1	-9.99	112.71	117.70
61	AN	45	PHE	CB-CG-CD1	9.99	127.79	120.80
11	B2	770	A	C5-C6-N1	-9.98	112.71	117.70
11	B2	1371	C	N3-C4-C5	9.98	125.89	121.90
29	BQ	55	ARG	NE-CZ-NH2	-9.98	115.31	120.30
11	B2	1364	C	N3-C4-N4	9.98	124.99	118.00
39	A3	66	A	N1-C6-N6	9.98	124.59	118.60
11	B2	77	G	C5-C6-O6	-9.98	122.61	128.60
11	B2	574	A	N1-C6-N6	9.98	124.59	118.60
38	A1	1353	A	C3'-C2'-C1'	9.98	109.48	101.50
38	A1	2195	G	C5-C6-O6	-9.98	122.61	128.60
11	B2	407	G	C5-C6-O6	-9.98	122.61	128.60
11	B2	801	A	N1-C6-N6	9.98	124.59	118.60
11	B2	984	C	N3-C4-N4	9.98	124.99	118.00
11	B2	1062	G	C5-N7-C8	9.98	109.29	104.30
38	A1	1040	C	C2-N3-C4	9.98	124.89	119.90
38	A1	1306	A	C5-C6-N6	-9.98	115.72	123.70
38	A1	2194	A	C5-C6-N1	-9.98	112.71	117.70
38	A1	2264	G	N1-C6-O6	9.98	125.89	119.90
38	A1	2540	A	C5-C6-N1	-9.98	112.71	117.70
45	AC	337	ARG	NE-CZ-NH2	9.98	125.29	120.30
38	A1	982	G	C5-C6-O6	-9.98	122.61	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	B1	62	C	C2-N3-C4	9.97	124.89	119.90
38	A1	35	G	O4'-C1'-N9	9.97	116.18	108.20
38	A1	1755	C	C2-N3-C4	9.97	124.89	119.90
38	A1	2745	G	C5-C6-O6	-9.97	122.62	128.60
38	A1	53	A	N1-C6-N6	9.97	124.58	118.60
38	A1	544	A	N1-C6-N6	9.97	124.58	118.60
38	A1	1852	U	N3-C4-O4	9.97	126.38	119.40
38	A1	3036	C	C4-C5-C6	9.97	122.39	117.40
65	AV	14	PHE	CB-CG-CD1	9.97	127.78	120.80
38	A1	1737	A	C4-C5-C6	9.97	121.98	117.00
38	A1	1862	G	N9-C4-C5	9.97	109.39	105.40
66	AY	71	ARG	NE-CZ-NH1	9.97	125.28	120.30
11	B2	133	G	P-O3'-C3'	9.96	131.66	119.70
38	A1	2057	G	N7-C8-N9	9.97	118.08	113.10
38	A1	2357	U	N1-C2-O2	9.97	129.78	122.80
38	A1	1472	U	N1-C2-N3	-9.96	108.92	114.90
10	B1	29	C	N3-C4-N4	9.96	124.97	118.00
11	B2	1172	A	C5-C6-N6	-9.96	115.73	123.70
38	A1	871	G	C5-C6-O6	-9.96	122.62	128.60
38	A1	1613	A	C4-C5-C6	9.96	121.98	117.00
10	B1	57	C	C4-C5-C6	9.96	122.38	117.40
11	B2	908	G	C4-C5-N7	-9.96	106.82	110.80
38	A1	24	G	C5-C6-O6	-9.96	122.62	128.60
38	A1	194	G	N9-C4-C5	-9.96	101.42	105.40
38	A1	372	A	N9-C4-C5	9.96	109.78	105.80
38	A1	840	G	N1-C6-O6	9.96	125.88	119.90
38	A1	1374	G	C5-C6-O6	-9.96	122.62	128.60
38	A1	2284	C	P-O3'-C3'	9.96	131.65	119.70
11	B2	116	C	N3-C4-C5	-9.96	117.92	121.90
11	B2	1234	A	O4'-C1'-N9	9.96	116.17	108.20
38	A1	671	G	O4'-C1'-N9	9.96	116.17	108.20
38	A1	890	G	C2-N3-C4	9.96	116.88	111.90
38	A1	2034	G	N3-C2-N2	9.96	126.87	119.90
11	B2	270	A	C5-C6-N1	-9.96	112.72	117.70
11	B2	983	G	N3-C2-N2	9.95	126.87	119.90
11	B2	387	G	C5-N7-C8	9.95	109.28	104.30
11	B2	824	G	N3-C4-N9	9.95	131.97	126.00
38	A1	51	G	N1-C6-O6	9.95	125.87	119.90
38	A1	483	C	C4-C5-C6	9.95	122.38	117.40
38	A1	557	G	O4'-C1'-N9	9.95	116.16	108.20
17	BE	12	ARG	NE-CZ-NH1	-9.95	115.33	120.30
38	A1	962	C	N3-C4-C5	-9.95	117.92	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	241	C	O4'-C1'-N1	9.95	116.16	108.20
46	AD	42	ARG	NE-CZ-NH2	-9.95	115.33	120.30
11	B2	739	G	C5-C6-O6	-9.95	122.63	128.60
38	A1	979	G	N3-C4-C5	9.95	133.57	128.60
11	B2	805	C	C6-N1-C2	-9.94	116.32	120.30
38	A1	2134	G	O4'-C1'-N9	9.94	116.16	108.20
62	AO	143	ARG	NE-CZ-NH2	-9.95	115.33	120.30
11	B2	467	G	O4'-C1'-N9	9.94	116.15	108.20
11	B2	1157	G	C4-C5-C6	9.94	124.77	118.80
38	A1	1674	G	O4'-C1'-N9	9.94	116.15	108.20
11	B2	1294	G	C6-C5-N7	-9.94	124.44	130.40
38	A1	1923	A	C8-N9-C4	-9.94	101.82	105.80
11	B2	1023	C	C6-N1-C2	-9.94	116.32	120.30
11	B2	908	G	C4-C5-C6	9.94	124.76	118.80
38	A1	2831	G	N1-C6-O6	9.94	125.86	119.90
50	AF	76	ARG	NE-CZ-NH2	9.94	125.27	120.30
11	B2	964	A	N1-C6-N6	9.94	124.56	118.60
11	B2	1010	G	C6-C5-N7	-9.94	124.44	130.40
11	B2	1359	C	C5-C6-N1	-9.94	116.03	121.00
38	A1	796	C	O4'-C1'-N1	9.94	116.15	108.20
38	A1	1617	G	N3-C2-N2	9.94	126.86	119.90
38	A1	2874	C	N3-C4-C5	-9.94	117.93	121.90
11	B2	311	A	C4-C5-C6	9.93	121.97	117.00
11	B2	496	C	C5-C4-N4	-9.93	113.25	120.20
11	B2	1090	C	C6-N1-C2	9.93	124.27	120.30
38	A1	2620	G	N1-C6-O6	9.93	125.86	119.90
38	A1	732	G	C6-C5-N7	-9.93	124.44	130.40
38	A1	2054	G	N1-C6-O6	9.93	125.86	119.90
11	B2	576	C	C5-C4-N4	-9.93	113.25	120.20
38	A1	362	A	P-O3'-C3'	-9.93	107.78	119.70
38	A1	1090	G	C8-N9-C4	-9.93	102.43	106.40
11	B2	130	G	C8-N9-C4	-9.93	102.43	106.40
38	A1	149	G	N3-C2-N2	9.93	126.85	119.90
38	A1	305	G	C4-C5-N7	-9.93	106.83	110.80
38	A1	1983	C	O4'-C1'-N1	9.93	116.14	108.20
11	B2	610	G	C4-C5-N7	-9.93	106.83	110.80
11	B2	950	C	O5'-P-OP1	-9.93	96.77	105.70
11	B2	980	C	N3-C4-C5	-9.93	117.93	121.90
38	A1	501	C	O4'-C1'-N1	9.93	116.14	108.20
11	B2	210	A	C4-C5-C6	9.92	121.96	117.00
11	B2	264	C	O4'-C1'-N1	9.92	116.14	108.20
11	B2	898	G	C2-N3-C4	9.92	116.86	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1474	A	O4'-C1'-N9	9.92	116.14	108.20
11	B2	1228	A	C8-N9-C4	-9.92	101.83	105.80
38	A1	712	C	O4'-C1'-N1	9.92	116.14	108.20
38	A1	2420	C	N3-C4-N4	9.92	124.95	118.00
11	B2	567	A	C5-C6-N1	-9.92	112.74	117.70
38	A1	703	G	C4-C5-C6	9.92	124.75	118.80
18	BF	8	TYR	CB-CG-CD1	-9.92	115.05	121.00
38	A1	2333	G	O4'-C1'-N9	9.92	116.13	108.20
10	B1	46	U	N1-C2-N3	9.92	120.85	114.90
38	A1	403	G	C8-N9-C4	-9.92	102.43	106.40
38	A1	633	A	N1-C6-N6	9.92	124.55	118.60
38	A1	2016	C	N3-C4-N4	9.92	124.94	118.00
38	A1	1474	A	N1-C6-N6	9.92	124.55	118.60
38	A1	1898	A	C5-C6-N1	-9.92	112.74	117.70
38	A1	529	G	O4'-C1'-N9	9.91	116.13	108.20
38	A1	2811	U	O4'-C1'-N1	9.91	116.13	108.20
11	B2	91	G	C5-C6-O6	-9.91	122.65	128.60
11	B2	865	A	C2-N3-C4	-9.91	105.64	110.60
38	A1	1295	G	N1-C6-O6	9.91	125.85	119.90
38	A1	2619	U	C5-C6-N1	-9.91	117.74	122.70
38	A1	2984	A	C8-N9-C4	9.91	109.77	105.80
38	A1	619	G	C5-C6-O6	-9.91	122.65	128.60
38	A1	1257	G	N1-C6-O6	9.91	125.85	119.90
11	B2	940	U	O4'-C1'-N1	9.91	116.13	108.20
38	A1	1058	A	N1-C6-N6	9.91	124.55	118.60
38	A1	2011	U	N3-C4-O4	9.91	126.34	119.40
38	A1	2612	A	N1-C6-N6	9.91	124.55	118.60
11	B2	1040	A	N1-C6-N6	9.91	124.55	118.60
38	A1	270	C	C5-C4-N4	-9.91	113.26	120.20
38	A1	746	C	N3-C4-C5	-9.91	117.94	121.90
48	AE	88	TYR	CB-CG-CD2	9.91	126.95	121.00
11	B2	426	C	N3-C4-C5	-9.91	117.94	121.90
11	B2	1075	A	N1-C6-N6	9.91	124.55	118.60
38	A1	531	G	N1-C6-O6	9.91	125.84	119.90
38	A1	879	A	C4-C5-C6	9.91	121.95	117.00
38	A1	1355	A	C5-C6-N1	-9.91	112.75	117.70
38	A1	2698	G	N1-C2-N3	-9.91	117.95	123.90
39	A3	113	C	C5-C6-N1	9.91	125.95	121.00
43	AB	179	TYR	CB-CG-CD1	9.91	126.94	121.00
11	B2	136	A	N9-C4-C5	9.90	109.76	105.80
11	B2	184	G	C5-C6-O6	-9.90	122.66	128.60
11	B2	1207	G	P-O3'-C3'	-9.90	107.81	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2223	G	O4'-C1'-N9	9.90	116.12	108.20
39	A3	63	G	C8-N9-C4	-9.90	102.44	106.40
45	AC	321	PHE	CB-CG-CD2	-9.90	113.87	120.80
11	B2	377	A	C2-N3-C4	-9.90	105.65	110.60
11	B2	1449	G	N7-C8-N9	9.90	118.05	113.10
11	B2	991	C	N3-C4-C5	-9.90	117.94	121.90
38	A1	617	G	O4'-C1'-N9	9.90	116.12	108.20
38	A1	793	C	C2-N3-C4	9.90	124.85	119.90
38	A1	1363	C	O4'-C1'-N1	9.90	116.12	108.20
38	A1	1946	G	C5-C6-O6	-9.90	122.66	128.60
38	A1	1534	G	O4'-C1'-N9	9.90	116.12	108.20
11	B2	35	G	C5-C6-O6	-9.90	122.66	128.60
38	A1	1221	U	O4'-C1'-N1	9.90	116.12	108.20
38	A1	2435	G	C5-C6-O6	-9.90	122.66	128.60
38	A1	2722	G	O4'-C1'-N9	9.90	116.12	108.20
11	B2	42	G	C5-N7-C8	-9.90	99.35	104.30
11	B2	993	C	O4'-C1'-N1	9.90	116.12	108.20
38	A1	2374	C	N3-C4-N4	9.90	124.93	118.00
44	Ab	97	ARG	NE-CZ-NH1	9.90	125.25	120.30
11	B2	135	U	O4'-C1'-N1	9.90	116.12	108.20
38	A1	1008	U	N3-C4-C5	-9.90	108.66	114.60
11	B2	155	U	C6-N1-C2	-9.89	115.06	121.00
11	B2	247	G	C2-N3-C4	9.89	116.85	111.90
11	B2	688	C	N3-C4-C5	-9.89	117.94	121.90
11	B2	731	A	C4-C5-C6	9.89	121.95	117.00
38	A1	529	G	C5-N7-C8	9.89	109.25	104.30
38	A1	1760	C	C6-N1-C2	-9.89	116.34	120.30
38	A1	2881	G	N1-C6-O6	9.89	125.84	119.90
38	A1	817	G	C5-C6-O6	-9.89	122.67	128.60
38	A1	1602	C	O4'-C1'-N1	9.89	116.11	108.20
38	A1	1769	G	C8-N9-C4	9.89	110.36	106.40
38	A1	2685	G	C5-C6-O6	-9.89	122.67	128.60
38	A1	1760	C	N3-C4-C5	-9.89	117.94	121.90
11	B2	307	G	N3-C4-C5	9.89	133.54	128.60
38	A1	2034	G	C5-C6-O6	-9.89	122.67	128.60
38	A1	2420	C	C2-N3-C4	9.89	124.84	119.90
29	BQ	9	ARG	NE-CZ-NH1	-9.89	115.36	120.30
38	A1	1681	G	C5-C6-O6	-9.89	122.67	128.60
38	A1	1889	G	N1-C2-N3	-9.89	117.97	123.90
38	A1	252	A	N1-C6-N6	9.88	124.53	118.60
38	A1	446	G	N1-C6-O6	9.88	125.83	119.90
38	A1	1515	G	C6-C5-N7	-9.88	124.47	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2059	G	C4-C5-N7	9.88	114.75	110.80
38	A1	2951	G	N1-C6-O6	9.88	125.83	119.90
11	B2	304	C	C6-N1-C2	-9.88	116.35	120.30
11	B2	318	C	C5-C4-N4	-9.88	113.28	120.20
38	A1	1234	A	C5-C6-N1	-9.88	112.76	117.70
38	A1	2465	A	C5-C6-N1	-9.88	112.76	117.70
11	B2	32	A	C4-C5-C6	9.88	121.94	117.00
11	B2	428	G	N1-C2-N3	-9.88	117.97	123.90
11	B2	525	A	N1-C6-N6	9.88	124.53	118.60
11	B2	741	A	C4-C5-C6	9.88	121.94	117.00
11	B2	1249	A	C6-C5-N7	-9.88	125.38	132.30
11	B2	1278	A	N1-C6-N6	9.88	124.53	118.60
11	B2	1358	A	N1-C6-N6	9.88	124.53	118.60
38	A1	1297	C	N3-C4-N4	9.88	124.92	118.00
38	A1	2402	A	N1-C6-N6	9.88	124.53	118.60
11	B2	486	A	N1-C6-N6	9.88	124.53	118.60
38	A1	1981	G	O4'-C1'-N9	9.88	116.10	108.20
38	A1	2366	G	C5-C6-O6	-9.88	122.67	128.60
38	A1	2597	A	N1-C6-N6	9.88	124.53	118.60
11	B2	119	A	C4-C5-N7	-9.88	105.76	110.70
38	A1	1507	A	N1-C2-N3	9.88	134.24	129.30
38	A1	2063	U	C2'-C3'-O3'	9.88	131.23	109.50
38	A1	2487	G	C5-C6-O6	-9.88	122.67	128.60
38	A1	1668	G	N7-C8-N9	9.87	118.04	113.10
38	A1	2225	C	N3-C4-N4	9.87	124.91	118.00
38	A1	2341	G	C5-C6-O6	-9.88	122.67	128.60
39	A3	7	C	C5-C6-N1	9.87	125.94	121.00
39	A3	8	C	N3-C4-C5	-9.87	117.95	121.90
11	B2	956	C	C2-N3-C4	9.87	124.84	119.90
38	A1	31	G	C6-C5-N7	-9.87	124.48	130.40
38	A1	91	G	O4'-C1'-N9	9.87	116.10	108.20
38	A1	1932	G	C5-C6-O6	-9.87	122.68	128.60
38	A1	862	G	P-O3'-C3'	9.87	131.54	119.70
38	A1	997	A	C5-C6-N6	-9.87	115.81	123.70
38	A1	1398	C	C6-N1-C2	-9.87	116.35	120.30
38	A1	1406	G	C6-C5-N7	-9.87	124.48	130.40
54	AI	63	ARG	NE-CZ-NH1	9.87	125.23	120.30
11	B2	478	C	O4'-C1'-N1	9.87	116.09	108.20
11	B2	805	C	O4'-C1'-N1	9.87	116.09	108.20
11	B2	1042	U	O4'-C1'-N1	9.87	116.09	108.20
38	A1	2372	C	N3-C4-N4	9.87	124.91	118.00
38	A1	2951	G	C5-C6-O6	-9.87	122.68	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	156	A	C5-C6-N1	-9.87	112.77	117.70
11	B2	1016	G	N1-C6-O6	9.86	125.82	119.90
38	A1	603	G	N3-C2-N2	9.86	126.81	119.90
38	A1	917	A	N1-C6-N6	9.87	124.52	118.60
38	A1	1633	A	N1-C6-N6	9.86	124.52	118.60
38	A1	1663	C	O4'-C1'-N1	9.87	116.09	108.20
11	B2	195	C	N3-C4-N4	9.86	124.90	118.00
11	B2	966	G	C6-C5-N7	-9.86	124.48	130.40
38	A1	1208	A	C4-C5-C6	9.86	121.93	117.00
38	A1	1723	A	C5-C6-N6	-9.86	115.81	123.70
11	B2	350	G	N1-C6-O6	9.86	125.81	119.90
11	B2	1265	G	N3-C2-N2	9.86	126.80	119.90
38	A1	614	G	C5-C6-O6	-9.86	122.68	128.60
38	A1	937	A	C8-N9-C4	-9.86	101.86	105.80
38	A1	1833	G	N1-C6-O6	9.86	125.81	119.90
11	B2	1367	C	N3-C4-N4	9.86	124.90	118.00
38	A1	14	A	C8-N9-C4	-9.86	101.86	105.80
38	A1	103	A	C5-C6-N6	-9.86	115.82	123.70
38	A1	852	A	N9-C4-C5	9.86	109.74	105.80
38	A1	86	G	C8-N9-C4	-9.85	102.46	106.40
38	A1	236	G	N3-C2-N2	9.85	126.80	119.90
38	A1	1791	A	C5-C6-N6	-9.85	115.82	123.70
38	A1	2167	C	N3-C4-N4	9.85	124.90	118.00
38	A1	559	G	C4-C5-N7	9.85	114.74	110.80
38	A1	859	G	C6-C5-N7	-9.85	124.49	130.40
11	B2	736	A	O4'-C1'-N9	9.85	116.08	108.20
11	B2	850	A	C5-N7-C8	9.85	108.83	103.90
11	B2	1224	U	O4'-C1'-N1	9.85	116.08	108.20
38	A1	81	G	C8-N9-C4	-9.85	102.46	106.40
38	A1	2441	A	O4'-C1'-N9	9.85	116.08	108.20
38	A1	2603	A	N9-C4-C5	9.85	109.74	105.80
10	B1	58	A	C5-C6-N6	-9.85	115.82	123.70
30	BR	92	ARG	NE-CZ-NH2	9.85	125.22	120.30
38	A1	581	A	C5-C6-N6	-9.85	115.82	123.70
38	A1	1882	C	N3-C4-C5	-9.85	117.96	121.90
66	AY	126	PHE	CB-CG-CD1	-9.85	113.91	120.80
15	BC	27	ARG	NE-CZ-NH2	-9.84	115.38	120.30
38	A1	46	C	C6-N1-C2	-9.84	116.36	120.30
38	A1	2519	C	O4'-C1'-N1	9.84	116.07	108.20
38	A1	2789	G	C8-N9-C4	-9.84	102.46	106.40
32	BT	64	ARG	NE-CZ-NH2	-9.84	115.38	120.30
38	A1	2118	C	O4'-C1'-N1	9.84	116.07	108.20

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2714	G	N1-C2-N3	-9.84	118.00	123.90
38	A1	22	C	N3-C4-C5	-9.84	117.96	121.90
38	A1	304	G	N1-C2-N3	-9.84	118.00	123.90
38	A1	2414	G	O4'-C1'-N9	9.84	116.07	108.20
11	B2	596	A	C5-C6-N6	-9.84	115.83	123.70
11	B2	1144	G	C5-N7-C8	9.84	109.22	104.30
11	B2	996	A	C4-C5-N7	-9.84	105.78	110.70
11	B2	1293	A	C5-N7-C8	9.84	108.82	103.90
13	BA	181	ARG	NE-CZ-NH2	-9.84	115.38	120.30
38	A1	1232	G	N1-C6-O6	9.84	125.80	119.90
38	A1	1528	A	C5-N7-C8	9.84	108.82	103.90
62	AO	138	PHE	CB-CG-CD2	-9.84	113.92	120.80
11	B2	1291	G	P-O3'-C3'	9.83	131.50	119.70
11	B2	377	A	N1-C6-N6	9.83	124.50	118.60
11	B2	757	G	O4'-C1'-N9	9.83	116.07	108.20
38	A1	1024	G	C5-C6-O6	-9.83	122.70	128.60
38	A1	672	C	C5-C6-N1	9.83	125.92	121.00
38	A1	2412	A	N1-C6-N6	9.83	124.50	118.60
38	A1	286	G	N7-C8-N9	-9.83	108.19	113.10
38	A1	1261	C	N3-C4-N4	9.83	124.88	118.00
11	B2	442	C	O4'-C1'-N1	9.83	116.06	108.20
11	B2	448	A	N1-C6-N6	9.83	124.50	118.60
11	B2	713	A	C5-C6-N6	-9.83	115.84	123.70
38	A1	1093	G	O4'-C1'-N9	9.83	116.06	108.20
38	A1	3026	C	O4'-C1'-N1	9.83	116.06	108.20
38	A1	494	C	C6-N1-C2	-9.83	116.37	120.30
38	A1	1866	G	C4-C5-C6	9.83	124.69	118.80
11	B2	151	G	O4'-C1'-N9	9.82	116.06	108.20
11	B2	1360	C	N3-C4-C5	-9.82	117.97	121.90
11	B2	881	G	C6-C5-N7	-9.82	124.51	130.40
38	A1	1014	U	O4'-C1'-N1	9.82	116.06	108.20
38	A1	2036	A	O4'-C1'-N9	9.82	116.06	108.20
39	A3	102	G	O4'-C1'-N9	9.82	116.06	108.20
38	A1	287	G	O4'-C1'-N9	9.82	116.06	108.20
38	A1	2547	A	C5-C6-N6	-9.82	115.84	123.70
11	B2	765	U	O4'-C1'-N1	9.82	116.06	108.20
11	B2	1101	G	O4'-C1'-N9	9.82	116.06	108.20
38	A1	1092	U	O4'-C1'-N1	9.82	116.06	108.20
38	A1	2409	C	C5-C4-N4	-9.82	113.33	120.20
11	B2	131	G	C5-C6-O6	-9.82	122.71	128.60
11	B2	954	G	C4-C5-N7	9.82	114.73	110.80
11	B2	1367	C	C6-N1-C2	9.82	124.23	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1045	A	C5-C6-N6	-9.82	115.84	123.70
11	B2	522	C	N3-C4-N4	9.82	124.87	118.00
11	B2	1083	G	N7-C8-N9	-9.81	108.19	113.10
39	A3	106	G	C5-C6-O6	-9.81	122.71	128.60
11	B2	1272	G	N1-C6-O6	9.81	125.79	119.90
39	A3	73	U	N1-C2-O2	-9.81	115.93	122.80
20	BH	209	ARG	NE-CZ-NH2	-9.81	115.39	120.30
38	A1	417	C	N3-C2-O2	9.81	128.77	121.90
38	A1	1667	U	O4'-C1'-N1	9.81	116.05	108.20
38	A1	971	G	C5-C6-O6	-9.81	122.71	128.60
38	A1	2665	G	O4'-C1'-N9	9.81	116.05	108.20
38	A1	2962	A	C4-C5-C6	9.81	121.91	117.00
11	B2	1319	C	N3-C4-C5	-9.81	117.98	121.90
38	A1	562	G	N1-C6-O6	9.81	125.78	119.90
38	A1	1125	A	C5-C6-N6	-9.81	115.85	123.70
38	A1	1612	G	C5-C6-N1	-9.81	106.60	111.50
38	A1	892	U	C5-C4-O4	-9.80	120.02	125.90
38	A1	1775	G	C5-C6-O6	-9.80	122.72	128.60
38	A1	850	C	N3-C4-N4	9.80	124.86	118.00
38	A1	1097	G	O4'-C1'-N9	9.80	116.04	108.20
38	A1	1794	C	C5-C4-N4	-9.80	113.34	120.20
38	A1	2862	A	C5-C6-N1	-9.80	112.80	117.70
11	B2	1064	C	C6-N1-C2	-9.80	116.38	120.30
11	B2	307	G	N1-C6-O6	9.80	125.78	119.90
11	B2	443	C	N3-C4-N4	9.80	124.86	118.00
38	A1	19	G	O4'-C1'-N9	9.80	116.04	108.20
11	B2	463	G	N3-C4-C5	9.80	133.50	128.60
38	A1	297	G	N3-C4-C5	-9.80	123.70	128.60
38	A1	722	C	O4'-C1'-N1	9.80	116.04	108.20
38	A1	1011	A	N1-C6-N6	9.80	124.48	118.60
38	A1	1038	U	O4'-C1'-N1	9.80	116.04	108.20
38	A1	2971	U	P-O3'-C3'	9.80	131.46	119.70
11	B2	792	C	O4'-C1'-N1	9.80	116.04	108.20
14	BB	46	ARG	NE-CZ-NH1	9.80	125.20	120.30
38	A1	273	G	N3-C4-C5	-9.80	123.70	128.60
38	A1	1897	G	O4'-C1'-N9	9.80	116.04	108.20
38	A1	324	C	O4'-C1'-N1	9.80	116.04	108.20
38	A1	366	G	C4-C5-C6	9.80	124.68	118.80
38	A1	394	A	C5-C6-N6	-9.80	115.86	123.70
38	A1	1251	G	N3-C2-N2	9.80	126.76	119.90
11	B2	60	A	O4'-C1'-N9	9.80	116.04	108.20
38	A1	569	G	N9-C4-C5	9.80	109.32	105.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1854	G	C4-C5-N7	9.80	114.72	110.80
38	A1	3019	C	N3-C4-N4	9.80	124.86	118.00
11	B2	64	G	N3-C4-C5	-9.79	123.70	128.60
38	A1	638	A	C5-C6-N6	-9.79	115.86	123.70
38	A1	831	C	N1-C2-N3	-9.80	112.34	119.20
38	A1	1063	C	N3-C4-C5	-9.79	117.98	121.90
38	A1	1242	A	O4'-C1'-N9	9.79	116.03	108.20
38	A1	536	G	C5-N7-C8	9.79	109.20	104.30
38	A1	2760	A	C5-C6-N1	-9.79	112.80	117.70
38	A1	588	U	O4'-C1'-N1	9.79	116.03	108.20
38	A1	2806	A	C2-N3-C4	9.79	115.50	110.60
10	B1	9	A	C5-N7-C8	9.79	108.80	103.90
11	B2	900	G	N1-C6-O6	9.79	125.77	119.90
38	A1	1334	G	C5-C6-O6	-9.79	122.73	128.60
38	A1	2149	G	N1-C6-O6	9.79	125.77	119.90
11	B2	253	G	C2-N3-C4	9.79	116.79	111.90
33	BU	99	ARG	NE-CZ-NH1	9.79	125.19	120.30
38	A1	1134	A	C4-C5-N7	-9.79	105.81	110.70
45	AC	17	ARG	NE-CZ-NH2	-9.79	115.41	120.30
38	A1	1730	C	N3-C4-C5	-9.79	117.98	121.90
38	A1	2600	C	O4'-C1'-N1	9.79	116.03	108.20
11	B2	73	U	O4'-C1'-N1	9.79	116.03	108.20
11	B2	838	C	O4'-C1'-N1	9.78	116.03	108.20
38	A1	781	C	N3-C4-C5	-9.79	117.99	121.90
38	A1	1967	G	C5-C6-O6	-9.79	122.73	128.60
38	A1	339	A	N1-C6-N6	9.78	124.47	118.60
11	B2	1381	G	N1-C6-O6	9.78	125.77	119.90
11	B2	1443	G	O4'-C1'-N9	9.78	116.03	108.20
38	A1	519	A	C5-C6-N1	-9.78	112.81	117.70
38	A1	576	G	N1-C6-O6	9.78	125.77	119.90
38	A1	1107	G	C2-N3-C4	9.78	116.79	111.90
38	A1	1612	G	C6-N1-C2	9.78	130.97	125.10
38	A1	2016	C	O4'-C1'-N1	9.78	116.03	108.20
10	B1	54	G	N1-C6-O6	9.78	125.77	119.90
11	B2	344	G	C8-N9-C4	-9.78	102.49	106.40
38	A1	90	A	C5-C6-N6	-9.78	115.88	123.70
38	A1	117	A	N7-C8-N9	-9.78	108.91	113.80
38	A1	2100	U	O4'-C1'-N1	9.78	116.02	108.20
38	A1	713	C	C4-C5-C6	9.78	122.29	117.40
38	A1	1813	A	N3-C4-C5	-9.78	119.96	126.80
39	A3	75	G	P-O3'-C3'	9.78	131.43	119.70
11	B2	831	A	C5-N7-C8	9.78	108.79	103.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BN	101	ASP	CB-CG-OD2	-9.78	109.50	118.30
38	A1	427	G	O4'-C1'-N9	9.78	116.02	108.20
38	A1	2538	G	O4'-C1'-N9	9.78	116.02	108.20
38	A1	2887	C	C5-C6-N1	9.78	125.89	121.00
11	B2	10	G	N7-C8-N9	-9.77	108.21	113.10
11	B2	1256	C	O4'-C1'-N1	9.77	116.02	108.20
38	A1	1538	A	C4-C5-C6	9.77	121.89	117.00
11	B2	348	C	O4'-C1'-N1	9.77	116.02	108.20
11	B2	1404	C	C5-C4-N4	-9.77	113.36	120.20
38	A1	1993	A	C5-N7-C8	9.77	108.79	103.90
38	A1	2187	C	C2-N3-C4	9.77	124.79	119.90
38	A1	1668	G	C8-N9-C4	-9.77	102.49	106.40
11	B2	543	C	N3-C4-C5	-9.77	117.99	121.90
38	A1	779	A	N1-C6-N6	9.77	124.46	118.60
38	A1	2571	G	C5-C6-O6	-9.77	122.74	128.60
38	A1	2746	G	N1-C6-O6	9.77	125.76	119.90
38	A1	1421	C	C5-C4-N4	-9.77	113.36	120.20
11	B2	306	C	C6-N1-C2	-9.77	116.39	120.30
38	A1	1322	G	C5-C6-N1	-9.77	106.62	111.50
38	A1	1837	A	C5-C6-N6	-9.77	115.89	123.70
38	A1	2604	G	C5-N7-C8	-9.77	99.42	104.30
38	A1	2707	G	C5-C6-O6	-9.77	122.74	128.60
11	B2	1445	A	C5-C6-N1	-9.76	112.82	117.70
38	A1	375	C	N3-C4-N4	9.76	124.83	118.00
38	A1	416	A	O4'-C1'-N9	9.76	116.01	108.20
38	A1	616	C	N3-C4-C5	-9.76	117.99	121.90
38	A1	1340	G	O4'-C1'-N9	9.76	116.01	108.20
38	A1	1400	U	C5-C6-N1	9.76	127.58	122.70
38	A1	2613	C	O4'-C1'-N1	9.76	116.01	108.20
44	Ab	42	ARG	NE-CZ-NH1	9.76	125.18	120.30
11	B2	253	G	N3-C2-N2	9.76	126.73	119.90
38	A1	1124	G	N1-C6-O6	9.76	125.76	119.90
38	A1	1337	G	C5-C6-O6	-9.76	122.74	128.60
38	A1	2886	C	O4'-C1'-N1	9.76	116.01	108.20
11	B2	477	G	N1-C6-O6	9.76	125.75	119.90
38	A1	1213	G	N1-C6-O6	9.76	125.75	119.90
38	A1	1791	A	C4-C5-C6	9.76	121.88	117.00
38	A1	460	C	O4'-C1'-N1	9.76	116.00	108.20
38	A1	783	C	C2-N3-C4	9.76	124.78	119.90
38	A1	867	C	C2-N1-C1'	9.76	129.53	118.80
38	A1	1286	G	C4-C5-N7	-9.76	106.90	110.80
11	B2	827	G	C4-C5-N7	-9.75	106.90	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	183	G	C5-C6-O6	-9.75	122.75	128.60
38	A1	1976	C	N3-C4-C5	-9.75	118.00	121.90
11	B2	65	G	C6-C5-N7	-9.75	124.55	130.40
11	B2	497	C	C4-C5-C6	-9.75	112.53	117.40
38	A1	200	G	C5-C6-O6	-9.75	122.75	128.60
38	A1	980	G	C6-N1-C2	9.75	130.95	125.10
38	A1	1989	G	C8-N9-C4	9.75	110.30	106.40
11	B2	586	C	C4-C5-C6	-9.75	112.53	117.40
38	A1	1482	G	N1-C6-O6	9.75	125.75	119.90
11	B2	47	A	C5-C6-N6	-9.75	115.90	123.70
11	B2	70	C	O4'-C1'-N1	9.75	116.00	108.20
38	A1	2660	G	C2-N3-C4	9.75	116.77	111.90
40	AK	45	ARG	NE-CZ-NH1	9.75	125.17	120.30
11	B2	853	G	O4'-C1'-N9	9.74	116.00	108.20
11	B2	1426	C	O4'-C1'-N1	9.74	116.00	108.20
38	A1	85	G	N1-C6-O6	9.74	125.75	119.90
38	A1	577	C	C4-C5-C6	9.74	122.27	117.40
38	A1	745	C	C5-C6-N1	9.74	125.87	121.00
38	A1	1030	C	C6-N1-C2	-9.74	116.40	120.30
38	A1	2255	C	N1-C2-O2	9.74	124.75	118.90
39	A3	116	C	N3-C4-C5	-9.74	118.00	121.90
38	A1	1515	G	C5-C6-N1	-9.74	106.63	111.50
39	A3	124	A	C5-N7-C8	9.74	108.77	103.90
11	B2	686	C	N3-C4-N4	9.74	124.82	118.00
11	B2	858	A	N1-C6-N6	9.74	124.44	118.60
11	B2	965	G	C5-C6-O6	-9.74	122.76	128.60
38	A1	366	G	C5-C6-N1	-9.74	106.63	111.50
38	A1	863	C	O4'-C1'-N1	9.74	115.99	108.20
11	B2	544	C	C5-C6-N1	9.74	125.87	121.00
38	A1	621	G	N9-C4-C5	9.74	109.30	105.40
38	A1	958	A	N1-C2-N3	9.74	134.17	129.30
38	A1	1818	G	N1-C6-O6	9.74	125.74	119.90
38	A1	2557	C	N3-C4-C5	-9.74	118.01	121.90
11	B2	1305	U	C5-C6-N1	9.73	127.57	122.70
38	A1	1343	C	N3-C4-N4	9.73	124.81	118.00
38	A1	982	G	C8-N9-C4	-9.73	102.51	106.40
38	A1	1332	A	C4-C5-C6	9.73	121.87	117.00
38	A1	2584	A	C8-N9-C4	-9.73	101.91	105.80
38	A1	2889	A	P-O3'-C3'	9.73	131.38	119.70
39	A3	74	U	C5-C4-O4	9.73	131.74	125.90
38	A1	2093	A	C5-C6-N1	-9.73	112.83	117.70
38	A1	2128	G	C4-C5-N7	9.73	114.69	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	536	A	N1-C6-N6	9.73	124.44	118.60
38	A1	2145	G	C6-C5-N7	-9.73	124.56	130.40
11	B2	310	G	C5-N7-C8	9.72	109.16	104.30
38	A1	2007	C	N3-C4-N4	9.72	124.81	118.00
11	B2	768	A	N1-C6-N6	9.72	124.43	118.60
38	A1	1259	G	N3-C4-C5	-9.72	123.74	128.60
10	B1	12	U	O4'-C1'-N1	9.72	115.98	108.20
11	B2	329	G	N1-C6-O6	9.72	125.73	119.90
11	B2	1134	G	C4-C5-N7	-9.72	106.91	110.80
11	B2	1463	A	C5-C6-N1	-9.72	112.84	117.70
38	A1	2191	U	C5-C6-N1	-9.72	117.84	122.70
38	A1	17	C	C6-N1-C2	-9.72	116.41	120.30
38	A1	2235	G	C5-C6-N1	-9.72	106.64	111.50
11	B2	207	G	C5-C6-N1	-9.72	106.64	111.50
11	B2	653	C	N3-C2-O2	9.72	128.70	121.90
11	B2	925	U	N3-C4-C5	-9.71	108.77	114.60
38	A1	2335	G	N1-C6-O6	9.71	125.73	119.90
38	A1	2355	G	N1-C6-O6	9.71	125.73	119.90
11	B2	550	G	O4'-C1'-N9	9.71	115.97	108.20
17	BE	33	ARG	NE-CZ-NH2	-9.71	115.44	120.30
38	A1	798	G	N1-C6-O6	9.71	125.73	119.90
38	A1	2191	U	P-O3'-C3'	9.71	131.35	119.70
38	A1	2978	G	C5-C6-O6	-9.71	122.77	128.60
39	A3	70	C	C6-N1-C2	9.71	124.18	120.30
11	B2	244	G	N1-C6-O6	9.71	125.72	119.90
38	A1	79	C	C2-N3-C4	9.71	124.75	119.90
22	BJ	91	ARG	NE-CZ-NH1	9.71	125.15	120.30
38	A1	2438	U	O4'-C1'-N1	9.71	115.97	108.20
11	B2	170	C	N1-C2-O2	9.71	124.72	118.90
11	B2	537	G	N1-C2-N3	-9.71	118.08	123.90
11	B2	590	G	C5-C6-O6	-9.71	122.78	128.60
38	A1	296	G	C5-C6-O6	-9.71	122.78	128.60
38	A1	1405	G	N1-C6-O6	9.71	125.72	119.90
11	B2	936	A	C5-N7-C8	9.70	108.75	103.90
38	A1	665	C	C2-N3-C4	9.70	124.75	119.90
38	A1	942	U	O4'-C1'-N1	9.71	115.96	108.20
38	A1	1182	C	N3-C4-C5	-9.70	118.02	121.90
11	B2	822	A	C5-C6-N1	-9.70	112.85	117.70
38	A1	1284	C	N3-C4-C5	-9.70	118.02	121.90
11	B2	490	C	C5-C4-N4	-9.70	113.41	120.20
11	B2	1355	C	O4'-C1'-N1	9.70	115.96	108.20
38	A1	885	A	C5-C6-N6	-9.70	115.94	123.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	A3	54	A	O4'-C1'-N9	9.70	115.96	108.20
38	A1	937	A	N9-C4-C5	9.70	109.68	105.80
38	A1	966	G	C4-C5-N7	-9.70	106.92	110.80
38	A1	2161	A	C4-C5-N7	-9.70	105.85	110.70
38	A1	584	G	O4'-C1'-N9	9.70	115.96	108.20
10	B1	46	U	N1-C2-O2	-9.70	116.01	122.80
11	B2	353	G	O4'-C1'-N9	9.70	115.96	108.20
11	B2	415	C	O4'-C1'-N1	9.70	115.96	108.20
11	B2	934	G	O4'-C1'-N9	9.70	115.96	108.20
11	B2	981	U	C4-C5-C6	-9.70	113.88	119.70
39	A3	82	C	O4'-C1'-N1	9.70	115.96	108.20
11	B2	835	C	O4'-C1'-N1	9.69	115.95	108.20
38	A1	15	A	C5-C6-N6	-9.69	115.94	123.70
38	A1	594	U	O4'-C1'-N1	9.69	115.95	108.20
38	A1	961	C	N3-C4-N4	9.69	124.79	118.00
38	A1	1095	A	O4'-C1'-N9	9.69	115.95	108.20
38	A1	1356	A	N1-C6-N6	9.69	124.42	118.60
38	A1	2250	G	N1-C2-N3	-9.70	118.08	123.90
39	A3	103	C	O4'-C1'-N1	9.69	115.95	108.20
10	B1	68	C	C6-N1-C2	-9.69	116.42	120.30
11	B2	165	U	N3-C4-O4	9.69	126.18	119.40
11	B2	660	C	O4'-C1'-N1	9.69	115.95	108.20
11	B2	1051	G	C5-C6-O6	-9.69	122.79	128.60
38	A1	1522	A	N1-C6-N6	9.69	124.42	118.60
38	A1	1564	C	N3-C4-N4	9.69	124.78	118.00
38	A1	1863	G	N1-C2-N3	-9.69	118.09	123.90
38	A1	2495	A	C4-C5-C6	9.69	121.85	117.00
11	B2	676	G	C5-C6-O6	-9.69	122.79	128.60
38	A1	48	G	C5-C6-O6	-9.69	122.79	128.60
38	A1	249	G	N3-C2-N2	9.69	126.68	119.90
38	A1	422	G	C2-N3-C4	9.69	116.74	111.90
38	A1	1454	G	O4'-C1'-N9	9.69	115.95	108.20
38	A1	2062	A	C8-N9-C4	-9.69	101.92	105.80
38	A1	1242	A	N1-C2-N3	9.69	134.14	129.30
38	A1	1735	G	N3-C2-N2	9.69	126.68	119.90
38	A1	2363	G	N3-C2-N2	9.69	126.68	119.90
11	B2	1412	A	C5-C6-N1	-9.69	112.86	117.70
38	A1	652	G	N1-C6-O6	9.69	125.71	119.90
38	A1	2437	G	N9-C4-C5	-9.69	101.53	105.40
38	A1	2509	A	O4'-C1'-N9	9.69	115.95	108.20
38	A1	1729	C	N3-C4-C5	-9.69	118.03	121.90
38	A1	2133	G	C4-C5-C6	9.69	124.61	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2444	G	N1-C6-O6	9.69	125.71	119.90
11	B2	1134	G	C8-N9-C4	-9.68	102.53	106.40
38	A1	1130	G	N1-C6-O6	9.68	125.71	119.90
38	A1	1216	A	C5-C6-N1	-9.68	112.86	117.70
38	A1	2495	A	C5-C6-N1	-9.68	112.86	117.70
38	A1	2513	C	C5-C4-N4	-9.68	113.42	120.20
38	A1	2681	A	N7-C8-N9	-9.68	108.96	113.80
39	A3	115	C	C6-N1-C2	9.68	124.17	120.30
11	B2	1202	G	C3'-C2'-C1'	9.68	109.25	101.50
38	A1	1738	A	N1-C6-N6	9.68	124.41	118.60
11	B2	228	G	N1-C2-N3	-9.68	118.09	123.90
11	B2	349	A	N1-C2-N3	9.68	134.14	129.30
38	A1	1793	G	N1-C6-O6	9.68	125.71	119.90
38	A1	1977	C	N3-C4-N4	9.68	124.78	118.00
38	A1	2249	A	N7-C8-N9	-9.68	108.96	113.80
46	AD	180	ARG	NE-CZ-NH1	9.68	125.14	120.30
38	A1	1120	C	O4'-C1'-N1	9.68	115.94	108.20
44	Ab	72	ARG	NE-CZ-NH2	-9.68	115.46	120.30
38	A1	1345	G	N9-C4-C5	-9.68	101.53	105.40
38	A1	2238	G	N1-C6-O6	9.68	125.71	119.90
38	A1	2981	G	N1-C2-N3	-9.68	118.09	123.90
11	B2	613	C	N3-C4-N4	9.67	124.77	118.00
38	A1	903	C	N3-C4-N4	9.67	124.77	118.00
11	B2	755	U	C5-C6-N1	9.67	127.53	122.70
38	A1	64	A	N9-C4-C5	9.67	109.67	105.80
38	A1	779	A	O4'-C1'-N9	9.67	115.94	108.20
38	A1	1322	G	N1-C2-N3	-9.67	118.10	123.90
38	A1	2360	G	N7-C8-N9	-9.67	108.27	113.10
38	A1	2378	C	O4'-C1'-N1	9.67	115.94	108.20
38	A1	2668	G	C5-C6-N1	-9.67	106.67	111.50
38	A1	2707	G	C8-N9-C4	-9.67	102.53	106.40
11	B2	927	A	N1-C6-N6	9.67	124.40	118.60
11	B2	1070	C	O4'-C1'-N1	9.67	115.93	108.20
38	A1	2146	C	C6-N1-C2	-9.67	116.43	120.30
38	A1	2559	G	N1-C6-O6	9.67	125.70	119.90
11	B2	520	G	N1-C6-O6	9.66	125.70	119.90
11	B2	1257	U	N3-C4-O4	9.66	126.17	119.40
11	B2	1451	C	C6-N1-C2	9.66	124.17	120.30
38	A1	8	G	C8-N9-C4	-9.66	102.53	106.40
38	A1	993	G	C2-N3-C4	9.66	116.73	111.90
38	A1	1295	G	C5-C6-N1	-9.66	106.67	111.50
38	A1	1821	C	O4'-C1'-N1	9.66	115.93	108.20

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
16	BD	116	ARG	NE-CZ-NH2	9.66	125.13	120.30
10	B1	9	A	N1-C2-N3	9.66	134.13	129.30
11	B2	969	A	C6-C5-N7	-9.66	125.54	132.30
11	B2	738	C	C2-N3-C4	9.66	124.73	119.90
38	A1	1631	A	C5-N7-C8	9.66	108.73	103.90
38	A1	2216	G	C8-N9-C4	-9.66	102.54	106.40
38	A1	2242	A	C5-C6-N6	-9.66	115.97	123.70
38	A1	2267	U	N3-C4-C5	-9.66	108.80	114.60
11	B2	589	U	N3-C4-O4	9.66	126.16	119.40
11	B2	1069	G	C6-C5-N7	-9.66	124.61	130.40
38	A1	72	U	C4-C5-C6	9.66	125.50	119.70
38	A1	1207	G	O4'-C1'-N9	9.66	115.93	108.20
38	A1	1376	U	O4'-C1'-N1	9.66	115.93	108.20
38	A1	2052	A	C5-N7-C8	9.66	108.73	103.90
38	A1	2764	G	N1-C6-O6	9.66	125.69	119.90
61	AN	87	ARG	NE-CZ-NH1	9.66	125.13	120.30
11	B2	104	A	P-O3'-C3'	9.65	131.28	119.70
11	B2	349	A	O4'-C1'-N9	9.65	115.92	108.20
11	B2	353	G	N1-C2-N3	-9.65	118.11	123.90
11	B2	392	G	C5-C6-N1	-9.65	106.67	111.50
11	B2	639	G	C5-C6-O6	-9.65	122.81	128.60
11	B2	1136	A	N1-C6-N6	9.65	124.39	118.60
38	A1	352	G	C5-C6-O6	-9.65	122.81	128.60
38	A1	613	C	C6-N1-C2	-9.65	116.44	120.30
38	A1	2632	C	C6-N1-C2	9.65	124.16	120.30
38	A1	1894	A	N1-C2-N3	9.65	134.13	129.30
38	A1	2754	A	C2-N3-C4	-9.65	105.77	110.60
11	B2	524	U	C5-C4-O4	-9.65	120.11	125.90
16	BD	22	ARG	NE-CZ-NH1	9.65	125.13	120.30
38	A1	184	A	C8-N9-C4	-9.65	101.94	105.80
38	A1	1352	U	O4'-C1'-N1	9.65	115.92	108.20
38	A1	1615	G	O4'-C1'-N9	9.65	115.92	108.20
38	A1	2257	A	C5-C6-N6	-9.65	115.98	123.70
38	A1	2264	G	N3-C2-N2	9.65	126.66	119.90
11	B2	780	C	C4-C5-C6	9.65	122.22	117.40
38	A1	682	G	N3-C2-N2	9.65	126.65	119.90
38	A1	924	A	N9-C4-C5	9.65	109.66	105.80
38	A1	1622	G	C6-C5-N7	-9.65	124.61	130.40
38	A1	2626	U	O4'-C1'-N1	9.65	115.92	108.20
11	B2	911	C	C6-N1-C2	-9.65	116.44	120.30
11	B2	1057	A	C5-C6-N1	-9.65	112.88	117.70
38	A1	552	A	C5-C6-N6	-9.65	115.98	123.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	B1	42	C	N3-C4-N4	9.64	124.75	118.00
38	A1	1196	A	C5-C6-N6	-9.64	115.98	123.70
38	A1	1779	C	C2-N3-C4	9.64	124.72	119.90
38	A1	1838	C	O4'-C1'-N1	9.64	115.92	108.20
38	A1	2049	U	O4'-C1'-N1	9.64	115.92	108.20
38	A1	2284	C	N3-C4-C5	-9.64	118.04	121.90
38	A1	2692	A	C6-N1-C2	-9.64	112.81	118.60
11	B2	228	G	C5-N7-C8	9.64	109.12	104.30
38	A1	947	C	C2-N3-C4	9.64	124.72	119.90
38	A1	1088	G	C6-C5-N7	-9.64	124.62	130.40
38	A1	2686	A	C5-C6-N1	-9.64	112.88	117.70
42	Aa	91	TYR	CB-CG-CD1	-9.64	115.22	121.00
11	B2	432	G	N1-C2-N3	-9.64	118.12	123.90
11	B2	1160	C	C6-N1-C2	-9.64	116.44	120.30
38	A1	1595	G	N3-C2-N2	9.64	126.65	119.90
38	A1	2074	U	O4'-C1'-N1	9.64	115.91	108.20
38	A1	2954	C	O4'-C1'-N1	9.64	115.91	108.20
38	A1	2257	A	C5-N7-C8	9.64	108.72	103.90
38	A1	1355	A	C8-N9-C4	-9.63	101.95	105.80
38	A1	3022	C	O4'-C1'-N1	9.63	115.91	108.20
11	B2	517	U	O4'-C1'-N1	9.63	115.91	108.20
11	B2	638	G	C5-C6-N1	-9.63	106.68	111.50
11	B2	1462	A	C5-C6-N6	-9.63	115.99	123.70
38	A1	484	C	N3-C4-C5	-9.63	118.05	121.90
38	A1	505	A	C5-C6-N1	-9.63	112.88	117.70
38	A1	1304	G	O4'-C1'-N9	9.63	115.91	108.20
38	A1	1876	G	O4'-C1'-N9	9.63	115.91	108.20
11	B2	1112	G	N7-C8-N9	-9.63	108.28	113.10
38	A1	626	C	O4'-C1'-N1	9.63	115.90	108.20
38	A1	637	G	N3-C2-N2	9.63	126.64	119.90
38	A1	988	C	N3-C4-C5	-9.63	118.05	121.90
38	A1	1600	G	N3-C2-N2	9.63	126.64	119.90
11	B2	1120	G	O4'-C1'-N9	9.63	115.90	108.20
11	B2	1131	G	C5-N7-C8	9.63	109.11	104.30
38	A1	462	A	O4'-C1'-N9	9.63	115.90	108.20
38	A1	1380	G	N1-C2-N3	-9.63	118.12	123.90
11	B2	157	A	C4-C5-C6	9.63	121.81	117.00
11	B2	1140	A	C5-C6-N6	-9.63	116.00	123.70
38	A1	2486	A	C8-N9-C4	-9.62	101.95	105.80
38	A1	2617	G	N1-C2-N3	-9.63	118.12	123.90
38	A1	2766	C	O4'-C1'-N1	9.62	115.90	108.20
11	B2	509	C	C6-N1-C2	9.62	124.15	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	913	G	C5-C6-N1	-9.62	106.69	111.50
38	A1	1111	G	C4-C5-N7	9.62	114.65	110.80
11	B2	670	C	O4'-C1'-N1	9.62	115.90	108.20
11	B2	978	G	C8-N9-C4	-9.62	102.55	106.40
38	A1	109	G	C5-C6-O6	-9.62	122.83	128.60
38	A1	1328	G	N3-C2-N2	9.62	126.63	119.90
38	A1	1583	G	C5-C6-N1	-9.62	106.69	111.50
38	A1	2025	A	O4'-C1'-N9	9.62	115.90	108.20
38	A1	2314	U	O4'-C1'-N1	9.62	115.90	108.20
48	AE	174	TYR	CB-CG-CD2	-9.62	115.23	121.00
11	B2	1099	A	N1-C6-N6	9.62	124.37	118.60
38	A1	600	A	C4-C5-C6	9.62	121.81	117.00
38	A1	1851	U	O4'-C1'-N1	9.62	115.90	108.20
38	A1	1653	U	O4'-C1'-N1	9.62	115.89	108.20
38	A1	1923	A	C6-N1-C2	-9.62	112.83	118.60
11	B2	1210	A	C8-N9-C4	-9.62	101.95	105.80
11	B2	889	G	C4-C5-N7	-9.61	106.95	110.80
38	A1	355	G	N1-C6-O6	9.62	125.67	119.90
38	A1	1193	G	C5-C6-O6	-9.62	122.83	128.60
38	A1	1239	C	N3-C4-C5	-9.61	118.05	121.90
38	A1	2438	U	N3-C4-O4	9.61	126.13	119.40
38	A1	2535	C	C1'-O4'-C4'	9.61	117.59	109.90
44	Ab	8	ARG	NE-CZ-NH2	-9.61	115.49	120.30
9	AX	330	PHE	CB-CG-CD2	9.61	127.53	120.80
11	B2	34	G	C5-C6-O6	-9.61	122.83	128.60
11	B2	832	G	N3-C2-N2	9.61	126.63	119.90
38	A1	1857	A	C4-C5-N7	-9.61	105.89	110.70
38	A1	1884	C	N3-C4-N4	9.61	124.73	118.00
38	A1	2317	G	N1-C6-O6	9.61	125.67	119.90
38	A1	2551	G	C5-C6-O6	-9.61	122.83	128.60
11	B2	230	C	N3-C4-C5	-9.61	118.06	121.90
10	B1	54	G	C4-C5-C6	9.61	124.56	118.80
11	B2	35	G	O4'-C1'-N9	9.61	115.88	108.20
11	B2	579	U	O4'-C1'-N1	9.61	115.88	108.20
38	A1	835	G	O4'-C1'-N9	9.61	115.89	108.20
38	A1	1051	C	N3-C4-C5	-9.61	118.06	121.90
38	A1	1923	A	C4-C5-C6	9.61	121.80	117.00
38	A1	2276	G	C6-C5-N7	-9.61	124.64	130.40
38	A1	2431	C	C2-N3-C4	9.61	124.70	119.90
38	A1	2559	G	N3-C2-N2	9.61	126.62	119.90
38	A1	2993	G	N1-C2-N3	-9.61	118.14	123.90
39	A3	71	G	O4'-C1'-N9	9.61	115.88	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	164	A	N1-C6-N6	9.60	124.36	118.60
38	A1	2070	U	N1-C2-O2	9.60	129.52	122.80
38	A1	2179	G	N1-C2-N3	-9.60	118.14	123.90
11	B2	400	G	C2-N3-C4	9.60	116.70	111.90
20	BH	156	ARG	NE-CZ-NH1	9.60	125.10	120.30
38	A1	1817	C	N3-C4-C5	-9.60	118.06	121.90
11	B2	886	G	C4-C5-N7	-9.60	106.96	110.80
16	BD	138	ARG	NE-CZ-NH2	-9.60	115.50	120.30
11	B2	1058	G	C2-N3-C4	9.60	116.70	111.90
38	A1	41	G	O4'-C1'-N9	9.60	115.88	108.20
38	A1	1642	G	C5-C6-O6	-9.60	122.84	128.60
38	A1	1780	C	C4-C5-C6	9.60	122.20	117.40
38	A1	588	U	N1-C2-N3	9.60	120.66	114.90
38	A1	934	G	C5-N7-C8	-9.60	99.50	104.30
11	B2	834	C	N3-C4-N4	9.60	124.72	118.00
11	B2	837	C	N3-C4-N4	9.60	124.72	118.00
17	BE	131	ARG	NE-CZ-NH1	9.60	125.10	120.30
38	A1	239	G	C5-C6-N1	-9.60	106.70	111.50
11	B2	34	G	O4'-C1'-N9	9.59	115.88	108.20
21	BI	68	ARG	NE-CZ-NH1	9.59	125.10	120.30
11	B2	632	C	O4'-C1'-N1	9.59	115.87	108.20
11	B2	711	U	O4'-C1'-N1	9.59	115.87	108.20
38	A1	445	G	N1-C6-O6	9.59	125.66	119.90
38	A1	1788	G	C4-C5-N7	9.59	114.64	110.80
38	A1	1820	C	C6-N1-C2	-9.59	116.46	120.30
38	A1	2269	C	C6-N1-C2	-9.59	116.46	120.30
11	B2	161	C	N3-C4-C5	-9.59	118.06	121.90
11	B2	570	G	C6-C5-N7	-9.59	124.65	130.40
38	A1	841	U	N1-C2-O2	-9.59	116.09	122.80
11	B2	786	G	C6-C5-N7	-9.59	124.65	130.40
38	A1	66	C	C5-C4-N4	-9.59	113.49	120.20
38	A1	553	C	C5-C4-N4	-9.59	113.49	120.20
38	A1	2076	A	C5-C6-N1	-9.59	112.91	117.70
38	A1	2676	A	N7-C8-N9	9.59	118.59	113.80
39	A3	26	C	C5-C6-N1	9.59	125.80	121.00
11	B2	119	A	N1-C6-N6	9.59	124.35	118.60
11	B2	344	G	C2-N3-C4	9.59	116.69	111.90
38	A1	2629	U	C5-C6-N1	9.59	127.49	122.70
38	A1	774	G	O4'-C1'-N9	9.59	115.87	108.20
38	A1	1410	A	N1-C6-N6	9.59	124.35	118.60
38	A1	1593	C	N3-C4-C5	-9.59	118.07	121.90
11	B2	205	C	N3-C4-C5	-9.58	118.07	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1093	C	N3-C4-C5	-9.58	118.07	121.90
38	A1	451	C	N3-C4-N4	9.58	124.71	118.00
38	A1	2180	C	N3-C4-N4	9.58	124.71	118.00
38	A1	242	C	O4'-C1'-N1	9.58	115.86	108.20
38	A1	393	C	N3-C4-N4	9.58	124.71	118.00
38	A1	1098	C	C5-C6-N1	9.58	125.79	121.00
38	A1	2188	C	N3-C4-C5	-9.58	118.07	121.90
38	A1	1547	U	O4'-C1'-N1	9.58	115.87	108.20
38	A1	2034	G	N1-C6-O6	9.58	125.65	119.90
39	A3	110	C	N3-C4-C5	-9.58	118.07	121.90
11	B2	865	A	N1-C2-N3	9.58	134.09	129.30
38	A1	1084	G	O4'-C1'-N9	9.58	115.86	108.20
38	A1	1589	G	N1-C6-O6	9.58	125.65	119.90
11	B2	539	C	N3-C4-C5	-9.58	118.07	121.90
38	A1	1238	G	C5-C6-O6	-9.58	122.85	128.60
38	A1	483	C	N3-C4-N4	9.57	124.70	118.00
11	B2	313	G	C5-N7-C8	9.57	109.09	104.30
11	B2	601	G	N3-C2-N2	9.57	126.60	119.90
11	B2	643	G	O4'-C1'-N9	9.57	115.86	108.20
38	A1	1572	C	P-O5'-C5'	9.57	136.22	120.90
38	A1	2733	A	C8-N9-C4	-9.57	101.97	105.80
38	A1	2832	G	N3-C4-C5	-9.57	123.81	128.60
38	A1	2961	A	C5-C6-N1	-9.57	112.91	117.70
38	A1	905	G	N1-C2-N3	-9.57	118.16	123.90
39	A3	93	G	N1-C6-O6	9.57	125.64	119.90
40	AK	17	ARG	NE-CZ-NH1	-9.57	115.51	120.30
11	B2	226	G	C6-C5-N7	-9.57	124.66	130.40
38	A1	293	G	P-O5'-C5'	9.57	136.21	120.90
38	A1	1843	C	C2-N3-C4	9.57	124.68	119.90
39	A3	117	G	C5-C6-O6	-9.57	122.86	128.60
38	A1	218	A	N1-C6-N6	9.56	124.34	118.60
38	A1	529	G	N7-C8-N9	-9.56	108.32	113.10
38	A1	700	A	C4-C5-C6	9.56	121.78	117.00
38	A1	165	G	C6-C5-N7	-9.56	124.66	130.40
38	A1	930	G	C4-C5-N7	-9.56	106.97	110.80
38	A1	1201	G	C5-C6-O6	-9.56	122.86	128.60
38	A1	2287	C	O4'-C1'-N1	9.56	115.85	108.20
38	A1	243	G	C6-C5-N7	-9.56	124.66	130.40
38	A1	1460	C	N3-C4-N4	9.56	124.69	118.00
38	A1	2235	G	C6-C5-N7	-9.56	124.66	130.40
11	B2	373	C	O4'-C1'-N1	9.56	115.85	108.20
11	B2	1107	C	N3-C4-C5	-9.56	118.08	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	291	A	C4-C5-C6	9.56	121.78	117.00
38	A1	972	C	O4'-C1'-N1	9.56	115.85	108.20
38	A1	1294	A	N9-C4-C5	9.56	109.62	105.80
38	A1	2063	U	C5'-C4'-C3'	9.56	131.29	116.00
39	A3	15	G	O4'-C1'-N9	9.56	115.84	108.20
38	A1	2832	G	C4-C5-C6	9.56	124.53	118.80
11	B2	1320	A	N1-C6-N6	9.55	124.33	118.60
11	B2	1462	A	C6-C5-N7	-9.55	125.61	132.30
23	BK	16	ARG	NE-CZ-NH1	-9.55	115.52	120.30
38	A1	2161	A	N1-C6-N6	9.55	124.33	118.60
38	A1	2184	G	C6-C5-N7	-9.55	124.67	130.40
11	B2	201	G	C8-N9-C4	-9.55	102.58	106.40
11	B2	636	G	C4-C5-N7	-9.55	106.98	110.80
38	A1	1265	A	N1-C6-N6	9.55	124.33	118.60
38	A1	2639	G	N3-C4-C5	-9.55	123.82	128.60
38	A1	482	A	C5-N7-C8	9.55	108.67	103.90
11	B2	537	G	O4'-C1'-N9	9.55	115.84	108.20
11	B2	1389	G	C5-C6-O6	-9.55	122.87	128.60
38	A1	1819	G	O4'-C1'-N9	9.55	115.84	108.20
38	A1	2755	G	C5-C6-O6	-9.55	122.87	128.60
11	B2	884	G	N3-C2-N2	9.55	126.58	119.90
38	A1	2601	C	C5-C4-N4	-9.55	113.52	120.20
38	A1	2758	G	N3-C2-N2	9.55	126.58	119.90
11	B2	150	G	P-O3'-C3'	9.54	131.15	119.70
11	B2	476	C	N3-C4-C5	-9.54	118.08	121.90
11	B2	918	A	C4-C5-C6	9.54	121.77	117.00
38	A1	2063	U	C6-N1-C1'	-9.54	107.84	121.20
38	A1	2503	C	N3-C4-C5	-9.54	118.08	121.90
38	A1	2709	C	C2-N3-C4	9.54	124.67	119.90
61	AN	162	TYR	CB-CG-CD1	9.54	126.73	121.00
11	B2	1199	A	C8-N9-C4	9.54	109.62	105.80
38	A1	348	G	C8-N9-C4	-9.54	102.58	106.40
38	A1	999	A	O4'-C1'-N9	9.54	115.83	108.20
38	A1	673	A	C5-C6-N6	-9.54	116.07	123.70
38	A1	1102	C	O4'-C1'-N1	9.54	115.83	108.20
38	A1	1294	A	C8-N9-C4	-9.54	101.98	105.80
38	A1	1736	G	C5-C6-N1	-9.54	106.73	111.50
38	A1	2742	G	O4'-C1'-N9	9.54	115.83	108.20
38	A1	2756	G	C5-C6-N1	-9.54	106.73	111.50
10	B1	10	G	C5-C6-O6	-9.54	122.88	128.60
11	B2	177	A	C4-C5-C6	9.54	121.77	117.00
11	B2	832	G	C5-C6-N1	9.54	116.27	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	285	C	C5-C6-N1	9.54	125.77	121.00
38	A1	2203	G	C5-C6-O6	-9.54	122.88	128.60
38	A1	1884	C	O4'-C1'-N1	9.54	115.83	108.20
38	A1	2069	G	C5-C6-O6	-9.54	122.88	128.60
11	B2	184	G	P-O3'-C3'	9.53	131.14	119.70
38	A1	582	A	C6-C5-N7	-9.53	125.63	132.30
11	B2	1377	G	N3-C2-N2	9.53	126.57	119.90
38	A1	1586	G	C5-C6-O6	-9.53	122.88	128.60
38	A1	1610	C	C1'-O4'-C4'	9.53	117.53	109.90
38	A1	2124	C	C6-N1-C2	-9.53	116.49	120.30
11	B2	520	G	O4'-C1'-N9	9.53	115.82	108.20
38	A1	1476	C	C2-N1-C1'	9.53	129.28	118.80
11	B2	928	A	N1-C6-N6	9.53	124.32	118.60
11	B2	1221	A	N7-C8-N9	9.53	118.56	113.80
11	B2	1307	G	N1-C2-N3	-9.53	118.18	123.90
38	A1	304	G	N1-C6-O6	9.53	125.62	119.90
38	A1	1379	A	N9-C4-C5	9.53	109.61	105.80
38	A1	1816	C	C4-C5-C6	9.53	122.16	117.40
38	A1	2129	G	C5-C6-N1	-9.53	106.74	111.50
11	B2	212	G	C4-C5-C6	9.53	124.52	118.80
38	A1	799	C	O4'-C1'-N1	9.53	115.82	108.20
38	A1	1051	C	N3-C4-N4	9.53	124.67	118.00
11	B2	297	G	N1-C6-O6	9.53	125.61	119.90
11	B2	967	C	C4-C5-C6	9.53	122.16	117.40
38	A1	854	G	C2-N3-C4	9.53	116.66	111.90
38	A1	1873	G	O4'-C1'-N9	9.53	115.82	108.20
38	A1	2238	G	C2-N3-C4	9.53	116.66	111.90
38	A1	2988	A	C5-C6-N6	-9.53	116.08	123.70
11	B2	900	G	C8-N9-C4	-9.52	102.59	106.40
11	B2	1209	C	N3-C4-N4	9.52	124.67	118.00
38	A1	208	A	C4-C5-N7	-9.52	105.94	110.70
11	B2	354	G	C5-C6-O6	-9.52	122.89	128.60
38	A1	446	G	N3-C2-N2	9.52	126.57	119.90
38	A1	1243	C	C6-N1-C2	9.52	124.11	120.30
38	A1	1909	C	N3-C4-N4	9.52	124.67	118.00
38	A1	904	G	N1-C6-O6	9.52	125.61	119.90
38	A1	1436	A	O4'-C1'-N9	9.52	115.82	108.20
38	A1	2323	C	C2-N3-C4	9.52	124.66	119.90
11	B2	617	A	C8-N9-C4	-9.52	101.99	105.80
38	A1	649	A	C5-C6-N6	-9.52	116.09	123.70
38	A1	744	G	N1-C2-N2	9.52	124.77	116.20
38	A1	1427	A	N1-C6-N6	9.52	124.31	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2125	C	O4'-C1'-N1	9.52	115.82	108.20
11	B2	8	U	N1-C2-N3	9.52	120.61	114.90
11	B2	1135	G	C5-C6-O6	-9.52	122.89	128.60
38	A1	905	G	C4-C5-N7	9.52	114.61	110.80
38	A1	1793	G	C8-N9-C4	-9.52	102.59	106.40
38	A1	1652	A	C8-N9-C4	9.52	109.61	105.80
38	A1	1270	G	C6-C5-N7	-9.51	124.69	130.40
38	A1	3023	G	C4-C5-C6	9.51	124.51	118.80
9	AX	420	ARG	NE-CZ-NH1	9.51	125.06	120.30
11	B2	6	G	C4-C5-N7	9.51	114.61	110.80
11	B2	184	G	N1-C2-N3	-9.51	118.19	123.90
38	A1	285	C	O4'-C1'-N1	9.51	115.81	108.20
11	B2	699	C	C2-N3-C4	9.51	124.66	119.90
11	B2	1207	G	C2-N3-C4	-9.51	107.14	111.90
38	A1	93	C	O4'-C1'-N1	9.51	115.81	108.20
38	A1	1186	G	N3-C2-N2	9.51	126.56	119.90
38	A1	2347	G	C5-C6-N1	-9.51	106.74	111.50
38	A1	118	A	P-O3'-C3'	9.51	131.11	119.70
39	A3	93	G	N1-C2-N3	-9.51	118.19	123.90
11	B2	225	U	N1-C2-N3	-9.51	109.19	114.90
11	B2	450	A	N1-C6-N6	9.51	124.31	118.60
17	BE	81	TYR	CB-CG-CD1	9.51	126.70	121.00
38	A1	81	G	N1-C2-N3	-9.51	118.20	123.90
38	A1	1593	C	C6-N1-C2	9.51	124.10	120.30
38	A1	1747	C	N3-C4-C5	-9.51	118.10	121.90
38	A1	1901	A	C4-C5-C6	9.51	121.75	117.00
5	AS	12	PHE	CB-CG-CD1	-9.50	114.15	120.80
11	B2	573	C	N3-C4-N4	9.50	124.65	118.00
11	B2	933	G	C6-C5-N7	-9.50	124.70	130.40
11	B2	1150	G	C5-C6-O6	-9.50	122.90	128.60
38	A1	1228	G	C6-C5-N7	-9.50	124.70	130.40
38	A1	2753	G	O4'-C1'-N9	9.50	115.80	108.20
38	A1	2854	A	C4-C5-C6	9.50	121.75	117.00
65	AV	39	ARG	NE-CZ-NH1	9.50	125.05	120.30
11	B2	281	G	N7-C8-N9	9.50	117.85	113.10
38	A1	677	A	C5-C6-N1	-9.50	112.95	117.70
11	B2	1099	A	O4'-C1'-N9	9.50	115.80	108.20
38	A1	872	G	N1-C6-O6	9.50	125.60	119.90
38	A1	952	C	C6-N1-C2	-9.50	116.50	120.30
38	A1	1202	G	C5-C6-N1	-9.50	106.75	111.50
38	A1	2463	G	C5-C6-O6	-9.50	122.90	128.60
11	B2	1250	C	C6-N1-C2	-9.50	116.50	120.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	295	G	N1-C2-N3	-9.50	118.20	123.90
38	A1	342	C	O4'-C1'-N1	9.50	115.80	108.20
38	A1	2197	U	O4'-C1'-N1	9.50	115.80	108.20
38	A1	2728	U	N3-C2-O2	9.50	128.85	122.20
11	B2	763	G	N1-C6-O6	9.49	125.60	119.90
11	B2	981	U	N1-C2-N3	-9.49	109.20	114.90
11	B2	1087	C	C5-C4-N4	-9.49	113.55	120.20
11	B2	1118	C	O4'-C1'-N1	9.49	115.80	108.20
15	BC	5	ARG	NE-CZ-NH2	-9.49	115.55	120.30
38	A1	1911	G	C4-C5-N7	-9.49	107.00	110.80
38	A1	2296	A	C4-C5-C6	9.49	121.75	117.00
38	A1	2392	A	N9-C4-C5	-9.49	102.00	105.80
38	A1	854	G	O4'-C1'-N9	9.49	115.79	108.20
38	A1	1196	A	C4-C5-C6	9.49	121.75	117.00
38	A1	1335	C	P-O3'-C3'	9.49	131.09	119.70
38	A1	2225	C	C6-N1-C2	-9.49	116.50	120.30
38	A1	2655	C	N1-C2-O2	-9.49	113.20	118.90
39	A3	64	C	N3-C4-N4	9.49	124.64	118.00
11	B2	1168	C	N3-C4-C5	-9.49	118.10	121.90
38	A1	467	U	C5-C6-N1	9.49	127.44	122.70
38	A1	555	G	O4'-C1'-N9	9.49	115.79	108.20
38	A1	982	G	N3-C2-N2	9.49	126.54	119.90
38	A1	1015	G	N1-C2-N3	-9.49	118.21	123.90
38	A1	1240	U	O4'-C1'-N1	9.49	115.79	108.20
38	A1	1370	G	N1-C2-N3	-9.49	118.21	123.90
38	A1	1570	C	O4'-C1'-N1	9.49	115.79	108.20
47	Ad	85	ARG	NE-CZ-NH1	9.49	125.05	120.30
11	B2	235	G	C6-N1-C2	9.49	130.79	125.10
38	A1	331	G	P-O3'-C3'	9.49	131.08	119.70
38	A1	507	G	C4-C5-N7	-9.49	107.00	110.80
38	A1	1155	A	C4'-C3'-C2'	9.49	112.09	102.60
38	A1	1171	G	C8-N9-C4	-9.49	102.61	106.40
38	A1	1584	G	C5-C6-O6	-9.49	122.91	128.60
11	B2	18	C	C5-C4-N4	-9.48	113.56	120.20
11	B2	75	C	C2-N1-C1'	9.48	129.23	118.80
11	B2	1317	G	O4'-C1'-N9	9.48	115.79	108.20
24	BL	71	ARG	NE-CZ-NH2	-9.48	115.56	120.30
38	A1	177	G	C6-N1-C2	9.48	130.79	125.10
38	A1	1950	G	C5-C6-O6	-9.48	122.91	128.60
38	A1	2522	C	N3-C4-N4	9.48	124.64	118.00
11	B2	1209	C	P-O3'-C3'	9.48	131.08	119.70
38	A1	1148	C	N3-C4-C5	-9.48	118.11	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2190	A	O4'-C1'-N9	9.48	115.79	108.20
38	A1	2698	G	N3-C2-N2	9.48	126.54	119.90
39	A3	122	C	O4'-C1'-N1	9.48	115.78	108.20
11	B2	296	A	N1-C2-N3	9.48	134.04	129.30
38	A1	726	G	N1-C2-N3	-9.48	118.21	123.90
6	AT	4	TYR	CB-CG-CD2	9.48	126.69	121.00
38	A1	1185	A	C5-C6-N1	-9.48	112.96	117.70
38	A1	2356	U	C2-N3-C4	9.48	132.69	127.00
11	B2	476	C	N3-C4-N4	9.48	124.63	118.00
11	B2	617	A	C6-C5-N7	-9.48	125.67	132.30
11	B2	889	G	N9-C4-C5	9.48	109.19	105.40
11	B2	1470	G	C5-C6-O6	-9.48	122.91	128.60
24	BL	33	ARG	NE-CZ-NH2	9.48	125.04	120.30
38	A1	1084	G	N1-C6-O6	9.48	125.59	119.90
38	A1	2359	G	C6-C5-N7	-9.48	124.72	130.40
11	B2	852	G	C5-C6-O6	-9.47	122.92	128.60
11	B2	163	C	C6-N1-C2	-9.47	116.51	120.30
38	A1	618	C	C2-N3-C4	9.47	124.64	119.90
38	A1	966	G	C6-N1-C2	9.47	130.78	125.10
38	A1	1419	G	N1-C2-N3	-9.47	118.22	123.90
11	B2	1032	A	C5-C6-N6	-9.47	116.12	123.70
38	A1	674	G	O4'-C1'-N9	9.47	115.78	108.20
11	B2	1106	A	C5-C6-N6	-9.47	116.12	123.70
38	A1	1836	A	C6-C5-N7	-9.47	125.67	132.30
38	A1	2177	A	C4-C5-N7	-9.47	105.97	110.70
10	B1	39	A	N1-C2-N3	9.47	134.03	129.30
38	A1	80	G	N1-C6-O6	9.47	125.58	119.90
38	A1	291	A	C5-C6-N1	-9.47	112.97	117.70
38	A1	625	A	N1-C2-N3	-9.47	124.57	129.30
61	AN	151	ARG	NE-CZ-NH2	9.47	125.03	120.30
11	B2	522	C	C6-N1-C2	-9.47	116.51	120.30
38	A1	219	G	N9-C1'-C2'	-9.47	101.59	112.00
38	A1	931	C	O4'-C1'-N1	9.46	115.77	108.20
38	A1	1005	G	C6-N1-C2	9.46	130.78	125.10
38	A1	2206	G	N1-C6-O6	9.46	125.58	119.90
10	B1	4	G	N9-C4-C5	-9.46	101.61	105.40
11	B2	788	C	N3-C4-C5	-9.46	118.12	121.90
11	B2	1345	G	C4-C5-N7	9.46	114.58	110.80
38	A1	213	G	C2-N3-C4	9.46	116.63	111.90
38	A1	1556	G	C5-N7-C8	-9.46	99.57	104.30
38	A1	2957	G	P-O3'-C3'	9.46	131.05	119.70
11	B2	449	U	O4'-C1'-N1	9.46	115.77	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	109	G	N1-C6-O6	9.46	125.57	119.90
38	A1	518	A	N1-C6-N6	9.46	124.28	118.60
38	A1	640	C	N3-C4-C5	-9.46	118.12	121.90
38	A1	985	A	N9-C4-C5	9.46	109.58	105.80
38	A1	1956	G	N1-C2-N3	-9.46	118.23	123.90
39	A3	61	C	O4'-C1'-N1	9.46	115.77	108.20
11	B2	1083	G	C8-N9-C4	9.46	110.18	106.40
11	B2	1359	C	N3-C4-C5	-9.46	118.12	121.90
38	A1	808	A	C8-N9-C4	-9.46	102.02	105.80
38	A1	1575	G	C5-C6-N1	9.46	116.23	111.50
38	A1	2254	U	N3-C2-O2	9.46	128.82	122.20
38	A1	2650	G	C6-C5-N7	-9.46	124.73	130.40
38	A1	2563	A	C4-C5-C6	9.45	121.73	117.00
11	B2	709	G	N1-C6-O6	9.45	125.57	119.90
38	A1	848	A	C4-C5-N7	-9.45	105.97	110.70
11	B2	836	G	C5-C6-N1	-9.45	106.78	111.50
38	A1	1226	G	C5-C6-O6	-9.45	122.93	128.60
38	A1	2108	U	C5-C4-O4	-9.45	120.23	125.90
38	A1	2858	C	N1-C2-O2	9.45	124.57	118.90
39	A3	95	G	C5-C6-O6	-9.45	122.93	128.60
11	B2	504	G	C5-C6-O6	-9.45	122.93	128.60
38	A1	1843	C	N3-C4-N4	9.45	124.61	118.00
11	B2	269	A	C5-C6-N1	-9.45	112.98	117.70
11	B2	347	G	C5-C6-N1	-9.45	106.78	111.50
45	AC	84	ARG	NE-CZ-NH2	-9.45	115.58	120.30
11	B2	474	G	C5-C6-O6	-9.44	122.93	128.60
38	A1	1543	C	C5-C4-N4	-9.44	113.59	120.20
38	A1	1592	U	N3-C2-O2	9.45	128.81	122.20
11	B2	1475	C	N3-C4-N4	9.44	124.61	118.00
38	A1	1252	G	N1-C6-O6	9.44	125.57	119.90
38	A1	1202	G	N9-C4-C5	-9.44	101.62	105.40
38	A1	2381	A	C5-C6-N6	-9.44	116.15	123.70
11	B2	285	C	N3-C4-N4	9.44	124.61	118.00
11	B2	1154	G	C5-C6-O6	-9.44	122.94	128.60
38	A1	305	G	O4'-C1'-N9	9.44	115.75	108.20
38	A1	437	G	C5-C6-N1	-9.44	106.78	111.50
38	A1	1670	A	N1-C6-N6	9.44	124.26	118.60
38	A1	2187	C	O4'-C1'-N1	9.44	115.75	108.20
38	A1	658	C	N3-C4-N4	9.44	124.61	118.00
38	A1	859	G	C5-C6-N1	-9.44	106.78	111.50
38	A1	2508	G	N3-C2-N2	9.44	126.51	119.90
38	A1	954	A	O4'-C1'-N9	9.44	115.75	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1166	A	O4'-C1'-N9	9.44	115.75	108.20
38	A1	2203	G	C5-C6-N1	-9.44	106.78	111.50
38	A1	2293	G	N1-C2-N3	-9.44	118.24	123.90
38	A1	2406	C	P-O3'-C3'	-9.44	108.38	119.70
38	A1	522	A	C6-C5-N7	-9.43	125.70	132.30
38	A1	2751	C	C4-C5-C6	9.43	122.12	117.40
11	B2	678	G	C4-C5-N7	-9.43	107.03	110.80
11	B2	650	A	C5-N7-C8	9.43	108.61	103.90
11	B2	802	G	N1-C6-O6	9.43	125.56	119.90
11	B2	1099	A	C5-C6-N1	-9.43	112.98	117.70
38	A1	1790	G	C5-C6-O6	-9.43	122.94	128.60
38	A1	2701	U	C4'-C3'-C2'	-9.43	93.17	102.60
11	B2	914	U	N3-C4-C5	-9.43	108.94	114.60
16	BD	138	ARG	NE-CZ-NH1	9.43	125.01	120.30
38	A1	1115	A	C5-C6-N6	-9.43	116.16	123.70
38	A1	1574	A	C5-N7-C8	9.43	108.61	103.90
38	A1	2428	C	C6-N1-C2	-9.43	116.53	120.30
38	A1	2500	G	N9-C4-C5	-9.43	101.63	105.40
9	AX	333	PHE	CB-CG-CD1	9.43	127.40	120.80
10	B1	10	G	C2-N3-C4	9.43	116.61	111.90
11	B2	1067	G	C5-C6-O6	-9.43	122.94	128.60
38	A1	2733	A	N3-C4-C5	-9.43	120.20	126.80
60	AM	67	ARG	NE-CZ-NH2	-9.43	115.59	120.30
38	A1	1064	G	C6-N1-C2	9.42	130.75	125.10
38	A1	1296	A	C5-C6-N1	-9.42	112.99	117.70
38	A1	1679	U	C5-C6-N1	9.42	127.41	122.70
38	A1	2123	G	N1-C6-O6	9.42	125.55	119.90
38	A1	2556	C	C5-C4-N4	-9.42	113.60	120.20
11	B2	187	C	N3-C4-N4	9.42	124.59	118.00
11	B2	319	U	N3-C4-O4	9.42	125.99	119.40
11	B2	1364	C	N1-C2-O2	-9.42	113.25	118.90
38	A1	390	C	O4'-C1'-N1	9.42	115.74	108.20
38	A1	637	G	O4'-C1'-N9	9.42	115.74	108.20
38	A1	694	A	C2-N3-C4	-9.42	105.89	110.60
11	B2	45	U	O4'-C1'-N1	9.42	115.73	108.20
11	B2	78	G	C5-C6-O6	-9.42	122.95	128.60
11	B2	630	A	O4'-C1'-N9	9.42	115.73	108.20
11	B2	919	U	P-O3'-C3'	9.42	131.00	119.70
38	A1	709	A	C4-C5-C6	9.42	121.71	117.00
38	A1	1401	G	C5-C6-O6	-9.42	122.95	128.60
38	A1	2076	A	C5-N7-C8	9.42	108.61	103.90
38	A1	1255	C	O4'-C1'-N1	9.42	115.73	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	871	G	C8-N9-C4	-9.41	102.63	106.40
11	B2	494	G	C5-C6-O6	-9.41	122.95	128.60
38	A1	724	G	C5-C6-O6	-9.41	122.95	128.60
38	A1	546	C	N3-C4-N4	9.41	124.59	118.00
38	A1	943	G	C6-C5-N7	-9.41	124.75	130.40
38	A1	1607	C	N3-C4-N4	9.41	124.59	118.00
38	A1	1988	U	C4-C5-C6	-9.41	114.06	119.70
38	A1	2343	G	C8-N9-C4	-9.41	102.64	106.40
38	A1	2816	C	C2-N3-C4	9.41	124.61	119.90
11	B2	925	U	C2-N3-C4	9.41	132.64	127.00
38	A1	72	U	N3-C4-C5	-9.41	108.95	114.60
38	A1	304	G	C5-C6-O6	-9.41	122.96	128.60
38	A1	690	G	O4'-C1'-N9	9.41	115.72	108.20
38	A1	735	A	N9-C4-C5	-9.41	102.04	105.80
38	A1	786	G	N3-C2-N2	9.41	126.48	119.90
38	A1	1890	U	C5-C4-O4	-9.41	120.26	125.90
38	A1	2113	G	N1-C2-N3	-9.41	118.26	123.90
11	B2	700	G	N1-C6-O6	9.40	125.54	119.90
38	A1	406	G	C8-N9-C4	-9.40	102.64	106.40
38	A1	573	G	C5-C6-O6	-9.40	122.96	128.60
38	A1	1026	A	C4-C5-C6	9.40	121.70	117.00
38	A1	2571	G	O4'-C1'-N9	9.40	115.72	108.20
38	A1	1481	G	C4-C5-N7	9.40	114.56	110.80
38	A1	1393	C	N3-C4-C5	-9.40	118.14	121.90
38	A1	2214	U	O4'-C1'-N1	9.40	115.72	108.20
11	B2	1202	G	N3-C2-N2	9.40	126.48	119.90
38	A1	2479	C	N3-C4-C5	-9.40	118.14	121.90
11	B2	622	C	C6-N1-C2	-9.40	116.54	120.30
38	A1	2523	C	N3-C4-N4	9.40	124.58	118.00
26	BN	32	ARG	NE-CZ-NH1	9.40	125.00	120.30
39	A3	118	G	N1-C2-N3	-9.40	118.26	123.90
11	B2	67	C	C5-C6-N1	9.39	125.70	121.00
26	BN	33	ARG	NE-CZ-NH1	9.39	125.00	120.30
38	A1	2034	G	C2-N3-C4	9.39	116.60	111.90
38	A1	2172	G	N1-C2-N3	-9.39	118.26	123.90
11	B2	133	G	N1-C6-O6	9.39	125.53	119.90
11	B2	269	A	N1-C2-N3	-9.39	124.61	129.30
38	A1	460	C	C2-N3-C4	9.39	124.60	119.90
11	B2	620	G	C6-N1-C2	9.39	130.73	125.10
29	BQ	19	ARG	NE-CZ-NH2	9.39	125.00	120.30
38	A1	1104	A	O4'-C1'-N9	9.39	115.71	108.20
38	A1	1711	C	P-O5'-C5'	9.39	135.93	120.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	866	A	N3-C4-C5	-9.39	120.23	126.80
38	A1	126	U	C5-C6-N1	-9.39	118.01	122.70
38	A1	1120	C	C5-C6-N1	9.39	125.69	121.00
11	B2	1414	G	C6-C5-N7	-9.39	124.77	130.40
38	A1	1771	C	C5-C4-N4	-9.39	113.63	120.20
38	A1	2706	C	N1-C2-O2	9.39	124.53	118.90
11	B2	1426	C	N3-C4-C5	-9.39	118.14	121.90
38	A1	1168	A	N9-C4-C5	9.38	109.55	105.80
38	A1	1296	A	C4-C5-C6	9.38	121.69	117.00
11	B2	961	U	N3-C4-O4	9.38	125.97	119.40
11	B2	1479	C	O4'-C1'-N1	9.38	115.71	108.20
38	A1	120	G	C5-C6-O6	-9.38	122.97	128.60
38	A1	995	G	N1-C2-N3	-9.38	118.27	123.90
38	A1	1666	G	C5-C6-O6	-9.38	122.97	128.60
38	A1	295	G	O4'-C1'-N9	9.38	115.70	108.20
38	A1	1751	G	C6-C5-N7	-9.38	124.77	130.40
38	A1	2310	G	C5-C6-O6	-9.38	122.97	128.60
38	A1	2329	A	C5-C6-N6	-9.38	116.19	123.70
38	A1	2960	G	C5-C6-O6	-9.38	122.97	128.60
39	A3	121	A	N1-C6-N6	9.38	124.23	118.60
59	AL	53	TYR	CB-CG-CD1	-9.38	115.37	121.00
11	B2	453	G	N1-C6-O6	9.38	125.53	119.90
38	A1	813	G	O4'-C1'-N9	9.38	115.70	108.20
38	A1	1846	G	C4-C5-N7	9.38	114.55	110.80
11	B2	72	C	C5-C6-N1	9.38	125.69	121.00
11	B2	120	C	C5-C4-N4	9.38	126.76	120.20
38	A1	862	G	N1-C2-N3	-9.38	118.27	123.90
38	A1	1828	A	N7-C8-N9	9.38	118.49	113.80
38	A1	1295	G	N7-C8-N9	-9.38	108.41	113.10
38	A1	1878	G	N1-C6-O6	9.38	125.53	119.90
38	A1	850	C	C5-C4-N4	-9.38	113.64	120.20
38	A1	1751	G	N9-C4-C5	-9.38	101.65	105.40
11	B2	727	G	C2-N3-C4	9.37	116.59	111.90
11	B2	1182	G	C2-N3-C4	-9.37	107.21	111.90
38	A1	312	G	C5-C6-O6	-9.37	122.98	128.60
38	A1	1646	G	N3-C2-N2	9.37	126.46	119.90
11	B2	644	G	C2-N3-C4	9.37	116.59	111.90
38	A1	423	G	C5-C6-O6	-9.37	122.98	128.60
38	A1	1164	C	C5-C4-N4	-9.37	113.64	120.20
38	A1	1212	A	O4'-C1'-N9	9.37	115.70	108.20
38	A1	2107	G	C4-C5-C6	9.37	124.42	118.80
38	A1	2492	G	N1-C6-O6	9.37	125.52	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2566	A	C5-C6-N1	-9.37	113.01	117.70
11	B2	1042	U	C5-C4-O4	-9.37	120.28	125.90
15	BC	126	ARG	NE-CZ-NH1	9.37	124.98	120.30
38	A1	168	G	N9-C4-C5	-9.37	101.65	105.40
38	A1	276	G	N3-C2-N2	9.37	126.46	119.90
38	A1	1968	A	C6-C5-N7	-9.37	125.74	132.30
11	B2	520	G	N7-C8-N9	9.37	117.78	113.10
11	B2	953	C	N3-C4-N4	9.37	124.56	118.00
38	A1	318	G	O4'-C1'-N9	9.37	115.69	108.20
38	A1	2903	U	N3-C4-C5	-9.37	108.98	114.60
29	BQ	9	ARG	NE-CZ-NH2	9.36	124.98	120.30
38	A1	84	A	C5-C6-N6	-9.37	116.21	123.70
38	A1	860	A	C2-N3-C4	-9.36	105.92	110.60
38	A1	2025	A	C6-C5-N7	-9.37	125.74	132.30
38	A1	2284	C	C5-C4-N4	-9.37	113.64	120.20
11	B2	33	U	C5-C6-N1	9.36	127.38	122.70
11	B2	251	G	C5-N7-C8	9.36	108.98	104.30
11	B2	380	C	C5-C6-N1	9.36	125.68	121.00
11	B2	398	C	O4'-C1'-N1	9.36	115.69	108.20
11	B2	975	A	O4'-C1'-N9	9.36	115.69	108.20
38	A1	2380	A	N1-C6-N6	9.36	124.22	118.60
38	A1	2877	A	C5-N7-C8	9.36	108.58	103.90
38	A1	1393	C	P-O3'-C3'	9.36	130.93	119.70
38	A1	1910	C	O4'-C1'-N1	9.36	115.69	108.20
38	A1	985	A	N1-C2-N3	-9.36	124.62	129.30
38	A1	2430	C	P-O5'-C5'	9.36	135.87	120.90
39	A3	43	C	C6-N1-C2	9.36	124.04	120.30
11	B2	221	A	N7-C8-N9	-9.36	109.12	113.80
11	B2	294	A	C5-N7-C8	9.36	108.58	103.90
11	B2	461	A	C5-C6-N1	-9.36	113.02	117.70
11	B2	612	C	C5-C6-N1	-9.36	116.32	121.00
38	A1	427	G	C5-C6-O6	-9.36	122.99	128.60
38	A1	1117	C	N3-C4-N4	9.36	124.55	118.00
11	B2	1136	A	C4-C5-C6	9.36	121.68	117.00
38	A1	23	G	N3-C2-N2	9.36	126.45	119.90
38	A1	1193	G	C8-N9-C4	-9.36	102.66	106.40
38	A1	2152	G	C6-C5-N7	-9.36	124.79	130.40
38	A1	2197	U	C2-N3-C4	9.36	132.61	127.00
38	A1	2200	A	N1-C6-N6	9.36	124.21	118.60
38	A1	2238	G	C5-C6-O6	-9.36	122.99	128.60
38	A1	2425	A	C5'-C4'-O4'	9.36	120.33	109.10
11	B2	314	G	N1-C6-O6	9.35	125.51	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1364	C	C6-N1-C2	-9.35	116.56	120.30
38	A1	453	U	C5-C4-O4	-9.35	120.29	125.90
11	B2	1367	C	C5-C6-N1	-9.35	116.32	121.00
38	A1	2616	C	O4'-C1'-N1	9.35	115.68	108.20
11	B2	893	U	N3-C2-O2	9.35	128.74	122.20
38	A1	1272	A	C4-C5-C6	9.35	121.67	117.00
11	B2	1129	A	N1-C6-N6	9.35	124.21	118.60
38	A1	426	G	O4'-C1'-N9	9.35	115.68	108.20
38	A1	591	G	N9-C4-C5	9.35	109.14	105.40
38	A1	961	C	O4'-C1'-N1	9.35	115.68	108.20
39	A3	41	A	N7-C8-N9	9.35	118.47	113.80
38	A1	2053	G	N1-C2-N2	-9.35	107.79	116.20
11	B2	956	C	N3-C4-C5	-9.35	118.16	121.90
38	A1	440	A	C4-C5-C6	9.35	121.67	117.00
11	B2	5	C	C2-N3-C4	9.35	124.57	119.90
11	B2	1252	C	N3-C4-C5	-9.35	118.16	121.90
38	A1	194	G	C5-C6-N1	-9.35	106.83	111.50
38	A1	202	A	C5-C6-N6	-9.35	116.22	123.70
38	A1	2408	G	N9-C4-C5	9.35	109.14	105.40
11	B2	542	G	C4-C5-N7	-9.34	107.06	110.80
11	B2	752	G	C6-C5-N7	-9.34	124.79	130.40
38	A1	1139	C	O4'-C1'-N1	9.34	115.67	108.20
38	A1	1633	A	C6-C5-N7	-9.34	125.76	132.30
38	A1	1965	C	O4'-C1'-N1	9.34	115.67	108.20
38	A1	2645	C	O4'-C1'-N1	9.34	115.67	108.20
38	A1	2434	A	C4-C5-C6	9.34	121.67	117.00
11	B2	538	C	N3-C4-C5	-9.34	118.16	121.90
38	A1	926	C	C6-N1-C2	-9.34	116.56	120.30
38	A1	217	A	P-O3'-C3'	9.34	130.91	119.70
38	A1	1860	A	C2-N3-C4	9.34	115.27	110.60
11	B2	1273	G	N3-C4-N9	-9.34	120.40	126.00
38	A1	1755	C	N3-C4-C5	-9.34	118.17	121.90
11	B2	192	G	N1-C6-O6	9.34	125.50	119.90
11	B2	1419	G	O4'-C1'-N9	9.34	115.67	108.20
38	A1	170	A	N1-C6-N6	9.34	124.20	118.60
38	A1	365	G	O4'-C1'-N9	9.34	115.67	108.20
38	A1	1346	G	N1-C6-O6	9.34	125.50	119.90
38	A1	2789	G	C5-C6-O6	-9.34	123.00	128.60
38	A1	2843	C	N3-C4-N4	9.34	124.53	118.00
11	B2	335	G	O4'-C1'-N9	9.33	115.67	108.20
38	A1	52	A	C2-N3-C4	9.33	115.27	110.60
38	A1	185	A	C5-C6-N1	-9.33	113.03	117.70

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	575	G	C5-C6-O6	-9.33	123.00	128.60
38	A1	937	A	C2-N3-C4	9.33	115.27	110.60
38	A1	1377	G	C5-C6-N1	-9.33	106.83	111.50
38	A1	2040	A	C2-N3-C4	9.33	115.27	110.60
38	A1	2424	A	N1-C6-N6	9.33	124.20	118.60
38	A1	2524	C	C5-C6-N1	9.33	125.67	121.00
11	B2	873	A	N1-C6-N6	9.33	124.20	118.60
38	A1	879	A	C5-C6-N1	-9.33	113.03	117.70
38	A1	1186	G	C2-N3-C4	9.33	116.57	111.90
10	B1	27	A	P-O3'-C3'	9.33	130.89	119.70
38	A1	249	G	C5-C6-O6	-9.33	123.00	128.60
38	A1	1109	G	O4'-C1'-N9	9.33	115.66	108.20
38	A1	1406	G	C5-C6-N1	-9.33	106.83	111.50
38	A1	2566	A	O4'-C1'-N9	9.33	115.66	108.20
38	A1	2220	C	O4'-C1'-N1	9.33	115.66	108.20
11	B2	713	A	N1-C2-N3	9.33	133.96	129.30
11	B2	1383	A	C5-C6-N6	-9.33	116.24	123.70
38	A1	42	G	C6-C5-N7	-9.33	124.80	130.40
38	A1	218	A	N1-C2-N3	9.33	133.96	129.30
38	A1	1810	G	C4-C5-N7	-9.33	107.07	110.80
38	A1	2765	C	N3-C4-C5	-9.33	118.17	121.90
11	B2	10	G	C5-C6-O6	-9.32	123.01	128.60
11	B2	315	A	C5-C6-N6	-9.32	116.24	123.70
11	B2	994	C	C6-N1-C2	-9.32	116.57	120.30
38	A1	665	C	N3-C4-C5	-9.32	118.17	121.90
38	A1	2002	A	N1-C2-N3	9.32	133.96	129.30
38	A1	2103	C	O4'-C1'-N1	9.32	115.66	108.20
38	A1	2477	G	O4'-C1'-N9	9.32	115.66	108.20
38	A1	2898	G	C8-N9-C4	9.32	110.13	106.40
38	A1	2139	A	C4-C5-C6	9.32	121.66	117.00
11	B2	772	G	N3-C2-N2	9.32	126.42	119.90
38	A1	493	A	C4-C5-C6	9.32	121.66	117.00
38	A1	1111	G	C6-C5-N7	-9.32	124.81	130.40
38	A1	1886	C	O4'-C1'-N1	9.32	115.66	108.20
38	A1	1939	C	P-O3'-C3'	9.32	130.89	119.70
45	AC	318	ARG	NE-CZ-NH1	9.32	124.96	120.30
11	B2	1087	C	N1-C2-O2	-9.32	113.31	118.90
38	A1	100	C	P-O3'-C3'	9.32	130.88	119.70
38	A1	118	A	O4'-C1'-N9	9.32	115.66	108.20
38	A1	550	A	C5-C6-N6	-9.32	116.24	123.70
38	A1	2441	A	C8-N9-C4	-9.32	102.07	105.80
38	A1	2565	A	N1-C6-N6	9.32	124.19	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1081	C	C6-N1-C2	-9.32	116.57	120.30
11	B2	363	C	C5-C6-N1	9.32	125.66	121.00
11	B2	1031	G	C5-C6-O6	-9.32	123.01	128.60
38	A1	387	A	C2-N3-C4	9.32	115.26	110.60
38	A1	1091	G	C2-N3-C4	-9.32	107.24	111.90
11	B2	226	G	O4'-C1'-N9	9.31	115.65	108.20
11	B2	732	G	C5-C6-N1	-9.31	106.84	111.50
38	A1	605	A	C5-C6-N1	-9.31	113.04	117.70
38	A1	2362	U	P-O3'-C3'	9.31	130.88	119.70
39	A3	71	G	C5-C6-O6	-9.31	123.01	128.60
11	B2	1229	A	C5-N7-C8	9.31	108.56	103.90
38	A1	2138	A	N1-C6-N6	9.31	124.19	118.60
11	B2	438	A	C5-C6-N6	-9.31	116.25	123.70
11	B2	1096	G	N1-C6-O6	9.31	125.49	119.90
11	B2	1190	C	N3-C4-C5	-9.31	118.17	121.90
38	A1	738	C	N3-C4-N4	9.31	124.52	118.00
38	A1	2182	A	C5-C6-N6	-9.31	116.25	123.70
38	A1	2753	G	N3-C2-N2	9.31	126.42	119.90
38	A1	2775	G	C2-N3-C4	9.31	116.56	111.90
38	A1	276	G	N1-C2-N3	-9.31	118.31	123.90
38	A1	442	G	C5-C6-O6	-9.31	123.02	128.60
38	A1	1118	A	C4-C5-C6	9.31	121.65	117.00
38	A1	2325	C	O4'-C1'-N1	9.31	115.65	108.20
38	A1	1212	A	C6-C5-N7	-9.31	125.78	132.30
11	B2	427	G	O4'-C1'-N9	9.30	115.64	108.20
11	B2	1220	G	O4'-C1'-N9	9.31	115.64	108.20
38	A1	432	C	O4'-C1'-N1	9.31	115.64	108.20
38	A1	1742	C	O4'-C1'-N1	9.31	115.64	108.20
38	A1	94	A	C8-N9-C4	-9.30	102.08	105.80
46	AD	48	ARG	NE-CZ-NH2	-9.30	115.65	120.30
11	B2	1066	C	C6-N1-C2	-9.30	116.58	120.30
11	B2	1306	A	C4-C5-C6	9.30	121.65	117.00
27	BO	68	ASP	CB-CG-OD2	-9.30	109.93	118.30
38	A1	497	G	N7-C8-N9	-9.30	108.45	113.10
38	A1	1138	C	C6-N1-C2	9.30	124.02	120.30
44	Ab	8	ARG	NE-CZ-NH1	9.30	124.95	120.30
11	B2	497	C	C2-N3-C4	9.30	124.55	119.90
38	A1	2847	G	O4'-C1'-N9	9.30	115.64	108.20
11	B2	687	G	C5-C6-N1	-9.30	106.85	111.50
11	B2	1363	C	N3-C4-C5	-9.30	118.18	121.90
11	B2	1419	G	C8-N9-C4	-9.30	102.68	106.40
38	A1	1261	C	N1-C2-O2	-9.30	113.32	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
61	AN	43	PHE	CB-CG-CD2	-9.30	114.29	120.80
62	AO	8	ARG	NE-CZ-NH2	-9.30	115.65	120.30
11	B2	1185	A	C5-C6-N6	-9.30	116.26	123.70
11	B2	1365	G	N1-C6-O6	9.30	125.48	119.90
38	A1	1069	A	P-O3'-C3'	9.30	130.85	119.70
38	A1	1742	C	N1-C2-O2	9.29	124.48	118.90
38	A1	1984	G	C5-C6-O6	-9.29	123.02	128.60
46	AD	55	ARG	NE-CZ-NH1	9.29	124.95	120.30
38	A1	2040	A	C5-C6-N6	-9.29	116.27	123.70
11	B2	66	G	C5-N7-C8	-9.29	99.65	104.30
11	B2	678	G	C5-C6-O6	-9.29	123.03	128.60
11	B2	721	A	C1'-O4'-C4'	9.29	117.33	109.90
11	B2	1393	A	C5-N7-C8	9.29	108.55	103.90
38	A1	486	A	C5-C6-N6	-9.29	116.27	123.70
38	A1	1733	C	C5-C4-N4	-9.29	113.70	120.20
11	B2	709	G	C5-C6-O6	-9.29	123.03	128.60
18	BF	136	ARG	NE-CZ-NH1	9.29	124.94	120.30
38	A1	627	G	N1-C6-O6	9.29	125.47	119.90
11	B2	803	C	N3-C4-C5	-9.29	118.19	121.90
38	A1	1746	C	C4'-C3'-C2'	-9.29	93.31	102.60
38	A1	2008	G	N1-C6-O6	9.29	125.47	119.90
39	A3	41	A	N1-C6-N6	9.29	124.17	118.60
38	A1	1460	C	O4'-C1'-N1	9.29	115.63	108.20
38	A1	716	U	C5-C4-O4	-9.29	120.33	125.90
38	A1	1428	G	C5-C6-N1	-9.29	106.86	111.50
66	AY	8	ARG	NE-CZ-NH1	-9.29	115.66	120.30
11	B2	1157	G	O4'-C1'-N9	9.28	115.63	108.20
38	A1	380	A	N1-C6-N6	9.28	124.17	118.60
38	A1	1604	G	P-O5'-C5'	9.28	135.75	120.90
11	B2	787	U	O4'-C1'-N1	9.28	115.63	108.20
11	B2	979	U	C6-N1-C2	-9.28	115.43	121.00
11	B2	1235	A	C5-N7-C8	-9.28	99.26	103.90
38	A1	975	C	C5-C6-N1	9.28	125.64	121.00
38	A1	1076	G	N3-C2-N2	9.28	126.40	119.90
38	A1	1548	A	O4'-C1'-N9	9.28	115.62	108.20
38	A1	2753	G	P-O3'-C3'	9.28	130.84	119.70
41	AA	107	PHE	CB-CG-CD1	9.28	127.30	120.80
38	A1	1776	G	O4'-C1'-N9	9.28	115.62	108.20
38	A1	2250	G	P-O3'-C3'	9.28	130.84	119.70
38	A1	2516	G	C5-N7-C8	9.28	108.94	104.30
7	AU	73	ARG	NE-CZ-NH1	9.28	124.94	120.30
11	B2	595	U	C5-C6-N1	9.28	127.34	122.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	70	G	C5-C6-O6	-9.28	123.03	128.60
38	A1	3028	U	N3-C2-O2	9.28	128.70	122.20
11	B2	42	G	C6-C5-N7	-9.28	124.83	130.40
11	B2	122	C	O4'-C1'-N1	9.28	115.62	108.20
38	A1	288	G	N1-C6-O6	9.28	125.47	119.90
39	A3	122	C	N3-C4-C5	-9.28	118.19	121.90
1	A7	52	TYR	CB-CG-CD1	9.28	126.57	121.00
11	B2	682	A	C4-C5-C6	9.28	121.64	117.00
38	A1	1308	G	O4'-C1'-N9	9.28	115.62	108.20
39	A3	49	A	C5-C6-N6	-9.28	116.28	123.70
38	A1	1342	G	O4'-C1'-N9	9.28	115.62	108.20
41	AA	98	ARG	NE-CZ-NH2	-9.28	115.66	120.30
11	B2	186	U	O4'-C1'-N1	9.27	115.62	108.20
11	B2	1081	C	N3-C4-C5	-9.27	118.19	121.90
11	B2	1334	A	C4-C5-N7	-9.27	106.06	110.70
38	A1	1196	A	N9-C4-C5	9.27	109.51	105.80
38	A1	1825	G	O4'-C1'-N9	9.27	115.62	108.20
38	A1	1784	G	O4'-C1'-N9	9.27	115.62	108.20
38	A1	2660	G	C5-C6-O6	-9.27	123.04	128.60
38	A1	2244	G	N1-C6-O6	9.27	125.46	119.90
38	A1	2417	G	O4'-C1'-N9	9.27	115.62	108.20
11	B2	634	C	C6-N1-C2	-9.27	116.59	120.30
38	A1	2180	C	O4'-C1'-N1	9.27	115.61	108.20
39	A3	29	G	N1-C2-N3	-9.27	118.34	123.90
11	B2	64	G	C8-N9-C4	-9.27	102.69	106.40
11	B2	696	G	C5-C6-O6	-9.27	123.04	128.60
38	A1	245	A	C4-C5-C6	9.27	121.63	117.00
38	A1	664	A	C4-C5-C6	9.27	121.63	117.00
38	A1	1237	A	N1-C6-N6	9.27	124.16	118.60
38	A1	2511	C	N3-C4-N4	9.27	124.49	118.00
38	A1	2679	A	N9-C4-C5	9.27	109.51	105.80
38	A1	2680	A	C1'-O4'-C4'	9.27	117.31	109.90
38	A1	2726	G	O4'-C1'-N9	9.27	115.61	108.20
11	B2	389	G	O4'-C1'-N9	9.26	115.61	108.20
38	A1	748	G	C5-C6-O6	-9.26	123.04	128.60
38	A1	2057	G	C4-C5-C6	9.26	124.36	118.80
11	B2	630	A	C5-C6-N1	-9.26	113.07	117.70
38	A1	1957	U	C4'-C3'-C2'	-9.26	93.34	102.60
38	A1	2469	G	O4'-C1'-N9	9.26	115.61	108.20
38	A1	2481	G	N9-C4-C5	9.26	109.11	105.40
11	B2	68	G	C5-C6-O6	-9.26	123.04	128.60
11	B2	1193	G	N1-C6-O6	9.26	125.46	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	216	G	N1-C6-O6	9.26	125.45	119.90
11	B2	311	A	N3-C4-C5	-9.26	120.32	126.80
38	A1	989	G	N1-C2-N3	-9.26	118.35	123.90
38	A1	1993	A	N7-C8-N9	-9.26	109.17	113.80
38	A1	255	G	O4'-C1'-N9	9.25	115.60	108.20
11	B2	44	C	C5-C6-N1	9.25	125.62	121.00
38	A1	740	C	C6-N1-C2	-9.25	116.60	120.30
38	A1	809	A	C4-C5-C6	9.25	121.62	117.00
38	A1	1657	G	C5-C6-O6	-9.25	123.05	128.60
38	A1	2570	A	C4-C5-C6	9.25	121.62	117.00
38	A1	2672	A	C2-N3-C4	-9.25	105.97	110.60
11	B2	735	A	N1-C6-N6	9.25	124.15	118.60
38	A1	1736	G	C5-N7-C8	9.25	108.92	104.30
38	A1	2547	A	C4-C5-C6	9.25	121.62	117.00
11	B2	175	G	N3-C2-N2	9.25	126.37	119.90
11	B2	983	G	C6-N1-C2	9.25	130.65	125.10
11	B2	1154	G	C8-N9-C4	-9.25	102.70	106.40
38	A1	1019	G	O4'-C1'-N9	9.25	115.60	108.20
38	A1	1195	G	C6-C5-N7	-9.25	124.85	130.40
38	A1	2292	A	N3-C4-N9	9.25	134.80	127.40
38	A1	1594	G	O4'-C1'-N9	9.24	115.60	108.20
11	B2	40	C	N3-C4-N4	9.24	124.47	118.00
11	B2	263	C	N3-C4-N4	9.24	124.47	118.00
38	A1	922	C	O4'-C1'-N1	9.24	115.59	108.20
38	A1	1638	C	C4-C5-C6	9.24	122.02	117.40
38	A1	2137	A	O4'-C1'-N9	9.24	115.60	108.20
11	B2	621	G	N9-C4-C5	9.24	109.10	105.40
11	B2	857	C	N3-C4-N4	9.24	124.47	118.00
38	A1	485	G	P-O3'-C3'	9.24	130.79	119.70
38	A1	619	G	C6-C5-N7	-9.24	124.86	130.40
38	A1	3027	C	C5-C4-N4	-9.24	113.73	120.20
39	A3	5	G	N9-C4-C5	-9.24	101.70	105.40
39	A3	109	A	C6-C5-N7	-9.24	125.83	132.30
38	A1	1634	A	N7-C8-N9	-9.24	109.18	113.80
38	A1	2078	A	C4-C5-C6	9.24	121.62	117.00
38	A1	2733	A	N9-C4-C5	9.24	109.50	105.80
38	A1	2791	C	N3-C4-C5	-9.24	118.21	121.90
11	B2	261	G	C5-C6-N1	-9.23	106.88	111.50
11	B2	418	G	N3-C2-N2	9.23	126.36	119.90
38	A1	523	C	C5-C4-N4	-9.23	113.74	120.20
38	A1	1429	A	C2-N3-C4	-9.23	105.98	110.60
38	A1	2552	C	C5-C4-N4	-9.23	113.74	120.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2567	C	N3-C4-C5	-9.23	118.21	121.90
38	A1	2760	A	P-O3'-C3'	9.23	130.78	119.70
38	A1	2837	C	N3-C4-N4	9.23	124.47	118.00
38	A1	2846	A	O4'-C1'-N9	9.23	115.59	108.20
11	B2	310	G	N9-C4-C5	9.23	109.09	105.40
11	B2	895	C	N3-C4-C5	-9.23	118.21	121.90
11	B2	944	C	O4'-C1'-N1	9.23	115.58	108.20
38	A1	768	C	N3-C4-C5	-9.23	118.21	121.90
38	A1	1118	A	C5-C6-N6	-9.23	116.32	123.70
38	A1	1338	G	N3-C2-N2	9.23	126.36	119.90
38	A1	1983	C	N3-C4-C5	-9.23	118.21	121.90
39	A3	40	G	O4'-C1'-N9	9.23	115.58	108.20
11	B2	364	U	O4'-C1'-N1	9.23	115.58	108.20
11	B2	658	A	C5-C6-N6	-9.23	116.32	123.70
11	B2	862	C	C6-N1-C2	9.23	123.99	120.30
11	B2	899	G	O4'-C1'-N9	9.23	115.58	108.20
38	A1	1734	G	O4'-C1'-N9	9.23	115.58	108.20
38	A1	2250	G	C8-N9-C4	-9.23	102.71	106.40
38	A1	2354	A	C5-C6-N6	-9.23	116.32	123.70
38	A1	2336	G	C6-N1-C2	9.23	130.64	125.10
39	A3	33	U	N3-C4-O4	9.23	125.86	119.40
38	A1	2477	G	C5-C6-O6	-9.23	123.06	128.60
11	B2	400	G	C8-N9-C4	-9.22	102.71	106.40
18	BF	79	ARG	NE-CZ-NH1	9.22	124.91	120.30
38	A1	952	C	O4'-C1'-N1	9.22	115.58	108.20
38	A1	1495	A	C5-C6-N6	-9.22	116.32	123.70
39	A3	2	G	C4-C5-N7	9.22	114.49	110.80
46	AD	172	ARG	NE-CZ-NH2	-9.22	115.69	120.30
38	A1	328	G	C6-C5-N7	-9.22	124.87	130.40
11	B2	1211	A	C4-C5-C6	9.22	121.61	117.00
11	B2	267	C	O4'-C1'-N1	9.22	115.57	108.20
38	A1	78	C	O4'-C1'-N1	9.22	115.57	108.20
38	A1	1443	G	N1-C2-N3	-9.22	118.37	123.90
38	A1	1641	G	C5-C6-O6	-9.22	123.07	128.60
38	A1	1751	G	O4'-C1'-N9	9.22	115.57	108.20
38	A1	2300	C	P-O3'-C3'	9.22	130.76	119.70
54	AI	62	ARG	NE-CZ-NH1	-9.22	115.69	120.30
11	B2	1389	G	N1-C2-N3	-9.22	118.37	123.90
11	B2	1051	G	N1-C2-N3	-9.21	118.37	123.90
11	B2	1142	G	P-O3'-C3'	9.21	130.76	119.70
11	B2	1333	G	N1-C6-O6	9.21	125.43	119.90
38	A1	698	U	O4'-C1'-N1	9.21	115.57	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	513	A	P-O3'-C3'	9.21	130.76	119.70
11	B2	59	C	N3-C4-C5	-9.21	118.22	121.90
38	A1	1446	G	O4'-C1'-N9	9.21	115.57	108.20
38	A1	2993	G	C4'-C3'-C2'	-9.21	93.39	102.60
11	B2	486	A	C5-C6-N6	-9.21	116.33	123.70
38	A1	547	C	O4'-C1'-N1	9.21	115.57	108.20
38	A1	2188	C	O4'-C1'-N1	9.21	115.57	108.20
11	B2	1345	G	C6-C5-N7	-9.21	124.87	130.40
38	A1	1741	C	C5-C4-N4	-9.21	113.75	120.20
11	B2	893	U	C5-C6-N1	-9.21	118.10	122.70
38	A1	11	G	C5-C6-N1	-9.21	106.90	111.50
38	A1	973	C	N3-C4-C5	-9.21	118.22	121.90
38	A1	1085	G	C8-N9-C4	-9.21	102.72	106.40
38	A1	2194	A	C8-N9-C4	-9.21	102.12	105.80
11	B2	203	A	C5-N7-C8	9.21	108.50	103.90
38	A1	862	G	C6-C5-N7	-9.21	124.88	130.40
38	A1	2368	G	C4-C5-N7	-9.21	107.12	110.80
38	A1	372	A	C2-N3-C4	-9.20	106.00	110.60
38	A1	2637	U	C6-N1-C2	9.20	126.52	121.00
11	B2	377	A	C8-N9-C4	-9.20	102.12	105.80
38	A1	1056	C	C5-C4-N4	-9.20	113.76	120.20
11	B2	696	G	O4'-C1'-N9	9.20	115.56	108.20
11	B2	934	G	N1-C2-N2	-9.20	107.92	116.20
38	A1	1393	C	C2-N1-C1'	9.20	128.92	118.80
38	A1	1453	G	O4'-C1'-N9	9.20	115.56	108.20
38	A1	2257	A	N1-C2-N3	9.20	133.90	129.30
38	A1	2766	C	C5-C6-N1	9.20	125.60	121.00
11	B2	87	C	O4'-C1'-N1	9.20	115.56	108.20
11	B2	516	A	C5-C6-N1	-9.20	113.10	117.70
38	A1	1656	C	N3-C4-N4	9.20	124.44	118.00
38	A1	1518	G	N1-C6-O6	9.20	125.42	119.90
20	BH	87	ARG	NE-CZ-NH2	9.20	124.90	120.30
10	B1	63	C	N3-C4-C5	-9.20	118.22	121.90
38	A1	222	A	N1-C6-N6	9.20	124.12	118.60
38	A1	2122	G	N1-C2-N3	-9.20	118.38	123.90
38	A1	380	A	N1-C2-N3	9.19	133.90	129.30
38	A1	640	C	C4-C5-C6	9.19	122.00	117.40
38	A1	1036	C	N1-C2-O2	-9.19	113.38	118.90
38	A1	2393	G	N9-C4-C5	9.20	109.08	105.40
38	A1	2855	G	C5-C6-O6	-9.19	123.08	128.60
59	AL	127	ARG	NE-CZ-NH1	9.19	124.90	120.30
11	B2	1150	G	C5-C6-N1	-9.19	106.90	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	BB	201	ARG	NE-CZ-NH2	9.19	124.89	120.30
38	A1	1285	C	O4'-C1'-N1	9.19	115.55	108.20
38	A1	2140	C	O4'-C1'-N1	9.19	115.55	108.20
38	A1	144	A	O4'-C1'-N9	9.19	115.55	108.20
38	A1	722	C	C5-C4-N4	-9.19	113.77	120.20
38	A1	991	U	N1-C2-O2	-9.19	116.37	122.80
38	A1	2464	G	C5-C6-O6	-9.19	123.09	128.60
11	B2	615	G	O4'-C1'-N9	9.19	115.55	108.20
38	A1	1344	C	P-O3'-C3'	-9.19	108.67	119.70
38	A1	2259	G	C5-C6-O6	-9.19	123.09	128.60
11	B2	382	G	O4'-C1'-N9	9.19	115.55	108.20
38	A1	120	G	N7-C8-N9	9.19	117.69	113.10
38	A1	1132	U	N1-C2-N3	-9.19	109.39	114.90
11	B2	243	G	O4'-C1'-N9	9.19	115.55	108.20
11	B2	453	G	N9-C4-C5	-9.19	101.73	105.40
11	B2	325	A	N1-C6-N6	9.18	124.11	118.60
38	A1	130	G	C5-C6-O6	-9.18	123.09	128.60
38	A1	1836	A	N7-C8-N9	-9.18	109.21	113.80
39	A3	85	C	O4'-C1'-N1	9.18	115.55	108.20
38	A1	578	C	O4'-C1'-N1	9.18	115.55	108.20
38	A1	2895	G	N1-C6-O6	9.18	125.41	119.90
38	A1	84	A	O4'-C1'-N9	9.18	115.55	108.20
38	A1	1417	U	C6-N1-C2	9.18	126.51	121.00
38	A1	1083	G	O4'-C1'-N9	9.18	115.54	108.20
38	A1	1601	G	P-O3'-C3'	9.18	130.71	119.70
38	A1	1857	A	C5-C6-N1	-9.18	113.11	117.70
38	A1	2612	A	C5-C6-N1	-9.18	113.11	117.70
11	B2	363	C	N3-C4-N4	9.18	124.42	118.00
11	B2	990	G	N1-C2-N3	-9.18	118.39	123.90
38	A1	1979	G	C8-N9-C4	-9.18	102.73	106.40
11	B2	539	C	O4'-C1'-N1	9.18	115.54	108.20
38	A1	2683	G	O4'-C1'-N9	9.18	115.54	108.20
11	B2	609	G	N1-C6-O6	9.17	125.40	119.90
11	B2	1333	G	C5-C6-O6	-9.17	123.09	128.60
38	A1	316	G	N9-C4-C5	-9.17	101.73	105.40
38	A1	2129	G	C4-C5-N7	-9.17	107.13	110.80
11	B2	1451	C	C4-C5-C6	9.17	121.98	117.40
38	A1	1982	C	C5-C4-N4	-9.17	113.78	120.20
38	A1	2128	G	N9-C4-C5	-9.17	101.73	105.40
11	B2	229	G	P-O5'-C5'	-9.17	106.23	120.90
11	B2	1006	C	C2-N1-C1'	9.17	128.89	118.80
38	A1	140	C	C2-N3-C4	-9.17	115.31	119.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1942	G	C5-N7-C8	9.17	108.89	104.30
38	A1	2013	A	C5-N7-C8	9.17	108.48	103.90
38	A1	2083	G	C8-N9-C4	-9.17	102.73	106.40
38	A1	2293	G	C5-C6-O6	-9.17	123.10	128.60
61	AN	163	ARG	NE-CZ-NH2	-9.17	115.72	120.30
11	B2	1298	G	C5-C6-O6	-9.17	123.10	128.60
38	A1	224	G	N1-C2-N3	-9.17	118.40	123.90
38	A1	919	G	C8-N9-C4	-9.17	102.73	106.40
38	A1	2243	G	C2-N3-C4	9.17	116.48	111.90
38	A1	2596	G	C5-C6-O6	-9.17	123.10	128.60
38	A1	1559	A	N9-C4-C5	-9.17	102.13	105.80
38	A1	2741	U	N3-C2-O2	9.17	128.62	122.20
14	BB	62	PHE	CB-CG-CD2	9.16	127.22	120.80
38	A1	472	A	C5-C6-N6	-9.16	116.37	123.70
11	B2	500	A	N1-C6-N6	9.16	124.10	118.60
38	A1	699	A	C5-C6-N1	-9.16	113.12	117.70
38	A1	1004	U	C5-C4-O4	-9.16	120.40	125.90
38	A1	1214	C	C6-N1-C2	-9.16	116.63	120.30
38	A1	1841	G	N1-C2-N3	-9.16	118.40	123.90
38	A1	2143	C	C2-N3-C4	9.16	124.48	119.90
38	A1	2267	U	C4-C5-C6	9.16	125.20	119.70
38	A1	2947	G	C6-C5-N7	-9.16	124.90	130.40
39	A3	82	C	N3-C4-C5	-9.16	118.23	121.90
11	B2	874	G	C5-C6-O6	-9.16	123.10	128.60
38	A1	539	A	C5-C6-N6	-9.16	116.37	123.70
38	A1	1705	C	N3-C4-C5	-9.16	118.24	121.90
11	B2	416	A	O4'-C1'-N9	9.16	115.53	108.20
38	A1	875	G	N1-C6-O6	9.16	125.40	119.90
38	A1	1043	U	O4'-C1'-N1	9.16	115.53	108.20
38	A1	2494	A	N9-C4-C5	9.16	109.47	105.80
38	A1	1235	A	N1-C6-N6	9.16	124.10	118.60
11	B2	66	G	C4-C5-N7	9.16	114.46	110.80
11	B2	729	G	N1-C2-N3	-9.16	118.41	123.90
11	B2	1413	G	C3'-C2'-C1'	-9.16	94.17	101.50
38	A1	2736	G	C5-C6-O6	-9.16	123.11	128.60
11	B2	795	G	C5-C6-O6	-9.16	123.11	128.60
11	B2	819	G	C5-C6-O6	-9.16	123.11	128.60
11	B2	866	A	C8-N9-C4	-9.16	102.14	105.80
38	A1	1961	G	C5-N7-C8	9.16	108.88	104.30
38	A1	2450	A	P-O3'-C3'	9.16	130.69	119.70
29	BQ	55	ARG	NE-CZ-NH1	9.15	124.88	120.30
38	A1	1875	U	O4'-C1'-N1	9.15	115.52	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	883	G	N1-C6-O6	9.15	125.39	119.90
38	A1	491	G	C4-C5-N7	9.15	114.46	110.80
38	A1	1554	G	P-O5'-C5'	9.15	135.54	120.90
38	A1	2578	C	O4'-C1'-N1	9.15	115.52	108.20
38	A1	2977	G	C5-C6-O6	-9.15	123.11	128.60
11	B2	1429	G	N1-C6-O6	9.15	125.39	119.90
38	A1	599	G	P-O3'-C3'	9.15	130.68	119.70
38	A1	869	A	C5-C6-N6	-9.15	116.38	123.70
38	A1	1643	A	C5-C6-N6	-9.15	116.38	123.70
38	A1	1089	C	O4'-C1'-N1	9.15	115.52	108.20
38	A1	1881	A	C4-C5-C6	9.15	121.58	117.00
38	A1	2206	G	N3-C2-N2	9.15	126.31	119.90
38	A1	2512	C	N3-C4-N4	9.15	124.41	118.00
11	B2	122	C	C4-C5-C6	9.15	121.97	117.40
11	B2	344	G	N1-C2-N3	-9.15	118.41	123.90
11	B2	720	A	N1-C2-N3	-9.15	124.73	129.30
11	B2	965	G	N1-C6-O6	9.15	125.39	119.90
38	A1	1053	A	C5-C6-N1	-9.15	113.13	117.70
38	A1	1347	U	C5-C4-O4	-9.15	120.41	125.90
11	B2	1200	U	O4'-C1'-N1	9.15	115.52	108.20
38	A1	1367	A	C8-N9-C4	-9.15	102.14	105.80
38	A1	1979	G	N1-C6-O6	9.15	125.39	119.90
11	B2	639	G	C2-N3-C4	-9.14	107.33	111.90
11	B2	595	U	N3-C4-O4	9.14	125.80	119.40
38	A1	363	G	P-O5'-C5'	9.14	135.53	120.90
38	A1	457	C	C5-C4-N4	-9.14	113.80	120.20
38	A1	1113	G	C5-C6-N1	9.14	116.07	111.50
38	A1	1165	C	O4'-C1'-N1	9.14	115.52	108.20
38	A1	2525	C	N3-C4-C5	-9.14	118.24	121.90
11	B2	258	A	C5-C6-N6	-9.14	116.39	123.70
11	B2	332	C	C6-N1-C2	9.14	123.96	120.30
11	B2	1304	C	N3-C4-N4	9.14	124.40	118.00
11	B2	1473	A	C5-C6-N6	-9.14	116.39	123.70
38	A1	63	A	N1-C6-N6	9.14	124.08	118.60
38	A1	135	U	C5-C6-N1	9.14	127.27	122.70
38	A1	221	G	N7-C8-N9	-9.14	108.53	113.10
38	A1	2537	G	C5-C6-O6	-9.14	123.12	128.60
11	B2	688	C	O4'-C1'-N1	9.14	115.51	108.20
11	B2	1265	G	C5-C6-O6	-9.14	123.12	128.60
38	A1	1868	C	N3-C2-O2	9.14	128.30	121.90
11	B2	1069	G	C2-N3-C4	-9.14	107.33	111.90
38	A1	133	G	O4'-C1'-N9	9.14	115.51	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1134	A	N7-C8-N9	-9.14	109.23	113.80
38	A1	1310	A	N9-C4-C5	9.14	109.45	105.80
38	A1	2260	C	N3-C4-C5	-9.14	118.25	121.90
38	A1	2596	G	N7-C8-N9	9.14	117.67	113.10
38	A1	2861	A	O4'-C1'-N9	9.14	115.51	108.20
11	B2	671	C	P-O3'-C3'	9.14	130.66	119.70
11	B2	22	G	N1-C6-O6	9.13	125.38	119.90
11	B2	551	U	N3-C2-O2	9.13	128.59	122.20
38	A1	27	G	N1-C6-O6	9.13	125.38	119.90
38	A1	83	G	N1-C6-O6	9.13	125.38	119.90
38	A1	617	G	N1-C2-N3	-9.13	118.42	123.90
38	A1	766	G	N9-C4-C5	9.13	109.05	105.40
38	A1	2793	C	P-O3'-C3'	9.13	130.66	119.70
11	B2	34	G	N1-C6-O6	9.13	125.38	119.90
11	B2	805	C	N3-C4-C5	-9.13	118.25	121.90
11	B2	1174	A	C5-C6-N6	-9.13	116.39	123.70
38	A1	37	C	O4'-C1'-N1	9.13	115.50	108.20
38	A1	1078	G	P-O3'-C3'	-9.13	108.74	119.70
38	A1	1228	G	N1-C2-N2	-9.13	107.98	116.20
38	A1	1257	G	O4'-C1'-N9	9.13	115.51	108.20
43	AB	238	ARG	NE-CZ-NH1	9.13	124.87	120.30
11	B2	447	A	C4-C5-C6	9.13	121.56	117.00
11	B2	468	G	C5-C6-N1	-9.13	106.94	111.50
38	A1	144	A	C5-C6-N1	-9.13	113.14	117.70
11	B2	561	A	C5-C6-N6	-9.13	116.40	123.70
11	B2	649	A	C2-N3-C4	-9.13	106.04	110.60
38	A1	103	A	O4'-C1'-N9	9.13	115.50	108.20
38	A1	944	G	O4'-C1'-N9	9.13	115.50	108.20
38	A1	1012	G	C5-C6-O6	-9.13	123.12	128.60
38	A1	1763	A	N7-C8-N9	-9.13	109.24	113.80
38	A1	2244	G	C5-C6-O6	-9.13	123.12	128.60
11	B2	385	A	O4'-C1'-N9	9.13	115.50	108.20
38	A1	1843	C	C5-C6-N1	9.12	125.56	121.00
38	A1	1945	C	N3-C4-N4	9.12	124.39	118.00
38	A1	2296	A	N3-C4-C5	-9.13	120.41	126.80
38	A1	2310	G	C4-C5-N7	9.13	114.45	110.80
38	A1	2472	A	C4-C5-C6	9.12	121.56	117.00
11	B2	54	C	N3-C4-C5	-9.12	118.25	121.90
38	A1	1655	G	N9-C4-C5	-9.12	101.75	105.40
38	A1	1801	C	N3-C4-C5	-9.12	118.25	121.90
38	A1	2537	G	C6-C5-N7	-9.12	124.93	130.40
11	B2	602	G	C6-C5-N7	-9.12	124.93	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1111	G	N1-C2-N3	-9.12	118.43	123.90
38	A1	422	G	N1-C6-O6	9.12	125.37	119.90
38	A1	2289	A	C5-N7-C8	9.12	108.46	103.90
38	A1	2650	G	O4'-C1'-N9	9.12	115.50	108.20
11	B2	1467	U	O4'-C1'-N1	9.12	115.50	108.20
13	BA	98	ARG	NE-CZ-NH2	9.12	124.86	120.30
38	A1	1108	A	N1-C6-N6	9.12	124.07	118.60
38	A1	1754	A	C5-C6-N6	-9.12	116.41	123.70
38	A1	1908	C	O4'-C1'-N1	9.12	115.50	108.20
11	B2	1420	U	N1-C2-N3	9.12	120.37	114.90
38	A1	442	G	N1-C2-N3	-9.12	118.43	123.90
38	A1	1650	U	O4'-C1'-N1	9.12	115.49	108.20
38	A1	2400	U	N3-C4-O4	9.12	125.78	119.40
67	AZ	25	ARG	NE-CZ-NH1	-9.12	115.74	120.30
38	A1	1845	C	N3-C4-C5	-9.12	118.25	121.90
11	B2	582	G	O4'-C1'-N9	9.11	115.49	108.20
38	A1	196	A	O4'-C1'-N9	9.12	115.49	108.20
38	A1	258	C	C5-C6-N1	9.11	125.56	121.00
38	A1	776	G	N9-C4-C5	9.12	109.05	105.40
38	A1	855	G	O4'-C1'-N9	9.12	115.49	108.20
38	A1	1381	C	C6-N1-C2	9.12	123.95	120.30
38	A1	1145	G	P-O3'-C3'	9.11	130.64	119.70
38	A1	1836	A	O4'-C1'-N9	9.11	115.49	108.20
38	A1	2720	U	N1-C2-O2	-9.12	116.42	122.80
38	A1	2533	G	O4'-C1'-N9	9.11	115.49	108.20
11	B2	588	C	O4'-C1'-N1	9.11	115.49	108.20
11	B2	1066	C	C4-C5-C6	9.11	121.96	117.40
38	A1	224	G	C5-C6-O6	-9.11	123.13	128.60
38	A1	749	G	O4'-C1'-N9	9.11	115.49	108.20
38	A1	978	C	C6-N1-C2	9.11	123.94	120.30
38	A1	2692	A	N1-C6-N6	9.11	124.07	118.60
41	AA	95	ARG	NE-CZ-NH2	-9.11	115.74	120.30
61	AN	22	TYR	CB-CG-CD2	-9.11	115.53	121.00
39	A3	61	C	N1-C2-O2	-9.11	113.43	118.90
10	B1	54	G	C5-C6-N1	-9.11	106.95	111.50
11	B2	636	G	C4-C5-C6	9.11	124.27	118.80
11	B2	1310	C	C5-C6-N1	9.11	125.55	121.00
38	A1	355	G	C4-C5-N7	9.11	114.44	110.80
38	A1	879	A	C2-N3-C4	-9.11	106.05	110.60
11	B2	261	G	N1-C2-N3	-9.11	118.44	123.90
11	B2	294	A	C5-C6-N1	-9.11	113.15	117.70
11	B2	323	A	C8-N9-C4	-9.11	102.16	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	800	G	C5-C6-O6	-9.11	123.14	128.60
11	B2	834	C	N3-C4-C5	-9.11	118.26	121.90
38	A1	437	G	C4-C5-N7	-9.11	107.16	110.80
38	A1	448	A	C5-C6-N1	-9.11	113.15	117.70
38	A1	1625	A	N1-C6-N6	9.11	124.06	118.60
38	A1	2879	G	C5-C6-O6	-9.11	123.14	128.60
11	B2	100	A	C4-C5-N7	-9.10	106.15	110.70
11	B2	593	G	N1-C2-N3	-9.10	118.44	123.90
11	B2	666	G	N1-C6-O6	9.10	125.36	119.90
38	A1	456	G	C5-C6-O6	-9.10	123.14	128.60
38	A1	560	G	C8-N9-C4	-9.10	102.76	106.40
11	B2	902	U	O4'-C1'-N1	9.10	115.48	108.20
11	B2	956	C	N1-C2-O2	9.10	124.36	118.90
38	A1	652	G	C2-N3-C4	9.10	116.45	111.90
11	B2	395	C	C6-N1-C2	-9.10	116.66	120.30
11	B2	535	U	O4'-C1'-N1	9.10	115.48	108.20
38	A1	472	A	N9-C4-C5	9.10	109.44	105.80
38	A1	2043	A	C5-C6-N1	-9.10	113.15	117.70
38	A1	2513	C	O4'-C1'-N1	9.10	115.48	108.20
11	B2	786	G	C5-C6-N1	-9.10	106.95	111.50
11	B2	1103	G	C8-N9-C4	9.10	110.04	106.40
38	A1	692	C	O4'-C1'-N1	9.10	115.48	108.20
38	A1	2118	C	N3-C4-C5	-9.10	118.26	121.90
38	A1	2768	C	N3-C4-C5	-9.10	118.26	121.90
38	A1	2787	G	O4'-C1'-N9	9.10	115.48	108.20
11	B2	611	A	O4'-C1'-N9	9.10	115.48	108.20
11	B2	712	G	C2-N3-C4	9.10	116.45	111.90
11	B2	712	G	C8-N9-C4	-9.10	102.76	106.40
38	A1	30	G	C5-C6-O6	-9.10	123.14	128.60
38	A1	2474	A	N3-C4-C5	-9.10	120.43	126.80
38	A1	2569	G	N3-C2-N2	9.10	126.27	119.90
38	A1	783	C	O4'-C1'-N1	9.09	115.48	108.20
11	B2	497	C	C2-N1-C1'	9.09	128.80	118.80
38	A1	380	A	O4'-C1'-N9	9.09	115.47	108.20
38	A1	1593	C	N3-C4-N4	9.09	124.36	118.00
38	A1	2301	C	C4'-C3'-C2'	-9.09	93.51	102.60
11	B2	1111	G	N1-C6-O6	9.09	125.35	119.90
28	BP	27	TYR	CB-CG-CD1	-9.09	115.55	121.00
38	A1	998	G	C5-C6-O6	-9.09	123.15	128.60
38	A1	2128	G	C2-N3-C4	-9.09	107.36	111.90
38	A1	2285	G	P-O3'-C3'	9.09	130.61	119.70
38	A1	869	A	C5-C6-N1	-9.09	113.16	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1186	G	P-O3'-C3'	9.09	130.60	119.70
38	A1	1336	G	O4'-C1'-N9	9.09	115.47	108.20
38	A1	2445	G	N7-C8-N9	9.09	117.64	113.10
11	B2	510	A	C4-C5-C6	9.09	121.54	117.00
20	BH	174	TYR	CB-CG-CD1	9.09	126.45	121.00
38	A1	1797	A	N1-C6-N6	9.09	124.05	118.60
38	A1	1872	G	C5-C6-O6	-9.09	123.15	128.60
39	A3	84	U	P-O5'-C5'	9.09	135.44	120.90
11	B2	562	A	N9-C4-C5	9.08	109.43	105.80
38	A1	363	G	C5-C6-O6	-9.08	123.15	128.60
38	A1	1516	C	C4-C5-C6	9.08	121.94	117.40
11	B2	601	G	N1-C2-N3	-9.08	118.45	123.90
11	B2	1102	A	C5-C6-N1	-9.08	113.16	117.70
38	A1	1668	G	N1-C2-N3	-9.08	118.45	123.90
38	A1	2429	G	N1-C2-N3	-9.08	118.45	123.90
11	B2	327	G	C6-C5-N7	-9.08	124.95	130.40
11	B2	418	G	N1-C2-N3	-9.08	118.45	123.90
11	B2	453	G	C4-C5-N7	9.08	114.43	110.80
11	B2	612	C	N3-C4-C5	-9.08	118.27	121.90
11	B2	913	G	C8-N9-C4	-9.08	102.77	106.40
11	B2	954	G	C6-C5-N7	-9.08	124.95	130.40
38	A1	19	G	C5-C6-N1	9.08	116.04	111.50
38	A1	1042	G	C5-C6-N1	-9.08	106.96	111.50
38	A1	1734	G	N3-C2-N2	9.08	126.25	119.90
38	A1	2493	A	C5-N7-C8	9.08	108.44	103.90
38	A1	2740	G	N3-C2-N2	9.08	126.26	119.90
38	A1	2812	U	C5-C4-O4	9.08	131.35	125.90
51	Ag	13	LYS	N-CA-CB	9.08	126.94	110.60
11	B2	1063	A	C4-C5-N7	-9.08	106.16	110.70
11	B2	1388	G	N1-C2-N3	-9.08	118.45	123.90
38	A1	33	U	P-O3'-C3'	-9.08	108.81	119.70
38	A1	199	C	C6-N1-C2	-9.08	116.67	120.30
38	A1	515	G	C8-N9-C4	-9.08	102.77	106.40
11	B2	136	A	C8-N9-C4	-9.08	102.17	105.80
11	B2	1207	G	N3-C4-C5	9.08	133.14	128.60
38	A1	2854	A	C5-N7-C8	9.08	108.44	103.90
38	A1	2943	G	C5-C6-O6	-9.08	123.16	128.60
38	A1	2605	G	N1-C6-O6	9.07	125.34	119.90
10	B1	17	C	N3-C4-N4	9.07	124.35	118.00
11	B2	239	A	C5-C6-N6	-9.07	116.44	123.70
11	B2	322	G	N1-C6-O6	9.07	125.34	119.90
38	A1	21	C	C5-C6-N1	9.07	125.54	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	250	G	O4'-C1'-N9	9.07	115.46	108.20
38	A1	1202	G	O4'-C1'-N9	9.07	115.46	108.20
38	A1	1325	A	C5-C6-N1	-9.07	113.16	117.70
38	A1	1662	C	N3-C4-C5	-9.07	118.27	121.90
38	A1	1876	G	N1-C6-O6	9.07	125.34	119.90
38	A1	2998	G	P-O3'-C3'	9.07	130.59	119.70
11	B2	592	G	N1-C2-N3	-9.07	118.46	123.90
11	B2	681	G	O4'-C1'-N9	9.07	115.46	108.20
11	B2	1251	C	O4'-C1'-N1	9.07	115.46	108.20
38	A1	209	G	N1-C6-O6	9.07	125.34	119.90
38	A1	222	A	O4'-C1'-N9	9.07	115.46	108.20
38	A1	909	A	C5-C6-N6	-9.07	116.44	123.70
38	A1	1840	G	N3-C2-N2	9.07	126.25	119.90
38	A1	437	G	C5-N7-C8	9.07	108.83	104.30
38	A1	2089	C	N3-C4-C5	-9.07	118.27	121.90
11	B2	1114	G	N7-C8-N9	9.07	117.63	113.10
11	B2	1417	A	C2-N3-C4	-9.07	106.07	110.60
11	B2	1480	G	C5-C6-O6	-9.07	123.16	128.60
38	A1	664	A	C6-N1-C2	9.07	124.04	118.60
38	A1	1275	G	C5-C6-N1	-9.07	106.97	111.50
38	A1	1446	G	N9-C4-C5	-9.07	101.77	105.40
38	A1	889	C	N3-C4-C5	-9.07	118.27	121.90
38	A1	1711	C	C2-N3-C4	9.07	124.43	119.90
38	A1	1878	G	N1-C2-N3	-9.07	118.46	123.90
38	A1	2434	A	C8-N9-C4	-9.07	102.17	105.80
38	A1	2898	G	C4-C5-N7	-9.07	107.17	110.80
45	AC	250	ARG	NE-CZ-NH2	9.07	124.83	120.30
13	BA	115	TYR	CB-CG-CD1	9.06	126.44	121.00
38	A1	1712	U	O4'-C1'-N1	9.06	115.45	108.20
11	B2	133	G	O4'-C1'-N9	9.06	115.45	108.20
16	BD	122	ARG	NE-CZ-NH2	-9.06	115.77	120.30
38	A1	22	C	C5-C4-N4	-9.06	113.86	120.20
38	A1	254	A	C4-C5-N7	-9.06	106.17	110.70
38	A1	1951	G	N3-C4-C5	-9.06	124.07	128.60
38	A1	2385	G	C5-C6-O6	-9.06	123.16	128.60
11	B2	210	A	C5-C6-N1	-9.06	113.17	117.70
38	A1	2238	G	O4'-C1'-N9	9.06	115.45	108.20
11	B2	353	G	C5-C6-O6	-9.06	123.17	128.60
38	A1	248	C	N3-C4-C5	-9.06	118.28	121.90
38	A1	701	G	C8-N9-C4	-9.06	102.78	106.40
38	A1	1209	A	P-O3'-C3'	9.06	130.57	119.70
38	A1	1275	G	C6-C5-N7	-9.06	124.97	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2192	G	O4'-C1'-N9	9.06	115.45	108.20
11	B2	400	G	C4-C5-N7	-9.05	107.18	110.80
11	B2	1402	C	N3-C4-N4	9.06	124.34	118.00
11	B2	1464	C	C6-N1-C2	-9.06	116.68	120.30
11	B2	729	G	C6-C5-N7	-9.05	124.97	130.40
38	A1	83	G	O3'-P-O5'	-9.05	86.80	104.00
38	A1	563	A	C4-C5-N7	-9.05	106.17	110.70
38	A1	1714	G	C6-N1-C2	9.05	130.53	125.10
38	A1	2235	G	C4-C5-C6	9.05	124.23	118.80
38	A1	2299	G	C5-C6-N1	-9.05	106.97	111.50
38	A1	2679	A	O4'-C1'-N9	9.05	115.44	108.20
49	Ae	25	ARG	NE-CZ-NH2	-9.05	115.77	120.30
11	B2	213	C	O4'-C1'-N1	9.05	115.44	108.20
11	B2	619	A	O4'-C1'-N9	9.05	115.44	108.20
11	B2	1095	C	O4'-C1'-N1	9.05	115.44	108.20
11	B2	1461	U	C3'-C2'-C1'	9.05	108.74	101.50
38	A1	1701	C	O4'-C1'-N1	9.05	115.44	108.20
10	B1	73	C	N3-C4-N4	9.05	124.33	118.00
11	B2	1413	G	N1-C6-O6	9.05	125.33	119.90
10	B1	55	U	C5-C4-O4	9.05	131.33	125.90
11	B2	506	G	C6-C5-N7	-9.05	124.97	130.40
11	B2	558	C	O4'-C1'-N1	9.05	115.44	108.20
11	B2	1074	C	C5-C4-N4	-9.05	113.87	120.20
38	A1	304	G	O4'-C1'-N9	9.05	115.44	108.20
38	A1	723	A	N7-C8-N9	-9.05	109.28	113.80
38	A1	2834	C	O4'-C1'-N1	9.05	115.44	108.20
11	B2	792	C	C2-N3-C4	9.05	124.42	119.90
38	A1	42	G	O4'-C1'-N9	9.05	115.44	108.20
38	A1	680	U	O4'-C1'-N1	9.05	115.44	108.20
38	A1	2831	G	C5-C6-N1	-9.05	106.98	111.50
11	B2	74	U	N3-C4-O4	9.05	125.73	119.40
38	A1	741	G	N3-C2-N2	9.05	126.23	119.90
38	A1	2359	G	C5-C6-O6	-9.05	123.17	128.60
11	B2	314	G	C5-C6-O6	-9.04	123.17	128.60
11	B2	320	G	C5-C6-N1	-9.04	106.98	111.50
11	B2	352	A	N9-C4-C5	9.04	109.42	105.80
11	B2	357	C	C5-C4-N4	-9.04	113.87	120.20
38	A1	542	A	N1-C2-N3	9.04	133.82	129.30
38	A1	2452	C	C5-C4-N4	-9.04	113.87	120.20
11	B2	198	A	N1-C6-N6	9.04	124.03	118.60
11	B2	468	G	C2-N3-C4	-9.04	107.38	111.90
35	BW	15	ARG	NE-CZ-NH2	-9.04	115.78	120.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	324	C	P-O3'-C3'	9.04	130.55	119.70
38	A1	939	A	N1-C2-N3	9.04	133.82	129.30
38	A1	2593	A	O4'-C1'-N9	9.04	115.44	108.20
38	A1	2717	A	C5'-C4'-O4'	9.04	119.95	109.10
38	A1	961	C	C4-C5-C6	9.04	121.92	117.40
11	B2	1161	A	C8-N9-C4	-9.04	102.19	105.80
38	A1	1530	A	C2-N3-C4	-9.04	106.08	110.60
38	A1	2034	G	C4-C5-N7	9.04	114.42	110.80
38	A1	2721	C	O4'-C1'-N1	9.04	115.43	108.20
34	BV	77	ARG	NE-CZ-NH2	-9.04	115.78	120.30
38	A1	584	G	N7-C8-N9	-9.04	108.58	113.10
38	A1	2792	G	O4'-C1'-N9	9.04	115.43	108.20
38	A1	2146	C	N3-C4-N4	9.04	124.33	118.00
38	A1	2494	A	C8-N9-C4	-9.04	102.19	105.80
38	A1	2781	A	N1-C6-N6	9.04	124.02	118.60
39	A3	5	G	C5-N7-C8	-9.04	99.78	104.30
11	B2	813	G	C5-C6-O6	-9.04	123.18	128.60
38	A1	195	U	C2-N3-C4	9.04	132.42	127.00
38	A1	176	G	O4'-C1'-N9	9.03	115.43	108.20
38	A1	802	G	C4-C5-C6	9.04	124.22	118.80
38	A1	1170	G	N1-C6-O6	9.04	125.32	119.90
38	A1	1502	C	C5-C4-N4	-9.04	113.88	120.20
38	A1	2257	A	C8-N9-C4	-9.03	102.19	105.80
11	B2	1045	A	C6-N1-C2	-9.03	113.18	118.60
38	A1	483	C	C6-N1-C2	-9.03	116.69	120.30
38	A1	1037	C	N3-C4-N4	9.03	124.32	118.00
38	A1	1134	A	C4-C5-C6	9.03	121.52	117.00
38	A1	2467	C	N3-C4-C5	-9.03	118.29	121.90
63	AP	117	ARG	NE-CZ-NH1	9.03	124.82	120.30
38	A1	2835	A	C8-N9-C4	9.03	109.41	105.80
39	A3	111	G	C4-C5-C6	9.03	124.22	118.80
59	AL	95	TYR	CB-CG-CD2	9.03	126.42	121.00
10	B1	42	C	C4-C5-C6	9.03	121.92	117.40
11	B2	280	C	C5-C4-N4	-9.03	113.88	120.20
11	B2	733	C	C2-N3-C4	9.03	124.42	119.90
38	A1	611	G	C4-C5-C6	9.03	124.22	118.80
38	A1	2293	G	N1-C6-O6	9.03	125.32	119.90
11	B2	117	C	N3-C4-N4	9.03	124.32	118.00
11	B2	738	C	N3-C4-C5	-9.03	118.29	121.90
38	A1	1194	G	N3-C2-N2	9.03	126.22	119.90
38	A1	1480	G	N1-C6-O6	9.03	125.32	119.90
38	A1	2969	G	N1-C6-O6	9.03	125.32	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	773	A	C5-C6-N6	-9.03	116.48	123.70
38	A1	981	A	C4-C5-C6	9.03	121.51	117.00
38	A1	1605	A	O4'-C1'-N9	9.03	115.42	108.20
38	A1	1842	C	N3-C4-N4	9.03	124.32	118.00
38	A1	2055	U	O4'-C1'-N1	9.03	115.42	108.20
38	A1	2668	G	C6-C5-N7	-9.03	124.98	130.40
38	A1	2722	G	C5-C6-O6	-9.03	123.19	128.60
11	B2	372	G	C2-N3-C4	9.02	116.41	111.90
11	B2	765	U	N3-C4-C5	-9.02	109.19	114.60
38	A1	84	A	P-O3'-C3'	9.02	130.53	119.70
38	A1	664	A	C6-C5-N7	-9.02	125.98	132.30
38	A1	1342	G	N1-C6-O6	9.02	125.31	119.90
38	A1	2548	A	C4-C5-C6	9.02	121.51	117.00
38	A1	2878	A	N1-C6-N6	9.02	124.01	118.60
38	A1	87	C	C6-N1-C2	-9.02	116.69	120.30
38	A1	165	G	O4'-C1'-N9	9.02	115.42	108.20
38	A1	875	G	N1-C2-N3	-9.02	118.49	123.90
38	A1	2083	G	N1-C6-O6	9.02	125.31	119.90
38	A1	1176	C	O4'-C1'-N1	9.02	115.42	108.20
38	A1	1521	G	C5-C6-O6	-9.02	123.19	128.60
64	AR	73	TYR	CB-CG-CD2	-9.02	115.59	121.00
11	B2	426	C	O4'-C1'-N1	9.02	115.42	108.20
11	B2	1061	A	C4-C5-C6	9.02	121.51	117.00
38	A1	786	G	C5-C6-O6	-9.02	123.19	128.60
38	A1	1589	G	C5-C6-O6	-9.02	123.19	128.60
38	A1	1908	C	N3-C4-N4	9.02	124.31	118.00
38	A1	2897	C	C2-N3-C4	9.02	124.41	119.90
11	B2	591	G	N1-C2-N3	-9.02	118.49	123.90
11	B2	1152	C	N3-C4-C5	-9.02	118.29	121.90
11	B2	1215	G	N3-C4-C5	-9.02	124.09	128.60
38	A1	41	G	C5-C6-O6	-9.02	123.19	128.60
38	A1	238	C	C6-N1-C2	9.02	123.91	120.30
38	A1	2299	G	C8-N9-C4	-9.02	102.79	106.40
61	AN	36	MET	CG-SD-CE	9.02	114.63	100.20
38	A1	2860	G	O4'-C1'-N9	9.02	115.41	108.20
10	B1	40	U	O4'-C1'-N1	9.02	115.41	108.20
11	B2	266	A	C4-C5-C6	9.02	121.51	117.00
38	A1	1634	A	C5-C6-N1	-9.02	113.19	117.70
11	B2	645	G	C5-C6-O6	-9.01	123.19	128.60
11	B2	752	G	C5-C6-N1	-9.01	106.99	111.50
38	A1	349	A	N9-C4-C5	9.01	109.41	105.80
38	A1	620	G	N1-C6-O6	9.01	125.31	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1728	C	N3-C4-C5	-9.01	118.30	121.90
38	A1	1782	C	N3-C4-C5	-9.01	118.30	121.90
38	A1	2048	C	N3-C4-N4	9.01	124.31	118.00
38	A1	2402	A	C6-N1-C2	-9.01	113.19	118.60
38	A1	2877	A	P-O3'-C3'	9.01	130.51	119.70
11	B2	1300	A	O4'-C1'-N9	9.01	115.41	108.20
38	A1	789	G	C5-C6-O6	-9.01	123.19	128.60
38	A1	2827	C	O4'-C1'-N1	9.01	115.41	108.20
11	B2	371	U	C5-C6-N1	9.01	127.20	122.70
11	B2	754	G	C5-C6-O6	-9.01	123.19	128.60
38	A1	1465	A	C5-C6-N6	-9.01	116.49	123.70
38	A1	2009	G	C2-N3-C4	-9.01	107.39	111.90
38	A1	2658	G	C5-C6-O6	-9.01	123.19	128.60
11	B2	534	G	N3-C2-N2	9.01	126.20	119.90
11	B2	625	G	C5-N7-C8	9.01	108.80	104.30
11	B2	1233	G	C6-N1-C2	9.01	130.50	125.10
11	B2	1410	G	O4'-C1'-N9	9.01	115.41	108.20
38	A1	476	C	C2-N3-C4	9.01	124.40	119.90
38	A1	1375	G	N1-C6-O6	9.01	125.31	119.90
38	A1	1499	C	C2-N3-C4	9.01	124.40	119.90
38	A1	2597	A	C4-C5-C6	9.01	121.50	117.00
38	A1	3009	C	C4'-C3'-C2'	-9.01	93.59	102.60
11	B2	793	G	O4'-C1'-N9	9.01	115.40	108.20
10	B1	28	C	N3-C4-N4	9.00	124.30	118.00
11	B2	511	C	N3-C4-C5	-9.00	118.30	121.90
11	B2	666	G	N9-C4-C5	-9.00	101.80	105.40
38	A1	1009	G	O4'-C1'-N9	9.00	115.40	108.20
38	A1	1054	A	N1-C6-N6	9.00	124.00	118.60
38	A1	1248	C	O4'-C1'-N1	9.00	115.40	108.20
38	A1	2550	A	O4'-C1'-N9	9.00	115.40	108.20
11	B2	945	G	C4-C5-N7	-9.00	107.20	110.80
38	A1	399	C	O4'-C1'-N1	9.00	115.40	108.20
38	A1	1412	C	N1-C2-N3	-9.00	112.90	119.20
38	A1	2369	G	C5-C6-O6	-9.00	123.20	128.60
11	B2	400	G	O4'-C1'-N9	9.00	115.40	108.20
11	B2	1106	A	N1-C6-N6	9.00	124.00	118.60
38	A1	221	G	C6-C5-N7	-9.00	125.00	130.40
38	A1	243	G	N7-C8-N9	9.00	117.60	113.10
38	A1	614	G	C2-N3-C4	9.00	116.40	111.90
38	A1	1052	G	N3-C2-N2	9.00	126.20	119.90
11	B2	474	G	N1-C6-O6	8.99	125.30	119.90
11	B2	1414	G	C1'-O4'-C4'	8.99	117.10	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1983	C	C2-N3-C4	8.99	124.40	119.90
11	B2	485	A	C5-C6-N6	-8.99	116.51	123.70
11	B2	850	A	N9-C4-C5	-8.99	102.20	105.80
38	A1	485	G	C4-C5-C6	8.99	124.20	118.80
38	A1	939	A	C2-N3-C4	-8.99	106.10	110.60
38	A1	1964	G	C6-C5-N7	-8.99	125.00	130.40
38	A1	120	G	N1-C6-O6	8.99	125.30	119.90
38	A1	220	C	O4'-C1'-N1	8.99	115.39	108.20
38	A1	405	G	C4-C5-C6	8.99	124.19	118.80
38	A1	588	U	C6-N1-C2	-8.99	115.60	121.00
38	A1	988	C	N3-C4-N4	8.99	124.30	118.00
38	A1	1374	G	N3-C2-N2	8.99	126.19	119.90
38	A1	2058	C	O4'-C1'-N1	8.99	115.39	108.20
10	B1	7	G	N1-C2-N3	-8.99	118.51	123.90
38	A1	1386	G	C2-N3-C4	8.99	116.39	111.90
38	A1	1495	A	C5-C6-N1	-8.99	113.21	117.70
38	A1	2175	G	N1-C6-O6	8.99	125.29	119.90
11	B2	1086	C	P-O3'-C3'	-8.99	108.91	119.70
11	B2	1222	C	O4'-C1'-N1	8.99	115.39	108.20
38	A1	224	G	C4-C5-C6	8.99	124.19	118.80
38	A1	1626	A	C8-N9-C4	-8.99	102.20	105.80
38	A1	1198	G	O4'-C1'-N9	8.99	115.39	108.20
38	A1	1335	C	O4'-C1'-N1	8.99	115.39	108.20
38	A1	1375	G	N1-C2-N3	-8.99	118.51	123.90
38	A1	2610	C	C5-C4-N4	-8.99	113.91	120.20
11	B2	92	G	C6-C5-N7	-8.98	125.01	130.40
11	B2	973	U	P-O3'-C3'	8.98	130.48	119.70
11	B2	592	G	C5-C6-O6	-8.98	123.21	128.60
38	A1	454	C	C5-C6-N1	8.98	125.49	121.00
38	A1	563	A	N1-C6-N6	8.98	123.99	118.60
38	A1	769	G	N3-C2-N2	8.98	126.19	119.90
11	B2	143	G	C5-C6-O6	-8.98	123.21	128.60
38	A1	175	G	N1-C2-N3	-8.98	118.51	123.90
38	A1	519	A	C4-C5-C6	8.98	121.49	117.00
38	A1	67	U	C5-C6-N1	8.98	127.19	122.70
11	B2	102	U	C5-C6-N1	8.98	127.19	122.70
38	A1	335	C	C2-N3-C4	8.98	124.39	119.90
38	A1	1671	A	C4-C5-C6	8.98	121.49	117.00
38	A1	2710	G	N1-C6-O6	8.98	125.29	119.90
38	A1	1132	U	C6-N1-C2	8.98	126.39	121.00
38	A1	2679	A	C4-C5-C6	8.98	121.49	117.00
38	A1	2599	C	O4'-C1'-N1	8.97	115.38	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2744	U	C5-C6-N1	8.97	127.19	122.70
11	B2	695	G	C5-N7-C8	8.97	108.79	104.30
11	B2	1246	U	O4'-C1'-N1	8.97	115.38	108.20
38	A1	901	C	O4'-C1'-N1	8.97	115.38	108.20
38	A1	1165	C	N3-C4-C5	-8.97	118.31	121.90
38	A1	1555	G	C5-C6-O6	-8.97	123.22	128.60
38	A1	2967	C	N3-C4-N4	8.97	124.28	118.00
11	B2	134	A	C5-C6-N6	-8.97	116.52	123.70
11	B2	180	G	C5-C6-O6	-8.97	123.22	128.60
11	B2	560	A	C2-N3-C4	-8.97	106.11	110.60
11	B2	814	C	C6-N1-C2	8.97	123.89	120.30
11	B2	1098	G	N3-C2-N2	8.97	126.18	119.90
38	A1	72	U	O4'-C1'-N1	8.97	115.38	108.20
38	A1	1767	C	C5-C4-N4	-8.97	113.92	120.20
38	A1	1906	G	C5-C6-N1	-8.97	107.01	111.50
38	A1	2324	C	O4'-C1'-N1	8.97	115.38	108.20
38	A1	1922	A	N1-C6-N6	8.97	123.98	118.60
38	A1	2951	G	O4'-C1'-N9	8.97	115.38	108.20
11	B2	78	G	N3-C4-N9	-8.97	120.62	126.00
11	B2	170	C	O4'-C1'-N1	8.97	115.37	108.20
38	A1	443	C	C6-N1-C1'	-8.97	110.04	120.80
11	B2	322	G	N3-C2-N2	8.97	126.18	119.90
24	BL	59	ALA	N-CA-CB	8.97	122.66	110.10
38	A1	272	G	N3-C2-N2	8.97	126.18	119.90
38	A1	372	A	C4-C5-C6	8.97	121.48	117.00
38	A1	853	G	C4-C5-N7	8.97	114.39	110.80
11	B2	454	G	N1-C6-O6	8.97	125.28	119.90
38	A1	998	G	C8-N9-C4	-8.97	102.81	106.40
11	B2	893	U	C4-C5-C6	8.96	125.08	119.70
38	A1	355	G	N1-C2-N3	-8.96	118.52	123.90
38	A1	993	G	N3-C4-C5	-8.96	124.12	128.60
38	A1	2253	G	N1-C2-N3	-8.97	118.52	123.90
11	B2	242	A	C5-C6-N6	-8.96	116.53	123.70
38	A1	1095	A	C4-C5-C6	8.96	121.48	117.00
38	A1	1104	A	C5-N7-C8	8.96	108.38	103.90
38	A1	2310	G	C5-N7-C8	-8.96	99.82	104.30
38	A1	2406	C	C4-C5-C6	8.96	121.88	117.40
38	A1	2454	G	C2-N3-C4	8.96	116.38	111.90
5	AS	52	ASP	CB-CG-OD2	-8.96	110.24	118.30
38	A1	2998	G	C5-C6-O6	-8.96	123.22	128.60
11	B2	1264	G	C8-N9-C4	-8.96	102.82	106.40
38	A1	691	G	N1-C6-O6	8.96	125.28	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	804	C	N3-C4-N4	8.96	124.27	118.00
58	Ak	56	ARG	NE-CZ-NH1	8.96	124.78	120.30
38	A1	830	G	C5-C6-N1	-8.96	107.02	111.50
38	A1	1673	C	N3-C4-N4	8.96	124.27	118.00
38	A1	3006	G	O4'-C1'-N9	8.95	115.36	108.20
11	B2	844	G	N1-C6-O6	8.95	125.27	119.90
38	A1	2363	G	C4-C5-C6	8.95	124.17	118.80
38	A1	2823	G	N1-C6-O6	8.95	125.27	119.90
34	BV	33	ARG	NE-CZ-NH1	-8.95	115.82	120.30
38	A1	446	G	C5-C6-O6	-8.95	123.23	128.60
38	A1	643	G	C5-C6-N1	-8.95	107.02	111.50
38	A1	301	G	N9-C4-C5	-8.95	101.82	105.40
11	B2	1386	C	N3-C4-N4	8.95	124.26	118.00
17	BE	60	ARG	NE-CZ-NH2	-8.95	115.83	120.30
38	A1	263	U	C2-N3-C4	-8.95	121.63	127.00
38	A1	2139	A	O4'-C1'-N9	8.95	115.36	108.20
38	A1	2168	C	O4'-C1'-N1	8.95	115.36	108.20
11	B2	111	G	N3-C4-C5	-8.95	124.13	128.60
11	B2	412	U	O4'-C1'-N1	8.95	115.36	108.20
11	B2	753	G	C5-C6-O6	-8.95	123.23	128.60
38	A1	861	G	C5-C6-O6	-8.95	123.23	128.60
38	A1	2761	G	N7-C8-N9	8.95	117.57	113.10
38	A1	70	G	N3-C4-N9	8.94	131.37	126.00
38	A1	1742	C	N3-C4-N4	8.94	124.26	118.00
38	A1	1959	C	C5-C6-N1	8.95	125.47	121.00
38	A1	2062	A	N1-C6-N6	8.95	123.97	118.60
11	B2	361	A	N1-C6-N6	8.94	123.97	118.60
38	A1	51	G	P-O3'-C3'	8.94	130.43	119.70
38	A1	975	C	N3-C4-N4	8.94	124.26	118.00
38	A1	2892	A	P-O3'-C3'	8.94	130.43	119.70
39	A3	53	A	C6-C5-N7	-8.94	126.04	132.30
11	B2	326	C	O4'-C1'-N1	8.94	115.35	108.20
38	A1	276	G	O4'-C1'-N9	8.94	115.35	108.20
10	B1	73	C	P-O3'-C3'	8.94	130.43	119.70
11	B2	1334	A	C2-N3-C4	-8.94	106.13	110.60
38	A1	510	A	N9-C4-C5	8.94	109.38	105.80
38	A1	902	C	C2-N3-C4	8.94	124.37	119.90
38	A1	1227	A	C4-C5-C6	8.94	121.47	117.00
38	A1	1228	G	C2-N3-C4	8.94	116.37	111.90
38	A1	2190	A	C5-N7-C8	8.94	108.37	103.90
38	A1	2887	C	O4'-C1'-N1	8.94	115.35	108.20
58	Ak	97	PHE	CB-CG-CD2	8.94	127.06	120.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	619	A	N3-C4-C5	-8.94	120.55	126.80
11	B2	1332	C	C5-C4-N4	-8.94	113.94	120.20
11	B2	1038	C	C6-N1-C2	8.94	123.87	120.30
38	A1	620	G	O4'-C1'-N9	8.94	115.35	108.20
38	A1	1036	C	N3-C4-C5	-8.94	118.33	121.90
38	A1	2444	G	N1-C2-N3	-8.94	118.54	123.90
11	B2	207	G	N1-C2-N3	-8.93	118.54	123.90
11	B2	933	G	N1-C6-O6	8.93	125.26	119.90
38	A1	100	C	C5-C4-N4	-8.93	113.95	120.20
38	A1	1334	G	C6-C5-N7	-8.93	125.04	130.40
38	A1	2165	A	N3-C4-N9	8.93	134.55	127.40
39	A3	126	C	N3-C4-C5	-8.93	118.33	121.90
39	A3	24	C	N3-C4-C5	-8.93	118.33	121.90
11	B2	1075	A	C8-N9-C4	-8.93	102.23	105.80
29	BQ	101	ARG	NE-CZ-NH2	-8.93	115.83	120.30
38	A1	10	C	N3-C4-N4	8.93	124.25	118.00
38	A1	565	A	C4-C5-C6	8.93	121.47	117.00
38	A1	626	C	C4-C5-C6	8.93	121.86	117.40
38	A1	907	C	O4'-C1'-N1	8.93	115.34	108.20
38	A1	1362	G	N1-C6-O6	8.93	125.26	119.90
38	A1	553	C	C2-N3-C4	8.93	124.36	119.90
11	B2	286	G	C5-C6-O6	-8.93	123.25	128.60
11	B2	1410	G	C4-C5-C6	8.93	124.16	118.80
38	A1	1036	C	O4'-C1'-N1	8.93	115.34	108.20
38	A1	3036	C	O4'-C1'-N1	8.93	115.34	108.20
28	BP	14	PHE	CB-CG-CD2	8.93	127.05	120.80
38	A1	1559	A	C2-N3-C4	-8.93	106.14	110.60
38	A1	2240	G	N7-C8-N9	-8.93	108.64	113.10
11	B2	393	A	O4'-C1'-N9	8.92	115.34	108.20
11	B2	778	G	N1-C6-O6	8.92	125.25	119.90
11	B2	984	C	N3-C4-C5	-8.92	118.33	121.90
38	A1	1504	C	C2-N3-C4	8.92	124.36	119.90
11	B2	956	C	C6-N1-C2	8.92	123.87	120.30
38	A1	460	C	C5-C6-N1	8.92	125.46	121.00
38	A1	605	A	C5-C6-N6	-8.92	116.56	123.70
38	A1	1619	C	N3-C4-C5	-8.92	118.33	121.90
38	A1	1512	G	C6-C5-N7	-8.92	125.05	130.40
38	A1	2019	C	N3-C4-N4	8.92	124.25	118.00
38	A1	2401	A	N1-C6-N6	8.92	123.95	118.60
38	A1	2672	A	O4'-C1'-N9	8.92	115.34	108.20
38	A1	2709	C	O4'-C1'-N1	8.92	115.34	108.20
11	B2	137	A	N7-C8-N9	-8.92	109.34	113.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	262	G	C5-C6-O6	-8.92	123.25	128.60
11	B2	435	A	C6-N1-C2	8.92	123.95	118.60
11	B2	732	G	C4-C5-C6	8.92	124.15	118.80
11	B2	1441	G	O4'-C1'-N9	8.92	115.33	108.20
11	B2	1462	A	C5-C6-N1	-8.92	113.24	117.70
14	BB	201	ARG	NE-CZ-NH1	-8.92	115.84	120.30
38	A1	1001	C	N3-C4-N4	8.92	124.24	118.00
38	A1	2102	A	O4'-C1'-N9	8.92	115.34	108.20
38	A1	2487	G	N1-C6-O6	8.92	125.25	119.90
38	A1	2502	C	C6-N1-C2	8.92	123.87	120.30
10	B1	77	A	C2-N3-C4	-8.92	106.14	110.60
11	B2	1455	A	C5-C6-N6	-8.92	116.56	123.70
38	A1	608	C	N3-C4-N4	8.92	124.24	118.00
38	A1	721	G	N1-C2-N3	-8.92	118.55	123.90
38	A1	829	G	C8-N9-C4	-8.92	102.83	106.40
38	A1	1871	C	N3-C4-C5	-8.92	118.33	121.90
11	B2	965	G	N9-C4-C5	8.92	108.97	105.40
38	A1	1736	G	C5'-C4'-C3'	-8.92	101.73	116.00
11	B2	179	U	O4'-C1'-N1	8.91	115.33	108.20
11	B2	847	A	N7-C8-N9	-8.91	109.34	113.80
11	B2	910	G	N1-C2-N3	-8.91	118.55	123.90
11	B2	1139	A	C2-N3-C4	-8.91	106.14	110.60
38	A1	388	G	C8-N9-C4	8.91	109.97	106.40
38	A1	2186	C	N3-C4-C5	-8.91	118.33	121.90
11	B2	472	C	C4-C5-C6	8.91	121.86	117.40
11	B2	1292	A	C4-C5-N7	-8.91	106.24	110.70
11	B2	1329	C	C5-C4-N4	-8.91	113.96	120.20
38	A1	178	G	C8-N9-C4	-8.91	102.83	106.40
38	A1	767	G	N1-C6-O6	8.91	125.25	119.90
38	A1	2142	U	O4'-C1'-N1	8.91	115.33	108.20
38	A1	2977	G	N3-C2-N2	8.91	126.14	119.90
38	A1	3040	G	C4-C5-C6	8.91	124.15	118.80
10	B1	15	G	O4'-C1'-N9	8.91	115.33	108.20
38	A1	1780	C	N3-C4-N4	8.91	124.24	118.00
38	A1	2236	C	P-O3'-C3'	-8.91	109.01	119.70
38	A1	2409	C	O4'-C1'-N1	8.91	115.33	108.20
11	B2	277	G	P-O3'-C3'	8.91	130.39	119.70
38	A1	635	G	O4'-C1'-N9	8.91	115.33	108.20
38	A1	1493	C	N1-C2-O2	-8.91	113.56	118.90
11	B2	478	C	C4-C5-C6	8.91	121.85	117.40
11	B2	1002	G	N7-C8-N9	-8.91	108.65	113.10
38	A1	1063	C	O4'-C1'-N1	8.91	115.32	108.20

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1163	U	O4'-C1'-N1	8.91	115.33	108.20
38	A1	1894	A	C5-C6-N6	-8.91	116.58	123.70
38	A1	2408	G	N9-C1'-C2'	-8.91	102.20	112.00
11	B2	986	G	N9-C4-C5	-8.90	101.84	105.40
38	A1	1563	G	C5-C6-O6	-8.90	123.26	128.60
38	A1	495	U	O4'-C1'-N1	8.90	115.32	108.20
39	A3	83	C	N3-C4-N4	8.90	124.23	118.00
38	A1	2859	U	N3-C4-O4	8.90	125.63	119.40
38	A1	2863	A	C8-N9-C4	-8.90	102.24	105.80
11	B2	1364	C	N3-C4-C5	-8.90	118.34	121.90
38	A1	850	C	C5-C6-N1	8.90	125.45	121.00
38	A1	951	C	O4'-C1'-N1	8.90	115.32	108.20
38	A1	1853	C	N3-C4-C5	-8.90	118.34	121.90
11	B2	315	A	O4'-C1'-N9	8.90	115.32	108.20
28	BP	44	ARG	NE-CZ-NH1	8.90	124.75	120.30
38	A1	1805	U	O4'-C1'-N1	8.90	115.32	108.20
38	A1	1959	C	C6-N1-C2	-8.90	116.74	120.30
39	A3	62	A	C8-N9-C4	8.90	109.36	105.80
11	B2	259	A	C5-C6-N6	-8.89	116.58	123.70
11	B2	1441	G	C6-C5-N7	-8.89	125.06	130.40
11	B2	1363	C	N3-C4-N4	8.89	124.22	118.00
11	B2	1489	A	C5-C6-N1	-8.89	113.25	117.70
38	A1	350	A	O4'-C1'-N9	8.89	115.31	108.20
38	A1	608	C	C6-N1-C2	-8.89	116.74	120.30
38	A1	1653	U	C6-N1-C2	-8.89	115.66	121.00
38	A1	1383	G	N9-C4-C5	8.89	108.96	105.40
38	A1	1905	G	N1-C6-O6	8.89	125.24	119.90
38	A1	3016	G	O4'-C1'-N9	8.89	115.31	108.20
9	AX	46	TYR	CG-CD1-CE1	-8.89	114.19	121.30
38	A1	1414	G	N3-C2-N2	8.89	126.12	119.90
10	B1	10	G	C4-C5-C6	8.89	124.13	118.80
11	B2	1199	A	C2-N3-C4	-8.89	106.16	110.60
38	A1	463	A	O4'-C1'-N9	8.89	115.31	108.20
38	A1	2418	G	N9-C4-C5	-8.89	101.84	105.40
39	A3	73	U	N3-C2-O2	8.89	128.42	122.20
11	B2	145	A	C8-N9-C4	-8.88	102.25	105.80
11	B2	506	G	O4'-C1'-N9	8.89	115.31	108.20
11	B2	350	G	N3-C2-N2	8.88	126.12	119.90
11	B2	614	G	N1-C6-O6	8.88	125.23	119.90
11	B2	663	G	C2-N3-C4	8.88	116.34	111.90
11	B2	899	G	N3-C2-N2	8.89	126.12	119.90
11	B2	1097	G	N1-C6-O6	8.88	125.23	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1352	G	C8-N9-C4	-8.88	102.85	106.40
38	A1	468	A	C8-N9-C4	-8.88	102.25	105.80
38	A1	623	G	C5-C6-O6	-8.89	123.27	128.60
38	A1	1094	U	N3-C4-O4	8.88	125.62	119.40
38	A1	2944	G	N3-C2-N2	8.88	126.12	119.90
38	A1	10	C	C2-N3-C4	8.88	124.34	119.90
38	A1	1339	C	O4'-C1'-C2'	8.88	115.59	107.60
38	A1	2080	G	C6-C5-N7	-8.88	125.07	130.40
38	A1	2756	G	N1-C2-N3	-8.88	118.57	123.90
38	A1	1253	U	N1-C2-N3	-8.88	109.57	114.90
38	A1	2776	A	N1-C6-N6	8.88	123.93	118.60
11	B2	140	C	N3-C4-C5	-8.88	118.35	121.90
11	B2	777	G	N1-C2-N3	-8.88	118.57	123.90
11	B2	1157	G	C5-C6-O6	-8.88	123.27	128.60
11	B2	1291	G	C8-N9-C4	-8.88	102.85	106.40
38	A1	1302	G	C2-N3-C4	-8.88	107.46	111.90
38	A1	445	G	C6-C5-N7	-8.88	125.07	130.40
38	A1	2496	G	N1-C6-O6	8.88	125.23	119.90
38	A1	3026	C	N3-C4-C5	-8.88	118.35	121.90
43	AB	30	TYR	CB-CG-CD2	-8.88	115.67	121.00
60	AM	117	TYR	CB-CG-CD1	8.88	126.33	121.00
11	B2	819	G	O4'-C1'-N9	8.88	115.30	108.20
38	A1	1830	U	O4'-C1'-N1	8.88	115.30	108.20
38	A1	2778	A	C5-C6-N6	-8.88	116.60	123.70
38	A1	3025	C	C5-C4-N4	-8.88	113.99	120.20
38	A1	813	G	N1-C6-O6	8.87	125.22	119.90
38	A1	1857	A	N9-C4-C5	8.87	109.35	105.80
10	B1	15	G	C5-C6-O6	-8.87	123.28	128.60
38	A1	601	A	N7-C8-N9	8.87	118.24	113.80
38	A1	1191	C	N3-C4-C5	-8.87	118.35	121.90
38	A1	1669	A	N7-C8-N9	-8.87	109.36	113.80
38	A1	1991	G	C8-N9-C4	-8.87	102.85	106.40
11	B2	7	G	N7-C8-N9	-8.87	108.67	113.10
38	A1	639	C	N3-C4-N4	8.87	124.21	118.00
38	A1	1095	A	C5-C6-N1	-8.87	113.27	117.70
38	A1	1407	A	C6-C5-N7	-8.87	126.09	132.30
38	A1	1703	G	C5-C6-O6	-8.87	123.28	128.60
38	A1	2292	A	C6-C5-N7	-8.87	126.09	132.30
39	A3	37	U	N3-C4-O4	8.87	125.61	119.40
11	B2	627	G	N3-C2-N2	8.87	126.11	119.90
11	B2	850	A	N7-C8-N9	-8.87	109.37	113.80
11	B2	998	A	N1-C6-N6	8.87	123.92	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1009	G	O4'-C1'-N9	8.87	115.30	108.20
38	A1	1522	A	C5-C6-N1	-8.87	113.27	117.70
38	A1	1919	A	N1-C6-N6	8.87	123.92	118.60
38	A1	2739	G	C5-C6-O6	-8.87	123.28	128.60
38	A1	2755	G	O4'-C1'-N9	8.87	115.30	108.20
11	B2	1009	G	C4-C5-C6	8.87	124.12	118.80
11	B2	1473	A	C6-C5-N7	-8.87	126.09	132.30
38	A1	96	C	C5-C4-N4	-8.87	113.99	120.20
38	A1	1629	G	N3-C4-C5	-8.87	124.17	128.60
38	A1	2344	G	C6-C5-N7	-8.87	125.08	130.40
38	A1	1284	C	O4'-C1'-N1	8.86	115.29	108.20
38	A1	3032	C	C6-N1-C2	-8.86	116.75	120.30
11	B2	485	A	P-O3'-C3'	8.86	130.34	119.70
11	B2	717	C	O4'-C1'-N1	8.86	115.29	108.20
38	A1	1895	G	C6-N1-C2	8.86	130.42	125.10
38	A1	2598	C	O4'-C1'-N1	8.86	115.29	108.20
45	AC	81	PHE	CB-CG-CD2	8.86	127.00	120.80
38	A1	582	A	C5-C6-N1	-8.86	113.27	117.70
38	A1	2172	G	N1-C6-O6	8.86	125.22	119.90
38	A1	12	C	C5-C6-N1	8.86	125.43	121.00
38	A1	950	G	N9-C4-C5	8.86	108.94	105.40
38	A1	1290	G	C5-C6-O6	-8.86	123.28	128.60
38	A1	2024	A	N1-C6-N6	8.86	123.92	118.60
39	A3	13	C	O4'-C1'-N1	8.86	115.29	108.20
11	B2	60	A	C5-N7-C8	8.86	108.33	103.90
11	B2	787	U	N3-C4-O4	8.86	125.60	119.40
33	BU	1	MET	CG-SD-CE	-8.86	86.03	100.20
38	A1	142	G	C6-C5-N7	-8.86	125.09	130.40
38	A1	175	G	C2-N3-C4	8.86	116.33	111.90
38	A1	1520	G	N1-C6-O6	8.86	125.21	119.90
38	A1	2289	A	C5-C6-N6	-8.86	116.61	123.70
38	A1	2346	A	N3-C4-C5	-8.86	120.60	126.80
38	A1	2655	C	C6-N1-C2	-8.86	116.76	120.30
45	AC	28	ARG	NE-CZ-NH1	8.86	124.73	120.30
54	AI	56	ARG	NE-CZ-NH2	-8.86	115.87	120.30
11	B2	654	U	C6-N1-C2	-8.85	115.69	121.00
11	B2	1049	U	C1'-O4'-C4'	8.85	116.98	109.90
11	B2	532	C	C5-C6-N1	8.85	125.43	121.00
11	B2	915	U	N1-C2-N3	-8.85	109.59	114.90
38	A1	2168	C	N3-C4-C5	-8.85	118.36	121.90
11	B2	1294	G	C4-C5-C6	8.85	124.11	118.80
38	A1	2876	G	N3-C2-N2	8.85	126.10	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
60	AM	159	PHE	CB-CG-CD2	8.85	127.00	120.80
15	BC	131	ARG	NE-CZ-NH1	-8.85	115.88	120.30
38	A1	445	G	C5-C6-O6	-8.85	123.29	128.60
11	B2	1174	A	N1-C6-N6	8.85	123.91	118.60
10	B1	38	G	C5-C6-N1	-8.85	107.08	111.50
11	B2	7	G	P-O3'-C3'	8.85	130.31	119.70
11	B2	642	G	O4'-C1'-N9	8.85	115.28	108.20
38	A1	726	G	C6-C5-N7	-8.85	125.09	130.40
38	A1	1541	U	N3-C4-C5	-8.85	109.29	114.60
11	B2	150	G	N1-C6-O6	8.85	125.21	119.90
11	B2	224	A	C8-N9-C4	8.85	109.34	105.80
11	B2	604	C	O4'-C1'-N1	8.85	115.28	108.20
11	B2	892	C	O4'-C1'-N1	8.85	115.28	108.20
11	B2	1053	A	N1-C2-N3	8.85	133.72	129.30
38	A1	780	G	C8-N9-C4	-8.85	102.86	106.40
38	A1	2198	U	N3-C4-C5	-8.85	109.29	114.60
38	A1	1882	C	N3-C4-N4	8.85	124.19	118.00
38	A1	2549	A	C5-C6-N6	-8.85	116.62	123.70
61	AN	116	PHE	CB-CG-CD2	8.85	126.99	120.80
10	B1	24	A	N1-C2-N3	-8.84	124.88	129.30
11	B2	325	A	P-O5'-C5'	8.84	135.05	120.90
11	B2	475	C	N3-C4-C5	-8.84	118.36	121.90
11	B2	913	G	N3-C4-C5	-8.84	124.18	128.60
38	A1	2165	A	P-O3'-C3'	8.84	130.31	119.70
38	A1	2979	C	C4'-C3'-C2'	-8.84	93.76	102.60
38	A1	1571	G	C8-N9-C1'	8.84	138.49	127.00
10	B1	21	G	C4-C5-C6	8.84	124.10	118.80
38	A1	9	A	C8-N9-C4	-8.84	102.26	105.80
38	A1	1057	C	C3'-C2'-C1'	-8.84	94.43	101.50
38	A1	1222	U	N3-C4-C5	-8.84	109.30	114.60
38	A1	2177	A	N9-C4-C5	8.84	109.34	105.80
40	A5	47	ARG	NE-CZ-NH1	-8.84	115.88	120.30
38	A1	1398	C	N3-C4-N4	8.84	124.19	118.00
38	A1	2391	G	C5-N7-C8	8.84	108.72	104.30
38	A1	2641	C	C6-N1-C2	-8.84	116.76	120.30
38	A1	2833	G	C5-C6-O6	-8.84	123.30	128.60
11	B2	292	U	O4'-C1'-N1	8.84	115.27	108.20
11	B2	678	G	C5-N7-C8	8.84	108.72	104.30
38	A1	1408	G	P-O5'-C5'	8.84	135.04	120.90
38	A1	1735	G	N1-C2-N3	-8.84	118.60	123.90
11	B2	1472	G	C4-C5-N7	8.84	114.33	110.80
11	B2	91	G	N1-C6-O6	8.83	125.20	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1361	G	C2-N3-C4	8.83	116.32	111.90
17	BE	80	ASP	CB-CG-OD1	8.83	126.25	118.30
38	A1	740	C	N3-C4-C5	-8.83	118.37	121.90
38	A1	2317	G	N3-C2-N2	8.83	126.08	119.90
27	BO	136	ARG	NE-CZ-NH1	8.83	124.72	120.30
38	A1	358	C	C5-C6-N1	8.83	125.42	121.00
38	A1	788	A	C5-C6-N1	-8.83	113.28	117.70
38	A1	1849	A	C5-C6-N1	-8.83	113.28	117.70
39	A3	88	A	C2-N3-C4	-8.83	106.18	110.60
4	AQ	107	ARG	NE-CZ-NH2	-8.83	115.89	120.30
11	B2	211	G	C6-N1-C2	8.83	130.40	125.10
11	B2	622	C	O4'-C1'-N1	8.83	115.27	108.20
11	B2	1137	G	C8-N9-C4	-8.83	102.87	106.40
11	B2	1280	C	C5-C6-N1	8.83	125.41	121.00
11	B2	1356	A	C4-C5-C6	8.83	121.42	117.00
38	A1	731	C	C4-C5-C6	8.83	121.81	117.40
38	A1	1000	G	C2-N3-C4	8.83	116.31	111.90
38	A1	1533	G	O4'-C1'-N9	8.83	115.27	108.20
38	A1	2229	G	P-O3'-C3'	8.83	130.30	119.70
5	AS	135	ARG	NE-CZ-NH2	8.83	124.71	120.30
38	A1	2160	C	N3-C4-N4	8.83	124.18	118.00
11	B2	265	C	N3-C4-N4	8.83	124.18	118.00
11	B2	654	U	C5-C6-N1	8.83	127.11	122.70
11	B2	1133	C	N3-C4-C5	-8.83	118.37	121.90
11	B2	1288	C	N1-C2-N3	-8.83	113.02	119.20
11	B2	1432	U	C5-C4-O4	-8.83	120.61	125.90
38	A1	13	U	N3-C4-O4	8.83	125.58	119.40
38	A1	184	A	C5-C6-N1	-8.83	113.29	117.70
38	A1	476	C	N3-C4-C5	-8.83	118.37	121.90
38	A1	676	G	O4'-C1'-N9	8.83	115.26	108.20
38	A1	771	G	C5-C6-N1	-8.83	107.09	111.50
38	A1	1161	A	N1-C6-N6	8.83	123.90	118.60
38	A1	1481	G	C6-C5-N7	-8.83	125.10	130.40
38	A1	1747	C	C4-C5-C6	8.83	121.81	117.40
38	A1	2222	C	C2-N3-C4	8.83	124.31	119.90
11	B2	1176	C	O4'-C1'-N1	8.82	115.26	108.20
38	A1	578	C	C6-N1-C2	8.82	123.83	120.30
38	A1	1147	G	C4-C5-N7	8.82	114.33	110.80
38	A1	1173	G	N1-C6-O6	8.82	125.19	119.90
38	A1	1634	A	C5-N7-C8	8.82	108.31	103.90
38	A1	1938	G	C5-C6-O6	-8.82	123.31	128.60
11	B2	734	G	N3-C2-N2	8.82	126.08	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1233	G	C5-C6-N1	-8.82	107.09	111.50
11	B2	395	C	N3-C4-N4	8.82	124.17	118.00
11	B2	468	G	O4'-C1'-N9	8.82	115.26	108.20
11	B2	1056	G	N1-C6-O6	8.82	125.19	119.90
11	B2	1164	A	N7-C8-N9	8.82	118.21	113.80
38	A1	598	C	C4-C5-C6	-8.82	112.99	117.40
38	A1	1586	G	C6-C5-N7	-8.82	125.11	130.40
38	A1	2213	G	C6-C5-N7	-8.82	125.11	130.40
38	A1	58	G	N9-C4-C5	-8.82	101.87	105.40
38	A1	1025	A	C6-C5-N7	-8.82	126.13	132.30
38	A1	2593	A	C4-C5-C6	8.82	121.41	117.00
38	A1	2971	U	N3-C4-O4	8.82	125.57	119.40
49	Ae	22	ARG	NE-CZ-NH2	-8.82	115.89	120.30
11	B2	196	G	C4-C5-N7	-8.82	107.27	110.80
11	B2	281	G	C8-N9-C4	-8.82	102.87	106.40
38	A1	275	C	O4'-C1'-N1	8.82	115.25	108.20
38	A1	1641	G	P-O3'-C3'	8.82	130.28	119.70
38	A1	1791	A	C6-C5-N7	-8.82	126.13	132.30
38	A1	2220	C	N3-C4-N4	8.82	124.17	118.00
38	A1	2351	G	C5-C6-O6	-8.82	123.31	128.60
38	A1	2956	G	C4-C5-C6	8.82	124.09	118.80
38	A1	3002	A	C5-C6-N6	-8.82	116.65	123.70
11	B2	135	U	C5-C6-N1	8.81	127.11	122.70
11	B2	199	A	C4-C5-C6	8.81	121.41	117.00
11	B2	244	G	N3-C2-N2	8.81	126.07	119.90
11	B2	808	C	C2-N3-C4	8.81	124.31	119.90
11	B2	404	C	C2-N3-C4	8.81	124.31	119.90
11	B2	584	C	N3-C4-N4	8.81	124.17	118.00
38	A1	585	G	N1-C6-O6	8.81	125.19	119.90
38	A1	830	G	C4-C5-C6	8.81	124.09	118.80
38	A1	846	C	N3-C4-C5	-8.81	118.37	121.90
38	A1	1282	A	C8-N9-C4	8.81	109.33	105.80
38	A1	1127	C	C5-C6-N1	8.81	125.41	121.00
38	A1	1208	A	C5-C6-N1	-8.81	113.29	117.70
38	A1	1835	A	C5-C6-N6	-8.81	116.65	123.70
10	B1	37	A	C5-C6-N6	-8.81	116.65	123.70
11	B2	442	C	N3-C4-C5	-8.81	118.38	121.90
38	A1	233	A	C2-N3-C4	-8.81	106.19	110.60
38	A1	802	G	N1-C2-N3	-8.81	118.61	123.90
38	A1	2473	C	C5-C4-N4	-8.81	114.03	120.20
38	A1	2579	G	C8-N9-C4	8.81	109.92	106.40
38	A1	2883	C	N3-C4-C5	-8.81	118.38	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	233	C	C5-C6-N1	-8.81	116.60	121.00
11	B2	1428	G	N1-C6-O6	8.81	125.19	119.90
32	BT	64	ARG	NE-CZ-NH1	8.81	124.70	120.30
38	A1	1423	G	C5-C6-O6	-8.81	123.31	128.60
38	A1	1556	G	N9-C4-C5	-8.81	101.88	105.40
38	A1	1671	A	O4'-C1'-N9	8.81	115.25	108.20
38	A1	2036	A	C5-C6-N1	-8.81	113.30	117.70
38	A1	1991	G	C5-C6-O6	-8.81	123.32	128.60
38	A1	3010	C	O4'-C1'-N1	8.81	115.25	108.20
39	A3	95	G	N1-C6-O6	8.81	125.19	119.90
11	B2	494	G	O4'-C1'-N9	8.80	115.24	108.20
11	B2	859	A	C5-C6-N1	-8.80	113.30	117.70
38	A1	725	G	C5-C6-O6	-8.81	123.32	128.60
38	A1	532	G	C5-C6-O6	-8.80	123.32	128.60
38	A1	2336	G	C8-N9-C4	-8.80	102.88	106.40
38	A1	2379	G	N1-C6-O6	8.80	125.18	119.90
38	A1	2485	C	N3-C4-N4	8.80	124.16	118.00
38	A1	813	G	C5-C6-O6	-8.80	123.32	128.60
38	A1	827	G	C5-C6-N1	-8.80	107.10	111.50
11	B2	460	C	C2-N3-C4	8.80	124.30	119.90
11	B2	636	G	C5-C6-N1	-8.80	107.10	111.50
38	A1	1216	A	C8-N9-C4	-8.80	102.28	105.80
38	A1	1272	A	N9-C4-C5	8.80	109.32	105.80
38	A1	2041	U	C3'-C2'-C1'	8.80	108.54	101.50
11	B2	916	U	C4-C5-C6	8.80	124.98	119.70
38	A1	257	G	N1-C6-O6	8.80	125.18	119.90
38	A1	632	G	C5-C6-N1	-8.80	107.10	111.50
38	A1	1342	G	N1-C2-N3	-8.80	118.62	123.90
38	A1	1620	C	N3-C4-C5	-8.80	118.38	121.90
38	A1	1652	A	C4-C5-C6	8.80	121.40	117.00
38	A1	1785	G	N7-C8-N9	-8.80	108.70	113.10
38	A1	2415	C	O4'-C1'-N1	8.80	115.24	108.20
38	A1	994	G	C3'-C2'-C1'	8.80	108.54	101.50
38	A1	1734	G	N1-C2-N2	-8.80	108.28	116.20
11	B2	1238	G	C5-N7-C8	-8.79	99.90	104.30
11	B2	1420	U	C2-N3-C4	-8.79	121.72	127.00
11	B2	1431	C	O4'-C1'-N1	8.79	115.23	108.20
38	A1	48	G	C5-C6-N1	-8.79	107.10	111.50
38	A1	273	G	C5-C6-N1	-8.79	107.10	111.50
38	A1	1098	C	C2-N3-C4	8.79	124.30	119.90
38	A1	1924	A	N1-C6-N6	8.79	123.88	118.60
11	B2	255	G	O4'-C1'-N9	8.79	115.23	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	95	G	N1-C6-O6	8.79	125.17	119.90
38	A1	1724	A	C5-C6-N6	-8.79	116.67	123.70
38	A1	2085	C	O4'-C1'-N1	8.79	115.23	108.20
38	A1	2178	A	C6-C5-N7	-8.79	126.15	132.30
38	A1	2723	G	N3-C2-N2	8.79	126.05	119.90
11	B2	573	C	N3-C4-C5	-8.79	118.39	121.90
11	B2	656	U	O4'-C1'-N1	8.79	115.23	108.20
38	A1	142	G	O4'-C1'-N9	8.79	115.23	108.20
38	A1	904	G	O4'-C1'-N9	8.79	115.23	108.20
11	B2	821	G	C5-C6-O6	-8.79	123.33	128.60
38	A1	451	C	N3-C4-C5	-8.79	118.39	121.90
38	A1	624	U	O4'-C1'-N1	8.79	115.23	108.20
38	A1	2580	G	C6-C5-N7	-8.79	125.13	130.40
38	A1	805	C	N3-C4-C5	-8.79	118.39	121.90
38	A1	2392	A	C5-C6-N1	-8.79	113.31	117.70
38	A1	2737	G	C8-N9-C4	8.79	109.92	106.40
38	A1	3018	C	O4'-C1'-N1	8.79	115.23	108.20
38	A1	1485	A	C4-C5-C6	8.79	121.39	117.00
38	A1	1737	A	N9-C4-C5	8.79	109.31	105.80
38	A1	2690	U	N3-C4-O4	8.79	125.55	119.40
11	B2	1401	U	O4'-C1'-N1	8.78	115.23	108.20
38	A1	2824	C	C5-C4-N4	-8.79	114.05	120.20
38	A1	210	A	P-O5'-C5'	8.78	134.95	120.90
38	A1	45	G	N1-C2-N3	-8.78	118.63	123.90
38	A1	287	G	C5-C6-O6	-8.78	123.33	128.60
38	A1	487	U	C2-N1-C1'	8.78	128.24	117.70
38	A1	1300	C	O4'-C1'-N1	8.78	115.22	108.20
38	A1	1967	G	P-O3'-C3'	8.78	130.24	119.70
38	A1	2596	G	O4'-C1'-N9	8.78	115.23	108.20
38	A1	2874	C	C4-C5-C6	8.78	121.79	117.40
38	A1	2943	G	N1-C6-O6	8.78	125.17	119.90
38	A1	2593	A	N9-C4-C5	8.78	109.31	105.80
11	B2	691	G	C5-C6-O6	-8.78	123.33	128.60
11	B2	823	A	N7-C8-N9	-8.78	109.41	113.80
38	A1	646	U	N3-C2-O2	8.78	128.35	122.20
38	A1	512	G	N1-C6-O6	8.78	125.17	119.90
38	A1	557	G	N1-C2-N3	-8.78	118.63	123.90
38	A1	1192	G	C5-C6-O6	-8.78	123.33	128.60
38	A1	2210	G	C5-C6-O6	-8.78	123.33	128.60
11	B2	772	G	N1-C2-N2	-8.78	108.30	116.20
11	B2	1327	C	N1-C2-O2	-8.78	113.63	118.90
38	A1	595	C	N1-C2-O2	8.78	124.17	118.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	717	A	C5-C6-N1	-8.78	113.31	117.70
38	A1	1379	A	C4-C5-C6	8.78	121.39	117.00
11	B2	306	C	N3-C4-N4	8.77	124.14	118.00
11	B2	1088	U	C5-C4-O4	-8.77	120.64	125.90
11	B2	1134	G	C5-C6-N1	-8.77	107.11	111.50
38	A1	972	C	C4-C5-C6	8.77	121.79	117.40
38	A1	1085	G	C5-C6-O6	-8.77	123.34	128.60
38	A1	1911	G	N3-C2-N2	8.77	126.04	119.90
38	A1	2397	C	N3-C4-C5	-8.77	118.39	121.90
11	B2	446	G	C4-C5-N7	-8.77	107.29	110.80
38	A1	1938	G	N7-C8-N9	-8.77	108.71	113.10
39	A3	11	A	O4'-C1'-N9	8.77	115.22	108.20
38	A1	2034	G	N1-C2-N3	-8.77	118.64	123.90
11	B2	1	A	N3-C4-C5	-8.77	120.66	126.80
11	B2	165	U	O3'-P-O5'	-8.77	87.34	104.00
11	B2	410	U	N3-C4-O4	8.77	125.54	119.40
11	B2	657	A	N7-C8-N9	8.77	118.19	113.80
38	A1	2189	C	O4'-C1'-N1	8.77	115.22	108.20
38	A1	318	G	N3-C2-N2	8.77	126.04	119.90
38	A1	1652	A	O4'-C1'-N9	8.77	115.22	108.20
39	A3	11	A	N1-C2-N3	8.77	133.69	129.30
39	A3	108	G	N3-C2-N2	8.77	126.04	119.90
58	Ak	209	ASP	N-CA-CB	8.77	126.38	110.60
10	B1	77	A	C5-C6-N6	-8.77	116.69	123.70
38	A1	2817	U	O4'-C1'-N1	8.77	115.21	108.20
11	B2	249	U	N3-C2-O2	8.77	128.34	122.20
38	A1	904	G	C5-C6-O6	-8.77	123.34	128.60
38	A1	2708	U	O4'-C1'-N1	8.77	115.21	108.20
11	B2	225	U	N3-C4-O4	8.76	125.53	119.40
38	A1	1158	G	C4-C5-C6	8.76	124.06	118.80
38	A1	836	U	N3-C4-C5	-8.76	109.34	114.60
38	A1	1652	A	N1-C6-N6	8.76	123.86	118.60
11	B2	281	G	N3-C2-N2	8.76	126.03	119.90
11	B2	1437	G	P-O5'-C5'	-8.76	106.88	120.90
38	A1	926	C	C5-C6-N1	8.76	125.38	121.00
38	A1	1395	G	O4'-C1'-C2'	-8.76	97.04	105.80
38	A1	459	C	O4'-C1'-N1	8.76	115.21	108.20
38	A1	1575	G	C5-C6-O6	-8.76	123.34	128.60
38	A1	1691	U	O4'-C1'-N1	8.76	115.21	108.20
38	A1	35	G	N9-C4-C5	-8.76	101.90	105.40
38	A1	402	G	P-O3'-C3'	-8.76	109.19	119.70
38	A1	602	G	N1-C6-O6	8.76	125.15	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1431	U	O4'-C1'-N1	8.76	115.20	108.20
38	A1	1594	G	C5-C6-O6	-8.76	123.35	128.60
38	A1	2620	G	C5-C6-O6	-8.76	123.35	128.60
7	AU	59	TYR	CB-CG-CD2	8.75	126.25	121.00
11	B2	515	U	C2-N3-C4	8.75	132.25	127.00
11	B2	1349	C	C5-C6-N1	8.75	125.38	121.00
38	A1	824	C	N3-C4-N4	8.75	124.13	118.00
38	A1	1850	C	N3-C2-O2	8.75	128.03	121.90
38	A1	2604	G	N7-C8-N9	8.75	117.48	113.10
57	Aj	31	SER	N-CA-CB	8.75	123.63	110.50
11	B2	507	G	N1-C2-N3	-8.75	118.65	123.90
38	A1	2289	A	C8-N9-C4	-8.75	102.30	105.80
38	A1	944	G	C2-N3-C4	8.75	116.28	111.90
38	A1	2230	G	C4-C5-C6	8.75	124.05	118.80
39	A3	69	C	C6-N1-C2	-8.75	116.80	120.30
11	B2	1050	G	O4'-C1'-N9	8.75	115.20	108.20
38	A1	827	G	N7-C8-N9	8.75	117.47	113.10
38	A1	2844	G	C5-C6-N1	-8.75	107.13	111.50
11	B2	665	G	O4'-C1'-N9	8.75	115.20	108.20
11	B2	990	G	C1'-O4'-C4'	8.75	116.90	109.90
11	B2	1247	A	O4'-C1'-N9	8.75	115.20	108.20
64	AR	13	ARG	NE-CZ-NH1	8.75	124.67	120.30
29	BQ	2	ALA	N-CA-CB	8.74	122.34	110.10
38	A1	168	G	N3-C2-N2	8.74	126.02	119.90
38	A1	687	C	C5-C6-N1	8.74	125.37	121.00
38	A1	1669	A	C5-C6-N1	-8.74	113.33	117.70
38	A1	1828	A	N1-C6-N6	8.74	123.85	118.60
39	A3	105	G	C6-N1-C2	8.74	130.35	125.10
11	B2	47	A	C2-N3-C4	8.74	114.97	110.60
38	A1	128	C	N3-C4-N4	8.74	124.12	118.00
38	A1	338	A	P-O5'-C5'	8.74	134.89	120.90
38	A1	817	G	N3-C4-C5	8.74	132.97	128.60
38	A1	1103	C	C2-N3-C4	8.74	124.27	119.90
38	A1	1636	C	C5-C6-N1	8.74	125.37	121.00
38	A1	2166	C	O4'-C1'-N1	8.74	115.19	108.20
38	A1	2400	U	O4'-C1'-N1	8.74	115.19	108.20
38	A1	2430	C	N3-C4-C5	-8.74	118.40	121.90
38	A1	2757	G	O4'-C1'-N9	8.74	115.20	108.20
38	A1	2997	G	N1-C6-O6	8.74	125.14	119.90
62	AO	177	ASP	CB-CG-OD2	-8.74	110.43	118.30
11	B2	625	G	N7-C8-N9	-8.74	108.73	113.10
38	A1	1012	G	N1-C2-N3	-8.74	118.66	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1076	G	O4'-C1'-N9	8.74	115.19	108.20
38	A1	1357	G	C1'-O4'-C4'	8.74	116.89	109.90
38	A1	2070	U	N3-C2-O2	-8.74	116.08	122.20
11	B2	741	A	C5-C6-N1	-8.74	113.33	117.70
11	B2	763	G	O4'-C1'-N9	8.74	115.19	108.20
11	B2	1036	G	O4'-C1'-N9	8.74	115.19	108.20
11	B2	1472	G	C5-C6-O6	-8.74	123.36	128.60
38	A1	52	A	C5-C6-N1	-8.74	113.33	117.70
38	A1	2501	G	P-O3'-C3'	8.74	130.19	119.70
11	B2	1332	C	N3-C4-N4	8.74	124.12	118.00
11	B2	1393	A	C5-C6-N6	-8.74	116.71	123.70
38	A1	990	G	N3-C2-N2	8.74	126.02	119.90
38	A1	1556	G	P-O5'-C5'	8.74	134.88	120.90
38	A1	2497	G	C5-C6-N1	8.74	115.87	111.50
38	A1	2692	A	C5-C6-N6	-8.74	116.71	123.70
58	Ak	201	TYR	CB-CG-CD1	-8.74	115.76	121.00
11	B2	1116	G	C6-C5-N7	-8.73	125.16	130.40
11	B2	1361	G	N9-C4-C5	-8.73	101.91	105.40
38	A1	1528	A	N7-C8-N9	-8.73	109.43	113.80
38	A1	1850	C	O4'-C1'-N1	8.73	115.19	108.20
38	A1	1987	A	C2-N3-C4	-8.73	106.23	110.60
38	A1	1629	G	O4'-C1'-N9	8.73	115.19	108.20
38	A1	1919	A	O4'-C1'-N9	8.73	115.19	108.20
38	A1	2450	A	C2'-C3'-O3'	8.73	128.71	109.50
38	A1	2529	G	C5-C6-O6	-8.73	123.36	128.60
39	A3	35	A	N1-C2-N3	8.73	133.67	129.30
39	A3	85	C	C4-C5-C6	8.73	121.77	117.40
11	B2	501	G	N1-C6-O6	8.73	125.14	119.90
11	B2	942	A	O4'-C1'-N9	8.73	115.18	108.20
11	B2	1198	A	C5-C6-N1	-8.73	113.33	117.70
20	BH	50	ARG	NE-CZ-NH1	-8.73	115.94	120.30
38	A1	355	G	O4'-C1'-N9	8.73	115.18	108.20
38	A1	916	A	C8-N9-C4	-8.73	102.31	105.80
11	B2	154	C	N3-C4-C5	-8.73	118.41	121.90
11	B2	266	A	C5-C6-N1	-8.73	113.34	117.70
38	A1	1743	G	C5-C6-O6	-8.73	123.36	128.60
38	A1	1769	G	C6-C5-N7	-8.73	125.16	130.40
10	B1	36	A	C5-C6-N1	-8.72	113.34	117.70
11	B2	1361	G	N3-C2-N2	8.72	126.01	119.90
38	A1	1784	G	N3-C4-C5	8.72	132.96	128.60
11	B2	866	A	C5-C6-N1	-8.72	113.34	117.70
38	A1	286	G	N9-C4-C5	-8.72	101.91	105.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	627	G	C5-C6-O6	-8.72	123.37	128.60
10	B1	73	C	N3-C4-C5	-8.72	118.41	121.90
11	B2	197	A	C5-C6-N1	-8.72	113.34	117.70
11	B2	591	G	O4'-C1'-N9	8.72	115.18	108.20
11	B2	1151	A	O4'-C1'-N9	8.72	115.18	108.20
38	A1	1180	G	C5-C6-O6	-8.72	123.37	128.60
38	A1	2595	C	N3-C4-C5	-8.72	118.41	121.90
11	B2	644	G	N3-C2-N2	8.72	126.00	119.90
11	B2	1227	A	C5-N7-C8	8.72	108.26	103.90
11	B2	1291	G	N3-C4-C5	-8.72	124.24	128.60
38	A1	281	G	O4'-C1'-N9	8.72	115.17	108.20
38	A1	1708	U	O4'-C1'-N1	8.72	115.17	108.20
11	B2	665	G	N1-C6-O6	8.71	125.13	119.90
11	B2	1271	G	C5-C6-N1	-8.72	107.14	111.50
38	A1	351	C	C5-C4-N4	-8.72	114.10	120.20
38	A1	948	C	N3-C4-N4	8.71	124.10	118.00
38	A1	1293	G	O4'-C1'-N9	8.71	115.17	108.20
38	A1	2173	U	N3-C4-O4	8.71	125.50	119.40
38	A1	2199	U	O4'-C1'-N1	8.72	115.17	108.20
38	A1	2270	G	N1-C6-O6	8.71	125.13	119.90
38	A1	2997	G	P-O3'-C3'	8.71	130.16	119.70
11	B2	451	A	N1-C2-N3	8.71	133.66	129.30
38	A1	553	C	N3-C4-C5	-8.71	118.42	121.90
38	A1	3030	A	O4'-C1'-N9	8.71	115.17	108.20
43	AB	54	ARG	NE-CZ-NH1	-8.71	115.94	120.30
11	B2	537	G	C5-C6-O6	-8.71	123.37	128.60
11	B2	1302	C	O4'-C1'-N1	8.71	115.17	108.20
38	A1	2053	G	N3-C2-N2	8.71	126.00	119.90
11	B2	428	G	N3-C2-N2	8.71	126.00	119.90
11	B2	581	G	O4'-C1'-N9	8.71	115.17	108.20
11	B2	865	A	C5-C6-N1	-8.71	113.35	117.70
11	B2	1451	C	O4'-C1'-N1	8.71	115.17	108.20
38	A1	672	C	N1-C2-O2	8.71	124.12	118.90
44	Ab	117	ARG	NE-CZ-NH1	8.71	124.65	120.30
11	B2	1100	G	N9-C4-C5	8.71	108.88	105.40
24	BL	63	ARG	NE-CZ-NH2	-8.71	115.95	120.30
38	A1	24	G	N9-C4-C5	8.71	108.88	105.40
38	A1	305	G	N3-C2-N2	8.71	125.99	119.90
38	A1	397	G	C8-N9-C4	-8.71	102.92	106.40
38	A1	1444	A	N1-C6-N6	8.71	123.82	118.60
38	A1	1178	G	N3-C4-C5	-8.70	124.25	128.60
38	A1	1209	A	N1-C6-N6	8.70	123.82	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1557	G	O4'-C1'-N9	8.71	115.16	108.20
11	B2	235	G	C4-C5-N7	8.70	114.28	110.80
11	B2	43	A	C5-C6-N1	-8.70	113.35	117.70
11	B2	612	C	C6-N1-C2	8.70	123.78	120.30
11	B2	1308	U	O4'-C1'-N1	8.70	115.16	108.20
38	A1	434	G	C4-C5-C6	8.70	124.02	118.80
38	A1	703	G	N3-C4-C5	-8.70	124.25	128.60
38	A1	1862	G	C5-C6-N1	8.70	115.85	111.50
38	A1	1895	G	C4-C5-C6	8.70	124.02	118.80
38	A1	2641	C	O4'-C1'-N1	8.70	115.16	108.20
46	AD	26	PHE	CB-CG-CD2	-8.70	114.71	120.80
11	B2	377	A	C5-C6-N6	-8.70	116.74	123.70
11	B2	581	G	N3-C2-N2	8.70	125.99	119.90
11	B2	1131	G	N9-C4-C5	8.70	108.88	105.40
11	B2	1179	C	N3-C4-C5	-8.70	118.42	121.90
11	B2	1491	C	N1-C2-O2	8.70	124.12	118.90
30	BR	56	TYR	CB-CG-CD2	8.70	126.22	121.00
38	A1	794	G	O4'-C1'-N9	8.70	115.16	108.20
38	A1	1583	G	C6-N1-C2	8.70	130.32	125.10
48	AE	40	ARG	NE-CZ-NH2	8.70	124.65	120.30
38	A1	1819	G	N9-C4-C5	-8.70	101.92	105.40
38	A1	1985	G	O4'-C1'-N9	8.70	115.16	108.20
11	B2	867	A	C5-C6-N1	-8.70	113.35	117.70
11	B2	1291	G	C4-C5-N7	-8.70	107.32	110.80
11	B2	1183	C	P-O5'-C5'	8.69	134.81	120.90
37	BY	24	ARG	NE-CZ-NH2	-8.70	115.95	120.30
38	A1	626	C	N3-C4-N4	8.70	124.09	118.00
38	A1	999	A	C5-C6-N1	-8.70	113.35	117.70
38	A1	2775	G	C5-C6-O6	-8.70	123.38	128.60
38	A1	1755	C	O4'-C1'-N1	8.69	115.16	108.20
38	A1	2258	A	C2-N3-C4	8.69	114.95	110.60
38	A1	2562	G	C5-C6-O6	-8.70	123.38	128.60
43	AB	237	ARG	NE-CZ-NH2	8.69	124.65	120.30
11	B2	7	G	O4'-C1'-N9	8.69	115.15	108.20
11	B2	700	G	C8-N9-C4	-8.69	102.92	106.40
11	B2	1048	G	N1-C6-O6	8.69	125.12	119.90
38	A1	317	A	O4'-C1'-N9	8.69	115.15	108.20
38	A1	2990	G	C8-N9-C4	-8.69	102.92	106.40
39	A3	117	G	O4'-C1'-N9	8.69	115.15	108.20
11	B2	71	C	N3-C4-C5	-8.69	118.42	121.90
11	B2	723	G	C1'-O4'-C4'	8.69	116.85	109.90
11	B2	840	C	O4'-C1'-N1	8.69	115.15	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
20	BH	85	PHE	CB-CG-CD2	8.69	126.88	120.80
38	A1	709	A	C5-N7-C8	8.69	108.24	103.90
38	A1	1653	U	C2-N3-C4	-8.69	121.79	127.00
38	A1	2174	G	C5-C6-O6	-8.69	123.39	128.60
38	A1	2998	G	C5-C6-N1	-8.69	107.16	111.50
11	B2	261	G	N1-C6-O6	8.69	125.11	119.90
11	B2	397	C	C6-N1-C2	-8.69	116.83	120.30
11	B2	559	G	N1-C6-O6	8.69	125.11	119.90
11	B2	769	A	C5-C6-N6	-8.69	116.75	123.70
11	B2	1210	A	N1-C6-N6	8.69	123.81	118.60
11	B2	1321	U	O4'-C1'-N1	8.69	115.15	108.20
38	A1	257	G	N9-C4-C5	-8.69	101.92	105.40
38	A1	491	G	N9-C4-C5	-8.69	101.93	105.40
38	A1	1471	G	C4-C5-N7	8.69	114.27	110.80
38	A1	2965	C	O4'-C1'-N1	8.69	115.15	108.20
39	A3	125	U	O4'-C1'-N1	8.69	115.15	108.20
11	B2	26	A	C5-C6-N1	-8.68	113.36	117.70
11	B2	123	U	O4'-C1'-N1	8.68	115.15	108.20
11	B2	453	G	C5-C6-O6	-8.68	123.39	128.60
38	A1	1296	A	C6-C5-N7	-8.68	126.22	132.30
38	A1	286	G	N3-C2-N2	8.68	125.98	119.90
38	A1	822	A	N9-C4-C5	8.68	109.27	105.80
38	A1	1404	G	O4'-C1'-N9	8.68	115.15	108.20
38	A1	1467	G	N7-C8-N9	-8.68	108.76	113.10
38	A1	1980	U	O4'-C1'-N1	8.68	115.15	108.20
47	Ad	12	ARG	NE-CZ-NH2	8.68	124.64	120.30
11	B2	1017	U	P-O3'-C3'	8.68	130.12	119.70
11	B2	1313	G	N1-C2-N3	-8.68	118.69	123.90
38	A1	3031	U	O4'-C1'-N1	8.68	115.14	108.20
38	A1	2338	A	C5-C6-N6	-8.68	116.76	123.70
39	A3	92	G	C5-C6-N1	-8.68	107.16	111.50
11	B2	213	C	C4-C5-C6	8.68	121.74	117.40
11	B2	641	A	N1-C2-N3	8.68	133.64	129.30
38	A1	423	G	O4'-C1'-N9	8.68	115.14	108.20
38	A1	740	C	N3-C4-N4	8.68	124.07	118.00
11	B2	636	G	O4'-C1'-N9	8.67	115.14	108.20
11	B2	664	G	C8-N9-C4	-8.67	102.93	106.40
11	B2	807	C	N3-C4-C5	-8.67	118.43	121.90
38	A1	107	G	N1-C2-N3	-8.67	118.70	123.90
38	A1	1527	G	C5-C6-O6	-8.67	123.39	128.60
38	A1	2095	U	O4'-C1'-N1	8.67	115.14	108.20
4	AQ	61	TYR	CB-CG-CD1	-8.67	115.80	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	303	G	C8-N9-C4	-8.67	102.93	106.40
39	A3	68	C	O4'-C1'-N1	8.67	115.14	108.20
38	A1	1895	G	C6-C5-N7	-8.67	125.20	130.40
38	A1	1993	A	N3-C4-C5	-8.67	120.73	126.80
38	A1	2249	A	C4-C5-N7	-8.67	106.36	110.70
38	A1	2447	A	C5-C6-N6	-8.67	116.76	123.70
5	AS	102	ALA	N-CA-CB	8.67	122.23	110.10
11	B2	947	G	N9-C4-C5	-8.67	101.93	105.40
11	B2	1230	G	N1-C6-O6	8.67	125.10	119.90
38	A1	18	C	N3-C4-N4	8.67	124.07	118.00
38	A1	2188	C	C6-N1-C2	-8.67	116.83	120.30
66	AY	17	ARG	NE-CZ-NH2	8.67	124.63	120.30
38	A1	381	G	N1-C2-N3	-8.67	118.70	123.90
38	A1	730	C	C5-C4-N4	-8.67	114.13	120.20
38	A1	878	G	C5-C6-O6	-8.67	123.40	128.60
38	A1	1556	G	C5-C6-O6	-8.67	123.40	128.60
38	A1	2697	G	C5-C6-O6	-8.67	123.40	128.60
38	A1	2045	C	N1-C2-N3	-8.67	113.13	119.20
11	B2	847	A	C5-C6-N6	-8.66	116.77	123.70
38	A1	1354	G	N3-C4-C5	-8.66	124.27	128.60
38	A1	2841	G	N1-C2-N3	-8.66	118.70	123.90
38	A1	492	A	C5-C6-N1	-8.66	113.37	117.70
38	A1	943	G	N3-C4-N9	8.66	131.20	126.00
38	A1	1123	A	C4-C5-C6	8.66	121.33	117.00
38	A1	2056	A	C6-C5-N7	-8.66	126.24	132.30
60	AM	49	ARG	NE-CZ-NH1	8.66	124.63	120.30
11	B2	714	G	N1-C6-O6	8.66	125.09	119.90
11	B2	1158	G	C6-C5-N7	-8.66	125.20	130.40
38	A1	891	C	C5-C4-N4	-8.66	114.14	120.20
38	A1	1076	G	C5-C6-O6	-8.66	123.40	128.60
38	A1	2293	G	O4'-C1'-C2'	-8.66	97.14	105.80
38	A1	1642	G	C5-N7-C8	8.66	108.63	104.30
11	B2	1076	G	N1-C6-O6	8.66	125.09	119.90
38	A1	2377	C	C4-C5-C6	8.66	121.73	117.40
11	B2	1293	A	C4-C5-N7	-8.66	106.37	110.70
38	A1	1759	A	N1-C2-N3	8.66	133.63	129.30
11	B2	656	U	P-O3'-C3'	8.65	130.09	119.70
11	B2	885	G	N1-C2-N3	-8.65	118.71	123.90
11	B2	929	C	N3-C4-N4	8.65	124.06	118.00
38	A1	480	A	C4-C5-C6	8.65	121.33	117.00
38	A1	694	A	C8-N9-C4	8.65	109.26	105.80
38	A1	1252	G	O4'-C1'-N9	8.65	115.12	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1419	G	C5-C6-O6	-8.65	123.41	128.60
38	A1	1608	G	N1-C2-N3	-8.65	118.71	123.90
38	A1	2591	A	C5-C6-N1	-8.65	113.37	117.70
38	A1	3040	G	C5-C6-N1	-8.65	107.17	111.50
38	A1	1834	C	C4-C5-C6	8.65	121.73	117.40
11	B2	520	G	C6-N1-C2	8.65	130.29	125.10
38	A1	1766	A	N1-C2-N3	8.65	133.63	129.30
38	A1	2580	G	O4'-C1'-N9	8.65	115.12	108.20
38	A1	658	C	C6-N1-C2	-8.65	116.84	120.30
38	A1	1350	C	O4'-C1'-N1	8.65	115.12	108.20
38	A1	1430	A	C5-C6-N1	-8.65	113.38	117.70
38	A1	2592	U	C5-C6-N1	-8.65	118.38	122.70
38	A1	2792	G	N1-C2-N3	-8.65	118.71	123.90
38	A1	524	C	N3-C2-O2	8.65	127.95	121.90
10	B1	48	U	O4'-C1'-N1	8.65	115.12	108.20
38	A1	277	A	C5-C6-N1	-8.65	113.38	117.70
38	A1	839	A	N9-C4-C5	8.65	109.26	105.80
38	A1	1863	G	O4'-C1'-N9	8.65	115.12	108.20
11	B2	1379	G	O4'-C1'-N9	8.65	115.12	108.20
38	A1	498	U	N3-C4-O4	8.65	125.45	119.40
38	A1	1372	C	C6-N1-C2	8.65	123.76	120.30
38	A1	1522	A	C4-C5-C6	8.65	121.32	117.00
38	A1	1683	C	O4'-C1'-N1	8.65	115.12	108.20
38	A1	1801	C	N3-C4-N4	8.65	124.05	118.00
38	A1	2667	U	O4'-C1'-N1	8.65	115.12	108.20
11	B2	445	G	N1-C2-N3	-8.64	118.71	123.90
11	B2	503	G	C4-C5-N7	-8.64	107.34	110.80
11	B2	689	C	C6-N1-C2	8.64	123.76	120.30
11	B2	792	C	N3-C4-C5	-8.64	118.44	121.90
11	B2	1376	C	C6-N1-C2	-8.64	116.84	120.30
11	B2	1384	G	C8-N9-C4	-8.64	102.94	106.40
38	A1	667	C	C6-N1-C2	-8.64	116.84	120.30
38	A1	1128	G	N1-C2-N3	-8.64	118.71	123.90
38	A1	2363	G	C8-N9-C4	-8.64	102.94	106.40
49	Ae	21	ARG	NE-CZ-NH1	8.64	124.62	120.30
38	A1	1156	G	C5-C6-N1	-8.64	107.18	111.50
11	B2	731	A	N3-C4-N9	8.64	134.31	127.40
11	B2	831	A	C4-C5-C6	8.64	121.32	117.00
38	A1	1426	G	C5-C6-O6	-8.64	123.42	128.60
38	A1	1760	C	O4'-C1'-N1	8.64	115.11	108.20
11	B2	121	C	C6-N1-C2	-8.64	116.84	120.30
11	B2	858	A	O4'-C1'-N9	8.64	115.11	108.20

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	79	C	N3-C4-N4	8.64	124.05	118.00
38	A1	646	U	C5-C6-N1	8.64	127.02	122.70
38	A1	1753	G	N1-C2-N3	-8.64	118.72	123.90
38	A1	1119	A	C5-C6-N6	-8.64	116.79	123.70
38	A1	1143	A	C2-N3-C4	8.64	114.92	110.60
38	A1	1377	G	C5-C6-O6	-8.64	123.42	128.60
38	A1	1722	G	C8-N9-C4	-8.64	102.94	106.40
38	A1	2514	C	O4'-C1'-N1	8.64	115.11	108.20
38	A1	2778	A	C5-C6-N1	-8.64	113.38	117.70
38	A1	2892	A	N1-C2-N3	8.64	133.62	129.30
10	B1	41	C	N3-C4-N4	8.63	124.04	118.00
38	A1	2071	C	O4'-C1'-N1	8.64	115.11	108.20
11	B2	234	G	N1-C6-O6	8.63	125.08	119.90
11	B2	1338	C	C4-C5-C6	8.63	121.72	117.40
38	A1	1140	C	N3-C4-C5	-8.64	118.45	121.90
38	A1	2877	A	O4'-C1'-N9	8.64	115.11	108.20
38	A1	1168	A	C5-N7-C8	8.63	108.22	103.90
38	A1	1854	G	O4'-C1'-N9	8.63	115.11	108.20
38	A1	2294	A	N1-C6-N6	8.63	123.78	118.60
38	A1	2551	G	N3-C4-C5	8.63	132.92	128.60
38	A1	2757	G	N1-C2-N3	-8.63	118.72	123.90
11	B2	176	U	P-O5'-C5'	8.63	134.71	120.90
11	B2	744	A	C5-C6-N6	-8.63	116.80	123.70
11	B2	1425	C	N1-C1'-C2'	-8.63	102.51	112.00
26	BN	133	SER	N-CA-CB	8.63	123.45	110.50
38	A1	1112	G	O4'-C1'-N9	8.63	115.11	108.20
38	A1	387	A	N3-C4-C5	-8.63	120.76	126.80
38	A1	1827	A	C4-C5-C6	8.63	121.31	117.00
38	A1	2639	G	N9-C4-C5	8.63	108.85	105.40
38	A1	2794	G	C5-C6-O6	-8.63	123.42	128.60
11	B2	871	A	N1-C6-N6	8.63	123.78	118.60
38	A1	842	C	O4'-C1'-N1	8.63	115.10	108.20
38	A1	358	C	N3-C4-N4	8.63	124.04	118.00
38	A1	1890	U	O4'-C1'-N1	8.63	115.10	108.20
38	A1	2045	C	N3-C4-C5	-8.63	118.45	121.90
38	A1	2441	A	N1-C2-N3	8.63	133.61	129.30
38	A1	2509	A	C5-C6-N6	-8.63	116.80	123.70
11	B2	161	C	O4'-C1'-N1	8.62	115.10	108.20
11	B2	715	C	N1-C2-O2	-8.63	113.72	118.90
11	B2	898	G	N1-C2-N3	-8.63	118.72	123.90
11	B2	1016	G	C5-C6-O6	-8.62	123.42	128.60
38	A1	2506	G	N1-C6-O6	8.63	125.08	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
23	BK	134	TYR	CB-CG-CD1	8.62	126.17	121.00
38	A1	362	A	N9-C4-C5	-8.62	102.35	105.80
38	A1	670	G	N1-C6-O6	8.62	125.07	119.90
38	A1	922	C	C1'-O4'-C4'	-8.62	103.00	109.90
38	A1	1850	C	N1-C2-O2	-8.63	113.72	118.90
38	A1	2767	C	N3-C4-C5	-8.62	118.45	121.90
11	B2	890	C	C2-N3-C4	8.62	124.21	119.90
11	B2	754	G	C6-C5-N7	-8.62	125.23	130.40
11	B2	1345	G	N3-C2-N2	8.62	125.94	119.90
38	A1	2338	A	C4-C5-C6	8.62	121.31	117.00
38	A1	2772	U	N3-C4-O4	8.62	125.44	119.40
62	AO	38	ARG	NE-CZ-NH1	8.62	124.61	120.30
11	B2	524	U	N3-C4-O4	8.62	125.43	119.40
11	B2	597	C	N3-C4-N4	8.62	124.03	118.00
11	B2	958	G	O4'-C1'-N9	8.62	115.10	108.20
54	AI	100	TYR	CB-CG-CD2	8.62	126.17	121.00
11	B2	210	A	C5-N7-C8	8.62	108.21	103.90
11	B2	1399	G	N1-C6-O6	8.62	125.07	119.90
11	B2	1444	G	C5-C6-O6	-8.62	123.43	128.60
13	BA	27	PHE	CB-CG-CD2	8.62	126.83	120.80
38	A1	1161	A	N9-C4-C5	8.62	109.25	105.80
38	A1	1296	A	O4'-C1'-N9	8.62	115.09	108.20
11	B2	576	C	C3'-C2'-C1'	8.62	108.39	101.50
38	A1	668	G	C6-C5-N7	-8.62	125.23	130.40
38	A1	900	C	N3-C4-C5	-8.62	118.45	121.90
11	B2	1294	G	C5-C6-O6	-8.61	123.43	128.60
25	BM	20	TYR	CB-CG-CD2	-8.61	115.83	121.00
38	A1	456	G	N9-C4-C5	8.62	108.85	105.40
38	A1	551	A	C5-N7-C8	8.61	108.21	103.90
38	A1	2480	G	C8-N9-C4	8.62	109.85	106.40
11	B2	325	A	C1'-O4'-C4'	8.61	116.79	109.90
38	A1	1764	G	C5-C6-N1	-8.61	107.19	111.50
38	A1	2818	C	O4'-C1'-N1	8.61	115.09	108.20
11	B2	16	G	N7-C8-N9	8.61	117.41	113.10
11	B2	427	G	N3-C4-N9	8.61	131.17	126.00
11	B2	826	C	O4'-C1'-N1	8.61	115.09	108.20
11	B2	928	A	C2-N3-C4	-8.61	106.30	110.60
38	A1	194	G	C4-C5-N7	8.61	114.25	110.80
38	A1	770	G	C5-C6-N1	-8.61	107.19	111.50
38	A1	1621	G	O4'-C1'-N9	8.61	115.09	108.20
38	A1	1794	C	N3-C4-C5	8.61	125.34	121.90
38	A1	1838	C	C2-N3-C4	8.61	124.21	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
63	AP	19	ARG	NE-CZ-NH2	-8.61	115.99	120.30
38	A1	422	G	C5-C6-O6	-8.61	123.43	128.60
38	A1	236	G	O4'-C1'-N9	8.61	115.09	108.20
38	A1	518	A	C5-C6-N1	-8.61	113.39	117.70
38	A1	1877	C	N3-C4-N4	8.61	124.03	118.00
38	A1	2773	A	C4-C5-N7	-8.61	106.40	110.70
11	B2	1096	G	P-O5'-C5'	8.61	134.67	120.90
38	A1	269	C	N3-C4-N4	8.61	124.02	118.00
38	A1	1306	A	O4'-C1'-N9	8.61	115.09	108.20
38	A1	1430	A	C4-C5-C6	8.61	121.30	117.00
38	A1	2403	G	C6-C5-N7	-8.61	125.24	130.40
39	A3	62	A	O4'-C1'-N9	8.61	115.08	108.20
38	A1	1573	A	C6-C5-N7	-8.61	126.28	132.30
38	A1	2797	C	C5-C4-N4	-8.61	114.18	120.20
11	B2	936	A	C4-C5-C6	8.60	121.30	117.00
11	B2	1380	C	N3-C4-C5	-8.60	118.46	121.90
11	B2	1424	G	C5-C6-O6	8.60	133.76	128.60
38	A1	1956	G	C2-N3-C4	8.60	116.20	111.90
39	A3	6	G	O4'-C1'-N9	8.60	115.08	108.20
11	B2	1031	G	O4'-C1'-N9	8.60	115.08	108.20
23	BK	127	ARG	NE-CZ-NH1	8.60	124.60	120.30
27	BO	111	ARG	NE-CZ-NH1	8.60	124.60	120.30
38	A1	229	G	O4'-C1'-N9	8.60	115.08	108.20
38	A1	1790	G	C5-C6-N1	-8.60	107.20	111.50
11	B2	61	A	N1-C6-N6	8.60	123.76	118.60
38	A1	815	U	N3-C4-O4	8.60	125.42	119.40
11	B2	1358	A	C4-C5-N7	-8.60	106.40	110.70
38	A1	695	G	N3-C4-C5	8.60	132.90	128.60
38	A1	1493	C	C6-N1-C2	-8.60	116.86	120.30
38	A1	2776	A	C2-N3-C4	-8.60	106.30	110.60
38	A1	2749	G	N1-C6-O6	8.60	125.06	119.90
38	A1	2763	U	O4'-C1'-N1	8.60	115.08	108.20
39	A3	111	G	O4'-C1'-N9	8.60	115.08	108.20
11	B2	1	A	C6-N1-C2	8.60	123.76	118.60
38	A1	2253	G	C6-C5-N7	-8.60	125.24	130.40
11	B2	313	G	N1-C2-N3	-8.60	118.74	123.90
11	B2	1314	C	C2-N3-C4	8.60	124.20	119.90
11	B2	1457	A	C5-N7-C8	8.60	108.20	103.90
38	A1	384	G	O4'-C1'-N9	8.60	115.08	108.20
38	A1	402	G	C5-C6-N1	-8.60	107.20	111.50
38	A1	1193	G	N1-C2-N3	-8.60	118.74	123.90
38	A1	1416	G	O4'-C1'-N9	8.60	115.08	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2405	U	P-O3'-C3'	-8.60	109.39	119.70
11	B2	688	C	N1-C2-O2	-8.59	113.74	118.90
32	BT	49	ARG	NE-CZ-NH1	8.59	124.60	120.30
38	A1	1124	G	C8-N9-C4	8.59	109.84	106.40
38	A1	191	U	N1-C2-N3	-8.59	109.75	114.90
38	A1	382	G	N3-C2-N2	8.59	125.92	119.90
38	A1	491	G	C6-C5-N7	-8.59	125.25	130.40
38	A1	1782	C	P-O3'-C3'	8.59	130.01	119.70
38	A1	1811	G	N1-C2-N3	-8.59	118.75	123.90
38	A1	2690	U	C5-C4-O4	-8.59	120.74	125.90
38	A1	2761	G	C2-N3-C4	8.59	116.20	111.90
11	B2	611	A	C5-C6-N6	-8.59	116.83	123.70
11	B2	1367	C	C5-C4-N4	-8.59	114.19	120.20
38	A1	1911	G	C5-C6-N1	-8.59	107.20	111.50
11	B2	21	A	O4'-C1'-N9	8.59	115.07	108.20
38	A1	673	A	O4'-C1'-N9	8.59	115.07	108.20
38	A1	1703	G	C4-C5-C6	8.59	123.95	118.80
38	A1	2570	A	C8-N9-C4	-8.59	102.36	105.80
38	A1	2856	G	N1-C6-O6	8.59	125.06	119.90
11	B2	526	A	C8-N9-C4	8.59	109.23	105.80
38	A1	327	G	C6-N1-C2	-8.59	119.95	125.10
38	A1	1242	A	C2-N3-C4	-8.59	106.31	110.60
38	A1	317	A	N7-C8-N9	-8.59	109.51	113.80
38	A1	1123	A	C8-N9-C4	-8.59	102.36	105.80
38	A1	1799	G	N1-C6-O6	8.59	125.05	119.90
38	A1	2386	U	N3-C4-C5	-8.59	109.45	114.60
38	A1	2136	G	O4'-C1'-N9	8.59	115.07	108.20
38	A1	2287	C	C6-N1-C2	-8.59	116.87	120.30
39	A3	105	G	O4'-C1'-N9	8.59	115.07	108.20
11	B2	1208	A	C5'-C4'-O4'	8.58	119.40	109.10
38	A1	2338	A	C5-N7-C8	8.58	108.19	103.90
38	A1	2470	U	C6-N1-C2	-8.58	115.85	121.00
38	A1	2522	C	O4'-C1'-N1	8.58	115.06	108.20
38	A1	2713	A	N9-C4-C5	8.58	109.23	105.80
38	A1	3020	G	C4-C5-N7	-8.58	107.37	110.80
11	B2	1174	A	C8-N9-C4	-8.58	102.37	105.80
11	B2	1287	G	O4'-C1'-N9	8.58	115.06	108.20
38	A1	1338	G	N1-C6-O6	8.58	125.05	119.90
38	A1	1861	G	C5-C6-O6	-8.58	123.45	128.60
38	A1	3033	G	C5-C6-N1	-8.58	107.21	111.50
11	B2	1408	C	N3-C4-C5	-8.58	118.47	121.90
11	B2	362	C	N3-C4-N4	8.58	124.00	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	419	G	O4'-C1'-N9	8.58	115.06	108.20
11	B2	835	C	N3-C4-N4	8.58	124.00	118.00
11	B2	1103	G	N3-C2-N2	8.58	125.90	119.90
38	A1	496	A	N7-C8-N9	-8.58	109.51	113.80
38	A1	982	G	N9-C4-C5	8.58	108.83	105.40
38	A1	2070	U	O4'-C1'-N1	8.58	115.06	108.20
38	A1	2181	G	C6-C5-N7	-8.58	125.25	130.40
38	A1	913	G	C6-C5-N7	-8.57	125.25	130.40
11	B2	100	A	C5-C6-N6	-8.57	116.84	123.70
11	B2	212	G	N1-C2-N3	-8.57	118.75	123.90
33	BU	53	TYR	CB-CG-CD1	8.57	126.14	121.00
38	A1	678	G	N1-C2-N3	-8.57	118.75	123.90
38	A1	1824	G	N1-C2-N3	-8.57	118.75	123.90
38	A1	2296	A	C2-N3-C4	8.57	114.89	110.60
38	A1	394	A	C4-C5-C6	8.57	121.29	117.00
38	A1	470	A	C8-N9-C4	-8.57	102.37	105.80
38	A1	797	C	C5-C6-N1	8.57	125.29	121.00
38	A1	2250	G	N7-C8-N9	8.57	117.39	113.10
38	A1	2351	G	N1-C2-N3	-8.57	118.76	123.90
11	B2	248	U	P-O3'-C3'	8.57	129.99	119.70
38	A1	604	A	N1-C6-N6	8.57	123.74	118.60
38	A1	724	G	N1-C6-O6	8.57	125.04	119.90
38	A1	1083	G	C4-C5-C6	8.57	123.94	118.80
38	A1	1153	U	N1-C2-O2	-8.57	116.80	122.80
38	A1	2086	C	N3-C4-C5	-8.57	118.47	121.90
38	A1	2220	C	N3-C4-C5	-8.57	118.47	121.90
38	A1	2299	G	C5-C6-O6	-8.57	123.46	128.60
38	A1	2300	C	C4'-C3'-C2'	-8.57	94.03	102.60
38	A1	2302	C	N3-C4-C5	-8.57	118.47	121.90
38	A1	2825	A	N1-C6-N6	8.57	123.74	118.60
38	A1	1237	A	N1-C2-N3	8.57	133.58	129.30
38	A1	2393	G	N3-C4-N9	-8.57	120.86	126.00
38	A1	2809	G	O4'-C1'-N9	8.57	115.06	108.20
38	A1	509	A	C4-C5-C6	8.57	121.28	117.00
11	B2	80	A	C6-C5-N7	-8.56	126.31	132.30
11	B2	554	C	O4'-C1'-N1	8.56	115.05	108.20
11	B2	603	G	C4-C5-C6	8.56	123.94	118.80
11	B2	1447	A	C5-C6-N6	-8.56	116.85	123.70
38	A1	223	U	O4'-C1'-N1	8.56	115.05	108.20
38	A1	305	G	C5-C6-O6	-8.56	123.46	128.60
38	A1	1784	G	C5-C6-O6	-8.56	123.46	128.60
38	A1	1834	C	C4'-C3'-C2'	-8.56	94.03	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1894	A	C5-N7-C8	8.56	108.18	103.90
38	A1	2395	C	C5-C4-N4	-8.56	114.21	120.20
38	A1	2724	A	C8-N9-C4	-8.56	102.37	105.80
11	B2	104	A	C4-C5-C6	8.56	121.28	117.00
11	B2	832	G	N1-C2-N3	-8.56	118.76	123.90
38	A1	346	U	N3-C4-O4	8.56	125.39	119.40
11	B2	530	G	C8-N9-C4	8.56	109.82	106.40
11	B2	1157	G	N3-C4-C5	-8.56	124.32	128.60
11	B2	1174	A	N7-C8-N9	8.56	118.08	113.80
38	A1	165	G	N3-C2-N2	8.56	125.89	119.90
38	A1	327	G	N1-C6-O6	8.56	125.04	119.90
38	A1	359	C	C5-C6-N1	8.56	125.28	121.00
11	B2	372	G	C5-N7-C8	-8.56	100.02	104.30
11	B2	1100	G	C4-C5-C6	8.56	123.94	118.80
10	B1	45	G	O4'-C1'-N9	8.56	115.05	108.20
11	B2	624	G	N9-C4-C5	8.56	108.82	105.40
11	B2	1334	A	N9-C4-C5	8.56	109.22	105.80
38	A1	667	C	N1-C2-O2	-8.56	113.77	118.90
38	A1	2226	G	N1-C6-O6	8.56	125.03	119.90
38	A1	3018	C	N3-C4-C5	-8.56	118.48	121.90
11	B2	97	C	C5-C4-N4	-8.55	114.21	120.20
11	B2	270	A	N1-C2-N3	8.56	133.58	129.30
38	A1	903	C	C6-N1-C2	-8.56	116.88	120.30
11	B2	729	G	C5-C6-O6	-8.55	123.47	128.60
38	A1	630	G	O4'-C1'-N9	8.55	115.04	108.20
11	B2	65	G	N3-C4-C5	-8.55	124.33	128.60
11	B2	103	A	C5-C6-N6	-8.55	116.86	123.70
11	B2	247	G	N3-C2-N2	8.55	125.89	119.90
11	B2	353	G	N7-C8-N9	8.55	117.38	113.10
23	BK	43	PHE	CB-CG-CD2	8.55	126.79	120.80
38	A1	1855	G	N1-C6-O6	8.55	125.03	119.90
38	A1	2052	A	N7-C8-N9	-8.55	109.52	113.80
38	A1	2145	G	C4-C5-N7	8.55	114.22	110.80
38	A1	2683	G	C8-N9-C4	-8.55	102.98	106.40
39	A3	47	G	O4'-C1'-N9	8.55	115.04	108.20
10	B1	63	C	P-O5'-C5'	8.55	134.58	120.90
38	A1	990	G	C8-N9-C4	-8.55	102.98	106.40
38	A1	1039	C	C4-C5-C6	8.55	121.67	117.40
38	A1	1229	U	C2-N3-C4	-8.55	121.87	127.00
38	A1	1917	U	N3-C4-O4	8.55	125.38	119.40
63	AP	109	ARG	NE-CZ-NH2	-8.55	116.03	120.30
11	B2	306	C	O4'-C1'-N1	8.54	115.03	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	336	C	O4'-C1'-N1	8.54	115.03	108.20
11	B2	1138	G	N7-C8-N9	8.54	117.37	113.10
38	A1	275	C	C5-C6-N1	8.54	125.27	121.00
38	A1	307	C	N3-C4-N4	8.54	123.98	118.00
38	A1	818	A	C5-N7-C8	8.54	108.17	103.90
38	A1	903	C	C5-C4-N4	-8.54	114.22	120.20
5	AS	23	ARG	NE-CZ-NH2	-8.54	116.03	120.30
11	B2	1156	A	N1-C2-N3	8.54	133.57	129.30
11	B2	1399	G	C6-N1-C2	-8.54	119.97	125.10
38	A1	38	U	N3-C2-O2	8.54	128.18	122.20
38	A1	1695	G	N9-C4-C5	-8.54	101.98	105.40
38	A1	1772	A	P-O5'-C5'	8.54	134.57	120.90
11	B2	1244	C	C6-N1-C2	8.54	123.72	120.30
15	BC	154	VAL	CA-CB-CG2	-8.54	98.09	110.90
38	A1	492	A	N1-C6-N6	8.54	123.72	118.60
38	A1	2078	A	C4-C5-N7	-8.54	106.43	110.70
11	B2	1001	A	C4-C5-C6	8.54	121.27	117.00
38	A1	224	G	C8-N9-C4	-8.54	102.98	106.40
38	A1	834	G	N3-C2-N2	8.54	125.88	119.90
38	A1	1165	C	P-O3'-C3'	8.54	129.94	119.70
38	A1	2474	A	C4-C5-C6	8.54	121.27	117.00
38	A1	1477	C	O4'-C1'-N1	8.54	115.03	108.20
38	A1	1668	G	C6-N1-C2	8.54	130.22	125.10
38	A1	2129	G	N9-C4-C5	8.54	108.81	105.40
38	A1	2151	C	N3-C4-C5	-8.53	118.49	121.90
38	A1	964	C	C5-C4-N4	-8.53	114.23	120.20
38	A1	1710	C	C4-C5-C6	-8.53	113.13	117.40
38	A1	1840	G	C2-N3-C4	-8.53	107.63	111.90
38	A1	2705	C	C6-N1-C2	8.53	123.71	120.30
11	B2	172	G	N3-C2-N2	8.53	125.87	119.90
11	B2	978	G	C5-N7-C8	8.53	108.56	104.30
38	A1	1933	U	O4'-C1'-N1	8.53	115.03	108.20
38	A1	2593	A	N1-C6-N6	8.53	123.72	118.60
11	B2	963	A	O4'-C4'-C3'	-8.53	95.47	104.00
11	B2	1394	G	C5-C6-O6	-8.53	123.48	128.60
38	A1	352	G	C8-N9-C4	8.53	109.81	106.40
38	A1	2871	A	N9-C4-C5	8.53	109.21	105.80
38	A1	3006	G	C5-C6-O6	-8.53	123.48	128.60
11	B2	80	A	C2-N3-C4	-8.52	106.34	110.60
38	A1	777	A	O4'-C1'-N9	8.52	115.02	108.20
38	A1	1260	C	C5-C4-N4	-8.52	114.23	120.20
38	A1	1404	G	C8-N9-C4	8.52	109.81	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	562	A	C2-N3-C4	8.52	114.86	110.60
11	B2	1220	G	C5-C6-O6	-8.52	123.49	128.60
38	A1	542	A	C5-N7-C8	8.52	108.16	103.90
38	A1	905	G	N7-C8-N9	-8.52	108.84	113.10
38	A1	1476	C	N3-C4-N4	8.52	123.97	118.00
5	AS	19	ARG	NE-CZ-NH1	8.52	124.56	120.30
11	B2	104	A	N1-C6-N6	8.52	123.71	118.60
11	B2	364	U	N3-C4-O4	8.52	125.36	119.40
11	B2	959	G	N1-C6-O6	8.52	125.01	119.90
11	B2	26	A	N9-C4-C5	8.52	109.21	105.80
11	B2	30	C	N3-C4-C5	-8.52	118.49	121.90
11	B2	1083	G	C4-C5-N7	-8.52	107.39	110.80
38	A1	463	A	N1-C6-N6	8.52	123.71	118.60
38	A1	788	A	O4'-C1'-N9	8.52	115.01	108.20
11	B2	184	G	N1-C6-O6	8.51	125.01	119.90
38	A1	757	C	C5-C6-N1	8.51	125.26	121.00
10	B1	49	C	N1-C2-O2	8.51	124.01	118.90
11	B2	1427	C	C5-C4-N4	-8.51	114.24	120.20
38	A1	2267	U	O4'-C1'-N1	8.51	115.01	108.20
38	A1	2495	A	N1-C2-N3	8.51	133.56	129.30
38	A1	2520	C	O4'-C1'-N1	8.51	115.01	108.20
11	B2	457	G	C4-C5-N7	8.51	114.20	110.80
11	B2	872	A	N9-C4-C5	8.51	109.20	105.80
11	B2	269	A	C6-N1-C2	8.51	123.70	118.60
11	B2	715	C	N3-C2-O2	8.51	127.86	121.90
11	B2	1351	U	C2-N3-C4	8.51	132.11	127.00
38	A1	545	G	C4-C5-N7	8.51	114.20	110.80
11	B2	1100	G	C4-N9-C1'	8.51	137.56	126.50
11	B2	1352	G	C4-C5-C6	8.51	123.91	118.80
38	A1	291	A	N9-C4-C5	-8.51	102.40	105.80
38	A1	1065	C	O4'-C1'-N1	8.51	115.01	108.20
38	A1	1503	C	C4-C5-C6	8.51	121.66	117.40
38	A1	2275	G	C4'-C3'-C2'	-8.51	94.09	102.60
38	A1	176	G	N1-C6-O6	8.51	125.01	119.90
38	A1	505	A	C4-C5-C6	8.51	121.25	117.00
38	A1	1268	A	C6-C5-N7	-8.51	126.34	132.30
38	A1	1304	G	C5-N7-C8	-8.51	100.05	104.30
38	A1	2582	C	N3-C4-N4	8.51	123.96	118.00
54	AI	89	ARG	NE-CZ-NH1	8.51	124.56	120.30
11	B2	1018	C	O4'-C1'-N1	8.51	115.01	108.20
11	B2	209	A	N1-C6-N6	8.51	123.70	118.60
11	B2	920	U	C5-C6-N1	8.51	126.95	122.70

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1020	G	C5-C6-O6	-8.51	123.50	128.60
11	B2	1144	G	C5-C6-O6	-8.51	123.50	128.60
38	A1	732	G	O4'-C1'-N9	8.51	115.00	108.20
38	A1	1113	G	O4'-C1'-N9	8.50	115.00	108.20
38	A1	2313	G	C5-C6-O6	-8.50	123.50	128.60
55	Ai	79	ARG	NE-CZ-NH2	8.50	124.55	120.30
11	B2	323	A	C6-C5-N7	-8.50	126.35	132.30
11	B2	826	C	N3-C4-C5	-8.50	118.50	121.90
38	A1	47	C	O4'-C1'-N1	8.50	115.00	108.20
38	A1	1465	A	C5-C6-N1	-8.50	113.45	117.70
38	A1	2135	C	O4'-C1'-N1	8.50	115.00	108.20
39	A3	125	U	C4-C5-C6	8.50	124.80	119.70
10	B1	44	G	C6-C5-N7	-8.50	125.30	130.40
11	B2	812	U	N3-C4-O4	-8.50	113.45	119.40
38	A1	2126	G	N9-C4-C5	8.50	108.80	105.40
11	B2	808	C	O4'-C1'-N1	8.50	115.00	108.20
38	A1	310	C	O4'-C1'-N1	8.50	115.00	108.20
38	A1	1048	C	N3-C4-C5	-8.50	118.50	121.90
38	A1	2955	G	C4-C5-N7	-8.50	107.40	110.80
39	A3	53	A	C4-C5-C6	8.50	121.25	117.00
10	B1	29	C	C2-N3-C4	8.50	124.15	119.90
11	B2	48	G	N3-C2-N2	8.50	125.85	119.90
11	B2	402	G	C5-N7-C8	8.50	108.55	104.30
38	A1	886	G	C3'-C2'-C1'	-8.50	94.70	101.50
38	A1	994	G	C4-C5-N7	-8.50	107.40	110.80
11	B2	631	C	C6-N1-C2	-8.50	116.90	120.30
38	A1	260	A	N1-C6-N6	8.50	123.70	118.60
38	A1	474	G	N1-C6-O6	8.50	125.00	119.90
38	A1	2890	A	C4-C5-C6	8.50	121.25	117.00
11	B2	136	A	C4-C5-N7	-8.49	106.45	110.70
11	B2	1261	U	N3-C4-C5	-8.49	109.50	114.60
38	A1	88	G	O4'-C1'-N9	8.49	115.00	108.20
38	A1	802	G	C6-N1-C2	8.49	130.20	125.10
39	A3	112	C	O4'-C1'-N1	8.49	115.00	108.20
11	B2	332	C	N3-C4-N4	8.49	123.94	118.00
38	A1	438	G	C5-C6-O6	-8.49	123.50	128.60
38	A1	1894	A	C4-C5-N7	-8.49	106.45	110.70
38	A1	1961	G	N1-C6-O6	8.49	125.00	119.90
38	A1	2057	G	N3-C4-C5	-8.49	124.35	128.60
39	A3	11	A	N1-C6-N6	8.49	123.70	118.60
11	B2	214	C	N3-C4-N4	8.49	123.94	118.00
11	B2	355	C	C5-C4-N4	-8.49	114.26	120.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	443	C	C6-N1-C2	-8.49	116.91	120.30
38	A1	328	G	C5-C6-N1	-8.49	107.25	111.50
38	A1	980	G	N1-C2-N3	-8.49	118.81	123.90
38	A1	1273	C	O4'-C1'-N1	8.49	114.99	108.20
11	B2	534	G	C5-C6-O6	-8.49	123.51	128.60
11	B2	905	A	C5-C6-N1	-8.49	113.46	117.70
38	A1	2830	C	O4'-C1'-N1	8.49	114.99	108.20
38	A1	1278	C	N3-C4-N4	8.48	123.94	118.00
11	B2	311	A	O4'-C1'-N9	8.48	114.99	108.20
11	B2	740	G	C5-C6-O6	-8.48	123.51	128.60
38	A1	1568	A	C5-C6-N1	-8.48	113.46	117.70
38	A1	873	G	P-O3'-C3'	8.48	129.88	119.70
38	A1	1561	G	C5-C6-N1	-8.48	107.26	111.50
38	A1	2176	G	N3-C2-N2	8.48	125.84	119.90
38	A1	2298	C	C3'-C2'-C1'	8.48	108.29	101.50
11	B2	414	G	O4'-C1'-N9	8.48	114.99	108.20
11	B2	1288	C	C6-N1-C2	8.48	123.69	120.30
38	A1	313	U	C5'-C4'-O4'	8.48	119.28	109.10
38	A1	314	A	N1-C6-N6	8.48	123.69	118.60
38	A1	2648	C	N3-C4-N4	8.48	123.94	118.00
11	B2	939	C	N3-C4-N4	8.48	123.94	118.00
11	B2	543	C	O4'-C1'-N1	8.48	114.98	108.20
38	A1	72	U	N3-C4-O4	8.48	125.33	119.40
38	A1	309	C	C5-C4-N4	-8.48	114.27	120.20
38	A1	328	G	C4-C5-C6	8.48	123.89	118.80
38	A1	2035	U	O4'-C1'-N1	8.48	114.98	108.20
38	A1	2214	U	N1-C2-N3	8.48	119.99	114.90
38	A1	389	C	C5-C6-N1	8.48	125.24	121.00
38	A1	771	G	P-O5'-C5'	8.48	134.46	120.90
38	A1	2315	G	N1-C2-N3	-8.48	118.81	123.90
38	A1	21	C	N3-C4-N4	8.47	123.93	118.00
38	A1	324	C	C6-N1-C2	-8.47	116.91	120.30
38	A1	1987	A	C8-N9-C4	8.47	109.19	105.80
11	B2	370	A	C4-C5-C6	8.47	121.24	117.00
11	B2	462	A	N1-C6-N6	8.47	123.68	118.60
11	B2	1128	U	C2-N1-C1'	8.47	127.87	117.70
11	B2	1473	A	C5-C6-N1	-8.47	113.46	117.70
38	A1	334	G	N1-C6-O6	8.47	124.98	119.90
38	A1	1156	G	C4-C5-C6	8.47	123.88	118.80
38	A1	1673	C	C5-C6-N1	8.47	125.24	121.00
38	A1	1716	G	O4'-C1'-N9	8.47	114.98	108.20
38	A1	1986	U	O4'-C1'-N1	8.47	114.98	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	152	G	O4'-C1'-N9	8.47	114.98	108.20
11	B2	399	A	O4'-C1'-N9	8.47	114.98	108.20
11	B2	362	C	P-O3'-C3'	8.47	129.86	119.70
38	A1	48	G	C6-C5-N7	-8.47	125.32	130.40
38	A1	983	G	P-O3'-C3'	8.47	129.87	119.70
38	A1	1582	G	N9-C4-C5	-8.47	102.01	105.40
38	A1	1720	G	C5-C6-N1	-8.47	107.26	111.50
38	A1	1840	G	N3-C4-N9	-8.47	120.92	126.00
38	A1	2575	U	C5-C4-O4	-8.47	120.82	125.90
39	A3	74	U	C4-C5-C6	8.47	124.78	119.70
48	AE	58	ARG	NE-CZ-NH2	-8.47	116.06	120.30
62	AO	15	ARG	NE-CZ-NH1	8.47	124.53	120.30
32	BT	106	PHE	CB-CG-CD1	-8.47	114.87	120.80
38	A1	2979	C	O4'-C1'-N1	8.47	114.97	108.20
38	A1	16	G	C2-N3-C4	8.47	116.13	111.90
38	A1	1507	A	C5-C6-N1	-8.47	113.47	117.70
38	A1	1775	G	N9-C4-C5	8.47	108.79	105.40
38	A1	2724	A	C5-C6-N6	-8.47	116.93	123.70
11	B2	567	A	C5-N7-C8	8.47	108.13	103.90
20	BH	88	ARG	N-CA-CB	8.47	125.84	110.60
11	B2	25	C	N3-C4-N4	8.46	123.92	118.00
11	B2	279	U	P-O3'-C3'	-8.46	109.54	119.70
11	B2	1125	C	O4'-C1'-N1	8.47	114.97	108.20
11	B2	872	A	C4-C5-N7	-8.46	106.47	110.70
38	A1	188	A	C5-C6-N6	-8.46	116.93	123.70
38	A1	571	G	C6-C5-N7	-8.47	125.32	130.40
38	A1	48	G	O4'-C1'-N9	8.46	114.97	108.20
38	A1	112	U	O4'-C1'-N1	8.46	114.97	108.20
38	A1	1213	G	C5-N7-C8	8.46	108.53	104.30
38	A1	1447	G	N1-C6-O6	8.46	124.98	119.90
38	A1	2857	C	O4'-C1'-N1	8.46	114.97	108.20
38	A1	2982	G	N1-C6-O6	8.46	124.98	119.90
11	B2	1306	A	O4'-C1'-N9	8.46	114.97	108.20
38	A1	855	G	N1-C6-O6	8.46	124.98	119.90
38	A1	1889	G	C2-N3-C4	8.46	116.13	111.90
38	A1	2440	C	N3-C4-N4	8.46	123.92	118.00
11	B2	317	A	C6-C5-N7	-8.46	126.38	132.30
11	B2	791	G	C2-N3-C4	8.46	116.13	111.90
11	B2	813	G	C4-C5-N7	8.46	114.18	110.80
38	A1	180	A	C6-C5-N7	-8.46	126.38	132.30
38	A1	1103	C	P-O5'-C5'	8.46	134.43	120.90
38	A1	1716	G	C5-C6-N1	-8.46	107.27	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1932	G	C5-N7-C8	-8.46	100.07	104.30
38	A1	2097	G	N3-C4-N9	8.46	131.07	126.00
38	A1	2441	A	N9-C4-C5	8.46	109.18	105.80
38	A1	2640	C	N3-C4-N4	8.46	123.92	118.00
11	B2	1004	U	C5-C6-N1	8.46	126.93	122.70
38	A1	1509	C	N3-C4-N4	8.46	123.92	118.00
38	A1	11	G	C4-C5-C6	8.45	123.87	118.80
38	A1	719	C	N3-C4-N4	8.46	123.92	118.00
38	A1	2357	U	N1-C2-N3	-8.46	109.83	114.90
38	A1	402	G	O4'-C1'-N9	8.45	114.96	108.20
38	A1	871	G	N3-C4-N9	-8.45	120.93	126.00
38	A1	983	G	N1-C6-O6	8.45	124.97	119.90
38	A1	2398	C	O4'-C1'-N1	8.45	114.96	108.20
38	A1	2254	U	N1-C2-O2	-8.45	116.89	122.80
38	A1	2335	G	O4'-C1'-N9	8.45	114.96	108.20
38	A1	2443	G	N1-C6-O6	8.45	124.97	119.90
39	A3	102	G	N3-C4-C5	-8.45	124.37	128.60
11	B2	872	A	N3-C4-C5	-8.45	120.89	126.80
38	A1	354	G	C6-C5-N7	-8.45	125.33	130.40
38	A1	655	C	N3-C4-C5	-8.45	118.52	121.90
38	A1	1048	C	N3-C4-N4	8.45	123.91	118.00
39	A3	77	A	C2-N3-C4	-8.45	106.38	110.60
3	Af	46	ARG	NE-CZ-NH2	-8.45	116.08	120.30
11	B2	991	C	C2-N3-C4	8.45	124.12	119.90
38	A1	110	A	N1-C6-N6	8.45	123.67	118.60
38	A1	268	C	N3-C4-C5	-8.45	118.52	121.90
11	B2	1441	G	N1-C6-O6	8.45	124.97	119.90
38	A1	1144	A	N7-C8-N9	8.45	118.02	113.80
38	A1	1566	G	C6-C5-N7	-8.45	125.33	130.40
38	A1	1703	G	O4'-C1'-N9	8.45	114.96	108.20
38	A1	2787	G	N3-C2-N2	8.45	125.81	119.90
38	A1	2819	C	P-O3'-C3'	8.45	129.84	119.70
39	A3	124	A	N9-C4-C5	-8.45	102.42	105.80
38	A1	40	G	C4-C5-N7	8.44	114.18	110.80
11	B2	465	C	N3-C4-C5	-8.44	118.52	121.90
38	A1	2527	G	C8-N9-C4	-8.44	103.02	106.40
38	A1	2872	G	C5-N7-C8	8.44	108.52	104.30
39	A3	48	A	C4-C5-C6	8.44	121.22	117.00
59	AL	26	ARG	NE-CZ-NH2	-8.44	116.08	120.30
11	B2	697	A	O4'-C1'-N9	8.44	114.95	108.20
11	B2	1405	C	C6-N1-C2	-8.44	116.92	120.30
38	A1	2850	G	N1-C6-O6	8.44	124.96	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2865	C	C4-C5-C6	8.44	121.62	117.40
11	B2	632	C	N3-C4-N4	8.44	123.91	118.00
11	B2	1067	G	P-O3'-C3'	8.44	129.83	119.70
22	BJ	1	MET	CG-SD-CE	-8.44	86.70	100.20
38	A1	1817	C	C2-N3-C4	8.44	124.12	119.90
38	A1	2377	C	N1-C2-O2	-8.44	113.84	118.90
38	A1	1158	G	N1-C6-O6	8.44	124.96	119.90
11	B2	114	A	C8-N9-C4	-8.44	102.43	105.80
11	B2	538	C	C2-N3-C4	8.44	124.12	119.90
38	A1	2990	G	N7-C8-N9	8.44	117.32	113.10
11	B2	641	A	C2-N3-C4	-8.44	106.38	110.60
11	B2	893	U	N3-C4-C5	-8.44	109.54	114.60
38	A1	948	C	C5-C6-N1	8.44	125.22	121.00
38	A1	1471	G	N3-C4-C5	8.44	132.82	128.60
38	A1	2083	G	C5-C6-O6	-8.44	123.54	128.60
39	A3	52	U	O4'-C1'-N1	8.44	114.95	108.20
38	A1	2277	G	C2-N3-C4	-8.44	107.68	111.90
11	B2	1170	C	N1-C2-O2	-8.43	113.84	118.90
38	A1	263	U	C5-C4-O4	-8.43	120.84	125.90
38	A1	969	U	O4'-C1'-N1	8.43	114.95	108.20
38	A1	1426	G	C4-C5-N7	8.43	114.17	110.80
38	A1	2794	G	C5-C6-N1	-8.43	107.28	111.50
39	A3	47	G	C3'-C2'-C1'	8.43	108.25	101.50
10	B1	74	A	O4'-C1'-N9	8.43	114.94	108.20
11	B2	324	C	N3-C4-N4	8.43	123.90	118.00
11	B2	714	G	C4-C5-C6	8.43	123.86	118.80
11	B2	1247	A	C5-C6-N6	-8.43	116.95	123.70
11	B2	1263	C	O4'-C1'-N1	8.43	114.94	108.20
16	BD	56	ARG	NE-CZ-NH2	-8.43	116.08	120.30
38	A1	421	C	C5-C4-N4	-8.43	114.30	120.20
38	A1	2455	G	N1-C2-N3	-8.43	118.84	123.90
38	A1	2616	C	C6-N1-C2	-8.43	116.93	120.30
11	B2	1495	U	C2-N3-C4	-8.43	121.94	127.00
38	A1	187	C	N3-C4-N4	8.43	123.90	118.00
38	A1	573	G	C8-N9-C4	8.43	109.77	106.40
38	A1	1162	C	C5'-C4'-O4'	8.43	119.22	109.10
38	A1	2155	C	C5'-C4'-C3'	-8.43	102.51	116.00
38	A1	2536	A	C4'-C3'-C2'	-8.43	94.17	102.60
38	A1	2972	G	N3-C2-N2	8.43	125.80	119.90
38	A1	1630	U	C6-N1-C2	8.43	126.06	121.00
11	B2	788	C	C2-N3-C4	8.43	124.11	119.90
38	A1	778	A	N1-C2-N3	8.43	133.51	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2463	G	C8-N9-C4	-8.43	103.03	106.40
11	B2	413	G	C5-N7-C8	8.42	108.51	104.30
11	B2	1071	C	O4'-C1'-N1	8.42	114.94	108.20
11	B2	1213	G	C4-C5-C6	8.42	123.85	118.80
11	B2	1439	G	C4-C5-N7	8.42	114.17	110.80
38	A1	1341	U	O4'-C1'-N1	8.42	114.94	108.20
38	A1	179	A	N9-C4-C5	8.42	109.17	105.80
38	A1	635	G	N1-C6-O6	8.42	124.95	119.90
38	A1	831	C	C2-N3-C4	8.42	124.11	119.90
43	AB	179	TYR	CB-CG-CD2	-8.42	115.95	121.00
10	B1	38	G	O4'-C1'-N9	8.42	114.94	108.20
11	B2	95	G	N3-C2-N2	8.42	125.80	119.90
11	B2	349	A	C2-N3-C4	-8.42	106.39	110.60
11	B2	1278	A	P-O3'-C3'	8.42	129.81	119.70
38	A1	1330	G	C2-N3-C4	8.42	116.11	111.90
38	A1	1761	C	N3-C4-C5	-8.42	118.53	121.90
38	A1	2593	A	C5-C6-N1	-8.42	113.49	117.70
39	A3	33	U	C5-C4-O4	-8.42	120.85	125.90
38	A1	1950	G	N1-C6-O6	8.42	124.95	119.90
38	A1	2091	U	O4'-C1'-N1	8.42	114.94	108.20
38	A1	2476	A	N1-C6-N6	8.42	123.65	118.60
9	AX	413	ARG	NE-CZ-NH1	8.42	124.51	120.30
11	B2	167	G	N1-C6-O6	8.42	124.95	119.90
38	A1	123	A	P-O3'-C3'	8.42	129.80	119.70
38	A1	985	A	C5-C6-N6	-8.42	116.97	123.70
38	A1	2417	G	N1-C6-O6	8.42	124.95	119.90
39	A3	11	A	C5-C6-N6	-8.42	116.97	123.70
39	A3	15	G	C4-C5-C6	8.42	123.85	118.80
38	A1	2179	G	N9-C4-C5	-8.41	102.03	105.40
10	B1	58	A	O4'-C1'-N9	8.41	114.93	108.20
38	A1	963	G	C2-N3-C4	8.41	116.11	111.90
11	B2	860	G	N9-C4-C5	8.41	108.77	105.40
11	B2	960	A	C4-C5-C6	8.41	121.21	117.00
38	A1	10	C	O4'-C1'-N1	8.41	114.93	108.20
38	A1	747	G	C5-C6-O6	-8.41	123.55	128.60
38	A1	2317	G	C4-C5-N7	8.41	114.17	110.80
39	A3	56	C	C2-N3-C4	8.41	124.11	119.90
58	Ak	209	ASP	CB-CG-OD2	-8.41	110.73	118.30
11	B2	120	C	C5-C6-N1	8.41	125.20	121.00
11	B2	450	A	C8-N9-C4	-8.41	102.44	105.80
11	B2	1398	U	O4'-C1'-N1	8.41	114.93	108.20
11	B2	1491	C	C2-N1-C1'	8.41	128.05	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	203	G	N1-C6-O6	8.41	124.95	119.90
38	A1	2390	G	N1-C6-O6	8.41	124.95	119.90
47	Ad	6	ARG	NE-CZ-NH2	-8.41	116.09	120.30
38	A1	17	C	O4'-C1'-N1	8.41	114.93	108.20
38	A1	460	C	N3-C4-N4	8.41	123.89	118.00
38	A1	528	G	N1-C2-N3	-8.41	118.85	123.90
38	A1	1106	C	C5-C6-N1	8.41	125.20	121.00
38	A1	1260	C	C4-C5-C6	8.41	121.61	117.40
38	A1	2104	G	C5-C6-O6	-8.41	123.55	128.60
11	B2	1019	A	N1-C6-N6	8.41	123.64	118.60
25	BM	114	ARG	NE-CZ-NH1	-8.41	116.10	120.30
38	A1	683	C	C6-N1-C2	-8.41	116.94	120.30
38	A1	1788	G	C5-C6-O6	-8.41	123.56	128.60
11	B2	663	G	N1-C6-O6	8.40	124.94	119.90
38	A1	112	U	N3-C2-O2	8.40	128.08	122.20
38	A1	334	G	C5-C6-O6	-8.40	123.56	128.60
38	A1	357	G	O4'-C1'-N9	8.40	114.92	108.20
38	A1	793	C	O4'-C1'-N1	8.40	114.92	108.20
38	A1	1197	G	C8-N9-C4	-8.40	103.04	106.40
38	A1	1389	A	N1-C6-N6	8.40	123.64	118.60
38	A1	1771	C	N3-C4-N4	8.40	123.88	118.00
38	A1	2520	C	N3-C2-O2	8.40	127.78	121.90
38	A1	2504	U	N1-C2-O2	-8.40	116.92	122.80
51	Ag	3	ARG	NE-CZ-NH1	-8.40	116.10	120.30
11	B2	394	C	C6-N1-C2	8.40	123.66	120.30
10	B1	76	C	O4'-C1'-N1	8.40	114.92	108.20
11	B2	163	C	C5-C6-N1	8.40	125.20	121.00
11	B2	1399	G	C5-C6-O6	-8.40	123.56	128.60
38	A1	643	G	N1-C6-O6	8.40	124.94	119.90
38	A1	1031	C	N3-C4-N4	8.40	123.88	118.00
38	A1	1129	G	C5-C6-O6	-8.40	123.56	128.60
38	A1	1270	G	C4-C5-N7	8.40	114.16	110.80
38	A1	1428	G	N9-C4-C5	8.40	108.76	105.40
38	A1	2846	A	N1-C6-N6	8.40	123.64	118.60
4	AQ	38	ARG	NE-CZ-NH1	-8.40	116.10	120.30
11	B2	352	A	C4-C5-C6	8.40	121.20	117.00
11	B2	816	G	C6-C5-N7	-8.40	125.36	130.40
11	B2	848	G	C5-C6-O6	-8.40	123.56	128.60
11	B2	1055	C	O4'-C1'-N1	8.40	114.92	108.20
38	A1	70	G	C6-C5-N7	-8.40	125.36	130.40
38	A1	1445	G	O4'-C1'-N9	8.40	114.92	108.20
38	A1	1945	C	O4'-C1'-N1	8.40	114.92	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	853	G	N3-C4-C5	-8.40	124.40	128.60
11	B2	1311	C	O4'-C1'-N1	8.40	114.92	108.20
38	A1	50	C	N3-C4-C5	-8.40	118.54	121.90
38	A1	338	A	C8-N9-C4	-8.40	102.44	105.80
38	A1	955	A	C4-C5-C6	8.40	121.20	117.00
38	A1	2103	C	N3-C4-C5	-8.40	118.54	121.90
38	A1	2864	G	N1-C2-N3	-8.40	118.86	123.90
11	B2	232	G	O4'-C1'-N9	8.39	114.92	108.20
11	B2	303	G	C5-C6-O6	-8.39	123.56	128.60
38	A1	227	G	C8-N9-C4	-8.39	103.04	106.40
38	A1	692	C	C5-C6-N1	8.39	125.20	121.00
38	A1	747	G	C6-C5-N7	-8.39	125.36	130.40
38	A1	890	G	N3-C4-C5	-8.39	124.40	128.60
38	A1	1070	G	N1-C6-O6	8.39	124.94	119.90
38	A1	1664	G	N1-C6-O6	8.39	124.94	119.90
38	A1	2377	C	N3-C4-N4	8.39	123.88	118.00
11	B2	914	U	C4-C5-C6	8.39	124.73	119.70
11	B2	1458	A	P-O3'-C3'	8.39	129.77	119.70
38	A1	31	G	C4-C5-C6	8.39	123.83	118.80
38	A1	1530	A	N1-C2-N3	8.39	133.50	129.30
38	A1	571	G	O4'-C1'-N9	8.39	114.91	108.20
38	A1	1027	A	N9-C4-C5	8.39	109.16	105.80
38	A1	1401	G	N1-C6-O6	8.39	124.93	119.90
38	A1	2608	U	C2-N3-C4	8.39	132.03	127.00
11	B2	665	G	C5-C6-O6	-8.39	123.57	128.60
5	AS	133	PHE	CB-CG-CD2	8.39	126.67	120.80
11	B2	94	C	N3-C4-N4	8.39	123.87	118.00
11	B2	192	G	C5-N7-C8	-8.39	100.11	104.30
11	B2	564	C	N3-C4-N4	8.39	123.87	118.00
38	A1	75	G	O4'-C1'-N9	8.39	114.91	108.20
38	A1	124	C	N3-C4-N4	8.39	123.87	118.00
38	A1	818	A	C5-C6-N1	-8.39	113.51	117.70
38	A1	2060	A	C5-C6-N6	-8.39	116.99	123.70
39	A3	35	A	C5-C6-N1	-8.39	113.51	117.70
11	B2	112	G	P-O3'-C3'	8.39	129.76	119.70
11	B2	766	G	C6-C5-N7	-8.39	125.37	130.40
38	A1	1553	G	C5-N7-C8	-8.39	100.11	104.30
10	B1	40	U	N3-C2-O2	8.38	128.07	122.20
11	B2	1221	A	C5-C6-N6	-8.38	116.99	123.70
38	A1	2545	A	N9-C4-C5	-8.38	102.45	105.80
38	A1	2654	C	C6-N1-C2	-8.38	116.95	120.30
38	A1	2996	A	C8-N9-C4	-8.38	102.45	105.80

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	383	C	N3-C4-C5	-8.38	118.55	121.90
11	B2	1232	G	C5-C6-O6	-8.38	123.57	128.60
11	B2	1286	C	O4'-C1'-N1	8.38	114.91	108.20
38	A1	2216	G	N1-C6-O6	8.38	124.93	119.90
11	B2	103	A	C5-C6-N1	-8.38	113.51	117.70
11	B2	317	A	N1-C6-N6	8.38	123.63	118.60
38	A1	326	C	C5-C4-N4	-8.38	114.33	120.20
11	B2	362	C	C6-N1-C2	-8.38	116.95	120.30
11	B2	1414	G	C4-C5-N7	8.38	114.15	110.80
38	A1	247	A	C5-C6-N6	-8.38	117.00	123.70
38	A1	895	C	C2-N3-C4	8.38	124.09	119.90
38	A1	933	G	O4'-C1'-N9	8.38	114.91	108.20
38	A1	2009	G	N3-C4-C5	8.38	132.79	128.60
38	A1	2567	C	C6-N1-C2	-8.38	116.95	120.30
38	A1	2733	A	P-O3'-C3'	8.38	129.76	119.70
11	B2	209	A	C6-C5-N7	-8.38	126.44	132.30
11	B2	261	G	C2-N3-C4	8.38	116.09	111.90
38	A1	1081	U	O4'-C1'-N1	8.38	114.90	108.20
38	A1	2199	U	C5-C6-N1	8.38	126.89	122.70
11	B2	762	G	N3-C2-N2	8.38	125.76	119.90
11	B2	1092	G	O4'-C1'-N9	8.38	114.90	108.20
38	A1	410	C	N3-C4-C5	-8.38	118.55	121.90
38	A1	650	C	C6-N1-C2	-8.38	116.95	120.30
11	B2	372	G	C6-C5-N7	-8.37	125.38	130.40
11	B2	481	C	C2-N3-C4	8.38	124.09	119.90
38	A1	1503	C	C5'-C4'-C3'	8.38	129.40	116.00
38	A1	2986	G	N1-C6-O6	8.38	124.93	119.90
39	A3	75	G	C5-N7-C8	8.38	108.49	104.30
11	B2	212	G	N3-C4-C5	-8.37	124.41	128.60
11	B2	619	A	C5-N7-C8	8.37	108.08	103.90
11	B2	1240	A	C5-C6-N6	-8.37	117.00	123.70
38	A1	234	G	C6-C5-N7	-8.37	125.38	130.40
38	A1	790	U	C5-C4-O4	-8.37	120.88	125.90
38	A1	1083	G	N1-C2-N2	8.37	123.74	116.20
38	A1	1185	A	C8-N9-C4	-8.37	102.45	105.80
38	A1	2481	G	N3-C4-C5	-8.37	124.41	128.60
38	A1	2157	U	C6-N1-C2	-8.37	115.98	121.00
11	B2	31	U	C6-N1-C2	-8.37	115.98	121.00
38	A1	365	G	N3-C2-N2	8.37	125.76	119.90
38	A1	532	G	C4-C5-N7	-8.37	107.45	110.80
38	A1	824	C	C5-C4-N4	-8.37	114.34	120.20
38	A1	2947	G	C5-C6-N1	-8.37	107.32	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
62	AO	65	ARG	NE-CZ-NH2	-8.37	116.11	120.30
11	B2	1099	A	P-O3'-C3'	8.37	129.74	119.70
11	B2	1181	G	C4-C5-N7	-8.37	107.45	110.80
11	B2	1209	C	C2-N3-C4	8.37	124.08	119.90
38	A1	2948	A	C5-C6-N1	-8.37	113.52	117.70
38	A1	28	A	C5-C6-N1	-8.36	113.52	117.70
38	A1	1377	G	N3-C2-N2	8.37	125.76	119.90
38	A1	2835	A	N7-C8-N9	-8.37	109.62	113.80
38	A1	1380	G	C5-C6-O6	-8.36	123.58	128.60
11	B2	1005	G	O4'-C1'-N9	8.36	114.89	108.20
11	B2	641	A	N1-C6-N6	8.36	123.62	118.60
11	B2	1114	G	C5-N7-C8	-8.36	100.12	104.30
38	A1	289	G	N1-C2-N3	-8.36	118.88	123.90
38	A1	904	G	N7-C8-N9	-8.36	108.92	113.10
38	A1	333	A	C8-N9-C4	-8.36	102.45	105.80
38	A1	556	G	N3-C2-N2	-8.36	114.05	119.90
38	A1	786	G	C5-C6-N1	-8.36	107.32	111.50
38	A1	2658	G	N7-C8-N9	-8.36	108.92	113.10
58	AK	82	TYR	CB-CG-CD1	-8.36	115.98	121.00
11	B2	544	C	O4'-C1'-N1	8.36	114.89	108.20
11	B2	1205	G	N9-C4-C5	8.36	108.74	105.40
38	A1	617	G	N3-C2-N2	8.36	125.75	119.90
11	B2	369	A	N1-C6-N6	8.36	123.61	118.60
11	B2	526	A	N7-C8-N9	-8.36	109.62	113.80
38	A1	48	G	C4-C5-C6	8.36	123.82	118.80
38	A1	814	G	N3-C2-N2	8.36	125.75	119.90
11	B2	1202	G	C6-C5-N7	-8.36	125.39	130.40
38	A1	447	G	O4'-C1'-N9	8.36	114.88	108.20
38	A1	804	C	O4'-C1'-N1	8.36	114.89	108.20
38	A1	2221	A	N7-C8-N9	-8.36	109.62	113.80
38	A1	504	G	C4-C5-C6	8.36	123.81	118.80
38	A1	717	A	C2-N3-C4	-8.36	106.42	110.60
38	A1	932	C	C2-N3-C4	8.36	124.08	119.90
10	B1	55	U	P-O5'-C5'	8.35	134.27	120.90
11	B2	610	G	C5-N7-C8	8.35	108.48	104.30
11	B2	1090	C	C3'-C2'-C1'	8.35	108.18	101.50
38	A1	843	C	C5-C4-N4	-8.35	114.35	120.20
38	A1	1750	C	N3-C2-O2	-8.35	116.05	121.90
38	A1	2960	G	N1-C2-N3	-8.35	118.89	123.90
11	B2	1123	G	C5-N7-C8	8.35	108.48	104.30
11	B2	1181	G	C5-C6-N1	-8.35	107.32	111.50
38	A1	2478	G	C5-C6-O6	-8.35	123.59	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1388	G	C2-N3-C4	8.35	116.08	111.90
38	A1	1408	G	O4'-C1'-C2'	-8.35	97.45	105.80
38	A1	1656	C	N3-C4-C5	-8.35	118.56	121.90
38	A1	1704	C	O5'-P-OP2	-8.35	98.18	105.70
11	B2	38	G	O4'-C1'-N9	8.35	114.88	108.20
38	A1	1869	U	O4'-C1'-N1	8.35	114.88	108.20
38	A1	2355	G	C5-C6-O6	-8.35	123.59	128.60
10	B1	68	C	N3-C4-C5	-8.35	118.56	121.90
10	B1	74	A	C5-C6-N6	-8.35	117.02	123.70
11	B2	222	G	C2-N3-C4	8.35	116.08	111.90
11	B2	695	G	C5-C6-O6	-8.35	123.59	128.60
11	B2	516	A	C4-C5-C6	8.35	121.17	117.00
38	A1	115	C	C6-N1-C2	-8.35	116.96	120.30
38	A1	1198	G	N9-C4-C5	-8.35	102.06	105.40
38	A1	1510	U	C5-C4-O4	-8.35	120.89	125.90
38	A1	1804	G	N1-C6-O6	8.35	124.91	119.90
38	A1	909	A	N9-C4-C5	8.35	109.14	105.80
11	B2	369	A	C8-N9-C4	-8.35	102.46	105.80
11	B2	676	G	N9-C4-C5	-8.35	102.06	105.40
38	A1	627	G	C8-N9-C4	-8.35	103.06	106.40
38	A1	1913	C	C2-N3-C4	8.35	124.07	119.90
38	A1	2856	G	C6-N1-C2	8.35	130.11	125.10
11	B2	936	A	C5-C6-N6	-8.34	117.03	123.70
11	B2	1486	A	P-O3'-C3'	8.34	129.71	119.70
38	A1	1485	A	C5-C6-N1	-8.34	113.53	117.70
38	A1	1707	A	O4'-C1'-N9	8.34	114.88	108.20
38	A1	913	G	O4'-C1'-N9	8.34	114.87	108.20
11	B2	631	C	C2-N3-C4	8.34	124.07	119.90
11	B2	731	A	C6-C5-N7	-8.34	126.46	132.30
38	A1	631	G	N3-C2-N2	8.34	125.74	119.90
38	A1	836	U	O4'-C1'-N1	8.34	114.87	108.20
11	B2	1055	C	N1-C2-O2	-8.34	113.90	118.90
11	B2	1470	G	C8-N9-C4	-8.34	103.06	106.40
38	A1	1056	C	C3'-C2'-C1'	8.34	108.17	101.50
38	A1	1088	G	C8-N9-C4	-8.34	103.06	106.40
38	A1	1516	C	N3-C4-N4	8.34	123.84	118.00
38	A1	2622	C	N3-C4-N4	8.34	123.84	118.00
38	A1	2272	G	N7-C8-N9	-8.34	108.93	113.10
11	B2	31	U	N3-C2-O2	-8.34	116.36	122.20
11	B2	364	U	N1-C2-O2	-8.34	116.96	122.80
11	B2	1213	G	P-O3'-C3'	8.34	129.71	119.70
38	A1	1819	G	N1-C6-O6	8.34	124.90	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	693	C	N3-C4-N4	8.34	123.83	118.00
11	B2	1116	G	N3-C2-N2	8.34	125.73	119.90
38	A1	405	G	C5-C6-O6	-8.34	123.60	128.60
38	A1	2346	A	C5-C6-N6	-8.34	117.03	123.70
38	A1	2481	G	N1-C6-O6	8.34	124.90	119.90
38	A1	381	G	N1-C6-O6	8.34	124.90	119.90
38	A1	1135	A	N1-C2-N3	8.34	133.47	129.30
38	A1	2178	A	C5-C6-N6	-8.34	117.03	123.70
38	A1	47	C	C5-C4-N4	-8.33	114.37	120.20
38	A1	504	G	N9-C4-C5	8.33	108.73	105.40
38	A1	1264	G	C8-N9-C4	-8.33	103.07	106.40
38	A1	2487	G	N3-C4-C5	-8.33	124.43	128.60
38	A1	2551	G	C5-C6-N1	-8.33	107.33	111.50
45	AC	353	ARG	NE-CZ-NH2	-8.33	116.13	120.30
10	B1	58	A	C8-N9-C4	8.33	109.13	105.80
11	B2	49	C	N3-C4-N4	8.33	123.83	118.00
11	B2	652	C	N3-C4-C5	-8.33	118.57	121.90
11	B2	1220	G	C5-C6-N1	8.33	115.67	111.50
11	B2	1395	G	N9-C4-C5	-8.33	102.07	105.40
38	A1	367	G	OP1-P-OP2	-8.33	107.11	119.60
58	AK	36	TYR	CB-CG-CD1	8.33	126.00	121.00
38	A1	1190	G	C4-C5-N7	8.33	114.13	110.80
38	A1	1993	A	C4-C5-C6	8.33	121.17	117.00
38	A1	2217	C	C2-N3-C4	8.33	124.06	119.90
46	AD	161	PHE	CB-CG-CD2	-8.33	114.97	120.80
11	B2	899	G	C4-C5-C6	8.33	123.80	118.80
11	B2	1201	G	C5-C6-O6	-8.33	123.60	128.60
11	B2	1422	G	C8-N9-C4	-8.33	103.07	106.40
38	A1	44	C	N1-C2-O2	-8.33	113.90	118.90
38	A1	794	G	N1-C2-N3	-8.33	118.91	123.90
38	A1	1062	C	N3-C4-C5	-8.33	118.57	121.90
38	A1	1726	A	N3-C4-C5	-8.33	120.97	126.80
38	A1	1880	A	N1-C6-N6	8.33	123.60	118.60
38	A1	1063	C	N3-C4-N4	8.33	123.83	118.00
38	A1	2561	G	C1'-O4'-C4'	8.33	116.56	109.90
39	A3	31	U	O4'-C1'-N1	8.33	114.86	108.20
11	B2	462	A	O4'-C1'-N9	8.32	114.86	108.20
11	B2	1006	C	C6-N1-C2	-8.32	116.97	120.30
38	A1	46	C	C5-C6-N1	8.32	125.16	121.00
38	A1	243	G	N3-C4-C5	-8.32	124.44	128.60
38	A1	591	G	C4-C5-C6	8.32	123.80	118.80
38	A1	1744	A	O4'-C1'-N9	8.32	114.86	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2348	G	N1-C2-N3	-8.32	118.91	123.90
10	B1	22	A	C4-C5-C6	8.32	121.16	117.00
11	B2	290	C	N3-C4-C5	-8.32	118.57	121.90
38	A1	1171	G	C5-N7-C8	8.32	108.46	104.30
38	A1	1878	G	C5-C6-O6	-8.32	123.61	128.60
11	B2	636	G	N1-C6-O6	8.32	124.89	119.90
38	A1	827	G	O4'-C1'-N9	8.32	114.86	108.20
38	A1	1143	A	N1-C6-N6	8.32	123.59	118.60
38	A1	1197	G	C6-C5-N7	-8.32	125.41	130.40
38	A1	1968	A	C2-N3-C4	8.32	114.76	110.60
38	A1	2351	G	O4'-C1'-N9	8.32	114.86	108.20
38	A1	2399	C	N3-C4-N4	8.32	123.82	118.00
38	A1	2785	G	O4'-C1'-N9	8.32	114.86	108.20
6	AT	9	ARG	NE-CZ-NH2	8.32	124.46	120.30
38	A1	469	A	N1-C6-N6	8.32	123.59	118.60
38	A1	717	A	N1-C2-N3	8.32	133.46	129.30
38	A1	1207	G	N1-C6-O6	8.32	124.89	119.90
38	A1	2037	A	C2-N3-C4	-8.32	106.44	110.60
38	A1	2430	C	N1-C2-O2	8.32	123.89	118.90
38	A1	2595	C	N3-C4-N4	8.32	123.82	118.00
38	A1	2903	U	C5-C6-N1	-8.32	118.54	122.70
11	B2	1058	G	N1-C2-N3	-8.31	118.91	123.90
11	B2	200	G	C5-C6-O6	-8.31	123.61	128.60
11	B2	1001	A	C5-C6-N6	-8.31	117.05	123.70
38	A1	64	A	C4-C5-C6	8.31	121.16	117.00
38	A1	117	A	C2-N3-C4	8.31	114.76	110.60
38	A1	1613	A	C5-C6-N1	-8.31	113.54	117.70
38	A1	3007	A	C5-C6-N6	-8.31	117.05	123.70
39	A3	15	G	C5-C6-N1	-8.31	107.34	111.50
39	A3	48	A	C5-C6-N1	-8.31	113.54	117.70
11	B2	448	A	C4-C5-C6	8.31	121.16	117.00
11	B2	1460	G	C2'-C3'-O3'	8.31	127.79	109.50
38	A1	923	A	C4-C5-C6	8.31	121.16	117.00
11	B2	1352	G	C5-C6-O6	-8.31	123.61	128.60
38	A1	400	U	C2-N3-C4	-8.31	122.01	127.00
38	A1	865	C	C2-N3-C4	8.31	124.06	119.90
38	A1	1941	A	N1-C6-N6	8.31	123.59	118.60
42	Aa	27	ARG	NE-CZ-NH2	-8.31	116.14	120.30
11	B2	587	G	N3-C4-C5	8.31	132.75	128.60
11	B2	813	G	C6-C5-N7	-8.31	125.42	130.40
38	A1	312	G	O5'-P-OP1	8.31	120.67	110.70
38	A1	3038	A	C5-N7-C8	8.31	108.05	103.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	114	A	P-O3'-C3'	8.31	129.67	119.70
38	A1	204	G	N1-C6-O6	8.31	124.88	119.90
38	A1	1938	G	N1-C2-N3	-8.31	118.92	123.90
38	A1	2423	G	N9-C4-C5	-8.31	102.08	105.40
10	B1	63	C	C5-C4-N4	-8.30	114.39	120.20
11	B2	361	A	C6-N1-C2	-8.31	113.62	118.60
11	B2	565	C	N3-C4-N4	8.31	123.81	118.00
11	B2	1065	C	O4'-C1'-N1	8.31	114.84	108.20
38	A1	3010	C	C6-N1-C2	-8.31	116.98	120.30
11	B2	299	G	O4'-C1'-N9	8.30	114.84	108.20
11	B2	379	A	C5-C6-N6	-8.30	117.06	123.70
11	B2	1004	U	C5-C4-O4	-8.30	120.92	125.90
11	B2	1369	C	C6-N1-C2	-8.30	116.98	120.30
38	A1	913	G	N1-C6-O6	8.30	124.88	119.90
38	A1	1898	A	C5-C6-N6	-8.30	117.06	123.70
38	A1	1995	C	C5-C6-N1	8.30	125.15	121.00
38	A1	2676	A	C8-N9-C4	-8.30	102.48	105.80
38	A1	2802	G	C5-C6-N1	-8.30	107.35	111.50
4	AQ	28	ARG	NE-CZ-NH2	8.30	124.45	120.30
38	A1	443	C	C2-N3-C4	8.30	124.05	119.90
11	B2	265	C	C5-C4-N4	-8.30	114.39	120.20
11	B2	290	C	N3-C2-O2	8.30	127.71	121.90
11	B2	323	A	N1-C6-N6	8.30	123.58	118.60
38	A1	2080	G	C4-C5-C6	8.30	123.78	118.80
38	A1	2871	A	C5-N7-C8	8.30	108.05	103.90
11	B2	384	G	N1-C2-N3	-8.30	118.92	123.90
11	B2	794	A	C5-C6-N6	-8.30	117.06	123.70
11	B2	1337	A	C5-C6-N1	-8.30	113.55	117.70
45	AC	130	ARG	NE-CZ-NH1	-8.30	116.15	120.30
11	B2	1479	C	C5-C4-N4	-8.30	114.39	120.20
38	A1	631	G	C2-N3-C4	8.30	116.05	111.90
38	A1	633	A	O4'-C1'-N9	8.30	114.84	108.20
38	A1	1685	C	C5-C6-N1	8.30	125.15	121.00
38	A1	2159	C	O4'-C1'-N1	8.30	114.84	108.20
38	A1	1803	U	C4-C5-C6	8.30	124.68	119.70
38	A1	2427	C	N3-C4-N4	8.30	123.81	118.00
66	AY	73	ARG	NE-CZ-NH1	8.30	124.45	120.30
11	B2	843	G	C6-C5-N7	-8.30	125.42	130.40
38	A1	1938	G	C5'-C4'-O4'	8.30	119.06	109.10
11	B2	131	G	N1-C6-O6	8.29	124.88	119.90
11	B2	1228	A	C4-C5-N7	-8.29	106.55	110.70
11	B2	1366	U	O4'-C1'-N1	8.29	114.84	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	281	G	N1-C2-N3	-8.29	118.92	123.90
40	AK	17	ARG	N-CA-CB	8.30	125.53	110.60
38	A1	1060	C	O4'-C1'-N1	8.29	114.83	108.20
38	A1	2619	U	O4'-C1'-N1	8.29	114.83	108.20
38	A1	2045	C	C4-C5-C6	8.29	121.55	117.40
10	B1	29	C	C6-N1-C2	-8.29	116.98	120.30
38	A1	1251	G	O4'-C1'-N9	8.29	114.83	108.20
38	A1	2044	C	C2-N3-C4	-8.29	115.75	119.90
38	A1	2586	A	C5-C6-N6	-8.29	117.07	123.70
11	B2	152	G	N9-C4-C5	-8.29	102.08	105.40
38	A1	527	G	C5-C6-O6	-8.29	123.63	128.60
38	A1	2129	G	C8-N9-C4	-8.29	103.08	106.40
38	A1	2170	C	C4-C5-C6	8.29	121.55	117.40
38	A1	2679	A	C6-N1-C2	-8.29	113.63	118.60
38	A1	2501	G	C5-C6-O6	-8.29	123.63	128.60
11	B2	754	G	N7-C8-N9	-8.28	108.96	113.10
11	B2	1323	A	O4'-C1'-N9	8.28	114.83	108.20
11	B2	1389	G	C6-N1-C2	8.28	130.07	125.10
38	A1	1067	G	N1-C6-O6	8.29	124.87	119.90
38	A1	1594	G	C8-N9-C4	-8.29	103.09	106.40
38	A1	2597	A	N9-C4-C5	8.29	109.11	105.80
11	B2	1354	A	P-O3'-C3'	-8.28	109.76	119.70
11	B2	690	C	O4'-C1'-N1	8.28	114.83	108.20
11	B2	977	G	N1-C2-N3	-8.28	118.93	123.90
11	B2	1079	G	N3-C4-N9	-8.28	121.03	126.00
38	A1	1810	G	N3-C2-N2	8.28	125.70	119.90
38	A1	2280	G	C1'-O4'-C4'	8.28	116.53	109.90
38	A1	2330	A	N1-C6-N6	8.28	123.57	118.60
38	A1	2406	C	C2-N3-C4	8.28	124.04	119.90
39	A3	49	A	N1-C2-N3	-8.28	125.16	129.30
11	B2	516	A	C2-N3-C4	8.28	114.74	110.60
11	B2	886	G	C5-N7-C8	8.28	108.44	104.30
38	A1	878	G	N9-C4-C5	-8.28	102.09	105.40
38	A1	1495	A	O4'-C1'-N9	8.28	114.82	108.20
38	A1	2046	C	C2-N1-C1'	8.28	127.91	118.80
10	B1	11	C	C5-C6-N1	8.28	125.14	121.00
11	B2	459	G	N1-C2-N3	-8.28	118.94	123.90
11	B2	859	A	N1-C6-N6	8.28	123.56	118.60
38	A1	121	G	N3-C2-N2	8.28	125.69	119.90
38	A1	2301	C	P-O5'-C5'	8.28	134.14	120.90
11	B2	663	G	N1-C2-N3	-8.27	118.94	123.90
11	B2	952	A	C5-N7-C8	8.27	108.04	103.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1020	G	C6-C5-N7	-8.27	125.44	130.40
11	B2	1130	A	N1-C6-N6	8.27	123.56	118.60
38	A1	132	G	N1-C2-N3	-8.27	118.94	123.90
38	A1	555	G	C4-C5-C6	8.27	123.76	118.80
38	A1	1865	U	O4'-C1'-N1	8.27	114.82	108.20
38	A1	2947	G	N1-C6-O6	8.27	124.86	119.90
11	B2	996	A	N9-C4-C5	8.27	109.11	105.80
38	A1	3038	A	C5-C6-N1	-8.27	113.56	117.70
39	A3	83	C	C5-C4-N4	-8.27	114.41	120.20
39	A3	88	A	C5-C6-N1	-8.27	113.56	117.70
11	B2	479	C	O4'-C1'-N1	8.27	114.81	108.20
11	B2	829	U	N1-C2-N3	-8.27	109.94	114.90
11	B2	1228	A	C2-N3-C4	8.27	114.73	110.60
11	B2	1268	C	C3'-C2'-C1'	8.27	108.11	101.50
38	A1	213	G	N1-C2-N3	-8.27	118.94	123.90
38	A1	281	G	C6-C5-N7	-8.27	125.44	130.40
38	A1	2067	U	C2-N3-C4	-8.27	122.04	127.00
38	A1	2432	G	C2-N3-C4	8.27	116.03	111.90
38	A1	2753	G	N1-C6-O6	8.27	124.86	119.90
11	B2	374	G	C5-N7-C8	8.27	108.43	104.30
38	A1	954	A	C6-C5-N7	-8.27	126.52	132.30
10	B1	33	C	C5-C6-N1	8.26	125.13	121.00
11	B2	584	C	N3-C4-C5	-8.26	118.59	121.90
38	A1	1003	C	C6-N1-C2	-8.26	116.99	120.30
38	A1	1558	U	N3-C4-O4	8.26	125.19	119.40
11	B2	1485	G	C4-C5-C6	8.26	123.76	118.80
38	A1	59	U	N3-C2-O2	8.26	127.98	122.20
38	A1	200	G	O4'-C1'-N9	8.26	114.81	108.20
38	A1	658	C	C5-C4-N4	-8.26	114.42	120.20
38	A1	1181	C	C5-C6-N1	-8.26	116.87	121.00
11	B2	1483	U	C5-C6-N1	8.26	126.83	122.70
38	A1	989	G	N3-C2-N2	8.26	125.68	119.90
11	B2	1144	G	N1-C6-O6	8.26	124.86	119.90
38	A1	1004	U	N3-C4-O4	8.26	125.18	119.40
38	A1	1052	G	C5-C6-O6	-8.26	123.64	128.60
38	A1	2844	G	O4'-C1'-N9	8.26	114.81	108.20
11	B2	19	G	C2-N3-C4	8.26	116.03	111.90
11	B2	417	C	N3-C4-N4	8.26	123.78	118.00
11	B2	899	G	C6-C5-N7	-8.26	125.45	130.40
38	A1	596	C	N1-C2-N3	8.26	124.98	119.20
38	A1	1767	C	N3-C4-C5	-8.26	118.60	121.90
38	A1	2127	G	N1-C6-O6	8.26	124.86	119.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	B1	54	G	C6-C5-N7	-8.26	125.45	130.40
11	B2	313	G	N7-C8-N9	-8.26	108.97	113.10
38	A1	953	G	C1'-O4'-C4'	8.26	116.51	109.90
38	A1	1162	C	C6-N1-C2	-8.26	117.00	120.30
38	A1	2587	G	C6-C5-N7	-8.26	125.45	130.40
38	A1	2720	U	O4'-C1'-N1	8.26	114.81	108.20
38	A1	2794	G	C8-N9-C4	-8.26	103.10	106.40
11	B2	754	G	C5-C6-N1	-8.26	107.37	111.50
11	B2	1349	C	O4'-C1'-N1	8.26	114.80	108.20
11	B2	1393	A	C4-C5-N7	-8.26	106.57	110.70
38	A1	183	G	N3-C2-N2	8.26	125.68	119.90
38	A1	805	C	N3-C4-N4	8.26	123.78	118.00
38	A1	883	G	C1'-O4'-C4'	-8.26	103.30	109.90
38	A1	2432	G	N3-C2-N2	8.26	125.68	119.90
11	B2	131	G	C1'-O4'-C4'	-8.25	103.30	109.90
11	B2	425	C	P-O3'-C3'	-8.25	109.80	119.70
11	B2	1279	A	N1-C6-N6	8.25	123.55	118.60
38	A1	803	A	C4-C5-C6	8.25	121.13	117.00
38	A1	1099	C	O4'-C1'-N1	8.25	114.80	108.20
38	A1	1707	A	C4'-C3'-C2'	-8.25	94.35	102.60
38	A1	2654	C	C4-C5-C6	8.25	121.53	117.40
11	B2	887	G	C2-N3-C4	8.25	116.03	111.90
11	B2	523	C	C2-N3-C4	8.25	124.03	119.90
11	B2	1408	C	O4'-C1'-N1	8.25	114.80	108.20
15	BC	145	ARG	NE-CZ-NH1	8.25	124.42	120.30
38	A1	234	G	C5-C6-N1	-8.25	107.38	111.50
38	A1	612	G	C6-N1-C2	8.25	130.05	125.10
38	A1	617	G	N7-C8-N9	8.25	117.22	113.10
38	A1	1866	G	C6-C5-N7	-8.25	125.45	130.40
38	A1	1910	C	N3-C4-N4	8.25	123.77	118.00
38	A1	2224	G	C8-N9-C4	-8.25	103.10	106.40
38	A1	2536	A	O4'-C1'-N9	8.25	114.80	108.20
39	A3	68	C	N3-C4-C5	-8.25	118.60	121.90
24	BL	71	ARG	NE-CZ-NH1	8.25	124.42	120.30
38	A1	1019	G	N1-C2-N3	-8.25	118.95	123.90
38	A1	304	G	C6-C5-N7	-8.25	125.45	130.40
38	A1	748	G	N1-C6-O6	8.25	124.85	119.90
38	A1	935	A	C5-C6-N1	-8.25	113.58	117.70
38	A1	1374	G	N1-C2-N3	-8.25	118.95	123.90
38	A1	2036	A	N9-C4-C5	-8.25	102.50	105.80
38	A1	2212	C	C2-N3-C4	8.25	124.02	119.90
10	B1	26	C	O4'-C1'-N1	8.24	114.80	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1117	A	C8-N9-C4	-8.24	102.50	105.80
38	A1	414	G	C5-C6-O6	-8.24	123.65	128.60
38	A1	1422	G	C2-N3-C4	8.24	116.02	111.90
10	B1	24	A	C8-N9-C4	8.24	109.10	105.80
11	B2	1055	C	N3-C4-N4	8.24	123.77	118.00
38	A1	908	U	C4-C5-C6	-8.24	114.75	119.70
38	A1	1724	A	N1-C6-N6	8.24	123.55	118.60
38	A1	1835	A	C6-C5-N7	-8.24	126.53	132.30
38	A1	2954	C	N3-C4-N4	8.24	123.77	118.00
60	AM	118	TRP	CA-CB-CG	8.24	129.36	113.70
11	B2	11	A	C6-C5-N7	-8.24	126.53	132.30
11	B2	242	A	C4-C5-N7	-8.24	106.58	110.70
11	B2	479	C	N3-C4-C5	-8.24	118.60	121.90
11	B2	1482	C	O4'-C1'-N1	8.24	114.79	108.20
11	B2	300	G	N1-C2-N2	8.24	123.61	116.20
11	B2	562	A	C5-C6-N1	-8.24	113.58	117.70
11	B2	920	U	O5'-P-OP2	-8.24	98.28	105.70
11	B2	832	G	C2-N3-C4	8.24	116.02	111.90
11	B2	1012	C	N3-C4-N4	8.24	123.77	118.00
11	B2	1234	A	C8-N9-C4	-8.24	102.50	105.80
38	A1	41	G	N9-C4-C5	8.24	108.70	105.40
38	A1	102	A	N1-C6-N6	8.24	123.54	118.60
38	A1	210	A	C4-C5-C6	8.24	121.12	117.00
38	A1	703	G	P-O3'-C3'	-8.24	109.81	119.70
38	A1	1125	A	C4-C5-C6	8.24	121.12	117.00
38	A1	2194	A	N9-C4-C5	8.24	109.10	105.80
40	A5	16	ARG	NE-CZ-NH1	8.24	124.42	120.30
10	B1	68	C	O4'-C1'-N1	8.24	114.79	108.20
11	B2	307	G	N3-C4-N9	-8.24	121.06	126.00
38	A1	404	G	N1-C6-O6	8.24	124.84	119.90
38	A1	580	G	C6-C5-N7	-8.24	125.46	130.40
38	A1	911	G	C8-N9-C4	-8.24	103.11	106.40
38	A1	2829	C	N3-C4-C5	-8.24	118.61	121.90
38	A1	1131	G	C2-N3-C4	-8.24	107.78	111.90
38	A1	1183	U	P-O3'-C3'	8.24	129.58	119.70
38	A1	1207	G	C5-C6-O6	-8.24	123.66	128.60
38	A1	2184	G	C8-N9-C4	-8.24	103.11	106.40
38	A1	2785	G	N1-C2-N3	-8.24	118.96	123.90
41	AA	123	ARG	NE-CZ-NH1	8.24	124.42	120.30
11	B2	116	C	C4-C5-C6	8.23	121.52	117.40
11	B2	178	C	C4'-C3'-C2'	-8.23	94.37	102.60
11	B2	479	C	N3-C4-N4	8.23	123.76	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	567	A	C8-N9-C4	-8.23	102.51	105.80
18	BF	184	TRP	CG-CD2-CE3	-8.23	126.49	133.90
38	A1	130	G	P-O3'-C3'	8.23	129.58	119.70
38	A1	979	G	N9-C4-C5	-8.23	102.11	105.40
38	A1	1128	G	N1-C6-O6	8.23	124.84	119.90
38	A1	1734	G	P-O3'-C3'	8.23	129.58	119.70
38	A1	1807	G	N1-C6-O6	8.23	124.84	119.90
38	A1	2287	C	C1'-O4'-C4'	-8.23	103.31	109.90
38	A1	552	A	N7-C8-N9	-8.23	109.69	113.80
9	AX	384	PHE	CB-CG-CD2	-8.23	115.04	120.80
11	B2	463	G	N3-C4-N9	-8.23	121.06	126.00
38	A1	207	A	C5-C6-N6	-8.23	117.12	123.70
11	B2	856	G	N1-C6-O6	8.23	124.84	119.90
38	A1	100	C	C6-N1-C2	-8.23	117.01	120.30
38	A1	173	G	C6-C5-N7	-8.23	125.46	130.40
38	A1	575	G	N1-C6-O6	8.23	124.84	119.90
38	A1	291	A	N3-C4-N9	8.23	133.98	127.40
38	A1	2354	A	N1-C6-N6	8.23	123.54	118.60
38	A1	2508	G	C6-N1-C2	8.23	130.04	125.10
38	A1	2546	G	N3-C4-N9	-8.23	121.06	126.00
38	A1	2540	A	O4'-C1'-N9	8.23	114.78	108.20
11	B2	309	A	O4'-C1'-N9	8.22	114.78	108.20
11	B2	886	G	C5-C6-O6	-8.22	123.67	128.60
38	A1	1226	G	N3-C2-N2	8.22	125.66	119.90
38	A1	1505	G	C2-N3-C4	8.22	116.01	111.90
38	A1	2738	G	C6-C5-N7	-8.22	125.47	130.40
38	A1	1564	C	N3-C4-C5	-8.22	118.61	121.90
11	B2	202	G	C2-N3-C4	8.22	116.01	111.90
38	A1	168	G	O4'-C1'-N9	8.22	114.78	108.20
38	A1	792	A	C5'-C4'-O4'	8.22	118.97	109.10
38	A1	1555	G	N3-C4-C5	8.22	132.71	128.60
38	A1	2029	C	C2-N3-C4	8.22	124.01	119.90
43	AB	23	ARG	NE-CZ-NH1	8.22	124.41	120.30
11	B2	560	A	C5-C6-N1	-8.22	113.59	117.70
11	B2	686	C	C5-C4-N4	-8.22	114.45	120.20
11	B2	787	U	C5-C4-O4	-8.22	120.97	125.90
11	B2	1024	G	C5-C6-O6	8.22	133.53	128.60
11	B2	1083	G	N1-C6-O6	8.22	124.83	119.90
11	B2	1485	G	C6-C5-N7	-8.22	125.47	130.40
38	A1	845	U	C6-N1-C2	-8.22	116.07	121.00
38	A1	1476	C	N3-C2-O2	-8.22	116.15	121.90
11	B2	1326	G	N3-C2-N2	8.22	125.65	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1217	C	P-O3'-C3'	8.21	129.56	119.70
14	BB	96	PHE	CB-CG-CD1	-8.21	115.05	120.80
38	A1	355	G	N9-C4-C5	-8.21	102.11	105.40
38	A1	766	G	N1-C2-N3	-8.21	118.97	123.90
38	A1	878	G	C5-C6-N1	-8.21	107.39	111.50
38	A1	954	A	C8-N9-C4	-8.21	102.51	105.80
38	A1	2477	G	C6-C5-N7	-8.22	125.47	130.40
38	A1	1231	C	N3-C4-C5	-8.21	118.61	121.90
38	A1	2712	G	N9-C4-C5	8.21	108.69	105.40
10	B1	77	A	C5-C6-N1	-8.21	113.59	117.70
14	BB	14	ALA	N-CA-CB	8.21	121.60	110.10
38	A1	590	A	C4-C5-C6	8.21	121.11	117.00
38	A1	1064	G	C5-C6-N1	-8.21	107.39	111.50
11	B2	463	G	N1-C6-O6	8.21	124.83	119.90
38	A1	110	A	C4-C5-C6	8.21	121.11	117.00
38	A1	2404	G	N3-C2-N2	8.21	125.65	119.90
38	A1	2586	A	O4'-C1'-N9	8.21	114.77	108.20
38	A1	2973	A	C5-N7-C8	8.21	108.01	103.90
11	B2	765	U	N1-C2-O2	-8.21	117.05	122.80
11	B2	1281	U	N1-C2-O2	-8.21	117.05	122.80
11	B2	1395	G	N1-C2-N3	-8.21	118.97	123.90
38	A1	855	G	C5-C6-O6	-8.21	123.67	128.60
38	A1	1440	C	C2-N3-C4	-8.21	115.80	119.90
38	A1	1323	U	C2-N3-C4	8.21	131.92	127.00
38	A1	1730	C	C4-C5-C6	8.21	121.50	117.40
38	A1	2992	G	N3-C2-N2	8.21	125.65	119.90
3	Af	12	ARG	NE-CZ-NH2	-8.21	116.20	120.30
11	B2	340	A	C5-C6-N1	-8.21	113.60	117.70
11	B2	662	C	C2-N3-C4	8.20	124.00	119.90
11	B2	1096	G	O4'-C1'-N9	8.21	114.76	108.20
38	A1	84	A	O3'-P-O5'	8.21	119.59	104.00
38	A1	97	C	O4'-C1'-N1	8.21	114.77	108.20
38	A1	530	A	C6-C5-N7	-8.21	126.56	132.30
11	B2	1331	G	C8-N9-C4	-8.20	103.12	106.40
38	A1	115	C	N3-C4-C5	-8.20	118.62	121.90
38	A1	2024	A	C5-C6-N1	-8.21	113.60	117.70
38	A1	2972	G	C2-N3-C4	8.20	116.00	111.90
38	A1	2190	A	C5-C6-N6	-8.20	117.14	123.70
11	B2	602	G	O4'-C1'-N9	8.20	114.76	108.20
11	B2	851	C	N3-C4-C5	-8.20	118.62	121.90
38	A1	1050	C	N3-C4-C5	-8.20	118.62	121.90
38	A1	1407	A	C4-C5-C6	8.20	121.10	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1726	A	O4'-C1'-N9	8.20	114.76	108.20
38	A1	15	A	C5-C6-N1	-8.20	113.60	117.70
38	A1	74	A	C5-N7-C8	8.20	108.00	103.90
38	A1	999	A	N1-C6-N6	8.20	123.52	118.60
38	A1	1789	A	C4-C5-N7	-8.20	106.60	110.70
38	A1	2265	C	N3-C4-C5	-8.20	118.62	121.90
10	B1	65	C	N1-C2-O2	-8.20	113.98	118.90
11	B2	251	G	N3-C4-C5	-8.20	124.50	128.60
11	B2	1260	G	C5-C6-N1	-8.20	107.40	111.50
38	A1	1679	U	O4'-C1'-N1	8.20	114.76	108.20
11	B2	357	C	O4'-C1'-N1	8.20	114.76	108.20
11	B2	693	C	N3-C4-C5	-8.20	118.62	121.90
11	B2	1157	G	C4-C5-N7	-8.20	107.52	110.80
38	A1	2241	U	N3-C2-O2	8.20	127.94	122.20
38	A1	2851	A	N9-C4-C5	8.20	109.08	105.80
38	A1	2973	A	O4'-C1'-N9	8.20	114.76	108.20
11	B2	1248	A	N1-C6-N6	8.20	123.52	118.60
38	A1	1743	G	C6-C5-N7	-8.20	125.48	130.40
38	A1	2837	C	C5-C4-N4	-8.20	114.46	120.20
11	B2	310	G	N1-C2-N3	-8.19	118.98	123.90
11	B2	559	G	N3-C2-N2	8.19	125.64	119.90
11	B2	1266	A	O4'-C1'-N9	8.20	114.76	108.20
11	B2	1411	G	N1-C6-O6	8.19	124.82	119.90
38	A1	836	U	N3-C4-O4	8.19	125.14	119.40
38	A1	1432	C	O4'-C1'-N1	8.20	114.76	108.20
38	A1	2425	A	C4-C5-C6	8.19	121.10	117.00
10	B1	36	A	C4-C5-C6	8.19	121.10	117.00
11	B2	597	C	C5-C4-N4	-8.19	114.47	120.20
11	B2	1126	G	N9-C4-C5	-8.19	102.12	105.40
11	B2	1157	G	C8-N9-C4	-8.19	103.12	106.40
38	A1	35	G	N1-C6-O6	8.19	124.81	119.90
38	A1	607	C	C5-C6-N1	8.19	125.10	121.00
38	A1	1125	A	P-O3'-C3'	8.19	129.53	119.70
38	A1	2091	U	N3-C2-O2	8.19	127.94	122.20
38	A1	2278	U	O4'-C1'-N1	8.19	114.75	108.20
38	A1	2790	C	C6-N1-C2	-8.19	117.02	120.30
39	A3	60	C	O4'-C1'-N1	8.19	114.75	108.20
38	A1	1412	C	N3-C4-C5	-8.19	118.62	121.90
38	A1	1962	G	O4'-C1'-N9	8.19	114.75	108.20
54	AI	66	PHE	CB-CG-CD1	-8.19	115.07	120.80
11	B2	100	A	N9-C4-C5	8.19	109.08	105.80
38	A1	936	G	N1-C2-N3	-8.19	118.99	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2784	A	N1-C2-N3	8.19	133.40	129.30
11	B2	1097	G	O4'-C1'-N9	8.19	114.75	108.20
38	A1	10	C	C5-C6-N1	8.19	125.09	121.00
38	A1	1518	G	O4'-C1'-N9	8.19	114.75	108.20
38	A1	2870	A	C5-C6-N6	-8.19	117.15	123.70
11	B2	199	A	C5-C6-N6	-8.19	117.15	123.70
11	B2	501	G	C5-C6-O6	-8.19	123.69	128.60
11	B2	786	G	N1-C2-N3	-8.19	118.99	123.90
11	B2	943	C	N3-C4-N4	8.19	123.73	118.00
11	B2	1267	U	O4'-C1'-N1	8.19	114.75	108.20
11	B2	1376	C	C4-C5-C6	8.19	121.49	117.40
27	BO	137	ARG	N-CA-CB	8.19	125.33	110.60
38	A1	2594	U	N3-C4-C5	-8.19	109.69	114.60
38	A1	396	G	O4'-C1'-N9	8.19	114.75	108.20
38	A1	1576	C	O4'-C1'-N1	8.19	114.75	108.20
38	A1	2538	G	C4-C5-C6	8.19	123.71	118.80
38	A1	1622	G	N1-C6-O6	8.18	124.81	119.90
10	B1	17	C	N3-C4-C5	-8.18	118.63	121.90
10	B1	64	C	N3-C4-C5	-8.18	118.63	121.90
11	B2	436	A	P-O3'-C3'	8.18	129.52	119.70
11	B2	728	G	O4'-C1'-N9	8.18	114.75	108.20
13	BA	97	ARG	NE-CZ-NH1	8.18	124.39	120.30
38	A1	1323	U	N3-C4-C5	-8.18	109.69	114.60
38	A1	190	C	O4'-C1'-N1	8.18	114.75	108.20
17	BE	3	ARG	NE-CZ-NH2	-8.18	116.21	120.30
38	A1	222	A	C4-C5-C6	8.18	121.09	117.00
38	A1	398	U	N3-C2-O2	8.18	127.93	122.20
38	A1	1008	U	O4'-C1'-N1	8.18	114.74	108.20
38	A1	1187	A	C4-C5-C6	8.18	121.09	117.00
38	A1	2728	U	C2-N3-C4	8.18	131.91	127.00
38	A1	1109	G	C4-C5-C6	8.18	123.71	118.80
38	A1	1850	C	N3-C4-N4	8.18	123.72	118.00
11	B2	248	U	O4'-C4'-C3'	-8.18	95.82	104.00
24	BL	46	ARG	NE-CZ-NH1	8.18	124.39	120.30
38	A1	207	A	N3-C4-C5	-8.18	121.08	126.80
38	A1	487	U	O4'-C1'-N1	8.18	114.74	108.20
38	A1	2400	U	C5-C4-O4	-8.18	120.99	125.90
38	A1	483	C	C2-N3-C4	8.18	123.99	119.90
38	A1	1549	C	C4-C5-C6	8.18	121.49	117.40
38	A1	1738	A	N1-C2-N3	8.18	133.39	129.30
38	A1	2782	A	C4-C5-C6	8.18	121.09	117.00
39	A3	101	A	C5-C6-N1	-8.18	113.61	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	A3	81	C	N3-C4-N4	8.18	123.72	118.00
10	B1	61	U	C5-C6-N1	8.17	126.79	122.70
10	B1	65	C	N3-C4-N4	8.17	123.72	118.00
11	B2	65	G	C4-C5-N7	-8.17	107.53	110.80
11	B2	301	G	O4'-C1'-N9	8.17	114.74	108.20
11	B2	1192	C	N3-C4-N4	8.17	123.72	118.00
11	B2	1207	G	C5-N7-C8	8.17	108.39	104.30
38	A1	466	C	C5-C4-N4	-8.17	114.48	120.20
38	A1	3021	C	N1-C2-O2	8.17	123.80	118.90
11	B2	239	A	C2'-C3'-O3'	8.17	127.48	109.50
11	B2	521	G	N9-C4-C5	-8.17	102.13	105.40
11	B2	867	A	N9-C4-C5	-8.17	102.53	105.80
11	B2	1382	G	C6-C5-N7	-8.17	125.50	130.40
38	A1	23	G	C6-N1-C2	8.17	130.00	125.10
38	A1	1592	U	P-O5'-C5'	8.17	133.97	120.90
38	A1	696	G	N1-C6-O6	8.17	124.80	119.90
38	A1	1145	G	C5-C6-O6	-8.17	123.70	128.60
38	A1	1419	G	N1-C6-O6	8.17	124.80	119.90
38	A1	1485	A	N1-C6-N6	8.17	123.50	118.60
38	A1	2795	G	O4'-C1'-N9	8.17	114.73	108.20
39	A3	6	G	C5-C6-O6	-8.17	123.70	128.60
11	B2	1221	A	P-O3'-C3'	8.17	129.50	119.70
11	B2	114	A	C5-N7-C8	8.17	107.98	103.90
11	B2	415	C	C5-C4-N4	-8.17	114.48	120.20
11	B2	965	G	C4-C5-C6	8.17	123.70	118.80
11	B2	1087	C	N3-C2-O2	8.17	127.62	121.90
11	B2	1247	A	N1-C6-N6	8.17	123.50	118.60
11	B2	1248	A	C8-N9-C4	-8.17	102.53	105.80
11	B2	1447	A	C2-N3-C4	-8.17	106.52	110.60
15	BC	73	PHE	CB-CG-CD1	-8.17	115.08	120.80
38	A1	184	A	O4'-C1'-N9	8.17	114.73	108.20
38	A1	2602	G	N3-C4-N9	8.17	130.90	126.00
38	A1	208	A	C5-C6-N6	-8.17	117.17	123.70
38	A1	2420	C	C6-N1-C2	-8.17	117.03	120.30
38	A1	2648	C	C6-N1-C2	-8.17	117.03	120.30
38	A1	2857	C	N3-C4-C5	-8.17	118.63	121.90
38	A1	2998	G	C2-N3-C4	8.17	115.98	111.90
39	A3	69	C	C5-C6-N1	8.17	125.08	121.00
38	A1	1601	G	N1-C2-N3	-8.16	119.00	123.90
11	B2	776	C	P-O5'-C5'	8.16	133.96	120.90
11	B2	936	A	C4-C5-N7	-8.16	106.62	110.70
11	B2	1291	G	C4-C5-C6	8.16	123.70	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	627	G	N3-C2-N2	8.16	125.61	119.90
38	A1	2639	G	O4'-C1'-N9	8.16	114.73	108.20
38	A1	2073	G	N1-C6-O6	8.16	124.80	119.90
38	A1	2240	G	N1-C6-O6	8.16	124.80	119.90
38	A1	2756	G	N1-C6-O6	8.16	124.80	119.90
11	B2	205	C	N3-C4-N4	8.16	123.71	118.00
11	B2	363	C	C6-N1-C2	-8.16	117.04	120.30
11	B2	809	C	O4'-C1'-N1	8.16	114.73	108.20
11	B2	893	U	N1-C2-N3	-8.16	110.00	114.90
38	A1	399	C	N3-C4-C5	-8.16	118.64	121.90
38	A1	1293	G	N3-C2-N2	8.16	125.61	119.90
38	A1	2078	A	C5-C6-N1	-8.16	113.62	117.70
38	A1	2250	G	C6-N1-C2	8.16	130.00	125.10
10	B1	25	G	C4-C5-N7	-8.16	107.54	110.80
11	B2	319	U	C2-N3-C4	8.16	131.89	127.00
11	B2	671	C	C5-C6-N1	8.16	125.08	121.00
11	B2	962	G	C5-N7-C8	8.16	108.38	104.30
14	BB	58	PHE	CB-CG-CD2	-8.16	115.09	120.80
38	A1	1419	G	C2-N3-C4	8.16	115.98	111.90
38	A1	1800	G	N1-C6-O6	8.16	124.79	119.90
38	A1	2538	G	C4'-C3'-C2'	-8.16	94.44	102.60
11	B2	1020	G	N1-C2-N3	-8.15	119.01	123.90
38	A1	541	A	O4'-C1'-N9	8.15	114.72	108.20
38	A1	860	A	C6-N1-C2	8.15	123.49	118.60
38	A1	2607	U	O4'-C1'-N1	8.15	114.72	108.20
38	A1	1806	C	N3-C4-N4	8.15	123.71	118.00
38	A1	2086	C	C4-C5-C6	8.15	121.48	117.40
38	A1	2623	G	N1-C6-O6	8.15	124.79	119.90
11	B2	1468	A	O4'-C1'-N9	8.15	114.72	108.20
38	A1	132	G	C2-N3-C4	8.15	115.97	111.90
38	A1	2242	A	C2-N3-C4	-8.15	106.52	110.60
38	A1	2449	A	C5-C6-N6	-8.15	117.18	123.70
39	A3	89	G	C5-N7-C8	-8.15	100.22	104.30
10	B1	73	C	O4'-C1'-N1	8.15	114.72	108.20
11	B2	442	C	C5-C6-N1	8.15	125.07	121.00
11	B2	681	G	N7-C8-N9	-8.15	109.03	113.10
11	B2	1335	A	O4'-C1'-N9	8.15	114.72	108.20
33	BU	5	TYR	CG-CD2-CE2	-8.15	114.78	121.30
38	A1	1170	G	C5-N7-C8	8.15	108.37	104.30
38	A1	1504	C	O4'-C1'-N1	8.15	114.72	108.20
38	A1	1876	G	C6-N1-C2	-8.15	120.21	125.10
39	A3	20	G	N1-C6-O6	8.15	124.79	119.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	A3	30	G	C5-N7-C8	8.15	108.38	104.30
45	AC	37	ARG	NE-CZ-NH2	-8.15	116.23	120.30
11	B2	744	A	N1-C2-N3	8.15	133.37	129.30
38	A1	906	G	C4-C5-N7	-8.15	107.54	110.80
38	A1	1566	G	N9-C4-C5	-8.15	102.14	105.40
38	A1	2169	C	C5-C4-N4	-8.15	114.50	120.20
38	A1	2326	C	C6-N1-C2	-8.15	117.04	120.30
39	A3	86	C	O4'-C1'-N1	8.15	114.72	108.20
11	B2	1170	C	N3-C4-N4	8.14	123.70	118.00
11	B2	379	A	C5-N7-C8	8.14	107.97	103.90
38	A1	127	C	O4'-C1'-N1	8.14	114.72	108.20
38	A1	558	C	N3-C4-C5	-8.14	118.64	121.90
38	A1	853	G	O4'-C1'-N9	8.14	114.72	108.20
38	A1	1497	C	C6-N1-C2	8.14	123.56	120.30
38	A1	1571	G	N9-C4-C5	8.14	108.66	105.40
38	A1	1634	A	C5-C6-N6	-8.14	117.19	123.70
38	A1	1703	G	C6-C5-N7	-8.14	125.51	130.40
38	A1	1949	A	C4-C5-C6	8.14	121.07	117.00
38	A1	2625	C	N3-C4-C5	-8.14	118.64	121.90
11	B2	482	G	C5-C6-O6	-8.14	123.72	128.60
38	A1	2556	C	O4'-C1'-N1	8.14	114.71	108.20
11	B2	308	G	C5-C6-O6	-8.14	123.72	128.60
11	B2	1232	G	N1-C6-O6	8.14	124.78	119.90
38	A1	2567	C	N3-C4-N4	8.14	123.70	118.00
11	B2	192	G	C5-C6-O6	-8.14	123.72	128.60
11	B2	894	A	C6-C5-N7	-8.14	126.60	132.30
11	B2	926	C	C5-C6-N1	8.14	125.07	121.00
11	B2	1078	U	O4'-C1'-N1	8.14	114.71	108.20
11	B2	1136	A	C5-C6-N1	-8.14	113.63	117.70
38	A1	207	A	N1-C6-N6	8.14	123.48	118.60
38	A1	285	C	C2-N3-C4	8.14	123.97	119.90
38	A1	481	G	N7-C8-N9	-8.14	109.03	113.10
38	A1	759	G	C4'-C3'-C2'	-8.14	94.46	102.60
38	A1	1104	A	C1'-O4'-C4'	8.14	116.41	109.90
38	A1	2129	G	N1-C6-O6	8.14	124.78	119.90
38	A1	2294	A	C6-C5-N7	-8.14	126.60	132.30
38	A1	2308	C	N3-C4-N4	8.14	123.70	118.00
38	A1	2463	G	C8-N9-C1'	8.14	137.58	127.00
62	AO	13	ARG	NE-CZ-NH2	8.14	124.37	120.30
11	B2	470	G	C5-C6-O6	-8.13	123.72	128.60
38	A1	550	A	C5-N7-C8	8.14	107.97	103.90
38	A1	2369	G	C6-C5-N7	-8.14	125.52	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1135	G	N3-C2-N2	8.13	125.59	119.90
38	A1	1570	C	C5-C4-N4	-8.13	114.51	120.20
11	B2	76	U	O4'-C1'-N1	8.13	114.71	108.20
38	A1	1834	C	C2-N3-C4	8.13	123.97	119.90
11	B2	343	G	C4'-C3'-C2'	-8.13	94.47	102.60
11	B2	717	C	N1-C2-O2	-8.13	114.02	118.90
11	B2	861	G	N1-C2-N3	-8.13	119.02	123.90
38	A1	168	G	C4-C5-N7	8.13	114.05	110.80
38	A1	1694	G	N1-C6-O6	8.13	124.78	119.90
38	A1	2405	U	O4'-C1'-N1	8.13	114.70	108.20
39	A3	76	U	O4'-C1'-N1	8.13	114.70	108.20
11	B2	57	G	C8-N9-C4	-8.13	103.15	106.40
11	B2	1202	G	O4'-C1'-N9	8.13	114.70	108.20
11	B2	775	G	O4'-C1'-N9	8.13	114.70	108.20
13	BA	89	ARG	NE-CZ-NH2	8.13	124.36	120.30
33	BU	53	TYR	CB-CG-CD2	-8.13	116.12	121.00
38	A1	1769	G	C4-C5-C6	8.13	123.68	118.80
38	A1	2356	U	N3-C4-C5	-8.13	109.72	114.60
38	A1	296	G	C6-C5-N7	-8.13	125.52	130.40
38	A1	349	A	C4-C5-C6	8.13	121.06	117.00
38	A1	940	G	N1-C6-O6	-8.13	115.02	119.90
38	A1	1090	G	C5-C6-O6	-8.13	123.72	128.60
38	A1	1626	A	O4'-C1'-N9	8.13	114.70	108.20
38	A1	2317	G	N9-C4-C5	-8.13	102.15	105.40
38	A1	2365	G	N3-C4-C5	8.13	132.66	128.60
38	A1	2487	G	C6-N1-C2	-8.13	120.22	125.10
38	A1	2503	C	N3-C4-N4	8.13	123.69	118.00
59	AL	26	ARG	NE-CZ-NH1	8.13	124.36	120.30
60	AM	106	ARG	NE-CZ-NH2	-8.13	116.24	120.30
11	B2	509	C	C5-C4-N4	-8.12	114.51	120.20
11	B2	1012	C	C5-C6-N1	8.12	125.06	121.00
11	B2	1279	A	P-O3'-C3'	8.12	129.45	119.70
11	B2	1319	C	O4'-C1'-N1	8.12	114.70	108.20
38	A1	211	A	C5-C6-N1	-8.12	113.64	117.70
38	A1	327	G	O4'-C1'-N9	8.12	114.70	108.20
38	A1	596	C	O4'-C1'-N1	8.13	114.70	108.20
38	A1	2427	C	C5-C4-N4	-8.13	114.51	120.20
38	A1	2194	A	N3-C4-C5	-8.12	121.11	126.80
61	AN	165	TYR	CB-CG-CD1	-8.12	116.12	121.00
11	B2	83	C	C3'-C2'-C1'	8.12	108.00	101.50
11	B2	391	G	C2-N3-C4	-8.12	107.84	111.90
39	A3	62	A	P-O3'-C3'	8.12	129.45	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	26	A	C5-C6-N6	-8.12	117.20	123.70
11	B2	527	A	C5-C6-N1	-8.12	113.64	117.70
11	B2	981	U	N3-C4-C5	8.12	119.47	114.60
11	B2	700	G	N7-C8-N9	8.12	117.16	113.10
11	B2	1050	G	C8-N9-C4	-8.12	103.15	106.40
11	B2	1102	A	C4-C5-C6	8.12	121.06	117.00
38	A1	558	C	N3-C4-N4	8.12	123.69	118.00
38	A1	1328	G	N9-C4-C5	-8.12	102.15	105.40
38	A1	1789	A	C5-C6-N1	-8.12	113.64	117.70
38	A1	2057	G	C6-C5-N7	-8.12	125.53	130.40
38	A1	2176	G	C4-C5-N7	-8.12	107.55	110.80
43	AB	182	TYR	CB-CG-CD1	-8.12	116.13	121.00
65	AV	14	PHE	CB-CG-CD2	-8.12	115.11	120.80
11	B2	4	C	O4'-C1'-N1	8.12	114.70	108.20
11	B2	65	G	C5-C6-O6	-8.12	123.73	128.60
38	A1	562	G	C5-C6-O6	-8.12	123.73	128.60
38	A1	1782	C	C4-C5-C6	8.12	121.46	117.40
38	A1	2473	C	N3-C4-N4	8.12	123.68	118.00
10	B1	5	C	O4'-C1'-N1	8.12	114.69	108.20
11	B2	372	G	N1-C2-N3	-8.12	119.03	123.90
11	B2	520	G	N3-C2-N2	8.12	125.58	119.90
11	B2	1448	A	C4-C5-C6	8.12	121.06	117.00
27	BO	53	TYR	CB-CG-CD2	8.12	125.87	121.00
38	A1	352	G	N3-C2-N2	8.12	125.58	119.90
38	A1	451	C	C2-N3-C4	8.12	123.96	119.90
38	A1	1024	G	N1-C6-O6	8.12	124.77	119.90
38	A1	2711	U	O4'-C1'-N1	8.12	114.69	108.20
10	B1	40	U	N1-C2-O2	-8.12	117.12	122.80
11	B2	976	A	C4-C5-N7	-8.12	106.64	110.70
11	B2	1340	U	O4'-C1'-N1	8.12	114.69	108.20
11	B2	157	A	C6-C5-N7	-8.11	126.62	132.30
11	B2	1377	G	N1-C2-N3	-8.12	119.03	123.90
11	B2	1388	G	O4'-C1'-N9	8.11	114.69	108.20
38	A1	1112	G	C6-N1-C2	8.12	129.97	125.10
38	A1	2230	G	N9-C4-C5	8.12	108.65	105.40
38	A1	2321	A	C5-C6-N1	-8.12	113.64	117.70
38	A1	1322	G	C4-C5-N7	8.11	114.05	110.80
38	A1	2335	G	C5-C6-O6	-8.11	123.73	128.60
38	A1	2374	C	C2-N3-C4	8.12	123.96	119.90
38	A1	2375	C	N3-C4-C5	-8.11	118.66	121.90
38	A1	2703	G	O4'-C4'-C3'	-8.12	95.89	104.00
24	BL	61	PHE	CB-CG-CD2	-8.11	115.12	120.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1082	A	C6-C5-N7	-8.11	126.62	132.30
11	B2	35	G	N1-C6-O6	8.11	124.77	119.90
11	B2	351	C	C4-C5-C6	8.11	121.46	117.40
11	B2	378	A	C5-C6-N1	-8.11	113.64	117.70
11	B2	458	G	C8-N9-C4	-8.11	103.16	106.40
11	B2	566	C	N3-C4-N4	8.11	123.68	118.00
11	B2	688	C	C6-N1-C2	-8.11	117.06	120.30
11	B2	1394	G	N1-C2-N3	-8.11	119.03	123.90
38	A1	424	U	O4'-C1'-N1	8.11	114.69	108.20
38	A1	1622	G	C4-C5-C6	8.11	123.67	118.80
38	A1	2010	G	C4-C5-C6	8.11	123.67	118.80
38	A1	2060	A	C8-N9-C4	-8.11	102.56	105.80
38	A1	2753	G	N7-C8-N9	-8.11	109.04	113.10
39	A3	80	G	O4'-C4'-C3'	-8.11	95.89	104.00
62	AO	145	ARG	NE-CZ-NH1	8.11	124.36	120.30
11	B2	56	A	O4'-C1'-N9	8.11	114.69	108.20
11	B2	352	A	C5-N7-C8	8.11	107.95	103.90
11	B2	764	C	C4-C5-C6	8.11	121.45	117.40
11	B2	869	U	O4'-C1'-N1	8.11	114.69	108.20
38	A1	271	G	C6-C5-N7	-8.11	125.53	130.40
38	A1	1359	C	N3-C4-C5	-8.11	118.66	121.90
38	A1	2466	C	N3-C4-C5	-8.11	118.66	121.90
11	B2	966	G	C6-N1-C2	-8.11	120.24	125.10
11	B2	987	G	N1-C6-O6	8.11	124.76	119.90
11	B2	1069	G	O4'-C1'-N9	8.11	114.69	108.20
31	BS	47	ARG	NE-CZ-NH1	-8.11	116.25	120.30
38	A1	662	A	C6-N1-C2	8.11	123.46	118.60
21	BI	50	PHE	CB-CG-CD2	8.11	126.47	120.80
38	A1	432	C	C5-C4-N4	-8.11	114.53	120.20
38	A1	443	C	C2-N1-C1'	8.11	127.72	118.80
38	A1	1636	C	C6-N1-C2	-8.11	117.06	120.30
38	A1	1951	G	N9-C4-C5	8.11	108.64	105.40
38	A1	2440	C	O4'-C1'-N1	8.11	114.68	108.20
38	A1	2747	C	N3-C4-N4	8.11	123.67	118.00
11	B2	78	G	N7-C8-N9	8.10	117.15	113.10
11	B2	95	G	N1-C6-O6	8.10	124.76	119.90
38	A1	38	U	O4'-C1'-N1	8.10	114.68	108.20
38	A1	40	G	C6-C5-N7	-8.10	125.54	130.40
38	A1	556	G	N1-C2-N2	8.10	123.49	116.20
38	A1	784	C	C4-C5-C6	8.10	121.45	117.40
38	A1	1020	G	N1-C2-N3	-8.10	119.04	123.90
11	B2	614	G	O4'-C1'-N9	8.10	114.68	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	937	A	C5-C6-N1	-8.10	113.65	117.70
38	A1	2380	A	C8-N9-C4	-8.10	102.56	105.80
38	A1	2396	G	C4-C5-C6	8.10	123.66	118.80
38	A1	2736	G	N7-C8-N9	-8.10	109.05	113.10
38	A1	2778	A	C4-C5-C6	8.10	121.05	117.00
11	B2	643	G	C5-C6-N1	-8.10	107.45	111.50
11	B2	716	G	C5-N7-C8	8.10	108.35	104.30
38	A1	1428	G	C4-C5-N7	-8.10	107.56	110.80
38	A1	319	A	C5-N7-C8	8.10	107.95	103.90
38	A1	3043	C	O4'-C1'-N1	8.10	114.68	108.20
38	A1	2862	A	C4-C5-C6	8.10	121.05	117.00
11	B2	1486	A	C4-C5-C6	8.10	121.05	117.00
38	A1	1303	C	N3-C4-C5	-8.10	118.66	121.90
39	A3	115	C	N3-C4-C5	-8.10	118.66	121.90
38	A1	353	C	C6-N1-C2	-8.09	117.06	120.30
38	A1	1461	G	C8-N9-C4	-8.09	103.16	106.40
38	A1	2612	A	C4-C5-C6	8.09	121.05	117.00
11	B2	163	C	N3-C4-N4	8.09	123.66	118.00
11	B2	251	G	O4'-C1'-N9	8.09	114.67	108.20
11	B2	604	C	N3-C4-C5	-8.09	118.66	121.90
11	B2	1114	G	C6-C5-N7	-8.09	125.55	130.40
11	B2	1482	C	C5-C4-N4	-8.09	114.54	120.20
26	BN	123	ARG	NE-CZ-NH2	-8.09	116.25	120.30
37	BY	38	TRP	CB-CG-CD2	-8.09	116.08	126.60
38	A1	366	G	P-O3'-C3'	-8.09	109.99	119.70
38	A1	382	G	C6-N1-C2	8.09	129.95	125.10
38	A1	605	A	C4-C5-C6	8.09	121.05	117.00
38	A1	1079	A	C5-C6-N6	-8.09	117.23	123.70
38	A1	2629	U	O4'-C1'-N1	8.09	114.67	108.20
38	A1	2136	G	N1-C6-O6	8.09	124.75	119.90
38	A1	2648	C	N3-C4-C5	-8.09	118.66	121.90
10	B1	32	A	C5-C6-N6	-8.09	117.23	123.70
11	B2	668	G	N1-C2-N3	-8.09	119.05	123.90
11	B2	1288	C	C5'-C4'-O4'	8.09	118.81	109.10
10	B1	62	C	N3-C4-N4	8.09	123.66	118.00
11	B2	1082	A	N1-C2-N3	8.09	133.34	129.30
38	A1	595	C	C5-C6-N1	8.09	125.04	121.00
38	A1	1652	A	C6-C5-N7	-8.09	126.64	132.30
38	A1	1688	C	N3-C4-C5	-8.09	118.67	121.90
38	A1	243	G	C4-C5-C6	8.09	123.65	118.80
38	A1	1797	A	C8-N9-C4	-8.09	102.57	105.80
38	A1	2138	A	C5-C6-N6	-8.09	117.23	123.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2994	G	N7-C8-N9	8.09	117.14	113.10
10	B1	4	G	C5-C6-N1	-8.08	107.46	111.50
11	B2	238	G	N1-C6-O6	-8.08	115.05	119.90
11	B2	962	G	C2-N3-C4	-8.08	107.86	111.90
20	BH	108	PHE	CB-CG-CD1	8.08	126.46	120.80
38	A1	1617	G	N9-C4-C5	-8.08	102.17	105.40
38	A1	118	A	N1-C6-N6	8.08	123.45	118.60
38	A1	930	G	C6-N1-C2	8.08	129.95	125.10
38	A1	1049	U	C5-C4-O4	-8.08	121.05	125.90
38	A1	2301	C	O4'-C1'-C2'	-8.08	97.72	105.80
38	A1	1167	A	C8-N9-C4	-8.08	102.57	105.80
38	A1	1213	G	O4'-C1'-N9	8.08	114.67	108.20
38	A1	1498	C	C6-N1-C2	-8.08	117.07	120.30
11	B2	772	G	O4'-C1'-N9	8.08	114.66	108.20
11	B2	811	G	N7-C8-N9	8.08	117.14	113.10
11	B2	942	A	C5-N7-C8	8.08	107.94	103.90
11	B2	1009	G	C5-C6-N1	-8.08	107.46	111.50
11	B2	1168	C	O4'-C1'-N1	8.08	114.66	108.20
38	A1	295	G	N3-C2-N2	8.08	125.56	119.90
38	A1	381	G	C8-N9-C4	-8.08	103.17	106.40
38	A1	1324	G	C5-C6-N1	-8.08	107.46	111.50
11	B2	516	A	O3'-P-O5'	-8.08	88.66	104.00
11	B2	615	G	N1-C6-O6	8.08	124.75	119.90
11	B2	1243	C	N3-C4-N4	8.08	123.65	118.00
38	A1	1362	G	C5-C6-O6	-8.08	123.75	128.60
38	A1	1518	G	C5-N7-C8	8.08	108.34	104.30
11	B2	1379	G	C4-C5-C6	8.08	123.64	118.80
11	B2	623	C	O4'-C1'-N1	8.07	114.66	108.20
11	B2	1046	G	N7-C8-N9	8.07	117.14	113.10
11	B2	1225	C	O4'-C1'-N1	8.07	114.66	108.20
11	B2	1381	G	C5-C6-O6	-8.07	123.76	128.60
38	A1	354	G	N1-C6-O6	8.07	124.75	119.90
38	A1	129	C	C4-C5-C6	8.07	121.44	117.40
38	A1	402	G	N1-C6-O6	8.07	124.75	119.90
39	A3	109	A	C5-C6-N1	-8.07	113.66	117.70
38	A1	765	G	C1'-O4'-C4'	8.07	116.36	109.90
38	A1	1406	G	N3-C2-N2	8.07	125.55	119.90
38	A1	1477	C	N3-C4-N4	8.07	123.65	118.00
38	A1	2206	G	P-O3'-C3'	-8.07	110.01	119.70
38	A1	2664	G	O4'-C1'-N9	8.07	114.66	108.20
11	B2	533	C	N3-C4-N4	8.07	123.65	118.00
11	B2	1014	C	C6-N1-C2	-8.07	117.07	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	217	A	C5-C6-N6	-8.07	117.24	123.70
38	A1	814	G	C6-C5-N7	-8.07	125.56	130.40
38	A1	2298	C	N3-C4-N4	8.07	123.65	118.00
10	B1	67	C	C5-C6-N1	8.07	125.03	121.00
11	B2	1430	G	N7-C8-N9	-8.07	109.06	113.10
38	A1	1879	U	N1-C2-N3	8.07	119.74	114.90
38	A1	2077	A	C5-C6-N6	-8.07	117.24	123.70
38	A1	232	U	N3-C4-O4	8.07	125.05	119.40
38	A1	1012	G	O4'-C1'-N9	8.07	114.66	108.20
38	A1	1802	G	O4'-C1'-N9	8.07	114.66	108.20
38	A1	2436	A	C5-C6-N6	-8.07	117.24	123.70
38	A1	2779	G	C8-N9-C4	-8.07	103.17	106.40
8	AW	7	ARG	NE-CZ-NH1	8.07	124.33	120.30
38	A1	1407	A	C6-N1-C2	8.07	123.44	118.60
38	A1	1515	G	N3-C4-N9	8.07	130.84	126.00
38	A1	1954	U	O4'-C1'-N1	8.07	114.65	108.20
10	B1	26	C	P-O5'-C5'	8.07	133.81	120.90
11	B2	152	G	N3-C4-C5	8.07	132.63	128.60
11	B2	713	A	C2-N3-C4	-8.07	106.57	110.60
11	B2	255	G	N1-C2-N3	-8.07	119.06	123.90
11	B2	346	C	O4'-C1'-N1	8.07	114.65	108.20
30	BR	54	TYR	CB-CG-CD2	-8.07	116.16	121.00
38	A1	1549	C	N3-C4-N4	8.07	123.65	118.00
38	A1	1634	A	C6-C5-N7	-8.07	126.65	132.30
38	A1	2026	C	N3-C4-C5	-8.07	118.67	121.90
38	A1	2237	A	O4'-C1'-N9	8.07	114.65	108.20
38	A1	2499	U	N1-C2-O2	8.07	128.45	122.80
42	Aa	36	ARG	NE-CZ-NH2	-8.07	116.27	120.30
11	B2	188	C	C2-N3-C4	8.06	123.93	119.90
11	B2	1103	G	N9-C4-C5	-8.06	102.17	105.40
38	A1	1911	G	N7-C8-N9	-8.06	109.07	113.10
39	A3	117	G	N3-C2-N2	8.06	125.55	119.90
10	B1	63	C	O4'-C1'-N1	8.06	114.65	108.20
11	B2	1201	G	O4'-C1'-N9	8.06	114.65	108.20
15	BC	60	ARG	NE-CZ-NH1	8.06	124.33	120.30
38	A1	105	C	N3-C4-N4	8.06	123.64	118.00
38	A1	390	C	C5-C6-N1	8.06	125.03	121.00
38	A1	507	G	N3-C4-N9	-8.06	121.16	126.00
44	Ab	79	TYR	CB-CG-CD1	8.06	125.84	121.00
38	A1	293	G	N1-C6-O6	8.06	124.74	119.90
38	A1	361	G	C6-N1-C2	8.06	129.94	125.10
38	A1	1214	C	C5-C6-N1	8.06	125.03	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1238	G	C5-C6-N1	8.06	115.53	111.50
38	A1	2620	G	N1-C2-N3	-8.06	119.06	123.90
38	A1	2647	G	C4-C5-N7	-8.06	107.58	110.80
38	A1	3008	C	C5-C4-N4	-8.06	114.56	120.20
39	A3	79	U	N3-C4-O4	8.06	125.04	119.40
11	B2	37	G	C4-C5-C6	8.06	123.64	118.80
11	B2	119	A	C4-C5-C6	8.06	121.03	117.00
38	A1	474	G	C6-C5-N7	-8.06	125.56	130.40
38	A1	1864	G	N7-C8-N9	-8.06	109.07	113.10
38	A1	1889	G	N7-C8-N9	8.06	117.13	113.10
38	A1	2025	A	N1-C2-N3	8.06	133.33	129.30
11	B2	674	C	N3-C4-C5	-8.05	118.68	121.90
11	B2	720	A	O4'-C1'-N9	8.05	114.64	108.20
38	A1	470	A	C5-C6-N6	-8.06	117.25	123.70
38	A1	548	U	P-O3'-C3'	8.06	129.37	119.70
11	B2	896	A	N7-C8-N9	8.05	117.83	113.80
38	A1	800	G	C6-C5-N7	-8.05	125.57	130.40
38	A1	1384	C	N3-C2-O2	8.05	127.54	121.90
38	A1	1770	A	P-O3'-C3'	8.05	129.37	119.70
38	A1	2203	G	N1-C2-N2	-8.05	108.95	116.20
38	A1	2474	A	C5-C6-N1	-8.06	113.67	117.70
11	B2	777	G	N3-C4-N9	8.05	130.83	126.00
11	B2	1389	G	C4-C5-N7	-8.05	107.58	110.80
15	BC	53	TYR	CG-CD1-CE1	-8.05	114.86	121.30
38	A1	1662	C	N3-C4-N4	8.05	123.64	118.00
38	A1	2180	C	C5-C4-N4	-8.05	114.56	120.20
38	A1	2202	U	OP1-P-OP2	-8.05	107.52	119.60
38	A1	2675	C	O4'-C1'-N1	8.05	114.64	108.20
11	B2	406	U	P-O5'-C5'	8.05	133.78	120.90
11	B2	616	G	N3-C4-C5	8.05	132.62	128.60
38	A1	749	G	C5-N7-C8	8.05	108.32	104.30
38	A1	1433	C	N3-C4-N4	8.05	123.63	118.00
38	A1	3016	G	N9-C4-C5	8.05	108.62	105.40
38	A1	2099	G	C6-C5-N7	-8.05	125.57	130.40
38	A1	2218	C	P-O3'-C3'	8.05	129.36	119.70
39	A3	55	G	C6-C5-N7	-8.05	125.57	130.40
38	A1	2521	U	C6-N1-C2	-8.05	116.17	121.00
38	A1	2844	G	N1-C2-N3	-8.05	119.07	123.90
38	A1	2982	G	N3-C2-N2	8.05	125.53	119.90
38	A1	500	C	N3-C4-N4	8.05	123.63	118.00
11	B2	418	G	C2-N3-C4	8.04	115.92	111.90
11	B2	1075	A	N9-C4-C5	8.04	109.02	105.80

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1235	A	P-O3'-C3'	-8.04	110.05	119.70
38	A1	138	U	C2-N3-C4	-8.04	122.17	127.00
38	A1	317	A	C5-C6-N1	-8.04	113.68	117.70
38	A1	461	C	O4'-C1'-N1	8.04	114.64	108.20
3	Af	27	VAL	CA-CB-CG2	-8.04	98.84	110.90
11	B2	151	G	N1-C2-N3	-8.04	119.07	123.90
11	B2	432	G	O4'-C1'-N9	8.04	114.63	108.20
11	B2	684	G	C2-N3-C4	8.04	115.92	111.90
11	B2	1271	G	C6-C5-N7	-8.04	125.57	130.40
11	B2	972	C	O4'-C1'-N1	8.04	114.63	108.20
11	B2	1257	U	O4'-C1'-N1	8.04	114.63	108.20
32	BT	89	PHE	CB-CG-CD1	8.04	126.43	120.80
38	A1	342	C	N3-C2-O2	8.04	127.53	121.90
38	A1	872	G	C6-C5-N7	-8.04	125.58	130.40
38	A1	1036	C	C5-C4-N4	-8.04	114.57	120.20
38	A1	2348	G	C1'-O4'-C4'	8.04	116.33	109.90
11	B2	1048	G	C5-C6-O6	-8.04	123.78	128.60
38	A1	285	C	P-O3'-C3'	8.04	129.35	119.70
38	A1	650	C	N3-C4-C5	-8.04	118.68	121.90
38	A1	1114	G	C5'-C4'-O4'	8.04	118.75	109.10
38	A1	1322	G	N3-C2-N2	8.04	125.53	119.90
38	A1	2872	G	C8-N9-C4	8.04	109.62	106.40
38	A1	53	A	C4-C5-C6	8.04	121.02	117.00
38	A1	1018	G	O4'-C1'-N9	8.04	114.63	108.20
38	A1	1590	C	N3-C4-C5	-8.04	118.69	121.90
46	AD	79	TYR	CD1-CE1-CZ	-8.04	112.57	119.80
11	B2	647	G	N1-C6-O6	8.03	124.72	119.90
11	B2	1432	U	P-O5'-C5'	8.03	133.75	120.90
38	A1	1647	C	O4'-C1'-N1	8.04	114.63	108.20
38	A1	1752	C	N3-C4-C5	-8.04	118.69	121.90
38	A1	2603	A	C5-C6-N6	-8.04	117.27	123.70
11	B2	447	A	C5-C6-N1	-8.03	113.68	117.70
11	B2	758	U	N3-C4-O4	8.03	125.02	119.40
38	A1	2476	A	C8-N9-C4	-8.03	102.59	105.80
11	B2	1381	G	N3-C2-N2	8.03	125.52	119.90
38	A1	2064	U	O4'-C1'-N1	8.03	114.62	108.20
11	B2	62	G	N7-C8-N9	8.03	117.11	113.10
11	B2	216	G	C8-N9-C4	-8.03	103.19	106.40
11	B2	550	G	N1-C6-O6	8.03	124.72	119.90
11	B2	757	G	C4-C5-N7	-8.03	107.59	110.80
11	B2	1431	C	N3-C4-N4	8.03	123.62	118.00
38	A1	378	G	C5-C6-O6	-8.03	123.78	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1275	G	N1-C2-N3	-8.03	119.08	123.90
38	A1	1445	G	C4-C5-N7	-8.03	107.59	110.80
38	A1	2111	C	N3-C4-C5	-8.03	118.69	121.90
38	A1	2896	G	C4-C5-C6	8.03	123.61	118.80
11	B2	212	G	C2-N3-C4	8.02	115.91	111.90
11	B2	388	G	C8-N9-C1'	8.02	137.43	127.00
11	B2	459	G	C2-N3-C4	8.02	115.91	111.90
11	B2	756	A	C4-C5-N7	-8.02	106.69	110.70
11	B2	1118	C	C2-N1-C1'	8.02	127.62	118.80
38	A1	11	G	N1-C6-O6	8.02	124.71	119.90
38	A1	977	C	N3-C4-N4	8.02	123.62	118.00
38	A1	1355	A	N9-C4-C5	8.02	109.01	105.80
38	A1	1496	A	C4-C5-C6	8.02	121.01	117.00
38	A1	2283	C	N3-C4-N4	8.02	123.62	118.00
39	A3	39	C	C2-N3-C4	8.02	123.91	119.90
11	B2	855	C	O4'-C1'-N1	8.02	114.62	108.20
38	A1	614	G	N3-C2-N2	8.02	125.52	119.90
38	A1	619	G	C4-C5-C6	8.02	123.61	118.80
38	A1	709	A	O4'-C1'-N9	8.02	114.62	108.20
38	A1	1096	A	C4-C5-C6	8.02	121.01	117.00
38	A1	1524	A	C5-C6-N1	-8.02	113.69	117.70
38	A1	1731	U	N3-C4-C5	-8.02	109.79	114.60
38	A1	2013	A	O4'-C1'-N9	8.02	114.62	108.20
38	A1	2028	G	C5-C6-O6	-8.02	123.79	128.60
10	B1	44	G	O4'-C1'-N9	8.02	114.61	108.20
11	B2	624	G	C4-C5-N7	-8.02	107.59	110.80
11	B2	1473	A	C2-N3-C4	-8.02	106.59	110.60
38	A1	1386	G	N3-C2-N2	8.02	125.51	119.90
38	A1	1437	C	P-O3'-C3'	-8.02	110.08	119.70
38	A1	2882	G	N7-C8-N9	-8.02	109.09	113.10
66	AY	126	PHE	CB-CG-CD2	8.02	126.41	120.80
11	B2	698	A	N3-C4-C5	-8.02	121.19	126.80
11	B2	1287	G	N3-C2-N2	8.02	125.51	119.90
38	A1	635	G	C6-N1-C2	8.02	129.91	125.10
38	A1	802	G	C5-C6-N1	-8.02	107.49	111.50
38	A1	1572	C	C5-C6-N1	8.02	125.01	121.00
38	A1	2536	A	C5-C6-N1	-8.02	113.69	117.70
39	A3	43	C	N1-C2-O2	8.02	123.71	118.90
5	AS	43	MET	N-CA-CB	8.02	125.03	110.60
11	B2	248	U	O4'-C1'-C2'	-8.02	97.78	105.80
11	B2	394	C	O4'-C1'-N1	8.02	114.61	108.20
11	B2	846	G	N9-C4-C5	-8.02	102.19	105.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1415	U	N3-C4-O4	8.02	125.01	119.40
38	A1	1288	C	O4'-C1'-N1	8.02	114.61	108.20
38	A1	1937	A	C5-C6-N6	-8.02	117.29	123.70
38	A1	2721	C	N3-C4-N4	8.02	123.61	118.00
38	A1	2527	G	C5-C6-O6	-8.01	123.79	128.60
38	A1	585	G	N9-C4-C5	-8.01	102.19	105.40
38	A1	1892	G	N3-C2-N2	-8.01	114.29	119.90
53	Ah	2	ARG	NH1-CZ-NH2	8.01	128.21	119.40
11	B2	220	G	C8-N9-C4	8.01	109.60	106.40
11	B2	603	G	C6-N1-C2	8.01	129.91	125.10
11	B2	896	A	C8-N9-C4	-8.01	102.60	105.80
14	BB	5	TYR	CG-CD1-CE1	-8.01	114.89	121.30
38	A1	110	A	C5-C6-N1	-8.01	113.69	117.70
38	A1	668	G	C5-N7-C8	-8.01	100.30	104.30
38	A1	1103	C	N3-C4-N4	8.01	123.61	118.00
38	A1	1304	G	C5-C6-N1	8.01	115.50	111.50
38	A1	1672	G	C5-C6-O6	-8.01	123.79	128.60
38	A1	1706	G	C5-C6-O6	-8.01	123.79	128.60
38	A1	1759	A	O4'-C1'-N9	8.01	114.61	108.20
38	A1	1868	C	C5-C4-N4	-8.01	114.59	120.20
61	AN	139	ARG	NE-CZ-NH2	8.01	124.31	120.30
38	A1	1873	G	N3-C4-C5	8.01	132.60	128.60
38	A1	2856	G	N7-C8-N9	8.01	117.10	113.10
11	B2	47	A	C3'-C2'-C1'	8.01	107.91	101.50
38	A1	1035	G	C6-C5-N7	-8.01	125.59	130.40
38	A1	2565	A	C5-N7-C8	8.01	107.90	103.90
11	B2	542	G	O4'-C1'-N9	8.01	114.61	108.20
38	A1	560	G	O4'-C1'-N9	8.01	114.60	108.20
38	A1	687	C	C6-N1-C2	-8.01	117.10	120.30
38	A1	884	C	C5-C6-N1	8.01	125.00	121.00
38	A1	1337	G	N1-C6-O6	8.01	124.70	119.90
38	A1	372	A	C4-C5-N7	-8.00	106.70	110.70
11	B2	729	G	N3-C2-N2	8.00	125.50	119.90
38	A1	971	G	O4'-C1'-N9	8.00	114.60	108.20
38	A1	1302	G	O4'-C1'-N9	8.00	114.60	108.20
38	A1	2110	C	N3-C4-C5	-8.00	118.70	121.90
38	A1	2716	C	C2-N1-C1'	8.00	127.60	118.80
38	A1	2890	A	C5-C6-N6	-8.00	117.30	123.70
39	A3	25	A	C5-C6-N6	-8.00	117.30	123.70
54	AI	80	ARG	NE-CZ-NH2	-8.00	116.30	120.30
11	B2	1088	U	N3-C4-O4	8.00	125.00	119.40
38	A1	672	C	N3-C4-N4	8.00	123.60	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1236	C	N3-C4-N4	8.00	123.60	118.00
38	A1	2086	C	O4'-C1'-N1	8.00	114.60	108.20
11	B2	1400	A	C5-C6-N6	-8.00	117.30	123.70
11	B2	1489	A	C4-C5-C6	8.00	121.00	117.00
38	A1	1111	G	N3-C4-C5	8.00	132.60	128.60
38	A1	1361	G	C6-C5-N7	-8.00	125.60	130.40
38	A1	2029	C	N1-C2-N3	-8.00	113.60	119.20
38	A1	2318	G	O4'-C1'-N9	8.00	114.60	108.20
39	A3	62	A	C6-C5-N7	-8.00	126.70	132.30
38	A1	294	U	C5-C6-N1	8.00	126.70	122.70
38	A1	324	C	C5-C6-N1	8.00	125.00	121.00
38	A1	745	C	C2-N3-C4	-8.00	115.90	119.90
38	A1	994	G	C2'-C3'-O3'	8.00	127.09	109.50
38	A1	1224	A	C3'-C2'-C1'	8.00	107.90	101.50
39	A3	16	G	N7-C8-N9	8.00	117.10	113.10
11	B2	67	C	N3-C4-N4	7.99	123.60	118.00
11	B2	278	A	C5-C6-N6	-7.99	117.31	123.70
11	B2	821	G	C1'-O4'-C4'	7.99	116.30	109.90
11	B2	1337	A	O4'-C1'-N9	7.99	114.59	108.20
38	A1	727	A	C3'-C2'-C1'	7.99	107.90	101.50
38	A1	912	G	C8-N9-C4	-7.99	103.20	106.40
38	A1	1107	G	O4'-C1'-N9	7.99	114.59	108.20
38	A1	1383	G	N1-C6-O6	7.99	124.70	119.90
38	A1	86	G	P-O5'-C5'	7.99	133.69	120.90
38	A1	1429	A	N1-C2-N3	7.99	133.30	129.30
38	A1	1953	U	O4'-C1'-N1	7.99	114.59	108.20
11	B2	269	A	O4'-C1'-N9	7.99	114.59	108.20
11	B2	325	A	P-O3'-C3'	7.99	129.29	119.70
11	B2	888	A	C5-C6-N1	-7.99	113.70	117.70
38	A1	827	G	C8-N9-C4	-7.99	103.20	106.40
38	A1	1084	G	C5-C6-O6	-7.99	123.81	128.60
38	A1	1355	A	C6-C5-N7	-7.99	126.71	132.30
38	A1	1763	A	C5-N7-C8	7.99	107.89	103.90
38	A1	1814	A	C5-C6-N1	-7.99	113.70	117.70
38	A1	2731	C	O4'-C1'-N1	7.99	114.59	108.20
38	A1	3012	C	N3-C4-C5	-7.99	118.70	121.90
48	AE	155	ARG	NE-CZ-NH2	-7.99	116.31	120.30
11	B2	655	A	N1-C6-N6	7.99	123.39	118.60
11	B2	757	G	C5-C6-O6	-7.99	123.81	128.60
38	A1	717	A	C4-C5-C6	7.99	120.99	117.00
11	B2	1435	G	N9-C4-C5	7.99	108.59	105.40
39	A3	60	C	N3-C4-C5	-7.99	118.70	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	969	A	C5-C6-N1	-7.99	113.71	117.70
38	A1	130	G	N1-C2-N3	-7.99	119.11	123.90
38	A1	1329	G	C4-C5-N7	7.99	113.99	110.80
38	A1	1665	G	C6-C5-N7	-7.99	125.61	130.40
38	A1	1985	G	C8-N9-C4	-7.99	103.21	106.40
38	A1	2149	G	O4'-C1'-N9	7.99	114.59	108.20
38	A1	2849	C	O4'-C1'-N1	7.99	114.59	108.20
9	AX	97	ASP	CB-CG-OD1	-7.98	111.11	118.30
38	A1	60	G	C4-C5-C6	7.98	123.59	118.80
38	A1	425	U	O4'-C1'-N1	7.98	114.59	108.20
38	A1	1565	G	N1-C2-N3	-7.98	119.11	123.90
38	A1	1684	C	C3'-C2'-C1'	7.98	107.89	101.50
11	B2	215	C	O4'-C1'-N1	7.98	114.58	108.20
11	B2	478	C	N3-C4-C5	-7.98	118.71	121.90
38	A1	121	G	O4'-C4'-C3'	-7.98	96.02	104.00
38	A1	864	C	N3-C4-N4	7.98	123.59	118.00
38	A1	1001	C	C2-N3-C4	7.98	123.89	119.90
38	A1	1456	U	O4'-C1'-N1	7.98	114.59	108.20
38	A1	1553	G	C4-C5-N7	7.98	113.99	110.80
38	A1	2380	A	C4-C5-C6	7.98	120.99	117.00
38	A1	2559	G	N1-C2-N3	-7.98	119.11	123.90
38	A1	1117	C	C6-N1-C2	-7.98	117.11	120.30
38	A1	1942	G	O4'-C1'-N9	7.98	114.58	108.20
38	A1	2464	G	N1-C6-O6	7.98	124.69	119.90
38	A1	2880	C	C2-N3-C4	7.98	123.89	119.90
39	A3	6	G	N3-C2-N2	7.98	125.49	119.90
11	B2	228	G	C4-C5-C6	7.98	123.59	118.80
38	A1	2742	G	C4-C5-C6	7.98	123.59	118.80
38	A1	2950	G	O4'-C1'-N9	7.98	114.58	108.20
4	AQ	81	ARG	NE-CZ-NH2	7.98	124.29	120.30
11	B2	688	C	C5-C4-N4	-7.98	114.61	120.20
11	B2	1327	C	C5-C4-N4	-7.98	114.62	120.20
38	A1	1436	A	C8-N9-C4	-7.98	102.61	105.80
38	A1	1866	G	C5-C6-N1	-7.98	107.51	111.50
38	A1	1972	C	C4-C5-C6	-7.98	113.41	117.40
6	AT	47	PHE	CB-CG-CD1	-7.98	115.22	120.80
11	B2	1139	A	C5-C6-N1	-7.98	113.71	117.70
11	B2	1192	C	O4'-C1'-N1	7.98	114.58	108.20
38	A1	1450	C	C5'-C4'-O4'	7.98	118.67	109.10
38	A1	1866	G	N3-C4-N9	7.98	130.79	126.00
11	B2	1146	G	O4'-C1'-N9	7.97	114.58	108.20
38	A1	147	C	N3-C4-C5	-7.97	118.71	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	210	A	C2'-C3'-O3'	7.97	127.04	109.50
38	A1	690	G	C6-N1-C2	7.97	129.88	125.10
38	A1	2111	C	N1-C2-N3	7.97	124.78	119.20
38	A1	2636	C	N3-C4-N4	7.97	123.58	118.00
38	A1	2636	C	C2-N3-C4	7.97	123.89	119.90
39	A3	37	U	N3-C2-O2	7.97	127.78	122.20
10	B1	43	G	C5-N7-C8	7.97	108.29	104.30
11	B2	504	G	N1-C6-O6	7.97	124.68	119.90
11	B2	1074	C	O4'-C1'-N1	7.97	114.58	108.20
11	B2	1125	C	C5-C6-N1	7.97	124.99	121.00
38	A1	311	C	N3-C4-N4	7.97	123.58	118.00
38	A1	475	U	P-O3'-C3'	7.97	129.27	119.70
38	A1	924	A	C4-C5-N7	-7.97	106.71	110.70
38	A1	1966	C	C5-C4-N4	-7.97	114.62	120.20
38	A1	2174	G	C2-N3-C4	7.97	115.89	111.90
38	A1	2853	A	C5-N7-C8	7.97	107.89	103.90
38	A1	763	A	C5-N7-C8	7.97	107.89	103.90
38	A1	1518	G	N1-C2-N3	-7.97	119.12	123.90
38	A1	1938	G	O4'-C1'-N9	7.97	114.58	108.20
38	A1	2373	G	C4'-C3'-C2'	-7.97	94.63	102.60
11	B2	322	G	C4-C5-C6	7.97	123.58	118.80
38	A1	2133	G	C5-C6-N1	-7.97	107.52	111.50
38	A1	2356	U	C5-C6-N1	7.97	126.68	122.70
38	A1	2671	C	N1-C2-O2	7.97	123.68	118.90
38	A1	2988	A	C5-N7-C8	7.97	107.88	103.90
38	A1	70	G	O4'-C1'-N9	7.97	114.57	108.20
38	A1	359	C	N3-C4-N4	7.97	123.58	118.00
38	A1	1181	C	O4'-C1'-N1	7.97	114.57	108.20
38	A1	1854	G	C6-C5-N7	-7.97	125.62	130.40
11	B2	210	A	P-O3'-C3'	7.96	129.26	119.70
38	A1	42	G	C4-C5-C6	7.96	123.58	118.80
38	A1	2128	G	C5-C6-N1	-7.96	107.52	111.50
38	A1	2425	A	C5-C6-N6	-7.96	117.33	123.70
38	A1	2448	A	C5-C6-N6	-7.96	117.33	123.70
11	B2	149	U	C6-N1-C2	-7.96	116.22	121.00
38	A1	835	G	C5-C6-N1	-7.96	107.52	111.50
38	A1	1414	G	N1-C6-O6	7.96	124.68	119.90
38	A1	2086	C	C6-N1-C2	-7.96	117.11	120.30
38	A1	2203	G	O4'-C1'-N9	7.96	114.57	108.20
11	B2	313	G	C6-N1-C2	7.96	129.88	125.10
38	A1	257	G	N3-C4-C5	7.96	132.58	128.60
38	A1	470	A	C6-C5-N7	7.96	137.87	132.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	726	G	N3-C4-C5	7.96	132.58	128.60
38	A1	959	U	O4'-C1'-N1	7.96	114.57	108.20
38	A1	1354	G	O4'-C1'-N9	7.96	114.57	108.20
38	A1	1734	G	N1-C6-O6	7.96	124.68	119.90
38	A1	1083	G	N1-C2-N3	-7.96	119.12	123.90
38	A1	2402	A	C1'-O4'-C4'	7.96	116.27	109.90
11	B2	46	A	C4-C5-C6	7.96	120.98	117.00
11	B2	233	C	O4'-C1'-N1	7.96	114.57	108.20
11	B2	294	A	N1-C2-N3	-7.96	125.32	129.30
38	A1	21	C	C2-N3-C4	7.96	123.88	119.90
38	A1	817	G	C5-C6-N1	7.96	115.48	111.50
38	A1	828	G	C8-N9-C4	-7.96	103.22	106.40
38	A1	1913	C	N3-C4-C5	-7.96	118.72	121.90
38	A1	2057	G	C5-C6-N1	-7.96	107.52	111.50
38	A1	2136	G	C5'-C4'-O4'	7.96	118.65	109.10
38	A1	2472	A	C4-C5-N7	-7.96	106.72	110.70
38	A1	2694	C	O4'-C1'-N1	7.96	114.57	108.20
39	A3	53	A	C2-N3-C4	-7.96	106.62	110.60
11	B2	273	C	O4'-C1'-N1	7.96	114.57	108.20
38	A1	288	G	C6-C5-N7	-7.96	125.63	130.40
38	A1	817	G	C6-C5-N7	-7.96	125.63	130.40
38	A1	2094	A	C6-C5-N7	-7.96	126.73	132.30
38	A1	2137	A	P-O3'-C3'	-7.96	110.15	119.70
12	AG	33	ARG	NE-CZ-NH2	-7.96	116.32	120.30
11	B2	347	G	N9-C4-C5	-7.96	102.22	105.40
11	B2	1259	A	N7-C8-N9	7.95	117.78	113.80
38	A1	349	A	N7-C8-N9	7.95	117.78	113.80
38	A1	574	C	C5-C6-N1	7.95	124.98	121.00
38	A1	981	A	C5-N7-C8	7.95	107.88	103.90
38	A1	1068	U	N3-C4-C5	-7.95	109.83	114.60
38	A1	1706	G	P-O3'-C3'	7.95	129.24	119.70
38	A1	1915	G	O4'-C1'-N9	7.95	114.56	108.20
38	A1	2288	C	C5-C6-N1	-7.95	117.02	121.00
11	B2	1331	G	N3-C2-N2	7.95	125.47	119.90
38	A1	865	C	N3-C4-N4	7.95	123.57	118.00
38	A1	1830	U	N1-C2-O2	7.95	128.37	122.80
11	B2	1476	C	N3-C4-C5	-7.95	118.72	121.90
38	A1	184	A	C4-C5-C6	7.95	120.97	117.00
38	A1	1660	A	C4-C5-C6	7.95	120.97	117.00
38	A1	1808	G	O4'-C1'-N9	7.95	114.56	108.20
38	A1	2453	C	O4'-C1'-N1	7.95	114.56	108.20
38	A1	2461	C	C2-N3-C4	7.95	123.88	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	A3	78	C	O4'-C1'-N1	7.95	114.56	108.20
11	B2	576	C	C5-C6-N1	7.95	124.97	121.00
11	B2	654	U	P-O3'-C3'	7.95	129.24	119.70
11	B2	928	A	O4'-C1'-N9	7.95	114.56	108.20
11	B2	1244	C	N3-C4-C5	-7.95	118.72	121.90
11	B2	1393	A	P-O5'-C5'	-7.95	108.18	120.90
11	B2	1491	C	N3-C2-O2	-7.95	116.34	121.90
38	A1	894	C	C6-N1-C2	-7.95	117.12	120.30
38	A1	2844	G	C6-N1-C2	7.95	129.87	125.10
38	A1	2943	G	O4'-C1'-N9	7.95	114.56	108.20
39	A3	45	C	C4'-C3'-C2'	-7.95	94.65	102.60
46	AD	78	ARG	NE-CZ-NH2	-7.95	116.33	120.30
11	B2	900	G	C5-C6-O6	-7.95	123.83	128.60
38	A1	1367	A	P-O3'-C3'	7.95	129.24	119.70
38	A1	2345	U	N3-C4-C5	-7.95	109.83	114.60
11	B2	897	A	N9-C4-C5	7.95	108.98	105.80
38	A1	383	C	O4'-C1'-N1	7.95	114.56	108.20
38	A1	607	C	N3-C4-C5	-7.95	118.72	121.90
62	AO	152	TYR	CB-CG-CD2	7.95	125.77	121.00
11	B2	1052	U	O4'-C1'-N1	7.94	114.56	108.20
38	A1	2292	A	N3-C4-C5	-7.94	121.24	126.80
38	A1	2683	G	C4-C5-C6	7.94	123.57	118.80
11	B2	484	U	C5-C4-O4	-7.94	121.14	125.90
11	B2	578	G	O4'-C1'-N9	7.94	114.55	108.20
11	B2	1090	C	C4'-C3'-C2'	-7.94	94.66	102.60
38	A1	457	C	N3-C4-C5	-7.94	118.72	121.90
38	A1	1927	C	N1-C2-O2	7.94	123.67	118.90
38	A1	2425	A	C6-C5-N7	-7.94	126.74	132.30
10	B1	76	C	C2-N1-C1'	7.94	127.53	118.80
11	B2	393	A	C4-C5-C6	7.94	120.97	117.00
11	B2	620	G	N1-C2-N3	-7.94	119.14	123.90
11	B2	967	C	O4'-C1'-N1	7.94	114.55	108.20
11	B2	1239	A	O4'-C1'-N9	7.94	114.55	108.20
11	B2	1433	C	N3-C4-C5	-7.94	118.72	121.90
38	A1	757	C	N3-C4-N4	7.94	123.56	118.00
38	A1	1224	A	C4-C5-C6	7.94	120.97	117.00
38	A1	1520	G	O4'-C1'-N9	7.94	114.55	108.20
11	B2	403	C	N3-C4-N4	7.94	123.56	118.00
11	B2	743	U	O4'-C1'-N1	7.94	114.55	108.20
11	B2	1115	G	C8-N9-C4	-7.94	103.22	106.40
38	A1	85	G	N1-C2-N3	-7.94	119.14	123.90
38	A1	715	G	C5-C6-O6	-7.94	123.84	128.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2745	G	N1-C2-N3	-7.94	119.14	123.90
39	A3	121	A	C4-C5-C6	7.94	120.97	117.00
11	B2	706	G	N1-C6-O6	7.94	124.66	119.90
11	B2	987	G	C5-C6-O6	-7.94	123.84	128.60
11	B2	1154	G	N7-C8-N9	7.94	117.07	113.10
38	A1	84	A	C4-C5-C6	7.94	120.97	117.00
62	AO	191	ARG	NE-CZ-NH1	-7.94	116.33	120.30
10	B1	1	G	O4'-C1'-N9	7.94	114.55	108.20
11	B2	818	A	N1-C6-N6	7.94	123.36	118.60
38	A1	1095	A	C8-N9-C4	-7.94	102.63	105.80
38	A1	2053	G	O4'-C1'-N9	7.94	114.55	108.20
17	BE	184	TYR	CB-CG-CD1	-7.93	116.24	121.00
38	A1	202	A	P-O3'-C3'	-7.93	110.18	119.70
38	A1	438	G	N7-C8-N9	-7.93	109.13	113.10
38	A1	713	C	N1-C2-O2	-7.93	114.14	118.90
38	A1	951	C	N3-C4-C5	-7.93	118.73	121.90
38	A1	992	G	N1-C6-O6	7.93	124.66	119.90
38	A1	1197	G	C5-C6-O6	-7.93	123.84	128.60
38	A1	1287	G	C4-C5-N7	7.93	113.97	110.80
38	A1	1712	U	C5-C6-N1	7.93	126.67	122.70
38	A1	2243	G	N1-C6-O6	7.93	124.66	119.90
38	A1	78	C	C5-C6-N1	7.93	124.97	121.00
38	A1	1230	G	N1-C6-O6	7.93	124.66	119.90
41	AA	24	PHE	CB-CG-CD1	-7.93	115.25	120.80
43	AB	134	ARG	NE-CZ-NH2	-7.93	116.33	120.30
38	A1	2998	G	O4'-C1'-N9	7.93	114.55	108.20
39	A3	122	C	C4-C5-C6	7.93	121.37	117.40
11	B2	165	U	C5-C4-O4	-7.93	121.14	125.90
11	B2	411	C	C4-C5-C6	-7.93	113.44	117.40
11	B2	1035	C	N3-C4-N4	7.93	123.55	118.00
38	A1	195	U	N3-C4-C5	-7.93	109.84	114.60
38	A1	1160	U	O4'-C1'-N1	7.93	114.54	108.20
38	A1	1666	G	C2-N3-C4	7.93	115.86	111.90
38	A1	2686	A	C5-C6-N6	-7.93	117.36	123.70
39	A3	27	C	C2-N3-C4	7.93	123.86	119.90
11	B2	960	A	C5-C6-N6	-7.93	117.36	123.70
11	B2	1369	C	C2-N3-C4	7.93	123.86	119.90
38	A1	2196	C	O4'-C1'-N1	7.93	114.54	108.20
38	A1	556	G	C5-C6-O6	-7.92	123.84	128.60
38	A1	730	C	N1-C2-O2	7.92	123.66	118.90
38	A1	1007	U	N3-C4-O4	7.92	124.95	119.40
38	A1	1142	A	C5-N7-C8	7.92	107.86	103.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1641	G	N1-C6-O6	7.92	124.66	119.90
38	A1	451	C	O4'-C1'-N1	7.92	114.54	108.20
38	A1	1174	U	C5-C4-O4	7.92	130.65	125.90
38	A1	2689	G	C6-C5-N7	-7.92	125.65	130.40
11	B2	367	G	C5-C6-O6	-7.92	123.85	128.60
11	B2	779	G	N3-C4-C5	7.92	132.56	128.60
11	B2	883	G	C6-C5-N7	-7.92	125.65	130.40
11	B2	1174	A	C5-N7-C8	-7.92	99.94	103.90
11	B2	1428	G	C4-C5-N7	-7.92	107.63	110.80
38	A1	1940	U	N3-C4-O4	7.92	124.95	119.40
38	A1	395	G	N1-C6-O6	7.92	124.65	119.90
38	A1	524	C	N1-C2-O2	-7.92	114.15	118.90
38	A1	1737	A	C4-C5-N7	-7.92	106.74	110.70
38	A1	2961	A	C4-C5-C6	7.92	120.96	117.00
11	B2	270	A	C6-C5-N7	-7.92	126.76	132.30
11	B2	493	C	C5-C4-N4	-7.92	114.66	120.20
11	B2	675	A	C5-C6-N1	-7.92	113.74	117.70
11	B2	1476	C	C6-N1-C2	-7.92	117.13	120.30
5	AS	16	ARG	NE-CZ-NH1	-7.92	116.34	120.30
11	B2	483	G	N1-C2-N3	-7.92	119.15	123.90
11	B2	1492	U	O4'-C1'-N1	7.92	114.53	108.20
38	A1	243	G	C5-N7-C8	-7.92	100.34	104.30
38	A1	1584	G	O4'-C1'-N9	7.92	114.53	108.20
38	A1	2266	C	C2-N3-C4	7.92	123.86	119.90
38	A1	2277	G	C6-C5-N7	-7.92	125.65	130.40
38	A1	2286	U	N3-C4-O4	7.92	124.94	119.40
11	B2	300	G	C6-C5-N7	-7.92	125.65	130.40
38	A1	685	G	N3-C4-C5	-7.92	124.64	128.60
38	A1	929	G	C8-N9-C4	-7.92	103.23	106.40
38	A1	1085	G	O4'-C1'-N9	7.92	114.53	108.20
11	B2	679	G	C5-C6-N1	-7.91	107.54	111.50
11	B2	1042	U	C5-C6-N1	7.91	126.66	122.70
11	B2	1202	G	N1-C2-N3	-7.91	119.15	123.90
31	BS	14	ARG	NE-CZ-NH1	7.91	124.26	120.30
38	A1	2476	A	N9-C4-C5	7.91	108.97	105.80
8	AW	63	ARG	NE-CZ-NH2	-7.91	116.34	120.30
38	A1	916	A	N7-C8-N9	7.91	117.76	113.80
38	A1	1856	G	C8-N9-C4	-7.91	103.23	106.40
38	A1	2227	G	C4-C5-N7	7.91	113.97	110.80
38	A1	2291	G	N9-C4-C5	-7.91	102.23	105.40
38	A1	2368	G	N1-C2-N3	7.91	128.65	123.90
38	A1	2522	C	C6-N1-C2	-7.91	117.14	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1438	A	C5-C6-N1	-7.91	113.75	117.70
38	A1	94	A	C4-C5-C6	7.91	120.95	117.00
38	A1	406	G	N3-C2-N2	7.91	125.44	119.90
38	A1	1525	G	C4-C5-C6	7.91	123.55	118.80
11	B2	929	C	C5-C4-N4	-7.91	114.66	120.20
38	A1	799	C	C2-N3-C4	7.91	123.85	119.90
38	A1	1021	G	C6-C5-N7	-7.91	125.65	130.40
38	A1	1159	U	O4'-C1'-N1	7.91	114.53	108.20
38	A1	1423	G	N1-C2-N3	-7.91	119.15	123.90
38	A1	1526	G	C4-C5-C6	7.91	123.55	118.80
38	A1	1944	C	N3-C4-C5	-7.91	118.74	121.90
38	A1	2519	C	N1-C2-O2	-7.91	114.16	118.90
39	A3	16	G	N1-C6-O6	7.91	124.64	119.90
11	B2	941	C	P-O3'-C3'	7.91	129.19	119.70
11	B2	1072	C	O4'-C1'-N1	7.91	114.53	108.20
11	B2	1148	G	C5-N7-C8	7.91	108.25	104.30
11	B2	1307	G	C2-N3-C4	7.91	115.85	111.90
38	A1	1027	A	C4-C5-C6	7.91	120.95	117.00
38	A1	1646	G	N1-C2-N3	-7.91	119.16	123.90
11	B2	817	U	C2-N3-C4	-7.90	122.26	127.00
11	B2	988	A	C5-N7-C8	7.90	107.85	103.90
11	B2	1213	G	C5-C6-N1	-7.90	107.55	111.50
11	B2	1390	G	N3-C2-N2	7.90	125.43	119.90
38	A1	1730	C	N3-C4-N4	7.90	123.53	118.00
11	B2	603	G	C8-N9-C4	-7.90	103.24	106.40
11	B2	1306	A	C8-N9-C4	7.90	108.96	105.80
38	A1	98	G	P-O5'-C5'	7.90	133.54	120.90
38	A1	826	C	C4-C5-C6	7.90	121.35	117.40
38	A1	1074	G	P-O3'-C3'	-7.90	110.22	119.70
38	A1	2231	G	O4'-C1'-N9	7.90	114.52	108.20
11	B2	423	U	O4'-C1'-N1	7.90	114.52	108.20
11	B2	882	C	O4'-C1'-N1	7.90	114.52	108.20
38	A1	507	G	N9-C4-C5	7.90	108.56	105.40
38	A1	711	C	O4'-C1'-N1	7.90	114.52	108.20
38	A1	1633	A	C5-C6-N1	-7.90	113.75	117.70
38	A1	2221	A	O4'-C1'-N9	7.90	114.52	108.20
38	A1	2797	C	C4-C5-C6	7.90	121.35	117.40
11	B2	1042	U	C4-C5-C6	-7.90	114.96	119.70
38	A1	348	G	O4'-C1'-N9	7.90	114.52	108.20
38	A1	504	G	N3-C4-C5	-7.90	124.65	128.60
11	B2	530	G	N1-C2-N3	-7.90	119.16	123.90
11	B2	1069	G	N7-C8-N9	-7.90	109.15	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	207	A	N9-C4-C5	7.90	108.96	105.80
38	A1	1396	A	N1-C6-N6	7.90	123.34	118.60
11	B2	877	A	N1-C6-N6	7.90	123.34	118.60
11	B2	1426	C	C4-C5-C6	7.90	121.35	117.40
38	A1	2840	C	P-O3'-C3'	7.90	129.18	119.70
11	B2	235	G	N3-C2-N2	7.89	125.43	119.90
11	B2	446	G	N1-C2-N3	-7.89	119.16	123.90
11	B2	1310	C	C6-N1-C2	-7.89	117.14	120.30
38	A1	117	A	N3-C4-C5	-7.89	121.27	126.80
38	A1	840	G	O4'-C1'-N9	7.89	114.52	108.20
38	A1	922	C	P-O5'-C5'	7.89	133.53	120.90
38	A1	954	A	C5-C6-N1	-7.89	113.75	117.70
38	A1	1057	C	N3-C4-C5	-7.89	118.74	121.90
38	A1	1438	C	C5-C6-N1	-7.89	117.05	121.00
11	B2	482	G	N1-C6-O6	7.89	124.64	119.90
38	A1	721	G	C5-C6-O6	-7.89	123.86	128.60
38	A1	929	G	C5-C6-O6	-7.89	123.86	128.60
38	A1	1359	C	N3-C4-N4	7.89	123.53	118.00
38	A1	137	A	C4'-C3'-C2'	-7.89	94.71	102.60
38	A1	356	C	N1-C2-O2	7.89	123.64	118.90
38	A1	2502	C	O4'-C1'-N1	7.89	114.51	108.20
11	B2	353	G	C6-N1-C2	7.89	129.83	125.10
11	B2	1384	G	C5-C6-N1	-7.89	107.56	111.50
11	B2	1481	G	N1-C2-N2	7.89	123.30	116.20
38	A1	628	A	N1-C6-N6	7.89	123.33	118.60
38	A1	723	A	C5-C6-N1	-7.89	113.75	117.70
38	A1	1658	A	N9-C4-C5	7.89	108.96	105.80
38	A1	2350	G	N3-C2-N2	7.89	125.42	119.90
38	A1	2822	G	O4'-C1'-N9	7.89	114.51	108.20
46	AD	158	ARG	NE-CZ-NH2	-7.89	116.36	120.30
11	B2	167	G	O4'-C1'-N9	7.89	114.51	108.20
11	B2	463	G	C8-N9-C4	-7.89	103.25	106.40
38	A1	646	U	N1-C2-O2	-7.89	117.28	122.80
38	A1	1823	A	O4'-C1'-N9	7.89	114.51	108.20
38	A1	2991	C	C2-N3-C4	7.89	123.84	119.90
11	B2	628	G	C2-N3-C4	7.89	115.84	111.90
38	A1	296	G	N1-C2-N3	-7.89	119.17	123.90
38	A1	488	A	C4-C5-C6	7.89	120.94	117.00
38	A1	566	G	O4'-C1'-N9	7.89	114.51	108.20
38	A1	568	A	C5-C6-N6	-7.89	117.39	123.70
38	A1	703	G	C2-N3-C4	7.89	115.84	111.90
38	A1	977	C	N3-C4-C5	-7.89	118.75	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1103	C	C4-C5-C6	7.89	121.34	117.40
38	A1	1225	A	N3-C4-N9	7.89	133.71	127.40
38	A1	2584	A	N9-C4-C5	7.89	108.95	105.80
38	A1	2689	G	N3-C2-N2	7.89	125.42	119.90
38	A1	2797	C	N3-C4-N4	7.89	123.52	118.00
11	B2	118	U	N3-C4-C5	-7.88	109.87	114.60
11	B2	1164	A	C5-C6-N6	-7.88	117.39	123.70
11	B2	1404	C	P-O3'-C3'	7.88	129.16	119.70
38	A1	580	G	C5-C6-O6	-7.88	123.87	128.60
38	A1	2195	G	C8-N9-C4	-7.88	103.25	106.40
38	A1	639	C	C3'-C2'-C1'	7.88	107.81	101.50
38	A1	1360	G	O4'-C1'-N9	7.88	114.51	108.20
38	A1	1655	G	N3-C2-N2	7.88	125.42	119.90
38	A1	2267	U	C5-C6-N1	-7.88	118.76	122.70
11	B2	311	A	C4-C5-N7	-7.88	106.76	110.70
11	B2	731	A	O4'-C1'-N9	7.88	114.51	108.20
11	B2	796	C	N3-C4-C5	-7.88	118.75	121.90
38	A1	53	A	O4'-C1'-N9	7.88	114.50	108.20
38	A1	85	G	C5'-C4'-O4'	-7.88	99.64	109.10
38	A1	571	G	C4-C5-N7	7.88	113.95	110.80
38	A1	889	C	C5-C4-N4	-7.88	114.68	120.20
38	A1	958	A	C6-C5-N7	-7.88	126.78	132.30
38	A1	982	G	P-O5'-C5'	7.88	133.51	120.90
38	A1	1008	U	C2-N3-C4	7.88	131.73	127.00
38	A1	2137	A	N1-C6-N6	7.88	123.33	118.60
11	B2	238	G	C6-N1-C2	-7.88	120.37	125.10
38	A1	95	G	N1-C2-N3	-7.88	119.17	123.90
38	A1	1018	G	C6-C5-N7	-7.88	125.67	130.40
38	A1	1653	U	C5-C4-O4	-7.88	121.17	125.90
38	A1	1964	G	C4-C5-N7	7.88	113.95	110.80
11	B2	941	C	C5-C6-N1	7.88	124.94	121.00
38	A1	1604	G	C5-C6-N1	-7.88	107.56	111.50
38	A1	2287	C	O4'-C1'-C2'	7.88	114.69	107.60
38	A1	2316	U	O4'-C1'-N1	7.88	114.50	108.20
38	A1	2715	A	C6-N1-C2	-7.88	113.87	118.60
58	Ak	195	TYR	CB-CG-CD1	-7.88	116.27	121.00
11	B2	513	A	N1-C6-N6	7.88	123.33	118.60
11	B2	669	A	N1-C2-N3	-7.88	125.36	129.30
11	B2	822	A	C4-C5-C6	7.88	120.94	117.00
38	A1	31	G	C5-C6-N1	-7.88	107.56	111.50
38	A1	111	U	P-O3'-C3'	-7.88	110.25	119.70
38	A1	1453	G	C4-C5-N7	7.88	113.95	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1565	G	N9-C4-C5	-7.88	102.25	105.40
38	A1	2698	G	N1-C6-O6	7.88	124.62	119.90
38	A1	2833	G	N3-C2-N2	7.88	125.41	119.90
39	A3	59	C	C2-N3-C4	7.88	123.84	119.90
11	B2	287	G	C3'-C2'-C1'	-7.88	95.20	101.50
38	A1	526	C	N3-C4-N4	7.88	123.51	118.00
38	A1	2382	A	O4'-C1'-N9	7.88	114.50	108.20
10	B1	57	C	N3-C4-C5	-7.87	118.75	121.90
11	B2	33	U	O4'-C1'-N1	7.87	114.50	108.20
11	B2	609	G	C5-C6-O6	-7.87	123.88	128.60
11	B2	1037	U	C4'-C3'-C2'	7.87	110.47	102.60
11	B2	1285	C	O4'-C1'-N1	7.87	114.50	108.20
38	A1	865	C	O4'-C1'-N1	7.87	114.50	108.20
38	A1	865	C	N3-C4-C5	-7.87	118.75	121.90
38	A1	1647	C	C4-C5-C6	7.87	121.34	117.40
38	A1	1981	G	C5-C6-O6	-7.87	123.88	128.60
38	A1	2545	A	C6-C5-N7	-7.87	126.79	132.30
38	A1	2793	C	C5'-C4'-O4'	7.87	118.55	109.10
10	B1	43	G	N3-C2-N2	7.87	125.41	119.90
11	B2	566	C	C5-C6-N1	7.87	124.94	121.00
11	B2	695	G	C5-C6-N1	-7.87	107.56	111.50
38	A1	710	G	N7-C8-N9	7.87	117.04	113.10
38	A1	948	C	O4'-C1'-N1	7.87	114.50	108.20
38	A1	2395	C	N3-C4-N4	7.87	123.51	118.00
38	A1	1800	G	N3-C2-N2	7.87	125.41	119.90
38	A1	508	G	C2-N3-C4	-7.87	107.97	111.90
38	A1	668	G	N9-C4-C5	-7.87	102.25	105.40
38	A1	890	G	N7-C8-N9	-7.87	109.17	113.10
38	A1	1031	C	C5-C4-N4	-7.87	114.69	120.20
38	A1	2853	A	N1-C2-N3	7.87	133.24	129.30
38	A1	2994	G	C6-C5-N7	-7.87	125.68	130.40
11	B2	1045	A	N7-C8-N9	-7.87	109.87	113.80
11	B2	568	C	C5-C4-N4	-7.87	114.69	120.20
11	B2	716	G	O4'-C1'-N9	7.87	114.49	108.20
11	B2	951	G	P-O3'-C3'	7.87	129.14	119.70
11	B2	1132	C	O4'-C1'-N1	7.87	114.49	108.20
38	A1	144	A	N1-C2-N3	7.87	133.23	129.30
38	A1	1765	A	P-O3'-C3'	7.87	129.14	119.70
38	A1	2490	C	N3-C4-N4	7.87	123.51	118.00
38	A1	2688	C	C5-C6-N1	7.87	124.93	121.00
39	A3	6	G	N3-C4-C5	7.87	132.53	128.60
39	A3	112	C	N3-C4-N4	7.87	123.51	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	B1	50	G	N1-C2-N3	-7.86	119.18	123.90
11	B2	1242	C	C6-N1-C2	-7.86	117.15	120.30
11	B2	1491	C	N3-C4-N4	7.86	123.50	118.00
38	A1	1691	U	C3'-C2'-C1'	7.86	107.79	101.50
38	A1	2010	G	C5-C6-N1	-7.86	107.57	111.50
38	A1	3019	C	C4-C5-C6	7.86	121.33	117.40
11	B2	54	C	C5-C6-N1	-7.86	117.07	121.00
15	BC	166	TYR	CD1-CE1-CZ	-7.86	112.72	119.80
38	A1	1455	U	N3-C4-C5	-7.86	109.88	114.60
38	A1	2512	C	O4'-C1'-N1	7.86	114.49	108.20
38	A1	2729	A	C2-N3-C4	7.86	114.53	110.60
11	B2	496	C	N3-C4-N4	7.86	123.50	118.00
38	A1	1573	A	C2-N3-C4	7.86	114.53	110.60
38	A1	1893	C	N3-C4-C5	-7.86	118.76	121.90
39	A3	5	G	N3-C4-C5	7.86	132.53	128.60
38	A1	169	G	N1-C6-O6	7.86	124.62	119.90
38	A1	1474	A	C2-N3-C4	-7.86	106.67	110.60
38	A1	2090	A	C3'-C2'-C1'	7.86	107.79	101.50
38	A1	2631	C	N3-C4-C5	-7.86	118.76	121.90
11	B2	1378	A	O4'-C1'-N9	7.86	114.49	108.20
38	A1	411	U	O4'-C1'-N1	7.86	114.49	108.20
38	A1	1113	G	C5-C6-O6	-7.86	123.89	128.60
38	A1	2148	U	C4'-C3'-C2'	-7.86	94.74	102.60
38	A1	2262	C	C5-C6-N1	-7.86	117.07	121.00
11	B2	1210	A	C5-C6-N1	-7.86	113.77	117.70
38	A1	700	A	N7-C8-N9	-7.86	109.87	113.80
38	A1	1941	A	O4'-C1'-N9	7.86	114.48	108.20
38	A1	2182	A	C4-C5-C6	7.86	120.93	117.00
38	A1	2960	G	C3'-C2'-C1'	7.86	107.78	101.50
39	A3	5	G	C5-C6-O6	-7.86	123.89	128.60
11	B2	269	A	C5-C6-N6	-7.85	117.42	123.70
38	A1	40	G	C5-C6-O6	-7.85	123.89	128.60
38	A1	1487	U	P-O3'-C3'	7.85	129.12	119.70
38	A1	1553	G	N1-C6-O6	7.85	124.61	119.90
38	A1	1604	G	C4-C5-C6	7.85	123.51	118.80
38	A1	2099	G	O4'-C1'-N9	7.85	114.48	108.20
11	B2	182	A	O4'-C1'-N9	7.85	114.48	108.20
11	B2	261	G	N3-C2-N2	7.85	125.40	119.90
11	B2	376	G	O4'-C1'-N9	7.85	114.48	108.20
11	B2	617	A	C4-C5-C6	7.85	120.93	117.00
11	B2	1341	C	N3-C4-N4	7.85	123.50	118.00
26	BN	32	ARG	NE-CZ-NH2	-7.85	116.37	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1616	A	C5-C6-N6	-7.85	117.42	123.70
38	A1	2525	C	N3-C4-N4	7.85	123.50	118.00
38	A1	2779	G	N3-C2-N2	7.85	125.40	119.90
11	B2	232	G	N3-C2-N2	7.85	125.39	119.90
11	B2	343	G	N1-C6-O6	7.85	124.61	119.90
11	B2	813	G	N7-C8-N9	7.85	117.03	113.10
38	A1	511	A	O4'-C1'-N9	7.85	114.48	108.20
38	A1	2313	G	N1-C6-O6	7.85	124.61	119.90
38	A1	2445	G	C5-C6-O6	-7.85	123.89	128.60
38	A1	2696	G	C4'-C3'-C2'	7.85	110.45	102.60
11	B2	223	G	O4'-C1'-N9	7.85	114.48	108.20
11	B2	673	C	N3-C4-N4	7.85	123.49	118.00
11	B2	931	C	C2-N3-C4	7.85	123.82	119.90
11	B2	1449	G	C8-N9-C4	-7.85	103.26	106.40
38	A1	940	G	C8-N9-C4	-7.85	103.26	106.40
38	A1	1989	G	N7-C8-N9	-7.85	109.18	113.10
38	A1	2309	C	C6-N1-C2	-7.85	117.16	120.30
39	A3	23	A	O4'-C1'-N9	7.85	114.48	108.20
49	Ae	26	VAL	CA-CB-CG1	7.85	122.67	110.90
12	AG	122	MET	N-CA-CB	7.85	124.72	110.60
38	A1	405	G	C4-C5-N7	-7.85	107.66	110.80
38	A1	606	A	C8-N9-C4	-7.85	102.66	105.80
11	B2	1057	A	C8-N9-C4	-7.84	102.66	105.80
38	A1	631	G	N1-C6-O6	7.84	124.61	119.90
38	A1	2345	U	O4'-C1'-N1	7.84	114.48	108.20
38	A1	2361	C	N3-C4-N4	7.84	123.49	118.00
55	Ai	17	TYR	N-CA-CB	7.84	124.72	110.60
11	B2	806	G	C3'-C2'-C1'	7.84	107.77	101.50
38	A1	365	G	P-O3'-C3'	-7.84	110.29	119.70
38	A1	1042	G	C4-C5-C6	7.84	123.51	118.80
38	A1	2777	G	N3-C4-C5	-7.84	124.68	128.60
9	AX	38	PHE	CB-CG-CD1	-7.84	115.31	120.80
11	B2	925	U	O4'-C1'-N1	7.84	114.47	108.20
11	B2	1154	G	N1-C2-N3	-7.84	119.19	123.90
38	A1	1131	G	O4'-C1'-N9	7.84	114.47	108.20
38	A1	1208	A	O4'-C1'-N9	7.84	114.47	108.20
38	A1	2002	A	C5-C6-N6	-7.84	117.43	123.70
38	A1	2175	G	O4'-C4'-C3'	-7.84	96.16	104.00
38	A1	2777	G	C4-C5-C6	7.84	123.50	118.80
39	A3	4	C	N3-C4-N4	7.84	123.49	118.00
11	B2	67	C	N3-C4-C5	-7.84	118.77	121.90
38	A1	579	C	C2-N3-C4	7.84	123.82	119.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1821	C	N3-C4-C5	-7.84	118.77	121.90
38	A1	2114	C	O4'-C1'-N1	7.84	114.47	108.20
11	B2	131	G	N3-C2-N2	7.84	125.39	119.90
11	B2	1113	G	O4'-C1'-N9	7.84	114.47	108.20
38	A1	1596	G	C8-N9-C4	-7.84	103.27	106.40
38	A1	2408	G	C6-C5-N7	-7.84	125.70	130.40
11	B2	203	A	C4-C5-C6	7.84	120.92	117.00
11	B2	669	A	C6-C5-N7	-7.84	126.81	132.30
11	B2	1043	U	O4'-C1'-N1	7.84	114.47	108.20
38	A1	2069	G	N1-C6-O6	7.84	124.60	119.90
32	BT	82	TYR	CB-CG-CD2	7.83	125.70	121.00
38	A1	1068	U	C6-N1-C2	7.83	125.70	121.00
38	A1	2162	G	N1-C6-O6	7.83	124.60	119.90
38	A1	2854	A	C5-C6-N1	-7.83	113.78	117.70
11	B2	185	G	C6-C5-N7	-7.83	125.70	130.40
11	B2	242	A	C5-N7-C8	7.83	107.82	103.90
11	B2	339	U	N3-C4-C5	-7.83	109.90	114.60
11	B2	1112	G	N3-C2-N2	7.83	125.38	119.90
38	A1	476	C	N3-C4-N4	7.83	123.48	118.00
38	A1	837	G	C5-C6-N1	-7.83	107.58	111.50
38	A1	2200	A	C8-N9-C4	-7.83	102.67	105.80
38	A1	2515	U	O4'-C1'-N1	7.83	114.47	108.20
11	B2	31	U	N3-C4-O4	7.83	124.88	119.40
11	B2	148	C	O4'-C1'-N1	7.83	114.46	108.20
11	B2	494	G	C6-N1-C2	7.83	129.80	125.10
11	B2	997	G	C5-C6-N1	-7.83	107.58	111.50
11	B2	1009	G	N1-C2-N3	-7.83	119.20	123.90
11	B2	1445	A	C8-N9-C4	-7.83	102.67	105.80
38	A1	192	U	O4'-C1'-N1	7.83	114.46	108.20
38	A1	1393	C	C5-C6-N1	7.83	124.92	121.00
39	A3	74	U	C2'-C3'-O3'	7.83	126.73	109.50
11	B2	290	C	N3-C4-N4	7.83	123.48	118.00
11	B2	546	G	O4'-C1'-N9	7.83	114.46	108.20
11	B2	603	G	C6-C5-N7	-7.83	125.70	130.40
11	B2	1229	A	C5-C6-N1	-7.83	113.79	117.70
38	A1	130	G	C6-C5-N7	-7.83	125.70	130.40
38	A1	744	G	C6-N1-C2	7.83	129.80	125.10
38	A1	815	U	O4'-C1'-N1	7.83	114.46	108.20
38	A1	1232	G	C5-C6-N1	-7.83	107.59	111.50
38	A1	2142	U	N1-C2-N3	-7.83	110.20	114.90
38	A1	2192	G	C6-C5-N7	-7.83	125.70	130.40
11	B2	480	G	N9-C4-C5	-7.83	102.27	105.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	361	G	C4'-C3'-C2'	-7.83	94.77	102.60
38	A1	792	A	C5-C6-N6	-7.83	117.44	123.70
38	A1	1533	G	N7-C8-N9	7.83	117.01	113.10
38	A1	1868	C	N1-C2-O2	-7.83	114.20	118.90
46	AD	82	PHE	CB-CG-CD1	-7.83	115.32	120.80
11	B2	1317	G	N3-C2-N2	7.83	125.38	119.90
38	A1	1413	A	N7-C8-N9	-7.83	109.89	113.80
10	B1	16	C	P-O3'-C3'	7.82	129.09	119.70
11	B2	1100	G	C5-N7-C8	-7.82	100.39	104.30
13	BA	93	ARG	NE-CZ-NH1	-7.82	116.39	120.30
38	A1	770	G	C4-C5-N7	-7.82	107.67	110.80
38	A1	1944	C	N3-C4-N4	7.82	123.48	118.00
38	A1	2416	G	N7-C8-N9	7.82	117.01	113.10
38	A1	2500	G	C4-C5-N7	7.82	113.93	110.80
38	A1	2535	C	O4'-C4'-C3'	-7.82	96.18	104.00
38	A1	2894	A	C3'-C2'-C1'	-7.82	95.24	101.50
11	B2	106	A	C5-C6-N6	-7.82	117.44	123.70
38	A1	1098	C	N3-C4-N4	7.82	123.48	118.00
38	A1	1112	G	C5-C6-N1	-7.82	107.59	111.50
11	B2	163	C	P-O5'-C5'	7.82	133.41	120.90
11	B2	287	G	O4'-C1'-N9	7.82	114.46	108.20
11	B2	933	G	C5-C6-N1	-7.82	107.59	111.50
11	B2	955	G	C8-N9-C4	-7.82	103.27	106.40
11	B2	1231	G	C4'-C3'-C2'	-7.82	94.78	102.60
38	A1	140	C	C4-C5-C6	7.82	121.31	117.40
38	A1	289	G	C5-C6-O6	-7.82	123.91	128.60
38	A1	1383	G	C8-N9-C4	-7.82	103.27	106.40
38	A1	2397	C	N3-C2-O2	7.82	127.38	121.90
38	A1	2582	C	O4'-C1'-N1	7.82	114.46	108.20
39	A3	64	C	C5-C6-N1	7.82	124.91	121.00
11	B2	812	U	C6-N1-C2	-7.82	116.31	121.00
24	BL	29	ARG	NE-CZ-NH2	-7.82	116.39	120.30
38	A1	1465	A	O4'-C1'-N9	7.82	114.45	108.20
38	A1	2417	G	C3'-C2'-C1'	7.82	107.75	101.50
11	B2	384	G	N1-C6-O6	-7.82	115.21	119.90
38	A1	407	A	P-O3'-C3'	7.82	129.08	119.70
38	A1	1522	A	P-O5'-C5'	-7.82	108.39	120.90
38	A1	2843	C	C6-N1-C2	7.82	123.43	120.30
38	A1	2903	U	C2-N3-C4	7.82	131.69	127.00
10	B1	33	C	O4'-C1'-N1	7.82	114.45	108.20
11	B2	1374	C	O4'-C1'-N1	7.82	114.45	108.20
21	BI	62	ARG	NE-CZ-NH1	7.82	124.21	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1898	A	C8-N9-C4	-7.82	102.67	105.80
39	A3	46	G	C5-C6-O6	-7.82	123.91	128.60
60	AM	65	ARG	NE-CZ-NH2	-7.82	116.39	120.30
38	A1	246	A	C5-C6-N1	-7.81	113.79	117.70
38	A1	591	G	P-O3'-C3'	7.81	129.08	119.70
38	A1	781	C	O4'-C1'-N1	7.81	114.45	108.20
38	A1	1024	G	N9-C4-C5	-7.81	102.27	105.40
38	A1	1143	A	C5-C6-N1	-7.81	113.79	117.70
11	B2	174	G	C5-C6-O6	-7.81	123.91	128.60
11	B2	478	C	C2-N1-C1'	7.81	127.39	118.80
11	B2	748	A	O4'-C1'-N9	7.81	114.45	108.20
11	B2	1089	C	O4'-C1'-N1	7.81	114.45	108.20
11	B2	1107	C	C4-C5-C6	7.81	121.31	117.40
38	A1	307	C	C6-N1-C2	-7.81	117.17	120.30
38	A1	608	C	C5-C6-N1	7.81	124.91	121.00
38	A1	2579	G	N9-C4-C5	-7.81	102.28	105.40
38	A1	2645	C	N3-C4-N4	7.81	123.47	118.00
38	A1	1310	A	C8-N9-C4	-7.81	102.68	105.80
39	A3	88	A	C8-N9-C4	-7.81	102.67	105.80
10	B1	52	G	O4'-C1'-N9	7.81	114.45	108.20
11	B2	63	G	O4'-C1'-N9	7.81	114.45	108.20
11	B2	1238	G	N3-C2-N2	7.81	125.37	119.90
33	BU	91	TYR	CB-CG-CD1	-7.81	116.31	121.00
38	A1	735	A	C5-C6-N6	-7.81	117.45	123.70
38	A1	1411	G	N3-C4-C5	7.81	132.50	128.60
38	A1	1930	A	N3-C4-C5	-7.81	121.33	126.80
11	B2	358	G	N3-C2-N2	7.81	125.36	119.90
11	B2	718	G	O4'-C1'-N9	7.81	114.45	108.20
11	B2	742	U	O4'-C1'-N1	7.81	114.45	108.20
11	B2	803	C	C2-N3-C4	7.81	123.80	119.90
11	B2	989	C	O4'-C1'-N1	7.81	114.45	108.20
38	A1	2154	G	O4'-C1'-N9	7.81	114.45	108.20
38	A1	2174	G	N1-C6-O6	7.81	124.58	119.90
38	A1	2517	U	N3-C4-C5	-7.81	109.92	114.60
38	A1	1907	G	O4'-C1'-N9	7.81	114.44	108.20
39	A3	57	C	C2-N3-C4	7.81	123.80	119.90
11	B2	915	U	O4'-C1'-N1	7.80	114.44	108.20
11	B2	1446	G	C5-C6-O6	-7.80	123.92	128.60
38	A1	393	C	C5-C4-N4	-7.80	114.74	120.20
38	A1	2160	C	C3'-C2'-C1'	-7.80	95.26	101.50
38	A1	2190	A	C5-C6-N1	-7.80	113.80	117.70
10	B1	19	G	N1-C6-O6	7.80	124.58	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	B1	71	C	O4'-C1'-N1	7.80	114.44	108.20
11	B2	64	G	C5-C6-N1	-7.80	107.60	111.50
11	B2	694	U	N3-C2-O2	7.80	127.66	122.20
26	BN	101	ASP	CB-CG-OD1	7.80	125.32	118.30
38	A1	1803	U	O4'-C1'-N1	7.80	114.44	108.20
38	A1	2801	G	N1-C2-N3	-7.80	119.22	123.90
11	B2	200	G	N1-C6-O6	7.80	124.58	119.90
11	B2	1373	A	N3-C4-N9	-7.80	121.16	127.40
38	A1	781	C	C5-C6-N1	7.80	124.90	121.00
38	A1	1077	G	C4-C5-C6	7.80	123.48	118.80
38	A1	1575	G	N3-C4-C5	-7.80	124.70	128.60
11	B2	531	G	O4'-C1'-N9	7.80	114.44	108.20
11	B2	764	C	N3-C4-N4	7.80	123.46	118.00
38	A1	827	G	N1-C2-N3	-7.80	119.22	123.90
38	A1	1531	C	C5-C6-N1	7.80	124.90	121.00
38	A1	2778	A	C6-C5-N7	-7.80	126.84	132.30
11	B2	106	A	C6-N1-C2	-7.80	113.92	118.60
11	B2	421	U	O4'-C1'-N1	7.80	114.44	108.20
11	B2	1309	A	C4-C5-C6	7.80	120.90	117.00
11	B2	1399	G	N7-C8-N9	7.80	117.00	113.10
38	A1	712	C	N3-C4-C5	-7.80	118.78	121.90
38	A1	2098	C	C2-N3-C4	7.80	123.80	119.90
38	A1	2301	C	N3-C4-C5	-7.80	118.78	121.90
38	A1	2668	G	N1-C6-O6	7.80	124.58	119.90
11	B2	79	G	N3-C2-N2	7.79	125.36	119.90
38	A1	1374	G	C8-N9-C4	-7.79	103.28	106.40
11	B2	913	G	O4'-C1'-N9	7.79	114.44	108.20
11	B2	1133	C	C6-N1-C2	-7.79	117.18	120.30
11	B2	1358	A	N9-C4-C5	7.79	108.92	105.80
36	BX	30	ARG	NE-CZ-NH1	-7.79	116.40	120.30
38	A1	1009	G	N1-C2-N3	-7.79	119.22	123.90
38	A1	2439	G	N3-C2-N2	7.79	125.36	119.90
38	A1	2607	U	N3-C4-O4	7.79	124.86	119.40
11	B2	671	C	C2-N3-C4	7.79	123.80	119.90
11	B2	927	A	C5-N7-C8	7.79	107.80	103.90
38	A1	895	C	N1-C2-N3	-7.79	113.75	119.20
38	A1	998	G	O4'-C1'-N9	7.79	114.43	108.20
38	A1	1095	A	C4-C5-N7	-7.79	106.80	110.70
11	B2	697	A	C5-C6-N6	-7.79	117.47	123.70
23	BK	99	PHE	CB-CG-CD1	7.79	126.25	120.80
38	A1	430	A	C5-C6-N6	-7.79	117.47	123.70
38	A1	506	G	C8-N9-C4	-7.79	103.28	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1443	G	O4'-C1'-N9	7.79	114.43	108.20
38	A1	1857	A	C5-N7-C8	7.79	107.80	103.90
11	B2	239	A	C5-N7-C8	7.79	107.79	103.90
11	B2	756	A	N3-C4-C5	-7.79	121.35	126.80
38	A1	1017	A	C5-C6-N6	-7.79	117.47	123.70
38	A1	1202	G	N1-C6-O6	7.79	124.57	119.90
38	A1	2451	G	N1-C2-N3	-7.79	119.23	123.90
38	A1	2609	G	N1-C2-N3	-7.79	119.23	123.90
38	A1	2828	G	O4'-C1'-N9	7.79	114.43	108.20
11	B2	256	G	O4'-C1'-N9	7.79	114.43	108.20
11	B2	733	C	C5-C6-N1	7.79	124.89	121.00
11	B2	830	A	C5-C6-N1	-7.79	113.81	117.70
16	BD	62	ARG	NE-CZ-NH1	7.79	124.19	120.30
38	A1	955	A	C5-N7-C8	7.79	107.79	103.90
38	A1	2467	C	C2-N3-C4	7.79	123.79	119.90
38	A1	3019	C	N3-C4-C5	-7.79	118.79	121.90
10	B1	14	A	N7-C8-N9	7.78	117.69	113.80
11	B2	400	G	N3-C4-C5	-7.78	124.71	128.60
38	A1	211	A	O4'-C1'-N9	7.78	114.43	108.20
38	A1	610	C	N3-C4-N4	7.78	123.45	118.00
38	A1	678	G	C2-N3-C4	7.78	115.79	111.90
11	B2	41	C	N1-C2-O2	-7.78	114.23	118.90
38	A1	216	A	P-O3'-C3'	7.78	129.04	119.70
38	A1	1694	G	C5-N7-C8	7.78	108.19	104.30
38	A1	2221	A	C5-C6-N1	-7.78	113.81	117.70
10	B1	44	G	C4-C5-N7	7.78	113.91	110.80
11	B2	57	G	N7-C8-N9	7.78	116.99	113.10
11	B2	247	G	C5-C6-O6	-7.78	123.93	128.60
11	B2	544	C	N3-C4-C5	-7.78	118.79	121.90
11	B2	1193	G	O4'-C1'-N9	7.78	114.42	108.20
38	A1	312	G	N3-C2-N2	7.78	125.34	119.90
38	A1	2757	G	C2-N3-C4	7.78	115.79	111.90
11	B2	44	C	O4'-C1'-N1	7.78	114.42	108.20
11	B2	488	A	C4-C5-C6	7.78	120.89	117.00
11	B2	758	U	C5-C4-O4	-7.78	121.23	125.90
11	B2	1128	U	N3-C4-O4	7.78	124.84	119.40
11	B2	1326	G	N1-C6-O6	7.78	124.57	119.90
38	A1	108	G	O4'-C1'-N9	7.78	114.42	108.20
38	A1	2110	C	C2-N3-C4	7.78	123.79	119.90
11	B2	44	C	C2-N3-C4	7.78	123.79	119.90
11	B2	500	A	N7-C8-N9	7.78	117.69	113.80
11	B2	892	C	N3-C4-N4	7.78	123.44	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1151	A	C5-C6-N6	-7.78	117.48	123.70
11	B2	1465	C	C5-C4-N4	-7.78	114.76	120.20
38	A1	261	A	C5-C6-N1	-7.78	113.81	117.70
38	A1	384	G	N1-C2-N3	-7.78	119.23	123.90
38	A1	720	C	C2-N3-C4	7.78	123.79	119.90
38	A1	1117	C	C4-C5-C6	7.78	121.29	117.40
38	A1	1169	G	N9-C4-C5	-7.78	102.29	105.40
38	A1	1740	U	C4-C5-C6	-7.78	115.03	119.70
38	A1	1901	A	C5-C6-N1	-7.78	113.81	117.70
11	B2	832	G	N3-C4-C5	-7.77	124.71	128.60
38	A1	454	C	C5-C4-N4	-7.77	114.76	120.20
38	A1	822	A	C8-N9-C4	-7.77	102.69	105.80
38	A1	1218	C	C2-N3-C4	7.77	123.79	119.90
38	A1	2263	G	O4'-C1'-N9	7.77	114.42	108.20
11	B2	375	G	N1-C2-N3	-7.77	119.24	123.90
11	B2	588	C	C6-N1-C2	-7.77	117.19	120.30
11	B2	870	U	O4'-C1'-N1	7.77	114.42	108.20
38	A1	473	C	C5-C4-N4	-7.77	114.76	120.20
38	A1	541	A	C5-C6-N6	-7.77	117.48	123.70
38	A1	978	C	C4-C5-C6	-7.77	113.51	117.40
38	A1	1932	G	N1-C2-N3	-7.77	119.24	123.90
38	A1	2735	C	C2-N3-C4	7.77	123.79	119.90
38	A1	724	G	O4'-C1'-N9	7.77	114.42	108.20
38	A1	1189	A	N1-C6-N6	7.77	123.26	118.60
38	A1	1357	G	C6-N1-C2	-7.77	120.44	125.10
38	A1	1769	G	N3-C2-N2	7.77	125.34	119.90
38	A1	2107	G	C6-C5-N7	-7.77	125.74	130.40
38	A1	2148	U	N3-C4-O4	7.77	124.84	119.40
38	A1	2779	G	N1-C2-N3	-7.77	119.24	123.90
39	A3	106	G	N1-C6-O6	7.77	124.56	119.90
11	B2	624	G	N1-C2-N3	-7.77	119.24	123.90
11	B2	872	A	C4-C5-C6	7.77	120.88	117.00
38	A1	182	U	O4'-C1'-N1	7.77	114.42	108.20
38	A1	735	A	C8-N9-C4	7.77	108.91	105.80
38	A1	778	A	C4-C5-N7	-7.77	106.81	110.70
38	A1	1365	G	C5-C6-N1	-7.77	107.61	111.50
38	A1	1376	U	C5-C6-N1	7.77	126.58	122.70
11	B2	507	G	C4-C5-C6	7.77	123.46	118.80
11	B2	1098	G	N1-C2-N2	-7.77	109.21	116.20
11	B2	1138	G	N1-C6-O6	7.77	124.56	119.90
23	BK	127	ARG	NE-CZ-NH2	-7.77	116.42	120.30
38	A1	450	G	C4-C5-N7	7.77	113.91	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	950	G	C2-N3-C4	-7.77	108.02	111.90
38	A1	1170	G	P-O3'-C3'	-7.77	110.38	119.70
38	A1	1666	G	C8-N9-C4	-7.77	103.29	106.40
11	B2	593	G	C6-N1-C2	7.77	129.76	125.10
38	A1	557	G	C5-C6-O6	-7.77	123.94	128.60
9	AX	46	TYR	CD1-CE1-CZ	7.76	126.79	119.80
11	B2	56	A	N9-C4-C5	7.76	108.91	105.80
11	B2	257	U	N1-C2-O2	-7.76	117.36	122.80
11	B2	976	A	C5-C6-N6	-7.76	117.49	123.70
38	A1	32	C	C5-C4-N4	-7.76	114.76	120.20
38	A1	268	C	C4-C5-C6	7.76	121.28	117.40
38	A1	627	G	O4'-C1'-N9	7.76	114.41	108.20
39	A3	98	G	O4'-C1'-N9	7.76	114.41	108.20
39	A3	1	C	N3-C4-N4	7.76	123.43	118.00
11	B2	627	G	N1-C2-N3	-7.76	119.24	123.90
11	B2	772	G	C6-C5-N7	-7.76	125.74	130.40
11	B2	1040	A	C5-C6-N1	7.76	121.58	117.70
32	BT	59	TYR	CB-CG-CD2	7.76	125.66	121.00
38	A1	203	G	O4'-C1'-N9	7.76	114.41	108.20
38	A1	990	G	C2-N3-C4	7.76	115.78	111.90
10	B1	1	G	N3-C2-N2	-7.76	114.47	119.90
11	B2	22	G	C5-C6-O6	-7.76	123.94	128.60
11	B2	997	G	C4-C5-N7	-7.76	107.70	110.80
11	B2	1139	A	C5-N7-C8	7.76	107.78	103.90
38	A1	556	G	N1-C6-O6	7.76	124.56	119.90
38	A1	761	U	N3-C4-C5	-7.76	109.94	114.60
38	A1	1082	A	C5-C6-N1	-7.76	113.82	117.70
38	A1	1173	G	C5-C6-O6	-7.76	123.94	128.60
38	A1	1643	A	C6-C5-N7	-7.76	126.87	132.30
38	A1	2521	U	O4'-C1'-N1	7.76	114.41	108.20
38	A1	1676	G	C2-N3-C4	7.76	115.78	111.90
38	A1	2071	C	N3-C4-C5	-7.76	118.80	121.90
11	B2	865	A	C4-C5-C6	7.76	120.88	117.00
11	B2	984	C	O4'-C1'-N1	7.76	114.41	108.20
11	B2	1057	A	C5-C6-N6	-7.76	117.50	123.70
38	A1	7	G	C5-C6-O6	-7.76	123.95	128.60
38	A1	560	G	N9-C4-C5	7.76	108.50	105.40
38	A1	1349	G	O4'-C1'-N9	7.76	114.41	108.20
38	A1	1373	C	O4'-C1'-N1	7.76	114.41	108.20
38	A1	2368	G	N1-C2-N2	-7.76	109.22	116.20
38	A1	2397	C	C5-C4-N4	-7.76	114.77	120.20
38	A1	2728	U	N3-C4-C5	-7.76	109.95	114.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2814	U	C1'-O4'-C4'	-7.76	103.69	109.90
39	A3	8	C	C6-N1-C2	-7.76	117.20	120.30
62	AO	152	TYR	CB-CG-CD1	-7.76	116.35	121.00
11	B2	246	A	C5-C6-N1	-7.75	113.82	117.70
11	B2	362	C	O4'-C1'-N1	7.75	114.40	108.20
11	B2	819	G	N1-C6-O6	7.75	124.55	119.90
38	A1	1874	G	C5-C6-N1	7.75	115.38	111.50
38	A1	2992	G	O4'-C1'-N9	7.75	114.40	108.20
11	B2	214	C	N3-C4-C5	-7.75	118.80	121.90
11	B2	516	A	C8-N9-C4	-7.75	102.70	105.80
11	B2	827	G	N1-C2-N3	-7.75	119.25	123.90
24	BL	83	ARG	NE-CZ-NH2	-7.75	116.42	120.30
38	A1	2283	C	C4'-C3'-C2'	-7.75	94.85	102.60
38	A1	2476	A	C5-C6-N1	-7.75	113.82	117.70
38	A1	2478	G	N9-C4-C5	-7.75	102.30	105.40
38	A1	443	C	O4'-C1'-N1	7.75	114.40	108.20
38	A1	2388	U	C3'-C2'-C1'	7.75	107.70	101.50
11	B2	415	C	C2-N3-C4	7.75	123.78	119.90
38	A1	1841	G	N3-C2-N2	7.75	125.33	119.90
38	A1	2170	C	N3-C4-N4	7.75	123.42	118.00
11	B2	1365	G	C8-N9-C4	7.75	109.50	106.40
31	BS	59	ARG	NE-CZ-NH1	7.75	124.17	120.30
38	A1	931	C	C5-C4-N4	-7.75	114.78	120.20
38	A1	1372	C	N1-C2-N3	-7.75	113.78	119.20
38	A1	2745	G	P-O3'-C3'	-7.75	110.40	119.70
64	AR	87	PHE	CB-CG-CD1	-7.75	115.38	120.80
11	B2	13	C	C6-N1-C2	7.75	123.40	120.30
11	B2	371	U	O4'-C1'-N1	7.75	114.40	108.20
11	B2	883	G	C5-C6-N1	-7.75	107.63	111.50
23	BK	128	ALA	CB-CA-C	-7.75	98.48	110.10
38	A1	996	U	C2-N3-C4	-7.75	122.35	127.00
11	B2	621	G	C5-N7-C8	7.75	108.17	104.30
11	B2	794	A	N1-C6-N6	7.75	123.25	118.60
11	B2	1197	C	N3-C4-C5	-7.75	118.80	121.90
38	A1	1483	U	O4'-C1'-N1	7.75	114.40	108.20
38	A1	1785	G	C1'-O4'-C4'	-7.75	103.70	109.90
38	A1	2019	C	C6-N1-C2	-7.75	117.20	120.30
38	A1	2361	C	N1-C2-N3	-7.75	113.78	119.20
11	B2	32	A	C5-C6-N6	-7.74	117.50	123.70
11	B2	169	C	C5-C6-N1	7.74	124.87	121.00
11	B2	863	U	C5-C6-N1	7.74	126.57	122.70
11	B2	1026	A	N9-C4-C5	7.74	108.90	105.80

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	512	G	N3-C2-N2	7.74	125.32	119.90
38	A1	771	G	O4'-C1'-N9	7.74	114.39	108.20
38	A1	2165	A	N3-C4-C5	-7.74	121.38	126.80
38	A1	2789	G	O4'-C1'-N9	7.74	114.39	108.20
38	A1	3038	A	C5-C6-N6	-7.74	117.50	123.70
39	A3	24	C	C5'-C4'-C3'	-7.74	103.61	116.00
39	A3	123	U	O4'-C1'-N1	7.74	114.39	108.20
11	B2	506	G	C4-C5-C6	7.74	123.44	118.80
11	B2	1089	C	N3-C4-N4	7.74	123.42	118.00
38	A1	1064	G	C5-C6-O6	-7.74	123.95	128.60
38	A1	2362	U	N1-C2-O2	-7.74	117.38	122.80
38	A1	2716	C	N3-C4-C5	-7.74	118.80	121.90
38	A1	831	C	O4'-C1'-N1	7.74	114.39	108.20
38	A1	1106	C	C2-N3-C4	7.74	123.77	119.90
38	A1	1470	C	N3-C4-N4	7.74	123.42	118.00
38	A1	2588	C	O4'-C1'-N1	7.74	114.39	108.20
11	B2	443	C	OP1-P-OP2	-7.74	107.99	119.60
38	A1	180	A	C5-C6-N1	-7.74	113.83	117.70
38	A1	638	A	C5-C6-N1	-7.74	113.83	117.70
38	A1	1185	A	C4-C5-C6	7.74	120.87	117.00
11	B2	505	U	C5-C6-N1	7.74	126.57	122.70
11	B2	748	A	C5-C6-N6	-7.74	117.51	123.70
38	A1	707	U	C5-C4-O4	-7.74	121.26	125.90
38	A1	766	G	C4-C5-N7	-7.74	107.70	110.80
38	A1	1625	A	C5-C6-N1	-7.74	113.83	117.70
38	A1	2365	G	N9-C4-C5	-7.74	102.31	105.40
11	B2	1439	G	N9-C4-C5	-7.74	102.31	105.40
22	BJ	73	ARG	NE-CZ-NH2	-7.74	116.43	120.30
38	A1	921	C	C5-C4-N4	-7.74	114.79	120.20
38	A1	946	U	P-O3'-C3'	7.74	128.98	119.70
38	A1	1406	G	N1-C2-N3	-7.74	119.26	123.90
38	A1	2630	C	O4'-C1'-N1	7.74	114.39	108.20
38	A1	2680	A	N9-C4-C5	7.74	108.89	105.80
38	A1	1232	G	N9-C4-C5	7.73	108.49	105.40
38	A1	2318	G	C5-C6-O6	-7.73	123.96	128.60
38	A1	2595	C	O4'-C1'-N1	7.73	114.39	108.20
11	B2	403	C	C5-C6-N1	7.73	124.87	121.00
11	B2	777	G	N3-C2-N2	7.73	125.31	119.90
11	B2	884	G	N3-C4-N9	7.73	130.64	126.00
11	B2	1156	A	P-O3'-C3'	7.73	128.98	119.70
11	B2	1424	G	N1-C2-N3	-7.73	119.26	123.90
38	A1	499	A	N1-C6-N6	7.73	123.24	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1073	G	C2-N3-C4	7.73	115.77	111.90
38	A1	1249	G	C5-C6-N1	-7.73	107.63	111.50
38	A1	1588	C	N3-C4-N4	7.73	123.41	118.00
38	A1	2412	A	C6-C5-N7	-7.73	126.89	132.30
38	A1	2946	C	N3-C4-C5	-7.73	118.81	121.90
38	A1	3021	C	N3-C4-N4	7.73	123.41	118.00
11	B2	913	G	N9-C4-C5	7.73	108.49	105.40
11	B2	1225	C	N3-C4-N4	7.73	123.41	118.00
38	A1	787	G	O4'-C1'-N9	7.73	114.39	108.20
38	A1	1332	A	C8-N9-C4	-7.73	102.71	105.80
11	B2	61	A	C6-N1-C2	-7.73	113.96	118.60
11	B2	78	G	N1-C6-O6	7.73	124.54	119.90
38	A1	1555	G	C4-C5-N7	7.73	113.89	110.80
38	A1	966	G	C5-C6-N1	-7.73	107.64	111.50
38	A1	1571	G	C4-C5-N7	-7.73	107.71	110.80
38	A1	2184	G	O4'-C1'-N9	7.73	114.38	108.20
38	A1	2596	G	C5-C6-N1	-7.73	107.64	111.50
38	A1	2950	G	N1-C2-N3	-7.73	119.27	123.90
11	B2	433	U	N1-C2-O2	7.72	128.21	122.80
11	B2	1464	C	O4'-C1'-N1	7.72	114.38	108.20
38	A1	296	G	N3-C4-C5	-7.72	124.74	128.60
38	A1	435	G	O4'-C1'-N9	7.72	114.38	108.20
38	A1	469	A	N7-C8-N9	7.72	117.66	113.80
38	A1	958	A	N1-C6-N6	7.72	123.23	118.60
38	A1	1949	A	C5-N7-C8	7.72	107.76	103.90
38	A1	2794	G	C4-C5-C6	7.72	123.44	118.80
39	A3	86	C	N1-C1'-C2'	-7.72	103.50	112.00
58	Ak	97	PHE	CB-CG-CD1	-7.72	115.39	120.80
11	B2	674	C	C4-C5-C6	7.72	121.26	117.40
38	A1	213	G	O4'-C1'-N9	7.72	114.38	108.20
38	A1	272	G	N1-C2-N3	-7.72	119.27	123.90
38	A1	533	G	C5-N7-C8	-7.72	100.44	104.30
38	A1	794	G	C6-N1-C2	7.72	129.73	125.10
38	A1	1542	U	O4'-C1'-N1	7.72	114.38	108.20
38	A1	1963	G	N7-C8-N9	-7.72	109.24	113.10
38	A1	2231	G	C8-N9-C1'	-7.72	116.96	127.00
38	A1	2718	G	N1-C2-N3	-7.72	119.27	123.90
38	A1	2877	A	C8-N9-C4	-7.72	102.71	105.80
38	A1	390	C	C4-C5-C6	-7.72	113.54	117.40
11	B2	571	C	N3-C4-C5	-7.72	118.81	121.90
11	B2	690	C	N3-C4-C5	-7.72	118.81	121.90
11	B2	852	G	N1-C2-N3	-7.72	119.27	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	538	G	O4'-C1'-N9	7.72	114.38	108.20
38	A1	2031	G	C5-C6-O6	-7.72	123.97	128.60
38	A1	2471	A	C5-C6-N1	-7.72	113.84	117.70
39	A3	11	A	C6-N1-C2	-7.72	113.97	118.60
11	B2	192	G	C1'-O4'-C4'	-7.72	103.72	109.90
11	B2	1129	A	C4'-C3'-C2'	-7.72	94.88	102.60
11	B2	1280	C	N3-C4-N4	7.72	123.40	118.00
38	A1	256	G	O4'-C1'-N9	7.72	114.38	108.20
38	A1	2493	A	C4-C5-C6	7.72	120.86	117.00
11	B2	1024	G	C5-C6-N1	-7.72	107.64	111.50
11	B2	1452	G	N1-C2-N3	-7.72	119.27	123.90
38	A1	1025	A	C5-N7-C8	7.72	107.76	103.90
38	A1	2055	U	P-O5'-C5'	7.72	133.25	120.90
38	A1	2451	G	N1-C6-O6	7.72	124.53	119.90
38	A1	2512	C	C5-C4-N4	-7.72	114.80	120.20
38	A1	2640	C	N1-C2-O2	-7.72	114.27	118.90
11	B2	28	U	N3-C4-O4	7.71	124.80	119.40
11	B2	726	A	C4-C5-C6	7.71	120.86	117.00
38	A1	246	A	C6-C5-N7	-7.71	126.90	132.30
38	A1	1909	C	C6-N1-C2	-7.71	117.21	120.30
38	A1	2872	G	N9-C1'-C2'	-7.71	103.51	112.00
38	A1	710	G	C8-N9-C4	-7.71	103.31	106.40
38	A1	1390	U	O4'-C1'-N1	7.71	114.37	108.20
11	B2	168	G	C4-C5-N7	-7.71	107.72	110.80
11	B2	603	G	N3-C4-C5	-7.71	124.74	128.60
11	B2	751	C	N3-C4-C5	-7.71	118.82	121.90
11	B2	1180	G	C2-N3-C4	7.71	115.76	111.90
38	A1	319	A	N1-C2-N3	-7.71	125.44	129.30
38	A1	536	G	C5-C6-O6	-7.71	123.97	128.60
38	A1	937	A	C5-C6-N6	-7.71	117.53	123.70
38	A1	1733	C	N3-C4-C5	-7.71	118.81	121.90
38	A1	1806	C	N3-C4-C5	-7.71	118.81	121.90
38	A1	2458	U	C2-N3-C4	-7.71	122.37	127.00
63	AP	13	ARG	NE-CZ-NH2	7.71	124.16	120.30
66	AY	8	ARG	NE-CZ-NH2	7.71	124.16	120.30
11	B2	363	C	N3-C4-C5	-7.71	118.82	121.90
11	B2	1193	G	C2-N3-C4	7.71	115.75	111.90
38	A1	1086	U	O4'-C1'-N1	7.71	114.37	108.20
38	A1	1281	A	P-O3'-C3'	7.71	128.95	119.70
38	A1	2614	C	C4-C5-C6	-7.71	113.55	117.40
38	A1	101	G	C1'-O4'-C4'	-7.71	103.73	109.90
38	A1	316	G	N3-C4-C5	7.71	132.46	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1526	G	C5-C6-N1	-7.71	107.65	111.50
38	A1	1558	U	O4'-C1'-N1	7.71	114.37	108.20
38	A1	1570	C	C2-N3-C4	7.71	123.75	119.90
38	A1	2294	A	C5-C6-N1	-7.71	113.85	117.70
38	A1	2359	G	N1-C2-N3	-7.71	119.28	123.90
24	BL	4	ALA	N-CA-CB	7.71	120.89	110.10
38	A1	229	G	C6-N1-C2	7.71	129.72	125.10
38	A1	555	G	C2-N3-C4	-7.71	108.05	111.90
38	A1	688	G	N1-C6-O6	7.71	124.52	119.90
38	A1	1218	C	O4'-C1'-N1	7.71	114.37	108.20
38	A1	2445	G	C4-C5-N7	-7.71	107.72	110.80
11	B2	521	G	C6-C5-N7	-7.71	125.78	130.40
18	BF	183	VAL	CA-CB-CG1	7.71	122.46	110.90
38	A1	528	G	C2-N3-C4	7.70	115.75	111.90
38	A1	1244	C	N1-C2-O2	-7.70	114.28	118.90
38	A1	2748	C	O4'-C1'-N1	7.70	114.36	108.20
39	A3	71	G	N1-C2-N2	7.70	123.13	116.20
11	B2	698	A	C4-C5-N7	-7.70	106.85	110.70
38	A1	205	A	C5-C6-N6	-7.70	117.54	123.70
38	A1	300	U	N3-C4-C5	-7.70	109.98	114.60
38	A1	777	A	N1-C2-N3	7.70	133.15	129.30
38	A1	1135	A	C5-N7-C8	7.70	107.75	103.90
38	A1	1263	C	N3-C4-N4	7.70	123.39	118.00
38	A1	2141	C	O4'-C1'-N1	7.70	114.36	108.20
39	A3	103	C	N3-C4-N4	7.70	123.39	118.00
15	BC	147	TYR	CB-CG-CD1	7.70	125.62	121.00
38	A1	2105	A	C8-N9-C4	-7.70	102.72	105.80
62	AO	34	ARG	NE-CZ-NH1	7.70	124.15	120.30
11	B2	694	U	C4-C5-C6	-7.70	115.08	119.70
11	B2	889	G	C8-N9-C4	-7.70	103.32	106.40
11	B2	957	A	C5-C6-N6	-7.70	117.54	123.70
11	B2	1291	G	C5-C6-O6	-7.70	123.98	128.60
38	A1	20	C	C6-N1-C2	-7.70	117.22	120.30
38	A1	1220	U	C5-C4-O4	-7.70	121.28	125.90
38	A1	2500	G	N3-C4-C5	7.70	132.45	128.60
38	A1	2753	G	C2-N3-C4	7.70	115.75	111.90
11	B2	11	A	C5-C6-N1	-7.70	113.85	117.70
11	B2	1394	G	C6-C5-N7	-7.70	125.78	130.40
38	A1	2746	G	C5-C6-O6	-7.70	123.98	128.60
11	B2	294	A	C4-C5-N7	-7.70	106.85	110.70
11	B2	889	G	O4'-C1'-N9	7.70	114.36	108.20
11	B2	1331	G	O4'-C1'-N9	7.70	114.36	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
35	BW	13	PHE	CB-CG-CD1	-7.70	115.41	120.80
38	A1	550	A	O4'-C1'-N9	7.70	114.36	108.20
38	A1	892	U	C6-N1-C2	-7.70	116.38	121.00
38	A1	930	G	N1-C6-O6	7.70	124.52	119.90
38	A1	1389	A	C4-C5-C6	7.70	120.85	117.00
38	A1	1434	C	C6-N1-C2	-7.70	117.22	120.30
38	A1	1951	G	C4-C5-C6	7.70	123.42	118.80
38	A1	2784	A	C2-N3-C4	-7.70	106.75	110.60
38	A1	2848	C	C4-C5-C6	7.70	121.25	117.40
38	A1	2861	A	C8-N9-C4	-7.70	102.72	105.80
38	A1	789	G	O4'-C1'-N9	7.69	114.36	108.20
38	A1	1048	C	O4'-C1'-N1	7.69	114.36	108.20
38	A1	2255	C	C5-C4-N4	-7.69	114.81	120.20
38	A1	2322	A	C2-N3-C4	-7.69	106.75	110.60
38	A1	2601	C	O4'-C1'-N1	7.69	114.36	108.20
11	B2	147	A	N9-C4-C5	-7.69	102.72	105.80
11	B2	508	C	O4'-C1'-N1	7.69	114.36	108.20
11	B2	636	G	N3-C2-N2	7.69	125.28	119.90
11	B2	1491	C	C6-N1-C1'	-7.69	111.57	120.80
21	BI	19	ARG	NE-CZ-NH1	-7.69	116.45	120.30
37	BY	21	PHE	CB-CG-CD2	7.69	126.19	120.80
38	A1	690	G	C5-N7-C8	7.69	108.15	104.30
38	A1	992	G	C4-C5-N7	7.69	113.88	110.80
38	A1	1924	A	C5-C6-N6	-7.69	117.55	123.70
53	Ah	15	ARG	NE-CZ-NH2	-7.69	116.45	120.30
10	B1	41	C	C5-C4-N4	-7.69	114.82	120.20
38	A1	213	G	C5-C6-O6	-7.69	123.99	128.60
38	A1	530	A	N7-C8-N9	-7.69	109.95	113.80
38	A1	1074	G	N7-C8-N9	-7.69	109.25	113.10
11	B2	1216	A	N1-C2-N3	7.69	133.14	129.30
13	BA	138	ARG	NE-CZ-NH2	7.69	124.14	120.30
38	A1	2073	G	C5-C6-N1	-7.69	107.66	111.50
39	A3	78	C	N3-C4-N4	7.69	123.38	118.00
11	B2	506	G	C4'-C3'-C2'	-7.69	94.91	102.60
11	B2	677	U	N3-C4-O4	7.69	124.78	119.40
11	B2	1270	C	C6-N1-C2	-7.69	117.22	120.30
15	BC	125	ALA	N-CA-CB	7.69	120.86	110.10
38	A1	207	A	C5-N7-C8	7.69	107.74	103.90
38	A1	567	G	C8-N9-C4	-7.69	103.33	106.40
38	A1	1075	G	C6-C5-N7	-7.69	125.79	130.40
38	A1	1545	C	N3-C4-C5	-7.69	118.83	121.90
38	A1	2570	A	N1-C6-N6	7.69	123.21	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	374	G	O4'-C1'-N9	7.69	114.35	108.20
11	B2	584	C	P-O3'-C3'	7.69	128.92	119.70
38	A1	900	C	C4-C5-C6	7.69	121.24	117.40
38	A1	2078	A	C3'-C2'-C1'	7.69	107.65	101.50
38	A1	2253	G	C2-N3-C4	7.69	115.74	111.90
48	AE	149	ARG	NE-CZ-NH2	7.69	124.14	120.30
11	B2	923	A	N7-C8-N9	7.68	117.64	113.80
11	B2	1062	G	C5-C6-N1	-7.68	107.66	111.50
11	B2	1237	G	C6-C5-N7	-7.68	125.79	130.40
11	B2	1342	C	O4'-C1'-N1	7.68	114.35	108.20
21	BI	26	TYR	CZ-CE2-CD2	-7.68	112.88	119.80
38	A1	436	C	N3-C2-O2	7.68	127.28	121.90
38	A1	867	C	N3-C4-C5	-7.68	118.83	121.90
38	A1	1888	G	N1-C6-O6	7.68	124.51	119.90
38	A1	1550	C	C5-C4-N4	-7.68	114.82	120.20
38	A1	2524	C	N3-C4-C5	7.68	124.97	121.90
38	A1	2740	G	C6-C5-N7	-7.68	125.79	130.40
61	AN	82	TYR	CB-CG-CD1	-7.68	116.39	121.00
11	B2	507	G	C6-C5-N7	-7.68	125.79	130.40
38	A1	344	G	C5-C6-O6	-7.68	123.99	128.60
11	B2	881	G	N1-C2-N3	-7.68	119.29	123.90
38	A1	1716	G	C6-N1-C2	7.68	129.71	125.10
38	A1	2783	C	C1'-O4'-C4'	7.68	116.04	109.90
11	B2	533	C	O4'-C1'-N1	7.68	114.34	108.20
11	B2	779	G	C6-N1-C2	-7.68	120.49	125.10
11	B2	922	G	C5-C6-N1	7.68	115.34	111.50
38	A1	838	A	O4'-C1'-N9	7.68	114.34	108.20
38	A1	1591	C	O4'-C1'-N1	7.68	114.34	108.20
11	B2	791	G	C5-N7-C8	-7.68	100.46	104.30
11	B2	1065	C	C5-C4-N4	-7.68	114.83	120.20
11	B2	1253	G	C6-C5-N7	-7.68	125.79	130.40
11	B2	1271	G	N1-C2-N3	-7.68	119.30	123.90
38	A1	65	G	O4'-C1'-N9	7.68	114.34	108.20
38	A1	378	G	C5-C6-N1	-7.68	107.66	111.50
38	A1	699	A	C6-C5-N7	-7.68	126.93	132.30
38	A1	973	C	O4'-C1'-N1	7.68	114.34	108.20
38	A1	1070	G	C5-C6-O6	-7.68	123.99	128.60
38	A1	1819	G	C4-C5-N7	7.68	113.87	110.80
38	A1	2329	A	O4'-C1'-N9	7.68	114.34	108.20
11	B2	645	G	P-O5'-C5'	7.67	133.18	120.90
11	B2	706	G	C4-C5-N7	7.67	113.87	110.80
11	B2	1335	A	C6-C5-N7	-7.67	126.93	132.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1444	G	N1-C2-N3	-7.67	119.30	123.90
38	A1	512	G	O4'-C1'-N9	7.67	114.34	108.20
38	A1	1339	C	O4'-C1'-N1	7.67	114.34	108.20
38	A1	2043	A	C5-C6-N6	-7.67	117.56	123.70
38	A1	2450	A	C4-C5-C6	7.67	120.84	117.00
38	A1	2650	G	N3-C4-C5	-7.67	124.76	128.60
38	A1	194	G	N3-C2-N2	7.67	125.27	119.90
38	A1	1405	G	O4'-C1'-N9	7.67	114.34	108.20
38	A1	1586	G	N3-C4-N9	-7.67	121.40	126.00
38	A1	1937	A	N7-C8-N9	7.67	117.64	113.80
38	A1	2307	C	O4'-C1'-N1	7.67	114.34	108.20
38	A1	2384	G	C3'-C2'-C1'	-7.67	95.36	101.50
11	B2	495	G	C6-C5-N7	-7.67	125.80	130.40
11	B2	530	G	N9-C4-C5	-7.67	102.33	105.40
11	B2	1050	G	N7-C8-N9	7.67	116.94	113.10
38	A1	1036	C	C2-N1-C1'	7.67	127.24	118.80
38	A1	2093	A	C6-C5-N7	-7.67	126.93	132.30
11	B2	1154	G	N3-C4-N9	-7.67	121.40	126.00
16	BD	104	ARG	NE-CZ-NH1	7.67	124.14	120.30
38	A1	473	C	N3-C4-N4	7.67	123.37	118.00
38	A1	2843	C	C2-N3-C4	7.67	123.73	119.90
11	B2	250	G	N9-C4-C5	-7.67	102.33	105.40
38	A1	612	G	O4'-C1'-N9	7.67	114.33	108.20
38	A1	662	A	C5-C6-N6	-7.67	117.56	123.70
38	A1	958	A	C5-C6-N1	-7.67	113.86	117.70
38	A1	1620	C	C5-C6-N1	7.67	124.83	121.00
38	A1	2366	G	N1-C6-O6	7.67	124.50	119.90
38	A1	2751	C	N3-C4-C5	-7.67	118.83	121.90
38	A1	2899	G	C4-C5-C6	-7.67	114.20	118.80
38	A1	3029	A	N1-C2-N3	7.67	133.13	129.30
11	B2	107	C	O4'-C1'-N1	7.67	114.33	108.20
11	B2	233	C	N3-C4-N4	7.67	123.37	118.00
38	A1	771	G	C6-C5-N7	-7.67	125.80	130.40
38	A1	849	C	O4'-C1'-N1	7.67	114.33	108.20
38	A1	1084	G	N1-C2-N3	-7.67	119.30	123.90
38	A1	1517	G	C8-N9-C4	7.67	109.47	106.40
38	A1	2000	G	C8-N9-C4	7.67	109.47	106.40
38	A1	2241	U	N1-C2-O2	-7.67	117.43	122.80
38	A1	2795	G	N3-C4-N9	-7.67	121.40	126.00
46	AD	190	ARG	NE-CZ-NH2	-7.67	116.47	120.30
50	AF	8	ARG	NE-CZ-NH2	7.67	124.13	120.30
11	B2	384	G	N9-C4-C5	-7.67	102.33	105.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1201	G	P-O5'-C5'	7.66	133.16	120.90
38	A1	1276	G	C4-C5-C6	7.66	123.40	118.80
38	A1	2322	A	C8-N9-C4	-7.66	102.73	105.80
38	A1	2486	A	N7-C8-N9	7.66	117.63	113.80
38	A1	2898	G	O4'-C1'-N9	7.66	114.33	108.20
11	B2	51	A	C5-C6-N1	-7.66	113.87	117.70
11	B2	1457	A	C5-C6-N1	-7.66	113.87	117.70
38	A1	2462	U	O4'-C1'-N1	7.66	114.33	108.20
38	A1	2491	C	C5-C4-N4	-7.66	114.84	120.20
38	A1	2827	C	N3-C4-N4	7.66	123.36	118.00
11	B2	460	C	C6-N1-C1'	-7.66	111.61	120.80
38	A1	1784	G	N1-C6-O6	7.66	124.50	119.90
38	A1	2343	G	N7-C8-N9	7.66	116.93	113.10
39	A3	93	G	N7-C8-N9	7.66	116.93	113.10
11	B2	676	G	N1-C2-N3	-7.66	119.31	123.90
11	B2	1304	C	C6-N1-C2	-7.66	117.24	120.30
38	A1	271	G	O4'-C1'-N9	7.66	114.33	108.20
38	A1	864	C	O4'-C1'-N1	7.66	114.33	108.20
38	A1	1307	C	O4'-C1'-N1	7.66	114.33	108.20
38	A1	1461	G	N9-C4-C5	7.66	108.46	105.40
38	A1	1688	C	C2-N3-C4	7.66	123.73	119.90
38	A1	2322	A	N1-C6-N6	7.66	123.20	118.60
11	B2	1428	G	C5-C6-N1	7.66	115.33	111.50
38	A1	1432	C	N3-C4-C5	-7.66	118.84	121.90
38	A1	192	U	N3-C4-O4	7.66	124.76	119.40
38	A1	297	G	C2-N3-C4	7.66	115.73	111.90
38	A1	1893	C	N3-C4-N4	7.66	123.36	118.00
38	A1	2340	A	N3-C4-N9	-7.66	121.28	127.40
11	B2	198	A	C5-C6-N6	-7.65	117.58	123.70
11	B2	243	G	N1-C6-O6	7.65	124.49	119.90
11	B2	1093	C	P-O3'-C3'	7.65	128.88	119.70
11	B2	1134	G	C4-C5-C6	7.65	123.39	118.80
38	A1	505	A	O4'-C1'-N9	7.65	114.32	108.20
38	A1	1354	G	C4-C5-C6	7.65	123.39	118.80
38	A1	1757	G	C5-C6-O6	-7.65	124.01	128.60
38	A1	2214	U	C6-N1-C2	-7.65	116.41	121.00
38	A1	2573	C	N3-C4-N4	7.65	123.36	118.00
38	A1	2697	G	C4-C5-C6	7.65	123.39	118.80
38	A1	2830	C	C5-C4-N4	-7.65	114.84	120.20
38	A1	2838	U	N3-C2-O2	7.65	127.56	122.20
39	A3	85	C	C2-N3-C4	7.65	123.73	119.90
11	B2	1044	A	C8-N9-C4	-7.65	102.74	105.80

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	92	G	N1-C6-O6	7.65	124.49	119.90
38	A1	386	A	C5-C6-N6	-7.65	117.58	123.70
38	A1	2309	C	C5-C6-N1	7.65	124.83	121.00
38	A1	141	C	O4'-C4'-C3'	-7.65	96.35	104.00
38	A1	1741	C	N3-C4-C5	-7.65	118.84	121.90
38	A1	1834	C	O4'-C1'-N1	7.65	114.32	108.20
11	B2	406	U	O4'-C1'-N1	7.65	114.32	108.20
16	BD	79	ARG	NE-CZ-NH1	7.65	124.12	120.30
38	A1	367	G	C8-N9-C4	-7.65	103.34	106.40
38	A1	668	G	N1-C6-O6	7.65	124.49	119.90
38	A1	1623	C	O4'-C1'-N1	7.65	114.32	108.20
38	A1	1768	C	C6-N1-C2	-7.65	117.24	120.30
38	A1	2627	C	O4'-C1'-N1	7.65	114.32	108.20
39	A3	56	C	N3-C4-N4	7.65	123.35	118.00
11	B2	699	C	N3-C4-N4	7.65	123.35	118.00
38	A1	2075	U	N3-C4-C5	-7.65	110.01	114.60
38	A1	2617	G	N3-C2-N2	7.65	125.25	119.90
38	A1	2810	G	N1-C6-O6	7.65	124.49	119.90
11	B2	940	U	C5-C6-N1	7.64	126.52	122.70
38	A1	120	G	O4'-C1'-N9	7.64	114.32	108.20
38	A1	682	G	N1-C2-N2	-7.64	109.32	116.20
38	A1	788	A	N7-C8-N9	-7.64	109.98	113.80
38	A1	1096	A	C4'-C3'-C2'	-7.64	94.96	102.60
38	A1	2622	C	C6-N1-C2	-7.64	117.24	120.30
38	A1	2764	G	C8-N9-C4	7.64	109.46	106.40
39	A3	97	G	O4'-C1'-N9	7.64	114.32	108.20
43	AB	180	TYR	CB-CG-CD1	-7.64	116.41	121.00
11	B2	381	C	C6-N1-C2	7.64	123.36	120.30
11	B2	426	C	C5-C4-N4	-7.64	114.85	120.20
11	B2	708	C	O4'-C1'-N1	7.64	114.31	108.20
38	A1	976	C	O4'-C1'-N1	7.64	114.31	108.20
38	A1	2896	G	C8-N9-C4	7.64	109.46	106.40
38	A1	1817	C	P-O5'-C5'	7.64	133.12	120.90
38	A1	1873	G	N1-C2-N3	-7.64	119.31	123.90
38	A1	1908	C	N3-C4-C5	-7.64	118.84	121.90
11	B2	231	G	C5-C6-O6	-7.64	124.02	128.60
38	A1	216	A	C6-C5-N7	-7.64	126.95	132.30
38	A1	1590	C	P-O3'-C3'	7.64	128.87	119.70
38	A1	2344	G	C4-C5-C6	7.64	123.38	118.80
38	A1	2473	C	O4'-C1'-N1	7.64	114.31	108.20
11	B2	390	G	C4-C5-C6	7.64	123.38	118.80
38	A1	2174	G	N1-C2-N3	-7.64	119.32	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	87	C	C5-C6-N1	7.64	124.82	121.00
11	B2	1032	A	C5-C6-N1	-7.64	113.88	117.70
11	B2	1326	G	O4'-C1'-N9	7.64	114.31	108.20
11	B2	1417	A	N1-C2-N3	7.64	133.12	129.30
38	A1	1166	A	C1'-O4'-C4'	7.64	116.01	109.90
38	A1	1743	G	N1-C2-N3	-7.64	119.32	123.90
38	A1	2097	G	N3-C4-C5	-7.64	124.78	128.60
53	Ah	21	ARG	NE-CZ-NH2	-7.64	116.48	120.30
11	B2	426	C	C2-N3-C4	7.63	123.72	119.90
11	B2	565	C	C2-N3-C4	7.63	123.72	119.90
11	B2	1382	G	C5-C6-N1	-7.63	107.68	111.50
38	A1	435	G	C5-C6-O6	-7.63	124.02	128.60
38	A1	1277	G	O4'-C1'-N9	7.63	114.31	108.20
38	A1	1744	A	C5-C6-N6	-7.63	117.59	123.70
38	A1	2244	G	C6-C5-N7	-7.63	125.82	130.40
38	A1	2373	G	O4'-C1'-N9	7.63	114.31	108.20
38	A1	2629	U	N3-C2-O2	-7.63	116.86	122.20
38	A1	2726	G	N3-C2-N2	7.63	125.24	119.90
38	A1	2853	A	C4-C5-C6	7.63	120.82	117.00
11	B2	399	A	N7-C8-N9	-7.63	109.98	113.80
38	A1	860	A	C4-C5-C6	7.63	120.82	117.00
38	A1	976	C	N3-C4-C5	-7.63	118.85	121.90
10	B1	31	G	C5-C6-O6	-7.63	124.02	128.60
11	B2	428	G	C2-N3-C4	7.63	115.72	111.90
38	A1	1025	A	N1-C6-N6	7.63	123.18	118.60
38	A1	1752	C	C2-N3-C4	7.63	123.72	119.90
38	A1	2061	A	C4-C5-C6	7.63	120.82	117.00
38	A1	2218	C	N3-C4-N4	7.63	123.34	118.00
5	AS	154	ARG	NE-CZ-NH2	-7.63	116.48	120.30
11	B2	1261	U	C5-C6-N1	-7.63	118.89	122.70
11	B2	130	G	N3-C2-N2	7.63	125.24	119.90
11	B2	404	C	N3-C4-N4	7.63	123.34	118.00
11	B2	854	C	C6-N1-C2	7.63	123.35	120.30
11	B2	889	G	C4'-C3'-C2'	-7.63	94.97	102.60
11	B2	1313	G	O4'-C1'-N9	7.63	114.30	108.20
38	A1	394	A	P-O5'-C5'	-7.63	108.69	120.90
38	A1	471	U	C2'-C3'-O3'	7.63	126.28	109.50
38	A1	1789	A	C2-N3-C4	-7.63	106.79	110.60
38	A1	1853	C	N3-C4-N4	7.63	123.34	118.00
38	A1	2203	G	C4-C5-C6	7.63	123.38	118.80
38	A1	2285	G	C5-C6-O6	-7.63	124.02	128.60
38	A1	2574	G	N1-C6-O6	7.63	124.48	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	381	C	N3-C4-C5	-7.63	118.85	121.90
11	B2	755	U	C4-C5-C6	-7.63	115.12	119.70
11	B2	1469	G	C6-C5-N7	-7.63	125.82	130.40
38	A1	54	G	O4'-C1'-N9	7.63	114.30	108.20
38	A1	1537	U	C5-C4-O4	-7.63	121.32	125.90
38	A1	1589	G	N3-C2-N2	7.63	125.24	119.90
38	A1	1835	A	C8-N9-C4	-7.63	102.75	105.80
38	A1	2113	G	C2-N3-C4	7.63	115.71	111.90
38	A1	2865	C	N3-C4-N4	7.63	123.34	118.00
11	B2	9	U	O4'-C1'-N1	7.62	114.30	108.20
11	B2	49	C	C2-N3-C4	7.62	123.71	119.90
11	B2	848	G	N1-C6-O6	7.62	124.47	119.90
38	A1	894	C	N3-C4-C5	-7.62	118.85	121.90
38	A1	1792	A	C5-C6-N6	-7.62	117.60	123.70
11	B2	1486	A	N1-C6-N6	7.62	123.17	118.60
38	A1	609	G	N1-C2-N3	-7.62	119.33	123.90
38	A1	1770	A	N1-C6-N6	7.62	123.17	118.60
38	A1	2627	C	N3-C4-C5	-7.62	118.85	121.90
38	A1	2876	G	N1-C2-N3	-7.62	119.33	123.90
38	A1	3012	C	C2-N3-C4	7.62	123.71	119.90
11	B2	99	C	C2'-C3'-O3'	7.62	126.27	109.50
11	B2	272	C	O4'-C1'-N1	7.62	114.30	108.20
11	B2	282	G	N1-C2-N3	-7.62	119.33	123.90
11	B2	461	A	C4-C5-C6	7.62	120.81	117.00
38	A1	279	G	C8-N9-C4	-7.62	103.35	106.40
38	A1	349	A	N3-C4-C5	-7.62	121.47	126.80
38	A1	760	G	C2-N3-C4	7.62	115.71	111.90
38	A1	884	C	P-O3'-C3'	-7.62	110.55	119.70
38	A1	1436	A	C5-C6-N6	-7.62	117.60	123.70
38	A1	1660	A	C6-C5-N7	-7.62	126.97	132.30
38	A1	1782	C	O4'-C1'-N1	7.62	114.30	108.20
38	A1	2875	C	C6-N1-C2	-7.62	117.25	120.30
11	B2	1131	G	C5-C6-O6	-7.62	124.03	128.60
38	A1	2530	G	N1-C2-N2	7.62	123.06	116.20
38	A1	2663	G	N3-C4-C5	7.62	132.41	128.60
38	A1	742	C	N3-C4-C5	-7.62	118.85	121.90
38	A1	935	A	O4'-C1'-N9	7.62	114.30	108.20
38	A1	2245	C	N3-C4-N4	7.62	123.33	118.00
38	A1	2307	C	N3-C4-N4	7.62	123.33	118.00
38	A1	3031	U	C6-N1-C2	-7.62	116.43	121.00
11	B2	809	C	C2-N3-C4	7.62	123.71	119.90
38	A1	213	G	C6-C5-N7	-7.62	125.83	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	271	G	C4-C5-C6	7.62	123.37	118.80
38	A1	370	A	C5-N7-C8	7.62	107.71	103.90
38	A1	399	C	C6-N1-C2	-7.62	117.25	120.30
38	A1	533	G	N7-C8-N9	7.62	116.91	113.10
38	A1	1087	G	N3-C2-N2	7.62	125.23	119.90
38	A1	2024	A	C4-C5-C6	7.62	120.81	117.00
38	A1	2830	C	N3-C4-N4	7.62	123.33	118.00
38	A1	2859	U	C5-C4-O4	-7.62	121.33	125.90
38	A1	3033	G	C4-C5-C6	7.62	123.37	118.80
9	AX	359	PHE	CB-CG-CD1	-7.61	115.47	120.80
11	B2	192	G	N9-C4-C5	-7.61	102.35	105.40
11	B2	493	C	N3-C4-C5	-7.61	118.86	121.90
11	B2	523	C	C5-C4-N4	-7.61	114.87	120.20
11	B2	800	G	O4'-C1'-N9	7.61	114.29	108.20
11	B2	1365	G	N3-C2-N2	7.61	125.23	119.90
38	A1	683	C	N3-C4-N4	7.61	123.33	118.00
38	A1	1005	G	P-O3'-C3'	7.61	128.84	119.70
38	A1	1509	C	N3-C4-C5	-7.61	118.86	121.90
38	A1	1641	G	C8-N9-C4	-7.61	103.36	106.40
38	A1	2209	U	O4'-C1'-N1	7.61	114.29	108.20
38	A1	2356	U	C6-N1-C2	-7.61	116.43	121.00
38	A1	2960	G	O4'-C1'-N9	7.61	114.29	108.20
38	A1	1815	C	O4'-C1'-N1	7.61	114.29	108.20
11	B2	575	A	C5-C6-N6	-7.61	117.61	123.70
11	B2	1276	G	N3-C2-N2	7.61	125.23	119.90
38	A1	182	U	C5-C6-N1	7.61	126.50	122.70
38	A1	1556	G	N3-C2-N2	7.61	125.23	119.90
38	A1	1860	A	O4'-C1'-N9	7.61	114.29	108.20
38	A1	2444	G	C5-C6-O6	-7.61	124.03	128.60
38	A1	1446	G	N3-C4-C5	7.61	132.41	128.60
38	A1	1480	G	N3-C4-C5	7.61	132.41	128.60
38	A1	1857	A	O4'-C1'-N9	7.61	114.29	108.20
38	A1	2815	C	N3-C4-C5	-7.61	118.86	121.90
38	A1	2856	G	C5-C6-O6	-7.61	124.03	128.60
11	B2	402	G	N3-C4-C5	-7.61	124.80	128.60
38	A1	1439	G	C5-C6-O6	-7.61	124.04	128.60
38	A1	1846	G	N3-C2-N2	7.61	125.22	119.90
11	B2	1030	U	N3-C4-O4	7.61	124.72	119.40
11	B2	1394	G	C4-C5-C6	7.61	123.36	118.80
38	A1	917	A	C5-C6-N6	-7.61	117.62	123.70
59	AL	120	ARG	NE-CZ-NH2	-7.61	116.50	120.30
10	B1	71	C	C2-N3-C4	7.60	123.70	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	808	C	N3-C4-N4	7.60	123.32	118.00
38	A1	250	G	N3-C4-C5	7.60	132.40	128.60
11	B2	425	C	O4'-C1'-N1	7.60	114.28	108.20
11	B2	519	G	N3-C2-N2	7.60	125.22	119.90
11	B2	734	G	N1-C6-O6	7.60	124.46	119.90
11	B2	813	G	C5-N7-C8	-7.60	100.50	104.30
11	B2	1156	A	C5-C6-N6	-7.60	117.62	123.70
38	A1	219	G	N9-C4-C5	7.60	108.44	105.40
38	A1	555	G	C6-C5-N7	-7.60	125.84	130.40
38	A1	787	G	C6-C5-N7	-7.60	125.84	130.40
38	A1	1692	A	P-O3'-C3'	7.60	128.82	119.70
38	A1	2452	C	O4'-C1'-N1	7.60	114.28	108.20
38	A1	3044	U	N3-C4-C5	-7.60	110.04	114.60
11	B2	885	G	N3-C4-N9	7.60	130.56	126.00
38	A1	773	U	N3-C4-C5	-7.60	110.04	114.60
38	A1	1084	G	N3-C4-C5	-7.60	124.80	128.60
11	B2	126	G	C2-N3-C4	7.60	115.70	111.90
11	B2	320	G	C5-C6-O6	-7.60	124.04	128.60
38	A1	168	G	N1-C2-N3	-7.60	119.34	123.90
38	A1	825	C	N1-C2-N3	-7.60	113.88	119.20
38	A1	1206	A	N1-C6-N6	7.60	123.16	118.60
38	A1	1503	C	C2-N3-C4	7.60	123.70	119.90
38	A1	1803	U	N3-C4-C5	-7.60	110.04	114.60
38	A1	2130	C	C2-N3-C4	7.60	123.70	119.90
38	A1	2864	G	C4-C5-N7	-7.60	107.76	110.80
38	A1	2975	A	C5-C6-N1	-7.60	113.90	117.70
39	A3	110	C	C2-N3-C4	7.60	123.70	119.90
8	AW	53	ARG	NE-CZ-NH1	-7.60	116.50	120.30
38	A1	147	C	C2-N3-C4	7.60	123.70	119.90
38	A1	570	G	O4'-C1'-N9	7.60	114.28	108.20
38	A1	1652	A	C5-C6-N6	-7.60	117.62	123.70
11	B2	621	G	C4-C5-C6	7.60	123.36	118.80
38	A1	448	A	C8-N9-C4	-7.60	102.76	105.80
38	A1	812	C	C6-N1-C2	-7.60	117.26	120.30
38	A1	2943	G	C2-N3-C4	7.60	115.70	111.90
11	B2	173	G	C4-C5-N7	-7.59	107.76	110.80
11	B2	644	G	N3-C4-C5	-7.59	124.80	128.60
38	A1	950	G	C5-C6-N1	-7.59	107.70	111.50
38	A1	1384	C	N1-C2-N3	-7.59	113.88	119.20
38	A1	1800	G	C5-C6-O6	-7.59	124.04	128.60
38	A1	795	G	C5-C6-O6	-7.59	124.04	128.60
38	A1	1087	G	C5-C6-O6	-7.59	124.04	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2403	G	N3-C2-N2	7.59	125.21	119.90
38	A1	2967	C	C5-C4-N4	-7.59	114.89	120.20
11	B2	453	G	C8-N9-C4	7.59	109.44	106.40
11	B2	499	G	N3-C4-C5	7.59	132.40	128.60
11	B2	1007	A	P-O5'-C5'	-7.59	108.76	120.90
11	B2	1409	G	C6-C5-N7	-7.59	125.85	130.40
38	A1	191	U	C2-N3-C4	7.59	131.55	127.00
38	A1	304	G	N3-C2-N2	7.59	125.21	119.90
38	A1	566	G	O4'-C1'-C2'	-7.59	98.21	105.80
11	B2	555	U	O4'-C1'-N1	7.59	114.27	108.20
38	A1	1907	G	C5-C6-O6	-7.59	124.05	128.60
11	B2	690	C	C2-N3-C4	7.59	123.69	119.90
38	A1	1638	C	P-O3'-C3'	7.59	128.80	119.70
38	A1	1849	A	C5-N7-C8	7.59	107.69	103.90
38	A1	2224	G	O4'-C1'-N9	7.59	114.27	108.20
38	A1	2483	U	C5-C4-O4	7.59	130.45	125.90
11	B2	997	G	O4'-C1'-N9	7.58	114.27	108.20
38	A1	1445	G	C5-C6-N1	-7.58	107.71	111.50
38	A1	1713	G	N3-C2-N2	7.58	125.21	119.90
38	A1	1860	A	N1-C2-N3	-7.58	125.51	129.30
10	B1	38	G	C4-C5-N7	-7.58	107.77	110.80
11	B2	11	A	N7-C8-N9	-7.58	110.01	113.80
11	B2	364	U	C5-C4-O4	-7.58	121.35	125.90
11	B2	844	G	C8-N9-C4	-7.58	103.37	106.40
38	A1	278	C	C2-N3-C4	7.58	123.69	119.90
38	A1	962	C	C3'-C2'-C1'	7.58	107.57	101.50
38	A1	1162	C	N1-C2-O2	-7.58	114.35	118.90
38	A1	1330	G	C5-C6-O6	7.58	133.15	128.60
11	B2	464	G	N9-C4-C5	-7.58	102.37	105.40
11	B2	800	G	C8-N9-C4	-7.58	103.37	106.40
18	BF	188	PHE	CB-CG-CD1	7.58	126.11	120.80
38	A1	636	G	C6-C5-N7	-7.58	125.85	130.40
38	A1	728	A	C5-C6-N6	-7.58	117.64	123.70
38	A1	848	A	C2-N3-C4	-7.58	106.81	110.60
38	A1	1546	G	N9-C4-C5	7.58	108.43	105.40
38	A1	3000	U	N1-C2-N3	-7.58	110.35	114.90
42	Aa	61	ARG	NE-CZ-NH2	-7.58	116.51	120.30
11	B2	593	G	C6-C5-N7	-7.58	125.85	130.40
11	B2	1009	G	N3-C2-N2	7.58	125.21	119.90
38	A1	244	A	C5-C6-N1	-7.58	113.91	117.70
38	A1	2014	A	C5-C6-N6	-7.58	117.64	123.70
38	A1	2866	A	N1-C2-N3	7.58	133.09	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AQ	101	ALA	N-CA-CB	7.58	120.71	110.10
11	B2	340	A	C5-C6-N6	-7.58	117.64	123.70
11	B2	845	G	N1-C2-N3	-7.58	119.35	123.90
11	B2	957	A	C2-N3-C4	-7.58	106.81	110.60
38	A1	2251	G	N1-C6-O6	7.58	124.45	119.90
38	A1	2532	G	O4'-C1'-N9	7.58	114.26	108.20
10	B1	24	A	P-O5'-C5'	7.58	133.02	120.90
11	B2	1179	C	N3-C4-N4	7.58	123.30	118.00
38	A1	1272	A	C5-C6-N6	-7.58	117.64	123.70
38	A1	1427	A	C4-C5-C6	7.58	120.79	117.00
11	B2	437	A	O4'-C1'-N9	7.58	114.26	108.20
11	B2	650	A	O4'-C1'-N9	7.58	114.26	108.20
11	B2	1270	C	N3-C4-C5	-7.58	118.87	121.90
38	A1	2334	G	C4-C5-N7	7.58	113.83	110.80
38	A1	3034	C	N3-C4-N4	7.58	123.30	118.00
39	A3	78	C	C4-C5-C6	7.58	121.19	117.40
38	A1	386	A	C4-C5-C6	7.57	120.79	117.00
38	A1	557	G	C2-N3-C4	7.57	115.69	111.90
38	A1	606	A	C4-C5-C6	7.57	120.79	117.00
38	A1	743	A	C8-N9-C4	-7.57	102.77	105.80
38	A1	875	G	C5-N7-C8	7.57	108.09	104.30
38	A1	2689	G	O4'-C1'-N9	7.57	114.26	108.20
11	B2	1218	C	C6-N1-C2	-7.57	117.27	120.30
38	A1	1228	G	N1-C2-N3	-7.57	119.36	123.90
38	A1	1362	G	C6-C5-N7	-7.57	125.86	130.40
38	A1	1560	G	C5-C6-O6	-7.57	124.06	128.60
38	A1	2546	G	N3-C2-N2	7.57	125.20	119.90
38	A1	2604	G	C4-C5-N7	7.57	113.83	110.80
11	B2	78	G	N3-C4-C5	7.57	132.38	128.60
11	B2	201	G	C4-C5-N7	-7.57	107.77	110.80
11	B2	458	G	C5-C6-N1	-7.57	107.72	111.50
11	B2	897	A	N1-C2-N3	7.57	133.09	129.30
38	A1	888	U	O4'-C1'-N1	7.57	114.26	108.20
38	A1	943	G	N9-C4-C5	-7.57	102.37	105.40
38	A1	1622	G	C5-C6-N1	-7.57	107.72	111.50
38	A1	2007	C	N3-C4-C5	-7.57	118.87	121.90
38	A1	2141	C	C6-N1-C2	-7.57	117.27	120.30
38	A1	2478	G	P-O3'-C3'	7.57	128.78	119.70
11	B2	753	G	N1-C6-O6	7.57	124.44	119.90
38	A1	992	G	N9-C4-C5	-7.57	102.37	105.40
38	A1	2161	A	O4'-C1'-N9	7.57	114.25	108.20
38	A1	2300	C	C2-N3-C4	7.57	123.68	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	583	G	N1-C2-N3	-7.57	119.36	123.90
11	B2	875	G	N1-C6-O6	7.57	124.44	119.90
11	B2	911	C	C5-C6-N1	7.57	124.78	121.00
11	B2	1249	A	O4'-C1'-N9	7.57	114.25	108.20
11	B2	1294	G	C5-C6-N1	-7.57	107.72	111.50
38	A1	1557	G	N1-C2-N3	-7.57	119.36	123.90
38	A1	1810	G	N1-C6-O6	7.57	124.44	119.90
38	A1	1991	G	C6-C5-N7	-7.57	125.86	130.40
38	A1	2005	A	O4'-C1'-N9	7.57	114.25	108.20
38	A1	2336	G	N1-C2-N2	7.57	123.01	116.20
38	A1	2844	G	N1-C6-O6	7.57	124.44	119.90
10	B1	59	A	N1-C6-N6	7.56	123.14	118.60
38	A1	35	G	C6-C5-N7	-7.56	125.86	130.40
38	A1	1093	G	N7-C8-N9	7.56	116.88	113.10
39	A3	80	G	C5-C6-N1	-7.56	107.72	111.50
63	AP	109	ARG	NE-CZ-NH1	7.56	124.08	120.30
11	B2	304	C	C5-C6-N1	7.56	124.78	121.00
11	B2	516	A	C6-C5-N7	-7.56	127.01	132.30
11	B2	918	A	O4'-C1'-N9	7.56	114.25	108.20
11	B2	1489	A	O4'-C1'-N9	7.56	114.25	108.20
15	BC	147	TYR	CB-CG-CD2	-7.56	116.46	121.00
38	A1	52	A	C4-C5-C6	7.56	120.78	117.00
38	A1	350	A	C5-N7-C8	7.56	107.68	103.90
38	A1	922	C	C5-C4-N4	-7.56	114.91	120.20
38	A1	1248	C	C6-N1-C1'	-7.56	111.72	120.80
38	A1	1727	G	C2-N3-C4	-7.56	108.12	111.90
38	A1	2090	A	C5-C6-N1	-7.56	113.92	117.70
38	A1	2125	C	C6-N1-C2	-7.56	117.28	120.30
38	A1	2352	G	N1-C2-N3	-7.56	119.36	123.90
38	A1	2682	G	N1-C2-N3	-7.56	119.36	123.90
59	AL	146	LEU	CB-CG-CD2	7.56	123.86	111.00
38	A1	277	A	C5-N7-C8	7.56	107.68	103.90
38	A1	2768	C	O4'-C1'-N1	7.56	114.25	108.20
5	AS	59	ARG	NE-CZ-NH1	7.56	124.08	120.30
11	B2	207	G	C4-C5-C6	7.56	123.34	118.80
11	B2	232	G	C5-C6-O6	-7.56	124.06	128.60
11	B2	734	G	C4-C5-C6	7.56	123.34	118.80
38	A1	685	G	N9-C4-C5	7.56	108.42	105.40
38	A1	2281	A	P-O3'-C3'	7.56	128.77	119.70
38	A1	2671	C	N3-C4-C5	-7.56	118.88	121.90
38	A1	2884	C	N3-C4-N4	7.56	123.29	118.00
11	B2	213	C	C5-C4-N4	-7.56	114.91	120.20

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1368	A	C4-C5-C6	7.56	120.78	117.00
38	A1	936	G	O4'-C1'-C2'	-7.56	98.24	105.80
38	A1	2195	G	O4'-C1'-N9	7.56	114.25	108.20
38	A1	2754	A	C5-C6-N1	-7.56	113.92	117.70
38	A1	2832	G	C2-N3-C4	7.56	115.68	111.90
39	A3	114	G	O4'-C1'-N9	7.56	114.25	108.20
10	B1	6	G	P-O3'-C3'	7.56	128.77	119.70
38	A1	448	A	N7-C8-N9	7.56	117.58	113.80
38	A1	2371	A	O4'-C1'-N9	7.56	114.25	108.20
10	B1	23	G	N1-C2-N3	-7.55	119.37	123.90
11	B2	10	G	C6-C5-N7	-7.55	125.87	130.40
11	B2	933	G	C8-N9-C4	-7.55	103.38	106.40
11	B2	1338	C	C5-C6-N1	-7.55	117.22	121.00
38	A1	87	C	C5-C6-N1	7.55	124.78	121.00
38	A1	265	A	C2-N3-C4	-7.55	106.82	110.60
38	A1	1673	C	C5-C4-N4	-7.55	114.91	120.20
38	A1	2478	G	C4'-C3'-C2'	-7.55	95.05	102.60
38	A1	2792	G	C5-C6-O6	-7.55	124.07	128.60
48	AE	107	PHE	CB-CG-CD2	-7.55	115.51	120.80
11	B2	180	G	C5-C6-N1	7.55	115.28	111.50
11	B2	1249	A	C8-N9-C4	-7.55	102.78	105.80
11	B2	1413	G	N7-C8-N9	7.55	116.88	113.10
38	A1	817	G	C6-N1-C2	-7.55	120.57	125.10
38	A1	1624	U	N3-C4-O4	7.55	124.69	119.40
38	A1	1630	U	O4'-C1'-N1	7.55	114.24	108.20
38	A1	1652	A	N7-C8-N9	-7.55	110.02	113.80
11	B2	126	G	N1-C2-N3	-7.55	119.37	123.90
38	A1	195	U	N3-C4-O4	7.55	124.69	119.40
38	A1	224	G	C6-C5-N7	-7.55	125.87	130.40
38	A1	318	G	N1-C2-N3	-7.55	119.37	123.90
38	A1	531	G	C2-N3-C4	7.55	115.67	111.90
38	A1	1001	C	P-O3'-C3'	7.55	128.76	119.70
38	A1	1762	G	C8-N9-C4	7.55	109.42	106.40
38	A1	2062	A	C6-N1-C2	-7.55	114.07	118.60
38	A1	2315	G	C4-C5-N7	-7.55	107.78	110.80
38	A1	2450	A	C5-C6-N6	-7.55	117.66	123.70
38	A1	2972	G	C8-N9-C4	-7.55	103.38	106.40
60	AM	125	TYR	CD1-CE1-CZ	7.55	126.60	119.80
7	AU	77	TYR	CG-CD2-CE2	7.55	127.34	121.30
11	B2	136	A	N3-C4-C5	-7.55	121.52	126.80
11	B2	877	A	C5-N7-C8	7.55	107.67	103.90
38	A1	714	C	P-O3'-C3'	7.55	128.76	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1616	A	N1-C6-N6	7.55	123.13	118.60
38	A1	1984	G	N1-C6-O6	7.55	124.43	119.90
38	A1	2391	G	N3-C2-N2	7.55	125.18	119.90
38	A1	2434	A	C5-C6-N1	-7.55	113.93	117.70
39	A3	115	C	C5-C4-N4	-7.55	114.92	120.20
38	A1	107	G	C2-N3-C4	7.55	115.67	111.90
38	A1	1121	C	C2-N3-C4	7.55	123.67	119.90
38	A1	1428	G	N1-C6-O6	7.55	124.43	119.90
38	A1	2042	A	N1-C2-N3	7.55	133.07	129.30
38	A1	2302	C	N3-C2-O2	-7.55	116.62	121.90
10	B1	46	U	C2-N3-C4	-7.55	122.47	127.00
11	B2	239	A	O4'-C1'-N9	-7.55	102.16	108.20
11	B2	861	G	C2-N3-C4	7.55	115.67	111.90
11	B2	1044	A	N1-C6-N6	7.55	123.13	118.60
38	A1	318	G	N9-C4-C5	7.55	108.42	105.40
38	A1	1338	G	N9-C4-C5	7.55	108.42	105.40
38	A1	1993	A	C2-N3-C4	7.55	114.37	110.60
11	B2	247	G	N1-C6-O6	7.54	124.43	119.90
11	B2	823	A	C6-C5-N7	-7.54	127.02	132.30
11	B2	1210	A	N3-C4-C5	-7.54	121.52	126.80
38	A1	1553	G	O4'-C1'-N9	7.54	114.24	108.20
38	A1	2434	A	C6-C5-N7	-7.54	127.02	132.30
38	A1	2836	G	C2-N3-C4	-7.54	108.13	111.90
10	B1	70	C	C6-N1-C2	-7.54	117.28	120.30
11	B2	678	G	O4'-C1'-N9	7.54	114.23	108.20
11	B2	737	C	C6-N1-C2	7.54	123.32	120.30
11	B2	1459	G	P-O5'-C5'	7.54	132.97	120.90
16	BD	156	ARG	NE-CZ-NH2	7.54	124.07	120.30
38	A1	484	C	C2-N3-C4	7.54	123.67	119.90
38	A1	635	G	C5-C6-N1	-7.54	107.73	111.50
38	A1	1354	G	C5-C6-O6	-7.54	124.07	128.60
38	A1	1597	G	N1-C6-O6	7.54	124.43	119.90
38	A1	2880	C	N3-C4-C5	-7.54	118.88	121.90
11	B2	875	G	N1-C2-N3	-7.54	119.38	123.90
11	B2	1056	G	C5-C6-O6	-7.54	124.08	128.60
36	BX	43	ARG	NE-CZ-NH1	7.54	124.07	120.30
38	A1	1690	U	C6-N1-C1'	-7.54	110.64	121.20
38	A1	1999	G	P-O3'-C3'	7.54	128.75	119.70
11	B2	1105	C	N3-C4-C5	-7.54	118.88	121.90
38	A1	2142	U	N3-C4-C5	-7.54	110.08	114.60
38	A1	2309	C	C2-N3-C4	7.54	123.67	119.90
38	A1	2826	U	P-O3'-C3'	7.54	128.75	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
62	AO	185	PHE	CB-CG-CD2	-7.54	115.52	120.80
11	B2	922	G	C2-N3-C4	7.54	115.67	111.90
11	B2	1309	A	C5-C6-N1	-7.54	113.93	117.70
38	A1	404	G	P-O3'-C3'	7.54	128.75	119.70
38	A1	640	C	O4'-C1'-N1	7.54	114.23	108.20
38	A1	1541	U	O4'-C1'-N1	7.54	114.23	108.20
38	A1	2356	U	C5-C4-O4	7.54	130.42	125.90
11	B2	325	A	C5-N7-C8	7.54	107.67	103.90
11	B2	860	G	C4-C5-N7	-7.54	107.78	110.80
38	A1	421	C	N3-C4-N4	7.54	123.28	118.00
38	A1	1730	C	C2-N3-C4	7.54	123.67	119.90
38	A1	3007	A	N1-C6-N6	7.54	123.12	118.60
11	B2	368	C	C4-C5-C6	-7.54	113.63	117.40
11	B2	444	G	O4'-C1'-N9	7.54	114.23	108.20
11	B2	971	G	C4-C5-N7	-7.54	107.79	110.80
38	A1	1367	A	C2'-C3'-O3'	7.54	126.08	109.50
38	A1	2213	G	C4-C5-N7	7.54	113.81	110.80
38	A1	2289	A	N9-C4-C5	7.54	108.81	105.80
38	A1	2328	G	N1-C6-O6	7.54	124.42	119.90
38	A1	2448	A	P-O3'-C3'	7.54	128.74	119.70
38	A1	2770	A	N9-C4-C5	7.54	108.81	105.80
11	B2	131	G	N1-C2-N3	-7.53	119.38	123.90
11	B2	1141	G	N3-C2-N2	7.53	125.17	119.90
18	BF	134	ARG	NE-CZ-NH1	7.53	124.07	120.30
38	A1	675	G	O4'-C1'-N9	7.53	114.23	108.20
38	A1	836	U	C4-C5-C6	7.53	124.22	119.70
38	A1	2236	C	O4'-C1'-N1	7.53	114.23	108.20
38	A1	2359	G	C4-C5-C6	7.53	123.32	118.80
38	A1	2418	G	C8-N9-C4	7.53	109.41	106.40
38	A1	2614	C	C5-C6-N1	7.53	124.77	121.00
39	A3	27	C	N3-C4-C5	-7.53	118.89	121.90
11	B2	990	G	C5-C6-N1	7.53	115.27	111.50
11	B2	1407	U	C2-N3-C4	-7.53	122.48	127.00
38	A1	1108	A	N1-C2-N3	7.53	133.07	129.30
38	A1	1560	G	O4'-C1'-N9	7.53	114.23	108.20
38	A1	1646	G	C4-C5-C6	7.53	123.32	118.80
11	B2	303	G	N1-C2-N2	-7.53	109.42	116.20
11	B2	836	G	C5-C6-O6	-7.53	124.08	128.60
38	A1	188	A	C4-C5-C6	7.53	120.77	117.00
38	A1	932	C	C4-C5-C6	7.53	121.17	117.40
38	A1	1172	U	C1'-O4'-C4'	-7.53	103.88	109.90
38	A1	2063	U	C4-C5-C6	-7.53	115.18	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2623	G	N3-C2-N2	7.53	125.17	119.90
39	A3	43	C	C5-C4-N4	-7.53	114.93	120.20
11	B2	100	A	N1-C2-N3	7.53	133.06	129.30
11	B2	765	U	C3'-C2'-C1'	7.53	107.52	101.50
38	A1	707	U	C6-N1-C1'	-7.53	110.66	121.20
38	A1	1526	G	C6-C5-N7	-7.53	125.88	130.40
38	A1	2579	G	N1-C2-N3	-7.53	119.38	123.90
11	B2	907	C	N3-C4-N4	7.53	123.27	118.00
38	A1	505	A	C6-C5-N7	-7.53	127.03	132.30
38	A1	802	G	C6-C5-N7	-7.53	125.88	130.40
38	A1	901	C	C6-N1-C2	-7.53	117.29	120.30
38	A1	951	C	C6-N1-C1'	-7.53	111.77	120.80
38	A1	1098	C	N3-C4-C5	-7.53	118.89	121.90
38	A1	2224	G	C5-C6-O6	-7.53	124.08	128.60
38	A1	2283	C	C5-C4-N4	-7.53	114.93	120.20
11	B2	471	G	N1-C6-O6	7.53	124.42	119.90
11	B2	573	C	C5-C4-N4	-7.53	114.93	120.20
38	A1	70	G	N3-C4-C5	-7.53	124.84	128.60
38	A1	821	U	N1-C2-O2	7.53	128.07	122.80
38	A1	1127	C	C3'-C2'-C1'	-7.53	95.48	101.50
38	A1	1214	C	O4'-C1'-N1	7.53	114.22	108.20
38	A1	1674	G	C8-N9-C4	-7.53	103.39	106.40
38	A1	2314	U	C5-C4-O4	-7.53	121.39	125.90
57	Aj	66	ASP	CB-CG-OD2	-7.53	111.53	118.30
38	A1	832	A	C8-N9-C4	-7.52	102.79	105.80
56	AJ	72	ASP	CB-CG-OD1	-7.52	111.53	118.30
10	B1	39	A	O4'-C1'-N9	7.52	114.22	108.20
11	B2	527	A	C6-C5-N7	-7.52	127.03	132.30
11	B2	559	G	C2-N3-C4	7.52	115.66	111.90
38	A1	1111	G	O4'-C1'-N9	7.52	114.22	108.20
38	A1	1147	G	C5-N7-C8	-7.52	100.54	104.30
38	A1	2062	A	C5-C6-N6	-7.52	117.68	123.70
41	AA	97	ALA	N-CA-CB	7.52	120.63	110.10
11	B2	478	C	C2-N3-C4	-7.52	116.14	119.90
11	B2	1241	U	P-O3'-C3'	7.52	128.72	119.70
38	A1	311	C	N3-C4-C5	-7.52	118.89	121.90
38	A1	2639	G	C4-C5-C6	7.52	123.31	118.80
38	A1	2653	G	C5-C6-O6	-7.52	124.09	128.60
38	A1	2836	G	N3-C2-N2	7.52	125.17	119.90
38	A1	2851	A	O4'-C1'-N9	7.52	114.22	108.20
38	A1	2945	A	C2-N3-C4	7.52	114.36	110.60
11	B2	149	U	C5-C6-N1	7.52	126.46	122.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	971	G	N3-C2-N2	7.52	125.16	119.90
33	BU	126	ARG	NE-CZ-NH1	7.52	124.06	120.30
38	A1	472	A	O4'-C1'-N9	7.52	114.22	108.20
38	A1	1250	A	O4'-C1'-N9	7.52	114.22	108.20
38	A1	1745	U	C1'-O4'-C4'	7.52	115.92	109.90
38	A1	1820	C	C2-N1-C1'	7.52	127.07	118.80
11	B2	375	G	C5-N7-C8	-7.52	100.54	104.30
38	A1	693	G	O4'-C1'-N9	7.52	114.21	108.20
38	A1	1005	G	O4'-C1'-N9	7.52	114.21	108.20
38	A1	1384	C	C2-N3-C4	7.52	123.66	119.90
46	AD	29	ASP	CB-CG-OD2	-7.52	111.53	118.30
11	B2	1024	G	C6-C5-N7	-7.52	125.89	130.40
38	A1	1607	C	C6-N1-C2	-7.52	117.29	120.30
11	B2	109	U	C3'-C2'-C1'	7.51	107.51	101.50
11	B2	641	A	C5-N7-C8	7.51	107.66	103.90
38	A1	434	G	C5-C6-N1	-7.51	107.74	111.50
38	A1	1141	C	N3-C4-C5	-7.51	118.89	121.90
38	A1	1442	G	N3-C2-N2	7.51	125.16	119.90
38	A1	2516	G	P-O3'-C3'	-7.51	110.68	119.70
11	B2	1358	A	C4'-C3'-C2'	-7.51	95.09	102.60
38	A1	1453	G	O4'-C1'-C2'	7.51	114.36	107.60
38	A1	1512	G	C4-C5-N7	7.51	113.81	110.80
38	A1	1799	G	C2-N3-C4	7.51	115.66	111.90
10	B1	54	G	N1-C2-N3	-7.51	119.39	123.90
11	B2	403	C	N3-C4-C5	-7.51	118.90	121.90
11	B2	889	G	N3-C4-C5	-7.51	124.84	128.60
11	B2	908	G	C5-N7-C8	7.51	108.06	104.30
11	B2	1020	G	N1-C6-O6	7.51	124.41	119.90
11	B2	1304	C	C5-C4-N4	-7.51	114.94	120.20
38	A1	54	G	C6-C5-N7	-7.51	125.89	130.40
38	A1	116	G	N3-C4-C5	-7.51	124.84	128.60
38	A1	1201	G	C8-N9-C4	-7.51	103.40	106.40
38	A1	2631	C	C6-N1-C2	-7.51	117.30	120.30
38	A1	2754	A	O4'-C1'-N9	7.51	114.21	108.20
39	A3	15	G	C2-N3-C4	7.51	115.66	111.90
48	AE	93	ARG	NE-CZ-NH2	-7.51	116.54	120.30
38	A1	51	G	C5-C6-O6	-7.51	124.09	128.60
38	A1	349	A	C4'-C3'-C2'	7.51	110.11	102.60
38	A1	963	G	N3-C2-N2	7.51	125.16	119.90
38	A1	974	U	C3'-C2'-C1'	7.51	107.51	101.50
38	A1	1762	G	C6-N1-C2	7.51	129.61	125.10
38	A1	1844	C	N3-C4-N4	7.51	123.26	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2987	U	N3-C2-O2	7.51	127.46	122.20
39	A3	117	G	N3-C4-C5	-7.51	124.84	128.60
44	Ab	101	ARG	NE-CZ-NH1	7.51	124.05	120.30
38	A1	884	C	N3-C2-O2	-7.51	116.64	121.90
38	A1	2655	C	N3-C4-C5	-7.51	118.90	121.90
10	B1	14	A	C4-C5-N7	-7.51	106.95	110.70
11	B2	1	A	P-O3'-C3'	7.51	128.71	119.70
11	B2	1049	U	C5-C6-N1	7.51	126.45	122.70
38	A1	372	A	N3-C4-N9	-7.51	121.39	127.40
38	A1	781	C	N3-C4-N4	7.51	123.25	118.00
38	A1	784	C	N1-C2-O2	7.51	123.40	118.90
38	A1	1680	G	C5-N7-C8	7.51	108.05	104.30
38	A1	1803	U	N1-C2-O2	7.51	128.06	122.80
38	A1	2307	C	P-O3'-C3'	7.51	128.71	119.70
10	B1	11	C	C6-N1-C2	-7.50	117.30	120.30
11	B2	21	A	N1-C2-N3	7.50	133.05	129.30
11	B2	733	C	N3-C4-N4	7.50	123.25	118.00
11	B2	1201	G	N1-C2-N3	-7.50	119.40	123.90
11	B2	1217	C	C6-N1-C2	-7.50	117.30	120.30
20	BH	156	ARG	NE-CZ-NH2	-7.50	116.55	120.30
33	BU	72	ARG	NE-CZ-NH2	-7.50	116.55	120.30
38	A1	525	C	O4'-C1'-N1	7.50	114.20	108.20
38	A1	935	A	P-O3'-C3'	7.50	128.70	119.70
38	A1	1898	A	N1-C2-N3	-7.50	125.55	129.30
38	A1	2289	A	C4-C5-C6	7.50	120.75	117.00
38	A1	1769	G	N7-C8-N9	-7.50	109.35	113.10
38	A1	2680	A	O4'-C1'-N9	7.50	114.20	108.20
38	A1	2723	G	C5-C6-O6	-7.50	124.10	128.60
11	B2	737	C	O4'-C1'-N1	7.50	114.20	108.20
38	A1	1603	G	N3-C2-N2	7.50	125.15	119.90
38	A1	1719	C	C2-N3-C4	7.50	123.65	119.90
38	A1	2352	G	C5-C6-O6	-7.50	124.10	128.60
38	A1	2441	A	N3-C4-N9	-7.50	121.40	127.40
39	A3	22	C	C5-C4-N4	-7.50	114.95	120.20
11	B2	515	U	N3-C2-O2	7.50	127.45	122.20
11	B2	780	C	O4'-C1'-N1	7.50	114.20	108.20
11	B2	970	G	C5-C6-O6	-7.50	124.10	128.60
11	B2	1411	G	O4'-C1'-N9	7.50	114.20	108.20
38	A1	596	C	N1-C2-O2	-7.50	114.40	118.90
38	A1	1642	G	P-O3'-C3'	7.50	128.70	119.70
38	A1	2501	G	N3-C4-C5	7.50	132.35	128.60
38	A1	2693	G	C6-C5-N7	-7.50	125.90	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
46	AD	55	ARG	NE-CZ-NH2	-7.50	116.55	120.30
10	B1	4	G	C4-C5-N7	7.50	113.80	110.80
11	B2	143	G	O4'-C1'-N9	7.50	114.20	108.20
11	B2	169	C	C5-C4-N4	-7.50	114.95	120.20
11	B2	1051	G	N3-C2-N2	7.50	125.15	119.90
38	A1	217	A	C5'-C4'-C3'	7.50	127.99	116.00
38	A1	825	C	N3-C4-N4	7.50	123.25	118.00
38	A1	1646	G	C5-C6-O6	-7.50	124.10	128.60
38	A1	1989	G	O4'-C1'-N9	7.50	114.20	108.20
11	B2	54	C	O4'-C1'-N1	7.49	114.19	108.20
11	B2	472	C	O4'-C1'-N1	7.49	114.19	108.20
11	B2	959	G	C5-N7-C8	-7.49	100.55	104.30
11	B2	1208	A	C2'-C3'-O3'	7.49	125.99	109.50
14	BB	5	TYR	CB-CG-CD2	-7.49	116.50	121.00
38	A1	363	G	N3-C2-N2	-7.49	114.65	119.90
38	A1	1375	G	C4-C5-C6	7.49	123.30	118.80
38	A1	2367	C	C5-C4-N4	-7.49	114.95	120.20
54	AI	37	VAL	CA-CB-CG1	7.49	122.14	110.90
11	B2	963	A	N1-C6-N6	7.49	123.09	118.60
38	A1	1284	C	N3-C4-N4	7.49	123.25	118.00
11	B2	245	U	O4'-C1'-N1	7.49	114.19	108.20
11	B2	958	G	N9-C4-C5	7.49	108.40	105.40
11	B2	1169	C	N3-C4-N4	7.49	123.24	118.00
11	B2	1211	A	C5-N7-C8	7.49	107.64	103.90
38	A1	24	G	N3-C2-N2	7.49	125.14	119.90
38	A1	827	G	C4-C5-C6	7.49	123.29	118.80
38	A1	2093	A	C5-N7-C8	7.49	107.64	103.90
38	A1	2287	C	N3-C4-N4	7.49	123.24	118.00
38	A1	2614	C	O4'-C1'-N1	7.49	114.19	108.20
11	B2	402	G	C5-C6-N1	-7.49	107.76	111.50
11	B2	786	G	N3-C4-C5	7.49	132.34	128.60
11	B2	1150	G	P-O3'-C3'	7.49	128.69	119.70
11	B2	1158	G	C4-C5-N7	7.49	113.80	110.80
11	B2	1185	A	C4-C5-C6	7.49	120.75	117.00
11	B2	1208	A	P-O3'-C3'	7.49	128.69	119.70
11	B2	1250	C	O4'-C1'-N1	7.49	114.19	108.20
38	A1	1027	A	C5'-C4'-O4'	-7.49	100.11	109.10
38	A1	1077	G	O4'-C1'-N9	7.49	114.19	108.20
38	A1	1343	C	C4-C5-C6	7.49	121.14	117.40
38	A1	1473	C	O4'-C1'-N1	7.49	114.19	108.20
38	A1	2305	U	C5-C6-N1	7.49	126.44	122.70
38	A1	2443	G	C8-N9-C4	-7.49	103.40	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	861	G	O4'-C1'-N9	7.49	114.19	108.20
11	B2	1128	U	C1'-O4'-C4'	-7.49	103.91	109.90
22	BJ	108	ALA	N-CA-CB	7.49	120.58	110.10
38	A1	74	A	C4-C5-N7	-7.49	106.96	110.70
38	A1	2122	G	N3-C2-N2	7.49	125.14	119.90
38	A1	2156	A	C5-C6-N1	-7.49	113.96	117.70
39	A3	47	G	C1'-O4'-C4'	-7.49	103.91	109.90
10	B1	47	G	N1-C2-N3	-7.48	119.41	123.90
38	A1	924	A	C5-N7-C8	7.48	107.64	103.90
38	A1	1083	G	C6-C5-N7	-7.48	125.91	130.40
38	A1	1543	C	C3'-C2'-C1'	7.48	107.49	101.50
38	A1	1642	G	N1-C2-N3	-7.48	119.41	123.90
38	A1	1825	G	C5-C6-O6	-7.48	124.11	128.60
38	A1	2046	C	C6-N1-C2	-7.48	117.31	120.30
11	B2	17	C	C4'-C3'-C2'	-7.48	95.12	102.60
11	B2	693	C	C5'-C4'-O4'	7.48	118.08	109.10
11	B2	815	C	O4'-C1'-N1	7.48	114.19	108.20
38	A1	364	A	O4'-C1'-N9	7.48	114.19	108.20
38	A1	600	A	P-O3'-C3'	7.48	128.68	119.70
38	A1	1625	A	C6-C5-N7	-7.48	127.06	132.30
38	A1	1773	C	C6-N1-C2	-7.48	117.31	120.30
38	A1	2298	C	C5-C4-N4	-7.48	114.96	120.20
11	B2	417	C	C4'-C3'-C2'	-7.48	95.12	102.60
38	A1	1822	G	O4'-C1'-N9	7.48	114.18	108.20
38	A1	2022	U	O4'-C1'-N1	7.48	114.18	108.20
38	A1	2329	A	C5-C6-N1	-7.48	113.96	117.70
38	A1	718	G	C5-N7-C8	7.48	108.04	104.30
38	A1	1502	C	O4'-C1'-N1	7.48	114.18	108.20
38	A1	1672	G	N1-C6-O6	7.48	124.39	119.90
38	A1	2832	G	C6-C5-N7	-7.48	125.92	130.40
11	B2	194	C	O4'-C1'-N1	7.47	114.18	108.20
11	B2	244	G	C5-C6-O6	-7.47	124.11	128.60
11	B2	319	U	N3-C4-C5	-7.47	110.12	114.60
11	B2	747	U	C2-N3-C4	7.47	131.48	127.00
11	B2	908	G	C8-N9-C4	-7.47	103.41	106.40
11	B2	1200	U	C6-N1-C1'	-7.47	110.74	121.20
11	B2	1374	C	C5-C6-N1	7.47	124.74	121.00
38	A1	635	G	C4-C5-N7	7.47	113.79	110.80
38	A1	911	G	N7-C8-N9	7.47	116.84	113.10
38	A1	2624	G	C6-N1-C2	7.47	129.59	125.10
38	A1	2984	A	N9-C4-C5	-7.47	102.81	105.80
11	B2	991	C	N3-C4-N4	7.47	123.23	118.00

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	315	U	C5-C4-O4	7.47	130.38	125.90
38	A1	2124	C	N1-C2-O2	-7.47	114.42	118.90
11	B2	806	G	C5-C6-O6	-7.47	124.12	128.60
38	A1	398	U	N1-C2-O2	-7.47	117.57	122.80
38	A1	1288	C	C4-C5-C6	7.47	121.14	117.40
38	A1	1407	A	N1-C2-N3	-7.47	125.56	129.30
11	B2	247	G	N7-C8-N9	-7.47	109.37	113.10
11	B2	398	C	N3-C4-N4	7.47	123.23	118.00
11	B2	585	U	P-O3'-C3'	7.47	128.66	119.70
13	BA	104	ASP	CB-CG-OD2	7.47	125.02	118.30
38	A1	36	G	C2-N3-C4	-7.47	108.17	111.90
38	A1	1676	G	N7-C8-N9	-7.47	109.36	113.10
38	A1	1741	C	O4'-C1'-N1	7.47	114.17	108.20
39	A3	29	G	C5-C6-N1	7.47	115.23	111.50
38	A1	1044	C	O4'-C1'-N1	7.47	114.17	108.20
38	A1	1047	A	C5-C6-N1	-7.47	113.97	117.70
38	A1	1844	C	C5-C4-N4	-7.47	114.97	120.20
38	A1	2292	A	C4-C5-C6	7.47	120.73	117.00
11	B2	1095	C	C2-N1-C1'	7.47	127.01	118.80
11	B2	1316	U	N3-C4-C5	-7.47	110.12	114.60
38	A1	655	C	C5-C4-N4	-7.47	114.97	120.20
38	A1	1342	G	C6-N1-C2	7.47	129.58	125.10
38	A1	1754	A	O4'-C1'-N9	7.47	114.17	108.20
38	A1	2826	U	N3-C4-C5	-7.47	110.12	114.60
32	BT	49	ARG	NE-CZ-NH2	-7.46	116.57	120.30
38	A1	489	G	N9-C4-C5	7.46	108.39	105.40
38	A1	645	U	N1-C2-N3	7.46	119.38	114.90
38	A1	1515	G	N1-C2-N3	-7.46	119.42	123.90
38	A1	2497	G	C8-N9-C4	-7.46	103.41	106.40
38	A1	2641	C	N3-C4-C5	7.46	124.89	121.90
38	A1	2706	C	C4-C5-C6	7.46	121.13	117.40
11	B2	202	G	N1-C2-N3	-7.46	119.42	123.90
11	B2	1463	A	C5-C6-N6	-7.46	117.73	123.70
38	A1	496	A	P-O3'-C3'	7.46	128.66	119.70
38	A1	2773	A	C5-N7-C8	7.46	107.63	103.90
39	A3	8	C	O4'-C1'-N1	7.46	114.17	108.20
11	B2	561	A	C4-C5-C6	7.46	120.73	117.00
11	B2	1056	G	N1-C2-N3	-7.46	119.42	123.90
30	BR	62	ARG	NE-CZ-NH1	-7.46	116.57	120.30
38	A1	128	C	C2-N1-C1'	7.46	127.01	118.80
38	A1	715	G	C6-C5-N7	-7.46	125.92	130.40
38	A1	1299	C	O4'-C1'-N1	7.46	114.17	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1387	G	C8-N9-C4	-7.46	103.42	106.40
39	A3	119	C	O4'-C1'-N1	7.46	114.17	108.20
63	AP	42	ARG	NE-CZ-NH1	-7.46	116.57	120.30
38	A1	217	A	P-O5'-C5'	7.46	132.84	120.90
38	A1	1763	A	C5-C6-N1	-7.46	113.97	117.70
10	B1	39	A	N7-C8-N9	7.46	117.53	113.80
11	B2	702	G	P-O3'-C3'	7.46	128.65	119.70
11	B2	1415	U	C4'-C3'-C2'	-7.46	95.14	102.60
38	A1	380	A	C6-N1-C2	-7.46	114.12	118.60
38	A1	709	A	O4'-C4'-C3'	-7.46	96.54	104.00
38	A1	1565	G	C8-N9-C4	7.46	109.38	106.40
38	A1	1669	A	C4-C5-C6	7.46	120.73	117.00
38	A1	1885	G	N3-C4-N9	-7.46	121.53	126.00
38	A1	1901	A	C5-N7-C8	7.46	107.63	103.90
38	A1	2024	A	O4'-C1'-N9	7.46	114.17	108.20
38	A1	2139	A	C5-N7-C8	7.46	107.63	103.90
45	AC	304	GLU	N-CA-CB	7.46	124.03	110.60
11	B2	877	A	N9-C4-C5	-7.46	102.82	105.80
38	A1	1189	A	C8-N9-C4	-7.46	102.82	105.80
11	B2	958	G	N3-C4-C5	-7.46	124.87	128.60
38	A1	493	A	C6-C5-N7	-7.46	127.08	132.30
38	A1	770	G	C4-C5-C6	7.46	123.27	118.80
38	A1	2977	G	N1-C6-O6	7.46	124.37	119.90
33	BU	83	ARG	NE-CZ-NH2	-7.45	116.57	120.30
38	A1	235	G	C6-N1-C2	-7.45	120.63	125.10
38	A1	401	C	C5'-C4'-O4'	7.45	118.04	109.10
38	A1	1533	G	C6-C5-N7	-7.45	125.93	130.40
38	A1	1700	U	N3-C4-O4	7.45	124.62	119.40
38	A1	1728	C	N1-C2-O2	7.45	123.37	118.90
11	B2	531	G	C5-C6-N1	-7.45	107.77	111.50
11	B2	1257	U	C5-C4-O4	-7.45	121.43	125.90
38	A1	1042	G	C8-N9-C4	-7.45	103.42	106.40
38	A1	1263	C	C6-N1-C2	-7.45	117.32	120.30
11	B2	556	G	N3-C2-N2	7.45	125.12	119.90
38	A1	429	U	N3-C2-O2	7.45	127.42	122.20
38	A1	1266	A	N1-C2-N3	7.45	133.03	129.30
38	A1	2688	C	C5'-C4'-O4'	7.45	118.04	109.10
38	A1	2991	C	N3-C4-N4	7.45	123.22	118.00
10	B1	7	G	C2-N3-C4	7.45	115.62	111.90
11	B2	474	G	O4'-C1'-N9	7.45	114.16	108.20
11	B2	511	C	O4'-C1'-N1	7.45	114.16	108.20
11	B2	887	G	O4'-C1'-N9	7.45	114.16	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1368	A	C5-C6-N6	-7.45	117.74	123.70
38	A1	94	A	N9-C4-C5	7.45	108.78	105.80
38	A1	859	G	C4-C5-C6	7.45	123.27	118.80
38	A1	1606	C	N3-C4-C5	-7.45	118.92	121.90
10	B1	40	U	C5'-C4'-C3'	7.45	127.92	116.00
11	B2	159	C	C3'-C2'-C1'	7.45	107.46	101.50
11	B2	806	G	C4'-C3'-C2'	-7.45	95.15	102.60
38	A1	1792	A	C5-C6-N1	-7.45	113.98	117.70
11	B2	668	G	C6-N1-C2	7.45	129.57	125.10
11	B2	1466	G	O4'-C1'-N9	7.45	114.16	108.20
38	A1	1451	A	C6-N1-C2	-7.45	114.13	118.60
38	A1	1865	U	C5-C6-N1	7.45	126.42	122.70
38	A1	2111	C	O4'-C1'-N1	7.45	114.16	108.20
38	A1	2427	C	O4'-C1'-N1	7.45	114.16	108.20
39	A3	85	C	C5'-C4'-C3'	-7.45	104.09	116.00
11	B2	202	G	N3-C4-C5	-7.44	124.88	128.60
38	A1	624	U	C3'-C2'-C1'	7.44	107.46	101.50
38	A1	1425	U	N3-C4-O4	7.44	124.61	119.40
38	A1	2439	G	N9-C4-C5	-7.44	102.42	105.40
38	A1	2450	A	O4'-C1'-N9	7.44	114.16	108.20
38	A1	2717	A	C5-C6-N6	-7.44	117.75	123.70
11	B2	147	A	C5-N7-C8	7.44	107.62	103.90
11	B2	794	A	N9-C4-C5	7.44	108.78	105.80
11	B2	1159	U	C5-C4-O4	-7.44	121.44	125.90
38	A1	1359	C	C6-N1-C2	7.44	123.28	120.30
38	A1	1948	A	N1-C6-N6	7.44	123.07	118.60
38	A1	2673	C	C6-N1-C2	-7.44	117.32	120.30
11	B2	380	C	O4'-C1'-N1	7.44	114.15	108.20
11	B2	697	A	N1-C2-N3	-7.44	125.58	129.30
11	B2	876	A	C4-C5-C6	7.44	120.72	117.00
38	A1	414	G	O4'-C1'-N9	-7.44	102.25	108.20
38	A1	930	G	C8-N9-C4	-7.44	103.42	106.40
38	A1	2372	C	C5-C6-N1	7.44	124.72	121.00
11	B2	691	G	O4'-C1'-N9	7.44	114.15	108.20
38	A1	462	A	N1-C2-N3	-7.44	125.58	129.30
38	A1	2402	A	C5-C6-N6	-7.44	117.75	123.70
11	B2	92	G	C4-C5-N7	7.44	113.78	110.80
11	B2	94	C	C5-C4-N4	-7.44	114.99	120.20
11	B2	308	G	C3'-C2'-C1'	7.44	107.45	101.50
38	A1	2769	U	O4'-C1'-N1	7.44	114.15	108.20
11	B2	531	G	N1-C6-O6	7.44	124.36	119.90
10	B1	10	G	N3-C4-C5	-7.43	124.88	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	746	A	C4-C5-C6	7.43	120.72	117.00
11	B2	887	G	C5-C6-O6	-7.43	124.14	128.60
38	A1	2072	G	C5'-C4'-C3'	7.43	127.89	116.00
38	A1	2105	A	N1-C6-N6	7.43	123.06	118.60
38	A1	2461	C	O4'-C1'-N1	7.43	114.15	108.20
48	AE	71	ARG	NE-CZ-NH1	7.43	124.02	120.30
58	Ak	46	ARG	NE-CZ-NH2	-7.43	116.58	120.30
65	AV	21	MET	CG-SD-CE	7.43	112.09	100.20
38	A1	685	G	C4-C5-N7	-7.43	107.83	110.80
38	A1	1084	G	N3-C2-N2	7.43	125.10	119.90
38	A1	1535	U	O4'-C1'-N1	7.43	114.15	108.20
38	A1	2362	U	N3-C2-O2	7.43	127.40	122.20
11	B2	268	C	C2-N3-C4	7.43	123.62	119.90
38	A1	2390	G	C5-C6-O6	-7.43	124.14	128.60
11	B2	704	C	N3-C4-C5	7.43	124.87	121.90
11	B2	998	A	C8-N9-C4	-7.43	102.83	105.80
11	B2	1075	A	C5-C6-N1	-7.43	113.98	117.70
38	A1	69	C	N3-C4-C5	-7.43	118.93	121.90
38	A1	286	G	O4'-C1'-N9	7.43	114.14	108.20
38	A1	1158	G	N3-C2-N2	7.43	125.10	119.90
38	A1	1711	C	N3-C4-N4	7.43	123.20	118.00
38	A1	1734	G	C8-N9-C4	7.43	109.37	106.40
41	AA	106	PHE	CB-CG-CD2	7.43	126.00	120.80
38	A1	895	C	N3-C4-N4	7.43	123.20	118.00
38	A1	2645	C	C5-C4-N4	-7.43	115.00	120.20
11	B2	1203	G	N1-C2-N3	-7.43	119.44	123.90
11	B2	1224	U	N3-C4-O4	7.43	124.60	119.40
38	A1	291	A	C6-C5-N7	-7.43	127.10	132.30
38	A1	703	G	N3-C4-N9	7.43	130.46	126.00
38	A1	1931	G	C4-C5-N7	-7.43	107.83	110.80
38	A1	2850	G	C4-C5-N7	-7.43	107.83	110.80
11	B2	1475	C	C6-N1-C2	-7.42	117.33	120.30
38	A1	519	A	C5-C6-N6	-7.42	117.76	123.70
38	A1	1184	U	C5-C4-O4	-7.42	121.45	125.90
38	A1	1228	G	O4'-C1'-N9	7.42	114.14	108.20
38	A1	1609	G	N9-C1'-C2'	-7.42	103.83	112.00
38	A1	2127	G	N3-C2-N2	7.42	125.10	119.90
38	A1	2236	C	C6-N1-C2	-7.42	117.33	120.30
38	A1	2576	C	O4'-C1'-N1	7.42	114.14	108.20
58	Ak	22	TYR	CA-CB-CG	-7.42	99.30	113.40
38	A1	496	A	C5-N7-C8	7.42	107.61	103.90
38	A1	847	A	C4'-C3'-C2'	-7.42	95.18	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1218	C	N3-C4-C5	-7.42	118.93	121.90
38	A1	1451	A	C5-C6-N6	-7.42	117.76	123.70
38	A1	2481	G	C2-N3-C4	7.42	115.61	111.90
64	AR	12	THR	C-N-CA	7.42	140.25	121.70
38	A1	274	C	C5-C6-N1	-7.42	117.29	121.00
13	BA	186	ARG	NE-CZ-NH1	7.42	124.01	120.30
38	A1	404	G	C6-C5-N7	-7.42	125.95	130.40
38	A1	1530	A	C5-C6-N6	-7.42	117.77	123.70
38	A1	1897	G	N1-C6-O6	7.42	124.35	119.90
38	A1	2465	A	C6-C5-N7	-7.42	127.11	132.30
38	A1	2748	C	N1-C2-O2	7.42	123.35	118.90
11	B2	300	G	N3-C2-N2	-7.42	114.71	119.90
11	B2	757	G	N1-C6-O6	7.42	124.35	119.90
38	A1	21	C	N3-C4-C5	-7.42	118.93	121.90
38	A1	389	C	C6-N1-C2	-7.42	117.33	120.30
38	A1	1191	C	C5-C4-N4	-7.42	115.01	120.20
38	A1	1550	C	N3-C4-N4	7.42	123.19	118.00
38	A1	1902	G	N3-C2-N2	7.42	125.09	119.90
38	A1	2275	G	C6-N1-C2	7.42	129.55	125.10
38	A1	2380	A	C5-C6-N1	-7.42	113.99	117.70
38	A1	2423	G	C8-N9-C4	7.42	109.37	106.40
9	AX	333	PHE	CB-CG-CD2	-7.42	115.61	120.80
11	B2	277	G	N3-C2-N2	7.42	125.09	119.90
11	B2	517	U	C6-N1-C2	-7.42	116.55	121.00
38	A1	73	A	C4-C5-C6	7.42	120.71	117.00
38	A1	944	G	N7-C8-N9	-7.42	109.39	113.10
38	A1	33	U	C5-C4-O4	7.41	130.35	125.90
38	A1	811	C	O4'-C1'-N1	7.41	114.13	108.20
38	A1	1912	A	C5-C6-N6	-7.41	117.77	123.70
38	A1	1942	G	C3'-C2'-C1'	-7.41	95.57	101.50
38	A1	2299	G	C3'-C2'-C1'	-7.41	95.57	101.50
4	AQ	119	THR	CA-CB-CG2	-7.41	102.02	112.40
11	B2	212	G	O4'-C1'-N9	7.41	114.13	108.20
38	A1	44	C	P-O3'-C3'	7.41	128.59	119.70
38	A1	1299	C	N3-C4-C5	-7.41	118.94	121.90
38	A1	2285	G	C6-N1-C2	7.41	129.55	125.10
38	A1	2359	G	C5-C6-N1	-7.41	107.79	111.50
38	A1	2823	G	C5-C6-O6	-7.41	124.15	128.60
9	AX	254	VAL	CG1-CB-CG2	7.41	122.76	110.90
11	B2	16	G	C6-N1-C2	7.41	129.55	125.10
11	B2	336	C	C3'-C2'-C1'	7.41	107.43	101.50
11	B2	562	A	O4'-C1'-N9	7.41	114.13	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
19	BG	125	TYR	CB-CG-CD1	-7.41	116.55	121.00
38	A1	378	G	C4-C5-C6	7.41	123.25	118.80
38	A1	1073	G	N1-C6-O6	7.41	124.35	119.90
38	A1	1441	C	C6-N1-C2	-7.41	117.34	120.30
38	A1	2163	G	C5-C6-O6	7.41	133.05	128.60
38	A1	2290	U	P-O5'-C5'	7.41	132.76	120.90
38	A1	3023	G	C6-C5-N7	-7.41	125.95	130.40
10	B1	30	G	C5-C6-O6	-7.41	124.16	128.60
10	B1	71	C	C6-N1-C2	-7.41	117.34	120.30
11	B2	157	A	C5-C6-N1	-7.41	114.00	117.70
11	B2	161	C	N3-C4-N4	7.41	123.19	118.00
38	A1	144	A	C4-C5-C6	7.41	120.70	117.00
38	A1	628	A	C5-N7-C8	7.41	107.60	103.90
38	A1	879	A	C6-C5-N7	-7.41	127.11	132.30
38	A1	1411	G	OP1-P-OP2	-7.41	108.49	119.60
38	A1	1813	A	N3-C4-N9	7.41	133.33	127.40
38	A1	2711	U	N3-C4-O4	7.41	124.58	119.40
45	AC	198	TYR	CG-CD2-CE2	-7.41	115.37	121.30
11	B2	806	G	C5-C6-N1	-7.41	107.80	111.50
11	B2	1276	G	C6-C5-N7	-7.41	125.96	130.40
54	AI	62	ARG	NE-CZ-NH2	7.41	124.00	120.30
54	AI	66	PHE	CB-CG-CD2	7.41	125.98	120.80
11	B2	91	G	N3-C2-N2	7.41	125.08	119.90
11	B2	378	A	C5-C6-N6	-7.41	117.78	123.70
11	B2	1131	G	N3-C4-C5	-7.41	124.90	128.60
11	B2	1136	A	C4-C5-N7	-7.41	107.00	110.70
38	A1	114	C	C2-N3-C4	7.41	123.60	119.90
38	A1	2241	U	O4'-C1'-N1	7.41	114.12	108.20
38	A1	2518	G	N3-C4-N9	-7.41	121.56	126.00
38	A1	590	A	C5-N7-C8	7.40	107.60	103.90
38	A1	1862	G	N3-C4-C5	-7.40	124.90	128.60
38	A1	2609	G	C4'-C3'-C2'	-7.40	95.20	102.60
11	B2	360	A	C5-C6-N1	-7.40	114.00	117.70
38	A1	1287	G	N1-C6-O6	7.40	124.34	119.90
38	A1	1677	A	C4-C5-C6	7.40	120.70	117.00
38	A1	2054	G	O4'-C1'-N9	7.40	114.12	108.20
38	A1	2886	C	C2-N1-C1'	7.40	126.94	118.80
11	B2	159	C	O3'-P-O5'	-7.40	89.94	104.00
11	B2	230	C	C2-N3-C4	7.40	123.60	119.90
11	B2	393	A	N1-C2-N3	7.40	133.00	129.30
11	B2	825	C	O4'-C1'-N1	7.40	114.12	108.20
11	B2	1114	G	N1-C2-N3	-7.40	119.46	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1416	C	N3-C4-C5	-7.40	118.94	121.90
29	BQ	45	TYR	CG-CD2-CE2	-7.40	115.38	121.30
38	A1	71	A	C5-C6-N6	-7.40	117.78	123.70
38	A1	817	G	N9-C4-C5	-7.40	102.44	105.40
38	A1	828	G	N9-C4-C5	7.40	108.36	105.40
38	A1	1019	G	C6-N1-C2	7.40	129.54	125.10
38	A1	1105	C	N3-C4-C5	-7.40	118.94	121.90
38	A1	1463	C	N3-C4-N4	7.40	123.18	118.00
38	A1	1578	C	C6-N1-C2	-7.40	117.34	120.30
38	A1	2384	G	C6-C5-N7	-7.40	125.96	130.40
38	A1	2956	G	C6-C5-N7	-7.40	125.96	130.40
11	B2	650	A	C4-C5-C6	7.40	120.70	117.00
11	B2	694	U	N1-C2-O2	-7.40	117.62	122.80
38	A1	415	U	O4'-C1'-N1	7.40	114.12	108.20
38	A1	1867	C	C5-C6-N1	7.40	124.70	121.00
38	A1	2524	C	C4-C5-C6	-7.40	113.70	117.40
11	B2	80	A	C5-C6-N1	-7.40	114.00	117.70
11	B2	265	C	O4'-C1'-N1	7.40	114.12	108.20
11	B2	1248	A	N3-C4-C5	-7.40	121.62	126.80
32	BT	68	ARG	NE-CZ-NH2	-7.40	116.60	120.30
38	A1	639	C	N3-C2-O2	7.40	127.08	121.90
38	A1	861	G	N1-C2-N3	-7.40	119.46	123.90
38	A1	1408	G	C4'-C3'-C2'	-7.40	95.20	102.60
38	A1	1589	G	C2-N3-C4	-7.40	108.20	111.90
38	A1	1653	U	N1-C2-N3	7.40	119.34	114.90
38	A1	2553	U	O4'-C1'-N1	7.40	114.12	108.20
39	A3	54	A	C4-C5-N7	-7.40	107.00	110.70
11	B2	1157	G	C5-C6-N1	-7.40	107.80	111.50
11	B2	568	C	N3-C4-N4	7.39	123.18	118.00
11	B2	1099	A	N3-C4-N9	-7.39	121.48	127.40
38	A1	922	C	C6-N1-C2	7.39	123.26	120.30
38	A1	1796	U	O4'-C1'-N1	7.39	114.11	108.20
38	A1	2596	G	C4-C5-N7	-7.39	107.84	110.80
38	A1	2989	A	C4-C5-C6	7.39	120.70	117.00
54	AI	89	ARG	NE-CZ-NH2	-7.39	116.60	120.30
11	B2	220	G	N7-C8-N9	-7.39	109.40	113.10
11	B2	974	G	N1-C6-O6	7.39	124.34	119.90
38	A1	831	C	N3-C4-N4	7.39	123.17	118.00
38	A1	1375	G	C6-C5-N7	-7.39	125.96	130.40
38	A1	1583	G	P-O3'-C3'	-7.39	110.83	119.70
38	A1	1893	C	C6-N1-C2	-7.39	117.34	120.30
58	AK	165	ALA	CB-CA-C	-7.39	99.01	110.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	957	A	N7-C8-N9	7.39	117.50	113.80
38	A1	44	C	C5-C6-N1	-7.39	117.31	121.00
38	A1	47	C	N1-C2-O2	-7.39	114.47	118.90
38	A1	230	A	N1-C6-N6	7.39	123.03	118.60
38	A1	1424	G	O4'-C1'-N9	7.39	114.11	108.20
38	A1	1434	C	N3-C4-N4	7.39	123.17	118.00
38	A1	1714	G	N3-C2-N2	7.39	125.07	119.90
38	A1	2179	G	N3-C4-N9	7.39	130.44	126.00
11	B2	600	C	N3-C4-C5	-7.39	118.94	121.90
11	B2	1006	C	C2-N3-C4	7.39	123.59	119.90
38	A1	488	A	P-O3'-C3'	7.39	128.57	119.70
38	A1	1287	G	C8-N9-C4	-7.39	103.44	106.40
38	A1	2861	A	C6-C5-N7	-7.39	127.13	132.30
38	A1	3023	G	C3'-C2'-C1'	7.39	107.41	101.50
38	A1	3038	A	C4-C5-N7	-7.39	107.00	110.70
39	A3	28	C	C5-C6-N1	7.39	124.69	121.00
38	A1	134	C	N3-C4-N4	7.39	123.17	118.00
38	A1	2831	G	C8-N9-C4	7.39	109.36	106.40
11	B2	358	G	C1'-O4'-C4'	-7.39	103.99	109.90
11	B2	551	U	N3-C4-C5	7.39	119.03	114.60
11	B2	580	G	N1-C2-N3	-7.39	119.47	123.90
11	B2	779	G	C4-C5-N7	7.39	113.75	110.80
11	B2	1102	A	C2-N3-C4	-7.39	106.91	110.60
18	BF	197	PHE	CB-CG-CD2	7.39	125.97	120.80
30	BR	53	TYR	CD1-CE1-CZ	-7.39	113.15	119.80
38	A1	130	G	C4-C5-C6	7.39	123.23	118.80
38	A1	430	A	C6-C5-N7	-7.39	127.13	132.30
38	A1	476	C	N3-C2-O2	7.39	127.07	121.90
38	A1	999	A	C5-N7-C8	7.39	107.59	103.90
38	A1	2480	G	N1-C2-N3	-7.39	119.47	123.90
10	B1	76	C	C6-N1-C1'	-7.38	111.94	120.80
11	B2	192	G	C6-C5-N7	-7.38	125.97	130.40
11	B2	493	C	O4'-C1'-N1	7.38	114.11	108.20
11	B2	662	C	O4'-C1'-N1	7.38	114.11	108.20
21	BI	78	ARG	NE-CZ-NH2	-7.38	116.61	120.30
38	A1	97	C	C4-C5-C6	7.38	121.09	117.40
38	A1	213	G	N1-C6-O6	7.38	124.33	119.90
38	A1	2823	G	P-O3'-C3'	7.38	128.56	119.70
38	A1	1889	G	C4-C5-C6	7.38	123.23	118.80
38	A1	2596	G	N9-C4-C5	7.38	108.35	105.40
11	B2	386	C	N3-C4-N4	7.38	123.17	118.00
11	B2	478	C	C6-N1-C1'	-7.38	111.94	120.80

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1238	G	N3-C4-C5	7.38	132.29	128.60
38	A1	1580	G	N1-C6-O6	7.38	124.33	119.90
11	B2	1183	C	C3'-C2'-C1'	7.38	107.40	101.50
38	A1	805	C	O4'-C4'-C3'	-7.38	96.62	104.00
38	A1	833	G	N3-C2-N2	7.38	125.07	119.90
38	A1	2578	C	C6-N1-C2	-7.38	117.35	120.30
11	B2	180	G	N3-C2-N2	7.38	125.06	119.90
38	A1	16	G	O4'-C1'-N9	7.38	114.10	108.20
38	A1	405	G	C1'-O4'-C4'	-7.38	104.00	109.90
38	A1	899	A	C5-N7-C8	7.38	107.59	103.90
38	A1	960	C	N3-C4-N4	7.38	123.17	118.00
38	A1	1054	A	C8-N9-C4	-7.38	102.85	105.80
38	A1	1481	G	O4'-C1'-N9	7.38	114.10	108.20
38	A1	1930	A	C5-N7-C8	7.38	107.59	103.90
11	B2	307	G	C5-N7-C8	7.38	107.99	104.30
11	B2	1263	C	C5'-C4'-O4'	7.38	117.95	109.10
11	B2	1452	G	N3-C2-N2	7.38	125.06	119.90
38	A1	1239	C	N3-C4-N4	7.38	123.16	118.00
38	A1	2647	G	C5-N7-C8	7.38	107.99	104.30
38	A1	403	G	C6-C5-N7	-7.38	125.97	130.40
38	A1	2227	G	N9-C4-C5	-7.38	102.45	105.40
39	A3	110	C	C5-C6-N1	7.38	124.69	121.00
45	AC	185	TYR	CG-CD1-CE1	-7.38	115.40	121.30
11	B2	71	C	C5-C4-N4	-7.37	115.04	120.20
11	B2	236	C	N1-C2-O2	-7.37	114.48	118.90
11	B2	420	C	N1-C2-O2	7.37	123.32	118.90
21	BI	68	ARG	NE-CZ-NH2	-7.37	116.61	120.30
38	A1	249	G	C6-N1-C2	7.37	129.52	125.10
38	A1	326	C	O4'-C1'-N1	7.37	114.10	108.20
38	A1	596	C	N3-C4-N4	7.37	123.16	118.00
38	A1	1432	C	C6-N1-C2	-7.37	117.35	120.30
38	A1	1827	A	C4-C5-N7	-7.37	107.01	110.70
38	A1	2078	A	O4'-C1'-N9	7.37	114.10	108.20
38	A1	2328	G	C5-C6-O6	-7.37	124.18	128.60
38	A1	2341	G	N1-C6-O6	7.37	124.32	119.90
38	A1	2579	G	N7-C8-N9	-7.37	109.41	113.10
45	AC	17	ARG	NE-CZ-NH1	7.37	123.99	120.30
11	B2	1287	G	C5-C6-O6	-7.37	124.18	128.60
38	A1	681	C	C3'-C2'-C1'	-7.37	95.60	101.50
38	A1	1845	C	C4-C5-C6	7.37	121.09	117.40
38	A1	2063	U	P-O3'-C3'	-7.37	110.85	119.70
38	A1	2138	A	C4'-C3'-C2'	-7.37	95.23	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2709	C	C4-C5-C6	7.37	121.08	117.40
11	B2	123	U	C5-C6-N1	-7.37	119.02	122.70
11	B2	587	G	N9-C4-C5	-7.37	102.45	105.40
38	A1	1126	C	O4'-C1'-N1	7.37	114.10	108.20
38	A1	1579	G	C6-C5-N7	-7.37	125.98	130.40
38	A1	2053	G	N1-C6-O6	7.37	124.32	119.90
38	A1	2121	C	O4'-C1'-N1	7.37	114.10	108.20
10	B1	64	C	C5-C6-N1	7.37	124.68	121.00
11	B2	157	A	N1-C6-N6	7.37	123.02	118.60
11	B2	282	G	C3'-C2'-C1'	-7.37	95.61	101.50
11	B2	286	G	N7-C8-N9	-7.37	109.42	113.10
38	A1	712	C	N3-C2-O2	7.37	127.06	121.90
38	A1	1513	G	C5-N7-C8	7.37	107.98	104.30
38	A1	1722	G	P-O3'-C3'	7.37	128.54	119.70
38	A1	2562	G	C5-N7-C8	-7.37	100.61	104.30
39	A3	14	G	O4'-C4'-C3'	-7.37	96.63	104.00
39	A3	80	G	C5-C6-O6	-7.37	124.18	128.60
11	B2	155	U	C2-N3-C4	-7.37	122.58	127.00
11	B2	896	A	P-O3'-C3'	7.37	128.54	119.70
38	A1	1182	C	O4'-C1'-N1	7.37	114.09	108.20
11	B2	844	G	N9-C1'-C2'	-7.37	103.90	112.00
11	B2	846	G	C5-N7-C8	7.37	107.98	104.30
38	A1	307	C	N3-C4-C5	-7.37	118.95	121.90
38	A1	637	G	P-O5'-C5'	-7.37	109.12	120.90
38	A1	875	G	C2-N3-C4	7.37	115.58	111.90
38	A1	1232	G	C6-N1-C2	7.37	129.52	125.10
38	A1	1299	C	P-O3'-C3'	-7.37	110.86	119.70
38	A1	1555	G	C5-N7-C8	-7.37	100.62	104.30
38	A1	1764	G	N9-C4-C5	7.37	108.35	105.40
38	A1	1820	C	C5-C6-N1	7.37	124.68	121.00
38	A1	1836	A	N1-C6-N6	7.37	123.02	118.60
38	A1	2366	G	N1-C2-N3	-7.37	119.48	123.90
38	A1	2742	G	C6-C5-N7	-7.37	125.98	130.40
11	B2	181	G	C6-N1-C2	7.36	129.52	125.10
11	B2	245	U	N3-C4-C5	-7.36	110.18	114.60
11	B2	767	U	N3-C4-C5	-7.36	110.18	114.60
11	B2	1167	C	N3-C4-N4	7.36	123.15	118.00
38	A1	1788	G	N9-C1'-C2'	-7.36	103.90	112.00
38	A1	2293	G	N9-C4-C5	-7.36	102.45	105.40
38	A1	2721	C	C5-C6-N1	7.36	124.68	121.00
38	A1	1002	A	O4'-C1'-N9	7.36	114.09	108.20
38	A1	1237	A	N7-C8-N9	7.36	117.48	113.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1457	C	N1-C2-O2	7.36	123.32	118.90
38	A1	2866	A	C4-C5-N7	-7.36	107.02	110.70
51	Ag	38	ARG	CD-NE-CZ	-7.36	113.29	123.60
10	B1	72	C	C5-C6-N1	7.36	124.68	121.00
11	B2	176	U	O4'-C1'-N1	7.36	114.09	108.20
11	B2	564	C	O4'-C1'-N1	7.36	114.09	108.20
11	B2	729	G	O4'-C1'-N9	7.36	114.09	108.20
38	A1	340	G	N1-C6-O6	7.36	124.32	119.90
38	A1	1129	G	C5-C6-N1	-7.36	107.82	111.50
38	A1	1267	A	N9-C4-C5	7.36	108.74	105.80
38	A1	1404	G	C1'-O4'-C4'	-7.36	104.01	109.90
38	A1	1856	G	C5-C6-O6	-7.36	124.18	128.60
38	A1	1969	C	C5-C4-N4	-7.36	115.05	120.20
38	A1	2638	G	N1-C2-N3	-7.36	119.48	123.90
38	A1	2812	U	C6-N1-C2	-7.36	116.58	121.00
11	B2	210	A	N1-C6-N6	7.36	123.02	118.60
38	A1	2249	A	N1-C2-N3	-7.36	125.62	129.30
39	A3	24	C	C2-N3-C4	7.36	123.58	119.90
11	B2	128	A	P-O3'-C3'	-7.36	110.87	119.70
11	B2	234	G	C5-C6-O6	-7.36	124.19	128.60
11	B2	942	A	N7-C8-N9	-7.36	110.12	113.80
38	A1	762	G	N1-C6-O6	7.36	124.31	119.90
38	A1	993	G	C4-C5-N7	-7.36	107.86	110.80
38	A1	1557	G	C2-N3-C4	7.36	115.58	111.90
38	A1	2790	C	O4'-C1'-N1	7.36	114.09	108.20
11	B2	302	A	C2-N3-C4	7.36	114.28	110.60
11	B2	1432	U	C5'-C4'-C3'	-7.36	104.23	116.00
38	A1	251	C	O4'-C1'-N1	7.36	114.08	108.20
38	A1	633	A	N9-C4-C5	-7.36	102.86	105.80
38	A1	1119	A	C8-N9-C4	-7.36	102.86	105.80
38	A1	2537	G	C4-C5-C6	7.36	123.21	118.80
11	B2	90	C	C4-C5-C6	-7.35	113.72	117.40
38	A1	2002	A	C5-N7-C8	7.35	107.58	103.90
38	A1	2620	G	O4'-C1'-N9	7.35	114.08	108.20
11	B2	154	C	C5-C4-N4	-7.35	115.05	120.20
11	B2	177	A	C5-C6-N6	-7.35	117.82	123.70
11	B2	952	A	C5-C6-N6	-7.35	117.82	123.70
11	B2	1211	A	O4'-C1'-N9	7.35	114.08	108.20
38	A1	1556	G	N7-C8-N9	7.35	116.78	113.10
38	A1	1956	G	C8-N9-C4	-7.35	103.46	106.40
38	A1	2391	G	C4-C5-N7	-7.35	107.86	110.80
38	A1	2396	G	C5-C6-N1	-7.35	107.82	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2422	G	N1-C2-N3	-7.35	119.49	123.90
38	A1	2552	C	O4'-C1'-N1	7.35	114.08	108.20
39	A3	23	A	N1-C6-N6	7.35	123.01	118.60
39	A3	99	G	N1-C2-N3	-7.35	119.49	123.90
62	AO	148	HIS	O-C-N	7.35	134.47	122.70
11	B2	1280	C	C5-C4-N4	-7.35	115.05	120.20
38	A1	114	C	N3-C4-N4	7.35	123.15	118.00
38	A1	398	U	P-O3'-C3'	7.35	128.52	119.70
38	A1	829	G	N7-C8-N9	7.35	116.78	113.10
38	A1	1470	C	O4'-C1'-N1	7.35	114.08	108.20
38	A1	1723	A	P-O3'-C3'	7.35	128.52	119.70
38	A1	1836	A	C4-C5-C6	7.35	120.67	117.00
38	A1	1857	A	C8-N9-C4	-7.35	102.86	105.80
11	B2	235	G	C5-N7-C8	-7.35	100.62	104.30
11	B2	1126	G	N3-C4-C5	7.35	132.28	128.60
38	A1	126	U	O4'-C1'-N1	7.35	114.08	108.20
38	A1	708	A	N9-C4-C5	7.35	108.74	105.80
38	A1	1642	G	N7-C8-N9	-7.35	109.42	113.10
38	A1	2358	U	C6-N1-C2	-7.35	116.59	121.00
38	A1	2455	G	N3-C2-N2	7.35	125.05	119.90
38	A1	2748	C	N3-C4-N4	7.35	123.14	118.00
38	A1	2946	C	P-O3'-C3'	7.35	128.52	119.70
11	B2	259	A	C5-C6-N1	-7.35	114.03	117.70
11	B2	813	G	N1-C6-O6	7.35	124.31	119.90
11	B2	880	G	C5-C6-O6	-7.35	124.19	128.60
11	B2	1287	G	N1-C6-O6	7.35	124.31	119.90
38	A1	943	G	C2-N3-C4	7.35	115.57	111.90
38	A1	1773	C	N3-C4-C5	-7.35	118.96	121.90
38	A1	2484	C	C5-C4-N4	-7.35	115.06	120.20
38	A1	2815	C	C5-C6-N1	7.35	124.67	121.00
38	A1	2946	C	C2-N3-C4	7.35	123.57	119.90
62	AO	143	ARG	NE-CZ-NH1	7.35	123.97	120.30
38	A1	709	A	C4-C5-N7	-7.35	107.03	110.70
38	A1	1863	G	N1-C2-N2	7.35	122.81	116.20
38	A1	2852	U	C5-C6-N1	-7.35	119.03	122.70
11	B2	578	G	N9-C4-C5	7.34	108.34	105.40
11	B2	908	G	N3-C4-C5	-7.34	124.93	128.60
11	B2	986	G	C8-N9-C1'	-7.34	117.45	127.00
11	B2	1284	C	N1-C2-O2	7.34	123.31	118.90
38	A1	669	G	O4'-C1'-N9	7.34	114.08	108.20
38	A1	1743	G	C8-N9-C4	-7.34	103.46	106.40
38	A1	2986	G	N9-C4-C5	7.34	108.34	105.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
62	AO	140	ASP	CB-CG-OD2	7.34	124.91	118.30
11	B2	409	C	O4'-C1'-N1	7.34	114.07	108.20
38	A1	797	C	N3-C4-N4	7.34	123.14	118.00
38	A1	1391	C	O4'-C1'-N1	7.34	114.07	108.20
38	A1	2343	G	O4'-C1'-N9	7.34	114.07	108.20
11	B2	1	A	C6-C5-N7	-7.34	127.16	132.30
11	B2	1262	U	N3-C4-O4	7.34	124.54	119.40
38	A1	723	A	P-O3'-C3'	7.34	128.51	119.70
38	A1	879	A	C5-C6-N6	-7.34	117.83	123.70
38	A1	2201	C	C5'-C4'-C3'	-7.34	104.25	116.00
38	A1	2263	G	C5-N7-C8	7.34	107.97	104.30
65	AV	35	ARG	NE-CZ-NH2	-7.34	116.63	120.30
11	B2	267	C	N3-C4-C5	-7.34	118.96	121.90
11	B2	698	A	C2-N3-C4	7.34	114.27	110.60
11	B2	856	G	C6-C5-N7	-7.34	126.00	130.40
11	B2	951	G	N3-C2-N2	7.34	125.04	119.90
38	A1	231	G	C6-C5-N7	-7.34	126.00	130.40
11	B2	824	G	O4'-C1'-N9	7.34	114.07	108.20
38	A1	65	G	C8-N9-C4	7.34	109.33	106.40
10	B1	60	A	N1-C6-N6	7.34	123.00	118.60
11	B2	877	A	O4'-C1'-N9	7.34	114.07	108.20
38	A1	629	G	N1-C2-N3	-7.34	119.50	123.90
38	A1	740	C	O4'-C1'-N1	7.34	114.07	108.20
39	A3	5	G	C6-C5-N7	-7.34	126.00	130.40
11	B2	18	C	N3-C4-N4	7.33	123.14	118.00
38	A1	1045	A	C5-N7-C8	7.33	107.57	103.90
38	A1	1939	C	N3-C4-C5	-7.33	118.97	121.90
11	B2	1	A	O4'-C1'-N9	7.33	114.07	108.20
11	B2	197	A	C5-C6-N6	-7.33	117.83	123.70
11	B2	413	G	N7-C8-N9	-7.33	109.43	113.10
11	B2	823	A	C5-N7-C8	7.33	107.57	103.90
35	BW	42	ALA	N-CA-CB	7.33	120.37	110.10
38	A1	187	C	N3-C4-C5	-7.33	118.97	121.90
38	A1	1979	G	C4-C5-C6	7.33	123.20	118.80
38	A1	2822	G	C6-C5-N7	-7.33	126.00	130.40
11	B2	223	G	C5-C6-O6	-7.33	124.20	128.60
11	B2	469	U	O4'-C1'-N1	7.33	114.06	108.20
11	B2	590	G	C4-C5-C6	7.33	123.20	118.80
38	A1	11	G	C4-C5-N7	-7.33	107.87	110.80
38	A1	634	G	C4'-C3'-C2'	-7.33	95.27	102.60
38	A1	896	G	N3-C2-N2	7.33	125.03	119.90
38	A1	1846	G	C6-C5-N7	-7.33	126.00	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2127	G	O4'-C1'-N9	7.33	114.06	108.20
38	A1	2203	G	N3-C2-N2	7.33	125.03	119.90
38	A1	2368	G	N3-C4-C5	-7.33	124.93	128.60
44	Ab	23	PHE	CB-CG-CD2	-7.33	115.67	120.80
38	A1	1385	C	N3-C4-N4	7.33	123.13	118.00
11	B2	772	G	N3-C4-N9	7.33	130.40	126.00
38	A1	165	G	N1-C2-N3	-7.33	119.50	123.90
38	A1	475	U	C1'-O4'-C4'	7.33	115.76	109.90
38	A1	830	G	C6-C5-N7	-7.33	126.00	130.40
38	A1	1737	A	C5-C6-N6	-7.33	117.84	123.70
38	A1	2670	U	C4'-C3'-C2'	7.33	109.93	102.60
38	A1	3003	A	N1-C2-N3	7.33	132.96	129.30
11	B2	1088	U	P-O3'-C3'	-7.33	110.91	119.70
38	A1	957	C	C6-N1-C2	7.33	123.23	120.30
38	A1	2610	C	N3-C4-C5	7.33	124.83	121.90
11	B2	151	G	C5-C6-O6	-7.33	124.20	128.60
11	B2	1458	A	C5-C6-N6	-7.33	117.84	123.70
38	A1	334	G	O4'-C1'-N9	7.33	114.06	108.20
38	A1	394	A	C5-C6-N1	-7.33	114.04	117.70
38	A1	583	A	P-O3'-C3'	7.33	128.49	119.70
38	A1	1106	C	N3-C4-N4	7.33	123.13	118.00
38	A1	2304	C	C4-C5-C6	7.33	121.06	117.40
11	B2	714	G	N9-C4-C5	7.32	108.33	105.40
11	B2	1133	C	N3-C4-N4	7.32	123.13	118.00
11	B2	1191	G	N1-C2-N3	-7.32	119.51	123.90
38	A1	350	A	N7-C8-N9	-7.32	110.14	113.80
38	A1	1863	G	C4-C5-N7	7.32	113.73	110.80
38	A1	2703	G	N7-C8-N9	7.32	116.76	113.10
54	AI	37	VAL	CA-CB-CG2	-7.32	99.91	110.90
11	B2	379	A	N9-C4-C5	7.32	108.73	105.80
11	B2	429	A	C5-C6-N6	-7.32	117.84	123.70
11	B2	771	G	C5-C6-N1	-7.32	107.84	111.50
38	A1	347	G	O4'-C1'-N9	7.32	114.06	108.20
38	A1	801	A	O4'-C1'-N9	7.32	114.06	108.20
11	B2	359	A	C5-C6-N1	-7.32	114.04	117.70
11	B2	661	C	P-O3'-C3'	7.32	128.49	119.70
11	B2	705	C	O4'-C1'-N1	7.32	114.06	108.20
38	A1	661	G	N1-C6-O6	7.32	124.29	119.90
38	A1	1178	G	C8-N9-C4	-7.32	103.47	106.40
38	A1	1915	G	C6-C5-N7	-7.32	126.01	130.40
38	A1	2253	G	C4-C5-N7	7.32	113.73	110.80
38	A1	2272	G	N3-C4-N9	-7.32	121.61	126.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2865	C	O4'-C1'-N1	7.32	114.06	108.20
60	AM	49	ARG	NE-CZ-NH2	-7.32	116.64	120.30
63	AP	56	ALA	N-CA-CB	7.32	120.35	110.10
10	B1	11	C	N3-C2-O2	7.32	127.02	121.90
39	A3	72	G	C6-N1-C2	-7.32	120.71	125.10
11	B2	859	A	C8-N9-C4	-7.32	102.87	105.80
11	B2	1027	C	N3-C4-C5	-7.32	118.97	121.90
11	B2	1129	A	C3'-C2'-C1'	7.32	107.35	101.50
11	B2	1271	G	C6-N1-C2	7.32	129.49	125.10
11	B2	1389	G	C2-N3-C4	7.32	115.56	111.90
11	B2	526	A	C4-C5-C6	7.32	120.66	117.00
11	B2	992	G	O4'-C1'-N9	7.32	114.05	108.20
11	B2	1369	C	N3-C4-N4	7.32	123.12	118.00
11	B2	1438	A	C4-C5-C6	7.32	120.66	117.00
38	A1	23	G	N1-C6-O6	7.32	124.29	119.90
38	A1	165	G	N7-C8-N9	7.32	116.76	113.10
38	A1	733	A	N1-C2-N3	-7.32	125.64	129.30
38	A1	929	G	C5-C6-N1	-7.32	107.84	111.50
38	A1	2881	G	C5-C6-O6	-7.32	124.21	128.60
11	B2	349	A	C6-C5-N7	-7.31	127.18	132.30
11	B2	831	A	N7-C8-N9	-7.31	110.14	113.80
11	B2	993	C	C6-N1-C2	-7.31	117.38	120.30
11	B2	1101	G	C5-C6-N1	-7.31	107.84	111.50
11	B2	1118	C	C6-N1-C1'	-7.31	112.02	120.80
38	A1	222	A	C5-C6-N1	-7.31	114.04	117.70
38	A1	821	U	O4'-C1'-N1	7.31	114.05	108.20
38	A1	1788	G	P-O5'-C5'	7.31	132.60	120.90
38	A1	1851	U	N1-C2-O2	-7.31	117.68	122.80
38	A1	2564	U	C5-C4-O4	-7.31	121.51	125.90
39	A3	80	G	C4-C5-C6	7.31	123.19	118.80
46	AD	147	ASP	CB-CG-OD1	-7.31	111.72	118.30
11	B2	221	A	C4-C5-C6	7.31	120.66	117.00
11	B2	353	G	C2-N3-C4	7.31	115.56	111.90
11	B2	472	C	N3-C4-N4	7.31	123.12	118.00
11	B2	1005	G	N3-C4-C5	7.31	132.26	128.60
38	A1	384	G	C8-N9-C4	-7.31	103.47	106.40
11	B2	1141	G	N7-C8-N9	-7.31	109.44	113.10
38	A1	168	G	C5-C6-N1	7.31	115.16	111.50
38	A1	1062	C	C2-N3-C4	7.31	123.56	119.90
38	A1	1148	C	C5-C6-N1	7.31	124.66	121.00
38	A1	1633	A	O4'-C1'-N9	7.31	114.05	108.20
38	A1	2179	G	C6-C5-N7	-7.31	126.01	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
67	AZ	2	ASP	CB-CG-OD1	-7.31	111.72	118.30
11	B2	277	G	C5-C6-N1	-7.31	107.84	111.50
11	B2	799	C	O4'-C1'-N1	7.31	114.05	108.20
38	A1	1057	C	C5-C6-N1	7.31	124.66	121.00
38	A1	1526	G	O4'-C1'-N9	7.31	114.05	108.20
38	A1	1782	C	N1-C2-O2	7.31	123.29	118.90
38	A1	1833	G	C4-C5-C6	7.31	123.19	118.80
38	A1	2052	A	C5-C6-N1	-7.31	114.05	117.70
38	A1	2875	C	N3-C4-C5	-7.31	118.98	121.90
41	AA	203	TYR	CB-CG-CD2	7.31	125.39	121.00
11	B2	39	U	O4'-C1'-N1	7.31	114.05	108.20
38	A1	607	C	O4'-C1'-N1	7.31	114.05	108.20
38	A1	1128	G	C2-N3-C4	7.31	115.55	111.90
38	A1	2540	A	P-O3'-C3'	7.31	128.47	119.70
11	B2	1029	G	N1-C6-O6	7.31	124.28	119.90
11	B2	1097	G	C5-C6-O6	-7.31	124.22	128.60
38	A1	1110	A	C2-N3-C4	7.31	114.25	110.60
38	A1	2657	A	N3-C4-C5	-7.31	121.69	126.80
11	B2	71	C	O4'-C1'-N1	7.30	114.04	108.20
11	B2	106	A	C4-C5-N7	-7.30	107.05	110.70
11	B2	492	G	N9-C4-C5	7.30	108.32	105.40
11	B2	496	C	C1'-O4'-C4'	7.30	115.74	109.90
17	BE	118	ASP	CB-CG-OD2	7.30	124.88	118.30
38	A1	970	G	C8-N9-C4	-7.30	103.48	106.40
38	A1	1717	C	N1-C2-N3	7.30	124.31	119.20
38	A1	2033	G	N1-C2-N3	-7.30	119.52	123.90
38	A1	2120	C	C2-N1-C1'	7.30	126.83	118.80
38	A1	2302	C	O4'-C1'-N1	7.30	114.04	108.20
38	A1	2464	G	C2-N3-C4	-7.30	108.25	111.90
38	A1	2787	G	N1-C2-N3	-7.30	119.52	123.90
38	A1	2850	G	N3-C2-N2	7.30	125.01	119.90
38	A1	3003	A	C2-N3-C4	-7.30	106.95	110.60
11	B2	254	G	N7-C8-N9	-7.30	109.45	113.10
11	B2	1216	A	C5-C6-N1	-7.30	114.05	117.70
11	B2	1404	C	N3-C2-O2	7.30	127.01	121.90
38	A1	295	G	C4-C5-N7	-7.30	107.88	110.80
38	A1	2820	C	C6-N1-C2	-7.30	117.38	120.30
46	AD	72	ARG	NE-CZ-NH1	7.30	123.95	120.30
11	B2	40	C	C3'-C2'-C1'	7.30	107.34	101.50
11	B2	735	A	C4-C5-N7	-7.30	107.05	110.70
38	A1	561	C	C6-N1-C2	-7.30	117.38	120.30
38	A1	690	G	C5-C6-O6	-7.30	124.22	128.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1166	A	C5-C6-N6	-7.30	117.86	123.70
38	A1	1690	U	O4'-C1'-N1	7.30	114.04	108.20
38	A1	1733	C	C4-C5-C6	7.30	121.05	117.40
38	A1	2486	A	N1-C6-N6	7.30	122.98	118.60
38	A1	2731	C	C2-N3-C4	-7.30	116.25	119.90
38	A1	2956	G	C5-C6-N1	-7.30	107.85	111.50
39	A3	123	U	P-O3'-C3'	7.30	128.46	119.70
11	B2	392	G	C6-N1-C2	7.30	129.48	125.10
38	A1	108	G	N9-C4-C5	-7.30	102.48	105.40
38	A1	912	G	N1-C6-O6	7.30	124.28	119.90
38	A1	1294	A	C5-C6-N1	-7.30	114.05	117.70
38	A1	1561	G	C4-C5-C6	7.30	123.18	118.80
38	A1	1582	G	C8-N9-C4	7.30	109.32	106.40
38	A1	2520	C	N3-C4-N4	7.30	123.11	118.00
11	B2	692	G	N1-C6-O6	7.30	124.28	119.90
28	BP	18	ALA	CB-CA-C	-7.30	99.15	110.10
38	A1	11	G	C4-N9-C1'	7.30	135.99	126.50
38	A1	957	C	C5-C6-N1	-7.30	117.35	121.00
38	A1	1206	A	C6-C5-N7	-7.30	127.19	132.30
38	A1	2709	C	C6-N1-C2	-7.30	117.38	120.30
11	B2	119	A	C5-C6-N1	-7.30	114.05	117.70
11	B2	487	U	O4'-C1'-N1	7.30	114.04	108.20
11	B2	503	G	N1-C2-N2	-7.30	109.63	116.20
11	B2	1203	G	O4'-C1'-N9	7.30	114.04	108.20
38	A1	300	U	N3-C4-O4	7.30	124.51	119.40
38	A1	543	G	N1-C6-O6	7.30	124.28	119.90
38	A1	545	G	C5-C6-O6	-7.30	124.22	128.60
38	A1	630	G	N3-C2-N2	7.30	125.01	119.90
38	A1	1038	U	P-O5'-C5'	7.30	132.58	120.90
38	A1	2706	C	N3-C2-O2	-7.30	116.79	121.90
11	B2	359	A	N1-C6-N6	7.29	122.98	118.60
38	A1	1046	A	C5-C6-N6	-7.29	117.86	123.70
38	A1	1911	G	O4'-C1'-N9	7.29	114.04	108.20
38	A1	2052	A	N9-C4-C5	7.29	108.72	105.80
38	A1	2540	A	C4-C5-C6	7.29	120.65	117.00
38	A1	2751	C	O4'-C1'-N1	7.29	114.04	108.20
11	B2	308	G	N1-C6-O6	7.29	124.28	119.90
11	B2	521	G	N3-C4-N9	7.29	130.38	126.00
11	B2	1121	C	C6-N1-C2	-7.29	117.38	120.30
38	A1	116	G	N3-C2-N2	7.29	125.01	119.90
38	A1	777	A	C1'-O4'-C4'	7.29	115.73	109.90
38	A1	839	A	C8-N9-C4	-7.29	102.88	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1642	G	N3-C4-C5	7.29	132.25	128.60
38	A1	2522	C	N3-C4-C5	-7.29	118.98	121.90
38	A1	2870	A	N7-C8-N9	7.29	117.45	113.80
38	A1	3010	C	N3-C4-N4	7.29	123.11	118.00
11	B2	1252	C	C2-N1-C1'	7.29	126.82	118.80
38	A1	1026	A	C6-C5-N7	-7.29	127.20	132.30
38	A1	1250	A	N1-C6-N6	7.29	122.97	118.60
38	A1	2295	C	O4'-C1'-N1	7.29	114.03	108.20
38	A1	2520	C	N1-C2-O2	-7.29	114.53	118.90
39	A3	45	C	O4'-C1'-C2'	-7.29	98.51	105.80
11	B2	363	C	N1-C2-O2	-7.29	114.53	118.90
11	B2	378	A	C4-C5-C6	7.29	120.64	117.00
11	B2	521	G	C5-C6-O6	-7.29	124.23	128.60
11	B2	1084	U	C5'-C4'-O4'	7.29	117.85	109.10
38	A1	2251	G	C5-C6-O6	-7.29	124.23	128.60
38	A1	2348	G	C4-C5-C6	7.29	123.17	118.80
12	AG	9	PHE	CB-CG-CD1	7.29	125.90	120.80
11	B2	493	C	C2-N3-C4	7.29	123.55	119.90
11	B2	751	C	C2-N3-C4	7.29	123.54	119.90
11	B2	756	A	C5-N7-C8	7.29	107.54	103.90
11	B2	1277	C	O4'-C1'-N1	7.29	114.03	108.20
38	A1	1673	C	C4-C5-C6	-7.29	113.76	117.40
39	A3	46	G	N1-C6-O6	7.29	124.27	119.90
1	A7	52	TYR	CG-CD1-CE1	-7.29	115.47	121.30
11	B2	39	U	C5-C4-O4	-7.29	121.53	125.90
11	B2	1010	G	C5-C6-N1	-7.29	107.86	111.50
38	A1	852	A	C4'-C3'-C2'	-7.29	95.31	102.60
38	A1	1855	G	P-O5'-C5'	7.29	132.56	120.90
38	A1	2291	G	N7-C8-N9	-7.29	109.46	113.10
38	A1	2988	A	C6-N1-C2	-7.29	114.23	118.60
11	B2	783	G	P-O3'-C3'	-7.29	110.96	119.70
11	B2	970	G	O4'-C1'-N9	7.29	114.03	108.20
11	B2	1471	G	O4'-C1'-N9	7.29	114.03	108.20
38	A1	1206	A	C4-C5-C6	7.29	120.64	117.00
38	A1	1856	G	N3-C2-N2	7.29	125.00	119.90
38	A1	2257	A	C6-N1-C2	-7.29	114.23	118.60
39	A3	101	A	O4'-C1'-N9	7.29	114.03	108.20
11	B2	43	A	C4-C5-C6	7.28	120.64	117.00
33	BU	80	ARG	NE-CZ-NH2	-7.28	116.66	120.30
38	A1	285	C	C6-N1-C2	-7.28	117.39	120.30
38	A1	745	C	N1-C2-O2	-7.28	114.53	118.90
38	A1	841	U	N3-C4-C5	-7.28	110.23	114.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1012	G	N9-C4-C5	7.28	108.31	105.40
38	A1	1042	G	P-O5'-C5'	7.28	132.56	120.90
38	A1	1184	U	C6-N1-C2	-7.28	116.63	121.00
38	A1	2027	G	O4'-C1'-N9	7.28	114.03	108.20
38	A1	2592	U	C4-C5-C6	7.28	124.07	119.70
38	A1	2748	C	C5-C4-N4	-7.28	115.10	120.20
38	A1	2812	U	C2-N3-C4	7.28	131.37	127.00
38	A1	2888	G	C1'-O4'-C4'	7.28	115.73	109.90
39	A3	62	A	C4-C5-C6	7.28	120.64	117.00
38	A1	743	A	N9-C4-C5	-7.28	102.89	105.80
11	B2	228	G	C5'-C4'-O4'	-7.28	100.36	109.10
11	B2	577	C	O4'-C1'-N1	7.28	114.02	108.20
11	B2	896	A	C5-N7-C8	-7.28	100.26	103.90
11	B2	920	U	C4-C5-C6	-7.28	115.33	119.70
11	B2	1300	A	C2-N3-C4	-7.28	106.96	110.60
11	B2	1441	G	C8-N9-C4	7.28	109.31	106.40
17	BE	229	TYR	CB-CG-CD2	-7.28	116.63	121.00
38	A1	335	C	O4'-C1'-N1	7.28	114.02	108.20
38	A1	1072	U	O4'-C1'-N1	7.28	114.02	108.20
11	B2	1057	A	C4-C5-C6	7.28	120.64	117.00
38	A1	2612	A	C8-N9-C4	-7.28	102.89	105.80
4	AQ	60	ARG	NE-CZ-NH1	7.28	123.94	120.30
11	B2	222	G	N1-C6-O6	7.28	124.27	119.90
11	B2	717	C	N1-C2-N3	7.28	124.30	119.20
11	B2	1056	G	C6-C5-N7	-7.28	126.03	130.40
11	B2	1185	A	C4-C5-N7	-7.28	107.06	110.70
11	B2	1218	C	C2-N3-C4	7.28	123.54	119.90
11	B2	1468	A	N9-C4-C5	-7.28	102.89	105.80
22	BJ	47	ARG	N-CA-C	-7.28	91.35	111.00
32	BT	28	PHE	CB-CG-CD1	-7.28	115.71	120.80
38	A1	536	G	C5-C6-N1	-7.28	107.86	111.50
38	A1	1108	A	N9-C4-C5	-7.28	102.89	105.80
38	A1	1951	G	O4'-C1'-N9	7.28	114.02	108.20
39	A3	111	G	C5-N7-C8	7.28	107.94	104.30
10	B1	50	G	N9-C4-C5	-7.28	102.49	105.40
11	B2	7	G	C8-N9-C4	7.28	109.31	106.40
38	A1	41	G	C5-N7-C8	7.28	107.94	104.30
38	A1	298	G	O4'-C1'-N9	7.28	114.02	108.20
38	A1	1035	G	C5-C6-O6	-7.28	124.23	128.60
38	A1	1064	G	N1-C2-N3	-7.28	119.53	123.90
38	A1	1368	A	C6-N1-C2	7.28	122.97	118.60
38	A1	1625	A	N7-C8-N9	-7.28	110.16	113.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2010	G	C6-C5-N7	-7.28	126.03	130.40
38	A1	2346	A	N1-C2-N3	7.28	132.94	129.30
38	A1	2891	A	C5-C6-N6	-7.28	117.88	123.70
67	AZ	8	ARG	NE-CZ-NH2	-7.28	116.66	120.30
38	A1	619	G	C4'-C3'-C2'	-7.27	95.33	102.60
11	B2	477	G	C2-N3-C4	7.27	115.54	111.90
11	B2	923	A	C8-N9-C4	-7.27	102.89	105.80
11	B2	1346	C	O4'-C1'-N1	7.27	114.02	108.20
38	A1	1229	U	C4'-C3'-C2'	-7.27	95.33	102.60
38	A1	1812	A	C5-C6-N6	-7.27	117.88	123.70
38	A1	1842	C	C5-C4-N4	-7.27	115.11	120.20
38	A1	2340	A	C2-N3-C4	-7.27	106.96	110.60
11	B2	419	G	N1-C6-O6	7.27	124.26	119.90
38	A1	1065	C	N3-C4-C5	-7.27	118.99	121.90
38	A1	1848	A	C4-C5-C6	7.27	120.64	117.00
38	A1	2966	C	N3-C4-C5	-7.27	118.99	121.90
10	B1	15	G	C2-N3-C4	7.27	115.53	111.90
11	B2	508	C	C5-C4-N4	-7.27	115.11	120.20
11	B2	622	C	C5-C6-N1	7.27	124.64	121.00
11	B2	1219	C	O4'-C1'-N1	7.27	114.02	108.20
11	B2	1227	A	N1-C2-N3	-7.27	125.67	129.30
11	B2	1470	G	C6-C5-N7	-7.27	126.04	130.40
38	A1	14	A	C5-C6-N6	-7.27	117.88	123.70
38	A1	334	G	C3'-C2'-C1'	7.27	107.31	101.50
38	A1	1872	G	O4'-C1'-N9	7.27	114.02	108.20
38	A1	2037	A	C3'-C2'-C1'	-7.27	95.68	101.50
38	A1	2322	A	O4'-C1'-N9	7.27	114.02	108.20
10	B1	76	C	C5-C6-N1	7.27	124.63	121.00
11	B2	80	A	N1-C6-N6	7.27	122.96	118.60
11	B2	850	A	O4'-C1'-N9	7.27	114.02	108.20
11	B2	1229	A	N7-C8-N9	-7.27	110.17	113.80
38	A1	712	C	N3-C4-N4	7.27	123.09	118.00
38	A1	1394	G	N1-C6-O6	7.27	124.26	119.90
38	A1	2866	A	C5-N7-C8	7.27	107.53	103.90
11	B2	391	G	C5-C6-O6	-7.27	124.24	128.60
38	A1	1508	A	C6-C5-N7	-7.27	127.21	132.30
38	A1	2169	C	C6-N1-C2	7.27	123.21	120.30
38	A1	2753	G	C6-C5-N7	-7.27	126.04	130.40
11	B2	171	U	O4'-C1'-N1	7.26	114.01	108.20
11	B2	1138	G	C4-C5-N7	-7.26	107.89	110.80
11	B2	1329	C	N3-C4-N4	7.26	123.08	118.00
11	B2	1339	G	O4'-C1'-N9	7.26	114.01	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	BC	145	ARG	NE-CZ-NH2	-7.26	116.67	120.30
38	A1	168	G	N1-C6-O6	7.26	124.26	119.90
38	A1	374	C	C4'-C3'-C2'	-7.26	95.34	102.60
38	A1	644	G	N9-C4-C5	-7.26	102.49	105.40
38	A1	2434	A	C5-C6-N6	-7.26	117.89	123.70
11	B2	825	C	C2-N3-C4	-7.26	116.27	119.90
11	B2	1440	G	N1-C2-N3	-7.26	119.54	123.90
38	A1	688	G	N9-C1'-C2'	-7.26	104.01	112.00
4	AQ	49	VAL	CA-CB-CG2	-7.26	100.01	110.90
11	B2	42	G	N1-C2-N3	-7.26	119.54	123.90
11	B2	597	C	O4'-C1'-N1	7.26	114.01	108.20
11	B2	625	G	N1-C2-N3	-7.26	119.54	123.90
11	B2	1026	A	C5-N7-C8	7.26	107.53	103.90
30	BR	44	ARG	NE-CZ-NH1	7.26	123.93	120.30
38	A1	235	G	C4'-C3'-C2'	7.26	109.86	102.60
38	A1	1073	G	C6-N1-C2	7.26	129.46	125.10
42	Aa	88	ARG	NE-CZ-NH2	-7.26	116.67	120.30
11	B2	1352	G	C5-C6-N1	-7.26	107.87	111.50
38	A1	779	A	C5-C6-N6	-7.26	117.89	123.70
38	A1	809	A	C5-N7-C8	7.26	107.53	103.90
38	A1	641	G	O4'-C1'-N9	7.26	114.01	108.20
38	A1	929	G	C4-C5-N7	7.26	113.70	110.80
38	A1	1170	G	C6-N1-C2	7.26	129.46	125.10
38	A1	2442	A	C5-C6-N1	-7.26	114.07	117.70
38	A1	71	A	P-O3'-C3'	7.26	128.41	119.70
38	A1	664	A	N7-C8-N9	7.26	117.43	113.80
38	A1	2139	A	C4-C5-N7	-7.26	107.07	110.70
38	A1	2380	A	N9-C4-C5	7.26	108.70	105.80
38	A1	3017	U	C4-C5-C6	7.26	124.05	119.70
11	B2	1067	G	C5-C6-N1	7.25	115.13	111.50
11	B2	1459	G	C2-N3-C4	7.25	115.53	111.90
38	A1	504	G	C8-N9-C4	-7.25	103.50	106.40
38	A1	788	A	C5-N7-C8	7.25	107.53	103.90
38	A1	1832	G	N1-C6-O6	7.25	124.25	119.90
39	A3	102	G	C4-C5-C6	7.25	123.15	118.80
11	B2	220	G	O4'-C1'-N9	7.25	114.00	108.20
38	A1	1109	G	C3'-C2'-C1'	7.25	107.30	101.50
38	A1	2445	G	O4'-C1'-N9	7.25	114.00	108.20
38	A1	2681	A	C4-C5-N7	-7.25	107.07	110.70
38	A1	2714	G	C8-N9-C4	-7.25	103.50	106.40
38	A1	3030	A	N1-C6-N6	7.25	122.95	118.60
11	B2	302	A	P-O3'-C3'	-7.25	111.00	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	846	G	C8-N9-C4	7.25	109.30	106.40
11	B2	1238	G	C6-C5-N7	-7.25	126.05	130.40
38	A1	248	C	N3-C4-N4	7.25	123.08	118.00
38	A1	362	A	C5-C6-N6	-7.25	117.90	123.70
38	A1	527	G	N1-C2-N3	-7.25	119.55	123.90
38	A1	540	A	C4'-C3'-C2'	-7.25	95.35	102.60
38	A1	673	A	N9-C4-C5	7.25	108.70	105.80
38	A1	850	C	O4'-C1'-N1	7.25	114.00	108.20
38	A1	1068	U	P-O5'-C5'	-7.25	109.30	120.90
38	A1	1156	G	C6-C5-N7	-7.25	126.05	130.40
38	A1	1785	G	O4'-C1'-N9	7.25	114.00	108.20
11	B2	174	G	O4'-C1'-N9	7.25	114.00	108.20
11	B2	337	C	C4-C5-C6	7.25	121.03	117.40
11	B2	1384	G	C4-C5-C6	7.25	123.15	118.80
38	A1	296	G	N1-C2-N2	7.25	122.72	116.20
38	A1	1645	U	N1-C2-O2	-7.25	117.72	122.80
38	A1	1840	G	N1-C2-N2	-7.25	109.67	116.20
38	A1	1962	G	N1-C2-N3	-7.25	119.55	123.90
38	A1	2639	G	C5-C6-N1	-7.25	107.88	111.50
11	B2	900	G	O4'-C1'-N9	7.25	114.00	108.20
38	A1	565	A	C5-C6-N6	-7.25	117.90	123.70
38	A1	921	C	N3-C4-N4	7.25	123.07	118.00
38	A1	1070	G	C4-C5-C6	7.25	123.15	118.80
38	A1	1942	G	N9-C4-C5	-7.25	102.50	105.40
38	A1	2116	G	N3-C4-C5	7.25	132.22	128.60
38	A1	2569	G	C6-N1-C2	7.25	129.45	125.10
38	A1	2647	G	N1-C2-N3	-7.25	119.55	123.90
38	A1	3025	C	N3-C4-N4	7.25	123.07	118.00
11	B2	385	A	C5-C6-N1	-7.25	114.08	117.70
11	B2	1063	A	C2-N3-C4	-7.25	106.98	110.60
11	B2	1084	U	N3-C2-O2	7.25	127.27	122.20
11	B2	1299	A	N1-C2-N3	-7.25	125.68	129.30
38	A1	343	C	O4'-C1'-N1	7.25	114.00	108.20
38	A1	808	A	C3'-C2'-C1'	-7.25	95.70	101.50
38	A1	1494	U	C5-C4-O4	7.25	130.25	125.90
38	A1	1780	C	C5-C6-N1	-7.25	117.38	121.00
38	A1	3006	G	C2-N3-C4	-7.25	108.28	111.90
11	B2	235	G	N1-C6-O6	7.25	124.25	119.90
11	B2	585	U	N3-C4-O4	7.25	124.47	119.40
11	B2	628	G	N3-C4-C5	-7.25	124.98	128.60
38	A1	70	G	C3'-C2'-C1'	-7.25	95.70	101.50
38	A1	601	A	C5-N7-C8	-7.25	100.28	103.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2201	C	N3-C4-N4	7.25	123.07	118.00
38	A1	481	G	C4-C5-C6	7.24	123.15	118.80
38	A1	917	A	C5'-C4'-O4'	7.24	117.79	109.10
38	A1	981	A	N1-C2-N3	7.24	132.92	129.30
38	A1	1720	G	P-O3'-C3'	7.24	128.39	119.70
38	A1	2180	C	N1-C2-O2	7.24	123.25	118.90
38	A1	2363	G	N7-C8-N9	7.24	116.72	113.10
38	A1	3045	G	C8-N9-C4	-7.24	103.50	106.40
39	A3	91	G	O4'-C1'-N9	7.24	114.00	108.20
38	A1	1668	G	C5-C6-N1	-7.24	107.88	111.50
38	A1	2272	G	N1-C6-O6	7.24	124.25	119.90
11	B2	405	G	N3-C2-N2	7.24	124.97	119.90
11	B2	1481	G	C1'-O4'-C4'	7.24	115.69	109.90
38	A1	175	G	N1-C2-N2	7.24	122.72	116.20
38	A1	634	G	N9-C1'-C2'	-7.24	104.04	112.00
38	A1	727	A	O4'-C1'-N9	7.24	113.99	108.20
38	A1	1975	C	N3-C4-N4	7.24	123.07	118.00
38	A1	2694	C	C6-N1-C2	-7.24	117.40	120.30
38	A1	2719	G	C4-C5-N7	-7.24	107.90	110.80
43	AB	23	ARG	NE-CZ-NH2	-7.24	116.68	120.30
38	A1	216	A	N1-C6-N6	7.24	122.94	118.60
38	A1	807	G	C8-N9-C4	-7.24	103.50	106.40
38	A1	866	G	C6-C5-N7	-7.24	126.06	130.40
38	A1	1454	G	N1-C6-O6	7.24	124.24	119.90
38	A1	1944	C	C6-N1-C2	7.24	123.20	120.30
38	A1	1968	A	O4'-C1'-N9	7.24	113.99	108.20
38	A1	2168	C	C6-N1-C2	-7.24	117.41	120.30
38	A1	1237	A	N9-C4-C5	7.24	108.69	105.80
38	A1	2183	A	C4-C5-C6	7.24	120.62	117.00
38	A1	2475	G	C4-C5-C6	7.24	123.14	118.80
39	A3	1	C	C4-C5-C6	7.24	121.02	117.40
11	B2	573	C	C6-N1-C2	7.24	123.19	120.30
11	B2	1339	G	N1-C6-O6	7.24	124.24	119.90
18	BF	39	ARG	NE-CZ-NH2	-7.24	116.68	120.30
38	A1	47	C	P-O5'-C5'	-7.24	109.32	120.90
38	A1	1003	C	N3-C4-N4	7.24	123.06	118.00
38	A1	1547	U	C1'-O4'-C4'	7.24	115.69	109.90
38	A1	3023	G	N3-C4-C5	-7.24	124.98	128.60
31	BS	53	TYR	CB-CG-CD2	-7.23	116.66	121.00
38	A1	1680	G	O4'-C1'-N9	7.23	113.99	108.20
11	B2	429	A	C4-C5-C6	7.23	120.62	117.00
11	B2	795	G	C6-C5-N7	-7.23	126.06	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1433	C	C5-C6-N1	7.23	124.62	121.00
38	A1	1813	A	C6-C5-N7	-7.23	127.24	132.30
38	A1	2076	A	N7-C8-N9	-7.23	110.18	113.80
38	A1	2311	C	O4'-C1'-N1	7.23	113.98	108.20
38	A1	2623	G	N7-C8-N9	-7.23	109.48	113.10
38	A1	2745	G	C2-N3-C4	7.23	115.52	111.90
11	B2	112	G	C4-C5-C6	7.23	123.14	118.80
11	B2	722	G	N1-C2-N3	-7.23	119.56	123.90
38	A1	173	G	P-O3'-C3'	7.23	128.38	119.70
38	A1	499	A	C4-C5-N7	-7.23	107.08	110.70
38	A1	504	G	O4'-C1'-N9	7.23	113.98	108.20
38	A1	801	A	C5-C6-N6	-7.23	117.92	123.70
38	A1	1297	C	C5-C4-N4	-7.23	115.14	120.20
38	A1	1507	A	C2-N3-C4	-7.23	106.98	110.60
38	A1	1668	G	C5-C6-O6	-7.23	124.26	128.60
38	A1	1694	G	C5-C6-O6	-7.23	124.26	128.60
38	A1	1798	A	C6-C5-N7	-7.23	127.24	132.30
38	A1	1826	G	N1-C2-N3	-7.23	119.56	123.90
38	A1	2262	C	C5'-C4'-O4'	7.23	117.78	109.10
38	A1	2796	C	C4'-C3'-C2'	-7.23	95.37	102.60
38	A1	727	A	C8-N9-C4	-7.23	102.91	105.80
10	B1	34	U	N3-C4-O4	7.23	124.46	119.40
10	B1	63	C	C5-C6-N1	7.23	124.61	121.00
11	B2	668	G	C5-C6-O6	-7.23	124.26	128.60
11	B2	793	G	N1-C6-O6	7.23	124.24	119.90
38	A1	85	G	C5-C6-O6	-7.23	124.26	128.60
38	A1	128	C	O4'-C1'-N1	7.23	113.98	108.20
38	A1	681	C	C2-N3-C4	7.23	123.51	119.90
38	A1	1213	G	C4-C5-N7	-7.23	107.91	110.80
38	A1	1768	C	O4'-C1'-N1	7.23	113.98	108.20
38	A1	2452	C	N3-C4-N4	7.23	123.06	118.00
47	Ad	80	MET	N-CA-CB	7.23	123.61	110.60
11	B2	5	C	O4'-C1'-N1	7.23	113.98	108.20
11	B2	608	G	C4-C5-N7	-7.23	107.91	110.80
11	B2	1092	G	C4-C5-C6	7.23	123.14	118.80
11	B2	1434	C	C6-N1-C2	-7.23	117.41	120.30
14	BB	51	ARG	NE-CZ-NH2	-7.23	116.69	120.30
38	A1	1046	A	N1-C6-N6	7.23	122.94	118.60
38	A1	1322	G	N3-C4-C5	7.23	132.21	128.60
38	A1	1834	C	N3-C4-N4	7.23	123.06	118.00
38	A1	1905	G	N3-C4-C5	-7.23	124.99	128.60
38	A1	2675	C	N3-C4-C5	-7.23	119.01	121.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
41	AA	41	ARG	NE-CZ-NH1	-7.23	116.69	120.30
11	B2	10	G	N9-C4-C5	-7.22	102.51	105.40
11	B2	192	G	N3-C4-C5	7.22	132.21	128.60
11	B2	856	G	C4-C5-C6	7.22	123.14	118.80
11	B2	1358	A	C8-N9-C4	-7.22	102.91	105.80
38	A1	142	G	P-O3'-C3'	7.22	128.37	119.70
38	A1	144	A	C8-N9-C4	-7.22	102.91	105.80
38	A1	202	A	C5-N7-C8	7.22	107.51	103.90
38	A1	359	C	C6-N1-C2	-7.22	117.41	120.30
38	A1	1117	C	O4'-C1'-N1	7.22	113.98	108.20
38	A1	1282	A	N1-C6-N6	7.22	122.94	118.60
38	A1	1561	G	N9-C1'-C2'	-7.22	104.05	112.00
38	A1	2031	G	N9-C4-C5	7.22	108.29	105.40
38	A1	2993	G	C5-C6-O6	-7.22	124.27	128.60
11	B2	118	U	N3-C4-O4	7.22	124.46	119.40
11	B2	888	A	C4-C5-C6	7.22	120.61	117.00
11	B2	1055	C	N3-C4-C5	-7.22	119.01	121.90
34	BV	73	ASP	CB-CG-OD1	-7.22	111.80	118.30
38	A1	691	G	N1-C2-N3	-7.22	119.57	123.90
38	A1	1163	U	N1-C2-N3	-7.22	110.57	114.90
38	A1	1521	G	C4-C5-N7	-7.22	107.91	110.80
65	AV	42	PHE	CB-CG-CD2	-7.22	115.74	120.80
11	B2	229	G	O4'-C1'-N9	7.22	113.98	108.20
11	B2	448	A	C4'-C3'-C2'	-7.22	95.38	102.60
38	A1	1040	C	N3-C4-C5	-7.22	119.01	121.90
38	A1	2588	C	C4-C5-C6	-7.22	113.79	117.40
11	B2	537	G	C8-N9-C4	7.22	109.29	106.40
11	B2	1205	G	C6-N1-C2	-7.22	120.77	125.10
11	B2	1238	G	C5'-C4'-O4'	7.22	117.76	109.10
38	A1	201	C	C6-N1-C2	-7.22	117.41	120.30
38	A1	488	A	N9-C4-C5	7.22	108.69	105.80
38	A1	593	C	C5-C6-N1	7.22	124.61	121.00
38	A1	726	G	C5-C6-O6	-7.22	124.27	128.60
38	A1	2208	C	C6-N1-C2	-7.22	117.41	120.30
38	A1	2262	C	C6-N1-C2	7.22	123.19	120.30
38	A1	2418	G	N3-C2-N2	7.22	124.95	119.90
38	A1	2993	G	C8-N9-C4	-7.22	103.51	106.40
11	B2	74	U	C2-N3-C4	7.22	131.33	127.00
11	B2	1428	G	C5-N7-C8	7.22	107.91	104.30
38	A1	237	G	P-O3'-C3'	7.22	128.36	119.70
38	A1	686	C	O4'-C1'-N1	7.22	113.97	108.20
38	A1	1738	A	C5-N7-C8	7.22	107.51	103.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2128	G	N1-C6-O6	7.22	124.23	119.90
38	A1	2152	G	C5-C6-O6	-7.22	124.27	128.60
11	B2	1226	G	C6-C5-N7	-7.22	126.07	130.40
11	B2	1387	C	N3-C4-N4	7.22	123.05	118.00
38	A1	463	A	C5-C6-N6	-7.22	117.93	123.70
38	A1	757	C	C2-N3-C4	7.22	123.51	119.90
38	A1	767	G	C4-C5-C6	7.22	123.13	118.80
38	A1	2246	G	N3-C4-C5	7.22	132.21	128.60
38	A1	2489	C	N3-C4-N4	7.22	123.05	118.00
11	B2	54	C	N3-C4-N4	7.21	123.05	118.00
38	A1	1889	G	O4'-C1'-N9	7.21	113.97	108.20
38	A1	2032	G	N7-C8-N9	7.21	116.71	113.10
38	A1	2375	C	C4-C5-C6	7.21	121.01	117.40
39	A3	123	U	N3-C4-O4	7.21	124.45	119.40
11	B2	525	A	C2-N3-C4	-7.21	106.99	110.60
11	B2	947	G	O4'-C1'-N9	7.21	113.97	108.20
38	A1	232	U	N3-C2-O2	-7.21	117.15	122.20
38	A1	643	G	C6-C5-N7	-7.21	126.07	130.40
38	A1	968	A	C5-C6-N6	-7.21	117.93	123.70
11	B2	775	G	C5-C6-O6	-7.21	124.27	128.60
11	B2	1344	U	C2-N3-C4	-7.21	122.67	127.00
11	B2	1462	A	C6-N1-C2	-7.21	114.27	118.60
38	A1	183	G	O4'-C1'-N9	7.21	113.97	108.20
38	A1	221	G	O4'-C1'-N9	7.21	113.97	108.20
38	A1	1330	G	N1-C2-N3	-7.21	119.57	123.90
38	A1	1654	G	C5-N7-C8	7.21	107.91	104.30
38	A1	1857	A	C4-C5-C6	7.21	120.61	117.00
11	B2	548	A	C5-C6-N6	-7.21	117.93	123.70
38	A1	2530	G	N3-C4-N9	7.21	130.33	126.00
11	B2	580	G	O4'-C1'-N9	7.21	113.97	108.20
11	B2	968	C	O4'-C1'-N1	7.21	113.97	108.20
11	B2	1248	A	C6-C5-N7	-7.21	127.25	132.30
38	A1	612	G	C5-C6-N1	-7.21	107.90	111.50
38	A1	1016	C	O4'-C1'-N1	7.21	113.97	108.20
38	A1	2779	G	C2-N3-C4	7.21	115.50	111.90
38	A1	2814	U	C6-N1-C2	-7.21	116.67	121.00
11	B2	317	A	C4-C5-N7	7.21	114.30	110.70
11	B2	319	U	C5-C4-O4	-7.21	121.58	125.90
11	B2	925	U	C5-C4-O4	7.21	130.22	125.90
11	B2	972	C	P-O5'-C5'	7.21	132.43	120.90
11	B2	1075	A	O4'-C1'-N9	7.21	113.97	108.20
11	B2	1076	G	C6-N1-C2	7.21	129.42	125.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1142	G	C5-C6-O6	-7.21	124.28	128.60
38	A1	1070	G	N3-C4-C5	-7.21	125.00	128.60
38	A1	2032	G	C5-N7-C8	-7.21	100.70	104.30
38	A1	2901	C	C5-C6-N1	7.21	124.60	121.00
39	A3	111	G	C5-C6-N1	-7.21	107.90	111.50
50	AF	61	ARG	NE-CZ-NH2	-7.21	116.70	120.30
11	B2	203	A	C5-C6-N6	-7.21	117.94	123.70
11	B2	839	G	N1-C6-O6	7.21	124.22	119.90
11	B2	1381	G	P-O3'-C3'	7.21	128.35	119.70
11	B2	1434	C	N1-C2-O2	-7.21	114.58	118.90
38	A1	465	C	O4'-C1'-N1	7.21	113.96	108.20
38	A1	733	A	C5-C6-N6	-7.21	117.94	123.70
38	A1	1514	C	N1-C2-O2	-7.21	114.58	118.90
38	A1	1780	C	P-O3'-C3'	7.21	128.35	119.70
38	A1	3028	U	N1-C2-O2	-7.21	117.76	122.80
38	A1	3035	C	C5-C6-N1	7.21	124.60	121.00
38	A1	3044	U	C4-C5-C6	7.21	124.02	119.70
10	B1	58	A	C4-C5-C6	7.20	120.60	117.00
11	B2	658	A	C4-C5-C6	7.20	120.60	117.00
11	B2	770	A	C5-N7-C8	7.20	107.50	103.90
38	A1	577	C	C6-N1-C2	-7.20	117.42	120.30
38	A1	812	C	O4'-C1'-N1	7.20	113.96	108.20
38	A1	821	U	N3-C2-O2	-7.20	117.16	122.20
38	A1	1185	A	C4'-C3'-C2'	-7.20	95.40	102.60
38	A1	3006	G	C4-C5-N7	-7.20	107.92	110.80
10	B1	73	C	O4'-C1'-C2'	-7.20	98.60	105.80
11	B2	41	C	C6-N1-C2	-7.20	117.42	120.30
11	B2	1313	G	C6-C5-N7	-7.20	126.08	130.40
11	B2	1327	C	N3-C2-O2	7.20	126.94	121.90
11	B2	1452	G	C5'-C4'-O4'	7.20	117.74	109.10
38	A1	1334	G	C8-N9-C4	-7.20	103.52	106.40
38	A1	1604	G	C6-C5-N7	-7.20	126.08	130.40
38	A1	1873	G	N3-C4-N9	-7.20	121.68	126.00
11	B2	466	C	N1-C2-O2	7.20	123.22	118.90
11	B2	718	G	C5-C6-O6	-7.20	124.28	128.60
11	B2	894	A	C4-C5-N7	7.20	114.30	110.70
11	B2	901	G	C5-C6-O6	-7.20	124.28	128.60
11	B2	1082	A	C4-C5-C6	7.20	120.60	117.00
11	B2	1261	U	C4-C5-C6	7.20	124.02	119.70
11	B2	1279	A	C5-N7-C8	-7.20	100.30	103.90
38	A1	364	A	C5-C6-N6	-7.20	117.94	123.70
38	A1	1785	G	N1-C2-N2	-7.20	109.72	116.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2644	G	N1-C6-O6	7.20	124.22	119.90
38	A1	2646	A	O4'-C1'-N9	7.20	113.96	108.20
38	A1	2661	U	C5-C4-O4	-7.20	121.58	125.90
38	A1	2754	A	C8-N9-C4	-7.20	102.92	105.80
11	B2	782	A	C4'-C3'-C2'	-7.20	95.40	102.60
11	B2	916	U	N3-C4-C5	-7.20	110.28	114.60
11	B2	1187	A	N1-C6-N6	7.20	122.92	118.60
38	A1	1013	G	O4'-C1'-N9	7.20	113.96	108.20
11	B2	327	G	N9-C4-C5	-7.20	102.52	105.40
11	B2	575	A	C8-N9-C4	-7.20	102.92	105.80
11	B2	1223	C	O4'-C1'-N1	7.20	113.96	108.20
34	BV	80	TYR	CB-CG-CD1	-7.20	116.68	121.00
38	A1	697	U	C5-C4-O4	-7.20	121.58	125.90
38	A1	1345	G	C5-C6-O6	-7.20	124.28	128.60
39	A3	77	A	C5-C6-N6	-7.20	117.94	123.70
11	B2	53	G	N9-C4-C5	-7.20	102.52	105.40
11	B2	334	G	N3-C2-N2	7.20	124.94	119.90
11	B2	887	G	C6-N1-C2	-7.20	120.78	125.10
38	A1	921	C	P-O3'-C3'	-7.20	111.07	119.70
38	A1	1257	G	N3-C2-N2	7.20	124.94	119.90
38	A1	1414	G	C2-N3-C4	7.20	115.50	111.90
38	A1	1894	A	P-O3'-C3'	7.20	128.34	119.70
38	A1	2247	G	N1-C6-O6	7.20	124.22	119.90
38	A1	2956	G	C5-C6-O6	-7.20	124.28	128.60
38	A1	1710	C	C6-N1-C2	-7.19	117.42	120.30
38	A1	2162	G	O4'-C1'-N9	7.19	113.95	108.20
11	B2	163	C	C2-N1-C1'	7.19	126.71	118.80
11	B2	402	G	O4'-C1'-N9	7.19	113.95	108.20
11	B2	513	A	C5-C6-N6	-7.19	117.94	123.70
11	B2	843	G	N3-C4-C5	-7.19	125.00	128.60
11	B2	856	G	C2-N3-C4	-7.19	108.30	111.90
11	B2	1018	C	N3-C4-N4	7.19	123.03	118.00
38	A1	676	G	C4-C5-N7	7.19	113.68	110.80
38	A1	1202	G	C8-N9-C4	7.19	109.28	106.40
38	A1	1827	A	C5-C6-N1	-7.19	114.10	117.70
38	A1	2036	A	C6-C5-N7	-7.19	127.27	132.30
38	A1	2190	A	N7-C8-N9	-7.19	110.20	113.80
38	A1	2527	G	O4'-C1'-N9	7.19	113.95	108.20
11	B2	8	U	C6-N1-C2	-7.19	116.69	121.00
11	B2	103	A	C8-N9-C4	-7.19	102.92	105.80
11	B2	842	U	C3'-C2'-C1'	7.19	107.25	101.50
11	B2	935	G	C8-N9-C4	-7.19	103.52	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1265	G	N1-C2-N3	-7.19	119.59	123.90
11	B2	1335	A	C4-C5-C6	7.19	120.59	117.00
38	A1	49	A	C6-C5-N7	-7.19	127.27	132.30
38	A1	639	C	O4'-C1'-N1	7.19	113.95	108.20
38	A1	661	G	C5-C6-O6	-7.19	124.28	128.60
38	A1	1112	G	N3-C2-N2	7.19	124.93	119.90
38	A1	1378	G	C5-C6-N1	7.19	115.09	111.50
38	A1	1521	G	N3-C2-N2	7.19	124.93	119.90
38	A1	1798	A	N1-C6-N6	7.19	122.91	118.60
38	A1	2145	G	N3-C2-N2	7.19	124.93	119.90
38	A1	2276	G	C5-C6-N1	-7.19	107.91	111.50
11	B2	228	G	C5-C6-O6	-7.19	124.29	128.60
38	A1	318	G	N3-C4-N9	-7.19	121.69	126.00
38	A1	860	A	N9-C4-C5	-7.19	102.92	105.80
10	B1	32	A	C2-N3-C4	-7.19	107.01	110.60
38	A1	1440	C	C6-N1-C2	7.19	123.17	120.30
38	A1	1442	G	N1-C2-N3	-7.19	119.59	123.90
38	A1	1589	G	N7-C8-N9	-7.19	109.51	113.10
38	A1	2304	C	N3-C2-O2	-7.19	116.87	121.90
38	A1	2658	G	C1'-O4'-C4'	7.19	115.65	109.90
38	A1	2753	G	N1-C2-N3	-7.19	119.59	123.90
56	AJ	46	TYR	CB-CG-CD1	7.19	125.31	121.00
11	B2	540	G	C8-N9-C4	-7.19	103.53	106.40
11	B2	657	A	C8-N9-C4	-7.19	102.93	105.80
11	B2	821	G	C4-C5-C6	7.19	123.11	118.80
11	B2	928	A	C6-N1-C2	-7.19	114.29	118.60
38	A1	245	A	C6-C5-N7	-7.19	127.27	132.30
38	A1	609	G	C2-N3-C4	7.19	115.49	111.90
38	A1	2660	G	N3-C2-N2	7.19	124.93	119.90
38	A1	480	A	C2-N3-C4	-7.18	107.01	110.60
38	A1	632	G	C2-N3-C4	-7.18	108.31	111.90
38	A1	1190	G	C2-N3-C4	7.18	115.49	111.90
38	A1	2176	G	C5-C6-N1	-7.18	107.91	111.50
38	A1	2494	A	C6-C5-N7	-7.18	127.27	132.30
38	A1	2862	A	C6-C5-N7	-7.18	127.27	132.30
62	AO	8	ARG	N-CA-CB	7.18	123.53	110.60
11	B2	157	A	C8-N9-C4	-7.18	102.93	105.80
11	B2	793	G	C5-C6-O6	-7.18	124.29	128.60
11	B2	903	G	N9-C4-C5	7.18	108.27	105.40
11	B2	930	G	C6-C5-N7	-7.18	126.09	130.40
11	B2	1199	A	C5-N7-C8	7.18	107.49	103.90
38	A1	393	C	C2-N3-C4	7.18	123.49	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	442	G	C2-N3-C4	7.18	115.49	111.90
38	A1	674	G	N3-C2-N2	7.18	124.93	119.90
38	A1	881	G	C5-C6-N1	-7.18	107.91	111.50
38	A1	1861	G	C6-C5-N7	-7.18	126.09	130.40
38	A1	2404	G	C5-C6-O6	-7.18	124.29	128.60
11	B2	735	A	C5-C6-N1	-7.18	114.11	117.70
11	B2	369	A	O4'-C4'-C3'	-7.18	96.82	104.00
11	B2	860	G	O4'-C1'-N9	7.18	113.94	108.20
11	B2	888	A	O4'-C1'-N9	7.18	113.94	108.20
11	B2	1063	A	N7-C8-N9	-7.18	110.21	113.80
11	B2	1091	C	O4'-C1'-N1	7.18	113.94	108.20
38	A1	960	C	C2-N3-C4	7.18	123.49	119.90
38	A1	1504	C	C5-C6-N1	7.18	124.59	121.00
38	A1	1625	A	N3-C4-C5	-7.18	121.77	126.80
38	A1	2156	A	O4'-C1'-N9	7.18	113.94	108.20
38	A1	2404	G	C4-C5-N7	-7.18	107.93	110.80
11	B2	72	C	C6-N1-C2	-7.18	117.43	120.30
11	B2	1352	G	N1-C2-N3	-7.18	119.59	123.90
38	A1	355	G	N3-C2-N2	7.18	124.92	119.90
38	A1	2607	U	C2-N3-C4	7.18	131.31	127.00
38	A1	2611	U	O4'-C1'-N1	7.18	113.94	108.20
39	A3	77	A	N1-C6-N6	7.18	122.91	118.60
11	B2	8	U	C5'-C4'-C3'	-7.18	104.52	116.00
11	B2	36	G	N3-C4-N9	-7.18	121.69	126.00
11	B2	965	G	C4'-C3'-C2'	-7.18	95.42	102.60
11	B2	1049	U	P-O3'-C3'	7.18	128.31	119.70
38	A1	96	C	O4'-C1'-N1	7.18	113.94	108.20
38	A1	137	A	C5-C6-N1	-7.18	114.11	117.70
38	A1	317	A	C5-C6-N6	-7.18	117.96	123.70
38	A1	460	C	C6-N1-C2	-7.18	117.43	120.30
38	A1	1864	G	C6-C5-N7	-7.18	126.09	130.40
38	A1	1899	C	O4'-C1'-N1	7.18	113.94	108.20
38	A1	2152	G	O4'-C1'-N9	7.18	113.94	108.20
38	A1	2368	G	C2-N3-C4	-7.18	108.31	111.90
38	A1	1376	U	C5-C4-O4	-7.17	121.60	125.90
38	A1	2480	G	N1-C2-N2	7.17	122.66	116.20
38	A1	2865	C	N1-C2-O2	-7.17	114.59	118.90
52	AH	121	ALA	CB-CA-C	-7.17	99.34	110.10
11	B2	858	A	N1-C2-N3	7.17	132.89	129.30
11	B2	1226	G	O4'-C1'-N9	7.17	113.94	108.20
38	A1	474	G	C8-N9-C4	-7.17	103.53	106.40
38	A1	2795	G	N3-C4-C5	7.17	132.19	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	244	G	N1-C2-N3	-7.17	119.60	123.90
11	B2	698	A	C5-C6-N1	-7.17	114.11	117.70
11	B2	977	G	C5-N7-C8	-7.17	100.71	104.30
11	B2	1221	A	C6-C5-N7	-7.17	127.28	132.30
11	B2	1295	C	N1-C2-O2	-7.17	114.60	118.90
38	A1	1255	C	N3-C4-N4	7.17	123.02	118.00
38	A1	1259	G	N7-C8-N9	7.17	116.69	113.10
38	A1	2210	G	N7-C8-N9	-7.17	109.51	113.10
39	A3	5	G	N3-C2-N2	-7.17	114.88	119.90
38	A1	1644	G	C5-C6-O6	-7.17	124.30	128.60
11	B2	334	G	O4'-C1'-N9	7.17	113.93	108.20
11	B2	959	G	N1-C2-N3	-7.17	119.60	123.90
11	B2	1186	C	N3-C4-N4	7.17	123.02	118.00
11	B2	1429	G	N1-C2-N3	-7.17	119.60	123.90
38	A1	598	C	C6-N1-C2	-7.17	117.43	120.30
38	A1	906	G	N9-C4-C5	7.17	108.27	105.40
38	A1	2629	U	N1-C2-O2	7.17	127.82	122.80
26	BN	23	PHE	CB-CG-CD1	-7.17	115.78	120.80
38	A1	30	G	N7-C8-N9	-7.17	109.52	113.10
38	A1	809	A	C2-N3-C4	-7.17	107.02	110.60
38	A1	1570	C	P-O5'-C5'	7.17	132.37	120.90
38	A1	2187	C	C6-N1-C2	7.17	123.17	120.30
39	A3	48	A	C4-C5-N7	-7.17	107.12	110.70
38	A1	65	G	N9-C4-C5	-7.17	102.53	105.40
38	A1	2028	G	C4-C5-C6	7.17	123.10	118.80
38	A1	50	C	C2-N3-C4	7.16	123.48	119.90
38	A1	309	C	C4-C5-C6	7.16	120.98	117.40
38	A1	401	C	O4'-C1'-N1	7.16	113.93	108.20
38	A1	1141	C	C5-C6-N1	7.16	124.58	121.00
38	A1	2972	G	N9-C4-C5	7.16	108.27	105.40
11	B2	731	A	C5-C6-N1	-7.16	114.12	117.70
38	A1	2401	A	O4'-C1'-N9	7.16	113.93	108.20
43	AB	128	TYR	CG-CD2-CE2	-7.16	115.57	121.30
51	Ag	47	ARG	NE-CZ-NH1	-7.16	116.72	120.30
60	AM	80	ARG	NE-CZ-NH2	-7.16	116.72	120.30
38	A1	738	C	C2-N3-C4	7.16	123.48	119.90
38	A1	1451	A	C3'-C2'-C1'	7.16	107.23	101.50
38	A1	1702	C	C4-C5-C6	7.16	120.98	117.40
38	A1	1885	G	O4'-C1'-N9	7.16	113.93	108.20
39	A3	106	G	C4'-C3'-C2'	-7.16	95.44	102.60
11	B2	23	G	C5-C6-O6	-7.16	124.31	128.60
11	B2	1016	G	C5-N7-C8	7.16	107.88	104.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1307	G	N3-C2-N2	7.16	124.91	119.90
38	A1	293	G	O4'-C1'-N9	7.16	113.93	108.20
38	A1	617	G	N1-C6-O6	7.16	124.19	119.90
38	A1	2566	A	O5'-P-OP1	-7.16	99.26	105.70
38	A1	2574	G	C8-N9-C4	-7.16	103.54	106.40
39	A3	76	U	C5-C6-N1	-7.16	119.12	122.70
38	A1	468	A	C4-C5-C6	7.16	120.58	117.00
38	A1	1442	G	C8-N9-C4	-7.16	103.54	106.40
10	B1	23	G	P-O3'-C3'	-7.16	111.11	119.70
11	B2	1152	C	O4'-C1'-N1	7.16	113.92	108.20
38	A1	71	A	C2-N3-C4	7.16	114.18	110.60
38	A1	184	A	C5-N7-C8	7.16	107.48	103.90
38	A1	269	C	O4'-C1'-N1	7.16	113.92	108.20
38	A1	1044	C	N3-C4-C5	-7.16	119.04	121.90
38	A1	1417	U	C6-N1-C1'	-7.16	111.18	121.20
38	A1	1845	C	C6-N1-C2	7.16	123.16	120.30
38	A1	2292	A	N9-C4-C5	-7.16	102.94	105.80
38	A1	2293	G	O4'-C1'-N9	7.16	113.92	108.20
38	A1	2542	G	O4'-C1'-N9	7.16	113.92	108.20
38	A1	2877	A	C4-C5-C6	7.16	120.58	117.00
44	Ab	23	PHE	CB-CG-CD1	7.16	125.81	120.80
11	B2	54	C	P-O3'-C3'	7.15	128.28	119.70
38	A1	1792	A	C6-C5-N7	-7.15	127.29	132.30
43	AB	184	ALA	N-CA-CB	7.15	120.11	110.10
10	B1	75	C	O4'-C1'-N1	7.15	113.92	108.20
11	B2	355	C	C2-N3-C4	-7.15	116.32	119.90
11	B2	649	A	C6-C5-N7	-7.15	127.29	132.30
11	B2	1076	G	C4-C5-C6	7.15	123.09	118.80
11	B2	1082	A	C6-N1-C2	-7.15	114.31	118.60
38	A1	374	C	N3-C4-N4	7.15	123.01	118.00
38	A1	565	A	C4-C5-N7	-7.15	107.12	110.70
38	A1	870	G	C6-C5-N7	-7.15	126.11	130.40
38	A1	2177	A	N1-C2-N3	7.15	132.88	129.30
39	A3	53	A	N1-C6-N6	7.15	122.89	118.60
9	AX	38	PHE	CB-CG-CD2	7.15	125.81	120.80
11	B2	585	U	N3-C2-O2	-7.15	117.19	122.20
11	B2	662	C	C5-C4-N4	-7.15	115.19	120.20
11	B2	862	C	N3-C4-N4	7.15	123.00	118.00
38	A1	963	G	C5-C6-O6	-7.15	124.31	128.60
38	A1	1656	C	C2-N3-C4	7.15	123.47	119.90
38	A1	1830	U	N3-C2-O2	-7.15	117.19	122.20
38	A1	1987	A	N9-C4-C5	-7.15	102.94	105.80

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2158	G	C4'-C3'-C2'	7.15	109.75	102.60
38	A1	2542	G	C4-C5-C6	7.15	123.09	118.80
38	A1	2733	A	C2-N3-C4	7.15	114.17	110.60
39	A3	5	G	N7-C8-N9	7.15	116.67	113.10
11	B2	207	G	N3-C2-N2	7.15	124.90	119.90
11	B2	1388	G	N9-C4-C5	-7.15	102.54	105.40
38	A1	104	C	C6-N1-C2	7.15	123.16	120.30
11	B2	1290	U	C4'-C3'-C2'	-7.15	95.45	102.60
11	B2	1367	C	C4'-C3'-C2'	-7.15	95.45	102.60
38	A1	862	G	N3-C2-N2	7.15	124.90	119.90
38	A1	1207	G	OP1-P-OP2	-7.15	108.88	119.60
11	B2	59	C	N3-C4-N4	7.15	123.00	118.00
24	BL	33	ARG	NE-CZ-NH1	-7.15	116.73	120.30
38	A1	419	G	N7-C8-N9	-7.15	109.53	113.10
38	A1	1574	A	C5-C6-N6	-7.15	117.98	123.70
38	A1	1977	C	C5-C4-N4	-7.15	115.20	120.20
10	B1	24	A	C5-C6-N1	-7.14	114.13	117.70
11	B2	118	U	C2-N3-C4	7.14	131.29	127.00
11	B2	388	G	C4-N9-C1'	-7.14	117.21	126.50
11	B2	620	G	N3-C4-N9	7.14	130.29	126.00
11	B2	1488	C	C5-C6-N1	7.14	124.57	121.00
38	A1	418	C	C5-C4-N4	-7.14	115.20	120.20
38	A1	507	G	N3-C2-N2	-7.14	114.90	119.90
38	A1	611	G	N9-C4-C5	7.14	108.26	105.40
38	A1	1082	A	C2-N3-C4	-7.14	107.03	110.60
38	A1	1153	U	C4'-C3'-C2'	7.14	109.74	102.60
38	A1	1586	G	C5-C6-N1	-7.14	107.93	111.50
38	A1	2618	C	N3-C4-C5	-7.14	119.04	121.90
38	A1	2796	C	N3-C4-N4	7.14	123.00	118.00
11	B2	49	C	N3-C4-C5	-7.14	119.04	121.90
11	B2	527	A	N1-C6-N6	7.14	122.89	118.60
11	B2	754	G	P-O5'-C5'	7.14	132.33	120.90
11	B2	1253	G	N9-C4-C5	-7.14	102.54	105.40
11	B2	1434	C	C5-C6-N1	7.14	124.57	121.00
18	BF	111	ARG	NE-CZ-NH1	7.14	123.87	120.30
38	A1	132	G	N1-C6-O6	7.14	124.19	119.90
38	A1	385	U	N3-C4-C5	-7.14	110.31	114.60
38	A1	635	G	N1-C2-N3	-7.14	119.61	123.90
38	A1	2051	A	C5-C6-N6	-7.14	117.99	123.70
38	A1	2803	U	C1'-O4'-C4'	7.14	115.61	109.90
11	B2	801	A	P-O3'-C3'	7.14	128.27	119.70
11	B2	1378	A	C5-C6-N6	-7.14	117.99	123.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	604	A	C3'-C2'-C1'	-7.14	95.79	101.50
38	A1	1213	G	N3-C2-N2	7.14	124.90	119.90
38	A1	1767	C	C6-N1-C2	-7.14	117.44	120.30
11	B2	42	G	C2-N3-C4	7.14	115.47	111.90
11	B2	573	C	O4'-C1'-N1	7.14	113.91	108.20
11	B2	812	U	N1-C2-N3	7.14	119.18	114.90
16	BD	62	ARG	NE-CZ-NH2	-7.14	116.73	120.30
38	A1	165	G	N1-C6-O6	7.14	124.18	119.90
38	A1	565	A	C5-N7-C8	7.14	107.47	103.90
38	A1	685	G	C2-N3-C4	7.14	115.47	111.90
38	A1	767	G	N9-C4-C5	7.14	108.26	105.40
38	A1	1818	G	C4-C5-N7	7.14	113.66	110.80
38	A1	1986	U	C2-N3-C4	-7.14	122.72	127.00
38	A1	2449	A	N7-C8-N9	-7.14	110.23	113.80
45	AC	348	LYS	N-CA-CB	7.14	123.45	110.60
11	B2	645	G	N1-C2-N2	-7.14	109.78	116.20
38	A1	448	A	O4'-C1'-N9	7.14	113.91	108.20
38	A1	1038	U	C5'-C4'-O4'	-7.14	100.53	109.10
11	B2	324	C	N3-C4-C5	-7.14	119.05	121.90
11	B2	964	A	C5-C6-N6	-7.14	117.99	123.70
11	B2	1353	C	N1-C2-O2	-7.14	114.62	118.90
38	A1	302	U	C3'-C2'-C1'	7.14	107.21	101.50
38	A1	573	G	N1-C2-N2	-7.14	109.78	116.20
38	A1	577	C	C5-C4-N4	-7.14	115.20	120.20
38	A1	586	A	C5-C6-N1	-7.14	114.13	117.70
38	A1	994	G	C8-N9-C4	7.14	109.25	106.40
38	A1	1769	G	C5-C6-O6	-7.14	124.32	128.60
38	A1	2294	A	N3-C4-C5	-7.14	121.80	126.80
38	A1	2487	G	C4-C5-C6	7.14	123.08	118.80
38	A1	2693	G	C4-C5-C6	7.14	123.08	118.80
46	AD	87	ARG	NE-CZ-NH2	-7.14	116.73	120.30
9	AX	298	TYR	CB-CG-CD1	7.13	125.28	121.00
11	B2	910	G	N3-C2-N2	7.13	124.89	119.90
11	B2	1136	A	C5-N7-C8	7.13	107.47	103.90
11	B2	1292	A	C2-N3-C4	-7.13	107.03	110.60
38	A1	474	G	N3-C4-N9	-7.13	121.72	126.00
38	A1	922	C	N1-C2-N3	-7.13	114.20	119.20
38	A1	1646	G	C6-N1-C2	7.13	129.38	125.10
38	A1	2107	G	C5-C6-N1	-7.13	107.93	111.50
38	A1	2135	C	P-O3'-C3'	7.13	128.26	119.70
38	A1	2393	G	C8-N9-C4	-7.13	103.55	106.40
38	A1	2582	C	C5-C4-N4	-7.13	115.21	120.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	984	C	C2-N3-C4	7.13	123.47	119.90
11	B2	1476	C	C5-C6-N1	7.13	124.57	121.00
11	B2	1480	G	O4'-C1'-N9	7.13	113.91	108.20
18	BF	153	ARG	NE-CZ-NH2	-7.13	116.73	120.30
38	A1	1708	U	C4'-C3'-C2'	-7.13	95.47	102.60
38	A1	2432	G	O4'-C1'-N9	7.13	113.91	108.20
11	B2	747	U	N1-C2-N3	-7.13	110.62	114.90
38	A1	343	C	C4-C5-C6	7.13	120.97	117.40
38	A1	497	G	N3-C2-N2	7.13	124.89	119.90
38	A1	814	G	N1-C2-N3	-7.13	119.62	123.90
38	A1	979	G	C4'-C3'-C2'	-7.13	95.47	102.60
38	A1	2198	U	C6-N1-C2	-7.13	116.72	121.00
38	A1	2801	G	O4'-C1'-N9	7.13	113.91	108.20
11	B2	169	C	N3-C4-N4	7.13	122.99	118.00
11	B2	1225	C	O4'-C4'-C3'	-7.13	96.87	104.00
31	BS	53	TYR	CG-CD1-CE1	-7.13	115.60	121.30
38	A1	1901	A	N3-C4-C5	-7.13	121.81	126.80
38	A1	2404	G	N1-C2-N3	-7.13	119.62	123.90
38	A1	2601	C	N3-C4-N4	7.13	122.99	118.00
11	B2	402	G	N1-C2-N3	-7.13	119.62	123.90
11	B2	1144	G	P-O3'-C3'	-7.13	111.14	119.70
38	A1	241	C	C5-C4-N4	-7.13	115.21	120.20
38	A1	246	A	O4'-C1'-N9	7.13	113.90	108.20
38	A1	513	C	N3-C4-N4	7.13	122.99	118.00
38	A1	578	C	N3-C4-C5	-7.13	119.05	121.90
38	A1	1876	G	N7-C8-N9	7.13	116.66	113.10
11	B2	1004	U	O4'-C1'-N1	7.13	113.90	108.20
38	A1	2396	G	C5-C6-O6	-7.13	124.32	128.60
38	A1	2545	A	N1-C6-N6	7.13	122.88	118.60
38	A1	2831	G	C6-C5-N7	-7.13	126.12	130.40
57	Aj	89	PHE	CB-CG-CD2	-7.13	115.81	120.80
10	B1	20	G	C6-C5-N7	-7.12	126.12	130.40
38	A1	44	C	N3-C2-O2	7.12	126.89	121.90
38	A1	412	G	O4'-C1'-N9	-7.12	102.50	108.20
38	A1	488	A	C8-N9-C4	-7.12	102.95	105.80
38	A1	2850	G	O4'-C1'-N9	7.12	113.90	108.20
38	A1	2882	G	N1-C6-O6	7.12	124.17	119.90
11	B2	285	C	C6-N1-C2	-7.12	117.45	120.30
38	A1	1121	C	N1-C2-O2	-7.12	114.63	118.90
38	A1	1366	U	C5-C4-O4	-7.12	121.63	125.90
38	A1	2513	C	N3-C4-C5	-7.12	119.05	121.90
39	A3	87	G	P-O3'-C3'	-7.12	111.15	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
44	Ab	99	ALA	CB-CA-C	7.12	120.78	110.10
11	B2	726	A	C5-C6-N6	-7.12	118.00	123.70
38	A1	357	G	C5-N7-C8	7.12	107.86	104.30
38	A1	1118	A	N3-C4-N9	7.12	133.10	127.40
38	A1	1123	A	N9-C4-C5	7.12	108.65	105.80
38	A1	1877	C	N3-C4-C5	-7.12	119.05	121.90
38	A1	2031	G	C8-N9-C4	-7.12	103.55	106.40
38	A1	2187	C	P-O5'-C5'	-7.12	109.51	120.90
39	A3	60	C	C2-N3-C4	7.12	123.46	119.90
11	B2	760	C	C6-N1-C2	-7.12	117.45	120.30
38	A1	318	G	C4'-C3'-C2'	-7.12	95.48	102.60
38	A1	1638	C	N3-C4-N4	7.12	122.98	118.00
49	Ae	19	ARG	NE-CZ-NH2	-7.12	116.74	120.30
11	B2	789	G	C6-C5-N7	-7.12	126.13	130.40
38	A1	67	U	N3-C2-O2	-7.12	117.22	122.20
38	A1	200	G	N9-C4-C5	7.12	108.25	105.40
38	A1	1914	U	O4'-C1'-N1	7.12	113.89	108.20
38	A1	2658	G	O4'-C1'-N9	7.12	113.89	108.20
11	B2	503	G	C5-N7-C8	7.12	107.86	104.30
38	A1	2182	A	C5-C6-N1	-7.12	114.14	117.70
11	B2	504	G	P-O5'-C5'	7.12	132.28	120.90
11	B2	889	G	C4-C5-C6	7.12	123.07	118.80
11	B2	936	A	N7-C8-N9	-7.12	110.24	113.80
38	A1	371	U	O4'-C1'-N1	7.12	113.89	108.20
38	A1	1006	A	P-O3'-C3'	7.12	128.24	119.70
38	A1	1108	A	C5-C6-N1	-7.12	114.14	117.70
38	A1	2653	G	N1-C2-N3	-7.12	119.63	123.90
38	A1	2662	G	N1-C6-O6	7.12	124.17	119.90
11	B2	33	U	P-O3'-C3'	7.11	128.24	119.70
11	B2	278	A	C1'-O4'-C4'	7.11	115.59	109.90
11	B2	1054	A	N1-C2-N3	7.11	132.86	129.30
11	B2	1244	C	C4-C5-C6	7.11	120.96	117.40
38	A1	182	U	N3-C2-O2	7.11	127.18	122.20
38	A1	821	U	N3-C4-O4	7.11	124.38	119.40
38	A1	2534	C	N3-C4-N4	7.11	122.98	118.00
38	A1	2566	A	C4-C5-C6	7.11	120.56	117.00
11	B2	402	G	C4-C5-N7	-7.11	107.95	110.80
11	B2	1177	C	O4'-C1'-N1	7.11	113.89	108.20
38	A1	629	G	N3-C2-N2	7.11	124.88	119.90
38	A1	1396	A	N1-C2-N3	7.11	132.86	129.30
38	A1	2243	G	C6-N1-C2	7.11	129.37	125.10
50	AF	58	ASP	CB-CG-OD2	-7.11	111.90	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	905	A	C4-C5-N7	-7.11	107.14	110.70
11	B2	914	U	C6-N1-C2	-7.11	116.73	121.00
11	B2	1422	G	O4'-C1'-N9	7.11	113.89	108.20
38	A1	34	C	C5-C6-N1	-7.11	117.44	121.00
38	A1	305	G	C5-N7-C8	7.11	107.86	104.30
38	A1	971	G	N9-C4-C5	7.11	108.24	105.40
38	A1	1083	G	C2-N3-C4	7.11	115.45	111.90
38	A1	1150	G	O4'-C1'-N9	7.11	113.89	108.20
38	A1	1827	A	O4'-C1'-N9	7.11	113.89	108.20
38	A1	2720	U	C5-C4-O4	-7.11	121.63	125.90
66	AY	109	ASP	CB-CG-OD2	-7.11	111.90	118.30
11	B2	1276	G	N1-C6-O6	7.11	124.17	119.90
38	A1	510	A	C8-N9-C4	-7.11	102.96	105.80
38	A1	1413	A	C4-C5-N7	-7.11	107.14	110.70
38	A1	2399	C	O4'-C1'-N1	7.11	113.89	108.20
11	B2	61	A	C5-C6-N6	-7.11	118.01	123.70
11	B2	1253	G	N1-C2-N2	-7.11	109.80	116.20
38	A1	370	A	C4-C5-N7	-7.11	107.15	110.70
38	A1	647	G	N3-C2-N2	7.11	124.88	119.90
38	A1	749	G	C5-C6-O6	-7.11	124.34	128.60
38	A1	1442	G	C6-C5-N7	-7.11	126.14	130.40
38	A1	1496	A	N3-C4-C5	-7.11	121.83	126.80
38	A1	3033	G	C6-C5-N7	-7.11	126.14	130.40
11	B2	308	G	O4'-C1'-N9	7.11	113.88	108.20
11	B2	607	U	C6-N1-C2	-7.11	116.74	121.00
38	A1	124	C	O4'-C1'-N1	7.11	113.88	108.20
38	A1	390	C	N1-C2-O2	-7.11	114.64	118.90
38	A1	1046	A	N9-C4-C5	7.11	108.64	105.80
38	A1	1916	U	C1'-O4'-C4'	7.11	115.58	109.90
38	A1	2880	C	C5-C6-N1	7.11	124.55	121.00
38	A1	1208	A	C5-N7-C8	7.10	107.45	103.90
38	A1	1289	C	C3'-C2'-C1'	-7.10	95.82	101.50
38	A1	2299	G	O4'-C1'-N9	7.10	113.88	108.20
11	B2	573	C	C4-C5-C6	7.10	120.95	117.40
11	B2	1458	A	C5-C6-N1	-7.10	114.15	117.70
38	A1	912	G	C6-C5-N7	-7.10	126.14	130.40
38	A1	1074	G	N3-C4-N9	-7.10	121.74	126.00
38	A1	1180	G	C4-C5-N7	7.10	113.64	110.80
38	A1	1688	C	C5-C4-N4	-7.10	115.23	120.20
38	A1	1892	G	C6-C5-N7	-7.10	126.14	130.40
38	A1	2156	A	N1-C2-N3	-7.10	125.75	129.30
38	A1	2498	G	N1-C2-N2	-7.10	109.81	116.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2851	A	C8-N9-C4	-7.10	102.96	105.80
39	A3	25	A	C6-C5-N7	-7.10	127.33	132.30
38	A1	71	A	C4-C5-C6	7.10	120.55	117.00
38	A1	546	C	O4'-C1'-N1	7.10	113.88	108.20
38	A1	804	C	N3-C4-C5	-7.10	119.06	121.90
38	A1	1275	G	C5-C6-O6	-7.10	124.34	128.60
38	A1	1525	G	C4-C5-N7	-7.10	107.96	110.80
38	A1	2160	C	O4'-C1'-N1	7.10	113.88	108.20
38	A1	2623	G	N1-C2-N3	-7.10	119.64	123.90
39	A3	44	C	O4'-C1'-N1	7.10	113.88	108.20
3	Af	22	ARG	NE-CZ-NH2	-7.10	116.75	120.30
10	B1	51	G	C5-C6-N1	7.10	115.05	111.50
11	B2	1386	C	C5-C4-N4	-7.10	115.23	120.20
38	A1	296	G	C2-N3-C4	7.10	115.45	111.90
38	A1	1628	C	P-O3'-C3'	7.10	128.22	119.70
38	A1	1822	G	C5-C6-O6	7.10	132.86	128.60
38	A1	2008	G	C6-C5-N7	-7.10	126.14	130.40
11	B2	883	G	C2-N3-C4	-7.10	108.35	111.90
11	B2	1004	U	N3-C4-O4	7.10	124.37	119.40
38	A1	2002	A	P-O5'-C5'	7.10	132.26	120.90
39	A3	120	C	O4'-C1'-N1	7.10	113.88	108.20
11	B2	824	G	C2-N3-C4	7.10	115.45	111.90
11	B2	1236	G	O4'-C1'-N9	7.10	113.88	108.20
38	A1	2429	G	O4'-C1'-N9	7.10	113.88	108.20
11	B2	1264	G	C6-C5-N7	-7.09	126.14	130.40
11	B2	1407	U	O4'-C1'-N1	7.09	113.88	108.20
38	A1	2461	C	N3-C2-O2	7.09	126.87	121.90
38	A1	2515	U	P-O5'-C5'	7.09	132.25	120.90
11	B2	1296	U	C3'-C2'-C1'	-7.09	95.83	101.50
38	A1	1676	G	C5-N7-C8	7.09	107.85	104.30
11	B2	542	G	C4-C5-C6	7.09	123.06	118.80
11	B2	726	A	O4'-C1'-N9	7.09	113.87	108.20
11	B2	937	A	C4-C5-C6	7.09	120.55	117.00
11	B2	1396	C	C6-N1-C1'	-7.09	112.29	120.80
38	A1	776	G	C5-N7-C8	7.09	107.85	104.30
38	A1	1511	C	C2-N3-C4	7.09	123.45	119.90
38	A1	1780	C	N3-C2-O2	-7.09	116.94	121.90
38	A1	2379	G	C2-N3-C4	7.09	115.44	111.90
38	A1	2564	U	C2-N3-C4	-7.09	122.75	127.00
38	A1	2665	G	C4-C5-N7	7.09	113.64	110.80
11	B2	511	C	P-O5'-C5'	-7.09	109.56	120.90
11	B2	1126	G	N1-C2-N3	-7.09	119.65	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	820	C	C2-N3-C4	7.09	123.44	119.90
39	A3	75	G	C5-C6-N1	-7.09	107.95	111.50
11	B2	470	G	N7-C8-N9	-7.09	109.56	113.10
11	B2	1074	C	N3-C4-N4	7.09	122.96	118.00
38	A1	435	G	C5-N7-C8	7.09	107.84	104.30
38	A1	770	G	C6-N1-C2	7.09	129.35	125.10
38	A1	1577	C	N3-C4-C5	-7.09	119.06	121.90
38	A1	2877	A	N1-C6-N6	7.09	122.85	118.60
11	B2	214	C	P-O3'-C3'	-7.09	111.20	119.70
11	B2	771	G	C6-N1-C2	7.09	129.35	125.10
23	BK	79	ARG	NE-CZ-NH2	7.09	123.84	120.30
38	A1	676	G	N3-C2-N2	7.09	124.86	119.90
38	A1	757	C	C6-N1-C2	-7.09	117.47	120.30
38	A1	2462	U	N3-C2-O2	7.09	127.16	122.20
38	A1	2641	C	N1-C2-N3	7.09	124.16	119.20
66	AY	56	TRP	CB-CG-CD2	-7.09	117.39	126.60
10	B1	37	A	C8-N9-C4	-7.08	102.97	105.80
11	B2	145	A	C4-C5-C6	7.08	120.54	117.00
11	B2	170	C	C5-C6-N1	7.08	124.54	121.00
11	B2	751	C	O4'-C1'-N1	7.08	113.87	108.20
20	BH	66	ARG	NE-CZ-NH1	7.08	123.84	120.30
38	A1	26	G	N7-C8-N9	-7.08	109.56	113.10
38	A1	337	G	C4-C5-C6	7.08	123.05	118.80
38	A1	2973	A	N7-C8-N9	-7.08	110.26	113.80
38	A1	3016	G	C2-N3-C4	7.08	115.44	111.90
11	B2	152	G	P-O5'-C5'	-7.08	109.57	120.90
38	A1	324	C	C3'-C2'-C1'	7.08	107.17	101.50
38	A1	360	G	C5-N7-C8	7.08	107.84	104.30
38	A1	939	A	C4-C5-C6	7.08	120.54	117.00
11	B2	85	A	N9-C4-C5	7.08	108.63	105.80
11	B2	1477	U	N3-C4-C5	-7.08	110.35	114.60
38	A1	2986	G	C5-C6-N1	-7.08	107.96	111.50
10	B1	53	G	C4-C5-C6	7.08	123.05	118.80
11	B2	404	C	N3-C2-O2	7.08	126.86	121.90
11	B2	750	C	N3-C2-O2	7.08	126.86	121.90
11	B2	994	C	C2-N3-C4	7.08	123.44	119.90
11	B2	1288	C	N1-C2-O2	7.08	123.15	118.90
38	A1	1253	U	O4'-C1'-N1	7.08	113.86	108.20
38	A1	2023	A	C5-C6-N6	-7.08	118.04	123.70
38	A1	2413	G	N9-C4-C5	-7.08	102.57	105.40
11	B2	904	G	C2-N3-C4	7.08	115.44	111.90
11	B2	1255	C	N3-C4-C5	7.08	124.73	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1424	G	C5-C6-N1	-7.08	107.96	111.50
33	BU	43	ARG	NE-CZ-NH1	-7.08	116.76	120.30
38	A1	533	G	C8-N9-C4	-7.08	103.57	106.40
38	A1	994	G	C5-N7-C8	7.08	107.84	104.30
38	A1	1225	A	N3-C4-C5	-7.08	121.85	126.80
11	B2	4	C	N3-C4-C5	-7.08	119.07	121.90
11	B2	858	A	C6-C5-N7	-7.08	127.35	132.30
11	B2	1059	C	O4'-C1'-N1	7.08	113.86	108.20
16	BD	22	ARG	NE-CZ-NH2	-7.08	116.76	120.30
38	A1	396	G	C5-N7-C8	7.08	107.84	104.30
38	A1	2546	G	C8-N9-C4	-7.08	103.57	106.40
38	A1	2986	G	C4-C5-C6	7.08	123.05	118.80
39	A3	100	A	O4'-C1'-N9	7.08	113.86	108.20
11	B2	439	G	N3-C2-N2	7.07	124.85	119.90
11	B2	442	C	C2-N3-C4	7.07	123.44	119.90
21	BI	26	TYR	CG-CD2-CE2	7.07	126.96	121.30
38	A1	609	G	C4-C5-C6	7.07	123.04	118.80
38	A1	1180	G	C6-C5-N7	-7.07	126.16	130.40
38	A1	1237	A	C5-C6-N1	-7.07	114.16	117.70
38	A1	1716	G	N3-C2-N2	7.07	124.85	119.90
38	A1	2191	U	C6-N1-C2	7.07	125.24	121.00
38	A1	2648	C	O4'-C1'-N1	7.07	113.86	108.20
38	A1	2777	G	N3-C4-N9	7.07	130.24	126.00
38	A1	2333	G	C5-C6-O6	-7.07	124.36	128.60
38	A1	2861	A	C5-N7-C8	7.07	107.44	103.90
11	B2	1010	G	N1-C2-N3	-7.07	119.66	123.90
11	B2	1017	U	C2-N3-C4	-7.07	122.76	127.00
11	B2	1466	G	N9-C4-C5	-7.07	102.57	105.40
38	A1	418	C	O4'-C1'-N1	7.07	113.86	108.20
38	A1	3043	C	C6-N1-C2	7.07	123.13	120.30
39	A3	90	A	C8-N9-C4	-7.07	102.97	105.80
10	B1	28	C	C5-C4-N4	-7.07	115.25	120.20
11	B2	849	U	P-O3'-C3'	7.07	128.18	119.70
60	AM	170	ARG	NE-CZ-NH1	7.07	123.83	120.30
10	B1	14	A	N1-C6-N6	7.07	122.84	118.60
11	B2	242	A	O4'-C1'-N9	7.07	113.86	108.20
11	B2	574	A	C5-C6-N6	-7.07	118.05	123.70
11	B2	646	U	C6-N1-C2	7.07	125.24	121.00
11	B2	800	G	C4-N9-C1'	7.07	135.69	126.50
11	B2	937	A	C3'-C2'-C1'	7.07	107.16	101.50
11	B2	1023	C	C5-C6-N1	7.07	124.53	121.00
38	A1	369	G	N1-C2-N3	-7.07	119.66	123.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1242	A	P-O3'-C3'	7.07	128.18	119.70
38	A1	1340	G	N1-C2-N3	-7.07	119.66	123.90
38	A1	1624	U	C5-C4-O4	-7.07	121.66	125.90
38	A1	1955	U	P-O3'-C3'	7.07	128.18	119.70
38	A1	2686	A	O4'-C1'-N9	7.07	113.85	108.20
11	B2	493	C	P-O3'-C3'	7.07	128.18	119.70
11	B2	881	G	N1-C6-O6	7.07	124.14	119.90
38	A1	2016	C	C4'-C3'-C2'	-7.07	95.53	102.60
11	B2	395	C	N3-C4-C5	-7.06	119.08	121.90
38	A1	1493	C	O4'-C1'-N1	7.06	113.85	108.20
38	A1	1810	G	N9-C4-C5	7.06	108.23	105.40
38	A1	2239	C	C4-C5-C6	7.06	120.93	117.40
38	A1	2698	G	N9-C4-C5	-7.06	102.57	105.40
39	A3	65	G	O4'-C1'-N9	7.06	113.85	108.20
11	B2	289	C	N3-C4-C5	-7.06	119.08	121.90
11	B2	625	G	C8-N9-C4	7.06	109.22	106.40
11	B2	1093	C	O4'-C1'-N1	7.06	113.85	108.20
11	B2	1429	G	C6-C5-N7	-7.06	126.16	130.40
38	A1	903	C	O4'-C1'-N1	7.06	113.85	108.20
38	A1	965	A	N1-C6-N6	7.06	122.84	118.60
38	A1	1151	G	N7-C8-N9	-7.06	109.57	113.10
38	A1	2674	C	N1-C2-O2	7.06	123.14	118.90
38	A1	2948	A	O4'-C1'-N9	7.06	113.85	108.20
39	A3	120	C	N3-C4-C5	-7.06	119.08	121.90
11	B2	497	C	O4'-C1'-N1	7.06	113.85	108.20
11	B2	931	C	C4-C5-C6	7.06	120.93	117.40
11	B2	1411	G	C8-N9-C4	-7.06	103.58	106.40
38	A1	568	A	N1-C2-N3	7.06	132.83	129.30
38	A1	1562	U	C6-N1-C2	-7.06	116.76	121.00
38	A1	1734	G	C4-C5-C6	7.06	123.04	118.80
38	A1	2029	C	C6-N1-C2	7.06	123.12	120.30
38	A1	2750	C	N3-C4-C5	-7.06	119.08	121.90
10	B1	48	U	N1-C2-N3	7.06	119.14	114.90
11	B2	259	A	C5-N7-C8	7.06	107.43	103.90
11	B2	1427	C	N3-C4-N4	7.06	122.94	118.00
32	BT	26	ARG	NE-CZ-NH1	7.06	123.83	120.30
38	A1	201	C	O4'-C1'-N1	7.06	113.85	108.20
38	A1	554	C	O4'-C1'-N1	7.06	113.85	108.20
38	A1	916	A	C2-N3-C4	-7.06	107.07	110.60
38	A1	1145	G	OP1-P-O3'	7.06	120.73	105.20
38	A1	1841	G	O4'-C1'-N9	7.06	113.85	108.20
38	A1	792	A	O4'-C1'-N9	7.06	113.85	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	961	C	C2-N3-C4	7.06	123.43	119.90
38	A1	1749	C	O4'-C1'-N1	7.06	113.85	108.20
38	A1	2968	G	O4'-C1'-N9	7.06	113.85	108.20
11	B2	770	A	C8-N9-C4	-7.06	102.98	105.80
11	B2	1037	U	C1'-O4'-C4'	7.06	115.55	109.90
11	B2	1116	G	N1-C6-O6	7.06	124.13	119.90
38	A1	1780	C	C6-N1-C2	-7.06	117.48	120.30
11	B2	485	A	C4-C5-N7	-7.05	107.17	110.70
11	B2	559	G	N1-C2-N3	-7.05	119.67	123.90
11	B2	1027	C	O4'-C1'-N1	7.05	113.84	108.20
38	A1	14	A	C4-C5-C6	7.05	120.53	117.00
38	A1	169	G	C4-C5-N7	-7.05	107.98	110.80
38	A1	334	G	C4'-C3'-C2'	-7.05	95.55	102.60
38	A1	787	G	N1-C2-N3	-7.05	119.67	123.90
38	A1	1545	C	N3-C4-N4	7.05	122.94	118.00
38	A1	1794	C	C6-N1-C2	7.05	123.12	120.30
38	A1	1961	G	N1-C2-N3	-7.05	119.67	123.90
38	A1	2029	C	N1-C2-O2	7.05	123.13	118.90
38	A1	2687	A	O4'-C1'-N9	7.05	113.84	108.20
38	A1	2892	A	N7-C8-N9	-7.05	110.27	113.80
39	A3	20	G	N1-C2-N3	-7.05	119.67	123.90
11	B2	113	U	O4'-C1'-N1	7.05	113.84	108.20
11	B2	933	G	N3-C2-N2	7.05	124.84	119.90
11	B2	1076	G	C4-C5-N7	-7.05	107.98	110.80
38	A1	88	G	C2-N3-C4	7.05	115.43	111.90
38	A1	851	G	C6-C5-N7	-7.05	126.17	130.40
38	A1	876	C	C5-C6-N1	7.05	124.53	121.00
38	A1	1864	G	C5-N7-C8	7.05	107.83	104.30
38	A1	2833	G	C6-C5-N7	-7.05	126.17	130.40
9	AX	275	ALA	N-CA-CB	7.05	119.97	110.10
10	B1	11	C	N1-C2-O2	-7.05	114.67	118.90
11	B2	1197	C	P-O3'-C3'	7.05	128.16	119.70
11	B2	1386	C	N1-C2-O2	-7.05	114.67	118.90
38	A1	2247	G	C5-C6-O6	-7.05	124.37	128.60
38	A1	2460	A	C2-N3-C4	7.05	114.12	110.60
38	A1	2707	G	C4-C5-C6	7.05	123.03	118.80
39	A3	24	C	C4'-C3'-C2'	-7.05	95.55	102.60
38	A1	702	G	N1-C2-N3	-7.05	119.67	123.90
38	A1	1208	A	C6-N1-C2	-7.05	114.37	118.60
38	A1	1488	C	P-O3'-C3'	7.05	128.16	119.70
38	A1	1588	C	C2-N3-C4	7.05	123.42	119.90
38	A1	2214	U	N1-C2-O2	-7.05	117.86	122.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2233	G	C5-C6-N1	-7.05	107.97	111.50
38	A1	122	G	O4'-C1'-N9	7.05	113.84	108.20
38	A1	2945	A	N7-C8-N9	-7.05	110.28	113.80
11	B2	562	A	N7-C8-N9	7.05	117.32	113.80
11	B2	981	U	C6-N1-C2	7.05	125.23	121.00
11	B2	1197	C	O4'-C1'-N1	7.05	113.84	108.20
11	B2	1228	A	N3-C4-C5	-7.05	121.87	126.80
11	B2	1452	G	C3'-C2'-C1'	7.05	107.14	101.50
38	A1	42	G	N3-C4-N9	7.05	130.23	126.00
38	A1	46	C	C3'-C2'-C1'	7.05	107.14	101.50
38	A1	216	A	C4-C5-C6	7.05	120.52	117.00
38	A1	289	G	C2-N3-C4	7.05	115.42	111.90
38	A1	822	A	C4-C5-N7	-7.05	107.18	110.70
38	A1	1067	G	C5-C6-N1	-7.05	107.98	111.50
38	A1	1349	G	N1-C6-O6	7.05	124.13	119.90
38	A1	1470	C	C4-C5-C6	7.05	120.92	117.40
38	A1	2062	A	C4-C5-C6	7.05	120.52	117.00
38	A1	2165	A	C4-C5-N7	-7.05	107.18	110.70
38	A1	2819	C	C6-N1-C2	-7.05	117.48	120.30
11	B2	684	G	N1-C2-N3	-7.04	119.67	123.90
11	B2	1196	A	N9-C4-C5	-7.04	102.98	105.80
38	A1	1011	A	C4-C5-C6	7.04	120.52	117.00
38	A1	2176	G	O4'-C1'-N9	7.04	113.84	108.20
60	AM	125	TYR	CB-CG-CD2	-7.04	116.77	121.00
29	BQ	80	ARG	NE-CZ-NH2	-7.04	116.78	120.30
38	A1	1032	C	O4'-C1'-N1	7.04	113.83	108.20
38	A1	1392	G	C6-C5-N7	-7.04	126.17	130.40
38	A1	2701	U	C6-N1-C2	-7.04	116.77	121.00
38	A1	2751	C	N3-C4-N4	7.04	122.93	118.00
11	B2	413	G	C5-C6-N1	-7.04	107.98	111.50
11	B2	432	G	C2-N3-C4	7.04	115.42	111.90
11	B2	745	G	N7-C8-N9	7.04	116.62	113.10
11	B2	953	C	C5-C4-N4	-7.04	115.27	120.20
11	B2	1095	C	C1'-O4'-C4'	-7.04	104.27	109.90
38	A1	22	C	C4-C5-C6	7.04	120.92	117.40
38	A1	73	A	C4-C5-N7	-7.04	107.18	110.70
38	A1	254	A	N7-C8-N9	-7.04	110.28	113.80
38	A1	272	G	N1-C6-O6	7.04	124.12	119.90
38	A1	846	C	C4-C5-C6	7.04	120.92	117.40
38	A1	962	C	C5-C6-N1	7.04	124.52	121.00
38	A1	1407	A	N7-C8-N9	7.04	117.32	113.80
38	A1	1676	G	O4'-C1'-N9	7.04	113.83	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2262	C	N1-C2-O2	7.04	123.12	118.90
38	A1	2389	C	C4-C5-C6	7.04	120.92	117.40
38	A1	2544	C	O4'-C1'-N1	7.04	113.83	108.20
38	A1	2758	G	N1-C2-N3	-7.04	119.67	123.90
38	A1	2822	G	C5-C6-O6	-7.04	124.38	128.60
11	B2	324	C	O4'-C1'-N1	7.04	113.83	108.20
11	B2	933	G	C4-C5-C6	7.04	123.02	118.80
11	B2	1449	G	C6-N1-C2	7.04	129.32	125.10
15	BC	63	ARG	NE-CZ-NH2	-7.04	116.78	120.30
38	A1	168	G	C2-N3-C4	7.04	115.42	111.90
38	A1	413	A	C5-C6-N6	-7.04	118.07	123.70
38	A1	420	U	O4'-C1'-N1	7.04	113.83	108.20
38	A1	1053	A	C5-C6-N6	-7.04	118.07	123.70
38	A1	1874	G	C6-C5-N7	-7.04	126.18	130.40
38	A1	2235	G	C5-C6-O6	-7.04	124.38	128.60
38	A1	2987	U	C2'-C3'-O3'	7.04	124.98	109.50
11	B2	1145	C	N3-C2-O2	7.04	126.83	121.90
11	B2	1249	A	C5-C6-N6	-7.04	118.07	123.70
38	A1	49	A	N1-C6-N6	7.04	122.82	118.60
10	B1	46	U	C6-N1-C2	-7.04	116.78	121.00
11	B2	46	A	C6-C5-N7	-7.04	127.38	132.30
11	B2	102	U	O4'-C1'-N1	7.04	113.83	108.20
11	B2	541	G	C4-C5-C6	7.04	123.02	118.80
38	A1	282	G	C5-C6-O6	-7.04	124.38	128.60
38	A1	881	G	C5-C6-O6	-7.04	124.38	128.60
38	A1	1022	G	C5-C6-N1	-7.04	107.98	111.50
38	A1	1711	C	P-O3'-C3'	7.04	128.14	119.70
38	A1	2365	G	C2-N3-C4	-7.04	108.38	111.90
11	B2	10	G	C8-N9-C4	7.03	109.21	106.40
11	B2	173	G	C4-C5-C6	7.03	123.02	118.80
11	B2	728	G	C4-C5-N7	-7.03	107.99	110.80
11	B2	927	A	C4-C5-C6	7.03	120.52	117.00
11	B2	1025	U	O4'-C1'-N1	7.03	113.83	108.20
38	A1	1336	G	C5-C6-O6	-7.03	124.38	128.60
38	A1	1949	A	O4'-C1'-N9	7.03	113.83	108.20
38	A1	2061	A	C5-C6-N1	-7.03	114.18	117.70
38	A1	2410	U	C5-C6-N1	7.03	126.22	122.70
38	A1	2858	C	N3-C4-C5	-7.03	119.09	121.90
23	BK	102	TYR	CB-CG-CD1	-7.03	116.78	121.00
38	A1	712	C	C6-N1-C2	-7.03	117.49	120.30
38	A1	1594	G	N3-C2-N2	7.03	124.82	119.90
38	A1	1952	G	N1-C2-N3	-7.03	119.68	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	B1	10	G	C4-C5-N7	-7.03	107.99	110.80
11	B2	93	A	N7-C8-N9	-7.03	110.28	113.80
11	B2	985	C	C5-C4-N4	-7.03	115.28	120.20
38	A1	50	C	C5-C6-N1	7.03	124.52	121.00
38	A1	383	C	C5-C6-N1	7.03	124.52	121.00
38	A1	1035	G	N9-C4-C5	-7.03	102.59	105.40
38	A1	1358	C	N1-C2-O2	-7.03	114.68	118.90
38	A1	1971	C	O4'-C1'-N1	7.03	113.82	108.20
38	A1	2244	G	O4'-C1'-N9	7.03	113.82	108.20
40	A5	17	ARG	NE-CZ-NH2	-7.03	116.78	120.30
7	AU	39	TYR	CB-CG-CD2	-7.03	116.78	121.00
10	B1	59	A	C6-C5-N7	-7.03	127.38	132.30
38	A1	1002	A	N1-C2-N3	7.03	132.81	129.30
11	B2	350	G	N1-C2-N3	-7.03	119.68	123.90
11	B2	762	G	O4'-C1'-N9	7.03	113.82	108.20
11	B2	833	C	P-O3'-C3'	-7.03	111.27	119.70
38	A1	306	G	C6-C5-N7	-7.03	126.18	130.40
38	A1	377	C	O4'-C1'-N1	7.03	113.82	108.20
38	A1	766	G	N3-C2-N2	7.03	124.82	119.90
38	A1	2193	G	N3-C4-C5	-7.03	125.09	128.60
38	A1	2255	C	O4'-C1'-N1	7.03	113.82	108.20
39	A3	111	G	C5-C6-O6	-7.03	124.38	128.60
11	B2	1351	U	N3-C4-C5	-7.03	110.39	114.60
38	A1	138	U	C5-C4-O4	-7.03	121.69	125.90
38	A1	450	G	N1-C2-N3	-7.03	119.68	123.90
38	A1	480	A	N1-C2-N3	7.03	132.81	129.30
38	A1	827	G	C6-N1-C2	7.03	129.32	125.10
38	A1	1036	C	C5-C6-N1	7.03	124.51	121.00
38	A1	1330	G	N3-C2-N2	7.03	124.82	119.90
38	A1	1362	G	O4'-C1'-N9	7.03	113.82	108.20
38	A1	1959	C	C2-N3-C4	7.03	123.41	119.90
38	A1	2737	G	N1-C2-N3	-7.03	119.69	123.90
39	A3	20	G	C6-N1-C2	7.03	129.31	125.10
62	AO	2	ALA	CB-CA-C	7.03	120.64	110.10
11	B2	867	A	C6-C5-N7	-7.02	127.38	132.30
38	A1	365	G	C2-N3-C4	7.02	115.41	111.90
38	A1	517	A	C8-N9-C4	7.02	108.61	105.80
38	A1	527	G	C5-N7-C8	7.02	107.81	104.30
38	A1	1006	A	C2-N3-C4	7.02	114.11	110.60
38	A1	1571	G	C4-N9-C1'	-7.02	117.37	126.50
7	AU	33	ARG	NH1-CZ-NH2	-7.02	111.68	119.40
11	B2	52	U	O4'-C1'-N1	7.02	113.82	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	126	G	N3-C4-N9	7.02	130.21	126.00
11	B2	242	A	C5-C6-N1	-7.02	114.19	117.70
11	B2	546	G	C6-N1-C2	7.02	129.31	125.10
11	B2	1202	G	C4-C5-N7	7.02	113.61	110.80
38	A1	972	C	N1-C2-N3	7.02	124.12	119.20
38	A1	1833	G	C5-C6-O6	-7.02	124.39	128.60
38	A1	2760	A	C4-C5-C6	7.02	120.51	117.00
11	B2	300	G	O4'-C4'-C3'	-7.02	96.98	104.00
38	A1	1961	G	O4'-C1'-N9	7.02	113.82	108.20
38	A1	3033	G	C4'-C3'-C2'	-7.02	95.58	102.60
11	B2	487	U	C5-C6-N1	7.02	126.21	122.70
11	B2	530	G	O4'-C1'-N9	7.02	113.81	108.20
11	B2	1371	C	C2-N3-C4	-7.02	116.39	119.90
38	A1	332	A	C5-C6-N1	-7.02	114.19	117.70
38	A1	336	C	C2-N3-C4	7.02	123.41	119.90
38	A1	1018	G	P-O3'-C3'	7.02	128.12	119.70
38	A1	2443	G	N7-C8-N9	7.02	116.61	113.10
11	B2	94	C	O4'-C1'-N1	7.02	113.81	108.20
33	BU	90	PHE	CB-CG-CD2	-7.02	115.89	120.80
38	A1	1284	C	OP1-P-OP2	-7.02	109.08	119.60
38	A1	1501	G	N1-C2-N3	-7.02	119.69	123.90
38	A1	1804	G	C4-C5-N7	-7.02	107.99	110.80
38	A1	1930	A	N3-C4-N9	7.02	133.01	127.40
38	A1	2417	G	C4'-C3'-C2'	-7.02	95.58	102.60
11	B2	471	G	N1-C2-N3	-7.02	119.69	123.90
11	B2	962	G	N9-C4-C5	7.02	108.21	105.40
11	B2	1226	G	C8-N9-C4	7.02	109.21	106.40
38	A1	135	U	C6-N1-C2	-7.02	116.79	121.00
38	A1	518	A	C4-C5-C6	7.02	120.51	117.00
38	A1	1580	G	C1'-O4'-C4'	7.02	115.51	109.90
38	A1	2303	A	N7-C8-N9	7.02	117.31	113.80
11	B2	571	C	O4'-C1'-N1	7.01	113.81	108.20
37	BY	12	ASP	CB-CG-OD2	-7.01	111.99	118.30
38	A1	2603	A	O4'-C1'-N9	7.01	113.81	108.20
38	A1	85	G	P-O5'-C5'	7.01	132.12	120.90
38	A1	1113	G	P-O3'-C3'	-7.01	111.28	119.70
38	A1	1372	C	N3-C2-O2	7.01	126.81	121.90
38	A1	2339	C	C6-N1-C2	-7.01	117.50	120.30
38	A1	2710	G	N1-C2-N3	-7.01	119.69	123.90
11	B2	1252	C	N1-C2-O2	-7.01	114.69	118.90
11	B2	1255	C	O4'-C1'-N1	7.01	113.81	108.20
11	B2	1446	G	N1-C6-O6	7.01	124.11	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	408	C	P-O5'-C5'	7.01	132.12	120.90
38	A1	590	A	C5-C6-N6	-7.01	118.09	123.70
38	A1	2375	C	C5-C4-N4	-7.01	115.29	120.20
38	A1	2893	U	N3-C4-C5	-7.01	110.39	114.60
11	B2	563	U	O4'-C1'-N1	7.01	113.81	108.20
11	B2	940	U	C1'-O4'-C4'	7.01	115.51	109.90
11	B2	942	A	P-O3'-C3'	-7.01	111.29	119.70
38	A1	36	G	N7-C8-N9	-7.01	109.60	113.10
38	A1	780	G	N1-C6-O6	7.01	124.11	119.90
38	A1	1282	A	C4-C5-N7	-7.01	107.19	110.70
38	A1	1571	G	C4-C5-C6	7.01	123.01	118.80
38	A1	1654	G	P-O5'-C5'	-7.01	109.69	120.90
11	B2	716	G	C4-C5-C6	7.01	123.00	118.80
38	A1	480	A	C4'-C3'-C2'	-7.01	95.59	102.60
38	A1	814	G	O4'-C1'-N9	7.01	113.81	108.20
38	A1	1698	G	P-O3'-C3'	-7.01	111.29	119.70
9	AX	278	ARG	NE-CZ-NH1	7.01	123.80	120.30
11	B2	50	C	C6-N1-C2	-7.01	117.50	120.30
11	B2	811	G	C8-N9-C4	-7.01	103.60	106.40
11	B2	1000	G	O4'-C1'-N9	7.01	113.81	108.20
11	B2	1099	A	C8-N9-C4	-7.01	103.00	105.80
11	B2	1196	A	C5-N7-C8	7.01	107.40	103.90
38	A1	369	G	C6-N1-C2	7.01	129.30	125.10
38	A1	562	G	C4-C5-N7	7.01	113.60	110.80
38	A1	728	A	O4'-C1'-N9	7.01	113.81	108.20
38	A1	931	C	C2-N3-C4	7.01	123.40	119.90
38	A1	1334	G	O4'-C1'-N9	7.01	113.81	108.20
38	A1	1447	G	C5-N7-C8	7.01	107.80	104.30
38	A1	1876	G	P-O3'-C3'	7.01	128.11	119.70
38	A1	2476	A	N3-C4-C5	-7.01	121.89	126.80
38	A1	2682	G	O4'-C1'-N9	7.01	113.81	108.20
38	A1	2801	G	C6-C5-N7	-7.01	126.20	130.40
38	A1	2188	C	C5'-C4'-O4'	7.00	117.50	109.10
38	A1	2586	A	C4-C5-N7	-7.00	107.20	110.70
11	B2	691	G	C5-C6-N1	7.00	115.00	111.50
11	B2	1106	A	N1-C2-N3	-7.00	125.80	129.30
11	B2	1444	G	C5-N7-C8	7.00	107.80	104.30
38	A1	767	G	C8-N9-C4	-7.00	103.60	106.40
38	A1	1574	A	N9-C4-C5	-7.00	103.00	105.80
38	A1	1651	A	C5-C6-N6	-7.00	118.10	123.70
38	A1	2061	A	C5'-C4'-O4'	7.00	117.50	109.10
38	A1	2183	A	C5-C6-N1	-7.00	114.20	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
41	AA	11	ALA	N-CA-CB	7.00	119.90	110.10
47	Ad	41	ARG	NE-CZ-NH2	7.00	123.80	120.30
11	B2	1228	A	N1-C6-N6	7.00	122.80	118.60
13	BA	19	TYR	CG-CD1-CE1	7.00	126.90	121.30
38	A1	24	G	C8-N9-C4	-7.00	103.60	106.40
38	A1	135	U	C4-C5-C6	-7.00	115.50	119.70
38	A1	628	A	N9-C4-C5	7.00	108.60	105.80
38	A1	1060	C	C4-C5-C6	7.00	120.90	117.40
38	A1	1903	G	C2-N3-C4	-7.00	108.40	111.90
38	A1	2030	G	N1-C2-N3	-7.00	119.70	123.90
39	A3	3	G	O4'-C4'-C3'	-7.00	97.00	104.00
39	A3	15	G	C6-C5-N7	-7.00	126.20	130.40
39	A3	68	C	C2-N3-C4	7.00	123.40	119.90
40	AK	47	ARG	NE-CZ-NH1	-7.00	116.80	120.30
11	B2	826	C	N3-C4-N4	7.00	122.90	118.00
38	A1	183	G	N1-C6-O6	7.00	124.10	119.90
38	A1	205	A	N7-C8-N9	-7.00	110.30	113.80
38	A1	319	A	C8-N9-C4	-7.00	103.00	105.80
38	A1	424	U	C2-N3-C4	7.00	131.20	127.00
38	A1	1358	C	C6-N1-C2	-7.00	117.50	120.30
38	A1	1541	U	C2-N3-C4	7.00	131.20	127.00
38	A1	2475	G	N1-C6-O6	7.00	124.10	119.90
39	A3	102	G	C6-C5-N7	-7.00	126.20	130.40
11	B2	401	U	O5'-P-OP1	-7.00	99.40	105.70
11	B2	427	G	C2-N3-C4	7.00	115.40	111.90
11	B2	461	A	C5-N7-C8	7.00	107.40	103.90
11	B2	470	G	O4'-C1'-N9	7.00	113.80	108.20
38	A1	78	C	N3-C4-C5	-7.00	119.10	121.90
38	A1	382	G	C2-N3-C4	7.00	115.40	111.90
38	A1	429	U	C5-C4-O4	-7.00	121.70	125.90
38	A1	787	G	C4-C5-C6	7.00	123.00	118.80
38	A1	820	C	O4'-C1'-N1	7.00	113.80	108.20
38	A1	1961	G	C4-C5-N7	-7.00	108.00	110.80
38	A1	2403	G	OP1-P-OP2	-7.00	109.10	119.60
38	A1	2698	G	C6-N1-C2	7.00	129.30	125.10
39	A3	90	A	C4-C5-C6	7.00	120.50	117.00
4	AQ	103	ARG	NE-CZ-NH1	-7.00	116.80	120.30
11	B2	883	G	O4'-C1'-N9	7.00	113.80	108.20
12	B3	79	TYR	CB-CG-CD2	7.00	125.20	121.00
38	A1	635	G	C8-N9-C4	-7.00	103.60	106.40
38	A1	808	A	C5-C6-N6	-7.00	118.10	123.70
38	A1	1875	U	N3-C4-O4	7.00	124.30	119.40

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	A3	94	G	C6-C5-N7	-7.00	126.20	130.40
59	AL	108	PHE	CB-CG-CD2	7.00	125.70	120.80
38	A1	1872	G	N3-C2-N2	7.00	124.80	119.90
38	A1	1991	G	O4'-C1'-N9	7.00	113.80	108.20
11	B2	55	G	C5'-C4'-O4'	6.99	117.49	109.10
11	B2	645	G	N3-C2-N2	6.99	124.80	119.90
38	A1	258	C	N3-C4-N4	6.99	122.90	118.00
38	A1	345	C	O4'-C1'-N1	6.99	113.80	108.20
38	A1	1138	C	C1'-O4'-C4'	-6.99	104.30	109.90
38	A1	1305	C	P-O5'-C5'	6.99	132.09	120.90
38	A1	1440	C	C5-C4-N4	-6.99	115.30	120.20
38	A1	2067	U	N1-C2-N3	6.99	119.10	114.90
10	B1	11	C	N3-C4-N4	6.99	122.89	118.00
11	B2	455	C	P-O3'-C3'	-6.99	111.31	119.70
11	B2	533	C	C5-C4-N4	-6.99	115.31	120.20
11	B2	783	G	C5-N7-C8	6.99	107.80	104.30
11	B2	965	G	N3-C4-C5	-6.99	125.10	128.60
11	B2	1119	U	OP1-P-OP2	-6.99	109.11	119.60
38	A1	213	G	N7-C8-N9	6.99	116.60	113.10
38	A1	393	C	C5'-C4'-C3'	6.99	127.19	116.00
38	A1	1504	C	O4'-C4'-C3'	-6.99	97.01	104.00
38	A1	2854	A	O4'-C1'-N9	6.99	113.79	108.20
59	AL	17	HIS	N-CA-CB	6.99	123.19	110.60
11	B2	400	G	N7-C8-N9	6.99	116.59	113.10
11	B2	744	A	C4-C5-N7	-6.99	107.20	110.70
11	B2	1294	G	N3-C4-C5	-6.99	125.11	128.60
38	A1	366	G	C4-C5-N7	6.99	113.60	110.80
38	A1	913	G	C4-C5-C6	6.99	122.99	118.80
38	A1	1173	G	O4'-C1'-N9	6.99	113.79	108.20
38	A1	1417	U	O4'-C1'-N1	6.99	113.79	108.20
38	A1	1513	G	N7-C8-N9	-6.99	109.61	113.10
38	A1	1591	C	C5-C6-N1	6.99	124.50	121.00
38	A1	2266	C	C6-N1-C2	-6.99	117.50	120.30
66	AY	43	TYR	CB-CG-CD2	6.99	125.19	121.00
11	B2	39	U	N3-C4-O4	6.99	124.29	119.40
20	BH	162	LEU	CB-CG-CD2	6.99	122.88	111.00
38	A1	8	G	N9-C4-C5	6.99	108.19	105.40
38	A1	14	A	C6-C5-N7	-6.99	127.41	132.30
38	A1	433	C	C2-N3-C4	6.99	123.39	119.90
38	A1	1573	A	N3-C4-N9	6.99	132.99	127.40
38	A1	2171	G	C4-C5-N7	6.99	113.59	110.80
38	A1	2525	C	N1-C2-O2	6.99	123.09	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2799	C	C5-C4-N4	-6.99	115.31	120.20
38	A1	2896	G	O4'-C1'-N9	6.99	113.79	108.20
38	A1	2897	C	N3-C4-N4	6.99	122.89	118.00
11	B2	30	C	N3-C4-N4	6.99	122.89	118.00
11	B2	274	G	O4'-C1'-N9	6.99	113.79	108.20
11	B2	347	G	C5-C6-O6	-6.99	124.41	128.60
38	A1	2973	A	C6-C5-N7	-6.99	127.41	132.30
11	B2	232	G	C5-C6-N1	-6.99	108.01	111.50
11	B2	593	G	N7-C8-N9	-6.99	109.61	113.10
11	B2	1429	G	C4-C5-N7	6.99	113.59	110.80
38	A1	134	C	C5-C4-N4	-6.99	115.31	120.20
38	A1	224	G	N3-C4-C5	-6.99	125.11	128.60
38	A1	533	G	O4'-C1'-N9	6.99	113.79	108.20
38	A1	852	A	O4'-C1'-N9	6.99	113.79	108.20
38	A1	898	G	C6-C5-N7	-6.99	126.21	130.40
38	A1	1068	U	N3-C4-O4	6.99	124.29	119.40
38	A1	1167	A	C4-C5-C6	6.99	120.49	117.00
38	A1	2227	G	N3-C4-C5	6.99	132.09	128.60
38	A1	2799	C	C5-C6-N1	6.99	124.49	121.00
11	B2	567	A	N9-C4-C5	6.98	108.59	105.80
38	A1	739	C	N3-C4-N4	6.98	122.89	118.00
38	A1	1281	A	N7-C8-N9	-6.98	110.31	113.80
38	A1	2575	U	O4'-C1'-N1	6.98	113.79	108.20
11	B2	777	G	C5-N7-C8	-6.98	100.81	104.30
11	B2	1088	U	O4'-C1'-N1	6.98	113.79	108.20
11	B2	1413	G	C6-C5-N7	-6.98	126.21	130.40
21	BI	79	PHE	CB-CG-CD2	6.98	125.69	120.80
38	A1	166	G	N3-C2-N2	6.98	124.79	119.90
38	A1	245	A	C6-N1-C2	6.98	122.79	118.60
38	A1	1111	G	N1-C6-O6	6.98	124.09	119.90
38	A1	1209	A	N9-C4-C5	6.98	108.59	105.80
38	A1	1435	G	C4'-C3'-C2'	-6.98	95.62	102.60
38	A1	2012	G	N9-C4-C5	-6.98	102.61	105.40
38	A1	2691	G	O4'-C1'-C2'	6.98	113.88	107.60
10	B1	23	G	N1-C6-O6	6.98	124.09	119.90
16	BD	56	ARG	NE-CZ-NH1	6.98	123.79	120.30
18	BF	206	TYR	CG-CD1-CE1	-6.98	115.72	121.30
38	A1	109	G	O4'-C1'-N9	6.98	113.78	108.20
38	A1	1162	C	C2-N1-C1'	6.98	126.48	118.80
38	A1	1206	A	C2-N3-C4	-6.98	107.11	110.60
38	A1	1515	G	P-O3'-C3'	-6.98	111.32	119.70
38	A1	2869	U	P-O3'-C3'	6.98	128.08	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2962	A	N3-C4-C5	-6.98	121.91	126.80
39	A3	47	G	N3-C2-N2	6.98	124.79	119.90
40	A5	45	ARG	NE-CZ-NH1	6.98	123.79	120.30
11	B2	214	C	O4'-C1'-N1	6.98	113.78	108.20
11	B2	1031	G	N1-C2-N2	-6.98	109.92	116.20
38	A1	387	A	C4-C5-N7	-6.98	107.21	110.70
38	A1	432	C	N3-C4-N4	6.98	122.89	118.00
38	A1	591	G	N1-C6-O6	6.98	124.09	119.90
38	A1	1529	A	C6-C5-N7	-6.98	127.42	132.30
38	A1	2732	U	C6-N1-C2	-6.98	116.81	121.00
11	B2	350	G	O4'-C1'-N9	6.98	113.78	108.20
11	B2	1094	U	C2-N3-C4	6.98	131.19	127.00
11	B2	1412	A	O4'-C4'-C3'	-6.98	97.02	104.00
38	A1	282	G	C4-C5-C6	6.98	122.99	118.80
38	A1	891	C	C6-N1-C2	6.98	123.09	120.30
38	A1	1685	C	N3-C4-C5	-6.98	119.11	121.90
38	A1	1726	A	C5-N7-C8	6.98	107.39	103.90
38	A1	2607	U	N3-C4-C5	-6.98	110.41	114.60
11	B2	1105	C	C6-N1-C2	-6.98	117.51	120.30
11	B2	1197	C	C4-C5-C6	6.98	120.89	117.40
38	A1	1534	G	N3-C2-N2	6.98	124.78	119.90
38	A1	1774	A	O4'-C1'-N9	6.98	113.78	108.20
40	AK	17	ARG	NE-CZ-NH2	6.98	123.79	120.30
11	B2	146	A	C5-C6-N1	-6.97	114.21	117.70
11	B2	934	G	C4-C5-N7	6.97	113.59	110.80
38	A1	707	U	O4'-C1'-N1	6.97	113.78	108.20
38	A1	848	A	N1-C2-N3	6.97	132.79	129.30
38	A1	872	G	C5-C6-O6	-6.97	124.42	128.60
38	A1	1433	C	N3-C2-O2	-6.97	117.02	121.90
38	A1	1684	C	C4'-C3'-C2'	-6.97	95.63	102.60
38	A1	1963	G	O4'-C1'-N9	6.97	113.78	108.20
38	A1	2424	A	C4-C5-C6	6.97	120.49	117.00
38	A1	2450	A	C5-N7-C8	6.97	107.39	103.90
38	A1	2587	G	O4'-C4'-C3'	-6.97	97.03	104.00
10	B1	10	G	N9-C4-C5	6.97	108.19	105.40
11	B2	178	C	N3-C4-N4	6.97	122.88	118.00
11	B2	1172	A	C5'-C4'-O4'	6.97	117.47	109.10
18	BF	2	SER	N-CA-CB	6.97	120.96	110.50
38	A1	368	U	C5-C4-O4	6.97	130.08	125.90
38	A1	782	G	C2-N3-C4	-6.97	108.41	111.90
38	A1	1753	G	C8-N9-C4	-6.97	103.61	106.40
38	A1	1771	C	C6-N1-C2	6.97	123.09	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1880	A	C2-N3-C4	-6.97	107.11	110.60
38	A1	1966	C	N3-C2-O2	6.97	126.78	121.90
38	A1	2144	U	O4'-C1'-N1	6.97	113.78	108.20
38	A1	2495	A	C5-N7-C8	6.97	107.39	103.90
11	B2	1317	G	C5-C6-O6	-6.97	124.42	128.60
38	A1	544	A	C4-C5-C6	6.97	120.48	117.00
38	A1	1237	A	C4-C5-C6	6.97	120.49	117.00
38	A1	1534	G	C8-N9-C4	-6.97	103.61	106.40
38	A1	1540	A	N1-C2-N3	6.97	132.79	129.30
38	A1	1605	A	N7-C8-N9	6.97	117.29	113.80
11	B2	477	G	N9-C4-C5	-6.97	102.61	105.40
11	B2	766	G	N1-C6-O6	6.97	124.08	119.90
11	B2	1444	G	P-O3'-C3'	6.97	128.06	119.70
38	A1	513	C	C2'-C3'-O3'	6.97	124.85	113.70
38	A1	645	U	O4'-C1'-N1	6.97	113.78	108.20
38	A1	1143	A	C8-N9-C4	-6.97	103.01	105.80
38	A1	1360	G	C5-C6-O6	-6.97	124.42	128.60
38	A1	2070	U	O4'-C1'-C2'	6.97	113.87	107.60
38	A1	2415	C	P-O5'-C5'	6.97	132.05	120.90
38	A1	2500	G	C6-N1-C2	6.97	129.28	125.10
38	A1	2702	A	C8-N9-C4	-6.97	103.01	105.80
38	A1	2875	C	O4'-C1'-C2'	6.97	113.87	107.60
48	AE	22	ARG	NE-CZ-NH2	-6.97	116.81	120.30
11	B2	547	U	O4'-C1'-N1	6.97	113.77	108.20
38	A1	2058	C	N3-C4-C5	-6.97	119.11	121.90
38	A1	2075	U	C6-N1-C1'	6.97	130.96	121.20
38	A1	2364	G	N1-C6-O6	6.97	124.08	119.90
38	A1	2851	A	C4-C5-N7	-6.97	107.22	110.70
11	B2	731	A	N3-C4-C5	-6.97	121.92	126.80
11	B2	967	C	N3-C4-N4	6.97	122.88	118.00
11	B2	990	G	C4'-C3'-C2'	-6.97	95.63	102.60
38	A1	98	G	N1-C2-N3	-6.97	119.72	123.90
38	A1	381	G	N9-C4-C5	6.97	108.19	105.40
38	A1	822	A	C5-C6-N1	-6.97	114.22	117.70
38	A1	988	C	O4'-C1'-N1	6.97	113.77	108.20
38	A1	1100	G	N1-C2-N3	-6.97	119.72	123.90
38	A1	2129	G	C4-C5-C6	6.97	122.98	118.80
11	B2	500	A	C5-C6-N6	-6.96	118.13	123.70
11	B2	642	G	N1-C2-N3	-6.96	119.72	123.90
13	BA	85	MET	CG-SD-CE	-6.96	89.06	100.20
38	A1	1730	C	N1-C2-N3	-6.96	114.33	119.20
38	A1	2078	A	N9-C4-C5	6.96	108.59	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	599	G	O4'-C1'-N9	6.96	113.77	108.20
11	B2	679	G	N7-C8-N9	6.96	116.58	113.10
11	B2	989	C	C5'-C4'-C3'	6.96	127.14	116.00
38	A1	995	G	C6-N1-C2	6.96	129.28	125.10
11	B2	310	G	N3-C4-N9	-6.96	121.82	126.00
11	B2	1139	A	O4'-C1'-N9	6.96	113.77	108.20
38	A1	372	A	O4'-C1'-C2'	-6.96	98.84	105.80
38	A1	1248	C	N3-C4-N4	6.96	122.87	118.00
38	A1	1903	G	N9-C4-C5	-6.96	102.61	105.40
11	B2	834	C	N1-C2-O2	-6.96	114.72	118.90
11	B2	1097	G	N3-C4-N9	6.96	130.18	126.00
38	A1	190	C	C4-C5-C6	-6.96	113.92	117.40
38	A1	1815	C	N3-C2-O2	6.96	126.77	121.90
11	B2	447	A	N3-C4-C5	-6.96	121.93	126.80
11	B2	894	A	C5-C6-N6	-6.96	118.13	123.70
11	B2	1097	G	C4-C5-C6	6.96	122.97	118.80
38	A1	383	C	C6-N1-C2	-6.96	117.52	120.30
38	A1	1407	A	C2'-C3'-O3'	6.96	124.83	113.70
38	A1	2227	G	O4'-C1'-N9	6.96	113.77	108.20
57	Aj	28	ARG	NE-CZ-NH1	6.96	123.78	120.30
10	B1	58	A	N3-C4-N9	6.96	132.97	127.40
11	B2	720	A	N7-C8-N9	-6.96	110.32	113.80
11	B2	1097	G	C6-C5-N7	-6.96	126.23	130.40
11	B2	1275	U	N3-C4-C5	-6.96	110.43	114.60
11	B2	1371	C	C5-C4-N4	-6.96	115.33	120.20
38	A1	592	C	C5-C4-N4	-6.96	115.33	120.20
38	A1	1781	C	C5-C4-N4	-6.96	115.33	120.20
38	A1	2218	C	N1-C2-O2	6.96	123.07	118.90
38	A1	2328	G	C5'-C4'-O4'	6.96	117.45	109.10
11	B2	1349	C	C2-N3-C4	6.96	123.38	119.90
38	A1	229	G	N3-C2-N2	6.96	124.77	119.90
38	A1	2026	C	O5'-P-OP2	-6.96	99.44	105.70
41	AA	36	ASP	CB-CG-OD2	6.96	124.56	118.30
10	B1	75	C	C2-N1-C1'	6.95	126.45	118.80
11	B2	517	U	C5-C6-N1	6.95	126.18	122.70
11	B2	528	G	C6-N1-C2	6.95	129.27	125.10
11	B2	1158	G	N3-C4-N9	-6.95	121.83	126.00
11	B2	1482	C	N3-C4-N4	6.95	122.87	118.00
38	A1	13	U	C5'-C4'-C3'	6.95	127.12	116.00
38	A1	408	C	O4'-C1'-N1	6.95	113.76	108.20
38	A1	619	G	C5-C6-N1	-6.95	108.02	111.50
38	A1	655	C	O4'-C1'-N1	6.95	113.76	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1327	C	N1-C2-N3	-6.95	114.33	119.20
38	A1	2682	G	C3'-C2'-C1'	-6.95	95.94	101.50
38	A1	2846	A	C8-N9-C4	-6.95	103.02	105.80
55	Ai	43	ARG	NE-CZ-NH2	-6.95	116.82	120.30
11	B2	243	G	N1-C2-N3	-6.95	119.73	123.90
38	A1	261	A	N9-C4-C5	-6.95	103.02	105.80
38	A1	2378	C	C4'-C3'-C2'	-6.95	95.65	102.60
38	A1	2547	A	N9-C4-C5	6.95	108.58	105.80
10	B1	53	G	N9-C4-C5	6.95	108.18	105.40
11	B2	141	C	C5-C6-N1	6.95	124.47	121.00
38	A1	205	A	C4-C5-C6	6.95	120.47	117.00
38	A1	417	C	N1-C2-O2	-6.95	114.73	118.90
38	A1	462	A	C5-N7-C8	6.95	107.38	103.90
38	A1	595	C	N3-C2-O2	-6.95	117.03	121.90
38	A1	1821	C	C5-C6-N1	6.95	124.47	121.00
38	A1	2212	C	N3-C4-N4	6.95	122.86	118.00
38	A1	2714	G	C5-C6-O6	-6.95	124.43	128.60
38	A1	2851	A	C5-C6-N6	-6.95	118.14	123.70
11	B2	172	G	C6-N1-C2	6.95	129.27	125.10
11	B2	301	G	C4-C5-N7	6.95	113.58	110.80
15	BC	98	ARG	NE-CZ-NH2	-6.95	116.83	120.30
38	A1	404	G	P-O5'-C5'	6.95	132.02	120.90
38	A1	715	G	C4-C5-N7	6.95	113.58	110.80
38	A1	1277	G	C4-C5-N7	6.95	113.58	110.80
38	A1	1992	A	C4-C5-C6	6.95	120.47	117.00
38	A1	2093	A	O4'-C1'-N9	6.95	113.76	108.20
38	A1	2497	G	O4'-C1'-N9	6.95	113.76	108.20
11	B2	930	G	C5-C6-O6	-6.95	124.43	128.60
38	A1	331	G	N3-C4-C5	-6.95	125.13	128.60
38	A1	2394	G	N3-C2-N2	6.95	124.76	119.90
38	A1	2771	G	C8-N9-C4	-6.95	103.62	106.40
3	Af	12	ARG	NE-CZ-NH1	6.95	123.77	120.30
11	B2	1287	G	N1-C2-N3	-6.95	119.73	123.90
33	BU	54	ARG	NE-CZ-NH1	6.95	123.77	120.30
38	A1	63	A	C2-N3-C4	6.95	114.07	110.60
38	A1	1510	U	C6-N1-C2	-6.95	116.83	121.00
38	A1	1703	G	N1-C6-O6	6.95	124.07	119.90
38	A1	1783	U	N3-C4-C5	-6.95	110.43	114.60
38	A1	2036	A	C2-N3-C4	-6.95	107.13	110.60
38	A1	2224	G	C3'-C2'-C1'	-6.95	95.94	101.50
38	A1	2291	G	C3'-C2'-C1'	-6.95	95.94	101.50
38	A1	2638	G	O4'-C1'-N9	6.95	113.76	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2761	G	N3-C4-C5	-6.95	125.13	128.60
10	B1	25	G	C8-N9-C4	6.94	109.18	106.40
38	A1	806	C	N3-C4-C5	-6.94	119.12	121.90
38	A1	1244	C	C1'-O4'-C4'	6.94	115.45	109.90
38	A1	1727	G	C6-C5-N7	-6.94	126.23	130.40
38	A1	3042	C	N3-C4-C5	-6.94	119.12	121.90
11	B2	145	A	C4-C5-N7	-6.94	107.23	110.70
11	B2	177	A	C1'-O4'-C4'	6.94	115.45	109.90
11	B2	1193	G	N1-C2-N3	-6.94	119.73	123.90
38	A1	491	G	N1-C6-O6	6.94	124.06	119.90
38	A1	793	C	N3-C4-N4	6.94	122.86	118.00
11	B2	117	C	C5-C4-N4	-6.94	115.34	120.20
11	B2	361	A	C5-C6-N6	-6.94	118.15	123.70
11	B2	440	C	N3-C4-N4	6.94	122.86	118.00
11	B2	492	G	N1-C2-N3	-6.94	119.73	123.90
11	B2	982	U	C5-C4-O4	6.94	130.06	125.90
38	A1	634	G	P-O3'-C3'	6.94	128.03	119.70
38	A1	791	C	N3-C2-O2	-6.94	117.04	121.90
38	A1	970	G	C6-C5-N7	-6.94	126.24	130.40
38	A1	2594	U	C4-C5-C6	6.94	123.86	119.70
38	A1	2808	C	C5-C6-N1	6.94	124.47	121.00
39	A3	106	G	N1-C2-N3	-6.94	119.74	123.90
61	AN	165	TYR	CB-CG-CD2	6.94	125.16	121.00
11	B2	119	A	C4'-C3'-C2'	-6.94	95.66	102.60
11	B2	356	G	P-O3'-C3'	6.94	128.03	119.70
11	B2	1073	C	OP1-P-OP2	-6.94	109.19	119.60
38	A1	389	C	N3-C4-N4	6.94	122.86	118.00
38	A1	428	A	N1-C2-N3	6.94	132.77	129.30
38	A1	1119	A	O4'-C1'-N9	6.94	113.75	108.20
38	A1	1574	A	P-O3'-C3'	6.94	128.03	119.70
11	B2	51	A	C2-N3-C4	6.94	114.07	110.60
11	B2	110	C	O4'-C1'-N1	6.94	113.75	108.20
38	A1	299	U	O4'-C1'-N1	6.94	113.75	108.20
38	A1	674	G	N1-C2-N2	-6.94	109.96	116.20
38	A1	2368	G	N9-C4-C5	6.94	108.17	105.40
38	A1	2761	G	N1-C2-N3	-6.94	119.74	123.90
38	A1	2886	C	N3-C4-C5	-6.94	119.12	121.90
39	A3	88	A	P-O3'-C3'	6.94	128.03	119.70
11	B2	374	G	N1-C6-O6	6.94	124.06	119.90
11	B2	729	G	C2-N3-C4	6.94	115.37	111.90
11	B2	922	G	N1-C2-N3	-6.94	119.74	123.90
11	B2	96	G	N1-C6-O6	6.93	124.06	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1182	G	N1-C2-N3	6.93	128.06	123.90
32	BT	8	TYR	CB-CG-CD1	6.93	125.16	121.00
38	A1	633	A	C5-C6-N1	-6.93	114.23	117.70
38	A1	721	G	N3-C2-N2	6.93	124.75	119.90
38	A1	731	C	C5-C6-N1	-6.93	117.53	121.00
38	A1	800	G	C4-C5-C6	6.93	122.96	118.80
38	A1	2284	C	P-O5'-C5'	6.93	132.00	120.90
38	A1	2748	C	N3-C4-C5	-6.93	119.13	121.90
45	AC	318	ARG	NE-CZ-NH2	-6.93	116.83	120.30
46	AD	27	ARG	NE-CZ-NH1	6.93	123.77	120.30
11	B2	238	G	C5-N7-C8	-6.93	100.83	104.30
11	B2	789	G	C5-N7-C8	-6.93	100.83	104.30
38	A1	556	G	OP1-P-OP2	-6.93	109.20	119.60
38	A1	1487	U	C5-C6-N1	-6.93	119.23	122.70
38	A1	2796	C	O4'-C1'-N1	6.93	113.75	108.20
38	A1	2948	A	N1-C6-N6	6.93	122.76	118.60
11	B2	1070	C	C4-C5-C6	6.93	120.86	117.40
38	A1	246	A	N1-C2-N3	6.93	132.77	129.30
38	A1	258	C	C2-N3-C4	6.93	123.37	119.90
38	A1	1738	A	C2-N3-C4	-6.93	107.13	110.60
11	B2	883	G	C4-C5-C6	6.93	122.96	118.80
38	A1	305	G	C4-C5-C6	6.93	122.96	118.80
38	A1	1975	C	C5-C6-N1	6.93	124.46	121.00
38	A1	2139	A	C5-C6-N1	-6.93	114.23	117.70
38	A1	2423	G	N1-C2-N3	-6.93	119.74	123.90
38	A1	2787	G	N3-C4-C5	-6.93	125.14	128.60
11	B2	1081	C	C1'-O4'-C4'	-6.93	104.36	109.90
11	B2	1102	A	C6-C5-N7	-6.93	127.45	132.30
38	A1	13	U	P-O3'-C3'	6.93	128.01	119.70
38	A1	601	A	N9-C4-C5	6.93	108.57	105.80
38	A1	1653	U	N3-C4-O4	6.93	124.25	119.40
38	A1	2152	G	C4-C5-C6	6.93	122.96	118.80
38	A1	621	G	P-O3'-C3'	6.93	128.01	119.70
38	A1	2353	C	N3-C4-N4	6.93	122.85	118.00
38	A1	2896	G	N1-C6-O6	6.93	124.06	119.90
11	B2	582	G	N1-C2-N3	-6.92	119.75	123.90
11	B2	614	G	N7-C8-N9	6.92	116.56	113.10
15	BC	111	ARG	NE-CZ-NH2	-6.92	116.84	120.30
38	A1	141	C	C2-N3-C4	-6.92	116.44	119.90
38	A1	1699	U	C6-N1-C2	-6.92	116.84	121.00
38	A1	1948	A	C5-C6-N1	-6.92	114.24	117.70
38	A1	2891	A	N1-C6-N6	6.92	122.75	118.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2892	A	C5-N7-C8	6.92	107.36	103.90
11	B2	485	A	O4'-C1'-N9	6.92	113.74	108.20
38	A1	725	G	C3'-C2'-C1'	-6.92	95.96	101.50
38	A1	1039	C	C6-N1-C2	-6.92	117.53	120.30
38	A1	1610	C	O4'-C1'-N1	6.92	113.74	108.20
11	B2	31	U	C5-C6-N1	6.92	126.16	122.70
11	B2	626	G	N3-C2-N2	6.92	124.75	119.90
11	B2	1260	G	N3-C4-C5	6.92	132.06	128.60
38	A1	629	G	C5-C6-O6	-6.92	124.45	128.60
38	A1	640	C	C5'-C4'-C3'	6.92	127.07	116.00
38	A1	931	C	P-O3'-C3'	6.92	128.01	119.70
38	A1	1403	C	N3-C4-C5	-6.92	119.13	121.90
38	A1	1975	C	C5-C4-N4	-6.92	115.36	120.20
11	B2	443	C	C5-C4-N4	-6.92	115.36	120.20
11	B2	1052	U	C5-C6-N1	6.92	126.16	122.70
25	BM	20	TYR	CZ-CE2-CD2	-6.92	113.57	119.80
38	A1	178	G	C6-C5-N7	-6.92	126.25	130.40
38	A1	916	A	N1-C6-N6	6.92	122.75	118.60
38	A1	1183	U	C1'-O4'-C4'	6.92	115.44	109.90
38	A1	2116	G	N3-C4-N9	-6.92	121.85	126.00
39	A3	55	G	C5-C6-N1	-6.92	108.04	111.50
11	B2	428	G	N7-C8-N9	-6.92	109.64	113.10
38	A1	274	C	C6-N1-C2	6.92	123.07	120.30
38	A1	1450	C	C2-N3-C4	-6.92	116.44	119.90
38	A1	1521	G	C5-N7-C8	6.92	107.76	104.30
38	A1	1575	G	N3-C4-N9	6.92	130.15	126.00
38	A1	2225	C	C4-C5-C6	6.92	120.86	117.40
6	AT	28	PHE	N-CA-CB	6.92	123.05	110.60
11	B2	711	U	C3'-C2'-C1'	6.92	107.03	101.50
25	BM	108	ALA	CB-CA-C	-6.92	99.73	110.10
38	A1	1186	G	C5-C6-O6	-6.92	124.45	128.60
38	A1	2277	G	C5-C6-N1	-6.92	108.04	111.50
38	A1	2427	C	C2-N3-C4	-6.92	116.44	119.90
38	A1	2516	G	O4'-C1'-N9	6.92	113.73	108.20
38	A1	2873	G	O4'-C1'-N9	6.92	113.73	108.20
38	A1	2895	G	N3-C4-N9	-6.92	121.85	126.00
39	A3	91	G	N3-C2-N2	6.92	124.74	119.90
8	AW	45	ARG	NE-CZ-NH2	-6.92	116.84	120.30
11	B2	1143	G	C2-N3-C4	-6.92	108.44	111.90
11	B2	1341	C	C2-N3-C4	6.92	123.36	119.90
38	A1	371	U	C3'-C2'-C1'	6.92	107.03	101.50
38	A1	472	A	C4-C5-C6	6.92	120.46	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	980	G	P-O5'-C5'	6.92	131.96	120.90
38	A1	1568	A	O4'-C1'-N9	6.92	113.73	108.20
38	A1	2633	A	C5-C6-N6	-6.92	118.17	123.70
38	A1	2688	C	C2-N3-C4	-6.92	116.44	119.90
39	A3	44	C	C4-C5-C6	6.92	120.86	117.40
63	AP	19	ARG	NE-CZ-NH1	6.92	123.76	120.30
11	B2	203	A	C5'-C4'-O4'	6.91	117.40	109.10
11	B2	317	A	C5-C6-N6	-6.91	118.17	123.70
11	B2	638	G	C4-C5-C6	6.91	122.95	118.80
14	BB	10	ASP	CB-CG-OD1	6.91	124.52	118.30
38	A1	436	C	P-O3'-C3'	-6.91	111.41	119.70
38	A1	478	C	C2-N1-C1'	-6.91	111.20	118.80
38	A1	938	U	N3-C4-O4	6.91	124.24	119.40
38	A1	1075	G	C4-C5-N7	6.91	113.56	110.80
38	A1	1383	G	N1-C2-N3	-6.91	119.75	123.90
38	A1	1464	A	N7-C8-N9	-6.91	110.34	113.80
38	A1	2042	A	C8-N9-C4	-6.91	103.03	105.80
38	A1	2084	A	N1-C6-N6	6.91	122.75	118.60
38	A1	2193	G	O4'-C1'-N9	6.91	113.73	108.20
38	A1	2235	G	N3-C4-C5	-6.91	125.14	128.60
38	A1	2674	C	C2-N3-C4	6.91	123.36	119.90
38	A1	2749	G	C6-C5-N7	-6.91	126.25	130.40
11	B2	560	A	C6-N1-C2	6.91	122.75	118.60
38	A1	324	C	C4'-C3'-C2'	-6.91	95.69	102.60
38	A1	510	A	C4-C5-C6	6.91	120.46	117.00
38	A1	1567	C	C4-C5-C6	6.91	120.86	117.40
38	A1	2197	U	N3-C4-O4	6.91	124.24	119.40
38	A1	2472	A	C5-C6-N6	-6.91	118.17	123.70
11	B2	1006	C	C1'-O4'-C4'	-6.91	104.37	109.90
38	A1	17	C	C5-C4-N4	-6.91	115.36	120.20
38	A1	348	G	N7-C8-N9	6.91	116.56	113.10
38	A1	435	G	N7-C8-N9	-6.91	109.64	113.10
38	A1	837	G	C4-C5-C6	6.91	122.95	118.80
38	A1	917	A	N9-C4-C5	-6.91	103.04	105.80
38	A1	2467	C	N3-C2-O2	6.91	126.74	121.90
38	A1	2943	G	N3-C2-N2	6.91	124.74	119.90
39	A3	123	U	N3-C4-C5	-6.91	110.45	114.60
11	B2	546	G	N1-C2-N3	-6.91	119.75	123.90
11	B2	567	A	N1-C2-N3	6.91	132.75	129.30
11	B2	873	A	C5-C6-N1	-6.91	114.25	117.70
11	B2	904	G	N1-C2-N3	-6.91	119.75	123.90
11	B2	1089	C	C5-C6-N1	6.91	124.45	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	19	G	N7-C8-N9	6.91	116.55	113.10
38	A1	252	A	C5-C6-N6	-6.91	118.17	123.70
38	A1	518	A	C6-C5-N7	-6.91	127.46	132.30
38	A1	1515	G	N3-C2-N2	6.91	124.74	119.90
38	A1	2269	C	C5-C4-N4	-6.91	115.36	120.20
38	A1	2418	G	N3-C4-C5	6.91	132.05	128.60
45	AC	292	ASN	N-CA-CB	6.91	123.04	110.60
38	A1	744	G	O4'-C1'-N9	6.91	113.72	108.20
38	A1	868	U	N3-C4-O4	6.91	124.23	119.40
38	A1	2617	G	C6-N1-C2	6.91	129.24	125.10
39	A3	67	U	O4'-C1'-N1	6.91	113.72	108.20
11	B2	53	G	O4'-C1'-N9	6.91	113.72	108.20
11	B2	377	A	C6-N1-C2	-6.91	114.46	118.60
20	BH	91	ARG	NE-CZ-NH2	6.91	123.75	120.30
24	BL	13	VAL	CA-CB-CG2	-6.91	100.54	110.90
38	A1	2124	C	C2-N1-C1'	6.91	126.40	118.80
39	A3	94	G	N1-C6-O6	6.91	124.04	119.90
11	B2	661	C	C6-N1-C2	-6.90	117.54	120.30
38	A1	257	G	C5-C6-O6	-6.90	124.46	128.60
38	A1	946	U	C5-C6-N1	6.90	126.15	122.70
38	A1	963	G	O4'-C1'-N9	6.90	113.72	108.20
11	B2	756	A	C8-N9-C4	-6.90	103.04	105.80
38	A1	235	G	N3-C2-N2	6.90	124.73	119.90
38	A1	1171	G	P-O5'-C5'	6.90	131.94	120.90
38	A1	2178	A	C4-N9-C1'	6.90	138.73	126.30
38	A1	2383	A	C5-N7-C8	6.90	107.35	103.90
42	Aa	27	ARG	NE-CZ-NH1	6.90	123.75	120.30
42	Aa	51	ASP	CB-CG-OD1	-6.90	112.09	118.30
46	AD	135	ASP	CB-CG-OD1	-6.90	112.09	118.30
11	B2	1181	G	C6-C5-N7	-6.90	126.26	130.40
38	A1	344	G	C4-C5-N7	6.90	113.56	110.80
38	A1	599	G	N1-C6-O6	6.90	124.04	119.90
38	A1	1471	G	O4'-C1'-N9	6.90	113.72	108.20
38	A1	1536	U	C6-N1-C2	-6.90	116.86	121.00
38	A1	1612	G	N3-C2-N2	6.90	124.73	119.90
38	A1	1858	G	N7-C8-N9	-6.90	109.65	113.10
38	A1	2072	G	C4-C5-C6	6.90	122.94	118.80
38	A1	2474	A	C6-C5-N7	-6.90	127.47	132.30
38	A1	2541	U	N3-C4-C5	-6.90	110.46	114.60
38	A1	2992	G	C6-C5-N7	-6.90	126.26	130.40
38	A1	3038	A	C4-C5-C6	6.90	120.45	117.00
66	AY	84	TYR	CB-CG-CD1	6.90	125.14	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	71	C	P-O5'-C5'	6.90	131.94	120.90
11	B2	1278	A	C4-C5-N7	-6.90	107.25	110.70
14	BB	62	PHE	CB-CG-CD1	-6.90	115.97	120.80
38	A1	201	C	C5-C6-N1	6.90	124.45	121.00
38	A1	374	C	O4'-C1'-N1	6.90	113.72	108.20
38	A1	1552	C	O4'-C4'-C3'	-6.90	97.10	104.00
45	AC	198	TYR	CB-CG-CD2	6.90	125.14	121.00
11	B2	253	G	C3'-C2'-C1'	6.90	107.02	101.50
11	B2	970	G	C4-C5-C6	6.90	122.94	118.80
11	B2	1128	U	O4'-C1'-N1	6.90	113.72	108.20
38	A1	1117	C	C5-C6-N1	6.90	124.45	121.00
38	A1	1247	U	C1'-O4'-C4'	-6.90	104.38	109.90
38	A1	2053	G	N7-C8-N9	6.90	116.55	113.10
38	A1	2492	G	C6-N1-C2	6.90	129.24	125.10
11	B2	101	G	O4'-C1'-N9	6.90	113.72	108.20
11	B2	721	A	C5-N7-C8	6.90	107.35	103.90
38	A1	1158	G	C6-C5-N7	-6.90	126.26	130.40
38	A1	1578	C	N1-C2-O2	6.90	123.04	118.90
38	A1	1996	C	O4'-C1'-N1	6.90	113.72	108.20
38	A1	2674	C	O4'-C1'-N1	6.90	113.72	108.20
38	A1	2758	G	N1-C6-O6	6.90	124.04	119.90
38	A1	2835	A	C5-C6-N6	-6.90	118.18	123.70
11	B2	51	A	N9-C4-C5	6.89	108.56	105.80
11	B2	324	C	C1'-O4'-C4'	-6.89	104.39	109.90
11	B2	377	A	N9-C4-C5	6.89	108.56	105.80
11	B2	1475	C	C5-C6-N1	6.89	124.45	121.00
38	A1	168	G	C4-C5-C6	-6.89	114.66	118.80
38	A1	978	C	N1-C2-O2	6.89	123.04	118.90
38	A1	1481	G	N1-C6-O6	6.89	124.04	119.90
38	A1	1836	A	C5'-C4'-O4'	6.89	117.37	109.10
38	A1	2960	G	C6-N1-C2	6.89	129.24	125.10
48	AE	184	VAL	CA-CB-CG1	-6.89	100.56	110.90
66	AY	123	ARG	NE-CZ-NH2	-6.89	116.85	120.30
11	B2	735	A	C8-N9-C4	-6.89	103.04	105.80
38	A1	2836	G	C8-N9-C4	-6.89	103.64	106.40
11	B2	28	U	P-O3'-C3'	-6.89	111.43	119.70
11	B2	238	G	C4-C5-N7	6.89	113.56	110.80
11	B2	463	G	C6-N1-C2	6.89	129.23	125.10
11	B2	948	G	O4'-C1'-N9	6.89	113.71	108.20
11	B2	966	G	C4-C5-C6	6.89	122.94	118.80
38	A1	2113	G	O4'-C1'-N9	6.89	113.71	108.20
38	A1	2439	G	C4-C5-N7	6.89	113.56	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	549	A	C4-C5-C6	6.89	120.44	117.00
11	B2	636	G	C5-N7-C8	6.89	107.74	104.30
11	B2	1405	C	P-O3'-C3'	-6.89	111.43	119.70
38	A1	421	C	C5-C6-N1	6.89	124.44	121.00
38	A1	535	G	C4-C5-N7	-6.89	108.04	110.80
38	A1	784	C	N1-C2-N3	-6.89	114.38	119.20
38	A1	840	G	N3-C2-N2	6.89	124.72	119.90
38	A1	899	A	C2'-C3'-O3'	6.89	124.72	113.70
38	A1	1324	G	C5-C6-O6	-6.89	124.47	128.60
38	A1	1911	G	N9-C1'-C2'	-6.89	104.42	112.00
38	A1	2330	A	O4'-C1'-N9	6.89	113.71	108.20
11	B2	947	G	C5-C6-N1	-6.89	108.06	111.50
38	A1	401	C	N3-C4-C5	-6.89	119.14	121.90
38	A1	709	A	C6-N1-C2	6.89	122.73	118.60
38	A1	1387	G	N3-C4-C5	6.89	132.04	128.60
38	A1	3030	A	C2-N3-C4	-6.89	107.16	110.60
11	B2	548	A	C5-C6-N1	-6.89	114.26	117.70
11	B2	699	C	O4'-C1'-N1	6.89	113.71	108.20
11	B2	1100	G	C6-C5-N7	-6.89	126.27	130.40
11	B2	1187	A	C5-N7-C8	6.89	107.34	103.90
11	B2	1333	G	C2-N3-C4	6.89	115.34	111.90
38	A1	344	G	C4-C5-C6	6.89	122.93	118.80
38	A1	650	C	C4-C5-C6	6.89	120.84	117.40
38	A1	2032	G	C4-C5-C6	6.89	122.93	118.80
38	A1	2363	G	C1'-O4'-C4'	-6.89	104.39	109.90
38	A1	2511	C	C5-C4-N4	-6.89	115.38	120.20
38	A1	2856	G	C5-N7-C8	-6.89	100.86	104.30
56	AJ	10	ARG	NE-CZ-NH1	6.89	123.74	120.30
56	AJ	28	THR	CA-CB-CG2	-6.89	102.76	112.40
11	B2	719	G	N7-C8-N9	6.88	116.54	113.10
11	B2	734	G	N1-C2-N3	-6.88	119.77	123.90
11	B2	1156	A	C6-N1-C2	-6.88	114.47	118.60
38	A1	34	C	N3-C4-N4	6.88	122.82	118.00
38	A1	324	C	O3'-P-O5'	6.88	117.08	104.00
38	A1	372	A	C5-N7-C8	6.88	107.34	103.90
38	A1	1094	U	C6-N1-C2	-6.88	116.87	121.00
38	A1	2030	G	N3-C2-N2	6.88	124.72	119.90
38	A1	2142	U	N3-C4-O4	6.88	124.22	119.40
38	A1	2273	U	C3'-C2'-C1'	6.88	107.01	101.50
38	A1	2336	G	N9-C4-C5	6.88	108.15	105.40
38	A1	2621	U	O4'-C1'-N1	6.88	113.71	108.20
38	A1	84	A	P-O5'-C5'	-6.88	109.89	120.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1232	G	C4-C5-C6	6.88	122.93	118.80
38	A1	1293	G	C4-C5-C6	6.88	122.93	118.80
11	B2	454	G	C5-C6-N1	-6.88	108.06	111.50
11	B2	498	C	N3-C4-C5	-6.88	119.15	121.90
11	B2	1149	C	N3-C4-N4	6.88	122.82	118.00
11	B2	1201	G	N1-C6-O6	6.88	124.03	119.90
38	A1	333	A	C6-C5-N7	-6.88	127.48	132.30
38	A1	1408	G	C4-C5-C6	6.88	122.93	118.80
38	A1	1731	U	C1'-O4'-C4'	6.88	115.41	109.90
38	A1	2168	C	N3-C4-N4	6.88	122.82	118.00
46	AD	85	PHE	N-CA-CB	6.88	122.99	110.60
9	AX	304	TYR	CB-CG-CD1	-6.88	116.87	121.00
11	B2	534	G	O4'-C1'-N9	6.88	113.70	108.20
11	B2	1305	U	N3-C2-O2	-6.88	117.38	122.20
11	B2	1398	U	N1-C2-N3	-6.88	110.77	114.90
38	A1	2414	G	N1-C2-N3	-6.88	119.77	123.90
9	AX	164	TYR	CB-CG-CD2	-6.88	116.87	121.00
11	B2	68	G	N1-C6-O6	6.88	124.03	119.90
11	B2	380	C	C6-N1-C2	-6.88	117.55	120.30
11	B2	542	G	N3-C2-N2	6.88	124.72	119.90
11	B2	1279	A	O4'-C1'-N9	6.88	113.70	108.20
38	A1	53	A	C5-N7-C8	6.88	107.34	103.90
38	A1	115	C	N3-C2-O2	-6.88	117.08	121.90
38	A1	966	G	C4-C5-C6	6.88	122.93	118.80
38	A1	997	A	O4'-C1'-N9	6.88	113.70	108.20
38	A1	1097	G	N1-C6-O6	6.88	124.03	119.90
38	A1	1747	C	N3-C4-N4	6.88	122.81	118.00
38	A1	1880	A	C3'-C2'-C1'	-6.88	96.00	101.50
38	A1	2161	A	C4-C5-C6	6.88	120.44	117.00
38	A1	2702	A	C5-C6-N6	-6.88	118.20	123.70
38	A1	2795	G	C2-N3-C4	-6.88	108.46	111.90
38	A1	2990	G	C5-C6-O6	-6.88	124.47	128.60
11	B2	195	C	C5-C4-N4	-6.88	115.39	120.20
11	B2	212	G	C6-C5-N7	-6.88	126.27	130.40
11	B2	869	U	N3-C4-O4	6.88	124.21	119.40
17	BE	171	ARG	NE-CZ-NH1	-6.88	116.86	120.30
18	BF	80	ARG	NE-CZ-NH2	-6.88	116.86	120.30
38	A1	45	G	O4'-C1'-N9	6.88	113.70	108.20
38	A1	130	G	N3-C4-N9	6.88	130.13	126.00
38	A1	252	A	C8-N9-C1'	6.88	140.08	127.70
38	A1	538	G	N1-C6-O6	6.88	124.03	119.90
38	A1	1469	U	C2-N3-C4	-6.88	122.87	127.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1615	G	P-O3'-C3'	6.88	127.95	119.70
38	A1	1717	C	N3-C4-N4	6.88	122.81	118.00
38	A1	2230	G	C6-C5-N7	-6.88	126.27	130.40
11	B2	724	C	N3-C4-C5	-6.88	119.15	121.90
14	BB	73	ARG	NE-CZ-NH1	6.88	123.74	120.30
38	A1	1049	U	O4'-C1'-N1	6.88	113.70	108.20
38	A1	1129	G	C6-C5-N7	-6.88	126.28	130.40
38	A1	1546	G	C4-C5-N7	-6.88	108.05	110.80
38	A1	2097	G	O4'-C1'-N9	6.88	113.70	108.20
38	A1	2194	A	C5-C6-N6	-6.88	118.20	123.70
38	A1	2481	G	C6-N1-C2	6.88	129.22	125.10
10	B1	15	G	N1-C6-O6	6.87	124.02	119.90
11	B2	492	G	C8-N9-C4	-6.87	103.65	106.40
11	B2	723	G	N3-C4-C5	6.87	132.04	128.60
11	B2	1126	G	O4'-C1'-N9	6.87	113.70	108.20
11	B2	1135	G	N1-C6-O6	6.87	124.02	119.90
16	BD	110	TYR	CB-CG-CD2	-6.87	116.88	121.00
38	A1	609	G	N3-C4-C5	-6.87	125.16	128.60
38	A1	866	G	O4'-C1'-C2'	6.87	113.79	107.60
38	A1	2144	U	C5-C4-O4	-6.87	121.78	125.90
38	A1	3045	G	N9-C1'-C2'	-6.87	104.44	112.00
48	AE	1	MET	CG-SD-CE	6.87	111.20	100.20
11	B2	7	G	C5-N7-C8	6.87	107.74	104.30
11	B2	77	G	C5-N7-C8	6.87	107.73	104.30
11	B2	593	G	N3-C2-N2	6.87	124.71	119.90
25	BM	32	ASP	CB-CG-OD1	6.87	124.48	118.30
38	A1	391	C	C5-C6-N1	6.87	124.44	121.00
38	A1	875	G	C6-C5-N7	6.87	134.52	130.40
42	Aa	36	ARG	NE-CZ-NH1	6.87	123.74	120.30
38	A1	510	A	C6-N1-C2	6.87	122.72	118.60
38	A1	1027	A	N3-C4-C5	-6.87	121.99	126.80
38	A1	1087	G	N1-C6-O6	6.87	124.02	119.90
38	A1	1695	G	C2-N3-C4	-6.87	108.47	111.90
38	A1	2177	A	C4-C5-C6	6.87	120.44	117.00
46	AD	137	VAL	CA-CB-CG2	-6.87	100.59	110.90
50	AF	76	ARG	NE-CZ-NH1	-6.87	116.86	120.30
11	B2	37	G	N7-C8-N9	-6.87	109.67	113.10
11	B2	961	U	C4-C5-C6	-6.87	115.58	119.70
11	B2	1338	C	O4'-C1'-N1	6.87	113.69	108.20
38	A1	210	A	C5-C6-N1	-6.87	114.27	117.70
38	A1	314	A	C5-C6-N6	-6.87	118.20	123.70
38	A1	743	A	C5-C6-N6	-6.87	118.20	123.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1482	G	C5-C6-N1	-6.87	108.07	111.50
38	A1	1838	C	C4-C5-C6	6.87	120.83	117.40
38	A1	1897	G	C6-N1-C2	6.87	129.22	125.10
9	AX	225	TYR	CB-CG-CD1	6.87	125.12	121.00
11	B2	286	G	C2-N3-C4	6.87	115.33	111.90
38	A1	609	G	N9-C4-C5	6.87	108.15	105.40
38	A1	708	A	N1-C2-N3	6.87	132.73	129.30
38	A1	1245	C	C5-C6-N1	6.87	124.43	121.00
38	A1	1859	A	C5-N7-C8	6.87	107.33	103.90
38	A1	2320	U	C5'-C4'-C3'	-6.87	105.01	116.00
38	A1	2397	C	N1-C2-O2	-6.87	114.78	118.90
11	B2	222	G	C8-N9-C4	-6.87	103.65	106.40
11	B2	1018	C	C4-C5-C6	6.87	120.83	117.40
38	A1	332	A	C1'-O4'-C4'	-6.87	104.41	109.90
38	A1	1503	C	N3-C4-N4	6.87	122.81	118.00
38	A1	1508	A	C4-C5-C6	6.87	120.43	117.00
38	A1	2420	C	C5-C6-N1	6.87	124.43	121.00
67	AZ	84	ALA	N-CA-CB	6.87	119.71	110.10
11	B2	151	G	C4-C5-N7	-6.86	108.06	110.80
11	B2	797	U	C2-N1-C1'	6.86	125.94	117.70
11	B2	956	C	N3-C4-N4	6.86	122.81	118.00
38	A1	1411	G	N1-C2-N3	-6.86	119.78	123.90
38	A1	1555	G	C6-C5-N7	-6.86	126.28	130.40
38	A1	1578	C	N3-C4-N4	6.86	122.80	118.00
38	A1	1658	A	C8-N9-C4	-6.86	103.05	105.80
38	A1	1771	C	N1-C2-N3	-6.86	114.39	119.20
38	A1	2595	C	C2-N3-C4	6.86	123.33	119.90
11	B2	293	G	O4'-C1'-N9	6.86	113.69	108.20
38	A1	198	C	C4'-C3'-C2'	6.86	109.46	102.60
38	A1	336	C	N3-C4-N4	6.86	122.80	118.00
11	B2	112	G	C6-C5-N7	-6.86	126.28	130.40
11	B2	1259	A	C4-N9-C1'	6.86	138.65	126.30
38	A1	41	G	C4-C5-N7	-6.86	108.06	110.80
38	A1	2148	U	C5-C4-O4	-6.86	121.78	125.90
11	B2	194	C	C5-C4-N4	-6.86	115.40	120.20
38	A1	2554	A	C4-C5-C6	6.86	120.43	117.00
11	B2	1096	G	C5-C6-O6	-6.86	124.48	128.60
29	BQ	16	ARG	NH1-CZ-NH2	6.86	126.94	119.40
38	A1	597	C	C2-N3-C4	-6.86	116.47	119.90
38	A1	2379	G	C5-C6-O6	-6.86	124.49	128.60
38	A1	2812	U	C4-C5-C6	6.86	123.81	119.70
38	A1	2893	U	C4-C5-C6	6.86	123.81	119.70

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2981	G	N1-C2-N2	6.86	122.37	116.20
11	B2	218	C	N3-C4-C5	-6.86	119.16	121.90
11	B2	389	G	C4-C5-N7	6.86	113.54	110.80
11	B2	1234	A	C4-C5-N7	-6.86	107.27	110.70
11	B2	1362	C	N3-C4-C5	-6.86	119.16	121.90
11	B2	1435	G	N1-C6-O6	6.86	124.01	119.90
38	A1	402	G	N9-C1'-C2'	-6.86	104.46	112.00
38	A1	784	C	OP1-P-OP2	-6.86	109.32	119.60
38	A1	1158	G	C8-N9-C4	-6.86	103.66	106.40
38	A1	1550	C	N3-C2-O2	-6.86	117.10	121.90
38	A1	2313	G	N7-C8-N9	6.86	116.53	113.10
11	B2	1430	G	C2-N3-C4	-6.85	108.47	111.90
38	A1	2352	G	N9-C4-C5	-6.85	102.66	105.40
38	A1	2777	G	O4'-C1'-N9	6.85	113.68	108.20
11	B2	730	G	N1-C2-N3	-6.85	119.79	123.90
11	B2	753	G	C8-N9-C4	6.85	109.14	106.40
11	B2	1138	G	N9-C4-C5	6.85	108.14	105.40
38	A1	355	G	C8-N9-C4	6.85	109.14	106.40
38	A1	394	A	O4'-C1'-N9	6.85	113.68	108.20
38	A1	694	A	N1-C2-N3	6.85	132.73	129.30
38	A1	789	G	N1-C2-N3	-6.85	119.79	123.90
38	A1	943	G	C5-C6-N1	-6.85	108.07	111.50
38	A1	2045	C	C5-C6-N1	-6.85	117.57	121.00
38	A1	2545	A	C4-C5-C6	6.85	120.43	117.00
38	A1	42	G	N3-C4-C5	-6.85	125.17	128.60
38	A1	2249	A	C4-C5-C6	6.85	120.42	117.00
11	B2	447	A	C2-N3-C4	6.85	114.03	110.60
11	B2	470	G	N1-C2-N3	-6.85	119.79	123.90
11	B2	681	G	N1-C2-N3	-6.85	119.79	123.90
11	B2	698	A	O4'-C1'-N9	6.85	113.68	108.20
11	B2	1221	A	C5-N7-C8	-6.85	100.47	103.90
38	A1	954	A	C5-N7-C8	6.85	107.33	103.90
38	A1	971	G	C5-N7-C8	-6.85	100.88	104.30
38	A1	1465	A	C4-C5-C6	6.85	120.42	117.00
38	A1	1467	G	C5-N7-C8	6.85	107.72	104.30
6	AT	76	ALA	N-CA-CB	6.85	119.69	110.10
11	B2	465	C	N3-C4-N4	6.85	122.79	118.00
11	B2	873	A	C6-C5-N7	-6.85	127.51	132.30
11	B2	1140	A	C4-C5-C6	6.85	120.42	117.00
11	B2	1355	C	C4-C5-C6	6.85	120.82	117.40
38	A1	132	G	O4'-C4'-C3'	-6.85	97.15	104.00
38	A1	294	U	N3-C4-O4	-6.85	114.61	119.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1088	G	N7-C8-N9	6.85	116.52	113.10
38	A1	1224	A	C4-C5-N7	-6.85	107.28	110.70
38	A1	1565	G	C6-C5-N7	-6.85	126.29	130.40
38	A1	1787	U	O4'-C1'-N1	6.85	113.68	108.20
38	A1	2373	G	C5-C6-N1	-6.85	108.08	111.50
38	A1	2591	A	O4'-C1'-N9	6.85	113.68	108.20
38	A1	2878	A	C5-C6-N1	-6.85	114.28	117.70
38	A1	2999	G	P-O3'-C3'	6.85	127.92	119.70
11	B2	860	G	C8-N9-C4	-6.85	103.66	106.40
38	A1	545	G	O4'-C1'-N9	6.85	113.68	108.20
38	A1	562	G	P-O3'-C3'	-6.85	111.48	119.70
38	A1	1830	U	C3'-C2'-C1'	-6.85	96.02	101.50
11	B2	292	U	C5-C6-N1	6.84	126.12	122.70
11	B2	821	G	C2-N3-C4	-6.84	108.48	111.90
11	B2	993	C	N3-C4-N4	6.84	122.79	118.00
24	BL	61	PHE	CB-CG-CD1	6.84	125.59	120.80
38	A1	532	G	N9-C4-C5	6.84	108.14	105.40
38	A1	557	G	N1-C6-O6	6.84	124.01	119.90
38	A1	1664	G	C4-C5-C6	6.84	122.91	118.80
38	A1	1712	U	N1-C2-O2	-6.84	118.01	122.80
38	A1	1799	G	C5-C6-O6	-6.84	124.49	128.60
11	B2	669	A	O4'-C1'-N9	6.84	113.67	108.20
11	B2	836	G	C4-C5-C6	6.84	122.91	118.80
11	B2	948	G	N3-C2-N2	6.84	124.69	119.90
38	A1	51	G	N3-C2-N2	6.84	124.69	119.90
38	A1	120	G	C5-N7-C8	-6.84	100.88	104.30
38	A1	1036	C	C2-N3-C4	6.84	123.32	119.90
38	A1	1251	G	N1-C2-N2	-6.84	110.04	116.20
10	B1	76	C	N3-C2-O2	6.84	126.69	121.90
11	B2	148	C	N1-C1'-C2'	-6.84	104.47	112.00
11	B2	235	G	C2-N3-C4	6.84	115.32	111.90
11	B2	1178	C	N3-C4-C5	-6.84	119.16	121.90
11	B2	1203	G	C2-N3-C4	6.84	115.32	111.90
38	A1	216	A	N1-C2-N3	6.84	132.72	129.30
38	A1	289	G	C5-N7-C8	6.84	107.72	104.30
38	A1	767	G	C5-C6-O6	-6.84	124.50	128.60
38	A1	1409	U	P-O3'-C3'	-6.84	111.49	119.70
38	A1	1655	G	C5-C6-N1	-6.84	108.08	111.50
38	A1	1868	C	C6-N1-C2	-6.84	117.56	120.30
38	A1	2164	G	C2-N3-C4	-6.84	108.48	111.90
38	A1	2206	G	C8-N9-C4	6.84	109.14	106.40
38	A1	2310	G	C6-N1-C2	-6.84	121.00	125.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	A3	9	A	C4-C5-C6	6.84	120.42	117.00
11	B2	149	U	N1-C2-O2	-6.84	118.01	122.80
11	B2	1375	C	C5-C6-N1	6.84	124.42	121.00
11	B2	1424	G	C6-N1-C2	6.84	129.20	125.10
11	B2	1493	C	P-O3'-C3'	-6.84	111.49	119.70
38	A1	226	C	C5-C4-N4	-6.84	115.41	120.20
38	A1	690	G	N1-C2-N3	-6.84	119.80	123.90
38	A1	944	G	N3-C4-N9	6.84	130.10	126.00
38	A1	975	C	C5-C4-N4	-6.84	115.41	120.20
38	A1	1340	G	N1-C6-O6	6.84	124.00	119.90
38	A1	2781	A	C6-C5-N7	-6.84	127.51	132.30
38	A1	2871	A	C4-C5-N7	-6.84	107.28	110.70
38	A1	2972	G	O4'-C1'-N9	6.84	113.67	108.20
12	AG	42	ALA	N-CA-CB	6.84	119.67	110.10
11	B2	427	G	N3-C4-C5	-6.84	125.18	128.60
11	B2	1465	C	O4'-C1'-N1	6.84	113.67	108.20
38	A1	215	A	C5-C6-N1	-6.84	114.28	117.70
38	A1	558	C	O4'-C1'-N1	6.84	113.67	108.20
38	A1	1197	G	C5-C6-N1	-6.84	108.08	111.50
38	A1	1865	U	N1-C2-N3	-6.84	110.80	114.90
39	A3	19	G	N3-C2-N2	6.84	124.69	119.90
10	B1	44	G	C2-N3-C4	6.84	115.32	111.90
10	B1	58	A	N3-C4-C5	-6.84	122.02	126.80
11	B2	151	G	N3-C2-N2	6.84	124.69	119.90
11	B2	586	C	C5-C6-N1	6.84	124.42	121.00
11	B2	593	G	C4-C5-C6	6.84	122.90	118.80
11	B2	681	G	N3-C2-N2	6.84	124.69	119.90
11	B2	736	A	C4-C5-C6	6.84	120.42	117.00
11	B2	1064	C	P-O3'-C3'	6.84	127.90	119.70
11	B2	1271	G	C5-C6-O6	-6.84	124.50	128.60
38	A1	893	C	C4-C5-C6	6.84	120.82	117.40
63	AP	39	ARG	NE-CZ-NH1	6.84	123.72	120.30
11	B2	862	C	O4'-C1'-N1	6.83	113.67	108.20
38	A1	965	A	P-O3'-C3'	6.83	127.90	119.70
38	A1	1930	A	C5-C6-N6	-6.83	118.23	123.70
38	A1	1949	A	C4-C5-N7	-6.83	107.28	110.70
38	A1	2276	G	C4-C5-C6	6.83	122.90	118.80
38	A1	2801	G	N1-C6-O6	6.83	124.00	119.90
5	AS	26	ARG	NE-CZ-NH1	-6.83	116.88	120.30
11	B2	918	A	P-O3'-C3'	6.83	127.90	119.70
11	B2	1233	G	N1-C6-O6	6.83	124.00	119.90
11	B2	1356	A	O4'-C1'-N9	6.83	113.67	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	BT	33	ARG	NE-CZ-NH2	-6.83	116.88	120.30
38	A1	19	G	C6-N1-C2	-6.83	121.00	125.10
38	A1	574	C	P-O5'-C5'	6.83	131.83	120.90
38	A1	936	G	N3-C4-C5	6.83	132.02	128.60
38	A1	1047	A	C4-C5-C6	6.83	120.42	117.00
38	A1	1697	G	N3-C2-N2	6.83	124.68	119.90
38	A1	2501	G	C2-N3-C4	-6.83	108.48	111.90
39	A3	70	C	N1-C2-N3	-6.83	114.42	119.20
10	B1	20	G	N3-C2-N2	6.83	124.68	119.90
38	A1	609	G	P-O5'-C5'	-6.83	109.97	120.90
38	A1	635	G	C5'-C4'-C3'	-6.83	105.07	116.00
38	A1	713	C	N3-C4-C5	-6.83	119.17	121.90
38	A1	1082	A	N7-C8-N9	6.83	117.22	113.80
38	A1	1960	U	N1-C2-O2	6.83	127.58	122.80
38	A1	2063	U	O4'-C1'-C2'	6.83	113.75	107.60
38	A1	2655	C	O4'-C1'-N1	6.83	113.67	108.20
38	A1	1394	G	C6-C5-N7	-6.83	126.30	130.40
38	A1	2051	A	N1-C6-N6	6.83	122.70	118.60
38	A1	2319	C	C3'-C2'-C1'	6.83	106.96	101.50
61	AN	136	ARG	NE-CZ-NH2	-6.83	116.89	120.30
10	B1	25	G	C5-N7-C8	6.83	107.71	104.30
11	B2	393	A	C5'-C4'-O4'	6.83	117.29	109.10
11	B2	549	A	C5-C6-N1	-6.83	114.29	117.70
19	BG	9	SER	N-CA-CB	6.83	120.74	110.50
38	A1	21	C	C6-N1-C2	-6.83	117.57	120.30
38	A1	360	G	P-O5'-C5'	-6.83	109.97	120.90
38	A1	864	C	C5-C4-N4	-6.83	115.42	120.20
38	A1	2330	A	C5-N7-C8	6.83	107.31	103.90
38	A1	2424	A	C1'-O4'-C4'	-6.83	104.44	109.90
38	A1	2506	G	C5-C6-N1	-6.83	108.09	111.50
38	A1	456	G	C4-C5-C6	6.83	122.90	118.80
38	A1	762	G	O4'-C1'-N9	6.83	113.66	108.20
10	B1	42	C	C2-N3-C4	6.83	123.31	119.90
11	B2	105	C	O4'-C1'-C2'	-6.83	98.97	105.80
11	B2	125	G	N9-C4-C5	-6.83	102.67	105.40
11	B2	408	C	C5-C4-N4	6.83	124.98	120.20
11	B2	610	G	N3-C4-N9	-6.83	121.90	126.00
11	B2	1104	G	O4'-C1'-N9	6.83	113.66	108.20
38	A1	1804	G	C5-C6-O6	-6.83	124.50	128.60
38	A1	1810	G	N1-C2-N3	-6.83	119.81	123.90
38	A1	1861	G	C5-C6-N1	-6.83	108.09	111.50
38	A1	2052	A	O4'-C1'-N9	6.83	113.66	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2338	A	C4-C5-N7	-6.83	107.29	110.70
43	AB	180	TYR	CB-CG-CD2	6.83	125.10	121.00
11	B2	59	C	C6-N1-C2	-6.82	117.57	120.30
11	B2	381	C	C5-C4-N4	-6.82	115.42	120.20
11	B2	1437	G	C4'-C3'-C2'	-6.82	95.78	102.60
23	BK	130	ARG	NE-CZ-NH2	6.82	123.71	120.30
38	A1	1637	C	C6-N1-C2	-6.82	117.57	120.30
38	A1	1762	G	C4-C5-C6	6.82	122.89	118.80
38	A1	2676	A	C5-N7-C8	-6.82	100.49	103.90
38	A1	63	A	C5-C6-N6	-6.82	118.24	123.70
38	A1	1379	A	C6-N1-C2	6.82	122.69	118.60
38	A1	1735	G	C4-C5-N7	6.82	113.53	110.80
7	AU	93	TYR	CG-CD1-CE1	-6.82	115.84	121.30
11	B2	115	A	P-O5'-C5'	-6.82	109.99	120.90
11	B2	646	U	N3-C4-C5	-6.82	110.51	114.60
11	B2	1045	A	C5-N7-C8	6.82	107.31	103.90
11	B2	1414	G	C5-C6-O6	-6.82	124.51	128.60
38	A1	749	G	C5-C6-N1	-6.82	108.09	111.50
38	A1	1784	G	C2-N3-C4	-6.82	108.49	111.90
38	A1	2499	U	C2-N1-C1'	-6.82	109.52	117.70
38	A1	2645	C	N3-C4-C5	-6.82	119.17	121.90
38	A1	2758	G	C5-C6-O6	-6.82	124.51	128.60
38	A1	2899	G	N1-C2-N3	-6.82	119.81	123.90
38	A1	2980	G	N1-C6-O6	6.82	123.99	119.90
11	B2	89	G	N3-C2-N2	6.82	124.67	119.90
11	B2	626	G	C1'-O4'-C4'	6.82	115.36	109.90
11	B2	688	C	C4-C5-C6	6.82	120.81	117.40
11	B2	1410	G	C4-C5-N7	-6.82	108.07	110.80
38	A1	2718	G	C2-N3-C4	6.82	115.31	111.90
10	B1	76	C	N1-C2-N3	-6.82	114.43	119.20
11	B2	13	C	N1-C2-N3	-6.82	114.43	119.20
38	A1	935	A	C5-N7-C8	6.82	107.31	103.90
38	A1	983	G	C5-C6-O6	-6.82	124.51	128.60
38	A1	2039	U	O4'-C1'-N1	6.82	113.65	108.20
38	A1	2044	C	C5-C4-N4	-6.82	115.43	120.20
11	B2	340	A	O4'-C1'-N9	6.82	113.65	108.20
11	B2	553	C	C2-N3-C4	6.82	123.31	119.90
11	B2	616	G	N7-C8-N9	6.82	116.51	113.10
11	B2	1158	G	C6-N1-C2	6.82	129.19	125.10
11	B2	1224	U	N3-C4-C5	-6.82	110.51	114.60
13	BA	88	ALA	N-CA-CB	6.82	119.64	110.10
38	A1	543	G	O4'-C1'-N9	6.82	113.65	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	887	U	O4'-C1'-N1	6.82	113.65	108.20
38	A1	1290	G	C5-C6-N1	-6.82	108.09	111.50
38	A1	1559	A	P-O3'-C3'	-6.82	111.52	119.70
38	A1	2002	A	C5-C6-N1	-6.82	114.29	117.70
38	A1	2009	G	N3-C4-N9	-6.82	121.91	126.00
38	A1	2286	U	N3-C4-C5	-6.82	110.51	114.60
38	A1	2482	G	C5-C6-N1	-6.82	108.09	111.50
16	BD	142	TYR	CG-CD2-CE2	-6.81	115.85	121.30
38	A1	1280	C	C2-N3-C4	6.81	123.31	119.90
38	A1	2162	G	N7-C8-N9	6.81	116.51	113.10
10	B1	38	G	C4-C5-C6	6.81	122.89	118.80
11	B2	594	A	C5-C6-N1	-6.81	114.29	117.70
11	B2	678	G	N3-C2-N2	6.81	124.67	119.90
11	B2	905	A	N9-C4-C5	6.81	108.53	105.80
11	B2	966	G	O4'-C1'-N9	6.81	113.65	108.20
11	B2	1137	G	P-O5'-C5'	6.81	131.80	120.90
11	B2	1225	C	C4-C5-C6	6.81	120.81	117.40
11	B2	1259	A	C5-C6-N6	-6.81	118.25	123.70
33	BU	76	TYR	CB-CG-CD2	-6.81	116.91	121.00
38	A1	1702	C	C5-C4-N4	-6.81	115.43	120.20
39	A3	14	G	C5-C6-O6	-6.81	124.51	128.60
11	B2	355	C	N3-C4-N4	6.81	122.77	118.00
38	A1	580	G	C6-N1-C2	6.81	129.19	125.10
38	A1	1497	C	C4-C5-C6	6.81	120.81	117.40
38	A1	2968	G	N7-C8-N9	6.81	116.50	113.10
58	Ak	192	LEU	CB-CG-CD1	6.81	122.58	111.00
11	B2	174	G	C6-C5-N7	-6.81	126.31	130.40
11	B2	257	U	N3-C2-O2	6.81	126.97	122.20
11	B2	431	U	O4'-C1'-N1	6.81	113.65	108.20
11	B2	1000	G	N1-C2-N3	-6.81	119.81	123.90
11	B2	1042	U	C2-N3-C4	-6.81	122.92	127.00
11	B2	1091	C	C4'-C3'-C2'	-6.81	95.79	102.60
38	A1	88	G	N1-C2-N3	-6.81	119.81	123.90
38	A1	323	U	N1-C2-O2	6.81	127.57	122.80
38	A1	663	A	C4-C5-C6	6.81	120.41	117.00
38	A1	1917	U	C5-C4-O4	-6.81	121.81	125.90
38	A1	2737	G	O4'-C1'-N9	6.81	113.65	108.20
6	AT	75	SER	CB-CA-C	-6.81	97.17	110.10
11	B2	93	A	C5-C6-N6	-6.81	118.25	123.70
20	BH	79	TYR	CB-CG-CD2	6.81	125.08	121.00
38	A1	789	G	OP1-P-OP2	-6.81	109.39	119.60
38	A1	1573	A	N7-C8-N9	-6.81	110.40	113.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
66	AY	56	TRP	CB-CG-CD1	6.81	135.85	127.00
11	B2	355	C	N1-C2-O2	-6.81	114.82	118.90
38	A1	653	U	P-O3'-C3'	6.81	127.87	119.70
38	A1	916	A	O4'-C1'-N9	6.81	113.64	108.20
38	A1	1594	G	N1-C2-N3	-6.81	119.82	123.90
38	A1	1607	C	C5-C4-N4	-6.81	115.44	120.20
38	A1	2071	C	N3-C2-O2	6.81	126.66	121.90
5	AS	19	ARG	NE-CZ-NH2	-6.80	116.90	120.30
11	B2	1195	U	C5-C6-N1	6.80	126.10	122.70
11	B2	1237	G	C4-C5-N7	6.80	113.52	110.80
34	BV	35	ASP	CB-CG-OD1	-6.80	112.18	118.30
37	BY	32	ALA	N-CA-CB	6.80	119.63	110.10
38	A1	81	G	N9-C4-C5	6.80	108.12	105.40
38	A1	1401	G	O4'-C1'-N9	6.80	113.64	108.20
38	A1	1759	A	N7-C8-N9	-6.80	110.40	113.80
38	A1	2656	A	C5-N7-C8	6.80	107.30	103.90
38	A1	2442	A	C4-C5-C6	6.80	120.40	117.00
38	A1	2672	A	C3'-C2'-C1'	6.80	106.94	101.50
11	B2	205	C	C4'-C3'-C2'	-6.80	95.80	102.60
11	B2	294	A	C2-N3-C4	6.80	114.00	110.60
11	B2	746	A	O4'-C1'-N9	6.80	113.64	108.20
11	B2	1043	U	N1-C2-O2	6.80	127.56	122.80
11	B2	1254	C	C5'-C4'-C3'	6.80	126.88	116.00
11	B2	1380	C	N3-C4-N4	6.80	122.76	118.00
38	A1	787	G	C5-C6-N1	-6.80	108.10	111.50
38	A1	1073	G	C5-C6-N1	-6.80	108.10	111.50
38	A1	2061	A	C6-N1-C2	6.80	122.68	118.60
38	A1	2954	C	C6-N1-C2	-6.80	117.58	120.30
39	A3	56	C	O4'-C1'-N1	6.80	113.64	108.20
62	AO	7	TYR	CB-CG-CD2	-6.80	116.92	121.00
11	B2	400	G	O3'-P-O5'	6.80	116.92	104.00
11	B2	1019	A	O4'-C1'-N9	6.80	113.64	108.20
38	A1	382	G	C4'-C3'-C2'	-6.80	95.80	102.60
38	A1	385	U	O4'-C1'-N1	6.80	113.64	108.20
38	A1	2012	G	C5-C6-N1	6.80	114.90	111.50
38	A1	2713	A	C5-C6-N6	-6.80	118.26	123.70
39	A3	92	G	C6-N1-C2	6.80	129.18	125.10
39	A3	98	G	C4-C5-C6	6.80	122.88	118.80
11	B2	458	G	O4'-C1'-N9	6.80	113.64	108.20
27	BO	9	ARG	NE-CZ-NH1	6.80	123.70	120.30
38	A1	1169	G	C5-C6-O6	-6.80	124.52	128.60
38	A1	1339	C	C1'-O4'-C4'	-6.80	104.46	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2416	G	C4'-C3'-C2'	-6.80	95.80	102.60
38	A1	2562	G	C2'-C3'-O3'	6.80	124.58	113.70
38	A1	2779	G	C8-N9-C1'	6.80	135.84	127.00
10	B1	46	U	O4'-C4'-C3'	-6.80	97.20	104.00
11	B2	6	G	O4'-C1'-N9	6.80	113.64	108.20
11	B2	409	C	P-O5'-C5'	6.80	131.77	120.90
38	A1	58	G	O4'-C1'-N9	6.80	113.64	108.20
38	A1	1936	C	C6-N1-C2	-6.80	117.58	120.30
38	A1	2791	C	C4-C5-C6	6.80	120.80	117.40
11	B2	1197	C	N1-C2-O2	6.79	122.98	118.90
38	A1	9	A	C3'-C2'-C1'	-6.79	96.06	101.50
38	A1	881	G	C8-N9-C4	-6.79	103.68	106.40
38	A1	1811	G	N1-C2-N2	6.79	122.32	116.20
38	A1	1967	G	C5-N7-C8	6.79	107.70	104.30
39	A3	28	C	N3-C4-C5	-6.79	119.18	121.90
45	AC	139	TYR	CB-CG-CD2	-6.79	116.92	121.00
38	A1	180	A	N1-C2-N3	6.79	132.70	129.30
38	A1	608	C	C5-C4-N4	-6.79	115.44	120.20
38	A1	623	G	N1-C2-N2	-6.79	110.09	116.20
38	A1	2560	G	C5-C6-O6	-6.79	124.52	128.60
43	AB	97	LEU	CB-CG-CD2	6.79	122.55	111.00
2	A8	27	ARG	NE-CZ-NH2	-6.79	116.91	120.30
11	B2	275	A	N1-C6-N6	6.79	122.67	118.60
11	B2	656	U	N1-C2-N3	-6.79	110.83	114.90
11	B2	853	G	N1-C6-O6	6.79	123.97	119.90
34	BV	16	ARG	NE-CZ-NH1	6.79	123.69	120.30
38	A1	318	G	C8-N9-C4	-6.79	103.68	106.40
38	A1	1124	G	C4-C5-N7	-6.79	108.08	110.80
38	A1	1561	G	C5-C6-O6	-6.79	124.53	128.60
38	A1	1884	C	N3-C4-C5	-6.79	119.18	121.90
38	A1	1887	A	C5-C6-N1	-6.79	114.30	117.70
11	B2	454	G	N7-C8-N9	-6.79	109.70	113.10
38	A1	795	G	O4'-C1'-N9	6.79	113.63	108.20
38	A1	1400	U	C4-C5-C6	-6.79	115.63	119.70
38	A1	2670	U	P-O5'-C5'	-6.79	110.04	120.90
63	AP	55	TYR	CB-CG-CD1	-6.79	116.93	121.00
10	B1	72	C	C6-N1-C2	-6.79	117.58	120.30
11	B2	2	U	O4'-C1'-N1	6.79	113.63	108.20
38	A1	90	A	N9-C4-C5	6.79	108.52	105.80
38	A1	1095	A	C5-N7-C8	6.79	107.29	103.90
38	A1	2015	G	C5'-C4'-O4'	6.79	117.25	109.10
38	A1	2037	A	C6-C5-N7	-6.79	127.55	132.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2849	C	C2-N3-C4	6.79	123.29	119.90
9	AX	329	MET	CG-SD-CE	6.79	111.06	100.20
11	B2	1090	C	C2-N3-C4	-6.79	116.51	119.90
38	A1	474	G	C5-N7-C8	-6.79	100.91	104.30
38	A1	1586	G	C4-C5-N7	6.79	113.52	110.80
11	B2	520	G	C5-C6-O6	-6.79	124.53	128.60
11	B2	520	G	N9-C4-C5	6.79	108.11	105.40
11	B2	1127	A	C4-C5-C6	6.79	120.39	117.00
11	B2	1180	G	N1-C2-N3	-6.79	119.83	123.90
17	BE	229	TYR	CB-CG-CD1	6.79	125.07	121.00
38	A1	391	C	C5-C4-N4	-6.79	115.45	120.20
38	A1	808	A	N1-C6-N6	6.79	122.67	118.60
38	A1	1489	G	C5-N7-C8	6.79	107.69	104.30
38	A1	1583	G	C4-N9-C1'	-6.79	117.68	126.50
38	A1	1678	A	C1'-O4'-C4'	-6.79	104.47	109.90
38	A1	2165	A	N7-C8-N9	-6.79	110.41	113.80
38	A1	2391	G	N7-C8-N9	-6.79	109.71	113.10
38	A1	2761	G	C8-N9-C4	-6.79	103.69	106.40
39	A3	121	A	C5-C6-N1	-6.79	114.31	117.70
8	AW	49	ARG	NE-CZ-NH2	-6.78	116.91	120.30
10	B1	74	A	N7-C8-N9	-6.78	110.41	113.80
11	B2	789	G	C4-C5-N7	6.78	113.51	110.80
38	A1	1734	G	C5-C6-O6	-6.78	124.53	128.60
38	A1	2420	C	C4'-C3'-C2'	6.78	109.38	102.60
38	A1	2438	U	C5-C4-O4	-6.78	121.83	125.90
38	A1	2479	C	N1-C2-N3	-6.78	114.45	119.20
38	A1	2492	G	O4'-C1'-N9	6.78	113.63	108.20
38	A1	2527	G	C6-C5-N7	-6.78	126.33	130.40
11	B2	109	U	C2-N3-C4	6.78	131.07	127.00
11	B2	337	C	C2-N3-C4	6.78	123.29	119.90
11	B2	509	C	N3-C4-C5	-6.78	119.19	121.90
38	A1	26	G	C6-C5-N7	-6.78	126.33	130.40
38	A1	1660	A	C6-N1-C2	-6.78	114.53	118.60
38	A1	2683	G	O5'-P-OP2	-6.78	99.60	105.70
10	B1	75	C	C6-N1-C1'	-6.78	112.66	120.80
11	B2	541	G	C6-C5-N7	-6.78	126.33	130.40
11	B2	727	G	O4'-C1'-N9	6.78	113.62	108.20
11	B2	751	C	N1-C2-O2	-6.78	114.83	118.90
11	B2	996	A	N7-C8-N9	6.78	117.19	113.80
14	BB	36	ARG	NE-CZ-NH2	-6.78	116.91	120.30
38	A1	746	C	C4-C5-C6	6.78	120.79	117.40
38	A1	780	G	N7-C8-N9	6.78	116.49	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1367	A	C5-C6-N1	-6.78	114.31	117.70
41	AA	17	ALA	N-CA-CB	6.78	119.59	110.10
11	B2	683	A	N9-C4-C5	-6.78	103.09	105.80
38	A1	560	G	C4-C5-N7	-6.78	108.09	110.80
38	A1	623	G	N3-C2-N2	6.78	124.64	119.90
38	A1	2089	C	O4'-C1'-N1	6.78	113.62	108.20
38	A1	2392	A	C4-C5-N7	6.78	114.09	110.70
38	A1	2616	C	N3-C4-C5	-6.78	119.19	121.90
11	B2	413	G	C4-C5-N7	-6.78	108.09	110.80
25	BM	133	ARG	NE-CZ-NH1	6.78	123.69	120.30
38	A1	204	G	O4'-C1'-N9	6.78	113.62	108.20
38	A1	255	G	C4-C5-C6	6.78	122.87	118.80
38	A1	935	A	C2-N3-C4	-6.78	107.21	110.60
38	A1	1744	A	C5-C6-N1	-6.78	114.31	117.70
38	A1	1923	A	N3-C4-C5	-6.78	122.06	126.80
38	A1	1943	C	C1'-O4'-C4'	6.78	115.32	109.90
38	A1	1988	U	C5-C4-O4	-6.78	121.83	125.90
38	A1	2394	G	C2-N3-C4	6.78	115.29	111.90
11	B2	159	C	C2-N3-C4	6.78	123.29	119.90
11	B2	178	C	C5-C4-N4	-6.78	115.46	120.20
11	B2	1295	C	N3-C4-N4	6.78	122.74	118.00
38	A1	391	C	C6-N1-C2	-6.78	117.59	120.30
38	A1	597	C	C5-C6-N1	-6.78	117.61	121.00
38	A1	667	C	C4-C5-C6	6.78	120.79	117.40
38	A1	815	U	P-O3'-C3'	6.78	127.83	119.70
38	A1	876	C	C6-N1-C2	-6.78	117.59	120.30
38	A1	1028	G	C8-N9-C4	-6.78	103.69	106.40
38	A1	1383	G	N3-C4-N9	-6.78	121.94	126.00
38	A1	1511	C	O4'-C1'-N1	6.78	113.62	108.20
38	A1	1643	A	C5-N7-C8	6.78	107.29	103.90
38	A1	1979	G	N3-C2-N2	6.78	124.64	119.90
38	A1	2111	C	C4-C5-C6	6.78	120.79	117.40
38	A1	2572	U	O4'-C1'-N1	6.78	113.62	108.20
15	BC	53	TYR	CB-CG-CD2	-6.77	116.94	121.00
38	A1	9	A	O4'-C1'-N9	6.77	113.62	108.20
38	A1	67	U	O4'-C1'-N1	6.77	113.62	108.20
38	A1	1078	G	O4'-C1'-N9	6.77	113.62	108.20
11	B2	64	G	C4-C5-C6	6.77	122.86	118.80
11	B2	147	A	P-O5'-C5'	-6.77	110.06	120.90
11	B2	261	G	C8-N9-C4	-6.77	103.69	106.40
11	B2	448	A	P-O3'-C3'	6.77	127.83	119.70
11	B2	777	G	N3-C4-C5	-6.77	125.21	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	954	G	C5-C6-O6	-6.77	124.54	128.60
38	A1	581	A	C6-N1-C2	-6.77	114.54	118.60
38	A1	1808	G	C6-C5-N7	-6.77	126.34	130.40
38	A1	2689	G	C4-C5-N7	6.77	113.51	110.80
11	B2	454	G	C4-C5-C6	6.77	122.86	118.80
20	BH	72	MET	CA-CB-CG	6.77	124.81	113.30
21	BI	50	PHE	CB-CG-CD1	-6.77	116.06	120.80
38	A1	617	G	C5-C6-O6	-6.77	124.54	128.60
38	A1	890	G	C4-N9-C1'	6.77	135.30	126.50
38	A1	957	C	N3-C4-N4	6.77	122.74	118.00
10	B1	24	A	C6-N1-C2	6.77	122.66	118.60
11	B2	1262	U	C2-N3-C4	6.77	131.06	127.00
17	BE	40	ARG	NE-CZ-NH2	6.77	123.69	120.30
38	A1	20	C	N3-C4-N4	6.77	122.74	118.00
38	A1	620	G	C4-C5-C6	6.77	122.86	118.80
38	A1	700	A	C5-C6-N1	-6.77	114.32	117.70
38	A1	2104	G	C6-N1-C2	-6.77	121.04	125.10
39	A3	39	C	C5-C6-N1	6.77	124.38	121.00
11	B2	137	A	C8-N9-C4	6.77	108.51	105.80
11	B2	753	G	N7-C8-N9	-6.77	109.72	113.10
11	B2	1087	C	O4'-C1'-N1	6.77	113.61	108.20
11	B2	1322	C	C1'-O4'-C4'	-6.77	104.48	109.90
26	BN	74	ARG	NE-CZ-NH2	-6.77	116.92	120.30
38	A1	68	G	C5-N7-C8	6.77	107.68	104.30
38	A1	1446	G	C5-C6-O6	-6.77	124.54	128.60
38	A1	2874	C	C5-C6-N1	-6.77	117.62	121.00
65	AV	3	ARG	NE-CZ-NH1	-6.77	116.92	120.30
11	B2	986	G	P-O5'-C5'	-6.77	110.08	120.90
38	A1	1674	G	C5-C6-O6	-6.77	124.54	128.60
38	A1	1905	G	C4-C5-C6	6.77	122.86	118.80
38	A1	2236	C	N3-C2-O2	-6.77	117.16	121.90
38	A1	2657	A	N3-C4-N9	6.77	132.81	127.40
38	A1	2903	U	C4-C5-C6	6.77	123.76	119.70
10	B1	37	A	O4'-C1'-N9	6.76	113.61	108.20
11	B2	216	G	O4'-C1'-N9	6.76	113.61	108.20
11	B2	762	G	C8-N9-C1'	6.76	135.79	127.00
38	A1	74	A	C5-C6-N6	-6.76	118.29	123.70
38	A1	122	G	C1'-O4'-C4'	6.76	115.31	109.90
38	A1	373	G	O4'-C1'-N9	6.76	113.61	108.20
38	A1	601	A	N1-C6-N6	6.76	122.66	118.60
38	A1	641	G	C5-C6-O6	-6.76	124.54	128.60
38	A1	1693	G	N3-C2-N2	6.76	124.64	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2514	C	N3-C2-O2	-6.76	117.16	121.90
38	A1	2542	G	N7-C8-N9	-6.76	109.72	113.10
38	A1	2809	G	C4-C5-C6	6.76	122.86	118.80
39	A3	114	G	N3-C2-N2	-6.76	115.17	119.90
56	AJ	89	TYR	CA-CB-CG	-6.76	100.55	113.40
38	A1	965	A	O4'-C1'-N9	6.76	113.61	108.20
38	A1	1310	A	N1-C2-N3	6.76	132.68	129.30
38	A1	2272	G	O4'-C1'-N9	6.76	113.61	108.20
11	B2	89	G	N1-C2-N3	-6.76	119.84	123.90
11	B2	466	C	C5-C4-N4	-6.76	115.47	120.20
11	B2	653	C	N1-C2-O2	-6.76	114.84	118.90
11	B2	953	C	C5-C6-N1	6.76	124.38	121.00
16	BD	33	TYR	CB-CG-CD1	-6.76	116.94	121.00
38	A1	306	G	N3-C2-N2	6.76	124.63	119.90
38	A1	408	C	C5-C6-N1	6.76	124.38	121.00
38	A1	467	U	N1-C2-N3	-6.76	110.84	114.90
38	A1	502	G	N1-C2-N3	-6.76	119.84	123.90
38	A1	1053	A	C1'-O4'-C4'	6.76	115.31	109.90
38	A1	2299	G	C4-C5-N7	-6.76	108.09	110.80
11	B2	415	C	P-O3'-C3'	-6.76	111.59	119.70
11	B2	771	G	C4-C5-C6	6.76	122.86	118.80
11	B2	1032	A	N1-C2-N3	6.76	132.68	129.30
11	B2	1372	C	C5-C6-N1	6.76	124.38	121.00
38	A1	473	C	C3'-C2'-C1'	6.76	106.91	101.50
38	A1	1273	C	C3'-C2'-C1'	6.76	106.91	101.50
38	A1	1480	G	N3-C4-N9	-6.76	121.94	126.00
38	A1	1849	A	C5-C6-N6	-6.76	118.29	123.70
40	A5	17	ARG	N-CA-CB	6.76	122.77	110.60
62	AO	70	ASP	CB-CG-OD1	-6.76	112.22	118.30
11	B2	1125	C	N3-C4-C5	-6.76	119.20	121.90
11	B2	1212	U	C5-C6-N1	6.76	126.08	122.70
38	A1	388	G	N9-C4-C5	-6.76	102.70	105.40
38	A1	593	C	N1-C2-O2	-6.76	114.84	118.90
38	A1	911	G	C2-N3-C4	-6.76	108.52	111.90
38	A1	1645	U	N3-C2-O2	6.76	126.93	122.20
38	A1	2390	G	C4'-C3'-C2'	-6.76	95.84	102.60
11	B2	111	G	O4'-C1'-N9	6.76	113.61	108.20
11	B2	143	G	C4-C5-C6	6.76	122.85	118.80
11	B2	813	G	N9-C4-C5	-6.76	102.70	105.40
11	B2	978	G	C4-C5-C6	6.76	122.85	118.80
11	B2	1327	C	N3-C4-N4	6.76	122.73	118.00
24	BL	92	GLU	C-N-CA	6.76	138.59	121.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	308	C	C1'-O4'-C4'	6.76	115.31	109.90
38	A1	542	A	O4'-C1'-N9	6.76	113.61	108.20
38	A1	1568	A	C5-C6-N6	-6.76	118.30	123.70
38	A1	1929	C	N3-C4-N4	-6.76	113.27	118.00
38	A1	2104	G	C8-N9-C4	-6.76	103.70	106.40
38	A1	2429	G	C5-N7-C8	-6.76	100.92	104.30
38	A1	2639	G	C4-C5-N7	-6.76	108.10	110.80
39	A3	38	U	OP1-P-OP2	-6.76	109.46	119.60
11	B2	1076	G	C8-N9-C4	-6.75	103.70	106.40
11	B2	1111	G	C5-C6-O6	-6.75	124.55	128.60
11	B2	1157	G	N1-C2-N3	-6.75	119.85	123.90
38	A1	988	C	C5'-C4'-O4'	-6.75	100.99	109.10
38	A1	2562	G	N7-C8-N9	6.75	116.48	113.10
11	B2	8	U	C5-C4-O4	-6.75	121.85	125.90
11	B2	93	A	C8-N9-C4	6.75	108.50	105.80
11	B2	182	A	N1-C6-N6	6.75	122.65	118.60
11	B2	448	A	C5-N7-C8	6.75	107.28	103.90
11	B2	716	G	C4-C5-N7	-6.75	108.10	110.80
11	B2	884	G	C6-C5-N7	-6.75	126.35	130.40
11	B2	889	G	C1'-O4'-C4'	-6.75	104.50	109.90
11	B2	977	G	C8-N9-C4	-6.75	103.70	106.40
11	B2	1187	A	N9-C4-C5	-6.75	103.10	105.80
38	A1	710	G	C4-C5-C6	6.75	122.85	118.80
38	A1	966	G	C5-C6-O6	-6.75	124.55	128.60
38	A1	1072	U	C5-C4-O4	-6.75	121.85	125.90
38	A1	1094	U	P-O5'-C5'	-6.75	110.09	120.90
38	A1	1114	G	C6-C5-N7	-6.75	126.35	130.40
38	A1	1655	G	C4-C5-N7	6.75	113.50	110.80
11	B2	791	G	C5-C6-O6	-6.75	124.55	128.60
11	B2	1015	C	C2-N3-C4	6.75	123.28	119.90
38	A1	95	G	C4-C5-N7	6.75	113.50	110.80
38	A1	240	A	C4-C5-N7	6.75	114.08	110.70
38	A1	438	G	N1-C6-O6	6.75	123.95	119.90
38	A1	1425	U	C6-N1-C2	6.75	125.05	121.00
38	A1	1906	G	C1'-O4'-C4'	-6.75	104.50	109.90
11	B2	234	G	N9-C4-C5	6.75	108.10	105.40
38	A1	1420	U	C5-C6-N1	6.75	126.08	122.70
38	A1	1537	U	O4'-C1'-N1	6.75	113.60	108.20
38	A1	1912	A	C2-N3-C4	-6.75	107.22	110.60
38	A1	1927	C	C5-C6-N1	6.75	124.38	121.00
38	A1	2672	A	P-O3'-C3'	6.75	127.80	119.70
38	A1	2902	G	C4-C5-C6	6.75	122.85	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2969	G	C4-C5-N7	-6.75	108.10	110.80
39	A3	16	G	N1-C2-N2	6.75	122.28	116.20
44	Ab	79	TYR	CB-CG-CD2	-6.75	116.95	121.00
11	B2	388	G	N1-C6-O6	6.75	123.95	119.90
11	B2	704	C	C5-C4-N4	-6.75	115.48	120.20
19	BG	64	ARG	NE-CZ-NH1	6.75	123.67	120.30
38	A1	523	C	P-O5'-C5'	6.75	131.70	120.90
38	A1	672	C	C2-N3-C4	6.75	123.27	119.90
38	A1	1003	C	C5-C4-N4	-6.75	115.48	120.20
38	A1	2398	C	N1-C2-N3	-6.75	114.48	119.20
38	A1	2669	U	P-O5'-C5'	-6.75	110.10	120.90
51	Ag	19	ARG	NE-CZ-NH1	-6.75	116.93	120.30
61	AN	19	ARG	N-CA-CB	6.75	122.75	110.60
11	B2	601	G	C8-N9-C4	-6.75	103.70	106.40
11	B2	642	G	C8-N9-C1'	6.75	135.77	127.00
11	B2	1051	G	O4'-C1'-N9	6.75	113.60	108.20
11	B2	1338	C	N1-C2-N3	6.75	123.92	119.20
16	BD	142	TYR	CB-CG-CD2	-6.75	116.95	121.00
38	A1	397	G	O4'-C1'-N9	6.75	113.60	108.20
38	A1	416	A	C8-N9-C4	-6.75	103.10	105.80
38	A1	1135	A	C4-C5-C6	6.75	120.37	117.00
38	A1	1153	U	N3-C4-C5	-6.75	110.55	114.60
38	A1	1945	C	C2-N3-C4	6.75	123.27	119.90
38	A1	2044	C	C6-N1-C2	-6.75	117.60	120.30
38	A1	2250	G	O4'-C1'-N9	6.75	113.60	108.20
38	A1	3016	G	N1-C2-N2	6.75	122.27	116.20
11	B2	60	A	C6-N1-C2	-6.75	114.55	118.60
38	A1	94	A	N7-C8-N9	6.75	117.17	113.80
38	A1	439	G	P-O5'-C5'	6.75	131.69	120.90
38	A1	1267	A	P-O5'-C5'	-6.75	110.11	120.90
11	B2	15	U	C5-C4-O4	-6.74	121.85	125.90
11	B2	1267	U	C4-C5-C6	6.74	123.75	119.70
38	A1	909	A	N7-C8-N9	-6.74	110.43	113.80
38	A1	1182	C	C2-N3-C4	6.74	123.27	119.90
38	A1	1197	G	C6-N1-C2	6.74	129.15	125.10
38	A1	1485	A	C6-C5-N7	-6.74	127.58	132.30
38	A1	2052	A	C4-C5-N7	-6.74	107.33	110.70
38	A1	2259	G	N1-C6-O6	6.74	123.95	119.90
38	A1	2304	C	N1-C2-O2	6.74	122.95	118.90
38	A1	2346	A	C6-N1-C2	-6.74	114.55	118.60
38	A1	2356	U	C2-N1-C1'	6.74	125.79	117.70
38	A1	2408	G	C5-C6-O6	-6.74	124.55	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2644	G	C6-N1-C2	6.74	129.15	125.10
38	A1	623	G	N3-C4-C5	-6.74	125.23	128.60
38	A1	2518	G	O4'-C1'-N9	6.74	113.59	108.20
39	A3	16	G	N1-C2-N3	-6.74	119.86	123.90
39	A3	54	A	C5-N7-C8	6.74	107.27	103.90
11	B2	242	A	C4-C5-C6	6.74	120.37	117.00
11	B2	536	A	N7-C8-N9	6.74	117.17	113.80
11	B2	988	A	N1-C2-N3	6.74	132.67	129.30
11	B2	1102	A	O4'-C1'-N9	6.74	113.59	108.20
11	B2	1227	A	P-O3'-C3'	6.74	127.79	119.70
38	A1	663	A	O4'-C1'-N9	6.74	113.59	108.20
38	A1	1151	G	N3-C4-C5	-6.74	125.23	128.60
38	A1	1601	G	C6-C5-N7	-6.74	126.36	130.40
38	A1	1980	U	N3-C4-O4	6.74	124.12	119.40
38	A1	2127	G	C4-C5-C6	6.74	122.84	118.80
38	A1	2782	A	C5-N7-C8	6.74	107.27	103.90
44	Ab	18	ARG	NE-CZ-NH1	6.74	123.67	120.30
64	AR	31	PHE	CB-CG-CD2	6.74	125.52	120.80
11	B2	1024	G	N3-C4-N9	-6.74	121.96	126.00
11	B2	1050	G	N3-C2-N2	6.74	124.62	119.90
11	B2	1090	C	C4-C5-C6	6.74	120.77	117.40
38	A1	689	U	O4'-C1'-N1	6.74	113.59	108.20
38	A1	1288	C	N3-C4-N4	6.74	122.72	118.00
38	A1	1558	U	C4-C5-C6	6.74	123.74	119.70
11	B2	1044	A	C5-C6-N6	-6.74	118.31	123.70
38	A1	45	G	C2-N3-C4	6.74	115.27	111.90
38	A1	1470	C	C5-C6-N1	-6.74	117.63	121.00
38	A1	1537	U	C5-C6-N1	6.74	126.07	122.70
11	B2	22	G	N9-C1'-C2'	-6.74	104.59	112.00
11	B2	387	G	C4-C5-N7	-6.74	108.11	110.80
11	B2	833	C	N3-C4-N4	6.74	122.71	118.00
11	B2	916	U	O4'-C1'-N1	6.74	113.59	108.20
38	A1	238	C	C5'-C4'-C3'	-6.74	105.22	116.00
38	A1	327	G	C5-N7-C8	6.74	107.67	104.30
38	A1	1012	G	N3-C4-N9	-6.74	121.96	126.00
38	A1	1185	A	P-O3'-C3'	-6.74	111.62	119.70
38	A1	1218	C	P-O5'-C5'	-6.74	110.12	120.90
38	A1	1492	C	C5-C6-N1	6.74	124.37	121.00
38	A1	1737	A	C5-C6-N1	-6.74	114.33	117.70
38	A1	2569	G	C5-C6-O6	-6.74	124.56	128.60
38	A1	2704	A	C4-C5-C6	6.74	120.37	117.00
38	A1	2735	C	N3-C4-C5	-6.74	119.21	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	B1	39	A	P-O3'-C3'	6.73	127.78	119.70
11	B2	352	A	C4-C5-N7	-6.73	107.33	110.70
11	B2	1447	A	C8-N9-C4	6.73	108.49	105.80
17	BE	179	PHE	CB-CG-CD1	6.73	125.51	120.80
11	B2	625	G	C2-N3-C4	6.73	115.27	111.90
11	B2	1217	C	C5-C6-N1	6.73	124.37	121.00
11	B2	1236	G	C5-C6-N1	-6.73	108.13	111.50
38	A1	52	A	N1-C6-N6	6.73	122.64	118.60
38	A1	198	C	O4'-C1'-N1	6.73	113.59	108.20
38	A1	239	G	C6-C5-N7	-6.73	126.36	130.40
38	A1	403	G	N7-C8-N9	6.73	116.47	113.10
38	A1	993	G	N1-C2-N3	-6.73	119.86	123.90
38	A1	1071	A	N7-C8-N9	-6.73	110.43	113.80
38	A1	1094	U	N1-C2-N3	6.73	118.94	114.90
38	A1	1575	G	C5-N7-C8	6.73	107.67	104.30
38	A1	1597	G	C1'-O4'-C4'	6.73	115.28	109.90
38	A1	1650	U	P-O5'-C5'	-6.73	110.13	120.90
38	A1	1871	C	C4-C5-C6	6.73	120.77	117.40
38	A1	1923	A	N1-C2-N3	6.73	132.67	129.30
38	A1	2777	G	N1-C6-O6	6.73	123.94	119.90
11	B2	1	A	C8-N9-C4	-6.73	103.11	105.80
11	B2	640	U	C6-N1-C1'	-6.73	111.78	121.20
11	B2	922	G	C8-N9-C4	6.73	109.09	106.40
38	A1	15	A	O4'-C1'-N9	6.73	113.58	108.20
38	A1	1753	G	N3-C2-N2	6.73	124.61	119.90
38	A1	1843	C	C4'-C3'-C2'	-6.73	95.87	102.60
38	A1	2026	C	O4'-C1'-N1	6.73	113.58	108.20
39	A3	94	G	C2-N3-C4	6.73	115.27	111.90
63	AP	54	ARG	NE-CZ-NH2	6.73	123.67	120.30
10	B1	60	A	C5'-C4'-O4'	6.73	117.17	109.10
11	B2	506	G	N7-C8-N9	-6.73	109.73	113.10
33	BU	114	VAL	CG1-CB-CG2	6.73	121.67	110.90
38	A1	652	G	C4-C5-N7	6.73	113.49	110.80
46	AD	155	ARG	NE-CZ-NH2	-6.73	116.94	120.30
11	B2	375	G	OP1-P-OP2	-6.73	109.51	119.60
11	B2	620	G	P-O5'-C5'	6.73	131.66	120.90
11	B2	795	G	N7-C8-N9	6.73	116.46	113.10
11	B2	1063	A	N1-C2-N3	6.73	132.66	129.30
11	B2	1131	G	P-O3'-C3'	6.73	127.77	119.70
11	B2	1339	G	C2-N3-C4	6.73	115.26	111.90
11	B2	1435	G	C8-N9-C4	-6.73	103.71	106.40
38	A1	113	C	N3-C4-N4	6.73	122.71	118.00

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	167	G	C6-C5-N7	-6.73	126.36	130.40
38	A1	975	C	N1-C2-N3	-6.73	114.49	119.20
38	A1	1328	G	N1-C6-O6	6.73	123.94	119.90
38	A1	1388	U	O4'-C1'-N1	6.73	113.58	108.20
38	A1	2277	G	N1-C6-O6	6.73	123.94	119.90
38	A1	2626	U	C5-C6-N1	6.73	126.06	122.70
38	A1	2637	U	N1-C2-N3	-6.73	110.86	114.90
11	B2	243	G	C5-C6-O6	-6.73	124.56	128.60
11	B2	1184	U	O4'-C1'-N1	6.73	113.58	108.20
11	B2	1238	G	N9-C4-C5	-6.73	102.71	105.40
11	B2	1239	A	C2-N3-C4	-6.73	107.24	110.60
38	A1	206	A	C1'-O4'-C4'	6.73	115.28	109.90
38	A1	866	G	P-O3'-C3'	6.73	127.77	119.70
38	A1	1126	C	C2-N3-C4	6.73	123.26	119.90
38	A1	1460	C	C5-C4-N4	-6.73	115.49	120.20
38	A1	1724	A	O4'-C1'-N9	6.73	113.58	108.20
38	A1	2759	A	O4'-C1'-N9	6.73	113.58	108.20
39	A3	90	A	N1-C2-N3	6.73	132.66	129.30
11	B2	1021	C	C4-C5-C6	6.72	120.76	117.40
11	B2	1321	U	N1-C2-N3	-6.72	110.86	114.90
11	B2	1325	C	N3-C4-C5	-6.72	119.21	121.90
38	A1	51	G	N9-C4-C5	-6.72	102.71	105.40
38	A1	1289	C	C4-C5-C6	-6.72	114.04	117.40
38	A1	1308	G	C5-C6-O6	-6.72	124.57	128.60
38	A1	2178	A	C8-N9-C1'	-6.72	115.60	127.70
38	A1	2308	C	C5-C4-N4	-6.72	115.49	120.20
38	A1	2558	U	N3-C4-C5	-6.72	110.56	114.60
11	B2	866	A	N9-C4-C5	6.72	108.49	105.80
11	B2	1127	A	O4'-C1'-N9	6.72	113.58	108.20
38	A1	65	G	N1-C6-O6	6.72	123.93	119.90
38	A1	491	G	N3-C4-C5	-6.72	125.24	128.60
38	A1	583	A	C2-N3-C4	-6.72	107.24	110.60
38	A1	1310	A	C2-N3-C4	-6.72	107.24	110.60
38	A1	1808	G	N1-C2-N3	-6.72	119.87	123.90
38	A1	2190	A	C4-C5-C6	6.72	120.36	117.00
38	A1	2252	C	P-O5'-C5'	6.72	131.66	120.90
11	B2	85	A	C6-N1-C2	-6.72	114.57	118.60
11	B2	329	G	O4'-C1'-N9	6.72	113.58	108.20
11	B2	503	G	C2-N3-C4	-6.72	108.54	111.90
11	B2	615	G	C5-N7-C8	-6.72	100.94	104.30
11	B2	729	G	C6-N1-C2	6.72	129.13	125.10
38	A1	1094	U	N3-C4-C5	-6.72	110.57	114.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2110	C	N3-C2-O2	6.72	126.61	121.90
38	A1	2510	A	C5-C6-N6	-6.72	118.32	123.70
38	A1	2710	G	C5-N7-C8	6.72	107.66	104.30
11	B2	375	G	C4'-C3'-C2'	-6.72	95.88	102.60
11	B2	650	A	P-O3'-C3'	6.72	127.77	119.70
38	A1	170	A	C4-C5-C6	6.72	120.36	117.00
38	A1	1561	G	C6-C5-N7	-6.72	126.37	130.40
38	A1	1665	G	C4-C5-N7	6.72	113.49	110.80
38	A1	1979	G	C6-C5-N7	-6.72	126.37	130.40
38	A1	2187	C	C6-N1-C1'	-6.72	112.74	120.80
38	A1	2518	G	C4-C5-N7	-6.72	108.11	110.80
38	A1	2979	C	C5-C4-N4	-6.72	115.50	120.20
11	B2	568	C	O4'-C1'-N1	6.72	113.58	108.20
11	B2	1386	C	N3-C2-O2	6.72	126.60	121.90
63	AP	25	TYR	CG-CD2-CE2	-6.72	115.93	121.30
10	B1	54	G	N9-C4-C5	6.72	108.09	105.40
11	B2	376	G	C6-C5-N7	-6.72	126.37	130.40
11	B2	1350	U	C5-C6-N1	-6.72	119.34	122.70
38	A1	36	G	C6-C5-N7	-6.72	126.37	130.40
38	A1	2125	C	N3-C2-O2	-6.72	117.20	121.90
61	AN	123	ALA	N-CA-CB	6.72	119.50	110.10
11	B2	332	C	O4'-C1'-N1	6.71	113.57	108.20
11	B2	488	A	C1'-O4'-C4'	6.71	115.27	109.90
11	B2	667	G	O4'-C1'-N9	6.71	113.57	108.20
11	B2	846	G	N1-C2-N2	-6.71	110.16	116.20
11	B2	1062	G	N7-C8-N9	-6.71	109.74	113.10
38	A1	488	A	N1-C2-N3	-6.71	125.94	129.30
38	A1	1111	G	C5-N7-C8	-6.71	100.94	104.30
38	A1	1141	C	C2-N3-C4	6.71	123.26	119.90
38	A1	1198	G	C5-N7-C8	-6.71	100.94	104.30
38	A1	1746	C	C4-C5-C6	6.71	120.76	117.40
38	A1	2080	G	C8-N9-C4	-6.71	103.71	106.40
38	A1	2547	A	C6-C5-N7	-6.71	127.60	132.30
11	B2	372	G	N7-C8-N9	6.71	116.46	113.10
38	A1	632	G	N3-C4-C5	6.71	131.96	128.60
38	A1	1570	C	C6-N1-C2	-6.71	117.61	120.30
38	A1	2468	C	C4-C5-C6	6.71	120.76	117.40
38	A1	2631	C	C5-C6-N1	6.71	124.36	121.00
5	AS	50	TYR	CB-CG-CD1	-6.71	116.97	121.00
11	B2	22	G	C8-N9-C1'	6.71	135.73	127.00
11	B2	614	G	C5-C6-O6	-6.71	124.57	128.60
11	B2	919	U	C2-N1-C1'	6.71	125.75	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	952	A	C4-C5-N7	-6.71	107.34	110.70
11	B2	1269	G	O4'-C1'-N9	6.71	113.57	108.20
11	B2	1353	C	C5-C4-N4	-6.71	115.50	120.20
22	BJ	79	ARG	NE-CZ-NH2	6.71	123.66	120.30
38	A1	25	U	N1-C2-O2	-6.71	118.10	122.80
38	A1	429	U	O4'-C1'-N1	6.71	113.57	108.20
38	A1	2329	A	P-O3'-C3'	6.71	127.75	119.70
38	A1	2664	G	N7-C8-N9	-6.71	109.74	113.10
38	A1	2716	C	C6-N1-C1'	-6.71	112.75	120.80
38	A1	2723	G	N1-C2-N3	-6.71	119.87	123.90
11	B2	251	G	C4-C5-N7	-6.71	108.12	110.80
11	B2	1142	G	N1-C6-O6	6.71	123.93	119.90
11	B2	1205	G	C8-N9-C1'	6.71	135.72	127.00
11	B2	1480	G	C6-N1-C2	6.71	129.13	125.10
38	A1	2977	G	C4-C5-N7	6.71	113.48	110.80
43	AB	42	ARG	NE-CZ-NH1	6.71	123.66	120.30
11	B2	822	A	C6-C5-N7	-6.71	127.60	132.30
38	A1	896	G	C8-N9-C4	-6.71	103.72	106.40
38	A1	1116	A	C5-C6-N1	-6.71	114.34	117.70
38	A1	1998	G	C5-C6-N1	-6.71	108.15	111.50
11	B2	358	G	N7-C8-N9	6.71	116.45	113.10
11	B2	1384	G	C5-C6-O6	-6.71	124.58	128.60
34	BV	73	ASP	CB-CG-OD2	6.71	124.33	118.30
38	A1	48	G	N3-C2-N2	6.71	124.59	119.90
38	A1	204	G	C5-C6-O6	-6.71	124.58	128.60
38	A1	305	G	C5-C6-N1	-6.71	108.15	111.50
38	A1	768	C	C5'-C4'-C3'	-6.71	105.27	116.00
38	A1	874	U	C4-C5-C6	-6.71	115.68	119.70
38	A1	1364	C	N1-C2-O2	6.71	122.92	118.90
38	A1	1703	G	N3-C4-C5	-6.71	125.25	128.60
38	A1	2245	C	C2-N3-C4	6.71	123.25	119.90
38	A1	2514	C	N1-C2-N3	6.71	123.89	119.20
38	A1	2805	U	C3'-C2'-C1'	6.71	106.87	101.50
58	AK	165	ALA	N-CA-CB	6.71	119.49	110.10
10	B1	6	G	C4'-C3'-C2'	-6.71	95.89	102.60
38	A1	1163	U	C6-N1-C1'	-6.71	111.81	121.20
38	A1	2776	A	C5-C6-N6	-6.71	118.34	123.70
39	A3	81	C	O4'-C1'-N1	6.71	113.56	108.20
11	B2	210	A	N1-C2-N3	-6.70	125.95	129.30
11	B2	502	U	C1'-O4'-C4'	6.70	115.26	109.90
11	B2	520	G	C8-N9-C4	-6.70	103.72	106.40
11	B2	847	A	C4-C5-C6	6.70	120.35	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BM	132	ARG	NE-CZ-NH1	-6.70	116.95	120.30
38	A1	604	A	O4'-C4'-C3'	-6.70	97.30	104.00
38	A1	1994	G	C2-N3-C4	-6.70	108.55	111.90
38	A1	2629	U	C5-C4-O4	-6.70	121.88	125.90
38	A1	2725	U	P-O5'-C5'	-6.70	110.17	120.90
38	A1	1950	G	C4-N9-C1'	-6.70	117.79	126.50
43	AB	24	PHE	CB-CG-CD2	6.70	125.49	120.80
11	B2	418	G	C5-C6-N1	-6.70	108.15	111.50
38	A1	922	C	N1-C2-O2	6.70	122.92	118.90
38	A1	1035	G	N3-C4-N9	6.70	130.02	126.00
38	A1	1868	C	C5-C6-N1	6.70	124.35	121.00
38	A1	1903	G	O4'-C1'-N9	6.70	113.56	108.20
38	A1	2547	A	P-O3'-C3'	6.70	127.74	119.70
11	B2	433	U	O4'-C1'-N1	6.70	113.56	108.20
11	B2	1177	C	C5-C4-N4	-6.70	115.51	120.20
11	B2	1179	C	C5-C6-N1	6.70	124.35	121.00
11	B2	1195	U	C5-C4-O4	-6.70	121.88	125.90
38	A1	546	C	C5-C4-N4	-6.70	115.51	120.20
38	A1	607	C	C5-C4-N4	-6.70	115.51	120.20
38	A1	852	A	C2-N3-C4	6.70	113.95	110.60
38	A1	1109	G	N3-C4-C5	-6.70	125.25	128.60
38	A1	1263	C	C5-C4-N4	-6.70	115.51	120.20
38	A1	1401	G	C8-N9-C4	6.70	109.08	106.40
38	A1	1809	G	O4'-C1'-N9	6.70	113.56	108.20
11	B2	207	G	C4-C5-N7	6.70	113.48	110.80
11	B2	933	G	N1-C2-N3	-6.70	119.88	123.90
21	BI	78	ARG	NE-CZ-NH1	6.70	123.65	120.30
24	BL	78	ASP	CB-CG-OD2	-6.70	112.27	118.30
38	A1	627	G	N7-C8-N9	6.70	116.45	113.10
38	A1	2231	G	C4-N9-C1'	6.70	135.21	126.50
38	A1	2415	C	C4'-C3'-C2'	-6.70	95.90	102.60
39	A3	27	C	N1-C2-N3	-6.70	114.51	119.20
11	B2	146	A	N9-C4-C5	-6.70	103.12	105.80
38	A1	118	A	C4-C5-C6	6.70	120.35	117.00
38	A1	131	C	O4'-C1'-C2'	-6.70	99.11	105.80
38	A1	414	G	O4'-C1'-C2'	-6.70	99.11	105.80
38	A1	697	U	O4'-C1'-N1	6.70	113.56	108.20
38	A1	1243	C	P-O3'-C3'	-6.70	111.67	119.70
38	A1	1835	A	N7-C8-N9	6.70	117.15	113.80
38	A1	2013	A	C5-C6-N6	-6.70	118.34	123.70
38	A1	2244	G	C4-C5-N7	6.70	113.48	110.80
38	A1	2412	A	C5-N7-C8	6.70	107.25	103.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2974	U	C5-C6-N1	-6.70	119.35	122.70
67	AZ	40	ASN	N-CA-C	-6.70	92.92	111.00
10	B1	23	G	C2-N3-C4	6.69	115.25	111.90
11	B2	681	G	C6-C5-N7	-6.69	126.38	130.40
38	A1	943	G	N1-C6-O6	6.69	123.92	119.90
38	A1	1971	C	N1-C2-N3	-6.69	114.51	119.20
38	A1	2001	U	C2-N3-C4	-6.69	122.98	127.00
11	B2	347	G	C4-C5-C6	6.69	122.81	118.80
11	B2	485	A	C4-C5-C6	6.69	120.35	117.00
11	B2	1026	A	C8-N9-C4	-6.69	103.12	105.80
38	A1	562	G	N7-C8-N9	-6.69	109.75	113.10
38	A1	648	C	C4-C5-C6	6.69	120.75	117.40
38	A1	1216	A	N9-C4-C5	6.69	108.48	105.80
38	A1	1408	G	C6-C5-N7	-6.69	126.39	130.40
38	A1	1517	G	C6-N1-C2	-6.69	121.08	125.10
38	A1	2370	C	C4-C5-C6	6.69	120.75	117.40
38	A1	2439	G	C5-C6-N1	6.69	114.85	111.50
38	A1	2740	G	O4'-C1'-N9	6.69	113.55	108.20
38	A1	2883	C	C4-C5-C6	6.69	120.75	117.40
39	A3	67	U	N3-C4-O4	6.69	124.08	119.40
9	AX	298	TYR	CB-CG-CD2	-6.69	116.98	121.00
11	B2	286	G	O4'-C1'-N9	6.69	113.55	108.20
11	B2	752	G	N3-C2-N2	6.69	124.58	119.90
11	B2	1185	A	N3-C4-C5	-6.69	122.12	126.80
11	B2	1217	C	N3-C4-N4	6.69	122.68	118.00
30	BR	34	PHE	CZ-CE2-CD2	-6.69	112.07	120.10
38	A1	1099	C	C5-C4-N4	-6.69	115.52	120.20
38	A1	1406	G	C6-N1-C2	6.69	129.12	125.10
38	A1	1576	C	C4'-C3'-C2'	-6.69	95.91	102.60
38	A1	1637	C	N3-C4-N4	6.69	122.68	118.00
38	A1	2235	G	O4'-C1'-N9	6.69	113.55	108.20
38	A1	2238	G	C4'-C3'-C2'	-6.69	95.91	102.60
38	A1	2808	C	N3-C4-N4	6.69	122.68	118.00
38	A1	1089	C	N3-C4-N4	6.69	122.68	118.00
38	A1	2288	C	C6-N1-C2	6.69	122.98	120.30
38	A1	2437	G	N3-C4-C5	6.69	131.94	128.60
38	A1	2633	A	N9-C4-C5	-6.69	103.12	105.80
38	A1	2718	G	O4'-C1'-N9	6.69	113.55	108.20
10	B1	72	C	N3-C4-N4	6.69	122.68	118.00
11	B2	1219	C	N3-C2-O2	6.69	126.58	121.90
11	B2	1458	A	N3-C4-C5	-6.69	122.12	126.80
38	A1	1093	G	N1-C2-N3	-6.69	119.89	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1904	G	C5-C6-N1	6.69	114.84	111.50
38	A1	2036	A	C4-C5-C6	6.69	120.34	117.00
38	A1	2340	A	C5-C6-N6	-6.69	118.35	123.70
38	A1	2823	G	N7-C8-N9	-6.69	109.76	113.10
38	A1	2902	G	C6-C5-N7	-6.69	126.39	130.40
41	AA	201	SER	CB-CA-C	-6.69	97.39	110.10
11	B2	141	C	C3'-C2'-C1'	6.69	106.85	101.50
11	B2	322	G	C6-N1-C2	6.69	129.11	125.10
11	B2	1448	A	N7-C8-N9	6.69	117.14	113.80
38	A1	513	C	C2-N1-C1'	6.69	126.16	118.80
38	A1	717	A	N9-C4-C5	6.69	108.47	105.80
38	A1	1858	G	O4'-C1'-N9	6.69	113.55	108.20
38	A1	2082	C	C2-N3-C4	6.69	123.24	119.90
38	A1	2379	G	N1-C2-N3	-6.69	119.89	123.90
38	A1	2531	G	C6-C5-N7	-6.69	126.39	130.40
10	B1	9	A	C4-C5-N7	-6.68	107.36	110.70
11	B2	65	G	O4'-C1'-N9	6.68	113.55	108.20
11	B2	129	G	O4'-C1'-N9	6.68	113.55	108.20
11	B2	338	C	C6-N1-C2	-6.68	117.63	120.30
11	B2	420	C	N3-C4-N4	6.68	122.68	118.00
38	A1	1224	A	C5-C6-N1	-6.68	114.36	117.70
38	A1	2244	G	N1-C2-N3	-6.68	119.89	123.90
38	A1	2995	A	O4'-C1'-N9	6.68	113.55	108.20
39	A3	102	G	C2-N3-C4	6.68	115.24	111.90
11	B2	681	G	C8-N9-C4	6.68	109.07	106.40
11	B2	1271	G	N9-C4-C5	-6.68	102.73	105.40
38	A1	404	G	C4'-C3'-C2'	-6.68	95.92	102.60
38	A1	774	G	N3-C2-N2	-6.68	115.22	119.90
38	A1	1012	G	C8-N9-C4	-6.68	103.73	106.40
38	A1	1205	U	C6-N1-C2	-6.68	116.99	121.00
38	A1	1587	A	C2-N3-C4	6.68	113.94	110.60
38	A1	2301	C	N3-C4-N4	-6.68	113.32	118.00
38	A1	2323	C	O4'-C1'-N1	6.68	113.55	108.20
38	A1	2844	G	P-O3'-C3'	-6.68	111.68	119.70
38	A1	543	G	C4'-C3'-C2'	-6.68	95.92	102.60
38	A1	969	U	N3-C2-O2	-6.68	117.52	122.20
38	A1	1234	A	C8-N9-C4	-6.68	103.13	105.80
38	A1	1695	G	N1-C6-O6	6.68	123.91	119.90
38	A1	2022	U	C6-N1-C2	-6.68	116.99	121.00
39	A3	31	U	C3'-C2'-C1'	6.68	106.84	101.50
39	A3	37	U	C5-C4-O4	-6.68	121.89	125.90
11	B2	128	A	N9-C4-C5	-6.68	103.13	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	237	C	N3-C4-N4	6.68	122.67	118.00
11	B2	558	C	C6-N1-C2	-6.68	117.63	120.30
11	B2	561	A	C5-N7-C8	6.68	107.24	103.90
11	B2	593	G	C5-C6-O6	-6.68	124.59	128.60
11	B2	1455	A	O4'-C1'-N9	6.68	113.54	108.20
38	A1	1035	G	N1-C6-O6	6.68	123.91	119.90
38	A1	1900	U	N3-C4-O4	6.68	124.08	119.40
38	A1	1914	U	C5-C6-N1	6.68	126.04	122.70
39	A3	50	G	N1-C2-N3	-6.68	119.89	123.90
11	B2	38	G	N1-C2-N3	-6.68	119.89	123.90
11	B2	503	G	C3'-C2'-C1'	-6.68	96.16	101.50
19	BG	53	LYS	C-N-CA	6.68	138.39	121.70
38	A1	462	A	C4'-C3'-C2'	-6.68	95.92	102.60
38	A1	2314	U	C2-N3-C4	-6.68	122.99	127.00
11	B2	216	G	N9-C1'-C2'	-6.68	104.66	112.00
11	B2	322	G	C6-C5-N7	-6.68	126.39	130.40
20	BH	16	LYS	N-CA-CB	6.68	122.62	110.60
38	A1	81	G	N3-C4-C5	-6.68	125.26	128.60
38	A1	1671	A	N3-C4-N9	6.68	132.74	127.40
38	A1	2130	C	C4-C5-C6	6.68	120.74	117.40
38	A1	2656	A	P-O3'-C3'	6.68	127.71	119.70
39	A3	85	C	N3-C4-N4	6.68	122.67	118.00
10	B1	14	A	C5-C6-N6	-6.67	118.36	123.70
11	B2	217	C	N1-C2-O2	6.67	122.91	118.90
11	B2	235	G	N3-C4-N9	6.67	130.00	126.00
11	B2	873	A	N1-C2-N3	6.67	132.64	129.30
11	B2	1128	U	C5-C4-O4	-6.67	121.90	125.90
38	A1	770	G	N9-C4-C5	6.67	108.07	105.40
38	A1	853	G	N1-C2-N3	-6.67	119.89	123.90
38	A1	1396	A	C5-C6-N1	-6.67	114.36	117.70
38	A1	1552	C	N1-C2-O2	-6.67	114.89	118.90
38	A1	1785	G	C4-C5-N7	-6.67	108.13	110.80
38	A1	2363	G	N1-C6-O6	6.67	123.91	119.90
38	A1	2455	G	C2-N3-C4	6.67	115.24	111.90
38	A1	2953	U	C3'-C2'-C1'	6.67	106.84	101.50
38	A1	3008	C	C2-N3-C4	6.67	123.24	119.90
38	A1	667	C	N3-C2-O2	6.67	126.57	121.90
38	A1	2078	A	C5-N7-C8	6.67	107.24	103.90
38	A1	2881	G	O4'-C1'-N9	6.67	113.54	108.20
11	B2	31	U	O4'-C4'-C3'	-6.67	97.33	104.00
11	B2	217	C	C1'-O4'-C4'	6.67	115.24	109.90
11	B2	236	C	O4'-C1'-N1	6.67	113.54	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	583	G	N9-C4-C5	-6.67	102.73	105.40
11	B2	831	A	C4-C5-N7	-6.67	107.36	110.70
11	B2	986	G	C4-N9-C1'	6.67	135.17	126.50
11	B2	1288	C	O4'-C1'-N1	6.67	113.54	108.20
38	A1	340	G	N7-C8-N9	-6.67	109.76	113.10
38	A1	1442	G	C5-N7-C8	6.67	107.64	104.30
38	A1	1536	U	C5-C6-N1	6.67	126.03	122.70
38	A1	2390	G	O4'-C1'-N9	6.67	113.54	108.20
38	A1	2524	C	C6-N1-C2	-6.67	117.63	120.30
38	A1	2768	C	P-O5'-C5'	6.67	131.57	120.90
39	A3	17	G	N1-C2-N3	-6.67	119.90	123.90
65	AV	48	ARG	NE-CZ-NH2	-6.67	116.96	120.30
11	B2	140	C	C5-C4-N4	6.67	124.87	120.20
11	B2	460	C	O4'-C1'-N1	6.67	113.54	108.20
11	B2	844	G	N7-C8-N9	6.67	116.44	113.10
11	B2	1464	C	N3-C2-O2	-6.67	117.23	121.90
38	A1	280	A	C5-C6-N6	-6.67	118.36	123.70
38	A1	691	G	C5-C6-O6	-6.67	124.60	128.60
38	A1	841	U	N1-C2-N3	6.67	118.90	114.90
38	A1	974	U	O4'-C1'-N1	6.67	113.54	108.20
38	A1	2335	G	C6-C5-N7	-6.67	126.40	130.40
62	AO	113	ARG	NE-CZ-NH1	6.67	123.64	120.30
10	B1	9	A	N9-C4-C5	6.67	108.47	105.80
11	B2	1128	U	C6-N1-C1'	-6.67	111.86	121.20
11	B2	1294	G	C2-N3-C4	6.67	115.23	111.90
38	A1	636	G	C5-N7-C8	6.67	107.64	104.30
38	A1	1102	C	N1-C2-O2	6.67	122.90	118.90
38	A1	2489	C	C5-C4-N4	-6.67	115.53	120.20
12	AG	27	ARG	NE-CZ-NH2	-6.67	116.97	120.30
11	B2	562	A	C4-C5-C6	6.67	120.33	117.00
11	B2	1003	G	N1-C6-O6	6.67	123.90	119.90
38	A1	318	G	C5'-C4'-C3'	-6.67	105.33	116.00
38	A1	1113	G	N3-C4-C5	6.67	131.93	128.60
38	A1	1141	C	C5-C4-N4	-6.67	115.53	120.20
38	A1	1729	C	C2-N3-C4	6.67	123.23	119.90
38	A1	1982	C	C4-C5-C6	6.67	120.73	117.40
38	A1	2321	A	C4-C5-C6	6.67	120.33	117.00
38	A1	2457	C	O4'-C1'-N1	6.67	113.53	108.20
11	B2	1141	G	N1-C2-N3	-6.67	119.90	123.90
38	A1	409	C	O4'-C1'-N1	6.67	113.53	108.20
38	A1	1224	A	P-O3'-C3'	6.67	127.70	119.70
58	AK	213	TYR	CB-CG-CD1	-6.67	117.00	121.00

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	AX	277	TYR	CB-CG-CD2	6.66	125.00	121.00
11	B2	543	C	C6-N1-C2	6.66	122.97	120.30
38	A1	843	C	O4'-C1'-N1	6.66	113.53	108.20
38	A1	1168	A	C1'-O4'-C4'	6.66	115.23	109.90
38	A1	1500	C	C5'-C4'-C3'	6.66	126.66	116.00
38	A1	1641	G	C5-N7-C8	-6.66	100.97	104.30
38	A1	1728	C	C2-N3-C4	6.66	123.23	119.90
38	A1	1760	C	N3-C2-O2	-6.66	117.24	121.90
38	A1	2034	G	N9-C4-C5	-6.66	102.73	105.40
38	A1	2036	A	C5-C6-N6	-6.66	118.37	123.70
38	A1	2188	C	N3-C4-N4	6.66	122.66	118.00
38	A1	1028	G	N1-C2-N3	-6.66	119.90	123.90
38	A1	1402	C	C2-N3-C4	6.66	123.23	119.90
38	A1	2281	A	C5-N7-C8	6.66	107.23	103.90
11	B2	1313	G	C5-C6-O6	-6.66	124.60	128.60
11	B2	1338	C	C2-N3-C4	-6.66	116.57	119.90
38	A1	283	U	C5-C4-O4	-6.66	121.90	125.90
38	A1	928	A	C5-C6-N1	-6.66	114.37	117.70
38	A1	1178	G	C4-N9-C1'	6.66	135.16	126.50
38	A1	1381	C	N1-C2-N3	-6.66	114.54	119.20
38	A1	1392	G	N3-C2-N2	6.66	124.56	119.90
38	A1	1427	A	P-O3'-C3'	6.66	127.69	119.70
38	A1	1770	A	C5'-C4'-O4'	6.66	117.09	109.10
38	A1	2204	C	N3-C4-N4	6.66	122.66	118.00
38	A1	3000	U	C6-N1-C2	-6.66	117.00	121.00
10	B1	25	G	N1-C2-N3	-6.66	119.91	123.90
10	B1	45	G	C6-N1-C2	-6.66	121.11	125.10
11	B2	266	A	C2-N3-C4	-6.66	107.27	110.60
11	B2	567	A	C4-C5-N7	-6.66	107.37	110.70
11	B2	700	G	C5-C6-O6	-6.66	124.61	128.60
11	B2	884	G	N3-C4-C5	-6.66	125.27	128.60
38	A1	314	A	C4-C5-C6	6.66	120.33	117.00
38	A1	389	C	O4'-C1'-N1	6.66	113.53	108.20
38	A1	478	C	N3-C4-C5	-6.66	119.24	121.90
38	A1	1161	A	C5-C6-N6	-6.66	118.37	123.70
38	A1	2163	G	N3-C4-C5	6.66	131.93	128.60
38	A1	2380	A	N3-C4-C5	-6.66	122.14	126.80
38	A1	2665	G	C5-C6-N1	6.66	114.83	111.50
38	A1	2728	U	O4'-C1'-N1	6.66	113.53	108.20
44	Ab	59	ARG	NE-CZ-NH1	6.66	123.63	120.30
10	B1	5	C	N1-C2-O2	-6.66	114.91	118.90
11	B2	1079	G	N3-C2-N2	6.66	124.56	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1228	A	N9-C4-C5	6.66	108.46	105.80
38	A1	647	G	C8-N9-C4	-6.66	103.74	106.40
38	A1	662	A	O4'-C1'-N9	6.66	113.53	108.20
38	A1	1527	G	C8-N9-C4	-6.66	103.74	106.40
38	A1	2993	G	C2-N3-C4	6.66	115.23	111.90
42	Aa	32	VAL	CA-CB-CG1	6.66	120.89	110.90
11	B2	23	G	C8-N9-C4	6.66	109.06	106.40
11	B2	527	A	C4-C5-C6	6.66	120.33	117.00
11	B2	756	A	C5-C6-N6	-6.66	118.38	123.70
38	A1	449	G	N1-C2-N2	-6.66	110.21	116.20
38	A1	848	A	C8-N9-C4	-6.66	103.14	105.80
38	A1	1274	G	C5-C6-N1	6.66	114.83	111.50
38	A1	1676	G	N3-C2-N2	6.66	124.56	119.90
38	A1	2136	G	C4-C5-N7	6.66	113.46	110.80
38	A1	2227	G	C6-C5-N7	-6.66	126.41	130.40
38	A1	2627	C	N3-C4-N4	6.66	122.66	118.00
43	AB	35	TYR	CG-CD1-CE1	-6.66	115.98	121.30
11	B2	284	A	C6-C5-N7	-6.65	127.64	132.30
11	B2	1006	C	C4'-C3'-C2'	-6.65	95.95	102.60
38	A1	275	C	N3-C4-C5	-6.65	119.24	121.90
38	A1	358	C	N3-C4-C5	-6.65	119.24	121.90
38	A1	1642	G	O4'-C1'-N9	6.65	113.52	108.20
38	A1	2067	U	O4'-C1'-N1	6.65	113.52	108.20
38	A1	2497	G	N1-C6-O6	6.65	123.89	119.90
11	B2	651	U	C3'-C2'-C1'	-6.65	96.18	101.50
11	B2	835	C	C4-C5-C6	6.65	120.73	117.40
11	B2	883	G	C4'-C3'-C2'	-6.65	95.95	102.60
11	B2	992	G	N1-C2-N3	-6.65	119.91	123.90
23	BK	2	ARG	NE-CZ-NH2	-6.65	116.97	120.30
38	A1	147	C	C4-C5-C6	-6.65	114.07	117.40
38	A1	191	U	C4-C5-C6	6.65	123.69	119.70
38	A1	1004	U	C3'-C2'-C1'	-6.65	96.18	101.50
38	A1	1027	A	C1'-O4'-C4'	-6.65	104.58	109.90
38	A1	1276	G	C4-C5-N7	6.65	113.46	110.80
38	A1	1759	A	C2-N3-C4	-6.65	107.27	110.60
38	A1	2512	C	C2-N3-C4	6.65	123.23	119.90
38	A1	2691	G	O4'-C1'-N9	6.65	113.52	108.20
38	A1	2729	A	C5-N7-C8	6.65	107.23	103.90
11	B2	286	G	N1-C2-N3	-6.65	119.91	123.90
11	B2	479	C	C6-N1-C2	-6.65	117.64	120.30
11	B2	878	U	O4'-C1'-N1	6.65	113.52	108.20
11	B2	1143	G	C6-C5-N7	-6.65	126.41	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	130	G	N3-C4-C5	-6.65	125.28	128.60
38	A1	1205	U	O4'-C1'-N1	6.65	113.52	108.20
38	A1	1444	A	O4'-C1'-N9	6.65	113.52	108.20
38	A1	1977	C	N3-C2-O2	-6.65	117.24	121.90
38	A1	2037	A	P-O3'-C3'	6.65	127.68	119.70
38	A1	1882	C	C5-C6-N1	6.65	124.32	121.00
38	A1	2480	G	C2-N3-C4	6.65	115.22	111.90
38	A1	2583	G	C2-N3-C4	-6.65	108.58	111.90
11	B2	565	C	C5'-C4'-C3'	6.65	126.64	116.00
11	B2	971	G	O4'-C1'-N9	6.65	113.52	108.20
11	B2	1136	A	N3-C4-C5	-6.65	122.15	126.80
28	BP	27	TYR	CB-CG-CD2	6.65	124.99	121.00
38	A1	449	G	C4-C5-N7	-6.65	108.14	110.80
38	A1	642	G	O4'-C1'-N9	6.65	113.52	108.20
38	A1	1791	A	C6-N1-C2	-6.65	114.61	118.60
38	A1	1977	C	N1-C2-N3	6.65	123.85	119.20
38	A1	2080	G	N1-C6-O6	6.65	123.89	119.90
38	A1	2695	U	O4'-C1'-N1	6.65	113.52	108.20
38	A1	2772	U	C5-C4-O4	-6.65	121.91	125.90
39	A3	114	G	C6-N1-C2	-6.65	121.11	125.10
10	B1	53	G	C6-C5-N7	-6.65	126.41	130.40
38	A1	1475	G	C6-C5-N7	-6.65	126.41	130.40
38	A1	2716	C	P-O3'-C3'	-6.65	111.72	119.70
11	B2	162	C	N3-C4-N4	6.64	122.65	118.00
11	B2	399	A	C6-N1-C2	6.64	122.59	118.60
38	A1	324	C	N3-C4-C5	-6.64	119.24	121.90
38	A1	527	G	N3-C2-N2	6.64	124.55	119.90
38	A1	1309	G	C5-C6-O6	-6.64	124.61	128.60
38	A1	2107	G	N3-C2-N2	6.64	124.55	119.90
38	A1	2679	A	N3-C4-C5	-6.64	122.15	126.80
10	B1	41	C	C5-C6-N1	6.64	124.32	121.00
11	B2	234	G	N3-C4-C5	-6.64	125.28	128.60
38	A1	637	G	C5-C6-O6	-6.64	124.61	128.60
38	A1	672	C	C4'-C3'-C2'	-6.64	95.96	102.60
38	A1	1490	G	N3-C4-C5	6.64	131.92	128.60
38	A1	2952	C	O4'-C1'-N1	6.64	113.52	108.20
38	A1	1293	G	P-O3'-C3'	6.64	127.67	119.70
38	A1	1808	G	C5-C6-O6	-6.64	124.61	128.60
38	A1	1949	A	C2-N3-C4	-6.64	107.28	110.60
38	A1	2399	C	C5-C4-N4	-6.64	115.55	120.20
11	B2	316	C	N1-C2-N3	-6.64	114.55	119.20
11	B2	510	A	O4'-C1'-N9	6.64	113.51	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
23	BK	112	ARG	NE-CZ-NH2	6.64	123.62	120.30
30	BR	87	LEU	CB-CG-CD1	6.64	122.29	111.00
38	A1	402	G	C6-C5-N7	-6.64	126.42	130.40
38	A1	901	C	C2-N3-C4	6.64	123.22	119.90
38	A1	1281	A	C4-C5-C6	6.64	120.32	117.00
38	A1	2229	G	C5-N7-C8	6.64	107.62	104.30
38	A1	2289	A	P-O3'-C3'	6.64	127.67	119.70
38	A1	2384	G	N3-C2-N2	6.64	124.55	119.90
38	A1	2396	G	C4-C5-N7	-6.64	108.14	110.80
38	A1	2451	G	C5'-C4'-C3'	-6.64	105.38	116.00
27	BO	127	ARG	NE-CZ-NH1	-6.64	116.98	120.30
38	A1	302	U	O4'-C1'-N1	6.64	113.51	108.20
38	A1	340	G	C6-N1-C2	-6.64	121.12	125.10
38	A1	1530	A	C5-C6-N1	-6.64	114.38	117.70
38	A1	2181	G	C2-N3-C4	-6.64	108.58	111.90
38	A1	2367	C	O4'-C1'-N1	6.64	113.51	108.20
38	A1	2791	C	C2-N3-C4	6.64	123.22	119.90
9	AX	279	MET	CG-SD-CE	-6.64	89.58	100.20
11	B2	376	G	C4-C5-N7	6.64	113.45	110.80
11	B2	1309	A	C5-C6-N6	-6.64	118.39	123.70
11	B2	1391	U	C5'-C4'-C3'	6.64	126.62	116.00
11	B2	1478	A	N9-C4-C5	6.64	108.45	105.80
38	A1	549	G	C4-C5-C6	6.64	122.78	118.80
38	A1	884	C	N3-C4-N4	6.64	122.64	118.00
38	A1	1067	G	N9-C4-C5	6.64	108.06	105.40
38	A1	1290	G	C4-C5-N7	-6.64	108.15	110.80
38	A1	1451	A	N7-C8-N9	-6.64	110.48	113.80
11	B2	66	G	N7-C8-N9	6.63	116.42	113.10
11	B2	132	G	O4'-C1'-N9	6.63	113.51	108.20
11	B2	392	G	C4-C5-C6	6.63	122.78	118.80
11	B2	394	C	N3-C4-C5	-6.63	119.25	121.90
11	B2	1429	G	C4'-C3'-C2'	-6.63	95.97	102.60
38	A1	43	G	N1-C2-N2	-6.63	110.23	116.20
38	A1	393	C	O4'-C1'-N1	6.63	113.51	108.20
38	A1	1023	C	N3-C4-C5	-6.63	119.25	121.90
38	A1	1391	C	N3-C4-C5	-6.63	119.25	121.90
38	A1	1471	G	P-O3'-C3'	6.63	127.66	119.70
38	A1	1658	A	C4-C5-C6	6.63	120.32	117.00
38	A1	2057	G	N1-C6-O6	6.63	123.88	119.90
38	A1	1981	G	C6-N1-C2	-6.63	121.12	125.10
38	A1	2265	C	O4'-C1'-N1	6.63	113.51	108.20
38	A1	2526	G	O4'-C1'-N9	6.63	113.51	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2742	G	P-O3'-C3'	6.63	127.66	119.70
11	B2	300	G	O4'-C1'-N9	6.63	113.50	108.20
11	B2	482	G	N9-C4-C5	-6.63	102.75	105.40
11	B2	628	G	N3-C4-N9	6.63	129.98	126.00
11	B2	843	G	C4-C5-C6	6.63	122.78	118.80
11	B2	903	G	N1-C2-N2	-6.63	110.23	116.20
11	B2	1182	G	C6-N1-C2	-6.63	121.12	125.10
38	A1	867	C	N1-C2-N3	-6.63	114.56	119.20
38	A1	1642	G	O3'-P-O5'	-6.63	91.40	104.00
38	A1	2033	G	C4-C5-N7	-6.63	108.15	110.80
38	A1	2143	C	N3-C2-O2	6.63	126.54	121.90
38	A1	3009	C	N3-C4-C5	-6.63	119.25	121.90
41	AA	123	ARG	NE-CZ-NH2	-6.63	116.98	120.30
62	AO	51	TYR	CB-CG-CD1	6.63	124.98	121.00
11	B2	615	G	C2-N3-C4	6.63	115.22	111.90
11	B2	732	G	C5'-C4'-C3'	6.63	126.61	116.00
11	B2	1271	G	N3-C2-N2	6.63	124.54	119.90
26	BN	23	PHE	CB-CG-CD2	6.63	125.44	120.80
38	A1	174	C	O4'-C1'-N1	6.63	113.50	108.20
38	A1	585	G	N3-C2-N2	6.63	124.54	119.90
38	A1	1005	G	N9-C4-C5	-6.63	102.75	105.40
38	A1	2102	A	C5-C6-N6	-6.63	118.40	123.70
38	A1	2827	C	N3-C4-C5	-6.63	119.25	121.90
11	B2	175	G	C6-C5-N7	-6.63	126.42	130.40
11	B2	359	A	O4'-C1'-N9	6.63	113.50	108.20
11	B2	882	C	C2-N3-C4	-6.63	116.59	119.90
38	A1	206	A	N1-C2-N3	-6.63	125.98	129.30
38	A1	466	C	C6-N1-C2	-6.63	117.65	120.30
38	A1	792	A	C5-C6-N1	-6.63	114.39	117.70
38	A1	1666	G	N1-C2-N3	-6.63	119.92	123.90
38	A1	2156	A	C6-N1-C2	6.63	122.58	118.60
38	A1	2163	G	N9-C4-C5	-6.63	102.75	105.40
38	A1	2299	G	N7-C8-N9	6.63	116.41	113.10
38	A1	2363	G	C6-C5-N7	-6.63	126.42	130.40
38	A1	2404	G	C5-N7-C8	6.63	107.61	104.30
38	A1	2562	G	C6-C5-N7	-6.63	126.42	130.40
11	B2	75	C	OP1-P-OP2	-6.63	109.66	119.60
11	B2	277	G	C6-C5-N7	-6.63	126.42	130.40
11	B2	544	C	N3-C4-N4	6.63	122.64	118.00
11	B2	948	G	C5-C6-O6	-6.63	124.62	128.60
11	B2	1303	C	C4-C5-C6	6.63	120.71	117.40
38	A1	567	G	N3-C2-N2	6.63	124.54	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1014	U	P-O3'-C3'	6.63	127.65	119.70
38	A1	1511	C	C6-N1-C2	6.63	122.95	120.30
38	A1	1808	G	C6-N1-C2	6.63	129.07	125.10
38	A1	1967	G	O4'-C1'-N9	6.63	113.50	108.20
38	A1	2318	G	N3-C2-N2	6.63	124.54	119.90
11	B2	104	A	O4'-C1'-N9	6.62	113.50	108.20
11	B2	1489	A	C6-C5-N7	-6.62	127.66	132.30
38	A1	2960	G	C4-C5-N7	-6.62	108.15	110.80
11	B2	293	G	N1-C6-O6	6.62	123.87	119.90
11	B2	402	G	C6-C5-N7	-6.62	126.43	130.40
38	A1	890	G	N3-C2-N2	6.62	124.54	119.90
38	A1	1060	C	N3-C4-N4	6.62	122.64	118.00
38	A1	1145	G	C5-C6-N1	-6.62	108.19	111.50
38	A1	1226	G	N1-C6-O6	6.62	123.87	119.90
38	A1	1257	G	C5-C6-O6	-6.62	124.63	128.60
11	B2	423	U	N3-C4-C5	-6.62	110.63	114.60
11	B2	1004	U	C1'-O4'-C4'	6.62	115.20	109.90
38	A1	47	C	C5-C6-N1	6.62	124.31	121.00
38	A1	1508	A	C5-C6-N1	-6.62	114.39	117.70
41	AA	162	VAL	CA-CB-CG1	-6.62	100.97	110.90
11	B2	82	G	N9-C4-C5	-6.62	102.75	105.40
38	A1	106	G	N1-C6-O6	6.62	123.87	119.90
38	A1	867	C	C5-C4-N4	-6.62	115.57	120.20
38	A1	1428	G	N3-C4-C5	-6.62	125.29	128.60
38	A1	1483	U	C3'-C2'-C1'	6.62	106.80	101.50
38	A1	2636	C	C1'-O4'-C4'	6.62	115.20	109.90
38	A1	3039	G	C3'-C2'-C1'	6.62	106.80	101.50
11	B2	273	C	C4-C5-C6	-6.62	114.09	117.40
11	B2	468	G	N3-C4-C5	6.62	131.91	128.60
11	B2	669	A	N1-C6-N6	6.62	122.57	118.60
11	B2	1012	C	C5-C4-N4	-6.62	115.57	120.20
11	B2	1090	C	C6-N1-C1'	-6.62	112.86	120.80
11	B2	1412	A	C5-C6-N6	-6.62	118.40	123.70
15	BC	110	ARG	NE-CZ-NH2	-6.62	116.99	120.30
38	A1	541	A	N1-C2-N3	6.62	132.61	129.30
38	A1	590	A	N3-C4-C5	-6.62	122.17	126.80
38	A1	593	C	N3-C4-C5	-6.62	119.25	121.90
38	A1	1666	G	O4'-C1'-N9	6.62	113.49	108.20
44	Ab	18	ARG	NE-CZ-NH2	-6.62	116.99	120.30
6	AT	31	ASP	CB-CG-OD2	-6.62	112.34	118.30
11	B2	859	A	P-O3'-C3'	6.62	127.64	119.70
38	A1	565	A	C5-C6-N1	-6.62	114.39	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	757	C	O4'-C1'-N1	6.62	113.49	108.20
38	A1	1392	G	C4-C5-C6	6.62	122.77	118.80
38	A1	2162	G	N9-C4-C5	6.62	108.05	105.40
38	A1	2487	G	O4'-C1'-N9	6.62	113.49	108.20
38	A1	2495	A	C2-N3-C4	-6.62	107.29	110.60
45	AC	86	TYR	CZ-CE2-CD2	-6.62	113.84	119.80
11	B2	61	A	C5-N7-C8	6.62	107.21	103.90
11	B2	1007	A	O4'-C1'-N9	6.62	113.49	108.20
11	B2	1358	A	C5-N7-C8	6.62	107.21	103.90
25	BM	50	ALA	N-CA-CB	6.62	119.36	110.10
38	A1	26	G	N9-C4-C5	6.62	108.05	105.40
38	A1	98	G	N3-C2-N2	6.62	124.53	119.90
38	A1	265	A	N1-C6-N6	6.62	122.57	118.60
38	A1	1275	G	C4-C5-C6	6.62	122.77	118.80
38	A1	1453	G	N1-C2-N3	-6.62	119.93	123.90
38	A1	1541	U	N1-C2-N3	-6.62	110.93	114.90
38	A1	2126	G	N9-C1'-C2'	-6.62	104.72	112.00
38	A1	3036	C	C5-C6-N1	-6.62	117.69	121.00
39	A3	70	C	C5-C4-N4	-6.62	115.57	120.20
11	B2	334	G	N9-C1'-C2'	-6.61	104.72	112.00
38	A1	918	A	C5'-C4'-C3'	6.61	126.58	116.00
38	A1	1153	U	P-O3'-C3'	6.61	127.64	119.70
38	A1	1556	G	C5-C6-N1	6.61	114.81	111.50
38	A1	1685	C	C5'-C4'-O4'	-6.61	101.16	109.10
38	A1	1699	U	C5-C4-O4	-6.61	121.93	125.90
38	A1	1880	A	C5-C6-N6	-6.61	118.41	123.70
38	A1	2086	C	C1'-O4'-C4'	6.61	115.19	109.90
38	A1	2122	G	C4-C5-N7	6.61	113.45	110.80
38	A1	2203	G	C4-C5-N7	-6.61	108.16	110.80
38	A1	2309	C	C4-C5-C6	-6.61	114.09	117.40
38	A1	2510	A	O4'-C1'-N9	6.61	113.49	108.20
11	B2	620	G	N7-C8-N9	-6.61	109.79	113.10
11	B2	821	G	O4'-C4'-C3'	-6.61	97.39	104.00
11	B2	1381	G	C2-N3-C4	6.61	115.21	111.90
38	A1	115	C	OP1-P-OP2	-6.61	109.68	119.60
38	A1	1604	G	C1'-O4'-C4'	-6.61	104.61	109.90
38	A1	1825	G	N1-C2-N2	-6.61	110.25	116.20
38	A1	2339	C	C4-C5-C6	6.61	120.71	117.40
38	A1	2894	A	N1-C6-N6	6.61	122.57	118.60
11	B2	537	G	C1'-O4'-C4'	6.61	115.19	109.90
11	B2	857	C	C5-C4-N4	-6.61	115.57	120.20
11	B2	943	C	C2-N3-C4	6.61	123.21	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	866	G	C8-N9-C4	-6.61	103.76	106.40
38	A1	1672	G	N1-C2-N3	-6.61	119.93	123.90
38	A1	2584	A	N1-C2-N3	6.61	132.61	129.30
38	A1	2695	U	C1'-O4'-C4'	6.61	115.19	109.90
38	A1	2758	G	C8-N9-C1'	6.61	135.59	127.00
11	B2	32	A	O4'-C1'-N9	6.61	113.49	108.20
11	B2	1204	C	O4'-C1'-N1	6.61	113.49	108.20
11	B2	97	C	O4'-C1'-N1	6.61	113.48	108.20
11	B2	168	G	C5-N7-C8	6.61	107.60	104.30
11	B2	301	G	C6-C5-N7	-6.61	126.44	130.40
38	A1	407	A	O3'-P-O5'	6.61	116.56	104.00
38	A1	591	G	C5-C6-N1	-6.61	108.20	111.50
38	A1	680	U	P-O5'-C5'	6.61	131.47	120.90
38	A1	1109	G	C6-C5-N7	-6.61	126.44	130.40
38	A1	1356	A	C8-N9-C4	-6.61	103.16	105.80
38	A1	1454	G	C4-C5-N7	-6.61	108.16	110.80
38	A1	1502	C	C5-C6-N1	6.61	124.30	121.00
38	A1	1945	C	C5-C4-N4	-6.61	115.58	120.20
38	A1	3046	C	O4'-C1'-N1	6.61	113.49	108.20
11	B2	111	G	C6-N1-C2	-6.61	121.14	125.10
11	B2	564	C	C5-C4-N4	-6.61	115.58	120.20
11	B2	938	C	N3-C4-C5	-6.61	119.26	121.90
11	B2	1234	A	N7-C8-N9	6.61	117.10	113.80
38	A1	715	G	N1-C6-O6	6.61	123.86	119.90
38	A1	848	A	C5'-C4'-O4'	6.61	117.03	109.10
38	A1	1464	A	C6-N1-C2	6.61	122.56	118.60
38	A1	1543	C	P-O5'-C5'	-6.61	110.33	120.90
38	A1	2021	G	O4'-C1'-N9	6.61	113.48	108.20
38	A1	2434	A	N1-C2-N3	6.61	132.60	129.30
38	A1	2509	A	C6-N1-C2	-6.61	114.64	118.60
60	AM	53	TYR	CB-CG-CD2	-6.61	117.04	121.00
11	B2	229	G	N3-C2-N2	6.60	124.52	119.90
11	B2	453	G	P-O3'-C3'	6.60	127.62	119.70
38	A1	1241	C	C5-C6-N1	6.60	124.30	121.00
38	A1	1475	G	C2-N3-C4	-6.60	108.60	111.90
38	A1	2349	U	O4'-C1'-N1	6.60	113.48	108.20
38	A1	2707	G	N9-C4-C5	6.60	108.04	105.40
11	B2	289	C	C2-N3-C4	6.60	123.20	119.90
11	B2	499	G	O4'-C1'-N9	6.60	113.48	108.20
11	B2	646	U	C5-C6-N1	-6.60	119.40	122.70
11	B2	989	C	C3'-C2'-C1'	6.60	106.78	101.50
38	A1	105	C	C6-N1-C2	6.60	122.94	120.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1037	C	C2-N1-C1'	6.60	126.06	118.80
38	A1	1166	A	O4'-C4'-C3'	-6.60	97.40	104.00
38	A1	1265	A	C5-C6-N6	-6.60	118.42	123.70
38	A1	1823	A	P-O3'-C3'	6.60	127.62	119.70
38	A1	2369	G	O4'-C1'-N9	6.60	113.48	108.20
11	B2	368	C	C2-N3-C4	6.60	123.20	119.90
11	B2	682	A	O4'-C1'-N9	6.60	113.48	108.20
38	A1	470	A	C5-C6-N1	-6.60	114.40	117.70
38	A1	1854	G	C3'-C2'-C1'	6.60	106.78	101.50
11	B2	876	A	N1-C6-N6	6.60	122.56	118.60
11	B2	1272	G	P-O3'-C3'	-6.60	111.78	119.70
32	BT	106	PHE	CB-CG-CD2	6.60	125.42	120.80
34	BV	85	TYR	CB-CG-CD1	6.60	124.96	121.00
38	A1	60	G	C1'-O4'-C4'	6.60	115.18	109.90
38	A1	435	G	C4-C5-C6	6.60	122.76	118.80
38	A1	702	G	N1-C2-N2	6.60	122.14	116.20
38	A1	1077	G	C5-C6-O6	-6.60	124.64	128.60
38	A1	1498	C	C5-C6-N1	6.60	124.30	121.00
38	A1	2073	G	C4-C5-C6	6.60	122.76	118.80
38	A1	2079	U	P-O3'-C3'	-6.60	111.78	119.70
38	A1	2317	G	C6-C5-N7	-6.60	126.44	130.40
38	A1	2846	A	C4-C5-C6	6.60	120.30	117.00
11	B2	22	G	C4-N9-C1'	-6.60	117.92	126.50
11	B2	237	C	O4'-C1'-N1	6.60	113.48	108.20
11	B2	785	U	N1-C2-O2	-6.60	118.18	122.80
11	B2	878	U	C5-C6-N1	-6.60	119.40	122.70
11	B2	1460	G	C6-C5-N7	-6.60	126.44	130.40
38	A1	580	G	O4'-C4'-C3'	-6.60	97.40	104.00
38	A1	959	U	N3-C2-O2	-6.60	117.58	122.20
38	A1	1012	G	C1'-O4'-C4'	6.60	115.18	109.90
38	A1	2369	G	N1-C6-O6	6.60	123.86	119.90
38	A1	2459	G	C6-C5-N7	-6.60	126.44	130.40
11	B2	486	A	C3'-C2'-C1'	6.60	106.78	101.50
11	B2	927	A	N1-C2-N3	6.60	132.60	129.30
11	B2	969	A	C5-C6-N6	-6.60	118.42	123.70
11	B2	1414	G	O4'-C1'-N9	6.60	113.48	108.20
38	A1	36	G	C6-N1-C2	-6.60	121.14	125.10
38	A1	623	G	C3'-C2'-C1'	-6.60	96.22	101.50
38	A1	1215	C	C5-C4-N4	-6.60	115.58	120.20
57	Aj	42	ARG	NE-CZ-NH2	-6.60	117.00	120.30
11	B2	1309	A	N9-C4-C5	-6.59	103.16	105.80
38	A1	832	A	N9-C4-C5	6.59	108.44	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1105	C	C4-C5-C6	6.59	120.70	117.40
38	A1	1781	C	O4'-C1'-N1	6.59	113.48	108.20
38	A1	1892	G	C2-N3-C4	-6.59	108.60	111.90
38	A1	2133	G	N3-C4-N9	6.59	129.96	126.00
38	A1	2488	C	P-O3'-C3'	6.59	127.61	119.70
38	A1	2542	G	N1-C2-N3	-6.59	119.94	123.90
38	A1	2557	C	P-O3'-C3'	-6.59	111.79	119.70
11	B2	194	C	C6-N1-C2	-6.59	117.66	120.30
11	B2	1196	A	C5'-C4'-O4'	6.59	117.01	109.10
32	BT	82	TYR	CB-CG-CD1	-6.59	117.04	121.00
38	A1	1069	A	O4'-C1'-N9	6.59	113.47	108.20
38	A1	1629	G	C2-N3-C4	6.59	115.20	111.90
38	A1	2462	U	N3-C4-O4	6.59	124.02	119.40
38	A1	2477	G	N1-C2-N2	-6.59	110.27	116.20
38	A1	2833	G	N7-C8-N9	-6.59	109.80	113.10
11	B2	81	C	N3-C4-N4	6.59	122.61	118.00
11	B2	181	G	C5-C6-N1	-6.59	108.20	111.50
11	B2	254	G	C5-N7-C8	6.59	107.60	104.30
11	B2	287	G	N1-C6-O6	6.59	123.86	119.90
11	B2	1250	C	N3-C4-N4	6.59	122.61	118.00
38	A1	22	C	O4'-C4'-C3'	-6.59	97.41	104.00
38	A1	286	G	N1-C2-N2	-6.59	110.27	116.20
38	A1	732	G	C4-C5-C6	6.59	122.75	118.80
38	A1	1454	G	C8-N9-C4	6.59	109.04	106.40
38	A1	1569	A	N1-C6-N6	6.59	122.56	118.60
38	A1	2152	G	C5-C6-N1	-6.59	108.20	111.50
38	A1	2169	C	N3-C4-N4	6.59	122.61	118.00
38	A1	2280	G	O4'-C4'-C3'	-6.59	97.41	104.00
11	B2	423	U	C4-C5-C6	6.59	123.65	119.70
11	B2	1010	G	C4-C5-C6	6.59	122.75	118.80
16	BD	11	TYR	CB-CG-CD1	-6.59	117.05	121.00
38	A1	381	G	N3-C2-N2	6.59	124.51	119.90
38	A1	662	A	C4-C5-C6	6.59	120.29	117.00
38	A1	1992	A	P-O3'-C3'	6.59	127.61	119.70
38	A1	2000	G	C5-N7-C8	6.59	107.59	104.30
38	A1	2167	C	C5-C4-N4	-6.59	115.59	120.20
38	A1	2240	G	C8-N9-C4	6.59	109.04	106.40
38	A1	2498	G	C6-N1-C2	-6.59	121.15	125.10
10	B1	76	C	C5-C4-N4	6.59	124.81	120.20
11	B2	942	A	C5-C6-N6	-6.59	118.43	123.70
11	B2	1243	C	C4'-C3'-C2'	-6.59	96.01	102.60
38	A1	186	A	O4'-C1'-C2'	-6.59	99.21	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	233	A	C6-N1-C2	6.59	122.55	118.60
38	A1	516	A	N9-C4-C5	-6.59	103.17	105.80
38	A1	837	G	C6-C5-N7	-6.59	126.45	130.40
38	A1	1732	C	OP1-P-OP2	-6.59	109.72	119.60
38	A1	2791	C	O4'-C1'-N1	6.59	113.47	108.20
11	B2	266	A	C1'-O4'-C4'	-6.59	104.63	109.90
11	B2	846	G	N7-C8-N9	-6.59	109.81	113.10
11	B2	1181	G	C8-N9-C4	-6.59	103.77	106.40
38	A1	68	G	N3-C2-N2	6.59	124.51	119.90
38	A1	2312	U	N1-C2-O2	-6.59	118.19	122.80
38	A1	2649	A	O4'-C1'-N9	6.59	113.47	108.20
38	A1	1326	U	C4'-C3'-C2'	6.58	109.19	102.60
11	B2	204	G	C4-C5-N7	6.58	113.43	110.80
11	B2	268	C	C6-N1-C2	-6.58	117.67	120.30
11	B2	310	G	C8-N9-C4	-6.58	103.77	106.40
11	B2	453	G	C6-C5-N7	-6.58	126.45	130.40
11	B2	608	G	C5-N7-C8	6.58	107.59	104.30
11	B2	1063	A	C5-C6-N6	-6.58	118.43	123.70
17	BE	184	TYR	CB-CG-CD2	6.58	124.95	121.00
38	A1	428	A	C8-N9-C4	-6.58	103.17	105.80
38	A1	1202	G	N3-C2-N2	6.58	124.51	119.90
38	A1	1447	G	C6-C5-N7	6.58	134.35	130.40
38	A1	2064	U	C2'-C3'-O3'	6.58	124.23	113.70
38	A1	2994	G	C8-N9-C4	-6.58	103.77	106.40
39	A3	50	G	N3-C2-N2	6.58	124.51	119.90
11	B2	637	G	C6-C5-N7	-6.58	126.45	130.40
11	B2	1207	G	N3-C4-N9	-6.58	122.05	126.00
27	BO	130	ARG	NE-CZ-NH2	6.58	123.59	120.30
38	A1	90	A	N1-C2-N3	-6.58	126.01	129.30
38	A1	1155	A	P-O5'-C5'	-6.58	110.37	120.90
38	A1	2416	G	C8-N9-C4	-6.58	103.77	106.40
38	A1	2870	A	O4'-C1'-N9	6.58	113.47	108.20
11	B2	76	U	N3-C4-O4	6.58	124.01	119.40
11	B2	398	C	C5-C6-N1	6.58	124.29	121.00
11	B2	556	G	O4'-C1'-N9	6.58	113.46	108.20
11	B2	1146	G	C1'-O4'-C4'	6.58	115.16	109.90
38	A1	506	G	C6-C5-N7	-6.58	126.45	130.40
39	A3	111	G	C4-C5-N7	-6.58	108.17	110.80
10	B1	6	G	N1-C6-O6	6.58	123.85	119.90
11	B2	1025	U	C2-N3-C4	6.58	130.95	127.00
11	B2	1325	C	O4'-C1'-N1	6.58	113.46	108.20
17	BE	212	VAL	CA-CB-CG2	6.58	120.77	110.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	388	G	O4'-C1'-N9	6.58	113.46	108.20
38	A1	1114	G	N3-C2-N2	6.58	124.50	119.90
38	A1	1860	A	C5-C6-N6	-6.58	118.44	123.70
38	A1	2216	G	C5-C6-O6	-6.58	124.65	128.60
38	A1	2837	C	C2-N3-C4	6.58	123.19	119.90
38	A1	690	G	C5-C6-N1	-6.58	108.21	111.50
39	A3	99	G	C6-C5-N7	-6.58	126.45	130.40
39	A3	108	G	O4'-C1'-N9	6.58	113.46	108.20
38	A1	24	G	N1-C2-N3	-6.58	119.95	123.90
38	A1	575	G	C6-C5-N7	-6.58	126.45	130.40
38	A1	773	U	C5-C6-N1	6.58	125.99	122.70
38	A1	1634	A	P-O3'-C3'	6.58	127.59	119.70
38	A1	1859	A	C4-C5-C6	6.58	120.29	117.00
38	A1	2326	C	C4'-C3'-C2'	-6.58	96.02	102.60
38	A1	2332	G	C8-N9-C4	-6.58	103.77	106.40
38	A1	2900	C	C5'-C4'-O4'	6.58	116.99	109.10
39	A3	24	C	O4'-C1'-N1	6.58	113.46	108.20
6	AT	4	TYR	CB-CG-CD1	-6.57	117.06	121.00
11	B2	6	G	N1-C6-O6	6.57	123.84	119.90
11	B2	400	G	N9-C1'-C2'	-6.57	104.77	112.00
11	B2	569	G	O4'-C1'-N9	6.57	113.46	108.20
11	B2	914	U	N3-C4-O4	6.57	124.00	119.40
17	BE	89	ASP	CB-CG-OD2	6.57	124.22	118.30
38	A1	32	C	N3-C4-C5	-6.57	119.27	121.90
38	A1	1751	G	N3-C2-N2	6.57	124.50	119.90
38	A1	1780	C	C5-C4-N4	-6.57	115.60	120.20
38	A1	2306	C	N3-C4-N4	6.57	122.60	118.00
38	A1	2403	G	P-O3'-C3'	6.57	127.59	119.70
38	A1	2554	A	C8-N9-C4	-6.57	103.17	105.80
11	B2	1268	C	C5-C6-N1	-6.57	117.71	121.00
38	A1	724	G	C5-N7-C8	6.57	107.59	104.30
38	A1	981	A	N9-C1'-C2'	-6.57	104.77	112.00
38	A1	1061	G	C5-C6-O6	-6.57	124.66	128.60
38	A1	1827	A	N1-C2-N3	6.57	132.59	129.30
38	A1	2761	G	C4-C5-N7	-6.57	108.17	110.80
11	B2	144	G	C2-N3-C4	6.57	115.19	111.90
11	B2	162	C	C5-C6-N1	6.57	124.29	121.00
11	B2	730	G	C6-C5-N7	-6.57	126.46	130.40
11	B2	1001	A	N1-C2-N3	6.57	132.59	129.30
11	B2	1050	G	N1-C2-N3	-6.57	119.96	123.90
38	A1	49	A	C4-C5-N7	6.57	113.98	110.70
38	A1	212	A	C5-N7-C8	6.57	107.19	103.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	328	G	N1-C6-O6	6.57	123.84	119.90
38	A1	559	G	N9-C4-C5	-6.57	102.77	105.40
38	A1	575	G	N9-C4-C5	-6.57	102.77	105.40
38	A1	1040	C	O4'-C1'-N1	6.57	113.46	108.20
38	A1	1175	C	C5-C4-N4	-6.57	115.60	120.20
38	A1	1905	G	O4'-C1'-N9	6.57	113.46	108.20
38	A1	2229	G	O4'-C1'-N9	6.57	113.46	108.20
38	A1	2650	G	N9-C4-C5	6.57	108.03	105.40
38	A1	2755	G	N1-C2-N2	-6.57	110.29	116.20
11	B2	872	A	C8-N9-C4	-6.57	103.17	105.80
16	BD	70	ARG	NE-CZ-NH1	6.57	123.58	120.30
38	A1	1354	G	N3-C2-N2	6.57	124.50	119.90
38	A1	1634	A	O4'-C1'-N9	6.57	113.45	108.20
38	A1	2413	G	N3-C4-C5	6.57	131.88	128.60
59	AL	47	TRP	N-CA-CB	6.57	122.42	110.60
11	B2	113	U	C5-C6-N1	6.57	125.98	122.70
11	B2	222	G	C6-N1-C2	-6.57	121.16	125.10
11	B2	325	A	O4'-C1'-N9	6.57	113.45	108.20
11	B2	1214	G	C8-N9-C4	-6.57	103.77	106.40
11	B2	1495	U	N1-C2-O2	-6.57	118.20	122.80
38	A1	912	G	N3-C2-N2	6.57	124.50	119.90
38	A1	1055	C	N1-C2-N3	-6.57	114.60	119.20
38	A1	1136	G	C1'-O4'-C4'	-6.57	104.64	109.90
38	A1	1772	A	C5-C6-N6	-6.57	118.44	123.70
38	A1	2123	G	O4'-C1'-N9	6.57	113.45	108.20
38	A1	2593	A	C4-C5-N7	-6.57	107.42	110.70
38	A1	2874	C	N3-C4-N4	6.57	122.60	118.00
11	B2	165	U	C6-N1-C2	6.57	124.94	121.00
11	B2	629	U	C6-N1-C2	-6.57	117.06	121.00
11	B2	843	G	C2-N3-C4	6.57	115.18	111.90
11	B2	922	G	O4'-C1'-N9	6.57	113.45	108.20
11	B2	1067	G	P-O5'-C5'	-6.57	110.39	120.90
11	B2	1160	C	P-O3'-C3'	6.57	127.58	119.70
11	B2	1467	U	C5-C4-O4	-6.57	121.96	125.90
38	A1	99	U	P-O3'-C3'	6.57	127.58	119.70
38	A1	544	A	N7-C8-N9	-6.57	110.52	113.80
38	A1	1540	A	C2-N3-C4	-6.57	107.32	110.60
38	A1	2646	A	C6-N1-C2	-6.57	114.66	118.60
38	A1	3020	G	C1'-O4'-C4'	-6.57	104.65	109.90
39	A3	66	A	C4-C5-C6	6.57	120.28	117.00
11	B2	699	C	C4-C5-C6	6.56	120.68	117.40
11	B2	840	C	N3-C4-N4	6.56	122.59	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1054	A	O5'-P-OP2	-6.56	99.79	105.70
17	BE	126	ARG	NE-CZ-NH1	-6.56	117.02	120.30
38	A1	1080	G	N7-C8-N9	-6.56	109.82	113.10
38	A1	2196	C	C4'-C3'-C2'	-6.56	96.04	102.60
38	A1	2811	U	N3-C4-O4	6.56	124.00	119.40
38	A1	3030	A	C4-C5-C6	6.56	120.28	117.00
10	B1	26	C	N3-C4-C5	-6.56	119.28	121.90
11	B2	106	A	P-O3'-C3'	6.56	127.58	119.70
11	B2	432	G	C8-N9-C4	-6.56	103.78	106.40
11	B2	647	G	C5-N7-C8	-6.56	101.02	104.30
38	A1	449	G	O4'-C4'-C3'	-6.56	97.44	104.00
38	A1	789	G	C5-C6-N1	-6.56	108.22	111.50
38	A1	1104	A	C5-C6-N1	-6.56	114.42	117.70
38	A1	1353	A	N1-C6-N6	6.56	122.54	118.60
38	A1	1377	G	N1-C2-N2	-6.56	110.29	116.20
38	A1	1903	G	N3-C4-N9	6.56	129.94	126.00
38	A1	2031	G	C4-C5-N7	-6.56	108.17	110.80
38	A1	2722	G	C6-C5-N7	-6.56	126.46	130.40
38	A1	2748	C	N3-C2-O2	-6.56	117.31	121.90
38	A1	2791	C	N3-C2-O2	6.56	126.49	121.90
38	A1	2979	C	C5-C6-N1	6.56	124.28	121.00
39	A3	91	G	N1-C2-N2	-6.56	110.30	116.20
11	B2	125	G	C6-C5-N7	-6.56	126.46	130.40
11	B2	168	G	N9-C1'-C2'	-6.56	104.78	112.00
11	B2	596	A	C8-N9-C4	-6.56	103.18	105.80
11	B2	645	G	C6-C5-N7	-6.56	126.46	130.40
11	B2	670	C	C2-N3-C4	-6.56	116.62	119.90
38	A1	830	G	O4'-C1'-N9	6.56	113.45	108.20
38	A1	1352	U	N3-C4-O4	6.56	123.99	119.40
38	A1	1947	A	N1-C6-N6	6.56	122.54	118.60
38	A1	2369	G	N3-C4-C5	-6.56	125.32	128.60
60	AM	90	TYR	CB-CG-CD2	6.56	124.94	121.00
10	B1	35	G	C5-C6-N1	-6.56	108.22	111.50
11	B2	752	G	C6-N1-C2	6.56	129.03	125.10
11	B2	1071	C	N3-C4-N4	6.56	122.59	118.00
11	B2	1238	G	N1-C2-N3	-6.56	119.97	123.90
11	B2	1334	A	N1-C6-N6	6.56	122.53	118.60
38	A1	95	G	N9-C4-C5	-6.56	102.78	105.40
38	A1	149	G	N1-C6-O6	6.56	123.83	119.90
38	A1	1050	C	N3-C4-N4	6.56	122.59	118.00
38	A1	1905	G	C6-N1-C2	6.56	129.03	125.10
38	A1	2089	C	C3'-C2'-C1'	6.56	106.75	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2158	G	C5-C6-N1	-6.56	108.22	111.50
38	A1	2288	C	C4-C5-C6	6.56	120.68	117.40
39	A3	16	G	C4-C5-N7	6.56	113.42	110.80
38	A1	1463	C	N3-C2-O2	-6.56	117.31	121.90
11	B2	203	A	C8-N9-C4	-6.55	103.18	105.80
11	B2	358	G	N3-C4-C5	-6.55	125.32	128.60
11	B2	461	A	C5-C6-N6	-6.55	118.46	123.70
11	B2	670	C	C5-C4-N4	-6.55	115.61	120.20
38	A1	303	A	N1-C6-N6	6.55	122.53	118.60
38	A1	306	G	O4'-C1'-N9	6.55	113.44	108.20
38	A1	1190	G	N1-C2-N3	-6.55	119.97	123.90
38	A1	2723	G	C8-N9-C4	-6.55	103.78	106.40
38	A1	2813	G	C2-N3-C4	-6.55	108.62	111.90
38	A1	3007	A	O4'-C1'-N9	6.55	113.44	108.20
11	B2	815	C	C6-N1-C2	-6.55	117.68	120.30
38	A1	1167	A	P-O3'-C3'	6.55	127.56	119.70
38	A1	2096	G	P-O3'-C3'	-6.55	111.84	119.70
11	B2	153	G	N9-C4-C5	-6.55	102.78	105.40
11	B2	471	G	P-O3'-C3'	6.55	127.56	119.70
11	B2	1299	A	C4-C5-C6	6.55	120.28	117.00
12	B3	22	ALA	CB-CA-C	-6.55	100.27	110.10
38	A1	66	C	N3-C2-O2	6.55	126.49	121.90
38	A1	473	C	C6-N1-C2	-6.55	117.68	120.30
38	A1	676	G	C6-C5-N7	-6.55	126.47	130.40
38	A1	1201	G	C4-C5-N7	-6.55	108.18	110.80
38	A1	2339	C	C2-N3-C4	6.55	123.18	119.90
38	A1	2589	C	C5-C4-N4	-6.55	115.61	120.20
38	A1	3035	C	C2-N3-C4	6.55	123.18	119.90
12	AG	98	SER	N-CA-CB	6.55	120.33	110.50
10	B1	20	G	C6-N1-C2	6.55	129.03	125.10
11	B2	900	G	N9-C4-C5	6.55	108.02	105.40
14	BB	12	TYR	CG-CD2-CE2	-6.55	116.06	121.30
38	A1	738	C	N1-C2-N3	-6.55	114.61	119.20
38	A1	1394	G	N3-C4-N9	6.55	129.93	126.00
38	A1	2632	C	C5-C4-N4	-6.55	115.62	120.20
38	A1	2719	G	O4'-C1'-N9	6.55	113.44	108.20
38	A1	2821	G	N7-C8-N9	-6.55	109.83	113.10
38	A1	2875	C	C1'-O4'-C4'	-6.55	104.66	109.90
39	A3	74	U	N3-C2-O2	-6.55	117.61	122.20
11	B2	702	G	C5'-C4'-O4'	6.55	116.96	109.10
11	B2	892	C	C5-C4-N4	-6.55	115.62	120.20
11	B2	1230	G	C8-N9-C4	6.55	109.02	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	872	G	C2-N3-C4	-6.55	108.63	111.90
38	A1	2331	A	C5-C6-N6	-6.55	118.46	123.70
38	A1	2443	G	N3-C2-N2	6.55	124.48	119.90
38	A1	2465	A	C5-C6-N6	-6.55	118.46	123.70
38	A1	2542	G	C6-C5-N7	-6.55	126.47	130.40
62	AO	171	TYR	CA-CB-CG	6.55	125.84	113.40
11	B2	210	A	C4-C5-N7	-6.55	107.43	110.70
11	B2	377	A	O4'-C4'-C3'	-6.55	97.45	104.00
11	B2	610	G	N1-C6-O6	6.55	123.83	119.90
38	A1	736	U	C1'-O4'-C4'	-6.55	104.66	109.90
38	A1	1716	G	N9-C1'-C2'	-6.55	104.80	112.00
38	A1	1790	G	C6-N1-C2	6.55	129.03	125.10
38	A1	2892	A	C6-N1-C2	-6.55	114.67	118.60
11	B2	88	G	N1-C6-O6	6.54	123.83	119.90
11	B2	146	A	C2-N3-C4	-6.54	107.33	110.60
38	A1	300	U	P-O3'-C3'	6.54	127.55	119.70
38	A1	1340	G	C5-C6-N1	-6.54	108.23	111.50
38	A1	2635	C	C5-C6-N1	6.54	124.27	121.00
39	A3	17	G	N7-C8-N9	-6.54	109.83	113.10
11	B2	793	G	C8-N9-C4	6.54	109.02	106.40
38	A1	128	C	N1-C2-O2	-6.54	114.97	118.90
38	A1	394	A	C5'-C4'-C3'	6.54	126.47	116.00
38	A1	404	G	N1-C2-N3	-6.54	119.97	123.90
38	A1	440	A	C6-C5-N7	-6.54	127.72	132.30
38	A1	940	G	N1-C2-N3	-6.54	119.97	123.90
38	A1	1736	G	C5'-C4'-O4'	6.54	116.95	109.10
38	A1	1743	G	N3-C2-N2	6.54	124.48	119.90
38	A1	1943	C	N3-C4-C5	-6.54	119.28	121.90
38	A1	2107	G	N1-C6-O6	6.54	123.83	119.90
38	A1	2284	C	C4-C5-C6	6.54	120.67	117.40
38	A1	2590	C	C2-N3-C4	-6.54	116.63	119.90
10	B1	6	G	O4'-C1'-N9	6.54	113.43	108.20
11	B2	853	G	C3'-C2'-C1'	-6.54	96.27	101.50
11	B2	1138	G	C5-C6-O6	-6.54	124.67	128.60
38	A1	1609	G	N1-C6-O6	6.54	123.83	119.90
38	A1	2559	G	C5-C6-O6	-6.54	124.67	128.60
38	A1	2749	G	C5-C6-O6	-6.54	124.68	128.60
38	A1	2807	C	C5-C6-N1	6.54	124.27	121.00
38	A1	3000	U	N3-C4-C5	-6.54	110.67	114.60
38	A1	1915	G	C5-N7-C8	-6.54	101.03	104.30
38	A1	2111	C	C5-C4-N4	6.54	124.78	120.20
11	B2	349	A	C5-C6-N6	-6.54	118.47	123.70

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	384	G	C4-C5-N7	6.54	113.42	110.80
11	B2	406	U	C4-C5-C6	6.54	123.62	119.70
11	B2	482	G	O4'-C1'-N9	6.54	113.43	108.20
11	B2	1033	G	P-O3'-C3'	-6.54	111.86	119.70
11	B2	1330	G	P-O3'-C3'	6.54	127.55	119.70
11	B2	1466	G	C8-N9-C4	6.54	109.02	106.40
38	A1	656	G	N1-C6-O6	6.54	123.82	119.90
38	A1	1749	C	N3-C4-N4	6.54	122.58	118.00
38	A1	2641	C	C4-C5-C6	-6.54	114.13	117.40
38	A1	2831	G	O4'-C1'-N9	6.54	113.43	108.20
11	B2	106	A	C4-N9-C1'	6.54	138.07	126.30
11	B2	388	G	C5-C6-O6	-6.54	124.68	128.60
11	B2	628	G	N1-C2-N2	6.54	122.08	116.20
38	A1	1107	G	N9-C4-C5	6.54	108.02	105.40
38	A1	1293	G	C5-C6-N1	-6.54	108.23	111.50
38	A1	3008	C	C4-C5-C6	-6.54	114.13	117.40
11	B2	269	A	N9-C4-C5	-6.54	103.19	105.80
11	B2	601	G	N7-C8-N9	6.54	116.37	113.10
11	B2	750	C	N3-C4-N4	6.54	122.57	118.00
11	B2	1016	G	C2-N3-C4	-6.54	108.63	111.90
11	B2	1176	C	C5-C6-N1	6.54	124.27	121.00
11	B2	1262	U	N1-C2-O2	-6.54	118.23	122.80
11	B2	1273	G	N3-C4-C5	6.54	131.87	128.60
11	B2	1449	G	N1-C2-N3	-6.54	119.98	123.90
38	A1	32	C	C5-C6-N1	6.54	124.27	121.00
38	A1	430	A	P-O3'-C3'	6.54	127.54	119.70
38	A1	487	U	C6-N1-C1'	-6.54	112.05	121.20
38	A1	683	C	C5-C4-N4	-6.54	115.63	120.20
38	A1	1136	G	N3-C2-N2	-6.54	115.33	119.90
38	A1	1445	G	O4'-C4'-C3'	-6.54	97.46	104.00
38	A1	1579	G	N1-C2-N3	-6.54	119.98	123.90
38	A1	1979	G	C5-C6-O6	-6.54	124.68	128.60
38	A1	2962	A	C5-C6-N6	-6.54	118.47	123.70
38	A1	3006	G	N3-C4-N9	-6.54	122.08	126.00
11	B2	603	G	C5-C6-O6	-6.53	124.68	128.60
11	B2	759	C	P-O5'-C5'	6.53	131.35	120.90
11	B2	1140	A	C5-C6-N1	-6.53	114.43	117.70
28	BP	32	ARG	NE-CZ-NH2	-6.53	117.03	120.30
38	A1	82	C	C5-C6-N1	6.53	124.27	121.00
38	A1	631	G	C5-C6-O6	-6.53	124.68	128.60
38	A1	666	A	C5-C6-N6	-6.53	118.47	123.70
38	A1	1713	G	N1-C2-N3	-6.53	119.98	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1798	A	N9-C4-C5	6.53	108.41	105.80
38	A1	2204	C	C5-C4-N4	-6.53	115.63	120.20
38	A1	2351	G	N1-C6-O6	6.53	123.82	119.90
38	A1	2891	A	N3-C4-N9	6.53	132.63	127.40
55	Ai	13	PHE	CB-CG-CD2	6.53	125.37	120.80
11	B2	71	C	C2-N3-C4	6.53	123.17	119.90
11	B2	321	A	C5-C6-N1	-6.53	114.43	117.70
11	B2	1461	U	C4'-C3'-C2'	-6.53	96.07	102.60
38	A1	60	G	C6-C5-N7	-6.53	126.48	130.40
38	A1	1905	G	C5-C6-N1	-6.53	108.23	111.50
39	A3	119	C	N1-C2-O2	6.53	122.82	118.90
11	B2	66	G	C4'-C3'-C2'	-6.53	96.07	102.60
11	B2	253	G	N1-C6-O6	6.53	123.82	119.90
11	B2	535	U	C5-C6-N1	6.53	125.97	122.70
11	B2	736	A	C6-N1-C2	-6.53	114.68	118.60
11	B2	1224	U	C2-N3-C4	6.53	130.92	127.00
38	A1	281	G	C5-C6-O6	-6.53	124.68	128.60
38	A1	526	C	O4'-C1'-N1	6.53	113.42	108.20
38	A1	1255	C	N3-C4-C5	-6.53	119.29	121.90
38	A1	1630	U	N1-C2-N3	-6.53	110.98	114.90
38	A1	1874	G	C5-C6-O6	-6.53	124.68	128.60
9	AX	266	PHE	CB-CG-CD2	-6.53	116.23	120.80
24	BL	89	ARG	NE-CZ-NH2	6.53	123.56	120.30
38	A1	721	G	N1-C6-O6	6.53	123.82	119.90
38	A1	1426	G	C2-N3-C4	-6.53	108.64	111.90
38	A1	1602	C	N1-C2-N3	-6.53	114.63	119.20
38	A1	2131	C	C5-C6-N1	-6.53	117.73	121.00
38	A1	2968	G	C3'-C2'-C1'	-6.53	96.28	101.50
10	B1	8	U	O4'-C1'-N1	6.53	113.42	108.20
11	B2	201	G	C1'-O4'-C4'	6.53	115.12	109.90
11	B2	667	G	C4'-C3'-C2'	-6.53	96.07	102.60
11	B2	1014	C	P-O3'-C3'	6.53	127.53	119.70
11	B2	1198	A	OP2-P-O3'	6.53	119.56	105.20
11	B2	1322	C	C5'-C4'-O4'	6.53	116.93	109.10
11	B2	1396	C	C6-N1-C2	6.53	122.91	120.30
38	A1	365	G	C5-N7-C8	-6.53	101.04	104.30
38	A1	406	G	C4'-C3'-C2'	-6.53	96.07	102.60
38	A1	435	G	N1-C6-O6	6.53	123.82	119.90
38	A1	1741	C	C5'-C4'-C3'	-6.53	105.56	116.00
38	A1	2348	G	C4-C5-N7	-6.53	108.19	110.80
11	B2	24	C	O4'-C1'-N1	6.53	113.42	108.20
11	B2	1087	C	N3-C4-N4	6.53	122.57	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	BE	8	ARG	NE-CZ-NH2	-6.53	117.04	120.30
38	A1	749	G	N7-C8-N9	-6.53	109.84	113.10
38	A1	1178	G	C5-C6-N1	6.53	114.76	111.50
38	A1	1322	G	C6-N1-C2	6.53	129.01	125.10
38	A1	2016	C	N3-C4-C5	-6.53	119.29	121.90
38	A1	2025	A	C5-C6-N6	-6.53	118.48	123.70
38	A1	2352	G	O4'-C1'-N9	6.53	113.42	108.20
38	A1	2482	G	N9-C4-C5	-6.53	102.79	105.40
59	AL	63	PHE	CB-CG-CD1	6.53	125.37	120.80
11	B2	65	G	C8-N9-C4	-6.52	103.79	106.40
11	B2	231	G	C5-C6-N1	-6.52	108.24	111.50
11	B2	411	C	C1'-O4'-C4'	6.52	115.12	109.90
38	A1	2856	G	O4'-C1'-N9	6.52	113.42	108.20
9	AX	56	PHE	N-CA-CB	6.52	122.34	110.60
11	B2	85	A	C4-C5-C6	6.52	120.26	117.00
11	B2	446	G	C5-N7-C8	6.52	107.56	104.30
11	B2	1304	C	C4-C5-C6	-6.52	114.14	117.40
11	B2	1485	G	O4'-C1'-N9	6.52	113.42	108.20
38	A1	873	G	N3-C2-N2	6.52	124.47	119.90
38	A1	1360	G	C4-C5-C6	6.52	122.71	118.80
38	A1	2107	G	O4'-C1'-N9	6.52	113.42	108.20
38	A1	2392	A	C6-N1-C2	6.52	122.51	118.60
38	A1	2466	C	O4'-C1'-N1	6.52	113.42	108.20
38	A1	2732	U	C5-C6-N1	6.52	125.96	122.70
38	A1	2827	C	C5'-C4'-C3'	-6.52	105.56	116.00
43	AB	121	TYR	CB-CA-C	-6.52	97.36	110.40
38	A1	406	G	P-O3'-C3'	6.52	127.53	119.70
38	A1	408	C	C2-N3-C4	6.52	123.16	119.90
38	A1	759	G	O4'-C1'-N9	6.52	113.42	108.20
38	A1	777	A	N9-C4-C5	6.52	108.41	105.80
38	A1	2851	A	C4-C5-C6	6.52	120.26	117.00
11	B2	359	A	C4-C5-C6	6.52	120.26	117.00
11	B2	905	A	N1-C6-N6	6.52	122.51	118.60
38	A1	1223	A	C8-N9-C4	-6.52	103.19	105.80
38	A1	2255	C	C5'-C4'-O4'	6.52	116.92	109.10
38	A1	2486	A	O4'-C1'-N9	6.52	113.42	108.20
38	A1	2624	G	C6-C5-N7	-6.52	126.49	130.40
11	B2	152	G	C8-N9-C4	6.52	109.01	106.40
11	B2	1151	A	N1-C2-N3	6.52	132.56	129.30
38	A1	377	C	C6-N1-C2	6.52	122.91	120.30
38	A1	559	G	C6-C5-N7	-6.52	126.49	130.40
38	A1	971	G	C6-C5-N7	-6.52	126.49	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1493	C	C1'-O4'-C4'	-6.52	104.69	109.90
38	A1	1919	A	C5-C6-N6	-6.52	118.49	123.70
38	A1	2216	G	O4'-C1'-N9	6.52	113.41	108.20
39	A3	27	C	C6-N1-C2	6.52	122.91	120.30
43	AB	180	TYR	CG-CD2-CE2	-6.52	116.09	121.30
11	B2	79	G	C4'-C3'-C2'	-6.52	96.08	102.60
38	A1	1664	G	C4-C5-N7	-6.52	108.19	110.80
38	A1	1700	U	N3-C2-O2	6.52	126.76	122.20
38	A1	2162	G	C4-C5-C6	6.52	122.71	118.80
38	A1	2210	G	P-O5'-C5'	6.52	131.33	120.90
11	B2	17	C	C2-N3-C4	6.51	123.16	119.90
11	B2	772	G	C8-N9-C1'	-6.51	118.53	127.00
11	B2	881	G	C4-C5-C6	6.51	122.71	118.80
11	B2	972	C	C1'-O4'-C4'	6.51	115.11	109.90
11	B2	1224	U	N1-C2-O2	6.51	127.36	122.80
11	B2	1406	U	P-O3'-C3'	6.51	127.52	119.70
38	A1	634	G	O4'-C1'-N9	6.51	113.41	108.20
38	A1	1121	C	N3-C4-N4	6.51	122.56	118.00
38	A1	1671	A	N1-C6-N6	6.51	122.51	118.60
38	A1	1788	G	N7-C8-N9	6.51	116.36	113.10
38	A1	1791	A	C5-N7-C8	6.51	107.16	103.90
38	A1	2707	G	C6-C5-N7	-6.51	126.49	130.40
11	B2	217	C	C5-C4-N4	-6.51	115.64	120.20
11	B2	278	A	C8-N9-C4	6.51	108.41	105.80
11	B2	812	U	N1-C2-O2	-6.51	118.24	122.80
38	A1	886	G	N1-C2-N3	-6.51	119.99	123.90
38	A1	1187	A	N1-C6-N6	6.51	122.51	118.60
38	A1	1471	G	N7-C8-N9	6.51	116.36	113.10
11	B2	174	G	C2-N3-C4	-6.51	108.64	111.90
11	B2	1483	U	C4'-C3'-C2'	6.51	109.11	102.60
38	A1	549	G	C6-C5-N7	-6.51	126.49	130.40
38	A1	1202	G	C5-N7-C8	6.51	107.56	104.30
38	A1	1414	G	C5-C6-O6	-6.51	124.69	128.60
38	A1	1671	A	C5-C6-N1	-6.51	114.44	117.70
38	A1	1683	C	P-O3'-C3'	6.51	127.51	119.70
38	A1	1702	C	N3-C4-C5	-6.51	119.30	121.90
11	B2	1072	C	C5-C4-N4	6.51	124.76	120.20
38	A1	556	G	C8-N9-C4	-6.51	103.80	106.40
38	A1	1118	A	C5-C6-N1	-6.51	114.44	117.70
38	A1	1697	G	C6-C5-N7	-6.51	126.49	130.40
38	A1	2143	C	N3-C4-C5	-6.51	119.30	121.90
38	A1	2501	G	N7-C8-N9	-6.51	109.84	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2944	G	C2-N3-C4	-6.51	108.65	111.90
38	A1	1270	G	C3'-C2'-C1'	6.51	106.71	101.50
38	A1	1641	G	O4'-C1'-N9	6.51	113.41	108.20
10	B1	21	G	N1-C6-O6	6.51	123.80	119.90
11	B2	1248	A	N1-C2-N3	-6.51	126.05	129.30
24	BL	45	ILE	N-CA-CB	6.51	125.76	110.80
26	BN	30	TYR	CB-CG-CD2	6.51	124.90	121.00
38	A1	66	C	O4'-C1'-N1	6.51	113.41	108.20
38	A1	1429	A	C4-C5-N7	-6.51	107.45	110.70
38	A1	351	C	N3-C4-N4	6.50	122.55	118.00
38	A1	987	G	C6-C5-N7	-6.50	126.50	130.40
38	A1	1939	C	C2'-C3'-O3'	6.50	124.11	113.70
38	A1	2585	G	O4'-C1'-N9	6.50	113.40	108.20
11	B2	211	G	N3-C4-C5	6.50	131.85	128.60
11	B2	959	G	N7-C8-N9	6.50	116.35	113.10
11	B2	1298	G	C3'-C2'-C1'	-6.50	96.30	101.50
38	A1	229	G	C6-C5-N7	-6.50	126.50	130.40
38	A1	255	G	C4'-C3'-C2'	-6.50	96.10	102.60
38	A1	930	G	C4-C5-C6	6.50	122.70	118.80
38	A1	1334	G	N3-C2-N2	6.50	124.45	119.90
38	A1	1766	A	C8-N9-C4	-6.50	103.20	105.80
38	A1	1898	A	N7-C8-N9	6.50	117.05	113.80
38	A1	1954	U	C4-C5-C6	6.50	123.60	119.70
38	A1	2720	U	N3-C2-O2	6.50	126.75	122.20
38	A1	2856	G	C8-N9-C4	-6.50	103.80	106.40
11	B2	35	G	P-O3'-C3'	-6.50	111.90	119.70
11	B2	611	A	C8-N9-C4	-6.50	103.20	105.80
11	B2	1319	C	C5-C4-N4	-6.50	115.65	120.20
11	B2	1362	C	OP1-P-OP2	-6.50	109.85	119.60
38	A1	17	C	N1-C2-O2	-6.50	115.00	118.90
38	A1	145	C	C6-N1-C2	-6.50	117.70	120.30
38	A1	287	G	N7-C8-N9	-6.50	109.85	113.10
38	A1	639	C	C4'-C3'-C2'	-6.50	96.10	102.60
38	A1	1246	G	C5-N7-C8	6.50	107.55	104.30
38	A1	1418	A	C2-N3-C4	-6.50	107.35	110.60
38	A1	1753	G	C1'-O4'-C4'	6.50	115.10	109.90
38	A1	1843	C	C4-C5-C6	-6.50	114.15	117.40
38	A1	2256	G	O5'-P-OP2	6.50	118.50	110.70
38	A1	2357	U	O4'-C1'-N1	6.50	113.40	108.20
38	A1	2369	G	N1-C2-N2	-6.50	110.35	116.20
38	A1	2406	C	O4'-C1'-N1	6.50	113.40	108.20
38	A1	3023	G	C5-C6-N1	-6.50	108.25	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	B1	33	C	C5'-C4'-C3'	6.50	126.40	116.00
11	B2	797	U	P-O3'-C3'	6.50	127.50	119.70
38	A1	165	G	C5-C6-O6	-6.50	124.70	128.60
38	A1	610	C	P-O3'-C3'	-6.50	111.90	119.70
38	A1	918	A	N9-C4-C5	-6.50	103.20	105.80
38	A1	1609	G	O5'-C5'-C4'	6.50	124.05	111.70
38	A1	2644	G	C5-C6-N1	-6.50	108.25	111.50
39	A3	44	C	N3-C4-C5	-6.50	119.30	121.90
11	B2	448	A	C4-C5-N7	-6.50	107.45	110.70
11	B2	844	G	N9-C4-C5	6.50	108.00	105.40
38	A1	107	G	O4'-C1'-N9	6.50	113.40	108.20
38	A1	1809	G	C8-N9-C4	6.50	109.00	106.40
38	A1	2262	C	C5'-C4'-C3'	-6.50	105.60	116.00
38	A1	2413	G	O4'-C1'-N9	6.50	113.40	108.20
38	A1	2557	C	C4-C5-C6	6.50	120.65	117.40
38	A1	2557	C	O4'-C1'-N1	6.50	113.40	108.20
38	A1	3036	C	N3-C4-C5	-6.50	119.30	121.90
10	B1	23	G	C6-C5-N7	-6.50	126.50	130.40
11	B2	752	G	N1-C2-N3	-6.50	120.00	123.90
11	B2	950	C	C6-N1-C2	-6.50	117.70	120.30
11	B2	973	U	N3-C4-C5	-6.50	110.70	114.60
11	B2	983	G	O4'-C4'-C3'	-6.50	97.50	104.00
11	B2	1007	A	C5-C6-N6	-6.50	118.50	123.70
11	B2	1232	G	C8-N9-C4	6.50	109.00	106.40
38	A1	357	G	N1-C6-O6	6.50	123.80	119.90
38	A1	1106	C	N1-C2-N3	-6.50	114.65	119.20
38	A1	1266	A	N1-C6-N6	6.50	122.50	118.60
38	A1	1303	C	N3-C4-N4	6.50	122.55	118.00
38	A1	1586	G	O4'-C1'-N9	6.50	113.40	108.20
38	A1	1938	G	C2-N3-C4	6.50	115.15	111.90
38	A1	1954	U	C1'-O4'-C4'	6.50	115.10	109.90
38	A1	2152	G	N3-C4-N9	6.50	129.90	126.00
38	A1	2214	U	C5-C4-O4	6.50	129.80	125.90
38	A1	2699	U	O4'-C1'-N1	6.50	113.40	108.20
38	A1	2883	C	C1'-O4'-C4'	6.50	115.10	109.90
39	A3	104	C	C6-N1-C2	-6.50	117.70	120.30
11	B2	467	G	N1-C2-N3	-6.50	120.00	123.90
11	B2	876	A	C4-C5-N7	-6.50	107.45	110.70
38	A1	1579	G	O4'-C1'-N9	6.50	113.40	108.20
38	A1	1739	U	N3-C4-O4	6.50	123.95	119.40
38	A1	2562	G	O4'-C1'-C2'	-6.50	99.31	105.80
38	A1	2610	C	C5'-C4'-O4'	-6.50	101.31	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	AX	230	ARG	NE-CZ-NH1	-6.49	117.05	120.30
10	B1	19	G	C4'-C3'-C2'	6.49	109.09	102.60
11	B2	673	C	N3-C4-C5	-6.49	119.30	121.90
11	B2	824	G	N1-C2-N3	-6.49	120.00	123.90
38	A1	995	G	C5'-C4'-C3'	-6.49	105.61	116.00
38	A1	1020	G	N3-C2-N2	6.49	124.44	119.90
38	A1	1469	U	O4'-C1'-N1	6.49	113.39	108.20
38	A1	1843	C	C5-C4-N4	-6.49	115.66	120.20
38	A1	2459	G	O4'-C1'-N9	6.49	113.39	108.20
38	A1	2548	A	C5-C6-N6	-6.49	118.50	123.70
38	A1	2792	G	C5-C6-N1	-6.49	108.25	111.50
38	A1	2848	C	C2-N1-C1'	6.49	125.94	118.80
10	B1	19	G	C4-C5-C6	6.49	122.69	118.80
11	B2	720	A	N1-C6-N6	6.49	122.50	118.60
11	B2	1177	C	C2-N3-C4	6.49	123.15	119.90
11	B2	1459	G	C4'-C3'-C2'	6.49	109.09	102.60
38	A1	2730	U	N3-C4-C5	-6.49	110.70	114.60
38	A1	2969	G	O4'-C1'-N9	6.49	113.39	108.20
11	B2	387	G	N7-C8-N9	-6.49	109.86	113.10
11	B2	834	C	N3-C2-O2	6.49	126.44	121.90
11	B2	898	G	N1-C2-N2	6.49	122.04	116.20
11	B2	1299	A	C6-N1-C2	6.49	122.50	118.60
11	B2	1387	C	C5-C4-N4	-6.49	115.66	120.20
34	BV	69	ALA	N-CA-CB	6.49	119.19	110.10
38	A1	168	G	C3'-C2'-C1'	-6.49	96.31	101.50
38	A1	1482	G	C6-C5-N7	-6.49	126.51	130.40
38	A1	1871	C	N3-C4-N4	6.49	122.54	118.00
38	A1	2296	A	N3-C4-N9	6.49	132.59	127.40
38	A1	2723	G	C6-C5-N7	-6.49	126.51	130.40
38	A1	2805	U	O4'-C1'-N1	6.49	113.39	108.20
65	AV	41	TYR	CD1-CE1-CZ	6.49	125.64	119.80
11	B2	811	G	C5-N7-C8	-6.49	101.06	104.30
11	B2	1266	A	C5-C6-N1	-6.49	114.46	117.70
38	A1	234	G	P-O3'-C3'	-6.49	111.91	119.70
38	A1	365	G	C6-C5-N7	-6.49	126.51	130.40
38	A1	572	U	C5-C6-N1	6.49	125.94	122.70
38	A1	1082	A	C5-C6-N6	-6.49	118.51	123.70
38	A1	2363	G	C4-N9-C1'	6.49	134.94	126.50
38	A1	2371	A	N1-C6-N6	6.49	122.49	118.60
38	A1	2642	C	O4'-C1'-N1	6.49	113.39	108.20
39	A3	29	G	N3-C2-N2	6.49	124.44	119.90
39	A3	101	A	N1-C2-N3	6.49	132.54	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	AG	58	ASP	CB-CG-OD1	-6.49	112.46	118.30
11	B2	203	A	C4-C5-N7	-6.49	107.46	110.70
11	B2	850	A	C2-N3-C4	-6.49	107.36	110.60
11	B2	1232	G	N9-C4-C5	-6.49	102.81	105.40
38	A1	1760	C	C2-N3-C4	6.49	123.14	119.90
38	A1	1938	G	N1-C6-O6	6.49	123.79	119.90
38	A1	1948	A	P-O3'-C3'	6.49	127.48	119.70
38	A1	2832	G	N9-C4-C5	6.49	108.00	105.40
39	A3	62	A	N9-C4-C5	-6.49	103.20	105.80
39	A3	97	G	N1-C2-N2	-6.49	110.36	116.20
50	AF	47	PHE	N-CA-CB	6.49	122.28	110.60
11	B2	108	G	C4-C5-N7	6.49	113.39	110.80
11	B2	164	A	O4'-C1'-N9	6.49	113.39	108.20
38	A1	928	A	C8-N9-C4	-6.49	103.21	105.80
38	A1	1889	G	C8-N9-C4	-6.49	103.81	106.40
11	B2	114	A	C4-C5-N7	-6.48	107.46	110.70
38	A1	691	G	N3-C2-N2	6.48	124.44	119.90
38	A1	993	G	C8-N9-C4	-6.48	103.81	106.40
38	A1	2658	G	C6-C5-N7	-6.48	126.51	130.40
11	B2	402	G	P-O3'-C3'	6.48	127.48	119.70
11	B2	482	G	N1-C2-N2	-6.48	110.37	116.20
11	B2	551	U	O4'-C1'-N1	6.48	113.39	108.20
11	B2	864	G	O4'-C1'-N9	6.48	113.39	108.20
11	B2	1304	C	C2-N1-C1'	6.48	125.93	118.80
38	A1	125	C	C5-C6-N1	6.48	124.24	121.00
38	A1	573	G	N7-C8-N9	-6.48	109.86	113.10
38	A1	1140	C	N3-C4-N4	6.48	122.54	118.00
38	A1	2179	G	C2-N3-C4	6.48	115.14	111.90
38	A1	2179	G	C4-C5-N7	6.48	113.39	110.80
38	A1	2377	C	N1-C2-N3	6.48	123.74	119.20
38	A1	2451	G	C5-C6-O6	-6.48	124.71	128.60
38	A1	2698	G	C4-C5-N7	6.48	113.39	110.80
26	BN	14	ARG	NE-CZ-NH1	6.48	123.54	120.30
27	BO	115	TYR	CD1-CE1-CZ	6.48	125.63	119.80
38	A1	89	C	O4'-C1'-N1	6.48	113.38	108.20
38	A1	170	A	C2-N3-C4	-6.48	107.36	110.60
38	A1	529	G	C5-C6-O6	-6.48	124.71	128.60
38	A1	589	G	C5-C6-N1	-6.48	108.26	111.50
38	A1	1290	G	C8-N9-C4	-6.48	103.81	106.40
38	A1	2696	G	C2'-C3'-O3'	6.48	124.07	113.70
38	A1	2799	C	O4'-C1'-N1	6.48	113.38	108.20
56	AJ	103	ALA	N-CA-CB	6.48	119.17	110.10

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1083	G	OP1-P-OP2	-6.48	109.88	119.60
38	A1	1241	C	C1'-O4'-C4'	6.48	115.08	109.90
38	A1	1523	A	O4'-C1'-N9	6.48	113.38	108.20
38	A1	1597	G	N9-C4-C5	6.48	107.99	105.40
38	A1	3023	G	C8-N9-C1'	6.48	135.42	127.00
10	B1	48	U	N3-C2-O2	6.48	126.73	122.20
11	B2	263	C	N3-C4-C5	-6.48	119.31	121.90
11	B2	279	U	O5'-P-OP2	-6.48	99.87	105.70
11	B2	471	G	C5-N7-C8	6.48	107.54	104.30
11	B2	477	G	N1-C2-N3	-6.48	120.01	123.90
11	B2	620	G	C5-C6-N1	-6.48	108.26	111.50
11	B2	766	G	O4'-C1'-N9	6.48	113.38	108.20
11	B2	1029	G	C2-N3-C4	6.48	115.14	111.90
11	B2	1233	G	N1-C2-N3	-6.48	120.01	123.90
20	BH	79	TYR	CD1-CE1-CZ	-6.48	113.97	119.80
38	A1	996	U	O4'-C1'-N1	6.48	113.38	108.20
38	A1	1236	C	C2-N3-C4	6.48	123.14	119.90
38	A1	1370	G	C2-N3-C4	6.48	115.14	111.90
38	A1	1677	A	C6-C5-N7	-6.48	127.77	132.30
38	A1	1697	G	N9-C4-C5	-6.48	102.81	105.40
38	A1	1841	G	N1-C6-O6	6.48	123.79	119.90
38	A1	1951	G	C8-N9-C4	-6.48	103.81	106.40
38	A1	2073	G	C6-C5-N7	-6.48	126.51	130.40
38	A1	2291	G	C8-N9-C1'	-6.48	118.58	127.00
38	A1	2587	G	C4-C5-C6	6.48	122.69	118.80
38	A1	2684	G	C4-C5-C6	6.48	122.69	118.80
11	B2	417	C	N3-C4-C5	-6.48	119.31	121.90
11	B2	933	G	P-O3'-C3'	6.48	127.47	119.70
11	B2	1190	C	C4-C5-C6	6.48	120.64	117.40
11	B2	1350	U	C5-C4-O4	6.48	129.79	125.90
38	A1	1672	G	P-O3'-C3'	6.48	127.47	119.70
38	A1	2028	G	C5-N7-C8	6.48	107.54	104.30
38	A1	2259	G	C5'-C4'-O4'	6.48	116.87	109.10
11	B2	138	C	C5-C4-N4	-6.47	115.67	120.20
11	B2	201	G	C5-N7-C8	6.47	107.54	104.30
11	B2	227	C	O4'-C1'-N1	6.47	113.38	108.20
11	B2	1202	G	N7-C8-N9	6.47	116.34	113.10
11	B2	1396	C	N3-C4-N4	6.47	122.53	118.00
38	A1	40	G	O4'-C4'-C3'	-6.47	97.53	104.00
38	A1	450	G	O4'-C1'-N9	6.47	113.38	108.20
38	A1	725	G	C8-N9-C4	6.47	108.99	106.40
38	A1	741	G	C8-N9-C4	-6.47	103.81	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1052	G	O4'-C1'-N9	6.47	113.38	108.20
38	A1	2291	G	C8-N9-C4	6.47	108.99	106.40
38	A1	2322	A	N1-C2-N3	6.47	132.54	129.30
38	A1	2505	A	N3-C4-N9	6.47	132.58	127.40
38	A1	2772	U	C2-N3-C4	6.47	130.88	127.00
38	A1	2775	G	N1-C2-N3	-6.47	120.02	123.90
46	AD	27	ARG	NE-CZ-NH2	-6.47	117.06	120.30
11	B2	111	G	C4-C5-C6	6.47	122.68	118.80
11	B2	526	A	C5-N7-C8	6.47	107.14	103.90
38	A1	1008	U	C4-C5-C6	6.47	123.58	119.70
38	A1	1540	A	O4'-C4'-C3'	-6.47	97.53	104.00
38	A1	1562	U	C5-C6-N1	6.47	125.94	122.70
38	A1	1765	A	C5-C6-N6	-6.47	118.52	123.70
38	A1	1924	A	O4'-C1'-N9	6.47	113.38	108.20
11	B2	209	A	P-O3'-C3'	6.47	127.47	119.70
11	B2	220	G	C4'-C3'-C2'	-6.47	96.13	102.60
11	B2	514	U	N3-C2-O2	6.47	126.73	122.20
11	B2	830	A	C2-N3-C4	6.47	113.84	110.60
11	B2	1465	C	N3-C4-N4	6.47	122.53	118.00
12	B3	27	ARG	NE-CZ-NH2	-6.47	117.06	120.30
38	A1	60	G	C5-C6-N1	-6.47	108.26	111.50
38	A1	1217	U	N3-C2-O2	6.47	126.73	122.20
38	A1	1604	G	O5'-P-OP1	-6.47	99.88	105.70
38	A1	2165	A	C4-C5-C6	6.47	120.24	117.00
38	A1	2624	G	O4'-C1'-N9	6.47	113.38	108.20
11	B2	811	G	C6-C5-N7	-6.47	126.52	130.40
11	B2	1083	G	C5-N7-C8	6.47	107.53	104.30
11	B2	1083	G	N3-C2-N2	6.47	124.43	119.90
27	BO	81	ARG	NE-CZ-NH1	6.47	123.53	120.30
38	A1	25	U	N3-C2-O2	6.47	126.73	122.20
38	A1	226	C	N3-C4-N4	6.47	122.53	118.00
38	A1	466	C	N3-C4-N4	6.47	122.53	118.00
38	A1	1613	A	N7-C8-N9	-6.47	110.57	113.80
38	A1	1673	C	C6-N1-C2	-6.47	117.71	120.30
38	A1	1694	G	N3-C4-N9	-6.47	122.12	126.00
38	A1	1857	A	N1-C6-N6	6.47	122.48	118.60
38	A1	2205	A	N1-C6-N6	6.47	122.48	118.60
38	A1	2278	U	N3-C4-O4	6.47	123.93	119.40
38	A1	2447	A	C6-N1-C2	6.47	122.48	118.60
38	A1	2832	G	C5-C6-N1	-6.47	108.27	111.50
11	B2	870	U	C5-C4-O4	-6.47	122.02	125.90
38	A1	1285	C	C5-C6-N1	6.47	124.23	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2384	G	N1-C2-N2	-6.47	110.38	116.20
7	AU	47	ARG	NE-CZ-NH2	6.47	123.53	120.30
11	B2	752	G	O5'-P-OP2	-6.47	99.88	105.70
11	B2	1195	U	N3-C2-O2	-6.47	117.67	122.20
11	B2	1450	U	N3-C4-O4	-6.47	114.87	119.40
38	A1	600	A	N1-C2-N3	6.47	132.53	129.30
38	A1	1019	G	C8-N9-C4	-6.47	103.81	106.40
38	A1	1055	C	O4'-C1'-N1	6.47	113.37	108.20
38	A1	1268	A	C8-N9-C4	-6.47	103.21	105.80
38	A1	1670	A	C5-C6-N6	-6.47	118.53	123.70
38	A1	1762	G	C4-C5-N7	-6.47	108.21	110.80
38	A1	2000	G	O4'-C1'-N9	6.47	113.37	108.20
38	A1	2224	G	P-O3'-C3'	6.47	127.46	119.70
39	A3	1	C	C2-N3-C4	6.47	123.13	119.90
49	Ae	55	TRP	CB-CG-CD2	-6.47	118.19	126.60
11	B2	1079	G	N9-C4-C5	6.46	107.99	105.40
38	A1	609	G	C8-N9-C4	-6.46	103.81	106.40
38	A1	775	C	O4'-C1'-N1	6.46	113.37	108.20
38	A1	1145	G	C8-N9-C4	-6.46	103.81	106.40
38	A1	1284	C	C2-N3-C4	6.46	123.13	119.90
38	A1	1888	G	C4-C5-C6	6.46	122.68	118.80
38	A1	2527	G	C4-C5-C6	6.46	122.68	118.80
38	A1	2652	G	C2-N3-C4	6.46	115.13	111.90
38	A1	2680	A	C4-C5-N7	-6.46	107.47	110.70
57	Aj	50	PHE	CB-CG-CD1	6.46	125.33	120.80
11	B2	934	G	C5'-C4'-C3'	6.46	126.34	116.00
38	A1	1435	G	N1-C6-O6	6.46	123.78	119.90
38	A1	2722	G	C4-C5-C6	6.46	122.68	118.80
10	B1	53	G	C4-C5-N7	-6.46	108.22	110.80
11	B2	162	C	C6-N1-C2	-6.46	117.72	120.30
11	B2	301	G	C1'-O4'-C4'	-6.46	104.73	109.90
11	B2	858	A	C6-N1-C2	-6.46	114.72	118.60
11	B2	973	U	C5-C4-O4	-6.46	122.02	125.90
11	B2	1260	G	P-O3'-C3'	6.46	127.45	119.70
38	A1	183	G	C4'-C3'-C2'	-6.46	96.14	102.60
38	A1	1440	C	N1-C2-O2	6.46	122.78	118.90
38	A1	1522	A	C5-N7-C8	6.46	107.13	103.90
38	A1	2299	G	N1-C2-N3	-6.46	120.02	123.90
48	AE	155	ARG	N-CA-C	-6.46	93.55	111.00
58	AK	78	LYS	N-CA-CB	6.46	122.23	110.60
38	A1	1017	A	C4-C5-N7	-6.46	107.47	110.70
38	A1	3002	A	N1-C2-N3	-6.46	126.07	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	B1	23	G	C8-N9-C4	-6.46	103.82	106.40
10	B1	52	G	N1-C6-O6	6.46	123.78	119.90
11	B2	249	U	N1-C2-O2	-6.46	118.28	122.80
11	B2	627	G	O4'-C1'-N9	6.46	113.37	108.20
11	B2	708	C	C6-N1-C1'	-6.46	113.05	120.80
11	B2	1372	C	O4'-C1'-N1	6.46	113.37	108.20
38	A1	123	A	C6-N1-C2	-6.46	114.72	118.60
38	A1	865	C	C3'-C2'-C1'	6.46	106.67	101.50
38	A1	1177	C	C1'-O4'-C4'	6.46	115.07	109.90
38	A1	1253	U	P-O3'-C3'	6.46	127.45	119.70
38	A1	1332	A	C5-C6-N1	-6.46	114.47	117.70
38	A1	1361	G	C4-C5-N7	6.46	113.38	110.80
38	A1	1898	A	O4'-C1'-N9	6.46	113.37	108.20
38	A1	2186	C	P-O3'-C3'	6.46	127.45	119.70
38	A1	2214	U	C4'-C3'-C2'	-6.46	96.14	102.60
67	AZ	37	VAL	CA-CB-CG1	6.46	120.59	110.90
11	B2	106	A	N1-C6-N6	6.46	122.47	118.60
11	B2	209	A	O4'-C1'-N9	6.46	113.36	108.20
11	B2	1425	C	C4-C5-C6	-6.46	114.17	117.40
11	B2	1465	C	P-O3'-C3'	6.46	127.45	119.70
38	A1	99	U	C6-N1-C2	-6.46	117.13	121.00
38	A1	436	C	N1-C2-O2	-6.46	115.03	118.90
38	A1	1110	A	N1-C2-N3	-6.46	126.07	129.30
38	A1	1201	G	N7-C8-N9	6.46	116.33	113.10
38	A1	1337	G	N1-C2-N3	-6.46	120.03	123.90
38	A1	2133	G	N3-C2-N2	6.46	124.42	119.90
38	A1	2177	A	C8-N9-C4	-6.46	103.22	105.80
38	A1	2836	G	N1-C2-N2	-6.46	110.39	116.20
11	B2	560	A	C4-C5-C6	6.46	120.23	117.00
26	BN	141	ARG	NE-CZ-NH1	6.46	123.53	120.30
38	A1	319	A	C5-C6-N1	-6.46	114.47	117.70
38	A1	361	G	C4-C5-N7	-6.46	108.22	110.80
38	A1	2874	C	C6-N1-C2	-6.46	117.72	120.30
11	B2	123	U	N3-C4-C5	-6.45	110.73	114.60
11	B2	291	G	O4'-C1'-N9	6.45	113.36	108.20
11	B2	439	G	C4-C5-N7	6.45	113.38	110.80
11	B2	850	A	C8-N9-C4	6.45	108.38	105.80
11	B2	1078	U	C2-N3-C4	-6.45	123.13	127.00
18	BF	137	ARG	NE-CZ-NH2	-6.45	117.07	120.30
28	BP	32	ARG	NE-CZ-NH1	6.45	123.53	120.30
38	A1	369	G	P-O5'-C5'	6.45	131.22	120.90
38	A1	485	G	C5-C6-O6	-6.45	124.73	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	612	G	P-O3'-C3'	-6.45	111.95	119.70
38	A1	638	A	C5'-C4'-O4'	6.45	116.84	109.10
38	A1	883	G	N7-C8-N9	6.45	116.33	113.10
38	A1	1815	C	N3-C4-N4	6.45	122.52	118.00
38	A1	2765	C	C4-C5-C6	6.45	120.63	117.40
46	AD	161	PHE	CB-CG-CD1	6.45	125.32	120.80
11	B2	93	A	C5'-C4'-C3'	-6.45	105.68	116.00
11	B2	924	U	C6-N1-C2	-6.45	117.13	121.00
38	A1	543	G	C5-C6-O6	-6.45	124.73	128.60
38	A1	951	C	C4-C5-C6	6.45	120.63	117.40
11	B2	20	G	P-O3'-C3'	-6.45	111.96	119.70
11	B2	1391	U	C5-C6-N1	6.45	125.92	122.70
11	B2	1414	G	N3-C4-N9	6.45	129.87	126.00
38	A1	250	G	C6-C5-N7	-6.45	126.53	130.40
38	A1	563	A	C4-C5-C6	6.45	120.22	117.00
38	A1	569	G	N1-C6-O6	6.45	123.77	119.90
38	A1	589	G	C4-C5-C6	6.45	122.67	118.80
38	A1	810	A	C8-N9-C4	-6.45	103.22	105.80
38	A1	842	C	N1-C2-N3	-6.45	114.68	119.20
38	A1	1056	C	N3-C4-C5	-6.45	119.32	121.90
38	A1	1664	G	P-O5'-C5'	6.45	131.22	120.90
38	A1	2057	G	C8-N9-C4	-6.45	103.82	106.40
38	A1	2178	A	P-O3'-C3'	6.45	127.44	119.70
38	A1	2282	G	OP1-P-OP2	-6.45	109.92	119.60
38	A1	2751	C	C5-C6-N1	-6.45	117.78	121.00
11	B2	250	G	N7-C8-N9	6.45	116.32	113.10
11	B2	385	A	C6-N1-C2	6.45	122.47	118.60
11	B2	593	G	C5-C6-N1	-6.45	108.28	111.50
11	B2	823	A	O4'-C1'-N9	6.45	113.36	108.20
11	B2	1136	A	N9-C4-C5	6.45	108.38	105.80
11	B2	1474	A	C5-C6-N6	-6.45	118.54	123.70
38	A1	103	A	C3'-C2'-C1'	-6.45	96.34	101.50
38	A1	419	G	C5-C6-O6	-6.45	124.73	128.60
38	A1	439	G	N3-C2-N2	6.45	124.42	119.90
38	A1	1052	G	P-O3'-C3'	6.45	127.44	119.70
39	A3	46	G	N1-C2-N3	-6.45	120.03	123.90
11	B2	150	G	C5-C6-O6	-6.45	124.73	128.60
11	B2	1072	C	C5-C6-N1	6.45	124.22	121.00
11	B2	1111	G	C6-N1-C2	6.45	128.97	125.10
38	A1	449	G	N3-C4-C5	-6.45	125.38	128.60
38	A1	1242	A	N1-C6-N6	6.45	122.47	118.60
38	A1	1731	U	C4-C5-C6	6.45	123.57	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	B1	36	A	C5'-C4'-O4'	6.45	116.83	109.10
11	B2	927	A	C2-N3-C4	-6.45	107.38	110.60
11	B2	1198	A	C8-N9-C4	6.45	108.38	105.80
11	B2	1207	G	N7-C8-N9	-6.45	109.88	113.10
38	A1	879	A	O4'-C1'-N9	6.45	113.36	108.20
38	A1	1233	U	O4'-C1'-N1	6.45	113.36	108.20
38	A1	1276	G	N1-C2-N2	-6.45	110.40	116.20
38	A1	1430	A	O4'-C1'-N9	6.45	113.36	108.20
38	A1	1575	G	C4-C5-N7	-6.45	108.22	110.80
38	A1	1731	U	C5-C6-N1	-6.45	119.48	122.70
38	A1	2089	C	C5-C4-N4	-6.45	115.69	120.20
38	A1	2348	G	N9-C4-C5	6.45	107.98	105.40
39	A3	59	C	N3-C4-N4	6.45	122.51	118.00
11	B2	294	A	O4'-C1'-N9	6.44	113.36	108.20
38	A1	2043	A	C4-C5-C6	6.44	120.22	117.00
38	A1	2597	A	C8-N9-C4	-6.44	103.22	105.80
38	A1	2713	A	C8-N9-C4	-6.44	103.22	105.80
11	B2	210	A	N9-C4-C5	6.44	108.38	105.80
11	B2	350	G	C6-C5-N7	-6.44	126.53	130.40
11	B2	1064	C	N1-C2-O2	-6.44	115.03	118.90
38	A1	79	C	O4'-C1'-N1	6.44	113.35	108.20
38	A1	593	C	C3'-C2'-C1'	6.44	106.65	101.50
38	A1	1025	A	N7-C8-N9	-6.44	110.58	113.80
38	A1	1286	G	C8-N9-C4	6.44	108.98	106.40
38	A1	1749	C	C5-C6-N1	6.44	124.22	121.00
38	A1	1805	U	N3-C4-O4	-6.44	114.89	119.40
38	A1	1890	U	N3-C4-O4	6.44	123.91	119.40
38	A1	2802	G	C6-N1-C2	6.44	128.97	125.10
45	AC	56	ASP	N-CA-CB	6.44	122.19	110.60
10	B1	16	C	C5-C4-N4	-6.44	115.69	120.20
11	B2	155	U	C3'-C2'-C1'	-6.44	96.35	101.50
11	B2	184	G	C8-N9-C4	6.44	108.98	106.40
11	B2	207	G	O4'-C1'-N9	6.44	113.35	108.20
11	B2	222	G	C1'-O4'-C4'	6.44	115.05	109.90
11	B2	349	A	P-O5'-C5'	-6.44	110.59	120.90
11	B2	678	G	C1'-O4'-C4'	-6.44	104.75	109.90
11	B2	812	U	C5-C6-N1	6.44	125.92	122.70
11	B2	839	G	C5-N7-C8	6.44	107.52	104.30
11	B2	1092	G	C8-N9-C4	-6.44	103.82	106.40
38	A1	248	C	C5'-C4'-O4'	6.44	116.83	109.10
38	A1	757	C	N3-C4-C5	-6.44	119.32	121.90
38	A1	990	G	C6-C5-N7	-6.44	126.54	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1290	G	O4'-C1'-N9	6.44	113.35	108.20
38	A1	1338	G	C4-C5-C6	6.44	122.67	118.80
38	A1	2124	C	N3-C2-O2	6.44	126.41	121.90
38	A1	2145	G	N1-C6-O6	6.44	123.76	119.90
38	A1	2238	G	N1-C2-N2	6.44	122.00	116.20
45	AC	196	PHE	CB-CG-CD1	-6.44	116.29	120.80
11	B2	881	G	C5-C6-O6	-6.44	124.74	128.60
38	A1	962	C	C5-C4-N4	-6.44	115.69	120.20
38	A1	1042	G	N1-C6-O6	6.44	123.76	119.90
38	A1	1200	A	C3'-C2'-C1'	6.44	106.65	101.50
38	A1	1681	G	O4'-C1'-N9	6.44	113.35	108.20
11	B2	1	A	C2-N3-C4	6.44	113.82	110.60
11	B2	230	C	C6-N1-C2	-6.44	117.72	120.30
11	B2	276	A	N9-C4-C5	6.44	108.38	105.80
11	B2	798	U	O4'-C1'-N1	6.44	113.35	108.20
11	B2	864	G	OP1-P-OP2	-6.44	109.94	119.60
11	B2	918	A	C6-C5-N7	-6.44	127.79	132.30
11	B2	1158	G	C5-C6-N1	-6.44	108.28	111.50
27	BO	53	TYR	CZ-CE2-CD2	-6.44	114.01	119.80
38	A1	124	C	C5-C4-N4	-6.44	115.69	120.20
38	A1	301	G	O4'-C4'-C3'	-6.44	97.56	104.00
38	A1	568	A	P-O5'-C5'	6.44	131.20	120.90
38	A1	707	U	C2-N3-C4	-6.44	123.14	127.00
38	A1	1834	C	C5-C6-N1	-6.44	117.78	121.00
38	A1	2171	G	C4'-C3'-C2'	-6.44	96.16	102.60
38	A1	2994	G	O4'-C1'-N9	6.44	113.35	108.20
11	B2	1139	A	C4-C5-C6	6.44	120.22	117.00
11	B2	1454	A	N1-C6-N6	6.44	122.46	118.60
38	A1	1281	A	O4'-C1'-N9	6.44	113.35	108.20
38	A1	2608	U	O4'-C1'-N1	6.44	113.35	108.20
38	A1	2784	A	C5-C6-N6	-6.44	118.55	123.70
11	B2	25	C	C2-N3-C4	6.43	123.12	119.90
11	B2	287	G	N3-C2-N2	6.43	124.41	119.90
11	B2	662	C	C6-N1-C2	-6.43	117.73	120.30
11	B2	779	G	N9-C4-C5	-6.43	102.83	105.40
11	B2	795	G	C1'-O4'-C4'	-6.43	104.75	109.90
11	B2	801	A	C5-N7-C8	6.43	107.12	103.90
38	A1	259	A	O4'-C4'-C3'	-6.43	97.57	104.00
38	A1	488	A	C6-N1-C2	6.43	122.46	118.60
38	A1	1006	A	C5-C6-N6	-6.43	118.55	123.70
38	A1	1073	G	C8-N9-C4	6.43	108.97	106.40
38	A1	1438	C	N3-C4-N4	6.43	122.50	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1771	C	C1'-O4'-C4'	6.43	115.05	109.90
38	A1	2379	G	O4'-C1'-N9	6.43	113.35	108.20
38	A1	2881	G	OP1-P-OP2	-6.43	109.95	119.60
39	A3	68	C	N1-C2-O2	6.43	122.76	118.90
39	A3	122	C	C5-C6-N1	-6.43	117.78	121.00
11	B2	143	G	N3-C4-C5	-6.43	125.38	128.60
11	B2	387	G	N1-C2-N3	-6.43	120.04	123.90
11	B2	1425	C	C2-N1-C1'	6.43	125.88	118.80
16	BD	51	PHE	CB-CG-CD2	6.43	125.30	120.80
38	A1	580	G	O4'-C1'-N9	6.43	113.35	108.20
38	A1	1167	A	C6-C5-N7	-6.43	127.80	132.30
38	A1	1414	G	C6-N1-C2	6.43	128.96	125.10
38	A1	1937	A	O4'-C1'-N9	6.43	113.35	108.20
38	A1	2330	A	C5-C6-N6	-6.43	118.55	123.70
38	A1	2724	A	C4-C5-C6	6.43	120.22	117.00
38	A1	2825	A	C2-N3-C4	-6.43	107.38	110.60
11	B2	1325	C	C2-N3-C4	6.43	123.11	119.90
26	BN	96	PHE	CB-CG-CD2	-6.43	116.30	120.80
38	A1	237	G	C8-N9-C4	6.43	108.97	106.40
38	A1	281	G	C5-C6-N1	-6.43	108.28	111.50
38	A1	546	C	C5'-C4'-C3'	-6.43	105.71	116.00
38	A1	777	A	C8-N9-C4	-6.43	103.23	105.80
38	A1	2760	A	C6-C5-N7	-6.43	127.80	132.30
11	B2	36	G	N1-C6-O6	6.43	123.76	119.90
11	B2	445	G	C5-C6-O6	-6.43	124.74	128.60
38	A1	166	G	N1-C2-N2	-6.43	110.41	116.20
38	A1	907	C	N3-C4-C5	-6.43	119.33	121.90
38	A1	1228	G	N3-C4-C5	-6.43	125.39	128.60
38	A1	1649	G	C5'-C4'-O4'	6.43	116.81	109.10
38	A1	1985	G	N1-C2-N3	-6.43	120.04	123.90
38	A1	2194	A	C6-C5-N7	-6.43	127.80	132.30
38	A1	2513	C	C4-C5-C6	6.43	120.61	117.40
38	A1	2625	C	N3-C4-N4	6.43	122.50	118.00
38	A1	2648	C	P-O3'-C3'	6.43	127.42	119.70
38	A1	3011	G	C8-N9-C4	-6.43	103.83	106.40
11	B2	389	G	N3-C4-C5	6.43	131.81	128.60
11	B2	669	A	C4-C5-C6	6.43	120.21	117.00
11	B2	893	U	C6-N1-C2	6.43	124.86	121.00
38	A1	108	G	N1-C6-O6	6.43	123.76	119.90
38	A1	393	C	O4'-C4'-C3'	-6.43	97.57	104.00
38	A1	474	G	C2-N3-C4	6.43	115.11	111.90
38	A1	634	G	C6-C5-N7	-6.43	126.54	130.40

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2204	C	N3-C2-O2	6.43	126.40	121.90
15	BC	89	TYR	CB-CG-CD1	6.43	124.86	121.00
38	A1	70	G	C4-C5-N7	6.43	113.37	110.80
38	A1	198	C	O4'-C4'-C3'	-6.43	97.57	104.00
38	A1	243	G	N3-C2-N2	6.43	124.40	119.90
38	A1	1021	G	N3-C2-N2	6.43	124.40	119.90
38	A1	1737	A	C2-N3-C4	6.43	113.81	110.60
39	A3	53	A	N1-C2-N3	6.43	132.51	129.30
48	AE	172	MET	CG-SD-CE	-6.43	89.92	100.20
11	B2	535	U	N3-C4-C5	-6.42	110.75	114.60
11	B2	868	C	N1-C2-O2	-6.42	115.05	118.90
11	B2	976	A	C6-N1-C2	-6.42	114.75	118.60
11	B2	1009	G	C6-C5-N7	-6.42	126.55	130.40
11	B2	1010	G	C4'-C3'-C2'	-6.42	96.17	102.60
11	B2	1200	U	N1-C2-N3	6.42	118.75	114.90
14	BB	12	TYR	CD1-CE1-CZ	-6.42	114.02	119.80
38	A1	94	A	N3-C4-C5	-6.42	122.30	126.80
38	A1	872	G	N3-C4-C5	6.42	131.81	128.60
38	A1	921	C	C6-N1-C2	-6.42	117.73	120.30
38	A1	1329	G	N7-C8-N9	6.42	116.31	113.10
38	A1	2053	G	C4-C5-N7	-6.42	108.23	110.80
38	A1	2293	G	C6-C5-N7	-6.42	126.55	130.40
38	A1	2611	U	C4'-C3'-C2'	6.42	109.02	102.60
38	A1	2728	U	N1-C2-N3	-6.42	111.05	114.90
11	B2	107	C	C6-N1-C2	-6.42	117.73	120.30
11	B2	207	G	C6-N1-C2	6.42	128.95	125.10
11	B2	537	G	N3-C2-N2	6.42	124.40	119.90
11	B2	566	C	C6-N1-C2	-6.42	117.73	120.30
19	BG	72	PHE	CB-CG-CD1	-6.42	116.30	120.80
38	A1	846	C	N3-C4-N4	6.42	122.50	118.00
38	A1	1852	U	C5-C4-O4	-6.42	122.05	125.90
38	A1	2880	C	N1-C2-O2	6.42	122.75	118.90
11	B2	406	U	N3-C4-C5	-6.42	110.75	114.60
11	B2	591	G	C2-N3-C4	6.42	115.11	111.90
11	B2	768	A	N3-C4-C5	-6.42	122.30	126.80
11	B2	817	U	C5-C4-O4	-6.42	122.05	125.90
11	B2	995	G	C6-C5-N7	-6.42	126.55	130.40
11	B2	1148	G	N1-C2-N3	-6.42	120.05	123.90
38	A1	217	A	N1-C2-N3	-6.42	126.09	129.30
38	A1	1073	G	N1-C2-N3	-6.42	120.05	123.90
38	A1	2436	A	C2-N3-C4	-6.42	107.39	110.60
38	A1	2595	C	C6-N1-C2	-6.42	117.73	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2714	G	C2-N3-C4	6.42	115.11	111.90
38	A1	2945	A	C6-C5-N7	-6.42	127.80	132.30
11	B2	171	U	N1-C2-O2	-6.42	118.31	122.80
11	B2	657	A	C5-C6-N6	-6.42	118.56	123.70
11	B2	1287	G	C4-C5-N7	-6.42	108.23	110.80
38	A1	338	A	C5-C6-N6	-6.42	118.56	123.70
38	A1	2810	G	C6-C5-N7	-6.42	126.55	130.40
11	B2	32	A	N1-C2-N3	-6.42	126.09	129.30
11	B2	676	G	N1-C6-O6	6.42	123.75	119.90
27	BO	53	TYR	CB-CG-CD1	-6.42	117.15	121.00
38	A1	74	A	C4'-C3'-C2'	-6.42	96.18	102.60
38	A1	491	G	C2-N3-C4	6.42	115.11	111.90
38	A1	612	G	C4-C5-C6	6.42	122.65	118.80
38	A1	622	A	C5-C6-N6	-6.42	118.57	123.70
38	A1	652	G	N3-C4-C5	-6.42	125.39	128.60
38	A1	654	C	C5-C4-N4	-6.42	115.71	120.20
38	A1	839	A	C4-C5-N7	-6.42	107.49	110.70
38	A1	866	G	N3-C4-N9	6.42	129.85	126.00
38	A1	1726	A	C4-C5-N7	-6.42	107.49	110.70
38	A1	2352	G	N3-C4-N9	6.42	129.85	126.00
38	A1	2410	U	O4'-C1'-N1	6.42	113.33	108.20
38	A1	2539	G	C4'-C3'-C2'	-6.42	96.18	102.60
10	B1	73	C	C2-N1-C1'	-6.42	111.74	118.80
11	B2	64	G	O4'-C1'-N9	6.42	113.33	108.20
11	B2	860	G	N9-C1'-C2'	-6.42	104.94	112.00
16	BD	83	LEU	CB-CG-CD1	6.42	121.91	111.00
38	A1	91	G	P-O3'-C3'	6.42	127.40	119.70
38	A1	316	G	C8-N9-C4	6.42	108.97	106.40
38	A1	1261	C	C3'-C2'-C1'	6.42	106.63	101.50
38	A1	1497	C	C3'-C2'-C1'	6.42	106.63	101.50
38	A1	1592	U	N1-C2-O2	-6.42	118.31	122.80
38	A1	1743	G	C4-C5-C6	6.42	122.65	118.80
38	A1	1848	A	C5-C6-N1	-6.42	114.49	117.70
38	A1	1979	G	N9-C4-C5	6.42	107.97	105.40
38	A1	2389	C	O4'-C1'-N1	6.42	113.33	108.20
38	A1	2391	G	C2-N3-C4	6.42	115.11	111.90
38	A1	2429	G	N1-C2-N2	6.42	121.97	116.20
11	B2	450	A	C5-C6-N6	-6.42	118.57	123.70
20	BH	180	PHE	CB-CG-CD1	-6.42	116.31	120.80
30	BR	51	ARG	NE-CZ-NH2	-6.42	117.09	120.30
38	A1	339	A	N9-C4-C5	-6.42	103.23	105.80
38	A1	986	G	O4'-C1'-N9	6.42	113.33	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2897	C	C6-N1-C2	6.42	122.87	120.30
39	A3	35	A	C2-N3-C4	-6.42	107.39	110.60
45	AC	334	ARG	NE-CZ-NH1	-6.42	117.09	120.30
11	B2	271	G	C8-N9-C4	-6.41	103.83	106.40
38	A1	1147	G	N1-C2-N3	-6.41	120.05	123.90
38	A1	1262	C	N1-C2-N3	6.41	123.69	119.20
38	A1	1455	U	P-O5'-C5'	-6.41	110.64	120.90
38	A1	1518	G	C2-N3-C4	6.41	115.11	111.90
38	A1	1924	A	N9-C4-C5	-6.41	103.23	105.80
38	A1	1940	U	O4'-C1'-N1	6.41	113.33	108.20
38	A1	2023	A	C6-C5-N7	-6.41	127.81	132.30
38	A1	2242	A	O4'-C1'-N9	6.41	113.33	108.20
39	A3	2	G	C5-C6-N1	-6.41	108.29	111.50
11	B2	251	G	C4-C5-C6	6.41	122.65	118.80
11	B2	291	G	N3-C2-N2	6.41	124.39	119.90
11	B2	609	G	O4'-C1'-N9	6.41	113.33	108.20
20	BH	81	VAL	CA-CB-CG2	6.41	120.52	110.90
38	A1	1193	G	C6-N1-C2	6.41	128.95	125.10
38	A1	2124	C	N3-C4-N4	6.41	122.49	118.00
11	B2	23	G	C4-C5-N7	6.41	113.36	110.80
11	B2	411	C	C5-C4-N4	-6.41	115.71	120.20
11	B2	538	C	P-O5'-C5'	6.41	131.16	120.90
11	B2	642	G	C5-N7-C8	6.41	107.50	104.30
11	B2	885	G	C6-N1-C2	6.41	128.95	125.10
11	B2	1268	C	C4-C5-C6	6.41	120.61	117.40
11	B2	1402	C	C5-C4-N4	-6.41	115.71	120.20
13	BA	159	LEU	CB-CG-CD1	6.41	121.90	111.00
38	A1	142	G	C4-C5-N7	6.41	113.36	110.80
38	A1	165	G	C2-N3-C4	6.41	115.11	111.90
38	A1	772	G	N1-C2-N3	-6.41	120.05	123.90
38	A1	858	G	N3-C2-N2	6.41	124.39	119.90
38	A1	1180	G	C8-N9-C4	6.41	108.96	106.40
38	A1	1907	G	N1-C6-O6	6.41	123.75	119.90
38	A1	1921	U	O4'-C1'-N1	6.41	113.33	108.20
38	A1	1964	G	O4'-C1'-N9	6.41	113.33	108.20
38	A1	2104	G	C2-N3-C4	-6.41	108.69	111.90
38	A1	2469	G	C6-C5-N7	-6.41	126.55	130.40
38	A1	2641	C	C1'-O4'-C4'	6.41	115.03	109.90
38	A1	2648	C	N1-C2-O2	-6.41	115.05	118.90
38	A1	2853	A	C6-N1-C2	-6.41	114.75	118.60
10	B1	20	G	C4-C5-C6	6.41	122.65	118.80
11	B2	228	G	C8-N9-C1'	6.41	135.33	127.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1438	A	N7-C8-N9	6.41	117.00	113.80
38	A1	881	G	C4-C5-C6	6.41	122.64	118.80
38	A1	1028	G	N1-C6-O6	6.41	123.75	119.90
38	A1	1396	A	N7-C8-N9	-6.41	110.60	113.80
38	A1	1918	U	N1-C2-N3	6.41	118.75	114.90
38	A1	2393	G	N1-C2-N3	-6.41	120.06	123.90
38	A1	2504	U	N3-C2-O2	6.41	126.69	122.20
38	A1	2752	U	N3-C4-O4	6.41	123.89	119.40
11	B2	706	G	N1-C2-N3	-6.41	120.06	123.90
11	B2	977	G	N1-C6-O6	6.41	123.74	119.90
11	B2	1287	G	C4'-C3'-C2'	-6.41	96.19	102.60
11	B2	1320	A	O4'-C1'-N9	6.41	113.33	108.20
38	A1	1504	C	N3-C4-C5	-6.41	119.34	121.90
38	A1	2048	C	C4-C5-C6	6.41	120.60	117.40
38	A1	2162	G	N3-C4-C5	-6.41	125.40	128.60
39	A3	69	C	N3-C4-N4	6.41	122.48	118.00
11	B2	529	C	N3-C4-N4	6.41	122.48	118.00
38	A1	305	G	P-O3'-C3'	6.41	127.39	119.70
38	A1	580	G	C5-C6-N1	-6.41	108.30	111.50
38	A1	887	U	N3-C2-O2	6.41	126.68	122.20
38	A1	1021	G	C5-C6-O6	-6.41	124.76	128.60
38	A1	1118	A	N3-C4-C5	-6.41	122.32	126.80
38	A1	1562	U	C2-N3-C4	6.41	130.84	127.00
38	A1	1892	G	C3'-C2'-C1'	-6.41	96.38	101.50
38	A1	2004	A	N1-C6-N6	6.41	122.44	118.60
38	A1	2213	G	N9-C4-C5	-6.41	102.84	105.40
38	A1	2428	C	N3-C4-N4	6.41	122.48	118.00
11	B2	302	A	O4'-C1'-N9	6.40	113.32	108.20
11	B2	985	C	C2-N3-C4	6.40	123.10	119.90
11	B2	1365	G	N7-C8-N9	-6.40	109.90	113.10
38	A1	440	A	C5-C6-N1	-6.40	114.50	117.70
38	A1	791	C	C2-N3-C4	-6.40	116.70	119.90
38	A1	1045	A	C4-C5-C6	6.40	120.20	117.00
38	A1	1546	G	C5-C6-O6	-6.40	124.76	128.60
38	A1	1678	A	C5-N7-C8	6.40	107.10	103.90
38	A1	1883	C	O4'-C1'-N1	6.40	113.32	108.20
38	A1	2403	G	C8-N9-C1'	6.40	135.32	127.00
38	A1	2668	G	C4-C5-C6	6.40	122.64	118.80
52	AH	62	LYS	N-CA-CB	6.40	122.13	110.60
7	AU	75	ARG	NE-CZ-NH2	-6.40	117.10	120.30
11	B2	219	C	C2-N3-C4	6.40	123.10	119.90
11	B2	1411	G	C5-C6-O6	-6.40	124.76	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	399	C	P-O3'-C3'	6.40	127.38	119.70
38	A1	649	A	C5-N7-C8	6.40	107.10	103.90
38	A1	800	G	P-O3'-C3'	6.40	127.38	119.70
62	AO	113	ARG	NE-CZ-NH2	-6.40	117.10	120.30
10	B1	25	G	N7-C8-N9	-6.40	109.90	113.10
11	B2	1148	G	O4'-C1'-N9	6.40	113.32	108.20
11	B2	1353	C	N3-C4-C5	-6.40	119.34	121.90
11	B2	1414	G	P-O5'-C5'	6.40	131.14	120.90
38	A1	57	C	O4'-C1'-N1	6.40	113.32	108.20
38	A1	1452	G	N3-C2-N2	6.40	124.38	119.90
38	A1	1465	A	N7-C8-N9	6.40	117.00	113.80
38	A1	1642	G	C6-C5-N7	6.40	134.24	130.40
38	A1	2381	A	P-O3'-C3'	6.40	127.38	119.70
57	Aj	84	PHE	CB-CG-CD2	-6.40	116.32	120.80
11	B2	164	A	C1'-O4'-C4'	6.40	115.02	109.90
11	B2	246	A	C8-N9-C4	-6.40	103.24	105.80
11	B2	1413	G	C5-C6-O6	-6.40	124.76	128.60
38	A1	1705	C	P-O3'-C3'	6.40	127.38	119.70
46	AD	90	ARG	NE-CZ-NH2	6.40	123.50	120.30
11	B2	40	C	C4-C5-C6	-6.40	114.20	117.40
11	B2	126	G	N3-C4-C5	-6.40	125.40	128.60
11	B2	201	G	C8-N9-C1'	6.40	135.32	127.00
11	B2	362	C	C5-C4-N4	-6.40	115.72	120.20
11	B2	1303	C	C5-C6-N1	-6.40	117.80	121.00
11	B2	1390	G	C5-C6-N1	-6.40	108.30	111.50
38	A1	430	A	O4'-C1'-N9	6.40	113.32	108.20
38	A1	906	G	C2-N3-C4	6.40	115.10	111.90
38	A1	1085	G	O3'-P-O5'	-6.40	91.85	104.00
38	A1	1596	G	C4-C5-N7	6.40	113.36	110.80
38	A1	1966	C	N3-C4-C5	-6.40	119.34	121.90
38	A1	2794	G	C4-C5-N7	-6.40	108.24	110.80
39	A3	21	C	O4'-C1'-N1	6.40	113.32	108.20
11	B2	655	A	C8-N9-C4	-6.40	103.24	105.80
11	B2	757	G	C5-N7-C8	6.40	107.50	104.30
12	B3	64	ALA	CB-CA-C	-6.40	100.51	110.10
15	BC	57	ARG	NE-CZ-NH1	6.40	123.50	120.30
38	A1	40	G	N1-C6-O6	6.40	123.74	119.90
38	A1	1127	C	C6-N1-C2	-6.40	117.74	120.30
38	A1	1912	A	C6-N1-C2	6.40	122.44	118.60
38	A1	2869	U	C5-C4-O4	-6.40	122.06	125.90
38	A1	2895	G	C4-N9-C1'	6.40	134.81	126.50
7	AU	81	ALA	N-CA-CB	6.39	119.05	110.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	134	A	O4'-C1'-N9	6.39	113.31	108.20
11	B2	152	G	N7-C8-N9	-6.39	109.90	113.10
20	BH	180	PHE	CB-CG-CD2	6.39	125.28	120.80
28	BP	43	PHE	CB-CG-CD2	6.39	125.28	120.80
38	A1	406	G	C3'-C2'-C1'	6.39	106.62	101.50
38	A1	788	A	C6-C5-N7	-6.39	127.82	132.30
38	A1	891	C	C4-C5-C6	-6.39	114.20	117.40
38	A1	1003	C	O4'-C1'-N1	6.39	113.31	108.20
38	A1	2770	A	C8-N9-C4	-6.39	103.24	105.80
11	B2	58	U	C6-N1-C2	-6.39	117.16	121.00
11	B2	785	U	N3-C2-O2	6.39	126.67	122.20
38	A1	358	C	O4'-C1'-N1	6.39	113.31	108.20
38	A1	531	G	N9-C4-C5	6.39	107.96	105.40
38	A1	1057	C	C5-C4-N4	-6.39	115.73	120.20
38	A1	1931	G	C5-C6-N1	-6.39	108.30	111.50
38	A1	1986	U	C5-C4-O4	-6.39	122.06	125.90
39	A3	71	G	C2-N3-C4	6.39	115.10	111.90
39	A3	106	G	N9-C4-C5	-6.39	102.84	105.40
11	B2	145	A	N9-C4-C5	6.39	108.36	105.80
11	B2	300	G	N1-C2-N3	-6.39	120.07	123.90
11	B2	612	C	C2-N1-C1'	-6.39	111.77	118.80
38	A1	941	C	C2-N3-C4	-6.39	116.70	119.90
39	A3	59	C	N3-C2-O2	6.39	126.37	121.90
3	Af	41	ARG	NE-CZ-NH2	-6.39	117.11	120.30
9	AX	179	SER	N-CA-CB	6.39	120.08	110.50
11	B2	99	C	O4'-C1'-N1	6.39	113.31	108.20
11	B2	1392	G	C6-C5-N7	-6.39	126.57	130.40
38	A1	41	G	C6-N1-C2	6.39	128.93	125.10
38	A1	637	G	C4-C5-C6	6.39	122.63	118.80
38	A1	810	A	N1-C2-N3	-6.39	126.11	129.30
38	A1	952	C	N3-C4-N4	6.39	122.47	118.00
38	A1	1272	A	P-O5'-C5'	-6.39	110.67	120.90
38	A1	1635	G	C5-C6-O6	-6.39	124.77	128.60
38	A1	2000	G	C4-C5-N7	-6.39	108.24	110.80
38	A1	2717	A	C5-N7-C8	6.39	107.09	103.90
39	A3	88	A	C4-C5-N7	-6.39	107.50	110.70
11	B2	963	A	O4'-C1'-N9	6.39	113.31	108.20
11	B2	1481	G	O4'-C4'-C3'	-6.39	97.61	104.00
38	A1	814	G	C4-C5-N7	6.39	113.36	110.80
38	A1	833	G	P-O3'-C3'	-6.39	112.03	119.70
38	A1	1046	A	N3-C4-C5	-6.39	122.33	126.80
38	A1	1361	G	C5-C6-O6	-6.39	124.77	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1445	G	C5-C6-O6	-6.39	124.77	128.60
38	A1	1450	C	OP1-P-OP2	-6.39	110.02	119.60
38	A1	2299	G	O4'-C1'-C2'	6.39	113.35	107.60
40	AK	38	ALA	C-N-CA	6.39	135.72	122.30
11	B2	1223	C	C4-C5-C6	6.39	120.59	117.40
38	A1	71	A	N1-C2-N3	-6.39	126.11	129.30
38	A1	589	G	O4'-C1'-N9	6.39	113.31	108.20
38	A1	594	U	N1-C2-N3	-6.39	111.07	114.90
38	A1	1848	A	C5-N7-C8	6.39	107.09	103.90
38	A1	1932	G	C5-C6-N1	-6.39	108.31	111.50
38	A1	2261	C	C6-N1-C2	-6.39	117.75	120.30
38	A1	2298	C	C2-N3-C4	6.39	123.09	119.90
38	A1	2804	C	C2-N1-C1'	6.39	125.83	118.80
39	A3	97	G	C2-N3-C4	-6.39	108.71	111.90
11	B2	625	G	C5'-C4'-O4'	6.38	116.76	109.10
38	A1	239	G	C4-C5-C6	6.38	122.63	118.80
38	A1	386	A	C1'-O4'-C4'	-6.38	104.79	109.90
38	A1	1596	G	P-O3'-C3'	-6.38	112.04	119.70
38	A1	1762	G	P-O3'-C3'	6.38	127.36	119.70
38	A1	2272	G	N3-C4-C5	6.38	131.79	128.60
38	A1	2570	A	N3-C4-C5	-6.38	122.33	126.80
54	AI	42	ARG	NE-CZ-NH1	6.38	123.49	120.30
57	Aj	32	GLU	CB-CA-C	6.38	123.17	110.40
9	AX	348	ARG	NH1-CZ-NH2	-6.38	112.38	119.40
11	B2	470	G	N1-C6-O6	6.38	123.73	119.90
11	B2	697	A	N9-C4-C5	6.38	108.35	105.80
11	B2	745	G	N9-C4-C5	6.38	107.95	105.40
38	A1	562	G	C8-N9-C4	6.38	108.95	106.40
38	A1	1127	C	C2-N3-C4	6.38	123.09	119.90
11	B2	959	G	C2-N3-C4	6.38	115.09	111.90
30	BR	112	ARG	NE-CZ-NH1	6.38	123.49	120.30
38	A1	62	C	N1-C2-O2	-6.38	115.07	118.90
38	A1	283	U	P-O3'-C3'	-6.38	112.04	119.70
38	A1	298	G	N1-C6-O6	6.38	123.73	119.90
38	A1	414	G	C4'-C3'-C2'	-6.38	96.22	102.60
38	A1	1258	G	N1-C6-O6	6.38	123.73	119.90
38	A1	1832	G	N9-C4-C5	6.38	107.95	105.40
38	A1	2447	A	C5-N7-C8	6.38	107.09	103.90
52	AH	4	GLN	N-CA-CB	6.38	122.09	110.60
11	B2	343	G	C5-C6-N1	-6.38	108.31	111.50
11	B2	573	C	C2-N3-C4	6.38	123.09	119.90
38	A1	574	C	C5-C4-N4	-6.38	115.73	120.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	656	G	O4'-C1'-N9	6.38	113.30	108.20
38	A1	1146	U	C2-N1-C1'	6.38	125.36	117.70
38	A1	1354	G	P-O3'-C3'	-6.38	112.04	119.70
38	A1	1866	G	N3-C4-C5	-6.38	125.41	128.60
38	A1	2159	C	P-O5'-C5'	6.38	131.11	120.90
38	A1	2565	A	C5-C6-N1	-6.38	114.51	117.70
38	A1	2662	G	C5-N7-C8	6.38	107.49	104.30
38	A1	2671	C	C3'-C2'-C1'	6.38	106.60	101.50
38	A1	2694	C	N3-C2-O2	6.38	126.37	121.90
9	AX	123	ALA	N-CA-CB	6.38	119.03	110.10
11	B2	1021	C	P-O3'-C3'	6.38	127.35	119.70
11	B2	1376	C	N3-C4-C5	-6.38	119.35	121.90
38	A1	286	G	N3-C4-C5	6.38	131.79	128.60
38	A1	748	G	N3-C2-N2	6.38	124.36	119.90
38	A1	1764	G	N3-C4-N9	-6.38	122.17	126.00
38	A1	2154	G	C8-N9-C4	6.38	108.95	106.40
38	A1	2269	C	P-O5'-C5'	-6.38	110.69	120.90
38	A1	2273	U	P-O5'-C5'	6.38	131.11	120.90
38	A1	2454	G	O4'-C1'-N9	6.38	113.30	108.20
38	A1	2814	U	C4-C5-C6	6.38	123.53	119.70
39	A3	70	C	O4'-C1'-N1	6.38	113.30	108.20
11	B2	55	G	N7-C8-N9	-6.38	109.91	113.10
11	B2	134	A	N1-C2-N3	-6.38	126.11	129.30
11	B2	440	C	N3-C4-C5	-6.38	119.35	121.90
11	B2	745	G	C4-C5-C6	6.38	122.63	118.80
11	B2	1318	U	C3'-C2'-C1'	6.38	106.60	101.50
34	BV	80	TYR	CG-CD2-CE2	-6.38	116.20	121.30
38	A1	170	A	C5-C6-N1	-6.38	114.51	117.70
38	A1	207	A	P-O3'-C3'	6.38	127.35	119.70
38	A1	297	G	C1'-O4'-C4'	6.38	115.00	109.90
38	A1	402	G	N1-C2-N3	-6.38	120.08	123.90
38	A1	675	G	N1-C6-O6	6.38	123.73	119.90
38	A1	781	C	C6-N1-C2	-6.38	117.75	120.30
38	A1	1243	C	O4'-C1'-N1	6.38	113.30	108.20
38	A1	1329	G	C8-N9-C4	-6.38	103.85	106.40
38	A1	1917	U	C4-C5-C6	6.38	123.53	119.70
38	A1	2730	U	C5'-C4'-C3'	-6.38	105.80	116.00
11	B2	143	G	N7-C8-N9	-6.38	109.91	113.10
11	B2	762	G	P-O5'-C5'	-6.38	110.70	120.90
11	B2	774	U	O4'-C1'-C2'	-6.38	99.42	105.80
38	A1	313	U	O4'-C1'-N1	6.38	113.30	108.20
38	A1	1107	G	N3-C2-N2	6.38	124.36	119.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1574	A	C2'-C3'-O3'	6.38	123.90	113.70
38	A1	2217	C	C1'-O4'-C4'	6.38	115.00	109.90
11	B2	127	G	N3-C2-N2	6.37	124.36	119.90
11	B2	391	G	C3'-C2'-C1'	-6.37	96.40	101.50
11	B2	779	G	O4'-C1'-N9	6.37	113.30	108.20
38	A1	173	G	C4-C5-C6	6.37	122.62	118.80
38	A1	387	A	P-O5'-C5'	6.37	131.10	120.90
38	A1	434	G	C6-C5-N7	-6.37	126.58	130.40
38	A1	444	U	P-O5'-C5'	-6.37	110.70	120.90
38	A1	793	C	P-O3'-C3'	-6.37	112.05	119.70
38	A1	1100	G	O4'-C1'-N9	6.37	113.30	108.20
38	A1	1418	A	C5-C6-N1	-6.37	114.51	117.70
38	A1	2112	C	C4-C5-C6	-6.37	114.21	117.40
38	A1	2766	C	C4'-C3'-C2'	-6.37	96.23	102.60
38	A1	2963	G	N1-C2-N3	-6.37	120.08	123.90
65	AV	50	LEU	CB-CG-CD2	6.37	121.83	111.00
11	B2	27	C	C6-N1-C2	-6.37	117.75	120.30
11	B2	979	U	P-O3'-C3'	6.37	127.35	119.70
11	B2	1199	A	O4'-C1'-N9	6.37	113.30	108.20
11	B2	1365	G	C5-C6-N1	-6.37	108.31	111.50
11	B2	1414	G	P-O3'-C3'	6.37	127.35	119.70
38	A1	41	G	N1-C2-N3	-6.37	120.08	123.90
38	A1	731	C	N3-C4-N4	6.37	122.46	118.00
38	A1	2394	G	N1-C2-N3	-6.37	120.08	123.90
38	A1	2523	C	C5-C4-N4	-6.37	115.74	120.20
39	A3	113	C	N1-C2-O2	-6.37	115.08	118.90
39	A3	114	G	C8-N9-C4	-6.37	103.85	106.40
64	AR	21	ARG	NE-CZ-NH2	-6.37	117.11	120.30
11	B2	277	G	C2'-C3'-O3'	6.37	123.89	113.70
11	B2	435	A	C4-C5-C6	6.37	120.19	117.00
11	B2	853	G	N7-C8-N9	6.37	116.28	113.10
11	B2	854	C	O4'-C4'-C3'	-6.37	97.63	104.00
11	B2	1487	U	C4'-C3'-C2'	-6.37	96.23	102.60
38	A1	395	G	O4'-C1'-N9	6.37	113.30	108.20
38	A1	639	C	N1-C2-O2	-6.37	115.08	118.90
38	A1	1370	G	N7-C8-N9	6.37	116.28	113.10
38	A1	1734	G	C6-N1-C2	-6.37	121.28	125.10
38	A1	2769	U	C2-N3-C4	-6.37	123.18	127.00
39	A3	105	G	N7-C8-N9	-6.37	109.92	113.10
11	B2	247	G	O4'-C1'-N9	6.37	113.29	108.20
11	B2	566	C	N3-C4-C5	-6.37	119.35	121.90
19	BG	83	ARG	NE-CZ-NH1	6.37	123.48	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	BY	12	ASP	CB-CG-OD1	6.37	124.03	118.30
38	A1	620	G	C6-C5-N7	-6.37	126.58	130.40
38	A1	764	G	N1-C2-N2	-6.37	110.47	116.20
38	A1	1331	U	P-O3'-C3'	-6.37	112.06	119.70
38	A1	1663	C	N3-C4-C5	-6.37	119.35	121.90
38	A1	1985	G	C4-C5-N7	6.37	113.35	110.80
38	A1	2369	G	N3-C4-N9	6.37	129.82	126.00
11	B2	1311	C	N1-C2-O2	-6.37	115.08	118.90
38	A1	359	C	C2-N3-C4	6.37	123.08	119.90
38	A1	387	A	N9-C4-C5	6.37	108.35	105.80
41	AA	203	TYR	CB-CG-CD1	-6.37	117.18	121.00
10	B1	23	G	C4-C5-N7	6.37	113.35	110.80
10	B1	59	A	C2'-C3'-O3'	6.37	123.89	113.70
11	B2	290	C	O4'-C1'-N1	6.37	113.29	108.20
38	A1	99	U	N1-C2-O2	-6.37	118.34	122.80
38	A1	181	U	C5-C6-N1	6.37	125.88	122.70
38	A1	586	A	C6-N1-C2	6.37	122.42	118.60
38	A1	992	G	N3-C2-N2	6.37	124.36	119.90
38	A1	1027	A	C5-C6-N6	-6.37	118.61	123.70
38	A1	1372	C	C5-C6-N1	-6.37	117.82	121.00
38	A1	1581	A	N3-C4-C5	-6.37	122.34	126.80
38	A1	1932	G	C6-N1-C2	6.37	128.92	125.10
38	A1	2071	C	N3-C4-N4	6.37	122.46	118.00
38	A1	2180	C	N1-C2-N3	-6.37	114.75	119.20
38	A1	2274	C	N3-C4-N4	6.37	122.46	118.00
38	A1	2659	G	O4'-C1'-N9	6.37	113.29	108.20
38	A1	2707	G	C5-N7-C8	6.37	107.48	104.30
11	B2	281	G	N3-C4-C5	6.36	131.78	128.60
11	B2	454	G	O4'-C1'-N9	6.36	113.29	108.20
11	B2	638	G	C6-C5-N7	-6.36	126.58	130.40
11	B2	1420	U	O4'-C1'-N1	6.36	113.29	108.20
38	A1	188	A	O4'-C1'-C2'	-6.36	99.44	105.80
38	A1	481	G	N3-C2-N2	6.36	124.36	119.90
38	A1	1858	G	C5-N7-C8	6.36	107.48	104.30
45	AC	246	ASP	N-CA-CB	6.36	122.05	110.60
38	A1	1197	G	O4'-C1'-N9	6.36	113.29	108.20
38	A1	1745	U	O4'-C1'-C2'	-6.36	99.44	105.80
38	A1	2171	G	C6-C5-N7	-6.36	126.58	130.40
38	A1	2512	C	C6-N1-C2	-6.36	117.75	120.30
38	A1	2717	A	O4'-C1'-N9	6.36	113.29	108.20
39	A3	38	U	C1'-O4'-C4'	6.36	114.99	109.90
66	AY	84	TYR	CB-CG-CD2	-6.36	117.18	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	676	G	O4'-C1'-N9	6.36	113.29	108.20
11	B2	706	G	C8-N9-C4	-6.36	103.86	106.40
20	BH	36	TYR	CG-CD1-CE1	6.36	126.39	121.30
38	A1	470	A	N3-C4-N9	-6.36	122.31	127.40
38	A1	676	G	N9-C4-C5	-6.36	102.86	105.40
38	A1	688	G	C5-C6-O6	-6.36	124.78	128.60
38	A1	881	G	C3'-C2'-C1'	6.36	106.59	101.50
38	A1	1161	A	O4'-C1'-N9	6.36	113.29	108.20
38	A1	1370	G	O4'-C1'-N9	6.36	113.29	108.20
38	A1	1521	G	O4'-C1'-N9	6.36	113.29	108.20
38	A1	2969	G	C5-C6-N1	-6.36	108.32	111.50
57	Aj	30	ARG	NE-CZ-NH2	-6.36	117.12	120.30
11	B2	593	G	C3'-C2'-C1'	-6.36	96.41	101.50
11	B2	871	A	C5-C6-N1	-6.36	114.52	117.70
38	A1	1904	G	N3-C4-C5	6.36	131.78	128.60
38	A1	2378	C	N3-C4-C5	-6.36	119.36	121.90
38	A1	2742	G	C5-C6-N1	-6.36	108.32	111.50
39	A3	81	C	N3-C4-C5	-6.36	119.36	121.90
11	B2	158	U	N3-C2-O2	6.36	126.65	122.20
11	B2	631	C	C5-C6-N1	6.36	124.18	121.00
11	B2	754	G	C2-N3-C4	-6.36	108.72	111.90
11	B2	866	A	C5-C6-N6	-6.36	118.61	123.70
11	B2	1032	A	C8-N9-C4	6.36	108.34	105.80
11	B2	1251	C	C6-N1-C2	-6.36	117.76	120.30
11	B2	1361	G	C4-C5-N7	6.36	113.34	110.80
38	A1	7	G	N9-C4-C5	-6.36	102.86	105.40
38	A1	211	A	C5-N7-C8	6.36	107.08	103.90
38	A1	339	A	C4-C5-N7	6.36	113.88	110.70
38	A1	362	A	C2-N3-C4	-6.36	107.42	110.60
38	A1	1528	A	N9-C1'-C2'	-6.36	105.01	112.00
38	A1	1627	G	N1-C2-N3	-6.36	120.09	123.90
38	A1	1744	A	C8-N9-C4	-6.36	103.26	105.80
38	A1	2097	G	C6-C5-N7	-6.36	126.59	130.40
38	A1	2581	G	C5-C6-O6	-6.36	124.78	128.60
38	A1	2750	C	C4-C5-C6	6.36	120.58	117.40
38	A1	2949	G	N1-C6-O6	6.36	123.71	119.90
38	A1	2958	U	C5-C4-O4	-6.36	122.09	125.90
10	B1	73	C	C6-N1-C2	6.36	122.84	120.30
11	B2	107	C	C5-C4-N4	-6.36	115.75	120.20
11	B2	315	A	C2-N3-C4	6.36	113.78	110.60
11	B2	587	G	C2-N3-C4	-6.36	108.72	111.90
35	BW	57	LYS	N-CA-CB	6.36	122.04	110.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	231	G	N3-C2-N2	6.36	124.35	119.90
38	A1	443	C	C5-C4-N4	-6.36	115.75	120.20
38	A1	1756	C	N3-C2-O2	6.36	126.35	121.90
38	A1	2639	G	C2-N3-C4	6.36	115.08	111.90
38	A1	2639	G	C6-N1-C2	6.36	128.91	125.10
47	Ad	16	ARG	NE-CZ-NH2	-6.36	117.12	120.30
8	AW	38	LEU	CB-CA-C	6.35	122.27	110.20
11	B2	1	A	N7-C8-N9	6.35	116.98	113.80
11	B2	858	A	N3-C4-C5	-6.35	122.35	126.80
38	A1	1245	C	C6-N1-C2	-6.35	117.76	120.30
38	A1	1548	A	N9-C4-C5	-6.35	103.26	105.80
38	A1	1695	G	N3-C4-C5	6.35	131.78	128.60
38	A1	1739	U	P-O3'-C3'	6.35	127.32	119.70
38	A1	1996	C	N3-C4-C5	-6.35	119.36	121.90
52	AH	56	ILE	CB-CA-C	6.35	124.31	111.60
10	B1	4	G	C6-C5-N7	-6.35	126.59	130.40
11	B2	518	U	N1-C2-O2	-6.35	118.35	122.80
11	B2	545	C	N1-C1'-C2'	-6.35	105.01	112.00
11	B2	672	G	C6-C5-N7	-6.35	126.59	130.40
11	B2	795	G	C5-N7-C8	-6.35	101.12	104.30
11	B2	1039	C	C5-C6-N1	6.35	124.18	121.00
11	B2	1346	C	C6-N1-C2	-6.35	117.76	120.30
12	B3	79	TYR	CB-CG-CD1	-6.35	117.19	121.00
18	BF	153	ARG	NE-CZ-NH1	6.35	123.48	120.30
37	BY	8	TYR	CG-CD1-CE1	-6.35	116.22	121.30
38	A1	11	G	N9-C4-C5	6.35	107.94	105.40
38	A1	722	C	C5-C6-N1	6.35	124.18	121.00
38	A1	2088	G	C4-C5-N7	-6.35	108.26	110.80
38	A1	2461	C	C5-C6-N1	6.35	124.18	121.00
38	A1	2803	U	N3-C4-O4	6.35	123.85	119.40
52	AH	114	MET	CG-SD-CE	-6.35	90.03	100.20
11	B2	628	G	O4'-C1'-N9	6.35	113.28	108.20
11	B2	650	A	C4-C5-N7	-6.35	107.53	110.70
11	B2	752	G	O4'-C1'-N9	6.35	113.28	108.20
11	B2	791	G	C5-C6-N1	-6.35	108.33	111.50
38	A1	436	C	O4'-C1'-N1	6.35	113.28	108.20
38	A1	1443	G	N1-C6-O6	6.35	123.71	119.90
38	A1	2951	G	N3-C4-C5	6.35	131.78	128.60
60	AM	26	ARG	CB-CA-C	-6.35	97.70	110.40
7	AU	39	TYR	CD1-CG-CD2	6.35	124.88	117.90
10	B1	74	A	C3'-C2'-C1'	-6.35	96.42	101.50
25	BM	127	ARG	NE-CZ-NH2	-6.35	117.13	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1142	A	C5-C6-N1	-6.35	114.53	117.70
38	A1	1297	C	N3-C2-O2	6.35	126.34	121.90
38	A1	1626	A	C1'-O4'-C4'	6.35	114.98	109.90
38	A1	2336	G	P-O5'-C5'	-6.35	110.74	120.90
38	A1	2481	G	C5-C6-O6	-6.35	124.79	128.60
11	B2	634	C	C2-N1-C1'	6.35	125.78	118.80
11	B2	685	G	C6-C5-N7	-6.35	126.59	130.40
11	B2	792	C	C6-N1-C2	-6.35	117.76	120.30
11	B2	1160	C	P-O5'-C5'	-6.35	110.74	120.90
38	A1	112	U	O5'-P-OP1	-6.35	99.99	105.70
38	A1	1204	U	N3-C2-O2	6.35	126.64	122.20
38	A1	1277	G	N9-C4-C5	-6.35	102.86	105.40
38	A1	1301	G	N1-C6-O6	6.35	123.71	119.90
38	A1	1446	G	N3-C2-N2	6.35	124.34	119.90
38	A1	1848	A	C4-C5-N7	-6.35	107.53	110.70
38	A1	1993	A	C5-C6-N1	-6.35	114.53	117.70
38	A1	2319	C	C5-C4-N4	-6.35	115.76	120.20
38	A1	2530	G	O4'-C1'-N9	6.35	113.28	108.20
38	A1	3001	C	C5'-C4'-O4'	-6.35	101.48	109.10
11	B2	1057	A	C5-N7-C8	6.35	107.07	103.90
38	A1	2128	G	C6-N1-C2	6.35	128.91	125.10
38	A1	2685	G	N1-C2-N3	-6.35	120.09	123.90
11	B2	815	C	C5-C6-N1	6.34	124.17	121.00
32	BT	8	TYR	CB-CG-CD2	-6.34	117.19	121.00
38	A1	2738	G	O4'-C1'-N9	6.34	113.28	108.20
11	B2	1210	A	C5-N7-C8	6.34	107.07	103.90
38	A1	1258	G	C5-C6-O6	-6.34	124.79	128.60
38	A1	1949	A	N9-C4-C5	6.34	108.34	105.80
39	A3	17	G	N3-C2-N2	6.34	124.34	119.90
11	B2	360	A	C5-C6-N6	-6.34	118.63	123.70
11	B2	582	G	N3-C2-N2	6.34	124.34	119.90
11	B2	803	C	N3-C2-O2	6.34	126.34	121.90
38	A1	233	A	P-O3'-C3'	6.34	127.31	119.70
38	A1	427	G	C5-N7-C8	6.34	107.47	104.30
38	A1	858	G	C6-C5-N7	-6.34	126.59	130.40
38	A1	867	C	O4'-C1'-N1	6.34	113.27	108.20
38	A1	1333	G	C8-N9-C4	6.34	108.94	106.40
38	A1	1842	C	C6-N1-C1'	-6.34	113.19	120.80
38	A1	1909	C	O4'-C4'-C3'	-6.34	97.66	104.00
38	A1	2043	A	C8-N9-C4	-6.34	103.26	105.80
38	A1	2383	A	C6-C5-N7	-6.34	127.86	132.30
11	B2	39	U	N1-C1'-C2'	-6.34	105.03	112.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	133	G	N3-C2-N2	6.34	124.34	119.90
11	B2	862	C	C5-C6-N1	-6.34	117.83	121.00
11	B2	1100	G	O4'-C1'-N9	6.34	113.27	108.20
11	B2	1134	G	N3-C4-N9	-6.34	122.20	126.00
38	A1	10	C	C6-N1-C1'	-6.34	113.19	120.80
38	A1	247	A	C5-C6-N1	-6.34	114.53	117.70
38	A1	295	G	C5-N7-C8	6.34	107.47	104.30
38	A1	521	C	N3-C4-C5	-6.34	119.36	121.90
38	A1	664	A	O4'-C1'-N9	6.34	113.27	108.20
38	A1	1047	A	N1-C2-N3	-6.34	126.13	129.30
38	A1	1113	G	C4-C5-C6	-6.34	115.00	118.80
38	A1	1471	G	C2-N3-C4	-6.34	108.73	111.90
38	A1	1884	C	N1-C2-N3	-6.34	114.76	119.20
38	A1	2536	A	C5'-C4'-C3'	-6.34	105.86	116.00
38	A1	2822	G	N3-C2-N2	6.34	124.34	119.90
38	A1	2889	A	C6-N1-C2	6.34	122.40	118.60
49	Ae	44	ARG	NE-CZ-NH1	-6.34	117.13	120.30
11	B2	1474	A	C5-C6-N1	-6.34	114.53	117.70
38	A1	1764	G	C2-N3-C4	-6.34	108.73	111.90
38	A1	2228	G	C5-C6-O6	-6.34	124.80	128.60
11	B2	85	A	C4-C5-N7	-6.34	107.53	110.70
11	B2	731	A	C5-C6-N6	-6.34	118.63	123.70
11	B2	991	C	N3-C2-O2	6.34	126.34	121.90
11	B2	1125	C	N3-C2-O2	-6.34	117.46	121.90
18	BF	144	ALA	N-CA-CB	6.34	118.97	110.10
38	A1	240	A	N1-C6-N6	6.34	122.40	118.60
38	A1	378	G	C6-C5-N7	-6.34	126.60	130.40
38	A1	418	C	C5-C6-N1	-6.34	117.83	121.00
38	A1	633	A	C5-N7-C8	6.34	107.07	103.90
38	A1	644	G	C6-N1-C2	6.34	128.90	125.10
38	A1	1453	G	C5-N7-C8	-6.34	101.13	104.30
38	A1	1552	C	C2-N1-C1'	6.34	125.77	118.80
38	A1	1817	C	N3-C4-N4	6.34	122.44	118.00
38	A1	2099	G	N3-C4-N9	6.34	129.80	126.00
38	A1	2195	G	C4-C5-N7	-6.34	108.27	110.80
38	A1	3027	C	N3-C2-O2	6.34	126.34	121.90
46	AD	113	ALA	CB-CA-C	-6.34	100.60	110.10
11	B2	642	G	N1-C6-O6	6.33	123.70	119.90
11	B2	1025	U	N3-C2-O2	6.33	126.63	122.20
38	A1	896	G	C6-C5-N7	-6.33	126.60	130.40
38	A1	1499	C	N3-C4-N4	6.33	122.43	118.00
38	A1	3031	U	N3-C4-O4	6.33	123.83	119.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	A3	3	G	N3-C2-N2	6.33	124.33	119.90
11	B2	11	A	N9-C4-C5	-6.33	103.27	105.80
11	B2	161	C	C5-C6-N1	-6.33	117.83	121.00
11	B2	650	A	C5-C6-N6	-6.33	118.63	123.70
11	B2	891	A	N1-C6-N6	6.33	122.40	118.60
11	B2	1178	C	O4'-C1'-N1	6.33	113.27	108.20
38	A1	244	A	C6-N1-C2	6.33	122.40	118.60
38	A1	1019	G	N9-C1'-C2'	-6.33	105.03	112.00
38	A1	1930	A	N7-C8-N9	-6.33	110.63	113.80
38	A1	2016	C	C5-C4-N4	-6.33	115.77	120.20
38	A1	2240	G	O5'-C5'-C4'	6.33	123.73	111.70
38	A1	2397	C	OP1-P-OP2	-6.33	110.10	119.60
38	A1	2850	G	C5-C6-O6	-6.33	124.80	128.60
11	B2	85	A	N1-C2-N3	6.33	132.47	129.30
20	BH	169	ALA	C-N-CA	6.33	137.53	121.70
38	A1	187	C	O4'-C1'-N1	6.33	113.27	108.20
38	A1	1243	C	C5-C6-N1	-6.33	117.83	121.00
38	A1	1244	C	C3'-C2'-C1'	6.33	106.57	101.50
38	A1	1847	U	O4'-C1'-N1	6.33	113.27	108.20
64	AR	6	HIS	N-CA-CB	6.33	122.00	110.60
11	B2	126	G	C6-N1-C2	6.33	128.90	125.10
11	B2	593	G	C5-N7-C8	6.33	107.47	104.30
11	B2	971	G	O4'-C4'-C3'	-6.33	97.67	104.00
38	A1	140	C	C4'-C3'-C2'	-6.33	96.27	102.60
38	A1	1715	G	C8-N9-C4	-6.33	103.87	106.40
38	A1	2394	G	O4'-C1'-N9	6.33	113.26	108.20
38	A1	2618	C	N3-C4-N4	6.33	122.43	118.00
45	AC	8	ARG	NE-CZ-NH2	6.33	123.47	120.30
11	B2	41	C	N3-C4-N4	6.33	122.43	118.00
11	B2	142	G	C3'-C2'-C1'	-6.33	96.44	101.50
11	B2	322	G	C8-N9-C4	6.33	108.93	106.40
11	B2	424	U	N3-C4-C5	-6.33	110.80	114.60
11	B2	464	G	O4'-C1'-N9	6.33	113.26	108.20
11	B2	924	U	C4-C5-C6	6.33	123.50	119.70
11	B2	1097	G	N9-C4-C5	-6.33	102.87	105.40
11	B2	1252	C	N3-C2-O2	6.33	126.33	121.90
11	B2	1388	G	C5-C6-O6	-6.33	124.80	128.60
20	BH	66	ARG	NE-CZ-NH2	-6.33	117.14	120.30
29	BQ	135	TYR	CG-CD1-CE1	-6.33	116.24	121.30
38	A1	506	G	N1-C2-N3	-6.33	120.10	123.90
38	A1	604	A	N9-C4-C5	-6.33	103.27	105.80
38	A1	632	G	C6-C5-N7	-6.33	126.60	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	783	C	N3-C4-N4	6.33	122.43	118.00
38	A1	1418	A	N9-C4-C5	-6.33	103.27	105.80
38	A1	1972	C	O4'-C1'-N1	6.33	113.26	108.20
38	A1	2040	A	N1-C2-N3	-6.33	126.14	129.30
38	A1	2226	G	N1-C2-N3	-6.33	120.10	123.90
38	A1	2312	U	N1-C2-N3	6.33	118.70	114.90
11	B2	595	U	C6-N1-C2	-6.33	117.20	121.00
38	A1	856	A	C4-C5-C6	6.33	120.16	117.00
38	A1	1005	G	C6-C5-N7	-6.33	126.60	130.40
38	A1	1906	G	C4-C5-C6	6.33	122.60	118.80
38	A1	2517	U	O4'-C1'-N1	6.33	113.26	108.20
53	Ah	9	ARG	NE-CZ-NH2	-6.33	117.14	120.30
11	B2	248	U	O3'-P-O5'	-6.33	91.98	104.00
11	B2	516	A	N3-C4-C5	-6.33	122.37	126.80
11	B2	1373	A	C5-N7-C8	-6.33	100.74	103.90
38	A1	69	C	N3-C4-N4	6.33	122.43	118.00
38	A1	213	G	C8-N9-C4	-6.33	103.87	106.40
38	A1	583	A	O4'-C1'-N9	6.33	113.26	108.20
38	A1	797	C	C5-C4-N4	-6.33	115.77	120.20
38	A1	933	G	C4-C5-C6	6.33	122.60	118.80
38	A1	1389	A	C6-C5-N7	-6.33	127.87	132.30
38	A1	1422	G	C6-C5-N7	-6.33	126.61	130.40
38	A1	1918	U	C3'-C2'-C1'	6.33	106.56	101.50
38	A1	2174	G	C5-N7-C8	-6.33	101.14	104.30
10	B1	20	G	N7-C8-N9	6.32	116.26	113.10
11	B2	436	A	C4-C5-C6	6.32	120.16	117.00
11	B2	1375	C	C4-C5-C6	-6.32	114.24	117.40
11	B2	1399	G	OP1-P-OP2	-6.32	110.11	119.60
38	A1	182	U	C4-C5-C6	-6.32	115.91	119.70
38	A1	660	U	O4'-C1'-N1	6.32	113.26	108.20
38	A1	1835	A	N9-C1'-C2'	-6.32	105.04	112.00
38	A1	2632	C	N3-C4-C5	-6.32	119.37	121.90
38	A1	2842	C	O5'-P-OP1	6.32	118.29	110.70
11	B2	660	C	O3'-P-O5'	-6.32	91.99	104.00
13	BA	27	PHE	CB-CG-CD1	-6.32	116.38	120.80
38	A1	2626	U	C4-C5-C6	-6.32	115.91	119.70
38	A1	2783	C	O4'-C4'-C3'	-6.32	97.68	104.00
38	A1	2832	G	O4'-C1'-N9	6.32	113.26	108.20
38	A1	2948	A	C2-N3-C4	-6.32	107.44	110.60
11	B2	407	G	P-O5'-C5'	6.32	131.01	120.90
22	BJ	74	LYS	N-CA-C	-6.32	93.93	111.00
23	BK	83	ALA	N-CA-CB	6.32	118.95	110.10

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	801	A	C5-N7-C8	6.32	107.06	103.90
38	A1	832	A	C4'-C3'-C2'	-6.32	96.28	102.60
38	A1	1457	C	N3-C2-O2	-6.32	117.48	121.90
38	A1	1831	C	O4'-C1'-N1	6.32	113.26	108.20
38	A1	2218	C	C5-C6-N1	6.32	124.16	121.00
38	A1	2339	C	O4'-C1'-N1	6.32	113.26	108.20
38	A1	2536	A	C6-N1-C2	6.32	122.39	118.60
38	A1	2763	U	N3-C4-C5	6.32	118.39	114.60
38	A1	2821	G	N3-C2-N2	6.32	124.32	119.90
59	AL	8	VAL	CA-CB-CG2	-6.32	101.42	110.90
11	B2	695	G	N7-C8-N9	-6.32	109.94	113.10
11	B2	1098	G	C6-C5-N7	-6.32	126.61	130.40
34	BV	55	TYR	CB-CG-CD2	6.32	124.79	121.00
38	A1	1458	C	N3-C4-N4	6.32	122.42	118.00
38	A1	1921	U	C5-C6-N1	6.32	125.86	122.70
11	B2	77	G	O4'-C1'-N9	6.32	113.25	108.20
11	B2	818	A	O4'-C1'-N9	6.32	113.25	108.20
11	B2	853	G	N1-C2-N2	6.32	121.89	116.20
11	B2	1005	G	N3-C4-N9	-6.32	122.21	126.00
11	B2	1066	C	O4'-C1'-N1	6.32	113.25	108.20
11	B2	1170	C	C6-N1-C2	-6.32	117.77	120.30
11	B2	1358	A	C6-N1-C2	6.32	122.39	118.60
17	BE	205	PHE	CB-CG-CD1	-6.32	116.38	120.80
38	A1	517	A	N9-C4-C5	-6.32	103.27	105.80
38	A1	823	G	N3-C4-C5	-6.32	125.44	128.60
38	A1	1031	C	O4'-C1'-N1	6.32	113.25	108.20
38	A1	1936	C	N3-C4-C5	-6.32	119.37	121.90
38	A1	2540	A	P-O5'-C5'	-6.32	110.79	120.90
38	A1	2840	C	C4'-C3'-C2'	6.32	108.92	102.60
11	B2	301	G	C8-N9-C4	-6.32	103.87	106.40
11	B2	393	A	C5-C6-N6	-6.32	118.65	123.70
11	B2	975	A	C6-N1-C2	6.32	122.39	118.60
11	B2	1478	A	C4-C5-N7	-6.32	107.54	110.70
18	BF	167	ILE	C-N-CA	6.32	135.56	122.30
38	A1	149	G	C6-C5-N7	-6.32	126.61	130.40
38	A1	1069	A	C5-C6-N6	-6.32	118.65	123.70
38	A1	1709	C	N3-C2-O2	6.32	126.32	121.90
38	A1	1727	G	C8-N9-C4	6.32	108.93	106.40
38	A1	1753	G	C6-N1-C2	6.32	128.89	125.10
38	A1	2435	G	C6-C5-N7	-6.32	126.61	130.40
38	A1	2792	G	C6-N1-C2	6.32	128.89	125.10
11	B2	332	C	C5-C4-N4	-6.31	115.78	120.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	422	U	C5-C4-O4	-6.31	122.11	125.90
38	A1	2038	C	N3-C4-C5	-6.31	119.37	121.90
38	A1	2824	C	N3-C4-N4	6.31	122.42	118.00
11	B2	393	A	N7-C8-N9	6.31	116.96	113.80
27	BO	100	MET	CG-SD-CE	-6.31	90.10	100.20
38	A1	49	A	C2-N3-C4	-6.31	107.44	110.60
38	A1	530	A	N3-C4-N9	6.31	132.45	127.40
38	A1	544	A	C4-C5-N7	-6.31	107.54	110.70
38	A1	1353	A	C6-C5-N7	-6.31	127.88	132.30
38	A1	1644	G	N7-C8-N9	-6.31	109.94	113.10
38	A1	1742	C	C5-C4-N4	-6.31	115.78	120.20
38	A1	2524	C	C2-N3-C4	-6.31	116.74	119.90
38	A1	2960	G	C4-C5-C6	6.31	122.59	118.80
11	B2	231	G	O4'-C4'-C3'	-6.31	97.69	104.00
11	B2	1137	G	C4-C5-C6	6.31	122.59	118.80
29	BQ	106	ARG	NE-CZ-NH1	6.31	123.45	120.30
38	A1	691	G	O4'-C1'-N9	6.31	113.25	108.20
38	A1	1016	C	C6-N1-C2	6.31	122.82	120.30
38	A1	1156	G	N3-C4-C5	-6.31	125.44	128.60
38	A1	1529	A	N9-C4-C5	6.31	108.32	105.80
38	A1	2358	U	N1-C2-N3	6.31	118.69	114.90
38	A1	2359	G	N3-C2-N2	6.31	124.32	119.90
38	A1	2831	G	N9-C4-C5	-6.31	102.88	105.40
38	A1	3008	C	C6-N1-C2	-6.31	117.78	120.30
11	B2	31	U	N1-C2-N3	6.31	118.69	114.90
11	B2	344	G	N3-C4-C5	-6.31	125.44	128.60
11	B2	521	G	C4-C5-N7	6.31	113.32	110.80
38	A1	373	G	N1-C2-N2	-6.31	110.52	116.20
38	A1	382	G	N9-C4-C5	6.31	107.92	105.40
38	A1	513	C	C4'-C3'-C2'	6.31	108.91	102.60
38	A1	571	G	N3-C4-N9	-6.31	122.22	126.00
38	A1	1528	A	N1-C6-N6	6.31	122.39	118.60
38	A1	1632	U	C6-N1-C2	-6.31	117.21	121.00
38	A1	1693	G	O4'-C4'-C3'	-6.31	97.69	104.00
38	A1	1793	G	P-O3'-C3'	6.31	127.27	119.70
38	A1	2869	U	C2-N3-C4	-6.31	123.21	127.00
11	B2	886	G	N1-C2-N3	-6.31	120.12	123.90
11	B2	1061	A	C6-N1-C2	6.31	122.38	118.60
11	B2	1089	C	C2-N3-C4	6.31	123.05	119.90
11	B2	1446	G	O4'-C1'-N9	6.31	113.25	108.20
18	BF	210	ARG	NE-CZ-NH2	-6.31	117.15	120.30
38	A1	199	C	O4'-C1'-N1	6.31	113.25	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	240	A	C5-N7-C8	-6.31	100.75	103.90
38	A1	679	U	C5-C6-N1	6.31	125.85	122.70
38	A1	694	A	N9-C4-C5	-6.31	103.28	105.80
38	A1	715	G	N1-C2-N3	-6.31	120.12	123.90
38	A1	717	A	C4-C5-N7	-6.31	107.55	110.70
38	A1	777	A	C4-C5-C6	6.31	120.15	117.00
38	A1	1292	C	N3-C4-N4	6.31	122.42	118.00
38	A1	1364	C	C4-C5-C6	6.31	120.55	117.40
38	A1	1415	C	C3'-C2'-C1'	6.31	106.55	101.50
38	A1	1515	G	C6-N1-C2	6.31	128.88	125.10
38	A1	2666	G	N3-C4-N9	6.31	129.78	126.00
39	A3	97	G	N3-C2-N2	6.31	124.31	119.90
11	B2	40	C	C5-C6-N1	6.31	124.15	121.00
11	B2	375	G	C6-C5-N7	-6.31	126.62	130.40
11	B2	1296	U	N1-C2-O2	6.31	127.21	122.80
38	A1	637	G	C5-C6-N1	-6.31	108.35	111.50
38	A1	695	G	N1-C6-O6	6.31	123.68	119.90
38	A1	1582	G	N1-C2-N3	-6.31	120.12	123.90
38	A1	2571	G	N9-C4-C5	-6.31	102.88	105.40
38	A1	2814	U	N3-C4-C5	-6.31	110.82	114.60
11	B2	327	G	C4-C5-N7	6.30	113.32	110.80
11	B2	412	U	C4-C5-C6	6.30	123.48	119.70
11	B2	1025	U	C5-C6-N1	6.30	125.85	122.70
11	B2	1206	G	C6-C5-N7	-6.30	126.62	130.40
11	B2	1312	C	N3-C4-N4	6.30	122.41	118.00
11	B2	1320	A	C5-C6-N6	-6.30	118.66	123.70
38	A1	959	U	N1-C2-O2	6.30	127.21	122.80
38	A1	1143	A	C6-N1-C2	6.30	122.38	118.60
38	A1	1825	G	N1-C2-N3	-6.30	120.12	123.90
38	A1	2249	A	C5-C6-N1	-6.30	114.55	117.70
38	A1	2266	C	C4-C5-C6	6.30	120.55	117.40
39	A3	88	A	C5-C6-N6	-6.30	118.66	123.70
45	AC	42	ALA	CB-CA-C	-6.30	100.64	110.10
16	BD	103	ARG	NE-CZ-NH2	-6.30	117.15	120.30
38	A1	995	G	N3-C2-N2	6.30	124.31	119.90
38	A1	1059	C	C6-N1-C2	-6.30	117.78	120.30
38	A1	1547	U	N3-C2-O2	6.30	126.61	122.20
38	A1	1573	A	N3-C4-C5	-6.30	122.39	126.80
38	A1	2764	G	N3-C4-C5	6.30	131.75	128.60
11	B2	550	G	C5-C6-N1	-6.30	108.35	111.50
11	B2	893	U	C6-N1-C1'	-6.30	112.38	121.20
11	B2	910	G	N7-C8-N9	6.30	116.25	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	459	C	C6-N1-C2	-6.30	117.78	120.30
38	A1	486	A	O4'-C1'-N9	6.30	113.24	108.20
38	A1	1337	G	C5-N7-C8	-6.30	101.15	104.30
38	A1	1727	G	C4-C5-C6	6.30	122.58	118.80
38	A1	2386	U	O4'-C1'-N1	6.30	113.24	108.20
38	A1	3005	C	C4-C5-C6	-6.30	114.25	117.40
51	Ag	45	GLU	CB-CA-C	6.30	123.00	110.40
11	B2	122	C	C5-C6-N1	-6.30	117.85	121.00
11	B2	169	C	C6-N1-C2	-6.30	117.78	120.30
11	B2	1089	C	N3-C4-C5	-6.30	119.38	121.90
38	A1	101	G	N1-C2-N3	-6.30	120.12	123.90
38	A1	239	G	C6-N1-C2	6.30	128.88	125.10
38	A1	697	U	N3-C4-O4	6.30	123.81	119.40
38	A1	735	A	OP1-P-OP2	-6.30	110.15	119.60
38	A1	1519	G	P-O5'-C5'	-6.30	110.82	120.90
38	A1	2031	G	N1-C6-O6	6.30	123.68	119.90
38	A1	2566	A	C5-C6-N6	-6.30	118.66	123.70
38	A1	2823	G	O4'-C1'-N9	6.30	113.24	108.20
41	AA	133	VAL	CG1-CB-CG2	6.30	120.98	110.90
11	B2	1068	C	OP1-P-OP2	-6.30	110.15	119.60
38	A1	1664	G	O4'-C1'-N9	6.30	113.24	108.20
38	A1	1707	A	C8-N9-C4	-6.30	103.28	105.80
38	A1	1892	G	C1'-O4'-C4'	-6.30	104.86	109.90
38	A1	2261	C	P-O3'-C3'	-6.30	112.14	119.70
38	A1	2603	A	C8-N9-C4	-6.30	103.28	105.80
48	AE	137	MET	CA-CB-CG	6.30	124.01	113.30
11	B2	1069	G	C5-N7-C8	6.30	107.45	104.30
11	B2	1364	C	C4'-C3'-C2'	-6.30	96.30	102.60
38	A1	523	C	O4'-C1'-N1	6.30	113.24	108.20
38	A1	912	G	N1-C2-N3	-6.30	120.12	123.90
38	A1	1671	A	N9-C4-C5	-6.30	103.28	105.80
38	A1	2262	C	C4'-C3'-C2'	-6.30	96.30	102.60
38	A1	2429	G	C4-C5-N7	6.30	113.32	110.80
38	A1	2706	C	N3-C4-N4	6.30	122.41	118.00
38	A1	2869	U	C5-C6-N1	6.30	125.85	122.70
38	A1	2887	C	P-O5'-C5'	6.30	130.98	120.90
60	AM	75	ARG	NE-CZ-NH1	6.30	123.45	120.30
11	B2	198	A	O4'-C1'-N9	6.29	113.24	108.20
11	B2	501	G	O4'-C1'-N9	6.29	113.24	108.20
11	B2	1046	G	C4-C5-N7	6.29	113.32	110.80
38	A1	227	G	O4'-C1'-N9	6.29	113.24	108.20
38	A1	1889	G	N3-C4-C5	-6.29	125.45	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2852	U	C5'-C4'-O4'	6.29	116.65	109.10
10	B1	22	A	C8-N9-C4	-6.29	103.28	105.80
10	B1	49	C	N3-C4-C5	-6.29	119.38	121.90
11	B2	220	G	C5'-C4'-C3'	-6.29	105.93	116.00
11	B2	236	C	C2-N3-C4	6.29	123.05	119.90
11	B2	572	U	OP1-P-OP2	-6.29	110.16	119.60
11	B2	839	G	C6-C5-N7	-6.29	126.62	130.40
11	B2	924	U	N1-C2-O2	-6.29	118.39	122.80
11	B2	1158	G	C5-C6-O6	-6.29	124.82	128.60
38	A1	1036	C	P-O3'-C3'	6.29	127.25	119.70
38	A1	1106	C	C5-C4-N4	-6.29	115.80	120.20
38	A1	1171	G	C5-C6-O6	-6.29	124.82	128.60
38	A1	1254	C	C1'-O4'-C4'	6.29	114.94	109.90
38	A1	1633	A	C2-N3-C4	6.29	113.75	110.60
38	A1	1811	G	C3'-C2'-C1'	-6.29	96.47	101.50
38	A1	1986	U	P-O3'-C3'	6.29	127.25	119.70
38	A1	2881	G	N3-C2-N2	6.29	124.31	119.90
38	A1	2890	A	C5-N7-C8	6.29	107.05	103.90
38	A1	3013	U	O5'-P-OP1	-6.29	100.04	105.70
39	A3	6	G	C5-C6-N1	-6.29	108.35	111.50
39	A3	117	G	N7-C8-N9	6.29	116.25	113.10
57	Aj	80	ARG	NH1-CZ-NH2	-6.29	112.48	119.40
11	B2	295	G	C4-C5-N7	-6.29	108.28	110.80
11	B2	322	G	P-O3'-C3'	6.29	127.25	119.70
11	B2	1110	U	C4-C5-C6	-6.29	115.92	119.70
11	B2	1189	G	O4'-C1'-N9	6.29	113.23	108.20
38	A1	9	A	N7-C8-N9	6.29	116.94	113.80
38	A1	50	C	O4'-C1'-N1	6.29	113.23	108.20
38	A1	77	C	C5-C6-N1	6.29	124.15	121.00
38	A1	230	A	C6-C5-N7	-6.29	127.90	132.30
38	A1	255	G	C6-C5-N7	-6.29	126.62	130.40
38	A1	1597	G	C8-N9-C4	-6.29	103.88	106.40
38	A1	2156	A	C4-C5-C6	6.29	120.15	117.00
38	A1	2505	A	C5-N7-C8	6.29	107.05	103.90
38	A1	2609	G	N3-C4-C5	-6.29	125.45	128.60
38	A1	2684	G	C8-N9-C4	-6.29	103.88	106.40
38	A1	2979	C	N3-C2-O2	-6.29	117.50	121.90
40	A5	18	ALA	C-N-CA	6.29	135.51	122.30
11	B2	108	G	C6-C5-N7	-6.29	126.63	130.40
11	B2	720	A	C5-N7-C8	6.29	107.05	103.90
11	B2	1305	U	N1-C2-N3	6.29	118.67	114.90
38	A1	955	A	C4-C5-N7	-6.29	107.56	110.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1388	U	N1-C2-O2	-6.29	118.40	122.80
11	B2	61	A	C4-C5-C6	6.29	120.14	117.00
11	B2	402	G	N7-C8-N9	-6.29	109.96	113.10
11	B2	576	C	C4'-C3'-C2'	-6.29	96.31	102.60
11	B2	803	C	N3-C4-N4	6.29	122.40	118.00
38	A1	238	C	N3-C2-O2	6.29	126.30	121.90
38	A1	293	G	C2-N3-C4	6.29	115.05	111.90
38	A1	507	G	O4'-C1'-N9	6.29	113.23	108.20
38	A1	1238	G	C5-N7-C8	-6.29	101.16	104.30
38	A1	2879	G	N1-C2-N3	-6.29	120.13	123.90
10	B1	19	G	C8-N9-C1'	-6.29	118.83	127.00
11	B2	722	G	C6-N1-C2	6.29	128.87	125.10
38	A1	143	C	N3-C4-N4	6.29	122.40	118.00
38	A1	1358	C	C2-N3-C4	6.29	123.04	119.90
38	A1	2115	U	P-O3'-C3'	6.29	127.24	119.70
38	A1	2205	A	C5'-C4'-C3'	-6.29	105.94	116.00
38	A1	2396	G	N7-C8-N9	6.29	116.24	113.10
38	A1	2542	G	C6-N1-C2	-6.29	121.33	125.10
38	A1	2681	A	O4'-C1'-N9	6.29	113.23	108.20
11	B2	111	G	C5-C6-O6	-6.29	124.83	128.60
13	BA	89	ARG	NE-CZ-NH1	-6.29	117.16	120.30
38	A1	297	G	C6-C5-N7	-6.29	126.63	130.40
38	A1	421	C	O4'-C1'-N1	6.29	113.23	108.20
38	A1	497	G	C4-C5-C6	6.29	122.57	118.80
38	A1	668	G	O4'-C1'-N9	6.29	113.23	108.20
38	A1	768	C	O4'-C1'-N1	6.29	113.23	108.20
38	A1	890	G	C5-N7-C8	6.29	107.44	104.30
38	A1	1592	U	N3-C4-C5	-6.29	110.83	114.60
38	A1	2096	G	C8-N9-C4	6.29	108.91	106.40
38	A1	2100	U	C5-C4-O4	-6.29	122.13	125.90
38	A1	2387	A	C5-C6-N6	-6.29	118.67	123.70
38	A1	2750	C	O4'-C1'-N1	6.29	113.23	108.20
67	AZ	57	ASP	CB-CG-OD2	6.29	123.96	118.30
11	B2	449	U	C6-N1-C2	-6.28	117.23	121.00
11	B2	600	C	N3-C4-N4	6.28	122.40	118.00
38	A1	56	G	N7-C8-N9	-6.28	109.96	113.10
38	A1	335	C	N1-C2-N3	-6.28	114.80	119.20
38	A1	507	G	C4'-C3'-C2'	-6.28	96.32	102.60
38	A1	611	G	C5-N7-C8	-6.28	101.16	104.30
38	A1	912	G	C6-N1-C2	6.28	128.87	125.10
38	A1	1389	A	C5-C6-N1	-6.28	114.56	117.70
38	A1	1489	G	C4-C5-N7	-6.28	108.29	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1580	G	N3-C4-C5	6.28	131.74	128.60
38	A1	1757	G	C6-C5-N7	-6.28	126.63	130.40
38	A1	1913	C	O4'-C1'-N1	6.28	113.23	108.20
38	A1	2270	G	C6-C5-N7	-6.28	126.63	130.40
38	A1	2426	U	P-O5'-C5'	6.28	130.96	120.90
61	AN	151	ARG	NH1-CZ-NH2	-6.28	112.49	119.40
38	A1	392	G	C5-N7-C8	6.28	107.44	104.30
38	A1	633	A	C6-C5-N7	-6.28	127.90	132.30
61	AN	116	PHE	CB-CG-CD1	-6.28	116.40	120.80
11	B2	345	G	P-O3'-C3'	6.28	127.24	119.70
13	BA	156	ASP	CB-CG-OD2	6.28	123.95	118.30
38	A1	172	C	C5-C6-N1	6.28	124.14	121.00
38	A1	257	G	C2-N3-C4	-6.28	108.76	111.90
38	A1	349	A	C5-N7-C8	6.28	107.04	103.90
38	A1	573	G	N9-C4-C5	-6.28	102.89	105.40
38	A1	734	C	N3-C2-O2	-6.28	117.50	121.90
38	A1	1253	U	C6-N1-C2	6.28	124.77	121.00
38	A1	1277	G	C1'-O4'-C4'	-6.28	104.88	109.90
38	A1	1392	G	O4'-C1'-N9	6.28	113.22	108.20
38	A1	1424	G	N9-C4-C5	-6.28	102.89	105.40
38	A1	2167	C	O4'-C1'-N1	6.28	113.22	108.20
38	A1	2414	G	C6-N1-C2	6.28	128.87	125.10
11	B2	503	G	N9-C4-C5	6.28	107.91	105.40
11	B2	568	C	N1-C1'-C2'	-6.28	105.09	112.00
11	B2	846	G	N3-C4-C5	6.28	131.74	128.60
11	B2	1447	A	N9-C4-C5	-6.28	103.29	105.80
38	A1	1398	C	C2-N3-C4	6.28	123.04	119.90
10	B1	57	C	N3-C4-N4	6.28	122.39	118.00
11	B2	11	A	C5-C6-N6	-6.28	118.68	123.70
11	B2	959	G	O4'-C1'-N9	6.28	113.22	108.20
11	B2	1053	A	C6-N1-C2	-6.28	114.83	118.60
11	B2	1120	G	N7-C8-N9	6.28	116.24	113.10
11	B2	1478	A	C5-C6-N6	-6.28	118.68	123.70
38	A1	743	A	C4-C5-N7	6.28	113.84	110.70
38	A1	1275	G	C8-N9-C4	-6.28	103.89	106.40
38	A1	1570	C	C2-N1-C1'	6.28	125.70	118.80
38	A1	1944	C	C5-C6-N1	-6.28	117.86	121.00
38	A1	2353	C	N3-C4-C5	-6.28	119.39	121.90
38	A1	2536	A	C4-C5-C6	6.28	120.14	117.00
39	A3	3	G	N1-C2-N3	-6.28	120.13	123.90
39	A3	56	C	P-O5'-C5'	6.28	130.94	120.90
39	A3	68	C	O5'-P-OP1	-6.28	100.05	105.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	313	G	O4'-C1'-N9	6.28	113.22	108.20
11	B2	729	G	C4'-C3'-C2'	-6.28	96.32	102.60
11	B2	1135	G	O4'-C1'-N9	6.28	113.22	108.20
11	B2	1475	C	C2-N3-C4	6.28	123.04	119.90
38	A1	316	G	C3'-C2'-C1'	6.28	106.52	101.50
38	A1	438	G	C5-N7-C8	6.28	107.44	104.30
38	A1	759	G	N1-C6-O6	6.28	123.67	119.90
38	A1	2226	G	O4'-C4'-C3'	-6.28	97.72	104.00
39	A3	96	C	P-O5'-C5'	6.28	130.94	120.90
47	Ad	48	ARG	NE-CZ-NH2	-6.28	117.16	120.30
38	A1	137	A	C5-N7-C8	6.27	107.04	103.90
38	A1	189	U	O4'-C1'-N1	6.27	113.22	108.20
38	A1	1608	G	N3-C2-N2	6.27	124.29	119.90
38	A1	2073	G	C5-N7-C8	-6.27	101.16	104.30
38	A1	2179	G	N1-C2-N2	6.27	121.85	116.20
61	AN	95	ARG	NE-CZ-NH2	-6.27	117.16	120.30
11	B2	1244	C	C6-N1-C1'	-6.27	113.27	120.80
38	A1	19	G	N9-C1'-C2'	-6.27	105.10	112.00
38	A1	541	A	N7-C8-N9	-6.27	110.66	113.80
38	A1	876	C	P-O3'-C3'	6.27	127.23	119.70
38	A1	1562	U	C1'-O4'-C4'	-6.27	104.88	109.90
38	A1	1831	C	N1-C2-O2	-6.27	115.14	118.90
38	A1	2321	A	O4'-C1'-N9	6.27	113.22	108.20
38	A1	2403	G	C8-N9-C4	-6.27	103.89	106.40
38	A1	2466	C	C1'-O4'-C4'	6.27	114.92	109.90
38	A1	2678	U	C3'-C2'-C1'	6.27	106.52	101.50
38	A1	2736	G	C2-N3-C4	-6.27	108.76	111.90
65	AV	32	PHE	CZ-CE2-CD2	-6.27	112.57	120.10
11	B2	473	A	C5-N7-C8	-6.27	100.76	103.90
13	BA	67	TYR	CG-CD1-CE1	-6.27	116.28	121.30
29	BQ	84	LYS	CB-CA-C	-6.27	97.86	110.40
38	A1	402	G	C6-N1-C2	6.27	128.86	125.10
38	A1	935	A	C1'-O4'-C4'	6.27	114.92	109.90
38	A1	2003	C	C5-C4-N4	-6.27	115.81	120.20
38	A1	2131	C	C6-N1-C2	6.27	122.81	120.30
38	A1	2430	C	N3-C2-O2	-6.27	117.51	121.90
11	B2	1060	G	C2-N3-C4	6.27	115.03	111.90
11	B2	1463	A	C1'-O4'-C4'	6.27	114.92	109.90
38	A1	274	C	O4'-C1'-N1	6.27	113.22	108.20
38	A1	564	U	N1-C2-N3	6.27	118.66	114.90
38	A1	1377	G	O4'-C1'-N9	6.27	113.22	108.20
38	A1	2211	C	C2-N1-C1'	6.27	125.70	118.80

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	21	A	C2-N3-C4	-6.27	107.47	110.60
11	B2	26	A	N3-C4-C5	-6.27	122.41	126.80
11	B2	109	U	N1-C2-N3	-6.27	111.14	114.90
11	B2	453	G	C2-N3-C4	6.27	115.03	111.90
11	B2	838	C	C2-N1-C1'	6.27	125.69	118.80
11	B2	1430	G	C5-N7-C8	6.27	107.43	104.30
18	BF	152	VAL	CA-CB-CG2	-6.27	101.50	110.90
38	A1	285	C	C4'-C3'-C2'	-6.27	96.33	102.60
38	A1	701	G	N9-C4-C5	6.27	107.91	105.40
38	A1	714	C	C5-C6-N1	6.27	124.13	121.00
38	A1	898	G	C4-C5-C6	6.27	122.56	118.80
38	A1	898	G	C8-N9-C4	-6.27	103.89	106.40
38	A1	1123	A	C5-C6-N6	-6.27	118.69	123.70
38	A1	1698	G	O4'-C1'-N9	6.27	113.21	108.20
38	A1	1841	G	C5-C6-O6	-6.27	124.84	128.60
38	A1	2893	U	O4'-C1'-N1	6.27	113.21	108.20
39	A3	9	A	C4'-C3'-C2'	-6.27	96.33	102.60
11	B2	1474	A	C8-N9-C4	-6.27	103.29	105.80
38	A1	209	G	C6-N1-C2	6.27	128.86	125.10
38	A1	1783	U	C5-C6-N1	6.27	125.83	122.70
10	B1	56	U	OP2-P-O3'	6.26	118.98	105.20
11	B2	294	A	C8-N9-C4	-6.26	103.29	105.80
11	B2	370	A	C6-C5-N7	-6.26	127.91	132.30
11	B2	638	G	C6-N1-C2	6.26	128.86	125.10
11	B2	731	A	C5-N7-C8	-6.26	100.77	103.90
11	B2	976	A	C8-N9-C4	-6.26	103.29	105.80
38	A1	45	G	N1-C6-O6	6.26	123.66	119.90
38	A1	415	U	C5-C6-N1	6.26	125.83	122.70
38	A1	1111	G	C6-N1-C2	6.26	128.86	125.10
38	A1	1259	G	O4'-C1'-N9	6.26	113.21	108.20
38	A1	1878	G	O4'-C1'-N9	6.26	113.21	108.20
63	AP	25	TYR	CZ-CE2-CD2	6.26	125.44	119.80
38	A1	355	G	C4'-C3'-C2'	-6.26	96.34	102.60
38	A1	2664	G	C4-C5-N7	6.26	113.31	110.80
38	A1	2673	C	C4-C5-C6	6.26	120.53	117.40
11	B2	424	U	N3-C4-O4	6.26	123.78	119.40
11	B2	642	G	C8-N9-C4	-6.26	103.89	106.40
11	B2	802	G	C1'-O4'-C4'	-6.26	104.89	109.90
11	B2	859	A	N1-C2-N3	6.26	132.43	129.30
11	B2	880	G	O4'-C1'-N9	6.26	113.21	108.20
38	A1	1572	C	C4-C5-C6	-6.26	114.27	117.40
38	A1	1705	C	C4-C5-C6	6.26	120.53	117.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2671	C	C6-N1-C1'	-6.26	113.28	120.80
39	A3	74	U	N1-C2-N3	6.26	118.66	114.90
11	B2	492	G	C4-C5-C6	6.26	122.56	118.80
11	B2	1135	G	N1-C2-N3	-6.26	120.14	123.90
11	B2	1349	C	C1'-O4'-C4'	6.26	114.91	109.90
38	A1	522	A	C6-N1-C2	6.26	122.36	118.60
38	A1	928	A	C3'-C2'-C1'	6.26	106.51	101.50
38	A1	1200	A	N9-C4-C5	6.26	108.30	105.80
38	A1	1892	G	N7-C8-N9	6.26	116.23	113.10
38	A1	2583	G	C3'-C2'-C1'	-6.26	96.49	101.50
38	A1	2736	G	N3-C4-C5	6.26	131.73	128.60
11	B2	156	A	N9-C4-C5	-6.26	103.30	105.80
11	B2	710	G	N9-C4-C5	-6.26	102.90	105.40
38	A1	355	G	C2-N3-C4	-6.26	108.77	111.90
38	A1	866	G	C4-C5-C6	6.26	122.56	118.80
38	A1	2721	C	N1-C2-N3	6.26	123.58	119.20
11	B2	269	A	P-O5'-C5'	-6.26	110.89	120.90
11	B2	669	A	C3'-C2'-C1'	6.26	106.50	101.50
11	B2	1408	C	C2-N3-C4	6.26	123.03	119.90
38	A1	1067	G	O4'-C1'-N9	6.26	113.20	108.20
38	A1	1166	A	C2-N3-C4	6.26	113.73	110.60
38	A1	1390	U	N1-C2-N3	-6.26	111.15	114.90
38	A1	2637	U	O4'-C1'-N1	6.26	113.21	108.20
38	A1	2827	C	C2-N1-C1'	6.26	125.68	118.80
38	A1	2983	G	N9-C4-C5	-6.26	102.90	105.40
38	A1	3044	U	O4'-C1'-N1	6.26	113.20	108.20
41	AA	162	VAL	CA-CB-CG2	6.26	120.28	110.90
49	Ae	7	THR	CA-CB-CG2	-6.26	103.64	112.40
11	B2	617	A	O4'-C1'-N9	6.25	113.20	108.20
11	B2	1005	G	N1-C2-N3	-6.25	120.15	123.90
38	A1	1199	U	C5-C4-O4	-6.25	122.15	125.90
38	A1	1542	U	C5-C6-N1	6.25	125.83	122.70
38	A1	2099	G	N1-C2-N3	-6.25	120.15	123.90
38	A1	2865	C	N3-C4-C5	-6.25	119.40	121.90
39	A3	72	G	C6-C5-N7	-6.25	126.65	130.40
63	AP	32	ASP	CB-CG-OD2	-6.25	112.67	118.30
10	B1	1	G	C5-C6-O6	-6.25	124.85	128.60
11	B2	996	A	C8-N9-C4	-6.25	103.30	105.80
11	B2	1087	C	C4'-C3'-C2'	-6.25	96.35	102.60
11	B2	1255	C	C4'-C3'-C2'	-6.25	96.35	102.60
38	A1	110	A	O4'-C1'-N9	6.25	113.20	108.20
38	A1	472	A	C8-N9-C4	-6.25	103.30	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	616	C	N1-C2-N3	6.25	123.58	119.20
38	A1	780	G	C6-C5-N7	-6.25	126.65	130.40
38	A1	814	G	N9-C4-C5	-6.25	102.90	105.40
38	A1	1288	C	C2-N1-C1'	6.25	125.68	118.80
38	A1	1435	G	O4'-C1'-N9	6.25	113.20	108.20
38	A1	1584	G	C2-N3-C4	6.25	115.03	111.90
38	A1	1915	G	N1-C2-N3	-6.25	120.15	123.90
38	A1	2773	A	N9-C4-C5	6.25	108.30	105.80
38	A1	2970	U	N1-C2-O2	-6.25	118.42	122.80
11	B2	300	G	P-O3'-C3'	6.25	127.20	119.70
11	B2	543	C	N3-C4-N4	6.25	122.38	118.00
11	B2	727	G	N7-C8-N9	-6.25	109.97	113.10
11	B2	810	G	N3-C2-N2	6.25	124.28	119.90
11	B2	885	G	C8-N9-C4	6.25	108.90	106.40
11	B2	1212	U	N3-C2-O2	-6.25	117.82	122.20
33	BU	74	ARG	NE-CZ-NH1	6.25	123.43	120.30
38	A1	7	G	C1'-O4'-C4'	-6.25	104.90	109.90
38	A1	394	A	C8-N9-C4	-6.25	103.30	105.80
38	A1	1163	U	C5-C6-N1	6.25	125.83	122.70
38	A1	2012	G	N1-C2-N3	-6.25	120.15	123.90
38	A1	2820	C	C5-C6-N1	6.25	124.13	121.00
38	A1	2966	C	C3'-C2'-C1'	6.25	106.50	101.50
38	A1	3008	C	O4'-C1'-N1	6.25	113.20	108.20
10	B1	49	C	C5'-C4'-O4'	6.25	116.60	109.10
11	B2	838	C	C5-C6-N1	6.25	124.12	121.00
11	B2	1293	A	N7-C8-N9	-6.25	110.67	113.80
19	BG	10	ASP	CB-CG-OD2	-6.25	112.67	118.30
38	A1	274	C	C4'-C3'-C2'	-6.25	96.35	102.60
38	A1	1667	U	C5-C4-O4	-6.25	122.15	125.90
38	A1	2028	G	N3-C2-N2	6.25	124.28	119.90
11	B2	881	G	C5-N7-C8	-6.25	101.18	104.30
38	A1	1015	G	N3-C2-N2	6.25	124.27	119.90
38	A1	1058	A	C8-N9-C4	6.25	108.30	105.80
38	A1	1963	G	C4-C5-N7	6.25	113.30	110.80
38	A1	1972	C	C5-C6-N1	6.25	124.12	121.00
62	AO	1	MET	CG-SD-CE	6.25	110.20	100.20
11	B2	416	A	N3-C4-N9	6.25	132.40	127.40
11	B2	1230	G	C1'-O4'-C4'	-6.25	104.90	109.90
11	B2	1450	U	N3-C4-C5	6.25	118.35	114.60
38	A1	871	G	N9-C1'-C2'	-6.25	105.13	112.00
38	A1	1357	G	O4'-C1'-C2'	-6.25	99.55	105.80
38	A1	1424	G	C8-N9-C4	6.25	108.90	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1524	A	O4'-C1'-N9	6.25	113.20	108.20
38	A1	1797	A	C5-C6-N6	-6.25	118.70	123.70
38	A1	2243	G	O4'-C1'-N9	6.25	113.20	108.20
38	A1	2519	C	P-O5'-C5'	6.25	130.90	120.90
11	B2	791	G	N1-C2-N3	-6.25	120.15	123.90
38	A1	166	G	N7-C8-N9	6.25	116.22	113.10
38	A1	691	G	C2-N3-C4	6.25	115.02	111.90
38	A1	1867	C	N3-C4-C5	-6.25	119.40	121.90
38	A1	2370	C	C6-N1-C2	-6.25	117.80	120.30
38	A1	2996	A	N1-C6-N6	6.25	122.35	118.60
10	B1	36	A	C5-C6-N6	-6.24	118.70	123.70
11	B2	142	G	C6-N1-C2	-6.24	121.35	125.10
11	B2	704	C	O4'-C1'-N1	6.24	113.19	108.20
11	B2	844	G	C5-C6-N1	6.24	114.62	111.50
11	B2	992	G	P-O3'-C3'	6.24	127.19	119.70
11	B2	1002	G	C4'-C3'-C2'	-6.24	96.36	102.60
24	BL	54	ASP	CB-CG-OD2	-6.24	112.68	118.30
38	A1	167	G	C5-N7-C8	6.24	107.42	104.30
38	A1	747	G	C4-C5-C6	6.24	122.55	118.80
38	A1	997	A	C4-C5-N7	-6.24	107.58	110.70
38	A1	1329	G	O4'-C1'-N9	6.24	113.20	108.20
38	A1	1932	G	N7-C8-N9	6.24	116.22	113.10
38	A1	2015	G	C4-C5-C6	6.24	122.55	118.80
38	A1	2599	C	C2-N3-C4	6.24	123.02	119.90
11	B2	90	C	N3-C2-O2	6.24	126.27	121.90
11	B2	108	G	N9-C4-C5	-6.24	102.90	105.40
11	B2	532	C	O4'-C1'-N1	6.24	113.19	108.20
11	B2	1437	G	N3-C2-N2	6.24	124.27	119.90
11	B2	1462	A	C8-N9-C4	-6.24	103.30	105.80
38	A1	1180	G	N1-C2-N3	-6.24	120.16	123.90
38	A1	1928	A	C5-C6-N6	-6.24	118.71	123.70
38	A1	2602	G	O4'-C1'-N9	6.24	113.19	108.20
54	AI	34	GLU	O-C-N	-6.24	112.71	122.70
61	AN	166	ASP	CB-CG-OD2	6.24	123.92	118.30
11	B2	250	G	O4'-C1'-N9	6.24	113.19	108.20
11	B2	1260	G	C3'-C2'-C1'	6.24	106.49	101.50
38	A1	873	G	N1-C2-N3	-6.24	120.16	123.90
38	A1	1386	G	O4'-C1'-N9	6.24	113.19	108.20
38	A1	2376	U	O4'-C1'-N1	6.24	113.19	108.20
38	A1	2743	U	P-O3'-C3'	6.24	127.19	119.70
38	A1	2795	G	N7-C8-N9	-6.24	109.98	113.10
11	B2	181	G	P-O3'-C3'	6.24	127.19	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	349	A	C4-C5-C6	6.24	120.12	117.00
11	B2	869	U	N1-C2-O2	-6.24	118.43	122.80
11	B2	1331	G	N3-C4-N9	-6.24	122.26	126.00
38	A1	219	G	C6-C5-N7	-6.24	126.66	130.40
38	A1	476	C	N1-C2-N3	-6.24	114.83	119.20
38	A1	1641	G	C4-C5-N7	6.24	113.30	110.80
38	A1	1807	G	N1-C2-N3	-6.24	120.16	123.90
38	A1	2395	C	C5-C6-N1	6.24	124.12	121.00
38	A1	2466	C	C5-C4-N4	-6.24	115.83	120.20
38	A1	2498	G	C5-C6-N1	6.24	114.62	111.50
39	A3	108	G	N1-C2-N2	-6.24	110.59	116.20
45	AC	32	LYS	N-CA-CB	6.24	121.83	110.60
11	B2	192	G	C3'-C2'-C1'	-6.24	96.51	101.50
11	B2	1283	G	O4'-C1'-N9	6.24	113.19	108.20
38	A1	740	C	C2'-C3'-O3'	6.24	123.68	113.70
38	A1	1150	G	C8-N9-C4	-6.24	103.91	106.40
38	A1	1938	G	P-O3'-C3'	6.24	127.19	119.70
38	A1	2577	U	N1-C1'-C2'	-6.24	105.14	112.00
38	A1	2595	C	C5-C6-N1	6.24	124.12	121.00
38	A1	2795	G	N3-C2-N2	6.24	124.27	119.90
11	B2	462	A	C1'-O4'-C4'	-6.24	104.91	109.90
11	B2	1131	G	N7-C8-N9	-6.24	109.98	113.10
11	B2	1319	C	C6-N1-C2	-6.24	117.81	120.30
13	BA	37	ALA	N-CA-CB	6.24	118.83	110.10
38	A1	107	G	C5-C6-N1	-6.24	108.38	111.50
38	A1	395	G	C5-C6-N1	6.24	114.62	111.50
38	A1	474	G	C4-C5-N7	6.24	113.29	110.80
38	A1	887	U	N1-C2-N3	-6.24	111.16	114.90
38	A1	1052	G	N1-C2-N2	-6.24	110.59	116.20
38	A1	1407	A	P-O5'-C5'	6.24	130.88	120.90
38	A1	1772	A	C2-N3-C4	6.24	113.72	110.60
38	A1	2133	G	C6-N1-C2	6.24	128.84	125.10
38	A1	2488	C	C5'-C4'-O4'	6.24	116.58	109.10
38	A1	3016	G	C4-C5-C6	6.24	122.54	118.80
11	B2	194	C	P-O5'-C5'	-6.23	110.93	120.90
11	B2	304	C	C4-C5-C6	-6.23	114.28	117.40
11	B2	1487	U	P-O3'-C3'	-6.23	112.22	119.70
38	A1	78	C	N3-C4-N4	6.23	122.36	118.00
38	A1	514	U	N1-C2-N3	-6.23	111.16	114.90
38	A1	1571	G	C2-N3-C4	6.23	115.02	111.90
38	A1	2252	C	N3-C2-O2	6.23	126.26	121.90
38	A1	2316	U	N1-C2-N3	6.23	118.64	114.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	B1	32	A	C8-N9-C4	-6.23	103.31	105.80
11	B2	40	C	P-O3'-C3'	6.23	127.18	119.70
11	B2	243	G	C4'-C3'-C2'	-6.23	96.37	102.60
11	B2	438	A	C5-N7-C8	6.23	107.02	103.90
11	B2	530	G	N3-C2-N2	6.23	124.26	119.90
11	B2	839	G	C8-N9-C4	-6.23	103.91	106.40
38	A1	85	G	O5'-C5'-C4'	-6.23	99.86	111.70
38	A1	146	U	N3-C2-O2	-6.23	117.84	122.20
38	A1	426	G	C1'-O4'-C4'	-6.23	104.91	109.90
38	A1	485	G	C4-C5-N7	6.23	113.29	110.80
38	A1	901	C	C5-C6-N1	6.23	124.12	121.00
38	A1	1012	G	N7-C8-N9	-6.23	109.98	113.10
38	A1	1147	G	C6-C5-N7	-6.23	126.66	130.40
38	A1	2158	G	C5-C6-O6	-6.23	124.86	128.60
38	A1	2480	G	C5-C6-N1	-6.23	108.38	111.50
38	A1	2636	C	C5-C6-N1	6.23	124.12	121.00
38	A1	2802	G	C8-N9-C4	-6.23	103.91	106.40
38	A1	2850	G	C2-N3-C4	6.23	115.02	111.90
43	AB	30	TYR	CB-CG-CD1	6.23	124.74	121.00
10	B1	53	G	N1-C2-N3	-6.23	120.16	123.90
11	B2	427	G	C4'-C3'-C2'	-6.23	96.37	102.60
38	A1	10	C	C2-N1-C1'	6.23	125.65	118.80
38	A1	80	G	C4-C5-N7	6.23	113.29	110.80
38	A1	1891	C	N3-C4-N4	6.23	122.36	118.00
38	A1	2473	C	C2-N3-C4	-6.23	116.78	119.90
38	A1	2650	G	C5-C6-O6	-6.23	124.86	128.60
38	A1	2815	C	O4'-C1'-N1	6.23	113.19	108.20
11	B2	1356	A	C5-C6-N6	-6.23	118.72	123.70
38	A1	91	G	N1-C6-O6	6.23	123.64	119.90
38	A1	411	U	O4'-C4'-C3'	-6.23	97.77	104.00
10	B1	44	G	C5-N7-C8	-6.23	101.19	104.30
10	B1	49	C	N3-C2-O2	-6.23	117.54	121.90
11	B2	107	C	C5-C6-N1	6.23	124.11	121.00
11	B2	564	C	P-O3'-C3'	6.23	127.17	119.70
11	B2	718	G	N1-C6-O6	6.23	123.64	119.90
11	B2	1171	G	C3'-C2'-C1'	6.23	106.48	101.50
38	A1	1345	G	C4'-C3'-C2'	-6.23	96.37	102.60
38	A1	1481	G	C6-N1-C2	-6.23	121.36	125.10
38	A1	1708	U	N3-C4-O4	6.23	123.76	119.40
38	A1	1814	A	P-O3'-C3'	6.23	127.17	119.70
38	A1	1994	G	N1-C6-O6	6.23	123.64	119.90
38	A1	2135	C	N1-C2-O2	6.23	122.64	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2289	A	N1-C2-N3	6.23	132.41	129.30
38	A1	2366	G	C8-N9-C1'	6.23	135.09	127.00
38	A1	2658	G	C8-N9-C4	6.23	108.89	106.40
38	A1	2746	G	C5-N7-C8	6.23	107.41	104.30
45	AC	359	VAL	CA-CB-CG1	-6.23	101.56	110.90
38	A1	1669	A	C4-C5-N7	-6.23	107.59	110.70
38	A1	1991	G	C4-C5-C6	6.23	122.54	118.80
38	A1	2039	U	C4'-C3'-C2'	-6.23	96.37	102.60
38	A1	2418	G	O4'-C1'-N9	6.23	113.18	108.20
38	A1	2622	C	C2-N3-C4	6.23	123.01	119.90
38	A1	2818	C	P-O3'-C3'	6.23	127.17	119.70
11	B2	42	G	N7-C8-N9	6.22	116.21	113.10
38	A1	173	G	C6-N1-C2	-6.22	121.37	125.10
38	A1	215	A	C2-N3-C4	6.22	113.71	110.60
38	A1	230	A	C2-N3-C4	-6.22	107.49	110.60
38	A1	500	C	C5-C4-N4	-6.22	115.84	120.20
38	A1	722	C	C4'-C3'-C2'	-6.22	96.38	102.60
38	A1	835	G	C4-C5-C6	6.22	122.53	118.80
38	A1	847	A	P-O3'-C3'	-6.22	112.23	119.70
38	A1	1077	G	C4-C5-N7	-6.22	108.31	110.80
38	A1	1295	G	P-O5'-C5'	-6.22	110.94	120.90
38	A1	1461	G	N3-C2-N2	6.22	124.26	119.90
38	A1	1504	C	N3-C4-N4	6.22	122.36	118.00
38	A1	1870	G	N1-C2-N3	-6.22	120.17	123.90
38	A1	1974	G	O4'-C1'-N9	6.22	113.18	108.20
38	A1	2146	C	C2-N3-C4	6.22	123.01	119.90
38	A1	2608	U	C5-C6-N1	6.22	125.81	122.70
38	A1	2700	U	N3-C2-O2	6.22	126.56	122.20
11	B2	212	G	C5-C6-O6	6.22	132.33	128.60
11	B2	359	A	C3'-C2'-C1'	-6.22	96.52	101.50
11	B2	454	G	C5-N7-C8	6.22	107.41	104.30
11	B2	616	G	C5-N7-C8	-6.22	101.19	104.30
11	B2	807	C	C2-N3-C4	6.22	123.01	119.90
11	B2	968	C	N3-C4-C5	-6.22	119.41	121.90
11	B2	1418	G	N1-C2-N3	-6.22	120.17	123.90
38	A1	815	U	N3-C4-C5	-6.22	110.87	114.60
38	A1	1725	A	O4'-C4'-C3'	-6.22	97.78	104.00
38	A1	1824	G	C4-C5-C6	-6.22	115.07	118.80
38	A1	1831	C	P-O3'-C3'	-6.22	112.23	119.70
38	A1	1866	G	C6-N1-C2	6.22	128.83	125.10
38	A1	2265	C	C5'-C4'-O4'	6.22	116.57	109.10
38	A1	2494	A	C5-C6-N6	-6.22	118.72	123.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	417	C	C4-C5-C6	-6.22	114.29	117.40
38	A1	1200	A	C5-C6-N1	-6.22	114.59	117.70
38	A1	1259	G	C4-C5-C6	6.22	122.53	118.80
38	A1	2480	G	C6-C5-N7	-6.22	126.67	130.40
38	A1	2961	A	N1-C6-N6	6.22	122.33	118.60
10	B1	30	G	O4'-C1'-N9	6.22	113.18	108.20
38	A1	177	G	C4'-C3'-C2'	-6.22	96.38	102.60
38	A1	1965	C	C5-C6-N1	6.22	124.11	121.00
38	A1	2193	G	P-O3'-C3'	6.22	127.16	119.70
38	A1	2782	A	N3-C4-C5	-6.22	122.45	126.80
38	A1	3045	G	N1-C2-N3	-6.22	120.17	123.90
43	AB	41	LEU	CB-CG-CD1	6.22	121.57	111.00
57	Aj	70	ARG	NE-CZ-NH1	6.22	123.41	120.30
62	AO	82	SER	N-CA-CB	6.22	119.83	110.50
11	B2	808	C	N3-C4-C5	-6.22	119.41	121.90
38	A1	419	G	C5-N7-C8	6.22	107.41	104.30
38	A1	543	G	C2-N3-C4	-6.22	108.79	111.90
38	A1	2720	U	C5-C6-N1	6.22	125.81	122.70
11	B2	114	A	C4-C5-C6	6.22	120.11	117.00
11	B2	265	C	N3-C2-O2	-6.22	117.55	121.90
11	B2	361	A	C2-N3-C4	-6.22	107.49	110.60
11	B2	1130	A	C4-C5-N7	-6.22	107.59	110.70
38	A1	198	C	C1'-O4'-C4'	6.22	114.87	109.90
38	A1	243	G	C5-C6-N1	-6.22	108.39	111.50
38	A1	639	C	C5-C4-N4	-6.22	115.85	120.20
38	A1	909	A	C5-N7-C8	6.22	107.01	103.90
38	A1	1328	G	C6-C5-N7	-6.22	126.67	130.40
38	A1	1835	A	C5-C6-N1	-6.22	114.59	117.70
38	A1	2230	G	C5-C6-N1	-6.22	108.39	111.50
38	A1	2672	A	P-O5'-C5'	-6.22	110.95	120.90
38	A1	2879	G	C6-C5-N7	-6.22	126.67	130.40
39	A3	75	G	N9-C4-C5	-6.22	102.91	105.40
11	B2	23	G	N3-C2-N2	6.21	124.25	119.90
11	B2	454	G	C6-C5-N7	-6.21	126.67	130.40
11	B2	796	C	C5-C4-N4	-6.21	115.85	120.20
11	B2	1210	A	C2-N3-C4	6.21	113.71	110.60
11	B2	1328	G	C6-C5-N7	-6.21	126.67	130.40
38	A1	630	G	N9-C4-C5	-6.21	102.91	105.40
38	A1	666	A	C4-C5-C6	6.21	120.11	117.00
38	A1	973	C	N3-C4-N4	6.21	122.35	118.00
38	A1	1290	G	C4-C5-C6	6.21	122.53	118.80
38	A1	1776	G	P-O5'-C5'	6.21	130.84	120.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2682	G	N3-C4-C5	6.21	131.71	128.60
38	A1	2687	A	C4-C5-C6	6.21	120.11	117.00
65	AV	41	TYR	CG-CD1-CE1	-6.21	116.33	121.30
11	B2	708	C	C5-C4-N4	-6.21	115.85	120.20
11	B2	1483	U	C4-C5-C6	-6.21	115.97	119.70
38	A1	2469	G	C2-N3-C4	-6.21	108.79	111.90
38	A1	2787	G	C4-C5-C6	6.21	122.53	118.80
64	AR	49	TYR	CG-CD2-CE2	-6.21	116.33	121.30
11	B2	603	G	N7-C8-N9	6.21	116.21	113.10
11	B2	624	G	C2-N3-C4	6.21	115.01	111.90
11	B2	894	A	O4'-C1'-N9	6.21	113.17	108.20
11	B2	1076	G	N9-C4-C5	6.21	107.88	105.40
11	B2	1490	C	C5-C4-N4	-6.21	115.85	120.20
38	A1	105	C	N3-C4-C5	-6.21	119.42	121.90
38	A1	555	G	C4-C5-N7	-6.21	108.31	110.80
38	A1	892	U	N1-C2-N3	6.21	118.63	114.90
38	A1	1049	U	C2-N3-C4	-6.21	123.27	127.00
38	A1	1324	G	N1-C2-N3	-6.21	120.17	123.90
38	A1	1454	G	C5-C6-N1	6.21	114.61	111.50
38	A1	1751	G	N3-C4-C5	6.21	131.71	128.60
38	A1	2326	C	N3-C4-N4	6.21	122.35	118.00
38	A1	2420	C	O4'-C1'-N1	6.21	113.17	108.20
39	A3	43	C	P-O5'-C5'	6.21	130.84	120.90
11	B2	1075	A	C6-N1-C2	-6.21	114.87	118.60
11	B2	1476	C	C5-C4-N4	6.21	124.55	120.20
21	BI	61	TYR	CD1-CE1-CZ	-6.21	114.21	119.80
38	A1	260	A	O4'-C1'-N9	6.21	113.17	108.20
38	A1	599	G	O4'-C1'-N9	6.21	113.17	108.20
38	A1	983	G	O4'-C1'-N9	6.21	113.17	108.20
38	A1	1448	G	N3-C4-C5	-6.21	125.50	128.60
38	A1	2516	G	C5-C6-N1	-6.21	108.39	111.50
38	A1	2629	U	N3-C4-O4	6.21	123.75	119.40
11	B2	205	C	C6-N1-C2	-6.21	117.82	120.30
11	B2	788	C	O4'-C1'-N1	6.21	113.17	108.20
17	BE	55	TYR	CB-CG-CD2	-6.21	117.28	121.00
38	A1	856	A	C4-C5-N7	-6.21	107.60	110.70
38	A1	2389	C	N1-C2-O2	6.21	122.62	118.90
38	A1	2434	A	N9-C4-C5	6.21	108.28	105.80
38	A1	2436	A	C5-C6-N1	-6.21	114.60	117.70
38	A1	2900	C	N3-C4-N4	6.21	122.35	118.00
60	AM	48	ALA	N-CA-CB	6.21	118.79	110.10
11	B2	612	C	N1-C2-N3	-6.21	114.86	119.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	977	G	C4-C5-C6	6.21	122.52	118.80
11	B2	1306	A	C4-C5-N7	-6.21	107.60	110.70
11	B2	1330	G	O4'-C1'-N9	6.21	113.17	108.20
38	A1	219	G	OP1-P-OP2	-6.21	110.29	119.60
38	A1	247	A	O4'-C1'-N9	6.21	113.17	108.20
38	A1	757	C	N3-C2-O2	6.21	126.25	121.90
38	A1	912	G	C5-C6-N1	-6.21	108.40	111.50
38	A1	2072	G	O4'-C1'-N9	6.21	113.17	108.20
38	A1	2239	C	C2-N3-C4	6.21	123.00	119.90
38	A1	2764	G	O4'-C1'-N9	6.21	113.17	108.20
10	B1	25	G	C5'-C4'-C3'	6.21	125.93	116.00
11	B2	16	G	C4-N9-C1'	6.21	134.57	126.50
11	B2	67	C	C6-N1-C2	-6.21	117.82	120.30
11	B2	292	U	C6-N1-C2	-6.21	117.28	121.00
11	B2	529	C	C6-N1-C1'	-6.21	113.35	120.80
38	A1	1252	G	C5-N7-C8	6.21	107.40	104.30
11	B2	136	A	C5-N7-C8	6.20	107.00	103.90
11	B2	534	G	C5'-C4'-O4'	6.20	116.55	109.10
38	A1	219	G	C4-C5-C6	6.20	122.52	118.80
38	A1	731	C	N3-C4-C5	-6.20	119.42	121.90
38	A1	1106	C	N1-C2-O2	6.20	122.62	118.90
38	A1	2368	G	O4'-C1'-N9	6.20	113.16	108.20
38	A1	2871	A	C3'-C2'-C1'	6.20	106.46	101.50
38	A1	2960	G	N3-C2-N2	6.20	124.24	119.90
38	A1	2991	C	C5-C4-N4	-6.20	115.86	120.20
11	B2	316	C	N1-C2-O2	6.20	122.62	118.90
38	A1	33	U	N3-C4-C5	-6.20	110.88	114.60
38	A1	347	G	N1-C2-N3	-6.20	120.18	123.90
38	A1	517	A	N7-C8-N9	-6.20	110.70	113.80
38	A1	1959	C	N3-C4-N4	6.20	122.34	118.00
38	A1	2212	C	O4'-C1'-N1	6.20	113.16	108.20
38	A1	2662	G	C5-C6-N1	-6.20	108.40	111.50
38	A1	2900	C	C5-C6-N1	6.20	124.10	121.00
11	B2	11	A	C4-C5-N7	6.20	113.80	110.70
11	B2	679	G	C4-C5-C6	6.20	122.52	118.80
11	B2	1174	A	C3'-C2'-C1'	6.20	106.46	101.50
38	A1	283	U	N3-C4-O4	6.20	123.74	119.40
38	A1	412	G	N1-C2-N3	-6.20	120.18	123.90
38	A1	1240	U	N1-C2-O2	-6.20	118.46	122.80
38	A1	1508	A	P-O3'-C3'	6.20	127.14	119.70
38	A1	1513	G	C4-C5-C6	6.20	122.52	118.80
38	A1	2161	A	N9-C4-C5	6.20	108.28	105.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2684	G	N9-C1'-C2'	-6.20	105.18	112.00
39	A3	32	C	N3-C2-O2	6.20	126.24	121.90
11	B2	476	C	O4'-C1'-N1	6.20	113.16	108.20
11	B2	621	G	C4-C5-N7	-6.20	108.32	110.80
11	B2	663	G	N9-C1'-C2'	-6.20	105.18	112.00
11	B2	1274	C	N3-C2-O2	6.20	126.24	121.90
11	B2	1367	C	N1-C2-O2	-6.20	115.18	118.90
38	A1	866	G	C2-N3-C4	6.20	115.00	111.90
38	A1	904	G	C8-N9-C4	6.20	108.88	106.40
38	A1	1385	C	C4-C5-C6	6.20	120.50	117.40
38	A1	1946	G	O4'-C1'-N9	6.20	113.16	108.20
38	A1	1961	G	N7-C8-N9	-6.20	110.00	113.10
38	A1	2780	G	O4'-C1'-N9	6.20	113.16	108.20
38	A1	2837	C	C4-C5-C6	-6.20	114.30	117.40
38	A1	2866	A	N1-C6-N6	6.20	122.32	118.60
38	A1	2949	G	C6-C5-N7	-6.20	126.68	130.40
38	A1	2971	U	N3-C4-C5	-6.20	110.88	114.60
10	B1	40	U	C5'-C4'-O4'	-6.20	101.66	109.10
11	B2	123	U	P-O3'-C3'	-6.20	112.26	119.70
11	B2	598	U	C5-C6-N1	6.20	125.80	122.70
38	A1	136	U	C2-N1-C1'	6.20	125.14	117.70
38	A1	406	G	C1'-O4'-C4'	-6.20	104.94	109.90
38	A1	1184	U	C5-C6-N1	6.20	125.80	122.70
38	A1	1952	G	C8-N9-C4	-6.20	103.92	106.40
61	AN	20	ARG	NE-CZ-NH2	-6.20	117.20	120.30
11	B2	1259	A	C8-N9-C4	-6.20	103.32	105.80
19	BG	95	ARG	NE-CZ-NH1	6.20	123.40	120.30
38	A1	598	C	P-O3'-C3'	6.20	127.14	119.70
38	A1	677	A	C5-C6-N6	-6.20	118.74	123.70
38	A1	941	C	C5-C4-N4	-6.20	115.86	120.20
38	A1	977	C	OP1-P-OP2	-6.20	110.31	119.60
38	A1	1595	G	C4-C5-N7	6.20	113.28	110.80
38	A1	2421	A	C4-C5-C6	6.20	120.10	117.00
38	A1	2949	G	N7-C8-N9	6.20	116.20	113.10
39	A3	27	C	O4'-C4'-C3'	-6.20	97.81	104.00
26	BN	98	ASP	CB-CA-C	-6.19	98.01	110.40
38	A1	44	C	N3-C4-N4	6.19	122.34	118.00
38	A1	431	U	C2-N3-C4	-6.19	123.28	127.00
38	A1	1303	C	P-O3'-C3'	-6.19	112.27	119.70
38	A1	1338	G	N1-C2-N3	-6.19	120.18	123.90
38	A1	2558	U	O4'-C1'-N1	6.19	113.16	108.20
58	AK	151	ARG	N-CA-CB	6.19	121.75	110.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	B1	10	G	C6-N1-C2	-6.19	121.38	125.10
11	B2	304	C	C5-C4-N4	-6.19	115.87	120.20
11	B2	1354	A	C5-C6-N6	-6.19	118.75	123.70
38	A1	87	C	C4'-C3'-C2'	6.19	108.79	102.60
38	A1	1388	U	C6-N1-C2	-6.19	117.28	121.00
38	A1	1502	C	C6-N1-C2	-6.19	117.82	120.30
38	A1	2139	A	C5-C6-N6	-6.19	118.75	123.70
11	B2	380	C	C5-C4-N4	-6.19	115.87	120.20
11	B2	410	U	C5-C4-O4	-6.19	122.19	125.90
11	B2	446	G	N7-C8-N9	-6.19	110.00	113.10
11	B2	995	G	N1-C6-O6	6.19	123.61	119.90
38	A1	816	C	N1-C2-O2	6.19	122.61	118.90
38	A1	889	C	O4'-C1'-N1	6.19	113.15	108.20
38	A1	1942	G	N3-C2-N2	6.19	124.23	119.90
38	A1	2062	A	N1-C2-N3	6.19	132.40	129.30
38	A1	2965	C	C6-N1-C2	-6.19	117.82	120.30
11	B2	682	A	N1-C2-N3	6.19	132.39	129.30
11	B2	782	A	C4-C5-C6	6.19	120.09	117.00
11	B2	966	G	N3-C2-N2	6.19	124.23	119.90
39	A3	100	A	C8-N9-C4	-6.19	103.32	105.80
9	AX	149	PHE	CB-CG-CD1	-6.19	116.47	120.80
10	B1	74	A	C4-C5-C6	6.19	120.09	117.00
11	B2	375	G	N3-C2-N2	6.19	124.23	119.90
11	B2	399	A	P-O5'-C5'	-6.19	111.00	120.90
11	B2	1262	U	O5'-P-OP1	6.19	118.12	110.70
38	A1	139	G	C2-N3-C4	-6.19	108.81	111.90
38	A1	149	G	C5-C6-O6	-6.19	124.89	128.60
38	A1	746	C	C6-N1-C2	-6.19	117.83	120.30
38	A1	929	G	C8-N9-C1'	6.19	135.04	127.00
38	A1	1248	C	C2-N1-C1'	6.19	125.61	118.80
38	A1	1305	C	P-O3'-C3'	-6.19	112.28	119.70
38	A1	1552	C	C5'-C4'-C3'	6.19	125.90	116.00
38	A1	2506	G	C8-N9-C4	-6.19	103.92	106.40
38	A1	2871	A	C6-N1-C2	6.19	122.31	118.60
38	A1	3006	G	C4-C5-C6	6.19	122.51	118.80
38	A1	98	G	C4'-C3'-C2'	-6.19	96.41	102.60
38	A1	1768	C	C5-C6-N1	6.19	124.09	121.00
38	A1	1799	G	N1-C2-N3	-6.19	120.19	123.90
38	A1	2444	G	N3-C4-C5	-6.19	125.51	128.60
38	A1	2767	C	C6-N1-C2	-6.19	117.83	120.30
11	B2	1172	A	C5-C6-N1	-6.18	114.61	117.70
29	BQ	70	ASP	N-CA-CB	6.18	121.73	110.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	339	A	O4'-C1'-N9	6.18	113.15	108.20
38	A1	617	G	C2-N3-C4	6.18	114.99	111.90
38	A1	1109	G	C4'-C3'-C2'	-6.18	96.42	102.60
38	A1	1366	U	C5-C6-N1	-6.18	119.61	122.70
38	A1	1371	U	O4'-C1'-N1	6.18	113.15	108.20
38	A1	2231	G	C3'-C2'-C1'	6.18	106.45	101.50
38	A1	2254	U	C6-N1-C2	-6.18	117.29	121.00
38	A1	2896	G	N3-C2-N2	-6.18	115.57	119.90
46	AD	187	ARG	NE-CZ-NH1	6.18	123.39	120.30
38	A1	238	C	C4-C5-C6	6.18	120.49	117.40
38	A1	243	G	C8-N9-C4	-6.18	103.93	106.40
38	A1	985	A	C6-N1-C2	6.18	122.31	118.60
38	A1	1556	G	N3-C4-C5	6.18	131.69	128.60
38	A1	1708	U	C5-C6-N1	6.18	125.79	122.70
38	A1	1884	C	C2-N3-C4	6.18	122.99	119.90
38	A1	2099	G	C5-C6-N1	-6.18	108.41	111.50
38	A1	2434	A	C6-N1-C2	-6.18	114.89	118.60
38	A1	2479	C	O4'-C1'-N1	6.18	113.15	108.20
45	AC	279	ARG	NE-CZ-NH1	6.18	123.39	120.30
11	B2	246	A	N9-C4-C5	6.18	108.27	105.80
11	B2	1263	C	C1'-O4'-C4'	6.18	114.84	109.90
38	A1	1297	C	O4'-C1'-N1	6.18	113.14	108.20
38	A1	1375	G	C5-C6-O6	-6.18	124.89	128.60
38	A1	1771	C	C4'-C3'-C2'	6.18	108.78	102.60
38	A1	1801	C	P-O3'-C3'	-6.18	112.28	119.70
38	A1	2892	A	C4-C5-C6	-6.18	113.91	117.00
10	B1	27	A	C5-C6-N6	-6.18	118.76	123.70
11	B2	1236	G	OP1-P-OP2	-6.18	110.33	119.60
38	A1	705	G	C5'-C4'-O4'	6.18	116.52	109.10
38	A1	1332	A	C4-C5-N7	-6.18	107.61	110.70
38	A1	1385	C	C2-N3-C4	6.18	122.99	119.90
38	A1	1413	A	N3-C4-C5	-6.18	122.47	126.80
38	A1	1538	A	C5-N7-C8	6.18	106.99	103.90
38	A1	1655	G	O4'-C1'-N9	6.18	113.14	108.20
38	A1	2293	G	N3-C2-N2	6.18	124.23	119.90
38	A1	2781	A	N9-C4-C5	6.18	108.27	105.80
38	A1	2896	G	N7-C8-N9	-6.18	110.01	113.10
50	AF	78	MET	N-CA-CB	6.18	121.72	110.60
11	B2	585	U	N3-C4-C5	-6.18	110.89	114.60
38	A1	117	A	C5'-C4'-O4'	6.18	116.51	109.10
38	A1	851	G	O4'-C1'-N9	6.18	113.14	108.20
38	A1	1837	A	C4-C5-C6	6.18	120.09	117.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	BF	92	ARG	NE-CZ-NH2	-6.18	117.21	120.30
32	BT	73	LEU	CB-CG-CD1	-6.18	100.50	111.00
38	A1	1028	G	C5-C6-O6	-6.18	124.89	128.60
38	A1	2019	C	C5-C6-N1	6.18	124.09	121.00
38	A1	2181	G	C4-C5-N7	6.18	113.27	110.80
38	A1	2877	A	C1'-O4'-C4'	6.18	114.84	109.90
11	B2	345	G	N3-C4-N9	-6.17	122.30	126.00
11	B2	557	G	C1'-O4'-C4'	-6.17	104.96	109.90
11	B2	936	A	O4'-C1'-N9	6.17	113.14	108.20
11	B2	1420	U	N1-C2-O2	-6.17	118.48	122.80
16	BD	85	GLU	CB-CA-C	-6.17	98.05	110.40
38	A1	121	G	C6-C5-N7	-6.17	126.70	130.40
38	A1	124	C	C2-N3-C4	6.17	122.99	119.90
38	A1	674	G	C6-C5-N7	-6.17	126.69	130.40
38	A1	801	A	C4-C5-C6	6.17	120.09	117.00
38	A1	852	A	N3-C4-C5	-6.17	122.48	126.80
38	A1	1105	C	N3-C4-N4	6.17	122.32	118.00
38	A1	1367	A	C5-N7-C8	6.17	106.99	103.90
45	AC	225	THR	CA-CB-CG2	-6.17	103.75	112.40
11	B2	237	C	N1-C2-N3	-6.17	114.88	119.20
11	B2	366	C	O4'-C1'-N1	6.17	113.14	108.20
11	B2	1064	C	C5-C6-N1	6.17	124.09	121.00
11	B2	1466	G	C4-C5-N7	6.17	113.27	110.80
36	BX	28	LYS	N-CA-CB	6.17	121.71	110.60
38	A1	1377	G	N3-C4-C5	-6.17	125.51	128.60
38	A1	2765	C	C2-N1-C1'	-6.17	112.01	118.80
42	Aa	90	ALA	N-CA-CB	6.17	118.74	110.10
53	Ah	11	ARG	NE-CZ-NH2	-6.17	117.21	120.30
10	B1	54	G	O4'-C1'-N9	6.17	113.14	108.20
11	B2	729	G	N7-C8-N9	-6.17	110.01	113.10
11	B2	937	A	C6-C5-N7	-6.17	127.98	132.30
11	B2	971	G	C4-C5-C6	6.17	122.50	118.80
38	A1	135	U	P-O3'-C3'	6.17	127.11	119.70
38	A1	386	A	N7-C8-N9	-6.17	110.72	113.80
38	A1	718	G	C4-C5-N7	-6.17	108.33	110.80
38	A1	722	C	C5'-C4'-O4'	6.17	116.50	109.10
38	A1	812	C	N3-C4-C5	-6.17	119.43	121.90
38	A1	1226	G	N1-C2-N2	-6.17	110.65	116.20
38	A1	1239	C	C2-N3-C4	6.17	122.98	119.90
38	A1	1661	A	C5-C6-N1	-6.17	114.61	117.70
38	A1	2002	A	N7-C8-N9	-6.17	110.71	113.80
38	A1	2482	G	N1-C6-O6	6.17	123.60	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2984	A	C6-C5-N7	-6.17	127.98	132.30
39	A3	12	G	C4'-C3'-C2'	-6.17	96.43	102.60
41	AA	104	TYR	CG-CD1-CE1	6.17	126.24	121.30
59	AL	9	ARG	NE-CZ-NH2	-6.17	117.21	120.30
11	B2	115	A	O4'-C1'-N9	6.17	113.14	108.20
11	B2	445	G	C2-N3-C4	6.17	114.98	111.90
11	B2	697	A	C8-N9-C4	-6.17	103.33	105.80
11	B2	1143	G	P-O3'-C3'	-6.17	112.30	119.70
11	B2	1144	G	N7-C8-N9	-6.17	110.02	113.10
11	B2	1334	A	C5-N7-C8	6.17	106.98	103.90
38	A1	1906	G	C2-N3-C4	-6.17	108.81	111.90
38	A1	2182	A	C6-C5-N7	-6.17	127.98	132.30
38	A1	2615	U	C4-C5-C6	6.17	123.40	119.70
39	A3	9	A	N1-C6-N6	6.17	122.30	118.60
11	B2	194	C	C5-C6-N1	6.17	124.08	121.00
11	B2	516	A	O4'-C1'-N9	-6.17	103.27	108.20
11	B2	680	C	N3-C4-N4	6.17	122.32	118.00
11	B2	895	C	P-O5'-C5'	-6.17	111.03	120.90
11	B2	922	G	C6-N1-C2	-6.17	121.40	125.10
11	B2	1024	G	N3-C4-C5	6.17	131.69	128.60
11	B2	1056	G	C2-N3-C4	6.17	114.98	111.90
11	B2	1187	A	C5'-C4'-O4'	6.17	116.50	109.10
11	B2	1458	A	C4-C5-N7	-6.17	107.62	110.70
11	B2	1472	G	N1-C6-O6	6.17	123.60	119.90
38	A1	9	A	C6-N1-C2	6.17	122.30	118.60
38	A1	202	A	N7-C8-N9	-6.17	110.72	113.80
38	A1	1618	G	C5'-C4'-O4'	6.17	116.50	109.10
38	A1	1763	A	C5-C6-N6	-6.17	118.77	123.70
38	A1	1791	A	N3-C4-C5	-6.17	122.48	126.80
38	A1	2064	U	C5'-C4'-O4'	6.17	116.50	109.10
38	A1	2118	C	P-O3'-C3'	6.17	127.10	119.70
38	A1	2126	G	N3-C4-N9	-6.17	122.30	126.00
38	A1	2859	U	C5-C6-N1	6.17	125.78	122.70
60	AM	98	TRP	CB-CG-CD2	-6.17	118.58	126.60
7	AU	59	TYR	CB-CG-CD1	-6.17	117.30	121.00
11	B2	865	A	C6-C5-N7	-6.17	127.98	132.30
11	B2	884	G	N9-C4-C5	-6.17	102.93	105.40
11	B2	1122	C	N3-C4-C5	-6.17	119.43	121.90
16	BD	51	PHE	CB-CG-CD1	-6.17	116.48	120.80
38	A1	232	U	O4'-C1'-N1	6.17	113.13	108.20
38	A1	498	U	C5-C4-O4	-6.17	122.20	125.90
38	A1	1227	A	C5-C6-N6	-6.17	118.77	123.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1367	A	O4'-C1'-N9	6.17	113.13	108.20
38	A1	1440	C	C4-C5-C6	-6.17	114.32	117.40
38	A1	2126	G	C4'-C3'-C2'	-6.17	96.43	102.60
38	A1	2404	G	N3-C4-C5	-6.17	125.52	128.60
38	A1	2510	A	C5-C6-N1	-6.17	114.62	117.70
38	A1	2727	C	N3-C4-C5	-6.17	119.43	121.90
38	A1	2836	G	P-O3'-C3'	6.17	127.10	119.70
11	B2	391	G	C8-N9-C4	-6.17	103.93	106.40
11	B2	750	C	N1-C2-N3	-6.17	114.88	119.20
20	BH	146	TYR	CB-CG-CD1	-6.17	117.30	121.00
32	BT	68	ARG	NE-CZ-NH1	6.17	123.38	120.30
38	A1	867	C	N1-C2-O2	6.17	122.60	118.90
38	A1	1367	A	N3-C4-C5	-6.17	122.48	126.80
38	A1	1554	G	C5'-C4'-C3'	-6.17	106.14	116.00
38	A1	2224	G	O4'-C4'-C3'	-6.17	97.83	104.00
63	AP	55	TYR	CB-CG-CD2	6.17	124.70	121.00
11	B2	48	G	P-O3'-C3'	6.16	127.10	119.70
11	B2	269	A	C6-C5-N7	-6.16	127.98	132.30
11	B2	1250	C	C4'-C3'-C2'	-6.16	96.44	102.60
38	A1	120	G	P-O3'-C3'	6.16	127.10	119.70
38	A1	562	G	C6-C5-N7	-6.16	126.70	130.40
38	A1	770	G	N1-C2-N3	-6.16	120.20	123.90
38	A1	968	A	N1-C2-N3	6.16	132.38	129.30
38	A1	1531	C	C6-N1-C2	-6.16	117.83	120.30
38	A1	1758	U	N3-C2-O2	6.16	126.51	122.20
38	A1	2296	A	N1-C6-N6	6.16	122.30	118.60
38	A1	2902	G	C6-N1-C2	6.16	128.80	125.10
39	A3	84	U	C5-C4-O4	-6.16	122.20	125.90
11	B2	825	C	C5-C4-N4	-6.16	115.89	120.20
11	B2	1083	G	O4'-C1'-N9	6.16	113.13	108.20
38	A1	369	G	N7-C8-N9	6.16	116.18	113.10
38	A1	791	C	C1'-O4'-C4'	6.16	114.83	109.90
38	A1	1348	G	N3-C4-C5	6.16	131.68	128.60
38	A1	1588	C	C3'-C2'-C1'	6.16	106.43	101.50
38	A1	2567	C	N1-C2-N3	6.16	123.51	119.20
11	B2	276	A	C3'-C2'-C1'	-6.16	96.57	101.50
11	B2	976	A	C4-C5-C6	6.16	120.08	117.00
11	B2	1087	C	P-O3'-C3'	6.16	127.09	119.70
38	A1	284	U	C6-N1-C2	-6.16	117.30	121.00
38	A1	336	C	C4-C5-C6	6.16	120.48	117.40
38	A1	394	A	C5'-C4'-O4'	-6.16	101.71	109.10
38	A1	915	G	C1'-O4'-C4'	6.16	114.83	109.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1598	U	N3-C4-O4	6.16	123.71	119.40
38	A1	1947	A	O4'-C1'-N9	6.16	113.13	108.20
38	A1	2390	G	N9-C1'-C2'	-6.16	105.22	112.00
38	A1	2656	A	C5-C6-N6	-6.16	118.77	123.70
39	A3	102	G	N3-C2-N2	6.16	124.21	119.90
11	B2	129	G	N1-C2-N3	-6.16	120.20	123.90
11	B2	414	G	C8-N9-C4	-6.16	103.94	106.40
38	A1	510	A	C1'-O4'-C4'	-6.16	104.97	109.90
38	A1	701	G	OP1-P-OP2	-6.16	110.36	119.60
38	A1	1742	C	O5'-C5'-C4'	-6.16	100.00	111.70
38	A1	2223	G	N1-C2-N3	-6.16	120.20	123.90
47	Ad	77	ARG	N-CA-CB	6.16	121.69	110.60
11	B2	989	C	OP1-P-OP2	-6.16	110.36	119.60
38	A1	2021	G	C5-C6-N1	-6.16	108.42	111.50
9	AX	415	TYR	CA-CB-CG	-6.16	101.70	113.40
11	B2	136	A	C6-C5-N7	-6.16	127.99	132.30
11	B2	198	A	C5'-C4'-C3'	-6.16	106.15	116.00
11	B2	334	G	C4-C5-C6	6.16	122.49	118.80
11	B2	976	A	N1-C2-N3	6.16	132.38	129.30
11	B2	1091	C	P-O5'-C5'	-6.16	111.05	120.90
11	B2	1092	G	N3-C4-C5	-6.16	125.52	128.60
11	B2	1222	C	C5-C6-N1	6.16	124.08	121.00
11	B2	1447	A	N1-C2-N3	6.16	132.38	129.30
38	A1	178	G	OP1-P-OP2	-6.16	110.37	119.60
38	A1	588	U	N3-C2-O2	-6.16	117.89	122.20
38	A1	665	C	N1-C2-O2	6.16	122.59	118.90
38	A1	967	G	O4'-C1'-N9	6.16	113.12	108.20
38	A1	1167	A	N7-C8-N9	6.16	116.88	113.80
38	A1	1180	G	N3-C4-N9	6.16	129.69	126.00
38	A1	1605	A	P-O3'-C3'	-6.16	112.31	119.70
38	A1	1774	A	C4-C5-C6	6.16	120.08	117.00
38	A1	1791	A	C8-N9-C4	-6.16	103.34	105.80
38	A1	1989	G	C5-N7-C8	6.16	107.38	104.30
38	A1	2102	A	C5-C6-N1	-6.16	114.62	117.70
38	A1	2307	C	C5-C4-N4	-6.16	115.89	120.20
38	A1	2315	G	C8-N9-C4	6.16	108.86	106.40
38	A1	2822	G	C5-C6-N1	-6.16	108.42	111.50
12	AG	9	PHE	CB-CG-CD2	-6.16	116.49	120.80
18	BF	200	ALA	N-CA-CB	6.15	118.72	110.10
38	A1	1264	G	C5-C6-O6	-6.15	124.91	128.60
38	A1	1330	G	O4'-C1'-N9	6.15	113.12	108.20
11	B2	42	G	C8-N9-C4	-6.15	103.94	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1030	U	N3-C4-C5	-6.15	110.91	114.60
11	B2	1221	A	C4-C5-C6	6.15	120.08	117.00
38	A1	277	A	N1-C2-N3	-6.15	126.22	129.30
38	A1	657	U	N1-C2-N3	-6.15	111.21	114.90
38	A1	693	G	N3-C4-C5	-6.15	125.52	128.60
38	A1	901	C	P-O3'-C3'	6.15	127.08	119.70
38	A1	1261	C	C5'-C4'-O4'	6.15	116.48	109.10
38	A1	1945	C	N3-C4-C5	-6.15	119.44	121.90
38	A1	2416	G	N1-C2-N3	-6.15	120.21	123.90
38	A1	2637	U	N3-C2-O2	6.15	126.51	122.20
38	A1	2725	U	N3-C2-O2	6.15	126.51	122.20
52	AH	2	PRO	CA-N-CD	-6.15	102.89	111.50
52	AH	2	PRO	N-CA-CB	6.15	110.68	103.30
11	B2	391	G	P-O3'-C3'	-6.15	112.32	119.70
11	B2	955	G	N3-C4-N9	-6.15	122.31	126.00
11	B2	961	U	P-O3'-C3'	6.15	127.08	119.70
11	B2	990	G	O4'-C4'-C3'	-6.15	97.85	104.00
11	B2	1060	G	N3-C2-N2	6.15	124.21	119.90
38	A1	307	C	P-O5'-C5'	6.15	130.74	120.90
38	A1	453	U	O4'-C1'-N1	6.15	113.12	108.20
38	A1	671	G	N3-C2-N2	6.15	124.21	119.90
38	A1	1171	G	C8-N9-C1'	6.15	135.00	127.00
38	A1	2266	C	N3-C2-O2	6.15	126.21	121.90
38	A1	2279	G	C4-C5-C6	-6.15	115.11	118.80
38	A1	3040	G	C4-C5-N7	-6.15	108.34	110.80
39	A3	28	C	N1-C2-N3	6.15	123.50	119.20
5	AS	143	THR	N-CA-CB	6.15	121.98	110.30
11	B2	938	C	O4'-C1'-N1	6.15	113.12	108.20
11	B2	1147	G	C5-C6-N1	-6.15	108.43	111.50
11	B2	1413	G	C5-N7-C8	-6.15	101.23	104.30
15	BC	98	ARG	NE-CZ-NH1	-6.15	117.22	120.30
38	A1	50	C	N1-C2-N3	-6.15	114.90	119.20
38	A1	744	G	N1-C6-O6	6.15	123.59	119.90
38	A1	809	A	C5-C6-N6	-6.15	118.78	123.70
38	A1	889	C	P-O3'-C3'	6.15	127.08	119.70
11	B2	275	A	P-O3'-C3'	6.15	127.08	119.70
11	B2	294	A	C5-C6-N6	-6.15	118.78	123.70
11	B2	303	G	N7-C8-N9	6.15	116.17	113.10
11	B2	594	A	C8-N9-C4	-6.15	103.34	105.80
11	B2	884	G	C2-N3-C4	6.15	114.97	111.90
11	B2	1201	G	N3-C2-N2	6.15	124.20	119.90
11	B2	1428	G	C2-N3-C4	6.15	114.97	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1440	G	C6-C5-N7	-6.15	126.71	130.40
38	A1	177	G	N1-C6-O6	6.15	123.59	119.90
38	A1	514	U	C6-N1-C2	6.15	124.69	121.00
38	A1	587	A	C5-C6-N6	-6.15	118.78	123.70
38	A1	883	G	N9-C4-C5	6.15	107.86	105.40
38	A1	965	A	O4'-C4'-C3'	6.15	111.02	106.10
38	A1	1021	G	C4-C5-C6	6.15	122.49	118.80
38	A1	1987	A	N3-C4-C5	6.15	131.10	126.80
38	A1	2075	U	C5-C4-O4	6.15	129.59	125.90
38	A1	2686	A	N9-C4-C5	6.15	108.26	105.80
38	A1	3005	C	C5'-C4'-C3'	-6.15	106.16	116.00
10	B1	46	U	P-O5'-C5'	6.15	130.73	120.90
11	B2	507	G	O4'-C1'-N9	6.15	113.12	108.20
38	A1	935	A	N7-C8-N9	-6.15	110.73	113.80
38	A1	2503	C	O4'-C1'-N1	6.15	113.12	108.20
38	A1	2685	G	C5-N7-C8	6.15	107.37	104.30
38	A1	3031	U	P-O3'-C3'	-6.15	112.33	119.70
11	B2	91	G	N1-C2-N3	-6.14	120.21	123.90
11	B2	371	U	C6-N1-C2	-6.14	117.31	121.00
11	B2	404	C	N1-C2-N3	-6.14	114.90	119.20
11	B2	875	G	N3-C4-C5	6.14	131.67	128.60
11	B2	1102	A	N7-C8-N9	6.14	116.87	113.80
20	BH	195	ASP	CB-CG-OD2	-6.14	112.77	118.30
38	A1	341	U	N3-C4-O4	6.14	123.70	119.40
38	A1	387	A	O4'-C1'-N9	6.14	113.11	108.20
38	A1	1565	G	C4'-C3'-C2'	-6.14	96.46	102.60
38	A1	2599	C	C5-C4-N4	-6.14	115.90	120.20
38	A1	2683	G	C5-C6-O6	-6.14	124.91	128.60
38	A1	2779	G	N3-C4-C5	-6.14	125.53	128.60
54	AI	86	LYS	N-CA-CB	6.14	121.66	110.60
10	B1	30	G	C5-C6-N1	6.14	114.57	111.50
11	B2	897	A	N1-C6-N6	6.14	122.28	118.60
11	B2	1112	G	C4-C5-N7	6.14	113.26	110.80
38	A1	254	A	N1-C6-N6	6.14	122.28	118.60
38	A1	527	G	C5-C6-N1	-6.14	108.43	111.50
38	A1	530	A	C4-C5-C6	6.14	120.07	117.00
38	A1	904	G	N9-C1'-C2'	-6.14	105.24	112.00
38	A1	1100	G	C5'-C4'-O4'	6.14	116.47	109.10
38	A1	1186	G	N1-C2-N3	-6.14	120.21	123.90
38	A1	1277	G	N1-C2-N3	-6.14	120.21	123.90
38	A1	1629	G	N9-C4-C5	6.14	107.86	105.40
38	A1	1802	G	C8-N9-C4	-6.14	103.94	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1992	A	C5-C6-N6	-6.14	118.78	123.70
38	A1	2010	G	O4'-C1'-N9	6.14	113.11	108.20
38	A1	2333	G	C5-C6-N1	-6.14	108.43	111.50
38	A1	2439	G	N3-C4-N9	6.14	129.69	126.00
38	A1	2945	A	N1-C2-N3	-6.14	126.23	129.30
11	B2	305	C	N3-C4-N4	6.14	122.30	118.00
38	A1	890	G	C8-N9-C1'	-6.14	119.02	127.00
38	A1	1069	A	N9-C4-C5	-6.14	103.34	105.80
38	A1	2785	G	N3-C2-N2	6.14	124.20	119.90
11	B2	51	A	C4-C5-C6	6.14	120.07	117.00
11	B2	1173	A	C5-C6-N1	-6.14	114.63	117.70
11	B2	1445	A	C4-C5-C6	6.14	120.07	117.00
38	A1	408	C	C5'-C4'-O4'	-6.14	101.73	109.10
38	A1	488	A	C4-C5-N7	-6.14	107.63	110.70
38	A1	513	C	C5-C6-N1	6.14	124.07	121.00
38	A1	681	C	C5-C6-N1	6.14	124.07	121.00
38	A1	703	G	N3-C2-N2	6.14	124.20	119.90
38	A1	837	G	P-O3'-C3'	6.14	127.07	119.70
38	A1	1123	A	C3'-C2'-C1'	-6.14	96.59	101.50
38	A1	1387	G	N7-C8-N9	6.14	116.17	113.10
38	A1	1642	G	N3-C2-N2	6.14	124.20	119.90
38	A1	1714	G	N1-C2-N3	-6.14	120.22	123.90
38	A1	2016	C	C2-N3-C4	6.14	122.97	119.90
38	A1	2028	G	C8-N9-C4	-6.14	103.94	106.40
38	A1	2037	A	C4-C5-N7	-6.14	107.63	110.70
38	A1	2248	G	N1-C6-O6	6.14	123.58	119.90
38	A1	2347	G	N7-C8-N9	6.14	116.17	113.10
38	A1	2581	G	N1-C2-N3	-6.14	120.22	123.90
46	AD	189	ARG	NE-CZ-NH1	6.14	123.37	120.30
38	A1	2641	C	C2-N3-C4	-6.14	116.83	119.90
38	A1	3000	U	C5-C6-N1	6.14	125.77	122.70
60	AM	75	ARG	NE-CZ-NH2	-6.14	117.23	120.30
11	B2	581	G	N1-C2-N2	-6.14	110.68	116.20
11	B2	1099	A	C6-N1-C2	6.14	122.28	118.60
11	B2	1180	G	C4-C5-N7	-6.14	108.34	110.80
11	B2	1207	G	O4'-C1'-N9	6.14	113.11	108.20
38	A1	698	U	C5-C6-N1	6.14	125.77	122.70
38	A1	1763	A	O4'-C1'-N9	6.14	113.11	108.20
38	A1	2441	A	C2-N3-C4	-6.14	107.53	110.60
11	B2	465	C	O4'-C1'-N1	6.13	113.11	108.20
11	B2	1115	G	N3-C4-N9	-6.13	122.32	126.00
38	A1	657	U	C2-N3-C4	6.13	130.68	127.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	668	G	C8-N9-C1'	6.13	134.98	127.00
38	A1	847	A	C2-N3-C4	-6.13	107.53	110.60
38	A1	1287	G	C6-N1-C2	-6.13	121.42	125.10
38	A1	1536	U	O4'-C1'-N1	6.13	113.11	108.20
38	A1	1537	U	N1-C2-O2	6.13	127.09	122.80
38	A1	1556	G	O4'-C1'-N9	6.13	113.11	108.20
38	A1	1712	U	N1-C2-N3	6.13	118.58	114.90
38	A1	2000	G	N1-C6-O6	6.13	123.58	119.90
38	A1	2404	G	N9-C4-C5	6.13	107.85	105.40
38	A1	2428	C	O4'-C1'-N1	6.13	113.11	108.20
51	Ag	5	PRO	N-CA-C	-6.13	96.15	112.10
38	A1	1104	A	C4-C5-C6	6.13	120.07	117.00
38	A1	1699	U	O4'-C1'-N1	6.13	113.11	108.20
38	A1	2004	A	C4-C5-N7	-6.13	107.63	110.70
11	B2	47	A	P-O3'-C3'	6.13	127.06	119.70
11	B2	138	C	N1-C2-O2	6.13	122.58	118.90
11	B2	365	C	C5-C6-N1	6.13	124.06	121.00
11	B2	1019	A	C2'-C3'-O3'	6.13	123.51	113.70
11	B2	1297	G	C5-N7-C8	6.13	107.37	104.30
14	BB	83	PHE	CB-CG-CD2	-6.13	116.51	120.80
25	BM	131	GLY	C-N-CA	6.13	137.03	121.70
38	A1	171	A	C3'-C2'-C1'	6.13	106.41	101.50
38	A1	493	A	O4'-C1'-N9	6.13	113.11	108.20
38	A1	548	U	C5-C6-N1	6.13	125.77	122.70
38	A1	668	G	C4-N9-C1'	-6.13	118.53	126.50
38	A1	1538	A	C6-N1-C2	6.13	122.28	118.60
38	A1	1919	A	N3-C4-N9	6.13	132.31	127.40
38	A1	2250	G	OP1-P-O3'	6.13	118.69	105.20
38	A1	2312	U	C5-C6-N1	-6.13	119.63	122.70
38	A1	2529	G	C8-N9-C4	6.13	108.85	106.40
38	A1	2848	C	C6-N1-C1'	-6.13	113.44	120.80
38	A1	3031	U	C5-C4-O4	-6.13	122.22	125.90
39	A3	39	C	P-O5'-C5'	-6.13	111.09	120.90
11	B2	333	A	N9-C4-C5	-6.13	103.35	105.80
11	B2	1081	C	C5-C6-N1	6.13	124.06	121.00
11	B2	1400	A	N9-C4-C5	-6.13	103.35	105.80
11	B2	1419	G	P-O3'-C3'	-6.13	112.34	119.70
38	A1	74	A	N3-C4-C5	-6.13	122.51	126.80
38	A1	951	C	O4'-C4'-C3'	-6.13	97.87	104.00
38	A1	2613	C	P-O5'-C5'	6.13	130.71	120.90
38	A1	2984	A	N1-C6-N6	6.13	122.28	118.60
11	B2	239	A	C1'-O4'-C4'	-6.13	105.00	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	679	G	C6-C5-N7	-6.13	126.72	130.40
11	B2	862	C	C4-C5-C6	6.13	120.46	117.40
38	A1	1203	C	N3-C4-C5	-6.13	119.45	121.90
38	A1	1217	U	O4'-C1'-N1	6.13	113.10	108.20
38	A1	1257	G	N9-C4-C5	6.13	107.85	105.40
38	A1	1360	G	C4-C5-N7	-6.13	108.35	110.80
38	A1	2340	A	O4'-C1'-N9	6.13	113.10	108.20
38	A1	2346	A	C6-C5-N7	-6.13	128.01	132.30
43	AB	69	LYS	O-C-N	6.13	132.50	122.70
57	Aj	54	LYS	N-CA-CB	6.13	121.63	110.60
7	AU	92	PHE	CB-CG-CD2	-6.13	116.51	120.80
11	B2	306	C	C1'-O4'-C4'	6.13	114.80	109.90
38	A1	258	C	N1-C2-N3	-6.13	114.91	119.20
38	A1	454	C	C1'-O4'-C4'	-6.13	105.00	109.90
38	A1	652	G	C8-N9-C4	-6.13	103.95	106.40
38	A1	2594	U	N3-C4-O4	6.13	123.69	119.40
38	A1	2658	G	N1-C2-N3	-6.13	120.22	123.90
38	A1	2950	G	C8-N9-C4	6.13	108.85	106.40
65	AV	52	TRP	CZ3-CH2-CZ2	-6.13	114.25	121.60
10	B1	45	G	N3-C4-N9	6.12	129.68	126.00
38	A1	272	G	C5-C6-O6	-6.12	124.92	128.60
38	A1	634	G	N1-C6-O6	6.12	123.58	119.90
38	A1	1002	A	C4-C5-C6	6.12	120.06	117.00
38	A1	1171	G	N3-C2-N2	-6.12	115.61	119.90
38	A1	2414	G	N9-C4-C5	-6.12	102.95	105.40
38	A1	2551	G	N9-C4-C5	-6.12	102.95	105.40
11	B2	23	G	N1-C6-O6	6.12	123.57	119.90
11	B2	726	A	N3-C4-C5	-6.12	122.51	126.80
11	B2	1294	G	N3-C4-N9	6.12	129.67	126.00
11	B2	1462	A	C5'-C4'-O4'	6.12	116.45	109.10
38	A1	103	A	N7-C8-N9	-6.12	110.74	113.80
38	A1	107	G	C6-N1-C2	6.12	128.77	125.10
38	A1	524	C	C5'-C4'-C3'	6.12	125.80	116.00
38	A1	770	G	C5-N7-C8	6.12	107.36	104.30
38	A1	821	U	C5-C6-N1	6.12	125.76	122.70
38	A1	898	G	N1-C6-O6	6.12	123.57	119.90
38	A1	2594	U	N1-C2-O2	-6.12	118.51	122.80
38	A1	2890	A	N3-C4-N9	6.12	132.30	127.40
39	A3	17	G	P-O3'-C3'	6.12	127.05	119.70
44	Ab	86	ASN	N-CA-CB	6.12	121.62	110.60
11	B2	22	G	N1-C2-N3	-6.12	120.23	123.90
11	B2	120	C	C2-N3-C4	6.12	122.96	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	836	G	C6-C5-N7	-6.12	126.73	130.40
11	B2	1159	U	C2-N3-C4	-6.12	123.33	127.00
38	A1	118	A	N9-C4-C5	6.12	108.25	105.80
38	A1	119	U	N3-C2-O2	6.12	126.48	122.20
38	A1	424	U	N3-C4-O4	6.12	123.68	119.40
38	A1	1026	A	N1-C6-N6	6.12	122.27	118.60
38	A1	1940	U	C5-C6-N1	-6.12	119.64	122.70
38	A1	2464	G	O4'-C1'-N9	6.12	113.10	108.20
38	A1	2479	C	N1-C1'-C2'	-6.12	105.27	112.00
39	A3	100	A	C5-C6-N1	-6.12	114.64	117.70
11	B2	245	U	N3-C4-O4	6.12	123.68	119.40
11	B2	367	G	C5-C6-N1	-6.12	108.44	111.50
11	B2	722	G	N3-C2-N2	6.12	124.18	119.90
38	A1	98	G	C5-N7-C8	6.12	107.36	104.30
38	A1	218	A	O4'-C1'-N9	6.12	113.10	108.20
38	A1	2537	G	C1'-O4'-C4'	-6.12	105.00	109.90
11	B2	391	G	N3-C4-N9	-6.12	122.33	126.00
11	B2	586	C	C5-C4-N4	-6.12	115.92	120.20
11	B2	1040	A	N9-C4-C5	6.12	108.25	105.80
38	A1	480	A	C8-N9-C4	-6.12	103.35	105.80
38	A1	510	A	C5-C6-N6	-6.12	118.81	123.70
38	A1	1085	G	N3-C4-N9	-6.12	122.33	126.00
38	A1	1666	G	N7-C8-N9	6.12	116.16	113.10
11	B2	1234	A	C5-N7-C8	6.12	106.96	103.90
38	A1	30	G	C4-C5-C6	6.12	122.47	118.80
38	A1	518	A	C5-N7-C8	6.12	106.96	103.90
38	A1	1181	C	P-O3'-C3'	6.12	127.04	119.70
38	A1	1993	A	C5-C6-N6	-6.12	118.81	123.70
39	A3	59	C	C5'-C4'-O4'	-6.12	101.76	109.10
11	B2	608	G	C6-C5-N7	6.12	134.07	130.40
11	B2	836	G	C8-N9-C4	-6.12	103.95	106.40
11	B2	1352	G	N9-C4-C5	6.12	107.85	105.40
38	A1	270	C	C5-C6-N1	6.12	124.06	121.00
38	A1	432	C	P-O3'-C3'	6.12	127.04	119.70
38	A1	1392	G	C5-C6-N1	-6.12	108.44	111.50
38	A1	1428	G	C6-C5-N7	-6.12	126.73	130.40
38	A1	1521	G	C3'-C2'-C1'	6.12	106.39	101.50
38	A1	1625	A	C5-N7-C8	6.12	106.96	103.90
38	A1	2346	A	O4'-C1'-N9	6.12	113.09	108.20
40	AK	72	ARG	NE-CZ-NH1	-6.12	117.24	120.30
11	B2	35	G	C8-N9-C4	-6.11	103.95	106.40
11	B2	185	G	C4'-C3'-C2'	-6.11	96.49	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	217	C	C4'-C3'-C2'	-6.11	96.49	102.60
11	B2	275	A	C2-N3-C4	6.11	113.66	110.60
11	B2	502	U	N3-C4-C5	-6.11	110.93	114.60
11	B2	683	A	P-O3'-C3'	-6.11	112.36	119.70
11	B2	858	A	C5-C6-N6	-6.11	118.81	123.70
11	B2	1279	A	N1-C2-N3	6.11	132.36	129.30
38	A1	670	G	C1'-O4'-C4'	6.11	114.79	109.90
38	A1	978	C	O4'-C4'-C3'	-6.11	97.89	104.00
10	B1	10	G	O4'-C1'-N9	6.11	113.09	108.20
11	B2	482	G	N3-C2-N2	6.11	124.18	119.90
11	B2	550	G	C6-C5-N7	-6.11	126.73	130.40
11	B2	994	C	C5-C6-N1	6.11	124.06	121.00
38	A1	822	A	C4-C5-C6	6.11	120.06	117.00
38	A1	2903	U	O4'-C1'-N1	6.11	113.09	108.20
47	Ad	8	ARG	NE-CZ-NH1	-6.11	117.24	120.30
11	B2	33	U	O4'-C1'-C2'	6.11	113.10	107.60
11	B2	207	G	O4'-C4'-C3'	-6.11	97.89	104.00
11	B2	221	A	N1-C2-N3	6.11	132.36	129.30
11	B2	587	G	C6-N1-C2	6.11	128.77	125.10
11	B2	779	G	C5-C6-N1	6.11	114.56	111.50
11	B2	846	G	P-O3'-C3'	6.11	127.03	119.70
11	B2	956	C	O4'-C1'-N1	6.11	113.09	108.20
11	B2	1291	G	N3-C2-N2	6.11	124.18	119.90
11	B2	1397	C	N3-C4-N4	6.11	122.28	118.00
38	A1	318	G	N1-C6-O6	6.11	123.57	119.90
38	A1	2015	G	O4'-C1'-N9	6.11	113.09	108.20
38	A1	2113	G	C4-C5-N7	-6.11	108.36	110.80
38	A1	2127	G	C5-C6-N1	-6.11	108.44	111.50
38	A1	2221	A	C4-C5-C6	6.11	120.06	117.00
38	A1	2538	G	N3-C2-N2	6.11	124.18	119.90
38	A1	2889	A	C4-C5-N7	-6.11	107.64	110.70
11	B2	242	A	P-O3'-C3'	6.11	127.03	119.70
38	A1	546	C	N3-C4-C5	-6.11	119.46	121.90
66	AY	25	MET	CG-SD-CE	-6.11	90.42	100.20
11	B2	281	G	P-O3'-C3'	-6.11	112.37	119.70
11	B2	598	U	N3-C4-C5	-6.11	110.94	114.60
11	B2	977	G	C4-C5-N7	6.11	113.24	110.80
11	B2	1463	A	C4-C5-N7	-6.11	107.65	110.70
13	BA	52	LEU	N-CA-CB	6.11	122.61	110.40
38	A1	1223	A	C5-N7-C8	-6.11	100.85	103.90
38	A1	1535	U	C4'-C3'-C2'	-6.11	96.49	102.60
38	A1	1822	G	N3-C2-N2	6.11	124.17	119.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1829	C	O4'-C1'-N1	6.11	113.09	108.20
38	A1	2158	G	N1-C2-N3	-6.11	120.24	123.90
55	Ai	61	ALA	CB-CA-C	-6.11	100.94	110.10
11	B2	82	G	N7-C8-N9	-6.11	110.05	113.10
11	B2	626	G	C4-C5-N7	-6.11	108.36	110.80
11	B2	910	G	O4'-C1'-N9	6.11	113.08	108.20
11	B2	1066	C	N1-C2-N3	6.11	123.47	119.20
11	B2	1330	G	N1-C6-O6	6.11	123.56	119.90
11	B2	1423	A	C5'-C4'-O4'	-6.11	101.77	109.10
38	A1	36	G	N9-C4-C5	6.11	107.84	105.40
38	A1	448	A	N1-C2-N3	6.11	132.35	129.30
38	A1	1076	G	P-O3'-C3'	-6.11	112.37	119.70
38	A1	1925	A	N1-C6-N6	6.11	122.26	118.60
38	A1	2261	C	C1'-O4'-C4'	6.11	114.78	109.90
38	A1	2279	G	P-O3'-C3'	6.11	127.03	119.70
38	A1	2570	A	C6-C5-N7	-6.11	128.03	132.30
38	A1	2890	A	N3-C4-C5	-6.11	122.53	126.80
10	B1	66	C	C4-C5-C6	6.10	120.45	117.40
38	A1	2075	U	C4-C5-C6	6.10	123.36	119.70
38	A1	2092	G	N3-C4-C5	-6.10	125.55	128.60
38	A1	2551	G	C5-N7-C8	6.10	107.35	104.30
60	AM	157	ARG	NE-CZ-NH2	6.10	123.35	120.30
11	B2	166	A	P-O5'-C5'	6.10	130.66	120.90
11	B2	281	G	N3-C4-N9	-6.10	122.34	126.00
11	B2	874	G	C6-C5-N7	-6.10	126.74	130.40
11	B2	889	G	C2-N3-C4	6.10	114.95	111.90
11	B2	1323	A	C5-C6-N6	-6.10	118.82	123.70
11	B2	1330	G	C5-C6-N1	-6.10	108.45	111.50
38	A1	100	C	C2-N3-C4	6.10	122.95	119.90
38	A1	535	G	N9-C4-C5	6.10	107.84	105.40
38	A1	622	A	C5-N7-C8	-6.10	100.85	103.90
38	A1	630	G	N1-C2-N3	-6.10	120.24	123.90
38	A1	782	G	N3-C2-N2	6.10	124.17	119.90
38	A1	785	C	C1'-O4'-C4'	-6.10	105.02	109.90
38	A1	897	U	C5'-C4'-C3'	-6.10	106.24	116.00
38	A1	1413	A	O4'-C1'-N9	6.10	113.08	108.20
38	A1	1710	C	C5-C6-N1	6.10	124.05	121.00
38	A1	1799	G	O4'-C1'-N9	6.10	113.08	108.20
38	A1	1841	G	C2-N3-C4	6.10	114.95	111.90
38	A1	2698	G	C5-C6-N1	-6.10	108.45	111.50
11	B2	152	G	C6-N1-C2	-6.10	121.44	125.10
11	B2	614	G	C6-C5-N7	-6.10	126.74	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	851	C	N3-C4-N4	6.10	122.27	118.00
11	B2	1225	C	N1-C1'-C2'	-6.10	105.29	112.00
38	A1	8	G	N1-C2-N3	-6.10	120.24	123.90
38	A1	1979	G	N7-C8-N9	6.10	116.15	113.10
38	A1	2266	C	P-O3'-C3'	6.10	127.02	119.70
38	A1	2360	G	P-O3'-C3'	6.10	127.02	119.70
11	B2	16	G	C6-C5-N7	-6.10	126.74	130.40
11	B2	207	G	C3'-C2'-C1'	-6.10	96.62	101.50
11	B2	252	U	P-O3'-C3'	-6.10	112.38	119.70
11	B2	256	G	O4'-C4'-C3'	-6.10	97.90	104.00
11	B2	372	G	C4-C5-C6	6.10	122.46	118.80
11	B2	816	G	C5'-C4'-O4'	6.10	116.42	109.10
38	A1	1595	G	O4'-C1'-N9	6.10	113.08	108.20
38	A1	1694	G	C4-C5-N7	-6.10	108.36	110.80
38	A1	1837	A	C5-N7-C8	6.10	106.95	103.90
38	A1	1839	U	N1-C2-O2	-6.10	118.53	122.80
38	A1	2393	G	N1-C2-N2	6.10	121.69	116.20
38	A1	2622	C	O4'-C1'-N1	6.10	113.08	108.20
38	A1	2638	G	N3-C2-N2	6.10	124.17	119.90
38	A1	2707	G	P-O3'-C3'	6.10	127.02	119.70
52	AH	76	LEU	CB-CG-CD1	-6.10	100.63	111.00
60	AM	92	PRO	N-CA-CB	6.10	110.62	103.30
11	B2	203	A	C1'-O4'-C4'	-6.10	105.02	109.90
11	B2	512	U	C5-C6-N1	6.10	125.75	122.70
11	B2	706	G	P-O3'-C3'	6.10	127.02	119.70
11	B2	1009	G	C5-C6-O6	-6.10	124.94	128.60
11	B2	1033	G	C1'-O4'-C4'	-6.10	105.02	109.90
11	B2	1235	A	C2-N3-C4	6.10	113.65	110.60
11	B2	1374	C	N3-C2-O2	-6.10	117.63	121.90
38	A1	14	A	N9-C4-C5	6.10	108.24	105.80
38	A1	652	G	C5-N7-C8	-6.10	101.25	104.30
38	A1	730	C	N3-C2-O2	-6.10	117.63	121.90
38	A1	1764	G	C4-C5-C6	6.10	122.46	118.80
38	A1	1777	U	N3-C4-C5	-6.10	110.94	114.60
38	A1	1894	A	C6-N1-C2	-6.10	114.94	118.60
38	A1	1978	A	O4'-C1'-N9	6.10	113.08	108.20
38	A1	1998	G	O4'-C1'-N9	6.10	113.08	108.20
38	A1	2780	G	N3-C2-N2	6.10	124.17	119.90
57	Aj	69	PHE	CB-CG-CD2	6.10	125.07	120.80
11	B2	6	G	C5-C6-N1	6.10	114.55	111.50
11	B2	66	G	N3-C2-N2	6.10	124.17	119.90
11	B2	451	A	O4'-C1'-N9	6.10	113.08	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1270	C	N3-C4-N4	6.10	122.27	118.00
38	A1	197	C	C2-N3-C4	6.10	122.95	119.90
38	A1	881	G	C6-C5-N7	-6.10	126.74	130.40
38	A1	892	U	N3-C4-C5	-6.10	110.94	114.60
38	A1	2131	C	P-O3'-C3'	-6.10	112.39	119.70
11	B2	13	C	C5'-C4'-C3'	6.09	125.75	116.00
11	B2	61	A	O4'-C1'-N9	6.09	113.08	108.20
11	B2	398	C	C5-C4-N4	-6.09	115.93	120.20
11	B2	696	G	N1-C2-N2	-6.09	110.72	116.20
11	B2	1494	C	C6-N1-C2	-6.09	117.86	120.30
16	BD	54	ARG	NE-CZ-NH1	-6.09	117.25	120.30
38	A1	383	C	C5-C4-N4	-6.09	115.93	120.20
38	A1	647	G	N9-C4-C5	6.09	107.84	105.40
38	A1	883	G	C4-C5-N7	-6.09	108.36	110.80
38	A1	1354	G	N1-C2-N2	-6.09	110.71	116.20
38	A1	1822	G	N1-C6-O6	-6.09	116.24	119.90
1	A7	60	TYR	CB-CG-CD1	6.09	124.66	121.00
10	B1	6	G	C6-C5-N7	-6.09	126.74	130.40
11	B2	66	G	N9-C4-C5	-6.09	102.96	105.40
11	B2	274	G	C5-C6-N1	-6.09	108.45	111.50
11	B2	340	A	C6-C5-N7	-6.09	128.03	132.30
38	A1	402	G	N1-C2-N2	6.09	121.68	116.20
38	A1	2720	U	O4'-C4'-C3'	-6.09	97.91	104.00
38	A1	2995	A	C5-C6-N1	-6.09	114.65	117.70
52	AH	58	ASP	CB-CG-OD1	6.09	123.78	118.30
10	B1	65	C	O5'-P-OP2	-6.09	100.22	105.70
11	B2	86	C	C5-C4-N4	-6.09	115.94	120.20
11	B2	112	G	N1-C2-N3	-6.09	120.25	123.90
11	B2	242	A	N9-C4-C5	6.09	108.24	105.80
11	B2	251	G	P-O3'-C3'	-6.09	112.39	119.70
11	B2	253	G	C4'-C3'-C2'	-6.09	96.51	102.60
11	B2	385	A	N1-C6-N6	6.09	122.25	118.60
11	B2	418	G	C4-C5-C6	6.09	122.45	118.80
11	B2	674	C	O4'-C1'-N1	6.09	113.07	108.20
11	B2	689	C	N1-C2-O2	6.09	122.56	118.90
11	B2	716	G	P-O3'-C3'	-6.09	112.39	119.70
11	B2	841	C	P-O5'-C5'	-6.09	111.15	120.90
11	B2	1227	A	O4'-C1'-N9	6.09	113.07	108.20
11	B2	1413	G	C4-C5-C6	6.09	122.45	118.80
38	A1	372	A	N1-C2-N3	6.09	132.35	129.30
38	A1	1323	U	C5-C4-O4	-6.09	122.25	125.90
38	A1	2347	G	C8-N9-C4	-6.09	103.96	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2466	C	C2-N3-C4	6.09	122.94	119.90
38	A1	2802	G	N1-C2-N3	-6.09	120.25	123.90
11	B2	72	C	O4'-C1'-N1	6.09	113.07	108.20
11	B2	307	G	C6-N1-C2	-6.09	121.45	125.10
11	B2	1084	U	N1-C2-N3	-6.09	111.25	114.90
11	B2	1232	G	N3-C2-N2	6.09	124.16	119.90
11	B2	1350	U	N3-C4-C5	-6.09	110.95	114.60
11	B2	1484	C	N1-C2-O2	6.09	122.55	118.90
38	A1	20	C	C5-C6-N1	6.09	124.05	121.00
38	A1	24	G	N3-C4-C5	-6.09	125.56	128.60
38	A1	123	A	P-O5'-C5'	6.09	130.64	120.90
38	A1	334	G	O5'-P-OP1	6.09	118.01	110.70
38	A1	983	G	N9-C4-C5	6.09	107.84	105.40
38	A1	1295	G	C4-C5-C6	6.09	122.45	118.80
38	A1	2652	G	O4'-C1'-N9	6.09	113.07	108.20
38	A1	2900	C	O4'-C4'-C3'	-6.09	97.91	104.00
11	B2	1016	G	O4'-C1'-N9	6.09	113.07	108.20
38	A1	329	G	C2-N3-C4	-6.09	108.86	111.90
38	A1	1571	G	C8-N9-C4	-6.09	103.97	106.40
38	A1	2449	A	C4-C5-N7	-6.09	107.66	110.70
11	B2	194	C	C2-N1-C1'	6.09	125.50	118.80
11	B2	297	G	O4'-C1'-N9	6.09	113.07	108.20
11	B2	490	C	N3-C4-N4	6.09	122.26	118.00
11	B2	851	C	C4-C5-C6	6.09	120.44	117.40
38	A1	165	G	C4-C5-C6	6.09	122.45	118.80
38	A1	545	G	N3-C4-C5	6.09	131.64	128.60
38	A1	1827	A	P-O3'-C3'	-6.09	112.40	119.70
38	A1	2028	G	C4'-C3'-C2'	-6.09	96.51	102.60
38	A1	2185	A	C5-C6-N1	-6.09	114.66	117.70
38	A1	2259	G	C6-C5-N7	-6.09	126.75	130.40
38	A1	2691	G	C4-C5-C6	6.09	122.45	118.80
11	B2	112	G	N1-C6-O6	6.08	123.55	119.90
11	B2	155	U	N3-C2-O2	-6.08	117.94	122.20
11	B2	740	G	C4-C5-C6	6.08	122.45	118.80
11	B2	988	A	C6-N1-C2	-6.08	114.95	118.60
11	B2	1066	C	P-O3'-C3'	-6.08	112.40	119.70
17	BE	172	GLU	OE1-CD-OE2	6.08	130.60	123.30
38	A1	2206	G	N1-C2-N2	-6.08	110.72	116.20
38	A1	3011	G	O4'-C1'-N9	6.08	113.07	108.20
39	A3	89	G	O4'-C1'-N9	6.08	113.07	108.20
11	B2	344	G	N3-C2-N2	6.08	124.16	119.90
11	B2	723	G	N3-C4-N9	-6.08	122.35	126.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	735	A	N9-C4-C5	6.08	108.23	105.80
11	B2	780	C	N1-C2-N3	-6.08	114.94	119.20
11	B2	1158	G	N1-C2-N3	-6.08	120.25	123.90
11	B2	1247	A	C6-N1-C2	-6.08	114.95	118.60
38	A1	104	C	N1-C2-N3	-6.08	114.94	119.20
38	A1	783	C	C6-N1-C2	6.08	122.73	120.30
38	A1	1444	A	C5-C6-N6	-6.08	118.83	123.70
38	A1	1905	G	C5-N7-C8	-6.08	101.26	104.30
38	A1	1923	A	C6-C5-N7	-6.08	128.04	132.30
38	A1	2186	C	N3-C4-N4	6.08	122.26	118.00
38	A1	2762	G	O4'-C1'-N9	6.08	113.07	108.20
38	A1	2825	A	C5-N7-C8	6.08	106.94	103.90
11	B2	379	A	C6-C5-N7	-6.08	128.04	132.30
11	B2	836	G	O4'-C4'-C3'	-6.08	97.92	104.00
20	BH	194	LYS	N-CA-CB	6.08	121.55	110.60
38	A1	1061	G	C6-C5-N7	-6.08	126.75	130.40
38	A1	1201	G	O4'-C1'-N9	6.08	113.06	108.20
38	A1	1540	A	O4'-C1'-N9	6.08	113.06	108.20
38	A1	2030	G	O4'-C1'-N9	6.08	113.07	108.20
38	A1	2298	C	C4'-C3'-C2'	-6.08	96.52	102.60
38	A1	2831	G	C4-C5-C6	6.08	122.45	118.80
38	A1	2879	G	C4-C5-C6	6.08	122.45	118.80
39	A3	55	G	O4'-C1'-N9	6.08	113.06	108.20
66	AY	155	LEU	N-CA-CB	6.08	122.56	110.40
11	B2	1063	A	C6-N1-C2	-6.08	114.95	118.60
11	B2	1226	G	N9-C4-C5	-6.08	102.97	105.40
11	B2	1253	G	O4'-C1'-N9	6.08	113.06	108.20
11	B2	1267	U	C5-C6-N1	-6.08	119.66	122.70
38	A1	326	C	N3-C4-C5	-6.08	119.47	121.90
38	A1	1129	G	O4'-C1'-N9	6.08	113.06	108.20
38	A1	1981	G	N3-C2-N2	6.08	124.16	119.90
38	A1	2091	U	N1-C2-O2	-6.08	118.54	122.80
10	B1	56	U	O4'-C1'-N1	6.08	113.06	108.20
11	B2	81	C	C5'-C4'-O4'	-6.08	101.81	109.10
11	B2	571	C	P-O5'-C5'	-6.08	111.17	120.90
11	B2	691	G	N9-C4-C5	-6.08	102.97	105.40
11	B2	706	G	C6-C5-N7	-6.08	126.75	130.40
11	B2	716	G	N3-C4-C5	-6.08	125.56	128.60
38	A1	2023	A	C4-C5-C6	6.08	120.04	117.00
38	A1	2691	G	C1'-O4'-C4'	-6.08	105.04	109.90
42	Aa	24	ARG	NE-CZ-NH1	6.08	123.34	120.30
10	B1	7	G	C8-N9-C1'	-6.08	119.10	127.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	75	C	N3-C2-O2	6.08	126.15	121.90
11	B2	188	C	P-O5'-C5'	6.08	130.62	120.90
11	B2	477	G	C4-C5-N7	6.08	113.23	110.80
11	B2	565	C	O4'-C1'-N1	6.08	113.06	108.20
11	B2	1143	G	C8-N9-C4	-6.08	103.97	106.40
38	A1	270	C	C6-N1-C2	-6.08	117.87	120.30
59	AL	56	ASP	CB-CG-OD2	-6.08	112.83	118.30
11	B2	387	G	O5'-P-OP2	-6.08	100.23	105.70
11	B2	449	U	C2-N1-C1'	6.08	124.99	117.70
11	B2	463	G	C5-C6-O6	-6.08	124.95	128.60
11	B2	736	A	C4-C5-N7	-6.08	107.66	110.70
11	B2	801	A	O3'-P-O5'	-6.08	92.46	104.00
11	B2	1260	G	C6-C5-N7	-6.08	126.75	130.40
11	B2	1409	G	C5-C6-O6	-6.08	124.95	128.60
38	A1	963	G	N9-C4-C5	6.08	107.83	105.40
38	A1	1099	C	N3-C4-N4	6.08	122.25	118.00
38	A1	1151	G	C5-C6-O6	-6.08	124.95	128.60
38	A1	1228	G	C4-C5-C6	6.08	122.44	118.80
38	A1	1259	G	N3-C2-N2	6.08	124.15	119.90
39	A3	47	G	C5'-C4'-C3'	-6.08	106.28	116.00
44	Ab	15	ARG	NE-CZ-NH2	-6.08	117.26	120.30
11	B2	430	G	N1-C2-N3	-6.07	120.26	123.90
11	B2	1105	C	C5'-C4'-C3'	-6.07	106.28	116.00
11	B2	1189	G	C8-N9-C4	6.07	108.83	106.40
11	B2	1247	A	C1'-O4'-C4'	6.07	114.76	109.90
11	B2	1430	G	C1'-O4'-C4'	-6.07	105.04	109.90
16	BD	18	TRP	CZ3-CH2-CZ2	-6.07	114.31	121.60
20	BH	42	ARG	N-CA-CB	6.07	121.53	110.60
38	A1	9	A	C5-C6-N1	-6.07	114.66	117.70
38	A1	981	A	C4'-C3'-C2'	6.07	108.67	102.60
38	A1	1134	A	O4'-C1'-N9	6.07	113.06	108.20
38	A1	1465	A	C2-N3-C4	-6.07	107.56	110.60
38	A1	1596	G	N1-C2-N3	-6.07	120.26	123.90
38	A1	2287	C	C2-N1-C1'	6.07	125.48	118.80
38	A1	2306	C	N3-C4-C5	-6.07	119.47	121.90
38	A1	2988	A	C4-C5-C6	6.07	120.04	117.00
43	AB	167	ARG	NE-CZ-NH2	6.07	123.34	120.30
11	B2	137	A	C4-C5-N7	-6.07	107.66	110.70
11	B2	675	A	N3-C4-C5	-6.07	122.55	126.80
11	B2	759	C	N3-C4-N4	6.07	122.25	118.00
38	A1	64	A	N1-C6-N6	6.07	122.24	118.60
38	A1	1295	G	C4-C5-N7	-6.07	108.37	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1404	G	P-O5'-C5'	-6.07	111.19	120.90
11	B2	101	G	C5-C6-N1	-6.07	108.47	111.50
11	B2	872	A	N1-C2-N3	6.07	132.34	129.30
11	B2	1339	G	N1-C2-N3	-6.07	120.26	123.90
11	B2	1373	A	N9-C4-C5	6.07	108.23	105.80
11	B2	1430	G	N9-C4-C5	6.07	107.83	105.40
16	BD	110	TYR	CB-CG-CD1	6.07	124.64	121.00
38	A1	49	A	N9-C4-C5	-6.07	103.37	105.80
38	A1	517	A	O4'-C1'-N9	6.07	113.06	108.20
38	A1	771	G	C4-C5-C6	6.07	122.44	118.80
38	A1	848	A	C5-C6-N6	-6.07	118.84	123.70
38	A1	1168	A	O4'-C4'-C3'	-6.07	97.93	104.00
38	A1	2093	A	N7-C8-N9	-6.07	110.77	113.80
38	A1	2336	G	C6-C5-N7	6.07	134.04	130.40
38	A1	2483	U	N1-C2-O2	6.07	127.05	122.80
38	A1	2729	A	N7-C8-N9	-6.07	110.77	113.80
38	A1	2747	C	C2-N3-C4	6.07	122.94	119.90
38	A1	2872	G	N9-C4-C5	-6.07	102.97	105.40
11	B2	880	G	N3-C4-N9	-6.07	122.36	126.00
38	A1	248	C	O4'-C1'-N1	6.07	113.06	108.20
38	A1	301	G	N1-C2-N3	-6.07	120.26	123.90
38	A1	2175	G	C5-C6-N1	6.07	114.53	111.50
38	A1	2716	C	C5-C4-N4	-6.07	115.95	120.20
10	B1	49	C	C1'-O4'-C4'	-6.07	105.05	109.90
11	B2	161	C	C6-N1-C2	6.07	122.73	120.30
11	B2	658	A	C6-N1-C2	-6.07	114.96	118.60
20	BH	157	ARG	NE-CZ-NH1	-6.07	117.27	120.30
38	A1	218	A	C5-C6-N6	-6.07	118.84	123.70
38	A1	406	G	OP1-P-OP2	-6.07	110.50	119.60
38	A1	470	A	C4-C5-N7	-6.07	107.67	110.70
38	A1	741	G	N3-C4-C5	-6.07	125.57	128.60
38	A1	1742	C	N3-C4-C5	-6.07	119.47	121.90
38	A1	1784	G	C4-C5-N7	6.07	113.23	110.80
38	A1	2037	A	N1-C2-N3	6.07	132.33	129.30
11	B2	30	C	C2-N1-C1'	6.07	125.47	118.80
11	B2	393	A	N3-C4-C5	-6.07	122.55	126.80
11	B2	401	U	P-O3'-C3'	6.07	126.98	119.70
11	B2	476	C	C6-N1-C2	-6.07	117.87	120.30
11	B2	679	G	O4'-C1'-N9	6.07	113.05	108.20
11	B2	1265	G	O4'-C1'-N9	6.07	113.05	108.20
38	A1	339	A	C5-C6-N6	-6.07	118.85	123.70
38	A1	759	G	C5-C6-O6	-6.07	124.96	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	890	G	N9-C1'-C2'	-6.07	105.33	112.00
38	A1	1103	C	N1-C2-O2	6.07	122.54	118.90
38	A1	1638	C	C5-C4-N4	-6.07	115.95	120.20
38	A1	1987	A	C5-C6-N6	-6.07	118.85	123.70
38	A1	2147	C	P-O3'-C3'	6.07	126.98	119.70
38	A1	2384	G	N9-C4-C5	-6.07	102.97	105.40
11	B2	1	A	N1-C2-N3	-6.06	126.27	129.30
11	B2	1364	C	O4'-C1'-N1	6.06	113.05	108.20
34	BV	68	TYR	CG-CD2-CE2	-6.06	116.45	121.30
38	A1	2318	G	N1-C6-O6	6.06	123.54	119.90
38	A1	2860	G	C6-N1-C2	6.06	128.74	125.10
38	A1	3033	G	N3-C4-C5	-6.06	125.57	128.60
11	B2	52	U	C5-C4-O4	6.06	129.54	125.90
11	B2	369	A	OP1-P-OP2	-6.06	110.51	119.60
11	B2	750	C	N3-C4-C5	-6.06	119.47	121.90
11	B2	768	A	C5-C6-N6	-6.06	118.85	123.70
11	B2	974	G	N1-C2-N2	-6.06	110.74	116.20
11	B2	1169	C	C2-N3-C4	6.06	122.93	119.90
38	A1	509	A	N1-C6-N6	6.06	122.24	118.60
38	A1	842	C	C5-C4-N4	-6.06	115.96	120.20
38	A1	868	U	N3-C4-C5	-6.06	110.96	114.60
38	A1	1405	G	C5-C6-O6	-6.06	124.96	128.60
38	A1	2104	G	N7-C8-N9	6.06	116.13	113.10
38	A1	2764	G	N7-C8-N9	-6.06	110.07	113.10
39	A3	58	C	O4'-C1'-N1	6.06	113.05	108.20
11	B2	83	C	C2-N3-C4	6.06	122.93	119.90
11	B2	1121	C	C1'-O4'-C4'	6.06	114.75	109.90
11	B2	1339	G	C8-N9-C4	-6.06	103.98	106.40
38	A1	822	A	C5-C6-N6	-6.06	118.85	123.70
38	A1	1000	G	O4'-C1'-N9	6.06	113.05	108.20
39	A3	111	G	N1-C2-N2	6.06	121.66	116.20
11	B2	288	G	N1-C6-O6	6.06	123.53	119.90
11	B2	663	G	P-O3'-C3'	-6.06	112.43	119.70
11	B2	1142	G	N3-C4-C5	-6.06	125.57	128.60
11	B2	1255	C	N3-C4-N4	6.06	122.24	118.00
38	A1	223	U	C4-C5-C6	6.06	123.33	119.70
38	A1	378	G	C4'-C3'-C2'	-6.06	96.54	102.60
38	A1	708	A	C6-C5-N7	-6.06	128.06	132.30
38	A1	747	G	N7-C8-N9	-6.06	110.07	113.10
38	A1	2529	G	C1'-O4'-C4'	-6.06	105.05	109.90
38	A1	2987	U	C5-C4-O4	6.06	129.53	125.90
11	B2	669	A	C8-N9-C4	-6.06	103.38	105.80

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1161	A	N7-C8-N9	6.06	116.83	113.80
11	B2	1226	G	C5-N7-C8	-6.06	101.27	104.30
11	B2	1412	A	C6-N1-C2	6.06	122.23	118.60
38	A1	49	A	C5-C6-N1	-6.06	114.67	117.70
38	A1	273	G	C5-C6-O6	-6.06	124.97	128.60
38	A1	1596	G	N7-C8-N9	6.06	116.13	113.10
38	A1	2509	A	P-O5'-C5'	-6.06	111.21	120.90
41	AA	45	ARG	NE-CZ-NH1	6.06	123.33	120.30
49	Ae	55	TRP	CB-CG-CD1	6.06	134.88	127.00
11	B2	1399	G	N9-C4-C5	6.06	107.82	105.40
38	A1	178	G	N7-C8-N9	6.06	116.13	113.10
38	A1	770	G	C4'-C3'-C2'	-6.06	96.54	102.60
38	A1	1467	G	N1-C2-N3	-6.06	120.27	123.90
38	A1	2233	G	C5-C6-O6	6.06	132.23	128.60
11	B2	349	A	C3'-C2'-C1'	-6.05	96.66	101.50
11	B2	486	A	C6-N1-C2	-6.05	114.97	118.60
11	B2	1242	C	C2-N3-C4	6.05	122.93	119.90
11	B2	1296	U	O4'-C1'-N1	6.05	113.04	108.20
29	BQ	120	ARG	NE-CZ-NH1	6.05	123.33	120.30
38	A1	199	C	OP1-P-OP2	-6.05	110.52	119.60
38	A1	1380	G	O4'-C1'-N9	6.05	113.04	108.20
38	A1	2641	C	C2-N1-C1'	6.05	125.46	118.80
39	A3	103	C	N1-C2-O2	-6.05	115.27	118.90
45	AC	317	VAL	CA-CB-CG2	-6.05	101.82	110.90
11	B2	707	A	C4-C5-C6	6.05	120.03	117.00
11	B2	934	G	N9-C4-C5	-6.05	102.98	105.40
38	A1	623	G	N1-C6-O6	6.05	123.53	119.90
38	A1	2120	C	C2-N3-C4	6.05	122.93	119.90
38	A1	2408	G	C4-C5-C6	6.05	122.43	118.80
38	A1	2744	U	C6-N1-C2	-6.05	117.37	121.00
11	B2	43	A	C5-N7-C8	6.05	106.93	103.90
11	B2	137	A	N1-C6-N6	6.05	122.23	118.60
11	B2	941	C	C6-N1-C2	-6.05	117.88	120.30
11	B2	1338	C	C3'-C2'-C1'	6.05	106.34	101.50
11	B2	1372	C	C1'-O4'-C4'	6.05	114.74	109.90
38	A1	655	C	C2-N3-C4	6.05	122.93	119.90
38	A1	895	C	N3-C2-O2	6.05	126.14	121.90
38	A1	962	C	P-O3'-C3'	6.05	126.96	119.70
38	A1	1361	G	N1-C6-O6	6.05	123.53	119.90
38	A1	2017	A	C2-N3-C4	-6.05	107.57	110.60
38	A1	2428	C	N3-C2-O2	-6.05	117.66	121.90
38	A1	2454	G	N3-C2-N2	6.05	124.14	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2952	C	C5-C6-N1	-6.05	117.97	121.00
46	AD	158	ARG	NE-CZ-NH1	6.05	123.33	120.30
11	B2	240	U	C5'-C4'-C3'	-6.05	106.32	116.00
11	B2	529	C	O4'-C1'-N1	6.05	113.04	108.20
38	A1	219	G	C5'-C4'-O4'	-6.05	101.84	109.10
38	A1	556	G	P-O3'-C3'	6.05	126.96	119.70
38	A1	1370	G	P-O3'-C3'	-6.05	112.44	119.70
38	A1	2167	C	N3-C4-C5	-6.05	119.48	121.90
38	A1	2602	G	C5-C6-O6	-6.05	124.97	128.60
39	A3	62	A	C5-C6-N1	-6.05	114.67	117.70
11	B2	283	U	C4-C5-C6	6.05	123.33	119.70
11	B2	711	U	C5-C6-N1	-6.05	119.68	122.70
11	B2	1140	A	N7-C8-N9	6.05	116.82	113.80
11	B2	1317	G	C6-C5-N7	-6.05	126.77	130.40
11	B2	1478	A	O4'-C1'-N9	6.05	113.04	108.20
38	A1	776	G	N1-C2-N3	-6.05	120.27	123.90
38	A1	1868	C	C2-N3-C4	6.05	122.92	119.90
38	A1	2530	G	N3-C2-N2	-6.05	115.67	119.90
9	AX	359	PHE	CB-CG-CD2	6.05	125.03	120.80
11	B2	52	U	N3-C4-C5	-6.05	110.97	114.60
11	B2	289	C	O4'-C1'-N1	6.05	113.04	108.20
11	B2	1040	A	C5-N7-C8	-6.05	100.88	103.90
11	B2	1382	G	N1-C2-N3	-6.05	120.27	123.90
38	A1	167	G	N9-C4-C5	-6.05	102.98	105.40
38	A1	288	G	N3-C4-C5	-6.05	125.58	128.60
38	A1	871	G	N3-C4-C5	6.05	131.62	128.60
38	A1	1164	C	C1'-O4'-C4'	-6.05	105.06	109.90
38	A1	1878	G	C2-N3-C4	6.05	114.92	111.90
38	A1	1993	A	O4'-C1'-N9	6.05	113.04	108.20
38	A1	2505	A	N1-C2-N3	-6.05	126.28	129.30
38	A1	2852	U	C4-C5-C6	6.05	123.33	119.70
38	A1	2966	C	P-O3'-C3'	6.05	126.95	119.70
39	A3	16	G	C6-C5-N7	-6.05	126.77	130.40
11	B2	23	G	N9-C4-C5	-6.04	102.98	105.40
11	B2	171	U	C5'-C4'-O4'	-6.04	101.85	109.10
11	B2	526	A	C2-N3-C4	-6.04	107.58	110.60
11	B2	656	U	N1-C2-O2	6.04	127.03	122.80
11	B2	662	C	C4-C5-C6	6.04	120.42	117.40
11	B2	886	G	P-O3'-C3'	-6.04	112.45	119.70
11	B2	1248	A	C5-N7-C8	6.04	106.92	103.90
38	A1	656	G	C5-C6-O6	-6.04	124.97	128.60
38	A1	769	G	C6-N1-C2	6.04	128.73	125.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2336	G	C4-C5-N7	-6.04	108.38	110.80
11	B2	75	C	C6-N1-C2	6.04	122.72	120.30
11	B2	156	A	N1-C6-N6	6.04	122.23	118.60
11	B2	268	C	P-O3'-C3'	-6.04	112.45	119.70
11	B2	465	C	C2-N3-C4	6.04	122.92	119.90
11	B2	655	A	N9-C4-C5	6.04	108.22	105.80
11	B2	854	C	O4'-C1'-N1	6.04	113.04	108.20
11	B2	1250	C	C5-C4-N4	-6.04	115.97	120.20
18	BF	192	ARG	NE-CZ-NH2	6.04	123.32	120.30
38	A1	77	C	C5-C4-N4	-6.04	115.97	120.20
38	A1	424	U	N3-C4-C5	-6.04	110.97	114.60
38	A1	971	G	N1-C6-O6	6.04	123.53	119.90
38	A1	1182	C	C5-C6-N1	-6.04	117.98	121.00
38	A1	1871	C	N3-C2-O2	-6.04	117.67	121.90
38	A1	2046	C	C4'-C3'-C2'	-6.04	96.56	102.60
38	A1	2368	G	N1-C6-O6	6.04	123.53	119.90
38	A1	2944	G	O4'-C1'-N9	6.04	113.03	108.20
39	A3	39	C	N3-C2-O2	6.04	126.13	121.90
11	B2	650	A	C6-N1-C2	-6.04	114.97	118.60
11	B2	924	U	O4'-C1'-N1	6.04	113.03	108.20
11	B2	1268	C	P-O3'-C3'	-6.04	112.45	119.70
11	B2	1323	A	N1-C6-N6	6.04	122.22	118.60
11	B2	1418	G	N3-C4-C5	6.04	131.62	128.60
38	A1	766	G	C2-N3-C4	6.04	114.92	111.90
38	A1	1616	A	O4'-C1'-N9	6.04	113.03	108.20
38	A1	2134	G	C4-C5-C6	6.04	122.42	118.80
38	A1	2781	A	N3-C4-C5	-6.04	122.57	126.80
38	A1	2888	G	C5'-C4'-C3'	6.04	125.67	116.00
11	B2	28	U	O5'-P-OP2	-6.04	100.26	105.70
38	A1	506	G	C2-N3-C4	6.04	114.92	111.90
38	A1	1377	G	C6-C5-N7	-6.04	126.78	130.40
39	A3	30	G	P-O3'-C3'	6.04	126.95	119.70
11	B2	29	G	C4-C5-N7	6.04	113.22	110.80
11	B2	1170	C	O4'-C1'-N1	6.04	113.03	108.20
29	BQ	142	LEU	N-CA-C	-6.04	94.69	111.00
38	A1	233	A	P-O5'-C5'	-6.04	111.24	120.90
38	A1	1291	C	N1-C2-N3	-6.04	114.97	119.20
38	A1	1336	G	N1-C2-N3	-6.04	120.28	123.90
38	A1	1408	G	C5-C6-N1	-6.04	108.48	111.50
38	A1	1861	G	N1-C2-N3	-6.04	120.28	123.90
43	AB	134	ARG	CG-CD-NE	-6.04	99.12	111.80
49	Ae	1	MET	CG-SD-CE	-6.04	90.54	100.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	849	U	O4'-C1'-N1	6.04	113.03	108.20
11	B2	1292	A	C5-C6-N6	-6.04	118.87	123.70
28	BP	6	TYR	CG-CD2-CE2	-6.04	116.47	121.30
38	A1	1066	C	C6-N1-C1'	-6.04	113.56	120.80
38	A1	1508	A	N1-C2-N3	6.04	132.32	129.30
38	A1	2515	U	N3-C4-O4	6.04	123.63	119.40
11	B2	1062	G	C5-C6-O6	-6.04	124.98	128.60
11	B2	1147	G	C5-C6-O6	-6.04	124.98	128.60
11	B2	1149	C	O4'-C1'-N1	6.04	113.03	108.20
11	B2	1173	A	O4'-C1'-N9	6.04	113.03	108.20
11	B2	1390	G	O4'-C1'-N9	6.04	113.03	108.20
38	A1	346	U	C3'-C2'-C1'	6.04	106.33	101.50
38	A1	937	A	C4-C5-C6	6.04	120.02	117.00
38	A1	1770	A	C5-N7-C8	6.04	106.92	103.90
38	A1	2281	A	O4'-C1'-N9	6.04	113.03	108.20
38	A1	2780	G	N1-C2-N3	-6.04	120.28	123.90
39	A3	89	G	C5-C6-N1	-6.04	108.48	111.50
11	B2	672	G	C1'-O4'-C4'	-6.03	105.07	109.90
11	B2	1014	C	O4'-C1'-N1	6.03	113.03	108.20
38	A1	81	G	C4-C5-N7	-6.03	108.39	110.80
38	A1	312	G	C4-C5-N7	-6.03	108.39	110.80
38	A1	448	A	C5-C6-N6	-6.03	118.87	123.70
38	A1	930	G	C2-N3-C4	6.03	114.92	111.90
38	A1	975	C	N3-C2-O2	6.03	126.12	121.90
38	A1	982	G	C4'-C3'-C2'	-6.03	96.57	102.60
38	A1	1187	A	C5-N7-C8	6.03	106.92	103.90
38	A1	1198	G	N3-C4-C5	6.03	131.62	128.60
38	A1	1446	G	C4-C5-C6	-6.03	115.18	118.80
38	A1	1512	G	N9-C4-C5	-6.03	102.99	105.40
38	A1	2037	A	C5-N7-C8	6.03	106.92	103.90
38	A1	2269	C	N3-C2-O2	-6.03	117.68	121.90
38	A1	2298	C	O4'-C1'-N1	6.03	113.03	108.20
38	A1	2615	U	O4'-C1'-N1	6.03	113.03	108.20
38	A1	2879	G	C4-N9-C1'	6.03	134.34	126.50
11	B2	513	A	P-O5'-C5'	6.03	130.55	120.90
38	A1	279	G	C5'-C4'-O4'	6.03	116.34	109.10
38	A1	1467	G	C4-C5-N7	-6.03	108.39	110.80
38	A1	1535	U	C2-N3-C4	-6.03	123.38	127.00
38	A1	1911	G	C6-N1-C2	6.03	128.72	125.10
38	A1	2858	C	N3-C2-O2	-6.03	117.68	121.90
8	AW	49	ARG	NE-CZ-NH1	6.03	123.32	120.30
11	B2	219	C	C4-C5-C6	6.03	120.42	117.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1271	G	C4'-C3'-C2'	-6.03	96.57	102.60
11	B2	1477	U	N3-C4-O4	6.03	123.62	119.40
38	A1	133	G	N3-C2-N2	6.03	124.12	119.90
38	A1	219	G	O4'-C4'-C3'	-6.03	97.97	104.00
38	A1	246	A	N3-C4-N9	6.03	132.22	127.40
38	A1	745	C	N1-C2-N3	6.03	123.42	119.20
38	A1	1901	A	O4'-C1'-N9	6.03	113.03	108.20
38	A1	1992	A	C6-C5-N7	-6.03	128.08	132.30
38	A1	2120	C	C4-C5-C6	6.03	120.42	117.40
38	A1	2197	U	C4-C5-C6	6.03	123.32	119.70
38	A1	2558	U	C5-C6-N1	6.03	125.72	122.70
38	A1	2694	C	C1'-O4'-C4'	-6.03	105.08	109.90
60	AM	160	ARG	NE-CZ-NH2	-6.03	117.28	120.30
10	B1	68	C	C2-N3-C4	6.03	122.91	119.90
11	B2	827	G	C6-N1-C2	6.03	128.72	125.10
11	B2	1260	G	N9-C4-C5	-6.03	102.99	105.40
38	A1	512	G	N9-C4-C5	-6.03	102.99	105.40
38	A1	958	A	C4'-C3'-C2'	-6.03	96.57	102.60
38	A1	1208	A	N3-C4-N9	6.03	132.22	127.40
38	A1	1484	U	C1'-O4'-C4'	-6.03	105.08	109.90
38	A1	2037	A	C1'-O4'-C4'	6.03	114.72	109.90
38	A1	2793	C	C6-N1-C2	-6.03	117.89	120.30
11	B2	993	C	C4-C5-C6	6.03	120.41	117.40
11	B2	1328	G	C4-C5-C6	6.03	122.42	118.80
11	B2	1396	C	C5'-C4'-O4'	-6.03	101.87	109.10
38	A1	140	C	N3-C2-O2	-6.03	117.68	121.90
38	A1	270	C	O4'-C1'-N1	6.03	113.02	108.20
38	A1	437	G	C4'-C3'-C2'	-6.03	96.57	102.60
38	A1	2697	G	N3-C2-N2	6.03	124.12	119.90
38	A1	2868	C	C5-C4-N4	6.03	124.42	120.20
61	AN	11	TYR	CB-CG-CD1	6.03	124.62	121.00
11	B2	477	G	N3-C4-N9	6.03	129.62	126.00
11	B2	619	A	N3-C4-N9	6.03	132.22	127.40
11	B2	855	C	C5-C6-N1	6.03	124.01	121.00
11	B2	950	C	O4'-C1'-N1	6.03	113.02	108.20
11	B2	1331	G	C6-C5-N7	-6.03	126.78	130.40
38	A1	479	G	C8-N9-C4	-6.03	103.99	106.40
38	A1	2762	G	C4-C5-N7	6.03	113.21	110.80
38	A1	2897	C	O4'-C1'-N1	6.03	113.02	108.20
11	B2	492	G	C6-C5-N7	-6.02	126.79	130.40
26	BN	118	ASP	CB-CG-OD1	6.02	123.72	118.30
38	A1	24	G	C6-C5-N7	-6.02	126.78	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	862	G	C4-C5-C6	6.02	122.41	118.80
38	A1	1760	C	C5-C4-N4	-6.02	115.98	120.20
43	AB	225	ARG	NE-CZ-NH1	6.02	123.31	120.30
10	B1	33	C	C5-C4-N4	6.02	124.42	120.20
10	B1	58	A	C5-N7-C8	6.02	106.91	103.90
11	B2	88	G	N1-C2-N3	-6.02	120.29	123.90
11	B2	88	G	C4'-C3'-C2'	-6.02	96.58	102.60
11	B2	985	C	N1-C2-N3	-6.02	114.98	119.20
11	B2	1163	U	O4'-C4'-C3'	-6.02	97.98	104.00
11	B2	1482	C	N1-C2-O2	6.02	122.51	118.90
38	A1	24	G	C3'-C2'-C1'	6.02	106.32	101.50
38	A1	289	G	C5'-C4'-O4'	6.02	116.33	109.10
38	A1	368	U	O4'-C1'-N1	6.02	113.02	108.20
38	A1	1179	G	C6-C5-N7	-6.02	126.79	130.40
38	A1	1207	G	N3-C2-N2	6.02	124.12	119.90
38	A1	1261	C	N3-C2-O2	6.02	126.12	121.90
38	A1	2034	G	C6-C5-N7	-6.02	126.79	130.40
38	A1	2311	C	C2-N3-C4	6.02	122.91	119.90
38	A1	2834	C	N3-C4-C5	-6.02	119.49	121.90
38	A1	2990	G	C6-C5-N7	-6.02	126.79	130.40
38	A1	2999	G	N7-C8-N9	6.02	116.11	113.10
39	A3	44	C	N1-C1'-C2'	-6.02	105.38	112.00
39	A3	102	G	N3-C4-N9	6.02	129.61	126.00
11	B2	433	U	C4-C5-C6	-6.02	116.09	119.70
11	B2	478	C	P-O5'-C5'	6.02	130.53	120.90
11	B2	485	A	N3-C4-C5	-6.02	122.59	126.80
11	B2	841	C	O5'-C5'-C4'	-6.02	100.26	111.70
38	A1	243	G	N1-C6-O6	6.02	123.51	119.90
38	A1	372	A	C8-N9-C4	-6.02	103.39	105.80
38	A1	865	C	N1-C2-N3	-6.02	114.99	119.20
43	AB	156	ARG	NE-CZ-NH1	6.02	123.31	120.30
11	B2	313	G	N9-C4-C5	-6.02	102.99	105.40
11	B2	502	U	N1-C2-O2	6.02	127.01	122.80
11	B2	571	C	N3-C2-O2	6.02	126.11	121.90
11	B2	1047	U	C5-C4-O4	6.02	129.51	125.90
11	B2	1425	C	C6-N1-C2	-6.02	117.89	120.30
38	A1	435	G	N3-C4-C5	-6.02	125.59	128.60
38	A1	700	A	C6-C5-N7	-6.02	128.09	132.30
38	A1	1563	G	OP1-P-OP2	-6.02	110.57	119.60
38	A1	1693	G	O4'-C1'-N9	6.02	113.02	108.20
38	A1	2147	C	C1'-O4'-C4'	-6.02	105.08	109.90
38	A1	2161	A	N3-C4-C5	-6.02	122.59	126.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2444	G	O4'-C1'-N9	6.02	113.02	108.20
38	A1	2608	U	N3-C4-C5	-6.02	110.99	114.60
39	A3	18	G	O4'-C1'-N9	6.02	113.02	108.20
47	Ad	80	MET	CG-SD-CE	-6.02	90.57	100.20
57	Aj	40	PHE	N-CA-CB	6.02	121.43	110.60
65	AV	3	ARG	NE-CZ-NH2	6.02	123.31	120.30
11	B2	56	A	C2-N3-C4	-6.02	107.59	110.60
11	B2	114	A	C5-C6-N1	-6.02	114.69	117.70
11	B2	118	U	O4'-C1'-N1	6.02	113.01	108.20
11	B2	525	A	C5-C6-N1	-6.02	114.69	117.70
11	B2	1092	G	C6-C5-N7	-6.02	126.79	130.40
11	B2	1279	A	C6-C5-N7	-6.02	128.09	132.30
11	B2	1348	C	N1-C2-N3	-6.02	114.99	119.20
13	BA	138	ARG	NE-CZ-NH1	-6.02	117.29	120.30
38	A1	865	C	O5'-P-OP2	-6.02	100.28	105.70
38	A1	960	C	C4-C5-C6	6.02	120.41	117.40
38	A1	1377	G	C4-C5-C6	6.02	122.41	118.80
38	A1	1413	A	C5-C6-N1	-6.02	114.69	117.70
38	A1	1467	G	C4-C5-C6	6.02	122.41	118.80
38	A1	2165	A	C8-N9-C4	6.02	108.21	105.80
38	A1	2736	G	C5-C6-N1	6.02	114.51	111.50
11	B2	1118	C	N3-C4-C5	-6.02	119.49	121.90
38	A1	788	A	C8-N9-C4	6.02	108.21	105.80
38	A1	916	A	N1-C2-N3	6.02	132.31	129.30
38	A1	1792	A	N3-C4-C5	-6.02	122.59	126.80
38	A1	2305	U	N3-C4-C5	-6.02	110.99	114.60
11	B2	1338	C	C5'-C4'-C3'	6.01	125.62	116.00
38	A1	235	G	O4'-C1'-N9	6.01	113.01	108.20
38	A1	266	A	C4-N9-C1'	6.01	137.13	126.30
38	A1	706	U	N3-C4-O4	6.01	123.61	119.40
38	A1	1246	G	C4-C5-C6	6.01	122.41	118.80
38	A1	1554	G	N1-C2-N2	6.01	121.61	116.20
38	A1	1812	A	C2-N3-C4	-6.01	107.59	110.60
11	B2	88	G	C4-C5-C6	6.01	122.41	118.80
11	B2	1316	U	N3-C2-O2	6.01	126.41	122.20
27	BO	51	ALA	N-CA-CB	6.01	118.52	110.10
38	A1	1207	G	N9-C1'-C2'	-6.01	105.39	112.00
38	A1	2201	C	N3-C4-C5	-6.01	119.50	121.90
10	B1	20	G	C5'-C4'-O4'	6.01	116.31	109.10
11	B2	426	C	C4-C5-C6	6.01	120.41	117.40
11	B2	1461	U	C5-C6-N1	6.01	125.71	122.70
38	A1	616	C	C2-N1-C1'	6.01	125.41	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1090	G	C5-N7-C8	6.01	107.31	104.30
38	A1	1356	A	C1'-O4'-C4'	-6.01	105.09	109.90
38	A1	1382	C	N3-C4-C5	-6.01	119.50	121.90
38	A1	1778	G	P-O5'-C5'	6.01	130.52	120.90
38	A1	1819	G	C4'-C3'-C2'	-6.01	96.59	102.60
38	A1	2366	G	C4-N9-C1'	-6.01	118.69	126.50
38	A1	2475	G	C5-C6-N1	-6.01	108.49	111.50
56	AJ	105	VAL	CA-CB-CG1	6.01	119.92	110.90
11	B2	84	C	P-O3'-C3'	6.01	126.91	119.70
11	B2	164	A	N3-C4-C5	-6.01	122.59	126.80
38	A1	8	G	C6-C5-N7	-6.01	126.79	130.40
38	A1	454	C	C6-N1-C2	-6.01	117.90	120.30
38	A1	821	U	N3-C4-C5	-6.01	111.00	114.60
38	A1	823	G	C6-C5-N7	-6.01	126.79	130.40
38	A1	1495	A	C5-N7-C8	6.01	106.91	103.90
11	B2	497	C	N3-C4-C5	-6.01	119.50	121.90
11	B2	784	G	N7-C8-N9	-6.01	110.10	113.10
11	B2	997	G	N7-C8-N9	6.01	116.10	113.10
38	A1	1170	G	C5-C6-O6	-6.01	125.00	128.60
38	A1	2017	A	C8-N9-C4	6.01	108.20	105.80
38	A1	2554	A	P-O3'-C3'	6.01	126.91	119.70
38	A1	2898	G	N7-C8-N9	-6.01	110.10	113.10
61	AN	167	LYS	C-N-CA	6.01	136.72	121.70
11	B2	277	G	C3'-C2'-C1'	6.01	106.31	101.50
11	B2	1112	G	P-O3'-C3'	-6.01	112.49	119.70
11	B2	1318	U	O4'-C1'-N1	6.01	113.00	108.20
38	A1	571	G	N3-C4-C5	6.01	131.60	128.60
38	A1	744	G	N3-C4-C5	-6.01	125.60	128.60
38	A1	868	U	N1-C2-O2	6.01	127.00	122.80
38	A1	871	G	C2-N3-C4	-6.01	108.90	111.90
38	A1	923	A	N1-C2-N3	-6.01	126.30	129.30
38	A1	1258	G	OP1-P-OP2	-6.01	110.59	119.60
38	A1	2407	G	N1-C2-N3	-6.01	120.30	123.90
38	A1	2448	A	C4-C5-C6	6.01	120.00	117.00
38	A1	2538	G	C3'-C2'-C1'	6.01	106.31	101.50
38	A1	2539	G	N7-C8-N9	6.01	116.10	113.10
38	A1	2626	U	C2-N3-C4	-6.01	123.40	127.00
11	B2	661	C	N3-C4-C5	-6.00	119.50	121.90
38	A1	239	G	O4'-C1'-N9	6.00	113.00	108.20
38	A1	474	G	N3-C2-N2	6.00	124.10	119.90
38	A1	528	G	C8-N9-C4	-6.00	104.00	106.40
38	A1	646	U	N3-C4-O4	6.00	123.60	119.40

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1357	G	N3-C2-N2	6.00	124.10	119.90
38	A1	1826	G	C5-C6-O6	-6.00	125.00	128.60
38	A1	1899	C	C5'-C4'-C3'	-6.00	106.39	116.00
38	A1	2072	G	N1-C2-N3	-6.00	120.30	123.90
38	A1	2193	G	C2-N3-C4	6.00	114.90	111.90
38	A1	2318	G	OP1-P-OP2	-6.00	110.59	119.60
54	AI	131	VAL	CA-CB-CG1	-6.00	101.89	110.90
7	AU	77	TYR	CG-CD1-CE1	6.00	126.10	121.30
10	B1	74	A	C5-N7-C8	6.00	106.90	103.90
11	B2	598	U	N3-C4-O4	6.00	123.60	119.40
11	B2	726	A	N7-C8-N9	6.00	116.80	113.80
11	B2	779	G	C6-C5-N7	-6.00	126.80	130.40
11	B2	1378	A	C4-C5-C6	6.00	120.00	117.00
38	A1	164	A	O4'-C1'-N9	6.00	113.00	108.20
38	A1	509	A	N3-C4-C5	-6.00	122.60	126.80
38	A1	696	G	C5-C6-N1	-6.00	108.50	111.50
38	A1	1095	A	C5-C6-N6	-6.00	118.90	123.70
38	A1	1223	A	N7-C8-N9	6.00	116.80	113.80
38	A1	2047	U	C1'-O4'-C4'	6.00	114.70	109.90
38	A1	2224	G	N7-C8-N9	6.00	116.10	113.10
11	B2	1283	G	C8-N9-C4	-6.00	104.00	106.40
11	B2	1431	C	C5-C4-N4	-6.00	116.00	120.20
38	A1	205	A	C5-N7-C8	6.00	106.90	103.90
38	A1	306	G	P-O5'-C5'	6.00	130.50	120.90
38	A1	611	G	C6-C5-N7	-6.00	126.80	130.40
38	A1	1136	G	N9-C4-C5	-6.00	103.00	105.40
38	A1	1304	G	N3-C2-N2	6.00	124.10	119.90
38	A1	1515	G	P-O5'-C5'	6.00	130.50	120.90
38	A1	1674	G	N7-C8-N9	6.00	116.10	113.10
38	A1	1677	A	C5-C6-N1	-6.00	114.70	117.70
38	A1	1771	C	O4'-C1'-N1	6.00	113.00	108.20
38	A1	2065	C	O4'-C1'-N1	6.00	113.00	108.20
38	A1	2314	U	N3-C4-O4	6.00	123.60	119.40
38	A1	2810	G	C5-C6-O6	-6.00	125.00	128.60
38	A1	3034	C	C5-C4-N4	-6.00	116.00	120.20
39	A3	9	A	O4'-C1'-N9	6.00	113.00	108.20
43	AB	219	ARG	NE-CZ-NH2	6.00	123.30	120.30
11	B2	173	G	C6-N1-C2	6.00	128.70	125.10
11	B2	588	C	C5-C4-N4	-6.00	116.00	120.20
11	B2	688	C	C2-N1-C1'	6.00	125.40	118.80
11	B2	732	G	N1-C2-N3	-6.00	120.30	123.90
11	B2	905	A	N3-C4-C5	-6.00	122.60	126.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	168	G	C5-N7-C8	-6.00	101.30	104.30
38	A1	583	A	OP1-P-OP2	-6.00	110.60	119.60
38	A1	640	C	C5-C4-N4	-6.00	116.00	120.20
38	A1	2684	G	C2-N3-C4	6.00	114.90	111.90
38	A1	3037	G	N1-C2-N3	-6.00	120.30	123.90
11	B2	506	G	C5-C6-N1	-6.00	108.50	111.50
11	B2	614	G	C8-N9-C4	-6.00	104.00	106.40
11	B2	619	A	C2-N3-C4	6.00	113.60	110.60
11	B2	868	C	C2-N3-C4	6.00	122.90	119.90
11	B2	912	G	P-O3'-C3'	6.00	126.90	119.70
11	B2	1170	C	N3-C4-C5	-6.00	119.50	121.90
11	B2	1212	U	N1-C2-O2	6.00	127.00	122.80
32	BT	76	MET	CG-SD-CE	-6.00	90.60	100.20
38	A1	354	G	C5-C6-N1	-6.00	108.50	111.50
38	A1	569	G	C4-C5-C6	6.00	122.40	118.80
38	A1	798	G	P-O3'-C3'	6.00	126.90	119.70
38	A1	849	C	C2-N1-C1'	-6.00	112.20	118.80
38	A1	1058	A	P-O3'-C3'	6.00	126.90	119.70
38	A1	1742	C	N3-C2-O2	-6.00	117.70	121.90
38	A1	2092	G	C4-C5-N7	-6.00	108.40	110.80
38	A1	2506	G	C6-N1-C2	6.00	128.70	125.10
11	B2	281	G	C1'-O4'-C4'	-6.00	105.10	109.90
11	B2	910	G	C2-N3-C4	6.00	114.90	111.90
11	B2	1103	G	C2-N3-C4	-6.00	108.90	111.90
11	B2	1119	U	N1-C2-N3	-6.00	111.30	114.90
11	B2	1488	C	N1-C2-O2	6.00	122.50	118.90
38	A1	342	C	N3-C4-N4	6.00	122.20	118.00
38	A1	881	G	O4'-C1'-N9	6.00	113.00	108.20
38	A1	1130	G	N3-C2-N2	6.00	124.10	119.90
38	A1	1496	A	C5-N7-C8	6.00	106.90	103.90
38	A1	2037	A	O4'-C4'-C3'	-6.00	98.00	104.00
38	A1	2199	U	C2-N1-C1'	6.00	124.90	117.70
38	A1	2294	A	C5-N7-C8	6.00	106.90	103.90
60	AM	125	TYR	CG-CD1-CE1	-6.00	116.50	121.30
11	B2	75	C	C5'-C4'-O4'	6.00	116.30	109.10
11	B2	518	U	O4'-C4'-C3'	-6.00	98.00	104.00
11	B2	544	C	C6-N1-C2	-6.00	117.90	120.30
11	B2	1484	C	N3-C4-N4	6.00	122.20	118.00
25	BM	56	SER	N-CA-CB	6.00	119.49	110.50
38	A1	1018	G	C5-C6-O6	-6.00	125.00	128.60
38	A1	1778	G	C6-N1-C2	6.00	128.70	125.10
38	A1	2666	G	N3-C4-C5	-6.00	125.60	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	330	U	O4'-C1'-N1	5.99	112.99	108.20
11	B2	804	U	O4'-C1'-N1	5.99	112.99	108.20
11	B2	822	A	N3-C4-C5	-5.99	122.61	126.80
11	B2	1189	G	N1-C2-N3	-5.99	120.30	123.90
11	B2	1248	A	O4'-C1'-N9	5.99	113.00	108.20
38	A1	252	A	N1-C2-N3	-5.99	126.30	129.30
38	A1	938	U	C5-C6-N1	-5.99	119.70	122.70
38	A1	1038	U	N3-C4-C5	-5.99	111.00	114.60
38	A1	1145	G	C5-N7-C8	5.99	107.30	104.30
38	A1	1648	C	O4'-C4'-C3'	-5.99	98.01	104.00
38	A1	2061	A	N9-C4-C5	-5.99	103.40	105.80
38	A1	2417	G	N9-C1'-C2'	-5.99	105.41	112.00
38	A1	2471	A	O4'-C1'-N9	5.99	113.00	108.20
38	A1	2604	G	C6-C5-N7	-5.99	126.80	130.40
38	A1	2676	A	C5-C6-N6	-5.99	118.91	123.70
38	A1	2731	C	N1-C2-N3	5.99	123.39	119.20
39	A3	39	C	C6-N1-C2	-5.99	117.90	120.30
11	B2	975	A	O3'-P-O5'	5.99	115.38	104.00
38	A1	78	C	C1'-O4'-C4'	-5.99	105.11	109.90
38	A1	203	G	C5-C6-N1	-5.99	108.50	111.50
38	A1	712	C	N1-C2-N3	-5.99	115.01	119.20
38	A1	1329	G	C5-N7-C8	-5.99	101.30	104.30
38	A1	1637	C	C2-N3-C4	5.99	122.90	119.90
38	A1	1732	C	C4-C5-C6	5.99	120.40	117.40
38	A1	1983	C	N1-C2-N3	-5.99	115.01	119.20
38	A1	2513	C	C2-N3-C4	5.99	122.90	119.90
38	A1	2563	A	C5-C6-N1	-5.99	114.70	117.70
11	B2	666	G	C6-C5-N7	-5.99	126.81	130.40
11	B2	822	A	C2-N3-C4	5.99	113.60	110.60
11	B2	1198	A	O4'-C1'-N9	5.99	112.99	108.20
38	A1	277	A	C4-C5-N7	-5.99	107.70	110.70
38	A1	866	G	N1-C2-N3	-5.99	120.31	123.90
38	A1	1088	G	C5-N7-C8	-5.99	101.31	104.30
38	A1	1577	C	O4'-C1'-N1	5.99	112.99	108.20
38	A1	1754	A	N9-C4-C5	-5.99	103.40	105.80
38	A1	1818	G	C5'-C4'-O4'	5.99	116.29	109.10
38	A1	2177	A	O4'-C1'-N9	5.99	112.99	108.20
11	B2	37	G	N1-C2-N3	-5.99	120.31	123.90
11	B2	111	G	N3-C4-N9	5.99	129.59	126.00
11	B2	622	C	N1-C2-O2	-5.99	115.31	118.90
11	B2	1455	A	N1-C2-N3	5.99	132.29	129.30
38	A1	127	C	C4'-C3'-C2'	-5.99	96.61	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	269	C	C5-C4-N4	-5.99	116.01	120.20
38	A1	293	G	C5-C6-N1	-5.99	108.51	111.50
38	A1	922	C	N3-C4-C5	-5.99	119.50	121.90
38	A1	1621	G	O4'-C4'-C3'	-5.99	98.01	104.00
38	A1	1906	G	C6-N1-C2	5.99	128.69	125.10
38	A1	2702	A	C4'-C3'-C2'	-5.99	96.61	102.60
38	A1	2857	C	P-O3'-C3'	5.99	126.89	119.70
45	AC	319	SER	N-CA-CB	5.99	119.48	110.50
11	B2	592	G	C6-N1-C2	5.99	128.69	125.10
11	B2	754	G	C4-C5-C6	5.99	122.39	118.80
11	B2	1006	C	C6-N1-C1'	-5.99	113.61	120.80
11	B2	1202	G	N9-C4-C5	-5.99	103.00	105.40
11	B2	1393	A	N1-C2-N3	5.99	132.29	129.30
38	A1	123	A	C1'-O4'-C4'	5.99	114.69	109.90
38	A1	273	G	C8-N9-C4	5.99	108.80	106.40
38	A1	848	A	N3-C4-N9	-5.99	122.61	127.40
38	A1	852	A	N1-C2-N3	-5.99	126.31	129.30
38	A1	1715	G	C4-C5-N7	-5.99	108.41	110.80
38	A1	2171	G	N9-C4-C5	-5.99	103.00	105.40
11	B2	199	A	C5-C6-N1	-5.99	114.71	117.70
11	B2	280	C	N3-C4-N4	5.99	122.19	118.00
11	B2	947	G	N3-C4-C5	5.99	131.59	128.60
11	B2	1339	G	N9-C4-C5	5.99	107.79	105.40
38	A1	348	G	N1-C2-N2	5.99	121.59	116.20
38	A1	499	A	O4'-C1'-N9	5.99	112.99	108.20
38	A1	1250	A	C5'-C4'-O4'	5.99	116.28	109.10
38	A1	1998	G	C2-N3-C4	5.99	114.89	111.90
38	A1	2034	G	O4'-C1'-N9	5.99	112.99	108.20
38	A1	2357	U	C6-N1-C2	5.99	124.59	121.00
38	A1	2649	A	N9-C4-C5	-5.99	103.41	105.80
38	A1	2898	G	C4-C5-C6	5.99	122.39	118.80
38	A1	3046	C	C4-C5-C6	5.99	120.39	117.40
11	B2	1190	C	N3-C4-N4	5.98	122.19	118.00
11	B2	1256	C	N3-C4-N4	5.98	122.19	118.00
38	A1	1178	G	C1'-O4'-C4'	-5.98	105.11	109.90
38	A1	2308	C	O4'-C1'-C2'	-5.98	99.82	105.80
39	A3	15	G	C8-N9-C1'	5.98	134.78	127.00
50	AF	58	ASP	CB-CG-OD1	5.98	123.69	118.30
11	B2	116	C	C6-N1-C2	-5.98	117.91	120.30
11	B2	124	C	C5-C4-N4	5.98	124.39	120.20
11	B2	207	G	N9-C4-C5	-5.98	103.01	105.40
11	B2	316	C	C2-N3-C4	5.98	122.89	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	442	C	P-O5'-C5'	5.98	130.47	120.90
11	B2	490	C	N3-C4-C5	5.98	124.29	121.90
11	B2	635	C	O4'-C1'-N1	5.98	112.99	108.20
11	B2	862	C	N1-C2-O2	5.98	122.49	118.90
11	B2	1177	C	O4'-C4'-C3'	-5.98	98.02	104.00
38	A1	642	G	N1-C2-N3	-5.98	120.31	123.90
38	A1	785	C	N3-C4-C5	-5.98	119.51	121.90
38	A1	2059	G	N9-C4-C5	-5.98	103.01	105.40
38	A1	2406	C	C3'-C2'-C1'	5.98	106.29	101.50
38	A1	2475	G	C6-C5-N7	-5.98	126.81	130.40
38	A1	2666	G	N1-C2-N3	-5.98	120.31	123.90
10	B1	9	A	C8-N9-C4	-5.98	103.41	105.80
10	B1	19	G	O4'-C1'-C2'	5.98	112.98	107.60
11	B2	145	A	C5-C6-N1	-5.98	114.71	117.70
11	B2	298	C	O4'-C1'-N1	5.98	112.98	108.20
11	B2	461	A	N7-C8-N9	-5.98	110.81	113.80
38	A1	426	G	C6-C5-N7	-5.98	126.81	130.40
38	A1	935	A	C5-C6-N6	-5.98	118.92	123.70
38	A1	1747	C	C2-N3-C4	5.98	122.89	119.90
38	A1	1761	C	C2-N1-C1'	5.98	125.38	118.80
38	A1	1979	G	C5-C6-N1	-5.98	108.51	111.50
39	A3	121	A	C8-N9-C4	5.98	108.19	105.80
10	B1	8	U	C4'-C3'-C2'	-5.98	96.62	102.60
11	B2	1208	A	C5'-C4'-C3'	5.98	125.57	116.00
11	B2	1226	G	C4-C5-N7	5.98	113.19	110.80
11	B2	1298	G	C6-C5-N7	-5.98	126.81	130.40
38	A1	1046	A	C5'-C4'-O4'	5.98	116.27	109.10
38	A1	1156	G	O4'-C1'-N9	5.98	112.98	108.20
38	A1	1228	G	N7-C8-N9	5.98	116.09	113.10
38	A1	1370	G	N3-C2-N2	5.98	124.09	119.90
38	A1	1737	A	N3-C4-C5	-5.98	122.61	126.80
38	A1	2450	A	C5-C6-N1	-5.98	114.71	117.70
38	A1	2574	G	N9-C4-C5	5.98	107.79	105.40
44	Ab	79	TYR	CA-CB-CG	-5.98	102.04	113.40
11	B2	150	G	C6-C5-N7	-5.98	126.81	130.40
11	B2	624	G	N3-C4-N9	-5.98	122.41	126.00
11	B2	755	U	C5-C4-O4	-5.98	122.31	125.90
11	B2	880	G	C5-C6-N1	-5.98	108.51	111.50
11	B2	1095	C	P-O3'-C3'	5.98	126.87	119.70
11	B2	1144	G	C4-C5-N7	-5.98	108.41	110.80
18	BF	8	TYR	CG-CD1-CE1	-5.98	116.52	121.30
38	A1	235	G	N1-C2-N2	-5.98	110.82	116.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	657	U	C6-N1-C2	5.98	124.59	121.00
38	A1	760	G	C6-C5-N7	-5.98	126.81	130.40
38	A1	1808	G	C5-C6-N1	-5.98	108.51	111.50
38	A1	2009	G	O4'-C1'-N9	5.98	112.98	108.20
38	A1	2583	G	C8-N9-C4	-5.98	104.01	106.40
39	A3	115	C	N1-C2-O2	5.98	122.49	118.90
59	AL	9	ARG	N-CA-CB	5.98	121.36	110.60
63	AP	3	ARG	NE-CZ-NH1	5.98	123.29	120.30
11	B2	637	G	C8-N9-C4	-5.98	104.01	106.40
11	B2	643	G	C6-C5-N7	-5.98	126.81	130.40
38	A1	530	A	C3'-C2'-C1'	-5.98	96.72	101.50
38	A1	1402	C	O4'-C1'-N1	5.98	112.98	108.20
38	A1	1484	U	O4'-C1'-N1	5.98	112.98	108.20
38	A1	2746	G	C4-C5-N7	-5.98	108.41	110.80
61	AN	154	MET	CG-SD-CE	-5.98	90.64	100.20
11	B2	151	G	P-O3'-C3'	5.97	126.87	119.70
11	B2	348	C	C2-N3-C4	5.97	122.89	119.90
11	B2	392	G	C3'-C2'-C1'	-5.97	96.72	101.50
36	BX	2	ALA	N-CA-CB	5.97	118.47	110.10
38	A1	613	C	C2-N1-C1'	5.97	125.37	118.80
38	A1	625	A	C4-C5-N7	-5.97	107.71	110.70
38	A1	1116	A	N9-C4-C5	5.97	108.19	105.80
38	A1	1643	A	N9-C4-C5	5.97	108.19	105.80
38	A1	2820	C	N3-C4-C5	-5.97	119.51	121.90
39	A3	5	G	C5-C6-N1	-5.97	108.51	111.50
10	B1	19	G	C4-N9-C1'	5.97	134.26	126.50
11	B2	617	A	C6-N1-C2	5.97	122.18	118.60
11	B2	811	G	N1-C6-O6	5.97	123.48	119.90
11	B2	1126	G	C5-C6-O6	-5.97	125.02	128.60
11	B2	1213	G	C4-C5-N7	5.97	113.19	110.80
38	A1	558	C	N1-C2-N3	-5.97	115.02	119.20
38	A1	774	G	C6-C5-N7	-5.97	126.82	130.40
38	A1	1930	A	C6-C5-N7	-5.97	128.12	132.30
38	A1	2300	C	C5-C4-N4	-5.97	116.02	120.20
38	A1	2558	U	N1-C2-O2	-5.97	118.62	122.80
38	A1	2947	G	O4'-C1'-C2'	-5.97	99.83	105.80
10	B1	43	G	N9-C4-C5	-5.97	103.01	105.40
11	B2	220	G	N9-C4-C5	-5.97	103.01	105.40
11	B2	605	C	N1-C2-O2	5.97	122.48	118.90
11	B2	794	A	O4'-C1'-N9	5.97	112.98	108.20
11	B2	944	C	C2-N3-C4	5.97	122.89	119.90
11	B2	1374	C	C4'-C3'-C2'	-5.97	96.63	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1463	A	C4-C5-C6	5.97	119.98	117.00
38	A1	356	C	N3-C2-O2	-5.97	117.72	121.90
38	A1	655	C	C3'-C2'-C1'	5.97	106.28	101.50
38	A1	678	G	N7-C8-N9	-5.97	110.11	113.10
38	A1	1116	A	C5-C6-N6	-5.97	118.92	123.70
11	B2	11	A	O4'-C1'-N9	5.97	112.98	108.20
11	B2	79	G	P-O3'-C3'	-5.97	112.54	119.70
11	B2	258	A	C5-N7-C8	5.97	106.89	103.90
11	B2	674	C	C5-C6-N1	-5.97	118.02	121.00
11	B2	768	A	C8-N9-C4	-5.97	103.41	105.80
17	BE	29	ALA	N-CA-CB	5.97	118.46	110.10
38	A1	1118	A	C6-C5-N7	-5.97	128.12	132.30
38	A1	1732	C	O4'-C1'-N1	5.97	112.97	108.20
38	A1	2256	G	C5-C6-O6	-5.97	125.02	128.60
7	AU	39	TYR	CG-CD2-CE2	-5.97	116.53	121.30
11	B2	698	A	C5-N7-C8	5.97	106.88	103.90
11	B2	870	U	P-O3'-C3'	5.97	126.86	119.70
30	BR	53	TYR	CB-CG-CD1	-5.97	117.42	121.00
38	A1	65	G	C5-C6-O6	-5.97	125.02	128.60
38	A1	1902	G	N1-C2-N2	-5.97	110.83	116.20
38	A1	2568	A	C6-N1-C2	-5.97	115.02	118.60
11	B2	191	A	O4'-C1'-N9	5.97	112.97	108.20
38	A1	620	G	C5-C6-N1	-5.97	108.52	111.50
38	A1	763	A	N1-C6-N6	5.97	122.18	118.60
38	A1	893	C	C5-C6-N1	-5.97	118.02	121.00
38	A1	1007	U	N3-C4-C5	-5.97	111.02	114.60
38	A1	1365	G	O4'-C1'-N9	5.97	112.97	108.20
38	A1	1498	C	N3-C2-O2	-5.97	117.72	121.90
38	A1	1642	G	OP1-P-O3'	5.97	118.33	105.20
38	A1	1740	U	O4'-C1'-N1	5.97	112.97	108.20
38	A1	2822	G	N1-C2-N3	-5.97	120.32	123.90
39	A3	13	C	C1'-O4'-C4'	-5.97	105.13	109.90
5	AS	96	LEU	CB-CG-CD1	5.96	121.14	111.00
10	B1	39	A	N9-C4-C5	5.96	108.19	105.80
11	B2	195	C	C5-C6-N1	5.96	123.98	121.00
11	B2	551	U	C4-C5-C6	-5.96	116.12	119.70
11	B2	791	G	N3-C2-N2	5.96	124.08	119.90
14	BB	12	TYR	CB-CG-CD2	-5.96	117.42	121.00
38	A1	148	C	N3-C4-C5	-5.96	119.51	121.90
38	A1	714	C	N3-C4-C5	-5.96	119.51	121.90
38	A1	900	C	N3-C2-O2	-5.96	117.72	121.90
38	A1	1067	G	C4-C5-C6	5.96	122.38	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1656	C	O4'-C1'-N1	5.96	112.97	108.20
38	A1	1691	U	C4'-C3'-C2'	-5.96	96.64	102.60
38	A1	1950	G	C6-C5-N7	-5.96	126.82	130.40
38	A1	2072	G	O4'-C4'-C3'	-5.96	98.04	104.00
38	A1	2300	C	O3'-P-O5'	-5.96	92.67	104.00
38	A1	2538	G	C4-C5-N7	-5.96	108.41	110.80
38	A1	2698	G	C6-C5-N7	-5.96	126.82	130.40
38	A1	2806	A	N3-C4-C5	-5.96	122.62	126.80
38	A1	2893	U	C2-N1-C1'	5.96	124.86	117.70
42	Aa	20	LYS	N-CA-CB	5.96	121.33	110.60
8	AW	63	ARG	NE-CZ-NH1	5.96	123.28	120.30
10	B1	9	A	N3-C4-N9	-5.96	122.63	127.40
11	B2	162	C	O4'-C1'-N1	5.96	112.97	108.20
11	B2	392	G	C5-N7-C8	5.96	107.28	104.30
11	B2	614	G	P-O5'-C5'	-5.96	111.36	120.90
11	B2	687	G	C4-C5-C6	5.96	122.38	118.80
11	B2	1466	G	N1-C2-N3	-5.96	120.32	123.90
38	A1	55	G	N9-C4-C5	-5.96	103.02	105.40
38	A1	278	C	C6-N1-C2	5.96	122.69	120.30
38	A1	488	A	C1'-O4'-C4'	-5.96	105.13	109.90
38	A1	2346	A	N7-C8-N9	-5.96	110.82	113.80
38	A1	2562	G	N3-C2-N2	5.96	124.07	119.90
11	B2	48	G	C6-N1-C2	5.96	128.68	125.10
11	B2	154	C	N1-C2-N3	5.96	123.37	119.20
11	B2	246	A	C6-C5-N7	-5.96	128.13	132.30
11	B2	372	G	N3-C4-C5	-5.96	125.62	128.60
11	B2	431	U	N1-C2-N3	-5.96	111.32	114.90
11	B2	756	A	C5'-C4'-O4'	-5.96	101.95	109.10
11	B2	845	G	C5-C6-O6	-5.96	125.02	128.60
11	B2	970	G	N3-C2-N2	5.96	124.07	119.90
11	B2	1192	C	C5-C4-N4	-5.96	116.03	120.20
38	A1	73	A	N3-C4-N9	-5.96	122.63	127.40
38	A1	900	C	O4'-C1'-N1	5.96	112.97	108.20
38	A1	1573	A	C3'-C2'-C1'	-5.96	96.73	101.50
43	AB	139	VAL	CA-CB-CG2	-5.96	101.96	110.90
58	Ak	185	LEU	N-CA-CB	5.96	122.32	110.40
7	AU	9	ARG	NE-CZ-NH2	5.96	123.28	120.30
11	B2	60	A	N7-C8-N9	-5.96	110.82	113.80
38	A1	2173	U	P-O3'-C3'	5.96	126.85	119.70
38	A1	2253	G	N9-C4-C5	-5.96	103.02	105.40
38	A1	2334	G	C4-C5-C6	5.96	122.38	118.80
3	Af	42	ARG	NH1-CZ-NH2	5.96	125.95	119.40

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	49	C	O4'-C1'-N1	5.96	112.97	108.20
11	B2	160	C	C4'-C3'-C2'	-5.96	96.64	102.60
11	B2	194	C	C2-N3-C4	-5.96	116.92	119.90
11	B2	754	G	O4'-C1'-N9	5.96	112.97	108.20
11	B2	1159	U	N3-C4-C5	5.96	118.18	114.60
11	B2	1427	C	O4'-C1'-N1	5.96	112.97	108.20
11	B2	1485	G	N3-C2-N2	5.96	124.07	119.90
13	BA	194	PRO	N-CA-CB	5.96	110.45	103.30
38	A1	100	C	N3-C4-C5	-5.96	119.52	121.90
38	A1	125	C	N1-C2-O2	5.96	122.48	118.90
38	A1	528	G	P-O3'-C3'	5.96	126.85	119.70
38	A1	761	U	C4-C5-C6	5.96	123.28	119.70
38	A1	1021	G	C5'-C4'-O4'	5.96	116.25	109.10
38	A1	1919	A	N3-C4-C5	-5.96	122.63	126.80
38	A1	2262	C	N3-C4-C5	-5.96	119.52	121.90
38	A1	2903	U	N3-C4-O4	5.96	123.57	119.40
11	B2	225	U	O4'-C1'-N1	5.96	112.97	108.20
11	B2	727	G	OP1-P-OP2	-5.96	110.67	119.60
11	B2	1046	G	O4'-C1'-N9	5.96	112.97	108.20
11	B2	1290	U	C5-C6-N1	5.96	125.68	122.70
11	B2	1440	G	O4'-C4'-C3'	-5.96	98.04	104.00
38	A1	343	C	C2-N3-C4	5.96	122.88	119.90
38	A1	792	A	C6-N1-C2	5.96	122.17	118.60
38	A1	1385	C	N3-C2-O2	5.96	126.07	121.90
38	A1	1411	G	C5-N7-C8	5.96	107.28	104.30
38	A1	2197	U	N3-C4-C5	-5.96	111.03	114.60
40	A5	8	ARG	NE-CZ-NH2	-5.96	117.32	120.30
38	A1	721	G	C2-N3-C4	5.96	114.88	111.90
38	A1	744	G	C5-C6-O6	-5.96	125.03	128.60
38	A1	786	G	C6-C5-N7	-5.96	126.83	130.40
38	A1	1096	A	C8-N9-C4	-5.96	103.42	105.80
38	A1	1396	A	P-O3'-C3'	5.96	126.85	119.70
38	A1	1709	C	C3'-C2'-C1'	5.96	106.26	101.50
38	A1	1921	U	C4-C5-C6	-5.96	116.13	119.70
38	A1	2363	G	C5-C6-N1	-5.96	108.52	111.50
11	B2	151	G	N3-C4-N9	-5.95	122.43	126.00
11	B2	884	G	N1-C2-N3	-5.95	120.33	123.90
11	B2	919	U	C6-N1-C1'	-5.95	112.86	121.20
11	B2	1367	C	N3-C2-O2	5.95	126.07	121.90
11	B2	1446	G	N3-C2-N2	5.95	124.07	119.90
38	A1	320	C	O4'-C1'-N1	5.95	112.96	108.20
38	A1	769	G	O4'-C1'-N9	5.95	112.96	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	872	G	N3-C2-N2	-5.95	115.73	119.90
38	A1	922	C	C2-N3-C4	5.95	122.88	119.90
38	A1	1735	G	P-O5'-C5'	5.95	130.42	120.90
38	A1	2428	C	C4'-C3'-C2'	-5.95	96.65	102.60
38	A1	2584	A	C6-N1-C2	-5.95	115.03	118.60
38	A1	2948	A	N1-C2-N3	5.95	132.28	129.30
39	A3	93	G	C5-C6-O6	-5.95	125.03	128.60
10	B1	32	A	C4-C5-C6	5.95	119.98	117.00
38	A1	675	G	C5-C6-O6	-5.95	125.03	128.60
38	A1	684	G	C5-N7-C8	5.95	107.28	104.30
38	A1	2199	U	N3-C4-O4	5.95	123.57	119.40
38	A1	2326	C	O4'-C1'-N1	5.95	112.96	108.20
38	A1	2662	G	C8-N9-C4	-5.95	104.02	106.40
52	AH	19	PRO	N-CA-C	5.95	127.58	112.10
10	B1	49	C	O4'-C1'-N1	5.95	112.96	108.20
11	B2	821	G	C6-C5-N7	-5.95	126.83	130.40
11	B2	974	G	C6-N1-C2	-5.95	121.53	125.10
11	B2	985	C	C4'-C3'-C2'	5.95	108.55	102.60
11	B2	1347	U	O4'-C1'-N1	5.95	112.96	108.20
38	A1	186	A	C5-N7-C8	5.95	106.88	103.90
38	A1	455	G	C2-N3-C4	5.95	114.88	111.90
38	A1	741	G	C4-C5-N7	-5.95	108.42	110.80
38	A1	884	C	C6-N1-C2	-5.95	117.92	120.30
38	A1	1168	A	C8-N9-C4	-5.95	103.42	105.80
38	A1	1803	U	N3-C2-O2	-5.95	118.03	122.20
38	A1	2028	G	C2-N3-C4	5.95	114.88	111.90
38	A1	2384	G	N3-C4-N9	5.95	129.57	126.00
38	A1	2488	C	N3-C2-O2	-5.95	117.73	121.90
38	A1	2792	G	N3-C2-N2	5.95	124.06	119.90
10	B1	54	G	C8-N9-C4	-5.95	104.02	106.40
11	B2	201	G	C5-C6-O6	-5.95	125.03	128.60
11	B2	355	C	C4'-C3'-C2'	-5.95	96.65	102.60
11	B2	570	G	C4-C5-C6	5.95	122.37	118.80
11	B2	810	G	N7-C8-N9	-5.95	110.12	113.10
11	B2	922	G	N7-C8-N9	-5.95	110.13	113.10
11	B2	1257	U	N3-C2-O2	5.95	126.36	122.20
34	BV	72	TYR	CB-CG-CD2	-5.95	117.43	121.00
38	A1	1084	G	C2-N3-C4	5.95	114.87	111.90
38	A1	1415	C	C1'-O4'-C4'	5.95	114.66	109.90
38	A1	1477	C	C5-C6-N1	5.95	123.97	121.00
38	A1	1768	C	C2-N3-C4	-5.95	116.93	119.90
38	A1	2617	G	C5-C6-O6	5.95	132.17	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2694	C	P-O3'-C3'	-5.95	112.56	119.70
38	A1	2737	G	C6-N1-C2	5.95	128.67	125.10
38	A1	2868	C	O4'-C1'-N1	5.95	112.96	108.20
38	A1	3036	C	O4'-C4'-C3'	-5.95	98.05	104.00
49	Ae	53	LYS	N-CA-CB	5.95	121.31	110.60
10	B1	49	C	C5-C6-N1	5.95	123.97	121.00
11	B2	621	G	C5-C6-O6	-5.95	125.03	128.60
11	B2	1216	A	O4'-C1'-N9	5.95	112.96	108.20
35	BW	36	ARG	NE-CZ-NH1	-5.95	117.33	120.30
38	A1	269	C	N1-C2-O2	-5.95	115.33	118.90
38	A1	602	G	C6-N1-C2	-5.95	121.53	125.10
38	A1	1505	G	N1-C2-N3	-5.95	120.33	123.90
38	A1	1845	C	N3-C4-N4	5.95	122.16	118.00
38	A1	1937	A	C2-N3-C4	5.95	113.57	110.60
11	B2	729	G	C5-C6-N1	-5.95	108.53	111.50
11	B2	1060	G	C5'-C4'-O4'	5.95	116.23	109.10
32	BT	41	THR	CA-CB-OG1	5.95	121.48	109.00
34	BV	89	ARG	NE-CZ-NH1	5.95	123.27	120.30
38	A1	11	G	C8-N9-C1'	-5.95	119.27	127.00
38	A1	122	G	C8-N9-C4	-5.95	104.02	106.40
38	A1	223	U	O4'-C4'-C3'	-5.95	98.06	104.00
38	A1	502	G	O4'-C1'-N9	5.95	112.96	108.20
38	A1	802	G	N3-C4-C5	-5.95	125.63	128.60
38	A1	833	G	O4'-C1'-N9	5.95	112.96	108.20
38	A1	1016	C	N3-C4-C5	-5.95	119.52	121.90
38	A1	2306	C	C2-N3-C4	5.95	122.87	119.90
38	A1	2469	G	C4-C5-C6	5.95	122.37	118.80
38	A1	2492	G	C4-C5-N7	5.95	113.18	110.80
38	A1	2560	G	N1-C2-N3	-5.95	120.33	123.90
38	A1	2579	G	C5-C6-O6	-5.95	125.03	128.60
38	A1	2791	C	N3-C4-N4	5.95	122.16	118.00
39	A3	79	U	P-O3'-C3'	5.95	126.83	119.70
11	B2	574	A	C5-N7-C8	5.94	106.87	103.90
11	B2	1112	G	N3-C4-C5	5.94	131.57	128.60
11	B2	1178	C	N3-C4-N4	5.94	122.16	118.00
38	A1	135	U	C5-C4-O4	-5.94	122.33	125.90
38	A1	1169	G	N1-C6-O6	5.94	123.47	119.90
38	A1	1250	A	C4-C5-C6	5.94	119.97	117.00
50	AF	122	ALA	CB-CA-C	-5.94	101.18	110.10
11	B2	274	G	C6-C5-N7	-5.94	126.83	130.40
11	B2	777	G	N7-C8-N9	5.94	116.07	113.10
11	B2	856	G	C5-C6-O6	-5.94	125.03	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	883	G	O5'-P-OP1	-5.94	100.35	105.70
11	B2	896	A	C2-N3-C4	5.94	113.57	110.60
11	B2	976	A	N9-C4-C5	5.94	108.18	105.80
11	B2	1002	G	C8-N9-C4	5.94	108.78	106.40
11	B2	1485	G	C6-N1-C2	5.94	128.67	125.10
38	A1	619	G	O4'-C1'-N9	5.94	112.95	108.20
38	A1	1027	A	C5-N7-C8	5.94	106.87	103.90
38	A1	1102	C	C2-N3-C4	5.94	122.87	119.90
38	A1	1982	C	N3-C2-O2	-5.94	117.74	121.90
38	A1	1984	G	N3-C2-N2	5.94	124.06	119.90
38	A1	2045	C	C2-N3-C4	5.94	122.87	119.90
38	A1	2096	G	C4-C5-C6	5.94	122.36	118.80
38	A1	2177	A	C5-N7-C8	5.94	106.87	103.90
39	A3	75	G	C8-N9-C4	5.94	108.78	106.40
11	B2	392	G	N1-C2-N3	-5.94	120.34	123.90
11	B2	615	G	N7-C8-N9	5.94	116.07	113.10
11	B2	679	G	N9-C4-C5	5.94	107.78	105.40
11	B2	798	U	N1-C1'-C2'	-5.94	105.47	112.00
11	B2	939	C	N3-C4-C5	-5.94	119.52	121.90
11	B2	1343	C	N3-C2-O2	5.94	126.06	121.90
38	A1	270	C	O4'-C4'-C3'	-5.94	98.06	104.00
38	A1	2226	G	C2-N3-C4	5.94	114.87	111.90
38	A1	2784	A	C6-C5-N7	-5.94	128.14	132.30
38	A1	296	G	N3-C4-N9	5.94	129.56	126.00
38	A1	382	G	C5-C6-N1	-5.94	108.53	111.50
38	A1	994	G	N7-C8-N9	-5.94	110.13	113.10
38	A1	1224	A	C8-N9-C4	-5.94	103.42	105.80
38	A1	1655	G	N1-C2-N3	-5.94	120.34	123.90
38	A1	2429	G	C6-C5-N7	-5.94	126.84	130.40
11	B2	160	C	O5'-C5'-C4'	-5.94	100.42	111.70
11	B2	264	C	N3-C4-N4	5.94	122.16	118.00
11	B2	408	C	N3-C4-C5	-5.94	119.53	121.90
11	B2	435	A	C4-C5-N7	-5.94	107.73	110.70
11	B2	893	U	P-O3'-C3'	5.94	126.83	119.70
11	B2	1103	G	N7-C8-N9	-5.94	110.13	113.10
11	B2	1167	C	C4'-C3'-C2'	-5.94	96.66	102.60
11	B2	1331	G	P-O3'-C3'	-5.94	112.58	119.70
14	BB	51	ARG	NE-CZ-NH1	5.94	123.27	120.30
38	A1	19	G	C2-N3-C4	5.94	114.87	111.90
38	A1	54	G	N3-C2-N2	5.94	124.06	119.90
38	A1	313	U	P-O3'-C3'	5.94	126.83	119.70
38	A1	468	A	C6-C5-N7	-5.94	128.14	132.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	654	C	N1-C2-O2	-5.94	115.34	118.90
38	A1	708	A	C4-C5-N7	-5.94	107.73	110.70
38	A1	1889	G	N3-C4-N9	5.94	129.56	126.00
38	A1	2119	C	N3-C4-C5	-5.94	119.53	121.90
38	A1	2187	C	C4-C5-C6	5.94	120.37	117.40
38	A1	2261	C	P-O5'-C5'	-5.94	111.40	120.90
38	A1	2563	A	C5-C6-N6	-5.94	118.95	123.70
38	A1	2565	A	O4'-C1'-N9	5.94	112.95	108.20
38	A1	2712	G	O3'-P-O5'	-5.94	92.72	104.00
38	A1	2732	U	N1-C2-N3	5.94	118.46	114.90
39	A3	13	C	C2-N3-C4	5.94	122.87	119.90
11	B2	212	G	N3-C4-N9	5.94	129.56	126.00
11	B2	853	G	C5-N7-C8	-5.94	101.33	104.30
11	B2	1020	G	C4-C5-C6	5.94	122.36	118.80
11	B2	1245	C	C4-C5-C6	5.94	120.37	117.40
11	B2	1441	G	N1-C2-N3	-5.94	120.34	123.90
38	A1	13	U	C5-C4-O4	-5.94	122.34	125.90
38	A1	219	G	N3-C2-N2	5.94	124.06	119.90
38	A1	855	G	N7-C8-N9	5.94	116.07	113.10
38	A1	1091	G	C6-N1-C2	-5.94	121.54	125.10
39	A3	89	G	N1-C6-O6	5.94	123.46	119.90
59	AL	42	ARG	NH1-CZ-NH2	5.94	125.93	119.40
11	B2	262	G	C2'-C3'-O3'	5.93	123.19	113.70
11	B2	1109	C	C5-C6-N1	-5.93	118.03	121.00
11	B2	1196	A	C2-N3-C4	5.93	113.57	110.60
11	B2	1417	A	O4'-C1'-N9	5.93	112.95	108.20
19	BG	77	ASP	CB-CG-OD1	-5.93	112.96	118.30
38	A1	1699	U	O4'-C4'-C3'	-5.93	98.07	104.00
38	A1	2033	G	O4'-C1'-C2'	-5.93	99.86	105.80
38	A1	2187	C	N3-C2-O2	5.93	126.05	121.90
38	A1	2299	G	C6-C5-N7	-5.93	126.84	130.40
38	A1	2471	A	C5-C6-N6	-5.93	118.95	123.70
38	A1	2881	G	C4-C5-C6	5.93	122.36	118.80
11	B2	288	G	N3-C2-N2	5.93	124.05	119.90
11	B2	298	C	C5-C4-N4	-5.93	116.05	120.20
11	B2	645	G	C4-C5-C6	5.93	122.36	118.80
11	B2	886	G	C8-N9-C4	-5.93	104.03	106.40
11	B2	966	G	C5-C6-O6	-5.93	125.04	128.60
38	A1	117	A	O4'-C4'-C3'	-5.93	98.07	104.00
38	A1	178	G	N1-C2-N3	-5.93	120.34	123.90
38	A1	284	U	O4'-C1'-N1	5.93	112.95	108.20
38	A1	874	U	C5-C4-O4	-5.93	122.34	125.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1056	C	C2-N3-C4	5.93	122.87	119.90
38	A1	1211	C	P-O3'-C3'	-5.93	112.58	119.70
38	A1	1482	G	C4-N9-C1'	5.93	134.21	126.50
38	A1	2388	U	N3-C2-O2	5.93	126.35	122.20
38	A1	2746	G	C4-C5-C6	5.93	122.36	118.80
11	B2	1021	C	C5-C6-N1	-5.93	118.03	121.00
38	A1	16	G	N1-C2-N3	-5.93	120.34	123.90
38	A1	541	A	C4-C5-C6	5.93	119.97	117.00
38	A1	964	C	N3-C4-C5	-5.93	119.53	121.90
38	A1	1415	C	C4-C5-C6	5.93	120.37	117.40
38	A1	2053	G	C5-C6-O6	-5.93	125.04	128.60
38	A1	2490	C	O4'-C1'-N1	5.93	112.94	108.20
38	A1	2814	U	O4'-C1'-N1	5.93	112.94	108.20
38	A1	2891	A	C2-N3-C4	5.93	113.56	110.60
65	AV	56	TYR	N-CA-CB	5.93	121.28	110.60
11	B2	217	C	P-O3'-C3'	-5.93	112.58	119.70
11	B2	288	G	C4-C5-C6	5.93	122.36	118.80
11	B2	646	U	N3-C4-O4	5.93	123.55	119.40
11	B2	1144	G	C5'-C4'-C3'	5.93	125.49	116.00
11	B2	1468	A	C8-N9-C4	5.93	108.17	105.80
38	A1	1557	G	C4'-C3'-C2'	-5.93	96.67	102.60
38	A1	1709	C	C5-C4-N4	-5.93	116.05	120.20
38	A1	1722	G	C4-N9-C1'	5.93	134.21	126.50
38	A1	1773	C	N3-C4-N4	5.93	122.15	118.00
38	A1	1823	A	C6-C5-N7	-5.93	128.15	132.30
38	A1	2129	G	N3-C2-N2	5.93	124.05	119.90
38	A1	2987	U	N3-C4-C5	-5.93	111.04	114.60
11	B2	452	G	N3-C2-N2	5.93	124.05	119.90
38	A1	410	C	O4'-C1'-N1	5.93	112.94	108.20
38	A1	1361	G	OP1-P-OP2	-5.93	110.71	119.60
38	A1	2430	C	C4-C5-C6	5.93	120.36	117.40
38	A1	2723	G	C4-C5-C6	5.93	122.36	118.80
38	A1	2895	G	C8-N9-C4	-5.93	104.03	106.40
11	B2	440	C	C6-N1-C2	-5.93	117.93	120.30
11	B2	518	U	C1'-O4'-C4'	5.93	114.64	109.90
11	B2	557	G	O4'-C1'-N9	5.93	112.94	108.20
11	B2	560	A	C4'-C3'-C2'	-5.93	96.67	102.60
11	B2	766	G	C8-N9-C4	-5.93	104.03	106.40
18	BF	82	ARG	NE-CZ-NH1	5.93	123.26	120.30
21	BI	61	TYR	CB-CG-CD2	-5.93	117.44	121.00
38	A1	633	A	C4-C5-C6	5.93	119.96	117.00
38	A1	1005	G	P-O5'-C5'	-5.93	111.42	120.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2338	A	O4'-C1'-C2'	-5.93	99.87	105.80
38	A1	2364	G	C5-C6-O6	-5.93	125.04	128.60
38	A1	2562	G	C2-N3-C4	-5.93	108.94	111.90
38	A1	2831	G	N7-C8-N9	-5.93	110.14	113.10
11	B2	224	A	C5-C6-N1	-5.92	114.74	117.70
11	B2	304	C	O4'-C4'-C3'	-5.92	98.08	104.00
11	B2	372	G	N3-C2-N2	5.92	124.05	119.90
11	B2	446	G	N3-C2-N2	5.92	124.05	119.90
11	B2	628	G	N1-C2-N3	-5.92	120.34	123.90
11	B2	666	G	O4'-C1'-N9	5.92	112.94	108.20
11	B2	1245	C	P-O5'-C5'	-5.92	111.42	120.90
38	A1	113	C	N1-C2-O2	5.92	122.45	118.90
38	A1	147	C	C6-N1-C1'	5.92	127.91	120.80
38	A1	430	A	N1-C2-N3	5.92	132.26	129.30
38	A1	710	G	O4'-C4'-C3'	-5.92	98.08	104.00
38	A1	1008	U	C1'-O4'-C4'	5.92	114.64	109.90
38	A1	1059	C	C4-C5-C6	5.92	120.36	117.40
38	A1	1127	C	N3-C4-C5	-5.92	119.53	121.90
38	A1	1380	G	O4'-C4'-C3'	-5.92	98.08	104.00
38	A1	1468	G	N1-C2-N3	-5.92	120.34	123.90
38	A1	1488	C	C6-N1-C2	5.92	122.67	120.30
38	A1	1744	A	C5'-C4'-O4'	5.92	116.21	109.10
38	A1	1746	C	N3-C4-N4	5.92	122.15	118.00
38	A1	2364	G	C5-N7-C8	5.92	107.26	104.30
38	A1	2683	G	C4-C5-N7	-5.92	108.43	110.80
39	A3	51	U	C4'-C3'-C2'	-5.92	96.68	102.60
39	A3	55	G	C4-C5-C6	5.92	122.36	118.80
54	AI	28	VAL	CA-CB-CG1	5.92	119.79	110.90
11	B2	592	G	C5-C6-N1	-5.92	108.54	111.50
11	B2	954	G	O4'-C1'-N9	5.92	112.94	108.20
11	B2	1046	G	N3-C2-N2	5.92	124.05	119.90
38	A1	659	U	P-O3'-C3'	5.92	126.81	119.70
38	A1	1104	A	C5-C6-N6	-5.92	118.96	123.70
38	A1	1325	A	C4-C5-C6	5.92	119.96	117.00
38	A1	1603	G	O3'-P-O5'	5.92	115.25	104.00
38	A1	2685	G	C4-C5-C6	5.92	122.35	118.80
6	AT	41	ARG	NE-CZ-NH2	-5.92	117.34	120.30
11	B2	443	C	C5-C6-N1	5.92	123.96	121.00
11	B2	892	C	C4'-C3'-C2'	5.92	108.52	102.60
11	B2	1005	G	N3-C2-N2	5.92	124.05	119.90
11	B2	1468	A	C5-C6-N1	-5.92	114.74	117.70
19	BG	53	LYS	O-C-N	-5.92	113.22	122.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BM	101	ALA	N-CA-CB	5.92	118.39	110.10
38	A1	102	A	C5'-C4'-C3'	5.92	125.47	116.00
38	A1	410	C	C2-N3-C4	5.92	122.86	119.90
38	A1	437	G	O4'-C1'-N9	5.92	112.94	108.20
38	A1	491	G	P-O3'-C3'	5.92	126.81	119.70
38	A1	707	U	C2-N1-C1'	5.92	124.81	117.70
38	A1	928	A	C5-C6-N6	-5.92	118.96	123.70
38	A1	1299	C	N3-C4-N4	5.92	122.14	118.00
38	A1	2385	G	P-O3'-C3'	5.92	126.81	119.70
38	A1	2392	A	C6-C5-N7	-5.92	128.16	132.30
48	AE	63	LYS	N-CA-CB	5.92	121.26	110.60
11	B2	1236	G	C4-C5-C6	5.92	122.35	118.80
38	A1	410	C	C6-N1-C1'	-5.92	113.70	120.80
38	A1	741	G	C2-N3-C4	5.92	114.86	111.90
38	A1	2238	G	C8-N9-C4	-5.92	104.03	106.40
11	B2	219	C	C5-C4-N4	-5.92	116.06	120.20
11	B2	534	G	C2-N3-C4	5.92	114.86	111.90
11	B2	957	A	O4'-C1'-N9	5.92	112.94	108.20
11	B2	1082	A	C6-C5-N7	-5.92	128.16	132.30
11	B2	1460	G	N1-C6-O6	5.92	123.45	119.90
38	A1	506	G	C4-C5-N7	5.92	113.17	110.80
38	A1	903	C	N1-C2-O2	-5.92	115.35	118.90
38	A1	1131	G	N9-C4-C5	-5.92	103.03	105.40
38	A1	1510	U	N3-C4-O4	5.92	123.54	119.40
38	A1	2116	G	N7-C8-N9	-5.92	110.14	113.10
38	A1	2530	G	C5-C6-N1	5.92	114.46	111.50
38	A1	2833	G	C8-N9-C4	5.92	108.77	106.40
38	A1	2959	A	C4'-C3'-C2'	-5.92	96.68	102.60
4	AQ	88	ARG	CB-CA-C	5.92	122.23	110.40
11	B2	617	A	C5-C6-N6	-5.92	118.97	123.70
11	B2	1009	G	N7-C8-N9	-5.92	110.14	113.10
17	BE	23	ARG	NH1-CZ-NH2	-5.92	112.89	119.40
28	BP	52	PHE	N-CA-CB	5.92	121.25	110.60
38	A1	148	C	O4'-C1'-N1	5.92	112.93	108.20
38	A1	234	G	C4-C5-C6	5.92	122.35	118.80
38	A1	637	G	N1-C2-N2	-5.92	110.88	116.20
38	A1	758	C	C5-C6-N1	5.92	123.96	121.00
38	A1	942	U	C1'-O4'-C4'	-5.92	105.17	109.90
38	A1	1166	A	N1-C2-N3	-5.92	126.34	129.30
38	A1	1734	G	C6-C5-N7	-5.92	126.85	130.40
38	A1	2255	C	C6-N1-C1'	-5.92	113.70	120.80
38	A1	2447	A	C4-C5-C6	5.92	119.96	117.00

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2653	G	N3-C2-N2	5.92	124.04	119.90
38	A1	2758	G	C4-N9-C1'	-5.92	118.81	126.50
38	A1	2860	G	C5-C6-N1	-5.92	108.54	111.50
50	AF	54	VAL	CA-CB-CG2	-5.92	102.02	110.90
11	B2	311	A	N9-C4-C5	5.92	108.17	105.80
11	B2	582	G	C8-N9-C4	-5.92	104.03	106.40
11	B2	1335	A	C5-C6-N6	-5.92	118.97	123.70
17	BE	52	TYR	CZ-CE2-CD2	-5.92	114.48	119.80
38	A1	389	C	C4'-C3'-C2'	-5.92	96.69	102.60
38	A1	481	G	C4-C5-N7	-5.92	108.43	110.80
38	A1	489	G	N7-C8-N9	5.92	116.06	113.10
38	A1	876	C	N1-C2-O2	5.92	122.45	118.90
38	A1	2008	G	P-O3'-C3'	-5.92	112.60	119.70
38	A1	2257	A	C2-N3-C4	-5.92	107.64	110.60
38	A1	2945	A	C5-C6-N6	-5.92	118.97	123.70
38	A1	3033	G	C5-N7-C8	5.92	107.26	104.30
9	AX	268	ASN	CB-CG-OD1	-5.91	109.77	121.60
11	B2	127	G	O4'-C1'-N9	5.91	112.93	108.20
11	B2	189	C	C5'-C4'-O4'	5.91	116.20	109.10
11	B2	642	G	C4-C5-N7	-5.91	108.43	110.80
11	B2	1297	G	N1-C2-N3	-5.91	120.35	123.90
11	B2	1374	C	C2-N1-C1'	5.91	125.30	118.80
11	B2	1402	C	O4'-C1'-N1	5.91	112.93	108.20
11	B2	1412	A	C4-C5-N7	-5.91	107.74	110.70
11	B2	1444	G	C5-C6-N1	-5.91	108.54	111.50
38	A1	378	G	C5'-C4'-O4'	5.91	116.20	109.10
38	A1	1401	G	N1-C2-N3	-5.91	120.35	123.90
38	A1	2191	U	N1-C2-N3	-5.91	111.35	114.90
38	A1	2193	G	C5-C6-O6	-5.91	125.05	128.60
38	A1	2217	C	C4'-C3'-C2'	5.91	108.51	102.60
38	A1	2294	A	C1'-O4'-C4'	5.91	114.63	109.90
38	A1	2782	A	C4-C5-N7	-5.91	107.74	110.70
53	Ah	21	ARG	NE-CZ-NH1	5.91	123.26	120.30
11	B2	136	A	O4'-C1'-N9	5.91	112.93	108.20
38	A1	196	A	N7-C8-N9	-5.91	110.84	113.80
38	A1	293	G	N3-C4-C5	-5.91	125.64	128.60
38	A1	694	A	C5'-C4'-C3'	-5.91	106.54	116.00
9	AX	219	VAL	CB-CA-C	-5.91	100.17	111.40
11	B2	56	A	C5-C6-N6	-5.91	118.97	123.70
11	B2	82	G	C4-C5-C6	-5.91	115.25	118.80
11	B2	595	U	O4'-C1'-N1	5.91	112.93	108.20
11	B2	968	C	P-O3'-C3'	5.91	126.79	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1058	G	C8-N9-C4	-5.91	104.04	106.40
11	B2	1228	A	N7-C8-N9	5.91	116.75	113.80
38	A1	80	G	N7-C8-N9	-5.91	110.14	113.10
38	A1	696	G	C4'-C3'-C2'	-5.91	96.69	102.60
38	A1	1083	G	C5-C6-O6	-5.91	125.05	128.60
38	A1	1119	A	N7-C8-N9	5.91	116.76	113.80
38	A1	2002	A	C8-N9-C4	-5.91	103.44	105.80
38	A1	2006	C	C6-N1-C2	-5.91	117.94	120.30
38	A1	2465	A	C4-C5-C6	5.91	119.95	117.00
38	A1	2630	C	C2-N3-C4	5.91	122.86	119.90
58	Ak	151	ARG	NE-CZ-NH2	-5.91	117.34	120.30
5	AS	54	VAL	CA-CB-CG2	-5.91	102.04	110.90
9	AX	29	TRP	CG-CD2-CE3	-5.91	128.58	133.90
11	B2	92	G	C1'-O4'-C4'	-5.91	105.17	109.90
11	B2	201	G	N3-C4-C5	-5.91	125.65	128.60
11	B2	427	G	C8-N9-C4	5.91	108.76	106.40
11	B2	886	G	N9-C4-C5	5.91	107.76	105.40
11	B2	1068	C	C4'-C3'-C2'	-5.91	96.69	102.60
11	B2	1235	A	C6-N1-C2	-5.91	115.06	118.60
11	B2	1387	C	N1-C2-N3	-5.91	115.06	119.20
38	A1	302	U	C4-C5-C6	-5.91	116.16	119.70
38	A1	967	G	N3-C2-N2	5.91	124.04	119.90
38	A1	1272	A	O4'-C1'-N9	5.91	112.93	108.20
38	A1	1342	G	N7-C8-N9	5.91	116.06	113.10
38	A1	2497	G	C5-N7-C8	5.91	107.25	104.30
38	A1	2573	C	C1'-O4'-C4'	5.91	114.63	109.90
41	AA	58	LYS	CB-CA-C	-5.91	98.58	110.40
41	AA	119	ARG	NE-CZ-NH1	-5.91	117.35	120.30
11	B2	369	A	P-O5'-C5'	5.91	130.35	120.90
11	B2	437	A	N7-C8-N9	-5.91	110.85	113.80
11	B2	1178	C	C2-N3-C4	5.91	122.85	119.90
38	A1	982	G	C6-N1-C2	5.91	128.64	125.10
38	A1	1614	U	N1-C2-O2	-5.91	118.67	122.80
38	A1	2499	U	C5-C4-O4	-5.91	122.36	125.90
38	A1	2504	U	C5-C4-O4	-5.91	122.36	125.90
38	A1	2727	C	C4-C5-C6	5.91	120.35	117.40
39	A3	89	G	C2'-C3'-O3'	5.91	123.15	113.70
11	B2	267	C	P-O5'-C5'	5.91	130.35	120.90
11	B2	1057	A	C4'-C3'-C2'	-5.91	96.69	102.60
38	A1	80	G	N9-C4-C5	-5.91	103.04	105.40
38	A1	898	G	N9-C4-C5	5.91	107.76	105.40
38	A1	933	G	C6-C5-N7	-5.91	126.86	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	955	A	N9-C4-C5	5.91	108.16	105.80
38	A1	1471	G	C4-C5-C6	-5.91	115.26	118.80
38	A1	1611	C	C5-C4-N4	-5.91	116.07	120.20
38	A1	1809	G	C5'-C4'-O4'	5.91	116.19	109.10
38	A1	1827	A	C5-C6-N6	-5.91	118.98	123.70
38	A1	2136	G	C6-C5-N7	-5.91	126.86	130.40
38	A1	2366	G	C6-N1-C2	5.91	128.64	125.10
38	A1	2580	G	C2-N3-C4	-5.91	108.95	111.90
39	A3	3	G	N9-C4-C5	-5.91	103.04	105.40
11	B2	1	A	C5-C6-N6	-5.90	118.98	123.70
11	B2	1198	A	C5-C6-N6	-5.90	118.98	123.70
11	B2	1230	G	C6-N1-C2	5.90	128.64	125.10
38	A1	551	A	C4-C5-N7	-5.90	107.75	110.70
38	A1	1133	U	O4'-C1'-N1	5.90	112.92	108.20
38	A1	1816	C	C2-N3-C4	5.90	122.85	119.90
38	A1	1916	U	C5-C4-O4	5.90	129.44	125.90
38	A1	2247	G	C3'-C2'-C1'	5.90	106.22	101.50
38	A1	2714	G	O4'-C1'-N9	5.90	112.92	108.20
59	AL	34	ARG	NE-CZ-NH2	-5.90	117.35	120.30
10	B1	6	G	C6-N1-C2	5.90	128.64	125.10
11	B2	1309	A	C8-N9-C4	5.90	108.16	105.80
38	A1	30	G	N3-C4-C5	-5.90	125.65	128.60
38	A1	84	A	O5'-P-OP1	5.90	117.78	110.70
38	A1	440	A	N1-C6-N6	5.90	122.14	118.60
38	A1	1010	G	C6-C5-N7	-5.90	126.86	130.40
38	A1	1257	G	C8-N9-C1'	-5.90	119.33	127.00
38	A1	1659	G	C5-C6-N1	-5.90	108.55	111.50
38	A1	1873	G	O4'-C1'-C2'	5.90	112.91	107.60
38	A1	1946	G	N1-C6-O6	5.90	123.44	119.90
38	A1	2105	A	N1-C2-N3	5.90	132.25	129.30
38	A1	2183	A	C5-C6-N6	-5.90	118.98	123.70
38	A1	2201	C	C6-N1-C2	-5.90	117.94	120.30
39	A3	104	C	C5-C4-N4	-5.90	116.07	120.20
66	AY	12	ARG	CG-CD-NE	-5.90	99.41	111.80
10	B1	70	C	N3-C4-N4	5.90	122.13	118.00
11	B2	923	A	C5-N7-C8	-5.90	100.95	103.90
11	B2	1009	G	C5-N7-C8	5.90	107.25	104.30
38	A1	471	U	C5-C6-N1	5.90	125.65	122.70
38	A1	2021	G	C6-C5-N7	-5.90	126.86	130.40
38	A1	2224	G	C6-C5-N7	-5.90	126.86	130.40
38	A1	2657	A	C8-N9-C4	-5.90	103.44	105.80
38	A1	2738	G	C2-N3-C4	5.90	114.85	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	3033	G	N3-C2-N2	5.90	124.03	119.90
11	B2	21	A	C8-N9-C4	5.90	108.16	105.80
11	B2	251	G	N1-C2-N2	-5.90	110.89	116.20
38	A1	1067	G	N3-C4-C5	-5.90	125.65	128.60
38	A1	2106	G	C1'-O4'-C4'	-5.90	105.18	109.90
11	B2	257	U	O4'-C1'-N1	5.90	112.92	108.20
11	B2	300	G	C2-N3-C4	5.90	114.85	111.90
11	B2	871	A	C4-C5-C6	5.90	119.95	117.00
11	B2	1228	A	O4'-C1'-N9	5.90	112.92	108.20
11	B2	1440	G	N7-C8-N9	-5.90	110.15	113.10
38	A1	395	G	C4-C5-N7	5.90	113.16	110.80
38	A1	1105	C	C5'-C4'-O4'	5.90	116.18	109.10
38	A1	1549	C	C2-N3-C4	5.90	122.85	119.90
38	A1	2849	C	P-O3'-C3'	5.90	126.78	119.70
38	A1	2851	A	C6-N1-C2	-5.90	115.06	118.60
38	A1	2990	G	N1-C2-N2	-5.90	110.89	116.20
46	AD	104	ASP	CB-CG-OD1	5.90	123.61	118.30
11	B2	259	A	O4'-C1'-N9	5.90	112.92	108.20
38	A1	128	C	C5-C4-N4	-5.90	116.07	120.20
38	A1	573	G	O4'-C1'-N9	5.90	112.92	108.20
38	A1	746	C	O4'-C1'-N1	5.90	112.92	108.20
38	A1	908	U	N3-C4-C5	5.90	118.14	114.60
38	A1	962	C	C5'-C4'-O4'	5.90	116.17	109.10
38	A1	971	G	C6-N1-C2	-5.90	121.56	125.10
38	A1	1833	G	C5-N7-C8	5.90	107.25	104.30
38	A1	2219	A	C3'-C2'-C1'	5.90	106.22	101.50
38	A1	2684	G	C6-N1-C2	-5.90	121.56	125.10
39	A3	20	G	O4'-C1'-N9	5.90	112.92	108.20
5	AS	43	MET	CG-SD-CE	-5.89	90.77	100.20
11	B2	340	A	P-O3'-C3'	-5.89	112.63	119.70
11	B2	1083	G	C4-C5-C6	5.89	122.34	118.80
11	B2	1128	U	P-O5'-C5'	5.89	130.33	120.90
38	A1	102	A	P-O3'-C3'	5.89	126.77	119.70
38	A1	315	U	P-O5'-C5'	-5.89	111.47	120.90
38	A1	371	U	N3-C4-O4	5.89	123.53	119.40
38	A1	1015	G	OP1-P-OP2	-5.89	110.76	119.60
38	A1	1202	G	C6-C5-N7	-5.89	126.86	130.40
38	A1	1207	G	N3-C4-C5	5.89	131.55	128.60
38	A1	1445	G	N9-C4-C5	5.89	107.76	105.40
38	A1	1633	A	C4'-C3'-C2'	-5.89	96.71	102.60
38	A1	1849	A	C2-N3-C4	-5.89	107.65	110.60
38	A1	1884	C	C5-C4-N4	-5.89	116.07	120.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1940	U	P-O5'-C5'	-5.89	111.47	120.90
38	A1	2373	G	C3'-C2'-C1'	5.89	106.22	101.50
38	A1	2433	U	C6-N1-C2	-5.89	117.46	121.00
54	AI	125	ARG	NE-CZ-NH2	-5.89	117.35	120.30
58	Ak	147	ALA	CB-CA-C	-5.89	101.26	110.10
60	AM	11	TRP	CB-CG-CD2	-5.89	118.94	126.60
11	B2	57	G	N1-C6-O6	5.89	123.44	119.90
11	B2	744	A	C5-N7-C8	5.89	106.85	103.90
11	B2	1040	A	O4'-C1'-N9	5.89	112.91	108.20
11	B2	1242	C	P-O5'-C5'	5.89	130.33	120.90
38	A1	397	G	C6-C5-N7	-5.89	126.86	130.40
38	A1	475	U	N3-C2-O2	5.89	126.33	122.20
38	A1	583	A	C4-C5-N7	-5.89	107.75	110.70
38	A1	632	G	C8-N9-C4	5.89	108.76	106.40
38	A1	908	U	O4'-C1'-N1	5.89	112.92	108.20
38	A1	1363	C	N1-C2-O2	-5.89	115.36	118.90
38	A1	1373	C	P-O3'-C3'	5.89	126.77	119.70
38	A1	1864	G	C6-N1-C2	-5.89	121.56	125.10
38	A1	2240	G	C5-C6-N1	5.89	114.45	111.50
38	A1	2259	G	C4-C5-N7	5.89	113.16	110.80
39	A3	15	G	C8-N9-C4	-5.89	104.04	106.40
4	AQ	135	LYS	CB-CA-C	-5.89	98.62	110.40
38	A1	806	C	O4'-C1'-N1	5.89	112.91	108.20
38	A1	1552	C	N1-C1'-C2'	-5.89	105.52	112.00
38	A1	1794	C	C4-C5-C6	-5.89	114.45	117.40
11	B2	1272	G	O4'-C1'-N9	5.89	112.91	108.20
38	A1	145	C	P-O3'-C3'	5.89	126.77	119.70
38	A1	629	G	N7-C8-N9	5.89	116.04	113.10
38	A1	953	G	P-O3'-C3'	5.89	126.77	119.70
38	A1	1646	G	O4'-C1'-N9	5.89	112.91	108.20
38	A1	1864	G	N3-C4-C5	-5.89	125.66	128.60
38	A1	1878	G	N3-C2-N2	5.89	124.02	119.90
38	A1	2714	G	N3-C4-N9	-5.89	122.47	126.00
38	A1	3032	C	C4'-C3'-C2'	-5.89	96.71	102.60
11	B2	751	C	N3-C2-O2	5.89	126.02	121.90
38	A1	905	G	C6-C5-N7	-5.89	126.87	130.40
38	A1	2244	G	C5-N7-C8	-5.89	101.36	104.30
10	B1	29	C	O4'-C4'-C3'	-5.89	98.11	104.00
11	B2	738	C	C5-C4-N4	-5.89	116.08	120.20
11	B2	1335	A	C5-N7-C8	-5.89	100.96	103.90
38	A1	782	G	N3-C4-C5	5.89	131.54	128.60
38	A1	987	G	C4'-C3'-C2'	-5.89	96.71	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1385	C	C1'-O4'-C4'	-5.89	105.19	109.90
38	A1	2285	G	C4-C5-C6	5.89	122.33	118.80
38	A1	2848	C	N3-C4-N4	5.89	122.12	118.00
38	A1	2988	A	N3-C4-C5	-5.89	122.68	126.80
41	AA	1	MET	CG-SD-CE	-5.89	90.78	100.20
43	AB	220	ARG	NE-CZ-NH2	5.89	123.24	120.30
11	B2	495	G	C6-N1-C2	5.88	128.63	125.10
11	B2	866	A	C6-C5-N7	-5.88	128.18	132.30
11	B2	1311	C	N3-C2-O2	5.88	126.02	121.90
11	B2	1409	G	N9-C4-C5	-5.88	103.05	105.40
38	A1	101	G	C5-C6-O6	-5.88	125.07	128.60
38	A1	828	G	C5-C6-O6	-5.88	125.07	128.60
38	A1	1453	G	C3'-C2'-C1'	-5.88	96.79	101.50
38	A1	1454	G	N9-C1'-C2'	-5.88	105.53	112.00
38	A1	2105	A	C2-N3-C4	-5.88	107.66	110.60
38	A1	2478	G	C1'-O4'-C4'	-5.88	105.19	109.90
38	A1	3038	A	C8-N9-C4	-5.88	103.45	105.80
11	B2	393	A	C5'-C4'-C3'	-5.88	106.59	116.00
11	B2	745	G	N1-C6-O6	5.88	123.43	119.90
11	B2	853	G	C6-N1-C2	5.88	128.63	125.10
11	B2	866	A	C5-N7-C8	5.88	106.84	103.90
11	B2	919	U	P-O5'-C5'	5.88	130.31	120.90
11	B2	1277	C	N1-C2-O2	5.88	122.43	118.90
32	BT	52	ARG	NE-CZ-NH2	-5.88	117.36	120.30
38	A1	865	C	N1-C2-O2	5.88	122.43	118.90
38	A1	1159	U	N3-C4-O4	5.88	123.52	119.40
38	A1	2762	G	C5-C6-N1	5.88	114.44	111.50
38	A1	3014	U	N1-C2-O2	-5.88	118.68	122.80
11	B2	109	U	O4'-C1'-N1	5.88	112.91	108.20
11	B2	244	G	N7-C8-N9	5.88	116.04	113.10
11	B2	321	A	C2-N3-C4	5.88	113.54	110.60
11	B2	374	G	C5-C6-O6	-5.88	125.07	128.60
11	B2	451	A	P-O3'-C3'	5.88	126.76	119.70
11	B2	1449	G	O4'-C4'-C3'	-5.88	98.12	104.00
38	A1	408	C	N3-C4-C5	-5.88	119.55	121.90
38	A1	554	C	N3-C4-N4	5.88	122.12	118.00
38	A1	703	G	C5-N7-C8	5.88	107.24	104.30
38	A1	1115	A	C8-N9-C4	-5.88	103.45	105.80
38	A1	1264	G	N1-C6-O6	5.88	123.43	119.90
38	A1	1403	C	O4'-C1'-N1	5.88	112.91	108.20
38	A1	1486	G	O4'-C1'-N9	5.88	112.91	108.20
38	A1	1515	G	N9-C4-C5	-5.88	103.05	105.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1979	G	O4'-C1'-N9	5.88	112.91	108.20
38	A1	2879	G	C8-N9-C1'	-5.88	119.36	127.00
11	B2	1151	A	P-O3'-C3'	-5.88	112.64	119.70
11	B2	1343	C	C5-C6-N1	5.88	123.94	121.00
38	A1	112	U	P-O3'-C3'	5.88	126.76	119.70
38	A1	266	A	N9-C4-C5	5.88	108.15	105.80
38	A1	1364	C	P-O3'-C3'	-5.88	112.64	119.70
38	A1	2884	C	C6-N1-C2	5.88	122.65	120.30
38	A1	3020	G	C8-N9-C1'	-5.88	119.36	127.00
11	B2	108	G	O4'-C1'-N9	5.88	112.90	108.20
38	A1	271	G	N3-C4-N9	5.88	129.53	126.00
38	A1	459	C	N3-C2-O2	-5.88	117.78	121.90
38	A1	644	G	N3-C4-C5	5.88	131.54	128.60
38	A1	725	G	N1-C2-N3	-5.88	120.37	123.90
38	A1	869	A	O4'-C1'-N9	5.88	112.90	108.20
38	A1	1517	G	C2-N3-C4	-5.88	108.96	111.90
38	A1	1540	A	C5-C6-N6	-5.88	119.00	123.70
38	A1	1862	G	C4-C5-N7	-5.88	108.45	110.80
38	A1	2008	G	C6-N1-C2	5.88	128.63	125.10
38	A1	2402	A	O4'-C1'-C2'	-5.88	99.92	105.80
38	A1	2828	G	C5-C6-O6	-5.88	125.07	128.60
10	B1	25	G	C4-C5-C6	5.88	122.33	118.80
11	B2	397	C	N3-C2-O2	-5.88	117.79	121.90
11	B2	737	C	C5'-C4'-O4'	5.88	116.15	109.10
11	B2	1320	A	C8-N9-C4	-5.88	103.45	105.80
38	A1	1258	G	C2-N3-C4	-5.88	108.96	111.90
38	A1	1356	A	C4-C5-C6	5.88	119.94	117.00
38	A1	1442	G	C5'-C4'-C3'	-5.88	106.60	116.00
38	A1	2014	A	O5'-P-OP2	5.88	117.75	110.70
38	A1	2325	C	N3-C4-C5	-5.88	119.55	121.90
38	A1	2902	G	O5'-P-OP2	-5.88	100.41	105.70
11	B2	1065	C	C2-N3-C4	5.88	122.84	119.90
38	A1	300	U	C5-C6-N1	5.88	125.64	122.70
38	A1	447	G	C8-N9-C4	-5.88	104.05	106.40
38	A1	943	G	C5'-C4'-O4'	5.88	116.15	109.10
38	A1	1108	A	C2-N3-C4	-5.88	107.66	110.60
38	A1	1178	G	N9-C4-C5	5.88	107.75	105.40
38	A1	1221	U	C2-N3-C4	-5.88	123.47	127.00
38	A1	1553	G	C5-C6-N1	5.88	114.44	111.50
38	A1	2816	C	C5-C6-N1	5.88	123.94	121.00
41	AA	170	GLU	OE1-CD-OE2	5.88	130.35	123.30
43	AB	154	MET	CG-SD-CE	-5.88	90.80	100.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	152	G	C5-C6-O6	-5.87	125.08	128.60
11	B2	344	G	C4'-C3'-C2'	-5.87	96.73	102.60
11	B2	1091	C	C1'-O4'-C4'	-5.87	105.20	109.90
38	A1	69	C	OP1-P-OP2	-5.87	110.79	119.60
38	A1	262	C	C2-N1-C1'	-5.87	112.34	118.80
38	A1	919	G	P-O3'-C3'	5.87	126.75	119.70
38	A1	1130	G	C6-C5-N7	-5.87	126.88	130.40
38	A1	1671	A	C2-N3-C4	5.87	113.54	110.60
38	A1	1966	C	C4-C5-C6	5.87	120.34	117.40
38	A1	2033	G	N1-C6-O6	5.87	123.42	119.90
38	A1	2433	U	C5-C6-N1	5.87	125.64	122.70
38	A1	2462	U	P-O3'-C3'	-5.87	112.65	119.70
38	A1	2603	A	C5-C6-N1	-5.87	114.76	117.70
38	A1	2811	U	N3-C4-C5	-5.87	111.08	114.60
38	A1	2977	G	N9-C4-C5	-5.87	103.05	105.40
39	A3	35	A	N3-C4-N9	-5.87	122.70	127.40
58	Ak	26	ALA	CB-CA-C	-5.87	101.29	110.10
11	B2	105	C	O3'-P-O5'	5.87	115.16	104.00
11	B2	151	G	C6-C5-N7	5.87	133.92	130.40
11	B2	384	G	N3-C4-N9	5.87	129.52	126.00
11	B2	500	A	N1-C2-N3	-5.87	126.36	129.30
11	B2	667	G	C2-N3-C4	-5.87	108.96	111.90
11	B2	985	C	N3-C2-O2	5.87	126.01	121.90
11	B2	1433	C	N1-C2-N3	-5.87	115.09	119.20
34	BV	50	THR	CA-CB-CG2	5.87	120.62	112.40
38	A1	15	A	N1-C2-N3	-5.87	126.36	129.30
38	A1	61	G	C5-N7-C8	5.87	107.23	104.30
38	A1	82	C	C6-N1-C2	-5.87	117.95	120.30
38	A1	878	G	C6-C5-N7	-5.87	126.88	130.40
38	A1	908	U	C2-N3-C4	-5.87	123.48	127.00
38	A1	1093	G	C5-N7-C8	-5.87	101.36	104.30
38	A1	1604	G	O4'-C1'-N9	5.87	112.90	108.20
38	A1	1651	A	C5-N7-C8	5.87	106.84	103.90
38	A1	3033	G	C5-C6-O6	-5.87	125.08	128.60
45	AC	251	ARG	NE-CZ-NH1	5.87	123.24	120.30
10	B1	35	G	O4'-C1'-C2'	5.87	112.88	107.60
38	A1	41	G	C5-C6-N1	-5.87	108.56	111.50
38	A1	568	A	C8-N9-C4	5.87	108.15	105.80
38	A1	1168	A	C4-C5-N7	-5.87	107.77	110.70
10	B1	5	C	N3-C2-O2	5.87	126.01	121.90
11	B2	841	C	C5-C4-N4	-5.87	116.09	120.20
11	B2	1274	C	C1'-O4'-C4'	5.87	114.59	109.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1418	G	N9-C1'-C2'	-5.87	105.55	112.00
15	BC	75	LEU	N-CA-CB	5.87	122.14	110.40
20	BH	14	GLU	C-N-CA	5.87	136.37	121.70
38	A1	7	G	C5-C6-N1	-5.87	108.57	111.50
38	A1	461	C	N3-C4-N4	5.87	122.11	118.00
38	A1	615	A	O4'-C1'-N9	5.87	112.89	108.20
38	A1	1211	C	N3-C4-C5	-5.87	119.55	121.90
38	A1	1286	G	N3-C2-N2	5.87	124.01	119.90
38	A1	1832	G	N3-C4-N9	-5.87	122.48	126.00
38	A1	1955	U	C2-N3-C4	-5.87	123.48	127.00
38	A1	2325	C	N3-C4-N4	5.87	122.11	118.00
38	A1	2890	A	O4'-C1'-C2'	-5.87	99.93	105.80
11	B2	674	C	C1'-O4'-C4'	-5.87	105.21	109.90
11	B2	887	G	O4'-C4'-C3'	-5.87	98.13	104.00
38	A1	803	A	C8-N9-C4	-5.87	103.45	105.80
38	A1	1352	U	P-O5'-C5'	-5.87	111.51	120.90
38	A1	1707	A	N1-C2-N3	5.87	132.23	129.30
60	AM	83	SER	N-CA-CB	5.87	119.30	110.50
1	A7	33	TYR	CB-CG-CD2	-5.87	117.48	121.00
11	B2	732	G	C6-N1-C2	5.87	128.62	125.10
11	B2	747	U	O4'-C1'-N1	5.87	112.89	108.20
11	B2	1423	A	C5'-C4'-C3'	5.87	125.39	116.00
38	A1	484	C	N3-C4-N4	5.87	122.11	118.00
38	A1	512	G	N3-C4-C5	5.87	131.53	128.60
38	A1	575	G	N3-C2-N2	5.87	124.01	119.90
38	A1	644	G	O4'-C1'-N9	5.87	112.89	108.20
38	A1	769	G	C5'-C4'-C3'	-5.87	106.61	116.00
38	A1	841	U	N3-C4-O4	5.87	123.51	119.40
38	A1	971	G	C4-C5-C6	5.87	122.32	118.80
38	A1	1727	G	N7-C8-N9	-5.87	110.17	113.10
38	A1	2037	A	O5'-C5'-C4'	-5.87	100.56	111.70
38	A1	2053	G	N3-C4-C5	-5.87	125.67	128.60
38	A1	2431	C	C4-C5-C6	5.87	120.33	117.40
38	A1	2754	A	N1-C2-N3	5.87	132.23	129.30
38	A1	2961	A	C2-N3-C4	5.87	113.53	110.60
11	B2	244	G	C5-N7-C8	-5.86	101.37	104.30
11	B2	638	G	N1-C2-N3	-5.86	120.38	123.90
11	B2	1182	G	N1-C2-N2	-5.86	110.92	116.20
13	BA	25	ASP	CB-CG-OD1	-5.86	113.02	118.30
14	BB	195	PHE	CB-CG-CD1	5.86	124.90	120.80
38	A1	196	A	C6-C5-N7	-5.86	128.20	132.30
38	A1	328	G	O4'-C1'-N9	5.86	112.89	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	821	U	O4'-C4'-C3'	-5.86	98.14	104.00
38	A1	1306	A	N1-C2-N3	5.86	132.23	129.30
38	A1	1651	A	C6-N1-C2	5.86	122.12	118.60
38	A1	2067	U	N1-C2-O2	-5.86	118.69	122.80
38	A1	2336	G	C8-N9-C1'	5.86	134.62	127.00
38	A1	2376	U	C3'-C2'-C1'	5.86	106.19	101.50
38	A1	2703	G	N3-C4-C5	-5.86	125.67	128.60
45	AC	321	PHE	CB-CG-CD1	5.86	124.91	120.80
46	AD	190	ARG	NE-CZ-NH1	5.86	123.23	120.30
56	AJ	135	SER	O-C-N	5.86	132.08	122.70
11	B2	1228	A	C5-C6-N6	-5.86	119.01	123.70
11	B2	1364	C	C2-N1-C1'	5.86	125.25	118.80
38	A1	1403	C	N3-C4-N4	5.86	122.10	118.00
38	A1	2255	C	O4'-C4'-C3'	-5.86	98.14	104.00
43	AB	38	GLU	CB-CG-CD	-5.86	98.37	114.20
65	AV	53	THR	O-C-N	-5.86	113.32	122.70
11	B2	235	G	N9-C4-C5	-5.86	103.06	105.40
11	B2	251	G	N3-C4-N9	5.86	129.52	126.00
11	B2	270	A	C5-C6-N6	-5.86	119.01	123.70
11	B2	995	G	N3-C4-N9	-5.86	122.48	126.00
11	B2	1278	A	C5-C6-N6	-5.86	119.01	123.70
38	A1	318	G	C1'-O4'-C4'	-5.86	105.21	109.90
38	A1	896	G	N9-C4-C5	5.86	107.74	105.40
38	A1	935	A	N1-C2-N3	5.86	132.23	129.30
38	A1	1257	G	C6-N1-C2	5.86	128.62	125.10
38	A1	1735	G	C6-N1-C2	5.86	128.62	125.10
11	B2	715	C	P-O5'-C5'	5.86	130.28	120.90
11	B2	1418	G	C2-N3-C4	-5.86	108.97	111.90
38	A1	239	G	P-O3'-C3'	-5.86	112.67	119.70
38	A1	346	U	C5-C4-O4	-5.86	122.39	125.90
38	A1	407	A	C3'-C2'-C1'	5.86	106.19	101.50
38	A1	849	C	P-O5'-C5'	-5.86	111.53	120.90
38	A1	1862	G	N7-C8-N9	5.86	116.03	113.10
39	A3	84	U	P-O3'-C3'	5.86	126.73	119.70
45	AC	42	ALA	N-CA-CB	5.86	118.30	110.10
11	B2	528	G	N3-C2-N2	5.86	124.00	119.90
11	B2	1066	C	C1'-O4'-C4'	5.86	114.59	109.90
38	A1	931	C	P-O5'-C5'	5.86	130.27	120.90
38	A1	1286	G	C5-C6-O6	-5.86	125.09	128.60
38	A1	1434	C	O4'-C1'-N1	5.86	112.89	108.20
38	A1	1826	G	O4'-C1'-N9	5.86	112.89	108.20
38	A1	1880	A	N1-C2-N3	5.86	132.23	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1915	G	N3-C2-N2	5.86	124.00	119.90
38	A1	2079	U	N3-C2-O2	-5.86	118.10	122.20
38	A1	2200	A	P-O3'-C3'	-5.86	112.67	119.70
38	A1	2279	G	C1'-O4'-C4'	-5.86	105.22	109.90
38	A1	2393	G	C4'-C3'-C2'	-5.86	96.74	102.60
38	A1	2454	G	C5'-C4'-C3'	-5.86	106.63	116.00
38	A1	2714	G	N3-C2-N2	5.86	124.00	119.90
38	A1	2879	G	O4'-C1'-N9	5.86	112.89	108.20
10	B1	18	U	N3-C4-C5	-5.86	111.09	114.60
10	B1	64	C	O5'-C5'-C4'	-5.86	100.58	111.70
11	B2	183	A	P-O3'-C3'	5.86	126.73	119.70
11	B2	548	A	O4'-C1'-N9	5.86	112.89	108.20
11	B2	1090	C	C1'-O4'-C4'	5.86	114.58	109.90
11	B2	1249	A	C2-N3-C4	5.86	113.53	110.60
11	B2	1261	U	N3-C2-O2	5.86	126.30	122.20
19	BG	97	LYS	CB-CA-C	-5.86	98.69	110.40
38	A1	51	G	N1-C2-N3	-5.86	120.39	123.90
38	A1	266	A	C6-N1-C2	5.86	122.11	118.60
38	A1	1517	G	N9-C4-C5	-5.86	103.06	105.40
38	A1	1604	G	O4'-C1'-C2'	5.86	112.87	107.60
38	A1	2032	G	C4-C5-N7	5.86	113.14	110.80
38	A1	2858	C	O4'-C1'-N1	5.86	112.88	108.20
11	B2	64	G	N1-C6-O6	5.85	123.41	119.90
11	B2	701	G	N1-C6-O6	-5.85	116.39	119.90
11	B2	1440	G	C1'-O4'-C4'	5.85	114.58	109.90
38	A1	1375	G	N7-C8-N9	-5.85	110.17	113.10
7	AU	93	TYR	CB-CG-CD2	-5.85	117.49	121.00
11	B2	86	C	N3-C4-N4	5.85	122.10	118.00
11	B2	611	A	C2-N3-C4	5.85	113.53	110.60
11	B2	893	U	C2-N3-C4	5.85	130.51	127.00
11	B2	1441	G	N7-C8-N9	-5.85	110.17	113.10
11	B2	1458	A	C5-N7-C8	5.85	106.83	103.90
38	A1	19	G	N3-C2-N2	5.85	124.00	119.90
38	A1	516	A	C5-C6-N6	-5.85	119.02	123.70
38	A1	1036	C	N3-C2-O2	5.85	126.00	121.90
38	A1	1169	G	O4'-C1'-N9	5.85	112.88	108.20
38	A1	1221	U	C4-C5-C6	5.85	123.21	119.70
38	A1	1544	C	N3-C4-N4	5.85	122.10	118.00
38	A1	1643	A	C4-C5-N7	-5.85	107.77	110.70
38	A1	1868	C	O4'-C1'-N1	5.85	112.88	108.20
38	A1	1970	G	C5-N7-C8	5.85	107.23	104.30
38	A1	2407	G	N3-C2-N2	5.85	124.00	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2597	A	C5-C6-N6	-5.85	119.02	123.70
38	A1	2854	A	C3'-C2'-C1'	-5.85	96.82	101.50
11	B2	327	G	O4'-C1'-N9	5.85	112.88	108.20
11	B2	379	A	N7-C8-N9	-5.85	110.88	113.80
11	B2	485	A	C5-N7-C8	5.85	106.83	103.90
11	B2	961	U	C5'-C4'-C3'	-5.85	106.64	116.00
38	A1	1763	A	C3'-C2'-C1'	-5.85	96.82	101.50
38	A1	2003	C	C2-N3-C4	-5.85	116.97	119.90
38	A1	2337	G	N9-C4-C5	-5.85	103.06	105.40
38	A1	2796	C	C5-C4-N4	-5.85	116.10	120.20
60	AM	48	ALA	CB-CA-C	-5.85	101.32	110.10
11	B2	137	A	C5-C6-N1	-5.85	114.78	117.70
11	B2	221	A	C5-C6-N6	5.85	128.38	123.70
11	B2	464	G	C6-C5-N7	-5.85	126.89	130.40
11	B2	892	C	N1-C2-O2	-5.85	115.39	118.90
38	A1	33	U	P-O5'-C5'	-5.85	111.54	120.90
38	A1	1148	C	N3-C4-N4	5.85	122.09	118.00
38	A1	1278	C	C2-N3-C4	5.85	122.83	119.90
38	A1	1429	A	C5-C6-N6	-5.85	119.02	123.70
38	A1	1476	C	N1-C2-O2	5.85	122.41	118.90
38	A1	1576	C	C3'-C2'-C1'	5.85	106.18	101.50
38	A1	1601	G	O4'-C1'-N9	5.85	112.88	108.20
38	A1	1781	C	N3-C4-C5	-5.85	119.56	121.90
38	A1	1825	G	N1-C6-O6	5.85	123.41	119.90
38	A1	2439	G	N1-C2-N2	-5.85	110.94	116.20
38	A1	2804	C	C5-C6-N1	5.85	123.92	121.00
38	A1	3046	C	N3-C4-C5	-5.85	119.56	121.90
10	B1	56	U	N1-C2-O2	-5.85	118.71	122.80
11	B2	196	G	C8-N9-C4	5.85	108.74	106.40
11	B2	247	G	P-O3'-C3'	5.85	126.72	119.70
11	B2	392	G	N3-C4-N9	5.85	129.51	126.00
11	B2	700	G	O4'-C4'-C3'	-5.85	98.15	104.00
11	B2	1206	G	N1-C2-N3	-5.85	120.39	123.90
11	B2	1208	A	N1-C6-N6	5.85	122.11	118.60
11	B2	1430	G	N3-C4-N9	-5.85	122.49	126.00
18	BF	155	ARG	NE-CZ-NH2	-5.85	117.38	120.30
20	BH	108	PHE	CB-CG-CD2	-5.85	116.71	120.80
38	A1	242	C	C1'-O4'-C4'	-5.85	105.22	109.90
38	A1	262	C	C6-N1-C1'	5.85	127.82	120.80
38	A1	421	C	C6-N1-C2	-5.85	117.96	120.30
38	A1	1265	A	C3'-C2'-C1'	-5.85	96.82	101.50
38	A1	1881	A	C5'-C4'-O4'	5.85	116.12	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2251	G	O4'-C1'-N9	5.85	112.88	108.20
11	B2	618	G	N1-C6-O6	5.85	123.41	119.90
11	B2	1399	G	C1'-O4'-C4'	5.85	114.58	109.90
11	B2	1494	C	O4'-C1'-N1	5.85	112.88	108.20
38	A1	124	C	C6-N1-C2	-5.85	117.96	120.30
38	A1	650	C	O4'-C1'-N1	5.85	112.88	108.20
38	A1	993	G	O4'-C1'-N9	5.85	112.88	108.20
38	A1	2344	G	C2-N3-C4	-5.85	108.98	111.90
39	A3	34	C	C4'-C3'-C2'	-5.85	96.75	102.60
10	B1	1	G	N1-C6-O6	5.84	123.41	119.90
10	B1	6	G	C5-C6-N1	-5.84	108.58	111.50
10	B1	57	C	C4'-C3'-C2'	-5.84	96.75	102.60
11	B2	42	G	C5-C6-O6	-5.84	125.09	128.60
11	B2	72	C	C3'-C2'-C1'	5.84	106.18	101.50
11	B2	193	G	C4'-C3'-C2'	-5.84	96.76	102.60
11	B2	216	G	C5-N7-C8	5.84	107.22	104.30
11	B2	528	G	C5-C6-N1	-5.84	108.58	111.50
11	B2	963	A	P-O5'-C5'	5.84	130.25	120.90
23	BK	16	ARG	NH1-CZ-NH2	5.84	125.83	119.40
38	A1	369	G	C5-N7-C8	-5.84	101.38	104.30
38	A1	728	A	C5-N7-C8	5.84	106.82	103.90
38	A1	1671	A	C4-C5-N7	5.84	113.62	110.70
38	A1	1676	G	N1-C2-N3	-5.84	120.39	123.90
38	A1	1815	C	N3-C4-C5	-5.84	119.56	121.90
39	A3	41	A	C5-C6-N6	-5.84	119.03	123.70
66	AY	53	TYR	CG-CD1-CE1	-5.84	116.62	121.30
3	Af	26	TRP	CB-CG-CD1	5.84	134.60	127.00
11	B2	653	C	C2-N3-C4	5.84	122.82	119.90
38	A1	443	C	C4'-C3'-C2'	-5.84	96.76	102.60
38	A1	623	G	C6-C5-N7	-5.84	126.89	130.40
38	A1	1225	A	N1-C6-N6	5.84	122.11	118.60
38	A1	1509	C	C2-N3-C4	5.84	122.82	119.90
38	A1	1520	G	N9-C4-C5	5.84	107.74	105.40
38	A1	1615	G	C4-C5-C6	5.84	122.31	118.80
38	A1	1722	G	P-O5'-C5'	5.84	130.25	120.90
38	A1	2361	C	N3-C2-O2	5.84	125.99	121.90
38	A1	2899	G	O4'-C1'-N9	5.84	112.87	108.20
38	A1	2957	G	C6-C5-N7	-5.84	126.89	130.40
38	A1	2985	U	N3-C2-O2	5.84	126.29	122.20
63	AP	36	ARG	NE-CZ-NH1	-5.84	117.38	120.30
10	B1	44	G	N1-C2-N3	-5.84	120.39	123.90
11	B2	322	G	C3'-C2'-C1'	5.84	106.17	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	368	C	C4'-C3'-C2'	5.84	108.44	102.60
11	B2	724	C	N3-C4-N4	5.84	122.09	118.00
38	A1	301	G	C8-N9-C4	5.84	108.74	106.40
38	A1	701	G	C5'-C4'-C3'	5.84	125.35	116.00
38	A1	934	G	N9-C4-C5	-5.84	103.06	105.40
38	A1	1786	G	C5-C6-O6	-5.84	125.09	128.60
38	A1	2066	C	N3-C4-N4	5.84	122.09	118.00
38	A1	2962	A	C5-C6-N1	-5.84	114.78	117.70
39	A3	49	A	C4-C5-C6	5.84	119.92	117.00
46	AD	168	ASP	CB-CG-OD2	-5.84	113.04	118.30
11	B2	29	G	N3-C2-N2	5.84	123.99	119.90
11	B2	561	A	C5-C6-N1	-5.84	114.78	117.70
11	B2	1032	A	O4'-C1'-N9	5.84	112.87	108.20
11	B2	1134	G	N1-C2-N3	-5.84	120.40	123.90
11	B2	1388	G	N3-C2-N2	5.84	123.99	119.90
38	A1	591	G	C6-C5-N7	-5.84	126.90	130.40
38	A1	1232	G	C4-C5-N7	-5.84	108.46	110.80
38	A1	1558	U	N1-C2-O2	-5.84	118.71	122.80
38	A1	1739	U	N3-C4-C5	-5.84	111.10	114.60
38	A1	2151	C	C4-C5-C6	5.84	120.32	117.40
38	A1	2198	U	O4'-C1'-N1	5.84	112.87	108.20
11	B2	768	A	C6-C5-N7	-5.84	128.21	132.30
11	B2	1036	G	N3-C4-C5	-5.84	125.68	128.60
11	B2	1290	U	O4'-C1'-N1	5.84	112.87	108.20
38	A1	1254	C	O4'-C1'-N1	5.84	112.87	108.20
38	A1	1307	C	P-O3'-C3'	-5.84	112.69	119.70
38	A1	1458	C	C5-C4-N4	-5.84	116.11	120.20
38	A1	1609	G	C6-C5-N7	-5.84	126.90	130.40
38	A1	1714	G	O4'-C1'-N9	5.84	112.87	108.20
38	A1	1938	G	C5-N7-C8	5.84	107.22	104.30
38	A1	2175	G	N9-C4-C5	5.84	107.73	105.40
38	A1	3000	U	N1-C2-O2	5.84	126.89	122.80
41	AA	45	ARG	CD-NE-CZ	-5.84	115.43	123.60
11	B2	691	G	C4-C5-N7	5.84	113.14	110.80
11	B2	777	G	C1'-O4'-C4'	-5.84	105.23	109.90
11	B2	1082	A	N9-C4-C5	-5.84	103.47	105.80
11	B2	1429	G	N9-C4-C5	-5.84	103.06	105.40
38	A1	147	C	O4'-C4'-C3'	-5.84	98.16	104.00
38	A1	1070	G	C4-N9-C1'	5.84	134.09	126.50
38	A1	1601	G	OP1-P-OP2	-5.84	110.85	119.60
38	A1	1617	G	C5-C6-O6	-5.84	125.10	128.60
38	A1	1632	U	O4'-C1'-N1	5.84	112.87	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1719	C	N3-C4-N4	5.84	122.09	118.00
38	A1	2028	G	N9-C4-C5	5.84	107.73	105.40
38	A1	2828	G	N1-C2-N3	-5.84	120.40	123.90
39	A3	14	G	N1-C2-N2	5.84	121.45	116.20
39	A3	112	C	P-O3'-C3'	-5.84	112.70	119.70
60	AM	76	TRP	CG-CD2-CE3	-5.84	128.65	133.90
11	B2	181	G	O4'-C1'-N9	5.83	112.87	108.20
11	B2	439	G	C6-C5-N7	-5.83	126.90	130.40
11	B2	1024	G	C4-C5-N7	5.83	113.13	110.80
11	B2	1044	A	C2-N3-C4	5.83	113.52	110.60
11	B2	1063	A	C4'-C3'-C2'	-5.83	96.77	102.60
38	A1	834	G	O4'-C1'-N9	5.83	112.87	108.20
38	A1	1497	C	O4'-C1'-N1	5.83	112.87	108.20
11	B2	307	G	N7-C8-N9	-5.83	110.18	113.10
11	B2	369	A	C5-C6-N6	-5.83	119.03	123.70
11	B2	640	U	OP1-P-OP2	-5.83	110.85	119.60
11	B2	786	G	C6-N1-C2	5.83	128.60	125.10
11	B2	1471	G	P-O3'-C3'	5.83	126.70	119.70
14	BB	119	ASP	N-CA-CB	5.83	121.10	110.60
38	A1	107	G	C8-N9-C4	-5.83	104.07	106.40
38	A1	1220	U	O4'-C1'-N1	5.83	112.87	108.20
38	A1	2004	A	C5-C6-N6	-5.83	119.03	123.70
38	A1	2789	G	C6-C5-N7	-5.83	126.90	130.40
38	A1	3000	U	P-O3'-C3'	5.83	126.70	119.70
39	A3	119	C	N3-C2-O2	-5.83	117.82	121.90
10	B1	53	G	C3'-C2'-C1'	-5.83	96.83	101.50
10	B1	59	A	C4-C5-N7	5.83	113.61	110.70
11	B2	250	G	N1-C6-O6	5.83	123.40	119.90
11	B2	690	C	N1-C2-N3	-5.83	115.12	119.20
11	B2	846	G	C4'-C3'-C2'	5.83	108.43	102.60
11	B2	1183	C	C2-N3-C4	5.83	122.82	119.90
38	A1	473	C	C5-C6-N1	5.83	123.92	121.00
38	A1	933	G	N1-C2-N2	-5.83	110.95	116.20
38	A1	1198	G	C6-C5-N7	-5.83	126.90	130.40
38	A1	1341	U	N1-C2-N3	-5.83	111.40	114.90
38	A1	1544	C	O4'-C1'-N1	5.83	112.86	108.20
38	A1	1724	A	C5-N7-C8	5.83	106.82	103.90
38	A1	1765	A	C2-N3-C4	5.83	113.52	110.60
38	A1	2056	A	C5-C6-N6	-5.83	119.03	123.70
38	A1	2764	G	N9-C4-C5	-5.83	103.07	105.40
38	A1	2833	G	O4'-C1'-N9	5.83	112.87	108.20
38	A1	2867	U	C2-N3-C4	-5.83	123.50	127.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1041	C	C5-C6-N1	5.83	123.92	121.00
11	B2	1273	G	N9-C4-C5	5.83	107.73	105.40
38	A1	133	G	P-O5'-C5'	5.83	130.23	120.90
38	A1	287	G	C5-N7-C8	5.83	107.22	104.30
38	A1	972	C	P-O3'-C3'	5.83	126.70	119.70
38	A1	1394	G	N3-C4-C5	-5.83	125.69	128.60
38	A1	2163	G	C5-C6-N1	-5.83	108.58	111.50
41	AA	113	LEU	CB-CG-CD2	5.83	120.91	111.00
57	Aj	8	ARG	NE-CZ-NH1	5.83	123.22	120.30
11	B2	75	C	P-O3'-C3'	5.83	126.69	119.70
11	B2	1091	C	C5'-C4'-C3'	5.83	125.33	116.00
11	B2	1359	C	N3-C4-N4	5.83	122.08	118.00
11	B2	1372	C	C5-C4-N4	5.83	124.28	120.20
38	A1	141	C	O4'-C1'-N1	5.83	112.86	108.20
38	A1	208	A	N3-C4-C5	-5.83	122.72	126.80
38	A1	498	U	O4'-C1'-N1	5.83	112.86	108.20
38	A1	801	A	N3-C4-C5	-5.83	122.72	126.80
38	A1	815	U	C3'-C2'-C1'	-5.83	96.84	101.50
38	A1	999	A	C8-N9-C4	-5.83	103.47	105.80
38	A1	1125	A	N1-C2-N3	5.83	132.22	129.30
38	A1	1754	A	C6-N1-C2	5.83	122.10	118.60
38	A1	1781	C	C6-N1-C2	-5.83	117.97	120.30
38	A1	1870	G	C6-N1-C2	5.83	128.60	125.10
38	A1	2039	U	N3-C4-O4	5.83	123.48	119.40
38	A1	2279	G	C5-C6-O6	-5.83	125.10	128.60
43	AB	25	ARG	N-CA-CB	5.83	121.09	110.60
56	AJ	101	ASP	CB-CG-OD2	-5.83	113.05	118.30
10	B1	57	C	C5-C6-N1	-5.83	118.09	121.00
11	B2	891	A	C5-C6-N1	-5.83	114.79	117.70
38	A1	277	A	N7-C8-N9	-5.83	110.89	113.80
38	A1	2059	G	C4'-C3'-C2'	-5.83	96.77	102.60
38	A1	2869	U	O4'-C1'-C2'	-5.83	99.97	105.80
11	B2	118	U	C5-C6-N1	5.83	125.61	122.70
11	B2	303	G	P-O3'-C3'	5.83	126.69	119.70
11	B2	503	G	N3-C4-N9	-5.83	122.50	126.00
11	B2	1262	U	N3-C2-O2	5.83	126.28	122.20
38	A1	868	U	C2-N3-C4	5.83	130.50	127.00
38	A1	1354	G	C5'-C4'-O4'	5.83	116.09	109.10
38	A1	1471	G	C5-N7-C8	-5.83	101.39	104.30
11	B2	387	G	O4'-C1'-N9	5.82	112.86	108.20
11	B2	639	G	N1-C2-N2	-5.82	110.96	116.20
11	B2	937	A	C2-N3-C4	5.82	113.51	110.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1305	U	C5'-C4'-O4'	5.82	116.09	109.10
38	A1	459	C	N3-C4-C5	-5.82	119.57	121.90
38	A1	584	G	C6-C5-N7	-5.82	126.91	130.40
38	A1	1045	A	C1'-O4'-C4'	5.82	114.56	109.90
38	A1	1765	A	C5-C6-N1	-5.82	114.79	117.70
38	A1	2346	A	C5-N7-C8	5.82	106.81	103.90
38	A1	2383	A	O4'-C1'-N9	5.82	112.86	108.20
38	A1	2724	A	N9-C4-C5	5.82	108.13	105.80
38	A1	2817	U	N3-C2-O2	5.82	126.28	122.20
38	A1	2947	G	C1'-O4'-C4'	-5.82	105.24	109.90
42	Aa	31	ALA	O-C-N	-5.82	113.38	122.70
63	AP	91	ARG	NE-CZ-NH2	-5.82	117.39	120.30
65	AV	21	MET	N-CA-C	-5.82	95.27	111.00
10	B1	29	C	O4'-C1'-N1	5.82	112.86	108.20
11	B2	154	C	C6-N1-C2	-5.82	117.97	120.30
11	B2	406	U	C5-C6-N1	-5.82	119.79	122.70
11	B2	613	C	C2-N3-C4	5.82	122.81	119.90
38	A1	357	G	C5-C6-O6	-5.82	125.11	128.60
38	A1	1151	G	P-O3'-C3'	-5.82	112.71	119.70
9	AX	247	TYR	CB-CG-CD2	-5.82	117.51	121.00
11	B2	22	G	N3-C2-N2	5.82	123.97	119.90
11	B2	264	C	P-O5'-C5'	5.82	130.21	120.90
11	B2	338	C	N3-C2-O2	5.82	125.97	121.90
11	B2	901	G	C6-N1-C2	-5.82	121.61	125.10
11	B2	934	G	P-O5'-C5'	-5.82	111.59	120.90
11	B2	1225	C	N3-C4-C5	-5.82	119.57	121.90
11	B2	1405	C	C5-C6-N1	5.82	123.91	121.00
12	B3	113	GLU	CB-CG-CD	-5.82	98.48	114.20
13	BA	19	TYR	CB-CG-CD1	5.82	124.49	121.00
13	BA	125	ALA	N-CA-CB	5.82	118.25	110.10
38	A1	437	G	C4-C5-C6	5.82	122.29	118.80
38	A1	848	A	N7-C8-N9	-5.82	110.89	113.80
38	A1	858	G	C1'-O4'-C4'	5.82	114.56	109.90
38	A1	1374	G	N3-C4-N9	-5.82	122.51	126.00
38	A1	1433	C	C6-N1-C1'	5.82	127.78	120.80
38	A1	1445	G	C4-N9-C1'	5.82	134.07	126.50
38	A1	2221	A	C8-N9-C4	5.82	108.13	105.80
38	A1	2388	U	C4'-C3'-C2'	-5.82	96.78	102.60
38	A1	2736	G	C8-N9-C4	5.82	108.73	106.40
11	B2	414	G	N3-C2-N2	5.82	123.97	119.90
35	BW	48	THR	N-CA-C	-5.82	95.29	111.00
38	A1	206	A	C3'-C2'-C1'	5.82	106.16	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1459	A	C8-N9-C4	-5.82	103.47	105.80
38	A1	1539	U	P-O5'-C5'	5.82	130.21	120.90
38	A1	2333	G	C8-N9-C4	-5.82	104.07	106.40
10	B1	17	C	C4-C5-C6	5.82	120.31	117.40
11	B2	43	A	N1-C6-N6	5.82	122.09	118.60
11	B2	61	A	N1-C2-N3	5.82	132.21	129.30
11	B2	505	U	N3-C4-C5	-5.82	111.11	114.60
11	B2	1470	G	C5-C6-N1	-5.82	108.59	111.50
38	A1	724	G	N1-C2-N2	-5.82	110.96	116.20
38	A1	1137	G	N3-C2-N2	5.82	123.97	119.90
38	A1	1670	A	P-O3'-C3'	5.82	126.68	119.70
38	A1	1719	C	C2-N1-C1'	5.82	125.20	118.80
38	A1	2400	U	C2-N3-C4	-5.82	123.51	127.00
60	AM	71	ARG	NE-CZ-NH2	-5.82	117.39	120.30
11	B2	62	G	P-O3'-C3'	5.82	126.68	119.70
11	B2	534	G	N1-C6-O6	5.82	123.39	119.90
11	B2	1050	G	C2-N3-C4	5.82	114.81	111.90
16	BD	161	ALA	N-CA-CB	5.82	118.24	110.10
17	BE	33	ARG	NE-CZ-NH1	5.82	123.21	120.30
38	A1	329	G	C4-C5-C6	5.82	122.29	118.80
38	A1	1065	C	C5-C6-N1	5.82	123.91	121.00
38	A1	1441	C	C5-C6-N1	5.82	123.91	121.00
38	A1	1927	C	N3-C2-O2	-5.82	117.83	121.90
38	A1	2199	U	N3-C4-C5	-5.82	111.11	114.60
38	A1	2327	C	N1-C2-O2	5.82	122.39	118.90
38	A1	2474	A	C5-C6-N6	-5.82	119.05	123.70
39	A3	10	U	C5-C4-O4	-5.82	122.41	125.90
11	B2	18	C	N3-C2-O2	5.81	125.97	121.90
11	B2	743	U	C2-N3-C4	-5.81	123.51	127.00
11	B2	1428	G	C6-N1-C2	-5.81	121.61	125.10
11	B2	1481	G	N3-C2-N2	-5.81	115.83	119.90
38	A1	1411	G	C6-N1-C2	5.81	128.59	125.10
38	A1	2075	U	N3-C2-O2	-5.81	118.13	122.20
7	AU	77	TYR	CD1-CG-CD2	-5.81	111.51	117.90
11	B2	884	G	C4'-C3'-C2'	-5.81	96.79	102.60
11	B2	1410	G	N1-C2-N3	-5.81	120.41	123.90
11	B2	1450	U	C2-N3-C4	-5.81	123.51	127.00
14	BB	139	ALA	CB-CA-C	-5.81	101.38	110.10
38	A1	289	G	N3-C2-N2	5.81	123.97	119.90
38	A1	643	G	O4'-C4'-C3'	-5.81	98.19	104.00
38	A1	1082	A	C5-N7-C8	-5.81	100.99	103.90
38	A1	2412	A	N7-C8-N9	-5.81	110.89	113.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	29	G	C2-N3-C4	-5.81	108.99	111.90
11	B2	297	G	C1'-O4'-C4'	5.81	114.55	109.90
11	B2	533	C	C6-N1-C2	-5.81	117.98	120.30
11	B2	836	G	O4'-C1'-N9	5.81	112.85	108.20
11	B2	1221	A	C6-N1-C2	-5.81	115.11	118.60
11	B2	1261	U	N3-C4-O4	5.81	123.47	119.40
11	B2	1457	A	C6-C5-N7	-5.81	128.23	132.30
38	A1	482	A	C4-C5-N7	-5.81	107.79	110.70
38	A1	589	G	N1-C6-O6	5.81	123.39	119.90
38	A1	591	G	N3-C4-C5	-5.81	125.69	128.60
38	A1	1515	G	C5-N7-C8	5.81	107.20	104.30
38	A1	2264	G	N1-C2-N3	-5.81	120.41	123.90
38	A1	2634	U	O4'-C1'-N1	5.81	112.85	108.20
38	A1	2769	U	N1-C2-N3	5.81	118.39	114.90
10	B1	4	G	O4'-C1'-N9	5.81	112.85	108.20
10	B1	6	G	N1-C2-N3	-5.81	120.42	123.90
11	B2	509	C	C5-C6-N1	-5.81	118.10	121.00
32	BT	28	PHE	CG-CD2-CE2	-5.81	114.41	120.80
38	A1	32	C	C2-N3-C4	5.81	122.81	119.90
38	A1	548	U	N3-C2-O2	5.81	126.27	122.20
38	A1	653	U	C2-N1-C1'	-5.81	110.73	117.70
38	A1	816	C	P-O5'-C5'	-5.81	111.61	120.90
38	A1	1037	C	C6-N1-C1'	-5.81	113.83	120.80
38	A1	1082	A	C8-N9-C4	-5.81	103.48	105.80
38	A1	1130	G	C2-N3-C4	5.81	114.80	111.90
38	A1	1296	A	C5-C6-N6	-5.81	119.05	123.70
38	A1	1421	C	C6-N1-C2	-5.81	117.98	120.30
38	A1	1544	C	N3-C4-C5	-5.81	119.58	121.90
38	A1	1620	C	N3-C4-N4	5.81	122.07	118.00
38	A1	1714	G	C5-N7-C8	5.81	107.20	104.30
38	A1	1962	G	P-O5'-C5'	5.81	130.19	120.90
38	A1	2047	U	O4'-C1'-N1	5.81	112.85	108.20
38	A1	2202	U	N3-C4-C5	-5.81	111.11	114.60
38	A1	2269	C	C6-N1-C1'	5.81	127.77	120.80
38	A1	2970	U	C2-N1-C1'	5.81	124.67	117.70
12	AG	90	ALA	C-N-CA	5.81	134.50	122.30
11	B2	460	C	C2-N1-C1'	5.81	125.19	118.80
11	B2	573	C	C5-C6-N1	-5.81	118.10	121.00
11	B2	702	G	OP2-P-O3'	5.81	117.98	105.20
11	B2	822	A	C5-C6-N6	-5.81	119.05	123.70
11	B2	938	C	N1-C2-O2	-5.81	115.42	118.90
11	B2	953	C	O4'-C1'-N1	5.81	112.85	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1477	U	O4'-C1'-N1	5.81	112.84	108.20
38	A1	371	U	C5-C4-O4	-5.81	122.42	125.90
38	A1	932	C	O4'-C1'-N1	5.81	112.85	108.20
38	A1	1102	C	N1-C2-N3	-5.81	115.14	119.20
38	A1	1136	G	C4-C5-C6	5.81	122.28	118.80
38	A1	1170	G	O4'-C1'-N9	5.81	112.85	108.20
38	A1	1273	C	C6-N1-C2	-5.81	117.98	120.30
38	A1	1538	A	C6-C5-N7	-5.81	128.23	132.30
38	A1	2505	A	C6-N1-C2	5.81	122.08	118.60
38	A1	2882	G	C5-C6-O6	-5.81	125.12	128.60
11	B2	624	G	O4'-C1'-N9	5.81	112.84	108.20
11	B2	1095	C	C6-N1-C2	-5.81	117.98	120.30
11	B2	1372	C	N3-C4-C5	-5.81	119.58	121.90
38	A1	896	G	C2-N3-C4	5.81	114.80	111.90
38	A1	1143	A	C5-N7-C8	5.81	106.80	103.90
38	A1	1227	A	C6-C5-N7	-5.81	128.24	132.30
38	A1	1567	C	P-O3'-C3'	-5.81	112.73	119.70
41	AA	161	PRO	N-CA-CB	-5.81	96.21	102.60
11	B2	256	G	N1-C6-O6	5.80	123.38	119.90
11	B2	347	G	C4-C5-N7	5.80	113.12	110.80
11	B2	488	A	C6-N1-C2	5.80	122.08	118.60
11	B2	570	G	P-O3'-C3'	5.80	126.67	119.70
11	B2	620	G	C5-C6-O6	-5.80	125.12	128.60
11	B2	895	C	C2-N3-C4	5.80	122.80	119.90
11	B2	913	G	C4-C5-N7	-5.80	108.48	110.80
11	B2	1082	A	O4'-C1'-N9	5.80	112.84	108.20
38	A1	128	C	N3-C4-C5	-5.80	119.58	121.90
38	A1	431	U	C5-C4-O4	5.80	129.38	125.90
38	A1	1079	A	P-O5'-C5'	5.80	130.19	120.90
38	A1	1533	G	N1-C2-N3	5.80	127.38	123.90
38	A1	2062	A	C4-C5-N7	-5.80	107.80	110.70
38	A1	2346	A	N9-C4-C5	5.80	108.12	105.80
38	A1	2404	G	C8-N9-C4	-5.80	104.08	106.40
38	A1	2561	G	N3-C2-N2	5.80	123.96	119.90
38	A1	2658	G	C6-N1-C2	5.80	128.58	125.10
38	A1	2999	G	N3-C2-N2	5.80	123.96	119.90
39	A3	112	C	C1'-O4'-C4'	5.80	114.54	109.90
20	BH	17	VAL	CA-CB-CG2	5.80	119.61	110.90
38	A1	1364	C	N3-C4-C5	-5.80	119.58	121.90
38	A1	1618	G	C2-N3-C4	-5.80	109.00	111.90
38	A1	1842	C	C2-N1-C1'	5.80	125.18	118.80
38	A1	2859	U	C5'-C4'-C3'	5.80	125.28	116.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	3046	C	C5'-C4'-O4'	5.80	116.06	109.10
11	B2	276	A	C4-C5-N7	-5.80	107.80	110.70
11	B2	663	G	C5-C6-O6	-5.80	125.12	128.60
11	B2	870	U	N1-C2-N3	-5.80	111.42	114.90
11	B2	970	G	C2-N3-C4	5.80	114.80	111.90
11	B2	1238	G	C5-C6-O6	-5.80	125.12	128.60
11	B2	1251	C	C4-C5-C6	5.80	120.30	117.40
38	A1	1038	U	N3-C2-O2	5.80	126.26	122.20
38	A1	1310	A	C5-C6-N1	-5.80	114.80	117.70
38	A1	2256	G	O4'-C1'-N9	5.80	112.84	108.20
39	A3	112	C	C2-N3-C4	5.80	122.80	119.90
44	Ab	97	ARG	NE-CZ-NH2	-5.80	117.40	120.30
11	B2	1002	G	P-O5'-C5'	-5.80	111.62	120.90
19	BG	108	ARG	NE-CZ-NH1	-5.80	117.40	120.30
38	A1	645	U	C5-C4-O4	5.80	129.38	125.90
38	A1	719	C	C5-C4-N4	-5.80	116.14	120.20
38	A1	748	G	N1-C2-N3	-5.80	120.42	123.90
38	A1	1948	A	N1-C2-N3	5.80	132.20	129.30
38	A1	2079	U	N3-C4-C5	-5.80	111.12	114.60
38	A1	2120	C	C5'-C4'-O4'	5.80	116.06	109.10
38	A1	2184	G	C4-C5-N7	5.80	113.12	110.80
38	A1	2322	A	C5-C6-N6	-5.80	119.06	123.70
38	A1	2964	A	C5-C6-N6	-5.80	119.06	123.70
11	B2	320	G	N3-C2-N2	5.80	123.96	119.90
11	B2	609	G	P-O5'-C5'	-5.80	111.62	120.90
11	B2	664	G	C6-N1-C2	-5.80	121.62	125.10
11	B2	735	A	O4'-C1'-N9	5.80	112.84	108.20
11	B2	1094	U	N3-C4-C5	-5.80	111.12	114.60
11	B2	1381	G	N9-C4-C5	5.80	107.72	105.40
38	A1	204	G	C8-N9-C4	-5.80	104.08	106.40
38	A1	304	G	C6-N1-C2	5.80	128.58	125.10
38	A1	2541	U	C4-C5-C6	5.80	123.18	119.70
38	A1	2676	A	C6-N1-C2	-5.80	115.12	118.60
11	B2	309	A	N1-C2-N3	5.80	132.20	129.30
11	B2	621	G	N1-C6-O6	5.80	123.38	119.90
11	B2	987	G	C4-C5-N7	-5.80	108.48	110.80
11	B2	1171	G	C4-C5-C6	5.80	122.28	118.80
11	B2	1422	G	C4-C5-N7	5.80	113.12	110.80
38	A1	56	G	O4'-C1'-N9	5.80	112.84	108.20
38	A1	100	C	C3'-C2'-C1'	5.80	106.14	101.50
38	A1	403	G	C4-C5-C6	5.80	122.28	118.80
38	A1	1540	A	C3'-C2'-C1'	5.80	106.14	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1891	C	N3-C4-C5	-5.80	119.58	121.90
38	A1	1912	A	N7-C8-N9	-5.80	110.90	113.80
38	A1	2367	C	C6-N1-C2	-5.80	117.98	120.30
38	A1	2441	A	C5-N7-C8	5.80	106.80	103.90
39	A3	100	A	N9-C4-C5	5.80	108.12	105.80
45	AC	90	TYR	CB-CG-CD1	-5.80	117.52	121.00
11	B2	29	G	C5-N7-C8	-5.79	101.40	104.30
11	B2	304	C	N3-C4-N4	5.79	122.06	118.00
13	BA	135	ARG	NE-CZ-NH2	-5.79	117.40	120.30
38	A1	894	C	C4-C5-C6	5.79	120.30	117.40
38	A1	1107	G	N3-C4-C5	-5.79	125.70	128.60
38	A1	1186	G	N3-C4-C5	-5.79	125.70	128.60
38	A1	1882	C	N1-C2-O2	-5.79	115.42	118.90
38	A1	2410	U	C4-C5-C6	-5.79	116.22	119.70
9	AX	34	LEU	CB-CG-CD2	5.79	120.85	111.00
11	B2	228	G	N3-C2-N2	5.79	123.95	119.90
11	B2	268	C	N3-C4-N4	5.79	122.06	118.00
11	B2	1492	U	P-O3'-C3'	-5.79	112.75	119.70
30	BR	109	ALA	CB-CA-C	-5.79	101.41	110.10
38	A1	273	G	N3-C4-N9	5.79	129.48	126.00
38	A1	589	G	O4'-C1'-C2'	-5.79	100.01	105.80
38	A1	726	G	C5-C6-N1	-5.79	108.60	111.50
38	A1	1291	C	N3-C4-N4	5.79	122.06	118.00
38	A1	1340	G	C6-N1-C2	5.79	128.58	125.10
38	A1	2422	G	O4'-C1'-N9	5.79	112.83	108.20
38	A1	2665	G	C8-N9-C4	-5.79	104.08	106.40
39	A3	78	C	C2-N3-C4	5.79	122.80	119.90
11	B2	571	C	N3-C4-N4	5.79	122.05	118.00
11	B2	575	A	N7-C8-N9	5.79	116.69	113.80
11	B2	730	G	P-O3'-C3'	5.79	126.65	119.70
11	B2	987	G	C5-N7-C8	5.79	107.20	104.30
35	BW	28	PHE	CB-CG-CD2	5.79	124.85	120.80
38	A1	186	A	C5-C6-N1	-5.79	114.81	117.70
38	A1	1532	G	C2-N3-C4	5.79	114.80	111.90
38	A1	1606	C	C4-C5-C6	5.79	120.30	117.40
38	A1	1697	G	C5-C6-N1	-5.79	108.60	111.50
38	A1	1902	G	C8-N9-C4	5.79	108.72	106.40
38	A1	1910	C	C5-C4-N4	-5.79	116.15	120.20
38	A1	1912	A	O4'-C1'-N9	5.79	112.83	108.20
38	A1	2146	C	O4'-C1'-N1	5.79	112.83	108.20
38	A1	2877	A	O5'-P-OP2	5.79	117.65	110.70
11	B2	188	C	O4'-C1'-N1	5.79	112.83	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	610	G	C5-C6-O6	-5.79	125.13	128.60
11	B2	1034	G	C8-N9-C4	-5.79	104.08	106.40
38	A1	384	G	C6-C5-N7	-5.79	126.93	130.40
38	A1	1375	G	O4'-C1'-N9	5.79	112.83	108.20
38	A1	1443	G	C4-C5-N7	-5.79	108.48	110.80
38	A1	1482	G	C8-N9-C4	-5.79	104.08	106.40
38	A1	1717	C	C5'-C4'-O4'	5.79	116.05	109.10
38	A1	1813	A	C4'-C3'-C2'	-5.79	96.81	102.60
38	A1	2980	G	N3-C2-N2	5.79	123.95	119.90
10	B1	11	C	O4'-C1'-N1	5.79	112.83	108.20
11	B2	37	G	O4'-C1'-N9	5.79	112.83	108.20
11	B2	155	U	C5-C6-N1	5.79	125.59	122.70
11	B2	235	G	C5-C6-O6	-5.79	125.13	128.60
11	B2	629	U	O4'-C1'-N1	5.79	112.83	108.20
21	BI	53	ILE	O-C-N	5.79	131.96	122.70
38	A1	226	C	O4'-C1'-N1	5.79	112.83	108.20
38	A1	536	G	C8-N9-C4	-5.79	104.08	106.40
38	A1	696	G	OP2-P-O3'	5.79	117.94	105.20
38	A1	746	C	O3'-P-O5'	-5.79	93.00	104.00
38	A1	1283	G	N3-C2-N2	-5.79	115.85	119.90
38	A1	1665	G	O4'-C1'-N9	5.79	112.83	108.20
38	A1	1903	G	C4-C5-C6	5.79	122.27	118.80
38	A1	2982	G	N3-C4-C5	-5.79	125.70	128.60
50	AF	8	ARG	CD-NE-CZ	5.79	131.71	123.60
11	B2	58	U	C4-C5-C6	5.79	123.17	119.70
11	B2	176	U	N3-C2-O2	-5.79	118.15	122.20
11	B2	1139	A	N7-C8-N9	-5.79	110.91	113.80
11	B2	1414	G	N1-C2-N3	-5.79	120.43	123.90
38	A1	742	C	N3-C4-N4	5.79	122.05	118.00
38	A1	1082	A	C6-N1-C2	-5.79	115.13	118.60
38	A1	1293	G	N1-C6-O6	5.79	123.37	119.90
38	A1	1868	C	N3-C4-C5	-5.79	119.58	121.90
11	B2	25	C	C4-C5-C6	5.79	120.29	117.40
11	B2	1229	A	C5-C6-N6	-5.79	119.07	123.70
11	B2	1326	G	N1-C2-N3	-5.79	120.43	123.90
38	A1	268	C	O4'-C4'-C3'	-5.79	98.21	104.00
38	A1	350	A	N9-C4-C5	5.79	108.11	105.80
38	A1	488	A	N3-C4-C5	-5.79	122.75	126.80
38	A1	586	A	N3-C4-C5	-5.79	122.75	126.80
38	A1	1517	G	N1-C2-N2	-5.79	110.99	116.20
38	A1	2336	G	N3-C4-C5	-5.79	125.71	128.60
38	A1	2447	A	C4-C5-N7	-5.79	107.81	110.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2496	G	O4'-C1'-N9	5.79	112.83	108.20
38	A1	2570	A	N3-C4-N9	5.79	132.03	127.40
38	A1	2992	G	C5-C6-N1	-5.79	108.61	111.50
39	A3	46	G	C4'-C3'-C2'	-5.79	96.81	102.60
11	B2	572	U	O4'-C1'-N1	5.78	112.83	108.20
20	BH	50	ARG	CD-NE-CZ	-5.78	115.50	123.60
26	BN	96	PHE	CB-CG-CD1	5.78	124.85	120.80
38	A1	68	G	C5-C6-N1	-5.78	108.61	111.50
38	A1	527	G	C3'-C2'-C1'	-5.78	96.87	101.50
38	A1	566	G	N1-C2-N3	-5.78	120.43	123.90
38	A1	595	C	N3-C4-N4	5.78	122.05	118.00
38	A1	932	C	N3-C4-N4	5.78	122.05	118.00
38	A1	1144	A	C8-N9-C4	-5.78	103.49	105.80
38	A1	1442	G	C3'-C2'-C1'	-5.78	96.87	101.50
38	A1	1472	U	N3-C2-O2	5.78	126.25	122.20
38	A1	1581	A	C4-C5-C6	5.78	119.89	117.00
38	A1	1712	U	C6-N1-C2	-5.78	117.53	121.00
38	A1	1760	C	N1-C2-O2	5.78	122.37	118.90
38	A1	2215	U	C1'-O4'-C4'	-5.78	105.27	109.90
38	A1	2331	A	OP1-P-OP2	-5.78	110.92	119.60
38	A1	2726	G	N1-C2-N2	-5.78	111.00	116.20
38	A1	2790	C	N3-C4-N4	5.78	122.05	118.00
38	A1	2814	U	N1-C2-N3	5.78	118.37	114.90
9	AX	261	LEU	CB-CA-C	-5.78	99.22	110.20
11	B2	88	G	C5-C6-O6	-5.78	125.13	128.60
38	A1	671	G	C4-N9-C1'	-5.78	118.98	126.50
38	A1	731	C	C4'-C3'-C2'	-5.78	96.82	102.60
38	A1	1019	G	N3-C4-N9	-5.78	122.53	126.00
38	A1	2113	G	P-O5'-C5'	-5.78	111.65	120.90
11	B2	808	C	N1-C2-O2	5.78	122.37	118.90
11	B2	880	G	C8-N9-C4	-5.78	104.09	106.40
11	B2	1289	G	N3-C4-C5	5.78	131.49	128.60
11	B2	1323	A	C8-N9-C4	-5.78	103.49	105.80
38	A1	146	U	P-O5'-C5'	-5.78	111.65	120.90
38	A1	149	G	N1-C2-N2	-5.78	111.00	116.20
38	A1	363	G	N7-C8-N9	5.78	115.99	113.10
38	A1	561	C	C3'-C2'-C1'	-5.78	96.88	101.50
38	A1	906	G	C4-C5-C6	5.78	122.27	118.80
38	A1	939	A	C5-C6-N6	-5.78	119.08	123.70
38	A1	993	G	OP1-P-O3'	5.78	117.92	105.20
38	A1	1199	U	N3-C4-O4	5.78	123.45	119.40
38	A1	1658	A	C4-C5-N7	-5.78	107.81	110.70

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1673	C	N1-C2-O2	-5.78	115.43	118.90
38	A1	1854	G	C5-N7-C8	-5.78	101.41	104.30
38	A1	2526	G	C5'-C4'-C3'	5.78	125.25	116.00
38	A1	2696	G	P-O3'-C3'	5.78	126.64	119.70
38	A1	2740	G	N7-C8-N9	5.78	115.99	113.10
38	A1	2846	A	C6-C5-N7	-5.78	128.25	132.30
39	A3	60	C	P-O3'-C3'	-5.78	112.76	119.70
10	B1	29	C	C4-C5-C6	5.78	120.29	117.40
11	B2	452	G	C2-N3-C4	5.78	114.79	111.90
11	B2	680	C	N3-C4-C5	-5.78	119.59	121.90
29	BQ	80	ARG	NE-CZ-NH1	5.78	123.19	120.30
38	A1	450	G	C8-N9-C4	-5.78	104.09	106.40
38	A1	851	G	N7-C8-N9	-5.78	110.21	113.10
38	A1	1195	G	C5-C6-N1	-5.78	108.61	111.50
38	A1	1332	A	N3-C4-C5	-5.78	122.75	126.80
38	A1	1719	C	O4'-C1'-N1	5.78	112.82	108.20
38	A1	1904	G	C6-N1-C2	-5.78	121.63	125.10
38	A1	2401	A	N9-C4-C5	5.78	108.11	105.80
60	AM	26	ARG	NE-CZ-NH1	5.78	123.19	120.30
11	B2	66	G	O4'-C1'-N9	5.78	112.82	108.20
11	B2	106	A	N1-C2-N3	5.78	132.19	129.30
11	B2	706	G	N3-C4-C5	5.78	131.49	128.60
11	B2	1003	G	C6-N1-C2	-5.78	121.63	125.10
11	B2	1322	C	N3-C4-C5	5.78	124.21	121.90
38	A1	670	G	C5-C6-O6	-5.78	125.13	128.60
38	A1	845	U	C5'-C4'-O4'	5.78	116.03	109.10
38	A1	943	G	N1-C2-N3	-5.78	120.43	123.90
38	A1	1328	G	C5-C6-O6	-5.78	125.13	128.60
38	A1	1547	U	N1-C2-O2	-5.78	118.76	122.80
38	A1	1764	G	C8-N9-C4	-5.78	104.09	106.40
38	A1	1778	G	O4'-C1'-N9	5.78	112.82	108.20
38	A1	2132	C	O4'-C1'-N1	5.78	112.82	108.20
38	A1	2200	A	C6-C5-N7	-5.78	128.25	132.30
45	AC	44	TYR	CG-CD1-CE1	-5.78	116.68	121.30
45	AC	139	TYR	CB-CG-CD1	5.78	124.47	121.00
50	AF	101	VAL	N-CA-C	-5.78	95.40	111.00
1	A7	39	VAL	CA-CB-CG1	-5.78	102.23	110.90
11	B2	164	A	C5-N7-C8	5.78	106.79	103.90
11	B2	304	C	C2-N1-C1'	5.78	125.15	118.80
11	B2	503	G	N1-C2-N3	5.78	127.37	123.90
38	A1	33	U	C4-C5-C6	5.78	123.17	119.70
38	A1	176	G	P-O5'-C5'	-5.78	111.66	120.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1304	G	C8-N9-C4	-5.78	104.09	106.40
38	A1	1403	C	P-O3'-C3'	-5.78	112.77	119.70
38	A1	1546	G	O4'-C1'-N9	5.78	112.82	108.20
38	A1	1644	G	C5-C6-N1	5.78	114.39	111.50
38	A1	1912	A	C8-N9-C4	5.78	108.11	105.80
38	A1	2272	G	N3-C2-N2	5.78	123.94	119.90
38	A1	2439	G	C6-N1-C2	-5.78	121.63	125.10
38	A1	2473	C	C4-C5-C6	5.78	120.29	117.40
38	A1	2824	C	C3'-C2'-C1'	5.78	106.12	101.50
39	A3	90	A	C5-N7-C8	5.78	106.79	103.90
11	B2	922	G	C3'-C2'-C1'	-5.77	96.88	101.50
11	B2	1206	G	N1-C6-O6	5.77	123.36	119.90
15	BC	53	TYR	CD1-CE1-CZ	5.77	125.00	119.80
27	BO	58	GLN	N-CA-CB	5.77	120.99	110.60
38	A1	1825	G	C4-C5-C6	5.77	122.27	118.80
38	A1	2447	A	N9-C4-C5	5.77	108.11	105.80
38	A1	2737	G	N7-C8-N9	-5.77	110.21	113.10
39	A3	31	U	N3-C4-O4	5.77	123.44	119.40
54	AI	13	ARG	NE-CZ-NH2	-5.77	117.41	120.30
11	B2	135	U	N1-C2-O2	5.77	126.84	122.80
11	B2	209	A	C5-C6-N1	-5.77	114.81	117.70
11	B2	299	G	P-O3'-C3'	5.77	126.63	119.70
11	B2	342	G	N1-C6-O6	5.77	123.36	119.90
11	B2	787	U	C5'-C4'-C3'	-5.77	106.76	116.00
11	B2	1313	G	C5-C6-N1	-5.77	108.61	111.50
11	B2	1472	G	C3'-C2'-C1'	5.77	106.12	101.50
38	A1	48	G	C5'-C4'-O4'	5.77	116.03	109.10
38	A1	452	A	N1-C2-N3	5.77	132.19	129.30
38	A1	469	A	C5-C6-N6	-5.77	119.08	123.70
38	A1	537	U	C2-N3-C4	-5.77	123.54	127.00
38	A1	966	G	O4'-C1'-N9	5.77	112.82	108.20
38	A1	973	C	C5-C6-N1	5.77	123.89	121.00
38	A1	1075	G	N1-C2-N3	-5.77	120.44	123.90
38	A1	1141	C	C6-N1-C2	-5.77	117.99	120.30
38	A1	1160	U	P-O3'-C3'	5.77	126.63	119.70
38	A1	1776	G	N1-C6-O6	5.77	123.36	119.90
38	A1	1936	C	C2'-C3'-O3'	5.77	122.94	113.70
38	A1	2219	A	N1-C6-N6	5.77	122.06	118.60
38	A1	2265	C	C1'-O4'-C4'	-5.77	105.28	109.90
38	A1	2430	C	C5-C6-N1	-5.77	118.11	121.00
38	A1	2717	A	N7-C8-N9	-5.77	110.91	113.80
40	AK	63	PRO	N-CA-CB	5.77	110.23	103.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1261	U	O4'-C1'-N1	5.77	112.82	108.20
38	A1	2138	A	C3'-C2'-C1'	5.77	106.12	101.50
38	A1	2423	G	N3-C4-N9	5.77	129.46	126.00
38	A1	2520	C	N3-C4-C5	-5.77	119.59	121.90
10	B1	49	C	O4'-C4'-C3'	-5.77	98.23	104.00
11	B2	181	G	N7-C8-N9	5.77	115.98	113.10
11	B2	513	A	C3'-C2'-C1'	5.77	106.12	101.50
11	B2	622	C	N3-C4-N4	5.77	122.04	118.00
11	B2	712	G	C6-N1-C2	5.77	128.56	125.10
38	A1	14	A	C5-C6-N1	-5.77	114.82	117.70
38	A1	1042	G	C6-C5-N7	-5.77	126.94	130.40
38	A1	1060	C	N3-C2-O2	5.77	125.94	121.90
38	A1	1208	A	N3-C4-C5	-5.77	122.76	126.80
38	A1	1294	A	C4-C5-C6	5.77	119.89	117.00
38	A1	1475	G	C6-N1-C2	-5.77	121.64	125.10
38	A1	1760	C	C4'-C3'-C2'	-5.77	96.83	102.60
58	Ak	51	LEU	CA-CB-CG	5.77	128.57	115.30
10	B1	72	C	N1-C2-O2	-5.77	115.44	118.90
11	B2	307	G	C5-C6-N1	5.77	114.38	111.50
11	B2	618	G	C2-N3-C4	-5.77	109.02	111.90
11	B2	845	G	C4-C5-N7	-5.77	108.49	110.80
11	B2	1106	A	O4'-C4'-C3'	-5.77	98.23	104.00
11	B2	1352	G	C4-C5-N7	-5.77	108.49	110.80
38	A1	323	U	C5'-C4'-O4'	-5.77	102.18	109.10
38	A1	367	G	N7-C8-N9	5.77	115.98	113.10
38	A1	1059	C	N3-C4-C5	-5.77	119.59	121.90
38	A1	1655	G	N1-C2-N2	-5.77	111.01	116.20
38	A1	1899	C	N3-C4-C5	-5.77	119.59	121.90
38	A1	2124	C	N3-C4-C5	-5.77	119.59	121.90
38	A1	2514	C	N3-C4-C5	-5.77	119.59	121.90
38	A1	2784	A	C4'-C3'-C2'	-5.77	96.83	102.60
39	A3	19	G	C5-C6-N1	5.77	114.38	111.50
11	B2	70	C	O4'-C4'-C3'	-5.77	98.23	104.00
11	B2	349	A	N9-C4-C5	-5.77	103.49	105.80
11	B2	1142	G	C3'-C2'-C1'	5.77	106.11	101.50
38	A1	75	G	N3-C2-N2	5.77	123.94	119.90
38	A1	1000	G	N3-C4-C5	-5.77	125.72	128.60
38	A1	1282	A	C5-N7-C8	5.77	106.78	103.90
38	A1	2277	G	C5'-C4'-C3'	5.77	125.23	116.00
38	A1	2403	G	C4-C5-C6	5.77	122.26	118.80
61	AN	125	ARG	NE-CZ-NH1	5.77	123.18	120.30
11	B2	45	U	C5-C6-N1	5.76	125.58	122.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1142	G	C4-C5-C6	5.76	122.26	118.80
11	B2	1194	C	N3-C4-N4	5.76	122.04	118.00
11	B2	1419	G	C6-C5-N7	-5.76	126.94	130.40
38	A1	1187	A	C6-C5-N7	-5.76	128.26	132.30
38	A1	1308	G	P-O5'-C5'	5.76	130.12	120.90
38	A1	1434	C	P-O3'-C3'	-5.76	112.78	119.70
38	A1	1715	G	N9-C4-C5	5.76	107.71	105.40
38	A1	2827	C	C6-N1-C1'	-5.76	113.88	120.80
67	AZ	2	ASP	CA-CB-CG	-5.76	100.72	113.40
11	B2	263	C	P-O5'-C5'	-5.76	111.68	120.90
11	B2	796	C	C4'-C3'-C2'	-5.76	96.84	102.60
38	A1	72	U	C6-N1-C2	-5.76	117.54	121.00
38	A1	200	G	C4-C5-C6	5.76	122.26	118.80
38	A1	950	G	C4-C5-N7	-5.76	108.50	110.80
38	A1	1155	A	C1'-O4'-C4'	5.76	114.51	109.90
38	A1	1487	U	OP2-P-O3'	5.76	117.88	105.20
38	A1	1809	G	N1-C2-N3	-5.76	120.44	123.90
38	A1	2105	A	C3'-C2'-C1'	5.76	106.11	101.50
38	A1	2287	C	N1-C2-N3	5.76	123.23	119.20
38	A1	2586	A	C4-C5-C6	5.76	119.88	117.00
58	AK	42	ARG	NE-CZ-NH1	-5.76	117.42	120.30
5	AS	34	GLU	N-CA-CB	5.76	120.97	110.60
10	B1	36	A	C4'-C3'-C2'	-5.76	96.84	102.60
11	B2	281	G	C3'-C2'-C1'	5.76	106.11	101.50
11	B2	616	G	O4'-C1'-C2'	5.76	112.79	107.60
11	B2	800	G	N3-C2-N2	5.76	123.93	119.90
17	BE	205	PHE	CB-CG-CD2	5.76	124.83	120.80
38	A1	255	G	N1-C6-O6	5.76	123.36	119.90
38	A1	726	G	N9-C4-C5	-5.76	103.10	105.40
38	A1	1073	G	O4'-C1'-N9	5.76	112.81	108.20
38	A1	1390	U	C2-N3-C4	5.76	130.46	127.00
38	A1	1393	C	N3-C4-N4	5.76	122.03	118.00
38	A1	1764	G	O4'-C1'-N9	5.76	112.81	108.20
38	A1	2003	C	N3-C2-O2	-5.76	117.87	121.90
38	A1	2011	U	O4'-C1'-N1	5.76	112.81	108.20
38	A1	2565	A	C4-C5-N7	-5.76	107.82	110.70
38	A1	2703	G	C4-C5-C6	5.76	122.26	118.80
12	AG	77	TYR	CB-CG-CD2	5.76	124.46	121.00
10	B1	16	C	C5-C6-N1	5.76	123.88	121.00
11	B2	164	A	C3'-C2'-C1'	5.76	106.11	101.50
11	B2	203	A	N3-C4-C5	-5.76	122.77	126.80
11	B2	204	G	C5-C6-O6	-5.76	125.14	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1309	A	C6-C5-N7	-5.76	128.27	132.30
11	B2	1436	U	C6-N1-C2	-5.76	117.54	121.00
17	BE	10	LEU	N-CA-C	-5.76	95.45	111.00
38	A1	225	C	N3-C4-C5	-5.76	119.60	121.90
38	A1	308	C	P-O3'-C3'	5.76	126.61	119.70
38	A1	524	C	N3-C4-N4	5.76	122.03	118.00
38	A1	579	C	C2'-C3'-O3'	5.76	122.92	113.70
38	A1	816	C	N1-C2-N3	-5.76	115.17	119.20
38	A1	899	A	O4'-C1'-N9	5.76	112.81	108.20
38	A1	1725	A	C5-C6-N1	-5.76	114.82	117.70
38	A1	2006	C	O4'-C1'-N1	5.76	112.81	108.20
38	A1	2306	C	C5-C6-N1	5.76	123.88	121.00
38	A1	2844	G	N3-C2-N2	5.76	123.93	119.90
38	A1	449	G	C8-N9-C4	-5.76	104.10	106.40
38	A1	2773	A	C5-C6-N6	-5.76	119.09	123.70
11	B2	177	A	C5-N7-C8	5.76	106.78	103.90
11	B2	948	G	C5-C6-N1	5.76	114.38	111.50
11	B2	979	U	C2-N3-C4	-5.76	123.55	127.00
38	A1	94	A	C5-C6-N6	-5.76	119.09	123.70
38	A1	1618	G	C6-C5-N7	-5.76	126.95	130.40
38	A1	1773	C	C5-C6-N1	5.76	123.88	121.00
38	A1	2126	G	N1-C2-N3	-5.76	120.45	123.90
38	A1	2173	U	N1-C2-O2	5.76	126.83	122.80
38	A1	2411	C	N1-C2-O2	-5.76	115.45	118.90
38	A1	2853	A	N3-C4-N9	5.76	132.01	127.40
38	A1	2857	C	O5'-C5'-C4'	-5.76	100.76	111.70
38	A1	3034	C	N3-C4-C5	-5.76	119.60	121.90
39	A3	42	A	C6-N1-C2	-5.76	115.15	118.60
11	B2	874	G	N7-C8-N9	5.75	115.98	113.10
11	B2	915	U	N3-C4-O4	5.75	123.43	119.40
38	A1	60	G	O4'-C1'-N9	5.75	112.80	108.20
38	A1	1294	A	P-O3'-C3'	5.75	126.61	119.70
38	A1	1474	A	C4-C5-C6	5.75	119.88	117.00
38	A1	1865	U	C4-C5-C6	-5.75	116.25	119.70
38	A1	2584	A	C5-C6-N6	-5.75	119.10	123.70
11	B2	269	A	C4-C5-C6	5.75	119.88	117.00
11	B2	464	G	C5-C6-O6	-5.75	125.15	128.60
11	B2	815	C	N3-C4-C5	-5.75	119.60	121.90
11	B2	1030	U	O4'-C1'-N1	5.75	112.80	108.20
11	B2	1195	U	C2-N3-C4	-5.75	123.55	127.00
11	B2	1387	C	C2-N3-C4	5.75	122.78	119.90
17	BE	59	ALA	N-CA-CB	5.75	118.16	110.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
23	BK	113	ARG	NE-CZ-NH1	5.75	123.18	120.30
38	A1	828	G	C5-N7-C8	5.75	107.18	104.30
38	A1	880	U	C5-C4-O4	5.75	129.35	125.90
38	A1	1405	G	C5-N7-C8	5.75	107.18	104.30
38	A1	1826	G	P-O3'-C3'	5.75	126.60	119.70
38	A1	2074	U	C3'-C2'-C1'	-5.75	96.90	101.50
43	AB	117	ASP	CB-CG-OD2	5.75	123.48	118.30
11	B2	689	C	C2-N3-C4	5.75	122.78	119.90
11	B2	775	G	C4'-C3'-C2'	-5.75	96.85	102.60
11	B2	1091	C	C2-N3-C4	5.75	122.78	119.90
11	B2	1123	G	C4-C5-N7	-5.75	108.50	110.80
11	B2	1484	C	C6-N1-C1'	-5.75	113.90	120.80
38	A1	534	G	O4'-C1'-N9	5.75	112.80	108.20
38	A1	569	G	C8-N9-C4	-5.75	104.10	106.40
38	A1	1784	G	N9-C4-C5	-5.75	103.10	105.40
38	A1	1807	G	C6-C5-N7	-5.75	126.95	130.40
38	A1	2350	G	O3'-P-O5'	-5.75	93.07	104.00
38	A1	2676	A	N1-C6-N6	5.75	122.05	118.60
38	A1	2950	G	C2-N3-C4	5.75	114.78	111.90
41	AA	169	THR	CA-CB-CG2	5.75	120.45	112.40
10	B1	26	C	C6-N1-C2	5.75	122.60	120.30
10	B1	42	C	P-O3'-C3'	5.75	126.60	119.70
11	B2	197	A	C6-C5-N7	-5.75	128.28	132.30
11	B2	443	C	C4'-C3'-C2'	-5.75	96.85	102.60
11	B2	523	C	N1-C2-O2	5.75	122.35	118.90
11	B2	1290	U	C5-C4-O4	-5.75	122.45	125.90
38	A1	410	C	N3-C2-O2	5.75	125.92	121.90
38	A1	1462	G	O4'-C1'-N9	5.75	112.80	108.20
38	A1	1664	G	N1-C2-N3	-5.75	120.45	123.90
11	B2	93	A	C5-N7-C8	5.75	106.77	103.90
11	B2	234	G	C8-N9-C4	-5.75	104.10	106.40
11	B2	587	G	C5-C6-N1	-5.75	108.63	111.50
11	B2	632	C	C5-C4-N4	-5.75	116.18	120.20
11	B2	807	C	N1-C2-N3	-5.75	115.18	119.20
11	B2	979	U	C5-C6-N1	5.75	125.57	122.70
11	B2	1296	U	N3-C4-C5	-5.75	111.15	114.60
38	A1	439	G	P-O3'-C3'	5.75	126.60	119.70
38	A1	602	G	C6-C5-N7	-5.75	126.95	130.40
38	A1	1233	U	N3-C4-O4	5.75	123.42	119.40
38	A1	1448	G	O4'-C1'-N9	5.75	112.80	108.20
38	A1	2072	G	C6-C5-N7	-5.75	126.95	130.40
38	A1	2084	A	C2-N3-C4	5.75	113.47	110.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2860	G	C4-C5-N7	-5.75	108.50	110.80
38	A1	3039	G	C4-C5-N7	-5.75	108.50	110.80
39	A3	69	C	C4-C5-C6	-5.75	114.53	117.40
11	B2	254	G	N1-C2-N2	5.75	121.37	116.20
11	B2	367	G	C4-C5-C6	5.75	122.25	118.80
11	B2	398	C	N1-C2-N3	5.75	123.22	119.20
11	B2	435	A	P-O5'-C5'	-5.75	111.70	120.90
11	B2	505	U	P-O3'-C3'	5.75	126.60	119.70
11	B2	592	G	C2-N3-C4	5.75	114.77	111.90
11	B2	919	U	C2-N3-C4	-5.75	123.55	127.00
11	B2	1265	G	C6-N1-C2	5.75	128.55	125.10
11	B2	1348	C	O4'-C1'-N1	5.75	112.80	108.20
38	A1	211	A	C6-C5-N7	-5.75	128.28	132.30
38	A1	507	G	C2-N3-C4	-5.75	109.03	111.90
38	A1	1328	G	C4-C5-N7	5.75	113.10	110.80
38	A1	1638	C	C5-C6-N1	-5.75	118.13	121.00
38	A1	1795	C	N3-C2-O2	5.75	125.92	121.90
11	B2	337	C	N3-C2-O2	5.75	125.92	121.90
11	B2	481	C	N3-C4-N4	5.75	122.02	118.00
11	B2	531	G	C6-N1-C2	5.75	128.55	125.10
11	B2	689	C	O4'-C1'-N1	5.75	112.80	108.20
38	A1	94	A	C5-C6-N1	-5.75	114.83	117.70
38	A1	139	G	P-O5'-C5'	-5.75	111.71	120.90
38	A1	556	G	C4-C5-C6	5.75	122.25	118.80
38	A1	1658	A	C5-C6-N1	-5.75	114.83	117.70
38	A1	2065	C	C5-C4-N4	-5.75	116.18	120.20
38	A1	2195	G	N1-C2-N3	-5.75	120.45	123.90
40	AK	4	ILE	CA-CB-CG2	5.75	122.39	110.90
11	B2	305	C	N3-C4-C5	-5.74	119.60	121.90
11	B2	471	G	N3-C4-N9	5.74	129.45	126.00
38	A1	277	A	C6-N1-C2	5.74	122.05	118.60
38	A1	541	A	C5-N7-C8	5.74	106.77	103.90
38	A1	895	C	O4'-C1'-C2'	-5.74	100.06	105.80
38	A1	1169	G	C5'-C4'-C3'	5.74	125.19	116.00
38	A1	1522	A	C6-C5-N7	-5.74	128.28	132.30
38	A1	2199	U	O4'-C4'-C3'	-5.74	98.26	104.00
38	A1	2346	A	OP2-P-O3'	5.74	117.84	105.20
38	A1	2579	G	N1-C6-O6	5.74	123.35	119.90
38	A1	2730	U	O4'-C1'-N1	5.74	112.80	108.20
38	A1	2853	A	N3-C4-C5	-5.74	122.78	126.80
38	A1	2954	C	C2-N3-C4	5.74	122.77	119.90
9	AX	394	PHE	CB-CG-CD2	5.74	124.82	120.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	588	C	N3-C4-N4	5.74	122.02	118.00
11	B2	960	A	C5-N7-C8	5.74	106.77	103.90
11	B2	1074	C	C4-C5-C6	-5.74	114.53	117.40
37	BY	8	TYR	CD1-CG-CD2	5.74	124.22	117.90
38	A1	35	G	C5-C6-O6	-5.74	125.16	128.60
38	A1	416	A	N1-C6-N6	5.74	122.05	118.60
38	A1	1618	G	C5-C6-N1	-5.74	108.63	111.50
38	A1	2824	C	C2-N3-C4	-5.74	117.03	119.90
11	B2	438	A	P-O3'-C3'	-5.74	112.81	119.70
11	B2	1152	C	C4-C5-C6	5.74	120.27	117.40
11	B2	1154	G	N1-C6-O6	5.74	123.34	119.90
13	BA	135	ARG	NE-CZ-NH1	5.74	123.17	120.30
38	A1	912	G	O4'-C1'-N9	5.74	112.79	108.20
38	A1	1417	U	N1-C2-N3	-5.74	111.45	114.90
38	A1	2145	G	N1-C2-N3	-5.74	120.46	123.90
38	A1	2355	G	O4'-C1'-N9	5.74	112.79	108.20
38	A1	2429	G	C2-N3-C4	5.74	114.77	111.90
38	A1	2537	G	C8-N9-C1'	5.74	134.46	127.00
43	AB	197	MET	N-CA-CB	5.74	120.93	110.60
11	B2	56	A	C5'-C4'-C3'	-5.74	106.82	116.00
11	B2	993	C	N3-C4-C5	-5.74	119.60	121.90
14	BB	149	TYR	CG-CD2-CE2	-5.74	116.71	121.30
38	A1	335	C	C5-C4-N4	5.74	124.22	120.20
38	A1	413	A	O4'-C1'-N9	5.74	112.79	108.20
38	A1	851	G	P-O5'-C5'	5.74	130.08	120.90
38	A1	1083	G	N9-C4-C5	5.74	107.69	105.40
38	A1	1165	C	C4'-C3'-C2'	-5.74	96.86	102.60
38	A1	1185	A	N7-C8-N9	5.74	116.67	113.80
38	A1	1326	U	N1-C2-O2	-5.74	118.78	122.80
38	A1	1388	U	N3-C4-O4	5.74	123.42	119.40
38	A1	1573	A	O4'-C1'-N9	5.74	112.79	108.20
38	A1	1898	A	C6-N1-C2	5.74	122.04	118.60
38	A1	2569	G	N1-C2-N3	-5.74	120.46	123.90
10	B1	60	A	OP2-P-O3'	5.74	117.82	105.20
11	B2	127	G	C4'-C3'-C2'	-5.74	96.86	102.60
11	B2	252	U	N1-C1'-C2'	-5.74	105.69	112.00
11	B2	1353	C	O4'-C1'-N1	5.74	112.79	108.20
11	B2	1392	G	P-O3'-C3'	5.74	126.58	119.70
38	A1	1369	G	N3-C4-C5	-5.74	125.73	128.60
38	A1	1726	A	C6-C5-N7	-5.74	128.28	132.30
4	AQ	23	TRP	CG-CD2-CE3	-5.74	128.74	133.90
11	B2	112	G	C5-C6-O6	-5.74	125.16	128.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1071	C	C5-C4-N4	-5.74	116.19	120.20
24	BL	82	MET	CG-SD-CE	-5.74	91.03	100.20
38	A1	171	A	O4'-C1'-N9	5.74	112.79	108.20
38	A1	566	G	O5'-P-OP2	-5.74	100.54	105.70
38	A1	635	G	N1-C2-N2	5.74	121.36	116.20
38	A1	716	U	P-O3'-C3'	5.74	126.58	119.70
38	A1	1284	C	P-O5'-C5'	-5.74	111.72	120.90
38	A1	1399	C	C4'-C3'-C2'	-5.74	96.86	102.60
38	A1	1424	G	N3-C2-N2	5.74	123.91	119.90
38	A1	1639	G	O4'-C1'-N9	5.74	112.79	108.20
38	A1	1677	A	O4'-C1'-N9	5.74	112.79	108.20
38	A1	2368	G	P-O5'-C5'	-5.74	111.72	120.90
38	A1	2563	A	N3-C4-C5	-5.74	122.78	126.80
38	A1	2844	G	C6-C5-N7	-5.74	126.96	130.40
45	AC	191	SER	N-CA-CB	5.74	119.10	110.50
60	AM	165	ALA	CB-CA-C	-5.74	101.50	110.10
66	AY	142	TYR	CG-CD1-CE1	5.74	125.89	121.30
5	AS	133	PHE	N-CA-CB	5.73	120.92	110.60
11	B2	35	G	C2-N3-C4	-5.73	109.03	111.90
27	BO	4	PHE	CB-CG-CD1	-5.73	116.79	120.80
38	A1	41	G	C4-N9-C1'	5.73	133.95	126.50
38	A1	1178	G	O4'-C1'-C2'	5.73	112.76	107.60
38	A1	1659	G	C5'-C4'-C3'	-5.73	106.83	116.00
38	A1	1750	C	N1-C2-O2	5.73	122.34	118.90
11	B2	111	G	C2-N3-C4	5.73	114.77	111.90
11	B2	234	G	O4'-C1'-N9	5.73	112.79	108.20
11	B2	316	C	O4'-C1'-N1	5.73	112.79	108.20
11	B2	1113	G	C8-N9-C4	5.73	108.69	106.40
11	B2	1300	A	C4'-C3'-C2'	-5.73	96.87	102.60
38	A1	255	G	N3-C4-C5	-5.73	125.73	128.60
38	A1	315	U	N3-C4-C5	-5.73	111.16	114.60
38	A1	700	A	N1-C6-N6	5.73	122.04	118.60
38	A1	993	G	C5-N7-C8	5.73	107.17	104.30
38	A1	1737	A	C8-N9-C4	-5.73	103.51	105.80
39	A3	74	U	N3-C4-C5	-5.73	111.16	114.60
11	B2	218	C	C3'-C2'-C1'	5.73	106.08	101.50
11	B2	506	G	N9-C4-C5	-5.73	103.11	105.40
11	B2	1016	G	N9-C4-C5	-5.73	103.11	105.40
11	B2	1198	A	C4'-C3'-C2'	-5.73	96.87	102.60
11	B2	1324	U	O4'-C1'-N1	5.73	112.78	108.20
11	B2	1484	C	N1-C2-N3	-5.73	115.19	119.20
38	A1	92	G	O4'-C1'-N9	5.73	112.78	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	122	G	C4-C5-C6	5.73	122.24	118.80
38	A1	600	A	C6-N1-C2	-5.73	115.16	118.60
38	A1	1010	G	C8-N9-C4	-5.73	104.11	106.40
38	A1	1331	U	N3-C4-O4	5.73	123.41	119.40
38	A1	1442	G	C5-C6-N1	-5.73	108.64	111.50
38	A1	1709	C	C6-N1-C2	5.73	122.59	120.30
38	A1	2026	C	C4-C5-C6	5.73	120.27	117.40
38	A1	2562	G	C5-C6-N1	-5.73	108.63	111.50
38	A1	2567	C	O4'-C1'-N1	5.73	112.78	108.20
38	A1	2687	A	C5-C6-N1	-5.73	114.83	117.70
63	AP	44	ARG	NE-CZ-NH2	5.73	123.17	120.30
11	B2	123	U	P-O5'-C5'	-5.73	111.73	120.90
11	B2	134	A	C8-N9-C4	-5.73	103.51	105.80
11	B2	234	G	C4-C5-C6	5.73	122.24	118.80
11	B2	1432	U	N3-C4-O4	5.73	123.41	119.40
27	BO	111	ARG	N-CA-CB	5.73	120.91	110.60
38	A1	423	G	C1'-O4'-C4'	-5.73	105.32	109.90
38	A1	1680	G	N3-C4-C5	-5.73	125.73	128.60
38	A1	2803	U	N3-C4-C5	-5.73	111.16	114.60
38	A1	2898	G	C4-N9-C1'	-5.73	119.05	126.50
10	B1	51	G	C6-N1-C2	-5.73	121.66	125.10
11	B2	13	C	N3-C4-C5	-5.73	119.61	121.90
11	B2	66	G	C6-C5-N7	-5.73	126.96	130.40
11	B2	277	G	C5-C6-O6	5.73	132.04	128.60
11	B2	869	U	C5-C4-O4	-5.73	122.46	125.90
11	B2	1415	U	N3-C4-C5	-5.73	111.16	114.60
38	A1	972	C	N3-C4-N4	5.73	122.01	118.00
38	A1	2286	U	O4'-C1'-N1	5.73	112.78	108.20
9	AX	376	PRO	N-CA-CB	5.73	110.17	103.30
11	B2	635	C	O5'-P-OP1	-5.73	100.55	105.70
11	B2	647	G	N1-C2-N3	-5.73	120.46	123.90
11	B2	763	G	C5-C6-O6	-5.73	125.16	128.60
11	B2	918	A	O4'-C4'-C3'	5.73	110.68	106.10
38	A1	344	G	C5-C6-N1	-5.73	108.64	111.50
38	A1	565	A	C8-N9-C4	-5.73	103.51	105.80
38	A1	986	G	C5-N7-C8	-5.73	101.44	104.30
38	A1	2540	A	C1'-O4'-C4'	5.73	114.48	109.90
39	A3	104	C	N3-C4-N4	5.73	122.01	118.00
10	B1	29	C	P-O5'-C5'	5.72	130.06	120.90
11	B2	347	G	C1'-O4'-C4'	-5.72	105.32	109.90
11	B2	516	A	N7-C8-N9	5.72	116.66	113.80
17	BE	166	MET	CG-SD-CE	-5.72	91.04	100.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
28	BP	40	ARG	NE-CZ-NH1	-5.72	117.44	120.30
38	A1	642	G	C6-C5-N7	-5.72	126.97	130.40
38	A1	766	G	C5-N7-C8	5.72	107.16	104.30
38	A1	1126	C	N3-C2-O2	5.72	125.91	121.90
38	A1	1290	G	N3-C2-N2	5.72	123.91	119.90
38	A1	1425	U	C5-C6-N1	-5.72	119.84	122.70
38	A1	1429	A	C3'-C2'-C1'	-5.72	96.92	101.50
38	A1	1902	G	C5'-C4'-C3'	5.72	125.16	116.00
38	A1	2207	C	N3-C4-C5	-5.72	119.61	121.90
38	A1	2355	G	C6-C5-N7	-5.72	126.97	130.40
38	A1	2620	G	C3'-C2'-C1'	-5.72	96.92	101.50
38	A1	2743	U	C2-N3-C4	-5.72	123.56	127.00
10	B1	39	A	OP1-P-OP2	-5.72	111.02	119.60
11	B2	36	G	C8-N9-C1'	5.72	134.44	127.00
11	B2	551	U	C1'-O4'-C4'	5.72	114.48	109.90
11	B2	1095	C	C4-C5-C6	5.72	120.26	117.40
11	B2	1120	G	C1'-O4'-C4'	-5.72	105.32	109.90
38	A1	564	U	C2-N3-C4	-5.72	123.57	127.00
38	A1	614	G	C8-N9-C4	-5.72	104.11	106.40
38	A1	1097	G	C5'-C4'-O4'	-5.72	102.23	109.10
38	A1	1262	C	O4'-C1'-N1	5.72	112.78	108.20
38	A1	2480	G	C5'-C4'-O4'	5.72	115.97	109.10
38	A1	2562	G	C4-C5-C6	5.72	122.23	118.80
38	A1	2615	U	O4'-C1'-C2'	5.72	112.75	107.60
38	A1	3009	C	N3-C4-N4	5.72	122.00	118.00
64	AR	87	PHE	CG-CD2-CE2	-5.72	114.51	120.80
10	B1	30	G	C2-N3-C4	5.72	114.76	111.90
11	B2	819	G	C2-N3-C4	-5.72	109.04	111.90
11	B2	876	A	C6-N1-C2	5.72	122.03	118.60
20	BH	114	ARG	NE-CZ-NH1	5.72	123.16	120.30
38	A1	1394	G	C4-C5-C6	5.72	122.23	118.80
11	B2	1202	G	N3-C4-N9	5.72	129.43	126.00
38	A1	18	C	C5-C4-N4	-5.72	116.20	120.20
38	A1	534	G	C5-C6-N1	-5.72	108.64	111.50
38	A1	601	A	C8-N9-C4	-5.72	103.51	105.80
38	A1	983	G	P-O5'-C5'	5.72	130.05	120.90
38	A1	1333	G	C4'-C3'-C2'	-5.72	96.88	102.60
38	A1	2041	U	C4'-C3'-C2'	-5.72	96.88	102.60
38	A1	2108	U	N3-C4-O4	5.72	123.40	119.40
38	A1	2264	G	N9-C1'-C2'	-5.72	105.71	112.00
39	A3	15	G	C5-C6-O6	-5.72	125.17	128.60
7	AU	5	SER	N-CA-C	-5.72	95.56	111.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	263	C	C5-C4-N4	-5.72	116.20	120.20
11	B2	915	U	N3-C4-C5	-5.72	111.17	114.60
11	B2	1118	C	N1-C2-O2	-5.72	115.47	118.90
11	B2	1305	U	OP1-P-OP2	-5.72	111.02	119.60
11	B2	1448	A	C5-C6-N1	-5.72	114.84	117.70
13	BA	89	ARG	CG-CD-NE	-5.72	99.79	111.80
38	A1	1612	G	C3'-C2'-C1'	5.72	106.07	101.50
38	A1	1665	G	N1-C2-N3	-5.72	120.47	123.90
38	A1	1736	G	N1-C6-O6	5.72	123.33	119.90
38	A1	2406	C	N3-C4-N4	5.72	122.00	118.00
10	B1	70	C	C2-N3-C4	5.72	122.76	119.90
10	B1	70	C	O4'-C1'-N1	5.72	112.77	108.20
11	B2	124	C	C5-C6-N1	5.72	123.86	121.00
11	B2	412	U	N3-C4-C5	-5.72	111.17	114.60
11	B2	469	U	C4-C5-C6	5.72	123.13	119.70
11	B2	868	C	N1-C2-N3	5.72	123.20	119.20
11	B2	1200	U	C6-N1-C2	-5.72	117.57	121.00
11	B2	1373	A	O4'-C1'-N9	5.72	112.77	108.20
38	A1	380	A	C2-N3-C4	-5.72	107.74	110.60
38	A1	400	U	P-O5'-C5'	-5.72	111.75	120.90
38	A1	442	G	N3-C2-N2	5.72	123.90	119.90
38	A1	682	G	C6-C5-N7	-5.72	126.97	130.40
38	A1	876	C	O4'-C1'-N1	5.72	112.77	108.20
38	A1	1500	C	C5'-C4'-O4'	-5.72	102.24	109.10
38	A1	1558	U	C3'-C2'-C1'	5.72	106.07	101.50
38	A1	1572	C	O4'-C1'-C2'	-5.72	100.08	105.80
38	A1	1578	C	N3-C2-O2	-5.72	117.90	121.90
38	A1	1631	A	C8-N9-C4	5.72	108.09	105.80
38	A1	2405	U	C5-C4-O4	-5.72	122.47	125.90
38	A1	2692	A	N1-C2-N3	5.72	132.16	129.30
38	A1	2944	G	N1-C2-N3	-5.72	120.47	123.90
39	A3	20	G	C8-N9-C1'	-5.72	119.57	127.00
45	AC	30	TRP	CB-CG-CD2	5.72	134.03	126.60
10	B1	50	G	C6-N1-C2	5.71	128.53	125.10
11	B2	12	U	O4'-C1'-N1	5.71	112.77	108.20
11	B2	191	A	C6-C5-N7	-5.71	128.30	132.30
11	B2	692	G	C5-C6-O6	-5.71	125.17	128.60
11	B2	883	G	N3-C4-C5	5.71	131.46	128.60
11	B2	981	U	C5-C6-N1	5.71	125.56	122.70
11	B2	1100	G	N3-C4-C5	-5.71	125.74	128.60
11	B2	1176	C	C2-N3-C4	5.71	122.76	119.90
11	B2	1189	G	C2-N3-C4	5.71	114.76	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1216	A	C4-C5-C6	5.71	119.86	117.00
11	B2	1401	U	C6-N1-C2	5.71	124.43	121.00
20	BH	79	TYR	CG-CD1-CE1	5.71	125.87	121.30
33	BU	65	ASP	CB-CG-OD2	-5.71	113.16	118.30
38	A1	284	U	N3-C4-O4	5.71	123.40	119.40
38	A1	901	C	P-O5'-C5'	5.71	130.04	120.90
38	A1	2671	C	O4'-C1'-N1	5.71	112.77	108.20
38	A1	2855	G	C8-N9-C4	-5.71	104.11	106.40
38	A1	2972	G	C5-C6-N1	5.71	114.36	111.50
11	B2	799	C	C5-C6-N1	5.71	123.86	121.00
29	BQ	45	TYR	CZ-CE2-CD2	5.71	124.94	119.80
38	A1	217	A	C5-C6-N1	-5.71	114.84	117.70
38	A1	588	U	C5'-C4'-O4'	5.71	115.96	109.10
38	A1	1055	C	N3-C2-O2	5.71	125.90	121.90
38	A1	1549	C	C6-N1-C2	-5.71	118.02	120.30
38	A1	1594	G	C2-N3-C4	5.71	114.76	111.90
38	A1	2013	A	C5'-C4'-O4'	5.71	115.95	109.10
10	B1	65	C	N3-C2-O2	5.71	125.90	121.90
11	B2	506	G	C5-N7-C8	5.71	107.16	104.30
14	BB	101	MET	O-C-N	-5.71	113.56	122.70
38	A1	66	C	N1-C2-O2	-5.71	115.47	118.90
38	A1	805	C	O4'-C1'-N1	5.71	112.77	108.20
38	A1	963	G	C8-N9-C4	-5.71	104.12	106.40
38	A1	1299	C	C1'-O4'-C4'	5.71	114.47	109.90
38	A1	1564	C	C6-N1-C2	5.71	122.58	120.30
38	A1	1614	U	C1'-O4'-C4'	-5.71	105.33	109.90
38	A1	1765	A	C6-C5-N7	-5.71	128.30	132.30
38	A1	1796	U	N1-C2-N3	-5.71	111.47	114.90
38	A1	2433	U	C2-N3-C4	5.71	130.43	127.00
38	A1	2579	G	O4'-C1'-N9	5.71	112.77	108.20
39	A3	18	G	N7-C8-N9	5.71	115.95	113.10
54	AI	55	LEU	O-C-N	-5.71	113.56	122.70
11	B2	80	A	P-O5'-C5'	5.71	130.04	120.90
11	B2	306	C	C2-N3-C4	5.71	122.75	119.90
60	AM	84	LYS	N-CA-CB	5.71	120.88	110.60
11	B2	290	C	N1-C2-N3	-5.71	115.20	119.20
11	B2	309	A	C2-N3-C4	-5.71	107.75	110.60
11	B2	605	C	C5-C6-N1	5.71	123.85	121.00
20	BH	51	HIS	CA-CB-CG	5.71	123.30	113.60
38	A1	139	G	O4'-C1'-N9	5.71	112.77	108.20
38	A1	299	U	N3-C2-O2	5.71	126.20	122.20
38	A1	454	C	N3-C4-C5	-5.71	119.62	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	456	G	C4-C5-N7	-5.71	108.52	110.80
38	A1	524	C	N3-C4-C5	-5.71	119.62	121.90
38	A1	598	C	C5-C4-N4	-5.71	116.20	120.20
38	A1	764	G	O4'-C1'-N9	5.71	112.77	108.20
38	A1	991	U	C3'-C2'-C1'	-5.71	96.93	101.50
38	A1	1392	G	N1-C2-N3	-5.71	120.47	123.90
38	A1	1577	C	N3-C4-N4	5.71	122.00	118.00
38	A1	1939	C	C2-N3-C4	5.71	122.75	119.90
38	A1	2190	A	C6-C5-N7	-5.71	128.31	132.30
38	A1	2194	A	O4'-C1'-N9	5.71	112.77	108.20
38	A1	2230	G	P-O3'-C3'	5.71	126.55	119.70
38	A1	2522	C	C5-C4-N4	-5.71	116.20	120.20
38	A1	2863	A	N3-C4-C5	-5.71	122.80	126.80
38	A1	2878	A	N7-C8-N9	-5.71	110.95	113.80
39	A3	92	G	N3-C2-N2	5.71	123.90	119.90
11	B2	159	C	P-O3'-C3'	5.71	126.55	119.70
11	B2	352	A	O4'-C1'-N9	5.71	112.77	108.20
11	B2	545	C	N1-C2-N3	-5.71	115.20	119.20
11	B2	574	A	C4-C5-N7	-5.71	107.85	110.70
11	B2	1320	A	P-O3'-C3'	-5.71	112.85	119.70
11	B2	1463	A	O4'-C4'-C3'	-5.71	98.29	104.00
26	BN	70	ARG	NE-CZ-NH2	-5.71	117.45	120.30
38	A1	1447	G	OP1-P-OP2	-5.71	111.04	119.60
38	A1	1550	C	C6-N1-C2	-5.71	118.02	120.30
38	A1	1961	G	C5-C6-O6	-5.71	125.18	128.60
38	A1	2163	G	N1-C2-N3	-5.71	120.48	123.90
38	A1	2230	G	C5-C6-O6	-5.71	125.18	128.60
38	A1	2489	C	P-O5'-C5'	5.71	130.03	120.90
39	A3	113	C	N1-C2-N3	5.71	123.19	119.20
55	Ai	23	ARG	NE-CZ-NH1	5.71	123.15	120.30
11	B2	17	C	N3-C2-O2	5.71	125.89	121.90
11	B2	781	U	N3-C4-O4	-5.71	115.41	119.40
11	B2	997	G	N3-C2-N2	5.71	123.89	119.90
11	B2	1493	C	C5'-C4'-O4'	5.71	115.95	109.10
38	A1	833	G	C6-C5-N7	-5.71	126.98	130.40
38	A1	880	U	N3-C4-C5	-5.71	111.18	114.60
38	A1	1163	U	N3-C4-C5	-5.71	111.18	114.60
38	A1	1203	C	N3-C4-N4	5.71	121.99	118.00
38	A1	1264	G	N3-C2-N2	5.71	123.89	119.90
38	A1	2053	G	C4-C5-C6	5.71	122.22	118.80
2	A8	49	TYR	CB-CG-CD1	-5.70	117.58	121.00
10	B1	41	C	C6-N1-C2	-5.70	118.02	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	18	C	N1-C2-O2	-5.70	115.48	118.90
11	B2	275	A	N3-C4-C5	-5.70	122.81	126.80
11	B2	995	G	C5-C6-O6	-5.70	125.18	128.60
11	B2	1185	A	N7-C8-N9	-5.70	110.95	113.80
20	BH	44	LEU	CB-CA-C	-5.70	99.36	110.20
33	BU	91	TYR	CB-CG-CD2	5.70	124.42	121.00
38	A1	198	C	C6-N1-C2	5.70	122.58	120.30
38	A1	301	G	O4'-C1'-N9	5.70	112.76	108.20
38	A1	828	G	P-O3'-C3'	-5.70	112.86	119.70
38	A1	1210	G	C3'-C2'-C1'	5.70	106.06	101.50
38	A1	1259	G	N1-C2-N3	-5.70	120.48	123.90
38	A1	1957	U	O4'-C1'-C2'	-5.70	100.10	105.80
38	A1	2164	G	N7-C8-N9	5.70	115.95	113.10
45	AC	183	MET	CA-CB-CG	5.70	123.00	113.30
11	B2	439	G	C5-C6-O6	-5.70	125.18	128.60
11	B2	824	G	C6-C5-N7	-5.70	126.98	130.40
11	B2	1258	C	N3-C4-N4	5.70	121.99	118.00
17	BE	158	TYR	CD1-CE1-CZ	-5.70	114.67	119.80
27	BO	136	ARG	NE-CZ-NH2	-5.70	117.45	120.30
38	A1	474	G	N3-C4-C5	5.70	131.45	128.60
38	A1	1264	G	N9-C4-C5	5.70	107.68	105.40
38	A1	1354	G	C6-C5-N7	-5.70	126.98	130.40
38	A1	1918	U	C6-N1-C2	-5.70	117.58	121.00
38	A1	2508	G	N3-C4-C5	5.70	131.45	128.60
11	B2	369	A	C1'-O4'-C4'	5.70	114.46	109.90
11	B2	637	G	N1-C2-N3	5.70	127.32	123.90
11	B2	885	G	N3-C4-C5	-5.70	125.75	128.60
11	B2	1129	A	C2-N3-C4	-5.70	107.75	110.60
11	B2	1242	C	O4'-C4'-C3'	-5.70	98.30	104.00
11	B2	1481	G	C5-N7-C8	5.70	107.15	104.30
38	A1	48	G	C2-N3-C4	5.70	114.75	111.90
38	A1	215	A	C2'-C3'-O3'	5.70	122.82	113.70
38	A1	359	C	N3-C4-C5	-5.70	119.62	121.90
38	A1	455	G	N3-C2-N2	5.70	123.89	119.90
38	A1	957	C	C5-C4-N4	-5.70	116.21	120.20
38	A1	2272	G	O3'-P-O5'	5.70	114.83	104.00
38	A1	2303	A	C5-N7-C8	5.70	106.75	103.90
38	A1	2338	A	O4'-C1'-N9	5.70	112.76	108.20
38	A1	3010	C	C5-C6-N1	5.70	123.85	121.00
10	B1	49	C	C2-N3-C4	5.70	122.75	119.90
10	B1	49	C	C6-N1-C2	-5.70	118.02	120.30
11	B2	186	U	N1-C2-N3	5.70	118.32	114.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	439	G	OP1-P-OP2	-5.70	111.05	119.60
13	BA	123	ALA	N-CA-CB	5.70	118.08	110.10
36	BX	18	THR	CA-CB-CG2	-5.70	104.42	112.40
38	A1	459	C	C4-C5-C6	5.70	120.25	117.40
38	A1	587	A	C4-C5-N7	-5.70	107.85	110.70
38	A1	1037	C	N1-C1'-C2'	-5.70	105.73	112.00
38	A1	1168	A	N7-C8-N9	-5.70	110.95	113.80
38	A1	1588	C	C5-C4-N4	-5.70	116.21	120.20
38	A1	2127	G	N9-C4-C5	5.70	107.68	105.40
38	A1	2593	A	C5-N7-C8	5.70	106.75	103.90
38	A1	2599	C	C5-C6-N1	5.70	123.85	121.00
38	A1	2990	G	C5-C6-N1	-5.70	108.65	111.50
10	B1	58	A	N7-C8-N9	-5.70	110.95	113.80
11	B2	253	G	C5-C6-O6	-5.70	125.18	128.60
11	B2	859	A	C4-C5-C6	5.70	119.85	117.00
11	B2	1158	G	N3-C4-C5	5.70	131.45	128.60
26	BN	98	ASP	CB-CG-OD1	5.70	123.43	118.30
38	A1	70	G	N1-C2-N3	-5.70	120.48	123.90
38	A1	300	U	C5'-C4'-O4'	5.70	115.94	109.10
38	A1	656	G	C2-N3-C4	5.70	114.75	111.90
38	A1	1078	G	C5-N7-C8	5.70	107.15	104.30
11	B2	166	A	C5-N7-C8	5.70	106.75	103.90
11	B2	572	U	C3'-C2'-C1'	-5.70	96.94	101.50
11	B2	725	C	C5-C6-N1	5.70	123.85	121.00
11	B2	864	G	C8-N9-C4	-5.70	104.12	106.40
11	B2	949	G	C8-N9-C4	5.70	108.68	106.40
11	B2	1000	G	C8-N9-C4	5.70	108.68	106.40
17	BE	128	ARG	NE-CZ-NH1	5.70	123.15	120.30
38	A1	362	A	N7-C8-N9	-5.70	110.95	113.80
38	A1	981	A	C5-C6-N1	-5.70	114.85	117.70
38	A1	1094	U	N1-C2-O2	-5.70	118.81	122.80
38	A1	1853	C	C2-N3-C4	5.70	122.75	119.90
38	A1	2065	C	N3-C4-C5	5.70	124.18	121.90
38	A1	2382	A	C8-N9-C4	-5.70	103.52	105.80
38	A1	2979	C	N3-C4-N4	5.70	121.99	118.00
39	A3	70	C	N3-C4-N4	5.70	121.99	118.00
62	AO	34	ARG	CD-NE-CZ	-5.70	115.63	123.60
11	B2	308	G	C2-N3-C4	5.69	114.75	111.90
11	B2	423	U	O4'-C4'-C3'	-5.69	98.31	104.00
11	B2	885	G	C4'-C3'-C2'	-5.69	96.91	102.60
11	B2	1114	G	N1-C6-O6	5.69	123.32	119.90
38	A1	2292	A	C5'-C4'-C3'	-5.69	106.89	116.00

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	163	C	C5-C4-N4	-5.69	116.22	120.20
11	B2	315	A	C4'-C3'-C2'	-5.69	96.91	102.60
13	BA	126	MET	N-CA-CB	5.69	120.85	110.60
38	A1	175	G	N3-C4-C5	-5.69	125.75	128.60
38	A1	224	G	N7-C8-N9	5.69	115.95	113.10
38	A1	306	G	N1-C2-N2	-5.69	111.08	116.20
38	A1	530	A	O4'-C4'-C3'	-5.69	98.31	104.00
38	A1	810	A	C4-C5-C6	5.69	119.85	117.00
38	A1	1271	G	C6-C5-N7	-5.69	126.98	130.40
38	A1	2255	C	C2-N1-C1'	5.69	125.06	118.80
38	A1	2310	G	O4'-C1'-N9	5.69	112.75	108.20
38	A1	2445	G	N9-C1'-C2'	-5.69	105.74	112.00
38	A1	2486	A	C3'-C2'-C1'	-5.69	96.95	101.50
39	A3	50	G	O4'-C1'-N9	5.69	112.75	108.20
11	B2	437	A	O5'-P-OP2	-5.69	100.58	105.70
11	B2	1077	U	C4'-C3'-C2'	-5.69	96.91	102.60
11	B2	1094	U	C4'-C3'-C2'	-5.69	96.91	102.60
11	B2	1172	A	O4'-C1'-N9	5.69	112.75	108.20
11	B2	1270	C	O4'-C1'-N1	5.69	112.75	108.20
11	B2	1364	C	N3-C2-O2	5.69	125.88	121.90
17	BE	55	TYR	CB-CG-CD1	5.69	124.42	121.00
20	BH	20	ARG	NE-CZ-NH2	-5.69	117.45	120.30
38	A1	86	G	C5-C6-O6	-5.69	125.19	128.60
38	A1	132	G	N9-C4-C5	-5.69	103.12	105.40
38	A1	664	A	C5-N7-C8	-5.69	101.06	103.90
38	A1	734	C	N1-C2-O2	5.69	122.31	118.90
38	A1	814	G	N3-C4-N9	5.69	129.41	126.00
38	A1	1005	G	C8-N9-C4	5.69	108.68	106.40
38	A1	1070	G	C8-N9-C1'	-5.69	119.60	127.00
38	A1	2400	U	C4-C5-C6	5.69	123.11	119.70
38	A1	2733	A	C5-N7-C8	5.69	106.75	103.90
38	A1	2738	G	C5-C6-N1	-5.69	108.66	111.50
52	AH	64	PHE	CB-CG-CD2	5.69	124.78	120.80
11	B2	276	A	N3-C4-C5	-5.69	122.82	126.80
11	B2	378	A	C5-N7-C8	5.69	106.75	103.90
38	A1	584	G	N3-C4-N9	5.69	129.41	126.00
38	A1	1439	G	N1-C6-O6	5.69	123.31	119.90
38	A1	1547	U	P-O5'-C5'	5.69	130.00	120.90
38	A1	1639	G	N7-C8-N9	-5.69	110.26	113.10
38	A1	1739	U	O4'-C1'-N1	5.69	112.75	108.20
38	A1	2240	G	N1-C2-N3	-5.69	120.49	123.90
38	A1	2814	U	N1-C2-O2	-5.69	118.82	122.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	B1	35	G	O4'-C1'-N9	5.69	112.75	108.20
11	B2	1138	G	N3-C2-N2	5.69	123.88	119.90
11	B2	1302	C	N3-C4-C5	-5.69	119.62	121.90
31	BS	49	ARG	NE-CZ-NH2	5.69	123.14	120.30
38	A1	885	A	C2-N3-C4	5.69	113.44	110.60
38	A1	1149	C	C5-C6-N1	5.69	123.84	121.00
38	A1	1445	G	N1-C2-N3	-5.69	120.49	123.90
38	A1	1891	C	N3-C2-O2	-5.69	117.92	121.90
38	A1	2192	G	N3-C2-N2	-5.69	115.92	119.90
38	A1	2827	C	N1-C2-O2	5.69	122.31	118.90
43	AB	84	TYR	CG-CD1-CE1	-5.69	116.75	121.30
45	AC	209	VAL	C-N-CA	5.69	134.24	122.30
11	B2	162	C	N3-C4-C5	-5.69	119.63	121.90
11	B2	471	G	O4'-C4'-C3'	-5.69	98.31	104.00
11	B2	529	C	C4-C5-C6	5.69	120.24	117.40
15	BC	110	ARG	N-CA-CB	5.69	120.83	110.60
16	BD	108	ILE	CB-CA-C	5.69	122.97	111.60
38	A1	145	C	O4'-C1'-N1	5.69	112.75	108.20
38	A1	549	G	C8-N9-C4	-5.69	104.13	106.40
38	A1	1705	C	C6-N1-C2	-5.69	118.03	120.30
38	A1	2960	G	C5-C6-N1	-5.69	108.66	111.50
11	B2	146	A	N1-C2-N3	5.68	132.14	129.30
11	B2	253	G	C6-N1-C2	5.68	128.51	125.10
11	B2	382	G	N3-C2-N2	5.68	123.88	119.90
11	B2	812	U	C3'-C2'-C1'	5.68	106.05	101.50
38	A1	1209	A	C5-C6-N6	-5.68	119.15	123.70
38	A1	1451	A	N1-C2-N3	5.68	132.14	129.30
38	A1	1533	G	N1-C2-N2	-5.68	111.08	116.20
38	A1	1627	G	C4-C5-C6	5.68	122.21	118.80
38	A1	1911	G	C5-C6-O6	5.68	132.01	128.60
38	A1	2155	C	N1-C2-O2	5.68	122.31	118.90
38	A1	2953	U	P-O5'-C5'	5.68	129.99	120.90
39	A3	48	A	C5-N7-C8	5.68	106.74	103.90
45	AC	41	PHE	CB-CG-CD1	-5.68	116.82	120.80
11	B2	50	C	C5-C4-N4	-5.68	116.22	120.20
11	B2	289	C	C6-N1-C2	-5.68	118.03	120.30
11	B2	1036	G	C6-C5-N7	-5.68	126.99	130.40
38	A1	112	U	N1-C2-O2	-5.68	118.82	122.80
38	A1	149	G	C4-C5-C6	5.68	122.21	118.80
38	A1	1444	A	C5'-C4'-O4'	5.68	115.92	109.10
38	A1	1708	U	C1'-O4'-C4'	-5.68	105.36	109.90
38	A1	1929	C	N1-C2-N3	-5.68	115.22	119.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1938	G	C8-N9-C4	5.68	108.67	106.40
38	A1	2020	G	N1-C2-N3	-5.68	120.49	123.90
38	A1	2609	G	C5-C6-O6	-5.68	125.19	128.60
39	A3	95	G	N9-C4-C5	-5.68	103.13	105.40
11	B2	933	G	C2-N3-C4	5.68	114.74	111.90
38	A1	1114	G	O4'-C1'-N9	5.68	112.75	108.20
38	A1	1361	G	C5-N7-C8	-5.68	101.46	104.30
38	A1	2290	U	O4'-C1'-C2'	-5.68	100.12	105.80
57	Aj	3	TYR	CG-CD1-CE1	-5.68	116.76	121.30
11	B2	107	C	C4-C5-C6	-5.68	114.56	117.40
11	B2	977	G	N3-C2-N2	5.68	123.88	119.90
11	B2	1426	C	C5-C6-N1	5.68	123.84	121.00
26	BN	69	MET	CG-SD-CE	-5.68	91.11	100.20
38	A1	246	A	N3-C4-C5	-5.68	122.82	126.80
38	A1	766	G	O4'-C1'-N9	5.68	112.74	108.20
38	A1	995	G	C2-N3-C4	5.68	114.74	111.90
38	A1	1272	A	C8-N9-C4	-5.68	103.53	105.80
38	A1	1595	G	N1-C2-N3	-5.68	120.49	123.90
38	A1	1720	G	C4-C5-C6	5.68	122.21	118.80
38	A1	1759	A	C5-N7-C8	5.68	106.74	103.90
38	A1	2080	G	O4'-C1'-N9	5.68	112.74	108.20
38	A1	2269	C	P-O3'-C3'	-5.68	112.89	119.70
39	A3	32	C	N1-C2-N3	-5.68	115.22	119.20
59	AL	82	ASP	CB-CG-OD2	-5.68	113.19	118.30
11	B2	206	C	O4'-C1'-N1	5.68	112.74	108.20
11	B2	511	C	P-O3'-C3'	5.68	126.51	119.70
11	B2	1307	G	O4'-C1'-N9	5.68	112.74	108.20
38	A1	212	A	C4-C5-N7	-5.68	107.86	110.70
38	A1	221	G	C5-C6-N1	-5.68	108.66	111.50
38	A1	1091	G	N1-C2-N3	5.68	127.31	123.90
38	A1	1700	U	N3-C4-C5	-5.68	111.19	114.60
38	A1	1908	C	C4-C5-C6	5.68	120.24	117.40
61	AN	88	VAL	CG1-CB-CG2	5.68	119.98	110.90
10	B1	36	A	N7-C8-N9	-5.68	110.96	113.80
11	B2	266	A	O4'-C1'-N9	5.68	112.74	108.20
11	B2	784	G	C5-N7-C8	5.68	107.14	104.30
11	B2	825	C	C5-C6-N1	5.68	123.84	121.00
11	B2	1243	C	C5-C4-N4	-5.68	116.23	120.20
11	B2	1459	G	C2'-C3'-O3'	5.68	122.78	113.70
38	A1	509	A	C6-C5-N7	-5.68	128.33	132.30
38	A1	545	G	N9-C4-C5	-5.68	103.13	105.40
38	A1	1093	G	N3-C4-C5	-5.68	125.76	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1247	U	P-O5'-C5'	5.68	129.98	120.90
38	A1	1259	G	C5-C6-O6	-5.68	125.19	128.60
38	A1	1450	C	C5-C4-N4	-5.68	116.23	120.20
38	A1	1675	C	N3-C4-N4	5.68	121.97	118.00
38	A1	2424	A	C5-C6-N1	-5.68	114.86	117.70
38	A1	3021	C	C2-N3-C4	5.68	122.74	119.90
59	AL	108	PHE	CB-CG-CD1	-5.68	116.83	120.80
59	AL	125	LYS	N-CA-CB	5.68	120.82	110.60
4	AQ	51	LYS	CB-CA-C	-5.67	99.05	110.40
11	B2	238	G	C4'-C3'-C2'	-5.67	96.92	102.60
11	B2	818	A	C5-C6-N6	-5.67	119.16	123.70
11	B2	1286	C	C1'-O4'-C4'	-5.67	105.36	109.90
38	A1	785	C	C2-N3-C4	5.67	122.74	119.90
38	A1	909	A	OP1-P-OP2	-5.67	111.09	119.60
38	A1	1226	G	C5'-C4'-C3'	5.67	125.08	116.00
38	A1	1671	A	N1-C2-N3	-5.67	126.46	129.30
38	A1	2165	A	O4'-C1'-N9	5.67	112.74	108.20
38	A1	2373	G	O5'-P-OP1	5.67	117.51	110.70
38	A1	2494	A	N3-C4-C5	-5.67	122.83	126.80
39	A3	4	C	N3-C4-C5	-5.67	119.63	121.90
39	A3	14	G	C6-C5-N7	-5.67	127.00	130.40
39	A3	52	U	C1'-O4'-C4'	-5.67	105.36	109.90
11	B2	106	A	C5-N7-C8	5.67	106.74	103.90
11	B2	172	G	C2-N3-C4	5.67	114.74	111.90
11	B2	713	A	N9-C4-C5	-5.67	103.53	105.80
11	B2	918	A	C5-N7-C8	5.67	106.74	103.90
11	B2	1489	A	N9-C4-C5	5.67	108.07	105.80
38	A1	2318	G	C2-N3-C4	-5.67	109.06	111.90
38	A1	2320	U	P-O3'-C3'	-5.67	112.89	119.70
38	A1	2877	A	C5-C6-N6	-5.67	119.16	123.70
10	B1	7	G	C4-N9-C1'	5.67	133.87	126.50
11	B2	566	C	O4'-C1'-N1	5.67	112.74	108.20
11	B2	923	A	C1'-O4'-C4'	5.67	114.44	109.90
11	B2	1220	G	N9-C4-C5	5.67	107.67	105.40
17	BE	50	ARG	NE-CZ-NH2	-5.67	117.46	120.30
20	BH	17	VAL	CA-CB-CG1	-5.67	102.39	110.90
34	BV	72	TYR	CB-CG-CD1	5.67	124.40	121.00
38	A1	58	G	C8-N9-C4	5.67	108.67	106.40
38	A1	322	C	C6-N1-C2	-5.67	118.03	120.30
38	A1	1331	U	C5-C4-O4	-5.67	122.50	125.90
38	A1	1818	G	C5-C6-N1	-5.67	108.67	111.50
38	A1	2157	U	C4-C5-C6	5.67	123.10	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2858	C	N3-C4-N4	5.67	121.97	118.00
38	A1	2974	U	O4'-C1'-N1	5.67	112.74	108.20
38	A1	3005	C	C5-C6-N1	5.67	123.84	121.00
39	A3	2	G	C5'-C4'-C3'	5.67	125.08	116.00
11	B2	1127	A	C5-C6-N6	-5.67	119.16	123.70
26	BN	74	ARG	NE-CZ-NH1	5.67	123.14	120.30
38	A1	1775	G	C4-C5-C6	5.67	122.20	118.80
38	A1	2049	U	C4-C5-C6	5.67	123.10	119.70
38	A1	2625	C	O4'-C1'-N1	5.67	112.74	108.20
38	A1	2679	A	N1-C6-N6	5.67	122.00	118.60
38	A1	2697	G	C6-C5-N7	-5.67	127.00	130.40
38	A1	2993	G	C5-N7-C8	-5.67	101.47	104.30
10	B1	19	G	C5-C6-N1	-5.67	108.67	111.50
11	B2	683	A	C4'-C3'-C2'	-5.67	96.93	102.60
11	B2	970	G	C4'-C3'-C2'	-5.67	96.93	102.60
11	B2	1024	G	N7-C8-N9	5.67	115.93	113.10
11	B2	1230	G	N3-C4-C5	5.67	131.43	128.60
11	B2	1400	A	C6-N1-C2	5.67	122.00	118.60
38	A1	26	G	N1-C2-N3	-5.67	120.50	123.90
38	A1	39	C	C6-N1-C2	-5.67	118.03	120.30
38	A1	998	G	N9-C1'-C2'	-5.67	105.77	112.00
38	A1	1741	C	C6-N1-C2	-5.67	118.03	120.30
38	A1	1743	G	N9-C4-C5	5.67	107.67	105.40
38	A1	1922	A	C5-C6-N6	-5.67	119.17	123.70
38	A1	2258	A	C5-N7-C8	5.67	106.73	103.90
38	A1	2387	A	C5-C6-N1	-5.67	114.87	117.70
39	A3	18	G	N9-C4-C5	5.67	107.67	105.40
52	AH	2	PRO	N-CD-CG	5.67	111.70	103.20
10	B1	47	G	C2-N3-C4	5.67	114.73	111.90
11	B2	142	G	C4-N9-C1'	-5.67	119.13	126.50
11	B2	621	G	N1-C2-N3	-5.67	120.50	123.90
11	B2	892	C	C4-C5-C6	5.67	120.23	117.40
11	B2	1000	G	N3-C2-N2	5.67	123.87	119.90
11	B2	1197	C	C6-N1-C2	-5.67	118.03	120.30
38	A1	1178	G	C2-N3-C4	5.67	114.73	111.90
38	A1	1866	G	C5-N7-C8	5.67	107.13	104.30
38	A1	2085	C	C4-C5-C6	-5.67	114.57	117.40
38	A1	2382	A	C4-C5-C6	5.67	119.83	117.00
30	BR	56	TYR	CB-CG-CD1	-5.67	117.60	121.00
38	A1	358	C	C1'-O4'-C4'	-5.67	105.37	109.90
38	A1	684	G	C5-C6-N1	-5.67	108.67	111.50
38	A1	1860	A	C5-C6-N1	5.67	120.53	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	A3	118	G	N1-C2-N2	5.67	121.30	116.20
11	B2	180	G	C6-N1-C2	-5.66	121.70	125.10
11	B2	1360	C	N3-C4-N4	5.66	121.96	118.00
26	BN	75	VAL	CA-CB-CG1	-5.66	102.41	110.90
38	A1	20	C	N3-C4-C5	-5.66	119.64	121.90
38	A1	404	G	C5-N7-C8	-5.66	101.47	104.30
38	A1	803	A	N7-C8-N9	5.66	116.63	113.80
38	A1	1057	C	O4'-C1'-N1	5.66	112.73	108.20
38	A1	1159	U	C5-C4-O4	-5.66	122.50	125.90
38	A1	1237	A	C5'-C4'-O4'	5.66	115.90	109.10
38	A1	2011	U	N3-C2-O2	-5.66	118.23	122.20
38	A1	2199	U	C6-N1-C2	-5.66	117.60	121.00
38	A1	2535	C	O4'-C1'-N1	5.66	112.73	108.20
38	A1	2557	C	N3-C4-N4	5.66	121.96	118.00
38	A1	2686	A	C4-C5-N7	-5.66	107.87	110.70
38	A1	2801	G	C6-N1-C2	5.66	128.50	125.10
11	B2	401	U	C3'-C2'-C1'	5.66	106.03	101.50
11	B2	521	G	N1-C6-O6	5.66	123.30	119.90
14	BB	68	LEU	CB-CG-CD2	5.66	120.62	111.00
38	A1	757	C	N1-C2-O2	-5.66	115.50	118.90
38	A1	1452	G	C8-N9-C4	-5.66	104.14	106.40
38	A1	1860	A	N7-C8-N9	-5.66	110.97	113.80
39	A3	116	C	C2-N3-C4	5.66	122.73	119.90
11	B2	434	A	C2'-C3'-O3'	5.66	122.75	113.70
11	B2	713	A	O4'-C1'-N9	5.66	112.73	108.20
11	B2	740	G	O4'-C1'-N9	5.66	112.73	108.20
11	B2	789	G	N9-C1'-C2'	-5.66	105.77	112.00
11	B2	1096	G	C8-N9-C4	-5.66	104.14	106.40
11	B2	1450	U	N1-C2-O2	-5.66	118.84	122.80
38	A1	237	G	N1-C6-O6	5.66	123.30	119.90
38	A1	279	G	C2-N3-C4	5.66	114.73	111.90
38	A1	1070	G	C2-N3-C4	5.66	114.73	111.90
38	A1	1390	U	OP1-P-OP2	-5.66	111.11	119.60
38	A1	1897	G	N1-C2-N3	-5.66	120.50	123.90
38	A1	2391	G	P-O3'-C3'	5.66	126.49	119.70
38	A1	2717	A	N1-C2-N3	5.66	132.13	129.30
38	A1	2746	G	N3-C2-N2	5.66	123.86	119.90
38	A1	2779	G	O4'-C1'-N9	5.66	112.73	108.20
11	B2	224	A	C4-C5-C6	5.66	119.83	117.00
11	B2	535	U	C5'-C4'-C3'	5.66	125.05	116.00
11	B2	1092	G	C8-N9-C1'	5.66	134.36	127.00
11	B2	1350	U	O4'-C1'-N1	5.66	112.73	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
23	BK	71	PHE	CB-CG-CD1	-5.66	116.84	120.80
25	BM	115	VAL	CA-CB-CG1	5.66	119.39	110.90
38	A1	66	C	O4'-C4'-C3'	-5.66	98.34	104.00
38	A1	123	A	C5-C6-N1	5.66	120.53	117.70
38	A1	1185	A	C6-C5-N7	-5.66	128.34	132.30
38	A1	1232	G	P-O5'-C5'	5.66	129.95	120.90
38	A1	1234	A	C5-C6-N6	-5.66	119.17	123.70
38	A1	1579	G	C4-C5-N7	5.66	113.06	110.80
38	A1	1766	A	C5-C6-N1	-5.66	114.87	117.70
38	A1	1957	U	O4'-C4'-C3'	5.66	110.63	106.10
38	A1	2442	A	C2-N3-C4	5.66	113.43	110.60
38	A1	2611	U	C5-C6-N1	5.66	125.53	122.70
38	A1	2664	G	N3-C4-C5	5.66	131.43	128.60
47	Ad	30	LYS	N-CA-CB	5.66	120.79	110.60
64	AR	96	GLN	N-CA-CB	5.66	120.79	110.60
11	B2	119	A	N9-C4-C5	5.66	108.06	105.80
11	B2	801	A	C5-C6-N6	-5.66	119.17	123.70
38	A1	352	G	N1-C2-N3	-5.66	120.51	123.90
38	A1	381	G	C4-N9-C1'	5.66	133.85	126.50
38	A1	2693	G	C5-N7-C8	5.66	107.13	104.30
38	A1	2854	A	N3-C4-C5	-5.66	122.84	126.80
11	B2	26	A	C6-C5-N7	-5.66	128.34	132.30
11	B2	673	C	C5'-C4'-C3'	5.66	125.05	116.00
11	B2	736	A	N3-C4-C5	-5.66	122.84	126.80
13	BA	48	VAL	CB-CA-C	-5.66	100.66	111.40
17	BE	206	PRO	O-C-N	5.66	131.75	122.70
26	BN	126	VAL	N-CA-C	-5.66	95.73	111.00
27	BO	91	LEU	CB-CG-CD2	5.66	120.61	111.00
38	A1	43	G	N1-C2-N3	5.66	127.29	123.90
38	A1	252	A	C5-N7-C8	5.66	106.73	103.90
38	A1	497	G	C4'-C3'-C2'	-5.66	96.94	102.60
38	A1	841	U	C6-N1-C2	-5.66	117.61	121.00
38	A1	932	C	C6-N1-C2	-5.66	118.04	120.30
38	A1	1181	C	N1-C2-O2	-5.66	115.51	118.90
38	A1	1656	C	N1-C2-O2	5.66	122.29	118.90
38	A1	1912	A	P-O5'-C5'	5.66	129.95	120.90
39	A3	93	G	C6-N1-C2	5.66	128.49	125.10
11	B2	218	C	P-O5'-C5'	5.65	129.95	120.90
11	B2	590	G	C8-N9-C1'	5.65	134.35	127.00
38	A1	1788	G	C5-C6-N1	-5.65	108.67	111.50
38	A1	1824	G	C4'-C3'-C2'	-5.65	96.95	102.60
38	A1	2014	A	P-O5'-C5'	5.65	129.95	120.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2839	A	N9-C4-C5	-5.65	103.54	105.80
11	B2	32	A	N7-C8-N9	-5.65	110.97	113.80
11	B2	196	G	C2'-C3'-O3'	5.65	122.75	113.70
11	B2	1204	C	N1-C2-N3	-5.65	115.24	119.20
29	BQ	126	GLU	N-CA-CB	5.65	120.77	110.60
38	A1	44	C	C5-C4-N4	-5.65	116.24	120.20
38	A1	180	A	C4'-C3'-C2'	-5.65	96.95	102.60
38	A1	197	C	C4-C5-C6	5.65	120.23	117.40
38	A1	616	C	C4-C5-C6	5.65	120.23	117.40
38	A1	1719	C	C6-N1-C1'	-5.65	114.02	120.80
38	A1	2450	A	C6-C5-N7	-5.65	128.34	132.30
38	A1	2488	C	C6-N1-C2	-5.65	118.04	120.30
39	A3	9	A	C6-C5-N7	-5.65	128.34	132.30
10	B1	25	G	C5'-C4'-O4'	-5.65	102.32	109.10
11	B2	397	C	N3-C4-C5	-5.65	119.64	121.90
11	B2	593	G	C5'-C4'-C3'	5.65	125.04	116.00
11	B2	958	G	N7-C8-N9	5.65	115.92	113.10
11	B2	1198	A	C6-C5-N7	-5.65	128.34	132.30
38	A1	80	G	O4'-C4'-C3'	-5.65	98.35	104.00
38	A1	127	C	C2-N3-C4	5.65	122.73	119.90
38	A1	576	G	C2-N3-C4	5.65	114.72	111.90
38	A1	833	G	N9-C1'-C2'	-5.65	105.78	112.00
38	A1	1091	G	O4'-C1'-N9	5.65	112.72	108.20
38	A1	1110	A	C5'-C4'-O4'	5.65	115.88	109.10
38	A1	2378	C	N1-C2-O2	-5.65	115.51	118.90
38	A1	2702	A	C5-N7-C8	5.65	106.73	103.90
38	A1	3033	G	C6-N1-C2	5.65	128.49	125.10
11	B2	384	G	C8-N9-C4	5.65	108.66	106.40
11	B2	666	G	N3-C4-C5	5.65	131.43	128.60
11	B2	924	U	C5'-C4'-C3'	5.65	125.04	116.00
38	A1	171	A	C1'-O4'-C4'	5.65	114.42	109.90
38	A1	739	C	N3-C4-C5	-5.65	119.64	121.90
38	A1	2552	C	P-O3'-C3'	5.65	126.48	119.70
43	AB	117	ASP	CB-CG-OD1	-5.65	113.22	118.30
11	B2	63	G	P-O5'-C5'	-5.65	111.86	120.90
11	B2	232	G	O5'-P-OP2	5.65	117.48	110.70
11	B2	269	A	OP1-P-OP2	-5.65	111.13	119.60
11	B2	1274	C	O4'-C1'-N1	5.65	112.72	108.20
11	B2	1413	G	C8-N9-C4	-5.65	104.14	106.40
25	BM	32	ASP	CB-CG-OD2	-5.65	113.22	118.30
38	A1	116	G	C6-C5-N7	-5.65	127.01	130.40
38	A1	295	G	C6-N1-C2	5.65	128.49	125.10

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1043	U	C5-C6-N1	5.65	125.52	122.70
38	A1	1224	A	C5-C6-N6	-5.65	119.18	123.70
38	A1	1238	G	O4'-C1'-N9	5.65	112.72	108.20
38	A1	1488	C	N3-C4-N4	5.65	121.95	118.00
38	A1	1720	G	C5-C6-O6	-5.65	125.21	128.60
38	A1	2634	U	C6-N1-C2	-5.65	117.61	121.00
38	A1	2837	C	N3-C2-O2	5.65	125.85	121.90
11	B2	391	G	N3-C4-C5	5.65	131.42	128.60
11	B2	757	G	C4-C5-C6	5.65	122.19	118.80
11	B2	1181	G	N3-C2-N2	5.65	123.85	119.90
17	BE	26	TYR	CG-CD2-CE2	-5.65	116.78	121.30
38	A1	332	A	C4-C5-C6	5.65	119.82	117.00
38	A1	1409	U	C5-C4-O4	-5.65	122.51	125.90
38	A1	2344	G	C8-N9-C4	-5.65	104.14	106.40
38	A1	2492	G	C5-C6-O6	-5.65	125.21	128.60
38	A1	2979	C	C4-C5-C6	-5.65	114.58	117.40
11	B2	240	U	C5'-C4'-O4'	5.64	115.87	109.10
11	B2	1124	G	C4-C5-C6	5.64	122.19	118.80
18	BF	51	ASP	CB-CG-OD1	-5.64	113.22	118.30
38	A1	519	A	OP1-P-OP2	-5.64	111.13	119.60
38	A1	653	U	C6-N1-C2	5.64	124.39	121.00
38	A1	2292	A	C4'-C3'-C2'	5.64	108.24	102.60
55	Ai	55	GLN	N-CA-CB	5.64	120.76	110.60
7	AU	112	ARG	NE-CZ-NH1	-5.64	117.48	120.30
11	B2	232	G	C2-N3-C4	-5.64	109.08	111.90
11	B2	556	G	C6-C5-N7	-5.64	127.01	130.40
11	B2	990	G	O4'-C1'-N9	5.64	112.71	108.20
11	B2	1204	C	P-O5'-C5'	5.64	129.93	120.90
11	B2	1370	U	C5-C6-N1	5.64	125.52	122.70
35	BW	28	PHE	CB-CG-CD1	-5.64	116.85	120.80
38	A1	291	A	N7-C8-N9	5.64	116.62	113.80
38	A1	303	A	C5-N7-C8	5.64	106.72	103.90
38	A1	432	C	C6-N1-C2	5.64	122.56	120.30
38	A1	679	U	C3'-C2'-C1'	5.64	106.01	101.50
38	A1	927	G	N1-C2-N3	-5.64	120.52	123.90
38	A1	1196	A	C4-C5-N7	-5.64	107.88	110.70
38	A1	1563	G	N1-C2-N3	-5.64	120.52	123.90
38	A1	1620	C	O4'-C1'-N1	5.64	112.71	108.20
38	A1	2383	A	C5-C6-N6	-5.64	119.19	123.70
11	B2	800	G	N7-C8-N9	5.64	115.92	113.10
11	B2	1099	A	C5-N7-C8	-5.64	101.08	103.90
38	A1	695	G	N7-C8-N9	-5.64	110.28	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	811	C	C2-N3-C4	5.64	122.72	119.90
38	A1	1133	U	O3'-P-O5'	5.64	114.72	104.00
38	A1	2415	C	C1'-O4'-C4'	-5.64	105.39	109.90
38	A1	2620	G	N9-C4-C5	-5.64	103.14	105.40
38	A1	3043	C	N1-C2-O2	5.64	122.28	118.90
58	AK	193	ALA	N-CA-CB	5.64	118.00	110.10
11	B2	137	A	P-O5'-C5'	5.64	129.92	120.90
11	B2	413	G	N1-C2-N3	-5.64	120.52	123.90
11	B2	438	A	OP1-P-O3'	5.64	117.61	105.20
11	B2	1441	G	N3-C2-N2	5.64	123.85	119.90
11	B2	1494	C	N3-C4-N4	5.64	121.95	118.00
38	A1	77	C	O4'-C1'-N1	5.64	112.71	108.20
38	A1	256	G	C6-C5-N7	-5.64	127.02	130.40
38	A1	325	G	C8-N9-C4	-5.64	104.14	106.40
38	A1	861	G	N3-C4-C5	5.64	131.42	128.60
38	A1	936	G	C8-N9-C4	5.64	108.66	106.40
38	A1	1309	G	O4'-C1'-N9	5.64	112.71	108.20
38	A1	1420	U	C2-N1-C1'	5.64	124.47	117.70
38	A1	1695	G	C5-C6-O6	-5.64	125.22	128.60
38	A1	1791	A	C2-N3-C4	5.64	113.42	110.60
38	A1	2640	C	C2-N1-C1'	5.64	125.00	118.80
38	A1	2871	A	C8-N9-C4	-5.64	103.54	105.80
47	AD	76	MET	CG-SD-CE	-5.64	91.17	100.20
60	AM	90	TYR	CB-CG-CD1	-5.64	117.62	121.00
66	AY	118	ARG	CD-NE-CZ	-5.64	115.71	123.60
11	B2	442	C	O4'-C4'-C3'	-5.64	98.36	104.00
11	B2	678	G	N7-C8-N9	-5.64	110.28	113.10
11	B2	973	U	C6-N1-C2	-5.64	117.62	121.00
38	A1	1136	G	N1-C2-N2	5.64	121.27	116.20
38	A1	2528	U	C5-C6-N1	5.64	125.52	122.70
38	A1	2693	G	O4'-C1'-N9	5.64	112.71	108.20
54	AI	21	MET	CB-CA-C	-5.64	99.12	110.40
10	B1	39	A	C6-N1-C2	-5.64	115.22	118.60
11	B2	360	A	C3'-C2'-C1'	5.64	106.01	101.50
11	B2	842	U	P-O5'-C5'	-5.64	111.88	120.90
11	B2	951	G	C3'-C2'-C1'	-5.64	96.99	101.50
11	B2	1252	C	N3-C4-N4	5.64	121.95	118.00
11	B2	1479	C	N3-C4-C5	-5.64	119.64	121.90
38	A1	1445	G	C6-N1-C2	5.64	128.48	125.10
38	A1	1546	G	C8-N9-C4	-5.64	104.15	106.40
38	A1	1640	G	C4-C5-N7	5.64	113.05	110.80
38	A1	2151	C	C6-N1-C2	5.64	122.56	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2162	G	C2-N3-C4	5.64	114.72	111.90
38	A1	2391	G	N9-C4-C5	5.64	107.66	105.40
38	A1	2551	G	C5'-C4'-C3'	-5.64	106.98	116.00
38	A1	2689	G	C5-C6-N1	-5.64	108.68	111.50
10	B1	47	G	C4'-C3'-C2'	-5.63	96.97	102.60
11	B2	7	G	N3-C2-N2	5.63	123.84	119.90
11	B2	343	G	P-O3'-C3'	-5.63	112.94	119.70
11	B2	635	C	C6-N1-C2	5.63	122.55	120.30
11	B2	1292	A	C5-N7-C8	5.63	106.72	103.90
11	B2	1392	G	O3'-P-O5'	-5.63	93.30	104.00
38	A1	386	A	P-O3'-C3'	-5.63	112.94	119.70
38	A1	504	G	C4-C5-N7	-5.63	108.55	110.80
38	A1	562	G	N3-C4-N9	5.63	129.38	126.00
38	A1	792	A	C8-N9-C4	-5.63	103.55	105.80
38	A1	1475	G	C5'-C4'-O4'	5.63	115.86	109.10
38	A1	1527	G	O4'-C1'-N9	5.63	112.71	108.20
38	A1	1904	G	C5-N7-C8	5.63	107.12	104.30
38	A1	1956	G	C4-C5-N7	5.63	113.05	110.80
38	A1	2196	C	C5-C4-N4	-5.63	116.26	120.20
38	A1	2583	G	O4'-C1'-N9	5.63	112.71	108.20
38	A1	2720	U	C1'-O4'-C4'	5.63	114.41	109.90
59	AL	6	LYS	N-CA-CB	5.63	120.74	110.60
3	Af	18	LYS	CB-CA-C	-5.63	99.13	110.40
38	A1	377	C	C4'-C3'-C2'	5.63	108.23	102.60
38	A1	732	G	N1-C2-N3	-5.63	120.52	123.90
38	A1	758	C	C6-N1-C2	-5.63	118.05	120.30
38	A1	1834	C	N1-C1'-C2'	-5.63	105.80	112.00
38	A1	2487	G	C6-C5-N7	-5.63	127.02	130.40
38	A1	2684	G	N1-C6-O6	5.63	123.28	119.90
38	A1	2892	A	C5-C6-N1	5.63	120.52	117.70
11	B2	22	G	C6-N1-C2	5.63	128.48	125.10
11	B2	437	A	N1-C6-N6	5.63	121.98	118.60
11	B2	520	G	N3-C4-C5	-5.63	125.78	128.60
11	B2	1120	G	C3'-C2'-C1'	-5.63	97.00	101.50
11	B2	1138	G	C8-N9-C1'	5.63	134.32	127.00
11	B2	1455	A	O4'-C4'-C3'	-5.63	98.37	104.00
38	A1	889	C	C4-C5-C6	5.63	120.22	117.40
38	A1	1216	A	C5-C6-N6	-5.63	119.19	123.70
38	A1	1486	G	C1'-O4'-C4'	-5.63	105.39	109.90
38	A1	1902	G	N3-C4-C5	-5.63	125.78	128.60
38	A1	1963	G	N3-C4-N9	5.63	129.38	126.00
38	A1	2491	C	O4'-C1'-N1	5.63	112.70	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
41	AA	202	VAL	N-CA-C	-5.63	95.80	111.00
60	AM	44	ARG	NE-CZ-NH2	5.63	123.12	120.30
62	AO	196	PHE	CB-CG-CD2	-5.63	116.86	120.80
11	B2	1225	C	C4'-C3'-C2'	5.63	108.23	102.60
11	B2	1376	C	O4'-C1'-N1	5.63	112.70	108.20
29	BQ	58	TYR	CB-CG-CD1	-5.63	117.62	121.00
38	A1	87	C	O4'-C1'-N1	5.63	112.70	108.20
38	A1	1127	C	O4'-C1'-N1	5.63	112.70	108.20
38	A1	1168	A	O4'-C1'-N9	5.63	112.70	108.20
38	A1	1293	G	C4-C5-N7	-5.63	108.55	110.80
38	A1	1436	A	C3'-C2'-C1'	5.63	106.00	101.50
38	A1	2000	G	C5-C6-O6	-5.63	125.22	128.60
38	A1	2064	U	C5-C4-O4	-5.63	122.52	125.90
38	A1	2331	A	C4-C5-C6	5.63	119.81	117.00
38	A1	2607	U	N1-C2-N3	-5.63	111.52	114.90
11	B2	189	C	N3-C4-N4	5.63	121.94	118.00
11	B2	246	A	C2'-C3'-O3'	5.63	122.70	113.70
11	B2	329	G	N9-C4-C5	5.63	107.65	105.40
11	B2	695	G	C3'-C2'-C1'	-5.63	97.00	101.50
11	B2	963	A	C5-C6-N1	-5.63	114.89	117.70
34	BV	85	TYR	CG-CD2-CE2	5.63	125.80	121.30
38	A1	519	A	O4'-C1'-N9	5.63	112.70	108.20
38	A1	1172	U	C4-C5-C6	5.63	123.08	119.70
38	A1	1526	G	C6-N1-C2	5.63	128.48	125.10
38	A1	1560	G	C3'-C2'-C1'	5.63	106.00	101.50
38	A1	1769	G	N9-C4-C5	-5.63	103.15	105.40
38	A1	1864	G	O4'-C1'-N9	5.63	112.70	108.20
38	A1	2193	G	C1'-O4'-C4'	-5.63	105.40	109.90
38	A1	2469	G	N1-C2-N2	-5.63	111.14	116.20
38	A1	2704	A	C2-N3-C4	-5.63	107.79	110.60
38	A1	2892	A	C4'-C3'-C2'	5.63	108.23	102.60
61	AN	21	GLU	N-CA-CB	5.63	120.73	110.60
11	B2	96	G	N1-C2-N3	-5.63	120.52	123.90
11	B2	121	C	N3-C4-C5	-5.63	119.65	121.90
11	B2	487	U	C4-C5-C6	-5.63	116.32	119.70
11	B2	501	G	C6-C5-N7	-5.63	127.03	130.40
11	B2	559	G	C1'-O4'-C4'	5.63	114.40	109.90
11	B2	1309	A	N3-C4-N9	5.63	131.90	127.40
38	A1	53	A	C5-C6-N6	-5.63	119.20	123.70
38	A1	307	C	C4'-C3'-C2'	-5.63	96.97	102.60
38	A1	502	G	N1-C6-O6	5.63	123.28	119.90
38	A1	610	C	OP2-P-O3'	5.63	117.58	105.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1124	G	C5-C6-O6	-5.63	125.22	128.60
38	A1	1428	G	C4'-C3'-C2'	5.63	108.23	102.60
38	A1	2321	A	C5-C6-N6	-5.63	119.20	123.70
38	A1	2518	G	C5-N7-C8	5.63	107.11	104.30
38	A1	2527	G	N3-C2-N2	5.63	123.84	119.90
38	A1	2694	C	N1-C2-O2	-5.63	115.52	118.90
38	A1	2870	A	N1-C2-N3	5.63	132.11	129.30
11	B2	713	A	C4-C5-C6	5.62	119.81	117.00
11	B2	1233	G	N7-C8-N9	5.62	115.91	113.10
11	B2	1281	U	C2-N3-C4	-5.62	123.62	127.00
17	BE	231	PHE	CB-CG-CD1	5.62	124.74	120.80
38	A1	373	G	C5-C6-N1	-5.62	108.69	111.50
38	A1	562	G	C2-N3-C4	-5.62	109.09	111.90
38	A1	2070	U	N1-C1'-C2'	-5.62	105.81	112.00
38	A1	2455	G	N9-C4-C5	-5.62	103.15	105.40
11	B2	286	G	N1-C2-N2	5.62	121.26	116.20
11	B2	936	A	N3-C4-C5	-5.62	122.86	126.80
11	B2	1105	C	N3-C2-O2	-5.62	117.96	121.90
11	B2	1215	G	C5-C6-O6	-5.62	125.23	128.60
38	A1	461	C	C5-C4-N4	-5.62	116.26	120.20
38	A1	519	A	P-O3'-C3'	5.62	126.45	119.70
38	A1	1603	G	N1-C2-N2	-5.62	111.14	116.20
38	A1	2003	C	O4'-C1'-N1	5.62	112.70	108.20
38	A1	2429	G	C6-N1-C2	5.62	128.47	125.10
38	A1	2850	G	C4-C5-C6	5.62	122.17	118.80
38	A1	2968	G	P-O3'-C3'	-5.62	112.95	119.70
3	Af	4	ASN	N-CA-C	-5.62	95.82	111.00
11	B2	132	G	C5-C6-N1	-5.62	108.69	111.50
11	B2	236	C	N3-C2-O2	5.62	125.83	121.90
11	B2	697	A	C5-C6-N1	-5.62	114.89	117.70
11	B2	762	G	C8-N9-C4	-5.62	104.15	106.40
11	B2	851	C	C2-N3-C4	5.62	122.71	119.90
11	B2	1068	C	C5'-C4'-O4'	5.62	115.85	109.10
11	B2	1138	G	O4'-C1'-N9	5.62	112.70	108.20
38	A1	194	G	C6-N1-C2	5.62	128.47	125.10
38	A1	1290	G	N1-C2-N3	-5.62	120.53	123.90
38	A1	1361	G	C1'-O4'-C4'	5.62	114.40	109.90
38	A1	1474	A	N1-C2-N3	5.62	132.11	129.30
38	A1	1886	C	C2-N3-C4	5.62	122.71	119.90
38	A1	1889	G	C5-N7-C8	-5.62	101.49	104.30
38	A1	1941	A	C5-C6-N1	-5.62	114.89	117.70
38	A1	2884	C	C5-C4-N4	-5.62	116.27	120.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
44	Ab	72	ARG	NE-CZ-NH1	5.62	123.11	120.30
10	B1	56	U	C2-N3-C4	-5.62	123.63	127.00
11	B2	1079	G	C4-C5-C6	-5.62	115.43	118.80
38	A1	97	C	C3'-C2'-C1'	5.62	106.00	101.50
38	A1	209	G	N1-C2-N3	-5.62	120.53	123.90
38	A1	1175	C	C6-N1-C2	5.62	122.55	120.30
38	A1	2303	A	C5-C6-N6	-5.62	119.20	123.70
38	A1	2736	G	O4'-C1'-N9	5.62	112.70	108.20
64	AR	22	ARG	NE-CZ-NH1	-5.62	117.49	120.30
11	B2	320	G	N3-C4-N9	5.62	129.37	126.00
11	B2	1107	C	C5-C4-N4	-5.62	116.27	120.20
11	B2	1390	G	N1-C2-N3	-5.62	120.53	123.90
20	BH	87	ARG	C-N-CA	5.62	135.75	121.70
38	A1	45	G	C5-C6-O6	-5.62	125.23	128.60
38	A1	1849	A	N9-C4-C5	-5.62	103.55	105.80
38	A1	2660	G	C5-C6-N1	5.62	114.31	111.50
11	B2	436	A	C5-C6-N1	-5.62	114.89	117.70
11	B2	824	G	C5-N7-C8	5.62	107.11	104.30
38	A1	209	G	C5-C6-N1	-5.62	108.69	111.50
38	A1	2008	G	N3-C4-C5	-5.62	125.79	128.60
38	A1	2092	G	C5-C6-N1	-5.62	108.69	111.50
38	A1	2178	A	C5-C6-N1	-5.62	114.89	117.70
11	B2	425	C	OP2-P-O3'	5.62	117.56	105.20
11	B2	867	A	C5-C6-N6	-5.62	119.21	123.70
11	B2	1014	C	N1-C2-O2	-5.62	115.53	118.90
11	B2	1215	G	N3-C4-N9	5.62	129.37	126.00
11	B2	1268	C	N3-C2-O2	-5.62	117.97	121.90
11	B2	1484	C	C5-C4-N4	-5.62	116.27	120.20
15	BC	98	ARG	NH1-CZ-NH2	5.62	125.58	119.40
38	A1	112	U	C5'-C4'-C3'	-5.62	107.02	116.00
38	A1	544	A	P-O3'-C3'	5.62	126.44	119.70
38	A1	817	G	P-O5'-C5'	-5.62	111.91	120.90
38	A1	1223	A	C3'-C2'-C1'	5.62	105.99	101.50
38	A1	1503	C	C4'-C3'-C2'	-5.62	96.98	102.60
38	A1	1757	G	P-O3'-C3'	5.62	126.44	119.70
38	A1	2669	U	C5'-C4'-O4'	5.62	115.84	109.10
38	A1	2713	A	C4-C5-C6	5.62	119.81	117.00
38	A1	2994	G	C4-C5-C6	5.62	122.17	118.80
46	AD	128	ARG	NE-CZ-NH2	-5.62	117.49	120.30
11	B2	375	G	P-O3'-C3'	-5.61	112.96	119.70
11	B2	1365	G	N1-C2-N3	-5.61	120.53	123.90
14	BB	128	ARG	CG-CD-NE	-5.61	100.01	111.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	595	C	OP1-P-OP2	-5.61	111.18	119.60
38	A1	636	G	N1-C2-N3	-5.61	120.53	123.90
38	A1	1348	G	C2-N3-C4	-5.61	109.09	111.90
38	A1	2405	U	N3-C4-O4	5.61	123.33	119.40
38	A1	2810	G	N3-C4-C5	-5.61	125.79	128.60
38	A1	2840	C	C5-C4-N4	-5.61	116.27	120.20
11	B2	223	G	N1-C2-N3	-5.61	120.53	123.90
11	B2	585	U	C5-C4-O4	-5.61	122.53	125.90
11	B2	1169	C	P-O3'-C3'	5.61	126.44	119.70
11	B2	1293	A	OP1-P-OP2	-5.61	111.18	119.60
38	A1	419	G	C5-C6-N1	-5.61	108.69	111.50
38	A1	1726	A	N1-C2-N3	5.61	132.11	129.30
38	A1	2096	G	C5-C6-N1	-5.61	108.69	111.50
38	A1	2276	G	N7-C8-N9	-5.61	110.29	113.10
11	B2	145	A	C5-C6-N6	-5.61	119.21	123.70
11	B2	233	C	C5-C4-N4	-5.61	116.27	120.20
11	B2	262	G	C5'-C4'-C3'	-5.61	107.03	116.00
11	B2	1149	C	C5-C6-N1	5.61	123.81	121.00
11	B2	1404	C	N1-C2-O2	-5.61	115.53	118.90
38	A1	736	U	O4'-C1'-N1	5.61	112.69	108.20
38	A1	887	U	P-O3'-C3'	5.61	126.43	119.70
38	A1	991	U	N3-C4-O4	5.61	123.33	119.40
38	A1	1029	C	O3'-P-O5'	5.61	114.66	104.00
38	A1	1208	A	OP1-P-O3'	5.61	117.54	105.20
38	A1	1350	C	C5-C6-N1	5.61	123.81	121.00
38	A1	1825	G	C6-C5-N7	-5.61	127.03	130.40
38	A1	1987	A	C5-C6-N1	-5.61	114.89	117.70
38	A1	2154	G	N1-C2-N3	-5.61	120.53	123.90
38	A1	2223	G	C8-N9-C4	-5.61	104.16	106.40
38	A1	2515	U	C4-C5-C6	5.61	123.07	119.70
38	A1	3045	G	O4'-C1'-N9	5.61	112.69	108.20
11	B2	620	G	N9-C4-C5	-5.61	103.16	105.40
38	A1	854	G	N9-C4-C5	-5.61	103.16	105.40
10	B1	27	A	P-O5'-C5'	5.61	129.87	120.90
10	B1	60	A	OP1-P-OP2	-5.61	111.19	119.60
11	B2	330	U	N3-C4-O4	5.61	123.33	119.40
38	A1	128	C	C6-N1-C1'	-5.61	114.07	120.80
38	A1	329	G	O4'-C4'-C3'	-5.61	98.39	104.00
38	A1	405	G	O4'-C1'-N9	5.61	112.69	108.20
38	A1	994	G	N3-C2-N2	-5.61	115.97	119.90
38	A1	1672	G	N3-C4-C5	5.61	131.40	128.60
38	A1	1810	G	C6-C5-N7	5.61	133.76	130.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1835	A	O4'-C1'-C2'	-5.61	100.19	105.80
38	A1	2097	G	C4-C5-C6	5.61	122.17	118.80
38	A1	2176	G	C6-N1-C2	5.61	128.47	125.10
38	A1	2178	A	OP1-P-OP2	-5.61	111.19	119.60
38	A1	2663	G	N9-C4-C5	-5.61	103.16	105.40
38	A1	2994	G	C5-N7-C8	-5.61	101.50	104.30
39	A3	82	C	N3-C4-N4	5.61	121.93	118.00
55	Ai	24	ARG	NE-CZ-NH1	-5.61	117.50	120.30
11	B2	942	A	C4-C5-C6	5.61	119.80	117.00
11	B2	1298	G	C1'-O4'-C4'	-5.61	105.42	109.90
12	B3	108	ARG	NE-CZ-NH1	5.61	123.10	120.30
32	BT	13	LEU	CB-CG-CD1	5.61	120.53	111.00
38	A1	79	C	N1-C2-O2	5.61	122.26	118.90
38	A1	394	A	C4-C5-N7	-5.61	107.90	110.70
38	A1	569	G	C4-C5-N7	-5.61	108.56	110.80
38	A1	825	C	C4'-C3'-C2'	-5.61	96.99	102.60
38	A1	949	C	C5-C6-N1	5.61	123.80	121.00
38	A1	1513	G	C6-N1-C2	-5.61	121.74	125.10
38	A1	2014	A	C4-C5-C6	5.61	119.80	117.00
38	A1	2824	C	C4'-C3'-C2'	-5.61	96.99	102.60
38	A1	2863	A	C5-C6-N6	-5.61	119.22	123.70
38	A1	2998	G	N7-C8-N9	5.61	115.90	113.10
40	AK	81	SER	N-CA-CB	5.61	118.91	110.50
11	B2	855	C	N3-C4-N4	5.60	121.92	118.00
11	B2	1137	G	C2-N3-C4	-5.60	109.10	111.90
38	A1	64	A	O4'-C1'-N9	5.60	112.68	108.20
38	A1	2104	G	C6-C5-N7	-5.60	127.04	130.40
38	A1	2203	G	C5-N7-C8	5.60	107.10	104.30
39	A3	115	C	N1-C2-N3	-5.60	115.28	119.20
10	B1	21	G	C4'-C3'-C2'	-5.60	97.00	102.60
11	B2	33	U	C3'-C2'-C1'	-5.60	97.02	101.50
11	B2	530	G	P-O3'-C3'	5.60	126.42	119.70
11	B2	771	G	C6-C5-N7	-5.60	127.04	130.40
11	B2	1034	G	P-O3'-C3'	5.60	126.42	119.70
11	B2	1466	G	C5'-C4'-O4'	-5.60	102.38	109.10
38	A1	1039	C	N3-C4-N4	5.60	121.92	118.00
38	A1	1976	C	N3-C4-N4	5.60	121.92	118.00
38	A1	2133	G	N9-C4-C5	-5.60	103.16	105.40
38	A1	2231	G	C6-C5-N7	-5.60	127.04	130.40
38	A1	2463	G	C4-N9-C1'	-5.60	119.22	126.50
38	A1	2605	G	N1-C2-N3	-5.60	120.54	123.90
38	A1	2630	C	P-O3'-C3'	-5.60	112.98	119.70

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	3035	C	P-O5'-C5'	-5.60	111.94	120.90
9	AX	387	PHE	CB-CG-CD2	-5.60	116.88	120.80
11	B2	360	A	C4-C5-C6	5.60	119.80	117.00
11	B2	432	G	C1'-O4'-C4'	5.60	114.38	109.90
11	B2	1457	A	C4-C5-C6	5.60	119.80	117.00
38	A1	318	G	C5-C6-O6	-5.60	125.24	128.60
38	A1	611	G	P-O5'-C5'	-5.60	111.94	120.90
38	A1	789	G	C6-N1-C2	5.60	128.46	125.10
38	A1	909	A	N1-C2-N3	-5.60	126.50	129.30
38	A1	1824	G	N9-C4-C5	-5.60	103.16	105.40
38	A1	2074	U	P-O5'-C5'	-5.60	111.94	120.90
38	A1	2944	G	C3'-C2'-C1'	5.60	105.98	101.50
38	A1	3006	G	C5-C6-N1	-5.60	108.70	111.50
11	B2	453	G	N1-C2-N3	-5.60	120.54	123.90
11	B2	659	U	O4'-C1'-N1	5.60	112.68	108.20
11	B2	832	G	C6-N1-C2	-5.60	121.74	125.10
11	B2	881	G	O4'-C4'-C3'	-5.60	98.40	104.00
38	A1	467	U	P-O3'-C3'	5.60	126.42	119.70
38	A1	495	U	C3'-C2'-C1'	5.60	105.98	101.50
38	A1	515	G	N7-C8-N9	5.60	115.90	113.10
38	A1	697	U	C5-C6-N1	5.60	125.50	122.70
38	A1	1093	G	C2-N3-C4	5.60	114.70	111.90
38	A1	1113	G	C5-N7-C8	-5.60	101.50	104.30
38	A1	1191	C	C2-N1-C1'	5.60	124.96	118.80
38	A1	1429	A	P-O3'-C3'	-5.60	112.98	119.70
38	A1	1494	U	C2-N3-C4	-5.60	123.64	127.00
38	A1	1520	G	C5-C6-N1	-5.60	108.70	111.50
38	A1	1757	G	C3'-C2'-C1'	-5.60	97.02	101.50
38	A1	1928	A	C6-C5-N7	-5.60	128.38	132.30
38	A1	2623	G	N9-C4-C5	-5.60	103.16	105.40
38	A1	2683	G	N3-C4-C5	-5.60	125.80	128.60
38	A1	2891	A	N3-C4-C5	-5.60	122.88	126.80
4	AQ	25	ASP	CB-CG-OD1	5.60	123.34	118.30
5	AS	138	PRO	N-CA-CB	5.60	110.02	103.30
11	B2	230	C	O4'-C1'-N1	5.60	112.68	108.20
11	B2	282	G	C4-C5-N7	5.60	113.04	110.80
11	B2	655	A	N3-C4-N9	-5.60	122.92	127.40
11	B2	816	G	O4'-C1'-N9	5.60	112.68	108.20
11	B2	893	U	C1'-O4'-C4'	-5.60	105.42	109.90
11	B2	1319	C	C5-C6-N1	5.60	123.80	121.00
38	A1	404	G	N7-C8-N9	5.60	115.90	113.10
38	A1	584	G	C3'-C2'-C1'	-5.60	97.02	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1442	G	N7-C8-N9	-5.60	110.30	113.10
38	A1	1664	G	C5'-C4'-O4'	5.60	115.82	109.10
38	A1	1956	G	N9-C1'-C2'	-5.60	105.84	112.00
38	A1	2323	C	O3'-P-O5'	-5.60	93.36	104.00
38	A1	2490	C	N3-C4-C5	-5.60	119.66	121.90
38	A1	2493	A	C5-C6-N1	-5.60	114.90	117.70
38	A1	2692	A	C4-C5-N7	-5.60	107.90	110.70
10	B1	20	G	N9-C4-C5	5.60	107.64	105.40
11	B2	1063	A	N9-C4-C5	5.60	108.04	105.80
38	A1	669	G	C8-N9-C4	5.60	108.64	106.40
38	A1	1807	G	C4-C5-C6	5.60	122.16	118.80
38	A1	1950	G	N9-C4-C5	-5.60	103.16	105.40
38	A1	2096	G	C4'-C3'-C2'	-5.60	97.00	102.60
39	A3	51	U	P-O5'-C5'	5.60	129.85	120.90
10	B1	70	C	C5-C4-N4	-5.59	116.28	120.20
11	B2	114	A	N3-C4-C5	-5.59	122.88	126.80
11	B2	760	C	C2-N3-C4	5.59	122.70	119.90
11	B2	885	G	P-O5'-C5'	5.59	129.85	120.90
11	B2	1402	C	N3-C4-C5	-5.59	119.66	121.90
11	B2	1433	C	C4'-C3'-C2'	-5.59	97.00	102.60
17	BE	192	ASN	C-N-CA	5.59	135.69	121.70
38	A1	71	A	N3-C4-C5	-5.59	122.88	126.80
38	A1	643	G	O4'-C1'-N9	5.59	112.67	108.20
38	A1	699	A	N3-C4-C5	-5.59	122.88	126.80
38	A1	1449	C	N3-C2-O2	5.59	125.82	121.90
38	A1	1754	A	C5-N7-C8	5.59	106.70	103.90
38	A1	2158	G	C2-N3-C4	5.59	114.70	111.90
38	A1	2294	A	O4'-C1'-C2'	-5.59	100.20	105.80
38	A1	2405	U	C3'-C2'-C1'	5.59	105.97	101.50
38	A1	2663	G	C4-C5-N7	5.59	113.04	110.80
38	A1	2725	U	C5-C4-O4	-5.59	122.54	125.90
11	B2	841	C	C1'-O4'-C4'	5.59	114.38	109.90
34	BV	90	ASP	CB-CG-OD1	5.59	123.33	118.30
38	A1	231	G	C8-N9-C4	-5.59	104.16	106.40
38	A1	452	A	C5'-C4'-C3'	-5.59	107.05	116.00
38	A1	930	G	O4'-C1'-N9	5.59	112.67	108.20
38	A1	1580	G	N3-C4-N9	-5.59	122.64	126.00
38	A1	1851	U	N3-C4-O4	5.59	123.31	119.40
38	A1	2523	C	N3-C4-C5	-5.59	119.66	121.90
38	A1	2555	C	C5-C6-N1	5.59	123.80	121.00
46	AD	225	LEU	N-CA-CB	5.59	121.59	110.40
57	Aj	42	ARG	NE-CZ-NH1	5.59	123.10	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	146	A	C5-C6-N6	-5.59	119.23	123.70
11	B2	439	G	N1-C6-O6	5.59	123.25	119.90
11	B2	647	G	C4-C5-C6	5.59	122.16	118.80
11	B2	775	G	OP1-P-OP2	-5.59	111.21	119.60
11	B2	816	G	N3-C4-C5	5.59	131.40	128.60
11	B2	819	G	C4-C5-C6	5.59	122.16	118.80
11	B2	1390	G	C6-C5-N7	-5.59	127.05	130.40
17	BE	63	ARG	NE-CZ-NH1	5.59	123.10	120.30
38	A1	25	U	O4'-C1'-N1	5.59	112.67	108.20
38	A1	137	A	N1-C6-N6	5.59	121.95	118.60
38	A1	978	C	P-O3'-C3'	-5.59	112.99	119.70
38	A1	1185	A	C1'-O4'-C4'	-5.59	105.43	109.90
38	A1	1886	C	N1-C2-N3	-5.59	115.29	119.20
38	A1	2241	U	C1'-O4'-C4'	-5.59	105.43	109.90
38	A1	2502	C	C3'-C2'-C1'	5.59	105.97	101.50
9	AX	87	LEU	CB-CG-CD2	5.59	120.50	111.00
11	B2	373	C	C1'-O4'-C4'	-5.59	105.43	109.90
11	B2	441	U	C4'-C3'-C2'	-5.59	97.01	102.60
11	B2	729	G	C4-C5-N7	5.59	113.03	110.80
11	B2	774	U	N3-C4-C5	-5.59	111.25	114.60
11	B2	802	G	N3-C4-C5	5.59	131.39	128.60
11	B2	975	A	C3'-C2'-C1'	-5.59	97.03	101.50
11	B2	1247	A	P-O3'-C3'	5.59	126.41	119.70
11	B2	1486	A	N1-C2-N3	5.59	132.09	129.30
38	A1	331	G	N1-C2-N3	-5.59	120.55	123.90
38	A1	1291	C	C5-C6-N1	5.59	123.79	121.00
38	A1	1364	C	O4'-C1'-N1	5.59	112.67	108.20
38	A1	2027	G	N7-C8-N9	-5.59	110.31	113.10
38	A1	2096	G	C6-C5-N7	-5.59	127.05	130.40
38	A1	2118	C	N3-C4-N4	5.59	121.91	118.00
39	A3	29	G	N7-C8-N9	-5.59	110.31	113.10
45	AC	87	ARG	CG-CD-NE	-5.59	100.06	111.80
11	B2	1301	U	C4-C5-C6	5.59	123.05	119.70
20	BH	209	ARG	N-CA-CB	5.59	120.66	110.60
38	A1	98	G	C8-N9-C4	5.59	108.64	106.40
38	A1	1023	C	N3-C4-N4	5.59	121.91	118.00
38	A1	1261	C	P-O3'-C3'	-5.59	113.00	119.70
38	A1	2279	G	N3-C4-C5	5.59	131.39	128.60
38	A1	2540	A	C6-N1-C2	5.59	121.95	118.60
38	A1	2663	G	N1-C6-O6	5.59	123.25	119.90
41	AA	78	GLY	N-CA-C	-5.59	99.13	113.10
9	AX	263	ALA	N-CA-CB	5.59	117.92	110.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	416	A	OP1-P-OP2	-5.59	111.22	119.60
11	B2	553	C	OP1-P-OP2	-5.59	111.22	119.60
11	B2	939	C	C5-C4-N4	-5.59	116.29	120.20
38	A1	32	C	N3-C2-O2	5.59	125.81	121.90
38	A1	509	A	N3-C4-N9	5.59	131.87	127.40
38	A1	1302	G	C6-C5-N7	-5.59	127.05	130.40
38	A1	1309	G	C1'-O4'-C4'	5.59	114.37	109.90
38	A1	1647	C	N3-C4-C5	-5.59	119.67	121.90
38	A1	2023	A	C5-C6-N1	-5.59	114.91	117.70
38	A1	2084	A	N9-C4-C5	5.59	108.03	105.80
38	A1	2689	G	N9-C4-C5	-5.59	103.17	105.40
38	A1	2718	G	C8-N9-C1'	5.59	134.26	127.00
38	A1	3008	C	N3-C4-N4	5.59	121.91	118.00
40	A5	32	PHE	CB-CG-CD2	5.59	124.71	120.80
65	AV	39	ARG	N-CA-CB	5.59	120.66	110.60
67	AZ	52	TYR	CB-CG-CD2	-5.59	117.65	121.00
11	B2	13	C	C6-N1-C1'	-5.58	114.10	120.80
11	B2	1155	U	N3-C2-O2	5.58	126.11	122.20
11	B2	1296	U	N3-C4-O4	5.58	123.31	119.40
11	B2	1463	A	N1-C2-N3	5.58	132.09	129.30
11	B2	1481	G	N1-C2-N3	-5.58	120.55	123.90
38	A1	229	G	N1-C6-O6	5.58	123.25	119.90
38	A1	682	G	C4-C5-C6	5.58	122.15	118.80
38	A1	2046	C	O4'-C1'-C2'	-5.58	100.22	105.80
38	A1	2755	G	C6-C5-N7	-5.58	127.05	130.40
38	A1	2799	C	C2-N1-C1'	5.58	124.94	118.80
11	B2	104	A	N3-C4-C5	-5.58	122.89	126.80
11	B2	116	C	C1'-O4'-C4'	-5.58	105.43	109.90
11	B2	439	G	N9-C4-C5	-5.58	103.17	105.40
11	B2	696	G	C4-C5-N7	-5.58	108.57	110.80
11	B2	864	G	C4-C5-N7	5.58	113.03	110.80
11	B2	1001	A	N7-C8-N9	-5.58	111.01	113.80
11	B2	1129	A	C5-C6-N6	-5.58	119.23	123.70
11	B2	1134	G	P-O5'-C5'	-5.58	111.97	120.90
11	B2	1270	C	C4'-C3'-C2'	-5.58	97.02	102.60
14	BB	96	PHE	CB-CG-CD2	5.58	124.71	120.80
33	BU	5	TYR	CB-CG-CD2	-5.58	117.65	121.00
38	A1	672	C	N1-C2-N3	-5.58	115.29	119.20
38	A1	1170	G	C4'-C3'-C2'	-5.58	97.02	102.60
38	A1	1257	G	C4-N9-C1'	5.58	133.76	126.50
38	A1	1464	A	C5-C6-N6	-5.58	119.23	123.70
38	A1	1516	C	P-O3'-C3'	5.58	126.40	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1622	G	N7-C8-N9	5.58	115.89	113.10
38	A1	1881	A	C4-C5-N7	-5.58	107.91	110.70
38	A1	2494	A	C6-N1-C2	-5.58	115.25	118.60
38	A1	3023	G	C4-N9-C1'	-5.58	119.24	126.50
45	AC	207	LEU	CB-CG-CD1	5.58	120.49	111.00
45	AC	359	VAL	CG1-CB-CG2	5.58	119.83	110.90
11	B2	37	G	C6-C5-N7	-5.58	127.05	130.40
11	B2	786	G	C4-C5-N7	5.58	113.03	110.80
11	B2	1149	C	N3-C4-C5	-5.58	119.67	121.90
11	B2	1206	G	C2-N3-C4	5.58	114.69	111.90
38	A1	43	G	C6-N1-C2	-5.58	121.75	125.10
38	A1	312	G	C6-C5-N7	-5.58	127.05	130.40
38	A1	361	G	C5-C6-O6	5.58	131.95	128.60
38	A1	872	G	O4'-C1'-N9	5.58	112.67	108.20
38	A1	1380	G	N1-C6-O6	5.58	123.25	119.90
38	A1	1482	G	C6-N1-C2	5.58	128.45	125.10
38	A1	2044	C	C5-C6-N1	5.58	123.79	121.00
38	A1	2105	A	C4-C5-C6	5.58	119.79	117.00
38	A1	2296	A	C8-N9-C4	-5.58	103.57	105.80
38	A1	2824	C	O4'-C1'-N1	5.58	112.67	108.20
38	A1	2901	C	N3-C4-C5	-5.58	119.67	121.90
59	AL	126	ALA	CB-CA-C	-5.58	101.73	110.10
11	B2	192	G	N7-C8-N9	5.58	115.89	113.10
11	B2	584	C	C1'-O4'-C4'	5.58	114.36	109.90
11	B2	982	U	N3-C2-O2	5.58	126.11	122.20
16	BD	147	GLU	C-N-CA	5.58	135.65	121.70
38	A1	104	C	O4'-C1'-N1	5.58	112.66	108.20
38	A1	817	G	C5-N7-C8	-5.58	101.51	104.30
38	A1	1636	C	N3-C4-C5	-5.58	119.67	121.90
38	A1	1723	A	C4'-C3'-C2'	-5.58	97.02	102.60
38	A1	1889	G	C5-C6-N1	-5.58	108.71	111.50
38	A1	2175	G	N1-C2-N3	-5.58	120.55	123.90
38	A1	2213	G	O4'-C1'-N9	5.58	112.66	108.20
38	A1	2298	C	P-O5'-C5'	5.58	129.83	120.90
38	A1	2886	C	C4-C5-C6	5.58	120.19	117.40
55	Ai	80	ARG	NE-CZ-NH1	-5.58	117.51	120.30
9	AX	238	GLY	C-N-CA	5.58	135.65	121.70
10	B1	24	A	C2-N3-C4	5.58	113.39	110.60
11	B2	248	U	C1'-O4'-C4'	5.58	114.36	109.90
11	B2	346	C	C3'-C2'-C1'	5.58	105.96	101.50
11	B2	719	G	O4'-C1'-N9	5.58	112.66	108.20
11	B2	764	C	C2-N3-C4	5.58	122.69	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1105	C	N3-C4-N4	5.58	121.91	118.00
11	B2	1323	A	C5-N7-C8	5.58	106.69	103.90
11	B2	1430	G	C4-C5-N7	-5.58	108.57	110.80
13	BA	67	TYR	CB-CG-CD2	-5.58	117.65	121.00
38	A1	403	G	C5'-C4'-O4'	5.58	115.79	109.10
38	A1	713	C	C5-C6-N1	-5.58	118.21	121.00
38	A1	717	A	C8-N9-C4	-5.58	103.57	105.80
38	A1	1130	G	C5-C6-O6	-5.58	125.25	128.60
38	A1	1302	G	C6-N1-C2	-5.58	121.75	125.10
38	A1	1451	A	C5-N7-C8	5.58	106.69	103.90
38	A1	1456	U	C5-C6-N1	5.58	125.49	122.70
38	A1	1526	G	C8-N9-C4	5.58	108.63	106.40
38	A1	2007	C	C5-C4-N4	-5.58	116.30	120.20
38	A1	2219	A	C4-C5-N7	-5.58	107.91	110.70
11	B2	986	G	C5-N7-C8	5.58	107.09	104.30
11	B2	1321	U	N3-C4-C5	5.58	117.95	114.60
30	BR	95	SER	N-CA-CB	5.58	118.87	110.50
38	A1	259	A	C5'-C4'-O4'	-5.58	102.41	109.10
38	A1	542	A	N1-C6-N6	5.58	121.95	118.60
38	A1	724	G	N3-C2-N2	5.58	123.80	119.90
38	A1	1476	C	O4'-C1'-N1	5.58	112.66	108.20
38	A1	1683	C	C1'-O4'-C4'	5.58	114.36	109.90
11	B2	280	C	C5-C6-N1	5.58	123.79	121.00
11	B2	1149	C	C6-N1-C2	-5.58	118.07	120.30
11	B2	1192	C	P-O3'-C3'	5.58	126.39	119.70
11	B2	1280	C	C4-C5-C6	-5.58	114.61	117.40
11	B2	1328	G	C5-C6-N1	-5.58	108.71	111.50
38	A1	68	G	C6-N1-C2	5.58	128.44	125.10
38	A1	98	G	N9-C1'-C2'	-5.58	105.87	112.00
38	A1	445	G	C1'-O4'-C4'	-5.58	105.44	109.90
38	A1	916	A	P-O5'-C5'	-5.58	111.98	120.90
38	A1	1196	A	C1'-O4'-C4'	5.58	114.36	109.90
38	A1	1338	G	C5-C6-N1	-5.58	108.71	111.50
38	A1	1387	G	C3'-C2'-C1'	-5.58	97.04	101.50
38	A1	1507	A	C4-C5-C6	5.58	119.79	117.00
38	A1	1718	C	O4'-C1'-N1	5.58	112.66	108.20
38	A1	2659	G	N3-C4-C5	5.58	131.39	128.60
38	A1	3019	C	C5-C4-N4	-5.58	116.30	120.20
11	B2	40	C	O4'-C1'-N1	5.57	112.66	108.20
11	B2	101	G	N3-C2-N2	5.57	123.80	119.90
11	B2	156	A	N1-C2-N3	5.57	132.09	129.30
11	B2	896	A	C5-C6-N6	-5.57	119.24	123.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	932	C	OP1-P-O3'	5.57	117.46	105.20
11	B2	1396	C	P-O5'-C5'	5.57	129.82	120.90
18	BF	184	TRP	CE3-CZ3-CH2	-5.57	115.07	121.20
38	A1	20	C	N3-C2-O2	-5.57	118.00	121.90
38	A1	200	G	C5-C6-N1	-5.57	108.71	111.50
38	A1	278	C	N1-C2-N3	-5.57	115.30	119.20
38	A1	768	C	N3-C4-N4	5.57	121.90	118.00
38	A1	885	A	N7-C8-N9	-5.57	111.01	113.80
38	A1	1225	A	C5-C6-N1	-5.57	114.91	117.70
38	A1	1491	U	O4'-C1'-N1	5.57	112.66	108.20
38	A1	1510	U	N1-C2-N3	5.57	118.24	114.90
38	A1	2280	G	C5-N7-C8	-5.57	101.51	104.30
11	B2	63	G	O3'-P-O5'	-5.57	93.41	104.00
11	B2	1191	G	N3-C2-N2	5.57	123.80	119.90
11	B2	1485	G	C5-C6-O6	-5.57	125.26	128.60
38	A1	512	G	P-O5'-C5'	-5.57	111.98	120.90
38	A1	764	G	N9-C1'-C2'	-5.57	105.87	112.00
38	A1	909	A	O4'-C1'-N9	5.57	112.66	108.20
38	A1	1645	U	O4'-C1'-N1	5.57	112.66	108.20
11	B2	82	G	N1-C2-N3	-5.57	120.56	123.90
11	B2	142	G	O5'-P-OP1	5.57	117.39	110.70
11	B2	314	G	N7-C8-N9	-5.57	110.31	113.10
16	BD	90	ASP	CB-CG-OD1	5.57	123.31	118.30
35	BW	12	ARG	NE-CZ-NH2	5.57	123.08	120.30
38	A1	186	A	N1-C2-N3	5.57	132.09	129.30
38	A1	275	C	C2-N3-C4	5.57	122.69	119.90
38	A1	519	A	C1'-O4'-C4'	5.57	114.36	109.90
38	A1	641	G	N1-C6-O6	5.57	123.24	119.90
38	A1	912	G	C4'-C3'-C2'	-5.57	97.03	102.60
38	A1	1058	A	N9-C4-C5	-5.57	103.57	105.80
38	A1	1322	G	C5'-C4'-O4'	5.57	115.78	109.10
38	A1	1622	G	O4'-C1'-N9	5.57	112.66	108.20
38	A1	1672	G	C5'-C4'-O4'	-5.57	102.42	109.10
38	A1	2130	C	N3-C4-N4	5.57	121.90	118.00
38	A1	2169	C	C4-C5-C6	-5.57	114.61	117.40
38	A1	2276	G	C5-C6-O6	-5.57	125.26	128.60
38	A1	2653	G	C5-C6-N1	-5.57	108.72	111.50
38	A1	2721	C	N3-C2-O2	-5.57	118.00	121.90
11	B2	670	C	N1-C2-O2	-5.57	115.56	118.90
11	B2	1411	G	C8-N9-C1'	5.57	134.24	127.00
38	A1	368	U	N3-C4-C5	-5.57	111.26	114.60
38	A1	1294	A	C4-C5-N7	-5.57	107.92	110.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1469	U	N1-C2-N3	5.57	118.24	114.90
38	A1	1561	G	N1-C2-N3	-5.57	120.56	123.90
38	A1	1565	G	N7-C8-N9	-5.57	110.31	113.10
38	A1	2896	G	C6-C5-N7	-5.57	127.06	130.40
38	A1	2952	C	N3-C4-C5	-5.57	119.67	121.90
57	Aj	41	ARG	NE-CZ-NH1	-5.57	117.52	120.30
10	B1	56	U	N3-C2-O2	5.57	126.10	122.20
11	B2	500	A	N9-C4-C5	5.57	108.03	105.80
11	B2	1195	U	N1-C2-O2	5.57	126.70	122.80
11	B2	1442	G	C5-C6-O6	-5.57	125.26	128.60
11	B2	1463	A	C5-N7-C8	5.57	106.68	103.90
38	A1	7	G	C2-N3-C4	-5.57	109.12	111.90
38	A1	111	U	N3-C2-O2	5.57	126.10	122.20
38	A1	457	C	P-O3'-C3'	5.57	126.38	119.70
38	A1	508	G	C3'-C2'-C1'	-5.57	97.05	101.50
38	A1	1246	G	C5-C6-N1	-5.57	108.72	111.50
38	A1	1271	G	N1-C2-N3	-5.57	120.56	123.90
38	A1	1352	U	N1-C2-O2	5.57	126.70	122.80
38	A1	1395	G	C8-N9-C4	5.57	108.63	106.40
38	A1	1630	U	C4-C5-C6	-5.57	116.36	119.70
38	A1	1713	G	C6-C5-N7	-5.57	127.06	130.40
38	A1	1905	G	N1-C2-N3	-5.57	120.56	123.90
38	A1	2347	G	C4-C5-C6	5.57	122.14	118.80
38	A1	2569	G	C5-C6-N1	-5.57	108.72	111.50
38	A1	3043	C	N3-C2-O2	-5.57	118.00	121.90
43	AB	180	TYR	CZ-CE2-CD2	5.57	124.81	119.80
11	B2	224	A	N9-C4-C5	-5.57	103.57	105.80
11	B2	239	A	N1-C2-N3	-5.57	126.52	129.30
11	B2	555	U	C5-C6-N1	5.57	125.48	122.70
11	B2	895	C	O4'-C1'-N1	5.57	112.65	108.20
38	A1	625	A	C5-N7-C8	5.57	106.68	103.90
38	A1	819	U	C5-C4-O4	-5.57	122.56	125.90
38	A1	902	C	O4'-C1'-N1	5.57	112.65	108.20
38	A1	1345	G	O4'-C1'-N9	5.57	112.65	108.20
38	A1	1373	C	C5-C6-N1	-5.57	118.22	121.00
38	A1	1375	G	P-O5'-C5'	-5.57	112.00	120.90
38	A1	1402	C	C6-N1-C2	-5.57	118.07	120.30
38	A1	1894	A	N3-C4-C5	-5.57	122.90	126.80
38	A1	1922	A	P-O3'-C3'	5.57	126.38	119.70
38	A1	2206	G	O4'-C1'-N9	5.57	112.65	108.20
38	A1	2644	G	N1-C2-N3	-5.57	120.56	123.90
39	A3	81	C	C2-N3-C4	5.57	122.68	119.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
44	Ab	22	ARG	NE-CZ-NH2	-5.57	117.52	120.30
58	Ak	35	ALA	N-CA-CB	5.57	117.89	110.10
11	B2	972	C	N3-C4-N4	5.56	121.89	118.00
38	A1	63	A	N1-C2-N3	-5.56	126.52	129.30
38	A1	951	C	C2-N1-C1'	5.56	124.92	118.80
38	A1	1291	C	C6-N1-C2	5.56	122.53	120.30
38	A1	3024	C	C4-C5-C6	-5.56	114.62	117.40
39	A3	26	C	C4-C5-C6	-5.56	114.62	117.40
40	AK	64	ARG	NE-CZ-NH2	-5.56	117.52	120.30
11	B2	266	A	N1-C2-N3	5.56	132.08	129.30
11	B2	964	A	C8-N9-C4	-5.56	103.58	105.80
11	B2	1018	C	C3'-C2'-C1'	5.56	105.95	101.50
11	B2	1096	G	C4'-C3'-C2'	-5.56	97.04	102.60
11	B2	1252	C	C6-N1-C1'	-5.56	114.12	120.80
11	B2	1409	G	C6-N1-C2	-5.56	121.76	125.10
18	BF	126	ARG	CD-NE-CZ	5.56	131.39	123.60
38	A1	68	G	C3'-C2'-C1'	5.56	105.95	101.50
38	A1	69	C	N1-C2-O2	5.56	122.24	118.90
38	A1	144	A	C6-C5-N7	-5.56	128.41	132.30
38	A1	408	C	C1'-O4'-C4'	-5.56	105.45	109.90
38	A1	857	U	C5'-C4'-O4'	5.56	115.78	109.10
38	A1	1230	G	N7-C8-N9	5.56	115.88	113.10
38	A1	2038	C	O4'-C1'-N1	5.56	112.65	108.20
38	A1	2218	C	N3-C4-C5	-5.56	119.67	121.90
38	A1	2348	G	O4'-C1'-N9	5.56	112.65	108.20
38	A1	2417	G	N1-C2-N2	5.56	121.21	116.20
38	A1	2661	U	O4'-C1'-N1	5.56	112.65	108.20
38	A1	2800	U	N1-C2-O2	-5.56	118.91	122.80
39	A3	125	U	C5'-C4'-O4'	5.56	115.78	109.10
65	AV	60	ARG	NE-CZ-NH2	-5.56	117.52	120.30
11	B2	489	C	N3-C4-C5	-5.56	119.68	121.90
11	B2	523	C	N3-C4-C5	-5.56	119.68	121.90
11	B2	600	C	O4'-C1'-N1	5.56	112.65	108.20
11	B2	1112	G	O4'-C1'-N9	5.56	112.65	108.20
11	B2	1132	C	C2-N3-C4	5.56	122.68	119.90
11	B2	1445	A	C1'-O4'-C4'	5.56	114.35	109.90
38	A1	217	A	OP1-P-OP2	-5.56	111.26	119.60
38	A1	218	A	C4'-C3'-C2'	-5.56	97.04	102.60
38	A1	461	C	C2-N3-C4	-5.56	117.12	119.90
38	A1	1036	C	C4'-C3'-C2'	-5.56	97.04	102.60
38	A1	1226	G	O3'-P-O5'	-5.56	93.44	104.00
38	A1	1281	A	C5'-C4'-O4'	-5.56	102.43	109.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1689	G	O4'-C1'-N9	5.56	112.65	108.20
11	B2	198	A	N1-C2-N3	5.56	132.08	129.30
11	B2	483	G	C3'-C2'-C1'	5.56	105.95	101.50
38	A1	525	C	N3-C4-N4	5.56	121.89	118.00
38	A1	665	C	N1-C2-N3	-5.56	115.31	119.20
38	A1	702	G	C6-N1-C2	5.56	128.44	125.10
38	A1	930	G	N3-C2-N2	5.56	123.79	119.90
38	A1	970	G	N7-C8-N9	5.56	115.88	113.10
38	A1	981	A	N7-C8-N9	-5.56	111.02	113.80
38	A1	1027	A	O4'-C1'-C2'	5.56	112.60	107.60
38	A1	1525	G	C5-N7-C8	5.56	107.08	104.30
38	A1	1561	G	N3-C4-C5	-5.56	125.82	128.60
38	A1	1680	G	C1'-O4'-C4'	5.56	114.35	109.90
38	A1	2227	G	P-O5'-C5'	5.56	129.79	120.90
38	A1	2997	G	N3-C2-N2	5.56	123.79	119.90
10	B1	2	G	O4'-C4'-C3'	-5.56	98.44	104.00
11	B2	268	C	OP1-P-OP2	-5.56	111.26	119.60
11	B2	277	G	C4-C5-C6	5.56	122.13	118.80
11	B2	443	C	N3-C4-C5	-5.56	119.68	121.90
11	B2	566	C	C5-C4-N4	-5.56	116.31	120.20
11	B2	1027	C	N3-C4-N4	5.56	121.89	118.00
38	A1	470	A	C4-C5-C6	-5.56	114.22	117.00
38	A1	538	G	C5-C6-N1	-5.56	108.72	111.50
38	A1	929	G	N3-C2-N2	5.56	123.79	119.90
38	A1	980	G	C5-C6-N1	-5.56	108.72	111.50
38	A1	2047	U	N3-C2-O2	-5.56	118.31	122.20
38	A1	2888	G	C5-N7-C8	5.56	107.08	104.30
38	A1	2952	C	N1-C2-O2	-5.56	115.56	118.90
39	A3	74	U	P-O5'-C5'	5.56	129.79	120.90
11	B2	218	C	N3-C4-N4	5.56	121.89	118.00
38	A1	927	G	C4-C5-N7	5.56	113.02	110.80
38	A1	1067	G	P-O5'-C5'	-5.56	112.01	120.90
38	A1	2314	U	N1-C2-N3	5.56	118.23	114.90
38	A1	2680	A	C5-N7-C8	5.56	106.68	103.90
41	AA	5	ARG	NE-CZ-NH2	-5.56	117.52	120.30
11	B2	474	G	C4-N9-C1'	-5.55	119.28	126.50
11	B2	531	G	N1-C2-N3	-5.55	120.57	123.90
11	B2	1010	G	C5-C6-O6	-5.55	125.27	128.60
11	B2	1280	C	C2-N3-C4	5.55	122.68	119.90
38	A1	272	G	OP1-P-OP2	-5.55	111.27	119.60
38	A1	669	G	N1-C2-N3	-5.55	120.57	123.90
38	A1	1443	G	C5-N7-C8	5.55	107.08	104.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1454	G	N3-C2-N2	5.55	123.79	119.90
38	A1	1610	C	O4'-C4'-C3'	-5.55	98.45	104.00
38	A1	1795	C	N1-C2-N3	-5.55	115.31	119.20
38	A1	1801	C	C2-N3-C4	5.55	122.68	119.90
38	A1	1876	G	C1'-O4'-C4'	5.55	114.34	109.90
38	A1	1888	G	C5-N7-C8	5.55	107.08	104.30
38	A1	2372	C	O4'-C1'-C2'	-5.55	100.25	105.80
56	AJ	124	ARG	NE-CZ-NH1	-5.55	117.52	120.30
11	B2	966	G	N1-C2-N2	-5.55	111.20	116.20
13	BA	126	MET	CG-SD-CE	-5.55	91.31	100.20
38	A1	581	A	N7-C8-N9	-5.55	111.02	113.80
38	A1	1274	G	C6-N1-C2	-5.55	121.77	125.10
38	A1	2760	A	C4'-C3'-C2'	-5.55	97.05	102.60
38	A1	2789	G	N7-C8-N9	5.55	115.88	113.10
38	A1	2802	G	O4'-C1'-N9	5.55	112.64	108.20
39	A3	94	G	N1-C2-N2	5.55	121.20	116.20
44	Ab	30	ARG	NE-CZ-NH2	-5.55	117.52	120.30
11	B2	48	G	C5-N7-C8	-5.55	101.53	104.30
11	B2	501	G	N1-C2-N3	-5.55	120.57	123.90
11	B2	528	G	C5-N7-C8	5.55	107.08	104.30
11	B2	743	U	P-O3'-C3'	-5.55	113.04	119.70
11	B2	1216	A	C8-N9-C4	-5.55	103.58	105.80
11	B2	1422	G	C1'-O4'-C4'	-5.55	105.46	109.90
11	B2	1445	A	C6-N1-C2	5.55	121.93	118.60
38	A1	1526	G	C5-C6-O6	-5.55	125.27	128.60
38	A1	1620	C	C4'-C3'-C2'	-5.55	97.05	102.60
38	A1	1827	A	C2-N3-C4	-5.55	107.82	110.60
38	A1	1881	A	C6-N1-C2	-5.55	115.27	118.60
38	A1	2791	C	P-O5'-C5'	5.55	129.78	120.90
38	A1	2806	A	C5-N7-C8	5.55	106.67	103.90
38	A1	2813	G	N7-C8-N9	-5.55	110.32	113.10
11	B2	24	C	N3-C4-N4	5.55	121.89	118.00
11	B2	133	G	C2-N3-C4	5.55	114.67	111.90
11	B2	885	G	O4'-C1'-N9	5.55	112.64	108.20
11	B2	982	U	N1-C1'-C2'	-5.55	105.90	112.00
11	B2	1393	A	C4-C5-C6	5.55	119.77	117.00
18	BF	95	TYR	N-CA-CB	5.55	120.59	110.60
38	A1	84	A	C5'-C4'-C3'	5.55	124.88	116.00
38	A1	222	A	C5-N7-C8	5.55	106.67	103.90
38	A1	406	G	C5-C6-N1	-5.55	108.73	111.50
38	A1	478	C	C6-N1-C2	5.55	122.52	120.30
38	A1	971	G	C8-N9-C4	-5.55	104.18	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1573	A	O5'-C5'-C4'	5.55	122.24	111.70
38	A1	1682	C	N3-C4-N4	5.55	121.89	118.00
38	A1	1684	C	C5-C4-N4	-5.55	116.31	120.20
38	A1	1989	G	C3'-C2'-C1'	-5.55	97.06	101.50
38	A1	2703	G	C8-N9-C4	-5.55	104.18	106.40
38	A1	2865	C	O5'-P-OP2	-5.55	100.71	105.70
40	A5	45	ARG	NE-CZ-NH2	-5.55	117.53	120.30
67	AZ	99	ARG	NE-CZ-NH2	-5.55	117.53	120.30
11	B2	724	C	C4-C5-C6	5.55	120.17	117.40
11	B2	1411	G	C6-C5-N7	-5.55	127.07	130.40
38	A1	1351	G	N1-C2-N3	-5.55	120.57	123.90
38	A1	1399	C	C6-N1-C2	-5.55	118.08	120.30
38	A1	1461	G	N1-C6-O6	5.55	123.23	119.90
38	A1	1613	A	N1-C2-N3	5.55	132.07	129.30
38	A1	2047	U	C3'-C2'-C1'	5.55	105.94	101.50
38	A1	2187	C	N1-C2-N3	-5.55	115.32	119.20
38	A1	2208	C	N3-C4-N4	5.55	121.88	118.00
38	A1	2572	U	N1-C2-N3	5.55	118.23	114.90
11	B2	159	C	C5-C4-N4	-5.55	116.32	120.20
11	B2	282	G	P-O5'-C5'	5.55	129.77	120.90
20	BH	139	VAL	CA-CB-CG2	-5.55	102.58	110.90
22	BJ	89	PHE	CB-CG-CD1	-5.55	116.92	120.80
38	A1	182	U	C5-C4-O4	-5.55	122.57	125.90
38	A1	369	G	C5-C6-N1	-5.55	108.73	111.50
38	A1	655	C	C5-C6-N1	5.55	123.77	121.00
38	A1	996	U	N1-C2-O2	-5.55	118.92	122.80
38	A1	1331	U	O4'-C4'-C3'	-5.55	98.45	104.00
38	A1	1463	C	N1-C2-O2	5.55	122.23	118.90
38	A1	1734	G	C2-N3-C4	-5.55	109.13	111.90
38	A1	1816	C	C6-N1-C2	-5.55	118.08	120.30
38	A1	1848	A	O4'-C1'-N9	5.55	112.64	108.20
38	A1	2180	C	C5-C6-N1	5.55	123.77	121.00
38	A1	2547	A	C8-N9-C4	-5.55	103.58	105.80
39	A3	42	A	C5-N7-C8	5.55	106.67	103.90
46	AD	234	THR	N-CA-CB	5.55	120.84	110.30
11	B2	590	G	N9-C4-C5	5.54	107.62	105.40
11	B2	881	G	C5'-C4'-C3'	5.54	124.87	116.00
38	A1	356	C	O4'-C1'-N1	5.54	112.64	108.20
38	A1	563	A	C5-N7-C8	5.54	106.67	103.90
38	A1	1042	G	N3-C2-N2	5.54	123.78	119.90
38	A1	1713	G	C5-C6-N1	-5.54	108.73	111.50
38	A1	1928	A	C5-C6-N1	-5.54	114.93	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2310	G	N3-C2-N2	5.54	123.78	119.90
38	A1	2809	G	P-O5'-C5'	5.54	129.77	120.90
50	AF	158	THR	CA-CB-CG2	-5.54	104.64	112.40
11	B2	246	A	C4-C5-N7	-5.54	107.93	110.70
11	B2	362	C	C2'-C3'-O3'	5.54	122.57	113.70
11	B2	723	G	C5'-C4'-O4'	5.54	115.75	109.10
11	B2	880	G	C5'-C4'-O4'	5.54	115.75	109.10
11	B2	949	G	P-O5'-C5'	5.54	129.77	120.90
11	B2	1204	C	N1-C2-O2	5.54	122.23	118.90
18	BF	202	PHE	CB-CG-CD1	-5.54	116.92	120.80
29	BQ	136	TYR	CG-CD1-CE1	5.54	125.73	121.30
38	A1	697	U	C4-C5-C6	-5.54	116.37	119.70
38	A1	1123	A	C6-N1-C2	-5.54	115.27	118.60
38	A1	1191	C	C4-C5-C6	5.54	120.17	117.40
38	A1	1323	U	C6-N1-C2	-5.54	117.67	121.00
38	A1	1394	G	N1-C2-N3	-5.54	120.57	123.90
38	A1	1756	C	N3-C4-C5	-5.54	119.68	121.90
38	A1	2047	U	O5'-P-OP1	-5.54	100.71	105.70
38	A1	2354	A	C8-N9-C4	5.54	108.02	105.80
11	B2	86	C	C2-N1-C1'	-5.54	112.70	118.80
11	B2	379	A	N3-C4-C5	-5.54	122.92	126.80
11	B2	706	G	C5-C6-O6	-5.54	125.28	128.60
11	B2	816	G	C5'-C4'-C3'	-5.54	107.13	116.00
11	B2	847	A	O5'-P-OP1	5.54	117.35	110.70
11	B2	900	G	C2-N3-C4	5.54	114.67	111.90
11	B2	904	G	C5-N7-C8	5.54	107.07	104.30
11	B2	961	U	C5-C6-N1	5.54	125.47	122.70
38	A1	398	U	C6-N1-C2	-5.54	117.67	121.00
38	A1	821	U	OP1-P-OP2	-5.54	111.29	119.60
38	A1	888	U	C5-C6-N1	5.54	125.47	122.70
38	A1	1304	G	C4-C5-C6	-5.54	115.47	118.80
38	A1	1625	A	C4-C5-N7	-5.54	107.93	110.70
38	A1	1829	C	O4'-C1'-C2'	-5.54	100.26	105.80
38	A1	2403	G	C3'-C2'-C1'	-5.54	97.07	101.50
38	A1	2746	G	O4'-C1'-N9	5.54	112.63	108.20
38	A1	2825	A	C5-C6-N6	-5.54	119.27	123.70
38	A1	2888	G	N7-C8-N9	-5.54	110.33	113.10
39	A3	120	C	C4-C5-C6	5.54	120.17	117.40
45	AC	314	TYR	CB-CG-CD2	-5.54	117.67	121.00
26	BN	43	PRO	N-CD-CG	5.54	111.51	103.20
38	A1	288	G	C5-N7-C8	-5.54	101.53	104.30
38	A1	555	G	C5-C6-O6	-5.54	125.28	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	693	G	C4-C5-C6	5.54	122.12	118.80
38	A1	1089	C	C6-N1-C1'	-5.54	114.15	120.80
38	A1	1533	G	C6-N1-C2	-5.54	121.78	125.10
38	A1	3004	C	N1-C1'-C2'	5.54	121.20	114.00
39	A3	72	G	C5-C6-O6	-5.54	125.28	128.60
64	AR	23	ARG	N-CA-CB	5.54	120.57	110.60
9	AX	192	TYR	CB-CG-CD2	-5.54	117.68	121.00
11	B2	149	U	C3'-C2'-C1'	-5.54	97.07	101.50
11	B2	529	C	O4'-C1'-C2'	-5.54	100.26	105.80
11	B2	558	C	P-O5'-C5'	5.54	129.76	120.90
11	B2	1224	U	C4-C5-C6	5.54	123.02	119.70
38	A1	30	G	C6-C5-N7	-5.54	127.08	130.40
38	A1	1020	G	C6-C5-N7	-5.54	127.08	130.40
38	A1	1083	G	C5-C6-N1	5.54	114.27	111.50
38	A1	1490	G	C4-C5-N7	5.54	113.02	110.80
38	A1	1753	G	O4'-C1'-N9	5.54	112.63	108.20
38	A1	1902	G	N3-C4-N9	5.54	129.32	126.00
38	A1	1951	G	C4-C5-N7	-5.54	108.58	110.80
38	A1	2279	G	N9-C4-C5	-5.54	103.18	105.40
38	A1	2581	G	N3-C2-N2	5.54	123.78	119.90
38	A1	2731	C	C4-C5-C6	5.54	120.17	117.40
38	A1	2970	U	C5'-C4'-C3'	5.54	124.86	116.00
38	A1	2999	G	N9-C4-C5	-5.54	103.19	105.40
39	A3	75	G	N3-C4-C5	5.54	131.37	128.60
60	AM	113	VAL	CA-CB-CG2	-5.54	102.59	110.90
11	B2	79	G	C5-N7-C8	5.54	107.07	104.30
11	B2	195	C	N3-C4-C5	-5.54	119.69	121.90
11	B2	212	G	C5-N7-C8	5.54	107.07	104.30
11	B2	483	G	C6-C5-N7	-5.54	127.08	130.40
11	B2	984	C	C2-N1-C1'	5.54	124.89	118.80
19	BG	43	LEU	CB-CG-CD2	5.54	120.41	111.00
38	A1	986	G	N1-C6-O6	5.54	123.22	119.90
38	A1	2003	C	OP2-P-O3'	5.54	117.38	105.20
38	A1	2262	C	C4-C5-C6	5.54	120.17	117.40
38	A1	2723	G	C2-N3-C4	5.54	114.67	111.90
11	B2	138	C	C2-N3-C4	5.54	122.67	119.90
11	B2	721	A	C8-N9-C4	-5.54	103.59	105.80
11	B2	908	G	N1-C6-O6	5.54	123.22	119.90
11	B2	1241	U	C5'-C4'-O4'	5.54	115.74	109.10
12	B3	45	ARG	NE-CZ-NH2	-5.54	117.53	120.30
38	A1	365	G	N3-C4-N9	5.54	129.32	126.00
38	A1	708	A	N3-C4-C5	-5.54	122.93	126.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1088	G	C4-C5-C6	5.54	122.12	118.80
38	A1	1827	A	N9-C4-C5	5.54	108.01	105.80
38	A1	1952	G	O4'-C1'-N9	5.54	112.63	108.20
38	A1	1993	A	C4-C5-N7	-5.54	107.93	110.70
38	A1	2172	G	N3-C4-C5	5.54	131.37	128.60
54	AI	77	ARG	NE-CZ-NH1	-5.54	117.53	120.30
56	AJ	86	ARG	N-CA-CB	5.54	120.56	110.60
11	B2	377	A	C4-C5-C6	5.53	119.77	117.00
11	B2	678	G	N1-C2-N3	-5.53	120.58	123.90
11	B2	756	A	O4'-C1'-N9	5.53	112.63	108.20
38	A1	212	A	C3'-C2'-C1'	5.53	105.93	101.50
38	A1	259	A	C5-C6-N6	-5.53	119.27	123.70
38	A1	287	G	N3-C4-C5	5.53	131.37	128.60
38	A1	417	C	C5-C4-N4	-5.53	116.33	120.20
38	A1	708	A	C8-N9-C4	-5.53	103.59	105.80
38	A1	721	G	O4'-C1'-N9	5.53	112.63	108.20
38	A1	760	G	N3-C4-C5	-5.53	125.83	128.60
38	A1	1006	A	C6-N1-C2	5.53	121.92	118.60
38	A1	1210	G	N3-C2-N2	5.53	123.77	119.90
38	A1	1270	G	N7-C8-N9	5.53	115.87	113.10
38	A1	1691	U	N3-C4-C5	-5.53	111.28	114.60
38	A1	2068	U	N3-C4-O4	5.53	123.27	119.40
38	A1	2378	C	P-O5'-C5'	5.53	129.75	120.90
10	B1	33	C	O5'-C5'-C4'	-5.53	101.19	111.70
11	B2	401	U	OP1-P-OP2	-5.53	111.30	119.60
11	B2	596	A	C5'-C4'-O4'	5.53	115.74	109.10
25	BM	41	ARG	O-C-N	5.53	131.55	122.70
38	A1	303	A	C8-N9-C4	-5.53	103.59	105.80
38	A1	471	U	O4'-C1'-N1	5.53	112.63	108.20
38	A1	726	G	N3-C2-N2	5.53	123.77	119.90
38	A1	937	A	N3-C4-C5	-5.53	122.93	126.80
38	A1	1058	A	O4'-C1'-N9	5.53	112.63	108.20
38	A1	1199	U	P-O5'-C5'	-5.53	112.05	120.90
38	A1	1791	A	O4'-C1'-N9	5.53	112.63	108.20
38	A1	1855	G	C5-C6-O6	-5.53	125.28	128.60
39	A3	23	A	C1'-O4'-C4'	5.53	114.33	109.90
40	AK	11	VAL	CA-CB-CG2	5.53	119.20	110.90
11	B2	157	A	N3-C4-C5	-5.53	122.93	126.80
11	B2	351	C	C1'-O4'-C4'	-5.53	105.48	109.90
11	B2	395	C	C4-C5-C6	5.53	120.17	117.40
11	B2	950	C	C2-N3-C4	5.53	122.67	119.90
11	B2	1380	C	C3'-C2'-C1'	-5.53	97.08	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1385	U	O4'-C1'-N1	5.53	112.62	108.20
17	BE	100	TYR	CB-CG-CD1	-5.53	117.68	121.00
20	BH	72	MET	CG-SD-CE	-5.53	91.35	100.20
38	A1	106	G	C5-C6-N1	5.53	114.27	111.50
38	A1	686	C	C1'-O4'-C4'	5.53	114.33	109.90
38	A1	906	G	N3-C2-N2	5.53	123.77	119.90
38	A1	1675	C	C5-C4-N4	-5.53	116.33	120.20
38	A1	1766	A	C4-C5-C6	5.53	119.77	117.00
38	A1	2340	A	N3-C4-C5	5.53	130.67	126.80
38	A1	2436	A	N3-C4-C5	5.53	130.67	126.80
38	A1	2992	G	C4'-C3'-C2'	-5.53	97.07	102.60
38	A1	2997	G	C4-C5-N7	5.53	113.01	110.80
11	B2	596	A	C4-C5-C6	5.53	119.76	117.00
11	B2	1186	C	N3-C4-C5	-5.53	119.69	121.90
11	B2	1239	A	C5-C6-N1	-5.53	114.94	117.70
22	BJ	60	ALA	N-CA-CB	5.53	117.84	110.10
38	A1	2689	G	N1-C6-O6	5.53	123.22	119.90
38	A1	2824	C	P-O3'-C3'	-5.53	113.06	119.70
61	AN	144	PHE	O-C-N	-5.53	113.85	122.70
9	AX	63	THR	CA-CB-CG2	-5.53	104.66	112.40
11	B2	903	G	OP2-P-O3'	5.53	117.36	105.20
11	B2	1143	G	C5'-C4'-C3'	5.53	124.84	116.00
11	B2	1167	C	N3-C4-C5	-5.53	119.69	121.90
38	A1	31	G	P-O3'-C3'	-5.53	113.07	119.70
38	A1	143	C	C1'-O4'-C4'	5.53	114.32	109.90
38	A1	169	G	C5-N7-C8	5.53	107.06	104.30
38	A1	558	C	O5'-C5'-C4'	-5.53	101.20	111.70
38	A1	1195	G	C2-N3-C4	-5.53	109.14	111.90
38	A1	1250	A	N3-C4-C5	-5.53	122.93	126.80
38	A1	1375	G	N3-C4-C5	-5.53	125.84	128.60
38	A1	1451	A	C5-C6-N1	5.53	120.46	117.70
38	A1	2454	G	C5-N7-C8	-5.53	101.54	104.30
38	A1	2761	G	O4'-C1'-N9	5.53	112.62	108.20
38	A1	2875	C	O5'-C5'-C4'	-5.53	101.20	111.70
39	A3	75	G	N7-C8-N9	-5.53	110.34	113.10
42	Aa	49	ILE	CB-CA-C	-5.53	100.54	111.60
11	B2	81	C	C5-C4-N4	-5.53	116.33	120.20
11	B2	594	A	C5-C6-N6	-5.53	119.28	123.70
11	B2	764	C	N1-C2-O2	5.53	122.22	118.90
11	B2	1214	G	C5-C6-O6	-5.53	125.28	128.60
13	BA	10	ARG	NE-CZ-NH2	-5.53	117.54	120.30
14	BB	89	ALA	N-CA-CB	5.53	117.84	110.10

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	934	G	C6-N1-C2	-5.53	121.78	125.10
38	A1	1685	C	O4'-C1'-N1	5.53	112.62	108.20
38	A1	2025	A	N9-C4-C5	-5.53	103.59	105.80
38	A1	2610	C	O4'-C1'-N1	5.53	112.62	108.20
38	A1	2891	A	N7-C8-N9	-5.53	111.04	113.80
11	B2	288	G	C5-C6-O6	-5.52	125.29	128.60
11	B2	466	C	N1-C2-N3	-5.52	115.33	119.20
39	A3	10	U	O4'-C1'-N1	5.52	112.62	108.20
39	A3	93	G	P-O5'-C5'	5.52	129.74	120.90
45	AC	259	TRP	CB-CG-CD1	5.52	134.18	127.00
11	B2	390	G	C6-N1-C2	5.52	128.41	125.10
11	B2	655	A	C1'-O4'-C4'	-5.52	105.48	109.90
11	B2	734	G	C1'-O4'-C4'	5.52	114.32	109.90
38	A1	637	G	N9-C4-C5	5.52	107.61	105.40
38	A1	1080	G	P-O5'-C5'	-5.52	112.06	120.90
38	A1	1230	G	C5-C6-N1	-5.52	108.74	111.50
38	A1	1277	G	C3'-C2'-C1'	-5.52	97.08	101.50
38	A1	1519	G	N1-C2-N3	-5.52	120.59	123.90
38	A1	2146	C	C5-C4-N4	-5.52	116.33	120.20
38	A1	2625	C	C5-C6-N1	5.52	123.76	121.00
38	A1	2825	A	N7-C8-N9	-5.52	111.04	113.80
39	A3	105	G	O4'-C4'-C3'	-5.52	98.48	104.00
11	B2	351	C	OP1-P-OP2	-5.52	111.32	119.60
11	B2	560	A	C8-N9-C4	-5.52	103.59	105.80
11	B2	1137	G	N3-C2-N2	5.52	123.77	119.90
11	B2	1356	A	N3-C4-C5	-5.52	122.94	126.80
32	BT	11	TYR	CD1-CG-CD2	-5.52	111.83	117.90
38	A1	361	G	N7-C8-N9	-5.52	110.34	113.10
38	A1	677	A	C6-C5-N7	-5.52	128.44	132.30
38	A1	1872	G	N1-C2-N3	-5.52	120.59	123.90
38	A1	2486	A	C5-C6-N1	-5.52	114.94	117.70
38	A1	2548	A	C4-C5-N7	-5.52	107.94	110.70
38	A1	2795	G	N1-C2-N2	-5.52	111.23	116.20
67	AZ	29	THR	CA-CB-CG2	-5.52	104.67	112.40
11	B2	28	U	N1-C2-O2	-5.52	118.94	122.80
11	B2	510	A	C6-C5-N7	-5.52	128.44	132.30
11	B2	539	C	C5-C6-N1	-5.52	118.24	121.00
11	B2	703	U	N3-C4-O4	-5.52	115.54	119.40
11	B2	1327	C	P-O3'-C3'	-5.52	113.08	119.70
38	A1	814	G	C2-N3-C4	5.52	114.66	111.90
38	A1	1109	G	C5-C6-N1	-5.52	108.74	111.50
38	A1	1338	G	C2-N3-C4	5.52	114.66	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1812	A	O4'-C1'-N9	5.52	112.62	108.20
38	A1	2038	C	N3-C4-N4	5.52	121.86	118.00
38	A1	3020	G	C5-N7-C8	5.52	107.06	104.30
64	AR	35	PHE	CB-CG-CD1	-5.52	116.94	120.80
11	B2	19	G	C5-C6-N1	5.52	114.26	111.50
11	B2	74	U	O4'-C1'-N1	5.52	112.61	108.20
11	B2	890	C	N3-C4-N4	5.52	121.86	118.00
11	B2	1402	C	N1-C2-O2	5.52	122.21	118.90
26	BN	5	LYS	N-CA-CB	5.52	120.53	110.60
38	A1	186	A	C1'-O4'-C4'	5.52	114.31	109.90
38	A1	197	C	N3-C4-N4	5.52	121.86	118.00
38	A1	345	C	N3-C4-N4	5.52	121.86	118.00
38	A1	437	G	C6-N1-C2	5.52	128.41	125.10
38	A1	902	C	N3-C4-N4	5.52	121.86	118.00
38	A1	1116	A	C6-C5-N7	-5.52	128.44	132.30
38	A1	1625	A	C1'-O4'-C4'	-5.52	105.49	109.90
38	A1	1660	A	P-O5'-C5'	-5.52	112.07	120.90
38	A1	2103	C	C2-N3-C4	5.52	122.66	119.90
38	A1	2139	A	N3-C4-C5	-5.52	122.94	126.80
38	A1	2810	G	C6-N1-C2	5.52	128.41	125.10
38	A1	2860	G	N1-C2-N3	-5.52	120.59	123.90
38	A1	2864	G	O4'-C1'-N9	5.52	112.61	108.20
45	AC	185	TYR	CB-CA-C	-5.52	99.37	110.40
5	AS	70	GLN	CA-CB-CG	5.52	125.53	113.40
11	B2	676	G	N3-C2-N2	5.52	123.76	119.90
11	B2	913	G	C8-N9-C1'	5.52	134.17	127.00
11	B2	1328	G	N1-C6-O6	5.52	123.21	119.90
38	A1	326	C	C4-C5-C6	5.52	120.16	117.40
38	A1	1856	G	C4-C5-N7	5.52	113.01	110.80
38	A1	2305	U	N3-C4-O4	5.52	123.26	119.40
58	AK	195	TYR	CB-CG-CD2	5.52	124.31	121.00
10	B1	31	G	C6-N1-C2	-5.51	121.79	125.10
10	B1	74	A	N9-C4-C5	5.51	108.01	105.80
11	B2	211	G	C5-C6-N1	-5.51	108.74	111.50
11	B2	425	C	C4'-C3'-C2'	-5.51	97.09	102.60
11	B2	965	G	C8-N9-C4	5.51	108.61	106.40
11	B2	1017	U	OP1-P-OP2	-5.51	111.33	119.60
11	B2	1129	A	C5-N7-C8	5.51	106.66	103.90
11	B2	1273	G	C6-N1-C2	-5.51	121.79	125.10
11	B2	1389	G	C5'-C4'-O4'	5.51	115.72	109.10
11	B2	1438	A	N9-C4-C5	5.51	108.00	105.80
38	A1	260	A	C5-C6-N6	-5.51	119.29	123.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	322	C	N3-C4-C5	-5.51	119.69	121.90
38	A1	486	A	C2-N3-C4	-5.51	107.84	110.60
38	A1	674	G	N7-C8-N9	-5.51	110.34	113.10
38	A1	1223	A	C5'-C4'-C3'	-5.51	107.17	116.00
38	A1	1510	U	C2-N3-C4	-5.51	123.69	127.00
38	A1	1603	G	P-O3'-C3'	5.51	126.32	119.70
38	A1	2285	G	C1'-O4'-C4'	5.51	114.31	109.90
38	A1	2946	C	P-O5'-C5'	5.51	129.72	120.90
39	A3	70	C	P-O3'-C3'	5.51	126.32	119.70
43	AB	17	PHE	CB-CG-CD2	5.51	124.66	120.80
47	Ad	9	SER	N-CA-CB	5.51	118.77	110.50
11	B2	204	G	N1-C2-N3	-5.51	120.59	123.90
11	B2	418	G	C6-N1-C2	5.51	128.41	125.10
11	B2	683	A	C5-C6-N1	-5.51	114.94	117.70
38	A1	80	G	C6-C5-N7	-5.51	127.09	130.40
38	A1	801	A	N7-C8-N9	-5.51	111.04	113.80
38	A1	1909	C	C1'-O4'-C4'	5.51	114.31	109.90
38	A1	2963	G	C4'-C3'-C2'	-5.51	97.09	102.60
6	AT	41	ARG	NE-CZ-NH1	-5.51	117.55	120.30
11	B2	178	C	C6-N1-C2	-5.51	118.09	120.30
11	B2	247	G	C4-N9-C1'	-5.51	119.33	126.50
11	B2	1321	U	N3-C2-O2	5.51	126.06	122.20
23	BK	121	ARG	C-N-CA	5.51	135.48	121.70
38	A1	172	C	C4-C5-C6	-5.51	114.64	117.40
38	A1	452	A	C4-C5-N7	-5.51	107.94	110.70
38	A1	489	G	O4'-C1'-N9	5.51	112.61	108.20
38	A1	913	G	C1'-O4'-C4'	5.51	114.31	109.90
38	A1	1039	C	N1-C2-O2	-5.51	115.59	118.90
38	A1	1043	U	P-O5'-C5'	-5.51	112.08	120.90
38	A1	1151	G	N3-C4-N9	5.51	129.31	126.00
38	A1	1383	G	C5-C6-N1	-5.51	108.74	111.50
38	A1	1996	C	N3-C4-N4	5.51	121.86	118.00
38	A1	2337	G	C5-C6-O6	-5.51	125.29	128.60
38	A1	2652	G	C4-C5-C6	5.51	122.11	118.80
46	AD	36	ILE	N-CA-CB	5.51	123.47	110.80
9	AX	247	TYR	CB-CG-CD1	5.51	124.31	121.00
11	B2	197	A	P-O5'-C5'	5.51	129.71	120.90
11	B2	767	U	N1-C2-O2	-5.51	118.94	122.80
11	B2	935	G	C6-N1-C2	-5.51	121.80	125.10
38	A1	83	G	C5-C6-N1	-5.51	108.75	111.50
38	A1	525	C	C6-N1-C2	5.51	122.50	120.30
38	A1	658	C	C5-C6-N1	5.51	123.75	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	864	C	C2-N3-C4	5.51	122.66	119.90
38	A1	1487	U	C6-N1-C2	5.51	124.31	121.00
38	A1	1849	A	N7-C8-N9	-5.51	111.05	113.80
38	A1	1892	G	O4'-C1'-C2'	5.51	112.56	107.60
38	A1	2884	C	O4'-C1'-N1	5.51	112.61	108.20
39	A3	82	C	N1-C2-N3	-5.51	115.34	119.20
44	Ab	31	TYR	CD1-CE1-CZ	5.51	124.76	119.80
11	B2	258	A	N1-C2-N3	-5.51	126.55	129.30
11	B2	1414	G	N7-C8-N9	-5.51	110.35	113.10
16	BD	18	TRP	CB-CG-CD1	-5.51	119.84	127.00
38	A1	230	A	C3'-C2'-C1'	-5.51	97.09	101.50
38	A1	250	G	N3-C4-N9	-5.51	122.69	126.00
38	A1	1164	C	N3-C4-C5	-5.51	119.70	121.90
38	A1	2621	U	N3-C4-C5	-5.51	111.30	114.60
41	AA	24	PHE	CB-CG-CD2	5.51	124.66	120.80
11	B2	51	A	C5-N7-C8	5.51	106.65	103.90
11	B2	216	G	C5'-C4'-C3'	5.51	124.81	116.00
11	B2	294	A	N9-C4-C5	5.51	108.00	105.80
11	B2	610	G	C3'-C2'-C1'	-5.51	97.09	101.50
11	B2	725	C	C4'-C3'-C2'	-5.51	97.09	102.60
11	B2	896	A	N3-C4-C5	-5.51	122.95	126.80
11	B2	1321	U	OP1-P-OP2	-5.51	111.34	119.60
11	B2	1417	A	P-O5'-C5'	5.51	129.71	120.90
38	A1	847	A	N1-C2-N3	5.51	132.05	129.30
38	A1	953	G	C5-C6-N1	-5.51	108.75	111.50
38	A1	1017	A	C4-C5-C6	5.51	119.75	117.00
38	A1	1143	A	O4'-C1'-N9	5.51	112.61	108.20
38	A1	1367	A	C6-C5-N7	-5.51	128.45	132.30
38	A1	2277	G	O4'-C1'-N9	5.51	112.61	108.20
38	A1	2361	C	C2-N3-C4	5.51	122.65	119.90
38	A1	2808	C	C5-C4-N4	-5.51	116.34	120.20
38	A1	2892	A	C6-C5-N7	5.51	136.16	132.30
50	AF	97	PHE	CZ-CE2-CD2	-5.51	113.49	120.10
67	AZ	1	MET	CG-SD-CE	-5.51	91.39	100.20
11	B2	75	C	O4'-C1'-N1	5.50	112.60	108.20
11	B2	590	G	O4'-C1'-N9	5.50	112.60	108.20
11	B2	1306	A	C5-C6-N1	-5.50	114.95	117.70
38	A1	561	C	O4'-C1'-N1	5.50	112.60	108.20
38	A1	594	U	C4-C5-C6	5.50	123.00	119.70
38	A1	2639	G	C6-C5-N7	-5.50	127.10	130.40
11	B2	358	G	C4-C5-N7	5.50	113.00	110.80
11	B2	753	G	P-O3'-C3'	5.50	126.30	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	765	U	C4-C5-C6	5.50	123.00	119.70
11	B2	1181	G	C2-N3-C4	-5.50	109.15	111.90
14	BB	123	ASP	N-CA-CB	5.50	120.51	110.60
38	A1	423	G	C2-N3-C4	5.50	114.65	111.90
38	A1	666	A	C8-N9-C4	-5.50	103.60	105.80
38	A1	1998	G	C6-C5-N7	-5.50	127.10	130.40
38	A1	2045	C	N3-C2-O2	5.50	125.75	121.90
38	A1	2059	G	N3-C2-N2	5.50	123.75	119.90
38	A1	2300	C	C5-C6-N1	5.50	123.75	121.00
38	A1	2455	G	C8-N9-C4	5.50	108.60	106.40
38	A1	2460	A	C8-N9-C4	-5.50	103.60	105.80
38	A1	2900	C	P-O3'-C3'	-5.50	113.10	119.70
45	AC	8	ARG	N-CA-CB	5.50	120.51	110.60
48	AE	91	LEU	CB-CG-CD2	5.50	120.36	111.00
65	AV	40	TYR	CZ-CE2-CD2	5.50	124.75	119.80
11	B2	37	G	C5-N7-C8	5.50	107.05	104.30
11	B2	701	G	C4-C5-N7	-5.50	108.60	110.80
11	B2	761	U	N1-C2-N3	-5.50	111.60	114.90
11	B2	820	G	C4-C5-N7	-5.50	108.60	110.80
11	B2	1135	G	C5-N7-C8	-5.50	101.55	104.30
11	B2	1137	G	N3-C4-N9	-5.50	122.70	126.00
11	B2	1301	U	C6-N1-C2	-5.50	117.70	121.00
11	B2	1422	G	N7-C8-N9	5.50	115.85	113.10
38	A1	60	G	C5-C6-O6	-5.50	125.30	128.60
38	A1	771	G	C5-N7-C8	-5.50	101.55	104.30
38	A1	1100	G	C6-N1-C2	5.50	128.40	125.10
38	A1	1169	G	C4-C5-N7	5.50	113.00	110.80
38	A1	1505	G	C3'-C2'-C1'	5.50	105.90	101.50
38	A1	1532	G	N9-C4-C5	-5.50	103.20	105.40
39	A3	17	G	C8-N9-C4	5.50	108.60	106.40
6	AT	33	ARG	NE-CZ-NH1	5.50	123.05	120.30
11	B2	21	A	OP1-P-OP2	-5.50	111.35	119.60
11	B2	111	G	O3'-P-O5'	-5.50	93.55	104.00
11	B2	334	G	C6-C5-N7	-5.50	127.10	130.40
11	B2	420	C	C6-N1-C2	5.50	122.50	120.30
38	A1	185	A	P-O3'-C3'	5.50	126.30	119.70
38	A1	1960	U	C5-C6-N1	5.50	125.45	122.70
38	A1	2759	A	C5'-C4'-C3'	-5.50	107.20	116.00
39	A3	27	C	N1-C2-O2	5.50	122.20	118.90
6	AT	33	ARG	N-CA-C	-5.50	96.16	111.00
11	B2	384	G	C5-C6-N1	5.50	114.25	111.50
11	B2	661	C	N3-C4-N4	5.50	121.85	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	968	C	C2-N3-C4	5.50	122.65	119.90
11	B2	1157	G	C2-N3-C4	5.50	114.65	111.90
11	B2	1392	G	N9-C4-C5	-5.50	103.20	105.40
23	BK	1	MET	CG-SD-CE	5.50	109.00	100.20
38	A1	10	C	C3'-C2'-C1'	5.50	105.90	101.50
38	A1	360	G	O4'-C1'-N9	5.50	112.60	108.20
38	A1	541	A	C2-N3-C4	-5.50	107.85	110.60
38	A1	1365	G	C8-N9-C1'	-5.50	119.85	127.00
38	A1	1873	G	N3-C2-N2	5.50	123.75	119.90
38	A1	2553	U	N3-C2-O2	5.50	126.05	122.20
38	A1	2722	G	C5-N7-C8	5.50	107.05	104.30
38	A1	2819	C	C2-N3-C4	5.50	122.65	119.90
38	A1	2899	G	N3-C4-C5	5.50	131.35	128.60
43	AB	104	GLU	CB-CA-C	-5.50	99.40	110.40
11	B2	122	C	P-O5'-C5'	5.50	129.69	120.90
11	B2	370	A	C3'-C2'-C1'	-5.50	97.10	101.50
11	B2	640	U	O4'-C1'-N1	5.50	112.60	108.20
11	B2	841	C	N1-C2-O2	5.50	122.20	118.90
11	B2	1004	U	P-O5'-C5'	5.50	129.69	120.90
11	B2	1456	C	C5-C4-N4	-5.50	116.35	120.20
20	BH	18	MET	N-CA-CB	5.50	120.49	110.60
38	A1	271	G	N7-C8-N9	-5.50	110.35	113.10
38	A1	285	C	C4-C5-C6	-5.50	114.65	117.40
38	A1	285	C	N3-C4-N4	5.50	121.85	118.00
38	A1	653	U	C2-N3-C4	-5.50	123.70	127.00
38	A1	726	G	O4'-C1'-N9	5.50	112.60	108.20
38	A1	870	G	C4-C5-C6	5.50	122.10	118.80
38	A1	1205	U	C5-C6-N1	5.50	125.45	122.70
38	A1	1360	G	C5-N7-C8	5.50	107.05	104.30
38	A1	1513	G	C6-C5-N7	-5.50	127.10	130.40
38	A1	1583	G	N3-C2-N2	5.50	123.75	119.90
38	A1	1782	C	C2-N3-C4	5.50	122.65	119.90
38	A1	2064	U	C3'-C2'-C1'	-5.50	97.10	101.50
38	A1	2367	C	N3-C4-C5	-5.50	119.70	121.90
38	A1	2608	U	C6-N1-C2	-5.50	117.70	121.00
11	B2	378	A	C6-C5-N7	-5.50	128.45	132.30
38	A1	509	A	O4'-C4'-C3'	-5.50	98.50	104.00
38	A1	593	C	N3-C2-O2	5.50	125.75	121.90
38	A1	944	G	N9-C4-C5	-5.50	103.20	105.40
38	A1	1095	A	N9-C4-C5	5.50	108.00	105.80
38	A1	2499	U	O4'-C1'-N1	-5.50	103.80	108.20
10	B1	67	C	C4-C5-C6	-5.49	114.65	117.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	890	C	N1-C2-N3	-5.49	115.36	119.20
11	B2	1038	C	P-O3'-C3'	-5.49	113.11	119.70
11	B2	1051	G	C4-C5-C6	5.49	122.10	118.80
38	A1	1287	G	P-O5'-C5'	-5.49	112.11	120.90
38	A1	2336	G	N3-C2-N2	5.49	123.75	119.90
38	A1	2531	G	OP1-P-OP2	-5.49	111.36	119.60
38	A1	2697	G	N7-C8-N9	-5.49	110.35	113.10
44	Ab	79	TYR	CB-CA-C	-5.49	99.41	110.40
45	AC	128	LEU	CB-CG-CD1	-5.49	101.66	111.00
10	B1	22	A	O4'-C1'-N9	5.49	112.59	108.20
11	B2	268	C	O4'-C1'-N1	5.49	112.59	108.20
11	B2	707	A	C6-C5-N7	-5.49	128.46	132.30
11	B2	1405	C	N3-C4-C5	-5.49	119.70	121.90
38	A1	1178	G	C6-N1-C2	-5.49	121.81	125.10
38	A1	2258	A	C4-C5-N7	-5.49	107.95	110.70
38	A1	2559	G	O4'-C1'-N9	5.49	112.59	108.20
10	B1	57	C	C1'-O4'-C4'	-5.49	105.51	109.90
11	B2	228	G	C4-N9-C1'	-5.49	119.36	126.50
11	B2	374	G	N7-C8-N9	-5.49	110.36	113.10
11	B2	406	U	O3'-P-O5'	-5.49	93.57	104.00
11	B2	737	C	C5-C4-N4	-5.49	116.36	120.20
11	B2	934	G	O4'-C4'-C3'	-5.49	98.51	104.00
11	B2	1368	A	C3'-C2'-C1'	-5.49	97.11	101.50
38	A1	206	A	O4'-C4'-C3'	-5.49	98.51	104.00
38	A1	259	A	C3'-C2'-C1'	-5.49	97.11	101.50
38	A1	434	G	N1-C2-N3	-5.49	120.61	123.90
38	A1	445	G	C6-N1-C2	-5.49	121.81	125.10
38	A1	1210	G	O4'-C1'-N9	5.49	112.59	108.20
38	A1	1282	A	O4'-C1'-N9	5.49	112.59	108.20
38	A1	1435	G	C5-C6-O6	-5.49	125.31	128.60
38	A1	2894	A	C1'-O4'-C4'	-5.49	105.51	109.90
38	A1	3040	G	C6-C5-N7	-5.49	127.11	130.40
10	B1	16	C	C6-N1-C2	-5.49	118.11	120.30
11	B2	827	G	C5-N7-C8	5.49	107.04	104.30
11	B2	889	G	C6-N1-C2	-5.49	121.81	125.10
11	B2	1234	A	N1-C2-N3	5.49	132.04	129.30
11	B2	1461	U	O4'-C4'-C3'	5.49	110.49	106.10
20	BH	162	LEU	CB-CG-CD1	-5.49	101.67	111.00
38	A1	362	A	C5-N7-C8	5.49	106.64	103.90
38	A1	1210	G	C4'-C3'-C2'	-5.49	97.11	102.60
38	A1	1218	C	N3-C4-N4	5.49	121.84	118.00
38	A1	1347	U	N3-C2-O2	5.49	126.04	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1888	G	C8-N9-C1'	5.49	134.13	127.00
38	A1	2011	U	N1-C2-N3	5.49	118.19	114.90
38	A1	2021	G	N1-C2-N3	-5.49	120.61	123.90
38	A1	2106	G	C6-C5-N7	-5.49	127.11	130.40
38	A1	2318	G	C8-N9-C4	5.49	108.60	106.40
38	A1	2352	G	C6-C5-N7	-5.49	127.11	130.40
38	A1	2367	C	C4'-C3'-C2'	-5.49	97.11	102.60
38	A1	2497	G	N1-C2-N3	-5.49	120.61	123.90
38	A1	2583	G	C5'-C4'-C3'	5.49	124.78	116.00
11	B2	478	C	N1-C2-N3	5.49	123.04	119.20
11	B2	766	G	C4-C5-N7	5.49	113.00	110.80
11	B2	1027	C	C4'-C3'-C2'	-5.49	97.11	102.60
38	A1	518	A	N7-C8-N9	-5.49	111.06	113.80
38	A1	1086	U	C2-N3-C4	5.49	130.29	127.00
38	A1	1896	U	N3-C4-O4	5.49	123.24	119.40
11	B2	306	C	O4'-C1'-C2'	-5.49	100.31	105.80
11	B2	360	A	O4'-C1'-N9	5.49	112.59	108.20
11	B2	398	C	O5'-P-OP1	-5.49	100.76	105.70
11	B2	407	G	O4'-C4'-C3'	-5.49	98.51	104.00
11	B2	774	U	OP2-P-O3'	5.49	117.27	105.20
11	B2	1073	C	O4'-C1'-N1	5.49	112.59	108.20
38	A1	1494	U	N1-C2-O2	-5.49	118.96	122.80
38	A1	1823	A	C4-C5-C6	5.49	119.74	117.00
38	A1	2587	G	N3-C2-N2	5.49	123.74	119.90
43	AB	48	ILE	N-CA-C	-5.49	96.19	111.00
60	AM	127	TRP	CE2-CD2-CG	-5.49	102.91	107.30
10	B1	34	U	C5-C4-O4	-5.48	122.61	125.90
11	B2	19	G	N1-C2-N2	5.48	121.14	116.20
11	B2	112	G	N3-C4-C5	-5.48	125.86	128.60
11	B2	985	C	C4-C5-C6	5.48	120.14	117.40
38	A1	139	G	N3-C4-C5	5.48	131.34	128.60
38	A1	142	G	C5-N7-C8	-5.48	101.56	104.30
38	A1	297	G	N9-C4-C5	5.48	107.59	105.40
38	A1	740	C	C4-C5-C6	5.48	120.14	117.40
38	A1	1396	A	C4-C5-N7	5.48	113.44	110.70
38	A1	1774	A	N3-C4-C5	-5.48	122.96	126.80
38	A1	1887	A	C4-C5-C6	5.48	119.74	117.00
38	A1	2267	U	N1-C2-O2	5.48	126.64	122.80
38	A1	2734	C	N3-C4-N4	5.48	121.84	118.00
38	A1	2855	G	C4-C5-C6	5.48	122.09	118.80
60	AM	36	VAL	N-CA-C	-5.48	96.19	111.00
11	B2	271	G	N3-C2-N2	5.48	123.74	119.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	530	G	C6-C5-N7	-5.48	127.11	130.40
11	B2	572	U	N1-C2-O2	5.48	126.64	122.80
38	A1	32	C	O4'-C1'-N1	5.48	112.59	108.20
38	A1	588	U	N3-C4-O4	5.48	123.24	119.40
38	A1	861	G	P-O3'-C3'	-5.48	113.12	119.70
38	A1	897	U	C5-C6-N1	5.48	125.44	122.70
38	A1	1565	G	C4-C5-N7	5.48	112.99	110.80
38	A1	1654	G	N1-C2-N3	-5.48	120.61	123.90
38	A1	1716	G	C4-C5-N7	-5.48	108.61	110.80
38	A1	1980	U	N3-C4-C5	-5.48	111.31	114.60
38	A1	2323	C	N1-C2-O2	5.48	122.19	118.90
38	A1	2427	C	N1-C2-N3	5.48	123.04	119.20
38	A1	2548	A	C5-N7-C8	5.48	106.64	103.90
8	AW	53	ARG	CG-CD-NE	-5.48	100.29	111.80
9	AX	137	PRO	N-CA-C	5.48	126.35	112.10
11	B2	36	G	C5'-C4'-O4'	5.48	115.68	109.10
11	B2	89	G	N9-C4-C5	5.48	107.59	105.40
11	B2	153	G	C4-C5-N7	5.48	112.99	110.80
11	B2	237	C	C6-N1-C2	-5.48	118.11	120.30
11	B2	509	C	P-O3'-C3'	-5.48	113.12	119.70
11	B2	694	U	C3'-C2'-C1'	-5.48	97.12	101.50
11	B2	708	C	C2-N1-C1'	5.48	124.83	118.80
11	B2	778	G	N1-C2-N3	-5.48	120.61	123.90
11	B2	786	G	N3-C4-N9	-5.48	122.71	126.00
11	B2	1444	G	OP1-P-OP2	-5.48	111.38	119.60
25	BM	41	ARG	NH1-CZ-NH2	5.48	125.43	119.40
38	A1	733	A	C1'-O4'-C4'	-5.48	105.52	109.90
38	A1	842	C	N3-C2-O2	5.48	125.74	121.90
38	A1	963	G	C1'-O4'-C4'	5.48	114.28	109.90
38	A1	1009	G	N3-C2-N2	5.48	123.74	119.90
38	A1	1790	G	C4-C5-N7	-5.48	108.61	110.80
38	A1	2560	G	N1-C6-O6	5.48	123.19	119.90
38	A1	3003	A	C5-N7-C8	5.48	106.64	103.90
11	B2	152	G	C6-C5-N7	-5.48	127.11	130.40
11	B2	251	G	N7-C8-N9	-5.48	110.36	113.10
11	B2	373	C	P-O5'-C5'	5.48	129.67	120.90
11	B2	482	G	C6-N1-C2	-5.48	121.81	125.10
11	B2	510	A	N7-C8-N9	5.48	116.54	113.80
11	B2	806	G	N1-C2-N3	-5.48	120.61	123.90
38	A1	1367	A	C4-C5-N7	-5.48	107.96	110.70
38	A1	1485	A	N9-C4-C5	5.48	107.99	105.80
38	A1	2359	G	C2-N3-C4	5.48	114.64	111.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2539	G	N3-C4-N9	5.48	129.29	126.00
11	B2	582	G	C5-C6-N1	-5.48	108.76	111.50
11	B2	773	A	N3-C4-C5	-5.48	122.97	126.80
11	B2	1240	A	N9-C4-C5	-5.48	103.61	105.80
11	B2	1409	G	N9-C1'-C2'	5.48	121.12	114.00
11	B2	1422	G	C4'-C3'-C2'	-5.48	97.12	102.60
11	B2	1432	U	O4'-C4'-C3'	-5.48	98.52	104.00
16	BD	96	THR	CA-CB-CG2	-5.48	104.73	112.40
38	A1	131	C	N3-C2-O2	5.48	125.73	121.90
38	A1	272	G	N7-C8-N9	-5.48	110.36	113.10
38	A1	720	C	C4-C5-C6	5.48	120.14	117.40
38	A1	1014	U	C3'-C2'-C1'	-5.48	97.12	101.50
38	A1	2316	U	N3-C4-O4	5.48	123.23	119.40
38	A1	2651	G	C1'-O4'-C4'	-5.48	105.52	109.90
11	B2	838	C	C6-N1-C2	-5.48	118.11	120.30
38	A1	179	A	C5-C6-N1	-5.48	114.96	117.70
38	A1	1047	A	C6-C5-N7	-5.48	128.47	132.30
10	B1	25	G	C4-N9-C1'	-5.47	119.38	126.50
11	B2	136	A	C2-N3-C4	5.47	113.34	110.60
11	B2	149	U	P-O5'-C5'	-5.47	112.14	120.90
11	B2	659	U	C5-C6-N1	5.47	125.44	122.70
11	B2	749	C	C2-N1-C1'	-5.47	112.78	118.80
11	B2	833	C	C5-C4-N4	-5.47	116.37	120.20
11	B2	866	A	O5'-C5'-C4'	-5.47	101.30	111.70
11	B2	952	A	C8-N9-C4	5.47	107.99	105.80
11	B2	1332	C	C6-N1-C2	-5.47	118.11	120.30
18	BF	51	ASP	CB-CG-OD2	5.47	123.23	118.30
38	A1	401	C	C6-N1-C2	-5.47	118.11	120.30
38	A1	407	A	N1-C2-N3	5.47	132.04	129.30
38	A1	488	A	C5-N7-C8	5.47	106.64	103.90
38	A1	629	G	N1-C6-O6	5.47	123.18	119.90
38	A1	700	A	N3-C4-N9	5.47	131.78	127.40
38	A1	860	A	C6-C5-N7	-5.47	128.47	132.30
38	A1	1700	U	N1-C2-O2	-5.47	118.97	122.80
38	A1	1846	G	OP1-P-OP2	-5.47	111.39	119.60
38	A1	1851	U	C5-C4-O4	-5.47	122.61	125.90
38	A1	2217	C	N3-C4-N4	5.47	121.83	118.00
38	A1	2317	G	N1-C2-N2	-5.47	111.27	116.20
38	A1	2444	G	N9-C4-C5	5.47	107.59	105.40
38	A1	2477	G	C4-C5-C6	5.47	122.08	118.80
38	A1	2528	U	O4'-C1'-N1	5.47	112.58	108.20
38	A1	2543	A	C3'-C2'-C1'	-5.47	97.12	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2714	G	N1-C6-O6	5.47	123.19	119.90
38	A1	2741	U	O4'-C1'-N1	5.47	112.58	108.20
42	Aa	76	VAL	CA-CB-CG2	-5.47	102.69	110.90
47	Ad	74	ARG	NE-CZ-NH1	5.47	123.04	120.30
55	Ai	24	ARG	NE-CZ-NH2	5.47	123.04	120.30
66	AY	127	ARG	NE-CZ-NH2	5.47	123.04	120.30
11	B2	372	G	P-O3'-C3'	-5.47	113.13	119.70
11	B2	823	A	N1-C6-N6	5.47	121.88	118.60
38	A1	28	A	N9-C4-C5	5.47	107.99	105.80
38	A1	569	G	N3-C2-N2	5.47	123.73	119.90
38	A1	587	A	C4-C5-C6	5.47	119.74	117.00
38	A1	718	G	C2-N3-C4	-5.47	109.16	111.90
38	A1	1516	C	C1'-O4'-C4'	5.47	114.28	109.90
38	A1	1819	G	C6-C5-N7	-5.47	127.12	130.40
38	A1	1970	G	C4-C5-N7	-5.47	108.61	110.80
38	A1	2111	C	C2-N1-C1'	5.47	124.82	118.80
38	A1	2235	G	N9-C4-C5	5.47	107.59	105.40
38	A1	2277	G	C4-C5-C6	5.47	122.08	118.80
38	A1	2514	C	C5'-C4'-C3'	5.47	124.76	116.00
38	A1	2635	C	C4-C5-C6	-5.47	114.66	117.40
39	A3	77	A	C4'-C3'-C2'	-5.47	97.13	102.60
43	AB	39	LYS	N-CA-C	-5.47	96.23	111.00
11	B2	109	U	N3-C2-O2	5.47	126.03	122.20
11	B2	475	C	C4-C5-C6	5.47	120.14	117.40
11	B2	1232	G	N3-C4-C5	5.47	131.34	128.60
38	A1	437	G	N1-C2-N3	-5.47	120.62	123.90
38	A1	1611	C	P-O5'-C5'	5.47	129.65	120.90
38	A1	1792	A	N7-C8-N9	5.47	116.54	113.80
38	A1	2116	G	C5-C6-N1	-5.47	108.77	111.50
38	A1	2261	C	O5'-P-OP1	5.47	117.27	110.70
38	A1	2267	U	C6-N1-C2	5.47	124.28	121.00
38	A1	2327	C	O4'-C1'-N1	5.47	112.58	108.20
38	A1	2639	G	N3-C2-N2	5.47	123.73	119.90
11	B2	627	G	C5-N7-C8	5.47	107.03	104.30
11	B2	799	C	OP1-P-OP2	-5.47	111.40	119.60
11	B2	864	G	C6-C5-N7	-5.47	127.12	130.40
17	BE	204	ARG	NH1-CZ-NH2	-5.47	113.38	119.40
38	A1	37	C	C2-N3-C4	5.47	122.63	119.90
38	A1	73	A	N9-C4-C5	5.47	107.99	105.80
38	A1	515	G	C8-N9-C1'	5.47	134.11	127.00
38	A1	858	G	N9-C4-C5	5.47	107.59	105.40
38	A1	1432	C	C4-C5-C6	5.47	120.13	117.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1608	G	C6-N1-C2	5.47	128.38	125.10
38	A1	1843	C	N3-C4-C5	-5.47	119.71	121.90
38	A1	2337	G	N1-C6-O6	5.47	123.18	119.90
38	A1	3013	U	O4'-C1'-N1	5.47	112.58	108.20
40	A5	11	VAL	CG1-CB-CG2	5.47	119.65	110.90
11	B2	315	A	C8-N9-C4	-5.47	103.61	105.80
11	B2	615	G	C3'-C2'-C1'	-5.47	97.13	101.50
11	B2	727	G	C5-N7-C8	5.47	107.03	104.30
14	BB	41	TYR	CG-CD2-CE2	-5.47	116.93	121.30
22	BJ	56	ARG	NE-CZ-NH1	-5.47	117.57	120.30
38	A1	612	G	C8-N9-C4	-5.47	104.21	106.40
38	A1	705	G	C5-N7-C8	5.47	107.03	104.30
38	A1	837	G	C2'-C3'-O3'	5.47	122.45	113.70
38	A1	1431	U	C4'-C3'-C2'	-5.47	97.13	102.60
38	A1	1989	G	C4-C5-N7	-5.47	108.61	110.80
38	A1	2390	G	C1'-O4'-C4'	-5.47	105.53	109.90
39	A3	19	G	C8-N9-C4	-5.47	104.21	106.40
39	A3	55	G	N9-C4-C5	5.47	107.59	105.40
9	AX	210	ILE	O-C-N	5.47	131.45	122.70
11	B2	331	C	N3-C2-O2	5.47	125.73	121.90
11	B2	439	G	N1-C2-N2	-5.47	111.28	116.20
38	A1	210	A	O4'-C1'-N9	5.47	112.57	108.20
38	A1	473	C	N1-C1'-C2'	5.47	121.11	114.00
38	A1	719	C	N3-C4-C5	-5.47	119.71	121.90
38	A1	760	G	N1-C6-O6	5.47	123.18	119.90
38	A1	1010	G	O4'-C1'-N9	5.47	112.57	108.20
38	A1	1379	A	C5-N7-C8	5.47	106.63	103.90
38	A1	2885	C	C5-C4-N4	-5.47	116.37	120.20
38	A1	2976	G	C5-N7-C8	5.47	107.03	104.30
38	A1	2978	G	N1-C2-N3	-5.47	120.62	123.90
62	AO	67	LEU	CB-CG-CD1	5.47	120.29	111.00
11	B2	269	A	C8-N9-C4	5.46	107.99	105.80
11	B2	366	C	P-O3'-C3'	-5.46	113.14	119.70
11	B2	378	A	C4'-C3'-C2'	5.46	108.06	102.60
11	B2	733	C	O4'-C1'-N1	5.46	112.57	108.20
11	B2	917	A	O4'-C1'-N9	5.46	112.57	108.20
11	B2	1100	G	C8-N9-C1'	-5.46	119.90	127.00
38	A1	165	G	C1'-O4'-C4'	5.46	114.27	109.90
38	A1	186	A	P-O5'-C5'	-5.46	112.16	120.90
38	A1	301	G	C8-N9-C1'	-5.46	119.89	127.00
38	A1	873	G	O4'-C1'-N9	5.46	112.57	108.20
38	A1	908	U	N3-C4-O4	5.46	123.22	119.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1291	C	C3'-C2'-C1'	-5.46	97.13	101.50
38	A1	1794	C	O4'-C1'-N1	5.46	112.57	108.20
38	A1	2048	C	C1'-O4'-C4'	5.46	114.27	109.90
38	A1	2145	G	C5-N7-C8	-5.46	101.57	104.30
38	A1	2299	G	N9-C4-C5	5.46	107.59	105.40
38	A1	2522	C	C5-C6-N1	5.46	123.73	121.00
38	A1	3009	C	C3'-C2'-C1'	5.46	105.87	101.50
39	A3	115	C	OP1-P-OP2	-5.46	111.40	119.60
11	B2	49	C	C5'-C4'-C3'	5.46	124.74	116.00
25	BM	11	LYS	CA-CB-CG	5.46	125.42	113.40
25	BM	58	TYR	CG-CD2-CE2	-5.46	116.93	121.30
38	A1	730	C	N3-C4-C5	-5.46	119.72	121.90
38	A1	1126	C	N3-C4-C5	-5.46	119.72	121.90
38	A1	1158	G	C5-C6-O6	-5.46	125.32	128.60
38	A1	1507	A	C4-C5-N7	-5.46	107.97	110.70
41	AA	192	LEU	CB-CG-CD1	5.46	120.29	111.00
11	B2	560	A	C5-C6-N6	-5.46	119.33	123.70
11	B2	762	G	N9-C1'-C2'	-5.46	105.99	112.00
11	B2	1247	A	N1-C2-N3	5.46	132.03	129.30
11	B2	1459	G	N9-C4-C5	5.46	107.58	105.40
12	B3	33	ARG	NE-CZ-NH2	-5.46	117.57	120.30
17	BE	134	LYS	CB-CA-C	-5.46	99.48	110.40
38	A1	137	A	C2-N3-C4	-5.46	107.87	110.60
38	A1	435	G	C2-N3-C4	5.46	114.63	111.90
38	A1	782	G	N9-C4-C5	-5.46	103.22	105.40
38	A1	1421	C	O4'-C1'-N1	5.46	112.57	108.20
38	A1	1460	C	N3-C4-C5	-5.46	119.72	121.90
38	A1	1609	G	N7-C8-N9	-5.46	110.37	113.10
38	A1	1665	G	N1-C2-N2	5.46	121.12	116.20
38	A1	1979	G	N1-C2-N2	-5.46	111.28	116.20
38	A1	2019	C	C5'-C4'-O4'	5.46	115.65	109.10
38	A1	2495	A	C4'-C3'-C2'	-5.46	97.14	102.60
11	B2	483	G	C4-C5-C6	5.46	122.08	118.80
11	B2	1220	G	C6-C5-N7	-5.46	127.12	130.40
11	B2	1334	A	O4'-C1'-N9	5.46	112.57	108.20
11	B2	1478	A	C5-C6-N1	-5.46	114.97	117.70
38	A1	895	C	C4'-C3'-C2'	-5.46	97.14	102.60
38	A1	1898	A	C4'-C3'-C2'	5.46	108.06	102.60
38	A1	2313	G	N9-C4-C5	-5.46	103.22	105.40
39	A3	4	C	C5-C4-N4	-5.46	116.38	120.20
39	A3	31	U	C5-C4-O4	-5.46	122.62	125.90
11	B2	177	A	C5-C6-N1	-5.46	114.97	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	754	G	C6-N1-C2	5.46	128.38	125.10
11	B2	800	G	N1-C6-O6	5.46	123.17	119.90
11	B2	860	G	N3-C4-C5	-5.46	125.87	128.60
38	A1	164	A	C5-C6-N6	-5.46	119.33	123.70
38	A1	685	G	C4-C5-C6	5.46	122.08	118.80
38	A1	717	A	C5'-C4'-O4'	5.46	115.65	109.10
38	A1	1046	A	C4-C5-C6	5.46	119.73	117.00
38	A1	1147	G	P-O3'-C3'	-5.46	113.15	119.70
38	A1	1522	A	C5-C6-N6	-5.46	119.33	123.70
38	A1	2174	G	N7-C8-N9	5.46	115.83	113.10
38	A1	2427	C	N1-C2-O2	-5.46	115.62	118.90
38	A1	3045	G	N3-C4-N9	-5.46	122.72	126.00
43	AB	29	LYS	N-CA-CB	5.46	120.43	110.60
7	AU	118	ARG	NE-CZ-NH1	-5.46	117.57	120.30
11	B2	19	G	C5-N7-C8	-5.46	101.57	104.30
11	B2	115	A	C5-C6-N1	-5.46	114.97	117.70
11	B2	233	C	C4'-C3'-C2'	-5.46	97.14	102.60
11	B2	288	G	C6-C5-N7	-5.46	127.13	130.40
11	B2	466	C	C4'-C3'-C2'	-5.46	97.14	102.60
11	B2	744	A	C4-C5-C6	5.46	119.73	117.00
11	B2	806	G	C5-N7-C8	-5.46	101.57	104.30
11	B2	1249	A	C5-C6-N1	-5.46	114.97	117.70
38	A1	527	G	C4-C5-N7	-5.46	108.62	110.80
38	A1	531	G	C6-N1-C2	-5.46	121.83	125.10
38	A1	1069	A	C5'-C4'-O4'	5.46	115.65	109.10
38	A1	1347	U	C5-C6-N1	5.46	125.43	122.70
38	A1	1374	G	O4'-C1'-N9	5.46	112.57	108.20
38	A1	1419	G	C5'-C4'-O4'	-5.46	102.55	109.10
38	A1	1707	A	N9-C4-C5	5.46	107.98	105.80
38	A1	2106	G	C4'-C3'-C2'	-5.46	97.14	102.60
38	A1	2129	G	C8-N9-C1'	5.46	134.09	127.00
38	A1	2272	G	C6-C5-N7	-5.46	127.13	130.40
38	A1	2358	U	C2-N3-C4	-5.46	123.73	127.00
38	A1	2475	G	N7-C8-N9	5.46	115.83	113.10
43	AB	35	TYR	CG-CD2-CE2	-5.46	116.94	121.30
11	B2	1211	A	C8-N9-C4	-5.46	103.62	105.80
38	A1	1265	A	C4-C5-C6	5.46	119.73	117.00
38	A1	1349	G	C4-C5-C6	5.46	122.07	118.80
38	A1	1598	U	O4'-C1'-N1	5.46	112.56	108.20
38	A1	1847	U	C2-N3-C4	-5.46	123.73	127.00
38	A1	1917	U	N1-C2-O2	-5.46	118.98	122.80
38	A1	2517	U	C6-N1-C2	-5.46	117.73	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2772	U	N3-C2-O2	5.46	126.02	122.20
38	A1	2828	G	C6-N1-C2	5.46	128.37	125.10
11	B2	382	G	C8-N9-C4	-5.45	104.22	106.40
11	B2	643	G	C4-C5-C6	5.45	122.07	118.80
11	B2	1243	C	C5-C6-N1	5.45	123.73	121.00
11	B2	1306	A	N1-C6-N6	5.45	121.87	118.60
38	A1	222	A	N9-C4-C5	5.45	107.98	105.80
38	A1	481	G	N1-C2-N2	-5.45	111.29	116.20
38	A1	849	C	C6-N1-C1'	5.45	127.34	120.80
38	A1	892	U	C5-C6-N1	5.45	125.43	122.70
38	A1	1190	G	N9-C4-C5	-5.45	103.22	105.40
38	A1	1276	G	N9-C4-C5	-5.45	103.22	105.40
38	A1	1434	C	N3-C4-C5	-5.45	119.72	121.90
38	A1	1553	G	O3'-P-O5'	-5.45	93.64	104.00
38	A1	1585	U	C4-C5-C6	5.45	122.97	119.70
38	A1	1647	C	C6-N1-C2	-5.45	118.12	120.30
38	A1	1814	A	O4'-C1'-N9	5.45	112.56	108.20
38	A1	1828	A	C5-C6-N6	-5.45	119.34	123.70
38	A1	1856	G	N1-C6-O6	5.45	123.17	119.90
38	A1	2333	G	N7-C8-N9	5.45	115.83	113.10
38	A1	2773	A	N1-C2-N3	-5.45	126.57	129.30
38	A1	2854	A	C8-N9-C4	-5.45	103.62	105.80
43	AB	42	ARG	NE-CZ-NH2	-5.45	117.57	120.30
46	AD	156	GLU	N-CA-CB	5.45	120.42	110.60
11	B2	1280	C	C6-N1-C2	-5.45	118.12	120.30
23	BK	13	ALA	CB-CA-C	5.45	118.28	110.10
38	A1	702	G	N9-C1'-C2'	-5.45	106.00	112.00
38	A1	843	C	N3-C2-O2	5.45	125.72	121.90
38	A1	1737	A	O4'-C4'-C3'	-5.45	98.55	104.00
41	AA	208	MET	CG-SD-CE	-5.45	91.48	100.20
53	Ah	2	ARG	NE-CZ-NH1	-5.45	117.57	120.30
67	AZ	52	TYR	CB-CG-CD1	5.45	124.27	121.00
4	AQ	121	ARG	NE-CZ-NH1	5.45	123.03	120.30
11	B2	420	C	N3-C4-C5	-5.45	119.72	121.90
11	B2	476	C	P-O5'-C5'	-5.45	112.18	120.90
11	B2	509	C	N3-C2-O2	5.45	125.72	121.90
11	B2	988	A	O4'-C1'-N9	5.45	112.56	108.20
11	B2	997	G	N1-C2-N3	-5.45	120.63	123.90
11	B2	1142	G	N9-C4-C5	5.45	107.58	105.40
11	B2	1446	G	C8-N9-C4	5.45	108.58	106.40
38	A1	104	C	N1-C2-O2	5.45	122.17	118.90
38	A1	141	C	C5'-C4'-C3'	5.45	124.72	116.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	399	C	C5-C6-N1	5.45	123.73	121.00
38	A1	428	A	C6-N1-C2	-5.45	115.33	118.60
38	A1	520	G	C1'-O4'-C4'	-5.45	105.54	109.90
38	A1	962	C	C6-N1-C2	-5.45	118.12	120.30
38	A1	982	G	C2-N3-C4	5.45	114.62	111.90
38	A1	991	U	N3-C2-O2	5.45	126.02	122.20
38	A1	2063	U	C5'-C4'-O4'	5.45	115.64	109.10
38	A1	2139	A	N9-C1'-C2'	-5.45	106.00	112.00
38	A1	2658	G	C3'-C2'-C1'	-5.45	97.14	101.50
38	A1	2856	G	C2-N3-C4	5.45	114.62	111.90
39	A3	93	G	N3-C2-N2	5.45	123.72	119.90
60	AM	122	ASP	O-C-N	-5.45	113.94	123.20
11	B2	201	G	N9-C4-C5	5.45	107.58	105.40
11	B2	244	G	C6-C5-N7	-5.45	127.13	130.40
11	B2	431	U	C5-C6-N1	5.45	125.42	122.70
11	B2	912	G	N3-C2-N2	5.45	123.71	119.90
11	B2	1287	G	N9-C4-C5	5.45	107.58	105.40
18	BF	11	ARG	NE-CZ-NH2	-5.45	117.58	120.30
38	A1	389	C	C4-C5-C6	5.45	120.12	117.40
38	A1	525	C	C6-N1-C1'	-5.45	114.26	120.80
38	A1	1129	G	C4'-C3'-C2'	-5.45	97.15	102.60
38	A1	1179	G	O4'-C1'-N9	5.45	112.56	108.20
38	A1	1442	G	C4-C5-C6	5.45	122.07	118.80
38	A1	1634	A	C3'-C2'-C1'	-5.45	97.14	101.50
38	A1	1849	A	C4-C5-C6	5.45	119.72	117.00
38	A1	2220	C	C2-N3-C4	5.45	122.62	119.90
38	A1	2287	C	P-O3'-C3'	5.45	126.24	119.70
38	A1	2340	A	C5-C6-N1	-5.45	114.98	117.70
38	A1	1250	A	C5-C6-N6	-5.45	119.34	123.70
38	A1	1345	G	N1-C6-O6	5.45	123.17	119.90
38	A1	1401	G	N9-C4-C5	-5.45	103.22	105.40
38	A1	1629	G	N3-C2-N2	5.45	123.71	119.90
38	A1	1873	G	C6-C5-N7	-5.45	127.13	130.40
38	A1	2101	A	C4'-C3'-C2'	-5.45	97.15	102.60
38	A1	2813	G	C8-N9-C4	5.45	108.58	106.40
48	AE	134	ILE	CA-CB-CG1	5.45	121.35	111.00
7	AU	27	MET	CG-SD-CE	-5.45	91.49	100.20
11	B2	1240	A	C2-N3-C4	-5.45	107.88	110.60
33	BU	65	ASP	CB-CG-OD1	5.45	123.20	118.30
38	A1	1534	G	C6-C5-N7	-5.45	127.13	130.40
38	A1	1610	C	N3-C2-O2	-5.45	118.09	121.90
38	A1	2488	C	C4'-C3'-C2'	5.45	108.05	102.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2555	C	C4-C5-C6	-5.45	114.68	117.40
38	A1	2713	A	C4'-C3'-C2'	-5.45	97.16	102.60
39	A3	36	U	C5'-C4'-O4'	5.45	115.63	109.10
2	A8	38	VAL	CA-CB-CG2	-5.44	102.73	110.90
11	B2	48	G	C8-N9-C4	5.44	108.58	106.40
11	B2	174	G	C4-N9-C1'	5.44	133.58	126.50
11	B2	340	A	N3-C4-C5	-5.44	122.99	126.80
11	B2	437	A	O5'-P-OP1	5.44	117.23	110.70
38	A1	1074	G	N9-C1'-C2'	-5.44	106.01	112.00
38	A1	1864	G	C8-N9-C4	5.44	108.58	106.40
38	A1	2217	C	N1-C2-O2	-5.44	115.63	118.90
39	A3	10	U	N3-C2-O2	5.44	126.01	122.20
39	A3	61	C	C1'-O4'-C4'	5.44	114.25	109.90
11	B2	109	U	C1'-O4'-C4'	5.44	114.25	109.90
11	B2	275	A	N7-C8-N9	-5.44	111.08	113.80
11	B2	428	G	C5-N7-C8	5.44	107.02	104.30
11	B2	712	G	OP1-P-OP2	-5.44	111.44	119.60
11	B2	911	C	C5-C4-N4	5.44	124.01	120.20
11	B2	951	G	N1-C2-N3	-5.44	120.64	123.90
38	A1	409	C	C5-C6-N1	5.44	123.72	121.00
38	A1	449	G	C1'-O4'-C4'	5.44	114.25	109.90
38	A1	545	G	N1-C6-O6	5.44	123.17	119.90
38	A1	1288	C	N1-C2-N3	-5.44	115.39	119.20
38	A1	1447	G	N9-C4-C5	-5.44	103.22	105.40
38	A1	1747	C	C5-C6-N1	-5.44	118.28	121.00
38	A1	1999	G	N1-C2-N3	-5.44	120.63	123.90
39	A3	42	A	N1-C2-N3	5.44	132.02	129.30
39	A3	86	C	C5-C6-N1	5.44	123.72	121.00
63	AP	85	PHE	CB-CG-CD2	5.44	124.61	120.80
4	AQ	24	ILE	N-CA-CB	5.44	123.31	110.80
11	B2	32	A	C6-C5-N7	-5.44	128.49	132.30
11	B2	617	A	O4'-C4'-C3'	-5.44	98.56	104.00
11	B2	812	U	O4'-C1'-N1	5.44	112.55	108.20
11	B2	826	C	P-O5'-C5'	5.44	129.60	120.90
11	B2	1276	G	C4-C5-C6	5.44	122.06	118.80
11	B2	1301	U	N3-C4-O4	5.44	123.21	119.40
17	BE	89	ASP	CB-CG-OD1	-5.44	113.40	118.30
24	BL	9	ALA	N-CA-C	-5.44	96.31	111.00
33	BU	5	TYR	CD1-CG-CD2	5.44	123.88	117.90
38	A1	871	G	C4'-C3'-C2'	-5.44	97.16	102.60
38	A1	1220	U	C2-N3-C4	-5.44	123.73	127.00
38	A1	1307	C	C5-C6-N1	5.44	123.72	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2132	C	N1-C1'-C2'	-5.44	106.02	112.00
38	A1	2163	G	C5'-C4'-C3'	-5.44	107.29	116.00
38	A1	2230	G	N1-C2-N3	-5.44	120.64	123.90
38	A1	2546	G	N9-C4-C5	5.44	107.58	105.40
38	A1	2593	A	N3-C4-C5	-5.44	122.99	126.80
39	A3	77	A	O4'-C1'-N9	5.44	112.55	108.20
11	B2	218	C	O4'-C1'-C2'	-5.44	100.36	105.80
11	B2	777	G	P-O3'-C3'	-5.44	113.17	119.70
38	A1	242	C	O5'-P-OP2	-5.44	100.81	105.70
38	A1	1349	G	C4'-C3'-C2'	-5.44	97.16	102.60
38	A1	2944	G	N3-C4-N9	-5.44	122.74	126.00
11	B2	729	G	N3-C4-C5	-5.44	125.88	128.60
11	B2	1182	G	N3-C4-C5	5.44	131.32	128.60
38	A1	69	C	N3-C2-O2	-5.44	118.09	121.90
38	A1	790	U	N3-C4-C5	5.44	117.86	114.60
38	A1	1641	G	OP2-P-O3'	5.44	117.16	105.20
38	A1	2243	G	C5'-C4'-O4'	-5.44	102.58	109.10
38	A1	2446	C	C3'-C2'-C1'	5.44	105.85	101.50
38	A1	2705	C	C3'-C2'-C1'	5.44	105.85	101.50
38	A1	2806	A	C8-N9-C4	-5.44	103.62	105.80
38	A1	2896	G	N1-C2-N2	5.44	121.09	116.20
47	Ad	18	PRO	N-CA-CB	5.44	109.82	103.30
11	B2	57	G	C5-C6-N1	5.44	114.22	111.50
11	B2	304	C	O4'-C1'-N1	5.44	112.55	108.20
11	B2	540	G	C6-C5-N7	-5.44	127.14	130.40
11	B2	1167	C	O4'-C1'-N1	5.44	112.55	108.20
11	B2	1305	U	O4'-C1'-N1	5.44	112.55	108.20
38	A1	374	C	C2-N3-C4	5.44	122.62	119.90
38	A1	880	U	N3-C2-O2	5.44	126.00	122.20
38	A1	1691	U	O4'-C1'-C2'	-5.44	100.36	105.80
38	A1	1815	C	C6-N1-C2	-5.44	118.13	120.30
38	A1	2033	G	C8-N9-C4	-5.44	104.23	106.40
38	A1	2245	C	C5-C6-N1	5.44	123.72	121.00
38	A1	3018	C	C2-N3-C4	5.44	122.62	119.90
11	B2	402	G	N3-C2-N2	5.43	123.70	119.90
11	B2	1140	A	O4'-C1'-N9	5.43	112.55	108.20
38	A1	166	G	C6-C5-N7	-5.43	127.14	130.40
38	A1	656	G	C1'-O4'-C4'	-5.43	105.55	109.90
38	A1	767	G	C4-C5-N7	-5.43	108.63	110.80
38	A1	904	G	C4-N9-C1'	-5.43	119.44	126.50
38	A1	912	G	C4-C5-C6	5.43	122.06	118.80
38	A1	1327	C	N3-C2-O2	5.43	125.70	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1360	G	N1-C2-N3	-5.43	120.64	123.90
38	A1	1699	U	C2-N1-C1'	5.43	124.22	117.70
38	A1	1818	G	C1'-O4'-C4'	-5.43	105.55	109.90
38	A1	2239	C	C5'-C4'-C3'	-5.43	107.30	116.00
38	A1	2456	C	C5'-C4'-O4'	5.43	115.62	109.10
39	A3	32	C	C2-N3-C4	5.43	122.62	119.90
9	AX	236	ALA	CB-CA-C	-5.43	101.95	110.10
11	B2	552	C	N3-C4-C5	-5.43	119.73	121.90
11	B2	696	G	C6-N1-C2	5.43	128.36	125.10
11	B2	1036	G	N3-C4-N9	5.43	129.26	126.00
11	B2	1072	C	C2-N1-C1'	5.43	124.78	118.80
11	B2	1130	A	C5-C6-N6	-5.43	119.35	123.70
11	B2	1182	G	C6-C5-N7	-5.43	127.14	130.40
11	B2	1217	C	N3-C4-C5	-5.43	119.73	121.90
11	B2	1326	G	C5-N7-C8	5.43	107.02	104.30
11	B2	1396	C	C2-N1-C1'	5.43	124.78	118.80
20	BH	77	SER	N-CA-CB	5.43	118.65	110.50
37	BY	38	TRP	CB-CG-CD1	5.43	134.06	127.00
38	A1	270	C	C3'-C2'-C1'	-5.43	97.15	101.50
38	A1	810	A	C6-C5-N7	-5.43	128.50	132.30
38	A1	1372	C	C5-C4-N4	-5.43	116.40	120.20
38	A1	1524	A	C5'-C4'-O4'	5.43	115.62	109.10
38	A1	2180	C	C6-N1-C2	5.43	122.47	120.30
38	A1	2397	C	O4'-C1'-C2'	5.43	112.49	107.60
38	A1	2651	G	C5-C6-N1	-5.43	108.78	111.50
38	A1	2704	A	N1-C2-N3	5.43	132.02	129.30
38	A1	2833	G	C4'-C3'-C2'	-5.43	97.17	102.60
38	A1	2899	G	C6-N1-C2	5.43	128.36	125.10
10	B1	50	G	N7-C8-N9	5.43	115.82	113.10
11	B2	805	C	C5-C4-N4	-5.43	116.40	120.20
38	A1	116	G	C5-N7-C8	-5.43	101.58	104.30
38	A1	3000	U	C2-N3-C4	5.43	130.26	127.00
11	B2	659	U	O4'-C4'-C3'	-5.43	98.57	104.00
11	B2	989	C	P-O3'-C3'	5.43	126.22	119.70
11	B2	1421	C	O4'-C1'-N1	5.43	112.54	108.20
22	BJ	87	ARG	NE-CZ-NH1	5.43	123.01	120.30
33	BU	39	ARG	NE-CZ-NH2	-5.43	117.58	120.30
38	A1	836	U	C4'-C3'-C2'	-5.43	97.17	102.60
38	A1	930	G	N3-C4-N9	-5.43	122.74	126.00
38	A1	1001	C	C5-C6-N1	5.43	123.71	121.00
38	A1	1492	C	O4'-C1'-N1	5.43	112.54	108.20
38	A1	2075	U	C5-C6-N1	5.43	125.42	122.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2493	A	N7-C8-N9	-5.43	111.08	113.80
39	A3	107	G	C4-C5-C6	5.43	122.06	118.80
47	Ad	5	TYR	CB-CG-CD1	5.43	124.26	121.00
38	A1	61	G	N3-C4-N9	5.43	129.26	126.00
38	A1	65	G	N1-C2-N3	-5.43	120.64	123.90
38	A1	679	U	N1-C2-O2	-5.43	119.00	122.80
38	A1	1936	C	N3-C4-N4	5.43	121.80	118.00
38	A1	1971	C	N3-C2-O2	5.43	125.70	121.90
38	A1	1983	C	C4'-C3'-C2'	-5.43	97.17	102.60
38	A1	2030	G	N3-C4-C5	-5.43	125.89	128.60
38	A1	2460	A	N3-C4-C5	-5.43	123.00	126.80
11	B2	772	G	C8-N9-C4	5.43	108.57	106.40
11	B2	811	G	O4'-C1'-N9	5.43	112.54	108.20
11	B2	1260	G	C5'-C4'-C3'	-5.43	107.32	116.00
11	B2	1330	G	C4'-C3'-C2'	-5.43	97.17	102.60
38	A1	18	C	N3-C4-C5	-5.43	119.73	121.90
38	A1	241	C	N3-C4-N4	5.43	121.80	118.00
38	A1	822	A	C1'-O4'-C4'	5.43	114.24	109.90
38	A1	1181	C	C6-N1-C2	5.43	122.47	120.30
38	A1	1290	G	C8-N9-C1'	5.43	134.06	127.00
38	A1	1407	A	C3'-C2'-C1'	5.43	105.84	101.50
38	A1	1475	G	N3-C4-C5	5.43	131.31	128.60
38	A1	1544	C	C4-C5-C6	5.43	120.11	117.40
38	A1	1561	G	C4-C5-N7	-5.43	108.63	110.80
38	A1	1619	C	P-O5'-C5'	-5.43	112.22	120.90
38	A1	2624	G	C5-C6-N1	-5.43	108.79	111.50
38	A1	2972	G	N1-C6-O6	5.43	123.16	119.90
39	A3	2	G	O5'-P-OP2	-5.43	100.82	105.70
11	B2	334	G	C5-C6-O6	-5.42	125.34	128.60
11	B2	542	G	N1-C2-N3	-5.42	120.65	123.90
11	B2	1427	C	C4'-C3'-C2'	-5.42	97.18	102.60
38	A1	719	C	C5'-C4'-C3'	5.42	124.68	116.00
38	A1	1407	A	C5-C6-N6	-5.42	119.36	123.70
38	A1	1556	G	C4'-C3'-C2'	-5.42	97.18	102.60
38	A1	1589	G	N1-C2-N2	-5.42	111.32	116.20
38	A1	1862	G	C6-N1-C2	-5.42	121.85	125.10
38	A1	1896	U	N1-C2-N3	5.42	118.15	114.90
38	A1	1901	A	C3'-C2'-C1'	-5.42	97.16	101.50
38	A1	1931	G	O5'-P-OP1	5.42	117.21	110.70
38	A1	1970	G	N1-C2-N3	-5.42	120.65	123.90
38	A1	2332	G	C4'-C3'-C2'	-5.42	97.18	102.60
38	A1	2818	C	N3-C2-O2	5.42	125.70	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2969	G	C6-N1-C2	5.42	128.35	125.10
11	B2	985	C	C2'-C3'-O3'	5.42	122.38	113.70
11	B2	1188	C	C5'-C4'-C3'	-5.42	107.32	116.00
38	A1	451	C	C6-N1-C2	-5.42	118.13	120.30
38	A1	1672	G	OP1-P-OP2	-5.42	111.47	119.60
38	A1	1964	G	C8-N9-C4	-5.42	104.23	106.40
38	A1	2338	A	C8-N9-C4	-5.42	103.63	105.80
38	A1	2573	C	O4'-C1'-N1	5.42	112.54	108.20
10	B1	49	C	N3-C4-N4	5.42	121.80	118.00
11	B2	374	G	N1-C2-N3	-5.42	120.65	123.90
11	B2	535	U	N3-C4-O4	5.42	123.19	119.40
11	B2	814	C	OP2-P-O3'	5.42	117.12	105.20
11	B2	1241	U	O4'-C1'-N1	5.42	112.54	108.20
38	A1	26	G	C4-C5-C6	5.42	122.05	118.80
38	A1	244	A	C5-N7-C8	5.42	106.61	103.90
38	A1	352	G	C6-C5-N7	-5.42	127.15	130.40
38	A1	596	C	N3-C4-C5	-5.42	119.73	121.90
38	A1	773	U	C1'-O4'-C4'	5.42	114.24	109.90
38	A1	780	G	C2-N3-C4	-5.42	109.19	111.90
38	A1	968	A	C6-C5-N7	-5.42	128.50	132.30
38	A1	1062	C	P-O3'-C3'	5.42	126.20	119.70
38	A1	1493	C	N3-C2-O2	5.42	125.69	121.90
38	A1	1583	G	C8-N9-C1'	5.42	134.05	127.00
38	A1	1895	G	N3-C4-N9	5.42	129.25	126.00
38	A1	1967	G	N3-C2-N2	5.42	123.70	119.90
38	A1	2361	C	C5-C4-N4	-5.42	116.41	120.20
38	A1	2864	G	C5-C6-N1	-5.42	108.79	111.50
57	Aj	64	LYS	C-N-CA	5.42	135.25	121.70
11	B2	281	G	N1-C2-N2	-5.42	111.32	116.20
23	BK	123	THR	N-CA-CB	5.42	120.60	110.30
38	A1	28	A	C8-N9-C4	-5.42	103.63	105.80
38	A1	1135	A	C8-N9-C4	-5.42	103.63	105.80
38	A1	1725	A	C6-C5-N7	-5.42	128.51	132.30
38	A1	2046	C	C6-N1-C1'	-5.42	114.30	120.80
38	A1	2706	C	OP1-P-OP2	-5.42	111.47	119.60
11	B2	278	A	N3-C4-N9	5.42	131.74	127.40
11	B2	332	C	N1-C2-N3	-5.42	115.41	119.20
11	B2	701	G	N7-C8-N9	-5.42	110.39	113.10
11	B2	888	A	C8-N9-C4	-5.42	103.63	105.80
11	B2	974	G	N3-C2-N2	5.42	123.69	119.90
22	BJ	4	TRP	CG-CD2-CE3	-5.42	129.02	133.90
38	A1	400	U	C5-C4-O4	-5.42	122.65	125.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	406	G	C2-N3-C4	5.42	114.61	111.90
38	A1	530	A	N9-C4-C5	-5.42	103.63	105.80
38	A1	634	G	N9-C4-C5	-5.42	103.23	105.40
38	A1	669	G	N9-C4-C5	-5.42	103.23	105.40
38	A1	1079	A	C6-C5-N7	-5.42	128.51	132.30
38	A1	1111	G	N3-C4-N9	-5.42	122.75	126.00
38	A1	1376	U	C6-N1-C2	-5.42	117.75	121.00
38	A1	1583	G	N9-C1'-C2'	-5.42	106.04	112.00
38	A1	2094	A	C8-N9-C4	-5.42	103.63	105.80
38	A1	2365	G	P-O5'-C5'	5.42	129.57	120.90
38	A1	2432	G	N1-C2-N3	-5.42	120.65	123.90
38	A1	2529	G	C5-C6-N1	-5.42	108.79	111.50
38	A1	2667	U	C1'-O4'-C4'	5.42	114.23	109.90
39	A3	83	C	OP1-P-OP2	-5.42	111.47	119.60
10	B1	43	G	C3'-C2'-C1'	5.42	105.83	101.50
11	B2	124	C	N1-C2-N3	-5.42	115.41	119.20
11	B2	1039	C	N1-C2-N3	-5.42	115.41	119.20
38	A1	132	G	N3-C2-N2	5.42	123.69	119.90
38	A1	255	G	N3-C4-N9	5.42	129.25	126.00
38	A1	529	G	C5-C6-N1	5.42	114.21	111.50
38	A1	1124	G	C6-N1-C2	5.42	128.35	125.10
38	A1	1419	G	O4'-C1'-N9	5.42	112.53	108.20
38	A1	2197	U	C5-C6-N1	-5.42	119.99	122.70
38	A1	2302	C	C5-C6-N1	5.42	123.71	121.00
38	A1	2553	U	C2-N3-C4	5.42	130.25	127.00
38	A1	2707	G	O4'-C1'-N9	5.42	112.53	108.20
39	A3	55	G	C5-C6-O6	-5.42	125.35	128.60
11	B2	351	C	C4'-C3'-C2'	-5.42	97.19	102.60
11	B2	579	U	C5-C4-O4	-5.42	122.65	125.90
21	BI	39	ARG	NE-CZ-NH2	-5.42	117.59	120.30
38	A1	275	C	C6-N1-C2	-5.42	118.13	120.30
38	A1	292	U	N3-C4-C5	-5.42	111.35	114.60
38	A1	1685	C	O4'-C4'-C3'	-5.42	98.58	104.00
38	A1	2249	A	N9-C4-C5	5.42	107.97	105.80
38	A1	2840	C	N3-C4-N4	5.42	121.79	118.00
38	A1	2845	C	C5-C6-N1	-5.42	118.29	121.00
4	AQ	25	ASP	N-CA-CB	5.41	120.34	110.60
11	B2	103	A	N3-C4-N9	-5.41	123.07	127.40
11	B2	226	G	C4-C5-N7	5.41	112.97	110.80
11	B2	906	G	C8-N9-C4	5.41	108.57	106.40
11	B2	1034	G	C5-C6-N1	-5.41	108.79	111.50
11	B2	1293	A	N3-C4-C5	-5.41	123.01	126.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1411	G	N9-C4-C5	5.41	107.56	105.40
38	A1	641	G	P-O5'-C5'	5.41	129.56	120.90
38	A1	654	C	C4-C5-C6	-5.41	114.69	117.40
38	A1	1356	A	O4'-C1'-N9	5.41	112.53	108.20
38	A1	2092	G	C4'-C3'-C2'	-5.41	97.19	102.60
38	A1	2277	G	N1-C2-N3	5.41	127.15	123.90
38	A1	2736	G	C1'-O4'-C4'	5.41	114.23	109.90
38	A1	2821	G	N3-C4-C5	5.41	131.31	128.60
10	B1	68	C	C5-C6-N1	5.41	123.71	121.00
11	B2	590	G	C6-C5-N7	-5.41	127.15	130.40
38	A1	122	G	P-O3'-C3'	-5.41	113.20	119.70
38	A1	254	A	C8-N9-C4	5.41	107.97	105.80
38	A1	393	C	N1-C2-O2	5.41	122.15	118.90
38	A1	449	G	N9-C4-C5	5.41	107.56	105.40
38	A1	1096	A	O3'-P-O5'	5.41	114.28	104.00
38	A1	1711	C	C6-N1-C2	-5.41	118.14	120.30
38	A1	1777	U	C4-C5-C6	5.41	122.95	119.70
10	B1	30	G	C4-N9-C1'	-5.41	119.47	126.50
11	B2	399	A	C6-C5-N7	5.41	136.09	132.30
11	B2	626	G	C5-C6-O6	-5.41	125.35	128.60
11	B2	1249	A	N9-C4-C5	5.41	107.97	105.80
11	B2	1428	G	C4-N9-C1'	-5.41	119.47	126.50
13	BA	91	TYR	CB-CA-C	-5.41	99.58	110.40
38	A1	78	C	C6-N1-C2	-5.41	118.14	120.30
38	A1	407	A	O4'-C1'-C2'	-5.41	100.39	105.80
38	A1	437	G	N7-C8-N9	-5.41	110.39	113.10
38	A1	610	C	N3-C4-C5	-5.41	119.74	121.90
38	A1	856	A	C3'-C2'-C1'	5.41	105.83	101.50
38	A1	1783	U	C5'-C4'-O4'	5.41	115.59	109.10
38	A1	1974	G	N3-C2-N2	5.41	123.69	119.90
38	A1	2031	G	C1'-O4'-C4'	5.41	114.23	109.90
38	A1	2568	A	N3-C4-C5	-5.41	123.01	126.80
38	A1	2746	G	N1-C2-N2	-5.41	111.33	116.20
62	AO	20	ASN	N-CA-C	-5.41	96.39	111.00
10	B1	17	C	N1-C2-O2	5.41	122.14	118.90
11	B2	18	C	O4'-C1'-N1	5.41	112.53	108.20
11	B2	46	A	N3-C4-C5	-5.41	123.01	126.80
11	B2	278	A	N9-C4-C5	-5.41	103.64	105.80
11	B2	551	U	N1-C2-O2	-5.41	119.02	122.80
11	B2	988	A	O3'-P-O5'	5.41	114.28	104.00
11	B2	1295	C	C4'-C3'-C2'	-5.41	97.19	102.60
11	B2	1313	G	C6-N1-C2	5.41	128.34	125.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
16	BD	119	ARG	NE-CZ-NH2	-5.41	117.60	120.30
38	A1	175	G	N9-C4-C5	5.41	107.56	105.40
38	A1	220	C	C1'-O4'-C4'	5.41	114.23	109.90
38	A1	1000	G	N3-C4-N9	5.41	129.25	126.00
38	A1	1322	G	N3-C4-N9	-5.41	122.75	126.00
38	A1	1410	A	N1-C2-N3	5.41	132.00	129.30
38	A1	1509	C	C5-C6-N1	5.41	123.70	121.00
38	A1	1680	G	N1-C6-O6	5.41	123.14	119.90
38	A1	2465	A	C6-N1-C2	5.41	121.84	118.60
38	A1	2506	G	C6-C5-N7	-5.41	127.15	130.40
38	A1	2812	U	O4'-C4'-C3'	-5.41	98.59	104.00
43	AB	45	VAL	CA-CB-CG2	-5.41	102.79	110.90
44	Ab	86	ASN	CA-CB-CG	5.41	125.30	113.40
63	AP	39	ARG	NE-CZ-NH2	-5.41	117.59	120.30
11	B2	388	G	C4'-C3'-C2'	-5.41	97.19	102.60
11	B2	839	G	C4-C5-C6	5.41	122.04	118.80
11	B2	847	A	C4-C5-N7	-5.41	108.00	110.70
38	A1	128	C	C6-N1-C2	-5.41	118.14	120.30
38	A1	132	G	C3'-C2'-C1'	-5.41	97.17	101.50
38	A1	1082	A	O4'-C1'-N9	5.41	112.53	108.20
38	A1	2509	A	C6-C5-N7	-5.41	128.51	132.30
38	A1	2944	G	C4'-C3'-C2'	-5.41	97.19	102.60
38	A1	2983	G	N1-C2-N3	-5.41	120.66	123.90
50	AF	90	LEU	N-CA-C	-5.41	96.40	111.00
5	AS	50	TYR	CB-CG-CD2	5.41	124.24	121.00
11	B2	1399	G	N1-C2-N3	5.41	127.14	123.90
11	B2	1495	U	C5-C4-O4	-5.41	122.66	125.90
26	BN	59	ALA	N-CA-CB	5.41	117.67	110.10
38	A1	430	A	C1'-O4'-C4'	-5.41	105.58	109.90
38	A1	520	G	C4-C5-N7	5.41	112.96	110.80
38	A1	1762	G	C5-C6-O6	-5.41	125.36	128.60
38	A1	2031	G	N3-C4-C5	-5.41	125.90	128.60
38	A1	2172	G	C5-C6-N1	-5.41	108.80	111.50
38	A1	2280	G	N1-C6-O6	5.41	123.14	119.90
38	A1	2331	A	O4'-C1'-N9	5.41	112.53	108.20
38	A1	2478	G	N3-C4-N9	5.41	129.24	126.00
38	A1	2484	C	C5'-C4'-C3'	-5.41	107.35	116.00
38	A1	2508	G	N3-C4-N9	-5.41	122.76	126.00
11	B2	396	C	C1'-O4'-C4'	-5.40	105.58	109.90
11	B2	569	G	C6-C5-N7	-5.40	127.16	130.40
11	B2	957	A	N1-C2-N3	5.40	132.00	129.30
11	B2	1259	A	C8-N9-C1'	-5.40	117.97	127.70

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1015	G	C6-C5-N7	-5.40	127.16	130.40
38	A1	1285	C	C6-N1-C2	-5.40	118.14	120.30
38	A1	1960	U	P-O3'-C3'	-5.40	113.22	119.70
11	B2	83	C	N1-C2-O2	5.40	122.14	118.90
11	B2	658	A	C6-C5-N7	-5.40	128.52	132.30
11	B2	714	G	C6-C5-N7	-5.40	127.16	130.40
11	B2	1000	G	C2-N3-C4	5.40	114.60	111.90
28	BP	12	ARG	NE-CZ-NH1	5.40	123.00	120.30
38	A1	40	G	C1'-O4'-C4'	5.40	114.22	109.90
38	A1	251	C	C5-C4-N4	-5.40	116.42	120.20
38	A1	379	U	N1-C2-N3	-5.40	111.66	114.90
38	A1	382	G	N1-C6-O6	5.40	123.14	119.90
38	A1	884	C	O4'-C1'-N1	5.40	112.52	108.20
38	A1	1354	G	C5-N7-C8	5.40	107.00	104.30
38	A1	1702	C	C6-N1-C2	-5.40	118.14	120.30
38	A1	2134	G	C6-C5-N7	-5.40	127.16	130.40
38	A1	2983	G	N7-C8-N9	5.40	115.80	113.10
38	A1	3012	C	P-O3'-C3'	5.40	126.18	119.70
58	Ak	202	THR	CA-CB-CG2	-5.40	104.84	112.40
11	B2	47	A	N7-C8-N9	-5.40	111.10	113.80
11	B2	104	A	C5'-C4'-O4'	5.40	115.58	109.10
11	B2	214	C	C5'-C4'-O4'	5.40	115.58	109.10
11	B2	721	A	N1-C6-N6	5.40	121.84	118.60
11	B2	955	G	N9-C4-C5	5.40	107.56	105.40
11	B2	1443	G	C5'-C4'-O4'	5.40	115.58	109.10
17	BE	73	VAL	N-CA-C	-5.40	96.42	111.00
38	A1	503	U	O5'-P-OP2	5.40	117.18	110.70
38	A1	649	A	C4'-C3'-C2'	-5.40	97.20	102.60
38	A1	1087	G	O4'-C1'-N9	5.40	112.52	108.20
38	A1	1104	A	N7-C8-N9	-5.40	111.10	113.80
38	A1	1465	A	C5'-C4'-O4'	-5.40	102.62	109.10
38	A1	1580	G	C6-N1-C2	-5.40	121.86	125.10
38	A1	1951	G	N1-C6-O6	5.40	123.14	119.90
38	A1	2460	A	C5-C6-N6	-5.40	119.38	123.70
38	A1	2461	C	N1-C2-N3	-5.40	115.42	119.20
38	A1	2594	U	C2-N3-C4	5.40	130.24	127.00
39	A3	20	G	C5-N7-C8	5.40	107.00	104.30
39	A3	76	U	C4-C5-C6	5.40	122.94	119.70
11	B2	130	G	N3-C4-C5	-5.40	125.90	128.60
11	B2	615	G	C6-N1-C2	-5.40	121.86	125.10
11	B2	1484	C	P-O5'-C5'	-5.40	112.26	120.90
38	A1	18	C	C2-N3-C4	5.40	122.60	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1399	C	C3'-C2'-C1'	5.40	105.82	101.50
38	A1	1597	G	P-O3'-C3'	5.40	126.18	119.70
38	A1	2637	U	C3'-C2'-C1'	5.40	105.82	101.50
38	A1	2760	A	N3-C4-N9	5.40	131.72	127.40
11	B2	111	G	C5'-C4'-C3'	-5.40	107.36	116.00
11	B2	574	A	O4'-C1'-N9	5.40	112.52	108.20
11	B2	1124	G	C6-C5-N7	-5.40	127.16	130.40
11	B2	1239	A	C5-N7-C8	5.40	106.60	103.90
11	B2	1389	G	N3-C2-N2	5.40	123.68	119.90
11	B2	1414	G	N1-C6-O6	5.40	123.14	119.90
38	A1	55	G	C1'-O4'-C4'	5.40	114.22	109.90
38	A1	249	G	O4'-C1'-N9	5.40	112.52	108.20
38	A1	361	G	C5-C6-N1	-5.40	108.80	111.50
38	A1	423	G	N1-C2-N3	-5.40	120.66	123.90
38	A1	839	A	C5-N7-C8	5.40	106.60	103.90
38	A1	1005	G	C5-C6-N1	-5.40	108.80	111.50
38	A1	1130	G	N7-C8-N9	5.40	115.80	113.10
38	A1	1360	G	C5-C6-N1	-5.40	108.80	111.50
38	A1	1375	G	N3-C4-N9	5.40	129.24	126.00
38	A1	1410	A	C5-C6-N1	-5.40	115.00	117.70
38	A1	1635	G	C6-N1-C2	5.40	128.34	125.10
38	A1	1641	G	O3'-P-O5'	-5.40	93.75	104.00
38	A1	1689	G	N9-C4-C5	-5.40	103.24	105.40
38	A1	1695	G	N9-C1'-C2'	-5.40	106.06	112.00
38	A1	1804	G	P-O3'-C3'	5.40	126.18	119.70
38	A1	2087	U	OP1-P-O3'	5.40	117.08	105.20
38	A1	2125	C	P-O5'-C5'	5.40	129.53	120.90
38	A1	2491	C	N3-C4-C5	-5.40	119.74	121.90
41	AA	113	LEU	N-CA-CB	5.40	121.19	110.40
11	B2	39	U	C2-N3-C4	-5.40	123.76	127.00
11	B2	973	U	C4-C5-C6	5.40	122.94	119.70
11	B2	1239	A	P-O5'-C5'	-5.40	112.27	120.90
17	BE	179	PHE	N-CA-CB	5.40	120.31	110.60
20	BH	114	ARG	CG-CD-NE	-5.40	100.47	111.80
38	A1	484	C	O4'-C1'-N1	5.40	112.52	108.20
38	A1	494	C	N3-C4-N4	5.40	121.78	118.00
38	A1	748	G	O4'-C1'-N9	5.40	112.52	108.20
38	A1	2033	G	C1'-O4'-C4'	5.40	114.22	109.90
38	A1	2736	G	C4-C5-N7	5.40	112.96	110.80
61	AN	48	SER	N-CA-CB	5.40	118.59	110.50
11	B2	586	C	C3'-C2'-C1'	5.39	105.81	101.50
11	B2	838	C	C2-N3-C4	5.39	122.60	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	852	G	N1-C2-N2	5.39	121.06	116.20
38	A1	496	A	C2-N3-C4	5.39	113.30	110.60
38	A1	676	G	O3'-P-O5'	-5.39	93.75	104.00
38	A1	777	A	C4-C5-N7	-5.39	108.00	110.70
38	A1	1037	C	C4-C5-C6	5.39	120.10	117.40
38	A1	1430	A	C6-C5-N7	-5.39	128.52	132.30
38	A1	1592	U	O4'-C1'-N1	5.39	112.52	108.20
38	A1	1695	G	C1'-O4'-C4'	-5.39	105.58	109.90
38	A1	1799	G	C8-N9-C1'	5.39	134.01	127.00
38	A1	1865	U	C2-N3-C4	5.39	130.24	127.00
38	A1	2143	C	C5-C6-N1	5.39	123.70	121.00
38	A1	2688	C	C5'-C4'-C3'	-5.39	107.37	116.00
1	A7	30	LYS	C-N-CA	5.39	135.18	121.70
11	B2	1245	C	C1'-O4'-C4'	-5.39	105.59	109.90
38	A1	218	A	N9-C4-C5	-5.39	103.64	105.80
38	A1	349	A	C2-N3-C4	5.39	113.30	110.60
38	A1	652	G	N1-C2-N3	-5.39	120.67	123.90
38	A1	894	C	O4'-C1'-N1	5.39	112.51	108.20
38	A1	1339	C	C5-C4-N4	-5.39	116.43	120.20
38	A1	1556	G	C6-C5-N7	-5.39	127.17	130.40
38	A1	1820	C	O4'-C1'-N1	5.39	112.51	108.20
38	A1	2008	G	C8-N9-C4	-5.39	104.24	106.40
38	A1	2105	A	C6-C5-N7	-5.39	128.53	132.30
38	A1	2694	C	C4'-C3'-C2'	-5.39	97.21	102.60
38	A1	3035	C	N3-C4-C5	-5.39	119.74	121.90
39	A3	75	G	N1-C2-N2	-5.39	111.35	116.20
11	B2	434	A	OP2-P-O3'	5.39	117.06	105.20
11	B2	483	G	N3-C2-N2	5.39	123.67	119.90
38	A1	2266	C	C5-C4-N4	-5.39	116.43	120.20
55	Ai	54	TRP	CH2-CZ2-CE2	5.39	122.79	117.40
11	B2	70	C	C5-C6-N1	5.39	123.69	121.00
11	B2	245	U	C6-N1-C2	-5.39	117.77	121.00
11	B2	386	C	C5-C4-N4	-5.39	116.43	120.20
11	B2	656	U	C4-C5-C6	5.39	122.93	119.70
11	B2	707	A	N9-C4-C5	-5.39	103.64	105.80
11	B2	722	G	C2-N3-C4	5.39	114.59	111.90
11	B2	1150	G	C8-N9-C1'	5.39	134.01	127.00
11	B2	1379	G	C6-C5-N7	-5.39	127.17	130.40
38	A1	749	G	N9-C4-C5	5.39	107.56	105.40
38	A1	1179	G	N3-C2-N2	5.39	123.67	119.90
38	A1	1643	A	N3-C4-C5	-5.39	123.03	126.80
38	A1	1664	G	C5-N7-C8	5.39	107.00	104.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1950	G	OP1-P-O3'	5.39	117.06	105.20
38	A1	2311	C	C3'-C2'-C1'	-5.39	97.19	101.50
38	A1	2480	G	OP2-P-O3'	5.39	117.06	105.20
43	AB	9	ARG	NE-CZ-NH2	-5.39	117.61	120.30
45	AC	339	ARG	NE-CZ-NH2	-5.39	117.61	120.30
9	AX	60	GLN	O-C-N	5.39	131.32	122.70
11	B2	159	C	C6-N1-C2	-5.39	118.14	120.30
11	B2	436	A	C1'-O4'-C4'	-5.39	105.59	109.90
11	B2	664	G	N3-C4-N9	-5.39	122.77	126.00
13	BA	23	ALA	N-CA-CB	5.39	117.64	110.10
38	A1	986	G	N7-C8-N9	5.39	115.79	113.10
38	A1	2219	A	C2-N3-C4	-5.39	107.91	110.60
38	A1	2228	G	N1-C2-N3	-5.39	120.67	123.90
38	A1	2500	G	C5-C6-N1	-5.39	108.81	111.50
39	A3	48	A	OP2-P-O3'	5.39	117.05	105.20
11	B2	151	G	N1-C6-O6	5.39	123.13	119.90
11	B2	282	G	N1-C2-N2	5.39	121.05	116.20
11	B2	342	G	C3'-C2'-C1'	-5.39	97.19	101.50
11	B2	494	G	C5-N7-C8	5.39	106.99	104.30
11	B2	1344	U	C3'-C2'-C1'	-5.39	97.19	101.50
38	A1	482	A	N9-C4-C5	-5.39	103.65	105.80
38	A1	701	G	O4'-C1'-N9	5.39	112.51	108.20
38	A1	762	G	P-O3'-C3'	5.39	126.16	119.70
38	A1	869	A	N9-C4-C5	-5.39	103.65	105.80
38	A1	879	A	C5'-C4'-O4'	5.39	115.56	109.10
38	A1	1171	G	N1-C6-O6	5.39	123.13	119.90
38	A1	1252	G	N3-C2-N2	5.39	123.67	119.90
38	A1	1715	G	O4'-C1'-N9	5.39	112.51	108.20
38	A1	1981	G	P-O5'-C5'	-5.39	112.28	120.90
38	A1	2365	G	O4'-C1'-N9	5.39	112.51	108.20
39	A3	96	C	C2-N3-C4	5.39	122.59	119.90
39	A3	123	U	C4-C5-C6	5.39	122.93	119.70
11	B2	28	U	N3-C4-C5	-5.38	111.37	114.60
11	B2	296	A	C3'-C2'-C1'	-5.38	97.19	101.50
11	B2	320	G	O4'-C1'-N9	5.38	112.51	108.20
11	B2	344	G	N7-C8-N9	5.38	115.79	113.10
11	B2	537	G	N1-C6-O6	5.38	123.13	119.90
11	B2	962	G	N7-C8-N9	-5.38	110.41	113.10
11	B2	1138	G	N3-C4-C5	-5.38	125.91	128.60
13	BA	64	VAL	CA-CB-CG1	5.38	118.97	110.90
13	BA	172	LYS	N-CA-CB	5.38	120.29	110.60
21	BI	41	MET	CG-SD-CE	-5.38	91.58	100.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1704	C	C4-C5-C6	5.38	120.09	117.40
11	B2	899	G	N1-C2-N2	-5.38	111.36	116.20
11	B2	1236	G	N3-C4-N9	5.38	129.23	126.00
11	B2	1382	G	C4-C5-C6	5.38	122.03	118.80
38	A1	187	C	N1-C2-O2	5.38	122.13	118.90
38	A1	335	C	N3-C4-C5	-5.38	119.75	121.90
38	A1	1090	G	O5'-P-OP2	-5.38	100.86	105.70
38	A1	1372	C	O4'-C1'-N1	5.38	112.51	108.20
38	A1	1507	A	C5-C6-N6	-5.38	119.39	123.70
38	A1	1531	C	C4-C5-C6	-5.38	114.71	117.40
38	A1	2605	G	C5-N7-C8	5.38	106.99	104.30
9	AX	27	LEU	CB-CG-CD2	5.38	120.15	111.00
11	B2	1181	G	N1-C2-N2	-5.38	111.36	116.20
38	A1	285	C	OP1-P-O3'	5.38	117.04	105.20
38	A1	377	C	C4-C5-C6	5.38	120.09	117.40
38	A1	417	C	N3-C4-C5	5.38	124.05	121.90
38	A1	887	U	N3-C4-O4	5.38	123.17	119.40
38	A1	1015	G	C2-N3-C4	5.38	114.59	111.90
38	A1	1483	U	N3-C2-O2	5.38	125.97	122.20
38	A1	1573	A	P-O3'-C3'	5.38	126.16	119.70
38	A1	2122	G	N3-C4-C5	5.38	131.29	128.60
38	A1	2636	C	N1-C2-O2	5.38	122.13	118.90
9	AX	237	HIS	CA-CB-CG	-5.38	104.45	113.60
11	B2	1236	G	N3-C4-C5	-5.38	125.91	128.60
29	BQ	16	ARG	NE-CZ-NH1	-5.38	117.61	120.30
38	A1	718	G	O4'-C1'-N9	5.38	112.50	108.20
38	A1	1119	A	N3-C4-C5	-5.38	123.03	126.80
38	A1	1167	A	O4'-C1'-N9	5.38	112.50	108.20
38	A1	1268	A	C2-N3-C4	-5.38	107.91	110.60
38	A1	1548	A	C5-N7-C8	5.38	106.59	103.90
38	A1	2405	U	C4'-C3'-C2'	-5.38	97.22	102.60
9	AX	178	VAL	CA-CB-CG2	-5.38	102.83	110.90
11	B2	74	U	C5-C6-N1	5.38	125.39	122.70
11	B2	150	G	N7-C8-N9	-5.38	110.41	113.10
11	B2	777	G	O4'-C1'-N9	5.38	112.50	108.20
11	B2	795	G	C8-N9-C4	-5.38	104.25	106.40
11	B2	1032	A	C4-C5-N7	-5.38	108.01	110.70
11	B2	1199	A	N7-C8-N9	-5.38	111.11	113.80
38	A1	83	G	N9-C4-C5	-5.38	103.25	105.40
38	A1	407	A	C4'-C3'-C2'	-5.38	97.22	102.60
38	A1	533	G	N3-C4-N9	-5.38	122.77	126.00
38	A1	795	G	N1-C6-O6	5.38	123.13	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	987	G	C5-C6-O6	-5.38	125.37	128.60
38	A1	1022	G	O5'-P-OP1	5.38	117.16	110.70
38	A1	1079	A	N3-C4-N9	5.38	131.70	127.40
38	A1	1131	G	C5'-C4'-O4'	5.38	115.55	109.10
38	A1	1387	G	P-O3'-C3'	5.38	126.16	119.70
38	A1	2203	G	N9-C4-C5	5.38	107.55	105.40
38	A1	2586	A	C5-C6-N1	-5.38	115.01	117.70
38	A1	3001	C	N3-C4-C5	-5.38	119.75	121.90
10	B1	30	G	N3-C4-N9	5.38	129.23	126.00
11	B2	396	C	C2-N3-C4	-5.38	117.21	119.90
11	B2	1181	G	C5-N7-C8	5.38	106.99	104.30
20	BH	149	ALA	CB-CA-C	-5.38	102.04	110.10
27	BO	6	HIS	CB-CA-C	-5.38	99.65	110.40
38	A1	639	C	OP1-P-OP2	-5.38	111.53	119.60
38	A1	922	C	P-O3'-C3'	5.38	126.15	119.70
38	A1	1091	G	C5-C6-O6	-5.38	125.37	128.60
38	A1	1392	G	C3'-C2'-C1'	-5.38	97.20	101.50
38	A1	1516	C	O4'-C1'-C2'	-5.38	100.42	105.80
38	A1	1996	C	C5'-C4'-O4'	-5.38	102.65	109.10
38	A1	2198	U	C2-N1-C1'	5.38	124.15	117.70
38	A1	2326	C	N3-C2-O2	-5.38	118.14	121.90
38	A1	2350	G	C5-N7-C8	5.38	106.99	104.30
38	A1	2360	G	C4-C5-C6	5.38	122.03	118.80
38	A1	2740	G	N1-C2-N2	-5.38	111.36	116.20
38	A1	2762	G	C6-N1-C2	-5.38	121.87	125.10
38	A1	2886	C	N1-C2-N3	5.38	122.96	119.20
56	AJ	91	ARG	NE-CZ-NH1	5.38	122.99	120.30
59	AL	44	LYS	N-CA-CB	5.38	120.28	110.60
11	B2	119	A	N1-C2-N3	5.38	131.99	129.30
11	B2	259	A	N7-C8-N9	-5.38	111.11	113.80
11	B2	314	G	C6-C5-N7	-5.38	127.17	130.40
38	A1	762	G	C5-C6-O6	-5.38	125.38	128.60
38	A1	875	G	C4'-C3'-C2'	-5.38	97.22	102.60
38	A1	1645	U	N3-C4-C5	5.38	117.83	114.60
38	A1	2421	A	C8-N9-C4	-5.38	103.65	105.80
38	A1	2786	G	C6-N1-C2	5.38	128.32	125.10
11	B2	286	G	C4-C5-N7	5.37	112.95	110.80
11	B2	731	A	N7-C8-N9	5.37	116.49	113.80
11	B2	1204	C	C4-C5-C6	5.37	120.09	117.40
11	B2	1231	G	C8-N9-C4	5.37	108.55	106.40
11	B2	1283	G	C4-N9-C1'	5.37	133.49	126.50
38	A1	52	A	O4'-C1'-N9	5.37	112.50	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	142	G	C8-N9-C4	-5.37	104.25	106.40
38	A1	184	A	OP1-P-OP2	-5.37	111.54	119.60
38	A1	1288	C	C5-C6-N1	5.37	123.69	121.00
38	A1	1581	A	N1-C2-N3	5.37	131.99	129.30
38	A1	1583	G	C5-N7-C8	5.37	106.99	104.30
38	A1	2156	A	C5-N7-C8	5.37	106.59	103.90
38	A1	2417	G	C4-N9-C1'	-5.37	119.52	126.50
38	A1	2484	C	C5'-C4'-O4'	5.37	115.55	109.10
38	A1	2777	G	OP1-P-OP2	-5.37	111.54	119.60
38	A1	2784	A	P-O3'-C3'	-5.37	113.25	119.70
39	A3	4	C	O4'-C1'-N1	5.37	112.50	108.20
11	B2	38	G	C2-N3-C4	5.37	114.59	111.90
11	B2	359	A	C8-N9-C4	-5.37	103.65	105.80
11	B2	403	C	C6-N1-C2	-5.37	118.15	120.30
11	B2	640	U	C2-N1-C1'	5.37	124.15	117.70
11	B2	1144	G	C1'-O4'-C4'	5.37	114.20	109.90
11	B2	1185	A	C2-N3-C4	5.37	113.29	110.60
38	A1	164	A	C4-C5-N7	-5.37	108.01	110.70
38	A1	520	G	C6-C5-N7	-5.37	127.18	130.40
38	A1	1114	G	N1-C6-O6	5.37	123.12	119.90
38	A1	1168	A	P-O3'-C3'	5.37	126.14	119.70
38	A1	1404	G	N9-C4-C5	-5.37	103.25	105.40
38	A1	1566	G	C4-C5-N7	5.37	112.95	110.80
38	A1	1722	G	N3-C2-N2	5.37	123.66	119.90
38	A1	1811	G	C2-N3-C4	5.37	114.59	111.90
38	A1	2205	A	C5-C6-N1	-5.37	115.02	117.70
38	A1	2234	C	O4'-C4'-C3'	-5.37	98.63	104.00
38	A1	2263	G	N7-C8-N9	-5.37	110.42	113.10
38	A1	2442	A	C6-C5-N7	-5.37	128.54	132.30
38	A1	2498	G	N3-C2-N2	5.37	123.66	119.90
38	A1	2568	A	P-O5'-C5'	-5.37	112.31	120.90
38	A1	2828	G	C5-N7-C8	5.37	106.99	104.30
61	AN	106	ASP	N-CA-CB	5.37	120.27	110.60
11	B2	101	G	C5-C6-O6	-5.37	125.38	128.60
38	A1	2700	U	C5-C6-N1	5.37	125.39	122.70
7	AU	84	ARG	NH1-CZ-NH2	5.37	125.31	119.40
9	AX	369	ARG	NE-CZ-NH1	5.37	122.98	120.30
10	B1	15	G	C6-N1-C2	5.37	128.32	125.10
11	B2	387	G	P-O5'-C5'	-5.37	112.31	120.90
11	B2	941	C	C5-C4-N4	-5.37	116.44	120.20
11	B2	1435	G	N3-C4-C5	-5.37	125.92	128.60
38	A1	391	C	N3-C4-N4	5.37	121.76	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	433	C	N1-C2-O2	5.37	122.12	118.90
38	A1	460	C	C5'-C4'-C3'	-5.37	107.41	116.00
38	A1	590	A	N3-C4-N9	5.37	131.69	127.40
38	A1	1154	A	C5-N7-C8	5.37	106.58	103.90
38	A1	1682	C	C5-C6-N1	-5.37	118.32	121.00
38	A1	1876	G	C8-N9-C4	-5.37	104.25	106.40
38	A1	2638	G	C8-N9-C4	-5.37	104.25	106.40
38	A1	2879	G	C5-C6-N1	-5.37	108.82	111.50
11	B2	799	C	N3-C4-N4	5.37	121.76	118.00
11	B2	1312	C	C5-C6-N1	5.37	123.68	121.00
16	BD	154	TYR	CB-CA-C	-5.37	99.67	110.40
29	BQ	94	ASP	CB-CG-OD2	-5.37	113.47	118.30
38	A1	121	G	C4-C5-C6	5.37	122.02	118.80
38	A1	1140	C	C1'-O4'-C4'	-5.37	105.61	109.90
38	A1	1842	C	P-O3'-C3'	-5.37	113.26	119.70
50	AF	61	ARG	N-CA-CB	5.37	120.26	110.60
11	B2	137	A	P-O3'-C3'	5.37	126.14	119.70
11	B2	1009	G	C2-N3-C4	5.37	114.58	111.90
11	B2	1010	G	N3-C2-N2	5.37	123.66	119.90
11	B2	1067	G	C5'-C4'-C3'	5.37	124.58	116.00
11	B2	1178	C	P-O3'-C3'	5.37	126.14	119.70
38	A1	230	A	N1-C2-N3	5.37	131.98	129.30
38	A1	352	G	C6-N1-C2	5.37	128.32	125.10
38	A1	1352	U	P-O3'-C3'	5.37	126.14	119.70
38	A1	1619	C	O4'-C1'-N1	5.37	112.49	108.20
38	A1	2090	A	C4-C5-N7	-5.37	108.02	110.70
38	A1	2134	G	N3-C2-N2	5.37	123.66	119.90
38	A1	2414	G	P-O3'-C3'	-5.37	113.26	119.70
41	AA	108	ILE	N-CA-C	-5.37	96.52	111.00
46	AD	172	ARG	NE-CZ-NH1	5.37	122.98	120.30
11	B2	337	C	O4'-C1'-N1	5.36	112.49	108.20
11	B2	739	G	OP1-P-OP2	-5.36	111.56	119.60
11	B2	744	A	N3-C4-C5	-5.36	123.05	126.80
29	BQ	148	TYR	CB-CG-CD1	-5.36	117.78	121.00
38	A1	213	G	C4-C5-C6	5.36	122.02	118.80
38	A1	1600	G	P-O3'-C3'	-5.36	113.26	119.70
38	A1	1605	A	C8-N9-C4	-5.36	103.66	105.80
38	A1	1894	A	C2-N3-C4	-5.36	107.92	110.60
38	A1	1927	C	N3-C4-N4	5.36	121.75	118.00
38	A1	1956	G	C6-C5-N7	-5.36	127.18	130.40
38	A1	2057	G	N3-C4-N9	5.36	129.22	126.00
38	A1	2154	G	C1'-O4'-C4'	5.36	114.19	109.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2172	G	O4'-C4'-C3'	-5.36	98.64	104.00
38	A1	2242	A	N3-C4-N9	-5.36	123.11	127.40
38	A1	2361	C	N3-C4-C5	-5.36	119.75	121.90
38	A1	2423	G	C5-C6-O6	-5.36	125.38	128.60
38	A1	2739	G	C5-C6-N1	5.36	114.18	111.50
39	A3	16	G	C1'-O4'-C4'	5.36	114.19	109.90
11	B2	175	G	N1-C2-N2	-5.36	111.37	116.20
11	B2	495	G	N3-C4-N9	5.36	129.22	126.00
11	B2	1202	G	C5-N7-C8	-5.36	101.62	104.30
38	A1	215	A	C6-C5-N7	-5.36	128.55	132.30
38	A1	1962	G	C8-N9-C4	-5.36	104.25	106.40
38	A1	2218	C	C5-C4-N4	-5.36	116.45	120.20
38	A1	2405	U	N1-C2-N3	5.36	118.12	114.90
38	A1	2501	G	C4-N9-C1'	-5.36	119.53	126.50
9	AX	360	ARG	NE-CZ-NH1	5.36	122.98	120.30
11	B2	85	A	C5-N7-C8	5.36	106.58	103.90
11	B2	1124	G	O5'-C5'-C4'	-5.36	101.52	111.70
11	B2	1153	G	N7-C8-N9	5.36	115.78	113.10
38	A1	137	A	C5'-C4'-O4'	5.36	115.53	109.10
38	A1	538	G	N3-C2-N2	5.36	123.65	119.90
38	A1	787	G	N3-C2-N2	5.36	123.65	119.90
38	A1	1656	C	C5-C6-N1	5.36	123.68	121.00
38	A1	1839	U	N1-C2-N3	5.36	118.12	114.90
38	A1	2366	G	O4'-C1'-N9	5.36	112.49	108.20
38	A1	2469	G	C6-N1-C2	-5.36	121.88	125.10
38	A1	2641	C	O4'-C1'-C2'	-5.36	100.44	105.80
38	A1	2833	G	C4-C5-C6	5.36	122.02	118.80
39	A3	104	C	C4-C5-C6	5.36	120.08	117.40
10	B1	8	U	N1-C2-O2	-5.36	119.05	122.80
11	B2	721	A	O4'-C4'-C3'	-5.36	98.64	104.00
11	B2	1119	U	O4'-C1'-N1	5.36	112.49	108.20
11	B2	1373	A	N7-C8-N9	5.36	116.48	113.80
38	A1	19	G	N3-C4-C5	-5.36	125.92	128.60
38	A1	128	C	N3-C2-O2	5.36	125.65	121.90
38	A1	132	G	C5-C6-O6	-5.36	125.39	128.60
38	A1	352	G	N3-C4-N9	5.36	129.22	126.00
38	A1	1155	A	C8-N9-C4	-5.36	103.66	105.80
38	A1	1511	C	N3-C4-N4	5.36	121.75	118.00
38	A1	2435	G	P-O3'-C3'	5.36	126.13	119.70
11	B2	111	G	OP1-P-O3'	5.36	116.99	105.20
11	B2	624	G	N3-C2-N2	5.36	123.65	119.90
11	B2	977	G	C5-C6-N1	-5.36	108.82	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1069	G	C8-N9-C4	5.36	108.54	106.40
11	B2	1078	U	C5-C4-O4	-5.36	122.69	125.90
11	B2	1095	C	N3-C4-C5	-5.36	119.76	121.90
14	BB	69	ALA	N-CA-CB	5.36	117.60	110.10
16	BD	170	MET	CG-SD-CE	5.36	108.77	100.20
33	BU	25	GLU	CB-CA-C	-5.36	99.69	110.40
38	A1	440	A	C2-N3-C4	-5.36	107.92	110.60
38	A1	485	G	C5-N7-C8	-5.36	101.62	104.30
38	A1	920	G	O4'-C1'-N9	5.36	112.49	108.20
38	A1	1209	A	C2-N3-C4	5.36	113.28	110.60
38	A1	1422	G	N1-C2-N3	-5.36	120.69	123.90
38	A1	1461	G	N3-C4-N9	-5.36	122.78	126.00
38	A1	1775	G	O4'-C1'-N9	5.36	112.49	108.20
38	A1	2126	G	C8-N9-C1'	5.36	133.97	127.00
38	A1	2178	A	N7-C8-N9	-5.36	111.12	113.80
38	A1	2295	C	N3-C4-C5	-5.36	119.76	121.90
38	A1	2393	G	O4'-C1'-N9	5.36	112.49	108.20
38	A1	2853	A	O4'-C1'-N9	5.36	112.49	108.20
10	B1	77	A	C4-C5-C6	5.36	119.68	117.00
11	B2	29	G	O4'-C1'-N9	5.36	112.48	108.20
11	B2	46	A	C5-C6-N1	-5.36	115.02	117.70
11	B2	447	A	C4-C5-N7	-5.36	108.02	110.70
11	B2	634	C	N3-C4-N4	5.36	121.75	118.00
11	B2	910	G	N9-C4-C5	-5.36	103.26	105.40
17	BE	132	MET	CG-SD-CE	-5.36	91.63	100.20
38	A1	70	G	C5'-C4'-C3'	5.36	124.57	116.00
38	A1	320	C	P-O5'-C5'	5.36	129.47	120.90
38	A1	843	C	N3-C4-C5	-5.36	119.76	121.90
38	A1	984	U	C6-N1-C2	-5.36	117.79	121.00
38	A1	1382	C	O4'-C1'-N1	5.36	112.48	108.20
38	A1	1456	U	C4-C5-C6	5.36	122.91	119.70
38	A1	2135	C	N3-C2-O2	-5.36	118.15	121.90
38	A1	2255	C	N3-C4-N4	5.36	121.75	118.00
38	A1	2581	G	N7-C8-N9	5.36	115.78	113.10
38	A1	2635	C	N3-C4-N4	5.36	121.75	118.00
43	AB	109	TYR	CB-CG-CD1	5.36	124.21	121.00
11	B2	1332	C	C5'-C4'-O4'	5.35	115.52	109.10
38	A1	86	G	C4-C5-C6	5.35	122.01	118.80
38	A1	101	G	O5'-P-OP1	5.35	117.12	110.70
38	A1	786	G	N7-C8-N9	-5.35	110.42	113.10
45	AC	68	MET	CG-SD-CE	-5.35	91.63	100.20
11	B2	121	C	N1-C2-O2	-5.35	115.69	118.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	135	U	C6-N1-C2	-5.35	117.79	121.00
11	B2	1048	G	C4'-C3'-C2'	-5.35	97.25	102.60
11	B2	1141	G	O5'-P-OP1	-5.35	100.88	105.70
11	B2	1143	G	C6-N1-C2	5.35	128.31	125.10
11	B2	1154	G	N3-C4-C5	5.35	131.28	128.60
11	B2	1358	A	P-O3'-C3'	-5.35	113.28	119.70
38	A1	125	C	O4'-C1'-N1	5.35	112.48	108.20
38	A1	507	G	C6-C5-N7	-5.35	127.19	130.40
38	A1	1195	G	C5'-C4'-O4'	5.35	115.52	109.10
38	A1	1264	G	O4'-C1'-N9	5.35	112.48	108.20
38	A1	1411	G	C8-N9-C4	5.35	108.54	106.40
38	A1	1587	A	N1-C2-N3	-5.35	126.62	129.30
38	A1	1705	C	C5'-C4'-O4'	5.35	115.52	109.10
38	A1	1842	C	C2-N3-C4	-5.35	117.22	119.90
38	A1	1879	U	C5-C4-O4	5.35	129.11	125.90
38	A1	1921	U	N1-C2-N3	-5.35	111.69	114.90
38	A1	2119	C	C3'-C2'-C1'	5.35	105.78	101.50
38	A1	2235	G	C2-N3-C4	5.35	114.58	111.90
38	A1	2658	G	N9-C4-C5	-5.35	103.26	105.40
38	A1	2684	G	N3-C2-N2	5.35	123.65	119.90
38	A1	2729	A	N1-C6-N6	5.35	121.81	118.60
38	A1	2981	G	C2-N3-C4	5.35	114.58	111.90
11	B2	1123	G	C8-N9-C1'	5.35	133.96	127.00
11	B2	1424	G	C5'-C4'-C3'	-5.35	107.44	116.00
30	BR	17	ASP	C-N-CA	5.35	135.08	121.70
38	A1	222	A	C4-C5-N7	-5.35	108.02	110.70
38	A1	748	G	N3-C4-C5	5.35	131.28	128.60
38	A1	760	G	O4'-C1'-N9	5.35	112.48	108.20
38	A1	1726	A	N9-C4-C5	5.35	107.94	105.80
38	A1	2723	G	N3-C4-C5	-5.35	125.92	128.60
38	A1	2794	G	C2-N3-C4	5.35	114.58	111.90
38	A1	2810	G	C2-N3-C4	5.35	114.58	111.90
11	B2	59	C	O4'-C1'-N1	5.35	112.48	108.20
11	B2	68	G	O5'-P-OP1	5.35	117.12	110.70
11	B2	157	A	N7-C8-N9	5.35	116.47	113.80
11	B2	586	C	N3-C4-C5	5.35	124.04	121.90
11	B2	1168	C	C4-C5-C6	5.35	120.08	117.40
38	A1	603	G	N1-C2-N3	-5.35	120.69	123.90
38	A1	660	U	C1'-O4'-C4'	5.35	114.18	109.90
38	A1	774	G	C4-C5-C6	5.35	122.01	118.80
38	A1	813	G	C8-N9-C4	-5.35	104.26	106.40
38	A1	925	U	O4'-C1'-C2'	5.35	112.42	107.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1697	G	C2-N3-C4	-5.35	109.22	111.90
38	A1	1816	C	C5-C4-N4	-5.35	116.45	120.20
38	A1	1961	G	C8-N9-C4	5.35	108.54	106.40
38	A1	2027	G	C5'-C4'-C3'	-5.35	107.44	116.00
38	A1	2866	A	C4-C5-C6	5.35	119.67	117.00
9	AX	298	TYR	CD1-CE1-CZ	5.35	124.61	119.80
10	B1	15	G	P-O3'-C3'	5.35	126.12	119.70
11	B2	192	G	C2-N3-C4	-5.35	109.23	111.90
11	B2	196	G	C4-N9-C1'	-5.35	119.55	126.50
11	B2	947	G	C5-C6-O6	-5.35	125.39	128.60
11	B2	1116	G	O4'-C1'-N9	5.35	112.48	108.20
13	BA	102	ARG	NE-CZ-NH2	-5.35	117.63	120.30
23	BK	33	VAL	CG1-CB-CG2	5.35	119.45	110.90
38	A1	646	U	C4-C5-C6	-5.35	116.49	119.70
38	A1	1427	A	C5-C6-N1	-5.35	115.03	117.70
38	A1	2013	A	N7-C8-N9	-5.35	111.13	113.80
38	A1	2369	G	C4-C5-C6	5.35	122.01	118.80
38	A1	2497	G	P-O5'-C5'	-5.35	112.34	120.90
38	A1	2696	G	N1-C2-N3	-5.35	120.69	123.90
38	A1	3039	G	C5-C6-O6	-5.35	125.39	128.60
64	AR	16	LEU	N-CA-CB	5.35	121.09	110.40
11	B2	141	C	N3-C4-N4	5.35	121.74	118.00
11	B2	281	G	C5'-C4'-C3'	5.35	124.55	116.00
11	B2	651	U	N3-C2-O2	5.35	125.94	122.20
11	B2	945	G	N9-C4-C5	5.35	107.54	105.40
11	B2	1033	G	N1-C6-O6	5.35	123.11	119.90
27	BO	113	ARG	N-CA-CB	5.35	120.22	110.60
38	A1	574	C	N3-C4-N4	5.35	121.74	118.00
38	A1	1648	C	OP1-P-OP2	-5.35	111.58	119.60
38	A1	2367	C	C5'-C4'-O4'	5.35	115.52	109.10
38	A1	2518	G	C4'-C3'-C2'	-5.35	97.25	102.60
48	AE	174	TYR	CG-CD2-CE2	5.35	125.58	121.30
11	B2	231	G	C8-N9-C4	-5.34	104.26	106.40
11	B2	233	C	OP2-P-O3'	5.34	116.96	105.20
11	B2	786	G	O4'-C1'-N9	5.34	112.48	108.20
11	B2	1265	G	N3-C4-N9	5.34	129.21	126.00
13	BA	139	LYS	N-CA-CB	5.34	120.22	110.60
24	BL	46	ARG	NE-CZ-NH2	-5.34	117.63	120.30
29	BQ	149	ASP	N-CA-C	-5.34	96.57	111.00
38	A1	335	C	P-O3'-C3'	5.34	126.11	119.70
38	A1	797	C	C6-N1-C2	-5.34	118.16	120.30
38	A1	833	G	N7-C8-N9	-5.34	110.43	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1267	A	N3-C4-C5	-5.34	123.06	126.80
38	A1	1612	G	N3-C4-C5	-5.34	125.93	128.60
38	A1	2007	C	N1-C1'-C2'	-5.34	106.12	112.00
38	A1	2212	C	N1-C1'-C2'	-5.34	106.12	112.00
38	A1	2421	A	C5-N7-C8	5.34	106.57	103.90
38	A1	2666	G	O4'-C1'-N9	5.34	112.48	108.20
38	A1	2953	U	C6-N1-C2	-5.34	117.79	121.00
11	B2	453	G	O4'-C1'-N9	5.34	112.47	108.20
11	B2	642	G	N3-C2-N2	5.34	123.64	119.90
11	B2	1227	A	C8-N9-C4	-5.34	103.66	105.80
38	A1	15	A	N3-C4-C5	5.34	130.54	126.80
38	A1	119	U	C4'-C3'-C2'	5.34	107.94	102.60
38	A1	473	C	C1'-O4'-C4'	5.34	114.17	109.90
38	A1	521	C	C6-N1-C2	5.34	122.44	120.30
38	A1	550	A	C4-C5-C6	5.34	119.67	117.00
38	A1	1080	G	C5'-C4'-C3'	5.34	124.55	116.00
38	A1	1216	A	C4-C5-C6	5.34	119.67	117.00
10	B1	45	G	C5-C6-N1	5.34	114.17	111.50
11	B2	150	G	C3'-C2'-C1'	5.34	105.77	101.50
11	B2	404	C	C5-C6-N1	5.34	123.67	121.00
11	B2	497	C	N1-C2-O2	5.34	122.10	118.90
11	B2	843	G	N1-C2-N3	-5.34	120.69	123.90
11	B2	1075	A	C6-C5-N7	-5.34	128.56	132.30
11	B2	1326	G	N9-C4-C5	5.34	107.54	105.40
11	B2	1438	A	C5-C6-N6	-5.34	119.43	123.70
30	BR	113	ARG	NE-CZ-NH2	-5.34	117.63	120.30
38	A1	86	G	C5-C6-N1	-5.34	108.83	111.50
38	A1	206	A	O4'-C1'-C2'	-5.34	100.46	105.80
38	A1	218	A	P-O5'-C5'	5.34	129.45	120.90
38	A1	239	G	OP1-P-OP2	-5.34	111.59	119.60
38	A1	244	A	O4'-C1'-N9	5.34	112.47	108.20
38	A1	543	G	N9-C4-C5	-5.34	103.26	105.40
38	A1	1234	A	C3'-C2'-C1'	5.34	105.77	101.50
38	A1	1352	U	C5-C4-O4	-5.34	122.69	125.90
38	A1	1381	C	N3-C4-N4	5.34	121.74	118.00
38	A1	1504	C	C4-C5-C6	-5.34	114.73	117.40
38	A1	1558	U	C6-N1-C2	-5.34	117.80	121.00
38	A1	1790	G	C5-N7-C8	5.34	106.97	104.30
38	A1	1957	U	C6-N1-C1'	-5.34	113.72	121.20
38	A1	2262	C	N3-C2-O2	-5.34	118.16	121.90
38	A1	2678	U	N3-C4-C5	-5.34	111.39	114.60
61	AN	64	ALA	N-CA-CB	5.34	117.58	110.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	243	G	C1'-O4'-C4'	5.34	114.17	109.90
11	B2	794	A	C8-N9-C4	-5.34	103.66	105.80
38	A1	87	C	P-O3'-C3'	5.34	126.11	119.70
38	A1	255	G	C5-C6-O6	-5.34	125.40	128.60
38	A1	413	A	C4'-C3'-C2'	-5.34	97.26	102.60
38	A1	574	C	O4'-C1'-N1	5.34	112.47	108.20
38	A1	592	C	O3'-P-O5'	-5.34	93.85	104.00
38	A1	981	A	C6-N1-C2	-5.34	115.40	118.60
38	A1	1161	A	C4-C5-C6	5.34	119.67	117.00
38	A1	2187	C	C5-C6-N1	-5.34	118.33	121.00
38	A1	2394	G	P-O5'-C5'	5.34	129.44	120.90
38	A1	2850	G	N7-C8-N9	-5.34	110.43	113.10
38	A1	2898	G	N1-C2-N3	-5.34	120.70	123.90
39	A3	70	C	C2-N3-C4	5.34	122.57	119.90
43	AB	25	ARG	NH1-CZ-NH2	-5.34	113.53	119.40
9	AX	265	LEU	N-CA-CB	5.34	121.08	110.40
11	B2	327	G	N3-C4-N9	5.34	129.20	126.00
11	B2	1036	G	P-O3'-C3'	-5.34	113.29	119.70
11	B2	1076	G	N3-C4-N9	-5.34	122.80	126.00
38	A1	81	G	C5-C6-O6	-5.34	125.40	128.60
38	A1	1021	G	C5'-C4'-C3'	-5.34	107.46	116.00
38	A1	1134	A	N1-C2-N3	5.34	131.97	129.30
38	A1	1442	G	N1-C6-O6	5.34	123.10	119.90
38	A1	2527	G	P-O3'-C3'	-5.34	113.29	119.70
66	AY	155	LEU	CB-CG-CD2	5.34	120.08	111.00
7	AU	82	THR	CA-CB-CG2	-5.34	104.93	112.40
11	B2	43	A	O4'-C1'-N9	5.34	112.47	108.20
11	B2	169	C	N1-C2-O2	-5.34	115.70	118.90
11	B2	279	U	N3-C4-O4	5.34	123.14	119.40
11	B2	429	A	N3-C4-C5	-5.34	123.06	126.80
11	B2	613	C	O4'-C1'-N1	5.34	112.47	108.20
11	B2	681	G	C5-N7-C8	5.34	106.97	104.30
11	B2	765	U	C5-C4-O4	5.34	129.10	125.90
11	B2	782	A	O4'-C1'-N9	5.34	112.47	108.20
11	B2	1054	A	C6-N1-C2	-5.34	115.40	118.60
11	B2	1260	G	C5-C6-O6	-5.34	125.40	128.60
17	BE	162	TYR	CB-CG-CD1	5.34	124.20	121.00
38	A1	310	C	C4'-C3'-C2'	-5.34	97.26	102.60
38	A1	462	A	C8-N9-C4	5.34	107.94	105.80
38	A1	485	G	C1'-O4'-C4'	5.34	114.17	109.90
38	A1	630	G	N1-C6-O6	5.34	123.10	119.90
38	A1	934	G	C5-C6-O6	-5.34	125.40	128.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1023	C	C6-N1-C2	-5.34	118.17	120.30
38	A1	1101	U	O4'-C4'-C3'	-5.34	98.66	104.00
38	A1	1552	C	N3-C2-O2	5.34	125.64	121.90
38	A1	1763	A	O4'-C1'-C2'	5.34	112.40	107.60
38	A1	2006	C	N3-C4-N4	5.34	121.73	118.00
38	A1	2008	G	C5-C6-O6	-5.34	125.40	128.60
38	A1	2740	G	C5-N7-C8	-5.34	101.63	104.30
38	A1	2986	G	C6-N1-C2	5.34	128.30	125.10
39	A3	121	A	OP1-P-OP2	-5.34	111.59	119.60
11	B2	224	A	N3-C4-N9	5.33	131.67	127.40
11	B2	329	G	C5-C6-O6	-5.33	125.40	128.60
11	B2	660	C	O5'-P-OP2	-5.33	100.90	105.70
38	A1	527	G	C8-N9-C4	-5.33	104.27	106.40
38	A1	1147	G	N3-C4-C5	5.33	131.27	128.60
38	A1	1274	G	C4-C5-N7	5.33	112.93	110.80
38	A1	1282	A	OP2-P-O3'	5.33	116.94	105.20
38	A1	1915	G	C5'-C4'-O4'	5.33	115.50	109.10
11	B2	193	G	C4-C5-N7	5.33	112.93	110.80
11	B2	217	C	N3-C2-O2	-5.33	118.17	121.90
11	B2	415	C	N3-C4-C5	-5.33	119.77	121.90
11	B2	516	A	OP1-P-O3'	5.33	116.93	105.20
11	B2	1191	G	N1-C6-O6	5.33	123.10	119.90
11	B2	1248	A	N9-C1'-C2'	-5.33	106.13	112.00
11	B2	1337	A	C5-C6-N6	-5.33	119.43	123.70
38	A1	244	A	N3-C4-N9	5.33	131.67	127.40
38	A1	695	G	P-O3'-C3'	5.33	126.10	119.70
38	A1	860	A	C5-C6-N6	-5.33	119.43	123.70
38	A1	874	U	C6-N1-C2	-5.33	117.80	121.00
38	A1	1176	C	P-O3'-C3'	5.33	126.10	119.70
38	A1	1208	A	C1'-O4'-C4'	-5.33	105.63	109.90
38	A1	1224	A	C5'-C4'-C3'	-5.33	107.47	116.00
38	A1	2121	C	C6-N1-C1'	-5.33	114.40	120.80
38	A1	3021	C	N1-C2-N3	-5.33	115.47	119.20
58	Ak	191	LEU	CA-CB-CG	5.33	127.57	115.30
10	B1	43	G	P-O3'-C3'	5.33	126.10	119.70
11	B2	173	G	N1-C2-N3	-5.33	120.70	123.90
11	B2	195	C	O3'-P-O5'	5.33	114.13	104.00
11	B2	660	C	C1'-O4'-C4'	5.33	114.17	109.90
11	B2	1130	A	N1-C2-N3	5.33	131.97	129.30
11	B2	1222	C	C1'-O4'-C4'	5.33	114.17	109.90
11	B2	1294	G	C3'-C2'-C1'	5.33	105.77	101.50
37	BY	33	ASP	CB-CG-OD2	5.33	123.10	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	259	A	N1-C6-N6	5.33	121.80	118.60
38	A1	310	C	C1'-O4'-C4'	-5.33	105.64	109.90
38	A1	629	G	C5-N7-C8	-5.33	101.63	104.30
38	A1	686	C	C5'-C4'-C3'	-5.33	107.47	116.00
38	A1	827	G	C5-N7-C8	-5.33	101.63	104.30
38	A1	1126	C	N3-C4-N4	5.33	121.73	118.00
38	A1	1180	G	C4'-C3'-C2'	-5.33	97.27	102.60
38	A1	1257	G	N7-C8-N9	-5.33	110.43	113.10
38	A1	1323	U	O4'-C1'-N1	5.33	112.47	108.20
38	A1	1551	G	C8-N9-C4	-5.33	104.27	106.40
38	A1	1657	G	N9-C4-C5	-5.33	103.27	105.40
38	A1	1959	C	N3-C4-C5	-5.33	119.77	121.90
38	A1	2015	G	C8-N9-C4	5.33	108.53	106.40
38	A1	2175	G	C2-N3-C4	5.33	114.56	111.90
38	A1	2519	C	C6-N1-C2	-5.33	118.17	120.30
38	A1	2834	C	N1-C2-N3	-5.33	115.47	119.20
38	A1	2966	C	C4'-C3'-C2'	-5.33	97.27	102.60
45	AC	172	TRP	CB-CG-CD1	-5.33	120.07	127.00
62	AO	105	ASP	CB-CG-OD1	5.33	123.10	118.30
11	B2	923	A	C6-N1-C2	-5.33	115.40	118.60
11	B2	1202	G	C4'-C3'-C2'	-5.33	97.27	102.60
20	BH	29	ARG	NE-CZ-NH2	5.33	122.97	120.30
38	A1	1658	A	N1-C2-N3	5.33	131.97	129.30
38	A1	2943	G	O4'-C4'-C3'	-5.33	98.67	104.00
10	B1	33	C	OP2-P-O3'	5.33	116.92	105.20
11	B2	23	G	N1-C2-N2	-5.33	111.40	116.20
11	B2	65	G	C6-N1-C2	5.33	128.30	125.10
11	B2	232	G	N3-C4-C5	5.33	131.26	128.60
11	B2	647	G	P-O3'-C3'	5.33	126.09	119.70
11	B2	661	C	C5'-C4'-C3'	5.33	124.53	116.00
11	B2	1426	C	C6-N1-C1'	5.33	127.19	120.80
38	A1	179	A	C6-C5-N7	-5.33	128.57	132.30
38	A1	433	C	N3-C4-N4	5.33	121.73	118.00
38	A1	775	C	C4-C5-C6	5.33	120.06	117.40
38	A1	809	A	N1-C2-N3	5.33	131.96	129.30
38	A1	2121	C	C2-N1-C1'	5.33	124.66	118.80
38	A1	2195	G	O5'-P-OP2	-5.33	100.91	105.70
38	A1	2281	A	C6-N1-C2	-5.33	115.40	118.60
38	A1	2518	G	P-O5'-C5'	-5.33	112.37	120.90
38	A1	2657	A	N1-C2-N3	5.33	131.96	129.30
38	A1	2863	A	C4-C5-N7	-5.33	108.04	110.70
10	B1	60	A	P-O5'-C5'	5.33	129.42	120.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	517	U	N3-C4-O4	5.33	123.13	119.40
38	A1	188	A	C1'-O4'-C4'	5.33	114.16	109.90
38	A1	1487	U	N1-C2-O2	5.33	126.53	122.80
38	A1	2267	U	P-O5'-C5'	-5.33	112.38	120.90
38	A1	2268	C	C4-C5-C6	5.33	120.06	117.40
45	AC	223	ALA	N-CA-CB	5.33	117.56	110.10
11	B2	329	G	C5-C6-N1	-5.33	108.84	111.50
11	B2	389	G	N9-C1'-C2'	-5.33	106.14	112.00
11	B2	412	U	OP1-P-OP2	-5.33	111.61	119.60
11	B2	456	U	P-O5'-C5'	5.33	129.42	120.90
11	B2	1111	G	C5-C6-N1	-5.33	108.84	111.50
11	B2	1313	G	C2-N3-C4	5.33	114.56	111.90
20	BH	145	ARG	NE-CZ-NH2	5.33	122.96	120.30
38	A1	298	G	C2-N3-C4	-5.33	109.24	111.90
38	A1	582	A	N9-C4-C5	5.33	107.93	105.80
38	A1	1347	U	N1-C2-O2	-5.33	119.07	122.80
38	A1	1475	G	O4'-C1'-N9	5.33	112.46	108.20
38	A1	1604	G	C5-N7-C8	5.33	106.96	104.30
38	A1	1909	C	C2-N3-C4	5.33	122.56	119.90
38	A1	2029	C	N3-C4-C5	-5.33	119.77	121.90
39	A3	9	A	C2-N3-C4	-5.33	107.94	110.60
39	A3	30	G	C3'-C2'-C1'	5.33	105.76	101.50
39	A3	66	A	C5-C6-N1	-5.33	115.04	117.70
55	Ai	68	TYR	CB-CG-CD1	-5.33	117.81	121.00
59	AL	95	TYR	CG-CD1-CE1	5.33	125.56	121.30
11	B2	142	G	C5-C6-N1	5.32	114.16	111.50
11	B2	210	A	N3-C4-C5	-5.32	123.07	126.80
11	B2	447	A	C5-N7-C8	5.32	106.56	103.90
11	B2	614	G	P-O3'-C3'	5.32	126.09	119.70
11	B2	639	G	C5-C6-N1	-5.32	108.84	111.50
11	B2	884	G	C1'-O4'-C4'	-5.32	105.64	109.90
11	B2	1181	G	N9-C4-C5	5.32	107.53	105.40
34	BV	71	ALA	N-CA-C	-5.32	96.63	111.00
38	A1	86	G	O4'-C1'-N9	5.32	112.46	108.20
38	A1	840	G	N1-C2-N3	-5.32	120.71	123.90
38	A1	861	G	C6-C5-N7	-5.32	127.21	130.40
38	A1	928	A	OP2-P-O3'	5.32	116.91	105.20
38	A1	1147	G	O4'-C1'-N9	5.32	112.46	108.20
38	A1	1151	G	C6-C5-N7	-5.32	127.20	130.40
38	A1	1587	A	C6-C5-N7	-5.32	128.57	132.30
38	A1	1699	U	N1-C2-O2	-5.32	119.07	122.80
38	A1	2437	G	C8-N9-C4	5.32	108.53	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2465	A	N9-C4-C5	-5.32	103.67	105.80
38	A1	2516	G	C4-C5-C6	5.32	121.99	118.80
38	A1	2661	U	C5-C6-N1	5.32	125.36	122.70
11	B2	1126	G	N1-C6-O6	5.32	123.09	119.90
11	B2	1153	G	C5-N7-C8	-5.32	101.64	104.30
38	A1	2447	A	C1'-O4'-C4'	-5.32	105.64	109.90
47	Ad	16	ARG	NE-CZ-NH1	5.32	122.96	120.30
6	AT	30	VAL	CA-CB-CG1	-5.32	102.92	110.90
11	B2	229	G	C5'-C4'-O4'	5.32	115.48	109.10
11	B2	459	G	C1'-O4'-C4'	-5.32	105.64	109.90
11	B2	507	G	C2-N3-C4	5.32	114.56	111.90
11	B2	562	A	N1-C6-N6	5.32	121.79	118.60
11	B2	582	G	C5-N7-C8	5.32	106.96	104.30
11	B2	585	U	C6-N1-C2	-5.32	117.81	121.00
11	B2	606	U	N3-C4-O4	5.32	123.12	119.40
11	B2	1002	G	C6-C5-N7	-5.32	127.21	130.40
38	A1	120	G	N9-C4-C5	-5.32	103.27	105.40
38	A1	512	G	N1-C2-N3	-5.32	120.71	123.90
38	A1	604	A	C8-N9-C4	5.32	107.93	105.80
38	A1	981	A	C8-N9-C4	5.32	107.93	105.80
38	A1	1061	G	N1-C6-O6	5.32	123.09	119.90
38	A1	1198	G	C6-N1-C2	5.32	128.29	125.10
38	A1	1367	A	C5-C6-N6	-5.32	119.44	123.70
38	A1	1393	C	C6-N1-C1'	-5.32	114.42	120.80
38	A1	2202	U	O4'-C1'-N1	5.32	112.46	108.20
38	A1	2454	G	N9-C4-C5	5.32	107.53	105.40
38	A1	2633	A	O4'-C1'-N9	5.32	112.46	108.20
38	A1	2892	A	C2'-C3'-O3'	5.32	122.21	113.70
39	A3	66	A	C4-C5-N7	-5.32	108.04	110.70
59	AL	143	GLU	N-CA-CB	5.32	120.18	110.60
11	B2	502	U	O4'-C4'-C3'	-5.32	98.68	104.00
38	A1	896	G	C5-N7-C8	-5.32	101.64	104.30
38	A1	961	C	C5-C6-N1	-5.32	118.34	121.00
38	A1	1096	A	C6-C5-N7	-5.32	128.58	132.30
38	A1	2363	G	N1-C2-N2	-5.32	111.41	116.20
9	AX	247	TYR	CZ-CE2-CD2	-5.32	115.02	119.80
11	B2	508	C	N3-C4-C5	5.32	124.03	121.90
11	B2	1473	A	C4-C5-C6	5.32	119.66	117.00
23	BK	134	TYR	N-CA-CB	5.32	120.17	110.60
38	A1	688	G	C4'-C3'-C2'	-5.32	97.28	102.60
38	A1	717	A	O4'-C1'-N9	5.32	112.45	108.20
38	A1	725	G	C4-C5-N7	5.32	112.93	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	793	C	C4-C5-C6	5.32	120.06	117.40
38	A1	966	G	C5-N7-C8	5.32	106.96	104.30
38	A1	1489	G	O4'-C4'-C3'	-5.32	98.68	104.00
38	A1	1592	U	N3-C4-O4	5.32	123.12	119.40
38	A1	1784	G	C5-N7-C8	5.32	106.96	104.30
38	A1	1815	C	C5-C6-N1	5.32	123.66	121.00
38	A1	1918	U	C4'-C3'-C2'	-5.32	97.28	102.60
38	A1	2113	G	C6-N1-C2	5.32	128.29	125.10
38	A1	2255	C	O3'-P-O5'	-5.32	93.90	104.00
38	A1	2415	C	N3-C2-O2	5.32	125.62	121.90
38	A1	2950	G	C5-C6-N1	-5.32	108.84	111.50
45	AC	242	ARG	NE-CZ-NH1	5.32	122.96	120.30
46	AD	66	SER	N-CA-CB	5.32	118.48	110.50
10	B1	15	G	N3-C2-N2	5.32	123.62	119.90
11	B2	10	G	P-O5'-C5'	-5.32	112.39	120.90
11	B2	396	C	C6-N1-C2	5.32	122.43	120.30
11	B2	652	C	C4-C5-C6	5.32	120.06	117.40
11	B2	1300	A	N7-C8-N9	5.32	116.46	113.80
38	A1	208	A	C4-C5-C6	5.32	119.66	117.00
38	A1	1086	U	C5-C4-O4	5.32	129.09	125.90
38	A1	1336	G	P-O5'-C5'	-5.32	112.40	120.90
38	A1	1573	A	C5-N7-C8	5.32	106.56	103.90
38	A1	1806	C	C5-C6-N1	5.32	123.66	121.00
38	A1	1813	A	C5-N7-C8	5.32	106.56	103.90
38	A1	1931	G	C4'-C3'-C2'	-5.32	97.28	102.60
38	A1	1975	C	N1-C2-N3	5.32	122.92	119.20
38	A1	2326	C	C2-N1-C1'	5.32	124.65	118.80
38	A1	2835	A	P-O3'-C3'	-5.32	113.32	119.70
45	AC	314	TYR	CG-CD1-CE1	-5.32	117.05	121.30
11	B2	1146	G	C3'-C2'-C1'	5.31	105.75	101.50
38	A1	703	G	O4'-C1'-N9	5.31	112.45	108.20
38	A1	1308	G	O4'-C4'-C3'	-5.31	98.69	104.00
38	A1	1735	G	O4'-C1'-N9	5.31	112.45	108.20
38	A1	2073	G	C2-N3-C4	-5.31	109.24	111.90
38	A1	2085	C	C6-N1-C2	-5.31	118.17	120.30
38	A1	2813	G	O4'-C1'-N9	5.31	112.45	108.20
39	A3	50	G	N9-C4-C5	-5.31	103.28	105.40
11	B2	194	C	N1-C2-O2	-5.31	115.71	118.90
11	B2	335	G	C8-N9-C1'	5.31	133.91	127.00
11	B2	753	G	C5'-C4'-C3'	-5.31	107.50	116.00
11	B2	888	A	N7-C8-N9	5.31	116.46	113.80
11	B2	931	C	C4'-C3'-C2'	-5.31	97.29	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1133	C	C2-N3-C4	5.31	122.56	119.90
11	B2	1412	A	C2-N3-C4	5.31	113.26	110.60
14	BB	114	VAL	N-CA-C	-5.31	96.66	111.00
38	A1	387	A	C6-N1-C2	5.31	121.79	118.60
38	A1	492	A	O4'-C1'-N9	5.31	112.45	108.20
38	A1	970	G	C5-N7-C8	-5.31	101.64	104.30
38	A1	1764	G	C4'-C3'-C2'	5.31	107.91	102.60
38	A1	2241	U	P-O5'-C5'	5.31	129.40	120.90
38	A1	2422	G	N9-C4-C5	-5.31	103.28	105.40
38	A1	2551	G	N3-C2-N2	5.31	123.62	119.90
38	A1	2561	G	O3'-P-O5'	5.31	114.09	104.00
38	A1	2644	G	P-O3'-C3'	-5.31	113.33	119.70
39	A3	37	U	C2-N3-C4	5.31	130.19	127.00
8	AW	29	ARG	NE-CZ-NH2	-5.31	117.64	120.30
11	B2	858	A	N3-C4-N9	5.31	131.65	127.40
11	B2	1061	A	C2-N3-C4	-5.31	107.94	110.60
38	A1	462	A	C3'-C2'-C1'	5.31	105.75	101.50
38	A1	1041	U	O4'-C1'-N1	5.31	112.45	108.20
38	A1	1706	G	P-O5'-C5'	-5.31	112.40	120.90
38	A1	1979	G	N3-C4-C5	-5.31	125.94	128.60
38	A1	2605	G	O3'-P-O5'	-5.31	93.91	104.00
38	A1	2704	A	C4-C5-N7	-5.31	108.05	110.70
10	B1	31	G	N1-C6-O6	5.31	123.08	119.90
11	B2	352	A	C8-N9-C4	-5.31	103.68	105.80
11	B2	644	G	C5-C6-O6	-5.31	125.41	128.60
11	B2	887	G	N9-C4-C5	5.31	107.52	105.40
20	BH	29	ARG	NE-CZ-NH1	5.31	122.95	120.30
23	BK	85	ALA	O-C-N	-5.31	114.20	122.70
38	A1	84	A	C3'-C2'-C1'	-5.31	97.25	101.50
38	A1	308	C	C5'-C4'-C3'	5.31	124.50	116.00
38	A1	715	G	P-O5'-C5'	-5.31	112.41	120.90
38	A1	821	U	C6-N1-C2	-5.31	117.81	121.00
38	A1	862	G	O4'-C1'-N9	5.31	112.45	108.20
38	A1	1846	G	N7-C8-N9	5.31	115.75	113.10
38	A1	2081	C	P-O5'-C5'	5.31	129.40	120.90
38	A1	2641	C	C5-C4-N4	-5.31	116.48	120.20
38	A1	2819	C	N1-C1'-C2'	-5.31	106.16	112.00
38	A1	2879	G	C5'-C4'-C3'	-5.31	107.51	116.00
62	AO	21	TYR	CG-CD1-CE1	5.31	125.55	121.30
5	AS	129	TYR	CB-CG-CD2	5.31	124.18	121.00
11	B2	111	G	N1-C6-O6	5.31	123.08	119.90
11	B2	1198	A	N7-C8-N9	-5.31	111.15	113.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	BC	2	ALA	CB-CA-C	-5.31	102.14	110.10
26	BN	25	TRP	CD1-NE1-CE2	-5.31	104.22	109.00
38	A1	231	G	C5-C6-N1	-5.31	108.85	111.50
38	A1	423	G	N9-C4-C5	-5.31	103.28	105.40
38	A1	434	G	C8-N9-C4	-5.31	104.28	106.40
38	A1	1124	G	C2-N3-C4	-5.31	109.25	111.90
38	A1	1506	U	P-O3'-C3'	-5.31	113.33	119.70
38	A1	1583	G	O4'-C1'-N9	5.31	112.45	108.20
38	A1	2996	A	C5-C6-N1	-5.31	115.05	117.70
54	AI	56	ARG	N-CA-CB	5.31	120.15	110.60
11	B2	198	A	OP1-P-O3'	5.31	116.87	105.20
11	B2	396	C	P-O3'-C3'	5.31	126.07	119.70
38	A1	463	A	P-O3'-C3'	5.31	126.07	119.70
38	A1	912	G	C5'-C4'-C3'	-5.31	107.51	116.00
38	A1	1068	U	C5-C6-N1	-5.31	120.05	122.70
38	A1	1146	U	P-O5'-C5'	-5.31	112.41	120.90
38	A1	1591	C	N3-C4-C5	-5.31	119.78	121.90
38	A1	1654	G	C3'-C2'-C1'	-5.31	97.25	101.50
38	A1	1825	G	C4'-C3'-C2'	-5.31	97.29	102.60
38	A1	2282	G	C6-C5-N7	-5.31	127.22	130.40
38	A1	2641	C	C3'-C2'-C1'	5.31	105.75	101.50
38	A1	2660	G	N1-C2-N3	-5.31	120.72	123.90
38	A1	2689	G	C6-N1-C2	5.31	128.28	125.10
38	A1	2719	G	N9-C4-C5	5.31	107.52	105.40
11	B2	131	G	O4'-C1'-N9	5.30	112.44	108.20
11	B2	393	A	N9-C1'-C2'	-5.30	106.17	112.00
11	B2	668	G	C4-C5-C6	5.30	121.98	118.80
11	B2	1174	A	C6-N1-C2	-5.30	115.42	118.60
34	BV	24	TYR	CG-CD1-CE1	-5.30	117.06	121.30
38	A1	426	G	C3'-C2'-C1'	5.30	105.74	101.50
38	A1	514	U	N1-C2-O2	5.30	126.51	122.80
38	A1	830	G	C3'-C2'-C1'	-5.30	97.26	101.50
38	A1	1950	G	C6-N1-C2	-5.30	121.92	125.10
38	A1	2292	A	C2-N3-C4	5.30	113.25	110.60
38	A1	2407	G	C8-N9-C4	-5.30	104.28	106.40
38	A1	2499	U	N3-C4-O4	5.30	123.11	119.40
38	A1	2526	G	C4-C5-N7	-5.30	108.68	110.80
39	A3	43	C	OP1-P-OP2	-5.30	111.64	119.60
62	AO	148	HIS	CA-C-N	-5.30	105.53	117.20
5	AS	37	ARG	NE-CZ-NH2	-5.30	117.65	120.30
11	B2	408	C	N1-C1'-C2'	-5.30	106.17	112.00
38	A1	212	A	N1-C6-N6	5.30	121.78	118.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	565	A	O4'-C1'-N9	5.30	112.44	108.20
38	A1	606	A	N7-C8-N9	5.30	116.45	113.80
38	A1	1071	A	C6-C5-N7	-5.30	128.59	132.30
38	A1	1209	A	C1'-O4'-C4'	-5.30	105.66	109.90
38	A1	2231	G	C4-C5-C6	5.30	121.98	118.80
41	AA	61	LYS	N-CA-CB	5.30	120.14	110.60
60	AM	31	ARG	NE-CZ-NH2	5.30	122.95	120.30
11	B2	276	A	C5-C6-N1	-5.30	115.05	117.70
11	B2	468	G	N3-C4-N9	-5.30	122.82	126.00
11	B2	1254	C	P-O3'-C3'	-5.30	113.34	119.70
14	BB	188	PHE	CD1-CE1-CZ	-5.30	113.74	120.10
19	BG	55	PHE	CB-CG-CD2	-5.30	117.09	120.80
38	A1	210	A	C5-C6-N6	-5.30	119.46	123.70
38	A1	337	G	C6-N1-C2	5.30	128.28	125.10
38	A1	428	A	N1-C6-N6	5.30	121.78	118.60
38	A1	792	A	N1-C2-N3	-5.30	126.65	129.30
38	A1	1016	C	N3-C2-O2	5.30	125.61	121.90
38	A1	1186	G	C4-C5-C6	5.30	121.98	118.80
38	A1	1323	U	N1-C2-O2	5.30	126.51	122.80
38	A1	1569	A	O4'-C1'-N9	5.30	112.44	108.20
38	A1	1787	U	C5-C6-N1	5.30	125.35	122.70
10	B1	8	U	C4-C5-C6	5.30	122.88	119.70
11	B2	281	G	O4'-C1'-N9	5.30	112.44	108.20
11	B2	545	C	C4-C5-C6	5.30	120.05	117.40
11	B2	634	C	C6-N1-C1'	-5.30	114.44	120.80
11	B2	1208	A	C5-C6-N6	-5.30	119.46	123.70
11	B2	1231	G	N3-C4-C5	5.30	131.25	128.60
11	B2	1481	G	C5'-C4'-O4'	5.30	115.46	109.10
29	BQ	101	ARG	NE-CZ-NH1	5.30	122.95	120.30
38	A1	59	U	N3-C4-C5	5.30	117.78	114.60
38	A1	165	G	N3-C4-C5	-5.30	125.95	128.60
38	A1	1092	U	C4'-C3'-C2'	-5.30	97.30	102.60
38	A1	1227	A	C5-C6-N1	-5.30	115.05	117.70
38	A1	2286	U	N1-C2-O2	5.30	126.51	122.80
38	A1	2836	G	C4-C5-N7	5.30	112.92	110.80
46	AD	73	LEU	CB-CA-C	-5.30	100.13	110.20
38	A1	254	A	C5'-C4'-O4'	5.30	115.46	109.10
38	A1	276	G	C5-C6-O6	-5.30	125.42	128.60
38	A1	725	G	C5-C6-N1	-5.30	108.85	111.50
38	A1	1273	C	N1-C2-N3	5.30	122.91	119.20
38	A1	1786	G	O4'-C1'-N9	5.30	112.44	108.20
11	B2	50	C	O5'-P-OP2	5.30	117.06	110.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	875	G	C4-C5-C6	-5.30	115.62	118.80
27	BO	135	PHE	CB-CG-CD2	5.30	124.51	120.80
38	A1	485	G	N3-C2-N2	5.30	123.61	119.90
38	A1	668	G	C5-C6-O6	-5.30	125.42	128.60
38	A1	692	C	C5-C4-N4	-5.30	116.49	120.20
38	A1	851	G	C5'-C4'-O4'	5.30	115.46	109.10
38	A1	955	A	N1-C6-N6	5.30	121.78	118.60
38	A1	1058	A	N1-C2-N3	5.30	131.95	129.30
38	A1	1070	G	C6-C5-N7	-5.30	127.22	130.40
38	A1	1645	U	C4-C5-C6	-5.30	116.52	119.70
64	AR	9	ARG	NE-CZ-NH1	5.30	122.95	120.30
11	B2	1166	G	N3-C2-N2	5.29	123.61	119.90
11	B2	1332	C	C5-C6-N1	5.29	123.65	121.00
38	A1	295	G	C2-N3-C4	5.29	114.55	111.90
38	A1	1370	G	C5'-C4'-O4'	-5.29	102.75	109.10
38	A1	2133	G	C3'-C2'-C1'	5.29	105.74	101.50
39	A3	14	G	O4'-C1'-N9	5.29	112.44	108.20
10	B1	14	A	C3'-C2'-C1'	-5.29	97.27	101.50
11	B2	29	G	N3-C4-C5	5.29	131.25	128.60
11	B2	246	A	N3-C4-C5	-5.29	123.09	126.80
11	B2	645	G	C6-N1-C2	-5.29	121.92	125.10
11	B2	801	A	C5-C6-N1	-5.29	115.05	117.70
11	B2	1490	C	C2-N3-C4	5.29	122.55	119.90
15	BC	67	ARG	NE-CZ-NH1	5.29	122.95	120.30
18	BF	116	TYR	CG-CD1-CE1	-5.29	117.06	121.30
21	BI	17	SER	N-CA-CB	5.29	118.44	110.50
23	BK	76	GLU	N-CA-CB	5.29	120.13	110.60
38	A1	350	A	C6-C5-N7	-5.29	128.59	132.30
38	A1	944	G	C5-N7-C8	5.29	106.95	104.30
38	A1	1083	G	N9-C1'-C2'	-5.29	106.18	112.00
38	A1	2226	G	C5-C6-O6	-5.29	125.42	128.60
38	A1	2316	U	C2-N3-C4	-5.29	123.82	127.00
38	A1	2618	C	N1-C2-O2	-5.29	115.72	118.90
38	A1	2876	G	C2-N3-C4	5.29	114.55	111.90
38	A1	2979	C	C6-N1-C2	-5.29	118.18	120.30
57	Aj	47	TYR	CD1-CE1-CZ	5.29	124.56	119.80
11	B2	69	U	C4'-C3'-C2'	-5.29	97.31	102.60
11	B2	492	G	C6-N1-C2	-5.29	121.92	125.10
11	B2	617	A	N9-C4-C5	5.29	107.92	105.80
11	B2	853	G	C8-N9-C4	-5.29	104.28	106.40
18	BF	136	ARG	NH1-CZ-NH2	-5.29	113.58	119.40
28	BP	53	ARG	NE-CZ-NH1	5.29	122.95	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	330	U	N3-C4-C5	-5.29	111.42	114.60
38	A1	398	U	C5-C6-N1	5.29	125.34	122.70
38	A1	442	G	C6-C5-N7	-5.29	127.22	130.40
38	A1	644	G	C5-C6-N1	-5.29	108.86	111.50
38	A1	1244	C	N3-C2-O2	5.29	125.61	121.90
38	A1	1248	C	C6-N1-C2	5.29	122.42	120.30
38	A1	1416	G	N7-C8-N9	5.29	115.75	113.10
38	A1	1874	G	C4'-C3'-C2'	-5.29	97.31	102.60
38	A1	2191	U	O4'-C1'-N1	5.29	112.43	108.20
38	A1	2331	A	C5-N7-C8	5.29	106.55	103.90
38	A1	2720	U	C6-N1-C2	-5.29	117.83	121.00
39	A3	14	G	N1-C6-O6	5.29	123.08	119.90
47	Ad	49	GLY	N-CA-C	-5.29	99.87	113.10
12	AG	79	TYR	CB-CG-CD2	5.29	124.17	121.00
10	B1	60	A	C3'-C2'-C1'	5.29	105.73	101.50
11	B2	1163	U	C1'-O4'-C4'	5.29	114.13	109.90
38	A1	940	G	C1'-O4'-C4'	5.29	114.13	109.90
38	A1	1298	C	C2-N3-C4	-5.29	117.25	119.90
38	A1	1742	C	C1'-O4'-C4'	-5.29	105.67	109.90
38	A1	2226	G	C5-C6-N1	-5.29	108.86	111.50
39	A3	74	U	C5-C6-N1	-5.29	120.06	122.70
4	AQ	81	ARG	NE-CZ-NH1	-5.29	117.66	120.30
11	B2	31	U	P-O5'-C5'	5.29	129.36	120.90
11	B2	374	G	N9-C4-C5	-5.29	103.28	105.40
11	B2	511	C	C4-C5-C6	5.29	120.04	117.40
11	B2	569	G	N7-C8-N9	-5.29	110.46	113.10
11	B2	898	G	C8-N9-C4	-5.29	104.28	106.40
14	BB	54	VAL	CA-CB-CG1	5.29	118.83	110.90
38	A1	238	C	N3-C4-C5	-5.29	119.78	121.90
38	A1	353	C	C4-C5-C6	5.29	120.04	117.40
38	A1	696	G	C3'-C2'-C1'	5.29	105.73	101.50
38	A1	885	A	N9-C4-C5	5.29	107.92	105.80
38	A1	1075	G	N3-C2-N2	5.29	123.60	119.90
38	A1	1256	G	C2-N3-C4	5.29	114.54	111.90
38	A1	1298	C	C5-C6-N1	5.29	123.64	121.00
38	A1	1634	A	C4'-C3'-C2'	-5.29	97.31	102.60
38	A1	1828	A	C2-N3-C4	5.29	113.24	110.60
38	A1	2031	G	C4-C5-C6	5.29	121.97	118.80
38	A1	2990	G	C4-C5-C6	5.29	121.97	118.80
38	A1	3007	A	C5'-C4'-C3'	5.29	124.46	116.00
38	A1	3040	G	C5-C6-O6	-5.29	125.43	128.60
62	AO	13	ARG	NH1-CZ-NH2	-5.29	113.58	119.40

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	AS	52	ASP	CB-CG-OD1	5.29	123.06	118.30
11	B2	228	G	C6-N1-C2	5.29	128.27	125.10
25	BM	121	ILE	N-CA-C	-5.29	96.72	111.00
38	A1	747	G	C5-N7-C8	5.29	106.94	104.30
38	A1	1197	G	C2-N3-C4	5.29	114.54	111.90
38	A1	1490	G	N3-C2-N2	5.29	123.60	119.90
38	A1	2577	U	O4'-C1'-N1	5.29	112.43	108.20
38	A1	2973	A	N1-C6-N6	5.29	121.77	118.60
11	B2	676	G	C4-C5-N7	5.29	112.91	110.80
11	B2	877	A	N3-C4-N9	5.29	131.63	127.40
11	B2	1060	G	N3-C4-N9	5.29	129.17	126.00
11	B2	1100	G	C6-N1-C2	5.29	128.27	125.10
11	B2	1100	G	OP1-P-OP2	-5.29	111.67	119.60
11	B2	1210	A	N9-C4-C5	5.29	107.91	105.80
11	B2	1303	C	C1'-O4'-C4'	5.29	114.13	109.90
11	B2	1389	G	N3-C4-C5	-5.29	125.96	128.60
21	BI	11	LEU	CB-CG-CD2	5.29	119.99	111.00
29	BQ	49	MET	CG-SD-CE	-5.29	91.74	100.20
38	A1	360	G	C4-C5-N7	-5.29	108.69	110.80
38	A1	437	G	O5'-P-OP2	-5.29	100.94	105.70
38	A1	504	G	C6-C5-N7	-5.29	127.23	130.40
38	A1	568	A	C6-N1-C2	-5.29	115.43	118.60
38	A1	615	A	N7-C8-N9	-5.29	111.16	113.80
38	A1	682	G	O4'-C1'-N9	5.29	112.43	108.20
38	A1	1012	G	N3-C2-N2	5.29	123.60	119.90
38	A1	1391	C	C6-N1-C2	-5.29	118.19	120.30
38	A1	1992	A	C5-C6-N1	-5.29	115.06	117.70
38	A1	2063	U	N3-C2-O2	5.29	125.90	122.20
38	A1	2319	C	N3-C4-N4	5.29	121.70	118.00
38	A1	2628	U	N1-C2-N3	-5.29	111.73	114.90
38	A1	2724	A	C5'-C4'-C3'	-5.29	107.54	116.00
10	B1	20	G	C3'-C2'-C1'	5.28	105.73	101.50
11	B2	142	G	C8-N9-C1'	5.28	133.87	127.00
11	B2	436	A	C5-C6-N6	-5.28	119.47	123.70
11	B2	600	C	C3'-C2'-C1'	-5.28	97.27	101.50
11	B2	868	C	C6-N1-C1'	5.28	127.14	120.80
16	BD	33	TYR	CG-CD2-CE2	-5.28	117.07	121.30
22	BJ	33	SER	O-C-N	-5.28	114.25	122.70
38	A1	232	U	C5-C6-N1	5.28	125.34	122.70
38	A1	264	G	N1-C6-O6	5.28	123.07	119.90
38	A1	447	G	C3'-C2'-C1'	-5.28	97.27	101.50
38	A1	724	G	N7-C8-N9	-5.28	110.46	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1057	C	O4'-C4'-C3'	-5.28	98.72	104.00
38	A1	1459	A	C6-C5-N7	-5.28	128.60	132.30
38	A1	1477	C	N3-C4-C5	-5.28	119.79	121.90
38	A1	2028	G	O4'-C1'-N9	5.28	112.43	108.20
38	A1	2181	G	N3-C2-N2	5.28	123.60	119.90
38	A1	2263	G	C4-C5-N7	-5.28	108.69	110.80
38	A1	2272	G	C5-N7-C8	5.28	106.94	104.30
38	A1	2346	A	C4-C5-N7	-5.28	108.06	110.70
38	A1	2512	C	C4'-C3'-C2'	-5.28	97.32	102.60
38	A1	2569	G	C6-C5-N7	-5.28	127.23	130.40
38	A1	2682	G	C5'-C4'-C3'	-5.28	107.55	116.00
45	AC	38	MET	CG-SD-CE	-5.28	91.75	100.20
52	AH	8	VAL	CG1-CB-CG2	-5.28	102.45	110.90
11	B2	165	U	N3-C4-C5	-5.28	111.43	114.60
11	B2	645	G	O4'-C1'-N9	5.28	112.43	108.20
11	B2	855	C	N3-C4-C5	-5.28	119.79	121.90
38	A1	119	U	O4'-C1'-N1	5.28	112.42	108.20
38	A1	332	A	P-O3'-C3'	5.28	126.04	119.70
38	A1	769	G	C5'-C4'-O4'	5.28	115.44	109.10
38	A1	780	G	C4-C5-N7	5.28	112.91	110.80
38	A1	831	C	N1-C2-O2	5.28	122.07	118.90
38	A1	944	G	N1-C2-N3	-5.28	120.73	123.90
38	A1	2809	G	C4-C5-N7	-5.28	108.69	110.80
38	A1	2963	G	N7-C8-N9	-5.28	110.46	113.10
4	AQ	139	TYR	CB-CG-CD2	-5.28	117.83	121.00
11	B2	173	G	N3-C4-C5	-5.28	125.96	128.60
11	B2	1269	G	N1-C6-O6	5.28	123.07	119.90
37	BY	38	TRP	CG-CD2-CE3	-5.28	129.15	133.90
38	A1	203	G	C2-N3-C4	-5.28	109.26	111.90
38	A1	1076	G	N1-C6-O6	5.28	123.07	119.90
38	A1	1137	G	C4-C5-C6	5.28	121.97	118.80
38	A1	1560	G	N9-C4-C5	-5.28	103.29	105.40
38	A1	1718	C	C4'-C3'-C2'	5.28	107.88	102.60
38	A1	1811	G	N7-C8-N9	5.28	115.74	113.10
38	A1	2034	G	C4'-C3'-C2'	-5.28	97.32	102.60
38	A1	2346	A	C2-N3-C4	5.28	113.24	110.60
38	A1	2509	A	N1-C2-N3	5.28	131.94	129.30
39	A3	91	G	C2-N3-C4	-5.28	109.26	111.90
46	AD	19	PRO	N-CD-CG	5.28	111.12	103.20
2	A8	49	TYR	CD1-CE1-CZ	5.28	124.55	119.80
11	B2	258	A	C5'-C4'-O4'	5.28	115.44	109.10
11	B2	662	C	C2-N1-C1'	5.28	124.61	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	942	A	N1-C2-N3	5.28	131.94	129.30
11	B2	988	A	OP1-P-OP2	-5.28	111.68	119.60
11	B2	1034	G	N3-C4-C5	-5.28	125.96	128.60
11	B2	1141	G	C6-C5-N7	-5.28	127.23	130.40
38	A1	324	C	N1-C2-O2	-5.28	115.73	118.90
38	A1	365	G	N1-C2-N3	-5.28	120.73	123.90
38	A1	1280	C	O4'-C1'-C2'	-5.28	100.52	105.80
38	A1	2176	G	N1-C6-O6	5.28	123.07	119.90
38	A1	2350	G	C4-N9-C1'	5.28	133.36	126.50
38	A1	2565	A	C4'-C3'-C2'	-5.28	97.32	102.60
38	A1	2809	G	C2-N3-C4	-5.28	109.26	111.90
39	A3	34	C	C4-C5-C6	5.28	120.04	117.40
11	B2	196	G	C3'-C2'-C1'	5.28	105.72	101.50
11	B2	228	G	P-O5'-C5'	-5.28	112.45	120.90
11	B2	266	A	C4-C5-N7	-5.28	108.06	110.70
11	B2	340	A	C3'-C2'-C1'	5.28	105.72	101.50
11	B2	592	G	C6-C5-N7	-5.28	127.23	130.40
11	B2	612	C	N3-C4-N4	5.28	121.69	118.00
11	B2	809	C	P-O3'-C3'	5.28	126.03	119.70
11	B2	839	G	C5-C6-N1	-5.28	108.86	111.50
11	B2	1408	C	C3'-C2'-C1'	5.28	105.72	101.50
25	BM	31	THR	N-CA-C	-5.28	96.75	111.00
38	A1	23	G	N9-C4-C5	-5.28	103.29	105.40
38	A1	69	C	C1'-O4'-C4'	5.28	114.12	109.90
38	A1	143	C	O4'-C1'-N1	5.28	112.42	108.20
38	A1	422	G	C6-N1-C2	5.28	128.27	125.10
38	A1	647	G	N1-C2-N2	-5.28	111.45	116.20
38	A1	711	C	C4'-C3'-C2'	-5.28	97.32	102.60
38	A1	966	G	C8-N9-C4	-5.28	104.29	106.40
38	A1	1037	C	O4'-C1'-N1	5.28	112.42	108.20
38	A1	1151	G	C1'-O4'-C4'	-5.28	105.68	109.90
38	A1	1380	G	N3-C2-N2	5.28	123.59	119.90
38	A1	1526	G	N3-C2-N2	5.28	123.59	119.90
38	A1	1676	G	C4-C5-N7	-5.28	108.69	110.80
38	A1	1836	A	N9-C1'-C2'	-5.28	106.20	112.00
38	A1	2007	C	OP1-P-OP2	-5.28	111.69	119.60
38	A1	2427	C	C6-N1-C2	-5.28	118.19	120.30
38	A1	2530	G	N9-C4-C5	-5.28	103.29	105.40
38	A1	2809	G	C1'-O4'-C4'	-5.28	105.68	109.90
11	B2	561	A	C6-C5-N7	-5.28	128.61	132.30
11	B2	593	G	O4'-C4'-C3'	-5.28	98.72	104.00
11	B2	664	G	N7-C8-N9	5.28	115.74	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1010	G	C2-N3-C4	5.28	114.54	111.90
18	BF	207	ASN	CB-CG-OD1	-5.28	111.05	121.60
22	BJ	103	THR	N-CA-C	-5.28	96.76	111.00
38	A1	309	C	O4'-C1'-N1	5.28	112.42	108.20
38	A1	360	G	C5'-C4'-O4'	5.28	115.43	109.10
38	A1	368	U	C1'-O4'-C4'	5.28	114.12	109.90
38	A1	399	C	C2-N3-C4	5.28	122.54	119.90
38	A1	1459	A	C5-C6-N1	-5.28	115.06	117.70
38	A1	1779	C	C5-C4-N4	-5.28	116.51	120.20
38	A1	1826	G	N3-C2-N2	5.28	123.59	119.90
38	A1	2066	C	N3-C4-C5	-5.28	119.79	121.90
38	A1	2155	C	O4'-C1'-N1	5.28	112.42	108.20
38	A1	2538	G	N1-C2-N3	-5.28	120.73	123.90
38	A1	2648	C	C5'-C4'-O4'	5.28	115.43	109.10
38	A1	2819	C	O4'-C1'-N1	5.28	112.42	108.20
38	A1	2888	G	N1-C2-N3	-5.28	120.73	123.90
38	A1	2902	G	N3-C2-N2	5.28	123.59	119.90
38	A1	3022	C	N3-C4-N4	5.28	121.69	118.00
39	A3	46	G	P-O3'-C3'	-5.28	113.37	119.70
58	Ak	201	TYR	CB-CG-CD2	5.28	124.17	121.00
11	B2	841	C	N3-C4-N4	5.27	121.69	118.00
38	A1	671	G	C4-C5-C6	5.27	121.97	118.80
38	A1	1737	A	C5-N7-C8	5.27	106.54	103.90
38	A1	2983	G	N3-C4-C5	5.27	131.24	128.60
11	B2	212	G	C6-N1-C2	5.27	128.26	125.10
11	B2	1211	A	C4-C5-N7	-5.27	108.06	110.70
11	B2	1416	C	C1'-O4'-C4'	-5.27	105.68	109.90
38	A1	194	G	O4'-C1'-N9	5.27	112.42	108.20
38	A1	399	C	N3-C2-O2	5.27	125.59	121.90
38	A1	445	G	C4-C5-N7	5.27	112.91	110.80
38	A1	596	C	C2-N3-C4	-5.27	117.26	119.90
38	A1	778	A	C6-N1-C2	-5.27	115.44	118.60
38	A1	890	G	N9-C4-C5	5.27	107.51	105.40
38	A1	1216	A	P-O3'-C3'	5.27	126.03	119.70
38	A1	1504	C	N1-C2-N3	-5.27	115.51	119.20
38	A1	1609	G	N3-C4-N9	-5.27	122.84	126.00
38	A1	1802	G	N9-C4-C5	5.27	107.51	105.40
38	A1	1818	G	C5-C6-O6	-5.27	125.44	128.60
38	A1	1888	G	C6-C5-N7	-5.27	127.24	130.40
38	A1	2025	A	C4-C5-N7	5.27	113.34	110.70
38	A1	2050	U	N1-C2-N3	-5.27	111.74	114.90
38	A1	2217	C	N3-C2-O2	5.27	125.59	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2296	A	C4'-C3'-C2'	5.27	107.87	102.60
38	A1	2586	A	C5-N7-C8	5.27	106.54	103.90
38	A1	2899	G	C3'-C2'-C1'	5.27	105.72	101.50
38	A1	2902	G	P-O3'-C3'	5.27	126.03	119.70
39	A3	73	U	O4'-C1'-N1	5.27	112.42	108.20
11	B2	43	A	C5'-C4'-O4'	5.27	115.43	109.10
11	B2	307	G	C3'-C2'-C1'	-5.27	97.28	101.50
11	B2	471	G	C2-N3-C4	5.27	114.53	111.90
11	B2	1276	G	C5-C6-O6	-5.27	125.44	128.60
38	A1	98	G	C6-N1-C2	5.27	128.26	125.10
38	A1	117	A	C4-C5-C6	5.27	119.64	117.00
38	A1	695	G	C5-C6-O6	-5.27	125.44	128.60
38	A1	761	U	O4'-C1'-N1	5.27	112.42	108.20
38	A1	1069	A	O4'-C1'-C2'	5.27	112.34	107.60
38	A1	2712	G	OP2-P-O3'	5.27	116.80	105.20
38	A1	2728	U	C3'-C2'-C1'	-5.27	97.28	101.50
9	AX	377	LEU	CB-CG-CD2	5.27	119.96	111.00
10	B1	46	U	C3'-C2'-C1'	-5.27	97.28	101.50
11	B2	170	C	C3'-C2'-C1'	5.27	105.72	101.50
11	B2	550	G	C8-N9-C4	5.27	108.51	106.40
11	B2	781	U	C4-C5-C6	-5.27	116.54	119.70
11	B2	881	G	N7-C8-N9	5.27	115.73	113.10
13	BA	64	VAL	CB-CA-C	-5.27	101.39	111.40
38	A1	544	A	C6-N1-C2	5.27	121.76	118.60
38	A1	649	A	N7-C8-N9	-5.27	111.17	113.80
38	A1	804	C	C5-C4-N4	-5.27	116.51	120.20
38	A1	1124	G	C4-C5-C6	5.27	121.96	118.80
38	A1	1272	A	C3'-C2'-C1'	5.27	105.72	101.50
38	A1	1352	U	N1-C2-N3	-5.27	111.74	114.90
38	A1	1422	G	C4-C5-C6	5.27	121.96	118.80
38	A1	1728	C	C4-C5-C6	5.27	120.03	117.40
38	A1	2031	G	O5'-P-OP1	5.27	117.02	110.70
38	A1	2459	G	N9-C4-C5	5.27	107.51	105.40
38	A1	2955	G	C4-N9-C1'	-5.27	119.65	126.50
44	Ab	42	ARG	NH1-CZ-NH2	-5.27	113.60	119.40
63	AP	13	ARG	NE-CZ-NH1	-5.27	117.67	120.30
67	AZ	17	VAL	CA-CB-CG1	5.27	118.80	110.90
11	B2	299	G	C2-N3-C4	-5.27	109.27	111.90
11	B2	316	C	P-O3'-C3'	5.27	126.02	119.70
11	B2	380	C	N3-C4-N4	5.27	121.69	118.00
11	B2	577	C	N1-C2-O2	5.27	122.06	118.90
11	B2	1420	U	C3'-C2'-C1'	-5.27	97.29	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	149	G	C6-N1-C2	-5.27	121.94	125.10
38	A1	211	A	N3-C4-C5	-5.27	123.11	126.80
38	A1	528	G	N1-C2-N2	5.27	120.94	116.20
38	A1	603	G	N3-C4-N9	-5.27	122.84	126.00
38	A1	758	C	C4'-C3'-C2'	-5.27	97.33	102.60
38	A1	1064	G	N9-C4-C5	5.27	107.51	105.40
38	A1	1404	G	N1-C6-O6	5.27	123.06	119.90
38	A1	1408	G	O4'-C1'-N9	5.27	112.41	108.20
43	AB	180	TYR	CG-CD1-CE1	5.27	125.51	121.30
51	Ag	8	GLU	CB-CG-CD	-5.27	99.97	114.20
11	B2	156	A	C4-C5-C6	5.27	119.63	117.00
11	B2	1452	G	C8-N9-C4	-5.27	104.29	106.40
38	A1	179	A	C5-C6-N6	-5.27	119.49	123.70
38	A1	508	G	N3-C4-C5	5.27	131.23	128.60
38	A1	841	U	C4'-C3'-C2'	-5.27	97.33	102.60
38	A1	1832	G	C8-N9-C4	-5.27	104.29	106.40
38	A1	2063	U	C2-N1-C1'	-5.27	111.38	117.70
38	A1	2071	C	C4'-C3'-C2'	-5.27	97.33	102.60
38	A1	2318	G	N7-C8-N9	-5.27	110.47	113.10
38	A1	2828	G	C5-C6-N1	-5.27	108.87	111.50
38	A1	2887	C	C5-C4-N4	5.27	123.89	120.20
10	B1	38	G	C5'-C4'-O4'	5.26	115.42	109.10
11	B2	529	C	N1-C2-N3	-5.26	115.51	119.20
11	B2	556	G	C4-C5-N7	5.26	112.91	110.80
11	B2	672	G	C5'-C4'-O4'	5.26	115.42	109.10
11	B2	959	G	C6-N1-C2	-5.26	121.94	125.10
11	B2	1241	U	P-O5'-C5'	5.26	129.32	120.90
20	BH	149	ALA	N-CA-CB	5.26	117.47	110.10
38	A1	52	A	N3-C4-C5	-5.26	123.11	126.80
38	A1	1856	G	C6-C5-N7	-5.26	127.24	130.40
38	A1	2176	G	C2-N3-C4	5.26	114.53	111.90
38	A1	2238	G	N9-C4-C5	-5.26	103.29	105.40
41	AA	22	ARG	NE-CZ-NH2	-5.26	117.67	120.30
4	AQ	43	ARG	NH1-CZ-NH2	5.26	125.19	119.40
11	B2	19	G	N7-C8-N9	5.26	115.73	113.10
11	B2	211	G	O4'-C1'-N9	5.26	112.41	108.20
11	B2	1010	G	O4'-C1'-N9	5.26	112.41	108.20
11	B2	1266	A	C6-N1-C2	5.26	121.76	118.60
38	A1	1361	G	N3-C4-N9	5.26	129.16	126.00
38	A1	1714	G	C6-C5-N7	-5.26	127.24	130.40
38	A1	2877	A	O4'-C1'-C2'	-5.26	100.54	105.80
10	B1	60	A	C2-N3-C4	-5.26	107.97	110.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	377	A	C1'-O4'-C4'	5.26	114.11	109.90
11	B2	386	C	C3'-C2'-C1'	5.26	105.71	101.50
11	B2	463	G	N7-C8-N9	5.26	115.73	113.10
11	B2	525	A	O4'-C1'-N9	5.26	112.41	108.20
11	B2	730	G	O4'-C1'-C2'	5.26	112.34	107.60
11	B2	769	A	O4'-C1'-C2'	-5.26	100.54	105.80
32	BT	66	HIS	CB-CA-C	-5.26	99.88	110.40
38	A1	26	G	N3-C2-N2	5.26	123.58	119.90
38	A1	273	G	C4'-C3'-C2'	-5.26	97.34	102.60
38	A1	572	U	N1-C2-O2	5.26	126.48	122.80
38	A1	692	C	N3-C4-N4	5.26	121.68	118.00
38	A1	763	A	N7-C8-N9	-5.26	111.17	113.80
38	A1	1382	C	C5'-C4'-O4'	5.26	115.41	109.10
38	A1	1418	A	P-O3'-C3'	5.26	126.01	119.70
38	A1	2801	G	C4-C5-C6	5.26	121.96	118.80
38	A1	2829	C	O4'-C1'-N1	5.26	112.41	108.20
38	A1	2956	G	N3-C4-C5	-5.26	125.97	128.60
39	A3	33	U	O4'-C4'-C3'	-5.26	98.74	104.00
59	AL	123	VAL	CG1-CB-CG2	5.26	119.32	110.90
11	B2	764	C	N1-C1'-C2'	-5.26	106.22	112.00
11	B2	868	C	C5-C4-N4	-5.26	116.52	120.20
38	A1	238	C	N1-C2-N3	-5.26	115.52	119.20
38	A1	243	G	N3-C4-N9	5.26	129.16	126.00
38	A1	422	G	N7-C8-N9	-5.26	110.47	113.10
38	A1	544	A	C5'-C4'-O4'	5.26	115.41	109.10
38	A1	574	C	C3'-C2'-C1'	5.26	105.71	101.50
38	A1	823	G	N3-C2-N2	5.26	123.58	119.90
38	A1	1158	G	C3'-C2'-C1'	-5.26	97.29	101.50
38	A1	1258	G	N3-C4-C5	5.26	131.23	128.60
38	A1	1293	G	N1-C2-N3	-5.26	120.75	123.90
38	A1	1328	G	N1-C2-N2	-5.26	111.47	116.20
38	A1	1582	G	O4'-C1'-N9	5.26	112.41	108.20
38	A1	1617	G	P-O3'-C3'	-5.26	113.39	119.70
38	A1	1816	C	C5'-C4'-C3'	5.26	124.42	116.00
38	A1	1906	G	C6-C5-N7	-5.26	127.24	130.40
38	A1	1940	U	N3-C4-C5	-5.26	111.44	114.60
38	A1	2287	C	N1-C2-O2	-5.26	115.75	118.90
38	A1	2355	G	C5-N7-C8	-5.26	101.67	104.30
38	A1	2385	G	N1-C6-O6	5.26	123.06	119.90
38	A1	2528	U	N3-C4-O4	5.26	123.08	119.40
11	B2	124	C	C4'-C3'-C2'	-5.26	97.34	102.60
11	B2	949	G	P-O3'-C3'	5.26	126.01	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	986	G	O4'-C1'-N9	5.26	112.41	108.20
11	B2	1022	U	O4'-C1'-C2'	-5.26	100.54	105.80
11	B2	1040	A	C6-N1-C2	-5.26	115.44	118.60
11	B2	1114	G	N1-C2-N2	5.26	120.93	116.20
11	B2	1279	A	C5-C6-N1	-5.26	115.07	117.70
11	B2	1297	G	OP1-P-OP2	-5.26	111.71	119.60
11	B2	1468	A	C5-C6-N6	-5.26	119.49	123.70
38	A1	1961	G	C4-C5-C6	5.26	121.95	118.80
38	A1	1963	G	O5'-P-OP1	5.26	117.01	110.70
38	A1	2656	A	C3'-C2'-C1'	-5.26	97.29	101.50
11	B2	193	G	C6-C5-N7	-5.26	127.25	130.40
11	B2	466	C	N3-C4-N4	5.26	121.68	118.00
11	B2	593	G	N3-C4-C5	-5.26	125.97	128.60
11	B2	607	U	C5'-C4'-O4'	5.26	115.41	109.10
11	B2	971	G	N9-C4-C5	5.26	107.50	105.40
11	B2	975	A	C2-N3-C4	5.26	113.23	110.60
11	B2	1181	G	N1-C6-O6	5.26	123.05	119.90
19	BG	108	ARG	O-C-N	5.26	132.14	123.20
38	A1	374	C	C5-C6-N1	-5.26	118.37	121.00
38	A1	681	C	C4-C5-C6	5.26	120.03	117.40
38	A1	916	A	C5-N7-C8	-5.26	101.27	103.90
38	A1	1091	G	N3-C4-N9	5.26	129.15	126.00
38	A1	1525	G	C5-C6-O6	-5.26	125.45	128.60
38	A1	2018	C	O4'-C1'-N1	5.26	112.41	108.20
38	A1	2199	U	C2-N3-C4	5.26	130.15	127.00
38	A1	2465	A	C2-N3-C4	-5.26	107.97	110.60
38	A1	2665	G	C5'-C4'-C3'	-5.26	107.59	116.00
38	A1	3021	C	C5-C4-N4	-5.26	116.52	120.20
11	B2	610	G	OP2-P-O3'	5.25	116.76	105.20
11	B2	1343	C	C2-N3-C4	5.25	122.53	119.90
11	B2	1366	U	C1'-O4'-C4'	5.25	114.10	109.90
38	A1	589	G	OP1-P-OP2	-5.25	111.72	119.60
38	A1	1174	U	O4'-C1'-N1	5.25	112.40	108.20
38	A1	1395	G	N3-C4-N9	-5.25	122.85	126.00
38	A1	1663	C	C3'-C2'-C1'	-5.25	97.30	101.50
38	A1	2864	G	C4-C5-C6	5.25	121.95	118.80
43	AB	164	GLY	C-N-CA	5.25	133.34	122.30
11	B2	46	A	N1-C6-N6	5.25	121.75	118.60
11	B2	206	C	C2-N1-C1'	-5.25	113.02	118.80
11	B2	442	C	C2-N1-C1'	5.25	124.58	118.80
11	B2	447	A	N1-C6-N6	5.25	121.75	118.60
11	B2	531	G	O4'-C1'-C2'	5.25	112.33	107.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1171	G	C5-C6-O6	-5.25	125.45	128.60
11	B2	1399	G	C5-N7-C8	-5.25	101.67	104.30
38	A1	143	C	O5'-P-OP2	5.25	117.00	110.70
38	A1	603	G	N3-C4-C5	5.25	131.23	128.60
38	A1	780	G	C5-C6-O6	-5.25	125.45	128.60
38	A1	1235	A	C5-C6-N6	-5.25	119.50	123.70
38	A1	1455	U	N1-C2-O2	5.25	126.48	122.80
38	A1	1681	G	C6-C5-N7	-5.25	127.25	130.40
38	A1	2031	G	N3-C2-N2	5.25	123.58	119.90
38	A1	2106	G	N1-C2-N3	-5.25	120.75	123.90
38	A1	2230	G	O4'-C1'-N9	5.25	112.40	108.20
39	A3	89	G	C6-C5-N7	-5.25	127.25	130.40
66	AY	94	GLU	CB-CA-C	-5.25	99.89	110.40
3	Af	47	THR	N-CA-CB	5.25	120.28	110.30
10	B1	47	G	C5-C6-N1	5.25	114.13	111.50
11	B2	63	G	N3-C2-N2	5.25	123.58	119.90
38	A1	339	A	C1'-O4'-C4'	-5.25	105.70	109.90
38	A1	371	U	O4'-C1'-C2'	-5.25	100.55	105.80
38	A1	684	G	C4-C5-N7	-5.25	108.70	110.80
38	A1	1076	G	N3-C4-C5	-5.25	125.97	128.60
38	A1	1246	G	N3-C2-N2	5.25	123.58	119.90
38	A1	1264	G	C4-C5-N7	-5.25	108.70	110.80
38	A1	1636	C	C2-N3-C4	5.25	122.53	119.90
38	A1	2039	U	N1-C2-N3	-5.25	111.75	114.90
38	A1	2092	G	C4-C5-C6	5.25	121.95	118.80
38	A1	2098	C	C3'-C2'-C1'	5.25	105.70	101.50
38	A1	2169	C	P-O3'-C3'	5.25	126.00	119.70
43	AB	188	PHE	CB-CG-CD1	-5.25	117.12	120.80
45	AC	86	TYR	CG-CD2-CE2	5.25	125.50	121.30
66	AY	40	THR	N-CA-C	-5.25	96.82	111.00
11	B2	347	G	N3-C4-N9	5.25	129.15	126.00
11	B2	1007	A	C4'-C3'-C2'	-5.25	97.35	102.60
11	B2	1036	G	C4-C5-C6	5.25	121.95	118.80
11	B2	1269	G	O5'-P-OP2	-5.25	100.97	105.70
23	BK	25	ARG	CD-NE-CZ	5.25	130.95	123.60
38	A1	36	G	C4-C5-N7	-5.25	108.70	110.80
38	A1	506	G	N7-C8-N9	5.25	115.72	113.10
38	A1	762	G	C2-N3-C4	-5.25	109.28	111.90
38	A1	1033	C	N3-C4-N4	5.25	121.67	118.00
38	A1	1195	G	C3'-C2'-C1'	-5.25	97.30	101.50
38	A1	2246	G	P-O5'-C5'	5.25	129.30	120.90
38	A1	2246	G	N3-C4-N9	-5.25	122.85	126.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	201	G	P-O5'-C5'	-5.25	112.50	120.90
11	B2	334	G	N1-C2-N3	-5.25	120.75	123.90
11	B2	394	C	C5'-C4'-C3'	5.25	124.40	116.00
11	B2	1137	G	N9-C1'-C2'	-5.25	106.23	112.00
11	B2	1138	G	C2-N3-C4	5.25	114.52	111.90
11	B2	1217	C	C1'-O4'-C4'	5.25	114.10	109.90
11	B2	1466	G	C5-N7-C8	-5.25	101.68	104.30
18	BF	38	PHE	CB-CG-CD2	5.25	124.47	120.80
38	A1	188	A	P-O3'-C3'	-5.25	113.40	119.70
38	A1	445	G	C2-N3-C4	-5.25	109.28	111.90
38	A1	1076	G	C4'-C3'-C2'	-5.25	97.35	102.60
38	A1	1153	U	N3-C2-O2	5.25	125.88	122.20
38	A1	1161	A	C4'-C3'-C2'	-5.25	97.35	102.60
38	A1	1445	G	C4-C5-C6	5.25	121.95	118.80
38	A1	2119	C	N3-C4-N4	5.25	121.67	118.00
38	A1	2133	G	N1-C6-O6	5.25	123.05	119.90
38	A1	2465	A	C8-N9-C4	5.25	107.90	105.80
38	A1	2637	U	C5-C6-N1	-5.25	120.08	122.70
38	A1	2947	G	N3-C4-C5	5.25	131.22	128.60
62	AO	21	TYR	CD1-CE1-CZ	-5.25	115.08	119.80
11	B2	345	G	N3-C4-C5	5.25	131.22	128.60
11	B2	449	U	C2-N3-C4	-5.25	123.85	127.00
11	B2	550	G	N1-C2-N3	-5.25	120.75	123.90
11	B2	898	G	P-O3'-C3'	-5.25	113.40	119.70
11	B2	1032	A	N3-C4-C5	-5.25	123.13	126.80
38	A1	1207	G	N1-C2-N2	-5.25	111.48	116.20
38	A1	1578	C	O4'-C1'-C2'	-5.25	100.55	105.80
38	A1	1786	G	C3'-C2'-C1'	-5.25	97.30	101.50
38	A1	2198	U	C4-C5-C6	5.25	122.85	119.70
38	A1	2243	G	N3-C2-N2	5.25	123.57	119.90
38	A1	2251	G	N3-C4-C5	5.25	131.22	128.60
38	A1	2756	G	C6-N1-C2	5.25	128.25	125.10
39	A3	106	G	C1'-O4'-C4'	-5.25	105.70	109.90
51	Ag	45	GLU	CA-C-N	5.25	131.79	117.10
11	B2	226	G	C1'-O4'-C4'	5.25	114.10	109.90
11	B2	637	G	N3-C4-C5	-5.25	125.98	128.60
11	B2	692	G	O4'-C1'-N9	5.25	112.40	108.20
11	B2	1470	G	O4'-C1'-N9	5.25	112.40	108.20
38	A1	239	G	N1-C2-N3	-5.25	120.75	123.90
38	A1	1048	C	C5'-C4'-O4'	-5.25	102.81	109.10
38	A1	1380	G	P-O3'-C3'	-5.25	113.41	119.70
38	A1	1642	G	C8-N9-C4	5.25	108.50	106.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1701	C	N3-C4-C5	-5.25	119.80	121.90
38	A1	2757	G	C8-N9-C4	-5.25	104.30	106.40
57	Aj	67	LEU	CB-CG-CD2	5.25	119.92	111.00
61	AN	52	ALA	CB-CA-C	-5.25	102.23	110.10
11	B2	9	U	N3-C2-O2	-5.24	118.53	122.20
11	B2	232	G	N1-C2-N2	-5.24	111.48	116.20
11	B2	297	G	C4-C5-N7	5.24	112.90	110.80
11	B2	454	G	C8-N9-C4	5.24	108.50	106.40
11	B2	747	U	C2'-C3'-O3'	5.24	122.09	113.70
11	B2	875	G	O4'-C1'-N9	5.24	112.39	108.20
11	B2	1103	G	C6-C5-N7	-5.24	127.25	130.40
11	B2	1285	C	N3-C4-N4	5.24	121.67	118.00
11	B2	1420	U	C5-C4-O4	-5.24	122.75	125.90
11	B2	1465	C	C5'-C4'-O4'	5.24	115.39	109.10
14	BB	100	THR	CA-CB-CG2	-5.24	105.06	112.40
26	BN	127	VAL	CA-CB-CG2	-5.24	103.04	110.90
38	A1	34	C	C5-C4-N4	-5.24	116.53	120.20
38	A1	210	A	C8-N9-C4	5.24	107.90	105.80
38	A1	259	A	C6-N1-C2	-5.24	115.45	118.60
38	A1	427	G	N7-C8-N9	-5.24	110.48	113.10
38	A1	447	G	C6-C5-N7	-5.24	127.25	130.40
38	A1	1310	A	N3-C4-C5	-5.24	123.13	126.80
38	A1	1761	C	C2-N3-C4	5.24	122.52	119.90
38	A1	1826	G	N1-C6-O6	5.24	123.05	119.90
38	A1	1968	A	C8-N9-C4	-5.24	103.70	105.80
38	A1	2168	C	C1'-O4'-C4'	5.24	114.09	109.90
38	A1	2344	G	C1'-O4'-C4'	-5.24	105.70	109.90
43	AB	179	TYR	CD1-CE1-CZ	5.24	124.52	119.80
10	B1	51	G	N3-C4-N9	-5.24	122.86	126.00
18	BF	20	THR	CA-CB-CG2	-5.24	105.06	112.40
38	A1	884	C	N3-C4-C5	-5.24	119.80	121.90
38	A1	1063	C	C2-N3-C4	5.24	122.52	119.90
38	A1	1158	G	N1-C2-N2	-5.24	111.48	116.20
38	A1	1960	U	N3-C4-O4	5.24	123.07	119.40
38	A1	2698	G	C8-N9-C4	5.24	108.50	106.40
38	A1	2999	G	C5-C6-O6	-5.24	125.45	128.60
41	AA	115	PRO	N-CA-CB	5.24	109.59	103.30
11	B2	270	A	N3-C4-C5	-5.24	123.13	126.80
11	B2	1116	G	C4-C5-C6	5.24	121.94	118.80
11	B2	1380	C	P-O5'-C5'	-5.24	112.52	120.90
15	BC	13	ARG	NE-CZ-NH1	-5.24	117.68	120.30
29	BQ	103	VAL	CA-CB-CG2	-5.24	103.04	110.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	303	A	C5-C6-N6	-5.24	119.51	123.70
38	A1	904	G	C4'-C3'-C2'	-5.24	97.36	102.60
38	A1	1138	C	C4'-C3'-C2'	-5.24	97.36	102.60
38	A1	1254	C	O4'-C1'-C2'	-5.24	100.56	105.80
38	A1	2082	C	N1-C2-N3	-5.24	115.53	119.20
38	A1	2264	G	O4'-C1'-C2'	5.24	112.32	107.60
38	A1	2270	G	O4'-C1'-N9	5.24	112.39	108.20
38	A1	2509	A	C4-C5-C6	5.24	119.62	117.00
39	A3	91	G	N3-C4-N9	-5.24	122.86	126.00
39	A3	95	G	C6-C5-N7	-5.24	127.26	130.40
10	B1	6	G	C5'-C4'-C3'	5.24	124.38	116.00
10	B1	22	A	C4-C5-N7	-5.24	108.08	110.70
10	B1	57	C	P-O5'-C5'	5.24	129.28	120.90
11	B2	852	G	O4'-C4'-C3'	-5.24	98.76	104.00
11	B2	1188	C	N3-C4-C5	-5.24	119.81	121.90
17	BE	83	PHE	CB-CG-CD2	-5.24	117.13	120.80
18	BF	40	ARG	NE-CZ-NH2	-5.24	117.68	120.30
19	BG	102	ARG	NE-CZ-NH2	5.24	122.92	120.30
20	BH	163	ARG	NH1-CZ-NH2	-5.24	113.64	119.40
32	BT	66	HIS	N-CA-CB	5.24	120.03	110.60
38	A1	37	C	C6-N1-C2	-5.24	118.20	120.30
38	A1	114	C	C6-N1-C2	-5.24	118.20	120.30
38	A1	240	A	C5'-C4'-C3'	5.24	124.38	116.00
38	A1	718	G	C4-C5-C6	5.24	121.94	118.80
38	A1	994	G	C6-N1-C2	5.24	128.24	125.10
38	A1	1299	C	N1-C1'-C2'	-5.24	106.24	112.00
38	A1	1627	G	N3-C2-N2	5.24	123.57	119.90
38	A1	2193	G	C3'-C2'-C1'	-5.24	97.31	101.50
38	A1	2457	C	N1-C2-O2	-5.24	115.76	118.90
38	A1	2510	A	OP1-P-OP2	-5.24	111.74	119.60
38	A1	2765	C	N3-C4-N4	5.24	121.67	118.00
38	A1	2887	C	N3-C4-C5	-5.24	119.81	121.90
39	A3	46	G	N1-C2-N2	5.24	120.91	116.20
51	Ag	45	GLU	OE1-CD-OE2	5.24	129.59	123.30
11	B2	19	G	O4'-C1'-N9	5.24	112.39	108.20
11	B2	342	G	N7-C8-N9	-5.24	110.48	113.10
38	A1	626	C	N1-C1'-C2'	-5.24	106.24	112.00
38	A1	1128	G	N3-C2-N2	5.24	123.57	119.90
38	A1	2061	A	N3-C4-N9	5.24	131.59	127.40
38	A1	2381	A	C8-N9-C1'	-5.24	118.27	127.70
38	A1	2730	U	C4-C5-C6	5.24	122.84	119.70
60	AM	53	TYR	CB-CG-CD1	5.24	124.14	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	B1	18	U	C4'-C3'-C2'	5.24	107.83	102.60
11	B2	315	A	N3-C4-N9	5.24	131.59	127.40
11	B2	466	C	C6-N1-C2	-5.24	118.21	120.30
11	B2	883	G	N3-C2-N2	5.24	123.56	119.90
11	B2	1404	C	O5'-C5'-C4'	-5.24	101.75	111.70
19	BG	119	VAL	N-CA-C	-5.24	96.86	111.00
38	A1	604	A	C5-N7-C8	5.24	106.52	103.90
38	A1	662	A	C8-N9-C4	-5.24	103.71	105.80
38	A1	1193	G	C6-C5-N7	-5.24	127.26	130.40
38	A1	2152	G	N3-C4-C5	-5.24	125.98	128.60
38	A1	2245	C	N1-C2-O2	5.24	122.04	118.90
38	A1	2809	G	C4'-C3'-C2'	-5.24	97.36	102.60
38	A1	2978	G	C5-N7-C8	5.24	106.92	104.30
11	B2	297	G	C6-C5-N7	-5.23	127.26	130.40
11	B2	925	U	N3-C2-O2	5.23	125.86	122.20
38	A1	1126	C	C5'-C4'-C3'	-5.23	107.63	116.00
38	A1	1171	G	N9-C4-C5	5.23	107.49	105.40
38	A1	2138	A	N1-C2-N3	-5.23	126.68	129.30
38	A1	2288	C	N1-C2-O2	5.23	122.04	118.90
4	AQ	31	ASP	CB-CG-OD2	5.23	123.01	118.30
4	AQ	126	ARG	NH1-CZ-NH2	-5.23	113.64	119.40
11	B2	762	G	C4-N9-C1'	-5.23	119.70	126.50
11	B2	1158	G	C2-N3-C4	-5.23	109.28	111.90
11	B2	1440	G	C2-N3-C4	5.23	114.52	111.90
38	A1	600	A	C5-C6-N6	-5.23	119.51	123.70
38	A1	871	G	N7-C8-N9	5.23	115.72	113.10
38	A1	1112	G	C3'-C2'-C1'	-5.23	97.31	101.50
38	A1	1331	U	OP2-P-O3'	5.23	116.71	105.20
38	A1	1696	G	N3-C4-C5	-5.23	125.98	128.60
38	A1	2292	A	C8-N9-C4	5.23	107.89	105.80
38	A1	2322	A	C1'-O4'-C4'	5.23	114.09	109.90
42	Aa	11	PHE	CB-CG-CD2	5.23	124.46	120.80
45	AC	41	PHE	CB-CG-CD2	5.23	124.46	120.80
48	AE	124	PRO	N-CD-CG	5.23	111.05	103.20
57	Aj	82	ARG	NE-CZ-NH1	5.23	122.92	120.30
60	AM	133	VAL	CA-CB-CG1	5.23	118.75	110.90
11	B2	42	G	C4-C5-N7	5.23	112.89	110.80
11	B2	709	G	C8-N9-C4	5.23	108.49	106.40
11	B2	897	A	C4-C5-C6	5.23	119.61	117.00
11	B2	918	A	C8-N9-C4	-5.23	103.71	105.80
11	B2	1141	G	N1-C6-O6	5.23	123.04	119.90
11	B2	1434	C	P-O3'-C3'	5.23	125.98	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	177	G	C1'-O4'-C4'	-5.23	105.72	109.90
38	A1	508	G	N3-C4-N9	-5.23	122.86	126.00
38	A1	713	C	C2-N3-C4	-5.23	117.28	119.90
38	A1	1091	G	C5-N7-C8	-5.23	101.69	104.30
38	A1	1451	A	N1-C6-N6	5.23	121.74	118.60
38	A1	1490	G	C6-C5-N7	-5.23	127.26	130.40
38	A1	1932	G	N3-C4-C5	5.23	131.22	128.60
38	A1	2087	U	P-O5'-C5'	5.23	129.27	120.90
38	A1	2277	G	C5-N7-C8	-5.23	101.69	104.30
38	A1	2545	A	N3-C4-N9	5.23	131.58	127.40
38	A1	2559	G	C2-N3-C4	5.23	114.52	111.90
38	A1	2560	G	N1-C2-N2	5.23	120.91	116.20
38	A1	2852	U	OP1-P-OP2	-5.23	111.75	119.60
39	A3	23	A	C5-C6-N1	-5.23	115.08	117.70
39	A3	27	C	N3-C4-N4	5.23	121.66	118.00
11	B2	208	U	N3-C2-O2	5.23	125.86	122.20
20	BH	135	ASP	CB-CG-OD1	-5.23	113.59	118.30
38	A1	919	G	C5-C6-N1	-5.23	108.89	111.50
38	A1	957	C	C4-C5-C6	5.23	120.02	117.40
38	A1	1121	C	C5-C6-N1	5.23	123.61	121.00
38	A1	2506	G	O3'-P-O5'	-5.23	94.06	104.00
38	A1	2693	G	C4'-C3'-C2'	-5.23	97.37	102.60
38	A1	2731	C	C5-C6-N1	-5.23	118.39	121.00
38	A1	2821	G	N1-C2-N3	-5.23	120.76	123.90
39	A3	12	G	P-O5'-C5'	-5.23	112.53	120.90
6	AT	56	THR	CA-CB-CG2	-5.23	105.08	112.40
10	B1	45	G	C8-N9-C1'	-5.23	120.20	127.00
11	B2	10	G	C4-C5-N7	5.23	112.89	110.80
11	B2	11	A	C4-C5-C6	5.23	119.61	117.00
11	B2	38	G	C5-C6-N1	-5.23	108.89	111.50
11	B2	175	G	N1-C6-O6	5.23	123.04	119.90
11	B2	294	A	C4-C5-C6	5.23	119.61	117.00
11	B2	488	A	P-O3'-C3'	-5.23	113.43	119.70
11	B2	1230	G	OP1-P-OP2	-5.23	111.76	119.60
38	A1	438	G	C6-N1-C2	-5.23	121.96	125.10
38	A1	494	C	O4'-C1'-N1	5.23	112.38	108.20
38	A1	551	A	C4'-C3'-C2'	-5.23	97.37	102.60
38	A1	700	A	C8-N9-C4	5.23	107.89	105.80
38	A1	904	G	C5'-C4'-C3'	-5.23	107.64	116.00
38	A1	1477	C	C5-C4-N4	-5.23	116.54	120.20
38	A1	1769	G	C5-N7-C8	5.23	106.91	104.30
38	A1	1822	G	N1-C2-N3	-5.23	120.76	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2508	G	O4'-C1'-N9	5.23	112.38	108.20
38	A1	2656	A	N3-C4-N9	5.23	131.58	127.40
11	B2	178	C	P-O5'-C5'	-5.23	112.54	120.90
11	B2	368	C	C5-C6-N1	5.23	123.61	121.00
11	B2	516	A	C4-N9-C1'	5.23	135.71	126.30
11	B2	627	G	N7-C8-N9	-5.23	110.49	113.10
11	B2	1099	A	C4'-C3'-C2'	-5.23	97.37	102.60
38	A1	275	C	N3-C4-N4	5.23	121.66	118.00
38	A1	440	A	C5'-C4'-O4'	-5.23	102.83	109.10
38	A1	482	A	C2-N3-C4	-5.23	107.99	110.60
38	A1	732	G	C5-C6-O6	-5.23	125.46	128.60
38	A1	1269	U	O4'-C1'-N1	5.23	112.38	108.20
38	A1	1466	U	N3-C2-O2	-5.23	118.54	122.20
38	A1	1501	G	O4'-C1'-N9	5.23	112.38	108.20
38	A1	1873	G	C4-C5-N7	5.23	112.89	110.80
38	A1	2571	G	C4'-C3'-C2'	-5.23	97.37	102.60
38	A1	2799	C	C6-N1-C1'	-5.23	114.53	120.80
5	AS	128	TRP	N-CA-CB	5.22	120.00	110.60
11	B2	394	C	P-O5'-C5'	5.22	129.26	120.90
11	B2	1131	G	OP2-P-O3'	5.22	116.70	105.20
11	B2	1389	G	C5-C6-N1	-5.22	108.89	111.50
38	A1	136	U	C6-N1-C1'	-5.22	113.89	121.20
38	A1	333	A	N3-C4-C5	-5.22	123.14	126.80
38	A1	365	G	C4-N9-C1'	-5.22	119.71	126.50
38	A1	731	C	C2-N3-C4	-5.22	117.29	119.90
38	A1	953	G	C4-C5-N7	-5.22	108.71	110.80
38	A1	1131	G	N1-C6-O6	5.22	123.03	119.90
38	A1	1173	G	C4-C5-C6	5.22	121.94	118.80
38	A1	1345	G	N3-C4-C5	5.22	131.21	128.60
38	A1	1805	U	C5-C4-O4	5.22	129.03	125.90
38	A1	1886	C	C6-N1-C1'	-5.22	114.53	120.80
38	A1	2895	G	C5-C6-N1	-5.22	108.89	111.50
11	B2	36	G	C2-N3-C4	-5.22	109.29	111.90
11	B2	286	G	C8-N9-C4	5.22	108.49	106.40
11	B2	604	C	C4-C5-C6	5.22	120.01	117.40
11	B2	977	G	C6-N1-C2	5.22	128.23	125.10
38	A1	82	C	O3'-P-O5'	5.22	113.92	104.00
38	A1	581	A	C2-N3-C4	-5.22	107.99	110.60
38	A1	623	G	C4-C5-C6	5.22	121.93	118.80
38	A1	929	G	OP1-P-OP2	-5.22	111.77	119.60
38	A1	1708	U	C5'-C4'-O4'	5.22	115.37	109.10
38	A1	1714	G	C1'-O4'-C4'	5.22	114.08	109.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2062	A	N3-C4-N9	-5.22	123.22	127.40
38	A1	2598	C	N1-C2-N3	-5.22	115.55	119.20
38	A1	2650	G	C5'-C4'-C3'	-5.22	107.64	116.00
38	A1	2768	C	C5-C4-N4	-5.22	116.55	120.20
39	A3	17	G	P-O5'-C5'	-5.22	112.54	120.90
44	Ab	31	TYR	CB-CG-CD1	5.22	124.13	121.00
11	B2	217	C	O4'-C1'-N1	5.22	112.38	108.20
11	B2	255	G	N9-C4-C5	-5.22	103.31	105.40
11	B2	773	A	C2-N3-C4	5.22	113.21	110.60
38	A1	659	U	N3-C2-O2	5.22	125.86	122.20
38	A1	674	G	C5-C6-N1	-5.22	108.89	111.50
38	A1	852	A	N7-C8-N9	5.22	116.41	113.80
38	A1	1032	C	N3-C4-C5	-5.22	119.81	121.90
38	A1	2512	C	P-O5'-C5'	-5.22	112.55	120.90
38	A1	2970	U	C6-N1-C1'	-5.22	113.89	121.20
4	AQ	87	ALA	CB-CA-C	-5.22	102.27	110.10
11	B2	312	U	C4-C5-C6	-5.22	116.57	119.70
11	B2	430	G	O4'-C1'-N9	5.22	112.38	108.20
11	B2	598	U	C5'-C4'-O4'	-5.22	102.84	109.10
11	B2	836	G	C6-N1-C2	5.22	128.23	125.10
11	B2	1462	A	C5'-C4'-C3'	-5.22	107.65	116.00
38	A1	328	G	C5'-C4'-C3'	-5.22	107.65	116.00
38	A1	330	U	P-O5'-C5'	5.22	129.25	120.90
38	A1	356	C	C4'-C3'-C2'	-5.22	97.38	102.60
38	A1	435	G	C4-C5-N7	-5.22	108.71	110.80
38	A1	623	G	O4'-C1'-N9	5.22	112.38	108.20
38	A1	668	G	O4'-C4'-C3'	-5.22	98.78	104.00
38	A1	1556	G	C6-N1-C2	-5.22	121.97	125.10
38	A1	1653	U	C5-C6-N1	5.22	125.31	122.70
38	A1	1881	A	N9-C1'-C2'	-5.22	106.26	112.00
38	A1	1896	U	O4'-C1'-N1	5.22	112.38	108.20
38	A1	1978	A	N1-C6-N6	5.22	121.73	118.60
38	A1	2832	G	N1-C2-N3	-5.22	120.77	123.90
38	A1	2952	C	OP1-P-OP2	-5.22	111.77	119.60
38	A1	2981	G	O4'-C1'-N9	5.22	112.38	108.20
38	A1	2988	A	N9-C4-C5	5.22	107.89	105.80
59	AL	113	LEU	CB-CG-CD2	5.22	119.87	111.00
11	B2	500	A	N3-C4-N9	-5.22	123.23	127.40
11	B2	990	G	N1-C6-O6	5.22	123.03	119.90
38	A1	67	U	C4-C5-C6	-5.22	116.57	119.70
38	A1	169	G	C5-C6-N1	-5.22	108.89	111.50
38	A1	233	A	C4'-C3'-C2'	-5.22	97.38	102.60

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	940	G	P-O3'-C3'	5.22	125.96	119.70
38	A1	1533	G	C8-N9-C1'	5.22	133.78	127.00
38	A1	1848	A	P-O5'-C5'	-5.22	112.55	120.90
38	A1	2367	C	C4-C5-C6	5.22	120.01	117.40
38	A1	2744	U	O4'-C1'-N1	5.22	112.37	108.20
38	A1	2776	A	N9-C4-C5	-5.22	103.71	105.80
1	A7	66	LYS	N-CA-CB	5.22	119.99	110.60
3	Af	3	ARG	NE-CZ-NH2	-5.22	117.69	120.30
9	AX	277	TYR	CB-CG-CD1	-5.22	117.87	121.00
11	B2	268	C	C5-C6-N1	5.22	123.61	121.00
11	B2	855	C	N1-C2-O2	5.22	122.03	118.90
11	B2	904	G	N3-C2-N2	5.22	123.55	119.90
11	B2	961	U	C5'-C4'-O4'	5.22	115.36	109.10
11	B2	1127	A	C4'-C3'-C2'	5.22	107.82	102.60
11	B2	1235	A	C8-N9-C4	-5.22	103.71	105.80
11	B2	1415	U	O4'-C1'-N1	5.22	112.37	108.20
27	BO	129	GLN	CB-CA-C	5.22	120.83	110.40
38	A1	548	U	C4-C5-C6	-5.22	116.57	119.70
38	A1	901	C	N3-C4-C5	-5.22	119.81	121.90
38	A1	1280	C	O4'-C1'-N1	5.22	112.37	108.20
38	A1	1565	G	N3-C4-N9	5.22	129.13	126.00
38	A1	1863	G	C4-C5-C6	-5.22	115.67	118.80
38	A1	2099	G	N9-C4-C5	-5.22	103.31	105.40
39	A3	105	G	N3-C2-N2	5.22	123.55	119.90
45	AC	266	TRP	CE2-CD2-CG	-5.22	103.13	107.30
64	AR	57	ARG	CB-CA-C	-5.22	99.97	110.40
4	AQ	139	TYR	CB-CG-CD1	5.21	124.13	121.00
11	B2	74	U	P-O3'-C3'	5.21	125.96	119.70
11	B2	602	G	O4'-C4'-C3'	-5.21	98.79	104.00
11	B2	731	A	N9-C4-C5	-5.21	103.71	105.80
11	B2	1102	A	N1-C2-N3	5.21	131.91	129.30
11	B2	1330	G	C2-N3-C4	-5.21	109.29	111.90
11	B2	1433	C	N3-C2-O2	5.21	125.55	121.90
31	BS	4	ILE	CB-CA-C	5.21	122.03	111.60
36	BX	11	VAL	CA-CB-CG2	5.21	118.72	110.90
38	A1	54	G	N9-C4-C5	-5.21	103.31	105.40
38	A1	546	C	N1-C1'-C2'	-5.21	106.26	112.00
38	A1	854	G	N1-C2-N2	5.21	120.89	116.20
38	A1	1336	G	N9-C1'-C2'	-5.21	106.26	112.00
38	A1	1720	G	OP1-P-OP2	-5.21	111.78	119.60
38	A1	2271	G	N3-C4-C5	-5.21	125.99	128.60
42	Aa	10	ILE	N-CA-C	-5.21	96.92	111.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	331	C	C5'-C4'-C3'	5.21	124.34	116.00
14	BB	174	GLU	OE1-CD-OE2	5.21	129.56	123.30
20	BH	36	TYR	CB-CG-CD1	5.21	124.13	121.00
38	A1	85	G	C5'-C4'-C3'	5.21	124.34	116.00
38	A1	170	A	C8-N9-C4	-5.21	103.72	105.80
38	A1	342	C	N1-C2-N3	-5.21	115.55	119.20
38	A1	590	A	C5'-C4'-C3'	-5.21	107.66	116.00
38	A1	652	G	C6-C5-N7	-5.21	127.27	130.40
38	A1	1444	A	P-O3'-C3'	5.21	125.95	119.70
38	A1	1596	G	C2-N3-C4	5.21	114.51	111.90
38	A1	1601	G	N9-C4-C5	5.21	107.48	105.40
38	A1	2093	A	N3-C4-C5	-5.21	123.15	126.80
39	A3	37	U	N1-C2-N3	-5.21	111.77	114.90
11	B2	193	G	C8-N9-C4	-5.21	104.31	106.40
11	B2	390	G	O4'-C1'-N9	5.21	112.37	108.20
11	B2	1013	G	C6-C5-N7	-5.21	127.27	130.40
38	A1	109	G	C4'-C3'-C2'	-5.21	97.39	102.60
38	A1	123	A	C6-C5-N7	5.21	135.95	132.30
38	A1	256	G	C4'-C3'-C2'	-5.21	97.39	102.60
38	A1	367	G	C4-C5-N7	5.21	112.88	110.80
38	A1	554	C	C4'-C3'-C2'	-5.21	97.39	102.60
38	A1	598	C	O4'-C1'-N1	5.21	112.37	108.20
38	A1	961	C	O3'-P-O5'	-5.21	94.10	104.00
38	A1	963	G	N3-C4-C5	-5.21	125.99	128.60
38	A1	1068	U	C4-C5-C6	5.21	122.83	119.70
38	A1	1398	C	O4'-C1'-N1	5.21	112.37	108.20
38	A1	2184	G	C1'-O4'-C4'	5.21	114.07	109.90
38	A1	2839	A	N3-C4-N9	5.21	131.57	127.40
38	A1	3041	U	C2-N1-C1'	-5.21	111.45	117.70
47	Ad	60	THR	CA-CB-OG1	5.21	119.94	109.00
11	B2	156	A	P-O5'-C5'	-5.21	112.56	120.90
11	B2	357	C	C6-N1-C1'	-5.21	114.55	120.80
11	B2	406	U	N1-C2-O2	-5.21	119.15	122.80
11	B2	494	G	N3-C2-N2	5.21	123.55	119.90
11	B2	1101	G	N3-C2-N2	5.21	123.55	119.90
11	B2	1271	G	N3-C4-C5	5.21	131.21	128.60
13	BA	158	VAL	CA-CB-CG2	-5.21	103.09	110.90
38	A1	605	A	C4-C5-N7	-5.21	108.09	110.70
38	A1	730	C	C4'-C3'-C2'	-5.21	97.39	102.60
38	A1	1345	G	C5-N7-C8	-5.21	101.69	104.30
38	A1	1388	U	N3-C2-O2	5.21	125.85	122.20
38	A1	2673	C	O4'-C4'-C3'	-5.21	98.79	104.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	120	C	O4'-C1'-N1	5.21	112.37	108.20
11	B2	180	G	N1-C2-N2	-5.21	111.51	116.20
11	B2	375	G	P-O5'-C5'	-5.21	112.57	120.90
11	B2	393	A	C5-N7-C8	5.21	106.50	103.90
11	B2	401	U	N3-C4-O4	5.21	123.05	119.40
11	B2	569	G	C5-N7-C8	5.21	106.90	104.30
11	B2	721	A	C5-C6-N1	-5.21	115.10	117.70
11	B2	1199	A	N1-C6-N6	5.21	121.72	118.60
11	B2	1205	G	C4-N9-C1'	-5.21	119.73	126.50
11	B2	1239	A	N9-C4-C5	-5.21	103.72	105.80
11	B2	1261	U	N1-C2-O2	-5.21	119.16	122.80
11	B2	1393	A	O4'-C1'-N9	5.21	112.37	108.20
11	B2	1394	G	O5'-C5'-C4'	-5.21	101.80	111.70
16	BD	83	LEU	N-CA-C	-5.21	96.94	111.00
24	BL	42	THR	CA-CB-CG2	-5.21	105.11	112.40
38	A1	335	C	C6-N1-C2	5.21	122.38	120.30
38	A1	944	G	C5-C6-N1	5.21	114.10	111.50
38	A1	1529	A	C1'-O4'-C4'	-5.21	105.73	109.90
38	A1	1575	G	C6-N1-C2	-5.21	121.97	125.10
38	A1	1736	G	N9-C4-C5	5.21	107.48	105.40
38	A1	1753	G	C4-C5-C6	5.21	121.92	118.80
38	A1	1868	C	C1'-O4'-C4'	5.21	114.07	109.90
38	A1	2321	A	C2-N3-C4	5.21	113.20	110.60
38	A1	2878	A	C4-C5-C6	5.21	119.60	117.00
6	AT	31	ASP	CB-CG-OD1	5.21	122.99	118.30
10	B1	14	A	N9-C4-C5	5.21	107.88	105.80
10	B1	15	G	OP1-P-OP2	-5.21	111.79	119.60
11	B2	234	G	C4-C5-N7	-5.21	108.72	110.80
11	B2	540	G	C2-N3-C4	5.21	114.50	111.90
11	B2	706	G	C5'-C4'-O4'	5.21	115.35	109.10
11	B2	1343	C	N1-C2-O2	-5.21	115.78	118.90
38	A1	175	G	C4-C5-N7	-5.21	108.72	110.80
38	A1	1335	C	C4-C5-C6	5.21	120.00	117.40
38	A1	1831	C	C5-C6-N1	5.21	123.60	121.00
38	A1	1877	C	C6-N1-C2	-5.21	118.22	120.30
38	A1	2201	C	C5'-C4'-O4'	5.21	115.35	109.10
38	A1	2253	G	C5'-C4'-C3'	5.21	124.33	116.00
38	A1	2401	A	C1'-O4'-C4'	5.21	114.06	109.90
39	A3	49	A	C1'-O4'-C4'	-5.21	105.73	109.90
44	Ab	39	LYS	C-N-CA	5.21	134.72	121.70
48	AE	17	ALA	CB-CA-C	5.21	117.91	110.10
62	AO	12	ARG	NE-CZ-NH2	-5.21	117.70	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	2	U	N1-C2-O2	5.21	126.44	122.80
11	B2	875	G	O4'-C4'-C3'	-5.21	98.80	104.00
38	A1	68	G	C4-C5-C6	5.21	121.92	118.80
38	A1	91	G	N9-C4-C5	5.21	107.48	105.40
38	A1	838	A	C1'-O4'-C4'	5.21	114.06	109.90
38	A1	980	G	C4-C5-N7	-5.21	108.72	110.80
38	A1	1611	C	C2-N3-C4	-5.21	117.30	119.90
39	A3	94	G	C5-C6-O6	-5.21	125.48	128.60
11	B2	52	U	N1-C1'-C2'	-5.20	106.28	112.00
11	B2	286	G	C6-C5-N7	-5.20	127.28	130.40
11	B2	655	A	O4'-C1'-N9	5.20	112.36	108.20
11	B2	1429	G	C3'-C2'-C1'	5.20	105.66	101.50
15	BC	112	ALA	CB-CA-C	-5.20	102.29	110.10
38	A1	555	G	C6-N1-C2	5.20	128.22	125.10
38	A1	1086	U	C5-C6-N1	5.20	125.30	122.70
38	A1	1132	U	O3'-P-O5'	-5.20	94.11	104.00
38	A1	1132	U	N3-C2-O2	5.20	125.84	122.20
38	A1	1453	G	N3-C2-N2	5.20	123.54	119.90
38	A1	1934	C	O4'-C1'-N1	5.20	112.36	108.20
38	A1	2196	C	N3-C4-C5	5.20	123.98	121.90
38	A1	2265	C	C4-C5-C6	5.20	120.00	117.40
38	A1	2278	U	P-O5'-C5'	5.20	129.22	120.90
38	A1	2332	G	O5'-P-OP2	-5.20	101.02	105.70
38	A1	2436	A	P-O3'-C3'	5.20	125.94	119.70
38	A1	2580	G	N9-C4-C5	-5.20	103.32	105.40
38	A1	2959	A	N1-C6-N6	5.20	121.72	118.60
11	B2	50	C	P-O5'-C5'	5.20	129.22	120.90
11	B2	303	G	N1-C2-N3	5.20	127.02	123.90
11	B2	553	C	N1-C2-N3	-5.20	115.56	119.20
11	B2	1358	A	O4'-C1'-N9	5.20	112.36	108.20
38	A1	360	G	OP1-P-OP2	-5.20	111.80	119.60
38	A1	929	G	C4-C5-C6	5.20	121.92	118.80
38	A1	1075	G	P-O3'-C3'	-5.20	113.46	119.70
38	A1	1990	U	N3-C4-O4	5.20	123.04	119.40
38	A1	2465	A	O4'-C1'-N9	5.20	112.36	108.20
11	B2	621	G	N3-C4-C5	-5.20	126.00	128.60
11	B2	697	A	P-O3'-C3'	5.20	125.94	119.70
11	B2	1119	U	C5-C6-N1	5.20	125.30	122.70
20	BH	60	ASN	N-CA-CB	5.20	119.96	110.60
25	BM	50	ALA	N-CA-C	-5.20	96.96	111.00
38	A1	238	C	N3-C4-N4	5.20	121.64	118.00
38	A1	621	G	P-O5'-C5'	5.20	129.22	120.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	760	G	C8-N9-C4	-5.20	104.32	106.40
38	A1	1266	A	O4'-C1'-N9	5.20	112.36	108.20
38	A1	1639	G	N1-C2-N3	-5.20	120.78	123.90
38	A1	1649	G	C4-C5-C6	5.20	121.92	118.80
38	A1	1881	A	C5-C6-N1	-5.20	115.10	117.70
38	A1	2653	G	C4-C5-C6	5.20	121.92	118.80
39	A3	115	C	C2-N1-C1'	-5.20	113.08	118.80
41	AA	5	ARG	CD-NE-CZ	5.20	130.88	123.60
48	AE	179	PHE	CG-CD2-CE2	5.20	126.52	120.80
10	B1	61	U	C3'-C2'-C1'	5.20	105.66	101.50
10	B1	75	C	OP1-P-OP2	-5.20	111.80	119.60
11	B2	333	A	C6-N1-C2	-5.20	115.48	118.60
11	B2	613	C	C5-C6-N1	5.20	123.60	121.00
11	B2	639	G	N3-C2-N2	5.20	123.54	119.90
11	B2	641	A	C4-C5-C6	5.20	119.60	117.00
11	B2	1126	G	N9-C1'-C2'	-5.20	106.28	112.00
11	B2	1189	G	OP1-P-OP2	-5.20	111.80	119.60
11	B2	1300	A	N1-C2-N3	5.20	131.90	129.30
12	B3	109	ASP	CB-CG-OD2	-5.20	113.62	118.30
38	A1	132	G	C4-C5-N7	5.20	112.88	110.80
38	A1	766	G	P-O5'-C5'	-5.20	112.58	120.90
38	A1	1114	G	C4-C5-C6	5.20	121.92	118.80
38	A1	1241	C	N3-C4-C5	-5.20	119.82	121.90
38	A1	1294	A	N1-C6-N6	5.20	121.72	118.60
38	A1	1517	G	N1-C2-N3	5.20	127.02	123.90
38	A1	1577	C	C5-C6-N1	5.20	123.60	121.00
38	A1	1684	C	O4'-C1'-N1	5.20	112.36	108.20
38	A1	2826	U	N1-C2-O2	5.20	126.44	122.80
38	A1	2889	A	C3'-C2'-C1'	5.20	105.66	101.50
42	Aa	59	TRP	CG-CD2-CE3	-5.20	129.22	133.90
54	AI	21	MET	CG-SD-CE	-5.20	91.88	100.20
11	B2	626	G	P-O5'-C5'	-5.20	112.58	120.90
11	B2	693	C	O4'-C4'-C3'	-5.20	98.80	104.00
11	B2	752	G	C4-C5-C6	5.20	121.92	118.80
11	B2	1113	G	N7-C8-N9	-5.20	110.50	113.10
18	BF	111	ARG	CD-NE-CZ	-5.20	116.32	123.60
22	BJ	89	PHE	CG-CD1-CE1	-5.20	115.08	120.80
38	A1	623	G	C6-N1-C2	-5.20	121.98	125.10
38	A1	951	C	C1'-O4'-C4'	5.20	114.06	109.90
38	A1	1152	C	P-O3'-C3'	-5.20	113.46	119.70
38	A1	1589	G	N3-C4-N9	-5.20	122.88	126.00
38	A1	1972	C	C4'-C3'-C2'	-5.20	97.40	102.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2318	G	N1-C2-N2	-5.20	111.52	116.20
38	A1	2662	G	C3'-C2'-C1'	-5.20	97.34	101.50
38	A1	2797	C	C6-N1-C1'	-5.20	114.56	120.80
11	B2	1082	A	C2-N3-C4	-5.20	108.00	110.60
11	B2	1092	G	C5-C6-N1	-5.20	108.90	111.50
11	B2	1094	U	N3-C4-O4	5.20	123.04	119.40
11	B2	1105	C	C2'-C3'-O3'	5.20	122.01	113.70
11	B2	1315	G	C3'-C2'-C1'	5.20	105.66	101.50
20	BH	201	TYR	CB-CG-CD1	-5.20	117.88	121.00
26	BN	36	ARG	NE-CZ-NH1	5.20	122.90	120.30
34	BV	52	VAL	CA-CB-CG2	-5.20	103.11	110.90
38	A1	89	C	C2-N1-C1'	5.20	124.52	118.80
38	A1	586	A	C3'-C2'-C1'	-5.20	97.34	101.50
38	A1	592	C	N1-C1'-C2'	-5.20	106.29	112.00
38	A1	1525	G	N1-C2-N3	-5.20	120.78	123.90
38	A1	1708	U	C4-C5-C6	-5.20	116.58	119.70
38	A1	2057	G	C8-N9-C1'	5.20	133.75	127.00
38	A1	2262	C	N3-C4-N4	5.20	121.64	118.00
38	A1	2412	A	N9-C4-C5	5.20	107.88	105.80
38	A1	2846	A	C5-C6-N6	-5.20	119.54	123.70
39	A3	5	G	N1-C2-N2	5.20	120.88	116.20
39	A3	126	C	O4'-C1'-N1	5.20	112.36	108.20
45	AC	161	VAL	CG1-CB-CG2	5.20	119.21	110.90
60	AM	96	LEU	CB-CG-CD1	5.20	119.83	111.00
11	B2	1318	U	C4'-C3'-C2'	-5.19	97.41	102.60
33	BU	37	THR	N-CA-CB	5.19	120.17	110.30
38	A1	1472	U	C2-N3-C4	5.19	130.12	127.00
38	A1	1621	G	C6-C5-N7	-5.19	127.28	130.40
38	A1	1913	C	P-O3'-C3'	-5.19	113.47	119.70
38	A1	2495	A	C5'-C4'-O4'	5.19	115.33	109.10
38	A1	2761	G	N9-C4-C5	5.19	107.48	105.40
10	B1	74	A	C6-N1-C2	5.19	121.72	118.60
11	B2	476	C	C5-C4-N4	-5.19	116.57	120.20
11	B2	836	G	C3'-C2'-C1'	-5.19	97.34	101.50
11	B2	1202	G	P-O3'-C3'	-5.19	113.47	119.70
14	BB	168	TYR	CA-CB-CG	-5.19	103.53	113.40
14	BB	202	ARG	NE-CZ-NH1	5.19	122.90	120.30
28	BP	12	ARG	CD-NE-CZ	-5.19	116.33	123.60
33	BU	16	VAL	CA-CB-CG2	-5.19	103.11	110.90
34	BV	33	ARG	N-CA-CB	5.19	119.95	110.60
38	A1	18	C	O4'-C1'-N1	5.19	112.35	108.20
38	A1	61	G	O4'-C1'-N9	5.19	112.35	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	282	G	C6-C5-N7	-5.19	127.28	130.40
38	A1	552	A	C4-C5-N7	5.19	113.30	110.70
38	A1	636	G	N7-C8-N9	-5.19	110.50	113.10
38	A1	1310	A	C4-C5-N7	-5.19	108.10	110.70
38	A1	1366	U	O4'-C1'-N1	5.19	112.35	108.20
38	A1	1369	G	C3'-C2'-C1'	-5.19	97.35	101.50
38	A1	1626	A	N7-C8-N9	5.19	116.40	113.80
38	A1	1963	G	C1'-O4'-C4'	-5.19	105.75	109.90
38	A1	2064	U	C2-N3-C4	-5.19	123.88	127.00
38	A1	2606	C	C2-N3-C4	5.19	122.50	119.90
43	AB	135	GLU	N-CA-C	-5.19	96.98	111.00
64	AR	23	ARG	C-N-CA	5.19	133.21	122.30
11	B2	269	A	P-O3'-C3'	-5.19	113.47	119.70
11	B2	384	G	C1'-O4'-C4'	-5.19	105.75	109.90
11	B2	468	G	C6-C5-N7	-5.19	127.29	130.40
11	B2	489	C	C4'-C3'-C2'	5.19	107.79	102.60
11	B2	1263	C	C6-N1-C2	-5.19	118.22	120.30
38	A1	431	U	N3-C4-O4	-5.19	115.77	119.40
38	A1	851	G	C4-C5-C6	5.19	121.91	118.80
38	A1	1776	G	C1'-O4'-C4'	5.19	114.05	109.90
38	A1	2286	U	C3'-C2'-C1'	-5.19	97.35	101.50
38	A1	2326	C	C4-C5-C6	5.19	120.00	117.40
11	B2	57	G	P-O3'-C3'	5.19	125.93	119.70
11	B2	174	G	C4-C5-C6	5.19	121.91	118.80
11	B2	920	U	N1-C1'-C2'	-5.19	106.29	112.00
11	B2	1339	G	C6-C5-N7	-5.19	127.29	130.40
38	A1	302	U	N1-C2-N3	-5.19	111.79	114.90
38	A1	541	A	C1'-O4'-C4'	5.19	114.05	109.90
38	A1	2077	A	C5-N7-C8	5.19	106.50	103.90
38	A1	2672	A	C1'-O4'-C4'	5.19	114.05	109.90
38	A1	2843	C	N3-C2-O2	5.19	125.53	121.90
11	B2	91	G	C1'-O4'-C4'	-5.19	105.75	109.90
11	B2	128	A	C5-C6-N6	-5.19	119.55	123.70
11	B2	584	C	O4'-C4'-C3'	-5.19	98.81	104.00
11	B2	762	G	N1-C2-N2	-5.19	111.53	116.20
11	B2	769	A	O4'-C1'-N9	5.19	112.35	108.20
11	B2	790	G	N9-C1'-C2'	-5.19	106.29	112.00
11	B2	1044	A	N1-C2-N3	-5.19	126.71	129.30
11	B2	1083	G	O4'-C4'-C3'	-5.19	98.81	104.00
11	B2	1336	U	O4'-C1'-N1	5.19	112.35	108.20
11	B2	1443	G	C8-N9-C4	-5.19	104.33	106.40
34	BV	4	ARG	NE-CZ-NH1	5.19	122.89	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	90	A	N7-C8-N9	5.19	116.39	113.80
38	A1	241	C	C5'-C4'-C3'	-5.19	107.70	116.00
38	A1	1437	C	N3-C4-N4	5.19	121.63	118.00
38	A1	1669	A	C2-N3-C4	-5.19	108.01	110.60
38	A1	2151	C	C3'-C2'-C1'	5.19	105.65	101.50
11	B2	1103	G	P-O3'-C3'	5.19	125.92	119.70
11	B2	1394	G	C5-C6-N1	-5.19	108.91	111.50
38	A1	205	A	C5'-C4'-O4'	5.19	115.32	109.10
38	A1	861	G	C5'-C4'-C3'	-5.19	107.70	116.00
38	A1	2484	C	O4'-C1'-N1	5.19	112.35	108.20
38	A1	2571	G	O4'-C4'-C3'	-5.19	98.81	104.00
56	AJ	88	GLU	OE1-CD-OE2	-5.19	117.08	123.30
10	B1	45	G	C4-N9-C1'	5.18	133.24	126.50
11	B2	283	U	C6-N1-C2	-5.18	117.89	121.00
11	B2	1356	A	N7-C8-N9	-5.18	111.21	113.80
26	BN	126	VAL	CA-CB-CG2	-5.18	103.12	110.90
38	A1	57	C	N1-C2-O2	5.18	122.01	118.90
38	A1	174	C	P-O3'-C3'	-5.18	113.48	119.70
38	A1	263	U	C3'-C2'-C1'	-5.18	97.35	101.50
38	A1	430	A	O4'-C1'-C2'	5.18	112.27	107.60
38	A1	435	G	C6-N1-C2	-5.18	121.99	125.10
38	A1	939	A	C5-C6-N1	-5.18	115.11	117.70
38	A1	1003	C	C5-C6-N1	5.18	123.59	121.00
38	A1	1234	A	C4-C5-C6	5.18	119.59	117.00
38	A1	1308	G	C5'-C4'-O4'	5.18	115.32	109.10
38	A1	1516	C	C2-N3-C4	5.18	122.49	119.90
39	A3	31	U	N1-C2-N3	-5.18	111.79	114.90
45	AC	130	ARG	NH1-CZ-NH2	5.18	125.10	119.40
58	AK	207	ALA	N-CA-CB	5.18	117.36	110.10
10	B1	26	C	C5-C6-N1	5.18	123.59	121.00
11	B2	341	C	C5'-C4'-O4'	5.18	115.32	109.10
11	B2	814	C	C2-N3-C4	5.18	122.49	119.90
11	B2	1182	G	C1'-O4'-C4'	-5.18	105.75	109.90
35	BW	3	LYS	CA-C-N	5.18	131.61	117.10
38	A1	145	C	C1'-O4'-C4'	5.18	114.05	109.90
38	A1	830	G	C6-N1-C2	5.18	128.21	125.10
38	A1	1301	G	C4-C5-C6	5.18	121.91	118.80
38	A1	1800	G	O4'-C1'-N9	5.18	112.34	108.20
38	A1	1987	A	N7-C8-N9	-5.18	111.21	113.80
38	A1	2137	A	OP1-P-OP2	-5.18	111.83	119.60
38	A1	2592	U	C1'-O4'-C4'	-5.18	105.75	109.90
38	A1	2773	A	O5'-P-OP2	-5.18	101.03	105.70

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	A3	120	C	C4'-C3'-C2'	-5.18	97.42	102.60
41	AA	154	ARG	NE-CZ-NH2	5.18	122.89	120.30
47	Ad	52	VAL	CB-CA-C	-5.18	101.55	111.40
11	B2	554	C	N3-C4-C5	-5.18	119.83	121.90
11	B2	856	G	C5-C6-N1	-5.18	108.91	111.50
11	B2	945	G	N3-C2-N2	5.18	123.53	119.90
20	BH	93	LEU	CB-CG-CD2	5.18	119.81	111.00
29	BQ	58	TYR	CB-CG-CD2	5.18	124.11	121.00
38	A1	736	U	O4'-C1'-C2'	-5.18	100.62	105.80
38	A1	915	G	O4'-C1'-N9	5.18	112.34	108.20
38	A1	1045	A	P-O3'-C3'	5.18	125.92	119.70
38	A1	1416	G	N1-C2-N3	-5.18	120.79	123.90
38	A1	1589	G	O4'-C1'-N9	5.18	112.34	108.20
38	A1	1727	G	C4'-C3'-C2'	-5.18	97.42	102.60
38	A1	2755	G	N1-C2-N3	-5.18	120.79	123.90
11	B2	327	G	OP1-P-OP2	-5.18	111.83	119.60
11	B2	497	C	P-O3'-C3'	5.18	125.92	119.70
11	B2	592	G	C8-N9-C1'	5.18	133.73	127.00
11	B2	641	A	C5-C6-N1	-5.18	115.11	117.70
11	B2	1178	C	P-O5'-C5'	-5.18	112.61	120.90
11	B2	1317	G	N1-C2-N3	-5.18	120.79	123.90
37	BY	24	ARG	NE-CZ-NH1	5.18	122.89	120.30
38	A1	211	A	C5-C6-N6	-5.18	119.56	123.70
38	A1	666	A	C5-C6-N1	-5.18	115.11	117.70
38	A1	674	G	C5-N7-C8	5.18	106.89	104.30
38	A1	706	U	C3'-C2'-C1'	-5.18	97.36	101.50
38	A1	721	G	P-O3'-C3'	5.18	125.92	119.70
38	A1	810	A	N3-C4-N9	5.18	131.54	127.40
38	A1	1162	C	N3-C4-N4	5.18	121.63	118.00
38	A1	1237	A	C2-N3-C4	-5.18	108.01	110.60
38	A1	1455	U	C5'-C4'-C3'	-5.18	107.71	116.00
38	A1	2340	A	N1-C2-N3	5.18	131.89	129.30
54	AI	51	GLN	CA-CB-CG	5.18	124.80	113.40
11	B2	1364	C	C5-C4-N4	-5.18	116.58	120.20
38	A1	349	A	O5'-P-OP2	5.18	116.91	110.70
38	A1	355	G	C6-C5-N7	-5.18	127.29	130.40
38	A1	1155	A	N1-C2-N3	-5.18	126.71	129.30
38	A1	1396	A	C8-N9-C4	5.18	107.87	105.80
38	A1	1949	A	C6-N1-C2	-5.18	115.49	118.60
38	A1	2841	G	C6-C5-N7	-5.18	127.29	130.40
38	A1	2867	U	C4-C5-C6	5.18	122.81	119.70
66	AY	10	ARG	NE-CZ-NH2	5.18	122.89	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	206	C	N3-C2-O2	5.18	125.52	121.90
11	B2	487	U	N1-C2-N3	-5.18	111.80	114.90
11	B2	511	C	N3-C4-N4	5.18	121.62	118.00
11	B2	803	C	N1-C2-N3	-5.18	115.58	119.20
11	B2	830	A	C5-C6-N6	-5.18	119.56	123.70
11	B2	1229	A	C4-C5-C6	5.18	119.59	117.00
16	BD	156	ARG	N-CA-CB	5.18	119.92	110.60
38	A1	169	G	C4-C5-C6	5.18	121.91	118.80
38	A1	484	C	C4'-C3'-C2'	-5.18	97.42	102.60
38	A1	773	U	O4'-C4'-C3'	-5.18	98.82	104.00
38	A1	1132	U	OP1-P-OP2	-5.18	111.83	119.60
38	A1	1437	C	C5-C4-N4	-5.18	116.58	120.20
38	A1	1778	G	N1-C2-N3	-5.18	120.80	123.90
38	A1	1811	G	C5'-C4'-C3'	5.18	124.28	116.00
38	A1	2000	G	N7-C8-N9	-5.18	110.51	113.10
38	A1	2028	G	OP1-P-OP2	-5.18	111.83	119.60
38	A1	2074	U	P-O3'-C3'	5.18	125.91	119.70
38	A1	2509	A	N3-C4-N9	5.18	131.54	127.40
39	A3	14	G	OP1-P-OP2	-5.18	111.84	119.60
11	B2	163	C	N3-C4-C5	-5.17	119.83	121.90
11	B2	746	A	C6-C5-N7	-5.17	128.68	132.30
11	B2	922	G	N3-C4-C5	-5.17	126.01	128.60
11	B2	1079	G	C6-C5-N7	5.17	133.50	130.40
11	B2	1183	C	N3-C4-N4	5.17	121.62	118.00
11	B2	1370	U	O4'-C1'-N1	5.17	112.34	108.20
38	A1	181	U	N1-C2-N3	-5.17	111.80	114.90
38	A1	194	G	OP1-P-OP2	-5.17	111.84	119.60
38	A1	200	G	C5-N7-C8	-5.17	101.71	104.30
38	A1	953	G	O4'-C1'-N9	5.17	112.34	108.20
38	A1	1469	U	P-O5'-C5'	5.17	129.18	120.90
38	A1	1781	C	C4-C5-C6	5.17	119.99	117.40
38	A1	1864	G	O4'-C1'-C2'	5.17	112.26	107.60
38	A1	2014	A	N1-C2-N3	5.17	131.89	129.30
38	A1	2086	C	N1-C2-O2	-5.17	115.80	118.90
38	A1	2126	G	O4'-C1'-N9	5.17	112.34	108.20
38	A1	2165	A	C5-C6-N1	-5.17	115.11	117.70
38	A1	2735	C	O4'-C1'-N1	5.17	112.34	108.20
38	A1	3045	G	P-O3'-C3'	-5.17	113.49	119.70
40	A5	27	ILE	N-CA-C	-5.17	97.03	111.00
10	B1	4	G	N3-C4-C5	5.17	131.19	128.60
11	B2	522	C	N1-C2-N3	5.17	122.82	119.20
11	B2	713	A	C5-N7-C8	5.17	106.49	103.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1124	G	N1-C6-O6	5.17	123.00	119.90
11	B2	1157	G	P-O5'-C5'	5.17	129.18	120.90
11	B2	1418	G	C6-N1-C2	5.17	128.20	125.10
38	A1	396	G	N9-C1'-C2'	-5.17	106.31	112.00
38	A1	578	C	N3-C4-N4	5.17	121.62	118.00
38	A1	1054	A	C5-C6-N1	-5.17	115.11	117.70
38	A1	1137	G	C4-C5-N7	-5.17	108.73	110.80
38	A1	2191	U	N3-C4-C5	-5.17	111.50	114.60
38	A1	2288	C	O4'-C1'-N1	5.17	112.34	108.20
38	A1	2319	C	C2-N3-C4	5.17	122.49	119.90
11	B2	611	A	N3-C4-C5	-5.17	123.18	126.80
18	BF	161	ARG	NE-CZ-NH1	5.17	122.89	120.30
19	BG	26	THR	CA-CB-CG2	-5.17	105.16	112.40
38	A1	82	C	C4'-C3'-C2'	-5.17	97.43	102.60
38	A1	367	G	N1-C2-N3	-5.17	120.80	123.90
38	A1	1261	C	C2-N1-C1'	5.17	124.49	118.80
38	A1	1353	A	C5'-C4'-O4'	5.17	115.31	109.10
38	A1	1396	A	C6-C5-N7	-5.17	128.68	132.30
38	A1	1425	U	P-O5'-C5'	-5.17	112.62	120.90
38	A1	1718	C	N1-C2-N3	-5.17	115.58	119.20
38	A1	2129	G	N1-C2-N2	-5.17	111.55	116.20
38	A1	2147	C	O4'-C1'-N1	5.17	112.34	108.20
38	A1	2460	A	OP1-P-OP2	-5.17	111.84	119.60
45	AC	100	ILE	CG1-CB-CG2	-5.17	100.02	111.40
62	AO	88	LEU	CB-CG-CD2	5.17	119.79	111.00
11	B2	1351	U	C4'-C3'-C2'	-5.17	97.43	102.60
38	A1	65	G	C6-C5-N7	-5.17	127.30	130.40
38	A1	1076	G	C5'-C4'-C3'	-5.17	107.73	116.00
38	A1	1349	G	C6-C5-N7	-5.17	127.30	130.40
38	A1	1454	G	P-O3'-C3'	5.17	125.90	119.70
38	A1	2380	A	O4'-C1'-N9	5.17	112.34	108.20
38	A1	2615	U	C5-C4-O4	5.17	129.00	125.90
38	A1	2950	G	C6-N1-C2	5.17	128.20	125.10
10	B1	54	G	P-O3'-C3'	5.17	125.90	119.70
11	B2	117	C	C6-N1-C2	-5.17	118.23	120.30
11	B2	227	C	C5-C6-N1	5.17	123.58	121.00
11	B2	262	G	N3-C4-C5	5.17	131.18	128.60
11	B2	418	G	C4-C5-N7	-5.17	108.73	110.80
11	B2	467	G	C5-N7-C8	5.17	106.88	104.30
11	B2	761	U	C1'-O4'-C4'	5.17	114.03	109.90
11	B2	842	U	C2-N3-C4	-5.17	123.90	127.00
11	B2	1190	C	C3'-C2'-C1'	5.17	105.63	101.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1383	A	C5'-C4'-O4'	5.17	115.30	109.10
16	BD	150	ASP	CB-CG-OD2	5.17	122.95	118.30
38	A1	228	U	C5-C6-N1	-5.17	120.12	122.70
38	A1	326	C	N1-C2-O2	-5.17	115.80	118.90
38	A1	452	A	O4'-C1'-N9	5.17	112.33	108.20
38	A1	528	G	N7-C8-N9	5.17	115.68	113.10
38	A1	596	C	C5-C4-N4	-5.17	116.58	120.20
38	A1	611	G	C6-N1-C2	5.17	128.20	125.10
38	A1	638	A	C8-N9-C4	-5.17	103.73	105.80
38	A1	716	U	N3-C4-O4	5.17	123.02	119.40
38	A1	1276	G	C6-N1-C2	-5.17	122.00	125.10
38	A1	1365	G	C4-N9-C1'	5.17	133.22	126.50
38	A1	1471	G	C5-C6-N1	5.17	114.08	111.50
38	A1	1526	G	N3-C4-C5	-5.17	126.02	128.60
38	A1	1739	U	OP2-P-O3'	5.17	116.57	105.20
38	A1	2120	C	C5-C4-N4	5.17	123.82	120.20
38	A1	2158	G	C1'-O4'-C4'	5.17	114.03	109.90
11	B2	253	G	N9-C1'-C2'	-5.17	106.32	112.00
11	B2	1001	A	C6-C5-N7	-5.17	128.68	132.30
11	B2	1258	C	O3'-P-O5'	-5.17	94.18	104.00
11	B2	1433	C	O4'-C4'-C3'	-5.17	98.83	104.00
28	BP	6	TYR	CD1-CG-CD2	5.17	123.58	117.90
38	A1	109	G	OP1-P-OP2	-5.17	111.85	119.60
38	A1	164	A	C5-N7-C8	5.17	106.48	103.90
38	A1	302	U	C5'-C4'-C3'	-5.17	107.73	116.00
38	A1	1009	G	C5-N7-C8	5.17	106.88	104.30
38	A1	1018	G	C5-C6-N1	-5.17	108.92	111.50
38	A1	1093	G	N3-C2-N2	5.17	123.52	119.90
38	A1	1113	G	N9-C4-C5	-5.17	103.33	105.40
38	A1	1357	G	N1-C2-N2	-5.17	111.55	116.20
38	A1	1858	G	P-O3'-C3'	5.17	125.90	119.70
38	A1	2235	G	C5'-C4'-C3'	-5.17	107.73	116.00
38	A1	3001	C	C5'-C4'-C3'	-5.17	107.73	116.00
39	A3	103	C	N3-C4-C5	-5.17	119.83	121.90
4	AQ	88	ARG	NE-CZ-NH1	5.17	122.88	120.30
26	BN	5	LYS	C-N-CA	5.17	134.61	121.70
38	A1	234	G	C8-N9-C4	-5.17	104.33	106.40
38	A1	235	G	OP2-P-O3'	5.17	116.56	105.20
38	A1	502	G	C5-C6-O6	-5.17	125.50	128.60
38	A1	1059	C	OP1-P-OP2	-5.17	111.85	119.60
38	A1	1175	C	C4-C5-C6	5.17	119.98	117.40
38	A1	1484	U	O4'-C4'-C3'	5.17	110.23	106.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1888	G	C4-N9-C1'	-5.17	119.79	126.50
38	A1	2304	C	N3-C4-C5	-5.17	119.83	121.90
1	A7	5	ASN	N-CA-CB	5.16	119.89	110.60
11	B2	17	C	N3-C4-N4	5.16	121.61	118.00
11	B2	531	G	C3'-C2'-C1'	-5.16	97.37	101.50
11	B2	1384	G	C4-C5-N7	-5.16	108.73	110.80
17	BE	158	TYR	CZ-CE2-CD2	-5.16	115.15	119.80
38	A1	165	G	C4-C5-N7	5.16	112.86	110.80
38	A1	719	C	C5-C6-N1	5.16	123.58	121.00
38	A1	746	C	N3-C4-N4	5.16	121.61	118.00
38	A1	1020	G	C6-N1-C2	5.16	128.20	125.10
38	A1	1211	C	N3-C4-N4	5.16	121.61	118.00
38	A1	1247	U	O4'-C1'-C2'	5.16	112.25	107.60
38	A1	1401	G	N7-C8-N9	-5.16	110.52	113.10
38	A1	1572	C	O5'-P-OP1	5.16	116.90	110.70
38	A1	1733	C	C5-C6-N1	-5.16	118.42	121.00
38	A1	1756	C	O4'-C1'-N1	5.16	112.33	108.20
38	A1	1949	A	N1-C2-N3	5.16	131.88	129.30
38	A1	2641	C	O4'-C4'-C3'	-5.16	98.84	104.00
45	AC	266	TRP	NE1-CE2-CD2	5.16	112.46	107.30
56	AJ	74	ARG	NE-CZ-NH1	5.16	122.88	120.30
11	B2	315	A	C1'-O4'-C4'	5.16	114.03	109.90
14	BB	181	GLU	OE1-CD-OE2	5.16	129.49	123.30
38	A1	24	G	C2-N3-C4	5.16	114.48	111.90
38	A1	406	G	O3'-P-O5'	5.16	113.81	104.00
38	A1	1490	G	C2-N3-C4	-5.16	109.32	111.90
38	A1	1837	A	O4'-C1'-N9	5.16	112.33	108.20
38	A1	2552	C	P-O5'-C5'	5.16	129.16	120.90
39	A3	61	C	O5'-C5'-C4'	-5.16	101.89	111.70
10	B1	6	G	N9-C4-C5	-5.16	103.34	105.40
11	B2	203	A	N1-C2-N3	5.16	131.88	129.30
11	B2	252	U	N3-C4-C5	-5.16	111.50	114.60
11	B2	648	A	C8-N9-C4	5.16	107.86	105.80
11	B2	916	U	N1-C2-O2	-5.16	119.19	122.80
11	B2	950	C	C2-N1-C1'	5.16	124.48	118.80
11	B2	1223	C	C4'-C3'-C2'	-5.16	97.44	102.60
11	B2	1284	C	O4'-C1'-N1	5.16	112.33	108.20
38	A1	284	U	N3-C4-C5	-5.16	111.50	114.60
38	A1	910	G	O4'-C1'-N9	5.16	112.33	108.20
38	A1	1159	U	N1-C2-O2	5.16	126.41	122.80
38	A1	1170	G	N3-C2-N2	5.16	123.51	119.90
38	A1	1235	A	O4'-C1'-N9	5.16	112.33	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1558	U	N3-C4-C5	-5.16	111.50	114.60
38	A1	1924	A	N1-C2-N3	5.16	131.88	129.30
38	A1	1935	C	P-O3'-C3'	5.16	125.89	119.70
38	A1	1969	C	N3-C4-N4	5.16	121.61	118.00
38	A1	2015	G	N9-C1'-C2'	-5.16	106.32	112.00
38	A1	2519	C	C1'-O4'-C4'	-5.16	105.77	109.90
38	A1	2579	G	C5-N7-C8	5.16	106.88	104.30
38	A1	2581	G	O4'-C1'-N9	5.16	112.33	108.20
44	Ab	40	TRP	N-CA-CB	5.16	119.89	110.60
46	AD	111	ARG	NE-CZ-NH1	5.16	122.88	120.30
50	AF	24	TYR	C-N-CA	5.16	134.60	121.70
67	AZ	76	LYS	CA-C-N	5.16	131.55	117.10
10	B1	3	G	C8-N9-C4	5.16	108.46	106.40
11	B2	130	G	C4-C5-C6	5.16	121.90	118.80
11	B2	303	G	N3-C2-N2	5.16	123.51	119.90
11	B2	392	G	N3-C4-C5	-5.16	126.02	128.60
11	B2	673	C	C2-N1-C1'	5.16	124.47	118.80
11	B2	705	C	C3'-C2'-C1'	5.16	105.63	101.50
11	B2	818	A	C1'-O4'-C4'	5.16	114.03	109.90
11	B2	934	G	C2'-C3'-O3'	5.16	121.95	113.70
11	B2	953	C	N3-C4-C5	-5.16	119.84	121.90
11	B2	986	G	N3-C4-N9	5.16	129.09	126.00
11	B2	1027	C	C5-C6-N1	5.16	123.58	121.00
11	B2	1288	C	C5-C4-N4	-5.16	116.59	120.20
11	B2	1323	A	C4-N9-C1'	5.16	135.58	126.30
11	B2	1424	G	N9-C4-C5	-5.16	103.34	105.40
12	B3	10	GLU	N-CA-C	-5.16	97.07	111.00
38	A1	553	C	C3'-C2'-C1'	5.16	105.63	101.50
38	A1	592	C	N3-C4-C5	5.16	123.96	121.90
38	A1	633	A	N7-C8-N9	-5.16	111.22	113.80
38	A1	839	A	P-O3'-C3'	-5.16	113.51	119.70
38	A1	1151	G	N1-C6-O6	5.16	123.00	119.90
38	A1	1374	G	C5-C6-N1	-5.16	108.92	111.50
38	A1	1514	C	N3-C4-C5	-5.16	119.84	121.90
38	A1	1520	G	C5-N7-C8	-5.16	101.72	104.30
38	A1	1563	G	O4'-C1'-N9	5.16	112.33	108.20
38	A1	1595	G	N7-C8-N9	-5.16	110.52	113.10
38	A1	1659	G	N1-C6-O6	5.16	123.00	119.90
38	A1	1817	C	N3-C2-O2	5.16	125.51	121.90
38	A1	2044	C	P-O5'-C5'	5.16	129.15	120.90
47	Ad	1	MET	CG-SD-CE	-5.16	91.95	100.20
11	B2	606	U	C5-C4-O4	-5.16	122.81	125.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	987	G	N9-C4-C5	5.16	107.46	105.40
11	B2	1031	G	C5-C6-N1	-5.16	108.92	111.50
11	B2	1240	A	C6-C5-N7	-5.16	128.69	132.30
11	B2	1320	A	C3'-C2'-C1'	-5.16	97.37	101.50
11	B2	1491	C	N1-C1'-C2'	-5.16	106.33	112.00
38	A1	266	A	C6-C5-N7	-5.16	128.69	132.30
38	A1	1271	G	O4'-C1'-N9	5.16	112.33	108.20
38	A1	1689	G	N1-C6-O6	5.16	122.99	119.90
38	A1	2078	A	P-O5'-C5'	-5.16	112.65	120.90
38	A1	2109	C	N1-C2-N3	5.16	122.81	119.20
38	A1	2379	G	N3-C2-N2	5.16	123.51	119.90
38	A1	2702	A	P-O5'-C5'	-5.16	112.65	120.90
10	B1	56	U	C5-C4-O4	5.16	128.99	125.90
11	B2	127	G	C8-N9-C4	-5.16	104.34	106.40
11	B2	945	G	C4-C5-C6	5.16	121.89	118.80
11	B2	1471	G	N1-C2-N3	-5.16	120.81	123.90
29	BQ	136	TYR	CB-CG-CD2	5.16	124.09	121.00
38	A1	8	G	C8-N9-C1'	5.16	133.70	127.00
38	A1	133	G	N3-C4-C5	-5.16	126.02	128.60
38	A1	495	U	N3-C4-O4	5.16	123.01	119.40
38	A1	656	G	C8-N9-C1'	5.16	133.70	127.00
38	A1	671	G	C6-N1-C2	-5.16	122.01	125.10
38	A1	979	G	O3'-P-O5'	5.16	113.80	104.00
38	A1	1336	G	N7-C8-N9	5.16	115.68	113.10
38	A1	1556	G	N1-C2-N3	-5.16	120.81	123.90
38	A1	1617	G	C6-N1-C2	5.16	128.19	125.10
38	A1	1695	G	C8-N9-C4	5.16	108.46	106.40
38	A1	1949	A	N7-C8-N9	-5.16	111.22	113.80
38	A1	2242	A	O5'-C5'-C4'	-5.16	101.91	111.70
38	A1	2364	G	O4'-C1'-N9	5.16	112.33	108.20
38	A1	2712	G	N1-C2-N3	-5.16	120.81	123.90
38	A1	2774	C	C5-C6-N1	5.16	123.58	121.00
39	A3	100	A	C3'-C2'-C1'	-5.16	97.38	101.50
11	B2	68	G	O4'-C1'-N9	5.15	112.32	108.20
11	B2	353	G	P-O5'-C5'	5.15	129.15	120.90
11	B2	632	C	N3-C4-C5	-5.15	119.84	121.90
11	B2	1470	G	N1-C2-N3	-5.15	120.81	123.90
38	A1	422	G	OP1-P-OP2	-5.15	111.87	119.60
38	A1	1438	C	N1-C2-O2	5.15	121.99	118.90
38	A1	2462	U	N3-C4-C5	-5.15	111.51	114.60
38	A1	2789	G	N3-C2-N2	5.15	123.51	119.90
38	A1	2843	C	N1-C2-N3	-5.15	115.59	119.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	140	C	N1-C2-N3	-5.15	115.59	119.20
11	B2	341	C	N3-C4-N4	5.15	121.61	118.00
11	B2	603	G	C2-N3-C4	5.15	114.48	111.90
11	B2	811	G	C4'-C3'-C2'	-5.15	97.45	102.60
11	B2	1019	A	C3'-C2'-C1'	5.15	105.62	101.50
11	B2	1448	A	C3'-C2'-C1'	-5.15	97.38	101.50
26	BN	92	GLY	C-N-CA	5.15	134.58	121.70
37	BY	37	ARG	NE-CZ-NH1	5.15	122.88	120.30
38	A1	193	A	C2-N3-C4	5.15	113.18	110.60
38	A1	205	A	N9-C4-C5	5.15	107.86	105.80
38	A1	489	G	N1-C2-N3	-5.15	120.81	123.90
38	A1	593	C	C6-N1-C2	-5.15	118.24	120.30
38	A1	673	A	C8-N9-C4	-5.15	103.74	105.80
38	A1	789	G	C2-N3-C4	5.15	114.48	111.90
38	A1	884	C	C2-N1-C1'	5.15	124.47	118.80
38	A1	1392	G	P-O3'-C3'	5.15	125.88	119.70
38	A1	1548	A	N9-C1'-C2'	-5.15	106.33	112.00
38	A1	1786	G	C5-N7-C8	5.15	106.88	104.30
38	A1	1818	G	C8-N9-C4	-5.15	104.34	106.40
38	A1	1819	G	C8-N9-C4	5.15	108.46	106.40
38	A1	1884	C	N3-C2-O2	5.15	125.51	121.90
38	A1	2245	C	C6-N1-C2	-5.15	118.24	120.30
38	A1	2315	G	O4'-C1'-N9	5.15	112.32	108.20
38	A1	2454	G	N3-C4-C5	-5.15	126.02	128.60
38	A1	2688	C	O4'-C1'-N1	5.15	112.32	108.20
38	A1	2701	U	P-O5'-C5'	-5.15	112.66	120.90
64	AR	11	LYS	N-CA-CB	5.15	119.87	110.60
11	B2	101	G	C6-C5-N7	-5.15	127.31	130.40
11	B2	219	C	O4'-C1'-N1	5.15	112.32	108.20
11	B2	220	G	N3-C4-N9	5.15	129.09	126.00
11	B2	610	G	C8-N9-C1'	5.15	133.69	127.00
11	B2	829	U	C5-C4-O4	5.15	128.99	125.90
11	B2	854	C	P-O3'-C3'	5.15	125.88	119.70
11	B2	1038	C	N1-C2-N3	-5.15	115.59	119.20
11	B2	1445	A	N9-C4-C5	5.15	107.86	105.80
20	BH	21	TRP	CA-CB-CG	-5.15	103.91	113.70
20	BH	133	ARG	NE-CZ-NH2	5.15	122.88	120.30
38	A1	101	G	O4'-C1'-N9	5.15	112.32	108.20
38	A1	218	A	C6-N1-C2	-5.15	115.51	118.60
38	A1	551	A	C8-N9-C4	-5.15	103.74	105.80
38	A1	828	G	C8-N9-C1'	5.15	133.70	127.00
38	A1	876	C	N3-C4-C5	-5.15	119.84	121.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1272	A	C5-N7-C8	5.15	106.47	103.90
38	A1	1603	G	C4-C5-N7	-5.15	108.74	110.80
38	A1	2497	G	C2-N3-C4	5.15	114.47	111.90
61	AN	87	ARG	NE-CZ-NH2	-5.15	117.72	120.30
66	AY	82	ASP	CB-CG-OD2	-5.15	113.67	118.30
11	B2	173	G	C5-N7-C8	5.15	106.87	104.30
11	B2	1271	G	N7-C8-N9	-5.15	110.53	113.10
11	B2	1335	A	N9-C4-C5	-5.15	103.74	105.80
31	BS	55	THR	CA-C-O	5.15	130.91	120.10
38	A1	543	G	C6-C5-N7	-5.15	127.31	130.40
38	A1	1575	G	N3-C2-N2	5.15	123.50	119.90
38	A1	1711	C	N1-C1'-C2'	-5.15	106.34	112.00
38	A1	2240	G	N9-C4-C5	-5.15	103.34	105.40
51	Ag	33	LYS	N-CA-CB	5.15	119.87	110.60
64	AR	30	ARG	NH1-CZ-NH2	5.15	125.06	119.40
11	B2	614	G	C6-N1-C2	5.15	128.19	125.10
11	B2	1484	C	C3'-C2'-C1'	-5.15	97.38	101.50
23	BK	27	ARG	NE-CZ-NH1	5.15	122.87	120.30
38	A1	221	G	C5'-C4'-O4'	5.15	115.28	109.10
38	A1	392	G	N9-C4-C5	-5.15	103.34	105.40
38	A1	748	G	C4-N9-C1'	5.15	133.19	126.50
38	A1	824	C	C2-N3-C4	5.15	122.47	119.90
38	A1	1132	U	N3-C4-C5	-5.15	111.51	114.60
38	A1	1554	G	O4'-C1'-N9	5.15	112.32	108.20
43	AB	79	VAL	CG1-CB-CG2	5.15	119.14	110.90
56	AJ	79	ARG	NE-CZ-NH1	-5.15	117.73	120.30
11	B2	897	A	C5-C6-N6	-5.15	119.58	123.70
11	B2	1174	A	O4'-C1'-N9	5.15	112.32	108.20
11	B2	1459	G	N1-C2-N3	-5.15	120.81	123.90
38	A1	1175	C	C5-C6-N1	-5.15	118.43	121.00
38	A1	2216	G	C5-N7-C8	-5.15	101.73	104.30
38	A1	2539	G	C8-N9-C4	-5.15	104.34	106.40
38	A1	2733	A	C6-N1-C2	-5.15	115.51	118.60
38	A1	2849	C	C5-C6-N1	-5.15	118.43	121.00
54	AI	23	LEU	N-CA-CB	5.15	120.69	110.40
9	AX	52	ILE	N-CA-CB	5.14	122.63	110.80
11	B2	6	G	C6-N1-C2	-5.14	122.01	125.10
11	B2	50	C	N3-C4-N4	5.14	121.60	118.00
11	B2	106	A	C3'-C2'-C1'	5.14	105.61	101.50
11	B2	625	G	C4-C5-N7	-5.14	108.74	110.80
11	B2	811	G	C5-C6-O6	-5.14	125.51	128.60
11	B2	832	G	C5'-C4'-C3'	-5.14	107.77	116.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1381	G	N7-C8-N9	-5.14	110.53	113.10
38	A1	345	C	C6-N1-C2	-5.14	118.24	120.30
38	A1	1376	U	N1-C2-O2	-5.14	119.20	122.80
38	A1	1564	C	C5-C4-N4	-5.14	116.60	120.20
38	A1	1746	C	C5'-C4'-C3'	-5.14	107.77	116.00
38	A1	1824	G	N3-C4-C5	5.14	131.17	128.60
38	A1	2050	U	P-O5'-C5'	-5.14	112.67	120.90
38	A1	2338	A	C5'-C4'-C3'	-5.14	107.77	116.00
38	A1	2507	C	OP1-P-OP2	-5.14	111.88	119.60
5	AS	95	LEU	N-CA-CB	5.14	120.68	110.40
9	AX	227	GLU	CB-CA-C	-5.14	100.11	110.40
11	B2	394	C	N1-C2-N3	-5.14	115.60	119.20
11	B2	408	C	C3'-C2'-C1'	5.14	105.61	101.50
11	B2	555	U	OP1-P-OP2	-5.14	111.89	119.60
11	B2	861	G	C3'-C2'-C1'	-5.14	97.39	101.50
11	B2	1268	C	O4'-C1'-C2'	-5.14	100.66	105.80
11	B2	1275	U	C6-N1-C2	-5.14	117.92	121.00
25	BM	20	TYR	CB-CG-CD1	5.14	124.09	121.00
30	BR	34	PHE	CG-CD2-CE2	5.14	126.46	120.80
38	A1	223	U	N1-C1'-C2'	-5.14	106.34	112.00
38	A1	387	A	C8-N9-C4	-5.14	103.74	105.80
38	A1	644	G	N9-C1'-C2'	-5.14	106.34	112.00
38	A1	956	U	C3'-C2'-C1'	5.14	105.61	101.50
38	A1	1191	C	C3'-C2'-C1'	5.14	105.61	101.50
38	A1	1412	C	N3-C2-O2	5.14	125.50	121.90
38	A1	1589	G	C5-N7-C8	5.14	106.87	104.30
38	A1	1594	G	C8-N9-C1'	5.14	133.69	127.00
38	A1	1776	G	N9-C1'-C2'	-5.14	106.34	112.00
38	A1	2038	C	OP1-P-OP2	-5.14	111.89	119.60
38	A1	2059	G	C5-C6-N1	-5.14	108.93	111.50
38	A1	2252	C	C4'-C3'-C2'	-5.14	97.46	102.60
38	A1	2267	U	C5-C4-O4	5.14	128.99	125.90
38	A1	2676	A	N9-C4-C5	5.14	107.86	105.80
38	A1	2702	A	C4-C5-C6	5.14	119.57	117.00
38	A1	2996	A	N7-C8-N9	5.14	116.37	113.80
39	A3	77	A	C5-N7-C8	5.14	106.47	103.90
43	AB	197	MET	CG-SD-CE	5.14	108.43	100.20
11	B2	6	G	C6-C5-N7	-5.14	127.32	130.40
11	B2	1010	G	OP1-P-OP2	-5.14	111.89	119.60
22	BJ	92	ARG	NE-CZ-NH1	-5.14	117.73	120.30
30	BR	39	VAL	CA-CB-CG1	5.14	118.61	110.90
38	A1	1381	C	C2-N3-C4	5.14	122.47	119.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1752	C	P-O5'-C5'	-5.14	112.67	120.90
38	A1	2170	C	N3-C4-C5	-5.14	119.84	121.90
38	A1	2452	C	N1-C1'-C2'	-5.14	106.34	112.00
11	B2	393	A	N9-C4-C5	5.14	107.86	105.80
11	B2	533	C	N1-C2-O2	-5.14	115.82	118.90
11	B2	595	U	C4-C5-C6	-5.14	116.62	119.70
11	B2	725	C	C6-N1-C2	-5.14	118.25	120.30
11	B2	825	C	P-O3'-C3'	-5.14	113.53	119.70
11	B2	846	G	C5'-C4'-O4'	5.14	115.27	109.10
11	B2	1477	U	C2-N3-C4	5.14	130.08	127.00
30	BR	60	TYR	CB-CG-CD2	-5.14	117.92	121.00
38	A1	266	A	C5-C6-N6	-5.14	119.59	123.70
38	A1	428	A	OP1-P-OP2	-5.14	111.89	119.60
38	A1	480	A	O5'-P-OP2	-5.14	101.08	105.70
38	A1	711	C	P-O3'-C3'	-5.14	113.53	119.70
38	A1	1074	G	C4'-C3'-C2'	-5.14	97.46	102.60
38	A1	1098	C	C4-C5-C6	-5.14	114.83	117.40
38	A1	1145	G	C6-N1-C2	5.14	128.18	125.10
38	A1	1656	C	C6-N1-C2	-5.14	118.24	120.30
38	A1	2539	G	N3-C4-C5	-5.14	126.03	128.60
38	A1	2815	C	C4-C5-C6	5.14	119.97	117.40
39	A3	21	C	C6-N1-C2	5.14	122.36	120.30
46	AD	1	MET	CG-SD-CE	-5.14	91.98	100.20
11	B2	56	A	C5-C6-N1	-5.14	115.13	117.70
11	B2	1312	C	C4-C5-C6	5.14	119.97	117.40
38	A1	979	G	C4-C5-C6	-5.14	115.72	118.80
38	A1	1151	G	C8-N9-C4	5.14	108.45	106.40
60	AM	150	ALA	O-C-N	5.14	130.92	122.70
4	AQ	66	ARG	N-CA-CB	5.14	119.84	110.60
11	B2	46	A	N9-C4-C5	5.14	107.85	105.80
11	B2	92	G	N9-C4-C5	-5.14	103.34	105.40
11	B2	1103	G	N1-C6-O6	5.14	122.98	119.90
38	A1	75	G	N7-C8-N9	-5.14	110.53	113.10
38	A1	343	C	C4'-C3'-C2'	-5.14	97.46	102.60
38	A1	406	G	C5'-C4'-C3'	-5.14	107.78	116.00
38	A1	478	C	N1-C2-O2	5.14	121.98	118.90
38	A1	567	G	O4'-C1'-N9	5.14	112.31	108.20
38	A1	568	A	C4-C5-N7	-5.14	108.13	110.70
38	A1	624	U	P-O5'-C5'	5.14	129.12	120.90
38	A1	741	G	N9-C4-C5	5.14	107.45	105.40
38	A1	1113	G	N1-C2-N3	-5.14	120.82	123.90
38	A1	1148	C	P-O5'-C5'	-5.14	112.68	120.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1791	A	N7-C8-N9	-5.14	111.23	113.80
38	A1	1959	C	C2-N1-C1'	5.14	124.45	118.80
38	A1	2345	U	P-O3'-C3'	-5.14	113.54	119.70
38	A1	2849	C	O4'-C4'-C3'	-5.14	98.86	104.00
43	AB	75	GLU	N-CA-CB	5.14	119.84	110.60
11	B2	132	G	N3-C4-N9	-5.13	122.92	126.00
11	B2	287	G	C6-C5-N7	-5.13	127.32	130.40
11	B2	292	U	C3'-C2'-C1'	5.13	105.61	101.50
11	B2	446	G	N3-C4-N9	-5.13	122.92	126.00
11	B2	685	G	O4'-C1'-N9	5.13	112.31	108.20
11	B2	875	G	N1-C2-N2	5.13	120.82	116.20
11	B2	935	G	C4-N9-C1'	5.13	133.18	126.50
11	B2	951	G	N9-C4-C5	-5.13	103.35	105.40
11	B2	1200	U	C2-N3-C4	-5.13	123.92	127.00
17	BE	20	TYR	N-CA-CB	5.13	119.84	110.60
26	BN	36	ARG	N-CA-CB	5.13	119.84	110.60
38	A1	79	C	N1-C2-N3	-5.13	115.61	119.20
38	A1	259	A	C2-N3-C4	-5.13	108.03	110.60
38	A1	621	G	C4-C5-C6	5.13	121.88	118.80
38	A1	1020	G	C5'-C4'-O4'	5.13	115.26	109.10
38	A1	1048	C	C2-N1-C1'	5.13	124.45	118.80
38	A1	1092	U	N3-C2-O2	5.13	125.80	122.20
38	A1	1684	C	C5'-C4'-O4'	-5.13	102.94	109.10
38	A1	1807	G	N3-C2-N2	5.13	123.49	119.90
38	A1	1838	C	N3-C2-O2	5.13	125.50	121.90
38	A1	1889	G	N1-C6-O6	5.13	122.98	119.90
38	A1	2050	U	C5-C6-N1	5.13	125.27	122.70
38	A1	2122	G	O4'-C1'-N9	5.13	112.31	108.20
38	A1	2184	G	O4'-C1'-C2'	-5.13	100.67	105.80
38	A1	2414	G	N3-C2-N2	5.13	123.50	119.90
38	A1	2554	A	N1-C2-N3	5.13	131.87	129.30
38	A1	2708	U	P-O5'-C5'	5.13	129.12	120.90
9	AX	101	PRO	N-CA-CB	5.13	109.46	103.30
11	B2	1014	C	C5-C6-N1	5.13	123.57	121.00
17	BE	60	ARG	NH1-CZ-NH2	5.13	125.05	119.40
38	A1	644	G	C2-N3-C4	-5.13	109.33	111.90
38	A1	1197	G	C4-C5-C6	5.13	121.88	118.80
38	A1	1210	G	C4-C5-C6	5.13	121.88	118.80
38	A1	2019	C	O4'-C1'-N1	5.13	112.31	108.20
38	A1	2107	G	C6-N1-C2	5.13	128.18	125.10
61	AN	85	LYS	CA-CB-CG	5.13	124.69	113.40
11	B2	407	G	C4-C5-C6	5.13	121.88	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	737	C	C2-N3-C4	-5.13	117.33	119.90
11	B2	834	C	OP1-P-O3'	5.13	116.49	105.20
11	B2	1036	G	N3-C2-N2	5.13	123.49	119.90
38	A1	139	G	C8-N9-C4	-5.13	104.35	106.40
38	A1	470	A	N7-C8-N9	5.13	116.37	113.80
38	A1	1135	A	OP2-P-O3'	5.13	116.49	105.20
38	A1	1541	U	N3-C4-O4	5.13	122.99	119.40
38	A1	1914	U	C3'-C2'-C1'	-5.13	97.39	101.50
38	A1	2235	G	C3'-C2'-C1'	-5.13	97.39	101.50
38	A1	2425	A	N7-C8-N9	5.13	116.37	113.80
38	A1	2713	A	C4-C5-N7	-5.13	108.13	110.70
38	A1	2753	G	C4'-C3'-C2'	-5.13	97.47	102.60
38	A1	2955	G	N3-C4-N9	5.13	129.08	126.00
50	AF	143	ASP	CB-CG-OD1	5.13	122.92	118.30
5	AS	82	ARG	NE-CZ-NH1	-5.13	117.73	120.30
9	AX	342	PRO	N-CD-CG	5.13	110.89	103.20
11	B2	158	U	C5-C6-N1	5.13	125.27	122.70
11	B2	383	C	N3-C4-N4	5.13	121.59	118.00
11	B2	650	A	N1-C2-N3	5.13	131.87	129.30
11	B2	765	U	C6-N1-C2	-5.13	117.92	121.00
11	B2	1011	C	C4-C5-C6	5.13	119.97	117.40
11	B2	1437	G	N3-C4-N9	-5.13	122.92	126.00
38	A1	1941	A	OP1-P-OP2	-5.13	111.90	119.60
38	A1	2390	G	C5-N7-C8	5.13	106.86	104.30
38	A1	2957	G	N3-C4-C5	-5.13	126.03	128.60
39	A3	66	A	C5-C6-N6	-5.13	119.60	123.70
11	B2	320	G	C5-N7-C8	5.13	106.86	104.30
11	B2	554	C	N3-C4-N4	5.13	121.59	118.00
11	B2	723	G	C5-N7-C8	5.13	106.86	104.30
11	B2	789	G	N1-C6-O6	5.13	122.98	119.90
11	B2	958	G	N3-C2-N2	5.13	123.49	119.90
11	B2	1108	U	C2-N3-C4	-5.13	123.92	127.00
11	B2	1473	A	O4'-C1'-N9	5.13	112.30	108.20
31	BS	11	ARG	NE-CZ-NH1	5.13	122.86	120.30
38	A1	58	G	N3-C2-N2	5.13	123.49	119.90
38	A1	359	C	C5-C4-N4	-5.13	116.61	120.20
38	A1	429	U	N3-C4-O4	5.13	122.99	119.40
38	A1	822	A	O4'-C1'-N9	5.13	112.30	108.20
38	A1	1286	G	N1-C6-O6	5.13	122.98	119.90
38	A1	1607	C	C5'-C4'-O4'	5.13	115.25	109.10
38	A1	1654	G	N1-C6-O6	5.13	122.98	119.90
38	A1	1677	A	C5-C6-N6	-5.13	119.60	123.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2542	G	C5'-C4'-O4'	5.13	115.25	109.10
38	A1	2945	A	N3-C4-C5	-5.13	123.21	126.80
38	A1	2992	G	C6-N1-C2	5.13	128.18	125.10
58	Ak	54	VAL	CB-CA-C	-5.13	101.66	111.40
11	B2	280	C	C2-N1-C1'	5.13	124.44	118.80
11	B2	643	G	C5-N7-C8	5.13	106.86	104.30
11	B2	693	C	C6-N1-C2	5.13	122.35	120.30
11	B2	962	G	C6-C5-N7	-5.13	127.32	130.40
11	B2	973	U	N3-C2-O2	-5.13	118.61	122.20
38	A1	244	A	C2-N3-C4	5.13	113.16	110.60
38	A1	669	G	N1-C6-O6	5.13	122.97	119.90
38	A1	1101	U	N3-C4-C5	-5.13	111.52	114.60
38	A1	1450	C	P-O5'-C5'	5.13	129.10	120.90
38	A1	1621	G	N9-C4-C5	-5.13	103.35	105.40
38	A1	1756	C	C2-N1-C1'	-5.13	113.16	118.80
38	A1	1877	C	C5-C4-N4	-5.13	116.61	120.20
38	A1	2398	C	N1-C2-O2	5.13	121.98	118.90
38	A1	2585	G	C2-N3-C4	5.13	114.46	111.90
38	A1	2881	G	C5'-C4'-C3'	5.13	124.20	116.00
11	B2	121	C	C2-N1-C1'	5.12	124.44	118.80
11	B2	676	G	C6-N1-C2	5.12	128.18	125.10
38	A1	91	G	C4-C5-N7	-5.12	108.75	110.80
38	A1	589	G	C6-C5-N7	-5.12	127.33	130.40
38	A1	1085	G	N1-C2-N3	-5.12	120.83	123.90
38	A1	1135	A	N9-C4-C5	5.12	107.85	105.80
38	A1	1527	G	N1-C6-O6	5.12	122.97	119.90
38	A1	1841	G	C3'-C2'-C1'	-5.12	97.40	101.50
38	A1	1842	C	N1-C2-O2	-5.12	115.83	118.90
38	A1	2100	U	N3-C4-O4	5.12	122.99	119.40
38	A1	2202	U	C5-C4-O4	5.12	128.97	125.90
11	B2	845	G	N1-C2-N2	5.12	120.81	116.20
11	B2	1112	G	C4'-C3'-C2'	-5.12	97.48	102.60
11	B2	1121	C	N3-C4-N4	5.12	121.59	118.00
36	BX	29	VAL	CA-CB-CG2	-5.12	103.22	110.90
38	A1	122	G	C5-C6-N1	-5.12	108.94	111.50
38	A1	170	A	C6-N1-C2	-5.12	115.53	118.60
38	A1	626	C	P-O5'-C5'	5.12	129.10	120.90
38	A1	628	A	N3-C4-N9	-5.12	123.30	127.40
38	A1	1421	C	N1-C2-O2	-5.12	115.83	118.90
38	A1	1494	U	N3-C4-O4	-5.12	115.81	119.40
38	A1	1605	A	O5'-P-OP2	5.12	116.85	110.70
38	A1	2380	A	C4-C5-N7	-5.12	108.14	110.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	A3	24	C	O3'-P-O5'	5.12	113.73	104.00
39	A3	126	C	N3-C4-N4	5.12	121.59	118.00
10	B1	3	G	C4-C5-N7	5.12	112.85	110.80
10	B1	65	C	C4'-C3'-C2'	-5.12	97.48	102.60
11	B2	7	G	C4-C5-C6	5.12	121.87	118.80
11	B2	192	G	C6-N1-C2	5.12	128.17	125.10
11	B2	320	G	N9-C4-C5	-5.12	103.35	105.40
11	B2	543	C	C4'-C3'-C2'	-5.12	97.48	102.60
11	B2	772	G	C5'-C4'-O4'	5.12	115.25	109.10
11	B2	1395	G	O4'-C1'-N9	5.12	112.30	108.20
16	BD	11	TYR	CB-CG-CD2	5.12	124.07	121.00
34	BV	40	LEU	CB-CG-CD1	-5.12	102.29	111.00
38	A1	2347	G	C6-C5-N7	-5.12	127.33	130.40
38	A1	2599	C	N1-C2-O2	-5.12	115.83	118.90
38	A1	2825	A	C4-C5-C6	5.12	119.56	117.00
39	A3	20	G	C5'-C4'-O4'	5.12	115.25	109.10
39	A3	20	G	C5-C6-O6	-5.12	125.53	128.60
39	A3	42	A	C4-C5-N7	-5.12	108.14	110.70
44	Ab	92	ALA	N-CA-CB	5.12	117.27	110.10
11	B2	459	G	O4'-C1'-N9	5.12	112.30	108.20
11	B2	1042	U	N3-C4-O4	5.12	122.98	119.40
11	B2	1370	U	O4'-C4'-C3'	-5.12	98.88	104.00
11	B2	1450	U	N3-C2-O2	5.12	125.78	122.20
38	A1	712	C	C5-C6-N1	5.12	123.56	121.00
38	A1	1738	A	C5-C6-N1	-5.12	115.14	117.70
38	A1	2008	G	N7-C8-N9	5.12	115.66	113.10
61	AN	9	ASP	CA-CB-CG	-5.12	102.14	113.40
11	B2	175	G	C5-C6-O6	-5.12	125.53	128.60
11	B2	348	C	N1-C2-N3	-5.12	115.62	119.20
11	B2	524	U	O4'-C1'-N1	-5.12	104.11	108.20
11	B2	536	A	C5-C6-N6	-5.12	119.61	123.70
11	B2	987	G	C4-C5-C6	5.12	121.87	118.80
11	B2	1103	G	N1-C2-N2	-5.12	111.59	116.20
11	B2	1197	C	N3-C4-N4	5.12	121.58	118.00
38	A1	652	G	C4'-C3'-C2'	-5.12	97.48	102.60
38	A1	661	G	C8-N9-C1'	5.12	133.65	127.00
38	A1	1037	C	C5-C6-N1	-5.12	118.44	121.00
38	A1	1112	G	N1-C2-N3	-5.12	120.83	123.90
38	A1	1220	U	N1-C2-O2	5.12	126.38	122.80
38	A1	1423	G	N1-C2-N2	5.12	120.81	116.20
38	A1	1658	A	C4-N9-C1'	5.12	135.51	126.30
38	A1	1739	U	N1-C2-N3	-5.12	111.83	114.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1999	G	N9-C4-C5	5.12	107.45	105.40
38	A1	2120	C	C6-N1-C1'	-5.12	114.66	120.80
38	A1	2281	A	N7-C8-N9	-5.12	111.24	113.80
38	A1	2738	G	C4-C5-C6	5.12	121.87	118.80
11	B2	5	C	N3-C4-C5	-5.12	119.85	121.90
11	B2	276	A	C5-C6-N6	-5.12	119.61	123.70
11	B2	290	C	P-O3'-C3'	5.12	125.84	119.70
11	B2	1041	C	N1-C2-N3	-5.12	115.62	119.20
38	A1	71	A	C8-N9-C4	-5.12	103.75	105.80
38	A1	565	A	N3-C4-C5	-5.12	123.22	126.80
38	A1	1129	G	N7-C8-N9	5.12	115.66	113.10
38	A1	1174	U	O4'-C1'-C2'	-5.12	100.68	105.80
38	A1	1193	G	P-O3'-C3'	-5.12	113.56	119.70
38	A1	2563	A	C8-N9-C4	-5.12	103.75	105.80
11	B2	114	A	C5'-C4'-O4'	5.12	115.24	109.10
11	B2	126	G	C4'-C3'-C2'	-5.12	97.48	102.60
11	B2	223	G	C5-C6-N1	-5.12	108.94	111.50
11	B2	474	G	C8-N9-C1'	5.12	133.65	127.00
11	B2	867	A	C4-C5-N7	5.12	113.26	110.70
11	B2	1021	C	C5-C4-N4	-5.12	116.62	120.20
11	B2	1109	C	C5-C4-N4	-5.12	116.62	120.20
11	B2	1266	A	P-O3'-C3'	-5.12	113.56	119.70
11	B2	1378	A	N3-C4-C5	-5.12	123.22	126.80
11	B2	1458	A	N1-C2-N3	5.12	131.86	129.30
11	B2	1481	G	N7-C8-N9	-5.12	110.54	113.10
38	A1	55	G	C8-N9-C4	5.12	108.45	106.40
38	A1	130	G	C8-N9-C1'	5.12	133.65	127.00
38	A1	224	G	C2-N3-C4	5.12	114.46	111.90
38	A1	369	G	O4'-C1'-C2'	-5.12	100.69	105.80
38	A1	381	G	N3-C4-N9	-5.12	122.93	126.00
38	A1	842	C	C5'-C4'-C3'	5.12	124.19	116.00
38	A1	1398	C	C4-C5-C6	5.12	119.96	117.40
38	A1	1600	G	N1-C2-N2	-5.12	111.60	116.20
38	A1	2462	U	C5-C6-N1	5.12	125.26	122.70
38	A1	2536	A	C6-C5-N7	-5.12	128.72	132.30
38	A1	2694	C	C2-N1-C1'	5.12	124.43	118.80
38	A1	2700	U	O4'-C4'-C3'	-5.12	98.88	104.00
38	A1	2836	G	N3-C4-N9	-5.12	122.93	126.00
11	B2	236	C	C1'-O4'-C4'	5.11	113.99	109.90
11	B2	292	U	C6-N1-C1'	5.11	128.36	121.20
11	B2	353	G	C1'-O4'-C4'	-5.11	105.81	109.90
11	B2	586	C	O4'-C1'-N1	5.11	112.29	108.20

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
21	BI	79	PHE	CB-CG-CD1	-5.11	117.22	120.80
38	A1	293	G	N3-C2-N2	5.11	123.48	119.90
38	A1	583	A	C6-C5-N7	-5.11	128.72	132.30
38	A1	628	A	C4-C5-N7	-5.11	108.14	110.70
38	A1	658	C	O4'-C1'-N1	5.11	112.29	108.20
38	A1	757	C	C5-C4-N4	-5.11	116.62	120.20
38	A1	835	G	C5-C6-O6	-5.11	125.53	128.60
38	A1	906	G	N1-C2-N3	-5.11	120.83	123.90
38	A1	1163	U	C2-N1-C1'	5.11	123.84	117.70
38	A1	1487	U	C3'-C2'-C1'	5.11	105.59	101.50
38	A1	2028	G	N3-C4-C5	-5.11	126.04	128.60
38	A1	2307	C	C5-C6-N1	5.11	123.56	121.00
46	AD	33	ARG	NE-CZ-NH2	-5.11	117.74	120.30
58	AK	124	ILE	N-CA-C	-5.11	97.19	111.00
61	AN	36	MET	CB-CA-C	-5.11	100.17	110.40
67	AZ	63	PHE	CB-CG-CD1	-5.11	117.22	120.80
11	B2	748	A	N7-C8-N9	-5.11	111.24	113.80
11	B2	1114	G	O4'-C4'-C3'	-5.11	98.89	104.00
38	A1	346	U	C2-N3-C4	5.11	130.07	127.00
38	A1	786	G	P-O3'-C3'	5.11	125.83	119.70
38	A1	1083	G	P-O3'-C3'	-5.11	113.57	119.70
38	A1	1782	C	N3-C4-N4	5.11	121.58	118.00
38	A1	2223	G	N3-C4-C5	5.11	131.16	128.60
11	B2	68	G	C4-N9-C1'	-5.11	119.86	126.50
11	B2	148	C	N3-C4-N4	5.11	121.58	118.00
11	B2	404	C	N3-C4-C5	-5.11	119.86	121.90
11	B2	618	G	C6-C5-N7	-5.11	127.33	130.40
11	B2	742	U	P-O5'-C5'	5.11	129.08	120.90
11	B2	937	A	C4'-C3'-C2'	-5.11	97.49	102.60
11	B2	981	U	C5-C4-O4	-5.11	122.83	125.90
11	B2	1060	G	N3-C4-C5	-5.11	126.04	128.60
11	B2	1087	C	C1'-O4'-C4'	-5.11	105.81	109.90
11	B2	1111	G	N7-C8-N9	-5.11	110.55	113.10
11	B2	1411	G	C4-C5-C6	5.11	121.87	118.80
16	BD	54	ARG	CD-NE-CZ	5.11	130.75	123.60
17	BE	63	ARG	NE-CZ-NH2	-5.11	117.75	120.30
38	A1	455	G	C3'-C2'-C1'	-5.11	97.41	101.50
38	A1	1013	G	C4-C5-C6	-5.11	115.73	118.80
38	A1	1053	A	C4-C5-N7	-5.11	108.14	110.70
38	A1	1133	U	C5-C4-O4	-5.11	122.83	125.90
38	A1	1309	G	C4-N9-C1'	-5.11	119.86	126.50
38	A1	2021	G	N9-C4-C5	-5.11	103.36	105.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2970	U	C4'-C3'-C2'	-5.11	97.49	102.60
39	A3	125	U	C5-C6-N1	-5.11	120.14	122.70
49	Ae	5	THR	CA-CB-CG2	5.11	119.56	112.40
57	Aj	24	ARG	CA-CB-CG	5.11	124.64	113.40
10	B1	35	G	C1'-O4'-C4'	-5.11	105.81	109.90
11	B2	1490	C	C4-C5-C6	5.11	119.95	117.40
23	BK	2	ARG	NE-CZ-NH1	5.11	122.86	120.30
23	BK	34	GLU	CB-CA-C	-5.11	100.18	110.40
38	A1	171	A	P-O5'-C5'	-5.11	112.73	120.90
38	A1	213	G	N3-C2-N2	5.11	123.48	119.90
38	A1	829	G	C1'-O4'-C4'	-5.11	105.81	109.90
38	A1	941	C	C6-N1-C2	-5.11	118.26	120.30
38	A1	1054	A	O4'-C4'-C3'	-5.11	98.89	104.00
38	A1	1270	G	N9-C4-C5	-5.11	103.36	105.40
38	A1	1332	A	N1-C2-N3	-5.11	126.75	129.30
38	A1	1649	G	C6-C5-N7	-5.11	127.33	130.40
38	A1	2733	A	C4-C5-N7	-5.11	108.15	110.70
10	B1	60	A	C6-C5-N7	-5.11	128.72	132.30
11	B2	321	A	N9-C1'-C2'	-5.11	106.38	112.00
11	B2	896	A	N9-C4-C5	5.11	107.84	105.80
11	B2	1083	G	C5-C6-O6	-5.11	125.54	128.60
38	A1	8	G	O4'-C1'-N9	5.11	112.29	108.20
38	A1	1125	A	O4'-C1'-N9	5.11	112.29	108.20
38	A1	1329	G	N3-C2-N2	5.11	123.47	119.90
38	A1	2039	U	C5-C4-O4	-5.11	122.83	125.90
38	A1	2368	G	C6-C5-N7	-5.11	127.33	130.40
38	A1	2867	U	OP1-P-OP2	-5.11	111.94	119.60
38	A1	3022	C	C1'-O4'-C4'	-5.11	105.81	109.90
39	A3	18	G	O4'-C1'-C2'	5.11	112.20	107.60
67	AZ	66	THR	CA-CB-OG1	5.11	119.73	109.00
10	B1	39	A	C4-N9-C1'	5.11	135.49	126.30
11	B2	311	A	N3-C4-N9	5.11	131.48	127.40
11	B2	340	A	N3-C4-N9	5.11	131.48	127.40
11	B2	361	A	O4'-C1'-C2'	5.11	112.19	107.60
11	B2	1040	A	C2-N3-C4	-5.11	108.05	110.60
32	BT	21	LEU	CB-CG-CD2	5.11	119.68	111.00
38	A1	472	A	N3-C4-C5	-5.11	123.23	126.80
38	A1	799	C	P-O3'-C3'	-5.11	113.58	119.70
38	A1	1389	A	O5'-P-OP1	-5.11	101.11	105.70
38	A1	1443	G	N7-C8-N9	-5.11	110.55	113.10
38	A1	1720	G	C6-C5-N7	-5.11	127.34	130.40
38	A1	2338	A	N1-C2-N3	5.11	131.85	129.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2384	G	C5'-C4'-O4'	5.11	115.23	109.10
38	A1	2893	U	N3-C4-O4	5.11	122.97	119.40
38	A1	3027	C	C6-N1-C2	5.11	122.34	120.30
58	Ak	212	GLU	OE1-CD-OE2	5.11	129.43	123.30
11	B2	19	G	C8-N9-C1'	5.10	133.64	127.00
11	B2	1428	G	N1-C2-N3	-5.10	120.84	123.90
38	A1	35	G	C4-C5-N7	5.10	112.84	110.80
38	A1	272	G	O4'-C1'-N9	5.10	112.28	108.20
38	A1	384	G	C8-N9-C1'	5.10	133.64	127.00
38	A1	696	G	O4'-C1'-N9	5.10	112.28	108.20
38	A1	855	G	C8-N9-C4	-5.10	104.36	106.40
38	A1	1548	A	N1-C2-N3	-5.10	126.75	129.30
38	A1	2247	G	C2-N3-C4	-5.10	109.35	111.90
11	B2	816	G	C8-N9-C4	-5.10	104.36	106.40
11	B2	856	G	C8-N9-C4	5.10	108.44	106.40
11	B2	1400	A	P-O3'-C3'	-5.10	113.58	119.70
21	BI	99	PHE	CB-CG-CD2	-5.10	117.23	120.80
30	BR	8	ARG	NE-CZ-NH1	5.10	122.85	120.30
32	BT	30	ALA	N-CA-CB	5.10	117.25	110.10
38	A1	563	A	O4'-C1'-N9	5.10	112.28	108.20
38	A1	700	A	C5-N7-C8	5.10	106.45	103.90
38	A1	743	A	C5-C6-N1	-5.10	115.15	117.70
38	A1	1718	C	C3'-C2'-C1'	-5.10	97.42	101.50
38	A1	1793	G	N9-C4-C5	5.10	107.44	105.40
38	A1	1820	C	N1-C2-O2	-5.10	115.84	118.90
38	A1	1879	U	N1-C2-O2	-5.10	119.23	122.80
38	A1	2027	G	C8-N9-C4	5.10	108.44	106.40
38	A1	2093	A	P-O3'-C3'	5.10	125.82	119.70
38	A1	2095	U	C6-N1-C1'	-5.10	114.06	121.20
38	A1	2223	G	N3-C4-N9	-5.10	122.94	126.00
38	A1	2278	U	OP1-P-OP2	-5.10	111.94	119.60
38	A1	3032	C	C5-C6-N1	5.10	123.55	121.00
39	A3	20	G	C4-N9-C1'	5.10	133.13	126.50
39	A3	98	G	C4-C5-N7	-5.10	108.76	110.80
39	A3	118	G	C5-C6-N1	-5.10	108.95	111.50
46	AD	167	TRP	CE3-CZ3-CH2	-5.10	115.59	121.20
11	B2	51	A	C4-C5-N7	-5.10	108.15	110.70
11	B2	724	C	C6-N1-C2	-5.10	118.26	120.30
11	B2	1391	U	C6-N1-C2	-5.10	117.94	121.00
38	A1	381	G	O5'-C5'-C4'	-5.10	102.01	111.70
38	A1	382	G	C4-C5-C6	5.10	121.86	118.80
38	A1	478	C	P-O3'-C3'	-5.10	113.58	119.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	634	G	C4-C5-C6	5.10	121.86	118.80
38	A1	1033	C	C4'-C3'-C2'	-5.10	97.50	102.60
38	A1	1077	G	C5-C6-N1	-5.10	108.95	111.50
38	A1	1124	G	P-O3'-C3'	5.10	125.82	119.70
38	A1	1304	G	N1-C6-O6	-5.10	116.84	119.90
38	A1	1681	G	P-O3'-C3'	5.10	125.82	119.70
38	A1	2360	G	C6-C5-N7	-5.10	127.34	130.40
38	A1	2554	A	N3-C4-C5	-5.10	123.23	126.80
39	A3	41	A	C8-N9-C4	-5.10	103.76	105.80
47	Ad	53	GLU	C-N-CA	5.10	134.45	121.70
12	AG	7	VAL	CA-CB-CG2	-5.10	103.25	110.90
7	AU	70	ASP	CB-CA-C	-5.10	100.20	110.40
11	B2	117	C	N1-C2-O2	5.10	121.96	118.90
11	B2	608	G	O4'-C1'-N9	5.10	112.28	108.20
11	B2	767	U	C5-C4-O4	5.10	128.96	125.90
11	B2	812	U	C1'-O4'-C4'	5.10	113.98	109.90
11	B2	1109	C	C2-N1-C1'	5.10	124.41	118.80
11	B2	1232	G	N1-C2-N2	-5.10	111.61	116.20
18	BF	110	ILE	CA-CB-CG1	-5.10	101.31	111.00
38	A1	114	C	C5-C4-N4	-5.10	116.63	120.20
38	A1	679	U	N3-C4-C5	-5.10	111.54	114.60
38	A1	727	A	N1-C6-N6	5.10	121.66	118.60
38	A1	801	A	P-O3'-C3'	-5.10	113.58	119.70
38	A1	998	G	C5'-C4'-O4'	5.10	115.22	109.10
38	A1	1048	C	C4-C5-C6	5.10	119.95	117.40
38	A1	1128	G	C6-C5-N7	-5.10	127.34	130.40
38	A1	1498	C	N1-C2-O2	5.10	121.96	118.90
38	A1	1539	U	C1'-O4'-C4'	-5.10	105.82	109.90
38	A1	1669	A	C3'-C2'-C1'	5.10	105.58	101.50
38	A1	1865	U	C5-C4-O4	-5.10	122.84	125.90
38	A1	2077	A	C5-C6-N1	-5.10	115.15	117.70
38	A1	2425	A	P-O3'-C3'	5.10	125.82	119.70
38	A1	2963	G	C5-N7-C8	5.10	106.85	104.30
45	AC	23	ILE	CA-CB-CG1	5.10	120.69	111.00
11	B2	177	A	O4'-C1'-C2'	-5.10	100.70	105.80
11	B2	921	G	P-O3'-C3'	-5.10	113.58	119.70
11	B2	930	G	C4-C5-C6	5.10	121.86	118.80
11	B2	1062	G	C4-C5-C6	5.10	121.86	118.80
11	B2	1261	U	C2-N3-C4	5.10	130.06	127.00
11	B2	1449	G	N1-C6-O6	5.10	122.96	119.90
38	A1	284	U	C5-C6-N1	5.10	125.25	122.70
38	A1	288	G	O4'-C1'-N9	5.10	112.28	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	843	C	N1-C2-O2	-5.10	115.84	118.90
38	A1	1011	A	C5-C6-N6	-5.10	119.62	123.70
38	A1	1163	U	P-O3'-C3'	-5.10	113.58	119.70
38	A1	1525	G	C6-N1-C2	5.10	128.16	125.10
38	A1	2307	C	C1'-O4'-C4'	5.10	113.98	109.90
38	A1	2448	A	C8-N9-C4	-5.10	103.76	105.80
39	A3	116	C	C5-C6-N1	5.10	123.55	121.00
40	AK	61	ASP	CB-CG-OD1	5.10	122.89	118.30
11	B2	90	C	N1-C2-O2	-5.10	115.84	118.90
11	B2	1418	G	C5-N7-C8	5.10	106.85	104.30
38	A1	1807	G	C4'-C3'-C2'	-5.10	97.50	102.60
38	A1	2041	U	C5-C4-O4	-5.10	122.84	125.90
46	AD	123	ASN	N-CA-C	-5.10	97.24	111.00
48	AE	107	PHE	CG-CD2-CE2	-5.10	115.19	120.80
11	B2	125	G	N1-C6-O6	5.09	122.96	119.90
11	B2	156	A	O4'-C4'-C3'	-5.09	98.91	104.00
11	B2	202	G	C6-C5-N7	-5.09	127.34	130.40
11	B2	395	C	C5-C4-N4	-5.09	116.63	120.20
11	B2	702	G	C8-N9-C4	-5.09	104.36	106.40
11	B2	811	G	N3-C4-C5	-5.09	126.05	128.60
11	B2	832	G	O4'-C1'-N9	5.09	112.28	108.20
11	B2	1422	G	N1-C2-N3	-5.09	120.84	123.90
38	A1	516	A	O4'-C1'-N9	5.09	112.28	108.20
38	A1	748	G	C8-N9-C1'	-5.09	120.38	127.00
38	A1	1077	G	N1-C2-N3	-5.09	120.84	123.90
38	A1	1166	A	N9-C4-C5	5.09	107.84	105.80
38	A1	1335	C	N3-C4-C5	-5.09	119.86	121.90
38	A1	1845	C	OP1-P-OP2	-5.09	111.96	119.60
38	A1	1892	G	C5-C6-N1	-5.09	108.95	111.50
38	A1	1963	G	C2-N3-C4	5.09	114.45	111.90
38	A1	2401	A	C2-N3-C4	5.09	113.15	110.60
38	A1	2717	A	C4-C5-C6	5.09	119.55	117.00
46	AD	219	VAL	CA-CB-CG2	-5.09	103.26	110.90
11	B2	59	C	N3-C2-O2	-5.09	118.33	121.90
11	B2	647	G	C6-C5-N7	-5.09	127.34	130.40
38	A1	609	G	C8-N9-C1'	5.09	133.62	127.00
38	A1	1506	U	C5-C6-N1	5.09	125.25	122.70
38	A1	1657	G	N3-C4-C5	-5.09	126.05	128.60
38	A1	1941	A	C4-C5-C6	5.09	119.55	117.00
38	A1	2781	A	C1'-O4'-C4'	5.09	113.97	109.90
39	A3	88	A	C6-C5-N7	-5.09	128.74	132.30
10	B1	72	C	N3-C2-O2	5.09	125.47	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	150	G	N3-C4-C5	5.09	131.15	128.60
11	B2	342	G	C5-C6-O6	-5.09	125.55	128.60
11	B2	461	A	N9-C4-C5	5.09	107.84	105.80
11	B2	779	G	C2-N3-C4	-5.09	109.35	111.90
11	B2	959	G	C5'-C4'-O4'	5.09	115.21	109.10
11	B2	1143	G	C5-C6-N1	-5.09	108.95	111.50
11	B2	1436	U	C5'-C4'-O4'	5.09	115.21	109.10
11	B2	1464	C	O5'-P-OP1	-5.09	101.12	105.70
18	BF	85	VAL	CA-CB-CG2	5.09	118.54	110.90
38	A1	283	U	N1-C2-O2	5.09	126.36	122.80
38	A1	529	G	C2-N3-C4	5.09	114.44	111.90
38	A1	782	G	C4'-C3'-C2'	-5.09	97.51	102.60
38	A1	902	C	N3-C2-O2	5.09	125.46	121.90
38	A1	1251	G	C5'-C4'-C3'	5.09	124.15	116.00
38	A1	1506	U	O4'-C1'-N1	5.09	112.27	108.20
38	A1	1607	C	N3-C4-C5	-5.09	119.86	121.90
38	A1	2587	G	N1-C2-N3	-5.09	120.84	123.90
38	A1	2827	C	C1'-O4'-C4'	-5.09	105.83	109.90
39	A3	69	C	C2-N3-C4	5.09	122.45	119.90
39	A3	117	G	C8-N9-C4	-5.09	104.36	106.40
40	AK	76	GLU	N-CA-CB	5.09	119.77	110.60
62	AO	92	TYR	CB-CG-CD2	-5.09	117.94	121.00
64	AR	40	ARG	NE-CZ-NH1	-5.09	117.75	120.30
1	A7	4	PHE	CB-CG-CD2	-5.09	117.24	120.80
11	B2	335	G	O4'-C4'-C3'	-5.09	98.91	104.00
11	B2	355	C	C3'-C2'-C1'	5.09	105.57	101.50
11	B2	468	G	C4-C5-C6	5.09	121.85	118.80
11	B2	972	C	C5-C6-N1	-5.09	118.46	121.00
11	B2	1480	G	C2-N3-C4	5.09	114.44	111.90
22	BJ	82	GLU	CB-CA-C	5.09	120.58	110.40
38	A1	54	G	C4-C5-N7	5.09	112.84	110.80
38	A1	854	G	C5-C6-N1	-5.09	108.96	111.50
38	A1	1005	G	C4-C5-N7	5.09	112.84	110.80
38	A1	1050	C	C2-N3-C4	5.09	122.44	119.90
38	A1	1824	G	C3'-C2'-C1'	5.09	105.57	101.50
38	A1	1861	G	C4-C5-N7	-5.09	108.76	110.80
38	A1	1881	A	O5'-P-OP1	5.09	116.81	110.70
38	A1	2671	C	C6-N1-C2	5.09	122.34	120.30
38	A1	2682	G	N9-C1'-C2'	-5.09	106.40	112.00
38	A1	3006	G	N9-C4-C5	5.09	107.44	105.40
39	A3	84	U	C1'-O4'-C4'	-5.09	105.83	109.90
52	AH	25	ILE	CB-CA-C	5.09	121.78	111.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	B3	106	LYS	O-C-N	-5.09	114.56	122.70
38	A1	292	U	O4'-C1'-N1	5.09	112.27	108.20
38	A1	1557	G	O3'-P-O5'	-5.09	94.33	104.00
38	A1	1998	G	N3-C4-N9	5.09	129.05	126.00
39	A3	10	U	P-O5'-C5'	-5.09	112.76	120.90
11	B2	520	G	C4'-C3'-C2'	-5.09	97.51	102.60
11	B2	1123	G	N7-C8-N9	-5.09	110.56	113.10
22	BJ	18	VAL	N-CA-C	-5.09	97.27	111.00
23	BK	108	VAL	C-N-CA	5.09	132.98	122.30
28	BP	29	PRO	N-CA-CB	5.09	109.40	103.30
38	A1	167	G	N3-C4-N9	5.09	129.05	126.00
38	A1	250	G	C2-N3-C4	-5.09	109.36	111.90
38	A1	263	U	P-O3'-C3'	-5.09	113.60	119.70
38	A1	288	G	C2-N3-C4	5.09	114.44	111.90
38	A1	382	G	C3'-C2'-C1'	5.09	105.57	101.50
38	A1	940	G	N3-C2-N2	5.09	123.46	119.90
38	A1	1002	A	C6-N1-C2	-5.09	115.55	118.60
38	A1	1589	G	C4-C5-N7	-5.09	108.77	110.80
38	A1	1807	G	C3'-C2'-C1'	5.09	105.57	101.50
38	A1	2157	U	N3-C4-C5	-5.09	111.55	114.60
38	A1	2495	A	C4-C5-N7	-5.09	108.16	110.70
38	A1	2944	G	N3-C4-C5	5.09	131.14	128.60
38	A1	2984	A	N7-C8-N9	-5.09	111.26	113.80
45	AC	352	GLN	N-CA-CB	5.09	119.75	110.60
46	AD	28	PRO	N-CA-CB	5.09	109.40	103.30
11	B2	404	C	C5-C4-N4	-5.08	116.64	120.20
11	B2	1040	A	N3-C4-C5	-5.08	123.24	126.80
13	BA	59	PHE	CB-CG-CD2	5.08	124.36	120.80
38	A1	118	A	C5-N7-C8	5.08	106.44	103.90
38	A1	656	G	N3-C4-C5	-5.08	126.06	128.60
38	A1	1176	C	N3-C4-C5	-5.08	119.87	121.90
38	A1	1518	G	C8-N9-C4	5.08	108.43	106.40
38	A1	2443	G	C5-C6-N1	5.08	114.04	111.50
39	A3	9	A	N9-C4-C5	-5.08	103.77	105.80
40	A5	20	GLN	CG-CD-OE1	-5.08	111.43	121.60
43	AB	182	TYR	CB-CG-CD2	5.08	124.05	121.00
50	AF	173	TYR	CB-CG-CD1	5.08	124.05	121.00
40	AK	71	VAL	C-N-CA	5.08	134.41	121.70
10	B1	20	G	P-O5'-C5'	-5.08	112.77	120.90
11	B2	617	A	OP2-P-O3'	5.08	116.38	105.20
11	B2	648	A	C5'-C4'-O4'	5.08	115.20	109.10
11	B2	855	C	N1-C2-N3	-5.08	115.64	119.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1356	A	N9-C4-C5	5.08	107.83	105.80
11	B2	1429	G	C8-N9-C1'	5.08	133.61	127.00
11	B2	1429	G	C4-N9-C1'	-5.08	119.89	126.50
38	A1	758	C	O4'-C1'-N1	5.08	112.27	108.20
38	A1	995	G	N3-C4-C5	-5.08	126.06	128.60
38	A1	1607	C	O4'-C1'-N1	5.08	112.27	108.20
38	A1	2579	G	N1-C2-N2	5.08	120.78	116.20
50	AF	56	TYR	CG-CD2-CE2	-5.08	117.23	121.30
54	AI	98	LYS	N-CA-CB	5.08	119.75	110.60
10	B1	20	G	C5'-C4'-C3'	-5.08	107.87	116.00
11	B2	222	G	O4'-C4'-C3'	-5.08	98.92	104.00
11	B2	287	G	N1-C2-N2	-5.08	111.63	116.20
11	B2	457	G	C6-C5-N7	-5.08	127.35	130.40
11	B2	656	U	C2-N1-C1'	5.08	123.80	117.70
11	B2	674	C	C2-N3-C4	5.08	122.44	119.90
11	B2	688	C	N1-C2-N3	5.08	122.76	119.20
11	B2	984	C	P-O3'-C3'	5.08	125.80	119.70
11	B2	1134	G	N1-C2-N2	5.08	120.77	116.20
11	B2	1285	C	C4'-C3'-C2'	-5.08	97.52	102.60
20	BH	87	ARG	CG-CD-NE	-5.08	101.13	111.80
22	BJ	16	ARG	NE-CZ-NH1	-5.08	117.76	120.30
38	A1	24	G	C4-C5-C6	5.08	121.85	118.80
38	A1	42	G	C4-N9-C1'	-5.08	119.89	126.50
38	A1	925	U	C1'-O4'-C4'	-5.08	105.83	109.90
38	A1	927	G	C1'-O4'-C4'	5.08	113.97	109.90
38	A1	985	A	C1'-O4'-C4'	-5.08	105.83	109.90
38	A1	1229	U	C3'-C2'-C1'	5.08	105.56	101.50
38	A1	1234	A	P-O3'-C3'	-5.08	113.60	119.70
38	A1	1461	G	C5-C6-N1	-5.08	108.96	111.50
38	A1	1608	G	C8-N9-C4	-5.08	104.37	106.40
38	A1	2019	C	C4-C5-C6	5.08	119.94	117.40
38	A1	2023	A	P-O3'-C3'	-5.08	113.60	119.70
38	A1	2426	U	C5-C4-O4	5.08	128.95	125.90
38	A1	2684	G	N7-C8-N9	5.08	115.64	113.10
38	A1	2854	A	O4'-C1'-C2'	5.08	112.17	107.60
43	AB	204	PHE	CB-CG-CD2	5.08	124.36	120.80
46	AD	238	ARG	NE-CZ-NH1	-5.08	117.76	120.30
61	AN	15	PRO	N-CA-CB	5.08	109.40	103.30
11	B2	951	G	N7-C8-N9	5.08	115.64	113.10
11	B2	1172	A	C6-C5-N7	-5.08	128.74	132.30
19	BG	105	LYS	N-CA-CB	5.08	119.74	110.60
38	A1	173	G	N3-C2-N2	5.08	123.46	119.90

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1077	G	C6-N1-C2	5.08	128.15	125.10
38	A1	1345	G	C2-N3-C4	-5.08	109.36	111.90
38	A1	1988	U	C5-C6-N1	5.08	125.24	122.70
38	A1	2040	A	N9-C4-C5	5.08	107.83	105.80
43	AB	17	PHE	CB-CG-CD1	-5.08	117.24	120.80
67	AZ	2	ASP	CB-CG-OD2	5.08	122.87	118.30
9	AX	219	VAL	N-CA-CB	5.08	122.67	111.50
10	B1	27	A	C4-C5-C6	5.08	119.54	117.00
10	B1	46	U	C2-N1-C1'	5.08	123.79	117.70
11	B2	14	C	O4'-C1'-N1	5.08	112.26	108.20
11	B2	99	C	C5-C4-N4	-5.08	116.64	120.20
11	B2	327	G	C5-C6-N1	-5.08	108.96	111.50
11	B2	347	G	N9-C1'-C2'	-5.08	106.41	112.00
11	B2	424	U	C4-C5-C6	5.08	122.75	119.70
11	B2	567	A	OP2-P-O3'	5.08	116.37	105.20
11	B2	860	G	C2-N3-C4	5.08	114.44	111.90
11	B2	944	C	OP1-P-OP2	-5.08	111.98	119.60
13	BA	48	VAL	CG1-CB-CG2	-5.08	102.78	110.90
38	A1	131	C	N1-C2-N3	-5.08	115.64	119.20
38	A1	605	A	C8-N9-C4	-5.08	103.77	105.80
38	A1	1015	G	C4-C5-N7	5.08	112.83	110.80
38	A1	1038	U	N1-C2-O2	-5.08	119.24	122.80
38	A1	1086	U	O5'-P-OP2	5.08	116.80	110.70
38	A1	1142	A	N9-C4-C5	-5.08	103.77	105.80
38	A1	1392	G	C5'-C4'-O4'	5.08	115.19	109.10
38	A1	1734	G	C5'-C4'-C3'	-5.08	107.87	116.00
38	A1	1906	G	C5-C6-O6	-5.08	125.55	128.60
38	A1	1982	C	O4'-C1'-N1	5.08	112.26	108.20
38	A1	2647	G	C8-N9-C4	5.08	108.43	106.40
43	AB	105	GLY	O-C-N	-5.08	114.58	122.70
45	AC	358	TYR	CD1-CE1-CZ	-5.08	115.23	119.80
46	AD	200	VAL	CB-CA-C	-5.08	101.75	111.40
59	AL	4	ARG	NE-CZ-NH2	-5.08	117.76	120.30
67	AZ	99	ARG	NE-CZ-NH1	5.08	122.84	120.30
11	B2	819	G	N9-C4-C5	5.08	107.43	105.40
11	B2	1299	A	C5-C6-N1	-5.08	115.16	117.70
11	B2	1359	C	C6-N1-C1'	-5.08	114.71	120.80
38	A1	799	C	C5-C4-N4	-5.08	116.65	120.20
38	A1	1160	U	C5'-C4'-O4'	5.08	115.19	109.10
38	A1	1247	U	C2-N3-C4	5.08	130.05	127.00
38	A1	1443	G	C5'-C4'-C3'	-5.08	107.88	116.00
38	A1	2448	A	C6-C5-N7	-5.08	128.75	132.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2954	C	P-O5'-C5'	-5.08	112.78	120.90
49	Ae	32	LYS	N-CA-CB	5.08	119.74	110.60
11	B2	221	A	C5-N7-C8	5.08	106.44	103.90
11	B2	445	G	P-O5'-C5'	-5.08	112.78	120.90
11	B2	757	G	N1-C2-N3	-5.08	120.86	123.90
11	B2	1470	G	N9-C4-C5	5.08	107.43	105.40
38	A1	185	A	O4'-C1'-N9	5.08	112.26	108.20
38	A1	212	A	C6-C5-N7	5.08	135.85	132.30
38	A1	428	A	N9-C4-C5	5.08	107.83	105.80
38	A1	546	C	OP2-P-O3'	5.08	116.37	105.20
38	A1	1189	A	OP2-P-O3'	5.08	116.37	105.20
38	A1	1607	C	C5-C6-N1	5.08	123.54	121.00
38	A1	2268	C	N3-C4-C5	-5.08	119.87	121.90
38	A1	2297	C	P-O5'-C5'	5.08	129.02	120.90
38	A1	2621	U	C5'-C4'-O4'	-5.08	103.01	109.10
38	A1	2885	C	N3-C4-N4	5.08	121.55	118.00
11	B2	476	C	C2-N3-C4	5.07	122.44	119.90
11	B2	538	C	C5-C4-N4	-5.07	116.65	120.20
11	B2	792	C	N3-C4-N4	5.07	121.55	118.00
11	B2	932	C	O4'-C4'-C3'	-5.07	98.93	104.00
11	B2	1112	G	C6-C5-N7	-5.07	127.36	130.40
11	B2	1428	G	C8-N9-C1'	5.07	133.59	127.00
11	B2	1461	U	C6-N1-C1'	5.07	128.30	121.20
38	A1	1021	G	C2-N3-C4	-5.07	109.36	111.90
38	A1	1146	U	C6-N1-C1'	-5.07	114.10	121.20
38	A1	1309	G	N1-C6-O6	5.07	122.94	119.90
38	A1	1665	G	N7-C8-N9	-5.07	110.56	113.10
38	A1	2485	C	O4'-C1'-N1	5.07	112.26	108.20
38	A1	2521	U	C2-N1-C1'	5.07	123.79	117.70
38	A1	2894	A	O4'-C1'-N9	5.07	112.26	108.20
48	AE	2	ALA	N-CA-CB	5.07	117.20	110.10
60	AM	8	ARG	NH1-CZ-NH2	-5.07	113.82	119.40
11	B2	100	A	C2-N3-C4	-5.07	108.06	110.60
11	B2	385	A	C4'-C3'-C2'	-5.07	97.53	102.60
39	A3	116	C	P-O3'-C3'	-5.07	113.61	119.70
6	AT	41	ARG	NH1-CZ-NH2	5.07	124.98	119.40
11	B2	198	A	C3'-C2'-C1'	5.07	105.56	101.50
11	B2	798	U	C3'-C2'-C1'	5.07	105.56	101.50
11	B2	859	A	N7-C8-N9	5.07	116.33	113.80
38	A1	315	U	N3-C2-O2	5.07	125.75	122.20
38	A1	519	A	C6-N1-C2	5.07	121.64	118.60
38	A1	920	G	N1-C2-N3	-5.07	120.86	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	983	G	N3-C2-N2	-5.07	116.35	119.90
38	A1	1031	C	C2-N3-C4	5.07	122.44	119.90
38	A1	1079	A	N1-C2-N3	5.07	131.84	129.30
38	A1	1601	G	C5'-C4'-C3'	5.07	124.11	116.00
38	A1	1607	C	C1'-O4'-C4'	-5.07	105.84	109.90
38	A1	1831	C	N3-C4-N4	5.07	121.55	118.00
38	A1	2110	C	C6-N1-C1'	-5.07	114.71	120.80
38	A1	2432	G	C4-C5-N7	5.07	112.83	110.80
38	A1	2458	U	O4'-C1'-N1	5.07	112.26	108.20
38	A1	2605	G	N3-C4-C5	-5.07	126.06	128.60
49	Ae	28	TYR	CZ-CE2-CD2	-5.07	115.24	119.80
11	B2	46	A	C8-N9-C4	-5.07	103.77	105.80
11	B2	963	A	C5'-C4'-O4'	5.07	115.18	109.10
12	B3	94	VAL	N-CA-C	-5.07	97.31	111.00
34	BV	62	SER	C-N-CA	5.07	134.37	121.70
38	A1	679	U	O4'-C1'-C2'	-5.07	100.73	105.80
38	A1	1085	G	N3-C4-C5	5.07	131.13	128.60
38	A1	1286	G	O4'-C4'-C3'	-5.07	98.93	104.00
38	A1	1852	U	N3-C4-C5	-5.07	111.56	114.60
38	A1	2040	A	C8-N9-C4	-5.07	103.77	105.80
39	A3	48	A	C5-C6-N6	-5.07	119.64	123.70
42	Aa	25	TRP	CE3-CZ3-CH2	-5.07	115.62	121.20
11	B2	95	G	C5-C6-N1	-5.07	108.97	111.50
11	B2	641	A	C5'-C4'-C3'	5.07	124.11	116.00
11	B2	913	G	C2-N3-C4	5.07	114.43	111.90
38	A1	482	A	O4'-C4'-C3'	-5.07	98.93	104.00
38	A1	527	G	P-O5'-C5'	5.07	129.01	120.90
38	A1	1098	C	P-O5'-C5'	5.07	129.01	120.90
38	A1	1445	G	C8-N9-C4	-5.07	104.37	106.40
38	A1	1746	C	P-O3'-C3'	5.07	125.78	119.70
38	A1	2384	G	C1'-O4'-C4'	-5.07	105.85	109.90
38	A1	2741	U	N1-C2-N3	-5.07	111.86	114.90
10	B1	69	G	O4'-C4'-C3'	-5.07	98.94	104.00
11	B2	78	G	C2-N3-C4	-5.07	109.37	111.90
11	B2	181	G	N3-C2-N2	5.07	123.44	119.90
11	B2	203	A	C5-C6-N1	-5.07	115.17	117.70
11	B2	250	G	N3-C2-N2	5.07	123.45	119.90
11	B2	284	A	C6-N1-C2	-5.07	115.56	118.60
11	B2	507	G	C5-N7-C8	-5.07	101.77	104.30
38	A1	567	G	C1'-O4'-C4'	5.07	113.95	109.90
38	A1	910	G	C4-C5-N7	5.07	112.83	110.80
38	A1	1061	G	N1-C2-N3	-5.07	120.86	123.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1172	U	P-O3'-C3'	-5.07	113.62	119.70
38	A1	1417	U	O3'-P-O5'	-5.07	94.38	104.00
38	A1	1680	G	N3-C2-N2	5.07	123.44	119.90
38	A1	2460	A	C5-N7-C8	5.07	106.43	103.90
38	A1	2671	C	C2-N1-C1'	5.07	124.37	118.80
38	A1	2821	G	C5-C6-N1	-5.07	108.97	111.50
54	AI	100	TYR	CB-CG-CD1	-5.07	117.96	121.00
54	AI	134	VAL	CA-CB-CG1	5.07	118.50	110.90
11	B2	863	U	P-O3'-C3'	5.06	125.78	119.70
11	B2	1110	U	C1'-O4'-C4'	5.06	113.95	109.90
38	A1	532	G	C5'-C4'-O4'	-5.06	103.02	109.10
38	A1	556	G	C4-C5-N7	5.06	112.83	110.80
38	A1	1423	G	N3-C4-C5	5.06	131.13	128.60
38	A1	1594	G	N9-C4-C5	5.06	107.42	105.40
38	A1	1889	G	C6-N1-C2	5.06	128.14	125.10
38	A1	2150	G	N1-C6-O6	5.06	122.94	119.90
10	B1	8	U	C6-N1-C2	-5.06	117.96	121.00
11	B2	449	U	C5-C4-O4	-5.06	122.86	125.90
11	B2	703	U	P-O5'-C5'	5.06	129.00	120.90
11	B2	1345	G	C5-N7-C8	-5.06	101.77	104.30
11	B2	1397	C	O5'-P-OP2	-5.06	101.14	105.70
38	A1	46	C	O4'-C1'-N1	5.06	112.25	108.20
38	A1	632	G	C5-C6-O6	5.06	131.64	128.60
38	A1	671	G	N7-C8-N9	-5.06	110.57	113.10
38	A1	1064	G	C4-C5-C6	5.06	121.84	118.80
38	A1	1224	A	N9-C4-C5	5.06	107.83	105.80
38	A1	1354	G	N3-C4-N9	5.06	129.04	126.00
38	A1	1547	U	O4'-C4'-C3'	-5.06	98.94	104.00
38	A1	1568	A	C6-N1-C2	5.06	121.64	118.60
38	A1	1755	C	C5-C6-N1	5.06	123.53	121.00
38	A1	2777	G	C5-C6-N1	-5.06	108.97	111.50
38	A1	2863	A	N9-C4-C5	5.06	107.83	105.80
38	A1	2864	G	C5-N7-C8	5.06	106.83	104.30
38	A1	2959	A	C6-C5-N7	-5.06	128.76	132.30
11	B2	53	G	N3-C4-N9	5.06	129.04	126.00
11	B2	352	A	OP1-P-OP2	-5.06	112.01	119.60
11	B2	689	C	OP1-P-OP2	-5.06	112.01	119.60
11	B2	822	A	C3'-C2'-C1'	5.06	105.55	101.50
11	B2	896	A	C5-C6-N1	5.06	120.23	117.70
38	A1	361	G	P-O3'-C3'	-5.06	113.63	119.70
38	A1	982	G	C3'-C2'-C1'	5.06	105.55	101.50
38	A1	1666	G	C4-C5-C6	-5.06	115.76	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1756	C	N3-C4-N4	5.06	121.54	118.00
38	A1	1987	A	C1'-O4'-C4'	-5.06	105.85	109.90
38	A1	2144	U	OP1-P-OP2	-5.06	112.01	119.60
38	A1	2303	A	O4'-C1'-N9	-5.06	104.15	108.20
51	Ag	36	TYR	O-C-N	5.06	130.80	122.70
60	AM	153	HIS	CA-CB-CG	-5.06	105.00	113.60
65	AV	39	ARG	NE-CZ-NH2	-5.06	117.77	120.30
11	B2	90	C	C2'-C3'-O3'	5.06	121.79	113.70
11	B2	621	G	O4'-C1'-N9	5.06	112.25	108.20
11	B2	928	A	C5-C6-N6	-5.06	119.65	123.70
11	B2	1116	G	N1-C2-N2	-5.06	111.65	116.20
11	B2	1148	G	N1-C6-O6	5.06	122.94	119.90
11	B2	1340	U	C4-C5-C6	5.06	122.73	119.70
33	BU	75	THR	N-CA-C	-5.06	97.34	111.00
36	BX	51	ILE	CG1-CB-CG2	5.06	122.53	111.40
38	A1	114	C	N3-C4-C5	-5.06	119.88	121.90
38	A1	749	G	C4-C5-C6	5.06	121.84	118.80
38	A1	972	C	OP2-P-O3'	5.06	116.33	105.20
38	A1	1022	G	C5-C6-O6	-5.06	125.56	128.60
38	A1	1245	C	P-O5'-C5'	5.06	128.99	120.90
38	A1	1394	G	C5-C6-O6	-5.06	125.56	128.60
38	A1	1892	G	C4-C5-N7	5.06	112.82	110.80
38	A1	2258	A	OP1-P-O3'	5.06	116.33	105.20
38	A1	2278	U	C3'-C2'-C1'	-5.06	97.45	101.50
38	A1	2683	G	N9-C4-C5	5.06	107.42	105.40
38	A1	2977	G	N1-C2-N2	-5.06	111.65	116.20
38	A1	3030	A	C6-C5-N7	-5.06	128.76	132.30
39	A3	90	A	N3-C4-C5	-5.06	123.26	126.80
11	B2	57	G	O4'-C1'-N9	5.06	112.25	108.20
11	B2	325	A	C3'-C2'-C1'	5.06	105.55	101.50
11	B2	329	G	C4-C5-N7	-5.06	108.78	110.80
11	B2	668	G	C5-C6-N1	-5.06	108.97	111.50
11	B2	844	G	C6-N1-C2	-5.06	122.07	125.10
11	B2	1167	C	C5-C4-N4	-5.06	116.66	120.20
11	B2	1401	U	C5'-C4'-O4'	-5.06	103.03	109.10
38	A1	259	A	C1'-O4'-C4'	-5.06	105.85	109.90
38	A1	301	G	C4'-C3'-C2'	5.06	107.66	102.60
38	A1	413	A	C8-N9-C4	-5.06	103.78	105.80
38	A1	436	C	OP2-P-O3'	5.06	116.33	105.20
38	A1	749	G	N3-C4-N9	-5.06	122.97	126.00
38	A1	766	G	C8-N9-C4	-5.06	104.38	106.40
38	A1	776	G	C4-C5-C6	5.06	121.83	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	836	U	P-O3'-C3'	5.06	125.77	119.70
38	A1	989	G	C1'-O4'-C4'	5.06	113.94	109.90
38	A1	1372	C	P-O3'-C3'	-5.06	113.63	119.70
38	A1	2408	G	N3-C4-N9	-5.06	122.97	126.00
38	A1	2471	A	C5-N7-C8	5.06	106.43	103.90
38	A1	2638	G	C6-N1-C2	5.06	128.13	125.10
38	A1	2685	G	C2-N3-C4	5.06	114.43	111.90
38	A1	2693	G	N3-C4-C5	-5.06	126.07	128.60
38	A1	2838	U	C4'-C3'-C2'	5.06	107.66	102.60
38	A1	2988	A	C4-C5-N7	-5.06	108.17	110.70
38	A1	2998	G	N1-C2-N3	-5.06	120.87	123.90
39	A3	93	G	C5'-C4'-C3'	5.06	124.09	116.00
11	B2	64	G	P-O5'-C5'	5.06	128.99	120.90
11	B2	561	A	C4'-C3'-C2'	-5.06	97.54	102.60
38	A1	426	G	N9-C1'-C2'	-5.06	106.44	112.00
38	A1	1443	G	N3-C2-N2	5.06	123.44	119.90
38	A1	1809	G	N1-C2-N2	-5.06	111.65	116.20
38	A1	2005	A	N9-C4-C5	5.06	107.82	105.80
38	A1	2640	C	N1-C2-N3	5.06	122.74	119.20
1	A7	28	PRO	N-CA-CB	5.05	109.37	103.30
11	B2	72	C	C4'-C3'-C2'	-5.05	97.55	102.60
11	B2	408	C	C1'-O4'-C4'	-5.05	105.86	109.90
11	B2	534	G	C6-C5-N7	-5.05	127.37	130.40
11	B2	600	C	OP1-P-OP2	-5.05	112.02	119.60
11	B2	804	U	C2'-C3'-O3'	5.05	121.79	113.70
11	B2	1048	G	O4'-C1'-N9	5.05	112.24	108.20
11	B2	1069	G	P-O3'-C3'	5.05	125.77	119.70
38	A1	42	G	N1-C2-N3	-5.05	120.87	123.90
38	A1	44	C	O4'-C1'-N1	5.05	112.24	108.20
38	A1	61	G	N9-C4-C5	-5.05	103.38	105.40
38	A1	213	G	N3-C4-C5	-5.05	126.07	128.60
38	A1	263	U	C5-C6-N1	5.05	125.23	122.70
38	A1	609	G	C6-C5-N7	-5.05	127.37	130.40
38	A1	616	C	N3-C2-O2	-5.05	118.36	121.90
38	A1	640	C	C4'-C3'-C2'	5.05	107.65	102.60
38	A1	1118	A	O4'-C1'-N9	5.05	112.24	108.20
38	A1	1186	G	N3-C4-N9	5.05	129.03	126.00
38	A1	1451	A	C8-N9-C4	5.05	107.82	105.80
38	A1	1496	A	N3-C4-N9	5.05	131.44	127.40
38	A1	1696	G	O4'-C1'-N9	5.05	112.24	108.20
38	A1	1722	G	N7-C8-N9	5.05	115.63	113.10
38	A1	1960	U	C6-N1-C2	-5.05	117.97	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2150	G	C4-C5-N7	-5.05	108.78	110.80
38	A1	2238	G	N3-C4-N9	5.05	129.03	126.00
38	A1	2335	G	C4-C5-N7	5.05	112.82	110.80
41	AA	194	ARG	C-N-CA	5.05	132.92	122.30
11	B2	848	G	O4'-C1'-N9	5.05	112.24	108.20
11	B2	1099	A	N9-C4-C5	5.05	107.82	105.80
11	B2	1493	C	C3'-C2'-C1'	5.05	105.54	101.50
24	BL	47	ILE	N-CA-C	-5.05	97.36	111.00
38	A1	416	A	N3-C4-C5	-5.05	123.26	126.80
38	A1	671	G	C3'-C2'-C1'	-5.05	97.46	101.50
38	A1	2132	C	C6-N1-C2	-5.05	118.28	120.30
38	A1	2449	A	C4-C5-C6	5.05	119.53	117.00
59	AL	36	MET	CG-SD-CE	-5.05	92.11	100.20
66	AY	16	LYS	CB-CG-CD	5.05	124.74	111.60
4	AQ	21	ARG	NE-CZ-NH1	-5.05	117.77	120.30
11	B2	42	G	C4-C5-C6	5.05	121.83	118.80
11	B2	93	A	C5'-C4'-O4'	5.05	115.16	109.10
11	B2	278	A	C5-N7-C8	5.05	106.42	103.90
11	B2	320	G	C6-N1-C2	5.05	128.13	125.10
11	B2	431	U	N3-C2-O2	5.05	125.74	122.20
11	B2	987	G	C1'-O4'-C4'	-5.05	105.86	109.90
11	B2	1015	C	C5-C4-N4	-5.05	116.66	120.20
11	B2	1139	A	C6-C5-N7	-5.05	128.76	132.30
11	B2	1278	A	C5-N7-C8	5.05	106.43	103.90
14	BB	155	PRO	N-CD-CG	5.05	110.78	103.20
15	BC	61	ARG	NH1-CZ-NH2	5.05	124.96	119.40
22	BJ	56	ARG	CG-CD-NE	-5.05	101.19	111.80
38	A1	49	A	O4'-C1'-N9	-5.05	104.16	108.20
38	A1	282	G	C5-C6-N1	-5.05	108.97	111.50
38	A1	681	C	O4'-C1'-N1	5.05	112.24	108.20
38	A1	785	C	N3-C2-O2	5.05	125.44	121.90
38	A1	1012	G	C5-N7-C8	5.05	106.83	104.30
38	A1	1452	G	N1-C2-N2	-5.05	111.65	116.20
38	A1	1548	A	OP2-P-O3'	5.05	116.31	105.20
38	A1	2179	G	O4'-C1'-N9	5.05	112.24	108.20
38	A1	2496	G	C4-C5-N7	-5.05	108.78	110.80
38	A1	2513	C	C6-N1-C2	-5.05	118.28	120.30
38	A1	2591	A	C5'-C4'-C3'	-5.05	107.92	116.00
38	A1	2749	G	C4-C5-N7	5.05	112.82	110.80
41	AA	67	ASP	CB-CG-OD1	-5.05	113.75	118.30
57	Aj	10	TYR	CB-CG-CD2	-5.05	117.97	121.00
58	Ak	133	PRO	N-CA-CB	5.05	109.36	103.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	42	G	O3'-P-O5'	-5.05	94.41	104.00
11	B2	445	G	C8-N9-C4	-5.05	104.38	106.40
11	B2	484	U	O4'-C1'-C2'	-5.05	100.75	105.80
11	B2	730	G	C2-N3-C4	5.05	114.42	111.90
11	B2	954	G	N7-C8-N9	5.05	115.62	113.10
11	B2	1028	C	O4'-C1'-N1	5.05	112.24	108.20
11	B2	1035	C	N1-C2-N3	-5.05	115.67	119.20
11	B2	1084	U	N3-C4-O4	5.05	122.93	119.40
38	A1	51	G	C1'-O4'-C4'	5.05	113.94	109.90
38	A1	119	U	C5-C4-O4	-5.05	122.87	125.90
38	A1	812	C	P-O3'-C3'	-5.05	113.64	119.70
38	A1	895	C	C5-C4-N4	-5.05	116.67	120.20
38	A1	1090	G	N1-C6-O6	5.05	122.93	119.90
38	A1	1580	G	O4'-C4'-C3'	-5.05	98.95	104.00
38	A1	1989	G	P-O3'-C3'	5.05	125.76	119.70
38	A1	1990	U	O4'-C1'-N1	5.05	112.24	108.20
38	A1	2008	G	C5-N7-C8	-5.05	101.78	104.30
38	A1	2041	U	O5'-P-OP2	-5.05	101.16	105.70
38	A1	2172	G	C5-C6-O6	-5.05	125.57	128.60
38	A1	2342	C	O4'-C4'-C3'	-5.05	98.95	104.00
38	A1	2902	G	C5-C6-O6	5.05	131.63	128.60
40	A5	14	ALA	N-CA-C	-5.05	97.37	111.00
11	B2	99	C	C4'-C3'-C2'	5.05	107.65	102.60
11	B2	296	A	C6-N1-C2	-5.05	115.57	118.60
11	B2	494	G	N1-C2-N3	-5.05	120.87	123.90
11	B2	605	C	O3'-P-O5'	-5.05	94.41	104.00
11	B2	1159	U	O4'-C1'-N1	5.05	112.24	108.20
11	B2	1326	G	N3-C4-N9	-5.05	122.97	126.00
36	BX	69	SER	N-CA-CB	5.05	118.07	110.50
38	A1	55	G	C6-C5-N7	-5.05	127.37	130.40
38	A1	739	C	C4'-C3'-C2'	-5.05	97.55	102.60
38	A1	1368	A	P-O3'-C3'	5.05	125.76	119.70
38	A1	1497	C	C5-C4-N4	-5.05	116.67	120.20
38	A1	2008	G	C5-C6-N1	-5.05	108.98	111.50
38	A1	2213	G	C3'-C2'-C1'	5.05	105.54	101.50
38	A1	2700	U	N1-C2-O2	-5.05	119.27	122.80
11	B2	55	G	C6-N1-C2	5.05	128.13	125.10
11	B2	196	G	P-O5'-C5'	5.05	128.98	120.90
11	B2	392	G	C6-C5-N7	-5.05	127.37	130.40
11	B2	681	G	P-O3'-C3'	-5.05	113.64	119.70
14	BB	168	TYR	CB-CG-CD2	-5.05	117.97	121.00
38	A1	420	U	C4-C5-C6	5.05	122.73	119.70

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1152	C	C5-C6-N1	5.05	123.52	121.00
38	A1	1167	A	C2-N3-C4	-5.05	108.08	110.60
38	A1	1294	A	C5-N7-C8	5.05	106.42	103.90
38	A1	1563	G	C4-C5-C6	5.05	121.83	118.80
38	A1	1709	C	C4-C5-C6	-5.05	114.88	117.40
38	A1	2638	G	C4-C5-C6	5.05	121.83	118.80
38	A1	2653	G	C6-N1-C2	5.05	128.13	125.10
11	B2	741	A	O4'-C1'-N9	5.04	112.24	108.20
38	A1	297	G	N7-C8-N9	5.04	115.62	113.10
38	A1	507	G	N1-C2-N2	5.04	120.74	116.20
38	A1	588	U	C1'-O4'-C4'	-5.04	105.86	109.90
38	A1	1180	G	O3'-P-O5'	5.04	113.59	104.00
38	A1	1334	G	N3-C4-N9	-5.04	122.97	126.00
38	A1	1628	C	C2-N3-C4	5.04	122.42	119.90
38	A1	1851	U	C3'-C2'-C1'	5.04	105.54	101.50
55	Ai	74	ALA	CB-CA-C	-5.04	102.53	110.10
11	B2	214	C	C2-N3-C4	5.04	122.42	119.90
11	B2	617	A	C4-C5-N7	5.04	113.22	110.70
11	B2	1054	A	C2-N3-C4	-5.04	108.08	110.60
11	B2	1469	G	C1'-O4'-C4'	-5.04	105.86	109.90
18	BF	101	GLY	C-N-CA	5.04	134.31	121.70
38	A1	62	C	O4'-C1'-N1	5.04	112.23	108.20
38	A1	495	U	C2-N1-C1'	5.04	123.75	117.70
38	A1	1201	G	C5'-C4'-O4'	-5.04	103.05	109.10
38	A1	1917	U	C5-C6-N1	-5.04	120.18	122.70
38	A1	1925	A	C5-N7-C8	5.04	106.42	103.90
38	A1	1941	A	C3'-C2'-C1'	-5.04	97.47	101.50
38	A1	2141	C	N3-C4-C5	-5.04	119.88	121.90
38	A1	2378	C	C4-C5-C6	5.04	119.92	117.40
38	A1	2542	G	C8-N9-C4	5.04	108.42	106.40
38	A1	2896	G	C2-N3-C4	-5.04	109.38	111.90
63	AP	78	VAL	CA-CB-CG2	-5.04	103.34	110.90
9	AX	285	GLY	N-CA-C	-5.04	100.50	113.10
11	B2	420	C	O4'-C1'-N1	5.04	112.23	108.20
11	B2	816	G	C4-C5-N7	5.04	112.82	110.80
11	B2	943	C	C6-N1-C1'	-5.04	114.75	120.80
11	B2	955	G	N7-C8-N9	5.04	115.62	113.10
11	B2	995	G	C5-N7-C8	-5.04	101.78	104.30
11	B2	1005	G	C3'-C2'-C1'	5.04	105.53	101.50
11	B2	1053	A	C4-C5-N7	-5.04	108.18	110.70
11	B2	1249	A	C3'-C2'-C1'	-5.04	97.47	101.50
11	B2	1396	C	C5-C4-N4	-5.04	116.67	120.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
19	BG	30	ILE	O-C-N	-5.04	114.63	123.20
24	BL	51	LYS	CB-CA-C	-5.04	100.32	110.40
38	A1	149	G	C2'-C3'-O3'	5.04	121.77	113.70
38	A1	480	A	C6-C5-N7	-5.04	128.77	132.30
38	A1	480	A	C5'-C4'-C3'	5.04	124.06	116.00
38	A1	596	C	C4-C5-C6	5.04	119.92	117.40
38	A1	618	C	N3-C4-N4	5.04	121.53	118.00
38	A1	634	G	N3-C2-N2	-5.04	116.37	119.90
38	A1	909	A	C6-C5-N7	-5.04	128.77	132.30
38	A1	926	C	O4'-C1'-C2'	-5.04	100.76	105.80
38	A1	1523	A	N3-C4-N9	5.04	131.43	127.40
38	A1	1903	G	P-O5'-C5'	5.04	128.97	120.90
38	A1	1960	U	C5-C4-O4	-5.04	122.88	125.90
38	A1	2070	U	C3'-C2'-C1'	-5.04	97.47	101.50
38	A1	2159	C	C5-C6-N1	-5.04	118.48	121.00
38	A1	2814	U	P-O5'-C5'	5.04	128.97	120.90
38	A1	2962	A	C4-C5-N7	-5.04	108.18	110.70
48	AE	150	VAL	CA-CB-CG2	-5.04	103.34	110.90
57	Aj	23	GLU	CA-CB-CG	5.04	124.49	113.40
10	B1	19	G	C5-N7-C8	5.04	106.82	104.30
11	B2	647	G	C5-C6-O6	-5.04	125.58	128.60
11	B2	822	A	C5'-C4'-C3'	-5.04	107.94	116.00
11	B2	855	C	O5'-C5'-C4'	-5.04	102.12	111.70
38	A1	312	G	P-O5'-C5'	-5.04	112.84	120.90
38	A1	1002	A	C5'-C4'-C3'	-5.04	107.94	116.00
38	A1	1549	C	O4'-C1'-N1	5.04	112.23	108.20
38	A1	1694	G	N7-C8-N9	-5.04	110.58	113.10
38	A1	1766	A	P-O5'-C5'	-5.04	112.83	120.90
38	A1	1968	A	C6-N1-C2	5.04	121.62	118.60
38	A1	2856	G	N3-C2-N2	5.04	123.43	119.90
11	B2	453	G	C4-N9-C1'	-5.04	119.95	126.50
11	B2	525	A	C5-N7-C8	5.04	106.42	103.90
11	B2	857	C	N3-C4-C5	-5.04	119.88	121.90
11	B2	1099	A	N3-C4-C5	5.04	130.33	126.80
11	B2	1302	C	N3-C4-N4	5.04	121.53	118.00
15	BC	114	TYR	CZ-CE2-CD2	-5.04	115.27	119.80
18	BF	116	TYR	CB-CG-CD1	-5.04	117.98	121.00
38	A1	218	A	C2-N3-C4	-5.04	108.08	110.60
38	A1	224	G	N3-C4-N9	5.04	129.02	126.00
38	A1	388	G	N7-C8-N9	-5.04	110.58	113.10
38	A1	410	C	C2-N1-C1'	5.04	124.34	118.80
38	A1	720	C	O4'-C1'-N1	5.04	112.23	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	779	A	N1-C2-N3	5.04	131.82	129.30
38	A1	1124	G	C5-C6-N1	-5.04	108.98	111.50
38	A1	1385	C	N1-C2-O2	-5.04	115.88	118.90
38	A1	2041	U	N3-C4-O4	5.04	122.93	119.40
38	A1	2294	A	P-O3'-C3'	5.04	125.75	119.70
38	A1	2346	A	C8-N9-C4	-5.04	103.78	105.80
38	A1	2640	C	C4-C5-C6	5.04	119.92	117.40
38	A1	2756	G	P-O5'-C5'	-5.04	112.84	120.90
38	A1	3027	C	C6-N1-C1'	-5.04	114.75	120.80
39	A3	63	G	O4'-C1'-N9	5.04	112.23	108.20
39	A3	107	G	N7-C8-N9	-5.04	110.58	113.10
11	B2	311	A	C5-C6-N1	-5.04	115.18	117.70
11	B2	624	G	C8-N9-C4	-5.04	104.39	106.40
11	B2	901	G	C5'-C4'-O4'	5.04	115.14	109.10
11	B2	984	C	C5-C4-N4	-5.04	116.67	120.20
11	B2	1092	G	C5'-C4'-C3'	5.04	124.06	116.00
11	B2	1117	A	C4-C5-N7	-5.04	108.18	110.70
38	A1	583	A	C3'-C2'-C1'	5.04	105.53	101.50
38	A1	891	C	N1-C2-N3	-5.04	115.67	119.20
38	A1	1901	A	C6-C5-N7	-5.04	128.77	132.30
38	A1	2143	C	O4'-C1'-N1	5.04	112.23	108.20
38	A1	2691	G	C8-N9-C4	-5.04	104.39	106.40
38	A1	2778	A	P-O3'-C3'	5.04	125.75	119.70
38	A1	2994	G	P-O3'-C3'	-5.04	113.66	119.70
59	AL	3	ARG	CG-CD-NE	-5.04	101.22	111.80
67	AZ	51	TYR	CG-CD2-CE2	-5.04	117.27	121.30
5	AS	25	LEU	N-CA-CB	5.04	120.47	110.40
11	B2	387	G	C5-C6-N1	-5.04	108.98	111.50
11	B2	424	U	O4'-C1'-N1	5.04	112.23	108.20
11	B2	452	G	N1-C2-N3	-5.04	120.88	123.90
11	B2	802	G	N3-C4-N9	-5.04	122.98	126.00
11	B2	855	C	P-O5'-C5'	-5.04	112.84	120.90
11	B2	1100	G	C5'-C4'-O4'	5.04	115.14	109.10
11	B2	1138	G	OP1-P-OP2	-5.04	112.05	119.60
38	A1	7	G	C8-N9-C4	5.04	108.41	106.40
38	A1	198	C	OP2-P-O3'	5.04	116.28	105.20
38	A1	592	C	N1-C2-O2	-5.04	115.88	118.90
38	A1	600	A	O4'-C1'-N9	5.04	112.23	108.20
38	A1	686	C	N3-C2-O2	5.04	125.42	121.90
38	A1	795	G	C2-N3-C4	5.04	114.42	111.90
38	A1	1093	G	N3-C4-N9	5.04	129.02	126.00
38	A1	1120	C	N3-C4-N4	5.04	121.53	118.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1344	C	C1'-O4'-C4'	5.04	113.93	109.90
38	A1	1714	G	C4-C5-C6	5.04	121.82	118.80
38	A1	2055	U	OP1-P-OP2	-5.04	112.05	119.60
38	A1	2797	C	N1-C2-O2	-5.04	115.88	118.90
38	A1	2862	A	C2-N3-C4	-5.04	108.08	110.60
38	A1	2995	A	N7-C8-N9	5.04	116.32	113.80
45	AC	20	ALA	N-CA-CB	5.04	117.15	110.10
61	AN	122	LEU	N-CA-CB	5.04	120.47	110.40
11	B2	277	G	N3-C4-N9	5.03	129.02	126.00
11	B2	329	G	N7-C8-N9	5.03	115.62	113.10
11	B2	387	G	C2-N3-C4	5.03	114.42	111.90
11	B2	540	G	P-O5'-C5'	-5.03	112.85	120.90
11	B2	970	G	C6-C5-N7	-5.03	127.38	130.40
11	B2	1157	G	C6-C5-N7	-5.03	127.38	130.40
11	B2	1485	G	C5-N7-C8	5.03	106.82	104.30
18	BF	6	LYS	CA-CB-CG	5.03	124.47	113.40
38	A1	91	G	C6-C5-N7	5.03	133.42	130.40
38	A1	92	G	N3-C2-N2	5.03	123.42	119.90
38	A1	174	C	C5'-C4'-O4'	5.03	115.14	109.10
38	A1	195	U	O5'-P-OP2	-5.03	101.17	105.70
38	A1	358	C	C5-C4-N4	-5.03	116.68	120.20
38	A1	654	C	O4'-C1'-N1	5.03	112.23	108.20
38	A1	1379	A	C4-C5-N7	-5.03	108.18	110.70
38	A1	1580	G	OP1-P-OP2	-5.03	112.05	119.60
38	A1	2051	A	N3-C4-C5	-5.03	123.28	126.80
38	A1	2494	A	C5'-C4'-O4'	5.03	115.14	109.10
38	A1	2505	A	N3-C4-C5	-5.03	123.28	126.80
38	A1	2678	U	P-O5'-C5'	-5.03	112.84	120.90
60	AM	37	VAL	CA-CB-CG2	5.03	118.45	110.90
11	B2	1	A	N3-C4-N9	5.03	131.43	127.40
11	B2	169	C	C4'-C3'-C2'	-5.03	97.57	102.60
11	B2	204	G	C6-C5-N7	-5.03	127.38	130.40
11	B2	825	C	N3-C4-N4	5.03	121.52	118.00
11	B2	1485	G	N1-C2-N3	-5.03	120.88	123.90
27	BO	4	PHE	CB-CG-CD2	5.03	124.32	120.80
38	A1	77	C	N3-C4-N4	5.03	121.52	118.00
38	A1	479	G	N3-C4-N9	-5.03	122.98	126.00
38	A1	1515	G	N3-C4-C5	-5.03	126.08	128.60
38	A1	1596	G	N9-C4-C5	-5.03	103.39	105.40
38	A1	1612	G	C5-C6-O6	-5.03	125.58	128.60
38	A1	2315	G	C5-N7-C8	5.03	106.82	104.30
38	A1	2833	G	N9-C4-C5	-5.03	103.39	105.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
50	AF	8	ARG	NE-CZ-NH1	-5.03	117.78	120.30
10	B1	33	C	N1-C2-O2	-5.03	115.88	118.90
11	B2	295	G	C5-N7-C8	5.03	106.81	104.30
11	B2	1016	G	OP1-P-OP2	-5.03	112.05	119.60
11	B2	1137	G	O4'-C1'-C2'	5.03	112.13	107.60
11	B2	1282	C	C4'-C3'-C2'	-5.03	97.57	102.60
20	BH	85	PHE	CB-CG-CD1	-5.03	117.28	120.80
38	A1	449	G	OP1-P-O3'	5.03	116.27	105.20
38	A1	1225	A	C8-N9-C1'	-5.03	118.64	127.70
38	A1	1289	C	C6-N1-C2	-5.03	118.29	120.30
38	A1	1358	C	P-O5'-C5'	5.03	128.95	120.90
38	A1	1527	G	C6-C5-N7	-5.03	127.38	130.40
38	A1	2184	G	N1-C2-N3	-5.03	120.88	123.90
38	A1	2372	C	C4-C5-C6	-5.03	114.88	117.40
38	A1	2412	A	N1-C2-N3	5.03	131.82	129.30
38	A1	2595	C	N1-C1'-C2'	-5.03	106.47	112.00
38	A1	2658	G	C5-N7-C8	5.03	106.81	104.30
38	A1	2693	G	N1-C2-N2	-5.03	111.67	116.20
45	AC	23	ILE	O-C-N	-5.03	114.65	122.70
11	B2	86	C	O4'-C1'-N1	5.03	112.22	108.20
11	B2	93	A	OP1-P-O3'	5.03	116.26	105.20
11	B2	396	C	C4'-C3'-C2'	-5.03	97.57	102.60
11	B2	970	G	N3-C4-C5	-5.03	126.09	128.60
11	B2	1045	A	N9-C4-C5	5.03	107.81	105.80
18	BF	120	ASN	CB-CA-C	-5.03	100.34	110.40
38	A1	397	G	N1-C2-N3	-5.03	120.88	123.90
38	A1	573	G	C5-N7-C8	5.03	106.81	104.30
38	A1	808	A	N7-C8-N9	5.03	116.31	113.80
38	A1	1403	C	C4-C5-C6	5.03	119.92	117.40
38	A1	1777	U	N3-C4-O4	5.03	122.92	119.40
38	A1	1799	G	C6-C5-N7	-5.03	127.38	130.40
38	A1	2188	C	C5-C6-N1	5.03	123.51	121.00
38	A1	2269	C	N3-C4-N4	5.03	121.52	118.00
38	A1	2835	A	C5-C6-N1	-5.03	115.19	117.70
39	A3	52	U	C2-N1-C1'	5.03	123.73	117.70
9	AX	271	LEU	CB-CG-CD2	-5.03	102.45	111.00
11	B2	1	A	C5'-C4'-O4'	5.03	115.13	109.10
11	B2	308	G	N1-C2-N3	-5.03	120.88	123.90
11	B2	512	U	O4'-C1'-N1	5.03	112.22	108.20
11	B2	837	C	P-O5'-C5'	-5.03	112.86	120.90
11	B2	885	G	C5'-C4'-O4'	-5.03	103.07	109.10
11	B2	1122	C	OP2-P-O3'	5.03	116.26	105.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	B2	1265	G	C4'-C3'-C2'	-5.03	97.57	102.60
11	B2	1350	U	C4-C5-C6	5.03	122.72	119.70
15	BC	146	PHE	CB-CG-CD1	-5.03	117.28	120.80
38	A1	70	G	N9-C1'-C2'	-5.03	106.47	112.00
38	A1	370	A	C4-C5-C6	5.03	119.51	117.00
38	A1	387	A	C5-C6-N1	-5.03	115.19	117.70
38	A1	647	G	N3-C4-N9	-5.03	122.98	126.00
38	A1	734	C	C5-C4-N4	5.03	123.72	120.20
38	A1	861	G	C4-C5-N7	5.03	112.81	110.80
38	A1	879	A	C5-N7-C8	5.03	106.41	103.90
38	A1	1087	G	C4-C5-C6	5.03	121.82	118.80
38	A1	1419	G	O4'-C4'-C3'	-5.03	98.97	104.00
38	A1	1644	G	P-O3'-C3'	5.03	125.73	119.70
38	A1	1652	A	C6-N1-C2	-5.03	115.58	118.60
38	A1	1698	G	N3-C2-N2	5.03	123.42	119.90
38	A1	1764	G	C5-C6-O6	-5.03	125.58	128.60
38	A1	2265	C	N3-C2-O2	5.03	125.42	121.90
38	A1	2480	G	N3-C4-N9	5.03	129.02	126.00
38	A1	2710	G	C4-C5-N7	-5.03	108.79	110.80
38	A1	2836	G	N3-C4-C5	5.03	131.11	128.60
39	A3	25	A	C5'-C4'-C3'	5.03	124.04	116.00
46	AD	251	ARG	NH1-CZ-NH2	-5.03	113.87	119.40
55	Ai	74	ALA	N-CA-CB	5.03	117.14	110.10
3	Af	41	ARG	N-CA-CB	5.03	119.65	110.60
10	B1	19	G	C4-C5-N7	-5.03	108.79	110.80
11	B2	82	G	C5-N7-C8	5.03	106.81	104.30
11	B2	721	A	N7-C8-N9	-5.03	111.29	113.80
11	B2	1031	G	C6-C5-N7	-5.03	127.38	130.40
17	BE	144	ASP	CB-CG-OD2	-5.03	113.78	118.30
27	BO	68	ASP	CB-CG-OD1	5.03	122.82	118.30
38	A1	282	G	P-O5'-C5'	-5.03	112.86	120.90
38	A1	631	G	C1'-O4'-C4'	-5.03	105.88	109.90
38	A1	796	C	C5-C4-N4	-5.03	116.68	120.20
38	A1	917	A	P-O3'-C3'	5.03	125.73	119.70
38	A1	1025	A	C8-N9-C1'	-5.03	118.66	127.70
38	A1	1581	A	C2-N3-C4	5.03	113.11	110.60
38	A1	1720	G	O4'-C1'-N9	5.03	112.22	108.20
38	A1	2274	C	C5-C6-N1	5.03	123.51	121.00
38	A1	2463	G	N7-C8-N9	5.03	115.61	113.10
38	A1	2532	G	P-O5'-C5'	-5.03	112.86	120.90
38	A1	2628	U	C5-C6-N1	5.03	125.21	122.70
38	A1	2796	C	O3'-P-O5'	5.03	113.55	104.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	A3	6	G	P-O3'-C3'	-5.03	113.67	119.70
39	A3	117	G	C5-N7-C8	-5.03	101.79	104.30
43	AB	163	ALA	CB-CA-C	-5.03	102.56	110.10
47	Ad	77	ARG	NE-CZ-NH2	-5.03	117.79	120.30
64	AR	25	LEU	CB-CA-C	5.03	119.75	110.20
66	AY	69	ARG	NE-CZ-NH1	5.03	122.81	120.30
11	B2	1419	G	N9-C4-C5	5.02	107.41	105.40
16	BD	57	ARG	O-C-N	5.02	130.74	122.70
29	BQ	74	ARG	NE-CZ-NH2	5.02	122.81	120.30
38	A1	1495	A	C6-N1-C2	5.02	121.61	118.60
38	A1	1538	A	N1-C2-N3	-5.02	126.79	129.30
38	A1	1861	G	C2-N3-C4	5.02	114.41	111.90
1	A7	33	TYR	CG-CD2-CE2	-5.02	117.28	121.30
9	AX	74	GLY	C-N-CA	5.02	134.26	121.70
11	B2	130	G	N7-C8-N9	5.02	115.61	113.10
11	B2	526	A	C4-C5-N7	-5.02	108.19	110.70
11	B2	590	G	O5'-P-OP1	5.02	116.73	110.70
11	B2	717	C	C2-N3-C4	-5.02	117.39	119.90
22	BJ	70	GLY	CA-C-O	-5.02	111.56	120.60
38	A1	26	G	C6-N1-C2	5.02	128.11	125.10
38	A1	139	G	C5-N7-C8	5.02	106.81	104.30
38	A1	268	C	O5'-P-OP2	-5.02	101.18	105.70
38	A1	433	C	C5'-C4'-O4'	5.02	115.13	109.10
38	A1	495	U	O5'-P-OP2	5.02	116.73	110.70
38	A1	1191	C	C1'-O4'-C4'	5.02	113.92	109.90
38	A1	1736	G	P-O3'-C3'	-5.02	113.67	119.70
38	A1	2191	U	N3-C4-O4	5.02	122.92	119.40
38	A1	2543	A	N9-C4-C5	-5.02	103.79	105.80
38	A1	2650	G	C6-N1-C2	5.02	128.11	125.10
38	A1	2683	G	C5-N7-C8	5.02	106.81	104.30
38	A1	2780	G	C5'-C4'-C3'	5.02	124.04	116.00
39	A3	77	A	OP1-P-O3'	5.02	116.25	105.20
45	AC	338	VAL	CA-CB-CG1	5.02	118.43	110.90
11	B2	264	C	N1-C2-O2	5.02	121.91	118.90
11	B2	726	A	P-O3'-C3'	-5.02	113.67	119.70
11	B2	901	G	C5-C6-N1	5.02	114.01	111.50
11	B2	1051	G	C6-C5-N7	-5.02	127.39	130.40
11	B2	1080	C	OP2-P-O3'	5.02	116.25	105.20
11	B2	1327	C	C5-C6-N1	5.02	123.51	121.00
11	B2	1449	G	C5-C6-N1	-5.02	108.99	111.50
34	BV	96	LYS	N-CA-CB	5.02	119.64	110.60
38	A1	1106	C	O4'-C1'-N1	5.02	112.22	108.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	2226	G	N3-C4-C5	-5.02	126.09	128.60
38	A1	3006	G	C5-N7-C8	5.02	106.81	104.30
11	B2	336	C	C6-N1-C1'	-5.02	114.78	120.80
11	B2	771	G	C5-C6-O6	5.02	131.61	128.60
11	B2	864	G	N7-C8-N9	5.02	115.61	113.10
11	B2	1116	G	C5-C6-N1	-5.02	108.99	111.50
11	B2	1221	A	N9-C4-C5	5.02	107.81	105.80
11	B2	1237	G	O4'-C1'-N9	5.02	112.22	108.20
11	B2	1356	A	OP1-P-OP2	-5.02	112.07	119.60
35	BW	15	ARG	CB-CG-CD	5.02	124.65	111.60
38	A1	93	C	P-O3'-C3'	5.02	125.72	119.70
38	A1	129	C	N3-C2-O2	5.02	125.41	121.90
38	A1	572	U	N3-C2-O2	-5.02	118.69	122.20
38	A1	780	G	C6-N1-C2	5.02	128.11	125.10
38	A1	789	G	C8-N9-C4	-5.02	104.39	106.40
38	A1	1077	G	N3-C4-C5	-5.02	126.09	128.60
38	A1	1120	C	N3-C4-C5	-5.02	119.89	121.90
38	A1	1277	G	N3-C2-N2	5.02	123.41	119.90
38	A1	1407	A	C1'-O4'-C4'	5.02	113.92	109.90
38	A1	2315	G	C6-N1-C2	5.02	128.11	125.10
38	A1	2566	A	C5-N7-C8	5.02	106.41	103.90
38	A1	2581	G	OP1-P-OP2	-5.02	112.07	119.60
38	A1	2625	C	P-O3'-C3'	5.02	125.72	119.70
38	A1	2992	G	C4-C5-C6	5.02	121.81	118.80
39	A3	118	G	N9-C1'-C2'	-5.02	106.48	112.00
46	AD	241	VAL	CA-CB-CG1	-5.02	103.37	110.90
47	Ad	38	MET	N-CA-CB	5.02	119.64	110.60
51	Ag	28	ALA	N-CA-CB	5.02	117.13	110.10
1	A7	62	LYS	N-CA-CB	5.02	119.63	110.60
11	B2	267	C	C1'-O4'-C4'	5.02	113.92	109.90
11	B2	649	A	O4'-C1'-N9	5.02	112.21	108.20
11	B2	887	G	N1-C2-N3	-5.02	120.89	123.90
11	B2	962	G	C4-C5-C6	5.02	121.81	118.80
11	B2	1159	U	P-O3'-C3'	-5.02	113.68	119.70
11	B2	1188	C	N1-C2-N3	-5.02	115.69	119.20
11	B2	1384	G	C5-N7-C8	5.02	106.81	104.30
38	A1	10	C	N1-C2-N3	-5.02	115.69	119.20
38	A1	60	G	N1-C2-N2	5.02	120.72	116.20
38	A1	167	G	C4'-C3'-C2'	-5.02	97.58	102.60
38	A1	252	A	C4-C5-C6	5.02	119.51	117.00
38	A1	511	A	N9-C4-C5	-5.02	103.79	105.80
38	A1	738	C	C4-C5-C6	5.02	119.91	117.40

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1505	G	C8-N9-C4	-5.02	104.39	106.40
38	A1	1578	C	P-O3'-C3'	-5.02	113.68	119.70
38	A1	2253	G	N3-C4-N9	5.02	129.01	126.00
38	A1	2435	G	N3-C4-N9	5.02	129.01	126.00
38	A1	2733	A	C6-C5-N7	-5.02	128.79	132.30
38	A1	2757	G	C6-N1-C2	5.02	128.11	125.10
39	A3	28	C	C6-N1-C1'	5.02	126.82	120.80
39	A3	48	A	O4'-C1'-C2'	5.02	112.12	107.60
51	Ag	4	PHE	N-CA-CB	5.02	119.63	110.60
52	AH	76	LEU	O-C-N	-5.02	114.67	122.70
11	B2	428	G	C6-C5-N7	-5.02	127.39	130.40
11	B2	437	A	C2-N3-C4	-5.02	108.09	110.60
11	B2	534	G	N1-C2-N2	-5.02	111.69	116.20
11	B2	1055	C	O4'-C4'-C3'	-5.02	98.98	104.00
11	B2	1141	G	C5-C6-O6	-5.02	125.59	128.60
11	B2	1335	A	C5-C6-N1	-5.02	115.19	117.70
15	BC	9	ARG	NE-CZ-NH2	-5.02	117.79	120.30
15	BC	157	PRO	N-CD-CG	5.02	110.72	103.20
38	A1	269	C	C5'-C4'-O4'	-5.02	103.08	109.10
38	A1	1128	G	P-O5'-C5'	-5.02	112.88	120.90
38	A1	1809	G	N9-C4-C5	-5.02	103.39	105.40
38	A1	1949	A	C4'-C3'-C2'	-5.02	97.58	102.60
38	A1	2153	C	P-O5'-C5'	-5.02	112.87	120.90
3	Af	42	ARG	CB-CA-C	-5.01	100.37	110.40
10	B1	45	G	C5-C6-O6	-5.01	125.59	128.60
11	B2	774	U	N1-C1'-C2'	5.01	120.52	114.00
11	B2	1256	C	N3-C4-C5	-5.01	119.89	121.90
25	BM	36	ALA	CB-CA-C	-5.01	102.58	110.10
38	A1	220	C	C3'-C2'-C1'	5.01	105.51	101.50
38	A1	639	C	N3-C4-C5	-5.01	119.89	121.90
38	A1	828	G	N1-C6-O6	5.01	122.91	119.90
38	A1	885	A	C5-N7-C8	5.01	106.41	103.90
38	A1	1173	G	C6-C5-N7	-5.01	127.39	130.40
38	A1	1942	G	O4'-C4'-C3'	-5.01	98.99	104.00
38	A1	2012	G	N3-C2-N2	5.01	123.41	119.90
38	A1	2081	C	O4'-C1'-N1	5.01	112.21	108.20
38	A1	2136	G	C5-C6-O6	-5.01	125.59	128.60
38	A1	2238	G	N1-C2-N3	-5.01	120.89	123.90
38	A1	2359	G	N7-C8-N9	-5.01	110.59	113.10
38	A1	2517	U	C2-N3-C4	5.01	130.01	127.00
38	A1	2799	C	OP1-P-OP2	-5.01	112.08	119.60
38	A1	2959	A	C5-C6-N1	-5.01	115.19	117.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
39	A3	113	C	C2-N3-C4	-5.01	117.39	119.90
43	AB	32	PRO	N-CD-CG	5.01	110.72	103.20
11	B2	65	G	C1'-O4'-C4'	5.01	113.91	109.90
11	B2	342	G	C5-N7-C8	5.01	106.81	104.30
11	B2	363	C	C5-C4-N4	-5.01	116.69	120.20
11	B2	1368	A	P-O3'-C3'	5.01	125.72	119.70
38	A1	8	G	P-O3'-C3'	5.01	125.72	119.70
38	A1	430	A	C2-N3-C4	-5.01	108.09	110.60
38	A1	513	C	N3-C4-C5	-5.01	119.89	121.90
38	A1	539	A	C3'-C2'-C1'	5.01	105.51	101.50
38	A1	1239	C	N1-C2-O2	5.01	121.91	118.90
38	A1	1597	G	C5-C6-O6	-5.01	125.59	128.60
38	A1	2169	C	O4'-C1'-N1	5.01	112.21	108.20
38	A1	2243	G	C5-C6-O6	-5.01	125.59	128.60
38	A1	2801	G	C3'-C2'-C1'	-5.01	97.49	101.50
39	A3	13	C	N3-C4-N4	5.01	121.51	118.00
39	A3	65	G	C1'-O4'-C4'	-5.01	105.89	109.90
40	AK	35	VAL	CA-CB-CG1	-5.01	103.38	110.90
11	B2	807	C	N3-C2-O2	5.01	125.41	121.90
11	B2	1032	A	C1'-O4'-C4'	5.01	113.91	109.90
11	B2	1379	G	C4-C5-N7	-5.01	108.80	110.80
11	B2	1390	G	C8-N9-C4	-5.01	104.40	106.40
32	BT	14	GLU	O-C-N	5.01	130.72	122.70
38	A1	288	G	C4-C5-N7	5.01	112.81	110.80
38	A1	612	G	N1-C2-N3	-5.01	120.89	123.90
38	A1	792	A	N9-C4-C5	5.01	107.80	105.80
38	A1	1489	G	C4-C5-C6	5.01	121.81	118.80
38	A1	1643	A	N7-C8-N9	-5.01	111.29	113.80
38	A1	1646	G	C4-C5-N7	-5.01	108.80	110.80
38	A1	1956	G	N3-C2-N2	5.01	123.41	119.90
38	A1	2065	C	C2-N3-C4	-5.01	117.39	119.90
38	A1	2336	G	C3'-C2'-C1'	-5.01	97.49	101.50
42	Aa	54	VAL	CA-CB-CG2	5.01	118.42	110.90
54	AI	111	GLU	N-CA-CB	5.01	119.62	110.60
66	AY	11	GLY	O-C-N	5.01	130.72	122.70
10	B1	19	G	C6-N1-C2	5.01	128.11	125.10
11	B2	102	U	C3'-C2'-C1'	5.01	105.51	101.50
11	B2	578	G	C4-C5-C6	5.01	121.81	118.80
11	B2	952	A	C6-C5-N7	-5.01	128.79	132.30
11	B2	998	A	C5-C6-N6	-5.01	119.69	123.70
11	B2	1063	A	C4-C5-C6	5.01	119.50	117.00
11	B2	1210	A	C5'-C4'-C3'	-5.01	107.98	116.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
33	BU	110	PHE	CB-CG-CD2	5.01	124.31	120.80
38	A1	41	G	C8-N9-C4	-5.01	104.40	106.40
38	A1	111	U	N1-C2-O2	-5.01	119.29	122.80
38	A1	209	G	C4'-C3'-C2'	-5.01	97.59	102.60
38	A1	222	A	N7-C8-N9	-5.01	111.30	113.80
38	A1	237	G	C5-C6-N1	5.01	114.00	111.50
38	A1	587	A	C1'-O4'-C4'	-5.01	105.89	109.90
38	A1	1186	G	O3'-P-O5'	-5.01	94.48	104.00
38	A1	1600	G	O4'-C1'-N9	5.01	112.21	108.20
38	A1	1900	U	O4'-C1'-N1	5.01	112.21	108.20
38	A1	2496	G	C4'-C3'-C2'	-5.01	97.59	102.60
38	A1	2991	C	N1-C1'-C2'	-5.01	106.49	112.00
38	A1	3005	C	N3-C4-C5	-5.01	119.90	121.90
43	AB	88	ASP	CB-CG-OD2	-5.01	113.79	118.30
5	AS	83	TYR	CB-CG-CD1	5.01	124.00	121.00
11	B2	1173	A	C5-C6-N6	-5.01	119.69	123.70
11	B2	1336	U	C4'-C3'-C2'	-5.01	97.59	102.60
15	BC	132	LEU	CB-CG-CD2	5.01	119.51	111.00
38	A1	61	G	C6-C5-N7	-5.01	127.39	130.40
38	A1	300	U	OP1-P-OP2	-5.01	112.09	119.60
38	A1	361	G	N1-C2-N3	-5.01	120.89	123.90
38	A1	674	G	N9-C4-C5	-5.01	103.40	105.40
38	A1	1332	A	OP1-P-OP2	-5.01	112.09	119.60
38	A1	1655	G	C4-C5-C6	5.01	121.81	118.80
38	A1	2208	C	O5'-P-OP2	-5.01	101.19	105.70
38	A1	2581	G	C6-C5-N7	-5.01	127.39	130.40
39	A3	5	G	O4'-C1'-N9	5.01	112.21	108.20
40	A5	46	ARG	NE-CZ-NH1	5.01	122.80	120.30
12	AG	32	ILE	CA-CB-CG1	5.01	120.51	111.00
11	B2	607	U	C1'-O4'-C4'	5.01	113.91	109.90
11	B2	643	G	C1'-O4'-C4'	-5.01	105.89	109.90
11	B2	772	G	N3-C4-C5	-5.01	126.10	128.60
11	B2	783	G	N3-C2-N2	5.01	123.41	119.90
11	B2	809	C	C6-N1-C1'	-5.01	114.79	120.80
17	BE	26	TYR	CG-CD1-CE1	5.01	125.31	121.30
24	BL	64	TRP	CE3-CZ3-CH2	5.01	126.71	121.20
38	A1	45	G	C6-C5-N7	-5.01	127.40	130.40
38	A1	519	A	C6-C5-N7	-5.01	128.80	132.30
38	A1	533	G	N9-C4-C5	5.01	107.40	105.40
38	A1	656	G	C8-N9-C4	-5.01	104.40	106.40
38	A1	948	C	C1'-O4'-C4'	5.01	113.91	109.90
38	A1	998	G	C5-C6-N1	5.01	114.00	111.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	A1	1131	G	C4-C5-N7	5.01	112.80	110.80
38	A1	1153	U	C2'-C3'-O3'	5.01	121.71	113.70
38	A1	1222	U	N1-C1'-C2'	5.01	120.51	114.00
38	A1	1532	G	O4'-C1'-N9	5.01	112.21	108.20
38	A1	2268	C	C2-N1-C1'	5.01	124.31	118.80
38	A1	2302	C	C6-N1-C2	-5.01	118.30	120.30
38	A1	3033	G	N1-C2-N3	-5.01	120.90	123.90
56	AJ	52	ARG	N-CA-CB	5.01	119.61	110.60
59	AL	19	TRP	CD1-NE1-CE2	5.01	113.51	109.00
11	B2	556	G	P-O5'-C5'	-5.00	112.89	120.90
11	B2	989	C	C4'-C3'-C2'	-5.00	97.59	102.60
38	A1	248	C	N1-C2-O2	-5.00	115.90	118.90
38	A1	1700	U	C4-C5-C6	5.00	122.70	119.70
38	A1	1948	A	C4-C5-C6	5.00	119.50	117.00
38	A1	2407	G	C2-N3-C4	5.00	114.40	111.90
38	A1	2777	G	C4-C5-N7	-5.00	108.80	110.80
38	A1	2963	G	N9-C4-C5	-5.00	103.40	105.40
57	Aj	79	THR	N-CA-C	-5.00	97.49	111.00
61	AN	136	ARG	N-CA-CB	5.00	119.61	110.60
10	B1	52	G	C5-C6-N1	-5.00	109.00	111.50
11	B2	29	G	P-O5'-C5'	-5.00	112.89	120.90
11	B2	185	G	N1-C2-N3	-5.00	120.90	123.90
11	B2	274	G	C4-C5-C6	5.00	121.80	118.80
11	B2	370	A	C5-C6-N1	-5.00	115.20	117.70
11	B2	502	U	O4'-C1'-N1	5.00	112.20	108.20
11	B2	747	U	C4'-C3'-C2'	-5.00	97.60	102.60
11	B2	755	U	N3-C4-C5	5.00	117.60	114.60
11	B2	1112	G	N1-C2-N3	-5.00	120.90	123.90
11	B2	1242	C	C1'-O4'-C4'	5.00	113.90	109.90
11	B2	1248	A	C2-N3-C4	5.00	113.10	110.60
11	B2	1334	A	C5-C6-N1	-5.00	115.20	117.70
38	A1	641	G	C5'-C4'-O4'	5.00	115.11	109.10
38	A1	1006	A	N3-C4-C5	-5.00	123.30	126.80
38	A1	1134	A	C2-N3-C4	-5.00	108.10	110.60
38	A1	1419	G	N3-C2-N2	5.00	123.40	119.90
38	A1	1489	G	C2-N3-C4	-5.00	109.40	111.90
38	A1	2080	G	N3-C2-N2	5.00	123.40	119.90
38	A1	2193	G	O4'-C1'-C2'	5.00	112.10	107.60
38	A1	2259	G	N3-C2-N2	5.00	123.40	119.90
38	A1	2289	A	N3-C4-C5	-5.00	123.30	126.80
38	A1	2450	A	C8-N9-C4	-5.00	103.80	105.80
38	A1	2684	G	C4-C5-N7	-5.00	108.80	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
61	AN	18	THR	C-N-CA	5.00	134.21	121.70
11	B2	569	G	C4-C5-C6	5.00	121.80	118.80
11	B2	598	U	O4'-C4'-C3'	-5.00	99.00	104.00
11	B2	625	G	N3-C4-N9	5.00	129.00	126.00
11	B2	844	G	C5-N7-C8	-5.00	101.80	104.30
11	B2	936	A	P-O3'-C3'	5.00	125.70	119.70
11	B2	971	G	C3'-C2'-C1'	-5.00	97.50	101.50
11	B2	983	G	C2-N3-C4	5.00	114.40	111.90
11	B2	1014	C	C2-N1-C1'	5.00	124.30	118.80
38	A1	306	G	C2'-C3'-O3'	5.00	121.70	113.70
38	A1	315	U	C4-C5-C6	5.00	122.70	119.70
38	A1	418	C	N1-C2-O2	-5.00	115.90	118.90
38	A1	783	C	N1-C2-N3	-5.00	115.70	119.20
38	A1	876	C	C5-C4-N4	5.00	123.70	120.20
38	A1	1084	G	N9-C4-C5	5.00	107.40	105.40
38	A1	1170	G	N9-C4-C5	-5.00	103.40	105.40
38	A1	1170	G	C4-C5-N7	-5.00	108.80	110.80
38	A1	1366	U	N3-C4-C5	5.00	117.60	114.60
38	A1	1415	C	C5-C4-N4	-5.00	116.70	120.20
38	A1	1476	C	P-O5'-C5'	-5.00	112.90	120.90
38	A1	1802	G	C1'-O4'-C4'	5.00	113.90	109.90
38	A1	1960	U	N3-C2-O2	-5.00	118.70	122.20
38	A1	2168	C	O4'-C1'-C2'	-5.00	100.80	105.80
38	A1	2439	G	C5-C6-O6	-5.00	125.60	128.60
39	A3	12	G	C6-C5-N7	-5.00	127.40	130.40
39	A3	76	U	N1-C2-O2	5.00	126.30	122.80
60	AM	27	MET	O-C-N	-5.00	114.70	122.70

All (12) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
19	BG	53	LYS	CA
20	BH	85	PHE	CA
20	BH	86	MET	CA
20	BH	87	ARG	CA
20	BH	96	LYS	CA
38	A1	2063	U	C4',C3'
49	Ae	14	THR	CB
51	Ag	13	LYS	CA
52	AH	91	LYS	CA
59	AL	11	LEU	CA
59	AL	44	LYS	CA

All (2533) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
38	A1	100	C	Sidechain
38	A1	1000	G	Sidechain
38	A1	1002	A	Sidechain
38	A1	1011	A	Sidechain
38	A1	1012	G	Sidechain
38	A1	1014	U	Sidechain
38	A1	1015	G	Sidechain
38	A1	1017	A	Sidechain
38	A1	1019	G	Sidechain
38	A1	102	A	Sidechain
38	A1	1022	G	Sidechain
38	A1	1023	C	Sidechain
38	A1	1028	G	Sidechain
38	A1	1029	C	Sidechain
38	A1	103	A	Sidechain
38	A1	1030	C	Sidechain
38	A1	1032	C	Sidechain
38	A1	1034	G	Sidechain
38	A1	1035	G	Sidechain
38	A1	1037	C	Sidechain
38	A1	1041	U	Sidechain
38	A1	1044	C	Sidechain
38	A1	1045	A	Sidechain
38	A1	1049	U	Sidechain
38	A1	105	C	Sidechain
38	A1	1051	C	Sidechain
38	A1	1056	C	Sidechain
38	A1	1057	C	Sidechain
38	A1	1059	C	Sidechain
38	A1	106	G	Sidechain
38	A1	1060	C	Sidechain
38	A1	1061	G	Sidechain
38	A1	1063	C	Sidechain
38	A1	1066	C	Sidechain
38	A1	1067	G	Sidechain
38	A1	107	G	Sidechain
38	A1	1070	G	Sidechain
38	A1	1071	A	Sidechain
38	A1	1074	G	Sidechain
38	A1	1075	G	Sidechain
38	A1	108	G	Sidechain
38	A1	1081	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>Group</b>
38	A1	1083	G	Sidechain
38	A1	1084	G	Sidechain
38	A1	1085	G	Sidechain
38	A1	1086	U	Sidechain
38	A1	1090	G	Sidechain
38	A1	1092	U	Sidechain
38	A1	1093	G	Sidechain
38	A1	1094	U	Sidechain
38	A1	1096	A	Sidechain
38	A1	1099	C	Sidechain
38	A1	110	A	Sidechain
38	A1	1100	G	Sidechain
38	A1	1101	U	Sidechain
38	A1	1102	C	Sidechain
38	A1	1107	G	Sidechain
38	A1	1110	A	Sidechain
38	A1	1111	G	Sidechain
38	A1	1113	G	Sidechain
38	A1	1115	A	Sidechain
38	A1	1116	A	Sidechain
38	A1	1117	C	Sidechain
38	A1	1118	A	Sidechain
38	A1	1121	C	Sidechain
38	A1	1123	A	Sidechain
38	A1	1125	A	Sidechain
38	A1	1128	G	Sidechain
38	A1	1130	G	Sidechain
38	A1	1132	U	Sidechain
38	A1	1135	A	Sidechain
38	A1	1138	C	Sidechain
38	A1	1142	A	Sidechain
38	A1	1146	U	Sidechain
38	A1	1147	G	Sidechain
38	A1	1148	C	Sidechain
38	A1	115	C	Sidechain
38	A1	1151	G	Sidechain
38	A1	1153	U	Sidechain
38	A1	1162	C	Sidechain
38	A1	1163	U	Sidechain
38	A1	1165	C	Sidechain
38	A1	1166	A	Sidechain
38	A1	1167	A	Sidechain

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>Group</b>
38	A1	117	A	Sidechain
38	A1	1170	G	Sidechain
38	A1	1171	G	Sidechain
38	A1	1179	G	Sidechain
38	A1	118	A	Sidechain
38	A1	1180	G	Sidechain
38	A1	1181	C	Sidechain
38	A1	1187	A	Sidechain
38	A1	1189	A	Sidechain
38	A1	119	U	Sidechain
38	A1	1192	G	Sidechain
38	A1	1193	G	Sidechain
38	A1	1194	G	Sidechain
38	A1	1195	G	Sidechain
38	A1	1199	U	Sidechain
38	A1	1200	A	Sidechain
38	A1	1201	G	Sidechain
38	A1	1203	C	Sidechain
38	A1	1205	U	Sidechain
38	A1	1206	A	Sidechain
38	A1	1208	A	Sidechain
38	A1	1209	A	Sidechain
38	A1	1210	G	Sidechain
38	A1	1212	A	Sidechain
38	A1	1215	C	Sidechain
38	A1	1216	A	Sidechain
38	A1	1217	U	Sidechain
38	A1	122	G	Sidechain
38	A1	1220	U	Sidechain
38	A1	1222	U	Sidechain
38	A1	1223	A	Sidechain
38	A1	1224	A	Sidechain
38	A1	1225	A	Sidechain
38	A1	1228	G	Sidechain
38	A1	1229	U	Sidechain
38	A1	123	A	Sidechain
38	A1	1230	G	Sidechain
38	A1	1234	A	Sidechain
38	A1	1238	G	Sidechain
38	A1	1239	C	Sidechain
38	A1	1240	U	Sidechain
38	A1	1241	C	Sidechain

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	1243	C	Sidechain
38	A1	1244	C	Sidechain
38	A1	1245	C	Sidechain
38	A1	1246	G	Sidechain
38	A1	1247	U	Sidechain
38	A1	1248	C	Sidechain
38	A1	125	C	Sidechain
38	A1	1250	A	Sidechain
38	A1	1256	G	Sidechain
38	A1	1257	G	Sidechain
38	A1	1258	G	Sidechain
38	A1	1259	G	Sidechain
38	A1	1261	C	Sidechain
38	A1	1264	G	Sidechain
38	A1	1266	A	Sidechain
38	A1	1268	A	Sidechain
38	A1	1269	U	Sidechain
38	A1	1271	G	Sidechain
38	A1	1273	C	Sidechain
38	A1	1274	G	Sidechain
38	A1	1275	G	Sidechain
38	A1	1279	U	Sidechain
38	A1	1281	A	Sidechain
38	A1	1285	C	Sidechain
38	A1	1286	G	Sidechain
38	A1	1287	G	Sidechain
38	A1	1289	C	Sidechain
38	A1	1290	G	Sidechain
38	A1	1291	C	Sidechain
38	A1	1294	A	Sidechain
38	A1	1295	G	Sidechain
38	A1	1296	A	Sidechain
38	A1	1297	C	Sidechain
38	A1	1298	C	Sidechain
38	A1	13	U	Sidechain
38	A1	130	G	Sidechain
38	A1	1301	G	Sidechain
38	A1	1302	G	Sidechain
38	A1	1305	C	Sidechain
38	A1	1306	A	Sidechain
38	A1	1307	C	Sidechain
38	A1	1308	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	1324	G	Sidechain
38	A1	1326	U	Sidechain
38	A1	133	G	Sidechain
38	A1	1331	U	Sidechain
38	A1	1333	G	Sidechain
38	A1	1336	G	Sidechain
38	A1	1339	C	Sidechain
38	A1	1340	G	Sidechain
38	A1	1345	G	Sidechain
38	A1	1347	U	Sidechain
38	A1	1348	G	Sidechain
38	A1	1349	G	Sidechain
38	A1	135	U	Sidechain
38	A1	1351	G	Sidechain
38	A1	1353	A	Sidechain
38	A1	1354	G	Sidechain
38	A1	1356	A	Sidechain
38	A1	1357	G	Sidechain
38	A1	136	U	Sidechain
38	A1	1369	G	Sidechain
38	A1	137	A	Sidechain
38	A1	1370	G	Sidechain
38	A1	1372	C	Sidechain
38	A1	1373	C	Sidechain
38	A1	1374	G	Sidechain
38	A1	1375	G	Sidechain
38	A1	1377	G	Sidechain
38	A1	138	U	Sidechain
38	A1	1380	G	Sidechain
38	A1	1381	C	Sidechain
38	A1	1385	C	Sidechain
38	A1	1386	G	Sidechain
38	A1	1387	G	Sidechain
38	A1	1388	U	Sidechain
38	A1	1390	U	Sidechain
38	A1	1392	G	Sidechain
38	A1	1393	C	Sidechain
38	A1	1394	G	Sidechain
38	A1	1395	G	Sidechain
38	A1	1399	C	Sidechain
38	A1	140	C	Sidechain
38	A1	1400	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	1401	G	Sidechain
38	A1	1403	C	Sidechain
38	A1	1405	G	Sidechain
38	A1	1409	U	Sidechain
38	A1	1410	A	Sidechain
38	A1	1411	G	Sidechain
38	A1	1412	C	Sidechain
38	A1	1414	G	Sidechain
38	A1	1415	C	Sidechain
38	A1	1416	G	Sidechain
38	A1	1418	A	Sidechain
38	A1	1421	C	Sidechain
38	A1	1423	G	Sidechain
38	A1	1424	G	Sidechain
38	A1	1425	U	Sidechain
38	A1	1428	G	Sidechain
38	A1	1429	A	Sidechain
38	A1	143	C	Sidechain
38	A1	1433	C	Sidechain
38	A1	1434	C	Sidechain
38	A1	1435	G	Sidechain
38	A1	1439	G	Sidechain
38	A1	1440	C	Sidechain
38	A1	1441	C	Sidechain
38	A1	1442	G	Sidechain
38	A1	1443	G	Sidechain
38	A1	1444	A	Sidechain
38	A1	1445	G	Sidechain
38	A1	1446	G	Sidechain
38	A1	1447	G	Sidechain
38	A1	1448	G	Sidechain
38	A1	1449	C	Sidechain
38	A1	1453	G	Sidechain
38	A1	1454	G	Sidechain
38	A1	1455	U	Sidechain
38	A1	1459	A	Sidechain
38	A1	146	U	Sidechain
38	A1	1462	G	Sidechain
38	A1	1465	A	Sidechain
38	A1	1467	G	Sidechain
38	A1	1471	G	Sidechain
38	A1	1472	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	1473	C	Sidechain
38	A1	1474	A	Sidechain
38	A1	1476	C	Sidechain
38	A1	1477	C	Sidechain
38	A1	1479	U	Sidechain
38	A1	148	C	Sidechain
38	A1	1481	G	Sidechain
38	A1	1486	G	Sidechain
38	A1	149	G	Sidechain
38	A1	1491	U	Sidechain
38	A1	1494	U	Sidechain
38	A1	1495	A	Sidechain
38	A1	1501	G	Sidechain
38	A1	1504	C	Sidechain
38	A1	1505	G	Sidechain
38	A1	1509	C	Sidechain
38	A1	1512	G	Sidechain
38	A1	1513	G	Sidechain
38	A1	1514	C	Sidechain
38	A1	1516	C	Sidechain
38	A1	1520	G	Sidechain
38	A1	1521	G	Sidechain
38	A1	1522	A	Sidechain
38	A1	1523	A	Sidechain
38	A1	1524	A	Sidechain
38	A1	1525	G	Sidechain
38	A1	1526	G	Sidechain
38	A1	1527	G	Sidechain
38	A1	1528	A	Sidechain
38	A1	1532	G	Sidechain
38	A1	1533	G	Sidechain
38	A1	1539	U	Sidechain
38	A1	1540	A	Sidechain
38	A1	1541	U	Sidechain
38	A1	1546	G	Sidechain
38	A1	1548	A	Sidechain
38	A1	1553	G	Sidechain
38	A1	1554	G	Sidechain
38	A1	1555	G	Sidechain
38	A1	1560	G	Sidechain
38	A1	1561	G	Sidechain
38	A1	1565	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	1569	A	Sidechain
38	A1	1570	C	Sidechain
38	A1	1571	G	Sidechain
38	A1	1575	G	Sidechain
38	A1	1576	C	Sidechain
38	A1	1577	C	Sidechain
38	A1	1578	C	Sidechain
38	A1	1581	A	Sidechain
38	A1	1582	G	Sidechain
38	A1	1583	G	Sidechain
38	A1	1584	G	Sidechain
38	A1	1585	U	Sidechain
38	A1	1586	G	Sidechain
38	A1	1589	G	Sidechain
38	A1	1591	C	Sidechain
38	A1	1592	U	Sidechain
38	A1	1594	G	Sidechain
38	A1	1596	G	Sidechain
38	A1	16	G	Sidechain
38	A1	1600	G	Sidechain
38	A1	1601	G	Sidechain
38	A1	1602	C	Sidechain
38	A1	1603	G	Sidechain
38	A1	1604	G	Sidechain
38	A1	1608	G	Sidechain
38	A1	1609	G	Sidechain
38	A1	1610	C	Sidechain
38	A1	1612	G	Sidechain
38	A1	1613	A	Sidechain
38	A1	1616	A	Sidechain
38	A1	1618	G	Sidechain
38	A1	1620	C	Sidechain
38	A1	1621	G	Sidechain
38	A1	1622	G	Sidechain
38	A1	1623	C	Sidechain
38	A1	1624	U	Sidechain
38	A1	1625	A	Sidechain
38	A1	1626	A	Sidechain
38	A1	1627	G	Sidechain
38	A1	1630	U	Sidechain
38	A1	1631	A	Sidechain
38	A1	1632	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	1633	A	Sidechain
38	A1	1635	G	Sidechain
38	A1	1637	C	Sidechain
38	A1	1638	C	Sidechain
38	A1	164	A	Sidechain
38	A1	1640	G	Sidechain
38	A1	1641	G	Sidechain
38	A1	1642	G	Sidechain
38	A1	1644	G	Sidechain
38	A1	1653	U	Sidechain
38	A1	1655	G	Sidechain
38	A1	1657	G	Sidechain
38	A1	1659	G	Sidechain
38	A1	166	G	Sidechain
38	A1	1660	A	Sidechain
38	A1	1661	A	Sidechain
38	A1	1663	C	Sidechain
38	A1	1665	G	Sidechain
38	A1	1666	G	Sidechain
38	A1	1668	G	Sidechain
38	A1	167	G	Sidechain
38	A1	1674	G	Sidechain
38	A1	1675	C	Sidechain
38	A1	1676	G	Sidechain
38	A1	1677	A	Sidechain
38	A1	1679	U	Sidechain
38	A1	1680	G	Sidechain
38	A1	1681	G	Sidechain
38	A1	1687	C	Sidechain
38	A1	1690	U	Sidechain
38	A1	1695	G	Sidechain
38	A1	1696	G	Sidechain
38	A1	1699	U	Sidechain
38	A1	17	C	Sidechain
38	A1	1707	A	Sidechain
38	A1	1708	U	Sidechain
38	A1	1709	C	Sidechain
38	A1	1713	G	Sidechain
38	A1	1714	G	Sidechain
38	A1	1717	C	Sidechain
38	A1	1718	C	Sidechain
38	A1	1719	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	172	C	Sidechain
38	A1	1721	U	Sidechain
38	A1	1722	G	Sidechain
38	A1	1725	A	Sidechain
38	A1	1726	A	Sidechain
38	A1	1727	G	Sidechain
38	A1	1731	U	Sidechain
38	A1	1733	C	Sidechain
38	A1	1734	G	Sidechain
38	A1	1735	G	Sidechain
38	A1	1737	A	Sidechain
38	A1	1739	U	Sidechain
38	A1	1740	U	Sidechain
38	A1	1741	C	Sidechain
38	A1	1743	G	Sidechain
38	A1	1744	A	Sidechain
38	A1	1745	U	Sidechain
38	A1	1746	C	Sidechain
38	A1	175	G	Sidechain
38	A1	1750	C	Sidechain
38	A1	1753	G	Sidechain
38	A1	1758	U	Sidechain
38	A1	1759	A	Sidechain
38	A1	176	G	Sidechain
38	A1	1760	C	Sidechain
38	A1	1763	A	Sidechain
38	A1	1768	C	Sidechain
38	A1	1769	G	Sidechain
38	A1	177	G	Sidechain
38	A1	1773	C	Sidechain
38	A1	1774	A	Sidechain
38	A1	1775	G	Sidechain
38	A1	1776	G	Sidechain
38	A1	1777	U	Sidechain
38	A1	178	G	Sidechain
38	A1	1781	C	Sidechain
38	A1	1782	C	Sidechain
38	A1	1783	U	Sidechain
38	A1	1784	G	Sidechain
38	A1	1787	U	Sidechain
38	A1	1788	G	Sidechain
38	A1	1789	A	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	1792	A	Sidechain
38	A1	1793	G	Sidechain
38	A1	1794	C	Sidechain
38	A1	1795	C	Sidechain
38	A1	1796	U	Sidechain
38	A1	1798	A	Sidechain
38	A1	1799	G	Sidechain
38	A1	1800	G	Sidechain
38	A1	1802	G	Sidechain
38	A1	1803	U	Sidechain
38	A1	1804	G	Sidechain
38	A1	1805	U	Sidechain
38	A1	1807	G	Sidechain
38	A1	181	U	Sidechain
38	A1	1810	G	Sidechain
38	A1	1811	G	Sidechain
38	A1	1814	A	Sidechain
38	A1	1815	C	Sidechain
38	A1	1817	C	Sidechain
38	A1	1819	G	Sidechain
38	A1	182	U	Sidechain
38	A1	1822	G	Sidechain
38	A1	1823	A	Sidechain
38	A1	1824	G	Sidechain
38	A1	1826	G	Sidechain
38	A1	183	G	Sidechain
38	A1	1833	G	Sidechain
38	A1	184	A	Sidechain
38	A1	1841	G	Sidechain
38	A1	1844	C	Sidechain
38	A1	1846	G	Sidechain
38	A1	1848	A	Sidechain
38	A1	185	A	Sidechain
38	A1	1852	U	Sidechain
38	A1	1854	G	Sidechain
38	A1	1856	G	Sidechain
38	A1	1857	A	Sidechain
38	A1	1858	G	Sidechain
38	A1	1861	G	Sidechain
38	A1	1863	G	Sidechain
38	A1	1865	U	Sidechain
38	A1	187	C	Sidechain

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	1870	G	Sidechain
38	A1	1873	G	Sidechain
38	A1	1876	G	Sidechain
38	A1	1877	C	Sidechain
38	A1	1878	G	Sidechain
38	A1	1882	C	Sidechain
38	A1	1884	C	Sidechain
38	A1	1885	G	Sidechain
38	A1	1886	C	Sidechain
38	A1	1888	G	Sidechain
38	A1	189	U	Sidechain
38	A1	1890	U	Sidechain
38	A1	1891	C	Sidechain
38	A1	1896	U	Sidechain
38	A1	1897	G	Sidechain
38	A1	190	C	Sidechain
38	A1	1900	U	Sidechain
38	A1	1901	A	Sidechain
38	A1	1902	G	Sidechain
38	A1	1903	G	Sidechain
38	A1	1907	G	Sidechain
38	A1	1908	C	Sidechain
38	A1	1914	U	Sidechain
38	A1	1919	A	Sidechain
38	A1	1920	A	Sidechain
38	A1	1921	U	Sidechain
38	A1	1924	A	Sidechain
38	A1	1926	A	Sidechain
38	A1	1927	C	Sidechain
38	A1	1928	A	Sidechain
38	A1	1929	C	Sidechain
38	A1	1930	A	Sidechain
38	A1	1931	G	Sidechain
38	A1	1932	G	Sidechain
38	A1	1933	U	Sidechain
38	A1	1934	C	Sidechain
38	A1	1935	C	Sidechain
38	A1	1936	C	Sidechain
38	A1	1937	A	Sidechain
38	A1	1938	G	Sidechain
38	A1	1939	C	Sidechain
38	A1	194	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>Group</b>
38	A1	1941	A	Sidechain
38	A1	1942	G	Sidechain
38	A1	1946	G	Sidechain
38	A1	1947	A	Sidechain
38	A1	1949	A	Sidechain
38	A1	195	U	Sidechain
38	A1	1950	G	Sidechain
38	A1	1952	G	Sidechain
38	A1	1953	U	Sidechain
38	A1	1956	G	Sidechain
38	A1	1957	U	Sidechain
38	A1	1958	A	Sidechain
38	A1	196	A	Sidechain
38	A1	1961	G	Sidechain
38	A1	1962	G	Sidechain
38	A1	1966	C	Sidechain
38	A1	1968	A	Sidechain
38	A1	1969	C	Sidechain
38	A1	1970	G	Sidechain
38	A1	1973	U	Sidechain
38	A1	1975	C	Sidechain
38	A1	1976	C	Sidechain
38	A1	1978	A	Sidechain
38	A1	1980	U	Sidechain
38	A1	1981	G	Sidechain
38	A1	1982	C	Sidechain
38	A1	1985	G	Sidechain
38	A1	1987	A	Sidechain
38	A1	1988	U	Sidechain
38	A1	1989	G	Sidechain
38	A1	1990	U	Sidechain
38	A1	1991	G	Sidechain
38	A1	1993	A	Sidechain
38	A1	1994	G	Sidechain
38	A1	1998	G	Sidechain
38	A1	2001	U	Sidechain
38	A1	2002	A	Sidechain
38	A1	2003	C	Sidechain
38	A1	2004	A	Sidechain
38	A1	2006	C	Sidechain
38	A1	2007	C	Sidechain
38	A1	2010	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>Group</b>
38	A1	2011	U	Sidechain
38	A1	2015	G	Sidechain
38	A1	2017	A	Sidechain
38	A1	2019	C	Sidechain
38	A1	2025	A	Sidechain
38	A1	2033	G	Sidechain
38	A1	2034	G	Sidechain
38	A1	2036	A	Sidechain
38	A1	2037	A	Sidechain
38	A1	2039	U	Sidechain
38	A1	2040	A	Sidechain
38	A1	2042	A	Sidechain
38	A1	2045	C	Sidechain
38	A1	2047	U	Sidechain
38	A1	2048	C	Sidechain
38	A1	2050	U	Sidechain
38	A1	2051	A	Sidechain
38	A1	2053	G	Sidechain
38	A1	2054	G	Sidechain
38	A1	2055	U	Sidechain
38	A1	2057	G	Sidechain
38	A1	206	A	Sidechain
38	A1	2061	A	Sidechain
38	A1	2063	U	Sidechain
38	A1	2064	U	Sidechain
38	A1	2067	U	Sidechain
38	A1	2068	U	Sidechain
38	A1	207	A	Sidechain
38	A1	2071	C	Sidechain
38	A1	2072	G	Sidechain
38	A1	2076	A	Sidechain
38	A1	2078	A	Sidechain
38	A1	2082	C	Sidechain
38	A1	2084	A	Sidechain
38	A1	2086	C	Sidechain
38	A1	2088	G	Sidechain
38	A1	2089	C	Sidechain
38	A1	2090	A	Sidechain
38	A1	2091	U	Sidechain
38	A1	2092	G	Sidechain
38	A1	2093	A	Sidechain
38	A1	2097	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	2099	G	Sidechain
38	A1	210	A	Sidechain
38	A1	2101	A	Sidechain
38	A1	2106	G	Sidechain
38	A1	211	A	Sidechain
38	A1	2110	C	Sidechain
38	A1	2112	C	Sidechain
38	A1	2113	G	Sidechain
38	A1	2114	C	Sidechain
38	A1	2115	U	Sidechain
38	A1	2117	U	Sidechain
38	A1	2119	C	Sidechain
38	A1	2120	C	Sidechain
38	A1	2122	G	Sidechain
38	A1	2123	G	Sidechain
38	A1	2124	C	Sidechain
38	A1	2126	G	Sidechain
38	A1	2131	C	Sidechain
38	A1	2132	C	Sidechain
38	A1	2134	G	Sidechain
38	A1	2138	A	Sidechain
38	A1	2139	A	Sidechain
38	A1	214	C	Sidechain
38	A1	2140	C	Sidechain
38	A1	2141	C	Sidechain
38	A1	2142	U	Sidechain
38	A1	2148	U	Sidechain
38	A1	2149	G	Sidechain
38	A1	2152	G	Sidechain
38	A1	2154	G	Sidechain
38	A1	2156	A	Sidechain
38	A1	2158	G	Sidechain
38	A1	2161	A	Sidechain
38	A1	2162	G	Sidechain
38	A1	2164	G	Sidechain
38	A1	2165	A	Sidechain
38	A1	2166	C	Sidechain
38	A1	2167	C	Sidechain
38	A1	2171	G	Sidechain
38	A1	2172	G	Sidechain
38	A1	2175	G	Sidechain
38	A1	2176	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	2177	A	Sidechain
38	A1	2178	A	Sidechain
38	A1	2179	G	Sidechain
38	A1	218	A	Sidechain
38	A1	2183	A	Sidechain
38	A1	2184	G	Sidechain
38	A1	2189	C	Sidechain
38	A1	2190	A	Sidechain
38	A1	2191	U	Sidechain
38	A1	2192	G	Sidechain
38	A1	2195	G	Sidechain
38	A1	220	C	Sidechain
38	A1	2201	C	Sidechain
38	A1	2202	U	Sidechain
38	A1	2203	G	Sidechain
38	A1	2204	C	Sidechain
38	A1	2205	A	Sidechain
38	A1	2208	C	Sidechain
38	A1	221	G	Sidechain
38	A1	2210	G	Sidechain
38	A1	2212	C	Sidechain
38	A1	2216	G	Sidechain
38	A1	2217	C	Sidechain
38	A1	2218	C	Sidechain
38	A1	2219	A	Sidechain
38	A1	2223	G	Sidechain
38	A1	2224	G	Sidechain
38	A1	2226	G	Sidechain
38	A1	2228	G	Sidechain
38	A1	2229	G	Sidechain
38	A1	2230	G	Sidechain
38	A1	2233	G	Sidechain
38	A1	2234	C	Sidechain
38	A1	2235	G	Sidechain
38	A1	2237	A	Sidechain
38	A1	2240	G	Sidechain
38	A1	2241	U	Sidechain
38	A1	2243	G	Sidechain
38	A1	2244	G	Sidechain
38	A1	2245	C	Sidechain
38	A1	2247	G	Sidechain
38	A1	2248	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	2249	A	Sidechain
38	A1	2250	G	Sidechain
38	A1	2253	G	Sidechain
38	A1	2256	G	Sidechain
38	A1	2257	A	Sidechain
38	A1	2258	A	Sidechain
38	A1	2259	G	Sidechain
38	A1	226	C	Sidechain
38	A1	2260	C	Sidechain
38	A1	2262	C	Sidechain
38	A1	2265	C	Sidechain
38	A1	2266	C	Sidechain
38	A1	2267	U	Sidechain
38	A1	227	G	Sidechain
38	A1	2270	G	Sidechain
38	A1	2272	G	Sidechain
38	A1	2274	C	Sidechain
38	A1	2275	G	Sidechain
38	A1	2278	U	Sidechain
38	A1	2279	G	Sidechain
38	A1	2280	G	Sidechain
38	A1	2281	A	Sidechain
38	A1	2285	G	Sidechain
38	A1	2286	U	Sidechain
38	A1	2291	G	Sidechain
38	A1	2295	C	Sidechain
38	A1	2298	C	Sidechain
38	A1	23	G	Sidechain
38	A1	230	A	Sidechain
38	A1	2301	C	Sidechain
38	A1	2302	C	Sidechain
38	A1	2303	A	Sidechain
38	A1	2304	C	Sidechain
38	A1	2305	U	Sidechain
38	A1	2308	C	Sidechain
38	A1	2310	G	Sidechain
38	A1	2316	U	Sidechain
38	A1	2317	G	Sidechain
38	A1	2318	G	Sidechain
38	A1	2320	U	Sidechain
38	A1	2322	A	Sidechain
38	A1	2324	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	2328	G	Sidechain
38	A1	2329	A	Sidechain
38	A1	2331	A	Sidechain
38	A1	2334	G	Sidechain
38	A1	2336	G	Sidechain
38	A1	2337	G	Sidechain
38	A1	2338	A	Sidechain
38	A1	234	G	Sidechain
38	A1	2340	A	Sidechain
38	A1	2341	G	Sidechain
38	A1	2342	C	Sidechain
38	A1	2343	G	Sidechain
38	A1	2345	U	Sidechain
38	A1	2346	A	Sidechain
38	A1	2348	G	Sidechain
38	A1	2349	U	Sidechain
38	A1	2351	G	Sidechain
38	A1	2354	A	Sidechain
38	A1	2356	U	Sidechain
38	A1	2358	U	Sidechain
38	A1	236	G	Sidechain
38	A1	2361	C	Sidechain
38	A1	2362	U	Sidechain
38	A1	237	G	Sidechain
38	A1	2371	A	Sidechain
38	A1	2373	G	Sidechain
38	A1	2379	G	Sidechain
38	A1	238	C	Sidechain
38	A1	2382	A	Sidechain
38	A1	2384	G	Sidechain
38	A1	2386	U	Sidechain
38	A1	2388	U	Sidechain
38	A1	239	G	Sidechain
38	A1	2393	G	Sidechain
38	A1	2394	G	Sidechain
38	A1	2398	C	Sidechain
38	A1	2399	C	Sidechain
38	A1	24	G	Sidechain
38	A1	2400	U	Sidechain
38	A1	2403	G	Sidechain
38	A1	2404	G	Sidechain
38	A1	2405	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	2407	G	Sidechain
38	A1	2408	G	Sidechain
38	A1	241	C	Sidechain
38	A1	2410	U	Sidechain
38	A1	2414	G	Sidechain
38	A1	2418	G	Sidechain
38	A1	2419	U	Sidechain
38	A1	242	C	Sidechain
38	A1	2420	C	Sidechain
38	A1	2423	G	Sidechain
38	A1	2428	C	Sidechain
38	A1	2429	G	Sidechain
38	A1	2434	A	Sidechain
38	A1	2435	G	Sidechain
38	A1	2436	A	Sidechain
38	A1	2437	G	Sidechain
38	A1	2441	A	Sidechain
38	A1	2444	G	Sidechain
38	A1	2445	G	Sidechain
38	A1	2450	A	Sidechain
38	A1	2451	G	Sidechain
38	A1	2453	C	Sidechain
38	A1	2458	U	Sidechain
38	A1	2459	G	Sidechain
38	A1	246	A	Sidechain
38	A1	2460	A	Sidechain
38	A1	2463	G	Sidechain
38	A1	2469	G	Sidechain
38	A1	2470	U	Sidechain
38	A1	2472	A	Sidechain
38	A1	2473	C	Sidechain
38	A1	2474	A	Sidechain
38	A1	2475	G	Sidechain
38	A1	2477	G	Sidechain
38	A1	2479	C	Sidechain
38	A1	248	C	Sidechain
38	A1	2481	G	Sidechain
38	A1	2483	U	Sidechain
38	A1	2485	C	Sidechain
38	A1	2487	G	Sidechain
38	A1	249	G	Sidechain
38	A1	2490	C	Sidechain

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>Group</b>
38	A1	2492	G	Sidechain
38	A1	2493	A	Sidechain
38	A1	2494	A	Sidechain
38	A1	2497	G	Sidechain
38	A1	2499	U	Sidechain
38	A1	2501	G	Sidechain
38	A1	2504	U	Sidechain
38	A1	2506	G	Sidechain
38	A1	2508	G	Sidechain
38	A1	2509	A	Sidechain
38	A1	2517	U	Sidechain
38	A1	2523	C	Sidechain
38	A1	2526	G	Sidechain
38	A1	2529	G	Sidechain
38	A1	2531	G	Sidechain
38	A1	2532	G	Sidechain
38	A1	2538	G	Sidechain
38	A1	2539	G	Sidechain
38	A1	2540	A	Sidechain
38	A1	2541	U	Sidechain
38	A1	2542	G	Sidechain
38	A1	2544	C	Sidechain
38	A1	2548	A	Sidechain
38	A1	2559	G	Sidechain
38	A1	256	G	Sidechain
38	A1	2560	G	Sidechain
38	A1	2562	G	Sidechain
38	A1	2566	A	Sidechain
38	A1	2574	G	Sidechain
38	A1	2576	C	Sidechain
38	A1	2577	U	Sidechain
38	A1	258	C	Sidechain
38	A1	2580	G	Sidechain
38	A1	2581	G	Sidechain
38	A1	2583	G	Sidechain
38	A1	2584	A	Sidechain
38	A1	2585	G	Sidechain
38	A1	2587	G	Sidechain
38	A1	2588	C	Sidechain
38	A1	2590	C	Sidechain
38	A1	2592	U	Sidechain
38	A1	2593	A	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	2594	U	Sidechain
38	A1	260	A	Sidechain
38	A1	2604	G	Sidechain
38	A1	2605	G	Sidechain
38	A1	2612	A	Sidechain
38	A1	2613	C	Sidechain
38	A1	2617	G	Sidechain
38	A1	2618	C	Sidechain
38	A1	2619	U	Sidechain
38	A1	2622	C	Sidechain
38	A1	2626	U	Sidechain
38	A1	263	U	Sidechain
38	A1	2630	C	Sidechain
38	A1	2631	C	Sidechain
38	A1	2634	U	Sidechain
38	A1	2636	C	Sidechain
38	A1	2639	G	Sidechain
38	A1	264	G	Sidechain
38	A1	2641	C	Sidechain
38	A1	2642	C	Sidechain
38	A1	2645	C	Sidechain
38	A1	2646	A	Sidechain
38	A1	2647	G	Sidechain
38	A1	2649	A	Sidechain
38	A1	2650	G	Sidechain
38	A1	2652	G	Sidechain
38	A1	2653	G	Sidechain
38	A1	2656	A	Sidechain
38	A1	2658	G	Sidechain
38	A1	2663	G	Sidechain
38	A1	2667	U	Sidechain
38	A1	2669	U	Sidechain
38	A1	2671	C	Sidechain
38	A1	2674	C	Sidechain
38	A1	2675	C	Sidechain
38	A1	2676	A	Sidechain
38	A1	2679	A	Sidechain
38	A1	2680	A	Sidechain
38	A1	2684	G	Sidechain
38	A1	2688	C	Sidechain
38	A1	269	C	Sidechain
38	A1	2693	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	2694	C	Sidechain
38	A1	2697	G	Sidechain
38	A1	2700	U	Sidechain
38	A1	2703	G	Sidechain
38	A1	2707	G	Sidechain
38	A1	2708	U	Sidechain
38	A1	2710	G	Sidechain
38	A1	2712	G	Sidechain
38	A1	2713	A	Sidechain
38	A1	2714	G	Sidechain
38	A1	2717	A	Sidechain
38	A1	2719	G	Sidechain
38	A1	272	G	Sidechain
38	A1	2722	G	Sidechain
38	A1	2723	G	Sidechain
38	A1	2726	G	Sidechain
38	A1	2727	C	Sidechain
38	A1	2728	U	Sidechain
38	A1	273	G	Sidechain
38	A1	2733	A	Sidechain
38	A1	2737	G	Sidechain
38	A1	2738	G	Sidechain
38	A1	2739	G	Sidechain
38	A1	274	C	Sidechain
38	A1	2742	G	Sidechain
38	A1	2743	U	Sidechain
38	A1	2744	U	Sidechain
38	A1	2746	G	Sidechain
38	A1	275	C	Sidechain
38	A1	2751	C	Sidechain
38	A1	2752	U	Sidechain
38	A1	2753	G	Sidechain
38	A1	2754	A	Sidechain
38	A1	2756	G	Sidechain
38	A1	2759	A	Sidechain
38	A1	276	G	Sidechain
38	A1	2761	G	Sidechain
38	A1	2764	G	Sidechain
38	A1	2766	C	Sidechain
38	A1	2768	C	Sidechain
38	A1	2769	U	Sidechain
38	A1	277	A	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	2773	A	Sidechain
38	A1	2774	C	Sidechain
38	A1	2775	G	Sidechain
38	A1	2777	G	Sidechain
38	A1	2779	G	Sidechain
38	A1	2783	C	Sidechain
38	A1	2785	G	Sidechain
38	A1	2787	G	Sidechain
38	A1	279	G	Sidechain
38	A1	2792	G	Sidechain
38	A1	2793	C	Sidechain
38	A1	2794	G	Sidechain
38	A1	2795	G	Sidechain
38	A1	2799	C	Sidechain
38	A1	28	A	Sidechain
38	A1	2800	U	Sidechain
38	A1	2801	G	Sidechain
38	A1	2803	U	Sidechain
38	A1	2804	C	Sidechain
38	A1	2806	A	Sidechain
38	A1	2810	G	Sidechain
38	A1	2817	U	Sidechain
38	A1	2819	C	Sidechain
38	A1	2821	G	Sidechain
38	A1	2822	G	Sidechain
38	A1	2827	C	Sidechain
38	A1	2829	C	Sidechain
38	A1	2831	G	Sidechain
38	A1	2832	G	Sidechain
38	A1	2833	G	Sidechain
38	A1	2835	A	Sidechain
38	A1	2836	G	Sidechain
38	A1	2838	U	Sidechain
38	A1	2839	A	Sidechain
38	A1	284	U	Sidechain
38	A1	2842	C	Sidechain
38	A1	2843	C	Sidechain
38	A1	2844	G	Sidechain
38	A1	2847	G	Sidechain
38	A1	2848	C	Sidechain
38	A1	2850	G	Sidechain
38	A1	2852	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	2853	A	Sidechain
38	A1	2854	A	Sidechain
38	A1	2855	G	Sidechain
38	A1	2856	G	Sidechain
38	A1	286	G	Sidechain
38	A1	2860	G	Sidechain
38	A1	2862	A	Sidechain
38	A1	2863	A	Sidechain
38	A1	2864	G	Sidechain
38	A1	2869	U	Sidechain
38	A1	287	G	Sidechain
38	A1	2874	C	Sidechain
38	A1	2877	A	Sidechain
38	A1	288	G	Sidechain
38	A1	2882	G	Sidechain
38	A1	2883	C	Sidechain
38	A1	2884	C	Sidechain
38	A1	2888	G	Sidechain
38	A1	289	G	Sidechain
38	A1	2891	A	Sidechain
38	A1	2892	A	Sidechain
38	A1	2893	U	Sidechain
38	A1	2898	G	Sidechain
38	A1	2899	G	Sidechain
38	A1	2902	G	Sidechain
38	A1	292	U	Sidechain
38	A1	2943	G	Sidechain
38	A1	2944	G	Sidechain
38	A1	2947	G	Sidechain
38	A1	2948	A	Sidechain
38	A1	2949	G	Sidechain
38	A1	2950	G	Sidechain
38	A1	2951	G	Sidechain
38	A1	2953	U	Sidechain
38	A1	2955	G	Sidechain
38	A1	2956	G	Sidechain
38	A1	2959	A	Sidechain
38	A1	296	G	Sidechain
38	A1	2961	A	Sidechain
38	A1	2962	A	Sidechain
38	A1	2963	G	Sidechain
38	A1	2964	A	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	2965	C	Sidechain
38	A1	2967	C	Sidechain
38	A1	2969	G	Sidechain
38	A1	297	G	Sidechain
38	A1	2974	U	Sidechain
38	A1	2975	A	Sidechain
38	A1	2976	G	Sidechain
38	A1	2977	G	Sidechain
38	A1	2978	G	Sidechain
38	A1	298	G	Sidechain
38	A1	2980	G	Sidechain
38	A1	2982	G	Sidechain
38	A1	2986	G	Sidechain
38	A1	2987	U	Sidechain
38	A1	2988	A	Sidechain
38	A1	299	U	Sidechain
38	A1	2990	G	Sidechain
38	A1	2994	G	Sidechain
38	A1	2995	A	Sidechain
38	A1	2997	G	Sidechain
38	A1	2998	G	Sidechain
38	A1	2999	G	Sidechain
38	A1	30	G	Sidechain
38	A1	3000	U	Sidechain
38	A1	3004	C	Sidechain
38	A1	3005	C	Sidechain
38	A1	3007	A	Sidechain
38	A1	3009	C	Sidechain
38	A1	302	U	Sidechain
38	A1	3022	C	Sidechain
38	A1	3023	G	Sidechain
38	A1	3024	C	Sidechain
38	A1	3026	C	Sidechain
38	A1	3027	C	Sidechain
38	A1	3031	U	Sidechain
38	A1	3034	C	Sidechain
38	A1	3035	C	Sidechain
38	A1	3036	C	Sidechain
38	A1	3038	A	Sidechain
38	A1	304	G	Sidechain
38	A1	3042	C	Sidechain
38	A1	3044	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	3045	G	Sidechain
38	A1	305	G	Sidechain
38	A1	308	C	Sidechain
38	A1	309	C	Sidechain
38	A1	31	G	Sidechain
38	A1	310	C	Sidechain
38	A1	312	G	Sidechain
38	A1	313	U	Sidechain
38	A1	316	G	Sidechain
38	A1	317	A	Sidechain
38	A1	318	G	Sidechain
38	A1	319	A	Sidechain
38	A1	32	C	Sidechain
38	A1	322	C	Sidechain
38	A1	324	C	Sidechain
38	A1	325	G	Sidechain
38	A1	326	C	Sidechain
38	A1	328	G	Sidechain
38	A1	329	G	Sidechain
38	A1	33	U	Sidechain
38	A1	330	U	Sidechain
38	A1	332	A	Sidechain
38	A1	336	C	Sidechain
38	A1	338	A	Sidechain
38	A1	339	A	Sidechain
38	A1	34	C	Sidechain
38	A1	341	U	Sidechain
38	A1	342	C	Sidechain
38	A1	348	G	Sidechain
38	A1	35	G	Sidechain
38	A1	351	C	Sidechain
38	A1	353	C	Sidechain
38	A1	354	G	Sidechain
38	A1	355	G	Sidechain
38	A1	358	C	Sidechain
38	A1	361	G	Sidechain
38	A1	363	G	Sidechain
38	A1	364	A	Sidechain
38	A1	365	G	Sidechain
38	A1	366	G	Sidechain
38	A1	369	G	Sidechain
38	A1	37	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	373	G	Sidechain
38	A1	374	C	Sidechain
38	A1	376	C	Sidechain
38	A1	379	U	Sidechain
38	A1	380	A	Sidechain
38	A1	384	G	Sidechain
38	A1	386	A	Sidechain
38	A1	388	G	Sidechain
38	A1	390	C	Sidechain
38	A1	394	A	Sidechain
38	A1	396	G	Sidechain
38	A1	397	G	Sidechain
38	A1	398	U	Sidechain
38	A1	40	G	Sidechain
38	A1	400	U	Sidechain
38	A1	401	C	Sidechain
38	A1	402	G	Sidechain
38	A1	404	G	Sidechain
38	A1	405	G	Sidechain
38	A1	407	A	Sidechain
38	A1	409	C	Sidechain
38	A1	410	C	Sidechain
38	A1	412	G	Sidechain
38	A1	413	A	Sidechain
38	A1	416	A	Sidechain
38	A1	417	C	Sidechain
38	A1	419	G	Sidechain
38	A1	42	G	Sidechain
38	A1	420	U	Sidechain
38	A1	423	G	Sidechain
38	A1	424	U	Sidechain
38	A1	428	A	Sidechain
38	A1	43	G	Sidechain
38	A1	431	U	Sidechain
38	A1	433	C	Sidechain
38	A1	434	G	Sidechain
38	A1	435	G	Sidechain
38	A1	438	G	Sidechain
38	A1	439	G	Sidechain
38	A1	44	C	Sidechain
38	A1	442	G	Sidechain
38	A1	444	U	Sidechain

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	447	G	Sidechain
38	A1	448	A	Sidechain
38	A1	449	G	Sidechain
38	A1	45	G	Sidechain
38	A1	450	G	Sidechain
38	A1	452	A	Sidechain
38	A1	454	C	Sidechain
38	A1	455	G	Sidechain
38	A1	457	C	Sidechain
38	A1	461	C	Sidechain
38	A1	462	A	Sidechain
38	A1	463	A	Sidechain
38	A1	465	C	Sidechain
38	A1	468	A	Sidechain
38	A1	470	A	Sidechain
38	A1	474	G	Sidechain
38	A1	477	C	Sidechain
38	A1	478	C	Sidechain
38	A1	48	G	Sidechain
38	A1	481	G	Sidechain
38	A1	482	A	Sidechain
38	A1	488	A	Sidechain
38	A1	489	G	Sidechain
38	A1	493	A	Sidechain
38	A1	496	A	Sidechain
38	A1	497	G	Sidechain
38	A1	498	U	Sidechain
38	A1	499	A	Sidechain
38	A1	503	U	Sidechain
38	A1	506	G	Sidechain
38	A1	51	G	Sidechain
38	A1	515	G	Sidechain
38	A1	516	A	Sidechain
38	A1	517	A	Sidechain
38	A1	518	A	Sidechain
38	A1	519	A	Sidechain
38	A1	52	A	Sidechain
38	A1	520	G	Sidechain
38	A1	521	C	Sidechain
38	A1	524	C	Sidechain
38	A1	525	C	Sidechain
38	A1	527	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	529	G	Sidechain
38	A1	53	A	Sidechain
38	A1	532	G	Sidechain
38	A1	534	G	Sidechain
38	A1	536	G	Sidechain
38	A1	537	U	Sidechain
38	A1	54	G	Sidechain
38	A1	540	A	Sidechain
38	A1	543	G	Sidechain
38	A1	545	G	Sidechain
38	A1	548	U	Sidechain
38	A1	549	G	Sidechain
38	A1	55	G	Sidechain
38	A1	552	A	Sidechain
38	A1	553	C	Sidechain
38	A1	555	G	Sidechain
38	A1	557	G	Sidechain
38	A1	558	C	Sidechain
38	A1	559	G	Sidechain
38	A1	560	G	Sidechain
38	A1	562	G	Sidechain
38	A1	566	G	Sidechain
38	A1	567	G	Sidechain
38	A1	568	A	Sidechain
38	A1	569	G	Sidechain
38	A1	571	G	Sidechain
38	A1	577	C	Sidechain
38	A1	583	A	Sidechain
38	A1	585	G	Sidechain
38	A1	586	A	Sidechain
38	A1	588	U	Sidechain
38	A1	589	G	Sidechain
38	A1	59	U	Sidechain
38	A1	590	A	Sidechain
38	A1	597	C	Sidechain
38	A1	603	G	Sidechain
38	A1	61	G	Sidechain
38	A1	612	G	Sidechain
38	A1	613	C	Sidechain
38	A1	621	G	Sidechain
38	A1	622	A	Sidechain
38	A1	623	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	625	A	Sidechain
38	A1	627	G	Sidechain
38	A1	629	G	Sidechain
38	A1	63	A	Sidechain
38	A1	632	G	Sidechain
38	A1	635	G	Sidechain
38	A1	643	G	Sidechain
38	A1	644	G	Sidechain
38	A1	646	U	Sidechain
38	A1	647	G	Sidechain
38	A1	648	C	Sidechain
38	A1	652	G	Sidechain
38	A1	654	C	Sidechain
38	A1	655	C	Sidechain
38	A1	656	G	Sidechain
38	A1	658	C	Sidechain
38	A1	659	U	Sidechain
38	A1	660	U	Sidechain
38	A1	661	G	Sidechain
38	A1	662	A	Sidechain
38	A1	663	A	Sidechain
38	A1	664	A	Sidechain
38	A1	665	C	Sidechain
38	A1	674	G	Sidechain
38	A1	675	G	Sidechain
38	A1	676	G	Sidechain
38	A1	677	A	Sidechain
38	A1	684	G	Sidechain
38	A1	685	G	Sidechain
38	A1	689	U	Sidechain
38	A1	690	G	Sidechain
38	A1	691	G	Sidechain
38	A1	694	A	Sidechain
38	A1	696	G	Sidechain
38	A1	697	U	Sidechain
38	A1	698	U	Sidechain
38	A1	7	G	Sidechain
38	A1	70	G	Sidechain
38	A1	700	A	Sidechain
38	A1	701	G	Sidechain
38	A1	703	G	Sidechain
38	A1	704	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	705	G	Sidechain
38	A1	707	U	Sidechain
38	A1	71	A	Sidechain
38	A1	710	G	Sidechain
38	A1	712	C	Sidechain
38	A1	713	C	Sidechain
38	A1	715	G	Sidechain
38	A1	716	U	Sidechain
38	A1	72	U	Sidechain
38	A1	721	G	Sidechain
38	A1	725	G	Sidechain
38	A1	726	G	Sidechain
38	A1	727	A	Sidechain
38	A1	728	A	Sidechain
38	A1	733	A	Sidechain
38	A1	735	A	Sidechain
38	A1	738	C	Sidechain
38	A1	739	C	Sidechain
38	A1	743	A	Sidechain
38	A1	746	C	Sidechain
38	A1	747	G	Sidechain
38	A1	749	G	Sidechain
38	A1	75	G	Sidechain
38	A1	760	G	Sidechain
38	A1	761	U	Sidechain
38	A1	763	A	Sidechain
38	A1	767	G	Sidechain
38	A1	770	G	Sidechain
38	A1	771	G	Sidechain
38	A1	775	C	Sidechain
38	A1	776	G	Sidechain
38	A1	777	A	Sidechain
38	A1	778	A	Sidechain
38	A1	779	A	Sidechain
38	A1	78	C	Sidechain
38	A1	780	G	Sidechain
38	A1	786	G	Sidechain
38	A1	787	G	Sidechain
38	A1	788	A	Sidechain
38	A1	789	G	Sidechain
38	A1	79	C	Sidechain
38	A1	790	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	791	C	Sidechain
38	A1	798	G	Sidechain
38	A1	8	G	Sidechain
38	A1	80	G	Sidechain
38	A1	800	G	Sidechain
38	A1	802	G	Sidechain
38	A1	803	A	Sidechain
38	A1	807	G	Sidechain
38	A1	808	A	Sidechain
38	A1	809	A	Sidechain
38	A1	81	G	Sidechain
38	A1	810	A	Sidechain
38	A1	816	C	Sidechain
38	A1	817	G	Sidechain
38	A1	818	A	Sidechain
38	A1	821	U	Sidechain
38	A1	823	G	Sidechain
38	A1	824	C	Sidechain
38	A1	825	C	Sidechain
38	A1	827	G	Sidechain
38	A1	83	G	Sidechain
38	A1	832	A	Sidechain
38	A1	833	G	Sidechain
38	A1	834	G	Sidechain
38	A1	835	G	Sidechain
38	A1	836	U	Sidechain
38	A1	838	A	Sidechain
38	A1	842	C	Sidechain
38	A1	844	C	Sidechain
38	A1	845	U	Sidechain
38	A1	847	A	Sidechain
38	A1	850	C	Sidechain
38	A1	852	A	Sidechain
38	A1	853	G	Sidechain
38	A1	857	U	Sidechain
38	A1	859	G	Sidechain
38	A1	86	G	Sidechain
38	A1	860	A	Sidechain
38	A1	861	G	Sidechain
38	A1	862	G	Sidechain
38	A1	865	C	Sidechain
38	A1	866	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	871	G	Sidechain
38	A1	872	G	Sidechain
38	A1	873	G	Sidechain
38	A1	874	U	Sidechain
38	A1	875	G	Sidechain
38	A1	876	C	Sidechain
38	A1	877	U	Sidechain
38	A1	878	G	Sidechain
38	A1	879	A	Sidechain
38	A1	88	G	Sidechain
38	A1	880	U	Sidechain
38	A1	881	G	Sidechain
38	A1	884	C	Sidechain
38	A1	885	A	Sidechain
38	A1	887	U	Sidechain
38	A1	889	C	Sidechain
38	A1	890	G	Sidechain
38	A1	892	U	Sidechain
38	A1	897	U	Sidechain
38	A1	899	A	Sidechain
38	A1	90	A	Sidechain
38	A1	902	C	Sidechain
38	A1	903	C	Sidechain
38	A1	904	G	Sidechain
38	A1	905	G	Sidechain
38	A1	908	U	Sidechain
38	A1	911	G	Sidechain
38	A1	912	G	Sidechain
38	A1	918	A	Sidechain
38	A1	919	G	Sidechain
38	A1	92	G	Sidechain
38	A1	921	C	Sidechain
38	A1	934	G	Sidechain
38	A1	936	G	Sidechain
38	A1	937	A	Sidechain
38	A1	938	U	Sidechain
38	A1	941	C	Sidechain
38	A1	943	G	Sidechain
38	A1	946	U	Sidechain
38	A1	947	C	Sidechain
38	A1	948	C	Sidechain
38	A1	95	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
38	A1	953	G	Sidechain
38	A1	954	A	Sidechain
38	A1	956	U	Sidechain
38	A1	96	C	Sidechain
38	A1	960	C	Sidechain
38	A1	961	C	Sidechain
38	A1	963	G	Sidechain
38	A1	964	C	Sidechain
38	A1	965	A	Sidechain
38	A1	966	G	Sidechain
38	A1	969	U	Sidechain
38	A1	970	G	Sidechain
38	A1	975	C	Sidechain
38	A1	979	G	Sidechain
38	A1	98	G	Sidechain
38	A1	980	G	Sidechain
38	A1	983	G	Sidechain
38	A1	989	G	Sidechain
38	A1	990	G	Sidechain
38	A1	992	G	Sidechain
38	A1	993	G	Sidechain
38	A1	994	G	Sidechain
38	A1	995	G	Sidechain
38	A1	996	U	Sidechain
38	A1	997	A	Sidechain
38	A1	998	G	Sidechain
39	A3	1	C	Sidechain
39	A3	10	U	Sidechain
39	A3	101	A	Sidechain
39	A3	102	G	Sidechain
39	A3	104	C	Sidechain
39	A3	106	G	Sidechain
39	A3	11	A	Sidechain
39	A3	111	G	Sidechain
39	A3	113	C	Sidechain
39	A3	116	C	Sidechain
39	A3	121	A	Sidechain
39	A3	124	A	Sidechain
39	A3	14	G	Sidechain
39	A3	16	G	Sidechain
39	A3	17	G	Sidechain
39	A3	19	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
39	A3	2	G	Sidechain
39	A3	21	C	Sidechain
39	A3	25	A	Sidechain
39	A3	26	C	Sidechain
39	A3	27	C	Sidechain
39	A3	29	G	Sidechain
39	A3	3	G	Sidechain
39	A3	31	U	Sidechain
39	A3	32	C	Sidechain
39	A3	35	A	Sidechain
39	A3	38	U	Sidechain
39	A3	4	C	Sidechain
39	A3	42	A	Sidechain
39	A3	43	C	Sidechain
39	A3	46	G	Sidechain
39	A3	48	A	Sidechain
39	A3	49	A	Sidechain
39	A3	51	U	Sidechain
39	A3	53	A	Sidechain
39	A3	54	A	Sidechain
39	A3	57	C	Sidechain
39	A3	58	C	Sidechain
39	A3	60	C	Sidechain
39	A3	63	G	Sidechain
39	A3	68	C	Sidechain
39	A3	71	G	Sidechain
39	A3	72	G	Sidechain
39	A3	73	U	Sidechain
39	A3	74	U	Sidechain
39	A3	75	G	Sidechain
39	A3	76	U	Sidechain
39	A3	78	C	Sidechain
39	A3	79	U	Sidechain
39	A3	82	C	Sidechain
39	A3	84	U	Sidechain
39	A3	86	C	Sidechain
39	A3	89	G	Sidechain
39	A3	9	A	Sidechain
39	A3	93	G	Sidechain
40	A5	32	PHE	Sidechain
40	A5	67	SER	Mainchain
2	A8	49	TYR	Sidechain

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Group
41	AA	107	PHE	Sidechain
41	AA	120	TYR	Sidechain
41	AA	18	ARG	Sidechain
41	AA	203	TYR	Sidechain
43	AB	10	ARG	Sidechain
43	AB	107	TYR	Sidechain
43	AB	156	ARG	Sidechain
43	AB	167	ARG	Sidechain
43	AB	234	ARG	Sidechain
43	AB	238	ARG	Sidechain
43	AB	30	TYR	Sidechain
43	AB	60	ARG	Sidechain
45	AC	135	LEU	Peptide
45	AC	156	LYS	Peptide
45	AC	185	TYR	Sidechain
45	AC	26	ARG	Sidechain
45	AC	292	ASN	Peptide
45	AC	304	GLU	Peptide
45	AC	343	ARG	Sidechain
46	AD	111	ARG	Sidechain
46	AD	130	ARG	Sidechain
46	AD	140	LEU	Peptide
46	AD	187	ARG	Sidechain
46	AD	22	PHE	Sidechain
46	AD	251	ARG	Sidechain
46	AD	33	ARG	Sidechain
46	AD	82	PHE	Sidechain
46	AD	91	ARG	Sidechain
48	AE	145	ARG	Sidechain
48	AE	149	ARG	Sidechain
48	AE	152	ARG	Sidechain
48	AE	24	ARG	Sidechain
48	AE	58	ARG	Sidechain
48	AE	88	TYR	Sidechain
50	AF	133	ARG	Sidechain
50	AF	173	TYR	Sidechain
50	AF	6	TRP	Peptide
12	AG	33	ARG	Sidechain
12	AG	45	ARG	Sidechain
52	AH	1	MET	Peptide
52	AH	59	PRO	Peptide
54	AI	128	TYR	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
54	AI	42	ARG	Sidechain
54	AI	62	ARG	Sidechain
54	AI	67	TYR	Sidechain
54	AI	76	ARG	Sidechain
54	AI	91	ARG	Sidechain
54	AI	96	ARG	Sidechain
56	AJ	46	TYR	Sidechain
56	AJ	74	ARG	Sidechain
56	AJ	86	ARG	Sidechain
56	AJ	96	ARG	Sidechain
40	AK	16	ARG	Sidechain
40	AK	64	ARG	Sidechain
59	AL	10	LYS	Peptide
59	AL	12	ARG	Sidechain
59	AL	47	TRP	Peptide
59	AL	53	TYR	Peptide
59	AL	54	ALA	Peptide
59	AL	63	PHE	Sidechain,Peptide
59	AL	65	ARG	Sidechain
59	AL	8	VAL	Peptide
59	AL	95	TYR	Sidechain
60	AM	31	ARG	Sidechain
60	AM	59	TYR	Sidechain
60	AM	71	ARG	Sidechain
60	AM	73	ARG	Sidechain
61	AN	108	TYR	Sidechain
61	AN	163	ARG	Sidechain
61	AN	17	TYR	Sidechain
61	AN	22	TYR	Sidechain
61	AN	58	ARG	Sidechain
61	AN	72	TYR	Sidechain
61	AN	82	TYR	Sidechain
62	AO	14	ARG	Sidechain
62	AO	15	ARG	Sidechain
62	AO	152	TYR	Sidechain
62	AO	171	TYR	Sidechain
62	AO	184	HIS	Sidechain
62	AO	22	ARG	Sidechain
62	AO	65	ARG	Sidechain
62	AO	8	ARG	Sidechain
62	AO	84	TYR	Sidechain
62	AO	92	TYR	Sidechain

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>Group</b>
63	AP	12	ARG	Sidechain
63	AP	13	ARG	Sidechain
63	AP	41	ARG	Sidechain
63	AP	93	ILE	Mainchain
4	AQ	100	ARG	Sidechain
4	AQ	133	LYS	Peptide
4	AQ	139	TYR	Sidechain
4	AQ	3	THR	Peptide
4	AQ	66	ARG	Sidechain
64	AR	3	GLN	Peptide
5	AS	129	TYR	Sidechain
5	AS	133	PHE	Sidechain
5	AS	139	PHE	Sidechain
5	AS	40	ARG	Sidechain
5	AS	83	TYR	Sidechain
6	AT	41	ARG	Sidechain
6	AT	61	ARG	Sidechain
7	AU	119	ARG	Sidechain
7	AU	33	ARG	Sidechain
7	AU	42	ARG	Sidechain
7	AU	59	TYR	Sidechain
65	AV	39	ARG	Sidechain
65	AV	45	ARG	Sidechain
65	AV	56	TYR	Sidechain
65	AV	60	ARG	Sidechain
65	AV	9	TYR	Sidechain
9	AX	132	PHE	Sidechain
9	AX	173	PHE	Sidechain
9	AX	220	PHE	Sidechain
9	AX	251	PHE	Sidechain
9	AX	287	TYR	Sidechain
9	AX	373	TYR	Sidechain
9	AX	384	PHE	Sidechain
9	AX	412	TYR	Sidechain
9	AX	415	TYR	Sidechain
66	AY	10	ARG	Sidechain
66	AY	69	ARG	Sidechain
67	AZ	51	TYR	Sidechain
42	Aa	26	LYS	Peptide
42	Aa	7	GLU	Peptide
44	Ab	15	ARG	Sidechain
44	Ab	18	ARG	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
44	Ab	25	ARG	Sidechain
44	Ab	26	GLN	Peptide
44	Ab	34	PHE	Peptide
44	Ab	35	LYS	Peptide
44	Ab	38	PRO	Peptide
44	Ab	57	LYS	Peptide
44	Ab	79	TYR	Sidechain
47	Ad	41	ARG	Sidechain
49	Ae	1	MET	Peptide
49	Ae	11	ARG	Sidechain
49	Ae	22	ARG	Sidechain
49	Ae	25	ARG	Sidechain
49	Ae	45	ARG	Sidechain
49	Ae	49	TYR	Sidechain
49	Ae	50	ARG	Sidechain
49	Ae	51	TRP	Peptide
49	Ae	8	PHE	Peptide
3	Af	2	ALA	Peptide
3	Af	33	ARG	Peptide
3	Af	34	ARG	Sidechain
3	Af	37	THR	Peptide
3	Af	38	HIS	Peptide
3	Af	48	LYS	Peptide
51	Ag	33	LYS	Peptide
51	Ag	38	ARG	Sidechain
51	Ag	4	PHE	Peptide
51	Ag	40	ARG	Sidechain
51	Ag	41	PRO	Peptide
53	Ah	11	ARG	Sidechain
53	Ah	2	ARG	Sidechain
55	Ai	17	TYR	Sidechain
55	Ai	22	ARG	Sidechain
57	Aj	30	ARG	Peptide
57	Aj	54	LYS	Peptide
57	Aj	57	GLY	Peptide
57	Aj	58	ARG	Peptide
57	Aj	59	GLU	Peptide
57	Aj	62	VAL	Peptide
57	Aj	82	ARG	Sidechain
58	Ak	213	TYR	Sidechain
58	Ak	33	MET	Peptide
58	Ak	54	VAL	Peptide

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
58	Ak	82	TYR	Sidechain
10	B1	10	G	Sidechain
10	B1	13	C	Sidechain
10	B1	15	G	Sidechain
10	B1	17	C	Sidechain
10	B1	18	U	Sidechain
10	B1	19	G	Sidechain
10	B1	2	G	Sidechain
10	B1	23	G	Sidechain
10	B1	24	A	Sidechain
10	B1	30	G	Sidechain
10	B1	31	G	Sidechain
10	B1	32	A	Sidechain
10	B1	33	C	Sidechain
10	B1	35	G	Sidechain
10	B1	43	G	Sidechain
10	B1	44	G	Sidechain
10	B1	46	U	Sidechain
10	B1	48	U	Sidechain
10	B1	49	C	Sidechain
10	B1	51	G	Sidechain
10	B1	52	G	Sidechain
10	B1	53	G	Sidechain
10	B1	54	G	Sidechain
10	B1	55	U	Sidechain
10	B1	56	U	Sidechain
10	B1	59	A	Sidechain
10	B1	6	G	Sidechain
10	B1	64	C	Sidechain
10	B1	68	C	Sidechain
10	B1	69	G	Sidechain
10	B1	7	G	Sidechain
10	B1	71	C	Sidechain
10	B1	75	C	Sidechain
10	B1	8	U	Sidechain
10	B1	9	A	Sidechain
11	B2	10	G	Sidechain
11	B2	100	A	Sidechain
11	B2	1000	G	Sidechain
11	B2	1002	G	Sidechain
11	B2	1003	G	Sidechain
11	B2	1006	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
11	B2	1007	A	Sidechain
11	B2	1008	U	Sidechain
11	B2	1009	G	Sidechain
11	B2	101	G	Sidechain
11	B2	1013	G	Sidechain
11	B2	1014	C	Sidechain
11	B2	1016	G	Sidechain
11	B2	1018	C	Sidechain
11	B2	1022	U	Sidechain
11	B2	1023	C	Sidechain
11	B2	1029	G	Sidechain
11	B2	1030	U	Sidechain
11	B2	1032	A	Sidechain
11	B2	1033	G	Sidechain
11	B2	1035	C	Sidechain
11	B2	1036	G	Sidechain
11	B2	1038	C	Sidechain
11	B2	1039	C	Sidechain
11	B2	1040	A	Sidechain
11	B2	1041	C	Sidechain
11	B2	1042	U	Sidechain
11	B2	1043	U	Sidechain
11	B2	1044	A	Sidechain
11	B2	1045	A	Sidechain
11	B2	1046	G	Sidechain
11	B2	1047	U	Sidechain
11	B2	1048	G	Sidechain
11	B2	1049	U	Sidechain
11	B2	1050	G	Sidechain
11	B2	1054	A	Sidechain
11	B2	1056	G	Sidechain
11	B2	1058	G	Sidechain
11	B2	1059	C	Sidechain
11	B2	106	A	Sidechain
11	B2	1060	G	Sidechain
11	B2	1063	A	Sidechain
11	B2	1065	C	Sidechain
11	B2	1066	C	Sidechain
11	B2	1067	G	Sidechain
11	B2	1069	G	Sidechain
11	B2	107	C	Sidechain
11	B2	1070	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
11	B2	1072	C	Sidechain
11	B2	1076	G	Sidechain
11	B2	1079	G	Sidechain
11	B2	1082	A	Sidechain
11	B2	1083	G	Sidechain
11	B2	1090	C	Sidechain
11	B2	1093	C	Sidechain
11	B2	1095	C	Sidechain
11	B2	1097	G	Sidechain
11	B2	110	C	Sidechain
11	B2	1100	G	Sidechain
11	B2	1101	G	Sidechain
11	B2	1103	G	Sidechain
11	B2	1104	G	Sidechain
11	B2	1108	U	Sidechain
11	B2	111	G	Sidechain
11	B2	1111	G	Sidechain
11	B2	1112	G	Sidechain
11	B2	1113	G	Sidechain
11	B2	1114	G	Sidechain
11	B2	1115	G	Sidechain
11	B2	1118	C	Sidechain
11	B2	1120	G	Sidechain
11	B2	1121	C	Sidechain
11	B2	1122	C	Sidechain
11	B2	1124	G	Sidechain
11	B2	1127	A	Sidechain
11	B2	1128	U	Sidechain
11	B2	1135	G	Sidechain
11	B2	1136	A	Sidechain
11	B2	1137	G	Sidechain
11	B2	1138	G	Sidechain
11	B2	1139	A	Sidechain
11	B2	1141	G	Sidechain
11	B2	1142	G	Sidechain
11	B2	1143	G	Sidechain
11	B2	1144	G	Sidechain
11	B2	1146	G	Sidechain
11	B2	1148	G	Sidechain
11	B2	1150	G	Sidechain
11	B2	1151	A	Sidechain
11	B2	1153	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
11	B2	1155	U	Sidechain
11	B2	1157	G	Sidechain
11	B2	1158	G	Sidechain
11	B2	116	C	Sidechain
11	B2	1161	A	Sidechain
11	B2	1162	G	Sidechain
11	B2	1163	U	Sidechain
11	B2	1166	G	Sidechain
11	B2	1167	C	Sidechain
11	B2	1169	C	Sidechain
11	B2	117	C	Sidechain
11	B2	1172	A	Sidechain
11	B2	1174	A	Sidechain
11	B2	1179	C	Sidechain
11	B2	1181	G	Sidechain
11	B2	1184	U	Sidechain
11	B2	1185	A	Sidechain
11	B2	1188	C	Sidechain
11	B2	1189	G	Sidechain
11	B2	119	A	Sidechain
11	B2	1191	G	Sidechain
11	B2	1193	G	Sidechain
11	B2	1197	C	Sidechain
11	B2	1198	A	Sidechain
11	B2	1199	A	Sidechain
11	B2	12	U	Sidechain
11	B2	1202	G	Sidechain
11	B2	1203	G	Sidechain
11	B2	1204	C	Sidechain
11	B2	1207	G	Sidechain
11	B2	1208	A	Sidechain
11	B2	121	C	Sidechain
11	B2	1211	A	Sidechain
11	B2	1212	U	Sidechain
11	B2	1215	G	Sidechain
11	B2	1218	C	Sidechain
11	B2	1219	C	Sidechain
11	B2	1220	G	Sidechain
11	B2	1223	C	Sidechain
11	B2	1226	G	Sidechain
11	B2	1227	A	Sidechain
11	B2	1228	A	Sidechain

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Group
11	B2	1229	A	Sidechain
11	B2	123	U	Sidechain
11	B2	1231	G	Sidechain
11	B2	1232	G	Sidechain
11	B2	1234	A	Sidechain
11	B2	1235	A	Sidechain
11	B2	1239	A	Sidechain
11	B2	124	C	Sidechain
11	B2	1240	A	Sidechain
11	B2	1241	U	Sidechain
11	B2	1245	C	Sidechain
11	B2	1247	A	Sidechain
11	B2	1250	C	Sidechain
11	B2	1251	C	Sidechain
11	B2	1256	C	Sidechain
11	B2	1259	A	Sidechain
11	B2	1260	G	Sidechain
11	B2	1261	U	Sidechain
11	B2	1264	G	Sidechain
11	B2	1265	G	Sidechain
11	B2	1267	U	Sidechain
11	B2	1271	G	Sidechain
11	B2	1273	G	Sidechain
11	B2	1276	G	Sidechain
11	B2	1280	C	Sidechain
11	B2	1282	C	Sidechain
11	B2	1284	C	Sidechain
11	B2	1285	C	Sidechain
11	B2	1287	G	Sidechain
11	B2	1289	G	Sidechain
11	B2	1293	A	Sidechain
11	B2	1294	G	Sidechain
11	B2	1295	C	Sidechain
11	B2	1298	G	Sidechain
11	B2	1300	A	Sidechain
11	B2	1304	C	Sidechain
11	B2	1305	U	Sidechain
11	B2	1309	A	Sidechain
11	B2	1316	U	Sidechain
11	B2	1317	G	Sidechain
11	B2	1319	C	Sidechain
11	B2	1321	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
11	B2	1324	U	Sidechain
11	B2	1325	C	Sidechain
11	B2	1326	G	Sidechain
11	B2	1331	G	Sidechain
11	B2	1332	C	Sidechain
11	B2	1333	G	Sidechain
11	B2	1334	A	Sidechain
11	B2	1336	U	Sidechain
11	B2	1339	G	Sidechain
11	B2	1340	U	Sidechain
11	B2	1341	C	Sidechain
11	B2	1342	C	Sidechain
11	B2	1343	C	Sidechain
11	B2	1344	U	Sidechain
11	B2	1345	G	Sidechain
11	B2	1346	C	Sidechain
11	B2	1347	U	Sidechain
11	B2	1348	C	Sidechain
11	B2	135	U	Sidechain
11	B2	1350	U	Sidechain
11	B2	1351	U	Sidechain
11	B2	1352	G	Sidechain
11	B2	1353	C	Sidechain
11	B2	1354	A	Sidechain
11	B2	1355	C	Sidechain
11	B2	1356	A	Sidechain
11	B2	136	A	Sidechain
11	B2	1362	C	Sidechain
11	B2	1369	C	Sidechain
11	B2	137	A	Sidechain
11	B2	1372	C	Sidechain
11	B2	1376	C	Sidechain
11	B2	1379	G	Sidechain
11	B2	138	C	Sidechain
11	B2	1380	C	Sidechain
11	B2	1384	G	Sidechain
11	B2	1385	U	Sidechain
11	B2	139	C	Sidechain
11	B2	1390	G	Sidechain
11	B2	1393	A	Sidechain
11	B2	1398	U	Sidechain
11	B2	1399	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
11	B2	140	C	Sidechain
11	B2	1402	C	Sidechain
11	B2	1403	U	Sidechain
11	B2	1404	C	Sidechain
11	B2	1405	C	Sidechain
11	B2	1406	U	Sidechain
11	B2	1409	G	Sidechain
11	B2	141	C	Sidechain
11	B2	1413	G	Sidechain
11	B2	1414	G	Sidechain
11	B2	1416	C	Sidechain
11	B2	1418	G	Sidechain
11	B2	1419	G	Sidechain
11	B2	142	G	Sidechain
11	B2	1421	C	Sidechain
11	B2	1423	A	Sidechain
11	B2	1424	G	Sidechain
11	B2	1427	C	Sidechain
11	B2	1429	G	Sidechain
11	B2	1430	G	Sidechain
11	B2	1431	C	Sidechain
11	B2	1432	U	Sidechain
11	B2	1433	C	Sidechain
11	B2	1435	G	Sidechain
11	B2	1440	G	Sidechain
11	B2	1441	G	Sidechain
11	B2	1442	G	Sidechain
11	B2	1444	G	Sidechain
11	B2	1449	G	Sidechain
11	B2	1450	U	Sidechain
11	B2	1452	G	Sidechain
11	B2	1453	U	Sidechain
11	B2	1454	A	Sidechain
11	B2	1457	A	Sidechain
11	B2	1458	A	Sidechain
11	B2	1466	G	Sidechain
11	B2	1469	G	Sidechain
11	B2	1470	G	Sidechain
11	B2	1471	G	Sidechain
11	B2	1473	A	Sidechain
11	B2	1474	A	Sidechain
11	B2	1477	U	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
11	B2	1478	A	Sidechain
11	B2	1480	G	Sidechain
11	B2	1481	G	Sidechain
11	B2	1486	A	Sidechain
11	B2	1487	U	Sidechain
11	B2	1489	A	Sidechain
11	B2	1492	U	Sidechain
11	B2	1493	C	Sidechain
11	B2	150	G	Sidechain
11	B2	152	G	Sidechain
11	B2	153	G	Sidechain
11	B2	155	U	Sidechain
11	B2	156	A	Sidechain
11	B2	157	A	Sidechain
11	B2	159	C	Sidechain
11	B2	161	C	Sidechain
11	B2	162	C	Sidechain
11	B2	168	G	Sidechain
11	B2	174	G	Sidechain
11	B2	175	G	Sidechain
11	B2	178	C	Sidechain
11	B2	180	G	Sidechain
11	B2	181	G	Sidechain
11	B2	182	A	Sidechain
11	B2	184	G	Sidechain
11	B2	185	G	Sidechain
11	B2	186	U	Sidechain
11	B2	188	C	Sidechain
11	B2	190	C	Sidechain
11	B2	191	A	Sidechain
11	B2	195	C	Sidechain
11	B2	196	G	Sidechain
11	B2	2	U	Sidechain
11	B2	20	G	Sidechain
11	B2	201	G	Sidechain
11	B2	203	A	Sidechain
11	B2	204	G	Sidechain
11	B2	205	C	Sidechain
11	B2	207	G	Sidechain
11	B2	210	A	Sidechain
11	B2	212	G	Sidechain
11	B2	215	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
11	B2	216	G	Sidechain
11	B2	217	C	Sidechain
11	B2	220	G	Sidechain
11	B2	223	G	Sidechain
11	B2	225	U	Sidechain
11	B2	226	G	Sidechain
11	B2	228	G	Sidechain
11	B2	229	G	Sidechain
11	B2	23	G	Sidechain
11	B2	231	G	Sidechain
11	B2	232	G	Sidechain
11	B2	235	G	Sidechain
11	B2	237	C	Sidechain
11	B2	238	G	Sidechain
11	B2	240	U	Sidechain
11	B2	246	A	Sidechain
11	B2	247	G	Sidechain
11	B2	249	U	Sidechain
11	B2	250	G	Sidechain
11	B2	252	U	Sidechain
11	B2	255	G	Sidechain
11	B2	256	G	Sidechain
11	B2	257	U	Sidechain
11	B2	258	A	Sidechain
11	B2	259	A	Sidechain
11	B2	261	G	Sidechain
11	B2	262	G	Sidechain
11	B2	27	C	Sidechain
11	B2	270	A	Sidechain
11	B2	277	G	Sidechain
11	B2	279	U	Sidechain
11	B2	282	G	Sidechain
11	B2	283	U	Sidechain
11	B2	288	G	Sidechain
11	B2	289	C	Sidechain
11	B2	291	G	Sidechain
11	B2	292	U	Sidechain
11	B2	294	A	Sidechain
11	B2	295	G	Sidechain
11	B2	298	C	Sidechain
11	B2	299	G	Sidechain
11	B2	30	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
11	B2	300	G	Sidechain
11	B2	301	G	Sidechain
11	B2	302	A	Sidechain
11	B2	303	G	Sidechain
11	B2	304	C	Sidechain
11	B2	305	C	Sidechain
11	B2	307	G	Sidechain
11	B2	308	G	Sidechain
11	B2	309	A	Sidechain
11	B2	31	U	Sidechain
11	B2	319	U	Sidechain
11	B2	32	A	Sidechain
11	B2	320	G	Sidechain
11	B2	322	G	Sidechain
11	B2	323	A	Sidechain
11	B2	324	C	Sidechain
11	B2	325	A	Sidechain
11	B2	326	C	Sidechain
11	B2	33	U	Sidechain
11	B2	332	C	Sidechain
11	B2	334	G	Sidechain
11	B2	335	G	Sidechain
11	B2	34	G	Sidechain
11	B2	340	A	Sidechain
11	B2	342	G	Sidechain
11	B2	347	G	Sidechain
11	B2	348	C	Sidechain
11	B2	35	G	Sidechain
11	B2	355	C	Sidechain
11	B2	356	G	Sidechain
11	B2	359	A	Sidechain
11	B2	36	G	Sidechain
11	B2	362	C	Sidechain
11	B2	363	C	Sidechain
11	B2	365	C	Sidechain
11	B2	368	C	Sidechain
11	B2	369	A	Sidechain
11	B2	37	G	Sidechain
11	B2	370	A	Sidechain
11	B2	371	U	Sidechain
11	B2	372	G	Sidechain
11	B2	375	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
11	B2	376	G	Sidechain
11	B2	38	G	Sidechain
11	B2	382	G	Sidechain
11	B2	385	A	Sidechain
11	B2	386	C	Sidechain
11	B2	387	G	Sidechain
11	B2	389	G	Sidechain
11	B2	39	U	Sidechain
11	B2	390	G	Sidechain
11	B2	391	G	Sidechain
11	B2	392	G	Sidechain
11	B2	394	C	Sidechain
11	B2	395	C	Sidechain
11	B2	399	A	Sidechain
11	B2	400	G	Sidechain
11	B2	401	U	Sidechain
11	B2	402	G	Sidechain
11	B2	404	C	Sidechain
11	B2	405	G	Sidechain
11	B2	406	U	Sidechain
11	B2	407	G	Sidechain
11	B2	408	C	Sidechain
11	B2	41	C	Sidechain
11	B2	410	U	Sidechain
11	B2	414	G	Sidechain
11	B2	419	G	Sidechain
11	B2	421	U	Sidechain
11	B2	422	U	Sidechain
11	B2	423	U	Sidechain
11	B2	427	G	Sidechain
11	B2	430	G	Sidechain
11	B2	431	U	Sidechain
11	B2	432	G	Sidechain
11	B2	434	A	Sidechain
11	B2	436	A	Sidechain
11	B2	438	A	Sidechain
11	B2	439	G	Sidechain
11	B2	44	C	Sidechain
11	B2	440	C	Sidechain
11	B2	441	U	Sidechain
11	B2	443	C	Sidechain
11	B2	445	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
11	B2	446	G	Sidechain
11	B2	447	A	Sidechain
11	B2	449	U	Sidechain
11	B2	45	U	Sidechain
11	B2	451	A	Sidechain
11	B2	452	G	Sidechain
11	B2	453	G	Sidechain
11	B2	454	G	Sidechain
11	B2	455	C	Sidechain
11	B2	456	U	Sidechain
11	B2	458	G	Sidechain
11	B2	459	G	Sidechain
11	B2	46	A	Sidechain
11	B2	460	C	Sidechain
11	B2	461	A	Sidechain
11	B2	463	G	Sidechain
11	B2	464	G	Sidechain
11	B2	467	G	Sidechain
11	B2	469	U	Sidechain
11	B2	47	A	Sidechain
11	B2	470	G	Sidechain
11	B2	472	C	Sidechain
11	B2	477	G	Sidechain
11	B2	48	G	Sidechain
11	B2	480	G	Sidechain
11	B2	483	G	Sidechain
11	B2	484	U	Sidechain
11	B2	488	A	Sidechain
11	B2	490	C	Sidechain
11	B2	491	G	Sidechain
11	B2	494	G	Sidechain
11	B2	495	G	Sidechain
11	B2	500	A	Sidechain
11	B2	505	U	Sidechain
11	B2	506	G	Sidechain
11	B2	510	A	Sidechain
11	B2	512	U	Sidechain
11	B2	513	A	Sidechain
11	B2	514	U	Sidechain
11	B2	516	A	Sidechain
11	B2	517	U	Sidechain
11	B2	521	G	Sidechain

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Group
11	B2	524	U	Sidechain
11	B2	528	G	Sidechain
11	B2	529	C	Sidechain
11	B2	53	G	Sidechain
11	B2	530	G	Sidechain
11	B2	533	C	Sidechain
11	B2	538	C	Sidechain
11	B2	539	C	Sidechain
11	B2	54	C	Sidechain
11	B2	541	G	Sidechain
11	B2	542	G	Sidechain
11	B2	543	C	Sidechain
11	B2	550	G	Sidechain
11	B2	551	U	Sidechain
11	B2	556	G	Sidechain
11	B2	557	G	Sidechain
11	B2	559	G	Sidechain
11	B2	56	A	Sidechain
11	B2	560	A	Sidechain
11	B2	563	U	Sidechain
11	B2	568	C	Sidechain
11	B2	57	G	Sidechain
11	B2	570	G	Sidechain
11	B2	571	C	Sidechain
11	B2	572	U	Sidechain
11	B2	575	A	Sidechain
11	B2	576	C	Sidechain
11	B2	581	G	Sidechain
11	B2	582	G	Sidechain
11	B2	585	U	Sidechain
11	B2	588	C	Sidechain
11	B2	59	C	Sidechain
11	B2	595	U	Sidechain
11	B2	597	C	Sidechain
11	B2	599	G	Sidechain
11	B2	6	G	Sidechain
11	B2	60	A	Sidechain
11	B2	601	G	Sidechain
11	B2	604	C	Sidechain
11	B2	605	C	Sidechain
11	B2	607	U	Sidechain
11	B2	609	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
11	B2	610	G	Sidechain
11	B2	612	C	Sidechain
11	B2	616	G	Sidechain
11	B2	617	A	Sidechain
11	B2	618	G	Sidechain
11	B2	620	G	Sidechain
11	B2	621	G	Sidechain
11	B2	622	C	Sidechain
11	B2	624	G	Sidechain
11	B2	625	G	Sidechain
11	B2	626	G	Sidechain
11	B2	628	G	Sidechain
11	B2	63	G	Sidechain
11	B2	632	C	Sidechain
11	B2	634	C	Sidechain
11	B2	635	C	Sidechain
11	B2	636	G	Sidechain
11	B2	639	G	Sidechain
11	B2	64	G	Sidechain
11	B2	640	U	Sidechain
11	B2	642	G	Sidechain
11	B2	643	G	Sidechain
11	B2	644	G	Sidechain
11	B2	645	G	Sidechain
11	B2	648	A	Sidechain
11	B2	649	A	Sidechain
11	B2	651	U	Sidechain
11	B2	654	U	Sidechain
11	B2	657	A	Sidechain
11	B2	66	G	Sidechain
11	B2	660	C	Sidechain
11	B2	662	C	Sidechain
11	B2	665	G	Sidechain
11	B2	667	G	Sidechain
11	B2	669	A	Sidechain
11	B2	672	G	Sidechain
11	B2	678	G	Sidechain
11	B2	68	G	Sidechain
11	B2	681	G	Sidechain
11	B2	683	A	Sidechain
11	B2	684	G	Sidechain
11	B2	685	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
11	B2	687	G	Sidechain
11	B2	688	C	Sidechain
11	B2	69	U	Sidechain
11	B2	690	C	Sidechain
11	B2	691	G	Sidechain
11	B2	693	C	Sidechain
11	B2	694	U	Sidechain
11	B2	695	G	Sidechain
11	B2	697	A	Sidechain
11	B2	7	G	Sidechain
11	B2	700	G	Sidechain
11	B2	701	G	Sidechain
11	B2	702	G	Sidechain
11	B2	706	G	Sidechain
11	B2	707	A	Sidechain
11	B2	708	C	Sidechain
11	B2	709	G	Sidechain
11	B2	71	C	Sidechain
11	B2	710	G	Sidechain
11	B2	711	U	Sidechain
11	B2	713	A	Sidechain
11	B2	716	G	Sidechain
11	B2	717	C	Sidechain
11	B2	718	G	Sidechain
11	B2	719	G	Sidechain
11	B2	72	C	Sidechain
11	B2	720	A	Sidechain
11	B2	721	A	Sidechain
11	B2	723	G	Sidechain
11	B2	724	C	Sidechain
11	B2	725	C	Sidechain
11	B2	728	G	Sidechain
11	B2	732	G	Sidechain
11	B2	734	G	Sidechain
11	B2	739	G	Sidechain
11	B2	74	U	Sidechain
11	B2	740	G	Sidechain
11	B2	742	U	Sidechain
11	B2	743	U	Sidechain
11	B2	744	A	Sidechain
11	B2	748	A	Sidechain
11	B2	749	C	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
11	B2	752	G	Sidechain
11	B2	753	G	Sidechain
11	B2	757	G	Sidechain
11	B2	758	U	Sidechain
11	B2	76	U	Sidechain
11	B2	761	U	Sidechain
11	B2	765	U	Sidechain
11	B2	769	A	Sidechain
11	B2	77	G	Sidechain
11	B2	772	G	Sidechain
11	B2	777	G	Sidechain
11	B2	778	G	Sidechain
11	B2	78	G	Sidechain
11	B2	784	G	Sidechain
11	B2	786	G	Sidechain
11	B2	788	C	Sidechain
11	B2	79	G	Sidechain
11	B2	790	G	Sidechain
11	B2	793	G	Sidechain
11	B2	794	A	Sidechain
11	B2	795	G	Sidechain
11	B2	797	U	Sidechain
11	B2	798	U	Sidechain
11	B2	799	C	Sidechain
11	B2	8	U	Sidechain
11	B2	800	G	Sidechain
11	B2	802	G	Sidechain
11	B2	804	U	Sidechain
11	B2	806	G	Sidechain
11	B2	810	G	Sidechain
11	B2	811	G	Sidechain
11	B2	813	G	Sidechain
11	B2	816	G	Sidechain
11	B2	82	G	Sidechain
11	B2	820	G	Sidechain
11	B2	821	G	Sidechain
11	B2	823	A	Sidechain
11	B2	824	G	Sidechain
11	B2	826	C	Sidechain
11	B2	827	G	Sidechain
11	B2	83	C	Sidechain
11	B2	832	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
11	B2	834	C	Sidechain
11	B2	839	G	Sidechain
11	B2	84	C	Sidechain
11	B2	840	C	Sidechain
11	B2	842	U	Sidechain
11	B2	844	G	Sidechain
11	B2	845	G	Sidechain
11	B2	846	G	Sidechain
11	B2	85	A	Sidechain
11	B2	850	A	Sidechain
11	B2	852	G	Sidechain
11	B2	854	C	Sidechain
11	B2	856	G	Sidechain
11	B2	858	A	Sidechain
11	B2	86	C	Sidechain
11	B2	860	G	Sidechain
11	B2	867	A	Sidechain
11	B2	87	C	Sidechain
11	B2	873	A	Sidechain
11	B2	874	G	Sidechain
11	B2	876	A	Sidechain
11	B2	879	U	Sidechain
11	B2	88	G	Sidechain
11	B2	881	G	Sidechain
11	B2	882	C	Sidechain
11	B2	884	G	Sidechain
11	B2	885	G	Sidechain
11	B2	886	G	Sidechain
11	B2	889	G	Sidechain
11	B2	890	C	Sidechain
11	B2	892	C	Sidechain
11	B2	894	A	Sidechain
11	B2	896	A	Sidechain
11	B2	897	A	Sidechain
11	B2	899	G	Sidechain
11	B2	900	G	Sidechain
11	B2	903	G	Sidechain
11	B2	905	A	Sidechain
11	B2	906	G	Sidechain
11	B2	908	G	Sidechain
11	B2	91	G	Sidechain
11	B2	913	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
11	B2	914	U	Sidechain
11	B2	916	U	Sidechain
11	B2	917	A	Sidechain
11	B2	918	A	Sidechain
11	B2	919	U	Sidechain
11	B2	921	G	Sidechain
11	B2	922	G	Sidechain
11	B2	923	A	Sidechain
11	B2	928	A	Sidechain
11	B2	930	G	Sidechain
11	B2	932	C	Sidechain
11	B2	936	A	Sidechain
11	B2	939	C	Sidechain
11	B2	94	C	Sidechain
11	B2	940	U	Sidechain
11	B2	941	C	Sidechain
11	B2	942	A	Sidechain
11	B2	945	G	Sidechain
11	B2	948	G	Sidechain
11	B2	949	G	Sidechain
11	B2	951	G	Sidechain
11	B2	952	A	Sidechain
11	B2	954	G	Sidechain
11	B2	955	G	Sidechain
11	B2	961	U	Sidechain
11	B2	962	G	Sidechain
11	B2	963	A	Sidechain
11	B2	964	A	Sidechain
11	B2	965	G	Sidechain
11	B2	975	A	Sidechain
11	B2	976	A	Sidechain
11	B2	977	G	Sidechain
11	B2	978	G	Sidechain
11	B2	979	U	Sidechain
11	B2	98	U	Sidechain
11	B2	983	G	Sidechain
11	B2	984	C	Sidechain
11	B2	985	C	Sidechain
11	B2	986	G	Sidechain
11	B2	987	G	Sidechain
11	B2	988	A	Sidechain
11	B2	990	G	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
11	B2	992	G	Sidechain
11	B2	995	G	Sidechain
11	B2	996	A	Sidechain
11	B2	997	G	Sidechain
11	B2	998	A	Sidechain
13	BA	118	ARG	Sidechain
13	BA	127	ARG	Sidechain
13	BA	135	ARG	Sidechain
13	BA	178	TYR	Sidechain
13	BA	19	TYR	Sidechain
13	BA	193	GLU	Peptide
13	BA	22	TYR	Sidechain
13	BA	68	PHE	Sidechain
13	BA	71	TYR	Sidechain
13	BA	79	TYR	Sidechain
13	BA	93	ARG	Sidechain
14	BB	12	TYR	Sidechain
14	BB	5	TYR	Sidechain
15	BC	146	PHE	Sidechain
15	BC	166	TYR	Sidechain
15	BC	20	PHE	Sidechain
15	BC	26	ARG	Sidechain
15	BC	30	TYR	Sidechain
15	BC	53	TYR	Sidechain
15	BC	89	TYR	Sidechain
15	BC	98	ARG	Sidechain
16	BD	103	ARG	Sidechain
16	BD	116	ARG	Sidechain
16	BD	138	ARG	Sidechain
16	BD	154	TYR	Sidechain
16	BD	57	ARG	Sidechain
16	BD	76	ARG	Sidechain
16	BD	79	ARG	Sidechain
17	BE	12	ARG	Sidechain
17	BE	128	ARG	Sidechain
17	BE	162	TYR	Peptide
17	BE	20	TYR	Sidechain
17	BE	204	ARG	Sidechain
17	BE	205	PHE	Peptide
17	BE	47	TYR	Sidechain
17	BE	60	ARG	Sidechain
17	BE	81	TYR	Sidechain

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>Group</b>
18	BF	111	ARG	Sidechain
18	BF	143	PHE	Sidechain
18	BF	40	ARG	Sidechain
19	BG	17	LYS	Peptide
19	BG	43	LEU	Peptide
19	BG	77	ASP	Peptide
19	BG	97	LYS	Mainchain
20	BH	137	THR	Peptide
20	BH	14	GLU	Peptide
20	BH	145	ARG	Sidechain
20	BH	178	MET	Peptide
20	BH	49	GLY	Peptide
20	BH	50	ARG	Sidechain
20	BH	56	PHE	Sidechain
20	BH	72	MET	Peptide
20	BH	79	TYR	Sidechain
20	BH	83	GLY	Peptide
20	BH	84	HIS	Peptide
20	BH	86	MET	Peptide
20	BH	87	ARG	Peptide
21	BI	128	TYR	Sidechain
21	BI	46	TYR	Sidechain
21	BI	86	PHE	Sidechain
22	BJ	26	ARG	Sidechain
22	BJ	30	ARG	Sidechain
22	BJ	36	ARG	Sidechain
22	BJ	49	TYR	Sidechain
22	BJ	62	TYR	Sidechain
22	BJ	64	ASN	Peptide
23	BK	10	ARG	Sidechain
23	BK	12	THR	Peptide
23	BK	134	TYR	Sidechain
23	BK	2	ARG	Sidechain
23	BK	25	ARG	Sidechain
23	BK	71	PHE	Sidechain,Peptide
24	BL	14	ARG	Sidechain
24	BL	41	PRO	Peptide
24	BL	44	ARG	Sidechain
24	BL	46	ARG	Sidechain
24	BL	50	ARG	Sidechain
24	BL	71	ARG	Sidechain
24	BL	83	ARG	Sidechain

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Group
24	BL	90	VAL	Peptide
25	BM	127	ARG	Sidechain
25	BM	52	ARG	Sidechain
26	BN	124	TYR	Sidechain
26	BN	131	ARG	Sidechain
26	BN	5	LYS	Peptide
26	BN	65	PRO	Peptide
27	BO	124	LEU	Peptide
27	BO	41	ARG	Sidechain
27	BO	53	TYR	Sidechain
27	BO	85	TYR	Sidechain
27	BO	89	ARG	Sidechain
28	BP	6	TYR	Sidechain
29	BQ	100	ARG	Sidechain
29	BQ	135	TYR	Sidechain
29	BQ	136	TYR	Sidechain
29	BQ	148	TYR	Sidechain
29	BQ	2	ALA	Peptide
29	BQ	55	ARG	Sidechain
29	BQ	58	TYR	Sidechain
30	BR	63	TYR	Sidechain
30	BR	66	ARG	Sidechain
30	BR	92	ARG	Sidechain
31	BS	20	TYR	Sidechain
31	BS	53	TYR	Sidechain
32	BT	19	MET	Peptide
32	BT	26	ARG	Sidechain
32	BT	34	ARG	Sidechain
32	BT	52	ARG	Sidechain
32	BT	59	TYR	Sidechain
33	BU	60	ARG	Sidechain
33	BU	74	ARG	Sidechain
33	BU	83	ARG	Sidechain
33	BU	90	PHE	Sidechain
34	BV	20	TYR	Sidechain
34	BV	21	PHE	Sidechain
34	BV	24	TYR	Sidechain
34	BV	4	ARG	Sidechain
34	BV	55	TYR	Sidechain
34	BV	59	TYR	Sidechain
34	BV	77	ARG	Sidechain
34	BV	80	TYR	Sidechain

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
34	BV	81	ILE	Peptide
34	BV	85	TYR	Sidechain
34	BV	94	GLU	Peptide
34	BV	96	LYS	Peptide
35	BW	28	PHE	Sidechain
36	BX	22	GLY	Peptide
36	BX	4	ASP	Peptide
36	BX	42	ARG	Sidechain
37	BY	17	ARG	Sidechain
37	BY	37	ARG	Sidechain
37	BY	45	TYR	Sidechain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A7	525	0	567	3	0
2	A8	258	0	272	0	0
3	Af	445	0	510	0	0
4	AQ	1256	0	1390	2	0
5	AS	1200	0	1255	1	0
6	AT	680	0	739	4	0
7	AU	1008	0	1077	3	0
8	AW	546	0	601	1	0
9	AX	3309	0	3523	5	0
10	B1	1646	0	835	73	0
11	B2	32132	0	16199	106	0
12	AG	939	0	994	3	0
12	B3	939	0	994	3	0
13	BA	1559	0	1648	4	0
14	BB	1623	0	1685	6	0
15	BC	1460	0	1549	1	0
16	BD	1434	0	1498	3	0
17	BE	1976	0	2046	4	0
18	BF	1717	0	1770	4	0
19	BG	984	0	1044	5	0
20	BH	1736	0	1787	15	0
21	BI	1028	0	1065	3	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
22	BJ	1004	0	1088	4	0
23	BK	1072	0	1128	8	0
24	BL	822	0	870	6	0
25	BM	1004	0	1041	1	0
26	BN	1141	0	1240	2	0
27	BO	1189	0	1248	7	0
28	BP	462	0	492	6	0
29	BQ	1310	0	1392	12	0
30	BR	934	0	960	2	0
31	BS	556	0	604	4	0
32	BT	924	0	986	4	0
33	BU	1176	0	1216	5	0
34	BV	823	0	847	5	0
35	BW	478	0	524	5	0
36	BX	568	0	600	0	0
37	BY	409	0	410	3	0
38	A1	63885	0	32208	253	0
39	A3	2691	0	1371	13	0
40	A5	614	0	670	5	0
40	AK	614	0	670	1	0
41	AA	1677	0	1796	13	0
42	Aa	677	0	749	0	0
43	AB	1838	0	1914	4	0
44	Ab	1075	0	1168	0	0
45	AC	2717	0	2875	8	0
46	AD	2026	0	2137	11	0
47	Ad	740	0	809	0	0
48	AE	1489	0	1550	4	0
49	Ae	506	0	529	0	0
50	AF	1476	0	1518	6	0
51	Ag	372	0	395	0	0
52	AH	989	0	1077	4	0
53	Ah	230	0	270	0	0
54	AI	1150	0	1240	8	0
55	Ai	590	0	631	0	0
56	AJ	1014	0	1072	5	0
57	Aj	788	0	842	0	0
58	Ak	1633	0	1726	0	0
59	AL	1154	0	1219	8	0
60	AM	1595	0	1695	1	0
61	AN	1379	0	1405	3	0
62	AO	1598	0	1639	4	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
63	AP	966	0	1019	3	0
64	AR	787	0	827	4	0
65	AV	555	0	548	1	0
66	AY	1243	0	1326	4	0
67	AZ	754	0	804	12	0
All	All	171094	0	125393	554	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (554) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:B1:77:A:H5''	38:A1:2513:C:C2'	1.48	1.40
29:BQ:158:ARG:OXT	67:AZ:73:LEU:CD2	1.69	1.40
10:B1:57:C:H5'	38:A1:2291:G:C8	1.29	1.31
10:B1:57:C:C5'	38:A1:2291:G:C8	1.99	1.29
10:B1:77:A:N1	38:A1:2538:G:H2'	1.47	1.28
10:B1:77:A:C6	38:A1:2538:G:H2'	1.73	1.23
10:B1:63:C:O2'	41:AA:40:LYS:NZ	1.79	1.12
10:B1:75:C:N3	38:A1:2540:A:O4'	1.84	1.10
10:B1:77:A:C5'	38:A1:2513:C:C2'	2.31	1.06
29:BQ:158:ARG:HB3	67:AZ:73:LEU:HD23	1.33	1.06
10:B1:75:C:C2'	38:A1:2539:G:O2'	2.05	1.03
10:B1:77:A:N6	38:A1:2538:G:C8	2.29	1.01
29:BQ:158:ARG:C	67:AZ:73:LEU:HD22	1.81	1.01
10:B1:77:A:C6	38:A1:2538:G:C2'	2.44	1.00
10:B1:63:C:O2'	41:AA:40:LYS:CE	2.10	0.99
10:B1:77:A:C5'	38:A1:2513:C:O2'	2.12	0.98
10:B1:77:A:N1	38:A1:2538:G:C2'	2.27	0.97
10:B1:77:A:H5''	38:A1:2513:C:H2'	0.99	0.97
11:B2:1382:G:H5'	56:AJ:70:ARG:NH2	1.81	0.95
10:B1:75:C:H2'	38:A1:2539:G:O2'	1.66	0.94
29:BQ:158:ARG:OXT	67:AZ:73:LEU:HD22	0.75	0.93
10:B1:77:A:N6	38:A1:2539:G:C8	2.37	0.93
10:B1:77:A:H5'	38:A1:2513:C:O2'	1.71	0.87
10:B1:76:C:H5	38:A1:2540:A:C5	1.92	0.87
10:B1:77:A:C5'	38:A1:2513:C:H2'	1.96	0.86
11:B2:1382:G:H5'	56:AJ:70:ARG:HH21	1.38	0.85
10:B1:77:A:H5''	38:A1:2513:C:O2'	1.77	0.83
38:A1:228:U:H3	38:A1:247:A:H61	1.27	0.83

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:B2:555:U:H3	11:B2:590:G:H1	1.27	0.81
10:B1:77:A:N6	38:A1:2538:G:N9	2.12	0.81
11:B2:1382:G:C5'	56:AJ:70:ARG:NH2	2.44	0.80
38:A1:815:U:H3	38:A1:930:G:H1	1.27	0.80
10:B1:75:C:C2	38:A1:2540:A:O4'	2.36	0.79
10:B1:75:C:O2	38:A1:2540:A:H5'	1.83	0.78
10:B1:77:A:C6	38:A1:2539:G:C8	2.71	0.78
10:B1:76:C:H4'	38:A1:2538:G:N2	2.00	0.77
10:B1:75:C:O2	38:A1:2540:A:C5'	2.34	0.76
10:B1:76:C:C5	38:A1:2540:A:C5	2.73	0.76
10:B1:75:C:N3	38:A1:2540:A:C1'	2.49	0.75
10:B1:77:A:N1	38:A1:2539:G:O4'	2.19	0.75
18:BF:214:SER:H	18:BF:215:PRO:HD2	1.53	0.74
29:BQ:158:ARG:HB3	67:AZ:73:LEU:CD2	2.13	0.74
10:B1:76:C:C5	38:A1:2540:A:C4	2.77	0.73
11:B2:431:U:H3	11:B2:438:A:H61	1.37	0.73
10:B1:27:A:H61	10:B1:45:G:H1	1.36	0.73
39:A3:52:U:H4'	39:A3:53:A:H5'	1.70	0.72
10:B1:63:C:O2'	41:AA:40:LYS:HE2	1.90	0.71
10:B1:77:A:C8	38:A1:2514:C:C2	2.77	0.70
11:B2:1316:U:H3	11:B2:1326:G:H1	1.36	0.70
38:A1:420:U:H3	38:A1:435:G:H1	1.36	0.70
10:B1:9:A:H2'	10:B1:11:C:H41	1.57	0.69
10:B1:77:A:H8	38:A1:2514:C:N3	1.90	0.69
38:A1:2248:G:H21	38:A1:2297:C:H42	1.38	0.69
10:B1:77:A:N6	38:A1:2539:G:H8	1.88	0.69
10:B1:57:C:H5'	38:A1:2291:G:H8	0.78	0.68
20:BH:90:HIS:CD2	20:BH:91:ARG:H	2.12	0.68
11:B2:1401:U:H3	11:B2:1414:G:H1	1.44	0.66
10:B1:76:C:H4'	38:A1:2538:G:C2	2.31	0.66
10:B1:75:C:C1'	38:A1:2539:G:O2'	2.44	0.66
38:A1:1568:A:N1	38:A1:1569:A:N1	2.43	0.66
29:BQ:158:ARG:CB	67:AZ:73:LEU:HD23	2.18	0.65
50:AF:137:ILE:HD13	50:AF:172:ILE:HD12	1.79	0.65
38:A1:1907:G:H1	38:A1:2108:U:H3	1.46	0.64
10:B1:77:A:C6	38:A1:2538:G:C1'	2.61	0.64
38:A1:2450:A:C6	64:AR:50:HIS:CE1	2.86	0.64
38:A1:2450:A:C6	64:AR:50:HIS:HE1	2.15	0.64
11:B2:369:A:H61	11:B2:387:G:H1'	1.63	0.63
11:B2:973:U:H3'	11:B2:974:G:H5''	1.78	0.63
38:A1:1096:A:H2'	38:A1:1097:G:H5''	1.81	0.63

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
35:BW:13:PHE:HB3	35:BW:26:ILE:HD11	1.81	0.63
12:AG:39:THR:HG23	12:AG:100:ALA:HB2	1.80	0.62
1:A7:24:VAL:HA	6:AT:85:LEU:HD12	1.81	0.62
26:BN:75:VAL:HG23	26:BN:84:VAL:HB	1.82	0.62
38:A1:965:A:N6	38:A1:2560:G:H21	1.97	0.62
11:B2:1307:G:H1	20:BH:48:HIS:CE1	2.16	0.62
62:AO:35:LEU:HD11	62:AO:46:ALA:HB1	1.79	0.62
31:BS:5:ARG:HH21	31:BS:9:ILE:HG21	1.64	0.61
10:B1:76:C:H5'	38:A1:2539:G:H1'	1.83	0.61
11:B2:1092:G:C2	11:B2:1094:U:H4'	2.35	0.61
10:B1:77:A:N6	38:A1:2538:G:H2'	2.16	0.61
24:BL:92:GLU:HA	24:BL:94:VAL:H	1.64	0.61
33:BU:121:ILE:HD13	33:BU:121:ILE:H	1.64	0.61
38:A1:1568:A:C2	38:A1:1569:A:C2	2.88	0.61
41:AA:48:LEU:HG	41:AA:49:GLU:H	1.66	0.60
14:BB:67:ILE:O	14:BB:87:THR:HG21	2.02	0.60
11:B2:1185:A:H2'	11:B2:1185:A:N3	2.17	0.60
38:A1:1096:A:H2'	38:A1:1097:G:C5'	2.31	0.60
20:BH:90:HIS:CG	20:BH:91:ARG:H	2.20	0.59
38:A1:122:G:H1	38:A1:126:U:H3	1.50	0.59
10:B1:75:C:O2	38:A1:2540:A:C4'	2.50	0.59
35:BW:48:THR:H	35:BW:52:GLY:HA2	1.67	0.59
46:AD:75:THR:HB	46:AD:76:PRO:HD3	1.85	0.59
37:BY:20:LYS:HG3	37:BY:38:TRP:HE1	1.68	0.59
38:A1:2260:C:H42	38:A1:2277:G:H1	1.51	0.59
38:A1:1626:A:H2'	38:A1:1627:G:H5'	1.85	0.58
38:A1:1109:G:H1'	38:A1:1125:A:H61	1.68	0.58
38:A1:965:A:H61	38:A1:2560:G:H21	1.51	0.58
38:A1:1177:C:H2'	38:A1:1178:G:H5''	1.85	0.58
11:B2:1370:U:H3	11:B2:1445:A:H61	1.50	0.58
39:A3:6:G:C5	39:A3:7:C:C5	2.91	0.58
11:B2:456:U:H3	11:B2:494:G:H1	1.51	0.58
14:BB:2:ALA:H	14:BB:53:LYS:HG3	1.69	0.58
8:AW:45:ARG:HE	8:AW:49:ARG:HE	1.50	0.58
4:AQ:77:GLY:H	4:AQ:81:ARG:HH21	1.51	0.58
38:A1:1018:G:H21	38:A1:1034:G:H1	1.52	0.58
10:B1:77:A:H8	38:A1:2514:C:C2	2.21	0.57
38:A1:1187:A:H62	38:A1:1191:C:H42	1.52	0.57
38:A1:1009:G:H1	38:A1:1041:U:H3	1.52	0.57
10:B1:77:A:C8	38:A1:2537:G:N1	2.72	0.57
10:B1:76:C:H5''	38:A1:2538:G:N2	2.19	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:B1:75:C:C2	38:A1:2540:A:C4'	2.88	0.57
16:BD:67:GLU:HG2	16:BD:70:ARG:HH11	1.70	0.57
38:A1:379:U:H2'	38:A1:380:A:C8	2.40	0.57
38:A1:117:A:C8	38:A1:118:A:C8	2.93	0.57
18:BF:214:SER:H	18:BF:215:PRO:CD	2.18	0.57
11:B2:1327:C:H41	23:BK:124:LYS:HE2	1.69	0.57
10:B1:75:C:O2'	38:A1:2539:G:O2'	2.22	0.56
46:AD:130:ARG:HH11	46:AD:130:ARG:HG2	1.70	0.56
11:B2:1178:C:H4'	28:BP:9:ARG:HE	1.70	0.56
11:B2:932:C:H3'	11:B2:933:G:H5''	1.87	0.56
22:BJ:88:GLN:HE22	38:A1:1888:G:C5'	2.19	0.56
50:AF:61:ARG:O	50:AF:65:VAL:HG23	2.06	0.56
38:A1:480:A:H2'	38:A1:481:G:C8	2.41	0.56
10:B1:77:A:H5''	38:A1:2513:C:C1'	2.32	0.55
11:B2:239:A:H4'	11:B2:240:U:H5'	1.88	0.55
39:A3:4:C:H5''	62:AO:36:VAL:HG11	1.88	0.55
38:A1:2341:G:H22	60:AM:124:MET:HG2	1.70	0.55
38:A1:1388:U:H3'	59:AL:3:ARG:HH21	1.70	0.55
33:BU:38:GLY:HA2	33:BU:94:GLY:H	1.71	0.55
38:A1:2987:U:H3	38:A1:3014:U:H5'	1.72	0.55
10:B1:8:U:H3	10:B1:14:A:H62	1.54	0.55
38:A1:186:A:H61	38:A1:2548:A:H62	1.55	0.55
11:B2:1207:G:H21	23:BK:37:GLU:HB2	1.72	0.54
10:B1:75:C:O2	38:A1:2540:A:O4'	2.24	0.54
11:B2:1307:G:H22	20:BH:48:HIS:CE1	2.26	0.54
38:A1:499:A:C2	38:A1:509:A:C4	2.96	0.54
38:A1:1174:U:H5''	50:AF:62:ARG:HH21	1.73	0.54
11:B2:1314:C:H42	11:B2:1328:G:H1	1.56	0.54
11:B2:616:G:N1	11:B2:697:A:N1	2.56	0.53
11:B2:28:U:H3	11:B2:503:G:H1	1.56	0.53
39:A3:9:A:C2	39:A3:12:G:H1'	2.44	0.53
38:A1:1253:U:H3'	38:A1:1254:C:H5''	1.89	0.53
41:AA:89:GLU:HB3	41:AA:95:ARG:HH22	1.73	0.53
38:A1:1762:G:H4'	38:A1:1763:A:C8	2.44	0.53
10:B1:75:C:N3	38:A1:2540:A:C4'	2.71	0.53
11:B2:386:C:H4'	17:BE:28:TRP:HE1	1.72	0.53
38:A1:564:U:C6	38:A1:2890:A:H2	2.26	0.53
38:A1:2074:U:C5	38:A1:2075:U:C5	2.97	0.53
38:A1:1833:G:H21	38:A1:1836:A:H61	1.57	0.53
11:B2:977:G:H21	28:BP:1:MET:CE	2.22	0.53
27:BO:116:ARG:HH22	27:BO:127:ARG:HB3	1.73	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
23:BK:40:ILE:H	23:BK:40:ILE:HD12	1.73	0.53
38:A1:1832:G:H2'	38:A1:1833:G:H5''	1.91	0.53
38:A1:1431:U:H3	38:A1:1469:U:H3	1.56	0.52
11:B2:213:C:C5	11:B2:214:C:C5	2.97	0.52
29:BQ:158:ARG:CB	67:AZ:73:LEU:CD2	2.85	0.52
38:A1:272:G:H1	38:A1:284:U:H3	1.56	0.52
38:A1:2121:C:H5	45:AC:241:LEU:HD11	1.75	0.52
29:BQ:142:LEU:HD13	29:BQ:146:TRP:CD1	2.45	0.52
22:BJ:88:GLN:HE22	38:A1:1888:G:H5''	1.74	0.52
52:AH:76:LEU:HD13	52:AH:106:ILE:HG23	1.92	0.52
10:B1:77:A:C5'	38:A1:2513:C:C1'	2.87	0.52
59:AL:106:THR:HB	59:AL:126:ALA:HA	1.92	0.52
10:B1:77:A:N6	38:A1:2538:G:C5	2.39	0.52
13:BA:97:ARG:HG2	13:BA:98:ARG:H	1.74	0.51
45:AC:263:ARG:HH22	54:AI:57:THR:HG22	1.74	0.51
11:B2:29:G:H1	11:B2:502:U:H3	1.56	0.51
28:BP:19:ARG:HH21	28:BP:33:ILE:HG21	1.73	0.51
10:B1:75:C:N3	38:A1:2540:A:H1'	2.24	0.51
38:A1:1234:A:H61	52:AH:4:GLN:HG3	1.75	0.51
11:B2:213:C:C6	11:B2:214:C:C5	2.99	0.51
10:B1:58:A:C2	38:A1:2235:G:H1'	2.46	0.51
62:AO:118:PHE:CD1	62:AO:137:ILE:HD13	2.46	0.51
9:AX:166:ILE:HD13	9:AX:418:LEU:HD12	1.92	0.51
38:A1:330:U:H3	38:A1:388:G:H1	1.59	0.50
11:B2:222:G:H21	17:BE:145:GLY:HA3	1.77	0.50
38:A1:391:C:H2'	38:A1:392:G:C8	2.46	0.50
38:A1:1632:U:O2	38:A1:1670:A:C2	2.65	0.50
10:B1:63:C:C2'	41:AA:40:LYS:HZ3	2.23	0.50
38:A1:2251:G:H2'	38:A1:2252:C:C6	2.46	0.50
38:A1:710:G:H22	46:AD:229:HIS:CE1	2.29	0.50
38:A1:314:A:H5'	38:A1:315:U:C5	2.46	0.50
27:BO:34:ASN:HD21	33:BU:40:HIS:CE1	2.29	0.50
11:B2:1222:C:H4'	33:BU:118:GLY:HA2	1.93	0.50
38:A1:1712:U:H2'	38:A1:1713:G:OP2	2.12	0.50
11:B2:745:G:H22	11:B2:1452:G:H4'	1.77	0.50
38:A1:2313:G:H3'	38:A1:2314:U:H6	1.76	0.49
66:AY:8:ARG:HB2	66:AY:28:LEU:HD13	1.94	0.49
38:A1:1225:A:H4'	38:A1:1242:A:H61	1.76	0.49
38:A1:1625:A:H2'	38:A1:1626:A:C8	2.46	0.49
38:A1:575:G:H2'	38:A1:576:G:H5''	1.94	0.49
11:B2:138:C:C5	11:B2:139:C:C5	3.01	0.49

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
38:A1:1407:A:C8	38:A1:1409:U:C2	3.00	0.49
29:BQ:158:ARG:C	67:AZ:73:LEU:CD2	2.60	0.49
11:B2:791:G:H21	35:BW:10:ARG:HH12	1.60	0.49
39:A3:67:U:H3	39:A3:108:G:H1	1.60	0.49
38:A1:1834:C:C5	38:A1:1835:A:C5	3.01	0.49
11:B2:1271:G:H5''	27:BO:83:LYS:HB3	1.94	0.49
38:A1:393:C:H2'	38:A1:394:A:OP1	2.13	0.49
10:B1:77:A:C2	38:A1:2539:G:O4'	2.65	0.49
14:BB:127:MET:O	14:BB:131:VAL:HG23	2.12	0.49
27:BO:130:ARG:HE	27:BO:132:ARG:HE	1.60	0.49
48:AE:70:ILE:HB	48:AE:71:ARG:HH21	1.78	0.49
10:B1:64:C:H5'	41:AA:40:LYS:NZ	2.27	0.49
29:BQ:26:VAL:HG12	29:BQ:28:TYR:H	1.78	0.49
38:A1:2273:U:H2'	38:A1:2274:C:C6	2.47	0.49
5:AS:53:ASP:HB3	5:AS:59:ARG:HB2	1.95	0.48
11:B2:87:C:H2'	11:B2:88:G:H5'	1.95	0.48
38:A1:2643:U:C4	38:A1:2645:C:H1'	2.48	0.48
38:A1:228:U:H3	38:A1:247:A:N6	2.04	0.48
39:A3:18:G:H2'	39:A3:19:G:C8	2.48	0.48
11:B2:429:A:H61	11:B2:440:C:H41	1.60	0.48
11:B2:207:G:H22	11:B2:209:A:H3'	1.77	0.48
67:AZ:71:GLY:HA2	67:AZ:74:LEU:HD11	1.94	0.48
11:B2:973:U:H3'	11:B2:974:G:C5'	2.44	0.48
38:A1:701:G:H2'	38:A1:702:G:C8	2.48	0.48
12:B3:69:LEU:CD1	37:BY:13:GLY:H	2.25	0.48
16:BD:158:SER:H	16:BD:159:PRO:HD2	1.78	0.48
11:B2:708:C:H1'	29:BQ:135:TYR:CD2	2.49	0.48
38:A1:1018:G:H2'	38:A1:1019:G:C8	2.49	0.48
10:B1:76:C:C6	38:A1:2539:G:C6	3.02	0.48
11:B2:1444:G:H2'	11:B2:1445:A:H5''	1.96	0.48
38:A1:1601:G:H1	38:A1:1706:G:H2'	1.78	0.48
27:BO:85:TYR:HB2	32:BT:9:ARG:HH21	1.77	0.48
38:A1:2307:C:H2'	38:A1:2308:C:C6	2.49	0.48
38:A1:1347:U:H3	38:A1:1383:G:H1	1.62	0.48
10:B1:75:C:C1'	38:A1:2539:G:HO2'	2.26	0.48
38:A1:314:A:C5'	38:A1:315:U:C5	2.97	0.48
39:A3:60:C:H2'	39:A3:61:C:C6	2.48	0.48
20:BH:11:ILE:HB	20:BH:12:PRO:HD3	1.96	0.48
38:A1:2741:U:H3	38:A1:2890:A:H62	1.61	0.48
38:A1:2055:U:H2'	38:A1:2056:A:H5'	1.95	0.48
59:AL:126:ALA:HB3	59:AL:129:PHE:CZ	2.49	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
38:A1:2622:C:H5''	38:A1:2688:C:C5	2.49	0.47
38:A1:2846:A:H2'	38:A1:2847:G:O4'	2.13	0.47
64:AR:89:HIS:H	64:AR:89:HIS:CD2	2.33	0.47
38:A1:1195:G:H1'	38:A1:1241:C:H41	1.78	0.47
10:B1:77:A:N6	38:A1:2538:G:C2'	2.76	0.47
11:B2:147:A:C5	11:B2:148:C:H1'	2.49	0.47
38:A1:710:G:C5	38:A1:711:C:C5	3.03	0.47
19:BG:53:LYS:H	19:BG:54:GLU:HB2	1.80	0.47
11:B2:786:G:H1	11:B2:812:U:H3	1.63	0.47
38:A1:1160:U:C4	38:A1:1273:C:H4'	2.50	0.47
54:AI:93:ALA:HA	54:AI:96:ARG:HE	1.79	0.47
38:A1:289:G:C5	38:A1:290:G:C5	3.03	0.47
38:A1:859:G:H4'	38:A1:860:A:OP1	2.15	0.47
38:A1:979:G:H1	38:A1:1072:U:H3	1.62	0.47
24:BL:67:ARG:HB3	24:BL:69:HIS:CE1	2.50	0.47
38:A1:1244:C:H2'	38:A1:1245:C:C2	2.49	0.47
11:B2:138:C:C5	11:B2:139:C:C4	3.03	0.47
11:B2:138:C:C4	11:B2:139:C:C4	3.03	0.47
38:A1:583:A:H3'	38:A1:584:G:C5'	2.45	0.47
7:AU:67:VAL:HG11	7:AU:92:PHE:CZ	2.50	0.47
10:B1:63:C:HO2'	41:AA:40:LYS:CE	2.26	0.47
38:A1:2445:G:N2	38:A1:2450:A:C8	2.83	0.47
39:A3:18:G:H21	39:A3:20:G:H22	1.63	0.47
38:A1:1611:C:C5	38:A1:1612:G:C5	3.03	0.47
19:BG:33:ARG:HH21	19:BG:77:ASP:HA	1.80	0.47
11:B2:1326:G:H2'	11:B2:1327:C:C6	2.50	0.47
11:B2:975:A:H2'	11:B2:976:A:H5''	1.96	0.47
63:AP:29:ILE:O	63:AP:33:VAL:HG23	2.15	0.47
10:B1:76:C:C5'	38:A1:2539:G:H1'	2.45	0.46
38:A1:2229:G:N3	38:A1:2229:G:H2'	2.30	0.46
6:AT:11:VAL:CG2	6:AT:29:ILE:HG12	2.45	0.46
21:BI:57:ARG:HH21	35:BW:7:PRO:HB2	1.80	0.46
38:A1:1192:G:H22	38:A1:1246:G:H1'	1.80	0.46
38:A1:2465:A:H61	38:A1:2483:U:H3	1.63	0.46
45:AC:216:GLY:HA3	45:AC:353:ARG:H	1.80	0.46
38:A1:1604:G:C6	38:A1:1703:G:C6	3.03	0.46
38:A1:1512:G:H2'	38:A1:1513:G:C8	2.51	0.46
11:B2:702:G:H22	11:B2:706:G:H1	1.62	0.46
11:B2:322:G:H21	17:BE:5:GLY:HA3	1.80	0.46
11:B2:120:C:H2'	11:B2:121:C:H5'	1.97	0.46
11:B2:1080:C:H5''	23:BK:16:ARG:HH22	1.80	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
21:BI:86:PHE:HB3	21:BI:113:HIS:CE1	2.51	0.46
38:A1:1565:G:C6	38:A1:1571:G:C6	3.04	0.46
38:A1:763:A:H2'	38:A1:764:G:H5'	1.98	0.46
38:A1:1123:A:C8	66:AY:13:VAL:HG21	2.50	0.46
10:B1:75:C:O2	38:A1:2539:G:O2'	2.28	0.46
38:A1:1359:C:H2'	38:A1:1360:G:C8	2.51	0.46
38:A1:1775:G:H3'	38:A1:1776:G:C8	2.51	0.46
12:AG:87:GLY:HA3	12:AG:95:ALA:HA	1.98	0.46
11:B2:334:G:H1	11:B2:347:G:H1	1.63	0.46
38:A1:1103:C:H2'	38:A1:1104:A:C8	2.51	0.46
39:A3:111:G:C6	39:A3:112:C:C4	3.04	0.46
7:AU:105:LEU:HA	7:AU:105:LEU:HD13	1.85	0.46
10:B1:76:C:O2'	38:A1:2538:G:C6	2.69	0.45
38:A1:230:A:H61	38:A1:244:A:H5''	1.81	0.45
46:AD:26:PHE:CD1	46:AD:120:ALA:HB2	2.51	0.45
40:A5:22:VAL:CG1	40:A5:43:VAL:HG11	2.46	0.45
38:A1:2758:G:H4'	45:AC:12:LEU:HB2	1.98	0.45
38:A1:813:G:C6	38:A1:814:G:C6	3.04	0.45
38:A1:265:A:C2	38:A1:294:U:C2	3.05	0.45
46:AD:198:LEU:HD23	46:AD:240:THR:HG22	1.99	0.45
11:B2:920:U:O5'	11:B2:920:U:H6	1.99	0.45
41:AA:53:PRO:HD2	41:AA:180:ASN:HA	1.99	0.45
38:A1:1854:G:N7	54:AI:15:ALA:HB2	105.68	0.45
4:AQ:83:GLY:HA2	38:A1:1789:A:C8	2.51	0.45
38:A1:1280:C:H3'	38:A1:1281:A:C5'	2.46	0.45
65:AV:4:TRP:CH2	65:AV:6:VAL:HG22	2.52	0.45
38:A1:314:A:H5''	38:A1:315:U:C6	2.51	0.45
30:BR:17:ASP:HB2	30:BR:24:HIS:CE1	2.51	0.45
31:BS:13:ALA:CB	31:BS:53:TYR:HB3	2.46	0.45
11:B2:618:G:H22	11:B2:695:G:H1	1.65	0.45
41:AA:46:PHE:CE2	41:AA:188:ILE:HG12	2.51	0.45
45:AC:50:HIS:CD2	45:AC:67:PHE:CE2	3.05	0.45
11:B2:150:G:H2'	11:B2:151:G:C8	2.51	0.45
11:B2:671:C:N4	11:B2:688:C:C5	2.85	0.45
11:B2:367:G:H21	11:B2:369:A:H62	1.64	0.45
16:BD:108:ILE:HG21	16:BD:144:VAL:HG21	1.98	0.45
1:A7:39:VAL:CG1	9:AX:415:TYR:CD2	2.99	0.45
24:BL:7:LYS:HZ3	24:BL:72:LEU:HD13	1.82	0.45
11:B2:1382:G:C5'	56:AJ:70:ARG:CZ	2.95	0.45
24:BL:5:ARG:HE	24:BL:72:LEU:HD11	1.81	0.45
38:A1:347:G:H21	38:A1:370:A:H62	1.65	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
38:A1:1043:U:C5	38:A1:1044:C:C5	3.05	0.45
61:AN:11:TYR:HA	61:AN:55:VAL:HA	1.99	0.45
38:A1:86:G:C6	38:A1:87:C:C4	3.05	0.45
38:A1:2257:A:C5	38:A1:2281:A:C8	3.05	0.45
38:A1:1033:C:H2'	38:A1:1033:C:O2	2.17	0.45
33:BU:23:ILE:HG23	33:BU:25:GLU:H	1.82	0.45
38:A1:2537:G:C6	38:A1:2538:G:C5	3.05	0.45
32:BT:11:TYR:H	32:BT:16:LEU:HD11	1.82	0.45
11:B2:186:U:H2'	11:B2:187:C:H5'	1.99	0.45
18:BF:157:ILE:O	18:BF:183:VAL:HG22	2.17	0.44
27:BO:94:ILE:H	27:BO:97:LYS:HB2	1.82	0.44
9:AX:168:SER:H	9:AX:414:MET:CE	2.30	0.44
50:AF:89:LYS:H	50:AF:176:GLU:HB3	1.82	0.44
38:A1:2988:A:C2	38:A1:3016:G:H4'	2.52	0.44
38:A1:2521:U:H4'	59:AL:65:ARG:HD2	1.99	0.44
10:B1:77:A:H8	38:A1:2537:G:H1	1.66	0.44
38:A1:419:G:C5	38:A1:420:U:C5	3.05	0.44
38:A1:2445:G:H1'	64:AR:50:HIS:NE2	2.32	0.44
38:A1:430:A:H2'	38:A1:450:G:H21	1.83	0.44
12:B3:118:VAL:HG12	12:B3:118:VAL:O	2.16	0.44
24:BL:92:GLU:HA	24:BL:94:VAL:N	2.32	0.44
66:AY:6:VAL:HG12	66:AY:28:LEU:HD11	2.00	0.44
19:BG:87:LEU:HD23	19:BG:104:LYS:HG3	1.98	0.44
38:A1:376:C:H2'	38:A1:377:C:C6	2.52	0.44
39:A3:76:U:H2'	39:A3:76:U:O2	2.17	0.44
41:AA:56:ARG:H	41:AA:151:LYS:HB3	1.81	0.44
11:B2:1345:G:C6	11:B2:1346:C:C4	3.05	0.44
27:BO:87:THR:HG1	32:BT:6:PHE:N	2.16	0.44
11:B2:842:U:H4'	11:B2:843:G:H5'	1.98	0.44
38:A1:2453:C:H2'	38:A1:2454:G:C8	2.52	0.44
1:A7:39:VAL:HG13	9:AX:415:TYR:CD2	2.53	0.44
38:A1:2178:A:H2'	38:A1:2619:U:H4'	1.99	0.44
40:A5:18:ALA:H	40:A5:19:GLY:CA	2.31	0.44
11:B2:347:G:H4'	11:B2:348:C:OP1	2.17	0.44
54:AI:18:VAL:HG11	54:AI:79:ILE:HD13	1.99	0.44
13:BA:193:GLU:HB2	13:BA:194:PRO:HD3	1.99	0.44
11:B2:916:U:H3	11:B2:919:U:H5'	1.83	0.44
9:AX:34:LEU:HD11	9:AX:38:PHE:CZ	2.53	0.44
11:B2:387:G:C6	11:B2:388:G:C5	3.06	0.44
38:A1:1992:A:C5	38:A1:2013:A:C6	3.06	0.44
38:A1:735:A:C2	59:AL:79:LYS:HG3	2.53	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
41:AA:48:LEU:HG	41:AA:49:GLU:N	2.32	0.44
14:BB:31:PHE:HA	14:BB:47:LYS:HD2	2.00	0.44
38:A1:1693:G:C2	38:A1:1694:G:H1'	2.53	0.44
11:B2:1307:G:H22	20:BH:48:HIS:HE1	1.65	0.43
38:A1:1161:A:H3'	38:A1:1162:C:C5'	2.47	0.43
54:AI:106:GLU:HG2	54:AI:107:PHE:CZ	2.53	0.43
11:B2:1078:U:C6	11:B2:1079:G:C8	3.06	0.43
11:B2:176:U:H2'	11:B2:177:A:C8	2.53	0.43
38:A1:1096:A:H2'	38:A1:1097:G:H5'	2.00	0.43
38:A1:186:A:H61	38:A1:2548:A:N6	2.16	0.43
11:B2:780:C:H4'	21:BI:13:HIS:CG	2.53	0.43
20:BH:89:GLU:H	20:BH:94:ASN:HB3	1.83	0.43
38:A1:3020:G:H2'	38:A1:3020:G:N3	2.33	0.43
38:A1:82:C:C5	38:A1:83:G:C8	3.06	0.43
11:B2:128:A:H2	11:B2:216:G:H22	1.66	0.43
10:B1:76:C:C5'	38:A1:2538:G:N2	2.81	0.43
11:B2:1465:C:H2'	11:B2:1466:G:C8	2.52	0.43
15:BC:94:VAL:O	15:BC:94:VAL:HG12	2.17	0.43
38:A1:584:G:H2'	38:A1:585:G:C8	2.54	0.43
38:A1:1296:A:H3'	38:A1:1297:C:C6	2.53	0.43
11:B2:1467:U:H3	11:B2:1478:A:H61	1.65	0.43
38:A1:1854:G:C8	54:AI:15:ALA:HB2	106.41	0.43
34:BV:9:LYS:HB2	34:BV:18:GLU:HB2	2.00	0.43
38:A1:338:A:C8	38:A1:362:A:C2	3.06	0.43
38:A1:569:G:H5'	38:A1:652:G:H22	1.83	0.43
40:AK:9:ILE:HG21	40:AK:80:ILE:HG21	2.01	0.43
38:A1:215:A:H4'	38:A1:216:A:C2	2.54	0.43
23:BK:3:ILE:O	23:BK:3:ILE:HG23	2.18	0.43
38:A1:1145:G:C6	38:A1:1147:G:C5	3.07	0.43
23:BK:26:VAL:HG21	23:BK:57:TRP:HE1	1.83	0.43
13:BA:103:ILE:HB	13:BA:123:ALA:HB3	2.01	0.43
23:BK:87:VAL:HG22	23:BK:95:LEU:CB	2.49	0.43
52:AH:55:ILE:HA	52:AH:66:ILE:HG22	2.01	0.43
52:AH:81:LEU:HD22	52:AH:96:GLY:HA3	2.00	0.43
40:A5:60:ILE:HD12	40:A5:74:ALA:HB3	2.01	0.43
38:A1:1533:G:C6	38:A1:1534:G:C5	3.06	0.43
6:AT:6:VAL:H	6:AT:7:ILE:HD12	1.82	0.43
63:AP:11:LEU:HD13	63:AP:83:TRP:CE2	2.54	0.43
38:A1:1760:C:O2	38:A1:1766:A:C2	2.71	0.43
38:A1:1953:U:C5	38:A1:1954:U:C2	3.07	0.43
46:AD:94:PRO:HB3	46:AD:95:PRO:HD2	2.01	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
45:AC:136:PRO:HA	45:AC:137:LYS:HB2	2.00	0.43
38:A1:1035:G:H2'	38:A1:1036:C:C6	2.54	0.43
11:B2:1082:A:H2'	11:B2:1082:A:N3	2.33	0.43
11:B2:852:G:C6	11:B2:853:G:C6	3.07	0.43
11:B2:435:A:H5''	34:BV:88:ILE:CD1	2.49	0.42
38:A1:1363:C:H2'	38:A1:1364:C:H6	1.84	0.42
11:B2:1387:C:H2'	11:B2:1388:G:C8	2.54	0.42
38:A1:2817:U:C5	38:A1:2818:C:C5	3.07	0.42
10:B1:57:C:H4'	38:A1:2291:G:N9	2.27	0.42
31:BS:5:ARG:HH21	31:BS:9:ILE:CG2	2.31	0.42
11:B2:700:G:C6	11:B2:701:G:C5	3.07	0.42
38:A1:99:U:H4'	38:A1:100:C:OP2	2.19	0.42
31:BS:4:ILE:HD12	31:BS:4:ILE:HA	1.95	0.42
38:A1:2902:G:H1	38:A1:3041:U:H3	1.66	0.42
34:BV:84:GLU:HG2	34:BV:96:LYS:H	1.84	0.42
38:A1:273:G:H1	38:A1:283:U:H3	1.67	0.42
7:AU:2:LYS:HD2	38:A1:364:A:C8	2.54	0.42
38:A1:2313:G:H3'	38:A1:2314:U:C6	2.54	0.42
59:AL:36:MET:O	59:AL:37:ALA:HB3	2.20	0.42
46:AD:21:VAL:HG12	46:AD:115:MET:HG2	2.00	0.42
29:BQ:60:ILE:HD11	29:BQ:63:VAL:HG22	2.02	0.42
43:AB:202:HIS:CD2	43:AB:204:PHE:H	2.37	0.42
38:A1:49:A:C2	38:A1:119:U:N3	2.87	0.42
38:A1:888:U:H2'	38:A1:889:C:H6	1.83	0.42
11:B2:72:C:C5	11:B2:73:U:C4	3.08	0.42
38:A1:510:A:H4'	46:AD:78:ARG:HH12	1.85	0.42
23:BK:87:VAL:HG22	23:BK:95:LEU:HB3	2.00	0.42
11:B2:73:U:H2'	11:B2:74:U:H5'	2.02	0.42
11:B2:181:G:H1	30:BR:31:GLY:H	1.66	0.42
54:AI:8:GLY:HA3	54:AI:119:HIS:CE1	2.54	0.42
11:B2:391:G:C6	11:B2:392:G:C5	3.07	0.42
38:A1:1565:G:H8	40:A5:17:ARG:HH21	1.63	0.42
28:BP:29:PRO:HB3	28:BP:40:ARG:HE	1.85	0.42
61:AN:51:THR:HG23	61:AN:156:PHE:CZ	2.55	0.42
11:B2:255:G:C6	11:B2:256:G:C6	3.08	0.42
38:A1:1198:G:H2'	38:A1:1199:U:C6	2.54	0.42
43:AB:111:ILE:HG23	43:AB:121:TYR:HB2	2.02	0.42
38:A1:1208:A:C2	38:A1:1235:A:H4'	2.54	0.42
11:B2:1478:A:C2	11:B2:1479:C:C2	3.08	0.42
38:A1:2518:G:H2'	38:A1:2519:C:C6	2.55	0.42
11:B2:1385:U:H2'	11:B2:1386:C:C6	2.55	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
38:A1:331:G:H5''	38:A1:333:A:H61	1.85	0.42
11:B2:588:C:O2	11:B2:588:C:H2'	2.19	0.42
39:A3:25:A:H2'	39:A3:26:C:C6	2.55	0.42
11:B2:257:U:H5'	22:BJ:30:ARG:HG2	2.01	0.42
38:A1:407:A:H3'	38:A1:408:C:C5'	2.50	0.42
34:BV:14:ILE:HD12	34:BV:77:ARG:HH21	1.84	0.42
38:A1:2599:C:H5''	61:AN:60:ASN:HB3	2.02	0.42
38:A1:1787:U:C4	38:A1:1788:G:C6	3.07	0.42
20:BH:209:ARG:NE	20:BH:209:ARG:HA	2.34	0.42
38:A1:1713:G:C3'	38:A1:1714:G:H5''	2.49	0.41
48:AE:48:LEU:HD21	48:AE:80:VAL:HG23	2.02	0.41
38:A1:1804:G:H4'	38:A1:1805:U:OP2	2.20	0.41
38:A1:28:A:H1'	38:A1:550:A:C5	2.55	0.41
20:BH:118:ASN:O	20:BH:122:VAL:HG23	2.20	0.41
11:B2:1292:A:C6	11:B2:1293:A:C5	3.08	0.41
34:BV:12:LYS:HD2	34:BV:12:LYS:H	1.84	0.41
38:A1:516:A:C6	38:A1:517:A:C6	3.08	0.41
39:A3:26:C:H1'	39:A3:53:A:H61	1.85	0.41
38:A1:338:A:C6	38:A1:339:A:C6	3.08	0.41
11:B2:132:G:H21	11:B2:1407:U:H1'	1.86	0.41
11:B2:900:G:OP1	20:BH:74:SER:HA	2.20	0.41
11:B2:487:U:H6	11:B2:487:U:H3'	1.85	0.41
63:AP:42:ARG:H	63:AP:42:ARG:HD2	1.85	0.41
43:AB:101:LYS:HD2	43:AB:101:LYS:HA	1.95	0.41
39:A3:73:U:H3'	39:A3:74:U:H5''	2.01	0.41
35:BW:1:MET:HB3	35:BW:2:ALA:H	1.71	0.41
10:B1:76:C:C4'	38:A1:2538:G:N2	2.79	0.41
11:B2:973:U:C3'	11:B2:974:G:H5''	2.50	0.41
11:B2:975:A:H2'	11:B2:976:A:C5'	2.50	0.41
11:B2:179:U:H3	11:B2:184:G:N2	2.18	0.41
38:A1:2628:U:H5	45:AC:6:ARG:HH22	1.67	0.41
38:A1:2873:G:H21	50:AF:149:GLN:HE22	1.68	0.41
38:A1:1558:U:O2	38:A1:1573:A:C2	2.73	0.41
38:A1:2182:A:H2'	38:A1:2183:A:H4'	2.02	0.41
38:A1:1568:A:C2	38:A1:1569:A:N1	2.89	0.41
38:A1:704:G:H22	38:A1:711:C:N4	2.17	0.41
38:A1:569:G:C6	38:A1:2143:C:H1'	2.55	0.41
54:AI:39:THR:HG23	54:AI:127:LYS:O	2.20	0.41
11:B2:32:A:C2	11:B2:33:U:C2	3.08	0.41
38:A1:2326:C:C2	38:A1:2334:G:C2	3.08	0.41
38:A1:1194:G:H22	38:A1:1242:A:H62	1.69	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
38:A1:575:G:C2'	38:A1:576:G:H5''	2.51	0.41
12:B3:69:LEU:HD12	37:BY:13:GLY:H	1.86	0.41
38:A1:1558:U:O4	38:A1:1744:A:C6	2.74	0.41
38:A1:1183:U:C2	38:A1:1251:G:C2	3.08	0.41
11:B2:105:C:H4'	11:B2:106:A:OP1	2.19	0.41
11:B2:164:A:H2'	11:B2:165:U:C6	2.56	0.41
20:BH:80:LYS:HA	20:BH:88:ARG:HG2	2.02	0.41
38:A1:2239:C:H5''	38:A1:2240:G:OP2	2.20	0.41
32:BT:83:VAL:HG21	32:BT:103:LEU:HD11	2.03	0.41
11:B2:1345:G:C5	11:B2:1346:C:C5	3.09	0.41
40:A5:18:ALA:H	40:A5:19:GLY:HA3	1.86	0.41
50:AF:130:VAL:HG22	50:AF:139:VAL:HG22	2.03	0.41
24:BL:14:ARG:HH22	24:BL:17:ASP:HB2	1.86	0.41
38:A1:1887:A:H2'	38:A1:1888:G:C8	2.56	0.41
11:B2:147:A:H61	19:BG:70:ASP:HB3	1.86	0.41
38:A1:2574:G:C6	38:A1:2609:G:C2	3.08	0.41
19:BG:88:LEU:HD11	19:BG:105:LYS:HB3	2.02	0.41
38:A1:1028:G:H2'	38:A1:1029:C:C5	2.55	0.41
17:BE:152:ILE:HD12	17:BE:152:ILE:HA	1.76	0.41
20:BH:125:TRP:CE3	20:BH:125:TRP:HA	2.56	0.41
38:A1:1568:A:C6	38:A1:1569:A:C6	3.08	0.41
11:B2:73:U:H2'	11:B2:74:U:C5'	2.51	0.41
59:AL:9:ARG:HB2	59:AL:11:LEU:HD13	2.02	0.41
25:BM:26:THR:HG21	25:BM:97:GLY:HA3	2.01	0.41
38:A1:2292:A:H5'	41:AA:126:GLY:HA3	2.02	0.41
45:AC:301:THR:HA	45:AC:356:ILE:HD13	2.02	0.41
38:A1:1720:G:H3'	38:A1:1721:U:H5'	2.03	0.41
38:A1:442:G:H1	38:A1:463:A:H61	1.68	0.41
20:BH:111:ILE:CG2	20:BH:119:PRO:HB3	2.51	0.41
38:A1:1752:C:H2'	38:A1:1753:G:C8	2.55	0.41
26:BN:29:ARG:H	26:BN:29:ARG:HD2	1.86	0.41
38:A1:1611:C:H2'	38:A1:1612:G:O4'	2.20	0.41
38:A1:267:C:H1'	38:A1:294:U:O2	2.21	0.41
11:B2:843:G:H1	11:B2:870:U:H3	1.67	0.41
38:A1:1530:A:C2	38:A1:1531:C:C2	3.08	0.41
38:A1:959:U:H1'	38:A1:2475:G:H1	1.85	0.41
18:BF:11:ARG:HH21	18:BF:48:GLU:HG2	1.86	0.41
66:AY:120:HIS:CG	66:AY:121:PRO:HD2	2.55	0.41
38:A1:33:U:OP2	46:AD:186:MET:HG2	2.21	0.41
14:BB:74:LEU:HD23	14:BB:77:GLN:NE2	2.36	0.41
10:B1:76:C:C4'	38:A1:2539:G:H1'	2.43	0.41

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:B1:76:C:H5''	38:A1:2538:G:H22	1.82	0.41
11:B2:1036:G:OP1	11:B2:1038:C:C2	2.74	0.41
20:BH:3:LYS:HB2	20:BH:4:PRO:HD3	2.03	0.41
22:BJ:101:ILE:HG12	22:BJ:102:GLU:H	1.86	0.41
38:A1:106:G:C6	38:A1:107:G:C5	3.09	0.41
11:B2:242:A:C6	11:B2:275:A:C4	3.09	0.41
38:A1:2495:A:C2	62:AO:26:LYS:HB2	2.56	0.41
6:AT:49:VAL:HA	6:AT:74:TYR:CE2	2.55	0.41
48:AE:155:ARG:HE	48:AE:155:ARG:HA	1.86	0.41
67:AZ:34:LEU:HD11	67:AZ:36:ILE:HD11	2.03	0.41
11:B2:385:A:H2'	11:B2:386:C:H5'	2.03	0.40
11:B2:977:G:H21	28:BP:1:MET:HE2	1.84	0.40
20:BH:149:ALA:HB2	20:BH:215:ARG:HD2	2.04	0.40
56:AJ:92:LEU:H	56:AJ:92:LEU:HD23	1.86	0.40
11:B2:1326:G:H2'	11:B2:1327:C:H6	1.85	0.40
38:A1:1699:U:C5	38:A1:1700:U:C5	3.10	0.40
12:AG:33:ARG:HB3	12:AG:38:GLU:HB3	2.03	0.40
48:AE:59:ARG:O	48:AE:75:PRO:HA	2.22	0.40
11:B2:1264:G:H1	11:B2:1291:G:H2'	1.86	0.40
67:AZ:76:LYS:HA	67:AZ:76:LYS:HD3	1.94	0.40
38:A1:2712:G:H5''	43:AB:212:GLY:HA2	2.03	0.40
38:A1:843:C:H2'	38:A1:844:C:C6	2.56	0.40
59:AL:102:ILE:O	59:AL:102:ILE:HG23	2.22	0.40
67:AZ:51:TYR:CE2	67:AZ:52:TYR:CE1	3.10	0.40
38:A1:2772:U:C5	38:A1:2780:G:C2	3.09	0.40
11:B2:1463:A:H61	11:B2:1482:C:H42	1.68	0.40
38:A1:2985:U:H3'	38:A1:2986:G:C8	2.56	0.40
13:BA:43:VAL:O	13:BA:43:VAL:HG13	2.21	0.40
46:AD:221:VAL:CG2	46:AD:224:ASN:HD22	2.35	0.40
38:A1:426:G:H2'	38:A1:427:G:C8	2.57	0.40
14:BB:162:LYS:NZ	14:BB:192:VAL:HG11	2.37	0.40
11:B2:988:A:C2'	11:B2:989:C:H5'	2.52	0.40
28:BP:36:LEU:H	28:BP:36:LEU:HD13	1.85	0.40
38:A1:806:C:OP1	46:AD:82:PHE:CE2	2.75	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A7	63/67 (94%)	43 (68%)	16 (25%)	4 (6%)	2	25
2	A8	30/52 (58%)	22 (73%)	7 (23%)	1 (3%)	5	40
3	Af	49/51 (96%)	40 (82%)	6 (12%)	3 (6%)	2	26
4	AQ	148/150 (99%)	139 (94%)	5 (3%)	4 (3%)	6	45
5	AS	148/150 (99%)	135 (91%)	10 (7%)	3 (2%)	9	51
6	AT	82/84 (98%)	75 (92%)	4 (5%)	3 (4%)	4	38
7	AU	119/121 (98%)	113 (95%)	5 (4%)	1 (1%)	24	69
8	AW	64/72 (89%)	64 (100%)	0	0	100	100
9	AX	430/436 (99%)	322 (75%)	77 (18%)	31 (7%)	1	22
12	AG	121/123 (98%)	114 (94%)	4 (3%)	3 (2%)	7	46
12	B3	121/123 (98%)	100 (83%)	14 (12%)	7 (6%)	2	27
13	BA	188/190 (99%)	164 (87%)	12 (6%)	12 (6%)	2	25
14	BB	200/202 (99%)	182 (91%)	12 (6%)	6 (3%)	5	42
15	BC	184/186 (99%)	171 (93%)	9 (5%)	4 (2%)	8	49
16	BD	170/172 (99%)	148 (87%)	20 (12%)	2 (1%)	16	61
17	BE	239/241 (99%)	207 (87%)	20 (8%)	12 (5%)	3	31
18	BF	215/217 (99%)	188 (87%)	16 (7%)	11 (5%)	2	30
19	BG	123/125 (98%)	103 (84%)	13 (11%)	7 (6%)	2	28
20	BH	213/215 (99%)	186 (87%)	14 (7%)	13 (6%)	2	26
21	BI	127/129 (98%)	118 (93%)	8 (6%)	1 (1%)	24	69
22	BJ	125/127 (98%)	107 (86%)	15 (12%)	3 (2%)	7	47
23	BK	133/135 (98%)	116 (87%)	10 (8%)	7 (5%)	2	29
24	BL	100/102 (98%)	90 (90%)	7 (7%)	3 (3%)	5	42
25	BM	131/133 (98%)	112 (86%)	9 (7%)	10 (8%)	1	20
26	BN	143/145 (99%)	128 (90%)	7 (5%)	8 (6%)	2	28

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
27	BO	146/148 (99%)	122 (84%)	16 (11%)	8 (6%)	2	29
28	BP	54/56 (96%)	44 (82%)	8 (15%)	2 (4%)	4	38
29	BQ	156/158 (99%)	137 (88%)	9 (6%)	10 (6%)	2	25
30	BR	111/113 (98%)	105 (95%)	5 (4%)	1 (1%)	21	67
31	BS	65/67 (97%)	60 (92%)	5 (8%)	0	100	100
32	BT	109/111 (98%)	102 (94%)	5 (5%)	2 (2%)	11	53
33	BU	142/144 (99%)	123 (87%)	11 (8%)	8 (6%)	2	28
34	BV	97/99 (98%)	88 (91%)	5 (5%)	4 (4%)	3	35
35	BW	61/63 (97%)	52 (85%)	6 (10%)	3 (5%)	3	31
36	BX	69/71 (97%)	62 (90%)	6 (9%)	1 (1%)	14	58
37	BY	48/50 (96%)	41 (85%)	5 (10%)	2 (4%)	3	34
40	A5	79/81 (98%)	67 (85%)	9 (11%)	3 (4%)	4	37
40	AK	79/81 (98%)	70 (89%)	4 (5%)	5 (6%)	2	25
41	AA	214/216 (99%)	186 (87%)	19 (9%)	9 (4%)	3	34
42	Aa	78/92 (85%)	69 (88%)	9 (12%)	0	100	100
43	AB	237/239 (99%)	209 (88%)	23 (10%)	5 (2%)	9	50
44	Ab	125/127 (98%)	108 (86%)	11 (9%)	6 (5%)	3	32
45	AC	338/365 (93%)	303 (90%)	21 (6%)	14 (4%)	3	35
46	AD	253/255 (99%)	220 (87%)	23 (9%)	10 (4%)	4	35
47	Ad	87/89 (98%)	78 (90%)	6 (7%)	3 (3%)	5	40
48	AE	184/186 (99%)	161 (88%)	15 (8%)	8 (4%)	3	34
49	Ae	60/62 (97%)	43 (72%)	13 (22%)	4 (7%)	1	24
50	AF	182/184 (99%)	165 (91%)	14 (8%)	3 (2%)	12	56
51	Ag	43/45 (96%)	30 (70%)	8 (19%)	5 (12%)	0	9
52	AH	132/134 (98%)	114 (86%)	11 (8%)	7 (5%)	2	29
53	Ah	22/24 (92%)	21 (96%)	1 (4%)	0	100	100
54	AI	140/142 (99%)	121 (86%)	13 (9%)	6 (4%)	3	34
55	Ai	76/78 (97%)	69 (91%)	4 (5%)	3 (4%)	4	36
56	AJ	130/132 (98%)	121 (93%)	6 (5%)	3 (2%)	8	48
57	Aj	92/94 (98%)	69 (75%)	18 (20%)	5 (5%)	2	29
58	Ak	210/212 (99%)	192 (91%)	11 (5%)	7 (3%)	5	40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
59	AL	145/147 (99%)	129 (89%)	11 (8%)	5 (3%)	5	40
60	AM	192/194 (99%)	175 (91%)	11 (6%)	6 (3%)	5	42
61	AN	166/168 (99%)	141 (85%)	19 (11%)	6 (4%)	4	38
62	AO	195/197 (99%)	166 (85%)	20 (10%)	9 (5%)	3	33
63	AP	118/120 (98%)	107 (91%)	5 (4%)	6 (5%)	2	30
64	AR	93/95 (98%)	85 (91%)	3 (3%)	5 (5%)	2	29
65	AV	64/66 (97%)	61 (95%)	3 (5%)	0	100	100
66	AY	153/155 (99%)	137 (90%)	12 (8%)	4 (3%)	7	45
67	AZ	97/99 (98%)	84 (87%)	9 (9%)	4 (4%)	3	35
All	All	8708/8907 (98%)	7624 (88%)	733 (8%)	351 (4%)	6	35

All (351) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A7	30	LYS
4	AQ	134	ASN
9	AX	239	ARG
9	AX	277	TYR
9	AX	346	ALA
12	B3	56	ASP
13	BA	128	ARG
14	BB	4	GLU
14	BB	109	PHE
17	BE	237	LYS
18	BF	214	SER
20	BH	85	PHE
20	BH	87	ARG
20	BH	88	ARG
20	BH	90	HIS
20	BH	96	LYS
20	BH	194	LYS
21	BI	58	ALA
22	BJ	23	LYS
23	BK	105	THR
23	BK	122	SER
25	BM	89	SER
26	BN	6	ALA
26	BN	36	ARG
26	BN	116	MET

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
27	BO	113	ARG
27	BO	143	VAL
28	BP	43	PHE
29	BQ	2	ALA
29	BQ	6	ALA
29	BQ	78	ILE
29	BQ	114	LYS
33	BU	35	VAL
33	BU	77	TYR
33	BU	143	ILE
34	BV	55	TYR
43	AB	210	HIS
44	Ab	36	ASN
45	AC	292	ASN
45	AC	304	GLU
46	AD	75	THR
46	AD	76	PRO
48	AE	127	GLU
49	Ae	6	ALA
50	AF	178	ALA
12	AG	122	MET
51	Ag	38	ARG
51	Ag	45	GLU
52	AH	2	PRO
54	AI	60	ASN
55	Ai	45	ALA
56	AJ	20	ALA
57	Aj	31	SER
57	Aj	60	LYS
40	AK	17	ARG
40	AK	69	GLU
59	AL	17	HIS
60	AM	83	SER
60	AM	88	VAL
61	AN	19	ARG
61	AN	113	ARG
62	AO	136	GLU
63	AP	2	LYS
64	AR	10	ARG
64	AR	13	ARG
1	A7	38	LYS
1	A7	55	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
6	AT	72	PRO
9	AX	48	ALA
9	AX	108	GLN
9	AX	147	ILE
9	AX	172	LEU
9	AX	207	ILE
9	AX	303	PRO
9	AX	329	MET
9	AX	374	ILE
9	AX	385	VAL
9	AX	405	LEU
9	AX	432	LYS
12	B3	122	MET
13	BA	52	LEU
13	BA	57	GLY
13	BA	64	VAL
14	BB	93	PRO
16	BD	175	LYS
17	BE	27	LYS
17	BE	150	VAL
17	BE	160	THR
18	BF	2	SER
18	BF	9	ALA
18	BF	136	ARG
18	BF	167	ILE
19	BG	53	LYS
19	BG	54	GLU
20	BH	48	HIS
20	BH	92	SER
22	BJ	21	ARG
23	BK	50	ILE
25	BM	12	GLU
25	BM	132	ARG
29	BQ	24	ILE
29	BQ	70	ASP
34	BV	95	LYS
40	A5	50	ILE
41	AA	94	PRO
41	AA	97	ALA
41	AA	128	ARG
43	AB	38	GLU
43	AB	186	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
44	Ab	39	LYS
44	Ab	53	LYS
45	AC	60	LEU
45	AC	138	ASN
45	AC	243	ALA
46	AD	101	ILE
48	AE	120	HIS
48	AE	163	ARG
50	AF	5	ALA
12	AG	5	SER
51	Ag	9	ALA
52	AH	4	GLN
52	AH	25	ILE
54	AI	62	ARG
54	AI	117	GLU
55	Ai	17	TYR
56	AJ	75	HIS
57	Aj	53	PRO
40	AK	52	HIS
58	Ak	35	ALA
58	Ak	61	GLU
59	AL	9	ARG
59	AL	37	ALA
62	AO	54	LYS
62	AO	179	GLU
63	AP	40	PRO
63	AP	56	ALA
63	AP	75	GLU
66	AY	89	LEU
67	AZ	57	ASP
3	Af	44	TRP
4	AQ	89	MET
5	AS	57	LEU
6	AT	48	ASN
9	AX	58	PHE
9	AX	96	MET
9	AX	308	SER
9	AX	345	MET
9	AX	369	ARG
12	B3	64	ALA
12	B3	95	ALA
12	B3	120	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
13	BA	65	LYS
14	BB	136	PRO
15	BC	58	GLY
17	BE	88	MET
19	BG	41	LYS
20	BH	19	GLY
20	BH	45	PRO
20	BH	138	SER
23	BK	107	LEU
24	BL	15	SER
24	BL	90	VAL
25	BM	7	ASN
25	BM	50	ALA
25	BM	88	GLY
25	BM	131	GLY
26	BN	121	GLY
27	BO	83	LYS
32	BT	20	SER
33	BU	2	ALA
33	BU	76	TYR
34	BV	26	PRO
36	BX	38	GLY
40	A5	18	ALA
41	AA	2	PRO
44	Ab	21	PRO
45	AC	2	GLY
45	AC	25	PRO
45	AC	318	ARG
45	AC	319	SER
45	AC	347	LYS
46	AD	91	ARG
46	AD	205	GLU
46	AD	211	ALA
48	AE	66	ARG
48	AE	101	ARG
49	Ae	33	GLY
50	AF	2	PRO
12	AG	47	GLN
52	AH	3	LYS
52	AH	13	GLY
58	Ak	107	ARG
59	AL	49	TRP

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
61	AN	10	ARG
61	AN	82	TYR
61	AN	163	ARG
62	AO	111	PRO
62	AO	172	LEU
62	AO	192	ILE
62	AO	193	ILE
63	AP	96	ALA
3	Af	40	LYS
4	AQ	4	LEU
4	AQ	113	LYS
5	AS	16	ARG
5	AS	111	LYS
6	AT	5	LYS
12	B3	119	LYS
13	BA	10	ARG
13	BA	27	PHE
13	BA	44	LEU
13	BA	76	GLN
13	BA	129	ILE
15	BC	31	GLY
15	BC	151	LEU
16	BD	158	SER
17	BE	20	TYR
18	BF	139	HIS
19	BG	50	LEU
19	BG	56	PRO
20	BH	93	LEU
26	BN	81	GLY
27	BO	74	ILE
32	BT	29	PRO
33	BU	79	GLY
33	BU	128	PHE
35	BW	9	PRO
35	BW	21	CYS
37	BY	3	GLN
40	A5	70	GLU
41	AA	160	ASN
43	AB	40	THR
44	Ab	26	GLN
45	AC	172	TRP
45	AC	325	ALA

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
46	AD	141	PRO
47	Ad	58	PRO
48	AE	164	HIS
48	AE	179	PHE
49	Ae	38	CYS
51	Ag	34	CYS
52	AH	117	LEU
54	AI	104	PRO
55	Ai	9	SER
56	AJ	33	SER
57	Aj	56	GLU
57	Aj	74	CYS
40	AK	42	LYS
58	Ak	58	THR
58	Ak	69	GLN
60	AM	137	HIS
60	AM	149	ILE
64	AR	7	SER
64	AR	8	PHE
1	A7	56	VAL
3	Af	32	ASN
9	AX	102	GLU
9	AX	250	LYS
9	AX	293	VAL
13	BA	45	ASN
14	BB	91	ALA
15	BC	117	LEU
17	BE	175	GLU
17	BE	194	ALA
17	BE	236	ASP
18	BF	5	TRP
18	BF	6	LYS
20	BH	43	LEU
22	BJ	105	ILE
23	BK	23	LYS
23	BK	52	ALA
25	BM	25	ASN
25	BM	32	ASP
26	BN	5	LYS
27	BO	87	THR
27	BO	137	ARG
28	BP	29	PRO

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
29	BQ	5	HIS
29	BQ	112	HIS
29	BQ	150	PRO
30	BR	12	PRO
33	BU	39	ARG
34	BV	97	GLU
35	BW	6	ILE
41	AA	19	ALA
41	AA	103	LYS
46	AD	68	ALA
47	Ad	22	VAL
51	Ag	5	PRO
54	AI	59	THR
58	Ak	36	TYR
58	Ak	74	PRO
59	AL	48	THR
60	AM	181	LYS
62	AO	8	ARG
62	AO	162	GLU
66	AY	139	ALA
67	AZ	79	VAL
7	AU	18	ALA
9	AX	324	ILE
9	AX	338	THR
12	B3	103	GLU
17	BE	70	LYS
17	BE	153	ALA
18	BF	16	TRP
18	BF	183	VAL
19	BG	55	PHE
27	BO	125	PRO
29	BQ	18	PRO
41	AA	98	ARG
44	Ab	59	ARG
45	AC	353	ARG
54	AI	84	PRO
60	AM	14	PRO
64	AR	11	LYS
66	AY	32	ASN
9	AX	145	ILE
19	BG	100	GLY
26	BN	111	PRO

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
41	AA	81	VAL
43	AB	31	ILE
49	Ae	15	PRO
61	AN	8	ILE
9	AX	170	ILE
24	BL	53	PRO
25	BM	120	PRO
67	AZ	42	PRO
67	AZ	86	VAL
9	AX	77	PRO
26	BN	89	PRO
27	BO	82	PRO
46	AD	25	PRO
47	Ad	66	ARG
52	AH	90	PRO
63	AP	65	PRO
2	A8	43	ILE
9	AX	6	PRO
9	AX	109	GLY
9	AX	313	PRO
17	BE	83	PHE
18	BF	129	GLY
23	BK	53	GLY
37	BY	35	GLY
45	AC	31	PRO
46	AD	45	PRO
48	AE	3	VAL
9	AX	144	ILE
13	BA	39	ASP
14	BB	76	GLY
40	AK	50	ILE
66	AY	122	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A7	57/59 (97%)	55 (96%)	2 (4%)	43	74
2	A8	28/44 (64%)	28 (100%)	0	100	100
3	Af	47/47 (100%)	46 (98%)	1 (2%)	61	84
4	AQ	130/130 (100%)	125 (96%)	5 (4%)	40	73
5	AS	126/126 (100%)	119 (94%)	7 (6%)	26	62
6	AT	75/75 (100%)	73 (97%)	2 (3%)	52	79
7	AU	110/110 (100%)	105 (96%)	5 (4%)	34	69
8	AW	61/66 (92%)	60 (98%)	1 (2%)	70	88
9	AX	351/355 (99%)	341 (97%)	10 (3%)	51	78
12	AG	99/99 (100%)	95 (96%)	4 (4%)	38	71
12	B3	99/99 (100%)	94 (95%)	5 (5%)	29	66
13	BA	166/166 (100%)	152 (92%)	14 (8%)	14	48
14	BB	173/173 (100%)	168 (97%)	5 (3%)	50	78
15	BC	145/145 (100%)	141 (97%)	4 (3%)	51	78
16	BD	153/153 (100%)	148 (97%)	5 (3%)	45	76
17	BE	212/212 (100%)	201 (95%)	11 (5%)	29	65
18	BF	181/181 (100%)	173 (96%)	8 (4%)	35	69
19	BG	108/108 (100%)	108 (100%)	0	100	100
20	BH	184/184 (100%)	165 (90%)	19 (10%)	9	37
21	BI	107/107 (100%)	105 (98%)	2 (2%)	65	86
22	BJ	103/103 (100%)	95 (92%)	8 (8%)	16	51
23	BK	111/111 (100%)	108 (97%)	3 (3%)	52	79
24	BL	91/91 (100%)	87 (96%)	4 (4%)	35	69
25	BM	100/100 (100%)	96 (96%)	4 (4%)	38	71
26	BN	119/119 (100%)	114 (96%)	5 (4%)	36	70
27	BO	122/122 (100%)	120 (98%)	2 (2%)	70	88
28	BP	46/46 (100%)	43 (94%)	3 (6%)	21	58
29	BQ	143/143 (100%)	135 (94%)	8 (6%)	26	62
30	BR	102/102 (100%)	92 (90%)	10 (10%)	10	39
31	BS	61/61 (100%)	58 (95%)	3 (5%)	31	67
32	BT	99/99 (100%)	95 (96%)	4 (4%)	38	71
33	BU	121/121 (100%)	118 (98%)	3 (2%)	55	81

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
34	BV	89/89 (100%)	87 (98%)	2 (2%)	60	83
35	BW	54/54 (100%)	51 (94%)	3 (6%)	26	62
36	BX	60/60 (100%)	53 (88%)	7 (12%)	7	32
37	BY	41/41 (100%)	40 (98%)	1 (2%)	57	82
40	A5	64/64 (100%)	62 (97%)	2 (3%)	47	77
40	AK	64/64 (100%)	59 (92%)	5 (8%)	16	51
41	AA	182/182 (100%)	173 (95%)	9 (5%)	31	67
42	Aa	73/81 (90%)	68 (93%)	5 (7%)	20	57
43	AB	189/189 (100%)	183 (97%)	6 (3%)	46	76
44	Ab	114/114 (100%)	108 (95%)	6 (5%)	28	64
45	AC	291/312 (93%)	278 (96%)	13 (4%)	34	69
46	AD	213/213 (100%)	207 (97%)	6 (3%)	51	78
47	Ad	81/81 (100%)	81 (100%)	0	100	100
48	AE	158/158 (100%)	153 (97%)	5 (3%)	46	76
49	Ae	51/51 (100%)	49 (96%)	2 (4%)	39	72
50	AF	156/156 (100%)	150 (96%)	6 (4%)	40	73
51	Ag	37/37 (100%)	36 (97%)	1 (3%)	52	79
52	AH	110/110 (100%)	108 (98%)	2 (2%)	66	87
53	Ah	23/23 (100%)	23 (100%)	0	100	100
54	AI	122/122 (100%)	118 (97%)	4 (3%)	45	76
55	Ai	57/57 (100%)	55 (96%)	2 (4%)	43	74
56	AJ	104/104 (100%)	98 (94%)	6 (6%)	25	61
57	Aj	83/83 (100%)	80 (96%)	3 (4%)	42	74
58	Ak	179/179 (100%)	173 (97%)	6 (3%)	44	75
59	AL	117/117 (100%)	112 (96%)	5 (4%)	35	70
60	AM	162/162 (100%)	155 (96%)	7 (4%)	35	70
61	AN	140/140 (100%)	134 (96%)	6 (4%)	35	70
62	AO	166/166 (100%)	159 (96%)	7 (4%)	36	70
63	AP	101/101 (100%)	99 (98%)	2 (2%)	63	85
64	AR	85/85 (100%)	79 (93%)	6 (7%)	18	55
65	AV	56/56 (100%)	56 (100%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
66	AY	133/133 (100%)	130 (98%)	3 (2%)	58 83
67	AZ	80/80 (100%)	73 (91%)	7 (9%)	12 45
All	All	7465/7521 (99%)	7153 (96%)	312 (4%)	41 70

All (312) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A7	3	ASP
1	A7	64	ILE
3	Af	43	TYR
4	AQ	58	GLN
4	AQ	119	THR
4	AQ	125	ILE
4	AQ	133	LYS
4	AQ	149	LYS
5	AS	27	ILE
5	AS	50	TYR
5	AS	74	PRO
5	AS	85	VAL
5	AS	129	TYR
5	AS	147	GLU
5	AS	154	ARG
6	AT	3	PRO
6	AT	13	THR
7	AU	33	ARG
7	AU	43	ASN
7	AU	52	VAL
7	AU	89	THR
7	AU	103	ILE
8	AW	17	LYS
9	AX	52	ILE
9	AX	61	THR
9	AX	66	ARG
9	AX	77	PRO
9	AX	190	GLU
9	AX	208	GLU
9	AX	258	PRO
9	AX	277	TYR
9	AX	283	ILE
9	AX	294	ASP
12	B3	28	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
12	B3	34	LYS
12	B3	77	TYR
12	B3	93	GLU
12	B3	108	ARG
13	BA	20	ILE
13	BA	22	TYR
13	BA	30	VAL
13	BA	44	LEU
13	BA	50	VAL
13	BA	51	THR
13	BA	55	VAL
13	BA	70	VAL
13	BA	101	THR
13	BA	106	ILE
13	BA	137	ILE
13	BA	147	LYS
13	BA	191	LEU
13	BA	195	GLN
14	BB	8	PRO
14	BB	13	LEU
14	BB	102	THR
14	BB	107	LYS
14	BB	169	TRP
15	BC	37	LYS
15	BC	153	LYS
15	BC	157	PRO
15	BC	175	VAL
16	BD	54	ARG
16	BD	65	GLN
16	BD	76	ARG
16	BD	118	MET
16	BD	123	GLN
17	BE	36	PRO
17	BE	38	ASN
17	BE	44	PRO
17	BE	64	LYS
17	BE	67	ASN
17	BE	116	SER
17	BE	171	ARG
17	BE	179	PHE
17	BE	202	ILE
17	BE	209	TRP

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
17	BE	233	VAL
18	BF	34	ILE
18	BF	70	LEU
18	BF	92	ARG
18	BF	125	LYS
18	BF	126	ARG
18	BF	183	VAL
18	BF	188	PHE
18	BF	197	PHE
20	BH	4	PRO
20	BH	10	PHE
20	BH	26	VAL
20	BH	42	ARG
20	BH	43	LEU
20	BH	63	ILE
20	BH	69	ASN
20	BH	73	ARG
20	BH	81	VAL
20	BH	84	HIS
20	BH	85	PHE
20	BH	86	MET
20	BH	87	ARG
20	BH	88	ARG
20	BH	89	GLU
20	BH	122	VAL
20	BH	140	MET
20	BH	148	VAL
20	BH	209	ARG
21	BI	4	LEU
21	BI	99	PHE
22	BJ	19	LEU
22	BJ	23	LYS
22	BJ	28	LEU
22	BJ	31	GLU
22	BJ	40	GLN
22	BJ	75	VAL
22	BJ	120	VAL
22	BJ	127	GLU
23	BK	60	VAL
23	BK	112	ARG
23	BK	114	THR
24	BL	33	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
24	BL	34	MET
24	BL	94	VAL
24	BL	100	LEU
25	BM	42	TRP
25	BM	49	LYS
25	BM	90	LYS
25	BM	105	LEU
26	BN	29	ARG
26	BN	61	GLU
26	BN	69	MET
26	BN	119	ILE
26	BN	145	PRO
27	BO	35	PHE
27	BO	103	ARG
28	BP	5	ASP
28	BP	14	PHE
28	BP	36	LEU
29	BQ	8	LYS
29	BQ	15	LYS
29	BQ	18	PRO
29	BQ	19	ARG
29	BQ	39	LYS
29	BQ	58	TYR
29	BQ	76	LEU
29	BQ	152	THR
30	BR	8	ARG
30	BR	12	PRO
30	BR	41	ASP
30	BR	44	ARG
30	BR	84	ASP
30	BR	93	PRO
30	BR	103	VAL
30	BR	108	ARG
30	BR	110	GLU
30	BR	112	ARG
31	BS	16	LEU
31	BS	53	TYR
31	BS	66	ILE
32	BT	9	ARG
32	BT	34	ARG
32	BT	64	ARG
32	BT	110	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
33	BU	27	LYS
33	BU	97	ILE
33	BU	121	ILE
34	BV	12	LYS
34	BV	46	LEU
35	BW	14	LEU
35	BW	53	ILE
35	BW	60	GLU
36	BX	18	THR
36	BX	29	VAL
36	BX	35	ARG
36	BX	46	ARG
36	BX	60	THR
36	BX	65	ARG
36	BX	71	ARG
37	BY	17	ARG
40	A5	44	LYS
40	A5	49	ASN
41	AA	20	LYS
41	AA	24	PHE
41	AA	79	LEU
41	AA	107	PHE
41	AA	134	VAL
41	AA	155	ILE
41	AA	161	PRO
41	AA	194	ARG
41	AA	206	THR
42	Aa	20	LYS
42	Aa	23	PRO
42	Aa	46	GLN
42	Aa	48	VAL
42	Aa	51	ASP
43	AB	42	ARG
43	AB	101	LYS
43	AB	128	TYR
43	AB	137	ASP
43	AB	138	LYS
43	AB	222	PRO
44	Ab	7	LYS
44	Ab	38	PRO
44	Ab	54	LEU
44	Ab	81	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
44	Ab	86	ASN
44	Ab	125	VAL
45	AC	18	LYS
45	AC	60	LEU
45	AC	70	VAL
45	AC	139	TYR
45	AC	176	LEU
45	AC	183	MET
45	AC	221	VAL
45	AC	235	LYS
45	AC	240	LYS
45	AC	286	LEU
45	AC	343	ARG
45	AC	361	VAL
45	AC	362	GLU
46	AD	91	ARG
46	AD	169	ASP
46	AD	190	ARG
46	AD	234	THR
46	AD	247	ILE
46	AD	252	GLU
48	AE	39	GLU
48	AE	71	ARG
48	AE	75	PRO
48	AE	137	MET
48	AE	150	VAL
49	Ae	10	LYS
49	Ae	50	ARG
50	AF	2	PRO
50	AF	7	ILE
50	AF	14	PRO
50	AF	45	GLN
50	AF	102	LYS
50	AF	108	VAL
12	AG	6	TYR
12	AG	77	TYR
12	AG	93	GLU
12	AG	94	VAL
51	Ag	40	ARG
52	AH	9	LEU
52	AH	50	GLN
54	AI	13	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
54	AI	34	GLU
54	AI	85	TRP
54	AI	129	VAL
55	Ai	23	ARG
55	Ai	71	VAL
56	AJ	32	ASN
56	AJ	60	ASP
56	AJ	79	ARG
56	AJ	89	TYR
56	AJ	102	ASN
56	AJ	132	ARG
57	Aj	2	LYS
57	Aj	37	GLN
57	Aj	84	PHE
40	AK	12	VAL
40	AK	22	VAL
40	AK	24	VAL
40	AK	25	VAL
40	AK	52	HIS
58	Ak	28	VAL
58	Ak	46	ARG
58	Ak	51	LEU
58	Ak	56	ARG
58	Ak	183	GLN
58	Ak	204	ASP
59	AL	17	HIS
59	AL	42	ARG
59	AL	56	ASP
59	AL	104	ASP
59	AL	123	VAL
60	AM	37	VAL
60	AM	67	ARG
60	AM	90	TYR
60	AM	95	SER
60	AM	117	TYR
60	AM	137	HIS
60	AM	139	VAL
61	AN	11	TYR
61	AN	13	ASP
61	AN	20	ARG
61	AN	31	ILE
61	AN	50	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
61	AN	137	VAL
62	AO	9	VAL
62	AO	37	VAL
62	AO	60	VAL
62	AO	73	TRP
62	AO	131	VAL
62	AO	140	ASP
62	AO	142	TYR
63	AP	42	ARG
63	AP	78	VAL
64	AR	3	GLN
64	AR	11	LYS
64	AR	31	PHE
64	AR	61	ARG
64	AR	66	VAL
64	AR	85	THR
66	AY	3	LYS
66	AY	37	VAL
66	AY	43	TYR
67	AZ	1	MET
67	AZ	48	ASP
67	AZ	51	TYR
67	AZ	64	GLU
67	AZ	73	LEU
67	AZ	76	LYS
67	AZ	78	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (66) such sidechains are listed below:

Mol	Chain	Res	Type
5	AS	11	ASN
5	AS	104	GLN
7	AU	17	ASN
7	AU	106	ASN
9	AX	86	GLN
9	AX	315	HIS
15	BC	101	GLN
16	BD	106	GLN
16	BD	127	HIS
17	BE	37	HIS
17	BE	192	ASN
18	BF	3	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
20	BH	13	HIS
20	BH	48	HIS
20	BH	51	HIS
20	BH	90	HIS
20	BH	113	GLN
21	BI	9	ASN
21	BI	13	HIS
21	BI	113	HIS
22	BJ	88	GLN
23	BK	117	HIS
24	BL	21	ASN
24	BL	69	HIS
25	BM	29	HIS
25	BM	99	GLN
27	BO	58	GLN
27	BO	72	HIS
27	BO	92	HIS
29	BQ	57	GLN
30	BR	24	HIS
32	BT	84	HIS
33	BU	40	HIS
34	BV	25	HIS
35	BW	25	GLN
35	BW	30	HIS
42	Aa	42	HIS
43	AB	110	ASN
45	AC	50	HIS
45	AC	283	ASN
45	AC	292	ASN
45	AC	313	HIS
46	AD	106	ASN
46	AD	224	ASN
46	AD	229	HIS
47	Ad	25	HIS
48	AE	18	HIS
50	AF	149	GLN
51	Ag	24	ASN
52	AH	97	ASN
56	AJ	32	ASN
57	Aj	20	HIS
57	Aj	78	HIS
40	AK	20	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
40	AK	49	ASN
60	AM	174	ASN
61	AN	70	ASN
62	AO	43	HIS
62	AO	47	GLN
62	AO	76	HIS
64	AR	42	HIS
64	AR	50	HIS
64	AR	59	HIS
64	AR	89	HIS
65	AV	57	GLN
66	AY	120	HIS

### 5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
10	B1	76/77 (98%)	20 (26%)	4 (5%)
11	B2	1494/1495 (99%)	264 (17%)	103 (6%)
38	A1	2964/3049 (97%)	600 (20%)	158 (5%)
39	A3	125/126 (99%)	36 (28%)	11 (8%)
All	All	4659/4747 (98%)	920 (19%)	276 (5%)

All (920) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
10	B1	8	U
10	B1	9	A
10	B1	10	G
10	B1	18	U
10	B1	19	G
10	B1	21	G
10	B1	22	A
10	B1	23	G
10	B1	35	G
10	B1	36	A
10	B1	43	G
10	B1	47	G
10	B1	48	U
10	B1	50	G
10	B1	59	A
10	B1	60	A

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
10	B1	62	C
10	B1	74	A
10	B1	75	C
10	B1	77	A
11	B2	3	U
11	B2	4	C
11	B2	42	G
11	B2	43	A
11	B2	47	A
11	B2	48	G
11	B2	57	G
11	B2	63	G
11	B2	64	G
11	B2	71	C
11	B2	72	C
11	B2	73	U
11	B2	74	U
11	B2	75	C
11	B2	91	G
11	B2	100	A
11	B2	104	A
11	B2	105	C
11	B2	106	A
11	B2	112	G
11	B2	114	A
11	B2	115	A
11	B2	116	C
11	B2	127	G
11	B2	151	G
11	B2	166	A
11	B2	177	A
11	B2	184	G
11	B2	195	C
11	B2	196	G
11	B2	197	A
11	B2	199	A
11	B2	200	G
11	B2	202	G
11	B2	203	A
11	B2	204	G
11	B2	209	A
11	B2	211	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
11	B2	240	U
11	B2	243	G
11	B2	247	G
11	B2	248	U
11	B2	249	U
11	B2	262	G
11	B2	263	C
11	B2	276	A
11	B2	277	G
11	B2	278	A
11	B2	285	C
11	B2	317	A
11	B2	324	C
11	B2	325	A
11	B2	326	C
11	B2	328	G
11	B2	340	A
11	B2	341	C
11	B2	348	C
11	B2	349	A
11	B2	350	G
11	B2	363	C
11	B2	369	A
11	B2	393	A
11	B2	394	C
11	B2	402	G
11	B2	407	G
11	B2	409	C
11	B2	411	C
11	B2	412	U
11	B2	413	G
11	B2	423	U
11	B2	425	C
11	B2	431	U
11	B2	432	G
11	B2	434	A
11	B2	435	A
11	B2	436	A
11	B2	438	A
11	B2	439	G
11	B2	440	C
11	B2	449	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
11	B2	450	A
11	B2	459	G
11	B2	460	C
11	B2	461	A
11	B2	462	A
11	B2	463	G
11	B2	464	G
11	B2	471	G
11	B2	472	C
11	B2	480	G
11	B2	485	A
11	B2	486	A
11	B2	487	U
11	B2	500	A
11	B2	512	U
11	B2	514	U
11	B2	515	U
11	B2	525	A
11	B2	526	A
11	B2	528	G
11	B2	529	C
11	B2	530	G
11	B2	541	G
11	B2	585	U
11	B2	586	C
11	B2	607	U
11	B2	619	A
11	B2	640	U
11	B2	642	G
11	B2	648	A
11	B2	655	A
11	B2	656	U
11	B2	657	A
11	B2	672	G
11	B2	677	U
11	B2	678	G
11	B2	685	G
11	B2	702	G
11	B2	703	U
11	B2	709	G
11	B2	722	G
11	B2	731	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
11	B2	735	A
11	B2	736	A
11	B2	747	U
11	B2	748	A
11	B2	766	G
11	B2	769	A
11	B2	771	G
11	B2	782	A
11	B2	801	A
11	B2	805	C
11	B2	806	G
11	B2	816	G
11	B2	843	G
11	B2	860	G
11	B2	872	A
11	B2	884	G
11	B2	885	G
11	B2	892	C
11	B2	904	G
11	B2	919	U
11	B2	920	U
11	B2	925	U
11	B2	928	A
11	B2	933	G
11	B2	934	G
11	B2	935	G
11	B2	936	A
11	B2	937	A
11	B2	950	C
11	B2	951	G
11	B2	952	A
11	B2	953	C
11	B2	960	A
11	B2	962	G
11	B2	963	A
11	B2	964	A
11	B2	965	G
11	B2	970	G
11	B2	972	C
11	B2	973	U
11	B2	974	G
11	B2	975	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
11	B2	976	A
11	B2	977	G
11	B2	978	G
11	B2	986	G
11	B2	988	A
11	B2	989	C
11	B2	993	C
11	B2	1002	G
11	B2	1005	G
11	B2	1017	U
11	B2	1018	C
11	B2	1020	G
11	B2	1037	U
11	B2	1038	C
11	B2	1046	G
11	B2	1047	U
11	B2	1053	A
11	B2	1054	A
11	B2	1064	C
11	B2	1068	C
11	B2	1076	G
11	B2	1077	U
11	B2	1078	U
11	B2	1080	C
11	B2	1081	C
11	B2	1082	A
11	B2	1083	G
11	B2	1094	U
11	B2	1095	C
11	B2	1105	C
11	B2	1106	A
11	B2	1112	G
11	B2	1117	A
11	B2	1119	U
11	B2	1128	U
11	B2	1143	G
11	B2	1144	G
11	B2	1151	A
11	B2	1156	A
11	B2	1157	G
11	B2	1161	A
11	B2	1162	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
11	B2	1171	G
11	B2	1172	A
11	B2	1175	C
11	B2	1184	U
11	B2	1185	A
11	B2	1186	C
11	B2	1187	A
11	B2	1198	A
11	B2	1208	A
11	B2	1209	C
11	B2	1210	A
11	B2	1216	A
11	B2	1218	C
11	B2	1239	A
11	B2	1240	A
11	B2	1242	C
11	B2	1246	U
11	B2	1247	A
11	B2	1260	G
11	B2	1261	U
11	B2	1262	U
11	B2	1263	C
11	B2	1265	G
11	B2	1280	C
11	B2	1292	A
11	B2	1298	G
11	B2	1306	A
11	B2	1307	G
11	B2	1308	U
11	B2	1322	C
11	B2	1323	A
11	B2	1324	U
11	B2	1325	C
11	B2	1341	C
11	B2	1354	A
11	B2	1358	A
11	B2	1379	G
11	B2	1409	G
11	B2	1410	G
11	B2	1424	G
11	B2	1437	G
11	B2	1445	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
11	B2	1454	A
11	B2	1457	A
11	B2	1458	A
11	B2	1459	G
11	B2	1460	G
11	B2	1461	U
11	B2	1462	A
11	B2	1472	G
11	B2	1475	C
11	B2	1484	C
11	B2	1485	G
11	B2	1486	A
11	B2	1487	U
11	B2	1489	A
11	B2	1494	C
11	B2	1495	U
38	A1	9	A
38	A1	11	G
38	A1	12	C
38	A1	13	U
38	A1	14	A
38	A1	44	C
38	A1	45	G
38	A1	46	C
38	A1	50	C
38	A1	51	G
38	A1	64	A
38	A1	73	A
38	A1	74	A
38	A1	75	G
38	A1	84	A
38	A1	85	G
38	A1	92	G
38	A1	100	C
38	A1	101	G
38	A1	118	A
38	A1	119	U
38	A1	120	G
38	A1	124	C
38	A1	130	G
38	A1	136	U
38	A1	137	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
38	A1	139	G
38	A1	144	A
38	A1	145	C
38	A1	146	U
38	A1	170	A
38	A1	185	A
38	A1	188	A
38	A1	205	A
38	A1	211	A
38	A1	216	A
38	A1	217	A
38	A1	219	G
38	A1	221	G
38	A1	222	A
38	A1	237	G
38	A1	238	C
38	A1	254	A
38	A1	255	G
38	A1	279	G
38	A1	286	G
38	A1	291	A
38	A1	292	U
38	A1	293	G
38	A1	300	U
38	A1	301	G
38	A1	302	U
38	A1	303	A
38	A1	304	G
38	A1	305	G
38	A1	306	G
38	A1	309	C
38	A1	310	C
38	A1	313	U
38	A1	316	G
38	A1	318	G
38	A1	319	A
38	A1	332	A
38	A1	333	A
38	A1	341	U
38	A1	342	C
38	A1	351	C
38	A1	361	G

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
38	A1	363	G
38	A1	365	G
38	A1	370	A
38	A1	371	U
38	A1	372	A
38	A1	378	G
38	A1	379	U
38	A1	380	A
38	A1	385	U
38	A1	394	A
38	A1	399	C
38	A1	401	C
38	A1	403	G
38	A1	404	G
38	A1	405	G
38	A1	406	G
38	A1	407	A
38	A1	408	C
38	A1	409	C
38	A1	411	U
38	A1	414	G
38	A1	426	G
38	A1	428	A
38	A1	430	A
38	A1	440	A
38	A1	443	C
38	A1	444	U
38	A1	450	G
38	A1	472	A
38	A1	480	A
38	A1	481	G
38	A1	486	A
38	A1	489	G
38	A1	490	C
38	A1	493	A
38	A1	494	C
38	A1	495	U
38	A1	496	A
38	A1	514	U
38	A1	518	A
38	A1	519	A
38	A1	520	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
38	A1	530	A
38	A1	531	G
38	A1	537	U
38	A1	538	G
38	A1	540	A
38	A1	541	A
38	A1	542	A
38	A1	543	G
38	A1	546	C
38	A1	569	G
38	A1	570	G
38	A1	576	G
38	A1	579	C
38	A1	580	G
38	A1	581	A
38	A1	584	G
38	A1	585	G
38	A1	587	A
38	A1	588	U
38	A1	589	G
38	A1	599	G
38	A1	623	G
38	A1	640	C
38	A1	642	G
38	A1	654	C
38	A1	666	A
38	A1	678	G
38	A1	694	A
38	A1	716	U
38	A1	717	A
38	A1	733	A
38	A1	734	C
38	A1	735	A
38	A1	737	G
38	A1	759	G
38	A1	788	A
38	A1	801	A
38	A1	819	U
38	A1	851	G
38	A1	859	G
38	A1	860	A
38	A1	863	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
38	A1	877	U
38	A1	882	U
38	A1	898	G
38	A1	899	A
38	A1	900	C
38	A1	910	G
38	A1	911	G
38	A1	917	A
38	A1	919	G
38	A1	920	G
38	A1	923	A
38	A1	925	U
38	A1	927	G
38	A1	928	A
38	A1	936	G
38	A1	937	A
38	A1	940	G
38	A1	946	U
38	A1	947	C
38	A1	962	C
38	A1	963	G
38	A1	982	G
38	A1	995	G
38	A1	1002	A
38	A1	1004	U
38	A1	1006	A
38	A1	1007	U
38	A1	1010	G
38	A1	1011	A
38	A1	1013	G
38	A1	1014	U
38	A1	1015	G
38	A1	1016	C
38	A1	1018	G
38	A1	1019	G
38	A1	1024	G
38	A1	1026	A
38	A1	1027	A
38	A1	1028	G
38	A1	1030	C
38	A1	1033	C
38	A1	1036	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
38	A1	1037	C
38	A1	1038	U
38	A1	1039	C
38	A1	1041	U
38	A1	1042	G
38	A1	1043	U
38	A1	1046	A
38	A1	1047	A
38	A1	1048	C
38	A1	1069	A
38	A1	1070	G
38	A1	1072	U
38	A1	1081	U
38	A1	1082	A
38	A1	1083	G
38	A1	1085	G
38	A1	1086	U
38	A1	1097	G
38	A1	1109	G
38	A1	1110	A
38	A1	1118	A
38	A1	1126	C
38	A1	1143	A
38	A1	1145	G
38	A1	1146	U
38	A1	1147	G
38	A1	1156	G
38	A1	1161	A
38	A1	1162	C
38	A1	1166	A
38	A1	1172	U
38	A1	1178	G
38	A1	1180	G
38	A1	1181	C
38	A1	1185	A
38	A1	1186	G
38	A1	1188	C
38	A1	1194	G
38	A1	1195	G
38	A1	1199	U
38	A1	1201	G
38	A1	1206	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
38	A1	1217	U
38	A1	1223	A
38	A1	1226	G
38	A1	1227	A
38	A1	1241	C
38	A1	1242	A
38	A1	1246	G
38	A1	1250	A
38	A1	1251	G
38	A1	1253	U
38	A1	1254	C
38	A1	1261	C
38	A1	1268	A
38	A1	1269	U
38	A1	1273	C
38	A1	1274	G
38	A1	1280	C
38	A1	1282	A
38	A1	1327	C
38	A1	1348	G
38	A1	1354	G
38	A1	1367	A
38	A1	1368	A
38	A1	1369	G
38	A1	1379	A
38	A1	1380	G
38	A1	1391	C
38	A1	1393	C
38	A1	1398	C
38	A1	1407	A
38	A1	1408	G
38	A1	1415	C
38	A1	1416	G
38	A1	1417	U
38	A1	1443	G
38	A1	1444	A
38	A1	1446	G
38	A1	1450	C
38	A1	1471	G
38	A1	1475	G
38	A1	1486	G
38	A1	1488	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
38	A1	1511	C
38	A1	1522	A
38	A1	1525	G
38	A1	1542	U
38	A1	1543	C
38	A1	1554	G
38	A1	1556	G
38	A1	1561	G
38	A1	1562	U
38	A1	1563	G
38	A1	1564	C
38	A1	1573	A
38	A1	1575	G
38	A1	1576	C
38	A1	1577	C
38	A1	1583	G
38	A1	1584	G
38	A1	1585	U
38	A1	1586	G
38	A1	1587	A
38	A1	1588	C
38	A1	1592	U
38	A1	1598	U
38	A1	1609	G
38	A1	1612	G
38	A1	1613	A
38	A1	1614	U
38	A1	1615	G
38	A1	1616	A
38	A1	1621	G
38	A1	1623	C
38	A1	1627	G
38	A1	1628	C
38	A1	1632	U
38	A1	1633	A
38	A1	1634	A
38	A1	1635	G
38	A1	1637	C
38	A1	1639	G
38	A1	1642	G
38	A1	1643	A
38	A1	1644	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
38	A1	1645	U
38	A1	1646	G
38	A1	1654	G
38	A1	1655	G
38	A1	1656	C
38	A1	1657	G
38	A1	1659	G
38	A1	1663	C
38	A1	1664	G
38	A1	1665	G
38	A1	1668	G
38	A1	1669	A
38	A1	1671	A
38	A1	1672	G
38	A1	1678	A
38	A1	1679	U
38	A1	1684	C
38	A1	1688	C
38	A1	1691	U
38	A1	1694	G
38	A1	1697	G
38	A1	1701	C
38	A1	1702	C
38	A1	1703	G
38	A1	1706	G
38	A1	1707	A
38	A1	1708	U
38	A1	1709	C
38	A1	1712	U
38	A1	1713	G
38	A1	1714	G
38	A1	1718	C
38	A1	1719	C
38	A1	1721	U
38	A1	1722	G
38	A1	1723	A
38	A1	1728	C
38	A1	1729	C
38	A1	1732	C
38	A1	1733	C
38	A1	1734	G
38	A1	1736	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
38	A1	1738	A
38	A1	1740	U
38	A1	1741	C
38	A1	1744	A
38	A1	1746	C
38	A1	1753	G
38	A1	1754	A
38	A1	1763	A
38	A1	1765	A
38	A1	1772	A
38	A1	1774	A
38	A1	1777	U
38	A1	1780	C
38	A1	1781	C
38	A1	1782	C
38	A1	1783	U
38	A1	1791	A
38	A1	1803	U
38	A1	1804	G
38	A1	1805	U
38	A1	1806	C
38	A1	1811	G
38	A1	1812	A
38	A1	1833	G
38	A1	1853	C
38	A1	1855	G
38	A1	1859	A
38	A1	1876	G
38	A1	1878	G
38	A1	1880	A
38	A1	1882	C
38	A1	1897	G
38	A1	1903	G
38	A1	1912	A
38	A1	1918	U
38	A1	1919	A
38	A1	1921	U
38	A1	1937	A
38	A1	1940	U
38	A1	1957	U
38	A1	1962	G
38	A1	1976	C

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
38	A1	1991	G
38	A1	2002	A
38	A1	2003	C
38	A1	2013	A
38	A1	2025	A
38	A1	2032	G
38	A1	2033	G
38	A1	2038	C
38	A1	2040	A
38	A1	2044	C
38	A1	2054	G
38	A1	2056	A
38	A1	2061	A
38	A1	2062	A
38	A1	2063	U
38	A1	2064	U
38	A1	2065	C
38	A1	2079	U
38	A1	2087	U
38	A1	2088	G
38	A1	2091	U
38	A1	2094	A
38	A1	2095	U
38	A1	2096	G
38	A1	2116	G
38	A1	2117	U
38	A1	2144	U
38	A1	2146	C
38	A1	2154	G
38	A1	2155	C
38	A1	2156	A
38	A1	2157	U
38	A1	2159	C
38	A1	2166	C
38	A1	2173	U
38	A1	2178	A
38	A1	2183	A
38	A1	2184	G
38	A1	2192	G
38	A1	2216	G
38	A1	2219	A
38	A1	2220	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
38	A1	2224	G
38	A1	2225	C
38	A1	2227	G
38	A1	2230	G
38	A1	2231	G
38	A1	2232	U
38	A1	2233	G
38	A1	2234	C
38	A1	2235	G
38	A1	2236	C
38	A1	2237	A
38	A1	2238	G
38	A1	2239	C
38	A1	2240	G
38	A1	2241	U
38	A1	2243	G
38	A1	2245	C
38	A1	2246	G
38	A1	2249	A
38	A1	2251	G
38	A1	2252	C
38	A1	2254	U
38	A1	2255	C
38	A1	2256	G
38	A1	2258	A
38	A1	2259	G
38	A1	2268	C
38	A1	2270	G
38	A1	2275	G
38	A1	2276	G
38	A1	2278	U
38	A1	2280	G
38	A1	2281	A
38	A1	2284	C
38	A1	2285	G
38	A1	2286	U
38	A1	2287	C
38	A1	2288	C
38	A1	2289	A
38	A1	2290	U
38	A1	2292	A
38	A1	2293	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
38	A1	2294	A
38	A1	2295	C
38	A1	2296	A
38	A1	2301	C
38	A1	2302	C
38	A1	2303	A
38	A1	2304	C
38	A1	2306	C
38	A1	2308	C
38	A1	2310	G
38	A1	2321	A
38	A1	2325	C
38	A1	2332	G
38	A1	2338	A
38	A1	2339	C
38	A1	2351	G
38	A1	2352	G
38	A1	2363	G
38	A1	2364	G
38	A1	2371	A
38	A1	2396	G
38	A1	2397	C
38	A1	2400	U
38	A1	2401	A
38	A1	2402	A
38	A1	2422	G
38	A1	2434	A
38	A1	2441	A
38	A1	2448	A
38	A1	2449	A
38	A1	2450	A
38	A1	2451	G
38	A1	2459	G
38	A1	2476	A
38	A1	2502	C
38	A1	2507	C
38	A1	2508	G
38	A1	2511	C
38	A1	2515	U
38	A1	2542	G
38	A1	2543	A
38	A1	2544	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
38	A1	2545	A
38	A1	2546	G
38	A1	2547	A
38	A1	2548	A
38	A1	2549	A
38	A1	2556	C
38	A1	2562	G
38	A1	2563	A
38	A1	2587	G
38	A1	2590	C
38	A1	2591	A
38	A1	2593	A
38	A1	2606	C
38	A1	2607	U
38	A1	2613	C
38	A1	2617	G
38	A1	2618	C
38	A1	2619	U
38	A1	2620	G
38	A1	2621	U
38	A1	2633	A
38	A1	2644	G
38	A1	2669	U
38	A1	2681	A
38	A1	2682	G
38	A1	2693	G
38	A1	2697	G
38	A1	2718	G
38	A1	2724	A
38	A1	2725	U
38	A1	2729	A
38	A1	2745	G
38	A1	2748	C
38	A1	2760	A
38	A1	2761	G
38	A1	2794	G
38	A1	2826	U
38	A1	2827	C
38	A1	2840	C
38	A1	2846	A
38	A1	2861	A
38	A1	2864	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
38	A1	2871	A
38	A1	2878	A
38	A1	2889	A
38	A1	2891	A
38	A1	2892	A
38	A1	2893	U
38	A1	2894	A
38	A1	2944	G
38	A1	2945	A
38	A1	2947	G
38	A1	2949	G
38	A1	2958	U
38	A1	2988	A
38	A1	2997	G
38	A1	2998	G
38	A1	3000	U
38	A1	3001	C
38	A1	3002	A
38	A1	3004	C
38	A1	3005	C
38	A1	3027	C
38	A1	3036	C
38	A1	3037	G
38	A1	3038	A
38	A1	3039	G
38	A1	3040	G
38	A1	3042	C
38	A1	3046	C
39	A3	2	G
39	A3	4	C
39	A3	11	A
39	A3	12	G
39	A3	20	G
39	A3	21	C
39	A3	22	C
39	A3	23	A
39	A3	25	A
39	A3	26	C
39	A3	29	G
39	A3	31	U
39	A3	33	U
39	A3	35	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
39	A3	41	A
39	A3	42	A
39	A3	44	C
39	A3	49	A
39	A3	53	A
39	A3	54	A
39	A3	55	G
39	A3	63	G
39	A3	70	C
39	A3	74	U
39	A3	75	G
39	A3	76	U
39	A3	83	C
39	A3	85	C
39	A3	89	G
39	A3	90	A
39	A3	100	A
39	A3	106	G
39	A3	111	G
39	A3	123	U
39	A3	124	A
39	A3	125	U

All (276) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
10	B1	8	U
10	B1	9	A
10	B1	18	U
10	B1	59	A
11	B2	3	U
11	B2	42	G
11	B2	47	A
11	B2	55	G
11	B2	56	A
11	B2	74	U
11	B2	90	C
11	B2	99	C
11	B2	103	A
11	B2	105	C
11	B2	111	G
11	B2	114	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
11	B2	116	C
11	B2	126	G
11	B2	158	U
11	B2	176	U
11	B2	196	G
11	B2	199	A
11	B2	203	A
11	B2	239	A
11	B2	246	A
11	B2	247	G
11	B2	262	G
11	B2	275	A
11	B2	276	A
11	B2	277	G
11	B2	324	C
11	B2	325	A
11	B2	347	G
11	B2	362	C
11	B2	368	C
11	B2	408	C
11	B2	422	U
11	B2	434	A
11	B2	439	G
11	B2	448	A
11	B2	462	A
11	B2	471	G
11	B2	486	A
11	B2	513	A
11	B2	528	G
11	B2	584	C
11	B2	641	A
11	B2	655	A
11	B2	677	U
11	B2	687	G
11	B2	702	G
11	B2	746	A
11	B2	747	U
11	B2	804	U
11	B2	871	A
11	B2	891	A
11	B2	892	C
11	B2	919	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
11	B2	924	U
11	B2	934	G
11	B2	935	G
11	B2	949	G
11	B2	951	G
11	B2	959	G
11	B2	963	A
11	B2	964	A
11	B2	975	A
11	B2	977	G
11	B2	985	C
11	B2	1001	A
11	B2	1017	U
11	B2	1019	A
11	B2	1037	U
11	B2	1053	A
11	B2	1081	C
11	B2	1105	C
11	B2	1142	G
11	B2	1150	G
11	B2	1156	A
11	B2	1161	A
11	B2	1174	A
11	B2	1184	U
11	B2	1185	A
11	B2	1186	C
11	B2	1208	A
11	B2	1217	C
11	B2	1238	G
11	B2	1241	U
11	B2	1245	C
11	B2	1260	G
11	B2	1261	U
11	B2	1291	G
11	B2	1306	A
11	B2	1307	G
11	B2	1322	C
11	B2	1324	U
11	B2	1340	U
11	B2	1399	G
11	B2	1423	A
11	B2	1436	U

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
11	B2	1453	U
11	B2	1457	A
11	B2	1458	A
11	B2	1459	G
11	B2	1460	G
11	B2	1461	U
11	B2	1483	U
38	A1	11	G
38	A1	12	C
38	A1	84	A
38	A1	91	G
38	A1	99	U
38	A1	119	U
38	A1	129	C
38	A1	210	A
38	A1	215	A
38	A1	237	G
38	A1	285	C
38	A1	299	U
38	A1	300	U
38	A1	301	G
38	A1	302	U
38	A1	332	A
38	A1	364	A
38	A1	371	U
38	A1	379	U
38	A1	393	C
38	A1	408	C
38	A1	427	G
38	A1	444	U
38	A1	471	U
38	A1	480	A
38	A1	485	G
38	A1	493	A
38	A1	513	C
38	A1	518	A
38	A1	529	G
38	A1	545	G
38	A1	579	C
38	A1	584	G
38	A1	588	U
38	A1	598	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
38	A1	716	U
38	A1	734	C
38	A1	736	U
38	A1	859	G
38	A1	883	G
38	A1	897	U
38	A1	899	A
38	A1	919	G
38	A1	936	G
38	A1	940	G
38	A1	946	U
38	A1	981	A
38	A1	994	G
38	A1	1003	C
38	A1	1013	G
38	A1	1014	U
38	A1	1027	A
38	A1	1035	G
38	A1	1037	C
38	A1	1038	U
38	A1	1082	A
38	A1	1109	G
38	A1	1117	C
38	A1	1125	A
38	A1	1143	A
38	A1	1145	G
38	A1	1162	C
38	A1	1172	U
38	A1	1180	G
38	A1	1200	A
38	A1	1209	A
38	A1	1245	C
38	A1	1249	G
38	A1	1260	C
38	A1	1267	A
38	A1	1279	U
38	A1	1281	A
38	A1	1367	A
38	A1	1390	U
38	A1	1407	A
38	A1	1443	G
38	A1	1445	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
38	A1	1450	C
38	A1	1485	A
38	A1	1487	U
38	A1	1510	U
38	A1	1541	U
38	A1	1553	G
38	A1	1561	G
38	A1	1572	C
38	A1	1574	A
38	A1	1585	U
38	A1	1614	U
38	A1	1643	A
38	A1	1670	A
38	A1	1677	A
38	A1	1718	C
38	A1	1719	C
38	A1	1722	G
38	A1	1739	U
38	A1	1752	C
38	A1	1753	G
38	A1	1764	G
38	A1	1782	C
38	A1	1803	U
38	A1	1804	G
38	A1	1879	U
38	A1	1918	U
38	A1	1920	A
38	A1	1936	C
38	A1	1939	C
38	A1	2002	A
38	A1	2043	A
38	A1	2060	A
38	A1	2062	A
38	A1	2063	U
38	A1	2064	U
38	A1	2068	U
38	A1	2094	A
38	A1	2156	A
38	A1	2158	G
38	A1	2165	A
38	A1	2172	G
38	A1	2215	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
38	A1	2250	G
38	A1	2253	G
38	A1	2280	G
38	A1	2301	C
38	A1	2321	A
38	A1	2324	C
38	A1	2338	A
38	A1	2362	U
38	A1	2363	G
38	A1	2370	C
38	A1	2396	G
38	A1	2400	U
38	A1	2401	A
38	A1	2450	A
38	A1	2501	G
38	A1	2543	A
38	A1	2545	A
38	A1	2546	G
38	A1	2548	A
38	A1	2554	A
38	A1	2562	G
38	A1	2606	C
38	A1	2619	U
38	A1	2696	G
38	A1	2702	A
38	A1	2747	C
38	A1	2826	U
38	A1	2840	C
38	A1	2890	A
38	A1	2891	A
38	A1	2892	A
38	A1	2946	C
38	A1	2947	G
38	A1	2948	A
38	A1	2957	G
38	A1	2987	U
38	A1	3004	C
38	A1	3035	C
38	A1	3041	U
39	A3	19	G
39	A3	21	C
39	A3	25	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
39	A3	40	G
39	A3	48	A
39	A3	52	U
39	A3	62	A
39	A3	74	U
39	A3	75	G
39	A3	89	G
39	A3	123	U

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.