



wwPDB EM Map/Model Validation Report ⓘ

Apr 10, 2016 – 03:09 PM BST

PDB ID : 4V6R
EMDB ID: : EMD-5362
Title : Structural characterization of mRNA-tRNA translocation intermediates (class 6 of the six classes)
Authors : Agirrezabala, X.; Liao, H.; Schreiner, E.; Fu, J.; Ortiz-Meoz, R.F.; Schulten, K.; Green, R.; Frank, J.
Deposited on : 2011-12-08
Resolution : 11.50 Å(reported)
Based on PDB ID : 2I2U

This is a wwPDB EM Map/Model Validation Report for a publicly released PDB/EMDB entry.
For rigid body fitted models, validation errors reported here could stem from errors in the original structure(s) used in the fitting.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/EMValidationReportHelp>

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : trunk27241


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 11.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	111179	726
Sidechain outliers	111093	686
RNA backbone	3027	244

The table below summarises the geometric issues observed across the polymeric chains. The red, orange, yellow and green segments on the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	AA	1542	
2	AB	76	
3	AC	47	
4	AD	77	
5	AE	240	
6	AF	232	
7	AG	205	
8	AH	166	
9	AI	135	

























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
10	AJ	178	
11	AK	129	
12	AL	129	
13	AM	103	
14	AN	128	
15	AO	123	
16	AP	117	
17	AQ	100	
18	AR	88	
19	AS	82	
20	AT	83	
21	AU	74	
22	AV	91	
23	AW	86	
24	AX	70	
25	BA	120	
26	BB	2904	
27	BC	234	
28	BD	272	
29	BE	209	
30	BF	201	
31	BG	178	
32	BH	176	
33	BI	149	
34	BJ	164	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
35	BK	141	 81% 18% .
36	BL	142	 76% 20% . .
37	BM	123	 68% 29% .
38	BN	144	 80% 18% .
39	BO	136	 74% 23% .
40	BP	127	 75% 22% .
41	BQ	117	 80% 17% .
42	BR	114	 76% 18% 5%
43	BS	117	 71% 26% . .
44	BT	103	 77% 19% .
45	BU	110	 75% 24% .
46	BV	100	 78% 19% .
47	BW	103	 79% 19% .
48	BX	94	 80% 16% .
49	BY	84	 74% 20% . .
50	BZ	77	 81% 17% .
51	B0	63	 75% 24% .
52	B1	58	 76% 21% .
53	B2	70	 73% 19% 7% .
54	B3	56	 71% 21% 7%
55	B4	54	 83% 13% .
56	B5	46	 65% 30% .
57	B6	64	 80% 19% .
58	B7	38	 71% 29%

2 Entry composition [i](#)

There are 60 unique types of molecules in this entry. The entry contains 152351 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	AA	1542	Total	C	N	O	P	0	0
			33089	14767	6064	10717	1541		

- Molecule 2 is a RNA chain called A site tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	AB	76	Total	C	N	O	P	S	0	0
			1627	731	287	532	75	2		

- Molecule 3 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	AC	47	Total	C	N	O	P	0	0
			993	445	167	335	46		

- Molecule 4 is a RNA chain called P site tRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
4	AD	77	Total	C	N	O	P	S	0	0
			1641	734	297	533	76	1		

- Molecule 5 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	AE	240	Total	C	N	O	S	0	0
			1872	1180	332	352	8		

- Molecule 6 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	AF	232	Total	C	N	O	S	0	0
			1822	1149	346	323	4		

- Molecule 7 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	AG	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 8 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	AH	166	Total	C	N	O	S	0	0
			1225	761	232	226	6		

- Molecule 9 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	AI	135	Total	C	N	O	S	0	0
			1101	677	198	219	7		

- Molecule 10 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	AJ	178	Total	C	N	O	S	0	0
			1400	874	269	253	4		

- Molecule 11 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	AK	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 12 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	AL	129	Total	C	N	O	S	0	0
			1036	642	208	183	3		

- Molecule 13 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	AM	103	Total	C	N	O	S	0	0
			825	514	158	151	2		

- Molecule 14 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	AN	128	Total	C	N	O	S	0	0
			965	595	196	171	3		

- Molecule 15 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	AO	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 16 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	AP	117	Total	C	N	O	S	0	0
			910	564	183	160	3		

- Molecule 17 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	AQ	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 18 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	AR	88	Total	C	N	O	S	0	0
			716	440	146	129	1		

- Molecule 19 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	AS	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 20 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	AT	83	Total	C	N	O	S	0	0
			672	425	124	120	3		

- Molecule 21 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	AU	74	Total	C	N	O	S	0	0
			626	395	123	107	1		

- Molecule 22 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	AV	91	Total	C	N	O	S	0	0
			727	464	139	122	2		

- Molecule 23 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	AW	86	Total	C	N	O	S	0	0
			670	414	138	115	3		

- Molecule 24 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	AX	70	Total	C	N	O	S	0	0
			590	366	125	98	1		

- Molecule 25 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	BA	120	Total	C	N	O	P	0	0
			2566	1144	468	835	119		

- Molecule 26 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	BB	2904	Total	C	N	O	P	0	0
			62351	27824	11469	20155	2903		

- Molecule 27 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	BC	234	Total	C	N	O	S	0	0
			1733	1081	315	330	7		

- Molecule 28 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	BD	272	Total	C	N	O	S	0	0
			2092	1294	425	366	7		

- Molecule 29 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	BE	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 30 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	BF	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 31 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	BG	178	Total	C	N	O	S	0	0
			1420	905	251	258	6		

- Molecule 32 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	BH	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 33 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	BI	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 34 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	BJ	164	Total	C	N	O	S	0	0
			1233	776	220	231	6		

- Molecule 35 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	BK	141	Total	C	N	O	S	0	0
			1032	651	179	196	6		

- Molecule 36 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	BL	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 37 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	BM	123	Total	C	N	O	S	0	0
			947	593	181	167	6		

- Molecule 38 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	BN	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 39 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	BO	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 40 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	BP	127	Total	C	N	O	S	0	0
			1008	621	204	178	5		

- Molecule 41 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	BQ	117	Total	C	N	O	S	0	0
			900	557	179	163	1		

- Molecule 42 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	BR	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 43 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	BS	117	Total	C	N	O		0	0
			947	604	192	151			

- Molecule 44 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	BT	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 45 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	BU	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 46 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	BV	100	Total	C	N	O	S	0	0
			787	496	146	143	2		

- Molecule 47 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	BW	103	Total	C	N	O		0	0
			789	498	148	143			

- Molecule 48 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	BX	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 49 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	BY	84	Total	C	N	O	S	0	0
			634	391	129	113	1		

- Molecule 50 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	BZ	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 51 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	B0	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 52 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	B1	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 53 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	B2	70	Total	C	N	O	S	0	0
			549	339	104	100	6		

- Molecule 54 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	B3	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 55 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
55	B4	54	Total	C	N	O	0	0
			441	284	81	76		

- Molecule 56 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	B5	46	Total	C	N	O	S	0	0
			377	228	90	57	2		


- Molecule 57 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	B6	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 58 is a protein called 50S ribosomal protein L36.


Mol	Chain	Residues	Atoms					AltConf	Trace
58	B7	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 59 is TRYPTOPHAN (three-letter code: TRP) (formula: $C_{11}H_{12}N_2O_2$).



Mol	Chain	Residues	Atoms				AltConf
59	AB	1	Total	C	N	O	0
			14	11	2	1	

- Molecule 60 is N-FORMYLMETHIONINE (three-letter code: FME) (formula: $C_6H_{11}NO_3S$).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	S	
60	BB	1	10	6	1	2	1	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 16S ribosomal RNA



C1501	A1441	U1381	U1321	A1261	A1201	C1141	A1081	A1021	U961	A901	C841	A781	G721
A1502	C1442	C1382	C1322	C1262	C1202	G1142	A1082	A1022	C962	G902	U842	A782	G722
A1503	C1443	C1383	C1323	C1263	C1203	G1143	U1083	A1023	G963	G903	U843	C783	U723
G1504	U1444	C1384	A1324	U1264	A1204	G1144	G1084	G1024	A964	U904	G844	A784	G724
G1505	U1445	G1385	C1325	C1265	U1205	A1145	U1085	U1025	U965	U905	A845	G785	G725
U1506	A1446	G1386	U1326	G1266	G1206	A1146	U1086	G1026	G966	A906	C846	G786	G726
A1507	A1447	G1387	C1327	C1267	G1207	C1147	G1087	C1027	C967	A907	G847	A787	G727
A1508	C1448	C1388	C1328	G1268	G1208	U1148	C1088	A968	C968	A908	C848	U788	A728
A1509	C1449	C1389	A1329	A1269	C1209	C1149	U1089	U1029	A969	A909	G849	U789	A729
C1510	U1450	U1390	U1330	G1270	G1210	A1150	U1090	U1030	C970	C910	U850	A790	G730
G1511	U1451	G1391	G1331	A1271	U1211	A1151	U1091	C1031	G971	U911	G851	G791	G731
C1452	G1392	A1332	C1272	G1272	U1212	A1152	A1092	G1032	C972	C912	G852	A792	C732
A1512	C1393	A1333	C1273	C1273	A1213	G1153	A1093	C1033	G973	A913	C853	U793	G733
G1514	G1453	C1334	A1394	A1274	C1214	A1154	G1094	A1034	A974	A914	A874	A794	G734
G1515	G1454	C1395	U1335	A1275	G1215	A1155	U1095	A1035	A975	A915	U855	C795	C735
G1516	A1456	A1396	G1336	G1276	A1216	G1156	C1096	A1036	G976	U916	C856	G796	G736
G1517	G1457	C1397	G1337	C1277	C1217	A1157	C1097	C1037	A977	G917	C857	C797	C737
C1518	G1458	A1398	G1338	G1278	C1218	G1158	C1098	C1038	A978	A918	C858	U798	G738
G1520	C1459	C1399	A1339	G1279	A1219	U1159	G1099	C1039	C979	A919	G859	G799	C739
C1521	C1460	C1400	A1340	A1280	C1220	G1160	U1100	U1040	C980	U920	A860	C800	U740
U1522	G1461	G1401	U1341	G1281	G1221	C1161	A1101	G1041	U981	U921	G861	U801	G741
G1523	C1462	C1402	C1342	C1282	G1222	C1162	A1102	A1042	U982	G922	C862	A802	G742
C1524	U1463	C1403	G1343	U1283	C1223	A1163	C1103	G1043	A983	A923	U863	G803	A743
G1525	U1464	C1404	C1344	G1284	U1224	G1164	G1104	A1044	C884	C924	A864	U804	C744
G1526	A1465	G1405	U1345	A1285	A1225	U1165	A1105	C1045	A985	G925	A865	C805	G745
U1527	C1466	U1406	G1346	U1286	C1226	G1166	G1106	A1046	U986	G926	C866	C806	A746
G1528	G1467	C1407	G1347	A1287	A1227	A1167	C1107	G1047	U987	G927	G867	A807	A747
A1529	A1468	A1408	U1348	A1288	C1228	U1168	G1108	G1048	G988	G928	C868	C808	G748
G1530	C1469	C1409	A1349	A1289	A1229	A1169	C1109	U1049	U989	G929	G869	C809	A749
A1531	U1470	A1410	A1350	G1290	C1230	A1170	A1110	G1050	C990	C930	U870	C810	C750
U1532	U1471	C1411	C1351	C1291	G1231	G1171	A1111	C1051	U991	C931	U871	C811	U751
C1533	U1472	C1412	C1352	G1292	U1232	C1172	A1112	U1052	U992	C932	A872	C812	G752
A1534	G1473	A1413	C1353	C1293	G1233	U1173	C1113	G1053	G993	G933	A873	U813	A753
G1535	U1474	U1414	U1354	G1294	C1234	G1174	G1114	C1054	A994	C934	G874	A814	C754
G1536	G1475	G1415	G1355	U1295	U1235	G1175	U1115	A1055	C995	A935	U875	A815	G755
U1537	A1476	G1416	G1356	C1296	A1236	A1176	U1116	U1056	A996	C936	C876	A816	C756
C1538	U1477	G1417	A1357	G1297	G1237	G1177	A1117	G1057	U997	A937	G877	C817	U757
G1539	U1478	A1418	U1358	U1298	A1238	G1178	U1118	C1058	C998	A938	A878	C818	C758
U1540	C1479	C1419	C1359	A1299	A1239	A1179	C1119	G1059	C999	G939	C879	A819	A759
U1541	A1480	U1420	A1360	G1300	U1240	A1180	C1120	U1060	A1000	C940	C880	U820	G760
U1541	U1481	G1421	C1361	U1301	G1241	G1181	U1121	G1061	C1001	G941	G881	U821	G761
A1542	G1482	G1422	A1362	C1302	G1242	G1182	U1122	U1062	C1002	G942	C882	U822	U762
C1483	G1423	C1483	A1363	C1303	C1243	U1183	G1123	C1063	G1003	U943	C883	C823	G763
G1484	U1424	A1364	G1304	G1304	G1244	G1184	U1124	G1064	A1004	G944	U884	G824	G764
U1485	U1425	G1365	G1305	G1305	C1245	G1185	U1125	U1065	A1005	A945	A885	A825	G765
G1486	G1426	C1366	A1306	A1246	A1246	G1186	U1126	C1066	G1006	G946	G886	C826	A766
G1487	G1427	C1367	U1307	U1247	U1247	G1187	G1127	A1067	U1007	G947	G887	U827	A767
G1488	A1428	U1368	U1308	U1248	A1248	A1188	C1128	G1068	U1008	C948	C888	U828	A768
G1489	G1429	C1369	G1309	C1249	C1249	U1189	C1129	C1069	A949	A909	G889	G829	G769
U1490	A1430	C1370	G1310	A1250	U1250	G1190	A1130	U1070	U1010	U950	G890	C830	C770
C1491	G1431	C1371	A1311	A1251	A1251	A1191	G1131	C1071	C1011	G951	U891	A831	G771
A1492	G1432	U1372	G1312	G1252	G1252	G1192	C1132	G1072	A892	U952	G892	C832	U772
A1493	C1433	C1373	G1313	A1253	G1253	G1193	C1133	U1073	G1013	G953	C893	G833	G773
G1494	A1434	A1374	C1314	A1254	A1254	U1194	G1134	G1074	A894	G954	C894	U834	G774
U1495	U1435	G1375	U1315	U1255	G1255	C1195	U1135	U1075	G1015	U955	G895	U835	G775
G1496	G1436	C1376	G1316	A1256	A1256	A1196	U1136	U1076	A896	U956	G896	C836	G776
G1497	A1437	C1377	C1317	C1257	C1257	A1197	G1137	G1077	U1017	U957	C897	U837	A777
U1498	U1438	C1378	A1318	G1258	G1258	G1198	C1138	U1078	G1018	A958	G898	C838	G778
A1499	G1439	G1379	A1319	C1259	C1259	U1199	G1139	G1079	A1019	U959	C899	C839	C779
C1500	U1440	U1320	C1260	C1260	C1260	C1140	C1080	A960	C960	A900	G840	U780	A720

• Molecule 2: A site tRNA

Chain AB: 7% 26% 49% 18%

A1	G2	G3	G4	G5	G6	G7	G8	A9	G10	U11	U12	C13	A14	A15	U16	U17	G18	G19	U20	A21	G22	A23	G24	G25	A26	C27	G28	G29	G30	U31	G32	U33	C34	C35	A36	A37	A38	A39	C40	C41	G42	G43	G44	G45	G46	U47	U48	G49	G50	G51	A52	G53	G54	G55	G56	G57	A58	G59	U60	C61
----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----




- Molecule 3: mRNA

Chain AC: 17% 45% 38%




- Molecule 4: P site tRNA

Chain AD: 42% 49% 6%




- Molecule 5: 30S ribosomal protein S2

Chain AE: 76% 21% 3%




- Molecule 6: 30S ribosomal protein S3

Chain AF: 78% 21% 1%




- Molecule 7: 30S ribosomal protein S4


Chain AG: 77% 20% 3%




- Molecule 8: 30S ribosomal protein S5




- Molecule 9: 30S ribosomal protein S6




- Molecule 10: 30S ribosomal protein S7




- Molecule 11: 30S ribosomal protein S8




- Molecule 12: 30S ribosomal protein S9



- Molecule 13: 30S ribosomal protein S10




- Molecule 14: 30S ribosomal protein S11





- Molecule 15: 30S ribosomal protein S12

Chain AO: 73% 20% 6%



- Molecule 16: 30S ribosomal protein S13

Chain AP: 79% 18%



- Molecule 17: 30S ribosomal protein S14

Chain AQ: 66% 30%



- Molecule 18: 30S ribosomal protein S15

Chain AR: 72% 25%




- Molecule 19: 30S ribosomal protein S16

Chain AS: 79% 16% 5%



- Molecule 20: 30S ribosomal protein S17

Chain AT: 76% 17% 7%




- Molecule 21: 30S ribosomal protein S18


Chain AU: 68% 24% 7%



- Molecule 22: 30S ribosomal protein S19




- Molecule 23: 30S ribosomal protein S20




- Molecule 24: 30S ribosomal protein S21



- Molecule 25: 5S ribosomal RNA



- Molecule 26: 23S ribosomal RNA



G1261	U1201	U1141	U1081	A1021	C961	C901	G841	A781	A721	A661	G601	A541	A461	G361	G301
A1262	G1202	A1142	U1082	G1022	G962	C902	U842	A782	A722	G662	A602	C542	A462	A362	C302
U1263	U1203	A1143	U1083	U1023	U963	C903	G843	A783	G723	G663	A603	G543	A463	G363	G303
A1264	A1204	A1144	A1084	G1024	A844	G904	A844	G784	G724	U664	G604	C544	A464	C364	U304
A1265	G1205	C1145	A1085	G1025	C965	A905	U845	G785	G725	U665	G605	U545	C465	U365	U305
G1266	A1206	C1146	A1086	G1026	G966	A906	U846	G786	G726	U667	U607	U546	C466	C366	U306
U1267	C1207	A1147	G1087	A1027	U967	G907	U847	G787	A727	U667	A608	A547	C467	G367	G307
A1268	C1208	U1148	A1088	A1028	C968	C908	U848	A788	G728	U668	A609	A548	C468	A368	G308
U1269	U1209	A1149	A1089	A1029	G969	A909	A849	A789	G729	G669	G609	G549	A469	U369	A309
G1210	C1210	A1150	A1090	C1030	U970	A910	U850	U790	G730	A670	C610	C550	A430	G370	A310
C1211	C1211	A1151	G1091	G1031	G971	A911	C851	G791	C731	C671	C611	G551	A431	A371	A311
G1212	G1212	C1152	C1092	A1032	A972	C912	U852	A792	G732	C672	G612	U552	A432	G372	G312
A1213	A1213	C1153	G1093	U1033	G973	U913	C853	A793	G733	C673	A613	G553	C433	U373	G313
U1273	U1273	G1154	U1094	G1034	G974	G914	C854	A794	A734	G674	A614	U554	C434	A374	C314
A1274	G1215	A1155	A1095	U1035	A975	C915	G855	C795	A735	U675	U615	G555	C435	G375	G315
A1275	G1216	A1156	A1096	G1036	G976	G916	G856	C796	G736	A676	A616	U556	C436	G376	C316
G1277	U1217	G1157	U1097	G1037	G977	A917	G857	G797	G737	U677	G617	U557	C437	G377	G317
A1278	G1218	A1158	A1098	G1038	G978	A918	G858	G798	G738	U678	G618	U558	C438	C378	C318
G1279	U1219	U1159	G1099	A1039	A979	U919	G859	G799	A739	C679	G619	G559	A439	G379	G319
G1280	G1220	G1160	C1100	A1040	A980	A920	U860	A800	C740	C680	G620	C560	C440	G380	A320
C1221	C1221	A1161	U1101	G1041	A981	A921	A861	A801	U741	A621	A621	G561	A441	G381	U321
U1282	U1222	G1162	A1102	G1042	C982	C922	G862	A802	A742	G682	G622	U562	C442	A382	A322
G1283	G1223	G1163	C1103	C1043	A983	G923	A863	U803	A743	U683	C623	A563	C443	C383	C323
A1284	U1224	C1164	G1104	A1044	A984	G924	G864	A804	U744	G684	C624	C564	C444	A384	A324
U1285	G1225	A1165	U1105	G1045	G985	A925	C865	G805	G745	A685	G625	C565	C445	C385	G325
A1286	A1226	G1166	G1106	A1046	C986	G926	A866	C806	U746	U686	A626	U566	G446	G386	G326
G1287	G1227	C1167	G1107	G1047	A987	A927	C867	U807	U747	C687	A627	U567	A447	U387	G327
A1288	G1228	G1168	U1108	A1048	A988	A928	G868	G808	G748	U688	G628	U568	U448	G388	U328
C1289	C1229	A1169	A1109	C1049	G989	U929	G869	G809	A749	G689	G629	U569	A449	G389	G329
G1290	U1230	C1170	G1110	A1050	A990	G930	U870	U810	A750	G690	G630	C570	C450	U390	A330
C1291	C1291	G1171	A1111	G1051	C991	U931	U871	U811	A751	C691	A631	U571	U451	A391	C331
G1292	G1232	C1172	G1112	C1052	C992	U932	U872	C812	A752	C692	A632	A572	G452	U392	A332
C1293	C1233	U1173	U1113	A1053	G993	A933	C873	U813	A753	A693	A633	U573	G453	C393	G333
U1294	U1234	A1174	C1114	A1054	C994	U934	G874	C814	U754	U694	C634	A574	A454	C394	C334
G1295	G1235	A1175	G1115	G1055	C995	A935	G875	C815	A755	G695	C635	A575	C455	U395	C335
G1296	G1236	U1176	G1116	G1056	A996	A936	C876	C816	A756	G696	G636	U576	C456	G396	C336
A1297	A1237	G1177	C1117	A1057	G997	C937	A877	C817	G757	G697	A637	U577	A457	U397	C337
G1238	G1238	C1178	C1118	U1058	C998	G938	A878	G818	G758	C698	G638	G578	G458	C398	G338
G1289	U1240	G1179	U1119	G1059	U999	G939	G879	A819	G759	A699	U639	G579	U459	U399	U339
U1290	U1240	U1180	G1120	U1060	A1000	G940	G880	A820	G760	G700	C640	U580	A460	G400	A340
A1301	A1241	U1181	C1121	U1061	A1001	A941	G881	A821	A761	G701	U641	C581	C461	A401	C341
A1302	U1242	G1182	G1122	G1062	G1002	G942	G882	G822	U762	U702	U642	A582	C462	A402	A342
G1303	G1243	U1183	C1123	G1063	G1003	A943	G883	C823	G763	U703	A643	G583	G463	U403	C343
A1304	A1244	G1184	G1124	C1064	U1004	C944	U884	U824	A764	G704	A644	C584	U464	A404	A344
C1305	G1245	G1185	G1125	U1065	C1005	A945	C885	A825	C765	A705	C645	G585	G465	U405	A345
C1306	A1246	G1186	A1126	U1066	C1006	C946	A886	A826	U766	A706	U646	A586	A466	G406	A346
A1307	A1247	U1187	A1127	A1067	C1007	A947	U887	U827	U767	G707	G647	C587	G467	G407	A347
A1308	G1248	U1188	G1128	G1068	C948	G948	C888	U828	G768	G708	G648	U588	G468	G408	U348
G1309	U1249	A1189	A1129	A1069	A1009	G949	C889	A829	U769	U709	G649	U589	G469	G409	U349
G1310	G1250	G1190	U1130	A1070	C950	G950	C890	G830	G770	U710	C650	A590	A470	G410	G350
G1311	C1251	G1191	G1131	G1071	A1011	C951	G891	G831	G771	G711	G651	U591	A471	G411	C351
U1312	G1252	G1192	U1132	C1072	U1012	G952	A892	U832	C772	G712	A652	A592	A472	A412	A352
U1313	A1253	G1193	A1133	A1073	C1013	G953	C893	A833	U773	G713	U653	U593	G473	C413	C353
C1314	C1314	A1194	A1134	G1074	A1014	G954	U894	G834	G774	U714	A654	U594	G474	C414	A354
C1315	U1255	G1195	C1135	C1075	U1015	U955	U895	C835	G775	A715	A655	C595	C475	A415	U355
U1316	G1256	G1196	G1136	C1076	G1016	C956	A896	G836	G776	A716	G656	U596	G476	U416	G356
G1317	C1257	G1197	G1137	A1077	G1017	C957	C897	C837	G777	G717	U657	G597	A477	C417	C357
U1318	U1258	U1198	G1138	U1078	A1018	U958	C898	C838	G778	U718	U658	U598	A478	C418	U358
C1319	G1259	U1199	U1139	C1079	A1019	G959	A899	U839	G779	C719	G659	A599	A479	U419	G359
C1320	A1260	C1200	C1140	A1080	A1020	A960	A900	C840	G780	U720	C660	G600	C540	C420	U360

G2221	C2161	A2101	U2041	A1981	G1921	G1861	A1801	C1741	G1681	U1621	C1561	G1501	G1441	G1381	A1321
G2222	G2162	G2102	A2042	U1982	G1922	G1862	A1802	U1742	G1682	G1622	U1562	A1502	U1442	G1382	A1322
G2223	A2163	C2103	C2043	G1983	U1923	G1863	A1803	G1743	G1683	U1623	C1563	A1503	U1443	A1383	C1323
G2224	C2164	C2104	C2044	G1984	C1924	U1864	C1804	A1744	G1684	U1624	C1564	A1504	G1444	A1384	G1324
A2225	C2165	U2105	C2045	C1985	C1925	U1865	A1805	A1745	G1685	C1625	C1565	A1505	G1445	A1385	U1325
G2226	U2166	U2106	G2046	C1986	U1926	A1866	C1806	A1746	C1686	A1626	U1566	A1506	C1446	C1386	U1326
A2227	U2167	G2107	C2047	A1987	A1927	G1867	G1807	U1747	G1687	G1627	G1567	C1507	C1447	A1387	A1327
G2228	G2168	A2108	G2048	G1988	A1928	C1868	A1808	C1748	U1688	G1628	G1568	A1508	G1448	G1388	A1328
U2229	A2169	U2109	G2049	G1989	G1929	G1869	A1809	A1749	G1689	U1629	U1569	A1509	G1449	G1389	U1329
G2230	G2170	C2050	C2050	G1990	G1930	C1870	A1810	G1750	A1690	G1630	A1570	G1510	G1450	U1390	C1330
U2231	A2171	U2111	A2051	A1991	U1931	A1871	G1811	U1751	C1691	G1631	A1571	G1511	C1451	U1391	G1331
C2232	U2172	G2112	A2052	G1992	A1932	A1872	U1812	C1752	U1692	A1632	A1572	C1512	G1452	A1392	G1332
U2233	C2173	U2113	C2053	U1993	G1933	G1873	G1813	G1753	U1693	G1633	A1573	U1513	A1453	A1393	G1333
G2234	C2174	A2114	A2054	C1994	C1934	C1874	G1814	A1754	C1694	A1634	C1574	G1514	C1454	U1394	G1334
G2235	C2175	G2115	C2055	U1995	G1935	G1875	A1815	A1755	G1695	A1635	C1575	A1515	G1455	A1395	C1335
U2236	A2176	G2116	G2056	C1996	A1936	A1876	C1816	G1756	G1696	U1636	U1576	A1516	G1456	U1396	A1336
G2237	C2177	A2117	G2057	C1997	A1937	A1877	G1817	A1757	G1697	A1637	C1577	U1517	U1457	U1397	G1337
C2238	C2178	A2118	A2058	A1998	A1938	G1878	U1818	U1758	A1698	C1638	U1578	C1518	U1458	C1398	G1338
G2239	C2179	A2119	A2059	C1999	U1939	C1879	A1819	A1759	G1699	C1639	A1579	U1519	G1459	C1399	G1339
U2240	U2180	G2120	A2060	C2000	U1940	U1880	U1820	C1760	A1700	A1640	A1580	U1520	U1460	U1400	U1340
A2241	U2181	G2121	G2061	C2001	C1941	C1881	A1821	C1761	A1701	G1641	A1581	G1521	C1461	U1401	G1341
G2242	U2182	U2122	A2062	G2002	C1942	U1882	C1822	A1762	G1702	G1642	C1582	A1522	C1462	U1402	A1342
U2243	A2183	G2123	C2063	A2003	U1943	U1883	G1823	G1763	G1703	G1643	A1583	U1523	C1463	A1403	G1343
U2244	A2184	G2124	C2064	G2004	U1944	G1884	G1824	C1764	C1704	C1644	U1584	G1524	G1464	C1404	U1344
U2245	U2185	G2125	C2065	A2005	G1945	A1885	U1825	U1765	A1705	G1645	C1585	A1525	G1465	U1405	C1345
G2246	G2186	A2126	C2066	C2006	U1946	U1886	G1826	G1766	C1706	C1646	A1586	C1526	U1466	U1406	G1346
A2247	U2187	G2127	G2067	U2007	C1947	C1887	U1827	U1767	G1707	U1647	G1587	G1527	U1467	G1407	A1347
C2248	U2188	G2128	U2068	C2008	C1948	U1888	G1828	C1768	C1708	U1648	A1588	U1528	U1468	A1408	C1348
U2249	U2189	C2129	G2069	A2009	G1949	A1889	A1830	U1769	U1709	G1649	A1589	G1529	U1469	U1409	C1349
G2250	C2190	U2130	A2070	G2010	G1950	A1890	C1830	G1770	G1710	A1650	A1590	U1530	A1470	G1410	C1350
G2251	A2191	U2131	A2071	U1951	U1951	G1891	G1831	C1771	A1711	G1651	A1591	C1531	G1471	U1411	U1351
G2252	U2192	U2132	C2072	G2012	A1952	C1892	C1832	A1772	U1712	A1652	C1592	A1532	C1472	U1412	U1352
G2253	G2193	G2133	C2073	A2013	A1953	C1893	C1833	A1773	A1713	G1653	C1593	C1533	G1473	A1413	A1353
C2254	U2194	A2134	U2074	A2014	G1954	A1894	U1834	C1774	U1714	A1654	U1594	U1534	U1474	C1414	A1354
G2255	U2195	A2135	U2075	A2015	U1955	C1895	G1835	U1775	G1715	A1655	C1595	A1535	G1475	U1415	G1355
G2256	C2196	G2136	U2076	U2016	U1956	G1896	C1836	G1776	U1716	C1656	A1596	C1536	U1476	G1416	G1356
U2257	U2197	U2137	A2077	U2017	C1957	G1897	C1837	U1777	A1717	U1657	A1597	G1537	G1477	C1417	G1357
C2258	A2198	G2138	C2078	G2018	C1958	U1898	C1838	U1778	G1718	C1658	A1598	G1538	G1478	G1418	G1358
U2259	A2199	U2139	U2079	A2019	G1959	A1899	G1839	U1779	G1719	G1659	U1599	U1539	G1479	A1419	A1359
C2260	C2200	G2140	A2080	A2020	A1960	A1900	U1840	A1780	U1720	G1660	C1600	G1540	C1480	A1420	G1360
C2261	G2201	G2141	U2081	C2021	C1961	A1901	U1841	U1781	G1721	G1661	G1601	C1541	U1481	G1421	G1361
U2262	U2202	A2142	A2082	U2022	C1962	C1902	G1842	U1782	A1722	U1662	U1602	U1542	G1482	G1422	C1362
C2263	U2203	G2143	G2083	C2023	U1963	G1903	C1843	A1783	G1723	G1663	A1603	G1543	G1483	G1423	G1363
G2264	G2204	G2144	C2084	G2024	G1964	G1904	C1844	A1784	G1724	A1664	C1604	A1544	U1484	G1424	G1364
U2265	A2205	C2145	U2085	C2025	C1965	C1905	G1845	A1785	U1725	A1665	C1605	A1545	U1485	G1425	A1365
A2266	C2206	C2146	U2086	A1966	A1966	G1906	G1846	A1786	C1726	G1666	C1606	G1546	U1486	G1426	A1366
U2267	C2207	G2147	G2087	C1967	C1967	G1907	A1847	A1787	C1727	G1667	C1607	C1547	U1487	A1427	A1367
A2268	C2208	G2148	A2088	G1968	G1968	C1908	A1848	C1788	C1728	A1668	A1608	A1548	C1488	G1428	G1368
G2269	G2209	U2149	C2089	G2029	A1969	C1909	G1849	A1789	U1729	A1669	A1609	A1549	C1489	G1429	G1369
A2270	U2210	C2150	A2090	U2030	A1970	G1910	G1850	C1790	C1730	C1670	A1610	C1550	A1490	G1430	C1370
G2271	A2211	U2151	C2091	U1971	U1911	G1911	U1851	A1791	G1731	A1671	C1611	A1551	G1491	A1431	G1371
U2272	A2212	G2152	U2092	G1972	G1972	A1912	U1852	G1792	C1732	A1672	C1612	A1552	G1492	G1432	U1372
A2273	U2213	C2153	G2093	G1973	C1973	A1913	A1853	C1793	G1733	G1673	C1613	A1553	C1493	A1433	A1373
C2274	C2214	A2154	A2094	C1974	C1974	C1914	A1854	A1794	G1734	A1674	A1614	U1554	A1494	A1434	G1374
C2275	G2215	U2155	A2095	G1975	G1975	G1915	U1855	C1795	A1735	C1675	C1615	G1555	A1495	G1435	U1375
G2276	G2216	G2156	C2096	U1976	A1976	A1916	U1856	U1796	U1736	A1676	A1616	C1556	A1496	G1436	C1376
G2277	G2217	G2157	A2097	A1977	A1977	U1917	G1857	G1797	G1737	A1677	C1617	C1557	U1497	C1437	G1377
A2278	G2218	A2158	U2098	A1978	A1978	A1918	A1858	U1798	G1738	A1678	U1618	C1558	C1498	U1438	A1378
G2279	U2219	C2159	U2099	U1979	U1979	A1919	U1859	G1799	A1739	A1679	A1619	U1559	C1499	A1439	U1379
G2280	U2220	C2160	G2100	G1980	G1980	C1920	G1860	C1800	G1740	U1680	G1620	G1560	G1500	U1440	G1380

A2881	G2881	A2882	G2882	A2883	G2883	A2884	G2884	A2885	G2885	A2886	G2886	A2887	G2887	A2888	G2888	A2889	G2889	A2890	G2890	A2891	G2891	A2892	G2892	A2893	G2893	A2894	G2894	A2895	G2895	A2896	G2896	A2897	G2897	A2898	G2898	A2899	G2899	A2900	G2900	A2901	G2901	A2902	G2902	A2903	G2903	U2904														
G2341	C2342	C2343	C2344	G2345	C2346	A2347	C2347	A2348	C2349	G2350	G2351	A2352	C2353	A2354	C2355	U2356	C2357	A2358	C2359	G2360	C2361	C2362	U2363	C2364	G2365	U2366	C2367	G2368	A2369	C2370	A2371	C2372	A2373	C2374	G2375	C2376	A2377	C2378	G2379	C2380	U2381	A2382	C2383	G2384	A2385	C2386	U2387	A2388	U2389	C2390	G2391	A2392	C2393	U2394	A2395	C2396	G2397	A2398	C2399	U2400
U2401	U2402	C2403	U2404	C2405	A2406	U2407	U2408	C2409	G2410	A2411	A2412	G2413	C2414	G2415	C2416	C2417	A2418	U2419	C2420	G2421	C2422	U2423	C2424	A2425	C2426	U2427	G2428	C2429	A2430	U2431	C2432	A2433	A2434	C2435	C2436	U2437	U2438	C2439	C2440	U2441	C2442	G2443	U2444	C2445	G2446	G2447	U2448	U2449	A2450	C2451	C2452	U2453	C2454	A2455	C2456	U2457	G2458	U2459	U2460	
A2461	C2462	C2463	C2464	C2465	C2466	C2467	A2468	A2469	G2470	A2471	C2472	U2473	C2474	U2475	C2476	U2477	A2478	C2479	C2480	C2481	A2482	C2483	C2484	C2485	C2486	C2487	C2488	U2489	C2490	U2491	C2492	A2493	C2494	U2495	C2496	U2497	C2498	C2499	C2500	C2501	C2502	A2503	C2504	C2505	U2506	C2507	C2508	C2509	C2510	U2511	C2512	C2513	C2514	C2515	C2516	C2517	A2518	C2519	C2520	
C2521	U2522	G2523	G2524	C2525	G2526	C2527	C2528	C2529	A2530	A2531	C2532	U2533	A2534	G2535	C2536	U2537	C2538	C2539	C2540	A2541	A2542	C2543	G2544	G2545	U2546	U2547	U2548	C2549	C2550	C2551	U2552	C2553	U2554	U2555	C2556	G2557	C2558	C2559	A2560	U2561	C2562	U2563	A2564	C2565	A2566	C2567	U2568	C2569	U2570	U2571	A2572	C2573	C2574	C2575	G2576	A2577	C2578	C2579	U2580	
G2581	G2582	G2583	U2584	U2585	U2586	U2587	G2588	A2589	A2590	C2591	G2592	U2593	C2594	G2595	U2596	C2597	A2598	C2599	A2600	C2601	A2602	C2603	U2604	U2605	C2606	G2607	G2608	U2609	C2610	C2611	C2612	U2613	A2614	U2615	C2616	U2617	G2618	C2619	C2620	G2621	U2622	C2623	G2624	C2625	C2626	C2627	U2628	C2629	G2630	C2631	A2632	C2633	U2634	A2635	C2636	U2637	U2638	A2639	C2640	
G2641	G2642	G2643	G2644	G2645	G2646	U2647	G2648	C2649	U2650	C2651	C2652	U2653	U2654	C2655	U2656	C2657	C2658	G2659	A2660	C2661	A2662	C2663	C2664	A2665	C2666	C2667	G2668	U2669	A2670	C2671	U2672	C2673	G2674	U2675	C2676	G2677	C2678	A2679	U2680	C2681	A2682	C2683	U2684	C2685	G2686	U2687	U2688	U2689	C2690	C2691	C2692	C2693	U2694	C2695	U2696	C2697	U2698	C2699	A2700	
U2701	G2702	C2703	C2704	A2705	C2706	U2707	G2708	C2709	U2710	A2711	C2712	U2713	G2714	C2715	C2716	C2717	C2718	G2719	U2720	A2721	C2722	C2723	U2724	A2725	C2726	A2727	C2728	U2729	C2730	G2731	C2732	A2733	C2734	U2735	A2736	G2737	C2738	U2739	A2740	C2741	U2742	C2743	U2744	C2745	U2746	C2747	A2748	U2749	C2750	G2751	C2752	U2753	U2754	C2755	U2756	A2757	U2758	C2759	C2760	
A2761	C2762	G2763	A2764	C2765	A2766	C2767	U2768	U2769	C2770	C2771	C2772	U2773	C2774	G2775	A2776	C2777	C2778	U2779	G2780	A2781	C2782	U2783	U2784	C2785	U2786	C2787	C2788	U2789	U2790	C2791	A2792	C2793	C2794	U2795	U2796	U2797	U2798	A2799	U2800	C2801	G2802	C2803	U2804	C2805	C2806	U2807	G2808	A2809	U2810	G2811	C2812	A2813	U2814	C2815	U2816	U2817	U2818	U2819	C2820	
A2821	G2822	A2823	C2824	G2825	A2826	C2827	G2828	A2829	C2830	G2831	U2832	U2833	G2834	A2835	U2836	U2837	G2838	C2839	C2840	C2841	G2842	G2843	U2844	U2845	G2846	U2847	C2848	U2849	A2850	A2851	G2852	C2853	G2854	C2855	A2856	G2857	C2858	G2859	A2860	U2861	G2862	C2863	U2864	U2865	U2866	G2867	A2868	G2869	C2870	U2871	A2872	U2873	C2874	C2875	U2876	G2877	U2878	A2879	C2880	


- Molecule 27: 50S ribosomal protein L1

Chain BC:  84% 14%

M1	R9	R12	Y21	D22	V39	D51	A52	R53	R54	S55	R60	T63	R71	S72	V73	R74	V75	A76	Q80	G91	V95	G96	N97	D102	P118	R122	L131	R134	T146	G159	R162	Y163	R164	N165	T174	D179	D183
K184	L185	L189	V194	K205	Y208	T217	A234																														


- Molecule 28: 50S ribosomal protein L2

Chain BD:  74% 22%




- Molecule 29: 50S ribosomal protein L3

Chain BE: 77% 20% .




- Molecule 30: 50S ribosomal protein L4

Chain BF: 74% 20% 5%




- Molecule 31: 50S ribosomal protein L5

Chain BG: 70% 26% . .




- Molecule 32: 50S ribosomal protein L6


Chain BH: 79% 16% 5%




- Molecule 33: 50S ribosomal protein L9




- Molecule 34: 50S ribosomal protein L10




- Molecule 35: 50S ribosomal protein L11




- Molecule 36: 50S ribosomal protein L13




- Molecule 37: 50S ribosomal protein L14




- Molecule 38: 50S ribosomal protein L15



- Molecule 39: 50S ribosomal protein L16






- Molecule 40: 50S ribosomal protein L17

Chain BP: 75% 22%



- Molecule 41: 50S ribosomal protein L18

Chain BQ: 80% 17%



- Molecule 42: 50S ribosomal protein L19

Chain BR: 76% 18% 5%



- Molecule 43: 50S ribosomal protein L20

Chain BS: 71% 26%



- Molecule 44: 50S ribosomal protein L21

Chain BT: 77% 19%




- Molecule 45: 50S ribosomal protein L22


Chain BU: 75% 24%




- Molecule 46: 50S ribosomal protein L23




- Molecule 47: 50S ribosomal protein L24




- Molecule 48: 50S ribosomal protein L25




- Molecule 49: 50S ribosomal protein L27




- Molecule 50: 50S ribosomal protein L28



- Molecule 51: 50S ribosomal protein L29




- Molecule 52: 50S ribosomal protein L30



- Molecule 53: 50S ribosomal protein L31

Chain B2:  73% 19% 7%




- Molecule 54: 50S ribosomal protein L32

Chain B3:  71% 21% 7%



- Molecule 55: 50S ribosomal protein L33

Chain B4:  83% 13%





- Molecule 56: 50S ribosomal protein L34

Chain B5:  65% 30%




- Molecule 57: 50S ribosomal protein L35

Chain B6:  80% 19%



- Molecule 58: 50S ribosomal protein L36

Chain B7:  71% 29%



4 Experimental information

Property	Value	Source
Reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	Depositor
Number of images	37000	Depositor
Resolution determination method	FSC at 0.5 cut-off	Depositor
CTF correction method	Volumes were CTF-corrected in defocus groups	Depositor
Microscope	FEI TECNAI F30	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	25	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	4000	Depositor
Magnification	59000	Depositor
Image detector	TVIPS TemCam-F415 (CCD)	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: OMC, 3TD, CH, OMG, 5MC, MA6, MIA, H2U, 2MA, 6MZ, 2MG, OMU, UR3, 4OC, FME, 4SU, 7MG, 5MU, 1MG, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 2$	RMSZ	# $ Z > 2$
1	AA	3.08	3895/36769 (10.6%)	3.56	8470/57354 (14.8%)
10	AJ	1.47	2/1422 (0.1%)	2.07	39/1908 (2.0%)
11	AK	1.53	8/989 (0.8%)	1.89	16/1326 (1.2%)
12	AL	1.52	4/1048 (0.4%)	2.03	33/1394 (2.4%)
13	AM	1.50	5/835 (0.6%)	2.00	23/1127 (2.0%)
14	AN	1.54	6/982 (0.6%)	1.99	24/1323 (1.8%)
15	AO	1.52	4/969 (0.4%)	2.06	33/1300 (2.5%)
16	AP	1.57	5/919 (0.5%)	2.09	26/1226 (2.1%)
17	AQ	1.60	8/817 (1.0%)	1.99	27/1088 (2.5%)
18	AR	1.44	0/724	2.09	30/966 (3.1%)
19	AS	1.53	4/659 (0.6%)	1.92	13/884 (1.5%)
2	AB	3.15	171/1600 (10.7%)	3.56	384/2492 (15.4%)
20	AT	1.56	2/681 (0.3%)	1.83	18/913 (2.0%)
21	AU	1.59	7/637 (1.1%)	2.19	20/851 (2.4%)
22	AV	1.48	2/744 (0.3%)	1.98	20/995 (2.0%)
23	AW	1.46	1/676 (0.1%)	1.88	14/895 (1.6%)
24	AX	1.61	4/598 (0.7%)	2.21	25/792 (3.2%)
25	BA	3.02	293/2869 (10.2%)	3.44	610/4474 (13.6%)
26	BB	3.09	7348/69257 (10.6%)	3.54	15639/108040 (14.5%)
27	BC	1.46	3/1748 (0.2%)	1.85	33/2355 (1.4%)
28	BD	1.51	10/2131 (0.5%)	2.03	68/2863 (2.4%)
29	BE	1.54	3/1586 (0.2%)	2.03	41/2134 (1.9%)
3	AC	3.09	117/1108 (10.6%)	3.61	256/1724 (14.8%)
30	BF	1.53	6/1571 (0.4%)	1.97	51/2113 (2.4%)
31	BG	1.58	11/1444 (0.8%)	1.94	33/1937 (1.7%)
32	BH	1.50	7/1343 (0.5%)	1.89	33/1816 (1.8%)
33	BI	1.50	8/1122 (0.7%)	1.93	22/1515 (1.5%)
34	BJ	1.52	4/1247 (0.3%)	1.95	29/1679 (1.7%)
35	BK	1.45	4/1046 (0.4%)	1.81	17/1410 (1.2%)
36	BL	1.53	5/1152 (0.4%)	1.98	24/1551 (1.5%)
37	BM	1.53	3/956 (0.3%)	1.99	28/1279 (2.2%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >2	RMSZ	# Z >2
38	BN	1.53	4/1062 (0.4%)	1.93	21/1413 (1.5%)
39	BO	1.53	6/1093 (0.5%)	1.96	31/1460 (2.1%)
4	AD	3.09	193/1721 (11.2%)	3.54	391/2683 (14.6%)
40	BP	1.53	3/1021 (0.3%)	2.11	37/1364 (2.7%)
41	BQ	1.60	4/910 (0.4%)	1.96	26/1219 (2.1%)
42	BR	1.53	1/929 (0.1%)	2.18	29/1242 (2.3%)
43	BS	1.57	5/960 (0.5%)	2.38	37/1278 (2.9%)
44	BT	1.58	2/829 (0.2%)	2.03	21/1107 (1.9%)
45	BU	1.43	4/864 (0.5%)	2.00	28/1156 (2.4%)
46	BV	1.52	3/794 (0.4%)	1.92	14/1060 (1.3%)
47	BW	1.46	1/797 (0.1%)	2.06	20/1062 (1.9%)
48	BX	1.48	1/766 (0.1%)	1.93	16/1025 (1.6%)
49	BY	1.49	4/642 (0.6%)	2.00	16/848 (1.9%)
5	AE	1.51	6/1904 (0.3%)	1.92	45/2565 (1.8%)
50	BZ	1.50	0/635	1.84	17/848 (2.0%)
51	B0	1.43	1/510 (0.2%)	2.02	13/677 (1.9%)
52	B1	1.54	1/453 (0.2%)	1.96	12/605 (2.0%)
53	B2	1.58	4/559 (0.7%)	1.92	13/745 (1.7%)
54	B3	1.55	2/450 (0.4%)	2.05	10/599 (1.7%)
55	B4	1.41	0/448	1.83	6/594 (1.0%)
56	B5	1.50	1/380 (0.3%)	2.36	22/498 (4.4%)
57	B6	1.43	0/513	1.79	11/676 (1.6%)
58	B7	1.44	1/303 (0.3%)	2.17	7/397 (1.8%)
6	AF	1.52	7/1852 (0.4%)	1.92	47/2490 (1.9%)
7	AG	1.49	7/1665 (0.4%)	2.08	46/2227 (2.1%)
8	AH	1.51	6/1239 (0.5%)	1.87	24/1664 (1.4%)
9	AI	1.55	6/1121 (0.5%)	1.91	29/1509 (1.9%)
All	All	2.70	12223/164069 (7.4%)	3.19	27088/244735 (11.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	AA	0	910
10	AJ	0	6
11	AK	0	2
12	AL	0	3
13	AM	0	2
14	AN	0	4
15	AO	0	9

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
16	AP	0	4
17	AQ	0	1
18	AR	0	3
19	AS	0	3
2	AB	0	43
20	AT	0	2
21	AU	0	5
22	AV	0	3
23	AW	0	2
24	AX	0	4
25	BA	0	65
26	BB	0	1685
27	BC	0	1
28	BD	0	10
29	BE	0	8
3	AC	0	30
30	BF	0	6
31	BG	0	7
32	BH	0	6
33	BI	0	3
34	BJ	0	4
35	BK	0	5
36	BL	0	8
37	BM	0	4
38	BN	0	2
39	BO	0	4
4	AD	0	37
40	BP	0	2
41	BQ	0	2
42	BR	0	5
43	BS	0	6
44	BT	0	3
45	BU	0	1
46	BV	0	2
47	BW	0	1
48	BX	0	5
49	BY	0	4
5	AE	0	1
50	BZ	0	1
51	B0	0	1
53	B2	0	5
54	B3	0	4

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
55	B4	0	3
56	B5	0	2
57	B6	0	1
6	AF	0	3
7	AG	0	9
8	AH	0	2
9	AI	0	5
All	All	0	2959

All (12223) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2448	A	N3-C4	21.86	1.48	1.34
1	AA	451	A	N3-C4	17.17	1.45	1.34
26	BB	492	A	N7-C5	-16.23	1.29	1.39
26	BB	2241	A	N3-C4	15.98	1.44	1.34
26	BB	833	A	N7-C5	-15.82	1.29	1.39
2	AB	65	C	N1-C6	15.48	1.46	1.37
1	AA	717	U	C2-N3	15.45	1.48	1.37
1	AA	851	G	C6-N1	-15.23	1.28	1.39
25	BA	29	A	N7-C5	-15.20	1.30	1.39
26	BB	1529	G	N3-C4	14.93	1.46	1.35
1	AA	579	A	N3-C4	14.82	1.43	1.34
1	AA	631	C	P-O5'	14.68	1.74	1.59
1	AA	560	A	N3-C4	14.56	1.43	1.34
26	BB	389	G	N7-C5	14.44	1.48	1.39
1	AA	192	A	N3-C4	14.40	1.43	1.34
1	AA	1319	A	N3-C4	14.31	1.43	1.34
1	AA	848	C	P-O5'	14.31	1.74	1.59
26	BB	768	G	C6-N1	14.31	1.49	1.39
26	BB	388	G	C8-N7	-14.30	1.22	1.30
26	BB	529	A	N3-C4	14.29	1.43	1.34
26	BB	1785	A	N9-C4	-14.26	1.29	1.37
1	AA	432	A	N3-C4	14.25	1.43	1.34
1	AA	687	A	P-O5'	14.21	1.74	1.59
26	BB	2382	G	P-O5'	14.10	1.73	1.59
1	AA	554	A	N3-C4	14.08	1.43	1.34
26	BB	1315	C	C2-N3	14.01	1.47	1.35
26	BB	969	G	N7-C5	13.90	1.47	1.39
26	BB	2164	C	P-O5'	13.90	1.73	1.59
26	BB	1781	U	C2-N3	13.86	1.47	1.37
1	AA	263	A	N3-C4	13.83	1.43	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1448	G	P-O5'	13.81	1.73	1.59
4	AD	57	C	N1-C6	13.76	1.45	1.37
26	BB	2887	A	N7-C5	-13.76	1.30	1.39
1	AA	106	C	N1-C6	13.71	1.45	1.37
26	BB	1359	A	N7-C5	-13.66	1.31	1.39
26	BB	532	A	N3-C4	13.64	1.43	1.34
26	BB	1014	A	N3-C4	13.62	1.43	1.34
1	AA	805	C	P-O5'	13.59	1.73	1.59
26	BB	603	A	N3-C4	13.58	1.43	1.34
26	BB	391	A	N3-C4	13.47	1.43	1.34
1	AA	1457	G	O3'-P	13.45	1.77	1.61
26	BB	1552	A	N7-C5	-13.42	1.31	1.39
26	BB	2330	G	N1-C2	13.39	1.48	1.37
26	BB	2719	G	N7-C5	13.38	1.47	1.39
1	AA	208	U	P-O5'	13.35	1.73	1.59
26	BB	1105	U	C2-N3	13.33	1.47	1.37
1	AA	366	A	N9-C4	13.33	1.45	1.37
26	BB	444	C	N1-C6	13.31	1.45	1.37
1	AA	1044	A	N3-C4	13.27	1.42	1.34
26	BB	1720	U	P-O5'	13.26	1.73	1.59
1	AA	1429	A	P-O5'	13.26	1.73	1.59
26	BB	2547	A	N7-C5	13.26	1.47	1.39
26	BB	1588	G	N3-C4	13.22	1.44	1.35
26	BB	1900	A	N7-C5	13.17	1.47	1.39
26	BB	2437	G	P-O5'	13.14	1.72	1.59
26	BB	246	C	N1-C6	13.10	1.45	1.37
26	BB	513	A	N3-C4	13.06	1.42	1.34
26	BB	2396	G	C2-N3	13.01	1.43	1.32
26	BB	1253	A	N9-C4	12.99	1.45	1.37
26	BB	2366	A	N7-C5	12.97	1.47	1.39
26	BB	677	A	C6-N1	12.97	1.44	1.35
26	BB	84	A	N3-C4	12.92	1.42	1.34
1	AA	584	G	N3-C4	12.85	1.44	1.35
26	BB	284	U	C2-N3	12.84	1.46	1.37
1	AA	442	G	N7-C5	12.83	1.47	1.39
26	BB	2062	A	N9-C4	12.78	1.45	1.37
26	BB	1039	A	C6-N1	12.75	1.44	1.35
26	BB	1320	C	N1-C6	12.75	1.44	1.37
4	AD	26	C	N1-C6	12.72	1.44	1.37
26	BB	2641	G	C6-N1	12.72	1.48	1.39
26	BB	707	G	N7-C5	-12.70	1.31	1.39
26	BB	1090	A	N7-C5	-12.66	1.31	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	794	A	P-O5'	12.65	1.72	1.59
1	AA	730	G	C8-N7	-12.64	1.23	1.30
26	BB	288	U	C2-N3	12.60	1.46	1.37
26	BB	1049	C	N3-C4	-12.60	1.25	1.33
26	BB	2345	G	C2-N3	12.59	1.42	1.32
26	BB	1127	A	N7-C5	-12.59	1.31	1.39
1	AA	1200	C	N1-C6	12.59	1.44	1.37
1	AA	1294	G	C6-N1	12.59	1.48	1.39
25	BA	29	A	N3-C4	12.58	1.42	1.34
1	AA	1257	A	P-O5'	12.57	1.72	1.59
26	BB	2023	C	P-O5'	12.53	1.72	1.59
26	BB	1735	A	N3-C4	12.52	1.42	1.34
26	BB	144	A	N9-C4	12.50	1.45	1.37
26	BB	2795	C	N1-C6	12.49	1.44	1.37
26	BB	487	C	N1-C6	-12.49	1.29	1.37
26	BB	1070	A	N3-C4	12.49	1.42	1.34
25	BA	9	G	C5-C4	-12.47	1.29	1.38
26	BB	794	A	N3-C4	12.47	1.42	1.34
1	AA	1378	C	N1-C6	-12.47	1.29	1.37
26	BB	2201	G	C8-N7	-12.46	1.23	1.30
26	BB	2900	A	C4'-C3'	-12.46	1.39	1.53
26	BB	2256	G	N3-C4	12.41	1.44	1.35
1	AA	27	G	C6-N1	12.40	1.48	1.39
4	AD	60	A	P-O5'	12.37	1.72	1.59
2	AB	25	C	N1-C6	12.36	1.44	1.37
1	AA	1248	A	N7-C5	12.36	1.46	1.39
1	AA	1284	C	N3-C4	12.34	1.42	1.33
1	AA	706	A	N3-C4	12.29	1.42	1.34
1	AA	695	A	N3-C4	12.28	1.42	1.34
26	BB	1286	A	N9-C4	12.26	1.45	1.37
26	BB	1884	G	N7-C5	-12.24	1.31	1.39
26	BB	813	U	C2-N3	12.22	1.46	1.37
26	BB	2810	A	N7-C5	12.22	1.46	1.39
26	BB	1516	G	N7-C5	-12.21	1.31	1.39
26	BB	1435	G	N7-C5	-12.20	1.31	1.39
26	BB	1601	G	N7-C5	12.18	1.46	1.39
26	BB	611	C	P-O5'	12.18	1.72	1.59
26	BB	585	G	N7-C5	-12.17	1.31	1.39
26	BB	2458	G	C2-N3	12.11	1.42	1.32
1	AA	719	C	C2-N3	12.11	1.45	1.35
1	AA	1018	G	C6-N1	12.10	1.48	1.39
26	BB	2850	A	N3-C4	12.08	1.42	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	851	C	N1-C6	12.07	1.44	1.37
1	AA	199	A	N3-C4	12.05	1.42	1.34
26	BB	2456	C	N1-C6	12.05	1.44	1.37
1	AA	648	A	N7-C5	12.02	1.46	1.39
26	BB	2205	A	N3-C4	12.01	1.42	1.34
26	BB	2066	C	N3-C4	12.00	1.42	1.33
1	AA	683	G	P-O5'	11.99	1.71	1.59
1	AA	1340	A	P-O5'	11.99	1.71	1.59
26	BB	661	A	C6-N1	11.98	1.44	1.35
26	BB	1198	U	C2-N3	11.97	1.46	1.37
26	BB	155	A	N3-C4	11.94	1.42	1.34
1	AA	1219	A	N7-C5	11.93	1.46	1.39
1	AA	1450	U	P-O5'	11.93	1.71	1.59
26	BB	258	G	C6-N1	11.91	1.47	1.39
1	AA	1302	C	N1-C6	11.90	1.44	1.37
26	BB	838	C	P-O5'	11.90	1.71	1.59
2	AB	2	G	P-O5'	11.89	1.71	1.59
26	BB	1876	A	C8-N7	-11.88	1.23	1.31
26	BB	821	A	N3-C4	11.85	1.42	1.34
1	AA	342	C	C2-N3	11.84	1.45	1.35
26	BB	598	U	P-O5'	11.84	1.71	1.59
1	AA	336	A	C8-N7	-11.83	1.23	1.31
26	BB	2046	G	N7-C5	11.82	1.46	1.39
26	BB	789	A	N3-C4	11.78	1.42	1.34
26	BB	2060	A	N7-C5	-11.75	1.32	1.39
1	AA	497	G	C6-N1	11.74	1.47	1.39
26	BB	670	A	C6-N1	11.74	1.43	1.35
26	BB	112	U	C2-N3	11.73	1.46	1.37
26	BB	362	A	P-O5'	11.73	1.71	1.59
26	BB	2865	U	P-O5'	11.72	1.71	1.59
26	BB	770	G	N1-C2	11.71	1.47	1.37
3	AC	59	A	N9-C8	11.70	1.47	1.37
26	BB	307	G	N7-C5	11.68	1.46	1.39
26	BB	2644	G	P-O5'	11.67	1.71	1.59
26	BB	909	A	C8-N7	-11.66	1.23	1.31
26	BB	2031	A	N9-C4	11.66	1.44	1.37
26	BB	1551	A	N3-C4	11.66	1.41	1.34
26	BB	2162	G	P-O5'	11.64	1.71	1.59
26	BB	1635	A	N3-C4	11.64	1.41	1.34
26	BB	528	A	N3-C4	11.63	1.41	1.34
1	AA	577	G	N7-C5	11.62	1.46	1.39
26	BB	1253	A	N3-C4	11.59	1.41	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2034	U	C4-C5	11.58	1.53	1.43
26	BB	2752	C	N3-C4	11.57	1.42	1.33
26	BB	1059	G	N3-C4	11.56	1.43	1.35
1	AA	391	G	P-O5'	11.55	1.71	1.59
26	BB	556	A	N9-C4	11.54	1.44	1.37
1	AA	1471	U	C2-N3	11.54	1.45	1.37
1	AA	652	U	C2-N3	11.53	1.45	1.37
26	BB	2018	G	N1-C2	11.51	1.47	1.37
1	AA	494	G	C6-N1	11.51	1.47	1.39
26	BB	1935	G	N7-C5	-11.51	1.32	1.39
26	BB	1984	G	C6-N1	11.48	1.47	1.39
4	AD	43	G	N7-C5	-11.48	1.32	1.39
26	BB	1864	U	C2-N3	11.48	1.45	1.37
26	BB	95	A	N7-C5	-11.46	1.32	1.39
26	BB	2764	A	N9-C4	11.46	1.44	1.37
26	BB	2017	U	P-O5'	11.44	1.71	1.59
26	BB	2138	G	N7-C5	-11.44	1.32	1.39
1	AA	1050	G	N7-C5	-11.43	1.32	1.39
26	BB	2686	G	C6-N1	11.43	1.47	1.39
26	BB	2077	A	N7-C5	11.43	1.46	1.39
26	BB	1557	C	N1-C6	11.41	1.44	1.37
26	BB	1909	C	N1-C6	11.41	1.44	1.37
26	BB	749	A	N3-C4	11.40	1.41	1.34
26	BB	2878	U	C2-N3	11.38	1.45	1.37
1	AA	8	A	N3-C4	11.37	1.41	1.34
26	BB	1250	G	C2-N3	11.37	1.41	1.32
26	BB	653	U	P-O5'	11.37	1.71	1.59
26	BB	1386	C	N1-C6	11.37	1.44	1.37
26	BB	2386	A	N3-C4	11.36	1.41	1.34
1	AA	1322	C	N1-C6	11.36	1.44	1.37
26	BB	2428	G	P-O5'	11.34	1.71	1.59
26	BB	1627	G	N1-C2	11.33	1.46	1.37
26	BB	1785	A	N7-C5	-11.33	1.32	1.39
26	BB	1640	A	N7-C5	-11.32	1.32	1.39
26	BB	2850	A	C5-C4	-11.32	1.30	1.38
26	BB	2471	A	N7-C5	11.31	1.46	1.39
26	BB	857	G	C6-N1	11.31	1.47	1.39
1	AA	1527	U	C2-N3	11.31	1.45	1.37
26	BB	840	C	P-O5'	11.29	1.71	1.59
26	BB	1342	A	N3-C4	11.29	1.41	1.34
26	BB	792	A	C6-N1	-11.27	1.27	1.35
1	AA	263	A	P-O5'	11.25	1.71	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1053	G	P-O5'	11.25	1.71	1.59
26	BB	516	C	P-O5'	11.25	1.71	1.59
26	BB	601	C	C4-C5	11.25	1.51	1.43
26	BB	644	A	N3-C4	11.25	1.41	1.34
26	BB	2175	C	N1-C6	11.25	1.43	1.37
1	AA	1325	C	N1-C6	11.24	1.43	1.37
26	BB	2802	G	C8-N7	11.22	1.37	1.30
26	BB	2342	C	N1-C6	11.22	1.43	1.37
26	BB	774	G	C2-N3	11.21	1.41	1.32
1	AA	1152	A	N3-C4	11.21	1.41	1.34
25	BA	116	G	C2-N3	11.21	1.41	1.32
1	AA	2	A	N3-C4	11.20	1.41	1.34
1	AA	901	A	P-O5'	11.19	1.71	1.59
26	BB	806	C	N3-C4	11.18	1.41	1.33
2	AB	14	A	N9-C4	-11.18	1.31	1.37
26	BB	461	C	N3-C4	11.18	1.41	1.33
26	BB	199	A	N9-C4	-11.18	1.31	1.37
26	BB	433	C	C2-N3	11.18	1.44	1.35
26	BB	2121	G	C2-N3	11.18	1.41	1.32
26	BB	2753	A	C6-N6	11.18	1.42	1.33
1	AA	948	C	C5-C6	11.16	1.43	1.34
26	BB	69	C	P-O5'	11.15	1.71	1.59
26	BB	1268	A	P-O5'	11.14	1.70	1.59
26	BB	1849	G	N1-C2	11.14	1.46	1.37
1	AA	831	A	N3-C4	11.13	1.41	1.34
26	BB	1614	A	N3-C4	11.13	1.41	1.34
26	BB	2163	A	N3-C4	11.13	1.41	1.34
26	BB	934	U	P-O5'	11.12	1.70	1.59
1	AA	193	C	N1-C6	11.12	1.43	1.37
1	AA	356	A	N3-C4	11.10	1.41	1.34
26	BB	2074	U	C2-N3	11.09	1.45	1.37
1	AA	1353	G	P-O5'	11.09	1.70	1.59
26	BB	2837	A	N9-C4	-11.08	1.31	1.37
26	BB	2675	A	N3-C4	11.07	1.41	1.34
1	AA	692	U	P-O5'	11.07	1.70	1.59
4	AD	26	C	N3-C4	11.07	1.41	1.33
26	BB	1084	A	C8-N7	-11.06	1.23	1.31
1	AA	169	C	N1-C6	11.05	1.43	1.37
1	AA	1525	G	C8-N7	-11.05	1.24	1.30
1	AA	1361	G	N7-C5	11.04	1.45	1.39
26	BB	1801	A	N7-C5	11.04	1.45	1.39
1	AA	1447	A	N7-C5	11.04	1.45	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	974	A	N3-C4	11.03	1.41	1.34
25	BA	105	G	C6-N1	11.03	1.47	1.39
1	AA	215	C	N3-C4	11.02	1.41	1.33
26	BB	585	G	P-O5'	11.02	1.70	1.59
26	BB	2211	A	P-O5'	11.01	1.70	1.59
1	AA	1442	G	P-O5'	11.01	1.70	1.59
1	AA	1133	G	N7-C5	11.00	1.45	1.39
26	BB	666	A	C5'-C4'	11.00	1.64	1.51
26	BB	504	A	N3-C4	11.00	1.41	1.34
26	BB	1255	U	C2-N3	10.99	1.45	1.37
26	BB	2609	U	C2-N3	10.99	1.45	1.37
26	BB	626	A	C5-C4	-10.99	1.31	1.38
26	BB	1352	U	C2-N3	10.99	1.45	1.37
26	BB	1169	A	N3-C4	10.98	1.41	1.34
26	BB	252	G	C8-N7	10.98	1.37	1.30
26	BB	1165	A	P-O5'	10.97	1.70	1.59
26	BB	2801	G	C2-N3	10.97	1.41	1.32
26	BB	2600	A	N7-C5	-10.96	1.32	1.39
26	BB	1156	A	N3-C4	10.96	1.41	1.34
26	BB	1374	G	P-O5'	10.95	1.70	1.59
1	AA	666	G	N3-C4	10.95	1.43	1.35
26	BB	898	C	P-O5'	10.95	1.70	1.59
26	BB	2307	G	C5-C4	10.94	1.46	1.38
26	BB	2092	U	C2-N3	10.94	1.45	1.37
1	AA	728	A	C8-N7	-10.94	1.23	1.31
25	BA	76	G	C8-N7	10.93	1.37	1.30
26	BB	2347	C	N1-C6	10.93	1.43	1.37
1	AA	1085	U	C2-N3	10.92	1.45	1.37
26	BB	1336	A	N3-C4	10.92	1.41	1.34
26	BB	920	A	P-O5'	10.90	1.70	1.59
26	BB	311	A	N9-C4	10.90	1.44	1.37
26	BB	1634	A	N3-C4	10.90	1.41	1.34
26	BB	2529	G	N1-C2	10.89	1.46	1.37
26	BB	1035	U	C2-N3	10.89	1.45	1.37
26	BB	1806	C	N1-C6	10.89	1.43	1.37
3	AC	38	G	P-O5'	10.89	1.70	1.59
26	BB	350	G	N7-C5	10.88	1.45	1.39
1	AA	550	G	N7-C5	-10.88	1.32	1.39
26	BB	423	A	N9-C4	-10.87	1.31	1.37
26	BB	2094	A	N9-C4	10.88	1.44	1.37
1	AA	731	G	P-O5'	10.87	1.70	1.59
26	BB	1348	C	N1-C6	10.87	1.43	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	31	C	N1-C6	10.86	1.43	1.37
26	BB	515	A	C6-N6	10.86	1.42	1.33
26	BB	2509	G	N3-C4	10.86	1.43	1.35
26	BB	2293	G	P-O5'	10.85	1.70	1.59
26	BB	2455	G	C8-N7	10.85	1.37	1.30
26	BB	2571	U	O3'-P	10.85	1.74	1.61
1	AA	1296	C	N1-C6	10.84	1.43	1.37
1	AA	265	G	N7-C5	-10.82	1.32	1.39
26	BB	321	U	C4-C5	10.82	1.53	1.43
26	BB	1982	U	C2-N3	10.82	1.45	1.37
1	AA	360	G	C2-N3	10.81	1.41	1.32
26	BB	727	A	N9-C4	10.81	1.44	1.37
26	BB	2727	A	C8-N7	-10.80	1.24	1.31
26	BB	2431	U	C2-N3	10.79	1.45	1.37
26	BB	2590	A	N3-C4	10.79	1.41	1.34
26	BB	7	G	N3-C4	10.79	1.43	1.35
26	BB	810	U	C4-O4	10.79	1.32	1.23
26	BB	2191	A	N3-C4	10.79	1.41	1.34
25	BA	119	A	C5'-C4'	10.78	1.64	1.51
26	BB	2100	G	N7-C5	10.78	1.45	1.39
26	BB	2862	G	P-O5'	10.78	1.70	1.59
1	AA	781	A	C6-N6	10.77	1.42	1.33
4	AD	30	G	N1-C2	10.77	1.46	1.37
26	BB	2850	A	C8-N7	-10.76	1.24	1.31
2	AB	4	G	N7-C5	-10.75	1.32	1.39
26	BB	1663	G	C6-N1	10.74	1.47	1.39
4	AD	16	C	N3-C4	10.74	1.41	1.33
26	BB	1862	G	C2-N3	10.74	1.41	1.32
26	BB	1881	C	C2-N3	10.73	1.44	1.35
1	AA	577	G	N1-C2	10.72	1.46	1.37
26	BB	2307	G	C6-N1	10.70	1.47	1.39
26	BB	2158	A	N3-C4	10.69	1.41	1.34
26	BB	2211	A	N3-C4	10.69	1.41	1.34
1	AA	535	A	C5-C4	-10.67	1.31	1.38
26	BB	74	A	N3-C4	10.67	1.41	1.34
26	BB	1371	G	C5'-C4'	10.67	1.64	1.51
1	AA	1222	G	P-O5'	10.66	1.70	1.59
26	BB	2009	A	C8-N7	-10.66	1.24	1.31
26	BB	2720	U	C2-N3	10.66	1.45	1.37
26	BB	546	U	C3'-C2'	10.65	1.64	1.52
26	BB	1876	A	N3-C4	10.63	1.41	1.34
26	BB	1076	C	N1-C6	10.63	1.43	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	845	A	P-O5'	10.62	1.70	1.59
1	AA	108	G	C6-N1	10.61	1.47	1.39
26	BB	986	C	C2-N3	10.61	1.44	1.35
1	AA	1231	G	N9-C8	10.61	1.45	1.37
26	BB	631	A	N7-C5	-10.61	1.32	1.39
26	BB	2458	G	C8-N7	-10.60	1.24	1.30
25	BA	102	G	C6-N1	10.60	1.47	1.39
1	AA	25	C	C4-N4	10.59	1.43	1.33
1	AA	779	C	N1-C6	10.59	1.43	1.37
1	AA	1109	C	N1-C6	-10.59	1.30	1.37
26	BB	997	G	N1-C2	10.59	1.46	1.37
26	BB	2335	A	C5-C4	-10.58	1.31	1.38
26	BB	1367	A	N3-C4	10.57	1.41	1.34
26	BB	2776	A	N7-C5	10.57	1.45	1.39
26	BB	2009	A	N9-C4	10.54	1.44	1.37
1	AA	445	G	C2-N3	10.54	1.41	1.32
26	BB	736	C	P-O5'	10.54	1.70	1.59
1	AA	1319	A	N7-C5	10.54	1.45	1.39
26	BB	1252	G	C5-C4	-10.53	1.30	1.38
26	BB	1620	G	C8-N7	10.53	1.37	1.30
26	BB	1737	G	N3-C4	10.53	1.42	1.35
26	BB	2717	C	P-O5'	10.52	1.70	1.59
1	AA	134	G	P-O5'	10.52	1.70	1.59
26	BB	1496	A	C6-N1	-10.52	1.28	1.35
26	BB	1512	C	N1-C6	10.52	1.43	1.37
26	BB	2205	A	C4'-O4'	-10.52	1.31	1.45
1	AA	141	G	N9-C8	-10.51	1.30	1.37
26	BB	883	G	C8-N7	10.50	1.37	1.30
1	AA	62	U	C2-N3	-10.50	1.30	1.37
26	BB	1490	A	N3-C4	-10.49	1.28	1.34
26	BB	2406	A	P-O5'	10.49	1.70	1.59
1	AA	1179	A	N3-C4	10.49	1.41	1.34
26	BB	715	A	N3-C4	10.49	1.41	1.34
26	BB	2137	U	C2-N3	10.48	1.45	1.37
26	BB	139	U	C2-N3	10.47	1.45	1.37
1	AA	101	A	N7-C5	10.47	1.45	1.39
1	AA	688	G	N1-C2	10.47	1.46	1.37
26	BB	2392	A	N3-C4	10.47	1.41	1.34
3	AC	55	A	N3-C4	10.46	1.41	1.34
1	AA	740	U	C4-C5	10.46	1.52	1.43
26	BB	2809	A	C8-N7	-10.46	1.24	1.31
26	BB	4	U	C2-N3	10.44	1.45	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2398	U	C2-N3	10.43	1.45	1.37
26	BB	1477	A	C5'-C4'	10.43	1.63	1.51
26	BB	2136	G	C4'-C3'	10.43	1.64	1.53
2	AB	63	C	N1-C6	10.43	1.43	1.37
1	AA	1411	C	N3-C4	10.42	1.41	1.33
26	BB	1677	A	N9-C4	10.42	1.44	1.37
1	AA	1045	C	N1-C6	10.41	1.43	1.37
1	AA	546	A	N7-C5	10.41	1.45	1.39
1	AA	327	A	C8-N7	-10.40	1.24	1.31
1	AA	794	A	C5'-C4'	10.39	1.63	1.51
26	BB	2796	U	C2-N3	10.38	1.45	1.37
1	AA	1236	A	N7-C5	10.38	1.45	1.39
26	BB	307	G	N1-C2	10.38	1.46	1.37
26	BB	1164	C	N1-C6	10.38	1.43	1.37
25	BA	64	G	P-O5'	10.37	1.70	1.59
26	BB	2150	C	P-O5'	10.37	1.70	1.59
1	AA	558	G	P-O5'	10.37	1.70	1.59
1	AA	561	U	N1-C2	10.37	1.47	1.38
26	BB	841	G	C6-N1	10.36	1.46	1.39
26	BB	189	G	N7-C5	10.35	1.45	1.39
1	AA	1042	A	C6-N1	-10.35	1.28	1.35
1	AA	890	G	C2-N3	10.34	1.41	1.32
26	BB	1189	A	N1-C2	10.34	1.43	1.34
26	BB	70	G	C8-N7	-10.34	1.24	1.30
26	BB	1298	C	N1-C6	10.33	1.43	1.37
1	AA	1228	C	C4-C5	10.33	1.51	1.43
26	BB	1637	A	N3-C4	10.33	1.41	1.34
1	AA	378	G	C6-N1	10.33	1.46	1.39
1	AA	13	U	C2-N3	10.32	1.45	1.37
26	BB	2886	A	N7-C5	10.32	1.45	1.39
1	AA	244	U	C2-N3	10.32	1.45	1.37
26	BB	1270	C	C5'-C4'	10.32	1.63	1.51
26	BB	1901	A	N3-C4	10.32	1.41	1.34
1	AA	438	U	P-O5'	10.31	1.70	1.59
26	BB	1894	C	N1-C6	10.31	1.43	1.37
26	BB	422	A	N9-C4	-10.31	1.31	1.37
26	BB	2582	G	C4'-O4'	-10.30	1.32	1.45
26	BB	639	U	C2-N3	10.30	1.45	1.37
26	BB	612	G	N9-C4	10.29	1.46	1.38
26	BB	347	A	N3-C4	10.28	1.41	1.34
26	BB	316	C	C4-C5	10.28	1.51	1.43
1	AA	1405	G	P-O5'	-10.28	1.49	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2191	A	P-O5'	10.27	1.70	1.59
3	AC	37	G	C6-N1	10.27	1.46	1.39
1	AA	1095	U	C2-N3	10.26	1.45	1.37
26	BB	479	A	C6-N1	-10.26	1.28	1.35
1	AA	1507	A	C4'-C3'	10.26	1.64	1.53
26	BB	1906	G	N9-C8	-10.25	1.30	1.37
26	BB	561	G	C2'-C1'	-10.25	1.42	1.53
26	BB	1149	G	O3'-P	10.24	1.73	1.61
26	BB	2897	U	O3'-P	10.23	1.73	1.61
1	AA	282	A	C8-N7	-10.23	1.24	1.31
1	AA	1226	C	C5-C6	10.23	1.42	1.34
1	AA	350	G	P-O5'	10.22	1.70	1.59
1	AA	587	G	N3-C4	10.22	1.42	1.35
1	AA	183	C	N1-C6	10.22	1.43	1.37
26	BB	175	G	C3'-C2'	10.21	1.64	1.52
26	BB	1285	A	C8-N7	-10.21	1.24	1.31
26	BB	195	A	C8-N7	-10.20	1.24	1.31
26	BB	1092	C	C2-N3	10.20	1.44	1.35
1	AA	801	U	P-O5'	10.19	1.70	1.59
26	BB	2425	A	N9-C4	10.19	1.44	1.37
1	AA	262	A	N3-C4	10.19	1.41	1.34
26	BB	1016	G	N3-C4	10.19	1.42	1.35
26	BB	753	A	O3'-P	10.19	1.73	1.61
1	AA	182	A	C8-N7	-10.18	1.24	1.31
1	AA	520	A	N3-C4	10.18	1.41	1.34
26	BB	689	A	N7-C5	-10.18	1.33	1.39
4	AD	58	A	C6-N6	10.17	1.42	1.33
26	BB	2216	G	C8-N7	-10.17	1.24	1.30
26	BB	160	A	N3-C4	10.16	1.41	1.34
26	BB	2346	A	C6-N6	10.15	1.42	1.33
26	BB	2734	A	N3-C4	10.15	1.41	1.34
1	AA	1250	A	N3-C4	10.14	1.41	1.34
26	BB	2672	U	C2-N3	10.14	1.44	1.37
1	AA	327	A	P-O5'	10.14	1.69	1.59
26	BB	321	U	P-O5'	10.13	1.69	1.59
26	BB	1116	G	N7-C5	-10.13	1.33	1.39
1	AA	211	G	C5'-C4'	10.13	1.63	1.51
1	AA	539	A	N3-C4	10.13	1.41	1.34
26	BB	2896	C	C2-N3	10.13	1.43	1.35
26	BB	2087	G	C2-N3	10.13	1.40	1.32
25	BA	43	C	N1-C6	10.12	1.43	1.37
1	AA	786	G	N1-C2	10.12	1.45	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1045	C	P-O5'	10.11	1.69	1.59
1	AA	731	G	N7-C5	10.11	1.45	1.39
26	BB	244	A	N3-C4	10.11	1.41	1.34
26	BB	1777	U	N1-C2	10.11	1.47	1.38
26	BB	339	U	C2-N3	10.10	1.44	1.37
26	BB	692	C	N1-C6	10.10	1.43	1.37
26	BB	2790	U	O3'-P	10.10	1.73	1.61
26	BB	1930	G	N7-C5	-10.09	1.33	1.39
26	BB	2496	C	C5-C6	10.09	1.42	1.34
26	BB	2436	G	P-O5'	10.09	1.69	1.59
26	BB	2509	G	N7-C5	10.09	1.45	1.39
26	BB	2421	G	N7-C5	-10.08	1.33	1.39
26	BB	394	C	N3-C4	10.08	1.41	1.33
26	BB	2657	A	N3-C4	10.08	1.40	1.34
1	AA	432	A	N7-C5	10.07	1.45	1.39
1	AA	16	A	N3-C4	10.07	1.40	1.34
26	BB	1598	A	N3-C4	10.07	1.40	1.34
1	AA	532	A	N7-C5	-10.07	1.33	1.39
26	BB	526	A	P-O5'	10.06	1.69	1.59
1	AA	1473	G	N3-C4	10.06	1.42	1.35
1	AA	107	G	N1-C2	10.06	1.45	1.37
1	AA	703	G	P-O5'	10.06	1.69	1.59
26	BB	731	C	N1-C6	10.06	1.43	1.37
1	AA	11	G	N1-C2	10.06	1.45	1.37
1	AA	1003	G	P-O5'	10.05	1.69	1.59
26	BB	459	U	C4-C5	10.05	1.52	1.43
1	AA	1112	C	P-O5'	10.05	1.69	1.59
26	BB	2888	C	N1-C6	10.04	1.43	1.37
1	AA	1399	C	N3-C4	10.04	1.41	1.33
26	BB	270	A	N7-C5	10.04	1.45	1.39
26	BB	2392	A	N9-C4	10.04	1.43	1.37
26	BB	2723	C	P-O5'	10.03	1.69	1.59
26	BB	1313	U	N1-C2	10.03	1.47	1.38
26	BB	1787	A	N3-C4	10.02	1.40	1.34
26	BB	918	A	N7-C5	-10.01	1.33	1.39
26	BB	1439	A	N9-C4	-10.01	1.31	1.37
26	BB	301	G	C2-N3	10.01	1.40	1.32
4	AD	10	G	C6-N1	-10.01	1.32	1.39
26	BB	893	C	P-O5'	10.01	1.69	1.59
1	AA	637	C	C2-N3	10.00	1.43	1.35
1	AA	1059	C	C2-N3	10.00	1.43	1.35
1	AA	208	U	C5'-C4'	9.99	1.63	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	185	U	C5-C6	9.99	1.43	1.34
4	AD	39	A	O3'-P	9.99	1.73	1.61
3	AC	15	G	N3-C4	9.99	1.42	1.35
26	BB	1462	C	C4-C5	-9.99	1.34	1.43
26	BB	2616	C	C5'-C4'	9.99	1.63	1.51
26	BB	1549	A	N3-C4	9.98	1.40	1.34
26	BB	1920	C	N1-C6	9.98	1.43	1.37
1	AA	951	G	N9-C4	-9.98	1.29	1.38
26	BB	1323	C	N1-C6	-9.97	1.31	1.37
26	BB	1064	C	P-O5'	9.96	1.69	1.59
26	BB	1085	A	N9-C8	-9.96	1.29	1.37
1	AA	889	A	N3-C4	9.96	1.40	1.34
1	AA	1003	G	C5-C4	-9.96	1.31	1.38
1	AA	511	C	P-O5'	9.95	1.69	1.59
26	BB	1886	U	C5-C6	9.95	1.43	1.34
1	AA	1156	G	C2-N3	9.95	1.40	1.32
2	AB	36	A	P-O5'	9.95	1.69	1.59
1	AA	515	G	N9-C8	9.95	1.44	1.37
1	AA	360	G	C8-N7	-9.94	1.25	1.30
26	BB	562	U	C4-O4	-9.94	1.15	1.23
26	BB	2613	U	P-O5'	9.94	1.69	1.59
1	AA	171	A	N7-C5	-9.92	1.33	1.39
26	BB	365	U	O3'-P	9.92	1.73	1.61
1	AA	19	A	N3-C4	9.92	1.40	1.34
1	AA	552	U	N1-C2	9.92	1.47	1.38
1	AA	601	G	N3-C4	9.91	1.42	1.35
26	BB	224	U	C2-N3	9.91	1.44	1.37
26	BB	1851	U	P-O5'	9.91	1.69	1.59
1	AA	666	G	N9-C8	-9.90	1.30	1.37
26	BB	2764	A	P-O5'	9.90	1.69	1.59
1	AA	1418	A	N3-C4	9.90	1.40	1.34
26	BB	1387	A	C8-N7	-9.90	1.24	1.31
26	BB	2452	C	N1-C6	9.90	1.43	1.37
25	BA	7	G	N7-C5	-9.90	1.33	1.39
1	AA	1271	A	N3-C4	9.89	1.40	1.34
26	BB	1666	G	C6-N1	9.89	1.46	1.39
26	BB	2559	C	C4-C5	9.89	1.50	1.43
26	BB	2737	G	C2-N3	9.89	1.40	1.32
26	BB	2403	C	C4-C5	-9.89	1.35	1.43
1	AA	938	A	N9-C4	9.88	1.43	1.37
1	AA	967	5MC	O3'-P	9.88	1.73	1.61
25	BA	3	C	N1-C6	9.88	1.43	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2343	U	C2-N3	9.88	1.44	1.37
26	BB	920	A	C8-N7	-9.88	1.24	1.31
1	AA	13	U	C4-O4	-9.87	1.15	1.23
1	AA	759	A	N3-C4	9.88	1.40	1.34
1	AA	1173	U	C2-N3	9.88	1.44	1.37
1	AA	1380	U	C5'-C4'	9.88	1.63	1.51
26	BB	345	A	C6-N1	-9.87	1.28	1.35
26	BB	2331	G	C5'-C4'	9.87	1.63	1.51
1	AA	1039	G	N3-C4	9.86	1.42	1.35
26	BB	2179	C	P-O5'	9.86	1.69	1.59
26	BB	335	C	C2-O2	-9.86	1.15	1.24
26	BB	1106	G	N7-C5	9.86	1.45	1.39
26	BB	1496	A	N3-C4	9.86	1.40	1.34
26	BB	2517	C	N1-C6	9.86	1.43	1.37
26	BB	1227	G	N7-C5	-9.85	1.33	1.39
26	BB	2813	A	N9-C4	9.85	1.43	1.37
26	BB	1889	A	C2-N3	-9.85	1.24	1.33
26	BB	878	A	N3-C4	9.85	1.40	1.34
26	BB	1085	A	N3-C4	9.85	1.40	1.34
26	BB	1205	A	C8-N7	-9.84	1.24	1.31
26	BB	748	G	C2-N3	9.84	1.40	1.32
26	BB	948	C	N1-C6	-9.84	1.31	1.37
26	BB	1382	G	N7-C5	-9.84	1.33	1.39
26	BB	2745	C	C5-C6	9.84	1.42	1.34
26	BB	815	C	N1-C6	9.83	1.43	1.37
26	BB	952	G	C6-N1	9.83	1.46	1.39
1	AA	35	G	C8-N7	9.82	1.36	1.30
1	AA	1466	C	N3-C4	9.82	1.40	1.33
26	BB	734	A	N9-C4	9.82	1.43	1.37
1	AA	783	C	N1-C6	9.82	1.43	1.37
1	AA	1191	A	N9-C4	-9.81	1.31	1.37
1	AA	1219	A	N3-C4	9.80	1.40	1.34
26	BB	2140	G	P-O5'	9.80	1.69	1.59
26	BB	24	G	C2-N3	9.80	1.40	1.32
26	BB	177	G	C6-N1	9.80	1.46	1.39
26	BB	1576	U	P-O5'	9.80	1.69	1.59
1	AA	1271	A	N7-C5	-9.79	1.33	1.39
26	BB	2083	G	N3-C4	9.79	1.42	1.35
26	BB	514	A	P-O5'	9.79	1.69	1.59
1	AA	564	C	P-O5'	9.79	1.69	1.59
26	BB	150	U	P-O5'	9.79	1.69	1.59
26	BB	1639	C	N1-C6	9.79	1.43	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1938	A	P-O5'	9.78	1.69	1.59
26	BB	262	A	C5-C4	-9.78	1.31	1.38
26	BB	329	G	C2-N3	9.78	1.40	1.32
4	AD	74	A	N9-C4	9.77	1.43	1.37
25	BA	66	A	C2-N3	9.77	1.42	1.33
1	AA	55	A	N7-C5	9.77	1.45	1.39
26	BB	553	G	N9-C8	9.77	1.44	1.37
26	BB	1840	G	N7-C5	9.77	1.45	1.39
26	BB	970	U	C2-N3	9.77	1.44	1.37
1	AA	1012	A	N3-C4	9.77	1.40	1.34
1	AA	940	C	P-O5'	9.76	1.69	1.59
26	BB	1711	A	N3-C4	9.76	1.40	1.34
26	BB	2373	G	N3-C4	9.76	1.42	1.35
26	BB	455	C	N1-C6	9.76	1.43	1.37
26	BB	1697	G	O3'-P	9.76	1.72	1.61
26	BB	2243	U	C2-N3	9.76	1.44	1.37
1	AA	1169	A	N7-C5	9.75	1.45	1.39
1	AA	443	C	N1-C6	9.75	1.43	1.37
26	BB	2284	A	N7-C5	9.74	1.45	1.39
26	BB	2317	A	N9-C4	9.74	1.43	1.37
26	BB	979	A	N9-C4	9.74	1.43	1.37
26	BB	1626	A	N3-C4	9.74	1.40	1.34
26	BB	2678	C	P-O5'	9.74	1.69	1.59
1	AA	1177	G	C8-N7	-9.73	1.25	1.30
26	BB	44	A	N7-C5	-9.73	1.33	1.39
26	BB	2661	G	C2-N3	9.73	1.40	1.32
26	BB	2706	A	C6-N1	9.73	1.42	1.35
26	BB	174	U	C2-N3	9.72	1.44	1.37
1	AA	132	C	C5-C6	9.72	1.42	1.34
1	AA	1083	U	C2'-C1'	9.72	1.64	1.53
26	BB	1747	U	P-O5'	9.72	1.69	1.59
26	BB	2167	U	N3-C4	9.72	1.47	1.38
26	BB	2731	G	C8-N7	-9.72	1.25	1.30
1	AA	513	C	C5-C6	9.71	1.42	1.34
26	BB	1440	U	C2-N3	9.71	1.44	1.37
1	AA	324	G	N7-C5	-9.71	1.33	1.39
1	AA	1323	G	N3-C4	9.71	1.42	1.35
26	BB	2844	G	P-O5'	9.70	1.69	1.59
26	BB	207	A	O3'-P	9.70	1.72	1.61
26	BB	2861	U	C2-N3	9.70	1.44	1.37
26	BB	2240	U	P-O5'	9.69	1.69	1.59
1	AA	1172	C	P-O5'	9.69	1.69	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	75	C	P-O5'	9.69	1.69	1.59
26	BB	1588	G	N9-C8	-9.69	1.31	1.37
26	BB	2610	C	N1-C6	9.69	1.43	1.37
26	BB	55	G	C6-N1	-9.69	1.32	1.39
26	BB	1955	U	N1-C2	9.68	1.47	1.38
26	BB	2138	G	C6-O6	-9.68	1.15	1.24
2	AB	12	U	C2-N3	9.67	1.44	1.37
26	BB	966	G	N9-C8	9.67	1.44	1.37
26	BB	2554	U	C5'-C4'	9.67	1.62	1.51
1	AA	134	G	C6-N1	-9.66	1.32	1.39
1	AA	667	G	C5-C4	-9.66	1.31	1.38
1	AA	1501	C	P-O5'	9.65	1.69	1.59
1	AA	465	A	N3-C4	9.65	1.40	1.34
26	BB	2080	A	N3-C4	9.65	1.40	1.34
1	AA	840	C	N1-C6	9.64	1.43	1.37
26	BB	498	G	N3-C4	9.64	1.42	1.35
1	AA	1225	A	N7-C5	9.64	1.45	1.39
26	BB	888	C	C2-O2	-9.64	1.15	1.24
1	AA	1165	U	N1-C2	9.63	1.47	1.38
26	BB	2311	A	C8-N7	-9.64	1.24	1.31
26	BB	824	U	C2-N3	9.63	1.44	1.37
1	AA	870	U	C2-N3	9.63	1.44	1.37
1	AA	2	A	N7-C5	9.62	1.45	1.39
26	BB	781	A	O3'-P	9.62	1.72	1.61
26	BB	1333	G	N1-C2	9.62	1.45	1.37
1	AA	457	G	C4'-O4'	-9.61	1.33	1.45
1	AA	782	A	N3-C4	9.61	1.40	1.34
1	AA	1389	C	C4-C5	-9.61	1.35	1.43
1	AA	133	U	P-O5'	9.60	1.69	1.59
1	AA	308	C	N1-C6	9.60	1.43	1.37
1	AA	735	C	C2'-C1'	9.60	1.64	1.53
26	BB	415	A	P-O5'	9.60	1.69	1.59
26	BB	245	G	C2-N3	9.59	1.40	1.32
1	AA	1150	A	N7-C5	9.59	1.45	1.39
26	BB	2298	A	C5-C4	-9.59	1.32	1.38
26	BB	2645	G	N1-C2	9.59	1.45	1.37
26	BB	123	G	P-O5'	9.58	1.69	1.59
26	BB	2780	G	N9-C8	9.58	1.44	1.37
1	AA	1538	C	C4-C5	9.57	1.50	1.43
1	AA	818	G	C6-N1	9.57	1.46	1.39
26	BB	2898	U	C2-N3	9.57	1.44	1.37
26	BB	2655	G	N7-C5	9.57	1.45	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	271	G	N7-C5	9.56	1.45	1.39
26	BB	2758	A	C5'-C4'	9.56	1.62	1.51
26	BB	659	G	P-O5'	9.56	1.69	1.59
1	AA	1093	A	C2'-C1'	-9.55	1.42	1.53
26	BB	554	U	P-O5'	9.55	1.69	1.59
26	BB	2346	A	C5-C4	-9.55	1.32	1.38
26	BB	2468	A	N9-C4	-9.55	1.32	1.37
26	BB	1408	G	C8-N7	-9.55	1.25	1.30
1	AA	978	A	C6-N1	9.55	1.42	1.35
26	BB	888	C	C5-C6	9.54	1.42	1.34
26	BB	916	G	N9-C8	9.54	1.44	1.37
26	BB	1973	G	C6-N1	9.54	1.46	1.39
26	BB	2371	G	P-O5'	9.54	1.69	1.59
1	AA	1235	U	P-O5'	9.54	1.69	1.59
26	BB	456	C	N1-C6	-9.54	1.31	1.37
26	BB	2466	C	P-O5'	9.54	1.69	1.59
1	AA	358	U	C2-N3	-9.53	1.31	1.37
26	BB	300	A	N3-C4	9.54	1.40	1.34
2	AB	13	C	O3'-P	9.53	1.72	1.61
26	BB	2893	A	C5'-C4'	9.53	1.62	1.51
1	AA	1032	G	N9-C4	9.53	1.45	1.38
26	BB	1532	A	N3-C4	9.53	1.40	1.34
1	AA	160	A	N3-C4	9.52	1.40	1.34
1	AA	422	C	C2-N3	9.52	1.43	1.35
25	BA	34	A	C5-C6	9.52	1.49	1.41
26	BB	1310	G	N7-C5	9.52	1.45	1.39
1	AA	257	G	C6-N1	9.51	1.46	1.39
1	AA	1086	U	O3'-P	9.51	1.72	1.61
26	BB	1270	C	N1-C6	9.51	1.42	1.37
26	BB	1144	A	N3-C4	9.51	1.40	1.34
26	BB	2016	U	C2-N3	9.51	1.44	1.37
26	BB	1324	G	C5'-C4'	9.51	1.62	1.51
26	BB	1388	G	P-O5'	9.50	1.69	1.59
1	AA	1193	G	P-O5'	9.50	1.69	1.59
26	BB	2284	A	P-O5'	9.50	1.69	1.59
26	BB	2370	G	C2-N3	9.49	1.40	1.32
1	AA	525	C	C4-N4	-9.49	1.25	1.33
3	AC	57	C	N1-C6	9.49	1.42	1.37
26	BB	831	G	N7-C5	-9.49	1.33	1.39
26	BB	1299	G	C2-N3	9.49	1.40	1.32
1	AA	667	G	P-O5'	9.49	1.69	1.59
1	AA	1103	C	O3'-P	9.48	1.72	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	28	C	C4-N4	9.48	1.42	1.33
1	AA	1457	G	P-O5'	9.47	1.69	1.59
26	BB	637	A	N7-C5	9.47	1.45	1.39
26	BB	799	G	C6-N1	-9.47	1.32	1.39
26	BB	1879	C	N1-C6	9.47	1.42	1.37
1	AA	953	G	C8-N7	-9.47	1.25	1.30
26	BB	1637	A	P-O5'	9.47	1.69	1.59
1	AA	67	C	C5-C6	9.47	1.42	1.34
3	AC	43	U	P-O5'	9.47	1.69	1.59
26	BB	1613	G	N7-C5	-9.47	1.33	1.39
1	AA	813	U	P-O5'	-9.46	1.50	1.59
26	BB	1417	C	C4'-C3'	9.46	1.63	1.53
1	AA	49	U	N3-C4	9.46	1.47	1.38
1	AA	1253	G	N9-C8	-9.46	1.31	1.37
26	BB	2466	C	N1-C6	9.46	1.42	1.37
26	BB	2616	C	N1-C2	9.45	1.49	1.40
26	BB	2200	C	P-O5'	9.45	1.69	1.59
26	BB	2261	C	C2-N3	9.45	1.43	1.35
26	BB	515	A	N3-C4	9.45	1.40	1.34
26	BB	2077	A	P-O5'	9.45	1.69	1.59
26	BB	2273	A	C8-N7	-9.45	1.25	1.31
3	AC	42	U	N1-C2	9.44	1.47	1.38
26	BB	589	U	P-O5'	9.44	1.69	1.59
26	BB	1768	C	P-O5'	9.44	1.69	1.59
26	BB	76	C	N3-C4	9.44	1.40	1.33
26	BB	802	A	N3-C4	9.44	1.40	1.34
26	BB	301	G	N3-C4	9.44	1.42	1.35
26	BB	369	U	C4'-O4'	-9.44	1.33	1.45
26	BB	617	G	N1-C2	9.44	1.45	1.37
26	BB	1105	U	C4-C5	9.44	1.52	1.43
26	BB	1119	U	C2-N3	9.44	1.44	1.37
26	BB	2648	G	P-O5'	9.44	1.69	1.59
26	BB	172	A	P-O5'	-9.43	1.50	1.59
26	BB	1572	A	N3-C4	9.43	1.40	1.34
1	AA	1323	G	C2-N3	9.42	1.40	1.32
26	BB	2512	C	P-O5'	9.42	1.69	1.59
26	BB	2699	C	C5-C6	9.42	1.41	1.34
26	BB	595	C	N1-C6	9.42	1.42	1.37
1	AA	654	G	N3-C4	9.41	1.42	1.35
26	BB	1002	G	N3-C4	9.41	1.42	1.35
26	BB	2864	G	N7-C5	-9.41	1.33	1.39
26	BB	1271	G	N9-C8	9.40	1.44	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2064	C	N1-C6	9.40	1.42	1.37
26	BB	706	A	N7-C5	-9.40	1.33	1.39
26	BB	169	G	C5-C6	9.40	1.51	1.42
26	BB	1996	C	N1-C6	-9.40	1.31	1.37
26	BB	1757	A	C6-N1	-9.39	1.28	1.35
26	BB	705	A	N3-C4	9.39	1.40	1.34
26	BB	2013	A	N3-C4	9.39	1.40	1.34
26	BB	2711	A	N3-C4	9.39	1.40	1.34
26	BB	1284	A	C6-N6	-9.38	1.26	1.33
26	BB	1201	U	C2-N3	9.38	1.44	1.37
1	AA	210	C	P-O5'	9.37	1.69	1.59
1	AA	343	U	C2-N3	9.37	1.44	1.37
1	AA	1260	G	N3-C4	9.37	1.42	1.35
1	AA	793	U	P-O5'	9.36	1.69	1.59
26	BB	1180	U	C3'-C2'	9.36	1.63	1.52
26	BB	1839	G	C6-N1	9.36	1.46	1.39
1	AA	485	U	C4'-C3'	9.35	1.63	1.53
26	BB	504	A	N7-C5	-9.35	1.33	1.39
26	BB	1866	A	N9-C4	9.35	1.43	1.37
26	BB	1975	G	C5-C4	-9.35	1.31	1.38
1	AA	907	A	P-O5'	9.34	1.69	1.59
1	AA	497	G	N3-C4	9.34	1.42	1.35
26	BB	554	U	C4'-O4'	-9.34	1.33	1.45
26	BB	1953	A	C5'-C4'	9.34	1.62	1.51
1	AA	9	G	C2-N3	9.33	1.40	1.32
26	BB	1552	A	P-O5'	9.33	1.69	1.59
1	AA	716	A	C5-C4	-9.33	1.32	1.38
1	AA	1023	U	C2-N3	9.33	1.44	1.37
26	BB	76	C	C5-C6	9.33	1.41	1.34
1	AA	559	A	N7-C5	9.33	1.44	1.39
26	BB	849	A	N3-C4	9.33	1.40	1.34
1	AA	19	A	C6-N1	-9.32	1.29	1.35
26	BB	2892	G	N3-C4	9.32	1.42	1.35
4	AD	63	C	O3'-P	9.32	1.72	1.61
26	BB	2370	G	C8-N7	9.32	1.36	1.30
1	AA	1156	G	P-O5'	9.32	1.69	1.59
1	AA	625	U	C5-C6	-9.32	1.25	1.34
26	BB	2294	G	N9-C8	-9.32	1.31	1.37
1	AA	252	U	P-O5'	9.31	1.69	1.59
26	BB	1346	G	P-O5'	9.31	1.69	1.59
26	BB	760	G	O3'-P	9.30	1.72	1.61
26	BB	2050	C	C5-C6	9.29	1.41	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1039	A	N7-C5	9.29	1.44	1.39
26	BB	469	G	C2'-C1'	9.29	1.63	1.53
1	AA	1494	G	P-O5'	9.28	1.69	1.59
26	BB	523	C	C2-N3	9.28	1.43	1.35
26	BB	882	G	N3-C4	9.28	1.42	1.35
1	AA	657	U	P-O5'	-9.28	1.50	1.59
1	AA	1063	C	C4-C5	9.28	1.50	1.43
26	BB	2105	U	P-O5'	9.28	1.69	1.59
26	BB	1932	A	P-O5'	9.27	1.69	1.59
26	BB	2100	G	C2-N3	9.27	1.40	1.32
26	BB	537	G	C8-N7	9.27	1.36	1.30
26	BB	1334	G	N3-C4	9.27	1.42	1.35
26	BB	2166	U	P-O5'	9.27	1.69	1.59
26	BB	1754	A	C3'-C2'	-9.27	1.42	1.52
1	AA	127	G	N7-C5	9.26	1.44	1.39
1	AA	646	G	N3-C4	9.26	1.42	1.35
26	BB	140	C	N1-C6	9.26	1.42	1.37
26	BB	2157	G	C3'-C2'	9.26	1.63	1.52
26	BB	486	C	P-O5'	9.26	1.69	1.59
3	AC	56	G	N9-C4	9.26	1.45	1.38
26	BB	2877	G	C2'-C1'	9.26	1.63	1.53
1	AA	468	A	N9-C8	-9.25	1.30	1.37
1	AA	883	C	P-O5'	9.25	1.69	1.59
26	BB	1167	C	C4-C5	9.25	1.50	1.43
26	BB	681	G	P-O5'	9.25	1.69	1.59
26	BB	2153	C	N1-C6	9.25	1.42	1.37
1	AA	373	A	N3-C4	9.25	1.40	1.34
26	BB	298	G	N3-C4	9.25	1.42	1.35
26	BB	1619	G	C6-N1	9.25	1.46	1.39
26	BB	1764	C	N1-C6	9.25	1.42	1.37
1	AA	1029	U	C2-N3	9.25	1.44	1.37
26	BB	763	G	N3-C4	9.24	1.42	1.35
26	BB	2345	G	C8-N7	-9.24	1.25	1.30
26	BB	2623	G	C6-N1	-9.24	1.33	1.39
1	AA	320	A	P-O5'	9.24	1.69	1.59
1	AA	792	A	N7-C5	9.24	1.44	1.39
26	BB	581	C	C2-N3	9.24	1.43	1.35
3	AC	50	U	C4'-O4'	-9.23	1.33	1.45
26	BB	1184	U	O3'-P	-9.23	1.50	1.61
25	BA	86	G	O3'-P	9.23	1.72	1.61
26	BB	623	C	C5-C6	9.23	1.41	1.34
26	BB	558	U	C2-N3	9.22	1.44	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1308	A	O3'-P	9.22	1.72	1.61
26	BB	1236	G	N3-C4	9.22	1.42	1.35
26	BB	1849	G	C2-N3	9.21	1.40	1.32
26	BB	2767	C	N1-C6	-9.21	1.31	1.37
1	AA	350	G	C8-N7	9.21	1.36	1.30
26	BB	2622	U	C2'-C1'	9.21	1.63	1.53
1	AA	1032	G	N9-C8	9.21	1.44	1.37
26	BB	1773	A	N3-C4	9.21	1.40	1.34
26	BB	2769	U	C4'-O4'	-9.21	1.33	1.45
1	AA	98	A	N3-C4	9.21	1.40	1.34
4	AD	36	A	C5'-C4'	9.20	1.62	1.51
26	BB	350	G	N1-C2	9.21	1.45	1.37
26	BB	892	A	P-O5'	9.20	1.69	1.59
26	BB	726	G	N9-C8	9.20	1.44	1.37
26	BB	2601	C	N1-C6	9.20	1.42	1.37
1	AA	906	A	C8-N7	-9.19	1.25	1.31
26	BB	974	G	C8-N7	-9.20	1.25	1.30
4	AD	5	G	N7-C5	9.19	1.44	1.39
26	BB	2706	A	N3-C4	9.19	1.40	1.34
1	AA	398	U	O3'-P	9.19	1.72	1.61
26	BB	456	C	O3'-P	9.19	1.72	1.61
1	AA	1	A	N9-C8	-9.18	1.30	1.37
1	AA	336	A	N3-C4	9.18	1.40	1.34
1	AA	1097	C	C4-C5	9.18	1.50	1.43
26	BB	929	U	C5-C6	9.18	1.42	1.34
1	AA	1234	C	C4'-O4'	-9.18	1.33	1.45
26	BB	1453	A	C5'-C4'	9.18	1.62	1.51
26	BB	1340	U	N1-C2	9.18	1.46	1.38
1	AA	388	G	N9-C4	9.18	1.45	1.38
26	BB	859	G	C5-C6	9.18	1.51	1.42
1	AA	1353	G	N1-C2	9.18	1.45	1.37
26	BB	2560	A	C6-N1	9.18	1.42	1.35
1	AA	1170	A	N1-C2	-9.17	1.26	1.34
26	BB	1145	C	C4-N4	-9.17	1.25	1.33
1	AA	107	G	P-O5'	9.17	1.69	1.59
1	AA	969	A	N3-C4	9.16	1.40	1.34
26	BB	2858	C	C2-O2	-9.16	1.16	1.24
1	AA	763	G	P-O5'	9.16	1.69	1.59
26	BB	2165	C	N1-C6	9.16	1.42	1.37
1	AA	384	G	N7-C5	9.16	1.44	1.39
26	BB	142	A	N7-C5	-9.16	1.33	1.39
26	BB	989	G	C2-N3	9.16	1.40	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	363	G	N7-C5	-9.15	1.33	1.39
26	BB	537	G	N7-C5	9.15	1.44	1.39
26	BB	1933	G	N3-C4	9.15	1.41	1.35
26	BB	2625	G	C6-N1	9.14	1.46	1.39
1	AA	69	G	O3'-P	9.14	1.72	1.61
1	AA	106	C	C5-C6	9.14	1.41	1.34
1	AA	768	A	P-O5'	9.14	1.68	1.59
26	BB	1286	A	P-O5'	9.14	1.68	1.59
1	AA	328	C	O3'-P	9.13	1.72	1.61
25	BA	67	G	O3'-P	9.13	1.72	1.61
26	BB	1181	U	N3-C4	9.13	1.46	1.38
1	AA	1291	U	N1-C2	9.13	1.46	1.38
26	BB	2438	U	N1-C2	9.13	1.46	1.38
1	AA	106	C	P-O5'	9.13	1.68	1.59
1	AA	742	G	C8-N7	-9.12	1.25	1.30
26	BB	2778	A	P-O5'	9.12	1.68	1.59
26	BB	2507	C	N3-C4	9.12	1.40	1.33
26	BB	2507	C	P-O5'	9.12	1.68	1.59
26	BB	2618	G	N7-C5	-9.12	1.33	1.39
25	BA	67	G	N9-C4	-9.12	1.30	1.38
26	BB	2186	G	C8-N7	9.12	1.36	1.30
26	BB	761	A	P-O5'	9.12	1.68	1.59
26	BB	1846	G	C2-N3	9.12	1.40	1.32
1	AA	418	C	N1-C6	9.11	1.42	1.37
26	BB	1335	C	N3-C4	9.11	1.40	1.33
26	BB	2119	A	C8-N7	-9.11	1.25	1.31
3	AC	41	A	N7-C5	9.11	1.44	1.39
1	AA	1074	G	N7-C5	9.11	1.44	1.39
26	BB	1180	U	C2-N3	9.11	1.44	1.37
26	BB	2753	A	N9-C4	9.10	1.43	1.37
1	AA	886	G	P-O5'	9.10	1.68	1.59
25	BA	90	C	P-O5'	9.10	1.68	1.59
26	BB	1446	C	C2-N3	9.10	1.43	1.35
1	AA	1417	G	N1-C2	9.10	1.45	1.37
1	AA	140	U	C2-N3	9.10	1.44	1.37
1	AA	919	A	N3-C4	9.10	1.40	1.34
1	AA	1136	C	P-O5'	-9.10	1.50	1.59
1	AA	239	U	C5'-C4'	9.09	1.62	1.51
1	AA	104	G	C4'-C3'	-9.09	1.43	1.53
1	AA	181	A	N3-C4	9.09	1.40	1.34
1	AA	539	A	P-O5'	9.09	1.68	1.59
1	AA	684	U	C4-C5	9.09	1.51	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	198	G	N9-C8	9.09	1.44	1.37
1	AA	326	G	P-O5'	9.09	1.68	1.59
1	AA	389	A	N9-C4	9.09	1.43	1.37
1	AA	1134	G	N7-C5	9.08	1.44	1.39
26	BB	94	A	C5'-C4'	9.08	1.62	1.51
1	AA	260	G	N3-C4	9.08	1.41	1.35
1	AA	770	C	N1-C6	9.08	1.42	1.37
26	BB	1896	G	P-O5'	9.08	1.68	1.59
26	BB	2640	G	C6-N1	9.08	1.46	1.39
26	BB	1067	A	C4'-O4'	-9.07	1.33	1.45
26	BB	1564	C	C2-N3	9.07	1.43	1.35
26	BB	1748	C	N3-C4	9.07	1.40	1.33
26	BB	2237	G	P-O5'	9.07	1.68	1.59
26	BB	681	G	C2'-C1'	-9.07	1.43	1.53
26	BB	1567	G	P-O5'	9.07	1.68	1.59
26	BB	201	C	C4-C5	9.06	1.50	1.43
25	BA	21	G	C5-C4	-9.06	1.32	1.38
26	BB	1459	G	N7-C5	9.05	1.44	1.39
1	AA	1289	A	N7-C5	-9.04	1.33	1.39
26	BB	2593	U	N1-C6	9.04	1.46	1.38
1	AA	32	A	N3-C4	9.04	1.40	1.34
1	AA	1458	G	N7-C5	9.04	1.44	1.39
26	BB	1703	G	N1-C2	9.03	1.45	1.37
1	AA	1273	C	C4-N4	9.03	1.42	1.33
26	BB	2830	C	N1-C6	9.03	1.42	1.37
1	AA	523	A	C6-N1	-9.03	1.29	1.35
26	BB	356	G	N7-C5	9.03	1.44	1.39
26	BB	2433	A	C4'-O4'	-9.03	1.33	1.45
1	AA	891	U	P-O5'	9.02	1.68	1.59
26	BB	1975	G	N7-C5	9.02	1.44	1.39
1	AA	1112	C	N1-C6	9.02	1.42	1.37
26	BB	798	G	N1-C2	9.02	1.45	1.37
26	BB	1558	C	P-O5'	9.02	1.68	1.59
26	BB	881	G	C6-N1	-9.01	1.33	1.39
26	BB	2051	A	P-O5'	9.01	1.68	1.59
1	AA	148	G	N3-C4	-9.01	1.29	1.35
1	AA	676	A	C8-N7	-9.01	1.25	1.31
1	AA	914	A	N9-C4	9.01	1.43	1.37
26	BB	871	U	O3'-P	9.01	1.72	1.61
26	BB	1445	G	C6-N1	9.01	1.45	1.39
1	AA	246	A	N9-C4	9.00	1.43	1.37
1	AA	894	G	N1-C2	9.00	1.45	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1202	U	P-O5'	9.00	1.68	1.59
1	AA	260	G	P-O5'	9.00	1.68	1.59
1	AA	669	G	C8-N7	9.00	1.36	1.30
26	BB	1259	G	C8-N7	-9.00	1.25	1.30
26	BB	2102	G	C2-N3	9.00	1.40	1.32
1	AA	500	G	N7-C5	9.00	1.44	1.39
6	AF	155	ARG	CZ-NH2	9.00	1.44	1.33
26	BB	2495	G	N7-C5	-9.00	1.33	1.39
26	BB	694	U	C2'-C1'	9.00	1.63	1.53
1	AA	461	A	N3-C4	8.99	1.40	1.34
1	AA	779	C	N3-C4	8.99	1.40	1.33
3	AC	16	A	C6-N1	8.99	1.41	1.35
26	BB	1741	C	C5'-C4'	8.99	1.62	1.51
1	AA	924	C	N1-C6	8.99	1.42	1.37
1	AA	214	C	N1-C6	8.99	1.42	1.37
26	BB	726	G	N7-C5	8.99	1.44	1.39
1	AA	710	G	C6-N1	8.98	1.45	1.39
1	AA	816	A	N7-C5	-8.98	1.33	1.39
26	BB	1222	U	C2-N3	8.98	1.44	1.37
26	BB	1847	A	N9-C4	8.98	1.43	1.37
26	BB	2117	A	C8-N7	-8.98	1.25	1.31
26	BB	2145	C	C4-C5	8.98	1.50	1.43
26	BB	2209	G	N3-C4	8.98	1.41	1.35
1	AA	952	U	C5'-C4'	8.97	1.62	1.51
1	AA	47	C	C2-O2	-8.97	1.16	1.24
1	AA	1272	G	N9-C4	8.97	1.45	1.38
26	BB	814	C	C4-C5	8.97	1.50	1.43
26	BB	2314	A	C2-N3	8.97	1.41	1.33
26	BB	1095	A	N3-C4	8.97	1.40	1.34
1	AA	1036	A	C6-N6	8.97	1.41	1.33
1	AA	1342	C	P-O5'	8.97	1.68	1.59
1	AA	1444	U	C4-C5	8.97	1.51	1.43
26	BB	2222	C	O3'-P	8.97	1.72	1.61
26	BB	602	A	N3-C4	8.96	1.40	1.34
26	BB	724	U	N1-C2	8.96	1.46	1.38
26	BB	1387	A	O3'-P	-8.96	1.50	1.61
26	BB	1867	G	C2-N3	8.96	1.40	1.32
1	AA	342	C	N1-C6	8.96	1.42	1.37
26	BB	409	G	C5'-C4'	8.95	1.62	1.51
26	BB	689	A	N3-C4	8.95	1.40	1.34
26	BB	2751	G	C6-N1	-8.95	1.33	1.39
1	AA	768	A	N3-C4	8.95	1.40	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2181	U	P-O5'	8.95	1.68	1.59
1	AA	1166	G	C2-N3	8.95	1.40	1.32
2	AB	40	C	C2'-C1'	8.95	1.63	1.53
26	BB	310	A	C5'-C4'	8.94	1.62	1.51
26	BB	2089	C	C4-N4	8.94	1.42	1.33
26	BB	912	C	N1-C6	8.94	1.42	1.37
26	BB	1165	A	C5-C4	-8.94	1.32	1.38
26	BB	1546	G	C5-C4	-8.94	1.32	1.38
26	BB	2773	C	C2-N3	8.94	1.43	1.35
52	B1	30	ARG	NE-CZ	8.94	1.44	1.33
1	AA	1225	A	N3-C4	8.94	1.40	1.34
26	BB	2545	G	C2-N3	8.94	1.39	1.32
26	BB	902	C	P-O5'	8.93	1.68	1.59
26	BB	363	G	N1-C2	8.93	1.44	1.37
26	BB	2388	A	N7-C5	8.93	1.44	1.39
26	BB	2377	A	N9-C4	8.93	1.43	1.37
1	AA	609	A	P-O5'	8.92	1.68	1.59
1	AA	1088	G	C2'-C1'	8.92	1.63	1.53
1	AA	1177	G	C2-N3	8.92	1.39	1.32
26	BB	327	G	P-O5'	8.92	1.68	1.59
26	BB	1059	G	N9-C8	-8.91	1.31	1.37
26	BB	1214	A	N9-C4	8.91	1.43	1.37
1	AA	553	A	C6-N6	-8.91	1.26	1.33
1	AA	303	A	N3-C4	8.91	1.40	1.34
26	BB	2888	C	P-O5'	8.91	1.68	1.59
4	AD	32	G	N3-C4	8.90	1.41	1.35
26	BB	873	C	N1-C6	8.90	1.42	1.37
26	BB	1504	A	P-O5'	8.90	1.68	1.59
1	AA	1103	C	C2-N3	8.90	1.42	1.35
26	BB	1861	G	P-O5'	8.90	1.68	1.59
26	BB	379	G	N3-C4	8.90	1.41	1.35
26	BB	2482	A	N7-C5	-8.90	1.33	1.39
26	BB	2138	G	N3-C4	8.90	1.41	1.35
26	BB	1535	A	C4'-O4'	-8.89	1.33	1.45
1	AA	179	A	N7-C5	8.89	1.44	1.39
26	BB	1093	G	C6-N1	8.89	1.45	1.39
26	BB	1535	A	N3-C4	8.89	1.40	1.34
26	BB	1231	U	C2-N3	8.89	1.44	1.37
26	BB	1297	C	N1-C6	8.89	1.42	1.37
26	BB	1408	G	N1-C2	8.89	1.44	1.37
26	BB	1912	A	N3-C4	8.89	1.40	1.34
1	AA	524	G	C2-N3	8.89	1.39	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1468	A	N3-C4	8.89	1.40	1.34
26	BB	129	C	C5'-C4'	8.89	1.62	1.51
26	BB	1565	C	N3-C4	8.89	1.40	1.33
2	AB	29	G	P-O5'	8.88	1.68	1.59
26	BB	472	A	C5-C4	-8.88	1.32	1.38
26	BB	2035	G	C4'-O4'	-8.88	1.34	1.45
26	BB	924	G	N3-C4	8.87	1.41	1.35
3	AC	49	U	C4'-C3'	8.87	1.62	1.53
25	BA	21	G	N9-C8	-8.87	1.31	1.37
1	AA	268	U	C2-N3	8.87	1.44	1.37
26	BB	287	G	C2-N3	8.87	1.39	1.32
26	BB	880	G	C4'-O4'	-8.87	1.34	1.45
26	BB	1556	C	O3'-P	8.87	1.71	1.61
26	BB	1889	A	N3-C4	8.87	1.40	1.34
1	AA	1538	C	N1-C6	-8.87	1.31	1.37
26	BB	667	U	N3-C4	8.87	1.46	1.38
26	BB	888	C	P-O5'	8.87	1.68	1.59
26	BB	2237	G	C8-N7	8.87	1.36	1.30
26	BB	1640	A	C5-C6	8.86	1.49	1.41
26	BB	1971	U	C2-N3	8.86	1.44	1.37
26	BB	2725	A	C5'-C4'	8.86	1.61	1.51
1	AA	1415	G	N1-C2	8.85	1.44	1.37
26	BB	2583	G	C5'-C4'	8.85	1.61	1.51
1	AA	139	A	N1-C2	-8.85	1.26	1.34
1	AA	231	U	C2-N3	8.85	1.44	1.37
1	AA	1354	U	N3-C4	8.85	1.46	1.38
26	BB	118	A	N7-C5	-8.85	1.33	1.39
1	AA	1234	C	N1-C6	-8.85	1.31	1.37
25	BA	50	A	N3-C4	8.85	1.40	1.34
26	BB	600	G	C4'-O4'	-8.85	1.34	1.45
1	AA	177	G	N9-C8	-8.84	1.31	1.37
1	AA	1118	U	P-O5'	8.84	1.68	1.59
26	BB	672	C	N1-C6	8.84	1.42	1.37
26	BB	49	A	C6-N1	8.84	1.41	1.35
26	BB	2328	A	N7-C5	-8.84	1.33	1.39
26	BB	1232	G	C8-N7	-8.83	1.25	1.30
1	AA	939	G	C2-N3	8.83	1.39	1.32
26	BB	27	G	C4'-C3'	8.83	1.62	1.53
26	BB	917	A	O4'-C1'	8.83	1.53	1.41
1	AA	463	U	N1-C2	8.82	1.46	1.38
26	BB	504	A	P-O5'	8.82	1.68	1.59
26	BB	1683	U	N1-C2	8.82	1.46	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2686	G	C5'-C4'	8.82	1.61	1.51
4	AD	60	A	N3-C4	8.82	1.40	1.34
26	BB	885	C	N3-C4	8.82	1.40	1.33
1	AA	1310	G	N7-C5	8.82	1.44	1.39
26	BB	332	A	C6-N6	8.82	1.41	1.33
26	BB	1626	A	N9-C8	8.81	1.44	1.37
1	AA	1349	A	N9-C4	8.81	1.43	1.37
26	BB	1749	A	N3-C4	8.81	1.40	1.34
1	AA	564	C	C5-C6	8.81	1.41	1.34
1	AA	1087	G	N3-C4	8.81	1.41	1.35
26	BB	128	C	N3-C4	8.81	1.40	1.33
26	BB	1100	C	N1-C6	8.81	1.42	1.37
26	BB	2119	A	N9-C4	-8.81	1.32	1.37
1	AA	662	U	O3'-P	8.81	1.71	1.61
26	BB	260	G	C8-N7	8.81	1.36	1.30
1	AA	1355	G	N9-C8	8.80	1.44	1.37
1	AA	1167	A	C4'-O4'	-8.80	1.34	1.45
26	BB	2157	G	N3-C4	8.80	1.41	1.35
26	BB	199	A	N7-C5	-8.80	1.33	1.39
1	AA	221	C	C2-N3	8.79	1.42	1.35
26	BB	458	G	N9-C8	-8.79	1.31	1.37
26	BB	1703	G	C4'-C3'	8.79	1.62	1.53
1	AA	600	A	N1-C2	8.78	1.42	1.34
26	BB	521	U	C5-C6	8.78	1.42	1.34
26	BB	749	A	C4'-O4'	-8.78	1.34	1.45
26	BB	1866	A	N3-C4	8.78	1.40	1.34
26	BB	2826	A	C4'-C3'	8.78	1.62	1.53
26	BB	1557	C	P-O5'	8.78	1.68	1.59
26	BB	2252	G	C2-N3	8.78	1.39	1.32
1	AA	1446	A	N7-C5	8.78	1.44	1.39
26	BB	1004	U	C4-C5	8.78	1.51	1.43
26	BB	1730	C	C2'-C1'	8.78	1.63	1.53
1	AA	407	U	C2-N3	8.78	1.43	1.37
26	BB	1465	G	N1-C2	8.77	1.44	1.37
1	AA	1444	U	C3'-C2'	8.76	1.62	1.52
1	AA	546	A	N3-C4	8.76	1.40	1.34
26	BB	423	A	N9-C8	-8.76	1.30	1.37
26	BB	486	C	N1-C6	8.76	1.42	1.37
26	BB	2664	G	C3'-C2'	8.76	1.62	1.52
4	AD	71	G	C8-N7	8.76	1.36	1.30
1	AA	162	A	C5'-C4'	8.76	1.61	1.51
1	AA	1330	U	C2-N3	8.76	1.43	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	505	G	C5-C6	8.75	1.51	1.42
1	AA	949	A	C5-C6	8.75	1.49	1.41
1	AA	953	G	N1-C2	8.75	1.44	1.37
26	BB	563	A	C6-N1	8.75	1.41	1.35
1	AA	1252	A	N3-C4	8.75	1.40	1.34
26	BB	518	G	O3'-P	8.75	1.71	1.61
1	AA	738	C	C5'-C4'	8.75	1.61	1.51
1	AA	618	C	C4-C5	8.75	1.50	1.43
26	BB	1540	G	C8-N7	-8.74	1.25	1.30
1	AA	1024	G	O3'-P	8.74	1.71	1.61
1	AA	1484	C	C4'-C3'	-8.74	1.43	1.53
26	BB	1384	A	N7-C5	8.74	1.44	1.39
3	AC	44	U	N1-C2	8.73	1.46	1.38
1	AA	796	C	N1-C6	8.73	1.42	1.37
2	AB	24	G	C2-N3	8.73	1.39	1.32
26	BB	2830	C	C5'-C4'	8.73	1.61	1.51
26	BB	2136	G	C2'-C1'	-8.72	1.43	1.53
1	AA	724	G	P-O5'	8.72	1.68	1.59
26	BB	1115	G	N9-C4	8.72	1.45	1.38
26	BB	1456	G	C6-N1	8.72	1.45	1.39
1	AA	635	A	N9-C4	8.72	1.43	1.37
1	AA	1035	A	P-O5'	8.71	1.68	1.59
26	BB	385	C	C2-N3	8.71	1.42	1.35
1	AA	555	U	C2-N3	8.71	1.43	1.37
1	AA	1060	U	C5-C6	8.71	1.42	1.34
1	AA	1209	C	P-O5'	-8.71	1.51	1.59
26	BB	1604	C	N1-C6	-8.71	1.31	1.37
1	AA	107	G	N3-C4	8.71	1.41	1.35
1	AA	1309	G	N7-C5	8.71	1.44	1.39
26	BB	1650	A	P-O5'	8.71	1.68	1.59
26	BB	2155	U	P-O5'	-8.71	1.51	1.59
1	AA	1008	U	N1-C2	8.71	1.46	1.38
26	BB	975	A	N7-C5	-8.71	1.34	1.39
1	AA	346	G	N3-C4	8.70	1.41	1.35
1	AA	676	A	C6-N6	-8.70	1.26	1.33
26	BB	2901	C	P-O5'	8.70	1.68	1.59
26	BB	575	A	N9-C4	-8.70	1.32	1.37
26	BB	2616	C	C5-C6	8.70	1.41	1.34
26	BB	471	A	O3'-P	8.70	1.71	1.61
26	BB	1934	C	C2-N3	8.70	1.42	1.35
26	BB	1405	U	P-O5'	8.70	1.68	1.59
1	AA	1408	A	N3-C4	8.70	1.40	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	9	A	N9-C4	-8.70	1.32	1.37
26	BB	1305	C	P-O5'	-8.70	1.51	1.59
1	AA	970	C	N1-C6	8.69	1.42	1.37
26	BB	1959	G	P-O5'	8.69	1.68	1.59
26	BB	1363	C	C2-N3	8.69	1.42	1.35
26	BB	2063	C	P-O5'	8.69	1.68	1.59
1	AA	558	G	N1-C2	8.69	1.44	1.37
26	BB	446	G	C5'-C4'	8.69	1.61	1.51
26	BB	916	G	C2-N3	8.69	1.39	1.32
26	BB	1225	G	C2-N3	8.69	1.39	1.32
26	BB	2324	U	C2-O2	8.69	1.30	1.22
1	AA	1466	C	P-O5'	8.68	1.68	1.59
26	BB	1343	G	N3-C4	8.68	1.41	1.35
26	BB	2731	G	C4'-O4'	-8.68	1.34	1.45
26	BB	476	G	N3-C4	8.68	1.41	1.35
26	BB	1463	C	P-O5'	8.68	1.68	1.59
26	BB	2561	U	C4-C5	8.68	1.51	1.43
1	AA	1122	U	N3-C4	8.68	1.46	1.38
26	BB	1894	C	C5'-C4'	8.68	1.61	1.51
26	BB	457	A	N7-C5	8.67	1.44	1.39
26	BB	578	G	N1-C2	8.67	1.44	1.37
26	BB	1524	G	N3-C4	8.67	1.41	1.35
26	BB	2065	C	C2-N3	8.67	1.42	1.35
1	AA	109	A	N3-C4	8.67	1.40	1.34
1	AA	78	A	N9-C4	8.67	1.43	1.37
1	AA	256	U	C4-C5	8.67	1.51	1.43
26	BB	1561	C	C2-N3	8.66	1.42	1.35
26	BB	1921	G	N1-C2	8.66	1.44	1.37
1	AA	335	C	N3-C4	8.66	1.40	1.33
26	BB	740	C	C4-N4	-8.66	1.26	1.33
26	BB	1012	U	C4-C5	8.66	1.51	1.43
26	BB	2689	U	C2-N3	8.66	1.43	1.37
1	AA	294	U	N1-C2	8.66	1.46	1.38
2	AB	23	A	P-O5'	8.66	1.68	1.59
1	AA	1023	U	P-O5'	8.65	1.68	1.59
26	BB	2059	A	C8-N7	-8.65	1.25	1.31
26	BB	2406	A	N3-C4	8.65	1.40	1.34
26	BB	254	G	C5-C6	8.65	1.51	1.42
26	BB	360	U	P-O5'	8.65	1.68	1.59
26	BB	592	A	N7-C5	-8.65	1.34	1.39
26	BB	2762	C	C5-C6	8.65	1.41	1.34
3	AC	33	A	C3'-C2'	8.65	1.62	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2694	G	N3-C4	8.65	1.41	1.35
26	BB	2741	A	N3-C4	8.65	1.40	1.34
26	BB	24	G	O3'-P	8.64	1.71	1.61
1	AA	377	G	C5-C4	-8.64	1.32	1.38
4	AD	30	G	C8-N7	-8.64	1.25	1.30
1	AA	932	C	N1-C6	8.64	1.42	1.37
26	BB	742	A	N9-C4	8.64	1.43	1.37
26	BB	2711	A	N9-C4	-8.64	1.32	1.37
25	BA	117	G	P-O5'	8.63	1.68	1.59
26	BB	407	G	O3'-P	8.63	1.71	1.61
26	BB	51	G	C2-N3	8.63	1.39	1.32
1	AA	786	G	C8-N7	8.63	1.36	1.30
26	BB	2557	G	P-O5'	8.63	1.68	1.59
26	BB	248	G	C6-N1	8.63	1.45	1.39
26	BB	2058	A	C5'-C4'	8.63	1.61	1.51
26	BB	161	A	C5-C4	-8.62	1.32	1.38
1	AA	1419	G	N9-C4	-8.62	1.31	1.38
1	AA	712	A	N7-C5	-8.62	1.34	1.39
26	BB	2810	A	C5-C4	-8.62	1.32	1.38
1	AA	1432	G	C8-N7	-8.62	1.25	1.30
26	BB	2523	G	C2-N3	8.62	1.39	1.32
1	AA	317	U	C4'-O4'	-8.62	1.34	1.45
1	AA	364	A	N3-C4	8.62	1.40	1.34
2	AB	19	G	C2-N3	8.61	1.39	1.32
26	BB	40	U	P-O5'	8.62	1.68	1.59
26	BB	800	A	N3-C4	8.61	1.40	1.34
26	BB	1644	C	N1-C6	-8.61	1.31	1.37
1	AA	253	A	N9-C4	8.61	1.43	1.37
26	BB	2167	U	C2-O2	-8.61	1.14	1.22
1	AA	180	U	C4-C5	8.61	1.51	1.43
26	BB	1912	A	C5-C4	-8.61	1.32	1.38
26	BB	2523	G	C8-N7	-8.61	1.25	1.30
1	AA	902	G	N7-C5	-8.61	1.34	1.39
1	AA	991	U	P-O5'	8.61	1.68	1.59
1	AA	1465	A	C6-N6	8.61	1.40	1.33
26	BB	1989	G	O3'-P	8.61	1.71	1.61
26	BB	2664	G	N9-C8	-8.61	1.31	1.37
26	BB	1406	U	N1-C6	8.61	1.45	1.38
26	BB	2429	G	N7-C5	8.61	1.44	1.39
26	BB	2524	G	N9-C8	-8.61	1.31	1.37
1	AA	928	G	N7-C5	8.60	1.44	1.39
26	BB	276	U	C2-N3	8.60	1.43	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1791	A	N9-C4	8.60	1.43	1.37
2	AB	12	U	C4-C5	8.60	1.51	1.43
26	BB	130	C	N1-C6	8.60	1.42	1.37
26	BB	2010	G	N3-C4	8.60	1.41	1.35
26	BB	35	G	N1-C2	8.60	1.44	1.37
26	BB	1147	A	C5-C6	8.60	1.48	1.41
26	BB	2166	U	O3'-P	8.60	1.71	1.61
26	BB	2811	G	N7-C5	8.60	1.44	1.39
26	BB	616	A	C8-N7	-8.60	1.25	1.31
26	BB	1102	C	C4-N4	8.60	1.41	1.33
1	AA	721	G	C2-N3	8.59	1.39	1.32
2	AB	9	A	N3-C4	8.59	1.40	1.34
25	BA	101	A	N9-C4	8.59	1.43	1.37
26	BB	2859	G	C6-O6	-8.59	1.16	1.24
1	AA	296	U	C5-C6	8.59	1.41	1.34
1	AA	493	A	N3-C4	8.59	1.40	1.34
2	AB	39	A	P-O5'	8.59	1.68	1.59
26	BB	864	G	N7-C5	8.59	1.44	1.39
26	BB	1131	G	P-O5'	8.59	1.68	1.59
26	BB	1652	A	C2'-C1'	-8.59	1.44	1.53
26	BB	1333	G	N3-C4	8.58	1.41	1.35
26	BB	209	C	P-O5'	8.58	1.68	1.59
26	BB	1592	C	P-O5'	8.58	1.68	1.59
26	BB	1891	G	P-O5'	8.58	1.68	1.59
26	BB	2494	G	C5'-C4'	8.58	1.61	1.51
26	BB	559	G	P-O5'	8.58	1.68	1.59
1	AA	987	G	C2'-C1'	8.58	1.62	1.53
1	AA	245	U	O4'-C1'	8.58	1.52	1.41
26	BB	1008	A	N9-C4	8.58	1.43	1.37
26	BB	1030	C	N1-C6	8.58	1.42	1.37
26	BB	1235	G	N7-C5	8.58	1.44	1.39
26	BB	1259	G	C5'-C4'	8.58	1.61	1.51
26	BB	1937	A	C5'-C4'	8.58	1.61	1.51
26	BB	1233	C	C4'-O4'	-8.57	1.34	1.45
26	BB	1756	G	P-O5'	8.57	1.68	1.59
26	BB	2727	A	P-O5'	8.57	1.68	1.59
26	BB	2791	G	N9-C8	-8.57	1.31	1.37
1	AA	520	A	N7-C5	-8.57	1.34	1.39
26	BB	1430	G	N3-C4	8.57	1.41	1.35
2	AB	19	G	P-O5'	8.57	1.68	1.59
26	BB	1243	C	N3-C4	8.57	1.40	1.33
26	BB	1713	A	P-O5'	8.57	1.68	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1802	A	N3-C4	8.57	1.40	1.34
1	AA	615	G	N7-C5	-8.57	1.34	1.39
26	BB	2091	C	O3'-P	8.57	1.71	1.61
26	BB	2803	G	O3'-P	-8.57	1.50	1.61
26	BB	580	U	N3-C4	8.56	1.46	1.38
26	BB	2751	G	N9-C8	-8.56	1.31	1.37
1	AA	504	C	C5-C6	8.56	1.41	1.34
1	AA	839	C	C5'-C4'	8.56	1.61	1.51
1	AA	1102	A	C8-N7	-8.56	1.25	1.31
26	BB	1172	C	N1-C6	8.56	1.42	1.37
1	AA	836	G	P-O5'	8.55	1.68	1.59
4	AD	70	C	P-O5'	8.55	1.68	1.59
26	BB	637	A	N3-C4	8.56	1.40	1.34
1	AA	565	U	C5'-C4'	8.55	1.61	1.51
1	AA	1480	A	N7-C5	-8.55	1.34	1.39
26	BB	1383	A	P-O5'	8.55	1.68	1.59
26	BB	1874	C	N1-C6	-8.55	1.32	1.37
4	AD	23	G	C5-C6	8.55	1.50	1.42
26	BB	780	G	C4'-C3'	8.55	1.62	1.53
26	BB	2607	G	C5-C4	8.55	1.44	1.38
1	AA	144	G	C5-C6	8.54	1.50	1.42
1	AA	1150	A	P-O5'	-8.54	1.51	1.59
26	BB	829	A	N9-C4	8.54	1.43	1.37
26	BB	2439	A	P-O5'	8.54	1.68	1.59
26	BB	762	U	C5'-C4'	8.54	1.61	1.51
26	BB	2471	A	N3-C4	8.54	1.40	1.34
2	AB	4	G	C2-N3	8.54	1.39	1.32
26	BB	1679	A	N1-C2	-8.54	1.26	1.34
26	BB	2286	G	N1-C2	8.54	1.44	1.37
1	AA	290	C	C2-N3	8.53	1.42	1.35
25	BA	116	G	N7-C5	-8.53	1.34	1.39
26	BB	2567	G	C5'-C4'	8.53	1.61	1.51
26	BB	2759	G	N1-C2	8.53	1.44	1.37
1	AA	1392	G	C2-N3	8.53	1.39	1.32
26	BB	602	A	N7-C5	-8.53	1.34	1.39
26	BB	2326	C	N1-C6	8.53	1.42	1.37
26	BB	2328	A	N9-C4	-8.53	1.32	1.37
1	AA	311	C	C2-N3	8.53	1.42	1.35
26	BB	2728	U	P-O5'	8.53	1.68	1.59
26	BB	685	A	N7-C5	-8.53	1.34	1.39
1	AA	161	A	P-O5'	8.52	1.68	1.59
26	BB	1099	G	C5'-C4'	8.52	1.61	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1830	C	C4'-O4'	-8.52	1.34	1.45
26	BB	2469	A	N3-C4	8.52	1.40	1.34
1	AA	872	A	N9-C4	8.52	1.43	1.37
26	BB	1645	G	C8-N7	8.52	1.36	1.30
1	AA	122	G	N7-C5	-8.52	1.34	1.39
1	AA	778	G	C6-N1	8.52	1.45	1.39
26	BB	949	G	N1-C2	8.52	1.44	1.37
1	AA	77	A	P-O5'	8.52	1.68	1.59
2	AB	15	A	N7-C5	-8.51	1.34	1.39
26	BB	423	A	N3-C4	8.51	1.40	1.34
26	BB	1139	G	N1-C2	8.51	1.44	1.37
1	AA	1261	A	O3'-P	-8.51	1.50	1.61
2	AB	74	C	C5-C6	8.51	1.41	1.34
26	BB	1307	A	C2-N3	8.51	1.41	1.33
1	AA	157	U	C2-N3	8.51	1.43	1.37
26	BB	1352	U	C5'-C4'	8.51	1.61	1.51
1	AA	568	G	C6-O6	-8.50	1.16	1.24
1	AA	1077	G	N7-C5	8.50	1.44	1.39
26	BB	152	A	N7-C5	8.50	1.44	1.39
26	BB	326	G	O3'-P	8.50	1.71	1.61
26	BB	805	G	C2-N3	8.50	1.39	1.32
25	BA	23	G	P-O5'	8.49	1.68	1.59
26	BB	1512	C	P-O5'	8.49	1.68	1.59
26	BB	2297	A	N7-C5	-8.49	1.34	1.39
26	BB	1552	A	C4'-O4'	-8.49	1.34	1.45
26	BB	2843	G	N9-C8	-8.49	1.31	1.37
26	BB	2725	A	N3-C4	8.49	1.40	1.34
1	AA	1338	G	N3-C4	8.49	1.41	1.35
26	BB	309	A	N3-C4	8.49	1.40	1.34
26	BB	781	A	N9-C4	8.49	1.43	1.37
26	BB	2682	A	C4'-O4'	-8.49	1.34	1.45
26	BB	2412	A	N9-C4	8.49	1.43	1.37
26	BB	15	G	P-O5'	8.48	1.68	1.59
1	AA	103	U	C2-N3	8.48	1.43	1.37
26	BB	2072	C	P-O5'	8.48	1.68	1.59
26	BB	2165	C	P-O5'	8.48	1.68	1.59
26	BB	2518	A	O3'-P	-8.48	1.50	1.61
1	AA	609	A	N9-C8	8.48	1.44	1.37
2	AB	62	U	C2-N3	8.48	1.43	1.37
26	BB	131	A	N3-C4	8.48	1.40	1.34
1	AA	1445	U	N1-C6	8.47	1.45	1.38
1	AA	1496	C	C2-N3	8.47	1.42	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1329	A	P-O5'	8.47	1.68	1.59
25	BA	61	G	C6-N1	8.47	1.45	1.39
1	AA	826	C	C4-C5	8.47	1.49	1.43
26	BB	1499	C	N3-C4	8.47	1.39	1.33
1	AA	1312	G	P-O5'	8.46	1.68	1.59
1	AA	211	G	N1-C2	8.46	1.44	1.37
26	BB	2557	G	N9-C8	8.46	1.43	1.37
1	AA	320	A	N7-C5	8.46	1.44	1.39
1	AA	870	U	N1-C2	8.46	1.46	1.38
1	AA	1332	A	N9-C4	8.46	1.43	1.37
26	BB	362	A	N3-C4	8.46	1.40	1.34
26	BB	985	C	C3'-C2'	8.46	1.62	1.52
26	BB	1086	A	P-O5'	8.46	1.68	1.59
26	BB	2237	G	N7-C5	8.46	1.44	1.39
1	AA	1389	C	N3-C4	8.46	1.39	1.33
26	BB	849	A	N7-C5	-8.46	1.34	1.39
40	BP	14	SER	CB-OG	-8.46	1.31	1.42
1	AA	251	G	P-O5'	8.45	1.68	1.59
1	AA	634	C	N1-C6	8.46	1.42	1.37
1	AA	86	G	C8-N7	-8.45	1.25	1.30
26	BB	2335	A	C2-N3	8.45	1.41	1.33
26	BB	14	A	P-O5'	8.45	1.68	1.59
26	BB	261	G	C8-N7	-8.45	1.25	1.30
26	BB	1839	G	P-O5'	8.45	1.68	1.59
1	AA	84	U	P-O5'	8.45	1.68	1.59
1	AA	609	A	N3-C4	8.45	1.40	1.34
26	BB	2139	U	O3'-P	8.45	1.71	1.61
1	AA	226	G	C8-N7	8.45	1.36	1.30
26	BB	1459	G	N3-C4	8.44	1.41	1.35
4	AD	9	G	N9-C8	-8.44	1.31	1.37
26	BB	2304	G	N7-C5	-8.44	1.34	1.39
26	BB	330	A	N9-C4	8.44	1.43	1.37
1	AA	304	U	C2-N3	8.44	1.43	1.37
1	AA	962	C	P-O5'	8.44	1.68	1.59
26	BB	1386	C	O3'-P	8.44	1.71	1.61
26	BB	1800	C	N1-C6	8.44	1.42	1.37
26	BB	2476	A	N7-C5	8.44	1.44	1.39
53	B2	63	ARG	CZ-NH1	8.44	1.44	1.33
26	BB	2370	G	O3'-P	8.44	1.71	1.61
1	AA	430	A	P-O5'	8.43	1.68	1.59
1	AA	1394	A	N9-C4	8.43	1.43	1.37
26	BB	765	C	C2-N3	8.43	1.42	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1873	G	N3-C4	8.43	1.41	1.35
26	BB	2149	U	N1-C2	8.43	1.46	1.38
26	BB	2333	A	C2'-C1'	-8.43	1.44	1.53
1	AA	270	A	N3-C4	8.43	1.40	1.34
1	AA	1441	A	P-O5'	8.43	1.68	1.59
26	BB	95	A	O3'-P	8.43	1.71	1.61
26	BB	886	A	C6-N6	8.43	1.40	1.33
26	BB	928	A	N9-C8	-8.43	1.31	1.37
26	BB	1732	C	C4-C5	8.43	1.49	1.43
1	AA	677	U	C2-O2	-8.42	1.14	1.22
26	BB	877	A	N3-C4	8.42	1.40	1.34
26	BB	1753	G	N3-C4	8.42	1.41	1.35
26	BB	2137	U	C4-C5	8.42	1.51	1.43
1	AA	293	G	C2-N3	8.42	1.39	1.32
1	AA	364	A	N7-C5	8.42	1.44	1.39
1	AA	754	C	C2-N3	8.42	1.42	1.35
26	BB	102	U	P-O5'	8.42	1.68	1.59
26	BB	2193	G	C8-N7	-8.42	1.25	1.30
1	AA	1146	A	N3-C4	8.41	1.39	1.34
1	AA	1305	G	P-O5'	8.41	1.68	1.59
26	BB	377	G	N9-C8	-8.41	1.31	1.37
26	BB	1078	U	C4-O4	-8.41	1.17	1.23
26	BB	1663	G	N3-C4	8.41	1.41	1.35
26	BB	1020	A	P-O5'	8.41	1.68	1.59
1	AA	616	G	N7-C5	8.41	1.44	1.39
1	AA	1227	A	P-O5'	8.40	1.68	1.59
2	AB	23	A	N3-C4	8.40	1.39	1.34
25	BA	10	G	C3'-C2'	-8.40	1.43	1.52
26	BB	240	C	C4-C5	8.40	1.49	1.43
26	BB	2423	U	C5'-C4'	8.40	1.61	1.51
26	BB	2481	G	P-O5'	8.40	1.68	1.59
26	BB	2761	A	N3-C4	8.40	1.39	1.34
25	BA	13	G	C8-N7	-8.40	1.25	1.30
1	AA	812	G	N7-C5	-8.40	1.34	1.39
1	AA	709	U	C2-N3	8.40	1.43	1.37
1	AA	785	G	N3-C4	-8.40	1.29	1.35
1	AA	1281	C	C3'-C2'	8.40	1.62	1.52
26	BB	1275	A	N7-C5	8.40	1.44	1.39
1	AA	772	U	C4'-O4'	-8.39	1.34	1.45
26	BB	386	G	N3-C4	8.39	1.41	1.35
26	BB	2386	A	C3'-C2'	-8.39	1.43	1.52
26	BB	105	C	C2-N3	8.39	1.42	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	783	A	N9-C4	8.39	1.42	1.37
26	BB	1836	C	P-O5'	8.39	1.68	1.59
26	BB	2618	G	C5'-C4'	8.39	1.61	1.51
1	AA	434	U	P-O5'	8.39	1.68	1.59
26	BB	317	G	C6-N1	8.39	1.45	1.39
26	BB	436	C	C2-N3	8.39	1.42	1.35
39	BO	75	GLU	CD-OE2	8.39	1.34	1.25
26	BB	213	A	N3-C4	8.39	1.39	1.34
26	BB	1166	G	C8-N7	-8.39	1.25	1.30
1	AA	1378	C	N3-C4	-8.38	1.28	1.33
26	BB	1510	G	N9-C4	-8.38	1.31	1.38
1	AA	237	G	N1-C2	8.38	1.44	1.37
1	AA	335	C	P-O5'	8.38	1.68	1.59
26	BB	189	G	C6-N1	8.38	1.45	1.39
26	BB	1086	A	C5'-C4'	8.38	1.61	1.51
26	BB	271	G	N1-C2	8.38	1.44	1.37
26	BB	573	U	C2-N3	8.38	1.43	1.37
26	BB	1725	U	C2-N3	8.38	1.43	1.37
1	AA	963	G	N3-C4	8.38	1.41	1.35
1	AA	1524	C	N3-C4	-8.38	1.28	1.33
1	AA	1541	U	P-O5'	8.38	1.68	1.59
26	BB	1423	G	P-O5'	8.37	1.68	1.59
25	BA	62	C	N1-C6	8.37	1.42	1.37
25	BA	112	G	P-O5'	8.37	1.68	1.59
26	BB	111	A	N3-C4	8.37	1.39	1.34
26	BB	507	A	C6-N1	-8.37	1.29	1.35
26	BB	2841	C	N1-C6	-8.37	1.32	1.37
1	AA	690	G	C6-N1	8.37	1.45	1.39
26	BB	718	A	C4'-O4'	-8.37	1.34	1.45
1	AA	445	G	N3-C4	8.36	1.41	1.35
26	BB	1278	C	N1-C6	8.36	1.42	1.37
26	BB	499	U	P-O5'	8.36	1.68	1.59
26	BB	2832	U	C4'-O4'	-8.36	1.34	1.45
1	AA	429	U	C4'-C3'	8.35	1.62	1.53
1	AA	1336	C	C4-N4	8.35	1.41	1.33
26	BB	2368	C	N1-C6	8.35	1.42	1.37
1	AA	890	G	C4'-C3'	8.35	1.62	1.53
26	BB	956	G	C5-C6	8.35	1.50	1.42
26	BB	1661	G	N7-C5	-8.35	1.34	1.39
26	BB	1815	A	N9-C8	-8.35	1.31	1.37
26	BB	1564	C	C5-C6	8.35	1.41	1.34
4	AD	60	A	N9-C4	-8.34	1.32	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	454	A	N3-C4	8.34	1.39	1.34
1	AA	213	G	P-O5'	8.34	1.68	1.59
4	AD	24	C	P-O5'	8.34	1.68	1.59
1	AA	18	C	N1-C6	8.34	1.42	1.37
26	BB	1806	C	C4-C5	8.34	1.49	1.43
1	AA	554	A	C2-N3	8.34	1.41	1.33
1	AA	427	U	N1-C2	8.33	1.46	1.38
25	BA	5	U	C4-C5	8.33	1.51	1.43
26	BB	307	G	C2-N3	8.33	1.39	1.32
26	BB	538	A	N3-C4	8.33	1.39	1.34
26	BB	1612	C	N1-C6	8.33	1.42	1.37
26	BB	2104	C	N3-C4	8.33	1.39	1.33
1	AA	547	A	N3-C4	8.33	1.39	1.34
26	BB	2101	A	C3'-C2'	8.33	1.62	1.52
26	BB	2363	G	N3-C4	8.33	1.41	1.35
1	AA	536	C	C2'-C1'	8.33	1.62	1.53
26	BB	1549	A	N7-C5	8.33	1.44	1.39
26	BB	1981	A	C6-N6	8.33	1.40	1.33
1	AA	886	G	C5-C4	8.32	1.44	1.38
26	BB	453	A	P-O5'	8.32	1.68	1.59
26	BB	570	G	C5'-C4'	8.32	1.61	1.51
26	BB	1785	A	N3-C4	8.32	1.39	1.34
2	AB	27	C	P-O5'	8.32	1.68	1.59
26	BB	632	A	N7-C5	-8.32	1.34	1.39
26	BB	2404	U	N1-C2	8.32	1.46	1.38
26	BB	1124	G	C3'-C2'	8.32	1.62	1.52
1	AA	74	A	C5-C4	-8.32	1.32	1.38
1	AA	688	G	N3-C4	8.32	1.41	1.35
26	BB	591	U	C5-C6	8.32	1.41	1.34
26	BB	1603	A	C5-C4	-8.32	1.32	1.38
26	BB	1325	U	N1-C2	8.31	1.46	1.38
1	AA	544	G	O3'-P	8.31	1.71	1.61
26	BB	381	G	C5'-C4'	8.31	1.61	1.51
26	BB	23	G	N3-C4	-8.31	1.29	1.35
26	BB	769	U	C2'-C1'	8.31	1.62	1.53
26	BB	2004	G	C4'-C3'	-8.31	1.44	1.53
26	BB	2186	G	P-O5'	8.31	1.68	1.59
1	AA	1369	C	P-O5'	8.31	1.68	1.59
26	BB	510	C	C5'-C4'	8.31	1.61	1.51
26	BB	1717	A	N9-C4	-8.30	1.32	1.37
26	BB	2086	U	C2-N3	8.30	1.43	1.37
26	BB	2548	U	C5-C6	8.30	1.41	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	73	A	N9-C8	8.30	1.44	1.37
26	BB	175	G	P-O5'	8.30	1.68	1.59
26	BB	556	A	N3-C4	8.30	1.39	1.34
26	BB	836	G	N7-C5	8.30	1.44	1.39
26	BB	921	C	N1-C6	8.30	1.42	1.37
26	BB	2102	G	P-O5'	8.29	1.68	1.59
1	AA	420	U	C2-N3	8.29	1.43	1.37
1	AA	639	G	C4'-C3'	-8.29	1.44	1.53
1	AA	1246	A	N7-C5	8.29	1.44	1.39
26	BB	360	U	N1-C2	8.29	1.46	1.38
26	BB	752	A	O3'-P	8.29	1.71	1.61
26	BB	634	C	N1-C6	8.29	1.42	1.37
26	BB	2257	U	C2-N3	8.29	1.43	1.37
26	BB	2461	A	N1-C2	-8.29	1.26	1.34
1	AA	628	G	O3'-P	8.29	1.71	1.61
26	BB	659	G	C4'-O4'	-8.29	1.34	1.45
1	AA	573	A	O3'-P	8.28	1.71	1.61
26	BB	1423	G	N7-C5	8.29	1.44	1.39
1	AA	628	G	N1-C2	8.28	1.44	1.37
26	BB	967	U	P-O5'	8.28	1.68	1.59
1	AA	73	C	N1-C6	8.28	1.42	1.37
25	BA	15	A	P-O5'	8.28	1.68	1.59
26	BB	2302	U	O3'-P	8.28	1.71	1.61
26	BB	664	G	C6-N1	8.28	1.45	1.39
26	BB	2055	C	C5-C6	8.28	1.41	1.34
1	AA	922	G	N7-C5	8.27	1.44	1.39
26	BB	2755	C	N3-C4	8.27	1.39	1.33
1	AA	697	U	C2-N3	8.27	1.43	1.37
1	AA	1459	G	O3'-P	8.27	1.71	1.61
26	BB	871	U	C4-C5	8.27	1.50	1.43
26	BB	2250	G	C5'-C4'	8.27	1.61	1.51
1	AA	427	U	P-O5'	8.27	1.68	1.59
26	BB	2765	A	C4'-O4'	-8.27	1.34	1.45
26	BB	1490	A	P-O5'	8.27	1.68	1.59
26	BB	1566	A	N3-C4	8.27	1.39	1.34
26	BB	1817	G	C6-N1	8.27	1.45	1.39
26	BB	2206	C	C4'-C3'	8.27	1.62	1.53
26	BB	684	G	N9-C8	-8.26	1.32	1.37
26	BB	2038	G	C2-N3	8.26	1.39	1.32
1	AA	1308	U	C2-N3	8.26	1.43	1.37
1	AA	1072	G	C2-N3	8.26	1.39	1.32
1	AA	522	C	C5'-C4'	8.26	1.61	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	899	A	C6-N6	-8.26	1.27	1.33
26	BB	2238	G	N7-C5	-8.26	1.34	1.39
26	BB	101	A	C6-N1	8.26	1.41	1.35
26	BB	1961	C	C2-N3	8.26	1.42	1.35
1	AA	486	U	P-O5'	8.25	1.68	1.59
26	BB	709	U	N1-C2	8.25	1.46	1.38
26	BB	2272	U	N1-C6	-8.25	1.30	1.38
3	AC	48	C	C2-N3	8.25	1.42	1.35
26	BB	1441	G	N3-C4	8.25	1.41	1.35
1	AA	534	U	C2-N3	8.25	1.43	1.37
1	AA	702	A	C4'-O4'	-8.25	1.34	1.45
1	AA	808	C	C2-N3	8.25	1.42	1.35
26	BB	2145	C	C4'-O4'	-8.25	1.34	1.45
25	BA	18	G	C8-N7	8.24	1.35	1.30
26	BB	38	A	N3-C4	8.24	1.39	1.34
26	BB	2694	G	C2-N3	8.24	1.39	1.32
26	BB	2098	U	C5'-C4'	8.24	1.61	1.51
1	AA	742	G	P-O5'	8.24	1.68	1.59
26	BB	1919	A	N9-C4	-8.24	1.32	1.37
26	BB	2864	G	C2-N3	8.24	1.39	1.32
1	AA	882	C	C5-C6	8.24	1.41	1.34
26	BB	2037	A	C4'-O4'	-8.24	1.34	1.45
1	AA	1515	G	C4'-O4'	-8.23	1.34	1.45
26	BB	188	G	C5-C4	-8.23	1.32	1.38
26	BB	2203	U	N1-C2	8.23	1.46	1.38
26	BB	1722	A	C8-N7	-8.23	1.25	1.31
1	AA	880	C	N3-C4	8.23	1.39	1.33
26	BB	521	U	C2-O2	8.23	1.29	1.22
26	BB	1165	A	C6-N6	8.23	1.40	1.33
1	AA	435	A	P-O5'	8.23	1.68	1.59
1	AA	798	U	C2-N3	8.23	1.43	1.37
26	BB	2119	A	N7-C5	-8.23	1.34	1.39
1	AA	518	C	C4-C5	8.22	1.49	1.43
1	AA	1237	C	C5'-C4'	8.22	1.61	1.51
1	AA	1265	C	N3-C4	8.22	1.39	1.33
26	BB	1062	G	N1-C2	8.22	1.44	1.37
1	AA	389	A	N3-C4	8.22	1.39	1.34
25	BA	46	A	N3-C4	8.22	1.39	1.34
1	AA	24	U	C4-C5	8.22	1.50	1.43
1	AA	1298	U	C2-N3	-8.22	1.31	1.37
26	BB	378	C	P-O5'	8.22	1.68	1.59
1	AA	232	G	C8-N7	8.22	1.35	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1465	G	N7-C5	8.21	1.44	1.39
26	BB	1968	G	C5-C4	-8.21	1.32	1.38
26	BB	2680	U	P-O5'	-8.21	1.51	1.59
1	AA	196	A	P-O5'	8.21	1.68	1.59
1	AA	680	C	N1-C6	8.21	1.42	1.37
4	AD	68	C	C4-C5	8.21	1.49	1.43
26	BB	188	G	N3-C4	8.21	1.41	1.35
26	BB	1994	C	O4'-C1'	8.21	1.52	1.41
26	BB	224	U	C4'-O4'	-8.21	1.34	1.45
26	BB	609	A	P-O5'	8.21	1.68	1.59
26	BB	2337	G	P-O5'	8.21	1.68	1.59
1	AA	700	G	O4'-C1'	8.21	1.52	1.41
1	AA	829	G	N3-C4	8.21	1.41	1.35
1	AA	1508	A	C5-C4	-8.21	1.33	1.38
26	BB	503	A	C6-N6	-8.20	1.27	1.33
26	BB	2331	G	P-O5'	8.20	1.68	1.59
1	AA	213	G	C2-N3	8.20	1.39	1.32
26	BB	909	A	N9-C4	8.20	1.42	1.37
26	BB	2447	G	C2-N3	8.20	1.39	1.32
1	AA	1094	G	P-O5'	8.20	1.68	1.59
26	BB	2036	C	P-O5'	8.20	1.68	1.59
26	BB	2746	U	N1-C2	8.20	1.46	1.38
1	AA	1425	U	O3'-P	8.19	1.71	1.61
26	BB	1055	G	C8-N7	-8.19	1.26	1.30
26	BB	1725	U	C3'-C2'	8.19	1.61	1.52
26	BB	2737	G	P-O5'	8.19	1.68	1.59
1	AA	168	G	N3-C4	8.19	1.41	1.35
1	AA	1092	A	N7-C5	-8.19	1.34	1.39
1	AA	1386	G	N7-C5	8.18	1.44	1.39
26	BB	544	C	P-O5'	8.18	1.68	1.59
26	BB	2873	A	N9-C4	8.18	1.42	1.37
1	AA	1470	U	C4-O4	8.18	1.30	1.23
26	BB	1833	C	O3'-P	8.18	1.71	1.61
26	BB	2708	G	C5'-C4'	8.18	1.61	1.51
1	AA	875	U	C2-N3	8.18	1.43	1.37
1	AA	1022	A	N3-C4	8.18	1.39	1.34
1	AA	1237	C	P-O5'	8.18	1.68	1.59
1	AA	421	U	C2-N3	8.18	1.43	1.37
26	BB	993	G	N3-C4	-8.18	1.29	1.35
26	BB	1215	G	N3-C4	8.18	1.41	1.35
1	AA	838	G	C6-N1	8.17	1.45	1.39
26	BB	622	G	C6-O6	-8.17	1.16	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	716	A	N3-C4	8.17	1.39	1.34
1	AA	1170	A	C5-C4	-8.17	1.33	1.38
1	AA	1329	A	N3-C4	8.17	1.39	1.34
4	AD	77	A	C8-N7	-8.17	1.25	1.31
26	BB	1141	U	C2-N3	8.17	1.43	1.37
26	BB	1253	A	O3'-P	8.17	1.71	1.61
26	BB	1318	U	P-O5'	8.17	1.68	1.59
26	BB	1690	A	N9-C4	-8.17	1.32	1.37
26	BB	2793	C	C4-C5	8.17	1.49	1.43
1	AA	452	A	P-O5'	8.16	1.68	1.59
26	BB	1423	G	C5-C4	8.16	1.44	1.38
26	BB	98	G	N7-C5	8.16	1.44	1.39
26	BB	847	U	N1-C2	8.16	1.45	1.38
26	BB	956	G	N9-C8	8.16	1.43	1.37
26	BB	2290	G	C4'-C3'	8.16	1.62	1.53
1	AA	93	U	N1-C2	8.16	1.45	1.38
1	AA	682	G	P-O5'	8.16	1.68	1.59
1	AA	1378	C	C2-O2	-8.16	1.17	1.24
26	BB	172	A	N7-C5	8.16	1.44	1.39
26	BB	1528	A	P-O5'	8.16	1.68	1.59
26	BB	1797	G	C5-C4	8.16	1.44	1.38
26	BB	2298	A	C8-N7	-8.16	1.25	1.31
1	AA	424	G	P-O5'	8.16	1.68	1.59
1	AA	1356	G	C6-N1	8.16	1.45	1.39
26	BB	1095	A	N1-C2	8.16	1.41	1.34
26	BB	1896	G	O4'-C1'	8.16	1.52	1.41
26	BB	2294	G	N1-C2	8.16	1.44	1.37
26	BB	2625	G	P-O5'	8.16	1.68	1.59
1	AA	1075	U	C4-C5	8.15	1.50	1.43
26	BB	16	C	C4-C5	8.15	1.49	1.43
26	BB	26	G	P-O5'	8.15	1.68	1.59
1	AA	1189	U	C5'-C4'	8.15	1.61	1.51
1	AA	239	U	N1-C2	8.15	1.45	1.38
26	BB	1466	U	C4'-O4'	-8.15	1.34	1.45
26	BB	1742	U	C4-C5	8.15	1.50	1.43
26	BB	376	G	N3-C4	8.15	1.41	1.35
26	BB	2382	G	C6-N1	8.15	1.45	1.39
26	BB	2489	U	P-O5'	8.14	1.67	1.59
26	BB	1151	A	C8-N7	-8.14	1.25	1.31
26	BB	2357	G	N1-C2	8.14	1.44	1.37
26	BB	1976	U	N1-C2	8.14	1.45	1.38
1	AA	1105	A	C5-C4	-8.14	1.33	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2470	G	N7-C5	-8.14	1.34	1.39
26	BB	941	A	N7-C5	-8.14	1.34	1.39
26	BB	1640	A	N3-C4	8.14	1.39	1.34
26	BB	2064	C	C2'-C1'	8.14	1.62	1.53
26	BB	1546	G	C3'-C2'	-8.13	1.43	1.52
26	BB	505	A	C6-N1	8.13	1.41	1.35
26	BB	2660	A	N7-C5	8.13	1.44	1.39
26	BB	2728	U	C5'-C4'	8.13	1.61	1.51
26	BB	951	C	C2-N3	-8.13	1.29	1.35
26	BB	190	A	P-O5'	8.13	1.67	1.59
25	BA	36	C	P-O5'	8.12	1.67	1.59
26	BB	1357	C	P-O5'	8.12	1.67	1.59
1	AA	113	G	C4'-O4'	-8.12	1.34	1.45
26	BB	559	G	N1-C2	8.12	1.44	1.37
26	BB	2808	G	N7-C5	-8.12	1.34	1.39
1	AA	1409	C	C4'-C3'	8.12	1.62	1.53
1	AA	483	C	N3-C4	8.12	1.39	1.33
1	AA	1073	U	P-O5'	8.12	1.67	1.59
26	BB	24	G	P-O5'	8.12	1.67	1.59
26	BB	307	G	C6-N1	-8.12	1.33	1.39
26	BB	1330	C	P-O5'	8.12	1.67	1.59
1	AA	551	U	C3'-C2'	8.12	1.61	1.52
1	AA	1347	G	N1-C2	8.12	1.44	1.37
26	BB	750	A	P-O5'	8.12	1.67	1.59
26	BB	1227	G	C2-N3	8.12	1.39	1.32
26	BB	2469	A	C6-N1	8.11	1.41	1.35
1	AA	1061	G	N7-C5	-8.11	1.34	1.39
26	BB	1950	G	C6-N1	8.11	1.45	1.39
1	AA	468	A	P-O5'	8.11	1.67	1.59
1	AA	771	G	N7-C5	-8.11	1.34	1.39
26	BB	200	U	O3'-P	8.11	1.70	1.61
26	BB	543	G	C8-N7	8.11	1.35	1.30
26	BB	553	G	C6-N1	8.11	1.45	1.39
26	BB	89	A	P-O5'	8.11	1.67	1.59
26	BB	1982	U	P-O5'	8.11	1.67	1.59
25	BA	92	C	N3-C4	8.11	1.39	1.33
26	BB	2249	U	C4-O4	-8.11	1.17	1.23
1	AA	325	A	C2'-O2'	8.11	1.52	1.41
26	BB	1286	A	N3-C4	8.11	1.39	1.34
26	BB	1680	U	P-O5'	8.10	1.67	1.59
26	BB	1765	U	C5-C6	8.10	1.41	1.34
26	BB	1708	C	C5'-C4'	8.10	1.61	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	953	G	N9-C4	8.10	1.44	1.38
25	BA	10	G	N3-C4	8.10	1.41	1.35
26	BB	197	A	C5'-C4'	8.10	1.61	1.51
26	BB	752	A	P-O5'	8.10	1.67	1.59
26	BB	819	A	N3-C4	8.10	1.39	1.34
26	BB	2226	C	C5'-C4'	8.10	1.61	1.51
1	AA	254	G	N7-C5	8.10	1.44	1.39
26	BB	35	G	C2-N3	8.10	1.39	1.32
26	BB	986	C	N3-C4	8.10	1.39	1.33
26	BB	2617	U	C2-N3	8.10	1.43	1.37
26	BB	2757	A	C5-C4	-8.10	1.33	1.38
1	AA	348	G	O3'-P	8.09	1.70	1.61
4	AD	28	U	C4-C5	8.09	1.50	1.43
26	BB	2057	G	N7-C5	-8.09	1.34	1.39
26	BB	2800	A	C8-N7	-8.09	1.25	1.31
1	AA	48	C	C5-C6	8.09	1.40	1.34
1	AA	124	C	C2'-O2'	-8.09	1.31	1.41
1	AA	731	G	C8-N7	-8.09	1.26	1.30
26	BB	1220	G	P-O5'	8.09	1.67	1.59
1	AA	190	A	C3'-C2'	8.09	1.61	1.52
1	AA	413	G	C2-N3	8.09	1.39	1.32
26	BB	2373	G	N7-C5	-8.09	1.34	1.39
26	BB	577	G	C6-N1	8.09	1.45	1.39
26	BB	2015	A	N3-C4	8.09	1.39	1.34
26	BB	2359	C	P-O5'	8.09	1.67	1.59
1	AA	486	U	C2-O2	8.08	1.29	1.22
1	AA	1222	G	N1-C2	8.08	1.44	1.37
26	BB	114	U	C2-N3	8.08	1.43	1.37
26	BB	2848	G	C2-N3	8.08	1.39	1.32
1	AA	1191	A	N3-C4	8.08	1.39	1.34
26	BB	1854	A	N9-C4	8.08	1.42	1.37
26	BB	2232	C	C5-C6	8.08	1.40	1.34
26	BB	1823	G	P-O5'	8.08	1.67	1.59
26	BB	2799	A	N7-C5	8.08	1.44	1.39
26	BB	336	C	C3'-C2'	-8.08	1.43	1.52
1	AA	358	U	C5'-C4'	8.08	1.61	1.51
26	BB	662	G	C2-N3	8.08	1.39	1.32
26	BB	866	A	P-O5'	8.08	1.67	1.59
26	BB	2166	U	N1-C6	8.08	1.45	1.38
1	AA	648	A	N9-C4	8.07	1.42	1.37
26	BB	1684	G	N1-C2	8.07	1.44	1.37
26	BB	2248	C	P-O5'	8.07	1.67	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2336	A	N7-C5	8.07	1.44	1.39
26	BB	2818	U	C5'-C4'	8.07	1.61	1.51
1	AA	1133	G	N3-C4	8.07	1.41	1.35
26	BB	1470	A	N9-C4	-8.07	1.33	1.37
1	AA	207	C	N1-C2	8.07	1.48	1.40
26	BB	2463	C	N1-C6	8.07	1.42	1.37
1	AA	164	G	C6-N1	8.07	1.45	1.39
1	AA	602	A	N3-C4	8.07	1.39	1.34
1	AA	1417	G	P-O5'	8.07	1.67	1.59
26	BB	950	G	C6-N1	8.07	1.45	1.39
26	BB	1190	G	N9-C8	-8.07	1.32	1.37
26	BB	825	A	N9-C4	-8.06	1.33	1.37
26	BB	2397	G	C2-N3	8.06	1.39	1.32
1	AA	464	U	P-O5'	8.06	1.67	1.59
1	AA	784	A	O3'-P	8.06	1.70	1.61
26	BB	2486	C	P-O5'	8.06	1.67	1.59
26	BB	2558	C	O3'-P	8.06	1.70	1.61
1	AA	1292	G	N7-C5	8.06	1.44	1.39
1	AA	1422	G	N9-C4	-8.06	1.31	1.38
1	AA	11	G	N3-C4	8.06	1.41	1.35
1	AA	834	U	P-O5'	8.05	1.67	1.59
1	AA	1319	A	C8-N7	-8.05	1.25	1.31
26	BB	1547	C	C5-C6	8.05	1.40	1.34
26	BB	561	G	C6-N1	8.05	1.45	1.39
26	BB	2235	G	C5'-C4'	8.05	1.61	1.51
1	AA	224	U	C2'-C1'	8.05	1.62	1.53
1	AA	1444	U	N1-C2	8.05	1.45	1.38
2	AB	12	U	N1-C2	8.05	1.45	1.38
3	AC	37	G	N1-C2	-8.05	1.31	1.37
26	BB	1387	A	P-O5'	8.05	1.67	1.59
26	BB	2140	G	N7-C5	-8.05	1.34	1.39
26	BB	2414	G	P-O5'	8.05	1.67	1.59
26	BB	149	A	N3-C4	8.05	1.39	1.34
26	BB	1631	G	C6-N1	8.05	1.45	1.39
26	BB	947	A	C5'-C4'	8.05	1.61	1.51
26	BB	2086	U	C5-C6	8.05	1.41	1.34
1	AA	1347	G	N7-C5	-8.04	1.34	1.39
26	BB	809	G	P-O5'	8.04	1.67	1.59
26	BB	1649	G	C3'-C2'	8.04	1.61	1.52
1	AA	425	G	C4'-O4'	-8.04	1.35	1.45
1	AA	777	A	N9-C4	8.04	1.42	1.37
1	AA	1104	G	C8-N7	-8.04	1.26	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1743	G	C2'-C1'	-8.04	1.44	1.53
1	AA	851	G	N9-C4	8.04	1.44	1.38
26	BB	1470	A	C4'-O4'	-8.04	1.35	1.45
1	AA	1390	U	N1-C2	-8.04	1.31	1.38
1	AA	1476	A	C6-N1	8.04	1.41	1.35
26	BB	1294	U	C2'-C1'	8.04	1.62	1.53
1	AA	201	G	N7-C5	-8.03	1.34	1.39
26	BB	1003	G	C2-N3	8.03	1.39	1.32
1	AA	1153	G	N3-C4	8.03	1.41	1.35
26	BB	843	G	N9-C8	8.03	1.43	1.37
26	BB	885	C	C1'-N1	8.03	1.60	1.48
26	BB	2422	C	C4-C5	8.03	1.49	1.43
1	AA	707	U	C2-N3	8.03	1.43	1.37
26	BB	236	C	O3'-P	8.03	1.70	1.61
26	BB	1183	U	C5-C6	8.03	1.41	1.34
1	AA	847	G	C2-N3	8.02	1.39	1.32
1	AA	1132	C	C3'-C2'	8.02	1.61	1.52
1	AA	1438	G	C8-N7	8.02	1.35	1.30
26	BB	2573	C	C4-N4	8.02	1.41	1.33
26	BB	2739	U	C2-N3	8.02	1.43	1.37
26	BB	1411	U	P-O5'	8.02	1.67	1.59
26	BB	2441	U	C2-N3	8.02	1.43	1.37
26	BB	2810	A	P-O5'	8.02	1.67	1.59
1	AA	859	G	P-O5'	-8.02	1.51	1.59
1	AA	1169	A	C5-C4	-8.02	1.33	1.38
1	AA	1415	G	C4'-C3'	8.02	1.61	1.53
26	BB	69	C	C2-N3	8.02	1.42	1.35
26	BB	2668	G	N1-C2	8.02	1.44	1.37
26	BB	2894	G	N3-C4	8.02	1.41	1.35
26	BB	697	G	N9-C4	8.02	1.44	1.38
26	BB	2133	G	C2-N3	8.02	1.39	1.32
1	AA	841	C	C4'-O4'	-8.01	1.35	1.45
26	BB	424	G	N1-C2	8.01	1.44	1.37
26	BB	582	A	N3-C4	8.01	1.39	1.34
26	BB	630	G	N7-C5	8.01	1.44	1.39
26	BB	726	G	N9-C4	-8.01	1.31	1.38
26	BB	2229	U	P-O5'	8.01	1.67	1.59
1	AA	435	A	C6-N1	8.01	1.41	1.35
1	AA	930	C	C5-C6	8.01	1.40	1.34
1	AA	217	C	N3-C4	8.01	1.39	1.33
1	AA	1381	U	C2-N3	8.01	1.43	1.37
26	BB	749	A	P-O5'	-8.01	1.51	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1381	U	C2'-C1'	8.01	1.62	1.53
26	BB	1036	G	P-O5'	8.01	1.67	1.59
26	BB	1819	A	O3'-P	8.01	1.70	1.61
26	BB	2308	G	C6-N1	8.01	1.45	1.39
1	AA	61	G	P-O5'	8.01	1.67	1.59
1	AA	303	A	N7-C5	-8.01	1.34	1.39
26	BB	148	U	C4'-O4'	-8.01	1.35	1.45
26	BB	214	G	O3'-P	8.01	1.70	1.61
26	BB	2667	C	C4'-O4'	-8.01	1.35	1.45
26	BB	1529	G	N7-C5	8.01	1.44	1.39
26	BB	2289	G	C6-N1	8.00	1.45	1.39
25	BA	44	G	P-O5'	8.00	1.67	1.59
26	BB	2791	G	C2'-C1'	8.00	1.62	1.53
25	BA	100	G	C5'-C4'	8.00	1.60	1.51
26	BB	1431	A	N9-C8	8.00	1.44	1.37
1	AA	138	G	P-O5'	8.00	1.67	1.59
2	AB	57	G	P-O5'	8.00	1.67	1.59
26	BB	1543	G	C4'-O4'	-8.00	1.35	1.45
26	BB	2423	U	C4-O4	8.00	1.30	1.23
1	AA	786	G	N9-C4	8.00	1.44	1.38
1	AA	701	U	C2-N3	7.99	1.43	1.37
1	AA	1035	A	N7-C5	-7.99	1.34	1.39
2	AB	73	G	N7-C5	-7.99	1.34	1.39
26	BB	502	A	N7-C5	7.99	1.44	1.39
26	BB	721	A	N7-C5	7.99	1.44	1.39
26	BB	1128	G	P-O5'	7.99	1.67	1.59
26	BB	1330	C	N3-C4	7.99	1.39	1.33
26	BB	1816	C	C5-C6	7.99	1.40	1.34
26	BB	1388	G	N9-C4	-7.99	1.31	1.38
1	AA	797	C	C4'-O4'	-7.99	1.35	1.45
1	AA	602	A	C2-N3	7.99	1.40	1.33
1	AA	1373	G	C6-O6	-7.98	1.17	1.24
1	AA	1101	A	N7-C5	-7.98	1.34	1.39
26	BB	2092	U	C4'-C3'	7.98	1.61	1.53
1	AA	496	A	N7-C5	-7.98	1.34	1.39
26	BB	1591	A	P-O5'	7.98	1.67	1.59
1	AA	353	A	O3'-P	7.98	1.70	1.61
1	AA	624	C	N3-C4	7.98	1.39	1.33
1	AA	1355	G	C6-N1	-7.98	1.33	1.39
26	BB	1459	G	P-O5'	7.98	1.67	1.59
26	BB	524	G	N7-C5	-7.97	1.34	1.39
1	AA	1048	G	N1-C2	7.97	1.44	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	793	A	N3-C4	7.97	1.39	1.34
26	BB	1167	C	N3-C4	-7.97	1.28	1.33
1	AA	976	G	P-O5'	7.97	1.67	1.59
1	AA	1140	C	C5-C6	7.97	1.40	1.34
26	BB	778	G	C5-C4	-7.97	1.32	1.38
26	BB	1454	C	P-O5'	7.97	1.67	1.59
26	BB	61	C	N3-C4	7.97	1.39	1.33
26	BB	469	G	C2-N3	7.97	1.39	1.32
26	BB	938	G	N3-C4	7.97	1.41	1.35
26	BB	971	G	C6-N1	7.97	1.45	1.39
26	BB	2627	G	N7-C5	7.97	1.44	1.39
1	AA	636	U	C2-O2	7.97	1.29	1.22
1	AA	1146	A	N9-C4	7.97	1.42	1.37
1	AA	1475	G	N7-C5	7.97	1.44	1.39
1	AA	1179	A	C5-C4	-7.96	1.33	1.38
1	AA	1428	A	O3'-P	7.96	1.70	1.61
1	AA	1479	C	C5-C6	7.96	1.40	1.34
1	AA	1505	G	C8-N7	7.96	1.35	1.30
26	BB	1706	C	P-O5'	-7.96	1.51	1.59
26	BB	2671	G	N7-C5	-7.96	1.34	1.39
26	BB	212	G	C8-N7	-7.96	1.26	1.30
26	BB	2196	C	N3-C4	7.96	1.39	1.33
1	AA	68	G	P-O5'	7.96	1.67	1.59
26	BB	1486	U	C2-N3	7.96	1.43	1.37
1	AA	1426	G	C8-N7	7.96	1.35	1.30
1	AA	1514	G	N9-C4	7.96	1.44	1.38
26	BB	633	A	P-O5'	7.96	1.67	1.59
26	BB	1026	G	C2'-C1'	-7.96	1.44	1.53
1	AA	431	A	N7-C5	-7.96	1.34	1.39
1	AA	1361	G	N1-C2	7.96	1.44	1.37
26	BB	1045	C	C2'-C1'	-7.96	1.44	1.53
1	AA	1345	U	N1-C2	7.95	1.45	1.38
26	BB	407	G	N9-C8	-7.95	1.32	1.37
26	BB	2530	A	N7-C5	-7.95	1.34	1.39
1	AA	1243	C	N1-C6	7.95	1.42	1.37
25	BA	79	G	N9-C4	7.95	1.44	1.38
26	BB	2158	A	P-O5'	7.95	1.67	1.59
26	BB	2440	C	P-O5'	7.95	1.67	1.59
26	BB	2224	G	C6-N1	7.95	1.45	1.39
26	BB	1986	C	C5-C6	-7.95	1.27	1.34
1	AA	1189	U	N3-C4	7.95	1.45	1.38
13	AM	79	PRO	N-CD	-7.95	1.36	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	327	G	N7-C5	-7.95	1.34	1.39
26	BB	535	G	N9-C4	-7.95	1.31	1.38
1	AA	177	G	C6-N1	7.94	1.45	1.39
26	BB	1658	C	N1-C6	7.94	1.42	1.37
26	BB	1822	C	N1-C6	-7.94	1.32	1.37
1	AA	492	C	P-O5'	7.94	1.67	1.59
26	BB	1766	G	C2-N3	7.94	1.39	1.32
1	AA	581	G	C5-C6	7.94	1.50	1.42
1	AA	627	G	C5-C4	7.94	1.44	1.38
26	BB	305	C	C2-N3	7.94	1.42	1.35
1	AA	1082	A	C5'-C4'	7.94	1.60	1.51
26	BB	648	G	N3-C4	7.94	1.41	1.35
1	AA	175	C	N3-C4	7.93	1.39	1.33
1	AA	1303	C	P-O5'	7.93	1.67	1.59
1	AA	1339	A	C6-N1	-7.93	1.29	1.35
26	BB	1650	A	C5-C4	-7.93	1.33	1.38
26	BB	706	A	C6-N1	-7.93	1.29	1.35
26	BB	751	A	N3-C4	7.93	1.39	1.34
1	AA	104	G	N3-C4	-7.93	1.29	1.35
4	AD	29	C	C3'-C2'	-7.93	1.44	1.52
26	BB	1787	A	N9-C4	7.93	1.42	1.37
26	BB	2359	C	C4'-O4'	-7.93	1.35	1.45
25	BA	3	C	C4-C5	7.93	1.49	1.43
1	AA	277	C	C4'-C3'	-7.93	1.44	1.53
1	AA	817	C	N1-C6	7.93	1.42	1.37
26	BB	1259	G	N3-C4	7.93	1.41	1.35
26	BB	1306	C	O3'-P	7.93	1.70	1.61
26	BB	1803	A	N9-C8	7.93	1.44	1.37
26	BB	2360	G	C5-C6	7.93	1.50	1.42
1	AA	1467	C	C4-N4	7.92	1.41	1.33
26	BB	923	G	C2'-C1'	7.92	1.62	1.53
26	BB	1025	G	P-O5'	7.92	1.67	1.59
26	BB	2781	A	P-O5'	7.92	1.67	1.59
1	AA	393	A	C6-N6	7.92	1.40	1.33
26	BB	255	A	C5'-C4'	7.92	1.60	1.51
26	BB	693	A	C5'-C4'	7.92	1.60	1.51
26	BB	740	C	C5'-C4'	7.92	1.60	1.51
26	BB	1710	G	O3'-P	7.92	1.70	1.61
26	BB	1787	A	N7-C5	-7.92	1.34	1.39
26	BB	1982	U	O3'-P	7.92	1.70	1.61
26	BB	1120	G	C5'-C4'	7.92	1.60	1.51
1	AA	287	U	N3-C4	7.92	1.45	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1191	A	N7-C5	7.92	1.44	1.39
26	BB	498	G	P-O5'	-7.92	1.51	1.59
4	AD	30	G	P-O5'	7.92	1.67	1.59
26	BB	930	G	N1-C2	7.92	1.44	1.37
26	BB	2456	C	N3-C4	7.92	1.39	1.33
26	BB	2426	A	N9-C4	7.92	1.42	1.37
1	AA	327	A	C6-N1	7.91	1.41	1.35
1	AA	569	C	N1-C6	-7.91	1.32	1.37
25	BA	118	C	C2'-C1'	7.91	1.62	1.53
26	BB	1619	G	O3'-P	7.91	1.70	1.61
26	BB	2122	U	O3'-P	7.91	1.70	1.61
26	BB	2217	G	C8-N7	7.91	1.35	1.30
1	AA	277	C	O3'-P	7.91	1.70	1.61
26	BB	1945	G	C5-C4	-7.91	1.32	1.38
1	AA	116	A	C5'-C4'	7.91	1.60	1.51
1	AA	1386	G	C8-N7	7.91	1.35	1.30
1	AA	68	G	N7-C5	-7.91	1.34	1.39
1	AA	589	U	O3'-P	7.91	1.70	1.61
26	BB	1504	A	C1'-N9	7.91	1.60	1.48
1	AA	1434	A	N9-C4	7.90	1.42	1.37
26	BB	2095	A	O3'-P	7.90	1.70	1.61
1	AA	1442	G	C2-N3	7.90	1.39	1.32
26	BB	2197	U	N1-C2	7.90	1.45	1.38
26	BB	2791	G	C5'-C4'	7.90	1.60	1.51
1	AA	59	A	N3-C4	7.90	1.39	1.34
3	AC	36	U	P-O5'	7.90	1.67	1.59
1	AA	326	G	N3-C4	7.90	1.41	1.35
25	BA	30	C	C4'-O4'	-7.90	1.35	1.45
26	BB	230	G	C2-N3	7.90	1.39	1.32
26	BB	2394	C	N1-C6	7.90	1.41	1.37
1	AA	1108	G	N3-C4	7.90	1.41	1.35
26	BB	1699	G	C5-C4	7.90	1.43	1.38
1	AA	681	A	C6-N1	-7.89	1.30	1.35
26	BB	2080	A	C8-N7	-7.89	1.26	1.31
1	AA	1160	G	C2-N3	7.89	1.39	1.32
26	BB	2735	G	C6-O6	-7.89	1.17	1.24
1	AA	223	A	N7-C5	-7.89	1.34	1.39
1	AA	1291	U	C2-N3	7.89	1.43	1.37
26	BB	1324	G	P-O5'	7.89	1.67	1.59
26	BB	1425	G	C2'-C1'	7.89	1.62	1.53
1	AA	504	C	N1-C6	-7.89	1.32	1.37
26	BB	234	U	C2-N3	7.89	1.43	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	647	G	N1-C2	7.89	1.44	1.37
26	BB	1021	A	P-O5'	7.89	1.67	1.59
26	BB	1372	U	P-O5'	7.89	1.67	1.59
1	AA	832	G	N9-C8	-7.88	1.32	1.37
26	BB	489	G	N7-C5	7.88	1.44	1.39
26	BB	605	G	N9-C8	7.88	1.43	1.37
1	AA	11	G	P-O5'	7.88	1.67	1.59
25	BA	16	G	O3'-P	7.88	1.70	1.61
26	BB	214	G	C2-N3	7.88	1.39	1.32
26	BB	2268	A	O4'-C1'	7.88	1.51	1.41
26	BB	2513	A	C6-N1	-7.88	1.30	1.35
1	AA	780	A	P-O5'	7.88	1.67	1.59
26	BB	1493	C	C4-C5	-7.88	1.36	1.43
1	AA	491	G	C2-N3	7.88	1.39	1.32
1	AA	723	U	C2-N3	7.88	1.43	1.37
25	BA	76	G	P-O5'	7.88	1.67	1.59
26	BB	1799	G	N9-C8	-7.88	1.32	1.37
26	BB	1980	G	P-O5'	7.88	1.67	1.59
26	BB	2355	G	N7-C5	-7.88	1.34	1.39
1	AA	32	A	C8-N7	7.87	1.37	1.31
1	AA	1120	C	C4-C5	7.87	1.49	1.43
1	AA	1279	G	C4'-O4'	-7.87	1.35	1.45
26	BB	2148	G	C2-N3	7.87	1.39	1.32
26	BB	505	A	N3-C4	7.87	1.39	1.34
26	BB	1518	C	P-O5'	7.87	1.67	1.59
4	AD	21	H2U	O3'-P	7.87	1.70	1.61
1	AA	139	A	N9-C4	7.87	1.42	1.37
1	AA	608	A	C5'-C4'	7.87	1.60	1.51
26	BB	700	G	C6-N1	7.87	1.45	1.39
26	BB	2310	C	C4-N4	7.87	1.41	1.33
26	BB	13	A	N7-C5	7.87	1.44	1.39
26	BB	1246	A	N7-C5	7.87	1.44	1.39
26	BB	2867	G	C2-N3	7.87	1.39	1.32
1	AA	541	G	C2'-C1'	-7.86	1.44	1.53
1	AA	92	U	C2-N3	7.86	1.43	1.37
26	BB	10	A	C5-C4	7.86	1.44	1.38
26	BB	1901	A	C6-N1	7.86	1.41	1.35
26	BB	2314	A	C6-N1	-7.86	1.30	1.35
26	BB	710	U	C2-N3	7.86	1.43	1.37
26	BB	2597	G	N3-C4	-7.86	1.29	1.35
26	BB	2821	A	N7-C5	7.86	1.44	1.39
1	AA	724	G	C6-N1	7.86	1.45	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1362	A	N3-C4	7.86	1.39	1.34
26	BB	543	G	C2-N3	7.86	1.39	1.32
26	BB	1541	C	C4-N4	7.86	1.41	1.33
26	BB	2564	A	C5'-C4'	7.86	1.60	1.51
26	BB	1479	G	N3-C4	7.85	1.41	1.35
26	BB	2089	C	C5-C6	7.85	1.40	1.34
26	BB	776	G	C4'-C3'	7.85	1.61	1.53
4	AD	65	G	N9-C8	-7.85	1.32	1.37
26	BB	918	A	C8-N7	-7.85	1.26	1.31
26	BB	2071	A	N3-C4	7.85	1.39	1.34
1	AA	1066	C	N1-C6	7.85	1.41	1.37
26	BB	872	U	C4-C5	7.85	1.50	1.43
25	BA	13	G	P-O5'	7.84	1.67	1.59
2	AB	29	G	N9-C4	7.84	1.44	1.38
1	AA	29	U	C2-N3	7.84	1.43	1.37
26	BB	66	C	C4-C5	7.84	1.49	1.43
26	BB	2894	G	C5-C4	-7.84	1.32	1.38
1	AA	1329	A	C6-N1	-7.84	1.30	1.35
26	BB	687	C	N3-C4	7.84	1.39	1.33
26	BB	1521	G	C8-N7	-7.84	1.26	1.30
26	BB	2269	G	C6-N1	-7.84	1.34	1.39
26	BB	1763	G	C2-N3	7.84	1.39	1.32
1	AA	1363	A	N3-C4	7.83	1.39	1.34
1	AA	541	G	C2-N3	7.83	1.39	1.32
1	AA	838	G	C8-N7	-7.83	1.26	1.30
1	AA	1141	C	C5-C6	7.83	1.40	1.34
26	BB	463	G	C5'-C4'	7.83	1.60	1.51
26	BB	387	U	O3'-P	7.83	1.70	1.61
26	BB	290	U	C5'-C4'	7.83	1.60	1.51
26	BB	907	G	C5'-C4'	7.83	1.60	1.51
26	BB	1041	G	C2-N3	7.83	1.39	1.32
26	BB	1450	G	N3-C4	7.83	1.41	1.35
26	BB	1458	U	C2-N3	7.83	1.43	1.37
1	AA	193	C	P-O5'	7.83	1.67	1.59
26	BB	1374	G	C8-N7	-7.83	1.26	1.30
26	BB	2424	C	P-O5'	7.83	1.67	1.59
26	BB	763	G	C2-N3	7.83	1.39	1.32
26	BB	1056	G	C6-N1	7.83	1.45	1.39
26	BB	1638	C	O3'-P	7.83	1.70	1.61
1	AA	377	G	C6-N1	7.82	1.45	1.39
1	AA	944	G	C5'-C4'	7.82	1.60	1.51
1	AA	1347	G	N3-C4	7.82	1.41	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	170	U	P-O5'	7.82	1.67	1.59
26	BB	300	A	N7-C5	-7.82	1.34	1.39
26	BB	2381	A	C6-N6	7.82	1.40	1.33
26	BB	2044	C	C4-N4	7.82	1.41	1.33
26	BB	2350	C	C2-N3	7.82	1.42	1.35
26	BB	759	G	C4'-O4'	-7.82	1.35	1.45
1	AA	947	G	C2-N3	7.82	1.39	1.32
1	AA	1477	U	C5'-C4'	7.82	1.60	1.51
26	BB	488	G	N3-C4	7.82	1.41	1.35
26	BB	634	C	C2-N3	7.82	1.42	1.35
26	BB	2653	U	P-O5'	7.82	1.67	1.59
26	BB	830	G	C4'-O4'	-7.82	1.35	1.45
26	BB	45	G	N9-C8	-7.81	1.32	1.37
26	BB	68	G	P-O5'	7.81	1.67	1.59
26	BB	1896	G	C4'-C3'	-7.81	1.44	1.53
26	BB	829	A	N7-C5	7.81	1.44	1.39
26	BB	528	A	N9-C4	7.81	1.42	1.37
26	BB	733	G	C2-N3	7.81	1.39	1.32
26	BB	2419	U	C4'-O4'	-7.81	1.35	1.45
1	AA	232	G	N1-C2	7.81	1.44	1.37
1	AA	1003	G	N3-C4	7.81	1.41	1.35
1	AA	1335	U	C2-N3	7.81	1.43	1.37
26	BB	175	G	N7-C5	7.81	1.44	1.39
26	BB	770	G	N9-C8	-7.81	1.32	1.37
1	AA	101	A	N9-C8	7.81	1.44	1.37
26	BB	1046	A	N7-C5	-7.81	1.34	1.39
1	AA	993	G	C5'-C4'	7.80	1.60	1.51
26	BB	458	G	C6-N1	7.80	1.45	1.39
26	BB	690	G	C5-C4	-7.80	1.32	1.38
26	BB	2617	U	C4-C5	7.80	1.50	1.43
1	AA	1254	A	N7-C5	7.80	1.44	1.39
1	AA	182	A	O3'-P	7.80	1.70	1.61
1	AA	628	G	N7-C5	7.80	1.44	1.39
1	AA	753	A	P-O5'	7.80	1.67	1.59
1	AA	979	C	C5-C6	7.80	1.40	1.34
1	AA	1147	C	C5-C6	7.80	1.40	1.34
26	BB	2407	A	C5-C4	7.80	1.44	1.38
1	AA	154	U	C2-N3	7.80	1.43	1.37
26	BB	505	A	C5-C4	-7.80	1.33	1.38
26	BB	1424	G	P-O5'	7.80	1.67	1.59
26	BB	2525	G	N1-C2	-7.80	1.31	1.37
26	BB	2804	U	C4'-O4'	-7.80	1.35	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2827	C	C5-C6	7.80	1.40	1.34
1	AA	1199	U	N3-C4	-7.79	1.31	1.38
26	BB	265	A	N7-C5	7.79	1.44	1.39
26	BB	2797	U	C4-C5	7.79	1.50	1.43
3	AC	50	U	C2-N3	7.79	1.43	1.37
4	AD	11	A	C4'-O4'	-7.79	1.35	1.45
26	BB	240	C	C5-C6	7.79	1.40	1.34
26	BB	1350	C	O3'-P	-7.79	1.51	1.61
1	AA	632	U	N1-C2	7.79	1.45	1.38
26	BB	1354	A	C4'-C3'	7.79	1.61	1.53
26	BB	1763	G	N9-C8	-7.79	1.32	1.37
1	AA	618	C	N1-C6	7.79	1.41	1.37
4	AD	42	C	P-O5'	7.79	1.67	1.59
26	BB	1077	A	N9-C8	-7.79	1.31	1.37
26	BB	2264	C	N1-C6	-7.79	1.32	1.37
1	AA	544	G	N3-C4	7.79	1.41	1.35
26	BB	145	C	C2'-C1'	-7.79	1.44	1.53
26	BB	1767	G	N9-C8	-7.79	1.32	1.37
26	BB	1624	U	C4'-O4'	-7.79	1.35	1.45
26	BB	2103	C	C4-N4	7.79	1.41	1.33
26	BB	2744	G	P-O5'	7.79	1.67	1.59
1	AA	708	C	N1-C6	7.78	1.41	1.37
1	AA	1225	A	N1-C2	-7.78	1.27	1.34
26	BB	1776	G	C5'-C4'	7.78	1.60	1.51
26	BB	2276	G	C5-C4	-7.78	1.32	1.38
26	BB	294	A	N7-C5	-7.78	1.34	1.39
26	BB	1874	C	C3'-C2'	7.78	1.61	1.52
1	AA	1156	G	C6-N1	7.78	1.45	1.39
26	BB	801	G	O3'-P	7.78	1.70	1.61
26	BB	2688	G	C2-N3	7.78	1.39	1.32
1	AA	1176	A	P-O5'	-7.78	1.51	1.59
4	AD	27	G	N7-C5	-7.78	1.34	1.39
26	BB	1362	C	C5'-C4'	7.78	1.60	1.51
26	BB	1505	A	N9-C8	7.78	1.44	1.37
26	BB	2802	G	C2-N2	-7.78	1.26	1.34
26	BB	242	G	C8-N7	7.77	1.35	1.30
1	AA	1452	C	O3'-P	7.77	1.70	1.61
26	BB	607	U	C2-N3	7.77	1.43	1.37
4	AD	28	U	C2-N3	7.77	1.43	1.37
26	BB	1251	C	C4-C5	-7.77	1.36	1.43
26	BB	2375	G	C6-N1	7.77	1.45	1.39
26	BB	2516	A	C8-N7	-7.77	1.26	1.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	458	U	C4-O4	7.77	1.29	1.23
1	AA	70	U	C2-N3	7.77	1.43	1.37
26	BB	338	G	O3'-P	7.77	1.70	1.61
26	BB	622	G	C5-C4	-7.77	1.32	1.38
26	BB	1525	A	C3'-O3'	-7.77	1.31	1.42
26	BB	2109	U	N1-C2	7.77	1.45	1.38
1	AA	344	A	C8-N7	-7.76	1.26	1.31
26	BB	2056	G	C8-N7	7.76	1.35	1.30
26	BB	2517	C	C4'-C3'	7.76	1.61	1.53
1	AA	118	U	C4-C5	7.76	1.50	1.43
25	BA	51	G	C6-N1	7.76	1.45	1.39
26	BB	620	G	C6-N1	7.76	1.45	1.39
26	BB	2552	OMU	O3'-P	7.76	1.70	1.61
1	AA	321	A	C8-N7	-7.76	1.26	1.31
26	BB	480	A	C8-N7	-7.76	1.26	1.31
26	BB	1625	C	C4'-O4'	-7.76	1.35	1.45
26	BB	1785	A	P-O5'	7.76	1.67	1.59
26	BB	2421	G	P-O5'	7.76	1.67	1.59
26	BB	2438	U	C5-C6	7.76	1.41	1.34
26	BB	210	C	N1-C6	7.76	1.41	1.37
25	BA	41	G	C5-C4	-7.76	1.32	1.38
1	AA	1357	A	N7-C5	-7.75	1.34	1.39
26	BB	1748	C	N1-C6	7.75	1.41	1.37
26	BB	2491	U	C4-C5	7.75	1.50	1.43
1	AA	1408	A	C4'-C3'	7.75	1.61	1.53
1	AA	58	C	O4'-C1'	7.75	1.51	1.41
26	BB	2700	A	C6-N1	7.75	1.41	1.35
26	BB	1528	A	N3-C4	7.75	1.39	1.34
1	AA	799	G	P-O5'	7.75	1.67	1.59
26	BB	2302	U	P-O5'	7.75	1.67	1.59
26	BB	1486	U	N1-C6	7.75	1.45	1.38
26	BB	2104	C	C4-C5	7.75	1.49	1.43
1	AA	459	A	N9-C4	-7.74	1.33	1.37
26	BB	997	G	C5-C4	7.74	1.43	1.38
26	BB	1105	U	C4-O4	-7.74	1.17	1.23
1	AA	1266	G	N1-C2	7.74	1.44	1.37
26	BB	891	G	C5-C4	-7.74	1.32	1.38
26	BB	1223	G	C5-C4	7.74	1.43	1.38
26	BB	2198	A	N7-C5	-7.74	1.34	1.39
1	AA	1162	C	N3-C4	7.74	1.39	1.33
26	BB	495	G	C2-N3	7.74	1.39	1.32
1	AA	302	G	C4'-O4'	-7.74	1.35	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	338	A	C2-N3	7.74	1.40	1.33
26	BB	2756	U	C2-N3	7.74	1.43	1.37
26	BB	2842	G	P-O5'	7.74	1.67	1.59
1	AA	703	G	C6-N1	7.73	1.45	1.39
26	BB	131	A	N9-C4	-7.73	1.33	1.37
26	BB	1410	G	C2-N3	7.73	1.39	1.32
26	BB	2293	G	C5-C4	7.73	1.43	1.38
1	AA	1205	U	C5'-C4'	7.73	1.60	1.51
26	BB	2658	C	P-O5'	7.73	1.67	1.59
1	AA	351	G	N3-C4	7.73	1.40	1.35
1	AA	661	G	C5'-C4'	7.73	1.60	1.51
1	AA	1176	A	N3-C4	7.73	1.39	1.34
3	AC	53	G	C3'-C2'	7.73	1.61	1.52
26	BB	1528	A	C6-N1	-7.73	1.30	1.35
26	BB	2727	A	C5'-C4'	7.73	1.60	1.51
1	AA	110	C	C4-C5	7.73	1.49	1.43
1	AA	93	U	C2-O2	7.72	1.29	1.22
26	BB	568	U	C2-N3	7.72	1.43	1.37
26	BB	965	C	C2'-C1'	-7.72	1.44	1.53
26	BB	1281	G	N3-C4	7.72	1.40	1.35
26	BB	1892	C	C5'-C4'	7.72	1.60	1.51
1	AA	976	G	C6-N1	7.72	1.45	1.39
26	BB	89	A	C5'-C4'	7.72	1.60	1.51
26	BB	1839	G	C5-C6	7.72	1.50	1.42
26	BB	2608	G	C5'-C4'	7.72	1.60	1.51
1	AA	89	U	C2-N3	7.72	1.43	1.37
1	AA	867	G	C2-N2	-7.72	1.26	1.34
26	BB	134	G	N1-C2	7.72	1.44	1.37
26	BB	1646	C	C4-C5	7.72	1.49	1.43
1	AA	61	G	C2-N2	-7.72	1.26	1.34
26	BB	563	A	N3-C4	7.72	1.39	1.34
26	BB	2549	G	C8-N7	7.72	1.35	1.30
1	AA	1032	G	C5'-C4'	7.72	1.60	1.51
1	AA	452	A	C5'-C4'	7.71	1.60	1.51
1	AA	1203	C	C5'-C4'	7.71	1.60	1.51
1	AA	28	A	C6-N1	-7.71	1.30	1.35
3	AC	33	A	C6-N1	-7.71	1.30	1.35
26	BB	1031	G	N3-C4	7.71	1.40	1.35
26	BB	1918	A	C5-C4	-7.71	1.33	1.38
1	AA	660	C	C5'-C4'	7.71	1.60	1.51
1	AA	630	A	N3-C4	7.71	1.39	1.34
26	BB	249	C	N3-C4	7.71	1.39	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1024	G	C6-N1	7.71	1.45	1.39
1	AA	630	A	P-O5'	7.71	1.67	1.59
1	AA	7	A	N9-C4	7.71	1.42	1.37
4	AD	14	A	N3-C4	7.71	1.39	1.34
26	BB	1603	A	P-O5'	7.71	1.67	1.59
26	BB	2423	U	C2-N3	7.70	1.43	1.37
26	BB	1275	A	N3-C4	7.70	1.39	1.34
26	BB	2305	U	C5-C6	7.70	1.41	1.34
26	BB	476	G	N1-C2	7.70	1.44	1.37
26	BB	1520	U	P-O5'	7.70	1.67	1.59
1	AA	151	A	N9-C4	-7.70	1.33	1.37
1	AA	378	G	C4'-C3'	-7.70	1.44	1.53
1	AA	456	A	N1-C2	-7.70	1.27	1.34
1	AA	563	A	C8-N7	-7.70	1.26	1.31
26	BB	843	G	C2-N3	7.70	1.39	1.32
26	BB	1117	C	P-O5'	7.70	1.67	1.59
26	BB	1453	A	N3-C4	7.69	1.39	1.34
26	BB	2895	G	N1-C2	7.69	1.44	1.37
1	AA	249	U	N1-C2	7.69	1.45	1.38
1	AA	1529	G	N3-C4	7.69	1.40	1.35
26	BB	1477	A	C5-C6	7.69	1.48	1.41
26	BB	2612	C	C5-C6	7.69	1.40	1.34
3	AC	24	A	C5-C4	-7.69	1.33	1.38
26	BB	1909	C	C2-N3	7.69	1.42	1.35
26	BB	2332	C	N3-C4	7.69	1.39	1.33
26	BB	1003	G	C5'-C4'	7.69	1.60	1.51
2	AB	23	A	N9-C4	7.69	1.42	1.37
26	BB	1157	G	N1-C2	-7.69	1.31	1.37
1	AA	803	G	P-O5'	7.68	1.67	1.59
26	BB	2286	G	N9-C4	-7.68	1.31	1.38
26	BB	148	U	C2-N3	7.68	1.43	1.37
26	BB	1352	U	C5-C6	7.68	1.41	1.34
26	BB	1893	C	O3'-P	7.68	1.70	1.61
26	BB	2436	G	C2-N3	7.68	1.38	1.32
1	AA	178	C	P-O5'	7.68	1.67	1.59
26	BB	2135	A	N9-C4	7.68	1.42	1.37
26	BB	2478	A	N3-C4	7.68	1.39	1.34
1	AA	563	A	P-O5'	7.68	1.67	1.59
1	AA	101	A	N3-C4	7.68	1.39	1.34
26	BB	1291	C	P-O5'	7.68	1.67	1.59
1	AA	1004	A	C5-C6	7.67	1.48	1.41
26	BB	1937	A	C6-N1	-7.67	1.30	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2361	G	N1-C2	7.67	1.43	1.37
26	BB	2755	C	P-O5'	7.67	1.67	1.59
1	AA	920	U	C4-C5	7.67	1.50	1.43
4	AD	7	G	C3'-C2'	7.67	1.61	1.52
26	BB	864	G	N9-C8	-7.67	1.32	1.37
26	BB	1598	A	O3'-P	7.67	1.70	1.61
26	BB	440	C	N3-C4	7.67	1.39	1.33
26	BB	1528	A	C8-N7	-7.67	1.26	1.31
1	AA	864	A	N1-C2	7.67	1.41	1.34
26	BB	426	C	N1-C6	7.67	1.41	1.37
26	BB	2119	A	C4'-O4'	-7.67	1.35	1.45
26	BB	2661	G	N1-C2	-7.67	1.31	1.37
1	AA	16	A	C5-C6	7.67	1.48	1.41
1	AA	144	G	C8-N7	-7.67	1.26	1.30
26	BB	1471	G	P-O5'	7.67	1.67	1.59
1	AA	12	U	O3'-P	7.66	1.70	1.61
26	BB	437	U	C5-C6	7.66	1.41	1.34
26	BB	206	U	O3'-P	7.66	1.70	1.61
26	BB	849	A	N9-C8	-7.66	1.31	1.37
26	BB	1187	G	N3-C4	7.66	1.40	1.35
26	BB	1332	G	C8-N7	-7.66	1.26	1.30
26	BB	2564	A	C2'-C1'	7.66	1.61	1.53
1	AA	547	A	N7-C5	7.65	1.43	1.39
26	BB	213	A	C5'-C4'	7.65	1.60	1.51
1	AA	523	A	P-O5'	7.65	1.67	1.59
1	AA	1150	A	C5'-C4'	7.65	1.60	1.51
26	BB	631	A	C4'-O4'	-7.65	1.35	1.45
26	BB	2005	A	O4'-C1'	7.65	1.51	1.41
26	BB	2315	G	P-O5'	7.65	1.67	1.59
1	AA	1134	G	N9-C8	7.65	1.43	1.37
26	BB	1557	C	C5'-C4'	7.65	1.60	1.51
1	AA	255	G	N3-C4	7.65	1.40	1.35
2	AB	19	G	N3-C4	7.65	1.40	1.35
26	BB	527	C	P-O5'	7.65	1.67	1.59
26	BB	301	G	C8-N7	7.64	1.35	1.30
26	BB	767	U	C4-C5	7.64	1.50	1.43
26	BB	1223	G	C5'-C4'	7.64	1.60	1.51
1	AA	1110	A	P-O5'	7.64	1.67	1.59
26	BB	2662	A	O3'-P	7.64	1.70	1.61
26	BB	193	U	C2-N3	7.64	1.43	1.37
26	BB	2314	A	N9-C4	7.64	1.42	1.37
1	AA	195	A	C2'-C1'	7.64	1.61	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	944	G	C6-N1	-7.64	1.34	1.39
1	AA	10	A	N7-C5	7.64	1.43	1.39
1	AA	926	G	N3-C4	7.64	1.40	1.35
1	AA	1188	A	N9-C8	-7.64	1.31	1.37
26	BB	494	G	N9-C8	7.64	1.43	1.37
26	BB	1391	U	P-O5'	7.64	1.67	1.59
26	BB	2573	C	P-O5'	7.64	1.67	1.59
26	BB	2742	G	C2'-O2'	-7.64	1.31	1.41
1	AA	865	A	N9-C8	7.63	1.43	1.37
1	AA	1133	G	C8-N7	-7.63	1.26	1.30
26	BB	1282	U	N1-C2	7.63	1.45	1.38
26	BB	1430	G	P-O5'	7.63	1.67	1.59
1	AA	558	G	C5-C6	7.63	1.50	1.42
26	BB	2344	U	C4-O4	-7.63	1.17	1.23
1	AA	249	U	C2-O2	7.63	1.29	1.22
1	AA	1150	A	N3-C4	7.63	1.39	1.34
26	BB	590	A	C8-N7	-7.63	1.26	1.31
26	BB	750	A	N3-C4	7.63	1.39	1.34
26	BB	1071	G	N7-C5	7.63	1.43	1.39
26	BB	988	A	C2'-C1'	7.63	1.61	1.53
26	BB	1722	A	C2'-C1'	-7.63	1.45	1.53
26	BB	2106	U	N3-C4	7.63	1.45	1.38
26	BB	2560	A	C5-C4	-7.63	1.33	1.38
26	BB	2801	G	C4'-C3'	7.63	1.61	1.53
1	AA	414	A	P-O5'	7.63	1.67	1.59
1	AA	892	A	P-O5'	7.63	1.67	1.59
26	BB	983	A	C8-N7	-7.63	1.26	1.31
1	AA	1288	A	O3'-P	7.62	1.70	1.61
26	BB	1133	A	C2-N3	7.62	1.40	1.33
26	BB	738	G	C5'-C4'	7.62	1.60	1.51
26	BB	1738	G	C6-N1	7.62	1.44	1.39
26	BB	2640	G	C2-N3	7.62	1.38	1.32
1	AA	47	C	C4-C5	7.62	1.49	1.43
26	BB	428	A	C6-N1	7.62	1.40	1.35
26	BB	1891	G	C2'-C1'	7.62	1.61	1.53
26	BB	898	C	C5'-C4'	7.62	1.60	1.51
26	BB	2820	A	C5'-C4'	7.62	1.60	1.51
26	BB	2470	G	P-O5'	7.62	1.67	1.59
26	BB	2780	G	C8-N7	-7.62	1.26	1.30
26	BB	1927	A	O3'-P	7.61	1.70	1.61
25	BA	118	C	C2-N3	7.61	1.41	1.35
26	BB	781	A	N3-C4	7.61	1.39	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1935	G	C6-N1	7.61	1.44	1.39
26	BB	1970	A	N7-C5	7.61	1.43	1.39
26	BB	678	C	O3'-P	7.61	1.70	1.61
1	AA	621	A	C5-C6	7.60	1.47	1.41
26	BB	2556	C	C5'-C4'	7.60	1.60	1.51
26	BB	2696	U	C5-C6	7.60	1.41	1.34
26	BB	206	U	C3'-O3'	-7.60	1.31	1.42
26	BB	1438	U	C5-C6	7.60	1.41	1.34
26	BB	2389	G	N1-C2	7.60	1.43	1.37
1	AA	508	U	O3'-P	-7.60	1.52	1.61
1	AA	1180	A	N9-C4	-7.60	1.33	1.37
26	BB	141	G	P-O5'	7.60	1.67	1.59
26	BB	1124	G	O3'-P	7.60	1.70	1.61
1	AA	1433	A	N9-C4	7.60	1.42	1.37
26	BB	1463	C	C4-C5	7.60	1.49	1.43
1	AA	1352	C	N1-C2	7.60	1.47	1.40
26	BB	2395	C	P-O5'	7.60	1.67	1.59
26	BB	2595	G	C5'-C4'	7.60	1.60	1.51
1	AA	1126	U	C4-C5	7.59	1.50	1.43
1	AA	469	C	C5'-C4'	7.59	1.60	1.51
26	BB	223	A	N7-C5	7.59	1.43	1.39
26	BB	336	C	C2-N3	7.59	1.41	1.35
25	BA	115	A	C2'-C1'	7.59	1.61	1.53
26	BB	765	C	P-O5'	7.59	1.67	1.59
26	BB	786	C	C4-C5	7.59	1.49	1.43
26	BB	1779	U	C5-C6	7.59	1.41	1.34
26	BB	2653	U	N3-C4	7.59	1.45	1.38
26	BB	2671	G	C2-N3	7.59	1.38	1.32
1	AA	370	C	N3-C4	-7.59	1.28	1.33
26	BB	307	G	C8-N7	-7.59	1.26	1.30
26	BB	566	U	C4'-O4'	-7.59	1.35	1.45
26	BB	2893	A	C8-N7	-7.59	1.26	1.31
26	BB	348	A	N9-C4	-7.59	1.33	1.37
26	BB	2262	U	P-O5'	7.59	1.67	1.59
26	BB	1459	G	N9-C8	-7.58	1.32	1.37
26	BB	77	G	C8-N7	-7.58	1.26	1.30
26	BB	473	G	C2'-C1'	-7.58	1.45	1.53
26	BB	2374	C	P-O5'	7.58	1.67	1.59
26	BB	2508	G	P-O5'	7.58	1.67	1.59
26	BB	2630	G	C2-N3	7.58	1.38	1.32
1	AA	637	C	N1-C6	7.58	1.41	1.37
4	AD	46	G	C2-N3	7.58	1.38	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	518	G	C5-C4	-7.58	1.33	1.38
1	AA	878	A	N3-C4	7.58	1.39	1.34
26	BB	1679	A	N9-C4	7.58	1.42	1.37
26	BB	1989	G	C2-N3	7.58	1.38	1.32
1	AA	337	G	C4'-C3'	-7.57	1.44	1.53
1	AA	526	C	P-O5'	7.57	1.67	1.59
26	BB	166	U	P-O5'	7.57	1.67	1.59
26	BB	1811	G	C2-N3	7.57	1.38	1.32
26	BB	86	G	C6-N1	7.57	1.44	1.39
26	BB	788	A	N9-C4	-7.57	1.33	1.37
4	AD	58	A	C5-C4	-7.57	1.33	1.38
26	BB	334	C	C3'-C2'	-7.57	1.44	1.52
26	BB	910	A	N3-C4	7.57	1.39	1.34
26	BB	232	G	N7-C5	-7.57	1.34	1.39
1	AA	807	A	C8-N7	7.57	1.36	1.31
1	AA	1392	G	N9-C8	7.57	1.43	1.37
26	BB	589	U	C2-N3	-7.57	1.32	1.37
26	BB	2429	G	N9-C4	-7.57	1.31	1.38
26	BB	2586	U	C4-O4	-7.57	1.17	1.23
1	AA	242	G	O3'-P	-7.57	1.52	1.61
1	AA	523	A	N9-C4	-7.57	1.33	1.37
1	AA	773	G	P-O5'	7.57	1.67	1.59
26	BB	205	G	C3'-C2'	7.56	1.61	1.52
1	AA	19	A	O3'-P	7.56	1.70	1.61
1	AA	71	A	C6-N1	7.56	1.40	1.35
1	AA	1238	A	N7-C5	-7.56	1.34	1.39
26	BB	2825	G	P-O5'	7.56	1.67	1.59
1	AA	297	G	N9-C8	-7.56	1.32	1.37
26	BB	243	U	P-O5'	7.56	1.67	1.59
26	BB	323	C	N1-C6	7.56	1.41	1.37
26	BB	1227	G	P-O5'	7.56	1.67	1.59
26	BB	1692	U	C4-C5	7.56	1.50	1.43
26	BB	2636	C	O3'-P	7.56	1.70	1.61
26	BB	625	G	N7-C5	7.56	1.43	1.39
26	BB	2536	G	N3-C4	7.56	1.40	1.35
25	BA	23	G	O3'-P	7.56	1.70	1.61
26	BB	2372	U	C2-N3	7.56	1.43	1.37
1	AA	191	G	C2-N3	7.55	1.38	1.32
1	AA	1151	A	N3-C4	7.55	1.39	1.34
1	AA	1307	U	N1-C2	7.55	1.45	1.38
26	BB	1047	G	P-O5'	7.55	1.67	1.59
26	BB	1634	A	N9-C4	7.55	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	33	U	C3'-C2'	7.55	1.61	1.52
1	AA	1102	A	N9-C4	7.55	1.42	1.37
26	BB	539	G	P-O5'	7.55	1.67	1.59
26	BB	578	G	C5-C4	-7.55	1.33	1.38
26	BB	1570	A	N9-C4	-7.55	1.33	1.37
1	AA	219	U	C2-O2	7.55	1.29	1.22
26	BB	585	G	O4'-C1'	7.55	1.51	1.41
1	AA	239	U	C4-C5	7.55	1.50	1.43
26	BB	1364	G	N7-C5	7.55	1.43	1.39
26	BB	2118	U	C5'-C4'	7.55	1.60	1.51
1	AA	229	U	O3'-P	7.54	1.70	1.61
26	BB	1126	A	C6-N6	-7.54	1.27	1.33
1	AA	345	C	P-O5'	7.54	1.67	1.59
3	AC	13	A	C3'-C2'	7.54	1.61	1.52
26	BB	70	G	O4'-C1'	7.54	1.51	1.41
26	BB	1477	A	N9-C8	7.54	1.43	1.37
26	BB	2045	C	C4-C5	7.54	1.49	1.43
26	BB	2407	A	N3-C4	7.54	1.39	1.34
26	BB	1327	A	C6-N1	7.54	1.40	1.35
26	BB	725	G	C2'-O2'	7.54	1.51	1.41
26	BB	1519	G	C2-N3	7.54	1.38	1.32
2	AB	18	G	C4'-O4'	-7.54	1.35	1.45
26	BB	80	G	P-O5'	7.54	1.67	1.59
26	BB	1912	A	P-O5'	7.54	1.67	1.59
1	AA	353	A	P-O5'	7.54	1.67	1.59
1	AA	1169	A	P-O5'	7.54	1.67	1.59
26	BB	1802	A	N9-C4	7.54	1.42	1.37
26	BB	1987	A	N9-C8	7.54	1.43	1.37
26	BB	2309	A	N3-C4	7.54	1.39	1.34
26	BB	2440	C	C2-N3	7.54	1.41	1.35
1	AA	1321	U	O4'-C1'	7.53	1.51	1.41
26	BB	1132	U	C5-C6	7.53	1.41	1.34
26	BB	1266	G	C5'-C4'	7.53	1.60	1.51
26	BB	2038	G	C6-N1	-7.53	1.34	1.39
1	AA	264	C	N1-C6	7.53	1.41	1.37
1	AA	1103	C	C4-C5	7.53	1.49	1.43
1	AA	1391	U	C5'-C4'	7.53	1.60	1.51
26	BB	2634	A	C8-N7	-7.53	1.26	1.31
26	BB	1784	A	P-O5'	7.53	1.67	1.59
1	AA	1493	A	N3-C4	7.53	1.39	1.34
4	AD	15	G	N7-C5	-7.53	1.34	1.39
26	BB	694	U	C4'-C3'	7.53	1.61	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1919	A	N1-C2	-7.53	1.27	1.34
26	BB	2413	G	C3'-O3'	7.53	1.52	1.42
3	AC	57	C	C2-N3	7.53	1.41	1.35
25	BA	12	C	C5'-C4'	7.53	1.60	1.51
26	BB	164	C	C2-N3	7.53	1.41	1.35
26	BB	509	C	C5'-C4'	7.53	1.60	1.51
26	BB	2264	C	C4-C5	-7.53	1.36	1.43
1	AA	988	G	C6-N1	7.52	1.44	1.39
26	BB	911	A	N7-C5	-7.52	1.34	1.39
1	AA	288	A	C8-N7	-7.52	1.26	1.31
26	BB	1301	A	C6-N1	7.52	1.40	1.35
26	BB	1431	A	N9-C4	7.52	1.42	1.37
26	BB	1556	C	C5'-C4'	7.52	1.60	1.51
26	BB	1557	C	N3-C4	7.52	1.39	1.33
26	BB	1770	G	C3'-C2'	-7.52	1.44	1.52
25	BA	7	G	C2-N3	7.52	1.38	1.32
26	BB	121	G	P-O5'	7.52	1.67	1.59
26	BB	1542	U	N3-C4	7.52	1.45	1.38
26	BB	1824	G	C6-N1	-7.52	1.34	1.39
26	BB	2695	U	C2-N3	7.52	1.43	1.37
26	BB	2767	C	C3'-C2'	7.52	1.61	1.52
26	BB	706	A	N9-C4	7.51	1.42	1.37
26	BB	727	A	C5'-C4'	7.51	1.60	1.51
1	AA	1188	A	N3-C4	7.51	1.39	1.34
2	AB	76	A	N9-C4	-7.51	1.33	1.37
26	BB	30	G	N1-C2	7.51	1.43	1.37
1	AA	1215	G	C3'-C2'	7.51	1.61	1.52
26	BB	2223	G	N1-C2	7.51	1.43	1.37
1	AA	62	U	N1-C2	7.51	1.45	1.38
1	AA	282	A	O3'-P	7.51	1.70	1.61
1	AA	1005	A	N3-C4	-7.51	1.30	1.34
2	AB	5	G	N1-C2	7.51	1.43	1.37
26	BB	884	U	C2'-C1'	7.51	1.61	1.53
26	BB	1663	G	N7-C5	-7.51	1.34	1.39
26	BB	2015	A	C2'-C1'	-7.51	1.45	1.53
26	BB	2477	U	P-O5'	-7.51	1.52	1.59
26	BB	2490	G	N3-C4	7.51	1.40	1.35
1	AA	702	A	C5-C4	-7.51	1.33	1.38
26	BB	1719	G	P-O5'	7.51	1.67	1.59
26	BB	2048	G	C2-N3	7.51	1.38	1.32
26	BB	943	A	C8-N7	-7.51	1.26	1.31
26	BB	293	U	P-O5'	7.50	1.67	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	514	A	C6-N6	7.50	1.40	1.33
26	BB	1239	G	C8-N7	-7.50	1.26	1.30
26	BB	734	A	N9-C8	7.50	1.43	1.37
26	BB	1555	G	N7-C5	7.50	1.43	1.39
26	BB	1685	C	P-O5'	7.50	1.67	1.59
1	AA	360	G	N3-C4	7.50	1.40	1.35
1	AA	637	C	O3'-P	7.50	1.70	1.61
26	BB	645	C	N3-C4	7.50	1.39	1.33
26	BB	1515	A	N3-C4	7.50	1.39	1.34
26	BB	2752	C	N1-C2	7.50	1.47	1.40
2	AB	44	G	P-O5'	7.50	1.67	1.59
25	BA	62	C	P-O5'	7.50	1.67	1.59
26	BB	1519	G	N9-C4	-7.50	1.31	1.38
1	AA	1043	G	P-O5'	-7.50	1.52	1.59
1	AA	1097	C	C2-N3	7.50	1.41	1.35
1	AA	690	G	C2-N3	7.49	1.38	1.32
1	AA	882	C	C2-N3	7.49	1.41	1.35
1	AA	1454	G	N9-C8	7.49	1.43	1.37
26	BB	691	C	C3'-C2'	7.49	1.61	1.52
26	BB	1324	G	C3'-C2'	7.49	1.61	1.52
26	BB	1753	G	C5-C4	-7.49	1.33	1.38
1	AA	699	C	C2-N3	7.49	1.41	1.35
1	AA	1186	G	C5'-C4'	7.49	1.60	1.51
25	BA	45	A	O3'-P	7.49	1.70	1.61
26	BB	430	A	N7-C5	7.49	1.43	1.39
26	BB	2576	G	C5'-C4'	7.49	1.60	1.51
26	BB	2832	U	P-O5'	-7.49	1.52	1.59
1	AA	63	C	P-O5'	7.49	1.67	1.59
26	BB	1125	G	C5-C6	7.49	1.49	1.42
26	BB	2578	G	N9-C4	7.49	1.44	1.38
26	BB	2621	G	C2-N3	7.49	1.38	1.32
26	BB	188	G	N9-C8	-7.49	1.32	1.37
1	AA	1465	A	C5-C4	7.48	1.44	1.38
1	AA	124	C	N1-C6	7.48	1.41	1.37
1	AA	1077	G	C6-N1	7.48	1.44	1.39
1	AA	1141	C	C4'-O4'	-7.48	1.35	1.45
26	BB	25	U	P-O5'	7.48	1.67	1.59
26	BB	2890	G	P-O5'	7.48	1.67	1.59
1	AA	951	G	P-O5'	7.48	1.67	1.59
2	AB	62	U	C2'-C1'	7.48	1.61	1.53
26	BB	2201	G	P-O5'	7.48	1.67	1.59
26	BB	2586	U	N1-C2	7.48	1.45	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1315	U	O3'-P	-7.48	1.52	1.61
26	BB	136	G	N7-C5	7.48	1.43	1.39
26	BB	509	C	C2-N3	7.48	1.41	1.35
26	BB	1743	G	N7-C5	-7.48	1.34	1.39
26	BB	2085	U	O3'-P	7.48	1.70	1.61
26	BB	259	G	N3-C4	7.48	1.40	1.35
26	BB	604	G	C2-N3	7.48	1.38	1.32
26	BB	202	U	C4'-O4'	-7.47	1.35	1.45
26	BB	2742	G	C2-N3	7.47	1.38	1.32
1	AA	510	A	C8-N7	-7.47	1.26	1.31
1	AA	683	G	C8-N7	7.47	1.35	1.30
1	AA	1208	C	P-O5'	7.47	1.67	1.59
4	AD	4	G	N7-C5	7.47	1.43	1.39
26	BB	235	U	N1-C6	7.47	1.44	1.38
26	BB	911	A	C6-N1	7.47	1.40	1.35
26	BB	1276	A	N3-C4	7.47	1.39	1.34
26	BB	19	A	C8-N7	-7.47	1.26	1.31
3	AC	20	G	N7-C5	-7.47	1.34	1.39
26	BB	88	G	N3-C4	7.47	1.40	1.35
26	BB	610	C	N3-C4	7.47	1.39	1.33
26	BB	1664	A	N7-C5	-7.47	1.34	1.39
26	BB	2521	C	N1-C6	7.47	1.41	1.37
1	AA	482	A	P-O5'	7.46	1.67	1.59
26	BB	171	U	O3'-P	7.46	1.70	1.61
26	BB	856	G	N9-C8	7.46	1.43	1.37
26	BB	1605	C	C5-C6	7.46	1.40	1.34
26	BB	2849	U	P-O5'	7.46	1.67	1.59
1	AA	80	A	C3'-C2'	7.46	1.61	1.52
26	BB	507	A	P-O5'	7.46	1.67	1.59
26	BB	1019	U	C2'-C1'	7.46	1.61	1.53
26	BB	1019	U	C4-C5	7.46	1.50	1.43
26	BB	1392	A	N7-C5	-7.46	1.34	1.39
26	BB	1891	G	C4'-C3'	-7.46	1.45	1.53
26	BB	2170	A	N9-C8	7.46	1.43	1.37
26	BB	2599	G	C6-N1	7.46	1.44	1.39
3	AC	19	A	N3-C4	7.46	1.39	1.34
25	BA	41	G	N1-C2	7.46	1.43	1.37
1	AA	391	G	C5'-C4'	7.46	1.60	1.51
1	AA	1318	A	P-O5'	7.46	1.67	1.59
26	BB	461	C	C5'-C4'	7.46	1.60	1.51
26	BB	317	G	P-O5'	7.45	1.67	1.59
26	BB	605	G	C5'-C4'	7.45	1.60	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2138	G	P-O5'	7.45	1.67	1.59
26	BB	2635	A	P-O5'	7.45	1.67	1.59
26	BB	2772	C	C2-N3	7.45	1.41	1.35
1	AA	886	G	C2-N3	7.45	1.38	1.32
26	BB	1422	G	C6-N1	-7.45	1.34	1.39
26	BB	2461	A	O4'-C1'	7.45	1.51	1.41
2	AB	18	G	P-O5'	7.45	1.67	1.59
3	AC	20	G	P-O5'	7.45	1.67	1.59
26	BB	1401	G	N3-C4	7.45	1.40	1.35
26	BB	2405	G	P-O5'	7.45	1.67	1.59
26	BB	2540	C	C5-C6	7.45	1.40	1.34
2	AB	53	G	C4'-O4'	-7.45	1.35	1.45
26	BB	1105	U	C2'-O2'	7.45	1.51	1.41
26	BB	2114	A	C5'-C4'	7.45	1.60	1.51
26	BB	2505	G	C5'-C4'	7.45	1.60	1.51
1	AA	1454	G	C6-N1	7.45	1.44	1.39
26	BB	592	A	C8-N7	7.45	1.36	1.31
26	BB	764	A	C8-N7	-7.45	1.26	1.31
26	BB	940	G	N1-C2	-7.44	1.31	1.37
1	AA	313	A	C6-N1	-7.44	1.30	1.35
1	AA	1275	A	N9-C4	7.44	1.42	1.37
1	AA	1420	U	P-O5'	7.44	1.67	1.59
26	BB	1777	U	C5'-C4'	7.44	1.60	1.51
26	BB	996	A	C6-N6	7.44	1.40	1.33
26	BB	1923	U	C4-C5	7.44	1.50	1.43
26	BB	2352	A	C4'-O4'	-7.44	1.35	1.45
1	AA	1155	A	N1-C2	-7.44	1.27	1.34
26	BB	1862	G	C4'-C3'	-7.44	1.45	1.53
26	BB	1147	A	C4'-O4'	-7.43	1.35	1.45
26	BB	1875	G	N1-C2	7.43	1.43	1.37
26	BB	2181	U	C5'-C4'	7.43	1.60	1.51
26	BB	2213	U	C2-N3	7.43	1.43	1.37
1	AA	371	A	C8-N7	7.43	1.36	1.31
1	AA	522	C	C4-C5	7.43	1.48	1.43
1	AA	1315	U	C5'-C4'	7.43	1.60	1.51
26	BB	2	G	C2-N3	7.43	1.38	1.32
1	AA	916	U	C5-C6	7.43	1.40	1.34
26	BB	339	U	C4'-C3'	-7.43	1.45	1.53
26	BB	1075	C	P-O5'	7.43	1.67	1.59
26	BB	2223	G	C6-N1	7.43	1.44	1.39
26	BB	643	A	N9-C4	7.43	1.42	1.37
26	BB	1868	C	N1-C6	7.43	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1899	A	N7-C5	-7.43	1.34	1.39
1	AA	541	G	N1-C2	7.43	1.43	1.37
1	AA	361	G	N9-C4	7.43	1.43	1.38
1	AA	642	A	C8-N7	-7.43	1.26	1.31
26	BB	1296	G	N3-C4	7.43	1.40	1.35
26	BB	1609	A	C8-N7	-7.43	1.26	1.31
4	AD	47	A	N9-C4	7.42	1.42	1.37
26	BB	1815	A	P-O5'	7.42	1.67	1.59
1	AA	83	C	P-O5'	7.42	1.67	1.59
26	BB	1462	C	C4-N4	7.42	1.40	1.33
1	AA	413	G	P-O5'	7.42	1.67	1.59
1	AA	1071	C	C4'-O4'	-7.42	1.35	1.45
26	BB	276	U	P-O5'	7.42	1.67	1.59
26	BB	2172	U	C4-C5	7.42	1.50	1.43
26	BB	2886	A	C4'-O4'	-7.42	1.35	1.45
1	AA	1306	A	N3-C4	7.42	1.39	1.34
1	AA	1409	C	N3-C4	-7.42	1.28	1.33
26	BB	494	G	C2-N3	7.42	1.38	1.32
26	BB	2868	A	N3-C4	7.42	1.39	1.34
2	AB	18	G	C6-N1	7.42	1.44	1.39
26	BB	126	A	N9-C8	7.42	1.43	1.37
1	AA	348	G	C2-N3	7.42	1.38	1.32
4	AD	4	G	C2'-C1'	7.42	1.61	1.53
15	AO	65	TYR	CG-CD2	7.42	1.48	1.39
26	BB	2877	G	N1-C2	7.42	1.43	1.37
1	AA	146	G	C5-C6	7.41	1.49	1.42
1	AA	1318	A	N9-C8	7.41	1.43	1.37
26	BB	341	C	C2'-C1'	7.41	1.61	1.53
26	BB	875	G	N9-C8	-7.41	1.32	1.37
1	AA	1015	G	P-O5'	7.41	1.67	1.59
4	AD	23	G	N3-C4	7.41	1.40	1.35
26	BB	1029	A	N1-C2	-7.41	1.27	1.34
1	AA	520	A	N9-C8	-7.41	1.31	1.37
1	AA	798	U	N1-C2	7.41	1.45	1.38
1	AA	1537	U	N3-C4	7.41	1.45	1.38
25	BA	10	G	C5'-C4'	7.41	1.60	1.51
26	BB	1436	G	C2'-C1'	7.41	1.61	1.53
1	AA	65	A	C8-N7	-7.41	1.26	1.31
26	BB	2152	G	N3-C4	7.41	1.40	1.35
1	AA	615	G	N3-C4	7.41	1.40	1.35
1	AA	1437	A	N3-C4	7.41	1.39	1.34
26	BB	186	G	C2'-O2'	7.41	1.51	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	649	G	C5-C6	7.41	1.49	1.42
26	BB	2416	C	C3'-O3'	7.41	1.52	1.42
1	AA	250	A	P-O5'	7.40	1.67	1.59
26	BB	273	G	C2-N3	7.40	1.38	1.32
26	BB	1359	A	N3-C4	7.40	1.39	1.34
1	AA	453	G	C3'-C2'	7.40	1.61	1.52
5	AE	21	TYR	CE1-CZ	7.40	1.48	1.38
26	BB	87	U	P-O5'	7.40	1.67	1.59
26	BB	1310	G	P-O5'	7.40	1.67	1.59
4	AD	14	A	C6-N1	-7.40	1.30	1.35
26	BB	896	A	N9-C8	7.40	1.43	1.37
1	AA	213	G	C6-N1	7.40	1.44	1.39
3	AC	25	U	C2-N3	7.40	1.43	1.37
4	AD	14	A	O3'-P	-7.40	1.52	1.61
26	BB	238	C	N1-C6	7.40	1.41	1.37
26	BB	697	G	N7-C5	-7.40	1.34	1.39
1	AA	182	A	N9-C4	-7.40	1.33	1.37
1	AA	795	C	N3-C4	7.40	1.39	1.33
1	AA	908	A	C6-N6	7.40	1.39	1.33
26	BB	465	G	C2-N3	7.40	1.38	1.32
1	AA	201	G	C3'-C2'	7.39	1.61	1.52
26	BB	434	U	P-O5'	7.39	1.67	1.59
26	BB	701	G	C6-N1	7.39	1.44	1.39
1	AA	7	A	O3'-P	7.39	1.70	1.61
1	AA	1215	G	C6-N1	7.39	1.44	1.39
1	AA	1241	G	C5'-C4'	7.39	1.60	1.51
26	BB	1230	A	N7-C5	7.39	1.43	1.39
26	BB	2803	G	P-O5'	7.39	1.67	1.59
1	AA	980	C	N1-C6	7.39	1.41	1.37
26	BB	1489	C	O3'-P	7.39	1.70	1.61
26	BB	2768	U	N3-C4	-7.39	1.31	1.38
26	BB	2775	G	C5-C4	7.39	1.43	1.38
1	AA	1173	U	P-O5'	7.39	1.67	1.59
26	BB	427	U	N1-C2	7.39	1.45	1.38
26	BB	2450	A	P-O5'	7.39	1.67	1.59
26	BB	2618	G	N1-C2	7.39	1.43	1.37
26	BB	2246	G	C6-N1	7.39	1.44	1.39
1	AA	1514	G	N7-C5	7.39	1.43	1.39
3	AC	18	A	N3-C4	7.39	1.39	1.34
26	BB	118	A	N1-C2	-7.39	1.27	1.34
26	BB	232	G	C2-N3	7.39	1.38	1.32
26	BB	435	C	N1-C6	-7.39	1.32	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	984	A	N9-C4	7.39	1.42	1.37
1	AA	1119	C	P-O5'	7.38	1.67	1.59
1	AA	1310	G	P-O5'	7.38	1.67	1.59
1	AA	815	A	P-O5'	7.38	1.67	1.59
1	AA	1181	G	N7-C5	-7.38	1.34	1.39
25	BA	68	C	C2-O2	-7.38	1.17	1.24
26	BB	2278	A	N9-C4	7.38	1.42	1.37
26	BB	2668	G	C2-N3	7.38	1.38	1.32
1	AA	954	G	C2-N3	7.38	1.38	1.32
1	AA	1113	C	P-O5'	7.38	1.67	1.59
3	AC	15	G	C8-N7	-7.38	1.26	1.30
26	BB	909	A	C5-C4	-7.38	1.33	1.38
26	BB	2156	G	N3-C4	-7.38	1.30	1.35
1	AA	520	A	C5-C4	-7.38	1.33	1.38
1	AA	885	G	N9-C8	7.38	1.43	1.37
1	AA	1530	G	P-O5'	7.38	1.67	1.59
26	BB	6	A	C8-N7	-7.38	1.26	1.31
26	BB	2614	A	N3-C4	7.38	1.39	1.34
1	AA	258	G	P-O5'	7.38	1.67	1.59
1	AA	587	G	C5'-C4'	7.38	1.60	1.51
1	AA	1074	G	P-O5'	7.38	1.67	1.59
2	AB	71	C	C2'-C1'	7.38	1.61	1.53
26	BB	297	G	N9-C8	-7.38	1.32	1.37
26	BB	624	C	C4-C5	7.38	1.48	1.43
26	BB	738	G	C6-O6	-7.38	1.17	1.24
26	BB	1846	G	O3'-P	-7.38	1.52	1.61
26	BB	2768	U	C2-N3	7.38	1.43	1.37
26	BB	2168	G	P-O5'	7.38	1.67	1.59
1	AA	100	G	C6-O6	-7.37	1.17	1.24
1	AA	989	U	N1-C2	7.37	1.45	1.38
1	AA	1320	C	O3'-P	7.37	1.70	1.61
1	AA	1495	U	N1-C6	7.37	1.44	1.38
1	AA	1528	U	C5'-C4'	7.37	1.60	1.51
4	AD	17	C	C4'-O4'	-7.37	1.35	1.45
26	BB	963	U	C4-C5	7.37	1.50	1.43
26	BB	1991	U	C4-C5	7.37	1.50	1.43
25	BA	30	C	N3-C4	7.37	1.39	1.33
26	BB	777	G	N9-C8	-7.37	1.32	1.37
26	BB	2041	U	C2-N3	7.37	1.43	1.37
26	BB	1809	A	N3-C4	-7.37	1.30	1.34
26	BB	1988	G	P-O5'	7.37	1.67	1.59
1	AA	952	U	N1-C2	7.37	1.45	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	416	U	C2-O2	7.37	1.28	1.22
26	BB	1674	G	C2-N3	7.37	1.38	1.32
26	BB	1932	A	C5-C4	-7.37	1.33	1.38
26	BB	2613	U	O3'-P	7.37	1.70	1.61
1	AA	1455	G	N9-C8	-7.37	1.32	1.37
26	BB	128	C	P-O5'	7.37	1.67	1.59
26	BB	526	A	O5'-C5'	-7.37	1.31	1.42
26	BB	1755	A	C4'-C3'	7.37	1.61	1.53
1	AA	648	A	P-O5'	7.36	1.67	1.59
1	AA	1323	G	C4'-O4'	-7.36	1.35	1.45
1	AA	1480	A	N3-C4	7.36	1.39	1.34
26	BB	1698	A	C6-N1	7.36	1.40	1.35
1	AA	554	A	N7-C5	-7.36	1.34	1.39
1	AA	578	C	N1-C6	7.36	1.41	1.37
26	BB	97	C	O4'-C1'	7.36	1.51	1.41
1	AA	389	A	O3'-P	7.36	1.70	1.61
26	BB	549	G	C5'-C4'	7.36	1.60	1.51
26	BB	2073	C	N1-C6	7.36	1.41	1.37
1	AA	1157	A	N9-C4	-7.36	1.33	1.37
1	AA	1251	A	N3-C4	7.36	1.39	1.34
26	BB	422	A	N3-C4	-7.36	1.30	1.34
26	BB	459	U	P-O5'	7.36	1.67	1.59
26	BB	1442	U	C2-N3	7.36	1.42	1.37
1	AA	634	C	N1-C2	7.36	1.47	1.40
26	BB	31	C	C2-N3	7.36	1.41	1.35
26	BB	700	G	P-O5'	7.36	1.67	1.59
26	BB	1616	A	N3-C4	7.36	1.39	1.34
1	AA	1101	A	N3-C4	7.35	1.39	1.34
26	BB	1649	G	N1-C2	7.35	1.43	1.37
26	BB	2158	A	N7-C5	-7.35	1.34	1.39
1	AA	598	U	N3-C4	7.35	1.45	1.38
1	AA	1242	G	C4'-C3'	7.35	1.61	1.53
26	BB	2782	G	C2-N3	7.35	1.38	1.32
1	AA	1223	C	C4-C5	7.35	1.48	1.43
1	AA	67	C	C4'-O4'	-7.35	1.35	1.45
26	BB	1736	U	C5-C6	7.35	1.40	1.34
1	AA	131	A	N3-C4	7.35	1.39	1.34
1	AA	555	U	C4-O4	7.35	1.29	1.23
1	AA	1523	G	C5-C4	-7.35	1.33	1.38
26	BB	1535	A	C6-N1	7.35	1.40	1.35
26	BB	2762	C	C4-C5	7.35	1.48	1.43
1	AA	1299	A	P-O5'	7.34	1.67	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1328	C	N3-C4	7.34	1.39	1.33
26	BB	249	C	P-O5'	7.34	1.67	1.59
26	BB	2142	A	N7-C5	-7.34	1.34	1.39
26	BB	2724	U	C2-N3	7.34	1.42	1.37
1	AA	140	U	N1-C2	7.34	1.45	1.38
26	BB	758	C	C4-C5	7.34	1.48	1.43
26	BB	2242	G	N1-C2	7.34	1.43	1.37
1	AA	864	A	O3'-P	7.34	1.70	1.61
25	BA	59	A	C4'-O4'	-7.34	1.36	1.45
26	BB	1866	A	O4'-C1'	7.34	1.51	1.41
26	BB	2811	G	C6-O6	-7.34	1.17	1.24
1	AA	228	A	C4'-O4'	-7.34	1.36	1.45
1	AA	930	C	P-O5'	7.34	1.67	1.59
1	AA	956	U	C2-N3	7.34	1.42	1.37
26	BB	1921	G	C4'-O4'	-7.34	1.36	1.45
1	AA	920	U	C3'-C2'	7.34	1.61	1.52
26	BB	905	A	C4'-O4'	-7.34	1.36	1.45
2	AB	50	G	C2'-O2'	7.33	1.51	1.41
1	AA	566	G	N7-C5	7.33	1.43	1.39
26	BB	326	G	C5'-C4'	7.33	1.60	1.51
26	BB	1071	G	N1-C2	7.33	1.43	1.37
26	BB	2000	C	C2-N3	7.33	1.41	1.35
3	AC	35	G	C5'-C4'	7.33	1.60	1.51
25	BA	6	G	N1-C2	7.33	1.43	1.37
1	AA	456	A	N3-C4	7.33	1.39	1.34
1	AA	908	A	C5'-C4'	7.33	1.60	1.51
1	AA	1341	U	C4-C5	7.33	1.50	1.43
26	BB	1369	G	C3'-O3'	-7.33	1.31	1.42
26	BB	1918	A	N9-C4	7.33	1.42	1.37
26	BB	1987	A	N3-C4	7.33	1.39	1.34
4	AD	54	G	N1-C2	7.33	1.43	1.37
26	BB	93	G	C2-N3	7.33	1.38	1.32
1	AA	72	A	N7-C5	7.32	1.43	1.39
1	AA	194	C	N1-C6	7.32	1.41	1.37
26	BB	1358	G	N9-C4	7.32	1.43	1.38
25	BA	49	C	C2'-C1'	7.32	1.61	1.53
1	AA	1214	C	C2-N3	-7.32	1.29	1.35
26	BB	2739	U	N1-C2	7.32	1.45	1.38
4	AD	30	G	C5'-C4'	7.32	1.60	1.51
1	AA	374	A	N1-C2	-7.32	1.27	1.34
1	AA	1021	A	N9-C4	-7.32	1.33	1.37
3	AC	56	G	C6-N1	-7.32	1.34	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	40	C	N1-C2	-7.32	1.32	1.40
25	BA	8	C	C2'-C1'	7.32	1.61	1.53
26	BB	1322	A	N9-C8	7.32	1.43	1.37
4	AD	31	G	C2-N3	7.32	1.38	1.32
26	BB	1278	C	N1-C2	7.32	1.47	1.40
26	BB	1641	A	N3-C4	7.32	1.39	1.34
26	BB	1856	U	C3'-C2'	7.32	1.60	1.52
26	BB	2766	A	O3'-P	-7.32	1.52	1.61
25	BA	99	A	C4'-O4'	-7.31	1.36	1.45
26	BB	495	G	C5'-C4'	7.31	1.60	1.51
26	BB	1064	C	C5-C6	7.31	1.40	1.34
26	BB	1645	G	N1-C2	7.31	1.43	1.37
26	BB	2290	G	C2-N3	7.31	1.38	1.32
1	AA	478	A	N7-C5	7.31	1.43	1.39
1	AA	840	C	O3'-P	7.31	1.70	1.61
1	AA	1355	G	P-O5'	7.31	1.67	1.59
1	AA	546	A	C5'-C4'	7.31	1.60	1.51
1	AA	1099	G	N9-C8	7.31	1.43	1.37
26	BB	2062	A	N7-C5	7.31	1.43	1.39
26	BB	268	C	N3-C4	7.31	1.39	1.33
26	BB	1844	C	C5-C6	7.31	1.40	1.34
1	AA	532	A	C3'-C2'	7.31	1.60	1.52
26	BB	98	G	C6-N1	7.31	1.44	1.39
26	BB	227	A	C5'-C4'	7.31	1.60	1.51
1	AA	627	G	C2-N3	7.31	1.38	1.32
1	AA	1535	C	C3'-C2'	-7.31	1.44	1.52
26	BB	474	G	N9-C4	7.31	1.43	1.38
26	BB	1526	C	C4-C5	7.30	1.48	1.43
26	BB	2210	U	P-O5'	-7.30	1.52	1.59
2	AB	72	U	N1-C6	7.30	1.44	1.38
26	BB	382	A	C6-N1	7.30	1.40	1.35
1	AA	1066	C	C4-N4	7.30	1.40	1.33
26	BB	1829	A	N7-C5	7.30	1.43	1.39
26	BB	2305	U	C2-N3	7.30	1.42	1.37
1	AA	296	U	C4'-O4'	-7.30	1.36	1.45
26	BB	89	A	N9-C8	7.30	1.43	1.37
1	AA	576	C	C4-C5	7.30	1.48	1.43
1	AA	802	A	N7-C5	7.30	1.43	1.39
26	BB	255	A	C5-C4	7.30	1.43	1.38
26	BB	716	A	C2-N3	7.30	1.40	1.33
26	BB	2589	A	P-O5'	7.30	1.67	1.59
1	AA	608	A	P-O5'	7.29	1.67	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1887	C	C5'-C4'	7.29	1.60	1.51
26	BB	2176	A	N3-C4	7.29	1.39	1.34
26	BB	2506	U	C4-C5	7.29	1.50	1.43
26	BB	313	G	N9-C4	-7.29	1.32	1.38
26	BB	727	A	N9-C8	7.29	1.43	1.37
26	BB	2178	C	C3'-C2'	7.29	1.60	1.52
26	BB	2211	A	N7-C5	7.29	1.43	1.39
26	BB	2261	C	C5-C6	7.29	1.40	1.34
26	BB	2304	G	C2'-C1'	7.29	1.61	1.53
26	BB	686	U	C2-N3	7.29	1.42	1.37
26	BB	1006	C	C2-N3	7.29	1.41	1.35
26	BB	1226	A	N3-C4	7.29	1.39	1.34
26	BB	2466	C	C5-C6	7.29	1.40	1.34
26	BB	2663	G	O3'-P	7.29	1.69	1.61
26	BB	2138	G	N1-C2	7.29	1.43	1.37
26	BB	110	G	C3'-C2'	7.29	1.60	1.52
26	BB	201	C	N3-C4	7.29	1.39	1.33
26	BB	308	G	N1-C2	7.29	1.43	1.37
26	BB	55	G	N7-C5	7.28	1.43	1.39
26	BB	723	C	N3-C4	7.28	1.39	1.33
26	BB	1934	C	P-O5'	7.28	1.67	1.59
26	BB	1993	U	C4-O4	-7.28	1.17	1.23
1	AA	984	C	C2-N3	7.28	1.41	1.35
26	BB	518	G	C5-C6	-7.28	1.35	1.42
1	AA	473	U	C4-O4	-7.28	1.17	1.23
26	BB	2868	A	N9-C4	7.28	1.42	1.37
1	AA	281	G	C3'-C2'	-7.28	1.44	1.52
1	AA	432	A	C2-N3	-7.28	1.27	1.33
26	BB	831	G	C4'-C3'	-7.28	1.45	1.53
26	BB	2156	G	C2-N3	7.28	1.38	1.32
2	AB	42	G	N7-C5	7.28	1.43	1.39
26	BB	1262	A	P-O5'	7.28	1.67	1.59
26	BB	1483	G	C5-C4	7.28	1.43	1.38
26	BB	2136	G	C2-N3	7.28	1.38	1.32
1	AA	300	A	C3'-O3'	7.27	1.52	1.42
26	BB	385	C	C4-N4	7.27	1.40	1.33
26	BB	936	A	P-O5'	-7.27	1.52	1.59
26	BB	1832	C	P-O5'	7.27	1.67	1.59
1	AA	645	G	C8-N7	7.27	1.35	1.30
1	AA	859	G	C8-N7	-7.27	1.26	1.30
26	BB	159	G	P-O5'	7.27	1.67	1.59
26	BB	462	C	P-O5'	7.27	1.67	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1896	G	O3'-P	7.27	1.69	1.61
26	BB	2293	G	C5'-C4'	7.27	1.60	1.51
1	AA	989	U	C4-C5	7.27	1.50	1.43
26	BB	406	G	C8-N7	-7.27	1.26	1.30
26	BB	1204	A	C6-N1	7.27	1.40	1.35
26	BB	2218	G	C2-N3	7.27	1.38	1.32
26	BB	2446	G	N7-C5	-7.27	1.34	1.39
26	BB	27	G	N9-C8	-7.27	1.32	1.37
26	BB	156	A	P-O5'	7.27	1.67	1.59
26	BB	1988	G	N9-C8	-7.27	1.32	1.37
26	BB	2367	G	C2-N3	7.27	1.38	1.32
1	AA	741	G	C4'-C3'	-7.27	1.45	1.53
1	AA	1099	G	C2-N2	7.27	1.41	1.34
1	AA	1373	G	C2-N3	7.27	1.38	1.32
1	AA	33	A	N7-C5	7.26	1.43	1.39
1	AA	296	U	P-O5'	7.26	1.67	1.59
1	AA	903	G	N9-C8	7.26	1.43	1.37
25	BA	86	G	N3-C4	7.26	1.40	1.35
26	BB	483	A	N9-C4	-7.26	1.33	1.37
26	BB	1546	G	N7-C5	-7.26	1.34	1.39
26	BB	2325	G	C4'-O4'	-7.26	1.36	1.45
26	BB	2428	G	C2-N3	7.26	1.38	1.32
1	AA	247	G	N3-C4	7.26	1.40	1.35
26	BB	49	A	P-O5'	7.26	1.67	1.59
26	BB	811	U	P-O5'	7.26	1.67	1.59
26	BB	1136	G	C8-N7	7.26	1.35	1.30
1	AA	1287	A	N7-C5	-7.26	1.34	1.39
2	AB	49	G	N3-C4	7.26	1.40	1.35
26	BB	2895	G	C5'-C4'	7.26	1.60	1.51
1	AA	1177	G	C2'-O2'	-7.26	1.32	1.41
26	BB	360	U	C4-C5	7.26	1.50	1.43
26	BB	983	A	N7-C5	-7.26	1.34	1.39
26	BB	1065	U	C3'-C2'	-7.26	1.44	1.52
26	BB	1988	G	C5-C4	-7.26	1.33	1.38
26	BB	2453	A	P-O5'	7.26	1.67	1.59
1	AA	936	C	C4-C5	7.25	1.48	1.43
1	AA	1304	G	C6-N1	-7.25	1.34	1.39
26	BB	737	C	C4-C5	7.25	1.48	1.43
26	BB	804	A	C5'-C4'	7.25	1.60	1.51
26	BB	1433	A	C8-N7	-7.25	1.26	1.31
26	BB	867	C	N1-C6	7.25	1.41	1.37
26	BB	1720	U	N1-C2	7.25	1.45	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	AC	55	A	N7-C5	7.25	1.43	1.39
4	AD	37	U	C4-C5	7.25	1.50	1.43
26	BB	85	G	C2-N3	7.25	1.38	1.32
26	BB	713	G	N3-C4	7.25	1.40	1.35
26	BB	855	G	C6-N1	-7.25	1.34	1.39
26	BB	1803	A	C4'-O4'	-7.25	1.36	1.45
25	BA	88	C	N1-C6	7.25	1.41	1.37
1	AA	224	U	P-O5'	7.25	1.67	1.59
26	BB	2761	A	C8-N7	7.25	1.36	1.31
1	AA	771	G	C2-N3	7.25	1.38	1.32
26	BB	2617	U	N1-C6	7.25	1.44	1.38
1	AA	678	U	C4-O4	7.25	1.29	1.23
1	AA	737	C	C2-N3	7.25	1.41	1.35
26	BB	1670	C	C5'-C4'	7.24	1.60	1.51
26	BB	2079	U	C5-C6	7.24	1.40	1.34
26	BB	2407	A	N9-C8	7.24	1.43	1.37
31	BG	61	GLY	CA-C	7.24	1.63	1.51
1	AA	635	A	P-O5'	7.24	1.67	1.59
26	BB	2471	A	N9-C4	-7.24	1.33	1.37
26	BB	2607	G	N1-C2	7.24	1.43	1.37
1	AA	304	U	N1-C6	7.24	1.44	1.38
1	AA	474	G	P-O5'	7.24	1.67	1.59
1	AA	1079	G	N3-C4	7.24	1.40	1.35
1	AA	1398	A	N9-C4	7.24	1.42	1.37
26	BB	326	G	C5-C4	7.24	1.43	1.38
26	BB	984	A	C5-C4	-7.24	1.33	1.38
26	BB	1613	G	N3-C4	7.24	1.40	1.35
26	BB	1936	A	N3-C4	7.24	1.39	1.34
26	BB	2278	A	N3-C4	7.24	1.39	1.34
43	BS	110	GLU	CG-CD	7.24	1.62	1.51
26	BB	2660	A	C4'-O4'	-7.24	1.36	1.45
1	AA	568	G	C6-N1	7.24	1.44	1.39
26	BB	187	G	N7-C5	-7.24	1.34	1.39
26	BB	218	A	N9-C4	7.24	1.42	1.37
26	BB	458	G	N1-C2	-7.24	1.31	1.37
26	BB	939	G	C5'-C4'	7.24	1.60	1.51
26	BB	2620	C	N1-C6	7.24	1.41	1.37
26	BB	2867	G	N1-C2	7.24	1.43	1.37
1	AA	144	G	C6-O6	-7.23	1.17	1.24
26	BB	1759	A	N9-C4	7.23	1.42	1.37
1	AA	1346	A	C4'-C3'	7.23	1.61	1.53
6	AF	192	TYR	CD2-CE2	7.23	1.50	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1546	G	N1-C2	7.23	1.43	1.37
26	BB	1446	C	N1-C6	7.23	1.41	1.37
26	BB	789	A	C5'-C4'	7.23	1.60	1.51
26	BB	1242	U	C5-C6	7.22	1.40	1.34
26	BB	328	U	C2-N3	7.22	1.42	1.37
26	BB	613	A	P-O5'	7.22	1.67	1.59
26	BB	1037	G	C3'-C2'	-7.22	1.44	1.52
26	BB	1192	G	C5-C6	7.22	1.49	1.42
26	BB	1305	C	C2-N3	7.22	1.41	1.35
26	BB	1728	C	P-O5'	7.22	1.67	1.59
1	AA	1441	A	C6-N1	7.22	1.40	1.35
26	BB	916	G	C6-N1	7.22	1.44	1.39
26	BB	2473	U	P-O5'	7.22	1.67	1.59
1	AA	77	A	C5'-C4'	7.22	1.60	1.51
1	AA	481	G	C2-N3	7.22	1.38	1.32
1	AA	564	C	N1-C2	7.22	1.47	1.40
1	AA	693	G	C5-C6	7.22	1.49	1.42
26	BB	1842	G	P-O5'	7.22	1.67	1.59
1	AA	375	U	C5-C6	7.22	1.40	1.34
26	BB	814	C	P-O5'	-7.22	1.52	1.59
26	BB	1875	G	O3'-P	7.22	1.69	1.61
1	AA	96	U	P-O5'	7.22	1.67	1.59
2	AB	49	G	C2-N3	7.22	1.38	1.32
26	BB	724	U	C4'-O4'	-7.22	1.36	1.45
26	BB	836	G	C5-C4	-7.22	1.33	1.38
26	BB	988	A	C6-N6	7.22	1.39	1.33
26	BB	2541	A	N9-C4	7.22	1.42	1.37
1	AA	498	A	N7-C5	-7.21	1.34	1.39
26	BB	612	G	C2-N3	7.21	1.38	1.32
26	BB	1184	U	N3-C4	7.21	1.45	1.38
26	BB	2362	C	C2-N3	7.21	1.41	1.35
26	BB	2778	A	N9-C4	-7.21	1.33	1.37
1	AA	1156	G	C5-C4	-7.21	1.33	1.38
26	BB	2205	A	C2-N3	7.21	1.40	1.33
1	AA	789	U	C2-O2	7.21	1.28	1.22
26	BB	184	C	N3-C4	-7.21	1.28	1.33
26	BB	647	G	N7-C5	-7.21	1.34	1.39
26	BB	1241	A	C3'-C2'	7.21	1.60	1.52
1	AA	537	G	C5-C4	-7.21	1.33	1.38
26	BB	490	C	C5-C6	7.21	1.40	1.34
26	BB	2491	U	P-O5'	7.21	1.67	1.59
1	AA	556	C	N1-C6	7.21	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	733	G	N1-C2	7.21	1.43	1.37
1	AA	822	U	P-O5'	-7.21	1.52	1.59
1	AA	1219	A	N9-C8	7.21	1.43	1.37
26	BB	638	G	N3-C4	7.21	1.40	1.35
26	BB	2358	A	C6-N6	7.21	1.39	1.33
1	AA	145	G	N3-C4	7.21	1.40	1.35
1	AA	808	C	N3-C4	7.21	1.39	1.33
26	BB	313	G	C6-N1	-7.21	1.34	1.39
26	BB	1368	G	P-O5'	7.21	1.67	1.59
26	BB	1538	G	N7-C5	-7.21	1.34	1.39
26	BB	1653	G	N1-C2	7.21	1.43	1.37
1	AA	1388	C	O3'-P	7.21	1.69	1.61
26	BB	2209	G	C6-N1	7.21	1.44	1.39
1	AA	635	A	C6-N6	7.20	1.39	1.33
1	AA	688	G	C8-N7	7.20	1.35	1.30
1	AA	933	G	O4'-C1'	7.20	1.51	1.41
1	AA	1044	A	N9-C4	7.20	1.42	1.37
26	BB	1865	U	C2-N3	7.20	1.42	1.37
26	BB	1686	C	N1-C6	7.20	1.41	1.37
1	AA	964	A	C4'-O4'	-7.20	1.36	1.45
1	AA	1088	G	N7-C5	-7.20	1.34	1.39
1	AA	1365	G	P-O5'	7.20	1.67	1.59
25	BA	86	G	C6-N1	-7.20	1.34	1.39
26	BB	1008	A	N3-C4	7.20	1.39	1.34
26	BB	2050	C	C2-N3	7.20	1.41	1.35
26	BB	2085	U	N3-C4	7.20	1.45	1.38
26	BB	1165	A	C3'-C2'	-7.20	1.44	1.52
26	BB	1389	G	N7-C5	-7.20	1.34	1.39
26	BB	1808	A	N3-C4	7.20	1.39	1.34
26	BB	2282	G	N7-C5	-7.20	1.34	1.39
1	AA	203	G	C5-C4	-7.20	1.33	1.38
26	BB	14	A	N7-C5	-7.20	1.34	1.39
26	BB	541	A	P-O5'	7.20	1.67	1.59
26	BB	378	C	C3'-C2'	7.20	1.60	1.52
26	BB	895	U	C2'-O2'	7.20	1.51	1.41
1	AA	912	C	C5-C6	7.19	1.40	1.34
26	BB	846	U	P-O5'	7.19	1.67	1.59
26	BB	93	G	N9-C4	7.19	1.43	1.38
26	BB	205	G	N9-C8	-7.19	1.32	1.37
26	BB	1427	A	N9-C4	7.19	1.42	1.37
1	AA	1057	G	C2-N3	7.19	1.38	1.32
26	BB	1279	G	N9-C8	-7.19	1.32	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1673	G	C6-N1	7.19	1.44	1.39
25	BA	115	A	C6-N6	-7.19	1.28	1.33
26	BB	814	C	C4'-C3'	-7.19	1.45	1.53
26	BB	771	G	N9-C4	7.19	1.43	1.38
1	AA	1429	A	C5-C4	-7.18	1.33	1.38
1	AA	1379	G	C6-N1	7.18	1.44	1.39
26	BB	14	A	C8-N7	7.18	1.36	1.31
26	BB	1432	G	N3-C4	7.18	1.40	1.35
26	BB	1646	C	C4-N4	7.18	1.40	1.33
26	BB	2238	G	C8-N7	7.18	1.35	1.30
26	BB	2805	C	C3'-C2'	7.18	1.60	1.52
1	AA	383	A	N7-C5	7.18	1.43	1.39
1	AA	524	G	N9-C8	7.18	1.42	1.37
26	BB	1792	G	O4'-C1'	-7.18	1.32	1.41
1	AA	347	G	C5-C4	-7.18	1.33	1.38
1	AA	362	G	O3'-P	7.18	1.69	1.61
1	AA	994	A	N9-C4	7.18	1.42	1.37
1	AA	1024	G	C2-N3	7.18	1.38	1.32
26	BB	447	A	C2'-O2'	-7.18	1.32	1.41
26	BB	631	A	C6-N6	7.18	1.39	1.33
26	BB	828	U	C4-C5	7.18	1.50	1.43
26	BB	948	C	C2-N3	7.18	1.41	1.35
26	BB	1578	U	N1-C2	7.18	1.45	1.38
26	BB	2157	G	C5'-C4'	7.18	1.59	1.51
26	BB	2194	U	C5'-C4'	7.18	1.59	1.51
1	AA	1006	G	N7-C5	7.18	1.43	1.39
26	BB	2799	A	O3'-P	7.18	1.69	1.61
1	AA	1409	C	N1-C6	7.17	1.41	1.37
1	AA	703	G	C2-N3	7.17	1.38	1.32
1	AA	794	A	N3-C4	7.17	1.39	1.34
25	BA	98	G	P-O5'	7.17	1.67	1.59
28	BD	271	SER	CA-CB	7.17	1.63	1.52
26	BB	721	A	P-O5'	7.17	1.67	1.59
26	BB	561	G	N3-C4	7.17	1.40	1.35
26	BB	592	A	N3-C4	7.17	1.39	1.34
26	BB	1987	A	C2'-C1'	-7.17	1.45	1.53
26	BB	2399	G	O3'-P	7.17	1.69	1.61
26	BB	1802	A	C4'-C3'	-7.17	1.45	1.53
26	BB	2781	A	N3-C4	7.17	1.39	1.34
1	AA	1079	G	N7-C5	7.17	1.43	1.39
26	BB	627	A	C6-N1	-7.17	1.30	1.35
26	BB	780	G	C2'-O2'	7.16	1.50	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	922	C	C2-N3	7.16	1.41	1.35
26	BB	1007	C	C2-N3	7.16	1.41	1.35
26	BB	1918	A	N3-C4	7.16	1.39	1.34
26	BB	2724	U	N3-C4	7.16	1.44	1.38
1	AA	1029	U	C4-C5	7.16	1.50	1.43
1	AA	1072	G	C6-N1	7.16	1.44	1.39
1	AA	1505	G	N3-C4	7.16	1.40	1.35
26	BB	1290	C	C2'-C1'	7.16	1.61	1.53
1	AA	743	A	N9-C4	7.16	1.42	1.37
26	BB	1014	A	C5'-C4'	7.16	1.59	1.51
26	BB	2225	A	N7-C5	-7.16	1.34	1.39
26	BB	1945	G	C4'-O4'	-7.16	1.36	1.45
1	AA	1415	G	C3'-C2'	7.16	1.60	1.52
26	BB	1996	C	C2-O2	-7.16	1.18	1.24
26	BB	1997	C	N1-C6	7.16	1.41	1.37
1	AA	925	G	N7-C5	7.15	1.43	1.39
3	AC	54	U	P-O5'	7.15	1.67	1.59
26	BB	2122	U	N1-C2	7.15	1.45	1.38
26	BB	896	A	P-O5'	7.15	1.67	1.59
26	BB	1341	G	C2-N3	7.15	1.38	1.32
26	BB	1545	A	N3-C4	-7.15	1.30	1.34
1	AA	9	G	C6-N1	7.15	1.44	1.39
1	AA	1216	A	C4'-O4'	-7.15	1.36	1.45
1	AA	1237	C	C4-C5	7.15	1.48	1.43
26	BB	108	G	C8-N7	7.15	1.35	1.30
26	BB	1185	G	C6-O6	-7.15	1.17	1.24
26	BB	1610	A	N9-C4	7.15	1.42	1.37
26	BB	2582	G	C5'-C4'	7.15	1.59	1.51
1	AA	932	C	C2-N3	7.15	1.41	1.35
26	BB	1621	U	P-O5'	7.15	1.66	1.59
26	BB	1877	A	C4'-O4'	-7.15	1.36	1.45
1	AA	1092	A	O3'-P	-7.15	1.52	1.61
26	BB	376	G	P-O5'	7.15	1.66	1.59
26	BB	1958	C	C5-C6	7.15	1.40	1.34
1	AA	28	A	C5-C6	7.14	1.47	1.41
1	AA	138	G	C8-N7	-7.14	1.26	1.30
26	BB	547	A	N3-C4	7.14	1.39	1.34
26	BB	1023	U	C4'-C3'	-7.14	1.45	1.53
26	BB	2061	G	C2-N3	7.14	1.38	1.32
26	BB	2614	A	N9-C8	-7.14	1.32	1.37
1	AA	228	A	N9-C4	7.14	1.42	1.37
1	AA	1089	G	C6-O6	-7.14	1.17	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	35	G	N9-C8	7.14	1.42	1.37
26	BB	382	A	N3-C4	7.14	1.39	1.34
26	BB	395	U	P-O5'	7.14	1.66	1.59
26	BB	637	A	N9-C8	7.14	1.43	1.37
26	BB	844	A	N7-C5	7.14	1.43	1.39
26	BB	1032	A	N3-C4	-7.14	1.30	1.34
1	AA	1088	G	C4'-O4'	-7.14	1.36	1.45
26	BB	981	A	P-O5'	7.14	1.66	1.59
2	AB	29	G	N7-C5	7.14	1.43	1.39
26	BB	610	C	C4'-O4'	-7.14	1.36	1.45
1	AA	86	G	P-O5'	7.14	1.66	1.59
26	BB	113	U	C5'-C4'	7.14	1.59	1.51
26	BB	833	A	C6-N1	-7.14	1.30	1.35
1	AA	1127	G	C8-N7	7.14	1.35	1.30
26	BB	491	G	C6-N1	7.14	1.44	1.39
26	BB	1468	U	C5-C6	7.14	1.40	1.34
1	AA	117	G	P-O5'	-7.13	1.52	1.59
1	AA	609	A	N7-C5	7.13	1.43	1.39
26	BB	1245	G	N9-C8	-7.13	1.32	1.37
26	BB	1803	A	N7-C5	7.13	1.43	1.39
26	BB	2583	G	C2-N3	7.13	1.38	1.32
4	AD	32	G	C2'-C1'	-7.13	1.45	1.53
26	BB	1366	A	C5'-C4'	7.13	1.59	1.51
26	BB	2033	A	C4'-C3'	-7.13	1.45	1.53
1	AA	501	C	C2-N3	7.13	1.41	1.35
26	BB	440	C	C5-C6	7.13	1.40	1.34
26	BB	965	C	N1-C6	7.13	1.41	1.37
26	BB	1751	U	C4'-O4'	-7.13	1.36	1.45
26	BB	1882	U	C4-C5	7.13	1.50	1.43
26	BB	2261	C	N3-C4	7.13	1.39	1.33
1	AA	1263	C	N3-C4	7.13	1.39	1.33
26	BB	1285	A	O3'-P	7.13	1.69	1.61
26	BB	1763	G	C5-C4	-7.13	1.33	1.38
26	BB	2462	C	C4-C5	7.13	1.48	1.43
1	AA	115	G	C2-N3	7.13	1.38	1.32
1	AA	1069	C	N1-C6	7.13	1.41	1.37
26	BB	1410	G	N3-C4	7.13	1.40	1.35
26	BB	2171	A	C5-C6	7.13	1.47	1.41
1	AA	330	C	N1-C6	7.13	1.41	1.37
1	AA	1174	G	N7-C5	-7.13	1.34	1.39
26	BB	157	C	C5'-C4'	7.13	1.59	1.51
26	BB	1659	G	C4'-O4'	-7.13	1.36	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2056	G	P-O5'	7.13	1.66	1.59
26	BB	2119	A	N3-C4	7.13	1.39	1.34
1	AA	78	A	C5'-C4'	7.12	1.59	1.51
1	AA	174	A	C5'-C4'	7.12	1.59	1.51
1	AA	741	G	C5'-C4'	7.12	1.59	1.51
26	BB	838	C	C2-O2	-7.12	1.18	1.24
26	BB	1235	G	C5'-C4'	7.12	1.59	1.51
1	AA	475	C	C2-N3	7.12	1.41	1.35
1	AA	674	G	C5'-C4'	7.12	1.59	1.51
1	AA	746	A	C5'-C4'	7.12	1.59	1.51
1	AA	760	G	N9-C8	-7.12	1.32	1.37
1	AA	1317	C	C4-C5	7.12	1.48	1.43
26	BB	377	G	N9-C4	7.12	1.43	1.38
26	BB	439	A	C6-N1	7.12	1.40	1.35
26	BB	1364	G	C2-N3	7.12	1.38	1.32
26	BB	1540	G	C4'-C3'	7.12	1.60	1.53
26	BB	1692	U	N1-C2	7.12	1.45	1.38
1	AA	80	A	N9-C4	7.12	1.42	1.37
1	AA	1272	G	P-O5'	7.12	1.66	1.59
26	BB	396	G	P-O5'	7.12	1.66	1.59
1	AA	78	A	C6-N6	7.12	1.39	1.33
1	AA	494	G	C4'-O4'	-7.12	1.36	1.45
1	AA	799	G	N3-C4	7.12	1.40	1.35
1	AA	964	A	N7-C5	7.12	1.43	1.39
1	AA	1526	G	N7-C5	7.12	1.43	1.39
26	BB	28	A	N7-C5	7.12	1.43	1.39
1	AA	1149	C	N1-C6	-7.12	1.32	1.37
26	BB	577	G	C2-N3	7.12	1.38	1.32
26	BB	2174	C	C3'-C2'	7.12	1.60	1.52
26	BB	2364	C	N1-C6	-7.12	1.32	1.37
1	AA	1252	A	C4'-O4'	-7.11	1.36	1.45
26	BB	898	C	C3'-C2'	-7.11	1.45	1.52
26	BB	910	A	C2'-O2'	-7.11	1.32	1.41
26	BB	1648	U	P-O5'	7.11	1.66	1.59
26	BB	1974	C	N3-C4	7.11	1.39	1.33
26	BB	2750	A	N9-C4	7.11	1.42	1.37
1	AA	603	U	N1-C2	7.11	1.45	1.38
26	BB	12	U	C5'-C4'	7.11	1.59	1.51
1	AA	254	G	C5-C4	-7.11	1.33	1.38
1	AA	302	G	N1-C2	7.11	1.43	1.37
1	AA	361	G	N3-C4	7.11	1.40	1.35
1	AA	576	C	N1-C6	7.11	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	576	U	N1-C2	7.11	1.45	1.38
1	AA	674	G	N3-C4	7.11	1.40	1.35
26	BB	179	C	P-O5'	7.11	1.66	1.59
26	BB	380	G	N9-C8	-7.11	1.32	1.37
26	BB	537	G	N3-C4	7.11	1.40	1.35
26	BB	1170	C	C4-N4	7.11	1.40	1.33
4	AD	50	G	N9-C4	7.11	1.43	1.38
26	BB	2376	A	C4'-C3'	7.11	1.60	1.53
26	BB	2587	A	P-O5'	7.11	1.66	1.59
26	BB	2843	G	O3'-P	7.11	1.69	1.61
1	AA	356	A	C5-C4	7.10	1.43	1.38
1	AA	794	A	C5-C4	-7.10	1.33	1.38
1	AA	1396	A	C5'-C4'	7.10	1.59	1.51
26	BB	1196	C	N3-C4	7.10	1.39	1.33
26	BB	1385	A	C5'-C4'	7.10	1.59	1.51
26	BB	1705	A	N9-C4	7.10	1.42	1.37
26	BB	2039	U	C2-N3	7.10	1.42	1.37
1	AA	1068	G	P-O5'	7.10	1.66	1.59
25	BA	64	G	N3-C4	7.10	1.40	1.35
1	AA	330	C	C2-O2	7.10	1.30	1.24
4	AD	12	G	C5-C4	7.10	1.43	1.38
26	BB	1143	A	N9-C4	-7.10	1.33	1.37
26	BB	1346	G	C6-N1	-7.10	1.34	1.39
26	BB	1922	G	C5'-C4'	7.10	1.59	1.51
1	AA	372	C	C5-C6	7.10	1.40	1.34
26	BB	682	G	N3-C4	-7.10	1.30	1.35
26	BB	1042	G	O3'-P	7.10	1.69	1.61
25	BA	1	U	N3-C4	7.10	1.44	1.38
26	BB	173	A	C5-C6	7.09	1.47	1.41
26	BB	332	A	P-O5'	7.09	1.66	1.59
26	BB	1254	A	C5-C6	7.09	1.47	1.41
26	BB	1764	C	P-O5'	7.09	1.66	1.59
26	BB	2520	C	N1-C6	7.09	1.41	1.37
1	AA	1315	U	N1-C2	7.09	1.45	1.38
1	AA	618	C	N3-C4	7.09	1.39	1.33
2	AB	41	C	C2'-O2'	-7.09	1.32	1.41
4	AD	28	U	P-O5'	7.09	1.66	1.59
26	BB	206	U	O5'-C5'	-7.09	1.31	1.42
26	BB	402	A	C4'-O4'	-7.09	1.36	1.45
1	AA	54	C	P-O5'	7.09	1.66	1.59
26	BB	936	A	N3-C4	7.09	1.39	1.34
26	BB	1341	G	N7-C5	7.09	1.43	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2024	G	C5'-C4'	7.09	1.59	1.51
1	AA	536	C	C4'-O4'	-7.09	1.36	1.45
1	AA	1528	U	N1-C2	7.09	1.45	1.38
26	BB	172	A	N9-C8	7.09	1.43	1.37
26	BB	2840	C	N1-C6	7.09	1.41	1.37
1	AA	464	U	C2-N3	7.09	1.42	1.37
1	AA	1472	U	P-O5'	7.09	1.66	1.59
26	BB	2245	U	C5'-C4'	7.09	1.59	1.51
1	AA	492	C	N1-C6	-7.08	1.32	1.37
1	AA	738	C	C2'-C1'	7.08	1.61	1.53
1	AA	1030	U	C2-N3	7.08	1.42	1.37
1	AA	1150	A	N9-C4	-7.08	1.33	1.37
1	AA	1499	A	O3'-P	7.08	1.69	1.61
26	BB	903	C	P-O5'	7.08	1.66	1.59
2	AB	72	U	C2-N3	7.08	1.42	1.37
25	BA	15	A	N9-C8	-7.08	1.32	1.37
26	BB	1154	G	C2-N3	7.08	1.38	1.32
26	BB	2380	C	C2'-C1'	7.08	1.61	1.53
1	AA	420	U	N1-C2	7.08	1.45	1.38
1	AA	1338	G	C2-N3	7.08	1.38	1.32
1	AA	1542	A	N3-C4	7.08	1.39	1.34
26	BB	1395	A	N7-C5	7.08	1.43	1.39
26	BB	2108	A	N9-C4	7.08	1.42	1.37
26	BB	2808	G	C6-N1	7.08	1.44	1.39
1	AA	360	G	C6-N1	-7.08	1.34	1.39
1	AA	1107	C	C2-O2	-7.08	1.18	1.24
4	AD	1	C	N3-C4	-7.08	1.28	1.33
25	BA	118	C	N1-C6	7.08	1.41	1.37
26	BB	2178	C	N1-C6	7.08	1.41	1.37
26	BB	2800	A	P-O5'	7.08	1.66	1.59
2	AB	18	G	C8-N7	-7.07	1.26	1.30
25	BA	43	C	C4-C5	-7.07	1.37	1.43
26	BB	101	A	N3-C4	7.07	1.39	1.34
26	BB	215	G	C2-N3	7.07	1.38	1.32
26	BB	1277	G	N7-C5	7.07	1.43	1.39
26	BB	1820	U	N1-C2	7.07	1.45	1.38
26	BB	2256	G	C2-N3	7.07	1.38	1.32
26	BB	2288	A	N3-C4	7.07	1.39	1.34
26	BB	2681	C	P-O5'	7.07	1.66	1.59
26	BB	1026	G	N9-C4	7.07	1.43	1.38
26	BB	179	C	N3-C4	7.07	1.38	1.33
26	BB	1734	G	O3'-P	-7.07	1.52	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2327	A	C8-N7	-7.07	1.26	1.31
26	BB	2409	G	C5-C4	-7.07	1.33	1.38
26	BB	2652	C	C4-C5	7.07	1.48	1.43
1	AA	351	G	C4'-C3'	7.07	1.60	1.53
1	AA	552	U	C3'-C2'	7.07	1.60	1.52
1	AA	711	G	C6-N1	7.07	1.44	1.39
26	BB	815	C	N1-C2	7.07	1.47	1.40
26	BB	879	G	C5-C6	7.07	1.49	1.42
26	BB	2681	C	C5-C6	7.07	1.40	1.34
2	AB	68	C	C5'-C4'	7.07	1.59	1.51
26	BB	2405	G	N3-C4	7.07	1.40	1.35
26	BB	2569	G	C5'-C4'	7.07	1.59	1.51
26	BB	194	G	C4'-O4'	-7.07	1.36	1.45
26	BB	552	U	N1-C2	7.07	1.45	1.38
26	BB	1481	U	C5-C6	7.07	1.40	1.34
26	BB	1673	G	N7-C5	-7.07	1.35	1.39
26	BB	1874	C	C2-N3	7.07	1.41	1.35
26	BB	1882	U	O3'-P	7.07	1.69	1.61
26	BB	1885	A	O3'-P	7.07	1.69	1.61
1	AA	684	U	C2-N3	7.06	1.42	1.37
26	BB	2482	A	N9-C4	7.06	1.42	1.37
26	BB	2787	C	C2-N3	7.06	1.41	1.35
1	AA	1333	A	C8-N7	-7.06	1.26	1.31
1	AA	1529	G	N9-C8	-7.06	1.32	1.37
26	BB	2023	C	C4-C5	7.06	1.48	1.43
26	BB	2411	A	P-O5'	7.06	1.66	1.59
26	BB	2864	G	C5'-C4'	7.06	1.59	1.51
26	BB	224	U	C4-C5	7.06	1.50	1.43
26	BB	1054	A	N9-C4	-7.06	1.33	1.37
26	BB	2016	U	N1-C2	7.06	1.45	1.38
26	BB	2179	C	O3'-P	-7.06	1.52	1.61
13	AM	7	ARG	CZ-NH1	7.06	1.42	1.33
22	AV	19	GLU	CD-OE1	7.06	1.33	1.25
26	BB	1641	A	C5'-C4'	7.06	1.59	1.51
26	BB	2757	A	N7-C5	7.06	1.43	1.39
1	AA	1071	C	O3'-P	7.06	1.69	1.61
1	AA	1529	G	C8-N7	-7.06	1.26	1.30
26	BB	1488	C	O3'-P	7.06	1.69	1.61
4	AD	13	C	C5-C6	7.06	1.40	1.34
26	BB	728	G	N9-C8	7.06	1.42	1.37
1	AA	19	A	C8-N7	7.05	1.36	1.31
2	AB	1	A	N9-C4	7.05	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	791	C	O3'-P	7.05	1.69	1.61
26	BB	1100	C	N3-C4	7.05	1.38	1.33
1	AA	812	G	C3'-C2'	7.05	1.60	1.52
1	AA	1031	C	C4'-O4'	-7.05	1.36	1.45
26	BB	145	C	C2-N3	7.05	1.41	1.35
1	AA	823	C	N3-C4	7.05	1.38	1.33
21	AU	3	TYR	CE1-CZ	7.05	1.47	1.38
26	BB	1815	A	C4'-C3'	-7.05	1.45	1.53
26	BB	2067	G	N1-C2	7.05	1.43	1.37
1	AA	354	G	C2-N3	7.05	1.38	1.32
4	AD	47	A	N3-C4	7.05	1.39	1.34
26	BB	545	U	C2-N3	7.05	1.42	1.37
26	BB	1399	C	N1-C6	7.05	1.41	1.37
26	BB	2126	A	N3-C4	7.05	1.39	1.34
26	BB	2340	A	N1-C2	-7.05	1.28	1.34
1	AA	1026	G	C6-N1	7.05	1.44	1.39
26	BB	1036	G	C5-C4	-7.05	1.33	1.38
1	AA	809	G	N9-C8	7.05	1.42	1.37
25	BA	21	G	C2'-C1'	7.05	1.61	1.53
26	BB	2330	G	C2'-O2'	-7.05	1.32	1.41
26	BB	2362	C	C4-N4	7.05	1.40	1.33
1	AA	523	A	N3-C4	7.04	1.39	1.34
26	BB	1524	G	P-O5'	7.04	1.66	1.59
26	BB	2266	A	C6-N6	7.04	1.39	1.33
1	AA	321	A	N7-C5	-7.04	1.35	1.39
1	AA	584	G	C4'-O4'	-7.04	1.36	1.45
26	BB	1326	U	C4-C5	7.04	1.49	1.43
26	BB	2138	G	C5'-C4'	7.04	1.59	1.51
1	AA	483	C	C2'-C1'	7.04	1.61	1.53
25	BA	25	U	C4-C5	7.04	1.49	1.43
26	BB	180	G	C8-N7	7.04	1.35	1.30
26	BB	719	C	C2'-C1'	7.04	1.61	1.53
26	BB	1039	A	C6-N6	7.04	1.39	1.33
26	BB	1575	C	P-O5'	7.04	1.66	1.59
1	AA	1028	C	N1-C6	7.04	1.41	1.37
26	BB	382	A	C6-N6	7.04	1.39	1.33
26	BB	656	G	P-O5'	7.04	1.66	1.59
26	BB	1836	C	C5'-C4'	7.04	1.59	1.51
26	BB	2854	G	N9-C8	-7.04	1.32	1.37
1	AA	113	G	N9-C4	7.04	1.43	1.38
1	AA	835	U	O3'-P	7.04	1.69	1.61
26	BB	93	G	O5'-C5'	-7.04	1.31	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	927	A	C6-N1	7.04	1.40	1.35
26	BB	2025	C	C2-N3	7.04	1.41	1.35
26	BB	338	G	N9-C4	7.04	1.43	1.38
26	BB	1630	A	P-O5'	7.04	1.66	1.59
26	BB	2747	G	N9-C8	-7.04	1.32	1.37
26	BB	2834	G	C6-N1	7.04	1.44	1.39
1	AA	10	A	C2'-C1'	7.04	1.61	1.53
1	AA	831	A	C5-C4	-7.04	1.33	1.38
1	AA	1083	U	C4-C5	7.04	1.49	1.43
1	AA	1169	A	N3-C4	7.04	1.39	1.34
1	AA	1412	C	C2-N3	7.04	1.41	1.35
26	BB	60	G	N9-C8	-7.04	1.32	1.37
26	BB	1013	C	P-O5'	7.04	1.66	1.59
26	BB	1432	G	C6-O6	7.04	1.30	1.24
1	AA	390	U	C1'-N1	7.03	1.59	1.48
2	AB	56	C	C4-N4	7.03	1.40	1.33
26	BB	110	G	C5'-C4'	7.03	1.59	1.51
26	BB	631	A	N1-C2	-7.03	1.28	1.34
26	BB	923	G	P-O5'	7.03	1.66	1.59
26	BB	1665	A	N3-C4	7.03	1.39	1.34
26	BB	1938	A	C4'-O4'	-7.03	1.36	1.45
4	AD	11	A	N1-C2	-7.03	1.28	1.34
25	BA	118	C	C3'-C2'	-7.03	1.45	1.52
26	BB	83	A	C8-N7	-7.03	1.26	1.31
26	BB	2255	G	C2-N3	7.03	1.38	1.32
26	BB	2304	G	N3-C4	7.03	1.40	1.35
1	AA	1058	G	N7-C5	7.03	1.43	1.39
26	BB	614	A	C2-N3	7.03	1.39	1.33
1	AA	1105	A	C8-N7	-7.03	1.26	1.31
1	AA	1318	A	N7-C5	-7.03	1.35	1.39
26	BB	57	C	C2-N3	7.03	1.41	1.35
26	BB	723	C	C2-O2	-7.03	1.18	1.24
26	BB	1600	C	N3-C4	-7.03	1.29	1.33
26	BB	1635	A	N9-C4	7.03	1.42	1.37
26	BB	1711	A	C4'-O4'	-7.03	1.36	1.45
26	BB	2634	A	C5-C4	-7.03	1.33	1.38
1	AA	783	C	P-O5'	-7.03	1.52	1.59
1	AA	1523	G	N7-C5	7.03	1.43	1.39
26	BB	222	A	N9-C4	-7.03	1.33	1.37
26	BB	2039	U	N1-C2	7.03	1.44	1.38
1	AA	616	G	P-O5'	-7.02	1.52	1.59
1	AA	820	U	P-O5'	-7.02	1.52	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	845	A	N9-C8	7.02	1.43	1.37
26	BB	2206	C	C4-C5	7.02	1.48	1.43
26	BB	2127	G	P-O5'	7.02	1.66	1.59
26	BB	2505	G	C4'-O4'	-7.02	1.36	1.45
1	AA	111	G	C2-N3	7.02	1.38	1.32
26	BB	411	G	C2-N3	7.02	1.38	1.32
26	BB	1201	U	C4'-O4'	-7.02	1.36	1.45
26	BB	1834	U	C2-N3	7.02	1.42	1.37
26	BB	2401	U	O3'-P	7.02	1.69	1.61
26	BB	2679	A	P-O5'	7.02	1.66	1.59
26	BB	1484	U	C2-N3	-7.02	1.32	1.37
26	BB	1712	U	N3-C4	-7.02	1.32	1.38
26	BB	2273	A	P-O5'	7.02	1.66	1.59
26	BB	2394	C	C5-C6	7.02	1.40	1.34
26	BB	981	A	C2'-C1'	7.02	1.61	1.53
26	BB	1268	A	C5-C6	-7.02	1.34	1.41
26	BB	1384	A	N3-C4	7.02	1.39	1.34
1	AA	188	C	C4-C5	7.01	1.48	1.43
1	AA	1494	G	N7-C5	-7.01	1.35	1.39
26	BB	318	C	O3'-P	7.01	1.69	1.61
26	BB	379	G	C4'-O4'	-7.01	1.36	1.45
26	BB	549	G	C8-N7	-7.01	1.26	1.30
2	AB	3	G	P-O5'	7.01	1.66	1.59
14	AN	10	ARG	CZ-NH1	7.01	1.42	1.33
26	BB	1018	U	P-O5'	7.01	1.66	1.59
26	BB	1195	G	C2-N3	7.01	1.38	1.32
26	BB	2048	G	C6-N1	7.01	1.44	1.39
26	BB	2227	A	O3'-P	-7.01	1.52	1.61
1	AA	206	C	C4-C5	7.01	1.48	1.43
1	AA	791	G	C2-N3	7.01	1.38	1.32
1	AA	1336	C	C2-N3	7.01	1.41	1.35
3	AC	14	G	C5-C4	-7.01	1.33	1.38
26	BB	203	A	C4'-C3'	-7.01	1.45	1.53
26	BB	879	G	N3-C4	7.01	1.40	1.35
26	BB	1391	U	C4'-O4'	-7.01	1.36	1.45
26	BB	1622	G	P-O5'	7.01	1.66	1.59
26	BB	2418	A	N9-C4	7.01	1.42	1.37
1	AA	1216	A	N3-C4	7.01	1.39	1.34
26	BB	1271	G	N7-C5	7.01	1.43	1.39
1	AA	726	C	O3'-P	7.01	1.69	1.61
26	BB	1862	G	P-O5'	7.01	1.66	1.59
26	BB	1956	U	P-O5'	7.01	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1594	U	N1-C6	7.00	1.44	1.38
26	BB	2451	A	N3-C4	7.00	1.39	1.34
2	AB	7	G	P-O5'	7.00	1.66	1.59
26	BB	1032	A	N9-C4	7.00	1.42	1.37
26	BB	1405	U	C3'-C2'	7.00	1.60	1.52
26	BB	1694	C	N1-C2	7.00	1.47	1.40
26	BB	2107	G	C6-N1	7.00	1.44	1.39
1	AA	336	A	N9-C8	7.00	1.43	1.37
1	AA	983	A	C6-N6	-7.00	1.28	1.33
26	BB	1201	U	C4-C5	7.00	1.49	1.43
26	BB	2685	G	P-O5'	7.00	1.66	1.59
26	BB	450	G	C2-N3	7.00	1.38	1.32
25	BA	6	G	C6-N1	7.00	1.44	1.39
25	BA	27	C	N1-C6	7.00	1.41	1.37
26	BB	578	G	N9-C8	-7.00	1.32	1.37
26	BB	2327	A	N7-C5	7.00	1.43	1.39
1	AA	1100	C	C4'-O4'	-7.00	1.36	1.45
26	BB	923	G	C2-N3	7.00	1.38	1.32
26	BB	666	A	N7-C5	7.00	1.43	1.39
26	BB	898	C	C5-C6	7.00	1.40	1.34
26	BB	992	C	C4'-O4'	-6.99	1.36	1.45
26	BB	1394	U	N1-C2	6.99	1.44	1.38
26	BB	2077	A	N9-C8	6.99	1.43	1.37
26	BB	1957	C	P-O5'	6.99	1.66	1.59
1	AA	16	A	C6-N1	6.99	1.40	1.35
1	AA	292	G	N9-C8	-6.99	1.32	1.37
1	AA	411	A	N9-C8	6.99	1.43	1.37
26	BB	2772	C	N3-C4	6.99	1.38	1.33
1	AA	1014	A	C2'-C1'	6.99	1.61	1.53
26	BB	1598	A	N7-C5	-6.99	1.35	1.39
26	BB	1690	A	C3'-O3'	-6.99	1.32	1.42
26	BB	2151	U	N3-C4	6.99	1.44	1.38
26	BB	741	U	N1-C2	6.99	1.44	1.38
26	BB	2823	A	N3-C4	6.99	1.39	1.34
1	AA	591	U	C3'-C2'	6.99	1.60	1.52
26	BB	511	U	C4'-O4'	-6.99	1.36	1.45
26	BB	1743	G	N3-C4	6.99	1.40	1.35
26	BB	2163	A	C5'-C4'	6.99	1.59	1.51
26	BB	2538	C	P-O5'	6.99	1.66	1.59
1	AA	1138	G	N3-C4	6.98	1.40	1.35
1	AA	1427	C	N1-C6	6.98	1.41	1.37
26	BB	1166	G	N9-C8	6.98	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1711	A	C4'-C3'	6.98	1.60	1.53
26	BB	2350	C	C4-C5	6.98	1.48	1.43
1	AA	983	A	N7-C5	-6.98	1.35	1.39
26	BB	2618	G	N3-C4	6.98	1.40	1.35
47	BW	85	ARG	CZ-NH2	6.98	1.42	1.33
1	AA	243	A	C2-N3	6.98	1.39	1.33
1	AA	691	G	N3-C4	-6.98	1.30	1.35
26	BB	1489	C	N1-C6	-6.98	1.32	1.37
26	BB	1744	A	C6-N6	6.98	1.39	1.33
26	BB	2147	A	C6-N6	6.98	1.39	1.33
1	AA	885	G	P-O5'	6.98	1.66	1.59
26	BB	12	U	C2-N3	6.98	1.42	1.37
1	AA	532	A	N3-C4	6.98	1.39	1.34
26	BB	527	C	C2-N3	6.98	1.41	1.35
26	BB	1398	C	O3'-P	6.98	1.69	1.61
26	BB	1920	C	C5-C6	6.98	1.40	1.34
26	BB	2791	G	C6-O6	-6.98	1.17	1.24
1	AA	28	A	P-O5'	6.98	1.66	1.59
1	AA	540	G	N7-C5	-6.98	1.35	1.39
1	AA	1104	G	C2-N3	6.98	1.38	1.32
26	BB	762	U	P-O5'	6.98	1.66	1.59
26	BB	1082	U	P-O5'	6.98	1.66	1.59
26	BB	2092	U	N1-C2	6.98	1.44	1.38
1	AA	1114	C	C2-N3	-6.97	1.30	1.35
1	AA	1179	A	C5-C6	6.97	1.47	1.41
26	BB	516	C	C4'-O4'	-6.97	1.36	1.45
26	BB	804	A	N3-C4	6.97	1.39	1.34
26	BB	953	G	P-O5'	6.97	1.66	1.59
25	BA	33	G	N1-C2	6.97	1.43	1.37
26	BB	172	A	C5-C4	-6.97	1.33	1.38
26	BB	1759	A	P-O5'	6.97	1.66	1.59
26	BB	1789	A	N7-C5	-6.97	1.35	1.39
26	BB	2484	G	C8-N7	6.97	1.35	1.30
26	BB	2772	C	N1-C6	6.97	1.41	1.37
26	BB	2816	G	C2-N3	6.97	1.38	1.32
26	BB	2839	G	O3'-P	6.97	1.69	1.61
1	AA	827	U	O3'-P	6.97	1.69	1.61
26	BB	1316	U	P-O5'	6.97	1.66	1.59
26	BB	1447	C	N3-C4	6.97	1.38	1.33
26	BB	1561	C	N1-C6	6.97	1.41	1.37
1	AA	742	G	N7-C5	6.97	1.43	1.39
1	AA	1064	G	C4'-C3'	6.97	1.60	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	458	G	C5'-C4'	6.97	1.59	1.51
26	BB	1448	G	C6-N1	6.97	1.44	1.39
26	BB	308	G	C2'-O2'	-6.97	1.32	1.41
26	BB	719	C	N1-C6	6.97	1.41	1.37
1	AA	1426	G	N3-C4	6.97	1.40	1.35
26	BB	1419	A	C5-C4	-6.97	1.33	1.38
26	BB	2639	A	C5'-C4'	6.97	1.59	1.51
1	AA	1276	G	N9-C8	6.96	1.42	1.37
26	BB	71	A	C5'-C4'	6.96	1.59	1.51
26	BB	1071	G	C2-N3	6.96	1.38	1.32
26	BB	1646	C	N3-C4	6.96	1.38	1.33
26	BB	2685	G	C4'-O4'	-6.96	1.36	1.45
26	BB	1043	C	C2-N3	6.96	1.41	1.35
26	BB	378	C	N1-C2	6.96	1.47	1.40
26	BB	1749	A	N9-C8	6.96	1.43	1.37
26	BB	1761	C	P-O5'	6.96	1.66	1.59
26	BB	2365	G	C8-N7	-6.96	1.26	1.30
26	BB	2803	G	N7-C5	-6.96	1.35	1.39
1	AA	1179	A	C4'-O4'	-6.96	1.36	1.45
26	BB	1373	A	C5'-C4'	6.96	1.59	1.51
4	AD	36	A	C5-C6	6.96	1.47	1.41
25	BA	103	U	C2-N3	6.96	1.42	1.37
26	BB	48	G	C2'-C1'	6.96	1.61	1.53
26	BB	689	A	N9-C4	-6.96	1.33	1.37
26	BB	1502	A	N3-C4	6.96	1.39	1.34
26	BB	1778	U	C5-C6	6.96	1.40	1.34
26	BB	1967	C	N1-C6	-6.96	1.32	1.37
26	BB	2687	U	N3-C4	-6.96	1.32	1.38
26	BB	145	C	C4-N4	-6.96	1.27	1.33
26	BB	327	G	C8-N7	-6.96	1.26	1.30
3	AC	22	G	N9-C8	6.95	1.42	1.37
26	BB	661	A	C4'-O4'	-6.95	1.36	1.45
26	BB	1125	G	N9-C8	6.95	1.42	1.37
26	BB	294	A	C4'-O4'	-6.95	1.36	1.45
1	AA	593	U	C2-N3	6.95	1.42	1.37
1	AA	600	A	N7-C5	6.95	1.43	1.39
26	BB	1292	G	N3-C4	6.95	1.40	1.35
26	BB	1335	C	C2-N3	6.95	1.41	1.35
26	BB	2230	G	N7-C5	6.95	1.43	1.39
1	AA	270	A	N9-C4	6.95	1.42	1.37
1	AA	902	G	C2-N3	6.95	1.38	1.32
1	AA	609	A	C2'-C1'	-6.95	1.45	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1268	G	O3'-P	6.95	1.69	1.61
2	AB	63	C	C4-C5	6.95	1.48	1.43
25	BA	44	G	N3-C4	-6.95	1.30	1.35
26	BB	893	C	C3'-C2'	-6.95	1.45	1.52
26	BB	1136	G	C2-N3	6.95	1.38	1.32
26	BB	2418	A	C2'-O2'	-6.95	1.32	1.41
1	AA	953	G	P-O5'	6.94	1.66	1.59
26	BB	2114	A	N7-C5	-6.94	1.35	1.39
26	BB	2261	C	C4-N4	6.94	1.40	1.33
1	AA	1346	A	C8-N7	-6.94	1.26	1.31
26	BB	2001	C	C3'-C2'	6.94	1.60	1.52
26	BB	2122	U	C2-N3	6.94	1.42	1.37
26	BB	2626	C	N1-C6	-6.94	1.32	1.37
26	BB	2837	A	N3-C4	6.94	1.39	1.34
1	AA	1247	U	C4-C5	6.94	1.49	1.43
1	AA	1294	G	C8-N7	-6.94	1.26	1.30
2	AB	57	G	C3'-C2'	6.94	1.60	1.52
26	BB	139	U	C3'-C2'	-6.94	1.45	1.52
26	BB	1426	G	N7-C5	6.94	1.43	1.39
26	BB	1488	C	C4-C5	6.94	1.48	1.43
26	BB	1735	A	N9-C4	6.94	1.42	1.37
26	BB	1753	G	C4'-O4'	-6.94	1.36	1.45
26	BB	2797	U	C4'-O4'	-6.94	1.36	1.45
1	AA	324	G	N1-C2	6.94	1.43	1.37
1	AA	1465	A	C6-N1	-6.94	1.30	1.35
12	AL	38	PHE	CG-CD2	6.94	1.49	1.38
26	BB	947	A	N9-C4	6.94	1.42	1.37
26	BB	1374	G	N9-C8	-6.94	1.32	1.37
26	BB	1522	A	N7-C5	6.94	1.43	1.39
26	BB	2762	C	O4'-C1'	6.94	1.50	1.41
1	AA	610	U	C2-O2	6.94	1.28	1.22
26	BB	235	U	N1-C2	6.94	1.44	1.38
26	BB	1707	G	C8-N7	-6.94	1.26	1.30
1	AA	403	C	N1-C6	-6.93	1.32	1.37
26	BB	863	A	P-O5'	6.93	1.66	1.59
1	AA	766	A	P-O5'	6.93	1.66	1.59
26	BB	1769	U	C4-C5	6.93	1.49	1.43
1	AA	47	C	N3-C4	6.93	1.38	1.33
1	AA	449	G	C6-N1	6.93	1.44	1.39
1	AA	772	U	C2-N3	6.93	1.42	1.37
2	AB	3	G	C4'-O4'	-6.93	1.36	1.45
26	BB	263	G	O3'-P	6.93	1.69	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1111	A	C6-N1	-6.93	1.30	1.35
26	BB	1786	A	C4'-C3'	6.93	1.60	1.53
26	BB	2214	C	C5-C6	6.93	1.39	1.34
1	AA	1101	A	C4'-C3'	6.93	1.60	1.53
1	AA	1238	A	N3-C4	6.93	1.39	1.34
26	BB	225	C	O3'-P	6.93	1.69	1.61
26	BB	1816	C	C4'-O4'	-6.93	1.36	1.45
1	AA	512	U	N1-C6	-6.92	1.31	1.38
1	AA	1403	C	C2'-C1'	6.92	1.60	1.53
1	AA	1485	U	C2-N3	6.92	1.42	1.37
26	BB	372	G	C5-C6	6.92	1.49	1.42
26	BB	1492	G	C8-N7	-6.92	1.26	1.30
26	BB	2329	U	N3-C4	6.92	1.44	1.38
26	BB	2443	C	P-O5'	6.92	1.66	1.59
26	BB	73	A	C3'-C2'	6.92	1.60	1.52
26	BB	1503	A	C5'-C4'	6.92	1.59	1.51
26	BB	708	G	N7-C5	6.92	1.43	1.39
26	BB	1040	A	C6-N6	-6.92	1.28	1.33
26	BB	1265	A	C5'-C4'	6.92	1.59	1.51
26	BB	1505	A	N3-C4	6.92	1.39	1.34
26	BB	2217	G	P-O5'	6.92	1.66	1.59
26	BB	2660	A	N3-C4	-6.92	1.30	1.34
1	AA	288	A	C5-C6	6.92	1.47	1.41
1	AA	365	U	C4-C5	6.92	1.49	1.43
1	AA	1403	C	N1-C6	6.92	1.41	1.37
2	AB	59	G	C4'-O4'	-6.92	1.36	1.45
26	BB	2650	U	C2-N3	6.92	1.42	1.37
1	AA	739	C	C4'-O4'	-6.92	1.36	1.45
2	AB	2	G	N3-C4	6.92	1.40	1.35
25	BA	59	A	O4'-C1'	6.92	1.50	1.41
1	AA	245	U	N1-C2	6.92	1.44	1.38
1	AA	1303	C	N1-C6	6.92	1.41	1.37
26	BB	70	G	C4'-O4'	-6.92	1.36	1.45
26	BB	2570	G	C6-N1	6.92	1.44	1.39
1	AA	1525	G	P-O5'	6.92	1.66	1.59
26	BB	226	A	N7-C5	6.92	1.43	1.39
1	AA	312	C	N3-C4	-6.91	1.29	1.33
1	AA	1537	U	C4-C5	6.91	1.49	1.43
26	BB	2316	G	C8-N7	-6.91	1.26	1.30
26	BB	2840	C	C4-C5	6.91	1.48	1.43
26	BB	1	G	C5-C4	-6.91	1.33	1.38
1	AA	102	G	P-O5'	6.91	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1366	C	N3-C4	6.91	1.38	1.33
1	AA	1496	C	C5-C6	6.91	1.39	1.34
2	AB	24	G	P-O5'	6.91	1.66	1.59
26	BB	1373	A	N9-C4	-6.91	1.33	1.37
26	BB	1462	C	P-O5'	6.91	1.66	1.59
26	BB	1538	G	O3'-P	6.91	1.69	1.61
26	BB	2170	A	C2'-C1'	-6.91	1.45	1.53
1	AA	1176	A	O3'-P	6.91	1.69	1.61
1	AA	1336	C	N3-C4	6.91	1.38	1.33
2	AB	41	C	C4-C5	6.91	1.48	1.43
26	BB	977	G	C6-N1	6.91	1.44	1.39
26	BB	1337	G	N9-C4	6.91	1.43	1.38
26	BB	1694	C	C2-N3	-6.91	1.30	1.35
26	BB	2729	G	N9-C8	6.91	1.42	1.37
1	AA	723	U	C4'-O4'	-6.91	1.36	1.45
26	BB	748	G	C5-C6	6.91	1.49	1.42
1	AA	409	U	C4-C5	6.90	1.49	1.43
1	AA	452	A	N7-C5	-6.90	1.35	1.39
1	AA	1045	C	N3-C4	6.90	1.38	1.33
26	BB	696	G	C6-N1	-6.90	1.34	1.39
26	BB	1229	C	N1-C6	6.90	1.41	1.37
1	AA	317	U	N1-C2	6.90	1.44	1.38
1	AA	900	A	N3-C4	6.90	1.39	1.34
1	AA	958	A	C6-N1	-6.90	1.30	1.35
25	BA	45	A	C2'-C1'	6.90	1.60	1.53
26	BB	48	G	P-O5'	6.90	1.66	1.59
26	BB	1349	C	C4'-O4'	-6.90	1.36	1.45
26	BB	1473	G	C1'-N9	6.90	1.59	1.48
26	BB	2385	C	C4-N4	-6.90	1.27	1.33
26	BB	2433	A	P-O5'	6.90	1.66	1.59
26	BB	2670	A	C8-N7	-6.90	1.26	1.31
26	BB	2794	C	N1-C6	6.90	1.41	1.37
26	BB	2831	G	N3-C4	6.90	1.40	1.35
1	AA	81	A	N9-C8	6.90	1.43	1.37
1	AA	170	U	C5'-C4'	6.90	1.59	1.51
1	AA	480	U	O3'-P	6.90	1.69	1.61
1	AA	1504	G	C6-N1	-6.90	1.34	1.39
26	BB	1501	G	N1-C2	6.90	1.43	1.37
26	BB	2384	U	C5'-C4'	6.90	1.59	1.51
1	AA	462	G	N3-C4	-6.90	1.30	1.35
1	AA	616	G	C5-C6	6.90	1.49	1.42
25	BA	80	U	C5'-C4'	6.90	1.59	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1604	C	C2-N3	6.90	1.41	1.35
26	BB	2252	G	N3-C4	6.90	1.40	1.35
26	BB	2903	U	C5'-C4'	6.90	1.59	1.51
1	AA	100	G	C2-N2	-6.90	1.27	1.34
1	AA	1145	A	N3-C4	6.90	1.39	1.34
26	BB	1202	G	C2-N2	-6.90	1.27	1.34
26	BB	1813	G	N1-C2	6.90	1.43	1.37
26	BB	2407	A	N9-C4	6.90	1.42	1.37
1	AA	614	C	O3'-P	-6.89	1.52	1.61
1	AA	1493	A	O3'-P	6.89	1.69	1.61
15	AO	93	ARG	NE-CZ	6.89	1.42	1.33
26	BB	2802	G	C5-C6	6.89	1.49	1.42
1	AA	532	A	P-O5'	6.89	1.66	1.59
26	BB	272	A	P-O5'	6.89	1.66	1.59
26	BB	2323	G	C2-N3	6.89	1.38	1.32
26	BB	2443	C	C4'-O4'	-6.89	1.36	1.45
26	BB	319	G	C6-N1	6.89	1.44	1.39
26	BB	2758	A	N9-C8	6.89	1.43	1.37
1	AA	200	G	C6-N1	6.89	1.44	1.39
1	AA	223	A	C5'-C4'	6.89	1.59	1.51
26	BB	289	G	N7-C5	-6.89	1.35	1.39
26	BB	1610	A	P-O5'	6.89	1.66	1.59
26	BB	2097	A	O3'-P	6.89	1.69	1.61
1	AA	919	A	N7-C5	6.89	1.43	1.39
1	AA	1242	G	N7-C5	6.89	1.43	1.39
26	BB	619	G	C2-N3	6.89	1.38	1.32
26	BB	1654	A	N1-C2	-6.89	1.28	1.34
26	BB	2274	A	N9-C4	6.89	1.42	1.37
1	AA	426	U	P-O5'	-6.89	1.52	1.59
1	AA	890	G	N3-C4	6.89	1.40	1.35
26	BB	777	G	O3'-P	6.89	1.69	1.61
26	BB	2217	G	C2'-O2'	6.89	1.50	1.41
26	BB	2655	G	C2-N3	6.89	1.38	1.32
1	AA	43	C	P-O5'	6.88	1.66	1.59
1	AA	744	C	C4-C5	6.88	1.48	1.43
1	AA	924	C	C4'-O4'	-6.88	1.36	1.45
26	BB	539	G	C2-N3	6.88	1.38	1.32
26	BB	671	C	O4'-C1'	6.88	1.50	1.41
26	BB	951	C	O3'-P	6.88	1.69	1.61
26	BB	2402	U	P-O5'	6.88	1.66	1.59
1	AA	344	A	P-O5'	6.88	1.66	1.59
1	AA	906	A	N7-C5	-6.88	1.35	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1275	A	P-O5'	6.88	1.66	1.59
26	BB	313	G	C2-N3	6.88	1.38	1.32
26	BB	454	A	N7-C5	6.88	1.43	1.39
26	BB	541	A	C8-N7	-6.88	1.26	1.31
26	BB	1029	A	N9-C8	6.88	1.43	1.37
26	BB	1791	A	P-O5'	6.88	1.66	1.59
26	BB	2300	C	N3-C4	6.88	1.38	1.33
1	AA	1250	A	C8-N7	-6.88	1.26	1.31
26	BB	458	G	O3'-P	6.88	1.69	1.61
26	BB	2168	G	C8-N7	-6.88	1.26	1.30
26	BB	2277	G	O4'-C1'	6.88	1.50	1.41
1	AA	1010	U	C4-O4	-6.88	1.18	1.23
26	BB	37	C	N1-C6	6.88	1.41	1.37
26	BB	84	A	C5-C4	-6.88	1.33	1.38
26	BB	2579	C	N1-C2	6.88	1.47	1.40
1	AA	1200	C	C4-C5	6.88	1.48	1.43
26	BB	1916	A	P-O5'	6.88	1.66	1.59
26	BB	416	U	O3'-P	6.87	1.69	1.61
26	BB	1043	C	P-O5'	6.87	1.66	1.59
26	BB	1350	C	C2-N3	6.87	1.41	1.35
1	AA	828	U	C3'-C2'	6.87	1.60	1.52
1	AA	1102	A	C2'-C1'	6.87	1.60	1.53
26	BB	26	G	C5'-C4'	6.87	1.59	1.51
26	BB	582	A	C6-N1	6.87	1.40	1.35
26	BB	764	A	P-O5'	6.87	1.66	1.59
26	BB	1073	A	N9-C4	6.87	1.42	1.37
26	BB	2468	A	N1-C2	-6.87	1.28	1.34
26	BB	2810	A	N3-C4	-6.87	1.30	1.34
26	BB	638	G	N1-C2	6.87	1.43	1.37
26	BB	935	C	P-O5'	6.87	1.66	1.59
1	AA	317	U	C5'-C4'	6.87	1.59	1.51
26	BB	86	G	C5-C6	6.87	1.49	1.42
26	BB	389	G	C2-N3	6.87	1.38	1.32
26	BB	649	G	C4'-O4'	-6.87	1.36	1.45
26	BB	835	C	C5'-C4'	6.87	1.59	1.51
26	BB	1633	G	C3'-C2'	6.87	1.60	1.52
26	BB	248	G	N3-C4	6.87	1.40	1.35
26	BB	1866	A	O3'-P	6.87	1.69	1.61
26	BB	2591	C	N1-C6	-6.87	1.33	1.37
26	BB	2660	A	C6-N6	-6.87	1.28	1.33
1	AA	10	A	N3-C4	6.87	1.39	1.34
1	AA	582	C	C4-N4	6.87	1.40	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1332	A	N1-C2	-6.87	1.28	1.34
26	BB	1815	A	C5'-C4'	6.87	1.59	1.51
26	BB	2434	A	C4'-O4'	-6.87	1.36	1.45
1	AA	713	G	C6-N1	6.86	1.44	1.39
1	AA	847	G	C5-C6	6.86	1.49	1.42
26	BB	279	A	N3-C4	6.86	1.39	1.34
26	BB	1009	A	P-O5'	6.86	1.66	1.59
26	BB	1462	C	C2-N3	6.86	1.41	1.35
26	BB	1923	U	N1-C2	6.86	1.44	1.38
26	BB	2736	A	N3-C4	6.86	1.39	1.34
26	BB	2593	U	N3-C4	6.86	1.44	1.38
26	BB	824	U	C3'-C2'	6.86	1.60	1.52
26	BB	2410	G	C8-N7	-6.86	1.26	1.30
26	BB	185	G	P-O5'	6.86	1.66	1.59
26	BB	404	A	C6-N1	6.86	1.40	1.35
26	BB	829	A	O3'-P	6.86	1.69	1.61
26	BB	1800	C	C4'-C3'	-6.86	1.45	1.53
26	BB	2169	A	N7-C5	-6.86	1.35	1.39
26	BB	2192	U	P-O5'	6.86	1.66	1.59
26	BB	2753	A	N3-C4	6.86	1.39	1.34
26	BB	98	G	N1-C2	6.86	1.43	1.37
26	BB	218	A	C5'-C4'	6.86	1.59	1.51
26	BB	656	G	N1-C2	6.86	1.43	1.37
1	AA	1470	U	N1-C2	6.86	1.44	1.38
26	BB	895	U	C2'-C1'	-6.86	1.45	1.53
26	BB	2806	C	C5'-C4'	6.86	1.59	1.51
1	AA	292	G	N3-C4	6.85	1.40	1.35
26	BB	881	G	N3-C4	6.85	1.40	1.35
26	BB	2582	G	N3-C4	6.85	1.40	1.35
1	AA	988	G	C4'-O4'	-6.85	1.36	1.45
1	AA	1051	C	O3'-P	6.85	1.69	1.61
26	BB	137	U	N1-C2	6.85	1.44	1.38
26	BB	1381	G	C5-C4	-6.85	1.33	1.38
26	BB	1575	C	N1-C6	6.85	1.41	1.37
26	BB	1948	G	C2-N3	6.85	1.38	1.32
26	BB	2143	C	C2'-O2'	-6.85	1.32	1.41
1	AA	823	C	O3'-P	6.85	1.69	1.61
26	BB	684	G	P-O5'	6.85	1.66	1.59
26	BB	1907	G	N1-C2	6.85	1.43	1.37
26	BB	2900	A	N3-C4	6.85	1.39	1.34
26	BB	162	U	C4-C5	6.85	1.49	1.43
26	BB	1699	G	C2'-C1'	-6.85	1.45	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2418	A	C8-N7	-6.85	1.26	1.31
1	AA	74	A	O4'-C1'	-6.85	1.32	1.41
1	AA	1353	G	C6-N1	6.85	1.44	1.39
26	BB	1189	A	C8-N7	-6.85	1.26	1.31
26	BB	2157	G	N9-C8	-6.85	1.33	1.37
1	AA	499	A	N7-C5	-6.84	1.35	1.39
2	AB	59	G	C5'-C4'	6.84	1.59	1.51
26	BB	812	C	O3'-P	6.84	1.69	1.61
26	BB	1584	U	C2-N3	6.84	1.42	1.37
26	BB	1838	C	P-O5'	6.84	1.66	1.59
29	BE	80	TRP	CD2-CE2	6.84	1.49	1.41
1	AA	912	C	P-O5'	6.84	1.66	1.59
26	BB	1660	G	C2-N3	-6.84	1.27	1.32
26	BB	133	U	C2-N3	6.84	1.42	1.37
26	BB	697	G	C8-N7	6.84	1.35	1.30
26	BB	2484	G	C6-N1	6.84	1.44	1.39
1	AA	1424	U	C5-C6	6.84	1.40	1.34
25	BA	117	G	C6-O6	-6.84	1.18	1.24
26	BB	1757	A	N9-C8	6.84	1.43	1.37
26	BB	1811	G	C8-N7	-6.84	1.26	1.30
1	AA	66	A	O4'-C1'	6.84	1.50	1.41
1	AA	1143	G	C6-N1	-6.84	1.34	1.39
26	BB	187	G	N9-C4	6.84	1.43	1.38
26	BB	2354	C	C4'-O4'	-6.84	1.36	1.45
1	AA	299	G	N3-C4	6.84	1.40	1.35
1	AA	1401	G	N1-C2	6.84	1.43	1.37
26	BB	1082	U	C4'-C3'	-6.84	1.45	1.53
26	BB	1695	G	C8-N7	6.84	1.35	1.30
26	BB	2661	G	N3-C4	6.84	1.40	1.35
26	BB	2833	U	C2-O2	6.84	1.28	1.22
1	AA	879	C	C2-O2	-6.83	1.18	1.24
26	BB	60	G	N7-C5	6.83	1.43	1.39
34	BJ	133	GLU	CG-CD	6.83	1.62	1.51
1	AA	890	G	C5'-C4'	6.83	1.59	1.51
26	BB	514	A	N3-C4	6.83	1.39	1.34
26	BB	1222	U	C4'-O4'	-6.83	1.36	1.45
26	BB	2499	C	C5'-C4'	6.83	1.59	1.51
26	BB	2559	C	N1-C6	6.83	1.41	1.37
1	AA	221	C	C2'-C1'	-6.83	1.45	1.53
1	AA	1006	G	N3-C4	6.83	1.40	1.35
1	AA	1155	A	C6-N1	-6.83	1.30	1.35
2	AB	33	U	C2-N3	-6.83	1.32	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	375	G	C4'-O4'	-6.83	1.36	1.45
26	BB	698	C	N3-C4	6.83	1.38	1.33
26	BB	667	U	C5'-C4'	6.83	1.59	1.51
1	AA	181	A	C3'-C2'	6.83	1.60	1.52
26	BB	826	U	N1-C6	6.83	1.44	1.38
26	BB	2046	G	C2-N3	6.83	1.38	1.32
2	AB	47	U	C5-C6	6.83	1.40	1.34
26	BB	1256	G	N3-C4	6.83	1.40	1.35
26	BB	1266	G	C6-O6	-6.83	1.18	1.24
26	BB	2461	A	C6-N6	6.83	1.39	1.33
1	AA	288	A	N3-C4	6.83	1.39	1.34
1	AA	903	G	N3-C4	6.83	1.40	1.35
2	AB	4	G	C6-N1	6.83	1.44	1.39
3	AC	40	G	N7-C5	6.83	1.43	1.39
26	BB	403	U	N1-C2	6.83	1.44	1.38
26	BB	1521	G	N3-C4	6.83	1.40	1.35
26	BB	325	G	C2-N3	6.82	1.38	1.32
1	AA	987	G	N1-C2	6.82	1.43	1.37
4	AD	37	U	C2-O2	6.82	1.28	1.22
25	BA	31	C	C2-N3	6.82	1.41	1.35
26	BB	2	G	C6-N1	6.82	1.44	1.39
26	BB	479	A	O3'-P	6.82	1.69	1.61
1	AA	1082	A	N7-C5	6.82	1.43	1.39
1	AA	1464	U	N1-C2	6.82	1.44	1.38
26	BB	416	U	C4-O4	6.82	1.29	1.23
26	BB	838	C	C5-C6	6.82	1.39	1.34
25	BA	100	G	C2-N3	6.82	1.38	1.32
26	BB	45	G	P-O5'	6.82	1.66	1.59
26	BB	592	A	C5'-C4'	6.82	1.59	1.51
26	BB	1572	A	C6-N1	-6.82	1.30	1.35
26	BB	2447	G	N7-C5	-6.82	1.35	1.39
1	AA	328	C	C4'-O4'	-6.82	1.36	1.45
1	AA	1476	A	C5-C6	6.82	1.47	1.41
26	BB	396	G	C2-N3	6.82	1.38	1.32
26	BB	444	C	P-O5'	6.82	1.66	1.59
26	BB	1393	A	C2'-C1'	6.82	1.60	1.53
26	BB	1781	U	P-O5'	6.82	1.66	1.59
26	BB	2638	G	C5-C4	6.82	1.43	1.38
26	BB	2683	C	C4-C5	6.82	1.48	1.43
1	AA	212	G	N7-C5	6.81	1.43	1.39
1	AA	432	A	C4'-O4'	-6.81	1.36	1.45
26	BB	1274	A	O3'-P	6.81	1.69	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	38	C	N1-C6	6.81	1.41	1.37
26	BB	875	G	P-O5'	6.81	1.66	1.59
26	BB	1012	U	C2-N3	6.81	1.42	1.37
26	BB	1578	U	C4-C5	6.81	1.49	1.43
26	BB	2669	G	C2-N3	6.81	1.38	1.32
26	BB	1534	U	N3-C4	6.81	1.44	1.38
26	BB	1979	U	C2-N3	6.81	1.42	1.37
1	AA	1224	U	C4'-O4'	-6.81	1.36	1.45
26	BB	19	A	O3'-P	6.81	1.69	1.61
26	BB	987	C	P-O5'	6.81	1.66	1.59
26	BB	2097	A	C2-N3	-6.81	1.27	1.33
26	BB	2480	C	C5-C6	6.81	1.39	1.34
26	BB	2825	G	C6-N1	6.81	1.44	1.39
1	AA	281	G	C2-N3	6.81	1.38	1.32
1	AA	359	G	N9-C4	-6.81	1.32	1.38
1	AA	453	G	C2'-O2'	-6.81	1.32	1.41
26	BB	79	C	C2'-C1'	6.81	1.60	1.53
26	BB	575	A	N3-C4	6.81	1.39	1.34
26	BB	1250	G	C8-N7	-6.81	1.26	1.30
26	BB	1610	A	C6-N1	6.81	1.40	1.35
26	BB	1643	G	C6-O6	-6.81	1.18	1.24
26	BB	1849	G	C8-N7	-6.81	1.26	1.30
26	BB	2258	C	N3-C4	6.81	1.38	1.33
26	BB	2272	U	O3'-P	6.81	1.69	1.61
26	BB	1166	G	O4'-C1'	6.81	1.50	1.41
26	BB	1763	G	N3-C4	6.81	1.40	1.35
26	BB	739	A	C6-N6	6.80	1.39	1.33
26	BB	1081	U	C2'-C1'	6.80	1.60	1.53
26	BB	1959	G	N3-C4	6.80	1.40	1.35
26	BB	2179	C	N1-C6	6.80	1.41	1.37
26	BB	2890	G	N3-C4	6.80	1.40	1.35
1	AA	1089	G	N9-C8	6.80	1.42	1.37
25	BA	25	U	C3'-O3'	6.80	1.51	1.42
26	BB	369	U	N3-C4	6.80	1.44	1.38
3	AC	41	A	C4'-O4'	-6.80	1.36	1.45
26	BB	2495	G	C6-N1	-6.80	1.34	1.39
1	AA	283	U	N3-C4	6.80	1.44	1.38
1	AA	917	G	C3'-C2'	6.80	1.60	1.52
1	AA	1070	U	N3-C4	6.80	1.44	1.38
1	AA	1236	A	N9-C4	6.80	1.42	1.37
1	AA	1306	A	N9-C4	-6.80	1.33	1.37
1	AA	1443	C	P-O5'	6.80	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	869	G	C2'-C1'	6.80	1.60	1.53
26	BB	1588	G	P-O5'	6.80	1.66	1.59
26	BB	1756	G	C2'-C1'	6.80	1.60	1.53
26	BB	2044	C	P-O5'	6.80	1.66	1.59
1	AA	1534	A	C5-C6	6.80	1.47	1.41
26	BB	251	A	C5'-C4'	6.80	1.59	1.51
26	BB	583	G	N3-C4	6.80	1.40	1.35
1	AA	1060	U	C4'-C3'	6.80	1.60	1.53
26	BB	738	G	C2-N2	-6.80	1.27	1.34
26	BB	968	C	N1-C6	6.80	1.41	1.37
26	BB	2303	G	C6-O6	6.80	1.30	1.24
26	BB	2685	G	N3-C4	6.80	1.40	1.35
26	BB	2696	U	O4'-C1'	6.80	1.50	1.41
26	BB	2862	G	N9-C8	-6.80	1.33	1.37
1	AA	1371	G	C8-N7	-6.79	1.26	1.30
26	BB	322	A	N3-C4	6.79	1.39	1.34
26	BB	2183	A	C5'-C4'	6.79	1.59	1.51
26	BB	2418	A	N3-C4	6.79	1.39	1.34
26	BB	450	G	P-O5'	6.79	1.66	1.59
26	BB	2584	U	P-O5'	6.79	1.66	1.59
1	AA	371	A	C5'-C4'	6.79	1.59	1.51
4	AD	5	G	C6-N1	6.79	1.44	1.39
26	BB	644	A	C2-N3	6.79	1.39	1.33
26	BB	2628	C	C5-C6	6.79	1.39	1.34
4	AD	65	G	C2-N3	6.79	1.38	1.32
26	BB	783	A	N3-C4	-6.79	1.30	1.34
1	AA	222	C	O3'-P	6.79	1.69	1.61
1	AA	1216	A	O3'-P	6.79	1.69	1.61
3	AC	35	G	C8-N7	-6.79	1.26	1.30
26	BB	588	U	P-O5'	6.79	1.66	1.59
26	BB	2154	A	C5'-C4'	6.79	1.59	1.51
1	AA	1454	G	N7-C5	6.79	1.43	1.39
26	BB	671	C	N1-C6	6.79	1.41	1.37
1	AA	1139	G	C4'-O4'	-6.79	1.36	1.45
26	BB	489	G	C2-N3	6.79	1.38	1.32
26	BB	618	G	C5-C4	-6.79	1.33	1.38
26	BB	2237	G	N3-C4	6.79	1.40	1.35
26	BB	2698	U	O3'-P	6.79	1.69	1.61
1	AA	159	G	C8-N7	-6.78	1.26	1.30
1	AA	775	G	C5'-C4'	6.78	1.59	1.51
1	AA	1086	U	C4-C5	6.78	1.49	1.43
1	AA	1249	C	N1-C2	6.78	1.47	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	350	G	N9-C8	6.78	1.42	1.37
26	BB	1409	U	C5'-C4'	6.78	1.59	1.51
26	BB	1095	A	C6-N6	-6.78	1.28	1.33
26	BB	2239	G	N7-C5	6.78	1.43	1.39
1	AA	1298	U	C5'-C4'	6.78	1.59	1.51
2	AB	44	G	N9-C4	6.78	1.43	1.38
26	BB	54	G	C5-C6	6.78	1.49	1.42
26	BB	778	G	O3'-P	6.78	1.69	1.61
26	BB	1990	C	C5'-C4'	6.78	1.59	1.51
1	AA	648	A	C5-C6	6.78	1.47	1.41
1	AA	1492	A	N3-C4	6.78	1.39	1.34
26	BB	364	C	C3'-O3'	-6.78	1.32	1.42
1	AA	196	A	N3-C4	6.78	1.39	1.34
1	AA	328	C	C2-N3	6.78	1.41	1.35
1	AA	438	U	N1-C2	6.78	1.44	1.38
26	BB	470	A	C5-C6	6.78	1.47	1.41
26	BB	1450	G	C6-N1	6.78	1.44	1.39
26	BB	2348	U	C4'-C3'	-6.78	1.45	1.53
1	AA	601	G	N7-C5	6.78	1.43	1.39
1	AA	1061	G	N9-C8	-6.78	1.33	1.37
1	AA	1326	U	N3-C4	6.78	1.44	1.38
1	AA	1499	A	C6-N6	-6.78	1.28	1.33
3	AC	41	A	C2'-C1'	-6.78	1.45	1.53
26	BB	2640	G	C8-N7	6.78	1.35	1.30
25	BA	34	A	N3-C4	6.77	1.39	1.34
26	BB	906	U	C4-O4	6.77	1.29	1.23
2	AB	75	C	N3-C4	6.77	1.38	1.33
26	BB	535	G	N9-C8	6.77	1.42	1.37
26	BB	1494	A	C6-N1	6.77	1.40	1.35
26	BB	1498	C	P-O5'	6.77	1.66	1.59
26	BB	2054	A	C8-N7	6.77	1.36	1.31
26	BB	2168	G	N1-C2	6.77	1.43	1.37
1	AA	1265	C	C2-O2	-6.77	1.18	1.24
26	BB	200	U	C2-N3	-6.77	1.33	1.37
26	BB	363	G	N9-C8	6.77	1.42	1.37
26	BB	1979	U	C5-C6	6.77	1.40	1.34
1	AA	539	A	C2'-C1'	-6.77	1.46	1.53
1	AA	558	G	C8-N7	-6.77	1.26	1.30
1	AA	670	G	C2-N3	6.77	1.38	1.32
1	AA	685	G	P-O5'	6.77	1.66	1.59
1	AA	1009	U	P-O5'	6.77	1.66	1.59
1	AA	1264	U	C5'-C4'	6.77	1.59	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1390	U	N1-C6	-6.77	1.31	1.38
26	BB	1393	A	N7-C5	-6.77	1.35	1.39
26	BB	1406	U	C3'-C2'	6.77	1.60	1.52
26	BB	1568	G	N9-C8	6.77	1.42	1.37
26	BB	1671	U	N1-C2	6.77	1.44	1.38
26	BB	1710	G	N1-C2	6.77	1.43	1.37
26	BB	2309	A	C6-N6	6.77	1.39	1.33
26	BB	2856	A	C5'-C4'	6.77	1.59	1.51
1	AA	1379	G	P-O5'	6.77	1.66	1.59
26	BB	1215	G	N9-C4	6.77	1.43	1.38
1	AA	1093	A	N9-C4	6.77	1.42	1.37
26	BB	152	A	C8-N7	-6.77	1.26	1.31
26	BB	1759	A	C6-N1	-6.77	1.30	1.35
26	BB	1899	A	N9-C8	6.77	1.43	1.37
26	BB	2084	C	C2'-O2'	-6.77	1.32	1.41
1	AA	128	G	C5-C4	6.76	1.43	1.38
1	AA	569	C	C3'-C2'	6.76	1.60	1.52
1	AA	1116	U	C4-C5	6.76	1.49	1.43
1	AA	1510	C	C2-N3	6.76	1.41	1.35
26	BB	609	A	C6-N6	6.76	1.39	1.33
26	BB	1224	U	C4'-O4'	-6.76	1.36	1.45
1	AA	1486	G	O3'-P	6.76	1.69	1.61
1	AA	117	G	N7-C5	6.76	1.43	1.39
16	AP	85	TYR	CG-CD1	6.76	1.48	1.39
26	BB	807	U	P-O5'	6.76	1.66	1.59
1	AA	529	G	O4'-C1'	6.76	1.50	1.41
1	AA	943	U	C2-N3	6.76	1.42	1.37
1	AA	1412	C	C4-C5	6.76	1.48	1.43
26	BB	31	C	P-O5'	6.76	1.66	1.59
26	BB	853	C	C3'-C2'	6.76	1.60	1.52
26	BB	1475	G	N7-C5	6.76	1.43	1.39
26	BB	2056	G	C5-C4	6.76	1.43	1.38
26	BB	2759	G	P-O5'	6.76	1.66	1.59
26	BB	533	G	C6-N1	-6.76	1.34	1.39
26	BB	2470	G	C2-N3	6.76	1.38	1.32
1	AA	66	A	P-O5'	6.76	1.66	1.59
1	AA	174	A	C5-C6	6.76	1.47	1.41
1	AA	343	U	C2'-C1'	6.76	1.60	1.53
1	AA	499	A	N3-C4	6.76	1.39	1.34
1	AA	593	U	P-O5'	6.76	1.66	1.59
1	AA	661	G	C8-N7	-6.76	1.26	1.30
1	AA	725	G	C2-N3	6.76	1.38	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	764	C	N3-C4	-6.76	1.29	1.33
1	AA	800	G	N1-C2	6.76	1.43	1.37
26	BB	1092	C	C5'-C4'	6.76	1.59	1.51
26	BB	1163	G	N9-C8	-6.76	1.33	1.37
26	BB	2533	U	C2-N3	6.76	1.42	1.37
26	BB	2702	G	P-O5'	6.76	1.66	1.59
1	AA	308	C	N3-C4	6.75	1.38	1.33
1	AA	1317	C	C4'-C3'	6.75	1.60	1.53
1	AA	51	A	N3-C4	6.75	1.39	1.34
1	AA	555	U	O3'-P	6.75	1.69	1.61
1	AA	1053	G	N9-C8	-6.75	1.33	1.37
26	BB	776	G	C2-N3	6.75	1.38	1.32
26	BB	1058	U	C2-N3	6.75	1.42	1.37
1	AA	38	G	C4'-C3'	-6.75	1.45	1.53
26	BB	391	A	C2'-O2'	6.75	1.50	1.41
26	BB	654	A	C5-C4	-6.75	1.34	1.38
26	BB	1636	U	C5'-C4'	6.75	1.59	1.51
26	BB	2561	U	C2-N3	6.75	1.42	1.37
26	BB	2880	C	C4-N4	-6.75	1.27	1.33
26	BB	1129	A	C6-N1	6.75	1.40	1.35
26	BB	1433	A	C6-N1	6.75	1.40	1.35
1	AA	186	C	C4'-C3'	-6.75	1.45	1.53
1	AA	348	G	C5-C4	-6.75	1.33	1.38
1	AA	825	A	C4'-O4'	-6.75	1.36	1.45
4	AD	6	G	C3'-O3'	6.75	1.51	1.42
26	BB	890	C	C4-N4	6.75	1.40	1.33
4	AD	76	C	O3'-P	6.75	1.69	1.61
1	AA	621	A	N3-C4	6.74	1.38	1.34
1	AA	1513	A	N7-C5	-6.74	1.35	1.39
26	BB	165	A	C2'-C1'	6.74	1.60	1.53
26	BB	541	A	N7-C5	6.74	1.43	1.39
26	BB	2711	A	C5-C4	-6.74	1.34	1.38
26	BB	1310	G	C5'-C4'	6.74	1.59	1.51
26	BB	1623	G	C4'-C3'	-6.74	1.45	1.53
1	AA	24	U	N1-C2	6.74	1.44	1.38
26	BB	588	U	N3-C4	6.74	1.44	1.38
26	BB	589	U	N1-C6	6.74	1.44	1.38
26	BB	1013	C	C2-N3	6.74	1.41	1.35
26	BB	1017	G	N9-C8	6.74	1.42	1.37
26	BB	1266	G	N7-C5	6.74	1.43	1.39
26	BB	1417	C	C4'-O4'	-6.74	1.36	1.45
26	BB	553	G	C2'-O2'	6.74	1.50	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1236	G	C6-N1	-6.74	1.34	1.39
1	AA	879	C	C5'-C4'	6.74	1.59	1.51
1	AA	1266	G	N3-C4	6.74	1.40	1.35
1	AA	1379	G	C4'-O4'	-6.74	1.36	1.45
1	AA	1477	U	C4-C5	6.74	1.49	1.43
26	BB	842	U	O5'-C5'	-6.74	1.32	1.42
26	BB	1633	G	P-O5'	6.74	1.66	1.59
26	BB	1847	A	N9-C8	6.74	1.43	1.37
1	AA	1303	C	O4'-C1'	6.73	1.50	1.41
26	BB	2260	C	P-O5'	6.73	1.66	1.59
26	BB	2366	A	N9-C4	-6.73	1.33	1.37
26	BB	2411	A	C5-C4	-6.73	1.34	1.38
26	BB	2693	G	C5-C6	6.73	1.49	1.42
1	AA	440	C	C4-N4	6.73	1.40	1.33
1	AA	1155	A	N9-C4	-6.73	1.33	1.37
25	BA	78	A	N9-C4	6.73	1.41	1.37
26	BB	615	U	C4-C5	-6.73	1.37	1.43
26	BB	1742	U	C5'-C4'	6.73	1.59	1.51
1	AA	185	U	C4-C5	6.73	1.49	1.43
26	BB	311	A	N3-C4	6.73	1.38	1.34
26	BB	1678	A	N9-C4	6.73	1.41	1.37
26	BB	2813	A	N3-C4	6.73	1.38	1.34
26	BB	495	G	N7-C5	-6.73	1.35	1.39
1	AA	141	G	P-O5'	6.73	1.66	1.59
1	AA	588	G	C2-N3	6.73	1.38	1.32
26	BB	1805	A	C5'-C4'	6.73	1.59	1.51
26	BB	2604	U	C2-N3	6.73	1.42	1.37
26	BB	2718	G	C4'-C3'	6.73	1.60	1.53
3	AC	26	U	C2-N3	6.73	1.42	1.37
1	AA	736	C	N1-C6	6.72	1.41	1.37
1	AA	838	G	O3'-P	6.72	1.69	1.61
26	BB	187	G	C5'-C4'	6.72	1.59	1.51
26	BB	2764	A	N3-C4	6.72	1.38	1.34
1	AA	702	A	N3-C4	6.72	1.38	1.34
26	BB	426	C	C2-N3	6.72	1.41	1.35
26	BB	968	C	N3-C4	6.72	1.38	1.33
1	AA	1097	C	C5'-C4'	6.72	1.59	1.51
26	BB	1882	U	N1-C2	6.72	1.44	1.38
26	BB	1634	A	N1-C2	-6.72	1.28	1.34
26	BB	2116	G	N1-C2	6.72	1.43	1.37
1	AA	571	U	N3-C4	6.72	1.44	1.38
26	BB	918	A	N3-C4	-6.72	1.30	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	38	G	O3'-P	-6.72	1.53	1.61
1	AA	505	G	P-O5'	6.72	1.66	1.59
1	AA	840	C	C2-N3	6.72	1.41	1.35
1	AA	1313	U	C2'-C1'	6.72	1.60	1.53
1	AA	1475	G	P-O5'	6.72	1.66	1.59
26	BB	198	C	C4-C5	6.72	1.48	1.43
26	BB	234	U	P-O5'	6.72	1.66	1.59
26	BB	748	G	N3-C4	6.72	1.40	1.35
26	BB	769	U	P-O5'	6.72	1.66	1.59
26	BB	1316	U	O3'-P	6.72	1.69	1.61
26	BB	1683	U	C4-C5	6.72	1.49	1.43
26	BB	1916	A	N9-C4	-6.72	1.33	1.37
26	BB	2050	C	N3-C4	6.72	1.38	1.33
1	AA	684	U	N1-C6	6.71	1.44	1.38
1	AA	1141	C	O3'-P	6.71	1.69	1.61
25	BA	93	C	N3-C4	6.71	1.38	1.33
26	BB	823	C	C4-C5	6.71	1.48	1.43
26	BB	2261	C	C4'-O4'	-6.71	1.36	1.45
26	BB	2813	A	N9-C8	6.71	1.43	1.37
25	BA	3	C	C5'-C4'	6.71	1.59	1.51
26	BB	2082	A	N9-C8	-6.71	1.32	1.37
1	AA	981	U	P-O5'	6.71	1.66	1.59
25	BA	82	U	C2-N3	6.71	1.42	1.37
26	BB	1041	G	N3-C4	6.71	1.40	1.35
26	BB	1969	A	N3-C4	6.71	1.38	1.34
26	BB	2428	G	C2'-C1'	6.71	1.60	1.53
26	BB	2719	G	C5'-C4'	6.71	1.59	1.51
1	AA	226	G	C3'-C2'	6.71	1.60	1.52
1	AA	639	G	C5'-C4'	6.71	1.59	1.51
1	AA	1292	G	N9-C8	6.71	1.42	1.37
8	AH	127	TYR	CE2-CZ	6.71	1.47	1.38
1	AA	81	A	C5'-C4'	6.71	1.59	1.51
1	AA	366	A	P-O5'	6.71	1.66	1.59
26	BB	202	U	C4-C5	6.71	1.49	1.43
26	BB	2243	U	P-O5'	6.71	1.66	1.59
26	BB	1579	A	N3-C4	6.71	1.38	1.34
26	BB	1724	G	N7-C5	-6.71	1.35	1.39
26	BB	2483	C	C4-C5	6.71	1.48	1.43
26	BB	2513	A	N9-C4	6.71	1.41	1.37
1	AA	658	C	C4-C5	6.71	1.48	1.43
1	AA	928	G	P-O5'	6.71	1.66	1.59
1	AA	931	C	O3'-P	-6.71	1.53	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	21	G	O3'-P	6.71	1.69	1.61
26	BB	133	U	P-O5'	6.71	1.66	1.59
26	BB	1567	G	N9-C4	6.71	1.43	1.38
1	AA	228	A	C5-C6	6.70	1.47	1.41
1	AA	1220	G	C5'-C4'	6.70	1.59	1.51
2	AB	76	A	C4'-C3'	6.70	1.60	1.53
25	BA	71	C	N3-C4	6.70	1.38	1.33
26	BB	193	U	N3-C4	6.70	1.44	1.38
26	BB	750	A	O3'-P	6.70	1.69	1.61
26	BB	1073	A	C5-C6	6.70	1.47	1.41
26	BB	2685	G	N9-C8	6.70	1.42	1.37
25	BA	109	A	C4'-O4'	-6.70	1.36	1.45
26	BB	2462	C	N1-C6	6.70	1.41	1.37
26	BB	1283	G	O3'-P	-6.70	1.53	1.61
26	BB	1286	A	O3'-P	-6.70	1.53	1.61
26	BB	1354	A	O3'-P	6.70	1.69	1.61
26	BB	1574	C	P-O5'	6.70	1.66	1.59
26	BB	1885	A	N7-C5	-6.70	1.35	1.39
26	BB	2578	G	N7-C5	-6.70	1.35	1.39
1	AA	242	G	N1-C2	6.70	1.43	1.37
1	AA	1208	C	O3'-P	6.70	1.69	1.61
26	BB	662	G	C4'-C3'	6.70	1.60	1.53
26	BB	2183	A	C2-N3	6.70	1.39	1.33
26	BB	2471	A	N9-C8	6.70	1.43	1.37
26	BB	2825	G	C2-N2	6.70	1.41	1.34
1	AA	803	G	C5'-C4'	6.70	1.59	1.51
26	BB	252	G	C2-N3	6.70	1.38	1.32
26	BB	1216	G	N1-C2	6.70	1.43	1.37
1	AA	329	A	N9-C4	6.70	1.41	1.37
1	AA	351	G	N1-C2	6.70	1.43	1.37
4	AD	37	U	N1-C6	6.70	1.44	1.38
26	BB	1497	U	N1-C2	6.70	1.44	1.38
26	BB	1553	A	N3-C4	6.70	1.38	1.34
26	BB	1601	G	C2-N3	6.70	1.38	1.32
26	BB	1977	A	N1-C2	-6.70	1.28	1.34
26	BB	2522	U	C4-C5	6.70	1.49	1.43
1	AA	237	G	O4'-C1'	6.69	1.50	1.41
2	AB	3	G	N7-C5	6.69	1.43	1.39
26	BB	1276	A	C4'-O4'	-6.69	1.36	1.45
26	BB	2277	G	C4'-O4'	-6.69	1.36	1.45
1	AA	640	A	N7-C5	6.69	1.43	1.39
1	AA	1528	U	C2-N3	6.69	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	256	A	O3'-P	6.69	1.69	1.61
26	BB	366	C	P-O5'	6.69	1.66	1.59
26	BB	1222	U	C5'-C4'	6.69	1.59	1.51
26	BB	1992	G	O3'-P	6.69	1.69	1.61
26	BB	2132	U	C2-N3	6.69	1.42	1.37
26	BB	2341	G	N1-C2	6.69	1.43	1.37
1	AA	304	U	C5-C6	6.69	1.40	1.34
1	AA	859	G	C2-N3	6.69	1.38	1.32
26	BB	474	G	C8-N7	6.69	1.34	1.30
26	BB	989	G	P-O5'	6.69	1.66	1.59
26	BB	1094	U	C2'-C1'	6.69	1.60	1.53
1	AA	36	C	P-O5'	6.69	1.66	1.59
1	AA	394	G	C8-N7	6.69	1.34	1.30
26	BB	1176	U	C5'-C4'	6.69	1.59	1.51
26	BB	2540	C	C4-N4	-6.69	1.27	1.33
1	AA	357	G	P-O5'	-6.69	1.53	1.59
2	AB	9	A	C8-N7	-6.69	1.26	1.31
26	BB	1293	C	C4'-C3'	6.69	1.60	1.53
26	BB	1591	A	C8-N7	-6.69	1.26	1.31
26	BB	1602	U	C4-C5	6.69	1.49	1.43
26	BB	2506	U	N1-C2	6.69	1.44	1.38
26	BB	2812	G	C2-N3	6.69	1.38	1.32
26	BB	1479	G	C5-C4	6.69	1.43	1.38
26	BB	2636	C	C2'-O2'	6.69	1.50	1.41
1	AA	519	C	C2'-C1'	6.68	1.60	1.53
1	AA	751	U	N1-C6	-6.68	1.31	1.38
1	AA	1505	G	C6-N1	6.68	1.44	1.39
1	AA	1533	C	N3-C4	-6.68	1.29	1.33
26	BB	614	A	N3-C4	6.68	1.38	1.34
26	BB	2834	G	O3'-P	6.68	1.69	1.61
33	BI	45	GLU	CD-OE1	-6.68	1.18	1.25
1	AA	213	G	N7-C5	-6.68	1.35	1.39
1	AA	1531	A	C5'-C4'	6.68	1.59	1.51
3	AC	42	U	P-O5'	6.68	1.66	1.59
26	BB	548	G	C6-N1	6.68	1.44	1.39
26	BB	1782	U	C2-N3	6.68	1.42	1.37
26	BB	2778	A	N7-C5	-6.68	1.35	1.39
1	AA	767	A	N9-C4	6.68	1.41	1.37
26	BB	2185	U	N3-C4	-6.68	1.32	1.38
1	AA	492	C	C5-C6	6.68	1.39	1.34
1	AA	682	G	N3-C4	6.68	1.40	1.35
1	AA	714	G	C6-N1	6.68	1.44	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	748	G	C2-N3	6.68	1.38	1.32
1	AA	1499	A	O4'-C1'	6.68	1.50	1.41
26	BB	1413	A	N9-C8	6.68	1.43	1.37
26	BB	2805	C	N1-C6	-6.68	1.33	1.37
1	AA	1204	A	C5-C4	6.68	1.43	1.38
26	BB	739	A	C5-C4	-6.68	1.34	1.38
26	BB	2493	U	C3'-O3'	6.68	1.51	1.42
44	BT	90	ARG	CZ-NH1	6.68	1.41	1.33
1	AA	139	A	C2'-C1'	-6.68	1.46	1.53
4	AD	22	A	P-O5'	6.68	1.66	1.59
4	AD	37	U	C2-N3	6.68	1.42	1.37
26	BB	1302	A	N7-C5	-6.68	1.35	1.39
26	BB	1326	U	N1-C2	6.68	1.44	1.38
26	BB	1624	U	C4'-C3'	6.68	1.60	1.53
26	BB	1867	G	N1-C2	6.68	1.43	1.37
26	BB	2418	A	N7-C5	6.68	1.43	1.39
26	BB	2881	U	C2-N3	6.68	1.42	1.37
1	AA	108	G	P-O5'	6.67	1.66	1.59
1	AA	255	G	C2-N3	6.67	1.38	1.32
1	AA	725	G	C5-C6	6.67	1.49	1.42
1	AA	954	G	C5'-C4'	6.67	1.59	1.51
1	AA	1272	G	C2-N2	-6.67	1.27	1.34
26	BB	224	U	P-O5'	6.67	1.66	1.59
26	BB	1902	C	C2-N3	6.67	1.41	1.35
1	AA	1373	G	C3'-C2'	6.67	1.60	1.52
26	BB	2399	G	C8-N7	-6.67	1.26	1.30
26	BB	2689	U	C2'-C1'	-6.67	1.46	1.53
1	AA	325	A	N3-C4	6.67	1.38	1.34
1	AA	537	G	O3'-P	6.67	1.69	1.61
4	AD	10	G	N1-C2	6.67	1.43	1.37
26	BB	117	G	N7-C5	-6.67	1.35	1.39
26	BB	1057	A	N9-C4	6.67	1.41	1.37
26	BB	2102	G	N9-C8	-6.67	1.33	1.37
26	BB	2464	G	C5-C4	-6.67	1.33	1.38
26	BB	2825	G	C2-N3	6.67	1.38	1.32
25	BA	51	G	C8-N7	6.67	1.34	1.30
26	BB	2001	C	O4'-C1'	-6.67	1.32	1.41
26	BB	2039	U	C4-C5	6.67	1.49	1.43
26	BB	2047	C	N3-C4	6.67	1.38	1.33
1	AA	6	G	P-O5'	6.67	1.66	1.59
1	AA	162	A	N3-C4	6.67	1.38	1.34
1	AA	1056	U	O4'-C1'	6.67	1.50	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2851	A	C2'-C1'	-6.67	1.46	1.53
1	AA	373	A	N7-C5	-6.67	1.35	1.39
2	AB	47	U	N1-C2	6.67	1.44	1.38
26	BB	893	C	C4-N4	-6.67	1.27	1.33
26	BB	1005	C	C5'-C4'	6.67	1.59	1.51
26	BB	1151	A	C5'-C4'	6.67	1.59	1.51
26	BB	2679	A	N9-C4	-6.67	1.33	1.37
1	AA	749	A	C6-N1	6.67	1.40	1.35
26	BB	809	G	C2'-C1'	6.67	1.60	1.53
26	BB	2819	G	O3'-P	6.67	1.69	1.61
1	AA	929	G	C5-C6	6.66	1.49	1.42
26	BB	120	U	C4-O4	6.66	1.28	1.23
26	BB	751	A	C6-N6	6.66	1.39	1.33
26	BB	2642	G	C6-N1	-6.66	1.34	1.39
1	AA	1479	C	P-O5'	6.66	1.66	1.59
26	BB	1702	G	C6-N1	6.66	1.44	1.39
26	BB	1988	G	N9-C4	-6.66	1.32	1.38
26	BB	2903	U	C2-N3	6.66	1.42	1.37
1	AA	255	G	C8-N7	-6.66	1.26	1.30
26	BB	464	U	C4'-C3'	-6.66	1.45	1.53
26	BB	1220	G	C8-N7	6.66	1.34	1.30
26	BB	1605	C	N3-C4	6.66	1.38	1.33
26	BB	2031	A	C5-C4	-6.66	1.34	1.38
1	AA	965	U	C4-O4	-6.66	1.18	1.23
1	AA	1013	G	C4'-O4'	-6.66	1.36	1.45
1	AA	1156	G	N3-C4	-6.66	1.30	1.35
1	AA	1372	U	C2-O2	6.66	1.28	1.22
26	BB	187	G	P-O5'	6.66	1.66	1.59
26	BB	378	C	N1-C6	6.66	1.41	1.37
26	BB	1409	U	C2-N3	6.66	1.42	1.37
26	BB	1483	G	C8-N7	-6.66	1.26	1.30
26	BB	2048	G	N7-C5	-6.66	1.35	1.39
1	AA	1179	A	N1-C2	-6.66	1.28	1.34
26	BB	526	A	C5'-C4'	6.66	1.59	1.51
26	BB	221	A	C8-N7	-6.66	1.26	1.31
26	BB	616	A	C2-N3	6.66	1.39	1.33
2	AB	71	C	C5-C6	6.65	1.39	1.34
26	BB	736	C	C5'-C4'	6.65	1.59	1.51
26	BB	1081	U	C4-O4	-6.65	1.18	1.23
26	BB	1422	G	C2'-C1'	-6.65	1.46	1.53
26	BB	2385	C	O3'-P	-6.65	1.53	1.61
1	AA	978	A	C2-N3	6.65	1.39	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1087	G	P-O5'	6.65	1.66	1.59
1	AA	1341	U	P-O5'	6.65	1.66	1.59
26	BB	904	G	N1-C2	6.65	1.43	1.37
26	BB	1437	C	P-O5'	6.65	1.66	1.59
26	BB	1867	G	C5-C6	6.65	1.49	1.42
26	BB	2107	G	N7-C5	6.65	1.43	1.39
26	BB	2511	U	C2-O2	6.65	1.28	1.22
26	BB	2521	C	P-O5'	6.65	1.66	1.59
26	BB	2882	A	N3-C4	6.65	1.38	1.34
1	AA	209	U	C2'-C1'	6.65	1.60	1.53
1	AA	263	A	C5'-C4'	6.65	1.59	1.51
1	AA	1036	A	C8-N7	-6.65	1.26	1.31
1	AA	1282	C	C5'-C4'	6.65	1.59	1.51
25	BA	87	U	O3'-P	6.65	1.69	1.61
26	BB	1645	G	O3'-P	6.65	1.69	1.61
26	BB	2803	G	N9-C8	6.65	1.42	1.37
1	AA	1018	G	N7-C5	-6.65	1.35	1.39
4	AD	3	C	N1-C6	6.65	1.41	1.37
26	BB	586	A	N9-C4	6.65	1.41	1.37
26	BB	640	C	N1-C2	-6.65	1.33	1.40
26	BB	926	G	C5'-C4'	6.65	1.59	1.51
26	BB	1902	C	C3'-C2'	6.65	1.60	1.52
26	BB	2104	C	N1-C6	6.65	1.41	1.37
26	BB	2413	G	C2-N3	6.65	1.38	1.32
26	BB	2587	A	C2'-C1'	6.65	1.60	1.53
1	AA	57	G	C3'-C2'	-6.64	1.45	1.52
26	BB	1600	C	N1-C6	6.64	1.41	1.37
26	BB	1665	A	N7-C5	-6.64	1.35	1.39
1	AA	338	A	C5-C6	6.64	1.47	1.41
26	BB	28	A	C6-N6	-6.64	1.28	1.33
26	BB	284	U	C5'-C4'	6.64	1.59	1.51
26	BB	1012	U	C2'-O2'	6.64	1.50	1.41
26	BB	1702	G	N3-C4	6.64	1.40	1.35
26	BB	1824	G	N9-C4	-6.64	1.32	1.38
26	BB	2585	U	C4'-C3'	6.64	1.60	1.53
26	BB	2661	G	C4'-C3'	-6.64	1.45	1.53
26	BB	2712	C	C2-N3	6.64	1.41	1.35
1	AA	543	U	C2-N3	6.64	1.42	1.37
26	BB	822	G	C4'-C3'	-6.64	1.45	1.53
26	BB	2196	C	C5'-C4'	6.64	1.59	1.51
1	AA	315	A	N3-C4	6.64	1.38	1.34
1	AA	854	U	C5-C6	6.64	1.40	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1117	A	N1-C2	-6.64	1.28	1.34
4	AD	46	G	N3-C4	6.64	1.40	1.35
26	BB	46	G	C3'-C2'	6.64	1.60	1.52
26	BB	90	U	C5-C6	6.64	1.40	1.34
26	BB	204	A	C5'-C4'	6.64	1.59	1.51
26	BB	1109	C	C4'-O4'	-6.64	1.36	1.45
26	BB	1643	G	C2-N3	6.64	1.38	1.32
1	AA	77	A	C4'-O4'	-6.64	1.36	1.45
1	AA	867	G	C5'-C4'	6.64	1.59	1.51
26	BB	93	G	N7-C5	6.64	1.43	1.39
26	BB	780	G	N3-C4	6.64	1.40	1.35
26	BB	2590	A	N1-C2	-6.64	1.28	1.34
1	AA	1341	U	C2-N3	6.64	1.42	1.37
1	AA	1392	G	N7-C5	-6.64	1.35	1.39
25	BA	103	U	C3'-C2'	6.64	1.60	1.52
26	BB	571	U	C4'-O4'	-6.64	1.36	1.45
26	BB	1388	G	C8-N7	6.64	1.34	1.30
26	BB	1904	G	C6-N1	6.64	1.44	1.39
1	AA	152	A	N7-C5	-6.63	1.35	1.39
1	AA	337	G	C6-O6	-6.63	1.18	1.24
1	AA	1433	A	N3-C4	6.63	1.38	1.34
26	BB	255	A	N9-C4	-6.63	1.33	1.37
26	BB	325	G	C2-N2	-6.63	1.27	1.34
26	BB	453	A	C2'-O2'	6.63	1.50	1.41
26	BB	2354	C	C5-C6	6.63	1.39	1.34
46	BV	80	TRP	CA-CB	6.63	1.68	1.53
1	AA	34	C	C5'-C4'	6.63	1.59	1.51
4	AD	24	C	N3-C4	6.63	1.38	1.33
26	BB	691	C	N1-C6	6.63	1.41	1.37
26	BB	1110	G	C8-N7	-6.63	1.26	1.30
26	BB	1555	G	C2-N3	-6.63	1.27	1.32
26	BB	1619	G	N1-C2	6.63	1.43	1.37
1	AA	209	U	C2-N3	6.63	1.42	1.37
1	AA	953	G	C3'-O3'	6.63	1.51	1.42
1	AA	1455	G	C6-N1	6.63	1.44	1.39
26	BB	378	C	N3-C4	6.63	1.38	1.33
26	BB	656	G	C5'-C4'	6.63	1.59	1.51
26	BB	1597	A	N7-C5	-6.63	1.35	1.39
26	BB	1628	G	C3'-C2'	6.63	1.60	1.52
26	BB	1676	A	C4'-C3'	6.63	1.60	1.53
26	BB	1688	U	C5-C6	6.63	1.40	1.34
26	BB	2249	U	P-O5'	6.63	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2810	A	C5-C6	6.63	1.47	1.41
1	AA	652	U	C4-C5	6.63	1.49	1.43
1	AA	1184	G	C2-N3	6.63	1.38	1.32
26	BB	665	U	C4-C5	6.63	1.49	1.43
26	BB	2854	G	C8-N7	6.63	1.34	1.30
1	AA	1079	G	C8-N7	-6.63	1.26	1.30
1	AA	1118	U	C4'-O4'	-6.63	1.36	1.45
1	AA	1274	A	C6-N6	6.63	1.39	1.33
26	BB	41	C	C5'-C4'	6.63	1.59	1.51
26	BB	341	C	C5-C6	-6.63	1.29	1.34
1	AA	672	U	N1-C2	6.63	1.44	1.38
1	AA	735	C	C2-N3	6.63	1.41	1.35
1	AA	1129	C	N1-C6	6.63	1.41	1.37
1	AA	1374	A	C4'-C3'	6.63	1.60	1.53
26	BB	1843	C	C2-N3	6.63	1.41	1.35
26	BB	1889	A	C3'-O3'	6.63	1.51	1.42
1	AA	787	A	C8-N7	-6.62	1.26	1.31
26	BB	1889	A	N1-C2	6.62	1.40	1.34
26	BB	2451	A	N7-C5	6.62	1.43	1.39
1	AA	440	C	C2-N3	6.62	1.41	1.35
1	AA	732	C	P-O5'	6.62	1.66	1.59
1	AA	1166	G	C8-N7	-6.62	1.26	1.30
26	BB	681	G	N1-C2	6.62	1.43	1.37
26	BB	812	C	C2'-C1'	6.62	1.60	1.53
26	BB	1177	G	N3-C4	6.62	1.40	1.35
26	BB	1555	G	C5-C4	6.62	1.43	1.38
1	AA	161	A	O3'-P	6.62	1.69	1.61
1	AA	844	G	C6-N1	6.62	1.44	1.39
26	BB	658	U	N1-C2	6.62	1.44	1.38
26	BB	811	U	C2-O2	6.62	1.28	1.22
26	BB	1793	C	N1-C2	6.62	1.46	1.40
26	BB	1903	G	N3-C4	6.62	1.40	1.35
26	BB	2345	G	P-O5'	6.62	1.66	1.59
26	BB	2448	A	N7-C5	6.62	1.43	1.39
26	BB	381	G	C3'-C2'	6.62	1.60	1.52
26	BB	599	A	C3'-C2'	6.62	1.60	1.52
26	BB	1434	A	N9-C4	6.62	1.41	1.37
26	BB	2333	A	N1-C2	-6.62	1.28	1.34
1	AA	366	A	O3'-P	6.62	1.69	1.61
1	AA	937	A	C4'-O4'	-6.62	1.36	1.45
26	BB	674	G	N1-C2	6.62	1.43	1.37
26	BB	893	C	C2-O2	-6.62	1.18	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1512	C	C3'-C2'	6.62	1.60	1.52
1	AA	254	G	O3'-P	6.62	1.69	1.61
1	AA	550	G	N1-C2	6.62	1.43	1.37
26	BB	439	A	N9-C8	-6.62	1.32	1.37
26	BB	1238	G	N1-C2	6.62	1.43	1.37
26	BB	2593	U	C2-O2	6.62	1.28	1.22
1	AA	1075	U	P-O5'	6.62	1.66	1.59
1	AA	1078	U	C4-C5	6.62	1.49	1.43
1	AA	307	C	N3-C4	6.61	1.38	1.33
26	BB	319	G	C2'-C1'	-6.61	1.46	1.53
26	BB	806	C	O3'-P	6.61	1.69	1.61
26	BB	2621	G	N7-C5	-6.61	1.35	1.39
1	AA	785	G	O3'-P	6.61	1.69	1.61
25	BA	28	C	C2'-O2'	6.61	1.50	1.41
26	BB	2227	A	N3-C4	6.61	1.38	1.34
1	AA	106	C	C4-C5	6.61	1.48	1.43
1	AA	520	A	C5-C6	6.61	1.47	1.41
26	BB	1811	G	P-O5'	6.61	1.66	1.59
26	BB	1829	A	C6-N6	-6.61	1.28	1.33
26	BB	2661	G	C8-N7	-6.61	1.26	1.30
1	AA	667	G	C8-N7	-6.61	1.26	1.30
1	AA	1020	G	N1-C2	6.61	1.43	1.37
26	BB	1551	A	C5-C4	-6.61	1.34	1.38
26	BB	2437	G	N9-C8	6.61	1.42	1.37
1	AA	408	A	C4'-C3'	-6.61	1.45	1.53
26	BB	2027	G	N7-C5	-6.61	1.35	1.39
26	BB	2094	A	C5'-C4'	6.61	1.59	1.51
1	AA	241	G	P-O5'	6.61	1.66	1.59
3	AC	15	G	O3'-P	6.61	1.69	1.61
26	BB	101	A	C2'-O2'	6.61	1.50	1.41
26	BB	738	G	P-O5'	6.61	1.66	1.59
26	BB	1623	G	P-O5'	6.61	1.66	1.59
26	BB	2088	A	N7-C5	-6.61	1.35	1.39
26	BB	1916	A	C8-N7	-6.60	1.26	1.31
1	AA	1417	G	O3'-P	6.60	1.69	1.61
3	AC	51	C	C2'-C1'	6.60	1.60	1.53
10	AJ	108	ARG	NE-CZ	6.60	1.41	1.33
26	BB	608	A	C4'-O4'	-6.60	1.36	1.45
26	BB	1203	U	C4'-C3'	-6.60	1.45	1.53
26	BB	1351	C	O3'-P	-6.60	1.53	1.61
26	BB	1669	A	C5-C4	6.60	1.43	1.38
26	BB	1701	A	C4'-O4'	-6.60	1.36	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1824	G	C2-N3	6.60	1.38	1.32
26	BB	2005	A	N9-C8	6.60	1.43	1.37
26	BB	2689	U	C4'-C3'	6.60	1.60	1.53
26	BB	249	C	C4-C5	6.60	1.48	1.43
26	BB	989	G	N7-C5	6.60	1.43	1.39
26	BB	1158	C	C5-C6	6.60	1.39	1.34
26	BB	1842	G	C8-N7	-6.60	1.26	1.30
1	AA	672	U	C2-N3	-6.60	1.33	1.37
1	AA	819	A	O5'-C5'	6.60	1.55	1.44
1	AA	1395	C	N3-C4	6.60	1.38	1.33
25	BA	49	C	C5-C6	6.60	1.39	1.34
26	BB	121	G	C2-N3	6.60	1.38	1.32
26	BB	869	G	P-O5'	6.60	1.66	1.59
26	BB	1386	C	C2-O2	-6.60	1.18	1.24
26	BB	1466	U	C2-N3	6.60	1.42	1.37
1	AA	1171	A	C2'-O2'	-6.60	1.33	1.41
26	BB	620	G	N3-C4	6.60	1.40	1.35
26	BB	1569	A	N3-C4	6.60	1.38	1.34
26	BB	2117	A	N3-C4	6.60	1.38	1.34
1	AA	1483	A	N7-C5	-6.60	1.35	1.39
26	BB	190	A	C4'-O4'	-6.60	1.36	1.45
26	BB	1773	A	C8-N7	-6.60	1.26	1.31
1	AA	309	A	C5-C4	-6.59	1.34	1.38
1	AA	711	G	C2-N2	-6.59	1.27	1.34
1	AA	726	C	P-O5'	6.59	1.66	1.59
1	AA	1050	G	N9-C8	-6.59	1.33	1.37
26	BB	666	A	C5-C4	-6.59	1.34	1.38
26	BB	684	G	C4'-O4'	-6.59	1.36	1.45
26	BB	1345	C	C5'-C4'	6.59	1.59	1.51
26	BB	2279	G	O3'-P	6.59	1.69	1.61
26	BB	668	A	C4'-C3'	6.59	1.60	1.53
26	BB	1237	A	N3-C4	6.59	1.38	1.34
1	AA	438	U	C2-N3	6.59	1.42	1.37
1	AA	769	G	N9-C4	6.59	1.43	1.38
1	AA	1256	A	C6-N6	-6.59	1.28	1.33
1	AA	1354	U	C4'-O4'	-6.59	1.36	1.45
26	BB	127	A	N9-C4	-6.59	1.33	1.37
26	BB	830	G	N3-C4	6.59	1.40	1.35
26	BB	1667	G	N1-C2	6.59	1.43	1.37
26	BB	2035	G	C5'-C4'	-6.59	1.43	1.51
26	BB	2487	G	C8-N7	-6.59	1.26	1.30
26	BB	2745	C	C3'-C2'	6.59	1.60	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	30	U	C3'-O3'	-6.59	1.32	1.42
1	AA	413	G	C5'-C4'	6.59	1.59	1.51
26	BB	1168	G	N3-C4	-6.59	1.30	1.35
26	BB	2625	G	N3-C4	6.59	1.40	1.35
26	BB	2749	A	N7-C5	6.59	1.43	1.39
1	AA	1244	G	N7-C5	-6.59	1.35	1.39
26	BB	164	C	C4'-O4'	-6.59	1.36	1.45
26	BB	592	A	N9-C4	-6.59	1.33	1.37
26	BB	2140	G	C4'-C3'	6.59	1.60	1.53
26	BB	2167	U	C5-C6	6.59	1.40	1.34
26	BB	2840	C	C3'-C2'	6.59	1.60	1.52
1	AA	782	A	O3'-P	6.58	1.69	1.61
26	BB	942	G	N3-C4	6.58	1.40	1.35
1	AA	833	G	N7-C5	-6.58	1.35	1.39
1	AA	937	A	C6-N6	6.58	1.39	1.33
1	AA	942	G	C6-N1	6.58	1.44	1.39
1	AA	325	A	N7-C5	6.58	1.43	1.39
1	AA	759	A	C5-C6	-6.58	1.35	1.41
1	AA	864	A	C5-C4	6.58	1.43	1.38
26	BB	1346	G	N3-C4	6.58	1.40	1.35
26	BB	2496	C	N1-C6	6.58	1.41	1.37
1	AA	133	U	N1-C2	6.58	1.44	1.38
2	AB	40	C	C2-N3	6.58	1.41	1.35
1	AA	1143	G	C2-N2	-6.58	1.27	1.34
26	BB	10	A	N9-C4	6.58	1.41	1.37
26	BB	1054	A	C3'-O3'	-6.58	1.32	1.42
26	BB	1783	A	N3-C4	6.58	1.38	1.34
26	BB	716	A	N7-C5	6.58	1.43	1.39
26	BB	2075	U	O3'-P	-6.58	1.53	1.61
26	BB	2459	A	C3'-O3'	-6.58	1.32	1.42
26	BB	2582	G	C8-N7	-6.58	1.27	1.30
1	AA	354	G	N3-C4	-6.58	1.30	1.35
1	AA	691	G	C5-C4	6.58	1.43	1.38
1	AA	848	C	O3'-P	6.58	1.69	1.61
26	BB	523	C	C5-C6	6.58	1.39	1.34
26	BB	1038	G	N3-C4	6.58	1.40	1.35
26	BB	2740	A	N7-C5	6.58	1.43	1.39
1	AA	733	G	C5-C4	6.57	1.43	1.38
26	BB	1533	C	P-O5'	6.57	1.66	1.59
26	BB	2502	G	N3-C4	6.57	1.40	1.35
26	BB	585	G	C6-N1	-6.57	1.34	1.39
1	AA	33	A	C6-N1	6.57	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	178	C	C2-O2	-6.57	1.18	1.24
1	AA	865	A	C5-C6	6.57	1.47	1.41
1	AA	1182	G	N9-C8	6.57	1.42	1.37
26	BB	1194	A	C4'-O4'	-6.57	1.37	1.45
26	BB	2254	C	C2'-O2'	6.57	1.50	1.41
4	AD	7	G	N9-C4	6.57	1.43	1.38
1	AA	1292	G	N9-C4	6.57	1.43	1.38
26	BB	904	G	P-O5'	6.57	1.66	1.59
26	BB	1798	U	N1-C6	6.57	1.43	1.38
26	BB	2660	A	C5'-C4'	6.57	1.59	1.51
26	BB	2760	C	C4-C5	-6.57	1.37	1.43
31	BG	93	GLU	CD-OE1	-6.57	1.18	1.25
41	BQ	112	GLU	CG-CD	6.57	1.61	1.51
1	AA	922	G	N3-C4	6.57	1.40	1.35
26	BB	1207	C	N1-C6	6.57	1.41	1.37
26	BB	1726	C	N1-C6	6.57	1.41	1.37
26	BB	1739	A	P-O5'	6.57	1.66	1.59
26	BB	1812	U	C5'-C4'	6.57	1.59	1.51
26	BB	2308	G	N9-C8	6.57	1.42	1.37
1	AA	499	A	C5'-C4'	6.56	1.59	1.51
26	BB	2218	G	P-O5'	6.56	1.66	1.59
26	BB	2725	A	N9-C4	6.56	1.41	1.37
1	AA	36	C	C2-N3	6.56	1.41	1.35
1	AA	116	A	N9-C4	6.56	1.41	1.37
1	AA	266	G	C5-C4	6.56	1.43	1.38
1	AA	1465	A	C8-N7	-6.56	1.26	1.31
26	BB	1298	C	P-O5'	6.56	1.66	1.59
1	AA	73	C	C5-C6	6.56	1.39	1.34
1	AA	74	A	C8-N7	-6.56	1.26	1.31
1	AA	653	U	C2-N3	6.56	1.42	1.37
2	AB	22	G	C5'-C4'	6.56	1.59	1.51
25	BA	12	C	C5-C6	6.56	1.39	1.34
26	BB	1125	G	N3-C4	6.56	1.40	1.35
26	BB	2318	G	C2-N3	6.56	1.38	1.32
1	AA	577	G	C8-N7	-6.56	1.27	1.30
26	BB	572	A	N7-C5	6.56	1.43	1.39
26	BB	2554	U	C4-C5	6.56	1.49	1.43
26	BB	2644	G	C4'-C3'	-6.56	1.46	1.53
26	BB	136	G	P-O5'	6.56	1.66	1.59
1	AA	358	U	C3'-C2'	-6.55	1.45	1.52
26	BB	1442	U	C2'-C1'	6.55	1.60	1.53
26	BB	2042	A	O3'-P	6.55	1.69	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2532	G	N7-C5	-6.55	1.35	1.39
26	BB	324	A	C5-C6	6.55	1.47	1.41
26	BB	708	G	N1-C2	6.55	1.43	1.37
26	BB	1296	G	N9-C8	-6.55	1.33	1.37
26	BB	1986	C	P-O5'	6.55	1.66	1.59
26	BB	2738	A	N7-C5	6.55	1.43	1.39
26	BB	2757	A	C4'-C3'	6.55	1.60	1.53
1	AA	142	G	N9-C4	6.55	1.43	1.38
1	AA	262	A	C5-C6	6.55	1.47	1.41
1	AA	1222	G	C3'-C2'	6.55	1.60	1.52
1	AA	1274	A	C6-N1	6.55	1.40	1.35
1	AA	1444	U	C5'-C4'	6.55	1.59	1.51
26	BB	58	G	N3-C4	6.55	1.40	1.35
26	BB	1652	A	N9-C8	6.55	1.43	1.37
26	BB	1687	G	N7-C5	-6.55	1.35	1.39
1	AA	22	G	C2-N3	6.55	1.38	1.32
1	AA	1350	A	C8-N7	-6.55	1.26	1.31
4	AD	2	G	C6-N1	6.55	1.44	1.39
26	BB	160	A	C5'-C4'	6.55	1.59	1.51
26	BB	1030	C	N3-C4	6.55	1.38	1.33
26	BB	2441	U	C2'-C1'	6.55	1.60	1.53
26	BB	2721	A	N3-C4	6.55	1.38	1.34
1	AA	131	A	O3'-P	6.55	1.69	1.61
1	AA	204	G	C6-N1	-6.55	1.34	1.39
1	AA	206	C	C2'-C1'	6.55	1.60	1.53
1	AA	326	G	C4'-O4'	-6.55	1.37	1.45
25	BA	21	G	N7-C5	6.55	1.43	1.39
26	BB	314	C	C5-C6	6.55	1.39	1.34
26	BB	380	G	P-O5'	-6.55	1.53	1.59
26	BB	653	U	N1-C6	-6.55	1.32	1.38
26	BB	1238	G	C5-C4	-6.55	1.33	1.38
26	BB	2842	G	C8-N7	6.55	1.34	1.30
1	AA	849	G	C5'-C4'	6.54	1.59	1.51
26	BB	367	G	C4'-O4'	-6.54	1.37	1.45
1	AA	76	G	C6-N1	-6.54	1.34	1.39
1	AA	604	G	C6-N1	6.54	1.44	1.39
1	AA	1256	A	N9-C4	6.54	1.41	1.37
1	AA	1406	U	P-O5'	6.54	1.66	1.59
25	BA	20	G	C2-N3	6.54	1.38	1.32
26	BB	77	G	C2-N3	6.54	1.38	1.32
26	BB	886	A	C3'-C2'	6.54	1.60	1.52
26	BB	1862	G	N9-C4	6.54	1.43	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	929	G	C5'-C4'	6.54	1.59	1.51
26	BB	1568	G	C5'-C4'	6.54	1.59	1.51
26	BB	1652	A	C6-N1	-6.54	1.30	1.35
26	BB	2290	G	P-O5'	6.54	1.66	1.59
1	AA	848	C	N3-C4	6.54	1.38	1.33
26	BB	404	A	C5-C4	-6.54	1.34	1.38
26	BB	233	A	C8-N7	-6.54	1.26	1.31
26	BB	302	C	C2'-O2'	6.54	1.50	1.41
26	BB	2012	G	C6-N1	6.54	1.44	1.39
1	AA	1143	G	N1-C2	6.54	1.43	1.37
26	BB	384	A	O3'-P	6.54	1.69	1.61
26	BB	1289	C	C2-N3	6.54	1.41	1.35
26	BB	1585	C	C2-N3	6.54	1.41	1.35
1	AA	230	G	N9-C4	6.54	1.43	1.38
1	AA	355	C	C5'-C4'	6.54	1.59	1.51
1	AA	615	G	N9-C8	6.54	1.42	1.37
26	BB	841	G	N7-C5	6.54	1.43	1.39
26	BB	2200	C	C2'-C1'	-6.54	1.46	1.53
26	BB	2365	G	C5-C4	-6.54	1.33	1.38
26	BB	2532	G	C6-N1	-6.54	1.34	1.39
26	BB	2893	A	N9-C8	6.54	1.43	1.37
1	AA	418	C	C4'-O4'	-6.53	1.37	1.45
1	AA	883	C	C4-N4	6.53	1.39	1.33
1	AA	1233	G	C5'-C4'	6.53	1.59	1.51
26	BB	55	G	N1-C2	6.53	1.43	1.37
26	BB	406	G	P-O5'	6.53	1.66	1.59
26	BB	701	G	N9-C8	6.53	1.42	1.37
26	BB	1605	C	N1-C6	6.53	1.41	1.37
1	AA	1297	G	C2-N3	6.53	1.38	1.32
26	BB	477	A	N9-C8	6.53	1.43	1.37
26	BB	1118	C	C5'-C4'	6.53	1.59	1.51
26	BB	2358	A	C6-N1	-6.53	1.30	1.35
26	BB	2563	U	N1-C6	-6.53	1.32	1.38
1	AA	86	G	C5-C4	-6.53	1.33	1.38
26	BB	921	C	C2-N3	6.53	1.41	1.35
26	BB	2376	A	N9-C8	6.53	1.43	1.37
1	AA	474	G	N7-C5	6.53	1.43	1.39
26	BB	569	U	C2-O2	6.53	1.28	1.22
26	BB	1936	A	P-O5'	6.53	1.66	1.59
26	BB	1958	C	C4-C5	6.53	1.48	1.43
26	BB	2820	A	N9-C4	6.53	1.41	1.37
1	AA	694	A	N3-C4	6.53	1.38	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	663	G	N1-C2	6.53	1.43	1.37
26	BB	1565	C	C4'-O4'	-6.53	1.37	1.45
26	BB	2741	A	C6-N1	-6.53	1.30	1.35
1	AA	372	C	C5'-C4'	6.52	1.59	1.51
26	BB	2581	G	N9-C8	-6.52	1.33	1.37
1	AA	289	G	N9-C8	-6.52	1.33	1.37
1	AA	294	U	O3'-P	6.52	1.69	1.61
4	AD	19	G	P-O5'	6.52	1.66	1.59
26	BB	1147	A	N9-C4	-6.52	1.33	1.37
26	BB	1209	U	C4-C5	6.52	1.49	1.43
26	BB	1529	G	C5'-C4'	6.52	1.59	1.51
26	BB	2823	A	C4'-C3'	-6.52	1.46	1.53
26	BB	851	C	C2-O2	-6.52	1.18	1.24
26	BB	1633	G	N9-C4	6.52	1.43	1.38
1	AA	139	A	O3'-P	6.52	1.69	1.61
1	AA	337	G	N3-C4	6.52	1.40	1.35
1	AA	530	G	N3-C4	6.52	1.40	1.35
1	AA	769	G	C5-C4	-6.52	1.33	1.38
26	BB	35	G	N9-C4	6.52	1.43	1.38
26	BB	50	U	C4'-O4'	-6.52	1.37	1.45
26	BB	124	G	N1-C2	6.52	1.43	1.37
26	BB	1053	C	C2'-O2'	6.52	1.50	1.41
26	BB	1831	G	C6-O6	-6.52	1.18	1.24
26	BB	308	G	N7-C5	6.52	1.43	1.39
26	BB	2712	C	N3-C4	-6.52	1.29	1.33
26	BB	2833	U	C4'-C3'	6.52	1.60	1.53
1	AA	50	A	C5'-C4'	6.51	1.59	1.51
26	BB	928	A	C6-N6	6.51	1.39	1.33
26	BB	1746	A	N9-C4	-6.51	1.33	1.37
26	BB	1778	U	C2'-C1'	6.51	1.60	1.53
26	BB	2279	G	C6-N1	6.51	1.44	1.39
26	BB	2855	C	P-O5'	6.51	1.66	1.59
1	AA	295	C	P-O5'	6.51	1.66	1.59
1	AA	702	A	P-O5'	6.51	1.66	1.59
26	BB	739	A	P-O5'	6.51	1.66	1.59
26	BB	1207	C	C5-C6	6.51	1.39	1.34
1	AA	894	G	C5-C6	6.51	1.48	1.42
1	AA	1287	A	P-O5'	-6.51	1.53	1.59
26	BB	2270	A	N9-C4	6.51	1.41	1.37
1	AA	517	G	C4'-O4'	-6.51	1.37	1.45
1	AA	603	U	C4-C5	6.51	1.49	1.43
1	AA	667	G	C2-N3	6.51	1.38	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1457	G	N9-C4	6.51	1.43	1.38
3	AC	52	U	C4-C5	6.51	1.49	1.43
26	BB	884	U	C2-N3	6.51	1.42	1.37
26	BB	1885	A	C8-N7	-6.51	1.26	1.31
26	BB	2505	G	P-O5'	6.51	1.66	1.59
1	AA	768	A	O3'-P	6.51	1.69	1.61
26	BB	1109	C	C2-N3	6.51	1.41	1.35
26	BB	2353	G	N7-C5	-6.51	1.35	1.39
1	AA	1230	C	C3'-C2'	-6.51	1.45	1.52
1	AA	1258	G	N1-C2	6.51	1.43	1.37
1	AA	1291	U	N3-C4	6.50	1.44	1.38
26	BB	659	G	C3'-C2'	6.50	1.60	1.52
26	BB	886	A	N7-C5	6.50	1.43	1.39
26	BB	1274	A	C5-C6	-6.50	1.35	1.41
26	BB	1938	A	C6-N1	-6.50	1.30	1.35
26	BB	2741	A	C5'-C4'	6.50	1.59	1.51
1	AA	843	U	N1-C2	6.50	1.44	1.38
26	BB	453	A	N3-C4	6.50	1.38	1.34
26	BB	705	A	C5-C4	6.50	1.43	1.38
26	BB	1474	U	C4-C5	6.50	1.49	1.43
26	BB	1608	A	N7-C5	-6.50	1.35	1.39
1	AA	423	G	N1-C2	6.50	1.43	1.37
4	AD	18	U	O3'-P	6.50	1.69	1.61
25	BA	25	U	C2-N3	6.50	1.42	1.37
26	BB	1157	G	O3'-P	6.50	1.69	1.61
26	BB	2224	G	C5-C4	-6.50	1.33	1.38
26	BB	2352	A	C6-N1	6.50	1.40	1.35
26	BB	2839	G	N7-C5	-6.50	1.35	1.39
1	AA	1387	G	C6-N1	6.50	1.44	1.39
25	BA	116	G	N9-C8	-6.50	1.33	1.37
26	BB	1131	G	C4'-O4'	-6.50	1.37	1.45
26	BB	2094	A	O3'-P	6.50	1.69	1.61
1	AA	51	A	C6-N1	6.50	1.40	1.35
1	AA	334	C	P-O5'	-6.50	1.53	1.59
1	AA	808	C	O3'-P	6.50	1.69	1.61
1	AA	926	G	O3'-P	6.50	1.69	1.61
1	AA	1169	A	C4'-O4'	-6.50	1.37	1.45
26	BB	2853	C	C2-O2	-6.50	1.18	1.24
1	AA	1008	U	C4'-O4'	-6.50	1.37	1.45
4	AD	19	G	C2-N2	-6.50	1.28	1.34
25	BA	115	A	N1-C2	6.50	1.40	1.34
26	BB	418	C	C5'-C4'	6.50	1.59	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1433	A	C5-C4	-6.50	1.34	1.38
26	BB	2839	G	C8-N7	6.50	1.34	1.30
26	BB	1087	G	C2'-O2'	6.50	1.50	1.41
1	AA	540	G	C2'-C1'	6.49	1.60	1.53
1	AA	554	A	P-O5'	6.49	1.66	1.59
1	AA	897	C	C5-C6	6.49	1.39	1.34
2	AB	58	A	C4'-O4'	-6.49	1.37	1.45
26	BB	88	G	P-O5'	-6.49	1.53	1.59
26	BB	885	C	C4'-C3'	-6.49	1.46	1.53
26	BB	2303	G	C8-N7	-6.49	1.27	1.30
26	BB	1644	C	N3-C4	6.49	1.38	1.33
26	BB	556	A	N7-C5	-6.49	1.35	1.39
26	BB	1966	A	N9-C8	-6.49	1.32	1.37
26	BB	2033	A	C6-N6	6.49	1.39	1.33
26	BB	2115	G	C5'-C4'	6.49	1.59	1.51
26	BB	2122	U	C4-C5	6.49	1.49	1.43
1	AA	20	U	C4'-O4'	-6.49	1.37	1.45
4	AD	5	G	O3'-P	-6.49	1.53	1.61
26	BB	1411	U	O3'-P	6.49	1.69	1.61
1	AA	733	G	N9-C8	6.49	1.42	1.37
1	AA	1108	G	C6-N1	6.49	1.44	1.39
1	AA	1447	A	N9-C4	6.49	1.41	1.37
3	AC	58	C	C2-O2	-6.49	1.18	1.24
26	BB	1858	A	N9-C8	-6.49	1.32	1.37
1	AA	1426	G	C6-N1	6.49	1.44	1.39
2	AB	14	A	C5-C4	-6.49	1.34	1.38
26	BB	240	C	C3'-C2'	6.49	1.60	1.52
26	BB	549	G	N9-C8	6.49	1.42	1.37
26	BB	1421	G	N9-C8	6.49	1.42	1.37
26	BB	1912	A	C8-N7	-6.49	1.27	1.31
26	BB	2288	A	C6-N1	6.49	1.40	1.35
26	BB	7	G	N7-C5	6.48	1.43	1.39
26	BB	2603	G	C2-N3	6.48	1.38	1.32
1	AA	665	A	N1-C2	6.48	1.40	1.34
1	AA	1324	A	C6-N6	-6.48	1.28	1.33
3	AC	26	U	N3-C4	6.48	1.44	1.38
25	BA	11	C	N3-C4	6.48	1.38	1.33
26	BB	244	A	C4'-C3'	6.48	1.60	1.53
26	BB	514	A	C5'-C4'	6.48	1.59	1.51
26	BB	1014	A	C8-N7	-6.48	1.27	1.31
26	BB	1555	G	N3-C4	6.48	1.40	1.35
26	BB	1965	C	N1-C6	6.48	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2415	G	N1-C2	6.48	1.43	1.37
1	AA	107	G	C5'-C4'	6.48	1.59	1.51
1	AA	947	G	P-O5'	6.48	1.66	1.59
1	AA	1085	U	N1-C6	-6.48	1.32	1.38
1	AA	1095	U	C3'-C2'	6.48	1.60	1.52
26	BB	1080	A	C4'-O4'	-6.48	1.37	1.45
26	BB	1920	C	C2'-C1'	6.48	1.60	1.53
26	BB	2155	U	C5'-C4'	6.48	1.59	1.51
1	AA	830	G	C6-N1	6.48	1.44	1.39
1	AA	1165	U	C5-C6	6.48	1.40	1.34
25	BA	112	G	N1-C2	6.48	1.43	1.37
26	BB	2631	G	C3'-C2'	-6.48	1.45	1.52
1	AA	806	C	P-O5'	6.48	1.66	1.59
1	AA	961	U	C4'-O4'	-6.48	1.37	1.45
26	BB	539	G	N7-C5	-6.48	1.35	1.39
26	BB	979	A	C5-C4	-6.48	1.34	1.38
26	BB	1666	G	C2-N3	6.48	1.38	1.32
1	AA	211	G	N9-C8	6.48	1.42	1.37
1	AA	526	C	C2-N3	6.48	1.41	1.35
26	BB	783	A	C5-C4	-6.48	1.34	1.38
26	BB	1831	G	N3-C4	6.48	1.40	1.35
1	AA	1143	G	N9-C8	-6.47	1.33	1.37
26	BB	2177	C	C4-N4	6.47	1.39	1.33
26	BB	2554	U	N1-C6	-6.47	1.32	1.38
1	AA	1092	A	N3-C4	6.47	1.38	1.34
26	BB	140	C	N3-C4	6.47	1.38	1.33
26	BB	147	C	C4'-O4'	-6.47	1.37	1.45
26	BB	665	U	N1-C2	6.47	1.44	1.38
26	BB	2545	G	C4'-C3'	-6.47	1.46	1.53
1	AA	1244	G	C2'-C1'	-6.47	1.46	1.53
25	BA	81	G	P-O5'	6.47	1.66	1.59
26	BB	940	G	C6-N1	-6.47	1.35	1.39
26	BB	2311	A	N7-C5	-6.47	1.35	1.39
26	BB	1267	U	C2-N3	6.47	1.42	1.37
26	BB	2330	G	N9-C4	-6.47	1.32	1.38
26	BB	2825	G	N7-C5	6.47	1.43	1.39
1	AA	1525	G	N9-C8	6.47	1.42	1.37
1	AA	152	A	C8-N7	-6.47	1.27	1.31
2	AB	19	G	C4'-C3'	6.47	1.60	1.53
2	AB	43	G	N7-C5	6.47	1.43	1.39
26	BB	2413	G	N3-C4	6.47	1.40	1.35
1	AA	47	C	C5'-C4'	6.46	1.59	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	646	G	C2-N3	6.46	1.38	1.32
26	BB	1822	C	P-O5'	6.46	1.66	1.59
26	BB	2374	C	C4'-O4'	-6.46	1.37	1.45
26	BB	2735	G	N3-C4	6.46	1.40	1.35
26	BB	756	A	C4'-O4'	-6.46	1.37	1.45
1	AA	1456	A	N7-C5	6.46	1.43	1.39
3	AC	39	U	P-O5'	6.46	1.66	1.59
26	BB	188	G	C2-N3	6.46	1.38	1.32
26	BB	371	A	C5'-C4'	6.46	1.59	1.51
26	BB	1441	G	C8-N7	-6.46	1.27	1.30
26	BB	1527	G	N9-C8	6.46	1.42	1.37
26	BB	2133	G	C8-N7	-6.46	1.27	1.30
26	BB	2369	A	C6-N6	6.46	1.39	1.33
26	BB	2409	G	O3'-P	6.46	1.69	1.61
26	BB	2819	G	N3-C4	-6.46	1.30	1.35
4	AD	48	U	O3'-P	6.46	1.69	1.61
26	BB	1005	C	C5-C6	6.46	1.39	1.34
1	AA	643	C	O3'-P	-6.46	1.53	1.61
4	AD	27	G	C3'-C2'	-6.46	1.45	1.52
26	BB	353	C	C5'-C4'	6.46	1.59	1.51
26	BB	571	U	N1-C2	6.46	1.44	1.38
26	BB	755	U	P-O5'	6.46	1.66	1.59
1	AA	247	G	C6-N1	6.46	1.44	1.39
1	AA	945	G	C8-N7	6.46	1.34	1.30
1	AA	1312	G	N3-C4	6.46	1.40	1.35
1	AA	1522	U	C4-C5	6.46	1.49	1.43
3	AC	19	A	C8-N7	-6.46	1.27	1.31
26	BB	817	C	O3'-P	6.46	1.68	1.61
26	BB	1263	U	C5'-C4'	6.46	1.59	1.51
26	BB	2049	G	N1-C2	6.46	1.43	1.37
1	AA	1140	C	C4-N4	-6.46	1.28	1.33
1	AA	1515	G	N9-C8	6.46	1.42	1.37
26	BB	81	G	P-O5'	6.46	1.66	1.59
1	AA	697	U	C4'-O4'	-6.45	1.37	1.45
1	AA	1319	A	N9-C8	6.45	1.43	1.37
26	BB	424	G	C5-C6	6.45	1.48	1.42
26	BB	1847	A	C6-N1	-6.45	1.31	1.35
26	BB	1944	U	C5-C6	6.45	1.40	1.34
26	BB	2856	A	C8-N7	6.45	1.36	1.31
1	AA	410	G	C5-C4	-6.45	1.33	1.38
26	BB	482	A	C8-N7	-6.45	1.27	1.31
26	BB	923	G	N1-C2	6.45	1.43	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2547	A	N9-C4	6.45	1.41	1.37
26	BB	2785	C	C4'-C3'	6.45	1.60	1.53
1	AA	41	G	C2-N3	6.45	1.38	1.32
26	BB	844	A	N9-C4	-6.45	1.33	1.37
26	BB	1165	A	C8-N7	-6.45	1.27	1.31
26	BB	2317	A	P-O5'	6.45	1.66	1.59
1	AA	809	G	C2-N3	6.45	1.38	1.32
1	AA	1189	U	N1-C2	6.45	1.44	1.38
1	AA	1501	C	C5'-C4'	6.45	1.59	1.51
26	BB	1919	A	N7-C5	6.45	1.43	1.39
1	AA	762	U	C5-C6	6.45	1.40	1.34
1	AA	900	A	C5-C4	-6.45	1.34	1.38
26	BB	178	G	C4'-O4'	-6.45	1.37	1.45
26	BB	1685	C	C5-C6	6.45	1.39	1.34
26	BB	2036	C	C4-C5	6.45	1.48	1.43
28	BD	100	ARG	NE-CZ	6.45	1.41	1.33
1	AA	301	G	C8-N7	-6.44	1.27	1.30
25	BA	90	C	O3'-P	6.44	1.68	1.61
27	BC	76	ALA	CA-CB	6.44	1.66	1.52
1	AA	404	G	C2'-O2'	-6.44	1.33	1.41
1	AA	937	A	O3'-P	6.44	1.68	1.61
1	AA	1204	A	N9-C4	-6.44	1.33	1.37
26	BB	508	A	N9-C4	6.44	1.41	1.37
26	BB	2411	A	C8-N7	-6.44	1.27	1.31
26	BB	2460	U	P-O5'	6.44	1.66	1.59
26	BB	443	A	C4'-O4'	-6.44	1.37	1.45
26	BB	676	A	C6-N1	6.44	1.40	1.35
26	BB	764	A	C4'-C3'	6.44	1.60	1.53
26	BB	879	G	N1-C2	6.44	1.43	1.37
26	BB	1381	G	P-O5'	6.44	1.66	1.59
26	BB	965	C	C5'-C4'	6.44	1.59	1.51
26	BB	1931	U	P-O5'	6.44	1.66	1.59
1	AA	376	G	C6-N1	6.44	1.44	1.39
1	AA	1226	C	N3-C4	6.44	1.38	1.33
26	BB	384	A	O4'-C1'	6.44	1.50	1.41
26	BB	585	G	C4'-O4'	-6.44	1.37	1.45
26	BB	1201	U	C3'-C2'	-6.44	1.45	1.52
26	BB	1601	G	C5'-C4'	6.44	1.59	1.51
26	BB	2289	G	C5-C4	6.44	1.42	1.38
1	AA	302	G	P-O5'	6.43	1.66	1.59
1	AA	825	A	N9-C8	-6.43	1.32	1.37
1	AA	1202	U	N1-C6	6.43	1.43	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1503	A	C5-C4	6.43	1.43	1.38
26	BB	142	A	C4'-C3'	6.43	1.60	1.53
26	BB	1868	C	C5-C6	6.43	1.39	1.34
26	BB	2102	G	N3-C4	6.43	1.40	1.35
1	AA	359	G	C6-N1	-6.43	1.35	1.39
1	AA	1337	G	N7-C5	6.43	1.43	1.39
26	BB	103	A	C4'-O4'	-6.43	1.37	1.45
26	BB	168	G	C6-N1	-6.43	1.35	1.39
26	BB	206	U	C4-C5	6.43	1.49	1.43
26	BB	1352	U	C3'-C2'	6.43	1.60	1.52
26	BB	2295	C	N1-C6	6.43	1.41	1.37
26	BB	2412	A	N7-C5	-6.43	1.35	1.39
26	BB	2485	G	P-O5'	6.43	1.66	1.59
26	BB	2525	G	P-O5'	6.43	1.66	1.59
26	BB	2590	A	C8-N7	6.43	1.36	1.31
1	AA	628	G	C4'-C3'	-6.43	1.46	1.53
2	AB	22	G	C3'-O3'	6.43	1.51	1.42
1	AA	1300	G	C4'-C3'	-6.43	1.46	1.53
25	BA	114	C	N1-C6	6.43	1.41	1.37
26	BB	591	U	N1-C2	6.43	1.44	1.38
26	BB	926	G	P-O5'	6.43	1.66	1.59
26	BB	2670	A	C6-N6	6.43	1.39	1.33
26	BB	2697	G	N3-C4	-6.43	1.30	1.35
26	BB	2771	C	C4-C5	6.43	1.48	1.43
1	AA	1412	C	C5'-C4'	6.43	1.59	1.51
26	BB	2258	C	C5-C6	6.43	1.39	1.34
1	AA	101	A	P-O5'	6.43	1.66	1.59
1	AA	377	G	N7-C5	-6.43	1.35	1.39
1	AA	601	G	P-O5'	6.43	1.66	1.59
1	AA	605	U	C2-N3	6.43	1.42	1.37
1	AA	706	A	P-O5'	6.43	1.66	1.59
1	AA	920	U	C2-N3	6.43	1.42	1.37
1	AA	1423	G	N3-C4	6.43	1.40	1.35
26	BB	154	U	C4'-O4'	-6.43	1.37	1.45
26	BB	290	U	C3'-C2'	6.43	1.60	1.52
26	BB	704	G	C5-C4	-6.43	1.33	1.38
26	BB	763	G	N9-C8	6.43	1.42	1.37
26	BB	832	U	C5-C6	6.43	1.40	1.34
26	BB	2891	U	O3'-P	6.43	1.68	1.61
1	AA	786	G	O3'-P	6.42	1.68	1.61
1	AA	852	G	P-O5'	6.42	1.66	1.59
1	AA	1043	G	N1-C2	6.42	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	AC	52	U	C2-N3	6.42	1.42	1.37
26	BB	105	C	P-O5'	6.42	1.66	1.59
26	BB	136	G	N3-C4	6.42	1.40	1.35
26	BB	298	G	P-O5'	6.42	1.66	1.59
26	BB	2238	G	N3-C4	6.42	1.40	1.35
26	BB	2886	A	N1-C2	6.42	1.40	1.34
26	BB	443	A	C5'-C4'	6.42	1.59	1.51
26	BB	479	A	N7-C5	6.42	1.43	1.39
26	BB	798	G	N3-C4	6.42	1.40	1.35
26	BB	1000	A	C6-N1	-6.42	1.31	1.35
26	BB	1485	U	N1-C2	6.42	1.44	1.38
26	BB	2734	A	P-O5'	6.42	1.66	1.59
1	AA	1110	A	O3'-P	6.42	1.68	1.61
26	BB	1900	A	N3-C4	6.42	1.38	1.34
26	BB	1992	G	C4'-O4'	-6.42	1.37	1.45
26	BB	2108	A	N3-C4	6.42	1.38	1.34
26	BB	2500	U	C4-C5	6.42	1.49	1.43
26	BB	2807	U	P-O5'	6.42	1.66	1.59
1	AA	930	C	N3-C4	6.42	1.38	1.33
1	AA	1437	A	C6-N1	6.42	1.40	1.35
26	BB	2073	C	C5-C6	6.42	1.39	1.34
26	BB	2128	G	N7-C5	6.42	1.43	1.39
1	AA	269	C	C2'-C1'	-6.42	1.46	1.53
1	AA	629	A	C2'-C1'	-6.42	1.46	1.53
1	AA	902	G	N9-C8	-6.42	1.33	1.37
25	BA	44	G	N7-C5	-6.42	1.35	1.39
26	BB	1224	U	C5-C6	6.42	1.40	1.34
26	BB	2562	U	P-O5'	6.42	1.66	1.59
4	AD	71	G	N3-C4	6.42	1.40	1.35
26	BB	1087	G	N7-C5	6.42	1.43	1.39
26	BB	1508	A	C4'-O4'	-6.42	1.37	1.45
26	BB	2015	A	C4'-O4'	-6.42	1.37	1.45
26	BB	2479	U	N1-C2	6.42	1.44	1.38
1	AA	742	G	C6-N1	6.42	1.44	1.39
26	BB	1165	A	N9-C4	-6.42	1.34	1.37
1	AA	93	U	C2-N3	6.41	1.42	1.37
1	AA	626	G	C2-N3	6.41	1.37	1.32
3	AC	13	A	O4'-C1'	6.41	1.50	1.41
26	BB	945	A	O4'-C1'	-6.41	1.33	1.41
26	BB	1433	A	P-O5'	6.41	1.66	1.59
26	BB	1718	G	C6-N1	6.41	1.44	1.39
26	BB	325	G	N1-C2	6.41	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2096	C	N1-C6	-6.41	1.33	1.37
1	AA	114	U	P-O5'	6.41	1.66	1.59
1	AA	1074	G	O3'-P	6.41	1.68	1.61
1	AA	1493	A	N9-C4	6.41	1.41	1.37
26	BB	713	G	C6-N1	-6.41	1.35	1.39
26	BB	1176	U	C4-C5	6.41	1.49	1.43
26	BB	2451	A	C4'-O4'	-6.41	1.37	1.45
26	BB	2480	C	C4-C5	6.41	1.48	1.43
26	BB	2619	C	P-O5'	6.41	1.66	1.59
1	AA	1039	G	C5-C6	6.41	1.48	1.42
26	BB	89	A	N3-C4	6.41	1.38	1.34
26	BB	161	A	N1-C2	-6.41	1.28	1.34
26	BB	257	C	P-O5'	6.41	1.66	1.59
26	BB	277	G	C4'-O4'	-6.41	1.37	1.45
26	BB	397	U	C5-C6	6.41	1.40	1.34
26	BB	892	A	C5'-C4'	6.41	1.59	1.51
26	BB	1504	A	N9-C8	-6.41	1.32	1.37
26	BB	2303	G	N9-C4	6.41	1.43	1.38
26	BB	2897	U	C4-C5	6.41	1.49	1.43
26	BB	2902	C	N1-C6	6.41	1.41	1.37
1	AA	263	A	O3'-P	6.41	1.68	1.61
26	BB	166	U	O3'-P	6.41	1.68	1.61
26	BB	833	A	O3'-P	6.41	1.68	1.61
26	BB	2005	A	C4'-O4'	-6.41	1.37	1.45
26	BB	2301	C	N1-C2	6.41	1.46	1.40
1	AA	129	A	P-O5'	6.41	1.66	1.59
1	AA	1342	C	N1-C2	6.41	1.46	1.40
26	BB	1197	G	C5'-C4'	6.41	1.59	1.51
26	BB	1490	A	N9-C4	-6.41	1.34	1.37
26	BB	1650	A	N3-C4	6.41	1.38	1.34
26	BB	2401	U	C5'-C4'	6.41	1.59	1.51
26	BB	2540	C	C5'-C4'	6.41	1.59	1.51
26	BB	2748	A	C5-C4	-6.41	1.34	1.38
1	AA	163	C	C3'-O3'	6.40	1.51	1.42
1	AA	215	C	C4-C5	-6.40	1.37	1.43
25	BA	51	G	N7-C5	6.40	1.43	1.39
26	BB	89	A	C8-N7	-6.40	1.27	1.31
26	BB	638	G	P-O5'	6.40	1.66	1.59
26	BB	1530	G	C4'-O4'	-6.40	1.37	1.45
1	AA	647	C	N1-C6	6.40	1.41	1.37
1	AA	1051	C	N1-C2	-6.40	1.33	1.40
1	AA	1216	A	P-O5'	6.40	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	210	C	C5-C6	-6.40	1.29	1.34
26	BB	451	U	C3'-C2'	6.40	1.59	1.52
26	BB	761	A	N9-C4	6.40	1.41	1.37
26	BB	857	G	C2-N3	6.40	1.37	1.32
26	BB	1088	A	N9-C4	6.40	1.41	1.37
26	BB	1232	G	P-O5'	6.40	1.66	1.59
1	AA	722	G	C4'-O4'	-6.40	1.37	1.45
1	AA	896	C	C2-N3	6.40	1.40	1.35
1	AA	1105	A	P-O5'	6.40	1.66	1.59
1	AA	1437	A	C2-N3	6.40	1.39	1.33
26	BB	86	G	N3-C4	6.40	1.40	1.35
26	BB	346	A	P-O5'	6.40	1.66	1.59
26	BB	355	U	C5-C6	6.40	1.40	1.34
26	BB	614	A	N9-C8	-6.40	1.32	1.37
26	BB	1216	G	O3'-P	6.40	1.68	1.61
26	BB	1292	G	C2-N2	6.40	1.41	1.34
26	BB	2013	A	N1-C2	6.40	1.40	1.34
26	BB	1609	A	N7-C5	6.40	1.43	1.39
1	AA	463	U	C4-O4	6.40	1.28	1.23
26	BB	1002	G	P-O5'	6.40	1.66	1.59
26	BB	1814	G	C8-N7	6.40	1.34	1.30
1	AA	1299	A	C8-N7	-6.40	1.27	1.31
4	AD	6	G	N3-C4	6.40	1.40	1.35
26	BB	273	G	C5'-C4'	6.40	1.59	1.51
26	BB	2857	G	N1-C2	6.40	1.42	1.37
1	AA	601	G	C8-N7	6.39	1.34	1.30
26	BB	80	G	C5-C4	-6.39	1.33	1.38
26	BB	132	G	P-O5'	6.39	1.66	1.59
26	BB	892	A	N3-C4	6.39	1.38	1.34
26	BB	1575	C	C5'-C4'	6.39	1.59	1.51
26	BB	1597	A	C4'-O4'	-6.39	1.37	1.45
26	BB	2495	G	C5-C6	6.39	1.48	1.42
1	AA	343	U	P-O5'	6.39	1.66	1.59
1	AA	630	A	C5-C4	-6.39	1.34	1.38
1	AA	651	C	C5'-C4'	6.39	1.59	1.51
1	AA	1384	C	C4-C5	6.39	1.48	1.43
1	AA	1428	A	N7-C5	-6.39	1.35	1.39
25	BA	116	G	N1-C2	6.39	1.42	1.37
26	BB	658	U	N3-C4	6.39	1.44	1.38
26	BB	2263	C	P-O5'	6.39	1.66	1.59
26	BB	2337	G	C4'-O4'	-6.39	1.37	1.45
1	AA	629	A	C2-N3	-6.39	1.27	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	690	G	C8-N7	6.39	1.34	1.30
1	AA	130	A	C4'-O4'	-6.39	1.37	1.45
1	AA	999	C	P-O5'	6.39	1.66	1.59
1	AA	1494	G	C2-N2	-6.39	1.28	1.34
1	AA	1501	C	C3'-C2'	6.39	1.59	1.52
2	AB	40	C	C4-N4	6.39	1.39	1.33
26	BB	74	A	N9-C8	6.39	1.42	1.37
26	BB	1544	A	O4'-C1'	-6.39	1.33	1.41
26	BB	1747	U	C2-N3	6.39	1.42	1.37
1	AA	1129	C	N3-C4	6.39	1.38	1.33
26	BB	1807	G	C2-N3	6.39	1.37	1.32
26	BB	2641	G	N1-C2	6.39	1.42	1.37
1	AA	225	C	P-O5'	6.39	1.66	1.59
2	AB	49	G	C2'-C1'	6.39	1.60	1.53
26	BB	32	C	C5-C6	6.39	1.39	1.34
26	BB	2172	U	C2-N3	6.39	1.42	1.37
1	AA	1217	C	N3-C4	6.38	1.38	1.33
1	AA	1342	C	C5-C6	6.38	1.39	1.34
25	BA	90	C	C2'-C1'	6.38	1.60	1.53
26	BB	332	A	N9-C8	6.38	1.42	1.37
26	BB	646	U	C5'-C4'	6.38	1.59	1.51
26	BB	1460	U	N1-C2	6.38	1.44	1.38
26	BB	2064	C	C5-C6	6.38	1.39	1.34
26	BB	805	G	C5-C6	6.38	1.48	1.42
26	BB	838	C	C4'-C3'	6.38	1.60	1.53
1	AA	619	U	C4-C5	6.38	1.49	1.43
1	AA	1201	A	N7-C5	-6.38	1.35	1.39
26	BB	92	U	N1-C2	6.38	1.44	1.38
26	BB	198	C	N1-C6	-6.38	1.33	1.37
26	BB	522	A	N9-C8	-6.38	1.32	1.37
26	BB	734	A	N7-C5	6.38	1.43	1.39
26	BB	809	G	C2-N3	6.38	1.37	1.32
26	BB	949	G	P-O5'	6.38	1.66	1.59
26	BB	1328	A	C3'-C2'	6.38	1.59	1.52
1	AA	333	U	C2-N3	6.38	1.42	1.37
26	BB	1287	A	P-O5'	6.38	1.66	1.59
26	BB	1849	G	N3-C4	6.38	1.40	1.35
26	BB	2610	C	C4'-O4'	-6.38	1.37	1.45
26	BB	1500	G	C8-N7	6.38	1.34	1.30
1	AA	149	A	C3'-C2'	6.38	1.59	1.52
2	AB	29	G	C2-N3	6.38	1.37	1.32
26	BB	875	G	N9-C4	6.38	1.43	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	905	A	N9-C8	6.38	1.42	1.37
26	BB	1448	G	C8-N7	-6.38	1.27	1.30
26	BB	1733	G	N1-C2	6.38	1.42	1.37
26	BB	2716	C	C4'-O4'	-6.38	1.37	1.45
26	BB	2803	G	C6-O6	6.38	1.29	1.24
26	BB	277	G	C5'-C4'	6.38	1.58	1.51
1	AA	1090	U	C5-C6	6.37	1.39	1.34
26	BB	285	G	N9-C8	6.37	1.42	1.37
26	BB	1731	G	N9-C4	6.37	1.43	1.38
26	BB	2106	U	C2'-C1'	6.37	1.60	1.53
26	BB	2493	U	C2-N3	6.37	1.42	1.37
1	AA	267	C	P-O5'	6.37	1.66	1.59
1	AA	405	U	C2-N3	6.37	1.42	1.37
1	AA	1122	U	N1-C2	6.37	1.44	1.38
1	AA	1257	A	N7-C5	-6.37	1.35	1.39
26	BB	1100	C	N1-C2	-6.37	1.33	1.40
26	BB	1363	C	N3-C4	6.37	1.38	1.33
26	BB	2095	A	N3-C4	6.37	1.38	1.34
26	BB	2245	U	C2-N3	6.37	1.42	1.37
26	BB	2491	U	N1-C2	6.37	1.44	1.38
1	AA	72	A	C5-C6	6.37	1.46	1.41
1	AA	394	G	N7-C5	-6.37	1.35	1.39
26	BB	876	C	C4-C5	6.37	1.48	1.43
26	BB	899	A	N3-C4	6.37	1.38	1.34
1	AA	325	A	C5-C6	6.37	1.46	1.41
1	AA	369	G	N7-C5	-6.37	1.35	1.39
1	AA	599	C	N3-C4	6.37	1.38	1.33
1	AA	1255	G	N1-C2	6.37	1.42	1.37
2	AB	48	U	C4'-C3'	6.37	1.60	1.53
25	BA	69	G	C8-N7	6.37	1.34	1.30
1	AA	729	A	C2-N3	6.37	1.39	1.33
1	AA	292	G	N1-C2	6.37	1.42	1.37
1	AA	314	C	C4'-C3'	-6.37	1.46	1.53
26	BB	899	A	C5-C4	6.37	1.43	1.38
26	BB	1883	U	P-O5'	6.37	1.66	1.59
26	BB	2191	A	C8-N7	-6.37	1.27	1.31
1	AA	1091	U	P-O5'	6.36	1.66	1.59
1	AA	1128	C	C2-N3	6.36	1.40	1.35
3	AC	28	U	C4'-O4'	-6.36	1.37	1.45
26	BB	1540	G	N1-C2	6.36	1.42	1.37
26	BB	1930	G	C4'-O4'	-6.36	1.37	1.45
26	BB	2852	G	C4'-C3'	-6.36	1.46	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	76	C	C4'-C3'	6.36	1.60	1.53
26	BB	1326	U	C5-C6	6.36	1.39	1.34
26	BB	2487	G	C2-N3	6.36	1.37	1.32
1	AA	157	U	P-O5'	6.36	1.66	1.59
1	AA	208	U	C4'-O4'	-6.36	1.37	1.45
1	AA	336	A	O3'-P	6.36	1.68	1.61
26	BB	70	G	C6-N1	6.36	1.44	1.39
26	BB	1100	C	C5-C6	6.36	1.39	1.34
26	BB	1159	U	P-O5'	6.36	1.66	1.59
26	BB	1416	G	N9-C4	-6.36	1.32	1.38
26	BB	2011	U	C5-C6	6.36	1.39	1.34
26	BB	2598	A	C6-N1	6.36	1.40	1.35
26	BB	2758	A	C8-N7	-6.36	1.27	1.31
26	BB	184	C	O4'-C1'	6.36	1.50	1.41
26	BB	1829	A	O3'-P	6.36	1.68	1.61
26	BB	2738	A	N9-C4	-6.36	1.34	1.37
32	BH	148	ARG	NE-CZ	6.36	1.41	1.33
1	AA	182	A	C2'-C1'	6.36	1.60	1.53
26	BB	132	G	C5-C6	6.36	1.48	1.42
26	BB	150	U	C4-C5	6.36	1.49	1.43
26	BB	169	G	C5'-C4'	6.36	1.58	1.51
26	BB	675	A	N9-C4	-6.36	1.34	1.37
26	BB	1634	A	C5-C4	-6.36	1.34	1.38
1	AA	517	G	P-O5'	6.36	1.66	1.59
1	AA	852	G	C5-C4	-6.36	1.33	1.38
26	BB	344	A	C8-N7	-6.36	1.27	1.31
26	BB	388	G	C2-N3	6.36	1.37	1.32
26	BB	480	A	N9-C4	-6.36	1.34	1.37
26	BB	2686	G	C2-N3	6.36	1.37	1.32
26	BB	2744	G	N3-C4	6.36	1.39	1.35
1	AA	1258	G	C8-N7	6.35	1.34	1.30
26	BB	218	A	C5-C4	-6.35	1.34	1.38
26	BB	1148	U	C4-O4	6.35	1.28	1.23
26	BB	1226	A	P-O5'	6.35	1.66	1.59
1	AA	72	A	O3'-P	-6.35	1.53	1.61
1	AA	160	A	N7-C5	-6.35	1.35	1.39
1	AA	200	G	N9-C8	-6.35	1.33	1.37
1	AA	533	A	N7-C5	6.35	1.43	1.39
1	AA	1481	U	C4'-C3'	6.35	1.60	1.53
4	AD	70	C	C2-N3	6.35	1.40	1.35
26	BB	169	G	C6-N1	-6.35	1.35	1.39
26	BB	380	G	N7-C5	-6.35	1.35	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1659	G	O4'-C1'	6.35	1.50	1.41
26	BB	2184	A	C6-N6	6.35	1.39	1.33
26	BB	2687	U	C5-C6	6.35	1.39	1.34
1	AA	561	U	C4'-O4'	-6.35	1.37	1.45
11	AK	127	TYR	CE2-CZ	6.35	1.46	1.38
26	BB	61	C	C2-N3	6.35	1.40	1.35
26	BB	1738	G	N7-C5	-6.35	1.35	1.39
1	AA	16	A	P-O5'	6.35	1.66	1.59
1	AA	346	G	C8-N7	-6.35	1.27	1.30
1	AA	1279	G	C8-N7	6.35	1.34	1.30
1	AA	1291	U	C5-C6	6.35	1.39	1.34
26	BB	179	C	C4-C5	6.35	1.48	1.43
26	BB	1464	G	N7-C5	-6.35	1.35	1.39
26	BB	1859	U	O3'-P	6.35	1.68	1.61
1	AA	889	A	N7-C5	6.35	1.43	1.39
2	AB	48	U	C5-C6	6.35	1.39	1.34
4	AD	42	C	N1-C6	-6.35	1.33	1.37
25	BA	115	A	C6-N1	-6.35	1.31	1.35
26	BB	424	G	N7-C5	6.35	1.43	1.39
26	BB	1196	C	C3'-C2'	6.35	1.59	1.52
26	BB	2390	U	O4'-C1'	6.35	1.50	1.41
1	AA	351	G	C8-N7	6.35	1.34	1.30
1	AA	542	G	C8-N7	-6.34	1.27	1.30
1	AA	1233	G	N1-C2	6.34	1.42	1.37
1	AA	1246	A	N3-C4	6.34	1.38	1.34
26	BB	459	U	C5'-C4'	6.34	1.58	1.51
26	BB	1124	G	C5'-C4'	6.34	1.58	1.51
26	BB	1321	A	C3'-C2'	-6.34	1.45	1.52
26	BB	2696	U	P-O5'	6.34	1.66	1.59
1	AA	556	C	C5-C6	6.34	1.39	1.34
25	BA	59	A	N3-C4	6.34	1.38	1.34
1	AA	11	G	C6-O6	-6.34	1.18	1.24
1	AA	1331	G	C5-C4	-6.34	1.33	1.38
26	BB	1212	G	C2-N3	6.34	1.37	1.32
26	BB	1569	A	C5-C6	6.34	1.46	1.41
1	AA	937	A	P-O5'	6.34	1.66	1.59
26	BB	1775	U	C4'-C3'	6.34	1.60	1.53
26	BB	2297	A	C3'-C2'	6.34	1.59	1.52
26	BB	2422	C	O3'-P	6.34	1.68	1.61
1	AA	1404	C	C4-C5	-6.34	1.37	1.43
1	AA	563	A	C5'-C4'	6.34	1.58	1.51
26	BB	1384	A	P-O5'	6.34	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1528	A	N1-C2	6.34	1.40	1.34
26	BB	1702	G	N1-C2	6.34	1.42	1.37
26	BB	1770	G	C8-N7	-6.34	1.27	1.30
1	AA	144	G	N1-C2	6.33	1.42	1.37
26	BB	173	A	N7-C5	6.33	1.43	1.39
26	BB	651	G	N1-C2	6.33	1.42	1.37
26	BB	1466	U	P-O5'	6.33	1.66	1.59
26	BB	1551	A	C5-C6	6.33	1.46	1.41
26	BB	2070	A	N3-C4	6.33	1.38	1.34
26	BB	2535	G	N7-C5	-6.33	1.35	1.39
33	BI	116	ARG	CD-NE	6.33	1.57	1.46
1	AA	1054	C	C2-N3	6.33	1.40	1.35
26	BB	227	A	O3'-P	-6.33	1.53	1.61
26	BB	496	G	C6-N1	-6.33	1.35	1.39
26	BB	1912	A	C6-N1	-6.33	1.31	1.35
26	BB	2620	C	C4'-O4'	-6.33	1.37	1.45
1	AA	1021	A	C5'-C4'	6.33	1.58	1.51
26	BB	539	G	C2-N2	6.33	1.40	1.34
26	BB	1126	A	C6-N1	-6.33	1.31	1.35
26	BB	1239	G	N3-C4	6.33	1.39	1.35
26	BB	2336	A	C8-N7	-6.33	1.27	1.31
26	BB	2823	A	N7-C5	-6.33	1.35	1.39
49	BY	21	GLY	N-CA	6.33	1.55	1.46
1	AA	724	G	O4'-C1'	6.33	1.49	1.41
25	BA	108	A	C2-N3	6.33	1.39	1.33
26	BB	2	G	O3'-P	6.33	1.68	1.61
26	BB	1425	G	N9-C8	6.33	1.42	1.37
1	AA	223	A	N9-C4	-6.33	1.34	1.37
4	AD	52	C	C4'-C3'	6.33	1.60	1.53
1	AA	28	A	C5'-C4'	6.33	1.58	1.51
1	AA	75	G	N1-C2	6.33	1.42	1.37
1	AA	90	C	C2-N3	6.33	1.40	1.35
1	AA	171	A	C4'-O4'	-6.33	1.37	1.45
1	AA	544	G	C4'-O4'	-6.33	1.37	1.45
1	AA	1047	G	N3-C4	6.33	1.39	1.35
1	AA	1154	G	P-O5'	6.33	1.66	1.59
26	BB	762	U	C2-O2	6.33	1.28	1.22
26	BB	776	G	P-O5'	6.33	1.66	1.59
26	BB	1218	G	C6-N1	6.33	1.44	1.39
37	BM	109	SER	CB-OG	-6.33	1.34	1.42
1	AA	907	A	C5-C6	6.32	1.46	1.41
5	AE	64	GLY	CA-C	6.32	1.61	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	384	A	N9-C8	-6.32	1.32	1.37
26	BB	481	G	C4'-O4'	6.32	1.53	1.45
26	BB	1097	U	P-O5'	6.32	1.66	1.59
26	BB	2325	G	N1-C2	6.32	1.42	1.37
26	BB	2427	C	N3-C4	6.32	1.38	1.33
26	BB	2900	A	C4'-O4'	-6.32	1.37	1.45
1	AA	37	U	C4-O4	-6.32	1.18	1.23
26	BB	621	A	N3-C4	6.32	1.38	1.34
26	BB	2061	G	C4'-C3'	6.32	1.60	1.53
26	BB	2399	G	N1-C2	6.32	1.42	1.37
26	BB	291	G	N3-C4	6.32	1.39	1.35
26	BB	323	C	C4-C5	6.32	1.48	1.43
26	BB	472	A	P-O5'	6.32	1.66	1.59
1	AA	81	A	N3-C4	-6.32	1.31	1.34
26	BB	1145	C	C5-C6	6.32	1.39	1.34
26	BB	1893	C	C2-N3	6.32	1.40	1.35
1	AA	383	A	N3-C4	-6.32	1.31	1.34
1	AA	1119	C	C5-C6	6.32	1.39	1.34
3	AC	32	U	C4'-C3'	6.32	1.60	1.53
26	BB	277	G	C2-N3	6.32	1.37	1.32
26	BB	966	G	C3'-C2'	6.32	1.59	1.52
26	BB	1934	C	C4-C5	6.32	1.48	1.43
26	BB	1984	G	O3'-P	6.32	1.68	1.61
26	BB	2311	A	N3-C4	6.32	1.38	1.34
1	AA	567	G	P-O5'	6.32	1.66	1.59
1	AA	1266	G	C8-N7	-6.32	1.27	1.30
26	BB	27	G	C6-O6	-6.32	1.18	1.24
26	BB	114	U	C3'-O3'	6.32	1.50	1.42
26	BB	507	A	N1-C2	-6.32	1.28	1.34
26	BB	2315	G	C5-C6	6.32	1.48	1.42
26	BB	2690	U	C4'-C3'	6.32	1.60	1.53
43	BS	12	ARG	CZ-NH2	6.32	1.41	1.33
1	AA	1052	U	O3'-P	-6.31	1.53	1.61
26	BB	646	U	C4-C5	6.31	1.49	1.43
26	BB	1758	U	O3'-P	-6.31	1.53	1.61
1	AA	640	A	N9-C4	6.31	1.41	1.37
1	AA	1483	A	C2'-C1'	6.31	1.60	1.53
26	BB	160	A	C5-C4	-6.31	1.34	1.38
26	BB	224	U	N1-C2	6.31	1.44	1.38
26	BB	1347	A	N7-C5	6.31	1.43	1.39
26	BB	2001	C	C5-C6	6.31	1.39	1.34
1	AA	143	A	N3-C4	6.31	1.38	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1180	A	C4'-O4'	-6.31	1.37	1.45
3	AC	31	U	P-O5'	6.31	1.66	1.59
26	BB	101	A	C5-C4	6.31	1.43	1.38
26	BB	132	G	C5'-C4'	6.31	1.58	1.51
26	BB	861	A	N9-C8	6.31	1.42	1.37
26	BB	2296	U	C5-C6	-6.31	1.28	1.34
26	BB	2385	C	C4'-O4'	-6.31	1.37	1.45
1	AA	355	C	O3'-P	6.31	1.68	1.61
1	AA	759	A	N9-C8	-6.31	1.32	1.37
1	AA	1387	G	N7-C5	6.31	1.43	1.39
26	BB	1964	G	N1-C2	6.31	1.42	1.37
26	BB	2169	A	C4'-O4'	-6.31	1.37	1.45
26	BB	2899	A	P-O5'	6.31	1.66	1.59
1	AA	1348	U	C5'-C4'	6.31	1.58	1.51
26	BB	317	G	C8-N7	-6.31	1.27	1.30
26	BB	622	G	C6-N1	6.31	1.44	1.39
26	BB	764	A	C2'-C1'	-6.31	1.46	1.53
26	BB	821	A	P-O5'	6.31	1.66	1.59
26	BB	1027	A	N3-C4	6.31	1.38	1.34
26	BB	1329	U	P-O5'	6.31	1.66	1.59
26	BB	1737	G	C5-C6	6.31	1.48	1.42
26	BB	2125	G	C8-N7	6.31	1.34	1.30
26	BB	2541	A	P-O5'	6.31	1.66	1.59
1	AA	71	A	C2'-O2'	6.31	1.49	1.41
1	AA	164	G	C5-C4	6.31	1.42	1.38
1	AA	268	U	C5-C6	6.31	1.39	1.34
26	BB	2224	G	N3-C4	6.31	1.39	1.35
1	AA	1255	G	N9-C4	6.30	1.43	1.38
1	AA	1479	C	C4'-O4'	-6.30	1.37	1.45
26	BB	335	C	P-O5'	6.30	1.66	1.59
26	BB	471	A	C4'-O4'	-6.30	1.37	1.45
26	BB	2547	A	C3'-C2'	6.30	1.59	1.52
1	AA	521	G	N1-C2	6.30	1.42	1.37
25	BA	67	G	C2'-O2'	6.30	1.49	1.41
26	BB	1236	G	N9-C4	6.30	1.43	1.38
26	BB	2720	U	C5'-C4'	6.30	1.58	1.51
1	AA	765	G	C6-N1	6.30	1.44	1.39
1	AA	911	U	C4-C5	6.30	1.49	1.43
25	BA	11	C	C5'-C4'	6.30	1.58	1.51
26	BB	962	G	C2-N3	6.30	1.37	1.32
26	BB	1026	G	P-O5'	6.30	1.66	1.59
26	BB	1071	G	C5'-C4'	6.30	1.58	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1431	A	C2-N3	-6.30	1.27	1.33
26	BB	1907	G	C4'-C3'	6.30	1.60	1.53
1	AA	718	A	N3-C4	6.30	1.38	1.34
1	AA	773	G	N1-C2	6.30	1.42	1.37
26	BB	880	G	N7-C5	6.30	1.43	1.39
26	BB	1098	A	N3-C4	6.30	1.38	1.34
26	BB	2207	C	C2'-C1'	-6.30	1.46	1.53
1	AA	939	G	C4'-O4'	-6.30	1.37	1.45
1	AA	1266	G	N9-C4	6.30	1.43	1.38
26	BB	725	G	N9-C4	6.30	1.43	1.38
1	AA	171	A	C5-C4	6.30	1.43	1.38
1	AA	1288	A	C4'-O4'	-6.30	1.37	1.45
26	BB	42	A	C5-C6	6.30	1.46	1.41
26	BB	530	G	C5'-C4'	6.30	1.58	1.51
26	BB	2071	A	C4'-C3'	-6.30	1.46	1.53
26	BB	2508	G	C3'-C2'	6.30	1.59	1.52
26	BB	416	U	C5'-C4'	6.29	1.58	1.51
26	BB	657	U	C4'-O4'	-6.29	1.37	1.45
26	BB	1638	C	C4-C5	6.29	1.48	1.43
26	BB	39	G	P-O5'	6.29	1.66	1.59
26	BB	803	U	C5-C6	6.29	1.39	1.34
26	BB	1338	G	C6-N1	6.29	1.44	1.39
26	BB	1801	A	P-O5'	6.29	1.66	1.59
1	AA	440	C	C4'-O4'	-6.29	1.37	1.45
1	AA	463	U	C2'-C1'	6.29	1.60	1.53
1	AA	1493	A	C2'-O2'	6.29	1.49	1.41
26	BB	1546	G	C5-C6	6.29	1.48	1.42
26	BB	2193	G	C6-N1	6.29	1.44	1.39
1	AA	652	U	P-O5'	6.29	1.66	1.59
1	AA	1074	G	N3-C4	6.29	1.39	1.35
1	AA	1371	G	N9-C4	-6.29	1.32	1.38
26	BB	496	G	N1-C2	6.29	1.42	1.37
3	AC	34	U	C4-C5	6.29	1.49	1.43
4	AD	13	C	C4-C5	6.29	1.48	1.43
26	BB	1191	G	N9-C4	6.29	1.43	1.38
26	BB	2674	G	C3'-C2'	6.29	1.59	1.52
1	AA	885	G	N3-C4	6.29	1.39	1.35
1	AA	1265	C	O4'-C1'	6.29	1.49	1.41
25	BA	42	C	C4-C5	6.29	1.48	1.43
26	BB	375	G	N1-C2	-6.29	1.32	1.37
26	BB	659	G	C4'-C3'	6.29	1.60	1.53
26	BB	2018	G	O3'-P	6.29	1.68	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	92	U	O3'-P	6.29	1.68	1.61
26	BB	2263	C	C2'-C1'	6.29	1.60	1.53
26	BB	2583	G	N7-C5	6.29	1.43	1.39
26	BB	2634	A	P-O5'	6.29	1.66	1.59
1	AA	1169	A	N9-C4	-6.28	1.34	1.37
26	BB	898	C	N3-C4	6.28	1.38	1.33
26	BB	1811	G	C4'-O4'	-6.28	1.37	1.45
26	BB	2893	A	N3-C4	6.28	1.38	1.34
1	AA	384	G	C2-N3	6.28	1.37	1.32
1	AA	682	G	C4'-O4'	-6.28	1.37	1.45
1	AA	1002	G	N1-C2	6.28	1.42	1.37
26	BB	1208	C	N1-C6	-6.28	1.33	1.37
26	BB	1253	A	C5'-C4'	6.28	1.58	1.51
26	BB	1884	G	C8-N7	6.28	1.34	1.30
26	BB	1970	A	N9-C8	-6.28	1.32	1.37
26	BB	1968	G	C8-N7	-6.28	1.27	1.30
1	AA	606	G	N1-C2	6.28	1.42	1.37
1	AA	649	A	P-O5'	6.28	1.66	1.59
1	AA	1018	G	N9-C4	-6.28	1.32	1.38
26	BB	82	U	C2-N3	6.28	1.42	1.37
1	AA	565	U	P-O5'	6.28	1.66	1.59
1	AA	1019	A	P-O5'	6.28	1.66	1.59
1	AA	1092	A	C6-N1	6.28	1.40	1.35
1	AA	1229	A	N3-C4	6.28	1.38	1.34
26	BB	1013	C	N3-C4	-6.28	1.29	1.33
26	BB	2331	G	N3-C4	6.28	1.39	1.35
26	BB	2414	G	N3-C4	6.28	1.39	1.35
1	AA	389	A	C2'-C1'	-6.27	1.46	1.53
26	BB	1264	A	P-O5'	6.27	1.66	1.59
1	AA	360	G	N7-C5	-6.27	1.35	1.39
26	BB	2000	C	C3'-C2'	6.27	1.59	1.52
26	BB	2376	A	O3'-P	6.27	1.68	1.61
26	BB	2790	U	C2-N3	6.27	1.42	1.37
26	BB	2859	G	C5-C4	6.27	1.42	1.38
1	AA	831	A	C8-N7	-6.27	1.27	1.31
2	AB	67	G	N9-C4	6.27	1.43	1.38
26	BB	995	C	C4-C5	6.27	1.48	1.43
26	BB	1757	A	P-O5'	6.27	1.66	1.59
26	BB	1867	G	C5-C4	6.27	1.42	1.38
1	AA	158	G	C2-N3	6.27	1.37	1.32
1	AA	188	C	C2-O2	-6.27	1.18	1.24
26	BB	144	A	O3'-P	6.27	1.68	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	207	A	C6-N1	-6.27	1.31	1.35
26	BB	1863	G	C2-N3	6.27	1.37	1.32
1	AA	104	G	C5-C4	-6.27	1.33	1.38
1	AA	141	G	C2'-C1'	6.27	1.60	1.53
1	AA	444	G	N9-C8	-6.27	1.33	1.37
26	BB	1294	U	C2-N3	6.27	1.42	1.37
26	BB	1674	G	N9-C4	6.27	1.43	1.38
26	BB	1340	U	C5'-C4'	6.27	1.58	1.51
1	AA	46	G	C2-N3	6.26	1.37	1.32
1	AA	741	G	P-O5'	6.26	1.66	1.59
26	BB	18	U	C4-O4	-6.26	1.18	1.23
26	BB	615	U	N1-C2	6.26	1.44	1.38
26	BB	1647	U	C5'-C4'	6.26	1.58	1.51
26	BB	2529	G	C4'-O4'	-6.26	1.37	1.45
26	BB	2629	U	C4-C5	6.26	1.49	1.43
26	BB	2821	A	P-O5'	6.26	1.66	1.59
26	BB	2826	A	N9-C8	-6.26	1.32	1.37
1	AA	1482	G	O3'-P	6.26	1.68	1.61
26	BB	1020	A	N3-C4	6.26	1.38	1.34
26	BB	1175	A	N3-C4	6.26	1.38	1.34
1	AA	12	U	C2-O2	-6.26	1.16	1.22
1	AA	549	C	P-O5'	6.26	1.66	1.59
25	BA	69	G	C6-O6	-6.26	1.18	1.24
26	BB	1688	U	N1-C2	6.26	1.44	1.38
26	BB	2428	G	C6-O6	6.26	1.29	1.24
26	BB	2499	C	P-O5'	6.26	1.66	1.59
1	AA	662	U	C4'-O4'	-6.26	1.37	1.45
1	AA	737	C	C3'-C2'	6.26	1.59	1.52
1	AA	1023	U	O3'-P	6.26	1.68	1.61
1	AA	1379	G	N9-C8	-6.26	1.33	1.37
25	BA	92	C	C3'-C2'	6.26	1.59	1.52
26	BB	966	G	O3'-P	6.26	1.68	1.61
26	BB	1264	A	N7-C5	-6.26	1.35	1.39
26	BB	1331	G	C4'-C3'	6.26	1.60	1.53
26	BB	1749	A	C5'-C4'	6.26	1.58	1.51
26	BB	1940	U	C2'-C1'	6.26	1.60	1.53
26	BB	1973	G	C2-N3	6.26	1.37	1.32
1	AA	73	C	O4'-C1'	6.26	1.49	1.41
1	AA	207	C	C2-O2	-6.26	1.18	1.24
26	BB	239	C	C4-C5	6.26	1.48	1.43
26	BB	329	G	N9-C4	6.26	1.43	1.38
26	BB	430	A	C4'-C3'	-6.26	1.46	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2157	G	N1-C2	6.26	1.42	1.37
1	AA	37	U	C5'-C4'	6.26	1.58	1.51
1	AA	759	A	P-O5'	6.26	1.66	1.59
26	BB	67	U	C2-N3	6.26	1.42	1.37
26	BB	247	G	C6-N1	6.26	1.44	1.39
26	BB	1174	U	N1-C2	6.26	1.44	1.38
26	BB	1207	C	N3-C4	6.26	1.38	1.33
26	BB	1693	U	C5-C6	6.26	1.39	1.34
26	BB	1706	C	N3-C4	-6.26	1.29	1.33
26	BB	1014	A	O3'-P	6.25	1.68	1.61
26	BB	2838	G	N9-C4	6.25	1.43	1.38
26	BB	2851	A	C6-N1	-6.25	1.31	1.35
1	AA	982	U	C4-O4	-6.25	1.18	1.23
26	BB	1886	U	C4-C5	6.25	1.49	1.43
26	BB	2077	A	C5'-C4'	6.25	1.58	1.51
1	AA	410	G	C6-N1	6.25	1.44	1.39
1	AA	493	A	N9-C4	6.25	1.41	1.37
26	BB	274	C	C4'-O4'	-6.25	1.37	1.45
26	BB	1841	U	N1-C6	6.25	1.43	1.38
26	BB	1990	C	C2-N3	6.25	1.40	1.35
26	BB	2198	A	C2'-C1'	6.25	1.60	1.53
33	BI	32	PRO	N-CD	-6.25	1.39	1.47
1	AA	51	A	O3'-P	6.25	1.68	1.61
1	AA	1453	G	N9-C4	6.25	1.43	1.38
1	AA	910	C	C2'-C1'	6.25	1.60	1.53
1	AA	1147	C	C4-N4	6.25	1.39	1.33
1	AA	1159	U	C5'-C4'	6.25	1.58	1.51
1	AA	1462	C	C5'-C4'	6.25	1.58	1.51
25	BA	31	C	P-O5'	6.25	1.66	1.59
25	BA	107	G	P-O5'	6.25	1.66	1.59
26	BB	218	A	C4'-O4'	-6.25	1.37	1.45
26	BB	1070	A	C5-C6	-6.25	1.35	1.41
26	BB	1805	A	N1-C2	-6.25	1.28	1.34
1	AA	1117	A	N9-C4	6.25	1.41	1.37
26	BB	1685	C	C4-N4	-6.25	1.28	1.33
26	BB	2382	G	N3-C4	6.25	1.39	1.35
1	AA	400	C	O3'-P	-6.25	1.53	1.61
1	AA	437	U	P-O5'	6.25	1.66	1.59
19	AS	62	GLY	CA-C	6.25	1.61	1.51
26	BB	2684	U	C5'-C4'	6.25	1.58	1.51
1	AA	501	C	C3'-O3'	-6.24	1.33	1.42
1	AA	631	C	C5-C6	6.24	1.39	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	969	A	P-O5'	6.24	1.66	1.59
25	BA	110	C	C5-C6	6.24	1.39	1.34
26	BB	340	A	C5-C4	-6.24	1.34	1.38
26	BB	567	U	C5-C6	6.24	1.39	1.34
26	BB	906	U	N3-C4	6.24	1.44	1.38
26	BB	2381	A	C6-N1	6.24	1.40	1.35
2	AB	72	U	O3'-P	6.24	1.68	1.61
4	AD	4	G	C6-N1	6.24	1.44	1.39
26	BB	1393	A	N9-C4	-6.24	1.34	1.37
8	AH	4	GLU	CG-CD	6.24	1.61	1.51
26	BB	99	U	C2-N3	6.24	1.42	1.37
26	BB	1336	A	N1-C2	6.24	1.40	1.34
26	BB	1382	G	C6-N1	6.24	1.44	1.39
1	AA	113	G	C6-O6	-6.24	1.18	1.24
1	AA	597	G	C3'-O3'	6.24	1.50	1.42
1	AA	643	C	C4-N4	-6.24	1.28	1.33
25	BA	104	A	N1-C2	-6.24	1.28	1.34
26	BB	812	C	N3-C4	6.24	1.38	1.33
26	BB	1418	G	C5'-C4'	6.24	1.58	1.51
26	BB	2173	A	N9-C4	-6.24	1.34	1.37
1	AA	1106	G	P-O5'	6.24	1.66	1.59
1	AA	1362	A	C6-N6	6.24	1.39	1.33
2	AB	35	C	C2-N3	6.24	1.40	1.35
26	BB	1299	G	P-O5'	6.24	1.66	1.59
26	BB	2402	U	C4'-O4'	-6.24	1.37	1.45
1	AA	1270	G	N9-C8	-6.24	1.33	1.37
1	AA	1315	U	N1-C6	6.24	1.43	1.38
1	AA	1421	G	N7-C5	6.24	1.43	1.39
26	BB	207	A	C4'-C3'	-6.24	1.46	1.53
26	BB	250	G	O3'-P	6.24	1.68	1.61
26	BB	261	G	N9-C4	-6.24	1.32	1.38
26	BB	1550	C	N1-C6	6.24	1.40	1.37
26	BB	2614	A	N9-C4	-6.24	1.34	1.37
26	BB	2799	A	N9-C4	-6.24	1.34	1.37
26	BB	213	A	N9-C4	6.23	1.41	1.37
26	BB	1086	A	N9-C4	6.23	1.41	1.37
26	BB	1090	A	C5-C4	-6.23	1.34	1.38
26	BB	1938	A	C4'-C3'	6.23	1.60	1.53
1	AA	79	G	C2-N3	6.23	1.37	1.32
1	AA	367	U	C3'-C2'	-6.23	1.45	1.52
1	AA	418	C	N3-C4	6.23	1.38	1.33
1	AA	1181	G	P-O5'	6.23	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1246	A	N1-C2	-6.23	1.28	1.34
26	BB	34	U	C2-N3	6.23	1.42	1.37
26	BB	573	U	N1-C2	6.23	1.44	1.38
26	BB	789	A	C2'-C1'	6.23	1.60	1.53
26	BB	846	U	C5-C6	6.23	1.39	1.34
26	BB	1272	A	C2'-C1'	6.23	1.60	1.53
26	BB	1511	G	C5'-C4'	6.23	1.58	1.51
26	BB	1747	U	C4'-O4'	-6.23	1.37	1.45
26	BB	2018	G	P-O5'	6.23	1.66	1.59
26	BB	2118	U	P-O5'	6.23	1.66	1.59
26	BB	2291	U	N3-C4	6.23	1.44	1.38
1	AA	761	G	N3-C4	6.23	1.39	1.35
1	AA	961	U	C2-N3	6.23	1.42	1.37
2	AB	24	G	C2'-C1'	-6.23	1.46	1.53
26	BB	990	A	C5-C4	6.23	1.43	1.38
26	BB	1412	U	N1-C2	6.23	1.44	1.38
26	BB	2615	U	C2-N3	6.23	1.42	1.37
26	BB	2641	G	C3'-C2'	6.23	1.59	1.52
1	AA	115	G	C6-N1	6.23	1.44	1.39
1	AA	965	U	C2'-C1'	6.23	1.60	1.53
2	AB	10	G	N1-C2	6.23	1.42	1.37
1	AA	226	G	N9-C8	6.23	1.42	1.37
1	AA	294	U	C5'-C4'	6.23	1.58	1.51
1	AA	663	A	N7-C5	-6.23	1.35	1.39
4	AD	43	G	C8-N7	6.23	1.34	1.30
26	BB	297	G	C2-N3	6.23	1.37	1.32
26	BB	427	U	P-O5'	6.23	1.66	1.59
26	BB	1948	G	N7-C5	6.23	1.43	1.39
26	BB	2766	A	N7-C5	6.23	1.43	1.39
1	AA	87	C	C2'-O2'	6.23	1.49	1.41
25	BA	104	A	P-O5'	-6.23	1.53	1.59
26	BB	1187	G	C8-N7	6.23	1.34	1.30
1	AA	481	G	N1-C2	-6.22	1.32	1.37
1	AA	1213	A	N9-C4	-6.22	1.34	1.37
2	AB	57	G	N9-C8	6.22	1.42	1.37
26	BB	48	G	C5-C6	6.22	1.48	1.42
26	BB	192	C	O3'-P	6.22	1.68	1.61
26	BB	697	G	O3'-P	6.22	1.68	1.61
26	BB	862	G	C4'-O4'	-6.22	1.37	1.45
26	BB	953	G	C5'-C4'	6.22	1.58	1.51
26	BB	953	G	C5-C6	6.22	1.48	1.42
26	BB	1224	U	C4-O4	-6.22	1.18	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1577	C	O3'-P	6.22	1.68	1.61
26	BB	1608	A	P-O5'	6.22	1.66	1.59
26	BB	1960	A	C5-C6	6.22	1.46	1.41
26	BB	2324	U	C4-C5	6.22	1.49	1.43
1	AA	83	C	C5-C6	6.22	1.39	1.34
1	AA	234	C	C2-N3	6.22	1.40	1.35
4	AD	37	U	O3'-P	6.22	1.68	1.61
26	BB	38	A	N7-C5	6.22	1.43	1.39
26	BB	1220	G	C5-C4	-6.22	1.33	1.38
26	BB	2144	G	C2-N2	6.22	1.40	1.34
26	BB	2673	G	C5'-C4'	6.22	1.58	1.51
26	BB	970	U	C5-C6	6.22	1.39	1.34
1	AA	168	G	C8-N7	6.22	1.34	1.30
1	AA	316	C	N3-C4	6.22	1.38	1.33
1	AA	528	C	C4-N4	6.22	1.39	1.33
1	AA	1515	G	P-O5'	-6.22	1.53	1.59
26	BB	1367	A	O3'-P	6.22	1.68	1.61
26	BB	1973	G	N3-C4	6.22	1.39	1.35
26	BB	2043	C	C4'-C3'	-6.22	1.46	1.53
26	BB	2536	G	N9-C8	-6.22	1.33	1.37
26	BB	2583	G	C2'-C1'	6.22	1.60	1.53
26	BB	2846	G	O3'-P	6.22	1.68	1.61
3	AC	47	C	C4'-C3'	6.22	1.59	1.53
26	BB	53	A	N3-C4	6.22	1.38	1.34
26	BB	2704	C	C4'-O4'	-6.22	1.37	1.45
26	BB	2864	G	C6-O6	-6.22	1.18	1.24
1	AA	232	G	N9-C4	6.22	1.43	1.38
1	AA	918	A	C2'-O2'	-6.22	1.33	1.41
26	BB	85	G	C5'-C4'	6.22	1.58	1.51
26	BB	1110	G	C5-C6	6.22	1.48	1.42
26	BB	1635	A	C8-N7	6.22	1.35	1.31
26	BB	1738	G	P-O5'	6.22	1.66	1.59
26	BB	2615	U	P-O5'	6.22	1.66	1.59
1	AA	254	G	N9-C8	6.21	1.42	1.37
1	AA	1056	U	C2-N3	6.21	1.42	1.37
1	AA	1341	U	C2'-C1'	6.21	1.60	1.53
26	BB	99	U	C4'-C3'	6.21	1.59	1.53
1	AA	340	U	N1-C2	6.21	1.44	1.38
1	AA	412	A	O3'-P	6.21	1.68	1.61
1	AA	1108	G	C2'-C1'	6.21	1.60	1.53
1	AA	1293	C	N3-C4	6.21	1.38	1.33
26	BB	369	U	C3'-C2'	6.21	1.59	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1426	G	N3-C4	6.21	1.39	1.35
26	BB	2663	G	N3-C4	6.21	1.39	1.35
1	AA	942	G	C2-N3	6.21	1.37	1.32
1	AA	1080	A	C6-N6	6.21	1.39	1.33
1	AA	1170	A	N9-C8	-6.21	1.32	1.37
4	AD	47	A	C5-C4	-6.21	1.34	1.38
26	BB	788	A	C4'-O4'	-6.21	1.37	1.45
26	BB	2882	A	N7-C5	-6.21	1.35	1.39
1	AA	262	A	P-O5'	6.21	1.66	1.59
1	AA	1260	G	N7-C5	6.21	1.43	1.39
26	BB	1827	U	C2'-C1'	6.21	1.60	1.53
1	AA	440	C	C4-C5	6.21	1.48	1.43
1	AA	760	G	O3'-P	6.21	1.68	1.61
9	AI	80	PHE	CG-CD1	6.21	1.48	1.38
26	BB	420	C	C4-C5	6.21	1.48	1.43
26	BB	2770	G	P-O5'	6.21	1.66	1.59
1	AA	57	G	C4'-C3'	-6.21	1.46	1.53
1	AA	202	G	C6-N1	6.21	1.43	1.39
1	AA	413	G	C4'-C3'	6.21	1.59	1.53
1	AA	848	C	C2'-O2'	-6.21	1.33	1.41
1	AA	883	C	C3'-C2'	6.21	1.59	1.52
26	BB	216	A	N9-C4	6.21	1.41	1.37
26	BB	258	G	N7-C5	6.21	1.43	1.39
26	BB	278	A	N3-C4	6.21	1.38	1.34
26	BB	1317	G	N1-C2	6.21	1.42	1.37
26	BB	2562	U	C2'-C1'	6.21	1.60	1.53
26	BB	2673	G	N9-C4	-6.21	1.32	1.38
1	AA	1125	U	P-O5'	6.21	1.66	1.59
1	AA	1528	U	C5-C6	6.21	1.39	1.34
26	BB	554	U	C2-N3	6.21	1.42	1.37
1	AA	311	C	N1-C6	6.20	1.40	1.37
1	AA	782	A	N9-C4	-6.20	1.34	1.37
4	AD	65	G	O3'-P	6.20	1.68	1.61
4	AD	69	C	C4-N4	6.20	1.39	1.33
26	BB	754	U	N1-C2	6.20	1.44	1.38
26	BB	787	C	C2-O2	-6.20	1.18	1.24
26	BB	1184	U	C4'-O4'	-6.20	1.37	1.45
26	BB	1237	A	C5-C4	-6.20	1.34	1.38
26	BB	2670	A	C5-C6	6.20	1.46	1.41
1	AA	937	A	C6-N1	6.20	1.39	1.35
26	BB	265	A	C4'-C3'	6.20	1.59	1.53
26	BB	281	C	C2-N3	6.20	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1935	G	C2-N3	6.20	1.37	1.32
1	AA	93	U	C4'-O4'	-6.20	1.37	1.45
1	AA	962	C	N3-C4	6.20	1.38	1.33
21	AU	63	TYR	CE1-CZ	6.20	1.46	1.38
26	BB	1044	C	C4'-C3'	6.20	1.59	1.53
26	BB	1110	G	P-O5'	6.20	1.66	1.59
26	BB	2083	G	O3'-P	6.20	1.68	1.61
26	BB	2374	C	C4-C5	6.20	1.48	1.43
58	B7	28	SER	CB-OG	-6.20	1.34	1.42
1	AA	9	G	C8-N7	-6.20	1.27	1.30
1	AA	151	A	C8-N7	-6.20	1.27	1.31
1	AA	505	G	N7-C5	-6.20	1.35	1.39
26	BB	502	A	C8-N7	6.20	1.35	1.31
26	BB	1308	A	C5-C6	6.20	1.46	1.41
26	BB	1492	G	C6-N1	6.20	1.43	1.39
26	BB	1623	G	C2-N3	6.20	1.37	1.32
26	BB	1682	G	C2-N3	6.20	1.37	1.32
26	BB	2636	C	C3'-O3'	6.20	1.50	1.42
1	AA	532	A	C5-C6	6.20	1.46	1.41
1	AA	724	G	N3-C4	6.20	1.39	1.35
1	AA	758	C	C4'-C3'	6.20	1.59	1.53
1	AA	1289	A	C5'-C4'	6.20	1.58	1.51
3	AC	25	U	C2-O2	6.20	1.27	1.22
26	BB	944	C	P-O5'	6.20	1.66	1.59
26	BB	1960	A	C5-C4	-6.20	1.34	1.38
26	BB	2319	G	N7-C5	-6.20	1.35	1.39
26	BB	278	A	N7-C5	6.19	1.43	1.39
26	BB	2070	A	C6-N6	6.19	1.39	1.33
1	AA	227	G	N7-C5	-6.19	1.35	1.39
1	AA	718	A	C4'-O4'	-6.19	1.37	1.45
1	AA	1323	G	N1-C2	6.19	1.42	1.37
25	BA	33	G	O3'-P	-6.19	1.53	1.61
26	BB	1539	U	C2-N3	6.19	1.42	1.37
26	BB	2385	C	N1-C6	6.19	1.40	1.37
26	BB	2770	G	N9-C8	-6.19	1.33	1.37
1	AA	110	C	C2-N3	-6.19	1.30	1.35
1	AA	276	G	N1-C2	6.19	1.42	1.37
1	AA	700	G	C8-N7	-6.19	1.27	1.30
1	AA	806	C	N3-C4	6.19	1.38	1.33
1	AA	887	G	N1-C2	6.19	1.42	1.37
26	BB	1022	G	C2-N3	6.19	1.37	1.32
26	BB	1963	U	C2-N3	6.19	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2526	G	N9-C8	-6.19	1.33	1.37
26	BB	2784	U	N1-C2	6.19	1.44	1.38
1	AA	1533	C	C5-C6	6.19	1.39	1.34
11	AK	85	TYR	CE2-CZ	6.19	1.46	1.38
26	BB	2309	A	N9-C8	-6.19	1.32	1.37
1	AA	1463	U	C2-N3	6.19	1.42	1.37
2	AB	30	G	P-O5'	6.19	1.66	1.59
26	BB	1115	G	C2-N3	6.19	1.37	1.32
26	BB	1407	G	P-O5'	6.19	1.66	1.59
26	BB	2407	A	O3'-P	-6.19	1.53	1.61
25	BA	66	A	N3-C4	6.19	1.38	1.34
26	BB	64	A	P-O5'	6.19	1.66	1.59
26	BB	253	C	C5'-C4'	6.19	1.58	1.51
26	BB	831	G	P-O5'	6.19	1.66	1.59
26	BB	1842	G	N9-C4	-6.19	1.33	1.38
1	AA	330	C	C4-C5	6.18	1.47	1.43
1	AA	443	C	C4-C5	6.18	1.47	1.43
1	AA	708	C	C4-C5	-6.18	1.38	1.43
25	BA	30	C	C5'-C4'	6.18	1.58	1.51
26	BB	505	A	C8-N7	-6.18	1.27	1.31
26	BB	600	G	C2-N3	6.18	1.37	1.32
26	BB	1551	A	C8-N7	-6.18	1.27	1.31
26	BB	1619	G	P-O5'	6.18	1.66	1.59
26	BB	2087	G	P-O5'	-6.18	1.53	1.59
1	AA	80	A	N3-C4	6.18	1.38	1.34
1	AA	187	G	C4'-O4'	-6.18	1.37	1.45
26	BB	188	G	C5'-C4'	6.18	1.58	1.51
26	BB	924	G	N1-C2	6.18	1.42	1.37
26	BB	1479	G	N7-C5	-6.18	1.35	1.39
26	BB	2246	G	C5-C4	-6.18	1.34	1.38
1	AA	922	G	O5'-C5'	-6.18	1.32	1.42
1	AA	1493	A	C3'-C2'	6.18	1.59	1.52
26	BB	503	A	N9-C4	6.18	1.41	1.37
26	BB	1137	G	C2-N3	6.18	1.37	1.32
26	BB	1532	A	N1-C2	-6.18	1.28	1.34
26	BB	1878	G	O3'-P	6.18	1.68	1.61
26	BB	2098	U	C4'-O4'	-6.18	1.37	1.45
1	AA	83	C	N1-C6	6.18	1.40	1.37
1	AA	270	A	C2'-C1'	-6.18	1.46	1.53
1	AA	569	C	O4'-C1'	6.18	1.49	1.41
1	AA	1403	C	C4-C5	6.18	1.47	1.43
4	AD	5	G	N1-C2	6.18	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	21	A	C6-N6	-6.18	1.29	1.33
26	BB	1719	G	C5'-C4'	6.18	1.58	1.51
1	AA	635	A	N3-C4	-6.18	1.31	1.34
1	AA	756	C	C4'-O4'	-6.18	1.37	1.45
2	AB	11	U	N3-C4	6.18	1.44	1.38
25	BA	91	C	C2'-O2'	-6.18	1.33	1.41
26	BB	254	G	P-O5'	6.18	1.66	1.59
26	BB	1415	U	C3'-C2'	6.18	1.59	1.52
26	BB	1718	G	C8-N7	-6.18	1.27	1.30
26	BB	1984	G	O4'-C1'	6.18	1.49	1.41
1	AA	2	A	C2'-C1'	-6.18	1.46	1.53
1	AA	369	G	N3-C4	6.18	1.39	1.35
1	AA	1212	U	C4'-O4'	-6.18	1.37	1.45
26	BB	1312	U	O4'-C1'	6.18	1.49	1.41
1	AA	19	A	N7-C5	6.17	1.43	1.39
1	AA	294	U	C4'-O4'	-6.17	1.37	1.45
1	AA	1511	G	C5-C4	-6.17	1.34	1.38
1	AA	1525	G	C2-N3	6.17	1.37	1.32
26	BB	414	C	N1-C6	6.17	1.40	1.37
26	BB	847	U	C3'-O3'	6.17	1.50	1.42
26	BB	924	G	P-O5'	6.17	1.66	1.59
26	BB	1877	A	C8-N7	-6.17	1.27	1.31
26	BB	2480	C	P-O5'	6.17	1.66	1.59
26	BB	283	G	C2-N3	6.17	1.37	1.32
26	BB	491	G	O3'-P	6.17	1.68	1.61
26	BB	1580	A	C2-N3	6.17	1.39	1.33
26	BB	1837	C	C2-N3	6.17	1.40	1.35
26	BB	1850	G	N7-C5	-6.17	1.35	1.39
26	BB	2315	G	C6-O6	-6.17	1.18	1.24
26	BB	2753	A	P-O5'	6.17	1.66	1.59
1	AA	158	G	P-O5'	6.17	1.66	1.59
1	AA	511	C	O4'-C1'	6.17	1.49	1.41
1	AA	1501	C	C4-C5	6.17	1.47	1.43
25	BA	58	A	C5-C4	-6.17	1.34	1.38
26	BB	185	G	C2-N3	6.17	1.37	1.32
26	BB	1528	A	N9-C4	6.17	1.41	1.37
26	BB	416	U	C3'-C2'	-6.17	1.46	1.52
26	BB	2046	G	N1-C2	6.17	1.42	1.37
1	AA	628	G	C2-N3	6.17	1.37	1.32
1	AA	1397	C	C4-N4	6.17	1.39	1.33
26	BB	502	A	N3-C4	6.17	1.38	1.34
26	BB	1134	A	N3-C4	6.17	1.38	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1529	G	P-O5'	6.17	1.66	1.59
26	BB	2383	G	C2-N3	6.17	1.37	1.32
26	BB	2761	A	C6-N6	6.17	1.38	1.33
1	AA	205	A	C5'-C4'	6.17	1.58	1.51
1	AA	599	C	C4-N4	-6.17	1.28	1.33
26	BB	250	G	C5-C6	6.17	1.48	1.42
26	BB	935	C	C2-O2	-6.17	1.19	1.24
26	BB	1674	G	C5'-C4'	6.17	1.58	1.51
26	BB	2132	U	C2'-O2'	6.17	1.49	1.41
28	BD	98	GLY	CA-C	6.17	1.61	1.51
1	AA	267	C	C5-C6	6.16	1.39	1.34
1	AA	878	A	C6-N6	6.16	1.38	1.33
1	AA	1159	U	C4-O4	-6.16	1.18	1.23
26	BB	2071	A	C6-N6	-6.16	1.29	1.33
26	BB	2388	A	P-O5'	6.16	1.66	1.59
26	BB	2560	A	C5'-C4'	6.16	1.58	1.51
1	AA	856	C	C5'-C4'	6.16	1.58	1.51
26	BB	1335	C	P-O5'	6.16	1.66	1.59
26	BB	1336	A	C6-N1	6.16	1.39	1.35
26	BB	2537	U	O4'-C1'	-6.16	1.33	1.41
1	AA	118	U	O4'-C1'	6.16	1.49	1.41
1	AA	478	A	O3'-P	6.16	1.68	1.61
1	AA	1053	G	N7-C5	6.16	1.43	1.39
1	AA	1095	U	C4-O4	-6.16	1.18	1.23
26	BB	21	A	C5-C4	-6.16	1.34	1.38
26	BB	125	A	N3-C4	6.16	1.38	1.34
26	BB	863	A	N9-C4	-6.16	1.34	1.37
26	BB	2291	U	O4'-C1'	6.16	1.49	1.41
26	BB	2608	G	C4'-O4'	-6.16	1.37	1.45
31	BG	72	SER	CB-OG	6.16	1.50	1.42
1	AA	669	G	C5'-C4'	6.16	1.58	1.51
1	AA	706	A	C8-N7	-6.16	1.27	1.31
1	AA	1124	G	N1-C2	6.16	1.42	1.37
3	AC	27	A	N7-C5	6.16	1.43	1.39
26	BB	214	G	N1-C2	6.16	1.42	1.37
26	BB	513	A	C6-N6	-6.16	1.29	1.33
26	BB	706	A	N1-C2	6.16	1.39	1.34
26	BB	1831	G	O5'-C5'	-6.16	1.32	1.42
26	BB	2199	A	C2-N3	-6.16	1.28	1.33
1	AA	757	U	N3-C4	6.16	1.44	1.38
26	BB	136	G	C5'-C4'	6.16	1.58	1.51
26	BB	1614	A	C3'-C2'	6.16	1.59	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	374	A	C6-N6	6.16	1.38	1.33
1	AA	583	A	N3-C4	-6.16	1.31	1.34
1	AA	831	A	O3'-P	6.16	1.68	1.61
1	AA	971	G	C2-N3	6.16	1.37	1.32
1	AA	1142	G	C4'-C3'	6.16	1.59	1.53
2	AB	48	U	C2-N3	6.16	1.42	1.37
25	BA	32	U	C5-C6	6.16	1.39	1.34
26	BB	123	G	C6-N1	6.16	1.43	1.39
26	BB	1339	G	C8-N7	-6.16	1.27	1.30
26	BB	156	A	C6-N6	6.15	1.38	1.33
1	AA	453	G	P-O5'	6.15	1.66	1.59
1	AA	1340	A	C5'-C4'	6.15	1.58	1.51
26	BB	1343	G	C6-N1	-6.15	1.35	1.39
26	BB	2014	A	N3-C4	-6.15	1.31	1.34
26	BB	2399	G	C4'-O4'	-6.15	1.37	1.45
26	BB	2406	A	C3'-C2'	6.15	1.59	1.52
1	AA	622	A	C4'-O4'	-6.15	1.37	1.45
1	AA	813	U	O3'-P	6.15	1.68	1.61
25	BA	1	U	O3'-P	6.15	1.68	1.61
26	BB	168	G	C2-N3	6.15	1.37	1.32
26	BB	793	A	C6-N1	6.15	1.39	1.35
26	BB	1768	C	N1-C2	6.15	1.46	1.40
1	AA	565	U	N1-C6	6.15	1.43	1.38
1	AA	1105	A	C6-N1	6.15	1.39	1.35
26	BB	1187	G	C5-C4	6.15	1.42	1.38
1	AA	498	A	N9-C4	-6.15	1.34	1.37
1	AA	749	A	N1-C2	6.15	1.39	1.34
1	AA	1228	C	C4'-C3'	-6.15	1.46	1.53
26	BB	404	A	N7-C5	6.15	1.43	1.39
26	BB	446	G	C2-N2	-6.15	1.28	1.34
26	BB	1104	C	C2-N3	-6.15	1.30	1.35
26	BB	2520	C	C4-C5	6.15	1.47	1.43
4	AD	62	C	O3'-P	-6.14	1.53	1.61
25	BA	24	G	O3'-P	-6.14	1.53	1.61
26	BB	1423	G	C4'-C3'	6.14	1.59	1.53
26	BB	2001	C	C2-O2	-6.14	1.19	1.24
1	AA	114	U	C4-O4	6.14	1.28	1.23
1	AA	293	G	O3'-P	6.14	1.68	1.61
1	AA	1080	A	C5'-C4'	6.14	1.58	1.51
1	AA	1142	G	C5-C4	6.14	1.42	1.38
1	AA	1191	A	C6-N1	-6.14	1.31	1.35
1	AA	1333	A	C2'-C1'	6.14	1.60	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	36	A	C8-N7	-6.14	1.27	1.31
26	BB	310	A	C3'-O3'	6.14	1.50	1.42
26	BB	757	G	N7-C5	-6.14	1.35	1.39
26	BB	1460	U	O3'-P	6.14	1.68	1.61
26	BB	1482	G	N3-C4	6.14	1.39	1.35
26	BB	1989	G	N7-C5	-6.14	1.35	1.39
26	BB	2267	A	C4'-C3'	-6.14	1.46	1.53
26	BB	999	U	P-O5'	6.14	1.65	1.59
26	BB	1523	U	C5'-C4'	6.14	1.58	1.51
26	BB	1683	U	C5'-C4'	6.14	1.58	1.51
26	BB	2400	G	O3'-P	6.14	1.68	1.61
1	AA	275	G	N9-C8	-6.14	1.33	1.37
1	AA	541	G	N3-C4	6.14	1.39	1.35
1	AA	1293	C	C4-N4	6.14	1.39	1.33
26	BB	586	A	N9-C8	6.14	1.42	1.37
26	BB	616	A	C4'-C3'	-6.14	1.46	1.53
26	BB	1559	U	C2-O2	6.14	1.27	1.22
26	BB	1760	C	C4'-O4'	-6.14	1.37	1.45
26	BB	2447	G	C8-N7	6.14	1.34	1.30
26	BB	2483	C	N1-C6	6.14	1.40	1.37
26	BB	2564	A	P-O5'	6.14	1.65	1.59
26	BB	2703	C	C2'-C1'	6.14	1.60	1.53
1	AA	264	C	P-O5'	6.14	1.65	1.59
1	AA	454	G	N9-C8	6.14	1.42	1.37
26	BB	868	U	C5-C6	6.14	1.39	1.34
26	BB	1194	A	C5'-C4'	6.14	1.58	1.51
26	BB	2231	U	C2-O2	6.14	1.27	1.22
1	AA	225	C	C2'-O2'	-6.14	1.33	1.41
1	AA	242	G	P-O5'	6.14	1.65	1.59
1	AA	455	G	C2'-C1'	-6.14	1.46	1.53
26	BB	401	A	N3-C4	6.14	1.38	1.34
26	BB	2346	A	C5'-C4'	6.14	1.58	1.51
26	BB	2521	C	C4'-O4'	-6.14	1.37	1.45
1	AA	666	G	C6-N1	6.13	1.43	1.39
1	AA	1358	U	C4-C5	6.13	1.49	1.43
1	AA	1503	A	N9-C8	-6.13	1.32	1.37
26	BB	199	A	C8-N7	-6.13	1.27	1.31
26	BB	561	G	C2-N3	6.13	1.37	1.32
26	BB	943	A	N3-C4	6.13	1.38	1.34
26	BB	1730	C	N1-C6	6.13	1.40	1.37
26	BB	2153	C	C4'-C3'	6.13	1.59	1.53
1	AA	634	C	C4-C5	6.13	1.47	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	756	C	N1-C6	6.13	1.40	1.37
1	AA	837	U	N1-C2	6.13	1.44	1.38
1	AA	956	U	C2'-C1'	-6.13	1.46	1.53
1	AA	1277	C	N1-C6	6.13	1.40	1.37
29	BE	154	LYS	N-CA	6.13	1.58	1.46
1	AA	179	A	N1-C2	-6.13	1.28	1.34
1	AA	213	G	C4'-C3'	6.13	1.59	1.53
1	AA	1497	G	C4'-O4'	-6.13	1.37	1.45
4	AD	71	G	N7-C5	-6.13	1.35	1.39
25	BA	43	C	N1-C2	6.13	1.46	1.40
26	BB	338	G	P-O5'	6.13	1.65	1.59
26	BB	1054	A	O3'-P	6.13	1.68	1.61
26	BB	1476	U	C4'-C3'	-6.13	1.46	1.53
26	BB	1927	A	C6-N1	6.13	1.39	1.35
26	BB	2361	G	C5'-C4'	6.13	1.58	1.51
26	BB	2849	U	C2-O2	6.13	1.27	1.22
1	AA	8	A	P-O5'	6.13	1.65	1.59
1	AA	743	A	C8-N7	6.13	1.35	1.31
25	BA	59	A	O3'-P	-6.13	1.53	1.61
26	BB	606	U	C4'-O4'	-6.13	1.37	1.45
26	BB	637	A	P-O5'	6.13	1.65	1.59
45	BU	18	ARG	NE-CZ	6.13	1.41	1.33
1	AA	392	C	C4'-O4'	-6.13	1.37	1.45
1	AA	460	A	O3'-P	6.13	1.68	1.61
1	AA	772	U	O3'-P	6.13	1.68	1.61
26	BB	1919	A	C2'-C1'	6.13	1.60	1.53
26	BB	2083	G	N9-C4	6.13	1.42	1.38
26	BB	2239	G	N3-C4	6.13	1.39	1.35
26	BB	2524	G	N9-C4	6.13	1.42	1.38
1	AA	333	U	C4'-O4'	-6.13	1.37	1.45
1	AA	1121	U	N3-C4	6.13	1.44	1.38
3	AC	27	A	C3'-O3'	6.13	1.50	1.42
24	AX	9	GLU	CG-CD	6.13	1.61	1.51
26	BB	425	G	C6-N1	6.13	1.43	1.39
26	BB	1740	G	C2-N3	6.13	1.37	1.32
26	BB	2134	A	N3-C4	6.13	1.38	1.34
26	BB	2688	G	P-O5'	6.13	1.65	1.59
26	BB	2789	C	C4-C5	6.13	1.47	1.43
1	AA	722	G	N9-C8	6.12	1.42	1.37
3	AC	53	G	C6-N1	-6.12	1.35	1.39
26	BB	509	C	N3-C4	6.12	1.38	1.33
26	BB	944	C	N3-C4	6.12	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	229	U	C4'-O4'	-6.12	1.37	1.45
1	AA	1367	C	C2-N3	6.12	1.40	1.35
4	AD	11	A	C3'-C2'	-6.12	1.46	1.52
26	BB	1005	C	P-O5'	-6.12	1.53	1.59
26	BB	1623	G	N9-C4	-6.12	1.33	1.38
26	BB	2021	C	P-O5'	6.12	1.65	1.59
1	AA	6	G	N3-C4	6.12	1.39	1.35
1	AA	743	A	N7-C5	6.12	1.43	1.39
1	AA	1015	G	N7-C5	-6.12	1.35	1.39
26	BB	18	U	C5'-C4'	6.12	1.58	1.51
26	BB	340	A	C5'-C4'	6.12	1.58	1.51
26	BB	1437	C	C5-C6	6.12	1.39	1.34
26	BB	543	G	P-O5'	6.12	1.65	1.59
26	BB	685	A	C2-N3	6.12	1.39	1.33
26	BB	1131	G	N7-C5	6.12	1.43	1.39
26	BB	1419	A	C2'-C1'	6.12	1.60	1.53
26	BB	2859	G	N3-C4	6.12	1.39	1.35
1	AA	42	G	N1-C2	-6.12	1.32	1.37
4	AD	2	G	C5-C4	6.12	1.42	1.38
25	BA	43	C	P-O5'	6.12	1.65	1.59
26	BB	1238	G	C6-N1	6.12	1.43	1.39
26	BB	1282	U	C2'-C1'	6.12	1.60	1.53
1	AA	978	A	C4'-C3'	6.12	1.59	1.53
1	AA	1096	C	C4-N4	6.12	1.39	1.33
26	BB	1221	C	P-O5'	-6.12	1.53	1.59
26	BB	2441	U	N1-C6	6.12	1.43	1.38
26	BB	2711	A	N1-C2	-6.12	1.28	1.34
1	AA	177	G	C6-O6	-6.12	1.18	1.24
1	AA	1076	U	C4-O4	-6.12	1.18	1.23
26	BB	483	A	N7-C5	-6.12	1.35	1.39
26	BB	774	G	C6-N1	-6.12	1.35	1.39
26	BB	1365	A	C5-C6	6.12	1.46	1.41
1	AA	144	G	N7-C5	6.11	1.43	1.39
26	BB	296	U	N3-C4	6.11	1.44	1.38
26	BB	305	C	C2-O2	-6.11	1.19	1.24
26	BB	1514	G	N7-C5	-6.11	1.35	1.39
26	BB	1540	G	N9-C8	-6.11	1.33	1.37
26	BB	1799	G	N3-C4	6.11	1.39	1.35
26	BB	1899	A	C2'-C1'	-6.11	1.46	1.53
26	BB	2055	C	P-O5'	6.11	1.65	1.59
1	AA	1	A	N7-C5	6.11	1.43	1.39
1	AA	971	G	C6-N1	6.11	1.43	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	15	A	N3-C4	6.11	1.38	1.34
26	BB	972	A	N3-C4	6.11	1.38	1.34
1	AA	1280	A	N1-C2	-6.11	1.28	1.34
26	BB	68	G	O3'-P	6.11	1.68	1.61
26	BB	2040	G	N3-C4	-6.11	1.31	1.35
26	BB	2090	A	N3-C4	6.11	1.38	1.34
26	BB	2180	U	C4-O4	6.11	1.28	1.23
26	BB	2418	A	C6-N1	-6.11	1.31	1.35
26	BB	2548	U	N1-C2	6.11	1.44	1.38
1	AA	565	U	C4'-O4'	-6.11	1.37	1.45
1	AA	869	G	C2-N3	6.11	1.37	1.32
3	AC	50	U	N1-C2	6.11	1.44	1.38
26	BB	59	U	P-O5'	6.11	1.65	1.59
26	BB	961	C	C2-N3	6.11	1.40	1.35
26	BB	971	G	P-O5'	-6.11	1.53	1.59
26	BB	1989	G	P-O5'	6.11	1.65	1.59
1	AA	475	C	N1-C2	6.11	1.46	1.40
1	AA	1403	C	C2'-O2'	6.11	1.49	1.41
4	AD	37	U	N1-C2	6.11	1.44	1.38
26	BB	172	A	C5'-C4'	6.11	1.58	1.51
26	BB	376	G	C2'-O2'	-6.11	1.33	1.41
26	BB	468	G	C2-N3	6.11	1.37	1.32
26	BB	513	A	N9-C4	-6.11	1.34	1.37
26	BB	518	G	C8-N7	-6.11	1.27	1.30
26	BB	996	A	N7-C5	-6.11	1.35	1.39
26	BB	1169	A	C8-N7	-6.11	1.27	1.31
26	BB	1754	A	C5-C4	-6.11	1.34	1.38
1	AA	245	U	N3-C4	6.10	1.44	1.38
1	AA	369	G	C2-N3	6.10	1.37	1.32
26	BB	513	A	C5-C6	6.10	1.46	1.41
26	BB	2076	U	C4'-C3'	6.10	1.59	1.53
1	AA	1124	G	C8-N7	6.10	1.34	1.30
2	AB	51	G	C2'-C1'	6.10	1.60	1.53
26	BB	259	G	N9-C8	-6.10	1.33	1.37
26	BB	325	G	P-O5'	6.10	1.65	1.59
26	BB	338	G	N7-C5	6.10	1.43	1.39
26	BB	541	A	C6-N1	-6.10	1.31	1.35
26	BB	626	A	N3-C4	6.10	1.38	1.34
26	BB	1009	A	N9-C4	-6.10	1.34	1.37
26	BB	1683	U	C2'-C1'	-6.10	1.46	1.53
26	BB	1812	U	N1-C2	6.10	1.44	1.38
26	BB	2106	U	N1-C2	6.10	1.44	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2217	G	N9-C8	-6.10	1.33	1.37
26	BB	2536	G	C5'-C4'	6.10	1.58	1.51
1	AA	57	G	C2'-O2'	-6.10	1.33	1.41
1	AA	1325	C	C4'-C3'	6.10	1.59	1.53
2	AB	48	U	C2-O2	6.10	1.27	1.22
26	BB	178	G	N1-C2	-6.10	1.32	1.37
26	BB	792	A	P-O5'	6.10	1.65	1.59
26	BB	1263	U	N1-C2	6.10	1.44	1.38
6	AF	41	TYR	CE1-CZ	6.10	1.46	1.38
26	BB	233	A	P-O5'	6.10	1.65	1.59
26	BB	645	C	C2'-C1'	6.10	1.60	1.53
26	BB	1312	U	C4-C5	6.10	1.49	1.43
26	BB	1343	G	C2-N3	6.10	1.37	1.32
1	AA	1357	A	C2'-C1'	-6.10	1.46	1.53
1	AA	1432	G	P-O5'	6.10	1.65	1.59
1	AA	1536	C	C4-N4	-6.10	1.28	1.33
26	BB	13	A	C4'-O4'	-6.10	1.37	1.45
26	BB	151	C	C4'-O4'	-6.10	1.37	1.45
26	BB	985	C	O3'-P	6.10	1.68	1.61
26	BB	1291	C	C2-N3	6.10	1.40	1.35
26	BB	1520	U	C4-C5	6.10	1.49	1.43
1	AA	209	U	C4-C5	6.10	1.49	1.43
1	AA	1068	G	C2-N3	6.10	1.37	1.32
15	AO	52	CYS	CB-SG	6.10	1.92	1.82
25	BA	23	G	N9-C4	6.10	1.42	1.38
25	BA	73	A	C5-C4	-6.10	1.34	1.38
26	BB	1396	U	C5'-C4'	6.10	1.58	1.51
1	AA	63	C	O3'-P	6.09	1.68	1.61
1	AA	235	C	P-O5'	6.09	1.65	1.59
1	AA	885	G	N1-C2	-6.09	1.32	1.37
1	AA	1398	A	C5-C4	-6.09	1.34	1.38
2	AB	15	A	P-O5'	6.09	1.65	1.59
26	BB	877	A	C8-N7	-6.09	1.27	1.31
26	BB	1272	A	P-O5'	6.09	1.65	1.59
26	BB	1506	U	O3'-P	6.09	1.68	1.61
26	BB	1827	U	N1-C6	6.09	1.43	1.38
26	BB	2599	G	C5-C4	6.09	1.42	1.38
26	BB	2651	C	O4'-C1'	6.09	1.49	1.41
26	BB	83	A	N9-C8	6.09	1.42	1.37
26	BB	1357	C	N3-C4	6.09	1.38	1.33
26	BB	1708	C	C4-C5	6.09	1.47	1.43
26	BB	2723	C	C4'-O4'	-6.09	1.37	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	601	G	N9-C8	6.09	1.42	1.37
1	AA	1003	G	N1-C2	-6.09	1.32	1.37
1	AA	1481	U	C2'-O2'	6.09	1.49	1.41
26	BB	857	G	N3-C4	6.09	1.39	1.35
26	BB	1312	U	C2'-C1'	6.09	1.60	1.53
26	BB	1457	U	P-O5'	6.09	1.65	1.59
26	BB	1678	A	N3-C4	6.09	1.38	1.34
26	BB	2045	C	P-O5'	6.09	1.65	1.59
26	BB	2186	G	N9-C4	6.09	1.42	1.38
26	BB	2581	G	C5-C4	-6.09	1.34	1.38
1	AA	237	G	C4'-O4'	-6.09	1.37	1.45
1	AA	536	C	C2-N3	6.09	1.40	1.35
1	AA	755	G	N3-C4	6.09	1.39	1.35
26	BB	759	G	C2-N3	6.09	1.37	1.32
26	BB	1758	U	N1-C2	6.09	1.44	1.38
26	BB	2331	G	N9-C4	-6.09	1.33	1.38
26	BB	2722	G	N7-C5	6.09	1.43	1.39
1	AA	664	G	C2-N3	6.09	1.37	1.32
1	AA	1156	G	O3'-P	6.09	1.68	1.61
1	AA	1248	A	C8-N7	-6.09	1.27	1.31
26	BB	352	A	C5-C4	-6.09	1.34	1.38
26	BB	1031	G	N1-C2	6.09	1.42	1.37
26	BB	2360	G	N3-C4	6.09	1.39	1.35
1	AA	1432	G	C4'-C3'	6.09	1.59	1.53
4	AD	58	A	C8-N7	-6.09	1.27	1.31
25	BA	119	A	N7-C5	-6.09	1.35	1.39
26	BB	137	U	C2-N3	6.09	1.42	1.37
26	BB	1448	G	C5'-C4'	6.09	1.58	1.51
26	BB	1676	A	N7-C5	-6.09	1.35	1.39
1	AA	139	A	C5-C4	-6.08	1.34	1.38
1	AA	877	G	N7-C5	6.08	1.43	1.39
26	BB	4	U	C2'-C1'	6.08	1.60	1.53
26	BB	721	A	N9-C4	6.08	1.41	1.37
26	BB	1091	G	C8-N7	6.08	1.34	1.30
26	BB	2894	G	C4'-C3'	6.08	1.59	1.53
1	AA	457	G	N9-C8	6.08	1.42	1.37
1	AA	1041	G	P-O5'	6.08	1.65	1.59
1	AA	1157	A	C6-N6	6.08	1.38	1.33
4	AD	50	G	N7-C5	6.08	1.43	1.39
25	BA	49	C	P-O5'	6.08	1.65	1.59
26	BB	2162	G	C5-C4	6.08	1.42	1.38
26	BB	2199	A	C5'-C4'	6.08	1.58	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	10	A	C3'-C2'	6.08	1.59	1.52
1	AA	1155	A	N3-C4	6.08	1.38	1.34
1	AA	1392	G	N1-C2	6.08	1.42	1.37
26	BB	1521	G	N7-C5	6.08	1.42	1.39
26	BB	1722	A	C5'-C4'	6.08	1.58	1.51
26	BB	2179	C	C2-N3	6.08	1.40	1.35
26	BB	2396	G	C1'-N9	6.08	1.57	1.48
26	BB	2569	G	N1-C2	6.08	1.42	1.37
1	AA	1393	U	O3'-P	6.08	1.68	1.61
2	AB	1	A	C8-N7	-6.08	1.27	1.31
26	BB	672	C	C2-N3	-6.08	1.30	1.35
26	BB	823	C	O4'-C1'	6.08	1.49	1.41
26	BB	1561	C	P-O5'	6.08	1.65	1.59
26	BB	1861	G	N7-C5	6.08	1.42	1.39
26	BB	2083	G	P-O5'	6.08	1.65	1.59
1	AA	617	G	P-O5'	6.08	1.65	1.59
25	BA	109	A	N3-C4	6.08	1.38	1.34
26	BB	1029	A	C4'-O4'	-6.08	1.37	1.45
26	BB	2726	A	N7-C5	-6.08	1.35	1.39
26	BB	6	A	N9-C4	6.08	1.41	1.37
26	BB	196	A	N3-C4	6.08	1.38	1.34
26	BB	289	G	P-O5'	6.08	1.65	1.59
26	BB	653	U	C1'-N1	-6.08	1.38	1.46
26	BB	1361	G	N7-C5	6.08	1.42	1.39
26	BB	1974	C	P-O5'	6.08	1.65	1.59
1	AA	393	A	N3-C4	6.07	1.38	1.34
1	AA	1020	G	C5'-C4'	6.07	1.58	1.51
1	AA	1236	A	C2-N3	6.07	1.39	1.33
25	BA	92	C	C4-N4	6.07	1.39	1.33
26	BB	1831	G	O3'-P	6.07	1.68	1.61
26	BB	2021	C	N3-C4	6.07	1.38	1.33
26	BB	2357	G	C5'-C4'	6.07	1.58	1.51
26	BB	2426	A	N9-C8	6.07	1.42	1.37
26	BB	2700	A	N3-C4	6.07	1.38	1.34
31	BG	174	PHE	CG-CD1	6.07	1.47	1.38
1	AA	523	A	C3'-C2'	6.07	1.59	1.52
26	BB	2873	A	P-O5'	6.07	1.65	1.59
1	AA	900	A	C8-N7	-6.07	1.27	1.31
26	BB	220	G	C4'-O4'	-6.07	1.37	1.45
26	BB	403	U	N3-C4	6.07	1.44	1.38
26	BB	541	A	C5'-C4'	6.07	1.58	1.51
26	BB	590	A	C5-C6	6.07	1.46	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1133	A	N1-C2	6.07	1.39	1.34
26	BB	2623	G	C5-C4	-6.07	1.34	1.38
26	BB	2884	U	C5'-C4'	6.07	1.58	1.51
1	AA	948	C	C2'-C1'	-6.07	1.46	1.53
26	BB	490	C	N1-C6	-6.07	1.33	1.37
26	BB	2255	G	N7-C5	-6.07	1.35	1.39
26	BB	2306	C	N1-C6	6.07	1.40	1.37
26	BB	2647	U	N1-C6	6.07	1.43	1.38
1	AA	119	A	C4'-O4'	-6.07	1.37	1.45
1	AA	359	G	P-O5'	6.07	1.65	1.59
1	AA	863	U	C4'-C3'	6.07	1.59	1.53
1	AA	1220	G	N9-C8	6.07	1.42	1.37
1	AA	1451	U	N1-C2	6.07	1.44	1.38
4	AD	74	A	C8-N7	-6.07	1.27	1.31
26	BB	241	A	N3-C4	6.07	1.38	1.34
26	BB	933	A	N9-C8	6.07	1.42	1.37
26	BB	1287	A	N1-C2	6.07	1.39	1.34
26	BB	1673	G	C5-C6	6.07	1.48	1.42
26	BB	1737	G	C4'-C3'	6.07	1.59	1.53
26	BB	1867	G	C6-O6	-6.07	1.18	1.24
26	BB	2792	A	C2-N3	6.07	1.39	1.33
1	AA	752	G	C2-N3	6.07	1.37	1.32
26	BB	62	U	C1'-N1	6.07	1.57	1.48
26	BB	268	C	N1-C2	6.07	1.46	1.40
26	BB	415	A	C5'-C4'	6.07	1.58	1.51
26	BB	2189	U	C2-N3	6.07	1.42	1.37
1	AA	123	U	P-O5'	6.06	1.65	1.59
1	AA	1184	G	N1-C2	6.06	1.42	1.37
26	BB	208	C	C3'-C2'	-6.06	1.46	1.52
26	BB	2078	C	C3'-C2'	6.06	1.59	1.52
26	BB	2814	A	C3'-O3'	6.06	1.50	1.42
1	AA	417	G	N7-C5	6.06	1.42	1.39
26	BB	409	G	C3'-C2'	6.06	1.59	1.52
26	BB	837	C	C2-N3	-6.06	1.30	1.35
26	BB	1113	U	C2-O2	6.06	1.27	1.22
26	BB	1198	U	C4-O4	6.06	1.28	1.23
1	AA	662	U	C2-N3	6.06	1.42	1.37
4	AD	38	A	N7-C5	6.06	1.42	1.39
26	BB	18	U	N1-C6	6.06	1.43	1.38
26	BB	1372	U	C5'-C4'	6.06	1.58	1.51
26	BB	2755	C	C4-C5	-6.06	1.38	1.43
1	AA	968	A	C8-N7	-6.06	1.27	1.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	69	C	C4-C5	6.06	1.47	1.43
26	BB	1028	A	C8-N7	-6.06	1.27	1.31
26	BB	2366	A	N3-C4	6.06	1.38	1.34
4	AD	5	G	C5-C4	-6.06	1.34	1.38
26	BB	755	U	C5'-C4'	6.06	1.58	1.51
26	BB	1030	C	C4-N4	6.06	1.39	1.33
26	BB	1765	U	P-O5'	6.06	1.65	1.59
26	BB	2324	U	O3'-P	6.06	1.68	1.61
1	AA	201	G	N1-C2	6.06	1.42	1.37
26	BB	930	G	C5-C6	6.06	1.48	1.42
1	AA	750	C	C4-C5	6.05	1.47	1.43
1	AA	945	G	N3-C4	6.05	1.39	1.35
26	BB	267	C	C4'-C3'	6.05	1.59	1.53
26	BB	572	A	N9-C4	6.05	1.41	1.37
26	BB	983	A	C6-N1	-6.05	1.31	1.35
26	BB	1193	G	C6-N1	-6.05	1.35	1.39
26	BB	1800	C	P-O5'	6.05	1.65	1.59
26	BB	1866	A	C5-C4	-6.05	1.34	1.38
26	BB	2608	G	C2'-C1'	-6.05	1.46	1.53
26	BB	2766	A	C3'-O3'	6.05	1.50	1.42
2	AB	66	C	C3'-C2'	-6.05	1.46	1.52
26	BB	46	G	C4'-C3'	-6.05	1.46	1.53
26	BB	92	U	C2-N3	6.05	1.42	1.37
26	BB	228	C	C5'-C4'	6.05	1.58	1.51
26	BB	750	A	C5-C4	-6.05	1.34	1.38
1	AA	744	C	C4'-O4'	-6.05	1.37	1.45
1	AA	932	C	C2'-C1'	-6.05	1.46	1.53
1	AA	1301	U	P-O5'	6.05	1.65	1.59
4	AD	70	C	N1-C2	6.05	1.46	1.40
26	BB	320	A	N1-C2	-6.05	1.28	1.34
26	BB	679	C	P-O5'	6.05	1.65	1.59
26	BB	932	U	N1-C2	6.05	1.44	1.38
26	BB	1515	A	C5-C4	-6.05	1.34	1.38
26	BB	2300	C	C4-C5	6.05	1.47	1.43
1	AA	372	C	C4'-O4'	-6.05	1.37	1.45
1	AA	1410	A	C3'-C2'	6.05	1.59	1.52
26	BB	384	A	C5'-C4'	6.05	1.58	1.51
26	BB	1436	G	O3'-P	6.05	1.68	1.61
26	BB	1551	A	N9-C8	6.05	1.42	1.37
26	BB	1846	G	C6-O6	6.05	1.29	1.24
26	BB	1852	U	C4-C5	6.05	1.49	1.43
1	AA	15	G	P-O5'	6.05	1.65	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	531	U	C4'-O4'	-6.05	1.37	1.45
1	AA	1022	A	C5'-C4'	6.05	1.58	1.51
1	AA	1105	A	C5'-C4'	6.05	1.58	1.51
1	AA	1165	U	C4'-O4'	-6.05	1.37	1.45
26	BB	1723	G	C6-O6	-6.05	1.18	1.24
26	BB	1821	A	N1-C2	6.05	1.39	1.34
26	BB	1928	A	C6-N6	-6.05	1.29	1.33
1	AA	199	A	C4'-C3'	6.05	1.59	1.53
1	AA	604	G	C2-N3	6.05	1.37	1.32
1	AA	1392	G	N3-C4	-6.05	1.31	1.35
1	AA	1512	U	C5'-C4'	6.05	1.58	1.51
1	AA	1517	G	C2'-O2'	6.05	1.49	1.41
26	BB	112	U	N1-C6	6.05	1.43	1.38
26	BB	752	A	C6-N1	6.05	1.39	1.35
26	BB	826	U	C5-C6	6.05	1.39	1.34
45	BU	108	SER	CB-OG	6.05	1.50	1.42
1	AA	504	C	C4'-O4'	-6.04	1.37	1.45
1	AA	1287	A	C4'-C3'	6.04	1.59	1.53
26	BB	157	C	P-O5'	6.04	1.65	1.59
26	BB	1036	G	O3'-P	6.04	1.68	1.61
26	BB	1280	G	C5-C4	-6.04	1.34	1.38
26	BB	2110	G	C2'-C1'	6.04	1.59	1.53
26	BB	2426	A	C2'-C1'	-6.04	1.46	1.53
1	AA	324	G	C5-C6	6.04	1.48	1.42
1	AA	987	G	P-O5'	6.04	1.65	1.59
1	AA	1248	A	C5-C4	-6.04	1.34	1.38
1	AA	1287	A	C8-N7	-6.04	1.27	1.31
26	BB	533	G	C6-O6	-6.04	1.18	1.24
26	BB	826	U	C5'-C4'	6.04	1.58	1.51
26	BB	1153	C	N3-C4	-6.04	1.29	1.33
26	BB	1206	G	O3'-P	6.04	1.68	1.61
26	BB	1390	U	O3'-P	-6.04	1.53	1.61
26	BB	2123	G	N7-C5	6.04	1.42	1.39
26	BB	2305	U	N1-C2	6.04	1.44	1.38
26	BB	2531	A	P-O5'	6.04	1.65	1.59
1	AA	226	G	O4'-C1'	6.04	1.49	1.41
1	AA	842	U	C2-N3	-6.04	1.33	1.37
1	AA	1490	U	N1-C6	6.04	1.43	1.38
26	BB	908	C	P-O5'	6.04	1.65	1.59
26	BB	1006	C	P-O5'	6.04	1.65	1.59
26	BB	1187	G	N1-C2	6.04	1.42	1.37
26	BB	2256	G	N9-C4	-6.04	1.33	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2377	A	N3-C4	6.04	1.38	1.34
26	BB	2263	C	N1-C6	-6.04	1.33	1.37
26	BB	2463	C	C4-C5	6.04	1.47	1.43
26	BB	2625	G	N1-C2	6.04	1.42	1.37
1	AA	397	A	N9-C4	6.04	1.41	1.37
1	AA	693	G	N3-C4	6.04	1.39	1.35
1	AA	983	A	P-O5'	6.04	1.65	1.59
1	AA	1060	U	N3-C4	6.04	1.43	1.38
1	AA	1323	G	C5-C4	6.04	1.42	1.38
1	AA	1337	G	P-O5'	-6.04	1.53	1.59
26	BB	575	A	C6-N6	6.04	1.38	1.33
26	BB	699	A	P-O5'	6.04	1.65	1.59
26	BB	1258	U	C4-C5	6.04	1.49	1.43
26	BB	1876	A	P-O5'	6.04	1.65	1.59
26	BB	2724	U	P-O5'	6.04	1.65	1.59
1	AA	590	U	C5-C6	6.04	1.39	1.34
25	BA	7	G	N3-C4	-6.04	1.31	1.35
26	BB	1236	G	C2'-C1'	-6.04	1.46	1.53
1	AA	749	A	N3-C4	6.04	1.38	1.34
1	AA	877	G	N1-C2	6.04	1.42	1.37
20	AT	34	GLY	CA-C	6.04	1.61	1.51
26	BB	838	C	O3'-P	6.04	1.68	1.61
26	BB	2294	G	C5'-C4'	6.04	1.58	1.51
26	BB	2392	A	C6-N1	-6.04	1.31	1.35
26	BB	545	U	C4-O4	-6.03	1.18	1.23
26	BB	1048	A	N7-C5	-6.03	1.35	1.39
26	BB	1452	G	N1-C2	6.03	1.42	1.37
26	BB	2223	G	C2-N3	6.03	1.37	1.32
26	BB	2387	U	N1-C2	6.03	1.44	1.38
26	BB	2597	G	C5-C4	-6.03	1.34	1.38
1	AA	13	U	C4-C5	6.03	1.49	1.43
1	AA	274	A	C2'-C1'	-6.03	1.46	1.53
1	AA	846	G	C6-O6	-6.03	1.18	1.24
1	AA	1161	C	C2-N3	6.03	1.40	1.35
3	AC	59	A	N3-C4	6.03	1.38	1.34
26	BB	94	A	C2-N3	6.03	1.39	1.33
26	BB	1602	U	C2-N3	6.03	1.42	1.37
1	AA	795	C	C5-C6	6.03	1.39	1.34
26	BB	624	C	C5-C6	6.03	1.39	1.34
26	BB	852	U	C2-N3	6.03	1.42	1.37
26	BB	1192	G	C8-N7	-6.03	1.27	1.30
26	BB	1351	C	P-O5'	6.03	1.65	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2478	A	N1-C2	6.03	1.39	1.34
1	AA	418	C	C2-N3	6.03	1.40	1.35
26	BB	1616	A	N9-C4	-6.03	1.34	1.37
1	AA	619	U	C2-N3	6.03	1.42	1.37
1	AA	1133	G	C5'-C4'	6.03	1.58	1.51
25	BA	33	G	C2-N2	-6.03	1.28	1.34
26	BB	211	C	C2-N3	-6.03	1.30	1.35
26	BB	447	A	C6-N1	-6.03	1.31	1.35
26	BB	574	A	O3'-P	6.03	1.68	1.61
26	BB	1170	C	C2-O2	-6.03	1.19	1.24
26	BB	1378	A	N7-C5	6.03	1.42	1.39
1	AA	118	U	N3-C4	6.03	1.43	1.38
1	AA	169	C	C4-C5	6.03	1.47	1.43
1	AA	456	A	C6-N6	-6.03	1.29	1.33
1	AA	609	A	C6-N6	6.03	1.38	1.33
1	AA	1186	G	N9-C8	-6.03	1.33	1.37
1	AA	1346	A	N7-C5	-6.03	1.35	1.39
26	BB	2088	A	C4'-O4'	-6.03	1.37	1.45
1	AA	310	G	N3-C4	6.02	1.39	1.35
1	AA	1197	A	C5-C4	-6.02	1.34	1.38
25	BA	18	G	C2-N2	-6.02	1.28	1.34
26	BB	94	A	N9-C8	6.02	1.42	1.37
26	BB	1854	A	C6-N1	-6.02	1.31	1.35
1	AA	220	G	O3'-P	-6.02	1.53	1.61
1	AA	362	G	C2-N3	6.02	1.37	1.32
1	AA	424	G	C6-N1	6.02	1.43	1.39
3	AC	55	A	C5-C6	6.02	1.46	1.41
26	BB	507	A	C4'-C3'	6.02	1.59	1.53
26	BB	654	A	C6-N1	-6.02	1.31	1.35
26	BB	1660	G	C2'-C1'	6.02	1.59	1.53
26	BB	2660	A	C6-N1	-6.02	1.31	1.35
26	BB	1000	A	N1-C2	-6.02	1.28	1.34
26	BB	1142	A	C5'-C4'	6.02	1.58	1.51
26	BB	2159	G	O3'-P	6.02	1.68	1.61
1	AA	58	C	C4'-O4'	-6.02	1.37	1.45
1	AA	209	U	C5-C6	6.02	1.39	1.34
1	AA	557	G	C8-N7	6.02	1.34	1.30
1	AA	1367	C	C5'-C4'	6.02	1.58	1.51
26	BB	918	A	C3'-C2'	6.02	1.59	1.52
26	BB	1001	A	C2'-O2'	6.02	1.49	1.41
26	BB	1143	A	N3-C4	6.02	1.38	1.34
26	BB	1296	G	C2-N3	6.02	1.37	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2512	C	C2'-C1'	-6.02	1.46	1.53
1	AA	174	A	N3-C4	6.02	1.38	1.34
1	AA	195	A	C5-C4	-6.02	1.34	1.38
1	AA	247	G	N9-C8	-6.02	1.33	1.37
1	AA	390	U	N3-C4	6.02	1.43	1.38
1	AA	944	G	C5-C6	6.02	1.48	1.42
1	AA	1111	A	N7-C5	-6.02	1.35	1.39
26	BB	93	G	P-O5'	6.02	1.65	1.59
26	BB	219	A	C2-N3	-6.02	1.28	1.33
26	BB	956	G	N7-C5	6.02	1.42	1.39
26	BB	2479	U	C4-C5	6.02	1.49	1.43
26	BB	2541	A	C1'-N9	6.02	1.57	1.48
1	AA	1161	C	O3'-P	6.02	1.68	1.61
4	AD	24	C	O4'-C1'	6.02	1.49	1.41
4	AD	63	C	P-O5'	6.02	1.65	1.59
26	BB	1508	A	N9-C4	6.02	1.41	1.37
1	AA	459	A	C4'-O4'	-6.01	1.37	1.45
4	AD	40	C	C5'-C4'	6.01	1.58	1.51
26	BB	618	G	N7-C5	6.01	1.42	1.39
26	BB	2234	G	P-O5'	6.01	1.65	1.59
26	BB	2646	C	C4'-O4'	-6.01	1.37	1.45
26	BB	2776	A	C5'-C4'	6.01	1.58	1.51
26	BB	2891	U	C4-C5	6.01	1.49	1.43
26	BB	486	C	C4'-C3'	6.01	1.59	1.53
26	BB	763	G	C8-N7	6.01	1.34	1.30
26	BB	2133	G	P-O5'	6.01	1.65	1.59
26	BB	2621	G	N9-C8	-6.01	1.33	1.37
1	AA	679	C	C4'-O4'	-6.01	1.37	1.45
1	AA	1232	U	P-O5'	6.01	1.65	1.59
26	BB	233	A	N3-C4	6.01	1.38	1.34
26	BB	2809	A	N9-C4	6.01	1.41	1.37
1	AA	38	G	C8-N7	-6.01	1.27	1.30
1	AA	179	A	N3-C4	6.01	1.38	1.34
1	AA	316	C	C4-C5	6.01	1.47	1.43
1	AA	1523	G	N3-C4	6.01	1.39	1.35
26	BB	1662	U	C4'-O4'	-6.01	1.37	1.45
26	BB	2425	A	C6-N1	-6.01	1.31	1.35
1	AA	1185	G	N9-C8	6.01	1.42	1.37
26	BB	1380	G	P-O5'	6.01	1.65	1.59
26	BB	2211	A	C6-N6	-6.01	1.29	1.33
26	BB	2415	G	C5-C4	6.01	1.42	1.38
26	BB	2708	G	C6-O6	-6.01	1.18	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2824	C	N1-C6	6.01	1.40	1.37
1	AA	1256	A	C8-N7	-6.00	1.27	1.31
2	AB	49	G	N1-C2	6.00	1.42	1.37
4	AD	26	C	P-O5'	6.00	1.65	1.59
1	AA	461	A	C2'-C1'	6.00	1.59	1.53
1	AA	922	G	N9-C4	-6.00	1.33	1.38
1	AA	1499	A	C6-N1	6.00	1.39	1.35
4	AD	19	G	C5-C6	6.00	1.48	1.42
26	BB	1608	A	N9-C8	6.00	1.42	1.37
26	BB	1637	A	C8-N7	-6.00	1.27	1.31
26	BB	1810	A	N3-C4	6.00	1.38	1.34
26	BB	1982	U	N1-C2	6.00	1.44	1.38
26	BB	2685	G	C6-N1	-6.00	1.35	1.39
26	BB	2875	C	P-O5'	6.00	1.65	1.59
1	AA	30	U	P-O5'	6.00	1.65	1.59
1	AA	656	G	C8-N7	-6.00	1.27	1.30
1	AA	941	G	N1-C2	6.00	1.42	1.37
4	AD	44	A	C6-N1	6.00	1.39	1.35
26	BB	918	A	C2-N3	6.00	1.39	1.33
26	BB	1642	G	P-O5'	6.00	1.65	1.59
26	BB	2239	G	C8-N7	6.00	1.34	1.30
26	BB	2536	G	C6-N1	6.00	1.43	1.39
1	AA	59	A	O3'-P	-6.00	1.53	1.61
1	AA	487	A	C2-N3	6.00	1.39	1.33
1	AA	632	U	C2-N3	6.00	1.42	1.37
25	BA	41	G	N9-C8	-6.00	1.33	1.37
26	BB	35	G	C8-N7	-6.00	1.27	1.30
26	BB	1677	A	P-O5'	6.00	1.65	1.59
1	AA	442	G	N9-C4	6.00	1.42	1.38
1	AA	1382	C	C2-O2	-6.00	1.19	1.24
25	BA	66	A	P-O5'	6.00	1.65	1.59
26	BB	649	G	N3-C4	6.00	1.39	1.35
26	BB	2643	G	C3'-C2'	6.00	1.59	1.52
1	AA	1366	C	C5-C6	6.00	1.39	1.34
1	AA	1457	G	N1-C2	6.00	1.42	1.37
2	AB	51	G	C2-N3	6.00	1.37	1.32
26	BB	270	A	C4'-C3'	6.00	1.59	1.53
26	BB	995	C	C4'-O4'	-6.00	1.37	1.45
26	BB	1930	G	C2-N3	6.00	1.37	1.32
26	BB	27	G	N7-C5	-6.00	1.35	1.39
26	BB	502	A	C4'-O4'	-6.00	1.37	1.45
26	BB	653	U	C3'-C2'	6.00	1.59	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2823	A	C4'-O4'	-6.00	1.37	1.45
1	AA	388	G	C5-C6	5.99	1.48	1.42
14	AN	116	PRO	CA-C	5.99	1.64	1.52
26	BB	16	C	N1-C2	5.99	1.46	1.40
26	BB	432	A	O3'-P	5.99	1.68	1.61
26	BB	716	A	C5'-C4'	5.99	1.58	1.51
26	BB	1219	U	C2'-C1'	-5.99	1.46	1.53
26	BB	1579	A	C4'-C3'	-5.99	1.46	1.52
26	BB	1582	C	C5'-C4'	5.99	1.58	1.51
26	BB	1908	C	C4-N4	-5.99	1.28	1.33
26	BB	2123	G	C3'-C2'	-5.99	1.46	1.52
1	AA	903	G	C8-N7	-5.99	1.27	1.30
25	BA	83	G	C6-O6	-5.99	1.18	1.24
26	BB	872	U	C4-O4	5.99	1.28	1.23
40	BP	39	PRO	N-CD	-5.99	1.39	1.47
1	AA	1303	C	N1-C2	5.99	1.46	1.40
1	AA	1329	A	O3'-P	5.99	1.68	1.61
1	AA	1376	U	C2-N3	-5.99	1.33	1.37
26	BB	569	U	P-O5'	5.99	1.65	1.59
26	BB	1337	G	C4'-O4'	-5.99	1.37	1.45
26	BB	1919	A	C5'-C4'	5.99	1.58	1.51
1	AA	1007	U	C2-N3	5.99	1.42	1.37
1	AA	1451	U	C5'-C4'	5.99	1.58	1.51
1	AA	1525	G	N3-C4	5.99	1.39	1.35
25	BA	25	U	N1-C2	-5.99	1.33	1.38
26	BB	152	A	C6-N6	-5.99	1.29	1.33
26	BB	709	U	N3-C4	5.99	1.43	1.38
26	BB	1339	G	C4'-O4'	-5.99	1.37	1.45
26	BB	2230	G	C8-N7	-5.99	1.27	1.30
26	BB	2417	C	N1-C6	5.99	1.40	1.37
1	AA	716	A	N3-C4	5.99	1.38	1.34
1	AA	1189	U	C2'-C1'	5.99	1.59	1.53
1	AA	1456	A	C2'-C1'	5.99	1.59	1.53
3	AC	33	A	N3-C4	5.99	1.38	1.34
21	AU	22	TYR	CE1-CZ	5.99	1.46	1.38
26	BB	285	G	C6-N1	5.99	1.43	1.39
26	BB	919	U	C2-O2	5.99	1.27	1.22
1	AA	93	U	P-O5'	5.99	1.65	1.59
26	BB	303	G	C8-N7	5.99	1.34	1.30
26	BB	1847	A	C2-N3	-5.99	1.28	1.33
26	BB	1981	A	N3-C4	5.99	1.38	1.34
1	AA	124	C	C4-C5	-5.98	1.38	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	AG	102	TYR	CE2-CZ	5.98	1.46	1.38
26	BB	846	U	C2-N3	5.98	1.42	1.37
1	AA	1384	C	N1-C2	5.98	1.46	1.40
26	BB	527	C	O3'-P	5.98	1.68	1.61
26	BB	656	G	N7-C5	5.98	1.42	1.39
26	BB	874	G	C5-C4	5.98	1.42	1.38
26	BB	2571	U	N1-C2	5.98	1.44	1.38
26	BB	2770	G	C4'-O4'	-5.98	1.37	1.45
1	AA	921	U	N1-C6	5.98	1.43	1.38
26	BB	750	A	N9-C8	-5.98	1.32	1.37
26	BB	919	U	P-O5'	5.98	1.65	1.59
26	BB	1709	U	C4-C5	5.98	1.49	1.43
26	BB	2210	U	C4'-C3'	-5.98	1.46	1.52
26	BB	48	G	N3-C4	5.98	1.39	1.35
26	BB	1563	U	C2-O2	5.98	1.27	1.22
26	BB	2760	C	N1-C6	-5.98	1.33	1.37
1	AA	539	A	C3'-C2'	5.98	1.59	1.52
26	BB	611	C	C3'-C2'	5.98	1.59	1.52
26	BB	714	U	P-O5'	5.98	1.65	1.59
26	BB	767	U	P-O5'	5.98	1.65	1.59
26	BB	1039	A	N9-C4	5.98	1.41	1.37
26	BB	1420	A	C6-N1	5.98	1.39	1.35
26	BB	2203	U	P-O5'	5.98	1.65	1.59
26	BB	2856	A	C5-C6	5.98	1.46	1.41
1	AA	739	C	N1-C6	5.98	1.40	1.37
26	BB	438	G	O3'-P	5.98	1.68	1.61
26	BB	993	G	C2-N2	5.98	1.40	1.34
26	BB	1547	C	N1-C2	5.98	1.46	1.40
26	BB	2138	G	N9-C4	5.98	1.42	1.38
1	AA	1309	G	C4'-O4'	-5.97	1.37	1.45
26	BB	953	G	C4'-C3'	-5.97	1.46	1.52
26	BB	1952	A	C8-N7	-5.97	1.27	1.31
26	BB	2550	G	C6-N1	5.97	1.43	1.39
26	BB	2683	C	N1-C6	5.97	1.40	1.37
1	AA	80	A	C5-C6	5.97	1.46	1.41
1	AA	169	C	C2-O2	5.97	1.29	1.24
1	AA	673	A	C5-C4	-5.97	1.34	1.38
1	AA	1044	A	C8-N7	5.97	1.35	1.31
1	AA	1228	C	N3-C4	5.97	1.38	1.33
1	AA	1398	A	N9-C8	5.97	1.42	1.37
1	AA	1496	C	C4-C5	5.97	1.47	1.43
4	AD	4	G	P-O5'	5.97	1.65	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	267	C	N1-C6	5.97	1.40	1.37
26	BB	860	U	N1-C2	5.97	1.44	1.38
26	BB	954	G	P-O5'	5.97	1.65	1.59
26	BB	1006	C	C4-C5	5.97	1.47	1.43
26	BB	1455	G	N3-C4	5.97	1.39	1.35
1	AA	841	C	N3-C4	5.97	1.38	1.33
26	BB	906	U	C2-N3	5.97	1.42	1.37
26	BB	1274	A	C6-N1	-5.97	1.31	1.35
26	BB	1808	A	C3'-O3'	5.97	1.50	1.42
26	BB	2756	U	N1-C6	5.97	1.43	1.38
1	AA	53	A	C5-C4	-5.97	1.34	1.38
1	AA	226	G	N3-C4	5.97	1.39	1.35
1	AA	232	G	C6-N1	5.97	1.43	1.39
1	AA	675	A	N3-C4	5.97	1.38	1.34
1	AA	1361	G	N9-C4	5.97	1.42	1.38
1	AA	1480	A	C6-N1	-5.97	1.31	1.35
26	BB	524	G	O3'-P	5.97	1.68	1.61
26	BB	2181	U	C5-C6	5.97	1.39	1.34
26	BB	2767	C	C5'-C4'	5.97	1.58	1.51
1	AA	1289	A	C2'-C1'	-5.97	1.46	1.53
1	AA	1408	A	N9-C8	5.97	1.42	1.37
26	BB	139	U	N1-C6	5.97	1.43	1.38
26	BB	355	U	P-O5'	5.97	1.65	1.59
26	BB	1649	G	P-O5'	5.97	1.65	1.59
26	BB	2114	A	C3'-C2'	5.97	1.59	1.52
1	AA	180	U	C5'-C4'	5.97	1.58	1.51
1	AA	570	G	C8-N7	-5.97	1.27	1.30
1	AA	1410	A	N1-C2	-5.97	1.28	1.34
26	BB	160	A	N9-C8	-5.97	1.32	1.37
26	BB	412	A	O3'-P	5.97	1.68	1.61
26	BB	846	U	C4-O4	5.97	1.28	1.23
26	BB	1804	C	C5-C6	5.97	1.39	1.34
26	BB	2528	U	N3-C4	5.97	1.43	1.38
26	BB	2686	G	C5-C4	5.97	1.42	1.38
1	AA	79	G	C5-C6	5.96	1.48	1.42
2	AB	64	U	C4'-O4'	-5.96	1.37	1.45
16	AP	92	ARG	NE-CZ	5.96	1.40	1.33
26	BB	264	C	N1-C6	5.96	1.40	1.37
26	BB	832	U	C2'-C1'	5.96	1.59	1.53
26	BB	343	C	P-O5'	5.96	1.65	1.59
26	BB	1418	G	C4'-O4'	-5.96	1.37	1.45
26	BB	1518	C	N1-C6	5.96	1.40	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	561	U	C2-N3	5.96	1.42	1.37
1	AA	940	C	C4-C5	5.96	1.47	1.43
1	AA	1019	A	C2'-O2'	5.96	1.49	1.41
1	AA	1305	G	N1-C2	5.96	1.42	1.37
1	AA	1317	C	P-O5'	5.96	1.65	1.59
26	BB	1225	G	C2'-C1'	5.96	1.59	1.53
26	BB	1237	A	C2-N3	5.96	1.39	1.33
26	BB	1605	C	C2-N3	5.96	1.40	1.35
26	BB	2419	U	N3-C4	5.96	1.43	1.38
26	BB	2448	A	C4'-O4'	-5.96	1.37	1.45
26	BB	2477	U	C2-N3	5.96	1.42	1.37
26	BB	2711	A	N7-C5	-5.96	1.35	1.39
1	AA	774	G	N9-C4	-5.96	1.33	1.38
26	BB	16	C	C5'-C4'	5.96	1.58	1.51
26	BB	440	C	N1-C6	-5.96	1.33	1.37
26	BB	470	A	C5-C4	-5.96	1.34	1.38
26	BB	836	G	C6-N1	-5.96	1.35	1.39
26	BB	1538	G	C2-N3	5.96	1.37	1.32
1	AA	522	C	N1-C6	5.96	1.40	1.37
26	BB	757	G	O3'-P	5.96	1.68	1.61
26	BB	1399	C	P-O5'	5.96	1.65	1.59
26	BB	1483	G	C2-N3	5.96	1.37	1.32
26	BB	2668	G	N7-C5	-5.96	1.35	1.39
1	AA	281	G	N1-C2	5.96	1.42	1.37
1	AA	738	C	C5-C6	-5.96	1.29	1.34
2	AB	71	C	P-O5'	5.96	1.65	1.59
26	BB	351	C	C5'-C4'	5.96	1.58	1.51
26	BB	1821	A	C5-C6	5.96	1.46	1.41
26	BB	2288	A	O3'-P	5.96	1.68	1.61
26	BB	2371	G	N1-C2	5.96	1.42	1.37
26	BB	2852	G	N1-C2	5.96	1.42	1.37
1	AA	321	A	N9-C4	5.96	1.41	1.37
1	AA	1393	U	C3'-C2'	5.96	1.59	1.52
25	BA	54	G	C6-N1	5.96	1.43	1.39
26	BB	933	A	C5'-C4'	5.96	1.58	1.51
26	BB	1352	U	C4-C5	5.96	1.49	1.43
26	BB	1537	G	C2-N3	5.96	1.37	1.32
26	BB	1795	C	C4-C5	5.96	1.47	1.43
26	BB	1818	U	C2-N3	5.96	1.42	1.37
1	AA	149	A	C2'-C1'	-5.95	1.46	1.53
1	AA	569	C	O3'-P	5.95	1.68	1.61
1	AA	1067	A	C5-C4	-5.95	1.34	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1241	G	C2'-O2'	5.95	1.49	1.41
26	BB	156	A	O3'-P	5.95	1.68	1.61
26	BB	1076	C	N3-C4	5.95	1.38	1.33
26	BB	1193	G	C6-O6	-5.95	1.18	1.24
26	BB	1355	G	C5-C4	5.95	1.42	1.38
26	BB	1783	A	O3'-P	5.95	1.68	1.61
26	BB	1929	G	C5-C4	5.95	1.42	1.38
26	BB	2161	C	C4-N4	5.95	1.39	1.33
25	BA	9	G	N3-C4	5.95	1.39	1.35
26	BB	1615	C	C2-N3	5.95	1.40	1.35
26	BB	2027	G	C8-N7	5.95	1.34	1.30
26	BB	2286	G	C6-N1	5.95	1.43	1.39
26	BB	2746	U	C5-C6	5.95	1.39	1.34
1	AA	57	G	C2-N2	-5.95	1.28	1.34
1	AA	600	A	C3'-C2'	-5.95	1.46	1.52
1	AA	671	G	O3'-P	5.95	1.68	1.61
1	AA	864	A	N7-C5	-5.95	1.35	1.39
26	BB	1148	U	N1-C2	5.95	1.44	1.38
26	BB	1904	G	N9-C8	5.95	1.42	1.37
26	BB	2302	U	C5'-C4'	5.95	1.58	1.51
26	BB	2566	A	N1-C2	-5.95	1.28	1.34
26	BB	2820	A	P-O5'	5.95	1.65	1.59
1	AA	38	G	N1-C2	5.95	1.42	1.37
1	AA	1192	C	C1'-N1	5.95	1.57	1.48
1	AA	1331	G	C2-N3	5.95	1.37	1.32
26	BB	41	C	C2-N3	5.95	1.40	1.35
26	BB	108	G	C3'-C2'	-5.95	1.46	1.52
26	BB	1151	A	C2'-C1'	-5.95	1.46	1.53
26	BB	1825	U	C2'-C1'	5.95	1.59	1.53
26	BB	1964	G	P-O5'	5.95	1.65	1.59
26	BB	2873	A	N9-C8	5.95	1.42	1.37
1	AA	1488	G	C8-N7	5.95	1.34	1.30
1	AA	584	G	P-O5'	5.95	1.65	1.59
1	AA	1063	C	N1-C2	5.95	1.46	1.40
1	AA	1445	U	C2-N3	5.95	1.42	1.37
25	BA	53	A	C8-N7	-5.95	1.27	1.31
26	BB	138	U	O3'-P	5.95	1.68	1.61
26	BB	160	A	N1-C2	5.95	1.39	1.34
26	BB	454	A	C5-C4	-5.95	1.34	1.38
26	BB	757	G	P-O5'	5.95	1.65	1.59
26	BB	1463	C	N3-C4	5.95	1.38	1.33
26	BB	1789	A	C8-N7	-5.95	1.27	1.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2846	G	N3-C4	5.95	1.39	1.35
1	AA	338	A	N9-C4	-5.94	1.34	1.37
1	AA	588	G	C5-C4	-5.94	1.34	1.38
4	AD	15	G	C3'-C2'	-5.94	1.46	1.52
1	AA	60	A	C8-N7	-5.94	1.27	1.31
1	AA	165	G	N1-C2	-5.94	1.32	1.37
1	AA	223	A	N9-C8	5.94	1.42	1.37
4	AD	47	A	N9-C8	-5.94	1.32	1.37
26	BB	336	C	O4'-C1'	5.94	1.49	1.41
26	BB	502	A	C2'-C1'	5.94	1.59	1.53
26	BB	621	A	C4'-C3'	-5.94	1.46	1.52
26	BB	1383	A	C4'-O4'	-5.94	1.37	1.45
26	BB	1482	G	P-O5'	5.94	1.65	1.59
26	BB	1515	A	N9-C8	-5.94	1.32	1.37
26	BB	1726	C	O3'-P	5.94	1.68	1.61
26	BB	1840	G	C2-N2	5.94	1.40	1.34
26	BB	2535	G	N1-C2	5.94	1.42	1.37
1	AA	915	A	N3-C4	5.94	1.38	1.34
4	AD	77	A	O4'-C1'	5.94	1.49	1.41
26	BB	87	U	C4'-O4'	-5.94	1.37	1.45
26	BB	834	G	C5-C4	-5.94	1.34	1.38
26	BB	1588	G	O5'-C5'	-5.94	1.33	1.42
26	BB	2107	G	N9-C8	-5.94	1.33	1.37
26	BB	2265	U	C2-N3	5.94	1.42	1.37
26	BB	2511	U	C4'-O4'	-5.94	1.37	1.45
1	AA	394	G	C6-O6	-5.94	1.18	1.24
1	AA	563	A	C5-C4	-5.94	1.34	1.38
1	AA	767	A	P-O5'	5.94	1.65	1.59
1	AA	1349	A	O3'-P	5.94	1.68	1.61
26	BB	2139	U	P-O5'	5.94	1.65	1.59
1	AA	304	U	C4'-C3'	-5.94	1.46	1.52
17	AQ	54	SER	CB-OG	-5.94	1.34	1.42
26	BB	765	C	C5-C6	5.94	1.39	1.34
26	BB	962	G	O3'-P	5.94	1.68	1.61
26	BB	1087	G	C2-N3	5.94	1.37	1.32
26	BB	1285	A	C6-N1	5.94	1.39	1.35
26	BB	1503	A	N7-C5	5.94	1.42	1.39
26	BB	1849	G	C6-O6	-5.94	1.18	1.24
26	BB	2817	U	C4'-O4'	-5.94	1.37	1.45
1	AA	498	A	C8-N7	-5.94	1.27	1.31
26	BB	786	C	P-O5'	-5.94	1.53	1.59
26	BB	1462	C	N3-C4	5.94	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	431	A	C3'-C2'	-5.93	1.46	1.52
1	AA	444	G	C2-N3	5.93	1.37	1.32
1	AA	786	G	C3'-C2'	-5.93	1.46	1.52
1	AA	1253	G	C3'-C2'	5.93	1.59	1.52
26	BB	125	A	N9-C8	5.93	1.42	1.37
26	BB	172	A	C4'-C3'	5.93	1.59	1.53
26	BB	628	G	N3-C4	5.93	1.39	1.35
26	BB	1003	G	C5-C4	-5.93	1.34	1.38
26	BB	1032	A	P-O5'	-5.93	1.53	1.59
26	BB	1982	U	C4-C5	5.93	1.48	1.43
26	BB	2166	U	C4-O4	5.93	1.28	1.23
26	BB	2439	A	N3-C4	5.93	1.38	1.34
1	AA	1398	A	C2'-O2'	5.93	1.49	1.41
26	BB	12	U	N1-C2	5.93	1.43	1.38
26	BB	258	G	C2-N3	5.93	1.37	1.32
26	BB	410	G	C2-N3	5.93	1.37	1.32
26	BB	527	C	N1-C2	5.93	1.46	1.40
26	BB	862	G	C5-C4	5.93	1.42	1.38
26	BB	1247	A	O3'-P	-5.93	1.54	1.61
26	BB	1319	C	C2'-O2'	-5.93	1.33	1.41
1	AA	518	C	P-O5'	5.93	1.65	1.59
1	AA	113	G	C5-C4	5.93	1.42	1.38
1	AA	452	A	C8-N7	5.93	1.35	1.31
1	AA	954	G	N7-C5	5.93	1.42	1.39
4	AD	12	G	C3'-C2'	5.93	1.59	1.52
26	BB	492	A	C2'-O2'	5.93	1.49	1.41
26	BB	661	A	C5-C4	5.93	1.43	1.38
26	BB	1124	G	C5-C4	-5.93	1.34	1.38
26	BB	1558	C	C4'-O4'	-5.93	1.37	1.45
26	BB	2446	G	N9-C8	5.93	1.42	1.37
1	AA	183	C	O3'-P	5.93	1.68	1.61
1	AA	536	C	N1-C6	5.93	1.40	1.37
1	AA	848	C	C2-N3	5.93	1.40	1.35
26	BB	264	C	C4'-O4'	-5.93	1.37	1.45
26	BB	1044	C	N1-C6	5.93	1.40	1.37
26	BB	1137	G	P-O5'	-5.93	1.53	1.59
26	BB	1305	C	N3-C4	5.93	1.38	1.33
26	BB	1581	G	N9-C8	5.93	1.42	1.37
26	BB	1583	A	N3-C4	5.93	1.38	1.34
26	BB	2623	G	P-O5'	5.93	1.65	1.59
35	BK	61	TYR	CE1-CZ	5.93	1.46	1.38
1	AA	53	A	C5'-C4'	5.93	1.58	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	343	C	C4-C5	5.93	1.47	1.43
26	BB	1674	G	O3'-P	-5.93	1.54	1.61
26	BB	2162	G	C6-O6	-5.93	1.18	1.24
26	BB	2398	U	C2'-O2'	5.93	1.49	1.41
26	BB	2493	U	O3'-P	5.93	1.68	1.61
26	BB	2588	G	C6-N1	5.93	1.43	1.39
1	AA	731	G	N3-C4	5.92	1.39	1.35
1	AA	888	G	N3-C4	5.92	1.39	1.35
1	AA	1049	U	C4'-C3'	-5.92	1.46	1.52
1	AA	1186	G	C4'-C3'	5.92	1.59	1.53
26	BB	116	C	O3'-P	5.92	1.68	1.61
26	BB	413	C	P-O5'	5.92	1.65	1.59
26	BB	525	U	C2-N3	5.92	1.41	1.37
26	BB	1185	G	C5-C6	5.92	1.48	1.42
26	BB	1185	G	N7-C5	-5.92	1.35	1.39
26	BB	1337	G	C6-N1	-5.92	1.35	1.39
26	BB	1700	A	C2'-C1'	5.92	1.59	1.53
26	BB	1899	A	C5-C6	5.92	1.46	1.41
26	BB	2324	U	C2'-C1'	5.92	1.59	1.53
1	AA	1329	A	N7-C5	5.92	1.42	1.39
1	AA	1437	A	C3'-C2'	-5.92	1.46	1.52
26	BB	2299	U	C4'-C3'	5.92	1.59	1.53
1	AA	4	U	C2-O2	5.92	1.27	1.22
1	AA	332	G	C8-N7	-5.92	1.27	1.30
1	AA	498	A	C2-N3	5.92	1.38	1.33
1	AA	604	G	C8-N7	-5.92	1.27	1.30
1	AA	605	U	C4-C5	5.92	1.48	1.43
1	AA	686	U	C2-N3	5.92	1.41	1.37
1	AA	730	G	N9-C8	5.92	1.42	1.37
1	AA	878	A	N7-C5	5.92	1.42	1.39
1	AA	1432	G	O3'-P	5.92	1.68	1.61
26	BB	1480	C	N1-C6	-5.92	1.33	1.37
26	BB	2723	C	C2-O2	-5.92	1.19	1.24
1	AA	230	G	N7-C5	5.92	1.42	1.39
1	AA	1164	G	C2-N3	5.92	1.37	1.32
1	AA	791	G	N9-C8	5.92	1.42	1.37
1	AA	913	A	C6-N1	5.92	1.39	1.35
1	AA	1356	G	C8-N7	5.92	1.34	1.30
26	BB	97	C	C2-N3	5.92	1.40	1.35
26	BB	118	A	C8-N7	-5.92	1.27	1.31
26	BB	319	G	C3'-C2'	5.92	1.59	1.52
26	BB	352	A	C3'-C2'	-5.92	1.46	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1464	G	C4'-O4'	-5.92	1.37	1.45
26	BB	1553	A	C6-N1	5.92	1.39	1.35
26	BB	1559	U	C3'-C2'	5.92	1.59	1.52
26	BB	2116	G	C4'-O4'	-5.92	1.37	1.45
26	BB	2484	G	N7-C5	-5.92	1.35	1.39
26	BB	2859	G	C2'-C1'	-5.92	1.46	1.53
1	AA	213	G	N1-C2	5.92	1.42	1.37
1	AA	401	C	C4'-O4'	-5.92	1.37	1.45
1	AA	1164	G	P-O5'	5.92	1.65	1.59
26	BB	1474	U	O4'-C1'	5.92	1.49	1.41
26	BB	1491	G	N9-C4	5.92	1.42	1.38
26	BB	2457	PSU	O3'-P	5.92	1.68	1.61
1	AA	1167	A	P-O5'	5.92	1.65	1.59
2	AB	39	A	C6-N6	5.92	1.38	1.33
26	BB	567	U	C4-O4	-5.92	1.19	1.23
26	BB	647	G	C5'-C4'	5.92	1.58	1.51
26	BB	2455	G	P-O5'	5.92	1.65	1.59
1	AA	1283	U	C5-C6	5.91	1.39	1.34
4	AD	51	U	C5-C6	5.91	1.39	1.34
26	BB	12	U	N3-C4	5.91	1.43	1.38
26	BB	111	A	C2-N3	-5.91	1.28	1.33
26	BB	794	A	N7-C5	5.91	1.42	1.39
26	BB	827	U	C4'-O4'	-5.91	1.37	1.45
26	BB	836	G	P-O5'	5.91	1.65	1.59
26	BB	1868	C	C4-N4	-5.91	1.28	1.33
26	BB	1994	C	C5-C6	5.91	1.39	1.34
26	BB	2349	G	C6-O6	-5.91	1.18	1.24
1	AA	232	G	N9-C8	-5.91	1.33	1.37
1	AA	382	A	C6-N1	-5.91	1.31	1.35
1	AA	943	U	C5'-C4'	5.91	1.58	1.51
1	AA	1221	G	N9-C8	5.91	1.42	1.37
1	AA	1289	A	N9-C8	-5.91	1.33	1.37
3	AC	29	G	N7-C5	5.91	1.42	1.39
26	BB	833	A	C5-C6	5.91	1.46	1.41
26	BB	1052	C	P-O5'	-5.91	1.53	1.59
26	BB	1697	G	C5'-C4'	5.91	1.58	1.51
26	BB	2049	G	P-O5'	5.91	1.65	1.59
26	BB	2103	C	C4-C5	5.91	1.47	1.43
26	BB	2249	U	O3'-P	5.91	1.68	1.61
1	AA	32	A	N7-C5	-5.91	1.35	1.39
1	AA	71	A	N9-C4	5.91	1.41	1.37
1	AA	319	G	N7-C5	5.91	1.42	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1369	C	C5-C6	5.91	1.39	1.34
1	AA	1511	G	P-O5'	5.91	1.65	1.59
25	BA	5	U	C1'-N1	5.91	1.57	1.48
26	BB	1077	A	C2'-C1'	5.91	1.59	1.53
26	BB	1795	C	N1-C6	-5.91	1.33	1.37
26	BB	2245	U	N1-C6	5.91	1.43	1.38
26	BB	2407	A	P-O5'	5.91	1.65	1.59
1	AA	649	A	O3'-P	5.91	1.68	1.61
1	AA	676	A	N7-C5	5.91	1.42	1.39
25	BA	29	A	C5'-C4'	5.91	1.58	1.51
26	BB	382	A	C5'-C4'	5.91	1.58	1.51
26	BB	2045	C	N1-C6	5.91	1.40	1.37
1	AA	614	C	N1-C6	5.91	1.40	1.37
26	BB	1046	A	C5-C4	-5.91	1.34	1.38
26	BB	1543	G	N7-C5	5.91	1.42	1.39
26	BB	2391	G	N3-C4	5.91	1.39	1.35
26	BB	2515	C	N1-C6	-5.91	1.33	1.37
26	BB	2879	A	C8-N7	5.91	1.35	1.31
38	BN	140	GLY	CA-C	5.91	1.61	1.51
1	AA	997	U	C4-C5	5.90	1.48	1.43
1	AA	1477	U	C2'-O2'	5.90	1.49	1.41
26	BB	892	A	C4'-O4'	-5.90	1.37	1.45
26	BB	2655	G	C5-C4	-5.90	1.34	1.38
26	BB	2732	G	N9-C4	5.90	1.42	1.38
1	AA	20	U	C5'-C4'	5.90	1.58	1.51
1	AA	529	G	C2-N3	5.90	1.37	1.32
1	AA	813	U	N3-C4	5.90	1.43	1.38
1	AA	938	A	O3'-P	-5.90	1.54	1.61
1	AA	1231	G	C3'-C2'	5.90	1.59	1.52
1	AA	1359	C	C2-O2	-5.90	1.19	1.24
25	BA	20	G	C4'-C3'	5.90	1.59	1.53
26	BB	1307	A	N3-C4	5.90	1.38	1.34
26	BB	1368	G	C8-N7	-5.90	1.27	1.30
26	BB	1809	A	N7-C5	-5.90	1.35	1.39
1	AA	109	A	N1-C2	-5.90	1.29	1.34
1	AA	1131	G	N7-C5	5.90	1.42	1.39
1	AA	1140	C	N3-C4	5.90	1.38	1.33
1	AA	1170	A	N3-C4	5.90	1.38	1.34
25	BA	4	C	O3'-P	5.90	1.68	1.61
26	BB	386	G	C8-N7	-5.90	1.27	1.30
26	BB	645	C	P-O5'	5.90	1.65	1.59
26	BB	1159	U	N3-C4	5.90	1.43	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2363	G	C5-C6	5.90	1.48	1.42
26	BB	2790	U	C5-C6	5.90	1.39	1.34
1	AA	266	G	P-O5'	5.90	1.65	1.59
3	AC	24	A	N3-C4	5.90	1.38	1.34
1	AA	167	A	C3'-C2'	-5.90	1.46	1.52
1	AA	657	U	N3-C4	5.90	1.43	1.38
1	AA	1177	G	N9-C4	-5.90	1.33	1.38
26	BB	768	G	C2-N2	-5.90	1.28	1.34
26	BB	857	G	P-O5'	5.90	1.65	1.59
26	BB	912	C	C5'-C4'	5.90	1.58	1.51
26	BB	1265	A	O3'-P	5.90	1.68	1.61
26	BB	1513	U	P-O5'	5.90	1.65	1.59
26	BB	1860	G	P-O5'	5.90	1.65	1.59
26	BB	1916	A	N3-C4	5.90	1.38	1.34
1	AA	246	A	N9-C8	5.90	1.42	1.37
1	AA	1173	U	N1-C2	5.90	1.43	1.38
25	BA	95	U	P-O5'	5.90	1.65	1.59
26	BB	1027	A	C5-C4	5.90	1.42	1.38
26	BB	1364	G	N9-C8	5.90	1.42	1.37
1	AA	112	G	C8-N7	5.89	1.34	1.30
1	AA	985	C	C3'-C2'	-5.89	1.46	1.52
1	AA	1250	A	N7-C5	-5.89	1.35	1.39
1	AA	1441	A	N9-C8	5.89	1.42	1.37
2	AB	67	G	C2-N3	5.89	1.37	1.32
26	BB	372	G	C2-N3	5.89	1.37	1.32
26	BB	875	G	C4'-O4'	-5.89	1.37	1.45
26	BB	1886	U	C5'-C4'	5.89	1.58	1.51
26	BB	2127	G	C2-N3	5.89	1.37	1.32
1	AA	1145	A	N7-C5	-5.89	1.35	1.39
4	AD	19	G	C3'-O3'	5.89	1.50	1.42
26	BB	1829	A	N3-C4	5.89	1.38	1.34
1	AA	125	U	N1-C6	5.89	1.43	1.38
1	AA	243	A	C6-N1	-5.89	1.31	1.35
1	AA	1258	G	N9-C4	-5.89	1.33	1.38
1	AA	852	G	C2-N3	5.89	1.37	1.32
26	BB	706	A	C5'-C4'	5.89	1.58	1.51
26	BB	1068	G	C8-N7	-5.89	1.27	1.30
26	BB	1143	A	C3'-C2'	-5.89	1.46	1.52
26	BB	1417	C	C4-C5	5.89	1.47	1.43
1	AA	971	G	N3-C4	5.89	1.39	1.35
1	AA	1537	U	C5-C6	5.89	1.39	1.34
1	AA	1538	C	P-O5'	5.89	1.65	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	25	U	P-O5'	-5.89	1.53	1.59
26	BB	287	G	N7-C5	5.89	1.42	1.39
26	BB	557	C	O3'-P	5.89	1.68	1.61
26	BB	1749	A	C5-C4	5.89	1.42	1.38
26	BB	1167	C	C2-N3	5.89	1.40	1.35
26	BB	1851	U	C4'-O4'	-5.89	1.37	1.45
26	BB	1937	A	N7-C5	5.89	1.42	1.39
26	BB	2472	G	N9-C4	-5.89	1.33	1.38
1	AA	121	U	C2-N3	5.88	1.41	1.37
1	AA	452	A	C6-N6	5.88	1.38	1.33
1	AA	639	G	N9-C8	-5.88	1.33	1.37
1	AA	650	G	C4'-C3'	-5.88	1.46	1.52
4	AD	66	C	C5'-C4'	5.88	1.58	1.51
26	BB	1492	G	O4'-C1'	5.88	1.49	1.41
26	BB	2185	U	P-O5'	5.88	1.65	1.59
1	AA	438	U	C2-O2	5.88	1.27	1.22
1	AA	832	G	C8-N7	-5.88	1.27	1.30
1	AA	1426	G	N1-C2	5.88	1.42	1.37
26	BB	580	U	C3'-O3'	5.88	1.50	1.42
26	BB	973	A	P-O5'	5.88	1.65	1.59
26	BB	1842	G	C6-N1	-5.88	1.35	1.39
26	BB	2353	G	C2-N3	5.88	1.37	1.32
26	BB	2899	A	N9-C4	5.88	1.41	1.37
1	AA	417	G	C2-N3	5.88	1.37	1.32
1	AA	674	G	N9-C8	5.88	1.42	1.37
1	AA	1092	A	C4'-O4'	-5.88	1.38	1.45
26	BB	53	A	N7-C5	5.88	1.42	1.39
26	BB	1407	G	C4'-C3'	-5.88	1.46	1.52
26	BB	1493	C	P-O5'	5.88	1.65	1.59
26	BB	2142	A	N9-C4	5.88	1.41	1.37
26	BB	2182	U	C2-O2	5.88	1.27	1.22
26	BB	336	C	C1'-N1	5.88	1.57	1.48
26	BB	422	A	P-O5'	5.88	1.65	1.59
26	BB	1207	C	C2'-C1'	5.88	1.59	1.53
1	AA	490	C	N1-C6	-5.88	1.33	1.37
1	AA	720	C	C5'-C4'	5.88	1.58	1.51
1	AA	722	G	O3'-P	-5.88	1.54	1.61
1	AA	989	U	P-O5'	5.88	1.65	1.59
1	AA	1326	U	C4-C5	-5.88	1.38	1.43
3	AC	19	A	O3'-P	5.88	1.68	1.61
26	BB	565	C	C5'-C4'	5.88	1.58	1.51
26	BB	843	G	C2-N2	5.88	1.40	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1682	G	C5-C6	5.88	1.48	1.42
26	BB	2306	C	C2-N3	-5.88	1.31	1.35
1	AA	379	C	C2-N3	5.88	1.40	1.35
1	AA	508	U	N1-C2	5.88	1.43	1.38
1	AA	580	C	C2-N3	5.88	1.40	1.35
1	AA	657	U	N1-C2	5.88	1.43	1.38
1	AA	1411	C	C2-N3	5.88	1.40	1.35
17	AQ	19	TYR	CE2-CZ	5.88	1.46	1.38
26	BB	54	G	O3'-P	5.88	1.68	1.61
26	BB	155	A	C6-N6	5.88	1.38	1.33
26	BB	424	G	N9-C8	-5.88	1.33	1.37
26	BB	600	G	O3'-P	5.88	1.68	1.61
26	BB	1243	C	C2-N3	5.88	1.40	1.35
26	BB	1623	G	C5-C4	5.88	1.42	1.38
26	BB	1738	G	C2'-C1'	5.88	1.59	1.53
26	BB	2211	A	O3'-P	5.88	1.68	1.61
1	AA	622	A	O3'-P	5.88	1.68	1.61
1	AA	1225	A	C5'-C4'	5.88	1.58	1.51
26	BB	1425	G	P-O5'	5.88	1.65	1.59
26	BB	1879	C	C2-N3	-5.88	1.31	1.35
26	BB	2068	U	P-O5'	5.88	1.65	1.59
26	BB	2253	G	N7-C5	-5.88	1.35	1.39
1	AA	399	G	P-O5'	-5.87	1.53	1.59
1	AA	480	U	C3'-C2'	-5.87	1.46	1.52
1	AA	568	G	O4'-C1'	-5.87	1.34	1.41
1	AA	1096	C	N1-C6	5.87	1.40	1.37
1	AA	1111	A	C4'-O4'	-5.87	1.38	1.45
1	AA	1531	A	N9-C4	5.87	1.41	1.37
26	BB	202	U	C3'-O3'	5.87	1.50	1.42
26	BB	309	A	P-O5'	5.87	1.65	1.59
26	BB	998	C	P-O5'	5.87	1.65	1.59
26	BB	1300	G	N3-C4	-5.87	1.31	1.35
26	BB	1420	A	N3-C4	5.87	1.38	1.34
26	BB	1545	A	P-O5'	-5.87	1.53	1.59
26	BB	2319	G	C5-C4	-5.87	1.34	1.38
1	AA	767	A	C8-N7	5.87	1.35	1.31
1	AA	1293	C	C4-C5	5.87	1.47	1.43
1	AA	1352	C	C5-C6	5.87	1.39	1.34
1	AA	1523	G	O3'-P	5.87	1.68	1.61
25	BA	76	G	C4'-C3'	-5.87	1.46	1.52
26	BB	15	G	C2-N3	5.87	1.37	1.32
26	BB	1197	G	C4'-O4'	-5.87	1.38	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1251	C	N1-C6	5.87	1.40	1.37
26	BB	1411	U	N1-C6	-5.87	1.32	1.38
26	BB	1843	C	C2'-O2'	-5.87	1.34	1.41
26	BB	2087	G	C8-N7	5.87	1.34	1.30
1	AA	249	U	O3'-P	5.87	1.68	1.61
1	AA	280	C	C4'-O4'	-5.87	1.38	1.45
1	AA	711	G	C5-C4	5.87	1.42	1.38
1	AA	817	C	O3'-P	5.87	1.68	1.61
1	AA	982	U	P-O5'	5.87	1.65	1.59
1	AA	1418	A	P-O5'	5.87	1.65	1.59
26	BB	109	C	C4-N4	5.87	1.39	1.33
26	BB	1679	A	C4'-O4'	-5.87	1.38	1.45
26	BB	2029	G	C5-C6	5.87	1.48	1.42
1	AA	918	A	N3-C4	5.87	1.38	1.34
26	BB	2094	A	N3-C4	5.87	1.38	1.34
26	BB	2159	G	C6-O6	-5.87	1.18	1.24
1	AA	538	G	C2'-O2'	-5.87	1.34	1.41
1	AA	1019	A	N3-C4	5.87	1.38	1.34
1	AA	1045	C	C4-N4	-5.87	1.28	1.33
26	BB	1103	A	C4'-O4'	-5.87	1.38	1.45
26	BB	1161	C	C4'-O4'	-5.87	1.38	1.45
1	AA	219	U	C4-C5	5.87	1.48	1.43
1	AA	398	U	P-O5'	5.87	1.65	1.59
1	AA	1100	C	C2'-O2'	5.87	1.49	1.41
1	AA	1365	G	C2-N3	5.87	1.37	1.32
1	AA	1433	A	C6-N1	-5.87	1.31	1.35
1	AA	1465	A	O4'-C1'	5.87	1.49	1.41
17	AQ	83	VAL	CB-CG1	5.87	1.65	1.52
26	BB	743	A	C6-N6	-5.87	1.29	1.33
26	BB	1805	A	C4'-O4'	-5.87	1.38	1.45
26	BB	2314	A	C6-N6	5.87	1.38	1.33
26	BB	2788	C	C2-O2	-5.87	1.19	1.24
26	BB	2885	G	C3'-C2'	5.87	1.59	1.52
26	BB	272	A	C4'-O4'	-5.86	1.38	1.45
26	BB	1093	G	C2-N3	5.86	1.37	1.32
26	BB	1646	C	C2'-O2'	5.86	1.49	1.41
26	BB	1808	A	N9-C8	5.86	1.42	1.37
26	BB	2353	G	C5-C4	-5.86	1.34	1.38
1	AA	1489	G	C2-N3	5.86	1.37	1.32
26	BB	1888	G	N3-C4	5.86	1.39	1.35
26	BB	2002	G	O3'-P	5.86	1.68	1.61
26	BB	2320	U	C2-N3	5.86	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2463	C	C4-N4	-5.86	1.28	1.33
1	AA	512	U	P-O5'	5.86	1.65	1.59
1	AA	588	G	N3-C4	5.86	1.39	1.35
1	AA	888	G	N1-C2	5.86	1.42	1.37
1	AA	1492	A	N9-C4	5.86	1.41	1.37
1	AA	1517	G	N1-C2	5.86	1.42	1.37
26	BB	1651	G	O3'-P	-5.86	1.54	1.61
26	BB	2840	C	N1-C2	5.86	1.46	1.40
30	BF	35	TYR	CE2-CZ	5.86	1.46	1.38
26	BB	31	C	N3-C4	5.86	1.38	1.33
26	BB	1201	U	N1-C2	5.86	1.43	1.38
26	BB	1253	A	C6-N1	5.86	1.39	1.35
26	BB	1847	A	N3-C4	5.86	1.38	1.34
1	AA	112	G	C5-C6	5.86	1.48	1.42
1	AA	478	A	C6-N1	5.86	1.39	1.35
25	BA	34	A	P-O5'	5.86	1.65	1.59
26	BB	94	A	C3'-C2'	-5.86	1.46	1.52
26	BB	1172	C	C4-C5	5.86	1.47	1.43
26	BB	1632	A	C8-N7	-5.86	1.27	1.31
26	BB	1633	G	C2-N3	5.86	1.37	1.32
1	AA	669	G	C5-C4	-5.86	1.34	1.38
1	AA	1016	A	N3-C4	5.86	1.38	1.34
26	BB	16	C	C2'-O2'	5.86	1.49	1.41
26	BB	145	C	N1-C6	5.86	1.40	1.37
26	BB	1051	G	N1-C2	5.86	1.42	1.37
26	BB	1219	U	O3'-P	5.86	1.68	1.61
26	BB	1227	G	C5-C4	-5.86	1.34	1.38
26	BB	1641	A	C5-C4	-5.86	1.34	1.38
26	BB	1792	G	C5'-C4'	5.86	1.58	1.51
26	BB	1973	G	N9-C8	-5.86	1.33	1.37
26	BB	2022	U	C2'-C1'	-5.86	1.47	1.53
26	BB	2363	G	N9-C8	5.86	1.42	1.37
1	AA	1153	G	C2-N3	5.85	1.37	1.32
26	BB	717	C	O3'-P	5.85	1.68	1.61
26	BB	1592	C	C2-O2	-5.85	1.19	1.24
26	BB	2396	G	C2'-C1'	-5.85	1.47	1.53
1	AA	410	G	C4'-C3'	5.85	1.59	1.53
1	AA	576	C	N3-C4	5.85	1.38	1.33
1	AA	1033	G	C2'-C1'	-5.85	1.47	1.53
26	BB	1485	U	C2-N3	5.85	1.41	1.37
26	BB	2013	A	O3'-P	5.85	1.68	1.61
26	BB	2038	G	C4'-C3'	5.85	1.59	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1080	A	P-O5'	5.85	1.65	1.59
26	BB	331	C	C5'-C4'	5.85	1.58	1.51
26	BB	620	G	N9-C4	-5.85	1.33	1.38
26	BB	1359	A	C6-N6	-5.85	1.29	1.33
26	BB	2267	A	C2'-C1'	-5.85	1.47	1.53
1	AA	341	C	N1-C6	5.85	1.40	1.37
1	AA	949	A	C4'-C3'	-5.85	1.46	1.52
1	AA	1179	A	C6-N1	5.85	1.39	1.35
1	AA	1279	G	C4'-C3'	5.85	1.59	1.53
2	AB	41	C	N1-C6	5.85	1.40	1.37
26	BB	254	G	C6-N1	-5.85	1.35	1.39
26	BB	537	G	C4'-O4'	-5.85	1.38	1.45
26	BB	935	C	C4'-C3'	5.85	1.59	1.53
26	BB	1099	G	N1-C2	5.85	1.42	1.37
26	BB	1236	G	C5'-C4'	5.85	1.58	1.51
26	BB	2391	G	C4'-O4'	-5.85	1.38	1.45
1	AA	457	G	C2-N3	5.85	1.37	1.32
1	AA	1125	U	C5-C6	5.85	1.39	1.34
26	BB	1202	G	C5-C6	5.85	1.48	1.42
26	BB	1225	G	C5-C4	5.85	1.42	1.38
26	BB	1748	C	C5-C6	5.85	1.39	1.34
26	BB	1833	C	C4-C5	5.85	1.47	1.43
26	BB	2120	G	C2-N3	5.85	1.37	1.32
26	BB	2383	G	N9-C8	-5.85	1.33	1.37
26	BB	2736	A	C8-N7	-5.85	1.27	1.31
26	BB	2806	C	C4'-O4'	-5.85	1.38	1.45
4	AD	64	G	C5-C6	5.85	1.48	1.42
26	BB	1340	U	N1-C6	5.85	1.43	1.38
26	BB	1503	A	O4'-C1'	5.85	1.49	1.41
26	BB	2636	C	C2-N3	-5.85	1.31	1.35
1	AA	138	G	N9-C8	5.84	1.42	1.37
1	AA	253	A	P-O5'	5.84	1.65	1.59
1	AA	292	G	C2'-C1'	5.84	1.59	1.53
1	AA	763	G	N7-C5	5.84	1.42	1.39
1	AA	1352	C	C2'-O2'	5.84	1.49	1.41
26	BB	375	G	N7-C5	-5.84	1.35	1.39
26	BB	461	C	N1-C6	5.84	1.40	1.37
26	BB	1343	G	O4'-C1'	5.84	1.49	1.41
26	BB	1633	G	N1-C2	5.84	1.42	1.37
26	BB	1860	G	N1-C2	5.84	1.42	1.37
26	BB	2118	U	C2-N3	5.84	1.41	1.37
26	BB	2243	U	C4'-C3'	-5.84	1.46	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2358	A	N7-C5	5.84	1.42	1.39
26	BB	2384	U	C4-C5	5.84	1.48	1.43
26	BB	2671	G	P-O5'	5.84	1.65	1.59
1	AA	942	G	N1-C2	5.84	1.42	1.37
1	AA	1163	A	C6-N1	-5.84	1.31	1.35
1	AA	1442	G	N9-C4	5.84	1.42	1.38
26	BB	870	U	C2-N3	5.84	1.41	1.37
26	BB	2410	G	C2-N3	5.84	1.37	1.32
1	AA	315	A	C5'-C4'	5.84	1.58	1.51
1	AA	754	C	C4-C5	5.84	1.47	1.43
26	BB	512	G	O3'-P	5.84	1.68	1.61
26	BB	2266	A	N3-C4	5.84	1.38	1.34
26	BB	2649	C	P-O5'	5.84	1.65	1.59
1	AA	202	G	N7-C5	5.84	1.42	1.39
3	AC	32	U	C5'-C4'	5.84	1.58	1.51
26	BB	542	C	C5'-C4'	5.84	1.58	1.51
26	BB	725	G	C2'-C1'	-5.84	1.47	1.53
26	BB	851	C	C3'-O3'	-5.84	1.33	1.42
26	BB	1272	A	C8-N7	5.84	1.35	1.31
26	BB	1310	G	C2'-C1'	-5.84	1.47	1.53
26	BB	1732	C	C2'-C1'	-5.84	1.47	1.53
26	BB	1740	G	C5-C4	-5.84	1.34	1.38
26	BB	2199	A	N3-C4	5.84	1.38	1.34
26	BB	2505	G	C6-N1	5.84	1.43	1.39
2	AB	38	A	C4'-O4'	-5.84	1.38	1.45
25	BA	57	A	P-O5'	5.84	1.65	1.59
25	BA	112	G	C2-N3	5.84	1.37	1.32
26	BB	593	U	O3'-P	5.84	1.68	1.61
26	BB	2278	A	C8-N7	-5.84	1.27	1.31
1	AA	98	A	C3'-C2'	5.83	1.59	1.52
1	AA	1211	U	C4'-O4'	-5.83	1.38	1.45
1	AA	1530	G	C5-C4	5.83	1.42	1.38
26	BB	68	G	C4'-O4'	-5.83	1.38	1.45
26	BB	1466	U	C5-C6	5.83	1.39	1.34
26	BB	1869	G	C6-O6	-5.83	1.18	1.24
1	AA	40	C	C5-C6	5.83	1.39	1.34
1	AA	403	C	N3-C4	5.83	1.38	1.33
1	AA	470	C	C5-C6	5.83	1.39	1.34
1	AA	990	C	C5'-C4'	5.83	1.58	1.51
1	AA	1395	C	C2'-C1'	5.83	1.59	1.53
1	AA	1459	G	C5-C6	5.83	1.48	1.42
26	BB	386	G	C4'-O4'	-5.83	1.38	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1741	C	C4'-C3'	5.83	1.59	1.53
26	BB	2099	U	C5-C6	5.83	1.39	1.34
26	BB	2438	U	C4-C5	5.83	1.48	1.43
26	BB	2458	G	O3'-P	5.83	1.68	1.61
26	BB	2474	U	C4-C5	-5.83	1.38	1.43
26	BB	2531	A	O3'-P	-5.83	1.54	1.61
1	AA	293	G	N9-C4	5.83	1.42	1.38
25	BA	113	C	O3'-P	5.83	1.68	1.61
26	BB	182	A	C4'-O4'	-5.83	1.38	1.45
26	BB	339	U	N3-C4	5.83	1.43	1.38
26	BB	388	G	C2'-C1'	5.83	1.59	1.53
26	BB	669	G	P-O5'	5.83	1.65	1.59
26	BB	900	A	N7-C5	5.83	1.42	1.39
26	BB	1202	G	N7-C5	5.83	1.42	1.39
26	BB	1481	U	C2-N3	5.83	1.41	1.37
26	BB	2423	U	P-O5'	5.83	1.65	1.59
26	BB	1348	C	C2-N3	5.83	1.40	1.35
26	BB	1384	A	N9-C4	-5.83	1.34	1.37
1	AA	733	G	C6-N1	5.83	1.43	1.39
26	BB	163	C	N1-C6	5.83	1.40	1.37
26	BB	845	A	C2-N3	5.83	1.38	1.33
26	BB	2419	U	C2-O2	5.83	1.27	1.22
1	AA	199	A	N9-C4	5.83	1.41	1.37
26	BB	591	U	P-O5'	5.83	1.65	1.59
39	BO	31	PHE	CG-CD1	5.83	1.47	1.38
1	AA	87	C	O4'-C1'	5.83	1.49	1.41
1	AA	107	G	O3'-P	5.83	1.68	1.61
1	AA	305	G	N1-C2	5.83	1.42	1.37
1	AA	367	U	N3-C4	5.83	1.43	1.38
1	AA	1217	C	C3'-C2'	-5.83	1.46	1.52
26	BB	179	C	C4'-O4'	-5.83	1.38	1.45
26	BB	194	G	C5-C6	-5.83	1.36	1.42
26	BB	326	G	N9-C8	-5.83	1.33	1.37
26	BB	361	G	C2-N3	5.83	1.37	1.32
26	BB	424	G	C2'-O2'	5.83	1.49	1.41
26	BB	886	A	C6-N1	-5.83	1.31	1.35
26	BB	911	A	N9-C8	-5.83	1.33	1.37
26	BB	2318	G	C2'-C1'	5.83	1.59	1.53
1	AA	260	G	N1-C2	5.82	1.42	1.37
1	AA	908	A	C5-C6	-5.82	1.35	1.41
1	AA	1414	U	C2-O2	5.82	1.27	1.22
3	AC	45	G	N7-C5	-5.82	1.35	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	71	A	C5-C6	5.82	1.46	1.41
26	BB	178	G	P-O5'	5.82	1.65	1.59
26	BB	198	C	C2-N3	-5.82	1.31	1.35
26	BB	397	U	O3'-P	-5.82	1.54	1.61
26	BB	584	C	C4-C5	5.82	1.47	1.43
26	BB	599	A	P-O5'	-5.82	1.53	1.59
26	BB	796	C	C2'-C1'	-5.82	1.47	1.53
26	BB	1557	C	O3'-P	-5.82	1.54	1.61
26	BB	1783	A	C3'-C2'	5.82	1.59	1.52
26	BB	2009	A	N1-C2	-5.82	1.29	1.34
26	BB	2330	G	P-O5'	5.82	1.65	1.59
26	BB	2884	U	P-O5'	5.82	1.65	1.59
1	AA	185	U	N1-C6	-5.82	1.32	1.38
1	AA	483	C	N1-C2	-5.82	1.34	1.40
1	AA	1040	U	C4-O4	-5.82	1.19	1.23
25	BA	96	G	C6-N1	5.82	1.43	1.39
26	BB	393	C	C2-N3	5.82	1.40	1.35
26	BB	2337	G	O3'-P	5.82	1.68	1.61
26	BB	2574	G	N3-C4	-5.82	1.31	1.35
48	BX	31	TYR	CE1-CZ	5.82	1.46	1.38
1	AA	61	G	N9-C8	5.82	1.42	1.37
1	AA	181	A	N1-C2	-5.82	1.29	1.34
1	AA	515	G	N3-C4	5.82	1.39	1.35
1	AA	1507	A	N7-C5	5.82	1.42	1.39
2	AB	67	G	C2'-C1'	-5.82	1.47	1.53
3	AC	15	G	C5-C4	-5.82	1.34	1.38
25	BA	13	G	N9-C4	-5.82	1.33	1.38
26	BB	619	G	N9-C4	-5.82	1.33	1.38
26	BB	1081	U	P-O5'	5.82	1.65	1.59
26	BB	1120	G	N1-C2	5.82	1.42	1.37
26	BB	1121	C	O3'-P	5.82	1.68	1.61
26	BB	1370	C	C3'-O3'	-5.82	1.34	1.42
26	BB	2284	A	C5'-C4'	5.82	1.58	1.51
26	BB	2464	G	C8-N7	-5.82	1.27	1.30
26	BB	2747	G	N3-C4	5.82	1.39	1.35
26	BB	627	A	C4'-O4'	-5.82	1.38	1.45
26	BB	1317	G	C2-N3	5.82	1.37	1.32
26	BB	1634	A	C4'-O4'	-5.82	1.38	1.45
26	BB	1848	A	C5'-C4'	5.82	1.58	1.51
1	AA	377	G	N3-C4	5.82	1.39	1.35
1	AA	843	U	C2-O2	5.82	1.27	1.22
25	BA	102	G	C4'-O4'	-5.82	1.38	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	311	A	C5-C6	-5.82	1.35	1.41
26	BB	1075	C	N1-C6	-5.82	1.33	1.37
26	BB	1648	U	C2'-C1'	5.82	1.59	1.53
26	BB	1648	U	N3-C4	5.82	1.43	1.38
26	BB	1809	A	C5-C6	5.82	1.46	1.41
26	BB	1882	U	C2'-O2'	-5.82	1.34	1.41
26	BB	2000	C	C2-O2	-5.82	1.19	1.24
1	AA	1284	C	N1-C6	5.82	1.40	1.37
25	BA	61	G	P-O5'	5.82	1.65	1.59
26	BB	887	U	O3'-P	5.82	1.68	1.61
26	BB	1133	A	C2'-O2'	-5.82	1.34	1.41
26	BB	1429	G	C6-N1	5.82	1.43	1.39
26	BB	1523	U	C2-N3	5.82	1.41	1.37
26	BB	1652	A	N7-C5	-5.82	1.35	1.39
26	BB	1717	A	C8-N7	-5.82	1.27	1.31
26	BB	325	G	C4'-C3'	5.81	1.59	1.53
26	BB	1486	U	C2-O2	5.81	1.27	1.22
26	BB	2832	U	C2'-O2'	5.81	1.49	1.41
1	AA	659	U	C5'-C4'	5.81	1.58	1.51
1	AA	991	U	N1-C6	-5.81	1.32	1.38
26	BB	53	A	C6-N1	-5.81	1.31	1.35
26	BB	882	G	O3'-P	5.81	1.68	1.61
26	BB	1003	G	C8-N7	5.81	1.34	1.30
26	BB	1089	A	C6-N6	-5.81	1.29	1.33
26	BB	1310	G	N9-C4	5.81	1.42	1.38
26	BB	2402	U	C3'-C2'	-5.81	1.46	1.52
26	BB	2645	G	C2-N3	5.81	1.37	1.32
1	AA	151	A	C6-N1	-5.81	1.31	1.35
26	BB	2163	A	C2'-O2'	5.81	1.49	1.41
26	BB	2218	G	C5-C4	-5.81	1.34	1.38
1	AA	250	A	N9-C8	5.81	1.42	1.37
1	AA	334	C	O3'-P	-5.81	1.54	1.61
1	AA	393	A	C4'-C3'	5.81	1.59	1.53
2	AB	51	G	N7-C5	-5.81	1.35	1.39
25	BA	56	G	N7-C5	-5.81	1.35	1.39
26	BB	20	C	C4-C5	5.81	1.47	1.43
26	BB	37	C	O3'-P	-5.81	1.54	1.61
26	BB	42	A	C2-N3	5.81	1.38	1.33
26	BB	939	G	C2'-C1'	5.81	1.59	1.53
26	BB	972	A	N9-C8	5.81	1.42	1.37
26	BB	1127	A	N3-C4	5.81	1.38	1.34
26	BB	1201	U	C5'-C4'	5.81	1.58	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1269	A	C8-N7	-5.81	1.27	1.31
26	BB	1441	G	C6-O6	-5.81	1.19	1.24
26	BB	1932	A	C8-N7	-5.81	1.27	1.31
26	BB	2519	U	C5-C6	5.81	1.39	1.34
1	AA	315	A	N9-C8	-5.81	1.33	1.37
1	AA	422	C	P-O5'	5.81	1.65	1.59
1	AA	719	C	C4-C5	5.81	1.47	1.43
1	AA	752	G	N9-C8	5.81	1.42	1.37
1	AA	780	A	O3'-P	5.81	1.68	1.61
1	AA	1311	A	N1-C2	5.81	1.39	1.34
26	BB	984	A	C8-N7	-5.81	1.27	1.31
26	BB	1465	G	P-O5'	5.81	1.65	1.59
26	BB	1994	C	C5'-C4'	5.81	1.58	1.51
26	BB	2017	U	C4'-O4'	-5.81	1.38	1.45
26	BB	2642	G	N9-C8	-5.81	1.33	1.37
1	AA	270	A	C6-N1	-5.81	1.31	1.35
26	BB	332	A	C5'-C4'	5.81	1.58	1.51
26	BB	540	C	N3-C4	5.81	1.38	1.33
26	BB	1307	A	P-O5'	-5.81	1.53	1.59
26	BB	1436	G	N3-C4	5.81	1.39	1.35
26	BB	1718	G	P-O5'	-5.81	1.53	1.59
26	BB	1866	A	C2'-C1'	5.81	1.59	1.53
1	AA	427	U	C4-C5	5.80	1.48	1.43
1	AA	829	G	C5-C4	5.80	1.42	1.38
1	AA	1270	G	C6-N1	5.80	1.43	1.39
26	BB	494	G	N9-C4	5.80	1.42	1.38
26	BB	837	C	C4'-O4'	-5.80	1.38	1.45
26	BB	1377	G	C2-N3	5.80	1.37	1.32
26	BB	1513	U	C2'-C1'	5.80	1.59	1.53
26	BB	2673	G	C8-N7	-5.80	1.27	1.30
26	BB	2710	C	C4'-C3'	5.80	1.59	1.53
4	AD	17	C	N1-C6	5.80	1.40	1.37
26	BB	2117	A	C4'-C3'	-5.80	1.46	1.52
1	AA	1160	G	N9-C8	5.80	1.42	1.37
1	AA	1309	G	C2-N3	5.80	1.37	1.32
1	AA	1315	U	O4'-C1'	5.80	1.49	1.41
3	AC	48	C	C4-N4	5.80	1.39	1.33
26	BB	1192	G	C5'-C4'	5.80	1.58	1.51
26	BB	1706	C	C4-C5	5.80	1.47	1.43
26	BB	2452	C	C4-N4	5.80	1.39	1.33
26	BB	2455	G	N3-C4	5.80	1.39	1.35
26	BB	2489	U	C4-O4	5.80	1.28	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2831	G	C4'-O4'	-5.80	1.38	1.45
1	AA	1438	G	O3'-P	5.80	1.68	1.61
3	AC	24	A	C1'-N9	5.80	1.57	1.48
26	BB	250	G	N1-C2	5.80	1.42	1.37
26	BB	455	C	C2-N3	5.80	1.40	1.35
26	BB	630	G	C2-N3	5.80	1.37	1.32
26	BB	1741	C	P-O5'	-5.80	1.53	1.59
26	BB	1754	A	N3-C4	5.80	1.38	1.34
1	AA	144	G	C6-N1	5.80	1.43	1.39
1	AA	1072	G	C2'-O2'	5.80	1.49	1.41
1	AA	1366	C	P-O5'	-5.80	1.53	1.59
26	BB	790	U	C4-C5	5.80	1.48	1.43
26	BB	2167	U	C2'-C1'	-5.80	1.47	1.53
26	BB	2481	G	N9-C8	5.80	1.42	1.37
1	AA	1523	G	C2'-C1'	-5.80	1.47	1.53
4	AD	43	G	C3'-C2'	5.80	1.59	1.52
26	BB	663	G	C2-N3	5.80	1.37	1.32
26	BB	965	C	P-O5'	-5.80	1.53	1.59
26	BB	971	G	C5-C4	-5.80	1.34	1.38
26	BB	1237	A	C6-N1	5.80	1.39	1.35
26	BB	2133	G	N1-C2	5.80	1.42	1.37
26	BB	2566	A	O3'-P	5.80	1.68	1.61
1	AA	534	U	C1'-N1	5.79	1.57	1.48
1	AA	1520	C	P-O5'	5.79	1.65	1.59
26	BB	2531	A	N1-C2	-5.79	1.29	1.34
1	AA	36	C	C2-O2	-5.79	1.19	1.24
1	AA	601	G	C5-C4	-5.79	1.34	1.38
26	BB	129	C	N1-C6	5.79	1.40	1.37
26	BB	1804	C	N1-C6	5.79	1.40	1.37
1	AA	855	U	C4-C5	-5.79	1.38	1.43
26	BB	307	G	P-O5'	5.79	1.65	1.59
26	BB	1112	G	C8-N7	5.79	1.34	1.30
26	BB	1628	G	C6-N1	5.79	1.43	1.39
26	BB	1692	U	C5-C6	5.79	1.39	1.34
26	BB	2115	G	N3-C4	5.79	1.39	1.35
26	BB	2519	U	P-O5'	5.79	1.65	1.59
26	BB	2632	A	N7-C5	5.79	1.42	1.39
1	AA	48	C	N1-C6	5.79	1.40	1.37
26	BB	268	C	O3'-P	5.79	1.68	1.61
26	BB	352	A	O4'-C1'	5.79	1.49	1.41
1	AA	1058	G	P-O5'	5.79	1.65	1.59
1	AA	1147	C	C5'-C4'	5.79	1.58	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	420	C	C3'-C2'	5.79	1.59	1.52
26	BB	833	A	N9-C8	-5.79	1.33	1.37
26	BB	2218	G	C5'-C4'	5.79	1.58	1.51
26	BB	2794	C	C5'-C4'	5.79	1.58	1.51
26	BB	2826	A	P-O5'	-5.79	1.53	1.59
1	AA	310	G	C5'-C4'	5.79	1.58	1.51
1	AA	344	A	C1'-N9	5.79	1.57	1.48
2	AB	42	G	C5'-C4'	5.79	1.58	1.51
26	BB	442	G	N9-C8	-5.79	1.33	1.37
26	BB	1239	G	N9-C8	5.79	1.42	1.37
26	BB	1594	U	P-O5'	5.79	1.65	1.59
26	BB	1768	C	C2'-C1'	5.79	1.59	1.53
1	AA	786	G	C4'-O4'	-5.79	1.38	1.45
1	AA	1048	G	P-O5'	5.79	1.65	1.59
26	BB	519	U	N3-C4	5.79	1.43	1.38
26	BB	1294	U	C4'-C3'	5.79	1.59	1.53
26	BB	1487	U	N3-C4	5.79	1.43	1.38
26	BB	1762	A	N9-C8	-5.79	1.33	1.37
26	BB	1807	G	C5-C6	5.79	1.48	1.42
26	BB	1867	G	C4'-C3'	5.79	1.59	1.53
26	BB	2887	A	C5'-C4'	5.79	1.58	1.51
1	AA	1028	C	P-O5'	5.78	1.65	1.59
26	BB	102	U	C2'-C1'	-5.78	1.47	1.53
26	BB	205	G	N3-C4	5.78	1.39	1.35
26	BB	375	G	O3'-P	5.78	1.68	1.61
26	BB	894	U	C4-C5	5.78	1.48	1.43
26	BB	1755	A	N1-C2	-5.78	1.29	1.34
26	BB	2410	G	C5-C4	5.78	1.42	1.38
26	BB	2699	C	P-O5'	5.78	1.65	1.59
1	AA	930	C	C5'-C4'	5.78	1.58	1.51
9	AI	4	TYR	CE2-CZ	5.78	1.46	1.38
26	BB	1338	G	C4'-O4'	-5.78	1.38	1.45
26	BB	2479	U	C5'-C4'	5.78	1.58	1.51
1	AA	133	U	C2-N3	5.78	1.41	1.37
1	AA	758	C	C2-O2	-5.78	1.19	1.24
1	AA	926	G	C4'-O4'	-5.78	1.38	1.45
1	AA	1358	U	C2-N3	5.78	1.41	1.37
26	BB	20	C	C1'-N1	5.78	1.57	1.48
26	BB	1087	G	C2'-C1'	-5.78	1.47	1.53
26	BB	1767	G	C6-O6	-5.78	1.19	1.24
26	BB	1799	G	N1-C2	5.78	1.42	1.37
26	BB	2536	G	C4'-O4'	-5.78	1.38	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2848	G	C8-N7	5.78	1.34	1.30
1	AA	568	G	C5-C4	-5.78	1.34	1.38
1	AA	1379	G	C5'-C4'	5.78	1.58	1.51
26	BB	367	G	C2'-C1'	-5.78	1.47	1.53
26	BB	1305	C	C4'-C3'	5.78	1.59	1.53
1	AA	194	C	C2-O2	-5.78	1.19	1.24
1	AA	293	G	C5-C4	5.78	1.42	1.38
1	AA	829	G	N9-C8	5.78	1.41	1.37
26	BB	944	C	C2'-C1'	-5.78	1.47	1.53
26	BB	1037	G	P-O5'	5.78	1.65	1.59
26	BB	2572	A	O3'-P	5.78	1.68	1.61
1	AA	592	G	C4'-O4'	-5.78	1.38	1.45
26	BB	390	U	C2-O2	-5.78	1.17	1.22
26	BB	738	G	N9-C8	-5.78	1.33	1.37
26	BB	818	G	C2-N3	5.78	1.37	1.32
26	BB	1075	C	C5-C6	5.78	1.39	1.34
26	BB	1319	C	C4-N4	5.78	1.39	1.33
26	BB	1708	C	N1-C6	5.78	1.40	1.37
26	BB	1869	G	N3-C4	5.78	1.39	1.35
26	BB	2193	G	C4'-O4'	-5.78	1.38	1.45
1	AA	940	C	C2-N3	5.77	1.40	1.35
1	AA	1147	C	C4-C5	5.77	1.47	1.43
26	BB	507	A	O3'-P	5.77	1.68	1.61
26	BB	1275	A	C2-N3	-5.77	1.28	1.33
26	BB	1331	G	N7-C5	5.77	1.42	1.39
1	AA	171	A	C5-C6	5.77	1.46	1.41
1	AA	921	U	C5'-C4'	5.77	1.58	1.51
1	AA	964	A	C6-N6	-5.77	1.29	1.33
26	BB	50	U	N1-C6	5.77	1.43	1.38
26	BB	461	C	O3'-P	5.77	1.68	1.61
26	BB	736	C	C4'-O4'	-5.77	1.38	1.45
26	BB	1246	A	C4'-O4'	-5.77	1.38	1.45
26	BB	1410	G	C5-C4	5.77	1.42	1.38
26	BB	2629	U	C2-N3	5.77	1.41	1.37
26	BB	2792	A	N7-C5	5.77	1.42	1.39
1	AA	132	C	N1-C6	5.77	1.40	1.37
1	AA	818	G	C8-N7	-5.77	1.27	1.30
1	AA	1274	A	C5-C6	5.77	1.46	1.41
26	BB	501	A	C2'-C1'	-5.77	1.47	1.53
26	BB	764	A	C4'-O4'	-5.77	1.38	1.45
26	BB	1225	G	N1-C2	5.77	1.42	1.37
1	AA	85	U	O3'-P	5.77	1.68	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	998	C	N3-C4	-5.77	1.29	1.33
1	AA	1140	C	N1-C2	5.77	1.46	1.40
1	AA	1266	G	C2'-C1'	5.77	1.59	1.53
1	AA	1328	C	N1-C6	-5.77	1.33	1.37
2	AB	68	C	N3-C4	5.77	1.38	1.33
26	BB	263	G	N1-C2	5.77	1.42	1.37
26	BB	328	U	C5'-C4'	5.77	1.58	1.51
26	BB	1507	C	N1-C6	5.77	1.40	1.37
26	BB	2370	G	C5-C4	5.77	1.42	1.38
1	AA	92	U	C5'-C4'	5.77	1.58	1.51
1	AA	126	G	N9-C8	5.77	1.41	1.37
1	AA	663	A	C6-N1	-5.77	1.31	1.35
1	AA	678	U	C2'-C1'	5.77	1.59	1.53
1	AA	1126	U	N1-C2	5.77	1.43	1.38
26	BB	201	C	C4'-O4'	-5.77	1.38	1.45
26	BB	211	C	C5'-C4'	5.77	1.58	1.51
26	BB	550	C	O4'-C1'	5.77	1.49	1.41
26	BB	669	G	C3'-C2'	-5.77	1.46	1.52
26	BB	1068	G	C3'-C2'	5.77	1.59	1.52
26	BB	1230	A	C2-N3	5.77	1.38	1.33
26	BB	1408	G	C5-C6	5.77	1.48	1.42
26	BB	2040	G	C6-N1	5.77	1.43	1.39
26	BB	2132	U	C4'-O4'	-5.77	1.38	1.45
26	BB	2599	G	N1-C2	5.77	1.42	1.37
4	AD	58	A	C5'-C4'	5.77	1.58	1.51
25	BA	60	C	C2'-C1'	5.77	1.59	1.53
26	BB	1058	U	N1-C6	5.77	1.43	1.38
26	BB	1234	U	C2'-C1'	5.77	1.59	1.53
1	AA	648	A	C5-C4	-5.76	1.34	1.38
1	AA	854	U	C4'-O4'	-5.76	1.38	1.45
1	AA	1066	C	C5'-C4'	5.76	1.58	1.51
26	BB	765	C	C5'-C4'	5.76	1.58	1.51
26	BB	1229	C	N1-C2	5.76	1.46	1.40
26	BB	1697	G	N9-C8	-5.76	1.33	1.37
26	BB	2511	U	N1-C2	5.76	1.43	1.38
26	BB	2598	A	C2'-O2'	5.76	1.49	1.41
26	BB	2736	A	N7-C5	5.76	1.42	1.39
26	BB	2750	A	C3'-C2'	5.76	1.59	1.52
1	AA	1014	A	C6-N1	-5.76	1.31	1.35
1	AA	1182	G	C5-C4	5.76	1.42	1.38
3	AC	54	U	C2'-C1'	5.76	1.59	1.53
4	AD	62	C	C2-N3	5.76	1.40	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1070	A	C2-N3	5.76	1.38	1.33
26	BB	2217	G	C4'-C3'	5.76	1.59	1.53
1	AA	162	A	C5-C6	5.76	1.46	1.41
1	AA	377	G	C4'-C3'	5.76	1.59	1.53
1	AA	1287	A	N1-C2	-5.76	1.29	1.34
26	BB	545	U	N3-C4	5.76	1.43	1.38
26	BB	618	G	N3-C4	5.76	1.39	1.35
26	BB	776	G	O5'-C5'	-5.76	1.33	1.42
26	BB	1408	G	N3-C4	5.76	1.39	1.35
26	BB	1742	U	N1-C6	5.76	1.43	1.38
26	BB	1786	A	C5-C4	-5.76	1.34	1.38
26	BB	1961	C	C5'-C4'	5.76	1.58	1.51
1	AA	102	G	C2-N3	5.76	1.37	1.32
25	BA	78	A	C2-N3	5.76	1.38	1.33
26	BB	1723	G	N1-C2	5.76	1.42	1.37
26	BB	1828	G	C2-N3	5.76	1.37	1.32
26	BB	1894	C	C5-C6	5.76	1.39	1.34
26	BB	2156	G	O4'-C1'	5.76	1.49	1.41
26	BB	2330	G	N7-C5	5.76	1.42	1.39
26	BB	562	U	N1-C2	5.76	1.43	1.38
1	AA	965	U	P-O5'	5.76	1.65	1.59
3	AC	57	C	C2-O2	-5.76	1.19	1.24
26	BB	726	G	C5-C4	5.76	1.42	1.38
26	BB	996	A	N3-C4	5.76	1.38	1.34
26	BB	1526	C	C2-O2	5.76	1.29	1.24
26	BB	1725	U	C4-C5	5.76	1.48	1.43
26	BB	1977	A	N7-C5	-5.76	1.35	1.39
1	AA	955	U	C2-N3	5.75	1.41	1.37
3	AC	20	G	C2-N3	5.75	1.37	1.32
26	BB	34	U	C3'-C2'	-5.75	1.46	1.52
26	BB	547	A	C4'-O4'	-5.75	1.38	1.45
26	BB	1059	G	N1-C2	5.75	1.42	1.37
26	BB	1647	U	C2-N3	5.75	1.41	1.37
26	BB	1826	G	N9-C4	5.75	1.42	1.38
1	AA	835	U	C5-C6	5.75	1.39	1.34
1	AA	909	A	O4'-C1'	5.75	1.49	1.41
1	AA	1383	C	O4'-C1'	5.75	1.49	1.41
1	AA	1384	C	N3-C4	5.75	1.38	1.33
1	AA	1470	U	O3'-P	-5.75	1.54	1.61
1	AA	1501	C	C4'-C3'	5.75	1.59	1.53
4	AD	19	G	N9-C4	5.75	1.42	1.38
26	BB	27	G	C2-N3	5.75	1.37	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	990	A	N7-C5	-5.75	1.35	1.39
26	BB	1112	G	C6-N1	5.75	1.43	1.39
26	BB	1268	A	N7-C5	5.75	1.42	1.39
26	BB	1277	G	C5-C6	5.75	1.48	1.42
26	BB	1416	G	C2-N3	5.75	1.37	1.32
26	BB	1865	U	C2-O2	5.75	1.27	1.22
26	BB	2616	C	C2-N3	5.75	1.40	1.35
1	AA	805	C	C2-O2	-5.75	1.19	1.24
1	AA	1347	G	O3'-P	5.75	1.68	1.61
25	BA	33	G	C6-N1	5.75	1.43	1.39
26	BB	58	G	C2'-C1'	5.75	1.59	1.53
26	BB	122	G	P-O5'	5.75	1.65	1.59
26	BB	609	A	C5-C4	-5.75	1.34	1.38
26	BB	711	G	P-O5'	5.75	1.65	1.59
26	BB	820	A	P-O5'	5.75	1.65	1.59
26	BB	1092	C	C4-C5	5.75	1.47	1.43
26	BB	1095	A	O3'-P	-5.75	1.54	1.61
26	BB	1942	C	C5'-C4'	5.75	1.58	1.51
26	BB	2779	U	C4'-O4'	-5.75	1.38	1.45
26	BB	2782	G	N3-C4	5.75	1.39	1.35
26	BB	2899	A	N3-C4	5.75	1.38	1.34
1	AA	787	A	O3'-P	5.75	1.68	1.61
26	BB	39	G	N1-C2	5.75	1.42	1.37
26	BB	2039	U	N3-C4	5.75	1.43	1.38
1	AA	266	G	N9-C4	5.75	1.42	1.38
1	AA	838	G	C3'-C2'	5.75	1.59	1.52
1	AA	1194	U	C5'-C4'	5.75	1.58	1.51
1	AA	1445	U	C5-C6	5.75	1.39	1.34
1	AA	1456	A	N9-C4	-5.75	1.34	1.37
26	BB	21	A	C4'-O4'	-5.75	1.38	1.45
26	BB	132	G	N3-C4	5.75	1.39	1.35
26	BB	915	C	C5-C6	5.75	1.39	1.34
26	BB	2271	G	C2-N3	5.75	1.37	1.32
26	BB	2337	G	C5'-C4'	5.75	1.58	1.51
26	BB	2671	G	N3-C4	-5.75	1.31	1.35
26	BB	2683	C	C4'-O4'	-5.75	1.38	1.45
26	BB	2783	U	C4-C5	5.75	1.48	1.43
1	AA	738	C	C4'-O4'	-5.75	1.38	1.45
1	AA	1005	A	C6-N6	5.75	1.38	1.33
1	AA	1013	G	C5-C4	5.75	1.42	1.38
1	AA	1300	G	N3-C4	5.75	1.39	1.35
1	AA	1500	A	O3'-P	5.75	1.68	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	90	C	C2-N3	5.75	1.40	1.35
26	BB	176	A	N3-C4	5.75	1.38	1.34
26	BB	809	G	C8-N7	5.75	1.34	1.30
26	BB	1790	C	C2-O2	-5.75	1.19	1.24
26	BB	2587	A	O3'-P	5.75	1.68	1.61
26	BB	2810	A	O3'-P	-5.75	1.54	1.61
1	AA	297	G	C5'-C4'	5.75	1.58	1.51
26	BB	622	G	P-O5'	5.75	1.65	1.59
26	BB	807	U	C4'-C3'	-5.75	1.46	1.52
1	AA	760	G	N3-C4	5.74	1.39	1.35
1	AA	1022	A	N7-C5	-5.74	1.35	1.39
1	AA	1370	G	N7-C5	-5.74	1.35	1.39
9	AI	25	TYR	CE1-CZ	5.74	1.46	1.38
26	BB	667	U	O4'-C1'	5.74	1.49	1.41
26	BB	721	A	C5'-C4'	5.74	1.58	1.51
26	BB	788	A	N3-C4	5.74	1.38	1.34
26	BB	2664	G	N3-C4	5.74	1.39	1.35
26	BB	2822	G	C6-O6	5.74	1.29	1.24
4	AD	65	G	N3-C4	5.74	1.39	1.35
26	BB	1592	C	C5'-C4'	5.74	1.58	1.51
1	AA	503	C	C2-N3	5.74	1.40	1.35
1	AA	773	G	C5'-C4'	5.74	1.58	1.51
1	AA	971	G	N7-C5	-5.74	1.35	1.39
1	AA	1300	G	C6-O6	-5.74	1.19	1.24
25	BA	47	C	P-O5'	-5.74	1.54	1.59
26	BB	29	U	O3'-P	5.74	1.68	1.61
26	BB	386	G	C2-N2	5.74	1.40	1.34
26	BB	654	A	C5'-C4'	5.74	1.58	1.51
26	BB	1750	G	C8-N7	5.74	1.34	1.30
26	BB	2268	A	P-O5'	5.74	1.65	1.59
26	BB	2820	A	N7-C5	5.74	1.42	1.39
26	BB	2826	A	O3'-P	-5.74	1.54	1.61
1	AA	66	A	C3'-O3'	5.74	1.50	1.42
1	AA	533	A	N9-C4	5.74	1.41	1.37
26	BB	103	A	N1-C2	-5.74	1.29	1.34
26	BB	1200	C	N3-C4	5.74	1.38	1.33
26	BB	1367	A	O4'-C1'	5.74	1.49	1.41
26	BB	2051	A	C5-C4	-5.74	1.34	1.38
26	BB	2245	U	O3'-P	5.74	1.68	1.61
26	BB	2439	A	C2'-C1'	-5.74	1.47	1.53
26	BB	720	U	C4'-C3'	5.74	1.59	1.53
26	BB	2778	A	O3'-P	-5.74	1.54	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	447	G	O3'-P	5.74	1.68	1.61
1	AA	590	U	C4-C5	5.74	1.48	1.43
1	AA	745	G	C6-O6	-5.74	1.19	1.24
3	AC	34	U	C5'-C4'	-5.74	1.44	1.51
26	BB	13	A	O3'-P	-5.74	1.54	1.61
26	BB	694	U	C4'-O4'	-5.74	1.38	1.45
26	BB	1606	C	C4-C5	5.74	1.47	1.43
26	BB	1845	G	C6-N1	5.74	1.43	1.39
26	BB	422	A	C6-N6	-5.73	1.29	1.33
26	BB	483	A	C5-C4	-5.73	1.34	1.38
26	BB	811	U	O4'-C1'	5.73	1.49	1.41
26	BB	1817	G	C2-N3	5.73	1.37	1.32
26	BB	1830	C	P-O5'	5.73	1.65	1.59
1	AA	101	A	C5'-C4'	5.73	1.58	1.51
14	AN	18	GLY	CA-C	5.73	1.61	1.51
25	BA	114	C	C2-N3	5.73	1.40	1.35
26	BB	324	A	N7-C5	5.73	1.42	1.39
26	BB	382	A	C4'-C3'	-5.73	1.46	1.52
26	BB	1279	G	N7-C5	5.73	1.42	1.39
26	BB	1516	G	P-O5'	5.73	1.65	1.59
26	BB	1815	A	C5-C4	-5.73	1.34	1.38
1	AA	69	G	C2-N3	5.73	1.37	1.32
26	BB	399	U	P-O5'	5.73	1.65	1.59
26	BB	479	A	N9-C4	5.73	1.41	1.37
26	BB	689	A	C6-N1	5.73	1.39	1.35
26	BB	1965	C	C4-C5	5.73	1.47	1.43
26	BB	1986	C	C4-C5	-5.73	1.38	1.43
26	BB	2638	G	C8-N7	5.73	1.34	1.30
1	AA	191	G	C8-N7	-5.73	1.27	1.30
1	AA	1224	U	C4-O4	-5.73	1.19	1.23
26	BB	588	U	N1-C2	5.73	1.43	1.38
26	BB	1175	A	C6-N1	-5.73	1.31	1.35
26	BB	1233	C	N1-C2	-5.73	1.34	1.40
26	BB	1241	A	C3'-O3'	5.73	1.50	1.42
26	BB	1252	G	N9-C4	5.73	1.42	1.38
26	BB	1421	G	C2-N2	-5.73	1.28	1.34
26	BB	1647	U	C4-C5	5.73	1.48	1.43
1	AA	1432	G	N7-C5	-5.73	1.35	1.39
26	BB	138	U	C5'-C4'	5.73	1.58	1.51
26	BB	1051	G	N9-C4	-5.73	1.33	1.38
26	BB	2678	C	N3-C4	5.73	1.38	1.33
26	BB	2697	G	N7-C5	5.73	1.42	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2727	A	N1-C2	-5.73	1.29	1.34
1	AA	659	U	C4'-O4'	-5.73	1.38	1.45
1	AA	1198	G	C5'-C4'	5.73	1.58	1.51
25	BA	3	C	C4-N4	5.73	1.39	1.33
26	BB	91	A	O3'-P	5.73	1.68	1.61
25	BA	59	A	C6-N6	-5.72	1.29	1.33
26	BB	60	G	C2'-C1'	-5.72	1.47	1.53
26	BB	636	G	N9-C8	-5.72	1.33	1.37
26	BB	1171	G	N7-C5	5.72	1.42	1.39
26	BB	1405	U	N3-C4	5.72	1.43	1.38
26	BB	1968	G	C4'-O4'	-5.72	1.38	1.45
26	BB	2325	G	N9-C4	5.72	1.42	1.38
26	BB	2346	A	N7-C5	-5.72	1.35	1.39
1	AA	129	A	N9-C8	-5.72	1.33	1.37
1	AA	490	C	C3'-O3'	5.72	1.50	1.42
1	AA	495	A	N3-C4	5.72	1.38	1.34
1	AA	720	C	C5-C6	5.72	1.39	1.34
1	AA	760	G	P-O5'	5.72	1.65	1.59
1	AA	813	U	N1-C6	5.72	1.43	1.38
1	AA	979	C	C1'-N1	5.72	1.57	1.48
4	AD	58	A	N9-C4	-5.72	1.34	1.37
25	BA	52	A	N1-C2	5.72	1.39	1.34
26	BB	70	G	P-O5'	5.72	1.65	1.59
26	BB	297	G	N7-C5	-5.72	1.35	1.39
26	BB	490	C	P-O5'	5.72	1.65	1.59
26	BB	2319	G	N9-C4	5.72	1.42	1.38
26	BB	2624	G	N1-C2	5.72	1.42	1.37
1	AA	1092	A	C2-N3	5.72	1.38	1.33
25	BA	42	C	P-O5'	-5.72	1.54	1.59
1	AA	259	G	N9-C4	-5.72	1.33	1.38
1	AA	419	C	C4-C5	5.72	1.47	1.43
1	AA	1084	G	N9-C4	-5.72	1.33	1.38
1	AA	1107	C	N1-C6	5.72	1.40	1.37
26	BB	943	A	C5-C6	5.72	1.46	1.41
26	BB	1007	C	C4-C5	5.72	1.47	1.43
26	BB	1363	C	C4'-C3'	-5.72	1.46	1.52
26	BB	1501	G	P-O5'	5.72	1.65	1.59
26	BB	1588	G	C6-N1	5.72	1.43	1.39
26	BB	2771	C	C2-O2	-5.72	1.19	1.24
1	AA	390	U	C2-N3	5.72	1.41	1.37
1	AA	1010	U	C4-C5	5.72	1.48	1.43
26	BB	316	C	C5'-C4'	5.72	1.58	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	657	U	C2-O2	5.72	1.27	1.22
26	BB	1547	C	C4-N4	5.72	1.39	1.33
1	AA	122	G	C6-O6	-5.72	1.19	1.24
1	AA	366	A	C5'-C4'	5.72	1.58	1.51
1	AA	453	G	N3-C4	-5.72	1.31	1.35
1	AA	603	U	C4-O4	5.72	1.28	1.23
1	AA	1135	U	N1-C2	-5.72	1.33	1.38
1	AA	1469	C	C5'-C4'	5.72	1.58	1.51
3	AC	22	G	C2-N3	5.72	1.37	1.32
4	AD	58	A	N9-C8	-5.72	1.33	1.37
25	BA	2	G	C8-N7	-5.72	1.27	1.30
26	BB	567	U	N3-C4	5.72	1.43	1.38
26	BB	1175	A	C8-N7	-5.72	1.27	1.31
26	BB	1906	G	O3'-P	-5.72	1.54	1.61
26	BB	2282	G	N9-C8	-5.72	1.33	1.37
26	BB	2482	A	C8-N7	-5.72	1.27	1.31
1	AA	647	C	O3'-P	5.71	1.68	1.61
1	AA	846	G	C4'-O4'	-5.71	1.38	1.45
1	AA	1232	U	C5-C6	5.71	1.39	1.34
1	AA	1541	U	N1-C6	5.71	1.43	1.38
26	BB	809	G	N9-C4	5.71	1.42	1.38
26	BB	1114	C	P-O5'	5.71	1.65	1.59
26	BB	1485	U	C2-O2	5.71	1.27	1.22
26	BB	1581	G	P-O5'	5.71	1.65	1.59
26	BB	1690	A	C4'-O4'	-5.71	1.38	1.45
26	BB	1970	A	N9-C4	5.71	1.41	1.37
26	BB	1970	A	N3-C4	5.71	1.38	1.34
26	BB	2333	A	C5'-C4'	5.71	1.58	1.51
26	BB	2622	U	O4'-C1'	5.71	1.49	1.41
26	BB	2813	A	C5-C4	-5.71	1.34	1.38
1	AA	1182	G	C5'-C4'	5.71	1.58	1.51
1	AA	1198	G	N3-C4	5.71	1.39	1.35
26	BB	291	G	O4'-C1'	-5.71	1.34	1.41
26	BB	767	U	C3'-C2'	5.71	1.59	1.52
26	BB	2499	C	C2-N3	5.71	1.40	1.35
1	AA	221	C	C4-C5	5.71	1.47	1.43
1	AA	562	U	N1-C2	5.71	1.43	1.38
1	AA	700	G	C4'-O4'	-5.71	1.38	1.45
1	AA	1129	C	C5-C6	5.71	1.39	1.34
1	AA	1157	A	O3'-P	5.71	1.68	1.61
1	AA	1356	G	C2-N3	5.71	1.37	1.32
26	BB	181	A	N7-C5	5.71	1.42	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	891	G	N3-C4	5.71	1.39	1.35
26	BB	1183	U	C4-C5	5.71	1.48	1.43
26	BB	1211	C	C5'-C4'	5.71	1.58	1.51
26	BB	1407	G	N1-C2	5.71	1.42	1.37
26	BB	1793	C	P-O5'	-5.71	1.54	1.59
26	BB	1851	U	N1-C2	-5.71	1.33	1.38
26	BB	2019	A	C5-C4	-5.71	1.34	1.38
26	BB	2183	A	C8-N7	-5.71	1.27	1.31
26	BB	2322	A	C5-C6	5.71	1.46	1.41
26	BB	2657	A	P-O5'	5.71	1.65	1.59
1	AA	520	A	C2'-C1'	5.71	1.59	1.53
1	AA	1237	C	C4'-O4'	-5.71	1.38	1.45
1	AA	1404	C	N1-C6	-5.71	1.33	1.37
1	AA	1447	A	N3-C4	5.71	1.38	1.34
1	AA	1536	C	C4'-O4'	-5.71	1.38	1.45
26	BB	81	G	O3'-P	5.71	1.68	1.61
26	BB	91	A	N9-C8	-5.71	1.33	1.37
26	BB	529	A	C4'-O4'	-5.71	1.38	1.45
26	BB	759	G	C5-C6	5.71	1.48	1.42
26	BB	959	A	C8-N7	-5.71	1.27	1.31
26	BB	964	C	N3-C4	5.71	1.38	1.33
26	BB	1522	A	C6-N1	5.71	1.39	1.35
26	BB	1756	G	N9-C8	5.71	1.41	1.37
26	BB	1778	U	C2-N3	-5.71	1.33	1.37
26	BB	2216	G	O3'-P	-5.71	1.54	1.61
26	BB	2547	A	O4'-C1'	5.71	1.49	1.41
1	AA	109	A	N9-C4	5.71	1.41	1.37
1	AA	765	G	N9-C8	5.71	1.41	1.37
26	BB	440	C	P-O5'	5.71	1.65	1.59
26	BB	993	G	N1-C2	5.71	1.42	1.37
26	BB	1052	C	C5-C6	5.71	1.39	1.34
26	BB	2200	C	C5'-C4'	5.71	1.58	1.51
26	BB	2267	A	N9-C8	-5.71	1.33	1.37
26	BB	2691	C	N3-C4	5.71	1.38	1.33
1	AA	352	C	C2-O2	-5.71	1.19	1.24
1	AA	1228	C	C5'-C4'	5.71	1.58	1.51
25	BA	34	A	N1-C2	5.71	1.39	1.34
26	BB	588	U	N1-C6	5.71	1.43	1.38
26	BB	1914	C	N1-C6	5.71	1.40	1.37
26	BB	2174	C	P-O5'	5.71	1.65	1.59
26	BB	2541	A	C8-N7	-5.71	1.27	1.31
1	AA	434	U	C1'-N1	5.70	1.57	1.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	684	U	C4-O4	-5.70	1.19	1.23
1	AA	1218	C	P-O5'	5.70	1.65	1.59
1	AA	1502	A	C5-C6	-5.70	1.35	1.41
25	BA	6	G	C2'-C1'	-5.70	1.47	1.53
26	BB	275	C	N1-C6	5.70	1.40	1.37
26	BB	508	A	C3'-O3'	5.70	1.50	1.42
26	BB	1064	C	N1-C6	5.70	1.40	1.37
26	BB	1924	C	C4'-O4'	-5.70	1.38	1.45
26	BB	1949	G	C6-O6	-5.70	1.19	1.24
26	BB	2181	U	O3'-P	5.70	1.68	1.61
26	BB	2276	G	C6-N1	-5.70	1.35	1.39
1	AA	1241	G	C3'-O3'	-5.70	1.34	1.42
1	AA	1417	G	C5'-C4'	5.70	1.58	1.51
26	BB	2182	U	N3-C4	-5.70	1.33	1.38
26	BB	2870	C	C2'-C1'	-5.70	1.47	1.53
1	AA	233	C	C4'-C3'	-5.70	1.46	1.52
26	BB	621	A	C2'-C1'	5.70	1.59	1.53
26	BB	798	G	C4'-O4'	-5.70	1.38	1.45
26	BB	825	A	N3-C4	5.70	1.38	1.34
26	BB	1190	G	C8-N7	5.70	1.34	1.30
1	AA	461	A	C6-N6	-5.70	1.29	1.33
1	AA	758	C	N1-C6	-5.70	1.33	1.37
1	AA	957	U	C4-O4	-5.70	1.19	1.23
25	BA	55	U	C5'-C4'	5.70	1.58	1.51
26	BB	291	G	P-O5'	5.70	1.65	1.59
26	BB	801	G	C6-O6	5.70	1.29	1.24
26	BB	1081	U	C2-O2	5.70	1.27	1.22
26	BB	1392	A	C2-N3	5.70	1.38	1.33
26	BB	1708	C	C2'-C1'	5.70	1.59	1.53
26	BB	1715	G	C2'-C1'	-5.70	1.47	1.53
26	BB	1935	G	N9-C4	-5.70	1.33	1.38
26	BB	2725	A	C5-C4	-5.70	1.34	1.38
1	AA	210	C	N1-C2	-5.70	1.34	1.40
26	BB	242	G	C3'-C2'	5.70	1.59	1.52
26	BB	2046	G	C6-O6	-5.70	1.19	1.24
26	BB	2317	A	C6-N1	5.70	1.39	1.35
26	BB	95	A	N9-C4	-5.70	1.34	1.37
26	BB	211	C	C4-C5	5.70	1.47	1.43
26	BB	704	G	C5'-C4'	5.70	1.58	1.51
26	BB	911	A	C5'-C4'	5.70	1.58	1.51
26	BB	1348	C	N3-C4	5.70	1.38	1.33
26	BB	1719	G	N1-C2	5.70	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1937	A	C4'-C3'	5.70	1.59	1.53
26	BB	2152	G	C5'-C4'	5.70	1.58	1.51
26	BB	2371	G	N7-C5	5.70	1.42	1.39
26	BB	2531	A	N9-C4	5.70	1.41	1.37
1	AA	1067	A	C3'-C2'	5.69	1.59	1.52
1	AA	1070	U	C4-C5	5.69	1.48	1.43
25	BA	119	A	C2'-O2'	5.69	1.49	1.41
26	BB	834	G	N1-C2	5.69	1.42	1.37
26	BB	1585	C	C3'-O3'	5.69	1.50	1.42
1	AA	164	G	C3'-C2'	5.69	1.59	1.52
1	AA	718	A	N9-C4	5.69	1.41	1.37
26	BB	46	G	C2-N3	5.69	1.37	1.32
26	BB	83	A	C3'-O3'	5.69	1.50	1.42
26	BB	2391	G	N9-C4	5.69	1.42	1.38
26	BB	2540	C	P-O5'	5.69	1.65	1.59
26	BB	2583	G	P-O5'	5.69	1.65	1.59
1	AA	497	G	C5-C4	5.69	1.42	1.38
1	AA	570	G	N9-C8	5.69	1.41	1.37
1	AA	681	A	O3'-P	5.69	1.68	1.61
2	AB	9	A	C5'-C4'	5.69	1.58	1.51
25	BA	10	G	N9-C8	5.69	1.41	1.37
26	BB	464	U	C4-O4	5.69	1.28	1.23
26	BB	1854	A	N9-C8	-5.69	1.33	1.37
26	BB	2173	A	C1'-N9	5.69	1.57	1.48
26	BB	2230	G	C4'-O4'	-5.69	1.38	1.45
26	BB	2265	U	C5-C6	5.69	1.39	1.34
1	AA	1526	G	C4'-O4'	-5.69	1.38	1.45
3	AC	52	U	C3'-O3'	5.69	1.50	1.42
25	BA	84	G	N1-C2	5.69	1.42	1.37
26	BB	779	U	C4'-C3'	5.69	1.59	1.53
26	BB	2257	U	N1-C2	5.69	1.43	1.38
26	BB	2483	C	O4'-C1'	5.69	1.49	1.41
1	AA	970	C	C2-O2	-5.69	1.19	1.24
1	AA	1529	G	N9-C4	5.69	1.42	1.38
26	BB	36	G	P-O5'	-5.69	1.54	1.59
26	BB	717	C	C4-C5	-5.69	1.38	1.43
26	BB	1371	G	C5-C6	-5.69	1.36	1.42
26	BB	1649	G	C6-N1	5.69	1.43	1.39
26	BB	2344	U	C3'-C2'	-5.69	1.46	1.52
26	BB	2620	C	N3-C4	5.69	1.38	1.33
1	AA	846	G	C2'-C1'	5.69	1.59	1.53
1	AA	1260	G	C2'-C1'	5.69	1.59	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	127	A	N7-C5	5.69	1.42	1.39
26	BB	1790	C	N1-C6	5.69	1.40	1.37
26	BB	2161	C	C5'-C4'	5.69	1.58	1.51
26	BB	2383	G	C5-C6	5.69	1.48	1.42
26	BB	2728	U	C4-O4	-5.69	1.19	1.23
1	AA	422	C	C4-C5	5.68	1.47	1.43
1	AA	437	U	C2'-C1'	-5.68	1.47	1.53
1	AA	1198	G	C6-N1	5.68	1.43	1.39
1	AA	1397	C	N1-C6	5.68	1.40	1.37
1	AA	1470	U	C4-C5	5.68	1.48	1.43
7	AG	87	GLU	CG-CD	5.68	1.60	1.51
26	BB	858	G	C2'-C1'	-5.68	1.47	1.53
26	BB	1266	G	C2-N3	5.68	1.37	1.32
26	BB	1279	G	C5-C4	-5.68	1.34	1.38
26	BB	1304	A	C4'-O4'	-5.68	1.38	1.45
1	AA	1275	A	C4'-O4'	-5.68	1.38	1.45
1	AA	1292	G	C4'-O4'	-5.68	1.38	1.45
26	BB	152	A	O4'-C1'	5.68	1.49	1.41
26	BB	1225	G	C4'-C3'	5.68	1.59	1.53
26	BB	1654	A	P-O5'	5.68	1.65	1.59
40	BP	94	TYR	CE1-CZ	5.68	1.46	1.38
1	AA	306	A	C2'-C1'	-5.68	1.47	1.53
1	AA	406	G	C3'-C2'	5.68	1.59	1.52
1	AA	893	C	N1-C6	-5.68	1.33	1.37
1	AA	1312	G	C4'-O4'	-5.68	1.38	1.45
1	AA	677	U	N1-C6	5.68	1.43	1.38
1	AA	1475	G	O4'-C1'	5.68	1.49	1.41
26	BB	563	A	C5-C4	-5.68	1.34	1.38
26	BB	577	G	C4'-O4'	-5.68	1.38	1.45
26	BB	894	U	C4'-O4'	-5.68	1.38	1.45
26	BB	1025	G	C5'-C4'	5.68	1.58	1.51
26	BB	1062	G	C5-C4	-5.68	1.34	1.38
26	BB	2190	G	O3'-P	5.68	1.68	1.61
1	AA	218	U	C3'-C2'	-5.68	1.46	1.52
26	BB	2807	U	O3'-P	5.68	1.68	1.61
26	BB	2822	G	N9-C4	5.68	1.42	1.38
1	AA	45	G	N1-C2	5.68	1.42	1.37
1	AA	135	C	O3'-P	5.68	1.68	1.61
26	BB	164	C	N1-C6	-5.68	1.33	1.37
26	BB	421	C	C3'-O3'	5.68	1.50	1.42
26	BB	1724	G	O3'-P	5.68	1.68	1.61
1	AA	55	A	C2-N3	5.67	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1052	U	C5'-C4'	5.67	1.58	1.51
1	AA	1148	U	O3'-P	5.67	1.68	1.61
1	AA	1179	A	C8-N7	-5.67	1.27	1.31
1	AA	1201	A	C4'-C3'	5.67	1.59	1.53
1	AA	1351	U	C2'-C1'	5.67	1.59	1.53
26	BB	1473	G	C4'-O4'	-5.67	1.38	1.45
26	BB	1744	A	C6-N1	-5.67	1.31	1.35
26	BB	1756	G	C8-N7	5.67	1.34	1.30
26	BB	1762	A	C3'-O3'	5.67	1.50	1.42
26	BB	1772	A	O4'-C1'	5.67	1.49	1.41
26	BB	1951	U	C4-C5	5.67	1.48	1.43
26	BB	2408	U	N3-C4	5.67	1.43	1.38
1	AA	978	A	N9-C4	-5.67	1.34	1.37
26	BB	195	A	N9-C4	-5.67	1.34	1.37
26	BB	601	C	P-O5'	5.67	1.65	1.59
26	BB	627	A	C8-N7	-5.67	1.27	1.31
26	BB	1774	C	C4-C5	5.67	1.47	1.43
26	BB	2040	G	C5-C4	5.67	1.42	1.38
26	BB	2139	U	C4'-O4'	-5.67	1.38	1.45
1	AA	120	A	C5-C4	-5.67	1.34	1.38
1	AA	162	A	C6-N1	5.67	1.39	1.35
1	AA	504	C	C2-N3	5.67	1.40	1.35
1	AA	774	G	O3'-P	5.67	1.68	1.61
25	BA	46	A	N7-C5	-5.67	1.35	1.39
26	BB	598	U	C5'-C4'	5.67	1.58	1.51
26	BB	725	G	N3-C4	5.67	1.39	1.35
26	BB	2142	A	C5-C6	5.67	1.46	1.41
26	BB	2669	G	O3'-P	5.67	1.68	1.61
26	BB	2765	A	P-O5'	5.67	1.65	1.59
51	B0	48	ARG	NE-CZ	5.67	1.40	1.33
26	BB	220	G	N9-C4	5.67	1.42	1.38
1	AA	352	C	P-O5'	5.67	1.65	1.59
1	AA	614	C	P-O5'	5.67	1.65	1.59
1	AA	936	C	C5-C6	5.67	1.38	1.34
1	AA	1239	A	C4'-C3'	5.67	1.59	1.53
2	AB	34	C	N1-C2	5.67	1.45	1.40
25	BA	74	U	C3'-C2'	5.67	1.59	1.52
26	BB	1115	G	C8-N7	-5.67	1.27	1.30
26	BB	1189	A	P-O5'	5.67	1.65	1.59
26	BB	1823	G	N1-C2	-5.67	1.33	1.37
26	BB	1838	C	C2-N3	5.67	1.40	1.35
26	BB	2121	G	O3'-P	5.67	1.68	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1214	C	C4'-O4'	-5.67	1.38	1.45
1	AA	1418	A	O3'-P	5.67	1.68	1.61
26	BB	197	A	C5-C4	5.67	1.42	1.38
26	BB	1205	A	C5-C4	5.67	1.42	1.38
26	BB	2304	G	N9-C8	5.67	1.41	1.37
56	B5	39	ARG	CZ-NH1	5.67	1.40	1.33
1	AA	386	C	N3-C4	5.67	1.38	1.33
1	AA	889	A	C1'-N9	-5.67	1.39	1.46
26	BB	40	U	O3'-P	5.67	1.68	1.61
1	AA	71	A	O5'-C5'	-5.66	1.33	1.42
1	AA	563	A	C6-N1	-5.66	1.31	1.35
1	AA	964	A	C3'-C2'	5.66	1.59	1.52
1	AA	1360	A	N9-C4	5.66	1.41	1.37
1	AA	1512	U	O4'-C1'	5.66	1.49	1.41
3	AC	13	A	N9-C4	5.66	1.41	1.37
26	BB	313	G	C4'-O4'	-5.66	1.38	1.45
26	BB	370	G	P-O5'	5.66	1.65	1.59
26	BB	1385	A	N7-C5	-5.66	1.35	1.39
26	BB	1664	A	N9-C4	-5.66	1.34	1.37
26	BB	1731	G	C5-C4	-5.66	1.34	1.38
26	BB	2671	G	C4'-O4'	-5.66	1.38	1.45
1	AA	1261	A	C8-N7	-5.66	1.27	1.31
26	BB	605	G	N3-C4	5.66	1.39	1.35
26	BB	1829	A	P-O5'	-5.66	1.54	1.59
1	AA	841	C	N1-C6	5.66	1.40	1.37
1	AA	1422	G	C1'-N9	5.66	1.57	1.48
26	BB	218	A	N3-C4	5.66	1.38	1.34
26	BB	1198	U	C2-O2	5.66	1.27	1.22
26	BB	1312	U	P-O5'	5.66	1.65	1.59
26	BB	1596	A	C3'-C2'	5.66	1.59	1.52
26	BB	2090	A	C5-C6	5.66	1.46	1.41
26	BB	2267	A	C6-N6	5.66	1.38	1.33
26	BB	2553	G	N9-C8	-5.66	1.33	1.37
1	AA	52	C	N1-C6	5.66	1.40	1.37
1	AA	397	A	N7-C5	-5.66	1.35	1.39
26	BB	351	C	N1-C6	-5.66	1.33	1.37
26	BB	356	G	C4'-C3'	5.66	1.59	1.53
26	BB	410	G	C6-N1	5.66	1.43	1.39
26	BB	593	U	C4'-O4'	-5.66	1.38	1.45
26	BB	593	U	C4-C5	5.66	1.48	1.43
26	BB	788	A	C2'-C1'	-5.66	1.47	1.53
26	BB	1008	A	C6-N6	5.66	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1190	G	P-O5'	5.66	1.65	1.59
26	BB	1256	G	P-O5'	-5.66	1.54	1.59
26	BB	1631	G	C5'-C4'	5.66	1.58	1.51
1	AA	595	A	N3-C4	-5.66	1.31	1.34
1	AA	616	G	O4'-C1'	5.66	1.49	1.41
1	AA	622	A	P-O5'	5.66	1.65	1.59
26	BB	1496	A	C8-N7	-5.66	1.27	1.31
26	BB	1807	G	N3-C4	5.66	1.39	1.35
26	BB	1819	A	N9-C8	5.66	1.42	1.37
26	BB	1881	C	O4'-C1'	-5.66	1.34	1.41
26	BB	2404	U	C4-C5	5.66	1.48	1.43
26	BB	2739	U	P-O5'	-5.66	1.54	1.59
1	AA	481	G	C8-N7	-5.66	1.27	1.30
3	AC	31	U	N1-C2	5.66	1.43	1.38
26	BB	324	A	N3-C4	5.66	1.38	1.34
26	BB	623	C	C4-C5	-5.66	1.38	1.43
26	BB	706	A	C8-N7	-5.66	1.27	1.31
26	BB	1140	C	P-O5'	-5.66	1.54	1.59
26	BB	1146	C	C4'-O4'	-5.66	1.38	1.45
26	BB	1436	G	N7-C5	5.66	1.42	1.39
26	BB	2409	G	P-O5'	-5.66	1.54	1.59
26	BB	2527	C	C4-C5	5.66	1.47	1.43
26	BB	2635	A	N3-C4	5.66	1.38	1.34
26	BB	2717	C	C4-N4	-5.66	1.28	1.33
1	AA	416	G	N3-C4	-5.65	1.31	1.35
1	AA	850	U	C5'-C4'	5.65	1.58	1.51
1	AA	1016	A	N1-C2	5.65	1.39	1.34
1	AA	1461	G	N9-C4	-5.65	1.33	1.38
26	BB	1280	G	C2-N3	5.65	1.37	1.32
26	BB	2410	G	C6-N1	5.65	1.43	1.39
1	AA	1062	U	C5-C6	5.65	1.39	1.34
1	AA	1118	U	C2-O2	-5.65	1.17	1.22
3	AC	27	A	O3'-P	5.65	1.68	1.61
25	BA	55	U	C4'-O4'	-5.65	1.38	1.45
26	BB	1213	A	N3-C4	5.65	1.38	1.34
26	BB	1427	A	C6-N6	5.65	1.38	1.33
26	BB	1518	C	C5'-C4'	5.65	1.58	1.51
26	BB	1922	G	C6-N1	5.65	1.43	1.39
26	BB	2681	C	C2'-O2'	5.65	1.49	1.41
1	AA	1077	G	C5-C6	5.65	1.48	1.42
1	AA	1362	A	N7-C5	5.65	1.42	1.39
25	BA	32	U	C3'-C2'	5.65	1.59	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1067	A	C2-N3	-5.65	1.28	1.33
26	BB	1576	U	O3'-P	5.65	1.68	1.61
26	BB	1598	A	C5-C4	-5.65	1.34	1.38
26	BB	2157	G	C6-N1	5.65	1.43	1.39
26	BB	2614	A	C5-C6	5.65	1.46	1.41
26	BB	2760	C	N1-C2	5.65	1.45	1.40
27	BC	165	ASN	CB-CG	5.65	1.64	1.51
4	AD	34	U	C4-O4	5.65	1.28	1.23
26	BB	1011	G	C6-N1	5.65	1.43	1.39
26	BB	1947	C	N3-C4	5.65	1.38	1.33
1	AA	299	G	O4'-C1'	-5.65	1.34	1.41
1	AA	376	G	C8-N7	5.65	1.34	1.30
1	AA	381	C	N3-C4	5.65	1.38	1.33
1	AA	690	G	N3-C4	5.65	1.39	1.35
1	AA	737	C	C4'-C3'	-5.65	1.47	1.52
1	AA	785	G	C8-N7	-5.65	1.27	1.30
26	BB	25	U	N3-C4	5.65	1.43	1.38
26	BB	508	A	C5-C6	5.65	1.46	1.41
26	BB	699	A	N7-C5	5.65	1.42	1.39
26	BB	1014	A	C4'-O4'	-5.65	1.38	1.45
26	BB	1089	A	N7-C5	5.65	1.42	1.39
26	BB	1260	A	N9-C4	5.65	1.41	1.37
26	BB	1407	G	C6-N1	5.65	1.43	1.39
26	BB	2410	G	N7-C5	-5.65	1.35	1.39
26	BB	2672	U	P-O5'	5.65	1.65	1.59
6	AF	192	TYR	CB-CG	5.65	1.60	1.51
26	BB	1031	G	C6-N1	5.65	1.43	1.39
26	BB	2019	A	C6-N6	5.65	1.38	1.33
26	BB	2404	U	O4'-C1'	5.65	1.49	1.41
1	AA	79	G	C8-N7	5.64	1.34	1.30
1	AA	518	C	C2'-C1'	-5.64	1.47	1.53
1	AA	899	C	N1-C6	5.64	1.40	1.37
4	AD	2	G	C8-N7	5.64	1.34	1.30
4	AD	5	G	C5-C6	5.64	1.48	1.42
25	BA	7	G	C4'-O4'	-5.64	1.38	1.45
26	BB	246	C	O3'-P	5.64	1.68	1.61
26	BB	777	G	P-O5'	-5.64	1.54	1.59
26	BB	933	A	O3'-P	5.64	1.68	1.61
26	BB	1166	G	O3'-P	5.64	1.68	1.61
26	BB	1748	C	C5'-C4'	5.64	1.58	1.51
1	AA	295	C	N1-C6	5.64	1.40	1.37
1	AA	705	G	N9-C4	5.64	1.42	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1121	U	C2'-C1'	5.64	1.59	1.53
19	AS	60	TRP	CB-CG	-5.64	1.40	1.50
26	BB	248	G	N7-C5	-5.64	1.35	1.39
26	BB	398	C	C5'-C4'	5.64	1.58	1.51
26	BB	484	C	C4-C5	5.64	1.47	1.43
26	BB	772	C	C5-C6	5.64	1.38	1.34
26	BB	1674	G	N9-C8	5.64	1.41	1.37
26	BB	1754	A	N9-C4	-5.64	1.34	1.37
1	AA	382	A	C2-N3	5.64	1.38	1.33
1	AA	420	U	P-O5'	5.64	1.65	1.59
26	BB	758	C	P-O5'	5.64	1.65	1.59
26	BB	808	G	C6-N1	5.64	1.43	1.39
26	BB	1167	C	O4'-C1'	5.64	1.49	1.41
26	BB	1932	A	C2-N3	5.64	1.38	1.33
26	BB	2749	A	C4'-O4'	-5.64	1.38	1.45
1	AA	1286	U	C2-O2	-5.64	1.17	1.22
1	AA	1334	G	C2-N3	5.64	1.37	1.32
4	AD	4	G	C4'-C3'	5.64	1.59	1.53
25	BA	5	U	C5'-C4'	5.64	1.58	1.51
26	BB	65	U	N1-C2	5.64	1.43	1.38
26	BB	1210	G	O3'-P	-5.64	1.54	1.61
26	BB	1585	C	N3-C4	5.64	1.37	1.33
26	BB	1620	G	N9-C8	-5.64	1.33	1.37
1	AA	1117	A	N9-C8	-5.64	1.33	1.37
26	BB	2553	G	C5-C6	5.64	1.48	1.42
1	AA	428	G	C2-N3	5.64	1.37	1.32
1	AA	614	C	C3'-C2'	-5.64	1.46	1.52
1	AA	730	G	C2-N3	5.64	1.37	1.32
1	AA	1143	G	C5-C4	-5.64	1.34	1.38
2	AB	42	G	N1-C2	5.64	1.42	1.37
26	BB	327	G	C6-N1	5.64	1.43	1.39
26	BB	822	G	C5-C4	-5.64	1.34	1.38
26	BB	1259	G	C6-N1	5.64	1.43	1.39
26	BB	1271	G	P-O5'	5.64	1.65	1.59
26	BB	1363	C	N1-C6	-5.64	1.33	1.37
26	BB	1668	A	C2-N3	-5.64	1.28	1.33
26	BB	2162	G	C2-N3	5.64	1.37	1.32
26	BB	2252	G	C3'-C2'	5.64	1.59	1.52
26	BB	2577	A	C4'-O4'	-5.64	1.38	1.45
26	BB	2818	U	C2-N3	5.64	1.41	1.37
1	AA	136	C	C4-C5	-5.63	1.38	1.43
1	AA	1453	G	C2-N3	5.63	1.37	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	24	G	C3'-O3'	5.63	1.50	1.42
2	AB	51	G	N9-C4	5.63	1.42	1.38
25	BA	74	U	C4-C5	5.63	1.48	1.43
26	BB	220	G	P-O5'	5.63	1.65	1.59
26	BB	527	C	C4-N4	-5.63	1.28	1.33
26	BB	867	C	C4-C5	5.63	1.47	1.43
26	BB	2070	A	N7-C5	5.63	1.42	1.39
36	BL	97	PRO	N-CD	-5.63	1.40	1.47
1	AA	917	G	C5-C6	5.63	1.48	1.42
1	AA	1063	C	P-O5'	5.63	1.65	1.59
1	AA	1095	U	C4-C5	5.63	1.48	1.43
26	BB	876	C	P-O5'	5.63	1.65	1.59
26	BB	1266	G	C6-N1	5.63	1.43	1.39
26	BB	1805	A	O3'-P	5.63	1.68	1.61
26	BB	2180	U	C4'-O4'	-5.63	1.38	1.45
26	BB	2417	C	C4'-O4'	-5.63	1.38	1.45
1	AA	552	U	C2'-C1'	-5.63	1.47	1.53
1	AA	736	C	C4-C5	5.63	1.47	1.43
1	AA	1024	G	C6-O6	-5.63	1.19	1.24
1	AA	1239	A	C8-N7	-5.63	1.27	1.31
16	AP	20	SER	CB-OG	-5.63	1.34	1.42
26	BB	183	C	C4-C5	5.63	1.47	1.43
26	BB	274	C	C2-N3	5.63	1.40	1.35
26	BB	333	G	C2'-C1'	5.63	1.59	1.53
26	BB	399	U	C4-O4	-5.63	1.19	1.23
26	BB	578	G	C6-N1	5.63	1.43	1.39
26	BB	1051	G	N7-C5	-5.63	1.35	1.39
26	BB	1368	G	N1-C2	5.63	1.42	1.37
26	BB	1721	G	C6-O6	-5.63	1.19	1.24
33	BI	68	ARG	NE-CZ	5.63	1.40	1.33
1	AA	15	G	N9-C8	5.63	1.41	1.37
1	AA	1311	A	P-O5'	5.63	1.65	1.59
26	BB	177	G	N9-C8	-5.63	1.33	1.37
26	BB	330	A	C3'-C2'	5.63	1.59	1.52
26	BB	1876	A	N9-C8	5.63	1.42	1.37
1	AA	23	C	C4-N4	-5.63	1.28	1.33
1	AA	357	G	N7-C5	-5.63	1.35	1.39
1	AA	360	G	O4'-C1'	5.63	1.49	1.41
1	AA	1327	C	C4-N4	5.63	1.39	1.33
26	BB	45	G	N3-C4	5.63	1.39	1.35
26	BB	393	C	C5-C6	5.63	1.38	1.34
26	BB	1497	U	N3-C4	5.63	1.43	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1992	G	C4'-C3'	5.63	1.59	1.53
26	BB	2379	G	C6-N1	5.63	1.43	1.39
26	BB	2551	C	C5'-C4'	5.63	1.58	1.51
26	BB	2619	C	C3'-C2'	-5.63	1.46	1.52
1	AA	218	U	C4-C5	5.63	1.48	1.43
1	AA	1130	A	C3'-C2'	5.63	1.59	1.52
26	BB	497	A	N9-C8	-5.63	1.33	1.37
26	BB	1855	U	C2'-C1'	-5.63	1.47	1.53
26	BB	2433	A	C6-N1	-5.63	1.31	1.35
26	BB	2669	G	C5-C4	-5.63	1.34	1.38
26	BB	2794	C	C4-C5	5.63	1.47	1.43
1	AA	1030	U	C4'-C3'	5.62	1.59	1.53
26	BB	630	G	C4'-C3'	5.62	1.59	1.53
26	BB	2043	C	O3'-P	5.62	1.67	1.61
26	BB	2692	G	C5'-C4'	5.62	1.58	1.51
1	AA	914	A	C4'-C3'	-5.62	1.47	1.52
1	AA	1011	C	O3'-P	-5.62	1.54	1.61
1	AA	1224	U	C2-N3	5.62	1.41	1.37
1	AA	1343	G	N3-C4	5.62	1.39	1.35
1	AA	1496	C	O3'-P	-5.62	1.54	1.61
4	AD	39	A	C3'-C2'	5.62	1.59	1.52
25	BA	114	C	C4'-O4'	-5.62	1.38	1.45
26	BB	408	G	N1-C2	-5.62	1.33	1.37
26	BB	2533	U	C2-O2	5.62	1.27	1.22
1	AA	17	U	P-O5'	5.62	1.65	1.59
1	AA	23	C	C5-C6	5.62	1.38	1.34
1	AA	204	G	N7-C5	-5.62	1.35	1.39
1	AA	340	U	C2-O2	5.62	1.27	1.22
4	AD	39	A	N1-C2	5.62	1.39	1.34
26	BB	96	C	N1-C6	5.62	1.40	1.37
26	BB	449	A	O3'-P	5.62	1.67	1.61
26	BB	734	A	C5-C4	-5.62	1.34	1.38
26	BB	773	U	P-O5'	-5.62	1.54	1.59
26	BB	781	A	C5-C4	-5.62	1.34	1.38
26	BB	1830	C	C4'-C3'	5.62	1.59	1.53
30	BF	78	TRP	NE1-CE2	5.62	1.44	1.37
26	BB	875	G	N7-C5	-5.62	1.35	1.39
26	BB	1888	G	N7-C5	5.62	1.42	1.39
26	BB	2116	G	N9-C8	-5.62	1.33	1.37
26	BB	132	G	C2'-C1'	5.62	1.59	1.53
26	BB	152	A	C5-C6	5.62	1.46	1.41
26	BB	850	U	O3'-P	-5.62	1.54	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2023	C	N1-C6	5.62	1.40	1.37
26	BB	2444	G	C2-N3	5.62	1.37	1.32
26	BB	2518	A	N9-C8	5.62	1.42	1.37
26	BB	2831	G	N9-C8	-5.62	1.33	1.37
1	AA	143	A	C8-N7	-5.62	1.27	1.31
1	AA	670	G	N9-C8	-5.62	1.33	1.37
4	AD	30	G	N7-C5	-5.62	1.35	1.39
26	BB	641	U	C3'-C2'	5.62	1.59	1.52
26	BB	681	G	C8-N7	-5.62	1.27	1.30
26	BB	1407	G	C6-O6	-5.62	1.19	1.24
26	BB	2280	G	C5'-C4'	5.62	1.58	1.51
26	BB	2856	A	N3-C4	5.62	1.38	1.34
1	AA	286	C	C2'-O2'	-5.62	1.34	1.41
1	AA	308	C	P-O5'	5.62	1.65	1.59
1	AA	373	A	C8-N7	-5.62	1.27	1.31
1	AA	749	A	N7-C5	5.62	1.42	1.39
1	AA	1075	U	N1-C2	5.62	1.43	1.38
1	AA	1139	G	C6-N1	-5.62	1.35	1.39
14	AN	122	PRO	N-CD	5.62	1.55	1.47
26	BB	85	G	N7-C5	5.62	1.42	1.39
26	BB	184	C	C4'-O4'	-5.62	1.38	1.45
26	BB	375	G	N3-C4	-5.62	1.31	1.35
26	BB	2060	A	O4'-C1'	-5.62	1.34	1.41
1	AA	579	A	C4'-O4'	-5.61	1.38	1.45
25	BA	41	G	C4'-O4'	-5.61	1.38	1.45
25	BA	107	G	C4'-O4'	-5.61	1.38	1.45
26	BB	201	C	C5'-C4'	5.61	1.58	1.51
26	BB	474	G	C2-N3	5.61	1.37	1.32
26	BB	1087	G	N3-C4	5.61	1.39	1.35
26	BB	2177	C	N1-C6	-5.61	1.33	1.37
26	BB	2352	A	P-O5'	5.61	1.65	1.59
26	BB	772	C	N1-C2	-5.61	1.34	1.40
26	BB	885	C	C3'-O3'	-5.61	1.34	1.42
26	BB	1555	G	C4'-O4'	-5.61	1.38	1.45
26	BB	1684	G	C4'-O4'	5.61	1.52	1.45
26	BB	2249	U	C4'-O4'	-5.61	1.38	1.45
1	AA	197	A	C5'-C4'	5.61	1.58	1.51
1	AA	754	C	N1-C6	5.61	1.40	1.37
1	AA	827	U	C4-C5	5.61	1.48	1.43
1	AA	951	G	N9-C8	5.61	1.41	1.37
1	AA	1144	G	C3'-O3'	-5.61	1.34	1.42
1	AA	1182	G	P-O5'	5.61	1.65	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	AC	40	G	C2-N2	-5.61	1.28	1.34
4	AD	4	G	C2-N2	-5.61	1.28	1.34
11	AK	29	SER	CB-OG	-5.61	1.34	1.42
25	BA	45	A	N9-C4	-5.61	1.34	1.37
26	BB	89	A	C1'-N9	5.61	1.57	1.48
26	BB	609	A	N7-C5	5.61	1.42	1.39
26	BB	650	C	N1-C2	-5.61	1.34	1.40
26	BB	769	U	C2-N3	5.61	1.41	1.37
26	BB	1101	U	C2-N3	5.61	1.41	1.37
26	BB	2456	C	O4'-C1'	5.61	1.49	1.41
26	BB	2593	U	C2'-O2'	5.61	1.49	1.41
26	BB	2653	U	C4-C5	5.61	1.48	1.43
26	BB	2783	U	C5-C6	5.61	1.39	1.34
25	BA	41	G	C2-N3	5.61	1.37	1.32
26	BB	472	A	N3-C4	5.61	1.38	1.34
26	BB	823	C	N1-C6	5.61	1.40	1.37
26	BB	1318	U	C2'-O2'	5.61	1.49	1.41
26	BB	1595	C	C4-C5	5.61	1.47	1.43
1	AA	172	A	N1-C2	-5.61	1.29	1.34
1	AA	288	A	N7-C5	5.61	1.42	1.39
1	AA	535	A	C3'-O3'	5.61	1.50	1.42
4	AD	68	C	C1'-N1	5.61	1.57	1.48
25	BA	1	U	C4-C5	5.61	1.48	1.43
26	BB	320	A	C5-C6	5.61	1.46	1.41
26	BB	543	G	C6-N1	5.61	1.43	1.39
26	BB	614	A	C5-C6	5.61	1.46	1.41
26	BB	765	C	N3-C4	5.61	1.37	1.33
26	BB	1148	U	C4-C5	5.61	1.48	1.43
26	BB	1203	U	C2'-O2'	-5.61	1.34	1.41
26	BB	1668	A	N7-C5	5.61	1.42	1.39
1	AA	100	G	C4'-C3'	5.61	1.59	1.53
2	AB	6	C	N1-C6	5.61	1.40	1.37
26	BB	548	G	C2-N3	5.61	1.37	1.32
26	BB	1729	U	N1-C2	5.61	1.43	1.38
26	BB	1848	A	N7-C5	5.61	1.42	1.39
26	BB	1958	C	C2-N3	5.61	1.40	1.35
26	BB	2777	G	C6-N1	-5.61	1.35	1.39
31	BG	99	PHE	CB-CG	5.61	1.60	1.51
1	AA	7	A	C6-N1	5.60	1.39	1.35
1	AA	152	A	C6-N1	-5.60	1.31	1.35
26	BB	1016	G	N9-C4	-5.60	1.33	1.38
26	BB	2345	G	N9-C8	5.60	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	272	C	C4'-O4'	-5.60	1.38	1.45
1	AA	1020	G	C2-N3	5.60	1.37	1.32
1	AA	1173	U	C5'-C4'	5.60	1.58	1.51
26	BB	617	G	O4'-C1'	5.60	1.49	1.41
26	BB	631	A	N9-C8	-5.60	1.33	1.37
26	BB	636	G	C4'-C3'	5.60	1.59	1.53
26	BB	1522	A	N9-C4	-5.60	1.34	1.37
26	BB	1815	A	N3-C4	5.60	1.38	1.34
26	BB	2327	A	C4'-C3'	-5.60	1.47	1.52
26	BB	2516	A	N9-C8	5.60	1.42	1.37
26	BB	2786	U	C4-C5	5.60	1.48	1.43
4	AD	11	A	C2'-C1'	5.60	1.59	1.53
4	AD	18	U	C4'-O4'	-5.60	1.38	1.45
26	BB	33	C	N3-C4	5.60	1.37	1.33
26	BB	480	A	C2'-O2'	5.60	1.49	1.41
26	BB	883	G	P-O5'	-5.60	1.54	1.59
26	BB	1013	C	N1-C2	5.60	1.45	1.40
26	BB	2113	U	C5-C6	5.60	1.39	1.34
26	BB	2127	G	C5-C4	5.60	1.42	1.38
26	BB	2902	C	P-O5'	5.60	1.65	1.59
1	AA	1205	U	O3'-P	5.60	1.67	1.61
2	AB	34	C	C4-N4	5.60	1.39	1.33
26	BB	672	C	O3'-P	5.60	1.67	1.61
26	BB	1007	C	C4-N4	5.60	1.39	1.33
26	BB	1063	G	C2-N3	5.60	1.37	1.32
26	BB	1225	G	N9-C4	5.60	1.42	1.38
26	BB	1419	A	N9-C4	5.60	1.41	1.37
26	BB	1839	G	N9-C8	-5.60	1.33	1.37
26	BB	1856	U	C2'-O2'	-5.60	1.34	1.41
26	BB	2084	C	C4'-O4'	-5.60	1.38	1.45
26	BB	2224	G	N9-C8	-5.60	1.33	1.37
26	BB	2315	G	C3'-C2'	5.60	1.59	1.52
26	BB	2543	G	C2-N3	5.60	1.37	1.32
26	BB	2903	U	N3-C4	5.60	1.43	1.38
39	BO	62	LYS	CA-CB	5.60	1.66	1.53
1	AA	183	C	C4-C5	5.60	1.47	1.43
1	AA	579	A	N9-C8	5.60	1.42	1.37
1	AA	1279	G	N9-C4	5.60	1.42	1.38
1	AA	1319	A	C6-N1	5.60	1.39	1.35
1	AA	1423	G	N9-C8	-5.60	1.33	1.37
26	BB	946	C	N3-C4	5.60	1.37	1.33
26	BB	1812	U	P-O5'	5.60	1.65	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1985	C	C5'-C4'	5.60	1.58	1.51
26	BB	2219	U	P-O5'	5.60	1.65	1.59
26	BB	2736	A	C4'-O4'	-5.60	1.38	1.45
26	BB	2836	U	C5'-C4'	-5.60	1.44	1.51
26	BB	2850	A	N7-C5	5.60	1.42	1.39
1	AA	777	A	O3'-P	-5.60	1.54	1.61
26	BB	217	A	N9-C8	-5.60	1.33	1.37
26	BB	2093	G	C2-N3	5.60	1.37	1.32
26	BB	2403	C	O4'-C1'	5.60	1.49	1.41
1	AA	980	C	C1'-N1	5.59	1.57	1.48
1	AA	1530	G	C4'-O4'	-5.59	1.38	1.45
26	BB	860	U	C4-C5	5.59	1.48	1.43
26	BB	1172	C	C5-C6	5.59	1.38	1.34
26	BB	1470	A	P-O5'	5.59	1.65	1.59
26	BB	1748	C	C2-N3	5.59	1.40	1.35
1	AA	566	G	C4'-O4'	-5.59	1.38	1.45
1	AA	822	U	O5'-C5'	-5.59	1.33	1.42
1	AA	1403	C	C4'-O4'	-5.59	1.38	1.45
1	AA	1428	A	C4'-C3'	-5.59	1.47	1.52
26	BB	1288	G	C3'-C2'	5.59	1.59	1.52
26	BB	1369	G	N7-C5	-5.59	1.35	1.39
26	BB	1661	G	C5-C6	5.59	1.48	1.42
26	BB	2206	C	C2'-O2'	-5.59	1.34	1.41
1	AA	402	G	C4'-O4'	-5.59	1.38	1.45
1	AA	883	C	N1-C2	5.59	1.45	1.40
1	AA	1114	C	N1-C6	5.59	1.40	1.37
1	AA	1219	A	C5'-C4'	5.59	1.58	1.51
1	AA	1411	C	C3'-C2'	5.59	1.59	1.52
26	BB	171	U	N1-C2	5.59	1.43	1.38
26	BB	188	G	N7-C5	5.59	1.42	1.39
26	BB	399	U	C2'-C1'	-5.59	1.47	1.53
26	BB	431	U	C4-O4	-5.59	1.19	1.23
26	BB	504	A	N9-C8	5.59	1.42	1.37
26	BB	1025	G	C3'-O3'	5.59	1.50	1.42
26	BB	1236	G	C3'-C2'	-5.59	1.46	1.52
26	BB	1588	G	C8-N7	5.59	1.34	1.30
26	BB	1688	U	O4'-C1'	5.59	1.49	1.41
26	BB	1969	A	C6-N6	5.59	1.38	1.33
26	BB	2547	A	C5-C4	-5.59	1.34	1.38
26	BB	2806	C	C4-N4	5.59	1.39	1.33
26	BB	2877	G	N7-C5	5.59	1.42	1.39
3	AC	51	C	N1-C6	5.59	1.40	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	262	A	P-O5'	5.59	1.65	1.59
1	AA	100	G	P-O5'	5.59	1.65	1.59
1	AA	1225	A	C5-C4	-5.59	1.34	1.38
4	AD	45	A	N7-C5	5.59	1.42	1.39
26	BB	478	A	N7-C5	-5.59	1.35	1.39
26	BB	646	U	C2'-C1'	5.59	1.59	1.53
26	BB	882	G	C8-N7	-5.59	1.27	1.30
26	BB	1493	C	N1-C6	5.59	1.40	1.37
26	BB	1541	C	C4-C5	5.59	1.47	1.43
26	BB	1574	C	C2-N3	5.59	1.40	1.35
26	BB	1840	G	C4'-C3'	-5.59	1.47	1.52
26	BB	2721	A	C2'-C1'	5.59	1.59	1.53
26	BB	2818	U	P-O5'	5.59	1.65	1.59
3	AC	21	U	C5-C6	5.58	1.39	1.34
26	BB	300	A	C8-N7	-5.58	1.27	1.31
26	BB	337	C	P-O5'	5.58	1.65	1.59
1	AA	86	G	O3'-P	5.58	1.67	1.61
1	AA	163	C	C2-N3	5.58	1.40	1.35
1	AA	801	U	C3'-O3'	5.58	1.50	1.42
1	AA	1074	G	N9-C4	5.58	1.42	1.38
1	AA	1107	C	N3-C4	5.58	1.37	1.33
1	AA	1365	G	C5'-C4'	5.58	1.58	1.51
1	AA	1497	G	N9-C8	-5.58	1.33	1.37
1	AA	1536	C	N1-C6	5.58	1.40	1.37
2	AB	13	C	C3'-C2'	5.58	1.59	1.52
25	BA	22	U	O4'-C1'	5.58	1.49	1.41
26	BB	1136	G	C3'-O3'	5.58	1.50	1.42
26	BB	2620	C	C4-C5	5.58	1.47	1.43
26	BB	2694	G	N7-C5	5.58	1.42	1.39
1	AA	468	A	C4'-O4'	-5.58	1.38	1.45
1	AA	625	U	N1-C2	5.58	1.43	1.38
1	AA	1064	G	N9-C4	-5.58	1.33	1.38
26	BB	513	A	C5'-C4'	5.58	1.58	1.51
26	BB	974	G	N9-C8	-5.58	1.33	1.37
26	BB	1439	A	C4'-C3'	5.58	1.59	1.53
26	BB	2271	G	N9-C4	-5.58	1.33	1.38
26	BB	2307	G	C3'-C2'	-5.58	1.46	1.52
26	BB	2686	G	C2'-C1'	-5.58	1.47	1.53
1	AA	168	G	C5-C6	-5.58	1.36	1.42
1	AA	368	U	N1-C2	5.58	1.43	1.38
26	BB	1058	U	C4'-O4'	-5.58	1.38	1.45
26	BB	1849	G	N7-C5	-5.58	1.35	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	297	G	C2-N3	5.58	1.37	1.32
26	BB	121	G	C8-N7	-5.58	1.27	1.30
26	BB	1111	A	P-O5'	5.58	1.65	1.59
26	BB	1284	A	N9-C4	5.58	1.41	1.37
26	BB	1684	G	P-O5'	5.58	1.65	1.59
26	BB	2244	U	C2-N3	5.58	1.41	1.37
26	BB	2651	C	C4-C5	5.58	1.47	1.43
1	AA	285	C	C2'-C1'	5.58	1.59	1.53
26	BB	536	G	C2-N3	-5.58	1.28	1.32
26	BB	581	C	N1-C2	5.58	1.45	1.40
26	BB	2377	A	C5-C6	5.58	1.46	1.41
26	BB	2497	A	C3'-C2'	-5.58	1.46	1.52
1	AA	263	A	C6-N6	5.58	1.38	1.33
1	AA	349	A	C8-N7	-5.58	1.27	1.31
1	AA	408	A	C4'-O4'	-5.58	1.38	1.45
1	AA	609	A	O3'-P	5.58	1.67	1.61
1	AA	880	C	C4-N4	-5.58	1.28	1.33
1	AA	1272	G	O3'-P	5.58	1.67	1.61
11	AK	83	ARG	NE-CZ	5.58	1.40	1.33
25	BA	50	A	P-O5'	-5.58	1.54	1.59
26	BB	51	G	N3-C4	5.58	1.39	1.35
26	BB	430	A	C8-N7	5.58	1.35	1.31
26	BB	654	A	N3-C4	5.58	1.38	1.34
26	BB	763	G	N9-C4	5.58	1.42	1.38
26	BB	1103	A	C4'-C3'	5.58	1.59	1.53
26	BB	1114	C	C5-C6	5.58	1.38	1.34
26	BB	1238	G	C2-N3	5.58	1.37	1.32
26	BB	1324	G	O4'-C1'	5.58	1.48	1.41
26	BB	1713	A	C4'-C3'	5.58	1.59	1.53
26	BB	2003	A	P-O5'	5.58	1.65	1.59
26	BB	2393	U	C4'-O4'	-5.58	1.38	1.45
26	BB	2609	U	C1'-N1	5.58	1.57	1.48
1	AA	107	G	C8-N7	5.57	1.34	1.30
1	AA	608	A	N9-C8	-5.57	1.33	1.37
1	AA	937	A	C5'-C4'	5.57	1.58	1.51
4	AD	53	G	C5'-C4'	5.57	1.58	1.51
26	BB	222	A	N3-C4	5.57	1.38	1.34
26	BB	724	U	C2-N3	5.57	1.41	1.37
26	BB	831	G	C5-C4	5.57	1.42	1.38
26	BB	1602	U	C3'-C2'	5.57	1.59	1.52
26	BB	1815	A	N9-C4	-5.57	1.34	1.37
26	BB	2214	C	C4'-O4'	-5.57	1.38	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2287	A	C5-C4	-5.57	1.34	1.38
26	BB	2534	A	N9-C4	-5.57	1.34	1.37
1	AA	860	A	P-O5'	5.57	1.65	1.59
26	BB	817	C	P-O5'	5.57	1.65	1.59
1	AA	101	A	C4'-C3'	-5.57	1.47	1.52
1	AA	689	C	N3-C4	5.57	1.37	1.33
1	AA	742	G	C5'-C4'	5.57	1.58	1.51
1	AA	883	C	C2-O2	-5.57	1.19	1.24
1	AA	1266	G	C2'-O2'	5.57	1.48	1.41
1	AA	1290	G	C8-N7	5.57	1.34	1.30
26	BB	522	A	N7-C5	-5.57	1.35	1.39
26	BB	672	C	N1-C2	5.57	1.45	1.40
26	BB	675	A	C6-N1	5.57	1.39	1.35
26	BB	1212	G	N9-C4	-5.57	1.33	1.38
26	BB	1896	G	N1-C2	5.57	1.42	1.37
26	BB	2263	C	C3'-C2'	5.57	1.59	1.52
1	AA	380	G	N7-C5	5.57	1.42	1.39
1	AA	546	A	C5-C6	5.57	1.46	1.41
26	BB	1074	G	C2-N3	5.57	1.37	1.32
26	BB	1096	A	C5'-C4'	5.57	1.58	1.51
26	BB	2412	A	O3'-P	5.57	1.67	1.61
1	AA	150	U	C5'-C4'	5.57	1.58	1.51
26	BB	177	G	P-O5'	5.57	1.65	1.59
26	BB	316	C	C5-C6	5.57	1.38	1.34
26	BB	1248	G	P-O5'	5.57	1.65	1.59
26	BB	2737	G	O4'-C1'	5.57	1.48	1.41
1	AA	591	U	C2-N3	5.57	1.41	1.37
1	AA	628	G	P-O5'	5.57	1.65	1.59
1	AA	1254	A	N3-C4	5.57	1.38	1.34
1	AA	1397	C	C2-O2	-5.57	1.19	1.24
3	AC	57	C	P-O5'	5.57	1.65	1.59
25	BA	19	C	C4-C5	5.57	1.47	1.43
26	BB	95	A	C4'-O4'	-5.57	1.38	1.45
26	BB	315	G	C6-N1	5.57	1.43	1.39
26	BB	725	G	N7-C5	5.57	1.42	1.39
26	BB	2342	C	O3'-P	5.57	1.67	1.61
26	BB	2436	G	C5-C4	-5.57	1.34	1.38
26	BB	2444	G	C5'-C4'	5.57	1.58	1.51
26	BB	2610	C	C5'-C4'	5.57	1.58	1.51
1	AA	842	U	C5-C6	5.56	1.39	1.34
1	AA	887	G	N7-C5	-5.56	1.35	1.39
1	AA	1154	G	O3'-P	5.56	1.67	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	680	C	C2-N3	5.56	1.40	1.35
26	BB	696	G	N9-C4	5.56	1.42	1.38
26	BB	1928	A	N1-C2	-5.56	1.29	1.34
26	BB	2087	G	C5-C4	-5.56	1.34	1.38
26	BB	2502	G	N7-C5	5.56	1.42	1.39
26	BB	2722	G	C6-N1	5.56	1.43	1.39
1	AA	889	A	C2'-O2'	-5.56	1.34	1.41
25	BA	88	C	P-O5'	5.56	1.65	1.59
26	BB	929	U	C4-C5	5.56	1.48	1.43
26	BB	1369	G	N9-C8	5.56	1.41	1.37
26	BB	2315	G	C2-N3	5.56	1.37	1.32
26	BB	2382	G	C4'-O4'	-5.56	1.38	1.45
1	AA	1297	G	C5-C4	5.56	1.42	1.38
1	AA	1332	A	C3'-C2'	5.56	1.59	1.52
1	AA	1528	U	N3-C4	5.56	1.43	1.38
26	BB	181	A	C6-N1	-5.56	1.31	1.35
26	BB	933	A	C4'-O4'	-5.56	1.38	1.45
26	BB	1857	G	N9-C4	5.56	1.42	1.38
1	AA	40	C	N1-C6	5.56	1.40	1.37
1	AA	371	A	C2-N3	-5.56	1.28	1.33
1	AA	1392	G	C2-N2	-5.56	1.28	1.34
25	BA	12	C	C3'-O3'	5.56	1.50	1.42
25	BA	93	C	C2'-C1'	-5.56	1.47	1.53
26	BB	109	C	C2'-C1'	5.56	1.59	1.53
26	BB	216	A	C3'-C2'	-5.56	1.46	1.52
26	BB	245	G	O3'-P	5.56	1.67	1.61
26	BB	425	G	P-O5'	5.56	1.65	1.59
26	BB	538	A	C4'-O4'	-5.56	1.38	1.45
26	BB	555	G	C6-N1	5.56	1.43	1.39
26	BB	1172	C	C3'-C2'	5.56	1.59	1.52
26	BB	1556	C	C4'-O4'	-5.56	1.38	1.45
26	BB	1873	G	C8-N7	5.56	1.34	1.30
26	BB	2182	U	C5'-C4'	5.56	1.58	1.51
26	BB	2287	A	P-O5'	5.56	1.65	1.59
26	BB	2315	G	O3'-P	-5.56	1.54	1.61
26	BB	2443	C	C4-C5	5.56	1.47	1.43
26	BB	2570	G	P-O5'	5.56	1.65	1.59
32	BH	154	GLU	CG-CD	5.56	1.60	1.51
1	AA	413	G	C3'-O3'	5.56	1.50	1.42
1	AA	597	G	C4'-C3'	-5.56	1.47	1.52
1	AA	1354	U	C5'-C4'	5.56	1.58	1.51
2	AB	51	G	C5-C6	5.56	1.48	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	117	G	C2-N2	5.56	1.40	1.34
26	BB	383	C	C4'-O4'	-5.56	1.38	1.45
26	BB	1448	G	N3-C4	5.56	1.39	1.35
26	BB	2125	G	O3'-P	5.56	1.67	1.61
26	BB	2510	C	C5'-C4'	5.56	1.58	1.51
26	BB	2838	G	N9-C8	5.56	1.41	1.37
25	BA	100	G	C8-N7	-5.56	1.27	1.30
26	BB	1150	C	C5'-C4'	5.56	1.58	1.51
26	BB	1559	U	P-O5'	5.56	1.65	1.59
26	BB	2665	A	N9-C4	-5.56	1.34	1.37
1	AA	669	G	N1-C2	5.55	1.42	1.37
1	AA	1484	C	C2-N3	5.55	1.40	1.35
26	BB	1641	A	C8-N7	5.55	1.35	1.31
26	BB	2803	G	C5'-C4'	5.55	1.58	1.51
1	AA	199	A	C5-C4	-5.55	1.34	1.38
1	AA	266	G	C2'-O2'	-5.55	1.34	1.41
1	AA	1145	A	C2'-O2'	5.55	1.48	1.41
1	AA	1429	A	C4'-O4'	-5.55	1.38	1.45
26	BB	291	G	N9-C8	-5.55	1.33	1.37
26	BB	780	G	O3'-P	5.55	1.67	1.61
26	BB	1379	U	C4-C5	5.55	1.48	1.43
26	BB	1589	U	N3-C4	5.55	1.43	1.38
26	BB	2076	U	N1-C2	5.55	1.43	1.38
26	BB	2201	G	C6-O6	-5.55	1.19	1.24
26	BB	2829	A	C5'-C4'	5.55	1.58	1.51
1	AA	222	C	C3'-C2'	5.55	1.59	1.52
1	AA	378	G	C5-C4	-5.55	1.34	1.38
1	AA	799	G	N9-C4	5.55	1.42	1.38
1	AA	1196	A	P-O5'	5.55	1.65	1.59
2	AB	57	G	C4'-O4'	-5.55	1.38	1.45
3	AC	52	U	C4'-C3'	5.55	1.59	1.53
26	BB	48	G	N7-C5	-5.55	1.35	1.39
26	BB	96	C	C4-C5	5.55	1.47	1.43
26	BB	375	G	C6-N1	-5.55	1.35	1.39
26	BB	1042	G	C6-O6	-5.55	1.19	1.24
26	BB	1056	G	C3'-O3'	5.55	1.50	1.42
26	BB	1152	C	P-O5'	5.55	1.65	1.59
26	BB	2509	G	N9-C4	5.55	1.42	1.38
26	BB	2688	G	C6-N1	5.55	1.43	1.39
1	AA	344	A	N9-C4	5.55	1.41	1.37
1	AA	353	A	N3-C4	5.55	1.38	1.34
1	AA	826	C	C2'-C1'	-5.55	1.47	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	945	G	N9-C4	5.55	1.42	1.38
26	BB	91	A	N7-C5	5.55	1.42	1.39
26	BB	1546	G	C6-O6	-5.55	1.19	1.24
26	BB	2340	A	C4'-O4'	-5.55	1.38	1.45
26	BB	2653	U	O3'-P	5.55	1.67	1.61
26	BB	203	A	C5-C4	5.55	1.42	1.38
26	BB	1168	G	C3'-C2'	5.55	1.59	1.52
26	BB	1442	U	C4-C5	5.55	1.48	1.43
1	AA	1082	A	C6-N6	5.55	1.38	1.33
1	AA	1224	U	O3'-P	5.55	1.67	1.61
2	AB	4	G	C4'-C3'	5.55	1.59	1.53
2	AB	35	C	N3-C4	5.55	1.37	1.33
26	BB	272	A	O3'-P	5.55	1.67	1.61
26	BB	984	A	P-O5'	5.55	1.65	1.59
26	BB	1332	G	C4'-C3'	5.55	1.59	1.53
26	BB	1402	U	P-O5'	5.55	1.65	1.59
26	BB	1546	G	N3-C4	5.55	1.39	1.35
26	BB	1890	A	C6-N1	5.55	1.39	1.35
26	BB	2587	A	N3-C4	5.55	1.38	1.34
1	AA	49	U	N1-C2	5.54	1.43	1.38
1	AA	365	U	C4'-C3'	-5.54	1.47	1.52
1	AA	759	A	C6-N1	-5.54	1.31	1.35
1	AA	1535	C	C5'-C4'	5.54	1.58	1.51
26	BB	536	G	N7-C5	5.54	1.42	1.39
26	BB	1041	G	C2'-O2'	5.54	1.48	1.41
26	BB	1672	A	N3-C4	5.54	1.38	1.34
26	BB	1729	U	P-O5'	5.54	1.65	1.59
26	BB	2058	A	C5-C6	5.54	1.46	1.41
26	BB	2606	C	C4-N4	5.54	1.39	1.33
26	BB	2829	A	O4'-C1'	5.54	1.48	1.41
1	AA	442	G	C4'-O4'	-5.54	1.38	1.45
1	AA	730	G	N7-C5	5.54	1.42	1.39
1	AA	1244	G	P-O5'	5.54	1.65	1.59
26	BB	80	G	N3-C4	5.54	1.39	1.35
26	BB	302	C	N1-C2	5.54	1.45	1.40
26	BB	1440	U	C5-C6	5.54	1.39	1.34
26	BB	2245	U	C2'-O2'	5.54	1.48	1.41
26	BB	2282	G	N3-C4	5.54	1.39	1.35
1	AA	276	G	C6-N1	-5.54	1.35	1.39
1	AA	584	G	C5'-C4'	5.54	1.57	1.51
1	AA	982	U	C2-N3	5.54	1.41	1.37
1	AA	1294	G	N3-C4	5.54	1.39	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	520	G	C2-N3	5.54	1.37	1.32
1	AA	888	G	N7-C5	-5.54	1.35	1.39
1	AA	1189	U	C5-C6	5.54	1.39	1.34
26	BB	1341	G	N3-C4	5.54	1.39	1.35
1	AA	151	A	P-O5'	5.54	1.65	1.59
1	AA	188	C	C4-N4	-5.54	1.28	1.33
1	AA	447	G	C5-C4	5.54	1.42	1.38
1	AA	1182	G	N7-C5	5.54	1.42	1.39
1	AA	1290	G	C2-N3	5.54	1.37	1.32
26	BB	1804	C	C2-O2	-5.54	1.19	1.24
26	BB	1862	G	C5-C4	-5.54	1.34	1.38
26	BB	1876	A	O3'-P	5.54	1.67	1.61
26	BB	2161	C	P-O5'	5.54	1.65	1.59
35	BK	15	GLY	N-CA	5.54	1.54	1.46
1	AA	724	G	C8-N7	5.54	1.34	1.30
26	BB	158	U	P-O5'	5.54	1.65	1.59
26	BB	177	G	C4'-O4'	-5.54	1.38	1.45
26	BB	1780	A	N7-C5	-5.54	1.35	1.39
26	BB	2256	G	P-O5'	5.54	1.65	1.59
1	AA	20	U	P-O5'	5.54	1.65	1.59
1	AA	159	G	P-O5'	5.54	1.65	1.59
1	AA	778	G	N9-C4	5.54	1.42	1.38
1	AA	824	G	C2-N3	5.54	1.37	1.32
1	AA	941	G	N3-C4	5.54	1.39	1.35
1	AA	1287	A	C2'-O2'	-5.54	1.34	1.41
1	AA	1378	C	C2-N3	-5.54	1.31	1.35
1	AA	1397	C	C4-C5	5.54	1.47	1.43
26	BB	631	A	N9-C4	5.54	1.41	1.37
26	BB	1955	U	C2'-C1'	-5.54	1.47	1.53
26	BB	2135	A	C5'-C4'	5.54	1.57	1.51
26	BB	2506	U	C3'-O3'	5.54	1.49	1.42
1	AA	260	G	N7-C5	-5.53	1.35	1.39
1	AA	1185	G	O4'-C1'	5.53	1.48	1.41
1	AA	1443	C	O4'-C1'	5.53	1.48	1.41
25	BA	28	C	C5'-C4'	5.53	1.57	1.51
26	BB	598	U	C2-N3	5.53	1.41	1.37
26	BB	673	C	C3'-C2'	-5.53	1.46	1.52
26	BB	1020	A	C5'-C4'	5.53	1.57	1.51
26	BB	1294	U	N1-C2	5.53	1.43	1.38
26	BB	1539	U	N3-C4	5.53	1.43	1.38
26	BB	2016	U	C2'-O2'	5.53	1.48	1.41
26	BB	2122	U	C5'-C4'	5.53	1.57	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2703	C	N3-C4	5.53	1.37	1.33
26	BB	2749	A	C6-N1	-5.53	1.31	1.35
26	BB	73	A	C5-C4	5.53	1.42	1.38
26	BB	1123	C	N1-C6	-5.53	1.33	1.37
26	BB	1170	C	C4'-C3'	-5.53	1.47	1.52
26	BB	1190	G	N3-C4	5.53	1.39	1.35
26	BB	1895	C	C4-C5	5.53	1.47	1.43
1	AA	588	G	N7-C5	5.53	1.42	1.39
1	AA	1283	U	P-O5'	5.53	1.65	1.59
4	AD	43	G	C4'-O4'	-5.53	1.38	1.45
4	AD	60	A	C2'-C1'	-5.53	1.47	1.53
26	BB	128	C	C4'-O4'	-5.53	1.38	1.45
26	BB	283	G	P-O5'	5.53	1.65	1.59
26	BB	334	C	C4'-O4'	-5.53	1.38	1.45
26	BB	1350	C	C4'-O4'	-5.53	1.38	1.45
26	BB	2143	C	C4-C5	-5.53	1.38	1.43
26	BB	2630	G	P-O5'	5.53	1.65	1.59
1	AA	1123	U	C2-N3	5.53	1.41	1.37
2	AB	18	G	C5-C6	5.53	1.47	1.42
21	AU	72	ARG	NE-CZ	5.53	1.40	1.33
31	BG	83	PRO	N-CD	-5.53	1.40	1.47
1	AA	277	C	C2-N3	5.53	1.40	1.35
1	AA	512	U	N3-C4	5.53	1.43	1.38
1	AA	743	A	C5-C6	5.53	1.46	1.41
1	AA	1473	G	C4'-O4'	-5.53	1.38	1.45
25	BA	116	G	C2'-O2'	5.53	1.48	1.41
26	BB	1278	C	N3-C4	5.53	1.37	1.33
26	BB	1387	A	C5-C6	5.53	1.46	1.41
26	BB	1487	U	O3'-P	5.53	1.67	1.61
26	BB	1734	G	N1-C2	5.53	1.42	1.37
1	AA	71	A	O4'-C1'	-5.53	1.34	1.41
1	AA	102	G	N7-C5	5.53	1.42	1.39
1	AA	108	G	N1-C2	5.53	1.42	1.37
1	AA	341	C	C5-C6	5.53	1.38	1.34
1	AA	1446	A	N9-C8	5.53	1.42	1.37
13	AM	65	TYR	CG-CD1	5.53	1.46	1.39
26	BB	721	A	C4'-O4'	-5.53	1.38	1.45
26	BB	908	C	N1-C6	5.53	1.40	1.37
26	BB	1476	U	C2-N3	5.53	1.41	1.37
1	AA	259	G	C2-N3	5.52	1.37	1.32
1	AA	704	A	N7-C5	-5.52	1.35	1.39
1	AA	1125	U	N1-C2	5.52	1.43	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1350	A	P-O5'	-5.52	1.54	1.59
25	BA	74	U	C2-O2	5.52	1.27	1.22
26	BB	2091	C	C3'-C2'	-5.52	1.46	1.52
26	BB	2545	G	N7-C5	5.52	1.42	1.39
26	BB	2568	U	N1-C2	5.52	1.43	1.38
1	AA	874	G	C5'-C4'	5.52	1.57	1.51
1	AA	905	U	C4-O4	-5.52	1.19	1.23
1	AA	990	C	P-O5'	5.52	1.65	1.59
1	AA	999	C	N1-C6	5.52	1.40	1.37
25	BA	72	G	C4'-O4'	-5.52	1.38	1.45
26	BB	366	C	C5'-C4'	5.52	1.57	1.51
26	BB	890	C	N1-C2	5.52	1.45	1.40
26	BB	1352	U	N3-C4	-5.52	1.33	1.38
26	BB	1752	C	C2'-O2'	5.52	1.48	1.41
26	BB	1865	U	C4-C5	5.52	1.48	1.43
26	BB	2107	G	N3-C4	-5.52	1.31	1.35
26	BB	2229	U	C2'-O2'	5.52	1.48	1.41
26	BB	2410	G	C3'-O3'	5.52	1.49	1.42
26	BB	2472	G	C4'-O4'	-5.52	1.38	1.45
26	BB	2842	G	N7-C5	5.52	1.42	1.39
26	BB	2869	G	C8-N7	-5.52	1.27	1.30
34	BJ	89	GLY	CA-C	5.52	1.60	1.51
25	BA	67	G	O4'-C1'	-5.52	1.34	1.41
26	BB	350	G	C2'-C1'	-5.52	1.47	1.53
26	BB	602	A	C8-N7	-5.52	1.27	1.31
26	BB	1077	A	C6-N6	5.52	1.38	1.33
26	BB	2524	G	C2-N2	-5.52	1.29	1.34
26	BB	2795	C	C2-N3	5.52	1.40	1.35
1	AA	68	G	C2-N3	5.52	1.37	1.32
1	AA	222	C	N1-C6	-5.52	1.33	1.37
1	AA	869	G	N9-C8	-5.52	1.33	1.37
1	AA	1307	U	N1-C6	5.52	1.43	1.38
1	AA	1331	G	N3-C4	5.52	1.39	1.35
26	BB	289	G	C2'-O2'	5.52	1.48	1.41
26	BB	1267	U	C2'-O2'	-5.52	1.34	1.41
26	BB	2308	G	C5-C4	5.52	1.42	1.38
26	BB	2339	C	P-O5'	5.52	1.65	1.59
26	BB	772	C	C5'-C4'	5.52	1.57	1.51
26	BB	1242	U	P-O5'	5.52	1.65	1.59
26	BB	1292	G	N9-C8	-5.52	1.33	1.37
26	BB	1434	A	P-O5'	5.52	1.65	1.59
26	BB	1964	G	N3-C4	5.52	1.39	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2134	A	C6-N1	-5.52	1.31	1.35
26	BB	2366	A	C5-C4	-5.52	1.34	1.38
1	AA	145	G	C4'-C3'	5.52	1.59	1.53
1	AA	1051	C	C4'-O4'	-5.52	1.38	1.45
26	BB	149	A	N9-C4	-5.52	1.34	1.37
26	BB	1080	A	O3'-P	5.52	1.67	1.61
26	BB	1252	G	N7-C5	5.52	1.42	1.39
26	BB	1622	G	C6-O6	-5.52	1.19	1.24
26	BB	2351	G	O3'-P	5.52	1.67	1.61
1	AA	143	A	N9-C4	-5.51	1.34	1.37
1	AA	216	U	P-O5'	5.51	1.65	1.59
1	AA	1004	A	C5'-C4'	5.51	1.57	1.51
1	AA	1187	G	C4'-O4'	-5.51	1.38	1.45
1	AA	1240	U	P-O5'	5.51	1.65	1.59
2	AB	41	C	C4'-O4'	-5.51	1.38	1.45
26	BB	429	A	N7-C5	-5.51	1.35	1.39
26	BB	545	U	C5-C6	5.51	1.39	1.34
26	BB	589	U	N3-C4	5.51	1.43	1.38
26	BB	910	A	N7-C5	-5.51	1.35	1.39
26	BB	1001	A	C8-N7	5.51	1.35	1.31
26	BB	1697	G	C6-N1	-5.51	1.35	1.39
26	BB	2111	U	C4-O4	-5.51	1.19	1.23
26	BB	2541	A	C5-C4	5.51	1.42	1.38
26	BB	2814	A	C8-N7	-5.51	1.27	1.31
37	BM	31	ARG	CZ-NH1	5.51	1.40	1.33
1	AA	824	G	N3-C4	5.51	1.39	1.35
2	AB	56	C	N3-C4	5.51	1.37	1.33
26	BB	654	A	N9-C4	5.51	1.41	1.37
26	BB	735	A	C3'-O3'	5.51	1.49	1.42
26	BB	1291	C	C4-C5	5.51	1.47	1.43
1	AA	64	G	C8-N7	5.51	1.34	1.30
1	AA	724	G	O5'-C5'	-5.51	1.34	1.42
1	AA	1454	G	O3'-P	5.51	1.67	1.61
25	BA	106	G	P-O5'	5.51	1.65	1.59
26	BB	600	G	C2'-C1'	5.51	1.59	1.53
26	BB	887	U	C3'-C2'	-5.51	1.46	1.52
26	BB	1203	U	C4'-O4'	-5.51	1.38	1.45
26	BB	1326	U	P-O5'	5.51	1.65	1.59
26	BB	1488	C	N1-C6	-5.51	1.33	1.37
26	BB	1981	A	C5'-C4'	5.51	1.57	1.51
26	BB	2116	G	C8-N7	-5.51	1.27	1.30
26	BB	2172	U	C3'-O3'	5.51	1.49	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	745	G	C4'-O4'	-5.51	1.38	1.45
1	AA	1159	U	N3-C4	5.51	1.43	1.38
26	BB	17	G	O3'-P	5.51	1.67	1.61
26	BB	260	G	P-O5'	5.51	1.65	1.59
26	BB	1496	A	C4'-O4'	-5.51	1.38	1.45
26	BB	2260	C	N1-C6	5.51	1.40	1.37
26	BB	2319	G	C2-N3	5.51	1.37	1.32
26	BB	2337	G	C8-N7	5.51	1.34	1.30
26	BB	2497	A	N7-C5	5.51	1.42	1.39
1	AA	1532	U	C1'-N1	5.51	1.57	1.48
26	BB	517	C	C4'-C3'	5.51	1.59	1.53
26	BB	1173	U	C2-N3	5.51	1.41	1.37
26	BB	1898	U	C3'-O3'	5.51	1.49	1.42
26	BB	2081	U	C5'-C4'	5.51	1.57	1.51
54	B3	48	TYR	CZ-OH	-5.51	1.28	1.37
1	AA	447	G	C6-N1	-5.51	1.35	1.39
1	AA	501	C	C2'-C1'	-5.51	1.47	1.53
1	AA	1189	U	C2-N3	5.51	1.41	1.37
1	AA	1298	U	C2'-C1'	-5.51	1.47	1.53
3	AC	24	A	C2-N3	5.51	1.38	1.33
25	BA	1	U	C4'-O4'	-5.51	1.38	1.45
26	BB	88	G	C4'-C3'	5.51	1.59	1.53
26	BB	636	G	O3'-P	5.51	1.67	1.61
26	BB	2223	G	N3-C4	5.51	1.39	1.35
1	AA	41	G	N3-C4	5.50	1.39	1.35
1	AA	70	U	C2'-O2'	5.50	1.48	1.41
26	BB	926	G	N7-C5	5.50	1.42	1.39
1	AA	250	A	O3'-P	5.50	1.67	1.61
1	AA	442	G	N1-C2	5.50	1.42	1.37
1	AA	655	A	C2-N3	-5.50	1.28	1.33
1	AA	728	A	O3'-P	5.50	1.67	1.61
1	AA	891	U	C2'-C1'	5.50	1.59	1.53
6	AF	53	ARG	CZ-NH1	5.50	1.40	1.33
26	BB	98	G	C2-N2	-5.50	1.29	1.34
26	BB	260	G	N9-C4	5.50	1.42	1.38
26	BB	313	G	C2'-C1'	5.50	1.59	1.53
26	BB	954	G	N7-C5	5.50	1.42	1.39
26	BB	1296	G	C2'-C1'	5.50	1.59	1.53
26	BB	1737	G	C6-N1	5.50	1.43	1.39
26	BB	2123	G	N1-C2	5.50	1.42	1.37
26	BB	2143	C	C2-N3	5.50	1.40	1.35
26	BB	2398	U	C4-O4	5.50	1.28	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2595	G	P-O5'	5.50	1.65	1.59
26	BB	2646	C	C2-N3	5.50	1.40	1.35
1	AA	109	A	C5-C6	5.50	1.46	1.41
1	AA	187	G	N1-C2	5.50	1.42	1.37
1	AA	432	A	C3'-C2'	5.50	1.59	1.52
1	AA	893	C	P-O5'	5.50	1.65	1.59
1	AA	1342	C	C2-N3	5.50	1.40	1.35
1	AA	1447	A	C2-N3	5.50	1.38	1.33
3	AC	35	G	C6-N1	5.50	1.43	1.39
26	BB	125	A	C2'-C1'	-5.50	1.47	1.53
26	BB	435	C	C2-N3	5.50	1.40	1.35
26	BB	692	C	C4'-C3'	5.50	1.59	1.53
26	BB	713	G	P-O5'	5.50	1.65	1.59
26	BB	869	G	C2-N3	5.50	1.37	1.32
26	BB	902	C	N3-C4	5.50	1.37	1.33
26	BB	1241	A	C4'-O4'	-5.50	1.38	1.45
26	BB	1675	C	N1-C2	5.50	1.45	1.40
26	BB	2411	A	N1-C2	5.50	1.39	1.34
43	BS	24	TYR	CB-CG	5.50	1.59	1.51
1	AA	60	A	C5'-C4'	5.50	1.57	1.51
1	AA	1203	C	N3-C4	5.50	1.37	1.33
1	AA	1366	C	O4'-C1'	5.50	1.48	1.41
4	AD	38	A	C6-N6	5.50	1.38	1.33
26	BB	244	A	P-O5'	5.50	1.65	1.59
26	BB	1316	U	N1-C6	-5.50	1.32	1.38
26	BB	1393	A	C5-C6	5.50	1.46	1.41
1	AA	448	A	C2'-C1'	-5.50	1.47	1.53
1	AA	1089	G	C8-N7	-5.50	1.27	1.30
1	AA	1513	A	C8-N7	-5.50	1.27	1.31
4	AD	42	C	O4'-C1'	5.50	1.48	1.41
26	BB	36	G	N3-C4	-5.50	1.31	1.35
26	BB	1207	C	C1'-N1	5.50	1.56	1.48
26	BB	1617	C	C5'-C4'	5.50	1.57	1.51
26	BB	2012	G	C2-N3	5.50	1.37	1.32
26	BB	2111	U	C5-C6	5.50	1.39	1.34
30	BF	183	PHE	CG-CD2	5.50	1.47	1.38
1	AA	278	G	N7-C5	5.50	1.42	1.39
1	AA	367	U	P-O5'	5.50	1.65	1.59
1	AA	394	G	C2'-C1'	5.50	1.59	1.53
1	AA	675	A	N1-C2	5.50	1.39	1.34
1	AA	1375	A	O3'-P	5.50	1.67	1.61
1	AA	1434	A	C6-N1	5.50	1.39	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	29	C	C5'-C4'	5.50	1.57	1.51
26	BB	133	U	C2'-O2'	-5.50	1.34	1.41
26	BB	265	A	C5-C4	5.50	1.42	1.38
26	BB	873	C	N3-C4	5.50	1.37	1.33
26	BB	1139	G	C2-N2	-5.50	1.29	1.34
1	AA	195	A	P-O5'	5.50	1.65	1.59
1	AA	1164	G	C6-O6	5.50	1.29	1.24
26	BB	20	C	P-O5'	5.50	1.65	1.59
26	BB	237	C	N1-C6	5.50	1.40	1.37
26	BB	654	A	C6-N6	5.50	1.38	1.33
26	BB	2714	G	P-O5'	5.50	1.65	1.59
1	AA	564	C	C5'-C4'	5.49	1.57	1.51
1	AA	1183	U	C2-N3	5.49	1.41	1.37
1	AA	1250	A	C5-C6	-5.49	1.36	1.41
26	BB	728	G	C2-N3	5.49	1.37	1.32
26	BB	759	G	P-O5'	5.49	1.65	1.59
26	BB	891	G	C8-N7	5.49	1.34	1.30
26	BB	1361	G	C3'-C2'	5.49	1.58	1.52
26	BB	1601	G	N9-C4	5.49	1.42	1.38
26	BB	2898	U	N3-C4	5.49	1.43	1.38
26	BB	2169	A	C6-N1	-5.49	1.31	1.35
26	BB	2587	A	C2-N3	-5.49	1.28	1.33
1	AA	53	A	P-O5'	5.49	1.65	1.59
1	AA	340	U	C4-C5	5.49	1.48	1.43
26	BB	5	A	C6-N6	-5.49	1.29	1.33
26	BB	1720	U	C1'-N1	5.49	1.56	1.48
26	BB	1819	A	C4'-C3'	5.49	1.59	1.53
26	BB	2594	C	C5-C6	5.49	1.38	1.34
1	AA	367	U	C2'-C1'	5.49	1.59	1.53
1	AA	388	G	N1-C2	-5.49	1.33	1.37
1	AA	466	A	N9-C4	5.49	1.41	1.37
1	AA	498	A	C5'-C4'	5.49	1.57	1.51
1	AA	951	G	C2'-O2'	-5.49	1.34	1.41
1	AA	1347	G	P-O5'	5.49	1.65	1.59
2	AB	22	G	C2-N3	5.49	1.37	1.32
25	BA	39	A	O3'-P	5.49	1.67	1.61
26	BB	526	A	N3-C4	-5.49	1.31	1.34
26	BB	854	C	P-O5'	5.49	1.65	1.59
26	BB	2286	G	N3-C4	5.49	1.39	1.35
26	BB	2710	C	N3-C4	5.49	1.37	1.33
1	AA	1406	U	C4-C5	5.49	1.48	1.43
1	AA	1482	G	N9-C4	5.49	1.42	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1278	C	C2-N3	5.49	1.40	1.35
26	BB	1362	C	C4'-O4'	-5.49	1.38	1.45
1	AA	2	A	C6-N1	-5.49	1.31	1.35
2	AB	76	A	C2'-C1'	5.49	1.59	1.53
16	AP	100	ARG	CD-NE	5.49	1.55	1.46
21	AU	3	TYR	CG-CD1	-5.49	1.32	1.39
26	BB	30	G	C2-N3	5.49	1.37	1.32
26	BB	1495	A	C4'-C3'	5.49	1.59	1.53
26	BB	1623	G	O3'-P	5.49	1.67	1.61
26	BB	1634	A	N7-C5	-5.49	1.35	1.39
26	BB	1786	A	C2'-C1'	5.49	1.59	1.53
26	BB	2895	G	C8-N7	5.49	1.34	1.30
1	AA	489	C	C2-N3	5.48	1.40	1.35
26	BB	34	U	P-O5'	5.48	1.65	1.59
26	BB	84	A	P-O5'	5.48	1.65	1.59
26	BB	373	U	C2'-O2'	5.48	1.48	1.41
26	BB	934	U	C4'-C3'	5.48	1.59	1.53
26	BB	1892	C	C4-N4	5.48	1.38	1.33
26	BB	2283	C	N1-C6	-5.48	1.33	1.37
26	BB	2314	A	C4'-O4'	-5.48	1.38	1.45
1	AA	621	A	N1-C2	-5.48	1.29	1.34
1	AA	932	C	C5-C6	5.48	1.38	1.34
2	AB	66	C	C2-O2	-5.48	1.19	1.24
3	AC	54	U	C2-N3	5.48	1.41	1.37
26	BB	104	A	C5-C6	5.48	1.46	1.41
26	BB	143	C	P-O5'	-5.48	1.54	1.59
26	BB	171	U	C4'-O4'	-5.48	1.38	1.45
26	BB	582	A	C2'-C1'	-5.48	1.47	1.53
26	BB	1047	G	N7-C5	-5.48	1.35	1.39
26	BB	1301	A	O3'-P	5.48	1.67	1.61
1	AA	109	A	O3'-P	5.48	1.67	1.61
1	AA	404	G	N7-C5	-5.48	1.35	1.39
1	AA	1279	G	N7-C5	5.48	1.42	1.39
3	AC	55	A	C5'-C4'	5.48	1.57	1.51
26	BB	50	U	C3'-C2'	-5.48	1.46	1.52
26	BB	568	U	C2-O2	5.48	1.27	1.22
26	BB	775	G	P-O5'	5.48	1.65	1.59
26	BB	942	G	C6-O6	-5.48	1.19	1.24
26	BB	1024	G	N3-C4	5.48	1.39	1.35
26	BB	1309	G	N7-C5	-5.48	1.35	1.39
26	BB	1328	A	C6-N6	-5.48	1.29	1.33
26	BB	2284	A	C4'-C3'	5.48	1.59	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2831	G	C8-N7	5.48	1.34	1.30
26	BB	206	U	C4'-O4'	-5.48	1.38	1.45
26	BB	2275	C	C4'-O4'	-5.48	1.38	1.45
26	BB	2357	G	C5-C4	5.48	1.42	1.38
26	BB	2654	A	C5-C6	5.48	1.46	1.41
33	BI	51	ARG	NE-CZ	5.48	1.40	1.33
1	AA	247	G	N9-C4	5.48	1.42	1.38
1	AA	625	U	C2-N3	5.48	1.41	1.37
1	AA	1232	U	O3'-P	5.48	1.67	1.61
4	AD	47	A	O5'-C5'	-5.48	1.34	1.42
7	AG	96	ARG	CZ-NH1	5.48	1.40	1.33
26	BB	1469	A	P-O5'	5.48	1.65	1.59
26	BB	2392	A	C8-N7	-5.48	1.27	1.31
34	BJ	13	GLU	CB-CG	5.48	1.62	1.52
1	AA	268	U	O4'-C1'	5.48	1.48	1.41
1	AA	345	C	C4'-O4'	-5.48	1.38	1.45
1	AA	831	A	C5'-C4'	5.48	1.57	1.51
26	BB	2469	A	N9-C4	-5.48	1.34	1.37
1	AA	815	A	C5-C4	-5.47	1.34	1.38
1	AA	1201	A	N3-C4	5.47	1.38	1.34
3	AC	35	G	C4'-C3'	5.47	1.59	1.53
26	BB	120	U	N3-C4	5.47	1.43	1.38
26	BB	305	C	C4'-O4'	-5.47	1.38	1.45
26	BB	329	G	N3-C4	5.47	1.39	1.35
26	BB	722	A	O3'-P	5.47	1.67	1.61
26	BB	2238	G	C4'-O4'	-5.47	1.38	1.45
1	AA	938	A	C8-N7	5.47	1.35	1.31
1	AA	1288	A	C1'-N9	5.47	1.56	1.48
1	AA	1460	C	C4-C5	5.47	1.47	1.43
8	AH	19	ARG	CZ-NH2	5.47	1.40	1.33
26	BB	341	C	C4'-O4'	-5.47	1.38	1.45
26	BB	613	A	C8-N7	-5.47	1.27	1.31
26	BB	1053	C	C5'-C4'	5.47	1.57	1.51
26	BB	1182	G	N1-C2	5.47	1.42	1.37
26	BB	1359	A	C2-N3	5.47	1.38	1.33
49	BY	69	GLU	CG-CD	5.47	1.60	1.51
26	BB	219	A	C6-N6	-5.47	1.29	1.33
26	BB	396	G	N9-C4	5.47	1.42	1.38
26	BB	439	A	C8-N7	-5.47	1.27	1.31
26	BB	921	C	C2'-C1'	-5.47	1.47	1.53
26	BB	2264	C	C4'-O4'	-5.47	1.38	1.45
1	AA	451	A	C6-N1	-5.47	1.31	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	654	G	C4'-O4'	-5.47	1.38	1.45
1	AA	1371	G	C2'-C1'	-5.47	1.47	1.53
9	AI	100	SER	CA-CB	5.47	1.61	1.52
26	BB	27	G	N3-C4	5.47	1.39	1.35
26	BB	41	C	C4-C5	5.47	1.47	1.43
26	BB	186	G	C2'-C1'	-5.47	1.47	1.53
26	BB	240	C	C4-N4	5.47	1.38	1.33
26	BB	368	A	C5-C4	5.47	1.42	1.38
26	BB	1114	C	C4-C5	5.47	1.47	1.43
26	BB	2009	A	C6-N1	5.47	1.39	1.35
26	BB	2527	C	C2-N3	5.47	1.40	1.35
1	AA	469	C	C4'-O4'	-5.47	1.38	1.45
26	BB	1	G	N7-C5	5.47	1.42	1.39
26	BB	873	C	C4-C5	5.47	1.47	1.43
26	BB	1033	U	N1-C2	5.47	1.43	1.38
1	AA	102	G	C8-N7	5.47	1.34	1.30
1	AA	874	G	P-O5'	5.47	1.65	1.59
1	AA	1108	G	C6-O6	5.47	1.29	1.24
1	AA	1233	G	N9-C4	5.47	1.42	1.38
1	AA	1240	U	C4'-C3'	5.47	1.59	1.53
1	AA	1380	U	C2-N3	5.47	1.41	1.37
26	BB	21	A	C5'-C4'	5.47	1.57	1.51
26	BB	217	A	C5'-C4'	5.47	1.57	1.51
26	BB	417	C	C5'-C4'	5.47	1.57	1.51
26	BB	681	G	C6-O6	-5.47	1.19	1.24
26	BB	982	C	O3'-P	5.47	1.67	1.61
26	BB	1702	G	C8-N7	5.47	1.34	1.30
26	BB	2421	G	C2-N3	5.47	1.37	1.32
1	AA	1266	G	C2-N3	5.46	1.37	1.32
26	BB	365	U	C5'-C4'	5.46	1.57	1.51
26	BB	1010	A	C4'-C3'	5.46	1.59	1.53
26	BB	1098	A	O4'-C1'	5.46	1.48	1.41
26	BB	1642	G	C1'-N9	5.46	1.56	1.48
26	BB	1684	G	N3-C4	5.46	1.39	1.35
26	BB	1834	U	C4'-C3'	5.46	1.59	1.53
26	BB	2649	C	C4-N4	5.46	1.38	1.33
26	BB	2650	U	N1-C2	5.46	1.43	1.38
26	BB	2699	C	C2-N3	5.46	1.40	1.35
26	BB	827	U	C2-N3	5.46	1.41	1.37
26	BB	973	A	C5-C4	-5.46	1.34	1.38
1	AA	483	C	N1-C6	5.46	1.40	1.37
1	AA	510	A	O3'-P	5.46	1.67	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	672	U	C4-C5	5.46	1.48	1.43
3	AC	51	C	P-O5'	5.46	1.65	1.59
26	BB	1136	G	C5-C6	5.46	1.47	1.42
26	BB	1672	A	O3'-P	5.46	1.67	1.61
26	BB	1748	C	O4'-C1'	5.46	1.48	1.41
26	BB	1788	C	N1-C6	-5.46	1.33	1.37
26	BB	1921	G	C8-N7	-5.46	1.27	1.30
26	BB	1926	U	C5'-C4'	5.46	1.57	1.51
26	BB	2184	A	C2'-C1'	-5.46	1.47	1.53
26	BB	2855	C	O3'-P	5.46	1.67	1.61
1	AA	212	G	O3'-P	5.46	1.67	1.61
1	AA	275	G	C2-N3	5.46	1.37	1.32
1	AA	339	C	C4-C5	5.46	1.47	1.43
1	AA	502	A	P-O5'	5.46	1.65	1.59
1	AA	629	A	C4'-O4'	-5.46	1.38	1.45
1	AA	636	U	C5-C6	5.46	1.39	1.34
2	AB	42	G	P-O5'	5.46	1.65	1.59
4	AD	11	A	N3-C4	5.46	1.38	1.34
19	AS	28	ARG	CZ-NH2	5.46	1.40	1.33
26	BB	2892	G	C2-N2	-5.46	1.29	1.34
1	AA	45	G	O3'-P	5.46	1.67	1.61
1	AA	318	G	N3-C4	5.46	1.39	1.35
1	AA	413	G	C3'-C2'	-5.46	1.46	1.52
1	AA	414	A	C6-N1	5.46	1.39	1.35
1	AA	998	C	C4'-C3'	5.46	1.59	1.53
1	AA	1275	A	C6-N6	5.46	1.38	1.33
26	BB	122	G	C5-C4	5.46	1.42	1.38
26	BB	155	A	N1-C2	-5.46	1.29	1.34
26	BB	615	U	C5'-C4'	5.46	1.57	1.51
26	BB	1070	A	N1-C2	-5.46	1.29	1.34
26	BB	1334	G	N7-C5	5.46	1.42	1.39
26	BB	1904	G	O3'-P	5.46	1.67	1.61
26	BB	2446	G	C4'-O4'	-5.46	1.38	1.45
1	AA	974	A	N1-C2	-5.46	1.29	1.34
1	AA	1000	A	C5'-C4'	5.46	1.57	1.51
1	AA	1078	U	O4'-C1'	-5.46	1.34	1.41
2	AB	29	G	N3-C4	5.46	1.39	1.35
26	BB	1122	G	N1-C2	5.46	1.42	1.37
26	BB	1209	U	O5'-C5'	-5.46	1.34	1.42
26	BB	1285	A	N9-C4	5.46	1.41	1.37
26	BB	1412	U	C3'-O3'	5.46	1.49	1.42
26	BB	2003	A	N9-C8	-5.46	1.33	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2196	C	C2-N3	5.46	1.40	1.35
26	BB	2694	G	C4'-O4'	-5.46	1.38	1.45
1	AA	582	C	C2-O2	-5.46	1.19	1.24
1	AA	1324	A	N9-C4	-5.46	1.34	1.37
26	BB	2007	U	N1-C6	5.46	1.42	1.38
1	AA	298	A	C6-N1	-5.45	1.31	1.35
1	AA	416	G	C5-C6	5.45	1.47	1.42
1	AA	707	U	C5-C6	5.45	1.39	1.34
1	AA	950	U	C2-N3	5.45	1.41	1.37
1	AA	1050	G	O5'-C5'	-5.45	1.34	1.42
1	AA	1193	G	N3-C4	5.45	1.39	1.35
1	AA	1390	U	O3'-P	5.45	1.67	1.61
25	BA	17	C	C4'-O4'	-5.45	1.38	1.45
26	BB	361	G	C5'-C4'	5.45	1.57	1.51
26	BB	768	G	C4'-O4'	-5.45	1.38	1.45
26	BB	876	C	C3'-C2'	5.45	1.58	1.52
26	BB	1217	U	C4'-O4'	-5.45	1.38	1.45
26	BB	1301	A	N9-C4	5.45	1.41	1.37
26	BB	1362	C	C2-N3	5.45	1.40	1.35
26	BB	1420	A	C4'-O4'	-5.45	1.38	1.45
26	BB	1783	A	C2-N3	5.45	1.38	1.33
26	BB	2198	A	C3'-O3'	5.45	1.49	1.42
31	BG	176	PHE	CB-CG	5.45	1.60	1.51
25	BA	119	A	C3'-C2'	5.45	1.58	1.52
26	BB	447	A	N3-C4	5.45	1.38	1.34
26	BB	1024	G	N9-C8	5.45	1.41	1.37
26	BB	1251	C	P-O5'	-5.45	1.54	1.59
26	BB	2413	G	N9-C8	5.45	1.41	1.37
26	BB	2835	A	C2-N3	-5.45	1.28	1.33
26	BB	2871	U	C2'-C1'	5.45	1.59	1.53
1	AA	260	G	C2-N2	5.45	1.40	1.34
1	AA	299	G	C5-C6	5.45	1.47	1.42
1	AA	494	G	C2-N3	5.45	1.37	1.32
1	AA	626	G	O3'-P	5.45	1.67	1.61
1	AA	802	A	N3-C4	-5.45	1.31	1.34
1	AA	1277	C	C2-N3	5.45	1.40	1.35
1	AA	1504	G	N3-C4	-5.45	1.31	1.35
3	AC	59	A	C6-N6	-5.45	1.29	1.33
26	BB	227	A	N7-C5	-5.45	1.35	1.39
26	BB	265	A	N9-C8	5.45	1.42	1.37
26	BB	937	C	C3'-O3'	5.45	1.49	1.42
26	BB	1286	A	C8-N7	5.45	1.35	1.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1331	G	N9-C8	5.45	1.41	1.37
26	BB	1651	G	N9-C4	-5.45	1.33	1.38
26	BB	2038	G	C2'-O2'	5.45	1.48	1.41
1	AA	139	A	C3'-C2'	5.45	1.58	1.52
1	AA	319	G	N9-C8	-5.45	1.34	1.37
1	AA	398	U	C2-N3	5.45	1.41	1.37
1	AA	512	U	C5'-C4'	5.45	1.57	1.51
1	AA	680	C	N3-C4	5.45	1.37	1.33
1	AA	920	U	C4'-C3'	5.45	1.59	1.53
1	AA	1072	G	N3-C4	5.45	1.39	1.35
1	AA	1256	A	C4'-C3'	5.45	1.59	1.53
3	AC	46	C	N3-C4	5.45	1.37	1.33
25	BA	80	U	P-O5'	5.45	1.65	1.59
26	BB	245	G	C5-C4	5.45	1.42	1.38
26	BB	302	C	O3'-P	5.45	1.67	1.61
26	BB	1283	G	N9-C8	5.45	1.41	1.37
26	BB	1400	U	C2'-O2'	-5.45	1.34	1.41
26	BB	1499	C	C1'-N1	5.45	1.56	1.48
26	BB	1555	G	N9-C8	-5.45	1.34	1.37
26	BB	2086	U	O4'-C1'	5.45	1.48	1.41
26	BB	2307	G	C8-N7	-5.45	1.27	1.30
1	AA	1067	A	C5-C6	5.45	1.46	1.41
26	BB	1105	U	O3'-P	5.45	1.67	1.61
26	BB	1481	U	N1-C2	5.45	1.43	1.38
26	BB	2032	G	C2-N2	5.45	1.40	1.34
26	BB	2767	C	P-O5'	5.45	1.65	1.59
1	AA	128	G	C6-O6	-5.45	1.19	1.24
1	AA	221	C	C5-C6	5.45	1.38	1.34
4	AD	65	G	C3'-O3'	5.45	1.49	1.42
26	BB	112	U	C2-O2	5.45	1.27	1.22
26	BB	168	G	P-O5'	-5.45	1.54	1.59
26	BB	246	C	O5'-C5'	-5.45	1.34	1.42
26	BB	1023	U	N3-C4	5.45	1.43	1.38
26	BB	1342	A	N9-C8	5.45	1.42	1.37
26	BB	1503	A	C5-C4	-5.45	1.34	1.38
26	BB	1792	G	C6-O6	-5.45	1.19	1.24
26	BB	1949	G	C5-C4	-5.45	1.34	1.38
26	BB	1983	G	N3-C4	5.45	1.39	1.35
26	BB	2118	U	C4-O4	5.45	1.28	1.23
26	BB	2323	G	C8-N7	-5.45	1.27	1.30
26	BB	2375	G	C6-O6	-5.45	1.19	1.24
26	BB	2448	A	C6-N1	-5.45	1.31	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	166	U	N1-C2	5.44	1.43	1.38
1	AA	1178	G	N7-C5	5.44	1.42	1.39
26	BB	94	A	C6-N1	-5.44	1.31	1.35
26	BB	408	G	C6-N1	5.44	1.43	1.39
26	BB	652	U	C5-C6	5.44	1.39	1.34
26	BB	2407	A	C4'-O4'	-5.44	1.38	1.45
1	AA	376	G	O3'-P	5.44	1.67	1.61
1	AA	633	G	N3-C4	5.44	1.39	1.35
1	AA	1128	C	P-O5'	5.44	1.65	1.59
1	AA	1303	C	C3'-C2'	5.44	1.58	1.52
26	BB	406	G	C6-N1	5.44	1.43	1.39
26	BB	623	C	N1-C6	5.44	1.40	1.37
26	BB	2875	C	C3'-O3'	5.44	1.49	1.42
1	AA	382	A	C2'-C1'	-5.44	1.47	1.53
1	AA	1016	A	C2'-C1'	5.44	1.59	1.53
1	AA	1037	C	O3'-P	5.44	1.67	1.61
1	AA	1158	C	C5'-C4'	5.44	1.57	1.51
1	AA	1269	A	C3'-O3'	-5.44	1.34	1.42
1	AA	1482	G	C3'-O3'	5.44	1.49	1.42
3	AC	59	A	C5-C6	5.44	1.46	1.41
26	BB	341	C	C4'-C3'	5.44	1.59	1.53
26	BB	642	U	N3-C4	5.44	1.43	1.38
26	BB	1035	U	C2-O2	5.44	1.27	1.22
26	BB	1615	C	N3-C4	5.44	1.37	1.33
26	BB	1969	A	C2'-C1'	5.44	1.59	1.53
26	BB	1979	U	C1'-N1	5.44	1.56	1.48
26	BB	2489	U	C2-O2	5.44	1.27	1.22
26	BB	2820	A	C5-C4	-5.44	1.34	1.38
26	BB	2825	G	N9-C8	-5.44	1.34	1.37
53	B2	49	ARG	NE-CZ	5.44	1.40	1.33
26	BB	53	A	C5'-C4'	5.44	1.57	1.51
26	BB	1072	C	C5-C6	5.44	1.38	1.34
26	BB	2808	G	C4'-O4'	-5.44	1.38	1.45
1	AA	208	U	N1-C2	5.44	1.43	1.38
1	AA	231	U	C4'-O4'	-5.44	1.38	1.45
1	AA	542	G	C5-C4	-5.44	1.34	1.38
25	BA	30	C	N1-C2	5.44	1.45	1.40
26	BB	283	G	C5-C6	5.44	1.47	1.42
26	BB	524	G	C4'-O4'	-5.44	1.38	1.45
26	BB	1256	G	C2-N2	5.44	1.40	1.34
26	BB	2022	U	C5'-C4'	5.44	1.57	1.51
26	BB	907	G	O5'-C5'	-5.44	1.34	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	298	A	N9-C4	-5.43	1.34	1.37
1	AA	355	C	C4'-C3'	-5.43	1.47	1.52
1	AA	521	G	C8-N7	5.43	1.34	1.30
1	AA	1443	C	C2'-C1'	-5.43	1.47	1.53
25	BA	79	G	N9-C8	5.43	1.41	1.37
26	BB	367	G	C5'-C4'	5.43	1.57	1.51
26	BB	463	G	N1-C2	5.43	1.42	1.37
26	BB	596	U	N1-C2	5.43	1.43	1.38
26	BB	695	G	C3'-C2'	5.43	1.58	1.52
26	BB	760	G	C6-O6	-5.43	1.19	1.24
26	BB	896	A	C8-N7	-5.43	1.27	1.31
26	BB	1084	A	N9-C4	-5.43	1.34	1.37
26	BB	1166	G	C2'-O2'	-5.43	1.34	1.41
26	BB	1386	C	C4'-C3'	5.43	1.59	1.53
26	BB	2141	G	C5'-C4'	5.43	1.57	1.51
26	BB	2416	C	N1-C6	5.43	1.40	1.37
26	BB	2443	C	N1-C2	5.43	1.45	1.40
26	BB	2655	G	P-O5'	5.43	1.65	1.59
26	BB	2662	A	C2'-O2'	-5.43	1.34	1.41
26	BB	2665	A	O4'-C1'	5.43	1.48	1.41
26	BB	2680	U	C5-C6	5.43	1.39	1.34
1	AA	376	G	N3-C4	5.43	1.39	1.35
1	AA	749	A	P-O5'	5.43	1.65	1.59
1	AA	1007	U	C2-O2	5.43	1.27	1.22
26	BB	75	G	C2'-O2'	-5.43	1.34	1.41
26	BB	708	G	P-O5'	5.43	1.65	1.59
26	BB	715	A	N1-C2	-5.43	1.29	1.34
26	BB	1894	C	N3-C4	5.43	1.37	1.33
26	BB	1923	U	C2-O2	5.43	1.27	1.22
26	BB	2338	C	N1-C6	5.43	1.40	1.37
1	AA	576	C	C5'-C4'	5.43	1.57	1.51
26	BB	132	G	C4'-O4'	-5.43	1.38	1.45
26	BB	196	A	O4'-C1'	5.43	1.48	1.41
26	BB	1134	A	C6-N1	5.43	1.39	1.35
26	BB	1752	C	C2-N3	5.43	1.40	1.35
26	BB	2227	A	N1-C2	5.43	1.39	1.34
26	BB	2776	A	N1-C2	5.43	1.39	1.34
1	AA	792	A	C2'-O2'	-5.43	1.34	1.41
1	AA	936	C	P-O5'	5.43	1.65	1.59
1	AA	943	U	O4'-C1'	-5.43	1.34	1.41
1	AA	987	G	C8-N7	-5.43	1.27	1.30
5	AE	162	VAL	CB-CG1	5.43	1.64	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	278	A	O3'-P	5.43	1.67	1.61
26	BB	464	U	C2-O2	5.43	1.27	1.22
26	BB	687	C	C5'-C4'	5.43	1.57	1.51
26	BB	1240	U	C5-C6	5.43	1.39	1.34
26	BB	2127	G	N1-C2	-5.43	1.33	1.37
26	BB	2721	A	C4'-C3'	-5.43	1.47	1.52
26	BB	2741	A	C4'-C3'	5.43	1.59	1.53
1	AA	665	A	C8-N7	-5.43	1.27	1.31
1	AA	971	G	C4'-O4'	-5.43	1.38	1.45
25	BA	6	G	O3'-P	5.43	1.67	1.61
26	BB	273	G	C6-N1	5.43	1.43	1.39
1	AA	567	G	N7-C5	5.43	1.42	1.39
1	AA	584	G	C5-C4	-5.43	1.34	1.38
1	AA	1308	U	C4'-C3'	5.43	1.59	1.53
1	AA	1515	G	C2-N3	5.43	1.37	1.32
3	AC	24	A	C4'-C3'	5.43	1.59	1.53
25	BA	37	C	C1'-N1	5.43	1.56	1.48
26	BB	193	U	C5-C6	5.43	1.39	1.34
26	BB	1003	G	C2-N2	-5.43	1.29	1.34
26	BB	1147	A	C6-N6	5.43	1.38	1.33
26	BB	1247	A	C5'-C4'	5.43	1.57	1.51
26	BB	1280	G	N9-C4	-5.43	1.33	1.38
26	BB	1396	U	C2-N3	5.43	1.41	1.37
26	BB	1546	G	C6-N1	5.43	1.43	1.39
26	BB	1797	G	C2-N2	5.43	1.40	1.34
1	AA	314	C	C5-C6	-5.42	1.30	1.34
1	AA	958	A	O3'-P	5.42	1.67	1.61
1	AA	1322	C	P-O5'	5.42	1.65	1.59
26	BB	964	C	C5-C6	5.42	1.38	1.34
26	BB	1550	C	N1-C2	5.42	1.45	1.40
26	BB	1622	G	N1-C2	5.42	1.42	1.37
26	BB	1700	A	C5'-C4'	5.42	1.57	1.51
26	BB	1898	U	C4'-O4'	-5.42	1.38	1.45
26	BB	2004	G	C2-N3	5.42	1.37	1.32
1	AA	1273	C	C2-N3	5.42	1.40	1.35
25	BA	82	U	C1'-N1	5.42	1.56	1.48
26	BB	435	C	N3-C4	-5.42	1.30	1.33
26	BB	739	A	C5-C6	5.42	1.46	1.41
26	BB	1707	G	O3'-P	5.42	1.67	1.61
26	BB	2336	A	C5-C6	5.42	1.46	1.41
26	BB	2773	C	N1-C6	-5.42	1.33	1.37
33	BI	146	VAL	CB-CG1	5.42	1.64	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	378	G	C6-O6	-5.42	1.19	1.24
1	AA	1109	C	C4-C5	5.42	1.47	1.43
26	BB	23	G	N7-C5	-5.42	1.35	1.39
26	BB	717	C	C2-N3	5.42	1.40	1.35
26	BB	1209	U	C5'-C4'	-5.42	1.44	1.51
26	BB	1563	U	P-O5'	5.42	1.65	1.59
26	BB	1577	C	C2-N3	5.42	1.40	1.35
26	BB	1788	C	N3-C4	5.42	1.37	1.33
26	BB	2037	A	C5-C4	-5.42	1.34	1.38
1	AA	545	C	N1-C2	5.42	1.45	1.40
1	AA	1362	A	C6-N1	-5.42	1.31	1.35
26	BB	446	G	N9-C8	5.42	1.41	1.37
26	BB	2539	C	C4'-C3'	-5.42	1.47	1.52
26	BB	2597	G	C4'-O4'	-5.42	1.38	1.45
41	BQ	44	GLY	N-CA	5.42	1.54	1.46
1	AA	76	G	C4'-O4'	-5.42	1.38	1.45
1	AA	88	U	C3'-O3'	5.42	1.49	1.42
1	AA	282	A	C6-N6	5.42	1.38	1.33
1	AA	891	U	C2-N3	5.42	1.41	1.37
1	AA	1190	G	C5-C4	-5.42	1.34	1.38
4	AD	11	A	P-O5'	5.42	1.65	1.59
26	BB	260	G	C6-O6	-5.42	1.19	1.24
26	BB	347	A	C3'-C2'	5.42	1.58	1.52
26	BB	458	G	C2'-O2'	-5.42	1.34	1.41
26	BB	1465	G	C8-N7	5.42	1.34	1.30
26	BB	2086	U	N3-C4	5.42	1.43	1.38
26	BB	2235	G	O3'-P	5.42	1.67	1.61
26	BB	2341	G	C5-C6	5.42	1.47	1.42
26	BB	2386	A	N7-C5	-5.42	1.35	1.39
26	BB	2430	A	C1'-N9	-5.42	1.39	1.46
26	BB	2444	G	N1-C2	5.42	1.42	1.37
26	BB	2704	C	P-O5'	5.42	1.65	1.59
26	BB	2810	A	C5'-C4'	5.42	1.57	1.51
1	AA	176	C	N1-C2	-5.42	1.34	1.40
24	AX	33	ARG	NE-CZ	5.42	1.40	1.33
26	BB	221	A	N9-C8	-5.42	1.33	1.37
26	BB	273	G	C3'-O3'	5.42	1.49	1.42
26	BB	348	A	N1-C2	-5.42	1.29	1.34
26	BB	1315	C	O4'-C1'	5.42	1.48	1.41
26	BB	1317	G	C5-C4	5.42	1.42	1.38
26	BB	1669	A	N9-C4	5.42	1.41	1.37
26	BB	1855	U	C2-O2	5.42	1.27	1.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2321	U	C4-C5	5.42	1.48	1.43
26	BB	2779	U	C2-N3	5.42	1.41	1.37
1	AA	246	A	C8-N7	5.42	1.35	1.31
1	AA	607	A	C6-N6	-5.42	1.29	1.33
25	BA	16	G	C5'-C4'	5.42	1.57	1.51
26	BB	1743	G	C2-N3	5.42	1.37	1.32
26	BB	1855	U	N1-C2	5.42	1.43	1.38
1	AA	65	A	O3'-P	-5.41	1.54	1.61
1	AA	224	U	C4-C5	-5.41	1.38	1.43
1	AA	651	C	C4'-O4'	-5.41	1.38	1.45
1	AA	800	G	N3-C4	-5.41	1.31	1.35
1	AA	1222	G	C6-N1	5.41	1.43	1.39
1	AA	1360	A	N7-C5	-5.41	1.36	1.39
1	AA	1470	U	P-O5'	5.41	1.65	1.59
26	BB	146	A	N1-C2	-5.41	1.29	1.34
26	BB	778	G	C2'-C1'	5.41	1.59	1.53
26	BB	1702	G	C2-N3	5.41	1.37	1.32
26	BB	2853	C	C5-C6	5.41	1.38	1.34
1	AA	760	G	N7-C5	5.41	1.42	1.39
1	AA	1237	C	C5-C6	5.41	1.38	1.34
26	BB	406	G	O4'-C1'	5.41	1.48	1.41
26	BB	526	A	O3'-P	5.41	1.67	1.61
26	BB	664	G	N3-C4	5.41	1.39	1.35
26	BB	774	G	C4'-O4'	-5.41	1.38	1.45
38	BN	114	GLY	CA-C	5.41	1.60	1.51
1	AA	8	A	O5'-C5'	-5.41	1.34	1.42
2	AB	28	C	C2-N3	5.41	1.40	1.35
26	BB	217	A	N1-C2	-5.41	1.29	1.34
26	BB	553	G	C3'-C2'	-5.41	1.46	1.52
26	BB	737	C	N3-C4	-5.41	1.30	1.33
26	BB	1511	G	N1-C2	5.41	1.42	1.37
26	BB	1652	A	P-O5'	5.41	1.65	1.59
1	AA	491	G	C5-C6	5.41	1.47	1.42
1	AA	645	G	N3-C4	5.41	1.39	1.35
1	AA	823	C	C2-N3	5.41	1.40	1.35
1	AA	898	G	N3-C4	5.41	1.39	1.35
26	BB	242	G	P-O5'	5.41	1.65	1.59
26	BB	519	U	C5-C6	5.41	1.39	1.34
26	BB	531	C	C4-N4	5.41	1.38	1.33
26	BB	669	G	N3-C4	5.41	1.39	1.35
26	BB	1072	C	N1-C2	5.41	1.45	1.40
26	BB	1278	C	O4'-C1'	5.41	1.48	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1444	G	N1-C2	5.41	1.42	1.37
26	BB	1861	G	N9-C4	-5.41	1.33	1.38
1	AA	1461	G	C5-C4	5.41	1.42	1.38
25	BA	59	A	C5-C6	5.41	1.46	1.41
26	BB	2624	G	C5-C6	5.41	1.47	1.42
1	AA	108	G	N9-C8	5.41	1.41	1.37
1	AA	482	A	N3-C4	5.41	1.38	1.34
1	AA	608	A	C8-N7	-5.41	1.27	1.31
1	AA	979	C	C2-N3	5.41	1.40	1.35
4	AD	38	A	N3-C4	5.41	1.38	1.34
5	AE	34	ARG	CZ-NH2	5.41	1.40	1.33
26	BB	60	G	P-O5'	5.41	1.65	1.59
26	BB	863	A	C3'-C2'	5.41	1.58	1.52
26	BB	1042	G	P-O5'	5.41	1.65	1.59
26	BB	1062	G	O3'-P	-5.41	1.54	1.61
26	BB	1313	U	C2'-O2'	-5.41	1.34	1.41
26	BB	1586	A	C3'-C2'	5.41	1.58	1.52
26	BB	1950	G	C5'-C4'	5.41	1.57	1.51
26	BB	2363	G	C3'-C2'	5.41	1.58	1.52
26	BB	2377	A	P-O5'	5.41	1.65	1.59
1	AA	1068	G	C4'-C3'	5.40	1.59	1.53
4	AD	49	C	C3'-C2'	5.40	1.58	1.52
26	BB	196	A	C4'-O4'	-5.40	1.38	1.45
26	BB	858	G	C4'-C3'	5.40	1.59	1.53
1	AA	1429	A	N7-C5	-5.40	1.36	1.39
26	BB	27	G	C8-N7	-5.40	1.27	1.30
26	BB	52	A	C5'-C4'	5.40	1.57	1.51
26	BB	265	A	N3-C4	-5.40	1.31	1.34
26	BB	307	G	N3-C4	-5.40	1.31	1.35
26	BB	1847	A	P-O5'	5.40	1.65	1.59
26	BB	2865	U	N1-C6	5.40	1.42	1.38
1	AA	501	C	N1-C6	5.40	1.40	1.37
1	AA	539	A	C5-C6	5.40	1.46	1.41
1	AA	1244	G	O4'-C1'	5.40	1.48	1.41
26	BB	262	A	C3'-C2'	-5.40	1.46	1.52
26	BB	750	A	C6-N1	-5.40	1.31	1.35
26	BB	800	A	C8-N7	5.40	1.35	1.31
26	BB	904	G	C5-C6	5.40	1.47	1.42
26	BB	1430	G	C4'-C3'	5.40	1.59	1.53
26	BB	1897	G	C4'-O4'	-5.40	1.38	1.45
26	BB	2248	C	N3-C4	5.40	1.37	1.33
26	BB	2431	U	C5'-C4'	5.40	1.57	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2600	A	C3'-C2'	5.40	1.58	1.52
43	BS	52	ARG	CZ-NH2	5.40	1.40	1.33
1	AA	39	G	C2-N3	5.40	1.37	1.32
1	AA	796	C	O4'-C1'	5.40	1.48	1.41
1	AA	996	A	C2'-O2'	5.40	1.48	1.41
1	AA	1084	G	C2-N3	5.40	1.37	1.32
1	AA	1459	G	C2-N3	5.40	1.37	1.32
2	AB	44	G	C2-N3	5.40	1.37	1.32
26	BB	369	U	N1-C6	5.40	1.42	1.38
26	BB	2052	A	C2-N3	5.40	1.38	1.33
26	BB	2702	G	C2-N3	5.40	1.37	1.32
1	AA	33	A	N9-C4	5.40	1.41	1.37
1	AA	45	G	N7-C5	5.40	1.42	1.39
1	AA	1173	U	C5-C6	5.40	1.39	1.34
1	AA	1200	C	N1-C2	-5.40	1.34	1.40
1	AA	1227	A	C2-N3	5.40	1.38	1.33
26	BB	836	G	N3-C4	5.40	1.39	1.35
26	BB	843	G	O3'-P	5.40	1.67	1.61
26	BB	2059	A	C2'-C1'	5.40	1.59	1.53
26	BB	2071	A	N9-C4	5.40	1.41	1.37
1	AA	1191	A	C3'-C2'	5.40	1.58	1.52
1	AA	1497	G	C5-C6	-5.40	1.36	1.42
26	BB	67	U	C4'-O4'	-5.40	1.38	1.45
26	BB	474	G	C6-O6	-5.40	1.19	1.24
26	BB	1048	A	C2'-C1'	5.40	1.59	1.53
1	AA	508	U	C4-C5	5.39	1.48	1.43
1	AA	705	G	C5-C4	5.39	1.42	1.38
1	AA	731	G	N9-C8	5.39	1.41	1.37
1	AA	956	U	C4'-C3'	-5.39	1.47	1.52
1	AA	1030	U	C4-C5	5.39	1.48	1.43
1	AA	1293	C	P-O5'	5.39	1.65	1.59
1	AA	1310	G	C4'-O4'	-5.39	1.38	1.45
26	BB	573	U	C5-C6	5.39	1.39	1.34
26	BB	682	G	C5-C6	5.39	1.47	1.42
26	BB	783	A	P-O5'	5.39	1.65	1.59
26	BB	1624	U	C2-N3	5.39	1.41	1.37
26	BB	1856	U	C4-C5	5.39	1.48	1.43
32	BH	93	TYR	CE2-CZ	5.39	1.45	1.38
1	AA	492	C	C4-N4	5.39	1.38	1.33
1	AA	685	G	O3'-P	5.39	1.67	1.61
1	AA	951	G	N7-C5	5.39	1.42	1.39
1	AA	1014	A	C6-N6	5.39	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	AB	60	U	C4-O4	-5.39	1.19	1.23
26	BB	198	C	C4'-C3'	5.39	1.59	1.53
26	BB	847	U	C2-O2	5.39	1.27	1.22
26	BB	1029	A	C2'-O2'	5.39	1.48	1.41
26	BB	1157	G	N7-C5	-5.39	1.36	1.39
26	BB	2185	U	C2-N3	5.39	1.41	1.37
26	BB	2374	C	C2-N3	5.39	1.40	1.35
28	BD	170	TYR	CE2-CZ	5.39	1.45	1.38
1	AA	660	C	C2-N3	5.39	1.40	1.35
1	AA	1098	C	C4-C5	5.39	1.47	1.43
26	BB	281	C	C4-C5	5.39	1.47	1.43
26	BB	467	G	N9-C8	5.39	1.41	1.37
26	BB	1093	G	C4'-O4'	-5.39	1.38	1.45
1	AA	59	A	N1-C2	-5.39	1.29	1.34
1	AA	71	A	N3-C4	5.39	1.38	1.34
1	AA	217	C	N1-C6	5.39	1.40	1.37
1	AA	1360	A	P-O5'	5.39	1.65	1.59
12	AL	6	TYR	CE1-CZ	5.39	1.45	1.38
25	BA	21	G	N1-C2	5.39	1.42	1.37
25	BA	57	A	C5-C4	5.39	1.42	1.38
26	BB	1469	A	C5-C6	5.39	1.46	1.41
26	BB	1577	C	P-O5'	5.39	1.65	1.59
27	BC	91	GLY	N-CA	-5.39	1.38	1.46
1	AA	259	G	C8-N7	5.39	1.34	1.30
26	BB	1	G	C2'-C1'	5.39	1.59	1.53
26	BB	820	A	N9-C4	-5.39	1.34	1.37
26	BB	2011	U	C4-C5	5.39	1.48	1.43
26	BB	2412	A	C5-C6	5.39	1.45	1.41
1	AA	425	G	C5-C6	5.39	1.47	1.42
1	AA	528	C	C5-C6	5.39	1.38	1.34
1	AA	793	U	C5-C6	5.39	1.39	1.34
1	AA	1481	U	C3'-C2'	-5.39	1.46	1.52
1	AA	1539	C	P-O5'	5.39	1.65	1.59
26	BB	804	A	C4'-C3'	5.39	1.59	1.53
26	BB	1571	A	C3'-C2'	-5.39	1.46	1.52
26	BB	1610	A	C8-N7	-5.39	1.27	1.31
26	BB	1888	G	C3'-O3'	5.39	1.49	1.42
26	BB	2154	A	C5-C4	-5.39	1.34	1.38
26	BB	2436	G	C6-N1	5.39	1.43	1.39
26	BB	2496	C	N3-C4	5.39	1.37	1.33
26	BB	2694	G	C6-O6	-5.39	1.19	1.24
1	AA	53	A	C5-C6	-5.38	1.36	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	436	C	P-O5'	5.38	1.65	1.59
1	AA	536	C	O3'-P	-5.38	1.54	1.61
1	AA	1048	G	N3-C4	5.38	1.39	1.35
1	AA	1153	G	C1'-N9	5.38	1.56	1.48
26	BB	36	G	C6-N1	5.38	1.43	1.39
26	BB	725	G	P-O5'	5.38	1.65	1.59
26	BB	962	G	C4'-O4'	-5.38	1.38	1.45
26	BB	1383	A	C8-N7	5.38	1.35	1.31
26	BB	1431	A	C4'-O4'	-5.38	1.38	1.45
26	BB	1553	A	C3'-C2'	-5.38	1.46	1.52
26	BB	1646	C	C5-C6	5.38	1.38	1.34
26	BB	2053	G	N3-C4	5.38	1.39	1.35
26	BB	2188	U	C5-C6	-5.38	1.29	1.34
26	BB	2436	G	N7-C5	-5.38	1.36	1.39
1	AA	1458	G	N9-C8	-5.38	1.34	1.37
26	BB	981	A	O3'-P	5.38	1.67	1.61
1	AA	335	C	C2'-O2'	-5.38	1.34	1.41
1	AA	783	C	C3'-C2'	5.38	1.58	1.52
1	AA	933	G	C6-N1	-5.38	1.35	1.39
1	AA	1299	A	C4'-O4'	-5.38	1.38	1.45
1	AA	1503	A	C3'-C2'	5.38	1.58	1.52
4	AD	29	C	C2-N3	5.38	1.40	1.35
25	BA	29	A	N9-C4	-5.38	1.34	1.37
26	BB	16	C	C5-C6	5.38	1.38	1.34
26	BB	129	C	O4'-C1'	5.38	1.48	1.41
26	BB	687	C	N1-C6	5.38	1.40	1.37
26	BB	700	G	N1-C2	5.38	1.42	1.37
26	BB	797	G	N9-C8	-5.38	1.34	1.37
26	BB	809	G	N9-C8	-5.38	1.34	1.37
26	BB	1118	C	N1-C2	5.38	1.45	1.40
26	BB	1394	U	C2-N3	5.38	1.41	1.37
26	BB	1572	A	C8-N7	-5.38	1.27	1.31
26	BB	2469	A	C5-C4	-5.38	1.34	1.38
26	BB	2	G	N1-C2	5.38	1.42	1.37
26	BB	1087	G	C8-N7	-5.38	1.27	1.30
26	BB	1836	C	N1-C2	5.38	1.45	1.40
1	AA	7	A	C5-C6	5.38	1.45	1.41
1	AA	577	G	O3'-P	5.38	1.67	1.61
1	AA	993	G	C5-C4	-5.38	1.34	1.38
1	AA	1521	C	C4-N4	-5.38	1.29	1.33
25	BA	100	G	C6-O6	5.38	1.28	1.24
26	BB	851	C	N3-C4	5.38	1.37	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1608	A	C4'-C3'	5.38	1.59	1.53
26	BB	1842	G	C4'-C3'	-5.38	1.47	1.52
26	BB	2341	G	C4'-O4'	-5.38	1.38	1.45
1	AA	183	C	C2'-O2'	5.38	1.48	1.41
1	AA	286	C	C4'-O4'	-5.38	1.38	1.45
1	AA	980	C	N3-C4	5.38	1.37	1.33
1	AA	1217	C	C2-O2	-5.38	1.19	1.24
1	AA	1247	U	C2'-O2'	5.38	1.48	1.41
26	BB	302	C	C1'-N1	5.38	1.56	1.48
26	BB	2083	G	C5'-C4'	5.38	1.57	1.51
26	BB	2140	G	C5'-C4'	5.38	1.57	1.51
26	BB	2677	G	O3'-P	5.38	1.67	1.61
26	BB	2719	G	C4'-C3'	-5.38	1.47	1.52
26	BB	83	A	C6-N1	5.38	1.39	1.35
26	BB	1947	C	O3'-P	-5.38	1.54	1.61
1	AA	722	G	P-O5'	5.37	1.65	1.59
26	BB	339	U	C2-O2	5.37	1.27	1.22
26	BB	798	G	C6-O6	-5.37	1.19	1.24
26	BB	820	A	N1-C2	-5.37	1.29	1.34
26	BB	2499	C	C5-C6	5.37	1.38	1.34
26	BB	2548	U	N3-C4	5.37	1.43	1.38
26	BB	2892	G	C4'-O4'	-5.37	1.38	1.45
1	AA	343	U	C5'-C4'	5.37	1.57	1.51
1	AA	374	A	N9-C4	5.37	1.41	1.37
1	AA	537	G	C6-O6	-5.37	1.19	1.24
1	AA	1132	C	N1-C6	5.37	1.40	1.37
9	AI	78	PHE	CG-CD1	5.37	1.46	1.38
26	BB	101	A	P-O5'	5.37	1.65	1.59
26	BB	1249	U	O3'-P	5.37	1.67	1.61
26	BB	1334	G	N1-C2	5.37	1.42	1.37
26	BB	1912	A	O3'-P	-5.37	1.54	1.61
1	AA	1507	A	P-O5'	5.37	1.65	1.59
25	BA	15	A	N7-C5	-5.37	1.36	1.39
26	BB	809	G	C6-O6	-5.37	1.19	1.24
26	BB	1189	A	C6-N1	-5.37	1.31	1.35
26	BB	1537	G	C5-C4	5.37	1.42	1.38
26	BB	2853	C	N1-C6	5.37	1.40	1.37
1	AA	821	G	N9-C8	5.37	1.41	1.37
1	AA	1062	U	N1-C2	5.37	1.43	1.38
4	AD	20	G	N7-C5	5.37	1.42	1.39
26	BB	288	U	C4-C5	-5.37	1.38	1.43
26	BB	433	C	N1-C2	5.37	1.45	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1171	G	C2-N2	5.37	1.40	1.34
26	BB	1210	G	C2-N3	5.37	1.37	1.32
26	BB	1864	U	N1-C2	5.37	1.43	1.38
26	BB	1889	A	C8-N7	-5.37	1.27	1.31
26	BB	2057	G	O4'-C1'	-5.37	1.34	1.41
26	BB	2391	G	C6-N1	5.37	1.43	1.39
26	BB	2576	G	C5-C4	5.37	1.42	1.38
26	BB	2780	G	C2-N3	5.37	1.37	1.32
26	BB	2830	C	P-O5'	5.37	1.65	1.59
1	AA	882	C	N1-C6	-5.37	1.33	1.37
1	AA	1345	U	N1-C6	-5.37	1.33	1.38
4	AD	2	G	O4'-C1'	5.37	1.48	1.41
26	BB	66	C	C4'-C3'	-5.37	1.47	1.52
26	BB	1286	A	C5'-C4'	5.37	1.57	1.51
26	BB	1590	A	N9-C8	5.37	1.42	1.37
26	BB	2491	U	C3'-C2'	5.37	1.58	1.52
26	BB	2791	G	C5-C4	5.37	1.42	1.38
1	AA	490	C	O4'-C1'	-5.37	1.34	1.41
1	AA	954	G	C4'-C3'	5.37	1.59	1.53
26	BB	1601	G	C4'-O4'	-5.37	1.38	1.45
26	BB	2377	A	N7-C5	5.37	1.42	1.39
26	BB	2563	U	C4-O4	5.37	1.27	1.23
26	BB	2566	A	N9-C4	5.37	1.41	1.37
1	AA	168	G	C5'-C4'	5.36	1.57	1.51
1	AA	1019	A	N9-C4	-5.36	1.34	1.37
1	AA	1214	C	P-O5'	5.36	1.65	1.59
17	AQ	62	ARG	CZ-NH1	5.36	1.40	1.33
26	BB	833	A	N3-C4	5.36	1.38	1.34
26	BB	956	G	C8-N7	-5.36	1.27	1.30
26	BB	1346	G	N1-C2	5.36	1.42	1.37
26	BB	2519	U	C4-C5	5.36	1.48	1.43
26	BB	2542	A	C2-N3	5.36	1.38	1.33
26	BB	2798	U	O4'-C1'	5.36	1.48	1.41
1	AA	1116	U	C2'-O2'	5.36	1.48	1.41
1	AA	1326	U	N1-C2	5.36	1.43	1.38
26	BB	1175	A	C3'-O3'	-5.36	1.34	1.42
26	BB	2804	U	N1-C2	5.36	1.43	1.38
1	AA	643	C	C5-C6	5.36	1.38	1.34
1	AA	644	U	C4-O4	5.36	1.27	1.23
1	AA	738	C	P-O5'	5.36	1.65	1.59
1	AA	1332	A	O4'-C1'	5.36	1.48	1.41
2	AB	1	A	C6-N6	5.36	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	76	C	P-O5'	5.36	1.65	1.59
22	AV	34	SER	CA-CB	5.36	1.60	1.52
26	BB	299	A	N7-C5	5.36	1.42	1.39
26	BB	629	G	N3-C4	-5.36	1.31	1.35
26	BB	1142	A	C4'-C3'	5.36	1.59	1.53
26	BB	1488	C	C2-N3	5.36	1.40	1.35
1	AA	405	U	N1-C2	5.36	1.43	1.38
1	AA	531	U	C5'-C4'	5.36	1.57	1.51
1	AA	911	U	C1'-N1	5.36	1.56	1.48
26	BB	27	G	N9-C4	-5.36	1.33	1.38
26	BB	115	C	C3'-C2'	5.36	1.58	1.52
26	BB	538	A	C8-N7	-5.36	1.27	1.31
26	BB	996	A	N9-C4	-5.36	1.34	1.37
26	BB	2847	U	C2-N3	5.36	1.41	1.37
1	AA	395	C	O3'-P	5.36	1.67	1.61
1	AA	1006	G	C8-N7	5.36	1.34	1.30
1	AA	1070	U	P-O5'	-5.36	1.54	1.59
1	AA	1180	A	C5'-C4'	5.36	1.57	1.51
26	BB	184	C	C4'-C3'	-5.36	1.47	1.52
26	BB	712	G	C2-N3	5.36	1.37	1.32
26	BB	906	U	C4'-O4'	-5.36	1.38	1.45
26	BB	1381	G	C2'-O2'	-5.36	1.34	1.41
26	BB	1526	C	N1-C6	5.36	1.40	1.37
26	BB	2380	C	C4-N4	5.36	1.38	1.33
26	BB	2640	G	N7-C5	-5.36	1.36	1.39
26	BB	2674	G	P-O5'	-5.36	1.54	1.59
1	AA	126	G	N1-C2	5.36	1.42	1.37
4	AD	38	A	C5-C4	-5.36	1.35	1.38
26	BB	576	U	N1-C6	5.36	1.42	1.38
26	BB	733	G	C5-C4	-5.36	1.34	1.38
26	BB	1095	A	N7-C5	5.36	1.42	1.39
26	BB	1395	A	C2'-O2'	5.36	1.48	1.41
26	BB	2353	G	P-O5'	5.36	1.65	1.59
30	BF	122	GLU	CD-OE1	-5.36	1.19	1.25
1	AA	1060	U	P-O5'	5.35	1.65	1.59
1	AA	1317	C	N1-C6	5.35	1.40	1.37
2	AB	56	C	N1-C6	-5.35	1.33	1.37
11	AK	14	ARG	CD-NE	5.35	1.55	1.46
26	BB	1559	U	N1-C2	5.35	1.43	1.38
1	AA	12	U	C4-C5	5.35	1.48	1.43
1	AA	115	G	C5'-C4'	5.35	1.57	1.51
1	AA	198	G	N7-C5	5.35	1.42	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	230	G	C5'-C4'	5.35	1.57	1.51
1	AA	313	A	N9-C4	5.35	1.41	1.37
1	AA	461	A	N9-C4	5.35	1.41	1.37
1	AA	1392	G	C5'-C4'	5.35	1.57	1.51
1	AA	1542	A	C5-C6	-5.35	1.36	1.41
2	AB	31	U	N1-C2	5.35	1.43	1.38
26	BB	394	C	O3'-P	5.35	1.67	1.61
26	BB	1212	G	C5-C4	-5.35	1.34	1.38
26	BB	1489	C	O4'-C1'	-5.35	1.34	1.41
26	BB	2632	A	N9-C8	5.35	1.42	1.37
26	BB	2789	C	N1-C6	5.35	1.40	1.37
42	BR	82	SER	CB-OG	-5.35	1.35	1.42
1	AA	916	U	C4-C5	5.35	1.48	1.43
1	AA	1001	C	N1-C6	5.35	1.40	1.37
1	AA	1171	A	N1-C2	-5.35	1.29	1.34
26	BB	422	A	C2'-O2'	5.35	1.48	1.41
26	BB	425	G	N9-C8	5.35	1.41	1.37
26	BB	717	C	C2'-C1'	-5.35	1.47	1.53
26	BB	2753	A	C4'-O4'	-5.35	1.38	1.45
38	BN	44	GLY	CA-C	5.35	1.60	1.51
1	AA	608	A	C4'-O4'	-5.35	1.38	1.45
1	AA	811	C	C2-O2	-5.35	1.19	1.24
1	AA	1154	G	N3-C4	5.35	1.39	1.35
1	AA	1182	G	N3-C4	5.35	1.39	1.35
26	BB	604	G	P-O5'	5.35	1.65	1.59
26	BB	662	G	C6-N1	5.35	1.43	1.39
26	BB	697	G	C6-N1	5.35	1.43	1.39
26	BB	1466	U	C5'-C4'	5.35	1.57	1.51
26	BB	2205	A	N7-C5	-5.35	1.36	1.39
28	BD	195	GLY	CA-C	5.35	1.60	1.51
1	AA	146	G	C4'-O4'	-5.35	1.38	1.45
1	AA	443	C	C3'-C2'	-5.35	1.46	1.52
1	AA	529	G	C4'-C3'	5.35	1.59	1.53
3	AC	50	U	O3'-P	5.35	1.67	1.61
4	AD	24	C	N1-C6	5.35	1.40	1.37
26	BB	230	G	N7-C5	5.35	1.42	1.39
26	BB	269	C	C5-C6	5.35	1.38	1.34
26	BB	423	A	C5-C4	-5.35	1.35	1.38
26	BB	625	G	C5'-C4'	5.35	1.57	1.51
26	BB	882	G	C2-N2	5.35	1.39	1.34
26	BB	899	A	N9-C4	-5.35	1.34	1.37
26	BB	914	G	P-O5'	5.35	1.65	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1967	C	P-O5'	5.35	1.65	1.59
26	BB	2034	U	C4'-O4'	-5.35	1.38	1.45
26	BB	2455	G	C2-N2	5.35	1.39	1.34
26	BB	2487	G	P-O5'	5.35	1.65	1.59
26	BB	2534	A	N9-C8	-5.35	1.33	1.37
26	BB	2657	A	C5-C4	-5.35	1.35	1.38
26	BB	2758	A	C6-N1	5.35	1.39	1.35
26	BB	2798	U	P-O5'	5.35	1.65	1.59
1	AA	72	A	C4'-O4'	-5.35	1.38	1.45
1	AA	1061	G	C2'-C1'	5.35	1.59	1.53
1	AA	1245	C	O4'-C1'	5.35	1.48	1.41
2	AB	62	U	P-O5'	-5.35	1.54	1.59
26	BB	1699	G	C6-O6	-5.35	1.19	1.24
26	BB	2106	U	C3'-C2'	5.35	1.58	1.52
26	BB	2148	G	C5'-C4'	5.35	1.57	1.51
1	AA	165	G	O3'-P	5.34	1.67	1.61
1	AA	427	U	C5-C6	5.34	1.39	1.34
1	AA	1525	G	C5-C6	5.34	1.47	1.42
26	BB	944	C	C4-C5	5.34	1.47	1.43
26	BB	1299	G	N3-C4	5.34	1.39	1.35
26	BB	1472	C	N1-C6	5.34	1.40	1.37
26	BB	1999	C	C4'-C3'	-5.34	1.47	1.52
26	BB	2304	G	P-O5'	5.34	1.65	1.59
26	BB	2891	U	P-O5'	5.34	1.65	1.59
1	AA	1370	G	N3-C4	5.34	1.39	1.35
26	BB	383	C	C2-N3	5.34	1.40	1.35
26	BB	1879	C	C5-C6	5.34	1.38	1.34
26	BB	2276	G	N3-C4	5.34	1.39	1.35
1	AA	362	G	N9-C8	5.34	1.41	1.37
1	AA	575	G	C3'-C2'	5.34	1.58	1.52
1	AA	947	G	C6-O6	-5.34	1.19	1.24
1	AA	1023	U	N1-C2	5.34	1.43	1.38
4	AD	56	PSU	O3'-P	-5.34	1.54	1.61
26	BB	12	U	C4'-O4'	-5.34	1.38	1.45
26	BB	465	G	C5'-C4'	5.34	1.57	1.51
26	BB	815	C	C5-C6	5.34	1.38	1.34
26	BB	1679	A	P-O5'	5.34	1.65	1.59
26	BB	2217	G	N7-C5	-5.34	1.36	1.39
1	AA	145	G	C2-N2	5.34	1.39	1.34
1	AA	595	A	O3'-P	5.34	1.67	1.61
1	AA	973	G	C5-C4	-5.34	1.34	1.38
26	BB	591	U	C2-N3	5.34	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1575	C	C3'-C2'	-5.34	1.46	1.52
26	BB	1673	G	N3-C4	5.34	1.39	1.35
26	BB	2193	G	O3'-P	-5.34	1.54	1.61
26	BB	2896	C	O3'-P	-5.34	1.54	1.61
1	AA	167	A	C6-N6	5.34	1.38	1.33
1	AA	553	A	P-O5'	5.34	1.65	1.59
1	AA	1179	A	N9-C8	-5.34	1.33	1.37
1	AA	1210	C	C4'-C3'	5.34	1.59	1.53
1	AA	475	C	P-O5'	5.34	1.65	1.59
26	BB	115	C	C5'-C4'	5.34	1.57	1.51
26	BB	143	C	C2-O2	-5.34	1.19	1.24
26	BB	497	A	C2'-C1'	-5.34	1.47	1.53
26	BB	960	A	C5'-C4'	5.34	1.57	1.51
26	BB	1153	C	N1-C6	-5.34	1.33	1.37
26	BB	2159	G	C2'-C1'	5.34	1.59	1.53
30	BF	21	ARG	CD-NE	5.34	1.55	1.46
1	AA	870	U	C2-O2	5.33	1.27	1.22
1	AA	1138	G	C8-N7	-5.33	1.27	1.30
8	AH	67	ARG	CZ-NH1	5.33	1.40	1.33
26	BB	967	U	N1-C2	5.33	1.43	1.38
26	BB	1034	G	N9-C8	-5.33	1.34	1.37
26	BB	1638	C	C4-N4	5.33	1.38	1.33
26	BB	1991	U	C2'-O2'	5.33	1.48	1.41
26	BB	2260	C	C4-N4	5.33	1.38	1.33
44	BT	83	TYR	CG-CD2	5.33	1.46	1.39
1	AA	405	U	O3'-P	-5.33	1.54	1.61
1	AA	583	A	N9-C4	5.33	1.41	1.37
1	AA	1268	G	C2-N2	-5.33	1.29	1.34
3	AC	14	G	C6-O6	-5.33	1.19	1.24
25	BA	96	G	C4'-O4'	-5.33	1.38	1.45
26	BB	234	U	C2'-C1'	-5.33	1.47	1.53
26	BB	398	C	O5'-C5'	-5.33	1.34	1.42
26	BB	483	A	N9-C8	-5.33	1.33	1.37
26	BB	594	U	C4-C5	5.33	1.48	1.43
26	BB	1535	A	N9-C8	5.33	1.42	1.37
26	BB	1916	A	C3'-C2'	5.33	1.58	1.52
26	BB	2467	C	C2-N3	5.33	1.40	1.35
26	BB	2665	A	N1-C2	-5.33	1.29	1.34
26	BB	2698	U	C5-C6	5.33	1.39	1.34
45	BU	25	ARG	NE-CZ	5.33	1.40	1.33
1	AA	338	A	N3-C4	5.33	1.38	1.34
1	AA	444	G	P-O5'	5.33	1.65	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	860	A	N9-C4	5.33	1.41	1.37
4	AD	77	A	N9-C4	-5.33	1.34	1.37
4	AD	77	A	P-O5'	5.33	1.65	1.59
13	AM	65	TYR	CE2-CZ	5.33	1.45	1.38
25	BA	51	G	P-O5'	-5.33	1.54	1.59
26	BB	92	U	P-O5'	5.33	1.65	1.59
26	BB	1275	A	C4'-O4'	-5.33	1.38	1.45
26	BB	1983	G	N9-C8	5.33	1.41	1.37
26	BB	2489	U	C2-N3	5.33	1.41	1.37
26	BB	2613	U	C5'-C4'	5.33	1.57	1.51
26	BB	2825	G	C5-C4	5.33	1.42	1.38
1	AA	504	C	C2'-C1'	-5.33	1.47	1.53
26	BB	214	G	C5'-C4'	5.33	1.57	1.51
26	BB	931	U	C5'-C4'	5.33	1.57	1.51
26	BB	2362	C	C2'-C1'	5.33	1.59	1.53
26	BB	2526	G	C6-O6	-5.33	1.19	1.24
26	BB	2894	G	C3'-C2'	5.33	1.58	1.52
1	AA	194	C	C5'-C4'	5.33	1.57	1.51
1	AA	225	C	N3-C4	5.33	1.37	1.33
1	AA	398	U	N3-C4	5.33	1.43	1.38
2	AB	65	C	C5-C6	5.33	1.38	1.34
25	BA	93	C	C2-O2	-5.33	1.19	1.24
26	BB	40	U	C4-C5	5.33	1.48	1.43
26	BB	326	G	P-O5'	5.33	1.65	1.59
26	BB	2407	A	C6-N6	5.33	1.38	1.33
26	BB	2492	U	N1-C2	5.33	1.43	1.38
1	AA	62	U	C5-C6	5.33	1.39	1.34
1	AA	236	A	C8-N7	5.33	1.35	1.31
1	AA	692	U	C2-N3	5.33	1.41	1.37
26	BB	1077	A	N3-C4	5.33	1.38	1.34
1	AA	183	C	C5-C6	5.33	1.38	1.34
1	AA	449	G	C8-N7	-5.33	1.27	1.30
1	AA	805	C	C4-N4	5.33	1.38	1.33
1	AA	832	G	C4'-O4'	-5.33	1.38	1.45
1	AA	934	C	C5-C6	5.33	1.38	1.34
1	AA	1237	C	N1-C6	5.33	1.40	1.37
2	AB	30	G	C3'-C2'	5.33	1.58	1.52
25	BA	41	G	N7-C5	-5.33	1.36	1.39
25	BA	68	C	C4'-C3'	-5.33	1.47	1.52
26	BB	887	U	P-O5'	5.33	1.65	1.59
26	BB	1250	G	N7-C5	-5.33	1.36	1.39
1	AA	90	C	O3'-P	-5.32	1.54	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	511	C	N1-C6	5.32	1.40	1.37
1	AA	586	C	C3'-O3'	5.32	1.49	1.42
1	AA	780	A	C8-N7	5.32	1.35	1.31
1	AA	1192	C	C3'-C2'	5.32	1.58	1.52
1	AA	1196	A	C4'-O4'	-5.32	1.38	1.45
1	AA	1255	G	C2-N2	-5.32	1.29	1.34
25	BA	86	G	N1-C2	5.32	1.42	1.37
25	BA	112	G	C5-C4	-5.32	1.34	1.38
26	BB	52	A	C3'-O3'	5.32	1.49	1.42
26	BB	420	C	P-O5'	5.32	1.65	1.59
26	BB	836	G	N9-C8	-5.32	1.34	1.37
26	BB	1077	A	C5-C6	5.32	1.45	1.41
26	BB	1384	A	C2-N3	-5.32	1.28	1.33
26	BB	1429	G	C4'-O4'	-5.32	1.38	1.45
26	BB	1661	G	N9-C8	5.32	1.41	1.37
26	BB	1870	C	N3-C4	-5.32	1.30	1.33
26	BB	1887	C	O3'-P	-5.32	1.54	1.61
26	BB	2008	C	P-O5'	5.32	1.65	1.59
1	AA	1273	C	O4'-C1'	5.32	1.48	1.41
7	AG	64	TYR	CG-CD1	5.32	1.46	1.39
26	BB	1303	G	P-O5'	5.32	1.65	1.59
1	AA	49	U	C2-N3	-5.32	1.34	1.37
1	AA	308	C	C5'-C4'	-5.32	1.45	1.51
1	AA	1441	A	N3-C4	5.32	1.38	1.34
26	BB	66	C	N1-C6	5.32	1.40	1.37
26	BB	122	G	C2-N3	5.32	1.37	1.32
26	BB	267	C	C1'-N1	5.32	1.56	1.48
26	BB	287	G	C5-C4	-5.32	1.34	1.38
26	BB	435	C	C5'-C4'	5.32	1.57	1.51
26	BB	1809	A	C5-C4	5.32	1.42	1.38
26	BB	1986	C	N1-C2	5.32	1.45	1.40
26	BB	2062	A	C6-N6	-5.32	1.29	1.33
1	AA	620	C	O3'-P	-5.32	1.54	1.61
26	BB	117	G	P-O5'	5.32	1.65	1.59
26	BB	961	C	C4'-C3'	5.32	1.59	1.53
26	BB	1244	A	N3-C4	5.32	1.38	1.34
26	BB	2303	G	N7-C5	-5.32	1.36	1.39
26	BB	2372	U	N1-C6	5.32	1.42	1.38
1	AA	1387	G	C2-N2	-5.32	1.29	1.34
25	BA	75	G	C2'-C1'	5.32	1.59	1.53
26	BB	312	G	O4'-C1'	5.32	1.48	1.41
26	BB	408	G	N7-C5	-5.32	1.36	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	581	C	C4-C5	-5.32	1.38	1.43
26	BB	1097	U	C4-C5	5.32	1.48	1.43
26	BB	1137	G	N3-C4	-5.32	1.31	1.35
26	BB	1246	A	C6-N1	5.32	1.39	1.35
26	BB	1408	G	N9-C4	5.32	1.42	1.38
26	BB	1549	A	P-O5'	5.32	1.65	1.59
26	BB	2814	A	N3-C4	5.32	1.38	1.34
36	BL	113	PRO	N-CD	-5.32	1.40	1.47
1	AA	346	G	C6-N1	5.32	1.43	1.39
1	AA	461	A	C4'-C3'	-5.32	1.47	1.52
1	AA	985	C	N3-C4	-5.32	1.30	1.33
1	AA	1093	A	C4'-O4'	-5.32	1.38	1.45
2	AB	24	G	C5'-C4'	5.32	1.57	1.51
3	AC	58	C	N3-C4	5.32	1.37	1.33
26	BB	464	U	C4-C5	5.32	1.48	1.43
26	BB	658	U	P-O5'	5.32	1.65	1.59
26	BB	1298	C	C2-N3	5.32	1.40	1.35
26	BB	1534	U	N1-C2	5.32	1.43	1.38
26	BB	1670	C	N1-C2	5.32	1.45	1.40
26	BB	1839	G	C4'-C3'	5.32	1.58	1.53
26	BB	2661	G	C5'-C4'	5.32	1.57	1.51
26	BB	2842	G	C2-N3	5.32	1.37	1.32
1	AA	699	C	C2'-O2'	-5.31	1.34	1.41
1	AA	862	C	C2'-C1'	-5.31	1.47	1.53
1	AA	1088	G	C6-N1	-5.31	1.35	1.39
25	BA	81	G	N7-C5	5.31	1.42	1.39
26	BB	199	A	C4'-C3'	5.31	1.58	1.53
26	BB	1717	A	N7-C5	-5.31	1.36	1.39
26	BB	2379	G	C2-N3	5.31	1.37	1.32
1	AA	186	C	N1-C6	5.31	1.40	1.37
1	AA	292	G	C4'-O4'	-5.31	1.38	1.45
1	AA	447	G	C5'-C4'	5.31	1.57	1.51
1	AA	726	C	C2-O2	-5.31	1.19	1.24
25	BA	66	A	N7-C5	5.31	1.42	1.39
26	BB	1865	U	C3'-C2'	5.31	1.58	1.52
26	BB	2087	G	C2'-C1'	5.31	1.59	1.53
26	BB	2649	C	N1-C6	5.31	1.40	1.37
1	AA	486	U	N3-C4	5.31	1.43	1.38
1	AA	1377	A	P-O5'	5.31	1.65	1.59
2	AB	52	A	C6-N1	5.31	1.39	1.35
26	BB	532	A	C5-C4	-5.31	1.35	1.38
1	AA	100	G	C4'-O4'	-5.31	1.38	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	729	A	N9-C8	5.31	1.42	1.37
1	AA	843	U	C4'-O4'	-5.31	1.38	1.45
1	AA	872	A	C5'-C4'	5.31	1.57	1.51
1	AA	1350	A	N3-C4	5.31	1.38	1.34
1	AA	1473	G	C8-N7	-5.31	1.27	1.30
26	BB	404	A	P-O5'	5.31	1.65	1.59
26	BB	1578	U	C5-C6	5.31	1.39	1.34
26	BB	1964	G	O4'-C1'	-5.31	1.34	1.41
26	BB	2064	C	C4'-C3'	-5.31	1.47	1.52
26	BB	2183	A	P-O5'	-5.31	1.54	1.59
1	AA	35	G	C5'-C4'	5.31	1.57	1.51
1	AA	130	A	C1'-N9	5.31	1.56	1.48
1	AA	186	C	C4-C5	-5.31	1.38	1.43
1	AA	569	C	C4-C5	5.31	1.47	1.43
1	AA	1092	A	C5-C4	-5.31	1.35	1.38
4	AD	74	A	C6-N6	5.31	1.38	1.33
25	BA	38	C	C2-O2	-5.31	1.19	1.24
25	BA	40	U	C4-O4	-5.31	1.19	1.23
26	BB	105	C	N1-C2	5.31	1.45	1.40
26	BB	409	G	C1'-N9	5.31	1.56	1.48
26	BB	845	A	C2'-C1'	-5.31	1.47	1.53
26	BB	1807	G	C5'-C4'	5.31	1.57	1.51
41	BQ	10	ARG	CZ-NH1	5.31	1.40	1.33
2	AB	33	U	N3-C4	-5.31	1.33	1.38
26	BB	397	U	C4'-O4'	-5.31	1.38	1.45
26	BB	1799	G	P-O5'	5.31	1.65	1.59
1	AA	1308	U	C3'-C2'	5.30	1.58	1.52
3	AC	29	G	N1-C2	5.30	1.42	1.37
26	BB	180	G	C4'-O4'	-5.30	1.38	1.45
26	BB	684	G	C2-N3	5.30	1.36	1.32
26	BB	1297	C	N3-C4	5.30	1.37	1.33
26	BB	30	G	C5-C4	-5.30	1.34	1.38
1	AA	296	U	C4-C5	5.30	1.48	1.43
1	AA	556	C	C4-N4	-5.30	1.29	1.33
1	AA	837	U	P-O5'	5.30	1.65	1.59
7	AG	68	GLU	CB-CG	5.30	1.62	1.52
26	BB	374	A	N3-C4	5.30	1.38	1.34
26	BB	527	C	C5-C6	5.30	1.38	1.34
26	BB	1027	A	N7-C5	-5.30	1.36	1.39
26	BB	1380	G	N1-C2	5.30	1.42	1.37
26	BB	1623	G	N3-C4	5.30	1.39	1.35
26	BB	2316	G	C6-N1	5.30	1.43	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	147	G	C6-O6	-5.30	1.19	1.24
1	AA	265	G	C5-C6	5.30	1.47	1.42
1	AA	489	C	C4'-O4'	-5.30	1.38	1.45
1	AA	538	G	N3-C4	5.30	1.39	1.35
1	AA	572	A	N3-C4	5.30	1.38	1.34
1	AA	763	G	C2-N3	5.30	1.36	1.32
21	AU	11	ARG	NE-CZ	5.30	1.40	1.33
26	BB	32	C	N1-C2	5.30	1.45	1.40
26	BB	717	C	N3-C4	5.30	1.37	1.33
26	BB	886	A	C5'-C4'	5.30	1.57	1.51
26	BB	1088	A	C6-N1	5.30	1.39	1.35
26	BB	1432	G	C8-N7	5.30	1.34	1.30
26	BB	1582	C	N1-C2	5.30	1.45	1.40
26	BB	2434	A	N7-C5	-5.30	1.36	1.39
26	BB	2539	C	C5'-C4'	5.30	1.57	1.51
1	AA	634	C	P-O5'	5.30	1.65	1.59
26	BB	536	G	C2'-C1'	5.30	1.59	1.53
26	BB	1144	A	N7-C5	5.30	1.42	1.39
26	BB	1235	G	C6-N1	5.30	1.43	1.39
26	BB	2116	G	C2'-C1'	-5.30	1.47	1.53
26	BB	2169	A	C8-N7	-5.30	1.27	1.31
26	BB	2428	G	C8-N7	-5.30	1.27	1.30
26	BB	2786	U	C4'-O4'	-5.30	1.38	1.45
1	AA	47	C	C2'-O2'	-5.30	1.34	1.41
1	AA	1130	A	C5-C6	5.30	1.45	1.41
26	BB	1319	C	C2-N3	5.30	1.40	1.35
26	BB	1424	G	N7-C5	-5.30	1.36	1.39
26	BB	1502	A	N9-C8	-5.30	1.33	1.37
26	BB	1782	U	N1-C2	5.30	1.43	1.38
26	BB	2267	A	P-O5'	5.30	1.65	1.59
26	BB	2678	C	N1-C6	5.30	1.40	1.37
26	BB	2821	A	C6-N6	5.30	1.38	1.33
1	AA	308	C	C4-N4	5.29	1.38	1.33
1	AA	733	G	C5'-C4'	5.29	1.57	1.51
1	AA	886	G	C6-O6	5.29	1.28	1.24
26	BB	938	G	N9-C8	5.29	1.41	1.37
26	BB	1429	G	C5-C4	-5.29	1.34	1.38
1	AA	93	U	C2'-C1'	5.29	1.59	1.53
1	AA	826	C	C3'-C2'	-5.29	1.47	1.52
10	AJ	101	ARG	CZ-NH2	5.29	1.40	1.33
26	BB	919	U	N1-C2	5.29	1.43	1.38
26	BB	1126	A	C4'-O4'	-5.29	1.38	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1523	U	C3'-C2'	5.29	1.58	1.52
26	BB	1722	A	P-O5'	5.29	1.65	1.59
26	BB	1775	U	C2'-C1'	-5.29	1.47	1.53
26	BB	2014	A	N7-C5	5.29	1.42	1.39
26	BB	2178	C	N1-C2	5.29	1.45	1.40
26	BB	2195	U	C3'-O3'	5.29	1.49	1.42
1	AA	338	A	P-O5'	5.29	1.65	1.59
1	AA	389	A	O5'-C5'	-5.29	1.34	1.42
1	AA	611	C	O3'-P	5.29	1.67	1.61
1	AA	1233	G	N7-C5	5.29	1.42	1.39
1	AA	1311	A	C1'-N9	5.29	1.56	1.48
1	AA	1395	C	C4'-C3'	-5.29	1.47	1.52
26	BB	227	A	C6-N1	5.29	1.39	1.35
26	BB	392	U	N3-C4	5.29	1.43	1.38
26	BB	702	U	C2'-O2'	5.29	1.48	1.41
26	BB	760	G	N1-C2	5.29	1.42	1.37
26	BB	2366	A	N1-C2	-5.29	1.29	1.34
26	BB	2698	U	C2'-C1'	5.29	1.59	1.53
26	BB	2746	U	C4'-O4'	-5.29	1.38	1.45
26	BB	2768	U	P-O5'	5.29	1.65	1.59
1	AA	38	G	N3-C4	5.29	1.39	1.35
1	AA	259	G	C5'-C4'	5.29	1.57	1.51
1	AA	490	C	C4'-O4'	-5.29	1.38	1.45
1	AA	1541	U	N1-C2	5.29	1.43	1.38
26	BB	1455	G	O3'-P	5.29	1.67	1.61
26	BB	2042	A	N9-C8	5.29	1.42	1.37
26	BB	2823	A	O4'-C1'	-5.29	1.34	1.41
28	BD	39	SER	CB-OG	5.29	1.49	1.42
1	AA	864	A	C4'-C3'	5.29	1.58	1.53
1	AA	1232	U	C5'-C4'	5.29	1.57	1.51
1	AA	1241	G	N1-C2	5.29	1.42	1.37
1	AA	1276	G	C5-C4	5.29	1.42	1.38
1	AA	1399	C	C5-C6	5.29	1.38	1.34
2	AB	1	A	N3-C4	-5.29	1.31	1.34
26	BB	851	C	C3'-C2'	-5.29	1.47	1.52
26	BB	911	A	C6-N6	5.29	1.38	1.33
26	BB	1024	G	C4'-C3'	5.29	1.58	1.53
26	BB	1347	A	N3-C4	5.29	1.38	1.34
26	BB	1737	G	C1'-N9	5.29	1.56	1.48
1	AA	612	C	C2-O2	-5.29	1.19	1.24
26	BB	42	A	C8-N7	-5.29	1.27	1.31
26	BB	351	C	O4'-C1'	5.29	1.48	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	937	C	C4'-O4'	-5.29	1.38	1.45
26	BB	2352	A	C3'-C2'	5.29	1.58	1.52
26	BB	2862	G	C2-N3	5.29	1.36	1.32
1	AA	74	A	N9-C4	-5.29	1.34	1.37
1	AA	613	C	C5'-C4'	5.29	1.57	1.51
1	AA	884	U	C2-N3	5.29	1.41	1.37
1	AA	1208	C	N3-C4	5.29	1.37	1.33
1	AA	1311	A	O3'-P	5.29	1.67	1.61
1	AA	1321	U	C5-C6	-5.29	1.29	1.34
1	AA	1335	U	C5-C6	5.29	1.39	1.34
1	AA	1459	G	C4'-O4'	-5.29	1.38	1.45
3	AC	28	U	C1'-N1	5.29	1.56	1.48
26	BB	477	A	C4'-C3'	-5.29	1.47	1.52
26	BB	882	G	C6-N1	5.29	1.43	1.39
26	BB	901	C	N1-C6	5.29	1.40	1.37
26	BB	1840	G	P-O5'	5.29	1.65	1.59
26	BB	1919	A	O3'-P	5.29	1.67	1.61
26	BB	2463	C	C2-N3	5.29	1.40	1.35
1	AA	41	G	O3'-P	5.28	1.67	1.61
1	AA	138	G	C5-C4	-5.28	1.34	1.38
1	AA	191	G	N7-C5	-5.28	1.36	1.39
1	AA	243	A	P-O5'	5.28	1.65	1.59
1	AA	569	C	P-OP2	-5.28	1.40	1.49
1	AA	673	A	N3-C4	5.28	1.38	1.34
1	AA	917	G	C4'-O4'	-5.28	1.38	1.45
1	AA	1358	U	N1-C6	5.28	1.42	1.38
26	BB	25	U	C2-N3	5.28	1.41	1.37
26	BB	650	C	P-O5'	5.28	1.65	1.59
26	BB	710	U	C4'-O4'	-5.28	1.38	1.45
26	BB	1500	G	N1-C2	5.28	1.42	1.37
26	BB	2058	A	C6-N6	5.28	1.38	1.33
1	AA	184	G	C2-N3	5.28	1.36	1.32
1	AA	465	A	C5-C4	-5.28	1.35	1.38
1	AA	1117	A	N3-C4	5.28	1.38	1.34
1	AA	1524	C	N1-C2	5.28	1.45	1.40
26	BB	235	U	C5-C6	5.28	1.39	1.34
26	BB	1027	A	C6-N6	-5.28	1.29	1.33
1	AA	139	A	N3-C4	5.28	1.38	1.34
1	AA	534	U	C2-O2	5.28	1.27	1.22
1	AA	805	C	C2'-C1'	5.28	1.59	1.53
1	AA	904	U	C2'-C1'	5.28	1.59	1.53
26	BB	309	A	C4'-O4'	-5.28	1.38	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	684	G	O3'-P	5.28	1.67	1.61
26	BB	1749	A	O3'-P	5.28	1.67	1.61
26	BB	2232	C	N1-C6	5.28	1.40	1.37
26	BB	2500	U	C5-C6	-5.28	1.29	1.34
1	AA	1212	U	C4-O4	5.28	1.27	1.23
25	BA	70	C	C2-O2	-5.28	1.19	1.24
26	BB	73	A	C2'-O2'	5.28	1.48	1.41
26	BB	1391	U	N1-C2	5.28	1.43	1.38
26	BB	2861	U	N1-C6	-5.28	1.33	1.38
1	AA	543	U	N1-C2	5.28	1.43	1.38
1	AA	697	U	P-O5'	5.28	1.65	1.59
1	AA	1486	G	C6-N1	5.28	1.43	1.39
25	BA	85	G	O4'-C1'	5.28	1.48	1.41
26	BB	81	G	N3-C4	5.28	1.39	1.35
26	BB	588	U	C5-C6	5.28	1.38	1.34
26	BB	987	C	N1-C6	5.28	1.40	1.37
26	BB	1680	U	O5'-C5'	-5.28	1.34	1.42
26	BB	1985	C	C5-C6	5.28	1.38	1.34
26	BB	2592	G	P-O5'	-5.28	1.54	1.59
26	BB	2704	C	C5'-C4'	5.28	1.57	1.51
39	BO	31	PHE	CE1-CZ	5.28	1.47	1.37
26	BB	537	G	P-O5'	5.28	1.65	1.59
26	BB	890	C	P-O5'	5.28	1.65	1.59
26	BB	1722	A	N3-C4	5.28	1.38	1.34
26	BB	2239	G	C5'-C4'	5.28	1.57	1.51
26	BB	2574	G	C2-N2	-5.28	1.29	1.34
1	AA	149	A	O3'-P	5.27	1.67	1.61
1	AA	199	A	N1-C2	5.27	1.39	1.34
1	AA	748	G	C5-C6	-5.27	1.37	1.42
1	AA	1148	U	C5'-C4'	5.27	1.57	1.51
26	BB	189	G	O3'-P	5.27	1.67	1.61
26	BB	391	A	C2-N3	5.27	1.38	1.33
26	BB	489	G	P-O5'	-5.27	1.54	1.59
26	BB	590	A	N3-C4	5.27	1.38	1.34
26	BB	1125	G	P-O5'	-5.27	1.54	1.59
1	AA	399	G	C3'-C2'	-5.27	1.47	1.52
1	AA	437	U	N1-C6	5.27	1.42	1.38
1	AA	1067	A	N3-C4	-5.27	1.31	1.34
25	BA	110	C	C4-N4	5.27	1.38	1.33
26	BB	670	A	N1-C2	-5.27	1.29	1.34
26	BB	967	U	C2-N3	5.27	1.41	1.37
26	BB	1083	U	C4'-C3'	5.27	1.58	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2326	C	C2'-C1'	-5.27	1.47	1.53
26	BB	2350	C	C3'-O3'	-5.27	1.34	1.42
25	BA	118	C	N3-C4	5.27	1.37	1.33
26	BB	1317	G	C4'-O4'	-5.27	1.38	1.45
26	BB	1613	G	C6-O6	-5.27	1.19	1.24
26	BB	2362	C	C3'-O3'	5.27	1.49	1.42
26	BB	2594	C	N1-C2	5.27	1.45	1.40
1	AA	121	U	C1'-N1	5.27	1.56	1.48
1	AA	488	C	C4'-O4'	-5.27	1.38	1.45
1	AA	1171	A	O4'-C1'	5.27	1.48	1.41
1	AA	1247	U	C2-N3	5.27	1.41	1.37
26	BB	93	G	C5'-C4'	5.27	1.57	1.51
26	BB	158	U	C5'-C4'	5.27	1.57	1.51
26	BB	249	C	C4'-O4'	-5.27	1.38	1.45
26	BB	261	G	N3-C4	-5.27	1.31	1.35
26	BB	578	G	C5-C6	5.27	1.47	1.42
26	BB	625	G	N1-C2	5.27	1.42	1.37
26	BB	972	A	C6-N6	5.27	1.38	1.33
26	BB	990	A	C6-N1	-5.27	1.31	1.35
26	BB	1542	U	C4'-C3'	5.27	1.58	1.53
26	BB	1795	C	O4'-C1'	5.27	1.48	1.41
26	BB	1986	C	C4'-C3'	5.27	1.58	1.53
46	BV	76	ARG	NE-CZ	5.27	1.39	1.33
1	AA	649	A	N3-C4	5.27	1.38	1.34
1	AA	675	A	P-O5'	5.27	1.65	1.59
1	AA	809	G	C8-N7	-5.27	1.27	1.30
1	AA	850	U	C2-N3	5.27	1.41	1.37
1	AA	1052	U	N1-C2	5.27	1.43	1.38
26	BB	621	A	C4'-O4'	-5.27	1.38	1.45
26	BB	957	C	O5'-C5'	-5.27	1.34	1.42
26	BB	1271	G	N3-C4	-5.27	1.31	1.35
26	BB	1284	A	P-O5'	5.27	1.65	1.59
26	BB	1342	A	N9-C4	-5.27	1.34	1.37
26	BB	1541	C	C5-C6	-5.27	1.30	1.34
26	BB	2561	U	N1-C2	5.27	1.43	1.38
26	BB	2775	G	P-O5'	5.27	1.65	1.59
26	BB	2139	U	C2'-C1'	5.27	1.59	1.53
1	AA	56	U	C5-C6	5.26	1.38	1.34
4	AD	48	U	C2-N3	5.26	1.41	1.37
26	BB	287	G	P-O5'	5.26	1.65	1.59
26	BB	899	A	C4'-O4'	-5.26	1.38	1.45
26	BB	925	A	C5'-C4'	5.26	1.57	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1061	U	C5'-C4'	5.26	1.57	1.51
26	BB	1073	A	P-O5'	5.26	1.65	1.59
26	BB	1406	U	C2-N3	5.26	1.41	1.37
26	BB	1540	G	C5'-C4'	5.26	1.57	1.51
26	BB	1572	A	C5'-C4'	5.26	1.57	1.51
26	BB	1635	A	C4'-O4'	-5.26	1.38	1.45
26	BB	1740	G	C8-N7	5.26	1.34	1.30
26	BB	2212	A	C4'-C3'	5.26	1.58	1.53
1	AA	163	C	P-O5'	5.26	1.65	1.59
1	AA	482	A	C8-N7	-5.26	1.27	1.31
1	AA	930	C	N1-C6	5.26	1.40	1.37
25	BA	63	C	C4-C5	-5.26	1.38	1.43
26	BB	364	C	O3'-P	5.26	1.67	1.61
26	BB	1177	G	C6-O6	-5.26	1.19	1.24
26	BB	1187	G	P-O5'	5.26	1.65	1.59
1	AA	755	G	C6-N1	5.26	1.43	1.39
1	AA	853	C	C4-C5	5.26	1.47	1.43
1	AA	1228	C	N1-C6	5.26	1.40	1.37
1	AA	1506	U	C4-C5	5.26	1.48	1.43
20	AT	64	ARG	CZ-NH2	5.26	1.39	1.33
26	BB	44	A	N3-C4	5.26	1.38	1.34
26	BB	50	U	N3-C4	5.26	1.43	1.38
26	BB	638	G	C8-N7	5.26	1.34	1.30
26	BB	1668	A	C5-C6	5.26	1.45	1.41
26	BB	2733	A	C8-N7	-5.26	1.27	1.31
31	BG	123	GLY	N-CA	-5.26	1.38	1.46
1	AA	302	G	N9-C4	5.26	1.42	1.38
1	AA	375	U	O3'-P	-5.26	1.54	1.61
1	AA	420	U	N3-C4	5.26	1.43	1.38
1	AA	559	A	C1'-N9	5.26	1.56	1.48
1	AA	640	A	N3-C4	5.26	1.38	1.34
1	AA	1322	C	C2-N3	-5.26	1.31	1.35
1	AA	1370	G	C8-N7	-5.26	1.27	1.30
6	AF	160	GLU	CD-OE2	-5.26	1.19	1.25
26	BB	73	A	C6-N1	-5.26	1.31	1.35
26	BB	386	G	C2-N3	5.26	1.36	1.32
26	BB	604	G	N7-C5	-5.26	1.36	1.39
26	BB	624	C	C4'-O4'	-5.26	1.38	1.45
26	BB	703	U	C3'-O3'	-5.26	1.34	1.42
26	BB	803	U	P-O5'	-5.26	1.54	1.59
26	BB	1254	A	C5-C4	-5.26	1.35	1.38
26	BB	2272	U	C4'-C3'	5.26	1.58	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2729	G	C5'-C4'	5.26	1.57	1.51
26	BB	2771	C	C3'-O3'	-5.26	1.34	1.42
41	BQ	20	GLU	CB-CG	5.26	1.62	1.52
3	AC	30	U	O3'-P	5.26	1.67	1.61
4	AD	46	G	P-O5'	5.26	1.65	1.59
26	BB	1062	G	N7-C5	5.26	1.42	1.39
26	BB	1572	A	N7-C5	-5.26	1.36	1.39
26	BB	1672	A	C5-C4	-5.26	1.35	1.38
26	BB	1823	G	C2-N3	5.26	1.36	1.32
1	AA	273	U	N3-C4	5.26	1.43	1.38
1	AA	715	A	C2-N3	5.26	1.38	1.33
1	AA	881	G	N1-C2	5.26	1.42	1.37
1	AA	1429	A	N3-C4	5.26	1.38	1.34
2	AB	57	G	N7-C5	5.26	1.42	1.39
2	AB	65	C	C4-C5	5.26	1.47	1.43
26	BB	603	A	P-O5'	5.26	1.65	1.59
26	BB	1205	A	C5'-C4'	5.26	1.57	1.51
26	BB	1479	G	O3'-P	5.26	1.67	1.61
26	BB	2500	U	P-O5'	5.26	1.65	1.59
36	BL	31	GLU	CD-OE2	-5.26	1.19	1.25
1	AA	1358	U	C5-C6	5.25	1.38	1.34
8	AH	129	SER	CA-CB	5.25	1.60	1.52
26	BB	510	C	P-O5'	-5.25	1.54	1.59
26	BB	1458	U	C5-C6	5.25	1.38	1.34
26	BB	2452	C	C4'-O4'	-5.25	1.38	1.45
1	AA	45	G	P-O5'	5.25	1.65	1.59
1	AA	305	G	C4'-O4'	-5.25	1.38	1.45
1	AA	827	U	C5'-C4'	5.25	1.57	1.51
26	BB	253	C	O3'-P	5.25	1.67	1.61
26	BB	375	G	C2-N3	5.25	1.36	1.32
26	BB	1560	G	N1-C2	5.25	1.42	1.37
26	BB	1623	G	C8-N7	5.25	1.34	1.30
26	BB	2339	C	C4'-O4'	-5.25	1.38	1.45
26	BB	2783	U	O4'-C1'	5.25	1.48	1.41
1	AA	1	A	N9-C4	5.25	1.41	1.37
1	AA	274	A	C5'-C4'	5.25	1.57	1.51
1	AA	424	G	C5'-C4'	5.25	1.57	1.51
1	AA	909	A	N3-C4	5.25	1.38	1.34
1	AA	1528	U	N1-C6	5.25	1.42	1.38
3	AC	21	U	C4'-C3'	-5.25	1.47	1.52
26	BB	244	A	C4'-O4'	-5.25	1.38	1.45
26	BB	353	C	N3-C4	5.25	1.37	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	455	C	C2'-C1'	5.25	1.59	1.53
26	BB	475	C	C2-O2	-5.25	1.19	1.24
26	BB	513	A	N1-C2	-5.25	1.29	1.34
26	BB	729	G	C8-N7	-5.25	1.27	1.30
26	BB	981	A	N3-C4	5.25	1.38	1.34
1	AA	366	A	C6-N6	-5.25	1.29	1.33
3	AC	38	G	N1-C2	5.25	1.42	1.37
26	BB	101	A	C2'-C1'	5.25	1.59	1.53
26	BB	867	C	C5-C6	5.25	1.38	1.34
26	BB	1307	A	C8-N7	-5.25	1.27	1.31
1	AA	1021	A	C2'-C1'	5.25	1.59	1.53
1	AA	1110	A	C5-C4	-5.25	1.35	1.38
1	AA	1230	C	P-O5'	5.25	1.65	1.59
2	AB	6	C	O3'-P	5.25	1.67	1.61
4	AD	5	G	C6-O6	-5.25	1.19	1.24
26	BB	616	A	C5'-C4'	5.25	1.57	1.51
26	BB	926	G	C4'-O4'	-5.25	1.38	1.45
26	BB	1063	G	C8-N7	-5.25	1.27	1.30
26	BB	1197	G	N3-C4	5.25	1.39	1.35
26	BB	1397	U	O3'-P	5.25	1.67	1.61
26	BB	1497	U	C4-C5	5.25	1.48	1.43
26	BB	2242	G	N9-C8	5.25	1.41	1.37
32	BH	7	PRO	CA-C	5.25	1.63	1.52
1	AA	345	C	O3'-P	5.25	1.67	1.61
1	AA	874	G	C2'-C1'	5.25	1.59	1.53
1	AA	913	A	N7-C5	5.25	1.42	1.39
19	AS	32	PHE	CG-CD1	5.25	1.46	1.38
25	BA	55	U	C2-N3	5.25	1.41	1.37
25	BA	116	G	N9-C4	-5.25	1.33	1.38
26	BB	283	G	C5'-C4'	5.25	1.57	1.51
26	BB	831	G	C8-N7	-5.25	1.27	1.30
26	BB	860	U	P-O5'	5.25	1.65	1.59
26	BB	1281	G	C4'-O4'	-5.25	1.38	1.45
26	BB	1498	C	C5'-C4'	5.25	1.57	1.51
26	BB	1508	A	C6-N1	-5.25	1.31	1.35
26	BB	1553	A	N9-C4	5.25	1.41	1.37
26	BB	1919	A	N3-C4	5.25	1.38	1.34
26	BB	2515	C	C5-C6	5.25	1.38	1.34
1	AA	182	A	N1-C2	5.25	1.39	1.34
1	AA	1139	G	C2-N3	5.25	1.36	1.32
26	BB	1649	G	C5-C4	-5.25	1.34	1.38
26	BB	1749	A	P-O5'	5.25	1.65	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	650	G	N7-C5	5.24	1.42	1.39
1	AA	830	G	C4'-C3'	5.24	1.58	1.53
26	BB	594	U	P-O5'	5.24	1.65	1.59
26	BB	1344	U	C4-C5	5.24	1.48	1.43
26	BB	1681	G	N9-C4	5.24	1.42	1.38
26	BB	1784	A	C6-N6	5.24	1.38	1.33
26	BB	1879	C	C4'-C3'	5.24	1.58	1.53
26	BB	2380	C	N3-C4	5.24	1.37	1.33
26	BB	2431	U	O4'-C1'	5.24	1.48	1.41
1	AA	336	A	N7-C5	5.24	1.42	1.39
26	BB	354	A	C2'-O2'	-5.24	1.34	1.41
1	AA	128	G	C2-N3	-5.24	1.28	1.32
1	AA	165	G	C5-C4	5.24	1.42	1.38
1	AA	402	G	N1-C2	5.24	1.42	1.37
1	AA	569	C	C4'-O4'	-5.24	1.38	1.45
1	AA	657	U	C4-C5	5.24	1.48	1.43
1	AA	1198	G	P-O5'	-5.24	1.54	1.59
25	BA	69	G	O3'-P	5.24	1.67	1.61
26	BB	255	A	N7-C5	5.24	1.42	1.39
26	BB	425	G	C3'-O3'	5.24	1.49	1.42
26	BB	449	A	N3-C4	5.24	1.38	1.34
26	BB	1107	G	C6-O6	-5.24	1.19	1.24
26	BB	1686	C	C5-C6	5.24	1.38	1.34
26	BB	1958	C	C4'-C3'	5.24	1.58	1.53
26	BB	2204	G	C6-N1	5.24	1.43	1.39
26	BB	2565	A	C5'-C4'	5.24	1.57	1.51
26	BB	2659	G	N3-C4	5.24	1.39	1.35
26	BB	2764	A	C6-N1	-5.24	1.31	1.35
26	BB	2774	C	C2-N3	5.24	1.40	1.35
26	BB	2897	U	C2-N3	5.24	1.41	1.37
35	BK	51	GLY	CA-C	5.24	1.60	1.51
1	AA	306	A	C5-C4	-5.24	1.35	1.38
1	AA	1003	G	N7-C5	-5.24	1.36	1.39
4	AD	28	U	N1-C2	5.24	1.43	1.38
26	BB	326	G	C6-N1	5.24	1.43	1.39
26	BB	713	G	C5-C6	5.24	1.47	1.42
26	BB	766	U	N1-C6	-5.24	1.33	1.38
26	BB	849	A	C6-N1	5.24	1.39	1.35
26	BB	1424	G	O4'-C1'	5.24	1.48	1.41
26	BB	1721	G	C2-N3	5.24	1.36	1.32
26	BB	2395	C	C3'-C2'	5.24	1.58	1.52
26	BB	2455	G	N1-C2	5.24	1.42	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	55	A	N9-C8	5.24	1.42	1.37
1	AA	132	C	C2-O2	-5.24	1.19	1.24
1	AA	377	G	C2'-O2'	-5.24	1.34	1.41
1	AA	871	U	C5'-C4'	5.24	1.57	1.51
2	AB	40	C	C4'-C3'	5.24	1.58	1.53
4	AD	4	G	C8-N7	-5.24	1.27	1.30
26	BB	682	G	C4'-O4'	5.24	1.52	1.45
26	BB	1233	C	N1-C6	5.24	1.40	1.37
26	BB	1373	A	P-O5'	5.24	1.65	1.59
26	BB	2024	G	C2'-C1'	5.24	1.59	1.53
26	BB	2044	C	C1'-N1	5.24	1.56	1.48
26	BB	2754	U	C1'-N1	5.24	1.56	1.48
1	AA	53	A	C4'-O4'	-5.24	1.38	1.45
1	AA	715	A	C6-N6	5.24	1.38	1.33
1	AA	1296	C	C5-C6	5.24	1.38	1.34
1	AA	1513	A	P-O5'	5.24	1.65	1.59
15	AO	99	GLY	CA-C	5.24	1.60	1.51
26	BB	177	G	C3'-O3'	5.24	1.49	1.42
26	BB	678	C	N1-C6	-5.24	1.34	1.37
26	BB	698	C	C4'-C3'	-5.24	1.47	1.52
26	BB	930	G	C5'-C4'	5.24	1.57	1.51
26	BB	1041	G	C5-C6	5.24	1.47	1.42
26	BB	1403	A	C5'-C4'	5.24	1.57	1.51
26	BB	1471	G	C2-N3	5.24	1.36	1.32
26	BB	1768	C	N3-C4	5.24	1.37	1.33
26	BB	2014	A	P-O5'	5.24	1.65	1.59
26	BB	2647	U	C5'-C4'	5.24	1.57	1.51
26	BB	2829	A	N9-C4	5.24	1.41	1.37
26	BB	2837	A	O3'-P	5.24	1.67	1.61
45	BU	101	SER	CB-OG	5.24	1.49	1.42
1	AA	1030	U	N1-C2	5.23	1.43	1.38
25	BA	17	C	O4'-C1'	-5.23	1.34	1.41
26	BB	284	U	P-O5'	5.23	1.65	1.59
26	BB	787	C	C2'-O2'	5.23	1.48	1.41
26	BB	1217	U	C4-C5	5.23	1.48	1.43
26	BB	1763	G	O3'-P	5.23	1.67	1.61
1	AA	244	U	N1-C6	5.23	1.42	1.38
1	AA	1033	G	C6-N1	5.23	1.43	1.39
1	AA	1036	A	N3-C4	5.23	1.38	1.34
1	AA	1046	A	N3-C4	5.23	1.38	1.34
1	AA	1076	U	C2-O2	5.23	1.27	1.22
1	AA	1214	C	C4-C5	5.23	1.47	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1217	C	O3'-P	5.23	1.67	1.61
1	AA	1288	A	C3'-C2'	5.23	1.58	1.52
1	AA	1523	G	N1-C2	5.23	1.42	1.37
9	AI	59	TYR	CD2-CE2	5.23	1.47	1.39
26	BB	301	G	C5-C4	5.23	1.42	1.38
26	BB	408	G	C4'-O4'	-5.23	1.38	1.45
26	BB	798	G	N9-C8	5.23	1.41	1.37
26	BB	1086	A	C5-C4	-5.23	1.35	1.38
26	BB	1442	U	C4'-C3'	5.23	1.58	1.53
26	BB	2320	U	O3'-P	5.23	1.67	1.61
26	BB	2394	C	P-O5'	-5.23	1.54	1.59
1	AA	398	U	C4-O4	-5.23	1.19	1.23
1	AA	928	G	N9-C8	-5.23	1.34	1.37
4	AD	32	G	C6-O6	-5.23	1.19	1.24
26	BB	576	U	C5'-C4'	5.23	1.57	1.51
26	BB	652	U	N1-C2	5.23	1.43	1.38
26	BB	1625	C	N3-C4	-5.23	1.30	1.33
26	BB	1969	A	C6-N1	5.23	1.39	1.35
26	BB	2400	G	C4'-O4'	-5.23	1.38	1.45
1	AA	58	C	O3'-P	5.23	1.67	1.61
26	BB	731	C	C5'-C4'	5.23	1.57	1.51
26	BB	1228	G	C4'-C3'	-5.23	1.47	1.52
26	BB	2743	U	C2-N3	5.23	1.41	1.37
1	AA	2	A	N9-C4	5.23	1.41	1.37
1	AA	908	A	C4'-O4'	-5.23	1.38	1.45
1	AA	1208	C	C1'-N1	5.23	1.56	1.48
1	AA	1482	G	N3-C4	5.23	1.39	1.35
1	AA	1511	G	N7-C5	5.23	1.42	1.39
25	BA	1	U	C4-O4	-5.23	1.19	1.23
26	BB	32	C	C4'-O4'	-5.23	1.38	1.45
26	BB	856	G	C5-C4	-5.23	1.34	1.38
26	BB	1025	G	N7-C5	5.23	1.42	1.39
26	BB	1637	A	N1-C2	-5.23	1.29	1.34
26	BB	1648	U	C4'-C3'	5.23	1.58	1.53
26	BB	2177	C	O4'-C1'	5.23	1.48	1.41
26	BB	2408	U	C3'-C2'	5.23	1.58	1.52
26	BB	2564	A	C8-N7	-5.23	1.27	1.31
1	AA	382	A	N9-C8	5.23	1.42	1.37
1	AA	1259	C	P-O5'	5.23	1.65	1.59
2	AB	18	G	C6-O6	-5.23	1.19	1.24
26	BB	598	U	C4'-C3'	-5.23	1.47	1.52
26	BB	1241	A	C5'-C4'	5.23	1.57	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1753	G	N7-C5	5.23	1.42	1.39
26	BB	2378	A	C5-C4	5.23	1.42	1.38
26	BB	2522	U	C2'-C1'	5.23	1.59	1.53
26	BB	2642	G	C2'-O2'	5.23	1.48	1.41
1	AA	131	A	P-O5'	5.22	1.65	1.59
1	AA	471	U	C2-N3	5.22	1.41	1.37
4	AD	12	G	N9-C4	5.22	1.42	1.38
25	BA	103	U	O4'-C1'	5.22	1.48	1.41
26	BB	385	C	C5'-C4'	5.22	1.57	1.51
26	BB	525	U	N1-C2	5.22	1.43	1.38
26	BB	902	C	O4'-C1'	5.22	1.48	1.41
26	BB	1216	G	C6-O6	-5.22	1.19	1.24
26	BB	2836	U	C4'-C3'	-5.22	1.47	1.52
1	AA	445	G	C1'-N9	5.22	1.56	1.48
1	AA	666	G	C5-C6	5.22	1.47	1.42
1	AA	1223	C	N3-C4	5.22	1.37	1.33
4	AD	45	A	C4'-O4'	-5.22	1.38	1.45
26	BB	44	A	P-O5'	5.22	1.65	1.59
26	BB	185	G	O3'-P	-5.22	1.54	1.61
26	BB	647	G	C6-N1	5.22	1.43	1.39
26	BB	1540	G	C5-C6	5.22	1.47	1.42
26	BB	2357	G	C2-N2	-5.22	1.29	1.34
31	BG	6	TYR	CE1-CZ	5.22	1.45	1.38
1	AA	1273	C	C2'-O2'	5.22	1.48	1.41
26	BB	59	U	C4-O4	-5.22	1.19	1.23
26	BB	1206	G	N3-C4	5.22	1.39	1.35
26	BB	2093	G	O4'-C1'	5.22	1.48	1.41
26	BB	2754	U	C2'-C1'	5.22	1.59	1.53
26	BB	2760	C	P-O5'	5.22	1.65	1.59
1	AA	134	G	C2'-C1'	5.22	1.59	1.53
1	AA	184	G	C6-N1	5.22	1.43	1.39
1	AA	532	A	C6-N1	-5.22	1.31	1.35
1	AA	1011	C	C5-C6	5.22	1.38	1.34
4	AD	51	U	P-O5'	5.22	1.65	1.59
26	BB	1173	U	C3'-C2'	5.22	1.58	1.52
26	BB	1850	G	O3'-P	5.22	1.67	1.61
26	BB	1945	G	C2'-O2'	5.22	1.48	1.41
26	BB	1954	G	C2-N3	5.22	1.36	1.32
26	BB	2737	G	C5'-C4'	5.22	1.57	1.51
26	BB	2883	A	C5'-C4'	5.22	1.57	1.51
28	BD	51	ARG	CZ-NH2	5.22	1.39	1.33
29	BE	45	TYR	CG-CD2	-5.22	1.32	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	15	G	O4'-C1'	5.22	1.48	1.41
1	AA	538	G	O4'-C1'	5.22	1.48	1.41
25	BA	106	G	C5-C6	5.22	1.47	1.42
26	BB	1778	U	N1-C2	5.22	1.43	1.38
26	BB	2895	G	C4'-C3'	5.22	1.58	1.53
1	AA	803	G	N1-C2	5.22	1.42	1.37
1	AA	895	G	C8-N7	-5.22	1.27	1.30
1	AA	900	A	P-O5'	5.22	1.65	1.59
1	AA	948	C	C4-C5	5.22	1.47	1.43
1	AA	996	A	C6-N6	-5.22	1.29	1.33
1	AA	1094	G	C2-N3	5.22	1.36	1.32
1	AA	1362	A	C3'-C2'	5.22	1.58	1.52
2	AB	40	C	N3-C4	5.22	1.37	1.33
8	AH	118	GLY	N-CA	5.22	1.53	1.46
26	BB	256	A	N9-C4	5.22	1.41	1.37
26	BB	493	G	N1-C2	5.22	1.42	1.37
1	AA	461	A	C2-N3	-5.21	1.28	1.33
26	BB	531	C	N3-C4	-5.21	1.30	1.33
26	BB	1057	A	C2'-C1'	5.21	1.59	1.53
26	BB	1395	A	C6-N1	-5.21	1.31	1.35
26	BB	2544	G	C5'-C4'	5.21	1.57	1.51
39	BO	51	ARG	CZ-NH1	5.21	1.39	1.33
53	B2	54	GLY	CA-C	5.21	1.60	1.51
1	AA	1313	U	C3'-C2'	-5.21	1.47	1.52
26	BB	2765	A	C5-C4	-5.21	1.35	1.38
1	AA	419	C	C4'-O4'	-5.21	1.38	1.45
1	AA	1309	G	O5'-C5'	-5.21	1.34	1.42
26	BB	273	G	N9-C8	-5.21	1.34	1.37
26	BB	688	U	O3'-P	5.21	1.67	1.61
26	BB	736	C	N1-C6	5.21	1.40	1.37
26	BB	770	G	N3-C4	-5.21	1.31	1.35
26	BB	1132	U	C4'-O4'	-5.21	1.38	1.45
26	BB	1747	U	C2'-O2'	-5.21	1.34	1.41
26	BB	1784	A	C6-N1	5.21	1.39	1.35
26	BB	1809	A	P-O5'	5.21	1.65	1.59
26	BB	2074	U	P-O5'	5.21	1.65	1.59
26	BB	2346	A	P-O5'	-5.21	1.54	1.59
26	BB	2530	A	N1-C2	-5.21	1.29	1.34
26	BB	2639	A	C4'-O4'	-5.21	1.38	1.45
1	AA	23	C	C3'-O3'	5.21	1.49	1.42
1	AA	332	G	O3'-P	5.21	1.67	1.61
26	BB	49	A	O3'-P	-5.21	1.54	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2057	G	N9-C8	-5.21	1.34	1.37
1	AA	22	G	C5'-C4'	5.21	1.57	1.51
1	AA	87	C	C2-N3	5.21	1.40	1.35
1	AA	279	A	C2'-O2'	5.21	1.48	1.41
1	AA	425	G	N9-C8	5.21	1.41	1.37
1	AA	958	A	N3-C4	5.21	1.38	1.34
1	AA	1065	U	P-O5'	5.21	1.65	1.59
2	AB	17	H2U	O3'-P	5.21	1.67	1.61
26	BB	617	G	P-O5'	5.21	1.65	1.59
26	BB	917	A	N7-C5	-5.21	1.36	1.39
26	BB	990	A	C4'-O4'	-5.21	1.38	1.45
26	BB	1472	C	C2-N3	5.21	1.40	1.35
26	BB	1615	C	N1-C6	5.21	1.40	1.37
26	BB	1637	A	C4'-C3'	-5.21	1.47	1.52
26	BB	1818	U	C3'-C2'	5.21	1.58	1.52
26	BB	2614	A	C8-N7	-5.21	1.27	1.31
1	AA	267	C	C4'-O4'	-5.21	1.38	1.45
1	AA	1401	G	N3-C4	5.21	1.39	1.35
4	AD	28	U	C4'-C3'	5.21	1.58	1.53
4	AD	58	A	O4'-C1'	5.21	1.48	1.41
26	BB	651	G	C5'-C4'	5.21	1.57	1.51
26	BB	751	A	C5'-C4'	5.21	1.57	1.51
26	BB	833	A	C5-C4	-5.21	1.35	1.38
26	BB	1269	A	C2-N3	5.21	1.38	1.33
26	BB	1289	C	C2'-O2'	5.21	1.48	1.41
26	BB	1354	A	C3'-C2'	-5.21	1.47	1.52
26	BB	1759	A	C4'-O4'	-5.21	1.38	1.45
26	BB	1822	C	C2'-O2'	5.21	1.48	1.41
26	BB	2427	C	C5'-C4'	5.21	1.57	1.51
1	AA	803	G	O3'-P	5.21	1.67	1.61
26	BB	466	A	C4'-O4'	-5.21	1.38	1.45
26	BB	1467	U	N1-C2	5.21	1.43	1.38
26	BB	1946	U	C4-C5	5.21	1.48	1.43
1	AA	1050	G	C5-C6	-5.20	1.37	1.42
1	AA	1118	U	O3'-P	-5.20	1.54	1.61
25	BA	46	A	N1-C2	-5.20	1.29	1.34
26	BB	524	G	O4'-C1'	5.20	1.48	1.41
26	BB	851	C	C2-N3	5.20	1.40	1.35
26	BB	1064	C	C4-C5	5.20	1.47	1.43
26	BB	1316	U	C2'-O2'	-5.20	1.34	1.41
26	BB	1351	C	C4-N4	5.20	1.38	1.33
26	BB	1746	A	C5-C4	-5.20	1.35	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1913	A	P-O5'	5.20	1.65	1.59
26	BB	2093	G	C5'-C4'	5.20	1.57	1.51
26	BB	2572	A	N9-C8	-5.20	1.33	1.37
1	AA	880	C	C5'-C4'	5.20	1.57	1.51
1	AA	918	A	O3'-P	-5.20	1.54	1.61
1	AA	1113	C	C2-O2	-5.20	1.19	1.24
26	BB	93	G	C5-C4	-5.20	1.34	1.38
26	BB	111	A	C4'-O4'	-5.20	1.38	1.45
26	BB	263	G	C6-N1	5.20	1.43	1.39
26	BB	926	G	C2-N3	5.20	1.36	1.32
1	AA	342	C	O4'-C1'	5.20	1.48	1.41
1	AA	612	C	N3-C4	-5.20	1.30	1.33
1	AA	754	C	O5'-C5'	-5.20	1.34	1.42
1	AA	1003	G	C4'-O4'	-5.20	1.38	1.45
1	AA	1053	G	C5-C4	-5.20	1.34	1.38
1	AA	1061	G	C4'-O4'	-5.20	1.38	1.45
25	BA	93	C	C5-C6	5.20	1.38	1.34
25	BA	94	A	C4'-C3'	5.20	1.58	1.53
26	BB	247	G	C4'-O4'	-5.20	1.38	1.45
26	BB	612	G	C5-C4	-5.20	1.34	1.38
26	BB	807	U	C5'-C4'	5.20	1.57	1.51
26	BB	1000	A	N9-C4	-5.20	1.34	1.37
26	BB	1397	U	C4'-O4'	-5.20	1.38	1.45
26	BB	2033	A	P-OP1	-5.20	1.40	1.49
26	BB	2609	U	C4-C5	5.20	1.48	1.43
26	BB	2721	A	C4'-O4'	-5.20	1.38	1.45
1	AA	1055	A	C8-N7	5.20	1.35	1.31
1	AA	1316	G	N7-C5	-5.20	1.36	1.39
1	AA	1382	C	C4'-C3'	5.20	1.58	1.53
1	AA	1495	U	C4'-O4'	-5.20	1.38	1.45
26	BB	1755	A	C5-C6	-5.20	1.36	1.41
26	BB	1859	U	C5'-C4'	5.20	1.57	1.51
26	BB	1944	U	C4-O4	-5.20	1.19	1.23
26	BB	2093	G	C3'-C2'	-5.20	1.47	1.52
26	BB	2313	C	C2-O2	-5.20	1.19	1.24
26	BB	2393	U	C4'-C3'	5.20	1.58	1.53
7	AG	134	TYR	CE2-CZ	5.20	1.45	1.38
26	BB	812	C	P-O5'	5.20	1.65	1.59
26	BB	901	C	P-O5'	5.20	1.65	1.59
26	BB	1309	G	N3-C4	5.20	1.39	1.35
26	BB	1332	G	O5'-C5'	-5.20	1.34	1.42
26	BB	1625	C	C5-C6	-5.20	1.30	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1715	G	O3'-P	5.20	1.67	1.61
1	AA	320	A	N3-C4	5.20	1.38	1.34
1	AA	342	C	C4'-O4'	-5.20	1.38	1.45
3	AC	49	U	C4-C5	5.20	1.48	1.43
26	BB	250	G	C2-N3	5.20	1.36	1.32
26	BB	1024	G	C5-C4	-5.20	1.34	1.38
26	BB	1216	G	C8-N7	-5.20	1.27	1.30
26	BB	1267	U	C5-C6	5.20	1.38	1.34
26	BB	1499	C	N1-C6	-5.20	1.34	1.37
26	BB	1917	PSU	O3'-P	5.20	1.67	1.61
26	BB	2748	A	C6-N1	5.20	1.39	1.35
26	BB	2838	G	N3-C4	5.20	1.39	1.35
1	AA	1063	C	N1-C6	-5.19	1.34	1.37
2	AB	7	G	N7-C5	-5.19	1.36	1.39
4	AD	59	A	N7-C5	-5.19	1.36	1.39
26	BB	7	G	N9-C8	5.19	1.41	1.37
26	BB	107	G	C6-O6	5.19	1.28	1.24
26	BB	2065	C	C1'-N1	5.19	1.56	1.48
26	BB	2118	U	C4'-O4'	-5.19	1.38	1.45
1	AA	195	A	C6-N1	5.19	1.39	1.35
1	AA	239	U	N1-C6	-5.19	1.33	1.38
1	AA	457	G	C8-N7	-5.19	1.27	1.30
1	AA	1053	G	C4'-O4'	-5.19	1.38	1.45
1	AA	1134	G	C5-C4	-5.19	1.34	1.38
1	AA	1142	G	C2-N3	5.19	1.36	1.32
1	AA	1239	A	C5'-C4'	5.19	1.57	1.51
3	AC	33	A	C4'-C3'	5.19	1.58	1.53
26	BB	43	G	C2-N3	5.19	1.36	1.32
26	BB	1419	A	P-O5'	5.19	1.65	1.59
26	BB	1568	G	C3'-C2'	5.19	1.58	1.52
26	BB	1905	C	P-O5'	5.19	1.65	1.59
26	BB	2250	G	P-O5'	5.19	1.65	1.59
26	BB	2395	C	C5-C6	5.19	1.38	1.34
26	BB	2418	A	C3'-O3'	-5.19	1.34	1.42
26	BB	2722	G	N9-C4	-5.19	1.33	1.38
1	AA	182	A	C2-N3	5.19	1.38	1.33
1	AA	223	A	C8-N7	-5.19	1.27	1.31
1	AA	654	G	C5-C4	-5.19	1.34	1.38
1	AA	891	U	N1-C6	5.19	1.42	1.38
1	AA	1485	U	C4'-O4'	-5.19	1.38	1.45
2	AB	11	U	N1-C6	5.19	1.42	1.38
26	BB	68	G	C2'-C1'	-5.19	1.47	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	213	A	N7-C5	-5.19	1.36	1.39
26	BB	266	G	N9-C4	5.19	1.42	1.38
26	BB	734	A	C6-N1	5.19	1.39	1.35
26	BB	834	G	N7-C5	-5.19	1.36	1.39
26	BB	1271	G	C3'-C2'	-5.19	1.47	1.52
26	BB	1453	A	C6-N6	-5.19	1.29	1.33
26	BB	1789	A	N3-C4	5.19	1.38	1.34
26	BB	1803	A	C6-N1	-5.19	1.31	1.35
26	BB	1847	A	C6-N6	5.19	1.38	1.33
26	BB	2079	U	N3-C4	5.19	1.43	1.38
26	BB	2205	A	C8-N7	-5.19	1.27	1.31
26	BB	2691	C	C5'-C4'	5.19	1.57	1.51
26	BB	2820	A	C8-N7	-5.19	1.27	1.31
2	AB	67	G	O3'-P	5.19	1.67	1.61
25	BA	37	C	N1-C6	5.19	1.40	1.37
26	BB	1337	G	N7-C5	-5.19	1.36	1.39
26	BB	1490	A	C6-N1	5.19	1.39	1.35
26	BB	1665	A	C2'-C1'	5.19	1.59	1.53
1	AA	450	G	C2'-O2'	5.19	1.48	1.41
1	AA	646	G	O3'-P	5.19	1.67	1.61
1	AA	753	A	N9-C8	-5.19	1.33	1.37
26	BB	801	G	C4'-C3'	-5.19	1.47	1.52
26	BB	913	U	C3'-C2'	5.19	1.58	1.52
26	BB	1066	U	C2-O2	5.19	1.27	1.22
26	BB	1288	G	C3'-O3'	5.19	1.49	1.42
26	BB	1499	C	C4-C5	5.19	1.47	1.43
26	BB	1571	A	C4'-C3'	5.19	1.58	1.53
26	BB	1784	A	N9-C4	-5.19	1.34	1.37
26	BB	1797	G	N1-C2	5.19	1.42	1.37
26	BB	2042	A	N3-C4	5.19	1.38	1.34
26	BB	2732	G	C5-C4	-5.19	1.34	1.38
1	AA	1431	A	N7-C5	-5.19	1.36	1.39
26	BB	1232	G	C4'-C3'	-5.19	1.47	1.52
26	BB	2384	U	C2-N3	5.19	1.41	1.37
1	AA	48	C	C2-N3	5.18	1.39	1.35
1	AA	181	A	C6-N1	-5.18	1.31	1.35
1	AA	570	G	C5'-C4'	5.18	1.57	1.51
1	AA	645	G	C2'-C1'	5.18	1.59	1.53
1	AA	694	A	O3'-P	5.18	1.67	1.61
2	AB	10	G	C2-N2	-5.18	1.29	1.34
25	BA	69	G	N3-C4	5.18	1.39	1.35
26	BB	592	A	P-O5'	5.18	1.65	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	669	G	C4'-C3'	-5.18	1.47	1.52
26	BB	789	A	C6-N1	-5.18	1.31	1.35
26	BB	1838	C	O4'-C1'	-5.18	1.34	1.41
26	BB	2245	U	C5-C6	5.18	1.38	1.34
26	BB	2425	A	N1-C2	5.18	1.39	1.34
26	BB	2778	A	N3-C4	-5.18	1.31	1.34
1	AA	1017	U	N1-C2	5.18	1.43	1.38
4	AD	3	C	C4'-O4'	-5.18	1.38	1.45
25	BA	30	C	C4-C5	5.18	1.47	1.43
26	BB	156	A	N1-C2	-5.18	1.29	1.34
26	BB	262	A	C2'-C1'	5.18	1.59	1.53
26	BB	401	A	N1-C2	-5.18	1.29	1.34
26	BB	1416	G	C2-N2	5.18	1.39	1.34
26	BB	1569	A	C2'-C1'	-5.18	1.47	1.53
26	BB	1795	C	C4-N4	5.18	1.38	1.33
26	BB	1881	C	C4'-O4'	-5.18	1.38	1.45
26	BB	1914	C	C5-C6	5.18	1.38	1.34
26	BB	1924	C	C2-O2	-5.18	1.19	1.24
26	BB	2750	A	C2'-C1'	5.18	1.59	1.53
1	AA	695	A	C5'-C4'	5.18	1.57	1.51
25	BA	4	C	C5-C6	5.18	1.38	1.34
26	BB	826	U	O3'-P	5.18	1.67	1.61
26	BB	2157	G	C5-C4	5.18	1.42	1.38
26	BB	2372	U	C2-O2	-5.18	1.17	1.22
1	AA	387	U	C5-C6	5.18	1.38	1.34
1	AA	474	G	C6-N1	5.18	1.43	1.39
1	AA	542	G	C6-N1	5.18	1.43	1.39
26	BB	127	A	O3'-P	-5.18	1.54	1.61
26	BB	407	G	C5'-C4'	-5.18	1.45	1.51
26	BB	889	C	C2'-C1'	-5.18	1.47	1.53
26	BB	1370	C	C2-N3	5.18	1.39	1.35
26	BB	1521	G	C3'-C2'	5.18	1.58	1.52
26	BB	1616	A	P-O5'	5.18	1.65	1.59
26	BB	1680	U	C4-O4	5.18	1.27	1.23
26	BB	1788	C	C4'-C3'	-5.18	1.47	1.52
26	BB	2768	U	C4'-O4'	-5.18	1.38	1.45
26	BB	2845	U	N3-C4	5.18	1.43	1.38
1	AA	975	A	N3-C4	5.18	1.38	1.34
26	BB	569	U	C4'-O4'	-5.18	1.38	1.45
26	BB	2145	C	P-O5'	5.18	1.65	1.59
26	BB	2861	U	O4'-C1'	5.18	1.48	1.41
1	AA	805	C	C5-C6	5.18	1.38	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1091	U	C2-N3	5.18	1.41	1.37
1	AA	1265	C	C5-C6	5.18	1.38	1.34
1	AA	1355	G	C5'-C4'	5.18	1.57	1.51
26	BB	1011	G	P-O5'	-5.18	1.54	1.59
26	BB	1330	C	C4-C5	5.18	1.47	1.43
26	BB	1579	A	O3'-P	5.18	1.67	1.61
26	BB	2014	A	C4'-C3'	5.18	1.58	1.53
54	B3	33	SER	CA-CB	5.18	1.60	1.52
1	AA	85	U	P-O5'	5.17	1.65	1.59
1	AA	222	C	C2'-O2'	5.17	1.48	1.41
1	AA	387	U	N3-C4	5.17	1.43	1.38
1	AA	394	G	N1-C2	5.17	1.41	1.37
1	AA	822	U	C4-O4	5.17	1.27	1.23
1	AA	1153	G	C6-N1	5.17	1.43	1.39
26	BB	270	A	C2-N3	-5.17	1.28	1.33
26	BB	1655	A	C5-C6	5.17	1.45	1.41
26	BB	2486	C	C2-N3	5.17	1.39	1.35
26	BB	2650	U	P-O5'	5.17	1.65	1.59
1	AA	607	A	C6-N1	-5.17	1.31	1.35
1	AA	1130	A	C2'-C1'	-5.17	1.47	1.53
26	BB	1333	G	P-O5'	5.17	1.65	1.59
26	BB	1440	U	C4-O4	5.17	1.27	1.23
26	BB	1503	A	C8-N7	-5.17	1.27	1.31
26	BB	1570	A	C3'-C2'	5.17	1.58	1.52
26	BB	1740	G	N9-C4	5.17	1.42	1.38
26	BB	1791	A	N3-C4	5.17	1.38	1.34
26	BB	2400	G	N7-C5	-5.17	1.36	1.39
1	AA	417	G	C6-N1	5.17	1.43	1.39
1	AA	482	A	N9-C8	5.17	1.41	1.37
1	AA	1275	A	C4'-C3'	5.17	1.58	1.53
26	BB	1062	G	C2-N2	-5.17	1.29	1.34
26	BB	1884	G	N9-C8	-5.17	1.34	1.37
26	BB	2568	U	C2-N3	5.17	1.41	1.37
33	BI	88	GLY	CA-C	5.17	1.60	1.51
1	AA	47	C	O4'-C1'	5.17	1.48	1.41
1	AA	532	A	C2-N3	-5.17	1.28	1.33
26	BB	628	G	C4'-C3'	5.17	1.58	1.53
26	BB	1554	U	N1-C2	5.17	1.43	1.38
26	BB	2107	G	N1-C2	5.17	1.41	1.37
1	AA	748	G	C6-N1	-5.17	1.35	1.39
1	AA	763	G	N9-C8	-5.17	1.34	1.37
1	AA	1394	A	C6-N6	5.17	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	102	G	N9-C4	-5.17	1.33	1.38
26	BB	443	A	C4'-C3'	5.17	1.58	1.53
26	BB	1142	A	C4'-O4'	-5.17	1.38	1.45
26	BB	1365	A	C5-C4	-5.17	1.35	1.38
26	BB	2231	U	C2-N3	5.17	1.41	1.37
26	BB	2327	A	N3-C4	5.17	1.38	1.34
26	BB	2696	U	C4-O4	5.17	1.27	1.23
26	BB	2870	C	P-O5'	5.17	1.65	1.59
1	AA	56	U	C2'-O2'	5.17	1.48	1.41
1	AA	129	A	N3-C4	-5.17	1.31	1.34
1	AA	411	A	N1-C2	-5.17	1.29	1.34
1	AA	564	C	N3-C4	5.17	1.37	1.33
1	AA	649	A	C8-N7	5.17	1.35	1.31
1	AA	999	C	C5'-C4'	5.17	1.57	1.51
1	AA	1150	A	C4'-O4'	-5.17	1.38	1.45
26	BB	8	C	N3-C4	5.17	1.37	1.33
26	BB	325	G	C8-N7	-5.17	1.27	1.30
26	BB	404	A	C2'-O2'	5.17	1.48	1.41
26	BB	750	A	N9-C4	-5.17	1.34	1.37
26	BB	1171	G	C2-N3	5.17	1.36	1.32
26	BB	1972	G	O3'-P	-5.17	1.54	1.61
26	BB	179	C	C3'-C2'	5.17	1.58	1.52
26	BB	242	G	C2'-C1'	-5.17	1.47	1.53
26	BB	1081	U	C5'-C4'	5.17	1.57	1.51
26	BB	1090	A	N3-C4	5.17	1.38	1.34
26	BB	1143	A	C5-C6	5.17	1.45	1.41
26	BB	1645	G	N9-C8	-5.17	1.34	1.37
26	BB	1729	U	N3-C4	5.17	1.43	1.38
26	BB	2164	C	C5-C6	5.17	1.38	1.34
26	BB	2374	C	N1-C2	5.17	1.45	1.40
26	BB	2396	G	C5'-C4'	5.17	1.57	1.51
1	AA	847	G	N3-C4	5.16	1.39	1.35
1	AA	1184	G	C3'-C2'	5.16	1.58	1.52
1	AA	1264	U	C4-O4	5.16	1.27	1.23
14	AN	26	PHE	CE1-CZ	5.16	1.47	1.37
26	BB	461	C	P-O5'	5.16	1.65	1.59
26	BB	938	G	C4'-O4'	-5.16	1.38	1.45
26	BB	2402	U	C2-O2	5.16	1.26	1.22
26	BB	2478	A	O3'-P	5.16	1.67	1.61
26	BB	2596	U	C4-O4	5.16	1.27	1.23
39	BO	16	ARG	CZ-NH1	-5.16	1.26	1.33
1	AA	1231	G	N7-C5	5.16	1.42	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	233	A	O3'-P	5.16	1.67	1.61
26	BB	907	G	N3-C4	5.16	1.39	1.35
26	BB	922	C	C2'-O2'	5.16	1.48	1.41
26	BB	1261	C	P-O5'	5.16	1.65	1.59
26	BB	1606	C	N1-C6	5.16	1.40	1.37
26	BB	2318	G	N1-C2	5.16	1.41	1.37
26	BB	2528	U	C5-C6	5.16	1.38	1.34
26	BB	2808	G	P-O5'	5.16	1.65	1.59
1	AA	134	G	N7-C5	-5.16	1.36	1.39
1	AA	229	U	N3-C4	5.16	1.43	1.38
1	AA	348	G	C4'-C3'	-5.16	1.47	1.52
1	AA	693	G	C6-O6	-5.16	1.19	1.24
1	AA	801	U	O4'-C1'	5.16	1.48	1.41
1	AA	1067	A	C6-N6	5.16	1.38	1.33
1	AA	1349	A	N1-C2	-5.16	1.29	1.34
26	BB	393	C	N3-C4	5.16	1.37	1.33
26	BB	470	A	C4'-O4'	-5.16	1.38	1.45
26	BB	660	C	C5-C6	-5.16	1.30	1.34
26	BB	1985	C	C3'-C2'	5.16	1.58	1.52
26	BB	2808	G	C2'-C1'	-5.16	1.47	1.53
28	BD	82	TYR	CE2-CZ	5.16	1.45	1.38
1	AA	309	A	C3'-C2'	5.16	1.58	1.52
1	AA	389	A	C4'-O4'	-5.16	1.38	1.45
1	AA	431	A	N9-C8	-5.16	1.33	1.37
1	AA	1317	C	C2-O2	5.16	1.29	1.24
1	AA	1334	G	C3'-C2'	-5.16	1.47	1.52
1	AA	1486	G	P-O5'	5.16	1.65	1.59
3	AC	28	U	N1-C6	5.16	1.42	1.38
25	BA	60	C	P-O5'	5.16	1.65	1.59
26	BB	132	G	C3'-C2'	5.16	1.58	1.52
26	BB	810	U	N3-C4	5.16	1.43	1.38
26	BB	888	C	C2-N3	5.16	1.39	1.35
26	BB	1379	U	N1-C2	-5.16	1.33	1.38
26	BB	1419	A	C4'-C3'	5.16	1.58	1.53
26	BB	1921	G	C2-N3	5.16	1.36	1.32
26	BB	1979	U	P-O5'	-5.16	1.54	1.59
26	BB	2050	C	C2'-C1'	5.16	1.59	1.53
26	BB	2305	U	C4-C5	5.16	1.48	1.43
26	BB	2712	C	C4-C5	5.16	1.47	1.43
26	BB	2741	A	N7-C5	5.16	1.42	1.39
26	BB	2808	G	C5-C4	-5.16	1.34	1.38
1	AA	578	C	C2'-C1'	5.16	1.59	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	601	G	C4'-C3'	5.16	1.58	1.53
26	BB	1051	G	N3-C4	5.16	1.39	1.35
26	BB	1094	U	N1-C6	5.16	1.42	1.38
26	BB	1547	C	C3'-C2'	5.16	1.58	1.52
26	BB	1751	U	C2-N3	-5.16	1.34	1.37
35	BK	66	PHE	CE2-CZ	5.16	1.47	1.37
1	AA	364	A	C2'-O2'	5.16	1.48	1.41
1	AA	670	G	N9-C4	5.16	1.42	1.38
1	AA	727	G	C4'-O4'	-5.16	1.38	1.45
1	AA	1074	G	C5-C4	-5.16	1.34	1.38
1	AA	1362	A	P-O5'	5.16	1.65	1.59
3	AC	54	U	N1-C2	5.16	1.43	1.38
26	BB	1752	C	C4'-O4'	-5.16	1.38	1.45
26	BB	2511	U	N3-C4	5.16	1.43	1.38
26	BB	2672	U	C3'-C2'	5.16	1.58	1.52
26	BB	2804	U	P-O5'	5.16	1.65	1.59
1	AA	326	G	C5-C6	5.15	1.47	1.42
1	AA	478	A	P-O5'	5.15	1.65	1.59
1	AA	1124	G	C2-N3	5.15	1.36	1.32
1	AA	1189	U	N1-C6	5.15	1.42	1.38
4	AD	66	C	C4-N4	5.15	1.38	1.33
25	BA	104	A	N9-C8	5.15	1.41	1.37
26	BB	1431	A	O4'-C1'	-5.15	1.34	1.41
26	BB	2430	A	C4'-O4'	-5.15	1.38	1.45
26	BB	2453	A	C6-N6	5.15	1.38	1.33
26	BB	2775	G	N9-C4	5.15	1.42	1.38
1	AA	554	A	C4'-O4'	-5.15	1.38	1.45
1	AA	1047	G	C5-C4	-5.15	1.34	1.38
1	AA	1089	G	C2-N2	-5.15	1.29	1.34
4	AD	23	G	C4'-O4'	-5.15	1.38	1.45
26	BB	135	U	O3'-P	5.15	1.67	1.61
26	BB	164	C	C2-O2	-5.15	1.19	1.24
26	BB	737	C	P-O5'	5.15	1.65	1.59
26	BB	957	C	C4'-O4'	-5.15	1.38	1.45
26	BB	1140	C	C2'-C1'	5.15	1.59	1.53
26	BB	1268	A	C4'-O4'	-5.15	1.38	1.45
26	BB	1871	A	C4'-C3'	5.15	1.58	1.53
26	BB	2649	C	C2'-C1'	5.15	1.59	1.53
26	BB	2826	A	O4'-C1'	5.15	1.48	1.41
26	BB	2853	C	O4'-C1'	5.15	1.48	1.41
1	AA	375	U	C2-N3	5.15	1.41	1.37
1	AA	633	G	C8-N7	-5.15	1.27	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	699	C	N1-C2	5.15	1.45	1.40
1	AA	920	U	P-O5'	-5.15	1.54	1.59
1	AA	1013	G	P-O5'	5.15	1.65	1.59
1	AA	1068	G	C3'-O3'	-5.15	1.34	1.42
1	AA	1078	U	P-O5'	5.15	1.65	1.59
1	AA	1411	C	C4-C5	5.15	1.47	1.43
3	AC	32	U	O4'-C1'	5.15	1.48	1.41
26	BB	58	G	N7-C5	5.15	1.42	1.39
26	BB	775	G	C4'-C3'	-5.15	1.47	1.52
26	BB	2232	C	P-O5'	5.15	1.65	1.59
26	BB	2549	G	N3-C4	5.15	1.39	1.35
26	BB	2690	U	C2-N3	5.15	1.41	1.37
1	AA	417	G	C6-O6	5.15	1.28	1.24
1	AA	810	C	C5-C6	5.15	1.38	1.34
1	AA	878	A	N9-C8	5.15	1.41	1.37
26	BB	1474	U	O3'-P	5.15	1.67	1.61
26	BB	2358	A	P-O5'	5.15	1.64	1.59
1	AA	112	G	C6-O6	-5.15	1.19	1.24
1	AA	179	A	C8-N7	-5.15	1.27	1.31
1	AA	225	C	C1'-N1	5.15	1.56	1.48
1	AA	272	C	P-O5'	5.15	1.64	1.59
1	AA	490	C	C3'-C2'	-5.15	1.47	1.52
1	AA	845	A	O4'-C1'	5.15	1.48	1.41
1	AA	976	G	C2-N3	5.15	1.36	1.32
17	AQ	67	GLY	N-CA	-5.15	1.38	1.46
26	BB	54	G	C8-N7	5.15	1.34	1.30
26	BB	677	A	N9-C4	-5.15	1.34	1.37
26	BB	1086	A	N7-C5	-5.15	1.36	1.39
26	BB	1532	A	N9-C4	5.15	1.41	1.37
26	BB	1832	C	N1-C2	5.15	1.45	1.40
26	BB	1903	G	C2-N3	5.15	1.36	1.32
49	BY	25	PHE	CG-CD1	5.15	1.46	1.38
1	AA	561	U	C4-C5	5.15	1.48	1.43
1	AA	960	U	C2'-C1'	5.15	1.59	1.53
26	BB	2398	U	C2'-C1'	5.15	1.59	1.53
1	AA	105	G	C5-C4	-5.14	1.34	1.38
1	AA	850	U	C4-C5	5.14	1.48	1.43
1	AA	1341	U	N1-C2	5.14	1.43	1.38
1	AA	1358	U	C2-O2	-5.14	1.17	1.22
3	AC	13	A	C5'-C4'	5.14	1.57	1.51
4	AD	35	C	O4'-C1'	5.14	1.48	1.41
26	BB	704	G	N7-C5	5.14	1.42	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1813	G	C4'-C3'	5.14	1.58	1.53
26	BB	2150	C	C5-C6	5.14	1.38	1.34
26	BB	2407	A	C2-N3	-5.14	1.28	1.33
1	AA	112	G	C5-C4	5.14	1.42	1.38
1	AA	470	C	O3'-P	5.14	1.67	1.61
2	AB	12	U	C4'-O4'	-5.14	1.38	1.45
25	BA	102	G	C3'-C2'	5.14	1.58	1.52
26	BB	347	A	C4'-O4'	-5.14	1.38	1.45
26	BB	643	A	C2'-O2'	-5.14	1.34	1.41
26	BB	711	G	C6-O6	-5.14	1.19	1.24
26	BB	851	C	C4'-O4'	-5.14	1.38	1.45
26	BB	912	C	C3'-O3'	-5.14	1.34	1.42
26	BB	1514	G	C8-N7	-5.14	1.27	1.30
26	BB	2227	A	C5-C6	5.14	1.45	1.41
1	AA	18	C	C5'-C4'	5.14	1.57	1.51
1	AA	1195	C	N3-C4	5.14	1.37	1.33
1	AA	1471	U	C5-C6	5.14	1.38	1.34
26	BB	498	G	C4'-C3'	5.14	1.58	1.53
26	BB	1360	G	N3-C4	5.14	1.39	1.35
26	BB	2511	U	N1-C6	5.14	1.42	1.38
1	AA	106	C	N3-C4	5.14	1.37	1.33
1	AA	370	C	C5-C6	5.14	1.38	1.34
1	AA	435	A	C2'-O2'	5.14	1.48	1.41
1	AA	462	G	C4'-O4'	-5.14	1.38	1.45
1	AA	630	A	C3'-C2'	-5.14	1.47	1.52
1	AA	772	U	C5'-C4'	5.14	1.57	1.51
1	AA	1081	A	C4'-C3'	5.14	1.58	1.53
1	AA	1112	C	C4'-C3'	5.14	1.58	1.53
1	AA	1294	G	N7-C5	5.14	1.42	1.39
1	AA	1423	G	C5'-C4'	5.14	1.57	1.51
1	AA	1428	A	C6-N6	5.14	1.38	1.33
5	AE	76	SER	CA-CB	5.14	1.60	1.52
26	BB	797	G	N7-C5	-5.14	1.36	1.39
26	BB	1682	G	C6-N1	5.14	1.43	1.39
26	BB	2279	G	C5-C6	5.14	1.47	1.42
26	BB	211	C	N3-C4	5.14	1.37	1.33
26	BB	310	A	C6-N6	-5.14	1.29	1.33
26	BB	728	G	O3'-P	5.14	1.67	1.61
26	BB	2086	U	C3'-C2'	-5.14	1.47	1.52
1	AA	103	U	C5'-C4'	5.14	1.57	1.51
1	AA	240	G	N7-C5	5.14	1.42	1.39
1	AA	351	G	C6-O6	5.14	1.28	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	472	U	C3'-C2'	5.14	1.58	1.52
4	AD	19	G	C2-N3	5.14	1.36	1.32
26	BB	529	A	O3'-P	5.14	1.67	1.61
26	BB	541	A	N1-C2	-5.14	1.29	1.34
26	BB	767	U	C1'-N1	5.14	1.56	1.48
26	BB	1094	U	C2-O2	5.14	1.26	1.22
26	BB	1995	U	C5'-C4'	5.14	1.57	1.51
26	BB	2639	A	N1-C2	5.14	1.39	1.34
1	AA	130	A	N7-C5	-5.13	1.36	1.39
1	AA	358	U	C2'-C1'	-5.13	1.47	1.53
1	AA	537	G	C4'-O4'	-5.13	1.38	1.45
1	AA	1026	G	N1-C2	-5.13	1.33	1.37
1	AA	1375	A	N1-C2	5.13	1.39	1.34
1	AA	1418	A	C4'-C3'	5.13	1.58	1.53
6	AF	178	ARG	NE-CZ	5.13	1.39	1.33
26	BB	39	G	C8-N7	-5.13	1.27	1.30
26	BB	409	G	C8-N7	-5.13	1.27	1.30
26	BB	613	A	O3'-P	5.13	1.67	1.61
26	BB	753	A	C5'-C4'	5.13	1.57	1.51
26	BB	1086	A	N9-C8	-5.13	1.33	1.37
26	BB	1227	G	O3'-P	5.13	1.67	1.61
26	BB	1501	G	C2-N3	5.13	1.36	1.32
26	BB	1672	A	C6-N1	5.13	1.39	1.35
26	BB	1909	C	C2-O2	-5.13	1.19	1.24
26	BB	2432	A	N7-C5	5.13	1.42	1.39
26	BB	2732	G	C3'-C2'	-5.13	1.47	1.52
1	AA	149	A	P-O5'	5.13	1.64	1.59
1	AA	1159	U	O5'-C5'	-5.13	1.34	1.42
2	AB	49	G	O3'-P	-5.13	1.54	1.61
26	BB	2018	G	C2-N3	5.13	1.36	1.32
26	BB	2770	G	N7-C5	-5.13	1.36	1.39
1	AA	481	G	N9-C4	5.13	1.42	1.38
26	BB	315	G	C3'-C2'	-5.13	1.47	1.52
26	BB	669	G	C3'-O3'	5.13	1.49	1.42
26	BB	965	C	C4-C5	-5.13	1.38	1.43
26	BB	1579	A	N9-C4	5.13	1.41	1.37
26	BB	2084	C	N1-C6	5.13	1.40	1.37
26	BB	2131	U	C2'-O2'	5.13	1.48	1.41
26	BB	2481	G	C5'-C4'	5.13	1.57	1.51
26	BB	2857	G	N7-C5	-5.13	1.36	1.39
1	AA	1033	G	N3-C4	5.13	1.39	1.35
1	AA	1322	C	O3'-P	-5.13	1.54	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	306	U	C3'-C2'	5.13	1.58	1.52
26	BB	839	U	C5'-C4'	5.13	1.57	1.51
26	BB	2383	G	N1-C2	5.13	1.41	1.37
26	BB	2788	C	O3'-P	5.13	1.67	1.61
1	AA	567	G	C2-N3	5.13	1.36	1.32
1	AA	820	U	C5'-C4'	5.13	1.57	1.51
1	AA	1106	G	C2-N3	5.13	1.36	1.32
17	AQ	69	PRO	N-CD	5.13	1.55	1.47
26	BB	1181	U	P-O5'	5.13	1.64	1.59
26	BB	2094	A	C3'-C2'	5.13	1.58	1.52
26	BB	2270	A	C2'-C1'	-5.13	1.47	1.53
26	BB	2354	C	C2-N3	5.13	1.39	1.35
26	BB	2505	G	C3'-C2'	5.13	1.58	1.52
26	BB	2544	G	C5-C4	5.13	1.42	1.38
26	BB	2563	U	C3'-C2'	5.13	1.58	1.52
1	AA	137	U	N1-C6	5.13	1.42	1.38
1	AA	1019	A	C4'-C3'	-5.13	1.47	1.52
1	AA	1398	A	C6-N1	-5.13	1.31	1.35
26	BB	332	A	N1-C2	5.13	1.39	1.34
26	BB	599	A	C5'-C4'	5.13	1.57	1.51
26	BB	1203	U	N3-C4	5.13	1.43	1.38
26	BB	1337	G	C5-C4	-5.13	1.34	1.38
26	BB	2294	G	N3-C4	-5.13	1.31	1.35
26	BB	2512	C	C3'-C2'	-5.13	1.47	1.52
32	BH	93	TYR	CA-C	5.13	1.66	1.52
1	AA	502	A	C3'-C2'	-5.12	1.47	1.52
1	AA	1104	G	N7-C5	-5.12	1.36	1.39
1	AA	1106	G	C2-N2	-5.12	1.29	1.34
1	AA	1246	A	C5-C4	-5.12	1.35	1.38
1	AA	1328	C	C5-C6	5.12	1.38	1.34
25	BA	76	G	N9-C8	-5.12	1.34	1.37
26	BB	791	C	C3'-C2'	5.12	1.58	1.52
26	BB	1215	G	C5'-C4'	5.12	1.57	1.51
26	BB	1427	A	O4'-C1'	5.12	1.48	1.41
26	BB	1580	A	N7-C5	-5.12	1.36	1.39
26	BB	2511	U	O3'-P	5.12	1.67	1.61
1	AA	61	G	C4'-O4'	-5.12	1.38	1.45
1	AA	484	G	N9-C8	5.12	1.41	1.37
1	AA	1220	G	C2'-O2'	-5.12	1.34	1.41
16	AP	58	GLU	CD-OE1	-5.12	1.20	1.25
26	BB	69	C	C3'-C2'	5.12	1.58	1.52
26	BB	363	G	C6-N1	5.12	1.43	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1074	G	C4'-O4'	-5.12	1.38	1.45
26	BB	1299	G	C5'-C4'	5.12	1.57	1.51
26	BB	2036	C	C4'-O4'	-5.12	1.38	1.45
26	BB	2491	U	C1'-N1	5.12	1.56	1.48
26	BB	2542	A	C5'-C4'	5.12	1.57	1.51
26	BB	2630	G	C6-N1	5.12	1.43	1.39
1	AA	79	G	P-O5'	5.12	1.64	1.59
1	AA	814	A	C2-N3	5.12	1.38	1.33
1	AA	1149	C	C5'-C4'	5.12	1.57	1.51
1	AA	1292	G	N1-C2	5.12	1.41	1.37
26	BB	631	A	C8-N7	-5.12	1.27	1.31
26	BB	1853	A	O4'-C1'	5.12	1.48	1.41
26	BB	2280	G	C5-C6	5.12	1.47	1.42
26	BB	2747	G	N7-C5	5.12	1.42	1.39
26	BB	917	A	C2'-C1'	-5.12	1.47	1.53
26	BB	1615	C	O4'-C1'	5.12	1.48	1.41
26	BB	1677	A	C6-N1	-5.12	1.31	1.35
26	BB	2187	U	C2'-O2'	5.12	1.48	1.41
26	BB	2600	A	P-O5'	5.12	1.64	1.59
26	BB	2903	U	C1'-N1	5.12	1.56	1.48
1	AA	157	U	C4-C5	5.12	1.48	1.43
1	AA	191	G	C3'-O3'	-5.12	1.34	1.42
1	AA	451	A	C5-C4	-5.12	1.35	1.38
1	AA	925	G	C5'-C4'	5.12	1.57	1.51
1	AA	1187	G	O3'-P	5.12	1.67	1.61
26	BB	103	A	C8-N7	-5.12	1.27	1.31
26	BB	711	G	N3-C4	-5.12	1.31	1.35
26	BB	741	U	C4-C5	5.12	1.48	1.43
26	BB	794	A	N9-C4	5.12	1.41	1.37
26	BB	919	U	C4-C5	5.12	1.48	1.43
26	BB	934	U	O4'-C1'	5.12	1.48	1.41
26	BB	1122	G	C5'-C4'	5.12	1.57	1.51
26	BB	1359	A	C2'-C1'	5.12	1.58	1.53
26	BB	1499	C	C5-C6	5.12	1.38	1.34
26	BB	1734	G	O4'-C1'	5.12	1.48	1.41
26	BB	2476	A	C4'-C3'	5.12	1.58	1.53
26	BB	2717	C	N1-C2	5.12	1.45	1.40
32	BH	54	ARG	NE-CZ	5.12	1.39	1.33
32	BH	153	PRO	N-CD	5.12	1.55	1.47
1	AA	89	U	C4'-O4'	-5.12	1.38	1.45
1	AA	802	A	C4'-C3'	-5.12	1.47	1.52
26	BB	1540	G	C4'-O4'	-5.12	1.38	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1662	U	O3'-P	5.12	1.67	1.61
26	BB	1905	C	N1-C6	5.12	1.40	1.37
26	BB	2028	U	N1-C2	5.12	1.43	1.38
26	BB	2513	A	P-O5'	5.12	1.64	1.59
3	AC	39	U	C4-C5	5.12	1.48	1.43
13	AM	27	GLU	CB-CG	5.12	1.61	1.52
25	BA	31	C	O3'-P	5.12	1.67	1.61
26	BB	322	A	P-OP2	-5.12	1.40	1.49
26	BB	391	A	N7-C5	-5.12	1.36	1.39
26	BB	416	U	C4-C5	5.12	1.48	1.43
26	BB	523	C	N3-C4	5.12	1.37	1.33
26	BB	599	A	N9-C4	5.12	1.41	1.37
26	BB	702	U	C4-C5	5.12	1.48	1.43
26	BB	999	U	C4'-C3'	5.12	1.58	1.53
26	BB	1403	A	N7-C5	-5.12	1.36	1.39
26	BB	1772	A	N9-C8	5.12	1.41	1.37
26	BB	1792	G	C4'-O4'	-5.12	1.39	1.45
26	BB	2254	C	N1-C6	5.12	1.40	1.37
26	BB	2276	G	C3'-C2'	5.12	1.58	1.52
26	BB	2681	C	C4-C5	5.12	1.47	1.43
1	AA	783	C	C2'-C1'	5.11	1.58	1.53
1	AA	916	U	P-O5'	5.11	1.64	1.59
26	BB	33	C	C2-N3	5.11	1.39	1.35
26	BB	127	A	C8-N7	-5.11	1.27	1.31
26	BB	489	G	O3'-P	5.11	1.67	1.61
26	BB	1326	U	C2'-O2'	-5.11	1.35	1.41
26	BB	1593	A	C4'-O4'	-5.11	1.39	1.45
26	BB	1693	U	C5'-C4'	5.11	1.57	1.51
26	BB	1888	G	N9-C8	-5.11	1.34	1.37
26	BB	2012	G	N7-C5	-5.11	1.36	1.39
26	BB	2082	A	C8-N7	-5.11	1.27	1.31
26	BB	2409	G	C2-N3	5.11	1.36	1.32
26	BB	2714	G	C2-N2	-5.11	1.29	1.34
1	AA	211	G	C3'-O3'	5.11	1.49	1.42
1	AA	940	C	C2'-C1'	5.11	1.58	1.53
1	AA	1211	U	O5'-C5'	-5.11	1.34	1.42
1	AA	1253	G	N1-C2	5.11	1.41	1.37
1	AA	1374	A	C5'-C4'	5.11	1.57	1.51
1	AA	1443	C	C4-N4	-5.11	1.29	1.33
3	AC	51	C	C2-N3	5.11	1.39	1.35
26	BB	1902	C	C5-C6	5.11	1.38	1.34
26	BB	1926	U	C4-O4	-5.11	1.19	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2654	A	C5-C4	-5.11	1.35	1.38
26	BB	2882	A	N9-C8	-5.11	1.33	1.37
1	AA	1157	A	N3-C4	5.11	1.38	1.34
1	AA	1371	G	C2'-O2'	-5.11	1.35	1.41
4	AD	50	G	N1-C2	5.11	1.41	1.37
26	BB	314	C	C2'-O2'	-5.11	1.35	1.41
26	BB	411	G	N3-C4	-5.11	1.31	1.35
26	BB	733	G	C8-N7	5.11	1.34	1.30
26	BB	1206	G	C2-N2	5.11	1.39	1.34
26	BB	1281	G	O4'-C1'	5.11	1.48	1.41
26	BB	1705	A	C2'-C1'	-5.11	1.47	1.53
26	BB	2082	A	C5-C4	-5.11	1.35	1.38
26	BB	2098	U	C4-C5	5.11	1.48	1.43
1	AA	309	A	C8-N7	-5.11	1.27	1.31
1	AA	550	G	N3-C4	5.11	1.39	1.35
1	AA	1483	A	C5'-C4'	5.11	1.57	1.51
26	BB	159	G	O3'-P	-5.11	1.55	1.61
26	BB	2186	G	O5'-C5'	5.11	1.52	1.44
1	AA	174	A	C5-C4	-5.11	1.35	1.38
1	AA	851	G	C8-N7	-5.11	1.27	1.30
1	AA	1010	U	C2-O2	5.11	1.26	1.22
1	AA	1014	A	C8-N7	5.11	1.35	1.31
1	AA	1098	C	C5'-C4'	5.11	1.57	1.51
1	AA	1366	C	C5'-C4'	5.11	1.57	1.51
2	AB	2	G	O5'-C5'	-5.11	1.34	1.42
2	AB	76	A	C1'-N9	5.11	1.56	1.48
26	BB	34	U	N1-C6	5.11	1.42	1.38
26	BB	471	A	N3-C4	5.11	1.38	1.34
26	BB	501	A	C5'-C4'	5.11	1.57	1.51
26	BB	576	U	C2-N3	5.11	1.41	1.37
26	BB	648	G	C4'-O4'	-5.11	1.39	1.45
26	BB	1004	U	C4'-O4'	-5.11	1.39	1.45
26	BB	1060	U	C4-C5	5.11	1.48	1.43
26	BB	1448	G	O3'-P	5.11	1.67	1.61
26	BB	2011	U	C5'-C4'	5.11	1.57	1.51
26	BB	2460	U	N1-C6	5.11	1.42	1.38
26	BB	2584	U	C3'-C2'	5.11	1.58	1.52
26	BB	2890	G	C5'-C4'	5.11	1.57	1.51
31	BG	176	PHE	CE1-CZ	5.11	1.47	1.37
1	AA	300	A	N7-C5	-5.11	1.36	1.39
1	AA	356	A	N7-C5	-5.11	1.36	1.39
1	AA	633	G	C5-C6	5.11	1.47	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	916	U	O4'-C1'	-5.11	1.35	1.41
25	BA	83	G	C5-C4	5.11	1.42	1.38
26	BB	393	C	C1'-N1	5.11	1.56	1.48
26	BB	1182	G	C3'-C2'	-5.11	1.47	1.52
26	BB	1899	A	N9-C4	5.11	1.41	1.37
26	BB	2793	C	C2-N3	5.11	1.39	1.35
46	BV	52	GLU	CG-CD	5.11	1.59	1.51
1	AA	270	A	C8-N7	5.10	1.35	1.31
1	AA	1057	G	O4'-C1'	5.10	1.48	1.41
26	BB	413	C	C4-C5	5.10	1.47	1.43
26	BB	865	C	O3'-P	5.10	1.67	1.61
26	BB	1881	C	C5'-C4'	5.10	1.57	1.51
1	AA	762	U	P-O5'	5.10	1.64	1.59
1	AA	943	U	C4'-O4'	-5.10	1.39	1.45
26	BB	194	G	N7-C5	5.10	1.42	1.39
26	BB	272	A	N9-C8	5.10	1.41	1.37
26	BB	1026	G	C2-N2	5.10	1.39	1.34
26	BB	1188	U	C2-N3	5.10	1.41	1.37
26	BB	1620	G	C2-N3	5.10	1.36	1.32
26	BB	1666	G	P-O5'	5.10	1.64	1.59
26	BB	1841	U	C5'-C4'	5.10	1.57	1.51
26	BB	2072	C	O4'-C1'	5.10	1.48	1.41
26	BB	2528	U	N1-C2	5.10	1.43	1.38
1	AA	442	G	O4'-C1'	-5.10	1.35	1.41
3	AC	33	A	C5'-C4'	5.10	1.57	1.51
26	BB	770	G	C2-N3	5.10	1.36	1.32
26	BB	944	C	N1-C6	5.10	1.40	1.37
26	BB	952	G	C2-N3	5.10	1.36	1.32
26	BB	1109	C	O5'-C5'	-5.10	1.34	1.42
26	BB	1564	C	C4'-C3'	5.10	1.58	1.53
26	BB	1573	G	C2-N3	5.10	1.36	1.32
26	BB	1811	G	C6-O6	-5.10	1.19	1.24
1	AA	8	A	N7-C5	5.10	1.42	1.39
1	AA	177	G	C4'-O4'	-5.10	1.39	1.45
1	AA	566	G	C6-N1	-5.10	1.35	1.39
2	AB	66	C	O3'-P	5.10	1.67	1.61
26	BB	145	C	C5'-C4'	5.10	1.57	1.51
26	BB	554	U	C3'-C2'	5.10	1.58	1.52
26	BB	959	A	C4'-O4'	-5.10	1.39	1.45
26	BB	1090	A	C5-C6	5.10	1.45	1.41
26	BB	1644	C	C2'-C1'	5.10	1.58	1.53
26	BB	1885	A	C5-C4	-5.10	1.35	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2192	U	C4-C5	5.10	1.48	1.43
26	BB	2632	A	N3-C4	5.10	1.38	1.34
26	BB	2886	A	C8-N7	-5.10	1.27	1.31
1	AA	1496	C	O5'-C5'	-5.10	1.34	1.42
26	BB	669	G	C6-O6	-5.10	1.19	1.24
26	BB	1048	A	C6-N1	-5.10	1.31	1.35
26	BB	1196	C	C4'-C3'	-5.10	1.47	1.52
26	BB	1367	A	C8-N7	-5.10	1.27	1.31
26	BB	2581	G	N1-C2	5.10	1.41	1.37
1	AA	1055	A	N7-C5	-5.10	1.36	1.39
1	AA	1231	G	C2'-C1'	-5.10	1.47	1.53
24	AX	66	ARG	CZ-NH2	5.10	1.39	1.33
26	BB	1365	A	C5'-C4'	5.10	1.57	1.51
26	BB	1367	A	N9-C8	5.10	1.41	1.37
26	BB	1570	A	C4'-C3'	5.10	1.58	1.53
26	BB	1585	C	C2-O2	-5.10	1.19	1.24
26	BB	2237	G	N1-C2	-5.10	1.33	1.37
26	BB	2583	G	C4'-O4'	-5.10	1.39	1.45
1	AA	700	G	P-O5'	5.09	1.64	1.59
1	AA	721	G	C2'-C1'	-5.09	1.47	1.53
1	AA	990	C	N1-C2	5.09	1.45	1.40
1	AA	1202	U	C4'-O4'	-5.09	1.39	1.45
1	AA	1474	U	C4-O4	5.09	1.27	1.23
4	AD	66	C	C4'-C3'	5.09	1.58	1.53
25	BA	57	A	C8-N7	-5.09	1.27	1.31
26	BB	22	C	C4-N4	5.09	1.38	1.33
26	BB	1117	C	C5-C6	-5.09	1.30	1.34
26	BB	1537	G	C5'-C4'	5.09	1.57	1.51
26	BB	1663	G	C2-N3	5.09	1.36	1.32
26	BB	1797	G	P-O5'	5.09	1.64	1.59
26	BB	2359	C	N1-C6	5.09	1.40	1.37
36	BL	95	ARG	CZ-NH2	5.09	1.39	1.33
1	AA	59	A	N9-C4	-5.09	1.34	1.37
1	AA	459	A	P-O5'	5.09	1.64	1.59
1	AA	745	G	O4'-C1'	5.09	1.48	1.41
1	AA	1292	G	C8-N7	5.09	1.34	1.30
26	BB	880	G	C2-N3	5.09	1.36	1.32
26	BB	928	A	N3-C4	5.09	1.38	1.34
26	BB	1974	C	C5'-C4'	-5.09	1.45	1.51
26	BB	2688	G	C2'-C1'	5.09	1.58	1.53
26	BB	2802	G	N1-C2	5.09	1.41	1.37
1	AA	575	G	N9-C8	-5.09	1.34	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	802	A	O4'-C1'	5.09	1.48	1.41
1	AA	1262	C	N1-C6	-5.09	1.34	1.37
24	AX	7	GLU	CG-CD	5.09	1.59	1.51
26	BB	308	G	P-O5'	-5.09	1.54	1.59
26	BB	447	A	C5-C4	-5.09	1.35	1.38
26	BB	1245	G	C6-N1	5.09	1.43	1.39
26	BB	2249	U	C2'-O2'	-5.09	1.35	1.41
26	BB	2553	G	N1-C2	5.09	1.41	1.37
26	BB	2693	G	C2-N3	-5.09	1.28	1.32
26	BB	2738	A	N3-C4	5.09	1.38	1.34
1	AA	493	A	C6-N6	-5.09	1.29	1.33
1	AA	1012	A	N9-C8	5.09	1.41	1.37
1	AA	1290	G	C4'-C3'	-5.09	1.47	1.52
1	AA	1416	G	N1-C2	5.09	1.41	1.37
2	AB	57	G	N9-C4	5.09	1.42	1.38
26	BB	345	A	C3'-O3'	-5.09	1.35	1.42
26	BB	612	G	C5-C6	5.09	1.47	1.42
26	BB	857	G	C8-N7	5.09	1.34	1.30
26	BB	1614	A	N7-C5	5.09	1.42	1.39
26	BB	2329	U	N1-C2	5.09	1.43	1.38
26	BB	2543	G	N9-C8	-5.09	1.34	1.37
26	BB	2825	G	C4'-O4'	-5.09	1.39	1.45
1	AA	507	C	N1-C6	-5.09	1.34	1.37
1	AA	727	G	N3-C4	5.09	1.39	1.35
25	BA	39	A	C8-N7	5.09	1.35	1.31
26	BB	1371	G	O3'-P	5.09	1.67	1.61
26	BB	1530	G	N1-C2	-5.09	1.33	1.37
1	AA	85	U	C2-N3	5.09	1.41	1.37
1	AA	627	G	C6-N1	5.09	1.43	1.39
1	AA	752	G	N7-C5	5.09	1.42	1.39
1	AA	1212	U	C4-C5	5.09	1.48	1.43
4	AD	1	C	N1-C6	5.09	1.40	1.37
26	BB	78	U	P-O5'	5.09	1.64	1.59
26	BB	369	U	C2-O2	5.09	1.26	1.22
26	BB	575	A	C2-N3	-5.09	1.28	1.33
26	BB	1280	G	O4'-C1'	5.09	1.48	1.41
26	BB	1513	U	N3-C4	5.09	1.43	1.38
26	BB	1517	G	N1-C2	5.09	1.41	1.37
26	BB	1620	G	P-O5'	5.09	1.64	1.59
26	BB	1977	A	C8-N7	-5.09	1.27	1.31
26	BB	2260	C	O4'-C1'	5.09	1.48	1.41
26	BB	2283	C	C4-N4	5.09	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2696	U	C4'-O4'	-5.09	1.39	1.45
30	BF	111	GLU	CG-CD	5.09	1.59	1.51
1	AA	535	A	C6-N6	5.08	1.38	1.33
1	AA	895	G	P-O5'	5.08	1.64	1.59
1	AA	1534	A	C6-N1	-5.08	1.31	1.35
26	BB	247	G	C5'-C4'	5.08	1.57	1.51
26	BB	364	C	C2-N3	5.08	1.39	1.35
26	BB	2651	C	C4'-O4'	-5.08	1.39	1.45
1	AA	159	G	N1-C2	5.08	1.41	1.37
1	AA	410	G	C8-N7	-5.08	1.27	1.30
1	AA	614	C	C4-N4	5.08	1.38	1.33
2	AB	33	U	O4'-C1'	5.08	1.48	1.41
26	BB	144	A	N7-C5	5.08	1.42	1.39
26	BB	790	U	C1'-N1	5.08	1.56	1.48
26	BB	1006	C	C1'-N1	5.08	1.56	1.48
26	BB	1341	G	C4'-C3'	5.08	1.58	1.53
26	BB	1355	G	C6-N1	-5.08	1.35	1.39
26	BB	2480	C	C2'-C1'	-5.08	1.47	1.53
38	BN	58	TYR	CE1-CZ	5.08	1.45	1.38
1	AA	349	A	P-O5'	5.08	1.64	1.59
1	AA	470	C	P-O5'	5.08	1.64	1.59
1	AA	473	U	C4-C5	5.08	1.48	1.43
1	AA	554	A	C5'-C4'	5.08	1.57	1.51
1	AA	572	A	C5-C4	5.08	1.42	1.38
1	AA	646	G	N9-C8	-5.08	1.34	1.37
1	AA	1230	C	N1-C6	-5.08	1.34	1.37
25	BA	33	G	C4'-C3'	5.08	1.58	1.53
26	BB	2755	C	C3'-C2'	5.08	1.58	1.52
26	BB	2829	A	N1-C2	-5.08	1.29	1.34
1	AA	1012	A	N7-C5	5.08	1.42	1.39
1	AA	1401	G	C6-O6	-5.08	1.19	1.24
3	AC	25	U	C4-O4	-5.08	1.19	1.23
26	BB	508	A	C3'-C2'	5.08	1.58	1.52
26	BB	1285	A	C6-N6	5.08	1.38	1.33
26	BB	1643	G	N7-C5	-5.08	1.36	1.39
26	BB	2823	A	C5-C6	5.08	1.45	1.41
33	BI	55	GLU	CD-OE1	-5.08	1.20	1.25
1	AA	721	G	C8-N7	-5.08	1.27	1.30
1	AA	1128	C	O3'-P	-5.08	1.55	1.61
1	AA	1221	G	N3-C4	5.08	1.39	1.35
2	AB	45	U	C4'-C3'	5.08	1.58	1.53
25	BA	2	G	C4'-O4'	-5.08	1.39	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	388	G	N7-C5	-5.08	1.36	1.39
26	BB	787	C	C5'-C4'	5.08	1.57	1.51
26	BB	827	U	C3'-O3'	5.08	1.49	1.42
26	BB	1180	U	C2'-C1'	5.08	1.58	1.53
26	BB	2205	A	C5-C4	-5.08	1.35	1.38
26	BB	2608	G	C5-C4	5.08	1.42	1.38
26	BB	2709	G	N7-C5	5.08	1.42	1.39
1	AA	877	G	C8-N7	5.08	1.33	1.30
1	AA	1051	C	C5'-C4'	5.08	1.57	1.51
1	AA	1456	A	C4'-O4'	-5.08	1.39	1.45
26	BB	2433	A	N9-C4	5.08	1.40	1.37
26	BB	2524	G	C2-N3	5.08	1.36	1.32
1	AA	50	A	C3'-C2'	5.08	1.58	1.52
1	AA	804	U	C4-C5	5.08	1.48	1.43
1	AA	1365	G	C2'-C1'	5.08	1.58	1.53
1	AA	1390	U	C4'-O4'	-5.08	1.39	1.45
1	AA	1422	G	N9-C8	5.08	1.41	1.37
1	AA	1432	G	N9-C8	5.08	1.41	1.37
26	BB	323	C	P-O5'	5.08	1.64	1.59
26	BB	902	C	C4'-O4'	-5.08	1.39	1.45
26	BB	1447	C	P-O5'	-5.08	1.54	1.59
26	BB	1495	A	P-O5'	5.08	1.64	1.59
26	BB	1621	U	N1-C2	5.08	1.43	1.38
26	BB	1651	G	N3-C4	-5.08	1.31	1.35
26	BB	2788	C	C4-C5	5.08	1.47	1.43
49	BY	54	ARG	NE-CZ	5.08	1.39	1.33
1	AA	738	C	N3-C4	5.07	1.37	1.33
4	AD	72	C	P-O5'	-5.07	1.54	1.59
26	BB	332	A	C3'-C2'	5.07	1.58	1.52
26	BB	440	C	C4'-O4'	-5.07	1.39	1.45
26	BB	584	C	C5'-C4'	5.07	1.57	1.51
26	BB	852	U	C5-C6	5.07	1.38	1.34
26	BB	1122	G	P-O5'	5.07	1.64	1.59
26	BB	1179	G	O4'-C1'	5.07	1.48	1.41
26	BB	1268	A	C6-N1	5.07	1.39	1.35
26	BB	1516	G	N9-C4	5.07	1.42	1.38
26	BB	1659	G	C5'-C4'	5.07	1.57	1.51
26	BB	2337	G	N1-C2	5.07	1.41	1.37
1	AA	1294	G	C5-C4	5.07	1.42	1.38
26	BB	400	G	P-O5'	5.07	1.64	1.59
26	BB	936	A	C4'-O4'	-5.07	1.39	1.45
26	BB	1030	C	O3'-P	5.07	1.67	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2314	A	C2'-O2'	5.07	1.48	1.41
1	AA	16	A	C2-N3	5.07	1.38	1.33
1	AA	355	C	C2-O2	-5.07	1.19	1.24
1	AA	712	A	P-O5'	5.07	1.64	1.59
1	AA	1506	U	C4'-C3'	-5.07	1.47	1.52
12	AL	19	PHE	CG-CD2	5.07	1.46	1.38
25	BA	35	C	N1-C6	5.07	1.40	1.37
26	BB	803	U	O3'-P	-5.07	1.55	1.61
26	BB	875	G	C2-N3	5.07	1.36	1.32
26	BB	1340	U	C2-N3	-5.07	1.34	1.37
26	BB	1399	C	C4-C5	-5.07	1.38	1.43
26	BB	1491	G	C2-N3	5.07	1.36	1.32
26	BB	1657	U	C2-N3	5.07	1.41	1.37
26	BB	1676	A	C1'-N9	5.07	1.56	1.48
26	BB	1758	U	N1-C6	-5.07	1.33	1.38
26	BB	1787	A	O4'-C1'	-5.07	1.35	1.41
26	BB	2134	A	P-O5'	5.07	1.64	1.59
26	BB	2200	C	O3'-P	5.07	1.67	1.61
26	BB	2850	A	N9-C4	5.07	1.40	1.37
26	BB	2860	A	P-O5'	5.07	1.64	1.59
1	AA	922	G	N1-C2	5.07	1.41	1.37
1	AA	1166	G	C3'-C2'	-5.07	1.47	1.52
26	BB	1914	C	C4'-O4'	-5.07	1.39	1.45
26	BB	1949	G	N9-C4	-5.07	1.33	1.38
26	BB	2317	A	N3-C4	5.07	1.37	1.34
26	BB	2903	U	N1-C2	5.07	1.43	1.38
1	AA	128	G	N7-C5	-5.07	1.36	1.39
1	AA	256	U	C3'-O3'	-5.07	1.35	1.42
1	AA	300	A	C2'-C1'	-5.07	1.47	1.53
1	AA	859	G	N9-C8	5.07	1.41	1.37
1	AA	1006	G	O4'-C1'	5.07	1.48	1.41
1	AA	1144	G	N7-C5	5.07	1.42	1.39
1	AA	1214	C	C5-C6	5.07	1.38	1.34
3	AC	41	A	N1-C2	-5.07	1.29	1.34
4	AD	34	U	C2-N3	5.07	1.41	1.37
11	AK	97	GLY	CA-C	5.07	1.59	1.51
26	BB	98	G	O3'-P	-5.07	1.55	1.61
26	BB	1195	G	C5-C4	5.07	1.41	1.38
26	BB	2438	U	C4'-C3'	5.07	1.58	1.53
26	BB	2876	G	C5'-C4'	5.07	1.57	1.51
1	AA	100	G	C5'-C4'	5.07	1.57	1.51
1	AA	205	A	C5-C6	5.07	1.45	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1312	G	C6-N1	5.07	1.43	1.39
1	AA	1316	G	C5-C4	-5.07	1.34	1.38
4	AD	53	G	C8-N7	-5.07	1.27	1.30
17	AQ	19	TYR	CE1-CZ	5.07	1.45	1.38
25	BA	108	A	C6-N1	5.07	1.39	1.35
26	BB	265	A	C3'-C2'	5.07	1.58	1.52
26	BB	920	A	O4'-C1'	5.07	1.48	1.41
26	BB	1061	U	O3'-P	5.07	1.67	1.61
26	BB	1107	G	N7-C5	-5.07	1.36	1.39
26	BB	1129	A	N9-C4	5.07	1.40	1.37
26	BB	1162	G	C2-N3	5.07	1.36	1.32
26	BB	1395	A	C4'-O4'	-5.07	1.39	1.45
26	BB	1397	U	C5'-C4'	5.07	1.57	1.51
26	BB	1619	G	C8-N7	-5.07	1.27	1.30
26	BB	2258	C	C3'-C2'	5.07	1.58	1.52
26	BB	2341	G	C5-C4	-5.07	1.34	1.38
26	BB	2434	A	C6-N6	-5.07	1.29	1.33
26	BB	2578	G	C2-N3	5.07	1.36	1.32
1	AA	1077	G	C3'-C2'	5.06	1.58	1.52
25	BA	2	G	N7-C5	5.06	1.42	1.39
26	BB	1026	G	N1-C2	5.06	1.41	1.37
26	BB	1482	G	C8-N7	5.06	1.33	1.30
26	BB	2098	U	C4'-C3'	-5.06	1.47	1.52
1	AA	419	C	N1-C6	5.06	1.40	1.37
1	AA	608	A	C2-N3	5.06	1.38	1.33
1	AA	1153	G	N7-C5	-5.06	1.36	1.39
25	BA	101	A	N1-C2	-5.06	1.29	1.34
26	BB	122	G	C6-N1	5.06	1.43	1.39
26	BB	286	U	N3-C4	5.06	1.43	1.38
26	BB	937	C	O3'-P	5.06	1.67	1.61
26	BB	1739	A	O5'-C5'	-5.06	1.34	1.42
26	BB	1903	G	C2'-C1'	-5.06	1.47	1.53
26	BB	2351	G	C2-N3	5.06	1.36	1.32
1	AA	1289	A	C4'-O4'	-5.06	1.39	1.45
1	AA	1479	C	C2'-C1'	5.06	1.58	1.53
25	BA	22	U	C3'-O3'	5.06	1.49	1.42
26	BB	100	U	N3-C4	5.06	1.43	1.38
26	BB	193	U	C4'-O4'	-5.06	1.39	1.45
26	BB	686	U	O4'-C1'	5.06	1.48	1.41
26	BB	1683	U	C1'-N1	5.06	1.56	1.48
1	AA	883	C	C4-C5	5.06	1.47	1.43
1	AA	968	A	N3-C4	5.06	1.37	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1511	G	N1-C2	-5.06	1.33	1.37
17	AQ	99	SER	CB-OG	5.06	1.48	1.42
26	BB	42	A	C4'-C3'	5.06	1.58	1.53
26	BB	202	U	C4-O4	5.06	1.27	1.23
26	BB	430	A	C5-C6	5.06	1.45	1.41
26	BB	501	A	N7-C5	5.06	1.42	1.39
26	BB	964	C	N1-C6	5.06	1.40	1.37
26	BB	1167	C	C5'-C4'	5.06	1.57	1.51
26	BB	1169	A	N1-C2	5.06	1.39	1.34
26	BB	1195	G	C5-C6	5.06	1.47	1.42
26	BB	2276	G	C4'-O4'	-5.06	1.39	1.45
26	BB	2776	A	P-O5'	5.06	1.64	1.59
26	BB	2824	C	C4'-O4'	-5.06	1.39	1.45
26	BB	2901	C	C2'-C1'	5.06	1.58	1.53
1	AA	578	C	C2'-O2'	-5.06	1.35	1.41
1	AA	764	C	C2-O2	5.06	1.29	1.24
4	AD	52	C	C5-C6	-5.06	1.30	1.34
23	AW	69	ASN	CB-CG	5.06	1.62	1.51
25	BA	38	C	C4-C5	5.06	1.47	1.43
26	BB	479	A	C6-N6	5.06	1.38	1.33
26	BB	616	A	O3'-P	-5.06	1.55	1.61
26	BB	672	C	C4'-O4'	-5.06	1.39	1.45
26	BB	1428	C	N1-C2	5.06	1.45	1.40
26	BB	1467	U	C4'-C3'	-5.06	1.47	1.52
26	BB	1559	U	C5'-C4'	5.06	1.57	1.51
26	BB	1670	C	C4-N4	-5.06	1.29	1.33
26	BB	1687	G	P-O5'	5.06	1.64	1.59
26	BB	1786	A	C3'-C2'	-5.06	1.47	1.52
26	BB	1999	C	P-O5'	5.06	1.64	1.59
26	BB	2317	A	N9-C8	-5.06	1.33	1.37
26	BB	2603	G	C5'-C4'	5.06	1.57	1.51
26	BB	2850	A	P-O5'	5.06	1.64	1.59
26	BB	2859	G	P-O5'	5.06	1.64	1.59
1	AA	897	C	O4'-C1'	-5.06	1.35	1.41
1	AA	1128	C	N3-C4	5.06	1.37	1.33
11	AK	87	ARG	CZ-NH1	5.06	1.39	1.33
26	BB	149	A	C2'-C1'	-5.06	1.47	1.53
26	BB	374	A	C3'-O3'	5.06	1.49	1.42
26	BB	911	A	C5-C4	-5.06	1.35	1.38
1	AA	251	G	C5'-C4'	5.05	1.57	1.51
1	AA	306	A	C5'-C4'	5.05	1.57	1.51
1	AA	495	A	C8-N7	-5.05	1.28	1.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	822	U	C5'-C4'	5.05	1.57	1.51
1	AA	906	A	C6-N1	-5.05	1.32	1.35
1	AA	1090	U	O3'-P	5.05	1.67	1.61
26	BB	15	G	C5'-C4'	5.05	1.57	1.51
26	BB	103	A	C5-C4	-5.05	1.35	1.38
26	BB	144	A	C6-N1	-5.05	1.32	1.35
26	BB	481	G	C3'-C2'	5.05	1.58	1.52
26	BB	712	G	N7-C5	5.05	1.42	1.39
26	BB	1176	U	C1'-N1	5.05	1.56	1.48
26	BB	2586	U	C2-N3	5.05	1.41	1.37
1	AA	814	A	N9-C4	-5.05	1.34	1.37
1	AA	1340	A	N7-C5	5.05	1.42	1.39
26	BB	415	A	C2'-O2'	5.05	1.48	1.41
26	BB	484	C	C2'-C1'	-5.05	1.47	1.53
26	BB	590	A	C6-N1	5.05	1.39	1.35
26	BB	1559	U	C4-C5	5.05	1.48	1.43
26	BB	1908	C	C5-C6	-5.05	1.30	1.34
26	BB	2195	U	C4'-C3'	5.05	1.58	1.53
26	BB	2461	A	C5'-C4'	5.05	1.57	1.51
26	BB	2572	A	C6-N6	5.05	1.38	1.33
28	BD	108	GLY	CA-C	5.05	1.59	1.51
1	AA	575	G	N1-C2	5.05	1.41	1.37
1	AA	912	C	C4-C5	-5.05	1.39	1.43
2	AB	44	G	C3'-C2'	5.05	1.58	1.52
21	AU	69	TYR	CG-CD1	5.05	1.45	1.39
25	BA	106	G	C2-N3	5.05	1.36	1.32
26	BB	261	G	N9-C8	5.05	1.41	1.37
26	BB	594	U	C5'-C4'	-5.05	1.45	1.51
26	BB	933	A	N9-C4	5.05	1.40	1.37
26	BB	1076	C	C4'-O4'	-5.05	1.39	1.45
26	BB	1369	G	C8-N7	5.05	1.33	1.30
26	BB	1567	G	N7-C5	5.05	1.42	1.39
26	BB	1854	A	P-O5'	5.05	1.64	1.59
26	BB	2033	A	C3'-C2'	5.05	1.58	1.52
26	BB	2103	C	N1-C6	-5.05	1.34	1.37
26	BB	2278	A	P-O5'	-5.05	1.54	1.59
26	BB	2893	A	N1-C2	5.05	1.38	1.34
1	AA	30	U	C5'-C4'	5.05	1.57	1.51
1	AA	44	A	N9-C8	5.05	1.41	1.37
1	AA	105	G	C2-N3	5.05	1.36	1.32
1	AA	137	U	C5-C6	5.05	1.38	1.34
1	AA	237	G	P-O5'	5.05	1.64	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	624	C	C2-N3	5.05	1.39	1.35
1	AA	719	C	N1-C2	5.05	1.45	1.40
1	AA	1261	A	O4'-C1'	5.05	1.48	1.41
1	AA	1346	A	C6-N1	-5.05	1.32	1.35
26	BB	342	A	C5-C6	5.05	1.45	1.41
26	BB	1005	C	C4-C5	5.05	1.47	1.43
26	BB	1714	U	C5'-C4'	5.05	1.57	1.51
26	BB	1828	G	C2-N2	5.05	1.39	1.34
26	BB	1856	U	C2-N3	5.05	1.41	1.37
26	BB	1884	G	N3-C4	5.05	1.39	1.35
26	BB	1969	A	P-O5'	5.05	1.64	1.59
26	BB	2329	U	O3'-P	5.05	1.67	1.61
28	BD	166	ARG	CD-NE	5.05	1.55	1.46
1	AA	236	A	C5'-C4'	5.05	1.57	1.51
1	AA	344	A	C5-C4	-5.05	1.35	1.38
1	AA	641	U	C4-O4	-5.05	1.19	1.23
1	AA	770	C	C4-C5	5.05	1.47	1.43
1	AA	1283	U	C4-C5	5.05	1.48	1.43
26	BB	1223	G	C6-N1	5.05	1.43	1.39
26	BB	1488	C	P-O5'	5.05	1.64	1.59
26	BB	1674	G	C2-N2	5.05	1.39	1.34
26	BB	2364	C	C4'-C3'	-5.05	1.47	1.52
1	AA	236	A	C3'-O3'	5.05	1.49	1.42
1	AA	316	C	C2-N3	5.05	1.39	1.35
14	AN	117	HIS	N-CA	-5.05	1.36	1.46
26	BB	489	G	O4'-C1'	5.05	1.48	1.41
26	BB	1168	G	P-O5'	5.05	1.64	1.59
26	BB	1488	C	C5'-C4'	5.05	1.57	1.51
26	BB	1567	G	N3-C4	5.05	1.39	1.35
26	BB	1866	A	C4'-O4'	-5.05	1.39	1.45
26	BB	2180	U	C4-C5	5.05	1.48	1.43
26	BB	2257	U	O3'-P	-5.05	1.55	1.61
26	BB	2455	G	O3'-P	5.05	1.67	1.61
26	BB	2620	C	O4'-C1'	5.05	1.48	1.41
26	BB	2740	A	C8-N7	-5.05	1.28	1.31
1	AA	714	G	N7-C5	-5.04	1.36	1.39
1	AA	1265	C	N1-C2	5.04	1.45	1.40
1	AA	1450	U	C4'-O4'	-5.04	1.39	1.45
4	AD	14	A	C5-C4	-5.04	1.35	1.38
26	BB	1581	G	C6-O6	-5.04	1.19	1.24
26	BB	2278	A	C4'-C3'	5.04	1.58	1.53
26	BB	2722	G	C2-N3	5.04	1.36	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2743	U	C3'-O3'	5.04	1.49	1.42
1	AA	599	C	C4'-O4'	-5.04	1.39	1.45
1	AA	607	A	C5-C6	5.04	1.45	1.41
1	AA	911	U	C2'-C1'	5.04	1.58	1.53
1	AA	1191	A	C4'-O4'	-5.04	1.39	1.45
1	AA	1323	G	C4'-C3'	5.04	1.58	1.53
1	AA	1359	C	C5-C6	5.04	1.38	1.34
26	BB	1211	C	O3'-P	5.04	1.67	1.61
26	BB	2838	G	N7-C5	-5.04	1.36	1.39
1	AA	130	A	C2-N3	-5.04	1.29	1.33
1	AA	201	G	N9-C4	5.04	1.42	1.38
1	AA	1206	G	C6-O6	-5.04	1.19	1.24
1	AA	1275	A	C5-C6	5.04	1.45	1.41
1	AA	1428	A	C4'-O4'	-5.04	1.39	1.45
2	AB	45	U	C5-C6	5.04	1.38	1.34
5	AE	78	ALA	CA-CB	5.04	1.63	1.52
26	BB	139	U	C2'-C1'	-5.04	1.47	1.53
26	BB	224	U	C5'-C4'	5.04	1.57	1.51
26	BB	762	U	C4-C5	5.04	1.48	1.43
26	BB	892	A	C6-N6	5.04	1.38	1.33
26	BB	902	C	N1-C2	-5.04	1.35	1.40
26	BB	2197	U	N3-C4	5.04	1.43	1.38
26	BB	2243	U	C5-C6	5.04	1.38	1.34
26	BB	2614	A	C6-N1	-5.04	1.32	1.35
1	AA	637	C	N3-C4	5.04	1.37	1.33
1	AA	1470	U	C4'-O4'	-5.04	1.39	1.45
1	AA	1527	U	C4'-O4'	-5.04	1.39	1.45
26	BB	246	C	P-O5'	5.04	1.64	1.59
26	BB	1560	G	C2-N3	5.04	1.36	1.32
1	AA	19	A	O4'-C1'	5.04	1.48	1.41
1	AA	159	G	C5'-C4'	5.04	1.57	1.51
1	AA	292	G	C5-C4	5.04	1.41	1.38
1	AA	414	A	N3-C4	5.04	1.37	1.34
1	AA	1035	A	C3'-C2'	5.04	1.58	1.52
1	AA	1070	U	C4'-O4'	-5.04	1.39	1.45
1	AA	1156	G	N9-C4	5.04	1.42	1.38
1	AA	1392	G	C6-O6	-5.04	1.19	1.24
7	AG	167	PRO	N-CD	-5.04	1.40	1.47
26	BB	106	C	C4'-O4'	-5.04	1.39	1.45
26	BB	371	A	N3-C4	5.04	1.37	1.34
26	BB	423	A	C2'-O2'	5.04	1.48	1.41
26	BB	457	A	N9-C4	5.04	1.40	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1521	G	O3'-P	5.04	1.67	1.61
26	BB	2009	A	N3-C4	5.04	1.37	1.34
26	BB	2084	C	O4'-C1'	5.04	1.48	1.41
26	BB	2540	C	C3'-O3'	-5.04	1.35	1.42
1	AA	236	A	O4'-C1'	5.04	1.48	1.41
26	BB	943	A	N9-C4	-5.04	1.34	1.37
26	BB	1112	G	P-O5'	5.04	1.64	1.59
26	BB	1597	A	N1-C2	5.04	1.38	1.34
26	BB	2582	G	C3'-C2'	-5.04	1.47	1.52
1	AA	34	C	P-O5'	5.04	1.64	1.59
1	AA	464	U	O3'-P	5.04	1.67	1.61
1	AA	641	U	C4'-O4'	-5.04	1.39	1.45
1	AA	707	U	C1'-N1	5.04	1.56	1.48
1	AA	790	A	C6-N1	5.04	1.39	1.35
1	AA	1282	C	C4-C5	5.04	1.47	1.43
25	BA	24	G	N3-C4	-5.04	1.31	1.35
25	BA	98	G	C5-C6	5.04	1.47	1.42
25	BA	117	G	N1-C2	5.04	1.41	1.37
26	BB	142	A	C3'-O3'	5.04	1.49	1.42
26	BB	735	A	C4'-O4'	-5.04	1.39	1.45
26	BB	942	G	C3'-C2'	5.04	1.58	1.52
26	BB	1601	G	C8-N7	-5.04	1.27	1.30
26	BB	1878	G	C6-N1	-5.04	1.36	1.39
26	BB	1901	A	O5'-C5'	-5.04	1.34	1.42
26	BB	2280	G	C6-O6	-5.04	1.19	1.24
26	BB	2643	G	N1-C2	5.04	1.41	1.37
26	BB	2857	G	O3'-P	-5.04	1.55	1.61
1	AA	3	A	C2'-C1'	5.03	1.58	1.53
1	AA	851	G	C4'-C3'	5.03	1.58	1.53
1	AA	877	G	N3-C4	5.03	1.39	1.35
1	AA	885	G	C2'-O2'	-5.03	1.35	1.41
1	AA	1163	A	N3-C4	5.03	1.37	1.34
1	AA	1535	C	N1-C2	5.03	1.45	1.40
3	AC	44	U	C5-C6	5.03	1.38	1.34
26	BB	456	C	N3-C4	5.03	1.37	1.33
26	BB	764	A	C5-C6	5.03	1.45	1.41
26	BB	1386	C	C4-N4	5.03	1.38	1.33
26	BB	1438	U	O3'-P	5.03	1.67	1.61
26	BB	1827	U	C3'-C2'	5.03	1.58	1.52
26	BB	1834	U	C4'-O4'	-5.03	1.39	1.45
26	BB	1876	A	C3'-C2'	-5.03	1.47	1.52
26	BB	2463	C	O3'-P	5.03	1.67	1.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2647	U	C2'-C1'	-5.03	1.47	1.53
26	BB	2648	G	C2'-C1'	-5.03	1.47	1.53
26	BB	2680	U	C2-O2	-5.03	1.17	1.22
26	BB	2740	A	N1-C2	-5.03	1.29	1.34
1	AA	183	C	C2-N3	5.03	1.39	1.35
1	AA	597	G	C2-N3	-5.03	1.28	1.32
1	AA	1245	C	P-O5'	5.03	1.64	1.59
2	AB	19	G	N1-C2	5.03	1.41	1.37
26	BB	2033	A	C2-N3	5.03	1.38	1.33
1	AA	78	A	P-O5'	5.03	1.64	1.59
1	AA	150	U	O3'-P	5.03	1.67	1.61
1	AA	762	U	C2-N3	5.03	1.41	1.37
1	AA	1204	A	N7-C5	-5.03	1.36	1.39
1	AA	1534	A	C5-C4	5.03	1.42	1.38
4	AD	73	A	C8-N7	-5.03	1.28	1.31
12	AL	89	TYR	CB-CG	-5.03	1.44	1.51
25	BA	49	C	C2-N3	5.03	1.39	1.35
26	BB	416	U	C2'-C1'	-5.03	1.47	1.53
26	BB	1010	A	C5'-C4'	5.03	1.57	1.51
26	BB	1186	G	N9-C8	5.03	1.41	1.37
26	BB	1249	U	C4'-O4'	-5.03	1.39	1.45
26	BB	1336	A	N9-C8	-5.03	1.33	1.37
26	BB	1369	G	N3-C4	5.03	1.39	1.35
26	BB	1696	G	C3'-O3'	5.03	1.49	1.42
26	BB	1805	A	C6-N1	5.03	1.39	1.35
26	BB	2055	C	O4'-C1'	5.03	1.48	1.41
36	BL	69	ARG	CD-NE	5.03	1.55	1.46
37	BM	34	GLY	N-CA	5.03	1.53	1.46
1	AA	442	G	N9-C8	5.03	1.41	1.37
1	AA	460	A	P-OP2	5.03	1.57	1.49
1	AA	1077	G	C8-N7	5.03	1.33	1.30
26	BB	1894	C	C2'-C1'	5.03	1.58	1.53
26	BB	2672	U	C2-O2	-5.03	1.17	1.22
1	AA	384	G	O3'-P	-5.03	1.55	1.61
1	AA	400	C	C5'-C4'	5.03	1.57	1.51
1	AA	921	U	C2-N3	5.03	1.41	1.37
25	BA	79	G	P-O5'	5.03	1.64	1.59
26	BB	51	G	O4'-C1'	5.03	1.48	1.41
26	BB	643	A	C6-N6	5.03	1.38	1.33
26	BB	825	A	C8-N7	-5.03	1.28	1.31
26	BB	969	G	C2-N3	5.03	1.36	1.32
26	BB	1155	A	O5'-C5'	-5.03	1.34	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2019	A	C2-N3	5.03	1.38	1.33
26	BB	2193	G	N1-C2	5.03	1.41	1.37
26	BB	2230	G	C5-C6	-5.03	1.37	1.42
26	BB	2612	C	C2'-O2'	5.03	1.48	1.41
26	BB	2730	C	C2-O2	-5.03	1.20	1.24
43	BS	24	TYR	CE2-CZ	5.03	1.45	1.38
1	AA	43	C	C5'-C4'	5.03	1.57	1.51
1	AA	573	A	N9-C4	-5.03	1.34	1.37
1	AA	586	C	P-O5'	5.03	1.64	1.59
26	BB	15	G	O3'-P	5.03	1.67	1.61
26	BB	647	G	N9-C8	5.03	1.41	1.37
26	BB	871	U	C2-O2	5.03	1.26	1.22
26	BB	1341	G	O5'-C5'	-5.03	1.34	1.42
26	BB	1888	G	C3'-C2'	5.03	1.58	1.52
1	AA	575	G	C6-N1	5.02	1.43	1.39
1	AA	668	G	N1-C2	5.02	1.41	1.37
1	AA	869	G	P-O5'	5.02	1.64	1.59
1	AA	899	C	C5'-C4'	5.02	1.57	1.51
1	AA	1330	U	C5-C6	5.02	1.38	1.34
26	BB	894	U	O4'-C1'	5.02	1.48	1.41
26	BB	2390	U	O3'-P	-5.02	1.55	1.61
26	BB	2635	A	C3'-C2'	-5.02	1.47	1.52
1	AA	720	C	N3-C4	5.02	1.37	1.33
1	AA	1496	C	C2'-O2'	-5.02	1.35	1.41
26	BB	71	A	C2'-O2'	-5.02	1.35	1.41
26	BB	740	C	C2'-O2'	-5.02	1.35	1.41
26	BB	1481	U	C4-C5	5.02	1.48	1.43
26	BB	1566	A	N7-C5	-5.02	1.36	1.39
26	BB	1596	A	O3'-P	5.02	1.67	1.61
26	BB	1733	G	C5-C6	5.02	1.47	1.42
26	BB	2428	G	C5-C4	-5.02	1.34	1.38
26	BB	2895	G	C5-C6	5.02	1.47	1.42
4	AD	75	C	N1-C2	5.02	1.45	1.40
25	BA	110	C	O3'-P	5.02	1.67	1.61
26	BB	32	C	N1-C6	5.02	1.40	1.37
1	AA	274	A	C3'-C2'	-5.02	1.47	1.52
1	AA	579	A	C2-N3	5.02	1.38	1.33
1	AA	620	C	N3-C4	5.02	1.37	1.33
1	AA	991	U	C2-N3	5.02	1.41	1.37
1	AA	995	C	C4'-C3'	5.02	1.58	1.53
1	AA	1001	C	C4'-O4'	-5.02	1.39	1.45
26	BB	253	C	P-O5'	5.02	1.64	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	406	G	N7-C5	5.02	1.42	1.39
26	BB	521	U	O3'-P	-5.02	1.55	1.61
26	BB	803	U	N3-C4	5.02	1.43	1.38
26	BB	2221	G	C5'-C4'	-5.02	1.45	1.51
26	BB	2482	A	C4'-O4'	-5.02	1.39	1.45
26	BB	2493	U	C4'-O4'	-5.02	1.39	1.45
26	BB	2867	G	C5'-C4'	-5.02	1.45	1.51
26	BB	2889	C	C2-O2	5.02	1.28	1.24
53	B2	44	PHE	CG-CD2	5.02	1.46	1.38
1	AA	282	A	C5'-C4'	5.02	1.57	1.51
1	AA	873	A	P-O5'	5.02	1.64	1.59
1	AA	1216	A	N9-C8	-5.02	1.33	1.37
1	AA	1304	G	O3'-P	5.02	1.67	1.61
3	AC	53	G	O4'-C1'	5.02	1.48	1.41
4	AD	62	C	N1-C6	5.02	1.40	1.37
26	BB	65	U	C4'-C3'	5.02	1.58	1.53
26	BB	124	G	C3'-C2'	5.02	1.58	1.52
26	BB	336	C	C4-N4	5.02	1.38	1.33
26	BB	809	G	C5'-C4'	5.02	1.57	1.51
26	BB	1133	A	C4'-C3'	5.02	1.58	1.53
26	BB	1217	U	N3-C4	5.02	1.43	1.38
26	BB	1568	G	C6-O6	-5.02	1.19	1.24
26	BB	1793	C	C4'-O4'	-5.02	1.39	1.45
1	AA	308	C	C2'-C1'	-5.02	1.47	1.53
1	AA	753	A	C5-C6	5.02	1.45	1.41
26	BB	759	G	C5'-C4'	5.02	1.57	1.51
26	BB	988	A	C5'-C4'	5.02	1.57	1.51
26	BB	2072	C	C5'-C4'	5.02	1.57	1.51
1	AA	143	A	C6-N6	5.01	1.38	1.33
1	AA	884	U	N1-C2	-5.01	1.34	1.38
1	AA	1325	C	C4-N4	-5.01	1.29	1.33
1	AA	1492	A	N7-C5	-5.01	1.36	1.39
25	BA	2	G	C6-N1	5.01	1.43	1.39
25	BA	72	G	C2'-C1'	5.01	1.58	1.53
26	BB	367	G	C6-N1	5.01	1.43	1.39
26	BB	524	G	C5'-C4'	5.01	1.57	1.51
26	BB	617	G	C6-N1	5.01	1.43	1.39
26	BB	871	U	N1-C2	5.01	1.43	1.38
26	BB	1892	C	C4'-O4'	-5.01	1.39	1.45
26	BB	2066	C	C2'-C1'	5.01	1.58	1.53
26	BB	2237	G	C2-N2	5.01	1.39	1.34
26	BB	2264	C	C5'-C4'	5.01	1.57	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2264	C	N3-C4	-5.01	1.30	1.33
26	BB	2331	G	O4'-C1'	5.01	1.48	1.41
26	BB	2862	G	C3'-O3'	5.01	1.49	1.42
34	BJ	60	ARG	CD-NE	5.01	1.54	1.46
1	AA	681	A	C4'-O4'	-5.01	1.39	1.45
1	AA	870	U	C4-O4	-5.01	1.19	1.23
25	BA	15	A	C5'-C4'	5.01	1.57	1.51
26	BB	5	A	N3-C4	5.01	1.37	1.34
26	BB	1452	G	N9-C8	5.01	1.41	1.37
26	BB	1663	G	C4'-O4'	-5.01	1.39	1.45
26	BB	1670	C	C4'-O4'	-5.01	1.39	1.45
1	AA	348	G	C3'-O3'	5.01	1.49	1.42
1	AA	517	G	N9-C4	5.01	1.42	1.38
1	AA	1016	A	C5-C6	5.01	1.45	1.41
1	AA	1043	G	C8-N7	-5.01	1.27	1.30
1	AA	1164	G	O4'-C1'	5.01	1.48	1.41
1	AA	1169	A	C8-N7	5.01	1.35	1.31
1	AA	1514	G	C2'-C1'	5.01	1.58	1.53
26	BB	125	A	C4'-C3'	5.01	1.58	1.53
26	BB	127	A	N1-C2	-5.01	1.29	1.34
26	BB	429	A	N3-C4	5.01	1.37	1.34
26	BB	478	A	C4'-O4'	-5.01	1.39	1.45
26	BB	483	A	C6-N1	-5.01	1.32	1.35
26	BB	637	A	C5'-C4'	5.01	1.57	1.51
26	BB	701	G	C2'-C1'	-5.01	1.47	1.53
26	BB	1049	C	C2'-O2'	5.01	1.48	1.41
26	BB	2005	A	P-O5'	5.01	1.64	1.59
26	BB	2297	A	N3-C4	5.01	1.37	1.34
26	BB	2578	G	C6-O6	-5.01	1.19	1.24
26	BB	2660	A	C1'-N9	5.01	1.56	1.48
1	AA	895	G	C2-N3	5.01	1.36	1.32
26	BB	7	G	C5-C6	5.01	1.47	1.42
26	BB	223	A	C6-N1	5.01	1.39	1.35
26	BB	271	G	N3-C4	5.01	1.39	1.35
26	BB	535	G	N3-C4	5.01	1.39	1.35
26	BB	705	A	O3'-P	5.01	1.67	1.61
26	BB	953	G	C6-N1	5.01	1.43	1.39
26	BB	1261	C	C4-C5	5.01	1.47	1.43
26	BB	1464	G	C2'-C1'	5.01	1.58	1.53
26	BB	1953	A	P-O5'	5.01	1.64	1.59
26	BB	2091	C	C4-C5	5.01	1.47	1.43
26	BB	2186	G	N1-C2	5.01	1.41	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2872	A	O3'-P	5.01	1.67	1.61
31	BG	118	ALA	N-CA	5.01	1.56	1.46
1	AA	1530	G	N3-C4	5.01	1.39	1.35
26	BB	394	C	C5'-C4'	5.01	1.57	1.51
26	BB	1022	G	N9-C8	5.01	1.41	1.37
26	BB	1775	U	N1-C6	5.01	1.42	1.38
1	AA	923	A	C6-N1	5.01	1.39	1.35
2	AB	43	G	C8-N7	5.01	1.33	1.30
4	AD	28	U	C4'-O4'	-5.01	1.39	1.45
26	BB	107	G	N9-C4	5.01	1.42	1.38
26	BB	270	A	C5'-C4'	5.01	1.57	1.51
26	BB	308	G	C2-N2	5.01	1.39	1.34
26	BB	591	U	C4-C5	-5.01	1.39	1.43
26	BB	1256	G	O3'-P	5.01	1.67	1.61
26	BB	1713	A	N7-C5	-5.01	1.36	1.39
1	AA	673	A	O3'-P	5.00	1.67	1.61
1	AA	842	U	C4-O4	-5.00	1.19	1.23
1	AA	1021	A	C2-N3	5.00	1.38	1.33
1	AA	1066	C	C2-N3	5.00	1.39	1.35
1	AA	1183	U	C4-C5	5.00	1.48	1.43
1	AA	1275	A	O5'-C5'	-5.00	1.34	1.42
11	AK	99	GLY	N-CA	-5.00	1.38	1.46
26	BB	503	A	N9-C8	5.00	1.41	1.37
26	BB	630	G	C5-C4	5.00	1.41	1.38
26	BB	1505	A	N1-C2	-5.00	1.29	1.34
26	BB	2595	G	C6-O6	5.00	1.28	1.24
1	AA	78	A	N9-C8	5.00	1.41	1.37
1	AA	90	C	C1'-N1	5.00	1.56	1.48
1	AA	362	G	N1-C2	5.00	1.41	1.37
1	AA	530	G	C2-N3	5.00	1.36	1.32
1	AA	1171	A	C4'-O4'	-5.00	1.39	1.45
1	AA	1197	A	P-O5'	5.00	1.64	1.59
1	AA	1416	G	C2-N3	5.00	1.36	1.32
1	AA	1436	U	C2'-O2'	5.00	1.48	1.41
26	BB	543	G	C4'-O4'	-5.00	1.39	1.45
26	BB	572	A	C5'-C4'	5.00	1.57	1.51
26	BB	696	G	C2'-C1'	5.00	1.58	1.53
26	BB	761	A	N1-C2	5.00	1.38	1.34
26	BB	1224	U	C2'-C1'	5.00	1.58	1.53
26	BB	2284	A	C5-C6	5.00	1.45	1.41
26	BB	2639	A	C4'-C3'	5.00	1.58	1.53
1	AA	364	A	P-O5'	5.00	1.64	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	380	G	C6-N1	5.00	1.43	1.39
26	BB	247	G	N1-C2	5.00	1.41	1.37
26	BB	443	A	N9-C8	-5.00	1.33	1.37
26	BB	545	U	C3'-C2'	-5.00	1.47	1.52
26	BB	622	G	C8-N7	-5.00	1.27	1.30
26	BB	1280	G	N9-C8	-5.00	1.34	1.37
26	BB	1422	G	C5'-C4'	5.00	1.57	1.51
26	BB	1544	A	C4'-O4'	-5.00	1.39	1.45
26	BB	1603	A	C4'-O4'	-5.00	1.39	1.45
26	BB	1776	G	C3'-C2'	5.00	1.58	1.52
26	BB	1890	A	N3-C4	5.00	1.37	1.34
26	BB	2124	G	P-O5'	5.00	1.64	1.59
26	BB	2192	U	N1-C6	5.00	1.42	1.38

All (27088) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	AG	164	ARG	NE-CZ-NH2	-25.71	107.44	120.30
7	AG	164	ARG	NE-CZ-NH1	23.24	131.92	120.30
7	AG	114	ARG	NE-CZ-NH2	-22.43	109.08	120.30
26	BB	1929	G	C2-N3-C4	22.14	122.97	111.90
26	BB	2512	C	N3-C4-C5	-21.97	113.11	121.90
26	BB	69	C	N3-C4-C5	-21.50	113.30	121.90
26	BB	316	C	N3-C4-C5	-21.04	113.48	121.90
21	AU	62	ARG	NE-CZ-NH2	20.69	130.65	120.30
43	BS	29	ARG	NE-CZ-NH2	-20.39	110.11	120.30
26	BB	1929	G	N3-C4-C5	-20.35	118.43	128.60
26	BB	2475	C	C6-N1-C2	-20.23	112.21	120.30
42	BR	61	ARG	NE-CZ-NH1	-19.70	110.45	120.30
44	BT	79	ARG	NE-CZ-NH1	-19.69	110.45	120.30
1	AA	1506	U	O4'-C1'-N1	19.61	123.89	108.20
1	AA	1034	G	C2-N3-C4	19.46	121.63	111.90
1	AA	805	C	O4'-C1'-N1	19.28	123.62	108.20
43	BS	54	ARG	NE-CZ-NH2	-19.20	110.70	120.30
1	AA	1378	C	N3-C4-C5	-19.11	114.26	121.90
25	BA	12	C	C2-N3-C4	19.05	129.43	119.90
10	AJ	110	ARG	NE-CZ-NH1	18.95	129.78	120.30
26	BB	2492	U	O4'-C1'-N1	18.92	123.34	108.20
26	BB	466	A	N9-C4-C5	18.90	113.36	105.80
26	BB	1197	G	N3-C4-C5	-18.85	119.17	128.60
1	AA	1041	G	C8-N9-C4	-18.82	98.87	106.40
1	AA	336	A	O4'-C1'-N9	18.82	123.25	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	466	A	C8-N9-C4	-18.77	98.29	105.80
1	AA	990	C	N1-C2-O2	18.63	130.08	118.90
26	BB	1748	C	N3-C4-C5	-18.63	114.45	121.90
21	AU	62	ARG	NE-CZ-NH1	-18.55	111.02	120.30
1	AA	59	A	N9-C4-C5	18.54	113.22	105.80
14	AN	97	ARG	NE-CZ-NH2	-18.51	111.05	120.30
16	AP	86	ARG	NE-CZ-NH2	-18.46	111.07	120.30
1	AA	833	G	C8-N9-C4	-18.44	99.02	106.40
26	BB	2276	G	N3-C4-C5	-18.41	119.39	128.60
25	BA	7	G	C4-C5-N7	18.37	118.15	110.80
26	BB	960	A	C8-N9-C4	-18.34	98.47	105.80
26	BB	1385	A	C8-N9-C4	-18.25	98.50	105.80
26	BB	2434	A	C8-N9-C4	-18.24	98.50	105.80
26	BB	1431	A	C8-N9-C4	-18.24	98.50	105.80
26	BB	966	G	C8-N9-C4	-18.20	99.12	106.40
26	BB	727	A	C8-N9-C4	-18.18	98.53	105.80
1	AA	550	G	C8-N9-C4	-18.16	99.14	106.40
26	BB	2009	A	C8-N9-C4	-18.12	98.55	105.80
33	BI	116	ARG	NE-CZ-NH2	-18.11	111.25	120.30
26	BB	1736	U	N1-C2-N3	18.05	125.73	114.90
26	BB	1519	G	N9-C4-C5	17.98	112.59	105.40
1	AA	45	G	C4-C5-N7	-17.79	103.69	110.80
26	BB	123	G	C8-N9-C4	-17.73	99.31	106.40
1	AA	38	G	C8-N9-C4	-17.73	99.31	106.40
26	BB	2253	G	C8-N9-C4	-17.71	99.31	106.40
26	BB	2027	G	N9-C4-C5	17.67	112.47	105.40
26	BB	2104	C	N3-C4-C5	-17.62	114.85	121.90
26	BB	2796	U	O4'-C1'-N1	17.54	122.23	108.20
26	BB	2647	U	C5-C4-O4	-17.48	115.41	125.90
1	AA	861	G	C8-N9-C4	-17.48	99.41	106.40
1	AA	153	C	C6-N1-C2	17.47	127.29	120.30
26	BB	1436	G	C4-C5-N7	17.46	117.78	110.80
26	BB	377	G	C4-C5-N7	-17.46	103.82	110.80
26	BB	1436	G	C5-N7-C8	-17.44	95.58	104.30
26	BB	1473	G	C5-C6-O6	-17.40	118.16	128.60
1	AA	1063	C	C6-N1-C2	-17.39	113.34	120.30
26	BB	763	G	N9-C4-C5	17.38	112.35	105.40
26	BB	751	A	C8-N9-C4	-17.32	98.87	105.80
26	BB	546	U	O4'-C1'-N1	17.32	122.06	108.20
26	BB	494	G	C8-N9-C4	-17.31	99.48	106.40
3	AC	48	C	N3-C4-C5	-17.27	114.99	121.90
43	BS	63	ARG	NE-CZ-NH2	-17.11	111.75	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1884	G	C8-N9-C4	-17.05	99.58	106.40
26	BB	1540	G	O4'-C1'-N9	17.05	121.84	108.20
43	BS	29	ARG	NE-CZ-NH1	17.03	128.81	120.30
26	BB	613	A	N1-C2-N3	-17.01	120.80	129.30
47	BW	81	ARG	NE-CZ-NH1	16.97	128.78	120.30
26	BB	2276	G	C8-N9-C4	-16.97	99.61	106.40
1	AA	187	G	O4'-C1'-N9	16.92	121.73	108.20
26	BB	1763	G	N9-C4-C5	16.92	112.17	105.40
26	BB	1234	U	O4'-C1'-N1	16.89	121.71	108.20
26	BB	54	G	C2-N3-C4	16.87	120.34	111.90
47	BW	6	ARG	NE-CZ-NH2	-16.87	111.87	120.30
1	AA	254	G	N3-C4-C5	-16.85	120.17	128.60
26	BB	401	A	N9-C4-C5	16.83	112.53	105.80
26	BB	1748	C	C2-N3-C4	16.79	128.30	119.90
1	AA	628	G	C4-C5-N7	-16.77	104.09	110.80
29	BE	141	ARG	NE-CZ-NH1	16.77	128.68	120.30
26	BB	1588	G	N3-C4-C5	-16.76	120.22	128.60
17	AQ	64	ARG	NE-CZ-NH2	-16.75	111.92	120.30
1	AA	350	G	N9-C4-C5	16.71	112.08	105.40
26	BB	1103	A	O4'-C1'-N9	16.64	121.51	108.20
40	BP	90	ARG	NE-CZ-NH2	-16.62	111.99	120.30
1	AA	1094	G	C8-N9-C4	-16.61	99.75	106.40
1	AA	223	A	C8-N9-C4	-16.60	99.16	105.80
26	BB	1952	A	N9-C4-C5	-16.60	99.16	105.80
1	AA	1457	G	C8-N9-C4	-16.59	99.76	106.40
1	AA	1322	C	C2-N3-C4	16.56	128.18	119.90
1	AA	1080	A	C8-N9-C4	-16.55	99.18	105.80
26	BB	1803	A	N9-C4-C5	16.54	112.41	105.80
26	BB	1324	G	O4'-C1'-N9	16.53	121.42	108.20
1	AA	987	G	C4-C5-N7	-16.52	104.19	110.80
26	BB	179	C	N3-C4-C5	-16.52	115.29	121.90
26	BB	2422	C	N3-C4-C5	-16.51	115.29	121.90
1	AA	666	G	N3-C4-C5	-16.51	120.35	128.60
26	BB	359	G	O4'-C1'-N9	16.51	121.41	108.20
26	BB	1816	C	N3-C4-C5	-16.50	115.30	121.90
36	BL	35	ARG	NE-CZ-NH1	16.46	128.53	120.30
1	AA	254	G	C2-N3-C4	16.41	120.10	111.90
1	AA	351	G	C8-N9-C4	-16.40	99.84	106.40
26	BB	2732	G	C5-N7-C8	16.39	112.50	104.30
1	AA	440	C	O4'-C1'-N1	16.38	121.30	108.20
31	BG	177	ARG	NE-CZ-NH1	16.37	128.48	120.30
1	AA	38	G	N7-C8-N9	16.36	121.28	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	336	C	O4'-C1'-N1	16.35	121.28	108.20
1	AA	165	G	C4-C5-N7	-16.34	104.26	110.80
1	AA	557	G	C2-N3-C4	16.34	120.07	111.90
26	BB	1519	G	C8-N9-C4	-16.27	99.89	106.40
23	AW	59	ARG	NE-CZ-NH2	-16.25	112.17	120.30
1	AA	1533	C	C6-N1-C2	-16.24	113.81	120.30
26	BB	496	G	C8-N9-C4	-16.24	99.91	106.40
26	BB	1582	C	O4'-C1'-N1	16.23	121.18	108.20
7	AG	114	ARG	NE-CZ-NH1	16.18	128.39	120.30
1	AA	765	G	O4'-C1'-N9	16.18	121.14	108.20
26	BB	2413	G	N3-C2-N2	16.16	131.22	119.90
1	AA	1069	C	C6-N1-C2	-16.16	113.84	120.30
1	AA	1177	G	C8-N9-C4	-16.14	99.94	106.40
26	BB	2265	U	C5-C6-N1	-16.14	114.63	122.70
25	BA	9	G	N9-C4-C5	16.12	111.85	105.40
2	AB	29	G	C8-N9-C4	-16.12	99.95	106.40
26	BB	1481	U	O4'-C1'-N1	16.10	121.08	108.20
26	BB	287	G	O4'-C1'-N9	16.03	121.03	108.20
26	BB	2832	U	C5-C6-N1	-16.02	114.69	122.70
26	BB	16	C	O4'-C1'-N1	16.01	121.01	108.20
26	BB	215	G	N1-C6-O6	-16.01	110.29	119.90
26	BB	1843	C	O4'-C1'-N1	15.99	120.99	108.20
26	BB	2048	G	C8-N9-C4	-15.97	100.01	106.40
1	AA	926	G	O4'-C1'-N9	15.96	120.97	108.20
26	BB	806	C	O4'-C1'-N1	15.97	120.97	108.20
1	AA	1068	G	C4-C5-N7	-15.96	104.42	110.80
26	BB	2165	C	N1-C2-O2	15.96	128.47	118.90
27	BC	12	ARG	NE-CZ-NH1	15.95	128.28	120.30
1	AA	1379	G	C2-N3-C4	15.95	119.88	111.90
1	AA	1351	U	O4'-C1'-N1	15.92	120.93	108.20
10	AJ	137	ARG	NE-CZ-NH1	15.91	128.25	120.30
26	BB	2481	G	C8-N9-C4	-15.89	100.04	106.40
26	BB	273	G	N7-C8-N9	15.88	121.04	113.10
1	AA	481	G	C8-N9-C4	-15.88	100.05	106.40
26	BB	1049	C	C2-N3-C4	15.88	127.84	119.90
16	AP	70	ARG	NE-CZ-NH2	-15.87	112.37	120.30
44	BT	78	ARG	NE-CZ-NH1	-15.86	112.37	120.30
4	AD	68	C	O4'-C1'-N1	15.85	120.88	108.20
1	AA	402	G	C2-N3-C4	15.84	119.82	111.90
26	BB	528	A	C8-N9-C4	-15.83	99.47	105.80
1	AA	764	C	C6-N1-C2	-15.80	113.98	120.30
3	AC	41	A	N9-C4-C5	15.79	112.12	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	45	U	O4'-C1'-N1	15.79	120.83	108.20
26	BB	2098	U	O4'-C1'-N1	15.79	120.83	108.20
26	BB	323	C	N1-C2-O2	15.78	128.37	118.90
26	BB	1990	C	O4'-C1'-N1	15.73	120.79	108.20
43	BS	54	ARG	NE-CZ-NH1	15.72	128.16	120.30
26	BB	2190	G	O4'-C1'-N9	15.71	120.77	108.20
26	BB	474	G	C8-N9-C4	-15.70	100.12	106.40
26	BB	1816	C	C2-N3-C4	15.69	127.74	119.90
2	AB	21	A	N9-C4-C5	-15.69	99.53	105.80
26	BB	281	C	C6-N1-C2	-15.68	114.03	120.30
26	BB	2896	C	N3-C4-C5	15.65	128.16	121.90
1	AA	710	G	C2-N3-C4	15.65	119.72	111.90
1	AA	645	G	O4'-C1'-N9	15.65	120.72	108.20
26	BB	809	G	C8-N9-C4	-15.62	100.15	106.40
1	AA	1015	G	O4'-C1'-N9	15.60	120.68	108.20
36	BL	37	ARG	NE-CZ-NH1	15.59	128.10	120.30
26	BB	140	C	N1-C2-O2	15.58	128.25	118.90
26	BB	719	C	C6-N1-C2	-15.55	114.08	120.30
26	BB	1051	G	O4'-C1'-N9	15.55	120.64	108.20
2	AB	65	C	C2-N3-C4	15.54	127.67	119.90
1	AA	1133	G	N7-C8-N9	15.53	120.87	113.10
26	BB	145	C	C5-C4-N4	-15.52	109.34	120.20
26	BB	2208	C	N1-C2-O2	15.51	128.21	118.90
26	BB	9	G	O4'-C1'-N9	15.50	120.60	108.20
26	BB	2294	G	N7-C8-N9	15.50	120.85	113.10
1	AA	1186	G	C6-C5-N7	-15.49	121.11	130.40
26	BB	1822	C	C4-C5-C6	-15.48	109.66	117.40
1	AA	1298	U	C5-C6-N1	-15.48	114.96	122.70
26	BB	2041	U	C5-C4-O4	-15.48	116.61	125.90
1	AA	587	G	C4-C5-N7	-15.46	104.62	110.80
24	AX	46	ARG	NE-CZ-NH1	15.44	128.02	120.30
1	AA	1034	G	N3-C4-C5	-15.44	120.88	128.60
26	BB	1311	G	C8-N9-C4	-15.44	100.22	106.40
26	BB	549	G	C5-C6-N1	15.43	119.22	111.50
26	BB	2146	C	O4'-C1'-N1	15.43	120.55	108.20
1	AA	1034	G	C8-N9-C4	-15.43	100.23	106.40
1	AA	907	A	O4'-C1'-N9	15.41	120.53	108.20
26	BB	1661	G	C8-N9-C4	-15.41	100.24	106.40
1	AA	45	G	N9-C4-C5	15.38	111.55	105.40
26	BB	1797	G	C8-N9-C4	-15.35	100.26	106.40
26	BB	993	G	O4'-C1'-N9	15.34	120.47	108.20
1	AA	750	C	N3-C4-C5	-15.34	115.77	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1246	A	N9-C4-C5	15.34	111.94	105.80
1	AA	589	U	C4-C5-C6	15.33	128.90	119.70
11	AK	127	TYR	CB-CG-CD2	-15.33	111.80	121.00
1	AA	700	G	C6-N1-C2	-15.32	115.91	125.10
3	AC	48	C	C4-C5-C6	15.32	125.06	117.40
26	BB	2003	A	N7-C8-N9	15.32	121.46	113.80
58	B7	19	ARG	NE-CZ-NH2	-15.32	112.64	120.30
26	BB	2057	G	C4-C5-N7	-15.31	104.68	110.80
1	AA	1053	G	C2-N3-C4	15.29	119.55	111.90
26	BB	2035	G	C3'-C2'-C1'	-15.29	89.27	101.50
1	AA	395	C	O4'-C1'-N1	15.28	120.42	108.20
26	BB	2460	U	C5-C6-N1	-15.28	115.06	122.70
26	BB	725	G	N3-C4-C5	-15.27	120.97	128.60
1	AA	402	G	N7-C8-N9	15.26	120.73	113.10
26	BB	2254	C	N1-C2-O2	15.26	128.06	118.90
26	BB	2092	U	O4'-C1'-N1	15.25	120.40	108.20
1	AA	951	G	C4-C5-N7	-15.25	104.70	110.80
1	AA	751	U	N3-C4-C5	-15.23	105.46	114.60
1	AA	384	G	N7-C8-N9	15.23	120.71	113.10
26	BB	2454	G	N9-C4-C5	15.22	111.49	105.40
1	AA	1011	C	O4'-C1'-N1	15.21	120.37	108.20
26	BB	250	G	N9-C4-C5	15.21	111.49	105.40
26	BB	54	G	N3-C4-C5	-15.21	120.99	128.60
26	BB	2732	G	N7-C8-N9	-15.19	105.50	113.10
26	BB	915	C	C6-N1-C2	-15.19	114.22	120.30
4	AD	75	C	C6-N1-C2	-15.17	114.23	120.30
1	AA	514	C	C4-C5-C6	-15.16	109.82	117.40
1	AA	620	C	O4'-C1'-N1	15.16	120.33	108.20
26	BB	2055	C	C1'-O4'-C4'	-15.14	97.79	109.90
1	AA	1129	C	N3-C4-N4	15.13	128.59	118.00
1	AA	313	A	C5-C6-N1	15.12	125.26	117.70
1	AA	1424	U	N3-C2-O2	-15.12	111.62	122.20
26	BB	1775	U	O4'-C1'-N1	15.12	120.29	108.20
26	BB	1831	G	N7-C8-N9	15.11	120.66	113.10
26	BB	1445	G	C4-C5-N7	-15.11	104.76	110.80
1	AA	280	C	C6-N1-C2	15.11	126.34	120.30
1	AA	280	C	N1-C2-O2	15.11	127.96	118.90
1	AA	710	G	N3-C4-C5	-15.10	121.05	128.60
26	BB	1045	C	C6-N1-C2	-15.08	114.27	120.30
1	AA	402	G	C8-N9-C4	-15.07	100.37	106.40
28	BD	79	ARG	NE-CZ-NH2	-15.07	112.76	120.30
26	BB	1063	G	C4-C5-N7	-15.06	104.77	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	557	G	C8-N9-C4	-15.04	100.38	106.40
1	AA	913	A	O4'-C1'-N9	15.03	120.22	108.20
25	BA	98	G	C8-N9-C4	-15.03	100.39	106.40
26	BB	2216	G	C6-N1-C2	-15.01	116.09	125.10
26	BB	1060	U	O4'-C1'-N1	14.98	120.19	108.20
26	BB	1587	G	C5-N7-C8	-14.96	96.82	104.30
1	AA	423	G	C8-N9-C4	-14.95	100.42	106.40
48	BX	93	ARG	NE-CZ-NH1	14.94	127.77	120.30
1	AA	1181	G	N3-C4-C5	-14.94	121.13	128.60
26	BB	2365	G	C4-C5-N7	-14.94	104.82	110.80
1	AA	983	A	N1-C2-N3	-14.93	121.83	129.30
1	AA	1034	G	N7-C8-N9	14.93	120.56	113.10
26	BB	2729	G	C8-N9-C4	-14.93	100.43	106.40
26	BB	1813	G	C2-N3-C4	14.93	119.36	111.90
25	BA	114	C	C5-C6-N1	14.92	128.46	121.00
2	AB	59	G	C8-N9-C4	-14.89	100.44	106.40
26	BB	679	C	O4'-C1'-N1	14.87	120.09	108.20
1	AA	899	C	O4'-C1'-N1	14.85	120.08	108.20
26	BB	2600	A	C8-N9-C4	-14.84	99.87	105.80
25	BA	107	G	C8-N9-C4	-14.83	100.47	106.40
26	BB	480	A	N1-C6-N6	14.82	127.49	118.60
26	BB	1215	G	N1-C6-O6	-14.82	111.01	119.90
1	AA	27	G	C2-N3-C4	14.80	119.30	111.90
26	BB	769	U	C5-C4-O4	-14.80	117.02	125.90
26	BB	123	G	N9-C4-C5	14.80	111.32	105.40
26	BB	1704	C	C6-N1-C2	-14.79	114.38	120.30
26	BB	2382	G	C8-N9-C4	-14.79	100.48	106.40
1	AA	1317	C	O4'-C1'-N1	14.79	120.03	108.20
26	BB	485	C	O4'-C1'-N1	14.78	120.03	108.20
26	BB	1879	C	C6-N1-C2	-14.78	114.39	120.30
26	BB	2567	G	C8-N9-C4	-14.75	100.50	106.40
1	AA	345	C	N1-C2-O2	14.75	127.75	118.90
1	AA	729	A	N9-C4-C5	14.75	111.70	105.80
54	B3	51	ARG	NE-CZ-NH1	-14.74	112.93	120.30
1	AA	176	C	N3-C4-C5	-14.73	116.01	121.90
26	BB	1465	G	C4-C5-N7	-14.73	104.91	110.80
1	AA	557	G	N9-C4-C5	14.73	111.29	105.40
26	BB	1116	G	N3-C4-C5	-14.72	121.24	128.60
26	BB	763	G	C8-N9-C4	-14.70	100.52	106.40
26	BB	2832	U	O4'-C1'-N1	14.70	119.96	108.20
26	BB	2856	A	O4'-C1'-N9	14.66	119.93	108.20
26	BB	278	A	N7-C8-N9	14.66	121.13	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2219	U	O4'-C1'-N1	14.64	119.92	108.20
1	AA	388	G	O4'-C1'-N9	14.62	119.89	108.20
26	BB	940	G	C5-C6-O6	-14.62	119.83	128.60
1	AA	882	C	O4'-C1'-N1	14.61	119.89	108.20
26	BB	1646	C	C5-C6-N1	14.60	128.30	121.00
26	BB	1101	U	O4'-C1'-N1	14.60	119.88	108.20
26	BB	1343	G	C8-N9-C4	-14.59	100.56	106.40
26	BB	24	G	C5-C6-N1	14.59	118.79	111.50
26	BB	1075	C	O4'-C1'-N1	14.57	119.86	108.20
26	BB	623	C	C2-N3-C4	14.56	127.18	119.90
26	BB	2597	G	C8-N9-C4	-14.56	100.57	106.40
26	BB	2556	C	N3-C4-C5	-14.56	116.08	121.90
26	BB	423	A	N1-C6-N6	-14.55	109.87	118.60
5	AE	136	ARG	NE-CZ-NH1	14.55	127.57	120.30
26	BB	2003	A	C5-N7-C8	-14.54	96.63	103.90
1	AA	238	A	C2-N3-C4	14.53	117.87	110.60
26	BB	2535	G	O4'-C1'-N9	14.53	119.83	108.20
26	BB	177	G	C2-N3-C4	14.53	119.16	111.90
26	BB	2763	G	C8-N9-C4	-14.52	100.59	106.40
1	AA	785	G	C8-N9-C4	-14.52	100.59	106.40
26	BB	1556	C	C6-N1-C2	-14.51	114.50	120.30
26	BB	1285	A	N1-C2-N3	-14.50	122.05	129.30
26	BB	1578	U	C5-C4-O4	-14.50	117.20	125.90
10	AJ	94	ARG	NE-CZ-NH1	14.48	127.54	120.30
26	BB	300	A	C8-N9-C4	-14.48	100.01	105.80
1	AA	1379	G	N3-C4-C5	-14.48	121.36	128.60
26	BB	1400	U	O4'-C1'-N1	14.48	119.78	108.20
1	AA	528	C	C6-N1-C2	-14.47	114.51	120.30
1	AA	191	G	C8-N9-C4	-14.47	100.61	106.40
26	BB	1763	G	C8-N9-C4	-14.47	100.61	106.40
26	BB	890	C	C6-N1-C2	-14.46	114.52	120.30
26	BB	1465	G	N9-C4-C5	14.41	111.16	105.40
1	AA	1041	G	N9-C4-C5	14.41	111.16	105.40
1	AA	1037	C	C6-N1-C2	-14.40	114.54	120.30
26	BB	549	G	C2-N3-C4	14.39	119.09	111.90
26	BB	1553	A	O4'-C1'-N9	14.38	119.70	108.20
26	BB	2323	G	N3-C4-C5	-14.38	121.41	128.60
1	AA	488	C	C6-N1-C2	-14.37	114.55	120.30
26	BB	2316	G	C8-N9-C4	-14.34	100.66	106.40
1	AA	21	G	C8-N9-C4	-14.34	100.66	106.40
43	BS	91	ARG	NE-CZ-NH1	14.34	127.47	120.30
26	BB	2714	G	O4'-C1'-N9	14.33	119.67	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	968	C	O4'-C1'-N1	14.33	119.66	108.20
1	AA	1294	G	N7-C8-N9	14.33	120.26	113.10
28	BD	268	ARG	NE-CZ-NH2	-14.32	113.14	120.30
26	BB	2137	U	O4'-C1'-N1	14.32	119.66	108.20
26	BB	2631	G	C8-N9-C4	-14.31	100.67	106.40
26	BB	2027	G	C8-N9-C4	-14.31	100.68	106.40
1	AA	402	G	C5-N7-C8	-14.31	97.14	104.30
26	BB	969	G	O4'-C1'-N9	14.30	119.64	108.20
25	BA	7	G	C6-C5-N7	-14.30	121.82	130.40
39	BO	114	ARG	NE-CZ-NH1	14.30	127.45	120.30
26	BB	362	A	C2-N3-C4	14.29	117.75	110.60
26	BB	549	G	N3-C4-N9	14.29	134.57	126.00
26	BB	414	C	N3-C4-N4	14.29	128.00	118.00
58	B7	4	ARG	NE-CZ-NH2	-14.29	113.16	120.30
26	BB	2856	A	C5-C6-N1	14.27	124.83	117.70
26	BB	1769	U	O4'-C1'-N1	14.27	119.61	108.20
1	AA	78	A	C8-N9-C4	-14.26	100.09	105.80
26	BB	80	G	O4'-C1'-N9	14.26	119.61	108.20
26	BB	436	C	O4'-C1'-N1	14.25	119.60	108.20
26	BB	1684	G	C6-C5-N7	-14.25	121.85	130.40
42	BR	71	ARG	NE-CZ-NH2	-14.25	113.17	120.30
26	BB	673	C	O4'-C1'-N1	14.25	119.60	108.20
26	BB	1525	A	N1-C2-N3	-14.25	122.18	129.30
26	BB	2004	G	C2-N3-C4	14.24	119.02	111.90
1	AA	628	G	N9-C4-C5	14.24	111.09	105.40
1	AA	530	G	O4'-C1'-N9	14.23	119.59	108.20
1	AA	761	G	N3-C4-C5	-14.23	121.48	128.60
1	AA	703	G	O4'-C1'-N9	14.23	119.58	108.20
26	BB	2871	U	O4'-C1'-N1	14.23	119.58	108.20
26	BB	75	G	C2-N3-C4	14.22	119.01	111.90
26	BB	597	G	O4'-C1'-N9	14.22	119.57	108.20
26	BB	1106	G	O4'-C1'-N9	14.22	119.57	108.20
26	BB	2041	U	N3-C4-O4	14.22	129.35	119.40
26	BB	2763	G	N7-C8-N9	14.21	120.21	113.10
1	AA	506	G	C5-C6-O6	-14.20	120.08	128.60
26	BB	613	A	C2-N3-C4	14.20	117.70	110.60
1	AA	259	G	N3-C4-C5	-14.18	121.51	128.60
26	BB	460	A	N9-C4-C5	14.18	111.47	105.80
1	AA	735	C	O4'-C1'-N1	14.17	119.53	108.20
10	AJ	94	ARG	NE-CZ-NH2	-14.17	113.22	120.30
26	BB	1891	G	C8-N9-C4	-14.17	100.73	106.40
1	AA	682	G	C6-C5-N7	-14.16	121.91	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1181	G	C4-C5-C6	14.16	127.30	118.80
26	BB	1587	G	C4-C5-N7	14.15	116.46	110.80
1	AA	522	C	C3'-C2'-C1'	14.14	112.81	101.50
1	AA	521	G	N3-C4-C5	-14.14	121.53	128.60
1	AA	1465	A	N7-C8-N9	14.13	120.87	113.80
26	BB	683	U	O4'-C1'-N1	14.12	119.50	108.20
26	BB	2495	G	C5-C6-O6	-14.12	120.12	128.60
1	AA	1457	G	N7-C8-N9	14.12	120.16	113.10
25	BA	26	C	C2-N3-C4	14.12	126.96	119.90
26	BB	1807	G	N3-C4-C5	-14.11	121.54	128.60
26	BB	48	G	N3-C4-N9	14.11	134.47	126.00
1	AA	340	U	C5-C4-O4	-14.11	117.44	125.90
26	BB	1452	G	O4'-C4'-C3'	14.11	118.11	104.00
26	BB	541	A	C2-N3-C4	14.10	117.65	110.60
26	BB	2276	G	N9-C4-C5	14.10	111.04	105.40
26	BB	2846	G	O4'-C1'-N9	14.09	119.47	108.20
26	BB	729	G	C4-C5-N7	-14.08	105.17	110.80
26	BB	1985	C	N3-C4-C5	-14.08	116.27	121.90
26	BB	574	A	N1-C6-N6	-14.07	110.16	118.60
1	AA	293	G	C8-N9-C4	-14.06	100.77	106.40
52	B1	44	ARG	NE-CZ-NH2	14.06	127.33	120.30
26	BB	1822	C	C5-C6-N1	14.06	128.03	121.00
25	BA	88	C	O4'-C1'-N1	14.05	119.44	108.20
26	BB	1706	C	O4'-C1'-N1	14.05	119.44	108.20
26	BB	2006	C	C6-N1-C2	-14.04	114.68	120.30
36	BL	120	ARG	NE-CZ-NH1	-14.04	113.28	120.30
1	AA	1041	G	N7-C8-N9	14.04	120.12	113.10
42	BR	97	TYR	CB-CG-CD1	-14.03	112.58	121.00
26	BB	396	G	C4-C5-N7	-14.03	105.19	110.80
26	BB	1161	C	N3-C4-C5	-14.01	116.29	121.90
26	BB	409	G	C4-C5-N7	-14.00	105.20	110.80
1	AA	90	C	N1-C2-O2	14.00	127.30	118.90
1	AA	226	G	C8-N9-C4	-14.00	100.80	106.40
1	AA	276	G	C8-N9-C4	-14.00	100.80	106.40
26	BB	650	C	N3-C4-C5	-14.00	116.30	121.90
26	BB	708	G	C5-N7-C8	-13.99	97.31	104.30
46	BV	77	ARG	NE-CZ-NH2	-13.99	113.31	120.30
1	AA	897	C	N1-C2-O2	13.99	127.29	118.90
10	AJ	3	ARG	NE-CZ-NH1	13.98	127.29	120.30
26	BB	216	A	O4'-C1'-N9	13.98	119.39	108.20
26	BB	846	U	C1'-O4'-C4'	-13.97	98.72	109.90
26	BB	1048	A	N9-C4-C5	13.97	111.39	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
40	BP	112	TYR	CB-CG-CD2	-13.97	112.62	121.00
1	AA	1233	G	N7-C8-N9	13.96	120.08	113.10
16	AP	86	ARG	NE-CZ-NH1	13.96	127.28	120.30
26	BB	1824	G	C5-C6-O6	-13.96	120.23	128.60
1	AA	488	C	N3-C2-O2	-13.95	112.14	121.90
1	AA	1195	C	C6-N1-C2	-13.94	114.72	120.30
1	AA	987	G	C5-N7-C8	13.94	111.27	104.30
25	BA	101	A	C8-N9-C4	-13.94	100.23	105.80
1	AA	575	G	C2-N3-C4	13.93	118.86	111.90
26	BB	2770	G	N7-C8-N9	13.92	120.06	113.10
1	AA	1432	G	C8-N9-C4	-13.92	100.83	106.40
4	AD	3	C	O4'-C1'-N1	13.92	119.34	108.20
44	BT	78	ARG	NE-CZ-NH2	13.92	127.26	120.30
26	BB	418	C	N3-C4-C5	13.92	127.47	121.90
26	BB	473	G	C2-N3-C4	13.91	118.86	111.90
1	AA	1502	A	N9-C4-C5	13.91	111.36	105.80
26	BB	1646	C	C6-N1-C2	-13.91	114.74	120.30
26	BB	1953	A	C8-N9-C4	-13.91	100.24	105.80
26	BB	331	C	C6-N1-C2	-13.90	114.74	120.30
1	AA	227	G	C8-N9-C4	-13.90	100.84	106.40
1	AA	1419	G	C2-N3-C4	13.89	118.85	111.90
26	BB	1312	U	N3-C2-O2	-13.88	112.48	122.20
26	BB	2021	C	C5-C6-N1	13.88	127.94	121.00
26	BB	809	G	N7-C8-N9	13.88	120.04	113.10
26	BB	1282	U	O4'-C1'-N1	13.87	119.30	108.20
1	AA	693	G	O4'-C1'-N9	13.86	119.29	108.20
2	AB	41	C	N3-C4-C5	-13.86	116.36	121.90
26	BB	81	G	O4'-C1'-N9	13.86	119.29	108.20
26	BB	713	G	C8-N9-C4	-13.86	100.86	106.40
2	AB	70	C	O4'-C1'-N1	13.86	119.28	108.20
26	BB	2058	A	C2-N3-C4	13.86	117.53	110.60
1	AA	36	C	N3-C4-C5	-13.85	116.36	121.90
26	BB	460	A	C4-C5-N7	-13.84	103.78	110.70
26	BB	2175	C	O4'-C1'-N1	13.83	119.27	108.20
26	BB	541	A	C4-C5-N7	-13.82	103.79	110.70
26	BB	52	A	C2-N3-C4	13.81	117.50	110.60
1	AA	944	G	C4-C5-N7	-13.79	105.28	110.80
1	AA	1109	C	C6-N1-C2	13.79	125.82	120.30
26	BB	1269	A	C8-N9-C4	-13.78	100.29	105.80
11	AK	83	ARG	NE-CZ-NH2	-13.78	113.41	120.30
26	BB	908	C	O4'-C1'-N1	13.78	119.22	108.20
1	AA	321	A	O4'-C1'-N9	13.75	119.20	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1136	C	N3-C2-O2	-13.75	112.28	121.90
26	BB	578	G	C2-N3-C4	13.75	118.78	111.90
1	AA	1456	A	C2-N3-C4	13.74	117.47	110.60
1	AA	1159	U	C5-C6-N1	-13.73	115.83	122.70
1	AA	1304	G	N3-C4-C5	-13.73	121.74	128.60
26	BB	315	G	N3-C4-C5	-13.73	121.74	128.60
1	AA	861	G	N7-C8-N9	13.72	119.96	113.10
1	AA	1037	C	O4'-C1'-N1	13.72	119.17	108.20
1	AA	107	G	C4-C5-N7	-13.71	105.31	110.80
1	AA	183	C	O4'-C1'-N1	13.71	119.17	108.20
25	BA	12	C	N1-C2-O2	13.71	127.12	118.90
26	BB	250	G	C4-C5-N7	-13.69	105.33	110.80
26	BB	2432	A	N9-C4-C5	13.69	111.28	105.80
25	BA	12	C	N3-C4-C5	-13.68	116.43	121.90
26	BB	2024	G	N9-C4-C5	13.68	110.87	105.40
26	BB	23	G	C4-C5-C6	13.68	127.01	118.80
26	BB	2365	G	N9-C4-C5	13.67	110.87	105.40
1	AA	67	C	O4'-C1'-N1	13.67	119.13	108.20
26	BB	2443	C	O4'-C1'-N1	13.66	119.13	108.20
26	BB	2750	A	C8-N9-C4	-13.66	100.33	105.80
1	AA	1385	G	C5-C6-N1	13.66	118.33	111.50
26	BB	933	A	N9-C4-C5	13.66	111.26	105.80
26	BB	2409	G	C4-C5-N7	13.66	116.26	110.80
1	AA	963	G	C5-C6-O6	-13.64	120.41	128.60
26	BB	2460	U	C4-C5-C6	13.63	127.88	119.70
1	AA	812	G	C4-C5-N7	13.63	116.25	110.80
26	BB	52	A	N1-C2-N3	-13.63	122.48	129.30
26	BB	2579	C	C6-N1-C2	-13.63	114.85	120.30
26	BB	409	G	C8-N9-C4	-13.63	100.95	106.40
26	BB	1467	U	C5-C6-N1	-13.63	115.89	122.70
26	BB	1502	A	N1-C2-N3	-13.62	122.49	129.30
26	BB	1473	G	C5-C6-N1	13.62	118.31	111.50
26	BB	2428	G	C8-N9-C4	-13.62	100.95	106.40
1	AA	1501	C	N1-C2-O2	13.61	127.07	118.90
26	BB	264	C	N3-C4-C5	-13.61	116.46	121.90
26	BB	2887	A	C8-N9-C4	-13.60	100.36	105.80
26	BB	247	G	C4-C5-N7	-13.60	105.36	110.80
25	BA	112	G	N1-C6-O6	-13.60	111.74	119.90
1	AA	958	A	N9-C4-C5	-13.60	100.36	105.80
26	BB	1115	G	C4-C5-N7	-13.60	105.36	110.80
26	BB	1520	U	O4'-C1'-N1	13.59	119.08	108.20
1	AA	77	A	O4'-C1'-N9	13.59	119.07	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	224	U	O4'-C1'-N1	13.57	119.06	108.20
26	BB	1721	G	C8-N9-C4	-13.57	100.97	106.40
26	BB	1210	G	C8-N9-C4	-13.57	100.97	106.40
26	BB	50	U	O4'-C1'-N1	13.56	119.05	108.20
26	BB	342	A	N1-C2-N3	-13.56	122.52	129.30
26	BB	2015	A	C8-N9-C4	-13.56	100.38	105.80
26	BB	5	A	N1-C2-N3	-13.56	122.52	129.30
26	BB	2057	G	C6-C5-N7	13.56	138.53	130.40
1	AA	402	G	N3-C4-C5	-13.55	121.83	128.60
1	AA	667	G	C8-N9-C4	-13.54	100.99	106.40
26	BB	1156	A	C8-N9-C4	-13.53	100.39	105.80
1	AA	321	A	C5-N7-C8	13.53	110.66	103.90
26	BB	762	U	O4'-C1'-N1	13.53	119.02	108.20
1	AA	1185	G	N3-C4-C5	-13.52	121.84	128.60
10	AJ	52	ARG	NE-CZ-NH1	13.52	127.06	120.30
33	BI	50	ARG	NE-CZ-NH1	13.52	127.06	120.30
1	AA	82	G	C5-N7-C8	-13.51	97.54	104.30
26	BB	2588	G	N3-C2-N2	-13.51	110.44	119.90
1	AA	997	U	O4'-C1'-N1	13.51	119.01	108.20
1	AA	699	C	N1-C2-O2	13.51	127.00	118.90
1	AA	1158	C	C6-N1-C2	-13.50	114.90	120.30
4	AD	53	G	N3-C2-N2	-13.50	110.45	119.90
26	BB	817	C	N1-C2-O2	13.50	127.00	118.90
1	AA	806	C	O4'-C1'-N1	13.50	119.00	108.20
1	AA	595	A	C8-N9-C4	-13.49	100.40	105.80
26	BB	2411	A	C8-N9-C4	-13.49	100.41	105.80
1	AA	238	A	C5-C6-N1	13.47	124.44	117.70
26	BB	342	A	C2-N3-C4	13.47	117.33	110.60
26	BB	69	C	C4-C5-C6	13.46	124.13	117.40
1	AA	205	A	C2-N3-C4	13.46	117.33	110.60
1	AA	670	G	C8-N9-C4	-13.46	101.02	106.40
36	BL	13	ARG	NE-CZ-NH2	13.45	127.03	120.30
26	BB	734	A	O4'-C1'-N9	13.44	118.95	108.20
26	BB	1515	A	N7-C8-N9	-13.44	107.08	113.80
11	AK	12	ARG	NE-CZ-NH1	13.44	127.02	120.30
25	BA	25	U	C2-N3-C4	-13.44	118.94	127.00
26	BB	473	G	N3-C4-C5	-13.43	121.89	128.60
26	BB	1679	A	O4'-C1'-N9	13.43	118.94	108.20
26	BB	2071	A	C5-N7-C8	13.42	110.61	103.90
26	BB	2283	C	O4'-C1'-N1	13.42	118.94	108.20
45	BU	110	ARG	NE-CZ-NH1	-13.41	113.59	120.30
13	AM	31	ARG	NE-CZ-NH1	13.40	127.00	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	98	G	C4-C5-N7	-13.40	105.44	110.80
29	BE	77	ARG	NE-CZ-NH1	-13.40	113.60	120.30
1	AA	1341	U	O4'-C1'-N1	13.39	118.91	108.20
26	BB	1098	A	N9-C4-C5	13.39	111.16	105.80
1	AA	1184	G	C5-N7-C8	-13.39	97.61	104.30
26	BB	1314	C	N3-C4-C5	-13.39	116.55	121.90
26	BB	2066	C	O4'-C1'-N1	13.38	118.91	108.20
26	BB	2520	C	N3-C4-C5	-13.38	116.55	121.90
26	BB	1787	A	C8-N9-C4	-13.38	100.45	105.80
26	BB	867	C	C5-C6-N1	-13.38	114.31	121.00
1	AA	351	G	N7-C8-N9	13.38	119.79	113.10
1	AA	835	U	C5-C6-N1	-13.37	116.01	122.70
26	BB	2029	G	C2-N3-C4	13.38	118.59	111.90
26	BB	425	G	C8-N9-C4	-13.37	101.05	106.40
26	BB	1074	G	O4'-C1'-N9	13.37	118.90	108.20
1	AA	312	C	N1-C2-O2	13.37	126.92	118.90
1	AA	667	G	N9-C4-C5	13.37	110.75	105.40
26	BB	8	C	N3-C4-C5	-13.37	116.55	121.90
26	BB	586	A	C5-N7-C8	13.36	110.58	103.90
26	BB	1411	U	O4'-C1'-N1	13.36	118.89	108.20
26	BB	2356	U	N1-C2-N3	13.36	122.91	114.90
26	BB	2047	C	O4'-C1'-N1	13.35	118.88	108.20
1	AA	316	C	O4'-C1'-N1	13.35	118.88	108.20
26	BB	1956	U	O4'-C1'-N1	13.35	118.88	108.20
26	BB	2405	G	O4'-C1'-N9	13.34	118.88	108.20
26	BB	2663	G	N3-C4-C5	-13.34	121.93	128.60
26	BB	1337	G	N3-C4-C5	-13.33	121.93	128.60
26	BB	2454	G	C8-N9-C4	-13.33	101.07	106.40
1	AA	1416	G	C4-C5-N7	-13.33	105.47	110.80
1	AA	805	C	C2-N3-C4	13.33	126.56	119.90
26	BB	865	C	C5-C6-N1	13.33	127.67	121.00
25	BA	104	A	C5-N7-C8	13.32	110.56	103.90
1	AA	1102	A	C8-N9-C4	-13.32	100.47	105.80
25	BA	107	G	N9-C4-C5	13.32	110.73	105.40
26	BB	966	G	N9-C4-C5	13.32	110.73	105.40
26	BB	1185	G	C5-C6-O6	-13.32	120.61	128.60
26	BB	2309	A	O4'-C1'-N9	13.32	118.86	108.20
26	BB	2428	G	N9-C4-C5	13.31	110.73	105.40
1	AA	735	C	C6-N1-C2	-13.31	114.98	120.30
26	BB	611	C	O4'-C1'-N1	13.30	118.84	108.20
26	BB	1166	G	C8-N9-C4	-13.30	101.08	106.40
1	AA	919	A	C5-C6-N1	-13.29	111.05	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2838	G	C8-N9-C4	-13.29	101.08	106.40
1	AA	442	G	C2-N3-C4	13.29	118.55	111.90
26	BB	2416	C	C6-N1-C2	-13.29	114.98	120.30
26	BB	2582	G	N3-C4-C5	-13.29	121.95	128.60
26	BB	2528	U	O4'-C1'-N1	13.29	118.83	108.20
26	BB	905	A	C8-N9-C4	-13.29	100.48	105.80
26	BB	2777	G	C5-C6-O6	-13.28	120.64	128.60
10	AJ	110	ARG	NE-CZ-NH2	-13.27	113.66	120.30
1	AA	277	C	O4'-C1'-N1	13.27	118.81	108.20
1	AA	1415	G	O4'-C1'-N9	13.27	118.81	108.20
1	AA	1339	A	C5-N7-C8	13.27	110.53	103.90
26	BB	1543	G	C8-N9-C4	-13.26	101.09	106.40
26	BB	2745	C	N1-C2-O2	13.26	126.85	118.90
44	BT	79	ARG	NE-CZ-NH2	13.26	126.93	120.30
1	AA	919	A	C6-N1-C2	13.25	126.55	118.60
1	AA	1378	C	C5-C4-N4	13.25	129.48	120.20
26	BB	623	C	O4'-C1'-N1	13.25	118.80	108.20
26	BB	742	A	O4'-C1'-N9	13.25	118.80	108.20
26	BB	954	G	C5-N7-C8	-13.25	97.68	104.30
1	AA	1465	A	C8-N9-C4	-13.24	100.50	105.80
26	BB	518	G	C8-N9-C4	-13.23	101.11	106.40
1	AA	1082	A	N1-C6-N6	-13.23	110.66	118.60
26	BB	1197	G	N3-C4-N9	13.23	133.94	126.00
26	BB	2582	G	C2-N3-C4	13.23	118.52	111.90
2	AB	75	C	N3-C4-C5	-13.22	116.61	121.90
26	BB	491	G	N1-C6-O6	13.22	127.83	119.90
1	AA	335	C	N3-C4-C5	-13.22	116.61	121.90
26	BB	2009	A	N7-C8-N9	13.22	120.41	113.80
2	AB	34	C	N3-C4-C5	-13.21	116.61	121.90
26	BB	1731	G	C8-N9-C4	-13.21	101.11	106.40
1	AA	595	A	N7-C8-N9	13.21	120.41	113.80
26	BB	1990	C	N3-C4-C5	-13.21	116.62	121.90
26	BB	1382	G	C8-N9-C4	-13.20	101.12	106.40
26	BB	2719	G	N3-C4-C5	-13.21	122.00	128.60
26	BB	2795	C	C2-N3-C4	13.21	126.50	119.90
1	AA	833	G	N7-C8-N9	13.20	119.70	113.10
26	BB	1359	A	O4'-C1'-N9	13.20	118.76	108.20
1	AA	682	G	N3-C4-C5	-13.19	122.00	128.60
1	AA	226	G	N9-C4-C5	13.19	110.68	105.40
1	AA	1422	G	N9-C4-C5	13.19	110.67	105.40
26	BB	1514	G	C5-C6-O6	-13.18	120.69	128.60
26	BB	116	C	O4'-C1'-N1	13.18	118.74	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	894	U	C5-C6-N1	-13.18	116.11	122.70
26	BB	1473	G	C6-N1-C2	-13.18	117.19	125.10
2	AB	39	A	C8-N9-C4	-13.18	100.53	105.80
26	BB	2862	G	C5-C6-N1	13.18	118.09	111.50
26	BB	2352	A	C2-N3-C4	13.17	117.19	110.60
1	AA	1399	C	O4'-C1'-N1	13.17	118.74	108.20
26	BB	2377	A	N1-C6-N6	13.17	126.50	118.60
26	BB	1141	U	O4'-C1'-N1	13.17	118.73	108.20
26	BB	157	C	O4'-C1'-N1	13.17	118.73	108.20
26	BB	2687	U	C5-C4-O4	-13.17	118.00	125.90
26	BB	498	G	N3-C4-C5	-13.16	122.02	128.60
26	BB	1215	G	C5-C6-O6	13.16	136.49	128.60
26	BB	2531	A	C8-N9-C4	-13.15	100.54	105.80
1	AA	1094	G	N9-C4-C5	13.15	110.66	105.40
26	BB	2535	G	C4-C5-N7	-13.15	105.54	110.80
26	BB	626	A	C8-N9-C4	-13.15	100.54	105.80
26	BB	2057	G	C5-N7-C8	13.15	110.87	104.30
1	AA	1086	U	O4'-C1'-N1	13.14	118.71	108.20
26	BB	2579	C	C5-C6-N1	13.14	127.57	121.00
1	AA	324	G	C4-C5-N7	13.14	116.06	110.80
26	BB	2263	C	N3-C4-C5	-13.14	116.64	121.90
26	BB	268	C	O4'-C1'-N1	13.14	118.71	108.20
26	BB	1491	G	C4-C5-N7	-13.13	105.55	110.80
26	BB	565	C	N1-C2-O2	13.13	126.78	118.90
26	BB	2036	C	O4'-C1'-N1	13.13	118.70	108.20
26	BB	536	G	O4'-C1'-N9	13.13	118.70	108.20
29	BE	124	ARG	NE-CZ-NH2	13.12	126.86	120.30
1	AA	1366	C	C6-N1-C2	-13.12	115.05	120.30
26	BB	1674	G	N3-C4-C5	-13.12	122.04	128.60
1	AA	1163	A	N1-C2-N3	-13.11	122.74	129.30
41	BQ	36	TYR	CB-CG-CD1	-13.11	113.13	121.00
26	BB	1069	A	O4'-C1'-N9	13.11	118.69	108.20
26	BB	2087	G	C2-N3-C4	13.10	118.45	111.90
26	BB	634	C	N3-C4-C5	-13.09	116.66	121.90
25	BA	114	C	C6-N1-C2	-13.08	115.07	120.30
26	BB	1109	C	N3-C4-C5	-13.08	116.67	121.90
2	AB	75	C	N1-C2-O2	13.08	126.75	118.90
26	BB	1256	G	N3-C4-C5	-13.08	122.06	128.60
26	BB	2490	G	C8-N9-C4	-13.08	101.17	106.40
26	BB	1674	G	C2-N3-C4	13.08	118.44	111.90
26	BB	1831	G	C8-N9-C4	-13.08	101.17	106.40
26	BB	842	U	C2-N3-C4	-13.07	119.16	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2370	G	N3-C2-N2	13.06	129.05	119.90
26	BB	2631	G	N7-C8-N9	13.06	119.63	113.10
26	BB	180	G	N9-C4-C5	13.06	110.62	105.40
45	BU	25	ARG	NE-CZ-NH1	13.06	126.83	120.30
1	AA	179	A	N1-C6-N6	-13.06	110.77	118.60
26	BB	590	A	C4-C5-C6	-13.06	110.47	117.00
26	BB	1000	A	C5'-C4'-O4'	13.06	124.77	109.10
34	BJ	61	ARG	NE-CZ-NH2	-13.06	113.77	120.30
26	BB	1607	C	N3-C4-N4	13.05	127.14	118.00
26	BB	1419	A	N7-C8-N9	-13.05	107.27	113.80
40	BP	17	ARG	NE-CZ-NH1	13.05	126.83	120.30
26	BB	1337	G	N3-C4-N9	13.04	133.82	126.00
26	BB	277	G	C5-C6-O6	-13.03	120.78	128.60
26	BB	2788	C	C5-C6-N1	13.02	127.51	121.00
1	AA	1010	U	N3-C4-O4	13.02	128.51	119.40
26	BB	811	U	O4'-C1'-N1	13.02	118.61	108.20
26	BB	1226	A	N9-C4-C5	13.01	111.00	105.80
26	BB	2572	A	O4'-C1'-N9	13.01	118.60	108.20
1	AA	1308	U	O4'-C1'-N1	13.00	118.60	108.20
26	BB	418	C	O4'-C1'-N1	13.00	118.60	108.20
26	BB	910	A	C8-N9-C4	-13.00	100.60	105.80
26	BB	2366	A	C5-N7-C8	-13.00	97.40	103.90
26	BB	2406	A	C8-N9-C4	13.00	111.00	105.80
1	AA	270	A	O4'-C1'-N9	13.00	118.60	108.20
26	BB	4	U	N3-C4-O4	13.00	128.50	119.40
1	AA	902	G	C5-C6-O6	-13.00	120.80	128.60
18	AR	87	ARG	NE-CZ-NH1	13.00	126.80	120.30
26	BB	2253	G	N7-C8-N9	13.00	119.60	113.10
12	AL	94	ARG	NE-CZ-NH2	-12.99	113.81	120.30
26	BB	271	G	C4-C5-N7	-12.99	105.61	110.80
1	AA	626	G	C8-N9-C4	-12.98	101.21	106.40
26	BB	2415	G	C4-C5-N7	-12.98	105.61	110.80
26	BB	2008	C	C4-C5-C6	-12.98	110.91	117.40
1	AA	234	C	N1-C2-O2	12.98	126.69	118.90
1	AA	1326	U	O4'-C1'-N1	12.97	118.58	108.20
1	AA	1392	G	N7-C8-N9	-12.97	106.61	113.10
1	AA	1348	U	O4'-C1'-N1	12.97	118.57	108.20
1	AA	1406	U	O4'-C1'-N1	12.97	118.57	108.20
1	AA	21	G	N9-C4-C5	12.97	110.59	105.40
1	AA	418	C	N3-C4-C5	-12.96	116.72	121.90
26	BB	1896	G	C2-N3-C4	12.96	118.38	111.90
26	BB	2398	U	C4-C5-C6	12.96	127.48	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	328	C	N3-C4-C5	-12.96	116.72	121.90
1	AA	1088	G	C8-N9-C4	-12.96	101.22	106.40
26	BB	692	C	N3-C4-C5	-12.95	116.72	121.90
26	BB	2024	G	C8-N9-C4	-12.95	101.22	106.40
43	BS	49	ARG	NE-CZ-NH1	12.95	126.77	120.30
3	AC	57	C	O4'-C1'-N1	12.94	118.55	108.20
4	AD	76	C	N1-C2-O2	12.94	126.67	118.90
26	BB	2217	G	C8-N9-C4	-12.94	101.23	106.40
1	AA	83	C	O4'-C1'-N1	12.93	118.54	108.20
26	BB	2410	G	C4-C5-N7	-12.93	105.63	110.80
2	AB	29	G	N7-C8-N9	12.92	119.56	113.10
25	BA	69	G	C4-C5-N7	-12.92	105.63	110.80
1	AA	143	A	N1-C2-N3	-12.91	122.84	129.30
1	AA	1458	G	N7-C8-N9	12.91	119.56	113.10
1	AA	1047	G	N3-C4-C5	-12.91	122.14	128.60
4	AD	53	G	C4-C5-N7	-12.91	105.64	110.80
2	AB	34	C	C6-N1-C2	-12.90	115.14	120.30
26	BB	2260	C	O4'-C1'-N1	12.90	118.52	108.20
26	BB	1373	A	O4'-C1'-N9	12.90	118.52	108.20
26	BB	1975	G	O4'-C1'-N9	12.90	118.52	108.20
26	BB	709	U	C5-C4-O4	-12.90	118.16	125.90
1	AA	525	C	N3-C4-C5	-12.89	116.74	121.90
26	BB	1746	A	O4'-C1'-N9	12.89	118.51	108.20
26	BB	2222	C	O4'-C1'-N1	12.89	118.51	108.20
26	BB	1407	G	C8-N9-C4	-12.89	101.24	106.40
26	BB	1912	A	N1-C2-N3	-12.89	122.86	129.30
26	BB	1935	G	N1-C6-O6	-12.88	112.17	119.90
1	AA	149	A	C2-N3-C4	12.88	117.04	110.60
26	BB	278	A	C8-N9-C4	-12.87	100.65	105.80
26	BB	1128	G	N9-C4-C5	12.86	110.55	105.40
1	AA	1223	C	N1-C2-O2	12.86	126.62	118.90
26	BB	431	U	C5-C6-N1	-12.86	116.27	122.70
1	AA	1110	A	C8-N9-C4	-12.86	100.66	105.80
26	BB	498	G	C2-N3-C4	12.86	118.33	111.90
26	BB	1251	C	C6-N1-C2	-12.86	115.16	120.30
26	BB	271	G	N9-C4-C5	12.86	110.54	105.40
26	BB	1619	G	C2-N3-C4	12.86	118.33	111.90
1	AA	985	C	O4'-C1'-N1	12.85	118.48	108.20
1	AA	1209	C	N3-C4-C5	-12.85	116.76	121.90
26	BB	273	G	C5-N7-C8	-12.85	97.87	104.30
26	BB	521	U	N1-C2-N3	12.85	122.61	114.90
26	BB	1620	G	N9-C4-C5	12.85	110.54	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	354	G	C8-N9-C4	-12.85	101.26	106.40
26	BB	2546	U	N1-C2-N3	12.85	122.61	114.90
26	BB	103	A	C8-N9-C4	-12.84	100.66	105.80
26	BB	23	G	C8-N9-C4	-12.84	101.26	106.40
26	BB	2293	G	C2-N3-C4	12.84	118.32	111.90
26	BB	1553	A	C5-N7-C8	12.84	110.32	103.90
26	BB	2772	C	N1-C2-O2	12.83	126.60	118.90
26	BB	179	C	N3-C4-N4	12.82	126.98	118.00
26	BB	2165	C	N3-C2-O2	-12.82	112.92	121.90
26	BB	1478	G	C5-C6-O6	-12.82	120.91	128.60
1	AA	1369	C	N3-C2-O2	-12.81	112.93	121.90
26	BB	2512	C	C2-N3-C4	12.81	126.31	119.90
1	AA	1508	A	N9-C4-C5	12.80	110.92	105.80
26	BB	1588	G	C2-N3-C4	12.80	118.30	111.90
1	AA	632	U	C5-C4-O4	-12.80	118.22	125.90
1	AA	686	U	O4'-C1'-N1	12.79	118.44	108.20
26	BB	293	U	O4'-C1'-N1	12.79	118.43	108.20
26	BB	338	G	N7-C8-N9	12.79	119.50	113.10
26	BB	690	G	N9-C4-C5	12.79	110.52	105.40
26	BB	1594	U	O4'-C1'-N1	12.79	118.43	108.20
26	BB	2599	G	C8-N9-C4	-12.79	101.28	106.40
1	AA	1181	G	C6-C5-N7	-12.78	122.73	130.40
26	BB	1088	A	C8-N9-C4	-12.78	100.69	105.80
26	BB	2374	C	C5-C4-N4	12.78	129.15	120.20
19	AS	56	ARG	NE-CZ-NH1	12.78	126.69	120.30
1	AA	1502	A	C8-N9-C4	-12.76	100.70	105.80
26	BB	1546	G	N9-C4-C5	12.76	110.50	105.40
26	BB	987	C	N3-C4-N4	12.76	126.93	118.00
26	BB	960	A	N9-C4-C5	12.75	110.90	105.80
26	BB	941	A	C8-N9-C4	-12.75	100.70	105.80
26	BB	1809	A	C8-N9-C4	-12.75	100.70	105.80
26	BB	2293	G	N3-C4-C5	-12.75	122.22	128.60
26	BB	1478	G	C5-C6-N1	12.75	117.87	111.50
1	AA	364	A	N9-C4-C5	12.74	110.90	105.80
1	AA	1028	C	C2-N3-C4	12.73	126.27	119.90
26	BB	2323	G	C8-N9-C4	-12.73	101.31	106.40
26	BB	769	U	N3-C4-O4	12.73	128.31	119.40
1	AA	109	A	C2-N3-C4	-12.73	104.23	110.60
26	BB	543	G	N9-C4-C5	12.73	110.49	105.40
1	AA	206	C	C5'-C4'-O4'	12.73	124.38	109.10
1	AA	353	A	N1-C2-N3	-12.73	122.94	129.30
26	BB	1385	A	N9-C4-C5	12.73	110.89	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2819	G	C2-N3-C4	12.72	118.26	111.90
26	BB	1508	A	O4'-C1'-N9	12.72	118.38	108.20
1	AA	1471	U	O4'-C1'-N1	12.71	118.37	108.20
26	BB	55	G	C5-C6-N1	12.71	117.86	111.50
12	AL	108	ARG	NE-CZ-NH2	-12.71	113.95	120.30
3	AC	15	G	C8-N9-C4	-12.70	101.32	106.40
1	AA	1214	C	C2-N3-C4	12.70	126.25	119.90
26	BB	2088	A	C8-N9-C4	-12.70	100.72	105.80
26	BB	539	G	C4-C5-N7	12.70	115.88	110.80
26	BB	2040	G	N3-C4-C5	-12.70	122.25	128.60
26	BB	865	C	C2-N3-C4	12.69	126.25	119.90
26	BB	1970	A	N1-C2-N3	-12.69	122.95	129.30
26	BB	2368	C	O4'-C1'-N1	12.69	118.35	108.20
26	BB	1362	C	O4'-C1'-N1	12.69	118.35	108.20
1	AA	1168	U	N1-C2-N3	12.69	122.51	114.90
1	AA	1020	G	N9-C4-C5	12.68	110.47	105.40
26	BB	2758	A	C4-C5-C6	-12.68	110.66	117.00
26	BB	2021	C	N1-C2-O2	12.68	126.50	118.90
26	BB	1098	A	C8-N9-C4	-12.67	100.73	105.80
26	BB	2610	C	N3-C4-C5	-12.67	116.83	121.90
1	AA	871	U	O4'-C1'-N1	12.66	118.33	108.20
26	BB	720	U	C4-C5-C6	12.66	127.30	119.70
26	BB	1772	A	C2-N3-C4	12.65	116.93	110.60
26	BB	375	G	C8-N9-C4	-12.65	101.34	106.40
1	AA	28	A	O4'-C1'-N9	12.65	118.32	108.20
26	BB	303	G	C5-N7-C8	-12.65	97.97	104.30
26	BB	450	G	O4'-C1'-N9	12.65	118.32	108.20
26	BB	2409	G	C5-N7-C8	-12.65	97.98	104.30
47	BW	6	ARG	NE-CZ-NH1	12.64	126.62	120.30
1	AA	557	G	N7-C8-N9	12.64	119.42	113.10
2	AB	53	G	C8-N9-C4	-12.64	101.34	106.40
26	BB	2624	G	C6-N1-C2	-12.64	117.52	125.10
26	BB	2638	G	C4-C5-N7	-12.64	105.75	110.80
1	AA	308	C	O4'-C1'-N1	12.63	118.31	108.20
26	BB	861	A	O4'-C1'-N9	12.63	118.31	108.20
1	AA	1237	C	C5-C6-N1	-12.63	114.68	121.00
26	BB	397	U	O4'-C1'-N1	12.63	118.30	108.20
26	BB	2021	C	O4'-C1'-N1	12.62	118.30	108.20
26	BB	1751	U	O4'-C1'-N1	12.62	118.30	108.20
1	AA	988	G	N3-C4-C5	-12.62	122.29	128.60
1	AA	997	U	N3-C4-O4	12.62	128.23	119.40
26	BB	2063	C	C3'-C2'-C1'	12.62	111.59	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	49	U	O4'-C1'-N1	12.62	118.29	108.20
26	BB	1846	G	N3-C4-C5	-12.61	122.29	128.60
1	AA	1157	A	C5-C6-N1	12.61	124.01	117.70
43	BS	63	ARG	NE-CZ-NH1	12.61	126.61	120.30
26	BB	431	U	C4-C5-C6	12.61	127.26	119.70
1	AA	493	A	N9-C4-C5	-12.60	100.76	105.80
49	BY	76	ARG	NE-CZ-NH2	12.60	126.60	120.30
26	BB	1891	G	N9-C4-C5	12.60	110.44	105.40
1	AA	1003	G	N9-C4-C5	12.60	110.44	105.40
26	BB	2597	G	N1-C6-O6	-12.60	112.34	119.90
1	AA	1136	C	N1-C2-O2	12.60	126.46	118.90
26	BB	225	C	O4'-C1'-N1	12.60	118.28	108.20
26	BB	1254	A	N7-C8-N9	-12.60	107.50	113.80
1	AA	109	A	O4'-C1'-N9	12.59	118.27	108.20
26	BB	1399	C	O4'-C1'-N1	12.59	118.27	108.20
26	BB	1343	G	N7-C8-N9	12.59	119.39	113.10
1	AA	833	G	N3-C2-N2	-12.59	111.09	119.90
1	AA	1470	U	C2-N3-C4	-12.59	119.45	127.00
26	BB	1115	G	C8-N9-C4	-12.59	101.36	106.40
1	AA	1244	G	C2-N3-C4	12.58	118.19	111.90
1	AA	803	G	C5-C6-O6	-12.58	121.05	128.60
25	BA	4	C	N3-C4-C5	-12.58	116.87	121.90
26	BB	101	A	N1-C6-N6	12.58	126.15	118.60
26	BB	414	C	C5-C4-N4	-12.58	111.40	120.20
1	AA	383	A	C4-C5-N7	-12.57	104.41	110.70
4	AD	12	G	O4'-C1'-N9	12.57	118.26	108.20
26	BB	303	G	N3-C4-C5	-12.57	122.31	128.60
26	BB	2496	C	C5-C6-N1	-12.57	114.71	121.00
1	AA	469	C	N3-C2-O2	-12.57	113.10	121.90
1	AA	944	G	N9-C4-C5	12.57	110.43	105.40
26	BB	901	C	C6-N1-C2	-12.57	115.27	120.30
26	BB	2729	G	N9-C4-C5	12.57	110.43	105.40
26	BB	2107	G	C4-C5-N7	-12.57	105.77	110.80
26	BB	2428	G	C4-C5-N7	-12.57	105.77	110.80
1	AA	939	G	C4-C5-N7	-12.56	105.77	110.80
1	AA	537	G	C5-C6-O6	-12.56	121.06	128.60
26	BB	1953	A	N1-C2-N3	-12.56	123.02	129.30
1	AA	1392	G	C5-N7-C8	12.56	110.58	104.30
26	BB	952	G	N3-C2-N2	12.56	128.69	119.90
1	AA	1072	G	N1-C6-O6	-12.55	112.37	119.90
26	BB	1568	G	C8-N9-C4	-12.55	101.38	106.40
26	BB	1950	G	C8-N9-C4	-12.55	101.38	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1354	A	C8-N9-C4	-12.54	100.78	105.80
1	AA	1290	G	C6-C5-N7	-12.54	122.88	130.40
26	BB	1662	U	O4'-C1'-N1	12.54	118.23	108.20
26	BB	1679	A	C5-N7-C8	12.54	110.17	103.90
1	AA	709	U	O4'-C1'-N1	12.53	118.22	108.20
1	AA	818	G	C4-C5-N7	12.53	115.81	110.80
26	BB	2276	G	C4-C5-C6	12.53	126.32	118.80
26	BB	2289	G	N3-C4-N9	12.53	133.52	126.00
1	AA	1464	U	O4'-C1'-N1	12.52	118.22	108.20
1	AA	323	U	C5-C4-O4	-12.52	118.39	125.90
25	BA	54	G	C6-N1-C2	-12.51	117.59	125.10
26	BB	24	G	C2-N3-C4	12.51	118.16	111.90
26	BB	332	A	N9-C4-C5	12.51	110.81	105.80
1	AA	258	G	C5-C6-O6	-12.51	121.09	128.60
26	BB	515	A	C4-C5-N7	12.50	116.95	110.70
26	BB	728	G	C8-N9-C4	-12.50	101.40	106.40
26	BB	2047	C	C3'-C2'-C1'	12.50	111.50	101.50
26	BB	2631	G	C5-N7-C8	-12.50	98.05	104.30
1	AA	1256	A	N1-C2-N3	-12.50	123.05	129.30
26	BB	1457	U	O4'-C1'-N1	12.50	118.20	108.20
26	BB	2393	U	N3-C2-O2	-12.50	113.45	122.20
26	BB	2427	C	N3-C2-O2	-12.50	113.15	121.90
25	BA	9	G	C8-N9-C4	-12.49	101.40	106.40
1	AA	624	C	C4-C5-C6	-12.49	111.16	117.40
26	BB	710	U	O4'-C1'-N1	12.49	118.19	108.20
26	BB	785	G	C2-N3-C4	12.49	118.14	111.90
1	AA	9	G	O4'-C1'-N9	12.48	118.19	108.20
1	AA	76	G	C4-C5-N7	12.48	115.79	110.80
1	AA	303	A	C2-N3-C4	12.48	116.84	110.60
26	BB	2181	U	O4'-C1'-N1	12.48	118.19	108.20
26	BB	2324	U	O4'-C1'-N1	12.48	118.19	108.20
32	BH	82	PHE	CB-CG-CD1	-12.48	112.06	120.80
26	BB	1094	U	C6-N1-C2	-12.48	113.51	121.00
37	BM	105	ARG	NE-CZ-NH2	-12.48	114.06	120.30
1	AA	188	C	N1-C2-O2	12.47	126.38	118.90
1	AA	211	G	N3-C2-N2	-12.47	111.17	119.90
1	AA	307	C	C6-N1-C2	-12.47	115.31	120.30
26	BB	409	G	N9-C4-C5	12.46	110.39	105.40
26	BB	2647	U	N3-C4-O4	12.46	128.12	119.40
1	AA	1177	G	N3-C4-C5	-12.46	122.37	128.60
26	BB	616	A	C8-N9-C4	-12.46	100.82	105.80
26	BB	1231	U	C2-N3-C4	-12.46	119.53	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
54	B3	9	ARG	NE-CZ-NH2	12.46	126.53	120.30
26	BB	2428	G	N3-C4-C5	-12.46	122.37	128.60
1	AA	141	G	N3-C2-N2	-12.46	111.18	119.90
26	BB	2620	C	N3-C4-C5	-12.46	116.92	121.90
1	AA	1133	G	C8-N9-C4	-12.45	101.42	106.40
1	AA	1405	G	C8-N9-C4	-12.45	101.42	106.40
1	AA	360	G	C8-N9-C4	-12.45	101.42	106.40
26	BB	1953	A	C2-N3-C4	12.45	116.82	110.60
26	BB	2680	U	O4'-C1'-N1	12.45	118.16	108.20
1	AA	1517	G	C8-N9-C4	-12.44	101.42	106.40
26	BB	1645	G	O4'-C1'-N9	12.44	118.15	108.20
1	AA	223	A	N7-C8-N9	12.44	120.02	113.80
15	AO	53	ARG	NE-CZ-NH1	12.44	126.52	120.30
26	BB	1423	G	N3-C4-C5	-12.44	122.38	128.60
26	BB	2004	G	N3-C4-C5	-12.44	122.38	128.60
1	AA	729	A	C8-N9-C4	-12.43	100.83	105.80
12	AL	105	ARG	NE-CZ-NH1	-12.43	114.09	120.30
26	BB	1063	G	C5-C6-O6	12.43	136.06	128.60
26	BB	1215	G	O4'-C1'-N9	12.43	118.14	108.20
1	AA	840	C	N1-C2-O2	12.42	126.35	118.90
26	BB	1315	C	C4-C5-C6	12.42	123.61	117.40
26	BB	2248	C	N3-C4-C5	-12.42	116.93	121.90
26	BB	2321	U	N3-C2-O2	-12.42	113.51	122.20
26	BB	177	G	N7-C8-N9	12.41	119.31	113.10
26	BB	1722	A	N9-C4-C5	-12.41	100.84	105.80
4	AD	59	A	C8-N9-C4	-12.41	100.84	105.80
26	BB	1374	G	C4-C5-N7	-12.41	105.84	110.80
1	AA	1374	A	O4'-C1'-N9	12.40	118.12	108.20
26	BB	1140	C	N1-C2-O2	12.40	126.34	118.90
26	BB	1880	U	N1-C2-N3	12.40	122.34	114.90
1	AA	1323	G	N3-C4-N9	12.40	133.44	126.00
26	BB	2152	G	N3-C4-C5	-12.40	122.40	128.60
26	BB	277	G	C8-N9-C4	-12.40	101.44	106.40
26	BB	1000	A	N1-C6-N6	-12.40	111.16	118.60
1	AA	1514	G	N3-C2-N2	-12.39	111.22	119.90
26	BB	2734	A	O4'-C1'-N9	12.39	118.11	108.20
1	AA	371	A	C2-N3-C4	12.39	116.79	110.60
26	BB	773	U	C3'-C2'-C1'	12.39	111.41	101.50
43	BS	44	TYR	CB-CG-CD1	-12.39	113.57	121.00
26	BB	2567	G	O4'-C1'-N9	12.38	118.11	108.20
1	AA	38	G	N3-C4-C5	-12.38	122.41	128.60
1	AA	1155	A	C5-N7-C8	-12.38	97.71	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	750	C	C2-N3-C4	12.38	126.09	119.90
26	BB	1048	A	C4-C5-N7	-12.37	104.51	110.70
26	BB	674	G	C6-N1-C2	-12.37	117.68	125.10
1	AA	1303	C	C6-N1-C2	-12.36	115.35	120.30
26	BB	729	G	C5-N7-C8	12.36	110.48	104.30
26	BB	806	C	N3-C4-N4	12.36	126.65	118.00
26	BB	1158	C	C2-N3-C4	12.36	126.08	119.90
42	BR	100	ARG	NE-CZ-NH2	12.36	126.48	120.30
1	AA	1397	C	N1-C2-O2	12.36	126.32	118.90
26	BB	1891	G	N7-C8-N9	12.36	119.28	113.10
1	AA	1269	A	O4'-C1'-N9	12.35	118.08	108.20
26	BB	83	A	N1-C2-N3	-12.35	123.12	129.30
26	BB	679	C	C6-N1-C2	-12.35	115.36	120.30
4	AD	46	G	C5-C6-N1	12.35	117.67	111.50
3	AC	42	U	O4'-C1'-N1	12.34	118.07	108.20
25	BA	2	G	C4-C5-N7	-12.33	105.87	110.80
26	BB	287	G	N3-C4-N9	-12.33	118.60	126.00
26	BB	2719	G	C4-C5-N7	-12.33	105.87	110.80
1	AA	89	U	O4'-C1'-N1	12.32	118.06	108.20
26	BB	865	C	N3-C4-C5	-12.32	116.97	121.90
26	BB	2822	G	C8-N9-C4	-12.32	101.47	106.40
26	BB	1074	G	C5-C6-N1	12.31	117.66	111.50
26	BB	1766	G	O4'-C1'-N9	12.31	118.05	108.20
1	AA	800	G	C8-N9-C4	-12.31	101.48	106.40
1	AA	1245	C	C2-N3-C4	12.31	126.05	119.90
4	AD	22	A	C4-C5-C6	-12.31	110.84	117.00
26	BB	2723	C	O4'-C1'-N1	12.31	118.05	108.20
1	AA	728	A	N7-C8-N9	12.31	119.95	113.80
26	BB	1674	G	C8-N9-C4	-12.30	101.48	106.40
26	BB	2250	G	N3-C4-C5	-12.30	122.45	128.60
26	BB	1106	G	N7-C8-N9	12.30	119.25	113.10
26	BB	1413	A	C5-C6-N1	12.30	123.85	117.70
7	AG	46	ARG	NE-CZ-NH1	12.30	126.45	120.30
26	BB	563	A	N9-C4-C5	12.30	110.72	105.80
26	BB	850	U	N3-C2-O2	-12.30	113.59	122.20
26	BB	2307	G	C4-C5-N7	-12.30	105.88	110.80
26	BB	772	C	C6-N1-C2	-12.29	115.38	120.30
1	AA	864	A	N1-C6-N6	-12.29	111.22	118.60
1	AA	1356	G	O4'-C1'-N9	12.29	118.03	108.20
26	BB	4	U	N3-C4-C5	-12.29	107.22	114.60
26	BB	926	G	C4-C5-N7	-12.29	105.88	110.80
1	AA	110	C	C4-C5-C6	-12.29	111.26	117.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	355	U	O4'-C1'-N1	12.28	118.02	108.20
26	BB	416	U	N3-C2-O2	-12.28	113.61	122.20
1	AA	82	G	C8-N9-C4	-12.28	101.49	106.40
17	AQ	8	ARG	NE-CZ-NH2	-12.28	114.16	120.30
51	B0	52	ARG	NE-CZ-NH1	-12.28	114.16	120.30
1	AA	1502	A	N1-C2-N3	-12.27	123.17	129.30
26	BB	706	A	N1-C2-N3	-12.27	123.17	129.30
3	AC	31	U	N1-C2-O2	-12.27	114.21	122.80
26	BB	1762	A	C8-N9-C4	-12.27	100.89	105.80
26	BB	2624	G	C5-C6-O6	-12.26	121.24	128.60
1	AA	525	C	C4-C5-C6	12.26	123.53	117.40
26	BB	2547	A	N7-C8-N9	-12.26	107.67	113.80
26	BB	2130	U	O4'-C1'-N1	12.26	118.01	108.20
26	BB	2757	A	N1-C2-N3	-12.26	123.17	129.30
26	BB	1553	A	N7-C8-N9	-12.25	107.67	113.80
26	BB	2217	G	N3-C4-C5	-12.25	122.47	128.60
1	AA	503	C	C6-N1-C2	-12.25	115.40	120.30
26	BB	1556	C	C5-C6-N1	12.25	127.12	121.00
1	AA	1110	A	N9-C4-C5	12.25	110.70	105.80
26	BB	1083	U	C1'-O4'-C4'	12.25	119.70	109.90
26	BB	2131	U	O4'-C1'-N1	12.25	118.00	108.20
26	BB	950	G	C8-N9-C4	-12.24	101.50	106.40
1	AA	593	U	C2-N3-C4	-12.24	119.66	127.00
4	AD	62	C	N1-C2-O2	12.24	126.24	118.90
4	AD	75	C	C1'-O4'-C4'	-12.24	100.11	109.90
26	BB	2659	G	C4-C5-N7	-12.24	105.90	110.80
1	AA	141	G	C5-C6-N1	12.24	117.62	111.50
26	BB	2763	G	N1-C6-O6	-12.23	112.56	119.90
1	AA	1020	G	C4-C5-N7	-12.23	105.91	110.80
26	BB	1092	C	O4'-C1'-N1	12.23	117.99	108.20
1	AA	757	U	O4'-C1'-N1	12.23	117.98	108.20
1	AA	922	G	N3-C4-C5	-12.23	122.48	128.60
2	AB	21	A	C8-N9-C4	12.23	110.69	105.80
26	BB	987	C	C5-C4-N4	-12.23	111.64	120.20
1	AA	156	C	C4-C5-C6	-12.22	111.29	117.40
26	BB	1308	A	O4'-C1'-N9	12.22	117.98	108.20
1	AA	805	C	N3-C4-C5	-12.22	117.01	121.90
34	BJ	45	ARG	NE-CZ-NH2	-12.22	114.19	120.30
1	AA	1294	G	C2-N3-C4	12.22	118.01	111.90
1	AA	349	A	C4-C5-C6	-12.21	110.89	117.00
1	AA	588	G	C5-N7-C8	-12.21	98.19	104.30
26	BB	1554	U	O4'-C1'-N1	12.21	117.97	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	219	U	O4'-C1'-N1	12.21	117.97	108.20
2	AB	7	G	C8-N9-C4	-12.21	101.52	106.40
26	BB	544	C	C6-N1-C2	-12.21	115.42	120.30
26	BB	836	G	N3-C4-N9	-12.20	118.68	126.00
1	AA	814	A	N9-C4-C5	12.20	110.68	105.80
26	BB	2677	G	N3-C4-C5	-12.20	122.50	128.60
1	AA	1524	C	C6-N1-C2	-12.19	115.42	120.30
26	BB	533	G	C4-C5-N7	12.19	115.68	110.80
26	BB	573	U	C6-N1-C2	-12.19	113.68	121.00
26	BB	2218	G	N3-C4-C5	-12.20	122.50	128.60
26	BB	60	G	C2-N3-C4	12.19	118.00	111.90
26	BB	267	C	N1-C2-O2	12.19	126.22	118.90
26	BB	130	C	C2-N3-C4	12.19	125.99	119.90
1	AA	907	A	C5'-C4'-O4'	12.18	123.72	109.10
26	BB	1519	G	C4-C5-N7	-12.18	105.93	110.80
36	BL	120	ARG	NE-CZ-NH2	12.18	126.39	120.30
26	BB	247	G	C8-N9-C4	-12.18	101.53	106.40
26	BB	1170	C	N3-C4-C5	-12.18	117.03	121.90
26	BB	318	C	O4'-C1'-N1	12.18	117.94	108.20
26	BB	2495	G	N3-C4-N9	12.18	133.31	126.00
26	BB	1805	A	O4'-C1'-N9	12.17	117.94	108.20
26	BB	713	G	N7-C8-N9	12.17	119.19	113.10
26	BB	2521	C	C4-C5-C6	-12.17	111.31	117.40
27	BC	9	ARG	NE-CZ-NH2	12.17	126.39	120.30
26	BB	698	C	O4'-C1'-N1	12.17	117.93	108.20
1	AA	59	A	C8-N9-C4	-12.16	100.93	105.80
26	BB	610	C	N3-C4-C5	-12.16	117.03	121.90
26	BB	120	U	O4'-C1'-N1	12.16	117.93	108.20
26	BB	2749	A	C2-N3-C4	12.16	116.68	110.60
26	BB	23	G	N1-C2-N3	12.16	131.19	123.90
26	BB	1179	G	C8-N9-C4	-12.16	101.54	106.40
26	BB	921	C	N3-C2-O2	-12.15	113.39	121.90
26	BB	2248	C	N1-C2-O2	12.15	126.19	118.90
26	BB	2125	G	C8-N9-C4	-12.15	101.54	106.40
25	BA	68	C	N3-C4-C5	-12.15	117.04	121.90
26	BB	2	G	C6-C5-N7	-12.14	123.11	130.40
26	BB	2856	A	C4-C5-C6	-12.14	110.93	117.00
1	AA	1131	G	C2-N3-C4	12.14	117.97	111.90
1	AA	1294	G	C8-N9-C4	-12.13	101.55	106.40
26	BB	650	C	N1-C2-O2	12.13	126.18	118.90
26	BB	886	A	C8-N9-C4	-12.13	100.95	105.80
26	BB	2610	C	O4'-C1'-N1	12.13	117.91	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	309	A	O4'-C1'-N9	12.13	117.91	108.20
26	BB	1936	A	C8-N9-C4	-12.13	100.95	105.80
26	BB	717	C	O4'-C1'-N1	12.13	117.90	108.20
26	BB	1593	A	O4'-C1'-N9	12.13	117.90	108.20
1	AA	1473	G	N3-C4-C5	-12.12	122.54	128.60
26	BB	1601	G	C5-N7-C8	-12.13	98.24	104.30
26	BB	396	G	C5-N7-C8	12.12	110.36	104.30
26	BB	1973	G	N3-C4-C5	-12.12	122.54	128.60
1	AA	227	G	C2-N3-C4	12.12	117.96	111.90
1	AA	1501	C	N3-C4-C5	-12.12	117.05	121.90
1	AA	107	G	O4'-C1'-N9	12.12	117.90	108.20
26	BB	123	G	C2-N3-C4	12.12	117.96	111.90
26	BB	287	G	N9-C4-C5	12.12	110.25	105.40
1	AA	36	C	C4-C5-C6	12.11	123.46	117.40
1	AA	351	G	N9-C4-C5	12.11	110.25	105.40
1	AA	928	G	N3-C4-C5	-12.11	122.55	128.60
1	AA	1344	C	C6-N1-C2	-12.11	115.45	120.30
26	BB	109	C	C5'-C4'-O4'	12.11	123.64	109.10
26	BB	523	C	O4'-C1'-N1	12.11	117.89	108.20
26	BB	1414	C	O4'-C1'-N1	12.11	117.89	108.20
1	AA	1078	U	N3-C2-O2	-12.11	113.73	122.20
26	BB	2046	G	C5-N7-C8	-12.11	98.25	104.30
26	BB	549	G	N9-C4-C5	-12.10	100.56	105.40
26	BB	2814	A	O4'-C1'-N9	12.10	117.88	108.20
26	BB	557	C	N3-C4-C5	-12.10	117.06	121.90
26	BB	1756	G	N1-C6-O6	-12.09	112.65	119.90
26	BB	2485	G	N1-C6-O6	-12.09	112.64	119.90
26	BB	2554	U	O4'-C1'-N1	12.09	117.87	108.20
1	AA	589	U	N3-C4-C5	-12.09	107.35	114.60
1	AA	338	A	C5-N7-C8	-12.09	97.86	103.90
26	BB	1765	U	N1-C2-N3	12.09	122.15	114.90
26	BB	2714	G	C5-C6-O6	-12.08	121.35	128.60
26	BB	2728	U	O4'-C1'-N1	12.08	117.86	108.20
1	AA	498	A	C5-C6-N1	12.07	123.73	117.70
1	AA	1414	U	C5-C6-N1	12.07	128.74	122.70
1	AA	1082	A	C2-N3-C4	12.07	116.64	110.60
26	BB	903	C	C6-N1-C2	-12.07	115.47	120.30
26	BB	1493	C	O4'-C1'-N1	12.07	117.86	108.20
26	BB	339	U	O4'-C1'-N1	12.07	117.85	108.20
26	BB	796	C	O4'-C1'-N1	12.06	117.85	108.20
1	AA	569	C	O4'-C1'-N1	12.06	117.85	108.20
26	BB	760	G	C8-N9-C4	-12.06	101.58	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2594	C	C6-N1-C2	-12.06	115.47	120.30
26	BB	2428	G	N1-C2-N3	-12.06	116.66	123.90
1	AA	82	G	N7-C8-N9	12.06	119.13	113.10
1	AA	940	C	O4'-C1'-N1	12.05	117.84	108.20
26	BB	1180	U	O4'-C1'-N1	12.05	117.84	108.20
26	BB	1189	A	C5-N7-C8	12.05	109.93	103.90
26	BB	2217	G	N9-C4-C5	12.05	110.22	105.40
26	BB	2845	U	N3-C4-O4	12.05	127.84	119.40
26	BB	282	A	N9-C4-C5	12.05	110.62	105.80
26	BB	2870	C	C5-C6-N1	12.05	127.03	121.00
26	BB	1728	C	C6-N1-C2	-12.05	115.48	120.30
26	BB	2293	G	N3-C2-N2	-12.05	111.47	119.90
25	BA	112	G	C6-N1-C2	-12.05	117.87	125.10
1	AA	917	G	C8-N9-C4	-12.04	101.58	106.40
1	AA	1072	G	C5-C6-N1	12.04	117.52	111.50
26	BB	2113	U	O4'-C1'-N1	12.04	117.83	108.20
1	AA	1230	C	O4'-C1'-N1	12.04	117.83	108.20
30	BF	88	ARG	NE-CZ-NH1	-12.04	114.28	120.30
1	AA	350	G	C8-N9-C4	-12.04	101.58	106.40
1	AA	1343	G	C8-N9-C4	-12.04	101.58	106.40
26	BB	517	C	C6-N1-C2	-12.04	115.48	120.30
26	BB	277	G	N3-C4-C5	-12.03	122.58	128.60
26	BB	780	G	N1-C6-O6	-12.04	112.68	119.90
26	BB	2370	G	C2-N3-C4	12.04	117.92	111.90
1	AA	682	G	C4-C5-C6	12.03	126.02	118.80
26	BB	2495	G	N1-C6-O6	12.03	127.12	119.90
26	BB	587	C	C6-N1-C2	12.03	125.11	120.30
26	BB	776	G	C4-C5-N7	-12.03	105.99	110.80
26	BB	16	C	N3-C4-C5	-12.02	117.09	121.90
26	BB	341	C	N3-C4-N4	12.02	126.42	118.00
6	AF	131	ARG	NE-CZ-NH1	12.02	126.31	120.30
25	BA	69	G	N9-C4-C5	12.02	110.21	105.40
26	BB	271	G	C5-C6-O6	-12.02	121.39	128.60
26	BB	493	G	N3-C2-N2	-12.02	111.49	119.90
28	BD	47	ARG	NE-CZ-NH2	-12.02	114.29	120.30
1	AA	1290	G	C5-N7-C8	-12.01	98.29	104.30
1	AA	113	G	N3-C2-N2	-12.01	111.49	119.90
1	AA	833	G	C6-N1-C2	-12.01	117.89	125.10
1	AA	992	U	N3-C2-O2	-12.01	113.79	122.20
1	AA	85	U	N3-C2-O2	-12.01	113.79	122.20
1	AA	1227	A	N1-C2-N3	-12.01	123.30	129.30
26	BB	215	G	C5-C6-N1	12.01	117.50	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2565	A	N1-C2-N3	-12.01	123.30	129.30
26	BB	2373	G	C8-N9-C4	-12.00	101.60	106.40
1	AA	57	G	C8-N9-C4	-12.00	101.60	106.40
1	AA	1287	A	C8-N9-C4	-12.00	101.00	105.80
26	BB	558	U	C5-C6-N1	-12.00	116.70	122.70
26	BB	625	G	C4-C5-N7	-12.00	106.00	110.80
1	AA	68	G	C8-N9-C4	-12.00	101.60	106.40
26	BB	2034	U	N3-C2-O2	-12.00	113.80	122.20
55	B4	43	ARG	NE-CZ-NH2	12.00	126.30	120.30
1	AA	503	C	C5-C6-N1	11.99	127.00	121.00
26	BB	2046	G	N3-C2-N2	11.99	128.29	119.90
26	BB	2694	G	O4'-C1'-N9	11.99	117.79	108.20
27	BC	74	ARG	NE-CZ-NH1	11.99	126.30	120.30
1	AA	211	G	C8-N9-C4	-11.99	101.61	106.40
1	AA	1084	G	C8-N9-C4	-11.98	101.61	106.40
32	BH	163	TYR	CB-CG-CD2	-11.98	113.81	121.00
47	BW	81	ARG	NE-CZ-NH2	-11.98	114.31	120.30
1	AA	1501	C	N3-C2-O2	-11.98	113.52	121.90
1	AA	205	A	C8-N9-C4	-11.98	101.01	105.80
26	BB	312	G	N3-C4-C5	-11.98	122.61	128.60
1	AA	1030	U	N3-C4-C5	-11.97	107.42	114.60
1	AA	877	G	N9-C4-C5	11.97	110.19	105.40
25	BA	67	G	C5-N7-C8	-11.97	98.31	104.30
26	BB	915	C	C5-C6-N1	11.97	126.99	121.00
26	BB	2901	C	O4'-C1'-N1	11.97	117.77	108.20
26	BB	2314	A	C5-C6-N1	11.96	123.68	117.70
26	BB	2323	G	C5'-C4'-O4'	11.96	123.45	109.10
26	BB	1490	A	C5-C6-N1	-11.96	111.72	117.70
4	AD	13	C	C2-N3-C4	11.96	125.88	119.90
26	BB	2467	C	C5-C6-N1	11.96	126.98	121.00
1	AA	1435	G	O4'-C1'-N9	11.95	117.76	108.20
26	BB	418	C	N1-C2-O2	11.95	126.07	118.90
26	BB	1254	A	C5-N7-C8	11.95	109.88	103.90
26	BB	1535	A	N7-C8-N9	11.95	119.78	113.80
26	BB	1547	C	N3-C4-C5	-11.95	117.12	121.90
1	AA	1521	C	C2-N3-C4	11.95	125.87	119.90
26	BB	1080	A	C4-C5-C6	11.95	122.97	117.00
26	BB	1162	G	N7-C8-N9	11.95	119.07	113.10
26	BB	2655	G	N9-C4-C5	11.94	110.18	105.40
26	BB	2889	C	C2-N3-C4	11.94	125.87	119.90
1	AA	1193	G	C8-N9-C4	-11.94	101.62	106.40
26	BB	1878	G	C5-C6-O6	-11.94	121.44	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
33	BI	50	ARG	NE-CZ-NH2	-11.94	114.33	120.30
26	BB	374	A	C8-N9-C4	-11.94	101.03	105.80
26	BB	1683	U	O4'-C1'-N1	11.94	117.75	108.20
26	BB	2155	U	O4'-C1'-N1	11.94	117.75	108.20
1	AA	1482	G	N3-C4-C5	-11.93	122.63	128.60
1	AA	1272	G	C5-C6-N1	11.93	117.47	111.50
2	AB	26	A	N9-C4-C5	-11.93	101.03	105.80
26	BB	1233	C	N3-C4-C5	-11.93	117.13	121.90
26	BB	1250	G	C4-C5-N7	-11.93	106.03	110.80
28	BD	211	ARG	NE-CZ-NH2	-11.93	114.34	120.30
26	BB	2434	A	N9-C4-C5	11.93	110.57	105.80
26	BB	54	G	C4'-C3'-C2'	-11.93	90.67	102.60
26	BB	1055	G	C5-C6-N1	11.92	117.46	111.50
11	AK	127	TYR	CB-CG-CD1	11.92	128.15	121.00
40	BP	4	ARG	NE-CZ-NH2	-11.92	114.34	120.30
26	BB	2475	C	N3-C4-C5	-11.91	117.13	121.90
26	BB	430	A	C2-N3-C4	11.91	116.56	110.60
1	AA	1033	G	C5-C6-O6	-11.91	121.46	128.60
26	BB	623	C	N1-C2-O2	11.91	126.04	118.90
26	BB	770	G	C5-N7-C8	-11.90	98.35	104.30
26	BB	140	C	C2-N3-C4	11.90	125.85	119.90
26	BB	392	U	N3-C2-O2	-11.90	113.87	122.20
1	AA	865	A	C4-C5-C6	-11.89	111.05	117.00
1	AA	1136	C	C6-N1-C2	-11.89	115.54	120.30
1	AA	281	G	C4-C5-N7	-11.88	106.05	110.80
26	BB	1233	C	C6-N1-C2	-11.88	115.55	120.30
26	BB	1791	A	O4'-C4'-C3'	11.88	115.89	104.00
26	BB	1900	A	C5-C6-N1	11.89	123.64	117.70
1	AA	225	C	N3-C4-C5	-11.88	117.15	121.90
26	BB	301	G	C4-C5-N7	-11.88	106.05	110.80
26	BB	423	A	C5-C6-N1	11.88	123.64	117.70
26	BB	410	G	C6-N1-C2	-11.87	117.98	125.10
26	BB	1813	G	N3-C4-C5	-11.87	122.66	128.60
3	AC	27	A	O4'-C1'-N9	11.87	117.70	108.20
24	AX	65	ARG	NE-CZ-NH2	-11.87	114.37	120.30
26	BB	933	A	C4-C5-N7	-11.87	104.77	110.70
1	AA	540	G	C8-N9-C4	-11.87	101.65	106.40
1	AA	794	A	N1-C2-N3	11.87	135.23	129.30
26	BB	720	U	C5-C6-N1	-11.87	116.77	122.70
26	BB	2659	G	N9-C4-C5	11.87	110.15	105.40
1	AA	1031	C	N1-C2-O2	11.86	126.02	118.90
26	BB	26	G	N3-C2-N2	-11.86	111.60	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2331	G	C4-C5-N7	11.86	115.54	110.80
26	BB	179	C	O4'-C1'-N1	11.86	117.69	108.20
26	BB	1275	A	O4'-C1'-N9	11.86	117.69	108.20
1	AA	1284	C	O4'-C1'-N1	11.85	117.68	108.20
26	BB	436	C	C2-N3-C4	-11.85	113.97	119.90
26	BB	2026	U	C5-C6-N1	-11.85	116.77	122.70
26	BB	2721	A	O4'-C1'-N9	11.85	117.68	108.20
34	BJ	55	ARG	NE-CZ-NH2	-11.85	114.37	120.30
1	AA	865	A	N1-C6-N6	-11.85	111.49	118.60
1	AA	1306	A	N3-C4-N9	-11.85	117.92	127.40
3	AC	13	A	O4'-C1'-N9	11.85	117.68	108.20
25	BA	91	C	O4'-C1'-N1	11.85	117.68	108.20
26	BB	223	A	N1-C2-N3	11.85	135.22	129.30
1	AA	941	G	O4'-C1'-N9	11.85	117.68	108.20
26	BB	2347	C	O4'-C1'-N1	11.85	117.68	108.20
29	BE	33	ARG	NE-CZ-NH2	11.85	126.22	120.30
26	BB	1294	U	C5-C4-O4	11.84	133.01	125.90
1	AA	1098	C	O4'-C1'-N1	11.84	117.67	108.20
1	AA	1341	U	C5-C6-N1	-11.84	116.78	122.70
26	BB	1023	U	O4'-C1'-N1	11.84	117.67	108.20
1	AA	502	A	C8-N9-C4	-11.84	101.06	105.80
37	BM	71	ARG	NE-CZ-NH2	-11.84	114.38	120.30
1	AA	1186	G	C5-N7-C8	-11.84	98.38	104.30
26	BB	71	A	O4'-C1'-N9	11.83	117.67	108.20
26	BB	963	U	O4'-C1'-N1	11.83	117.67	108.20
26	BB	1289	C	C3'-C2'-C1'	11.83	110.97	101.50
26	BB	2282	G	N3-C4-C5	-11.83	122.68	128.60
4	AD	60	A	O4'-C1'-N9	11.83	117.66	108.20
26	BB	145	C	N3-C4-C5	11.83	126.63	121.90
26	BB	1612	C	N1-C2-O2	11.83	126.00	118.90
26	BB	1884	G	N9-C4-C5	11.83	110.13	105.40
26	BB	1423	G	C4-C5-N7	-11.82	106.07	110.80
26	BB	1355	G	O4'-C1'-N9	11.82	117.66	108.20
26	BB	2294	G	C8-N9-C4	-11.82	101.67	106.40
1	AA	1255	G	N3-C2-N2	-11.82	111.63	119.90
26	BB	1475	G	C4-C5-N7	-11.81	106.08	110.80
1	AA	409	U	N1-C2-N3	11.81	121.99	114.90
1	AA	965	U	C5-C6-N1	-11.81	116.80	122.70
26	BB	601	C	C5'-C4'-O4'	11.81	123.27	109.10
1	AA	895	G	O4'-C1'-N9	11.80	117.64	108.20
26	BB	274	C	N3-C4-C5	-11.80	117.18	121.90
54	B3	51	ARG	NE-CZ-NH2	11.80	126.20	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2337	G	N1-C2-N2	11.80	126.82	116.20
55	B4	43	ARG	NE-CZ-NH1	-11.80	114.40	120.30
26	BB	160	A	C5-N7-C8	11.79	109.80	103.90
26	BB	211	C	O4'-C1'-N1	11.79	117.64	108.20
26	BB	867	C	C5-C4-N4	-11.79	111.94	120.20
26	BB	1301	A	N1-C6-N6	-11.79	111.52	118.60
1	AA	845	A	O4'-C4'-C3'	11.79	115.79	104.00
1	AA	1119	C	O4'-C1'-N1	11.79	117.63	108.20
3	AC	17	U	O4'-C1'-N1	11.79	117.63	108.20
26	BB	2242	G	C8-N9-C4	-11.79	101.69	106.40
1	AA	781	A	O4'-C1'-N9	11.78	117.62	108.20
26	BB	2004	G	N3-C4-N9	11.78	133.07	126.00
26	BB	2118	U	O4'-C1'-N1	11.78	117.62	108.20
26	BB	2870	C	N3-C4-C5	11.78	126.61	121.90
1	AA	1148	U	O4'-C1'-N1	11.77	117.62	108.20
26	BB	999	U	C5-C6-N1	-11.77	116.81	122.70
25	BA	62	C	N3-C2-O2	-11.77	113.66	121.90
26	BB	1197	G	C2-N3-C4	11.77	117.78	111.90
1	AA	1429	A	N9-C4-C5	11.77	110.51	105.80
26	BB	709	U	N3-C4-O4	11.77	127.64	119.40
26	BB	1899	A	C8-N9-C4	-11.77	101.09	105.80
26	BB	2037	A	C5-C6-N1	11.77	123.58	117.70
26	BB	2331	G	N1-C6-O6	11.77	126.96	119.90
3	AC	42	U	N3-C4-O4	11.76	127.64	119.40
3	AC	58	C	C6-N1-C2	-11.76	115.59	120.30
26	BB	938	G	N3-C4-C5	-11.76	122.72	128.60
26	BB	2386	A	O4'-C1'-N9	11.76	117.61	108.20
26	BB	1397	U	N3-C4-C5	-11.76	107.54	114.60
26	BB	2490	G	N9-C4-C5	11.76	110.11	105.40
26	BB	2591	C	C5-C4-N4	-11.76	111.97	120.20
1	AA	1502	A	O4'-C1'-N9	11.76	117.61	108.20
1	AA	449	G	C8-N9-C4	-11.76	101.70	106.40
26	BB	442	G	C5-C6-O6	-11.76	121.54	128.60
26	BB	1345	C	C5-C4-N4	-11.76	111.97	120.20
1	AA	72	A	C2-N3-C4	11.76	116.48	110.60
1	AA	602	A	N1-C2-N3	-11.76	123.42	129.30
8	AH	127	TYR	CB-CG-CD2	-11.76	113.95	121.00
4	AD	36	A	N9-C4-C5	-11.75	101.10	105.80
26	BB	2590	A	N9-C4-C5	11.75	110.50	105.80
26	BB	1122	G	C4-C5-N7	-11.75	106.10	110.80
26	BB	1724	G	C8-N9-C4	-11.75	101.70	106.40
26	BB	661	A	O4'-C1'-N9	11.75	117.60	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	231	U	C3'-C2'-C1'	11.74	110.89	101.50
26	BB	1120	G	C6-C5-N7	-11.74	123.36	130.40
1	AA	257	G	N3-C2-N2	-11.74	111.68	119.90
26	BB	214	G	C8-N9-C4	-11.74	101.70	106.40
1	AA	350	G	C4-C5-N7	-11.73	106.11	110.80
2	AB	59	G	C5-C6-O6	-11.73	121.56	128.60
26	BB	532	A	C8-N9-C4	-11.73	101.11	105.80
1	AA	1024	G	C5-C6-N1	11.73	117.36	111.50
26	BB	2466	C	C6-N1-C2	-11.73	115.61	120.30
26	BB	2777	G	N1-C6-O6	11.73	126.94	119.90
1	AA	974	A	O4'-C1'-N9	11.73	117.58	108.20
1	AA	1030	U	C5-C4-O4	11.73	132.94	125.90
26	BB	2136	G	C4'-C3'-C2'	-11.73	90.87	102.60
1	AA	104	G	C8-N9-C4	-11.72	101.71	106.40
1	AA	840	C	C5'-C4'-O4'	11.72	123.17	109.10
25	BA	16	G	C5-C6-N1	11.72	117.36	111.50
26	BB	1386	C	O4'-C1'-N1	11.72	117.58	108.20
26	BB	863	A	C2-N3-C4	11.72	116.46	110.60
1	AA	1342	C	O4'-C1'-N1	11.72	117.58	108.20
26	BB	2314	A	C8-N9-C4	11.72	110.49	105.80
25	BA	51	G	N3-C2-N2	-11.71	111.70	119.90
1	AA	159	G	N9-C4-C5	11.71	110.08	105.40
1	AA	1107	C	C6-N1-C2	11.71	124.98	120.30
26	BB	200	U	C5-C6-N1	-11.71	116.84	122.70
26	BB	1016	G	C4-C5-N7	-11.71	106.11	110.80
4	AD	22	A	C1'-O4'-C4'	-11.71	100.53	109.90
26	BB	979	A	C5-N7-C8	11.71	109.75	103.90
26	BB	982	C	C6-N1-C2	-11.71	115.62	120.30
26	BB	2280	G	N1-C6-O6	-11.71	112.87	119.90
1	AA	1176	A	C5-C6-N1	11.71	123.55	117.70
1	AA	657	U	O4'-C1'-N1	11.70	117.56	108.20
26	BB	661	A	N1-C6-N6	11.70	125.62	118.60
26	BB	613	A	C4-C5-C6	-11.70	111.15	117.00
1	AA	646	G	N3-C4-C5	-11.70	122.75	128.60
26	BB	204	A	O4'-C1'-N9	11.70	117.56	108.20
26	BB	1064	C	N3-C4-C5	-11.69	117.22	121.90
26	BB	1214	A	N1-C2-N3	-11.70	123.45	129.30
26	BB	836	G	N9-C4-C5	11.69	110.08	105.40
26	BB	1482	G	C4-C5-N7	11.69	115.48	110.80
26	BB	2402	U	C2-N3-C4	-11.69	119.98	127.00
40	BP	90	ARG	NE-CZ-NH1	11.69	126.14	120.30
26	BB	54	G	N9-C4-C5	11.69	110.08	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2745	C	O4'-C1'-N1	11.68	117.55	108.20
1	AA	764	C	P-O3'-C3'	11.68	133.72	119.70
26	BB	903	C	N3-C4-C5	-11.68	117.23	121.90
26	BB	2769	U	C5-C6-N1	-11.68	116.86	122.70
26	BB	2808	G	C4-C5-N7	11.68	115.47	110.80
26	BB	1797	G	N7-C8-N9	11.68	118.94	113.10
26	BB	2540	C	N1-C2-O2	11.68	125.91	118.90
26	BB	2410	G	C5-N7-C8	11.67	110.14	104.30
26	BB	685	A	C5-C6-N1	11.67	123.54	117.70
1	AA	1028	C	C1'-O4'-C4'	-11.67	100.56	109.90
26	BB	612	G	C4-C5-N7	-11.67	106.13	110.80
26	BB	933	A	C5-N7-C8	11.67	109.73	103.90
1	AA	1426	G	C6-C5-N7	-11.67	123.40	130.40
26	BB	1512	C	O4'-C1'-N1	11.67	117.53	108.20
26	BB	1230	A	C5-C6-N1	11.66	123.53	117.70
26	BB	621	A	N1-C6-N6	-11.66	111.60	118.60
26	BB	2553	G	N3-C4-C5	-11.66	122.77	128.60
1	AA	329	A	C5-N7-C8	11.66	109.73	103.90
26	BB	2466	C	C5-C4-N4	-11.66	112.04	120.20
1	AA	441	A	N1-C6-N6	-11.65	111.61	118.60
1	AA	1103	C	N1-C2-O2	11.65	125.89	118.90
1	AA	1386	G	C5-N7-C8	-11.65	98.47	104.30
26	BB	971	G	C6-N1-C2	-11.65	118.11	125.10
26	BB	1909	C	N1-C2-O2	11.65	125.89	118.90
26	BB	2087	G	N1-C2-N3	-11.65	116.91	123.90
1	AA	556	C	O4'-C1'-N1	11.65	117.52	108.20
1	AA	144	G	N7-C8-N9	11.65	118.92	113.10
26	BB	48	G	N3-C4-C5	-11.65	122.78	128.60
26	BB	951	C	N1-C2-O2	11.65	125.89	118.90
26	BB	1022	G	C2-N3-C4	11.65	117.72	111.90
26	BB	1526	C	C6-N1-C2	11.65	124.96	120.30
1	AA	903	G	C2-N3-C4	11.64	117.72	111.90
26	BB	388	G	N7-C8-N9	11.64	118.92	113.10
26	BB	1601	G	N7-C8-N9	11.64	118.92	113.10
26	BB	2454	G	C4-C5-N7	-11.64	106.14	110.80
26	BB	2446	G	C5-C6-N1	11.64	117.32	111.50
26	BB	2859	G	N3-C2-N2	11.63	128.04	119.90
26	BB	9	G	N1-C6-O6	11.63	126.88	119.90
26	BB	105	C	O4'-C1'-N1	11.63	117.50	108.20
26	BB	759	G	C6-N1-C2	-11.63	118.12	125.10
26	BB	941	A	N9-C4-C5	11.63	110.45	105.80
1	AA	418	C	C4-C5-C6	11.63	123.21	117.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1286	U	O4'-C1'-N1	11.63	117.50	108.20
26	BB	1817	G	C8-N9-C4	-11.63	101.75	106.40
26	BB	2325	G	C4-C5-N7	-11.63	106.15	110.80
1	AA	1416	G	N9-C4-C5	11.63	110.05	105.40
26	BB	1205	A	N1-C2-N3	-11.62	123.49	129.30
1	AA	626	G	N7-C8-N9	11.62	118.91	113.10
1	AA	1206	G	N1-C6-O6	-11.62	112.93	119.90
26	BB	2545	G	C2-N3-C4	11.62	117.71	111.90
1	AA	1034	G	O4'-C1'-N9	11.62	117.50	108.20
26	BB	1452	G	C1'-O4'-C4'	-11.62	100.61	109.90
26	BB	340	A	O4'-C1'-N9	11.61	117.49	108.20
26	BB	796	C	N3-C4-C5	-11.61	117.26	121.90
26	BB	1580	A	N1-C6-N6	-11.61	111.63	118.60
1	AA	198	G	C4-C5-N7	11.61	115.44	110.80
1	AA	204	G	C8-N9-C4	-11.61	101.76	106.40
1	AA	643	C	C4-C5-C6	-11.61	111.60	117.40
26	BB	277	G	N9-C4-C5	11.61	110.04	105.40
26	BB	1888	G	O4'-C1'-N9	11.61	117.49	108.20
1	AA	648	A	N1-C6-N6	11.61	125.56	118.60
26	BB	19	A	N1-C6-N6	-11.61	111.64	118.60
26	BB	2703	C	N3-C4-C5	-11.61	117.26	121.90
4	AD	51	U	O4'-C1'-N1	11.60	117.48	108.20
1	AA	1015	G	C8-N9-C4	-11.60	101.76	106.40
2	AB	51	G	C2-N3-C4	11.60	117.70	111.90
26	BB	535	G	N9-C4-C5	11.60	110.04	105.40
26	BB	1945	G	N7-C8-N9	-11.60	107.30	113.10
26	BB	2223	G	C8-N9-C4	-11.60	101.76	106.40
1	AA	287	U	O4'-C1'-N1	11.60	117.48	108.20
26	BB	1382	G	C2-N3-C4	11.60	117.70	111.90
1	AA	581	G	N3-C4-C5	-11.60	122.80	128.60
1	AA	1355	G	N3-C4-C5	-11.60	122.80	128.60
1	AA	593	U	C5-C4-O4	-11.59	118.94	125.90
1	AA	206	C	N3-C4-N4	11.59	126.11	118.00
26	BB	262	A	O4'-C1'-N9	11.59	117.47	108.20
1	AA	42	G	C8-N9-C4	-11.59	101.77	106.40
14	AN	8	ARG	NE-CZ-NH1	11.59	126.09	120.30
26	BB	281	C	C5-C6-N1	11.59	126.79	121.00
26	BB	55	G	C5-N7-C8	-11.58	98.51	104.30
26	BB	2121	G	N3-C4-C5	-11.58	122.81	128.60
1	AA	54	C	O4'-C1'-N1	11.58	117.47	108.20
1	AA	1054	C	O4'-C1'-N1	11.58	117.47	108.20
2	AB	9	A	N1-C6-N6	-11.58	111.65	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2158	A	C8-N9-C4	-11.58	101.17	105.80
26	BB	2422	C	C2-N3-C4	11.58	125.69	119.90
25	BA	113	C	C2-N3-C4	11.58	125.69	119.90
26	BB	250	G	C8-N9-C4	-11.58	101.77	106.40
26	BB	335	C	C2-N3-C4	11.58	125.69	119.90
26	BB	1354	A	N9-C4-C5	11.58	110.43	105.80
26	BB	476	G	C8-N9-C4	-11.57	101.77	106.40
3	AC	31	U	N1-C2-N3	11.57	121.84	114.90
25	BA	112	G	N9-C4-C5	11.57	110.03	105.40
26	BB	1120	G	O4'-C1'-N9	11.57	117.46	108.20
1	AA	536	C	C2-N3-C4	-11.57	114.12	119.90
1	AA	1131	G	N3-C4-C5	-11.57	122.82	128.60
1	AA	1536	C	O4'-C1'-N1	11.57	117.45	108.20
1	AA	345	C	C5-C4-N4	-11.56	112.11	120.20
26	BB	1199	U	C5-C4-O4	-11.56	118.96	125.90
26	BB	2613	U	O4'-C1'-N1	11.56	117.45	108.20
15	AO	35	ARG	NE-CZ-NH2	-11.56	114.52	120.30
26	BB	23	G	C6-C5-N7	-11.56	123.47	130.40
26	BB	487	C	O4'-C1'-N1	11.56	117.45	108.20
26	BB	831	G	O4'-C1'-N9	11.56	117.44	108.20
26	BB	155	A	C8-N9-C4	-11.55	101.18	105.80
26	BB	589	U	C4-C5-C6	11.55	126.63	119.70
3	AC	22	G	N7-C8-N9	-11.55	107.33	113.10
26	BB	2074	U	C4-C5-C6	11.55	126.63	119.70
26	BB	2173	A	N9-C4-C5	11.55	110.42	105.80
26	BB	1224	U	N1-C2-N3	11.54	121.83	114.90
26	BB	912	C	C2-N3-C4	11.54	125.67	119.90
1	AA	242	G	O4'-C1'-N9	11.54	117.43	108.20
26	BB	718	A	O4'-C1'-N9	11.54	117.43	108.20
4	AD	20	G	C3'-C2'-C1'	-11.53	92.27	101.50
4	AD	39	A	O4'-C1'-N9	11.53	117.43	108.20
26	BB	1940	U	C1'-O4'-C4'	-11.54	100.67	109.90
1	AA	1447	A	N1-C2-N3	-11.53	123.53	129.30
26	BB	201	C	N3-C4-C5	-11.53	117.29	121.90
26	BB	1436	G	N9-C4-C5	-11.53	100.79	105.40
26	BB	974	G	N3-C4-N9	11.53	132.92	126.00
26	BB	2813	A	C4-C5-N7	11.53	116.46	110.70
1	AA	669	G	C2-N3-C4	11.53	117.66	111.90
26	BB	388	G	C8-N9-C4	-11.53	101.79	106.40
23	AW	9	ARG	NE-CZ-NH1	11.53	126.06	120.30
1	AA	340	U	N3-C4-O4	11.52	127.47	119.40
45	BU	11	ARG	NE-CZ-NH2	-11.52	114.54	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	838	C	N3-C4-C5	-11.52	117.29	121.90
26	BB	1006	C	C5-C4-N4	11.52	128.26	120.20
26	BB	303	G	N7-C8-N9	11.52	118.86	113.10
1	AA	239	U	O4'-C1'-N1	11.52	117.41	108.20
26	BB	951	C	O4'-C1'-N1	11.52	117.41	108.20
26	BB	1721	G	N3-C4-C5	-11.52	122.84	128.60
26	BB	10	A	C5-N7-C8	11.51	109.66	103.90
26	BB	617	G	C6-N1-C2	-11.51	118.19	125.10
26	BB	835	C	O4'-C1'-N1	11.51	117.41	108.20
26	BB	2248	C	N3-C4-N4	11.51	126.06	118.00
26	BB	271	G	N3-C4-C5	-11.51	122.84	128.60
1	AA	1195	C	N3-C4-C5	-11.51	117.30	121.90
26	BB	460	A	N1-C2-N3	-11.51	123.55	129.30
3	AC	47	C	C4-C5-C6	11.51	123.15	117.40
26	BB	2060	A	C8-N9-C4	-11.51	101.20	105.80
26	BB	2203	U	O4'-C1'-N1	11.51	117.41	108.20
1	AA	603	U	C5-C6-N1	-11.50	116.95	122.70
26	BB	1197	G	C4-C5-C6	11.50	125.70	118.80
26	BB	205	G	N7-C8-N9	11.50	118.85	113.10
26	BB	998	C	C5-C6-N1	-11.50	115.25	121.00
1	AA	544	G	N9-C4-C5	11.50	110.00	105.40
1	AA	1233	G	C8-N9-C4	-11.49	101.80	106.40
26	BB	550	C	N3-C4-N4	11.49	126.05	118.00
26	BB	1	G	N3-C4-C5	-11.49	122.85	128.60
26	BB	209	C	N3-C4-C5	-11.49	117.30	121.90
1	AA	370	C	N3-C4-N4	11.49	126.04	118.00
15	AO	37	TYR	CB-CG-CD1	-11.49	114.11	121.00
26	BB	1888	G	N1-C6-O6	-11.49	113.01	119.90
26	BB	1063	G	C8-N9-C4	-11.48	101.81	106.40
1	AA	747	A	N9-C4-C5	11.48	110.39	105.80
26	BB	2547	A	N1-C2-N3	-11.48	123.56	129.30
1	AA	14	U	N3-C2-O2	-11.48	114.16	122.20
1	AA	538	G	O4'-C1'-N9	11.48	117.38	108.20
18	AR	63	ARG	NE-CZ-NH1	11.48	126.04	120.30
26	BB	954	G	N7-C8-N9	11.47	118.84	113.10
1	AA	792	A	C4-C5-N7	-11.47	104.97	110.70
1	AA	831	A	O4'-C1'-N9	11.47	117.38	108.20
1	AA	1290	G	C4-C5-N7	11.47	115.39	110.80
26	BB	1870	C	C3'-C2'-C1'	11.47	110.67	101.50
1	AA	700	G	C5-C6-N1	11.47	117.23	111.50
1	AA	557	G	C1'-O4'-C4'	-11.46	100.73	109.90
1	AA	417	G	C8-N9-C4	11.46	110.98	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1321	A	O4'-C1'-N9	11.46	117.37	108.20
1	AA	1090	U	C5-C6-N1	-11.46	116.97	122.70
25	BA	16	G	C5-C6-O6	-11.46	121.72	128.60
1	AA	88	U	O4'-C1'-N1	11.46	117.36	108.20
1	AA	1196	A	N1-C6-N6	-11.46	111.73	118.60
1	AA	1298	U	C4-C5-C6	11.46	126.57	119.70
26	BB	2398	U	N3-C4-C5	-11.46	107.73	114.60
26	BB	1430	G	C8-N9-C4	-11.45	101.82	106.40
1	AA	1362	A	C5-C6-N1	11.45	123.42	117.70
26	BB	2681	C	N3-C4-C5	-11.45	117.32	121.90
1	AA	870	U	C4-C5-C6	11.45	126.57	119.70
26	BB	849	A	C4'-C3'-C2'	-11.45	91.15	102.60
1	AA	597	G	C5-C6-O6	-11.44	121.73	128.60
56	B5	5	PHE	CB-CG-CD2	-11.44	112.79	120.80
26	BB	975	A	C5-N7-C8	-11.44	98.18	103.90
26	BB	2549	G	C5-C6-N1	11.44	117.22	111.50
1	AA	1533	C	C2-N3-C4	11.44	125.62	119.90
1	AA	353	A	C2-N3-C4	11.44	116.32	110.60
2	AB	4	G	O4'-C1'-N9	11.44	117.35	108.20
26	BB	494	G	N7-C8-N9	11.44	118.82	113.10
26	BB	1219	U	C5-C4-O4	-11.44	119.04	125.90
26	BB	2237	G	N9-C4-C5	11.44	109.97	105.40
1	AA	860	A	O4'-C1'-N9	11.44	117.35	108.20
1	AA	251	G	C8-N9-C4	-11.43	101.83	106.40
1	AA	321	A	C4-C5-N7	-11.43	104.99	110.70
1	AA	422	C	C4-C5-C6	-11.43	111.69	117.40
1	AA	818	G	N9-C4-C5	-11.42	100.83	105.40
26	BB	1247	A	O4'-C1'-N9	11.42	117.34	108.20
1	AA	422	C	C5-C6-N1	11.42	126.71	121.00
1	AA	59	A	C4-C5-N7	-11.41	105.00	110.70
26	BB	274	C	C6-N1-C2	-11.41	115.73	120.30
26	BB	1925	C	C5'-C4'-O4'	11.41	122.79	109.10
1	AA	808	C	O4'-C1'-N1	11.41	117.33	108.20
1	AA	86	G	C4-C5-C6	11.41	125.64	118.80
26	BB	578	G	O4'-C1'-N9	11.41	117.33	108.20
26	BB	1158	C	C6-N1-C2	-11.41	115.74	120.30
1	AA	443	C	O4'-C1'-N1	11.40	117.32	108.20
26	BB	1153	C	C1'-O4'-C4'	-11.40	100.78	109.90
1	AA	1109	C	O4'-C1'-N1	11.40	117.32	108.20
5	AE	221	ARG	NE-CZ-NH1	11.40	126.00	120.30
1	AA	532	A	C4-C5-C6	-11.39	111.30	117.00
1	AA	725	G	N1-C6-O6	11.39	126.74	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1393	U	C5-C4-O4	-11.39	119.06	125.90
26	BB	1500	G	C6-C5-N7	-11.39	123.56	130.40
1	AA	1276	G	C6-C5-N7	11.39	137.24	130.40
26	BB	1696	G	N9-C4-C5	11.39	109.96	105.40
26	BB	2427	C	N1-C2-O2	11.39	125.74	118.90
26	BB	634	C	C2-N3-C4	11.39	125.60	119.90
1	AA	143	A	N7-C8-N9	11.39	119.49	113.80
1	AA	756	C	C2-N3-C4	11.38	125.59	119.90
1	AA	559	A	O4'-C1'-N9	11.38	117.31	108.20
1	AA	257	G	C8-N9-C4	-11.38	101.85	106.40
26	BB	2054	A	C5-N7-C8	-11.38	98.21	103.90
26	BB	997	G	C8-N9-C4	-11.38	101.85	106.40
26	BB	2365	G	C5-N7-C8	11.38	109.99	104.30
15	AO	93	ARG	NE-CZ-NH1	11.37	125.99	120.30
26	BB	515	A	O4'-C1'-N9	11.37	117.30	108.20
26	BB	912	C	O4'-C1'-N1	11.37	117.30	108.20
26	BB	2182	U	O4'-C1'-N1	11.37	117.30	108.20
1	AA	930	C	O4'-C1'-N1	11.37	117.30	108.20
26	BB	2338	C	N1-C2-O2	11.37	125.72	118.90
1	AA	1263	C	N3-C2-O2	-11.37	113.94	121.90
26	BB	712	G	N3-C4-C5	-11.37	122.92	128.60
26	BB	2434	A	N7-C8-N9	11.36	119.48	113.80
1	AA	903	G	C8-N9-C4	-11.36	101.86	106.40
1	AA	22	G	N9-C4-C5	11.36	109.94	105.40
4	AD	34	U	N3-C2-O2	-11.36	114.25	122.20
26	BB	496	G	N9-C4-C5	11.36	109.94	105.40
26	BB	1364	G	C5-C6-N1	11.36	117.18	111.50
1	AA	1453	G	C5-C6-N1	11.36	117.18	111.50
26	BB	1145	C	C4-C5-C6	-11.36	111.72	117.40
26	BB	1603	A	C5-C6-N1	11.36	123.38	117.70
26	BB	1858	A	C2-N3-C4	11.36	116.28	110.60
1	AA	389	A	C5'-C4'-O4'	11.35	122.72	109.10
26	BB	1436	G	O4'-C1'-N9	11.35	117.28	108.20
1	AA	1165	U	O4'-C1'-N1	11.35	117.28	108.20
1	AA	384	G	C8-N9-C4	-11.35	101.86	106.40
26	BB	1144	A	N1-C6-N6	-11.35	111.79	118.60
26	BB	2547	A	C8-N9-C4	11.35	110.34	105.80
1	AA	599	C	O4'-C1'-N1	11.34	117.27	108.20
1	AA	796	C	N1-C2-O2	11.34	125.71	118.90
4	AD	39	A	C2-N3-C4	11.34	116.27	110.60
26	BB	1283	G	N3-C4-C5	-11.34	122.93	128.60
26	BB	2400	G	C4-C5-N7	11.34	115.34	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1128	G	C8-N9-C4	-11.34	101.86	106.40
1	AA	1088	G	N9-C4-C5	11.34	109.94	105.40
26	BB	2814	A	N1-C2-N3	-11.34	123.63	129.30
58	B7	19	ARG	NE-CZ-NH1	11.34	125.97	120.30
1	AA	577	G	N3-C2-N2	-11.34	111.96	119.90
1	AA	771	G	N3-C4-C5	-11.34	122.93	128.60
26	BB	1535	A	C8-N9-C4	-11.34	101.27	105.80
10	AJ	52	ARG	NE-CZ-NH2	-11.34	114.63	120.30
26	BB	751	A	N1-C2-N3	-11.33	123.63	129.30
26	BB	1971	U	O4'-C1'-N1	11.33	117.27	108.20
26	BB	2534	A	O4'-C1'-N9	11.33	117.27	108.20
26	BB	1443	U	C5-C6-N1	11.33	128.37	122.70
26	BB	2755	C	C5-C4-N4	11.33	128.13	120.20
26	BB	1385	A	O4'-C1'-N9	11.33	117.26	108.20
26	BB	2208	C	N3-C2-O2	-11.33	113.97	121.90
1	AA	109	A	N1-C2-N3	11.33	134.96	129.30
1	AA	146	G	O4'-C1'-N9	11.33	117.26	108.20
26	BB	1179	G	N7-C8-N9	11.33	118.76	113.10
26	BB	1311	G	N9-C4-C5	11.33	109.93	105.40
1	AA	372	C	N3-C2-O2	-11.32	113.97	121.90
26	BB	2071	A	C6-C5-N7	11.32	140.22	132.30
1	AA	1433	A	N1-C6-N6	-11.32	111.81	118.60
25	BA	44	G	C5-N7-C8	11.32	109.96	104.30
26	BB	590	A	C6-C5-N7	11.32	140.22	132.30
26	BB	612	G	C5-N7-C8	11.32	109.96	104.30
26	BB	763	G	C4-C5-N7	-11.32	106.27	110.80
26	BB	2339	C	O4'-C1'-N1	11.32	117.25	108.20
26	BB	1292	G	O4'-C1'-N9	11.31	117.25	108.20
26	BB	1361	G	N3-C2-N2	-11.31	111.99	119.90
1	AA	560	A	C2-N3-C4	-11.30	104.95	110.60
26	BB	2048	G	N3-C4-C5	-11.30	122.95	128.60
26	BB	1653	G	C6-N1-C2	-11.30	118.32	125.10
1	AA	31	G	O4'-C1'-N9	11.29	117.23	108.20
1	AA	1129	C	C5-C4-N4	-11.29	112.30	120.20
26	BB	2509	G	N7-C8-N9	-11.29	107.45	113.10
26	BB	1345	C	N3-C4-N4	11.29	125.90	118.00
1	AA	237	G	C8-N9-C4	-11.29	101.89	106.40
26	BB	1819	A	C8-N9-C4	-11.29	101.29	105.80
26	BB	2428	G	C4-C5-C6	11.29	125.57	118.80
1	AA	760	G	C4-C5-N7	-11.28	106.29	110.80
4	AD	77	A	O4'-C1'-N9	11.28	117.22	108.20
26	BB	2089	C	O4'-C1'-N1	11.28	117.23	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	381	C	C5-C6-N1	11.28	126.64	121.00
1	AA	1002	G	C5-C6-O6	-11.28	121.83	128.60
26	BB	1866	A	N1-C6-N6	11.28	125.37	118.60
26	BB	2367	G	C5'-C4'-O4'	11.28	122.63	109.10
1	AA	51	A	N9-C4-C5	11.27	110.31	105.80
1	AA	381	C	C2-N3-C4	11.27	125.54	119.90
1	AA	572	A	N7-C8-N9	11.27	119.44	113.80
26	BB	2663	G	C2-N3-C4	11.27	117.53	111.90
1	AA	142	G	C6-N1-C2	-11.27	118.34	125.10
1	AA	313	A	C8-N9-C4	-11.27	101.29	105.80
1	AA	1499	A	N7-C8-N9	11.27	119.43	113.80
26	BB	1233	C	C5-C6-N1	11.27	126.63	121.00
1	AA	213	G	C8-N9-C4	-11.26	101.89	106.40
26	BB	2597	G	C6-N1-C2	-11.26	118.34	125.10
1	AA	1473	G	C2-N3-C4	11.26	117.53	111.90
26	BB	743	A	N1-C2-N3	11.26	134.93	129.30
26	BB	73	A	N9-C4-C5	-11.25	101.30	105.80
26	BB	1049	C	C4-C5-C6	-11.25	111.77	117.40
1	AA	714	G	C8-N9-C4	-11.25	101.90	106.40
26	BB	988	A	C8-N9-C4	-11.25	101.30	105.80
37	BM	17	ARG	NE-CZ-NH2	-11.25	114.68	120.30
26	BB	1216	G	C5-C6-O6	-11.24	121.85	128.60
26	BB	2795	C	N3-C4-C5	-11.24	117.40	121.90
1	AA	396	C	O4'-C1'-N1	11.24	117.19	108.20
26	BB	1297	C	N1-C2-O2	11.24	125.64	118.90
1	AA	550	G	N9-C4-C5	11.24	109.89	105.40
26	BB	1445	G	N9-C4-C5	11.24	109.89	105.40
1	AA	276	G	N9-C4-C5	11.23	109.89	105.40
1	AA	1157	A	C5-N7-C8	-11.23	98.28	103.90
26	BB	2726	A	C8-N9-C4	-11.23	101.31	105.80
1	AA	143	A	C2-N3-C4	11.23	116.22	110.60
25	BA	25	U	N1-C2-N3	11.23	121.64	114.90
26	BB	1620	G	C8-N9-C4	-11.23	101.91	106.40
26	BB	1113	U	O4'-C1'-N1	11.23	117.18	108.20
1	AA	1367	C	C6-N1-C2	-11.23	115.81	120.30
1	AA	1482	G	C4-C5-N7	-11.23	106.31	110.80
26	BB	1578	U	N3-C4-C5	11.23	121.34	114.60
26	BB	685	A	N1-C6-N6	-11.23	111.86	118.60
26	BB	1115	G	C5-N7-C8	11.23	109.91	104.30
26	BB	447	A	N9-C4-C5	11.22	110.29	105.80
1	AA	1343	G	N7-C8-N9	11.22	118.71	113.10
26	BB	361	G	C5-C6-O6	-11.22	121.87	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1064	G	N3-C4-C5	-11.22	122.99	128.60
1	AA	544	G	C4-C5-N7	-11.22	106.31	110.80
1	AA	1031	C	N3-C2-O2	-11.22	114.05	121.90
1	AA	1370	G	C5-C6-O6	-11.22	121.87	128.60
26	BB	852	U	C5-C6-N1	-11.21	117.09	122.70
26	BB	1293	C	C4-C5-C6	-11.21	111.79	117.40
26	BB	2227	A	O4'-C1'-C2'	11.21	117.69	107.60
26	BB	2624	G	C5-C6-N1	11.22	117.11	111.50
26	BB	1091	G	C8-N9-C4	-11.21	101.92	106.40
26	BB	553	G	O4'-C1'-N9	11.21	117.17	108.20
4	AD	63	C	O4'-C1'-N1	11.21	117.17	108.20
26	BB	234	U	N3-C4-O4	-11.21	111.56	119.40
26	BB	765	C	C6-N1-C2	-11.21	115.82	120.30
26	BB	1543	G	N7-C8-N9	11.21	118.70	113.10
26	BB	2817	U	N3-C4-O4	11.21	127.25	119.40
26	BB	983	A	O4'-C1'-N9	11.21	117.17	108.20
1	AA	43	C	O4'-C1'-N1	11.20	117.16	108.20
1	AA	597	G	N1-C6-O6	11.20	126.62	119.90
26	BB	90	U	O4'-C1'-N1	11.21	117.16	108.20
26	BB	1644	C	O4'-C1'-N1	11.21	117.16	108.20
25	BA	41	G	C6-N1-C2	-11.20	118.38	125.10
26	BB	2315	G	C8-N9-C4	-11.20	101.92	106.40
1	AA	988	G	C4-C5-N7	-11.20	106.32	110.80
26	BB	1050	A	C4'-C3'-C2'	-11.19	91.41	102.60
25	BA	98	G	N7-C8-N9	11.19	118.69	113.10
26	BB	76	C	C4-C5-C6	-11.19	111.80	117.40
1	AA	54	C	N3-C4-C5	11.19	126.38	121.90
26	BB	338	G	C8-N9-C4	-11.19	101.92	106.40
26	BB	257	C	O4'-C1'-N1	11.19	117.15	108.20
26	BB	285	G	C8-N9-C4	-11.19	101.93	106.40
26	BB	1158	C	C5-C6-N1	11.19	126.59	121.00
26	BB	2732	G	C4-C5-N7	-11.19	106.33	110.80
42	BR	38	ARG	NE-CZ-NH1	-11.19	114.71	120.30
1	AA	1094	G	N7-C8-N9	11.18	118.69	113.10
26	BB	1660	G	O4'-C1'-N9	11.18	117.15	108.20
1	AA	1102	A	O4'-C1'-N9	11.18	117.14	108.20
26	BB	546	U	C2-N3-C4	-11.18	120.29	127.00
26	BB	1281	G	N3-C4-C5	-11.18	123.01	128.60
26	BB	1415	U	N3-C2-O2	-11.18	114.37	122.20
26	BB	2785	C	N3-C4-C5	-11.18	117.43	121.90
26	BB	751	A	N7-C8-N9	11.18	119.39	113.80
1	AA	449	G	N9-C4-C5	11.17	109.87	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1459	G	C1'-O4'-C4'	-11.17	100.96	109.90
26	BB	1977	A	O4'-C1'-N9	11.17	117.14	108.20
1	AA	735	C	N3-C2-O2	-11.17	114.08	121.90
1	AA	1535	C	C6-N1-C2	-11.17	115.83	120.30
26	BB	312	G	N3-C4-N9	11.17	132.70	126.00
26	BB	1079	C	C2-N3-C4	11.17	125.48	119.90
26	BB	1945	G	C5-N7-C8	11.17	109.89	104.30
26	BB	2072	C	N1-C2-O2	11.17	125.60	118.90
1	AA	748	G	C5-C6-N1	11.16	117.08	111.50
26	BB	266	G	N7-C8-N9	11.16	118.68	113.10
1	AA	1155	A	N7-C8-N9	11.16	119.38	113.80
2	AB	74	C	C2-N3-C4	11.16	125.48	119.90
26	BB	1778	U	O4'-C1'-N1	11.16	117.13	108.20
26	BB	2744	G	C4-C5-N7	-11.16	106.33	110.80
26	BB	234	U	C5-C4-O4	11.16	132.60	125.90
26	BB	989	G	O4'-C1'-N9	11.16	117.13	108.20
26	BB	321	U	N3-C4-C5	-11.16	107.91	114.60
2	AB	41	C	O4'-C1'-N1	11.15	117.12	108.20
4	AD	19	G	N3-C4-C5	-11.15	123.02	128.60
26	BB	1645	G	C8-N9-C4	-11.15	101.94	106.40
26	BB	2614	A	N7-C8-N9	11.15	119.37	113.80
13	AM	31	ARG	NE-CZ-NH2	-11.14	114.73	120.30
26	BB	349	U	O4'-C1'-N1	11.14	117.11	108.20
26	BB	1250	G	O4'-C1'-N9	11.14	117.12	108.20
1	AA	1164	G	O4'-C1'-N9	11.14	117.11	108.20
26	BB	1048	A	C8-N9-C4	-11.14	101.34	105.80
45	BU	88	ARG	NE-CZ-NH1	-11.14	114.73	120.30
1	AA	1240	U	N3-C2-O2	-11.14	114.40	122.20
1	AA	700	G	C5'-C4'-O4'	11.13	122.46	109.10
1	AA	1525	G	C8-N9-C4	-11.14	101.95	106.40
26	BB	460	A	C5-N7-C8	11.13	109.47	103.90
26	BB	611	C	N3-C4-C5	-11.13	117.45	121.90
26	BB	2616	C	N1-C2-O2	11.13	125.58	118.90
1	AA	1184	G	C2-N3-C4	-11.13	106.33	111.90
3	AC	15	G	N7-C8-N9	11.13	118.67	113.10
26	BB	430	A	N1-C2-N3	-11.13	123.73	129.30
26	BB	1162	G	O4'-C1'-N9	11.13	117.11	108.20
1	AA	677	U	C4-C5-C6	11.13	126.38	119.70
1	AA	1080	A	O4'-C1'-N9	11.13	117.10	108.20
1	AA	720	C	C3'-C2'-C1'	11.13	110.40	101.50
26	BB	2096	C	O4'-C1'-N1	11.12	117.10	108.20
26	BB	2271	G	N1-C2-N3	-11.12	117.22	123.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1237	C	N3-C4-C5	-11.12	117.45	121.90
25	BA	102	G	C4'-C3'-C2'	-11.12	91.48	102.60
26	BB	2758	A	C5-C6-N1	11.12	123.26	117.70
51	B0	47	ARG	NE-CZ-NH2	11.12	125.86	120.30
1	AA	322	C	O4'-C1'-N1	11.12	117.10	108.20
1	AA	1021	A	N1-C2-N3	-11.12	123.74	129.30
26	BB	159	G	N3-C4-C5	-11.12	123.04	128.60
26	BB	637	A	C5-C6-N1	11.12	123.26	117.70
26	BB	1519	G	N7-C8-N9	11.12	118.66	113.10
26	BB	1575	C	C6-N1-C2	-11.12	115.85	120.30
7	AG	61	ARG	NE-CZ-NH1	11.12	125.86	120.30
26	BB	1185	G	C5-C6-N1	11.12	117.06	111.50
26	BB	1684	G	C4-C5-N7	11.11	115.25	110.80
26	BB	1800	C	C2-N3-C4	11.11	125.45	119.90
1	AA	1349	A	N7-C8-N9	-11.11	108.25	113.80
26	BB	78	U	O4'-C1'-N1	11.11	117.09	108.20
26	BB	439	A	C5'-C4'-O4'	11.11	122.43	109.10
26	BB	2668	G	N9-C4-C5	11.11	109.84	105.40
26	BB	2757	A	C3'-C2'-C1'	11.11	110.39	101.50
26	BB	700	G	C2-N3-C4	11.11	117.45	111.90
26	BB	214	G	N9-C4-C5	11.11	109.84	105.40
26	BB	1226	A	C4-C5-N7	-11.11	105.15	110.70
26	BB	2618	G	C8-N9-C4	-11.11	101.96	106.40
49	BY	38	ARG	NE-CZ-NH1	11.11	125.85	120.30
1	AA	581	G	C2-N3-C4	11.10	117.45	111.90
1	AA	1533	C	C5-C6-N1	11.10	126.55	121.00
26	BB	757	G	C5-C6-O6	-11.10	121.94	128.60
1	AA	802	A	N9-C4-C5	11.10	110.24	105.80
26	BB	2323	G	C2-N3-C4	11.10	117.45	111.90
1	AA	348	G	C8-N9-C4	-11.10	101.96	106.40
1	AA	895	G	C8-N9-C4	-11.10	101.96	106.40
26	BB	99	U	O4'-C1'-N1	11.10	117.08	108.20
26	BB	2017	U	C1'-O4'-C4'	-11.10	101.02	109.90
6	AF	178	ARG	NE-CZ-NH1	-11.09	114.76	120.30
26	BB	1491	G	N9-C4-C5	11.09	109.84	105.40
26	BB	2350	C	C5-C6-N1	11.09	126.54	121.00
4	AD	38	A	C5-C6-N1	-11.09	112.16	117.70
1	AA	64	G	N9-C4-C5	11.09	109.83	105.40
1	AA	587	G	C5-N7-C8	11.08	109.84	104.30
3	AC	20	G	N3-C4-C5	-11.08	123.06	128.60
26	BB	551	G	C5-C6-N1	11.08	117.04	111.50
26	BB	375	G	C5-C6-O6	-11.08	121.95	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1408	G	C8-N9-C4	-11.08	101.97	106.40
26	BB	1330	C	C5-C6-N1	11.07	126.54	121.00
5	AE	73	ARG	NE-CZ-NH2	-11.07	114.76	120.30
1	AA	149	A	N3-C4-N9	11.07	136.26	127.40
2	AB	13	C	O4'-C1'-N1	11.07	117.06	108.20
26	BB	1183	U	N3-C4-O4	11.07	127.15	119.40
26	BB	1400	U	C4-C5-C6	11.07	126.34	119.70
26	BB	517	C	C5-C6-N1	11.07	126.53	121.00
1	AA	731	G	N3-C4-N9	11.06	132.64	126.00
4	AD	2	G	C4-C5-N7	-11.06	106.37	110.80
26	BB	748	G	C4-C5-N7	-11.06	106.37	110.80
26	BB	837	C	N3-C4-C5	-11.06	117.47	121.90
26	BB	1236	G	C5-C6-N1	11.06	117.03	111.50
26	BB	2345	G	C8-N9-C4	-11.06	101.97	106.40
26	BB	2525	G	C5-C6-O6	-11.06	121.96	128.60
1	AA	298	A	O4'-C1'-N9	11.06	117.05	108.20
26	BB	1590	A	C8-N9-C4	-11.06	101.38	105.80
1	AA	741	G	C5-C6-O6	-11.06	121.97	128.60
26	BB	1736	U	C2-N3-C4	-11.05	120.37	127.00
1	AA	1341	U	C2-N3-C4	-11.05	120.37	127.00
4	AD	69	C	O4'-C1'-N1	11.05	117.04	108.20
46	BV	84	TYR	CB-CG-CD2	-11.05	114.37	121.00
1	AA	1159	U	N3-C4-O4	11.05	127.14	119.40
26	BB	601	C	C1'-O4'-C4'	11.05	118.74	109.90
26	BB	301	G	N9-C4-C5	11.04	109.82	105.40
26	BB	2521	C	O4'-C1'-N1	11.04	117.04	108.20
26	BB	93	G	N1-C6-O6	11.04	126.53	119.90
1	AA	1083	U	O4'-C1'-N1	11.04	117.03	108.20
1	AA	1418	A	C5-N7-C8	11.04	109.42	103.90
26	BB	1483	G	N7-C8-N9	11.04	118.62	113.10
26	BB	2259	U	C5-C6-N1	-11.04	117.18	122.70
26	BB	1446	C	C2-N3-C4	11.04	125.42	119.90
1	AA	413	G	O4'-C1'-N9	11.04	117.03	108.20
1	AA	1294	G	N3-C4-C5	-11.04	123.08	128.60
26	BB	613	A	O4'-C1'-N9	11.04	117.03	108.20
26	BB	1434	A	N9-C4-C5	-11.04	101.39	105.80
1	AA	1177	G	N7-C8-N9	11.04	118.62	113.10
26	BB	1773	A	C5'-C4'-O4'	11.04	122.34	109.10
26	BB	1863	G	C3'-C2'-C1'	-11.04	92.67	101.50
1	AA	303	A	C8-N9-C4	-11.03	101.39	105.80
1	AA	1251	A	C3'-C2'-C1'	11.03	110.32	101.50
26	BB	1188	U	N3-C2-O2	-11.03	114.48	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2423	U	C6-N1-C2	-11.03	114.39	121.00
56	B5	28	ARG	NE-CZ-NH2	-11.03	114.79	120.30
1	AA	585	G	C8-N9-C4	-11.02	101.99	106.40
25	BA	90	C	N3-C4-C5	-11.02	117.49	121.90
26	BB	1515	A	C5-N7-C8	11.02	109.41	103.90
26	BB	2815	C	O4'-C1'-N1	11.02	117.01	108.20
1	AA	715	A	C5-C6-N1	11.01	123.21	117.70
26	BB	2042	A	C2-N3-C4	-11.01	105.09	110.60
3	AC	21	U	C5-C6-N1	-11.01	117.19	122.70
26	BB	1750	G	N7-C8-N9	-11.01	107.59	113.10
26	BB	813	U	O4'-C1'-N1	11.01	117.01	108.20
26	BB	1607	C	N3-C4-C5	-11.01	117.50	121.90
26	BB	2071	A	N1-C2-N3	-11.01	123.80	129.30
26	BB	2621	G	C8-N9-C4	-11.01	102.00	106.40
1	AA	929	G	O4'-C1'-N9	11.00	117.00	108.20
26	BB	450	G	C8-N9-C4	-11.00	102.00	106.40
26	BB	1338	G	N9-C4-C5	11.00	109.80	105.40
26	BB	1655	A	N7-C8-N9	11.00	119.30	113.80
26	BB	1157	G	C5-C6-O6	-11.00	122.00	128.60
26	BB	1180	U	C5-C4-O4	-11.00	119.30	125.90
26	BB	2446	G	C6-N1-C2	-11.00	118.50	125.10
1	AA	62	U	C5-C4-O4	-10.99	119.30	125.90
26	BB	2540	C	C2-N3-C4	10.99	125.40	119.90
26	BB	2561	U	O4'-C1'-N1	10.99	117.00	108.20
26	BB	539	G	C5-N7-C8	-10.99	98.81	104.30
1	AA	433	G	C8-N9-C4	-10.99	102.00	106.40
26	BB	2257	U	N3-C4-O4	-10.99	111.71	119.40
26	BB	741	U	O4'-C1'-N1	10.99	116.99	108.20
1	AA	444	G	O4'-C1'-N9	10.98	116.99	108.20
26	BB	2459	A	C8-N9-C4	-10.98	101.41	105.80
4	AD	17	C	C5-C6-N1	10.98	126.49	121.00
1	AA	347	G	C2-N3-C4	10.98	117.39	111.90
1	AA	1350	A	C5'-C4'-O4'	10.98	122.27	109.10
1	AA	1521	C	C5-C6-N1	10.98	126.49	121.00
38	BN	21	ARG	NE-CZ-NH2	-10.98	114.81	120.30
1	AA	1228	C	C4-C5-C6	-10.98	111.91	117.40
26	BB	256	A	C3'-C2'-C1'	10.98	110.28	101.50
1	AA	727	G	N3-C4-C5	-10.97	123.11	128.60
26	BB	1068	G	N3-C4-N9	10.97	132.59	126.00
1	AA	584	G	N3-C4-C5	-10.97	123.11	128.60
1	AA	710	G	N9-C4-C5	10.97	109.79	105.40
25	BA	47	C	C5-C4-N4	-10.97	112.52	120.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	925	A	O4'-C1'-N9	10.97	116.98	108.20
26	BB	2015	A	N9-C4-C5	10.97	110.19	105.80
1	AA	322	C	C6-N1-C2	-10.97	115.91	120.30
26	BB	93	G	C5-C6-O6	-10.97	122.02	128.60
26	BB	619	G	N3-C4-C5	-10.97	123.11	128.60
26	BB	1550	C	O4'-C1'-N1	10.97	116.98	108.20
26	BB	1736	U	C5-C4-O4	-10.97	119.32	125.90
1	AA	874	G	N3-C4-C5	-10.97	123.12	128.60
26	BB	527	C	N3-C4-C5	-10.97	117.51	121.90
26	BB	669	G	C2-N3-C4	10.97	117.38	111.90
26	BB	1953	A	N7-C8-N9	10.97	119.28	113.80
26	BB	1981	A	C2-N3-C4	10.97	116.08	110.60
29	BE	59	ARG	NE-CZ-NH1	-10.97	114.82	120.30
16	AP	56	ARG	NE-CZ-NH2	-10.96	114.82	120.30
26	BB	343	C	N3-C4-N4	10.96	125.68	118.00
26	BB	687	C	O4'-C1'-N1	10.96	116.97	108.20
26	BB	772	C	C5-C6-N1	10.96	126.48	121.00
26	BB	1617	C	C5-C6-N1	10.97	126.48	121.00
26	BB	602	A	N3-C4-C5	-10.96	119.13	126.80
1	AA	135	C	C1'-O4'-C4'	-10.96	101.13	109.90
1	AA	157	U	C5-C4-O4	-10.96	119.32	125.90
26	BB	592	A	N9-C4-C5	10.96	110.18	105.80
1	AA	581	G	N1-C6-O6	10.96	126.47	119.90
1	AA	1168	U	C2-N3-C4	-10.96	120.43	127.00
8	AH	156	ARG	NE-CZ-NH1	10.96	125.78	120.30
26	BB	575	A	N1-C6-N6	10.95	125.17	118.60
26	BB	2810	A	N9-C4-C5	10.95	110.18	105.80
26	BB	491	G	C5-C6-O6	-10.95	122.03	128.60
26	BB	604	G	N9-C4-C5	10.95	109.78	105.40
26	BB	2788	C	C6-N1-C2	-10.95	115.92	120.30
26	BB	2006	C	N3-C4-C5	-10.95	117.52	121.90
26	BB	2795	C	O4'-C1'-N1	10.95	116.96	108.20
40	BP	21	PHE	CB-CG-CD2	-10.95	113.13	120.80
1	AA	998	C	O4'-C1'-N1	10.95	116.96	108.20
26	BB	1973	G	C8-N9-C4	-10.95	102.02	106.40
26	BB	355	U	C5-C6-N1	-10.95	117.23	122.70
26	BB	563	A	C5-C6-N1	-10.95	112.23	117.70
26	BB	757	G	O4'-C1'-N9	10.95	116.96	108.20
26	BB	2318	G	N7-C8-N9	10.94	118.57	113.10
26	BB	2794	C	O4'-C1'-N1	10.94	116.95	108.20
26	BB	2231	U	O4'-C1'-N1	10.94	116.95	108.20
26	BB	1123	C	C6-N1-C2	-10.94	115.93	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1248	G	C4-C5-N7	10.94	115.17	110.80
1	AA	871	U	N3-C2-O2	-10.93	114.55	122.20
26	BB	315	G	N3-C4-N9	10.93	132.56	126.00
26	BB	495	G	C8-N9-C4	-10.93	102.03	106.40
26	BB	740	C	C2-N3-C4	-10.93	114.43	119.90
26	BB	1784	A	C3'-C2'-C1'	10.93	110.25	101.50
26	BB	2798	U	O4'-C1'-N1	10.93	116.95	108.20
1	AA	1358	U	O4'-C1'-N1	10.93	116.94	108.20
4	AD	16	C	C1'-O4'-C4'	-10.93	101.16	109.90
26	BB	1339	G	C4-C5-N7	-10.93	106.43	110.80
26	BB	2506	U	O4'-C1'-N1	10.93	116.94	108.20
1	AA	180	U	N1-C2-O2	-10.93	115.15	122.80
1	AA	543	U	C4-C5-C6	10.93	126.25	119.70
12	AL	10	ARG	NE-CZ-NH2	-10.92	114.84	120.30
26	BB	1824	G	C5-N7-C8	-10.92	98.84	104.30
26	BB	1029	A	O4'-C1'-N9	10.92	116.94	108.20
1	AA	1541	U	O4'-C1'-N1	10.92	116.94	108.20
1	AA	1015	G	N7-C8-N9	10.92	118.56	113.10
1	AA	1105	A	C4'-C3'-C2'	-10.92	91.68	102.60
3	AC	41	A	C8-N9-C4	-10.92	101.43	105.80
26	BB	2272	U	C2-N3-C4	-10.92	120.45	127.00
26	BB	2595	G	O4'-C1'-N9	10.92	116.93	108.20
1	AA	334	C	C6-N1-C2	10.91	124.67	120.30
1	AA	1352	C	O4'-C1'-N1	10.91	116.93	108.20
1	AA	1467	C	N3-C4-C5	10.91	126.27	121.90
26	BB	177	G	O4'-C1'-N9	10.91	116.93	108.20
1	AA	45	G	C8-N9-C4	-10.91	102.04	106.40
1	AA	925	G	N3-C4-C5	-10.91	123.14	128.60
3	AC	30	U	N3-C2-O2	-10.91	114.56	122.20
26	BB	180	G	C4-C5-N7	-10.91	106.44	110.80
1	AA	1184	G	N7-C8-N9	10.90	118.55	113.10
31	BG	177	ARG	NE-CZ-NH2	-10.90	114.85	120.30
1	AA	974	A	C6-N1-C2	10.90	125.14	118.60
18	AR	77	TYR	CB-CG-CD1	-10.90	114.46	121.00
1	AA	293	G	C4-C5-N7	-10.90	106.44	110.80
26	BB	2744	G	N3-C4-C5	-10.90	123.15	128.60
1	AA	100	G	C8-N9-C4	-10.90	102.04	106.40
1	AA	1160	G	C6-C5-N7	-10.90	123.86	130.40
26	BB	2480	C	O4'-C1'-N1	10.90	116.92	108.20
26	BB	2583	G	N3-C2-N2	10.90	127.53	119.90
28	BD	220	ARG	NE-CZ-NH2	-10.90	114.85	120.30
1	AA	1082	A	N1-C2-N3	-10.89	123.85	129.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	51	G	C8-N9-C4	-10.89	102.04	106.40
26	BB	515	A	C5-N7-C8	-10.89	98.45	103.90
26	BB	647	G	C8-N9-C4	-10.89	102.05	106.40
26	BB	1515	A	C8-N9-C4	10.89	110.16	105.80
1	AA	98	A	N1-C2-N3	-10.88	123.86	129.30
1	AA	205	A	N1-C2-N3	-10.89	123.86	129.30
26	BB	494	G	C5-C6-N1	10.88	116.94	111.50
26	BB	2535	G	N9-C4-C5	10.88	109.75	105.40
1	AA	622	A	N1-C2-N3	-10.88	123.86	129.30
1	AA	863	U	C4'-C3'-C2'	-10.88	91.72	102.60
1	AA	1252	A	O4'-C1'-N9	10.88	116.91	108.20
26	BB	2423	U	N1-C2-N3	10.88	121.43	114.90
1	AA	572	A	C8-N9-C4	-10.88	101.45	105.80
25	BA	35	C	O4'-C1'-N1	10.88	116.90	108.20
26	BB	654	A	C5-N7-C8	10.88	109.34	103.90
26	BB	648	G	O4'-C1'-N9	10.87	116.90	108.20
26	BB	1997	C	O4'-C1'-N1	10.87	116.90	108.20
26	BB	2227	A	C4-C5-C6	-10.87	111.56	117.00
26	BB	1377	G	C5-C6-O6	-10.87	122.08	128.60
26	BB	2832	U	C4-C5-C6	10.87	126.22	119.70
26	BB	1935	G	N3-C2-N2	-10.87	112.29	119.90
26	BB	2338	C	C1'-O4'-C4'	-10.87	101.20	109.90
29	BE	13	ARG	NE-CZ-NH2	10.87	125.73	120.30
1	AA	383	A	N9-C4-C5	10.87	110.15	105.80
26	BB	247	G	N1-C6-O6	-10.87	113.38	119.90
26	BB	346	A	O4'-C1'-N9	10.87	116.89	108.20
2	AB	74	C	O4'-C1'-N1	10.87	116.89	108.20
26	BB	727	A	N1-C2-N3	-10.87	123.87	129.30
1	AA	278	G	N9-C4-C5	10.86	109.75	105.40
1	AA	589	U	C5-C6-N1	-10.86	117.27	122.70
26	BB	1004	U	N3-C4-C5	-10.87	108.08	114.60
26	BB	82	U	N3-C2-O2	-10.86	114.60	122.20
26	BB	476	G	O4'-C1'-N9	10.86	116.89	108.20
26	BB	1752	C	C5-C4-N4	10.86	127.80	120.20
1	AA	1163	A	C4-C5-C6	-10.86	111.57	117.00
26	BB	412	A	O4'-C1'-N9	10.86	116.89	108.20
1	AA	1378	C	C2-N3-C4	10.85	125.33	119.90
26	BB	476	G	N9-C4-C5	10.85	109.74	105.40
26	BB	2407	A	C8-N9-C4	-10.85	101.46	105.80
1	AA	731	G	N3-C4-C5	-10.85	123.17	128.60
26	BB	1333	G	N7-C8-N9	10.85	118.53	113.10
2	AB	7	G	N9-C4-C5	10.85	109.74	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2006	C	O4'-C1'-N1	10.85	116.88	108.20
26	BB	247	G	N9-C4-C5	10.85	109.74	105.40
26	BB	1475	G	N9-C4-C5	10.84	109.74	105.40
26	BB	1924	C	O4'-C1'-N1	10.84	116.87	108.20
26	BB	1105	U	C5-C6-N1	-10.84	117.28	122.70
26	BB	2019	A	C5-C6-N6	-10.84	115.03	123.70
26	BB	2867	G	C2-N3-C4	10.84	117.32	111.90
1	AA	22	G	C4-C5-N7	-10.83	106.47	110.80
1	AA	1045	C	N1-C2-O2	10.83	125.40	118.90
1	AA	1156	G	C2-N3-C4	10.83	117.32	111.90
26	BB	770	G	C6-C5-N7	-10.83	123.90	130.40
1	AA	159	G	C4-C5-N7	-10.83	106.47	110.80
26	BB	592	A	C5-C6-N1	-10.83	112.29	117.70
26	BB	1315	C	N3-C4-C5	-10.83	117.57	121.90
26	BB	1570	A	C8-N9-C4	10.83	110.13	105.80
26	BB	887	U	N3-C2-O2	-10.83	114.62	122.20
26	BB	23	G	N3-C2-N2	-10.82	112.32	119.90
1	AA	955	U	N3-C2-O2	-10.82	114.62	122.20
26	BB	407	G	N9-C4-C5	10.82	109.73	105.40
1	AA	76	G	C5-N7-C8	-10.82	98.89	104.30
1	AA	485	U	N3-C4-O4	10.82	126.98	119.40
1	AA	1517	G	N9-C4-C5	10.82	109.73	105.40
26	BB	549	G	N3-C2-N2	10.82	127.47	119.90
26	BB	1026	G	C2-N3-C4	10.82	117.31	111.90
26	BB	1637	A	C3'-C2'-C1'	10.82	110.16	101.50
26	BB	1929	G	C8-N9-C4	-10.82	102.07	106.40
1	AA	370	C	C5-C4-N4	-10.82	112.63	120.20
1	AA	35	G	C2-N3-C4	10.82	117.31	111.90
3	AC	22	G	N1-C6-O6	-10.82	113.41	119.90
26	BB	75	G	N3-C4-N9	10.82	132.49	126.00
26	BB	2116	G	N7-C8-N9	10.82	118.51	113.10
1	AA	1258	G	C6-N1-C2	-10.81	118.61	125.10
26	BB	920	A	N1-C6-N6	10.81	125.09	118.60
26	BB	1343	G	N3-C4-C5	-10.81	123.19	128.60
26	BB	2377	A	C8-N9-C4	-10.81	101.47	105.80
1	AA	1039	G	C5-N7-C8	-10.81	98.89	104.30
1	AA	666	G	C4-C5-C6	10.81	125.29	118.80
26	BB	118	A	N1-C6-N6	-10.81	112.11	118.60
26	BB	198	C	O4'-C1'-N1	10.81	116.85	108.20
26	BB	739	A	N9-C4-C5	10.81	110.12	105.80
26	BB	303	G	C6-C5-N7	-10.81	123.92	130.40
1	AA	475	C	O4'-C1'-N1	10.80	116.84	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	86	G	C5-C6-N1	10.80	116.90	111.50
1	AA	167	A	O4'-C1'-N9	10.80	116.84	108.20
1	AA	1090	U	C5-C4-O4	-10.80	119.42	125.90
26	BB	875	G	C5-N7-C8	10.80	109.70	104.30
1	AA	115	G	N3-C4-N9	10.80	132.48	126.00
1	AA	441	A	O4'-C1'-N9	10.80	116.84	108.20
1	AA	482	A	C8-N9-C4	-10.80	101.48	105.80
1	AA	1003	G	C8-N9-C4	-10.80	102.08	106.40
1	AA	822	U	O4'-C1'-N1	10.80	116.84	108.20
26	BB	1949	G	N9-C4-C5	10.80	109.72	105.40
26	BB	2099	U	O4'-C1'-N1	10.80	116.84	108.20
1	AA	785	G	N3-C2-N2	-10.80	112.34	119.90
26	BB	577	G	O4'-C1'-N9	10.79	116.84	108.20
26	BB	1685	C	O4'-C1'-N1	10.80	116.84	108.20
26	BB	1721	G	N7-C8-N9	10.79	118.50	113.10
26	BB	834	G	C2-N3-C4	10.79	117.30	111.90
1	AA	941	G	C5-C6-O6	-10.79	122.13	128.60
1	AA	983	A	C2-N3-C4	10.79	115.99	110.60
26	BB	502	A	N9-C4-C5	10.79	110.11	105.80
26	BB	1541	C	O4'-C1'-N1	10.79	116.83	108.20
26	BB	2024	G	C4-C5-N7	-10.79	106.48	110.80
26	BB	2058	A	O4'-C1'-N9	-10.79	99.57	108.20
1	AA	1106	G	C5-C6-O6	-10.78	122.13	128.60
26	BB	960	A	N7-C8-N9	10.79	119.19	113.80
26	BB	1327	A	N1-C2-N3	-10.78	123.91	129.30
26	BB	2819	G	N1-C2-N3	-10.79	117.43	123.90
1	AA	770	C	C6-N1-C2	-10.78	115.99	120.30
26	BB	986	C	O4'-C1'-N1	10.78	116.83	108.20
26	BB	2858	C	N3-C4-C5	-10.78	117.59	121.90
1	AA	177	G	C8-N9-C4	-10.78	102.09	106.40
2	AB	75	C	N3-C2-O2	-10.78	114.36	121.90
26	BB	1761	C	N3-C4-C5	-10.78	117.59	121.90
26	BB	2314	A	C4'-C3'-C2'	-10.78	91.82	102.60
1	AA	1034	G	C5-N7-C8	-10.77	98.91	104.30
26	BB	304	U	O4'-C1'-N1	10.77	116.82	108.20
26	BB	2568	U	C5-C4-O4	-10.77	119.44	125.90
1	AA	701	U	C6-N1-C2	10.77	127.46	121.00
26	BB	853	C	N1-C2-O2	10.77	125.36	118.90
26	BB	1140	C	N3-C2-O2	-10.77	114.36	121.90
26	BB	893	C	N3-C4-C5	-10.77	117.59	121.90
1	AA	863	U	C3'-C2'-C1'	10.76	110.11	101.50
26	BB	1813	G	N9-C4-C5	10.76	109.70	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2238	G	C8-N9-C4	-10.76	102.09	106.40
26	BB	2636	C	O4'-C1'-N1	10.76	116.81	108.20
9	AI	78	PHE	CB-CG-CD2	-10.76	113.27	120.80
1	AA	602	A	N9-C4-C5	10.76	110.10	105.80
26	BB	4	U	C4-C5-C6	10.76	126.16	119.70
26	BB	113	U	N1-C2-N3	10.76	121.35	114.90
26	BB	811	U	C5-C4-O4	-10.76	119.45	125.90
26	BB	2213	U	C5'-C4'-O4'	10.75	122.00	109.10
1	AA	1233	G	C5-N7-C8	-10.75	98.92	104.30
1	AA	893	C	C6-N1-C2	10.75	124.60	120.30
26	BB	811	U	N3-C4-O4	10.75	126.92	119.40
26	BB	1046	A	C8-N9-C4	-10.75	101.50	105.80
26	BB	1281	G	N3-C4-N9	10.75	132.45	126.00
26	BB	1363	C	N1-C2-O2	10.75	125.35	118.90
26	BB	2509	G	N3-C4-C5	-10.75	123.22	128.60
26	BB	1679	A	N9-C4-C5	10.75	110.10	105.80
1	AA	107	G	C5-N7-C8	10.75	109.67	104.30
11	AK	116	ARG	NE-CZ-NH2	-10.75	114.93	120.30
25	BA	41	G	N3-C2-N2	-10.74	112.38	119.90
26	BB	121	G	N1-C6-O6	10.74	126.34	119.90
26	BB	1677	A	C5-N7-C8	10.74	109.27	103.90
26	BB	2407	A	N1-C6-N6	-10.74	112.16	118.60
1	AA	191	G	C5-C6-N1	10.74	116.87	111.50
26	BB	438	G	O4'-C1'-N9	10.74	116.79	108.20
1	AA	1177	G	N9-C4-C5	10.73	109.69	105.40
26	BB	2655	G	C1'-O4'-C4'	-10.73	101.31	109.90
1	AA	1262	C	N1-C2-O2	10.73	125.34	118.90
26	BB	2437	G	C8-N9-C4	-10.73	102.11	106.40
26	BB	2500	U	C5-C6-N1	10.73	128.07	122.70
26	BB	67	U	O4'-C1'-N1	10.73	116.79	108.20
26	BB	899	A	C8-N9-C4	-10.73	101.51	105.80
1	AA	1078	U	N3-C4-C5	-10.73	108.16	114.60
26	BB	297	G	C4-C5-N7	-10.73	106.51	110.80
26	BB	600	G	N1-C6-O6	10.73	126.34	119.90
26	BB	989	G	N3-C4-C5	-10.73	123.23	128.60
26	BB	1547	C	C5-C6-N1	-10.73	115.64	121.00
26	BB	2856	A	C5-C6-N6	-10.73	115.11	123.70
1	AA	159	G	C8-N9-C4	-10.73	102.11	106.40
1	AA	264	C	N1-C2-O2	10.72	125.33	118.90
26	BB	1382	G	N9-C4-C5	10.72	109.69	105.40
26	BB	1511	G	O4'-C1'-N9	10.72	116.78	108.20
26	BB	1907	G	C1'-O4'-C4'	10.72	118.47	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1080	A	N9-C4-C5	10.72	110.09	105.80
26	BB	2022	U	C5-C6-N1	-10.72	117.34	122.70
1	AA	667	G	C4-C5-N7	-10.71	106.51	110.80
26	BB	1766	G	C8-N9-C4	-10.71	102.11	106.40
1	AA	841	C	N3-C4-C5	-10.71	117.61	121.90
26	BB	640	C	N3-C2-O2	-10.71	114.40	121.90
1	AA	617	G	N9-C4-C5	10.71	109.68	105.40
26	BB	1248	G	C6-C5-N7	-10.71	123.97	130.40
26	BB	2048	G	C2-N3-C4	10.71	117.26	111.90
26	BB	2205	A	C8-N9-C4	-10.71	101.52	105.80
1	AA	144	G	C2-N3-C4	10.71	117.25	111.90
1	AA	338	A	N7-C8-N9	10.71	119.15	113.80
1	AA	389	A	C8-N9-C4	-10.71	101.52	105.80
1	AA	1466	C	C3'-C2'-C1'	10.71	110.07	101.50
26	BB	1555	G	N7-C8-N9	10.71	118.45	113.10
26	BB	2571	U	O4'-C1'-N1	10.71	116.77	108.20
26	BB	2599	G	N9-C4-C5	10.71	109.68	105.40
1	AA	756	C	N1-C2-O2	10.71	125.32	118.90
1	AA	331	G	C5'-C4'-O4'	10.70	121.94	109.10
1	AA	1186	G	C5-C6-N1	-10.71	106.15	111.50
25	BA	78	A	N1-C2-N3	-10.71	123.95	129.30
26	BB	2394	C	N3-C4-C5	-10.70	117.62	121.90
1	AA	1443	C	O4'-C1'-N1	10.70	116.76	108.20
26	BB	52	A	N1-C6-N6	-10.70	112.18	118.60
1	AA	1106	G	O4'-C1'-N9	10.70	116.76	108.20
26	BB	1426	G	N3-C4-C5	-10.70	123.25	128.60
31	BG	101	ARG	NE-CZ-NH1	-10.70	114.95	120.30
41	BQ	102	ARG	NE-CZ-NH2	-10.70	114.95	120.30
1	AA	487	A	O4'-C1'-N9	10.69	116.75	108.20
1	AA	325	A	O4'-C1'-N9	10.69	116.75	108.20
26	BB	1381	G	C5-C6-O6	-10.69	122.18	128.60
1	AA	1221	G	N3-C4-C5	-10.69	123.25	128.60
1	AA	1273	C	C2-N3-C4	10.69	125.25	119.90
2	AB	34	C	N3-C4-N4	10.69	125.48	118.00
26	BB	1197	G	O4'-C1'-N9	10.69	116.75	108.20
26	BB	1123	C	C5-C6-N1	10.69	126.34	121.00
26	BB	1170	C	O4'-C1'-N1	10.69	116.75	108.20
26	BB	2832	U	N3-C2-O2	-10.69	114.72	122.20
1	AA	23	C	C2-N3-C4	10.69	125.24	119.90
1	AA	546	A	C4-C5-N7	-10.69	105.36	110.70
26	BB	1760	C	N1-C2-O2	10.69	125.31	118.90
1	AA	1003	G	N3-C4-C5	-10.68	123.26	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	323	C	O4'-C1'-N1	10.68	116.75	108.20
26	BB	730	A	C6-N1-C2	-10.68	112.19	118.60
1	AA	1522	U	C5-C6-N1	-10.68	117.36	122.70
26	BB	1866	A	C5-N7-C8	10.68	109.24	103.90
26	BB	2338	C	C2-N3-C4	10.68	125.24	119.90
1	AA	826	C	C6-N1-C2	10.68	124.57	120.30
26	BB	1984	G	O4'-C1'-N9	10.68	116.74	108.20
1	AA	1447	A	C2-N3-C4	10.68	115.94	110.60
26	BB	1934	C	O4'-C1'-N1	10.68	116.74	108.20
26	BB	2390	U	O4'-C1'-N1	10.68	116.74	108.20
56	B5	5	PHE	CB-CG-CD1	10.68	128.27	120.80
1	AA	1116	U	O4'-C1'-N1	10.67	116.74	108.20
26	BB	2621	G	C4-C5-N7	-10.67	106.53	110.80
26	BB	1788	C	N3-C4-N4	10.67	125.47	118.00
4	AD	71	G	C8-N9-C4	-10.67	102.13	106.40
1	AA	303	A	N3-C4-C5	-10.66	119.33	126.80
26	BB	2809	A	C8-N9-C4	-10.66	101.53	105.80
1	AA	1301	U	C5-C6-N1	-10.66	117.37	122.70
3	AC	14	G	C2-N3-C4	10.66	117.23	111.90
1	AA	57	G	N9-C4-C5	10.66	109.66	105.40
1	AA	865	A	C8-N9-C4	-10.66	101.54	105.80
26	BB	401	A	C8-N9-C4	-10.66	101.54	105.80
26	BB	1110	G	C8-N9-C4	-10.66	102.14	106.40
26	BB	1381	G	N3-C4-C5	-10.66	123.27	128.60
26	BB	1720	U	C5-C4-O4	-10.66	119.50	125.90
26	BB	716	A	N1-C2-N3	-10.66	123.97	129.30
1	AA	378	G	O4'-C1'-N9	10.65	116.72	108.20
1	AA	1024	G	O4'-C1'-N9	10.65	116.72	108.20
26	BB	2010	G	N3-C4-C5	-10.65	123.27	128.60
26	BB	550	C	C5-C4-N4	-10.65	112.74	120.20
26	BB	1661	G	N9-C4-C5	10.65	109.66	105.40
1	AA	1223	C	N3-C4-C5	-10.65	117.64	121.90
1	AA	1278	G	N3-C4-C5	-10.65	123.28	128.60
16	AP	22	TYR	CB-CG-CD1	10.65	127.39	121.00
26	BB	1713	A	C8-N9-C4	-10.65	101.54	105.80
1	AA	281	G	C5-N7-C8	10.64	109.62	104.30
1	AA	1112	C	C2-N3-C4	10.64	125.22	119.90
1	AA	1432	G	N3-C4-C5	-10.64	123.28	128.60
26	BB	1590	A	C2-N3-C4	10.64	115.92	110.60
26	BB	1844	C	N3-C2-O2	-10.64	114.45	121.90
26	BB	1391	U	C1'-O4'-C4'	-10.64	101.39	109.90
26	BB	1824	G	C5-C6-N1	10.64	116.82	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1929	G	N3-C4-N9	10.64	132.38	126.00
26	BB	2536	G	N7-C8-N9	10.64	118.42	113.10
26	BB	2823	A	C8-N9-C4	-10.64	101.54	105.80
33	BI	123	ARG	NE-CZ-NH2	-10.64	114.98	120.30
1	AA	1529	G	O4'-C1'-N9	10.64	116.71	108.20
26	BB	1355	G	C5-N7-C8	10.64	109.62	104.30
26	BB	1734	G	O4'-C1'-N9	10.64	116.71	108.20
26	BB	462	C	O4'-C1'-N1	10.63	116.71	108.20
1	AA	1419	G	N1-C2-N3	-10.63	117.52	123.90
1	AA	1455	G	C4-C5-N7	-10.63	106.55	110.80
26	BB	1941	C	C6-N1-C2	10.63	124.55	120.30
1	AA	144	G	C8-N9-C4	-10.63	102.15	106.40
1	AA	1131	G	N7-C8-N9	10.63	118.42	113.10
26	BB	2021	C	C4-C5-C6	-10.63	112.09	117.40
37	BM	70	ARG	NE-CZ-NH1	10.63	125.61	120.30
1	AA	253	A	N9-C4-C5	-10.63	101.55	105.80
26	BB	2690	U	C3'-C2'-C1'	10.62	110.00	101.50
26	BB	2870	C	C4-C5-C6	-10.62	112.09	117.40
26	BB	1461	C	O4'-C1'-N1	10.62	116.70	108.20
1	AA	1262	C	C5'-C4'-O4'	10.62	121.84	109.10
26	BB	2200	C	O4'-C1'-N1	10.62	116.70	108.20
26	BB	2246	G	C4-C5-N7	10.62	115.05	110.80
26	BB	2641	G	C2-N3-C4	10.62	117.21	111.90
1	AA	293	G	N9-C4-C5	10.61	109.65	105.40
1	AA	615	G	C8-N9-C4	-10.62	102.15	106.40
1	AA	917	G	N9-C4-C5	10.62	109.65	105.40
1	AA	141	G	C6-N1-C2	-10.61	118.73	125.10
1	AA	275	G	O4'-C1'-N9	10.61	116.69	108.20
1	AA	943	U	O4'-C1'-N1	10.61	116.69	108.20
25	BA	101	A	N7-C8-N9	10.61	119.10	113.80
1	AA	615	G	C4-C5-N7	10.61	115.04	110.80
26	BB	236	C	O4'-C1'-N1	10.61	116.69	108.20
26	BB	1807	G	C4-C5-N7	-10.61	106.56	110.80
26	BB	2876	G	N1-C6-O6	10.61	126.26	119.90
26	BB	1556	C	O4'-C1'-N1	10.61	116.68	108.20
26	BB	2485	G	C2-N3-C4	10.61	117.20	111.90
2	AB	51	G	O4'-C1'-N9	10.60	116.68	108.20
26	BB	2338	C	N3-C4-C5	-10.60	117.66	121.90
26	BB	2596	U	N3-C2-O2	-10.60	114.78	122.20
43	BS	57	ARG	NE-CZ-NH1	10.60	125.60	120.30
1	AA	695	A	C5-N7-C8	10.60	109.20	103.90
4	AD	73	A	C4-C5-C6	-10.60	111.70	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1934	C	N3-C4-C5	-10.60	117.66	121.90
26	BB	2535	G	C8-N9-C4	-10.60	102.16	106.40
1	AA	1453	G	C5-C6-O6	-10.60	122.24	128.60
4	AD	48	U	O4'-C1'-N1	10.60	116.68	108.20
25	BA	57	A	C2-N3-C4	10.60	115.90	110.60
26	BB	1928	A	N1-C2-N3	-10.60	124.00	129.30
1	AA	611	C	N3-C4-C5	-10.59	117.66	121.90
26	BB	401	A	C4-C5-N7	-10.59	105.41	110.70
26	BB	878	A	C5-N7-C8	-10.59	98.60	103.90
26	BB	1318	U	C5-C4-O4	-10.59	119.55	125.90
26	BB	2638	G	C6-C5-N7	10.59	136.75	130.40
4	AD	14	A	C5-C6-N1	10.59	122.99	117.70
26	BB	1595	C	O4'-C1'-N1	10.59	116.67	108.20
26	BB	488	G	C8-N9-C4	-10.58	102.17	106.40
26	BB	519	U	O4'-C4'-C3'	10.58	114.58	104.00
26	BB	2173	A	C4-C5-N7	-10.58	105.41	110.70
49	BY	13	ARG	NE-CZ-NH1	10.58	125.59	120.30
1	AA	986	U	C2-N3-C4	-10.58	120.65	127.00
1	AA	1072	G	C6-N1-C2	-10.58	118.75	125.10
26	BB	1400	U	N3-C4-C5	-10.58	108.25	114.60
26	BB	2590	A	N1-C6-N6	-10.58	112.25	118.60
26	BB	2795	C	C6-N1-C2	-10.58	116.07	120.30
15	AO	94	TYR	CG-CD2-CE2	-10.58	112.84	121.30
25	BA	1	U	C5-C6-N1	-10.58	117.41	122.70
26	BB	342	A	C6-N1-C2	10.58	124.95	118.60
26	BB	423	A	C5-N7-C8	-10.58	98.61	103.90
26	BB	1266	G	N9-C4-C5	10.58	109.63	105.40
26	BB	1846	G	C5'-C4'-O4'	10.58	121.79	109.10
26	BB	542	C	C6-N1-C2	-10.57	116.07	120.30
26	BB	740	C	N3-C4-C5	10.57	126.13	121.90
26	BB	2135	A	N1-C2-N3	-10.57	124.01	129.30
1	AA	1292	G	O4'-C1'-N9	10.57	116.66	108.20
26	BB	175	G	C4'-C3'-C2'	-10.57	92.03	102.60
26	BB	502	A	O4'-C1'-N9	10.57	116.66	108.20
26	BB	2661	G	O4'-C1'-N9	10.57	116.66	108.20
4	AD	26	C	N3-C4-N4	10.57	125.40	118.00
26	BB	2376	A	C5-N7-C8	-10.57	98.62	103.90
26	BB	2452	C	N3-C4-C5	-10.57	117.67	121.90
26	BB	775	G	N3-C4-C5	-10.56	123.32	128.60
26	BB	1426	G	C8-N9-C4	-10.56	102.17	106.40
51	B0	29	ARG	NE-CZ-NH2	10.56	125.58	120.30
1	AA	693	G	C3'-C2'-C1'	10.56	109.95	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1013	G	N3-C2-N2	-10.56	112.51	119.90
26	BB	1589	U	N1-C2-N3	10.56	121.24	114.90
26	BB	933	A	C8-N9-C4	-10.56	101.58	105.80
1	AA	925	G	C5-C6-O6	-10.56	122.27	128.60
1	AA	1174	G	N3-C4-N9	10.55	132.33	126.00
26	BB	628	G	C8-N9-C4	-10.55	102.18	106.40
26	BB	2537	U	O4'-C1'-N1	10.55	116.64	108.20
1	AA	1325	C	O4'-C1'-N1	10.55	116.64	108.20
26	BB	810	U	O4'-C1'-N1	10.55	116.64	108.20
26	BB	1813	G	C8-N9-C4	-10.55	102.18	106.40
26	BB	592	A	C6-N1-C2	10.55	124.93	118.60
26	BB	2846	G	C6-C5-N7	-10.55	124.07	130.40
1	AA	234	C	N3-C2-O2	-10.54	114.52	121.90
26	BB	997	G	N9-C4-C5	10.54	109.62	105.40
26	BB	1176	U	O4'-C1'-N1	10.54	116.64	108.20
26	BB	2899	A	C8-N9-C4	-10.55	101.58	105.80
1	AA	825	A	N7-C8-N9	10.54	119.07	113.80
26	BB	581	C	C4-C5-C6	10.54	122.67	117.40
1	AA	210	C	C5-C4-N4	-10.54	112.82	120.20
1	AA	903	G	N3-C4-C5	-10.54	123.33	128.60
26	BB	96	C	N3-C4-C5	-10.54	117.69	121.90
26	BB	708	G	N7-C8-N9	10.54	118.37	113.10
1	AA	336	A	C8-N9-C4	-10.54	101.59	105.80
26	BB	832	U	N1-C2-N3	10.54	121.22	114.90
26	BB	1011	G	C5-C6-N1	10.54	116.77	111.50
26	BB	1064	C	C2-N3-C4	10.54	125.17	119.90
26	BB	1138	G	C6-C5-N7	10.54	136.72	130.40
26	BB	1358	G	C2-N3-C4	10.54	117.17	111.90
26	BB	1736	U	C3'-C2'-C1'	10.54	109.93	101.50
26	BB	2690	U	O4'-C1'-N1	10.54	116.63	108.20
1	AA	1057	G	C6-N1-C2	-10.53	118.78	125.10
1	AA	1103	C	N3-C4-C5	-10.53	117.69	121.90
26	BB	238	C	O4'-C1'-N1	10.53	116.63	108.20
1	AA	1248	A	O4'-C1'-N9	10.53	116.62	108.20
26	BB	601	C	C6-N1-C2	-10.53	116.09	120.30
26	BB	997	G	C4-C5-N7	-10.53	106.59	110.80
1	AA	499	A	O4'-C1'-N9	10.53	116.62	108.20
1	AA	1152	A	O4'-C1'-N9	10.53	116.62	108.20
26	BB	1694	C	O4'-C1'-N1	10.53	116.62	108.20
1	AA	1111	A	C8-N9-C4	-10.53	101.59	105.80
26	BB	2481	G	C5-C6-O6	-10.53	122.28	128.60
26	BB	2626	C	N1-C2-O2	10.53	125.22	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	AG	49	ASP	CB-CG-OD1	-10.52	108.83	118.30
26	BB	127	A	O4'-C4'-C3'	10.52	114.52	104.00
26	BB	1468	U	O4'-C1'-N1	10.52	116.62	108.20
26	BB	2694	G	N9-C4-C5	-10.52	101.19	105.40
26	BB	776	G	N9-C4-C5	10.52	109.61	105.40
26	BB	913	U	C6-N1-C2	-10.52	114.69	121.00
26	BB	1467	U	C4-C5-C6	10.52	126.01	119.70
26	BB	2234	G	O4'-C1'-N9	10.52	116.62	108.20
26	BB	2406	A	N9-C4-C5	-10.52	101.59	105.80
1	AA	113	G	C8-N9-C4	-10.52	102.19	106.40
26	BB	2468	A	C2-N3-C4	10.52	115.86	110.60
26	BB	2859	G	N7-C8-N9	10.52	118.36	113.10
1	AA	588	G	N7-C8-N9	10.52	118.36	113.10
26	BB	273	G	C8-N9-C4	-10.52	102.19	106.40
1	AA	850	U	C5-C4-O4	10.52	132.21	125.90
26	BB	254	G	C5-C6-O6	10.52	134.91	128.60
26	BB	1564	C	C3'-C2'-C1'	10.52	109.91	101.50
26	BB	2863	C	O4'-C1'-N1	10.52	116.61	108.20
26	BB	2046	G	C2-N3-C4	10.52	117.16	111.90
1	AA	626	G	C3'-C2'-C1'	10.51	109.91	101.50
26	BB	234	U	C5-C6-N1	-10.51	117.44	122.70
26	BB	1574	C	O4'-C1'-N1	10.51	116.61	108.20
26	BB	2607	G	C2-N3-C4	10.51	117.16	111.90
26	BB	316	C	C2-N3-C4	10.51	125.16	119.90
26	BB	323	C	N3-C2-O2	-10.51	114.54	121.90
26	BB	1738	G	N3-C4-C5	-10.51	123.35	128.60
26	BB	1168	G	N9-C4-C5	-10.51	101.20	105.40
1	AA	95	C	N3-C4-C5	-10.51	117.70	121.90
1	AA	121	U	C3'-C2'-C1'	10.51	109.91	101.50
26	BB	2292	U	O4'-C1'-N1	10.51	116.61	108.20
26	BB	437	U	O4'-C1'-N1	10.51	116.60	108.20
1	AA	1251	A	C8-N9-C4	-10.50	101.60	105.80
1	AA	971	G	C3'-C2'-C1'	-10.50	93.10	101.50
26	BB	218	A	O4'-C4'-C3'	10.50	114.50	104.00
26	BB	2221	G	C5-C6-O6	-10.50	122.30	128.60
1	AA	46	G	C5-C6-O6	-10.50	122.30	128.60
26	BB	1772	A	N1-C2-N3	-10.50	124.05	129.30
1	AA	735	C	C2-N3-C4	-10.50	114.65	119.90
1	AA	1269	A	N1-C6-N6	-10.50	112.30	118.60
26	BB	2032	G	C2-N3-C4	10.50	117.15	111.90
1	AA	235	C	O4'-C1'-N1	10.50	116.60	108.20
26	BB	663	G	O4'-C1'-N9	10.50	116.60	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	270	A	C6-N1-C2	10.49	124.90	118.60
1	AA	421	U	N3-C2-O2	-10.49	114.86	122.20
26	BB	455	C	N3-C4-C5	10.49	126.10	121.90
26	BB	791	C	N3-C4-C5	-10.49	117.70	121.90
26	BB	1491	G	C8-N9-C4	-10.49	102.20	106.40
26	BB	2003	A	C8-N9-C4	-10.49	101.60	105.80
26	BB	2730	C	C6-N1-C2	-10.49	116.10	120.30
26	BB	2133	G	C8-N9-C4	-10.49	102.20	106.40
26	BB	2509	G	C8-N9-C4	10.49	110.60	106.40
26	BB	2844	G	C8-N9-C4	-10.49	102.20	106.40
26	BB	724	U	C4-C5-C6	10.49	125.99	119.70
26	BB	2136	G	C8-N9-C4	-10.49	102.20	106.40
1	AA	770	C	N3-C4-C5	-10.49	117.70	121.90
26	BB	287	G	C8-N9-C4	-10.49	102.20	106.40
26	BB	518	G	O4'-C1'-N9	10.49	116.59	108.20
26	BB	1370	C	O4'-C1'-N1	10.49	116.59	108.20
32	BH	34	ARG	NE-CZ-NH2	-10.49	115.06	120.30
1	AA	27	G	N9-C4-C5	10.48	109.59	105.40
1	AA	142	G	C5-C6-N1	10.48	116.74	111.50
1	AA	797	C	O4'-C1'-N1	10.48	116.59	108.20
1	AA	861	G	C5-N7-C8	-10.48	99.06	104.30
26	BB	875	G	N7-C8-N9	-10.48	107.86	113.10
26	BB	1446	C	N3-C4-C5	-10.48	117.71	121.90
26	BB	2160	C	N3-C2-O2	-10.48	114.56	121.90
1	AA	339	C	N3-C4-C5	-10.48	117.71	121.90
26	BB	98	G	N9-C4-C5	10.48	109.59	105.40
26	BB	421	C	N1-C2-O2	10.48	125.19	118.90
26	BB	1122	G	O4'-C1'-N9	10.48	116.58	108.20
26	BB	1637	A	N7-C8-N9	10.48	119.04	113.80
26	BB	2264	C	C6-N1-C2	-10.48	116.11	120.30
26	BB	2699	C	C4-C5-C6	-10.48	112.16	117.40
1	AA	48	C	C6-N1-C2	-10.48	116.11	120.30
1	AA	467	U	N1-C2-N3	10.48	121.19	114.90
1	AA	794	A	C6-N1-C2	-10.48	112.31	118.60
26	BB	19	A	C5-C6-N6	10.48	132.08	123.70
1	AA	918	A	C8-N9-C4	10.48	109.99	105.80
1	AA	1336	C	N1-C2-O2	10.48	125.19	118.90
15	AO	85	ARG	NE-CZ-NH1	10.48	125.54	120.30
1	AA	1030	U	C4-C5-C6	10.47	125.98	119.70
1	AA	251	G	N9-C4-C5	10.47	109.59	105.40
1	AA	951	G	N9-C4-C5	10.47	109.59	105.40
26	BB	541	A	N9-C4-C5	10.47	109.99	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	701	G	C2-N3-C4	10.47	117.13	111.90
26	BB	2497	A	N1-C2-N3	-10.47	124.07	129.30
56	B5	3	ARG	NE-CZ-NH1	-10.47	115.07	120.30
21	AU	52	ARG	NE-CZ-NH1	10.46	125.53	120.30
26	BB	2584	U	O4'-C1'-N1	10.46	116.57	108.20
1	AA	370	C	O4'-C1'-N1	10.46	116.57	108.20
1	AA	696	A	N1-C2-N3	-10.46	124.07	129.30
26	BB	931	U	N3-C4-O4	10.46	126.72	119.40
1	AA	514	C	N3-C4-C5	10.46	126.08	121.90
26	BB	1895	C	C2-N3-C4	-10.46	114.67	119.90
26	BB	2097	A	C8-N9-C4	-10.46	101.61	105.80
26	BB	2806	C	O4'-C1'-N1	10.46	116.57	108.20
1	AA	246	A	N1-C2-N3	-10.46	124.07	129.30
26	BB	2404	U	O4'-C1'-N1	10.46	116.57	108.20
1	AA	1388	C	C2-N3-C4	-10.45	114.67	119.90
26	BB	1013	C	O4'-C1'-N1	10.46	116.56	108.20
26	BB	1062	G	N9-C4-C5	10.46	109.58	105.40
26	BB	776	G	O4'-C1'-N9	10.45	116.56	108.20
35	BK	68	PHE	CB-CG-CD1	10.45	128.12	120.80
26	BB	30	G	O4'-C1'-N9	10.45	116.56	108.20
26	BB	735	A	C8-N9-C4	10.45	109.98	105.80
4	AD	23	G	N3-C4-C5	-10.45	123.38	128.60
26	BB	610	C	O4'-C1'-N1	10.45	116.56	108.20
26	BB	752	A	C4-C5-C6	10.45	122.22	117.00
26	BB	1800	C	C6-N1-C2	10.44	124.48	120.30
26	BB	2831	G	C5-N7-C8	-10.44	99.08	104.30
26	BB	1885	A	N1-C2-N3	-10.44	124.08	129.30
26	BB	1998	A	O4'-C1'-N9	10.44	116.55	108.20
26	BB	74	A	C8-N9-C4	-10.44	101.62	105.80
26	BB	200	U	O4'-C1'-N1	10.44	116.55	108.20
26	BB	1169	A	N1-C2-N3	10.44	134.52	129.30
26	BB	2331	G	C6-C5-N7	-10.44	124.14	130.40
26	BB	2803	G	N7-C8-N9	-10.44	107.88	113.10
1	AA	1160	G	C4-C5-N7	10.44	114.97	110.80
26	BB	2175	C	N3-C4-C5	10.44	126.08	121.90
1	AA	1297	G	C4-C5-N7	-10.44	106.63	110.80
26	BB	500	G	C8-N9-C4	-10.44	102.23	106.40
26	BB	2370	G	N3-C4-C5	-10.44	123.38	128.60
1	AA	1347	G	C8-N9-C4	-10.43	102.23	106.40
3	AC	56	G	C2-N3-C4	-10.43	106.68	111.90
26	BB	289	G	C8-N9-C4	-10.43	102.23	106.40
41	BQ	36	TYR	CG-CD1-CE1	-10.43	112.95	121.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	930	G	C8-N9-C4	-10.43	102.23	106.40
26	BB	1145	C	C5-C6-N1	10.43	126.22	121.00
1	AA	225	C	O4'-C1'-N1	10.43	116.54	108.20
1	AA	281	G	N9-C4-C5	10.43	109.57	105.40
26	BB	1009	A	C2-N3-C4	10.43	115.82	110.60
1	AA	512	U	C2-N3-C4	-10.43	120.74	127.00
26	BB	1237	A	O4'-C1'-N9	10.43	116.54	108.20
26	BB	2653	U	C3'-C2'-C1'	10.43	109.84	101.50
26	BB	1194	A	N9-C4-C5	10.43	109.97	105.80
53	B2	49	ARG	NE-CZ-NH2	-10.43	115.09	120.30
1	AA	335	C	N3-C4-N4	10.42	125.30	118.00
15	AO	94	TYR	CB-CG-CD1	-10.42	114.75	121.00
1	AA	711	G	N3-C2-N2	-10.42	112.60	119.90
26	BB	662	G	O4'-C1'-N9	10.42	116.54	108.20
26	BB	1137	G	N7-C8-N9	10.42	118.31	113.10
26	BB	1445	G	C5-N7-C8	10.42	109.51	104.30
1	AA	154	U	O4'-C1'-N1	10.42	116.54	108.20
1	AA	1424	U	N1-C2-O2	10.42	130.09	122.80
3	AC	17	U	C5-C6-N1	10.42	127.91	122.70
3	AC	31	U	C6-N1-C2	-10.42	114.75	121.00
26	BB	2287	A	O4'-C1'-N9	10.42	116.54	108.20
26	BB	1128	G	C4-C5-N7	-10.42	106.63	110.80
1	AA	680	C	N1-C2-O2	10.42	125.15	118.90
26	BB	377	G	C5-N7-C8	10.42	109.51	104.30
26	BB	1207	C	O4'-C1'-N1	10.42	116.53	108.20
26	BB	2237	G	N3-C4-C5	-10.42	123.39	128.60
1	AA	328	C	N1-C2-O2	10.41	125.15	118.90
1	AA	814	A	C4-C5-N7	-10.41	105.49	110.70
1	AA	557	G	N3-C4-C5	-10.41	123.39	128.60
26	BB	561	G	O5'-P-OP1	-10.41	96.33	105.70
26	BB	713	G	C3'-C2'-C1'	-10.41	93.17	101.50
26	BB	851	C	C6-N1-C2	-10.41	116.14	120.30
26	BB	1521	G	C3'-C2'-C1'	10.41	109.83	101.50
26	BB	2706	A	O4'-C1'-N9	10.41	116.53	108.20
1	AA	1512	U	C4-C5-C6	10.41	125.95	119.70
26	BB	154	U	O4'-C1'-N1	10.41	116.53	108.20
26	BB	789	A	N9-C4-C5	10.41	109.96	105.80
26	BB	2145	C	N3-C4-C5	-10.41	117.74	121.90
40	BP	103	ARG	NE-CZ-NH2	-10.41	115.09	120.30
26	BB	637	A	C4-C5-C6	-10.41	111.80	117.00
26	BB	160	A	C1'-O4'-C4'	-10.41	101.58	109.90
1	AA	230	G	C8-N9-C4	-10.40	102.24	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	78	A	O4'-C1'-N9	10.40	116.52	108.20
26	BB	310	A	C2-N3-C4	10.40	115.80	110.60
26	BB	1822	C	O4'-C1'-N1	10.40	116.52	108.20
1	AA	1456	A	C3'-C2'-C1'	-10.40	93.18	101.50
26	BB	474	G	N7-C8-N9	10.40	118.30	113.10
26	BB	1200	C	O4'-C1'-N1	10.40	116.52	108.20
26	BB	1921	G	C3'-C2'-C1'	-10.40	93.18	101.50
26	BB	1918	A	C8-N9-C4	-10.40	101.64	105.80
1	AA	35	G	C5-C6-O6	-10.39	122.36	128.60
26	BB	1677	A	C4-C5-N7	-10.39	105.50	110.70
1	AA	796	C	C5-C4-N4	-10.39	112.92	120.20
26	BB	809	G	C5-N7-C8	-10.39	99.10	104.30
26	BB	1724	G	O4'-C1'-N9	10.39	116.51	108.20
26	BB	2452	C	C5-C4-N4	10.39	127.48	120.20
26	BB	2709	G	C5'-C4'-O4'	10.39	121.57	109.10
35	BK	68	PHE	CB-CG-CD2	-10.39	113.53	120.80
1	AA	1401	G	C8-N9-C4	-10.39	102.24	106.40
26	BB	933	A	C5-C6-N6	10.39	132.01	123.70
26	BB	2719	G	C2-N3-C4	10.39	117.10	111.90
1	AA	895	G	N7-C8-N9	10.39	118.29	113.10
1	AA	1208	C	C6-N1-C2	10.39	124.45	120.30
1	AA	1240	U	C5-C6-N1	-10.39	117.51	122.70
1	AA	227	G	N9-C4-C5	10.39	109.56	105.40
1	AA	909	A	C4-C5-C6	-10.39	111.81	117.00
26	BB	1367	A	C8-N9-C4	-10.39	101.64	105.80
26	BB	1547	C	C4-C5-C6	10.39	122.59	117.40
26	BB	640	C	N3-C4-C5	10.38	126.05	121.90
26	BB	739	A	C8-N9-C4	-10.38	101.65	105.80
26	BB	2808	G	C2-N3-C4	10.39	117.09	111.90
26	BB	712	G	C4-C5-C6	10.38	125.03	118.80
26	BB	1145	C	O4'-C1'-N1	10.38	116.50	108.20
26	BB	2786	U	O4'-C1'-N1	10.38	116.50	108.20
1	AA	344	A	C8-N9-C4	-10.38	101.65	105.80
26	BB	1385	A	C4-C5-C6	10.38	122.19	117.00
1	AA	130	A	C2-N3-C4	10.38	115.79	110.60
26	BB	661	A	N9-C1'-C2'	-10.38	100.51	114.00
26	BB	1194	A	C4-C5-N7	-10.38	105.51	110.70
1	AA	177	G	N7-C8-N9	10.38	118.29	113.10
25	BA	104	A	C4-C5-N7	-10.38	105.51	110.70
26	BB	2556	C	C6-N1-C2	-10.38	116.15	120.30
40	BP	30	ARG	NE-CZ-NH1	10.38	125.49	120.30
1	AA	635	A	C5-C6-N1	10.37	122.89	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
29	BE	184	ARG	NE-CZ-NH1	10.37	125.49	120.30
1	AA	311	C	N1-C2-O2	10.37	125.12	118.90
1	AA	1158	C	N3-C4-C5	-10.37	117.75	121.90
26	BB	2470	G	N1-C2-N3	-10.37	117.68	123.90
26	BB	282	A	C4-C5-N7	-10.37	105.52	110.70
26	BB	676	A	C2-N3-C4	-10.37	105.42	110.60
26	BB	1973	G	N9-C4-C5	10.37	109.55	105.40
26	BB	2861	U	C5'-C4'-O4'	10.37	121.54	109.10
26	BB	1346	G	O4'-C1'-N9	10.37	116.49	108.20
2	AB	41	C	N3-C4-N4	10.37	125.25	118.00
26	BB	1257	C	O4'-C1'-N1	10.37	116.49	108.20
26	BB	1697	G	N3-C2-N2	10.37	127.16	119.90
1	AA	150	U	O4'-C1'-N1	10.36	116.49	108.20
1	AA	485	U	C5-C4-O4	-10.36	119.68	125.90
1	AA	110	C	N3-C4-C5	10.36	126.04	121.90
1	AA	603	U	C2-N3-C4	-10.36	120.78	127.00
3	AC	38	G	C4-C5-N7	-10.36	106.66	110.80
26	BB	1473	G	C8-N9-C4	-10.36	102.25	106.40
26	BB	2884	U	C5-C6-N1	-10.36	117.52	122.70
1	AA	633	G	N9-C4-C5	-10.36	101.26	105.40
1	AA	944	G	C5-N7-C8	10.36	109.48	104.30
1	AA	988	G	C4-C5-C6	10.36	125.02	118.80
26	BB	521	U	C2-N3-C4	-10.36	120.78	127.00
26	BB	1322	A	O4'-C1'-N9	10.36	116.49	108.20
26	BB	1870	C	O4'-C4'-C3'	10.36	114.39	106.10
26	BB	407	G	C4-C5-N7	-10.36	106.66	110.80
26	BB	1291	C	N3-C4-C5	-10.36	117.76	121.90
26	BB	2026	U	O4'-C1'-N1	10.36	116.48	108.20
38	BN	18	ARG	NE-CZ-NH2	-10.36	115.12	120.30
26	BB	1588	G	N3-C4-N9	10.35	132.21	126.00
26	BB	854	C	N3-C2-O2	-10.35	114.65	121.90
26	BB	1270	C	O4'-C4'-C3'	10.35	114.38	106.10
26	BB	2784	U	O4'-C1'-N1	10.35	116.48	108.20
26	BB	1109	C	C4-C5-C6	10.35	122.57	117.40
26	BB	2693	G	C8-N9-C4	-10.35	102.26	106.40
27	BC	60	ARG	NE-CZ-NH1	10.35	125.47	120.30
26	BB	425	G	N3-C4-N9	-10.35	119.79	126.00
26	BB	1763	G	C4-C5-N7	-10.35	106.66	110.80
1	AA	340	U	O4'-C1'-N1	10.35	116.48	108.20
1	AA	550	G	C3'-C2'-C1'	10.35	109.78	101.50
2	AB	40	C	O4'-C1'-N1	10.35	116.48	108.20
26	BB	2896	C	C5-C4-N4	-10.35	112.96	120.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	897	C	C2-N3-C4	10.34	125.07	119.90
1	AA	452	A	O4'-C1'-N9	10.34	116.47	108.20
1	AA	1225	A	N7-C8-N9	10.34	118.97	113.80
26	BB	511	U	C4'-C3'-C2'	-10.34	92.26	102.60
26	BB	2087	G	N3-C4-C5	-10.34	123.43	128.60
1	AA	419	C	C5-C4-N4	-10.34	112.96	120.20
1	AA	502	A	N9-C4-C5	10.34	109.94	105.80
4	AD	38	A	N1-C6-N6	10.34	124.80	118.60
26	BB	571	U	O4'-C4'-C3'	10.34	114.37	106.10
26	BB	1491	G	C5-N7-C8	10.34	109.47	104.30
26	BB	1568	G	N3-C4-C5	-10.34	123.43	128.60
26	BB	2121	G	C4-C5-C6	10.34	125.00	118.80
26	BB	2497	A	O4'-C1'-N9	10.34	116.47	108.20
1	AA	739	C	C5'-C4'-O4'	10.34	121.50	109.10
26	BB	604	G	C2-N3-C4	10.34	117.07	111.90
26	BB	2639	A	C5-N7-C8	10.34	109.07	103.90
1	AA	1238	A	N1-C6-N6	-10.33	112.40	118.60
26	BB	1552	A	C8-N9-C4	-10.33	101.67	105.80
1	AA	869	G	N3-C4-C5	-10.33	123.43	128.60
26	BB	1752	C	C5'-C4'-O4'	10.33	121.50	109.10
26	BB	2822	G	N7-C8-N9	10.33	118.27	113.10
4	AD	69	C	C5-C4-N4	-10.33	112.97	120.20
26	BB	1949	G	N3-C4-C5	-10.33	123.43	128.60
26	BB	1870	C	N1-C2-O2	10.33	125.10	118.90
26	BB	1996	C	O4'-C1'-N1	10.33	116.46	108.20
26	BB	1306	C	O4'-C1'-N1	10.33	116.46	108.20
26	BB	2793	C	N3-C4-C5	-10.33	117.77	121.90
1	AA	1014	A	C2-N3-C4	10.33	115.76	110.60
26	BB	466	A	C2-N3-C4	10.33	115.76	110.60
1	AA	27	G	C4-C5-N7	-10.32	106.67	110.80
1	AA	849	G	C8-N9-C4	-10.32	102.27	106.40
1	AA	956	U	C3'-C2'-C1'	10.32	109.76	101.50
1	AA	1426	G	N3-C4-C5	-10.32	123.44	128.60
26	BB	1738	G	N3-C2-N2	10.32	127.13	119.90
26	BB	146	A	C8-N9-C4	-10.32	101.67	105.80
4	AD	66	C	N1-C2-O2	10.32	125.09	118.90
1	AA	515	G	C5-C6-O6	-10.32	122.41	128.60
25	BA	19	C	C5-C6-N1	10.32	126.16	121.00
1	AA	916	U	O4'-C1'-N1	10.31	116.45	108.20
26	BB	161	A	N7-C8-N9	-10.31	108.64	113.80
26	BB	1455	G	C2-N3-C4	10.31	117.06	111.90
26	BB	1738	G	C4'-C3'-C2'	-10.31	92.29	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1778	U	C3'-C2'-C1'	10.31	109.75	101.50
26	BB	2668	G	C8-N9-C4	-10.31	102.27	106.40
26	BB	1793	C	N3-C4-N4	10.31	125.22	118.00
26	BB	2104	C	O4'-C1'-N1	10.31	116.45	108.20
26	BB	75	G	N3-C4-C5	-10.31	123.45	128.60
26	BB	312	G	C2-N3-C4	10.31	117.05	111.90
26	BB	1761	C	C2-N3-C4	10.31	125.05	119.90
1	AA	296	U	N1-C2-N3	10.30	121.08	114.90
1	AA	1047	G	C4-C5-C6	10.30	124.98	118.80
1	AA	1077	G	N3-C2-N2	-10.30	112.69	119.90
26	BB	2661	G	C5-C6-O6	-10.30	122.42	128.60
26	BB	2766	A	C5'-C4'-O4'	10.30	121.46	109.10
26	BB	2885	G	O4'-C1'-N9	10.30	116.44	108.20
26	BB	611	C	N3-C4-N4	10.30	125.21	118.00
1	AA	1002	G	N9-C4-C5	10.30	109.52	105.40
1	AA	207	C	N1-C2-O2	10.30	125.08	118.90
1	AA	1422	G	O4'-C1'-N9	10.30	116.44	108.20
26	BB	386	G	N3-C4-C5	-10.30	123.45	128.60
27	BC	122	ARG	NE-CZ-NH1	10.30	125.45	120.30
26	BB	1170	C	N3-C2-O2	-10.30	114.69	121.90
26	BB	1628	G	N7-C8-N9	10.30	118.25	113.10
26	BB	2196	C	N3-C4-N4	10.30	125.21	118.00
26	BB	2582	G	N3-C4-N9	10.29	132.18	126.00
1	AA	963	G	C5-C6-N1	10.29	116.65	111.50
26	BB	9	G	C5-C6-O6	-10.29	122.42	128.60
26	BB	185	G	C8-N9-C4	-10.29	102.28	106.40
1	AA	1322	C	N3-C4-N4	10.29	125.20	118.00
1	AA	1419	G	N3-C4-C5	-10.29	123.45	128.60
26	BB	646	U	C5-C4-O4	-10.29	119.72	125.90
1	AA	149	A	N3-C4-C5	-10.29	119.60	126.80
26	BB	1552	A	O4'-C1'-N9	10.29	116.43	108.20
1	AA	1152	A	C1'-O4'-C4'	-10.29	101.67	109.90
26	BB	1516	G	C2-N3-C4	10.29	117.05	111.90
26	BB	2889	C	N3-C4-C5	-10.29	117.78	121.90
1	AA	1174	G	N3-C4-C5	-10.29	123.46	128.60
1	AA	437	U	C5-C6-N1	-10.29	117.56	122.70
1	AA	602	A	N9-C1'-C2'	-10.29	100.63	114.00
26	BB	804	A	C1'-O4'-C4'	-10.29	101.67	109.90
1	AA	1187	G	O4'-C1'-N9	10.28	116.43	108.20
26	BB	2589	A	N1-C2-N3	-10.29	124.16	129.30
1	AA	39	G	C1'-O4'-C4'	-10.28	101.67	109.90
26	BB	532	A	N9-C4-C5	10.28	109.91	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2164	C	O4'-C1'-N1	10.28	116.43	108.20
26	BB	2286	G	C2-N3-C4	10.28	117.04	111.90
26	BB	2889	C	C5-C6-N1	10.28	126.14	121.00
1	AA	1282	C	C4-C5-C6	-10.28	112.26	117.40
26	BB	2495	G	N3-C4-C5	-10.28	123.46	128.60
1	AA	71	A	N1-C2-N3	-10.28	124.16	129.30
1	AA	404	G	O4'-C1'-N9	10.28	116.42	108.20
10	AJ	78	ARG	NE-CZ-NH1	10.28	125.44	120.30
26	BB	1361	G	O4'-C1'-N9	10.28	116.42	108.20
26	BB	1399	C	C2-N3-C4	10.28	125.04	119.90
26	BB	1765	U	C6-N1-C2	-10.28	114.83	121.00
28	BD	100	ARG	NE-CZ-NH2	-10.28	115.16	120.30
34	BJ	50	TYR	CB-CG-CD2	10.28	127.17	121.00
26	BB	253	C	N3-C2-O2	-10.27	114.71	121.90
26	BB	776	G	C4-C5-C6	10.27	124.96	118.80
26	BB	1074	G	C3'-C2'-C1'	-10.27	93.28	101.50
26	BB	2756	U	N1-C2-O2	10.27	129.99	122.80
26	BB	2425	A	C1'-O4'-C4'	-10.27	101.68	109.90
1	AA	293	G	N3-C4-C5	-10.27	123.47	128.60
1	AA	335	C	C2-N3-C4	10.27	125.03	119.90
26	BB	106	C	N1-C2-O2	10.27	125.06	118.90
1	AA	738	C	O4'-C1'-N1	10.27	116.41	108.20
1	AA	1014	A	N1-C2-N3	-10.27	124.17	129.30
4	AD	42	C	C6-N1-C2	10.27	124.41	120.30
26	BB	2773	C	N1-C2-O2	10.27	125.06	118.90
1	AA	1374	A	N1-C6-N6	-10.27	112.44	118.60
3	AC	30	U	C6-N1-C2	-10.27	114.84	121.00
26	BB	769	U	N1-C2-N3	10.27	121.06	114.90
26	BB	1710	G	C2-N3-C4	10.27	117.03	111.90
26	BB	465	G	N1-C6-O6	-10.26	113.74	119.90
26	BB	653	U	C2-N3-C4	-10.26	120.84	127.00
26	BB	1244	A	C5-N7-C8	-10.26	98.77	103.90
26	BB	1920	C	O4'-C1'-N1	10.26	116.41	108.20
26	BB	785	G	N3-C4-C5	-10.26	123.47	128.60
26	BB	2770	G	C5-N7-C8	-10.26	99.17	104.30
1	AA	328	C	C2-N3-C4	10.26	125.03	119.90
1	AA	401	C	C2-N3-C4	10.26	125.03	119.90
26	BB	1500	G	C8-N9-C4	-10.26	102.30	106.40
26	BB	1546	G	C8-N9-C4	-10.26	102.30	106.40
26	BB	1653	G	C5-C6-N1	10.26	116.63	111.50
26	BB	2012	G	N3-C2-N2	-10.26	112.72	119.90
26	BB	867	C	C2-N3-C4	-10.25	114.77	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2027	G	C4-C5-N7	-10.25	106.70	110.80
26	BB	2066	C	C4-C5-C6	10.25	122.53	117.40
26	BB	2338	C	O4'-C1'-N1	10.25	116.40	108.20
1	AA	995	C	O4'-C1'-N1	10.25	116.40	108.20
21	AU	47	ARG	NE-CZ-NH2	10.25	125.42	120.30
1	AA	330	C	C2-N3-C4	10.25	125.02	119.90
26	BB	1928	A	C2-N3-C4	10.25	115.72	110.60
1	AA	301	G	N7-C8-N9	10.24	118.22	113.10
1	AA	626	G	N3-C4-C5	-10.24	123.48	128.60
1	AA	909	A	N1-C6-N6	-10.24	112.45	118.60
25	BA	66	A	C2-N3-C4	-10.24	105.48	110.60
26	BB	878	A	N7-C8-N9	10.24	118.92	113.80
26	BB	118	A	C4-C5-C6	-10.24	111.88	117.00
1	AA	1420	U	O4'-C1'-N1	10.24	116.39	108.20
26	BB	776	G	N3-C4-C5	-10.24	123.48	128.60
1	AA	728	A	C8-N9-C4	-10.24	101.70	105.80
26	BB	282	A	C5-N7-C8	10.24	109.02	103.90
38	BN	132	ARG	NE-CZ-NH1	-10.24	115.18	120.30
1	AA	548	G	O4'-C1'-N9	10.24	116.39	108.20
1	AA	1477	U	O4'-C1'-N1	10.24	116.39	108.20
2	AB	5	G	C2-N3-C4	10.24	117.02	111.90
26	BB	1745	A	O4'-C1'-N9	10.24	116.39	108.20
1	AA	183	C	N1-C2-O2	10.23	125.04	118.90
26	BB	1455	G	N3-C4-C5	-10.23	123.48	128.60
42	BR	102	ARG	NE-CZ-NH2	-10.23	115.18	120.30
4	AD	65	G	N7-C8-N9	10.23	118.22	113.10
25	BA	117	G	N9-C4-C5	10.23	109.49	105.40
26	BB	380	G	C5-C6-N1	10.23	116.61	111.50
26	BB	1313	U	C5-C4-O4	10.23	132.04	125.90
26	BB	985	C	N3-C4-C5	10.23	125.99	121.90
26	BB	1444	G	C5-C6-O6	-10.23	122.46	128.60
26	BB	2762	C	N3-C4-C5	10.23	125.99	121.90
26	BB	1183	U	C5-C4-O4	-10.23	119.77	125.90
26	BB	1767	G	C4-C5-N7	-10.23	106.71	110.80
26	BB	2512	C	C4-C5-C6	10.23	122.51	117.40
26	BB	2644	G	C4-C5-N7	-10.22	106.71	110.80
26	BB	976	G	O4'-C4'-C3'	10.22	114.28	106.10
26	BB	725	G	N7-C8-N9	10.22	118.21	113.10
26	BB	1679	A	C4-C5-N7	-10.22	105.59	110.70
26	BB	1827	U	O4'-C1'-N1	10.22	116.38	108.20
1	AA	1472	U	O4'-C1'-N1	10.22	116.38	108.20
26	BB	1492	G	N1-C6-O6	10.22	126.03	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2752	C	C5-C6-N1	10.22	126.11	121.00
26	BB	2737	G	N3-C4-C5	-10.22	123.49	128.60
1	AA	1393	U	N3-C4-O4	10.21	126.55	119.40
26	BB	751	A	C2-N3-C4	10.21	115.71	110.60
26	BB	271	G	C8-N9-C4	-10.21	102.31	106.40
26	BB	2749	A	N7-C8-N9	10.21	118.91	113.80
1	AA	517	G	N3-C2-N2	10.21	127.05	119.90
1	AA	889	A	O4'-C1'-C2'	-10.21	95.59	105.80
26	BB	676	A	N1-C2-N3	10.21	134.41	129.30
26	BB	1082	U	C1'-O4'-C4'	-10.21	101.73	109.90
26	BB	796	C	N3-C4-N4	10.21	125.15	118.00
26	BB	969	G	N7-C8-N9	10.21	118.21	113.10
26	BB	1781	U	C4-C5-C6	10.21	125.83	119.70
1	AA	38	G	C2-N3-C4	10.21	117.00	111.90
1	AA	452	A	C4-C5-N7	10.21	115.80	110.70
1	AA	1203	C	N3-C4-N4	10.21	125.15	118.00
1	AA	802	A	C4-C5-N7	-10.21	105.60	110.70
1	AA	1499	A	C8-N9-C4	-10.21	101.72	105.80
26	BB	184	C	N3-C4-C5	-10.21	117.82	121.90
26	BB	629	G	N3-C4-C5	-10.21	123.50	128.60
26	BB	1659	G	N1-C6-O6	-10.21	113.78	119.90
26	BB	2051	A	C8-N9-C4	-10.21	101.72	105.80
26	BB	2125	G	N9-C4-C5	10.21	109.48	105.40
26	BB	2066	C	N3-C4-C5	-10.21	117.82	121.90
26	BB	2875	C	C4-C5-C6	10.21	122.50	117.40
1	AA	265	G	C2-N3-C4	10.21	117.00	111.90
1	AA	384	G	C5-N7-C8	-10.20	99.20	104.30
26	BB	1836	C	N3-C4-C5	-10.20	117.82	121.90
26	BB	2859	G	O4'-C1'-N9	10.21	116.36	108.20
26	BB	470	A	C2-N3-C4	10.20	115.70	110.60
13	AM	72	ARG	NE-CZ-NH1	10.20	125.40	120.30
26	BB	237	C	N1-C2-O2	10.20	125.02	118.90
26	BB	2224	G	C2-N3-C4	10.20	117.00	111.90
1	AA	324	G	C5-C6-O6	-10.20	122.48	128.60
2	AB	44	G	C5-C6-O6	-10.20	122.48	128.60
26	BB	988	A	N7-C8-N9	10.20	118.90	113.80
26	BB	2425	A	C8-N9-C4	-10.20	101.72	105.80
26	BB	2830	C	C6-N1-C2	-10.20	116.22	120.30
26	BB	1847	A	O4'-C1'-N9	10.20	116.36	108.20
26	BB	1980	G	C5-C6-N1	10.20	116.60	111.50
26	BB	1099	G	N3-C4-C5	-10.19	123.50	128.60
1	AA	356	A	N1-C6-N6	-10.19	112.48	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	69	C	C2-N3-C4	10.19	125.00	119.90
26	BB	719	C	O4'-C1'-N1	10.19	116.35	108.20
26	BB	2692	G	C5-C6-O6	-10.19	122.48	128.60
1	AA	217	C	N3-C2-O2	-10.19	114.77	121.90
1	AA	299	G	N3-C4-C5	-10.19	123.50	128.60
1	AA	526	C	O4'-C1'-N1	10.19	116.35	108.20
1	AA	814	A	C4-C5-C6	10.19	122.09	117.00
1	AA	862	C	N1-C2-O2	10.19	125.01	118.90
25	BA	54	G	C2-N3-C4	10.19	116.99	111.90
26	BB	738	G	C6-N1-C2	-10.19	118.99	125.10
26	BB	1210	G	P-O3'-C3'	10.19	131.93	119.70
26	BB	1698	A	C5-C6-N1	-10.19	112.61	117.70
26	BB	1134	A	N1-C2-N3	10.19	134.39	129.30
26	BB	1176	U	C3'-C2'-C1'	10.19	109.65	101.50
26	BB	2772	C	N3-C2-O2	-10.19	114.77	121.90
1	AA	436	C	C2-N3-C4	10.19	124.99	119.90
26	BB	527	C	C4-C5-C6	10.19	122.49	117.40
26	BB	717	C	N1-C2-O2	10.19	125.01	118.90
26	BB	1138	G	C5-C6-N1	10.19	116.59	111.50
26	BB	2393	U	O4'-C1'-N1	10.19	116.35	108.20
1	AA	765	G	N1-C6-O6	10.18	126.01	119.90
1	AA	988	G	C5-N7-C8	10.18	109.39	104.30
14	AN	10	ARG	NE-CZ-NH1	10.18	125.39	120.30
26	BB	1377	G	C5-C6-N1	10.18	116.59	111.50
26	BB	1516	G	N1-C2-N3	-10.18	117.79	123.90
26	BB	2298	A	C8-N9-C4	-10.18	101.73	105.80
26	BB	2475	C	C5-C6-N1	10.18	126.09	121.00
1	AA	674	G	O4'-C1'-N9	10.18	116.34	108.20
1	AA	709	U	C2-N3-C4	-10.18	120.89	127.00
1	AA	1243	C	N1-C2-O2	10.18	125.01	118.90
26	BB	321	U	C4-C5-C6	10.18	125.81	119.70
26	BB	531	C	N1-C2-O2	10.18	125.01	118.90
26	BB	2881	U	C2-N3-C4	-10.18	120.89	127.00
1	AA	923	A	N1-C6-N6	-10.18	112.49	118.60
26	BB	357	C	C5-C6-N1	10.18	126.09	121.00
26	BB	896	A	C8-N9-C4	-10.18	101.73	105.80
26	BB	1337	G	C2-N3-C4	10.18	116.99	111.90
26	BB	1434	A	C4-C5-N7	10.18	115.79	110.70
26	BB	2393	U	C2-N3-C4	-10.18	120.89	127.00
26	BB	2672	U	C4-C5-C6	10.18	125.81	119.70
56	B5	19	ARG	NE-CZ-NH2	10.18	125.39	120.30
1	AA	42	G	C5-C6-O6	10.18	134.71	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	601	G	O4'-C1'-N9	10.18	116.34	108.20
1	AA	1078	U	N1-C2-O2	10.18	129.92	122.80
1	AA	524	G	C8-N9-C4	-10.18	102.33	106.40
1	AA	624	C	N3-C4-C5	10.18	125.97	121.90
1	AA	1204	A	C4-C5-C6	-10.18	111.91	117.00
4	AD	41	C	O4'-C1'-N1	10.18	116.34	108.20
26	BB	984	A	C5-C6-N1	10.18	122.79	117.70
26	BB	1549	A	N1-C2-N3	-10.18	124.21	129.30
1	AA	539	A	C5-C6-N1	10.17	122.79	117.70
26	BB	2465	C	N3-C2-O2	-10.17	114.78	121.90
26	BB	2525	G	O4'-C1'-N9	10.17	116.34	108.20
26	BB	168	G	C5'-C4'-O4'	10.17	121.31	109.10
26	BB	557	C	C6-N1-C2	-10.17	116.23	120.30
26	BB	1500	G	C5-N7-C8	-10.17	99.21	104.30
1	AA	78	A	O4'-C1'-N9	10.17	116.34	108.20
1	AA	1049	U	C4-C5-C6	10.17	125.80	119.70
26	BB	1124	G	C5-C6-N1	10.17	116.58	111.50
1	AA	608	A	N1-C2-N3	-10.17	124.22	129.30
1	AA	1012	A	O4'-C1'-N9	10.17	116.33	108.20
26	BB	2657	A	N9-C4-C5	-10.17	101.73	105.80
26	BB	695	G	C8-N9-C4	-10.16	102.33	106.40
26	BB	922	C	C3'-C2'-C1'	10.16	109.63	101.50
26	BB	1287	A	C5'-C4'-O4'	10.16	121.30	109.10
26	BB	2271	G	C2-N3-C4	10.16	116.98	111.90
26	BB	2271	G	O4'-C1'-N9	10.16	116.33	108.20
1	AA	48	C	C4-C5-C6	-10.16	112.32	117.40
26	BB	1966	A	O4'-C1'-N9	10.16	116.33	108.20
26	BB	2481	G	N3-C4-C5	-10.16	123.52	128.60
26	BB	2621	G	C2-N3-C4	10.16	116.98	111.90
17	AQ	84	ARG	NE-CZ-NH1	10.16	125.38	120.30
1	AA	990	C	N3-C2-O2	-10.16	114.79	121.90
26	BB	574	A	C5-C6-N1	10.16	122.78	117.70
26	BB	2316	G	C4-C5-N7	-10.16	106.74	110.80
26	BB	2314	A	N3-C4-N9	10.16	135.53	127.40
26	BB	2452	C	N3-C2-O2	-10.16	114.79	121.90
1	AA	79	G	C2-N3-C4	10.16	116.98	111.90
26	BB	372	G	C5-C6-N1	10.16	116.58	111.50
26	BB	2046	G	N7-C8-N9	10.16	118.18	113.10
26	BB	2801	G	N9-C4-C5	10.16	109.46	105.40
25	BA	68	C	O4'-C1'-N1	10.15	116.32	108.20
26	BB	1004	U	O4'-C1'-N1	10.15	116.32	108.20
26	BB	2621	G	N9-C4-C5	10.15	109.46	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2482	A	C8-N9-C4	-10.15	101.74	105.80
26	BB	2803	G	O4'-C1'-N9	10.15	116.32	108.20
1	AA	499	A	N1-C6-N6	-10.15	112.51	118.60
26	BB	2819	G	O4'-C4'-C3'	10.15	114.22	106.10
1	AA	599	C	C2-N3-C4	-10.15	114.83	119.90
26	BB	469	G	C6-C5-N7	-10.15	124.31	130.40
1	AA	1046	A	O4'-C1'-N9	10.15	116.32	108.20
26	BB	1634	A	C3'-C2'-C1'	10.15	109.62	101.50
26	BB	1639	C	C3'-C2'-C1'	10.15	109.62	101.50
1	AA	1366	C	N3-C4-C5	-10.14	117.84	121.90
26	BB	2857	G	N1-C2-N3	10.14	129.99	123.90
1	AA	646	G	C5'-C4'-O4'	10.14	121.27	109.10
25	BA	61	G	C6-N1-C2	-10.14	119.02	125.10
26	BB	2753	A	C5-C6-N1	10.14	122.77	117.70
26	BB	1431	A	N7-C8-N9	10.14	118.87	113.80
26	BB	1879	C	C2-N3-C4	10.14	124.97	119.90
26	BB	2710	C	C5-C6-N1	10.14	126.07	121.00
1	AA	1416	G	C8-N9-C4	-10.14	102.34	106.40
1	AA	1512	U	N3-C2-O2	-10.14	115.10	122.20
26	BB	1696	G	O4'-C1'-N9	10.14	116.31	108.20
26	BB	2088	A	N9-C4-C5	10.14	109.86	105.80
26	BB	2303	G	N3-C4-C5	-10.14	123.53	128.60
1	AA	804	U	C5-C4-O4	-10.14	119.82	125.90
1	AA	947	G	C5-C6-O6	-10.14	122.52	128.60
1	AA	1134	G	N3-C4-N9	-10.14	119.92	126.00
4	AD	18	U	N3-C2-O2	-10.13	115.11	122.20
26	BB	2540	C	N3-C4-C5	-10.14	117.85	121.90
25	BA	38	C	N1-C1'-C2'	-10.13	100.83	114.00
26	BB	1119	U	O4'-C1'-N1	10.13	116.31	108.20
1	AA	588	G	C8-N9-C4	-10.13	102.35	106.40
26	BB	80	G	C5-C6-N1	10.13	116.57	111.50
26	BB	2614	A	C5-C6-N6	-10.13	115.59	123.70
25	BA	112	G	C5-C6-N1	10.13	116.56	111.50
26	BB	1106	G	C8-N9-C4	-10.13	102.35	106.40
26	BB	2265	U	C2-N3-C4	-10.13	120.92	127.00
26	BB	2428	G	C2-N3-C4	10.13	116.97	111.90
1	AA	1042	A	N9-C4-C5	10.13	109.85	105.80
26	BB	95	A	C8-N9-C4	-10.13	101.75	105.80
26	BB	938	G	C8-N9-C4	-10.13	102.35	106.40
1	AA	1224	U	N3-C4-O4	10.13	126.49	119.40
26	BB	458	G	C4-C5-N7	-10.13	106.75	110.80
26	BB	1319	C	C4-C5-C6	-10.13	112.34	117.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	608	A	O4'-C1'-N9	10.12	116.30	108.20
1	AA	630	A	C5-C6-N1	10.12	122.76	117.70
1	AA	925	G	C8-N9-C4	-10.12	102.35	106.40
3	AC	20	G	N3-C4-N9	10.12	132.07	126.00
1	AA	939	G	N9-C4-C5	10.12	109.45	105.40
1	AA	1099	G	C8-N9-C4	-10.12	102.35	106.40
1	AA	1319	A	O4'-C1'-N9	10.12	116.30	108.20
26	BB	952	G	N1-C2-N2	-10.12	107.09	116.20
26	BB	2094	A	O4'-C1'-N9	10.12	116.30	108.20
26	BB	2318	G	C8-N9-C4	-10.12	102.35	106.40
1	AA	259	G	C2-N3-C4	10.12	116.96	111.90
1	AA	452	A	N9-C4-C5	-10.12	101.75	105.80
25	BA	53	A	N1-C6-N6	-10.12	112.53	118.60
26	BB	1528	A	C8-N9-C4	-10.12	101.75	105.80
26	BB	1719	G	N9-C4-C5	10.12	109.45	105.40
26	BB	2672	U	N3-C4-O4	10.12	126.48	119.40
26	BB	365	U	C2-N3-C4	-10.12	120.93	127.00
26	BB	2799	A	C5-C6-N6	-10.12	115.61	123.70
26	BB	431	U	N1-C2-N3	10.12	120.97	114.90
26	BB	1954	G	C5-N7-C8	-10.11	99.24	104.30
26	BB	2467	C	O4'-C1'-N1	10.12	116.29	108.20
26	BB	2490	G	N7-C8-N9	10.11	118.16	113.10
1	AA	559	A	N9-C4-C5	10.11	109.84	105.80
1	AA	1377	A	C5-C6-N1	10.11	122.75	117.70
25	BA	7	G	C8-N9-C4	-10.11	102.36	106.40
25	BA	54	G	N3-C4-C5	-10.11	123.54	128.60
34	BJ	52	ARG	NE-CZ-NH1	10.11	125.36	120.30
4	AD	74	A	O4'-C1'-N9	10.11	116.29	108.20
26	BB	1032	A	C8-N9-C4	-10.11	101.76	105.80
26	BB	1791	A	C1'-O4'-C4'	-10.11	101.81	109.90
1	AA	469	C	C6-N1-C2	-10.11	116.26	120.30
26	BB	368	A	C8-N9-C4	-10.11	101.76	105.80
26	BB	701	G	N3-C4-C5	-10.11	123.55	128.60
1	AA	750	C	C6-N1-C2	-10.10	116.26	120.30
1	AA	257	G	C5-N7-C8	-10.10	99.25	104.30
26	BB	830	G	C8-N9-C4	-10.10	102.36	106.40
26	BB	1643	G	N9-C4-C5	-10.10	101.36	105.40
26	BB	2598	A	N1-C6-N6	10.10	124.66	118.60
26	BB	2668	G	C4-C5-C6	10.10	124.86	118.80
26	BB	2901	C	C5-C4-N4	10.10	127.27	120.20
1	AA	973	G	C8-N9-C4	-10.10	102.36	106.40
26	BB	1749	A	C6-N1-C2	10.10	124.66	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	240	G	P-O3'-C3'	10.10	131.81	119.70
1	AA	1083	U	C5-C6-N1	-10.10	117.65	122.70
26	BB	413	C	O4'-C1'-N1	10.10	116.28	108.20
26	BB	2720	U	O4'-C1'-N1	10.10	116.28	108.20
1	AA	1359	C	O4'-C1'-N1	10.10	116.28	108.20
26	BB	700	G	C8-N9-C4	-10.10	102.36	106.40
26	BB	1332	G	C8-N9-C4	-10.10	102.36	106.40
26	BB	2237	G	O4'-C1'-N9	10.10	116.28	108.20
1	AA	281	G	C4-C5-C6	10.09	124.86	118.80
1	AA	626	G	C2-N3-C4	10.09	116.95	111.90
26	BB	1214	A	N9-C4-C5	-10.09	101.76	105.80
1	AA	710	G	C8-N9-C4	-10.09	102.36	106.40
1	AA	785	G	N7-C8-N9	10.09	118.14	113.10
1	AA	791	G	N1-C6-O6	-10.09	113.85	119.90
26	BB	552	U	O4'-C1'-N1	10.09	116.27	108.20
26	BB	1793	C	C5-C4-N4	-10.09	113.14	120.20
26	BB	2769	U	C4-C5-C6	10.09	125.75	119.70
1	AA	1357	A	C5-N7-C8	10.09	108.94	103.90
26	BB	176	A	O4'-C1'-N9	10.09	116.27	108.20
26	BB	431	U	C2-N3-C4	-10.09	120.95	127.00
26	BB	1120	G	C8-N9-C4	-10.09	102.36	106.40
1	AA	719	C	C6-N1-C2	-10.09	116.27	120.30
1	AA	1177	G	O4'-C1'-N9	10.09	116.27	108.20
26	BB	323	C	C6-N1-C2	10.08	124.33	120.30
26	BB	2595	G	C5-C6-O6	10.08	134.65	128.60
1	AA	1359	C	N3-C4-N4	10.08	125.06	118.00
26	BB	537	G	C5-N7-C8	-10.08	99.26	104.30
1	AA	1191	A	N9-C4-C5	10.08	109.83	105.80
26	BB	1311	G	N7-C8-N9	10.08	118.14	113.10
1	AA	1517	G	C2-N3-C4	10.08	116.94	111.90
26	BB	862	G	C8-N9-C4	-10.08	102.37	106.40
26	BB	1081	U	N3-C2-O2	-10.08	115.15	122.20
26	BB	2373	G	N7-C8-N9	10.08	118.14	113.10
26	BB	375	G	C6-N1-C2	-10.07	119.06	125.10
30	BF	170	ARG	NE-CZ-NH1	-10.07	115.26	120.30
1	AA	1004	A	N1-C2-N3	10.07	134.34	129.30
1	AA	1175	G	O4'-C1'-N9	10.07	116.26	108.20
26	BB	2215	C	C5'-C4'-O4'	10.07	121.19	109.10
1	AA	5	U	O4'-C1'-N1	10.07	116.26	108.20
1	AA	114	U	O4'-C1'-N1	10.07	116.26	108.20
1	AA	644	U	C5-C6-N1	-10.07	117.67	122.70
26	BB	1056	G	O4'-C1'-N9	10.07	116.26	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	AH	137	ARG	NE-CZ-NH2	-10.07	115.27	120.30
26	BB	113	U	N3-C2-O2	-10.07	115.15	122.20
26	BB	817	C	C2-N3-C4	10.07	124.94	119.90
26	BB	958	U	N3-C4-C5	-10.07	108.56	114.60
26	BB	1567	G	C5'-C4'-O4'	10.07	121.18	109.10
26	BB	1744	A	N1-C2-N3	10.07	134.34	129.30
26	BB	1252	G	C6-N1-C2	-10.07	119.06	125.10
1	AA	551	U	N1-C2-N3	10.06	120.94	114.90
26	BB	495	G	C5-C6-N1	10.06	116.53	111.50
26	BB	1106	G	C5-N7-C8	-10.06	99.27	104.30
1	AA	712	A	C8-N9-C4	-10.06	101.78	105.80
26	BB	2223	G	N7-C8-N9	10.06	118.13	113.10
26	BB	2331	G	C5-N7-C8	-10.06	99.27	104.30
26	BB	913	U	O4'-C4'-C3'	10.06	114.15	106.10
26	BB	806	C	N1-C2-O2	10.06	124.94	118.90
26	BB	1628	G	C5-N7-C8	-10.06	99.27	104.30
26	BB	2494	G	N1-C6-O6	-10.06	113.86	119.90
30	BF	101	TYR	CB-CG-CD2	-10.06	114.96	121.00
26	BB	787	C	C6-N1-C2	-10.06	116.28	120.30
1	AA	439	U	C1'-O4'-C4'	-10.06	101.86	109.90
1	AA	1045	C	C2-N3-C4	10.06	124.93	119.90
3	AC	28	U	C5-C6-N1	-10.06	117.67	122.70
23	AW	23	ARG	NE-CZ-NH1	10.06	125.33	120.30
25	BA	78	A	N7-C8-N9	10.06	118.83	113.80
26	BB	305	C	C5-C6-N1	10.06	126.03	121.00
26	BB	1040	A	C4-C5-N7	10.06	115.73	110.70
26	BB	1750	G	C5-C6-O6	-10.06	122.56	128.60
26	BB	2762	C	C4-C5-C6	-10.06	112.37	117.40
26	BB	1666	G	O4'-C1'-N9	10.05	116.24	108.20
26	BB	2243	U	O4'-C1'-N1	10.05	116.24	108.20
26	BB	377	G	C6-C5-N7	10.05	136.43	130.40
26	BB	1990	C	C4-C5-C6	10.05	122.43	117.40
1	AA	211	G	N7-C8-N9	10.05	118.12	113.10
26	BB	470	A	N1-C6-N6	-10.05	112.57	118.60
1	AA	299	G	C8-N9-C4	-10.05	102.38	106.40
1	AA	499	A	N1-C2-N3	-10.05	124.28	129.30
26	BB	473	G	C5-C6-O6	-10.05	122.57	128.60
26	BB	1177	G	C6-N1-C2	-10.05	119.07	125.10
26	BB	1146	C	O4'-C1'-N1	10.04	116.24	108.20
26	BB	1759	A	O4'-C1'-N9	10.04	116.24	108.20
26	BB	1820	U	N3-C4-O4	10.04	126.43	119.40
26	BB	444	C	C2-N3-C4	10.04	124.92	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	681	A	C5-C6-N1	10.04	122.72	117.70
26	BB	296	U	C4-C5-C6	10.04	125.72	119.70
26	BB	172	A	C8-N9-C4	-10.04	101.78	105.80
1	AA	477	C	N3-C4-C5	10.04	125.91	121.90
26	BB	2134	A	C8-N9-C4	10.04	109.81	105.80
30	BF	170	ARG	NE-CZ-NH2	10.03	125.32	120.30
1	AA	347	G	C4'-C3'-C2'	-10.03	92.57	102.60
1	AA	424	G	C2-N3-C4	10.03	116.92	111.90
1	AA	630	A	C4-C5-C6	-10.03	111.98	117.00
26	BB	1331	G	C2-N3-C4	10.03	116.92	111.90
1	AA	336	A	C4-C5-N7	-10.03	105.68	110.70
26	BB	1375	U	O4'-C1'-N1	10.03	116.22	108.20
26	BB	2467	C	N3-C4-C5	-10.03	117.89	121.90
26	BB	1258	U	C2-N3-C4	-10.03	120.98	127.00
26	BB	2614	A	N1-C6-N6	10.03	124.62	118.60
26	BB	2707	U	O4'-C1'-N1	10.03	116.22	108.20
1	AA	728	A	N1-C2-N3	-10.03	124.29	129.30
1	AA	840	C	N3-C2-O2	-10.03	114.88	121.90
1	AA	1287	A	O4'-C1'-N9	10.03	116.22	108.20
26	BB	1675	C	O4'-C1'-N1	10.03	116.22	108.20
34	BJ	50	TYR	CB-CG-CD1	-10.02	114.99	121.00
1	AA	165	G	N3-C4-C5	-10.02	123.59	128.60
11	AK	12	ARG	NE-CZ-NH2	-10.02	115.29	120.30
25	BA	100	G	N7-C8-N9	10.02	118.11	113.10
26	BB	1142	A	P-O3'-C3'	10.02	131.73	119.70
26	BB	2475	C	C2-N3-C4	10.02	124.91	119.90
26	BB	1171	G	N9-C1'-C2'	-10.02	100.97	114.00
26	BB	2838	G	N7-C8-N9	10.02	118.11	113.10
26	BB	2373	G	O4'-C1'-N9	10.02	116.22	108.20
26	BB	104	A	C2-N3-C4	10.02	115.61	110.60
26	BB	1535	A	O4'-C1'-N9	10.02	116.21	108.20
43	BS	23	TYR	CB-CG-CD2	10.02	127.01	121.00
2	AB	15	A	N9-C4-C5	-10.01	101.80	105.80
3	AC	42	U	C5-C4-O4	-10.01	119.89	125.90
26	BB	1219	U	N3-C4-O4	10.01	126.41	119.40
26	BB	1223	G	N3-C4-C5	-10.01	123.59	128.60
26	BB	2176	A	C5-N7-C8	10.01	108.91	103.90
1	AA	475	C	N1-C2-O2	10.01	124.91	118.90
24	AX	65	ARG	NE-CZ-NH1	10.01	125.31	120.30
26	BB	347	A	N1-C2-N3	-10.01	124.30	129.30
1	AA	945	G	C5-C6-N1	10.01	116.50	111.50
26	BB	313	G	C5-N7-C8	-10.01	99.30	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	499	A	C2-N3-C4	10.01	115.60	110.60
1	AA	1108	G	C2-N3-C4	10.01	116.90	111.90
26	BB	2753	A	O4'-C1'-N9	10.01	116.21	108.20
1	AA	183	C	N3-C4-N4	-10.01	111.00	118.00
26	BB	872	U	C5-C4-O4	-10.01	119.90	125.90
26	BB	1530	G	N3-C4-N9	10.01	132.00	126.00
2	AB	28	C	O4'-C1'-N1	10.00	116.20	108.20
26	BB	2729	G	N3-C4-C5	-10.00	123.60	128.60
26	BB	2567	G	N7-C8-N9	10.00	118.10	113.10
1	AA	1050	G	C8-N9-C4	-10.00	102.40	106.40
25	BA	114	C	O4'-C1'-N1	10.00	116.20	108.20
26	BB	998	C	N3-C4-N4	10.00	125.00	118.00
26	BB	2193	G	C4-C5-N7	-10.00	106.80	110.80
26	BB	1912	A	C2-N3-C4	10.00	115.60	110.60
1	AA	347	G	C5-C6-N1	9.99	116.50	111.50
1	AA	928	G	C2-N3-C4	9.99	116.90	111.90
9	AI	91	ARG	NE-CZ-NH1	9.99	125.30	120.30
1	AA	739	C	O4'-C1'-N1	9.99	116.19	108.20
1	AA	720	C	N3-C2-O2	-9.99	114.91	121.90
2	AB	12	U	N3-C2-O2	-9.99	115.21	122.20
26	BB	2274	A	C8-N9-C4	-9.99	101.80	105.80
1	AA	350	G	C2-N3-C4	9.99	116.89	111.90
1	AA	1109	C	C3'-C2'-C1'	-9.99	93.51	101.50
26	BB	1831	G	N3-C4-C5	-9.99	123.61	128.60
26	BB	1846	G	C2-N3-C4	9.99	116.89	111.90
26	BB	76	C	N3-C4-C5	9.98	125.89	121.90
26	BB	1797	G	N3-C4-C5	-9.98	123.61	128.60
26	BB	1797	G	N9-C4-C5	9.98	109.39	105.40
26	BB	2600	A	N9-C4-C5	9.98	109.79	105.80
1	AA	165	G	C2-N3-C4	9.98	116.89	111.90
26	BB	262	A	N1-C2-N3	-9.98	124.31	129.30
26	BB	287	G	C4-C5-N7	-9.98	106.81	110.80
26	BB	2294	G	O4'-C1'-N9	9.98	116.18	108.20
26	BB	2250	G	C8-N9-C4	-9.98	102.41	106.40
1	AA	545	C	O4'-C1'-N1	9.97	116.18	108.20
1	AA	754	C	C6-N1-C2	9.97	124.29	120.30
1	AA	348	G	N1-C6-O6	-9.97	113.92	119.90
1	AA	1005	A	N9-C1'-C2'	-9.97	101.03	112.00
2	AB	73	G	C8-N9-C4	-9.97	102.41	106.40
25	BA	3	C	N3-C4-N4	9.97	124.98	118.00
26	BB	487	C	C6-N1-C2	9.97	124.29	120.30
26	BB	2247	A	O4'-C1'-N9	9.97	116.18	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	270	A	C5-C6-N1	-9.97	112.71	117.70
1	AA	1066	C	C6-N1-C2	-9.97	116.31	120.30
2	AB	35	C	C3'-C2'-C1'	9.97	109.48	101.50
25	BA	56	G	C8-N9-C4	-9.97	102.41	106.40
26	BB	2336	A	O4'-C1'-N9	9.97	116.18	108.20
41	BQ	7	ARG	NE-CZ-NH1	-9.97	115.31	120.30
1	AA	148	G	C8-N9-C4	-9.97	102.41	106.40
3	AC	23	C	N3-C4-C5	9.97	125.89	121.90
26	BB	480	A	C5-N7-C8	9.97	108.88	103.90
26	BB	2201	G	C2-N3-C4	9.97	116.88	111.90
1	AA	933	G	C3'-C2'-C1'	9.97	109.47	101.50
26	BB	33	C	C4-C5-C6	9.96	122.38	117.40
26	BB	1695	G	N9-C4-C5	9.96	109.39	105.40
1	AA	596	A	C4-C5-N7	9.96	115.68	110.70
25	BA	18	G	N3-C4-C5	-9.96	123.62	128.60
26	BB	1461	C	C4-C5-C6	-9.96	112.42	117.40
26	BB	2521	C	N3-C4-C5	9.96	125.89	121.90
34	BJ	52	ARG	NE-CZ-NH2	-9.96	115.32	120.30
26	BB	1242	U	O4'-C1'-N1	9.96	116.17	108.20
26	BB	1957	C	O4'-C1'-N1	9.96	116.17	108.20
26	BB	2576	G	C8-N9-C4	-9.96	102.42	106.40
1	AA	656	G	C6-N1-C2	-9.96	119.12	125.10
1	AA	973	G	P-O3'-C3'	9.96	131.65	119.70
26	BB	22	C	C4-C5-C6	-9.96	112.42	117.40
26	BB	867	C	N3-C4-C5	9.96	125.88	121.90
26	BB	1936	A	N9-C4-C5	9.96	109.78	105.80
26	BB	2682	A	C4-C5-N7	-9.96	105.72	110.70
26	BB	2871	U	C5-C6-N1	-9.96	117.72	122.70
26	BB	455	C	O4'-C1'-N1	-9.96	100.23	108.20
26	BB	1008	A	C8-N9-C4	-9.96	101.82	105.80
1	AA	1122	U	C5-C6-N1	-9.95	117.72	122.70
26	BB	1048	A	C5-N7-C8	9.96	108.88	103.90
26	BB	1101	U	N3-C2-O2	-9.95	115.23	122.20
1	AA	637	C	C4-C5-C6	9.95	122.38	117.40
1	AA	1262	C	C5-C6-N1	9.95	125.98	121.00
26	BB	849	A	N9-C4-C5	-9.95	101.82	105.80
26	BB	1216	G	N3-C2-N2	-9.95	112.93	119.90
26	BB	2176	A	C4-C5-C6	-9.95	112.02	117.00
26	BB	2046	G	N1-C2-N3	-9.95	117.93	123.90
1	AA	1174	G	C2-N3-C4	9.95	116.88	111.90
4	AD	68	C	N3-C4-C5	-9.95	117.92	121.90
26	BB	228	C	C5-C6-N1	9.95	125.97	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	712	G	C4-C5-N7	-9.95	106.82	110.80
1	AA	1222	G	C5-C6-N1	9.95	116.47	111.50
1	AA	305	G	N9-C4-C5	-9.95	101.42	105.40
1	AA	413	G	N3-C4-N9	-9.95	120.03	126.00
1	AA	530	G	N3-C4-C5	-9.95	123.63	128.60
1	AA	832	G	O4'-C1'-N9	9.95	116.16	108.20
26	BB	395	U	O4'-C1'-N1	9.95	116.16	108.20
1	AA	1408	A	C1'-O4'-C4'	-9.95	101.94	109.90
26	BB	104	A	N3-C4-N9	9.95	135.36	127.40
26	BB	2802	G	N9-C4-C5	9.95	109.38	105.40
26	BB	112	U	O4'-C1'-N1	9.94	116.16	108.20
26	BB	1598	A	N1-C2-N3	-9.94	124.33	129.30
26	BB	1733	G	N3-C2-N2	-9.94	112.94	119.90
1	AA	82	G	C5-C6-N1	9.94	116.47	111.50
26	BB	1995	U	N3-C2-O2	-9.94	115.24	122.20
26	BB	2082	A	O4'-C1'-N9	9.94	116.15	108.20
25	BA	26	C	O4'-C1'-N1	9.94	116.15	108.20
1	AA	654	G	N9-C4-C5	9.94	109.38	105.40
1	AA	825	A	O4'-C1'-N9	9.94	116.15	108.20
4	AD	65	G	C8-N9-C4	-9.94	102.42	106.40
26	BB	2549	G	C6-N1-C2	-9.94	119.14	125.10
1	AA	814	A	C1'-O4'-C4'	-9.94	101.95	109.90
1	AA	103	U	C5-C4-O4	-9.93	119.94	125.90
1	AA	160	A	N1-C2-N3	-9.93	124.33	129.30
1	AA	575	G	N3-C4-C5	-9.93	123.63	128.60
1	AA	990	C	C2-N3-C4	9.93	124.87	119.90
1	AA	1131	G	N3-C4-N9	9.93	131.96	126.00
1	AA	1162	C	C5-C4-N4	-9.93	113.25	120.20
1	AA	1372	U	O4'-C1'-N1	9.93	116.15	108.20
26	BB	922	C	O4'-C1'-N1	9.93	116.14	108.20
26	BB	2713	U	O4'-C1'-N1	9.93	116.15	108.20
1	AA	1228	C	C5-C6-N1	9.93	125.97	121.00
26	BB	2507	C	O4'-C1'-N1	9.93	116.14	108.20
26	BB	580	U	N3-C4-O4	9.93	126.35	119.40
26	BB	862	G	N9-C4-C5	9.93	109.37	105.40
56	B5	35	ARG	NE-CZ-NH2	-9.93	115.33	120.30
26	BB	543	G	N3-C4-C5	-9.93	123.64	128.60
26	BB	1896	G	N1-C2-N3	-9.93	117.94	123.90
26	BB	66	C	C4-C5-C6	-9.92	112.44	117.40
26	BB	146	A	O4'-C1'-N9	9.92	116.14	108.20
26	BB	159	G	C2-N3-C4	9.92	116.86	111.90
1	AA	577	G	N1-C2-N2	9.92	125.13	116.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	643	C	N3-C4-C5	9.92	125.87	121.90
25	BA	96	G	C6-N1-C2	-9.92	119.15	125.10
26	BB	32	C	N1-C2-O2	9.92	124.85	118.90
26	BB	157	C	N3-C4-C5	9.92	125.87	121.90
26	BB	2213	U	N3-C2-O2	-9.92	115.26	122.20
26	BB	2544	G	N1-C6-O6	-9.92	113.95	119.90
1	AA	377	G	C6-N1-C2	-9.92	119.15	125.10
1	AA	938	A	N9-C1'-C2'	-9.92	101.09	112.00
25	BA	61	G	C1'-O4'-C4'	9.92	117.83	109.90
1	AA	998	C	N3-C2-O2	-9.92	114.96	121.90
26	BB	25	U	O4'-C1'-N1	9.92	116.13	108.20
26	BB	549	G	O4'-C1'-N9	9.92	116.14	108.20
26	BB	1949	G	C2-N3-C4	9.92	116.86	111.90
1	AA	21	G	N3-C4-C5	-9.91	123.64	128.60
1	AA	348	G	N9-C4-C5	9.91	109.37	105.40
1	AA	194	C	C6-N1-C2	-9.91	116.33	120.30
1	AA	442	G	N3-C4-C5	-9.91	123.64	128.60
26	BB	1171	G	O4'-C1'-N9	9.91	116.13	108.20
1	AA	963	G	C2-N3-C4	9.91	116.86	111.90
1	AA	1405	G	N7-C8-N9	9.91	118.06	113.10
26	BB	949	G	C5-C6-O6	9.91	134.55	128.60
26	BB	1232	G	N7-C8-N9	9.91	118.06	113.10
26	BB	1590	A	C5-N7-C8	-9.91	98.94	103.90
26	BB	2185	U	O4'-C1'-N1	9.91	116.13	108.20
26	BB	2512	C	O4'-C1'-N1	9.91	116.13	108.20
1	AA	258	G	N1-C6-O6	9.91	125.85	119.90
26	BB	1089	A	C5'-C4'-O4'	9.91	120.99	109.10
26	BB	1929	G	N1-C2-N3	-9.91	117.95	123.90
26	BB	2161	C	C2-N3-C4	9.91	124.86	119.90
26	BB	886	A	N7-C8-N9	9.91	118.75	113.80
1	AA	54	C	C5-C4-N4	-9.91	113.27	120.20
1	AA	781	A	C5'-C4'-O4'	9.91	120.99	109.10
1	AA	1294	G	C5-N7-C8	-9.91	99.35	104.30
1	AA	1503	A	N7-C8-N9	9.91	118.75	113.80
26	BB	2334	U	N3-C2-O2	-9.91	115.27	122.20
1	AA	1376	U	O4'-C1'-N1	9.90	116.12	108.20
1	AA	254	G	N9-C4-C5	9.90	109.36	105.40
3	AC	57	C	N1-C2-O2	9.90	124.84	118.90
5	AE	224	ARG	NE-CZ-NH1	9.90	125.25	120.30
26	BB	673	C	N1-C2-O2	9.90	124.84	118.90
26	BB	780	G	N3-C2-N2	9.90	126.83	119.90
1	AA	551	U	C5-C4-O4	9.90	131.84	125.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	613	A	C8-N9-C4	-9.90	101.84	105.80
26	BB	1006	C	N3-C4-C5	-9.90	117.94	121.90
26	BB	496	G	N7-C8-N9	9.90	118.05	113.10
1	AA	6	G	C1'-O4'-C4'	-9.90	101.98	109.90
26	BB	704	G	C8-N9-C4	-9.90	102.44	106.40
26	BB	2583	G	C5-N7-C8	-9.90	99.35	104.30
1	AA	810	C	O4'-C1'-N1	9.90	116.12	108.20
26	BB	2400	G	C6-C5-N7	-9.90	124.46	130.40
1	AA	299	G	N7-C8-N9	9.89	118.05	113.10
26	BB	2859	G	C8-N9-C4	-9.89	102.44	106.40
3	AC	44	U	O4'-C1'-N1	9.89	116.11	108.20
4	AD	72	C	C6-N1-C2	-9.89	116.34	120.30
26	BB	585	G	C5-C6-O6	-9.89	122.66	128.60
26	BB	707	G	O4'-C1'-N9	9.89	116.12	108.20
26	BB	801	G	C4-C5-N7	-9.89	106.84	110.80
26	BB	1876	A	C5-N7-C8	9.89	108.84	103.90
1	AA	538	G	N1-C6-O6	-9.89	113.97	119.90
25	BA	118	C	C5-C6-N1	-9.89	116.06	121.00
26	BB	1943	U	O4'-C1'-N1	9.89	116.11	108.20
26	BB	2685	G	C8-N9-C4	-9.89	102.44	106.40
26	BB	421	C	O4'-C1'-N1	9.88	116.11	108.20
26	BB	2599	G	C4-C5-N7	-9.89	106.85	110.80
26	BB	491	G	C2-N3-C4	9.88	116.84	111.90
26	BB	1423	G	C2-N3-C4	9.88	116.84	111.90
26	BB	2128	G	C5-N7-C8	-9.88	99.36	104.30
1	AA	284	C	O4'-C1'-N1	9.88	116.10	108.20
26	BB	1907	G	C3'-C2'-C1'	9.88	109.40	101.50
1	AA	1268	G	N1-C2-N3	-9.88	117.97	123.90
26	BB	494	G	N3-C2-N2	-9.88	112.98	119.90
26	BB	2019	A	N1-C6-N6	9.88	124.53	118.60
26	BB	2250	G	C4-C5-C6	9.88	124.73	118.80
27	BC	183	ASP	CB-CG-OD1	9.88	127.19	118.30
26	BB	1279	G	N3-C4-C5	-9.88	123.66	128.60
26	BB	1957	C	N1-C2-O2	9.88	124.83	118.90
1	AA	268	U	O4'-C1'-N1	9.87	116.10	108.20
4	AD	16	C	O4'-C4'-C3'	9.87	114.00	106.10
26	BB	643	A	C4-C5-C6	-9.88	112.06	117.00
26	BB	2103	C	N3-C2-O2	-9.87	114.99	121.90
1	AA	225	C	N3-C4-N4	9.87	124.91	118.00
26	BB	151	C	O4'-C1'-N1	9.87	116.10	108.20
1	AA	774	G	C4-C5-N7	9.87	114.75	110.80
26	BB	2275	C	C5-C4-N4	-9.87	113.29	120.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2644	G	N3-C2-N2	-9.87	112.99	119.90
26	BB	2808	G	C8-N9-C4	-9.87	102.45	106.40
1	AA	1276	G	C2-N3-C4	9.87	116.83	111.90
1	AA	1379	G	C4-C5-C6	9.87	124.72	118.80
1	AA	1389	C	N1-C2-O2	9.87	124.82	118.90
26	BB	2037	A	C2-N3-C4	9.87	115.53	110.60
26	BB	2109	U	N1-C2-O2	9.87	129.71	122.80
26	BB	305	C	N3-C4-C5	-9.87	117.95	121.90
26	BB	2828	G	N7-C8-N9	-9.87	108.17	113.10
1	AA	215	C	N3-C4-C5	-9.87	117.95	121.90
1	AA	286	C	O4'-C1'-N1	9.86	116.09	108.20
1	AA	1433	A	O4'-C1'-N9	9.87	116.09	108.20
26	BB	1190	G	C5-N7-C8	-9.87	99.37	104.30
26	BB	2556	C	O4'-C1'-N1	9.86	116.09	108.20
26	BB	2834	G	C2-N3-C4	9.86	116.83	111.90
26	BB	562	U	C2-N3-C4	-9.86	121.08	127.00
26	BB	611	C	N1-C2-O2	9.86	124.82	118.90
26	BB	1180	U	C2-N3-C4	-9.86	121.08	127.00
26	BB	1216	G	C6-N1-C2	-9.86	119.18	125.10
26	BB	2742	G	O4'-C1'-N9	9.86	116.09	108.20
26	BB	2808	G	C5-N7-C8	-9.86	99.37	104.30
1	AA	125	U	C5-C4-O4	-9.86	119.98	125.90
1	AA	918	A	N7-C8-N9	-9.86	108.87	113.80
26	BB	6	A	C5-N7-C8	9.86	108.83	103.90
1	AA	778	G	C4-C5-N7	9.86	114.74	110.80
1	AA	1039	G	N7-C8-N9	9.86	118.03	113.10
51	B0	47	ARG	NE-CZ-NH1	-9.86	115.37	120.30
1	AA	940	C	C6-N1-C2	9.86	124.24	120.30
26	BB	1926	U	O4'-C1'-N1	9.86	116.08	108.20
26	BB	2319	G	C5-C6-N1	9.86	116.43	111.50
1	AA	162	A	C5-N7-C8	9.85	108.83	103.90
26	BB	2112	G	C1'-O4'-C4'	-9.85	102.02	109.90
1	AA	32	A	N7-C8-N9	-9.85	108.88	113.80
1	AA	558	G	C5'-C4'-O4'	9.85	120.92	109.10
26	BB	2	G	N3-C4-C5	-9.85	123.67	128.60
26	BB	34	U	C5-C6-N1	-9.85	117.78	122.70
26	BB	237	C	O4'-C1'-N1	9.85	116.08	108.20
26	BB	2583	G	O4'-C4'-C3'	9.85	113.98	106.10
26	BB	2615	U	O4'-C1'-N1	9.85	116.08	108.20
1	AA	1441	A	C8-N9-C4	-9.85	101.86	105.80
26	BB	1213	A	C5'-C4'-O4'	9.85	120.92	109.10
26	BB	1587	G	N7-C8-N9	9.85	118.02	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	AR	88	ARG	NE-CZ-NH1	9.85	125.22	120.30
26	BB	188	G	C4-C5-N7	-9.85	106.86	110.80
26	BB	508	A	C2-N3-C4	9.84	115.52	110.60
1	AA	59	A	C2-N3-C4	9.84	115.52	110.60
1	AA	1016	A	C2-N3-C4	9.84	115.52	110.60
26	BB	1988	G	N3-C4-C5	-9.84	123.68	128.60
26	BB	2712	C	C6-N1-C2	-9.84	116.36	120.30
28	BD	202	ARG	NE-CZ-NH2	-9.84	115.38	120.30
1	AA	848	C	N1-C1'-C2'	-9.84	101.18	112.00
25	BA	28	C	C5-C6-N1	9.84	125.92	121.00
26	BB	104	A	N9-C4-C5	-9.84	101.86	105.80
26	BB	760	G	C6-C5-N7	-9.84	124.50	130.40
26	BB	1028	A	C4-C5-C6	-9.84	112.08	117.00
26	BB	2447	G	O4'-C1'-N9	9.84	116.07	108.20
1	AA	283	U	C5-C4-O4	9.84	131.80	125.90
26	BB	870	U	C5'-C4'-O4'	9.84	120.90	109.10
26	BB	1402	U	O4'-C1'-N1	9.84	116.07	108.20
26	BB	2392	A	C8-N9-C4	-9.84	101.87	105.80
1	AA	801	U	C5-C6-N1	-9.83	117.78	122.70
1	AA	987	G	C6-C5-N7	9.83	136.30	130.40
26	BB	1721	G	N9-C4-C5	9.83	109.33	105.40
1	AA	40	C	C1'-O4'-C4'	-9.83	102.03	109.90
1	AA	357	G	C8-N9-C4	-9.83	102.47	106.40
26	BB	1055	G	N1-C6-O6	-9.83	114.00	119.90
26	BB	2025	C	N3-C4-N4	9.83	124.88	118.00
1	AA	63	C	C6-N1-C2	-9.83	116.37	120.30
1	AA	1325	C	N1-C1'-C2'	-9.83	101.19	112.00
1	AA	14	U	N1-C2-O2	9.82	129.68	122.80
1	AA	167	A	C5-N7-C8	-9.82	98.99	103.90
1	AA	1006	G	N9-C4-C5	9.82	109.33	105.40
26	BB	981	A	O4'-C1'-N9	9.82	116.06	108.20
1	AA	858	G	O4'-C1'-N9	9.82	116.06	108.20
1	AA	1409	C	N1-C2-O2	9.82	124.79	118.90
26	BB	258	G	C4-C5-N7	-9.82	106.87	110.80
26	BB	2289	G	C2-N3-C4	9.82	116.81	111.90
26	BB	2314	A	C5-C6-N6	-9.82	115.84	123.70
26	BB	2435	A	C8-N9-C4	-9.82	101.87	105.80
31	BG	173	ASP	CB-CG-OD1	-9.82	109.46	118.30
26	BB	2393	U	C5-C4-O4	-9.82	120.01	125.90
26	BB	2423	U	C4-C5-C6	9.82	125.59	119.70
26	BB	2813	A	C8-N9-C4	-9.82	101.87	105.80
53	B2	9	TYR	CB-CG-CD1	-9.82	115.11	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	531	U	C5-C6-N1	-9.82	117.79	122.70
26	BB	295	G	C5-C6-N1	9.82	116.41	111.50
26	BB	732	C	O4'-C1'-N1	9.82	116.06	108.20
37	BM	70	ARG	NE-CZ-NH2	-9.82	115.39	120.30
4	AD	31	G	N9-C4-C5	9.82	109.33	105.40
26	BB	444	C	C5-C6-N1	9.82	125.91	121.00
26	BB	1907	G	N9-C4-C5	9.81	109.33	105.40
1	AA	323	U	N3-C4-O4	9.81	126.27	119.40
1	AA	766	A	C8-N9-C4	9.81	109.72	105.80
3	AC	59	A	C8-N9-C4	-9.81	101.88	105.80
1	AA	85	U	C2-N3-C4	-9.81	121.11	127.00
1	AA	1423	G	N3-C4-N9	9.81	131.88	126.00
26	BB	244	A	C8-N9-C4	9.81	109.72	105.80
26	BB	1332	G	O4'-C1'-N9	9.81	116.05	108.20
26	BB	269	C	C6-N1-C2	-9.81	116.38	120.30
26	BB	1478	G	O4'-C1'-N9	9.81	116.05	108.20
26	BB	2490	G	O4'-C1'-N9	-9.81	100.35	108.20
1	AA	902	G	N1-C6-O6	9.81	125.78	119.90
1	AA	942	G	C6-N1-C2	-9.80	119.22	125.10
26	BB	1537	G	C5-C6-N1	9.81	116.40	111.50
1	AA	46	G	N1-C6-O6	9.80	125.78	119.90
46	BV	3	ARG	NE-CZ-NH1	9.80	125.20	120.30
1	AA	119	A	C4-C5-N7	-9.80	105.80	110.70
1	AA	1137	C	N1-C2-O2	9.80	124.78	118.90
1	AA	1177	G	C2-N3-C4	9.80	116.80	111.90
1	AA	1057	G	C8-N9-C4	-9.80	102.48	106.40
1	AA	1501	C	N3-C4-N4	9.80	124.86	118.00
26	BB	910	A	N7-C8-N9	9.80	118.70	113.80
26	BB	2279	G	N3-C2-N2	-9.80	113.04	119.90
1	AA	21	G	N7-C8-N9	9.80	118.00	113.10
1	AA	1312	G	C4-C5-C6	9.80	124.68	118.80
3	AC	17	U	C6-N1-C2	-9.80	115.12	121.00
26	BB	672	C	N3-C4-N4	9.80	124.86	118.00
26	BB	1055	G	C6-N1-C2	-9.80	119.22	125.10
1	AA	1176	A	C8-N9-C4	-9.79	101.88	105.80
25	BA	28	C	C4-C5-C6	-9.80	112.50	117.40
26	BB	965	C	N3-C4-C5	9.80	125.82	121.90
1	AA	1215	G	C2-N3-C4	9.79	116.80	111.90
1	AA	1225	A	N9-C4-C5	9.79	109.72	105.80
26	BB	362	A	C5-C6-N6	-9.79	115.86	123.70
26	BB	1043	C	N1-C2-O2	9.79	124.78	118.90
26	BB	1361	G	N1-C2-N2	9.79	125.02	116.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	901	C	N3-C2-O2	-9.79	115.05	121.90
26	BB	725	G	C8-N9-C4	-9.79	102.48	106.40
26	BB	1744	A	C2-N3-C4	-9.79	105.70	110.60
26	BB	2597	G	N9-C4-C5	9.79	109.32	105.40
26	BB	2816	G	O4'-C1'-N9	9.79	116.03	108.20
10	AJ	95	ARG	NE-CZ-NH1	-9.79	115.41	120.30
1	AA	545	C	N3-C4-N4	9.79	124.85	118.00
4	AD	23	G	O4'-C1'-N9	9.79	116.03	108.20
26	BB	732	C	C3'-C2'-C1'	9.79	109.33	101.50
26	BB	1085	A	N1-C2-N3	-9.79	124.41	129.30
26	BB	1829	A	C8-N9-C4	9.79	109.72	105.80
26	BB	2497	A	C2-N3-C4	9.79	115.49	110.60
26	BB	271	G	O4'-C1'-N9	9.79	116.03	108.20
26	BB	700	G	N3-C4-C5	-9.79	123.71	128.60
26	BB	2496	C	C6-N1-C2	9.79	124.21	120.30
1	AA	487	A	C3'-C2'-C1'	9.78	109.33	101.50
25	BA	47	C	N3-C4-N4	9.79	124.85	118.00
26	BB	1399	C	N3-C4-N4	9.78	124.85	118.00
1	AA	632	U	N1-C2-N3	-9.78	109.03	114.90
1	AA	934	C	P-O3'-C3'	9.78	131.44	119.70
26	BB	92	U	O4'-C1'-N1	9.78	116.03	108.20
26	BB	1738	G	O4'-C4'-C3'	9.78	113.93	106.10
26	BB	2429	G	N3-C4-C5	-9.78	123.71	128.60
1	AA	230	G	N9-C4-C5	9.78	109.31	105.40
1	AA	501	C	N3-C4-C5	9.78	125.81	121.90
1	AA	1432	G	C2-N3-C4	9.78	116.79	111.90
26	BB	786	C	C6-N1-C2	9.78	124.21	120.30
26	BB	1505	A	C5-C6-N1	9.78	122.59	117.70
26	BB	1676	A	N1-C2-N3	-9.78	124.41	129.30
1	AA	1068	G	N9-C4-C5	9.78	109.31	105.40
26	BB	622	G	C6-C5-N7	-9.78	124.53	130.40
26	BB	2745	C	N3-C2-O2	-9.78	115.06	121.90
26	BB	713	G	C5-N7-C8	-9.77	99.42	104.30
26	BB	1900	A	N7-C8-N9	9.77	118.69	113.80
1	AA	53	A	O4'-C1'-N9	9.77	116.02	108.20
1	AA	514	C	C5-C6-N1	9.77	125.89	121.00
26	BB	1143	A	P-O3'-C3'	9.77	131.42	119.70
1	AA	779	C	N3-C4-N4	9.77	124.84	118.00
25	BA	47	C	O4'-C1'-N1	9.77	116.02	108.20
26	BB	627	A	N1-C2-N3	-9.77	124.42	129.30
1	AA	382	A	O4'-C1'-N9	9.77	116.01	108.20
1	AA	642	A	O4'-C1'-N9	-9.77	100.39	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1226	C	N3-C4-C5	-9.77	117.99	121.90
1	AA	1309	G	C5-C6-O6	-9.77	122.74	128.60
26	BB	2316	G	C2-N3-C4	9.77	116.78	111.90
26	BB	2614	A	C5-N7-C8	-9.77	99.02	103.90
1	AA	552	U	O4'-C1'-N1	9.76	116.01	108.20
1	AA	959	A	N9-C4-C5	9.76	109.71	105.80
26	BB	246	C	C3'-C2'-C1'	9.76	109.31	101.50
26	BB	2628	C	N1-C2-O2	9.76	124.76	118.90
3	AC	22	G	C8-N9-C4	9.76	110.31	106.40
26	BB	1502	A	C8-N9-C4	-9.76	101.89	105.80
1	AA	57	G	N3-C2-N2	-9.76	113.07	119.90
1	AA	126	G	C8-N9-C4	-9.76	102.50	106.40
25	BA	118	C	C4-C5-C6	9.76	122.28	117.40
1	AA	1263	C	N3-C4-C5	-9.76	118.00	121.90
1	AA	1344	C	N3-C4-C5	-9.76	118.00	121.90
26	BB	682	G	C6-N1-C2	-9.76	119.24	125.10
26	BB	1994	C	O4'-C1'-N1	9.76	116.01	108.20
1	AA	865	A	C5-C6-N1	9.76	122.58	117.70
1	AA	1117	A	N7-C8-N9	9.76	118.68	113.80
26	BB	189	G	C4-C5-N7	-9.76	106.90	110.80
1	AA	1342	C	N3-C4-C5	9.76	125.80	121.90
4	AD	52	C	O4'-C1'-N1	9.76	116.00	108.20
26	BB	1757	A	O4'-C1'-N9	9.76	116.00	108.20
1	AA	1246	A	O4'-C1'-N9	9.75	116.00	108.20
25	BA	118	C	C3'-C2'-C1'	-9.75	93.70	101.50
1	AA	1272	G	C5-C6-O6	-9.75	122.75	128.60
4	AD	37	U	O4'-C1'-N1	9.75	116.00	108.20
26	BB	939	G	C3'-C2'-C1'	-9.75	93.70	101.50
26	BB	1324	G	C8-N9-C4	-9.75	102.50	106.40
26	BB	1562	U	O4'-C1'-N1	9.75	116.00	108.20
26	BB	871	U	O4'-C1'-N1	9.75	116.00	108.20
26	BB	2020	A	C4-C5-C6	9.75	121.87	117.00
1	AA	380	G	C2-N3-C4	9.75	116.77	111.90
1	AA	752	G	N1-C6-O6	-9.75	114.05	119.90
11	AK	85	TYR	CB-CG-CD1	-9.75	115.15	121.00
26	BB	1707	G	C1'-O4'-C4'	9.75	117.70	109.90
40	BP	2	ARG	NE-CZ-NH2	-9.75	115.43	120.30
1	AA	68	G	C5-C6-N1	9.74	116.37	111.50
1	AA	695	A	C4-C5-N7	-9.74	105.83	110.70
26	BB	60	G	N1-C2-N3	-9.74	118.05	123.90
26	BB	1646	C	N3-C2-O2	-9.74	115.08	121.90
1	AA	881	G	C2-N3-C4	9.74	116.77	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1218	C	C6-N1-C2	-9.74	116.40	120.30
26	BB	694	U	C5-C6-N1	-9.74	117.83	122.70
26	BB	2257	U	C3'-C2'-C1'	-9.74	93.70	101.50
1	AA	529	G	C4-C5-C6	9.74	124.64	118.80
26	BB	2599	G	O4'-C1'-N9	9.74	115.99	108.20
1	AA	1377	A	C5'-C4'-O4'	9.74	120.79	109.10
1	AA	1523	G	C5-C6-O6	-9.74	122.76	128.60
26	BB	10	A	C6-C5-N7	9.74	139.12	132.30
1	AA	1022	A	C8-N9-C4	-9.74	101.91	105.80
26	BB	1353	A	N7-C8-N9	-9.74	108.93	113.80
1	AA	535	A	N1-C6-N6	9.73	124.44	118.60
1	AA	617	G	N3-C4-C5	-9.73	123.73	128.60
1	AA	874	G	N3-C4-N9	9.73	131.84	126.00
26	BB	1016	G	N9-C4-C5	9.73	109.29	105.40
26	BB	1817	G	C5-C6-O6	-9.73	122.76	128.60
26	BB	2763	G	C5-N7-C8	-9.73	99.43	104.30
14	AN	8	ARG	NE-CZ-NH2	-9.73	115.43	120.30
1	AA	794	A	C2-N3-C4	-9.73	105.73	110.60
4	AD	46	G	C5-N7-C8	-9.73	99.44	104.30
42	BR	61	ARG	NE-CZ-NH2	9.73	125.17	120.30
1	AA	835	U	C6-N1-C2	9.73	126.84	121.00
1	AA	1325	C	C4'-C3'-C2'	-9.73	92.87	102.60
26	BB	2467	C	C2-N3-C4	9.73	124.76	119.90
56	B5	21	ARG	NE-CZ-NH2	9.73	125.16	120.30
1	AA	90	C	C6-N1-C2	9.73	124.19	120.30
1	AA	529	G	N3-C4-C5	-9.73	123.74	128.60
1	AA	1328	C	C6-N1-C2	9.73	124.19	120.30
26	BB	646	U	N3-C4-O4	9.73	126.21	119.40
26	BB	761	A	O4'-C1'-N9	9.73	115.98	108.20
26	BB	1719	G	C8-N9-C4	-9.73	102.51	106.40
26	BB	2423	U	N3-C4-C5	-9.73	108.76	114.60
26	BB	2849	U	O4'-C1'-N1	9.73	115.98	108.20
26	BB	1045	C	N3-C2-O2	-9.72	115.09	121.90
26	BB	2029	G	N3-C4-N9	9.72	131.83	126.00
1	AA	232	G	N1-C6-O6	-9.72	114.07	119.90
1	AA	892	A	O4'-C1'-N9	9.72	115.98	108.20
1	AA	1108	G	O4'-C1'-N9	9.72	115.98	108.20
1	AA	1370	G	N3-C2-N2	9.72	126.70	119.90
26	BB	1371	G	C5-C6-O6	-9.72	122.77	128.60
26	BB	2418	A	C2-N3-C4	9.72	115.46	110.60
26	BB	362	A	N1-C2-N3	-9.72	124.44	129.30
1	AA	402	G	C6-C5-N7	-9.72	124.57	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	43	G	C6-C5-N7	-9.72	124.57	130.40
26	BB	669	G	N1-C2-N2	9.72	124.95	116.20
26	BB	1590	A	N1-C2-N3	-9.72	124.44	129.30
1	AA	1034	G	C5-C6-N1	9.71	116.36	111.50
26	BB	2208	C	C5-C4-N4	-9.71	113.40	120.20
26	BB	2752	C	O4'-C1'-N1	9.71	115.97	108.20
26	BB	488	G	C2-N3-C4	9.71	116.76	111.90
26	BB	756	A	C8-N9-C4	-9.71	101.92	105.80
26	BB	1242	U	N3-C4-O4	9.71	126.20	119.40
26	BB	2757	A	C4'-C3'-C2'	-9.71	92.89	102.60
26	BB	1123	C	C2-N3-C4	9.71	124.75	119.90
1	AA	1301	U	O4'-C1'-N1	9.71	115.97	108.20
26	BB	997	G	N3-C4-C5	-9.71	123.75	128.60
26	BB	1583	A	O4'-C1'-N9	9.71	115.97	108.20
1	AA	1013	G	N1-C2-N2	9.71	124.94	116.20
26	BB	1658	C	C5-C6-N1	9.71	125.85	121.00
1	AA	1084	G	N9-C4-C5	9.70	109.28	105.40
26	BB	368	A	N9-C4-C5	9.70	109.68	105.80
26	BB	1989	G	C5-C6-O6	9.71	134.42	128.60
26	BB	2227	A	N1-C2-N3	-9.71	124.45	129.30
26	BB	1873	G	C8-N9-C4	-9.70	102.52	106.40
26	BB	2034	U	N1-C2-O2	9.70	129.59	122.80
26	BB	2246	G	C6-C5-N7	-9.70	124.58	130.40
1	AA	292	G	C2-N3-C4	9.70	116.75	111.90
1	AA	753	A	C2-N3-C4	9.70	115.45	110.60
26	BB	1168	G	C4-C5-N7	9.70	114.68	110.80
1	AA	990	C	O4'-C1'-N1	9.70	115.96	108.20
26	BB	60	G	C5-C6-O6	-9.70	122.78	128.60
1	AA	1461	G	C2-N3-C4	-9.70	107.05	111.90
26	BB	10	A	C4-C5-C6	-9.70	112.15	117.00
26	BB	978	G	C6-N1-C2	-9.70	119.28	125.10
1	AA	10	A	C6-N1-C2	9.70	124.42	118.60
1	AA	631	C	C5'-C4'-O4'	9.70	120.73	109.10
26	BB	124	G	C8-N9-C4	-9.70	102.52	106.40
26	BB	1818	U	C5-C6-N1	9.70	127.55	122.70
26	BB	897	C	C2-N3-C4	-9.69	115.05	119.90
26	BB	1162	G	C5-N7-C8	-9.69	99.45	104.30
3	AC	36	U	O4'-C1'-N1	9.69	115.95	108.20
26	BB	980	A	C3'-C2'-C1'	9.69	109.25	101.50
26	BB	1120	G	C5-N7-C8	-9.69	99.45	104.30
1	AA	103	U	C3'-C2'-C1'	-9.69	93.75	101.50
1	AA	291	U	N3-C4-O4	9.69	126.18	119.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	399	G	C5-N7-C8	9.69	109.14	104.30
26	BB	1138	G	C4'-C3'-C2'	-9.69	92.91	102.60
1	AA	1011	C	C4-C5-C6	-9.69	112.56	117.40
1	AA	1068	G	C5-N7-C8	9.69	109.14	104.30
1	AA	1383	C	C5-C6-N1	9.69	125.84	121.00
14	AN	12	ARG	NE-CZ-NH2	-9.69	115.45	120.30
26	BB	829	A	O4'-C1'-N9	9.69	115.95	108.20
26	BB	1055	G	C8-N9-C4	-9.69	102.53	106.40
1	AA	533	A	C2-N3-C4	9.69	115.44	110.60
26	BB	1426	G	N7-C8-N9	9.69	117.94	113.10
26	BB	1846	G	N3-C4-N9	9.69	131.81	126.00
1	AA	83	C	C5-C6-N1	-9.68	116.16	121.00
1	AA	388	G	O4'-C1'-C2'	-9.68	96.12	105.80
1	AA	521	G	C4-C5-C6	9.68	124.61	118.80
1	AA	870	U	N3-C4-C5	-9.68	108.79	114.60
1	AA	1218	C	O4'-C1'-N1	9.68	115.95	108.20
1	AA	1383	C	O4'-C1'-N1	9.68	115.95	108.20
1	AA	1508	A	C8-N9-C4	-9.68	101.93	105.80
26	BB	552	U	C6-N1-C2	-9.68	115.19	121.00
26	BB	638	G	C5-C6-O6	-9.68	122.79	128.60
1	AA	765	G	N3-C4-N9	9.68	131.81	126.00
1	AA	1532	U	C5-C6-N1	-9.68	117.86	122.70
26	BB	1998	A	C6-N1-C2	-9.68	112.79	118.60
1	AA	40	C	O4'-C1'-N1	9.68	115.94	108.20
1	AA	348	G	C6-N1-C2	-9.68	119.29	125.10
26	BB	642	U	O4'-C1'-N1	9.68	115.94	108.20
26	BB	2568	U	N3-C4-O4	9.68	126.17	119.40
1	AA	336	A	N9-C4-C5	9.67	109.67	105.80
1	AA	1213	A	P-O3'-C3'	9.67	131.31	119.70
26	BB	2353	G	N1-C2-N3	-9.67	118.09	123.90
1	AA	310	G	C8-N9-C4	-9.67	102.53	106.40
1	AA	953	G	C8-N9-C4	-9.67	102.53	106.40
26	BB	60	G	C1'-O4'-C4'	-9.67	102.16	109.90
26	BB	1863	G	O4'-C1'-N9	9.67	115.94	108.20
29	BE	141	ARG	NE-CZ-NH2	-9.67	115.47	120.30
26	BB	1568	G	N9-C4-C5	9.67	109.27	105.40
26	BB	1748	C	C4-C5-C6	9.67	122.23	117.40
1	AA	357	G	C2-N3-C4	9.66	116.73	111.90
1	AA	383	A	C2-N3-C4	9.66	115.43	110.60
26	BB	735	A	N7-C8-N9	-9.66	108.97	113.80
26	BB	1922	G	N3-C4-C5	-9.66	123.77	128.60
1	AA	819	A	O4'-C1'-N9	9.66	115.93	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	662	G	N9-C1'-C2'	-9.66	101.37	112.00
26	BB	2712	C	N1-C2-O2	9.66	124.70	118.90
1	AA	1449	C	C5-C6-N1	9.66	125.83	121.00
1	AA	217	C	N1-C2-O2	9.66	124.69	118.90
26	BB	342	A	C5'-C4'-O4'	9.66	120.69	109.10
26	BB	1546	G	O4'-C1'-N9	9.66	115.93	108.20
1	AA	1134	G	N9-C4-C5	9.66	109.26	105.40
26	BB	41	C	N3-C4-N4	-9.66	111.24	118.00
26	BB	316	C	C5-C4-N4	9.66	126.96	120.20
26	BB	511	U	N3-C2-O2	-9.66	115.44	122.20
26	BB	734	A	N1-C6-N6	-9.66	112.81	118.60
26	BB	1206	G	C4-C5-N7	-9.66	106.94	110.80
1	AA	65	A	C8-N9-C4	-9.65	101.94	105.80
26	BB	1011	G	C6-N1-C2	-9.65	119.31	125.10
26	BB	1705	A	N7-C8-N9	-9.65	108.97	113.80
26	BB	2176	A	N7-C8-N9	-9.65	108.97	113.80
26	BB	2676	C	C3'-C2'-C1'	-9.65	93.78	101.50
26	BB	872	U	N3-C4-O4	9.65	126.16	119.40
1	AA	477	C	C4-C5-C6	-9.65	112.58	117.40
25	BA	39	A	C2-N3-C4	-9.65	105.78	110.60
26	BB	590	A	C5-C6-N1	9.65	122.52	117.70
1	AA	724	G	C8-N9-C4	-9.65	102.54	106.40
1	AA	1017	U	O4'-C1'-N1	9.65	115.92	108.20
6	AF	64	ARG	NE-CZ-NH1	9.65	125.12	120.30
26	BB	2054	A	C4-C5-N7	9.65	115.52	110.70
1	AA	1147	C	C5-C6-N1	-9.64	116.18	121.00
26	BB	631	A	C4-C5-C6	-9.64	112.18	117.00
26	BB	2458	G	N7-C8-N9	9.64	117.92	113.10
1	AA	313	A	C5-C6-N6	-9.64	115.99	123.70
1	AA	1338	G	C5'-C4'-O4'	9.64	120.67	109.10
26	BB	1319	C	C5-C6-N1	9.64	125.82	121.00
1	AA	364	A	N1-C2-N3	-9.64	124.48	129.30
1	AA	1426	G	C4-C5-C6	9.64	124.58	118.80
1	AA	1496	C	O4'-C1'-N1	9.64	115.91	108.20
26	BB	1456	G	C4-C5-N7	-9.64	106.94	110.80
1	AA	270	A	N9-C1'-C2'	-9.64	101.40	112.00
26	BB	214	G	C5-C6-O6	-9.64	122.82	128.60
26	BB	985	C	C4-C5-C6	-9.64	112.58	117.40
26	BB	1356	G	C2-N3-C4	9.64	116.72	111.90
26	BB	2223	G	N1-C2-N3	-9.64	118.12	123.90
26	BB	808	G	N1-C2-N3	9.64	129.68	123.90
26	BB	2059	A	N1-C2-N3	-9.64	124.48	129.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2385	C	N3-C4-C5	-9.64	118.05	121.90
26	BB	2313	C	N3-C4-C5	-9.64	118.05	121.90
1	AA	224	U	N1-C2-N3	9.63	120.68	114.90
1	AA	1193	G	N9-C4-C5	9.63	109.25	105.40
6	AF	10	ARG	NE-CZ-NH2	9.63	125.12	120.30
26	BB	761	A	C5-C6-N1	9.63	122.52	117.70
4	AD	75	C	N3-C4-C5	-9.63	118.05	121.90
26	BB	729	G	N9-C4-C5	9.63	109.25	105.40
26	BB	2053	G	C4-C5-N7	-9.63	106.95	110.80
21	AU	6	ARG	NE-CZ-NH1	9.63	125.11	120.30
26	BB	1579	A	C5-C6-N1	9.63	122.52	117.70
1	AA	833	G	C5-C6-N1	9.63	116.31	111.50
1	AA	209	U	N3-C2-O2	-9.63	115.46	122.20
1	AA	1214	C	O4'-C1'-N1	-9.63	100.50	108.20
3	AC	25	U	O4'-C1'-N1	9.63	115.90	108.20
26	BB	438	G	C8-N9-C4	-9.63	102.55	106.40
4	AD	76	C	N3-C4-C5	-9.63	118.05	121.90
26	BB	226	A	N1-C2-N3	9.63	134.11	129.30
25	BA	90	C	N1-C1'-C2'	-9.62	101.41	112.00
26	BB	303	G	C4-C5-C6	9.62	124.58	118.80
26	BB	1893	C	O4'-C1'-N1	9.63	115.90	108.20
26	BB	40	U	C5-C6-N1	-9.62	117.89	122.70
26	BB	2543	G	C3'-C2'-C1'	9.62	109.20	101.50
26	BB	1830	C	C4'-C3'-C2'	-9.62	92.98	102.60
26	BB	2104	C	C4-C5-C6	9.62	122.21	117.40
1	AA	1148	U	C2-N3-C4	-9.62	121.23	127.00
26	BB	197	A	O4'-C1'-N9	9.62	115.90	108.20
1	AA	449	G	C4-C5-N7	-9.62	106.95	110.80
26	BB	2237	G	N1-C6-O6	-9.61	114.13	119.90
7	AG	55	ARG	NE-CZ-NH2	-9.61	115.49	120.30
26	BB	358	U	O4'-C1'-N1	9.61	115.89	108.20
26	BB	1291	C	C6-N1-C2	-9.61	116.45	120.30
26	BB	1385	A	N7-C8-N9	9.61	118.61	113.80
26	BB	1516	G	O4'-C1'-N9	9.61	115.89	108.20
26	BB	2452	C	C3'-C2'-C1'	9.61	109.19	101.50
26	BB	2701	U	C5-C4-O4	-9.61	120.13	125.90
26	BB	2289	G	C6-N1-C2	-9.61	119.33	125.10
1	AA	1327	C	O4'-C1'-N1	9.61	115.89	108.20
26	BB	96	C	O4'-C1'-N1	9.61	115.89	108.20
26	BB	738	G	N3-C4-C5	-9.61	123.80	128.60
26	BB	2178	C	O4'-C1'-N1	9.61	115.89	108.20
1	AA	238	A	N3-C4-C5	-9.61	120.08	126.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	493	A	C1'-O4'-C4'	-9.61	102.22	109.90
1	AA	740	U	C5'-C4'-O4'	9.61	120.63	109.10
1	AA	1460	C	C5-C6-N1	9.61	125.80	121.00
26	BB	725	G	C4'-C3'-C2'	-9.61	93.00	102.60
26	BB	1768	C	N1-C2-O2	9.61	124.66	118.90
26	BB	2142	A	N1-C2-N3	-9.61	124.50	129.30
1	AA	156	C	N3-C4-C5	9.60	125.74	121.90
1	AA	201	G	C5-C6-O6	-9.60	122.84	128.60
1	AA	1415	G	N1-C6-O6	-9.60	114.14	119.90
26	BB	950	G	N7-C8-N9	9.60	117.90	113.10
26	BB	1053	C	C5-C6-N1	9.60	125.80	121.00
1	AA	890	G	N9-C4-C5	9.60	109.24	105.40
1	AA	578	C	N1-C2-O2	9.60	124.66	118.90
26	BB	46	G	O4'-C1'-N9	9.60	115.88	108.20
1	AA	119	A	N9-C4-C5	9.60	109.64	105.80
1	AA	1198	G	C3'-C2'-C1'	9.60	109.18	101.50
1	AA	1223	C	O4'-C1'-N1	9.60	115.88	108.20
26	BB	311	A	C3'-C2'-C1'	9.60	109.18	101.50
26	BB	1188	U	O4'-C1'-N1	9.60	115.88	108.20
26	BB	1320	C	C5'-C4'-O4'	9.60	120.62	109.10
26	BB	592	A	N1-C2-N3	-9.60	124.50	129.30
26	BB	1804	C	C5-C6-N1	-9.60	116.20	121.00
26	BB	2342	C	N1-C2-O2	9.60	124.66	118.90
1	AA	1166	G	C5-C6-O6	9.59	134.36	128.60
26	BB	1543	G	N9-C4-C5	9.59	109.24	105.40
26	BB	2475	C	O4'-C1'-N1	9.59	115.88	108.20
1	AA	528	C	C5-C6-N1	9.59	125.80	121.00
26	BB	150	U	C5-C6-N1	-9.59	117.90	122.70
26	BB	637	A	C6-C5-N7	9.59	139.01	132.30
26	BB	2621	G	N3-C4-C5	-9.59	123.80	128.60
1	AA	397	A	N1-C2-N3	-9.59	124.50	129.30
26	BB	2667	C	N3-C2-O2	-9.59	115.19	121.90
1	AA	741	G	N1-C6-O6	9.59	125.65	119.90
1	AA	1144	G	C8-N9-C4	-9.59	102.56	106.40
26	BB	1008	A	O4'-C1'-N9	9.59	115.87	108.20
26	BB	2722	G	C6-N1-C2	-9.59	119.35	125.10
3	AC	33	A	C5'-C4'-C3'	-9.59	100.66	116.00
26	BB	441	U	C2-N3-C4	-9.59	121.25	127.00
26	BB	460	A	C2-N3-C4	9.59	115.39	110.60
26	BB	1437	C	N1-C2-O2	9.59	124.65	118.90
26	BB	2126	A	O4'-C4'-C3'	9.59	113.77	106.10
1	AA	257	G	N7-C8-N9	9.58	117.89	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	364	A	C4-C5-N7	-9.58	105.91	110.70
5	AE	122	ASP	CB-CG-OD1	9.58	126.92	118.30
26	BB	604	G	C8-N9-C4	-9.58	102.57	106.40
26	BB	650	C	N3-C4-N4	9.58	124.71	118.00
26	BB	2276	G	C4-C5-N7	-9.58	106.97	110.80
43	BS	5	ARG	NE-CZ-NH2	9.58	125.09	120.30
1	AA	72	A	N7-C8-N9	-9.58	109.01	113.80
26	BB	1645	G	N1-C2-N3	-9.58	118.15	123.90
1	AA	1197	A	C2-N3-C4	9.58	115.39	110.60
25	BA	65	U	N1-C2-O2	-9.58	116.09	122.80
26	BB	2481	G	N9-C4-C5	9.58	109.23	105.40
26	BB	995	C	O4'-C1'-N1	9.58	115.86	108.20
26	BB	2626	C	N1-C1'-C2'	-9.58	101.46	112.00
26	BB	917	A	N1-C2-N3	-9.58	124.51	129.30
26	BB	1252	G	C5-C6-N1	9.58	116.29	111.50
26	BB	2393	U	N1-C2-N3	9.58	120.64	114.90
26	BB	2862	G	C6-N1-C2	-9.58	119.35	125.10
1	AA	1210	C	N3-C4-N4	9.57	124.70	118.00
1	AA	1299	A	C4'-C3'-C2'	9.57	112.17	102.60
1	AA	1383	C	C6-N1-C2	-9.57	116.47	120.30
3	AC	50	U	P-O3'-C3'	9.57	131.19	119.70
26	BB	1513	U	N3-C4-C5	-9.57	108.86	114.60
26	BB	1531	C	O4'-C1'-N1	9.57	115.86	108.20
26	BB	2145	C	C3'-C2'-C1'	-9.57	93.84	101.50
26	BB	2623	G	N9-C4-C5	9.57	109.23	105.40
26	BB	1303	G	C8-N9-C4	-9.57	102.57	106.40
26	BB	2223	G	C6-C5-N7	-9.57	124.66	130.40
26	BB	2672	U	N3-C2-O2	-9.57	115.50	122.20
26	BB	2295	C	O4'-C1'-N1	9.57	115.86	108.20
1	AA	223	A	C5-N7-C8	-9.57	99.11	103.90
1	AA	418	C	N3-C4-N4	9.57	124.70	118.00
54	B3	16	ARG	NE-CZ-NH1	9.57	125.09	120.30
1	AA	987	G	C5-C6-O6	-9.57	122.86	128.60
1	AA	1335	U	C4-C5-C6	9.57	125.44	119.70
1	AA	1426	G	C5-N7-C8	-9.57	99.52	104.30
26	BB	1456	G	C5-N7-C8	9.57	109.08	104.30
1	AA	454	G	N3-C4-C5	-9.57	123.82	128.60
26	BB	789	A	C8-N9-C4	-9.57	101.97	105.80
29	BE	46	ARG	NE-CZ-NH1	9.57	125.08	120.30
26	BB	1047	G	C5-C6-O6	9.57	134.34	128.60
26	BB	2618	G	N7-C8-N9	9.57	117.88	113.10
1	AA	436	C	N3-C4-C5	-9.56	118.07	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1272	G	C2-N3-C4	9.56	116.68	111.90
26	BB	1949	G	C4-C5-N7	-9.56	106.97	110.80
26	BB	2191	A	C4-C5-C6	-9.56	112.22	117.00
26	BB	2747	G	N7-C8-N9	9.56	117.88	113.10
1	AA	63	C	C5'-C4'-O4'	9.56	120.58	109.10
26	BB	1353	A	O4'-C1'-N9	9.56	115.85	108.20
1	AA	916	U	N1-C2-N3	9.56	120.64	114.90
1	AA	1397	C	N3-C2-O2	-9.56	115.21	121.90
26	BB	1309	G	N3-C2-N2	-9.56	113.21	119.90
26	BB	1431	A	N1-C6-N6	-9.56	112.86	118.60
26	BB	1830	C	C6-N1-C2	-9.56	116.48	120.30
42	BR	88	ARG	NE-CZ-NH1	-9.56	115.52	120.30
1	AA	347	G	O4'-C1'-N9	9.56	115.84	108.20
26	BB	886	A	C5-N7-C8	-9.56	99.12	103.90
1	AA	728	A	C4-C5-N7	9.55	115.48	110.70
1	AA	1032	G	O4'-C1'-N9	9.55	115.84	108.20
25	BA	18	G	C3'-C2'-C1'	9.55	109.14	101.50
26	BB	278	A	N1-C2-N3	-9.55	124.52	129.30
26	BB	2008	C	C5-C6-N1	9.56	125.78	121.00
26	BB	1074	G	C6-C5-N7	9.55	136.13	130.40
26	BB	1487	U	O4'-C1'-N1	9.55	115.84	108.20
1	AA	1268	G	C2-N3-C4	9.55	116.68	111.90
4	AD	59	A	N1-C2-N3	-9.55	124.52	129.30
1	AA	1244	G	N1-C2-N3	-9.55	118.17	123.90
25	BA	30	C	O4'-C1'-N1	9.55	115.84	108.20
26	BB	66	C	C5-C6-N1	9.55	125.78	121.00
26	BB	913	U	N1-C2-N3	9.55	120.63	114.90
26	BB	1469	A	N1-C6-N6	-9.55	112.87	118.60
46	BV	12	ARG	NE-CZ-NH2	-9.55	115.53	120.30
1	AA	1415	G	C8-N9-C4	-9.55	102.58	106.40
26	BB	342	A	C5-C6-N1	-9.55	112.92	117.70
3	AC	26	U	C1'-O4'-C4'	9.55	117.54	109.90
25	BA	20	G	N9-C4-C5	9.55	109.22	105.40
26	BB	573	U	N1-C2-N3	9.55	120.63	114.90
26	BB	627	A	O4'-C1'-N9	9.55	115.84	108.20
26	BB	2627	G	C2-N3-C4	9.55	116.67	111.90
1	AA	835	U	C4'-C3'-C2'	-9.55	93.05	102.60
1	AA	1254	A	N1-C2-N3	-9.55	124.53	129.30
3	AC	14	G	N3-C4-C5	-9.55	123.83	128.60
26	BB	315	G	C2-N3-C4	9.54	116.67	111.90
26	BB	1039	A	N9-C4-C5	9.55	109.62	105.80
26	BB	1612	C	N1-C1'-C2'	-9.55	101.50	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1628	G	O4'-C1'-N9	9.54	115.83	108.20
26	BB	1881	C	C2-N3-C4	-9.54	115.13	119.90
26	BB	2015	A	N7-C8-N9	9.54	118.57	113.80
26	BB	2862	G	C2-N3-C4	9.54	116.67	111.90
1	AA	278	G	C8-N9-C4	-9.54	102.58	106.40
1	AA	377	G	C8-N9-C4	-9.54	102.58	106.40
1	AA	1265	C	N3-C4-C5	-9.54	118.08	121.90
1	AA	1306	A	N9-C4-C5	9.54	109.62	105.80
26	BB	2545	G	C8-N9-C4	-9.54	102.58	106.40
26	BB	2641	G	O4'-C1'-N9	9.54	115.83	108.20
1	AA	1275	A	C8-N9-C4	-9.54	101.98	105.80
26	BB	1590	A	N7-C8-N9	9.54	118.57	113.80
26	BB	2355	G	N3-C4-C5	-9.54	123.83	128.60
26	BB	74	A	N9-C4-C5	9.54	109.61	105.80
26	BB	890	C	N3-C4-C5	-9.54	118.08	121.90
26	BB	1897	G	C5-C6-O6	-9.54	122.88	128.60
1	AA	1486	G	N3-C4-N9	9.53	131.72	126.00
4	AD	40	C	N3-C2-O2	-9.53	115.23	121.90
26	BB	310	A	O4'-C1'-N9	9.53	115.83	108.20
26	BB	1077	A	C5-C6-N1	9.53	122.47	117.70
26	BB	1566	A	O4'-C1'-N9	9.54	115.83	108.20
26	BB	1633	G	C8-N9-C4	-9.53	102.59	106.40
26	BB	2170	A	C8-N9-C4	-9.54	101.99	105.80
1	AA	349	A	C4-C5-N7	9.53	115.47	110.70
26	BB	98	G	C5-C6-O6	-9.53	122.88	128.60
26	BB	209	C	N3-C4-N4	9.53	124.67	118.00
26	BB	228	C	N1-C2-O2	9.53	124.62	118.90
1	AA	965	U	C6-N1-C2	9.53	126.72	121.00
26	BB	55	G	N7-C8-N9	9.53	117.87	113.10
26	BB	1125	G	C5-C6-O6	-9.53	122.88	128.60
26	BB	1401	G	N3-C4-C5	-9.53	123.83	128.60
25	BA	81	G	N9-C4-C5	-9.53	101.59	105.40
26	BB	863	A	N1-C2-N3	-9.53	124.53	129.30
26	BB	2583	G	N3-C4-N9	9.53	131.72	126.00
26	BB	2803	G	C3'-C2'-C1'	-9.53	93.88	101.50
26	BB	2687	U	C4-C5-C6	-9.53	113.98	119.70
36	BL	37	ARG	NH1-CZ-NH2	-9.53	108.92	119.40
1	AA	506	G	N1-C6-O6	9.53	125.62	119.90
1	AA	1090	U	O4'-C1'-N1	9.53	115.82	108.20
1	AA	327	A	C5-C6-N1	-9.53	112.94	117.70
1	AA	572	A	O4'-C1'-N9	9.53	115.82	108.20
1	AA	718	A	C5-N7-C8	9.53	108.66	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1156	A	N7-C8-N9	9.53	118.56	113.80
26	BB	1158	C	N3-C4-C5	-9.53	118.09	121.90
26	BB	2545	G	N9-C4-C5	9.53	109.21	105.40
1	AA	22	G	C2-N3-C4	9.52	116.66	111.90
1	AA	1535	C	C5-C6-N1	9.52	125.76	121.00
25	BA	75	G	C5-N7-C8	-9.52	99.54	104.30
26	BB	2136	G	N9-C4-C5	9.52	109.21	105.40
1	AA	1385	G	O4'-C1'-N9	9.52	115.82	108.20
1	AA	1521	C	N3-C4-C5	-9.52	118.09	121.90
26	BB	2436	G	N3-C4-C5	9.52	133.36	128.60
1	AA	158	G	C5-C6-N1	9.52	116.26	111.50
1	AA	271	C	N1-C2-O2	9.52	124.61	118.90
1	AA	525	C	C6-N1-C2	-9.52	116.49	120.30
1	AA	1273	C	N3-C4-C5	-9.52	118.09	121.90
2	AB	5	G	C8-N9-C4	-9.52	102.59	106.40
26	BB	489	G	N3-C4-C5	-9.52	123.84	128.60
26	BB	1651	G	N9-C4-C5	9.52	109.21	105.40
26	BB	2154	A	C2-N3-C4	9.52	115.36	110.60
1	AA	149	A	C5-C6-N1	9.52	122.46	117.70
1	AA	631	C	N1-C2-O2	9.52	124.61	118.90
2	AB	35	C	N1-C2-N3	-9.52	112.54	119.20
4	AD	76	C	C2-N3-C4	9.52	124.66	119.90
1	AA	872	A	N1-C2-N3	-9.52	124.54	129.30
1	AA	1222	G	O4'-C1'-N9	9.52	115.81	108.20
3	AC	49	U	C2-N3-C4	-9.52	121.29	127.00
26	BB	1643	G	C8-N9-C4	9.52	110.21	106.40
26	BB	1616	A	N9-C4-C5	9.52	109.61	105.80
26	BB	2323	G	C6-N1-C2	-9.52	119.39	125.10
26	BB	877	A	O4'-C1'-N9	9.51	115.81	108.20
26	BB	2227	A	C3'-C2'-C1'	-9.51	93.89	101.50
26	BB	2858	C	C2-N3-C4	9.51	124.66	119.90
1	AA	581	G	C5-C6-O6	-9.51	122.89	128.60
26	BB	447	A	C4-C5-C6	9.51	121.76	117.00
1	AA	577	G	C4-C5-N7	-9.51	107.00	110.80
1	AA	838	G	C6-N1-C2	-9.51	119.39	125.10
1	AA	1461	G	C8-N9-C4	9.51	110.20	106.40
4	AD	1	C	N1-C2-O2	9.51	124.61	118.90
26	BB	1378	A	N1-C6-N6	-9.51	112.89	118.60
26	BB	2827	C	N3-C4-C5	9.51	125.70	121.90
26	BB	2546	U	C2-N3-C4	-9.51	121.29	127.00
1	AA	557	G	C5-N7-C8	-9.51	99.55	104.30
26	BB	1360	G	N9-C4-C5	9.51	109.20	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1380	G	N9-C4-C5	9.51	109.20	105.40
12	AL	89	TYR	CB-CG-CD1	-9.50	115.30	121.00
26	BB	504	A	N9-C4-C5	9.50	109.60	105.80
26	BB	1478	G	C4-C5-N7	9.50	114.60	110.80
26	BB	2740	A	N9-C4-C5	9.50	109.60	105.80
26	BB	2801	G	N3-C2-N2	-9.50	113.25	119.90
1	AA	291	U	C4-C5-C6	9.50	125.40	119.70
1	AA	1244	G	O4'-C1'-N9	9.50	115.80	108.20
1	AA	1351	U	N3-C4-C5	-9.50	108.90	114.60
1	AA	524	G	C5'-C4'-O4'	9.50	120.50	109.10
1	AA	1219	A	C5'-C4'-O4'	9.50	120.50	109.10
6	AF	167	TYR	CB-CG-CD1	-9.50	115.30	121.00
26	BB	367	G	C5-C6-N1	9.50	116.25	111.50
26	BB	2076	U	O4'-C1'-N1	9.50	115.80	108.20
1	AA	314	C	O4'-C1'-N1	9.50	115.80	108.20
1	AA	501	C	C5-C6-N1	9.50	125.75	121.00
1	AA	1225	A	C5-N7-C8	-9.50	99.15	103.90
4	AD	24	C	O4'-C1'-N1	9.50	115.80	108.20
26	BB	536	G	C4-C5-N7	-9.50	107.00	110.80
26	BB	2281	A	N9-C4-C5	9.50	109.60	105.80
26	BB	155	A	N7-C8-N9	9.49	118.55	113.80
26	BB	5	A	C6-N1-C2	9.49	124.30	118.60
26	BB	367	G	C2-N3-C4	9.49	116.65	111.90
26	BB	1792	G	N9-C4-C5	9.49	109.20	105.40
26	BB	2468	A	N1-C2-N3	-9.49	124.55	129.30
26	BB	1138	G	N9-C4-C5	9.49	109.20	105.40
26	BB	1397	U	C1'-O4'-C4'	9.49	117.49	109.90
26	BB	2756	U	C5-C6-N1	-9.49	117.95	122.70
26	BB	2815	C	C4-C5-C6	9.49	122.15	117.40
1	AA	92	U	C5-C4-O4	-9.49	120.20	125.90
29	BE	128	ARG	NE-CZ-NH1	9.49	125.05	120.30
1	AA	749	A	N9-C1'-C2'	-9.49	101.56	112.00
26	BB	80	G	N3-C2-N2	9.49	126.54	119.90
26	BB	728	G	N3-C4-C5	-9.49	123.86	128.60
26	BB	1893	C	N3-C2-O2	-9.49	115.26	121.90
26	BB	2086	U	O4'-C1'-N1	9.49	115.79	108.20
26	BB	2664	G	N3-C4-C5	-9.49	123.86	128.60
26	BB	2852	G	C4-C5-N7	-9.49	107.00	110.80
26	BB	1089	A	N1-C2-N3	-9.49	124.56	129.30
26	BB	1299	G	C4-C5-N7	-9.49	107.01	110.80
26	BB	2860	A	C2-N3-C4	9.49	115.34	110.60
1	AA	729	A	C4-C5-N7	-9.48	105.96	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	795	C	C6-N1-C2	-9.48	116.51	120.30
1	AA	240	G	N3-C4-C5	-9.48	123.86	128.60
1	AA	1270	G	N9-C4-C5	9.48	109.19	105.40
26	BB	245	G	N1-C6-O6	9.48	125.59	119.90
26	BB	760	G	C4-C5-C6	9.48	124.49	118.80
26	BB	505	A	N1-C2-N3	-9.48	124.56	129.30
26	BB	1206	G	N9-C4-C5	9.48	109.19	105.40
26	BB	1505	A	O5'-P-OP2	-9.48	97.17	105.70
26	BB	1871	A	N9-C4-C5	9.48	109.59	105.80
26	BB	2510	C	C6-N1-C2	-9.48	116.51	120.30
1	AA	1026	G	C2-N3-C4	9.48	116.64	111.90
26	BB	251	A	O4'-C1'-N9	9.48	115.78	108.20
26	BB	730	A	N1-C6-N6	-9.48	112.91	118.60
26	BB	2752	C	N3-C2-O2	-9.48	115.27	121.90
40	BP	63	ARG	NE-CZ-NH2	-9.48	115.56	120.30
26	BB	1938	A	N1-C6-N6	9.47	124.28	118.60
1	AA	691	G	O4'-C1'-N9	9.47	115.78	108.20
3	AC	29	G	N3-C4-N9	-9.47	120.32	126.00
26	BB	32	C	N3-C4-N4	9.47	124.63	118.00
26	BB	210	C	C6-N1-C2	-9.47	116.51	120.30
26	BB	568	U	O4'-C1'-N1	9.47	115.78	108.20
26	BB	2201	G	C3'-C2'-C1'	9.47	109.08	101.50
26	BB	933	A	C2-N3-C4	9.47	115.34	110.60
26	BB	2649	C	C4-C5-C6	9.47	122.14	117.40
1	AA	65	A	C4-C5-N7	-9.47	105.96	110.70
3	AC	47	C	N3-C4-C5	-9.47	118.11	121.90
26	BB	1502	A	C4'-C3'-C2'	-9.47	93.13	102.60
26	BB	150	U	N3-C2-O2	-9.47	115.57	122.20
26	BB	940	G	N7-C8-N9	9.47	117.83	113.10
26	BB	1707	G	C2-N3-C4	9.47	116.64	111.90
26	BB	2838	G	C4-C5-N7	9.47	114.59	110.80
1	AA	1175	G	C6-C5-N7	-9.47	124.72	130.40
1	AA	1297	G	C5-N7-C8	9.47	109.03	104.30
26	BB	404	A	N1-C6-N6	-9.47	112.92	118.60
26	BB	783	A	O4'-C1'-N9	9.47	115.78	108.20
1	AA	742	G	C4-C5-C6	9.47	124.48	118.80
26	BB	2145	C	O4'-C1'-N1	9.47	115.77	108.20
1	AA	106	C	N3-C4-N4	9.47	124.63	118.00
1	AA	1020	G	C6-C5-N7	9.46	136.08	130.40
26	BB	138	U	C5-C6-N1	-9.46	117.97	122.70
1	AA	100	G	N3-C4-C5	-9.46	123.87	128.60
1	AA	624	C	N1-C2-O2	9.46	124.58	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	885	G	O4'-C4'-C3'	-9.46	94.54	104.00
25	BA	32	U	C5-C6-N1	-9.46	117.97	122.70
26	BB	145	C	C2-N3-C4	-9.46	115.17	119.90
26	BB	2729	G	O4'-C1'-N9	9.46	115.77	108.20
26	BB	1899	A	N1-C2-N3	-9.46	124.57	129.30
1	AA	197	A	C4-C5-C6	-9.46	112.27	117.00
1	AA	705	G	N1-C6-O6	-9.46	114.22	119.90
26	BB	616	A	N9-C4-C5	9.46	109.58	105.80
26	BB	1725	U	C2-N3-C4	-9.46	121.33	127.00
26	BB	2043	C	N1-C2-O2	9.46	124.58	118.90
26	BB	2626	C	N3-C2-O2	-9.46	115.28	121.90
26	BB	1674	G	N9-C4-C5	9.46	109.18	105.40
1	AA	640	A	O4'-C1'-N9	9.45	115.76	108.20
26	BB	370	G	C8-N9-C4	-9.45	102.62	106.40
26	BB	1371	G	C8-N9-C4	9.46	110.18	106.40
1	AA	230	G	C4-C5-C6	9.45	124.47	118.80
1	AA	7	A	C8-N9-C4	-9.45	102.02	105.80
1	AA	1181	G	O4'-C1'-N9	9.45	115.76	108.20
26	BB	1324	G	N7-C8-N9	9.45	117.83	113.10
26	BB	1996	C	C2-N3-C4	-9.45	115.17	119.90
1	AA	825	A	C8-N9-C4	-9.45	102.02	105.80
2	AB	36	A	C5-C6-N1	9.45	122.42	117.70
26	BB	320	A	C6-C5-N7	9.45	138.91	132.30
36	BL	60	ASP	CB-CG-OD1	-9.45	109.80	118.30
26	BB	2053	G	N9-C4-C5	9.45	109.18	105.40
26	BB	2446	G	C5'-C4'-O4'	9.45	120.44	109.10
26	BB	2740	A	C1'-O4'-C4'	-9.45	102.34	109.90
1	AA	48	C	C5-C6-N1	9.45	125.72	121.00
26	BB	2828	G	O4'-C1'-N9	9.45	115.76	108.20
1	AA	122	G	C5-N7-C8	9.44	109.02	104.30
26	BB	603	A	C8-N9-C4	-9.45	102.02	105.80
26	BB	1189	A	N1-C2-N3	9.44	134.02	129.30
26	BB	1645	G	N3-C4-C5	-9.45	123.88	128.60
26	BB	1883	U	N1-C2-N3	-9.45	109.23	114.90
26	BB	2553	G	C2-N3-C4	9.44	116.62	111.90
26	BB	602	A	C2-N3-C4	9.44	115.32	110.60
26	BB	858	G	C2-N3-C4	9.44	116.62	111.90
26	BB	2054	A	N1-C6-N6	-9.44	112.94	118.60
26	BB	2553	G	O4'-C1'-N9	9.44	115.75	108.20
2	AB	47	U	N1-C2-O2	9.44	129.41	122.80
26	BB	2055	C	N1-C2-O2	9.44	124.56	118.90
1	AA	631	C	N3-C2-O2	-9.44	115.29	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	936	C	C6-N1-C2	-9.44	116.52	120.30
26	BB	1331	G	C3'-C2'-C1'	9.44	109.05	101.50
26	BB	2080	A	C8-N9-C4	-9.44	102.03	105.80
26	BB	2501	C	C4'-C3'-C2'	-9.44	93.16	102.60
1	AA	356	A	C4-C5-N7	-9.44	105.98	110.70
1	AA	628	G	O4'-C1'-N9	9.44	115.75	108.20
1	AA	748	G	C5-C6-O6	-9.44	122.94	128.60
26	BB	364	C	C5-C4-N4	-9.44	113.59	120.20
26	BB	2136	G	N3-C4-N9	-9.44	120.34	126.00
26	BB	2275	C	N3-C4-C5	9.44	125.67	121.90
26	BB	2631	G	O4'-C1'-N9	9.44	115.75	108.20
1	AA	702	A	O4'-C4'-C3'	9.43	113.65	106.10
26	BB	2241	A	O4'-C1'-N9	9.43	115.75	108.20
26	BB	2544	G	N3-C2-N2	-9.43	113.30	119.90
4	AD	32	G	N3-C4-C5	-9.43	123.88	128.60
26	BB	1167	C	O4'-C1'-N1	9.43	115.75	108.20
26	BB	2391	G	C4-C5-N7	-9.43	107.03	110.80
26	BB	2606	C	C2-N3-C4	9.43	124.62	119.90
1	AA	206	C	C2-N3-C4	9.43	124.61	119.90
26	BB	1959	G	N3-C4-C5	-9.43	123.89	128.60
1	AA	147	G	O4'-C1'-N9	9.43	115.74	108.20
26	BB	331	C	C5-C6-N1	9.43	125.72	121.00
26	BB	453	A	P-O3'-C3'	9.43	131.01	119.70
26	BB	505	A	O4'-C1'-N9	9.43	115.74	108.20
1	AA	1191	A	N7-C8-N9	9.43	118.51	113.80
1	AA	1521	C	N1-C2-O2	9.43	124.56	118.90
1	AA	10	A	O4'-C4'-C3'	9.43	113.64	106.10
1	AA	218	U	N1-C2-N3	9.43	120.56	114.90
1	AA	305	G	C4-C5-N7	9.43	114.57	110.80
1	AA	494	G	C6-C5-N7	-9.43	124.74	130.40
1	AA	661	G	O4'-C1'-N9	9.43	115.74	108.20
3	AC	57	C	C3'-C2'-C1'	9.43	109.04	101.50
1	AA	951	G	N7-C8-N9	-9.43	108.39	113.10
26	BB	780	G	C5-C6-O6	9.43	134.25	128.60
26	BB	1041	G	C8-N9-C4	-9.43	102.63	106.40
26	BB	1239	G	C1'-O4'-C4'	-9.43	102.36	109.90
26	BB	1658	C	C6-N1-C2	-9.43	116.53	120.30
26	BB	2031	A	O4'-C1'-N9	9.43	115.74	108.20
26	BB	2697	G	N3-C4-C5	-9.43	123.89	128.60
26	BB	2293	G	C4-C5-N7	-9.43	107.03	110.80
1	AA	99	C	C5-C6-N1	9.42	125.71	121.00
6	AF	125	ARG	NE-CZ-NH2	-9.42	115.59	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	146	A	N9-C4-C5	9.42	109.57	105.80
26	BB	1245	G	N3-C4-C5	-9.42	123.89	128.60
26	BB	2430	A	O4'-C1'-N9	-9.42	100.66	108.20
1	AA	425	G	C6-N1-C2	-9.42	119.45	125.10
1	AA	765	G	N7-C8-N9	-9.42	108.39	113.10
1	AA	1499	A	N9-C4-C5	9.42	109.57	105.80
26	BB	533	G	N9-C4-C5	-9.42	101.63	105.40
26	BB	1348	C	C2-N3-C4	9.42	124.61	119.90
26	BB	807	U	N1-C2-O2	9.42	129.40	122.80
1	AA	1478	U	O4'-C1'-N1	9.42	115.74	108.20
1	AA	117	G	C8-N9-C4	-9.42	102.63	106.40
1	AA	143	A	C5-N7-C8	-9.42	99.19	103.90
1	AA	1383	C	N3-C2-O2	-9.42	115.31	121.90
26	BB	1303	G	N3-C4-C5	-9.42	123.89	128.60
26	BB	1524	G	C5-C6-O6	-9.42	122.95	128.60
26	BB	1478	G	C4'-C3'-C2'	-9.42	93.18	102.60
26	BB	1537	G	C3'-C2'-C1'	9.42	109.03	101.50
26	BB	2733	A	N9-C4-C5	-9.42	102.03	105.80
1	AA	900	A	C5-C6-N1	9.41	122.41	117.70
26	BB	355	U	C5'-C4'-O4'	9.41	120.40	109.10
26	BB	2037	A	N1-C6-N6	-9.41	112.95	118.60
1	AA	364	A	O4'-C1'-N9	9.41	115.73	108.20
26	BB	1116	G	N3-C4-N9	9.41	131.65	126.00
26	BB	1557	C	C6-N1-C2	-9.41	116.53	120.30
26	BB	1986	C	O4'-C1'-N1	9.41	115.73	108.20
26	BB	2289	G	C4-C5-N7	9.41	114.56	110.80
48	BX	9	ARG	NE-CZ-NH1	9.41	125.01	120.30
26	BB	986	C	C5-C6-N1	9.41	125.71	121.00
1	AA	479	U	N3-C4-C5	-9.41	108.95	114.60
26	BB	1210	G	N9-C4-C5	9.41	109.16	105.40
1	AA	1070	U	O4'-C1'-N1	9.41	115.73	108.20
1	AA	1525	G	C5'-C4'-O4'	9.41	120.39	109.10
26	BB	552	U	N1-C2-N3	9.41	120.54	114.90
26	BB	627	A	C6-N1-C2	9.41	124.25	118.60
26	BB	1359	A	C5-C6-N1	9.41	122.40	117.70
1	AA	482	A	N1-C2-N3	-9.40	124.60	129.30
1	AA	1053	G	N3-C4-C5	-9.40	123.90	128.60
1	AA	1090	U	N1-C2-O2	-9.40	116.22	122.80
12	AL	44	ARG	NE-CZ-NH2	-9.40	115.60	120.30
26	BB	2242	G	N9-C1'-C2'	-9.40	101.66	112.00
1	AA	1375	A	C4-C5-N7	9.40	115.40	110.70
25	BA	7	G	C5-N7-C8	-9.40	99.60	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1387	G	N3-C2-N2	-9.40	113.32	119.90
28	BD	119	VAL	CA-CB-CG2	9.40	125.00	110.90
1	AA	531	U	O4'-C1'-N1	9.40	115.72	108.20
1	AA	791	G	O4'-C1'-N9	9.40	115.72	108.20
4	AD	4	G	C5-C6-N1	9.40	116.20	111.50
7	AG	49	ASP	CB-CG-OD2	9.40	126.76	118.30
26	BB	356	G	O4'-C1'-N9	9.40	115.72	108.20
26	BB	425	G	N1-C6-O6	-9.40	114.26	119.90
26	BB	1737	G	O4'-C1'-N9	9.40	115.72	108.20
26	BB	1803	A	C4-C5-N7	-9.40	106.00	110.70
26	BB	2125	G	N3-C4-N9	-9.40	120.36	126.00
5	AE	183	PHE	CB-CG-CD2	-9.40	114.22	120.80
26	BB	160	A	C4-C5-N7	-9.40	106.00	110.70
26	BB	241	A	P-O3'-C3'	9.40	130.98	119.70
26	BB	451	U	O4'-C4'-C3'	9.40	113.62	106.10
26	BB	1129	A	C8-N9-C4	-9.40	102.04	105.80
1	AA	964	A	C3'-C2'-C1'	-9.40	93.98	101.50
4	AD	4	G	C6-C5-N7	9.40	136.04	130.40
26	BB	1044	C	C2-N3-C4	9.40	124.60	119.90
26	BB	1824	G	O4'-C1'-N9	9.40	115.72	108.20
1	AA	364	A	C8-N9-C4	-9.39	102.04	105.80
1	AA	839	C	O4'-C1'-N1	9.39	115.72	108.20
3	AC	41	A	N1-C6-N6	-9.39	112.96	118.60
26	BB	743	A	N1-C6-N6	9.39	124.24	118.60
26	BB	2571	U	N3-C2-O2	-9.39	115.62	122.20
26	BB	2722	G	C5-C6-O6	-9.39	122.96	128.60
1	AA	852	G	N7-C8-N9	-9.39	108.40	113.10
1	AA	1041	G	N3-C4-C5	-9.39	123.90	128.60
4	AD	28	U	C4-C5-C6	9.39	125.33	119.70
1	AA	39	G	C8-N9-C4	-9.39	102.64	106.40
1	AA	401	C	N3-C4-C5	-9.39	118.14	121.90
1	AA	681	A	C5-C6-N6	-9.39	116.19	123.70
26	BB	199	A	O4'-C1'-N9	9.39	115.71	108.20
26	BB	295	G	C5-C6-O6	-9.39	122.97	128.60
26	BB	610	C	C1'-O4'-C4'	9.39	117.41	109.90
26	BB	2475	C	C5-C4-N4	9.39	126.77	120.20
26	BB	2598	A	C5-C6-N6	-9.39	116.19	123.70
26	BB	542	C	O4'-C1'-N1	9.39	115.71	108.20
26	BB	695	G	C4'-C3'-C2'	-9.39	93.21	102.60
26	BB	973	A	C8-N9-C4	-9.39	102.04	105.80
26	BB	2722	G	C2-N3-C4	9.39	116.59	111.90
25	BA	9	G	N1-C6-O6	-9.39	114.27	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	425	G	O4'-C1'-N9	9.39	115.71	108.20
26	BB	494	G	N1-C2-N2	9.39	124.65	116.20
26	BB	1106	G	C5-C6-N1	9.39	116.19	111.50
26	BB	513	A	N1-C2-N3	9.39	133.99	129.30
1	AA	303	A	N9-C4-C5	9.39	109.55	105.80
1	AA	330	C	C5-C6-N1	9.39	125.69	121.00
26	BB	769	U	C6-N1-C2	-9.39	115.37	121.00
26	BB	1858	A	C3'-C2'-C1'	-9.39	93.99	101.50
1	AA	923	A	C2-N3-C4	9.38	115.29	110.60
20	AT	33	TYR	CB-CG-CD1	-9.38	115.37	121.00
46	BV	3	ARG	NE-CZ-NH2	-9.38	115.61	120.30
1	AA	728	A	C5-N7-C8	-9.38	99.21	103.90
1	AA	1332	A	C8-N9-C4	-9.38	102.05	105.80
2	AB	59	G	N7-C8-N9	9.38	117.79	113.10
26	BB	870	U	N3-C4-C5	-9.38	108.97	114.60
26	BB	1231	U	N1-C2-N3	9.38	120.53	114.90
26	BB	2289	G	N9-C4-C5	-9.38	101.65	105.40
26	BB	2718	G	O4'-C1'-N9	9.38	115.70	108.20
1	AA	157	U	C5-C6-N1	9.38	127.39	122.70
1	AA	1398	A	C4-C5-N7	9.38	115.39	110.70
4	AD	71	G	O4'-C1'-N9	9.38	115.70	108.20
26	BB	347	A	C4'-C3'-C2'	-9.38	93.22	102.60
26	BB	1756	G	O4'-C1'-N9	9.38	115.70	108.20
1	AA	1137	C	O4'-C1'-N1	9.38	115.70	108.20
26	BB	562	U	N1-C2-N3	9.38	120.53	114.90
4	AD	16	C	O4'-C1'-N1	9.38	115.70	108.20
1	AA	467	U	C2-N3-C4	-9.37	121.38	127.00
26	BB	76	C	C5-C4-N4	-9.37	113.64	120.20
26	BB	1105	U	O4'-C1'-N1	9.38	115.70	108.20
26	BB	1661	G	C2-N3-C4	9.38	116.59	111.90
26	BB	1761	C	C5-C4-N4	9.37	126.76	120.20
26	BB	1511	G	N1-C6-O6	-9.37	114.28	119.90
1	AA	41	G	O4'-C1'-N9	9.37	115.70	108.20
3	AC	20	G	C5-N7-C8	9.37	108.98	104.30
26	BB	1167	C	N3-C2-O2	-9.37	115.34	121.90
26	BB	1736	U	C4'-C3'-C2'	-9.37	93.23	102.60
26	BB	2162	G	N3-C4-C5	-9.37	123.91	128.60
1	AA	477	C	C5-C4-N4	-9.37	113.64	120.20
1	AA	723	U	N3-C4-O4	9.37	125.96	119.40
26	BB	837	C	C2-N3-C4	9.37	124.58	119.90
26	BB	2129	C	O4'-C4'-C3'	9.37	113.59	106.10
13	AM	65	TYR	CB-CG-CD1	-9.37	115.38	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	774	G	N1-C6-O6	-9.37	114.28	119.90
8	AH	28	ARG	NE-CZ-NH2	-9.37	115.62	120.30
26	BB	535	G	C8-N9-C4	-9.37	102.65	106.40
26	BB	1483	G	N3-C4-C5	-9.37	123.92	128.60
26	BB	2375	G	C4-C5-N7	-9.37	107.05	110.80
26	BB	1288	G	O4'-C1'-N9	9.36	115.69	108.20
26	BB	1639	C	N3-C4-C5	-9.37	118.15	121.90
26	BB	2466	C	O4'-C1'-N1	9.37	115.69	108.20
26	BB	1655	A	C5-N7-C8	-9.36	99.22	103.90
30	BF	117	ARG	NE-CZ-NH1	9.37	124.98	120.30
42	BR	97	TYR	CB-CG-CD2	9.37	126.62	121.00
43	BS	23	TYR	CB-CG-CD1	-9.37	115.38	121.00
26	BB	1291	C	C5-C6-N1	9.36	125.68	121.00
1	AA	119	A	C5-N7-C8	9.36	108.58	103.90
1	AA	1148	U	N1-C2-N3	9.36	120.52	114.90
2	AB	35	C	O4'-C1'-C2'	-9.36	96.44	105.80
4	AD	35	C	O4'-C1'-N1	9.36	115.69	108.20
26	BB	335	C	C5'-C4'-O4'	9.36	120.33	109.10
1	AA	453	G	C8-N9-C4	-9.36	102.66	106.40
1	AA	987	G	N9-C4-C5	9.36	109.14	105.40
1	AA	925	G	O4'-C1'-N9	9.36	115.69	108.20
25	BA	78	A	C5-N7-C8	-9.36	99.22	103.90
26	BB	44	A	C5-C6-N1	9.36	122.38	117.70
26	BB	1250	G	C5-N7-C8	9.36	108.98	104.30
1	AA	924	C	C6-N1-C2	-9.36	116.56	120.30
2	AB	9	A	C5-N7-C8	9.36	108.58	103.90
1	AA	544	G	C8-N9-C4	-9.36	102.66	106.40
26	BB	921	C	C6-N1-C2	-9.36	116.56	120.30
26	BB	2141	G	O4'-C1'-N9	9.36	115.69	108.20
26	BB	2644	G	N1-C2-N3	9.36	129.51	123.90
26	BB	1061	U	O4'-C1'-N1	9.36	115.68	108.20
1	AA	617	G	C4-C5-N7	-9.35	107.06	110.80
1	AA	1318	A	N1-C2-N3	-9.35	124.62	129.30
26	BB	2634	A	O4'-C1'-N9	9.35	115.68	108.20
1	AA	737	C	N3-C4-C5	-9.35	118.16	121.90
1	AA	1280	A	N1-C6-N6	9.35	124.21	118.60
26	BB	1036	G	C5-N7-C8	-9.35	99.62	104.30
26	BB	374	A	N9-C4-C5	9.35	109.54	105.80
1	AA	402	G	N1-C2-N2	9.35	124.61	116.20
1	AA	1255	G	N1-C2-N2	9.35	124.61	116.20
2	AB	45	U	C2-N3-C4	-9.35	121.39	127.00
26	BB	77	G	N9-C4-C5	-9.35	101.66	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	529	G	C4-C5-N7	-9.35	107.06	110.80
1	AA	51	A	C8-N9-C4	-9.35	102.06	105.80
1	AA	366	A	C8-N9-C4	-9.35	102.06	105.80
1	AA	1507	A	C5-N7-C8	-9.35	99.23	103.90
26	BB	299	A	C4-C5-C6	9.35	121.67	117.00
26	BB	640	C	C4-C5-C6	-9.35	112.73	117.40
26	BB	508	A	C8-N9-C4	-9.35	102.06	105.80
26	BB	1333	G	C6-C5-N7	-9.35	124.79	130.40
26	BB	1928	A	N1-C6-N6	-9.35	112.99	118.60
26	BB	1988	G	N9-C4-C5	9.35	109.14	105.40
1	AA	111	G	C5-C6-N1	9.34	116.17	111.50
1	AA	156	C	O4'-C1'-N1	9.34	115.67	108.20
1	AA	851	G	C5-C6-O6	-9.34	122.99	128.60
26	BB	1201	U	O4'-C1'-N1	9.34	115.67	108.20
26	BB	2394	C	C6-N1-C2	-9.34	116.56	120.30
1	AA	1489	G	N1-C2-N3	-9.34	118.30	123.90
1	AA	557	G	N1-C2-N3	-9.34	118.30	123.90
1	AA	991	U	C5'-C4'-O4'	9.34	120.31	109.10
1	AA	1024	G	C8-N9-C4	-9.34	102.66	106.40
26	BB	1553	A	N1-C2-N3	-9.34	124.63	129.30
26	BB	2391	G	C8-N9-C4	-9.34	102.66	106.40
1	AA	694	A	C5-C6-N1	9.34	122.37	117.70
2	AB	4	G	C3'-C2'-C1'	9.34	108.97	101.50
5	AE	6	ARG	NE-CZ-NH1	9.34	124.97	120.30
1	AA	148	G	C2-N3-C4	9.34	116.57	111.90
1	AA	765	G	C5-C6-O6	-9.34	123.00	128.60
1	AA	875	U	C3'-C2'-C1'	9.34	108.97	101.50
26	BB	103	A	N9-C4-C5	9.34	109.53	105.80
26	BB	1122	G	P-O3'-C3'	9.34	130.90	119.70
26	BB	1861	G	C4-C5-N7	-9.34	107.07	110.80
26	BB	2295	C	C5-C4-N4	-9.34	113.67	120.20
1	AA	636	U	C3'-C2'-C1'	9.33	108.97	101.50
1	AA	1521	C	O4'-C1'-N1	9.33	115.67	108.20
1	AA	718	A	C4-C5-N7	-9.33	106.03	110.70
26	BB	1645	G	C2-N3-C4	9.33	116.57	111.90
1	AA	79	G	N9-C4-C5	9.33	109.13	105.40
1	AA	1530	G	C6-C5-N7	-9.33	124.80	130.40
26	BB	364	C	N1-C2-O2	9.33	124.50	118.90
26	BB	1283	G	C6-C5-N7	-9.33	124.80	130.40
1	AA	228	A	N9-C4-C5	-9.33	102.07	105.80
1	AA	1278	G	O4'-C4'-C3'	9.33	113.56	106.10
26	BB	98	G	O4'-C1'-N9	9.33	115.66	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	734	G	C2-N3-C4	9.33	116.56	111.90
26	BB	1052	C	C3'-C2'-C1'	9.33	108.96	101.50
26	BB	2210	U	C5-C4-O4	-9.33	120.31	125.90
1	AA	19	A	C5-C6-N1	9.32	122.36	117.70
1	AA	68	G	C5-C6-O6	-9.32	123.00	128.60
1	AA	1399	C	N3-C4-C5	9.32	125.63	121.90
1	AA	1530	G	N1-C2-N3	9.32	129.49	123.90
26	BB	475	C	C6-N1-C2	-9.32	116.57	120.30
26	BB	1004	U	N3-C4-O4	9.32	125.93	119.40
26	BB	2135	A	C4-C5-C6	-9.32	112.34	117.00
1	AA	594	U	O4'-C1'-N1	9.32	115.66	108.20
7	AG	183	ARG	NE-CZ-NH1	9.32	124.96	120.30
25	BA	78	A	C4-C5-N7	9.32	115.36	110.70
1	AA	579	A	N9-C4-C5	9.32	109.53	105.80
26	BB	136	G	O4'-C1'-N9	9.32	115.66	108.20
26	BB	764	A	O4'-C1'-N9	9.32	115.66	108.20
26	BB	1504	A	N1-C2-N3	-9.32	124.64	129.30
1	AA	349	A	N9-C4-C5	-9.32	102.07	105.80
26	BB	110	G	C5-C6-N1	9.32	116.16	111.50
1	AA	186	C	O4'-C1'-N1	9.31	115.65	108.20
1	AA	1532	U	C1'-O4'-C4'	9.31	117.35	109.90
26	BB	615	U	C5'-C4'-O4'	9.31	120.28	109.10
26	BB	647	G	C6-C5-N7	-9.31	124.81	130.40
26	BB	760	G	N9-C4-C5	9.31	109.12	105.40
26	BB	1455	G	C8-N9-C4	-9.31	102.67	106.40
26	BB	1728	C	O4'-C1'-N1	9.31	115.65	108.20
26	BB	1854	A	C4-C5-C6	-9.31	112.34	117.00
1	AA	530	G	N3-C2-N2	-9.31	113.38	119.90
1	AA	1349	A	C5-N7-C8	9.31	108.56	103.90
1	AA	1323	G	N3-C4-C5	-9.31	123.94	128.60
26	BB	432	A	O4'-C1'-N9	9.31	115.65	108.20
26	BB	857	G	O4'-C1'-N9	9.31	115.65	108.20
26	BB	931	U	O4'-C1'-N1	9.31	115.65	108.20
26	BB	2885	G	C4-N9-C1'	-9.31	114.40	126.50
1	AA	291	U	O4'-C1'-N1	9.31	115.65	108.20
1	AA	1041	G	C4-C5-C6	9.31	124.39	118.80
26	BB	1170	C	N1-C2-O2	9.31	124.48	118.90
26	BB	2657	A	C4-C5-N7	9.31	115.35	110.70
1	AA	681	A	C2-N3-C4	9.30	115.25	110.60
1	AA	1434	A	C6-N1-C2	-9.31	113.02	118.60
26	BB	1171	G	C2-N3-C4	-9.31	107.25	111.90
1	AA	844	G	C5'-C4'-O4'	9.30	120.27	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	847	G	C5-C6-N1	9.30	116.15	111.50
26	BB	396	G	N3-C4-C5	-9.30	123.95	128.60
26	BB	1612	C	N3-C4-C5	-9.31	118.18	121.90
1	AA	1388	C	C6-N1-C2	-9.30	116.58	120.30
26	BB	409	G	N7-C8-N9	9.30	117.75	113.10
1	AA	97	G	N3-C4-C5	-9.30	123.95	128.60
1	AA	345	C	N3-C4-N4	9.30	124.51	118.00
1	AA	1379	G	N1-C2-N3	-9.30	118.32	123.90
26	BB	1519	G	N3-C4-C5	-9.30	123.95	128.60
26	BB	2303	G	C8-N9-C4	-9.30	102.68	106.40
26	BB	2558	C	C6-N1-C2	-9.30	116.58	120.30
1	AA	1484	C	C6-N1-C2	9.30	124.02	120.30
26	BB	216	A	N1-C2-N3	9.30	133.95	129.30
26	BB	333	G	N3-C4-C5	-9.30	123.95	128.60
26	BB	385	C	C5-C4-N4	-9.30	113.69	120.20
26	BB	1179	G	C5'-C4'-O4'	9.30	120.26	109.10
26	BB	2104	C	N3-C4-N4	9.30	124.51	118.00
26	BB	2195	U	N3-C4-O4	9.30	125.91	119.40
26	BB	2321	U	N3-C4-O4	9.30	125.91	119.40
1	AA	377	G	N9-C4-C5	9.30	109.12	105.40
1	AA	1063	C	C5-C6-N1	9.30	125.65	121.00
2	AB	39	A	N9-C4-C5	9.30	109.52	105.80
26	BB	725	G	C4-C5-C6	9.30	124.38	118.80
1	AA	540	G	N3-C2-N2	-9.30	113.39	119.90
9	AI	109	ARG	NE-CZ-NH2	-9.30	115.65	120.30
26	BB	649	G	O4'-C1'-N9	9.29	115.64	108.20
26	BB	2535	G	C5-N7-C8	9.29	108.95	104.30
1	AA	581	G	C8-N9-C4	-9.29	102.68	106.40
26	BB	1013	C	N3-C4-C5	9.29	125.62	121.90
26	BB	1333	G	C8-N9-C4	-9.29	102.68	106.40
26	BB	2782	G	C5-N7-C8	-9.29	99.66	104.30
1	AA	1117	A	C5-C6-N1	-9.29	113.06	117.70
26	BB	729	G	C1'-O4'-C4'	-9.29	102.47	109.90
26	BB	1658	C	C2-N3-C4	9.29	124.55	119.90
1	AA	69	G	C5-C6-N1	9.29	116.14	111.50
1	AA	608	A	C5-C6-N6	-9.29	116.27	123.70
1	AA	1253	G	C4-C5-N7	-9.29	107.08	110.80
26	BB	691	C	N3-C2-O2	9.29	128.40	121.90
26	BB	909	A	O4'-C1'-C2'	9.28	115.95	107.60
26	BB	1784	A	C2-N3-C4	9.28	115.24	110.60
26	BB	1800	C	N3-C2-O2	9.28	128.40	121.90
26	BB	2708	G	C2-N3-C4	9.28	116.54	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1289	A	O4'-C1'-N9	9.28	115.63	108.20
26	BB	1020	A	O4'-C1'-N9	9.28	115.63	108.20
1	AA	1335	U	N1-C2-N3	9.28	120.47	114.90
4	AD	53	G	N3-C4-C5	-9.28	123.96	128.60
26	BB	1057	A	N9-C4-C5	-9.28	102.09	105.80
26	BB	1780	A	C8-N9-C4	-9.28	102.09	105.80
26	BB	2178	C	N3-C4-C5	-9.28	118.19	121.90
26	BB	2785	C	C4-C5-C6	9.28	122.04	117.40
26	BB	2829	A	C2-N3-C4	9.28	115.24	110.60
1	AA	41	G	N3-C2-N2	-9.28	113.41	119.90
4	AD	19	G	N3-C4-N9	9.28	131.57	126.00
1	AA	1339	A	N7-C8-N9	-9.28	109.16	113.80
1	AA	832	G	C4-C5-N7	-9.27	107.09	110.80
1	AA	730	G	C2-N3-C4	9.27	116.54	111.90
26	BB	118	A	C5-C6-N1	9.27	122.34	117.70
26	BB	1539	U	N3-C2-O2	-9.27	115.71	122.20
26	BB	205	G	N3-C4-C5	-9.27	123.96	128.60
1	AA	133	U	O4'-C1'-N1	9.27	115.61	108.20
1	AA	769	G	C4'-C3'-C2'	-9.27	93.33	102.60
8	AH	156	ARG	NE-CZ-NH2	-9.27	115.67	120.30
26	BB	1191	G	C8-N9-C4	-9.27	102.69	106.40
26	BB	2872	A	N1-C6-N6	-9.27	113.04	118.60
26	BB	1361	G	C2-N3-C4	9.27	116.53	111.90
26	BB	351	C	N3-C4-C5	-9.27	118.19	121.90
1	AA	1125	U	N1-C2-O2	9.27	129.29	122.80
26	BB	115	C	O4'-C1'-N1	9.27	115.61	108.20
26	BB	1012	U	C2-N3-C4	-9.27	121.44	127.00
26	BB	2032	G	N3-C4-C5	-9.27	123.97	128.60
3	AC	27	A	C8-N9-C4	-9.26	102.09	105.80
26	BB	1591	A	C8-N9-C4	-9.26	102.09	105.80
26	BB	1970	A	C2-N3-C4	9.26	115.23	110.60
26	BB	2012	G	C6-N1-C2	-9.26	119.54	125.10
26	BB	2210	U	C6-N1-C2	9.26	126.56	121.00
26	BB	2232	C	N3-C4-N4	9.26	124.48	118.00
1	AA	1486	G	C5-C6-N1	9.26	116.13	111.50
1	AA	656	G	N1-C2-N3	9.26	129.45	123.90
26	BB	1192	G	C5-C6-N1	-9.26	106.87	111.50
26	BB	2524	G	N7-C8-N9	9.26	117.73	113.10
26	BB	1407	G	N9-C4-C5	9.25	109.10	105.40
1	AA	1470	U	N3-C4-C5	9.25	120.15	114.60
26	BB	2805	C	C4-C5-C6	-9.25	112.77	117.40
1	AA	946	A	C2-N3-C4	9.25	115.22	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	552	U	N3-C2-O2	-9.25	115.73	122.20
2	AB	2	G	N3-C4-C5	-9.25	123.98	128.60
26	BB	629	G	N3-C4-N9	9.25	131.55	126.00
26	BB	1311	G	C3'-C2'-C1'	9.25	108.90	101.50
26	BB	1543	G	N3-C4-C5	-9.25	123.98	128.60
1	AA	517	G	C4-C5-N7	-9.24	107.10	110.80
1	AA	1266	G	C2-N3-C4	9.24	116.52	111.90
1	AA	1517	G	C5'-C4'-O4'	9.24	120.19	109.10
2	AB	70	C	C6-N1-C2	-9.24	116.60	120.30
25	BA	102	G	N9-C4-C5	9.24	109.10	105.40
26	BB	341	C	C5-C4-N4	-9.24	113.73	120.20
26	BB	600	G	C5-C6-O6	-9.24	123.05	128.60
26	BB	1549	A	O4'-C1'-N9	9.24	115.60	108.20
26	BB	1178	C	O4'-C1'-N1	9.24	115.59	108.20
26	BB	2645	G	N1-C6-O6	-9.24	114.35	119.90
36	BL	35	ARG	NE-CZ-NH2	-9.24	115.68	120.30
26	BB	101	A	C2-N3-C4	9.24	115.22	110.60
26	BB	727	A	N7-C8-N9	9.24	118.42	113.80
26	BB	1397	U	C2-N3-C4	9.24	132.54	127.00
26	BB	1729	U	C4'-C3'-C2'	-9.24	93.36	102.60
1	AA	1527	U	O4'-C1'-C2'	-9.24	96.56	105.80
1	AA	90	C	N3-C2-O2	-9.24	115.43	121.90
1	AA	107	G	N7-C8-N9	-9.24	108.48	113.10
1	AA	809	G	O4'-C1'-N9	9.24	115.59	108.20
1	AA	1369	C	N1-C2-O2	9.24	124.44	118.90
26	BB	561	G	O4'-C1'-N9	9.24	115.59	108.20
26	BB	991	C	O4'-C1'-N1	9.24	115.59	108.20
26	BB	1224	U	O4'-C1'-N1	9.24	115.59	108.20
26	BB	2826	A	C5-C6-N1	9.24	122.32	117.70
1	AA	943	U	C1'-O4'-C4'	9.23	117.29	109.90
1	AA	1355	G	C2-N3-C4	9.23	116.52	111.90
26	BB	980	A	N9-C4-C5	9.23	109.49	105.80
26	BB	1028	A	C5-C6-N1	9.23	122.32	117.70
26	BB	1696	G	C8-N9-C4	-9.23	102.71	106.40
26	BB	2700	A	N1-C2-N3	9.23	133.92	129.30
36	BL	34	ARG	NE-CZ-NH1	-9.23	115.68	120.30
1	AA	326	G	C5-C6-O6	9.23	134.14	128.60
1	AA	406	G	C6-C5-N7	-9.23	124.86	130.40
1	AA	500	G	N3-C2-N2	-9.23	113.44	119.90
1	AA	1087	G	N9-C4-C5	-9.23	101.71	105.40
26	BB	291	G	N3-C4-C5	-9.23	123.98	128.60
26	BB	1197	G	C6-C5-N7	-9.23	124.86	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1834	U	O4'-C1'-N1	9.23	115.58	108.20
1	AA	128	G	N3-C4-C5	-9.23	123.99	128.60
2	AB	76	A	C4-C5-C6	-9.23	112.39	117.00
26	BB	1102	C	O4'-C1'-N1	9.23	115.58	108.20
26	BB	1981	A	N1-C2-N3	-9.23	124.69	129.30
1	AA	86	G	O4'-C1'-N9	9.23	115.58	108.20
39	BO	66	ARG	NE-CZ-NH2	-9.23	115.69	120.30
1	AA	1240	U	O4'-C1'-N1	-9.23	100.82	108.20
26	BB	515	A	N9-C4-C5	-9.23	102.11	105.80
26	BB	2121	G	C8-N9-C4	-9.23	102.71	106.40
26	BB	1430	G	N9-C4-C5	9.23	109.09	105.40
26	BB	2232	C	C2-N3-C4	9.23	124.51	119.90
26	BB	2685	G	N9-C4-C5	9.23	109.09	105.40
1	AA	1119	C	C5-C6-N1	-9.22	116.39	121.00
1	AA	593	U	N3-C4-C5	9.22	120.13	114.60
1	AA	1239	A	N1-C2-N3	-9.22	124.69	129.30
3	AC	55	A	C4-C5-N7	-9.22	106.09	110.70
26	BB	643	A	C6-C5-N7	9.22	138.76	132.30
26	BB	1567	G	C8-N9-C4	-9.22	102.71	106.40
26	BB	530	G	C5-C6-O6	9.22	134.13	128.60
26	BB	1841	U	C2-N3-C4	-9.22	121.47	127.00
26	BB	2031	A	N1-C6-N6	9.22	124.13	118.60
4	AD	12	G	N3-C2-N2	-9.22	113.45	119.90
25	BA	47	C	N1-C2-O2	9.22	124.43	118.90
26	BB	331	C	O4'-C1'-N1	9.22	115.58	108.20
1	AA	1008	U	O4'-C1'-N1	9.22	115.57	108.20
18	AR	76	ARG	NE-CZ-NH1	9.22	124.91	120.30
26	BB	318	C	C5-C4-N4	-9.22	113.75	120.20
26	BB	2596	U	N1-C2-N3	9.22	120.43	114.90
26	BB	2854	G	N1-C6-O6	9.22	125.43	119.90
28	BD	181	ARG	NE-CZ-NH1	9.22	124.91	120.30
1	AA	50	A	C8-N9-C4	-9.22	102.11	105.80
1	AA	206	C	N3-C4-C5	-9.22	118.21	121.90
1	AA	690	G	C4-C5-C6	9.22	124.33	118.80
4	AD	5	G	C2-N3-C4	9.21	116.51	111.90
26	BB	736	C	O4'-C1'-N1	9.21	115.57	108.20
26	BB	772	C	C4-C5-C6	-9.21	112.79	117.40
26	BB	842	U	N3-C4-C5	9.22	120.13	114.60
26	BB	981	A	C3'-C2'-C1'	-9.21	94.13	101.50
26	BB	1970	A	C4-C5-N7	-9.21	106.09	110.70
26	BB	2106	U	C5-C6-N1	-9.21	118.09	122.70
26	BB	2356	U	C2-N3-C4	-9.21	121.47	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	678	U	N3-C2-O2	-9.21	115.75	122.20
1	AA	691	G	N9-C1'-C2'	-9.21	101.86	112.00
1	AA	1306	A	C6-C5-N7	9.21	138.75	132.30
3	AC	42	U	O4'-C1'-C2'	-9.21	96.59	105.80
4	AD	38	A	C6-C5-N7	-9.21	125.85	132.30
26	BB	380	G	C6-N1-C2	-9.21	119.57	125.10
26	BB	2459	A	C6-N1-C2	-9.21	113.07	118.60
1	AA	25	C	N1-C2-O2	9.21	124.43	118.90
26	BB	300	A	N7-C8-N9	9.21	118.41	113.80
26	BB	650	C	C6-N1-C2	9.21	123.98	120.30
26	BB	679	C	N3-C2-O2	-9.21	115.45	121.90
26	BB	1876	A	C4-C5-N7	-9.21	106.09	110.70
1	AA	66	A	C5-N7-C8	-9.21	99.30	103.90
1	AA	777	A	C8-N9-C4	-9.21	102.12	105.80
1	AA	292	G	C5-C6-N1	9.21	116.10	111.50
1	AA	870	U	O4'-C1'-N1	9.21	115.57	108.20
1	AA	1533	C	N3-C4-C5	-9.21	118.22	121.90
4	AD	35	C	N3-C2-O2	-9.21	115.45	121.90
26	BB	796	C	C2-N3-C4	9.21	124.50	119.90
26	BB	958	U	C4-C5-C6	9.21	125.22	119.70
26	BB	1780	A	N1-C6-N6	-9.21	113.08	118.60
1	AA	433	G	N7-C8-N9	9.21	117.70	113.10
1	AA	1379	G	N7-C8-N9	9.21	117.70	113.10
26	BB	830	G	C1'-O4'-C4'	9.21	117.26	109.90
26	BB	1221	C	C4-C5-C6	9.21	122.00	117.40
1	AA	722	G	C5-N7-C8	9.20	108.90	104.30
26	BB	2499	C	O4'-C1'-N1	9.20	115.56	108.20
43	BS	47	ARG	NE-CZ-NH2	9.20	124.90	120.30
1	AA	696	A	C2-N3-C4	9.20	115.20	110.60
1	AA	869	G	C4-C5-N7	-9.20	107.12	110.80
1	AA	1005	A	C3'-C2'-C1'	9.20	108.86	101.50
1	AA	1282	C	N3-C4-C5	9.20	125.58	121.90
26	BB	141	G	O4'-C1'-N9	9.20	115.56	108.20
26	BB	932	U	N3-C2-O2	-9.20	115.76	122.20
26	BB	1589	U	C2-N3-C4	-9.20	121.48	127.00
26	BB	1799	G	O4'-C1'-N9	9.20	115.56	108.20
26	BB	2590	A	O4'-C1'-N9	9.20	115.56	108.20
4	AD	46	G	C8-N9-C4	-9.20	102.72	106.40
26	BB	791	C	O4'-C1'-N1	9.20	115.56	108.20
26	BB	1678	A	C8-N9-C4	-9.20	102.12	105.80
1	AA	947	G	C4-C5-N7	-9.19	107.12	110.80
4	AD	38	A	C4-C5-C6	9.20	121.60	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	169	G	N3-C4-C5	-9.19	124.00	128.60
26	BB	609	A	N9-C4-C5	9.19	109.48	105.80
26	BB	933	A	C4-C5-C6	9.19	121.60	117.00
26	BB	1331	G	N1-C2-N3	-9.20	118.38	123.90
26	BB	1664	A	C5-C6-N1	9.19	122.30	117.70
26	BB	2040	G	N3-C4-N9	9.19	131.52	126.00
1	AA	1470	U	O4'-C1'-N1	9.19	115.55	108.20
26	BB	863	A	C8-N9-C4	-9.19	102.12	105.80
26	BB	2356	U	C4-C5-C6	9.19	125.22	119.70
32	BH	108	PHE	CB-CG-CD2	-9.19	114.37	120.80
1	AA	230	G	N1-C6-O6	9.19	125.41	119.90
26	BB	479	A	C4-C5-N7	-9.19	106.11	110.70
26	BB	975	A	C6-C5-N7	-9.19	125.87	132.30
26	BB	1408	G	C4-C5-N7	-9.19	107.13	110.80
26	BB	1914	C	C5-C6-N1	9.19	125.59	121.00
26	BB	2737	G	C4-C5-N7	-9.19	107.12	110.80
1	AA	1287	A	N9-C4-C5	9.18	109.47	105.80
26	BB	2276	G	C6-N1-C2	-9.18	119.59	125.10
1	AA	627	G	N7-C8-N9	9.18	117.69	113.10
2	AB	41	C	C2-N3-C4	9.18	124.49	119.90
25	BA	114	C	C4-C5-C6	-9.18	112.81	117.40
26	BB	2627	G	C1'-O4'-C4'	-9.18	102.55	109.90
26	BB	589	U	C5-C6-N1	-9.18	118.11	122.70
26	BB	2545	G	N1-C2-N3	-9.18	118.39	123.90
26	BB	1423	G	C4'-C3'-C2'	-9.18	93.42	102.60
1	AA	485	U	C5-C6-N1	-9.18	118.11	122.70
26	BB	1398	C	N3-C2-O2	-9.18	115.47	121.90
26	BB	1429	G	C5-C6-N1	9.18	116.09	111.50
26	BB	1804	C	O4'-C1'-N1	9.18	115.54	108.20
1	AA	512	U	N1-C2-N3	9.18	120.41	114.90
1	AA	547	A	O4'-C1'-N9	9.18	115.54	108.20
1	AA	764	C	N1-C2-O2	-9.18	113.39	118.90
26	BB	540	C	O4'-C1'-N1	9.18	115.54	108.20
26	BB	1387	A	C2-N3-C4	9.18	115.19	110.60
26	BB	1435	G	C6-C5-N7	-9.18	124.89	130.40
26	BB	1174	U	N3-C4-C5	-9.18	109.09	114.60
1	AA	537	G	C6-N1-C2	-9.17	119.59	125.10
26	BB	44	A	N9-C1'-C2'	-9.17	101.91	112.00
1	AA	231	U	C4'-C3'-C2'	-9.17	93.43	102.60
26	BB	2628	C	N3-C2-O2	-9.17	115.48	121.90
26	BB	1359	A	C3'-C2'-C1'	9.17	108.83	101.50
26	BB	2323	G	N3-C4-N9	9.17	131.50	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	190	A	C8-N9-C4	-9.17	102.13	105.80
1	AA	690	G	N1-C2-N3	9.17	129.40	123.90
26	BB	1304	A	N9-C4-C5	9.16	109.47	105.80
1	AA	165	G	C6-C5-N7	9.16	135.90	130.40
1	AA	480	U	N3-C4-O4	9.16	125.81	119.40
1	AA	877	G	C4-C5-N7	-9.16	107.14	110.80
1	AA	1020	G	C4'-C3'-C2'	-9.16	93.44	102.60
26	BB	110	G	C4-C5-N7	9.16	114.47	110.80
1	AA	284	C	N3-C4-C5	-9.16	118.24	121.90
26	BB	391	A	N9-C4-C5	-9.16	102.14	105.80
1	AA	886	G	N3-C4-C5	-9.16	124.02	128.60
26	BB	940	G	C4'-C3'-C2'	-9.16	93.44	102.60
26	BB	1393	A	C5'-C4'-O4'	9.16	120.09	109.10
1	AA	678	U	C2-N3-C4	-9.16	121.50	127.00
26	BB	1168	G	C8-N9-C4	9.16	110.06	106.40
25	BA	2	G	C2-N3-C4	9.16	116.48	111.90
26	BB	1435	G	N3-C4-C5	-9.16	124.02	128.60
26	BB	1549	A	C2-N3-C4	9.16	115.18	110.60
26	BB	2020	A	C4-C5-N7	-9.16	106.12	110.70
1	AA	149	A	C3'-C2'-C1'	9.15	108.82	101.50
1	AA	390	U	C2-N3-C4	-9.15	121.51	127.00
26	BB	23	G	C5-C6-O6	9.15	134.09	128.60
26	BB	73	A	N3-C4-N9	9.15	134.72	127.40
1	AA	1318	A	C5'-C4'-O4'	9.15	120.08	109.10
1	AA	1322	C	N3-C4-C5	-9.15	118.24	121.90
26	BB	555	G	C4-C5-N7	-9.15	107.14	110.80
26	BB	1445	G	C4-C5-C6	9.15	124.29	118.80
26	BB	1900	A	C6-N1-C2	-9.15	113.11	118.60
26	BB	1980	G	C5-C6-O6	-9.15	123.11	128.60
26	BB	2428	G	C5-C6-N1	-9.15	106.92	111.50
26	BB	2710	C	C4-C5-C6	-9.15	112.82	117.40
26	BB	822	G	C5-C6-N1	-9.15	106.93	111.50
26	BB	1255	U	C4-C5-C6	9.15	125.19	119.70
26	BB	2223	G	C2-N3-C4	9.15	116.47	111.90
26	BB	2627	G	C5-N7-C8	-9.15	99.73	104.30
1	AA	654	G	C3'-C2'-C1'	-9.15	94.18	101.50
26	BB	80	G	C2-N3-C4	9.15	116.47	111.90
26	BB	1026	G	N1-C2-N3	-9.15	118.41	123.90
26	BB	2246	G	N3-C2-N2	-9.15	113.50	119.90
26	BB	2602	A	C5-C6-N1	9.15	122.27	117.70
1	AA	601	G	C5-C6-N1	9.14	116.07	111.50
1	AA	1158	C	N1-C2-N3	9.14	125.60	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2709	G	O4'-C1'-N9	9.14	115.52	108.20
1	AA	168	G	N3-C4-N9	9.14	131.49	126.00
26	BB	722	A	C8-N9-C4	-9.14	102.14	105.80
1	AA	756	C	O4'-C1'-N1	9.14	115.51	108.20
2	AB	66	C	O4'-C1'-N1	9.14	115.51	108.20
26	BB	2576	G	N1-C6-O6	9.14	125.38	119.90
1	AA	445	G	N3-C4-C5	-9.14	124.03	128.60
1	AA	902	G	C5'-C4'-O4'	9.14	120.07	109.10
4	AD	31	G	C4-C5-N7	-9.14	107.14	110.80
47	BW	5	ARG	NE-CZ-NH2	-9.14	115.73	120.30
13	AM	68	ARG	NE-CZ-NH2	-9.14	115.73	120.30
25	BA	46	A	C1'-O4'-C4'	-9.14	102.59	109.90
26	BB	623	C	N1-C2-N3	-9.14	112.80	119.20
1	AA	903	G	N9-C4-C5	9.13	109.05	105.40
26	BB	271	G	C2-N3-C4	9.14	116.47	111.90
26	BB	966	G	C6-N1-C2	-9.13	119.62	125.10
4	AD	5	G	N1-C2-N3	-9.13	118.42	123.90
26	BB	165	A	C5-N7-C8	-9.13	99.33	103.90
26	BB	1186	G	C2-N3-C4	9.13	116.47	111.90
26	BB	1294	U	O4'-C1'-N1	9.13	115.51	108.20
26	BB	1092	C	C4-C5-C6	9.13	121.97	117.40
26	BB	2639	A	N7-C8-N9	-9.13	109.23	113.80
1	AA	564	C	N3-C4-C5	-9.13	118.25	121.90
25	BA	25	U	P-O3'-C3'	9.13	130.66	119.70
1	AA	99	C	C6-N1-C2	-9.13	116.65	120.30
1	AA	902	G	O4'-C1'-N9	-9.13	100.90	108.20
1	AA	1005	A	C6-N1-C2	-9.13	113.12	118.60
1	AA	1034	G	N1-C6-O6	-9.13	114.42	119.90
2	AB	75	C	C2-N3-C4	9.13	124.46	119.90
4	AD	34	U	C5'-C4'-O4'	9.13	120.05	109.10
26	BB	216	A	C5-N7-C8	9.13	108.46	103.90
26	BB	541	A	C6-C5-N7	9.13	138.69	132.30
26	BB	1289	C	C4-C5-C6	9.13	121.96	117.40
26	BB	1317	G	O4'-C1'-N9	9.13	115.50	108.20
26	BB	1634	A	P-O3'-C3'	9.13	130.65	119.70
4	AD	53	G	N1-C2-N2	9.13	124.41	116.20
26	BB	329	G	N7-C8-N9	9.13	117.66	113.10
26	BB	761	A	C6-N1-C2	-9.12	113.12	118.60
26	BB	1869	G	O4'-C1'-N9	9.13	115.50	108.20
1	AA	771	G	N3-C4-N9	9.12	131.47	126.00
26	BB	980	A	C8-N9-C4	-9.12	102.15	105.80
26	BB	1055	G	C2-N3-C4	9.12	116.46	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1975	G	C5-N7-C8	-9.12	99.74	104.30
26	BB	2071	A	C4-C5-N7	-9.12	106.14	110.70
26	BB	2582	G	O4'-C1'-N9	9.12	115.50	108.20
1	AA	1015	G	C5-C6-N1	9.12	116.06	111.50
26	BB	303	G	C8-N9-C4	-9.12	102.75	106.40
26	BB	1781	U	N3-C2-O2	-9.12	115.82	122.20
1	AA	185	U	C6-N1-C2	9.12	126.47	121.00
1	AA	831	A	C4'-C3'-C2'	-9.12	93.48	102.60
1	AA	972	C	N1-C2-O2	-9.12	113.43	118.90
10	AJ	159	ARG	NE-CZ-NH1	9.12	124.86	120.30
25	BA	75	G	C8-N9-C4	-9.12	102.75	106.40
26	BB	60	G	N7-C8-N9	9.11	117.66	113.10
26	BB	1714	U	N3-C4-O4	9.11	125.78	119.40
26	BB	1907	G	C4-C5-N7	-9.11	107.15	110.80
1	AA	176	C	O4'-C1'-N1	9.11	115.49	108.20
26	BB	547	A	C8-N9-C4	-9.11	102.16	105.80
26	BB	2655	G	C3'-C2'-C1'	-9.11	94.21	101.50
37	BM	30	ARG	NE-CZ-NH2	-9.11	115.75	120.30
42	BR	88	ARG	NE-CZ-NH2	9.11	124.86	120.30
26	BB	1071	G	C2-N3-C4	9.11	116.45	111.90
26	BB	1266	G	C4-C5-N7	-9.11	107.16	110.80
26	BB	1613	G	N3-C4-C5	-9.11	124.05	128.60
26	BB	1664	A	N7-C8-N9	-9.11	109.25	113.80
26	BB	1941	C	N1-C2-O2	9.11	124.36	118.90
26	BB	2222	C	N3-C4-C5	-9.11	118.26	121.90
1	AA	1515	G	O4'-C1'-N9	9.11	115.49	108.20
26	BB	264	C	C2-N3-C4	9.11	124.45	119.90
26	BB	557	C	N3-C4-N4	9.11	124.37	118.00
26	BB	940	G	C8-N9-C4	-9.11	102.76	106.40
26	BB	497	A	N1-C2-N3	-9.10	124.75	129.30
26	BB	1684	G	C5-N7-C8	-9.10	99.75	104.30
26	BB	2609	U	C5-C6-N1	9.10	127.25	122.70
1	AA	118	U	C5-C6-N1	9.10	127.25	122.70
1	AA	346	G	C5-N7-C8	9.10	108.85	104.30
1	AA	1266	G	C8-N9-C4	-9.10	102.76	106.40
2	AB	70	C	C2-N3-C4	9.10	124.45	119.90
26	BB	1166	G	C5-C6-O6	-9.10	123.14	128.60
26	BB	1244	A	C4-C5-N7	9.10	115.25	110.70
26	BB	1380	G	C8-N9-C4	-9.10	102.76	106.40
26	BB	1553	A	C2-N3-C4	9.10	115.15	110.60
25	BA	11	C	C5-C6-N1	9.10	125.55	121.00
25	BA	29	A	C1'-O4'-C4'	9.10	117.18	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	872	A	O4'-C4'-C3'	9.10	113.38	106.10
26	BB	1012	U	O4'-C4'-C3'	9.10	113.38	106.10
26	BB	1027	A	C5-N7-C8	9.10	108.45	103.90
26	BB	1235	G	N1-C6-O6	-9.10	114.44	119.90
26	BB	527	C	N3-C4-N4	9.10	124.37	118.00
1	AA	1197	A	C5-C6-N1	9.10	122.25	117.70
8	AH	53	ARG	NE-CZ-NH1	9.10	124.85	120.30
26	BB	663	G	C5-N7-C8	-9.10	99.75	104.30
1	AA	835	U	C3'-C2'-C1'	9.09	108.78	101.50
1	AA	1211	U	O4'-C1'-N1	9.09	115.47	108.20
26	BB	562	U	O4'-C1'-N1	9.09	115.47	108.20
26	BB	588	U	O4'-C1'-N1	9.09	115.47	108.20
26	BB	1041	G	O4'-C1'-N9	9.09	115.47	108.20
26	BB	1068	G	N3-C4-C5	-9.09	124.05	128.60
26	BB	2686	G	N7-C8-N9	9.09	117.65	113.10
1	AA	831	A	N1-C2-N3	-9.09	124.75	129.30
25	BA	2	G	C6-C5-N7	9.09	135.85	130.40
26	BB	110	G	N7-C8-N9	9.09	117.64	113.10
26	BB	725	G	N3-C4-N9	9.09	131.45	126.00
26	BB	1152	C	N3-C4-N4	9.09	124.36	118.00
26	BB	1748	C	N1-C2-N3	-9.09	112.84	119.20
26	BB	2166	U	O4'-C1'-N1	9.09	115.47	108.20
26	BB	2485	G	C5-C6-N1	9.09	116.05	111.50
26	BB	2764	A	C8-N9-C4	-9.09	102.16	105.80
1	AA	38	G	N9-C4-C5	9.09	109.03	105.40
1	AA	123	U	C5-C4-O4	9.09	131.35	125.90
1	AA	1088	G	O4'-C4'-C3'	9.09	113.37	106.10
1	AA	1225	A	C8-N9-C4	-9.09	102.17	105.80
26	BB	56	A	N1-C6-N6	-9.09	113.15	118.60
26	BB	1477	A	C5'-C4'-O4'	9.09	120.00	109.10
26	BB	1825	U	C4-C5-C6	9.09	125.15	119.70
26	BB	2226	C	N3-C4-C5	9.09	125.53	121.90
26	BB	2282	G	N3-C4-N9	9.09	131.45	126.00
26	BB	2857	G	C6-N1-C2	-9.09	119.65	125.10
26	BB	2340	A	O4'-C1'-N9	9.09	115.47	108.20
1	AA	924	C	N3-C4-C5	9.08	125.53	121.90
26	BB	8	C	N1-C2-O2	9.08	124.35	118.90
1	AA	1311	A	C6-N1-C2	-9.08	113.15	118.60
1	AA	1468	A	C2-N3-C4	-9.08	106.06	110.60
26	BB	1127	A	C5-C6-N6	-9.08	116.43	123.70
26	BB	1682	G	C6-N1-C2	-9.08	119.65	125.10
1	AA	149	A	C4'-C3'-C2'	-9.08	93.52	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	109	C	O4'-C1'-N1	9.08	115.47	108.20
1	AA	115	G	N9-C4-C5	-9.08	101.77	105.40
26	BB	839	U	C3'-C2'-C1'	9.08	108.76	101.50
26	BB	2208	C	N3-C4-N4	9.08	124.36	118.00
26	BB	2755	C	N3-C4-C5	-9.08	118.27	121.90
26	BB	2796	U	C2-N3-C4	-9.08	121.55	127.00
1	AA	1465	A	C1'-O4'-C4'	-9.08	102.64	109.90
26	BB	2053	G	C5'-C4'-O4'	9.08	119.99	109.10
26	BB	2889	C	O4'-C1'-N1	9.08	115.46	108.20
26	BB	1767	G	N3-C2-N2	-9.07	113.55	119.90
26	BB	2524	G	C5-C6-N1	9.07	116.04	111.50
26	BB	2299	U	C5-C6-N1	-9.07	118.17	122.70
26	BB	2557	G	C5-C6-O6	-9.07	123.16	128.60
26	BB	2670	A	C2-N3-C4	9.07	115.14	110.60
42	BR	92	ARG	NE-CZ-NH2	9.07	124.84	120.30
26	BB	2729	G	C5-C6-O6	-9.07	123.16	128.60
1	AA	669	G	N1-C6-O6	-9.07	114.46	119.90
1	AA	1080	A	N7-C8-N9	9.07	118.33	113.80
1	AA	1165	U	C5-C6-N1	-9.07	118.17	122.70
1	AA	1385	G	C6-N1-C2	-9.07	119.66	125.10
4	AD	36	A	C8-N9-C4	9.07	109.43	105.80
26	BB	216	A	C4-C5-N7	-9.07	106.17	110.70
26	BB	298	G	C8-N9-C4	-9.07	102.77	106.40
26	BB	817	C	O4'-C1'-N1	9.07	115.45	108.20
26	BB	1098	A	C4-C5-N7	-9.07	106.17	110.70
26	BB	1211	C	O4'-C1'-N1	9.07	115.45	108.20
26	BB	1326	U	N1-C2-N3	9.07	120.34	114.90
26	BB	2189	U	C3'-C2'-C1'	9.07	108.75	101.50
1	AA	544	G	O4'-C1'-N9	9.06	115.45	108.20
1	AA	1129	C	N3-C2-O2	-9.06	115.56	121.90
1	AA	1180	A	C2-N3-C4	9.06	115.13	110.60
9	AI	38	ARG	NE-CZ-NH1	9.06	124.83	120.30
26	BB	87	U	C5-C4-O4	-9.06	120.46	125.90
26	BB	686	U	C2-N3-C4	9.06	132.44	127.00
26	BB	1265	A	N1-C6-N6	9.06	124.04	118.60
26	BB	1839	G	O4'-C1'-N9	9.06	115.45	108.20
1	AA	376	G	N9-C4-C5	9.06	109.02	105.40
1	AA	460	A	N1-C2-N3	-9.06	124.77	129.30
1	AA	549	C	C6-N1-C2	-9.06	116.68	120.30
26	BB	776	G	C8-N9-C4	-9.06	102.78	106.40
26	BB	915	C	O4'-C1'-N1	9.06	115.45	108.20
26	BB	1011	G	N1-C6-O6	-9.06	114.46	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1810	A	N9-C4-C5	-9.06	102.17	105.80
26	BB	2106	U	O4'-C1'-N1	9.06	115.45	108.20
1	AA	12	U	O4'-C4'-C3'	-9.06	94.94	104.00
1	AA	775	G	O4'-C4'-C3'	9.06	113.35	106.10
1	AA	1397	C	C2-N3-C4	9.06	124.43	119.90
26	BB	531	C	C6-N1-C2	9.06	123.92	120.30
26	BB	2401	U	O4'-C1'-N1	9.06	115.45	108.20
26	BB	578	G	N1-C2-N3	-9.06	118.47	123.90
26	BB	1122	G	C5-N7-C8	9.06	108.83	104.30
26	BB	2074	U	O4'-C1'-N1	9.06	115.45	108.20
26	BB	2583	G	N9-C4-C5	-9.06	101.78	105.40
1	AA	375	U	N3-C2-O2	-9.06	115.86	122.20
4	AD	41	C	C2-N3-C4	9.06	124.43	119.90
26	BB	583	G	C4'-C3'-C2'	-9.06	93.54	102.60
3	AC	21	U	C4-C5-C6	9.05	125.13	119.70
26	BB	650	C	C2-N3-C4	9.05	124.43	119.90
26	BB	884	U	N1-C1'-C2'	-9.05	102.04	112.00
26	BB	1450	G	C5-C6-N1	9.05	116.03	111.50
26	BB	1947	C	N3-C4-C5	9.06	125.52	121.90
26	BB	2759	G	C4-C5-N7	-9.06	107.18	110.80
26	BB	760	G	C5'-C4'-O4'	9.05	119.96	109.10
26	BB	1574	C	N3-C4-N4	9.05	124.34	118.00
26	BB	2311	A	C8-N9-C4	-9.05	102.18	105.80
1	AA	417	G	C1'-O4'-C4'	-9.05	102.66	109.90
1	AA	669	G	C5-C6-N1	9.05	116.03	111.50
1	AA	859	G	N9-C1'-C2'	-9.05	102.04	112.00
3	AC	52	U	C6-N1-C2	-9.05	115.57	121.00
1	AA	1270	G	C4-C5-N7	-9.05	107.18	110.80
26	BB	1294	U	N3-C4-O4	-9.05	113.06	119.40
26	BB	1933	G	O4'-C1'-N9	9.05	115.44	108.20
26	BB	2170	A	N1-C6-N6	-9.05	113.17	118.60
48	BX	9	ARG	NE-CZ-NH2	-9.05	115.77	120.30
1	AA	622	A	C6-N1-C2	9.05	124.03	118.60
1	AA	819	A	C8-N9-C4	-9.05	102.18	105.80
26	BB	1128	G	O4'-C1'-N9	9.05	115.44	108.20
1	AA	1186	G	C4-C5-C6	9.05	124.23	118.80
26	BB	121	G	C5-C6-O6	-9.05	123.17	128.60
26	BB	881	G	N3-C4-C5	-9.05	124.08	128.60
26	BB	2228	G	C5-C6-N1	9.05	116.02	111.50
48	BX	19	ARG	NE-CZ-NH2	9.05	124.82	120.30
2	AB	2	G	C2-N3-C4	9.05	116.42	111.90
26	BB	1597	A	C2-N3-C4	9.05	115.12	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	611	C	C6-N1-C2	-9.04	116.68	120.30
26	BB	1929	G	N9-C4-C5	9.04	109.02	105.40
1	AA	446	G	N1-C6-O6	-9.04	114.47	119.90
1	AA	992	U	C2-N3-C4	-9.04	121.57	127.00
1	AA	665	A	N1-C2-N3	-9.04	124.78	129.30
1	AA	899	C	C5'-C4'-O4'	9.04	119.95	109.10
26	BB	537	G	C6-C5-N7	-9.04	124.97	130.40
26	BB	581	C	N3-C4-C5	-9.04	118.28	121.90
26	BB	1277	G	N9-C4-C5	9.04	109.02	105.40
26	BB	1957	C	N3-C2-O2	-9.04	115.57	121.90
26	BB	2311	A	C5-N7-C8	9.04	108.42	103.90
2	AB	48	U	C5-C6-N1	-9.04	118.18	122.70
1	AA	730	G	O4'-C1'-N9	9.04	115.43	108.20
1	AA	1286	U	P-O3'-C3'	9.04	130.55	119.70
1	AA	1305	G	N7-C8-N9	9.04	117.62	113.10
26	BB	2788	C	C4-C5-C6	-9.04	112.88	117.40
26	BB	845	A	C8-N9-C4	-9.04	102.19	105.80
26	BB	1800	C	N1-C2-N3	-9.04	112.87	119.20
1	AA	584	G	N3-C4-N9	9.04	131.42	126.00
1	AA	723	U	C5-C4-O4	-9.04	120.48	125.90
1	AA	1353	G	C6-N1-C2	-9.04	119.68	125.10
26	BB	2896	C	C2-N3-C4	-9.04	115.38	119.90
26	BB	1165	A	O4'-C1'-N9	9.03	115.43	108.20
26	BB	1685	C	C2-N3-C4	9.03	124.42	119.90
26	BB	2193	G	C2-N3-C4	9.03	116.42	111.90
1	AA	195	A	C5'-C4'-C3'	-9.03	101.55	116.00
1	AA	1004	A	C8-N9-C4	-9.03	102.19	105.80
1	AA	1458	G	C8-N9-C4	-9.03	102.79	106.40
1	AA	1310	G	C5-C6-N1	9.03	116.02	111.50
1	AA	1321	U	C5-C6-N1	-9.03	118.18	122.70
26	BB	541	A	N1-C2-N3	-9.03	124.78	129.30
26	BB	690	G	N9-C1'-C2'	-9.03	102.06	112.00
26	BB	1380	G	C4'-C3'-C2'	-9.03	93.57	102.60
26	BB	718	A	C4'-C3'-C2'	-9.03	93.57	102.60
26	BB	1650	A	N9-C4-C5	9.03	109.41	105.80
26	BB	2391	G	N3-C4-C5	-9.03	124.08	128.60
26	BB	575	A	C5-C6-N6	-9.03	116.48	123.70
1	AA	278	G	N3-C4-C5	-9.03	124.09	128.60
1	AA	1037	C	C4'-C3'-C2'	-9.03	93.57	102.60
26	BB	582	A	C4'-C3'-C2'	-9.03	93.57	102.60
26	BB	704	G	N7-C8-N9	9.03	117.61	113.10
1	AA	464	U	O4'-C4'-C3'	9.03	113.32	106.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1581	G	N3-C4-C5	-9.03	124.09	128.60
3	AC	29	G	O4'-C1'-N9	9.02	115.42	108.20
26	BB	132	G	N7-C8-N9	9.02	117.61	113.10
26	BB	2432	A	C8-N9-C4	-9.02	102.19	105.80
1	AA	968	A	C5-C6-N1	9.02	122.21	117.70
1	AA	1195	C	N3-C2-O2	-9.02	115.59	121.90
1	AA	1359	C	C5-C4-N4	-9.02	113.89	120.20
26	BB	24	G	N1-C2-N3	-9.02	118.49	123.90
26	BB	1841	U	N1-C2-N3	9.02	120.31	114.90
26	BB	2313	C	C2-N3-C4	9.02	124.41	119.90
1	AA	22	G	C8-N9-C4	-9.02	102.79	106.40
1	AA	872	A	C8-N9-C4	-9.02	102.19	105.80
26	BB	504	A	C4'-C3'-C2'	-9.02	93.58	102.60
1	AA	313	A	C6-N1-C2	-9.02	113.19	118.60
1	AA	373	A	O4'-C4'-C3'	-9.02	94.98	104.00
1	AA	568	G	C6-N1-C2	-9.02	119.69	125.10
26	BB	1283	G	N3-C4-N9	9.02	131.41	126.00
26	BB	2681	C	N3-C4-N4	9.02	124.31	118.00
10	AJ	108	ARG	NE-CZ-NH1	-9.01	115.79	120.30
26	BB	423	A	C6-N1-C2	-9.01	113.19	118.60
1	AA	1033	G	N1-C6-O6	9.01	125.31	119.90
25	BA	2	G	C8-N9-C4	-9.01	102.80	106.40
26	BB	2226	C	O4'-C1'-N1	9.01	115.41	108.20
1	AA	499	A	C1'-O4'-C4'	-9.01	102.69	109.90
1	AA	1153	G	N3-C2-N2	-9.01	113.59	119.90
1	AA	561	U	C2-N3-C4	-9.01	121.59	127.00
1	AA	716	A	C2-N3-C4	-9.01	106.09	110.60
1	AA	754	C	N1-C2-O2	9.01	124.31	118.90
1	AA	1275	A	O4'-C1'-N9	9.01	115.41	108.20
1	AA	1312	G	C6-C5-N7	-9.01	124.99	130.40
26	BB	218	A	C4'-C3'-C2'	-9.01	93.59	102.60
26	BB	1870	C	N3-C2-O2	-9.01	115.59	121.90
49	BY	76	ARG	NH1-CZ-NH2	-9.01	109.49	119.40
51	B0	7	ARG	NE-CZ-NH2	-9.01	115.80	120.30
1	AA	782	A	C3'-C2'-C1'	9.01	108.71	101.50
1	AA	936	C	O4'-C1'-N1	9.01	115.41	108.20
26	BB	795	C	C2-N3-C4	9.01	124.40	119.90
1	AA	986	U	O4'-C1'-N1	9.01	115.40	108.20
26	BB	1093	G	C5-C6-N1	9.01	116.00	111.50
26	BB	2068	U	C5-C4-O4	-9.01	120.50	125.90
26	BB	2308	G	N1-C2-N3	-9.01	118.50	123.90
26	BB	2682	A	N9-C4-C5	9.01	109.40	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2813	A	C5-N7-C8	-9.01	99.40	103.90
1	AA	451	A	N1-C2-N3	-9.00	124.80	129.30
1	AA	977	A	O4'-C1'-N9	9.00	115.40	108.20
26	BB	77	G	C5-N7-C8	-9.00	99.80	104.30
26	BB	637	A	N1-C6-N6	-9.00	113.20	118.60
26	BB	700	G	N9-C4-C5	9.00	109.00	105.40
26	BB	1925	C	N3-C4-C5	-9.00	118.30	121.90
26	BB	2063	C	C4'-C3'-C2'	-9.00	93.60	102.60
26	BB	2246	G	C6-N1-C2	-9.00	119.70	125.10
26	BB	2428	G	C5-C6-O6	9.00	134.00	128.60
26	BB	2649	C	N3-C4-C5	-9.00	118.30	121.90
1	AA	453	G	N3-C4-N9	-9.00	120.60	126.00
2	AB	9	A	N7-C8-N9	-9.00	109.30	113.80
25	BA	2	G	N9-C4-C5	9.00	109.00	105.40
25	BA	98	G	N1-C6-O6	9.00	125.30	119.90
26	BB	138	U	N3-C2-O2	-9.00	115.90	122.20
26	BB	656	G	C8-N9-C4	-9.00	102.80	106.40
26	BB	2302	U	O4'-C1'-N1	9.00	115.40	108.20
26	BB	2509	G	C5-N7-C8	9.00	108.80	104.30
26	BB	2666	C	N3-C2-O2	-9.00	115.60	121.90
26	BB	1114	C	N3-C2-O2	-9.00	115.60	121.90
26	BB	2726	A	N1-C2-N3	-9.00	124.80	129.30
26	BB	2836	U	N3-C2-O2	-9.00	115.90	122.20
1	AA	530	G	C4-C5-N7	-9.00	107.20	110.80
1	AA	847	G	O4'-C1'-N9	9.00	115.40	108.20
1	AA	87	C	O4'-C1'-N1	9.00	115.40	108.20
26	BB	2512	C	C6-N1-C2	-9.00	116.70	120.30
1	AA	806	C	N3-C2-O2	-8.99	115.60	121.90
1	AA	1096	C	O4'-C1'-N1	8.99	115.40	108.20
3	AC	39	U	P-O3'-C3'	8.99	130.50	119.70
1	AA	89	U	C4-C5-C6	8.99	125.09	119.70
1	AA	1448	C	O4'-C1'-N1	8.99	115.39	108.20
26	BB	812	C	N1-C1'-C2'	-8.99	102.11	112.00
26	BB	2057	G	C2-N3-C4	8.99	116.40	111.90
26	BB	2856	A	C8-N9-C4	-8.99	102.20	105.80
26	BB	2869	G	C6-N1-C2	-8.99	119.70	125.10
1	AA	93	U	C2-N3-C4	-8.99	121.61	127.00
1	AA	202	G	O4'-C1'-N9	8.99	115.39	108.20
26	BB	2237	G	C5-C6-O6	8.99	134.00	128.60
2	AB	70	C	N1-C1'-C2'	-8.99	102.11	112.00
10	AJ	25	PHE	CB-CG-CD1	-8.99	114.51	120.80
26	BB	1546	G	C6-N1-C2	-8.99	119.71	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1676	A	C5-C6-N6	-8.99	116.51	123.70
26	BB	1964	G	C6-C5-N7	-8.99	125.01	130.40
26	BB	2443	C	C5'-C4'-O4'	8.99	119.89	109.10
1	AA	326	G	N1-C6-O6	-8.99	114.51	119.90
1	AA	716	A	N1-C6-N6	-8.99	113.21	118.60
2	AB	7	G	C4-C5-N7	-8.99	107.20	110.80
26	BB	1439	A	O4'-C1'-N9	8.99	115.39	108.20
1	AA	230	G	C4-C5-N7	-8.99	107.20	110.80
1	AA	1214	C	N3-C4-C5	-8.99	118.31	121.90
26	BB	725	G	N3-C2-N2	-8.99	113.61	119.90
26	BB	2627	G	N3-C4-C5	-8.99	124.11	128.60
1	AA	938	A	O4'-C1'-N9	8.98	115.39	108.20
1	AA	1019	A	O4'-C1'-N9	8.98	115.39	108.20
1	AA	1383	C	N1-C2-O2	8.98	124.29	118.90
26	BB	295	G	C6-N1-C2	-8.98	119.71	125.10
26	BB	2411	A	N9-C4-C5	8.98	109.39	105.80
26	BB	1049	C	C5-C6-N1	8.98	125.49	121.00
26	BB	1219	U	C5-C6-N1	-8.98	118.21	122.70
26	BB	1905	C	C1'-O4'-C4'	-8.98	102.71	109.90
26	BB	2527	C	N3-C4-C5	-8.98	118.31	121.90
26	BB	2592	G	C8-N9-C4	-8.98	102.81	106.40
28	BD	101	ARG	NE-CZ-NH2	-8.98	115.81	120.30
26	BB	2314	A	N7-C8-N9	-8.98	109.31	113.80
1	AA	36	C	C5-C4-N4	8.98	126.49	120.20
1	AA	210	C	C2-N3-C4	-8.98	115.41	119.90
1	AA	502	A	N7-C8-N9	8.98	118.29	113.80
1	AA	1205	U	O4'-C1'-N1	8.98	115.39	108.20
26	BB	133	U	O4'-C1'-N1	8.98	115.39	108.20
26	BB	1695	G	O4'-C1'-N9	8.98	115.39	108.20
26	BB	2418	A	N3-C4-C5	-8.98	120.51	126.80
26	BB	2567	G	N1-C2-N3	8.98	129.29	123.90
1	AA	247	G	N7-C8-N9	8.98	117.59	113.10
1	AA	444	G	C4-C5-N7	-8.98	107.21	110.80
1	AA	586	C	N1-C2-O2	8.98	124.29	118.90
26	BB	563	A	C4-C5-C6	8.98	121.49	117.00
26	BB	2137	U	C2-N3-C4	-8.98	121.61	127.00
1	AA	501	C	C4-C5-C6	-8.98	112.91	117.40
1	AA	675	A	C5-N7-C8	-8.98	99.41	103.90
1	AA	1339	A	C6-C5-N7	8.98	138.58	132.30
26	BB	1762	A	N9-C4-C5	8.98	109.39	105.80
1	AA	129	A	P-O3'-C3'	8.97	130.47	119.70
1	AA	535	A	C5-C6-N1	-8.97	113.21	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	644	U	O4'-C1'-N1	8.97	115.38	108.20
26	BB	998	C	C5-C4-N4	-8.97	113.92	120.20
26	BB	1006	C	N3-C4-N4	-8.97	111.72	118.00
26	BB	1419	A	C8-N9-C4	8.97	109.39	105.80
26	BB	623	C	N3-C4-N4	8.97	124.28	118.00
26	BB	2156	G	N7-C8-N9	8.97	117.58	113.10
1	AA	298	A	N1-C2-N3	-8.97	124.82	129.30
1	AA	872	A	C1'-O4'-C4'	-8.97	102.73	109.90
3	AC	21	U	N1-C2-N3	8.97	120.28	114.90
26	BB	104	A	C8-N9-C4	8.97	109.39	105.80
26	BB	276	U	O4'-C1'-N1	8.97	115.38	108.20
26	BB	293	U	N3-C4-C5	-8.97	109.22	114.60
26	BB	294	A	O4'-C4'-C3'	-8.97	95.03	104.00
26	BB	410	G	N3-C4-C5	-8.97	124.11	128.60
26	BB	1919	A	C4-C5-C6	-8.97	112.52	117.00
26	BB	2321	U	C4-C5-C6	8.97	125.08	119.70
26	BB	2362	C	C5-C6-N1	8.97	125.48	121.00
1	AA	581	G	N9-C4-C5	8.97	108.99	105.40
1	AA	616	G	C6-N1-C2	-8.96	119.72	125.10
26	BB	905	A	N9-C4-C5	8.97	109.39	105.80
26	BB	1514	G	N1-C6-O6	8.97	125.28	119.90
26	BB	2131	U	N3-C2-O2	-8.97	115.92	122.20
1	AA	1103	C	N3-C2-O2	-8.96	115.62	121.90
26	BB	2386	A	C5-C6-N1	8.96	122.18	117.70
26	BB	416	U	N1-C2-O2	8.96	129.07	122.80
26	BB	531	C	N3-C4-C5	8.96	125.48	121.90
26	BB	846	U	O4'-C1'-N1	8.96	115.37	108.20
26	BB	2452	C	N1-C2-O2	8.96	124.28	118.90
1	AA	652	U	N3-C4-C5	-8.96	109.22	114.60
26	BB	622	G	O4'-C1'-N9	8.96	115.37	108.20
1	AA	682	G	C5'-C4'-O4'	8.96	119.85	109.10
26	BB	1370	C	N3-C4-C5	8.96	125.48	121.90
26	BB	2400	G	N9-C4-C5	-8.96	101.82	105.40
1	AA	788	U	C3'-C2'-C1'	8.96	108.67	101.50
26	BB	447	A	C8-N9-C4	-8.96	102.22	105.80
26	BB	1318	U	N3-C4-O4	8.96	125.67	119.40
26	BB	2652	C	C6-N1-C2	-8.95	116.72	120.30
1	AA	85	U	O4'-C1'-N1	8.95	115.36	108.20
1	AA	354	G	N9-C4-C5	8.95	108.98	105.40
1	AA	758	C	N3-C4-C5	-8.95	118.32	121.90
1	AA	774	G	C6-C5-N7	-8.95	125.03	130.40
3	AC	27	A	N7-C8-N9	8.95	118.28	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	284	U	C5-C4-O4	8.95	131.27	125.90
26	BB	514	A	N1-C2-N3	-8.95	124.83	129.30
26	BB	735	A	C5'-C4'-O4'	8.95	119.84	109.10
26	BB	1682	G	N3-C4-N9	8.95	131.37	126.00
26	BB	1954	G	C8-N9-C4	-8.95	102.82	106.40
26	BB	1973	G	N7-C8-N9	8.95	117.58	113.10
26	BB	2643	G	C4-C5-C6	8.95	124.17	118.80
26	BB	2375	G	C5-N7-C8	8.95	108.78	104.30
1	AA	204	G	N3-C4-C5	-8.95	124.12	128.60
26	BB	2181	U	N3-C2-O2	-8.95	115.94	122.20
1	AA	17	U	C3'-C2'-C1'	8.95	108.66	101.50
1	AA	117	G	N9-C4-C5	8.95	108.98	105.40
1	AA	247	G	N3-C4-N9	8.95	131.37	126.00
3	AC	37	G	C5-N7-C8	-8.95	99.83	104.30
26	BB	1138	G	C8-N9-C4	-8.95	102.82	106.40
26	BB	2330	G	C4-C5-C6	8.95	124.17	118.80
26	BB	2669	G	N3-C4-C5	-8.95	124.13	128.60
1	AA	197	A	N1-C6-N6	-8.95	113.23	118.60
1	AA	303	A	N1-C2-N3	-8.95	124.83	129.30
1	AA	162	A	O4'-C1'-N9	8.95	115.36	108.20
1	AA	310	G	N7-C8-N9	8.95	117.57	113.10
26	BB	252	G	C2-N3-C4	8.95	116.37	111.90
26	BB	916	G	N3-C4-C5	-8.95	124.13	128.60
1	AA	1022	A	N9-C4-C5	8.94	109.38	105.80
1	AA	693	G	N3-C4-C5	-8.94	124.13	128.60
1	AA	542	G	C5-C6-O6	-8.94	123.24	128.60
1	AA	1443	C	N3-C4-C5	-8.94	118.32	121.90
26	BB	101	A	C1'-O4'-C4'	8.94	117.05	109.90
26	BB	2241	A	N1-C2-N3	-8.94	124.83	129.30
1	AA	81	A	C2-N3-C4	8.94	115.07	110.60
26	BB	23	G	P-O3'-C3'	8.94	130.43	119.70
1	AA	928	G	C4-C5-C6	8.94	124.16	118.80
26	BB	910	A	C2-N3-C4	8.94	115.07	110.60
26	BB	948	C	N1-C2-O2	8.94	124.26	118.90
26	BB	1027	A	C4-C5-N7	-8.94	106.23	110.70
26	BB	1499	C	N3-C4-N4	8.94	124.26	118.00
1	AA	10	A	N1-C2-N3	-8.94	124.83	129.30
1	AA	375	U	O4'-C1'-N1	8.94	115.35	108.20
1	AA	1367	C	N1-C2-O2	8.94	124.26	118.90
1	AA	981	U	O4'-C1'-N1	8.94	115.35	108.20
1	AA	1276	G	N9-C1'-C2'	-8.94	102.17	112.00
26	BB	350	G	C2-N3-C4	8.94	116.37	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2268	A	C5-N7-C8	-8.94	99.43	103.90
26	BB	2614	A	C4-C5-C6	-8.94	112.53	117.00
1	AA	514	C	O4'-C1'-N1	8.93	115.35	108.20
1	AA	944	G	N3-C2-N2	8.93	126.15	119.90
26	BB	330	A	C2-N3-C4	8.93	115.07	110.60
26	BB	2371	G	C5-C6-N1	8.93	115.97	111.50
26	BB	548	G	C1'-O4'-C4'	-8.93	102.75	109.90
26	BB	1525	A	C2-N3-C4	8.93	115.07	110.60
26	BB	2749	A	N1-C2-N3	-8.93	124.83	129.30
1	AA	157	U	N3-C4-O4	8.93	125.65	119.40
25	BA	54	G	N9-C4-C5	8.93	108.97	105.40
26	BB	975	A	C4-C5-N7	8.93	115.17	110.70
26	BB	2364	C	O4'-C1'-N1	8.93	115.34	108.20
26	BB	2406	A	C5-C6-N1	8.93	122.17	117.70
26	BB	2787	C	C6-N1-C2	-8.93	116.73	120.30
26	BB	119	A	C1'-O4'-C4'	-8.93	102.76	109.90
26	BB	734	A	C8-N9-C4	-8.93	102.23	105.80
1	AA	185	U	C1'-O4'-C4'	-8.93	102.76	109.90
26	BB	329	G	C5'-C4'-O4'	8.93	119.81	109.10
26	BB	1828	G	O4'-C1'-N9	8.93	115.34	108.20
1	AA	887	G	C6-C5-N7	-8.93	125.05	130.40
26	BB	1599	U	N3-C2-O2	-8.93	115.95	122.20
26	BB	23	G	C6-N1-C2	-8.92	119.75	125.10
1	AA	1210	C	N3-C4-C5	-8.92	118.33	121.90
1	AA	1456	A	N1-C2-N3	-8.92	124.84	129.30
26	BB	1655	A	C8-N9-C4	-8.92	102.23	105.80
26	BB	1841	U	C6-N1-C2	-8.92	115.65	121.00
26	BB	1947	C	N3-C2-O2	-8.92	115.65	121.90
26	BB	2316	G	N9-C4-C5	8.92	108.97	105.40
26	BB	2646	C	C1'-O4'-C4'	8.92	117.04	109.90
26	BB	2847	U	C6-N1-C2	-8.92	115.65	121.00
1	AA	45	G	C4-C5-C6	8.92	124.15	118.80
1	AA	285	C	C5-C4-N4	-8.92	113.95	120.20
1	AA	919	A	N1-C6-N6	8.92	123.95	118.60
1	AA	1314	C	O4'-C1'-N1	8.92	115.34	108.20
26	BB	1138	G	N1-C6-O6	-8.92	114.55	119.90
26	BB	2584	U	N1-C1'-C2'	-8.92	102.19	112.00
2	AB	43	G	N7-C8-N9	8.92	117.56	113.10
26	BB	303	G	O4'-C1'-N9	8.92	115.33	108.20
26	BB	352	A	N1-C6-N6	-8.92	113.25	118.60
26	BB	380	G	C5-N7-C8	-8.92	99.84	104.30
26	BB	1396	U	O4'-C1'-N1	8.92	115.34	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2901	C	C4-C5-C6	8.92	121.86	117.40
26	BB	48	G	C6-C5-N7	-8.92	125.05	130.40
1	AA	1305	G	C5-N7-C8	-8.92	99.84	104.30
1	AA	1334	G	N7-C8-N9	8.92	117.56	113.10
26	BB	697	G	C5-C6-N1	8.92	115.96	111.50
26	BB	836	G	C3'-C2'-C1'	-8.92	94.37	101.50
26	BB	1439	A	C5-N7-C8	-8.92	99.44	103.90
1	AA	53	A	C8-N9-C4	-8.91	102.23	105.80
1	AA	101	A	C5'-C4'-O4'	8.91	119.80	109.10
1	AA	431	A	N9-C1'-C2'	-8.91	102.20	112.00
1	AA	635	A	C6-N1-C2	-8.91	113.25	118.60
1	AA	738	C	C5-C6-N1	8.91	125.46	121.00
1	AA	854	U	N1-C2-N3	8.91	120.25	114.90
26	BB	392	U	N1-C2-N3	8.91	120.25	114.90
26	BB	1292	G	C3'-C2'-C1'	8.91	108.63	101.50
26	BB	2382	G	N7-C8-N9	8.91	117.56	113.10
26	BB	705	A	C8-N9-C4	-8.91	102.24	105.80
26	BB	1261	C	C2-N3-C4	-8.91	115.45	119.90
26	BB	1450	G	C5-C6-O6	-8.91	123.25	128.60
26	BB	1475	G	N3-C4-C5	-8.91	124.14	128.60
26	BB	1703	G	O4'-C1'-N9	8.91	115.33	108.20
1	AA	438	U	C5-C6-N1	-8.91	118.25	122.70
1	AA	1184	G	C4-C5-N7	8.91	114.36	110.80
26	BB	100	U	C2-N3-C4	8.91	132.34	127.00
26	BB	863	A	N7-C8-N9	8.91	118.25	113.80
26	BB	1359	A	C4'-C3'-C2'	-8.91	93.69	102.60
26	BB	1376	C	N3-C4-C5	8.91	125.46	121.90
1	AA	653	U	C1'-O4'-C4'	-8.90	102.78	109.90
1	AA	880	C	C6-N1-C2	8.90	123.86	120.30
1	AA	1503	A	C5-N7-C8	-8.90	99.45	103.90
26	BB	9	G	N3-C2-N2	-8.90	113.67	119.90
26	BB	125	A	N1-C6-N6	-8.90	113.26	118.60
26	BB	539	G	C6-C5-N7	-8.90	125.06	130.40
26	BB	1755	A	N9-C1'-C2'	-8.90	102.20	112.00
26	BB	1847	A	C8-N9-C4	-8.90	102.24	105.80
26	BB	164	C	C5-C6-N1	8.90	125.45	121.00
2	AB	36	A	C5'-C4'-O4'	8.90	119.78	109.10
26	BB	356	G	C3'-C2'-C1'	8.90	108.62	101.50
26	BB	488	G	C3'-C2'-C1'	-8.90	94.38	101.50
26	BB	634	C	O4'-C1'-N1	8.90	115.32	108.20
26	BB	1452	G	C8-N9-C4	-8.90	102.84	106.40
1	AA	191	G	N7-C8-N9	8.90	117.55	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	22	C	C5-C6-N1	8.90	125.45	121.00
26	BB	1258	U	C5-C6-N1	-8.90	118.25	122.70
26	BB	1376	C	C5'-C4'-O4'	-8.90	98.42	109.10
26	BB	1834	U	N3-C4-C5	-8.90	109.26	114.60
39	BO	92	TRP	NE1-CE2-CZ2	8.90	140.19	130.40
1	AA	175	C	O4'-C1'-N1	8.89	115.32	108.20
1	AA	212	G	C4-C5-N7	-8.89	107.24	110.80
1	AA	1153	G	N1-C2-N2	8.89	124.20	116.20
7	AG	62	ARG	NE-CZ-NH1	-8.89	115.85	120.30
26	BB	2220	U	O4'-C1'-N1	8.89	115.32	108.20
26	BB	1691	C	N1-C2-O2	-8.89	113.56	118.90
1	AA	719	C	C5-C6-N1	8.89	125.45	121.00
26	BB	652	U	C5-C6-N1	-8.89	118.25	122.70
1	AA	1206	G	N3-C4-C5	-8.89	124.16	128.60
26	BB	1243	C	C4-C5-C6	8.89	121.84	117.40
26	BB	1254	A	C6-N1-C2	-8.89	113.27	118.60
26	BB	1348	C	N3-C4-C5	-8.89	118.34	121.90
26	BB	2708	G	C4'-C3'-C2'	-8.89	93.71	102.60
26	BB	2106	U	C2-N3-C4	-8.89	121.67	127.00
26	BB	2627	G	N7-C8-N9	8.89	117.55	113.10
9	AI	44	ARG	NE-CZ-NH1	8.89	124.75	120.30
26	BB	533	G	O4'-C1'-N9	8.89	115.31	108.20
26	BB	1263	U	C6-N1-C2	-8.89	115.67	121.00
26	BB	1293	C	N3-C4-C5	8.89	125.45	121.90
26	BB	1091	G	C5-C6-N1	8.89	115.94	111.50
4	AD	35	C	C4-C5-C6	-8.88	112.96	117.40
26	BB	35	G	N1-C2-N3	-8.88	118.57	123.90
26	BB	1753	G	C1'-O4'-C4'	-8.88	102.79	109.90
26	BB	1928	A	O4'-C1'-N9	8.88	115.31	108.20
26	BB	2197	U	C5-C6-N1	8.88	127.14	122.70
1	AA	481	G	N7-C8-N9	8.88	117.54	113.10
1	AA	1031	C	N3-C4-C5	-8.88	118.35	121.90
1	AA	1388	C	C4'-C3'-C2'	-8.88	93.72	102.60
1	AA	1465	A	C4-C5-N7	-8.88	106.26	110.70
26	BB	997	G	C2-N3-C4	8.88	116.34	111.90
26	BB	245	G	C5-C6-N1	-8.88	107.06	111.50
26	BB	893	C	N3-C2-O2	-8.88	115.68	121.90
1	AA	120	A	N9-C4-C5	8.88	109.35	105.80
1	AA	626	G	O4'-C4'-C3'	8.88	113.20	106.10
1	AA	990	C	N3-C4-C5	-8.88	118.35	121.90
18	AR	87	ARG	NE-CZ-NH2	-8.88	115.86	120.30
26	BB	1419	A	C5-N7-C8	8.88	108.34	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2648	G	C5-C6-O6	-8.88	123.27	128.60
26	BB	2720	U	N3-C2-O2	-8.88	115.99	122.20
1	AA	690	G	N9-C4-C5	8.88	108.95	105.40
26	BB	110	G	C5-N7-C8	-8.88	99.86	104.30
26	BB	130	C	N3-C4-C5	-8.88	118.35	121.90
26	BB	1715	G	C6-C5-N7	-8.88	125.07	130.40
1	AA	880	C	O4'-C1'-N1	8.87	115.30	108.20
1	AA	1345	U	C2-N3-C4	-8.87	121.68	127.00
25	BA	105	G	O4'-C1'-N9	8.87	115.30	108.20
26	BB	659	G	C4'-C3'-C2'	-8.88	93.72	102.60
26	BB	1496	A	C5-C6-N1	8.87	122.14	117.70
1	AA	588	G	N1-C6-O6	-8.87	114.58	119.90
26	BB	160	A	N7-C8-N9	-8.87	109.36	113.80
26	BB	586	A	C3'-C2'-C1'	8.87	108.60	101.50
26	BB	597	G	N3-C2-N2	-8.87	113.69	119.90
26	BB	731	C	P-O3'-C3'	8.87	130.35	119.70
1	AA	385	C	C6-N1-C2	-8.87	116.75	120.30
1	AA	562	U	O4'-C4'-C3'	8.87	113.19	106.10
1	AA	588	G	O4'-C1'-N9	8.87	115.29	108.20
1	AA	750	C	C5-C6-N1	8.87	125.44	121.00
1	AA	1532	U	N3-C2-O2	-8.87	115.99	122.20
16	AP	106	ARG	NE-CZ-NH1	8.87	124.73	120.30
26	BB	1918	A	N7-C8-N9	8.87	118.23	113.80
25	BA	90	C	C4-C5-C6	8.87	121.83	117.40
26	BB	310	A	N1-C2-N3	-8.87	124.87	129.30
26	BB	612	G	C4-C5-C6	8.87	124.12	118.80
26	BB	730	A	C5-C6-N1	8.87	122.13	117.70
26	BB	1150	C	O4'-C1'-N1	8.87	115.29	108.20
26	BB	1337	G	C6-C5-N7	-8.87	125.08	130.40
26	BB	1539	U	O4'-C1'-N1	8.87	115.29	108.20
26	BB	1836	C	C2-N3-C4	8.87	124.33	119.90
26	BB	2210	U	C5-C6-N1	-8.87	118.27	122.70
26	BB	2367	G	N7-C8-N9	8.87	117.53	113.10
1	AA	1201	A	C2'-C3'-O3'	8.87	129.00	109.50
26	BB	822	G	C5'-C4'-C3'	-8.87	101.81	116.00
26	BB	1318	U	O4'-C1'-N1	8.87	115.29	108.20
26	BB	1538	G	N9-C1'-C2'	-8.87	102.25	112.00
49	BY	10	ARG	NE-CZ-NH2	-8.87	115.87	120.30
1	AA	283	U	C4-C5-C6	8.86	125.02	119.70
1	AA	404	G	N3-C2-N2	8.86	126.11	119.90
1	AA	533	A	C1'-O4'-C4'	8.86	116.99	109.90
26	BB	720	U	N3-C4-C5	-8.86	109.28	114.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1973	G	C4-C5-C6	8.86	124.12	118.80
26	BB	2336	A	C3'-C2'-C1'	-8.87	94.41	101.50
1	AA	203	G	C6-C5-N7	-8.86	125.08	130.40
1	AA	12	U	O4'-C1'-N1	8.86	115.29	108.20
1	AA	906	A	N7-C8-N9	8.86	118.23	113.80
26	BB	212	G	N7-C8-N9	8.86	117.53	113.10
26	BB	372	G	C2-N3-C4	8.86	116.33	111.90
26	BB	1446	C	N1-C2-O2	8.86	124.22	118.90
26	BB	834	G	N1-C2-N2	8.86	124.17	116.20
1	AA	922	G	C6-C5-N7	-8.86	125.08	130.40
24	AX	12	ASP	CB-CG-OD2	-8.86	110.33	118.30
26	BB	599	A	C4'-C3'-C2'	-8.86	93.74	102.60
4	AD	14	A	N1-C2-N3	-8.86	124.87	129.30
26	BB	88	G	O4'-C1'-C2'	8.86	115.57	107.60
26	BB	101	A	N9-C1'-C2'	8.86	125.52	114.00
26	BB	266	G	C5-N7-C8	-8.86	99.87	104.30
26	BB	1006	C	C5'-C4'-O4'	8.86	119.73	109.10
26	BB	674	G	O4'-C1'-N9	8.86	115.29	108.20
26	BB	1179	G	C2-N3-C4	8.86	116.33	111.90
26	BB	2874	C	N1-C2-O2	8.86	124.22	118.90
38	BN	132	ARG	NE-CZ-NH2	8.86	124.73	120.30
1	AA	720	C	C4'-C3'-C2'	-8.86	93.74	102.60
26	BB	325	G	C4-C5-C6	8.86	124.11	118.80
26	BB	2458	G	C8-N9-C4	-8.86	102.86	106.40
26	BB	2550	G	C4-C5-N7	8.86	114.34	110.80
1	AA	470	C	C1'-O4'-C4'	-8.85	102.82	109.90
1	AA	756	C	O4'-C1'-C2'	-8.85	96.95	105.80
1	AA	925	G	N7-C8-N9	8.85	117.53	113.10
26	BB	1652	A	C8-N9-C4	-8.85	102.26	105.80
26	BB	1968	G	C6-C5-N7	-8.85	125.09	130.40
26	BB	2467	C	C6-N1-C2	-8.85	116.76	120.30
26	BB	476	G	N7-C8-N9	8.85	117.52	113.10
26	BB	785	G	N3-C4-N9	8.85	131.31	126.00
26	BB	1831	G	C5-N7-C8	-8.85	99.88	104.30
26	BB	1878	G	C4-C5-N7	8.85	114.34	110.80
26	BB	2190	G	C8-N9-C4	-8.85	102.86	106.40
26	BB	2772	C	N3-C4-C5	-8.85	118.36	121.90
1	AA	207	C	N3-C2-O2	-8.85	115.71	121.90
7	AG	80	ARG	NE-CZ-NH2	8.85	124.72	120.30
26	BB	188	G	N9-C4-C5	8.85	108.94	105.40
26	BB	54	G	C3'-C2'-C1'	8.85	108.58	101.50
26	BB	225	C	C5-C4-N4	-8.85	114.01	120.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	389	G	N1-C6-O6	-8.85	114.59	119.90
26	BB	1162	G	C8-N9-C4	-8.85	102.86	106.40
26	BB	2238	G	N9-C4-C5	8.85	108.94	105.40
1	AA	971	G	N3-C4-C5	-8.84	124.18	128.60
1	AA	1129	C	N1-C2-O2	8.84	124.21	118.90
1	AA	1265	C	C5-C4-N4	8.84	126.39	120.20
1	AA	584	G	O4'-C1'-N9	8.84	115.27	108.20
26	BB	18	U	C6-N1-C2	-8.84	115.69	121.00
26	BB	335	C	N3-C4-C5	-8.84	118.36	121.90
26	BB	1866	A	C4-C5-N7	-8.84	106.28	110.70
1	AA	57	G	N1-C2-N2	8.84	124.16	116.20
1	AA	405	U	N1-C2-O2	8.84	128.99	122.80
26	BB	2630	G	C6-N1-C2	-8.84	119.80	125.10
1	AA	737	C	C2-N3-C4	8.84	124.32	119.90
4	AD	54	G	N9-C1'-C2'	-8.84	102.28	112.00
26	BB	112	U	C5-C4-O4	-8.84	120.60	125.90
26	BB	177	G	N3-C4-C5	-8.84	124.18	128.60
26	BB	2323	G	C5-C6-O6	-8.84	123.30	128.60
1	AA	843	U	C4-C5-C6	8.84	125.00	119.70
26	BB	57	C	N1-C1'-C2'	-8.84	102.28	112.00
26	BB	586	A	N9-C4-C5	8.84	109.33	105.80
26	BB	1232	G	N9-C4-C5	-8.84	101.86	105.40
26	BB	1663	G	C8-N9-C4	-8.84	102.87	106.40
26	BB	1696	G	C4-C5-N7	-8.84	107.27	110.80
26	BB	2323	G	N7-C8-N9	8.84	117.52	113.10
26	BB	2346	A	C6-C5-N7	-8.84	126.11	132.30
26	BB	2812	G	N3-C4-C5	-8.84	124.18	128.60
26	BB	2350	C	N3-C4-C5	-8.84	118.37	121.90
26	BB	2812	G	C6-N1-C2	-8.84	119.80	125.10
26	BB	2860	A	O4'-C1'-N9	8.84	115.27	108.20
26	BB	2890	G	N9-C4-C5	8.84	108.93	105.40
7	AG	96	ARG	NE-CZ-NH1	-8.83	115.88	120.30
16	AP	100	ARG	NE-CZ-NH2	-8.83	115.88	120.30
26	BB	301	G	N1-C6-O6	-8.83	114.60	119.90
26	BB	610	C	C2-N3-C4	8.83	124.32	119.90
1	AA	49	U	C5-C6-N1	-8.83	118.28	122.70
20	AT	39	ARG	NE-CZ-NH1	8.83	124.72	120.30
26	BB	123	G	N1-C2-N3	-8.83	118.60	123.90
1	AA	139	A	N7-C8-N9	8.83	118.21	113.80
1	AA	194	C	N3-C2-O2	-8.83	115.72	121.90
1	AA	916	U	C6-N1-C2	-8.83	115.70	121.00
1	AA	1293	C	C6-N1-C2	8.83	123.83	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	190	A	C5-N7-C8	8.83	108.31	103.90
26	BB	612	G	N9-C4-C5	8.83	108.93	105.40
26	BB	1110	G	O4'-C1'-N9	8.83	115.26	108.20
26	BB	1196	C	C4'-C3'-C2'	-8.83	93.77	102.60
26	BB	1752	C	C4-C5-C6	8.83	121.81	117.40
26	BB	2578	G	C8-N9-C4	-8.83	102.87	106.40
26	BB	675	A	C1'-O4'-C4'	-8.82	102.84	109.90
1	AA	207	C	C5-C4-N4	-8.82	114.02	120.20
1	AA	419	C	O4'-C1'-N1	8.82	115.26	108.20
1	AA	845	A	C1'-O4'-C4'	-8.82	102.84	109.90
25	BA	113	C	N3-C4-C5	-8.82	118.37	121.90
26	BB	2189	U	N3-C2-O2	-8.82	116.02	122.20
26	BB	2423	U	N3-C4-O4	8.82	125.58	119.40
26	BB	2752	C	C6-N1-C2	-8.82	116.77	120.30
1	AA	41	G	N1-C6-O6	-8.82	114.61	119.90
26	BB	241	A	N1-C2-N3	-8.82	124.89	129.30
26	BB	1418	G	C8-N9-C4	-8.82	102.87	106.40
1	AA	123	U	C6-N1-C2	-8.82	115.71	121.00
1	AA	435	A	O4'-C1'-N9	8.82	115.25	108.20
1	AA	632	U	O4'-C1'-N1	8.82	115.25	108.20
1	AA	652	U	C3'-C2'-C1'	-8.82	94.44	101.50
1	AA	675	A	N7-C8-N9	8.82	118.21	113.80
1	AA	787	A	N1-C6-N6	-8.82	113.31	118.60
4	AD	7	G	N3-C4-C5	-8.82	124.19	128.60
26	BB	684	G	C2-N3-C4	8.82	116.31	111.90
26	BB	956	G	N3-C2-N2	-8.82	113.73	119.90
26	BB	1319	C	C3'-C2'-C1'	8.82	108.56	101.50
1	AA	434	U	C5-C6-N1	-8.82	118.29	122.70
1	AA	1527	U	C5-C4-O4	-8.82	120.61	125.90
1	AA	1504	G	N3-C2-N2	-8.82	113.73	119.90
26	BB	236	C	C3'-C2'-C1'	8.82	108.55	101.50
26	BB	316	C	O4'-C1'-N1	8.82	115.25	108.20
26	BB	389	G	C4-C5-N7	-8.82	107.27	110.80
26	BB	510	C	O5'-P-OP2	-8.82	97.76	105.70
26	BB	625	G	O4'-C1'-N9	8.82	115.25	108.20
26	BB	909	A	C1'-O4'-C4'	-8.82	102.85	109.90
26	BB	1914	C	C4-C5-C6	-8.82	112.99	117.40
26	BB	2525	G	N1-C6-O6	8.82	125.19	119.90
26	BB	1837	C	O4'-C1'-N1	8.82	115.25	108.20
26	BB	313	G	N3-C2-N2	-8.81	113.73	119.90
26	BB	2490	G	C2-N3-C4	8.81	116.31	111.90
26	BB	1460	U	P-O3'-C3'	8.81	130.28	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1924	C	N3-C2-O2	-8.81	115.73	121.90
1	AA	124	C	C6-N1-C2	-8.81	116.78	120.30
1	AA	297	G	O4'-C1'-N9	8.81	115.25	108.20
1	AA	324	G	N1-C6-O6	8.81	125.19	119.90
1	AA	951	G	N3-C2-N2	-8.81	113.73	119.90
26	BB	2276	G	N7-C8-N9	8.81	117.51	113.10
1	AA	1014	A	C3'-C2'-C1'	-8.81	94.45	101.50
26	BB	549	G	N1-C6-O6	-8.81	114.61	119.90
26	BB	1157	G	N1-C6-O6	8.81	125.19	119.90
26	BB	1269	A	N9-C4-C5	8.81	109.32	105.80
26	BB	1577	C	C5-C6-N1	8.81	125.41	121.00
26	BB	2225	A	C2-N3-C4	-8.81	106.19	110.60
26	BB	2277	G	C4-C5-N7	-8.81	107.28	110.80
1	AA	14	U	O4'-C1'-N1	8.81	115.25	108.20
26	BB	1235	G	N3-C4-C5	-8.81	124.19	128.60
1	AA	423	G	N7-C8-N9	8.81	117.50	113.10
1	AA	1268	G	N3-C4-C5	-8.81	124.20	128.60
3	AC	16	A	C8-N9-C4	-8.81	102.28	105.80
25	BA	3	C	N3-C2-O2	-8.81	115.73	121.90
26	BB	218	A	N1-C6-N6	-8.81	113.31	118.60
26	BB	989	G	C2-N3-C4	8.81	116.30	111.90
26	BB	1156	A	N1-C2-N3	-8.81	124.90	129.30
26	BB	2087	G	N3-C2-N2	8.81	126.07	119.90
26	BB	1945	G	C2-N3-C4	8.81	116.30	111.90
1	AA	48	C	C5-C4-N4	-8.80	114.04	120.20
26	BB	595	C	O4'-C1'-N1	8.80	115.24	108.20
1	AA	589	U	N3-C4-O4	8.80	125.56	119.40
1	AA	802	A	C5-C6-N1	-8.80	113.30	117.70
26	BB	1468	U	N3-C4-O4	8.80	125.56	119.40
26	BB	2841	C	O4'-C1'-N1	8.80	115.24	108.20
1	AA	149	A	C8-N9-C4	8.80	109.32	105.80
26	BB	2114	A	O4'-C1'-N9	8.80	115.24	108.20
1	AA	35	G	N1-C6-O6	8.80	125.18	119.90
1	AA	228	A	N1-C6-N6	8.80	123.88	118.60
26	BB	132	G	C6-C5-N7	8.80	135.68	130.40
26	BB	613	A	C5'-C4'-O4'	8.80	119.66	109.10
26	BB	2763	G	C2-N3-C4	8.80	116.30	111.90
26	BB	494	G	C5-C6-O6	-8.80	123.32	128.60
26	BB	1116	G	C4-C5-C6	8.80	124.08	118.80
26	BB	2655	G	C2-N3-C4	8.80	116.30	111.90
26	BB	1913	A	C5'-C4'-O4'	8.80	119.66	109.10
2	AB	10	G	C5-C6-O6	8.80	133.88	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	559	A	C4-C5-N7	-8.79	106.30	110.70
26	BB	861	A	C5-C6-N1	8.79	122.10	117.70
26	BB	2641	G	N1-C2-N2	8.79	124.11	116.20
1	AA	114	U	C5'-C4'-O4'	8.79	119.65	109.10
1	AA	973	G	C2-N3-C4	8.79	116.30	111.90
1	AA	1525	G	N9-C4-C5	8.79	108.92	105.40
26	BB	933	A	N3-C4-C5	-8.79	120.65	126.80
26	BB	2215	C	N1-C2-O2	8.79	124.17	118.90
26	BB	2794	C	N3-C4-N4	8.79	124.15	118.00
26	BB	1230	A	O4'-C1'-N9	8.79	115.23	108.20
26	BB	1893	C	N1-C2-O2	8.79	124.17	118.90
1	AA	683	G	C5-N7-C8	-8.79	99.91	104.30
26	BB	152	A	N1-C6-N6	-8.79	113.33	118.60
26	BB	377	G	N9-C4-C5	8.79	108.92	105.40
26	BB	451	U	C1'-O4'-C4'	-8.79	102.87	109.90
26	BB	1989	G	C6-C5-N7	-8.79	125.13	130.40
1	AA	20	U	N1-C2-O2	8.79	128.95	122.80
1	AA	225	C	C6-N1-C2	-8.79	116.79	120.30
1	AA	324	G	C5-N7-C8	-8.79	99.91	104.30
1	AA	488	C	N3-C4-C5	-8.79	118.39	121.90
1	AA	725	G	N3-C4-N9	-8.79	120.73	126.00
1	AA	884	U	N3-C4-C5	-8.79	109.33	114.60
1	AA	964	A	N7-C8-N9	8.79	118.19	113.80
1	AA	1148	U	C5-C4-O4	-8.79	120.63	125.90
1	AA	1304	G	N3-C4-N9	8.79	131.27	126.00
4	AD	28	U	N1-C2-N3	8.79	120.17	114.90
26	BB	1170	C	C4-C5-C6	8.79	121.79	117.40
26	BB	1524	G	N3-C4-C5	-8.79	124.21	128.60
26	BB	1805	A	N1-C6-N6	-8.79	113.33	118.60
26	BB	1728	C	N3-C4-N4	8.78	124.15	118.00
30	BF	85	PHE	CB-CG-CD2	-8.79	114.65	120.80
1	AA	96	U	C5-C4-O4	8.78	131.17	125.90
1	AA	1085	U	C5-C4-O4	8.78	131.17	125.90
1	AA	1152	A	N9-C4-C5	8.78	109.31	105.80
26	BB	2422	C	O4'-C1'-N1	-8.78	101.17	108.20
1	AA	480	U	O4'-C1'-N1	8.78	115.22	108.20
1	AA	1183	U	C2-N3-C4	-8.78	121.73	127.00
1	AA	1306	A	C4-C5-C6	-8.78	112.61	117.00
1	AA	1504	G	N1-C6-O6	-8.78	114.63	119.90
2	AB	15	A	C2-N3-C4	-8.78	106.21	110.60
3	AC	15	G	C5-N7-C8	-8.78	99.91	104.30
21	AU	5	ARG	NE-CZ-NH2	-8.78	115.91	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1686	C	N3-C4-C5	8.78	125.41	121.90
26	BB	1728	C	C5-C6-N1	8.78	125.39	121.00
41	BQ	36	TYR	CD1-CG-CD2	8.78	127.56	117.90
1	AA	1336	C	O4'-C1'-N1	8.78	115.22	108.20
26	BB	1544	A	C6-N1-C2	8.78	123.87	118.60
26	BB	1395	A	C6-N1-C2	8.78	123.87	118.60
26	BB	1787	A	N3-C4-C5	-8.78	120.66	126.80
26	BB	2365	G	N3-C4-C5	-8.78	124.21	128.60
1	AA	625	U	O4'-C1'-N1	8.78	115.22	108.20
1	AA	1349	A	N1-C6-N6	-8.78	113.33	118.60
3	AC	13	A	C5-C6-N1	8.78	122.09	117.70
26	BB	1418	G	N7-C8-N9	8.78	117.49	113.10
26	BB	2410	G	N3-C4-C5	-8.78	124.21	128.60
26	BB	924	G	C3'-C2'-C1'	8.78	108.52	101.50
26	BB	1189	A	C4-C5-N7	-8.78	106.31	110.70
26	BB	1500	G	N7-C8-N9	8.78	117.49	113.10
26	BB	2610	C	C2-N3-C4	8.78	124.29	119.90
26	BB	2786	U	C5-C6-N1	-8.78	118.31	122.70
1	AA	319	G	N3-C2-N2	-8.77	113.76	119.90
1	AA	350	G	O4'-C1'-N9	8.77	115.22	108.20
1	AA	803	G	N1-C6-O6	8.77	125.17	119.90
25	BA	112	G	C4-C5-N7	-8.77	107.29	110.80
26	BB	398	C	N3-C4-C5	8.77	125.41	121.90
26	BB	614	A	N1-C2-N3	-8.77	124.91	129.30
26	BB	2033	A	O4'-C4'-C3'	8.77	113.12	106.10
26	BB	2129	C	C5-C6-N1	8.77	125.39	121.00
1	AA	1166	G	N1-C6-O6	-8.77	114.64	119.90
26	BB	1024	G	N9-C4-C5	8.77	108.91	105.40
26	BB	1374	G	C8-N9-C4	-8.77	102.89	106.40
26	BB	1500	G	N3-C4-C5	-8.77	124.21	128.60
26	BB	1615	C	N1-C2-O2	8.77	124.16	118.90
26	BB	2167	U	O4'-C1'-N1	8.77	115.22	108.20
1	AA	357	G	N1-C2-N3	-8.77	118.64	123.90
25	BA	116	G	N9-C1'-C2'	-8.77	102.35	112.00
26	BB	1429	G	N3-C2-N2	-8.77	113.76	119.90
26	BB	1942	C	O4'-C1'-N1	8.77	115.21	108.20
26	BB	2248	C	C2-N3-C4	8.77	124.28	119.90
26	BB	2438	U	C6-N1-C2	-8.77	115.74	121.00
1	AA	773	G	C6-N1-C2	-8.77	119.84	125.10
2	AB	43	G	C5-N7-C8	-8.77	99.92	104.30
26	BB	506	G	C6-C5-N7	-8.77	125.14	130.40
1	AA	39	G	N7-C8-N9	8.77	117.48	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	591	U	C5-C4-O4	-8.77	120.64	125.90
26	BB	604	G	N3-C4-C5	-8.77	124.22	128.60
26	BB	1866	A	C5-C6-N6	-8.77	116.69	123.70
26	BB	2204	G	N3-C2-N2	8.77	126.04	119.90
1	AA	667	G	C4-C5-C6	8.76	124.06	118.80
2	AB	35	C	C2-N3-C4	8.76	124.28	119.90
26	BB	1187	G	C4-C5-N7	-8.76	107.30	110.80
26	BB	277	G	N1-C6-O6	8.76	125.16	119.90
26	BB	1580	A	O4'-C1'-N9	8.76	115.21	108.20
26	BB	2538	C	C5-C6-N1	8.76	125.38	121.00
26	BB	2622	U	O4'-C1'-N1	8.76	115.21	108.20
1	AA	750	C	N3-C4-N4	8.76	124.13	118.00
2	AB	57	G	C8-N9-C4	-8.76	102.90	106.40
1	AA	104	G	N3-C4-C5	-8.76	124.22	128.60
26	BB	117	G	C3'-C2'-C1'	8.76	108.51	101.50
26	BB	1355	G	C4-C5-N7	-8.76	107.30	110.80
26	BB	1465	G	O4'-C1'-N9	8.76	115.21	108.20
26	BB	1815	A	C6-C5-N7	8.76	138.43	132.30
1	AA	335	C	O4'-C1'-N1	-8.76	101.20	108.20
1	AA	1200	C	N3-C4-C5	-8.76	118.40	121.90
26	BB	1022	G	N1-C2-N3	-8.76	118.65	123.90
26	BB	1563	U	C5-C4-O4	-8.76	120.65	125.90
26	BB	2495	G	C4-C5-N7	8.76	114.30	110.80
26	BB	2531	A	N9-C4-C5	8.76	109.30	105.80
26	BB	2857	G	C4-C5-C6	8.76	124.05	118.80
1	AA	731	G	C6-C5-N7	-8.75	125.15	130.40
2	AB	70	C	C5-C6-N1	8.75	125.38	121.00
26	BB	94	A	C8-N9-C4	-8.75	102.30	105.80
26	BB	1779	U	C1'-O4'-C4'	-8.75	102.90	109.90
26	BB	2728	U	N1-C1'-C2'	-8.75	102.37	112.00
3	AC	27	A	C5-N7-C8	-8.75	99.52	103.90
26	BB	54	G	O4'-C1'-N9	8.75	115.20	108.20
26	BB	628	G	N7-C8-N9	8.75	117.48	113.10
26	BB	1361	G	N3-C4-C5	-8.75	124.22	128.60
26	BB	1406	U	O4'-C1'-N1	8.75	115.20	108.20
26	BB	1823	G	N1-C2-N3	8.75	129.15	123.90
1	AA	1125	U	C1'-O4'-C4'	-8.75	102.90	109.90
1	AA	1184	G	N3-C4-C5	8.75	132.97	128.60
26	BB	686	U	N1-C2-N3	-8.75	109.65	114.90
26	BB	1169	A	C6-N1-C2	-8.75	113.35	118.60
26	BB	1326	U	N1-C2-O2	-8.75	116.67	122.80
26	BB	1841	U	N3-C2-O2	-8.75	116.08	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1961	C	N3-C4-N4	8.75	124.12	118.00
26	BB	2756	U	N3-C2-O2	-8.75	116.08	122.20
28	BD	68	ARG	NE-CZ-NH1	8.75	124.67	120.30
1	AA	12	U	C1'-O4'-C4'	8.75	116.90	109.90
1	AA	1114	C	C5-C6-N1	-8.75	116.63	121.00
26	BB	1998	A	C5-C6-N1	8.75	122.07	117.70
26	BB	2382	G	N9-C4-C5	8.75	108.90	105.40
1	AA	127	G	N3-C2-N2	-8.74	113.78	119.90
1	AA	381	C	O4'-C1'-N1	8.74	115.20	108.20
26	BB	201	C	C2-N3-C4	8.74	124.27	119.90
26	BB	1764	C	O4'-C1'-N1	8.74	115.19	108.20
26	BB	1862	G	N3-C4-C5	-8.74	124.23	128.60
1	AA	1450	U	O4'-C1'-N1	8.74	115.19	108.20
14	AN	6	ARG	NE-CZ-NH1	8.74	124.67	120.30
26	BB	2175	C	N3-C2-O2	-8.74	115.78	121.90
26	BB	2456	C	C6-N1-C2	-8.74	116.80	120.30
26	BB	2787	C	C5-C6-N1	8.74	125.37	121.00
26	BB	2822	G	O4'-C1'-N9	8.74	115.19	108.20
33	BI	116	ARG	NE-CZ-NH1	8.74	124.67	120.30
1	AA	551	U	N3-C2-O2	-8.74	116.08	122.20
1	AA	1487	G	C2-N3-C4	8.74	116.27	111.90
26	BB	1950	G	N9-C4-C5	8.74	108.90	105.40
26	BB	266	G	C8-N9-C4	-8.74	102.90	106.40
26	BB	1381	G	O4'-C1'-N9	8.74	115.19	108.20
1	AA	771	G	C2-N3-C4	8.74	116.27	111.90
26	BB	1067	A	C4-C5-N7	-8.74	106.33	110.70
1	AA	1176	A	N1-C6-N6	-8.74	113.36	118.60
1	AA	1181	G	N3-C4-N9	8.74	131.24	126.00
26	BB	227	A	C2-N3-C4	8.74	114.97	110.60
26	BB	244	A	C4'-C3'-C2'	-8.74	93.86	102.60
26	BB	250	G	C5-N7-C8	8.74	108.67	104.30
26	BB	843	G	N9-C4-C5	8.74	108.89	105.40
26	BB	2450	A	N7-C8-N9	8.74	118.17	113.80
1	AA	798	U	O4'-C1'-N1	8.73	115.19	108.20
1	AA	1114	C	C5-C4-N4	-8.73	114.09	120.20
1	AA	1302	C	P-O3'-C3'	8.73	130.18	119.70
1	AA	1361	G	N7-C8-N9	8.73	117.47	113.10
5	AE	20	ARG	NE-CZ-NH2	-8.73	115.93	120.30
26	BB	169	G	C2-N3-C4	8.73	116.27	111.90
26	BB	271	G	N7-C8-N9	8.73	117.47	113.10
26	BB	365	U	C4'-C3'-C2'	-8.73	93.87	102.60
26	BB	865	C	N3-C4-N4	8.73	124.11	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1693	U	C2-N3-C4	-8.73	121.76	127.00
26	BB	1919	A	C6-C5-N7	8.73	138.41	132.30
26	BB	2463	C	C6-N1-C2	-8.73	116.81	120.30
1	AA	356	A	C5'-C4'-O4'	8.73	119.58	109.10
1	AA	682	G	N3-C4-N9	8.73	131.24	126.00
26	BB	2236	U	O4'-C1'-N1	8.73	115.19	108.20
1	AA	139	A	C8-N9-C4	-8.73	102.31	105.80
26	BB	342	A	O4'-C1'-N9	8.73	115.19	108.20
26	BB	443	A	O4'-C1'-N9	8.73	115.19	108.20
26	BB	1824	G	C4'-C3'-C2'	-8.73	93.87	102.60
26	BB	2502	G	N7-C8-N9	8.73	117.47	113.10
26	BB	1972	G	C2-N3-C4	8.73	116.27	111.90
26	BB	1985	C	N1-C1'-C2'	-8.73	102.40	112.00
26	BB	2111	U	N3-C4-O4	-8.73	113.29	119.40
1	AA	970	C	C1'-O4'-C4'	-8.73	102.92	109.90
1	AA	402	G	C5-C6-O6	-8.73	123.36	128.60
1	AA	654	G	N3-C2-N2	-8.73	113.79	119.90
26	BB	65	U	N3-C2-O2	-8.73	116.09	122.20
26	BB	1349	C	N1-C2-O2	8.73	124.14	118.90
26	BB	1416	G	N9-C4-C5	8.73	108.89	105.40
26	BB	1771	C	O4'-C1'-N1	8.73	115.18	108.20
26	BB	2602	A	P-O3'-C3'	8.73	130.17	119.70
1	AA	23	C	N3-C4-C5	-8.72	118.41	121.90
1	AA	182	A	N3-C4-N9	-8.72	120.42	127.40
1	AA	454	G	C8-N9-C4	-8.72	102.91	106.40
26	BB	2083	G	C4-C5-N7	8.72	114.29	110.80
1	AA	387	U	O4'-C1'-N1	8.72	115.18	108.20
25	BA	9	G	C2-N3-C4	8.72	116.26	111.90
26	BB	629	G	N9-C1'-C2'	-8.72	102.40	112.00
26	BB	763	G	C8-N9-C1'	8.72	138.34	127.00
26	BB	1259	G	O4'-C1'-N9	8.72	115.18	108.20
26	BB	1570	A	N7-C8-N9	-8.72	109.44	113.80
26	BB	2198	A	C5-N7-C8	8.72	108.26	103.90
26	BB	2279	G	C4'-C3'-C2'	-8.72	93.88	102.60
26	BB	2634	A	C4-C5-C6	-8.72	112.64	117.00
1	AA	290	C	C6-N1-C2	-8.72	116.81	120.30
1	AA	601	G	C2-N3-C4	8.72	116.26	111.90
4	AD	31	G	O4'-C1'-N9	8.72	115.18	108.20
26	BB	558	U	C4-C5-C6	8.72	124.93	119.70
26	BB	1062	G	C1'-O4'-C4'	8.72	116.88	109.90
26	BB	1413	A	C2-N3-C4	8.72	114.96	110.60
26	BB	2348	U	C2-N3-C4	-8.72	121.77	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2396	G	O4'-C1'-N9	8.72	115.18	108.20
26	BB	2839	G	C3'-C2'-C1'	8.72	108.48	101.50
51	B0	23	ARG	NE-CZ-NH2	8.72	124.66	120.30
1	AA	442	G	C8-N9-C4	-8.72	102.91	106.40
25	BA	3	C	N1-C2-O2	8.72	124.13	118.90
26	BB	303	G	N9-C4-C5	8.72	108.89	105.40
26	BB	2260	C	C6-N1-C2	-8.72	116.81	120.30
1	AA	826	C	O4'-C1'-N1	8.71	115.17	108.20
1	AA	1269	A	C8-N9-C4	8.72	109.29	105.80
1	AA	1049	U	C5-C6-N1	-8.71	118.34	122.70
1	AA	1273	C	N1-C2-N3	-8.71	113.10	119.20
25	BA	66	A	P-O3'-C3'	8.72	130.16	119.70
25	BA	44	G	C4-C5-N7	-8.71	107.31	110.80
26	BB	543	G	C8-N9-C4	-8.71	102.91	106.40
26	BB	681	G	N1-C2-N3	-8.71	118.67	123.90
26	BB	1216	G	C8-N9-C4	-8.71	102.91	106.40
26	BB	2569	G	C4-C5-N7	8.71	114.28	110.80
26	BB	2664	G	N3-C2-N2	8.71	126.00	119.90
1	AA	1076	U	C6-N1-C2	-8.71	115.77	121.00
26	BB	247	G	C2-N3-C4	8.71	116.26	111.90
26	BB	2145	C	C5-C6-N1	-8.71	116.64	121.00
26	BB	2303	G	N3-C4-N9	8.71	131.23	126.00
1	AA	688	G	C3'-C2'-C1'	-8.71	94.53	101.50
26	BB	1524	G	C5-N7-C8	-8.71	99.94	104.30
26	BB	734	A	C6-C5-N7	-8.71	126.20	132.30
26	BB	775	G	N3-C4-N9	8.71	131.23	126.00
26	BB	1094	U	O4'-C4'-C3'	8.71	113.07	106.10
26	BB	1781	U	N3-C4-C5	-8.71	109.37	114.60
26	BB	1996	C	C6-N1-C2	-8.71	116.81	120.30
26	BB	2359	C	N1-C2-O2	8.71	124.13	118.90
1	AA	570	G	C5'-C4'-C3'	-8.71	102.07	116.00
1	AA	635	A	C4-C5-C6	-8.71	112.65	117.00
26	BB	363	G	C2-N3-C4	8.71	116.25	111.90
26	BB	678	C	N3-C4-C5	-8.71	118.42	121.90
26	BB	1288	G	C8-N9-C4	-8.71	102.92	106.40
26	BB	2356	U	N3-C4-O4	8.71	125.50	119.40
26	BB	1042	G	O4'-C1'-N9	8.71	115.17	108.20
26	BB	1396	U	N3-C2-O2	-8.71	116.11	122.20
26	BB	1645	G	C5-N7-C8	-8.71	99.95	104.30
26	BB	1924	C	C4'-C3'-C2'	-8.71	93.89	102.60
26	BB	2038	G	C8-N9-C4	-8.71	102.92	106.40
1	AA	889	A	O4'-C1'-N9	8.70	115.16	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1020	G	C5-C6-N1	8.70	115.85	111.50
2	AB	5	G	N9-C4-C5	8.71	108.88	105.40
25	BA	117	G	C8-N9-C4	-8.71	102.92	106.40
26	BB	375	G	N7-C8-N9	8.71	117.45	113.10
26	BB	428	A	C8-N9-C4	-8.71	102.32	105.80
26	BB	2627	G	C8-N9-C4	-8.70	102.92	106.40
26	BB	454	A	C5-C6-N1	-8.70	113.35	117.70
26	BB	1489	C	C5'-C4'-O4'	8.70	119.54	109.10
26	BB	2374	C	N1-C2-O2	8.70	124.12	118.90
1	AA	288	A	C5'-C4'-O4'	8.70	119.54	109.10
1	AA	583	A	N1-C2-N3	-8.70	124.95	129.30
1	AA	925	G	C2-N3-C4	8.70	116.25	111.90
26	BB	2757	A	C6-N1-C2	8.70	123.82	118.60
26	BB	82	U	C4-C5-C6	8.70	124.92	119.70
26	BB	254	G	C8-N9-C4	-8.70	102.92	106.40
26	BB	1096	A	C4-C5-N7	-8.70	106.35	110.70
26	BB	1353	A	N1-C6-N6	-8.70	113.38	118.60
26	BB	1999	C	O4'-C1'-N1	8.70	115.16	108.20
28	BD	257	ARG	NE-CZ-NH2	-8.70	115.95	120.30
28	BD	257	ARG	NE-CZ-NH1	8.70	124.65	120.30
1	AA	730	G	C8-N9-C4	-8.70	102.92	106.40
26	BB	77	G	N7-C8-N9	8.70	117.45	113.10
26	BB	343	C	O4'-C1'-N1	8.70	115.16	108.20
1	AA	102	G	N3-C4-C5	-8.69	124.25	128.60
1	AA	600	A	C1'-O4'-C4'	-8.69	102.94	109.90
1	AA	654	G	N3-C4-C5	-8.70	124.25	128.60
1	AA	727	G	N9-C4-C5	8.70	108.88	105.40
26	BB	372	G	C5-C6-O6	-8.70	123.38	128.60
26	BB	539	G	C8-N9-C4	-8.69	102.92	106.40
26	BB	694	U	O4'-C1'-N1	8.69	115.16	108.20
26	BB	1216	G	N3-C4-C5	-8.69	124.25	128.60
26	BB	1729	U	C3'-C2'-C1'	8.69	108.45	101.50
1	AA	337	G	C4-C5-N7	-8.69	107.32	110.80
1	AA	850	U	O4'-C1'-N1	8.69	115.15	108.20
1	AA	1201	A	O4'-C1'-N9	8.69	115.15	108.20
1	AA	1459	G	C2-N3-C4	8.69	116.25	111.90
25	BA	26	C	C5-C6-N1	8.69	125.35	121.00
26	BB	438	G	N9-C1'-C2'	-8.69	102.44	112.00
26	BB	979	A	N7-C8-N9	-8.69	109.45	113.80
1	AA	1149	C	O4'-C1'-N1	8.69	115.15	108.20
26	BB	1054	A	C8-N9-C4	-8.69	102.32	105.80
26	BB	1916	A	N7-C8-N9	8.69	118.14	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1964	G	N1-C6-O6	8.69	125.11	119.90
26	BB	219	A	N1-C2-N3	8.69	133.64	129.30
26	BB	509	C	N3-C4-N4	8.69	124.08	118.00
1	AA	115	G	C6-C5-N7	-8.69	125.19	130.40
1	AA	1142	G	C4'-C3'-C2'	-8.69	93.92	102.60
1	AA	1527	U	O4'-C1'-N1	8.69	115.15	108.20
3	AC	20	G	C2-N3-C4	8.69	116.24	111.90
25	BA	7	G	N7-C8-N9	8.69	117.44	113.10
26	BB	1612	C	N3-C2-O2	-8.69	115.82	121.90
26	BB	2349	G	N7-C8-N9	8.69	117.44	113.10
26	BB	2359	C	C2-N3-C4	8.68	124.24	119.90
1	AA	73	C	O4'-C1'-N1	8.68	115.15	108.20
1	AA	517	G	C8-N9-C4	-8.68	102.93	106.40
1	AA	1200	C	C2-N3-C4	8.68	124.24	119.90
1	AA	1369	C	C5-C4-N4	-8.68	114.12	120.20
26	BB	759	G	N3-C4-C5	-8.68	124.26	128.60
26	BB	822	G	C6-C5-N7	-8.68	125.19	130.40
26	BB	966	G	N3-C4-C5	-8.68	124.26	128.60
26	BB	1168	G	N7-C8-N9	-8.68	108.76	113.10
26	BB	1850	G	C4-C5-N7	8.68	114.27	110.80
26	BB	2864	G	C5-N7-C8	8.68	108.64	104.30
26	BB	2127	G	N1-C2-N3	8.68	129.11	123.90
26	BB	443	A	C4'-C3'-C2'	-8.68	93.92	102.60
26	BB	692	C	C2-N3-C4	8.68	124.24	119.90
1	AA	27	G	N3-C4-C5	-8.68	124.26	128.60
26	BB	586	A	C4-C5-N7	-8.68	106.36	110.70
26	BB	1079	C	N3-C4-C5	-8.68	118.43	121.90
26	BB	1088	A	N9-C4-C5	8.68	109.27	105.80
26	BB	1885	A	C4-C5-C6	-8.68	112.66	117.00
1	AA	469	C	N1-C2-O2	8.68	124.11	118.90
1	AA	596	A	N9-C4-C5	-8.68	102.33	105.80
1	AA	615	G	C5-N7-C8	-8.68	99.96	104.30
1	AA	786	G	C8-N9-C4	-8.68	102.93	106.40
26	BB	2469	A	C6-N1-C2	-8.68	113.39	118.60
1	AA	838	G	O4'-C1'-N9	8.68	115.14	108.20
26	BB	1920	C	N3-C4-C5	8.68	125.37	121.90
1	AA	248	C	N3-C4-C5	-8.67	118.43	121.90
1	AA	1070	U	N3-C2-O2	-8.67	116.13	122.20
4	AD	34	U	O4'-C1'-N1	8.67	115.14	108.20
26	BB	14	A	C8-N9-C4	-8.67	102.33	105.80
26	BB	214	G	C4-C5-N7	-8.67	107.33	110.80
26	BB	257	C	N1-C2-O2	8.67	124.10	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	933	A	N1-C6-N6	-8.67	113.40	118.60
26	BB	2035	G	P-O3'-C3'	8.67	130.11	119.70
1	AA	1471	U	N3-C2-O2	-8.67	116.13	122.20
1	AA	1494	G	C2-N3-C4	-8.67	107.56	111.90
26	BB	35	G	C6-C5-N7	-8.67	125.20	130.40
26	BB	788	A	C4-C5-C6	-8.67	112.67	117.00
26	BB	930	G	N9-C4-C5	8.67	108.87	105.40
26	BB	1680	U	N3-C4-C5	8.67	119.80	114.60
26	BB	1958	C	C1'-O4'-C4'	-8.67	102.96	109.90
26	BB	2590	A	C5-C6-N6	8.67	130.64	123.70
26	BB	2855	C	O4'-C1'-N1	8.67	115.14	108.20
1	AA	68	G	N7-C8-N9	8.67	117.43	113.10
26	BB	1473	G	P-O3'-C3'	8.67	130.10	119.70
28	BD	220	ARG	NE-CZ-NH1	8.67	124.63	120.30
1	AA	938	A	C4-C5-N7	-8.67	106.37	110.70
1	AA	991	U	O4'-C1'-N1	8.67	115.13	108.20
26	BB	216	A	C2-N3-C4	-8.67	106.27	110.60
26	BB	614	A	O4'-C1'-N9	8.67	115.13	108.20
26	BB	1777	U	N3-C4-O4	-8.67	113.33	119.40
26	BB	2004	G	C5-C6-O6	-8.67	123.40	128.60
26	BB	2893	A	C5-N7-C8	8.67	108.23	103.90
26	BB	906	U	O4'-C1'-N1	8.67	115.13	108.20
26	BB	1495	A	N1-C6-N6	-8.67	113.40	118.60
26	BB	2579	C	O4'-C1'-N1	8.67	115.13	108.20
1	AA	1502	A	C2-N3-C4	8.66	114.93	110.60
25	BA	93	C	C3'-C2'-C1'	8.66	108.43	101.50
26	BB	421	C	N3-C2-O2	-8.66	115.84	121.90
26	BB	2083	G	C8-N9-C4	-8.66	102.94	106.40
27	BC	53	ARG	NE-CZ-NH1	8.66	124.63	120.30
29	BE	39	ASP	CB-CG-OD2	-8.66	110.50	118.30
26	BB	1071	G	N9-C4-C5	8.66	108.86	105.40
26	BB	1474	U	O4'-C4'-C3'	8.66	113.03	106.10
26	BB	1959	G	N3-C4-N9	8.66	131.20	126.00
26	BB	2453	A	C5'-C4'-O4'	8.66	119.49	109.10
48	BX	79	ARG	NE-CZ-NH2	-8.66	115.97	120.30
1	AA	256	U	C5-C6-N1	-8.66	118.37	122.70
1	AA	1038	C	N3-C4-C5	-8.66	118.44	121.90
1	AA	1294	G	N9-C1'-C2'	-8.66	102.47	112.00
26	BB	68	G	O4'-C1'-N9	8.66	115.13	108.20
26	BB	277	G	O4'-C1'-N9	8.66	115.13	108.20
26	BB	69	C	C4'-C3'-C2'	-8.66	93.94	102.60
26	BB	318	C	N3-C2-O2	-8.66	115.84	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	806	C	C6-N1-C2	8.66	123.76	120.30
26	BB	1307	A	C8-N9-C4	-8.66	102.34	105.80
26	BB	1670	C	N1-C2-O2	8.66	124.10	118.90
26	BB	2071	A	N7-C8-N9	-8.66	109.47	113.80
1	AA	912	C	C6-N1-C2	-8.66	116.84	120.30
3	AC	44	U	C4-C5-C6	8.66	124.89	119.70
26	BB	1537	G	C8-N9-C4	-8.66	102.94	106.40
26	BB	2711	A	N9-C4-C5	8.66	109.26	105.80
26	BB	269	C	O4'-C1'-N1	8.66	115.12	108.20
26	BB	645	C	O4'-C1'-N1	8.66	115.12	108.20
26	BB	2084	C	C2-N3-C4	8.66	124.23	119.90
26	BB	2276	G	O4'-C1'-N9	8.66	115.12	108.20
26	BB	2862	G	O4'-C1'-N9	8.66	115.12	108.20
1	AA	385	C	C5-C6-N1	8.65	125.33	121.00
1	AA	498	A	C2-N3-C4	8.65	114.93	110.60
26	BB	859	G	N7-C8-N9	8.65	117.43	113.10
26	BB	1001	A	C5-N7-C8	8.65	108.23	103.90
26	BB	1339	G	C2-N3-C4	8.65	116.23	111.90
26	BB	1980	G	C2-N3-C4	8.65	116.23	111.90
26	BB	2576	G	C5-C6-O6	-8.65	123.41	128.60
26	BB	2849	U	O4'-C1'-C2'	-8.65	97.15	105.80
1	AA	39	G	N1-C6-O6	-8.65	114.71	119.90
1	AA	327	A	C5-N7-C8	8.65	108.23	103.90
1	AA	1243	C	N3-C2-O2	-8.65	115.84	121.90
26	BB	700	G	C6-N1-C2	-8.65	119.91	125.10
26	BB	557	C	C5-C6-N1	8.65	125.33	121.00
26	BB	807	U	C5-C6-N1	-8.65	118.38	122.70
26	BB	1254	A	C6-C5-N7	8.65	138.36	132.30
26	BB	1738	G	C8-N9-C4	-8.65	102.94	106.40
26	BB	2125	G	C6-N1-C2	-8.65	119.91	125.10
4	AD	64	G	C5-C6-N1	-8.65	107.18	111.50
26	BB	767	U	C5-C4-O4	8.65	131.09	125.90
26	BB	976	G	C4'-C3'-C2'	-8.65	93.95	102.60
26	BB	1838	C	O4'-C1'-N1	8.65	115.12	108.20
26	BB	621	A	C2-N3-C4	8.65	114.92	110.60
26	BB	759	G	O4'-C1'-N9	8.65	115.12	108.20
26	BB	1903	G	N3-C4-C5	-8.65	124.28	128.60
1	AA	456	A	N1-C6-N6	8.64	123.79	118.60
1	AA	451	A	C6-N1-C2	8.64	123.79	118.60
1	AA	491	G	N3-C2-N2	-8.64	113.85	119.90
1	AA	1296	C	C2-N3-C4	8.64	124.22	119.90
1	AA	982	U	C5-C4-O4	-8.64	120.71	125.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	AM	5	ARG	NE-CZ-NH2	-8.64	115.98	120.30
26	BB	61	C	O4'-C1'-N1	8.64	115.12	108.20
26	BB	2406	A	C5-C6-N6	-8.64	116.78	123.70
26	BB	2456	C	C5-C6-N1	8.64	125.32	121.00
1	AA	148	G	N3-C2-N2	8.64	125.95	119.90
1	AA	1237	C	C4-C5-C6	8.64	121.72	117.40
1	AA	1253	G	C4'-C3'-C2'	-8.64	93.96	102.60
1	AA	1278	G	C1'-O4'-C4'	-8.64	102.99	109.90
26	BB	24	G	C8-N9-C4	-8.64	102.94	106.40
26	BB	469	G	P-O3'-C3'	8.64	130.07	119.70
26	BB	798	G	C8-N9-C4	-8.64	102.94	106.40
26	BB	2158	A	N9-C4-C5	8.64	109.26	105.80
26	BB	1232	G	C4-C5-N7	8.64	114.26	110.80
26	BB	2044	C	C5-C6-N1	8.64	125.32	121.00
26	BB	2839	G	C5-C6-N1	8.64	115.82	111.50
1	AA	683	G	C8-N9-C4	-8.64	102.94	106.40
1	AA	709	U	N1-C2-O2	-8.64	116.75	122.80
1	AA	1257	A	C4-C5-N7	8.64	115.02	110.70
1	AA	1457	G	C5-C6-O6	8.64	133.78	128.60
26	BB	901	C	N3-C4-C5	-8.64	118.44	121.90
26	BB	2565	A	O4'-C1'-N9	8.64	115.11	108.20
26	BB	2816	G	C4-C5-N7	-8.64	107.34	110.80
1	AA	765	G	N3-C4-C5	-8.64	124.28	128.60
26	BB	549	G	C4-C5-N7	8.64	114.25	110.80
26	BB	1062	G	C8-N9-C4	-8.64	102.95	106.40
26	BB	2727	A	O4'-C1'-N9	8.64	115.11	108.20
26	BB	2374	C	N3-C4-N4	-8.63	111.96	118.00
26	BB	2799	A	N1-C6-N6	8.63	123.78	118.60
26	BB	255	A	C3'-C2'-C1'	8.63	108.41	101.50
26	BB	350	G	C4'-C3'-C2'	-8.63	93.97	102.60
26	BB	712	G	C5-C6-N1	-8.63	107.18	111.50
26	BB	1128	G	P-O3'-C3'	8.63	130.06	119.70
26	BB	1255	U	O4'-C1'-N1	8.63	115.11	108.20
26	BB	2402	U	N1-C2-N3	8.63	120.08	114.90
26	BB	2588	G	N1-C2-N2	8.63	123.97	116.20
1	AA	1181	G	N1-C6-O6	8.63	125.08	119.90
1	AA	1220	G	C5-C6-N1	8.63	115.81	111.50
1	AA	1273	C	N1-C2-O2	8.63	124.08	118.90
1	AA	1486	G	C2-N3-C4	8.63	116.22	111.90
4	AD	76	C	N3-C2-O2	-8.63	115.86	121.90
26	BB	1283	G	N9-C1'-C2'	-8.63	102.51	112.00
26	BB	1518	C	N3-C2-O2	-8.63	115.86	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2094	A	C5-N7-C8	8.63	108.22	103.90
26	BB	2201	G	N1-C6-O6	-8.63	114.72	119.90
26	BB	2628	C	C4-C5-C6	8.63	121.72	117.40
26	BB	2644	G	C4-C5-C6	8.63	123.98	118.80
34	BJ	124	ARG	NE-CZ-NH1	8.63	124.61	120.30
1	AA	185	U	C5-C6-N1	-8.63	118.39	122.70
1	AA	217	C	C4-C5-C6	8.63	121.71	117.40
1	AA	656	G	C5-C6-O6	-8.63	123.42	128.60
25	BA	102	G	C3'-C2'-C1'	8.63	108.40	101.50
26	BB	1521	G	N3-C4-N9	8.63	131.18	126.00
26	BB	35	G	C8-N9-C4	-8.63	102.95	106.40
26	BB	1268	A	O4'-C1'-N9	8.63	115.10	108.20
26	BB	2316	G	N7-C8-N9	8.63	117.41	113.10
10	AJ	154	ARG	NE-CZ-NH2	-8.63	115.99	120.30
1	AA	953	G	C2-N3-C4	-8.62	107.59	111.90
1	AA	855	U	C4-C5-C6	8.62	124.87	119.70
1	AA	1321	U	O4'-C1'-N1	8.62	115.10	108.20
1	AA	1484	C	C5-C6-N1	-8.62	116.69	121.00
2	AB	44	G	C8-N9-C4	-8.62	102.95	106.40
26	BB	849	A	O4'-C1'-N9	8.62	115.10	108.20
26	BB	989	G	N3-C4-N9	8.62	131.17	126.00
26	BB	1220	G	C3'-C2'-C1'	-8.62	94.60	101.50
26	BB	1620	G	C2-N3-C4	8.62	116.21	111.90
26	BB	1719	G	C6-N1-C2	-8.62	119.93	125.10
26	BB	2631	G	N9-C4-C5	8.62	108.85	105.40
26	BB	1807	G	C4-C5-C6	8.62	123.97	118.80
26	BB	520	G	C8-N9-C4	-8.62	102.95	106.40
1	AA	876	C	C2-N3-C4	8.62	124.21	119.90
1	AA	1418	A	O4'-C1'-N9	8.62	115.09	108.20
14	AN	112	VAL	CA-CB-CG2	8.62	123.83	110.90
26	BB	585	G	C5-C6-N1	8.62	115.81	111.50
26	BB	952	G	C6-C5-N7	-8.62	125.23	130.40
26	BB	1329	U	O4'-C1'-N1	8.62	115.10	108.20
26	BB	2064	C	N3-C2-O2	-8.62	115.87	121.90
26	BB	1896	G	N3-C4-C5	-8.62	124.29	128.60
1	AA	1517	G	N1-C2-N3	-8.62	118.73	123.90
26	BB	1200	C	N3-C4-N4	-8.61	111.97	118.00
26	BB	2110	G	N9-C1'-C2'	-8.62	102.52	112.00
1	AA	1222	G	C2-N3-C4	8.61	116.21	111.90
1	AA	1316	G	C2-N3-C4	-8.61	107.59	111.90
26	BB	145	C	N3-C4-N4	8.61	124.03	118.00
1	AA	66	A	N9-C4-C5	-8.61	102.36	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1935	G	C5-C6-O6	8.61	133.77	128.60
26	BB	2507	C	C3'-C2'-C1'	8.61	108.39	101.50
26	BB	2557	G	C2-N3-C4	8.61	116.21	111.90
1	AA	920	U	C2-N3-C4	-8.61	121.83	127.00
1	AA	1401	G	O4'-C1'-N9	8.61	115.09	108.20
1	AA	1510	C	O4'-C1'-N1	8.61	115.09	108.20
1	AA	1527	U	C3'-C2'-C1'	8.61	108.39	101.50
3	AC	45	G	O4'-C1'-N9	8.61	115.09	108.20
26	BB	587	C	C5-C6-N1	-8.61	116.70	121.00
26	BB	734	A	C5-C6-N6	8.61	130.59	123.70
26	BB	1400	U	C5-C4-O4	8.61	131.06	125.90
26	BB	1789	A	C5-C6-N1	8.61	122.00	117.70
26	BB	733	G	N1-C2-N3	-8.61	118.74	123.90
1	AA	224	U	N3-C2-O2	-8.61	116.18	122.20
1	AA	791	G	C6-N1-C2	-8.61	119.94	125.10
1	AA	1355	G	C8-N9-C4	-8.61	102.96	106.40
26	BB	1	G	C8-N9-C4	-8.61	102.96	106.40
26	BB	148	U	C2-N3-C4	-8.61	121.84	127.00
26	BB	201	C	N3-C4-N4	8.61	124.02	118.00
26	BB	331	C	N3-C2-O2	-8.61	115.88	121.90
26	BB	1001	A	N9-C4-C5	8.61	109.24	105.80
26	BB	1416	G	N3-C4-C5	-8.61	124.30	128.60
26	BB	1502	A	N7-C8-N9	8.61	118.10	113.80
26	BB	2287	A	N9-C4-C5	8.61	109.24	105.80
26	BB	2820	A	C8-N9-C4	-8.61	102.36	105.80
1	AA	465	A	N7-C8-N9	-8.60	109.50	113.80
26	BB	969	G	N9-C4-C5	8.60	108.84	105.40
26	BB	1845	G	N3-C4-C5	-8.60	124.30	128.60
1	AA	547	A	C1'-O4'-C4'	8.60	116.78	109.90
26	BB	285	G	N9-C4-C5	8.60	108.84	105.40
26	BB	1355	G	N9-C1'-C2'	-8.60	102.54	112.00
26	BB	2398	U	C5'-C4'-C3'	-8.60	102.24	116.00
26	BB	896	A	N9-C4-C5	8.60	109.24	105.80
26	BB	1248	G	C5-N7-C8	-8.60	100.00	104.30
26	BB	1977	A	C8-N9-C4	-8.60	102.36	105.80
26	BB	2560	A	C6-N1-C2	-8.60	113.44	118.60
26	BB	2859	G	N3-C4-C5	-8.60	124.30	128.60
1	AA	43	C	C5-C4-N4	-8.60	114.18	120.20
1	AA	1173	U	C4-C5-C6	8.60	124.86	119.70
26	BB	1027	A	N9-C4-C5	8.60	109.24	105.80
1	AA	1304	G	C2-N3-C4	8.60	116.20	111.90
1	AA	1318	A	C2-N3-C4	8.60	114.90	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1541	U	N1-C2-O2	8.60	128.82	122.80
26	BB	380	G	C4-C5-N7	8.60	114.24	110.80
26	BB	1421	G	C4-C5-N7	8.60	114.24	110.80
26	BB	1904	G	N3-C2-N2	-8.60	113.88	119.90
26	BB	1958	C	C4-C5-C6	-8.60	113.10	117.40
1	AA	479	U	C2-N3-C4	8.60	132.16	127.00
3	AC	34	U	C2-N3-C4	-8.60	121.84	127.00
30	BF	35	TYR	CB-CG-CD2	-8.60	115.84	121.00
26	BB	1355	G	C8-N9-C4	8.60	109.84	106.40
26	BB	1809	A	N7-C8-N9	8.60	118.10	113.80
26	BB	2690	U	N1-C2-O2	8.60	128.82	122.80
1	AA	1168	U	O4'-C1'-N1	8.59	115.08	108.20
6	AF	41	TYR	CB-CG-CD2	-8.59	115.84	121.00
26	BB	1588	G	N7-C8-N9	8.59	117.40	113.10
26	BB	2416	C	C5-C6-N1	8.59	125.30	121.00
26	BB	280	U	O4'-C1'-N1	8.59	115.07	108.20
26	BB	788	A	O4'-C1'-N9	8.59	115.07	108.20
26	BB	2196	C	C5-C4-N4	-8.59	114.19	120.20
26	BB	2860	A	C8-N9-C4	-8.59	102.36	105.80
26	BB	491	G	C5'-C4'-O4'	8.59	119.41	109.10
26	BB	2401	U	N3-C2-O2	8.59	128.21	122.20
26	BB	2572	A	C1'-O4'-C4'	8.59	116.77	109.90
1	AA	1290	G	C3'-C2'-C1'	-8.59	94.63	101.50
3	AC	49	U	N1-C2-N3	8.59	120.05	114.90
25	BA	82	U	C2-N3-C4	-8.59	121.85	127.00
26	BB	196	A	N1-C2-N3	-8.59	125.01	129.30
26	BB	484	C	N1-C2-O2	8.59	124.05	118.90
26	BB	1234	U	N1-C1'-C2'	-8.59	102.55	112.00
26	BB	1810	A	C4-C5-N7	8.59	114.99	110.70
26	BB	603	A	N9-C4-C5	8.59	109.23	105.80
26	BB	1344	U	C3'-C2'-C1'	-8.59	94.63	101.50
26	BB	1643	G	O4'-C1'-N9	8.59	115.07	108.20
26	BB	1787	A	C4-C5-C6	8.59	121.29	117.00
26	BB	2112	G	C3'-C2'-C1'	-8.59	94.63	101.50
26	BB	2223	G	C5-N7-C8	-8.59	100.01	104.30
26	BB	2282	G	P-O3'-C3'	8.59	130.00	119.70
1	AA	711	G	C8-N9-C4	-8.58	102.97	106.40
26	BB	278	A	C5-N7-C8	-8.58	99.61	103.90
1	AA	108	G	C1'-O4'-C4'	-8.58	103.03	109.90
1	AA	279	A	C5'-C4'-O4'	8.58	119.40	109.10
1	AA	366	A	N1-C6-N6	-8.58	113.45	118.60
1	AA	885	G	O4'-C1'-N9	8.58	115.07	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	982	U	O4'-C1'-N1	8.58	115.07	108.20
1	AA	1072	G	C8-N9-C4	-8.58	102.97	106.40
1	AA	1316	G	C8-N9-C4	-8.58	102.97	106.40
2	AB	35	C	N3-C2-O2	8.58	127.91	121.90
25	BA	86	G	C6-N1-C2	-8.58	119.95	125.10
26	BB	1805	A	N1-C2-N3	8.58	133.59	129.30
26	BB	2013	A	O4'-C1'-N9	8.58	115.07	108.20
26	BB	2453	A	N1-C2-N3	8.58	133.59	129.30
26	BB	680	C	C5'-C4'-O4'	8.58	119.40	109.10
1	AA	346	G	N3-C4-C5	-8.58	124.31	128.60
26	BB	73	A	C8-N9-C4	8.58	109.23	105.80
26	BB	1895	C	C6-N1-C2	-8.58	116.87	120.30
26	BB	1938	A	C5-C6-N6	-8.58	116.84	123.70
26	BB	2520	C	O4'-C1'-N1	8.58	115.06	108.20
26	BB	2602	A	C6-N1-C2	-8.58	113.45	118.60
28	BD	29	PHE	CB-CG-CD2	-8.58	114.79	120.80
1	AA	107	G	C4-C5-C6	8.58	123.95	118.80
1	AA	515	G	N3-C4-C5	-8.58	124.31	128.60
1	AA	897	C	C4'-C3'-C2'	-8.58	94.02	102.60
1	AA	1292	G	C4-C5-N7	8.58	114.23	110.80
26	BB	752	A	N1-C6-N6	8.58	123.75	118.60
26	BB	1051	G	N3-C4-C5	-8.58	124.31	128.60
26	BB	2372	U	C5'-C4'-O4'	8.58	119.39	109.10
1	AA	537	G	C4'-C3'-C2'	-8.57	94.03	102.60
5	AE	89	PHE	CB-CG-CD2	8.57	126.80	120.80
26	BB	2495	G	C6-C5-N7	-8.57	125.25	130.40
26	BB	339	U	C2-N3-C4	-8.57	121.86	127.00
26	BB	897	C	N3-C4-C5	8.57	125.33	121.90
1	AA	188	C	O4'-C1'-N1	8.57	115.06	108.20
3	AC	46	C	N3-C2-O2	-8.57	115.90	121.90
26	BB	952	G	C4-C5-C6	8.57	123.94	118.80
26	BB	1286	A	C8-N9-C4	-8.57	102.37	105.80
26	BB	2628	C	N3-C4-C5	-8.57	118.47	121.90
1	AA	218	U	C2-N3-C4	-8.57	121.86	127.00
1	AA	586	C	C2-N3-C4	8.57	124.19	119.90
26	BB	274	C	C3'-C2'-C1'	-8.57	94.64	101.50
12	AL	118	ARG	NE-CZ-NH1	8.57	124.58	120.30
26	BB	24	G	N1-C6-O6	-8.57	114.76	119.90
26	BB	625	G	C5-C6-O6	8.57	133.74	128.60
26	BB	1964	G	O4'-C1'-C2'	-8.57	97.23	105.80
26	BB	2325	G	N9-C4-C5	8.57	108.83	105.40
1	AA	149	A	C6-N1-C2	-8.57	113.46	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	242	G	C8-N9-C4	-8.57	102.97	106.40
1	AA	1122	U	C4-C5-C6	8.57	124.84	119.70
1	AA	209	U	C6-N1-C2	-8.57	115.86	121.00
1	AA	257	G	C6-N1-C2	-8.57	119.96	125.10
1	AA	362	G	C6-C5-N7	-8.57	125.26	130.40
26	BB	424	G	C2-N3-C4	8.57	116.18	111.90
26	BB	715	A	O4'-C1'-N9	-8.57	101.35	108.20
26	BB	1166	G	C6-N1-C2	-8.57	119.96	125.10
26	BB	1431	A	O5'-P-OP2	-8.57	97.99	105.70
26	BB	2272	U	N1-C2-N3	8.57	120.04	114.90
26	BB	2746	U	N3-C2-O2	-8.57	116.20	122.20
1	AA	713	G	O4'-C1'-N9	8.56	115.05	108.20
1	AA	731	G	P-O3'-C3'	8.56	129.98	119.70
1	AA	785	G	C4-C5-N7	-8.56	107.38	110.80
25	BA	41	G	C5-C6-N1	8.56	115.78	111.50
26	BB	72	U	O4'-C1'-N1	8.56	115.05	108.20
26	BB	174	U	C4-C5-C6	8.56	124.84	119.70
26	BB	295	G	C8-N9-C4	-8.56	102.97	106.40
26	BB	309	A	C5-N7-C8	-8.56	99.62	103.90
26	BB	889	C	O4'-C1'-N1	8.56	115.05	108.20
26	BB	967	U	N3-C4-O4	8.56	125.39	119.40
26	BB	1680	U	N3-C2-O2	-8.56	116.20	122.20
26	BB	1277	G	C2-N3-C4	8.56	116.18	111.90
27	BC	122	ARG	NE-CZ-NH2	-8.56	116.02	120.30
1	AA	164	G	N3-C4-C5	-8.56	124.32	128.60
2	AB	18	G	C5-C6-O6	8.56	133.74	128.60
25	BA	39	A	N1-C2-N3	8.56	133.58	129.30
1	AA	408	A	C8-N9-C4	-8.56	102.38	105.80
26	BB	1381	G	C6-C5-N7	-8.56	125.26	130.40
26	BB	1973	G	C5-N7-C8	-8.56	100.02	104.30
26	BB	1949	G	C5'-C4'-O4'	8.56	119.37	109.10
1	AA	753	A	C5'-C4'-C3'	-8.56	102.31	116.00
26	BB	1502	A	C2-N3-C4	8.56	114.88	110.60
25	BA	101	A	O4'-C1'-N9	8.56	115.05	108.20
26	BB	974	G	N3-C4-C5	-8.56	124.32	128.60
26	BB	1967	C	N3-C4-C5	-8.56	118.48	121.90
26	BB	1152	C	N3-C4-C5	-8.56	118.48	121.90
26	BB	2458	G	O4'-C4'-C3'	8.56	112.95	106.10
1	AA	298	A	N9-C4-C5	8.56	109.22	105.80
1	AA	439	U	N1-C2-N3	8.56	120.03	114.90
1	AA	1363	A	C8-N9-C4	-8.56	102.38	105.80
26	BB	1214	A	O4'-C1'-N9	8.56	115.04	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	42	G	N1-C6-O6	-8.55	114.77	119.90
1	AA	298	A	C3'-C2'-C1'	8.55	108.34	101.50
1	AA	406	G	C4-C5-C6	8.55	123.93	118.80
26	BB	1382	G	O4'-C1'-N9	8.55	115.04	108.20
26	BB	2004	G	N1-C2-N3	-8.55	118.77	123.90
40	BP	63	ARG	NE-CZ-NH1	8.55	124.58	120.30
1	AA	1276	G	N9-C4-C5	8.55	108.82	105.40
8	AH	40	ASP	CB-CG-OD1	-8.55	110.60	118.30
26	BB	1644	C	N3-C4-C5	-8.55	118.48	121.90
26	BB	1702	G	C1'-O4'-C4'	-8.55	103.06	109.90
26	BB	2298	A	N9-C4-C5	8.55	109.22	105.80
1	AA	86	G	N9-C4-C5	8.55	108.82	105.40
1	AA	692	U	N3-C4-O4	8.55	125.39	119.40
1	AA	1479	C	C5-C6-N1	8.55	125.28	121.00
26	BB	3	U	C3'-C2'-C1'	8.55	108.34	101.50
26	BB	42	A	P-O3'-C3'	8.55	129.96	119.70
26	BB	1417	C	N3-C4-C5	-8.55	118.48	121.90
26	BB	1429	G	C6-N1-C2	-8.55	119.97	125.10
1	AA	992	U	C5-C4-O4	-8.55	120.77	125.90
3	AC	40	G	C5-N7-C8	-8.55	100.03	104.30
26	BB	288	U	N3-C4-C5	-8.55	109.47	114.60
26	BB	1744	A	C8-N9-C4	-8.55	102.38	105.80
1	AA	1203	C	N3-C4-C5	-8.55	118.48	121.90
26	BB	2454	G	C2-N3-C4	8.55	116.17	111.90
26	BB	2640	G	C6-C5-N7	-8.55	125.27	130.40
26	BB	2846	G	C6-N1-C2	-8.55	119.97	125.10
26	BB	863	A	N3-C4-C5	-8.55	120.82	126.80
1	AA	108	G	C4-C5-N7	-8.54	107.38	110.80
1	AA	1162	C	N3-C4-N4	8.54	123.98	118.00
26	BB	457	A	C4-C5-N7	-8.54	106.43	110.70
26	BB	1786	A	C4-C5-C6	-8.54	112.73	117.00
26	BB	2054	A	C6-N1-C2	-8.54	113.47	118.60
1	AA	301	G	C5-N7-C8	-8.54	100.03	104.30
26	BB	77	G	C6-C5-N7	-8.54	125.27	130.40
1	AA	392	C	N3-C4-C5	-8.54	118.48	121.90
25	BA	20	G	C4-C5-N7	-8.54	107.38	110.80
26	BB	672	C	O4'-C1'-N1	8.54	115.03	108.20
26	BB	1263	U	C5-C4-O4	-8.54	120.77	125.90
26	BB	1732	C	N3-C4-C5	-8.54	118.48	121.90
26	BB	2064	C	N3-C4-C5	8.54	125.32	121.90
26	BB	2387	U	C5-C4-O4	-8.54	120.78	125.90
1	AA	1039	G	N3-C2-N2	-8.54	113.92	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2300	C	N3-C4-C5	-8.54	118.48	121.90
1	AA	2	A	C3'-C2'-C1'	8.54	108.33	101.50
1	AA	1522	U	C4-C5-C6	8.54	124.82	119.70
26	BB	708	G	C4-C5-N7	8.54	114.22	110.80
26	BB	1067	A	N9-C4-C5	8.54	109.22	105.80
26	BB	1850	G	C8-N9-C4	-8.54	102.99	106.40
1	AA	555	U	N3-C4-O4	8.53	125.37	119.40
1	AA	762	U	O4'-C1'-N1	8.53	115.03	108.20
1	AA	1507	A	N7-C8-N9	8.53	118.07	113.80
26	BB	1041	G	N9-C4-C5	8.54	108.81	105.40
26	BB	1285	A	C2-N3-C4	8.54	114.87	110.60
26	BB	1661	G	O4'-C1'-N9	8.53	115.03	108.20
26	BB	1937	A	C2-N3-C4	-8.54	106.33	110.60
26	BB	2810	A	C2-N3-C4	8.54	114.87	110.60
45	BU	88	ARG	NE-CZ-NH2	8.54	124.57	120.30
1	AA	811	C	C5-C4-N4	-8.53	114.23	120.20
25	BA	19	C	N3-C4-C5	-8.53	118.49	121.90
26	BB	1578	U	C4-C5-C6	-8.53	114.58	119.70
1	AA	143	A	C4-C5-C6	-8.53	112.73	117.00
1	AA	1283	U	N1-C2-N3	8.53	120.02	114.90
26	BB	48	G	C5-C6-O6	8.53	133.72	128.60
26	BB	1637	A	C8-N9-C4	-8.53	102.39	105.80
1	AA	79	G	C6-N1-C2	-8.53	119.98	125.10
26	BB	705	A	C6-C5-N7	8.53	138.27	132.30
26	BB	2068	U	N3-C4-O4	8.53	125.37	119.40
26	BB	2534	A	C4-C5-N7	-8.53	106.44	110.70
1	AA	1534	A	C2-N3-C4	8.53	114.86	110.60
26	BB	1750	G	C5-N7-C8	8.53	108.56	104.30
1	AA	117	G	N7-C8-N9	8.53	117.36	113.10
1	AA	1092	A	C5-C6-N1	-8.53	113.44	117.70
1	AA	1186	G	N7-C8-N9	8.53	117.36	113.10
1	AA	1482	G	C5-N7-C8	8.53	108.56	104.30
26	BB	1133	A	N1-C2-N3	-8.53	125.04	129.30
26	BB	1964	G	C4'-C3'-C2'	-8.53	94.07	102.60
1	AA	1254	A	P-O3'-C3'	8.52	129.93	119.70
26	BB	940	G	C5-C6-N1	8.52	115.76	111.50
1	AA	322	C	N3-C4-N4	8.52	123.97	118.00
1	AA	669	G	C4-C5-N7	8.52	114.21	110.80
1	AA	918	A	C5-N7-C8	8.52	108.16	103.90
26	BB	175	G	N3-C4-C5	-8.52	124.34	128.60
26	BB	290	U	O4'-C1'-N1	8.52	115.02	108.20
26	BB	2014	A	N1-C6-N6	8.52	123.71	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2868	A	N1-C6-N6	-8.52	113.48	118.60
1	AA	795	C	C5-C4-N4	8.52	126.17	120.20
26	BB	23	G	N3-C4-C5	-8.52	124.34	128.60
26	BB	37	C	C6-N1-C2	-8.52	116.89	120.30
26	BB	735	A	C4'-C3'-C2'	-8.52	94.08	102.60
26	BB	2141	G	N9-C1'-C2'	-8.52	102.63	112.00
26	BB	1649	G	N3-C4-C5	8.52	132.86	128.60
1	AA	1062	U	N3-C2-O2	-8.52	116.24	122.20
26	BB	499	U	O4'-C1'-N1	8.52	115.01	108.20
26	BB	2217	G	C2-N3-C4	8.52	116.16	111.90
26	BB	2800	A	C2-N3-C4	-8.52	106.34	110.60
1	AA	491	G	N1-C2-N2	8.52	123.86	116.20
1	AA	601	G	N1-C6-O6	-8.52	114.79	119.90
1	AA	1323	G	C5-C6-N1	8.52	115.76	111.50
4	AD	68	C	N3-C4-N4	8.52	123.96	118.00
25	BA	102	G	C4-C5-N7	-8.52	107.39	110.80
26	BB	332	A	C4-C5-C6	8.52	121.26	117.00
26	BB	1033	U	C5-C4-O4	-8.52	120.79	125.90
26	BB	1429	G	C2-N3-C4	8.52	116.16	111.90
26	BB	1850	G	O4'-C1'-N9	8.52	115.01	108.20
1	AA	893	C	C4-C5-C6	-8.51	113.14	117.40
1	AA	922	G	C4-C5-C6	8.51	123.91	118.80
26	BB	2138	G	C8-N9-C4	-8.51	103.00	106.40
1	AA	172	A	C8-N9-C4	-8.51	102.39	105.80
26	BB	824	U	C4'-C3'-C2'	-8.51	94.09	102.60
26	BB	1026	G	N3-C4-N9	8.51	131.11	126.00
26	BB	1415	U	C6-N1-C2	-8.51	115.89	121.00
26	BB	2625	G	N3-C4-C5	-8.51	124.34	128.60
26	BB	1567	G	C3'-C2'-C1'	-8.51	94.69	101.50
26	BB	1638	C	O4'-C1'-N1	8.51	115.01	108.20
1	AA	1431	A	C3'-C2'-C1'	8.51	108.31	101.50
26	BB	729	G	C4-C5-C6	8.51	123.91	118.80
26	BB	1265	A	C5-C6-N6	-8.51	116.89	123.70
26	BB	1502	A	N9-C4-C5	8.51	109.20	105.80
26	BB	1540	G	C5-C6-O6	-8.51	123.49	128.60
26	BB	1704	C	N1-C2-N3	8.51	125.16	119.20
38	BN	66	PHE	CB-CG-CD1	-8.51	114.84	120.80
1	AA	981	U	C5-C6-N1	-8.51	118.45	122.70
25	BA	55	U	N3-C2-O2	-8.51	116.25	122.20
25	BA	19	C	N3-C4-N4	8.51	123.95	118.00
26	BB	210	C	C5-C6-N1	8.51	125.25	121.00
26	BB	1768	C	O4'-C1'-N1	8.51	115.00	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
44	BT	83	TYR	CB-CG-CD2	-8.51	115.90	121.00
1	AA	529	G	N1-C6-O6	8.50	125.00	119.90
1	AA	536	C	N3-C4-C5	8.50	125.30	121.90
26	BB	547	A	C5-N7-C8	-8.50	99.65	103.90
1	AA	224	U	C2-N3-C4	-8.50	121.90	127.00
1	AA	1161	C	N3-C4-C5	8.50	125.30	121.90
26	BB	3	U	C4-C5-C6	8.50	124.80	119.70
26	BB	469	G	C4-C5-C6	8.50	123.90	118.80
26	BB	488	G	C5-C6-O6	-8.50	123.50	128.60
26	BB	829	A	O4'-C4'-C3'	8.50	112.90	106.10
26	BB	1392	A	N1-C6-N6	-8.50	113.50	118.60
26	BB	2502	G	C8-N9-C4	-8.50	103.00	106.40
26	BB	1639	C	C2-N3-C4	8.50	124.15	119.90
26	BB	2154	A	C1'-O4'-C4'	-8.50	103.10	109.90
1	AA	765	G	C8-N9-C4	8.50	109.80	106.40
1	AA	1079	G	C1'-O4'-C4'	8.50	116.70	109.90
1	AA	1148	U	N3-C2-O2	-8.50	116.25	122.20
3	AC	56	G	N1-C6-O6	-8.50	114.80	119.90
26	BB	830	G	C5'-C4'-O4'	-8.50	98.90	109.10
26	BB	1354	A	N1-C6-N6	8.50	123.70	118.60
26	BB	1914	C	O4'-C1'-N1	8.50	115.00	108.20
26	BB	2429	G	C6-N1-C2	-8.50	120.00	125.10
26	BB	2638	G	C5-N7-C8	8.50	108.55	104.30
1	AA	63	C	N3-C2-O2	-8.50	115.95	121.90
1	AA	744	C	C3'-C2'-C1'	-8.50	94.70	101.50
1	AA	960	U	P-O3'-C3'	8.50	129.90	119.70
1	AA	1159	U	C6-N1-C2	8.50	126.10	121.00
1	AA	1233	G	N1-C2-N2	8.50	123.85	116.20
26	BB	1012	U	C1'-O4'-C4'	-8.50	103.10	109.90
26	BB	1304	A	C8-N9-C4	-8.50	102.40	105.80
26	BB	1449	G	C8-N9-C4	-8.50	103.00	106.40
29	BE	59	ARG	NE-CZ-NH2	8.50	124.55	120.30
1	AA	237	G	N9-C4-C5	8.49	108.80	105.40
1	AA	761	G	N9-C4-C5	8.49	108.80	105.40
1	AA	1460	C	O4'-C1'-N1	8.49	115.00	108.20
1	AA	646	G	N9-C4-C5	8.49	108.80	105.40
1	AA	876	C	N3-C4-C5	-8.49	118.50	121.90
26	BB	444	C	C6-N1-C2	-8.49	116.90	120.30
26	BB	1224	U	N1-C2-O2	-8.49	116.85	122.80
26	BB	888	C	O4'-C1'-N1	8.49	114.99	108.20
26	BB	1229	C	C5-C4-N4	-8.49	114.25	120.20
26	BB	1275	A	N9-C4-C5	8.49	109.20	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1790	C	N3-C2-O2	-8.49	115.95	121.90
26	BB	2014	A	C2-N3-C4	8.49	114.85	110.60
26	BB	2268	A	C4-C5-N7	8.49	114.95	110.70
26	BB	2448	A	N3-C4-C5	-8.49	120.86	126.80
1	AA	587	G	N3-C2-N2	8.49	125.84	119.90
1	AA	1260	G	N3-C4-N9	8.49	131.09	126.00
1	AA	1458	G	C2-N3-C4	8.49	116.14	111.90
26	BB	207	A	O4'-C1'-N9	8.49	114.99	108.20
26	BB	314	C	N1-C2-O2	8.49	123.99	118.90
1	AA	31	G	C8-N9-C4	-8.49	103.00	106.40
24	AX	61	ARG	NE-CZ-NH1	8.49	124.54	120.30
26	BB	1421	G	N1-C2-N2	8.49	123.84	116.20
1	AA	1196	A	O4'-C4'-C3'	8.49	112.89	106.10
26	BB	1812	U	C3'-C2'-C1'	8.49	108.29	101.50
26	BB	358	U	N1-C1'-C2'	-8.48	102.67	112.00
26	BB	1933	G	N3-C2-N2	-8.48	113.96	119.90
1	AA	493	A	N3-C4-N9	8.48	134.19	127.40
26	BB	370	G	C5-N7-C8	-8.48	100.06	104.30
26	BB	703	U	C5-C4-O4	-8.48	120.81	125.90
26	BB	1815	A	C5'-C4'-O4'	-8.48	98.92	109.10
26	BB	2067	G	O4'-C1'-N9	8.48	114.99	108.20
1	AA	61	G	C6-N1-C2	-8.48	120.01	125.10
1	AA	842	U	C6-N1-C2	-8.48	115.91	121.00
1	AA	1216	A	N3-C4-C5	-8.48	120.86	126.80
1	AA	1379	G	C6-C5-N7	-8.48	125.31	130.40
26	BB	1620	G	N7-C8-N9	8.48	117.34	113.10
26	BB	1954	G	N7-C8-N9	8.48	117.34	113.10
1	AA	149	A	O4'-C4'-C3'	8.48	112.88	106.10
1	AA	344	A	N9-C4-C5	8.48	109.19	105.80
26	BB	50	U	N3-C2-O2	-8.48	116.26	122.20
26	BB	1375	U	C5-C6-N1	-8.48	118.46	122.70
26	BB	1851	U	N1-C2-N3	8.48	119.99	114.90
1	AA	108	G	N9-C4-C5	8.48	108.79	105.40
1	AA	283	U	N3-C4-C5	-8.48	109.51	114.60
1	AA	351	G	C5-N7-C8	-8.48	100.06	104.30
26	BB	570	G	N7-C8-N9	8.48	117.34	113.10
26	BB	2656	U	C4-C5-C6	8.48	124.79	119.70
1	AA	424	G	N1-C6-O6	-8.48	114.81	119.90
1	AA	761	G	C4-C5-N7	-8.48	107.41	110.80
1	AA	1185	G	O4'-C1'-N9	8.48	114.98	108.20
26	BB	38	A	C5-C6-N1	8.48	121.94	117.70
26	BB	949	G	N1-C6-O6	-8.48	114.81	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1963	U	N1-C2-O2	8.48	128.74	122.80
26	BB	2722	G	N3-C4-C5	-8.48	124.36	128.60
26	BB	363	G	C8-N9-C4	-8.48	103.01	106.40
26	BB	855	G	C5-C6-N1	8.48	115.74	111.50
1	AA	596	A	C5-N7-C8	-8.47	99.66	103.90
3	AC	47	C	N3-C2-O2	-8.47	115.97	121.90
26	BB	316	C	C4-C5-C6	8.47	121.64	117.40
26	BB	724	U	N3-C4-C5	-8.47	109.52	114.60
26	BB	1335	C	C2-N3-C4	-8.47	115.66	119.90
26	BB	1855	U	C5'-C4'-C3'	-8.47	102.44	116.00
26	BB	2490	G	N1-C2-N3	-8.47	118.81	123.90
26	BB	2545	G	N3-C4-C5	-8.47	124.36	128.60
26	BB	2666	C	N1-C2-O2	8.47	123.98	118.90
4	AD	76	C	C1'-O4'-C4'	-8.47	103.12	109.90
26	BB	44	A	C8-N9-C4	-8.47	102.41	105.80
26	BB	1385	A	N3-C4-C5	-8.47	120.87	126.80
26	BB	2828	G	C5-N7-C8	8.47	108.54	104.30
1	AA	217	C	C5-C6-N1	-8.47	116.77	121.00
1	AA	311	C	O4'-C1'-N1	8.47	114.98	108.20
1	AA	861	G	C6-C5-N7	-8.47	125.32	130.40
1	AA	1067	A	C6-N1-C2	-8.47	113.52	118.60
26	BB	134	G	C4-C5-N7	-8.47	107.41	110.80
26	BB	433	C	O4'-C1'-N1	8.47	114.98	108.20
26	BB	2508	G	C8-N9-C4	-8.47	103.01	106.40
1	AA	410	G	C5'-C4'-C3'	-8.47	102.45	116.00
1	AA	1185	G	C2-N3-C4	8.47	116.13	111.90
26	BB	74	A	C3'-C2'-C1'	8.47	108.27	101.50
26	BB	742	A	C5-C6-N6	-8.47	116.93	123.70
26	BB	1799	G	C5'-C4'-O4'	8.47	119.26	109.10
26	BB	1338	G	C5-C6-N1	-8.47	107.27	111.50
26	BB	2510	C	N3-C4-N4	8.47	123.93	118.00
1	AA	431	A	C8-N9-C4	-8.47	102.41	105.80
25	BA	110	C	N3-C4-C5	-8.46	118.51	121.90
26	BB	392	U	C2-N3-C4	-8.46	121.92	127.00
26	BB	629	G	C4-C5-C6	8.46	123.88	118.80
26	BB	1184	U	C4-C5-C6	8.46	124.78	119.70
26	BB	1854	A	C6-N1-C2	8.46	123.68	118.60
26	BB	2025	C	O4'-C1'-N1	8.46	114.97	108.20
26	BB	2232	C	N1-C2-O2	8.47	123.98	118.90
26	BB	2520	C	C5-C4-N4	8.46	126.12	120.20
1	AA	372	C	N1-C2-O2	8.46	123.98	118.90
1	AA	435	A	C4-C5-C6	-8.46	112.77	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	758	C	N3-C4-N4	8.46	123.92	118.00
1	AA	974	A	C5-C6-N1	-8.46	113.47	117.70
26	BB	2618	G	C5-C6-O6	-8.46	123.52	128.60
1	AA	148	G	O4'-C1'-N9	8.46	114.97	108.20
1	AA	1125	U	O4'-C4'-C3'	8.46	112.87	106.10
26	BB	223	A	C2-N3-C4	-8.46	106.37	110.60
26	BB	635	C	C6-N1-C2	8.46	123.68	120.30
26	BB	1722	A	C2-N3-C4	-8.46	106.37	110.60
26	BB	1845	G	C4-C5-N7	-8.46	107.42	110.80
26	BB	2168	G	C6-N1-C2	-8.46	120.02	125.10
26	BB	2209	G	N3-C4-N9	8.46	131.08	126.00
26	BB	2406	A	O4'-C4'-C3'	8.46	112.87	106.10
1	AA	1017	U	C4'-C3'-C2'	-8.46	94.14	102.60
1	AA	1034	G	N1-C2-N3	-8.46	118.83	123.90
1	AA	1323	G	N9-C4-C5	-8.46	102.02	105.40
26	BB	2791	G	O4'-C1'-N9	8.46	114.97	108.20
1	AA	415	A	O4'-C1'-N9	8.46	114.97	108.20
26	BB	261	G	C4-C5-N7	-8.46	107.42	110.80
26	BB	417	C	N3-C2-O2	-8.46	115.98	121.90
26	BB	891	G	N7-C8-N9	-8.46	108.87	113.10
26	BB	1288	G	N3-C4-C5	-8.46	124.37	128.60
26	BB	1011	G	N3-C2-N2	-8.46	113.98	119.90
26	BB	2035	G	C1'-O4'-C4'	-8.46	103.13	109.90
26	BB	2870	C	C6-N1-C2	-8.46	116.92	120.30
26	BB	1840	G	C5-C6-O6	-8.46	123.53	128.60
1	AA	517	G	N1-C2-N3	-8.45	118.83	123.90
1	AA	660	C	O4'-C1'-N1	8.45	114.96	108.20
1	AA	1229	A	N1-C6-N6	8.46	123.67	118.60
1	AA	1496	C	C1'-O4'-C4'	8.45	116.66	109.90
26	BB	367	G	C5-C6-O6	-8.46	123.53	128.60
26	BB	1759	A	N7-C8-N9	8.45	118.03	113.80
1	AA	1106	G	N1-C2-N3	-8.45	118.83	123.90
26	BB	1660	G	C2-N3-C4	8.45	116.13	111.90
1	AA	1020	G	N1-C6-O6	-8.45	114.83	119.90
1	AA	1503	A	O4'-C1'-N9	8.45	114.96	108.20
26	BB	179	C	C5-C6-N1	8.45	125.22	121.00
26	BB	853	C	C2-N3-C4	8.45	124.13	119.90
26	BB	983	A	C5-C6-N1	8.45	121.93	117.70
26	BB	1763	G	O4'-C1'-N9	8.45	114.96	108.20
26	BB	2019	A	N9-C4-C5	8.45	109.18	105.80
26	BB	2222	C	C4-C5-C6	8.45	121.63	117.40
43	BS	46	TYR	CB-CG-CD2	-8.45	115.93	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
49	BY	40	ARG	NE-CZ-NH2	-8.45	116.08	120.30
1	AA	831	A	C8-N9-C4	-8.45	102.42	105.80
4	AD	73	A	C6-N1-C2	8.45	123.67	118.60
26	BB	768	G	N7-C8-N9	8.45	117.33	113.10
26	BB	2885	G	O3'-P-O5'	-8.45	87.94	104.00
26	BB	2139	U	C5'-C4'-C3'	-8.45	102.48	116.00
26	BB	2332	C	C5-C6-N1	8.45	125.22	121.00
1	AA	689	C	O4'-C1'-N1	8.45	114.96	108.20
26	BB	18	U	C5-C6-N1	8.45	126.92	122.70
1	AA	735	C	N1-C1'-C2'	-8.45	102.71	112.00
5	AE	138	ARG	NE-CZ-NH2	-8.45	116.08	120.30
26	BB	2095	A	O4'-C4'-C3'	8.45	112.86	106.10
26	BB	441	U	N3-C4-C5	8.44	119.67	114.60
26	BB	830	G	N3-C4-C5	-8.45	124.38	128.60
26	BB	2033	A	O4'-C1'-C2'	-8.45	97.36	105.80
26	BB	2623	G	N3-C2-N2	-8.45	113.99	119.90
1	AA	737	C	N1-C2-O2	8.44	123.97	118.90
26	BB	1082	U	N1-C2-N3	8.44	119.97	114.90
1	AA	1182	G	N9-C4-C5	8.44	108.78	105.40
26	BB	1165	A	C5-C6-N1	8.44	121.92	117.70
26	BB	1290	C	N3-C4-C5	8.44	125.28	121.90
26	BB	2822	G	C2-N3-C4	8.44	116.12	111.90
26	BB	1913	A	N9-C4-C5	8.44	109.18	105.80
26	BB	2330	G	C6-C5-N7	-8.44	125.33	130.40
1	AA	443	C	N3-C2-O2	-8.44	115.99	121.90
26	BB	506	G	C5-N7-C8	-8.44	100.08	104.30
26	BB	1627	G	C1'-O4'-C4'	-8.44	103.15	109.90
26	BB	2434	A	C1'-O4'-C4'	-8.44	103.15	109.90
1	AA	410	G	C5-N7-C8	8.44	108.52	104.30
1	AA	1094	G	C4-C5-N7	-8.44	107.42	110.80
1	AA	1323	G	N1-C2-N3	-8.44	118.84	123.90
1	AA	103	U	N3-C4-O4	8.44	125.30	119.40
25	BA	1	U	C4-C5-C6	8.44	124.76	119.70
26	BB	297	G	N9-C4-C5	8.44	108.78	105.40
26	BB	704	G	P-O3'-C3'	8.44	129.82	119.70
26	BB	917	A	C2-N3-C4	8.44	114.82	110.60
26	BB	1030	C	O4'-C4'-C3'	-8.44	95.56	104.00
26	BB	1628	G	N3-C2-N2	-8.44	114.00	119.90
26	BB	1889	A	C2-N3-C4	8.44	114.82	110.60
26	BB	2040	G	C2-N3-C4	8.44	116.12	111.90
1	AA	1237	C	C6-N1-C2	8.43	123.67	120.30
1	AA	730	G	C4-C5-N7	-8.43	107.43	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1214	A	C4-C5-N7	8.43	114.92	110.70
26	BB	1301	A	C6-N1-C2	-8.43	113.54	118.60
26	BB	1502	A	C6-N1-C2	8.43	123.66	118.60
26	BB	1312	U	N1-C2-N3	8.43	119.96	114.90
34	BJ	67	PRO	N-CA-CB	8.43	113.42	103.30
1	AA	422	C	N3-C4-C5	8.43	125.27	121.90
1	AA	541	G	N1-C2-N2	8.43	123.79	116.20
3	AC	59	A	C4-C5-C6	-8.43	112.78	117.00
29	BE	101	PHE	CB-CG-CD1	-8.43	114.90	120.80
1	AA	625	U	C2-N3-C4	-8.43	121.94	127.00
1	AA	1400	C	O4'-C1'-N1	8.43	114.94	108.20
26	BB	287	G	C6-C5-N7	8.43	135.46	130.40
26	BB	310	A	N3-C4-C5	-8.43	120.90	126.80
26	BB	2533	U	O4'-C1'-N1	8.43	114.94	108.20
26	BB	2597	G	C5-C6-O6	8.43	133.66	128.60
26	BB	2868	A	N3-C4-N9	8.43	134.14	127.40
1	AA	251	G	C1'-O4'-C4'	-8.43	103.16	109.90
1	AA	1095	U	C5-C4-O4	8.43	130.96	125.90
4	AD	35	C	N1-C2-O2	8.43	123.96	118.90
26	BB	812	C	C4'-C3'-C2'	-8.43	94.17	102.60
26	BB	1057	A	C5-C6-N1	8.43	121.91	117.70
26	BB	1323	C	N1-C2-O2	8.43	123.96	118.90
1	AA	1539	C	N3-C4-N4	-8.43	112.10	118.00
26	BB	103	A	N7-C8-N9	8.43	118.01	113.80
26	BB	1821	A	O4'-C1'-C2'	8.43	115.18	107.60
26	BB	2518	A	N1-C6-N6	-8.43	113.54	118.60
26	BB	2870	C	O4'-C1'-N1	8.43	114.94	108.20
1	AA	476	U	O4'-C1'-N1	8.42	114.94	108.20
1	AA	802	A	O4'-C1'-N9	8.42	114.94	108.20
1	AA	1225	A	O4'-C1'-N9	8.42	114.94	108.20
1	AA	1459	G	O4'-C1'-N9	8.42	114.94	108.20
4	AD	65	G	C5-C6-N1	8.42	115.71	111.50
26	BB	1075	C	C4'-C3'-C2'	-8.42	94.18	102.60
26	BB	1956	U	C5'-C4'-O4'	8.42	119.21	109.10
26	BB	2337	G	N1-C2-N3	-8.42	118.85	123.90
26	BB	2436	G	N3-C4-N9	-8.42	120.95	126.00
26	BB	2684	U	N3-C2-O2	-8.42	116.31	122.20
26	BB	377	G	C4'-C3'-C2'	-8.42	94.18	102.60
26	BB	1472	C	C5-C4-N4	-8.42	114.31	120.20
1	AA	519	C	C6-N1-C2	-8.42	116.93	120.30
1	AA	709	U	N1-C2-N3	8.42	119.95	114.90
1	AA	796	C	N3-C2-O2	-8.42	116.01	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	825	A	C5-N7-C8	-8.42	99.69	103.90
4	AD	4	G	C2-N3-C4	8.42	116.11	111.90
26	BB	498	G	C8-N9-C4	-8.42	103.03	106.40
26	BB	1343	G	N9-C4-C5	8.42	108.77	105.40
26	BB	2671	G	N3-C4-C5	-8.42	124.39	128.60
26	BB	1	G	C6-C5-N7	-8.42	125.35	130.40
26	BB	184	C	N3-C4-N4	8.42	123.89	118.00
26	BB	2171	A	C3'-C2'-C1'	-8.42	94.77	101.50
2	AB	72	U	O4'-C1'-N1	8.42	114.93	108.20
3	AC	44	U	N1-C2-N3	8.42	119.95	114.90
26	BB	18	U	N3-C2-O2	-8.42	116.31	122.20
26	BB	177	G	C5-N7-C8	-8.42	100.09	104.30
26	BB	518	G	N9-C4-C5	8.42	108.77	105.40
26	BB	1120	G	C4-C5-N7	8.42	114.17	110.80
26	BB	1999	C	N3-C4-C5	8.42	125.27	121.90
1	AA	192	A	C5-C6-N6	-8.41	116.97	123.70
1	AA	1224	U	C5-C4-O4	-8.41	120.85	125.90
4	AD	46	G	C6-N1-C2	-8.41	120.05	125.10
1	AA	624	C	C5-C6-N1	8.41	125.21	121.00
1	AA	1425	U	C5-C6-N1	-8.41	118.49	122.70
26	BB	2724	U	N3-C2-O2	-8.41	116.31	122.20
1	AA	216	U	N3-C4-C5	-8.41	109.55	114.60
1	AA	837	U	C2-N3-C4	-8.41	121.95	127.00
26	BB	472	A	C5'-C4'-O4'	8.41	119.19	109.10
26	BB	687	C	N1-C2-O2	8.41	123.94	118.90
26	BB	1177	G	N3-C4-C5	-8.41	124.39	128.60
26	BB	2661	G	N1-C6-O6	8.41	124.94	119.90
1	AA	1386	G	C5-C6-N1	8.41	115.70	111.50
26	BB	86	G	C2-N3-C4	8.41	116.10	111.90
26	BB	1108	U	O4'-C1'-N1	8.41	114.93	108.20
26	BB	1194	A	C8-N9-C4	-8.41	102.44	105.80
26	BB	1981	A	C5-C6-N1	8.41	121.90	117.70
26	BB	2751	G	C3'-C2'-C1'	-8.41	94.77	101.50
26	BB	1895	C	N1-C2-N3	8.40	125.08	119.20
1	AA	1223	C	N3-C2-O2	-8.40	116.02	121.90
26	BB	1861	G	C3'-C2'-C1'	8.40	108.22	101.50
26	BB	2157	G	N3-C2-N2	8.40	125.78	119.90
1	AA	272	C	C1'-O4'-C4'	-8.40	103.18	109.90
1	AA	669	G	N3-C2-N2	8.40	125.78	119.90
26	BB	836	G	C6-C5-N7	8.40	135.44	130.40
26	BB	1755	A	N1-C6-N6	8.40	123.64	118.60
26	BB	2349	G	N1-C6-O6	8.40	124.94	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	532	A	N1-C6-N6	-8.40	113.56	118.60
1	AA	86	G	C4-C5-N7	-8.40	107.44	110.80
1	AA	340	U	C5'-C4'-O4'	8.40	119.18	109.10
26	BB	488	G	N3-C4-C5	-8.40	124.40	128.60
26	BB	763	G	C3'-C2'-C1'	-8.40	94.78	101.50
26	BB	1120	G	N7-C8-N9	8.40	117.30	113.10
1	AA	201	G	C4-C5-N7	8.39	114.16	110.80
1	AA	401	C	C5-C6-N1	8.39	125.20	121.00
1	AA	623	C	O4'-C1'-N1	8.39	114.92	108.20
1	AA	1172	C	C6-N1-C2	-8.39	116.94	120.30
1	AA	1178	G	C4-C5-N7	-8.39	107.44	110.80
1	AA	1239	A	C4-C5-N7	-8.39	106.50	110.70
26	BB	585	G	C8-N9-C4	-8.39	103.04	106.40
26	BB	2740	A	C5-C6-N1	-8.39	113.50	117.70
31	BG	29	ARG	NE-CZ-NH1	8.39	124.50	120.30
1	AA	183	C	C4'-C3'-C2'	-8.39	94.21	102.60
26	BB	511	U	C3'-C2'-C1'	8.39	108.21	101.50
26	BB	2439	A	C5-N7-C8	8.39	108.10	103.90
26	BB	2456	C	C5-C4-N4	-8.39	114.33	120.20
1	AA	77	A	C5-C6-N1	-8.39	113.51	117.70
1	AA	857	C	O4'-C1'-N1	8.39	114.91	108.20
1	AA	1465	A	C4-C5-C6	8.39	121.19	117.00
1	AA	110	C	C5'-C4'-O4'	8.39	119.16	109.10
1	AA	1284	C	N3-C4-C5	-8.39	118.55	121.90
26	BB	2349	G	C5-N7-C8	-8.39	100.11	104.30
26	BB	2770	G	C2-N3-C4	8.39	116.09	111.90
26	BB	696	G	N3-C4-N9	8.39	131.03	126.00
26	BB	1523	U	C5-C6-N1	-8.38	118.51	122.70
26	BB	2136	G	C2-N3-C4	-8.38	107.71	111.90
1	AA	325	A	N9-C1'-C2'	-8.38	102.78	112.00
26	BB	610	C	C6-N1-C2	8.38	123.65	120.30
26	BB	853	C	O4'-C1'-N1	8.38	114.91	108.20
26	BB	911	A	O4'-C1'-N9	8.38	114.91	108.20
26	BB	1274	A	N3-C4-C5	-8.38	120.93	126.80
26	BB	1450	G	C6-N1-C2	-8.38	120.07	125.10
26	BB	1695	G	C4-C5-N7	-8.38	107.45	110.80
1	AA	35	G	N3-C4-C5	-8.38	124.41	128.60
1	AA	262	A	C5-C6-N1	-8.38	113.51	117.70
1	AA	365	U	C1'-O4'-C4'	-8.38	103.20	109.90
1	AA	844	G	C6-N1-C2	-8.38	120.07	125.10
26	BB	652	U	N3-C2-O2	-8.38	116.33	122.20
26	BB	1001	A	N7-C8-N9	-8.38	109.61	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	917	G	C2-N3-C4	8.38	116.09	111.90
1	AA	1411	C	O4'-C1'-N1	8.38	114.90	108.20
1	AA	1515	G	C2-N3-C4	8.38	116.09	111.90
2	AB	27	C	N3-C4-N4	8.38	123.87	118.00
4	AD	4	G	C6-N1-C2	-8.38	120.07	125.10
25	BA	104	A	N9-C4-C5	8.38	109.15	105.80
26	BB	301	G	N3-C2-N2	-8.38	114.03	119.90
26	BB	2245	U	O4'-C1'-N1	8.38	114.91	108.20
26	BB	2500	U	N3-C4-O4	-8.38	113.53	119.40
26	BB	2748	A	N3-C4-N9	-8.38	120.69	127.40
1	AA	112	G	C4-C5-N7	-8.38	107.45	110.80
1	AA	875	U	C2-N3-C4	-8.38	121.97	127.00
1	AA	423	G	C5-C6-N1	8.38	115.69	111.50
1	AA	1443	C	C6-N1-C2	-8.38	116.95	120.30
4	AD	46	G	N7-C8-N9	8.38	117.29	113.10
26	BB	1732	C	C2-N3-C4	8.38	124.09	119.90
26	BB	2560	A	N1-C6-N6	-8.38	113.57	118.60
26	BB	2640	G	C3'-C2'-C1'	8.38	108.20	101.50
26	BB	479	A	N1-C6-N6	-8.38	113.57	118.60
1	AA	164	G	N3-C4-N9	8.37	131.02	126.00
26	BB	436	C	N3-C2-O2	-8.37	116.04	121.90
26	BB	1245	G	C4-C5-C6	8.37	123.82	118.80
26	BB	1483	G	C8-N9-C4	-8.38	103.05	106.40
26	BB	2781	A	C1'-O4'-C4'	-8.38	103.20	109.90
1	AA	453	G	N9-C4-C5	8.37	108.75	105.40
1	AA	914	A	N1-C2-N3	-8.37	125.11	129.30
4	AD	7	G	C5-N7-C8	8.37	108.49	104.30
26	BB	1097	U	N3-C4-O4	8.37	125.26	119.40
26	BB	1227	G	N3-C4-C5	-8.37	124.41	128.60
26	BB	1249	U	O4'-C1'-N1	8.37	114.90	108.20
26	BB	2773	C	C5-C4-N4	8.37	126.06	120.20
1	AA	49	U	C4-C5-C6	8.37	124.72	119.70
26	BB	888	C	C5-C4-N4	-8.37	114.34	120.20
26	BB	1057	A	N3-C4-N9	8.37	134.09	127.40
26	BB	2337	G	N3-C2-N2	-8.37	114.04	119.90
1	AA	183	C	C6-N1-C2	8.37	123.65	120.30
1	AA	423	G	N9-C4-C5	8.37	108.75	105.40
1	AA	583	A	C2-N3-C4	8.37	114.78	110.60
1	AA	749	A	C5-N7-C8	-8.37	99.72	103.90
1	AA	881	G	N1-C2-N3	-8.37	118.88	123.90
26	BB	132	G	C8-N9-C4	-8.37	103.05	106.40
26	BB	411	G	C6-N1-C2	-8.37	120.08	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	424	G	O4'-C1'-N9	8.37	114.89	108.20
26	BB	1732	C	O4'-C1'-N1	8.37	114.89	108.20
26	BB	1814	G	N9-C4-C5	8.37	108.75	105.40
26	BB	1839	G	C6-C5-N7	8.37	135.42	130.40
26	BB	2040	G	C4-C5-C6	8.37	123.82	118.80
26	BB	2204	G	O4'-C4'-C3'	8.37	112.79	106.10
26	BB	2513	A	C5-N7-C8	8.37	108.08	103.90
1	AA	1118	U	C5-C6-N1	-8.37	118.52	122.70
26	BB	2333	A	C5-N7-C8	-8.36	99.72	103.90
26	BB	2821	A	C2-N3-C4	8.36	114.78	110.60
36	BL	74	TYR	CB-CG-CD1	-8.36	115.98	121.00
1	AA	198	G	C5-N7-C8	-8.36	100.12	104.30
4	AD	45	A	N1-C2-N3	-8.36	125.12	129.30
25	BA	105	G	C8-N9-C4	-8.36	103.06	106.40
26	BB	485	C	N3-C4-C5	8.36	125.25	121.90
26	BB	1137	G	C5-N7-C8	-8.36	100.12	104.30
26	BB	1515	A	C4-C5-N7	-8.36	106.52	110.70
1	AA	232	G	N3-C2-N2	-8.36	114.05	119.90
1	AA	364	A	C2-N3-C4	8.36	114.78	110.60
1	AA	408	A	N7-C8-N9	8.36	117.98	113.80
1	AA	546	A	C6-C5-N7	8.36	138.15	132.30
1	AA	1335	U	C1'-O4'-C4'	-8.36	103.21	109.90
25	BA	19	C	O4'-C1'-N1	8.36	114.89	108.20
26	BB	294	A	C2-N3-C4	-8.36	106.42	110.60
26	BB	898	C	C4-C5-C6	-8.36	113.22	117.40
1	AA	769	G	C8-N9-C4	-8.36	103.06	106.40
2	AB	14	A	N3-C4-N9	-8.36	120.71	127.40
26	BB	320	A	C2-N3-C4	8.36	114.78	110.60
26	BB	938	G	N3-C2-N2	-8.36	114.05	119.90
26	BB	1083	U	N3-C2-O2	-8.36	116.35	122.20
26	BB	1192	G	C6-N1-C2	8.36	130.12	125.10
1	AA	65	A	N9-C4-C5	8.36	109.14	105.80
25	BA	20	G	O4'-C1'-C2'	8.36	115.12	107.60
1	AA	1197	A	N1-C2-N3	-8.36	125.12	129.30
26	BB	188	G	N1-C6-O6	-8.36	114.89	119.90
26	BB	198	C	C2-N3-C4	8.36	124.08	119.90
26	BB	346	A	C2-N3-C4	8.36	114.78	110.60
26	BB	1046	A	N1-C6-N6	-8.36	113.59	118.60
26	BB	1601	G	C8-N9-C4	-8.36	103.06	106.40
4	AD	72	C	C3'-C2'-C1'	8.35	108.18	101.50
26	BB	368	A	N7-C8-N9	8.35	117.98	113.80
26	BB	1245	G	N1-C2-N3	8.35	128.91	123.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1530	G	O4'-C1'-N9	8.35	114.88	108.20
26	BB	2413	G	N1-C2-N2	-8.35	108.68	116.20
1	AA	256	U	C4-C5-C6	8.35	124.71	119.70
26	BB	380	G	O4'-C1'-N9	8.35	114.88	108.20
26	BB	727	A	N9-C4-C5	8.35	109.14	105.80
26	BB	2372	U	O4'-C1'-N1	8.35	114.88	108.20
26	BB	1339	G	N3-C4-C5	-8.35	124.42	128.60
26	BB	1635	A	C5-C6-N1	8.35	121.88	117.70
49	BY	19	ARG	NE-CZ-NH2	8.35	124.48	120.30
1	AA	190	A	C5-C6-N6	8.35	130.38	123.70
26	BB	657	U	C5-C4-O4	8.35	130.91	125.90
26	BB	743	A	C5-C6-N6	-8.35	117.02	123.70
26	BB	2115	G	N9-C1'-C2'	-8.35	102.81	112.00
26	BB	2152	G	C6-C5-N7	-8.35	125.39	130.40
6	AF	82	ASP	CB-CG-OD1	-8.35	110.79	118.30
26	BB	1022	G	N3-C4-C5	-8.35	124.43	128.60
26	BB	1114	C	O4'-C1'-N1	8.35	114.88	108.20
26	BB	2423	U	N3-C2-O2	-8.35	116.36	122.20
26	BB	2450	A	C4'-C3'-C2'	-8.35	94.25	102.60
26	BB	2727	A	C4-C5-N7	-8.35	106.53	110.70
1	AA	8	A	C2-N3-C4	-8.35	106.43	110.60
1	AA	1131	G	C5-N7-C8	-8.35	100.13	104.30
1	AA	38	G	O4'-C1'-N9	8.35	114.88	108.20
1	AA	122	G	C3'-C2'-C1'	8.35	108.18	101.50
1	AA	249	U	N3-C2-O2	-8.35	116.36	122.20
1	AA	530	G	C4-C5-C6	8.35	123.81	118.80
1	AA	719	C	N3-C4-C5	-8.35	118.56	121.90
1	AA	1398	A	N1-C6-N6	-8.35	113.59	118.60
1	AA	1473	G	N3-C2-N2	8.35	125.74	119.90
1	AA	1500	A	C2-N3-C4	8.35	114.77	110.60
26	BB	2257	U	N3-C4-C5	8.35	119.61	114.60
26	BB	402	A	C3'-C2'-C1'	-8.35	94.82	101.50
26	BB	1392	A	C5-N7-C8	8.35	108.07	103.90
26	BB	2330	G	C2-N3-C4	8.35	116.07	111.90
26	BB	2365	G	C8-N9-C4	-8.35	103.06	106.40
26	BB	2819	G	C1'-O4'-C4'	-8.35	103.22	109.90
1	AA	104	G	C2-N3-C4	8.34	116.07	111.90
1	AA	175	C	N3-C4-C5	-8.34	118.56	121.90
1	AA	1346	A	C5-N7-C8	8.34	108.07	103.90
3	AC	30	U	N1-C2-N3	8.34	119.91	114.90
26	BB	1014	A	O4'-C1'-N9	8.34	114.88	108.20
26	BB	1152	C	C6-N1-C2	-8.34	116.96	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	168	G	C6-C5-N7	-8.34	125.39	130.40
26	BB	1203	U	C5-C6-N1	-8.34	118.53	122.70
26	BB	1334	G	O4'-C1'-N9	8.34	114.88	108.20
26	BB	2049	G	O4'-C1'-N9	8.34	114.87	108.20
26	BB	2218	G	C6-N1-C2	-8.34	120.09	125.10
26	BB	2691	C	N1-C1'-C2'	-8.34	102.82	112.00
1	AA	211	G	C6-N1-C2	-8.34	120.09	125.10
1	AA	517	G	C2-N3-C4	8.34	116.07	111.90
1	AA	872	A	N9-C4-C5	8.34	109.14	105.80
1	AA	1092	A	N7-C8-N9	-8.34	109.63	113.80
3	AC	56	G	N9-C4-C5	-8.34	102.06	105.40
26	BB	278	A	C5'-C4'-O4'	8.34	119.11	109.10
26	BB	764	A	C4-C5-C6	-8.34	112.83	117.00
26	BB	95	A	N7-C8-N9	8.34	117.97	113.80
26	BB	195	A	C6-N1-C2	-8.34	113.60	118.60
1	AA	799	G	O4'-C4'-C3'	8.34	112.77	106.10
26	BB	463	G	N3-C2-N2	8.34	125.74	119.90
1	AA	1196	A	O4'-C1'-N9	8.34	114.87	108.20
2	AB	59	G	O4'-C1'-N9	8.34	114.87	108.20
26	BB	2464	G	O4'-C1'-N9	8.34	114.87	108.20
26	BB	2801	G	C4-C5-N7	-8.34	107.47	110.80
25	BA	103	U	O4'-C1'-N1	8.34	114.87	108.20
26	BB	729	G	O4'-C1'-N9	8.34	114.87	108.20
26	BB	2061	G	C4-C5-N7	-8.34	107.47	110.80
26	BB	2256	G	N3-C2-N2	-8.34	114.06	119.90
1	AA	55	A	N7-C8-N9	-8.33	109.63	113.80
1	AA	181	A	C6-N1-C2	8.33	123.60	118.60
1	AA	350	G	P-O3'-C3'	8.33	129.70	119.70
1	AA	1356	G	C3'-C2'-C1'	8.33	108.17	101.50
4	AD	37	U	P-O3'-C3'	8.33	129.70	119.70
26	BB	713	G	N9-C4-C5	8.33	108.73	105.40
26	BB	715	A	C8-N9-C4	-8.33	102.47	105.80
26	BB	1294	U	N3-C2-O2	-8.33	116.37	122.20
26	BB	2835	A	C5-C6-N1	-8.33	113.53	117.70
1	AA	91	U	N3-C2-O2	-8.33	116.37	122.20
1	AA	1272	G	N7-C8-N9	8.33	117.27	113.10
26	BB	791	C	N3-C2-O2	-8.33	116.07	121.90
26	BB	1532	A	C5'-C4'-O4'	8.33	119.09	109.10
26	BB	1904	G	C5-N7-C8	8.33	108.47	104.30
1	AA	104	G	N9-C4-C5	8.33	108.73	105.40
1	AA	938	A	N1-C6-N6	-8.33	113.61	118.60
1	AA	1221	G	C5-C6-O6	-8.33	123.60	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	27	A	P-O3'-C3'	8.33	129.69	119.70
26	BB	192	C	N1-C2-O2	8.33	123.90	118.90
26	BB	795	C	N3-C4-C5	-8.33	118.57	121.90
26	BB	954	G	C5-C6-O6	-8.33	123.60	128.60
26	BB	1128	G	C5-N7-C8	8.33	108.46	104.30
26	BB	2758	A	C4-C5-N7	8.33	114.86	110.70
1	AA	567	G	N3-C4-C5	-8.32	124.44	128.60
1	AA	1272	G	N9-C4-C5	-8.32	102.07	105.40
26	BB	159	G	N3-C4-N9	8.32	131.00	126.00
26	BB	1889	A	C3'-C2'-C1'	-8.32	94.84	101.50
26	BB	1907	G	C8-N9-C4	-8.32	103.07	106.40
26	BB	2101	A	C5-C6-N6	-8.32	117.04	123.70
26	BB	674	G	N9-C1'-C2'	-8.32	102.84	112.00
26	BB	1940	U	C5-C4-O4	8.32	130.89	125.90
26	BB	1948	G	N3-C4-C5	-8.32	124.44	128.60
26	BB	2677	G	C2-N3-C4	8.32	116.06	111.90
26	BB	2708	G	N9-C1'-C2'	-8.32	102.84	112.00
26	BB	2717	C	C6-N1-C2	8.32	123.63	120.30
28	BD	68	ARG	NE-CZ-NH2	-8.32	116.14	120.30
1	AA	1453	G	C5'-C4'-C3'	-8.32	102.69	116.00
26	BB	213	A	C4'-C3'-C2'	-8.32	94.28	102.60
1	AA	57	G	C2-N3-C4	8.32	116.06	111.90
1	AA	332	G	C2-N3-C4	8.32	116.06	111.90
1	AA	1021	A	C2-N3-C4	8.32	114.76	110.60
1	AA	1256	A	C4-C5-C6	-8.32	112.84	117.00
4	AD	71	G	C5-N7-C8	-8.32	100.14	104.30
26	BB	48	G	C5'-C4'-O4'	8.32	119.08	109.10
26	BB	2870	C	C2-N3-C4	-8.32	115.74	119.90
26	BB	1356	G	C8-N9-C4	-8.32	103.07	106.40
26	BB	1735	A	C6-N1-C2	8.32	123.59	118.60
26	BB	2770	G	C8-N9-C4	-8.32	103.07	106.40
31	BG	70	ARG	NE-CZ-NH2	8.32	124.46	120.30
1	AA	567	G	O4'-C1'-N9	8.32	114.85	108.20
1	AA	641	U	O4'-C1'-N1	8.32	114.85	108.20
1	AA	1272	G	C4-C5-N7	8.32	114.13	110.80
26	BB	612	G	N3-C4-C5	-8.32	124.44	128.60
26	BB	809	G	N1-C2-N3	-8.32	118.91	123.90
26	BB	1279	G	C5'-C4'-C3'	-8.32	102.69	116.00
26	BB	1423	G	N9-C4-C5	8.32	108.73	105.40
26	BB	1844	C	N1-C2-N3	8.32	125.02	119.20
26	BB	2353	G	N3-C4-C5	8.32	132.76	128.60
26	BB	2709	G	C6-C5-N7	8.32	135.39	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	BH	150	TYR	CB-CG-CD1	-8.32	116.01	121.00
1	AA	417	G	O4'-C4'-C3'	8.31	112.75	106.10
1	AA	935	A	C3'-C2'-C1'	8.31	108.15	101.50
1	AA	988	G	N7-C8-N9	-8.31	108.94	113.10
26	BB	1689	A	C6-N1-C2	-8.31	113.61	118.60
26	BB	1041	G	C2-N3-C4	-8.31	107.74	111.90
26	BB	1524	G	N7-C8-N9	8.31	117.26	113.10
26	BB	1623	G	O4'-C1'-N9	8.31	114.85	108.20
1	AA	1450	U	C4-C5-C6	8.31	124.69	119.70
1	AA	175	C	C6-N1-C2	8.31	123.62	120.30
1	AA	735	C	N1-C2-N3	8.31	125.02	119.20
1	AA	951	G	C5-N7-C8	8.31	108.46	104.30
1	AA	1139	G	C5-C6-N1	8.31	115.66	111.50
26	BB	407	G	N1-C2-N2	-8.31	108.72	116.20
26	BB	910	A	C5-N7-C8	-8.31	99.74	103.90
3	AC	33	A	C5-C6-N1	8.31	121.86	117.70
4	AD	29	C	O4'-C1'-N1	8.31	114.85	108.20
26	BB	1189	A	C6-N1-C2	-8.31	113.61	118.60
26	BB	1865	U	O4'-C4'-C3'	8.31	112.75	106.10
26	BB	2604	U	C3'-C2'-C1'	8.31	108.15	101.50
1	AA	72	A	N1-C6-N6	-8.31	113.61	118.60
1	AA	82	G	C5-C6-O6	-8.31	123.62	128.60
1	AA	231	U	C5-C6-N1	-8.31	118.55	122.70
1	AA	313	A	C4-C5-C6	-8.31	112.85	117.00
1	AA	672	U	C6-N1-C2	-8.31	116.02	121.00
1	AA	932	C	C1'-O4'-C4'	-8.31	103.25	109.90
26	BB	324	A	C4-C5-N7	-8.31	106.55	110.70
26	BB	2683	C	O4'-C1'-N1	8.31	114.85	108.20
1	AA	378	G	C2-N3-C4	8.31	116.05	111.90
3	AC	17	U	C5-C4-O4	-8.31	120.92	125.90
19	AS	32	PHE	CB-CG-CD1	-8.31	114.98	120.80
25	BA	36	C	N3-C4-C5	-8.31	118.58	121.90
26	BB	1111	A	N1-C2-N3	8.31	133.45	129.30
26	BB	2199	A	C8-N9-C4	-8.31	102.48	105.80
33	BI	46	PHE	CB-CG-CD2	-8.31	114.98	120.80
1	AA	794	A	C5-C6-N1	8.31	121.85	117.70
1	AA	902	G	N7-C8-N9	8.31	117.25	113.10
1	AA	1251	A	N9-C4-C5	8.30	109.12	105.80
1	AA	1276	G	C4-C5-N7	-8.30	107.48	110.80
26	BB	309	A	N7-C8-N9	8.31	117.95	113.80
1	AA	1489	G	C4-C5-N7	-8.30	107.48	110.80
26	BB	914	G	C5-C6-N1	8.30	115.65	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1549	A	N1-C6-N6	-8.30	113.62	118.60
26	BB	2259	U	C4-C5-C6	8.30	124.68	119.70
26	BB	2520	C	N1-C2-O2	8.30	123.88	118.90
26	BB	916	G	N3-C2-N2	8.30	125.71	119.90
26	BB	2411	A	O4'-C1'-N9	8.30	114.84	108.20
1	AA	53	A	N1-C2-N3	-8.30	125.15	129.30
1	AA	152	A	O4'-C1'-N9	8.30	114.84	108.20
1	AA	221	C	N3-C2-O2	-8.30	116.09	121.90
2	AB	65	C	C5-C4-N4	8.30	126.01	120.20
26	BB	357	C	C4-C5-C6	-8.30	113.25	117.40
1	AA	552	U	C1'-O4'-C4'	8.30	116.54	109.90
25	BA	35	C	N3-C2-O2	-8.30	116.09	121.90
26	BB	159	G	C1'-O4'-C4'	-8.30	103.26	109.90
26	BB	1274	A	C2-N3-C4	8.30	114.75	110.60
26	BB	1952	A	C8-N9-C4	8.30	109.12	105.80
26	BB	2048	G	N7-C8-N9	8.30	117.25	113.10
26	BB	2597	G	C2-N3-C4	8.30	116.05	111.90
1	AA	183	C	O4'-C4'-C3'	-8.30	95.70	104.00
1	AA	318	G	N3-C2-N2	-8.30	114.09	119.90
1	AA	361	G	C8-N9-C4	-8.30	103.08	106.40
26	BB	290	U	C4-C5-C6	8.30	124.68	119.70
1	AA	963	G	N1-C2-N3	-8.30	118.92	123.90
26	BB	1491	G	C6-N1-C2	-8.30	120.12	125.10
26	BB	1754	A	O4'-C1'-N9	-8.30	101.56	108.20
1	AA	1494	G	C8-N9-C4	-8.29	103.08	106.40
26	BB	267	C	N3-C2-O2	-8.29	116.09	121.90
26	BB	813	U	C2-N3-C4	-8.29	122.02	127.00
26	BB	1645	G	N9-C4-C5	8.30	108.72	105.40
26	BB	1767	G	C8-N9-C4	-8.30	103.08	106.40
26	BB	1549	A	N9-C1'-C2'	-8.29	102.88	112.00
26	BB	2003	A	O4'-C1'-N9	8.29	114.84	108.20
26	BB	2513	A	C2-N3-C4	8.30	114.75	110.60
26	BB	2529	G	C8-N9-C4	-8.29	103.08	106.40
26	BB	2622	U	C6-N1-C2	-8.29	116.02	121.00
1	AA	68	G	C6-N1-C2	-8.29	120.12	125.10
1	AA	434	U	C4-C5-C6	8.29	124.67	119.70
1	AA	812	G	C8-N9-C4	-8.29	103.08	106.40
1	AA	1534	A	C8-N9-C4	-8.29	102.48	105.80
25	BA	104	A	C5'-C4'-C3'	-8.29	102.73	116.00
28	BD	261	ARG	NE-CZ-NH1	8.29	124.45	120.30
1	AA	1009	U	O4'-C1'-N1	8.29	114.83	108.20
1	AA	1368	A	N7-C8-N9	8.29	117.94	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1469	C	O4'-C1'-N1	8.29	114.83	108.20
26	BB	784	G	N3-C4-C5	-8.29	124.45	128.60
26	BB	1973	G	C6-N1-C2	-8.29	120.13	125.10
26	BB	2807	U	C5-C6-N1	-8.29	118.56	122.70
26	BB	616	A	C5-C6-N1	8.29	121.84	117.70
26	BB	1033	U	N3-C2-O2	-8.29	116.40	122.20
26	BB	1139	G	N1-C2-N2	8.29	123.66	116.20
1	AA	463	U	O4'-C1'-N1	8.29	114.83	108.20
26	BB	98	G	N1-C6-O6	8.29	124.87	119.90
26	BB	1364	G	O4'-C1'-N9	8.29	114.83	108.20
26	BB	1934	C	N3-C4-N4	8.29	123.80	118.00
26	BB	2550	G	C5'-C4'-O4'	8.29	119.04	109.10
1	AA	923	A	C8-N9-C4	-8.28	102.49	105.80
26	BB	790	U	O4'-C1'-N1	8.28	114.83	108.20
53	B2	43	PHE	CB-CG-CD1	-8.29	115.00	120.80
1	AA	949	A	N9-C4-C5	8.28	109.11	105.80
1	AA	1063	C	N3-C4-C5	-8.28	118.59	121.90
1	AA	1426	G	N7-C8-N9	8.28	117.24	113.10
26	BB	1803	A	N1-C2-N3	-8.28	125.16	129.30
26	BB	2834	G	O4'-C1'-C2'	8.28	115.05	107.60
1	AA	74	A	N1-C2-N3	-8.28	125.16	129.30
2	AB	49	G	N1-C2-N3	-8.28	118.93	123.90
26	BB	2145	C	O4'-C4'-C3'	-8.28	95.72	104.00
38	BN	81	ASP	CB-CG-OD1	-8.28	110.85	118.30
26	BB	1695	G	N1-C6-O6	-8.28	114.93	119.90
26	BB	2280	G	C4'-C3'-C2'	-8.28	94.32	102.60
1	AA	482	A	C5-C6-N1	8.28	121.84	117.70
1	AA	1379	G	C8-N9-C4	-8.28	103.09	106.40
26	BB	40	U	O4'-C1'-N1	8.28	114.82	108.20
26	BB	228	C	C4-C5-C6	-8.28	113.26	117.40
26	BB	1838	C	N1-C2-O2	8.28	123.87	118.90
26	BB	2796	U	N1-C2-N3	8.28	119.87	114.90
26	BB	383	C	N1-C2-O2	8.28	123.86	118.90
26	BB	631	A	O4'-C1'-N9	8.28	114.82	108.20
26	BB	1619	G	N3-C4-C5	-8.28	124.46	128.60
26	BB	1860	G	C4-C5-C6	8.28	123.77	118.80
1	AA	203	G	C4-C5-C6	8.27	123.76	118.80
1	AA	213	G	C5'-C4'-C3'	-8.27	102.76	116.00
26	BB	1719	G	C5-C6-O6	-8.27	123.64	128.60
26	BB	2352	A	N3-C4-N9	8.27	134.02	127.40
26	BB	132	G	O4'-C1'-N9	8.27	114.82	108.20
26	BB	1142	A	N9-C4-C5	8.27	109.11	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2648	G	N3-C4-C5	-8.27	124.46	128.60
26	BB	2692	G	N1-C6-O6	8.27	124.86	119.90
26	BB	436	C	C6-N1-C2	-8.27	116.99	120.30
26	BB	900	A	P-O3'-C3'	8.27	129.62	119.70
26	BB	1075	C	C3'-C2'-C1'	8.27	108.12	101.50
1	AA	49	U	C1'-O4'-C4'	8.27	116.51	109.90
1	AA	108	G	O4'-C1'-N9	8.27	114.81	108.20
1	AA	887	G	C5-N7-C8	-8.27	100.17	104.30
1	AA	1295	U	O4'-C1'-N1	8.27	114.81	108.20
26	BB	991	C	N1-C2-O2	8.27	123.86	118.90
1	AA	111	G	C6-N1-C2	-8.27	120.14	125.10
1	AA	1088	G	N3-C4-N9	-8.27	121.04	126.00
26	BB	734	A	C4-C5-C6	8.27	121.13	117.00
26	BB	1416	G	C2-N3-C4	8.27	116.03	111.90
26	BB	2235	G	N1-C6-O6	-8.27	114.94	119.90
26	BB	2303	G	C2-N3-C4	8.27	116.03	111.90
26	BB	2465	C	N1-C2-N3	8.27	124.99	119.20
26	BB	2259	U	N1-C2-N3	8.27	119.86	114.90
1	AA	431	A	N9-C4-C5	8.26	109.11	105.80
26	BB	541	A	N3-C4-C5	-8.26	121.02	126.80
1	AA	1299	A	C1'-O4'-C4'	8.26	116.51	109.90
1	AA	885	G	C3'-C2'-C1'	-8.26	94.89	101.50
1	AA	1007	U	C4-C5-C6	8.26	124.66	119.70
1	AA	1250	A	C5-C6-N1	8.26	121.83	117.70
2	AB	76	A	C5-C6-N6	-8.26	117.09	123.70
26	BB	473	G	N1-C2-N2	8.26	123.63	116.20
26	BB	976	G	C3'-C2'-C1'	8.26	108.11	101.50
26	BB	2216	G	N1-C2-N3	8.26	128.86	123.90
26	BB	2407	A	N7-C8-N9	8.26	117.93	113.80
26	BB	2611	C	C3'-C2'-C1'	8.26	108.11	101.50
26	BB	2697	G	C2-N3-C4	8.26	116.03	111.90
1	AA	1148	U	P-O3'-C3'	8.26	129.61	119.70
2	AB	6	C	N1-C2-O2	8.26	123.86	118.90
26	BB	1641	A	C2-N3-C4	8.26	114.73	110.60
1	AA	525	C	N1-C2-O2	-8.26	113.95	118.90
1	AA	714	G	N9-C1'-C2'	-8.26	102.92	112.00
26	BB	1036	G	C4-C5-N7	8.26	114.10	110.80
26	BB	1236	G	C4-C5-C6	-8.26	113.85	118.80
57	B6	39	ARG	NE-CZ-NH2	8.26	124.43	120.30
26	BB	1410	G	N3-C2-N2	-8.26	114.12	119.90
26	BB	1679	A	N7-C8-N9	-8.26	109.67	113.80
26	BB	1736	U	N3-C2-O2	-8.26	116.42	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2565	A	C2-N3-C4	8.26	114.73	110.60
56	B5	35	ARG	NE-CZ-NH1	8.26	124.43	120.30
1	AA	104	G	C6-N1-C2	-8.25	120.15	125.10
1	AA	296	U	N3-C2-O2	-8.25	116.42	122.20
1	AA	482	A	C2-N3-C4	8.25	114.73	110.60
1	AA	742	G	N3-C4-C5	-8.25	124.47	128.60
1	AA	1523	G	N3-C4-C5	-8.25	124.47	128.60
9	AI	8	PHE	CB-CG-CD1	-8.25	115.02	120.80
26	BB	609	A	C8-N9-C4	-8.25	102.50	105.80
26	BB	2496	C	C3'-C2'-C1'	8.25	108.10	101.50
1	AA	505	G	O4'-C1'-N9	8.25	114.80	108.20
1	AA	695	A	N9-C4-C5	8.25	109.10	105.80
1	AA	1415	G	C2-N3-C4	8.25	116.03	111.90
6	AF	28	PHE	CB-CG-CD2	-8.25	115.03	120.80
26	BB	856	G	C8-N9-C4	-8.25	103.10	106.40
26	BB	1239	G	C4'-C3'-C2'	-8.25	94.35	102.60
26	BB	1409	U	C5-C6-N1	-8.25	118.58	122.70
26	BB	1511	G	C4-C5-N7	-8.25	107.50	110.80
56	B5	34	ARG	NE-CZ-NH2	-8.25	116.17	120.30
1	AA	947	G	N3-C4-C5	-8.25	124.48	128.60
26	BB	776	G	O4'-C1'-C2'	-8.25	97.55	105.80
26	BB	1110	G	N9-C4-C5	8.25	108.70	105.40
26	BB	1471	G	C1'-O4'-C4'	-8.25	103.30	109.90
26	BB	2054	A	C5-C6-N1	8.25	121.82	117.70
4	AD	13	C	N3-C4-C5	-8.25	118.60	121.90
26	BB	480	A	C5-C6-N6	-8.25	117.10	123.70
26	BB	508	A	O4'-C1'-N9	8.25	114.80	108.20
26	BB	729	G	N3-C4-C5	-8.25	124.48	128.60
26	BB	887	U	O4'-C1'-N1	8.25	114.80	108.20
26	BB	1386	C	N3-C4-C5	8.25	125.20	121.90
26	BB	1704	C	C5-C6-N1	8.25	125.12	121.00
1	AA	211	G	N1-C6-O6	-8.24	114.95	119.90
1	AA	1415	G	C6-N1-C2	-8.24	120.15	125.10
26	BB	1028	A	N9-C4-C5	-8.24	102.50	105.80
26	BB	2677	G	N3-C4-N9	8.24	130.95	126.00
1	AA	854	U	O4'-C1'-N1	8.24	114.79	108.20
1	AA	1294	G	C6-N1-C2	-8.24	120.15	125.10
1	AA	1343	G	C5-N7-C8	-8.24	100.18	104.30
26	BB	1340	U	N1-C2-N3	8.24	119.85	114.90
26	BB	1714	U	C5-C4-O4	-8.24	120.95	125.90
26	BB	2156	G	C5-N7-C8	-8.24	100.18	104.30
39	BO	93	VAL	CA-CB-CG1	8.24	123.27	110.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1486	G	C6-N1-C2	-8.24	120.16	125.10
26	BB	1063	G	C4-C5-C6	8.24	123.75	118.80
26	BB	2143	C	N1-C2-O2	8.24	123.85	118.90
26	BB	2261	C	N3-C4-N4	8.24	123.77	118.00
26	BB	2362	C	O4'-C1'-N1	8.24	114.79	108.20
26	BB	2752	C	N1-C2-O2	8.24	123.84	118.90
1	AA	1233	G	C4'-C3'-C2'	-8.24	94.36	102.60
25	BA	47	C	C2-N3-C4	8.24	124.02	119.90
26	BB	275	C	C2-N3-C4	8.24	124.02	119.90
26	BB	1211	C	C2-N3-C4	8.24	124.02	119.90
26	BB	1230	A	C6-N1-C2	-8.24	113.66	118.60
26	BB	1797	G	N3-C2-N2	-8.24	114.13	119.90
26	BB	2558	C	C5'-C4'-O4'	8.24	118.99	109.10
34	BJ	124	ARG	NE-CZ-NH2	-8.24	116.18	120.30
42	BR	102	ARG	NE-CZ-NH1	8.24	124.42	120.30
1	AA	667	G	N1-C6-O6	8.24	124.84	119.90
1	AA	690	G	O4'-C1'-N9	8.24	114.79	108.20
26	BB	305	C	C2-N3-C4	8.24	124.02	119.90
26	BB	926	G	N1-C2-N2	-8.24	108.79	116.20
26	BB	1718	G	C2-N3-C4	8.24	116.02	111.90
26	BB	2655	G	N1-C2-N3	-8.24	118.96	123.90
1	AA	32	A	C5-C6-N1	-8.23	113.58	117.70
1	AA	135	C	N3-C4-C5	-8.23	118.61	121.90
1	AA	397	A	C2-N3-C4	8.23	114.72	110.60
1	AA	944	G	C6-C5-N7	8.23	135.34	130.40
1	AA	1264	U	C5-C4-O4	-8.23	120.96	125.90
26	BB	1179	G	O4'-C1'-N9	8.23	114.79	108.20
26	BB	1632	A	C4-C5-C6	-8.23	112.88	117.00
26	BB	1930	G	N3-C2-N2	-8.23	114.14	119.90
26	BB	2049	G	C1'-O4'-C4'	-8.23	103.31	109.90
1	AA	944	G	N3-C4-C5	-8.23	124.48	128.60
26	BB	346	A	C1'-O4'-C4'	8.23	116.48	109.90
26	BB	1242	U	N1-C2-N3	8.23	119.84	114.90
26	BB	1359	A	N1-C2-N3	-8.23	125.18	129.30
26	BB	1602	U	O4'-C4'-C3'	8.23	112.68	106.10
26	BB	2310	C	N3-C2-O2	8.23	127.66	121.90
26	BB	2376	A	N7-C8-N9	8.23	117.92	113.80
26	BB	2846	G	N3-C4-C5	-8.23	124.48	128.60
1	AA	2	A	N1-C6-N6	8.23	123.54	118.60
1	AA	716	A	N7-C8-N9	-8.23	109.69	113.80
1	AA	799	G	C5-C6-O6	-8.23	123.66	128.60
1	AA	1236	A	N9-C4-C5	-8.23	102.51	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1468	A	O4'-C1'-N9	8.23	114.78	108.20
43	BS	50	ARG	NE-CZ-NH2	-8.23	116.19	120.30
26	BB	162	U	O4'-C1'-C2'	-8.23	97.57	105.80
26	BB	596	U	O4'-C1'-N1	8.23	114.78	108.20
26	BB	1321	A	N7-C8-N9	-8.23	109.69	113.80
26	BB	1987	A	C3'-C2'-C1'	8.23	108.08	101.50
26	BB	1563	U	C2-N3-C4	-8.23	122.06	127.00
1	AA	441	A	C5-C6-N6	8.22	130.28	123.70
1	AA	800	G	N7-C8-N9	8.22	117.21	113.10
26	BB	426	C	C2-N3-C4	8.22	124.01	119.90
26	BB	1738	G	C2-N3-C4	8.22	116.01	111.90
1	AA	1377	A	C2-N3-C4	8.22	114.71	110.60
1	AA	1417	G	O4'-C1'-N9	8.22	114.78	108.20
26	BB	279	A	N7-C8-N9	-8.22	109.69	113.80
26	BB	1537	G	C6-N1-C2	-8.22	120.17	125.10
1	AA	1453	G	O4'-C1'-N9	8.22	114.78	108.20
2	AB	22	G	N9-C4-C5	-8.22	102.11	105.40
26	BB	60	G	C5-C6-N1	8.22	115.61	111.50
26	BB	142	A	C2-N3-C4	8.22	114.71	110.60
26	BB	539	G	N7-C8-N9	8.22	117.21	113.10
26	BB	1259	G	C8-N9-C4	-8.22	103.11	106.40
26	BB	1393	A	C3'-C2'-C1'	-8.22	94.92	101.50
26	BB	115	C	C2-N3-C4	-8.22	115.79	119.90
26	BB	323	C	N1-C1'-C2'	-8.22	102.96	112.00
26	BB	1988	G	C4-C5-N7	-8.22	107.51	110.80
26	BB	2128	G	N3-C4-C5	-8.22	124.49	128.60
26	BB	2331	G	C2-N3-C4	-8.22	107.79	111.90
26	BB	2630	G	C4-C5-C6	8.22	123.73	118.80
26	BB	2794	C	N3-C4-C5	-8.22	118.61	121.90
1	AA	1283	U	O4'-C1'-N1	8.22	114.77	108.20
25	BA	35	C	C4'-C3'-C2'	-8.22	94.38	102.60
26	BB	574	A	O4'-C4'-C3'	-8.22	95.78	104.00
26	BB	1293	C	C5-C6-N1	8.22	125.11	121.00
26	BB	1441	G	N3-C4-N9	8.22	130.93	126.00
1	AA	1047	G	C5-N7-C8	8.21	108.41	104.30
26	BB	264	C	N1-C2-O2	8.22	123.83	118.90
26	BB	265	A	C4'-C3'-C2'	-8.21	94.39	102.60
26	BB	1646	C	C4-C5-C6	-8.22	113.29	117.40
26	BB	1710	G	O4'-C1'-N9	8.22	114.77	108.20
26	BB	2330	G	N3-C4-C5	-8.22	124.49	128.60
39	BO	28	PHE	CB-CG-CD1	-8.21	115.05	120.80
1	AA	1101	A	N9-C4-C5	8.21	109.08	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1273	C	C6-N1-C2	8.21	123.58	120.30
26	BB	298	G	N9-C4-C5	8.21	108.69	105.40
26	BB	744	U	O4'-C1'-N1	8.21	114.77	108.20
26	BB	1267	U	O4'-C1'-N1	8.21	114.77	108.20
26	BB	1443	U	C6-N1-C2	-8.21	116.07	121.00
26	BB	1760	C	C3'-C2'-C1'	8.21	108.07	101.50
26	BB	2403	C	N1-C1'-C2'	-8.21	102.97	112.00
26	BB	1828	G	N3-C4-C5	-8.21	124.50	128.60
1	AA	227	G	C5-C6-N1	8.21	115.61	111.50
1	AA	961	U	N1-C2-O2	8.21	128.55	122.80
1	AA	230	G	N3-C4-C5	-8.21	124.50	128.60
1	AA	289	G	N1-C2-N2	8.21	123.59	116.20
1	AA	1523	G	N9-C4-C5	8.21	108.68	105.40
25	BA	11	C	O4'-C1'-N1	8.21	114.77	108.20
26	BB	543	G	C5-N7-C8	-8.21	100.20	104.30
26	BB	980	A	C6-N1-C2	8.21	123.53	118.60
26	BB	1038	G	O4'-C1'-C2'	-8.21	97.59	105.80
26	BB	1115	G	N3-C4-C5	-8.21	124.50	128.60
26	BB	1508	A	C8-N9-C4	-8.21	102.52	105.80
26	BB	1568	G	O4'-C4'-C3'	8.21	112.67	106.10
26	BB	2218	G	C5-C6-N1	8.21	115.60	111.50
1	AA	826	C	N3-C2-O2	8.21	127.64	121.90
26	BB	240	C	C2-N3-C4	8.21	124.00	119.90
1	AA	575	G	C3'-C2'-C1'	-8.20	94.94	101.50
1	AA	1119	C	O4'-C4'-C3'	8.21	112.66	106.10
26	BB	945	A	O4'-C4'-C3'	8.21	112.67	106.10
26	BB	1311	G	N3-C4-N9	-8.21	121.08	126.00
1	AA	1450	U	C5-C6-N1	-8.20	118.60	122.70
4	AD	20	G	O4'-C1'-C2'	8.20	114.98	107.60
26	BB	246	C	C2-N3-C4	8.20	124.00	119.90
26	BB	1245	G	C5'-C4'-O4'	8.20	118.94	109.10
26	BB	1851	U	N3-C2-O2	-8.20	116.46	122.20
26	BB	2189	U	O4'-C1'-N1	8.20	114.76	108.20
26	BB	2265	U	C6-N1-C2	8.21	125.92	121.00
26	BB	2347	C	C2-N3-C4	8.20	124.00	119.90
26	BB	1765	U	N1-C1'-C2'	-8.20	102.98	112.00
26	BB	1929	G	C4-C5-N7	-8.20	107.52	110.80
1	AA	1266	G	N1-C2-N3	-8.20	118.98	123.90
25	BA	11	C	C4-C5-C6	-8.20	113.30	117.40
26	BB	1953	A	C5'-C4'-O4'	8.20	118.94	109.10
26	BB	2154	A	N1-C2-N3	-8.20	125.20	129.30
26	BB	2737	G	C4-C5-C6	8.20	123.72	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
43	BS	50	ARG	NE-CZ-NH1	8.20	124.40	120.30
1	AA	242	G	C3'-C2'-C1'	-8.20	94.94	101.50
1	AA	374	A	N1-C2-N3	-8.20	125.20	129.30
1	AA	1052	U	C5'-C4'-O4'	8.20	118.94	109.10
1	AA	1364	U	N3-C2-O2	-8.20	116.46	122.20
1	AA	1434	A	N7-C8-N9	8.20	117.90	113.80
26	BB	1559	U	N3-C2-O2	-8.20	116.46	122.20
2	AB	7	G	C2-N3-C4	8.20	116.00	111.90
3	AC	20	G	N7-C8-N9	-8.20	109.00	113.10
26	BB	185	G	N7-C8-N9	8.20	117.20	113.10
26	BB	1745	A	C2-N3-C4	8.20	114.70	110.60
26	BB	2238	G	N1-C6-O6	-8.20	114.98	119.90
26	BB	2376	A	C8-N9-C4	-8.20	102.52	105.80
1	AA	238	A	C6-N1-C2	-8.20	113.68	118.60
1	AA	940	C	N3-C2-O2	8.20	127.64	121.90
1	AA	1423	G	N3-C4-C5	-8.20	124.50	128.60
25	BA	67	G	N7-C8-N9	8.20	117.20	113.10
26	BB	694	U	C1'-O4'-C4'	8.20	116.46	109.90
26	BB	2668	G	O4'-C1'-N9	8.20	114.76	108.20
1	AA	148	G	N1-C2-N3	-8.19	118.98	123.90
26	BB	971	G	C5-C6-N1	8.20	115.60	111.50
26	BB	975	A	C8-N9-C4	-8.19	102.52	105.80
26	BB	108	G	O4'-C1'-N9	8.19	114.75	108.20
26	BB	1212	G	N3-C2-N2	-8.19	114.17	119.90
1	AA	792	A	O4'-C1'-N9	8.19	114.75	108.20
26	BB	30	G	C4-C5-N7	8.19	114.08	110.80
26	BB	863	A	C5-N7-C8	-8.19	99.81	103.90
26	BB	1535	A	C5-N7-C8	-8.19	99.80	103.90
26	BB	2859	G	C3'-C2'-C1'	8.19	108.05	101.50
1	AA	321	A	C8-N9-C4	-8.19	102.52	105.80
1	AA	471	U	O4'-C1'-N1	8.19	114.75	108.20
26	BB	1222	U	O4'-C1'-N1	8.19	114.75	108.20
26	BB	2466	C	N3-C4-C5	8.19	125.18	121.90
1	AA	344	A	N3-C4-C5	-8.19	121.07	126.80
26	BB	1041	G	N1-C6-O6	8.19	124.81	119.90
26	BB	1213	A	P-O3'-C3'	8.19	129.53	119.70
26	BB	2176	A	C6-C5-N7	8.19	138.03	132.30
26	BB	2682	A	O4'-C1'-N9	8.19	114.75	108.20
1	AA	374	A	C6-C5-N7	8.19	138.03	132.30
26	BB	331	C	O3'-P-O5'	-8.19	88.44	104.00
26	BB	574	A	C3'-C2'-C1'	-8.19	94.95	101.50
26	BB	1577	C	N1-C2-O2	8.19	123.81	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1749	A	N1-C2-N3	-8.19	125.21	129.30
50	BZ	44	ARG	NE-CZ-NH1	8.19	124.39	120.30
26	BB	2435	A	N9-C4-C5	8.19	109.07	105.80
1	AA	55	A	C4'-C3'-C2'	-8.18	94.42	102.60
1	AA	1036	A	C8-N9-C4	-8.18	102.53	105.80
1	AA	1069	C	C5-C6-N1	8.18	125.09	121.00
26	BB	1165	A	N1-C6-N6	-8.18	113.69	118.60
26	BB	1670	C	O4'-C1'-N1	8.18	114.75	108.20
26	BB	1738	G	N3-C4-N9	8.18	130.91	126.00
26	BB	1980	G	C4-C5-N7	8.18	114.07	110.80
26	BB	2346	A	C4-C5-C6	8.18	121.09	117.00
26	BB	2583	G	C4'-C3'-C2'	-8.18	94.42	102.60
26	BB	2610	C	C5'-C4'-O4'	8.18	118.92	109.10
26	BB	2813	A	C2-N3-C4	-8.18	106.51	110.60
28	BD	47	ARG	NE-CZ-NH1	8.18	124.39	120.30
1	AA	543	U	C5-C6-N1	-8.18	118.61	122.70
1	AA	833	G	N1-C2-N3	8.18	128.81	123.90
16	AP	78	ARG	CD-NE-CZ	8.18	135.05	123.60
26	BB	237	C	C2-N3-C4	8.18	123.99	119.90
26	BB	1038	G	C4'-C3'-C2'	-8.18	94.42	102.60
1	AA	45	G	C5-N7-C8	8.18	108.39	104.30
1	AA	862	C	C4-C5-C6	-8.18	113.31	117.40
1	AA	900	A	P-O3'-C3'	8.18	129.51	119.70
1	AA	1209	C	N3-C4-N4	8.18	123.72	118.00
26	BB	1739	A	N9-C4-C5	8.18	109.07	105.80
26	BB	1817	G	N1-C6-O6	8.18	124.81	119.90
1	AA	142	G	N7-C8-N9	-8.18	109.01	113.10
1	AA	331	G	N3-C4-C5	-8.18	124.51	128.60
1	AA	742	G	C8-N9-C4	-8.18	103.13	106.40
1	AA	751	U	C5-C4-O4	8.18	130.81	125.90
26	BB	202	U	C5'-C4'-O4'	8.18	118.91	109.10
26	BB	2044	C	C6-N1-C2	-8.18	117.03	120.30
26	BB	2625	G	C2-N3-C4	8.18	115.99	111.90
26	BB	842	U	N1-C2-N3	8.18	119.81	114.90
26	BB	1104	C	N3-C2-O2	-8.18	116.18	121.90
26	BB	1189	A	C4-C5-C6	8.18	121.09	117.00
26	BB	1389	G	N3-C2-N2	-8.18	114.18	119.90
26	BB	1437	C	C5-C4-N4	-8.18	114.48	120.20
52	B1	29	ARG	NE-CZ-NH2	8.18	124.39	120.30
1	AA	108	G	O4'-C1'-C2'	8.17	114.96	107.60
1	AA	186	C	C6-N1-C2	-8.17	117.03	120.30
1	AA	1415	G	N3-C4-C5	-8.17	124.51	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	105	C	N3-C4-C5	8.17	125.17	121.90
26	BB	264	C	C4-C5-C6	8.17	121.49	117.40
26	BB	312	G	C6-C5-N7	-8.17	125.50	130.40
26	BB	313	G	N7-C8-N9	8.17	117.19	113.10
26	BB	2674	G	C4'-C3'-C2'	-8.17	94.43	102.60
1	AA	726	C	C6-N1-C2	-8.17	117.03	120.30
1	AA	1235	U	C5-C4-O4	8.17	130.80	125.90
2	AB	24	G	C5'-C4'-O4'	8.17	118.91	109.10
1	AA	485	U	C6-N1-C2	8.17	125.90	121.00
26	BB	600	G	C4-C5-C6	8.17	123.70	118.80
26	BB	704	G	C5-N7-C8	-8.17	100.22	104.30
26	BB	2020	A	N9-C4-C5	8.17	109.07	105.80
26	BB	1121	C	N3-C4-C5	8.17	125.17	121.90
26	BB	1611	C	C4-C5-C6	-8.17	113.32	117.40
1	AA	56	U	N1-C2-N3	8.17	119.80	114.90
2	AB	36	A	N1-C6-N6	-8.17	113.70	118.60
26	BB	823	C	C5'-C4'-O4'	8.17	118.90	109.10
26	BB	2071	A	C2-N3-C4	8.17	114.68	110.60
26	BB	2110	G	N3-C4-C5	-8.17	124.52	128.60
26	BB	2402	U	C5-C4-O4	-8.17	121.00	125.90
1	AA	85	U	N1-C2-N3	8.17	119.80	114.90
1	AA	455	G	N1-C2-N3	-8.17	119.00	123.90
26	BB	293	U	N3-C2-O2	-8.17	116.48	122.20
26	BB	2576	G	C4-C5-N7	-8.17	107.53	110.80
1	AA	359	G	N3-C4-C5	-8.16	124.52	128.60
1	AA	1347	G	N1-C2-N2	8.16	123.55	116.20
26	BB	969	G	C5-N7-C8	-8.16	100.22	104.30
26	BB	2385	C	C4-C5-C6	8.16	121.48	117.40
26	BB	2570	G	N7-C8-N9	8.16	117.18	113.10
1	AA	716	A	C5-N7-C8	8.16	107.98	103.90
26	BB	2463	C	C3'-C2'-C1'	-8.16	94.97	101.50
26	BB	2855	C	C1'-O4'-C4'	8.16	116.43	109.90
1	AA	1037	C	N3-C2-O2	-8.16	116.19	121.90
1	AA	1358	U	C1'-O4'-C4'	8.16	116.43	109.90
26	BB	548	G	O4'-C1'-C2'	8.16	114.95	107.60
26	BB	897	C	N3-C4-N4	-8.16	112.29	118.00
26	BB	1004	U	C6-N1-C2	-8.16	116.10	121.00
26	BB	1072	C	N1-C2-N3	-8.16	113.49	119.20
26	BB	736	C	C6-N1-C2	-8.16	117.04	120.30
26	BB	1068	G	N7-C8-N9	8.16	117.18	113.10
1	AA	143	A	C8-N9-C4	-8.16	102.54	105.80
1	AA	1530	G	N9-C1'-C2'	-8.16	103.03	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	AG	46	ARG	NE-CZ-NH2	-8.16	116.22	120.30
26	BB	451	U	C5-C4-O4	8.16	130.80	125.90
26	BB	878	A	C4-C5-N7	8.16	114.78	110.70
26	BB	1038	G	N3-C4-N9	8.16	130.90	126.00
26	BB	1626	A	C8-N9-C4	-8.16	102.54	105.80
26	BB	2068	U	C4-C5-C6	8.16	124.60	119.70
26	BB	2100	G	N3-C2-N2	8.16	125.61	119.90
26	BB	2199	A	C2-N3-C4	8.16	114.68	110.60
27	BC	21	TYR	CB-CG-CD1	-8.16	116.10	121.00
1	AA	987	G	N7-C8-N9	-8.16	109.02	113.10
26	BB	2650	U	C5-C6-N1	8.16	126.78	122.70
1	AA	236	A	O4'-C1'-N9	8.16	114.72	108.20
1	AA	1182	G	C8-N9-C4	-8.16	103.14	106.40
26	BB	309	A	C2-N3-C4	8.16	114.68	110.60
26	BB	753	A	N9-C4-C5	8.16	109.06	105.80
26	BB	2010	G	C5-C6-N1	8.16	115.58	111.50
26	BB	2176	A	N1-C6-N6	-8.16	113.71	118.60
26	BB	2749	A	N3-C4-C5	-8.16	121.09	126.80
1	AA	662	U	O4'-C1'-N1	8.15	114.72	108.20
1	AA	812	G	C5-N7-C8	-8.15	100.22	104.30
26	BB	1617	C	N1-C2-O2	8.15	123.79	118.90
1	AA	108	G	N3-C4-C5	-8.15	124.52	128.60
1	AA	245	U	O4'-C1'-N1	8.15	114.72	108.20
1	AA	964	A	C5-N7-C8	-8.15	99.82	103.90
1	AA	1385	G	C4-C5-C6	-8.15	113.91	118.80
1	AA	1387	G	C8-N9-C4	-8.15	103.14	106.40
26	BB	205	G	C5-N7-C8	-8.15	100.22	104.30
26	BB	533	G	C5-N7-C8	-8.15	100.22	104.30
26	BB	2107	G	O4'-C1'-N9	8.15	114.72	108.20
26	BB	916	G	C6-C5-N7	-8.15	125.51	130.40
1	AA	296	U	C2-N3-C4	-8.15	122.11	127.00
26	BB	26	G	C6-N1-C2	-8.15	120.21	125.10
26	BB	300	A	N9-C1'-C2'	-8.15	103.03	112.00
26	BB	446	G	N3-C4-C5	-8.15	124.53	128.60
26	BB	656	G	N9-C4-C5	8.15	108.66	105.40
26	BB	1548	A	N1-C6-N6	8.15	123.49	118.60
26	BB	1589	U	N1-C2-O2	-8.15	117.09	122.80
26	BB	1636	U	O4'-C1'-N1	8.15	114.72	108.20
26	BB	1672	A	C4'-C3'-C2'	-8.15	94.45	102.60
26	BB	2412	A	C1'-O4'-C4'	-8.15	103.38	109.90
52	B1	15	ARG	NE-CZ-NH1	8.15	124.38	120.30
26	BB	1326	U	O4'-C1'-N1	8.15	114.72	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	765	G	C6-C5-N7	-8.15	125.51	130.40
26	BB	2494	G	C5-C6-O6	8.15	133.49	128.60
1	AA	1105	A	C3'-C2'-C1'	8.15	108.02	101.50
26	BB	555	G	N3-C4-C5	-8.15	124.53	128.60
26	BB	616	A	C6-N1-C2	-8.15	113.71	118.60
26	BB	728	G	C2-N3-C4	8.15	115.97	111.90
26	BB	849	A	C3'-C2'-C1'	8.15	108.02	101.50
26	BB	2845	U	C4-C5-C6	8.15	124.59	119.70
1	AA	165	G	O4'-C1'-N9	8.14	114.72	108.20
1	AA	188	C	C2-N3-C4	8.14	123.97	119.90
1	AA	1339	A	C4-C5-N7	-8.14	106.63	110.70
26	BB	1815	A	C4-C5-C6	-8.14	112.93	117.00
26	BB	2102	G	O4'-C1'-N9	8.14	114.72	108.20
1	AA	1288	A	C8-N9-C4	-8.14	102.54	105.80
1	AA	1459	G	N9-C4-C5	8.14	108.66	105.40
26	BB	426	C	C6-N1-C2	-8.14	117.04	120.30
16	AP	85	TYR	CB-CG-CD1	-8.14	116.12	121.00
25	BA	26	C	N3-C4-N4	8.14	123.70	118.00
26	BB	130	C	N1-C2-O2	8.14	123.78	118.90
26	BB	1081	U	N1-C2-N3	8.14	119.78	114.90
26	BB	2332	C	N1-C2-O2	8.14	123.78	118.90
1	AA	919	A	N7-C8-N9	8.14	117.87	113.80
25	BA	86	G	N1-C6-O6	-8.14	115.02	119.90
26	BB	338	G	C1'-O4'-C4'	-8.14	103.39	109.90
25	BA	111	U	N1-C1'-C2'	-8.14	103.05	112.00
26	BB	237	C	C6-N1-C2	8.14	123.56	120.30
26	BB	238	C	C5-C6-N1	-8.14	116.93	121.00
26	BB	393	C	O4'-C1'-N1	8.14	114.71	108.20
26	BB	1232	G	C6-C5-N7	-8.14	125.52	130.40
26	BB	1254	A	C4-C5-N7	-8.14	106.63	110.70
26	BB	1688	U	C5-C6-N1	-8.14	118.63	122.70
26	BB	2475	C	O4'-C1'-C2'	-8.14	97.66	105.80
26	BB	2524	G	C2-N3-C4	8.14	115.97	111.90
26	BB	2719	G	C4-C5-C6	8.14	123.68	118.80
26	BB	2896	C	C4-C5-C6	-8.14	113.33	117.40
1	AA	262	A	N1-C6-N6	8.13	123.48	118.60
1	AA	597	G	O4'-C1'-N9	8.14	114.71	108.20
1	AA	1344	C	C5-C6-N1	8.14	125.07	121.00
2	AB	12	U	C2-N3-C4	-8.14	122.12	127.00
26	BB	1275	A	P-O3'-C3'	8.14	129.46	119.70
1	AA	826	C	C3'-C2'-C1'	8.13	108.01	101.50
26	BB	1784	A	N9-C4-C5	8.13	109.05	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	329	A	C4-C5-N7	-8.13	106.63	110.70
1	AA	485	U	P-O3'-C3'	8.13	129.46	119.70
1	AA	1100	C	C6-N1-C2	-8.13	117.05	120.30
1	AA	1536	C	C6-N1-C2	-8.13	117.05	120.30
26	BB	484	C	N3-C4-C5	-8.13	118.65	121.90
1	AA	763	G	C5-C6-N1	8.13	115.56	111.50
4	AD	10	G	N9-C4-C5	-8.13	102.15	105.40
26	BB	2431	U	O4'-C1'-N1	8.13	114.71	108.20
26	BB	400	G	N7-C8-N9	8.13	117.17	113.10
26	BB	1215	G	N9-C4-C5	-8.13	102.15	105.40
26	BB	1384	A	N1-C6-N6	-8.13	113.72	118.60
26	BB	1468	U	N3-C2-O2	-8.13	116.51	122.20
26	BB	1840	G	O4'-C1'-N9	8.13	114.70	108.20
26	BB	2814	A	C3'-C2'-C1'	-8.13	95.00	101.50
2	AB	48	U	C5'-C4'-O4'	8.13	118.85	109.10
26	BB	320	A	C4-C5-C6	-8.13	112.94	117.00
1	AA	748	G	C6-N1-C2	-8.13	120.22	125.10
1	AA	945	G	N3-C4-N9	8.13	130.88	126.00
1	AA	1326	U	C4-C5-C6	8.13	124.58	119.70
26	BB	160	A	C2-N3-C4	-8.13	106.54	110.60
26	BB	619	G	N9-C4-C5	8.13	108.65	105.40
26	BB	864	G	C5'-C4'-O4'	8.13	118.85	109.10
26	BB	2903	U	O4'-C1'-N1	-8.13	101.70	108.20
26	BB	1429	G	C8-N9-C4	-8.13	103.15	106.40
1	AA	668	G	C4-C5-N7	8.12	114.05	110.80
1	AA	1197	A	N1-C6-N6	-8.12	113.72	118.60
26	BB	100	U	C1'-O4'-C4'	-8.12	103.40	109.90
26	BB	106	C	N3-C4-N4	8.12	123.69	118.00
26	BB	376	G	N3-C4-C5	-8.13	124.54	128.60
39	BO	50	ARG	NE-CZ-NH1	8.13	124.36	120.30
26	BB	498	G	N3-C4-N9	8.12	130.87	126.00
26	BB	502	A	N1-C2-N3	-8.12	125.24	129.30
26	BB	1472	C	C5-C6-N1	8.12	125.06	121.00
26	BB	1710	G	C4-C5-N7	8.12	114.05	110.80
1	AA	521	G	C2-N3-C4	8.12	115.96	111.90
1	AA	1278	G	N1-C6-O6	-8.12	115.03	119.90
1	AA	1410	A	C5-N7-C8	8.12	107.96	103.90
26	BB	719	C	C4-C5-C6	8.12	121.46	117.40
1	AA	1522	U	O4'-C1'-N1	8.12	114.70	108.20
25	BA	39	A	N7-C8-N9	-8.12	109.74	113.80
26	BB	2722	G	N9-C4-C5	8.12	108.65	105.40
26	BB	2809	A	N1-C6-N6	-8.12	113.73	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2897	U	C2-N3-C4	-8.12	122.13	127.00
1	AA	601	G	N3-C4-C5	-8.12	124.54	128.60
26	BB	785	G	C1'-O4'-C4'	8.12	116.39	109.90
26	BB	1015	U	O4'-C1'-N1	8.12	114.70	108.20
26	BB	1739	A	C4-C5-N7	-8.12	106.64	110.70
26	BB	2147	A	C8-N9-C4	-8.12	102.55	105.80
1	AA	374	A	N9-C1'-C2'	-8.12	103.07	112.00
1	AA	1520	C	N1-C2-O2	8.12	123.77	118.90
26	BB	587	C	O4'-C1'-N1	8.12	114.69	108.20
26	BB	1165	A	N7-C8-N9	-8.12	109.74	113.80
26	BB	1540	G	N7-C8-N9	8.12	117.16	113.10
26	BB	2281	A	O4'-C1'-N9	8.12	114.69	108.20
1	AA	601	G	C4-C5-N7	8.12	114.05	110.80
1	AA	640	A	C2-N3-C4	8.12	114.66	110.60
1	AA	703	G	C4-C5-N7	8.12	114.05	110.80
1	AA	910	C	N3-C4-C5	8.12	125.15	121.90
26	BB	1277	G	N3-C4-C5	-8.12	124.54	128.60
26	BB	1522	A	C4-C5-C6	-8.12	112.94	117.00
1	AA	763	G	C4'-C3'-C2'	-8.11	94.49	102.60
26	BB	1492	G	C5-C6-N1	-8.11	107.44	111.50
26	BB	1659	G	C2-N3-C4	8.11	115.96	111.90
26	BB	2078	C	C5'-C4'-O4'	8.12	118.84	109.10
26	BB	2269	G	C8-N9-C4	-8.12	103.15	106.40
26	BB	2697	G	N9-C4-C5	8.11	108.64	105.40
1	AA	1049	U	O4'-C1'-N1	8.11	114.69	108.20
26	BB	1233	C	C2-N3-C4	8.11	123.96	119.90
26	BB	1472	C	N3-C4-N4	8.11	123.68	118.00
1	AA	42	G	N7-C8-N9	8.11	117.16	113.10
1	AA	126	G	O4'-C1'-N9	8.11	114.69	108.20
1	AA	1305	G	C4-C5-N7	8.11	114.05	110.80
1	AA	1461	G	N1-C2-N3	8.11	128.77	123.90
1	AA	1506	U	N3-C2-O2	-8.11	116.52	122.20
6	AF	87	ARG	NE-CZ-NH2	-8.11	116.25	120.30
26	BB	1904	G	N9-C1'-C2'	-8.11	103.08	112.00
26	BB	2782	G	C6-C5-N7	-8.11	125.53	130.40
26	BB	817	C	N1-C2-N3	-8.11	113.52	119.20
26	BB	1246	A	O4'-C1'-N9	8.11	114.69	108.20
26	BB	1547	C	O4'-C1'-N1	8.11	114.69	108.20
1	AA	858	G	C6-C5-N7	-8.11	125.53	130.40
2	AB	5	G	N3-C4-C5	-8.11	124.55	128.60
25	BA	68	C	C6-N1-C2	-8.11	117.06	120.30
26	BB	265	A	C5-N7-C8	-8.11	99.85	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1852	U	N3-C4-O4	8.11	125.08	119.40
26	BB	2187	U	N3-C4-O4	8.11	125.08	119.40
26	BB	2346	A	C8-N9-C4	-8.11	102.56	105.80
26	BB	88	G	N9-C1'-C2'	-8.11	103.08	112.00
1	AA	1099	G	C5-C6-O6	-8.11	123.74	128.60
25	BA	76	G	O4'-C1'-N9	8.11	114.69	108.20
26	BB	770	G	C4-C5-N7	8.11	114.04	110.80
26	BB	1226	A	C5-C6-N1	8.11	121.75	117.70
1	AA	57	G	C4-C5-N7	-8.10	107.56	110.80
1	AA	227	G	C4-C5-N7	-8.10	107.56	110.80
1	AA	860	A	O5'-P-OP2	-8.10	98.41	105.70
1	AA	974	A	C4'-C3'-C2'	-8.10	94.50	102.60
1	AA	1310	G	C6-N1-C2	-8.10	120.24	125.10
1	AA	1216	A	C4-C5-C6	8.10	121.05	117.00
26	BB	948	C	O4'-C1'-N1	8.10	114.68	108.20
26	BB	1450	G	C2-N3-C4	8.10	115.95	111.90
26	BB	2314	A	N9-C4-C5	-8.10	102.56	105.80
26	BB	2338	C	N3-C2-O2	-8.10	116.23	121.90
34	BJ	60	ARG	NE-CZ-NH2	8.10	124.35	120.30
1	AA	628	G	N3-C4-N9	-8.10	121.14	126.00
1	AA	841	C	N1-C2-O2	8.10	123.76	118.90
26	BB	806	C	N3-C4-C5	-8.10	118.66	121.90
26	BB	1052	C	C4-C5-C6	-8.10	113.35	117.40
25	BA	57	A	N3-C4-N9	8.10	133.88	127.40
47	BW	95	PHE	CB-CG-CD1	-8.10	115.13	120.80
1	AA	58	C	C6-N1-C2	8.10	123.54	120.30
1	AA	129	A	O4'-C1'-N9	8.10	114.68	108.20
1	AA	135	C	O4'-C1'-N1	8.10	114.68	108.20
2	AB	1	A	C5-C6-N6	8.10	130.18	123.70
25	BA	8	C	C2-N3-C4	8.10	123.95	119.90
1	AA	181	A	C3'-C2'-C1'	-8.10	95.02	101.50
1	AA	394	G	C5-C6-O6	-8.10	123.74	128.60
1	AA	523	A	O4'-C1'-N9	8.10	114.68	108.20
25	BA	46	A	N7-C8-N9	-8.10	109.75	113.80
26	BB	466	A	N3-C4-C5	-8.10	121.13	126.80
26	BB	481	G	O4'-C1'-N9	8.10	114.68	108.20
26	BB	723	C	N3-C2-O2	-8.10	116.23	121.90
1	AA	263	A	N3-C4-C5	-8.09	121.14	126.80
7	AG	96	ARG	NE-CZ-NH2	8.09	124.35	120.30
26	BB	752	A	C5'-C4'-C3'	-8.09	103.05	116.00
29	BE	103	ASP	CB-CG-OD1	-8.09	111.02	118.30
1	AA	334	C	O4'-C1'-N1	8.09	114.67	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	24	C	C5-C4-N4	-8.09	114.53	120.20
26	BB	1522	A	O4'-C1'-N9	8.09	114.67	108.20
26	BB	1362	C	N3-C4-C5	-8.09	118.66	121.90
26	BB	2293	G	C5-C6-N1	8.09	115.55	111.50
26	BB	2516	A	N7-C8-N9	-8.09	109.75	113.80
26	BB	265	A	C5'-C4'-O4'	8.09	118.81	109.10
26	BB	336	C	C2-N3-C4	-8.09	115.86	119.90
26	BB	785	G	C8-N9-C4	-8.09	103.16	106.40
26	BB	410	G	N3-C2-N2	-8.09	114.24	119.90
26	BB	507	A	N1-C6-N6	-8.09	113.75	118.60
26	BB	993	G	C4-C5-C6	-8.09	113.95	118.80
26	BB	2559	C	P-O3'-C3'	8.09	129.41	119.70
1	AA	71	A	N9-C1'-C2'	-8.09	103.10	112.00
1	AA	1086	U	N1-C2-N3	8.09	119.75	114.90
1	AA	95	C	C6-N1-C2	-8.09	117.07	120.30
1	AA	722	G	N7-C8-N9	-8.09	109.06	113.10
1	AA	914	A	C2-N3-C4	8.09	114.64	110.60
26	BB	1278	C	C6-N1-C2	-8.09	117.06	120.30
1	AA	575	G	N3-C4-N9	8.09	130.85	126.00
26	BB	541	A	C5-N7-C8	8.09	107.94	103.90
1	AA	300	A	N1-C6-N6	8.08	123.45	118.60
1	AA	346	G	C5-C6-O6	-8.08	123.75	128.60
1	AA	1202	U	C5-C4-O4	8.08	130.75	125.90
1	AA	569	C	N3-C4-C5	-8.08	118.67	121.90
1	AA	584	G	C6-C5-N7	-8.08	125.55	130.40
26	BB	728	G	N7-C8-N9	8.08	117.14	113.10
26	BB	969	G	C2-N3-C4	8.08	115.94	111.90
26	BB	1436	G	C6-C5-N7	-8.08	125.55	130.40
26	BB	1928	A	C6-C5-N7	8.08	137.96	132.30
26	BB	2579	C	C4-C5-C6	-8.08	113.36	117.40
1	AA	939	G	C5-N7-C8	8.08	108.34	104.30
26	BB	2700	A	C8-N9-C4	-8.08	102.57	105.80
26	BB	2904	U	C2-N3-C4	-8.08	122.15	127.00
1	AA	76	G	C5'-C4'-O4'	8.08	118.80	109.10
1	AA	1403	C	C6-N1-C2	8.08	123.53	120.30
2	AB	4	G	C4-C5-N7	8.08	114.03	110.80
26	BB	628	G	C4'-C3'-C2'	-8.08	94.52	102.60
26	BB	757	G	C4-C5-N7	-8.08	107.57	110.80
26	BB	958	U	C5-C4-O4	8.08	130.75	125.90
1	AA	1139	G	N1-C6-O6	-8.08	115.05	119.90
1	AA	5	U	C5-C6-N1	-8.08	118.66	122.70
1	AA	1480	A	N1-C2-N3	8.08	133.34	129.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	25	C	O4'-C1'-N1	8.08	114.66	108.20
26	BB	175	G	C6-N1-C2	-8.08	120.25	125.10
26	BB	433	C	C5-C6-N1	8.08	125.04	121.00
26	BB	187	G	C5-N7-C8	8.08	108.34	104.30
26	BB	1042	G	C3'-C2'-C1'	-8.08	95.04	101.50
26	BB	1212	G	C4-C5-C6	8.08	123.65	118.80
26	BB	1511	G	N9-C4-C5	8.08	108.63	105.40
26	BB	2165	C	C4'-C3'-C2'	-8.08	94.52	102.60
26	BB	2683	C	C4-C5-C6	-8.08	113.36	117.40
1	AA	522	C	O4'-C1'-C2'	-8.07	97.73	105.80
1	AA	718	A	C1'-O4'-C4'	8.07	116.36	109.90
1	AA	1174	G	C5-C6-O6	-8.07	123.76	128.60
1	AA	1208	C	C5-C6-N1	-8.07	116.96	121.00
1	AA	1222	G	C6-N1-C2	-8.07	120.26	125.10
26	BB	2845	U	N3-C4-C5	-8.07	109.75	114.60
2	AB	27	C	C5-C4-N4	-8.07	114.55	120.20
26	BB	825	A	C5-C6-N1	8.07	121.74	117.70
33	BI	68	ARG	NE-CZ-NH2	-8.07	116.26	120.30
26	BB	1080	A	C8-N9-C4	-8.07	102.57	105.80
26	BB	1993	U	N1-C2-N3	8.07	119.74	114.90
1	AA	1527	U	C1'-O4'-C4'	8.07	116.36	109.90
2	AB	29	G	C4-C5-N7	-8.07	107.57	110.80
26	BB	2439	A	N3-C4-C5	-8.07	121.15	126.80
1	AA	1129	C	N3-C4-C5	-8.07	118.67	121.90
1	AA	1485	U	C3'-C2'-C1'	8.07	107.95	101.50
2	AB	23	A	N9-C4-C5	-8.07	102.57	105.80
26	BB	654	A	N1-C6-N6	8.07	123.44	118.60
26	BB	816	C	N3-C4-N4	8.07	123.65	118.00
26	BB	1066	U	C1'-O4'-C4'	8.07	116.36	109.90
26	BB	2285	C	N1-C2-O2	-8.07	114.06	118.90
26	BB	2446	G	N3-C4-C5	-8.07	124.56	128.60
1	AA	1510	C	C4'-C3'-C2'	-8.07	94.53	102.60
3	AC	43	U	O4'-C1'-N1	8.07	114.65	108.20
26	BB	10	A	N7-C8-N9	-8.07	109.77	113.80
26	BB	910	A	N3-C4-C5	-8.07	121.15	126.80
26	BB	1270	C	N1-C2-O2	8.07	123.74	118.90
26	BB	1852	U	N3-C4-C5	-8.07	109.76	114.60
26	BB	2526	G	C2-N3-C4	8.07	115.93	111.90
1	AA	238	A	N1-C6-N6	-8.06	113.76	118.60
1	AA	1232	U	C5-C4-O4	-8.06	121.06	125.90
1	AA	1408	A	C4'-C3'-C2'	-8.06	94.53	102.60
1	AA	1375	A	N9-C4-C5	-8.06	102.58	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	32	U	C4'-C3'-C2'	-8.06	94.54	102.60
26	BB	279	A	C5-N7-C8	8.06	107.93	103.90
26	BB	942	G	O4'-C1'-N9	8.06	114.65	108.20
26	BB	2501	C	O4'-C1'-N1	8.06	114.65	108.20
26	BB	2752	C	C4-C5-C6	-8.06	113.37	117.40
26	BB	1124	G	C6-N1-C2	-8.06	120.26	125.10
26	BB	2206	C	O4'-C1'-N1	8.06	114.65	108.20
1	AA	240	G	C5'-C4'-C3'	8.06	128.90	116.00
1	AA	677	U	N3-C2-O2	-8.06	116.56	122.20
1	AA	758	C	N3-C2-O2	-8.06	116.26	121.90
1	AA	1217	C	C5-C6-N1	8.06	125.03	121.00
4	AD	22	A	C5-N7-C8	-8.06	99.87	103.90
26	BB	909	A	C8-N9-C4	-8.06	102.58	105.80
26	BB	2563	U	C5-C6-N1	8.06	126.73	122.70
26	BB	2729	G	C4-C5-N7	-8.06	107.58	110.80
49	BY	38	ARG	NE-CZ-NH2	-8.06	116.27	120.30
1	AA	151	A	C4-C5-N7	-8.06	106.67	110.70
1	AA	1195	C	C4-C5-C6	8.06	121.43	117.40
26	BB	189	G	C1'-O4'-C4'	-8.06	103.45	109.90
26	BB	508	A	N1-C6-N6	-8.06	113.77	118.60
26	BB	1100	C	C3'-C2'-C1'	8.06	107.95	101.50
26	BB	1355	G	N7-C8-N9	-8.06	109.07	113.10
26	BB	1680	U	C5-C4-O4	-8.06	121.07	125.90
26	BB	1821	A	N1-C6-N6	8.06	123.43	118.60
26	BB	2411	A	N3-C4-N9	-8.06	120.95	127.40
26	BB	190	A	O4'-C1'-N9	8.05	114.64	108.20
26	BB	2021	C	C2-N3-C4	8.05	123.93	119.90
26	BB	2509	G	N3-C4-N9	8.06	130.83	126.00
26	BB	2553	G	N3-C4-N9	8.05	130.83	126.00
1	AA	229	U	O4'-C1'-N1	8.05	114.64	108.20
1	AA	390	U	O5'-P-OP2	-8.05	98.45	105.70
1	AA	416	G	O4'-C1'-N9	8.05	114.64	108.20
1	AA	667	G	C5-N7-C8	8.05	108.33	104.30
1	AA	1180	A	O4'-C4'-C3'	8.05	112.54	106.10
25	BA	16	G	C2-N3-C4	8.05	115.93	111.90
26	BB	629	G	C6-C5-N7	-8.05	125.57	130.40
26	BB	1576	U	N3-C2-O2	-8.05	116.56	122.20
29	BE	179	ARG	NE-CZ-NH2	-8.05	116.27	120.30
1	AA	1078	U	C3'-C2'-C1'	8.05	107.94	101.50
1	AA	347	G	N3-C4-C5	-8.05	124.58	128.60
1	AA	515	G	C8-N9-C4	-8.05	103.18	106.40
3	AC	25	U	C5-C4-O4	8.05	130.73	125.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	33	A	N1-C6-N6	-8.05	113.77	118.60
4	AD	40	C	O4'-C1'-N1	8.05	114.64	108.20
26	BB	381	G	C6-N1-C2	-8.05	120.27	125.10
26	BB	456	C	N3-C4-C5	-8.05	118.68	121.90
26	BB	524	G	N3-C4-N9	-8.05	121.17	126.00
26	BB	837	C	N3-C4-N4	8.05	123.64	118.00
26	BB	1101	U	C2-N3-C4	-8.05	122.17	127.00
26	BB	1333	G	O4'-C4'-C3'	-8.05	95.95	104.00
25	BA	26	C	N3-C4-C5	-8.05	118.68	121.90
1	AA	467	U	C5-C6-N1	-8.05	118.68	122.70
26	BB	1001	A	C2-N3-C4	8.05	114.62	110.60
26	BB	1486	U	N1-C2-N3	8.05	119.73	114.90
26	BB	301	G	N3-C4-C5	-8.05	124.58	128.60
26	BB	608	A	N1-C6-N6	-8.05	113.77	118.60
26	BB	667	U	C2-N3-C4	-8.05	122.17	127.00
26	BB	2740	A	N1-C6-N6	8.05	123.43	118.60
1	AA	382	A	N1-C6-N6	-8.04	113.77	118.60
26	BB	1136	G	P-O3'-C3'	8.04	129.35	119.70
26	BB	1142	A	C1'-O4'-C4'	8.04	116.34	109.90
26	BB	1354	A	N7-C8-N9	8.04	117.82	113.80
1	AA	344	A	C2-N3-C4	8.04	114.62	110.60
1	AA	381	C	P-O3'-C3'	8.04	129.35	119.70
1	AA	724	G	C5-C6-O6	-8.04	123.78	128.60
1	AA	1048	G	C5-C6-O6	-8.04	123.78	128.60
26	BB	440	C	C5'-C4'-O4'	8.04	118.75	109.10
26	BB	843	G	C4-C5-N7	-8.04	107.58	110.80
1	AA	1466	C	C5-C4-N4	-8.04	114.57	120.20
26	BB	441	U	O4'-C1'-N1	8.04	114.63	108.20
26	BB	1734	G	C5-C6-O6	-8.04	123.77	128.60
26	BB	2029	G	N3-C4-C5	-8.04	124.58	128.60
26	BB	2081	U	N1-C2-O2	-8.04	117.17	122.80
26	BB	2623	G	C4-C5-N7	-8.04	107.58	110.80
1	AA	517	G	C5-C6-O6	-8.04	123.78	128.60
1	AA	759	A	N3-C4-C5	-8.04	121.17	126.80
26	BB	123	G	N1-C2-N2	8.04	123.44	116.20
26	BB	853	C	N3-C2-O2	-8.04	116.27	121.90
26	BB	1059	G	C1'-O4'-C4'	-8.04	103.47	109.90
26	BB	1653	G	N3-C4-C5	-8.04	124.58	128.60
26	BB	2254	C	C4-C5-C6	-8.04	113.38	117.40
1	AA	498	A	N3-C4-C5	-8.04	121.17	126.80
1	AA	563	A	N1-C2-N3	-8.04	125.28	129.30
1	AA	1409	C	C5'-C4'-O4'	8.04	118.75	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	AE	29	PHE	CB-CG-CD1	-8.04	115.17	120.80
25	BA	26	C	N1-C2-O2	8.04	123.72	118.90
26	BB	1277	G	O4'-C1'-N9	8.04	114.63	108.20
26	BB	2140	G	C4'-C3'-C2'	-8.04	94.56	102.60
1	AA	377	G	N1-C6-O6	-8.04	115.08	119.90
1	AA	577	G	N9-C4-C5	8.04	108.61	105.40
26	BB	1199	U	C5'-C4'-O4'	8.04	118.74	109.10
1	AA	487	A	C5-C6-N1	8.03	121.72	117.70
1	AA	1183	U	N3-C2-O2	-8.03	116.58	122.20
26	BB	35	G	N3-C4-N9	8.04	130.82	126.00
26	BB	177	G	C8-N9-C4	-8.04	103.19	106.40
26	BB	480	A	N7-C8-N9	-8.03	109.78	113.80
26	BB	681	G	C2-N3-C4	8.04	115.92	111.90
26	BB	2450	A	C3'-C2'-C1'	8.04	107.93	101.50
26	BB	2134	A	N1-C2-N3	-8.03	125.28	129.30
1	AA	1130	A	N1-C2-N3	8.03	133.32	129.30
26	BB	1491	G	N3-C4-C5	-8.03	124.58	128.60
26	BB	677	A	N3-C4-N9	-8.03	120.97	127.40
26	BB	2493	U	C6-N1-C2	-8.03	116.18	121.00
26	BB	2890	G	C8-N9-C4	-8.03	103.19	106.40
1	AA	160	A	C6-N1-C2	8.03	123.42	118.60
3	AC	49	U	C5-C4-O4	-8.03	121.08	125.90
26	BB	2446	G	C5-N7-C8	8.03	108.31	104.30
1	AA	1258	G	C4-C5-N7	8.03	114.01	110.80
26	BB	463	G	C8-N9-C4	-8.03	103.19	106.40
26	BB	2430	A	C1'-O4'-C4'	-8.03	103.48	109.90
53	B2	35	ASP	CB-CG-OD2	-8.03	111.07	118.30
1	AA	1020	G	C6-N1-C2	-8.03	120.28	125.10
26	BB	795	C	C3'-C2'-C1'	-8.03	95.08	101.50
4	AD	15	G	C5-C6-N1	8.03	115.51	111.50
25	BA	35	C	C5'-C4'-O4'	8.03	118.73	109.10
25	BA	104	A	N3-C4-C5	-8.03	121.18	126.80
26	BB	799	G	N1-C2-N3	-8.03	119.08	123.90
26	BB	2743	U	O4'-C1'-N1	8.03	114.62	108.20
1	AA	648	A	C4-C5-N7	-8.02	106.69	110.70
2	AB	74	C	N1-C2-O2	8.02	123.71	118.90
9	AI	78	PHE	CB-CG-CD1	8.02	126.42	120.80
26	BB	1346	G	N1-C6-O6	-8.02	115.08	119.90
26	BB	1448	G	N1-C6-O6	-8.02	115.09	119.90
1	AA	61	G	N9-C1'-C2'	-8.02	103.18	112.00
1	AA	579	A	O4'-C4'-C3'	8.02	112.52	106.10
26	BB	855	G	C6-N1-C2	-8.02	120.29	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1925	C	C6-N1-C2	-8.02	117.09	120.30
1	AA	346	G	C4-C5-N7	-8.02	107.59	110.80
1	AA	411	A	C8-N9-C4	-8.02	102.59	105.80
26	BB	455	C	C4-C5-C6	-8.02	113.39	117.40
26	BB	1889	A	C4-C5-N7	-8.02	106.69	110.70
26	BB	2128	G	C6-C5-N7	-8.02	125.59	130.40
26	BB	2173	A	O4'-C1'-C2'	8.02	114.82	107.60
47	BW	76	THR	CA-CB-CG2	8.02	123.63	112.40
4	AD	23	G	C6-C5-N7	-8.02	125.59	130.40
8	AH	44	ARG	NE-CZ-NH2	-8.02	116.29	120.30
26	BB	239	C	N1-C2-O2	8.02	123.71	118.90
26	BB	504	A	C8-N9-C4	-8.02	102.59	105.80
26	BB	689	A	C4-C5-N7	8.02	114.71	110.70
26	BB	1415	U	N1-C2-N3	8.02	119.71	114.90
26	BB	710	U	C4-C5-C6	8.02	124.51	119.70
26	BB	1212	G	N9-C4-C5	8.02	108.61	105.40
26	BB	1401	G	N9-C4-C5	8.02	108.61	105.40
26	BB	2259	U	N3-C2-O2	-8.02	116.59	122.20
26	BB	2439	A	C4-C5-C6	8.02	121.01	117.00
1	AA	67	C	C6-N1-C2	-8.01	117.09	120.30
1	AA	131	A	C4-C5-C6	-8.01	112.99	117.00
1	AA	269	C	O4'-C1'-N1	8.01	114.61	108.20
26	BB	649	G	C5-C6-O6	-8.01	123.79	128.60
26	BB	896	A	C5-N7-C8	8.01	107.91	103.90
26	BB	1290	C	O4'-C1'-N1	8.01	114.61	108.20
1	AA	646	G	C4-C5-N7	-8.01	107.59	110.80
1	AA	851	G	N1-C6-O6	8.01	124.71	119.90
1	AA	1226	C	P-O3'-C3'	8.01	129.31	119.70
1	AA	1390	U	C5-C6-N1	-8.01	118.69	122.70
4	AD	43	G	N3-C4-N9	-8.01	121.19	126.00
26	BB	1378	A	C4-C5-N7	-8.01	106.69	110.70
26	BB	1806	C	N3-C2-O2	-8.01	116.29	121.90
26	BB	2375	G	C4'-C3'-C2'	-8.01	94.59	102.60
26	BB	2451	A	C8-N9-C4	8.01	109.00	105.80
28	BD	202	ARG	NE-CZ-NH1	8.01	124.31	120.30
1	AA	1318	A	C4-C5-C6	-8.01	112.99	117.00
3	AC	31	U	C3'-C2'-C1'	-8.01	95.09	101.50
26	BB	95	A	C4'-C3'-C2'	-8.01	94.59	102.60
26	BB	169	G	C4'-C3'-C2'	-8.01	94.59	102.60
26	BB	250	G	C1'-O4'-C4'	-8.01	103.49	109.90
26	BB	640	C	C5-C4-N4	-8.01	114.59	120.20
26	BB	843	G	C6-C5-N7	8.01	135.21	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	905	A	N3-C4-N9	-8.01	120.99	127.40
26	BB	1382	G	C6-N1-C2	-8.01	120.29	125.10
26	BB	1524	G	C5-C6-N1	8.01	115.51	111.50
26	BB	2607	G	C5-C6-O6	-8.01	123.79	128.60
26	BB	2715	C	C3'-C2'-C1'	8.01	107.91	101.50
26	BB	2737	G	N9-C4-C5	8.01	108.60	105.40
1	AA	111	G	C8-N9-C4	-8.01	103.20	106.40
26	BB	1061	U	N1-C2-O2	8.01	128.41	122.80
1	AA	919	A	C8-N9-C4	-8.01	102.60	105.80
1	AA	1014	A	P-O3'-C3'	8.01	129.31	119.70
2	AB	18	G	N3-C4-N9	8.01	130.80	126.00
26	BB	63	A	C1'-O4'-C4'	-8.01	103.50	109.90
26	BB	213	A	C1'-O4'-C4'	-8.01	103.50	109.90
26	BB	332	A	N1-C2-N3	-8.01	125.30	129.30
1	AA	785	G	N9-C4-C5	8.00	108.60	105.40
1	AA	855	U	N3-C4-C5	-8.00	109.80	114.60
1	AA	1500	A	N1-C2-N3	-8.00	125.30	129.30
4	AD	6	G	N3-C4-C5	-8.00	124.60	128.60
4	AD	59	A	C6-N1-C2	8.00	123.40	118.60
26	BB	434	U	N3-C2-O2	-8.00	116.60	122.20
26	BB	1462	C	C5-C6-N1	8.00	125.00	121.00
26	BB	1374	G	N9-C4-C5	8.00	108.60	105.40
26	BB	1669	A	N1-C2-N3	8.00	133.30	129.30
26	BB	1803	A	C2-N3-C4	8.00	114.60	110.60
1	AA	625	U	C4-C5-C6	8.00	124.50	119.70
1	AA	1521	C	C6-N1-C2	-8.00	117.10	120.30
26	BB	1217	U	O4'-C1'-N1	8.00	114.60	108.20
26	BB	1099	G	C4-C5-C6	8.00	123.60	118.80
1	AA	59	A	N1-C2-N3	-8.00	125.30	129.30
1	AA	923	A	C6-N1-C2	-8.00	113.80	118.60
1	AA	1028	C	O4'-C1'-N1	8.00	114.60	108.20
26	BB	1091	G	C6-C5-N7	8.00	135.20	130.40
26	BB	2043	C	O4'-C4'-C3'	8.00	112.50	106.10
1	AA	151	A	O4'-C1'-N9	8.00	114.60	108.20
1	AA	639	G	N3-C4-C5	-8.00	124.60	128.60
1	AA	899	C	N3-C2-O2	-8.00	116.30	121.90
25	BA	33	G	C8-N9-C4	8.00	109.60	106.40
26	BB	2063	C	C6-N1-C2	8.00	123.50	120.30
26	BB	2152	G	C4-C5-C6	8.00	123.60	118.80
26	BB	817	C	C4'-C3'-C2'	-7.99	94.61	102.60
26	BB	1845	G	N9-C4-C5	7.99	108.60	105.40
26	BB	2374	C	N3-C4-C5	-7.99	118.70	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2669	G	C4-C5-C6	7.99	123.60	118.80
1	AA	497	G	P-O3'-C3'	7.99	129.29	119.70
26	BB	2859	G	N1-C2-N2	-7.99	109.01	116.20
1	AA	751	U	C4-C5-C6	7.99	124.50	119.70
1	AA	946	A	N1-C2-N3	-7.99	125.31	129.30
25	BA	69	G	N7-C8-N9	-7.99	109.10	113.10
26	BB	80	G	C6-N1-C2	-7.99	120.31	125.10
26	BB	115	C	C5-C4-N4	-7.99	114.61	120.20
26	BB	870	U	C5-C4-O4	7.99	130.69	125.90
26	BB	1337	G	C5-C6-O6	-7.99	123.81	128.60
26	BB	1465	G	N3-C4-N9	-7.99	121.21	126.00
26	BB	1501	G	N9-C1'-C2'	-7.99	103.21	112.00
26	BB	2863	C	C5-C6-N1	7.99	125.00	121.00
1	AA	919	A	C5-N7-C8	-7.99	99.91	103.90
1	AA	1041	G	C5-N7-C8	-7.99	100.31	104.30
1	AA	1333	A	C8-N9-C4	-7.99	102.60	105.80
26	BB	1301	A	C5-C6-N1	7.99	121.69	117.70
26	BB	1517	G	N3-C4-N9	7.99	130.79	126.00
26	BB	1948	G	C2-N3-C4	7.99	115.89	111.90
26	BB	2653	U	O4'-C1'-N1	7.99	114.59	108.20
26	BB	2827	C	N1-C2-O2	7.99	123.69	118.90
13	AM	72	ARG	NE-CZ-NH2	-7.99	116.31	120.30
26	BB	549	G	N3-C4-C5	-7.99	124.61	128.60
42	BR	71	ARG	NE-CZ-NH1	7.99	124.29	120.30
1	AA	261	U	N3-C4-O4	-7.98	113.81	119.40
26	BB	379	G	O4'-C1'-N9	7.98	114.59	108.20
26	BB	622	G	N3-C4-C5	-7.98	124.61	128.60
26	BB	1838	C	C5-C4-N4	7.98	125.79	120.20
26	BB	675	A	C2-N3-C4	7.98	114.59	110.60
26	BB	1451	C	O4'-C1'-N1	7.98	114.59	108.20
1	AA	765	G	N1-C2-N3	7.98	128.69	123.90
1	AA	1053	G	C8-N9-C4	-7.98	103.21	106.40
2	AB	1	A	N1-C6-N6	-7.98	113.81	118.60
4	AD	3	C	C3'-C2'-C1'	-7.98	95.12	101.50
26	BB	616	A	N7-C8-N9	7.98	117.79	113.80
1	AA	965	U	C6-N1-C1'	-7.98	110.03	121.20
1	AA	1310	G	C6-C5-N7	7.98	135.19	130.40
26	BB	704	G	N9-C4-C5	7.98	108.59	105.40
26	BB	1338	G	N3-C4-N9	-7.98	121.21	126.00
26	BB	1519	G	C3'-C2'-C1'	7.98	107.88	101.50
26	BB	2317	A	N7-C8-N9	7.98	117.79	113.80
1	AA	848	C	O4'-C1'-N1	7.98	114.58	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	993	G	C2'-C3'-O3'	7.98	127.05	109.50
1	AA	1139	G	C6-N1-C2	-7.98	120.31	125.10
26	BB	834	G	O4'-C1'-C2'	-7.98	97.82	105.80
26	BB	1382	G	C4-C5-N7	-7.98	107.61	110.80
26	BB	1679	A	N1-C6-N6	7.98	123.39	118.60
1	AA	387	U	N3-C2-O2	-7.98	116.62	122.20
26	BB	2720	U	C5'-C4'-O4'	7.98	118.67	109.10
1	AA	752	G	C8-N9-C4	-7.97	103.21	106.40
1	AA	1159	U	C5-C4-O4	-7.97	121.12	125.90
26	BB	513	A	C8-N9-C4	-7.97	102.61	105.80
26	BB	806	C	C5-C4-N4	-7.97	114.62	120.20
26	BB	1880	U	C2-N3-C4	-7.97	122.22	127.00
26	BB	2284	A	C8-N9-C4	7.97	108.99	105.80
26	BB	2321	U	N1-C2-N3	7.97	119.68	114.90
26	BB	2329	U	C5-C4-O4	-7.97	121.11	125.90
26	BB	2352	A	N3-C4-C5	-7.97	121.22	126.80
29	BE	13	ARG	NH1-CZ-NH2	-7.97	110.63	119.40
1	AA	719	C	O4'-C4'-C3'	-7.97	96.03	104.00
1	AA	1183	U	C5-C6-N1	-7.97	118.71	122.70
26	BB	921	C	N1-C2-O2	7.97	123.68	118.90
26	BB	965	C	C4-C5-C6	-7.97	113.41	117.40
26	BB	1049	C	N1-C2-N3	-7.97	113.62	119.20
26	BB	1139	G	N9-C4-C5	7.97	108.59	105.40
26	BB	2672	U	N1-C2-N3	7.97	119.68	114.90
26	BB	1607	C	C5'-C4'-C3'	-7.97	103.25	116.00
1	AA	64	G	O4'-C1'-N9	7.97	114.58	108.20
1	AA	216	U	N3-C4-O4	7.97	124.98	119.40
26	BB	164	C	C6-N1-C2	-7.97	117.11	120.30
26	BB	347	A	C5'-C4'-O4'	7.97	118.66	109.10
26	BB	774	G	C3'-C2'-C1'	-7.97	95.12	101.50
26	BB	1078	U	C3'-C2'-C1'	-7.97	95.12	101.50
31	BG	168	LEU	CB-CG-CD1	7.97	124.55	111.00
26	BB	2348	U	N1-C2-N3	7.97	119.68	114.90
1	AA	213	G	C5'-C4'-O4'	7.97	118.66	109.10
1	AA	1211	U	N3-C2-O2	-7.97	116.62	122.20
26	BB	1081	U	C2-N3-C4	-7.97	122.22	127.00
26	BB	2238	G	C6-N1-C2	-7.97	120.32	125.10
1	AA	128	G	N3-C2-N2	-7.96	114.33	119.90
1	AA	388	G	C4-C5-N7	-7.96	107.61	110.80
1	AA	922	G	C5-N7-C8	-7.96	100.32	104.30
1	AA	942	G	C8-N9-C4	-7.96	103.21	106.40
26	BB	928	A	C6-C5-N7	7.96	137.88	132.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1591	A	N9-C4-C5	7.96	108.99	105.80
26	BB	2321	U	N3-C4-C5	-7.96	109.82	114.60
25	BA	104	A	C2-N3-C4	7.96	114.58	110.60
26	BB	658	U	C4-C5-C6	7.96	124.48	119.70
26	BB	2779	U	C5-C6-N1	-7.96	118.72	122.70
1	AA	886	G	O4'-C1'-N9	7.96	114.57	108.20
1	AA	959	A	C4-C5-N7	-7.96	106.72	110.70
1	AA	1441	A	O4'-C1'-N9	7.96	114.57	108.20
4	AD	34	U	N1-C2-O2	7.96	128.37	122.80
26	BB	1331	G	C8-N9-C4	-7.96	103.22	106.40
26	BB	1459	G	C5-N7-C8	-7.96	100.32	104.30
26	BB	1628	G	C8-N9-C4	-7.96	103.22	106.40
1	AA	237	G	N7-C8-N9	7.96	117.08	113.10
1	AA	462	G	C3'-C2'-C1'	-7.96	95.13	101.50
1	AA	542	G	C5'-C4'-C3'	-7.96	103.27	116.00
26	BB	424	G	N7-C8-N9	7.96	117.08	113.10
26	BB	466	A	N7-C8-N9	7.96	117.78	113.80
26	BB	2029	G	N1-C2-N3	-7.96	119.12	123.90
51	B0	29	ARG	NE-CZ-NH1	-7.96	116.32	120.30
1	AA	72	A	N1-C2-N3	-7.96	125.32	129.30
1	AA	450	G	C6-N1-C2	-7.96	120.33	125.10
26	BB	311	A	N9-C4-C5	-7.96	102.62	105.80
26	BB	482	A	C5-C6-N1	-7.96	113.72	117.70
26	BB	649	G	C5-C6-N1	7.96	115.48	111.50
26	BB	807	U	N3-C2-O2	-7.96	116.63	122.20
26	BB	983	A	N1-C2-N3	-7.96	125.32	129.30
26	BB	1613	G	C5-N7-C8	7.96	108.28	104.30
26	BB	1774	C	N3-C4-C5	7.96	125.08	121.90
26	BB	2311	A	C4-C5-N7	-7.96	106.72	110.70
1	AA	285	C	N3-C4-N4	7.96	123.57	118.00
1	AA	1403	C	N1-C2-N3	-7.96	113.63	119.20
17	AQ	35	ALA	CB-CA-C	7.96	122.03	110.10
26	BB	1607	C	C2-N3-C4	7.96	123.88	119.90
1	AA	1088	G	C2-N3-C4	-7.95	107.92	111.90
1	AA	1289	A	C6-N1-C2	7.95	123.37	118.60
26	BB	442	G	N1-C6-O6	7.95	124.67	119.90
26	BB	1651	G	C2-N3-C4	7.95	115.88	111.90
26	BB	2491	U	C5-C6-N1	-7.95	118.72	122.70
26	BB	2645	G	C6-N1-C2	-7.95	120.33	125.10
1	AA	774	G	N9-C4-C5	-7.95	102.22	105.40
1	AA	1297	G	N3-C4-C5	-7.95	124.62	128.60
1	AA	1458	G	C4-C5-N7	-7.95	107.62	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	32	U	P-O3'-C3'	7.95	129.24	119.70
26	BB	2	G	N3-C4-N9	7.95	130.77	126.00
26	BB	679	C	C5-C6-N1	7.95	124.98	121.00
26	BB	1867	G	C5-C6-O6	-7.95	123.83	128.60
26	BB	2817	U	C5-C4-O4	-7.95	121.13	125.90
1	AA	297	G	C5-N7-C8	-7.95	100.33	104.30
1	AA	1039	G	O4'-C1'-N9	7.95	114.56	108.20
26	BB	543	G	C2-N3-C4	7.95	115.88	111.90
25	BA	75	G	N7-C8-N9	7.95	117.08	113.10
26	BB	711	G	N9-C4-C5	7.95	108.58	105.40
26	BB	1270	C	C2-N3-C4	7.95	123.87	119.90
26	BB	1198	U	C5-C6-N1	7.95	126.67	122.70
26	BB	2195	U	C4-C5-C6	7.95	124.47	119.70
1	AA	1415	G	N7-C8-N9	7.95	117.07	113.10
26	BB	82	U	C5-C6-N1	-7.95	118.73	122.70
26	BB	629	G	C5'-C4'-O4'	7.95	118.63	109.10
26	BB	2532	G	C1'-O4'-C4'	7.95	116.26	109.90
26	BB	2584	U	C4'-C3'-C2'	-7.95	94.66	102.60
54	B3	49	ARG	NE-CZ-NH1	7.95	124.27	120.30
1	AA	1064	G	C3'-C2'-C1'	7.94	107.86	101.50
26	BB	121	G	C4-C5-N7	-7.94	107.62	110.80
26	BB	2834	G	N3-C2-N2	7.94	125.46	119.90
1	AA	74	A	N1-C6-N6	-7.94	113.83	118.60
1	AA	212	G	C5-C6-O6	-7.94	123.83	128.60
1	AA	215	C	C4-C5-C6	7.94	121.37	117.40
2	AB	36	A	C6-C5-N7	7.94	137.86	132.30
26	BB	103	A	O4'-C1'-N9	7.94	114.55	108.20
26	BB	149	A	N9-C4-C5	7.94	108.98	105.80
26	BB	1062	G	N3-C4-N9	-7.94	121.23	126.00
26	BB	1482	G	C6-C5-N7	-7.94	125.63	130.40
26	BB	1632	A	N7-C8-N9	7.94	117.77	113.80
1	AA	33	A	C8-N9-C4	7.94	108.98	105.80
1	AA	517	G	N1-C6-O6	7.94	124.66	119.90
1	AA	541	G	O4'-C1'-N9	7.94	114.55	108.20
1	AA	864	A	C2-N3-C4	7.94	114.57	110.60
1	AA	891	U	C4-C5-C6	7.94	124.46	119.70
26	BB	768	G	C8-N9-C4	-7.94	103.22	106.40
26	BB	1127	A	C5-C6-N1	7.94	121.67	117.70
26	BB	1299	G	N3-C4-C5	-7.94	124.63	128.60
26	BB	2128	G	N7-C8-N9	7.94	117.07	113.10
26	BB	2827	C	N3-C2-O2	-7.94	116.34	121.90
1	AA	1357	A	C1'-O4'-C4'	-7.94	103.55	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1193	G	N3-C4-N9	-7.94	121.24	126.00
1	AA	579	A	C4-C5-N7	-7.94	106.73	110.70
1	AA	995	C	C5-C6-N1	7.94	124.97	121.00
2	AB	53	G	N3-C2-N2	-7.94	114.34	119.90
3	AC	58	C	N3-C4-C5	-7.94	118.72	121.90
26	BB	2356	U	N3-C2-O2	-7.94	116.64	122.20
1	AA	1306	A	C1'-O4'-C4'	-7.94	103.55	109.90
26	BB	2154	A	C4'-C3'-C2'	-7.94	94.66	102.60
1	AA	693	G	N3-C4-N9	7.93	130.76	126.00
1	AA	980	C	C3'-C2'-C1'	7.93	107.85	101.50
1	AA	1382	C	P-O3'-C3'	7.93	129.22	119.70
25	BA	43	C	C6-N1-C2	-7.93	117.13	120.30
26	BB	697	G	C6-N1-C2	-7.93	120.34	125.10
26	BB	855	G	C8-N9-C4	-7.93	103.23	106.40
26	BB	1122	G	C6-N1-C2	-7.93	120.34	125.10
26	BB	2865	U	C1'-O4'-C4'	-7.93	103.55	109.90
16	AP	70	ARG	NE-CZ-NH1	7.93	124.27	120.30
26	BB	189	G	N9-C4-C5	7.93	108.57	105.40
26	BB	2244	U	C5-C4-O4	7.93	130.66	125.90
26	BB	2427	C	O4'-C1'-N1	7.93	114.55	108.20
1	AA	533	A	O4'-C1'-C2'	-7.93	97.87	105.80
1	AA	712	A	C5-C6-N6	-7.93	117.36	123.70
1	AA	897	C	C4-C5-C6	-7.93	113.44	117.40
1	AA	1431	A	C4-C5-C6	-7.93	113.03	117.00
1	AA	665	A	N1-C6-N6	-7.93	113.84	118.60
1	AA	808	C	N1-C2-O2	7.93	123.66	118.90
1	AA	1130	A	O4'-C1'-N9	7.93	114.54	108.20
26	BB	931	U	N3-C2-O2	-7.93	116.65	122.20
26	BB	1659	G	C8-N9-C4	-7.93	103.23	106.40
26	BB	2520	C	C2-N3-C4	7.93	123.86	119.90
1	AA	823	C	N3-C2-O2	-7.93	116.35	121.90
12	AL	5	TYR	CG-CD2-CE2	-7.93	114.96	121.30
26	BB	493	G	C6-C5-N7	-7.93	125.64	130.40
26	BB	2389	G	C5-C6-O6	-7.93	123.84	128.60
1	AA	172	A	C1'-O4'-C4'	7.93	116.24	109.90
1	AA	364	A	C3'-C2'-C1'	7.93	107.84	101.50
1	AA	407	U	C5-C6-N1	-7.93	118.74	122.70
1	AA	1366	C	C5-C6-N1	7.93	124.96	121.00
1	AA	1369	C	N3-C4-N4	7.93	123.55	118.00
1	AA	1538	C	C4'-C3'-C2'	-7.93	94.67	102.60
26	BB	261	G	N9-C1'-C2'	-7.93	103.28	112.00
26	BB	864	G	O4'-C1'-N9	7.93	114.54	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1241	A	C4'-C3'-C2'	-7.93	94.67	102.60
42	BR	54	LEU	CB-CG-CD1	7.93	124.47	111.00
1	AA	6	G	C4-C5-N7	7.92	113.97	110.80
4	AD	73	A	N1-C2-N3	-7.92	125.34	129.30
26	BB	553	G	C6-N1-C2	-7.92	120.35	125.10
26	BB	2578	G	N1-C6-O6	-7.92	115.14	119.90
26	BB	1524	G	C5'-C4'-O4'	7.92	118.61	109.10
26	BB	1862	G	C2-N3-C4	7.92	115.86	111.90
1	AA	479	U	P-O3'-C3'	7.92	129.21	119.70
1	AA	925	G	N9-C4-C5	7.92	108.57	105.40
26	BB	626	A	O4'-C1'-N9	7.92	114.54	108.20
26	BB	1692	U	O5'-P-OP2	-7.92	98.57	105.70
26	BB	1874	C	O4'-C1'-N1	7.92	114.54	108.20
26	BB	1877	A	C8-N9-C4	-7.92	102.63	105.80
26	BB	2160	C	C1'-O4'-C4'	7.92	116.24	109.90
26	BB	2376	A	C4-C5-N7	7.92	114.66	110.70
1	AA	809	G	C4'-C3'-C2'	-7.92	94.68	102.60
26	BB	1424	G	C5-C6-O6	-7.92	123.85	128.60
26	BB	2191	A	C2-N3-C4	-7.92	106.64	110.60
28	BD	102	TYR	CB-CG-CD1	7.92	125.75	121.00
44	BT	72	VAL	CG1-CB-CG2	7.92	123.57	110.90
1	AA	244	U	O4'-C1'-N1	7.92	114.53	108.20
26	BB	1065	U	N1-C2-O2	7.92	128.34	122.80
26	BB	1675	C	C6-N1-C2	-7.92	117.13	120.30
26	BB	2581	G	C6-N1-C2	-7.92	120.35	125.10
1	AA	610	U	O4'-C1'-N1	7.92	114.53	108.20
1	AA	1165	U	C4-C5-C6	7.92	124.45	119.70
26	BB	993	G	C4-C5-N7	7.92	113.97	110.80
26	BB	2275	C	C4-C5-C6	-7.92	113.44	117.40
26	BB	2370	G	N1-C2-N3	-7.92	119.15	123.90
26	BB	2564	A	C5-C6-N1	7.92	121.66	117.70
26	BB	2179	C	N3-C4-C5	-7.92	118.73	121.90
26	BB	2280	G	C6-N1-C2	-7.92	120.35	125.10
26	BB	2713	U	N1-C2-O2	7.92	128.34	122.80
25	BA	69	G	C5-N7-C8	7.91	108.26	104.30
26	BB	110	G	N1-C6-O6	-7.91	115.15	119.90
26	BB	1364	G	C6-N1-C2	-7.91	120.35	125.10
26	BB	2483	C	C6-N1-C2	-7.91	117.14	120.30
26	BB	718	A	C5-C6-N1	7.91	121.66	117.70
26	BB	1306	C	N3-C4-C5	-7.91	118.73	121.90
26	BB	2556	C	N3-C4-N4	7.91	123.54	118.00
1	AA	476	U	P-O5'-C5'	7.91	133.56	120.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1353	A	N9-C4-C5	7.91	108.96	105.80
26	BB	1379	U	N3-C4-O4	7.91	124.94	119.40
26	BB	2057	G	N9-C4-C5	7.91	108.56	105.40
1	AA	107	G	N3-C4-C5	-7.91	124.65	128.60
1	AA	866	C	C5-C4-N4	-7.91	114.66	120.20
26	BB	447	A	O4'-C1'-N9	7.91	114.53	108.20
26	BB	491	G	C8-N9-C4	-7.91	103.24	106.40
1	AA	1261	A	N1-C6-N6	-7.91	113.86	118.60
1	AA	1515	G	C5-C6-N1	7.91	115.45	111.50
2	AB	75	C	N3-C4-N4	7.91	123.53	118.00
26	BB	122	G	N9-C4-C5	-7.91	102.24	105.40
26	BB	976	G	C6-C5-N7	-7.91	125.66	130.40
1	AA	569	C	C3'-C2'-C1'	-7.91	95.18	101.50
1	AA	898	G	N3-C4-C5	-7.91	124.65	128.60
1	AA	1152	A	C4-C5-N7	-7.91	106.75	110.70
26	BB	333	G	N3-C2-N2	-7.91	114.37	119.90
26	BB	1174	U	C4-C5-C6	7.91	124.44	119.70
26	BB	1392	A	C5-C6-N6	7.91	130.02	123.70
26	BB	1620	G	N3-C4-C5	-7.91	124.65	128.60
26	BB	1793	C	O4'-C1'-N1	7.91	114.52	108.20
26	BB	1935	G	O4'-C1'-N9	7.91	114.53	108.20
26	BB	2250	G	C6-C5-N7	-7.91	125.66	130.40
38	BN	64	PHE	CB-CG-CD1	-7.91	115.27	120.80
1	AA	76	G	C4-C5-C6	-7.90	114.06	118.80
1	AA	399	G	N3-C4-C5	-7.90	124.65	128.60
1	AA	1253	G	C2'-C3'-O3'	7.90	126.88	109.50
1	AA	1303	C	C5-C6-N1	7.90	124.95	121.00
2	AB	44	G	N3-C4-C5	-7.90	124.65	128.60
12	AL	17	ARG	NE-CZ-NH2	-7.90	116.35	120.30
26	BB	181	A	O4'-C1'-N9	7.90	114.52	108.20
26	BB	545	U	C5-C4-O4	-7.90	121.16	125.90
26	BB	785	G	N3-C2-N2	7.90	125.43	119.90
1	AA	1014	A	C5-C6-N1	7.90	121.65	117.70
26	BB	619	G	C4-C5-N7	-7.90	107.64	110.80
26	BB	623	C	N1-C1'-C2'	-7.90	103.31	112.00
26	BB	689	A	C6-C5-N7	-7.90	126.77	132.30
26	BB	877	A	N7-C8-N9	7.90	117.75	113.80
26	BB	1728	C	N3-C4-C5	-7.90	118.74	121.90
26	BB	1958	C	C5-C6-N1	7.90	124.95	121.00
1	AA	1345	U	N3-C4-C5	7.90	119.34	114.60
26	BB	860	U	C6-N1-C2	7.90	125.74	121.00
26	BB	2367	G	C5-N7-C8	-7.90	100.35	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2867	G	C4-C5-N7	-7.90	107.64	110.80
17	AQ	44	VAL	CG1-CB-CG2	-7.90	98.26	110.90
26	BB	546	U	N1-C2-N3	7.90	119.64	114.90
26	BB	1332	G	C3'-C2'-C1'	7.90	107.82	101.50
26	BB	1510	G	C5-N7-C8	-7.90	100.35	104.30
26	BB	2839	G	C5-C6-O6	-7.90	123.86	128.60
27	BC	164	ARG	NE-CZ-NH2	-7.90	116.35	120.30
26	BB	1291	C	N3-C2-O2	-7.90	116.37	121.90
26	BB	1877	A	C2-N3-C4	-7.90	106.65	110.60
26	BB	2470	G	C6-C5-N7	7.90	135.14	130.40
53	B2	24	ILE	CA-CB-CG1	7.90	126.00	111.00
1	AA	417	G	N9-C4-C5	-7.89	102.24	105.40
1	AA	1416	G	C6-N1-C2	-7.89	120.36	125.10
26	BB	271	G	C5-C6-N1	7.89	115.45	111.50
26	BB	1321	A	C8-N9-C4	7.89	108.96	105.80
26	BB	2663	G	C8-N9-C4	-7.89	103.24	106.40
25	BA	21	G	C4-C5-N7	-7.89	107.64	110.80
26	BB	104	A	C5-C6-N1	7.89	121.65	117.70
26	BB	113	U	C6-N1-C2	-7.89	116.27	121.00
26	BB	289	G	N9-C1'-C2'	-7.89	103.32	112.00
26	BB	443	A	O4'-C1'-C2'	-7.89	97.91	105.80
26	BB	476	G	C3'-C2'-C1'	-7.89	95.19	101.50
26	BB	771	G	C5-C6-O6	-7.89	123.86	128.60
26	BB	809	G	C5-C6-O6	-7.89	123.86	128.60
26	BB	1093	G	N1-C6-O6	-7.89	115.16	119.90
26	BB	1221	C	N3-C4-C5	-7.89	118.74	121.90
26	BB	1838	C	C5-C6-N1	7.89	124.95	121.00
26	BB	1967	C	O4'-C1'-N1	7.89	114.52	108.20
26	BB	1983	G	N1-C2-N3	-7.89	119.16	123.90
26	BB	2740	A	C4-C5-N7	-7.89	106.75	110.70
1	AA	79	G	C8-N9-C4	-7.89	103.24	106.40
1	AA	976	G	C8-N9-C4	-7.89	103.24	106.40
2	AB	35	C	C1'-O4'-C4'	7.89	116.21	109.90
26	BB	2342	C	C2-N3-C4	7.89	123.85	119.90
26	BB	2547	A	C5-N7-C8	7.89	107.84	103.90
26	BB	2814	A	C2-N3-C4	7.89	114.55	110.60
1	AA	759	A	C5'-C4'-C3'	-7.89	103.38	116.00
1	AA	983	A	C8-N9-C4	-7.89	102.64	105.80
1	AA	1454	G	C4-C5-N7	7.89	113.95	110.80
26	BB	425	G	N9-C4-C5	7.89	108.56	105.40
26	BB	1105	U	C4-C5-C6	7.89	124.43	119.70
26	BB	2284	A	C5-C6-N1	-7.89	113.75	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	229	U	N3-C4-C5	-7.89	109.87	114.60
1	AA	293	G	C3'-C2'-C1'	7.89	107.81	101.50
1	AA	914	A	C8-N9-C4	-7.89	102.64	105.80
1	AA	1535	C	N3-C4-C5	7.89	125.06	121.90
26	BB	27	G	N3-C4-C5	-7.89	124.66	128.60
26	BB	659	G	O4'-C4'-C3'	7.89	112.41	106.10
26	BB	836	G	C4-C5-N7	-7.89	107.64	110.80
1	AA	13	U	O4'-C1'-C2'	-7.89	97.91	105.80
1	AA	1300	G	N1-C2-N2	7.89	123.30	116.20
1	AA	1335	U	N1-C2-O2	-7.89	117.28	122.80
26	BB	247	G	C6-C5-N7	7.89	135.13	130.40
26	BB	1200	C	C2-N3-C4	-7.89	115.96	119.90
26	BB	1922	G	N9-C1'-C2'	-7.89	103.32	112.00
26	BB	2057	G	C5-C6-N1	7.89	115.44	111.50
26	BB	2307	G	C6-C5-N7	7.89	135.13	130.40
26	BB	2805	C	C5'-C4'-O4'	7.89	118.56	109.10
1	AA	448	A	C2-N3-C4	-7.88	106.66	110.60
1	AA	705	G	C5-C6-N1	7.88	115.44	111.50
1	AA	945	G	C5'-C4'-O4'	7.88	118.56	109.10
1	AA	1155	A	O4'-C1'-N9	7.88	114.51	108.20
1	AA	1300	G	O4'-C1'-N9	-7.88	101.89	108.20
26	BB	2	G	C8-N9-C4	-7.88	103.25	106.40
26	BB	12	U	N3-C4-O4	7.88	124.92	119.40
26	BB	2058	A	P-O3'-C3'	7.88	129.16	119.70
26	BB	2837	A	C6-C5-N7	-7.88	126.78	132.30
34	BJ	30	ARG	NE-CZ-NH2	-7.88	116.36	120.30
26	BB	29	U	N1-C2-O2	-7.88	117.28	122.80
1	AA	1210	C	O4'-C1'-N1	7.88	114.51	108.20
1	AA	1302	C	N3-C2-O2	-7.88	116.38	121.90
1	AA	1436	U	O4'-C1'-N1	7.88	114.50	108.20
2	AB	30	G	N9-C1'-C2'	-7.88	103.33	112.00
26	BB	1781	U	C6-N1-C2	-7.88	116.27	121.00
1	AA	177	G	N1-C6-O6	-7.88	115.17	119.90
1	AA	508	U	C6-N1-C2	7.88	125.73	121.00
1	AA	1068	G	N3-C4-C5	-7.88	124.66	128.60
25	BA	13	G	C4-C5-N7	-7.88	107.65	110.80
26	BB	234	U	C2-N3-C4	-7.88	122.27	127.00
26	BB	408	G	O4'-C1'-N9	7.88	114.50	108.20
26	BB	1256	G	O4'-C1'-N9	7.88	114.50	108.20
26	BB	1583	A	N1-C6-N6	-7.88	113.87	118.60
26	BB	1646	C	N3-C4-C5	-7.88	118.75	121.90
26	BB	2132	U	C6-N1-C2	-7.88	116.27	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2293	G	N3-C4-N9	7.88	130.73	126.00
1	AA	923	A	C5-C6-N1	7.88	121.64	117.70
1	AA	1525	G	C4-C5-N7	-7.88	107.65	110.80
25	BA	107	G	C4-C5-N7	-7.88	107.65	110.80
26	BB	514	A	C2-N3-C4	7.88	114.54	110.60
1	AA	1378	C	C6-N1-C2	-7.88	117.15	120.30
2	AB	51	G	C5'-C4'-C3'	7.88	128.60	116.00
26	BB	894	U	C4-C5-C6	7.88	124.42	119.70
1	AA	627	G	C2-N3-C4	7.87	115.84	111.90
3	AC	29	G	N9-C4-C5	7.87	108.55	105.40
23	AW	59	ARG	NE-CZ-NH1	7.87	124.24	120.30
26	BB	544	C	O4'-C1'-N1	7.87	114.50	108.20
26	BB	1188	U	N1-C2-N3	7.87	119.62	114.90
26	BB	1705	A	C8-N9-C4	7.87	108.95	105.80
1	AA	1357	A	O4'-C1'-C2'	7.87	114.68	107.60
1	AA	1490	U	C4-C5-C6	7.87	124.42	119.70
26	BB	138	U	C5-C4-O4	-7.87	121.18	125.90
26	BB	1699	G	O4'-C1'-N9	7.87	114.50	108.20
26	BB	2207	C	C5'-C4'-O4'	7.87	118.55	109.10
1	AA	71	A	N1-C6-N6	7.87	123.32	118.60
1	AA	224	U	C1'-O4'-C4'	7.87	116.19	109.90
1	AA	244	U	C4-C5-C6	7.87	124.42	119.70
1	AA	847	G	N3-C4-N9	7.87	130.72	126.00
5	AE	89	PHE	CB-CG-CD1	-7.87	115.29	120.80
26	BB	431	U	C4'-C3'-C2'	-7.87	94.73	102.60
26	BB	1000	A	C5-C6-N6	7.87	129.99	123.70
26	BB	1663	G	C2-N3-C4	7.87	115.83	111.90
26	BB	2429	G	N3-C2-N2	-7.87	114.39	119.90
1	AA	634	C	C5-C6-N1	-7.87	117.07	121.00
1	AA	1079	G	O4'-C1'-N9	7.87	114.49	108.20
26	BB	77	G	O4'-C1'-N9	7.87	114.49	108.20
26	BB	303	G	N3-C2-N2	-7.87	114.39	119.90
26	BB	549	G	N1-C2-N3	-7.87	119.18	123.90
26	BB	556	A	O4'-C1'-N9	7.87	114.49	108.20
26	BB	249	C	N1-C2-O2	-7.87	114.18	118.90
26	BB	1176	U	N3-C2-O2	-7.87	116.69	122.20
26	BB	2699	C	C5-C4-N4	-7.87	114.69	120.20
26	BB	2800	A	N1-C6-N6	7.87	123.32	118.60
1	AA	360	G	C5'-C4'-O4'	7.86	118.54	109.10
1	AA	1257	A	N1-C2-N3	-7.86	125.37	129.30
25	BA	53	A	O4'-C1'-N9	7.86	114.49	108.20
26	BB	404	A	O4'-C1'-N9	7.86	114.49	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2355	G	O4'-C1'-N9	7.86	114.49	108.20
26	BB	2736	A	C5-C6-N6	-7.86	117.41	123.70
26	BB	2751	G	N7-C8-N9	7.86	117.03	113.10
32	BH	68	ARG	NE-CZ-NH1	7.86	124.23	120.30
26	BB	301	G	O4'-C1'-N9	7.86	114.49	108.20
26	BB	1094	U	N1-C2-N3	7.86	119.62	114.90
1	AA	249	U	O4'-C1'-N1	7.86	114.49	108.20
1	AA	273	U	N1-C2-N3	7.86	119.62	114.90
1	AA	692	U	N3-C2-O2	-7.86	116.70	122.20
1	AA	1303	C	N3-C4-N4	7.86	123.50	118.00
4	AD	17	C	C2-N3-C4	7.86	123.83	119.90
26	BB	2129	C	C3'-C2'-C1'	7.86	107.79	101.50
26	BB	2253	G	N3-C4-C5	-7.86	124.67	128.60
26	BB	2744	G	N1-C2-N3	7.86	128.62	123.90
1	AA	1418	A	N7-C8-N9	-7.86	109.87	113.80
26	BB	217	A	C2-N3-C4	7.86	114.53	110.60
26	BB	1156	A	C4-C5-C6	-7.86	113.07	117.00
26	BB	1338	G	C4-C5-N7	-7.86	107.66	110.80
26	BB	1678	A	N1-C6-N6	-7.86	113.89	118.60
26	BB	1836	C	C4-C5-C6	7.86	121.33	117.40
1	AA	7	A	C2-N3-C4	-7.86	106.67	110.60
1	AA	39	G	C2-N3-C4	7.86	115.83	111.90
1	AA	701	U	C5-C6-N1	-7.86	118.77	122.70
1	AA	856	C	O4'-C1'-N1	7.86	114.49	108.20
26	BB	186	G	C2-N3-C4	7.86	115.83	111.90
26	BB	706	A	C8-N9-C4	-7.86	102.66	105.80
26	BB	1034	G	N1-C6-O6	-7.86	115.19	119.90
26	BB	1478	G	N9-C4-C5	-7.86	102.26	105.40
26	BB	1761	C	N1-C2-O2	7.86	123.61	118.90
26	BB	1952	A	C4-C5-N7	7.86	114.63	110.70
26	BB	2097	A	C2-N3-C4	7.86	114.53	110.60
1	AA	907	A	N1-C2-N3	7.86	133.23	129.30
4	AD	57	C	O4'-C1'-N1	7.86	114.48	108.20
1	AA	238	A	O4'-C1'-N9	7.85	114.48	108.20
26	BB	1769	U	C5'-C4'-O4'	-7.85	99.68	109.10
26	BB	2301	C	C6-N1-C2	-7.85	117.16	120.30
1	AA	404	G	N3-C4-C5	-7.85	124.67	128.60
1	AA	676	A	C6-C5-N7	7.85	137.80	132.30
1	AA	1275	A	N1-C6-N6	-7.85	113.89	118.60
25	BA	92	C	C5'-C4'-O4'	7.85	118.52	109.10
25	BA	93	C	C4-C5-C6	-7.85	113.47	117.40
26	BB	30	G	C6-C5-N7	-7.85	125.69	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	162	U	C1'-O4'-C4'	-7.85	103.62	109.90
26	BB	342	A	N1-C6-N6	7.85	123.31	118.60
26	BB	1518	C	O4'-C1'-N1	7.85	114.48	108.20
26	BB	1748	C	C6-N1-C2	7.85	123.44	120.30
26	BB	2742	G	N3-C2-N2	-7.85	114.40	119.90
26	BB	2814	A	C6-N1-C2	7.85	123.31	118.60
26	BB	276	U	N1-C2-O2	-7.85	117.30	122.80
26	BB	1053	C	C6-N1-C2	-7.85	117.16	120.30
26	BB	1250	G	N3-C4-C5	-7.85	124.67	128.60
26	BB	1617	C	C2-N3-C4	7.85	123.83	119.90
26	BB	2406	A	N7-C8-N9	-7.85	109.87	113.80
1	AA	401	C	C6-N1-C2	-7.85	117.16	120.30
1	AA	399	G	C4-C5-C6	7.85	123.51	118.80
1	AA	1352	C	N1-C2-O2	7.85	123.61	118.90
1	AA	1461	G	C5'-C4'-O4'	7.85	118.52	109.10
2	AB	67	G	C4-C5-N7	7.85	113.94	110.80
25	BA	29	A	N1-C6-N6	-7.85	113.89	118.60
26	BB	469	G	N3-C4-N9	7.85	130.71	126.00
26	BB	671	C	C1'-O4'-C4'	-7.85	103.62	109.90
26	BB	682	G	C1'-O4'-C4'	-7.85	103.62	109.90
26	BB	2653	U	N3-C2-O2	-7.85	116.71	122.20
3	AC	52	U	C3'-C2'-C1'	-7.85	95.22	101.50
26	BB	916	G	C2-N3-C4	7.85	115.82	111.90
26	BB	1532	A	C4'-C3'-C2'	7.85	110.45	102.60
26	BB	1645	G	N3-C2-N2	7.85	125.39	119.90
1	AA	1002	G	C4-C5-N7	-7.84	107.66	110.80
26	BB	108	G	C5-C6-O6	-7.84	123.89	128.60
26	BB	538	A	N1-C2-N3	-7.84	125.38	129.30
26	BB	985	C	O4'-C1'-N1	7.84	114.48	108.20
26	BB	1750	G	C6-C5-N7	7.84	135.11	130.40
26	BB	1837	C	N3-C2-O2	-7.84	116.41	121.90
26	BB	2125	G	O4'-C1'-N9	7.84	114.47	108.20
26	BB	2464	G	C5-N7-C8	-7.84	100.38	104.30
1	AA	203	G	C3'-C2'-C1'	-7.84	95.23	101.50
1	AA	745	G	N3-C4-C5	-7.84	124.68	128.60
26	BB	167	A	C8-N9-C4	-7.84	102.66	105.80
26	BB	753	A	O4'-C1'-N9	-7.84	101.93	108.20
26	BB	867	C	C6-N1-C2	7.84	123.44	120.30
26	BB	2325	G	C5'-C4'-O4'	7.84	118.51	109.10
26	BB	2794	C	N1-C1'-C2'	-7.84	103.38	112.00
25	BA	26	C	N1-C2-N3	-7.84	113.71	119.20
26	BB	635	C	O4'-C1'-N1	7.84	114.47	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1663	G	N1-C2-N3	-7.84	119.20	123.90
26	BB	2027	G	C1'-O4'-C4'	-7.84	103.63	109.90
26	BB	2031	A	C5-C6-N6	-7.84	117.43	123.70
26	BB	2534	A	C2-N3-C4	7.84	114.52	110.60
26	BB	2763	G	C5-C6-O6	7.84	133.30	128.60
26	BB	2823	A	N7-C8-N9	7.84	117.72	113.80
1	AA	1133	G	C5-N7-C8	-7.84	100.38	104.30
26	BB	2812	G	C5-C6-N1	7.84	115.42	111.50
1	AA	555	U	C5-C4-O4	-7.84	121.20	125.90
1	AA	940	C	N3-C4-N4	7.84	123.49	118.00
1	AA	1270	G	C8-N9-C4	-7.84	103.27	106.40
4	AD	45	A	N9-C4-C5	-7.84	102.67	105.80
26	BB	340	A	N9-C4-C5	7.84	108.93	105.80
26	BB	1167	C	N1-C2-N3	7.84	124.69	119.20
26	BB	1254	A	C8-N9-C4	7.84	108.94	105.80
26	BB	2578	G	C5-C6-O6	7.84	133.30	128.60
26	BB	2599	G	N3-C4-N9	-7.84	121.30	126.00
1	AA	198	G	C3'-C2'-C1'	-7.83	95.23	101.50
1	AA	490	C	N1-C2-O2	7.83	123.60	118.90
1	AA	1327	C	P-O3'-C3'	7.83	129.10	119.70
1	AA	1388	C	C3'-C2'-C1'	7.83	107.77	101.50
1	AA	1489	G	C2-N3-C4	7.83	115.82	111.90
26	BB	277	G	N7-C8-N9	7.83	117.02	113.10
26	BB	2432	A	N3-C4-C5	-7.83	121.32	126.80
1	AA	1403	C	C2-N3-C4	7.83	123.81	119.90
11	AK	87	ARG	NE-CZ-NH1	7.83	124.22	120.30
26	BB	269	C	N3-C2-O2	-7.83	116.42	121.90
26	BB	1210	G	N7-C8-N9	7.83	117.02	113.10
26	BB	2366	A	N7-C8-N9	7.83	117.72	113.80
26	BB	35	G	N1-C2-N2	7.83	123.25	116.20
26	BB	123	G	N3-C4-C5	-7.83	124.69	128.60
26	BB	327	G	N3-C4-C5	-7.83	124.69	128.60
33	BI	46	PHE	CB-CG-CD1	7.83	126.28	120.80
1	AA	647	C	C3'-C2'-C1'	7.83	107.76	101.50
1	AA	714	G	N9-C4-C5	7.83	108.53	105.40
1	AA	1038	C	N1-C2-O2	7.83	123.60	118.90
1	AA	1104	G	C1'-O4'-C4'	7.83	116.16	109.90
1	AA	1352	C	N3-C2-O2	-7.83	116.42	121.90
26	BB	53	A	O4'-C1'-N9	7.83	114.46	108.20
26	BB	672	C	P-O5'-C5'	7.83	133.42	120.90
26	BB	994	C	O4'-C1'-N1	7.83	114.46	108.20
26	BB	2211	A	O4'-C1'-N9	-7.83	101.94	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2337	G	C2-N3-C4	7.83	115.81	111.90
1	AA	173	U	C5-C4-O4	-7.83	121.20	125.90
1	AA	243	A	P-O3'-C3'	7.83	129.09	119.70
1	AA	1117	A	C6-N1-C2	7.83	123.30	118.60
3	AC	18	A	C5-N7-C8	-7.83	99.99	103.90
26	BB	368	A	C4-C5-N7	-7.83	106.79	110.70
26	BB	1544	A	N1-C2-N3	-7.83	125.39	129.30
26	BB	2749	A	C4'-C3'-C2'	-7.83	94.77	102.60
1	AA	7	A	N7-C8-N9	7.83	117.71	113.80
1	AA	934	C	C5-C4-N4	-7.83	114.72	120.20
26	BB	114	U	P-O3'-C3'	7.83	129.09	119.70
26	BB	1517	G	C2-N3-C4	7.83	115.81	111.90
26	BB	1878	G	C5-C6-N1	7.83	115.41	111.50
26	BB	2470	G	N3-C4-N9	-7.83	121.31	126.00
26	BB	2810	A	N1-C6-N6	7.83	123.30	118.60
1	AA	695	A	N3-C4-C5	-7.82	121.32	126.80
1	AA	1206	G	C5-C6-N1	7.82	115.41	111.50
2	AB	7	G	O4'-C1'-N9	7.82	114.46	108.20
4	AD	70	C	C1'-O4'-C4'	-7.82	103.64	109.90
26	BB	667	U	O4'-C1'-N1	7.82	114.46	108.20
26	BB	2391	G	N3-C2-N2	-7.82	114.42	119.90
1	AA	519	C	N1-C2-O2	-7.82	114.21	118.90
1	AA	801	U	O4'-C1'-N1	7.82	114.46	108.20
4	AD	19	G	O4'-C1'-N9	-7.82	101.94	108.20
26	BB	1329	U	C5-C6-N1	-7.82	118.79	122.70
1	AA	179	A	C4-C5-C6	-7.82	113.09	117.00
1	AA	765	G	C6-N1-C2	-7.82	120.41	125.10
26	BB	632	A	N1-C6-N6	7.82	123.29	118.60
26	BB	882	G	N1-C6-O6	7.82	124.59	119.90
26	BB	1114	C	C5'-C4'-O4'	7.82	118.48	109.10
26	BB	1332	G	C6-N1-C2	-7.82	120.41	125.10
26	BB	1847	A	C5'-C4'-O4'	7.82	118.48	109.10
26	BB	2406	A	O4'-C1'-N9	-7.82	101.94	108.20
1	AA	199	A	C5-C6-N1	7.82	121.61	117.70
26	BB	1818	U	C5'-C4'-O4'	7.82	118.48	109.10
41	BQ	81	ARG	NE-CZ-NH1	7.82	124.21	120.30
1	AA	395	C	C5'-C4'-O4'	7.82	118.48	109.10
1	AA	730	G	N3-C4-C5	-7.82	124.69	128.60
1	AA	1238	A	C5'-C4'-O4'	7.82	118.48	109.10
25	BA	56	G	O4'-C1'-N9	7.82	114.45	108.20
26	BB	2655	G	N3-C4-C5	-7.82	124.69	128.60
1	AA	546	A	N9-C4-C5	7.82	108.93	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	978	A	C5-N7-C8	-7.82	99.99	103.90
1	AA	1158	C	C4-C5-C6	7.82	121.31	117.40
25	BA	43	C	N1-C2-O2	7.82	123.59	118.90
26	BB	2041	U	N1-C1'-C2'	-7.82	103.40	112.00
1	AA	214	C	O4'-C1'-N1	7.81	114.45	108.20
1	AA	667	G	O4'-C1'-N9	7.81	114.45	108.20
26	BB	261	G	C4'-C3'-C2'	-7.81	94.79	102.60
26	BB	2186	G	C5'-C4'-C3'	-7.81	103.50	116.00
26	BB	2510	C	N3-C2-O2	-7.81	116.43	121.90
1	AA	350	G	N3-C4-C5	-7.81	124.69	128.60
1	AA	1326	U	C5-C6-N1	-7.81	118.79	122.70
25	BA	88	C	C5-C6-N1	7.81	124.91	121.00
26	BB	795	C	O4'-C1'-C2'	7.81	114.63	107.60
26	BB	1423	G	O4'-C4'-C3'	7.81	112.35	106.10
26	BB	2644	G	N9-C1'-C2'	-7.81	103.41	112.00
1	AA	95	C	N3-C4-N4	7.81	123.47	118.00
1	AA	719	C	C2-N3-C4	7.81	123.81	119.90
1	AA	760	G	N9-C1'-C2'	-7.81	103.41	112.00
1	AA	1458	G	N9-C4-C5	7.81	108.52	105.40
26	BB	618	G	C5-C6-O6	-7.81	123.91	128.60
1	AA	608	A	C2-N3-C4	7.81	114.50	110.60
1	AA	978	A	C8-N9-C4	-7.81	102.68	105.80
1	AA	1042	A	C5'-C4'-O4'	7.81	118.47	109.10
1	AA	1164	G	N3-C2-N2	7.81	125.37	119.90
25	BA	67	G	C2-N3-C4	7.81	115.81	111.90
25	BA	83	G	C5'-C4'-C3'	-7.81	103.50	116.00
26	BB	665	U	O4'-C1'-N1	7.81	114.45	108.20
26	BB	1089	A	P-O3'-C3'	7.81	129.07	119.70
26	BB	1765	U	N1-C2-O2	-7.81	117.33	122.80
26	BB	2664	G	O4'-C4'-C3'	7.81	112.35	106.10
1	AA	722	G	C4-C5-C6	7.81	123.48	118.80
1	AA	733	G	O4'-C1'-N9	7.81	114.44	108.20
1	AA	1421	G	C5-N7-C8	-7.81	100.40	104.30
1	AA	1459	G	N3-C4-C5	-7.81	124.70	128.60
4	AD	24	C	C4-C5-C6	-7.81	113.50	117.40
26	BB	123	G	N7-C8-N9	7.81	117.00	113.10
26	BB	777	G	C4-C5-N7	-7.81	107.68	110.80
26	BB	1607	C	C6-N1-C2	7.81	123.42	120.30
1	AA	750	C	C5'-C4'-O4'	7.81	118.47	109.10
26	BB	1404	C	O4'-C1'-N1	7.81	114.44	108.20
26	BB	1788	C	C5'-C4'-C3'	-7.81	103.51	116.00
26	BB	2450	A	C8-N9-C4	-7.81	102.68	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	257	G	N1-C6-O6	-7.80	115.22	119.90
1	AA	1276	G	N1-C2-N3	-7.80	119.22	123.90
26	BB	140	C	C1'-O4'-C4'	-7.80	103.66	109.90
26	BB	888	C	N3-C4-C5	7.80	125.02	121.90
26	BB	1257	C	N3-C2-O2	-7.80	116.44	121.90
26	BB	2184	A	C5-N7-C8	-7.80	100.00	103.90
30	BF	102	ARG	NE-CZ-NH1	-7.80	116.40	120.30
1	AA	1031	C	C1'-O4'-C4'	7.80	116.14	109.90
26	BB	2722	G	C5-C6-N1	7.80	115.40	111.50
1	AA	370	C	N1-C2-O2	7.80	123.58	118.90
1	AA	453	G	C4'-C3'-C2'	-7.80	94.80	102.60
1	AA	857	C	C3'-C2'-C1'	7.80	107.74	101.50
25	BA	44	G	O3'-P-O5'	-7.80	89.18	104.00
26	BB	899	A	O4'-C1'-N9	7.80	114.44	108.20
26	BB	1039	A	C4-C5-N7	-7.80	106.80	110.70
1	AA	142	G	N9-C4-C5	-7.80	102.28	105.40
1	AA	447	G	N3-C4-N9	7.80	130.68	126.00
1	AA	1063	C	N3-C2-O2	-7.80	116.44	121.90
26	BB	737	C	C6-N1-C2	-7.80	117.18	120.30
26	BB	914	G	C6-N1-C2	-7.80	120.42	125.10
26	BB	1116	G	C8-N9-C4	-7.80	103.28	106.40
26	BB	1340	U	N1-C2-O2	-7.80	117.34	122.80
26	BB	1431	A	N9-C4-C5	7.80	108.92	105.80
26	BB	2572	A	N1-C2-N3	-7.80	125.40	129.30
26	BB	2804	U	O4'-C1'-N1	7.80	114.44	108.20
26	BB	2813	A	N7-C8-N9	7.80	117.70	113.80
1	AA	329	A	O4'-C1'-N9	7.80	114.44	108.20
1	AA	1023	U	C5-C6-N1	7.80	126.60	122.70
1	AA	1276	G	C5-C6-O6	-7.80	123.92	128.60
26	BB	403	U	C2-N3-C4	-7.80	122.32	127.00
26	BB	1505	A	C4-C5-N7	7.80	114.60	110.70
26	BB	2530	A	C3'-C2'-C1'	-7.80	95.26	101.50
1	AA	72	A	C8-N9-C4	7.80	108.92	105.80
1	AA	676	A	C3'-C2'-C1'	7.80	107.74	101.50
2	AB	51	G	N3-C4-C5	-7.80	124.70	128.60
26	BB	859	G	C5-N7-C8	-7.80	100.40	104.30
26	BB	1235	G	C2-N3-C4	7.80	115.80	111.90
26	BB	1451	C	C6-N1-C2	7.80	123.42	120.30
26	BB	2131	U	C4-C5-C6	7.80	124.38	119.70
26	BB	2215	C	C2-N3-C4	7.80	123.80	119.90
1	AA	373	A	C8-N9-C4	-7.79	102.68	105.80
1	AA	1222	G	N1-C6-O6	-7.79	115.22	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	34	A	N9-C4-C5	7.79	108.92	105.80
26	BB	1079	C	O4'-C1'-N1	7.79	114.44	108.20
26	BB	1158	C	O4'-C1'-N1	7.79	114.44	108.20
26	BB	1650	A	C2-N3-C4	7.79	114.50	110.60
26	BB	2579	C	C5-C4-N4	-7.79	114.74	120.20
1	AA	755	G	N3-C2-N2	-7.79	114.44	119.90
1	AA	1191	A	C5-N7-C8	-7.79	100.00	103.90
1	AA	1465	A	N3-C4-C5	-7.79	121.34	126.80
26	BB	243	U	N1-C1'-C2'	-7.79	103.43	112.00
26	BB	997	G	C8-N9-C1'	7.79	137.13	127.00
26	BB	1338	G	P-O3'-C3'	7.79	129.05	119.70
26	BB	1539	U	C4-C5-C6	7.79	124.38	119.70
26	BB	1691	C	C4-C5-C6	7.79	121.30	117.40
26	BB	1809	A	C6-C5-N7	7.79	137.76	132.30
1	AA	64	G	C8-N9-C4	-7.79	103.28	106.40
1	AA	426	U	C4'-C3'-C2'	-7.79	94.81	102.60
26	BB	315	G	O4'-C1'-N9	7.79	114.43	108.20
26	BB	843	G	C5-N7-C8	7.79	108.20	104.30
26	BB	1031	G	C6-N1-C2	-7.79	120.42	125.10
26	BB	1679	A	C5-C6-N6	-7.79	117.47	123.70
26	BB	2721	A	N1-C2-N3	-7.79	125.40	129.30
26	BB	2799	A	C2-N3-C4	7.79	114.50	110.60
1	AA	279	A	P-O3'-C3'	7.79	129.05	119.70
1	AA	1237	C	C4'-C3'-C2'	-7.79	94.81	102.60
1	AA	1363	A	N1-C2-N3	7.79	133.19	129.30
26	BB	131	A	C8-N9-C4	-7.79	102.68	105.80
26	BB	486	C	N3-C4-C5	-7.79	118.78	121.90
26	BB	1161	C	N3-C4-N4	7.79	123.45	118.00
26	BB	2719	G	N9-C4-C5	7.79	108.52	105.40
1	AA	1213	A	N1-C6-N6	-7.79	113.93	118.60
1	AA	1520	C	C5'-C4'-O4'	7.79	118.45	109.10
26	BB	158	U	N3-C4-O4	7.79	124.85	119.40
26	BB	1181	U	N1-C1'-C2'	-7.79	103.43	112.00
26	BB	1594	U	C4-C5-C6	7.79	124.37	119.70
26	BB	2211	A	O3'-P-O5'	-7.79	89.20	104.00
27	BC	162	ARG	NE-CZ-NH2	7.79	124.19	120.30
33	BI	27	ARG	NE-CZ-NH1	-7.79	116.41	120.30
1	AA	540	G	N7-C8-N9	7.79	116.99	113.10
26	BB	295	G	C2-N3-C4	7.79	115.79	111.90
26	BB	626	A	N7-C8-N9	7.79	117.69	113.80
26	BB	650	C	C4'-C3'-C2'	-7.79	94.81	102.60
26	BB	1072	C	C5'-C4'-O4'	7.79	118.44	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1695	G	C6-C5-N7	7.79	135.07	130.40
1	AA	124	C	C5'-C4'-O4'	7.79	118.44	109.10
1	AA	145	G	N3-C2-N2	-7.79	114.45	119.90
1	AA	701	U	O4'-C1'-N1	7.79	114.43	108.20
1	AA	906	A	C8-N9-C4	-7.79	102.69	105.80
26	BB	575	A	O4'-C1'-N9	7.79	114.43	108.20
26	BB	675	A	N9-C4-C5	7.79	108.91	105.80
26	BB	1254	A	C5-C6-N1	7.79	121.59	117.70
26	BB	1445	G	C5-C6-N1	-7.79	107.61	111.50
26	BB	1654	A	C6-C5-N7	7.79	137.75	132.30
26	BB	1899	A	C1'-O4'-C4'	-7.79	103.67	109.90
26	BB	1907	G	C4-C5-C6	7.79	123.47	118.80
26	BB	2277	G	N9-C4-C5	7.79	108.51	105.40
26	BB	2430	A	C6-N1-C2	-7.79	113.93	118.60
26	BB	2795	C	N1-C2-O2	7.79	123.57	118.90
30	BF	35	TYR	CD1-CG-CD2	7.79	126.47	117.90
1	AA	226	G	C3'-C2'-C1'	-7.78	95.27	101.50
26	BB	499	U	C5-C4-O4	7.78	130.57	125.90
26	BB	2087	G	C6-C5-N7	-7.78	125.73	130.40
26	BB	2137	U	N3-C2-O2	-7.78	116.75	122.20
1	AA	1067	A	N9-C4-C5	-7.78	102.69	105.80
26	BB	651	G	N7-C8-N9	-7.78	109.21	113.10
26	BB	1851	U	C6-N1-C2	-7.78	116.33	121.00
1	AA	360	G	N7-C8-N9	7.78	116.99	113.10
1	AA	1449	C	N1-C1'-C2'	-7.78	103.44	112.00
1	AA	1479	C	C4-C5-C6	-7.78	113.51	117.40
26	BB	637	A	P-O3'-C3'	7.78	129.04	119.70
26	BB	2103	C	N3-C4-C5	-7.78	118.79	121.90
1	AA	305	G	C5-C6-N1	7.78	115.39	111.50
26	BB	2	G	C4-C5-C6	7.78	123.47	118.80
26	BB	680	C	N1-C2-O2	7.78	123.57	118.90
26	BB	1223	G	C4-C5-N7	-7.78	107.69	110.80
26	BB	1718	G	N3-C4-N9	7.78	130.67	126.00
26	BB	2131	U	C5-C6-N1	-7.78	118.81	122.70
26	BB	2892	G	C4-C5-N7	7.78	113.91	110.80
1	AA	43	C	N1-C2-O2	7.78	123.57	118.90
1	AA	190	A	C5-C6-N1	-7.78	113.81	117.70
1	AA	647	C	C6-N1-C2	-7.78	117.19	120.30
1	AA	1140	C	O4'-C1'-N1	7.78	114.42	108.20
1	AA	1364	U	C1'-O4'-C4'	7.78	116.12	109.90
26	BB	437	U	C5-C6-N1	-7.78	118.81	122.70
26	BB	1076	C	N3-C4-C5	-7.78	118.79	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2589	A	C5-N7-C8	-7.78	100.01	103.90
1	AA	226	G	N3-C4-N9	-7.78	121.33	126.00
1	AA	1309	G	C4-C5-N7	-7.78	107.69	110.80
4	AD	15	G	C4-C5-N7	7.78	113.91	110.80
26	BB	1538	G	N3-C4-N9	7.78	130.67	126.00
26	BB	1566	A	C3'-C2'-C1'	7.78	107.72	101.50
26	BB	2464	G	C5-C6-O6	-7.78	123.94	128.60
1	AA	755	G	C6-C5-N7	-7.77	125.74	130.40
26	BB	1446	C	N3-C4-N4	7.77	123.44	118.00
26	BB	2152	G	N3-C4-N9	7.77	130.66	126.00
1	AA	488	C	C5-C6-N1	7.77	124.89	121.00
1	AA	566	G	O4'-C1'-N9	7.77	114.42	108.20
1	AA	1298	U	N1-C2-N3	7.77	119.56	114.90
1	AA	1317	C	C4'-C3'-C2'	-7.77	94.83	102.60
1	AA	1457	G	N3-C4-N9	-7.77	121.34	126.00
1	AA	1480	A	C2-N3-C4	-7.77	106.71	110.60
26	BB	401	A	P-O3'-C3'	7.77	129.03	119.70
26	BB	553	G	N9-C1'-C2'	-7.77	103.45	112.00
26	BB	713	G	C5-C6-N1	7.77	115.39	111.50
26	BB	1523	U	C1'-O4'-C4'	7.77	116.12	109.90
26	BB	1803	A	N1-C6-N6	7.77	123.26	118.60
26	BB	1843	C	P-O3'-C3'	7.77	129.03	119.70
1	AA	738	C	C4-C5-C6	-7.77	113.52	117.40
26	BB	882	G	C5-C6-O6	-7.77	123.94	128.60
26	BB	903	C	N3-C2-O2	-7.77	116.46	121.90
1	AA	724	G	C6-C5-N7	-7.77	125.74	130.40
1	AA	1269	A	N7-C8-N9	-7.77	109.92	113.80
26	BB	60	G	C5-N7-C8	-7.77	100.42	104.30
26	BB	97	C	N3-C2-O2	-7.77	116.46	121.90
26	BB	401	A	O4'-C4'-C3'	-7.77	96.23	104.00
26	BB	850	U	N1-C2-O2	7.77	128.24	122.80
26	BB	2319	G	N3-C2-N2	7.77	125.34	119.90
1	AA	199	A	C2-N3-C4	7.77	114.48	110.60
25	BA	90	C	C5-C4-N4	7.77	125.64	120.20
26	BB	949	G	N3-C2-N2	-7.77	114.46	119.90
26	BB	1141	U	C4-C5-C6	7.77	124.36	119.70
26	BB	1397	U	C4-C5-C6	7.77	124.36	119.70
26	BB	1500	G	C4-C5-N7	7.77	113.91	110.80
26	BB	1800	C	N3-C4-N4	7.77	123.44	118.00
32	BH	78	VAL	CA-CB-CG1	7.77	122.55	110.90
26	BB	261	G	C6-N1-C2	-7.77	120.44	125.10
26	BB	1458	U	C2-N1-C1'	7.77	127.02	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1712	U	N3-C2-O2	-7.77	116.76	122.20
1	AA	206	C	C5-C6-N1	7.76	124.88	121.00
1	AA	545	C	C4'-C3'-C2'	-7.76	94.83	102.60
1	AA	647	C	O4'-C1'-N1	7.76	114.41	108.20
26	BB	480	A	O4'-C1'-N9	7.76	114.41	108.20
26	BB	629	G	C8-N9-C1'	7.76	137.09	127.00
26	BB	1797	G	C4-C5-N7	-7.76	107.69	110.80
26	BB	2767	C	C1'-O4'-C4'	7.76	116.11	109.90
1	AA	1470	U	N1-C2-N3	7.76	119.56	114.90
1	AA	1477	U	N1-C2-N3	7.76	119.56	114.90
26	BB	1038	G	C1'-O4'-C4'	7.76	116.11	109.90
26	BB	1699	G	N3-C2-N2	7.76	125.33	119.90
26	BB	2606	C	N1-C2-O2	7.76	123.56	118.90
1	AA	608	A	C5-C6-N1	7.76	121.58	117.70
1	AA	843	U	C5-C6-N1	-7.76	118.82	122.70
1	AA	886	G	N3-C4-N9	7.76	130.66	126.00
4	AD	76	C	O4'-C4'-C3'	7.76	112.31	106.10
26	BB	63	A	C8-N9-C4	-7.76	102.70	105.80
26	BB	756	A	N9-C4-C5	7.76	108.90	105.80
26	BB	1566	A	N1-C2-N3	-7.76	125.42	129.30
26	BB	2459	A	C1'-O4'-C4'	7.76	116.11	109.90
1	AA	200	G	C8-N9-C4	-7.76	103.30	106.40
1	AA	270	A	C4-C5-C6	7.76	120.88	117.00
1	AA	791	G	N3-C4-C5	-7.76	124.72	128.60
1	AA	1031	C	C4-C5-C6	7.76	121.28	117.40
26	BB	295	G	N9-C1'-C2'	-7.76	103.47	112.00
26	BB	799	G	C2-N3-C4	7.76	115.78	111.90
26	BB	938	G	C5-C6-O6	-7.76	123.94	128.60
26	BB	1031	G	N3-C2-N2	-7.76	114.47	119.90
26	BB	1703	G	C1'-O4'-C4'	7.76	116.11	109.90
26	BB	1707	G	C5-C6-O6	-7.76	123.94	128.60
26	BB	1938	A	C8-N9-C4	-7.76	102.70	105.80
26	BB	2003	A	C2-N3-C4	7.76	114.48	110.60
26	BB	1907	G	O4'-C1'-N9	7.76	114.41	108.20
26	BB	2429	G	N9-C4-C5	7.76	108.50	105.40
26	BB	2750	A	N7-C8-N9	7.76	117.68	113.80
1	AA	419	C	C3'-C2'-C1'	7.76	107.70	101.50
1	AA	706	A	C5-N7-C8	7.76	107.78	103.90
1	AA	1018	G	C6-N1-C2	-7.76	120.45	125.10
1	AA	1176	A	N7-C8-N9	7.76	117.68	113.80
24	AX	20	ARG	NE-CZ-NH1	7.76	124.18	120.30
26	BB	698	C	C2-N3-C4	-7.76	116.02	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	727	A	N3-C4-N9	-7.76	121.19	127.40
26	BB	1446	C	O4'-C1'-N1	7.76	114.41	108.20
26	BB	1677	A	N3-C4-C5	-7.76	121.37	126.80
26	BB	1761	C	O4'-C1'-N1	7.76	114.41	108.20
26	BB	2437	G	N9-C4-C5	7.76	108.50	105.40
1	AA	1328	C	C4-C5-C6	-7.75	113.52	117.40
1	AA	518	C	O4'-C1'-N1	7.75	114.40	108.20
26	BB	203	A	C5-N7-C8	7.75	107.78	103.90
26	BB	387	U	C2-N3-C4	-7.75	122.35	127.00
26	BB	979	A	P-O3'-C3'	7.75	129.00	119.70
26	BB	1084	A	O4'-C1'-N9	7.75	114.40	108.20
26	BB	1289	C	O4'-C1'-N1	7.75	114.40	108.20
26	BB	2026	U	O5'-C5'-C4'	7.75	126.43	111.70
4	AD	10	G	C4-C5-N7	7.75	113.90	110.80
25	BA	89	U	C2-N3-C4	-7.75	122.35	127.00
26	BB	381	G	C5-C6-N1	7.75	115.38	111.50
26	BB	1718	G	N3-C4-C5	-7.75	124.72	128.60
26	BB	1733	G	C6-N1-C2	-7.75	120.45	125.10
26	BB	313	G	C6-N1-C2	-7.75	120.45	125.10
26	BB	993	G	C6-N1-C2	-7.75	120.45	125.10
26	BB	1131	G	C4-C5-N7	-7.75	107.70	110.80
26	BB	1572	A	C1'-O4'-C4'	7.75	116.10	109.90
26	BB	1772	A	C8-N9-C4	-7.75	102.70	105.80
2	AB	10	G	C4-C5-N7	-7.75	107.70	110.80
26	BB	1091	G	C4-C5-C6	-7.75	114.15	118.80
26	BB	2350	C	N3-C4-N4	7.75	123.42	118.00
26	BB	2678	C	N3-C4-C5	-7.75	118.80	121.90
1	AA	110	C	C5-C4-N4	-7.75	114.78	120.20
1	AA	1386	G	C6-N1-C2	-7.75	120.45	125.10
26	BB	1102	C	P-O3'-C3'	7.75	128.99	119.70
1	AA	179	A	C5-C6-N1	7.74	121.57	117.70
1	AA	276	G	C4-C5-N7	-7.74	107.70	110.80
1	AA	855	U	C4'-C3'-C2'	-7.74	94.86	102.60
26	BB	938	G	N9-C4-C5	7.74	108.50	105.40
26	BB	951	C	C2-N3-C4	7.74	123.77	119.90
26	BB	1575	C	N1-C2-N3	7.74	124.62	119.20
26	BB	2478	A	N9-C4-C5	-7.74	102.70	105.80
26	BB	2678	C	O4'-C1'-N1	7.74	114.39	108.20
26	BB	1346	G	N3-C2-N2	-7.74	114.48	119.90
26	BB	1932	A	N9-C4-C5	-7.74	102.70	105.80
1	AA	274	A	C4-C5-C6	-7.74	113.13	117.00
1	AA	667	G	C5-C6-O6	-7.74	123.95	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	856	C	C1'-O4'-C4'	-7.74	103.71	109.90
1	AA	1245	C	N1-C2-N3	-7.74	113.78	119.20
1	AA	1302	C	N1-C2-O2	7.74	123.55	118.90
22	AV	80	ARG	NE-CZ-NH1	7.74	124.17	120.30
26	BB	633	A	N1-C2-N3	7.74	133.17	129.30
26	BB	2281	A	C4-C5-N7	-7.74	106.83	110.70
1	AA	1002	G	C5-C6-N1	7.74	115.37	111.50
1	AA	1240	U	N1-C2-O2	7.74	128.22	122.80
1	AA	1287	A	C6-C5-N7	7.74	137.72	132.30
26	BB	967	U	N3-C4-C5	-7.74	109.96	114.60
26	BB	1071	G	C5-C6-O6	-7.74	123.96	128.60
26	BB	1752	C	N3-C4-C5	-7.74	118.80	121.90
26	BB	2160	C	O4'-C1'-N1	7.74	114.39	108.20
26	BB	2528	U	C2-N3-C4	7.74	131.64	127.00
1	AA	878	A	C2-N3-C4	-7.74	106.73	110.60
26	BB	1582	C	C5-C6-N1	7.74	124.87	121.00
1	AA	847	G	C2-N3-C4	7.74	115.77	111.90
26	BB	1330	C	C4-C5-C6	-7.74	113.53	117.40
26	BB	1496	A	C4-C5-N7	-7.74	106.83	110.70
26	BB	1553	A	C5-C6-N6	-7.74	117.51	123.70
26	BB	1629	U	N3-C4-C5	-7.74	109.96	114.60
26	BB	1685	C	N3-C4-C5	-7.74	118.81	121.90
26	BB	2028	U	N3-C2-O2	-7.74	116.78	122.20
1	AA	1410	A	C4-C5-N7	-7.73	106.83	110.70
26	BB	132	G	N9-C4-C5	7.73	108.49	105.40
26	BB	1305	C	C2-N3-C4	-7.73	116.03	119.90
26	BB	1401	G	C5'-C4'-O4'	7.73	118.38	109.10
1	AA	1235	U	N1-C1'-C2'	-7.73	103.50	112.00
26	BB	1121	C	P-O3'-C3'	7.73	128.98	119.70
26	BB	1332	G	N3-C2-N2	-7.73	114.49	119.90
26	BB	2226	C	N3-C4-N4	-7.73	112.59	118.00
26	BB	2586	U	O4'-C1'-N1	7.73	114.39	108.20
26	BB	2612	C	C2-N3-C4	7.73	123.77	119.90
1	AA	356	A	N1-C2-N3	7.73	133.16	129.30
1	AA	405	U	N3-C2-O2	-7.73	116.79	122.20
25	BA	9	G	C5'-C4'-O4'	7.73	118.38	109.10
26	BB	75	G	N1-C2-N3	-7.73	119.26	123.90
26	BB	146	A	N3-C4-N9	-7.73	121.22	127.40
26	BB	738	G	O4'-C1'-N9	7.73	114.38	108.20
1	AA	479	U	N3-C2-O2	7.73	127.61	122.20
1	AA	1370	G	C5-C6-N1	7.73	115.36	111.50
26	BB	76	C	C5'-C4'-O4'	7.73	118.38	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	589	U	N3-C4-C5	-7.73	109.96	114.60
1	AA	63	C	C2-N3-C4	-7.73	116.04	119.90
1	AA	187	G	N3-C4-N9	7.73	130.64	126.00
1	AA	193	C	C4'-C3'-C2'	-7.73	94.87	102.60
4	AD	44	A	C5-N7-C8	7.73	107.76	103.90
26	BB	869	G	C8-N9-C4	-7.73	103.31	106.40
26	BB	1580	A	C8-N9-C4	-7.73	102.71	105.80
26	BB	2029	G	N3-C2-N2	7.73	125.31	119.90
1	AA	1215	G	N1-C6-O6	-7.73	115.27	119.90
26	BB	66	C	C2-N3-C4	7.73	123.76	119.90
26	BB	244	A	N9-C1'-C2'	-7.73	103.50	112.00
26	BB	1436	G	N1-C2-N3	-7.73	119.27	123.90
26	BB	1742	U	C4'-C3'-C2'	-7.73	94.87	102.60
1	AA	205	A	C1'-O4'-C4'	7.72	116.08	109.90
1	AA	465	A	C5-N7-C8	7.72	107.76	103.90
1	AA	1256	A	O4'-C1'-N9	7.72	114.38	108.20
4	AD	54	G	C5-C6-O6	-7.72	123.97	128.60
25	BA	8	C	O4'-C1'-N1	7.72	114.38	108.20
26	BB	1969	A	C4-C5-N7	-7.72	106.84	110.70
26	BB	2084	C	N3-C4-C5	-7.72	118.81	121.90
26	BB	2590	A	N3-C4-C5	-7.72	121.39	126.80
26	BB	2698	U	N1-C2-N3	7.72	119.53	114.90
1	AA	649	A	C5-N7-C8	-7.72	100.04	103.90
1	AA	1150	A	C5-C6-N1	7.72	121.56	117.70
26	BB	35	G	N3-C4-C5	-7.72	124.74	128.60
26	BB	287	G	C5-C6-O6	-7.72	123.97	128.60
26	BB	726	G	O4'-C1'-N9	7.72	114.38	108.20
26	BB	1533	C	N3-C4-C5	-7.72	118.81	121.90
26	BB	2121	G	C6-C5-N7	-7.72	125.77	130.40
26	BB	2201	G	C8-N9-C4	-7.72	103.31	106.40
1	AA	113	G	N3-C4-C5	-7.72	124.74	128.60
3	AC	18	A	N7-C8-N9	7.72	117.66	113.80
4	AD	64	G	C5'-C4'-O4'	7.72	118.36	109.10
26	BB	230	G	C5-C6-N1	7.72	115.36	111.50
26	BB	1418	G	C5-N7-C8	-7.72	100.44	104.30
26	BB	2652	C	C5-C6-N1	7.72	124.86	121.00
1	AA	313	A	O4'-C1'-N9	7.72	114.38	108.20
1	AA	472	U	C5-C4-O4	-7.72	121.27	125.90
1	AA	1377	A	O4'-C1'-N9	7.72	114.38	108.20
2	AB	10	G	C5-N7-C8	7.72	108.16	104.30
25	BA	101	A	N9-C4-C5	7.72	108.89	105.80
26	BB	28	A	C5-N7-C8	-7.72	100.04	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	886	A	N9-C4-C5	7.72	108.89	105.80
26	BB	1735	A	C4'-C3'-C2'	-7.72	94.88	102.60
26	BB	2209	G	N3-C4-C5	-7.72	124.74	128.60
26	BB	2389	G	N1-C2-N3	-7.72	119.27	123.90
56	B5	3	ARG	NE-CZ-NH2	7.72	124.16	120.30
26	BB	751	A	C5-N7-C8	-7.72	100.04	103.90
26	BB	841	G	C6-N1-C2	-7.72	120.47	125.10
26	BB	1921	G	C5-C6-O6	-7.72	123.97	128.60
1	AA	1400	C	C5-C6-N1	7.72	124.86	121.00
2	AB	61	C	P-O3'-C3'	7.72	128.96	119.70
16	AP	2	ARG	NE-CZ-NH2	-7.72	116.44	120.30
26	BB	132	G	C4-C5-N7	-7.72	107.71	110.80
26	BB	385	C	N1-C2-O2	7.72	123.53	118.90
26	BB	585	G	O4'-C1'-N9	7.72	114.37	108.20
26	BB	1421	G	C5-N7-C8	-7.72	100.44	104.30
1	AA	265	G	C5-N7-C8	7.71	108.16	104.30
1	AA	595	A	C5-N7-C8	-7.71	100.04	103.90
1	AA	1109	C	N1-C2-O2	7.71	123.53	118.90
25	BA	116	G	C5-C6-O6	-7.71	123.97	128.60
26	BB	277	G	C6-N1-C2	-7.71	120.47	125.10
26	BB	346	A	C3'-C2'-C1'	7.71	107.67	101.50
26	BB	815	C	N3-C4-C5	7.71	124.99	121.90
26	BB	845	A	N7-C8-N9	7.71	117.66	113.80
26	BB	1021	A	C4-C5-N7	-7.71	106.84	110.70
26	BB	1151	A	O4'-C1'-N9	7.71	114.37	108.20
26	BB	1176	U	N1-C2-O2	7.71	128.20	122.80
26	BB	2411	A	C4-C5-N7	-7.71	106.84	110.70
1	AA	371	A	C5-C6-N1	7.71	121.56	117.70
1	AA	684	U	N1-C2-N3	7.71	119.53	114.90
1	AA	705	G	C2-N3-C4	7.71	115.76	111.90
1	AA	1004	A	C6-N1-C2	-7.71	113.97	118.60
1	AA	1355	G	C5'-C4'-O4'	7.71	118.36	109.10
25	BA	24	G	C3'-C2'-C1'	7.71	107.67	101.50
26	BB	1416	G	C5-C6-N1	7.71	115.36	111.50
26	BB	1704	C	N3-C2-O2	-7.71	116.50	121.90
26	BB	2362	C	C5'-C4'-C3'	-7.71	103.66	116.00
26	BB	2548	U	C1'-O4'-C4'	-7.71	103.73	109.90
1	AA	884	U	O4'-C4'-C3'	7.71	112.27	106.10
1	AA	1299	A	C3'-C2'-C1'	-7.71	95.33	101.50
4	AD	7	G	C5-C6-N1	7.71	115.36	111.50
4	AD	58	A	P-O3'-C3'	7.71	128.95	119.70
26	BB	252	G	C4-C5-N7	7.71	113.88	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2523	G	O4'-C1'-N9	7.71	114.37	108.20
1	AA	108	G	N1-C2-N2	-7.71	109.26	116.20
26	BB	1766	G	N3-C4-C5	-7.71	124.75	128.60
1	AA	225	C	C5-C6-N1	7.71	124.86	121.00
1	AA	749	A	O4'-C1'-N9	7.71	114.37	108.20
26	BB	372	G	C8-N9-C4	-7.71	103.32	106.40
26	BB	511	U	N1-C2-O2	7.71	128.20	122.80
26	BB	547	A	N7-C8-N9	7.71	117.65	113.80
26	BB	1187	G	N9-C4-C5	7.71	108.48	105.40
26	BB	1399	C	N1-C2-O2	7.71	123.53	118.90
26	BB	1642	G	C5'-C4'-O4'	7.71	118.35	109.10
26	BB	2686	G	O4'-C1'-N9	7.71	114.37	108.20
26	BB	2785	C	O4'-C1'-N1	7.71	114.37	108.20
1	AA	35	G	N1-C2-N3	-7.71	119.28	123.90
1	AA	466	A	C4'-C3'-C2'	-7.71	94.89	102.60
1	AA	922	G	C2-N3-C4	7.71	115.75	111.90
1	AA	1086	U	N3-C2-O2	-7.71	116.81	122.20
1	AA	1115	U	C4-C5-C6	7.71	124.32	119.70
26	BB	286	U	O4'-C4'-C3'	-7.71	96.29	104.00
26	BB	916	G	C8-N9-C4	-7.71	103.32	106.40
26	BB	1012	U	C5-C6-N1	-7.71	118.85	122.70
1	AA	1174	G	O4'-C1'-N9	7.71	114.36	108.20
26	BB	1620	G	C5-C6-N1	7.71	115.35	111.50
1	AA	66	A	C4-C5-N7	7.70	114.55	110.70
1	AA	1479	C	C6-N1-C2	-7.70	117.22	120.30
4	AD	65	G	C4'-C3'-C2'	-7.70	94.90	102.60
26	BB	663	G	C4-C5-N7	7.70	113.88	110.80
26	BB	1063	G	N9-C4-C5	7.70	108.48	105.40
26	BB	1063	G	C3'-C2'-C1'	-7.70	95.34	101.50
26	BB	2077	A	O5'-P-OP2	-7.70	98.77	105.70
26	BB	2372	U	C5-C6-N1	-7.70	118.85	122.70
26	BB	2666	C	O4'-C1'-C2'	7.70	114.53	107.60
25	BA	35	C	N1-C2-O2	7.70	123.52	118.90
26	BB	782	A	N9-C4-C5	7.70	108.88	105.80
1	AA	172	A	O4'-C1'-N9	7.70	114.36	108.20
1	AA	538	G	C6-N1-C2	-7.70	120.48	125.10
16	AP	100	ARG	NE-CZ-NH1	7.70	124.15	120.30
20	AT	11	VAL	CA-CB-CG2	-7.70	99.35	110.90
25	BA	57	A	N9-C4-C5	-7.70	102.72	105.80
26	BB	196	A	O4'-C1'-C2'	-7.70	98.10	105.80
26	BB	407	G	N3-C4-N9	-7.70	121.38	126.00
26	BB	413	C	N3-C4-C5	7.70	124.98	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	555	G	C4-C5-C6	7.70	123.42	118.80
26	BB	1506	U	N1-C2-N3	7.70	119.52	114.90
26	BB	2590	A	C8-N9-C4	-7.70	102.72	105.80
26	BB	2812	G	N3-C4-N9	7.70	130.62	126.00
26	BB	2864	G	C5-C6-N1	7.70	115.35	111.50
1	AA	135	C	C5-C6-N1	7.70	124.85	121.00
1	AA	227	G	N3-C4-C5	-7.70	124.75	128.60
1	AA	870	U	C1'-O4'-C4'	-7.70	103.74	109.90
26	BB	377	G	C3'-C2'-C1'	7.70	107.66	101.50
26	BB	473	G	N3-C4-N9	7.70	130.62	126.00
26	BB	530	G	C4-C5-C6	7.70	123.42	118.80
26	BB	571	U	O4'-C1'-N1	7.70	114.36	108.20
26	BB	668	A	C2-N3-C4	-7.70	106.75	110.60
26	BB	713	G	N3-C4-C5	-7.70	124.75	128.60
1	AA	651	C	N1-C2-O2	7.70	123.52	118.90
26	BB	325	G	C4-C5-N7	-7.70	107.72	110.80
26	BB	1892	C	N3-C4-N4	7.70	123.39	118.00
26	BB	2210	U	O4'-C1'-N1	7.70	114.36	108.20
26	BB	2713	U	N3-C2-O2	-7.70	116.81	122.20
1	AA	706	A	N1-C2-N3	-7.70	125.45	129.30
26	BB	480	A	C4-C5-N7	-7.70	106.85	110.70
26	BB	1450	G	N3-C4-C5	-7.70	124.75	128.60
26	BB	1532	A	O4'-C4'-C3'	-7.70	96.30	104.00
26	BB	1629	U	O4'-C1'-N1	7.70	114.36	108.20
28	BD	101	ARG	NE-CZ-NH1	7.70	124.15	120.30
26	BB	29	U	O4'-C4'-C3'	7.69	112.25	106.10
26	BB	431	U	N3-C2-O2	-7.69	116.81	122.20
26	BB	2269	G	C5-C6-O6	-7.69	123.98	128.60
1	AA	295	C	C5-C6-N1	7.69	124.85	121.00
1	AA	690	G	C8-N9-C4	-7.69	103.32	106.40
1	AA	1027	C	C6-N1-C2	7.69	123.38	120.30
1	AA	1399	C	C5'-C4'-C3'	-7.69	103.69	116.00
26	BB	35	G	C2-N3-C4	7.69	115.75	111.90
26	BB	229	C	O4'-C1'-N1	7.69	114.35	108.20
26	BB	1440	U	O4'-C1'-N1	7.69	114.35	108.20
26	BB	1456	G	N7-C8-N9	-7.69	109.25	113.10
26	BB	2201	G	N1-C2-N3	-7.69	119.28	123.90
1	AA	1163	A	C2-N3-C4	7.69	114.44	110.60
26	BB	335	C	C5'-C4'-C3'	-7.69	103.70	116.00
26	BB	669	G	N1-C2-N3	-7.69	119.29	123.90
26	BB	922	C	C4'-C3'-C2'	-7.69	94.91	102.60
26	BB	1855	U	C3'-C2'-C1'	7.69	107.65	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2048	G	N1-C2-N3	-7.69	119.29	123.90
26	BB	2803	G	C5-N7-C8	7.69	108.15	104.30
1	AA	632	U	C6-N1-C2	7.69	125.61	121.00
1	AA	869	G	N1-C6-O6	-7.69	115.29	119.90
26	BB	290	U	N3-C4-O4	7.69	124.78	119.40
26	BB	663	G	C6-C5-N7	-7.69	125.79	130.40
26	BB	952	G	O4'-C1'-N9	7.69	114.35	108.20
1	AA	1113	C	C1'-O4'-C4'	7.69	116.05	109.90
1	AA	1388	C	N1-C2-N3	7.69	124.58	119.20
6	AF	126	ARG	NE-CZ-NH1	7.69	124.14	120.30
26	BB	632	A	N1-C2-N3	-7.69	125.46	129.30
26	BB	1349	C	C4'-C3'-C2'	-7.69	94.91	102.60
26	BB	2846	G	C4-C5-C6	7.69	123.41	118.80
1	AA	141	G	N1-C2-N2	7.69	123.12	116.20
1	AA	329	A	N7-C8-N9	-7.69	109.96	113.80
26	BB	460	A	C8-N9-C4	-7.69	102.73	105.80
26	BB	1256	G	N3-C4-N9	7.69	130.61	126.00
2	AB	11	U	C2-N3-C4	-7.68	122.39	127.00
4	AD	2	G	C4-C5-C6	7.68	123.41	118.80
26	BB	77	G	C4-C5-N7	7.68	113.87	110.80
26	BB	252	G	N1-C2-N3	-7.68	119.29	123.90
26	BB	1850	G	C6-C5-N7	-7.68	125.79	130.40
26	BB	2703	C	C5-C6-N1	7.68	124.84	121.00
1	AA	256	U	N3-C4-C5	-7.68	109.99	114.60
1	AA	1182	G	C6-N1-C2	7.68	129.71	125.10
4	AD	9	G	O4'-C1'-N9	7.68	114.35	108.20
25	BA	36	C	C5-C6-N1	7.68	124.84	121.00
26	BB	1041	G	C4-C5-N7	-7.68	107.73	110.80
26	BB	2268	A	P-O3'-C3'	7.68	128.92	119.70
26	BB	2832	U	C2-N3-C4	-7.68	122.39	127.00
26	BB	55	G	N1-C6-O6	-7.68	115.29	119.90
26	BB	2063	C	C4-C5-C6	-7.68	113.56	117.40
26	BB	2388	A	C5-N7-C8	-7.68	100.06	103.90
1	AA	282	A	C8-N9-C4	-7.68	102.73	105.80
1	AA	804	U	N3-C4-O4	7.68	124.78	119.40
1	AA	948	C	O4'-C1'-N1	7.68	114.34	108.20
1	AA	959	A	O4'-C1'-N9	7.68	114.34	108.20
26	BB	611	C	C2'-C3'-O3'	7.68	126.40	109.50
26	BB	1505	A	C8-N9-C4	-7.68	102.73	105.80
26	BB	2163	A	P-O3'-C3'	7.68	128.92	119.70
26	BB	2372	U	C5-C4-O4	-7.68	121.29	125.90
26	BB	1473	G	N3-C4-C5	-7.68	124.76	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2570	G	C8-N9-C4	-7.68	103.33	106.40
1	AA	1215	G	N3-C4-C5	-7.68	124.76	128.60
1	AA	1389	C	C5-C6-N1	7.68	124.84	121.00
2	AB	2	G	C5-C6-O6	-7.68	123.99	128.60
3	AC	22	G	C3'-C2'-C1'	7.68	107.64	101.50
26	BB	276	U	N3-C2-O2	7.68	127.57	122.20
26	BB	559	G	C6-N1-C2	-7.68	120.49	125.10
26	BB	613	A	N7-C8-N9	7.68	117.64	113.80
26	BB	1468	U	N1-C2-O2	7.68	128.17	122.80
26	BB	317	G	N3-C4-C5	7.67	132.44	128.60
26	BB	375	G	C5-C6-N1	7.67	115.34	111.50
26	BB	1333	G	C4-C5-C6	7.67	123.41	118.80
26	BB	1368	G	C5-C6-O6	7.67	133.20	128.60
26	BB	1631	G	C8-N9-C4	-7.67	103.33	106.40
26	BB	2583	G	C4-C5-N7	7.67	113.87	110.80
25	BA	56	G	C1'-O4'-C4'	7.67	116.04	109.90
26	BB	1885	A	C5-C6-N1	7.67	121.54	117.70
1	AA	1229	A	N9-C1'-C2'	-7.67	103.56	112.00
1	AA	1511	G	C5'-C4'-O4'	7.67	118.31	109.10
2	AB	4	G	C5-C6-O6	-7.67	124.00	128.60
26	BB	240	C	C4-C5-C6	-7.67	113.56	117.40
26	BB	789	A	C5-C6-N1	7.67	121.54	117.70
26	BB	1000	A	N1-C2-N3	-7.67	125.46	129.30
26	BB	1016	G	O4'-C1'-N9	7.67	114.34	108.20
26	BB	1251	C	P-O3'-C3'	7.67	128.91	119.70
26	BB	1565	C	C3'-C2'-C1'	-7.67	95.36	101.50
26	BB	1602	U	O4'-C1'-N1	7.67	114.34	108.20
26	BB	1613	G	C8-N9-C4	-7.67	103.33	106.40
26	BB	2472	G	O4'-C1'-N9	-7.67	102.06	108.20
39	BO	10	ARG	NE-CZ-NH2	7.67	124.14	120.30
1	AA	1221	G	C2-N3-C4	7.67	115.73	111.90
4	AD	20	G	O4'-C1'-N9	7.67	114.34	108.20
26	BB	2607	G	N3-C2-N2	7.67	125.27	119.90
26	BB	2620	C	C2-N3-C4	7.67	123.73	119.90
1	AA	416	G	C2-N3-C4	7.67	115.73	111.90
1	AA	1016	A	N9-C1'-C2'	-7.67	103.56	112.00
1	AA	1515	G	N3-C4-C5	-7.67	124.77	128.60
26	BB	102	U	N1-C2-O2	-7.67	117.43	122.80
26	BB	593	U	N1-C2-O2	7.67	128.17	122.80
26	BB	731	C	C3'-C2'-C1'	7.67	107.64	101.50
26	BB	1009	A	O4'-C4'-C3'	7.67	112.23	106.10
26	BB	1111	A	P-O3'-C3'	7.67	128.90	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1546	G	N9-C1'-C2'	-7.67	103.56	112.00
29	BE	80	TRP	NE1-CE2-CZ2	7.67	138.84	130.40
1	AA	56	U	C2-N3-C4	-7.67	122.40	127.00
1	AA	153	C	O4'-C1'-N1	7.67	114.33	108.20
1	AA	795	C	N3-C4-C5	-7.67	118.83	121.90
1	AA	909	A	C5-C6-N1	7.67	121.53	117.70
1	AA	910	C	C2-N3-C4	-7.67	116.07	119.90
1	AA	997	U	C5-C4-O4	-7.67	121.30	125.90
1	AA	1080	A	O4'-C4'-C3'	7.67	112.23	106.10
4	AD	45	A	C6-N1-C2	7.67	123.20	118.60
26	BB	1209	U	N1-C2-O2	-7.67	117.43	122.80
26	BB	1807	G	C5-N7-C8	7.67	108.13	104.30
26	BB	2061	G	O4'-C1'-N9	7.67	114.33	108.20
26	BB	2193	G	N3-C4-C5	-7.67	124.77	128.60
26	BB	2664	G	C4-C5-N7	-7.67	107.73	110.80
26	BB	280	U	N3-C2-O2	-7.67	116.83	122.20
26	BB	347	A	C8-N9-C4	-7.67	102.73	105.80
26	BB	2891	U	O4'-C1'-N1	7.67	114.33	108.20
26	BB	821	A	C6-N1-C2	7.66	123.20	118.60
26	BB	1094	U	O4'-C1'-N1	7.66	114.33	108.20
26	BB	2074	U	N3-C4-O4	7.66	124.76	119.40
26	BB	2857	G	O4'-C1'-N9	7.66	114.33	108.20
1	AA	1078	U	C4'-C3'-C2'	-7.66	94.94	102.60
26	BB	989	G	O4'-C1'-C2'	-7.66	98.14	105.80
26	BB	1283	G	C4-C5-C6	7.66	123.40	118.80
1	AA	884	U	N3-C2-O2	-7.66	116.84	122.20
26	BB	750	A	C2-N3-C4	-7.66	106.77	110.60
26	BB	1491	G	O4'-C1'-N9	7.66	114.33	108.20
26	BB	1587	G	O4'-C1'-N9	7.66	114.33	108.20
26	BB	1691	C	C2-N3-C4	-7.66	116.07	119.90
1	AA	550	G	N7-C8-N9	7.66	116.93	113.10
1	AA	1266	G	N9-C1'-C2'	-7.66	103.58	112.00
26	BB	223	A	C6-N1-C2	-7.66	114.00	118.60
26	BB	622	G	C2-N3-C4	7.66	115.73	111.90
26	BB	961	C	N1-C1'-C2'	7.66	123.96	114.00
26	BB	1031	G	C5-C6-O6	-7.66	124.00	128.60
26	BB	1925	C	O4'-C1'-N1	7.66	114.33	108.20
26	BB	2525	G	C4'-C3'-C2'	-7.66	94.94	102.60
1	AA	998	C	N1-C2-O2	7.66	123.49	118.90
26	BB	470	A	C5-C6-N1	7.66	121.53	117.70
26	BB	686	U	N3-C4-O4	7.66	124.76	119.40
26	BB	1742	U	O4'-C1'-N1	7.66	114.33	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2630	G	C6-C5-N7	-7.66	125.81	130.40
1	AA	715	A	C6-N1-C2	-7.66	114.01	118.60
1	AA	1068	G	C4-C5-C6	7.66	123.39	118.80
26	BB	420	C	O4'-C1'-N1	7.66	114.32	108.20
26	BB	450	G	N9-C1'-C2'	-7.66	103.58	112.00
26	BB	456	C	O4'-C1'-N1	7.66	114.33	108.20
26	BB	726	G	N3-C4-C5	-7.66	124.77	128.60
26	BB	845	A	C4-C5-N7	7.66	114.53	110.70
26	BB	1459	G	N7-C8-N9	7.66	116.93	113.10
26	BB	2024	G	N7-C8-N9	7.66	116.93	113.10
26	BB	2640	G	C6-N1-C2	-7.66	120.51	125.10
25	BA	67	G	C4'-C3'-C2'	-7.65	94.95	102.60
26	BB	2225	A	N1-C6-N6	-7.65	114.01	118.60
1	AA	646	G	O4'-C4'-C3'	-7.65	96.35	104.00
1	AA	1448	C	O4'-C4'-C3'	7.65	112.22	106.10
25	BA	111	U	N1-C2-N3	7.65	119.49	114.90
26	BB	98	G	C2-N3-C4	7.65	115.72	111.90
26	BB	156	A	C1'-O4'-C4'	-7.65	103.78	109.90
26	BB	1972	G	N1-C2-N3	-7.65	119.31	123.90
26	BB	2178	C	C4-C5-C6	7.65	121.22	117.40
26	BB	2579	C	N3-C4-N4	7.65	123.36	118.00
26	BB	2826	A	C3'-C2'-C1'	7.65	107.62	101.50
1	AA	346	G	O4'-C1'-N9	7.65	114.32	108.20
26	BB	161	A	C5'-C4'-O4'	7.65	118.28	109.10
26	BB	764	A	N1-C6-N6	7.65	123.19	118.60
26	BB	768	G	C5-N7-C8	-7.65	100.48	104.30
26	BB	1261	C	C6-N1-C2	-7.65	117.24	120.30
26	BB	1603	A	C4-C5-C6	-7.65	113.18	117.00
26	BB	1902	C	N1-C2-O2	7.65	123.49	118.90
26	BB	2262	U	C5-C4-O4	-7.65	121.31	125.90
4	AD	59	A	C5-C6-N1	-7.65	113.88	117.70
26	BB	340	A	C4-C5-N7	-7.65	106.88	110.70
26	BB	849	A	O4'-C4'-C3'	7.65	112.22	106.10
26	BB	2538	C	C2-N3-C4	7.65	123.72	119.90
45	BU	19	LEU	CB-CG-CD2	7.65	124.00	111.00
1	AA	117	G	C5-N7-C8	-7.64	100.48	104.30
26	BB	999	U	C4-C5-C6	7.64	124.29	119.70
26	BB	2452	C	C2-N3-C4	7.64	123.72	119.90
1	AA	328	C	C4-C5-C6	7.64	121.22	117.40
1	AA	872	A	C4'-C3'-C2'	-7.64	94.96	102.60
1	AA	1179	A	C2-N3-C4	7.64	114.42	110.60
26	BB	214	G	N3-C2-N2	-7.64	114.55	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	878	A	N1-C2-N3	-7.64	125.48	129.30
26	BB	1400	U	N1-C2-N3	7.64	119.49	114.90
26	BB	2643	G	C8-N9-C4	-7.64	103.34	106.40
1	AA	466	A	C1'-O4'-C4'	-7.64	103.79	109.90
1	AA	99	C	C3'-C2'-C1'	7.64	107.61	101.50
1	AA	940	C	N1-C2-N3	-7.64	113.85	119.20
1	AA	971	G	C2-N3-C4	7.64	115.72	111.90
1	AA	1309	G	N3-C4-C5	-7.64	124.78	128.60
26	BB	418	C	N3-C2-O2	-7.64	116.55	121.90
26	BB	1142	A	C8-N9-C4	-7.64	102.74	105.80
26	BB	1407	G	N3-C4-N9	-7.64	121.42	126.00
26	BB	1659	G	N7-C8-N9	7.64	116.92	113.10
26	BB	2485	G	N3-C4-C5	-7.64	124.78	128.60
26	BB	224	U	C5'-C4'-O4'	7.64	118.27	109.10
26	BB	499	U	N3-C2-O2	-7.64	116.85	122.20
26	BB	640	C	C2-N3-C4	-7.64	116.08	119.90
26	BB	761	A	N1-C6-N6	-7.64	114.02	118.60
26	BB	1816	C	C5'-C4'-O4'	7.64	118.27	109.10
26	BB	2818	U	C5-C6-N1	-7.64	118.88	122.70
41	BQ	16	ARG	NE-CZ-NH1	7.64	124.12	120.30
1	AA	577	G	N3-C4-C5	-7.64	124.78	128.60
2	AB	53	G	N3-C4-C5	-7.64	124.78	128.60
26	BB	1287	A	C5-C6-N6	7.64	129.81	123.70
26	BB	1425	G	C4-C5-C6	7.64	123.38	118.80
26	BB	1517	G	O4'-C1'-N9	7.64	114.31	108.20
26	BB	1594	U	N3-C4-C5	-7.64	110.02	114.60
40	BP	12	ARG	NE-CZ-NH1	7.64	124.12	120.30
3	AC	20	G	N1-C6-O6	-7.63	115.32	119.90
26	BB	544	C	C5-C6-N1	7.63	124.82	121.00
26	BB	712	G	N1-C2-N2	7.63	123.07	116.20
26	BB	994	C	C5-C4-N4	-7.63	114.86	120.20
26	BB	2685	G	C5-C6-N1	7.63	115.32	111.50
1	AA	1473	G	C8-N9-C4	-7.63	103.35	106.40
26	BB	253	C	C6-N1-C2	-7.63	117.25	120.30
26	BB	560	C	N1-C2-O2	7.63	123.48	118.90
26	BB	2459	A	C5-C6-N6	-7.63	117.59	123.70
1	AA	341	C	C4-C5-C6	-7.63	113.58	117.40
1	AA	522	C	O4'-C1'-N1	7.63	114.31	108.20
1	AA	845	A	O4'-C1'-N9	7.63	114.31	108.20
1	AA	1022	A	O4'-C1'-N9	7.63	114.31	108.20
1	AA	1060	U	N3-C2-O2	-7.63	116.86	122.20
2	AB	52	A	N1-C6-N6	7.63	123.18	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1304	A	C6-C5-N7	7.63	137.64	132.30
26	BB	1410	G	N3-C4-C5	-7.63	124.78	128.60
26	BB	1913	A	C6-C5-N7	7.63	137.64	132.30
26	BB	2428	G	C6-N1-C2	7.63	129.68	125.10
32	BH	82	PHE	CG-CD1-CE1	-7.63	112.41	120.80
1	AA	278	G	C4-C5-N7	-7.63	107.75	110.80
1	AA	888	G	C6-C5-N7	-7.63	125.82	130.40
1	AA	1217	C	O4'-C1'-N1	-7.63	102.10	108.20
1	AA	1257	A	C6-C5-N7	-7.63	126.96	132.30
1	AA	1528	U	N3-C2-O2	-7.63	116.86	122.20
26	BB	1576	U	N1-C2-N3	7.63	119.48	114.90
26	BB	1946	U	N1-C2-O2	7.63	128.14	122.80
28	BD	155	ARG	NE-CZ-NH1	7.63	124.11	120.30
1	AA	346	G	C6-N1-C2	-7.63	120.52	125.10
26	BB	1435	G	C5-C6-N1	-7.63	107.69	111.50
1	AA	856	C	C6-N1-C2	-7.63	117.25	120.30
1	AA	1052	U	C4-C5-C6	7.63	124.28	119.70
25	BA	3	C	C5-C4-N4	-7.63	114.86	120.20
25	BA	63	C	C4-C5-C6	7.63	121.21	117.40
26	BB	44	A	C6-N1-C2	-7.63	114.02	118.60
26	BB	650	C	C5-C6-N1	-7.63	117.19	121.00
26	BB	1077	A	C6-C5-N7	7.63	137.64	132.30
26	BB	1389	G	C8-N9-C4	-7.63	103.35	106.40
26	BB	2218	G	C8-N9-C1'	7.63	136.92	127.00
26	BB	2266	A	C8-N9-C4	-7.63	102.75	105.80
26	BB	2286	G	N3-C4-C5	-7.63	124.79	128.60
1	AA	740	U	C3'-C2'-C1'	7.62	107.60	101.50
26	BB	993	G	C5-C6-N1	7.62	115.31	111.50
26	BB	1394	U	C5-C4-O4	-7.62	121.33	125.90
26	BB	2088	A	C5-C6-N6	7.62	129.80	123.70
1	AA	182	A	N1-C2-N3	-7.62	125.49	129.30
1	AA	519	C	N1-C2-N3	7.62	124.54	119.20
1	AA	1427	C	O4'-C4'-C3'	-7.62	96.38	104.00
26	BB	116	C	N1-C1'-C2'	-7.62	103.61	112.00
26	BB	156	A	N9-C4-C5	7.62	108.85	105.80
26	BB	158	U	C5-C4-O4	-7.62	121.33	125.90
26	BB	1136	G	C5-C6-N1	7.62	115.31	111.50
26	BB	1539	U	N1-C2-N3	7.62	119.47	114.90
26	BB	2464	G	N1-C6-O6	7.62	124.47	119.90
26	BB	2831	G	N3-C4-N9	7.62	130.57	126.00
1	AA	32	A	C5-N7-C8	7.62	107.71	103.90
1	AA	787	A	C5-C6-N6	7.62	129.80	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	15	G	C5'-C4'-O4'	7.62	118.25	109.10
26	BB	27	G	N3-C4-N9	7.62	130.57	126.00
26	BB	31	C	C5'-C4'-C3'	-7.62	103.81	116.00
35	BK	6	ALA	N-CA-CB	-7.62	99.43	110.10
1	AA	392	C	O4'-C1'-N1	7.62	114.30	108.20
1	AA	978	A	C5'-C4'-O4'	7.62	118.24	109.10
26	BB	414	C	C6-N1-C2	-7.62	117.25	120.30
26	BB	858	G	N3-C4-C5	-7.62	124.79	128.60
26	BB	2337	G	C1'-O4'-C4'	-7.62	103.80	109.90
1	AA	1405	G	C1'-O4'-C4'	-7.62	103.81	109.90
26	BB	1377	G	C2-N3-C4	7.62	115.71	111.90
26	BB	1868	C	N3-C2-O2	-7.62	116.57	121.90
26	BB	2271	G	C6-N1-C2	7.62	129.67	125.10
1	AA	719	C	N1-C2-O2	7.62	123.47	118.90
1	AA	821	G	C4-C5-N7	7.62	113.85	110.80
26	BB	481	G	N3-C4-N9	7.62	130.57	126.00
26	BB	723	C	N1-C1'-C2'	-7.62	103.62	112.00
1	AA	212	G	C6-C5-N7	7.62	134.97	130.40
1	AA	733	G	N1-C2-N2	-7.62	109.34	116.20
1	AA	1010	U	C5-C4-O4	-7.62	121.33	125.90
1	AA	1237	C	N3-C2-O2	-7.62	116.57	121.90
26	BB	156	A	C5-N7-C8	7.62	107.71	103.90
26	BB	974	G	C2-N3-C4	7.62	115.71	111.90
26	BB	1720	U	C2-N3-C4	-7.62	122.43	127.00
26	BB	2142	A	C6-N1-C2	7.62	123.17	118.60
26	BB	2562	U	O4'-C1'-N1	7.62	114.29	108.20
26	BB	2681	C	N1-C1'-C2'	7.62	123.90	114.00
26	BB	2700	A	C6-N1-C2	-7.62	114.03	118.60
1	AA	214	C	C5-C4-N4	-7.61	114.87	120.20
1	AA	599	C	C6-N1-C2	7.61	123.34	120.30
1	AA	1367	C	O4'-C1'-N1	7.61	114.29	108.20
26	BB	1316	U	N3-C4-O4	7.61	124.73	119.40
26	BB	2153	C	N3-C4-C5	7.61	124.94	121.90
1	AA	1307	U	N3-C4-C5	7.61	119.17	114.60
26	BB	181	A	N7-C8-N9	-7.61	109.99	113.80
26	BB	1689	A	C5-C6-N1	7.61	121.51	117.70
1	AA	95	C	C1'-O4'-C4'	-7.61	103.81	109.90
1	AA	292	G	O4'-C1'-N9	7.61	114.29	108.20
26	BB	38	A	N1-C6-N6	-7.61	114.03	118.60
26	BB	424	G	C5-C6-O6	-7.61	124.03	128.60
26	BB	1329	U	C5-C4-O4	7.61	130.47	125.90
26	BB	1771	C	N3-C4-C5	7.61	124.94	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2121	G	N9-C4-C5	7.61	108.44	105.40
1	AA	394	G	C5-C6-N1	7.61	115.31	111.50
1	AA	426	U	C3'-C2'-C1'	7.61	107.59	101.50
1	AA	812	G	O4'-C1'-N9	7.61	114.29	108.20
2	AB	6	C	C5-C6-N1	-7.61	117.19	121.00
4	AD	74	A	C6-C5-N7	7.61	137.63	132.30
1	AA	1360	A	C8-N9-C4	-7.61	102.76	105.80
26	BB	37	C	C1'-O4'-C4'	7.61	115.99	109.90
26	BB	214	G	N1-C6-O6	7.61	124.46	119.90
26	BB	217	A	N3-C4-C5	-7.61	121.47	126.80
26	BB	689	A	N1-C6-N6	7.61	123.17	118.60
26	BB	941	A	N1-C6-N6	-7.61	114.04	118.60
26	BB	2510	C	N1-C2-O2	7.61	123.47	118.90
1	AA	309	A	C4-C5-C6	-7.61	113.20	117.00
1	AA	370	C	C2-N3-C4	7.61	123.70	119.90
1	AA	1212	U	C3'-C2'-C1'	-7.61	95.42	101.50
7	AG	12	ARG	NE-CZ-NH1	7.61	124.10	120.30
26	BB	62	U	N1-C2-N3	7.61	119.46	114.90
26	BB	1238	G	O4'-C1'-N9	7.61	114.28	108.20
26	BB	1464	G	N3-C4-C5	-7.61	124.80	128.60
26	BB	1878	G	C5-N7-C8	-7.61	100.50	104.30
26	BB	2524	G	C8-N9-C4	-7.61	103.36	106.40
1	AA	887	G	N7-C8-N9	7.60	116.90	113.10
26	BB	189	G	C5-C6-N1	-7.60	107.70	111.50
26	BB	1745	A	N9-C1'-C2'	-7.60	103.64	112.00
1	AA	82	G	N3-C4-N9	-7.60	121.44	126.00
1	AA	388	G	C2-N3-C4	7.60	115.70	111.90
1	AA	890	G	O4'-C1'-N9	7.60	114.28	108.20
1	AA	1508	A	C6-N1-C2	-7.60	114.04	118.60
26	BB	361	G	N3-C2-N2	7.60	125.22	119.90
26	BB	1433	A	N1-C2-N3	-7.60	125.50	129.30
26	BB	1900	A	C5-N7-C8	-7.60	100.10	103.90
26	BB	2027	G	O4'-C1'-C2'	7.60	114.44	107.60
26	BB	2556	C	C2-N3-C4	7.60	123.70	119.90
1	AA	646	G	C4-C5-C6	7.60	123.36	118.80
26	BB	418	C	C4-C5-C6	-7.60	113.60	117.40
26	BB	530	G	N1-C2-N3	7.60	128.46	123.90
26	BB	965	C	N1-C2-N3	-7.60	113.88	119.20
26	BB	1340	U	C6-N1-C2	-7.60	116.44	121.00
1	AA	73	C	C5-C4-N4	-7.60	114.88	120.20
1	AA	1164	G	C2-N3-C4	7.60	115.70	111.90
2	AB	53	G	N9-C4-C5	7.60	108.44	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	106	C	N3-C4-C5	-7.60	118.86	121.90
26	BB	299	A	C6-C5-N7	-7.60	126.98	132.30
26	BB	690	G	C8-N9-C4	-7.60	103.36	106.40
26	BB	1166	G	N3-C4-C5	-7.60	124.80	128.60
26	BB	1987	A	C4'-C3'-C2'	-7.60	95.00	102.60
26	BB	2289	G	C5'-C4'-O4'	7.60	118.22	109.10
26	BB	2544	G	N7-C8-N9	7.60	116.90	113.10
26	BB	2831	G	N7-C8-N9	7.60	116.90	113.10
26	BB	2892	G	C5-N7-C8	-7.60	100.50	104.30
1	AA	1280	A	O4'-C1'-N9	7.60	114.28	108.20
26	BB	444	C	N1-C2-O2	7.60	123.46	118.90
26	BB	521	U	N3-C2-O2	-7.60	116.88	122.20
26	BB	974	G	O4'-C4'-C3'	7.60	112.18	106.10
26	BB	2589	A	C2-N3-C4	7.60	114.40	110.60
26	BB	2857	G	C8-N9-C4	-7.60	103.36	106.40
1	AA	961	U	C5-C6-N1	-7.60	118.90	122.70
1	AA	1078	U	C5-C4-O4	7.60	130.46	125.90
26	BB	1363	C	N3-C2-O2	-7.60	116.58	121.90
26	BB	1472	C	O4'-C1'-N1	7.60	114.28	108.20
1	AA	205	A	N9-C4-C5	7.59	108.84	105.80
1	AA	802	A	C4-C5-C6	7.59	120.80	117.00
1	AA	1508	A	C4-C5-N7	-7.59	106.90	110.70
26	BB	903	C	C5-C6-N1	7.59	124.80	121.00
26	BB	1478	G	C4-C5-C6	-7.59	114.24	118.80
26	BB	2371	G	C2-N3-C4	7.59	115.70	111.90
26	BB	2471	A	C4'-C3'-C2'	-7.59	95.01	102.60
26	BB	2902	C	O4'-C4'-C3'	7.59	112.17	106.10
39	BO	90	GLU	OE1-CD-OE2	7.59	132.41	123.30
1	AA	742	G	C4'-C3'-C2'	-7.59	95.01	102.60
26	BB	302	C	C5-C6-N1	-7.59	117.20	121.00
26	BB	1504	A	C6-N1-C2	7.59	123.16	118.60
26	BB	1858	A	N1-C2-N3	-7.59	125.50	129.30
26	BB	2744	G	C4-C5-C6	7.59	123.36	118.80
1	AA	21	G	C2-N3-C4	7.59	115.70	111.90
1	AA	992	U	C5-C6-N1	-7.59	118.91	122.70
1	AA	1355	G	C6-C5-N7	-7.59	125.84	130.40
23	AW	28	ARG	NE-CZ-NH2	7.59	124.10	120.30
26	BB	341	C	N1-C1'-C2'	-7.59	103.65	112.00
26	BB	1027	A	C1'-O4'-C4'	-7.59	103.83	109.90
26	BB	1114	C	C4'-C3'-C2'	-7.59	95.01	102.60
26	BB	2741	A	N1-C6-N6	7.59	123.16	118.60
26	BB	2875	C	C5-C6-N1	-7.59	117.20	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
31	BG	73	VAL	CA-CB-CG2	7.59	122.29	110.90
1	AA	152	A	N1-C2-N3	-7.59	125.51	129.30
1	AA	1389	C	N1-C2-N3	-7.59	113.89	119.20
18	AR	79	ARG	NE-CZ-NH2	7.59	124.09	120.30
26	BB	450	G	N9-C4-C5	7.59	108.44	105.40
26	BB	643	A	N1-C2-N3	-7.59	125.51	129.30
26	BB	2147	A	N7-C8-N9	7.59	117.59	113.80
26	BB	2217	G	C4-C5-N7	-7.59	107.76	110.80
26	BB	2451	A	C2-N3-C4	7.59	114.39	110.60
26	BB	259	G	C5-N7-C8	-7.59	100.51	104.30
26	BB	1788	C	C5-C4-N4	-7.59	114.89	120.20
1	AA	192	A	N1-C6-N6	7.59	123.15	118.60
1	AA	714	G	O4'-C1'-N9	7.59	114.27	108.20
1	AA	1289	A	C5-C6-N1	-7.59	113.91	117.70
26	BB	238	C	C2-N3-C4	7.59	123.69	119.90
26	BB	495	G	C6-N1-C2	-7.59	120.55	125.10
26	BB	700	G	N1-C6-O6	-7.59	115.35	119.90
26	BB	1821	A	P-O3'-C3'	7.59	128.80	119.70
26	BB	1857	G	N3-C4-N9	7.59	130.55	126.00
26	BB	374	A	N3-C4-C5	-7.58	121.49	126.80
26	BB	1492	G	C8-N9-C4	-7.58	103.37	106.40
26	BB	1581	G	C2-N3-C4	7.58	115.69	111.90
26	BB	2201	G	N9-C1'-C2'	-7.58	103.66	112.00
1	AA	670	G	N7-C8-N9	7.58	116.89	113.10
4	AD	60	A	N9-C4-C5	7.58	108.83	105.80
26	BB	1399	C	N3-C4-C5	-7.58	118.87	121.90
26	BB	1921	G	C2-N3-C4	-7.58	108.11	111.90
1	AA	542	G	C2-N3-C4	7.58	115.69	111.90
3	AC	38	G	C5-N7-C8	7.58	108.09	104.30
24	AX	68	ARG	NE-CZ-NH2	-7.58	116.51	120.30
26	BB	519	U	C5-C4-O4	-7.58	121.35	125.90
26	BB	1682	G	N9-C1'-C2'	-7.58	103.66	112.00
26	BB	2013	A	N1-C2-N3	-7.58	125.51	129.30
26	BB	2064	C	C6-N1-C2	-7.58	117.27	120.30
26	BB	2133	G	C3'-C2'-C1'	7.58	107.56	101.50
1	AA	1178	G	N3-C4-C5	-7.58	124.81	128.60
26	BB	2769	U	N3-C2-O2	-7.58	116.89	122.20
1	AA	392	C	C4-C5-C6	7.58	121.19	117.40
1	AA	1454	G	C6-C5-N7	-7.58	125.85	130.40
4	AD	35	C	C5-C6-N1	7.58	124.79	121.00
26	BB	269	C	N1-C1'-C2'	-7.58	103.67	112.00
26	BB	524	G	N9-C4-C5	7.58	108.43	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	991	C	C1'-O4'-C4'	7.58	115.96	109.90
26	BB	1490	A	C5-C6-N6	7.58	129.76	123.70
1	AA	283	U	O4'-C1'-N1	7.58	114.26	108.20
1	AA	928	G	C4'-C3'-C2'	-7.58	95.02	102.60
19	AS	60	TRP	CD1-NE1-CE2	7.58	115.82	109.00
26	BB	110	G	O4'-C1'-N9	7.58	114.26	108.20
26	BB	326	G	C5-C6-O6	-7.58	124.05	128.60
26	BB	1731	G	N9-C4-C5	7.58	108.43	105.40
26	BB	1916	A	C6-N1-C2	7.58	123.15	118.60
1	AA	251	G	C4-C5-N7	-7.58	107.77	110.80
3	AC	41	A	C4-C5-N7	-7.58	106.91	110.70
4	AD	2	G	C3'-C2'-C1'	7.58	107.56	101.50
4	AD	32	G	N3-C4-N9	7.58	130.54	126.00
26	BB	835	C	C5'-C4'-O4'	7.58	118.19	109.10
26	BB	956	G	C6-N1-C2	-7.58	120.56	125.10
26	BB	1088	A	O4'-C1'-N9	7.58	114.26	108.20
26	BB	1241	A	O4'-C1'-N9	7.58	114.26	108.20
26	BB	2712	C	N3-C2-O2	-7.58	116.60	121.90
56	B5	39	ARG	NE-CZ-NH1	7.58	124.09	120.30
1	AA	1075	U	C3'-C2'-C1'	7.57	107.56	101.50
1	AA	1538	C	C1'-O4'-C4'	-7.57	103.84	109.90
4	AD	61	U	C2-N3-C4	-7.57	122.46	127.00
26	BB	1068	G	N9-C1'-C2'	-7.57	103.67	112.00
26	BB	2709	G	C4-C5-N7	-7.57	107.77	110.80
26	BB	2801	G	N1-C2-N2	7.57	123.02	116.20
30	BF	79	ARG	NE-CZ-NH1	7.57	124.09	120.30
1	AA	1042	A	C8-N9-C4	-7.57	102.77	105.80
1	AA	1186	G	C5-C6-O6	7.57	133.14	128.60
26	BB	83	A	N9-C4-C5	-7.57	102.77	105.80
26	BB	947	A	N1-C6-N6	-7.57	114.06	118.60
26	BB	984	A	C6-N1-C2	-7.57	114.06	118.60
1	AA	73	C	C6-N1-C2	-7.57	117.27	120.30
1	AA	415	A	C1'-O4'-C4'	7.57	115.96	109.90
1	AA	1000	A	N7-C8-N9	-7.57	110.02	113.80
1	AA	1442	G	C4-C5-N7	-7.57	107.77	110.80
26	BB	5	A	C8-N9-C4	-7.57	102.77	105.80
26	BB	608	A	C5-C6-N6	7.57	129.76	123.70
26	BB	974	G	O4'-C1'-N9	7.57	114.26	108.20
26	BB	1744	A	N9-C1'-C2'	-7.57	103.67	112.00
26	BB	2186	G	C2-N3-C4	-7.57	108.11	111.90
26	BB	2596	U	C4-C5-C6	7.57	124.24	119.70
26	BB	2815	C	N3-C4-C5	-7.57	118.87	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
40	BP	2	ARG	NE-CZ-NH1	7.57	124.08	120.30
1	AA	524	G	N1-C6-O6	-7.57	115.36	119.90
26	BB	631	A	N9-C4-C5	-7.57	102.77	105.80
1	AA	1035	A	N1-C2-N3	-7.57	125.52	129.30
1	AA	1113	C	C5-C6-N1	7.57	124.78	121.00
2	AB	29	G	N9-C1'-C2'	-7.57	103.68	112.00
26	BB	145	C	N1-C2-O2	-7.57	114.36	118.90
26	BB	174	U	C2-N3-C4	-7.57	122.46	127.00
26	BB	287	G	C1'-O4'-C4'	-7.57	103.85	109.90
26	BB	1067	A	C2-N3-C4	7.57	114.38	110.60
26	BB	1283	G	P-O3'-C3'	7.57	128.78	119.70
26	BB	2276	G	C6-C5-N7	-7.57	125.86	130.40
1	AA	3	A	C3'-C2'-C1'	7.57	107.55	101.50
1	AA	141	G	C4'-C3'-C2'	-7.57	95.03	102.60
1	AA	747	A	N1-C2-N3	-7.57	125.52	129.30
26	BB	62	U	C6-N1-C2	-7.57	116.46	121.00
26	BB	274	C	C5'-C4'-O4'	7.57	118.18	109.10
26	BB	843	G	C5-C6-N1	7.57	115.28	111.50
26	BB	1455	G	N1-C2-N3	-7.57	119.36	123.90
28	BD	167	ASP	CB-CG-OD1	-7.57	111.49	118.30
1	AA	69	G	C5-C6-O6	-7.56	124.06	128.60
26	BB	1185	G	C6-C5-N7	7.56	134.94	130.40
1	AA	959	A	C8-N9-C4	-7.56	102.78	105.80
1	AA	1064	G	N7-C8-N9	7.56	116.88	113.10
1	AA	1321	U	P-O3'-C3'	7.56	128.77	119.70
1	AA	1511	G	C6-N1-C2	-7.56	120.56	125.10
3	AC	43	U	C3'-C2'-C1'	7.56	107.55	101.50
9	AI	112	ARG	NE-CZ-NH1	-7.56	116.52	120.30
25	BA	38	C	O4'-C1'-N1	7.56	114.25	108.20
26	BB	43	G	N3-C2-N2	7.56	125.19	119.90
26	BB	377	G	C2-N3-C4	7.56	115.68	111.90
26	BB	1213	A	O5'-P-OP2	-7.56	98.89	105.70
26	BB	1245	G	O4'-C1'-N9	7.56	114.25	108.20
1	AA	143	A	C5-C6-N1	7.56	121.48	117.70
1	AA	1287	A	C5-C6-N1	7.56	121.48	117.70
26	BB	547	A	O4'-C1'-N9	7.56	114.25	108.20
26	BB	1532	A	C1'-O4'-C4'	7.56	115.95	109.90
26	BB	1627	G	N9-C4-C5	7.56	108.42	105.40
26	BB	1948	G	N3-C4-N9	7.56	130.54	126.00
1	AA	934	C	N1-C2-O2	7.56	123.44	118.90
26	BB	12	U	O4'-C1'-N1	7.56	114.25	108.20
26	BB	265	A	C2-N3-C4	7.56	114.38	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	514	A	O4'-C1'-N9	7.56	114.25	108.20
26	BB	1110	G	C4-C5-N7	-7.56	107.78	110.80
26	BB	1500	G	O4'-C1'-N9	7.56	114.25	108.20
1	AA	7	A	P-O5'-C5'	7.56	132.99	120.90
1	AA	212	G	N3-C2-N2	-7.56	114.61	119.90
1	AA	344	A	C4-C5-C6	7.56	120.78	117.00
1	AA	353	A	O4'-C1'-N9	7.56	114.25	108.20
1	AA	763	G	P-O3'-C3'	7.56	128.77	119.70
1	AA	928	G	N7-C8-N9	7.56	116.88	113.10
1	AA	1062	U	N1-C2-N3	7.56	119.43	114.90
1	AA	1110	A	N9-C1'-C2'	-7.56	103.69	112.00
1	AA	1157	A	N7-C8-N9	7.56	117.58	113.80
1	AA	1491	G	N9-C4-C5	-7.56	102.38	105.40
26	BB	584	C	C3'-C2'-C1'	7.56	107.55	101.50
26	BB	1500	G	C6-N1-C2	-7.56	120.57	125.10
1	AA	542	G	C4'-C3'-C2'	-7.56	95.04	102.60
26	BB	84	A	O4'-C1'-N9	7.56	114.25	108.20
26	BB	2133	G	O4'-C1'-N9	7.56	114.24	108.20
26	BB	2727	A	C3'-C2'-C1'	-7.56	95.45	101.50
1	AA	1191	A	N3-C4-C5	-7.55	121.51	126.80
1	AA	1293	C	N3-C4-N4	7.55	123.29	118.00
4	AD	2	G	C5'-C4'-O4'	7.55	118.17	109.10
26	BB	440	C	N1-C2-O2	7.55	123.43	118.90
26	BB	474	G	C5-N7-C8	-7.55	100.52	104.30
26	BB	1045	C	N1-C2-O2	7.55	123.43	118.90
26	BB	1759	A	C8-N9-C4	-7.55	102.78	105.80
26	BB	2102	G	O4'-C4'-C3'	7.55	112.14	106.10
26	BB	2713	U	N3-C4-C5	-7.55	110.07	114.60
26	BB	2891	U	C1'-O4'-C4'	7.55	115.94	109.90
30	BF	117	ARG	NE-CZ-NH2	-7.55	116.52	120.30
26	BB	1685	C	C4'-C3'-C2'	-7.55	95.05	102.60
26	BB	1735	A	N1-C2-N3	-7.55	125.52	129.30
26	BB	2289	G	N3-C4-C5	-7.55	124.82	128.60
3	AC	47	C	N1-C2-O2	7.55	123.43	118.90
25	BA	8	C	N3-C4-N4	7.55	123.29	118.00
25	BA	36	C	O4'-C1'-N1	7.55	114.24	108.20
25	BA	112	G	C5-N7-C8	7.55	108.08	104.30
26	BB	409	G	N3-C4-C5	-7.55	124.83	128.60
26	BB	1224	U	C2-N1-C1'	7.55	126.76	117.70
26	BB	1766	G	N9-C4-C5	7.55	108.42	105.40
26	BB	1871	A	N3-C4-C5	-7.55	121.51	126.80
38	BN	48	ARG	NE-CZ-NH2	-7.55	116.52	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	204	G	N7-C8-N9	7.55	116.87	113.10
1	AA	378	G	C6-C5-N7	-7.55	125.87	130.40
26	BB	250	G	N3-C4-N9	-7.55	121.47	126.00
26	BB	381	G	C5-C6-O6	-7.55	124.07	128.60
26	BB	407	G	C8-N9-C4	-7.55	103.38	106.40
26	BB	760	G	C3'-C2'-C1'	-7.55	95.46	101.50
26	BB	983	A	C2-N3-C4	7.55	114.38	110.60
26	BB	1232	G	C5-C6-N1	-7.55	107.73	111.50
26	BB	1366	A	C8-N9-C4	7.55	108.82	105.80
26	BB	2808	G	N7-C8-N9	7.55	116.88	113.10
1	AA	976	G	C6-C5-N7	-7.55	125.87	130.40
26	BB	489	G	C4-C5-N7	-7.55	107.78	110.80
26	BB	586	A	C8-N9-C4	-7.55	102.78	105.80
26	BB	1629	U	C4-C5-C6	7.55	124.23	119.70
26	BB	2857	G	C6-C5-N7	-7.55	125.87	130.40
1	AA	1241	G	C6-C5-N7	-7.55	125.87	130.40
2	AB	56	C	N3-C4-N4	-7.55	112.72	118.00
26	BB	338	G	C5-N7-C8	-7.55	100.53	104.30
26	BB	567	U	N3-C4-C5	-7.55	110.07	114.60
26	BB	1327	A	C2-N3-C4	7.55	114.37	110.60
1	AA	351	G	N3-C4-N9	-7.54	121.47	126.00
26	BB	1292	G	N3-C4-C5	-7.54	124.83	128.60
26	BB	2598	A	O4'-C1'-N9	7.54	114.24	108.20
1	AA	315	A	C8-N9-C4	7.54	108.82	105.80
4	AD	73	A	C6-C5-N7	7.54	137.58	132.30
26	BB	276	U	C5-C6-N1	7.54	126.47	122.70
26	BB	765	C	N3-C4-C5	-7.54	118.88	121.90
26	BB	1040	A	C5-N7-C8	-7.54	100.13	103.90
26	BB	1930	G	C6-N1-C2	-7.54	120.57	125.10
26	BB	2331	G	C5-C6-O6	-7.54	124.07	128.60
26	BB	2549	G	N1-C6-O6	-7.54	115.37	119.90
1	AA	211	G	C5-N7-C8	-7.54	100.53	104.30
1	AA	789	U	C5-C6-N1	-7.54	118.93	122.70
1	AA	997	U	N1-C2-N3	7.54	119.42	114.90
1	AA	1045	C	N3-C4-C5	-7.54	118.88	121.90
1	AA	1515	G	C5-C6-O6	-7.54	124.08	128.60
26	BB	311	A	N7-C8-N9	7.54	117.57	113.80
26	BB	2902	C	O4'-C1'-N1	7.54	114.23	108.20
1	AA	799	G	C5-C6-N1	7.54	115.27	111.50
1	AA	816	A	N1-C2-N3	-7.54	125.53	129.30
1	AA	1073	U	C3'-C2'-C1'	7.54	107.53	101.50
1	AA	1335	U	C5-C4-O4	7.54	130.42	125.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	27	C	O4'-C1'-N1	7.54	114.23	108.20
26	BB	2432	A	C4-C5-N7	-7.54	106.93	110.70
26	BB	2671	G	N3-C4-N9	7.54	130.52	126.00
26	BB	2829	A	N3-C4-N9	7.54	133.43	127.40
29	BE	124	ARG	NH1-CZ-NH2	-7.54	111.11	119.40
1	AA	76	G	C5-C6-N1	7.54	115.27	111.50
1	AA	955	U	N3-C4-C5	-7.54	110.08	114.60
1	AA	1146	A	C8-N9-C4	-7.54	102.78	105.80
1	AA	1302	C	C2'-C3'-O3'	7.54	126.08	109.50
26	BB	2121	G	O4'-C1'-N9	7.54	114.23	108.20
26	BB	2256	G	C5-C6-N1	7.54	115.27	111.50
26	BB	2808	G	N1-C2-N3	-7.54	119.38	123.90
3	AC	54	U	N3-C2-O2	-7.54	116.92	122.20
26	BB	436	C	N1-C1'-C2'	-7.54	103.71	112.00
26	BB	628	G	C5-C6-O6	-7.54	124.08	128.60
1	AA	1397	C	C3'-C2'-C1'	-7.54	95.47	101.50
1	AA	1531	A	C4-C5-C6	-7.54	113.23	117.00
25	BA	35	C	C3'-C2'-C1'	7.54	107.53	101.50
26	BB	552	U	C2-N3-C4	-7.54	122.48	127.00
26	BB	909	A	N9-C1'-C2'	-7.54	103.71	112.00
26	BB	1472	C	C2-N3-C4	7.54	123.67	119.90
26	BB	1870	C	C4'-C3'-C2'	-7.54	95.06	102.60
26	BB	2028	U	P-O3'-C3'	7.54	128.74	119.70
26	BB	2426	A	O4'-C1'-N9	7.54	114.23	108.20
1	AA	187	G	C4'-C3'-C2'	-7.53	95.07	102.60
1	AA	1359	C	N3-C2-O2	-7.53	116.63	121.90
26	BB	459	U	O4'-C1'-N1	7.53	114.23	108.20
26	BB	469	G	C8-N9-C4	7.53	109.41	106.40
26	BB	490	C	C1'-O4'-C4'	-7.53	103.87	109.90
26	BB	712	G	C2-N3-C4	7.53	115.67	111.90
26	BB	1697	G	C4-C5-N7	-7.53	107.79	110.80
26	BB	1984	G	C4-C5-N7	7.53	113.81	110.80
26	BB	2435	A	N3-C4-C5	-7.53	121.53	126.80
26	BB	2569	G	N9-C4-C5	-7.53	102.39	105.40
28	BD	86	ARG	CD-NE-CZ	7.53	134.15	123.60
1	AA	606	G	O4'-C1'-N9	7.53	114.23	108.20
1	AA	812	G	C6-C5-N7	-7.53	125.88	130.40
1	AA	1041	G	N9-C1'-C2'	-7.53	103.72	112.00
26	BB	1264	A	C8-N9-C4	-7.53	102.79	105.80
26	BB	1817	G	O4'-C1'-N9	7.53	114.22	108.20
26	BB	1845	G	N1-C6-O6	-7.53	115.38	119.90
1	AA	767	A	C5-C6-N6	-7.53	117.68	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1156	G	C6-N1-C2	-7.53	120.58	125.10
12	AL	94	ARG	NH1-CZ-NH2	7.53	127.69	119.40
26	BB	570	G	C5'-C4'-C3'	-7.53	103.95	116.00
26	BB	1473	G	N7-C8-N9	7.53	116.86	113.10
26	BB	1947	C	C2-N3-C4	-7.53	116.14	119.90
26	BB	2303	G	N1-C6-O6	-7.53	115.38	119.90
26	BB	2318	G	C5-N7-C8	-7.53	100.53	104.30
26	BB	2358	A	C8-N9-C4	7.53	108.81	105.80
1	AA	54	C	C4-C5-C6	-7.53	113.64	117.40
1	AA	426	U	C5-C4-O4	-7.53	121.38	125.90
26	BB	1102	C	C5'-C4'-O4'	7.53	118.13	109.10
26	BB	2340	A	C8-N9-C4	-7.53	102.79	105.80
26	BB	2715	C	C5-C6-N1	7.53	124.76	121.00
26	BB	2744	G	C5-N7-C8	7.53	108.06	104.30
26	BB	772	C	P-O3'-C3'	7.53	128.73	119.70
26	BB	1564	C	C4'-C3'-C2'	-7.53	95.07	102.60
26	BB	2020	A	C5-C6-N1	-7.53	113.94	117.70
1	AA	336	A	C2-N3-C4	7.53	114.36	110.60
1	AA	648	A	C5-C6-N6	-7.53	117.68	123.70
1	AA	1330	U	C4'-C3'-C2'	-7.53	95.08	102.60
13	AM	95	GLY	CA-C-O	-7.53	107.05	120.60
26	BB	180	G	N3-C4-C5	-7.53	124.84	128.60
26	BB	350	G	C5-C6-O6	-7.53	124.08	128.60
26	BB	1744	A	N7-C8-N9	7.53	117.56	113.80
26	BB	1806	C	O4'-C1'-N1	7.53	114.22	108.20
26	BB	1848	A	C4'-C3'-C2'	-7.53	95.07	102.60
1	AA	1227	A	C2-N3-C4	7.52	114.36	110.60
26	BB	1767	G	C5-C6-N1	-7.52	107.74	111.50
1	AA	493	A	C4-C5-N7	7.52	114.46	110.70
1	AA	677	U	P-O3'-C3'	7.52	128.73	119.70
1	AA	1127	G	N9-C1'-C2'	-7.52	103.72	112.00
26	BB	297	G	C4-C5-C6	7.52	123.31	118.80
26	BB	780	G	N1-C2-N2	-7.52	109.43	116.20
26	BB	1824	G	C3'-C2'-C1'	7.52	107.52	101.50
26	BB	1950	G	N1-C6-O6	-7.52	115.39	119.90
26	BB	2630	G	N1-C2-N3	7.52	128.41	123.90
26	BB	2693	G	N3-C2-N2	-7.52	114.63	119.90
26	BB	2771	C	N1-C2-N3	7.52	124.47	119.20
1	AA	1079	G	C6-N1-C2	-7.52	120.59	125.10
26	BB	1664	A	C5'-C4'-O4'	7.52	118.12	109.10
26	BB	1743	G	C8-N9-C4	-7.52	103.39	106.40
26	BB	2087	G	C8-N9-C4	-7.52	103.39	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2578	G	C5-N7-C8	7.52	108.06	104.30
1	AA	764	C	N1-C2-N3	7.52	124.46	119.20
1	AA	770	C	O4'-C1'-N1	7.52	114.22	108.20
1	AA	1044	A	C5-C6-N6	-7.52	117.69	123.70
1	AA	1298	U	O4'-C1'-N1	7.52	114.22	108.20
1	AA	1324	A	C3'-C2'-C1'	-7.52	95.48	101.50
1	AA	1494	G	C6-C5-N7	-7.52	125.89	130.40
26	BB	851	C	N3-C2-O2	-7.52	116.64	121.90
26	BB	2459	A	N3-C4-C5	-7.52	121.54	126.80
1	AA	938	A	N9-C4-C5	7.52	108.81	105.80
1	AA	1131	G	C6-C5-N7	-7.52	125.89	130.40
26	BB	508	A	C4'-C3'-C2'	-7.52	95.08	102.60
26	BB	618	G	C5'-C4'-O4'	7.52	118.12	109.10
26	BB	1610	A	C2-N3-C4	7.52	114.36	110.60
26	BB	1645	G	N7-C8-N9	7.52	116.86	113.10
26	BB	1834	U	C4'-C3'-C2'	-7.52	95.08	102.60
26	BB	2294	G	C5-N7-C8	-7.52	100.54	104.30
25	BA	74	U	O4'-C1'-C2'	7.52	114.36	107.60
26	BB	1408	G	C6-N1-C2	-7.52	120.59	125.10
26	BB	1656	C	O4'-C1'-N1	7.52	114.21	108.20
26	BB	1989	G	N1-C6-O6	-7.52	115.39	119.90
1	AA	303	A	C5'-C4'-O4'	7.51	118.12	109.10
1	AA	690	G	N3-C4-C5	-7.51	124.84	128.60
4	AD	63	C	N1-C2-O2	7.51	123.41	118.90
25	BA	43	C	C3'-C2'-C1'	7.51	107.51	101.50
26	BB	385	C	N3-C4-N4	7.51	123.26	118.00
26	BB	490	C	C6-N1-C2	-7.51	117.29	120.30
26	BB	557	C	C2-N3-C4	7.51	123.66	119.90
26	BB	696	G	N3-C4-C5	-7.51	124.84	128.60
26	BB	965	C	O4'-C1'-N1	7.51	114.21	108.20
26	BB	1041	G	N1-C2-N3	7.51	128.41	123.90
26	BB	1161	C	C4-C5-C6	7.51	121.16	117.40
26	BB	1777	U	C2-N3-C4	-7.51	122.49	127.00
26	BB	2418	A	N1-C2-N3	-7.51	125.54	129.30
26	BB	2493	U	N1-C2-N3	7.51	119.41	114.90
26	BB	2720	U	C2-N3-C4	-7.51	122.49	127.00
1	AA	1039	G	C8-N9-C4	-7.51	103.39	106.40
1	AA	112	G	N1-C6-O6	-7.51	115.39	119.90
1	AA	1088	G	N1-C2-N3	7.51	128.41	123.90
3	AC	33	A	C4'-C3'-C2'	-7.51	95.09	102.60
4	AD	52	C	C5-C6-N1	7.51	124.76	121.00
26	BB	202	U	N1-C2-N3	7.51	119.41	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	749	A	C4'-C3'-C2'	-7.51	95.09	102.60
26	BB	818	G	C8-N9-C4	-7.51	103.40	106.40
26	BB	1248	G	O4'-C1'-N9	7.51	114.21	108.20
26	BB	1624	U	N3-C2-O2	-7.51	116.94	122.20
26	BB	1937	A	N7-C8-N9	7.51	117.56	113.80
26	BB	1980	G	C5-N7-C8	-7.51	100.55	104.30
26	BB	2165	C	C3'-C2'-C1'	7.51	107.51	101.50
26	BB	2876	G	C5-C6-O6	-7.51	124.09	128.60
1	AA	1534	A	O4'-C1'-N9	7.51	114.21	108.20
26	BB	986	C	N1-C2-O2	7.51	123.41	118.90
26	BB	1185	G	C2-N3-C4	7.51	115.66	111.90
26	BB	1707	G	N1-C6-O6	7.51	124.41	119.90
1	AA	410	G	C4'-C3'-C2'	-7.51	95.09	102.60
1	AA	565	U	C2-N3-C4	-7.51	122.50	127.00
1	AA	1181	G	C8-N9-C4	-7.51	103.40	106.40
26	BB	2053	G	C8-N9-C4	-7.51	103.40	106.40
3	AC	56	G	C4-C5-N7	7.51	113.80	110.80
26	BB	1430	G	N7-C8-N9	7.51	116.85	113.10
26	BB	2312	U	C2-N3-C4	-7.51	122.50	127.00
1	AA	111	G	N3-C2-N2	-7.50	114.65	119.90
1	AA	303	A	C4-C5-C6	7.50	120.75	117.00
1	AA	616	G	N1-C2-N3	7.50	128.40	123.90
26	BB	1620	G	C5-N7-C8	-7.50	100.55	104.30
26	BB	1792	G	C4-C5-N7	-7.50	107.80	110.80
26	BB	2446	G	C5-C6-O6	-7.50	124.10	128.60
1	AA	113	G	N1-C2-N2	7.50	122.95	116.20
1	AA	1069	C	N3-C2-O2	-7.50	116.65	121.90
25	BA	102	G	C8-N9-C4	-7.50	103.40	106.40
26	BB	647	G	N7-C8-N9	7.50	116.85	113.10
26	BB	1771	C	C4-C5-C6	-7.50	113.65	117.40
1	AA	111	G	N3-C4-C5	-7.50	124.85	128.60
1	AA	983	A	C6-N1-C2	7.50	123.10	118.60
26	BB	85	G	O4'-C1'-N9	-7.50	102.20	108.20
26	BB	628	G	C5-N7-C8	-7.50	100.55	104.30
26	BB	762	U	C2-N3-C4	7.50	131.50	127.00
26	BB	773	U	O4'-C4'-C3'	7.50	112.10	106.10
26	BB	1635	A	C5-C6-N6	-7.50	117.70	123.70
26	BB	1788	C	C6-N1-C2	-7.50	117.30	120.30
26	BB	1891	G	C5-N7-C8	-7.50	100.55	104.30
26	BB	2419	U	N3-C2-O2	-7.50	116.95	122.20
26	BB	2600	A	N1-C6-N6	-7.50	114.10	118.60
28	BD	143	VAL	CA-CB-CG1	-7.50	99.65	110.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	224	U	P-O3'-C3'	7.50	128.70	119.70
1	AA	1000	A	C5-N7-C8	7.50	107.65	103.90
12	AL	63	TYR	CB-CG-CD1	-7.50	116.50	121.00
26	BB	1143	A	N1-C2-N3	-7.50	125.55	129.30
26	BB	1805	A	N9-C4-C5	7.50	108.80	105.80
26	BB	2113	U	C5-C4-O4	-7.50	121.40	125.90
26	BB	2650	U	C5-C4-O4	-7.50	121.40	125.90
1	AA	796	C	O4'-C1'-N1	7.50	114.20	108.20
1	AA	1032	G	C8-N9-C4	-7.50	103.40	106.40
1	AA	1144	G	N7-C8-N9	7.50	116.85	113.10
25	BA	42	C	C5'-C4'-O4'	7.50	118.10	109.10
26	BB	674	G	N1-C2-N3	7.50	128.40	123.90
26	BB	2731	G	N9-C4-C5	-7.50	102.40	105.40
1	AA	491	G	C8-N9-C4	-7.50	103.40	106.40
1	AA	528	C	C5'-C4'-O4'	7.50	118.10	109.10
1	AA	644	U	C4-C5-C6	7.50	124.20	119.70
26	BB	300	A	O4'-C1'-N9	7.50	114.20	108.20
26	BB	516	C	N3-C2-O2	-7.50	116.65	121.90
26	BB	665	U	C5-C4-O4	-7.50	121.40	125.90
26	BB	1462	C	N3-C4-N4	-7.50	112.75	118.00
26	BB	1762	A	N7-C8-N9	7.50	117.55	113.80
26	BB	1968	G	O4'-C1'-N9	7.50	114.20	108.20
26	BB	2189	U	N1-C2-O2	7.50	128.05	122.80
26	BB	2563	U	N3-C2-O2	-7.50	116.95	122.20
1	AA	796	C	C4'-C3'-C2'	-7.50	95.11	102.60
25	BA	44	G	C6-C5-N7	7.50	134.90	130.40
26	BB	631	A	O4'-C4'-C3'	7.50	112.10	106.10
26	BB	2102	G	O5'-P-OP1	-7.50	98.95	105.70
52	B1	44	ARG	NE-CZ-NH1	-7.50	116.55	120.30
1	AA	412	A	O4'-C1'-N9	7.49	114.19	108.20
1	AA	771	G	C6-C5-N7	-7.49	125.90	130.40
1	AA	1347	G	N9-C4-C5	7.49	108.40	105.40
4	AD	57	C	N3-C2-O2	-7.49	116.65	121.90
7	AG	13	ARG	NE-CZ-NH2	7.49	124.05	120.30
26	BB	638	G	C8-N9-C4	-7.49	103.40	106.40
26	BB	1454	C	C6-N1-C2	-7.49	117.30	120.30
26	BB	1901	A	N1-C6-N6	-7.49	114.10	118.60
26	BB	2154	A	O4'-C4'-C3'	7.49	112.09	106.10
26	BB	2465	C	C6-N1-C2	-7.49	117.30	120.30
26	BB	2514	U	O5'-P-OP2	-7.49	98.96	105.70
26	BB	2736	A	C5-C6-N1	7.49	121.45	117.70
26	BB	24	G	O4'-C1'-N9	7.49	114.19	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	276	U	C4-C5-C6	-7.49	115.20	119.70
26	BB	564	C	C4-C5-C6	7.49	121.15	117.40
1	AA	963	G	N9-C1'-C2'	-7.49	103.76	112.00
3	AC	23	C	C4-C5-C6	-7.49	113.66	117.40
25	BA	33	G	N3-C2-N2	7.49	125.14	119.90
26	BB	993	G	C5-N7-C8	-7.49	100.56	104.30
26	BB	1356	G	N3-C4-C5	-7.49	124.85	128.60
26	BB	2314	A	C2-N3-C4	7.49	114.34	110.60
1	AA	145	G	C4-C5-N7	-7.49	107.81	110.80
1	AA	1238	A	P-O3'-C3'	7.49	128.69	119.70
17	AQ	32	ASP	CB-CG-OD2	-7.49	111.56	118.30
26	BB	386	G	C8-N9-C4	-7.49	103.41	106.40
26	BB	1690	A	N9-C4-C5	7.49	108.80	105.80
26	BB	2091	C	C5-C6-N1	7.49	124.74	121.00
26	BB	2608	G	N7-C8-N9	7.49	116.84	113.10
1	AA	112	G	C6-N1-C2	-7.49	120.61	125.10
1	AA	1318	A	C8-N9-C4	-7.49	102.81	105.80
26	BB	69	C	N1-C2-O2	7.49	123.39	118.90
26	BB	875	G	N9-C1'-C2'	-7.49	103.76	112.00
26	BB	1280	G	O4'-C1'-N9	7.49	114.19	108.20
26	BB	2534	A	N9-C4-C5	7.49	108.80	105.80
26	BB	2805	C	C5-C6-N1	7.49	124.74	121.00
1	AA	865	A	N3-C4-N9	-7.49	121.41	127.40
26	BB	1558	C	N1-C2-O2	7.49	123.39	118.90
26	BB	2287	A	C8-N9-C4	-7.49	102.81	105.80
26	BB	2464	G	N3-C4-C5	-7.49	124.86	128.60
26	BB	2816	G	N3-C4-C5	-7.49	124.86	128.60
1	AA	745	G	N9-C4-C5	7.48	108.39	105.40
4	AD	41	C	N1-C2-N3	-7.48	113.96	119.20
17	AQ	12	ARG	NE-CZ-NH2	-7.48	116.56	120.30
26	BB	181	A	C6-N1-C2	7.48	123.09	118.60
26	BB	1182	G	N1-C6-O6	-7.48	115.41	119.90
26	BB	1714	U	N3-C2-O2	-7.48	116.96	122.20
26	BB	1935	G	C4-C5-N7	7.48	113.79	110.80
26	BB	1965	C	O4'-C1'-N1	7.48	114.19	108.20
1	AA	153	C	N1-C2-N3	-7.48	113.96	119.20
1	AA	1154	G	C1'-O4'-C4'	7.48	115.89	109.90
1	AA	1199	U	C5-C6-N1	-7.48	118.96	122.70
26	BB	1530	G	N3-C4-C5	-7.48	124.86	128.60
26	BB	2351	G	C6-C5-N7	-7.48	125.91	130.40
1	AA	1076	U	N3-C4-C5	-7.48	110.11	114.60
2	AB	36	A	C5'-C4'-C3'	-7.48	104.03	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	59	G	N9-C4-C5	7.48	108.39	105.40
25	BA	119	A	C6-N1-C2	-7.48	114.11	118.60
26	BB	474	G	N1-C2-N2	7.48	122.93	116.20
26	BB	1065	U	N3-C2-O2	-7.48	116.96	122.20
26	BB	1307	A	N7-C8-N9	7.48	117.54	113.80
26	BB	1393	A	N1-C6-N6	7.48	123.09	118.60
26	BB	1945	G	N3-C2-N2	7.48	125.14	119.90
26	BB	2162	G	N1-C6-O6	-7.48	115.41	119.90
26	BB	2670	A	N1-C6-N6	-7.48	114.11	118.60
1	AA	44	A	C5-C6-N6	-7.48	117.72	123.70
1	AA	793	U	N1-C1'-C2'	7.48	123.72	114.00
1	AA	1388	C	O4'-C1'-N1	7.48	114.18	108.20
2	AB	63	C	C6-N1-C2	-7.48	117.31	120.30
4	AD	42	C	C5-C6-N1	-7.48	117.26	121.00
26	BB	181	A	C5-C6-N1	-7.48	113.96	117.70
26	BB	900	A	C5'-C4'-O4'	7.48	118.07	109.10
26	BB	1698	A	C1'-O4'-C4'	7.48	115.88	109.90
26	BB	2144	G	C8-N9-C4	-7.48	103.41	106.40
26	BB	2402	U	O4'-C4'-C3'	-7.48	96.52	104.00
30	BF	83	VAL	CA-CB-CG1	7.48	122.12	110.90
1	AA	1108	G	N3-C4-C5	-7.48	124.86	128.60
25	BA	41	G	N1-C2-N2	7.48	122.93	116.20
26	BB	2133	G	N7-C8-N9	7.48	116.84	113.10
26	BB	2377	A	N9-C4-C5	7.48	108.79	105.80
26	BB	2886	A	C6-N1-C2	-7.48	114.11	118.60
1	AA	1006	G	C8-N9-C4	-7.47	103.41	106.40
22	AV	44	ILE	C-N-CA	7.47	138.00	122.30
26	BB	270	A	C3'-C2'-C1'	7.47	107.48	101.50
26	BB	935	C	N3-C4-C5	-7.47	118.91	121.90
26	BB	1684	G	N1-C6-O6	7.47	124.38	119.90
26	BB	1879	C	C5-C6-N1	7.47	124.74	121.00
26	BB	2211	A	C4'-C3'-C2'	-7.47	95.13	102.60
26	BB	2634	A	C1'-O4'-C4'	7.47	115.88	109.90
26	BB	2649	C	N1-C2-N3	7.47	124.43	119.20
26	BB	2742	G	C2-N3-C4	-7.47	108.16	111.90
1	AA	408	A	O4'-C4'-C3'	7.47	112.08	106.10
1	AA	1048	G	N1-C6-O6	7.47	124.38	119.90
1	AA	1480	A	O4'-C1'-N9	7.47	114.18	108.20
1	AA	1525	G	N1-C2-N2	7.47	122.92	116.20
4	AD	14	A	C2-N3-C4	7.47	114.34	110.60
26	BB	634	C	N3-C4-N4	7.47	123.23	118.00
26	BB	942	G	C4'-C3'-C2'	-7.47	95.13	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1337	G	N7-C8-N9	-7.47	109.36	113.10
26	BB	1403	A	C4-C5-C6	-7.47	113.26	117.00
26	BB	1899	A	C2-N3-C4	7.47	114.34	110.60
1	AA	858	G	C5-N7-C8	-7.47	100.56	104.30
1	AA	1231	G	C1'-O4'-C4'	7.47	115.88	109.90
1	AA	1391	U	O4'-C1'-N1	7.47	114.18	108.20
1	AA	1497	G	N1-C2-N3	-7.47	119.42	123.90
26	BB	2677	G	C6-C5-N7	-7.47	125.92	130.40
4	AD	11	A	C6-N1-C2	7.47	123.08	118.60
25	BA	62	C	O4'-C1'-N1	7.47	114.17	108.20
26	BB	438	G	C8-N9-C1'	7.47	136.71	127.00
26	BB	541	A	C3'-C2'-C1'	-7.47	95.52	101.50
26	BB	766	U	N3-C2-O2	-7.47	116.97	122.20
26	BB	837	C	C4'-C3'-C2'	-7.47	95.13	102.60
26	BB	1871	A	C8-N9-C4	-7.47	102.81	105.80
26	BB	1875	G	C4'-C3'-C2'	-7.47	95.13	102.60
26	BB	2325	G	C5-N7-C8	7.47	108.03	104.30
26	BB	2499	C	N3-C4-C5	-7.47	118.91	121.90
26	BB	2670	A	N9-C1'-C2'	-7.47	103.78	112.00
52	B1	26	LEU	CB-CG-CD1	7.47	123.70	111.00
1	AA	502	A	N1-C6-N6	-7.47	114.12	118.60
1	AA	663	A	C5-C6-N1	7.47	121.43	117.70
1	AA	856	C	C5-C6-N1	7.47	124.73	121.00
26	BB	875	G	C8-N9-C4	7.47	109.39	106.40
26	BB	2651	C	N1-C2-O2	7.47	123.38	118.90
1	AA	172	A	N7-C8-N9	7.47	117.53	113.80
1	AA	287	U	C4'-C3'-C2'	-7.47	95.13	102.60
1	AA	502	A	C3'-C2'-C1'	7.47	107.47	101.50
1	AA	953	G	C5-N7-C8	7.47	108.03	104.30
1	AA	1236	A	C2-N3-C4	-7.47	106.87	110.60
18	AR	57	ARG	NE-CZ-NH2	-7.47	116.57	120.30
26	BB	627	A	C8-N9-C4	-7.47	102.81	105.80
26	BB	849	A	P-O5'-C5'	7.47	132.85	120.90
26	BB	1279	G	N9-C4-C5	7.47	108.39	105.40
26	BB	2664	G	C4'-C3'-C2'	-7.47	95.13	102.60
26	BB	2840	C	N3-C2-O2	-7.47	116.67	121.90
1	AA	199	A	N1-C2-N3	-7.46	125.57	129.30
1	AA	286	C	O5'-P-OP2	-7.46	98.98	105.70
1	AA	774	G	C8-N9-C4	7.46	109.39	106.40
1	AA	1079	G	C5-C6-N1	7.46	115.23	111.50
4	AD	64	G	C4-C5-N7	-7.46	107.81	110.80
25	BA	97	C	C4-C5-C6	7.46	121.13	117.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	184	C	C2-N3-C4	7.46	123.63	119.90
26	BB	591	U	P-O3'-C3'	7.46	128.66	119.70
26	BB	1661	G	C3'-C2'-C1'	7.46	107.47	101.50
26	BB	2162	G	C5-C6-O6	7.46	133.08	128.60
26	BB	487	C	N3-C4-C5	7.46	124.89	121.90
26	BB	666	A	N1-C6-N6	-7.46	114.12	118.60
26	BB	1722	A	C8-N9-C4	7.46	108.78	105.80
26	BB	2547	A	C2-N3-C4	7.46	114.33	110.60
1	AA	56	U	C5-C4-O4	-7.46	121.42	125.90
1	AA	582	C	C4'-C3'-C2'	-7.46	95.14	102.60
1	AA	680	C	N3-C2-O2	-7.46	116.68	121.90
1	AA	1388	C	N3-C2-O2	-7.46	116.68	121.90
26	BB	1516	G	N1-C2-N2	7.46	122.92	116.20
26	BB	2041	U	C5-C6-N1	-7.46	118.97	122.70
26	BB	2429	G	C4-C5-N7	-7.46	107.81	110.80
26	BB	2668	G	N3-C4-C5	-7.46	124.87	128.60
26	BB	2675	A	C2-N3-C4	7.46	114.33	110.60
1	AA	669	G	N1-C2-N3	-7.46	119.42	123.90
2	AB	76	A	C5'-C4'-O4'	7.46	118.05	109.10
26	BB	120	U	N3-C4-O4	7.46	124.62	119.40
26	BB	522	A	N1-C6-N6	7.46	123.08	118.60
26	BB	1313	U	C6-N1-C2	-7.46	116.52	121.00
26	BB	1649	G	N3-C4-N9	-7.46	121.52	126.00
26	BB	1765	U	O4'-C1'-N1	7.46	114.17	108.20
26	BB	2450	A	O4'-C1'-N9	-7.46	102.23	108.20
1	AA	82	G	N9-C4-C5	7.46	108.38	105.40
1	AA	407	U	O4'-C1'-N1	7.46	114.17	108.20
1	AA	1312	G	N3-C4-C5	-7.46	124.87	128.60
25	BA	59	A	C4-C5-N7	7.46	114.43	110.70
26	BB	980	A	O4'-C4'-C3'	7.46	112.07	106.10
26	BB	1733	G	C5-C6-N1	7.46	115.23	111.50
26	BB	2340	A	C4'-C3'-C2'	-7.46	95.14	102.60
26	BB	2592	G	N7-C8-N9	7.46	116.83	113.10
32	BH	150	TYR	CG-CD1-CE1	-7.46	115.33	121.30
1	AA	764	C	O4'-C1'-N1	7.46	114.17	108.20
26	BB	256	A	C5-N7-C8	7.46	107.63	103.90
26	BB	356	G	N3-C4-C5	-7.46	124.87	128.60
26	BB	697	G	C8-N9-C4	-7.46	103.42	106.40
26	BB	763	G	N3-C4-N9	-7.46	121.53	126.00
26	BB	816	C	N1-C2-O2	7.46	123.37	118.90
26	BB	2263	C	C2-N3-C4	7.46	123.63	119.90
26	BB	2641	G	N3-C2-N2	-7.46	114.68	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	AI	42	TRP	CD1-NE1-CE2	7.46	115.71	109.00
26	BB	1045	C	C2-N1-C1'	7.46	127.00	118.80
26	BB	1067	A	P-O3'-C3'	7.46	128.65	119.70
26	BB	1254	A	N9-C1'-C2'	-7.46	103.80	112.00
26	BB	1811	G	N3-C2-N2	7.46	125.12	119.90
1	AA	1082	A	C5-C6-N1	7.45	121.43	117.70
26	BB	920	A	N9-C4-C5	-7.45	102.82	105.80
26	BB	2377	A	C4-C5-N7	-7.45	106.97	110.70
1	AA	472	U	N3-C4-C5	7.45	119.07	114.60
26	BB	643	A	C5-N7-C8	7.45	107.63	103.90
26	BB	781	A	C5'-C4'-O4'	7.45	118.04	109.10
26	BB	975	A	N7-C8-N9	7.45	117.53	113.80
26	BB	1760	C	N3-C2-O2	-7.45	116.68	121.90
4	AD	9	G	C5-C6-N1	7.45	115.22	111.50
5	AE	62	ARG	NE-CZ-NH2	7.45	124.03	120.30
26	BB	528	A	O4'-C1'-N9	7.45	114.16	108.20
26	BB	1146	C	C3'-C2'-C1'	-7.45	95.54	101.50
26	BB	2802	G	C5-C6-O6	-7.45	124.13	128.60
26	BB	2845	U	N1-C2-N3	7.45	119.37	114.90
1	AA	399	G	C4-C5-N7	-7.45	107.82	110.80
1	AA	1271	A	C4-C5-N7	7.45	114.42	110.70
26	BB	343	C	C5-C4-N4	-7.45	114.98	120.20
26	BB	402	A	N9-C4-C5	-7.45	102.82	105.80
26	BB	469	G	O4'-C1'-N9	7.45	114.16	108.20
26	BB	1168	G	C6-N1-C2	-7.45	120.63	125.10
26	BB	2011	U	O4'-C1'-N1	7.45	114.16	108.20
26	BB	2332	C	N3-C4-C5	-7.45	118.92	121.90
26	BB	2834	G	N1-C2-N3	-7.45	119.43	123.90
1	AA	31	G	N9-C4-C5	7.45	108.38	105.40
1	AA	251	G	C2-N3-C4	7.45	115.62	111.90
1	AA	421	U	O4'-C1'-N1	7.45	114.16	108.20
1	AA	711	G	N7-C8-N9	7.45	116.82	113.10
26	BB	653	U	N1-C2-N3	7.45	119.37	114.90
26	BB	754	U	N1-C2-O2	7.45	128.01	122.80
26	BB	1425	G	C5-C6-O6	7.45	133.07	128.60
26	BB	1555	G	C5'-C4'-C3'	-7.45	104.08	116.00
26	BB	1730	C	N3-C4-C5	-7.45	118.92	121.90
26	BB	2505	G	N1-C6-O6	-7.45	115.43	119.90
26	BB	2731	G	C3'-C2'-C1'	-7.45	95.54	101.50
1	AA	116	A	N9-C4-C5	-7.45	102.82	105.80
26	BB	247	G	C5-C6-O6	7.45	133.07	128.60
26	BB	734	A	C5'-C4'-O4'	7.45	118.03	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1151	A	N7-C8-N9	7.45	117.52	113.80
26	BB	1964	G	N1-C2-N3	-7.45	119.43	123.90
26	BB	2555	U	O4'-C1'-N1	7.45	114.16	108.20
26	BB	2874	C	C3'-C2'-C1'	7.45	107.46	101.50
26	BB	560	C	N3-C4-C5	-7.44	118.92	121.90
26	BB	1577	C	C6-N1-C2	-7.44	117.32	120.30
26	BB	2825	G	C5-C6-O6	7.44	133.07	128.60
1	AA	356	A	C5-C6-N6	7.44	129.66	123.70
1	AA	1430	A	C4-C5-N7	-7.44	106.98	110.70
25	BA	7	G	N9-C4-C5	-7.44	102.42	105.40
26	BB	426	C	C4'-C3'-C2'	-7.44	95.16	102.60
26	BB	528	A	N7-C8-N9	7.44	117.52	113.80
26	BB	2147	A	C5'-C4'-O4'	7.44	118.03	109.10
26	BB	2418	A	N3-C4-N9	7.44	133.35	127.40
26	BB	2791	G	C4-C5-N7	-7.44	107.82	110.80
1	AA	137	U	O4'-C1'-N1	7.44	114.15	108.20
1	AA	1499	A	C3'-C2'-C1'	-7.44	95.55	101.50
26	BB	389	G	C6-N1-C2	-7.44	120.64	125.10
43	BS	47	ARG	NE-CZ-NH1	-7.44	116.58	120.30
26	BB	1342	A	C5'-C4'-C3'	-7.44	104.10	116.00
26	BB	1849	G	O4'-C1'-N9	7.44	114.15	108.20
1	AA	833	G	O4'-C1'-N9	-7.44	102.25	108.20
26	BB	106	C	N3-C2-O2	-7.44	116.69	121.90
26	BB	922	C	N3-C4-C5	7.44	124.88	121.90
26	BB	1402	U	C5-C6-N1	7.44	126.42	122.70
26	BB	2353	G	C4-C5-C6	-7.44	114.34	118.80
26	BB	2572	A	C6-C5-N7	-7.44	127.09	132.30
26	BB	2515	C	C4'-C3'-C2'	-7.44	95.16	102.60
26	BB	2652	C	O4'-C1'-N1	7.44	114.15	108.20
1	AA	344	A	C5-N7-C8	7.43	107.62	103.90
3	AC	23	C	C3'-C2'-C1'	7.43	107.45	101.50
4	AD	75	C	C5-C6-N1	7.43	124.72	121.00
25	BA	120	U	O4'-C1'-N1	7.43	114.15	108.20
26	BB	346	A	N1-C6-N6	7.43	123.06	118.60
26	BB	580	U	C5-C4-O4	-7.43	121.44	125.90
26	BB	1256	G	C8-N9-C4	-7.43	103.43	106.40
26	BB	1579	A	C2-N3-C4	7.43	114.32	110.60
26	BB	2784	U	N3-C2-O2	-7.43	117.00	122.20
3	AC	39	U	O4'-C1'-N1	7.43	114.15	108.20
26	BB	1407	G	O4'-C1'-N9	7.43	114.15	108.20
26	BB	1788	C	N3-C2-O2	-7.43	116.70	121.90
26	BB	2162	G	C3'-C2'-C1'	7.43	107.45	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2683	C	C6-N1-C2	7.43	123.27	120.30
26	BB	2692	G	C6-N1-C2	-7.43	120.64	125.10
1	AA	246	A	C4-C5-C6	-7.43	113.28	117.00
26	BB	1300	G	O4'-C1'-N9	7.43	114.14	108.20
1	AA	22	G	N1-C2-N3	-7.43	119.44	123.90
1	AA	700	G	N1-C2-N3	7.43	128.36	123.90
1	AA	732	C	C2-N3-C4	-7.43	116.19	119.90
1	AA	812	G	N7-C8-N9	7.43	116.81	113.10
1	AA	988	G	N3-C4-N9	7.43	130.46	126.00
1	AA	1079	G	N7-C8-N9	7.43	116.81	113.10
1	AA	1125	U	N3-C2-O2	-7.43	117.00	122.20
1	AA	1134	G	C8-N9-C4	-7.43	103.43	106.40
1	AA	1270	G	C5'-C4'-O4'	7.43	118.02	109.10
26	BB	306	U	C6-N1-C2	-7.43	116.54	121.00
26	BB	443	A	C3'-C2'-C1'	7.43	107.44	101.50
1	AA	595	A	O4'-C1'-N9	7.43	114.14	108.20
1	AA	1247	U	C5-C4-O4	-7.43	121.44	125.90
26	BB	2224	G	C8-N9-C4	-7.43	103.43	106.40
26	BB	2550	G	C5-N7-C8	-7.43	100.59	104.30
1	AA	640	A	N1-C2-N3	-7.43	125.59	129.30
1	AA	694	A	C4-C5-C6	-7.43	113.29	117.00
2	AB	21	A	C4-C5-N7	7.43	114.41	110.70
26	BB	332	A	C2-N3-C4	7.43	114.31	110.60
26	BB	787	C	C4'-C3'-C2'	-7.43	95.17	102.60
26	BB	1149	G	N9-C1'-C2'	-7.43	103.83	112.00
26	BB	1789	A	O4'-C4'-C3'	7.43	112.04	106.10
26	BB	1831	G	N9-C4-C5	7.43	108.37	105.40
26	BB	2412	A	N9-C4-C5	-7.43	102.83	105.80
1	AA	877	G	N3-C4-C5	-7.42	124.89	128.60
1	AA	892	A	N9-C1'-C2'	-7.42	103.83	112.00
1	AA	1247	U	C4'-C3'-C2'	-7.42	95.17	102.60
1	AA	1288	A	O4'-C1'-N9	7.42	114.14	108.20
3	AC	18	A	C8-N9-C4	-7.42	102.83	105.80
26	BB	1517	G	N7-C8-N9	7.42	116.81	113.10
26	BB	2834	G	C8-N9-C4	-7.42	103.43	106.40
1	AA	337	G	C6-C5-N7	7.42	134.85	130.40
1	AA	1220	G	C6-N1-C2	-7.42	120.65	125.10
26	BB	664	G	N1-C2-N3	-7.42	119.45	123.90
1	AA	482	A	N1-C6-N6	-7.42	114.15	118.60
1	AA	494	G	C4-C5-N7	7.42	113.77	110.80
1	AA	1026	G	C3'-C2'-C1'	7.42	107.44	101.50
1	AA	1185	G	N3-C4-N9	7.42	130.45	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	252	G	C5-N7-C8	-7.42	100.59	104.30
26	BB	498	G	C4'-C3'-C2'	-7.42	95.18	102.60
26	BB	522	A	C4'-C3'-C2'	-7.42	95.18	102.60
26	BB	854	C	C4-C5-C6	7.42	121.11	117.40
26	BB	973	A	C5-N7-C8	-7.42	100.19	103.90
1	AA	601	G	N3-C4-N9	7.42	130.45	126.00
1	AA	1467	C	O4'-C1'-N1	7.42	114.14	108.20
1	AA	1504	G	N9-C4-C5	7.42	108.37	105.40
26	BB	753	A	C5'-C4'-O4'	7.42	118.00	109.10
26	BB	1425	G	C5-C6-N1	-7.42	107.79	111.50
26	BB	2308	G	C2-N3-C4	7.42	115.61	111.90
26	BB	2666	C	C5-C4-N4	-7.42	115.01	120.20
26	BB	2698	U	C2-N3-C4	-7.42	122.55	127.00
1	AA	282	A	N7-C8-N9	7.42	117.51	113.80
1	AA	530	G	N9-C4-C5	7.42	108.37	105.40
26	BB	163	C	O4'-C1'-N1	7.42	114.14	108.20
26	BB	180	G	C8-N9-C4	-7.42	103.43	106.40
26	BB	508	A	N1-C2-N3	-7.42	125.59	129.30
26	BB	1723	G	P-O3'-C3'	7.42	128.60	119.70
26	BB	2606	C	N3-C4-N4	7.42	123.19	118.00
26	BB	2825	G	N3-C4-C5	-7.42	124.89	128.60
1	AA	424	G	C5-C6-N1	7.42	115.21	111.50
1	AA	1311	A	N9-C4-C5	7.42	108.77	105.80
3	AC	22	G	C5-C6-O6	7.42	133.05	128.60
26	BB	1056	G	C6-C5-N7	-7.42	125.95	130.40
26	BB	1099	G	C6-C5-N7	-7.42	125.95	130.40
26	BB	1164	C	C4-C5-C6	7.42	121.11	117.40
26	BB	2512	C	C5-C4-N4	7.42	125.39	120.20
17	AQ	58	ARG	NE-CZ-NH2	-7.42	116.59	120.30
26	BB	640	C	N1-C2-O2	7.42	123.35	118.90
26	BB	1043	C	O4'-C1'-N1	7.42	114.13	108.20
26	BB	1644	C	N1-C2-O2	7.42	123.35	118.90
1	AA	414	A	N3-C4-C5	7.41	131.99	126.80
1	AA	1348	U	C2-N3-C4	-7.41	122.55	127.00
1	AA	1508	A	C2-N3-C4	7.41	114.31	110.60
2	AB	7	G	N3-C4-C5	-7.41	124.89	128.60
26	BB	777	G	N3-C4-C5	-7.41	124.89	128.60
26	BB	1407	G	N7-C8-N9	7.41	116.81	113.10
26	BB	1452	G	N1-C6-O6	-7.41	115.45	119.90
26	BB	1783	A	N7-C8-N9	-7.41	110.09	113.80
26	BB	1827	U	C5-C6-N1	-7.41	118.99	122.70
1	AA	450	G	N9-C4-C5	-7.41	102.44	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	522	C	N3-C4-C5	-7.41	118.94	121.90
26	BB	784	G	O4'-C1'-N9	7.41	114.13	108.20
26	BB	1451	C	N1-C2-O2	7.41	123.35	118.90
26	BB	1567	G	N7-C8-N9	7.41	116.81	113.10
26	BB	2488	G	C6-N1-C2	-7.41	120.65	125.10
1	AA	402	G	C4-C5-N7	7.41	113.76	110.80
1	AA	774	G	C5-N7-C8	-7.41	100.59	104.30
1	AA	1044	A	O4'-C1'-N9	7.41	114.13	108.20
1	AA	1139	G	C8-N9-C4	-7.41	103.44	106.40
1	AA	1531	A	C5-C6-N1	7.41	121.41	117.70
26	BB	1531	C	N3-C2-O2	-7.41	116.71	121.90
26	BB	1713	A	N9-C4-C5	7.41	108.76	105.80
26	BB	2325	G	N3-C4-C5	-7.41	124.89	128.60
26	BB	2475	C	C3'-C2'-C1'	7.41	107.43	101.50
1	AA	490	C	N3-C4-N4	7.41	123.19	118.00
1	AA	1338	G	N3-C4-C5	-7.41	124.89	128.60
15	AO	37	TYR	CA-CB-CG	7.41	127.48	113.40
26	BB	940	G	N1-C6-O6	7.41	124.34	119.90
26	BB	1260	A	C8-N9-C4	-7.41	102.84	105.80
26	BB	2832	U	N1-C2-N3	7.41	119.34	114.90
26	BB	2867	G	C5-C6-N1	7.41	115.20	111.50
1	AA	202	G	N9-C4-C5	-7.41	102.44	105.40
26	BB	1256	G	N7-C8-N9	7.41	116.80	113.10
1	AA	259	G	N9-C4-C5	7.41	108.36	105.40
1	AA	701	U	C5-C4-O4	-7.41	121.46	125.90
1	AA	866	C	C4-C5-C6	-7.41	113.70	117.40
1	AA	976	G	C4'-C3'-C2'	-7.41	95.19	102.60
1	AA	1010	U	N3-C4-C5	-7.41	110.16	114.60
1	AA	1376	U	C5-C4-O4	-7.41	121.46	125.90
1	AA	1426	G	C8-N9-C4	-7.41	103.44	106.40
3	AC	31	U	C2-N3-C4	-7.41	122.56	127.00
26	BB	393	C	C5-C4-N4	-7.41	115.02	120.20
26	BB	549	G	C4-C5-C6	-7.41	114.36	118.80
26	BB	1110	G	C2-N3-C4	7.41	115.60	111.90
26	BB	130	C	C5-C6-N1	7.40	124.70	121.00
26	BB	537	G	N3-C4-C5	-7.40	124.90	128.60
26	BB	728	G	C3'-C2'-C1'	-7.40	95.58	101.50
26	BB	1220	G	N9-C4-C5	7.40	108.36	105.40
1	AA	802	A	O4'-C4'-C3'	7.40	112.02	106.10
1	AA	949	A	C8-N9-C4	-7.40	102.84	105.80
1	AA	1020	G	N3-C4-N9	-7.40	121.56	126.00
1	AA	1034	G	N9-C4-C5	7.40	108.36	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1139	G	N3-C2-N2	-7.40	114.72	119.90
26	BB	1511	G	C5-C6-N1	7.40	115.20	111.50
1	AA	481	G	C1'-O4'-C4'	-7.40	103.98	109.90
1	AA	918	A	C3'-C2'-C1'	7.40	107.42	101.50
1	AA	1221	G	O3'-P-O5'	-7.40	89.94	104.00
1	AA	1267	C	N1-C2-O2	-7.40	114.46	118.90
26	BB	107	G	C4'-C3'-C2'	-7.40	95.20	102.60
26	BB	283	G	O4'-C1'-N9	7.40	114.12	108.20
26	BB	609	A	C5-N7-C8	-7.40	100.20	103.90
26	BB	820	A	C4-C5-N7	7.40	114.40	110.70
26	BB	1118	C	O4'-C1'-N1	7.40	114.12	108.20
26	BB	1524	G	C2-N3-C4	7.40	115.60	111.90
26	BB	1821	A	N1-C2-N3	7.40	133.00	129.30
26	BB	1854	A	N9-C4-C5	-7.40	102.84	105.80
26	BB	1886	U	O4'-C1'-N1	7.40	114.12	108.20
26	BB	1985	C	O4'-C1'-N1	7.40	114.12	108.20
26	BB	2100	G	N1-C2-N3	-7.40	119.46	123.90
1	AA	1038	C	C2-N3-C4	7.40	123.60	119.90
1	AA	1078	U	O4'-C1'-N1	7.40	114.12	108.20
1	AA	159	G	C5-N7-C8	7.40	108.00	104.30
1	AA	853	C	N3-C4-C5	-7.40	118.94	121.90
1	AA	1159	U	C4-C5-C6	7.40	124.14	119.70
25	BA	54	G	C8-N9-C4	-7.40	103.44	106.40
26	BB	307	G	N7-C8-N9	7.40	116.80	113.10
26	BB	1998	A	N1-C2-N3	7.40	133.00	129.30
26	BB	2158	A	C6-N1-C2	-7.40	114.16	118.60
1	AA	137	U	N3-C4-C5	-7.40	110.16	114.60
1	AA	536	C	C1'-O4'-C4'	7.40	115.82	109.90
1	AA	914	A	C5-C6-N1	7.40	121.40	117.70
4	AD	2	G	N9-C4-C5	7.40	108.36	105.40
26	BB	780	G	P-O3'-C3'	7.40	128.57	119.70
26	BB	1353	A	C6-N1-C2	-7.40	114.16	118.60
1	AA	104	G	C5-C6-O6	-7.39	124.16	128.60
1	AA	808	C	N1-C2-N3	-7.39	114.02	119.20
1	AA	1211	U	C2-N3-C4	-7.39	122.56	127.00
1	AA	1537	U	O4'-C1'-N1	7.39	114.11	108.20
26	BB	324	A	C6-C5-N7	7.39	137.48	132.30
26	BB	669	G	N3-C4-C5	-7.39	124.90	128.60
26	BB	729	G	C4'-C3'-C2'	-7.39	95.21	102.60
26	BB	741	U	N1-C2-N3	7.39	119.34	114.90
26	BB	987	C	C6-N1-C2	-7.39	117.34	120.30
26	BB	1388	G	C4'-C3'-C2'	7.39	109.99	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2262	U	C5'-C4'-O4'	7.39	117.97	109.10
26	BB	2466	C	N3-C2-O2	-7.39	116.72	121.90
1	AA	291	U	N3-C4-C5	-7.39	110.17	114.60
1	AA	410	G	C4-C5-N7	-7.39	107.84	110.80
1	AA	670	G	N1-C6-O6	-7.39	115.46	119.90
1	AA	845	A	C8-N9-C4	-7.39	102.84	105.80
1	AA	1262	C	N3-C2-O2	-7.39	116.72	121.90
25	BA	67	G	C5-C6-N1	7.39	115.20	111.50
26	BB	161	A	C5-N7-C8	7.39	107.60	103.90
26	BB	274	C	O4'-C1'-C2'	7.39	114.25	107.60
26	BB	319	G	C8-N9-C4	-7.39	103.44	106.40
26	BB	439	A	C2-N3-C4	7.39	114.30	110.60
26	BB	449	A	O5'-P-OP2	-7.39	99.05	105.70
26	BB	782	A	C5-C6-N6	7.39	129.61	123.70
26	BB	1014	A	N3-C4-C5	-7.39	121.62	126.80
26	BB	1232	G	C5-C6-O6	7.39	133.03	128.60
26	BB	1400	U	C6-N1-C2	-7.39	116.56	121.00
26	BB	1464	G	N1-C2-N3	7.39	128.34	123.90
26	BB	2231	U	C2-N3-C4	-7.39	122.56	127.00
1	AA	757	U	C5-C4-O4	7.39	130.33	125.90
26	BB	702	U	O4'-C1'-N1	7.39	114.11	108.20
1	AA	778	G	C5-N7-C8	-7.39	100.61	104.30
1	AA	1185	G	N3-C2-N2	-7.39	114.73	119.90
1	AA	1211	U	C1'-O4'-C4'	7.39	115.81	109.90
26	BB	1081	U	C6-N1-C2	-7.39	116.57	121.00
26	BB	1752	C	N3-C4-N4	-7.39	112.83	118.00
26	BB	2328	A	N1-C6-N6	7.39	123.03	118.60
26	BB	2525	G	C3'-C2'-C1'	7.39	107.41	101.50
1	AA	31	G	C4-C5-C6	7.39	123.23	118.80
26	BB	1124	G	O4'-C1'-N9	7.39	114.11	108.20
26	BB	2794	C	N3-C2-O2	-7.39	116.73	121.90
1	AA	19	A	C4-C5-C6	-7.39	113.31	117.00
1	AA	1347	G	N1-C2-N3	-7.39	119.47	123.90
4	AD	28	U	N3-C4-C5	-7.39	110.17	114.60
26	BB	5	A	C2-N3-C4	7.39	114.29	110.60
26	BB	952	G	N3-C4-C5	-7.39	124.91	128.60
26	BB	1167	C	C2-N3-C4	-7.39	116.21	119.90
26	BB	1364	G	P-O3'-C3'	7.39	128.56	119.70
26	BB	1540	G	C6-N1-C2	-7.39	120.67	125.10
1	AA	231	U	C5-C4-O4	-7.38	121.47	125.90
18	AR	88	ARG	NE-CZ-NH2	-7.38	116.61	120.30
26	BB	318	C	C2-N3-C4	-7.38	116.21	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1147	A	C6-N1-C2	-7.38	114.17	118.60
26	BB	1317	G	N7-C8-N9	7.38	116.79	113.10
26	BB	1717	A	C5-C6-N1	-7.38	114.01	117.70
26	BB	2238	G	C5-C6-N1	7.38	115.19	111.50
38	BN	41	ARG	NE-CZ-NH1	7.38	123.99	120.30
1	AA	126	G	N9-C4-C5	7.38	108.35	105.40
1	AA	1175	G	C6-N1-C2	-7.38	120.67	125.10
1	AA	1487	G	N1-C2-N3	-7.38	119.47	123.90
26	BB	434	U	N1-C2-O2	7.38	127.97	122.80
26	BB	1796	U	C6-N1-C2	7.38	125.43	121.00
26	BB	2263	C	C5-C6-N1	7.38	124.69	121.00
27	BC	134	ARG	NE-CZ-NH2	-7.38	116.61	120.30
1	AA	74	A	C5'-C4'-O4'	7.38	117.96	109.10
1	AA	621	A	C4-C5-C6	-7.38	113.31	117.00
1	AA	1356	G	C5-C6-O6	-7.38	124.17	128.60
26	BB	874	G	N7-C8-N9	7.38	116.79	113.10
26	BB	1419	A	N9-C4-C5	-7.38	102.85	105.80
26	BB	2727	A	C5-C6-N1	7.38	121.39	117.70
1	AA	6	G	O4'-C1'-N9	7.38	114.10	108.20
1	AA	439	U	C4-C5-C6	7.38	124.13	119.70
1	AA	1106	G	C2-N3-C4	7.38	115.59	111.90
7	AG	103	ARG	NE-CZ-NH2	-7.38	116.61	120.30
26	BB	388	G	N1-C6-O6	-7.38	115.47	119.90
26	BB	606	U	N1-C2-O2	7.38	127.97	122.80
26	BB	1650	A	C3'-C2'-C1'	7.38	107.40	101.50
26	BB	1673	G	P-O3'-C3'	7.38	128.56	119.70
26	BB	2018	G	C2-N3-C4	7.38	115.59	111.90
26	BB	2071	A	O4'-C1'-N9	7.38	114.10	108.20
1	AA	43	C	C1'-O4'-C4'	7.38	115.80	109.90
1	AA	442	G	N9-C4-C5	7.38	108.35	105.40
1	AA	1331	G	C5-N7-C8	-7.38	100.61	104.30
12	AL	5	TYR	CB-CG-CD2	-7.38	116.57	121.00
26	BB	970	U	N3-C2-O2	-7.38	117.03	122.20
26	BB	1557	C	C5-C6-N1	7.38	124.69	121.00
1	AA	106	C	O4'-C1'-N1	7.38	114.10	108.20
1	AA	305	G	N3-C4-N9	7.38	130.43	126.00
1	AA	1272	G	C5-N7-C8	-7.38	100.61	104.30
3	AC	53	G	C6-N1-C2	7.38	129.53	125.10
25	BA	86	G	N9-C4-C5	7.38	108.35	105.40
26	BB	644	A	C5'-C4'-C3'	-7.38	104.20	116.00
26	BB	767	U	O4'-C1'-N1	7.38	114.10	108.20
26	BB	1274	A	C8-N9-C4	-7.38	102.85	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1469	A	C8-N9-C4	-7.38	102.85	105.80
26	BB	1568	G	C2-N3-C4	7.38	115.59	111.90
26	BB	2209	G	C2-N3-C4	7.38	115.59	111.90
26	BB	2448	A	N3-C4-N9	7.38	133.30	127.40
26	BB	697	G	O4'-C1'-N9	7.38	114.10	108.20
26	BB	711	G	C4-C5-C6	7.38	123.22	118.80
26	BB	1080	A	C5-C6-N1	-7.38	114.01	117.70
26	BB	1089	A	C6-N1-C2	7.38	123.03	118.60
26	BB	2136	G	C1'-O4'-C4'	-7.38	104.00	109.90
1	AA	343	U	N3-C4-O4	7.37	124.56	119.40
1	AA	470	C	N3-C4-N4	7.37	123.16	118.00
1	AA	904	U	C4-C5-C6	7.37	124.12	119.70
2	AB	59	G	C5-C6-N1	7.37	115.19	111.50
23	AW	23	ARG	NH1-CZ-NH2	-7.37	111.29	119.40
26	BB	975	A	C2-N3-C4	-7.37	106.91	110.60
26	BB	1567	G	C4-C5-C6	7.37	123.22	118.80
26	BB	1707	G	N3-C4-C5	-7.37	124.91	128.60
1	AA	404	G	C2-N3-C4	7.37	115.59	111.90
1	AA	542	G	C6-N1-C2	-7.37	120.68	125.10
1	AA	1318	A	C1'-O4'-C4'	7.37	115.80	109.90
1	AA	1331	G	C4-C5-N7	7.37	113.75	110.80
1	AA	1347	G	N1-C6-O6	-7.37	115.48	119.90
26	BB	239	C	N3-C4-C5	-7.37	118.95	121.90
26	BB	1229	C	N1-C2-O2	7.37	123.32	118.90
26	BB	1235	G	N3-C4-N9	7.37	130.42	126.00
1	AA	1191	A	C2-N3-C4	7.37	114.28	110.60
26	BB	1200	C	C5'-C4'-O4'	7.37	117.94	109.10
1	AA	180	U	O5'-C5'-C4'	7.37	125.70	111.70
1	AA	646	G	C1'-O4'-C4'	7.37	115.80	109.90
1	AA	1310	G	N1-C6-O6	-7.37	115.48	119.90
1	AA	1363	A	N9-C4-C5	7.37	108.75	105.80
1	AA	1422	G	C4-C5-N7	-7.37	107.85	110.80
3	AC	28	U	O4'-C1'-N1	7.37	114.09	108.20
26	BB	274	C	N3-C2-O2	-7.37	116.74	121.90
26	BB	567	U	C5-C4-O4	7.37	130.32	125.90
26	BB	578	G	N9-C4-C5	7.37	108.35	105.40
26	BB	1025	G	O4'-C1'-N9	7.37	114.09	108.20
26	BB	1305	C	O4'-C1'-N1	7.37	114.09	108.20
26	BB	1448	G	O4'-C1'-N9	7.37	114.09	108.20
26	BB	1736	U	C6-N1-C2	-7.37	116.58	121.00
26	BB	2639	A	O4'-C1'-N9	7.37	114.09	108.20
26	BB	2872	A	C4'-C3'-C2'	-7.37	95.23	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
51	B0	52	ARG	NE-CZ-NH2	7.37	123.98	120.30
26	BB	58	G	N3-C4-C5	-7.37	124.92	128.60
26	BB	261	G	O4'-C1'-N9	7.37	114.09	108.20
26	BB	1561	C	O4'-C1'-N1	7.37	114.09	108.20
1	AA	259	G	O4'-C1'-N9	7.37	114.09	108.20
1	AA	526	C	C4'-C3'-C2'	-7.37	95.23	102.60
1	AA	711	G	C3'-C2'-C1'	-7.37	95.61	101.50
1	AA	1221	G	N3-C4-N9	7.37	130.42	126.00
26	BB	1305	C	N3-C2-O2	-7.37	116.74	121.90
26	BB	2204	G	N1-C6-O6	7.37	124.32	119.90
26	BB	2642	G	N3-C2-N2	-7.37	114.75	119.90
1	AA	232	G	C6-N1-C2	-7.36	120.68	125.10
1	AA	238	A	N3-C4-N9	7.36	133.29	127.40
1	AA	1417	G	C2-N3-C4	7.36	115.58	111.90
2	AB	47	U	O3'-P-O5'	-7.36	90.01	104.00
3	AC	36	U	C5-C6-N1	-7.36	119.02	122.70
26	BB	4	U	O4'-C1'-N1	7.36	114.09	108.20
26	BB	400	G	C5-C6-N1	7.36	115.18	111.50
26	BB	523	C	N1-C1'-C2'	-7.36	103.90	112.00
26	BB	1015	U	C5-C4-O4	-7.36	121.48	125.90
26	BB	1097	U	N3-C2-O2	-7.36	117.05	122.20
26	BB	1514	G	C3'-C2'-C1'	7.36	107.39	101.50
26	BB	1517	G	N3-C4-C5	-7.36	124.92	128.60
26	BB	2560	A	C8-N9-C4	-7.36	102.85	105.80
26	BB	2629	U	C5'-C4'-O4'	7.36	117.94	109.10
26	BB	2706	A	C4-C5-C6	7.36	120.68	117.00
1	AA	752	G	C6-N1-C2	-7.36	120.68	125.10
1	AA	855	U	C1'-O4'-C4'	-7.36	104.01	109.90
1	AA	924	C	C2-N3-C4	-7.36	116.22	119.90
1	AA	1016	A	C5-C6-N1	7.36	121.38	117.70
26	BB	337	C	C6-N1-C2	-7.36	117.36	120.30
26	BB	1258	U	N1-C2-N3	7.36	119.32	114.90
26	BB	1483	G	C2-N3-C4	7.36	115.58	111.90
26	BB	1752	C	C1'-O4'-C4'	7.36	115.79	109.90
26	BB	2500	U	C4-C5-C6	-7.36	115.28	119.70
1	AA	286	C	C5-C6-N1	7.36	124.68	121.00
1	AA	464	U	C1'-O4'-C4'	-7.36	104.01	109.90
1	AA	488	C	C5-C4-N4	7.36	125.35	120.20
1	AA	1355	G	N1-C6-O6	-7.36	115.48	119.90
1	AA	1473	G	N1-C2-N3	-7.36	119.48	123.90
26	BB	46	G	N9-C1'-C2'	-7.36	103.90	112.00
26	BB	539	G	N9-C1'-C2'	-7.36	103.90	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1206	G	C8-N9-C4	-7.36	103.46	106.40
26	BB	2572	A	N7-C8-N9	7.36	117.48	113.80
26	BB	2727	A	C6-C5-N7	7.36	137.45	132.30
26	BB	325	G	C4'-C3'-C2'	-7.36	95.24	102.60
26	BB	2204	G	C2-N3-C4	7.36	115.58	111.90
26	BB	2279	G	N1-C2-N2	7.36	122.82	116.20
26	BB	2299	U	C4-C5-C6	7.36	124.11	119.70
1	AA	300	A	C8-N9-C4	-7.36	102.86	105.80
1	AA	677	U	C5-C6-N1	-7.36	119.02	122.70
1	AA	1260	G	N9-C4-C5	-7.36	102.46	105.40
1	AA	1269	A	C4-C5-C6	-7.36	113.32	117.00
25	BA	94	A	C6-C5-N7	7.36	137.45	132.30
26	BB	349	U	C5-C6-N1	-7.36	119.02	122.70
26	BB	423	A	C4-C5-C6	-7.36	113.32	117.00
26	BB	2327	A	N1-C6-N6	-7.36	114.19	118.60
26	BB	2465	C	C4-C5-C6	7.36	121.08	117.40
26	BB	2820	A	N9-C4-C5	7.36	108.74	105.80
1	AA	698	G	C4-C5-C6	7.36	123.21	118.80
1	AA	780	A	C1'-O4'-C4'	7.36	115.78	109.90
1	AA	1126	U	C5-C4-O4	-7.36	121.49	125.90
1	AA	1127	G	O4'-C1'-N9	7.36	114.08	108.20
15	AO	120	ARG	CD-NE-CZ	7.36	133.90	123.60
25	BA	8	C	N3-C4-C5	-7.36	118.96	121.90
25	BA	26	C	C3'-C2'-C1'	-7.36	95.61	101.50
26	BB	430	A	N9-C4-C5	7.36	108.74	105.80
26	BB	695	G	N9-C4-C5	7.36	108.34	105.40
26	BB	2057	G	C8-N9-C4	-7.36	103.46	106.40
26	BB	2855	C	C5-C4-N4	7.36	125.35	120.20
1	AA	179	A	C4'-C3'-C2'	7.35	109.95	102.60
1	AA	1079	G	N1-C6-O6	-7.35	115.49	119.90
1	AA	53	A	C2'-C3'-O3'	7.35	125.68	109.50
1	AA	1209	C	C4-C5-C6	7.35	121.08	117.40
26	BB	625	G	N7-C8-N9	7.35	116.78	113.10
26	BB	1084	A	C2-N3-C4	-7.35	106.92	110.60
26	BB	2112	G	O4'-C1'-C2'	7.35	114.22	107.60
49	BY	14	ASP	CB-CG-OD2	-7.35	111.68	118.30
1	AA	307	C	N3-C4-C5	-7.35	118.96	121.90
26	BB	1234	U	N3-C2-O2	-7.35	117.06	122.20
1	AA	17	U	O4'-C1'-N1	7.35	114.08	108.20
1	AA	188	C	N1-C1'-C2'	-7.35	103.92	112.00
1	AA	617	G	C8-N9-C4	-7.35	103.46	106.40
1	AA	951	G	C4-C5-C6	7.35	123.21	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1416	G	N7-C8-N9	7.35	116.78	113.10
25	BA	64	G	C8-N9-C4	-7.35	103.46	106.40
26	BB	96	C	C4-C5-C6	7.35	121.08	117.40
26	BB	158	U	C3'-C2'-C1'	7.35	107.38	101.50
26	BB	307	G	C4-C5-N7	-7.35	107.86	110.80
26	BB	380	G	N7-C8-N9	7.35	116.78	113.10
26	BB	774	G	C5-C6-O6	7.35	133.01	128.60
26	BB	969	G	N1-C2-N3	-7.35	119.49	123.90
26	BB	1617	C	C4-C5-C6	-7.35	113.72	117.40
26	BB	1814	G	C4-C5-N7	-7.35	107.86	110.80
26	BB	2298	A	C4-C5-C6	7.35	120.67	117.00
26	BB	2381	A	O4'-C1'-N9	7.35	114.08	108.20
1	AA	1261	A	C4-C5-N7	7.35	114.37	110.70
26	BB	506	G	C8-N9-C4	-7.35	103.46	106.40
26	BB	1545	A	C2-N3-C4	7.35	114.27	110.60
26	BB	2003	A	C5-C6-N1	7.35	121.37	117.70
26	BB	2820	A	O4'-C1'-N9	7.35	114.08	108.20
26	BB	2867	G	N9-C4-C5	7.35	108.34	105.40
28	BD	12	ARG	NE-CZ-NH2	7.35	123.97	120.30
1	AA	861	G	C1'-O4'-C4'	7.35	115.78	109.90
1	AA	871	U	N1-C2-N3	7.35	119.31	114.90
26	BB	1100	C	O4'-C1'-N1	7.35	114.08	108.20
26	BB	1834	U	C4-C5-C6	7.35	124.11	119.70
1	AA	242	G	C2-N3-C4	7.34	115.57	111.90
1	AA	321	A	C2-N3-C4	-7.34	106.93	110.60
1	AA	829	G	C8-N9-C4	-7.34	103.46	106.40
1	AA	1287	A	C4-C5-N7	-7.34	107.03	110.70
25	BA	54	G	C5-C6-N1	7.34	115.17	111.50
26	BB	1110	G	N3-C4-C5	-7.34	124.93	128.60
26	BB	1238	G	C6-C5-N7	-7.34	125.99	130.40
26	BB	1477	A	C8-N9-C4	-7.34	102.86	105.80
26	BB	1840	G	N3-C4-C5	-7.34	124.93	128.60
26	BB	2010	G	C5'-C4'-O4'	7.34	117.91	109.10
26	BB	2359	C	O4'-C1'-N1	7.34	114.08	108.20
1	AA	1076	U	C4'-C3'-C2'	-7.34	95.26	102.60
1	AA	1314	C	C5'-C4'-O4'	7.34	117.91	109.10
25	BA	109	A	P-O3'-C3'	7.34	128.51	119.70
26	BB	2350	C	C6-N1-C2	-7.34	117.36	120.30
26	BB	2626	C	C4'-C3'-C2'	-7.34	95.26	102.60
26	BB	2821	A	O4'-C1'-N9	7.34	114.07	108.20
1	AA	527	7MG	P-O3'-C3'	7.34	128.51	119.70
1	AA	945	G	C5-C6-O6	-7.34	124.19	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	AQ	74	ARG	NE-CZ-NH1	7.34	123.97	120.30
26	BB	923	G	N1-C6-O6	7.34	124.31	119.90
26	BB	1639	C	N3-C4-N4	7.34	123.14	118.00
26	BB	1844	C	C4'-C3'-C2'	7.34	109.94	102.60
26	BB	2724	U	N1-C2-O2	7.34	127.94	122.80
26	BB	2823	A	C1'-O4'-C4'	-7.34	104.03	109.90
1	AA	1141	C	C4-C5-C6	-7.34	113.73	117.40
25	BA	102	G	O4'-C4'-C3'	7.34	111.97	106.10
26	BB	1193	G	N9-C4-C5	7.34	108.34	105.40
26	BB	1218	G	O4'-C1'-N9	7.34	114.07	108.20
26	BB	2132	U	N3-C2-O2	-7.34	117.06	122.20
26	BB	2461	A	C5-C6-N1	-7.34	114.03	117.70
1	AA	757	U	N3-C4-C5	-7.34	110.20	114.60
1	AA	1322	C	O4'-C1'-N1	7.34	114.07	108.20
26	BB	1138	G	C4-C5-C6	-7.34	114.40	118.80
26	BB	1739	A	C8-N9-C4	-7.34	102.86	105.80
26	BB	1991	U	N3-C4-O4	-7.34	114.26	119.40
26	BB	2154	A	N7-C8-N9	-7.34	110.13	113.80
1	AA	240	G	C6-N1-C2	-7.34	120.70	125.10
1	AA	508	U	C5-C6-N1	-7.34	119.03	122.70
1	AA	690	G	C6-C5-N7	-7.34	126.00	130.40
1	AA	1070	U	N1-C2-N3	7.34	119.30	114.90
1	AA	1340	A	C5'-C4'-C3'	-7.34	104.26	116.00
26	BB	271	G	C6-N1-C2	-7.34	120.70	125.10
26	BB	378	C	C6-N1-C2	-7.34	117.37	120.30
26	BB	918	A	C5-C6-N1	-7.34	114.03	117.70
26	BB	929	U	N1-C2-N3	7.34	119.30	114.90
26	BB	1236	G	N3-C2-N2	7.34	125.03	119.90
26	BB	1796	U	O4'-C1'-N1	7.34	114.07	108.20
1	AA	254	G	N3-C4-N9	7.33	130.40	126.00
1	AA	402	G	N1-C2-N3	-7.33	119.50	123.90
1	AA	1474	U	C5-C4-O4	-7.33	121.50	125.90
26	BB	1769	U	N1-C1'-C2'	-7.33	103.93	112.00
1	AA	1156	G	N3-C4-C5	-7.33	124.93	128.60
1	AA	1475	G	N1-C2-N2	7.33	122.80	116.20
26	BB	137	U	O4'-C1'-N1	7.33	114.07	108.20
26	BB	395	U	N3-C4-O4	-7.33	114.27	119.40
26	BB	602	A	N3-C4-N9	7.33	133.27	127.40
26	BB	938	G	N1-C2-N2	7.33	122.80	116.20
26	BB	1227	G	C6-N1-C2	-7.33	120.70	125.10
26	BB	1234	U	N1-C2-N3	7.33	119.30	114.90
26	BB	1513	U	N3-C4-O4	7.33	124.53	119.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1824	G	C4-C5-N7	7.33	113.73	110.80
26	BB	2298	A	C6-N1-C2	-7.33	114.20	118.60
26	BB	2640	G	C4'-C3'-C2'	-7.33	95.27	102.60
1	AA	1440	U	N1-C2-N3	7.33	119.30	114.90
26	BB	318	C	N3-C4-N4	7.33	123.13	118.00
26	BB	1006	C	C2-N3-C4	7.33	123.56	119.90
26	BB	1164	C	C1'-O4'-C4'	-7.33	104.03	109.90
26	BB	1431	A	C4'-C3'-C2'	-7.33	95.27	102.60
26	BB	1782	U	O4'-C4'-C3'	7.33	111.97	106.10
26	BB	1804	C	C5-C4-N4	-7.33	115.07	120.20
26	BB	2002	G	C5-C6-O6	-7.33	124.20	128.60
26	BB	2423	U	C1'-O4'-C4'	-7.33	104.03	109.90
26	BB	2627	G	C6-C5-N7	-7.33	126.00	130.40
1	AA	1030	U	O4'-C1'-N1	7.33	114.06	108.20
1	AA	1395	C	N1-C1'-C2'	-7.33	103.94	112.00
26	BB	1388	G	C4-C5-N7	7.33	113.73	110.80
26	BB	2844	G	N9-C4-C5	7.33	108.33	105.40
1	AA	848	C	C5'-C4'-C3'	-7.33	104.28	116.00
1	AA	995	C	C1'-O4'-C4'	-7.33	104.04	109.90
1	AA	1362	A	C8-N9-C4	-7.33	102.87	105.80
25	BA	25	U	C5-C6-N1	7.33	126.36	122.70
26	BB	321	U	N3-C4-O4	7.33	124.53	119.40
26	BB	1153	C	N3-C2-O2	-7.33	116.77	121.90
26	BB	1218	G	N9-C4-C5	7.33	108.33	105.40
26	BB	1339	G	C5'-C4'-O4'	7.33	117.89	109.10
26	BB	1755	A	C5-C6-N6	-7.33	117.84	123.70
26	BB	1873	G	N1-C6-O6	7.33	124.30	119.90
26	BB	1979	U	C5-C6-N1	-7.33	119.04	122.70
26	BB	2316	G	O4'-C1'-N9	7.33	114.06	108.20
26	BB	2531	A	C3'-C2'-C1'	7.33	107.36	101.50
40	BP	8	ARG	NE-CZ-NH2	-7.33	116.64	120.30
1	AA	2	A	C6-N1-C2	7.33	123.00	118.60
26	BB	396	G	C2-N3-C4	7.33	115.56	111.90
26	BB	939	G	O4'-C1'-N9	7.33	114.06	108.20
26	BB	1738	G	C3'-C2'-C1'	7.33	107.36	101.50
26	BB	1977	A	N1-C2-N3	-7.33	125.64	129.30
26	BB	2396	G	C5-C6-N1	7.33	115.16	111.50
26	BB	2694	G	N1-C6-O6	-7.33	115.50	119.90
1	AA	532	A	O4'-C1'-N9	7.33	114.06	108.20
1	AA	561	U	C3'-C2'-C1'	7.33	107.36	101.50
26	BB	639	U	N3-C2-O2	7.33	127.33	122.20
26	BB	751	A	N9-C4-C5	7.33	108.73	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	820	A	C5'-C4'-O4'	7.33	117.89	109.10
26	BB	1808	A	C5-C6-N1	7.33	121.36	117.70
26	BB	1838	C	N3-C2-O2	-7.33	116.77	121.90
26	BB	2385	C	C1'-O4'-C4'	-7.33	104.04	109.90
1	AA	490	C	N3-C2-O2	-7.32	116.77	121.90
1	AA	1239	A	C5-N7-C8	7.32	107.56	103.90
1	AA	1344	C	N3-C4-N4	7.32	123.13	118.00
26	BB	278	A	C6-N1-C2	7.32	122.99	118.60
26	BB	1037	G	N3-C4-N9	7.32	130.39	126.00
26	BB	1564	C	N3-C4-N4	-7.32	112.87	118.00
36	BL	69	ARG	NE-CZ-NH2	-7.32	116.64	120.30
1	AA	781	A	N9-C1'-C2'	-7.32	103.95	112.00
1	AA	1052	U	O4'-C1'-N1	7.32	114.06	108.20
26	BB	251	A	N1-C6-N6	7.32	122.99	118.60
1	AA	321	A	C4'-C3'-C2'	-7.32	95.28	102.60
1	AA	739	C	C5-C4-N4	-7.32	115.08	120.20
1	AA	1436	U	P-O3'-C3'	7.32	128.48	119.70
18	AR	68	TYR	CG-CD1-CE1	7.32	127.16	121.30
26	BB	631	A	C4'-C3'-C2'	-7.32	95.28	102.60
26	BB	1559	U	O4'-C4'-C3'	7.32	111.96	106.10
26	BB	1680	U	C5-C6-N1	7.32	126.36	122.70
26	BB	2863	C	N1-C2-O2	7.32	123.29	118.90
3	AC	46	C	O4'-C1'-N1	7.32	114.06	108.20
26	BB	100	U	N1-C2-N3	-7.32	110.51	114.90
26	BB	1880	U	C6-N1-C2	-7.32	116.61	121.00
1	AA	1140	C	C4'-C3'-C2'	-7.32	95.28	102.60
2	AB	44	G	N1-C6-O6	7.32	124.29	119.90
26	BB	19	A	N9-C4-C5	-7.32	102.87	105.80
26	BB	123	G	C4-C5-N7	-7.32	107.87	110.80
26	BB	583	G	C5-C6-O6	-7.32	124.21	128.60
26	BB	654	A	N7-C8-N9	-7.32	110.14	113.80
26	BB	1072	C	C4-C5-C6	-7.32	113.74	117.40
26	BB	1429	G	N1-C2-N2	7.32	122.78	116.20
1	AA	420	U	C2'-C3'-O3'	7.32	125.59	109.50
1	AA	768	A	C4-C5-C6	-7.32	113.34	117.00
1	AA	1525	G	C1'-O4'-C4'	7.32	115.75	109.90
26	BB	1717	A	N1-C6-N6	7.32	122.99	118.60
26	BB	2253	G	C2-N3-C4	7.32	115.56	111.90
26	BB	2658	C	N3-C4-C5	-7.32	118.97	121.90
36	BL	44	TYR	CB-CG-CD2	-7.32	116.61	121.00
1	AA	86	G	C5-C6-N1	-7.31	107.84	111.50
1	AA	1083	U	C4-C5-C6	7.31	124.09	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2655	G	C8-N9-C4	-7.31	103.47	106.40
1	AA	652	U	N3-C2-O2	-7.31	117.08	122.20
26	BB	486	C	C6-N1-C2	-7.31	117.38	120.30
26	BB	2439	A	N7-C8-N9	-7.31	110.14	113.80
26	BB	2522	U	O4'-C1'-N1	7.31	114.05	108.20
26	BB	2887	A	N9-C4-C5	7.31	108.72	105.80
1	AA	719	C	O4'-C1'-N1	7.31	114.05	108.20
1	AA	833	G	N9-C4-C5	7.31	108.32	105.40
26	BB	1001	A	C5-C6-N6	-7.31	117.85	123.70
1	AA	458	U	C5-C6-N1	-7.31	119.05	122.70
1	AA	1494	G	N1-C2-N3	7.31	128.29	123.90
26	BB	350	G	C6-N1-C2	-7.31	120.71	125.10
26	BB	1199	U	C2-N3-C4	-7.31	122.61	127.00
26	BB	1303	G	C4-C5-N7	-7.31	107.88	110.80
26	BB	1564	C	C5-C4-N4	7.31	125.32	120.20
26	BB	1703	G	C8-N9-C4	-7.31	103.48	106.40
26	BB	2073	C	N3-C4-N4	7.31	123.12	118.00
2	AB	64	U	C4-C5-C6	7.31	124.08	119.70
8	AH	127	TYR	CB-CG-CD1	7.31	125.38	121.00
26	BB	242	G	P-O3'-C3'	7.31	128.47	119.70
26	BB	331	C	C4-C5-C6	-7.31	113.75	117.40
26	BB	350	G	N3-C4-C5	-7.31	124.95	128.60
26	BB	1079	C	N1-C2-N3	-7.31	114.08	119.20
26	BB	1772	A	N9-C4-C5	7.31	108.72	105.80
26	BB	1964	G	C5-C6-N1	-7.31	107.85	111.50
26	BB	2041	U	C5'-C4'-O4'	7.31	117.87	109.10
26	BB	2483	C	C4-C5-C6	-7.31	113.75	117.40
26	BB	2591	C	N3-C2-O2	-7.31	116.78	121.90
56	B5	39	ARG	NE-CZ-NH2	-7.31	116.65	120.30
1	AA	128	G	P-O3'-C3'	7.31	128.47	119.70
1	AA	1127	G	N1-C6-O6	7.31	124.28	119.90
26	BB	447	A	C5-C6-N6	7.31	129.54	123.70
26	BB	2685	G	C3'-C2'-C1'	-7.31	95.66	101.50
1	AA	1305	G	C8-N9-C4	-7.30	103.48	106.40
4	AD	20	G	C1'-O4'-C4'	-7.30	104.06	109.90
26	BB	899	A	N7-C8-N9	7.30	117.45	113.80
26	BB	1732	C	N3-C4-N4	7.30	123.11	118.00
26	BB	2316	G	N1-C2-N3	-7.30	119.52	123.90
26	BB	2426	A	C4-C5-C6	-7.30	113.35	117.00
26	BB	2852	G	N9-C4-C5	7.30	108.32	105.40
41	BQ	103	VAL	CA-CB-CG2	7.30	121.86	110.90
1	AA	7	A	N3-C4-C5	7.30	131.91	126.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	301	G	N1-C6-O6	-7.30	115.52	119.90
26	BB	864	G	C4-C5-N7	-7.30	107.88	110.80
38	BN	123	ARG	NE-CZ-NH1	7.30	123.95	120.30
1	AA	44	A	N1-C6-N6	7.30	122.98	118.60
1	AA	764	C	C4-C5-C6	7.30	121.05	117.40
1	AA	823	C	N1-C2-O2	7.30	123.28	118.90
1	AA	1152	A	C2-N3-C4	-7.30	106.95	110.60
24	AX	32	ARG	NE-CZ-NH1	7.30	123.95	120.30
26	BB	21	A	N1-C2-N3	-7.30	125.65	129.30
26	BB	493	G	C4-C5-C6	7.30	123.18	118.80
26	BB	851	C	N1-C2-N3	7.30	124.31	119.20
26	BB	951	C	N3-C2-O2	-7.30	116.79	121.90
26	BB	1061	U	C3'-C2'-C1'	7.30	107.34	101.50
26	BB	1279	G	N9-C1'-C2'	-7.30	103.97	112.00
26	BB	1859	U	O4'-C1'-N1	7.30	114.04	108.20
26	BB	2278	A	C5-N7-C8	7.30	107.55	103.90
1	AA	1142	G	C6-N1-C2	-7.30	120.72	125.10
1	AA	1321	U	C4-C5-C6	7.30	124.08	119.70
26	BB	131	A	C5'-C4'-O4'	7.30	117.86	109.10
26	BB	899	A	N9-C4-C5	7.30	108.72	105.80
26	BB	1333	G	C5-N7-C8	-7.30	100.65	104.30
26	BB	2007	U	O4'-C1'-N1	7.30	114.04	108.20
26	BB	2277	G	C5-C6-N1	7.30	115.15	111.50
26	BB	2355	G	C8-N9-C4	-7.30	103.48	106.40
1	AA	458	U	C2-N3-C4	-7.30	122.62	127.00
25	BA	26	C	C4-C5-C6	-7.30	113.75	117.40
26	BB	1592	C	N3-C4-C5	7.30	124.82	121.90
26	BB	2173	A	C5'-C4'-C3'	-7.30	104.32	116.00
26	BB	2266	A	C3'-C2'-C1'	7.30	107.34	101.50
26	BB	2588	G	C5-C6-O6	7.30	132.98	128.60
26	BB	2818	U	C4'-C3'-C2'	-7.30	95.30	102.60
1	AA	404	G	C6-N1-C2	-7.30	120.72	125.10
1	AA	526	C	C5-C6-N1	7.30	124.65	121.00
2	AB	11	U	O4'-C1'-N1	7.30	114.04	108.20
26	BB	209	C	C2-N3-C4	7.30	123.55	119.90
26	BB	594	U	C4-C5-C6	-7.30	115.32	119.70
26	BB	724	U	O4'-C1'-N1	7.30	114.04	108.20
26	BB	987	C	O4'-C1'-N1	7.30	114.04	108.20
26	BB	1269	A	N7-C8-N9	7.30	117.45	113.80
26	BB	1739	A	C6-C5-N7	7.30	137.41	132.30
26	BB	2188	U	N1-C2-O2	7.30	127.91	122.80
38	BN	21	ARG	NE-CZ-NH1	7.30	123.95	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1	A	O4'-C1'-N9	7.29	114.04	108.20
1	AA	210	C	N3-C4-N4	7.29	123.11	118.00
1	AA	581	G	C4-C5-N7	-7.29	107.88	110.80
26	BB	400	G	C8-N9-C4	-7.29	103.48	106.40
26	BB	654	A	O4'-C1'-N9	7.29	114.04	108.20
1	AA	63	C	N1-C2-N3	7.29	124.31	119.20
1	AA	393	A	C3'-C2'-C1'	7.29	107.34	101.50
1	AA	569	C	C4-C5-C6	7.29	121.05	117.40
26	BB	1409	U	O4'-C1'-N1	7.29	114.03	108.20
1	AA	57	G	N3-C4-C5	-7.29	124.95	128.60
1	AA	523	A	C6-N1-C2	7.29	122.97	118.60
1	AA	1399	C	C4-C5-C6	-7.29	113.75	117.40
2	AB	76	A	N1-C6-N6	7.29	122.97	118.60
26	BB	512	G	C2-N3-C4	7.29	115.55	111.90
26	BB	2394	C	C2-N3-C4	7.29	123.55	119.90
26	BB	2588	G	N1-C6-O6	-7.29	115.53	119.90
26	BB	2661	G	O4'-C4'-C3'	7.29	111.93	106.10
26	BB	2353	G	C3'-C2'-C1'	-7.29	95.67	101.50
26	BB	2750	A	N9-C4-C5	7.29	108.72	105.80
1	AA	643	C	P-O3'-C3'	7.29	128.44	119.70
1	AA	1045	C	O4'-C4'-C3'	-7.29	96.71	104.00
1	AA	1366	C	N3-C2-O2	-7.29	116.80	121.90
26	BB	1389	G	C2-N3-C4	7.29	115.54	111.90
26	BB	1460	U	O4'-C1'-N1	7.29	114.03	108.20
26	BB	2682	A	O4'-C4'-C3'	7.29	111.93	106.10
26	BB	2885	G	P-O3'-C3'	7.29	128.45	119.70
1	AA	1049	U	N3-C4-O4	7.29	124.50	119.40
3	AC	14	G	N3-C4-N9	7.29	130.37	126.00
6	AF	53	ARG	NE-CZ-NH2	7.29	123.94	120.30
25	BA	111	U	O4'-C1'-N1	7.29	114.03	108.20
26	BB	1027	A	C8-N9-C4	-7.29	102.89	105.80
40	BP	22	ARG	NE-CZ-NH1	7.29	123.94	120.30
1	AA	557	G	N9-C1'-C2'	-7.29	103.99	112.00
1	AA	676	A	C4-C5-N7	-7.29	107.06	110.70
26	BB	726	G	C4-C5-N7	-7.29	107.89	110.80
26	BB	730	A	C8-N9-C4	-7.29	102.89	105.80
26	BB	1227	G	C8-N9-C4	-7.29	103.49	106.40
26	BB	1890	A	C4-C5-N7	-7.29	107.06	110.70
26	BB	2073	C	N1-C1'-C2'	-7.29	103.98	112.00
26	BB	2533	U	C4-C5-C6	7.29	124.07	119.70
26	BB	2741	A	C5-C6-N6	-7.29	117.87	123.70
1	AA	349	A	C5-C6-N1	7.28	121.34	117.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	782	A	C4'-C3'-C2'	-7.28	95.32	102.60
1	AA	931	C	O4'-C1'-N1	7.28	114.03	108.20
26	BB	467	G	N3-C2-N2	7.28	125.00	119.90
26	BB	969	G	C8-N9-C4	-7.28	103.49	106.40
26	BB	1558	C	C2-N3-C4	7.28	123.54	119.90
26	BB	1607	C	C5'-C4'-O4'	7.28	117.84	109.10
26	BB	2663	G	N3-C4-N9	7.28	130.37	126.00
25	BA	93	C	N3-C4-C5	7.28	124.81	121.90
26	BB	789	A	C5'-C4'-C3'	-7.28	104.35	116.00
26	BB	1386	C	C1'-O4'-C4'	-7.28	104.07	109.90
26	BB	1983	G	C8-N9-C4	-7.28	103.49	106.40
26	BB	2603	G	P-O3'-C3'	7.28	128.44	119.70
26	BB	2826	A	C6-C5-N7	7.28	137.40	132.30
1	AA	59	A	N3-C4-C5	-7.28	121.70	126.80
1	AA	107	G	N9-C4-C5	7.28	108.31	105.40
1	AA	1283	U	C4-C5-C6	7.28	124.07	119.70
1	AA	1323	G	C4'-C3'-C2'	-7.28	95.32	102.60
25	BA	6	G	C4-C5-C6	7.28	123.17	118.80
25	BA	82	U	N3-C2-O2	-7.28	117.10	122.20
26	BB	637	A	N7-C8-N9	-7.28	110.16	113.80
26	BB	761	A	C1'-O4'-C4'	7.28	115.72	109.90
26	BB	1056	G	C1'-O4'-C4'	7.28	115.72	109.90
26	BB	1895	C	N3-C4-C5	7.28	124.81	121.90
26	BB	2333	A	P-O3'-C3'	7.28	128.44	119.70
26	BB	2825	G	N3-C4-N9	7.28	130.37	126.00
1	AA	253	A	C4-C5-N7	7.28	114.34	110.70
17	AQ	37	ASP	CB-CG-OD2	-7.28	111.75	118.30
26	BB	379	G	C5-N7-C8	-7.28	100.66	104.30
1	AA	1	A	C8-N9-C4	7.28	108.71	105.80
1	AA	1234	C	C5-C6-N1	7.28	124.64	121.00
4	AD	42	C	N3-C4-N4	-7.28	112.91	118.00
16	AP	57	ASP	CB-CG-OD1	-7.28	111.75	118.30
26	BB	325	G	O4'-C1'-N9	7.28	114.02	108.20
26	BB	602	A	C8-N9-C4	-7.28	102.89	105.80
26	BB	1704	C	C2-N3-C4	-7.28	116.26	119.90
26	BB	2158	A	N1-C2-N3	7.28	132.94	129.30
26	BB	2287	A	N1-C6-N6	-7.28	114.23	118.60
26	BB	2857	G	C5-C6-O6	-7.28	124.23	128.60
1	AA	70	U	C2-N3-C4	-7.28	122.64	127.00
2	AB	52	A	C8-N9-C4	-7.28	102.89	105.80
26	BB	1034	G	C5-C6-N1	7.28	115.14	111.50
26	BB	1598	A	C6-N1-C2	7.28	122.97	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1822	C	C1'-O4'-C4'	-7.28	104.08	109.90
26	BB	2302	U	N3-C4-C5	-7.28	110.23	114.60
4	AD	32	G	O4'-C1'-N9	7.27	114.02	108.20
26	BB	169	G	N1-C6-O6	-7.27	115.54	119.90
26	BB	1171	G	N9-C4-C5	7.27	108.31	105.40
26	BB	1644	C	C6-N1-C2	7.27	123.21	120.30
1	AA	36	C	C5-C6-N1	-7.27	117.36	121.00
1	AA	962	C	N3-C4-N4	7.27	123.09	118.00
26	BB	1050	A	C5-C6-N1	7.27	121.34	117.70
26	BB	2147	A	C2-N3-C4	7.27	114.24	110.60
26	BB	2465	C	N3-C4-N4	7.27	123.09	118.00
36	BL	44	TYR	CB-CG-CD1	7.27	125.36	121.00
1	AA	32	A	C6-N1-C2	7.27	122.96	118.60
1	AA	752	G	N9-C4-C5	7.27	108.31	105.40
1	AA	1350	A	C3'-C2'-C1'	-7.27	95.68	101.50
26	BB	1225	G	N9-C4-C5	-7.27	102.49	105.40
1	AA	1079	G	N3-C4-C5	-7.27	124.97	128.60
26	BB	131	A	C5-N7-C8	-7.27	100.27	103.90
26	BB	1047	G	N3-C4-C5	-7.27	124.97	128.60
26	BB	1567	G	C4-C5-N7	-7.27	107.89	110.80
26	BB	1668	A	N9-C4-C5	-7.27	102.89	105.80
26	BB	2438	U	N3-C2-O2	-7.27	117.11	122.20
1	AA	652	U	N1-C1'-C2'	-7.27	104.00	112.00
25	BA	62	C	N1-C2-O2	7.27	123.26	118.90
26	BB	638	G	O4'-C1'-N9	7.27	114.01	108.20
26	BB	1039	A	N1-C6-N6	7.27	122.96	118.60
26	BB	1259	G	C5'-C4'-O4'	7.27	117.82	109.10
26	BB	2265	U	O4'-C1'-N1	7.27	114.01	108.20
1	AA	221	C	O4'-C1'-N1	7.27	114.01	108.20
1	AA	1397	C	O4'-C1'-N1	7.27	114.01	108.20
26	BB	381	G	C2-N3-C4	7.27	115.53	111.90
26	BB	1097	U	C4-C5-C6	7.27	124.06	119.70
26	BB	1123	C	O4'-C1'-N1	7.27	114.01	108.20
26	BB	2119	A	C4'-C3'-C2'	7.27	109.87	102.60
26	BB	2783	U	C5'-C4'-O4'	7.27	117.82	109.10
26	BB	2812	G	C3'-C2'-C1'	-7.27	95.69	101.50
1	AA	872	A	C2-N3-C4	7.26	114.23	110.60
26	BB	179	C	C6-N1-C2	-7.26	117.39	120.30
26	BB	526	A	C4-C5-N7	-7.26	107.07	110.70
26	BB	812	C	N3-C4-N4	7.26	123.09	118.00
26	BB	971	G	N9-C1'-C2'	-7.26	104.01	112.00
26	BB	1151	A	C3'-C2'-C1'	7.26	107.31	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1811	G	P-O3'-C3'	7.26	128.42	119.70
26	BB	2011	U	N1-C2-N3	7.26	119.26	114.90
26	BB	2221	G	C5-C6-N1	7.26	115.13	111.50
26	BB	2854	G	O4'-C1'-N9	7.26	114.01	108.20
1	AA	458	U	N3-C2-O2	-7.26	117.12	122.20
1	AA	515	G	N9-C4-C5	7.26	108.31	105.40
2	AB	65	C	N3-C4-C5	-7.26	119.00	121.90
26	BB	543	G	O4'-C1'-N9	7.26	114.01	108.20
26	BB	686	U	O4'-C1'-N1	7.26	114.01	108.20
26	BB	1166	G	C5'-C4'-C3'	-7.26	104.38	116.00
1	AA	414	A	C8-N9-C4	7.26	108.70	105.80
1	AA	961	U	O4'-C1'-N1	7.26	114.01	108.20
1	AA	1043	G	C6-C5-N7	-7.26	126.04	130.40
1	AA	1045	C	C3'-C2'-C1'	-7.26	95.69	101.50
1	AA	1047	G	N3-C4-N9	7.26	130.36	126.00
1	AA	1101	A	C8-N9-C4	-7.26	102.90	105.80
1	AA	1300	G	O4'-C4'-C3'	7.26	111.91	106.10
3	AC	13	A	C6-N1-C2	-7.26	114.24	118.60
25	BA	34	A	C3'-C2'-C1'	7.26	107.31	101.50
26	BB	796	C	N1-C2-O2	7.26	123.26	118.90
26	BB	1627	G	C4'-C3'-C2'	-7.26	95.34	102.60
26	BB	2068	U	C1'-O4'-C4'	-7.26	104.09	109.90
26	BB	2795	C	C3'-C2'-C1'	7.26	107.31	101.50
1	AA	1080	A	N1-C6-N6	7.26	122.96	118.60
1	AA	1107	C	O4'-C1'-N1	7.26	114.01	108.20
4	AD	72	C	N3-C2-O2	-7.26	116.82	121.90
26	BB	550	C	N1-C2-O2	7.26	123.26	118.90
26	BB	559	G	C6-C5-N7	-7.26	126.04	130.40
26	BB	893	C	N1-C2-O2	7.26	123.26	118.90
26	BB	1562	U	C2-N3-C4	-7.26	122.64	127.00
26	BB	1591	A	C5-C6-N1	-7.26	114.07	117.70
26	BB	1895	C	N3-C2-O2	-7.26	116.82	121.90
26	BB	1941	C	N1-C2-N3	-7.26	114.12	119.20
26	BB	1991	U	C5-C4-O4	7.26	130.25	125.90
26	BB	2433	A	N7-C8-N9	-7.26	110.17	113.80
26	BB	2544	G	C8-N9-C4	-7.26	103.50	106.40
1	AA	609	A	N1-C2-N3	-7.26	125.67	129.30
26	BB	2795	C	C5-C6-N1	7.26	124.63	121.00
1	AA	205	A	C6-C5-N7	7.26	137.38	132.30
1	AA	771	G	O4'-C1'-C2'	7.26	114.13	107.60
1	AA	1474	U	N3-C4-O4	7.26	124.48	119.40
26	BB	1039	A	C2-N3-C4	7.26	114.23	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1514	G	C5'-C4'-O4'	7.26	117.81	109.10
26	BB	1967	C	C5-C6-N1	7.26	124.63	121.00
26	BB	2796	U	N3-C2-O2	-7.26	117.12	122.20
26	BB	2901	C	N3-C4-N4	-7.26	112.92	118.00
48	BX	57	TYR	CG-CD2-CE2	7.26	127.11	121.30
1	AA	747	A	N1-C6-N6	7.25	122.95	118.60
1	AA	867	G	O4'-C1'-N9	7.25	114.00	108.20
1	AA	1370	G	C6-C5-N7	7.25	134.75	130.40
26	BB	31	C	C5'-C4'-O4'	7.25	117.81	109.10
26	BB	2081	U	C5-C4-O4	-7.25	121.55	125.90
26	BB	2756	U	C2'-C3'-O3'	7.25	125.46	109.50
1	AA	204	G	N9-C4-C5	7.25	108.30	105.40
1	AA	956	U	O4'-C1'-N1	7.25	114.00	108.20
1	AA	1126	U	N1-C1'-C2'	-7.25	104.02	112.00
26	BB	122	G	N3-C4-N9	7.25	130.35	126.00
26	BB	893	C	C5-C4-N4	7.25	125.28	120.20
26	BB	1159	U	O4'-C1'-N1	7.25	114.00	108.20
26	BB	1777	U	C6-N1-C2	-7.25	116.65	121.00
26	BB	2609	U	N1-C2-O2	7.25	127.88	122.80
1	AA	452	A	C6-C5-N7	-7.25	127.22	132.30
1	AA	775	G	C1'-O4'-C4'	-7.25	104.10	109.90
1	AA	1226	C	C3'-C2'-C1'	7.25	107.30	101.50
26	BB	362	A	C5-C6-N1	7.25	121.33	117.70
26	BB	1622	G	C4-C5-N7	-7.25	107.90	110.80
26	BB	2263	C	C6-N1-C2	-7.25	117.40	120.30
26	BB	2715	C	C6-N1-C2	-7.25	117.40	120.30
1	AA	488	C	N1-C2-O2	7.25	123.25	118.90
26	BB	625	G	C1'-O4'-C4'	-7.25	104.10	109.90
26	BB	1469	A	O4'-C1'-N9	7.25	114.00	108.20
26	BB	1682	G	N3-C4-C5	-7.25	124.97	128.60
26	BB	2631	G	C5'-C4'-O4'	7.25	117.80	109.10
1	AA	376	G	C4'-C3'-C2'	-7.25	95.35	102.60
1	AA	771	G	N9-C1'-C2'	-7.25	104.03	112.00
2	AB	22	G	N1-C6-O6	-7.25	115.55	119.90
25	BA	34	A	C4-C5-N7	-7.25	107.08	110.70
26	BB	1071	G	N9-C1'-C2'	-7.25	104.03	112.00
26	BB	1490	A	C5-N7-C8	-7.25	100.28	103.90
26	BB	1579	A	N1-C2-N3	-7.25	125.68	129.30
26	BB	1703	G	N1-C2-N3	-7.25	119.55	123.90
26	BB	2787	C	C1'-O4'-C4'	-7.25	104.10	109.90
4	AD	26	C	C5-C4-N4	-7.25	115.13	120.20
10	AJ	61	PHE	CB-CG-CD1	7.25	125.87	120.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	325	G	N9-C4-C5	7.25	108.30	105.40
26	BB	1812	U	C4'-C3'-C2'	-7.25	95.35	102.60
1	AA	675	A	P-O5'-C5'	7.25	132.49	120.90
26	BB	1680	U	C4-C5-C6	-7.25	115.35	119.70
26	BB	2676	C	C5'-C4'-O4'	7.25	117.79	109.10
1	AA	888	G	C6-N1-C2	-7.24	120.75	125.10
1	AA	1335	U	C5-C6-N1	-7.24	119.08	122.70
1	AA	1371	G	N3-C4-C5	-7.24	124.98	128.60
1	AA	1434	A	C5-C6-N1	7.24	121.32	117.70
26	BB	309	A	C4-C5-N7	7.24	114.32	110.70
26	BB	396	G	C6-C5-N7	7.24	134.75	130.40
26	BB	451	U	N3-C4-C5	-7.24	110.25	114.60
26	BB	2224	G	C3'-C2'-C1'	7.24	107.30	101.50
26	BB	292	U	C5'-C4'-O4'	7.24	117.79	109.10
26	BB	502	A	C8-N9-C4	-7.24	102.90	105.80
26	BB	2336	A	C5-C6-N6	-7.24	117.91	123.70
26	BB	2841	C	N3-C4-C5	-7.24	119.00	121.90
1	AA	164	G	N1-C6-O6	7.24	124.25	119.90
1	AA	184	G	O4'-C1'-N9	7.24	113.99	108.20
1	AA	520	A	C8-N9-C4	-7.24	102.90	105.80
1	AA	763	G	O4'-C1'-N9	7.24	113.99	108.20
26	BB	645	C	C3'-C2'-C1'	-7.24	95.71	101.50
26	BB	1415	U	C3'-C2'-C1'	-7.24	95.71	101.50
26	BB	1642	G	N9-C1'-C2'	-7.24	104.03	112.00
26	BB	1790	C	P-O3'-C3'	7.24	128.39	119.70
1	AA	581	G	N7-C8-N9	7.24	116.72	113.10
1	AA	1457	G	N9-C4-C5	7.24	108.30	105.40
26	BB	244	A	O4'-C1'-N9	7.24	113.99	108.20
26	BB	1245	G	C6-N1-C2	-7.24	120.76	125.10
26	BB	1976	U	C6-N1-C2	-7.24	116.66	121.00
26	BB	2022	U	C4-C5-C6	7.24	124.04	119.70
1	AA	325	A	C1'-O4'-C4'	-7.24	104.11	109.90
1	AA	409	U	C6-N1-C2	-7.24	116.66	121.00
26	BB	332	A	C8-N9-C4	-7.24	102.91	105.80
26	BB	1560	G	N3-C4-C5	-7.24	124.98	128.60
26	BB	1791	A	C4-C5-N7	7.24	114.32	110.70
1	AA	39	G	N3-C4-C5	-7.24	124.98	128.60
1	AA	269	C	N3-C4-N4	-7.24	112.94	118.00
1	AA	667	G	N3-C4-C5	-7.24	124.98	128.60
1	AA	1024	G	N3-C4-C5	-7.24	124.98	128.60
3	AC	42	U	C6-N1-C2	-7.24	116.66	121.00
26	BB	2561	U	C5'-C4'-O4'	7.24	117.78	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2586	U	C2-N3-C4	-7.24	122.66	127.00
1	AA	415	A	N7-C8-N9	7.23	117.42	113.80
1	AA	579	A	N1-C2-N3	7.23	132.92	129.30
1	AA	1508	A	C5-C6-N1	7.23	121.32	117.70
2	AB	49	G	C2-N3-C4	7.23	115.52	111.90
26	BB	917	A	C5-N7-C8	7.23	107.52	103.90
26	BB	1433	A	N1-C6-N6	-7.23	114.26	118.60
1	AA	251	G	N3-C4-C5	-7.23	124.98	128.60
1	AA	1334	G	C5'-C4'-O4'	7.23	117.78	109.10
1	AA	1412	C	C4-C5-C6	-7.23	113.78	117.40
1	AA	1501	C	C4-C5-C6	7.23	121.02	117.40
11	AK	76	ARG	NE-CZ-NH2	-7.23	116.68	120.30
26	BB	171	U	O4'-C1'-N1	7.23	113.99	108.20
26	BB	178	G	C5-N7-C8	-7.23	100.68	104.30
26	BB	2061	G	N9-C4-C5	7.23	108.29	105.40
26	BB	2137	U	N1-C2-N3	7.23	119.24	114.90
26	BB	2424	C	N1-C2-O2	-7.23	114.56	118.90
1	AA	47	C	N1-C2-O2	7.23	123.24	118.90
1	AA	471	U	N3-C4-O4	7.23	124.46	119.40
1	AA	514	C	N1-C2-O2	7.23	123.24	118.90
1	AA	567	G	C8-N9-C4	-7.23	103.51	106.40
1	AA	853	C	O4'-C1'-N1	7.23	113.98	108.20
26	BB	948	C	N3-C2-O2	-7.23	116.84	121.90
26	BB	1226	A	C8-N9-C4	-7.23	102.91	105.80
26	BB	1376	C	C2-N3-C4	-7.23	116.28	119.90
26	BB	2903	U	C1'-O4'-C4'	7.23	115.69	109.90
1	AA	1505	G	N1-C6-O6	7.23	124.24	119.90
17	AQ	8	ARG	NE-CZ-NH1	7.23	123.92	120.30
25	BA	4	C	C2-N3-C4	7.23	123.51	119.90
26	BB	1082	U	N1-C2-O2	-7.23	117.74	122.80
1	AA	24	U	O4'-C1'-N1	7.23	113.98	108.20
26	BB	843	G	N1-C2-N3	-7.23	119.56	123.90
26	BB	928	A	C5-C6-N1	7.23	121.31	117.70
26	BB	1000	A	C6-N1-C2	7.23	122.94	118.60
26	BB	1309	G	P-O3'-C3'	7.23	128.37	119.70
26	BB	1698	A	C4-C5-C6	7.23	120.61	117.00
26	BB	1977	A	C2-N3-C4	7.23	114.21	110.60
26	BB	2574	G	C8-N9-C4	-7.23	103.51	106.40
26	BB	2686	G	C4-C5-N7	-7.23	107.91	110.80
1	AA	1309	G	C2-N3-C4	7.23	115.51	111.90
25	BA	76	G	C6-C5-N7	-7.23	126.06	130.40
26	BB	312	G	O4'-C1'-N9	7.23	113.98	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1361	G	C8-N9-C4	-7.23	103.51	106.40
26	BB	2806	C	C6-N1-C2	-7.23	117.41	120.30
1	AA	628	G	C6-N1-C2	-7.22	120.77	125.10
1	AA	1029	U	N3-C2-O2	-7.22	117.14	122.20
26	BB	363	G	N3-C2-N2	7.22	124.96	119.90
26	BB	1207	C	C6-N1-C2	-7.22	117.41	120.30
26	BB	2776	A	N1-C6-N6	-7.22	114.27	118.60
1	AA	417	G	N7-C8-N9	-7.22	109.49	113.10
1	AA	891	U	C5-C6-N1	-7.22	119.09	122.70
1	AA	1491	G	C5-C6-N1	7.22	115.11	111.50
3	AC	38	G	C6-C5-N7	7.22	134.73	130.40
26	BB	880	G	C4-C5-N7	-7.22	107.91	110.80
26	BB	950	G	C2-N3-C4	7.22	115.51	111.90
26	BB	1766	G	N7-C8-N9	7.22	116.71	113.10
1	AA	376	G	N3-C2-N2	7.22	124.95	119.90
1	AA	503	C	C4-C5-C6	-7.22	113.79	117.40
1	AA	1299	A	O4'-C4'-C3'	-7.22	96.78	104.00
3	AC	39	U	C2'-C3'-O3'	7.22	125.39	109.50
26	BB	374	A	P-O3'-C3'	7.22	128.37	119.70
26	BB	869	G	N3-C4-C5	-7.22	124.99	128.60
26	BB	1003	G	N1-C2-N3	-7.22	119.57	123.90
26	BB	1725	U	N1-C2-N3	7.22	119.23	114.90
26	BB	1977	A	C4'-C3'-C2'	-7.22	95.38	102.60
1	AA	83	C	N3-C4-C5	7.22	124.79	121.90
1	AA	1429	A	C3'-C2'-C1'	-7.22	95.72	101.50
3	AC	17	U	C4-C5-C6	-7.22	115.37	119.70
26	BB	156	A	C4-C5-N7	-7.22	107.09	110.70
26	BB	450	G	N1-C6-O6	-7.22	115.57	119.90
26	BB	818	G	O4'-C1'-N9	7.22	113.97	108.20
26	BB	1006	C	C3'-C2'-C1'	-7.22	95.72	101.50
26	BB	1152	C	C2-N3-C4	7.22	123.51	119.90
26	BB	1496	A	O5'-P-OP2	-7.22	99.20	105.70
26	BB	1804	C	N3-C4-N4	7.22	123.05	118.00
26	BB	2332	C	O4'-C1'-N1	7.22	113.98	108.20
26	BB	2516	A	N9-C4-C5	-7.22	102.91	105.80
1	AA	344	A	C4-C5-N7	-7.22	107.09	110.70
1	AA	554	A	N1-C6-N6	-7.22	114.27	118.60
1	AA	703	G	N1-C2-N3	-7.22	119.57	123.90
26	BB	248	G	C6-N1-C2	-7.22	120.77	125.10
26	BB	1313	U	C1'-O4'-C4'	7.22	115.67	109.90
26	BB	1557	C	N1-C2-O2	7.22	123.23	118.90
26	BB	1566	A	C4-C5-C6	-7.22	113.39	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1664	A	N1-C6-N6	-7.22	114.27	118.60
26	BB	1919	A	O3'-P-O5'	-7.22	90.28	104.00
26	BB	2082	A	N9-C1'-C2'	-7.22	104.06	112.00
26	BB	2278	A	C4'-C3'-C2'	-7.22	95.38	102.60
26	BB	2689	U	N1-C2-O2	7.22	127.85	122.80
1	AA	666	G	N3-C4-N9	7.22	130.33	126.00
1	AA	1191	A	C8-N9-C4	-7.22	102.91	105.80
26	BB	3	U	C5-C6-N1	-7.22	119.09	122.70
26	BB	84	A	C5-C6-N6	-7.22	117.93	123.70
26	BB	434	U	N3-C4-C5	-7.22	110.27	114.60
26	BB	801	G	C5-N7-C8	7.22	107.91	104.30
26	BB	1954	G	C2-N3-C4	7.22	115.51	111.90
1	AA	670	G	C4-C5-N7	-7.21	107.91	110.80
1	AA	732	C	C5-C4-N4	-7.21	115.15	120.20
1	AA	1223	C	C5'-C4'-O4'	7.21	117.76	109.10
26	BB	355	U	N1-C2-O2	-7.21	117.75	122.80
26	BB	752	A	C6-C5-N7	-7.21	127.25	132.30
26	BB	1300	G	C4-C5-C6	7.21	123.13	118.80
26	BB	1517	G	C5-N7-C8	-7.21	100.69	104.30
26	BB	1730	C	C3'-C2'-C1'	-7.21	95.73	101.50
26	BB	2215	C	N1-C1'-C2'	-7.21	104.06	112.00
26	BB	2559	C	C1'-O4'-C4'	-7.21	104.13	109.90
26	BB	2567	G	C2-N3-C4	-7.21	108.29	111.90
26	BB	2678	C	N1-C2-O2	7.21	123.23	118.90
1	AA	1431	A	C5-C6-N6	-7.21	117.93	123.70
26	BB	106	C	O4'-C1'-N1	7.21	113.97	108.20
26	BB	530	G	C5-C6-N1	-7.21	107.89	111.50
26	BB	1506	U	N3-C2-O2	-7.21	117.15	122.20
1	AA	1002	G	C8-N9-C4	-7.21	103.52	106.40
1	AA	1077	G	C2-N3-C4	7.21	115.51	111.90
2	AB	11	U	C1'-O4'-C4'	-7.21	104.13	109.90
25	BA	58	A	N1-C2-N3	-7.21	125.69	129.30
26	BB	85	G	N1-C2-N2	-7.21	109.71	116.20
26	BB	309	A	P-O3'-C3'	7.21	128.35	119.70
26	BB	642	U	C5-C4-O4	-7.21	121.57	125.90
26	BB	754	U	N3-C2-O2	-7.21	117.15	122.20
26	BB	1454	C	N3-C4-C5	-7.21	119.02	121.90
26	BB	2097	A	N7-C8-N9	7.21	117.41	113.80
26	BB	2815	C	C5-C6-N1	-7.21	117.39	121.00
26	BB	2869	G	C4-C5-N7	-7.21	107.92	110.80
29	BE	33	ARG	NE-CZ-NH1	-7.21	116.69	120.30
1	AA	34	C	N3-C4-C5	-7.21	119.02	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	161	A	C5'-C4'-O4'	7.21	117.75	109.10
1	AA	1399	C	C6-N1-C2	7.21	123.18	120.30
26	BB	2461	A	O4'-C4'-C3'	7.21	111.87	106.10
1	AA	107	G	N9-C1'-C2'	-7.21	104.07	112.00
1	AA	953	G	N1-C2-N3	7.21	128.22	123.90
1	AA	1306	A	N3-C4-C5	7.21	131.85	126.80
25	BA	113	C	N1-C1'-C2'	-7.21	104.07	112.00
26	BB	2327	A	C5-C6-N1	7.21	121.30	117.70
1	AA	1156	G	C6-C5-N7	-7.21	126.08	130.40
1	AA	1425	U	O4'-C1'-N1	7.21	113.97	108.20
26	BB	330	A	N1-C2-N3	-7.21	125.70	129.30
26	BB	572	A	C3'-C2'-C1'	7.21	107.27	101.50
26	BB	1080	A	N3-C4-C5	-7.21	121.75	126.80
26	BB	1227	G	O4'-C1'-N9	7.21	113.97	108.20
26	BB	1989	G	C4-C5-C6	7.21	123.12	118.80
26	BB	2334	U	O4'-C1'-N1	7.21	113.97	108.20
26	BB	2704	C	C6-N1-C2	7.21	123.18	120.30
1	AA	1244	G	C1'-O4'-C4'	-7.21	104.14	109.90
26	BB	565	C	C4-C5-C6	-7.21	113.80	117.40
26	BB	748	G	C6-N1-C2	7.21	129.42	125.10
26	BB	785	G	C4-C5-N7	7.21	113.68	110.80
26	BB	1415	U	O4'-C1'-N1	7.21	113.96	108.20
26	BB	1473	G	C2-N3-C4	7.21	115.50	111.90
26	BB	1505	A	C4-C5-C6	-7.21	113.40	117.00
1	AA	19	A	C5-N7-C8	-7.20	100.30	103.90
1	AA	454	G	C6-C5-N7	-7.20	126.08	130.40
1	AA	710	G	C5-C6-N1	7.20	115.10	111.50
1	AA	1432	G	N9-C4-C5	7.20	108.28	105.40
25	BA	113	C	N3-C2-O2	7.20	126.94	121.90
26	BB	1152	C	C5-C6-N1	7.20	124.60	121.00
26	BB	1949	G	C4-C5-C6	7.20	123.12	118.80
26	BB	2103	C	N1-C2-O2	7.20	123.22	118.90
26	BB	203	A	O4'-C1'-N9	7.20	113.96	108.20
26	BB	1612	C	C4-C5-C6	7.20	121.00	117.40
26	BB	2543	G	C5-C6-N1	7.20	115.10	111.50
26	BB	2708	G	C8-N9-C4	-7.20	103.52	106.40
1	AA	114	U	C1'-O4'-C4'	7.20	115.66	109.90
1	AA	345	C	O4'-C1'-N1	7.20	113.96	108.20
1	AA	1075	U	P-O5'-C5'	7.20	132.42	120.90
1	AA	1225	A	P-O3'-C3'	7.20	128.34	119.70
1	AA	1421	G	O4'-C1'-N9	7.20	113.96	108.20
1	AA	1537	U	C5-C6-N1	7.20	126.30	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1039	A	C8-N9-C4	-7.20	102.92	105.80
26	BB	1168	G	N3-C4-C5	7.20	132.20	128.60
26	BB	1536	C	C4'-C3'-C2'	-7.20	95.40	102.60
26	BB	1947	C	N1-C2-O2	7.20	123.22	118.90
26	BB	2083	G	N7-C8-N9	7.20	116.70	113.10
26	BB	2280	G	C4-C5-N7	-7.20	107.92	110.80
26	BB	2627	G	C3'-C2'-C1'	-7.20	95.74	101.50
1	AA	139	A	C5-N7-C8	-7.20	100.30	103.90
1	AA	148	G	N7-C8-N9	7.20	116.70	113.10
1	AA	482	A	O4'-C4'-C3'	7.20	111.86	106.10
4	AD	39	A	N1-C2-N3	-7.20	125.70	129.30
26	BB	108	G	C4-C5-N7	7.20	113.68	110.80
26	BB	400	G	C1'-O4'-C4'	7.20	115.66	109.90
26	BB	832	U	C2-N3-C4	-7.20	122.68	127.00
26	BB	861	A	C6-N1-C2	-7.20	114.28	118.60
26	BB	2812	G	O4'-C1'-N9	7.20	113.96	108.20
1	AA	57	G	P-O3'-C3'	7.20	128.34	119.70
1	AA	1385	G	N9-C1'-C2'	-7.20	104.08	112.00
25	BA	84	G	C3'-C2'-C1'	7.20	107.26	101.50
26	BB	14	A	O4'-C4'-C3'	7.20	111.86	106.10
26	BB	1303	G	N9-C4-C5	7.20	108.28	105.40
26	BB	1388	G	C3'-C2'-C1'	-7.20	95.74	101.50
26	BB	1866	A	O4'-C1'-N9	7.20	113.96	108.20
26	BB	1982	U	C2-N3-C4	-7.20	122.68	127.00
26	BB	2232	C	C4'-C3'-C2'	-7.20	95.41	102.60
26	BB	2256	G	C5-N7-C8	-7.20	100.70	104.30
1	AA	1133	G	C5'-C4'-O4'	7.19	117.73	109.10
1	AA	1014	A	N9-C4-C5	7.19	108.68	105.80
1	AA	1259	C	C6-N1-C2	7.19	123.18	120.30
26	BB	101	A	N3-C4-C5	-7.19	121.77	126.80
26	BB	998	C	C4-C5-C6	7.19	121.00	117.40
26	BB	1742	U	C3'-C2'-C1'	7.19	107.25	101.50
1	AA	716	A	N3-C4-N9	-7.19	121.65	127.40
24	AX	30	GLU	OE1-CD-OE2	7.19	131.93	123.30
26	BB	362	A	N3-C4-C5	-7.19	121.77	126.80
26	BB	1436	G	N3-C4-N9	7.19	130.31	126.00
26	BB	2375	G	N3-C4-C5	-7.19	125.00	128.60
26	BB	2419	U	O4'-C1'-N1	7.19	113.95	108.20
37	BM	100	PHE	CB-CG-CD2	7.19	125.83	120.80
1	AA	290	C	C4'-C3'-C2'	-7.19	95.41	102.60
1	AA	666	G	C6-C5-N7	-7.19	126.09	130.40
1	AA	1160	G	N3-C4-N9	7.19	130.31	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	48	U	C5-C6-N1	-7.19	119.11	122.70
26	BB	844	A	N1-C2-N3	7.19	132.89	129.30
1	AA	1093	A	N1-C6-N6	-7.19	114.29	118.60
4	AD	20	G	N7-C8-N9	7.19	116.69	113.10
26	BB	639	U	C4-C5-C6	7.19	124.01	119.70
26	BB	1142	A	N1-C6-N6	7.19	122.91	118.60
26	BB	1780	A	C6-N1-C2	-7.19	114.29	118.60
26	BB	2040	G	C4-C5-N7	-7.19	107.92	110.80
26	BB	2871	U	P-O3'-C3'	7.19	128.33	119.70
26	BB	2898	U	C5-C6-N1	7.19	126.29	122.70
1	AA	182	A	O4'-C1'-N9	7.19	113.95	108.20
25	BA	87	U	C2'-C3'-O3'	7.19	125.31	109.50
26	BB	1312	U	O4'-C4'-C3'	7.19	111.85	106.10
26	BB	1736	U	N1-C2-O2	-7.19	117.77	122.80
26	BB	2010	G	C5-C6-O6	-7.19	124.29	128.60
26	BB	2597	G	N7-C8-N9	7.19	116.69	113.10
26	BB	2732	G	N3-C4-C5	-7.19	125.01	128.60
1	AA	100	G	O4'-C1'-N9	7.18	113.95	108.20
1	AA	181	A	N1-C2-N3	-7.18	125.71	129.30
1	AA	741	G	O4'-C1'-N9	7.18	113.95	108.20
26	BB	29	U	P-O3'-C3'	7.18	128.32	119.70
26	BB	647	G	C4-C5-C6	7.18	123.11	118.80
26	BB	990	A	N1-C6-N6	-7.18	114.29	118.60
26	BB	1431	A	C6-N1-C2	-7.18	114.29	118.60
26	BB	2661	G	C2-N3-C4	-7.18	108.31	111.90
1	AA	376	G	C8-N9-C4	-7.18	103.53	106.40
1	AA	439	U	N3-C2-O2	-7.18	117.17	122.20
1	AA	1501	C	O4'-C1'-N1	7.18	113.95	108.20
4	AD	44	A	C6-C5-N7	7.18	137.33	132.30
26	BB	1105	U	C2-N3-C4	-7.18	122.69	127.00
26	BB	1296	G	C4-C5-C6	7.18	123.11	118.80
26	BB	1499	C	C5-C4-N4	-7.18	115.17	120.20
26	BB	2550	G	C6-C5-N7	-7.18	126.09	130.40
26	BB	2801	G	C8-N9-C4	-7.18	103.53	106.40
26	BB	317	G	C1'-O4'-C4'	-7.18	104.16	109.90
26	BB	910	A	N9-C4-C5	7.18	108.67	105.80
26	BB	2241	A	C5-C6-N6	-7.18	117.95	123.70
26	BB	2507	C	N1-C2-O2	7.18	123.21	118.90
51	B0	48	ARG	NE-CZ-NH2	7.18	123.89	120.30
1	AA	203	G	N1-C6-O6	7.18	124.21	119.90
1	AA	925	G	N1-C6-O6	7.18	124.21	119.90
26	BB	53	A	C4-C5-C6	-7.18	113.41	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	375	G	C5-N7-C8	-7.18	100.71	104.30
26	BB	647	G	C5-C6-O6	7.18	132.91	128.60
26	BB	1881	C	N3-C4-C5	7.18	124.77	121.90
26	BB	1958	C	N1-C2-O2	7.18	123.21	118.90
26	BB	2257	U	C2-N3-C4	-7.18	122.69	127.00
26	BB	2818	U	O4'-C1'-N1	7.18	113.94	108.20
1	AA	50	A	N7-C8-N9	7.18	117.39	113.80
2	AB	29	G	N3-C2-N2	-7.18	114.88	119.90
26	BB	1274	A	N1-C2-N3	-7.18	125.71	129.30
1	AA	146	G	C6-N1-C2	-7.18	120.79	125.10
1	AA	198	G	C6-C5-N7	-7.18	126.09	130.40
1	AA	253	A	C5'-C4'-O4'	7.18	117.71	109.10
1	AA	360	G	N3-C4-C5	-7.18	125.01	128.60
1	AA	1162	C	N3-C2-O2	-7.18	116.88	121.90
4	AD	24	C	C1'-O4'-C4'	-7.18	104.16	109.90
26	BB	566	U	N1-C2-N3	7.18	119.20	114.90
26	BB	785	G	N1-C2-N3	-7.18	119.59	123.90
26	BB	1227	G	C5-C6-N1	7.18	115.09	111.50
26	BB	1230	A	C5-C6-N6	-7.18	117.96	123.70
26	BB	1489	C	C5'-C4'-C3'	-7.18	104.52	116.00
26	BB	1763	G	C4'-C3'-C2'	-7.18	95.42	102.60
1	AA	191	G	C6-N1-C2	-7.17	120.80	125.10
25	BA	20	G	C1'-O4'-C4'	-7.17	104.16	109.90
26	BB	904	G	C1'-O4'-C4'	-7.17	104.16	109.90
26	BB	2000	C	O4'-C1'-N1	7.17	113.94	108.20
26	BB	2511	U	O4'-C1'-N1	7.17	113.94	108.20
29	BE	80	TRP	NE1-CE2-CD2	-7.17	100.12	107.30
1	AA	1017	U	C2-N3-C4	-7.17	122.70	127.00
1	AA	1308	U	C4'-C3'-C2'	-7.17	95.43	102.60
26	BB	1399	C	C6-N1-C2	-7.17	117.43	120.30
26	BB	2084	C	N1-C2-O2	7.17	123.20	118.90
26	BB	2349	G	C5-C6-O6	-7.17	124.30	128.60
1	AA	439	U	C6-N1-C2	-7.17	116.70	121.00
1	AA	495	A	C4'-C3'-C2'	-7.17	95.43	102.60
26	BB	546	U	C4-C5-C6	7.17	124.00	119.70
26	BB	1789	A	C5'-C4'-O4'	7.17	117.71	109.10
1	AA	851	G	C2-N3-C4	-7.17	108.31	111.90
1	AA	1110	A	C5-C6-N1	7.17	121.28	117.70
26	BB	869	G	C6-C5-N7	-7.17	126.10	130.40
26	BB	2092	U	C5-C6-N1	7.17	126.28	122.70
38	BN	69	ARG	NE-CZ-NH2	-7.17	116.72	120.30
1	AA	27	G	C3'-C2'-C1'	7.17	107.23	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	60	A	P-O3'-C3'	7.17	128.30	119.70
1	AA	68	G	C4-C5-N7	7.17	113.67	110.80
1	AA	483	C	N3-C4-N4	7.17	123.02	118.00
1	AA	627	G	N3-C4-C5	-7.17	125.02	128.60
1	AA	1529	G	P-O3'-C3'	7.17	128.30	119.70
25	BA	56	G	N3-C4-C5	-7.17	125.02	128.60
26	BB	343	C	N3-C4-C5	-7.17	119.03	121.90
26	BB	351	C	C1'-O4'-C4'	-7.17	104.17	109.90
26	BB	1189	A	N7-C8-N9	-7.17	110.22	113.80
26	BB	1622	G	C4'-C3'-C2'	-7.17	95.43	102.60
26	BB	1640	A	N9-C1'-C2'	-7.17	104.11	112.00
26	BB	1958	C	O4'-C1'-C2'	7.17	114.05	107.60
26	BB	2213	U	C4-C5-C6	7.17	124.00	119.70
1	AA	263	A	O4'-C1'-N9	7.17	113.93	108.20
1	AA	627	G	C5-C6-N1	7.17	115.08	111.50
26	BB	134	G	C5-N7-C8	7.17	107.88	104.30
26	BB	139	U	C1'-O4'-C4'	-7.17	104.17	109.90
26	BB	489	G	C4-C5-C6	7.17	123.10	118.80
26	BB	753	A	C8-N9-C4	-7.17	102.93	105.80
26	BB	1759	A	N1-C2-N3	-7.17	125.72	129.30
26	BB	2067	G	C6-C5-N7	-7.17	126.10	130.40
26	BB	2375	G	C6-N1-C2	-7.17	120.80	125.10
26	BB	2833	U	C5-C4-O4	-7.17	121.60	125.90
1	AA	917	G	N3-C4-C5	-7.17	125.02	128.60
3	AC	52	U	N1-C2-N3	7.17	119.20	114.90
26	BB	1686	C	C6-N1-C2	-7.17	117.43	120.30
26	BB	1892	C	C5-C4-N4	-7.17	115.19	120.20
26	BB	1988	G	O4'-C1'-N9	7.17	113.93	108.20
1	AA	58	C	N1-C2-O2	7.16	123.20	118.90
1	AA	1076	U	N3-C4-O4	7.16	124.41	119.40
26	BB	659	G	C1'-O4'-C4'	-7.16	104.17	109.90
26	BB	797	G	N3-C4-C5	-7.16	125.02	128.60
26	BB	1039	A	C5'-C4'-O4'	7.16	117.70	109.10
26	BB	1115	G	N9-C4-C5	7.16	108.27	105.40
26	BB	1545	A	O4'-C1'-N9	7.16	113.93	108.20
26	BB	1705	A	N9-C4-C5	-7.16	102.93	105.80
26	BB	2010	G	N3-C4-N9	7.16	130.30	126.00
26	BB	2240	U	C5-C6-N1	-7.16	119.12	122.70
26	BB	2663	G	C4-C5-C6	7.16	123.10	118.80
1	AA	958	A	C4-C5-N7	7.16	114.28	110.70
26	BB	1136	G	C2-N3-C4	7.16	115.48	111.90
26	BB	1299	G	C5-C6-O6	-7.16	124.30	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2107	G	C6-N1-C2	-7.16	120.80	125.10
26	BB	2774	C	C4-C5-C6	-7.16	113.82	117.40
1	AA	1089	G	C4'-C3'-C2'	-7.16	95.44	102.60
1	AA	1323	G	C2-N3-C4	7.16	115.48	111.90
26	BB	129	C	C5'-C4'-O4'	7.16	117.69	109.10
26	BB	218	A	C2-N3-C4	7.16	114.18	110.60
26	BB	246	C	N1-C2-N3	-7.16	114.19	119.20
26	BB	650	C	N3-C2-O2	-7.16	116.89	121.90
26	BB	1470	A	O4'-C1'-N9	-7.16	102.47	108.20
26	BB	2539	C	O4'-C1'-N1	7.16	113.93	108.20
1	AA	434	U	N1-C2-N3	7.16	119.20	114.90
1	AA	550	G	O4'-C1'-N9	7.16	113.93	108.20
1	AA	1040	U	C1'-O4'-C4'	-7.16	104.17	109.90
1	AA	1246	A	C4-C5-N7	-7.16	107.12	110.70
26	BB	496	G	C5-C6-O6	-7.16	124.31	128.60
26	BB	644	A	C5'-C4'-O4'	7.16	117.69	109.10
26	BB	800	A	C6-C5-N7	-7.16	127.29	132.30
26	BB	906	U	C5'-C4'-O4'	7.16	117.69	109.10
26	BB	1132	U	N3-C2-O2	-7.16	117.19	122.20
26	BB	1878	G	O4'-C1'-N9	7.16	113.93	108.20
2	AB	75	C	O4'-C1'-N1	7.16	113.92	108.20
26	BB	189	G	C8-N9-C4	-7.16	103.54	106.40
26	BB	352	A	N7-C8-N9	-7.16	110.22	113.80
26	BB	2119	A	C4-C5-C6	-7.16	113.42	117.00
1	AA	368	U	C5'-C4'-O4'	7.16	117.69	109.10
1	AA	383	A	N1-C2-N3	-7.16	125.72	129.30
1	AA	928	G	N3-C4-N9	7.16	130.29	126.00
1	AA	1045	C	N1-C2-N3	-7.16	114.19	119.20
1	AA	1521	C	C5'-C4'-O4'	7.16	117.69	109.10
2	AB	51	G	N3-C2-N2	7.16	124.91	119.90
4	AD	63	C	P-O5'-C5'	7.16	132.35	120.90
26	BB	88	G	N3-C2-N2	7.16	124.91	119.90
26	BB	673	C	N3-C2-O2	-7.16	116.89	121.90
26	BB	2293	G	C6-C5-N7	7.16	134.69	130.40
1	AA	1088	G	C6-N1-C2	-7.15	120.81	125.10
26	BB	261	G	C5-N7-C8	7.15	107.88	104.30
26	BB	352	A	C1'-O4'-C4'	-7.15	104.18	109.90
26	BB	1115	G	C6-C5-N7	7.15	134.69	130.40
26	BB	1377	G	N1-C2-N2	7.15	122.64	116.20
1	AA	1265	C	O4'-C1'-N1	7.15	113.92	108.20
1	AA	1305	G	C6-C5-N7	-7.15	126.11	130.40
25	BA	78	A	C8-N9-C4	-7.15	102.94	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	539	G	C5-C6-N1	7.15	115.08	111.50
26	BB	1305	C	N1-C1'-C2'	-7.15	104.13	112.00
26	BB	1379	U	N1-C2-N3	7.15	119.19	114.90
26	BB	1559	U	C4'-C3'-C2'	-7.15	95.45	102.60
26	BB	1714	U	N1-C2-O2	7.15	127.81	122.80
1	AA	125	U	N3-C4-O4	7.15	124.41	119.40
1	AA	211	G	C2-N3-C4	-7.15	108.32	111.90
26	BB	250	G	C2-N3-C4	7.15	115.47	111.90
26	BB	358	U	N3-C2-O2	-7.15	117.19	122.20
26	BB	926	G	N3-C2-N2	7.15	124.91	119.90
26	BB	1352	U	N1-C1'-C2'	-7.15	104.14	112.00
26	BB	1705	A	C1'-O4'-C4'	-7.15	104.18	109.90
26	BB	1788	C	O4'-C1'-N1	7.15	113.92	108.20
1	AA	509	A	C5-N7-C8	-7.15	100.33	103.90
1	AA	670	G	N9-C4-C5	7.15	108.26	105.40
2	AB	18	G	C6-C5-N7	-7.15	126.11	130.40
4	AD	47	A	N1-C2-N3	-7.15	125.73	129.30
26	BB	665	U	N3-C4-O4	7.15	124.40	119.40
26	BB	2844	G	C2-N3-C4	7.15	115.47	111.90
1	AA	321	A	C6-C5-N7	7.15	137.30	132.30
1	AA	1060	U	C2-N3-C4	-7.15	122.71	127.00
1	AA	1416	G	N3-C4-C5	-7.15	125.03	128.60
1	AA	1433	A	C5-C6-N6	7.15	129.42	123.70
7	AG	112	GLU	OE1-CD-OE2	7.15	131.88	123.30
26	BB	54	G	O4'-C4'-C3'	7.15	111.82	106.10
26	BB	849	A	C1'-O4'-C4'	-7.15	104.18	109.90
26	BB	920	A	C5-C6-N1	-7.15	114.13	117.70
26	BB	1486	U	C6-N1-C2	-7.15	116.71	121.00
26	BB	1613	G	C4'-C3'-C2'	-7.15	95.45	102.60
26	BB	2560	A	N1-C2-N3	7.15	132.87	129.30
26	BB	2675	A	N1-C6-N6	-7.15	114.31	118.60
26	BB	2685	G	C4-C5-N7	-7.15	107.94	110.80
26	BB	2715	C	C4-C5-C6	-7.15	113.83	117.40
26	BB	2890	G	C4-C5-N7	-7.15	107.94	110.80
45	BU	92	ARG	NE-CZ-NH1	-7.15	116.73	120.30
1	AA	1061	G	C8-N9-C1'	7.15	136.29	127.00
26	BB	742	A	C5-C6-N1	7.15	121.27	117.70
26	BB	1221	C	O4'-C1'-N1	7.15	113.92	108.20
26	BB	2079	U	C1'-O4'-C4'	7.15	115.62	109.90
26	BB	2539	C	N3-C2-O2	-7.15	116.90	121.90
1	AA	115	G	C4-C5-N7	7.14	113.66	110.80
1	AA	115	G	C5-N7-C8	-7.14	100.73	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	177	G	N9-C4-C5	7.14	108.26	105.40
1	AA	248	C	C6-N1-C2	7.14	123.16	120.30
1	AA	1241	G	C4-C5-N7	7.14	113.66	110.80
26	BB	245	G	C4-C5-C6	7.14	123.09	118.80
26	BB	610	C	N1-C2-N3	-7.14	114.20	119.20
26	BB	2167	U	C5-C6-N1	7.14	126.27	122.70
26	BB	2584	U	C6-N1-C2	-7.14	116.71	121.00
26	BB	2607	G	N1-C6-O6	7.14	124.19	119.90
1	AA	179	A	C3'-C2'-C1'	-7.14	95.79	101.50
1	AA	578	C	C2-N3-C4	7.14	123.47	119.90
1	AA	726	C	O4'-C1'-N1	7.14	113.91	108.20
1	AA	1346	A	N7-C8-N9	-7.14	110.23	113.80
26	BB	237	C	N1-C2-N3	-7.14	114.20	119.20
26	BB	619	G	C8-N9-C4	-7.14	103.54	106.40
26	BB	1853	A	C6-N1-C2	-7.14	114.31	118.60
26	BB	1899	A	C4-C5-C6	-7.14	113.43	117.00
26	BB	2639	A	C5-C6-N1	-7.14	114.13	117.70
26	BB	2811	G	N3-C4-C5	-7.14	125.03	128.60
7	AG	103	ARG	NE-CZ-NH1	7.14	123.87	120.30
26	BB	1358	G	N1-C2-N3	-7.14	119.61	123.90
26	BB	2210	U	N3-C4-O4	7.14	124.40	119.40
26	BB	2253	G	C5-N7-C8	-7.14	100.73	104.30
1	AA	242	G	C6-N1-C2	-7.14	120.82	125.10
1	AA	292	G	N1-C2-N3	-7.14	119.62	123.90
1	AA	603	U	N3-C2-O2	-7.14	117.20	122.20
26	BB	987	C	C2'-C3'-O3'	7.14	125.21	109.50
26	BB	1202	G	C8-N9-C4	7.14	109.26	106.40
26	BB	1422	G	N1-C2-N3	-7.14	119.62	123.90
26	BB	1459	G	N1-C2-N3	-7.14	119.62	123.90
26	BB	1931	U	O4'-C1'-C2'	7.14	114.03	107.60
26	BB	1997	C	C4'-C3'-C2'	-7.14	95.46	102.60
26	BB	2230	G	C4-C5-N7	-7.14	107.94	110.80
26	BB	2382	G	O3'-P-O5'	-7.14	90.44	104.00
26	BB	2431	U	N1-C2-O2	7.14	127.80	122.80
26	BB	2477	U	O4'-C1'-N1	7.14	113.91	108.20
26	BB	2744	G	C4'-C3'-C2'	-7.14	95.46	102.60
1	AA	517	G	O4'-C4'-C3'	7.14	111.81	106.10
21	AU	21	ASP	CB-CG-OD1	-7.14	111.88	118.30
26	BB	276	U	N3-C4-C5	7.14	118.88	114.60
26	BB	1127	A	C3'-C2'-C1'	7.14	107.21	101.50
26	BB	1163	G	C5-C6-N1	7.14	115.07	111.50
26	BB	1492	G	N9-C4-C5	7.14	108.25	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2334	U	N1-C2-O2	7.14	127.80	122.80
1	AA	215	C	C5-C4-N4	7.14	125.20	120.20
1	AA	870	U	N3-C4-O4	7.14	124.40	119.40
2	AB	60	U	C5-C4-O4	-7.14	121.62	125.90
26	BB	1166	G	C6-C5-N7	-7.14	126.12	130.40
26	BB	1171	G	N3-C4-N9	-7.14	121.72	126.00
26	BB	1382	G	N3-C4-C5	-7.14	125.03	128.60
26	BB	1802	A	C8-N9-C4	-7.14	102.94	105.80
26	BB	2153	C	N1-C2-O2	7.14	123.18	118.90
26	BB	2835	A	C5-C6-N6	7.14	129.41	123.70
1	AA	854	U	C6-N1-C2	-7.13	116.72	121.00
1	AA	1162	C	N1-C1'-C2'	-7.13	104.15	112.00
26	BB	798	G	C2-N3-C4	7.13	115.47	111.90
26	BB	1189	A	O4'-C1'-N9	7.13	113.91	108.20
26	BB	2215	C	N3-C2-O2	-7.13	116.91	121.90
41	BQ	56	LYS	CA-CB-CG	7.13	129.10	113.40
53	B2	56	ARG	CD-NE-CZ	7.13	133.59	123.60
1	AA	324	G	C8-N9-C4	-7.13	103.55	106.40
1	AA	1403	C	O4'-C1'-N1	7.13	113.91	108.20
1	AA	1454	G	O4'-C1'-N9	7.13	113.91	108.20
26	BB	996	A	C5-C6-N1	7.13	121.27	117.70
26	BB	1553	A	C4-C5-N7	-7.13	107.13	110.70
1	AA	467	U	N3-C2-O2	-7.13	117.21	122.20
1	AA	567	G	N7-C8-N9	7.13	116.67	113.10
1	AA	703	G	C1'-O4'-C4'	7.13	115.60	109.90
1	AA	924	C	O4'-C1'-N1	7.13	113.91	108.20
1	AA	1041	G	N1-C6-O6	7.13	124.18	119.90
13	AM	7	ARG	NE-CZ-NH2	-7.13	116.73	120.30
26	BB	919	U	C4'-C3'-C2'	-7.13	95.47	102.60
26	BB	2212	A	N7-C8-N9	-7.13	110.23	113.80
26	BB	2343	U	C2-N3-C4	-7.13	122.72	127.00
26	BB	2502	G	C5-C6-O6	-7.13	124.32	128.60
26	BB	2736	A	O4'-C1'-N9	7.13	113.91	108.20
1	AA	172	A	C5-N7-C8	-7.13	100.33	103.90
1	AA	845	A	N7-C8-N9	7.13	117.36	113.80
1	AA	1458	G	C5-N7-C8	-7.13	100.73	104.30
26	BB	48	G	N1-C6-O6	-7.13	115.62	119.90
26	BB	849	A	C4-C5-C6	-7.13	113.44	117.00
26	BB	1586	A	C8-N9-C4	-7.13	102.95	105.80
1	AA	670	G	N3-C4-C5	-7.13	125.04	128.60
1	AA	761	G	C6-N1-C2	-7.13	120.82	125.10
1	AA	1114	C	N3-C4-N4	7.13	122.99	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1257	A	O4'-C1'-N9	7.13	113.90	108.20
26	BB	591	U	C5-C6-N1	-7.13	119.14	122.70
26	BB	2033	A	C5-C6-N6	7.13	129.40	123.70
26	BB	2101	A	N1-C6-N6	7.13	122.88	118.60
4	AD	26	C	O4'-C1'-N1	7.13	113.90	108.20
4	AD	62	C	N3-C4-C5	-7.13	119.05	121.90
25	BA	69	G	N3-C4-C5	-7.13	125.04	128.60
26	BB	310	A	C4-C5-N7	-7.13	107.14	110.70
26	BB	472	A	N9-C4-C5	7.13	108.65	105.80
26	BB	2272	U	O4'-C1'-N1	7.13	113.90	108.20
26	BB	2468	A	C8-N9-C4	7.13	108.65	105.80
26	BB	2509	G	C4-C5-N7	-7.13	107.95	110.80
26	BB	2515	C	C5'-C4'-O4'	7.13	117.65	109.10
30	BF	122	GLU	OE1-CD-OE2	7.13	131.85	123.30
1	AA	1055	A	C6-N1-C2	-7.12	114.33	118.60
1	AA	1280	A	C6-N1-C2	7.12	122.88	118.60
1	AA	1487	G	N7-C8-N9	7.12	116.66	113.10
26	BB	1578	U	C2-N3-C4	-7.12	122.72	127.00
26	BB	2254	C	N3-C2-O2	-7.12	116.91	121.90
1	AA	11	G	C6-N1-C2	-7.12	120.83	125.10
1	AA	699	C	C5-C6-N1	7.12	124.56	121.00
26	BB	370	G	N7-C8-N9	7.12	116.66	113.10
26	BB	570	G	C1'-O4'-C4'	-7.12	104.20	109.90
26	BB	694	U	C6-N1-C2	7.12	125.27	121.00
26	BB	914	G	N3-C4-C5	-7.12	125.04	128.60
26	BB	2280	G	C5-C6-O6	7.12	132.87	128.60
26	BB	2729	G	N3-C2-N2	-7.12	114.91	119.90
1	AA	322	C	N3-C4-C5	-7.12	119.05	121.90
1	AA	1264	U	N3-C2-O2	-7.12	117.22	122.20
1	AA	1301	U	C4-C5-C6	7.12	123.97	119.70
26	BB	471	A	O4'-C1'-N9	7.12	113.90	108.20
29	BE	82	PHE	CB-CG-CD1	-7.12	115.81	120.80
1	AA	302	G	C1'-O4'-C4'	-7.12	104.20	109.90
1	AA	304	U	C5'-C4'-C3'	-7.12	104.61	116.00
2	AB	34	C	N3-C2-O2	-7.12	116.92	121.90
26	BB	153	U	C2-N3-C4	-7.12	122.73	127.00
26	BB	179	C	C2-N3-C4	7.12	123.46	119.90
26	BB	1360	G	C8-N9-C4	-7.12	103.55	106.40
1	AA	165	G	N1-C6-O6	-7.12	115.63	119.90
1	AA	456	A	C5-C6-N6	-7.12	118.00	123.70
1	AA	465	A	O4'-C1'-C2'	-7.12	98.68	105.80
1	AA	541	G	N3-C2-N2	-7.12	114.92	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1015	G	C5-C6-O6	-7.12	124.33	128.60
1	AA	1261	A	C1'-O4'-C4'	-7.12	104.20	109.90
1	AA	1340	A	C4-C5-N7	-7.12	107.14	110.70
1	AA	1354	U	N3-C2-O2	-7.12	117.22	122.20
2	AB	59	G	C3'-C2'-C1'	7.12	107.19	101.50
26	BB	770	G	O4'-C1'-N9	7.12	113.89	108.20
26	BB	1296	G	C6-C5-N7	-7.12	126.13	130.40
26	BB	2089	C	C6-N1-C2	7.12	123.15	120.30
26	BB	2567	G	N1-C6-O6	-7.12	115.63	119.90
27	BC	118	PRO	N-CA-CB	7.12	111.84	103.30
1	AA	1055	A	N1-C2-N3	7.12	132.86	129.30
1	AA	1413	A	C8-N9-C4	-7.12	102.95	105.80
16	AP	69	ARG	NE-CZ-NH2	7.12	123.86	120.30
26	BB	140	C	N3-C4-C5	-7.12	119.05	121.90
26	BB	246	C	C1'-O4'-C4'	7.12	115.59	109.90
26	BB	532	A	N1-C2-N3	7.12	132.86	129.30
1	AA	43	C	N3-C4-N4	7.12	122.98	118.00
1	AA	779	C	C5-C4-N4	-7.12	115.22	120.20
1	AA	1102	A	N1-C2-N3	-7.12	125.74	129.30
1	AA	1487	G	C8-N9-C4	-7.12	103.55	106.40
26	BB	181	A	N1-C6-N6	7.12	122.87	118.60
26	BB	544	C	N1-C2-O2	-7.12	114.63	118.90
26	BB	753	A	C4'-C3'-C2'	-7.12	95.48	102.60
26	BB	898	C	C1'-O4'-C4'	-7.12	104.21	109.90
26	BB	1051	G	C6-N1-C2	-7.12	120.83	125.10
26	BB	1063	G	N3-C2-N2	-7.12	114.92	119.90
26	BB	1098	A	C6-C5-N7	7.12	137.28	132.30
26	BB	1478	G	C3'-C2'-C1'	7.12	107.19	101.50
31	BG	149	ARG	NE-CZ-NH1	-7.12	116.74	120.30
39	BO	68	PHE	CG-CD1-CE1	-7.12	112.97	120.80
47	BW	63	ALA	CB-CA-C	7.12	120.77	110.10
1	AA	334	C	N1-C1'-C2'	-7.11	104.17	112.00
1	AA	1195	C	C5'-C4'-O4'	7.11	117.64	109.10
1	AA	1343	G	O4'-C1'-N9	7.11	113.89	108.20
1	AA	1456	A	P-O3'-C3'	7.11	128.24	119.70
3	AC	58	C	N1-C2-N3	7.11	124.18	119.20
25	BA	25	U	N3-C2-O2	-7.11	117.22	122.20
26	BB	102	U	C2-N3-C4	-7.11	122.73	127.00
26	BB	341	C	C4'-C3'-C2'	-7.11	95.49	102.60
26	BB	654	A	C5-C6-N6	-7.11	118.01	123.70
26	BB	734	A	C2-N3-C4	7.11	114.16	110.60
26	BB	794	A	C5'-C4'-O4'	7.11	117.64	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	894	U	N1-C1'-C2'	-7.11	104.18	112.00
26	BB	1324	G	N9-C4-C5	7.11	108.25	105.40
26	BB	1401	G	C8-N9-C4	-7.11	103.56	106.40
26	BB	1421	G	C6-C5-N7	-7.11	126.13	130.40
26	BB	2274	A	O4'-C1'-N9	7.11	113.89	108.20
26	BB	2377	A	C5-C6-N6	-7.11	118.01	123.70
26	BB	2744	G	C3'-C2'-C1'	7.11	107.19	101.50
1	AA	1247	U	O4'-C1'-N1	7.11	113.89	108.20
1	AA	1427	C	N3-C4-C5	7.11	124.75	121.90
26	BB	510	C	P-O3'-C3'	7.11	128.23	119.70
26	BB	610	C	C5'-C4'-O4'	7.11	117.64	109.10
26	BB	2080	A	N7-C8-N9	7.11	117.36	113.80
1	AA	1090	U	N1-C1'-C2'	-7.11	104.18	112.00
1	AA	1482	G	N9-C4-C5	7.11	108.24	105.40
1	AA	1512	U	N3-C4-C5	-7.11	110.33	114.60
26	BB	193	U	N1-C2-N3	7.11	119.17	114.90
26	BB	297	G	C8-N9-C4	-7.11	103.56	106.40
26	BB	549	G	C8-N9-C4	7.11	109.24	106.40
26	BB	1239	G	N3-C4-N9	7.11	130.27	126.00
26	BB	1381	G	C6-N1-C2	-7.11	120.83	125.10
26	BB	2184	A	N9-C4-C5	-7.11	102.96	105.80
26	BB	2340	A	N7-C8-N9	7.11	117.36	113.80
1	AA	1028	C	N1-C2-N3	-7.11	114.22	119.20
1	AA	1338	G	O4'-C1'-N9	7.11	113.89	108.20
26	BB	142	A	C8-N9-C4	-7.11	102.96	105.80
26	BB	775	G	C6-N1-C2	-7.11	120.83	125.10
26	BB	1865	U	C1'-O4'-C4'	-7.11	104.21	109.90
26	BB	2650	U	N3-C4-O4	7.11	124.38	119.40
1	AA	894	G	N9-C4-C5	7.11	108.24	105.40
1	AA	942	G	C6-C5-N7	-7.11	126.14	130.40
1	AA	1475	G	C1'-O4'-C4'	-7.11	104.21	109.90
26	BB	271	G	C8-N9-C1'	7.11	136.24	127.00
26	BB	337	C	N3-C4-N4	7.11	122.97	118.00
26	BB	416	U	N3-C4-O4	7.11	124.38	119.40
26	BB	430	A	P-O3'-C3'	7.11	128.23	119.70
26	BB	433	C	C6-N1-C2	-7.11	117.46	120.30
26	BB	454	A	C6-N1-C2	7.11	122.86	118.60
26	BB	593	U	N3-C4-O4	7.11	124.38	119.40
26	BB	1156	A	N9-C4-C5	7.11	108.64	105.80
26	BB	1764	C	C3'-C2'-C1'	-7.11	95.81	101.50
26	BB	2260	C	C5'-C4'-C3'	-7.11	104.63	116.00
1	AA	296	U	C3'-C2'-C1'	-7.11	95.82	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	743	A	N1-C6-N6	-7.11	114.34	118.60
1	AA	1047	G	C2-N3-C4	7.11	115.45	111.90
1	AA	1231	G	O4'-C1'-N9	7.11	113.88	108.20
1	AA	1416	G	C5-C6-N1	7.11	115.05	111.50
1	AA	1527	U	N3-C4-O4	7.11	124.37	119.40
26	BB	296	U	N1-C2-N3	7.11	119.16	114.90
26	BB	1441	G	N9-C4-C5	-7.11	102.56	105.40
26	BB	1837	C	N1-C2-O2	7.11	123.16	118.90
26	BB	2006	C	N3-C2-O2	-7.11	116.93	121.90
26	BB	2143	C	P-O3'-C3'	7.11	128.23	119.70
26	BB	2250	G	N7-C8-N9	7.11	116.65	113.10
25	BA	26	C	C5-C4-N4	-7.10	115.23	120.20
26	BB	962	G	O4'-C1'-N9	7.10	113.88	108.20
26	BB	1969	A	N7-C8-N9	-7.10	110.25	113.80
1	AA	710	G	C6-N1-C2	-7.10	120.84	125.10
1	AA	760	G	C6-C5-N7	7.10	134.66	130.40
1	AA	837	U	N3-C4-C5	7.10	118.86	114.60
26	BB	454	A	C1'-O4'-C4'	7.10	115.58	109.90
1	AA	450	G	C1'-O4'-C4'	-7.10	104.22	109.90
26	BB	466	A	C4-C5-C6	7.10	120.55	117.00
26	BB	718	A	C4-C5-C6	-7.10	113.45	117.00
26	BB	1488	C	N3-C2-O2	-7.10	116.93	121.90
26	BB	2050	C	C4-C5-C6	-7.10	113.85	117.40
26	BB	2151	U	C5-C4-O4	-7.10	121.64	125.90
26	BB	2684	U	C5-C6-N1	-7.10	119.15	122.70
1	AA	348	G	C5-C6-N1	7.10	115.05	111.50
1	AA	1158	C	N3-C4-N4	7.10	122.97	118.00
1	AA	1330	U	C3'-C2'-C1'	7.10	107.18	101.50
1	AA	1475	G	N3-C2-N2	-7.10	114.93	119.90
26	BB	874	G	C4'-C3'-C2'	-7.10	95.50	102.60
26	BB	1251	C	N3-C4-C5	-7.10	119.06	121.90
26	BB	2035	G	C5-C6-N1	7.10	115.05	111.50
1	AA	31	G	C5-N7-C8	-7.10	100.75	104.30
25	BA	62	C	C6-N1-C2	-7.10	117.46	120.30
26	BB	548	G	N3-C2-N2	-7.10	114.93	119.90
26	BB	1607	C	C5-C4-N4	-7.10	115.23	120.20
26	BB	2644	G	C2-N3-C4	-7.10	108.35	111.90
26	BB	2831	G	N3-C4-C5	-7.10	125.05	128.60
1	AA	1169	A	N1-C6-N6	7.10	122.86	118.60
26	BB	1080	A	C6-C5-N7	-7.10	127.33	132.30
26	BB	1424	G	O4'-C1'-N9	7.10	113.88	108.20
26	BB	2072	C	C1'-O4'-C4'	-7.10	104.22	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2308	G	C5-C6-N1	-7.10	107.95	111.50
1	AA	42	G	C6-N1-C2	7.09	129.36	125.10
1	AA	1147	C	C5-C4-N4	-7.09	115.23	120.20
15	AO	30	ARG	NE-CZ-NH1	7.09	123.85	120.30
26	BB	26	G	N3-C4-C5	-7.09	125.05	128.60
26	BB	565	C	N3-C2-O2	-7.09	116.94	121.90
26	BB	919	U	N3-C4-C5	-7.09	110.34	114.60
26	BB	1122	G	N9-C4-C5	7.09	108.24	105.40
26	BB	1161	C	C2-N3-C4	7.09	123.45	119.90
1	AA	146	G	C5-N7-C8	-7.09	100.75	104.30
2	AB	44	G	C4-C5-N7	-7.09	107.96	110.80
1	AA	197	A	C5-C6-N1	7.09	121.25	117.70
1	AA	372	C	P-O3'-C3'	7.09	128.21	119.70
1	AA	1039	G	C4-C5-N7	7.09	113.64	110.80
25	BA	52	A	O4'-C1'-N9	7.09	113.87	108.20
26	BB	11	C	C4'-C3'-C2'	-7.09	95.51	102.60
26	BB	1409	U	N1-C1'-C2'	-7.09	104.20	112.00
26	BB	2657	A	O4'-C4'-C3'	7.09	111.77	106.10
26	BB	2879	A	C5-C6-N1	7.09	121.25	117.70
1	AA	401	C	N3-C4-N4	7.09	122.96	118.00
1	AA	816	A	C6-N1-C2	7.09	122.85	118.60
1	AA	872	A	C4-C5-N7	-7.09	107.16	110.70
1	AA	1183	U	N1-C2-O2	7.09	127.76	122.80
25	BA	83	G	C5'-C4'-O4'	7.09	117.61	109.10
26	BB	705	A	C4-C5-C6	-7.09	113.45	117.00
26	BB	1277	G	C8-N9-C4	-7.09	103.56	106.40
26	BB	2442	C	O4'-C1'-N1	7.09	113.87	108.20
26	BB	2662	A	C2-N3-C4	-7.09	107.06	110.60
26	BB	2675	A	C8-N9-C4	-7.09	102.96	105.80
1	AA	42	G	N3-C4-C5	-7.09	125.06	128.60
1	AA	409	U	C2-N3-C4	-7.09	122.75	127.00
1	AA	639	G	N3-C2-N2	-7.09	114.94	119.90
1	AA	818	G	C6-C5-N7	-7.09	126.15	130.40
1	AA	1234	C	N3-C4-C5	-7.09	119.06	121.90
26	BB	535	G	N9-C1'-C2'	-7.09	104.20	112.00
26	BB	2055	C	C2-N3-C4	7.09	123.44	119.90
26	BB	2199	A	O4'-C4'-C3'	7.09	111.77	106.10
26	BB	2646	C	N1-C2-N3	-7.09	114.24	119.20
1	AA	286	C	C4-C5-C6	-7.09	113.86	117.40
1	AA	626	G	C5-N7-C8	-7.09	100.76	104.30
1	AA	945	G	N7-C8-N9	-7.09	109.56	113.10
1	AA	1252	A	C3'-C2'-C1'	7.09	107.17	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	14	A	N1-C6-N6	-7.09	114.35	118.60
3	AC	40	G	N7-C8-N9	7.09	116.64	113.10
4	AD	24	C	C6-N1-C2	-7.09	117.47	120.30
25	BA	81	G	C4-C5-N7	7.09	113.64	110.80
1	AA	577	G	C2-N3-C4	7.08	115.44	111.90
26	BB	832	U	C5'-C4'-O4'	7.08	117.60	109.10
26	BB	2371	G	C6-C5-N7	7.08	134.65	130.40
1	AA	198	G	O4'-C4'-C3'	-7.08	96.92	104.00
1	AA	677	U	O4'-C1'-N1	7.08	113.87	108.20
1	AA	806	C	N3-C4-N4	7.08	122.96	118.00
1	AA	1331	G	C6-C5-N7	-7.08	126.15	130.40
1	AA	1442	G	C5-N7-C8	7.08	107.84	104.30
25	BA	20	G	C8-N9-C4	-7.08	103.57	106.40
26	BB	668	A	N1-C2-N3	7.08	132.84	129.30
26	BB	710	U	N3-C4-C5	-7.08	110.35	114.60
26	BB	2201	G	C8-N9-C1'	7.08	136.21	127.00
26	BB	2363	G	C3'-C2'-C1'	-7.08	95.83	101.50
26	BB	2408	U	N1-C2-N3	7.08	119.15	114.90
39	BO	103	TYR	CG-CD1-CE1	-7.08	115.63	121.30
1	AA	106	C	C2-N3-C4	7.08	123.44	119.90
1	AA	198	G	N3-C4-N9	7.08	130.25	126.00
1	AA	767	A	C2-N3-C4	7.08	114.14	110.60
1	AA	850	U	C4-C5-C6	7.08	123.95	119.70
1	AA	1217	C	C4-C5-C6	-7.08	113.86	117.40
26	BB	581	C	O4'-C1'-N1	7.08	113.86	108.20
26	BB	613	A	C6-C5-N7	7.08	137.26	132.30
26	BB	690	G	C4-C5-C6	7.08	123.05	118.80
26	BB	742	A	N1-C2-N3	-7.08	125.76	129.30
26	BB	1522	A	C6-C5-N7	7.08	137.26	132.30
26	BB	2675	A	N3-C4-C5	-7.08	121.84	126.80
26	BB	289	G	N9-C4-C5	7.08	108.23	105.40
26	BB	2015	A	C5-C6-N1	7.08	121.24	117.70
1	AA	725	G	C5-C6-O6	-7.08	124.35	128.60
25	BA	64	G	C5-N7-C8	-7.08	100.76	104.30
26	BB	334	C	C3'-C2'-C1'	7.08	107.16	101.50
26	BB	855	G	N1-C2-N3	7.08	128.15	123.90
26	BB	1138	G	N7-C8-N9	7.08	116.64	113.10
26	BB	2684	U	O4'-C1'-N1	7.08	113.86	108.20
26	BB	2856	A	C6-N1-C2	-7.08	114.35	118.60
1	AA	568	G	C8-N9-C4	-7.08	103.57	106.40
1	AA	865	A	N9-C4-C5	7.08	108.63	105.80
26	BB	905	A	C5'-C4'-C3'	-7.08	104.68	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1580	A	C5-C6-N1	7.08	121.24	117.70
26	BB	1716	U	N3-C4-O4	7.08	124.35	119.40
1	AA	67	C	C4-C5-C6	-7.08	113.86	117.40
1	AA	376	G	N3-C4-N9	-7.08	121.75	126.00
1	AA	581	G	N3-C2-N2	7.08	124.85	119.90
1	AA	901	A	N3-C4-C5	-7.08	121.85	126.80
1	AA	1212	U	O4'-C1'-N1	7.08	113.86	108.20
26	BB	178	G	N9-C1'-C2'	-7.08	104.22	112.00
26	BB	535	G	O4'-C1'-N9	7.08	113.86	108.20
26	BB	995	C	N3-C4-C5	-7.08	119.07	121.90
26	BB	1073	A	N9-C1'-C2'	-7.08	104.22	112.00
26	BB	1288	G	N9-C4-C5	7.08	108.23	105.40
26	BB	1567	G	N3-C4-C5	-7.08	125.06	128.60
26	BB	1659	G	N1-C2-N2	7.08	122.57	116.20
26	BB	2002	G	O4'-C1'-N9	7.08	113.86	108.20
26	BB	2259	U	C2-N3-C4	-7.08	122.75	127.00
1	AA	75	G	C5-C6-N1	-7.07	107.96	111.50
1	AA	273	U	C2-N3-C4	-7.07	122.76	127.00
1	AA	540	G	O4'-C1'-N9	7.07	113.86	108.20
26	BB	464	U	C4'-C3'-C2'	7.07	109.67	102.60
26	BB	706	A	C5-N7-C8	7.07	107.44	103.90
26	BB	1619	G	C6-N1-C2	-7.07	120.86	125.10
26	BB	2881	U	N1-C2-O2	-7.07	117.85	122.80
1	AA	1047	G	N1-C6-O6	7.07	124.14	119.90
26	BB	1137	G	C8-N9-C4	-7.07	103.57	106.40
26	BB	2286	G	C5-C6-O6	-7.07	124.36	128.60
26	BB	2876	G	C8-N9-C4	-7.07	103.57	106.40
1	AA	111	G	N7-C8-N9	7.07	116.64	113.10
1	AA	505	G	N1-C6-O6	-7.07	115.66	119.90
1	AA	1266	G	N7-C8-N9	7.07	116.64	113.10
25	BA	98	G	C5-N7-C8	-7.07	100.77	104.30
26	BB	789	A	C5'-C4'-O4'	7.07	117.59	109.10
26	BB	1126	A	C5-C6-N1	7.07	121.23	117.70
26	BB	1384	A	C5'-C4'-O4'	7.07	117.58	109.10
26	BB	1705	A	C5-N7-C8	7.07	107.44	103.90
26	BB	1740	G	C6-C5-N7	-7.07	126.16	130.40
26	BB	53	A	C6-C5-N7	7.07	137.25	132.30
26	BB	1661	G	C4'-C3'-C2'	-7.07	95.53	102.60
1	AA	247	G	N1-C6-O6	7.07	124.14	119.90
1	AA	747	A	C4-C5-N7	-7.07	107.17	110.70
1	AA	1275	A	C4'-C3'-C2'	-7.07	95.53	102.60
2	AB	62	U	C5-C6-N1	-7.07	119.17	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	32	C	N3-C4-C5	-7.07	119.07	121.90
26	BB	2439	A	C4-C5-N7	-7.07	107.17	110.70
26	BB	2555	U	N3-C2-O2	-7.07	117.25	122.20
26	BB	2807	U	O4'-C1'-N1	7.07	113.85	108.20
26	BB	2833	U	O4'-C1'-N1	7.07	113.86	108.20
40	BP	8	ARG	NE-CZ-NH1	7.07	123.83	120.30
1	AA	415	A	C5-N7-C8	-7.07	100.37	103.90
1	AA	635	A	N7-C8-N9	7.07	117.33	113.80
1	AA	1306	A	C8-N9-C4	-7.07	102.97	105.80
1	AA	1473	G	C5'-C4'-O4'	7.07	117.58	109.10
2	AB	68	C	O4'-C1'-N1	7.07	113.85	108.20
26	BB	54	G	C8-N9-C4	-7.07	103.57	106.40
26	BB	68	G	P-O3'-C3'	7.07	128.18	119.70
26	BB	88	G	N1-C6-O6	-7.07	115.66	119.90
26	BB	150	U	O4'-C1'-N1	7.07	113.85	108.20
26	BB	291	G	N3-C4-N9	7.07	130.24	126.00
26	BB	527	C	C6-N1-C2	-7.07	117.47	120.30
26	BB	619	G	C2-N3-C4	7.07	115.43	111.90
26	BB	843	G	C5-C6-O6	-7.07	124.36	128.60
26	BB	951	C	C4-C5-C6	-7.07	113.87	117.40
26	BB	1057	A	O4'-C1'-N9	7.07	113.85	108.20
1	AA	941	G	C5-C6-N1	7.06	115.03	111.50
1	AA	1263	C	O4'-C1'-N1	7.06	113.85	108.20
1	AA	1511	G	C5-C6-N1	7.06	115.03	111.50
26	BB	596	U	C5-C4-O4	7.06	130.14	125.90
26	BB	1036	G	P-O3'-C3'	7.06	128.18	119.70
26	BB	1807	G	N3-C4-N9	7.06	130.24	126.00
26	BB	2113	U	C5'-C4'-O4'	7.06	117.58	109.10
26	BB	2470	G	N9-C4-C5	7.06	108.23	105.40
26	BB	2529	G	C6-N1-C2	-7.06	120.86	125.10
26	BB	2576	G	N9-C4-C5	7.06	108.22	105.40
1	AA	938	A	C5-N7-C8	7.06	107.43	103.90
16	AP	22	TYR	CB-CG-CD2	-7.06	116.76	121.00
26	BB	1339	G	C6-C5-N7	7.06	134.64	130.40
26	BB	1359	A	C4-C5-C6	-7.06	113.47	117.00
26	BB	1559	U	O4'-C1'-N1	7.06	113.85	108.20
26	BB	2282	G	C5-C6-N1	7.06	115.03	111.50
26	BB	2429	G	C4-C5-C6	7.06	123.04	118.80
26	BB	2650	U	O4'-C1'-N1	7.06	113.85	108.20
26	BB	2754	U	C6-N1-C2	-7.06	116.76	121.00
1	AA	858	G	C4-C5-N7	7.06	113.62	110.80
1	AA	1004	A	C5'-C4'-O4'	7.06	117.57	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	318	C	N1-C2-O2	7.06	123.14	118.90
26	BB	1237	A	C4'-C3'-C2'	-7.06	95.54	102.60
26	BB	1703	G	C2-N3-C4	7.06	115.43	111.90
26	BB	2565	A	C6-C5-N7	7.06	137.24	132.30
1	AA	791	G	C5-C6-N1	7.06	115.03	111.50
1	AA	1362	A	C3'-C2'-C1'	7.06	107.15	101.50
26	BB	440	C	C5-C6-N1	7.06	124.53	121.00
26	BB	677	A	C4-C5-N7	-7.06	107.17	110.70
26	BB	859	G	P-O3'-C3'	7.06	128.17	119.70
26	BB	996	A	N9-C1'-C2'	-7.06	104.23	112.00
26	BB	1144	A	C3'-C2'-C1'	7.06	107.15	101.50
26	BB	1204	A	C8-N9-C4	-7.06	102.98	105.80
26	BB	1426	G	N9-C4-C5	7.06	108.22	105.40
26	BB	1876	A	C5-C6-N1	-7.06	114.17	117.70
26	BB	2802	G	C8-N9-C4	-7.06	103.58	106.40
1	AA	580	C	N1-C2-O2	7.06	123.14	118.90
1	AA	876	C	C4'-C3'-C2'	-7.06	95.54	102.60
26	BB	140	C	N1-C2-N3	-7.06	114.26	119.20
26	BB	218	A	C8-N9-C4	-7.06	102.98	105.80
26	BB	233	A	C4-C5-N7	-7.06	107.17	110.70
26	BB	553	G	N9-C4-C5	7.06	108.22	105.40
26	BB	708	G	C6-N1-C2	-7.06	120.86	125.10
26	BB	2197	U	C6-N1-C2	-7.06	116.77	121.00
1	AA	317	U	C5-C4-O4	-7.06	121.67	125.90
1	AA	618	C	C1'-O4'-C4'	-7.06	104.25	109.90
26	BB	804	A	P-O3'-C3'	7.06	128.17	119.70
26	BB	825	A	O4'-C1'-N9	7.06	113.84	108.20
1	AA	567	G	C6-N1-C2	-7.05	120.87	125.10
1	AA	1077	G	N3-C4-C5	-7.05	125.07	128.60
1	AA	1270	G	N7-C8-N9	7.05	116.63	113.10
1	AA	1509	C	C6-N1-C2	-7.05	117.48	120.30
26	BB	757	G	C6-N1-C2	-7.05	120.87	125.10
26	BB	1271	G	N7-C8-N9	-7.05	109.57	113.10
26	BB	2272	U	C5'-C4'-O4'	7.05	117.57	109.10
26	BB	2633	G	O4'-C1'-N9	7.05	113.84	108.20
1	AA	675	A	C8-N9-C4	-7.05	102.98	105.80
1	AA	877	G	O4'-C1'-N9	7.05	113.84	108.20
1	AA	1236	A	N3-C4-C5	7.05	131.74	126.80
1	AA	1273	C	C4'-C3'-C2'	-7.05	95.55	102.60
26	BB	2396	G	C5-C6-O6	-7.05	124.37	128.60
1	AA	333	U	O4'-C1'-N1	7.05	113.84	108.20
1	AA	438	U	C4-C5-C6	7.05	123.93	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	858	G	N7-C8-N9	7.05	116.63	113.10
1	AA	1154	G	N3-C4-N9	7.05	130.23	126.00
1	AA	1386	G	N3-C2-N2	-7.05	114.96	119.90
2	AB	51	G	C5-C6-O6	-7.05	124.37	128.60
2	AB	71	C	N1-C2-O2	7.05	123.13	118.90
25	BA	5	U	C1'-O4'-C4'	-7.05	104.26	109.90
26	BB	294	A	C5'-C4'-O4'	7.05	117.56	109.10
26	BB	463	G	C4-C5-C6	7.05	123.03	118.80
26	BB	564	C	C5-C6-N1	-7.05	117.47	121.00
26	BB	1044	C	C3'-C2'-C1'	-7.05	95.86	101.50
26	BB	1679	A	C6-C5-N7	7.05	137.24	132.30
26	BB	2890	G	C6-N1-C2	7.05	129.33	125.10
1	AA	852	G	N9-C4-C5	-7.05	102.58	105.40
26	BB	528	A	N9-C4-C5	7.05	108.62	105.80
26	BB	535	G	C5-C6-O6	-7.05	124.37	128.60
26	BB	770	G	N7-C8-N9	7.05	116.62	113.10
26	BB	800	A	P-O3'-C3'	7.05	128.16	119.70
26	BB	1009	A	N1-C2-N3	-7.05	125.78	129.30
26	BB	1894	C	C4-C5-C6	-7.05	113.88	117.40
40	BP	64	ARG	NE-CZ-NH1	-7.05	116.78	120.30
1	AA	479	U	C4-C5-C6	7.05	123.93	119.70
26	BB	1270	C	C3'-C2'-C1'	7.05	107.14	101.50
26	BB	1453	A	N9-C4-C5	7.05	108.62	105.80
26	BB	1762	A	N1-C6-N6	7.05	122.83	118.60
1	AA	350	G	C5-C6-N1	7.05	115.02	111.50
1	AA	654	G	C8-N9-C4	-7.05	103.58	106.40
1	AA	1077	G	C4-C5-N7	-7.05	107.98	110.80
1	AA	1217	C	N3-C4-C5	-7.05	119.08	121.90
1	AA	1307	U	C5'-C4'-O4'	7.05	117.56	109.10
1	AA	1341	U	C4-C5-C6	7.05	123.93	119.70
2	AB	12	U	P-O3'-C3'	7.05	128.16	119.70
26	BB	105	C	C5-C4-N4	-7.05	115.27	120.20
26	BB	744	U	C4'-C3'-C2'	-7.05	95.55	102.60
26	BB	788	A	C5-N7-C8	-7.05	100.38	103.90
26	BB	1052	C	N3-C4-C5	7.05	124.72	121.90
26	BB	1220	G	C8-N9-C4	-7.05	103.58	106.40
26	BB	1231	U	C4'-C3'-C2'	-7.05	95.55	102.60
26	BB	1420	A	N9-C1'-C2'	-7.05	104.25	112.00
26	BB	1553	A	C6-C5-N7	7.05	137.23	132.30
26	BB	2235	G	C5-C6-O6	7.05	132.83	128.60
26	BB	2550	G	C2-N3-C4	7.05	115.42	111.90
26	BB	2655	G	O4'-C1'-N9	7.05	113.84	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	56	U	N3-C2-O2	-7.04	117.27	122.20
1	AA	702	A	N1-C6-N6	-7.04	114.37	118.60
26	BB	889	C	C2-N3-C4	7.04	123.42	119.90
26	BB	1338	G	N3-C2-N2	-7.04	114.97	119.90
1	AA	393	A	N1-C6-N6	-7.04	114.37	118.60
1	AA	854	U	C5'-C4'-O4'	-7.04	100.65	109.10
1	AA	1252	A	C4'-C3'-C2'	-7.04	95.56	102.60
26	BB	88	G	N1-C2-N2	-7.04	109.86	116.20
26	BB	1295	C	O4'-C1'-N1	7.04	113.83	108.20
26	BB	1478	G	C2-N3-C4	7.04	115.42	111.90
26	BB	2850	A	N1-C2-N3	-7.04	125.78	129.30
1	AA	646	G	C8-N9-C4	-7.04	103.58	106.40
1	AA	1410	A	N1-C6-N6	-7.04	114.38	118.60
25	BA	41	G	C8-N9-C4	-7.04	103.58	106.40
26	BB	326	G	C6-C5-N7	7.04	134.62	130.40
26	BB	1575	C	N3-C2-O2	-7.04	116.97	121.90
26	BB	2387	U	C2-N3-C4	-7.04	122.78	127.00
26	BB	2782	G	N3-C4-C5	-7.04	125.08	128.60
1	AA	30	U	C5-C6-N1	-7.04	119.18	122.70
1	AA	465	A	C5-C6-N1	7.04	121.22	117.70
25	BA	109	A	C5'-C4'-O4'	7.04	117.55	109.10
26	BB	273	G	C2-N3-C4	7.04	115.42	111.90
26	BB	1256	G	C3'-C2'-C1'	-7.04	95.87	101.50
26	BB	1745	A	N1-C2-N3	-7.04	125.78	129.30
1	AA	419	C	N3-C4-N4	7.04	122.93	118.00
1	AA	924	C	N3-C2-O2	-7.04	116.97	121.90
26	BB	656	G	N3-C4-N9	-7.04	121.78	126.00
26	BB	1807	G	N9-C4-C5	7.04	108.22	105.40
26	BB	2314	A	N3-C4-C5	-7.04	121.87	126.80
26	BB	2367	G	N3-C4-C5	-7.04	125.08	128.60
26	BB	2481	G	O4'-C1'-N9	7.04	113.83	108.20
1	AA	262	A	C6-N1-C2	7.04	122.82	118.60
1	AA	327	A	N1-C2-N3	-7.04	125.78	129.30
1	AA	1490	U	C1'-O4'-C4'	-7.04	104.27	109.90
25	BA	46	A	C5-N7-C8	7.04	107.42	103.90
26	BB	2726	A	N7-C8-N9	7.04	117.32	113.80
1	AA	330	C	P-O3'-C3'	7.04	128.14	119.70
1	AA	337	G	C2-N3-C4	-7.04	108.38	111.90
1	AA	346	G	N3-C4-N9	7.04	130.22	126.00
1	AA	371	A	C8-N9-C4	-7.04	102.99	105.80
1	AA	752	G	C5-C6-O6	7.04	132.82	128.60
1	AA	827	U	N1-C2-O2	7.04	127.72	122.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	852	G	O4'-C1'-N9	7.04	113.83	108.20
2	AB	48	U	C1'-O4'-C4'	-7.04	104.27	109.90
13	AM	43	PRO	N-CA-CB	7.04	111.74	103.30
26	BB	418	C	C6-N1-C2	7.04	123.11	120.30
26	BB	791	C	C5-C4-N4	7.04	125.12	120.20
26	BB	848	C	N3-C2-O2	-7.04	116.97	121.90
26	BB	1168	G	C5-C6-N1	7.04	115.02	111.50
26	BB	1610	A	O4'-C1'-N9	7.04	113.83	108.20
26	BB	2173	A	C1'-O4'-C4'	-7.04	104.27	109.90
1	AA	386	C	N1-C2-O2	7.03	123.12	118.90
1	AA	424	G	O4'-C1'-N9	7.03	113.83	108.20
1	AA	663	A	C1'-O4'-C4'	-7.03	104.27	109.90
1	AA	771	G	C8-N9-C4	-7.03	103.59	106.40
1	AA	1355	G	C4-C5-N7	7.03	113.61	110.80
1	AA	1513	A	C6-N1-C2	7.03	122.82	118.60
26	BB	294	A	C5-N7-C8	7.03	107.42	103.90
26	BB	296	U	N3-C4-C5	-7.03	110.38	114.60
26	BB	808	G	C2-N3-C4	-7.03	108.38	111.90
26	BB	1385	A	P-O3'-C3'	7.03	128.14	119.70
26	BB	1628	G	C4-C5-N7	7.03	113.61	110.80
26	BB	1950	G	C5-C6-O6	7.03	132.82	128.60
26	BB	2160	C	N1-C2-O2	7.03	123.12	118.90
26	BB	2291	U	O4'-C1'-N1	7.03	113.83	108.20
1	AA	1156	G	C4-C5-C6	7.03	123.02	118.80
26	BB	1380	G	N1-C2-N2	-7.03	109.87	116.20
26	BB	1719	G	C4-C5-N7	-7.03	107.99	110.80
26	BB	1097	U	C5-C6-N1	-7.03	119.19	122.70
26	BB	1720	U	P-O3'-C3'	7.03	128.14	119.70
26	BB	2525	G	C8-N9-C4	-7.03	103.59	106.40
34	BJ	130	THR	CA-CB-CG2	7.03	122.24	112.40
1	AA	349	A	C5-C6-N6	-7.03	118.08	123.70
1	AA	720	C	O4'-C4'-C3'	7.03	111.72	106.10
26	BB	267	C	C1'-O4'-C4'	7.03	115.52	109.90
26	BB	597	G	C5'-C4'-O4'	7.03	117.53	109.10
26	BB	710	U	N1-C1'-C2'	-7.03	104.27	112.00
1	AA	32	A	O4'-C1'-N9	7.03	113.82	108.20
1	AA	53	A	N9-C4-C5	7.03	108.61	105.80
1	AA	96	U	C4-C5-C6	7.03	123.92	119.70
1	AA	362	G	C2-N3-C4	-7.03	108.39	111.90
1	AA	481	G	N9-C4-C5	7.03	108.21	105.40
26	BB	1040	A	C1'-O4'-C4'	-7.03	104.28	109.90
26	BB	1205	A	C2-N3-C4	7.03	114.11	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1378	A	C6-C5-N7	7.03	137.22	132.30
26	BB	1425	G	C6-C5-N7	-7.03	126.18	130.40
26	BB	1441	G	C5'-C4'-O4'	7.03	117.53	109.10
26	BB	1522	A	C8-N9-C4	7.03	108.61	105.80
26	BB	2051	A	N9-C4-C5	7.03	108.61	105.80
26	BB	2171	A	N9-C4-C5	-7.03	102.99	105.80
1	AA	208	U	N1-C2-N3	7.03	119.11	114.90
1	AA	558	G	C6-C5-N7	-7.03	126.18	130.40
1	AA	980	C	P-O3'-C3'	7.03	128.13	119.70
1	AA	1037	C	C3'-C2'-C1'	7.03	107.12	101.50
1	AA	1323	G	O4'-C1'-N9	7.03	113.82	108.20
1	AA	1334	G	C8-N9-C4	-7.03	103.59	106.40
26	BB	2	G	C2-N3-C4	7.03	115.41	111.90
26	BB	340	A	C5'-C4'-O4'	7.03	117.53	109.10
26	BB	611	C	C5-C4-N4	-7.03	115.28	120.20
26	BB	997	G	N7-C8-N9	7.03	116.61	113.10
26	BB	1431	A	C5-C6-N1	7.03	121.21	117.70
26	BB	1868	C	C3'-C2'-C1'	7.03	107.12	101.50
26	BB	1908	C	C6-N1-C2	-7.03	117.49	120.30
26	BB	2712	C	C5-C6-N1	7.03	124.51	121.00
1	AA	537	G	N1-C6-O6	7.02	124.11	119.90
1	AA	1468	A	C8-N9-C4	-7.02	102.99	105.80
26	BB	118	A	C6-C5-N7	7.02	137.22	132.30
26	BB	580	U	P-O3'-C3'	7.02	128.13	119.70
26	BB	2191	A	N3-C4-C5	7.02	131.72	126.80
26	BB	2356	U	C5-C6-N1	-7.02	119.19	122.70
26	BB	2489	U	C3'-C2'-C1'	7.02	107.12	101.50
26	BB	2722	G	C1'-O4'-C4'	7.02	115.52	109.90
1	AA	129	A	N1-C2-N3	7.02	132.81	129.30
1	AA	961	U	N3-C2-O2	-7.02	117.28	122.20
1	AA	1108	G	N3-C4-N9	7.02	130.21	126.00
1	AA	1312	G	N3-C4-N9	7.02	130.21	126.00
26	BB	143	C	C5'-C4'-O4'	7.02	117.53	109.10
26	BB	451	U	C4-C5-C6	7.02	123.91	119.70
26	BB	1277	G	O4'-C4'-C3'	-7.02	96.98	104.00
26	BB	1371	G	C4-C5-N7	-7.02	107.99	110.80
26	BB	1451	C	O4'-C4'-C3'	7.02	111.72	106.10
26	BB	1466	U	C3'-C2'-C1'	-7.02	95.88	101.50
26	BB	1907	G	O4'-C1'-C2'	-7.02	98.78	105.80
26	BB	2282	G	C2-N3-C4	7.02	115.41	111.90
26	BB	2295	C	N3-C4-N4	7.02	122.92	118.00
26	BB	2411	A	C6-C5-N7	7.02	137.22	132.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
50	BZ	73	ARG	NE-CZ-NH2	7.02	123.81	120.30
26	BB	563	A	C4-C5-N7	-7.02	107.19	110.70
26	BB	2887	A	C5-C6-N1	7.02	121.21	117.70
33	BI	98	ASP	CB-CG-OD1	-7.02	111.98	118.30
1	AA	414	A	C2-N3-C4	-7.02	107.09	110.60
1	AA	459	A	N9-C4-C5	-7.02	102.99	105.80
1	AA	789	U	C4'-C3'-C2'	7.02	109.62	102.60
2	AB	29	G	N9-C4-C5	7.02	108.21	105.40
3	AC	35	G	C5-C6-O6	7.02	132.81	128.60
26	BB	69	C	N3-C4-N4	7.02	122.91	118.00
26	BB	131	A	O4'-C1'-N9	7.02	113.82	108.20
26	BB	233	A	N3-C4-C5	-7.02	121.89	126.80
26	BB	629	G	C6-N1-C2	-7.02	120.89	125.10
26	BB	834	G	C1'-O4'-C4'	7.02	115.52	109.90
26	BB	1988	G	C4'-C3'-C2'	-7.02	95.58	102.60
26	BB	2561	U	C5-C6-N1	-7.02	119.19	122.70
26	BB	2638	G	P-O3'-C3'	7.02	128.12	119.70
1	AA	404	G	C4'-C3'-C2'	-7.02	95.58	102.60
1	AA	844	G	C4'-C3'-C2'	-7.02	95.58	102.60
1	AA	1238	A	C5-C6-N6	7.02	129.31	123.70
1	AA	1426	G	N1-C6-O6	7.02	124.11	119.90
25	BA	41	G	C6-C5-N7	-7.02	126.19	130.40
26	BB	12	U	C5-C4-O4	-7.02	121.69	125.90
26	BB	620	G	C1'-O4'-C4'	-7.02	104.28	109.90
26	BB	2215	C	N3-C4-N4	7.02	122.91	118.00
26	BB	2520	C	N3-C2-O2	-7.02	116.99	121.90
58	B7	20	ASP	CB-CG-OD1	-7.02	111.98	118.30
1	AA	1062	U	C1'-O4'-C4'	-7.02	104.29	109.90
15	AO	98	ARG	NE-CZ-NH2	-7.02	116.79	120.30
26	BB	2690	U	C5'-C4'-C3'	-7.02	104.77	116.00
1	AA	259	G	N9-C1'-C2'	-7.01	104.28	112.00
1	AA	358	U	N3-C2-O2	-7.01	117.29	122.20
1	AA	1234	C	C6-N1-C2	-7.01	117.49	120.30
1	AA	1335	U	O4'-C1'-N1	7.01	113.81	108.20
25	BA	46	A	O4'-C4'-C3'	7.01	111.71	106.10
25	BA	100	G	C6-N1-C2	-7.01	120.89	125.10
26	BB	52	A	N3-C4-N9	7.01	133.01	127.40
26	BB	326	G	N3-C2-N2	-7.01	114.99	119.90
26	BB	760	G	N3-C4-C5	-7.01	125.09	128.60
26	BB	1253	A	C5-N7-C8	7.01	107.41	103.90
1	AA	233	C	C2-N3-C4	-7.01	116.39	119.90
26	BB	619	G	C5-C6-O6	-7.01	124.39	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2124	G	N7-C8-N9	7.01	116.61	113.10
1	AA	347	G	N1-C6-O6	-7.01	115.69	119.90
1	AA	421	U	N1-C1'-C2'	-7.01	104.29	112.00
1	AA	892	A	O4'-C1'-C2'	7.01	113.91	107.60
1	AA	1527	U	C4'-C3'-C2'	-7.01	95.59	102.60
15	AO	109	ARG	NE-CZ-NH2	7.01	123.81	120.30
26	BB	372	G	N7-C8-N9	7.01	116.61	113.10
26	BB	1020	A	C5-C6-N1	7.01	121.20	117.70
26	BB	1190	G	C4'-C3'-C2'	-7.01	95.59	102.60
26	BB	1598	A	C5'-C4'-O4'	7.01	117.51	109.10
26	BB	2683	C	C2-N3-C4	7.01	123.41	119.90
1	AA	468	A	O4'-C1'-N9	7.01	113.81	108.20
1	AA	1341	U	N1-C2-N3	7.01	119.11	114.90
26	BB	253	C	N1-C2-O2	7.01	123.11	118.90
26	BB	472	A	O4'-C1'-N9	7.01	113.81	108.20
26	BB	2840	C	C5'-C4'-C3'	-7.01	104.78	116.00
1	AA	447	G	C5-C6-O6	7.01	132.81	128.60
26	BB	107	G	O4'-C1'-N9	7.01	113.81	108.20
26	BB	231	A	C2'-C3'-O3'	7.01	124.92	109.50
26	BB	1497	U	C6-N1-C2	7.01	125.20	121.00
1	AA	414	A	N7-C8-N9	-7.01	110.30	113.80
1	AA	742	G	N9-C4-C5	7.01	108.20	105.40
1	AA	1455	G	N9-C4-C5	7.01	108.20	105.40
26	BB	134	G	N9-C4-C5	7.01	108.20	105.40
26	BB	234	U	N3-C2-O2	-7.01	117.30	122.20
26	BB	238	C	N3-C4-N4	7.01	122.91	118.00
26	BB	524	G	C8-N9-C4	-7.01	103.60	106.40
26	BB	1275	A	C8-N9-C4	-7.01	103.00	105.80
26	BB	1295	C	C6-N1-C2	-7.01	117.50	120.30
26	BB	1733	G	O4'-C4'-C3'	7.01	111.70	106.10
26	BB	2127	G	N3-C4-C5	-7.01	125.10	128.60
37	BM	79	PHE	CB-CG-CD2	-7.01	115.89	120.80
1	AA	386	C	C1'-O4'-C4'	7.00	115.50	109.90
1	AA	884	U	C4-C5-C6	7.00	123.90	119.70
26	BB	24	G	N7-C8-N9	7.00	116.60	113.10
26	BB	958	U	C3'-C2'-C1'	7.00	107.10	101.50
26	BB	1331	G	O4'-C1'-N9	7.00	113.80	108.20
26	BB	2103	C	N3-C4-N4	7.00	122.90	118.00
1	AA	890	G	C4-C5-N7	-7.00	108.00	110.80
1	AA	1186	G	C4-C5-N7	7.00	113.60	110.80
1	AA	1496	C	C5-C4-N4	-7.00	115.30	120.20
25	BA	118	C	C1'-O4'-C4'	-7.00	104.30	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	252	G	C5-C6-O6	-7.00	124.40	128.60
26	BB	429	A	C1'-O4'-C4'	7.00	115.50	109.90
26	BB	448	U	C4-C5-C6	7.00	123.90	119.70
26	BB	2379	G	O4'-C1'-N9	7.00	113.80	108.20
1	AA	1155	A	C4-C5-N7	7.00	114.20	110.70
1	AA	1525	G	N3-C2-N2	-7.00	115.00	119.90
25	BA	84	G	N9-C1'-C2'	-7.00	104.30	112.00
26	BB	48	G	O4'-C1'-N9	7.00	113.80	108.20
26	BB	576	U	O4'-C1'-N1	7.00	113.80	108.20
26	BB	577	G	N7-C8-N9	-7.00	109.60	113.10
26	BB	1221	C	N3-C4-N4	7.00	122.90	118.00
26	BB	1297	C	N3-C2-O2	-7.00	117.00	121.90
26	BB	2197	U	C5-C4-O4	-7.00	121.70	125.90
26	BB	945	A	C2-N3-C4	7.00	114.10	110.60
26	BB	1696	G	N1-C6-O6	-7.00	115.70	119.90
26	BB	1722	A	C4-C5-C6	-7.00	113.50	117.00
26	BB	2289	G	C5-C6-N1	7.00	115.00	111.50
1	AA	177	G	C6-N1-C2	-7.00	120.90	125.10
1	AA	182	A	C3'-C2'-C1'	-7.00	95.90	101.50
1	AA	688	G	C6-C5-N7	-7.00	126.20	130.40
1	AA	1240	U	C4-C5-C6	7.00	123.90	119.70
4	AD	17	C	C4-C5-C6	-7.00	113.90	117.40
25	BA	78	A	C6-C5-N7	-7.00	127.40	132.30
26	BB	742	A	C2-N3-C4	7.00	114.10	110.60
26	BB	983	A	C8-N9-C4	-7.00	103.00	105.80
26	BB	1024	G	C8-N9-C4	-7.00	103.60	106.40
26	BB	1423	G	C3'-C2'-C1'	7.00	107.10	101.50
26	BB	1966	A	C8-N9-C4	-7.00	103.00	105.80
26	BB	2138	G	C5'-C4'-O4'	7.00	117.50	109.10
26	BB	2172	U	C5'-C4'-C3'	-7.00	104.80	116.00
26	BB	2397	G	C3'-C2'-C1'	7.00	107.10	101.50
1	AA	1064	G	O5'-P-OP1	-7.00	99.40	105.70
4	AD	38	A	C6-N1-C2	7.00	122.80	118.60
25	BA	9	G	N3-C4-C5	-7.00	125.10	128.60
26	BB	309	A	N1-C2-N3	-7.00	125.80	129.30
26	BB	732	C	N1-C2-O2	7.00	123.10	118.90
26	BB	1226	A	C6-C5-N7	7.00	137.20	132.30
26	BB	1516	G	N3-C4-N9	7.00	130.20	126.00
26	BB	1837	C	C6-N1-C2	-7.00	117.50	120.30
26	BB	2120	G	N3-C4-C5	-7.00	125.10	128.60
26	BB	2273	A	C4-C5-N7	-7.00	107.20	110.70
26	BB	2355	G	N9-C4-C5	7.00	108.20	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
50	BZ	71	ARG	CD-NE-CZ	7.00	133.40	123.60
1	AA	545	C	C4-C5-C6	7.00	120.90	117.40
1	AA	1054	C	C5-C4-N4	-7.00	115.30	120.20
26	BB	22	C	O4'-C1'-N1	7.00	113.80	108.20
26	BB	546	U	C4'-C3'-C2'	-7.00	95.61	102.60
26	BB	1047	G	C2-N3-C4	7.00	115.40	111.90
26	BB	2115	G	C5'-C4'-O4'	7.00	117.49	109.10
1	AA	29	U	C3'-C2'-C1'	6.99	107.09	101.50
1	AA	684	U	C2-N3-C4	-6.99	122.80	127.00
1	AA	1036	A	N1-C6-N6	-6.99	114.40	118.60
3	AC	52	U	O4'-C1'-N1	6.99	113.80	108.20
4	AD	66	C	N3-C2-O2	-6.99	117.00	121.90
17	AQ	41	TRP	CD1-CG-CD2	-6.99	100.71	106.30
26	BB	150	U	N1-C2-O2	6.99	127.69	122.80
26	BB	435	C	C1'-O4'-C4'	6.99	115.50	109.90
26	BB	662	G	C6-N1-C2	-6.99	120.90	125.10
26	BB	1033	U	N3-C4-O4	6.99	124.30	119.40
26	BB	1433	A	N9-C4-C5	-6.99	103.00	105.80
26	BB	2243	U	C5-C6-N1	-6.99	119.20	122.70
1	AA	878	A	C1'-O4'-C4'	-6.99	104.31	109.90
26	BB	310	A	N1-C6-N6	-6.99	114.41	118.60
1	AA	309	A	C8-N9-C4	6.99	108.60	105.80
1	AA	654	G	C8-N9-C1'	6.99	136.09	127.00
1	AA	1355	G	N3-C4-N9	6.99	130.19	126.00
24	AX	70	TYR	CB-CG-CD1	-6.99	116.81	121.00
25	BA	36	C	C2-N3-C4	6.99	123.40	119.90
26	BB	30	G	N9-C4-C5	-6.99	102.60	105.40
26	BB	439	A	C5-C6-N6	6.99	129.29	123.70
26	BB	737	C	N1-C2-N3	6.99	124.09	119.20
26	BB	940	G	C3'-C2'-C1'	6.99	107.09	101.50
26	BB	1414	C	C6-N1-C2	-6.99	117.50	120.30
26	BB	1672	A	N9-C4-C5	6.99	108.60	105.80
26	BB	2116	G	C5-N7-C8	-6.99	100.81	104.30
26	BB	2466	C	N1-C2-O2	6.99	123.09	118.90
26	BB	2499	C	N3-C4-N4	6.99	122.89	118.00
26	BB	2735	G	N9-C4-C5	6.99	108.20	105.40
1	AA	39	G	O4'-C1'-N9	6.99	113.79	108.20
1	AA	651	C	C5'-C4'-O4'	6.99	117.48	109.10
1	AA	1188	A	O5'-P-OP1	-6.99	99.41	105.70
1	AA	1256	A	C2-N3-C4	6.99	114.09	110.60
1	AA	1384	C	N3-C4-C5	6.99	124.69	121.90
1	AA	1453	G	C8-N9-C4	-6.99	103.60	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	983	A	C5-C6-N6	-6.99	118.11	123.70
26	BB	1914	C	C2-N3-C4	6.99	123.39	119.90
26	BB	2496	C	C4-C5-C6	6.99	120.89	117.40
26	BB	2812	G	C8-N9-C4	6.99	109.20	106.40
26	BB	197	A	N7-C8-N9	6.99	117.29	113.80
26	BB	842	U	C5-C4-O4	-6.99	121.71	125.90
26	BB	1904	G	C1'-O4'-C4'	-6.99	104.31	109.90
1	AA	410	G	C4-C5-C6	6.99	122.99	118.80
26	BB	386	G	C5-C6-N1	6.99	114.99	111.50
26	BB	676	A	C5-C6-N1	-6.99	114.21	117.70
26	BB	1639	C	O4'-C1'-N1	6.99	113.79	108.20
26	BB	1773	A	C5'-C4'-C3'	-6.99	104.82	116.00
26	BB	1820	U	C5-C4-O4	-6.99	121.71	125.90
26	BB	1985	C	C4-C5-C6	6.99	120.89	117.40
26	BB	1995	U	O4'-C1'-N1	6.99	113.79	108.20
26	BB	2644	G	C5-C6-N1	-6.99	108.01	111.50
1	AA	173	U	P-O3'-C3'	6.98	128.08	119.70
26	BB	1377	G	N3-C4-C5	-6.98	125.11	128.60
1	AA	1040	U	C4'-C3'-C2'	-6.98	95.62	102.60
1	AA	1347	G	N3-C2-N2	-6.98	115.01	119.90
26	BB	453	A	C3'-C2'-C1'	-6.98	95.91	101.50
26	BB	1131	G	O4'-C1'-N9	6.98	113.79	108.20
26	BB	1791	A	N1-C2-N3	-6.98	125.81	129.30
26	BB	2048	G	C4-C5-C6	6.98	122.99	118.80
1	AA	877	G	C8-N9-C1'	6.98	136.07	127.00
1	AA	1103	C	O4'-C1'-N1	6.98	113.78	108.20
1	AA	1171	A	O4'-C1'-N9	6.98	113.78	108.20
2	AB	29	G	O4'-C1'-N9	6.98	113.78	108.20
7	AG	13	ARG	CD-NE-CZ	6.98	133.37	123.60
26	BB	8	C	C4-C5-C6	6.98	120.89	117.40
26	BB	224	U	O5'-P-OP2	-6.98	99.42	105.70
26	BB	697	G	C5-C6-O6	-6.98	124.41	128.60
26	BB	1934	C	N1-C1'-C2'	-6.98	104.32	112.00
26	BB	2275	C	C5-C6-N1	6.98	124.49	121.00
26	BB	2877	G	C5'-C4'-O4'	6.98	117.48	109.10
10	AJ	137	ARG	NH1-CZ-NH2	-6.98	111.72	119.40
25	BA	109	A	C1'-O4'-C4'	6.98	115.48	109.90
26	BB	473	G	N1-C6-O6	6.98	124.09	119.90
26	BB	776	G	C3'-C2'-C1'	6.98	107.08	101.50
43	BS	35	PHE	CB-CG-CD1	-6.98	115.92	120.80
1	AA	243	A	N1-C6-N6	6.98	122.79	118.60
1	AA	590	U	C4-C5-C6	-6.98	115.51	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1009	U	C6-N1-C2	6.98	125.19	121.00
1	AA	1356	G	N9-C4-C5	6.98	108.19	105.40
1	AA	1461	G	P-O3'-C3'	6.98	128.07	119.70
26	BB	623	C	N3-C4-C5	-6.98	119.11	121.90
26	BB	1356	G	N7-C8-N9	6.98	116.59	113.10
26	BB	1839	G	C2-N3-C4	6.98	115.39	111.90
26	BB	1947	C	C5-C6-N1	6.98	124.49	121.00
30	BF	121	VAL	CA-CB-CG1	-6.98	100.44	110.90
1	AA	252	U	C5-C6-N1	-6.98	119.21	122.70
1	AA	457	G	N3-C4-C5	-6.98	125.11	128.60
1	AA	1032	G	C6-C5-N7	-6.98	126.22	130.40
1	AA	1074	G	C2-N3-C4	-6.98	108.41	111.90
1	AA	1111	A	N9-C1'-C2'	-6.98	104.33	112.00
26	BB	1546	G	C2-N3-C4	6.98	115.39	111.90
26	BB	1677	A	C6-C5-N7	6.98	137.18	132.30
26	BB	2232	C	N3-C4-C5	-6.98	119.11	121.90
1	AA	571	U	N3-C4-C5	-6.97	110.42	114.60
1	AA	760	G	N3-C2-N2	-6.97	115.02	119.90
1	AA	1097	C	N3-C4-C5	-6.97	119.11	121.90
26	BB	317	G	N9-C4-C5	-6.97	102.61	105.40
26	BB	1080	A	N9-C4-C5	6.97	108.59	105.80
26	BB	1360	G	C4-C5-N7	-6.97	108.01	110.80
26	BB	1404	C	C6-N1-C2	-6.97	117.51	120.30
26	BB	2330	G	N1-C2-N3	-6.97	119.72	123.90
1	AA	210	C	N3-C2-O2	-6.97	117.02	121.90
1	AA	996	A	O4'-C1'-N9	6.97	113.78	108.20
26	BB	205	G	C4-C5-C6	6.97	122.98	118.80
26	BB	223	A	O4'-C1'-N9	6.97	113.78	108.20
26	BB	225	C	C3'-C2'-C1'	6.97	107.08	101.50
26	BB	674	G	C6-C5-N7	-6.97	126.22	130.40
26	BB	683	U	C4'-C3'-C2'	-6.97	95.63	102.60
26	BB	1495	A	C4-C5-C6	-6.97	113.51	117.00
26	BB	2098	U	C2-N3-C4	-6.97	122.82	127.00
1	AA	363	A	C5'-C4'-O4'	6.97	117.47	109.10
1	AA	780	A	N9-C4-C5	6.97	108.59	105.80
15	AO	7	VAL	CA-CB-CG1	6.97	121.36	110.90
26	BB	281	C	C3'-C2'-C1'	-6.97	95.92	101.50
26	BB	577	G	N3-C4-C5	-6.97	125.11	128.60
28	BD	212	TRP	CD1-CG-CD2	-6.97	100.72	106.30
1	AA	151	A	C6-N1-C2	6.97	122.78	118.60
1	AA	163	C	N3-C4-C5	-6.97	119.11	121.90
1	AA	904	U	N3-C4-C5	-6.97	110.42	114.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1067	A	O4'-C1'-N9	6.97	113.78	108.20
26	BB	330	A	C8-N9-C4	-6.97	103.01	105.80
26	BB	448	U	O4'-C1'-N1	6.97	113.78	108.20
26	BB	611	C	C3'-C2'-C1'	-6.97	95.92	101.50
26	BB	894	U	C1'-O4'-C4'	-6.97	104.32	109.90
26	BB	1085	A	C1'-O4'-C4'	-6.97	104.33	109.90
26	BB	1176	U	O4'-C1'-C2'	-6.97	98.83	105.80
26	BB	1563	U	N1-C2-O2	-6.97	117.92	122.80
26	BB	1817	G	N7-C8-N9	6.97	116.58	113.10
26	BB	1626	A	O4'-C4'-C3'	6.97	111.67	106.10
26	BB	2055	C	C6-N1-C2	6.97	123.09	120.30
26	BB	2063	C	O4'-C1'-N1	6.97	113.77	108.20
26	BB	2335	A	C5'-C4'-C3'	-6.97	104.85	116.00
1	AA	140	U	C5-C4-O4	-6.97	121.72	125.90
1	AA	498	A	C6-N1-C2	-6.97	114.42	118.60
1	AA	601	G	C4'-C3'-C2'	-6.97	95.63	102.60
1	AA	1466	C	C6-N1-C2	6.97	123.09	120.30
25	BA	70	C	C6-N1-C2	-6.97	117.51	120.30
26	BB	214	G	N3-C4-C5	-6.97	125.12	128.60
26	BB	1414	C	N1-C1'-C2'	-6.97	104.34	112.00
26	BB	1435	G	N3-C4-N9	6.97	130.18	126.00
26	BB	1718	G	C5-C6-O6	-6.97	124.42	128.60
26	BB	1872	A	O4'-C4'-C3'	6.97	111.67	106.10
26	BB	1912	A	C8-N9-C4	-6.97	103.01	105.80
30	BF	27	LEU	CB-CG-CD1	6.97	122.84	111.00
1	AA	31	G	N7-C8-N9	6.96	116.58	113.10
1	AA	229	U	C5'-C4'-O4'	6.96	117.46	109.10
1	AA	386	C	N3-C2-O2	-6.96	117.03	121.90
26	BB	22	C	C3'-C2'-C1'	6.96	107.07	101.50
26	BB	110	G	N3-C4-C5	-6.96	125.12	128.60
26	BB	205	G	C8-N9-C4	-6.96	103.61	106.40
26	BB	254	G	C2-N3-C4	6.96	115.38	111.90
26	BB	1005	C	C5-C4-N4	-6.96	115.33	120.20
26	BB	1304	A	C2-N3-C4	6.96	114.08	110.60
26	BB	1979	U	C5'-C4'-C3'	-6.96	104.86	116.00
26	BB	2530	A	O4'-C4'-C3'	-6.96	97.04	104.00
26	BB	2799	A	N1-C2-N3	-6.96	125.82	129.30
1	AA	237	G	C4-C5-C6	6.96	122.98	118.80
1	AA	573	A	C5'-C4'-O4'	6.96	117.46	109.10
3	AC	47	C	C3'-C2'-C1'	6.96	107.07	101.50
26	BB	17	G	N7-C8-N9	6.96	116.58	113.10
26	BB	1079	C	C5'-C4'-C3'	-6.96	104.86	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1982	U	N3-C2-O2	-6.96	117.33	122.20
1	AA	127	G	C4-C5-N7	-6.96	108.02	110.80
1	AA	800	G	C5-C6-O6	-6.96	124.42	128.60
2	AB	51	G	C6-N1-C2	-6.96	120.92	125.10
26	BB	115	C	C5-C6-N1	-6.96	117.52	121.00
26	BB	661	A	C5-C6-N6	-6.96	118.13	123.70
26	BB	1863	G	C8-N9-C4	-6.96	103.61	106.40
26	BB	2864	G	C6-N1-C2	-6.96	120.92	125.10
26	BB	2901	C	C5'-C4'-O4'	6.96	117.45	109.10
1	AA	423	G	O4'-C1'-N9	6.96	113.77	108.20
1	AA	612	C	C2-N3-C4	6.96	123.38	119.90
26	BB	1068	G	C5-N7-C8	-6.96	100.82	104.30
26	BB	1686	C	C3'-C2'-C1'	6.96	107.07	101.50
26	BB	2036	C	C6-N1-C2	-6.96	117.52	120.30
1	AA	495	A	O4'-C1'-N9	6.96	113.77	108.20
26	BB	1738	G	C5-C6-O6	-6.96	124.42	128.60
26	BB	1846	G	N1-C2-N3	-6.96	119.72	123.90
26	BB	1850	G	C6-N1-C2	-6.96	120.92	125.10
44	BT	21	ARG	NE-CZ-NH1	-6.96	116.82	120.30
1	AA	1376	U	C6-N1-C2	-6.96	116.83	121.00
1	AA	1530	G	C6-N1-C2	-6.96	120.93	125.10
7	AG	54	LEU	CB-CG-CD2	6.96	122.82	111.00
26	BB	1465	G	N1-C2-N3	6.96	128.07	123.90
26	BB	1623	G	C6-N1-C2	-6.96	120.93	125.10
26	BB	1922	G	N1-C6-O6	-6.96	115.73	119.90
26	BB	2581	G	C6-C5-N7	-6.96	126.23	130.40
1	AA	86	G	C5-N7-C8	6.96	107.78	104.30
1	AA	771	G	O4'-C1'-N9	6.96	113.76	108.20
26	BB	1537	G	C5-C6-O6	-6.96	124.43	128.60
26	BB	1736	U	O4'-C1'-N1	6.96	113.76	108.20
26	BB	2284	A	O4'-C1'-N9	6.96	113.76	108.20
1	AA	119	A	O4'-C1'-N9	-6.95	102.64	108.20
1	AA	720	C	C1'-O4'-C4'	-6.95	104.34	109.90
1	AA	1080	A	C5-C6-N1	-6.95	114.22	117.70
1	AA	1353	G	N7-C8-N9	6.95	116.58	113.10
6	AF	131	ARG	NE-CZ-NH2	-6.95	116.82	120.30
26	BB	123	G	O3'-P-O5'	-6.95	90.79	104.00
26	BB	820	A	C5-N7-C8	-6.95	100.42	103.90
26	BB	2178	C	C6-N1-C2	-6.95	117.52	120.30
1	AA	676	A	C5-C6-N6	-6.95	118.14	123.70
26	BB	588	U	C5-C4-O4	6.95	130.07	125.90
26	BB	1626	A	C1'-O4'-C4'	-6.95	104.34	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	47	C	C6-N1-C2	6.95	123.08	120.30
1	AA	263	A	C8-N9-C4	-6.95	103.02	105.80
1	AA	691	G	C6-N1-C2	-6.95	120.93	125.10
2	AB	57	G	C5-C6-O6	-6.95	124.43	128.60
2	AB	73	G	C5-C6-O6	6.95	132.77	128.60
26	BB	177	G	N3-C4-N9	6.95	130.17	126.00
26	BB	238	C	N1-C1'-C2'	-6.95	104.36	112.00
26	BB	1128	G	C6-N1-C2	-6.95	120.93	125.10
26	BB	1974	C	C5'-C4'-O4'	6.95	117.44	109.10
26	BB	2306	C	P-O3'-C3'	6.95	128.04	119.70
26	BB	2351	G	C2-N3-C4	6.95	115.38	111.90
26	BB	2845	U	O4'-C1'-N1	6.95	113.76	108.20
1	AA	970	C	N1-C2-O2	6.95	123.07	118.90
1	AA	1216	A	C4-C5-N7	-6.95	107.22	110.70
1	AA	1430	A	P-O3'-C3'	6.95	128.04	119.70
13	AM	32	THR	CA-CB-CG2	6.95	122.13	112.40
26	BB	668	A	C3'-C2'-C1'	6.95	107.06	101.50
26	BB	1934	C	C4-C5-C6	6.95	120.87	117.40
26	BB	2264	C	N3-C4-C5	-6.95	119.12	121.90
1	AA	829	G	N3-C4-C5	-6.95	125.13	128.60
1	AA	1511	G	C5-C6-O6	-6.95	124.43	128.60
4	AD	52	C	N3-C2-O2	6.95	126.76	121.90
26	BB	1027	A	C4-C5-C6	6.95	120.47	117.00
26	BB	2187	U	N3-C4-C5	-6.95	110.43	114.60
50	BZ	27	ARG	NE-CZ-NH2	6.95	123.77	120.30
1	AA	84	U	O4'-C1'-C2'	-6.95	98.86	105.80
1	AA	772	U	C2-N3-C4	-6.95	122.83	127.00
1	AA	1049	U	P-O3'-C3'	6.95	128.03	119.70
1	AA	1223	C	C5-C4-N4	6.95	125.06	120.20
26	BB	455	C	P-O3'-C3'	6.95	128.04	119.70
26	BB	1192	G	C5-C6-O6	6.95	132.77	128.60
26	BB	2389	G	C4-C5-N7	6.95	113.58	110.80
26	BB	2714	G	N1-C6-O6	6.95	124.07	119.90
1	AA	262	A	C3'-C2'-C1'	6.94	107.06	101.50
1	AA	1345	U	O4'-C1'-N1	6.94	113.75	108.20
26	BB	1125	G	C5-C6-N1	6.94	114.97	111.50
26	BB	1997	C	C2-N3-C4	6.94	123.37	119.90
1	AA	318	G	N3-C4-C5	-6.94	125.13	128.60
1	AA	782	A	N7-C8-N9	6.94	117.27	113.80
1	AA	785	G	N1-C2-N2	6.94	122.45	116.20
1	AA	1198	G	O4'-C1'-C2'	-6.94	98.86	105.80
18	AR	16	ARG	NE-CZ-NH1	6.94	123.77	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
19	AS	31	ARG	NE-CZ-NH1	6.94	123.77	120.30
26	BB	1601	G	C6-C5-N7	-6.94	126.23	130.40
26	BB	1789	A	C6-C5-N7	6.94	137.16	132.30
26	BB	2289	G	C1'-O4'-C4'	-6.94	104.34	109.90
26	BB	2883	A	C5-C6-N1	6.94	121.17	117.70
26	BB	2884	U	N1-C1'-C2'	6.94	123.03	114.00
1	AA	379	C	C5-C4-N4	-6.94	115.34	120.20
1	AA	439	U	O4'-C1'-C2'	6.94	113.85	107.60
1	AA	455	G	C8-N9-C4	-6.94	103.62	106.40
1	AA	1529	G	N7-C8-N9	6.94	116.57	113.10
2	AB	52	A	C4-C5-C6	6.94	120.47	117.00
4	AD	1	C	C2-N3-C4	6.94	123.37	119.90
25	BA	78	A	C6-N1-C2	6.94	122.76	118.60
26	BB	40	U	N3-C2-O2	-6.94	117.34	122.20
26	BB	1125	G	C5'-C4'-O4'	6.94	117.43	109.10
26	BB	1212	G	N3-C4-C5	-6.94	125.13	128.60
26	BB	1240	U	N1-C2-N3	6.94	119.06	114.90
26	BB	1672	A	O4'-C1'-N9	6.94	113.75	108.20
26	BB	2250	G	C3'-C2'-C1'	6.94	107.05	101.50
1	AA	1206	G	N3-C4-N9	6.94	130.16	126.00
1	AA	105	G	C4'-C3'-C2'	-6.94	95.66	102.60
1	AA	841	C	N3-C2-O2	-6.94	117.04	121.90
1	AA	1086	U	C2-N3-C4	-6.94	122.84	127.00
11	AK	64	TYR	CB-CG-CD2	-6.94	116.84	121.00
26	BB	310	A	N9-C4-C5	6.94	108.58	105.80
26	BB	522	A	C5-C6-N6	-6.94	118.15	123.70
26	BB	625	G	C8-N9-C4	-6.94	103.62	106.40
26	BB	1191	G	C5-C6-O6	-6.94	124.44	128.60
26	BB	1289	C	N1-C2-O2	-6.94	114.74	118.90
1	AA	884	U	C5-C4-O4	6.94	130.06	125.90
26	BB	1677	A	N9-C4-C5	6.94	108.57	105.80
26	BB	1923	U	C5-C4-O4	6.94	130.06	125.90
1	AA	295	C	N1-C2-O2	6.93	123.06	118.90
1	AA	838	G	N9-C4-C5	-6.93	102.63	105.40
1	AA	1137	C	C4-C5-C6	-6.93	113.93	117.40
1	AA	1508	A	C5-C6-N6	-6.93	118.15	123.70
4	AD	62	C	C6-N1-C2	6.93	123.07	120.30
26	BB	652	U	O4'-C1'-N1	6.93	113.75	108.20
26	BB	932	U	C2-N1-C1'	6.93	126.02	117.70
26	BB	1063	G	N1-C6-O6	-6.93	115.74	119.90
26	BB	1139	G	C8-N9-C4	-6.93	103.63	106.40
26	BB	1185	G	C6-N1-C2	-6.93	120.94	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1402	U	N3-C4-O4	6.93	124.25	119.40
26	BB	1705	A	C2-N3-C4	-6.93	107.13	110.60
26	BB	2068	U	C5-C6-N1	-6.93	119.23	122.70
26	BB	2540	C	C6-N1-C2	6.93	123.07	120.30
1	AA	554	A	C4-C5-N7	6.93	114.17	110.70
1	AA	1358	U	C4'-C3'-C2'	-6.93	95.67	102.60
26	BB	1163	G	C5-N7-C8	-6.93	100.83	104.30
26	BB	1334	G	N9-C4-C5	6.93	108.17	105.40
26	BB	1478	G	C5'-C4'-O4'	6.93	117.42	109.10
26	BB	1760	C	O4'-C1'-N1	6.93	113.75	108.20
26	BB	1849	G	N1-C2-N3	-6.93	119.74	123.90
26	BB	2094	A	C4-C5-N7	-6.93	107.23	110.70
26	BB	2126	A	O4'-C1'-N9	6.93	113.75	108.20
1	AA	420	U	N3-C4-C5	-6.93	110.44	114.60
26	BB	782	A	C5-C6-N1	-6.93	114.23	117.70
26	BB	2828	G	C8-N9-C4	6.93	109.17	106.40
1	AA	345	C	N3-C2-O2	-6.93	117.05	121.90
1	AA	1121	U	C5'-C4'-O4'	6.93	117.42	109.10
26	BB	92	U	C4-C5-C6	6.93	123.86	119.70
26	BB	2203	U	C5-C4-O4	-6.93	121.74	125.90
26	BB	2389	G	C2-N3-C4	6.93	115.36	111.90
36	BL	96	ARG	NE-CZ-NH1	-6.93	116.83	120.30
1	AA	521	G	N3-C4-N9	6.93	130.16	126.00
26	BB	586	A	C4'-C3'-C2'	-6.93	95.67	102.60
26	BB	1628	G	N1-C6-O6	6.93	124.06	119.90
26	BB	2576	G	O4'-C1'-N9	6.93	113.74	108.20
1	AA	10	A	C1'-O4'-C4'	-6.93	104.36	109.90
1	AA	61	G	C8-N9-C4	-6.93	103.63	106.40
1	AA	928	G	C6-C5-N7	-6.93	126.24	130.40
1	AA	996	A	C4-C5-C6	-6.93	113.54	117.00
4	AD	70	C	C6-N1-C2	-6.93	117.53	120.30
26	BB	125	A	C2-N3-C4	6.93	114.06	110.60
26	BB	1014	A	C5-N7-C8	6.93	107.36	103.90
26	BB	1155	A	C3'-C2'-C1'	6.93	107.04	101.50
26	BB	1224	U	C6-N1-C2	-6.93	116.84	121.00
26	BB	2240	U	O4'-C1'-N1	6.93	113.74	108.20
26	BB	2660	A	N9-C4-C5	6.93	108.57	105.80
1	AA	902	G	C8-N9-C4	-6.92	103.63	106.40
1	AA	1263	C	N3-C4-N4	6.92	122.85	118.00
4	AD	34	U	C5'-C4'-C3'	-6.92	104.92	116.00
26	BB	407	G	C1'-O4'-C4'	6.92	115.44	109.90
26	BB	542	C	N3-C4-N4	-6.92	113.15	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1268	A	C4-C5-C6	-6.92	113.54	117.00
26	BB	2025	C	C4-C5-C6	6.92	120.86	117.40
26	BB	2592	G	O4'-C1'-N9	6.92	113.74	108.20
26	BB	2597	G	C5-N7-C8	-6.92	100.84	104.30
1	AA	818	G	C5-N7-C8	-6.92	100.84	104.30
1	AA	1491	G	P-O3'-C3'	6.92	128.01	119.70
26	BB	1645	G	N9-C1'-C2'	-6.92	104.39	112.00
26	BB	1865	U	N3-C2-O2	-6.92	117.35	122.20
26	BB	2762	C	C1'-O4'-C4'	-6.92	104.36	109.90
1	AA	413	G	C3'-C2'-C1'	6.92	107.04	101.50
1	AA	447	G	N3-C4-C5	-6.92	125.14	128.60
1	AA	632	U	C3'-C2'-C1'	6.92	107.04	101.50
1	AA	736	C	N3-C4-N4	6.92	122.84	118.00
26	BB	365	U	N1-C2-N3	6.92	119.05	114.90
26	BB	495	G	N7-C8-N9	6.92	116.56	113.10
26	BB	649	G	N7-C8-N9	6.92	116.56	113.10
26	BB	1218	G	C6-N1-C2	-6.92	120.95	125.10
26	BB	1239	G	C6-C5-N7	-6.92	126.25	130.40
26	BB	1715	G	N3-C4-N9	6.92	130.15	126.00
26	BB	2813	A	C6-C5-N7	-6.92	127.45	132.30
26	BB	2827	C	C4-C5-C6	-6.92	113.94	117.40
26	BB	2839	G	N7-C8-N9	-6.92	109.64	113.10
43	BS	49	ARG	NE-CZ-NH2	-6.92	116.84	120.30
1	AA	480	U	C5-C4-O4	-6.92	121.75	125.90
1	AA	1147	C	N3-C2-O2	-6.92	117.06	121.90
25	BA	33	G	N9-C4-C5	-6.92	102.63	105.40
26	BB	1313	U	O4'-C4'-C3'	-6.92	97.08	104.00
26	BB	1429	G	N1-C6-O6	-6.92	115.75	119.90
26	BB	1719	G	C5-C6-N1	6.92	114.96	111.50
26	BB	2820	A	C5'-C4'-C3'	6.92	127.07	116.00
26	BB	2893	A	N7-C8-N9	-6.92	110.34	113.80
1	AA	120	A	N7-C8-N9	-6.92	110.34	113.80
1	AA	201	G	C2-N3-C4	6.92	115.36	111.90
1	AA	449	G	N3-C2-N2	-6.92	115.06	119.90
1	AA	484	G	C2-N3-C4	6.92	115.36	111.90
1	AA	513	C	C3'-C2'-C1'	6.92	107.03	101.50
1	AA	599	C	C5-C6-N1	-6.92	117.54	121.00
1	AA	918	A	C6-C5-N7	6.92	137.14	132.30
1	AA	1006	G	C5-C6-N1	6.92	114.96	111.50
1	AA	1472	U	C4-C5-C6	6.92	123.85	119.70
26	BB	626	A	N9-C4-C5	6.92	108.57	105.80
26	BB	1187	G	P-O3'-C3'	6.92	128.00	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1410	G	C5-C6-N1	6.92	114.96	111.50
26	BB	1973	G	C6-C5-N7	-6.92	126.25	130.40
26	BB	2033	A	C6-N1-C2	6.92	122.75	118.60
1	AA	742	G	C6-N1-C2	-6.92	120.95	125.10
1	AA	773	G	N3-C2-N2	-6.92	115.06	119.90
1	AA	838	G	C5-C6-N1	6.92	114.96	111.50
1	AA	1317	C	N3-C4-N4	-6.92	113.16	118.00
1	AA	1419	G	P-O3'-C3'	6.92	128.00	119.70
2	AB	1	A	C5-N7-C8	6.92	107.36	103.90
3	AC	25	U	C6-N1-C1'	-6.92	111.52	121.20
26	BB	214	G	C6-N1-C2	-6.92	120.95	125.10
26	BB	2462	C	C4-C5-C6	-6.92	113.94	117.40
26	BB	2599	G	N3-C4-C5	-6.92	125.14	128.60
1	AA	247	G	N9-C4-C5	-6.92	102.63	105.40
1	AA	1532	U	C2-N3-C4	-6.92	122.85	127.00
9	AI	82	ASP	CB-CG-OD1	6.92	124.52	118.30
26	BB	238	C	C4-C5-C6	6.92	120.86	117.40
26	BB	1623	G	C5-C6-N1	6.92	114.96	111.50
1	AA	202	G	C8-N9-C4	6.91	109.17	106.40
1	AA	630	A	N1-C6-N6	-6.91	114.45	118.60
1	AA	846	G	N1-C2-N2	-6.91	109.98	116.20
1	AA	1180	A	N9-C4-C5	6.91	108.56	105.80
1	AA	1276	G	N3-C2-N2	6.91	124.74	119.90
3	AC	53	G	N1-C2-N3	-6.91	119.75	123.90
26	BB	277	G	C4-C5-N7	-6.91	108.03	110.80
26	BB	834	G	N3-C4-C5	-6.91	125.14	128.60
26	BB	1269	A	C2-N3-C4	6.91	114.06	110.60
26	BB	1346	G	N9-C1'-C2'	-6.91	104.40	112.00
26	BB	1966	A	N7-C8-N9	6.91	117.26	113.80
26	BB	2469	A	C5-C6-N1	6.91	121.16	117.70
26	BB	2481	G	N7-C8-N9	6.91	116.56	113.10
1	AA	865	A	O4'-C1'-N9	6.91	113.73	108.20
26	BB	461	C	C5'-C4'-O4'	6.91	117.39	109.10
26	BB	1507	C	O4'-C1'-N1	-6.91	102.67	108.20
26	BB	1753	G	C3'-C2'-C1'	-6.91	95.97	101.50
26	BB	2745	C	N3-C4-C5	6.91	124.67	121.90
26	BB	2778	A	C2-N3-C4	6.91	114.06	110.60
1	AA	55	A	N1-C2-N3	-6.91	125.84	129.30
1	AA	429	U	N1-C1'-C2'	6.91	122.98	114.00
1	AA	486	U	O4'-C1'-N1	6.91	113.73	108.20
1	AA	1071	C	C5-C6-N1	-6.91	117.55	121.00
1	AA	1451	U	C4'-C3'-C2'	6.91	109.51	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	2	G	N3-C4-C5	-6.91	125.14	128.60
26	BB	642	U	N1-C1'-C2'	6.91	122.98	114.00
26	BB	931	U	N3-C4-C5	-6.91	110.45	114.60
26	BB	1333	G	C1'-O4'-C4'	6.91	115.43	109.90
26	BB	1439	A	C4'-C3'-C2'	-6.91	95.69	102.60
26	BB	1873	G	C5'-C4'-O4'	6.91	117.39	109.10
1	AA	944	G	C1'-O4'-C4'	-6.91	104.37	109.90
1	AA	1064	G	C5-N7-C8	-6.91	100.85	104.30
1	AA	1362	A	C5-N7-C8	-6.91	100.45	103.90
1	AA	1387	G	C1'-O4'-C4'	-6.91	104.37	109.90
4	AD	30	G	C3'-C2'-C1'	-6.91	95.97	101.50
8	AH	94	PHE	CB-CG-CD1	-6.91	115.96	120.80
25	BA	120	U	N3-C4-O4	-6.91	114.56	119.40
26	BB	551	G	C8-N9-C4	-6.91	103.64	106.40
26	BB	1222	U	N3-C2-O2	-6.91	117.36	122.20
26	BB	1408	G	C6-C5-N7	6.91	134.54	130.40
26	BB	1662	U	N1-C1'-C2'	-6.91	104.40	112.00
26	BB	1675	C	C5-C6-N1	6.91	124.45	121.00
26	BB	2335	A	N1-C2-N3	-6.91	125.85	129.30
26	BB	2465	C	P-O5'-C5'	6.91	131.95	120.90
26	BB	2488	G	N3-C4-C5	-6.91	125.15	128.60
2	AB	13	C	C5'-C4'-O4'	6.91	117.39	109.10
26	BB	1143	A	O3'-P-O5'	-6.91	90.88	104.00
26	BB	1280	G	N9-C4-C5	6.91	108.16	105.40
26	BB	1283	G	O4'-C1'-N9	6.91	113.73	108.20
1	AA	207	C	C1'-O4'-C4'	-6.91	104.38	109.90
1	AA	596	A	C6-C5-N7	-6.91	127.47	132.30
1	AA	727	G	C4-C5-C6	6.91	122.94	118.80
1	AA	1044	A	C4-C5-C6	-6.91	113.55	117.00
1	AA	1199	U	N3-C2-O2	-6.91	117.37	122.20
26	BB	1143	A	C6-C5-N7	6.91	137.13	132.30
26	BB	2206	C	C6-N1-C2	6.91	123.06	120.30
26	BB	2809	A	C5-N7-C8	6.91	107.35	103.90
1	AA	55	A	C8-N9-C4	6.90	108.56	105.80
1	AA	1492	A	O4'-C1'-N9	6.90	113.72	108.20
26	BB	1407	G	C4'-C3'-C2'	-6.90	95.70	102.60
26	BB	1887	C	C5-C6-N1	6.90	124.45	121.00
26	BB	1966	A	C4-C5-C6	6.90	120.45	117.00
26	BB	2414	G	C4-C5-N7	-6.90	108.04	110.80
26	BB	2672	U	O4'-C1'-N1	6.90	113.72	108.20
26	BB	2789	C	O4'-C1'-N1	6.90	113.72	108.20
1	AA	38	G	C5-N7-C8	-6.90	100.85	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1401	G	N9-C4-C5	6.90	108.16	105.40
15	AO	13	ARG	NE-CZ-NH2	-6.90	116.85	120.30
25	BA	119	A	N1-C2-N3	6.90	132.75	129.30
26	BB	333	G	C8-N9-C4	-6.90	103.64	106.40
26	BB	384	A	C4'-C3'-C2'	6.90	109.50	102.60
26	BB	628	G	C1'-O4'-C4'	-6.90	104.38	109.90
26	BB	1287	A	C5-C6-N1	-6.90	114.25	117.70
26	BB	1438	U	N3-C4-C5	-6.90	110.46	114.60
26	BB	2181	U	N1-C2-O2	6.90	127.63	122.80
26	BB	2470	G	C1'-O4'-C4'	-6.90	104.38	109.90
26	BB	2867	G	C6-N1-C2	-6.90	120.96	125.10
53	B2	56	ARG	NE-CZ-NH1	6.90	123.75	120.30
1	AA	647	C	C5-C6-N1	6.90	124.45	121.00
1	AA	951	G	N3-C4-C5	-6.90	125.15	128.60
1	AA	1168	U	C6-N1-C2	-6.90	116.86	121.00
2	AB	72	U	C5-C6-N1	-6.90	119.25	122.70
26	BB	405	U	C2-N3-C4	-6.90	122.86	127.00
26	BB	1338	G	C8-N9-C4	-6.90	103.64	106.40
26	BB	1483	G	N3-C4-N9	6.90	130.14	126.00
26	BB	2118	U	O4'-C1'-C2'	-6.90	98.90	105.80
26	BB	2395	C	O4'-C1'-N1	6.90	113.72	108.20
26	BB	2530	A	N9-C1'-C2'	-6.90	104.41	112.00
26	BB	1384	A	N9-C4-C5	6.90	108.56	105.80
26	BB	1981	A	N1-C6-N6	-6.90	114.46	118.60
1	AA	561	U	N1-C2-N3	6.90	119.04	114.90
1	AA	787	A	O4'-C1'-N9	6.90	113.72	108.20
1	AA	997	U	N3-C4-C5	-6.90	110.46	114.60
1	AA	1204	A	N1-C2-N3	-6.90	125.85	129.30
1	AA	1271	A	N1-C6-N6	-6.90	114.46	118.60
26	BB	22	C	C4'-C3'-C2'	-6.90	95.70	102.60
26	BB	824	U	O4'-C1'-N1	6.90	113.72	108.20
26	BB	996	A	C8-N9-C4	-6.90	103.04	105.80
26	BB	1308	A	N1-C2-N3	6.90	132.75	129.30
26	BB	2451	A	N1-C2-N3	-6.90	125.85	129.30
26	BB	2501	C	P-O3'-C3'	6.90	127.98	119.70
26	BB	2518	A	P-O3'-C3'	6.90	127.98	119.70
26	BB	2747	G	C5-N7-C8	-6.90	100.85	104.30
45	BU	110	ARG	NE-CZ-NH2	6.90	123.75	120.30
1	AA	338	A	C4-C5-N7	6.90	114.15	110.70
2	AB	1	A	N1-C2-N3	-6.90	125.85	129.30
26	BB	1107	G	O4'-C1'-N9	6.90	113.72	108.20
26	BB	1622	G	N9-C4-C5	6.90	108.16	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2744	G	C6-N1-C2	-6.90	120.96	125.10
45	BU	87	PRO	N-CD-CG	6.90	113.54	103.20
1	AA	473	U	N3-C2-O2	-6.89	117.37	122.20
1	AA	1136	C	C5-C6-N1	6.89	124.45	121.00
1	AA	1376	U	N1-C2-O2	-6.89	117.97	122.80
1	AA	1436	U	N1-C2-N3	6.89	119.04	114.90
4	AD	59	A	N7-C8-N9	6.89	117.25	113.80
4	AD	60	A	C5-C6-N6	-6.89	118.18	123.70
26	BB	91	A	C1'-O4'-C4'	-6.89	104.39	109.90
26	BB	897	C	C1'-O4'-C4'	-6.89	104.38	109.90
26	BB	1127	A	O4'-C1'-N9	-6.89	102.68	108.20
26	BB	1617	C	O4'-C1'-N1	6.89	113.72	108.20
26	BB	2157	G	C5-C6-N1	-6.89	108.05	111.50
1	AA	152	A	C3'-C2'-C1'	6.89	107.01	101.50
1	AA	327	A	C6-N1-C2	6.89	122.74	118.60
1	AA	739	C	N1-C1'-C2'	-6.89	104.42	112.00
2	AB	47	U	O4'-C1'-N1	6.89	113.72	108.20
4	AD	43	G	N3-C4-C5	6.89	132.05	128.60
26	BB	32	C	N3-C2-O2	-6.89	117.08	121.90
26	BB	468	G	C2-N3-C4	-6.89	108.45	111.90
26	BB	535	G	C4-C5-N7	-6.89	108.04	110.80
1	AA	168	G	N3-C4-C5	-6.89	125.16	128.60
1	AA	666	G	C2-N3-C4	6.89	115.34	111.90
1	AA	1140	C	N1-C2-N3	6.89	124.02	119.20
25	BA	51	G	C5-N7-C8	-6.89	100.85	104.30
26	BB	900	A	C8-N9-C4	6.89	108.56	105.80
26	BB	1871	A	C4'-C3'-C2'	-6.89	95.71	102.60
1	AA	381	C	C4-C5-C6	-6.89	113.95	117.40
1	AA	1257	A	C2-N3-C4	6.89	114.05	110.60
3	AC	32	U	C3'-C2'-C1'	6.89	107.01	101.50
4	AD	44	A	C5-C6-N1	6.89	121.14	117.70
26	BB	83	A	C4'-C3'-C2'	-6.89	95.71	102.60
26	BB	1475	G	P-O3'-C3'	6.89	127.97	119.70
26	BB	1638	C	C5-C6-N1	-6.89	117.56	121.00
26	BB	1663	G	N9-C4-C5	6.89	108.16	105.40
26	BB	1850	G	C5-N7-C8	-6.89	100.86	104.30
26	BB	305	C	C3'-C2'-C1'	6.89	107.01	101.50
26	BB	930	G	C2-N3-C4	6.89	115.34	111.90
26	BB	1004	U	C5-C6-N1	6.89	126.14	122.70
1	AA	1079	G	C3'-C2'-C1'	6.89	107.01	101.50
1	AA	1099	G	N9-C4-C5	6.89	108.15	105.40
3	AC	17	U	O4'-C1'-C2'	-6.89	98.91	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
22	AV	59	VAL	CA-CB-CG1	6.89	121.23	110.90
26	BB	218	A	N1-C2-N3	-6.89	125.86	129.30
26	BB	848	C	O4'-C1'-N1	6.89	113.71	108.20
26	BB	917	A	N3-C4-C5	-6.89	121.98	126.80
26	BB	1441	G	C4-C5-N7	6.89	113.55	110.80
1	AA	266	G	N3-C4-N9	6.88	130.13	126.00
1	AA	1371	G	C2-N3-C4	6.88	115.34	111.90
4	AD	74	A	C4-C5-C6	-6.88	113.56	117.00
26	BB	399	U	C5-C4-O4	6.88	130.03	125.90
26	BB	819	A	O4'-C1'-N9	6.88	113.71	108.20
26	BB	994	C	N3-C4-N4	6.88	122.82	118.00
26	BB	1894	C	C6-N1-C2	-6.88	117.55	120.30
26	BB	2204	G	N1-C2-N3	-6.88	119.77	123.90
26	BB	2465	C	N1-C1'-C2'	-6.88	104.43	112.00
26	BB	2534	A	P-O3'-C3'	6.88	127.96	119.70
1	AA	9	G	N9-C1'-C2'	-6.88	104.43	112.00
1	AA	881	G	N1-C2-N2	6.88	122.39	116.20
26	BB	768	G	C1'-O4'-C4'	6.88	115.41	109.90
26	BB	978	G	C5-C6-N1	6.88	114.94	111.50
26	BB	1001	A	C4-C5-N7	-6.88	107.26	110.70
26	BB	1199	U	N3-C4-O4	6.88	124.22	119.40
26	BB	1396	U	C6-N1-C2	-6.88	116.87	121.00
26	BB	2247	A	C6-N1-C2	-6.88	114.47	118.60
1	AA	262	A	N9-C1'-C2'	-6.88	104.43	112.00
1	AA	693	G	N7-C8-N9	-6.88	109.66	113.10
4	AD	49	C	C5-C6-N1	6.88	124.44	121.00
26	BB	382	A	C4-C5-N7	-6.88	107.26	110.70
26	BB	802	A	C5-C6-N6	-6.88	118.20	123.70
26	BB	981	A	C5-C6-N1	6.88	121.14	117.70
26	BB	1482	G	N9-C4-C5	-6.88	102.65	105.40
26	BB	1531	C	N1-C2-O2	6.88	123.03	118.90
26	BB	1597	A	N3-C4-C5	-6.88	121.98	126.80
26	BB	1820	U	C4-C5-C6	6.88	123.83	119.70
26	BB	2308	G	N1-C6-O6	6.88	124.03	119.90
26	BB	2425	A	C2'-C3'-O3'	6.88	124.71	113.70
26	BB	2668	G	C4-C5-N7	-6.88	108.05	110.80
26	BB	897	C	N3-C2-O2	-6.88	117.08	121.90
26	BB	1921	G	O4'-C1'-N9	6.88	113.70	108.20
26	BB	1945	G	N1-C2-N3	-6.88	119.77	123.90
26	BB	2670	A	P-O3'-C3'	6.88	127.96	119.70
1	AA	205	A	N3-C4-C5	-6.88	121.98	126.80
1	AA	353	A	P-O3'-C3'	-6.88	111.45	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	547	A	O4'-C1'-C2'	-6.88	98.92	105.80
1	AA	713	G	C4'-C3'-C2'	-6.88	95.72	102.60
1	AA	813	U	C5-C4-O4	-6.88	121.77	125.90
26	BB	383	C	C3'-C2'-C1'	6.88	107.00	101.50
26	BB	610	C	N1-C2-O2	6.88	123.03	118.90
26	BB	702	U	P-O3'-C3'	6.88	127.95	119.70
26	BB	1547	C	C6-N1-C2	6.88	123.05	120.30
26	BB	1588	G	C5-N7-C8	-6.88	100.86	104.30
26	BB	2369	A	C4'-C3'-C2'	-6.88	95.72	102.60
26	BB	2649	C	C6-N1-C2	-6.88	117.55	120.30
1	AA	31	G	N3-C2-N2	-6.88	115.09	119.90
1	AA	60	A	N7-C8-N9	6.88	117.24	113.80
1	AA	685	G	N1-C6-O6	6.88	124.03	119.90
1	AA	1333	A	C2-N3-C4	6.88	114.04	110.60
25	BA	92	C	N3-C4-C5	-6.88	119.15	121.90
26	BB	838	C	C2-N3-C4	6.88	123.34	119.90
26	BB	925	A	C5-C6-N1	-6.88	114.26	117.70
26	BB	1372	U	C5'-C4'-O4'	6.88	117.35	109.10
26	BB	1413	A	C4-C5-C6	-6.88	113.56	117.00
26	BB	2158	A	N1-C6-N6	-6.88	114.47	118.60
26	BB	2162	G	C4-C5-N7	-6.88	108.05	110.80
26	BB	2317	A	C8-N9-C4	-6.88	103.05	105.80
26	BB	2694	G	C1'-O4'-C4'	6.88	115.40	109.90
1	AA	993	G	C8-N9-C1'	-6.88	118.06	127.00
1	AA	1057	G	C5-C6-O6	-6.88	124.47	128.60
26	BB	1193	G	C8-N9-C4	-6.88	103.65	106.40
26	BB	2271	G	N9-C4-C5	6.88	108.15	105.40
26	BB	2831	G	C5'-C4'-O4'	6.88	117.35	109.10
26	BB	2897	U	C3'-C2'-C1'	6.88	107.00	101.50
1	AA	187	G	C2-N3-C4	6.87	115.34	111.90
1	AA	1353	G	N1-C2-N2	-6.87	110.01	116.20
26	BB	1260	A	P-O3'-C3'	6.87	127.95	119.70
26	BB	2826	A	C5-C6-N6	-6.87	118.20	123.70
26	BB	2840	C	N3-C4-C5	-6.87	119.15	121.90
1	AA	1260	G	N3-C4-C5	-6.87	125.16	128.60
26	BB	23	G	C5'-C4'-O4'	6.87	117.35	109.10
26	BB	167	A	C4'-C3'-C2'	-6.87	95.73	102.60
26	BB	484	C	C5-C6-N1	6.87	124.44	121.00
26	BB	800	A	C5-N7-C8	-6.87	100.46	103.90
26	BB	1830	C	C3'-C2'-C1'	6.87	107.00	101.50
26	BB	2083	G	C5-N7-C8	-6.87	100.86	104.30
26	BB	2156	G	C8-N9-C4	-6.87	103.65	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2337	G	O4'-C1'-N9	6.87	113.70	108.20
26	BB	2470	G	C8-N9-C4	-6.87	103.65	106.40
1	AA	636	U	C4'-C3'-C2'	-6.87	95.73	102.60
1	AA	792	A	C6-C5-N7	6.87	137.11	132.30
26	BB	974	G	N9-C4-C5	-6.87	102.65	105.40
26	BB	1161	C	N1-C2-O2	6.87	123.02	118.90
1	AA	1286	U	C5'-C4'-O4'	6.87	117.34	109.10
3	AC	47	C	C5-C6-N1	-6.87	117.57	121.00
26	BB	1763	G	N3-C4-N9	-6.87	121.88	126.00
26	BB	1784	A	C8-N9-C4	-6.87	103.05	105.80
26	BB	2235	G	N3-C4-C5	-6.87	125.17	128.60
26	BB	2370	G	O4'-C1'-N9	6.87	113.69	108.20
26	BB	2391	G	N1-C2-N2	6.87	122.38	116.20
26	BB	2594	C	C5-C6-N1	6.87	124.43	121.00
26	BB	2688	G	N7-C8-N9	6.87	116.53	113.10
26	BB	1275	A	N7-C8-N9	6.87	117.23	113.80
26	BB	1756	G	C6-N1-C2	-6.87	120.98	125.10
57	B6	53	ASP	CB-CG-OD1	-6.87	112.12	118.30
1	AA	1122	U	O4'-C1'-N1	6.87	113.69	108.20
1	AA	1130	A	C4-C5-N7	-6.87	107.27	110.70
1	AA	1258	G	C5-C6-O6	-6.87	124.48	128.60
1	AA	1266	G	C5-C6-N1	6.87	114.93	111.50
1	AA	1471	U	N1-C2-N3	6.87	119.02	114.90
4	AD	10	G	C5-C6-N1	6.87	114.93	111.50
4	AD	12	G	C5-C6-N1	6.87	114.93	111.50
26	BB	542	C	N3-C2-O2	-6.87	117.09	121.90
26	BB	753	A	N1-C2-N3	6.87	132.73	129.30
26	BB	1001	A	N1-C6-N6	6.87	122.72	118.60
26	BB	1155	A	N7-C8-N9	-6.87	110.37	113.80
26	BB	2096	C	C6-N1-C2	6.87	123.05	120.30
26	BB	2361	G	N3-C2-N2	6.87	124.71	119.90
26	BB	2401	U	N1-C2-O2	-6.87	117.99	122.80
40	BP	112	TYR	CB-CG-CD1	6.87	125.12	121.00
1	AA	202	G	C5-C6-N1	6.86	114.93	111.50
1	AA	1262	C	C4-C5-C6	-6.86	113.97	117.40
26	BB	264	C	C5-C6-N1	-6.86	117.57	121.00
26	BB	388	G	C5-C6-O6	6.86	132.72	128.60
26	BB	1293	C	O4'-C1'-N1	6.86	113.69	108.20
26	BB	2136	G	N1-C6-O6	6.86	124.02	119.90
26	BB	2848	G	N7-C8-N9	-6.86	109.67	113.10
26	BB	2869	G	N9-C4-C5	6.86	108.14	105.40
26	BB	561	G	C1'-O4'-C4'	6.86	115.39	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	100	G	N7-C8-N9	6.86	116.53	113.10
1	AA	108	G	C8-N9-C4	-6.86	103.66	106.40
1	AA	888	G	N1-C2-N3	6.86	128.02	123.90
1	AA	992	U	C1'-O4'-C4'	-6.86	104.41	109.90
1	AA	1081	A	N1-C2-N3	-6.86	125.87	129.30
1	AA	1342	C	N3-C4-N4	-6.86	113.20	118.00
1	AA	1381	U	O4'-C1'-N1	6.86	113.69	108.20
4	AD	4	G	C4-C5-C6	-6.86	114.68	118.80
25	BA	82	U	N1-C2-N3	6.86	119.02	114.90
26	BB	508	A	N7-C8-N9	6.86	117.23	113.80
26	BB	596	U	C2-N3-C4	6.86	131.12	127.00
26	BB	627	A	O4'-C4'-C3'	6.86	111.59	106.10
26	BB	630	G	N3-C4-C5	-6.86	125.17	128.60
26	BB	902	C	O4'-C1'-N1	6.86	113.69	108.20
26	BB	1256	G	C2-N3-C4	6.86	115.33	111.90
26	BB	1754	A	C4'-C3'-C2'	6.86	109.46	102.60
1	AA	42	G	N9-C4-C5	6.86	108.14	105.40
1	AA	135	C	C4'-C3'-C2'	-6.86	95.74	102.60
3	AC	22	G	P-O3'-C3'	6.86	127.93	119.70
26	BB	85	G	C5'-C4'-O4'	6.86	117.33	109.10
26	BB	550	C	C5-C6-N1	6.86	124.43	121.00
26	BB	2438	U	N1-C2-N3	6.86	119.02	114.90
26	BB	2765	A	C5'-C4'-O4'	6.86	117.33	109.10
26	BB	2824	C	C5-C4-N4	-6.86	115.40	120.20
1	AA	379	C	N3-C2-O2	-6.86	117.10	121.90
1	AA	1279	G	N1-C6-O6	-6.86	115.79	119.90
1	AA	1391	U	C2-N3-C4	-6.86	122.89	127.00
26	BB	254	G	N1-C2-N2	6.86	122.37	116.20
26	BB	791	C	N1-C2-O2	6.86	123.01	118.90
26	BB	916	G	N3-C4-N9	6.86	130.12	126.00
26	BB	1669	A	C8-N9-C4	-6.86	103.06	105.80
26	BB	2018	G	O4'-C1'-N9	6.86	113.69	108.20
1	AA	6	G	N3-C2-N2	-6.86	115.10	119.90
1	AA	83	C	C3'-C2'-C1'	6.86	106.98	101.50
4	AD	71	G	C4-C5-N7	6.86	113.54	110.80
25	BA	59	A	C5-N7-C8	-6.86	100.47	103.90
25	BA	90	C	C5-C6-N1	-6.86	117.57	121.00
26	BB	635	C	C5'-C4'-O4'	6.86	117.33	109.10
26	BB	906	U	C5-C4-O4	-6.86	121.79	125.90
26	BB	2511	U	C5-C4-O4	-6.86	121.79	125.90
1	AA	1484	C	O4'-C1'-N1	6.85	113.68	108.20
26	BB	916	G	N1-C2-N3	-6.85	119.79	123.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	413	G	N9-C4-C5	6.85	108.14	105.40
1	AA	1233	G	N3-C2-N2	-6.85	115.10	119.90
1	AA	1411	C	C5'-C4'-O4'	6.85	117.32	109.10
25	BA	70	C	N3-C2-O2	-6.85	117.10	121.90
26	BB	92	U	C5-C4-O4	-6.85	121.79	125.90
26	BB	277	G	C3'-C2'-C1'	6.85	106.98	101.50
26	BB	785	G	C5-C6-N1	6.85	114.93	111.50
26	BB	1277	G	C4-C5-N7	-6.85	108.06	110.80
26	BB	2157	G	C4-C5-C6	6.85	122.91	118.80
26	BB	2858	C	O4'-C1'-N1	6.85	113.68	108.20
26	BB	2872	A	P-O3'-C3'	6.85	127.92	119.70
1	AA	591	U	C3'-C2'-C1'	-6.85	96.02	101.50
4	AD	62	C	C2-N3-C4	6.85	123.33	119.90
26	BB	334	C	O4'-C1'-N1	6.85	113.68	108.20
26	BB	714	U	C5'-C4'-O4'	6.85	117.32	109.10
26	BB	855	G	C2-N3-C4	-6.85	108.47	111.90
26	BB	2096	C	C5-C4-N4	6.85	125.00	120.20
26	BB	2355	G	C4'-C3'-C2'	-6.85	95.75	102.60
1	AA	317	U	O4'-C1'-N1	6.85	113.68	108.20
1	AA	397	A	C8-N9-C4	-6.85	103.06	105.80
1	AA	809	G	N3-C2-N2	-6.85	115.11	119.90
1	AA	844	G	C4-C5-N7	6.85	113.54	110.80
1	AA	1067	A	C4-C5-N7	6.85	114.12	110.70
26	BB	197	A	C5-C6-N1	6.85	121.12	117.70
26	BB	490	C	O4'-C1'-N1	6.85	113.68	108.20
26	BB	706	A	C6-N1-C2	6.85	122.71	118.60
26	BB	794	A	O4'-C1'-N9	6.85	113.68	108.20
26	BB	874	G	C8-N9-C4	-6.85	103.66	106.40
26	BB	956	G	C5'-C4'-C3'	-6.85	105.04	116.00
26	BB	1108	U	N3-C2-O2	-6.85	117.41	122.20
26	BB	1799	G	C4-C5-N7	-6.85	108.06	110.80
26	BB	1860	G	C6-C5-N7	-6.85	126.29	130.40
26	BB	1963	U	N3-C4-O4	6.85	124.19	119.40
26	BB	2099	U	C3'-C2'-C1'	-6.85	96.02	101.50
26	BB	2262	U	O4'-C1'-N1	6.85	113.68	108.20
1	AA	335	C	O5'-P-OP1	-6.85	99.54	105.70
1	AA	470	C	C2-N3-C4	6.85	123.32	119.90
1	AA	1164	G	N3-C4-C5	-6.85	125.18	128.60
1	AA	1386	G	O4'-C1'-N9	6.85	113.68	108.20
26	BB	829	A	C5'-C4'-C3'	-6.85	105.04	116.00
26	BB	1756	G	C5-C6-O6	6.85	132.71	128.60
26	BB	2116	G	C6-N1-C2	-6.85	120.99	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2348	U	C5-C6-N1	-6.85	119.28	122.70
26	BB	2489	U	N1-C2-O2	6.85	127.59	122.80
26	BB	2703	C	O4'-C1'-N1	6.85	113.68	108.20
7	AG	183	ARG	NE-CZ-NH2	-6.85	116.88	120.30
1	AA	506	G	N7-C8-N9	-6.84	109.68	113.10
1	AA	834	U	O4'-C1'-N1	6.84	113.68	108.20
1	AA	1047	G	C4'-C3'-C2'	-6.84	95.75	102.60
1	AA	1204	A	C2-N3-C4	6.84	114.02	110.60
1	AA	1300	G	N1-C2-N3	-6.84	119.79	123.90
26	BB	791	C	C4-C5-C6	6.84	120.82	117.40
26	BB	1214	A	C4-C5-C6	-6.84	113.58	117.00
26	BB	1325	U	C5'-C4'-C3'	-6.84	105.05	116.00
26	BB	1475	G	N3-C2-N2	6.84	124.69	119.90
26	BB	2054	A	O4'-C1'-N9	-6.84	102.72	108.20
26	BB	2867	G	N1-C6-O6	-6.84	115.79	119.90
1	AA	170	U	C1'-O4'-C4'	-6.84	104.42	109.90
1	AA	597	G	N9-C4-C5	6.84	108.14	105.40
26	BB	651	G	N3-C4-C5	-6.84	125.18	128.60
26	BB	1071	G	C8-N9-C4	-6.84	103.66	106.40
28	BD	181	ARG	NH1-CZ-NH2	-6.84	111.87	119.40
1	AA	372	C	C5'-C4'-O4'	-6.84	100.89	109.10
1	AA	425	G	N1-C2-N3	6.84	128.00	123.90
1	AA	456	A	C8-N9-C4	-6.84	103.06	105.80
1	AA	536	C	N1-C2-N3	6.84	123.99	119.20
1	AA	826	C	N1-C2-O2	-6.84	114.80	118.90
1	AA	1113	C	C6-N1-C2	-6.84	117.56	120.30
1	AA	1491	G	C3'-C2'-C1'	6.84	106.97	101.50
26	BB	148	U	O4'-C1'-N1	6.84	113.67	108.20
26	BB	1005	C	N3-C4-N4	6.84	122.79	118.00
26	BB	2102	G	C5-C6-N1	6.84	114.92	111.50
26	BB	2112	G	C5-C6-N1	-6.84	108.08	111.50
26	BB	2380	C	C2-N3-C4	-6.84	116.48	119.90
1	AA	348	G	C2-N3-C4	6.84	115.32	111.90
1	AA	350	G	N1-C2-N3	-6.84	119.80	123.90
1	AA	617	G	N1-C2-N2	-6.84	110.05	116.20
1	AA	815	A	N7-C8-N9	-6.84	110.38	113.80
1	AA	1392	G	C6-N1-C2	-6.84	121.00	125.10
14	AN	17	ASP	CB-CG-OD2	-6.84	112.14	118.30
26	BB	378	C	N3-C4-C5	-6.84	119.16	121.90
26	BB	403	U	N3-C4-C5	6.84	118.70	114.60
26	BB	1997	C	N3-C4-C5	-6.84	119.16	121.90
26	BB	2766	A	C4-C5-C6	-6.84	113.58	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
40	BP	22	ARG	CD-NE-CZ	6.84	133.18	123.60
25	BA	79	G	C4-C5-N7	6.84	113.53	110.80
26	BB	38	A	C6-N1-C2	-6.84	114.50	118.60
26	BB	1215	G	C5'-C4'-O4'	6.84	117.31	109.10
26	BB	1642	G	C8-N9-C4	6.84	109.14	106.40
1	AA	155	A	C5-N7-C8	-6.84	100.48	103.90
1	AA	266	G	N9-C4-C5	-6.84	102.67	105.40
1	AA	1024	G	C6-N1-C2	-6.84	121.00	125.10
1	AA	1223	C	C2-N3-C4	6.84	123.32	119.90
1	AA	1534	A	O4'-C4'-C3'	6.84	111.57	106.10
3	AC	15	G	O4'-C1'-N9	-6.84	102.73	108.20
25	BA	21	G	C4-N9-C1'	-6.84	117.61	126.50
26	BB	63	A	C5-C6-N6	-6.84	118.23	123.70
26	BB	1090	A	C6-N1-C2	-6.84	114.50	118.60
26	BB	1248	G	N7-C8-N9	6.84	116.52	113.10
26	BB	1496	A	N9-C4-C5	6.84	108.53	105.80
26	BB	1504	A	C5-C6-N1	-6.84	114.28	117.70
26	BB	1607	C	C5-C6-N1	-6.84	117.58	121.00
26	BB	1735	A	C8-N9-C4	-6.84	103.07	105.80
26	BB	1798	U	C4-C5-C6	6.84	123.80	119.70
26	BB	2543	G	C4-C5-N7	-6.84	108.07	110.80
26	BB	2864	G	N7-C8-N9	-6.84	109.68	113.10
26	BB	2049	G	C2-N3-C4	6.83	115.32	111.90
26	BB	2848	G	C4-C5-N7	-6.83	108.07	110.80
28	BD	260	LYS	CB-CA-C	6.83	124.07	110.40
1	AA	454	G	C4-C5-C6	6.83	122.90	118.80
1	AA	592	G	C5'-C4'-O4'	6.83	117.30	109.10
26	BB	169	G	O4'-C1'-N9	6.83	113.67	108.20
26	BB	275	C	O4'-C1'-N1	6.83	113.67	108.20
26	BB	845	A	C6-C5-N7	-6.83	127.52	132.30
26	BB	1370	C	C1'-O4'-C4'	6.83	115.37	109.90
26	BB	1861	G	O4'-C1'-N9	6.83	113.67	108.20
1	AA	901	A	C8-N9-C4	-6.83	103.07	105.80
1	AA	1449	C	C4-C5-C6	-6.83	113.98	117.40
25	BA	25	U	O4'-C1'-C2'	-6.83	98.97	105.80
26	BB	201	C	N1-C2-O2	6.83	123.00	118.90
26	BB	752	A	C5-C6-N1	-6.83	114.28	117.70
26	BB	1035	U	C1'-O4'-C4'	6.83	115.36	109.90
26	BB	1901	A	C5-C6-N6	6.83	129.16	123.70
1	AA	545	C	C5-C4-N4	-6.83	115.42	120.20
1	AA	933	G	O4'-C1'-C2'	-6.83	98.97	105.80
26	BB	800	A	N1-C6-N6	6.83	122.70	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	845	A	C5-N7-C8	-6.83	100.48	103.90
26	BB	979	A	C3'-C2'-C1'	6.83	106.96	101.50
26	BB	1757	A	N1-C6-N6	-6.83	114.50	118.60
26	BB	2387	U	N1-C1'-C2'	6.83	122.88	114.00
43	BS	27	ARG	NE-CZ-NH1	6.83	123.72	120.30
1	AA	734	G	N1-C2-N3	-6.83	119.80	123.90
1	AA	1141	C	N3-C2-O2	-6.83	117.12	121.90
1	AA	1287	A	C6-N1-C2	-6.83	114.50	118.60
3	AC	54	U	C3'-C2'-C1'	6.83	106.96	101.50
26	BB	184	C	P-O3'-C3'	6.83	127.89	119.70
26	BB	592	A	C8-N9-C4	-6.83	103.07	105.80
26	BB	862	G	N3-C4-C5	-6.83	125.19	128.60
26	BB	1063	G	C8-N9-C1'	6.83	135.88	127.00
26	BB	1187	G	C3'-C2'-C1'	-6.83	96.04	101.50
26	BB	1787	A	C6-C5-N7	-6.83	127.52	132.30
26	BB	2380	C	P-O3'-C3'	6.83	127.89	119.70
26	BB	2429	G	N1-C2-N3	6.83	128.00	123.90
26	BB	2466	C	N3-C4-N4	6.83	122.78	118.00
1	AA	164	G	C2-N3-C4	6.83	115.31	111.90
1	AA	337	G	N9-C1'-C2'	-6.83	104.49	112.00
1	AA	827	U	N3-C2-O2	-6.83	117.42	122.20
1	AA	844	G	C6-C5-N7	-6.83	126.30	130.40
3	AC	30	U	C2-N3-C4	-6.83	122.90	127.00
26	BB	1432	G	C3'-C2'-C1'	-6.83	96.04	101.50
26	BB	1846	G	C5'-C4'-C3'	-6.83	105.08	116.00
26	BB	2004	G	O5'-C5'-C4'	6.83	124.67	111.70
26	BB	2041	U	C4-C5-C6	6.83	123.80	119.70
1	AA	993	G	O4'-C4'-C3'	6.82	111.56	106.10
1	AA	1320	C	C4'-C3'-C2'	-6.82	95.78	102.60
2	AB	71	C	C5-C4-N4	-6.82	115.42	120.20
26	BB	115	C	N3-C2-O2	-6.82	117.12	121.90
26	BB	120	U	C3'-C2'-C1'	6.82	106.96	101.50
26	BB	776	G	C6-N1-C2	-6.82	121.01	125.10
26	BB	811	U	N1-C1'-C2'	-6.82	104.50	112.00
26	BB	1313	U	N1-C2-O2	6.82	127.58	122.80
26	BB	1455	G	N7-C8-N9	6.82	116.51	113.10
26	BB	2205	A	N9-C4-C5	6.82	108.53	105.80
26	BB	2327	A	C5'-C4'-C3'	-6.82	105.08	116.00
26	BB	2371	G	N1-C2-N3	-6.82	119.81	123.90
26	BB	2415	G	C5-N7-C8	6.82	107.71	104.30
26	BB	2800	A	O4'-C1'-N9	6.82	113.66	108.20
26	BB	2825	G	N1-C6-O6	-6.82	115.81	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1181	G	O4'-C4'-C3'	6.82	111.56	106.10
25	BA	104	A	C8-N9-C4	-6.82	103.07	105.80
26	BB	477	A	C8-N9-C4	-6.82	103.07	105.80
26	BB	1323	C	N3-C4-C5	-6.82	119.17	121.90
26	BB	1579	A	C8-N9-C4	-6.82	103.07	105.80
26	BB	1936	A	N7-C8-N9	6.82	117.21	113.80
26	BB	2833	U	C2-N3-C4	-6.82	122.91	127.00
1	AA	312	C	C5'-C4'-O4'	6.82	117.28	109.10
1	AA	1058	G	C1'-O4'-C4'	6.82	115.36	109.90
1	AA	1172	C	O4'-C1'-N1	6.82	113.66	108.20
21	AU	63	TYR	CB-CG-CD2	-6.82	116.91	121.00
25	BA	51	G	N1-C6-O6	6.82	123.99	119.90
26	BB	133	U	C4-C5-C6	6.82	123.79	119.70
26	BB	182	A	C8-N9-C4	-6.82	103.07	105.80
26	BB	959	A	O4'-C1'-N9	6.82	113.66	108.20
26	BB	1319	C	N3-C4-C5	6.82	124.63	121.90
26	BB	1464	G	C4-C5-C6	6.82	122.89	118.80
26	BB	1836	C	C5-C4-N4	6.82	124.97	120.20
26	BB	1844	C	N1-C1'-C2'	-6.82	104.50	112.00
26	BB	2405	G	C5-C6-N1	6.82	114.91	111.50
26	BB	2546	U	N1-C2-O2	-6.82	118.03	122.80
26	BB	2607	G	N1-C2-N3	-6.82	119.81	123.90
26	BB	2830	C	C3'-C2'-C1'	-6.82	96.04	101.50
1	AA	208	U	N3-C2-O2	-6.82	117.43	122.20
1	AA	272	C	N1-C2-O2	6.82	122.99	118.90
1	AA	823	C	C3'-C2'-C1'	-6.82	96.05	101.50
1	AA	1422	G	C8-N9-C4	-6.82	103.67	106.40
26	BB	733	G	C2-N3-C4	6.82	115.31	111.90
1	AA	1	A	N9-C4-C5	-6.82	103.07	105.80
1	AA	140	U	O4'-C1'-N1	6.82	113.65	108.20
1	AA	774	G	N3-C4-N9	6.82	130.09	126.00
2	AB	26	A	P-O5'-C5'	6.82	131.81	120.90
15	AO	55	ARG	NE-CZ-NH1	6.82	123.71	120.30
26	BB	22	C	N1-C2-O2	6.82	122.99	118.90
26	BB	733	G	C5-C6-O6	-6.82	124.51	128.60
26	BB	738	G	N1-C2-N3	6.82	127.99	123.90
26	BB	1827	U	N3-C2-O2	-6.82	117.43	122.20
26	BB	2456	C	C4-C5-C6	-6.82	113.99	117.40
26	BB	2495	G	C2-N3-C4	6.82	115.31	111.90
1	AA	26	A	C5-N7-C8	-6.82	100.49	103.90
1	AA	618	C	O4'-C4'-C3'	6.82	111.55	106.10
3	AC	38	G	C5'-C4'-O4'	6.82	117.28	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	341	C	O4'-C1'-N1	6.82	113.65	108.20
26	BB	452	G	P-O3'-C3'	6.82	127.88	119.70
26	BB	819	A	N9-C4-C5	-6.82	103.07	105.80
26	BB	1020	A	N9-C4-C5	6.82	108.53	105.80
26	BB	1176	U	C4'-C3'-C2'	-6.82	95.78	102.60
26	BB	1577	C	N3-C4-C5	-6.82	119.17	121.90
26	BB	1870	C	P-O3'-C3'	6.82	127.88	119.70
26	BB	2184	A	N1-C6-N6	-6.82	114.51	118.60
26	BB	2703	C	N3-C4-N4	6.82	122.77	118.00
28	BD	188	ARG	NE-CZ-NH1	6.82	123.71	120.30
1	AA	384	G	C6-C5-N7	-6.81	126.31	130.40
1	AA	446	G	C5-C6-N1	6.81	114.91	111.50
1	AA	1425	U	C2-N3-C4	-6.81	122.91	127.00
1	AA	1531	A	O4'-C1'-N9	6.81	113.65	108.20
4	AD	27	G	C8-N9-C4	-6.81	103.67	106.40
25	BA	75	G	C6-C5-N7	-6.81	126.31	130.40
26	BB	651	G	C4-C5-C6	6.81	122.89	118.80
26	BB	1194	A	C4-C5-C6	6.81	120.41	117.00
26	BB	1434	A	C5-N7-C8	-6.81	100.49	103.90
26	BB	2444	G	C6-N1-C2	-6.81	121.01	125.10
26	BB	2557	G	C1'-O4'-C4'	-6.81	104.45	109.90
1	AA	213	G	C5-C6-N1	6.81	114.91	111.50
1	AA	391	G	C8-N9-C4	-6.81	103.67	106.40
1	AA	1164	G	N9-C4-C5	6.81	108.12	105.40
1	AA	1413	A	P-O3'-C3'	6.81	127.87	119.70
26	BB	338	G	C6-C5-N7	-6.81	126.31	130.40
26	BB	1963	U	N3-C2-O2	-6.81	117.43	122.20
26	BB	2846	G	N9-C1'-C2'	-6.81	104.50	112.00
1	AA	844	G	C5-N7-C8	-6.81	100.89	104.30
26	BB	1044	C	O4'-C4'-C3'	-6.81	97.19	104.00
26	BB	2058	A	C8-N9-C4	-6.81	103.08	105.80
26	BB	2181	U	C5-C6-N1	-6.81	119.29	122.70
1	AA	314	C	N1-C2-O2	6.81	122.98	118.90
1	AA	431	A	C6-C5-N7	6.81	137.07	132.30
1	AA	709	U	C3'-C2'-C1'	6.81	106.95	101.50
1	AA	996	A	C6-C5-N7	6.81	137.07	132.30
1	AA	1034	G	N3-C4-N9	6.81	130.09	126.00
3	AC	41	A	C5-C6-N6	6.81	129.15	123.70
26	BB	217	A	C8-N9-C4	6.81	108.52	105.80
26	BB	1543	G	C4-C5-C6	6.81	122.89	118.80
26	BB	2153	C	C6-N1-C1'	-6.81	112.63	120.80
26	BB	2597	G	N3-C2-N2	-6.81	115.13	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2607	G	C4-C5-N7	-6.81	108.08	110.80
1	AA	492	C	C6-N1-C2	-6.81	117.58	120.30
26	BB	1	G	N3-C4-N9	6.81	130.08	126.00
26	BB	281	C	N3-C4-C5	-6.81	119.18	121.90
26	BB	917	A	O4'-C4'-C3'	6.81	111.55	106.10
26	BB	1222	U	C2-N3-C4	-6.81	122.92	127.00
26	BB	2591	C	N3-C4-N4	6.81	122.77	118.00
26	BB	2894	G	N1-C6-O6	6.81	123.98	119.90
32	BH	163	TYR	CG-CD2-CE2	-6.81	115.85	121.30
1	AA	256	U	N3-C4-O4	6.81	124.16	119.40
1	AA	505	G	C1'-O4'-C4'	-6.81	104.45	109.90
4	AD	27	G	N3-C4-C5	-6.81	125.20	128.60
57	B6	7	ARG	NE-CZ-NH2	-6.81	116.90	120.30
2	AB	49	G	O4'-C1'-N9	6.80	113.64	108.20
12	AL	17	ARG	NE-CZ-NH1	6.80	123.70	120.30
26	BB	221	A	N1-C6-N6	6.80	122.68	118.60
26	BB	1095	A	O4'-C1'-N9	6.80	113.64	108.20
26	BB	2253	G	N1-C2-N2	6.80	122.32	116.20
26	BB	2792	A	O4'-C1'-N9	6.80	113.64	108.20
1	AA	1151	A	P-O3'-C3'	6.80	127.86	119.70
1	AA	1502	A	C4-C5-N7	-6.80	107.30	110.70
2	AB	73	G	N3-C4-C5	-6.80	125.20	128.60
26	BB	1635	A	O4'-C4'-C3'	6.80	111.54	106.10
26	BB	1966	A	C4-C5-N7	-6.80	107.30	110.70
26	BB	2086	U	C1'-O4'-C4'	-6.80	104.46	109.90
1	AA	406	G	O4'-C1'-N9	-6.80	102.76	108.20
1	AA	818	G	C5'-C4'-O4'	6.80	117.26	109.10
3	AC	24	A	N1-C6-N6	6.80	122.68	118.60
26	BB	94	A	C2'-C3'-O3'	6.80	124.58	113.70
26	BB	463	G	C6-C5-N7	-6.80	126.32	130.40
26	BB	974	G	C6-N1-C2	-6.80	121.02	125.10
26	BB	1051	G	C5-C6-O6	-6.80	124.52	128.60
26	BB	1651	G	O4'-C1'-N9	6.80	113.64	108.20
26	BB	1955	U	C1'-O4'-C4'	-6.80	104.46	109.90
26	BB	2253	G	N3-C2-N2	-6.80	115.14	119.90
26	BB	2510	C	C1'-O4'-C4'	-6.80	104.46	109.90
55	B4	5	ARG	NE-CZ-NH2	6.80	123.70	120.30
1	AA	217	C	C2-N1-C1'	-6.80	111.32	118.80
3	AC	28	U	N3-C4-C5	-6.80	110.52	114.60
5	AE	136	ARG	NH1-CZ-NH2	-6.80	111.92	119.40
26	BB	490	C	O5'-P-OP2	-6.80	99.58	105.70
26	BB	612	G	C8-N9-C4	-6.80	103.68	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	672	C	N3-C4-C5	-6.80	119.18	121.90
26	BB	1275	A	C5'-C4'-O4'	6.80	117.26	109.10
26	BB	1961	C	C5-C4-N4	-6.80	115.44	120.20
26	BB	2141	G	C5'-C4'-O4'	6.80	117.26	109.10
50	BZ	10	ARG	NE-CZ-NH2	6.80	123.70	120.30
1	AA	180	U	N3-C2-O2	6.80	126.96	122.20
25	BA	60	C	C5-C4-N4	-6.80	115.44	120.20
26	BB	262	A	N7-C8-N9	-6.80	110.40	113.80
26	BB	689	A	N9-C4-C5	-6.80	103.08	105.80
26	BB	1047	G	N1-C6-O6	-6.80	115.82	119.90
26	BB	1928	A	C5-C6-N1	6.80	121.10	117.70
26	BB	2492	U	O4'-C1'-C2'	-6.80	99.00	105.80
1	AA	939	G	C5'-C4'-O4'	6.80	117.26	109.10
1	AA	948	C	C2-N3-C4	6.80	123.30	119.90
1	AA	1272	G	N3-C4-N9	6.80	130.08	126.00
1	AA	1367	C	N3-C4-C5	-6.80	119.18	121.90
1	AA	1465	A	N9-C4-C5	6.80	108.52	105.80
25	BA	68	C	C5-C4-N4	6.80	124.96	120.20
26	BB	327	G	N3-C4-N9	6.80	130.08	126.00
26	BB	969	G	N9-C1'-C2'	-6.80	104.52	112.00
26	BB	1477	A	N1-C6-N6	6.80	122.68	118.60
26	BB	1708	C	N3-C2-O2	-6.80	117.14	121.90
26	BB	1734	G	C4'-C3'-C2'	-6.80	95.80	102.60
26	BB	1886	U	C1'-O4'-C4'	6.80	115.34	109.90
26	BB	1922	G	C4-C5-C6	6.80	122.88	118.80
26	BB	1984	G	C2-N3-C4	6.80	115.30	111.90
1	AA	1084	G	N3-C4-C5	-6.79	125.20	128.60
26	BB	217	A	C5-C6-N1	6.79	121.10	117.70
26	BB	1474	U	O4'-C1'-N1	6.79	113.64	108.20
26	BB	1802	A	C4'-C3'-C2'	-6.79	95.81	102.60
26	BB	1888	G	C5-C6-N1	6.79	114.90	111.50
26	BB	2183	A	N1-C2-N3	-6.79	125.90	129.30
26	BB	2536	G	C5-N7-C8	-6.79	100.90	104.30
26	BB	2755	C	N3-C4-N4	-6.79	113.24	118.00
1	AA	536	C	O4'-C1'-N1	6.79	113.64	108.20
1	AA	849	G	N9-C4-C5	6.79	108.12	105.40
4	AD	16	C	C5'-C4'-C3'	-6.79	105.13	116.00
26	BB	713	G	C5-C6-O6	-6.79	124.52	128.60
26	BB	905	A	C5'-C4'-O4'	6.79	117.25	109.10
26	BB	911	A	C4-C5-C6	-6.79	113.60	117.00
26	BB	1780	A	N9-C4-C5	6.79	108.52	105.80
26	BB	2572	A	C2-N3-C4	6.79	114.00	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	139	U	N3-C4-C5	6.79	118.67	114.60
26	BB	1144	A	N9-C4-C5	6.79	108.52	105.80
26	BB	1883	U	N1-C2-O2	6.79	127.55	122.80
26	BB	2395	C	N1-C1'-C2'	-6.79	104.53	112.00
13	AM	97	ASP	CB-CG-OD2	-6.79	112.19	118.30
26	BB	460	A	C6-N1-C2	6.79	122.67	118.60
1	AA	50	A	N9-C4-C5	6.79	108.52	105.80
1	AA	635	A	C8-N9-C4	-6.79	103.08	105.80
1	AA	1184	G	C1'-O4'-C4'	6.79	115.33	109.90
1	AA	1335	U	C2-N3-C4	-6.79	122.93	127.00
2	AB	75	C	C5'-C4'-C3'	-6.79	105.14	116.00
3	AC	58	C	C3'-C2'-C1'	6.79	106.93	101.50
21	AU	21	ASP	CB-CG-OD2	6.79	124.41	118.30
26	BB	99	U	C5-C4-O4	-6.79	121.83	125.90
26	BB	1286	A	N3-C4-C5	-6.79	122.05	126.80
26	BB	1566	A	C6-N1-C2	6.79	122.67	118.60
26	BB	1736	U	P-O3'-C3'	6.79	127.85	119.70
26	BB	1891	G	N3-C4-N9	-6.79	121.93	126.00
26	BB	2669	G	C6-C5-N7	-6.79	126.33	130.40
1	AA	509	A	C3'-C2'-C1'	6.79	106.93	101.50
1	AA	1445	U	N3-C4-C5	6.79	118.67	114.60
26	BB	1781	U	N3-C4-O4	6.79	124.15	119.40
26	BB	2703	C	O4'-C1'-C2'	-6.79	99.01	105.80
26	BB	2756	U	P-O3'-C3'	6.79	127.84	119.70
1	AA	280	C	N3-C2-O2	-6.79	117.15	121.90
1	AA	361	G	N3-C2-N2	-6.79	115.15	119.90
1	AA	1166	G	N9-C4-C5	-6.79	102.69	105.40
10	AJ	155	TRP	CD1-CG-CD2	-6.79	100.87	106.30
26	BB	2346	A	N9-C1'-C2'	6.79	122.82	114.00
26	BB	2810	A	C5-N7-C8	-6.79	100.51	103.90
1	AA	238	A	N1-C2-N3	-6.78	125.91	129.30
1	AA	727	G	C6-C5-N7	-6.78	126.33	130.40
7	AG	181	PHE	CB-CG-CD2	-6.78	116.05	120.80
26	BB	146	A	C6-C5-N7	6.78	137.05	132.30
26	BB	570	G	C8-N9-C4	-6.78	103.69	106.40
26	BB	1311	G	C4-C5-N7	-6.78	108.09	110.80
26	BB	1763	G	N7-C8-N9	6.78	116.49	113.10
26	BB	2010	G	C2-N3-C4	6.78	115.29	111.90
25	BA	91	C	C6-N1-C2	-6.78	117.59	120.30
26	BB	764	A	C5-C6-N6	-6.78	118.27	123.70
26	BB	1136	G	C6-N1-C2	-6.78	121.03	125.10
26	BB	2617	U	N1-C2-N3	6.78	118.97	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	361	G	C4-C5-N7	-6.78	108.09	110.80
26	BB	297	G	N3-C2-N2	-6.78	115.15	119.90
26	BB	346	A	N1-C2-N3	-6.78	125.91	129.30
26	BB	616	A	C4-C5-N7	-6.78	107.31	110.70
26	BB	1035	U	N3-C4-O4	-6.78	114.65	119.40
26	BB	2483	C	N3-C2-O2	-6.78	117.15	121.90
26	BB	2530	A	N1-C6-N6	6.78	122.67	118.60
26	BB	2844	G	N7-C8-N9	6.78	116.49	113.10
38	BN	66	PHE	CB-CG-CD2	6.78	125.55	120.80
2	AB	5	G	C5-C6-N1	6.78	114.89	111.50
22	AV	59	VAL	CA-CB-CG2	-6.78	100.73	110.90
26	BB	547	A	N9-C4-C5	6.78	108.51	105.80
26	BB	1602	U	N3-C4-C5	-6.78	110.53	114.60
26	BB	2885	G	C5'-C4'-O4'	6.78	117.23	109.10
1	AA	197	A	C6-N1-C2	-6.78	114.53	118.60
1	AA	1069	C	C5-C4-N4	-6.78	115.45	120.20
1	AA	1377	A	N1-C2-N3	-6.78	125.91	129.30
1	AA	1479	C	N1-C2-O2	-6.78	114.83	118.90
2	AB	3	G	C6-N1-C2	-6.78	121.03	125.10
4	AD	31	G	N1-C2-N2	6.78	122.30	116.20
4	AD	69	C	N3-C4-N4	6.78	122.75	118.00
26	BB	253	C	N3-C4-C5	-6.78	119.19	121.90
26	BB	1088	A	C4-C5-N7	-6.78	107.31	110.70
26	BB	2157	G	C6-N1-C2	6.78	129.17	125.10
26	BB	2261	C	N3-C4-C5	-6.78	119.19	121.90
26	BB	2357	G	C4-C5-N7	-6.78	108.09	110.80
27	BC	95	VAL	CG1-CB-CG2	-6.78	100.06	110.90
1	AA	12	U	P-O3'-C3'	6.78	127.83	119.70
1	AA	105	G	P-O3'-C3'	6.78	127.83	119.70
26	BB	1053	C	C5'-C4'-O4'	6.78	117.23	109.10
26	BB	1384	A	C2-N3-C4	6.78	113.99	110.60
26	BB	1596	A	N9-C1'-C2'	-6.78	104.55	112.00
26	BB	2071	A	C4-C5-C6	-6.78	113.61	117.00
26	BB	2838	G	C5-N7-C8	-6.78	100.91	104.30
29	BE	181	ASP	CB-CG-OD2	-6.78	112.20	118.30
39	BO	75	GLU	OE1-CD-OE2	6.78	131.43	123.30
2	AB	57	G	O4'-C4'-C3'	6.77	111.52	106.10
5	AE	196	ASP	CB-CG-OD1	-6.77	112.20	118.30
26	BB	589	U	C4'-C3'-C2'	-6.77	95.83	102.60
26	BB	1413	A	C5-C6-N6	-6.77	118.28	123.70
26	BB	1435	G	C4-C5-C6	6.77	122.86	118.80
26	BB	2155	U	C2-N3-C4	6.77	131.06	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	40	C	C4'-C3'-C2'	-6.77	95.83	102.60
1	AA	650	G	C1'-O4'-C4'	-6.77	104.48	109.90
1	AA	1289	A	N9-C1'-C2'	-6.77	104.55	112.00
1	AA	1504	G	C3'-C2'-C1'	-6.77	96.08	101.50
4	AD	5	G	C5'-C4'-O4'	-6.77	100.97	109.10
25	BA	111	U	C3'-C2'-C1'	6.77	106.92	101.50
26	BB	810	U	C3'-C2'-C1'	6.77	106.92	101.50
26	BB	1592	C	C6-N1-C2	-6.77	117.59	120.30
26	BB	2084	C	C1'-O4'-C4'	-6.77	104.48	109.90
26	BB	2186	G	C5'-C4'-O4'	6.77	117.23	109.10
26	BB	2240	U	N1-C2-N3	6.77	118.96	114.90
26	BB	2435	A	C4-C5-C6	6.77	120.39	117.00
1	AA	497	G	C8-N9-C4	6.77	109.11	106.40
1	AA	597	G	C8-N9-C4	-6.77	103.69	106.40
1	AA	1330	U	C6-N1-C2	-6.77	116.94	121.00
12	AL	5	TYR	CD1-CG-CD2	6.77	125.35	117.90
26	BB	1137	G	C2-N3-C4	6.77	115.28	111.90
1	AA	89	U	C5-C6-N1	-6.77	119.31	122.70
1	AA	1488	G	C4-C5-N7	6.77	113.51	110.80
3	AC	54	U	C4-C5-C6	6.77	123.76	119.70
26	BB	409	G	C6-N1-C2	-6.77	121.04	125.10
26	BB	598	U	O4'-C1'-N1	6.77	113.61	108.20
26	BB	969	G	N3-C4-C5	-6.77	125.22	128.60
26	BB	2729	G	C6-N1-C2	-6.77	121.04	125.10
26	BB	2819	G	C8-N9-C4	-6.77	103.69	106.40
1	AA	205	A	N7-C8-N9	6.77	117.18	113.80
1	AA	857	C	N3-C4-N4	6.77	122.74	118.00
1	AA	1085	U	N1-C2-N3	-6.77	110.84	114.90
1	AA	1397	C	C1'-O4'-C4'	-6.77	104.49	109.90
4	AD	17	C	O4'-C4'-C3'	6.77	111.51	106.10
4	AD	43	G	C8-N9-C4	-6.77	103.69	106.40
26	BB	512	G	N1-C2-N3	-6.77	119.84	123.90
26	BB	1206	G	N3-C4-C5	-6.77	125.22	128.60
26	BB	1968	G	C8-N9-C4	-6.77	103.69	106.40
26	BB	2002	G	C8-N9-C4	-6.77	103.69	106.40
26	BB	2088	A	C4-C5-C6	6.77	120.38	117.00
26	BB	2353	G	N1-C2-N2	6.77	122.29	116.20
26	BB	2675	A	C5-C6-N1	6.77	121.08	117.70
1	AA	1006	G	N3-C4-C5	-6.77	125.22	128.60
1	AA	1281	C	O4'-C4'-C3'	6.77	111.51	106.10
26	BB	1126	A	N1-C6-N6	-6.77	114.54	118.60
26	BB	1641	A	N1-C6-N6	-6.77	114.54	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1690	A	N3-C4-N9	-6.77	121.99	127.40
1	AA	274	A	C5-C6-N1	6.76	121.08	117.70
1	AA	551	U	C4-C5-C6	6.76	123.76	119.70
1	AA	776	G	O4'-C1'-N9	6.76	113.61	108.20
1	AA	1311	A	C5-C6-N6	-6.76	118.29	123.70
1	AA	1394	A	C8-N9-C4	-6.76	103.09	105.80
1	AA	1497	G	N1-C6-O6	-6.76	115.84	119.90
26	BB	258	G	O4'-C1'-N9	6.76	113.61	108.20
26	BB	1541	C	C6-N1-C2	-6.76	117.59	120.30
26	BB	2547	A	C6-N1-C2	6.76	122.66	118.60
26	BB	2706	A	N3-C4-C5	-6.76	122.06	126.80
26	BB	860	U	C5-C6-N1	-6.76	119.32	122.70
26	BB	1756	G	N3-C2-N2	-6.76	115.17	119.90
26	BB	2412	A	N1-C6-N6	6.76	122.66	118.60
26	BB	2432	A	C4-C5-C6	6.76	120.38	117.00
26	BB	2439	A	N3-C4-N9	6.76	132.81	127.40
1	AA	343	U	O4'-C1'-N1	6.76	113.61	108.20
1	AA	375	U	C5-C4-O4	-6.76	121.84	125.90
1	AA	713	G	N3-C4-C5	6.76	131.98	128.60
1	AA	970	C	C6-N1-C1'	-6.76	112.69	120.80
1	AA	1005	A	C5-C6-N1	6.76	121.08	117.70
2	AB	34	C	N1-C2-O2	6.76	122.96	118.90
26	BB	720	U	N3-C4-O4	6.76	124.13	119.40
26	BB	1746	A	C4-C5-C6	-6.76	113.62	117.00
26	BB	2090	A	C5-C6-N1	6.76	121.08	117.70
26	BB	2099	U	C4-C5-C6	-6.76	115.64	119.70
31	BG	7	TYR	CG-CD1-CE1	-6.76	115.89	121.30
26	BB	180	G	C2-N3-C4	6.76	115.28	111.90
26	BB	526	A	C5-N7-C8	6.76	107.28	103.90
26	BB	586	A	N3-C4-C5	-6.76	122.07	126.80
26	BB	677	A	N1-C2-N3	6.76	132.68	129.30
26	BB	852	U	C2-N3-C4	-6.76	122.94	127.00
26	BB	1092	C	N3-C4-C5	-6.76	119.20	121.90
26	BB	2359	C	N3-C4-N4	6.76	122.73	118.00
1	AA	768	A	N9-C1'-C2'	-6.76	104.57	112.00
26	BB	160	A	O4'-C4'-C3'	6.76	111.51	106.10
26	BB	1626	A	O4'-C1'-N9	6.76	113.61	108.20
26	BB	1986	C	C5-C4-N4	-6.76	115.47	120.20
26	BB	2141	G	N9-C4-C5	-6.76	102.70	105.40
26	BB	2825	G	C5'-C4'-O4'	6.76	117.21	109.10
1	AA	829	G	N9-C4-C5	6.76	108.10	105.40
1	AA	835	U	O4'-C1'-N1	6.76	113.61	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	180	G	P-O3'-C3'	6.76	127.81	119.70
26	BB	606	U	N1-C2-N3	-6.76	110.85	114.90
26	BB	609	A	N7-C8-N9	6.76	117.18	113.80
26	BB	1033	U	O4'-C1'-N1	6.76	113.61	108.20
26	BB	1057	A	N1-C6-N6	-6.76	114.55	118.60
26	BB	1480	C	C3'-C2'-C1'	6.76	106.91	101.50
26	BB	2298	A	N3-C4-C5	-6.76	122.07	126.80
26	BB	2314	A	C5-N7-C8	6.76	107.28	103.90
26	BB	2450	A	P-O3'-C3'	6.76	127.81	119.70
26	BB	2513	A	C6-C5-N7	6.76	137.03	132.30
1	AA	616	G	N1-C6-O6	-6.75	115.85	119.90
1	AA	1447	A	N3-C4-C5	-6.75	122.07	126.80
26	BB	290	U	C5-C6-N1	-6.75	119.32	122.70
26	BB	2157	G	N1-C6-O6	6.75	123.95	119.90
26	BB	2293	G	N1-C2-N2	6.75	122.28	116.20
1	AA	206	C	C1'-O4'-C4'	6.75	115.30	109.90
1	AA	821	G	O4'-C1'-N9	6.75	113.60	108.20
1	AA	875	U	C4'-C3'-C2'	-6.75	95.85	102.60
1	AA	1000	A	N9-C4-C5	6.75	108.50	105.80
1	AA	1239	A	C6-C5-N7	6.75	137.03	132.30
2	AB	11	U	C4'-C3'-C2'	-6.75	95.85	102.60
26	BB	362	A	N1-C6-N6	6.75	122.65	118.60
26	BB	479	A	C2'-C3'-O3'	6.75	124.50	113.70
26	BB	542	C	C5-C4-N4	6.75	124.93	120.20
26	BB	1628	G	C5-C6-O6	-6.75	124.55	128.60
26	BB	1804	C	C6-N1-C2	6.75	123.00	120.30
26	BB	1970	A	C6-N1-C2	6.75	122.65	118.60
26	BB	2189	U	N3-C4-C5	-6.75	110.55	114.60
26	BB	2516	A	C8-N9-C4	6.75	108.50	105.80
1	AA	79	G	C5-C6-N1	6.75	114.88	111.50
1	AA	191	G	O4'-C1'-N9	6.75	113.60	108.20
1	AA	202	G	C6-N1-C2	-6.75	121.05	125.10
4	AD	32	G	C2-N3-C4	6.75	115.28	111.90
4	AD	37	U	C4-C5-C6	6.75	123.75	119.70
26	BB	7	G	C5-C6-O6	-6.75	124.55	128.60
26	BB	401	A	N1-C6-N6	6.75	122.65	118.60
26	BB	1012	U	N3-C2-O2	-6.75	117.47	122.20
26	BB	2090	A	C5-C6-N6	-6.75	118.30	123.70
26	BB	2743	U	N1-C2-N3	6.75	118.95	114.90
1	AA	326	G	C3'-C2'-C1'	-6.75	96.10	101.50
26	BB	2124	G	C5-N7-C8	-6.75	100.92	104.30
1	AA	109	A	O4'-C1'-C2'	-6.75	99.05	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1213	A	C5'-C4'-O4'	6.75	117.20	109.10
26	BB	817	C	C6-N1-C2	6.75	123.00	120.30
26	BB	883	G	C1'-O4'-C4'	-6.75	104.50	109.90
26	BB	1223	G	C2-N3-C4	6.75	115.28	111.90
26	BB	1479	G	C5-C6-N1	6.75	114.87	111.50
26	BB	1786	A	P-O3'-C3'	6.75	127.80	119.70
26	BB	2127	G	C6-N1-C2	-6.75	121.05	125.10
26	BB	2145	C	C4-C5-C6	6.75	120.77	117.40
26	BB	2775	G	C5-C6-N1	6.75	114.87	111.50
1	AA	446	G	C1'-O4'-C4'	-6.75	104.50	109.90
1	AA	1043	G	C4-C5-C6	6.75	122.85	118.80
1	AA	1058	G	C2-N3-C4	6.75	115.27	111.90
1	AA	1067	A	N1-C2-N3	6.75	132.67	129.30
1	AA	1367	C	C5-C6-N1	6.75	124.37	121.00
26	BB	247	G	C5-N7-C8	6.75	107.67	104.30
26	BB	458	G	N1-C6-O6	6.75	123.95	119.90
26	BB	520	G	N3-C2-N2	6.75	124.62	119.90
26	BB	720	U	N1-C2-O2	-6.75	118.08	122.80
26	BB	806	C	C2-N3-C4	6.75	123.27	119.90
26	BB	909	A	P-O3'-C3'	6.75	127.80	119.70
26	BB	1812	U	C5-C6-N1	-6.75	119.33	122.70
26	BB	2596	U	C1'-O4'-C4'	-6.75	104.50	109.90
26	BB	2670	A	O4'-C1'-N9	6.75	113.60	108.20
1	AA	918	A	C4-C5-N7	-6.75	107.33	110.70
26	BB	908	C	C3'-C2'-C1'	6.75	106.90	101.50
26	BB	1359	A	C8-N9-C4	-6.75	103.10	105.80
26	BB	1825	U	O4'-C1'-N1	6.75	113.60	108.20
26	BB	1847	A	N1-C6-N6	-6.75	114.55	118.60
26	BB	2367	G	C6-C5-N7	-6.75	126.35	130.40
33	BI	137	GLU	OE1-CD-OE2	6.75	131.39	123.30
35	BK	61	TYR	CB-CG-CD2	-6.75	116.95	121.00
1	AA	116	A	C6-N1-C2	6.74	122.65	118.60
1	AA	625	U	C5-C6-N1	-6.74	119.33	122.70
1	AA	1077	G	N1-C2-N2	6.74	122.27	116.20
1	AA	1417	G	N3-C4-C5	-6.74	125.23	128.60
3	AC	54	U	C2-N3-C4	-6.74	122.95	127.00
26	BB	7	G	C5'-C4'-O4'	6.74	117.19	109.10
26	BB	460	A	C5-C6-N1	-6.74	114.33	117.70
26	BB	792	A	C6-N1-C2	6.74	122.65	118.60
26	BB	2227	A	C1'-O4'-C4'	-6.74	104.50	109.90
26	BB	2380	C	N1-C1'-C2'	-6.74	104.58	112.00
26	BB	2502	G	C4'-C3'-C2'	6.74	109.34	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2697	G	C8-N9-C4	-6.74	103.70	106.40
26	BB	2744	G	N3-C4-N9	6.74	130.05	126.00
1	AA	321	A	N9-C4-C5	6.74	108.50	105.80
1	AA	704	A	N1-C2-N3	-6.74	125.93	129.30
1	AA	720	C	N1-C2-O2	6.74	122.94	118.90
26	BB	1300	G	N3-C2-N2	-6.74	115.18	119.90
1	AA	73	C	N3-C2-O2	-6.74	117.18	121.90
1	AA	226	G	P-O3'-C3'	6.74	127.79	119.70
1	AA	557	G	C8-N9-C1'	6.74	135.76	127.00
1	AA	852	G	C8-N9-C4	6.74	109.10	106.40
26	BB	1693	U	N3-C4-C5	6.74	118.64	114.60
26	BB	1947	C	C4'-C3'-C2'	-6.74	95.86	102.60
26	BB	2268	A	C6-C5-N7	-6.74	127.58	132.30
26	BB	2847	U	C5-C6-N1	6.74	126.07	122.70
26	BB	2866	U	C5'-C4'-O4'	6.74	117.19	109.10
1	AA	115	G	N3-C4-C5	-6.74	125.23	128.60
1	AA	402	G	N3-C4-N9	6.74	130.04	126.00
1	AA	590	U	C5'-C4'-O4'	6.74	117.19	109.10
1	AA	864	A	C5-C6-N1	6.74	121.07	117.70
1	AA	1177	G	C6-N1-C2	-6.74	121.06	125.10
4	AD	41	C	C6-N1-C2	6.74	123.00	120.30
26	BB	212	G	C8-N9-C4	-6.74	103.70	106.40
26	BB	257	C	C5-C4-N4	6.74	124.92	120.20
26	BB	774	G	N3-C4-N9	6.74	130.04	126.00
26	BB	1068	G	C2-N3-C4	6.74	115.27	111.90
26	BB	1313	U	C5'-C4'-O4'	6.74	117.19	109.10
26	BB	1383	A	O4'-C1'-N9	6.74	113.59	108.20
26	BB	1684	G	N7-C8-N9	6.74	116.47	113.10
26	BB	1754	A	C5-C6-N6	-6.74	118.31	123.70
26	BB	1811	G	N9-C4-C5	-6.74	102.70	105.40
26	BB	2284	A	C5'-C4'-O4'	6.74	117.19	109.10
26	BB	2748	A	N9-C4-C5	6.74	108.50	105.80
26	BB	2867	G	C8-N9-C4	-6.74	103.70	106.40
26	BB	2869	G	N3-C4-C5	-6.74	125.23	128.60
1	AA	247	G	C6-C5-N7	-6.74	126.36	130.40
1	AA	1057	G	N7-C8-N9	6.74	116.47	113.10
1	AA	1061	G	C4-N9-C1'	-6.74	117.74	126.50
26	BB	62	U	O4'-C1'-N1	6.74	113.59	108.20
26	BB	1642	G	C5-C6-N1	-6.74	108.13	111.50
26	BB	1904	G	N7-C8-N9	-6.74	109.73	113.10
1	AA	197	A	P-O5'-C5'	-6.74	110.12	120.90
1	AA	226	G	C5-N7-C8	-6.74	100.93	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	270	A	N3-C4-C5	-6.74	122.08	126.80
1	AA	836	G	C5'-C4'-O4'	6.74	117.18	109.10
1	AA	1209	C	C6-N1-C2	-6.74	117.61	120.30
26	BB	217	A	N3-C4-N9	6.74	132.79	127.40
26	BB	334	C	O4'-C4'-C3'	6.74	111.49	106.10
26	BB	335	C	O4'-C1'-N1	6.74	113.59	108.20
26	BB	1309	G	C5-C6-N1	6.74	114.87	111.50
26	BB	2429	G	C3'-C2'-C1'	-6.74	96.11	101.50
26	BB	2860	A	N3-C4-C5	-6.74	122.08	126.80
26	BB	1245	G	N3-C4-N9	6.73	130.04	126.00
26	BB	2779	U	C4-C5-C6	6.73	123.74	119.70
1	AA	224	U	C4-C5-C6	6.73	123.74	119.70
1	AA	1219	A	C5-C6-N1	-6.73	114.33	117.70
25	BA	16	G	C4-C5-C6	-6.73	114.76	118.80
26	BB	87	U	C5'-C4'-O4'	6.73	117.18	109.10
26	BB	210	C	O4'-C1'-N1	6.73	113.59	108.20
26	BB	1280	G	N3-C4-C5	-6.73	125.23	128.60
26	BB	1496	A	C6-C5-N7	6.73	137.01	132.30
26	BB	1569	A	C8-N9-C4	-6.73	103.11	105.80
26	BB	1717	A	C4-C5-N7	-6.73	107.33	110.70
26	BB	1772	A	C5-C6-N1	6.73	121.07	117.70
26	BB	1980	G	C4'-C3'-C2'	-6.73	95.87	102.60
26	BB	1984	G	N1-C2-N3	-6.73	119.86	123.90
41	BQ	117	PHE	CB-CG-CD1	-6.73	116.09	120.80
1	AA	278	G	N1-C6-O6	6.73	123.94	119.90
1	AA	980	C	O4'-C1'-N1	6.73	113.58	108.20
1	AA	1088	G	C4-C5-N7	-6.73	108.11	110.80
1	AA	1258	G	C5-C6-N1	6.73	114.86	111.50
26	BB	265	A	C5-C6-N6	-6.73	118.32	123.70
26	BB	635	C	P-O3'-C3'	6.73	127.78	119.70
26	BB	876	C	O4'-C1'-N1	6.73	113.58	108.20
26	BB	1093	G	C6-N1-C2	-6.73	121.06	125.10
26	BB	1326	U	P-O3'-C3'	6.73	127.78	119.70
26	BB	2147	A	N9-C4-C5	6.73	108.49	105.80
26	BB	2294	G	N1-C2-N2	6.73	122.26	116.20
1	AA	591	U	N3-C4-O4	6.73	124.11	119.40
1	AA	595	A	C6-N1-C2	-6.73	114.56	118.60
1	AA	1143	G	O4'-C1'-N9	6.73	113.58	108.20
2	AB	26	A	C4-C5-C6	-6.73	113.64	117.00
26	BB	1500	G	C3'-C2'-C1'	-6.73	96.12	101.50
1	AA	1312	G	C6-N1-C2	-6.73	121.06	125.10
6	AF	231	ARG	NE-CZ-NH1	6.73	123.66	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	481	G	O4'-C4'-C3'	6.73	111.48	106.10
26	BB	849	A	C2-N3-C4	6.73	113.96	110.60
26	BB	1318	U	N1-C2-O2	-6.73	118.09	122.80
26	BB	1604	C	N3-C4-N4	6.73	122.71	118.00
26	BB	1666	G	C3'-C2'-C1'	6.73	106.88	101.50
26	BB	1863	G	C6-N1-C2	-6.73	121.06	125.10
26	BB	2322	A	C5'-C4'-O4'	6.73	117.17	109.10
1	AA	166	U	C1'-O4'-C4'	-6.73	104.52	109.90
26	BB	488	G	O4'-C1'-C2'	6.73	113.65	107.60
26	BB	1323	C	N3-C2-O2	-6.73	117.19	121.90
26	BB	2266	A	C4-C5-C6	-6.73	113.64	117.00
26	BB	792	A	C4-C5-C6	-6.72	113.64	117.00
26	BB	2108	A	C2-N3-C4	6.72	113.96	110.60
26	BB	2132	U	C5-C6-N1	6.72	126.06	122.70
26	BB	2507	C	N3-C4-C5	-6.72	119.21	121.90
28	BD	15	VAL	CG1-CB-CG2	-6.72	100.14	110.90
1	AA	100	G	C2-N3-C4	6.72	115.26	111.90
1	AA	457	G	C5-N7-C8	6.72	107.66	104.30
1	AA	916	U	N3-C2-O2	-6.72	117.50	122.20
1	AA	1008	U	C5-C6-N1	-6.72	119.34	122.70
2	AB	60	U	C5-C6-N1	6.72	126.06	122.70
3	AC	26	U	C2-N3-C4	-6.72	122.97	127.00
26	BB	401	A	O4'-C1'-N9	6.72	113.58	108.20
26	BB	1083	U	O4'-C1'-N1	6.72	113.58	108.20
26	BB	1546	G	N3-C4-C5	-6.72	125.24	128.60
26	BB	2579	C	C2-N3-C4	6.72	123.26	119.90
26	BB	2686	G	C4'-C3'-C2'	-6.72	95.88	102.60
1	AA	881	G	C5-N7-C8	-6.72	100.94	104.30
1	AA	1015	G	C6-N1-C2	-6.72	121.07	125.10
1	AA	1364	U	C3'-C2'-C1'	6.72	106.88	101.50
3	AC	34	U	N1-C2-N3	6.72	118.93	114.90
4	AD	60	A	C5-C6-N1	6.72	121.06	117.70
26	BB	1612	C	C5'-C4'-O4'	6.72	117.17	109.10
26	BB	2160	C	C5-C4-N4	-6.72	115.50	120.20
1	AA	1025	U	C5-C6-N1	-6.72	119.34	122.70
1	AA	1106	G	N9-C1'-C2'	-6.72	104.61	112.00
26	BB	178	G	N7-C8-N9	6.72	116.46	113.10
26	BB	437	U	C5'-C4'-O4'	6.72	117.16	109.10
26	BB	526	A	C2-N3-C4	6.72	113.96	110.60
26	BB	1163	G	C6-N1-C2	-6.72	121.07	125.10
26	BB	2125	G	N9-C1'-C2'	-6.72	104.61	112.00
26	BB	2892	G	N3-C4-N9	6.72	130.03	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	216	U	N1-C2-N3	6.72	118.93	114.90
1	AA	573	A	N1-C2-N3	6.72	132.66	129.30
1	AA	853	C	C2-N3-C4	6.72	123.26	119.90
1	AA	929	G	C5-C6-N1	6.72	114.86	111.50
26	BB	627	A	C1'-O4'-C4'	-6.72	104.53	109.90
26	BB	1132	U	C5'-C4'-O4'	-6.72	101.04	109.10
26	BB	1182	G	C5-C6-O6	6.72	132.63	128.60
26	BB	1186	G	N1-C2-N3	-6.72	119.87	123.90
26	BB	1255	U	C2-N3-C4	-6.72	122.97	127.00
26	BB	1679	A	C5'-C4'-O4'	6.72	117.16	109.10
26	BB	2129	C	C4-C5-C6	-6.72	114.04	117.40
26	BB	107	G	C5-N7-C8	6.72	107.66	104.30
26	BB	175	G	N3-C4-N9	6.72	130.03	126.00
26	BB	625	G	N9-C4-C5	6.72	108.09	105.40
26	BB	722	A	N1-C2-N3	-6.72	125.94	129.30
26	BB	853	C	C6-N1-C1'	6.72	128.86	120.80
26	BB	1733	G	C1'-O4'-C4'	-6.72	104.53	109.90
26	BB	2293	G	C5-N7-C8	6.72	107.66	104.30
26	BB	2328	A	C5-C6-N6	-6.72	118.33	123.70
26	BB	2682	A	C4-C5-C6	6.72	120.36	117.00
1	AA	793	U	C6-N1-C2	-6.71	116.97	121.00
1	AA	1025	U	C4-C5-C6	6.71	123.73	119.70
1	AA	1504	G	N3-C4-C5	-6.71	125.24	128.60
8	AH	92	ARG	NE-CZ-NH1	6.71	123.66	120.30
26	BB	847	U	C6-N1-C2	-6.71	116.97	121.00
26	BB	1407	G	O4'-C4'-C3'	6.71	111.47	106.10
26	BB	1421	G	N3-C2-N2	-6.71	115.20	119.90
26	BB	1761	C	C6-N1-C1'	6.71	128.86	120.80
26	BB	1932	A	C4-C5-N7	6.71	114.06	110.70
1	AA	301	G	N3-C4-N9	6.71	130.03	126.00
26	BB	50	U	C4-C5-C6	6.71	123.73	119.70
26	BB	144	A	C5-N7-C8	6.71	107.26	103.90
26	BB	198	C	C4'-C3'-C2'	-6.71	95.89	102.60
26	BB	1096	A	C6-C5-N7	6.71	137.00	132.30
26	BB	1667	G	C2-N3-C4	6.71	115.26	111.90
26	BB	2313	C	O4'-C1'-N1	6.71	113.57	108.20
26	BB	2596	U	O4'-C1'-C2'	6.71	113.64	107.60
27	BC	74	ARG	NE-CZ-NH2	-6.71	116.94	120.30
1	AA	13	U	N1-C1'-C2'	6.71	122.72	114.00
1	AA	330	C	C4-C5-C6	-6.71	114.04	117.40
1	AA	457	G	C2-N3-C4	6.71	115.26	111.90
1	AA	1159	U	O4'-C1'-N1	6.71	113.57	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	231	A	P-O3'-C3'	6.71	127.75	119.70
26	BB	1669	A	N7-C8-N9	6.71	117.16	113.80
26	BB	2117	A	N1-C2-N3	-6.71	125.94	129.30
26	BB	2152	G	C8-N9-C4	-6.71	103.72	106.40
26	BB	2621	G	O4'-C1'-N9	6.71	113.57	108.20
1	AA	770	C	C4-C5-C6	6.71	120.75	117.40
26	BB	301	G	C5-C6-N1	6.71	114.86	111.50
1	AA	254	G	C4'-C3'-C2'	-6.71	95.89	102.60
1	AA	996	A	C8-N9-C4	-6.71	103.12	105.80
1	AA	1357	A	C5-C6-N1	6.71	121.05	117.70
26	BB	307	G	N9-C4-C5	6.71	108.08	105.40
26	BB	522	A	C8-N9-C4	-6.71	103.12	105.80
1	AA	151	A	N9-C1'-C2'	-6.71	104.62	112.00
1	AA	725	G	C2-N3-C4	-6.71	108.55	111.90
1	AA	799	G	C4'-C3'-C2'	-6.71	95.89	102.60
1	AA	1539	C	C4'-C3'-C2'	6.71	109.31	102.60
6	AF	41	TYR	CB-CG-CD1	6.71	125.02	121.00
26	BB	907	G	N3-C2-N2	6.71	124.59	119.90
26	BB	1791	A	N9-C4-C5	-6.71	103.12	105.80
26	BB	2004	G	O4'-C1'-N9	6.71	113.56	108.20
26	BB	2837	A	C5-N7-C8	-6.71	100.55	103.90
36	BL	1	MET	CG-SD-CE	-6.71	89.47	100.20
1	AA	8	A	C4-C5-C6	-6.71	113.65	117.00
1	AA	320	A	C4'-C3'-C2'	-6.71	95.89	102.60
1	AA	995	C	C4'-C3'-C2'	-6.71	95.89	102.60
4	AD	32	G	N1-C2-N2	6.71	122.23	116.20
26	BB	682	G	C2-N3-C4	6.71	115.25	111.90
26	BB	1800	C	C5-C4-N4	-6.71	115.51	120.20
26	BB	2559	C	C4'-C3'-C2'	-6.71	95.89	102.60
1	AA	684	U	N3-C2-O2	-6.70	117.51	122.20
1	AA	1080	A	C4'-C3'-C2'	-6.70	95.90	102.60
14	AN	55	ARG	NE-CZ-NH1	6.70	123.65	120.30
26	BB	47	C	O4'-C1'-N1	6.70	113.56	108.20
26	BB	93	G	C3'-C2'-C1'	-6.70	96.14	101.50
26	BB	307	G	N1-C2-N3	-6.70	119.88	123.90
26	BB	721	A	N1-C6-N6	-6.70	114.58	118.60
26	BB	830	G	N7-C8-N9	6.70	116.45	113.10
26	BB	1116	G	C6-N1-C2	-6.70	121.08	125.10
26	BB	1378	A	N9-C4-C5	6.70	108.48	105.80
26	BB	2305	U	O4'-C1'-N1	6.70	113.56	108.20
26	BB	2458	G	C1'-O4'-C4'	-6.70	104.54	109.90
28	BD	213	ARG	NE-CZ-NH2	6.70	123.65	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1503	A	N1-C6-N6	-6.70	114.58	118.60
1	AA	1517	G	C3'-C2'-C1'	6.70	106.86	101.50
26	BB	1221	C	C5-C6-N1	-6.70	117.65	121.00
26	BB	2677	G	N7-C8-N9	6.70	116.45	113.10
1	AA	733	G	N3-C2-N2	6.70	124.59	119.90
1	AA	795	C	N1-C2-N3	6.70	123.89	119.20
26	BB	336	C	N3-C4-C5	6.70	124.58	121.90
26	BB	970	U	O5'-P-OP2	-6.70	99.67	105.70
26	BB	1263	U	P-O3'-C3'	6.70	127.74	119.70
26	BB	1426	G	O4'-C1'-N9	6.70	113.56	108.20
26	BB	1844	C	C1'-O4'-C4'	6.70	115.26	109.90
26	BB	2516	A	C5-N7-C8	6.70	107.25	103.90
26	BB	2586	U	N3-C2-O2	-6.70	117.51	122.20
57	B6	1	PRO	CA-N-CD	-6.70	102.12	111.50
1	AA	31	G	N3-C4-C5	-6.70	125.25	128.60
1	AA	616	G	N9-C1'-C2'	-6.70	104.63	112.00
1	AA	685	G	C1'-O4'-C4'	6.70	115.26	109.90
1	AA	904	U	C6-N1-C2	-6.70	116.98	121.00
1	AA	1307	U	N3-C4-O4	-6.70	114.71	119.40
1	AA	1460	C	N1-C2-O2	6.70	122.92	118.90
2	AB	11	U	N1-C2-O2	-6.70	118.11	122.80
25	BA	47	C	N3-C4-C5	-6.70	119.22	121.90
26	BB	471	A	C4-C5-C6	6.70	120.35	117.00
26	BB	773	U	C4'-C3'-C2'	-6.70	95.90	102.60
26	BB	1074	G	C2-N3-C4	6.70	115.25	111.90
26	BB	1105	U	N3-C4-O4	6.70	124.09	119.40
26	BB	1297	C	C5'-C4'-O4'	6.70	117.14	109.10
26	BB	2083	G	C5-C6-N1	6.70	114.85	111.50
26	BB	2270	A	N1-C2-N3	-6.70	125.95	129.30
1	AA	446	G	O4'-C1'-N9	6.70	113.56	108.20
1	AA	1471	U	C1'-O4'-C4'	-6.70	104.54	109.90
3	AC	32	U	C5-C4-O4	6.70	129.92	125.90
26	BB	246	C	C5-C4-N4	-6.70	115.51	120.20
26	BB	645	C	C2-N3-C4	-6.70	116.55	119.90
26	BB	1132	U	O4'-C1'-N1	6.70	113.56	108.20
26	BB	1720	U	N1-C2-O2	-6.70	118.11	122.80
26	BB	2125	G	C5-C6-N1	6.70	114.85	111.50
1	AA	25	C	N3-C2-O2	-6.70	117.21	121.90
1	AA	886	G	C4-C5-C6	6.70	122.82	118.80
26	BB	497	A	C8-N9-C4	-6.70	103.12	105.80
26	BB	685	A	C6-N1-C2	-6.70	114.58	118.60
26	BB	1447	C	C5'-C4'-O4'	6.70	117.13	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1548	A	C5-C6-N6	-6.70	118.34	123.70
26	BB	1709	U	C5'-C4'-O4'	6.70	117.13	109.10
34	BJ	55	ARG	NH1-CZ-NH2	6.70	126.77	119.40
1	AA	67	C	C3'-C2'-C1'	6.69	106.86	101.50
1	AA	312	C	N3-C2-O2	-6.69	117.21	121.90
1	AA	1012	A	C3'-C2'-C1'	6.69	106.86	101.50
2	AB	11	U	N1-C2-N3	6.69	118.92	114.90
26	BB	36	G	C8-N9-C1'	6.69	135.70	127.00
26	BB	353	C	C2-N3-C4	-6.69	116.55	119.90
26	BB	611	C	N3-C2-O2	-6.69	117.21	121.90
26	BB	615	U	C4-C5-C6	6.69	123.72	119.70
26	BB	1087	G	N7-C8-N9	6.69	116.45	113.10
26	BB	1518	C	N1-C2-O2	6.69	122.92	118.90
26	BB	2659	G	C8-N9-C4	-6.69	103.72	106.40
1	AA	146	G	N7-C8-N9	6.69	116.45	113.10
1	AA	759	A	N1-C2-N3	-6.69	125.95	129.30
1	AA	1002	G	C6-N1-C2	-6.69	121.08	125.10
4	AD	42	C	O4'-C1'-N1	6.69	113.55	108.20
26	BB	458	G	N3-C2-N2	-6.69	115.22	119.90
26	BB	1367	A	C6-N1-C2	6.69	122.61	118.60
26	BB	1463	C	C4'-C3'-C2'	-6.69	95.91	102.60
26	BB	1935	G	N1-C2-N2	6.69	122.22	116.20
26	BB	2262	U	N1-C2-O2	-6.69	118.12	122.80
26	BB	2454	G	C5-N7-C8	6.69	107.65	104.30
1	AA	832	G	N3-C4-C5	-6.69	125.25	128.60
1	AA	1035	A	O5'-P-OP2	-6.69	99.68	105.70
22	AV	40	PHE	CB-CG-CD1	-6.69	116.12	120.80
26	BB	86	G	N9-C1'-C2'	-6.69	104.64	112.00
26	BB	463	G	O4'-C1'-N9	-6.69	102.85	108.20
26	BB	670	A	O3'-P-O5'	-6.69	91.29	104.00
26	BB	1551	A	C6-N1-C2	-6.69	114.59	118.60
26	BB	1576	U	O4'-C1'-C2'	6.69	113.62	107.60
26	BB	2082	A	C6-N1-C2	-6.69	114.59	118.60
26	BB	2270	A	C5'-C4'-O4'	6.69	117.13	109.10
26	BB	2523	G	P-O3'-C3'	6.69	127.73	119.70
26	BB	2714	G	C6-N1-C2	-6.69	121.09	125.10
30	BF	44	ARG	NE-CZ-NH2	6.69	123.65	120.30
1	AA	559	A	C8-N9-C4	-6.69	103.12	105.80
1	AA	1064	G	O4'-C1'-N9	6.69	113.55	108.20
1	AA	1278	G	C4-C5-C6	6.69	122.81	118.80
25	BA	90	C	O4'-C1'-N1	6.69	113.55	108.20
26	BB	8	C	N3-C2-O2	-6.69	117.22	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1431	A	C2-N3-C4	6.69	113.94	110.60
26	BB	1772	A	N3-C4-C5	-6.69	122.12	126.80
26	BB	2079	U	O4'-C1'-N1	6.69	113.55	108.20
25	BA	25	U	C5'-C4'-O4'	6.69	117.12	109.10
26	BB	307	G	O4'-C1'-N9	6.69	113.55	108.20
26	BB	648	G	C6-C5-N7	-6.69	126.39	130.40
26	BB	663	G	N3-C2-N2	6.69	124.58	119.90
26	BB	1366	A	O4'-C1'-N9	6.69	113.55	108.20
26	BB	2507	C	O4'-C4'-C3'	6.69	111.45	106.10
1	AA	693	G	C5-N7-C8	6.69	107.64	104.30
1	AA	1342	C	O5'-P-OP1	-6.69	99.68	105.70
2	AB	38	A	O4'-C1'-N9	6.69	113.55	108.20
26	BB	55	G	C4-C5-C6	-6.69	114.79	118.80
26	BB	110	G	N9-C1'-C2'	-6.69	104.64	112.00
26	BB	474	G	N3-C2-N2	-6.69	115.22	119.90
26	BB	2339	C	C3'-C2'-C1'	-6.69	96.15	101.50
1	AA	37	U	N3-C4-O4	-6.68	114.72	119.40
1	AA	751	U	O4'-C1'-N1	6.68	113.55	108.20
1	AA	1300	G	C3'-C2'-C1'	6.68	106.85	101.50
26	BB	890	C	N3-C2-O2	-6.68	117.22	121.90
26	BB	1486	U	C2-N3-C4	-6.68	122.99	127.00
26	BB	2469	A	C8-N9-C4	-6.68	103.13	105.80
26	BB	2514	U	C6-N1-C2	-6.68	116.99	121.00
1	AA	1268	G	C8-N9-C4	-6.68	103.73	106.40
1	AA	1363	A	O4'-C1'-C2'	-6.68	99.12	105.80
25	BA	78	A	C5'-C4'-C3'	-6.68	105.31	116.00
25	BA	119	A	C1'-O4'-C4'	-6.68	104.55	109.90
26	BB	119	A	C3'-C2'-C1'	-6.68	96.15	101.50
26	BB	391	A	N7-C8-N9	6.68	117.14	113.80
26	BB	454	A	C2-N3-C4	-6.68	107.26	110.60
26	BB	993	G	N9-C4-C5	-6.68	102.73	105.40
26	BB	1149	G	C5'-C4'-C3'	-6.68	105.31	116.00
26	BB	1180	U	N3-C4-O4	6.68	124.08	119.40
26	BB	1490	A	N7-C8-N9	6.68	117.14	113.80
26	BB	1649	G	O3'-P-O5'	-6.68	91.30	104.00
26	BB	1871	A	N7-C8-N9	6.68	117.14	113.80
26	BB	2059	A	N9-C4-C5	-6.68	103.13	105.80
26	BB	2207	C	C6-N1-C2	6.68	122.97	120.30
43	BS	91	ARG	NE-CZ-NH2	-6.68	116.96	120.30
1	AA	95	C	C5-C6-N1	6.68	124.34	121.00
1	AA	324	G	N7-C8-N9	6.68	116.44	113.10
26	BB	60	G	C3'-C2'-C1'	-6.68	96.16	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	753	A	C2-N3-C4	-6.68	107.26	110.60
26	BB	1817	G	C2-N3-C4	6.68	115.24	111.90
26	BB	1913	A	C8-N9-C4	-6.68	103.13	105.80
26	BB	2195	U	N3-C4-C5	-6.68	110.59	114.60
44	BT	84	ARG	NE-CZ-NH2	6.68	123.64	120.30
1	AA	233	C	O3'-P-O5'	-6.68	91.31	104.00
1	AA	513	C	N1-C1'-C2'	-6.68	104.65	112.00
1	AA	755	G	C3'-C2'-C1'	-6.68	96.16	101.50
26	BB	110	G	N1-C2-N3	-6.68	119.89	123.90
26	BB	212	G	C3'-C2'-C1'	-6.68	96.16	101.50
26	BB	736	C	N3-C2-O2	-6.68	117.22	121.90
26	BB	972	A	O4'-C1'-N9	6.68	113.54	108.20
26	BB	2272	U	N3-C4-O4	6.68	124.08	119.40
26	BB	2655	G	C4-C5-N7	-6.68	108.13	110.80
40	BP	94	TYR	CB-CG-CD1	-6.68	116.99	121.00
1	AA	429	U	C5-C6-N1	-6.68	119.36	122.70
1	AA	928	G	N1-C6-O6	6.68	123.91	119.90
1	AA	1337	G	C8-N9-C4	-6.68	103.73	106.40
1	AA	1468	A	N1-C2-N3	6.68	132.64	129.30
26	BB	1094	U	N3-C2-O2	-6.68	117.53	122.20
26	BB	2415	G	C5-C6-N1	-6.68	108.16	111.50
1	AA	147	G	C5-C6-O6	-6.68	124.59	128.60
1	AA	607	A	N9-C4-C5	-6.68	103.13	105.80
1	AA	976	G	N9-C4-C5	6.68	108.07	105.40
1	AA	1431	A	C5-N7-C8	-6.68	100.56	103.90
26	BB	82	U	N1-C2-O2	6.68	127.47	122.80
26	BB	1533	C	C2-N3-C4	6.68	123.24	119.90
1	AA	323	U	N1-C1'-C2'	-6.67	104.66	112.00
1	AA	476	U	C4'-C3'-C2'	-6.67	95.93	102.60
1	AA	574	A	O4'-C1'-N9	6.67	113.54	108.20
2	AB	14	A	N3-C4-C5	6.67	131.47	126.80
2	AB	15	A	C4-C5-N7	6.67	114.04	110.70
2	AB	50	G	C6-C5-N7	-6.67	126.39	130.40
26	BB	359	G	N3-C4-C5	-6.67	125.26	128.60
26	BB	382	A	N7-C8-N9	-6.67	110.46	113.80
26	BB	440	C	O4'-C1'-N1	6.67	113.54	108.20
26	BB	653	U	C1'-O4'-C4'	-6.67	104.56	109.90
26	BB	2012	G	P-O3'-C3'	6.67	127.71	119.70
18	AR	78	THR	CA-CB-CG2	6.67	121.74	112.40
26	BB	39	G	N3-C2-N2	-6.67	115.23	119.90
26	BB	334	C	C4'-C3'-C2'	-6.67	95.93	102.60
26	BB	864	G	N7-C8-N9	6.67	116.44	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	28	A	N1-C2-N3	-6.67	125.96	129.30
1	AA	805	C	N1-C1'-C2'	-6.67	104.66	112.00
1	AA	841	C	N3-C4-N4	6.67	122.67	118.00
1	AA	1102	A	N7-C8-N9	6.67	117.14	113.80
1	AA	1459	G	C8-N9-C4	-6.67	103.73	106.40
1	AA	1503	A	P-O3'-C3'	6.67	127.71	119.70
26	BB	439	A	N1-C6-N6	-6.67	114.60	118.60
26	BB	481	G	C5-C6-N1	6.67	114.83	111.50
26	BB	1045	C	C5-C6-N1	6.67	124.33	121.00
26	BB	1493	C	N1-C2-O2	6.67	122.90	118.90
26	BB	1642	G	C1'-O4'-C4'	6.67	115.24	109.90
26	BB	1782	U	C4'-C3'-C2'	-6.67	95.93	102.60
1	AA	176	C	C6-N1-C2	-6.67	117.63	120.30
1	AA	534	U	C4-C5-C6	6.67	123.70	119.70
1	AA	766	A	N9-C4-C5	-6.67	103.13	105.80
26	BB	1243	C	C1'-O4'-C4'	-6.67	104.56	109.90
26	BB	1733	G	C5'-C4'-C3'	-6.67	105.33	116.00
26	BB	1895	C	C5-C6-N1	6.67	124.33	121.00
26	BB	2883	A	C6-N1-C2	-6.67	114.60	118.60
1	AA	465	A	N3-C4-C5	-6.67	122.13	126.80
1	AA	664	G	C5-C6-O6	-6.67	124.60	128.60
26	BB	83	A	C4-C5-N7	6.67	114.03	110.70
26	BB	84	A	C5'-C4'-O4'	6.67	117.10	109.10
26	BB	350	G	C1'-O4'-C4'	-6.67	104.56	109.90
26	BB	686	U	N1-C2-O2	6.67	127.47	122.80
26	BB	1389	G	N7-C8-N9	6.67	116.43	113.10
26	BB	2302	U	C2-N3-C4	6.67	131.00	127.00
1	AA	794	A	C4-C5-C6	-6.67	113.67	117.00
4	AD	60	A	N9-C1'-C2'	-6.67	104.67	112.00
26	BB	123	G	C1'-O4'-C4'	-6.67	104.57	109.90
26	BB	1337	G	O4'-C4'-C3'	6.67	111.43	106.10
26	BB	1511	G	C6-N1-C2	-6.67	121.10	125.10
26	BB	1638	C	C3'-C2'-C1'	6.67	106.83	101.50
26	BB	2000	C	C5-C6-N1	6.67	124.33	121.00
26	BB	2528	U	N1-C2-N3	-6.67	110.90	114.90
2	AB	41	C	P-O3'-C3'	6.67	127.70	119.70
26	BB	980	A	N3-C4-N9	-6.67	122.07	127.40
26	BB	2255	G	N3-C4-C5	-6.67	125.27	128.60
26	BB	2307	G	O4'-C1'-N9	6.67	113.53	108.20
1	AA	116	A	C5-C6-N1	-6.66	114.37	117.70
1	AA	235	C	C5-C6-N1	-6.66	117.67	121.00
1	AA	1157	A	C4-C5-C6	-6.66	113.67	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1217	C	C2-N3-C4	6.66	123.23	119.90
1	AA	1328	C	C5'-C4'-O4'	6.66	117.10	109.10
1	AA	1499	A	C5-N7-C8	-6.66	100.57	103.90
26	BB	626	A	C5-N7-C8	-6.66	100.57	103.90
26	BB	1036	G	N1-C2-N2	6.66	122.20	116.20
26	BB	1329	U	C4-C5-C6	6.66	123.70	119.70
26	BB	1581	G	C6-C5-N7	-6.66	126.40	130.40
26	BB	1677	A	C5-C6-N6	-6.66	118.37	123.70
26	BB	1789	A	C5-N7-C8	6.66	107.23	103.90
26	BB	1869	G	N1-C6-O6	-6.66	115.90	119.90
26	BB	1972	G	O4'-C1'-N9	6.66	113.53	108.20
1	AA	1095	U	O4'-C1'-N1	6.66	113.53	108.20
1	AA	1310	G	C4-C5-N7	-6.66	108.14	110.80
1	AA	1492	A	C5'-C4'-O4'	6.66	117.09	109.10
3	AC	24	A	N7-C8-N9	-6.66	110.47	113.80
26	BB	671	C	O4'-C1'-N1	6.66	113.53	108.20
26	BB	1105	U	C5-C4-O4	-6.66	121.90	125.90
26	BB	1621	U	C4-C5-C6	6.66	123.70	119.70
26	BB	1705	A	N3-C4-C5	6.66	131.46	126.80
1	AA	219	U	C2-N3-C4	-6.66	123.00	127.00
1	AA	544	G	N3-C2-N2	-6.66	115.24	119.90
1	AA	960	U	N3-C2-O2	-6.66	117.54	122.20
1	AA	1169	A	C5-N7-C8	-6.66	100.57	103.90
1	AA	1222	G	C1'-O4'-C4'	6.66	115.23	109.90
1	AA	1251	A	N7-C8-N9	6.66	117.13	113.80
24	AX	62	GLU	OE1-CD-OE2	6.66	131.29	123.30
26	BB	81	G	C5-C6-N1	6.66	114.83	111.50
26	BB	553	G	C5'-C4'-O4'	6.66	117.09	109.10
26	BB	603	A	N1-C6-N6	-6.66	114.60	118.60
26	BB	711	G	C8-N9-C4	-6.66	103.74	106.40
26	BB	743	A	C2'-C3'-O3'	6.66	124.36	113.70
26	BB	1300	G	C6-N1-C2	-6.66	121.10	125.10
26	BB	1369	G	C2-N3-C4	6.66	115.23	111.90
26	BB	1386	C	C5'-C4'-O4'	6.66	117.09	109.10
26	BB	1692	U	C5'-C4'-O4'	6.66	117.09	109.10
26	BB	2413	G	C4-C5-N7	6.66	113.46	110.80
1	AA	10	A	C4'-C3'-C2'	-6.66	95.94	102.60
1	AA	120	A	C5-C6-N1	-6.66	114.37	117.70
1	AA	281	G	N7-C8-N9	-6.66	109.77	113.10
1	AA	495	A	P-O3'-C3'	6.66	127.69	119.70
1	AA	978	A	O4'-C1'-C2'	6.66	113.59	107.60
1	AA	1162	C	N1-C2-O2	6.66	122.89	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1408	A	C5-C6-N1	6.66	121.03	117.70
4	AD	43	G	N9-C1'-C2'	-6.66	104.67	112.00
18	AR	48	ASP	CB-CG-OD2	-6.66	112.31	118.30
26	BB	202	U	C6-N1-C2	-6.66	117.00	121.00
26	BB	805	G	C5-C6-N1	6.66	114.83	111.50
26	BB	1183	U	O4'-C1'-N1	6.66	113.53	108.20
26	BB	1782	U	N1-C2-N3	-6.66	110.91	114.90
26	BB	1813	G	C5-C6-N1	6.66	114.83	111.50
26	BB	2360	G	N3-C4-C5	-6.66	125.27	128.60
26	BB	2537	U	C6-N1-C2	-6.66	117.00	121.00
1	AA	1174	G	C5-C6-N1	6.66	114.83	111.50
26	BB	225	C	C4'-C3'-C2'	-6.66	95.94	102.60
26	BB	260	G	C3'-C2'-C1'	-6.66	96.17	101.50
26	BB	620	G	N9-C4-C5	6.66	108.06	105.40
26	BB	1156	A	C6-C5-N7	6.66	136.96	132.30
26	BB	2375	G	O4'-C4'-C3'	6.66	111.43	106.10
1	AA	487	A	C5-C6-N6	-6.66	118.38	123.70
1	AA	554	A	C2-N3-C4	-6.66	107.27	110.60
1	AA	588	G	C4-C5-N7	6.66	113.46	110.80
1	AA	791	G	P-O3'-C3'	6.66	127.69	119.70
1	AA	812	G	C4'-C3'-C2'	-6.66	95.94	102.60
1	AA	1038	C	C6-N1-C2	6.66	122.96	120.30
1	AA	1442	G	C6-C5-N7	6.66	134.39	130.40
4	AD	58	A	O4'-C4'-C3'	6.66	111.42	106.10
26	BB	765	C	C5'-C4'-O4'	6.66	117.09	109.10
26	BB	1272	A	O4'-C1'-N9	6.66	113.52	108.20
26	BB	1448	G	C5-C6-O6	6.66	132.59	128.60
26	BB	1619	G	N1-C2-N2	6.66	122.19	116.20
26	BB	1823	G	C2-N3-C4	-6.66	108.57	111.90
26	BB	2005	A	C5'-C4'-O4'	6.66	117.09	109.10
26	BB	2331	G	P-O3'-C3'	6.66	127.69	119.70
26	BB	1248	G	C8-N9-C4	-6.65	103.74	106.40
26	BB	2303	G	C5-C6-O6	6.65	132.59	128.60
1	AA	1240	U	C5-C4-O4	-6.65	121.91	125.90
19	AS	25	ARG	NE-CZ-NH2	6.65	123.63	120.30
26	BB	596	U	N3-C4-C5	-6.65	110.61	114.60
26	BB	1573	G	C1'-O4'-C4'	-6.65	104.58	109.90
26	BB	1761	C	C2-N1-C1'	-6.65	111.48	118.80
26	BB	1952	A	N3-C4-N9	6.65	132.72	127.40
26	BB	2197	U	C2-N3-C4	-6.65	123.01	127.00
26	BB	2677	G	C5-N7-C8	-6.65	100.97	104.30
26	BB	2792	A	N9-C1'-C2'	-6.65	104.68	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	73	C	N3-C4-N4	6.65	122.66	118.00
1	AA	203	G	N3-C4-C5	-6.65	125.28	128.60
1	AA	222	C	O4'-C1'-N1	6.65	113.52	108.20
1	AA	285	C	O4'-C1'-N1	6.65	113.52	108.20
1	AA	1011	C	P-O3'-C3'	6.65	127.68	119.70
1	AA	1470	U	N3-C2-O2	-6.65	117.54	122.20
4	AD	26	C	N3-C2-O2	6.65	126.56	121.90
25	BA	18	G	C6-C5-N7	-6.65	126.41	130.40
26	BB	369	U	O4'-C1'-N1	6.65	113.52	108.20
26	BB	604	G	N1-C2-N3	-6.65	119.91	123.90
26	BB	1339	G	C8-N9-C4	-6.65	103.74	106.40
26	BB	1364	G	C8-N9-C4	-6.65	103.74	106.40
26	BB	1388	G	C5-N7-C8	-6.65	100.97	104.30
26	BB	1778	U	C5'-C4'-C3'	-6.65	105.36	116.00
26	BB	2456	C	N3-C4-C5	6.65	124.56	121.90
26	BB	2856	A	C5-N7-C8	-6.65	100.58	103.90
1	AA	97	G	N3-C2-N2	-6.65	115.25	119.90
1	AA	1123	U	C3'-C2'-C1'	6.65	106.82	101.50
26	BB	117	G	C4'-C3'-C2'	-6.65	95.95	102.60
26	BB	1959	G	O4'-C1'-N9	6.65	113.52	108.20
1	AA	216	U	N3-C2-O2	-6.65	117.55	122.20
1	AA	243	A	C5-C6-N6	-6.65	118.38	123.70
1	AA	525	C	N3-C4-N4	6.65	122.65	118.00
1	AA	672	U	N1-C2-N3	6.65	118.89	114.90
1	AA	847	G	C6-N1-C2	-6.65	121.11	125.10
1	AA	991	U	C4-C5-C6	6.65	123.69	119.70
1	AA	1088	G	C1'-O4'-C4'	-6.65	104.58	109.90
1	AA	1349	A	C4'-C3'-C2'	-6.65	95.95	102.60
4	AD	10	G	N1-C6-O6	-6.65	115.91	119.90
26	BB	414	C	N1-C1'-C2'	-6.65	104.69	112.00
26	BB	639	U	C5-C4-O4	6.65	129.89	125.90
26	BB	1313	U	C2-N1-C1'	6.65	125.68	117.70
26	BB	1627	G	N3-C2-N2	-6.65	115.25	119.90
26	BB	1698	A	N1-C6-N6	6.65	122.59	118.60
26	BB	2415	G	C3'-C2'-C1'	6.65	106.82	101.50
26	BB	2699	C	C2-N3-C4	6.65	123.22	119.90
1	AA	100	G	N9-C4-C5	6.65	108.06	105.40
1	AA	793	U	N1-C2-O2	-6.65	118.15	122.80
26	BB	1147	A	C4-C5-C6	-6.65	113.68	117.00
26	BB	1329	U	N1-C2-N3	6.65	118.89	114.90
1	AA	641	U	N1-C1'-C2'	-6.64	104.69	112.00
25	BA	64	G	N3-C4-C5	-6.64	125.28	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	111	U	C6-N1-C2	-6.64	117.01	121.00
26	BB	491	G	N3-C4-C5	-6.64	125.28	128.60
26	BB	629	G	C4-N9-C1'	-6.64	117.86	126.50
26	BB	881	G	C5-C6-N1	6.64	114.82	111.50
26	BB	1210	G	C5-C6-N1	6.64	114.82	111.50
26	BB	1353	A	C5-N7-C8	6.64	107.22	103.90
26	BB	1586	A	C6-C5-N7	6.64	136.95	132.30
26	BB	2234	G	C2-N3-C4	6.64	115.22	111.90
26	BB	2751	G	C6-N1-C2	-6.64	121.11	125.10
1	AA	104	G	N7-C8-N9	6.64	116.42	113.10
1	AA	394	G	C6-N1-C2	-6.64	121.11	125.10
1	AA	815	A	C2-N3-C4	6.64	113.92	110.60
1	AA	818	G	C3'-C2'-C1'	-6.64	96.19	101.50
1	AA	1084	G	P-O3'-C3'	6.64	127.67	119.70
1	AA	1266	G	N3-C4-C5	-6.64	125.28	128.60
1	AA	1482	G	C8-N9-C4	-6.64	103.74	106.40
26	BB	68	G	C8-N9-C4	-6.64	103.74	106.40
26	BB	104	A	N7-C8-N9	-6.64	110.48	113.80
26	BB	110	G	C8-N9-C4	-6.64	103.74	106.40
26	BB	1407	G	C1'-O4'-C4'	-6.64	104.59	109.90
26	BB	1752	C	O4'-C1'-N1	6.64	113.51	108.20
26	BB	2163	A	N1-C6-N6	-6.64	114.61	118.60
26	BB	2663	G	P-O3'-C3'	6.64	127.67	119.70
26	BB	2823	A	N9-C1'-C2'	-6.64	104.69	112.00
1	AA	1182	G	N3-C4-N9	-6.64	122.02	126.00
26	BB	171	U	N3-C2-O2	-6.64	117.55	122.20
26	BB	306	U	N1-C2-N3	6.64	118.88	114.90
26	BB	735	A	N9-C4-C5	-6.64	103.14	105.80
26	BB	1216	G	C5'-C4'-O4'	6.64	117.07	109.10
26	BB	1342	A	C5-C6-N1	6.64	121.02	117.70
26	BB	2440	C	N3-C4-C5	-6.64	119.24	121.90
26	BB	2591	C	P-O3'-C3'	6.64	127.67	119.70
1	AA	1337	G	C4'-C3'-C2'	6.64	109.24	102.60
1	AA	1435	G	N9-C1'-C2'	-6.64	104.70	112.00
3	AC	31	U	O4'-C1'-N1	6.64	113.51	108.20
25	BA	51	G	N9-C4-C5	6.64	108.06	105.40
26	BB	17	G	N1-C6-O6	6.64	123.88	119.90
26	BB	216	A	C5'-C4'-O4'	6.64	117.07	109.10
26	BB	2034	U	C1'-O4'-C4'	-6.64	104.59	109.90
26	BB	2750	A	C5'-C4'-O4'	6.64	117.07	109.10
26	BB	2811	G	C2-N3-C4	6.64	115.22	111.90
26	BB	2891	U	C5-C6-N1	-6.64	119.38	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	15	G	C8-N9-C4	-6.64	103.75	106.40
1	AA	230	G	C5-C6-O6	-6.64	124.62	128.60
1	AA	1245	C	C5-C6-N1	6.64	124.32	121.00
1	AA	1535	C	C4-C5-C6	-6.64	114.08	117.40
22	AV	60	PHE	CB-CG-CD1	6.64	125.45	120.80
26	BB	145	C	C5'-C4'-O4'	6.64	117.07	109.10
26	BB	320	A	N9-C4-C5	6.64	108.45	105.80
26	BB	816	C	N3-C4-C5	-6.64	119.25	121.90
26	BB	1571	A	C4-C5-N7	6.64	114.02	110.70
26	BB	2781	A	C6-N1-C2	-6.64	114.62	118.60
30	BF	16	GLU	OE1-CD-OE2	6.64	131.27	123.30
1	AA	91	U	C1'-O4'-C4'	-6.64	104.59	109.90
1	AA	682	G	N1-C2-N3	6.64	127.88	123.90
1	AA	1126	U	N3-C4-C5	6.64	118.58	114.60
1	AA	1390	U	C2-N3-C4	-6.64	123.02	127.00
1	AA	1514	G	N1-C2-N2	6.64	122.17	116.20
3	AC	41	A	N3-C4-N9	-6.64	122.09	127.40
11	AK	83	ARG	NE-CZ-NH1	6.64	123.62	120.30
12	AL	37	TYR	CA-CB-CG	6.64	126.01	113.40
26	BB	24	G	C6-N1-C2	-6.64	121.12	125.10
26	BB	89	A	C5-C6-N1	6.64	121.02	117.70
26	BB	146	A	C5-C6-N1	6.64	121.02	117.70
26	BB	333	G	C2-N3-C4	6.64	115.22	111.90
26	BB	1035	U	C5-C4-O4	6.64	129.88	125.90
26	BB	1210	G	C2'-C3'-O3'	6.64	124.32	113.70
1	AA	450	G	N3-C4-N9	6.63	129.98	126.00
1	AA	793	U	N1-C2-N3	6.63	118.88	114.90
1	AA	1109	C	C2-N1-C1'	-6.63	111.50	118.80
1	AA	1405	G	C6-N1-C2	-6.63	121.12	125.10
25	BA	12	C	N1-C2-N3	-6.63	114.56	119.20
26	BB	526	A	C8-N9-C4	6.63	108.45	105.80
26	BB	770	G	N1-C2-N3	-6.63	119.92	123.90
26	BB	1199	U	C5-C6-N1	-6.63	119.38	122.70
26	BB	2231	U	C5-C6-N1	-6.63	119.38	122.70
26	BB	2779	U	O4'-C1'-N1	6.63	113.51	108.20
1	AA	587	G	C6-N1-C2	6.63	129.08	125.10
4	AD	72	C	C1'-O4'-C4'	6.63	115.21	109.90
26	BB	76	C	N3-C2-O2	-6.63	117.26	121.90
26	BB	612	G	C5-C6-O6	6.63	132.58	128.60
26	BB	1310	G	C4'-C3'-C2'	-6.63	95.97	102.60
26	BB	2193	G	N3-C4-N9	6.63	129.98	126.00
26	BB	2892	G	N7-C8-N9	6.63	116.42	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	138	G	C6-N1-C2	-6.63	121.12	125.10
1	AA	999	C	O4'-C1'-N1	6.63	113.51	108.20
1	AA	1315	U	N1-C1'-C2'	-6.63	104.70	112.00
1	AA	1493	A	N1-C6-N6	6.63	122.58	118.60
2	AB	22	G	C8-N9-C4	6.63	109.05	106.40
12	AL	84	ARG	NE-CZ-NH1	6.63	123.62	120.30
26	BB	330	A	N1-C6-N6	-6.63	114.62	118.60
26	BB	782	A	C8-N9-C4	-6.63	103.15	105.80
26	BB	834	G	N1-C2-N3	-6.63	119.92	123.90
26	BB	1057	A	C8-N9-C4	6.63	108.45	105.80
26	BB	1284	A	C5-C6-N6	-6.63	118.39	123.70
26	BB	2455	G	C6-C5-N7	-6.63	126.42	130.40
26	BB	2586	U	C1'-O4'-C4'	-6.63	104.59	109.90
2	AB	73	G	C6-C5-N7	-6.63	126.42	130.40
26	BB	817	C	C3'-C2'-C1'	6.63	106.80	101.50
26	BB	1019	U	C5-C4-O4	-6.63	121.92	125.90
26	BB	1120	G	C5-C6-N1	-6.63	108.19	111.50
26	BB	2100	G	C5'-C4'-C3'	-6.63	105.39	116.00
1	AA	227	G	C6-N1-C2	-6.63	121.12	125.10
1	AA	839	C	N3-C4-N4	6.63	122.64	118.00
1	AA	1024	G	N9-C4-C5	6.63	108.05	105.40
25	BA	27	C	C5-C6-N1	6.63	124.31	121.00
26	BB	45	G	C3'-C2'-C1'	6.63	106.80	101.50
26	BB	72	U	N1-C2-N3	6.63	118.88	114.90
26	BB	560	C	O4'-C1'-N1	6.63	113.50	108.20
26	BB	1045	C	O4'-C1'-N1	6.63	113.50	108.20
26	BB	1950	G	C3'-C2'-C1'	6.63	106.80	101.50
26	BB	2667	C	N1-C2-O2	6.63	122.88	118.90
26	BB	2857	G	N1-C6-O6	6.63	123.88	119.90
1	AA	135	C	N1-C2-O2	6.63	122.88	118.90
1	AA	138	G	C8-N9-C4	-6.63	103.75	106.40
1	AA	183	C	C1'-O4'-C4'	-6.63	104.60	109.90
1	AA	206	C	C5-C4-N4	-6.63	115.56	120.20
1	AA	525	C	C5'-C4'-O4'	6.63	117.05	109.10
1	AA	755	G	N7-C8-N9	6.63	116.41	113.10
1	AA	1446	A	C1'-O4'-C4'	-6.63	104.60	109.90
26	BB	36	G	C3'-C2'-C1'	-6.63	96.20	101.50
26	BB	184	C	C6-N1-C2	-6.63	117.65	120.30
26	BB	1086	A	N9-C1'-C2'	6.63	122.61	114.00
26	BB	1292	G	N7-C8-N9	6.63	116.41	113.10
26	BB	1767	G	N7-C8-N9	6.63	116.41	113.10
26	BB	1998	A	C5-N7-C8	6.63	107.21	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2664	G	N1-C2-N2	-6.63	110.24	116.20
26	BB	1829	A	N9-C4-C5	-6.62	103.15	105.80
26	BB	2301	C	N1-C1'-C2'	-6.62	104.71	112.00
26	BB	2474	U	N1-C2-O2	6.62	127.44	122.80
26	BB	2809	A	C4-C5-N7	-6.62	107.39	110.70
1	AA	508	U	N1-C2-N3	-6.62	110.93	114.90
1	AA	747	A	C5-C6-N6	-6.62	118.40	123.70
5	AE	184	ALA	CB-CA-C	6.62	120.04	110.10
18	AR	71	ARG	NE-CZ-NH2	6.62	123.61	120.30
26	BB	551	G	N7-C8-N9	6.62	116.41	113.10
26	BB	677	A	C6-C5-N7	6.62	136.94	132.30
26	BB	866	A	N1-C2-N3	-6.62	125.99	129.30
26	BB	1521	G	C1'-O4'-C4'	6.62	115.20	109.90
26	BB	2236	U	P-O3'-C3'	6.62	127.65	119.70
26	BB	2338	C	N3-C4-N4	6.62	122.64	118.00
26	BB	2456	C	N3-C2-O2	-6.62	117.26	121.90
26	BB	2829	A	N3-C4-C5	-6.62	122.16	126.80
1	AA	218	U	C5-C4-O4	-6.62	121.93	125.90
1	AA	611	C	N1-C2-O2	6.62	122.87	118.90
1	AA	1219	A	C6-N1-C2	6.62	122.57	118.60
26	BB	843	G	C8-N9-C4	-6.62	103.75	106.40
26	BB	1166	G	C5-C6-N1	6.62	114.81	111.50
26	BB	1726	C	O4'-C1'-N1	6.62	113.50	108.20
26	BB	1819	A	N7-C8-N9	6.62	117.11	113.80
26	BB	1975	G	C4-C5-N7	6.62	113.45	110.80
26	BB	2395	C	C5'-C4'-O4'	6.62	117.05	109.10
26	BB	2591	C	C2'-C3'-O3'	6.62	124.30	113.70
26	BB	48	G	N9-C4-C5	-6.62	102.75	105.40
26	BB	2150	C	C4'-C3'-C2'	-6.62	95.98	102.60
26	BB	2616	C	O4'-C1'-N1	6.62	113.50	108.20
1	AA	92	U	P-O3'-C3'	6.62	127.64	119.70
1	AA	537	G	C5-C6-N1	6.62	114.81	111.50
1	AA	563	A	C4-C5-N7	6.62	114.01	110.70
1	AA	568	G	C5'-C4'-O4'	6.62	117.04	109.10
1	AA	617	G	C2-N3-C4	6.62	115.21	111.90
1	AA	1177	G	O4'-C4'-C3'	6.62	111.39	106.10
1	AA	1188	A	O4'-C1'-N9	6.62	113.50	108.20
1	AA	1409	C	O4'-C1'-N1	6.62	113.49	108.20
1	AA	1409	C	N3-C2-O2	-6.62	117.27	121.90
25	BA	85	G	O4'-C1'-N9	6.62	113.50	108.20
26	BB	1266	G	C4-C5-C6	6.62	122.77	118.80
26	BB	1315	C	O4'-C1'-N1	6.62	113.50	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2015	A	C4-C5-C6	-6.62	113.69	117.00
26	BB	2047	C	C1'-O4'-C4'	6.62	115.19	109.90
1	AA	230	G	N9-C1'-C2'	-6.62	104.72	112.00
1	AA	654	G	N1-C2-N2	6.62	122.16	116.20
26	BB	127	A	C4-C5-N7	-6.62	107.39	110.70
26	BB	550	C	C4-C5-C6	-6.62	114.09	117.40
26	BB	1137	G	N3-C4-C5	-6.62	125.29	128.60
26	BB	2576	G	N3-C4-C5	-6.62	125.29	128.60
1	AA	479	U	C4'-C3'-C2'	-6.62	95.98	102.60
1	AA	755	G	N1-C2-N3	6.62	127.87	123.90
2	AB	21	A	C5-C6-N6	-6.62	118.41	123.70
8	AH	44	ARG	NE-CZ-NH1	6.62	123.61	120.30
26	BB	264	C	C4'-C3'-C2'	-6.62	95.98	102.60
26	BB	919	U	C4-C5-C6	6.62	123.67	119.70
26	BB	1093	G	C6-C5-N7	6.62	134.37	130.40
26	BB	1275	A	C5-N7-C8	-6.62	100.59	103.90
26	BB	1678	A	O4'-C1'-N9	6.62	113.49	108.20
1	AA	210	C	N1-C2-N3	6.61	123.83	119.20
1	AA	761	G	C4-C5-C6	6.61	122.77	118.80
1	AA	1021	A	C5-N7-C8	-6.61	100.59	103.90
2	AB	45	U	C5-C6-N1	-6.61	119.39	122.70
26	BB	83	A	C6-N1-C2	6.61	122.57	118.60
26	BB	298	G	N3-C4-C5	-6.61	125.29	128.60
26	BB	371	A	C3'-C2'-C1'	6.61	106.79	101.50
26	BB	529	A	C5-C6-N1	6.61	121.01	117.70
26	BB	1910	G	N3-C2-N2	-6.61	115.27	119.90
26	BB	1984	G	N9-C4-C5	-6.61	102.75	105.40
26	BB	2240	U	C4-C5-C6	6.61	123.67	119.70
26	BB	2260	C	C5-C4-N4	-6.61	115.57	120.20
26	BB	2494	G	C4-C5-C6	6.61	122.77	118.80
1	AA	575	G	C6-N1-C2	-6.61	121.13	125.10
1	AA	636	U	O4'-C1'-N1	6.61	113.49	108.20
26	BB	226	A	C6-N1-C2	-6.61	114.63	118.60
26	BB	489	G	C2-N3-C4	6.61	115.21	111.90
26	BB	1057	A	C5'-C4'-O4'	6.61	117.03	109.10
26	BB	1343	G	C4-C5-N7	-6.61	108.16	110.80
26	BB	1650	A	C6-N1-C2	-6.61	114.63	118.60
26	BB	1863	G	C6-C5-N7	-6.61	126.43	130.40
26	BB	2151	U	N3-C4-O4	6.61	124.03	119.40
1	AA	172	A	N1-C2-N3	6.61	132.60	129.30
1	AA	215	C	N3-C2-O2	-6.61	117.27	121.90
26	BB	147	C	O4'-C1'-C2'	6.61	113.55	107.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	439	A	N7-C8-N9	6.61	117.11	113.80
26	BB	2116	G	N1-C2-N2	-6.61	110.25	116.20
26	BB	2255	G	N7-C8-N9	-6.61	109.80	113.10
26	BB	2656	U	N1-C2-O2	-6.61	118.17	122.80
45	BU	95	ARG	NE-CZ-NH1	6.61	123.61	120.30
1	AA	122	G	C4-C5-N7	-6.61	108.16	110.80
1	AA	744	C	C6-N1-C1'	6.61	128.73	120.80
54	B3	12	ARG	NE-CZ-NH1	6.61	123.60	120.30
1	AA	646	G	N9-C1'-C2'	-6.61	104.73	112.00
1	AA	1092	A	N3-C4-N9	-6.61	122.11	127.40
2	AB	25	C	C4'-C3'-C2'	-6.61	95.99	102.60
4	AD	23	G	C5-N7-C8	-6.61	101.00	104.30
25	BA	13	G	N3-C4-C5	-6.61	125.30	128.60
26	BB	46	G	N9-C4-C5	-6.61	102.76	105.40
26	BB	480	A	C5-C6-N1	-6.61	114.40	117.70
26	BB	1663	G	C5-C6-N1	6.61	114.80	111.50
26	BB	1723	G	C8-N9-C4	-6.61	103.76	106.40
26	BB	1772	A	C5-C6-N6	-6.61	118.42	123.70
26	BB	1895	C	C4-C5-C6	-6.61	114.10	117.40
26	BB	2135	A	N9-C4-C5	-6.61	103.16	105.80
26	BB	2721	A	C6-N1-C2	6.61	122.56	118.60
26	BB	2834	G	C1'-O4'-C4'	-6.61	104.61	109.90
1	AA	90	C	O4'-C1'-N1	6.61	113.48	108.20
1	AA	151	A	N3-C4-C5	-6.61	122.18	126.80
1	AA	1241	G	C6-N1-C2	-6.61	121.14	125.10
4	AD	61	U	N3-C4-C5	6.61	118.56	114.60
26	BB	306	U	C4-C5-C6	6.61	123.66	119.70
26	BB	512	G	C5-C6-O6	6.61	132.56	128.60
26	BB	1037	G	N3-C4-C5	-6.61	125.30	128.60
26	BB	1278	C	C5-C6-N1	6.61	124.30	121.00
26	BB	1320	C	C4-C5-C6	-6.61	114.10	117.40
26	BB	1503	A	C5'-C4'-C3'	-6.61	105.43	116.00
1	AA	1228	C	N3-C2-O2	-6.60	117.28	121.90
26	BB	1227	G	C6-C5-N7	-6.60	126.44	130.40
26	BB	2524	G	C1'-O4'-C4'	-6.60	104.62	109.90
56	B5	18	PHE	CB-CG-CD1	-6.60	116.18	120.80
1	AA	688	G	C5-C6-O6	-6.60	124.64	128.60
1	AA	1170	A	N9-C4-C5	6.60	108.44	105.80
26	BB	277	G	C4-C5-C6	6.60	122.76	118.80
26	BB	757	G	N1-C6-O6	6.60	123.86	119.90
26	BB	990	A	N1-C2-N3	-6.60	126.00	129.30
26	BB	1109	C	O4'-C1'-N1	6.60	113.48	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1172	C	N1-C1'-C2'	-6.60	104.74	112.00
26	BB	1188	U	C2-N3-C4	-6.60	123.04	127.00
26	BB	2319	G	C4-C5-N7	6.60	113.44	110.80
26	BB	2366	A	C3'-C2'-C1'	6.60	106.78	101.50
26	BB	505	A	P-O3'-C3'	6.60	127.62	119.70
26	BB	882	G	C5'-C4'-O4'	6.60	117.02	109.10
1	AA	141	G	C6-C5-N7	6.60	134.36	130.40
1	AA	265	G	C6-C5-N7	6.60	134.36	130.40
1	AA	769	G	C2'-C3'-O3'	6.60	124.26	113.70
1	AA	1146	A	N1-C2-N3	-6.60	126.00	129.30
1	AA	1461	G	N9-C4-C5	-6.60	102.76	105.40
26	BB	243	U	O4'-C4'-C3'	6.60	111.38	106.10
26	BB	379	G	C4-C5-N7	6.60	113.44	110.80
26	BB	887	U	C6-N1-C2	-6.60	117.04	121.00
26	BB	1397	U	C3'-C2'-C1'	6.60	106.78	101.50
26	BB	1437	C	N3-C4-N4	6.60	122.62	118.00
26	BB	1480	C	O4'-C1'-N1	6.60	113.48	108.20
26	BB	1703	G	O4'-C4'-C3'	-6.60	97.40	104.00
1	AA	158	G	C8-N9-C4	-6.60	103.76	106.40
1	AA	404	G	N1-C6-O6	-6.60	115.94	119.90
1	AA	415	A	C8-N9-C4	-6.60	103.16	105.80
1	AA	710	G	C4-C5-N7	-6.60	108.16	110.80
9	AI	42	TRP	CG-CD2-CE3	-6.60	127.96	133.90
26	BB	83	A	C2-N3-C4	6.60	113.90	110.60
26	BB	677	A	N1-C6-N6	6.60	122.56	118.60
26	BB	693	A	O4'-C1'-N9	6.60	113.48	108.20
26	BB	1580	A	N9-C1'-C2'	-6.60	104.74	112.00
26	BB	1814	G	C4'-C3'-O3'	6.60	126.19	113.00
26	BB	2792	A	C5'-C4'-O4'	6.60	117.02	109.10
1	AA	378	G	C8-N9-C4	-6.60	103.76	106.40
1	AA	1371	G	N3-C4-N9	6.60	129.96	126.00
1	AA	1442	G	C3'-C2'-C1'	-6.60	96.22	101.50
1	AA	1517	G	C6-C5-N7	-6.60	126.44	130.40
3	AC	56	G	N3-C4-C5	6.60	131.90	128.60
26	BB	1922	G	C2-N3-C4	6.60	115.20	111.90
26	BB	2081	U	N1-C2-N3	6.60	118.86	114.90
26	BB	2553	G	C4-C5-C6	6.60	122.76	118.80
26	BB	2638	G	N3-C2-N2	6.60	124.52	119.90
1	AA	481	G	O4'-C4'-C3'	6.59	111.38	106.10
1	AA	1348	U	N1-C2-N3	6.59	118.86	114.90
4	AD	26	C	N1-C1'-C2'	6.59	122.57	114.00
26	BB	137	U	C1'-O4'-C4'	6.59	115.17	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	675	A	C4-C5-N7	-6.59	107.40	110.70
26	BB	1026	G	N3-C4-C5	-6.59	125.30	128.60
26	BB	1063	G	C5-C6-N1	-6.59	108.20	111.50
26	BB	1120	G	C4'-C3'-C2'	-6.59	96.01	102.60
26	BB	1296	G	N3-C4-N9	6.59	129.96	126.00
26	BB	1408	G	N3-C2-N2	-6.59	115.28	119.90
26	BB	1676	A	N1-C6-N6	6.59	122.56	118.60
26	BB	1906	G	N1-C2-N2	6.59	122.13	116.20
1	AA	200	G	C2-N3-C4	6.59	115.20	111.90
25	BA	1	U	O4'-C1'-N1	6.59	113.47	108.20
1	AA	1208	C	N3-C4-N4	-6.59	113.39	118.00
1	AA	1432	G	N1-C2-N3	-6.59	119.94	123.90
1	AA	1506	U	C2-N3-C4	-6.59	123.05	127.00
1	AA	1535	C	C3'-C2'-C1'	6.59	106.77	101.50
2	AB	5	G	C4-C5-N7	-6.59	108.16	110.80
4	AD	36	A	C4-C5-N7	6.59	114.00	110.70
25	BA	56	G	N9-C4-C5	6.59	108.04	105.40
25	BA	59	A	O4'-C1'-N9	6.59	113.47	108.20
26	BB	173	A	C4-C5-C6	-6.59	113.70	117.00
26	BB	1251	C	C4-C5-C6	6.59	120.69	117.40
26	BB	1792	G	C8-N9-C4	-6.59	103.76	106.40
26	BB	2353	G	C4-C5-N7	6.59	113.44	110.80
26	BB	2751	G	P-O3'-C3'	6.59	127.61	119.70
1	AA	188	C	N3-C2-O2	-6.59	117.29	121.90
1	AA	277	C	C5'-C4'-O4'	6.59	117.01	109.10
1	AA	382	A	N1-C2-N3	-6.59	126.00	129.30
1	AA	385	C	C2'-C3'-O3'	6.59	124.24	113.70
1	AA	922	G	N3-C4-N9	6.59	129.95	126.00
1	AA	924	C	N3-C4-N4	-6.59	113.39	118.00
1	AA	990	C	C6-N1-C2	6.59	122.94	120.30
26	BB	473	G	C4'-C3'-O3'	6.59	126.18	113.00
26	BB	1086	A	O4'-C1'-N9	6.59	113.47	108.20
26	BB	1367	A	N9-C4-C5	6.59	108.44	105.80
26	BB	2120	G	N1-C6-O6	6.59	123.85	119.90
26	BB	2131	U	N1-C2-N3	6.59	118.85	114.90
26	BB	2876	G	O4'-C1'-N9	6.59	113.47	108.20
26	BB	2877	G	N3-C2-N2	-6.59	115.29	119.90
1	AA	1250	A	N1-C6-N6	-6.59	114.65	118.60
9	AI	42	TRP	NE1-CE2-CZ2	6.59	137.65	130.40
26	BB	497	A	N9-C4-C5	6.59	108.44	105.80
26	BB	636	G	C4-C5-N7	-6.59	108.17	110.80
26	BB	2293	G	C5'-C4'-O4'	6.59	117.01	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2708	G	C5-C6-O6	-6.59	124.65	128.60
1	AA	112	G	N3-C4-C5	-6.59	125.31	128.60
1	AA	727	G	C8-N9-C4	-6.59	103.77	106.40
1	AA	983	A	P-O3'-C3'	6.59	127.61	119.70
26	BB	92	U	C2-N3-C4	-6.59	123.05	127.00
26	BB	252	G	C6-N1-C2	-6.59	121.15	125.10
26	BB	688	U	C5-C4-O4	6.59	129.85	125.90
26	BB	1579	A	C4-C5-C6	-6.59	113.71	117.00
26	BB	2025	C	N3-C4-C5	-6.59	119.27	121.90
26	BB	2410	G	C5'-C4'-O4'	6.59	117.00	109.10
26	BB	2868	A	N3-C4-C5	-6.59	122.19	126.80
1	AA	112	G	N1-C2-N3	6.58	127.85	123.90
1	AA	176	C	C4'-C3'-C2'	-6.58	96.02	102.60
1	AA	231	U	N3-C4-O4	6.58	124.01	119.40
1	AA	1386	G	N9-C1'-C2'	-6.58	104.76	112.00
26	BB	287	G	N1-C6-O6	6.58	123.85	119.90
26	BB	696	G	N7-C8-N9	-6.58	109.81	113.10
26	BB	858	G	C5-N7-C8	-6.58	101.01	104.30
26	BB	2164	C	N1-C2-O2	6.58	122.85	118.90
26	BB	2171	A	N1-C2-N3	-6.58	126.01	129.30
26	BB	2337	G	N1-C6-O6	-6.58	115.95	119.90
26	BB	2349	G	C5'-C4'-C3'	-6.58	105.46	116.00
1	AA	75	G	N3-C4-C5	-6.58	125.31	128.60
1	AA	146	G	N3-C4-C5	-6.58	125.31	128.60
1	AA	356	A	C8-N9-C4	-6.58	103.17	105.80
1	AA	404	G	C5'-C4'-C3'	-6.58	105.47	116.00
2	AB	5	G	C6-N1-C2	-6.58	121.15	125.10
26	BB	263	G	N9-C1'-C2'	-6.58	104.76	112.00
26	BB	716	A	C1'-O4'-C4'	-6.58	104.63	109.90
26	BB	1296	G	N3-C4-C5	-6.58	125.31	128.60
26	BB	1637	A	C4'-C3'-C2'	-6.58	96.02	102.60
26	BB	1778	U	O4'-C4'-C3'	6.58	111.37	106.10
26	BB	1903	G	C4-C5-C6	6.58	122.75	118.80
26	BB	2173	A	C5'-C4'-O4'	6.58	117.00	109.10
26	BB	2250	G	N3-C4-N9	6.58	129.95	126.00
35	BK	32	VAL	CA-CB-CG1	6.58	120.78	110.90
1	AA	556	C	C2-N3-C4	6.58	123.19	119.90
25	BA	72	G	C6-C5-N7	-6.58	126.45	130.40
26	BB	512	G	N1-C6-O6	-6.58	115.95	119.90
26	BB	1252	G	N3-C4-C5	-6.58	125.31	128.60
26	BB	2036	C	N3-C4-C5	-6.58	119.27	121.90
26	BB	2225	A	N3-C4-C5	6.58	131.41	126.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
46	BV	83	ALA	N-CA-CB	6.58	119.31	110.10
1	AA	744	C	C6-N1-C2	-6.58	117.67	120.30
1	AA	1106	G	N7-C8-N9	-6.58	109.81	113.10
25	BA	80	U	C5-C6-N1	-6.58	119.41	122.70
26	BB	250	G	N1-C2-N3	-6.58	119.95	123.90
26	BB	1092	C	C5-C6-N1	-6.58	117.71	121.00
26	BB	1710	G	C5-N7-C8	-6.58	101.01	104.30
26	BB	2642	G	N1-C2-N2	6.58	122.12	116.20
26	BB	2657	A	C8-N9-C4	6.58	108.43	105.80
31	BG	113	PHE	CB-CG-CD1	-6.58	116.19	120.80
1	AA	462	G	C5-C6-N1	6.58	114.79	111.50
1	AA	944	G	C2-N3-C4	6.58	115.19	111.90
1	AA	1057	G	N1-C2-N3	6.58	127.85	123.90
1	AA	1399	C	C5-C4-N4	-6.58	115.59	120.20
2	AB	66	C	C4-C5-C6	-6.58	114.11	117.40
26	BB	650	C	C4-C5-C6	6.58	120.69	117.40
26	BB	2149	U	C5'-C4'-C3'	6.58	126.53	116.00
26	BB	2494	G	N3-C4-C5	-6.58	125.31	128.60
26	BB	2904	U	N1-C2-N3	6.58	118.85	114.90
26	BB	248	G	C4'-C3'-C2'	-6.58	96.02	102.60
26	BB	906	U	C2-N3-C4	-6.58	123.05	127.00
26	BB	1830	C	C2-N3-C4	-6.58	116.61	119.90
26	BB	2551	C	N1-C2-O2	6.58	122.85	118.90
26	BB	2666	C	N3-C4-N4	6.58	122.60	118.00
26	BB	2713	U	C6-N1-C2	-6.58	117.05	121.00
43	BS	32	ARG	CD-NE-CZ	6.58	132.81	123.60
1	AA	1024	G	N7-C8-N9	6.58	116.39	113.10
1	AA	1178	G	C5-N7-C8	6.58	107.59	104.30
26	BB	36	G	N7-C8-N9	6.58	116.39	113.10
26	BB	900	A	C4-C5-C6	6.58	120.29	117.00
26	BB	1056	G	O5'-C5'-C4'	6.58	124.19	111.70
26	BB	1285	A	P-O3'-C3'	6.58	127.59	119.70
26	BB	1303	G	C6-N1-C2	-6.58	121.15	125.10
26	BB	2479	U	C2-N3-C4	-6.58	123.06	127.00
26	BB	2687	U	N3-C4-C5	6.58	118.55	114.60
26	BB	2778	A	P-O3'-C3'	6.58	127.59	119.70
1	AA	665	A	C5-C6-N6	6.57	128.96	123.70
1	AA	773	G	N3-C4-C5	-6.57	125.31	128.60
1	AA	855	U	C6-N1-C2	-6.57	117.06	121.00
2	AB	71	C	C6-N1-C2	-6.57	117.67	120.30
26	BB	160	A	N1-C2-N3	6.57	132.59	129.30
26	BB	266	G	C6-C5-N7	-6.57	126.46	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	484	C	C2-N3-C4	6.57	123.19	119.90
26	BB	651	G	C2-N3-C4	6.57	115.19	111.90
26	BB	1132	U	N1-C2-O2	6.57	127.40	122.80
26	BB	1424	G	C6-N1-C2	-6.57	121.16	125.10
26	BB	2274	A	C1'-O4'-C4'	-6.57	104.64	109.90
26	BB	2640	G	C2-N3-C4	6.57	115.19	111.90
26	BB	2640	G	N9-C1'-C2'	-6.57	104.77	112.00
1	AA	380	G	O4'-C1'-N9	6.57	113.46	108.20
1	AA	887	G	C8-N9-C4	-6.57	103.77	106.40
1	AA	890	G	N3-C2-N2	-6.57	115.30	119.90
1	AA	1160	G	N9-C4-C5	-6.57	102.77	105.40
26	BB	568	U	C3'-C2'-C1'	6.57	106.76	101.50
26	BB	1445	G	N1-C6-O6	6.57	123.84	119.90
26	BB	2242	G	C5-C6-O6	6.57	132.54	128.60
1	AA	4	U	P-O3'-C3'	6.57	127.58	119.70
1	AA	278	G	C5-C6-O6	-6.57	124.66	128.60
2	AB	24	G	N3-C2-N2	6.57	124.50	119.90
3	AC	22	G	O4'-C1'-N9	6.57	113.46	108.20
26	BB	233	A	C3'-C2'-C1'	6.57	106.76	101.50
26	BB	343	C	C4'-C3'-C2'	-6.57	96.03	102.60
26	BB	1155	A	C8-N9-C4	6.57	108.43	105.80
26	BB	2043	C	O4'-C1'-N1	6.57	113.46	108.20
26	BB	2106	U	C2'-C3'-O3'	6.57	124.21	113.70
26	BB	2316	G	C6-C5-N7	6.57	134.34	130.40
26	BB	2545	G	O4'-C1'-N9	6.57	113.46	108.20
26	BB	2701	U	O4'-C1'-N1	6.57	113.46	108.20
1	AA	1422	G	N3-C4-C5	-6.57	125.31	128.60
12	AL	6	TYR	CB-CG-CD1	-6.57	117.06	121.00
26	BB	135	U	N1-C2-N3	6.57	118.84	114.90
26	BB	832	U	C3'-C2'-C1'	-6.57	96.25	101.50
26	BB	1106	G	C6-N1-C2	-6.57	121.16	125.10
26	BB	1501	G	C5-N7-C8	6.57	107.58	104.30
26	BB	1591	A	N1-C6-N6	6.57	122.54	118.60
26	BB	2024	G	N3-C4-N9	-6.57	122.06	126.00
26	BB	2719	G	O4'-C4'-C3'	6.57	111.36	106.10
1	AA	162	A	N7-C8-N9	-6.57	110.52	113.80
1	AA	607	A	N7-C8-N9	6.57	117.08	113.80
1	AA	1173	U	O4'-C1'-N1	6.57	113.45	108.20
1	AA	1500	A	C4-C5-C6	-6.57	113.72	117.00
26	BB	350	G	O4'-C1'-N9	6.57	113.45	108.20
26	BB	684	G	N3-C4-C5	-6.57	125.32	128.60
26	BB	858	G	N7-C8-N9	6.57	116.38	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1045	C	C4'-C3'-C2'	-6.57	96.03	102.60
26	BB	1736	U	N3-C4-O4	6.57	124.00	119.40
26	BB	2047	C	O4'-C1'-C2'	-6.57	99.23	105.80
26	BB	2076	U	O5'-P-OP1	-6.57	99.79	105.70
26	BB	2213	U	C5-C4-O4	6.57	129.84	125.90
26	BB	2406	A	N3-C4-N9	6.57	132.65	127.40
1	AA	355	C	O4'-C1'-N1	6.57	113.45	108.20
1	AA	454	G	C6-N1-C2	-6.57	121.16	125.10
1	AA	522	C	C2-N1-C1'	-6.57	111.58	118.80
1	AA	888	G	N3-C4-N9	6.57	129.94	126.00
4	AD	20	G	C5-C6-N1	6.57	114.78	111.50
26	BB	548	G	P-O3'-C3'	6.57	127.58	119.70
26	BB	969	G	N3-C2-N2	6.57	124.50	119.90
26	BB	2188	U	C5-C6-N1	-6.57	119.42	122.70
26	BB	2564	A	N1-C6-N6	-6.57	114.66	118.60
26	BB	2788	C	C5'-C4'-O4'	6.57	116.98	109.10
26	BB	2834	G	N3-C4-C5	-6.57	125.32	128.60
1	AA	925	G	C3'-C2'-C1'	-6.56	96.25	101.50
26	BB	446	G	C1'-O4'-C4'	-6.56	104.65	109.90
26	BB	1208	C	C3'-C2'-C1'	-6.56	96.25	101.50
25	BA	28	C	C1'-O4'-C4'	-6.56	104.65	109.90
26	BB	894	U	C2-N3-C4	-6.56	123.06	127.00
26	BB	1477	A	C5-C6-N1	-6.56	114.42	117.70
26	BB	1840	G	N9-C1'-C2'	-6.56	104.78	112.00
26	BB	1904	G	O4'-C1'-C2'	6.56	113.51	107.60
26	BB	2332	C	N3-C2-O2	-6.56	117.31	121.90
26	BB	2499	C	C2-N3-C4	6.56	123.18	119.90
26	BB	2673	G	N3-C4-N9	6.56	129.94	126.00
26	BB	2723	C	C1'-O4'-C4'	6.56	115.15	109.90
1	AA	803	G	C4-C5-N7	6.56	113.42	110.80
1	AA	1475	G	N9-C1'-C2'	-6.56	104.78	112.00
26	BB	72	U	C1'-O4'-C4'	6.56	115.15	109.90
26	BB	896	A	C6-N1-C2	-6.56	114.66	118.60
26	BB	1568	G	O4'-C1'-N9	6.56	113.45	108.20
26	BB	1921	G	N3-C4-C5	6.56	131.88	128.60
26	BB	32	C	O4'-C1'-N1	6.56	113.45	108.20
26	BB	57	C	P-O3'-C3'	6.56	127.57	119.70
26	BB	254	G	N1-C6-O6	-6.56	115.96	119.90
26	BB	407	G	N3-C2-N2	6.56	124.49	119.90
26	BB	1090	A	C8-N9-C4	-6.56	103.18	105.80
26	BB	1162	G	C4-C5-C6	6.56	122.73	118.80
26	BB	1299	G	O4'-C1'-N9	6.56	113.45	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1872	A	N1-C6-N6	-6.56	114.66	118.60
26	BB	2066	C	N3-C4-N4	6.56	122.59	118.00
26	BB	2726	A	C4'-C3'-C2'	6.56	109.16	102.60
1	AA	567	G	C4-C5-C6	6.56	122.73	118.80
1	AA	724	G	N7-C8-N9	6.56	116.38	113.10
2	AB	9	A	C8-N9-C4	6.56	108.42	105.80
2	AB	71	C	N3-C4-N4	6.56	122.59	118.00
26	BB	11	C	N1-C2-O2	6.56	122.83	118.90
26	BB	1090	A	O4'-C1'-N9	6.56	113.45	108.20
26	BB	1210	G	C5'-C4'-C3'	-6.56	105.51	116.00
26	BB	1232	G	O4'-C1'-N9	6.56	113.45	108.20
26	BB	1237	A	C3'-C2'-C1'	6.56	106.75	101.50
26	BB	2259	U	O3'-P-O5'	-6.56	91.54	104.00
26	BB	2681	C	C4-C5-C6	6.56	120.68	117.40
26	BB	2874	C	C4'-C3'-C2'	-6.56	96.04	102.60
1	AA	133	U	C5'-C4'-O4'	6.56	116.97	109.10
1	AA	213	G	C2-N3-C4	6.56	115.18	111.90
1	AA	332	G	C5'-C4'-O4'	6.56	116.97	109.10
1	AA	502	A	C5-C6-N6	6.56	128.94	123.70
1	AA	1426	G	C5'-C4'-C3'	-6.56	105.51	116.00
3	AC	28	U	N1-C2-O2	6.56	127.39	122.80
4	AD	15	G	C6-N1-C2	-6.56	121.17	125.10
26	BB	39	G	C3'-C2'-C1'	-6.56	96.25	101.50
26	BB	855	G	N9-C4-C5	6.56	108.02	105.40
26	BB	1759	A	N9-C1'-C2'	-6.56	104.79	112.00
1	AA	176	C	C1'-O4'-C4'	-6.55	104.66	109.90
1	AA	558	G	C4-C5-N7	6.55	113.42	110.80
1	AA	750	C	N1-C2-O2	6.55	122.83	118.90
26	BB	8	C	C2-N3-C4	6.55	123.18	119.90
26	BB	234	U	C4-C5-C6	6.55	123.63	119.70
26	BB	239	C	N3-C2-O2	-6.55	117.31	121.90
26	BB	299	A	N1-C2-N3	-6.55	126.02	129.30
26	BB	325	G	C8-N9-C4	-6.55	103.78	106.40
26	BB	363	G	N1-C2-N3	-6.55	119.97	123.90
26	BB	384	A	C3'-C2'-C1'	-6.55	96.26	101.50
26	BB	903	C	N1-C2-O2	6.55	122.83	118.90
26	BB	1144	A	C5'-C4'-O4'	6.55	116.97	109.10
26	BB	1342	A	P-O3'-C3'	6.55	127.57	119.70
26	BB	1623	G	C2-N3-C4	-6.55	108.62	111.90
26	BB	1743	G	C5-C6-N1	6.55	114.78	111.50
26	BB	2175	C	N1-C2-O2	6.55	122.83	118.90
1	AA	635	A	C6-C5-N7	6.55	136.89	132.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	703	G	C5-N7-C8	-6.55	101.02	104.30
3	AC	37	G	C5-C6-O6	-6.55	124.67	128.60
26	BB	1070	A	O4'-C4'-C3'	6.55	111.34	106.10
26	BB	2172	U	O4'-C1'-N1	6.55	113.44	108.20
26	BB	2522	U	N1-C1'-C2'	-6.55	104.79	112.00
1	AA	207	C	N3-C4-N4	6.55	122.59	118.00
1	AA	355	C	C3'-C2'-C1'	6.55	106.74	101.50
1	AA	727	G	O3'-P-O5'	-6.55	91.55	104.00
1	AA	1203	C	C4'-C3'-C2'	-6.55	96.05	102.60
1	AA	1246	A	C8-N9-C4	-6.55	103.18	105.80
26	BB	478	A	O4'-C4'-C3'	6.55	111.34	106.10
26	BB	1242	U	C1'-O4'-C4'	6.55	115.14	109.90
26	BB	1352	U	O4'-C1'-N1	6.55	113.44	108.20
1	AA	202	G	N1-C6-O6	-6.55	115.97	119.90
1	AA	1043	G	O4'-C4'-C3'	6.55	111.34	106.10
25	BA	112	G	C3'-C2'-C1'	6.55	106.74	101.50
26	BB	663	G	N1-C2-N2	-6.55	110.31	116.20
26	BB	983	A	N3-C4-C5	-6.55	122.22	126.80
26	BB	1461	C	C1'-O4'-C4'	6.55	115.14	109.90
26	BB	1501	G	C6-N1-C2	-6.55	121.17	125.10
26	BB	2196	C	C5'-C4'-C3'	-6.55	105.52	116.00
26	BB	774	G	N3-C4-C5	-6.55	125.33	128.60
26	BB	2835	A	C1'-O4'-C4'	-6.55	104.66	109.90
1	AA	492	C	P-O3'-C3'	6.55	127.56	119.70
1	AA	497	G	C2-N3-C4	6.55	115.17	111.90
1	AA	652	U	C4-C5-C6	6.55	123.63	119.70
1	AA	1367	C	C2-N3-C4	6.55	123.17	119.90
1	AA	1524	C	C5'-C4'-O4'	6.55	116.96	109.10
6	AF	171	ARG	NE-CZ-NH1	6.55	123.57	120.30
17	AQ	100	TRP	NE1-CE2-CZ2	6.55	137.60	130.40
25	BA	25	U	C4-C5-C6	-6.55	115.77	119.70
26	BB	226	A	C3'-C2'-C1'	6.55	106.74	101.50
26	BB	736	C	C2-N3-C4	-6.55	116.63	119.90
26	BB	1126	A	N9-C4-C5	6.55	108.42	105.80
26	BB	1680	U	C2-N3-C4	-6.55	123.07	127.00
26	BB	1826	G	C1'-O4'-C4'	-6.55	104.66	109.90
26	BB	2409	G	C4'-C3'-C2'	-6.55	96.05	102.60
1	AA	592	G	N1-C2-N2	-6.54	110.31	116.20
1	AA	1383	C	C5'-C4'-C3'	-6.54	105.53	116.00
3	AC	17	U	N3-C4-O4	6.54	123.98	119.40
25	BA	7	G	N3-C4-N9	6.54	129.93	126.00
26	BB	1738	G	N1-C2-N2	-6.54	110.31	116.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2654	A	C5'-C4'-O4'	6.54	116.95	109.10
1	AA	318	G	N9-C1'-C2'	-6.54	104.80	112.00
1	AA	678	U	N1-C2-N3	6.54	118.83	114.90
1	AA	1258	G	C5'-C4'-C3'	-6.54	105.53	116.00
1	AA	1525	G	N3-C4-C5	-6.54	125.33	128.60
2	AB	51	G	N9-C4-C5	6.54	108.02	105.40
26	BB	104	A	N3-C4-C5	-6.54	122.22	126.80
26	BB	151	C	N3-C2-O2	-6.54	117.32	121.90
26	BB	345	A	N1-C2-N3	-6.54	126.03	129.30
26	BB	410	G	C5-C6-N1	6.54	114.77	111.50
26	BB	492	A	O4'-C1'-N9	6.54	113.43	108.20
26	BB	645	C	C6-N1-C1'	-6.54	112.95	120.80
26	BB	1268	A	C8-N9-C4	6.54	108.42	105.80
26	BB	1436	G	C5-C6-O6	-6.54	124.67	128.60
26	BB	1543	G	C5-N7-C8	-6.54	101.03	104.30
26	BB	2210	U	O4'-C4'-C3'	6.54	111.33	106.10
26	BB	2793	C	C4'-C3'-C2'	-6.54	96.06	102.60
25	BA	43	C	C2-N3-C4	6.54	123.17	119.90
25	BA	62	C	C5-C4-N4	-6.54	115.62	120.20
26	BB	181	A	C5'-C4'-O4'	6.54	116.95	109.10
26	BB	187	G	C2-N3-C4	-6.54	108.63	111.90
26	BB	284	U	N3-C4-C5	-6.54	110.68	114.60
26	BB	434	U	C5-C4-O4	6.54	129.82	125.90
26	BB	922	C	C4-C5-C6	-6.54	114.13	117.40
26	BB	945	A	C4'-C3'-C2'	-6.54	96.06	102.60
26	BB	992	C	N3-C2-O2	-6.54	117.32	121.90
26	BB	2242	G	N1-C6-O6	-6.54	115.97	119.90
26	BB	2380	C	N3-C4-C5	6.54	124.52	121.90
26	BB	2543	G	C8-N9-C4	-6.54	103.78	106.40
1	AA	22	G	N3-C4-C5	-6.54	125.33	128.60
1	AA	1507	A	C8-N9-C4	-6.54	103.18	105.80
2	AB	72	U	N1-C1'-C2'	-6.54	104.81	112.00
26	BB	372	G	C5'-C4'-O4'	6.54	116.95	109.10
26	BB	1312	U	N1-C2-O2	6.54	127.38	122.80
26	BB	1454	C	C2-N3-C4	6.54	123.17	119.90
1	AA	156	C	N1-C2-O2	6.54	122.82	118.90
1	AA	313	A	C4'-C3'-C2'	-6.54	96.06	102.60
25	BA	34	A	C4'-C3'-C2'	-6.54	96.06	102.60
26	BB	479	A	C5-C6-N6	6.54	128.93	123.70
26	BB	1239	G	N3-C2-N2	-6.54	115.32	119.90
26	BB	1879	C	N3-C2-O2	-6.54	117.32	121.90
26	BB	2043	C	C2-N3-C4	6.54	123.17	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2427	C	P-O5'-C5'	6.54	131.36	120.90
1	AA	1225	A	N1-C6-N6	6.54	122.52	118.60
2	AB	14	A	C4-C5-C6	-6.54	113.73	117.00
26	BB	901	C	C4-C5-C6	6.54	120.67	117.40
26	BB	1324	G	C5-N7-C8	-6.54	101.03	104.30
26	BB	1399	C	C1'-O4'-C4'	6.54	115.13	109.90
26	BB	1843	C	C6-N1-C2	-6.54	117.69	120.30
1	AA	45	G	N3-C4-C5	-6.54	125.33	128.60
1	AA	609	A	N9-C4-C5	6.54	108.41	105.80
1	AA	628	G	C6-C5-N7	6.54	134.32	130.40
1	AA	1371	G	C5-C6-O6	-6.54	124.68	128.60
26	BB	39	G	C4-C5-N7	-6.54	108.19	110.80
26	BB	154	U	C5-C4-O4	-6.54	121.98	125.90
26	BB	597	G	N1-C2-N2	6.54	122.08	116.20
26	BB	635	C	C5-C4-N4	-6.54	115.62	120.20
26	BB	914	G	C5-C6-O6	-6.54	124.68	128.60
26	BB	1071	G	C5-C6-N1	6.54	114.77	111.50
26	BB	1168	G	C5'-C4'-O4'	6.54	116.94	109.10
26	BB	1813	G	C4-C5-N7	-6.54	108.19	110.80
1	AA	422	C	C6-N1-C2	-6.53	117.69	120.30
1	AA	679	C	N3-C4-N4	6.53	122.57	118.00
1	AA	809	G	C8-N9-C4	-6.53	103.79	106.40
26	BB	237	C	C5-C6-N1	-6.53	117.73	121.00
26	BB	705	A	N9-C4-C5	6.53	108.41	105.80
26	BB	1464	G	C8-N9-C4	-6.53	103.79	106.40
26	BB	1496	A	C8-N9-C4	-6.53	103.19	105.80
26	BB	1786	A	N1-C6-N6	-6.53	114.68	118.60
26	BB	1972	G	N7-C8-N9	6.53	116.37	113.10
26	BB	2325	G	C6-N1-C2	-6.53	121.18	125.10
26	BB	2407	A	C5-C6-N6	6.53	128.93	123.70
1	AA	159	G	C4-C5-C6	6.53	122.72	118.80
1	AA	786	G	C6-C5-N7	-6.53	126.48	130.40
26	BB	146	A	C4-C5-C6	-6.53	113.73	117.00
26	BB	1452	G	C4'-C3'-C2'	-6.53	96.07	102.60
26	BB	1989	G	O4'-C1'-N9	6.53	113.42	108.20
26	BB	2089	C	N3-C4-C5	6.53	124.51	121.90
26	BB	2189	U	N3-C4-O4	6.53	123.97	119.40
26	BB	2823	A	P-O3'-C3'	6.53	127.54	119.70
26	BB	2898	U	N3-C2-O2	-6.53	117.63	122.20
1	AA	405	U	C4'-C3'-C2'	-6.53	96.07	102.60
1	AA	698	G	C5-C6-N1	-6.53	108.23	111.50
1	AA	872	A	O4'-C1'-N9	6.53	113.42	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1022	A	P-O5'-C5'	6.53	131.35	120.90
1	AA	1291	U	O4'-C1'-N1	6.53	113.42	108.20
1	AA	1405	G	C5-N7-C8	-6.53	101.03	104.30
25	BA	21	G	C4-C5-C6	6.53	122.72	118.80
25	BA	94	A	N1-C2-N3	-6.53	126.03	129.30
25	BA	108	A	C5-N7-C8	-6.53	100.63	103.90
26	BB	328	U	N3-C2-O2	-6.53	117.63	122.20
26	BB	980	A	P-O3'-C3'	6.53	127.54	119.70
26	BB	1235	G	C6-N1-C2	-6.53	121.18	125.10
26	BB	1328	A	C4-C5-C6	-6.53	113.73	117.00
26	BB	1345	C	C6-N1-C2	-6.53	117.69	120.30
26	BB	1803	A	C8-N9-C4	-6.53	103.19	105.80
26	BB	2256	G	C4-C5-N7	6.53	113.41	110.80
26	BB	2641	G	N3-C4-C5	-6.53	125.33	128.60
41	BQ	30	ARG	NE-CZ-NH2	6.53	123.56	120.30
1	AA	165	G	N9-C4-C5	6.53	108.01	105.40
1	AA	675	A	C4-C5-N7	6.53	113.97	110.70
10	AJ	122	GLU	OE1-CD-OE2	6.53	131.13	123.30
1	AA	106	C	C5-C4-N4	-6.53	115.63	120.20
1	AA	156	C	C3'-C2'-C1'	-6.53	96.28	101.50
1	AA	407	U	C4-C5-C6	6.53	123.62	119.70
1	AA	650	G	O4'-C4'-C3'	6.53	111.32	106.10
1	AA	813	U	C2-N3-C4	-6.53	123.08	127.00
1	AA	1003	G	C2-N3-C4	6.53	115.16	111.90
1	AA	1261	A	N9-C4-C5	-6.53	103.19	105.80
26	BB	496	G	C3'-C2'-C1'	6.53	106.72	101.50
26	BB	551	G	C6-C5-N7	6.53	134.32	130.40
26	BB	926	G	C5-N7-C8	6.53	107.56	104.30
26	BB	1932	A	C5-C6-N1	6.53	120.96	117.70
26	BB	2088	A	C6-N1-C2	6.53	122.52	118.60
26	BB	2694	G	N3-C4-C5	6.53	131.86	128.60
26	BB	2767	C	O4'-C1'-N1	6.53	113.42	108.20
1	AA	91	U	N1-C2-O2	6.53	127.37	122.80
1	AA	179	A	N7-C8-N9	6.53	117.06	113.80
1	AA	374	A	C4-C5-C6	-6.53	113.74	117.00
1	AA	513	C	C5-C6-N1	6.53	124.26	121.00
1	AA	523	A	C4'-C3'-C2'	-6.53	96.07	102.60
1	AA	1224	U	C5-C6-N1	-6.53	119.44	122.70
1	AA	1355	G	N1-C2-N2	6.53	122.07	116.20
26	BB	797	G	C5-C6-O6	-6.53	124.69	128.60
26	BB	819	A	N1-C2-N3	-6.53	126.04	129.30
26	BB	1149	G	C5'-C4'-O4'	6.53	116.93	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1876	A	C4-C5-C6	6.53	120.26	117.00
26	BB	2218	G	C4-N9-C1'	-6.53	118.02	126.50
26	BB	2425	A	C2-N3-C4	6.53	113.86	110.60
26	BB	2493	U	C5'-C4'-O4'	6.53	116.93	109.10
1	AA	71	A	C2-N3-C4	6.52	113.86	110.60
1	AA	1359	C	C4'-C3'-C2'	-6.52	96.08	102.60
26	BB	250	G	C5-C6-N1	-6.52	108.24	111.50
26	BB	1179	G	C5-N7-C8	-6.52	101.04	104.30
26	BB	1238	G	N1-C2-N3	-6.52	119.99	123.90
26	BB	1314	C	C5'-C4'-O4'	6.52	116.93	109.10
26	BB	1568	G	C4'-C3'-C2'	-6.52	96.08	102.60
44	BT	23	GLU	OE1-CD-OE2	6.52	131.13	123.30
1	AA	6	G	O4'-C4'-C3'	6.52	111.32	106.10
1	AA	482	A	N9-C4-C5	6.52	108.41	105.80
3	AC	45	G	C8-N9-C4	-6.52	103.79	106.40
3	AC	55	A	N9-C4-C5	6.52	108.41	105.80
4	AD	18	U	N1-C2-N3	6.52	118.81	114.90
4	AD	50	G	C8-N9-C4	-6.52	103.79	106.40
26	BB	615	U	C6-N1-C2	-6.52	117.09	121.00
26	BB	980	A	C5-C6-N1	-6.52	114.44	117.70
26	BB	1171	G	C4-C5-N7	-6.52	108.19	110.80
26	BB	1256	G	P-O3'-C3'	6.52	127.53	119.70
26	BB	1510	G	O4'-C1'-N9	-6.52	102.98	108.20
26	BB	1715	G	C1'-O4'-C4'	-6.52	104.68	109.90
26	BB	1838	C	N3-C4-C5	-6.52	119.29	121.90
26	BB	2017	U	O4'-C1'-N1	-6.52	102.98	108.20
26	BB	2057	G	N3-C2-N2	6.52	124.47	119.90
26	BB	2293	G	C6-N1-C2	-6.52	121.19	125.10
26	BB	2494	G	C8-N9-C4	-6.52	103.79	106.40
1	AA	920	U	C5-C4-O4	-6.52	121.99	125.90
1	AA	1542	A	N1-C6-N6	6.52	122.51	118.60
26	BB	156	A	C8-N9-C4	-6.52	103.19	105.80
26	BB	372	G	C6-N1-C2	-6.52	121.19	125.10
26	BB	585	G	N7-C8-N9	6.52	116.36	113.10
26	BB	1446	C	C3'-C2'-C1'	-6.52	96.28	101.50
26	BB	1839	G	C4-C5-C6	-6.52	114.89	118.80
26	BB	2100	G	C5-C6-N1	6.52	114.76	111.50
1	AA	355	C	C4'-C3'-C2'	-6.52	96.08	102.60
1	AA	381	C	C6-N1-C2	-6.52	117.69	120.30
1	AA	1528	U	C4-C5-C6	6.52	123.61	119.70
2	AB	56	C	N1-C2-O2	6.52	122.81	118.90
25	BA	51	G	C8-N9-C4	-6.52	103.79	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	224	U	C4-C5-C6	6.52	123.61	119.70
26	BB	531	C	N1-C2-N3	-6.52	114.64	119.20
26	BB	1410	G	C5'-C4'-O4'	6.52	116.92	109.10
26	BB	1872	A	C8-N9-C4	-6.52	103.19	105.80
26	BB	1952	A	C3'-C2'-C1'	-6.52	96.28	101.50
33	BI	86	ASP	CB-CG-OD2	-6.52	112.43	118.30
39	BO	44	ARG	NE-CZ-NH2	6.52	123.56	120.30
1	AA	135	C	C2-N3-C4	6.52	123.16	119.90
1	AA	572	A	C3'-C2'-C1'	6.52	106.71	101.50
1	AA	822	U	N3-C4-O4	6.52	123.96	119.40
1	AA	1049	U	C3'-C2'-C1'	-6.52	96.29	101.50
18	AR	46	LYS	N-CA-CB	-6.52	98.87	110.60
25	BA	86	G	C4-C5-N7	-6.52	108.19	110.80
26	BB	6	A	C6-C5-N7	6.52	136.86	132.30
26	BB	475	C	C4-C5-C6	6.52	120.66	117.40
26	BB	783	A	C8-N9-C4	-6.52	103.19	105.80
26	BB	1792	G	C6-C5-N7	6.52	134.31	130.40
26	BB	2020	A	C5-N7-C8	6.52	107.16	103.90
26	BB	2060	A	N7-C8-N9	6.52	117.06	113.80
26	BB	2363	G	C5'-C4'-O4'	6.52	116.92	109.10
26	BB	2574	G	N1-C6-O6	6.52	123.81	119.90
26	BB	2706	A	N1-C6-N6	6.52	122.51	118.60
32	BH	83	THR	CA-CB-CG2	6.52	121.52	112.40
1	AA	1459	G	C4-C5-N7	-6.52	108.19	110.80
25	BA	90	C	C1'-O4'-C4'	6.52	115.11	109.90
26	BB	596	U	N3-C2-O2	6.52	126.76	122.20
26	BB	984	A	O4'-C1'-C2'	6.52	113.46	107.60
26	BB	1860	G	C5-N7-C8	6.52	107.56	104.30
26	BB	2341	G	C5'-C4'-O4'	6.52	116.92	109.10
1	AA	3	A	O4'-C1'-N9	6.51	113.41	108.20
1	AA	484	G	N9-C1'-C2'	-6.51	104.83	112.00
2	AB	10	G	O4'-C1'-N9	6.51	113.41	108.20
2	AB	48	U	C2-N3-C4	-6.51	123.09	127.00
26	BB	434	U	P-O3'-C3'	6.51	127.52	119.70
26	BB	637	A	C6-N1-C2	-6.51	114.69	118.60
26	BB	869	G	N7-C8-N9	6.51	116.36	113.10
26	BB	992	C	C1'-O4'-C4'	-6.51	104.69	109.90
26	BB	1978	A	C2-N3-C4	6.51	113.86	110.60
26	BB	2805	C	C1'-O4'-C4'	6.51	115.11	109.90
1	AA	633	G	C4'-C3'-C2'	-6.51	96.09	102.60
1	AA	650	G	C3'-C2'-C1'	-6.51	96.29	101.50
1	AA	861	G	N9-C4-C5	6.51	108.00	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1051	G	N9-C4-C5	6.51	108.00	105.40
26	BB	1482	G	C5-N7-C8	-6.51	101.04	104.30
26	BB	2464	G	C3'-C2'-C1'	6.51	106.71	101.50
1	AA	97	G	C4-C5-N7	-6.51	108.19	110.80
1	AA	129	A	C6-N1-C2	-6.51	114.69	118.60
1	AA	413	G	N1-C2-N3	-6.51	119.99	123.90
1	AA	598	U	C5-C4-O4	-6.51	121.99	125.90
1	AA	1305	G	C6-N1-C2	-6.51	121.19	125.10
1	AA	1526	G	N1-C6-O6	-6.51	115.99	119.90
2	AB	24	G	C4-C5-N7	6.51	113.41	110.80
26	BB	788	A	C1'-O4'-C4'	-6.51	104.69	109.90
26	BB	1068	G	C5-C6-N1	6.51	114.76	111.50
26	BB	1687	G	C5-C6-N1	6.51	114.76	111.50
26	BB	1845	G	O4'-C1'-N9	6.51	113.41	108.20
26	BB	2003	A	N9-C1'-C2'	-6.51	104.84	112.00
26	BB	2228	G	C5'-C4'-O4'	6.51	116.91	109.10
26	BB	2257	U	O4'-C4'-C3'	-6.51	97.49	104.00
26	BB	2582	G	N1-C2-N3	-6.51	119.99	123.90
34	BJ	115	GLU	OE1-CD-OE2	6.51	131.11	123.30
1	AA	240	G	N3-C2-N2	-6.51	115.34	119.90
1	AA	523	A	O4'-C4'-C3'	6.51	111.31	106.10
1	AA	716	A	N3-C4-C5	6.51	131.36	126.80
1	AA	821	G	C5'-C4'-O4'	6.51	116.91	109.10
1	AA	831	A	C3'-C2'-C1'	6.51	106.71	101.50
1	AA	1090	U	N3-C2-O2	6.51	126.76	122.20
1	AA	1532	U	C4-C5-C6	6.51	123.61	119.70
4	AD	60	A	C4-C5-N7	-6.51	107.44	110.70
26	BB	221	A	C1'-O4'-C4'	6.51	115.11	109.90
26	BB	1103	A	N1-C6-N6	6.51	122.50	118.60
26	BB	1746	A	N3-C4-N9	-6.51	122.19	127.40
26	BB	2005	A	C6-C5-N7	-6.51	127.74	132.30
26	BB	2700	A	N9-C4-C5	6.51	108.40	105.80
26	BB	2737	G	C8-N9-C4	-6.51	103.80	106.40
33	BI	75	LEU	CB-CG-CD2	6.51	122.07	111.00
1	AA	30	U	N3-C4-O4	6.51	123.96	119.40
1	AA	529	G	C5'-C4'-O4'	6.51	116.91	109.10
1	AA	1432	G	N7-C8-N9	6.51	116.35	113.10
6	AF	129	PHE	CB-CG-CD1	-6.51	116.24	120.80
25	BA	34	A	C1'-O4'-C4'	-6.51	104.69	109.90
26	BB	326	G	N3-C4-C5	6.51	131.85	128.60
26	BB	743	A	C2-N3-C4	-6.51	107.35	110.60
26	BB	1015	U	N1-C2-N3	6.51	118.81	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1036	G	N3-C2-N2	-6.51	115.34	119.90
26	BB	1455	G	O4'-C1'-N9	6.51	113.41	108.20
26	BB	1912	A	O4'-C1'-N9	6.51	113.41	108.20
1	AA	44	A	C5-N7-C8	6.51	107.15	103.90
1	AA	504	C	C4-C5-C6	-6.51	114.15	117.40
1	AA	564	C	C4-C5-C6	6.51	120.65	117.40
1	AA	1537	U	C4-C5-C6	-6.51	115.80	119.70
2	AB	71	C	O4'-C1'-N1	6.51	113.41	108.20
6	AF	135	ARG	NE-CZ-NH1	6.51	123.55	120.30
26	BB	6	A	N1-C2-N3	-6.51	126.05	129.30
26	BB	984	A	O4'-C4'-C3'	6.51	111.31	106.10
26	BB	1090	A	N9-C1'-C2'	-6.51	104.84	112.00
26	BB	1498	C	N3-C4-N4	-6.51	113.45	118.00
26	BB	2160	C	C2-N3-C4	-6.51	116.65	119.90
26	BB	2546	U	C4-C5-C6	6.51	123.60	119.70
26	BB	2823	A	C6-N1-C2	-6.51	114.70	118.60
1	AA	335	C	N1-C1'-C2'	-6.50	104.84	112.00
1	AA	766	A	N7-C8-N9	-6.50	110.55	113.80
26	BB	43	G	N1-C2-N2	-6.50	110.34	116.20
26	BB	101	A	C5-C6-N1	-6.50	114.45	117.70
26	BB	798	G	C5-C6-O6	-6.50	124.70	128.60
26	BB	1128	G	O4'-C4'-C3'	6.50	111.30	106.10
26	BB	2359	C	N1-C2-N3	-6.50	114.65	119.20
30	BF	33	VAL	CA-CB-CG1	6.50	120.66	110.90
1	AA	573	A	N1-C6-N6	6.50	122.50	118.60
1	AA	805	C	C4'-C3'-C2'	-6.50	96.10	102.60
1	AA	1513	A	C5'-C4'-O4'	6.50	116.90	109.10
26	BB	351	C	C5-C6-N1	-6.50	117.75	121.00
26	BB	539	G	C5'-C4'-O4'	6.50	116.90	109.10
26	BB	1057	A	C5'-C4'-C3'	-6.50	105.59	116.00
26	BB	1212	G	C8-N9-C4	-6.50	103.80	106.40
26	BB	1261	C	C5-C4-N4	-6.50	115.65	120.20
26	BB	1294	U	N1-C2-O2	6.50	127.35	122.80
26	BB	1563	U	N3-C4-C5	6.50	118.50	114.60
26	BB	2115	G	C2-N3-C4	-6.50	108.65	111.90
26	BB	2619	C	C6-N1-C2	6.50	122.90	120.30
26	BB	2694	G	C4-C5-N7	6.50	113.40	110.80
1	AA	23	C	N3-C4-N4	6.50	122.55	118.00
1	AA	27	G	N1-C2-N3	-6.50	120.00	123.90
1	AA	959	A	C6-N1-C2	-6.50	114.70	118.60
3	AC	21	U	C2-N3-C4	-6.50	123.10	127.00
3	AC	37	G	C4-C5-N7	6.50	113.40	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	35	C	C6-N1-C2	-6.50	117.70	120.30
25	BA	61	G	O4'-C1'-N9	6.50	113.40	108.20
26	BB	1098	A	N7-C8-N9	6.50	117.05	113.80
26	BB	1718	G	C3'-C2'-C1'	-6.50	96.30	101.50
3	AC	56	G	C5-C6-O6	6.50	132.50	128.60
4	AD	28	U	C4'-C3'-C2'	-6.50	96.10	102.60
25	BA	47	C	C5-C6-N1	6.50	124.25	121.00
26	BB	725	G	C6-C5-N7	-6.50	126.50	130.40
26	BB	1737	G	C8-N9-C4	-6.50	103.80	106.40
1	AA	550	G	C8-N9-C1'	6.50	135.45	127.00
1	AA	1221	G	C5-C6-N1	6.50	114.75	111.50
1	AA	1335	U	O4'-C1'-C2'	-6.50	99.30	105.80
26	BB	695	G	O4'-C4'-C3'	6.50	111.30	106.10
26	BB	805	G	C6-C5-N7	6.50	134.30	130.40
26	BB	972	A	C5-N7-C8	6.50	107.15	103.90
26	BB	1203	U	C4-C5-C6	6.50	123.60	119.70
26	BB	2007	U	C5-C6-N1	-6.50	119.45	122.70
26	BB	2509	G	C1'-O4'-C4'	6.50	115.10	109.90
26	BB	2609	U	C4-C5-C6	-6.50	115.80	119.70
26	BB	2788	C	C3'-C2'-C1'	6.50	106.70	101.50
30	BF	88	ARG	NH1-CZ-NH2	6.50	126.55	119.40
54	B3	12	ARG	NE-CZ-NH2	-6.50	117.05	120.30
1	AA	55	A	C2-N3-C4	6.50	113.85	110.60
1	AA	915	A	C8-N9-C4	-6.50	103.20	105.80
1	AA	1101	A	C4-C5-N7	-6.50	107.45	110.70
1	AA	1482	G	C4-C5-C6	6.50	122.70	118.80
2	AB	39	A	N7-C8-N9	6.50	117.05	113.80
10	AJ	77	ARG	NE-CZ-NH1	-6.50	117.05	120.30
26	BB	19	A	N7-C8-N9	6.50	117.05	113.80
26	BB	1113	U	C5'-C4'-O4'	6.50	116.89	109.10
26	BB	1430	G	O4'-C1'-N9	6.50	113.40	108.20
26	BB	2632	A	N9-C4-C5	6.50	108.40	105.80
26	BB	2874	C	N3-C2-O2	-6.50	117.35	121.90
28	BD	51	ARG	NE-CZ-NH1	6.50	123.55	120.30
1	AA	1	A	C1'-O4'-C4'	-6.50	104.70	109.90
1	AA	399	G	N3-C4-N9	6.50	129.90	126.00
1	AA	698	G	N3-C4-C5	-6.50	125.35	128.60
26	BB	1928	A	C4-C5-C6	-6.50	113.75	117.00
26	BB	2135	A	C2-N3-C4	6.50	113.85	110.60
26	BB	2342	C	N3-C4-N4	6.50	122.55	118.00
26	BB	2370	G	C5-C6-O6	-6.50	124.70	128.60
26	BB	2673	G	C5'-C4'-O4'	6.50	116.89	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	79	G	N3-C4-C5	-6.49	125.35	128.60
1	AA	214	C	N3-C4-N4	6.49	122.55	118.00
1	AA	448	A	C4'-C3'-C2'	-6.49	96.11	102.60
1	AA	1293	C	C5-C6-N1	-6.49	117.75	121.00
3	AC	30	U	C1'-O4'-C4'	-6.49	104.71	109.90
3	AC	59	A	N9-C4-C5	6.49	108.40	105.80
26	BB	21	A	C5-C6-N6	-6.49	118.50	123.70
26	BB	120	U	C5-C4-O4	-6.49	122.00	125.90
26	BB	239	C	O4'-C1'-N1	6.49	113.39	108.20
26	BB	244	A	C4-C5-C6	-6.49	113.75	117.00
26	BB	1240	U	C6-N1-C2	-6.49	117.10	121.00
26	BB	1402	U	N3-C4-C5	-6.49	110.70	114.60
26	BB	1826	G	C4-C5-N7	-6.49	108.20	110.80
26	BB	1973	G	C3'-C2'-C1'	-6.49	96.31	101.50
26	BB	2276	G	C2-N3-C4	6.49	115.15	111.90
26	BB	289	G	N1-C2-N2	6.49	122.04	116.20
26	BB	762	U	C3'-C2'-C1'	6.49	106.69	101.50
26	BB	862	G	N7-C8-N9	6.49	116.35	113.10
26	BB	1815	A	O4'-C1'-N9	6.49	113.39	108.20
26	BB	1832	C	C3'-C2'-C1'	-6.49	96.31	101.50
1	AA	494	G	N3-C4-N9	6.49	129.90	126.00
1	AA	1138	G	O4'-C1'-N9	6.49	113.39	108.20
1	AA	1168	U	C2-N1-C1'	6.49	125.49	117.70
1	AA	1502	A	N1-C6-N6	-6.49	114.71	118.60
26	BB	781	A	O4'-C4'-C3'	-6.49	97.51	104.00
26	BB	1003	G	C8-N9-C4	-6.49	103.80	106.40
26	BB	1436	G	C5-C6-N1	6.49	114.75	111.50
26	BB	1532	A	C6-N1-C2	6.49	122.49	118.60
1	AA	1092	A	C2-N3-C4	-6.49	107.36	110.60
1	AA	1127	G	C5-C6-O6	-6.49	124.71	128.60
1	AA	1521	C	N3-C4-N4	6.49	122.54	118.00
26	BB	1266	G	N3-C4-N9	-6.49	122.11	126.00
26	BB	1885	A	P-O3'-C3'	6.49	127.49	119.70
36	BL	75	TYR	CD1-CE1-CZ	6.49	125.64	119.80
41	BQ	105	ALA	N-CA-CB	-6.49	101.02	110.10
1	AA	96	U	N1-C1'-C2'	-6.49	104.86	112.00
1	AA	153	C	C5-C6-N1	-6.49	117.76	121.00
1	AA	1108	G	C5-C6-N1	6.49	114.74	111.50
1	AA	1377	A	C4-C5-C6	-6.49	113.76	117.00
4	AD	44	A	C4-C5-C6	-6.49	113.76	117.00
1	AA	239	U	N1-C2-O2	6.49	127.34	122.80
1	AA	810	C	C6-N1-C2	-6.49	117.71	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	AX	1	PRO	CA-N-CD	-6.49	102.42	111.50
26	BB	947	A	C5'-C4'-O4'	6.49	116.88	109.10
26	BB	1163	G	O4'-C1'-N9	6.49	113.39	108.20
26	BB	1259	G	N3-C4-C5	-6.49	125.36	128.60
26	BB	1928	A	N9-C1'-C2'	-6.49	104.87	112.00
26	BB	2877	G	N1-C2-N2	6.49	122.04	116.20
1	AA	111	G	N1-C6-O6	-6.48	116.01	119.90
1	AA	338	A	C8-N9-C4	-6.48	103.21	105.80
1	AA	903	G	N3-C2-N2	6.48	124.44	119.90
1	AA	1047	G	C4-C5-N7	-6.48	108.21	110.80
26	BB	1507	C	C1'-O4'-C4'	-6.48	104.71	109.90
26	BB	2456	C	C1'-O4'-C4'	-6.48	104.71	109.90
1	AA	1110	A	N7-C8-N9	6.48	117.04	113.80
24	AX	61	ARG	NE-CZ-NH2	-6.48	117.06	120.30
26	BB	80	G	C5-N7-C8	-6.48	101.06	104.30
26	BB	440	C	N3-C2-O2	-6.48	117.36	121.90
26	BB	868	U	C4-C5-C6	-6.48	115.81	119.70
26	BB	1334	G	C4'-C3'-C2'	-6.48	96.12	102.60
26	BB	1417	C	N1-C1'-C2'	-6.48	104.87	112.00
26	BB	1641	A	N9-C4-C5	6.48	108.39	105.80
26	BB	1661	G	N3-C4-C5	-6.48	125.36	128.60
1	AA	505	G	C8-N9-C4	-6.48	103.81	106.40
1	AA	507	C	C2-N3-C4	6.48	123.14	119.90
1	AA	831	A	N9-C4-C5	6.48	108.39	105.80
1	AA	931	C	C5'-C4'-C3'	-6.48	105.63	116.00
1	AA	993	G	C4-N9-C1'	6.48	134.93	126.50
1	AA	1451	U	C5'-C4'-O4'	6.48	116.88	109.10
1	AA	1487	G	C5-C6-O6	-6.48	124.71	128.60
26	BB	149	A	N1-C6-N6	6.48	122.49	118.60
26	BB	275	C	N1-C2-N3	-6.48	114.66	119.20
26	BB	1182	G	N1-C2-N3	-6.48	120.01	123.90
26	BB	1637	A	C5-C6-N1	6.48	120.94	117.70
26	BB	1796	U	N1-C2-N3	-6.48	111.01	114.90
26	BB	2323	G	C5-C6-N1	6.48	114.74	111.50
1	AA	98	A	C2-N3-C4	6.48	113.84	110.60
26	BB	255	A	C5-N7-C8	-6.48	100.66	103.90
26	BB	1162	G	C5-C6-N1	-6.48	108.26	111.50
26	BB	1826	G	C5-N7-C8	6.48	107.54	104.30
26	BB	2199	A	N1-C6-N6	6.48	122.49	118.60
26	BB	2653	U	C5'-C4'-O4'	-6.48	101.33	109.10
26	BB	2750	A	C5-C6-N6	-6.48	118.52	123.70
26	BB	2808	G	C6-C5-N7	-6.48	126.51	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	118	U	O4'-C4'-C3'	6.48	111.28	106.10
1	AA	276	G	P-O3'-C3'	6.48	127.47	119.70
1	AA	628	G	N1-C2-N2	-6.48	110.37	116.20
1	AA	844	G	C3'-C2'-C1'	6.48	106.68	101.50
1	AA	1208	C	N1-C2-O2	6.48	122.79	118.90
26	BB	700	G	N7-C8-N9	6.48	116.34	113.10
26	BB	837	C	N3-C2-O2	-6.48	117.37	121.90
26	BB	966	G	N1-C6-O6	-6.48	116.01	119.90
26	BB	1044	C	N1-C2-O2	6.48	122.79	118.90
26	BB	1144	A	P-O3'-C3'	6.48	127.47	119.70
26	BB	1650	A	C4-C5-N7	-6.48	107.46	110.70
26	BB	2393	U	N3-C4-C5	6.48	118.49	114.60
31	BG	143	ASP	CB-CG-OD1	-6.48	112.47	118.30
1	AA	462	G	C6-N1-C2	-6.48	121.22	125.10
1	AA	766	A	C5'-C4'-C3'	-6.48	105.64	116.00
25	BA	76	G	C4-C5-N7	6.48	113.39	110.80
26	BB	181	A	C8-N9-C4	6.48	108.39	105.80
26	BB	423	A	N7-C8-N9	6.48	117.04	113.80
1	AA	276	G	N7-C8-N9	6.47	116.34	113.10
25	BA	117	G	N3-C4-C5	-6.47	125.36	128.60
26	BB	296	U	N3-C4-O4	6.47	123.93	119.40
26	BB	556	A	C5'-C4'-O4'	6.47	116.87	109.10
26	BB	994	C	O3'-P-O5'	-6.47	91.70	104.00
26	BB	1089	A	C1'-O4'-C4'	6.47	115.08	109.90
26	BB	1902	C	N3-C2-O2	-6.47	117.37	121.90
26	BB	2063	C	N1-C2-O2	6.47	122.78	118.90
26	BB	2121	G	C3'-C2'-C1'	6.47	106.68	101.50
26	BB	2464	G	C6-C5-N7	-6.47	126.52	130.40
26	BB	2610	C	C6-N1-C2	-6.47	117.71	120.30
1	AA	75	G	C2-N3-C4	6.47	115.14	111.90
4	AD	47	A	O4'-C4'-C3'	6.47	111.28	106.10
26	BB	319	G	N9-C4-C5	6.47	107.99	105.40
26	BB	526	A	N1-C2-N3	-6.47	126.06	129.30
26	BB	637	A	C5-N7-C8	6.47	107.14	103.90
26	BB	991	C	N1-C1'-C2'	-6.47	104.88	112.00
26	BB	1593	A	N1-C6-N6	6.47	122.48	118.60
26	BB	1775	U	C5-C6-N1	-6.47	119.46	122.70
26	BB	2100	G	C5-N7-C8	-6.47	101.06	104.30
26	BB	2671	G	C4-C5-C6	6.47	122.68	118.80
26	BB	1033	U	C4-C5-C6	6.47	123.58	119.70
26	BB	1281	G	C2-N3-C4	6.47	115.14	111.90
26	BB	1364	G	N1-C6-O6	-6.47	116.02	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1632	A	C5-N7-C8	-6.47	100.66	103.90
1	AA	273	U	O4'-C1'-N1	6.47	113.38	108.20
1	AA	635	A	O4'-C1'-N9	6.47	113.38	108.20
1	AA	861	G	C6-N1-C2	-6.47	121.22	125.10
1	AA	1007	U	O4'-C1'-N1	6.47	113.38	108.20
1	AA	1229	A	O4'-C1'-N9	6.47	113.38	108.20
2	AB	27	C	N1-C2-N3	-6.47	114.67	119.20
25	BA	11	C	C5'-C4'-O4'	6.47	116.86	109.10
25	BA	76	G	C5-N7-C8	-6.47	101.06	104.30
26	BB	265	A	N7-C8-N9	6.47	117.03	113.80
26	BB	413	C	C4-C5-C6	-6.47	114.17	117.40
26	BB	580	U	O4'-C1'-N1	6.47	113.38	108.20
26	BB	737	C	O4'-C1'-N1	6.47	113.38	108.20
26	BB	1154	G	N3-C4-C5	-6.47	125.36	128.60
26	BB	2121	G	N7-C8-N9	6.47	116.33	113.10
1	AA	78	A	N9-C4-C5	6.47	108.39	105.80
1	AA	848	C	C5'-C4'-O4'	6.47	116.86	109.10
26	BB	613	A	C5-C6-N1	6.47	120.93	117.70
1	AA	11	G	C4-C5-C6	6.47	122.68	118.80
1	AA	58	C	N1-C2-N3	-6.47	114.67	119.20
26	BB	307	G	C8-N9-C4	-6.47	103.81	106.40
26	BB	624	C	N3-C4-C5	-6.47	119.31	121.90
26	BB	731	C	N1-C1'-C2'	-6.47	104.89	112.00
26	BB	1871	A	C5-N7-C8	-6.47	100.67	103.90
26	BB	2199	A	N3-C4-C5	-6.47	122.27	126.80
26	BB	2250	G	C2-N3-C4	6.47	115.13	111.90
26	BB	2277	G	C6-C5-N7	6.47	134.28	130.40
1	AA	434	U	N3-C2-O2	-6.46	117.67	122.20
26	BB	196	A	C6-N1-C2	6.46	122.48	118.60
26	BB	293	U	N1-C2-N3	6.46	118.78	114.90
26	BB	797	G	N3-C2-N2	-6.46	115.38	119.90
26	BB	856	G	O4'-C1'-N9	6.46	113.37	108.20
26	BB	859	G	O4'-C4'-C3'	6.46	111.27	106.10
26	BB	1029	A	N1-C2-N3	6.46	132.53	129.30
26	BB	1780	A	N1-C2-N3	6.46	132.53	129.30
26	BB	1991	U	N3-C2-O2	-6.46	117.67	122.20
25	BA	112	G	O4'-C1'-C2'	-6.46	99.34	105.80
26	BB	1180	U	N1-C2-N3	6.46	118.78	114.90
26	BB	1378	A	P-O3'-C3'	6.46	127.46	119.70
1	AA	417	G	C2-N3-C4	-6.46	108.67	111.90
1	AA	978	A	C1'-O4'-C4'	-6.46	104.73	109.90
1	AA	1161	C	C4-C5-C6	-6.46	114.17	117.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1542	A	N9-C4-C5	6.46	108.39	105.80
3	AC	49	U	C6-N1-C2	-6.46	117.12	121.00
26	BB	410	G	N1-C2-N3	6.46	127.78	123.90
26	BB	458	G	C3'-C2'-C1'	-6.46	96.33	101.50
26	BB	544	C	C2-N1-C1'	6.46	125.91	118.80
26	BB	715	A	C3'-C2'-C1'	6.46	106.67	101.50
26	BB	807	U	C6-N1-C2	6.46	124.88	121.00
26	BB	846	U	C2-N3-C4	-6.46	123.12	127.00
26	BB	1077	A	C4-C5-N7	-6.46	107.47	110.70
26	BB	1239	G	C4-C5-C6	6.46	122.68	118.80
26	BB	1245	G	C4-C5-N7	-6.46	108.22	110.80
26	BB	1327	A	C6-N1-C2	6.46	122.48	118.60
26	BB	1566	A	O5'-P-OP1	-6.46	99.88	105.70
26	BB	1777	U	N1-C2-N3	6.46	118.78	114.90
26	BB	1809	A	C4-C5-N7	-6.46	107.47	110.70
26	BB	1976	U	C3'-C2'-C1'	6.46	106.67	101.50
26	BB	2862	G	N3-C4-C5	-6.46	125.37	128.60
1	AA	696	A	C5-N7-C8	6.46	107.13	103.90
25	BA	80	U	C2-N3-C4	-6.46	123.12	127.00
26	BB	893	C	C4-C5-C6	6.46	120.63	117.40
26	BB	1698	A	O4'-C1'-N9	6.46	113.37	108.20
26	BB	2135	A	O4'-C1'-N9	6.46	113.37	108.20
26	BB	2488	G	N3-C2-N2	-6.46	115.38	119.90
26	BB	2749	A	C8-N9-C4	-6.46	103.22	105.80
1	AA	1368	A	C5-N7-C8	-6.46	100.67	103.90
26	BB	906	U	N3-C4-O4	6.46	123.92	119.40
26	BB	1459	G	P-O3'-C3'	6.46	127.45	119.70
26	BB	1554	U	C3'-C2'-C1'	-6.46	96.33	101.50
26	BB	1791	A	C6-N1-C2	6.46	122.47	118.60
26	BB	1818	U	C6-N1-C2	-6.46	117.12	121.00
26	BB	1901	A	C4'-C3'-C2'	-6.46	96.14	102.60
26	BB	2027	G	N3-C4-C5	-6.46	125.37	128.60
26	BB	2156	G	O4'-C1'-N9	6.46	113.37	108.20
26	BB	2299	U	C5-C4-O4	-6.46	122.03	125.90
1	AA	818	G	N3-C4-N9	6.46	129.87	126.00
1	AA	1157	A	C6-N1-C2	-6.46	114.73	118.60
1	AA	1360	A	C5'-C4'-O4'	6.46	116.85	109.10
26	BB	294	A	C5-C6-N1	-6.46	114.47	117.70
26	BB	734	A	N3-C4-C5	-6.46	122.28	126.80
26	BB	826	U	N3-C2-O2	-6.46	117.68	122.20
26	BB	1438	U	C2-N3-C4	6.46	130.87	127.00
26	BB	1487	U	N3-C2-O2	-6.46	117.68	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2545	G	O5'-P-OP2	-6.46	99.89	105.70
1	AA	1002	G	O4'-C1'-N9	6.46	113.36	108.20
26	BB	804	A	C4'-C3'-C2'	-6.46	96.14	102.60
26	BB	1596	A	N1-C6-N6	6.46	122.47	118.60
26	BB	2672	U	C6-N1-C2	-6.46	117.13	121.00
1	AA	295	C	C4-C5-C6	-6.45	114.17	117.40
1	AA	866	C	N1-C2-O2	6.45	122.77	118.90
1	AA	1382	C	N3-C4-N4	-6.45	113.48	118.00
26	BB	798	G	O4'-C1'-N9	6.45	113.36	108.20
26	BB	985	C	P-O5'-C5'	6.45	131.23	120.90
26	BB	1801	A	C3'-C2'-C1'	-6.45	96.34	101.50
26	BB	1815	A	C5-C6-N1	6.45	120.93	117.70
26	BB	1985	C	C5-C4-N4	6.45	124.72	120.20
26	BB	2327	A	C2-N3-C4	6.45	113.83	110.60
26	BB	2388	A	O4'-C4'-C3'	-6.45	97.55	104.00
45	BU	84	ARG	NE-CZ-NH2	6.45	123.53	120.30
1	AA	68	G	C5'-C4'-O4'	6.45	116.84	109.10
1	AA	182	A	C5-C6-N1	-6.45	114.47	117.70
22	AV	1	PRO	CA-N-CD	-6.45	102.47	111.50
26	BB	799	G	C5-C6-N1	6.45	114.73	111.50
26	BB	2415	G	C6-N1-C2	6.45	128.97	125.10
47	BW	35	VAL	CA-CB-CG1	-6.45	101.22	110.90
1	AA	336	A	C5-N7-C8	6.45	107.12	103.90
1	AA	373	A	C6-N1-C2	6.45	122.47	118.60
1	AA	521	G	C6-N1-C2	-6.45	121.23	125.10
1	AA	551	U	C6-N1-C2	-6.45	117.13	121.00
1	AA	719	C	C4'-C3'-C2'	6.45	109.05	102.60
1	AA	839	C	C5-C4-N4	-6.45	115.68	120.20
1	AA	929	G	C4'-C3'-C2'	-6.45	96.15	102.60
1	AA	1309	G	C5-C6-N1	6.45	114.72	111.50
1	AA	1511	G	C5-N7-C8	-6.45	101.08	104.30
12	AL	54	VAL	CA-CB-CG2	6.45	120.58	110.90
26	BB	45	G	N3-C4-C5	-6.45	125.38	128.60
26	BB	94	A	O4'-C1'-N9	6.45	113.36	108.20
26	BB	826	U	C3'-C2'-C1'	6.45	106.66	101.50
26	BB	1423	G	N7-C8-N9	6.45	116.33	113.10
26	BB	1502	A	O4'-C1'-N9	6.45	113.36	108.20
26	BB	1783	A	O4'-C1'-N9	6.45	113.36	108.20
26	BB	1805	A	C4-C5-N7	-6.45	107.47	110.70
26	BB	2074	U	N1-C1'-C2'	-6.45	104.91	112.00
1	AA	311	C	C6-N1-C2	6.45	122.88	120.30
1	AA	885	G	C8-N9-C4	-6.45	103.82	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1026	G	O4'-C1'-N9	6.45	113.36	108.20
1	AA	1029	U	P-O3'-C3'	6.45	127.44	119.70
26	BB	21	A	C2-N3-C4	6.45	113.82	110.60
26	BB	109	C	C3'-C2'-C1'	-6.45	96.34	101.50
26	BB	139	U	C2-N3-C4	-6.45	123.13	127.00
26	BB	1252	G	O4'-C1'-N9	6.45	113.36	108.20
26	BB	1381	G	C5-C6-N1	6.45	114.72	111.50
26	BB	1894	C	O4'-C1'-N1	6.45	113.36	108.20
26	BB	2033	A	N1-C6-N6	-6.45	114.73	118.60
30	BF	102	ARG	NE-CZ-NH2	6.45	123.53	120.30
1	AA	437	U	C4-C5-C6	6.45	123.57	119.70
1	AA	976	G	C4-C5-C6	6.45	122.67	118.80
1	AA	1048	G	C8-N9-C4	6.45	108.98	106.40
26	BB	1194	A	C2-N3-C4	6.45	113.82	110.60
26	BB	1774	C	O4'-C1'-N1	6.45	113.36	108.20
1	AA	411	A	C3'-C2'-C1'	6.45	106.66	101.50
1	AA	942	G	N3-C4-C5	-6.45	125.38	128.60
1	AA	1040	U	C2-N3-C4	-6.45	123.13	127.00
5	AE	49	PHE	CB-CG-CD2	-6.45	116.29	120.80
26	BB	493	G	C5'-C4'-O4'	6.45	116.83	109.10
26	BB	1597	A	C4-C5-C6	6.45	120.22	117.00
26	BB	2035	G	C6-N1-C2	-6.45	121.23	125.10
26	BB	2469	A	N9-C4-C5	6.45	108.38	105.80
26	BB	2510	C	O4'-C4'-C3'	6.45	111.26	106.10
26	BB	2845	U	C1'-O4'-C4'	6.45	115.06	109.90
1	AA	724	G	C3'-C2'-C1'	6.44	106.66	101.50
26	BB	57	C	O4'-C1'-N1	6.44	113.36	108.20
26	BB	150	U	C6-N1-C2	6.44	124.87	121.00
26	BB	166	U	N3-C4-C5	-6.44	110.73	114.60
26	BB	1572	A	O4'-C1'-N9	6.44	113.36	108.20
26	BB	32	C	C4-C5-C6	6.44	120.62	117.40
26	BB	59	U	C5'-C4'-C3'	-6.44	105.69	116.00
26	BB	967	U	O4'-C1'-N1	6.44	113.36	108.20
26	BB	1184	U	N1-C2-N3	6.44	118.77	114.90
26	BB	1471	G	C6-N1-C2	-6.44	121.23	125.10
26	BB	2448	A	N1-C6-N6	-6.44	114.73	118.60
26	BB	2545	G	N7-C8-N9	6.44	116.32	113.10
1	AA	259	G	N1-C2-N3	-6.44	120.04	123.90
1	AA	412	A	C1'-O4'-C4'	-6.44	104.75	109.90
1	AA	1417	G	N3-C4-N9	6.44	129.87	126.00
1	AA	1452	C	O4'-C1'-N1	6.44	113.35	108.20
2	AB	44	G	N7-C8-N9	6.44	116.32	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	80	G	C8-N9-C4	-6.44	103.82	106.40
26	BB	1236	G	C5'-C4'-O4'	6.44	116.83	109.10
26	BB	1855	U	O4'-C1'-N1	6.44	113.35	108.20
26	BB	2272	U	N1-C2-O2	-6.44	118.29	122.80
26	BB	2514	U	N1-C2-N3	6.44	118.77	114.90
26	BB	2758	A	N1-C6-N6	-6.44	114.74	118.60
1	AA	200	G	C4-C5-N7	-6.44	108.22	110.80
1	AA	1178	G	C4-C5-C6	6.44	122.66	118.80
26	BB	20	C	C6-N1-C2	6.44	122.88	120.30
26	BB	632	A	C1'-O4'-C4'	-6.44	104.75	109.90
26	BB	2594	C	C1'-O4'-C4'	-6.44	104.75	109.90
1	AA	406	G	C6-N1-C2	-6.44	121.24	125.10
1	AA	751	U	O5'-P-OP1	-6.44	99.91	105.70
1	AA	875	U	C4-C5-C6	6.44	123.56	119.70
1	AA	1016	A	C6-N1-C2	-6.44	114.74	118.60
1	AA	1343	G	N9-C4-C5	6.44	107.97	105.40
26	BB	41	C	N3-C4-C5	6.44	124.47	121.90
26	BB	71	A	C2-N3-C4	6.44	113.82	110.60
26	BB	98	G	C5-N7-C8	6.44	107.52	104.30
26	BB	309	A	C8-N9-C4	-6.44	103.22	105.80
26	BB	351	C	N3-C4-N4	6.44	122.51	118.00
26	BB	445	C	C5'-C4'-O4'	6.44	116.83	109.10
26	BB	491	G	N9-C4-C5	6.44	107.97	105.40
26	BB	1949	G	O4'-C1'-C2'	6.44	113.39	107.60
26	BB	2411	A	C5-C6-N6	-6.44	118.55	123.70
28	BD	1	ALA	CB-CA-C	6.44	119.76	110.10
1	AA	454	G	C2-N3-C4	6.44	115.12	111.90
26	BB	204	A	P-O3'-C3'	6.44	127.42	119.70
1	AA	271	C	C3'-C2'-C1'	6.43	106.65	101.50
1	AA	309	A	N9-C4-C5	-6.43	103.23	105.80
1	AA	986	U	N1-C2-N3	6.43	118.76	114.90
26	BB	721	A	C2-N3-C4	-6.43	107.38	110.60
26	BB	801	G	C6-C5-N7	6.43	134.26	130.40
26	BB	1314	C	C6-N1-C2	-6.43	117.73	120.30
26	BB	2522	U	C1'-O4'-C4'	-6.43	104.75	109.90
1	AA	275	G	C4-C5-N7	-6.43	108.23	110.80
1	AA	1149	C	C2-N3-C4	-6.43	116.68	119.90
25	BA	18	G	C4'-C3'-C2'	-6.43	96.17	102.60
26	BB	246	C	C5'-C4'-O4'	6.43	116.82	109.10
26	BB	1015	U	N3-C2-O2	-6.43	117.70	122.20
26	BB	1449	G	O4'-C1'-N9	6.43	113.34	108.20
26	BB	1658	C	C5-C4-N4	6.43	124.70	120.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1715	G	N3-C4-C5	-6.43	125.38	128.60
26	BB	2246	G	N9-C4-C5	-6.43	102.83	105.40
26	BB	2865	U	C4'-C3'-C2'	-6.43	96.17	102.60
27	BC	102	ASP	CB-CG-OD2	-6.43	112.51	118.30
30	BF	35	TYR	CG-CD1-CE1	-6.43	116.15	121.30
1	AA	694	A	C3'-C2'-C1'	6.43	106.64	101.50
2	AB	25	C	C2-N3-C4	6.43	123.11	119.90
25	BA	100	G	C8-N9-C4	-6.43	103.83	106.40
26	BB	864	G	N3-C2-N2	-6.43	115.40	119.90
26	BB	1906	G	C2'-C3'-O3'	6.43	123.99	113.70
26	BB	2214	C	O4'-C1'-N1	6.43	113.34	108.20
1	AA	1273	C	C1'-O4'-C4'	-6.43	104.76	109.90
25	BA	57	A	N1-C2-N3	-6.43	126.08	129.30
26	BB	78	U	C5'-C4'-O4'	6.43	116.82	109.10
26	BB	800	A	C4-C5-N7	6.43	113.92	110.70
26	BB	1101	U	C5-C6-N1	-6.43	119.48	122.70
26	BB	2402	U	N3-C4-C5	6.43	118.46	114.60
26	BB	2478	A	C8-N9-C4	6.43	108.37	105.80
26	BB	2751	G	C1'-O4'-C4'	-6.43	104.76	109.90
26	BB	628	G	C5-C6-N1	6.43	114.71	111.50
26	BB	654	A	P-O3'-C3'	6.43	127.41	119.70
26	BB	2695	U	C2-N3-C4	-6.43	123.14	127.00
1	AA	98	A	C4-C5-C6	-6.43	113.79	117.00
1	AA	119	A	P-O3'-C3'	6.43	127.41	119.70
1	AA	920	U	N3-C4-C5	6.43	118.46	114.60
1	AA	1053	G	C5-N7-C8	-6.43	101.09	104.30
1	AA	1411	C	C5-C6-N1	6.43	124.21	121.00
1	AA	1418	A	C4-C5-N7	-6.43	107.49	110.70
4	AD	42	C	N1-C2-O2	6.43	122.76	118.90
26	BB	1229	C	N3-C4-N4	6.43	122.50	118.00
26	BB	1331	G	N9-C4-C5	6.43	107.97	105.40
26	BB	1663	G	N1-C6-O6	-6.43	116.04	119.90
26	BB	2167	U	N3-C2-O2	-6.43	117.70	122.20
26	BB	2586	U	C5-C4-O4	-6.43	122.05	125.90
26	BB	2725	A	C5-C6-N1	6.43	120.91	117.70
1	AA	792	A	N9-C4-C5	6.42	108.37	105.80
4	AD	45	A	C8-N9-C4	6.42	108.37	105.80
16	AP	2	ARG	NE-CZ-NH1	6.42	123.51	120.30
25	BA	60	C	O4'-C1'-N1	6.42	113.34	108.20
26	BB	9	G	C1'-O4'-C4'	-6.42	104.76	109.90
26	BB	761	A	N7-C8-N9	6.42	117.01	113.80
26	BB	947	A	C4-C5-N7	-6.42	107.49	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2012	G	C1'-O4'-C4'	-6.42	104.76	109.90
26	BB	2604	U	C5-C6-N1	6.42	125.91	122.70
26	BB	2806	C	N3-C4-N4	-6.42	113.50	118.00
1	AA	120	A	C3'-C2'-C1'	6.42	106.64	101.50
1	AA	192	A	C8-N9-C4	-6.42	103.23	105.80
1	AA	360	G	N9-C4-C5	6.42	107.97	105.40
1	AA	1282	C	N1-C2-O2	6.42	122.75	118.90
2	AB	25	C	C3'-C2'-C1'	6.42	106.64	101.50
26	BB	33	C	N3-C4-C5	-6.42	119.33	121.90
26	BB	400	G	C5'-C4'-O4'	6.42	116.81	109.10
26	BB	1309	G	C4-C5-N7	6.42	113.37	110.80
27	BC	9	ARG	NH1-CZ-NH2	-6.42	112.33	119.40
1	AA	227	G	N1-C6-O6	-6.42	116.05	119.90
1	AA	1036	A	N7-C8-N9	6.42	117.01	113.80
1	AA	1142	G	C5-C6-N1	6.42	114.71	111.50
1	AA	1425	U	C4-C5-C6	6.42	123.55	119.70
1	AA	1508	A	N3-C4-C5	-6.42	122.31	126.80
4	AD	49	C	N1-C2-O2	6.42	122.75	118.90
26	BB	64	A	C4'-C3'-C2'	-6.42	96.18	102.60
26	BB	278	A	N1-C6-N6	6.42	122.45	118.60
26	BB	703	U	O4'-C1'-N1	6.42	113.34	108.20
26	BB	1359	A	N9-C1'-C2'	-6.42	104.94	112.00
26	BB	1845	G	C2-N3-C4	6.42	115.11	111.90
26	BB	2196	C	N1-C2-O2	6.42	122.75	118.90
26	BB	2490	G	N3-C4-C5	-6.42	125.39	128.60
26	BB	2630	G	C4'-C3'-C2'	-6.42	96.18	102.60
26	BB	2810	A	C4'-C3'-C2'	-6.42	96.18	102.60
1	AA	512	U	C5'-C4'-O4'	6.42	116.81	109.10
1	AA	1329	A	C4-C5-N7	-6.42	107.49	110.70
1	AA	1469	C	N3-C4-C5	6.42	124.47	121.90
21	AU	2	ARG	NE-CZ-NH1	6.42	123.51	120.30
26	BB	1048	A	C6-C5-N7	6.42	136.79	132.30
26	BB	1980	G	N3-C4-N9	6.42	129.85	126.00
26	BB	2307	G	C5-C6-N1	-6.42	108.29	111.50
29	BE	143	PRO	N-CA-CB	6.42	111.00	103.30
1	AA	139	A	N1-C2-N3	-6.42	126.09	129.30
1	AA	499	A	C5-C6-N6	6.42	128.83	123.70
1	AA	614	C	C2-N3-C4	-6.42	116.69	119.90
1	AA	724	G	C5-N7-C8	-6.42	101.09	104.30
1	AA	1057	G	N3-C4-C5	-6.42	125.39	128.60
1	AA	1085	U	N3-C4-C5	-6.42	110.75	114.60
1	AA	1094	G	O4'-C1'-N9	6.42	113.33	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	439	A	C8-N9-C4	-6.42	103.23	105.80
26	BB	575	A	N9-C1'-C2'	-6.42	104.94	112.00
26	BB	885	C	N3-C4-N4	6.42	122.49	118.00
26	BB	1036	G	C5-C6-N1	6.42	114.71	111.50
26	BB	1218	G	C8-N9-C4	-6.42	103.83	106.40
26	BB	1573	G	O4'-C1'-C2'	6.42	113.38	107.60
26	BB	2053	G	C5-N7-C8	6.42	107.51	104.30
26	BB	2213	U	N3-C4-C5	-6.42	110.75	114.60
1	AA	293	G	N7-C8-N9	6.42	116.31	113.10
1	AA	347	G	O4'-C4'-C3'	6.42	111.23	106.10
1	AA	364	A	N3-C4-C5	-6.42	122.31	126.80
1	AA	742	G	N7-C8-N9	6.42	116.31	113.10
1	AA	778	G	C4'-C3'-C2'	-6.42	96.18	102.60
1	AA	806	C	N3-C4-C5	-6.42	119.33	121.90
26	BB	119	A	N1-C6-N6	-6.42	114.75	118.60
26	BB	138	U	C2-N3-C4	-6.42	123.15	127.00
26	BB	315	G	C6-C5-N7	-6.42	126.55	130.40
26	BB	325	G	C1'-O4'-C4'	-6.42	104.77	109.90
26	BB	858	G	C6-C5-N7	-6.42	126.55	130.40
26	BB	1078	U	P-O3'-C3'	6.42	127.40	119.70
26	BB	1525	A	O4'-C1'-N9	6.42	113.33	108.20
26	BB	2388	A	N1-C6-N6	6.42	122.45	118.60
26	BB	2388	A	C5-C6-N6	-6.42	118.57	123.70
26	BB	2616	C	C5'-C4'-O4'	6.42	116.80	109.10
26	BB	2620	C	O4'-C1'-N1	6.42	113.33	108.20
26	BB	2748	A	C5-C6-N1	-6.42	114.49	117.70
26	BB	2785	C	C4'-C3'-C2'	-6.42	96.18	102.60
1	AA	496	A	P-O3'-C3'	6.42	127.40	119.70
1	AA	1209	C	C2-N3-C4	6.42	123.11	119.90
26	BB	1071	G	N1-C2-N3	-6.42	120.05	123.90
26	BB	1860	G	N1-C2-N3	6.42	127.75	123.90
26	BB	1996	C	C5-C6-N1	6.42	124.21	121.00
26	BB	2770	G	N3-C4-N9	6.42	129.85	126.00
26	BB	2770	G	N3-C4-C5	-6.42	125.39	128.60
1	AA	83	C	O4'-C1'-C2'	-6.41	99.39	105.80
1	AA	84	U	C2-N1-C1'	6.41	125.39	117.70
1	AA	1099	G	O4'-C1'-N9	6.41	113.33	108.20
1	AA	1491	G	C6-N1-C2	-6.41	121.25	125.10
25	BA	28	C	C5-C4-N4	-6.41	115.71	120.20
26	BB	938	G	C4'-C3'-C2'	6.41	109.01	102.60
26	BB	953	G	C8-N9-C4	-6.41	103.83	106.40
26	BB	1353	A	C4-C5-N7	-6.41	107.49	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1360	G	N3-C4-C5	-6.41	125.39	128.60
26	BB	1557	C	N3-C2-O2	-6.41	117.41	121.90
26	BB	1873	G	N9-C4-C5	6.41	107.97	105.40
26	BB	1927	A	N1-C2-N3	-6.41	126.09	129.30
26	BB	2240	U	P-O3'-C3'	6.41	127.40	119.70
26	BB	2550	G	P-O3'-C3'	6.41	127.40	119.70
26	BB	2717	C	O4'-C1'-N1	6.41	113.33	108.20
1	AA	1366	C	C6-N1-C1'	6.41	128.49	120.80
2	AB	33	U	O5'-C5'-C4'	-6.41	99.52	111.70
26	BB	705	A	C1'-O4'-C4'	-6.41	104.77	109.90
26	BB	727	A	C6-N1-C2	6.41	122.45	118.60
26	BB	1554	U	N1-C1'-C2'	-6.41	104.95	112.00
26	BB	2068	U	C3'-C2'-C1'	-6.41	96.37	101.50
26	BB	2204	G	C1'-O4'-C4'	-6.41	104.77	109.90
1	AA	407	U	C2-N3-C4	-6.41	123.15	127.00
1	AA	637	C	N3-C2-O2	-6.41	117.41	121.90
1	AA	877	G	C4-N9-C1'	-6.41	118.17	126.50
1	AA	897	C	C6-N1-C2	6.41	122.86	120.30
2	AB	43	G	P-O3'-C3'	6.41	127.39	119.70
26	BB	2142	A	C8-N9-C4	-6.41	103.24	105.80
26	BB	2469	A	C5-N7-C8	-6.41	100.69	103.90
35	BK	73	PRO	N-CA-CB	6.41	110.99	103.30
1	AA	336	A	N3-C4-C5	-6.41	122.31	126.80
1	AA	668	G	N9-C4-C5	-6.41	102.84	105.40
1	AA	679	C	C4-C5-C6	6.41	120.60	117.40
1	AA	852	G	C5-C6-N1	6.41	114.70	111.50
3	AC	46	C	N1-C2-O2	6.41	122.75	118.90
17	AQ	62	ARG	NE-CZ-NH1	-6.41	117.10	120.30
26	BB	604	G	C5'-C4'-O4'	6.41	116.79	109.10
26	BB	722	A	N7-C8-N9	6.41	117.00	113.80
26	BB	827	U	C5-C4-O4	-6.41	122.05	125.90
26	BB	1070	A	C2-N3-C4	-6.41	107.40	110.60
26	BB	1137	G	C5-C6-O6	-6.41	124.75	128.60
26	BB	1162	G	C6-C5-N7	-6.41	126.55	130.40
26	BB	2024	G	C1'-O4'-C4'	-6.41	104.77	109.90
26	BB	2473	U	C5'-C4'-O4'	6.41	116.79	109.10
26	BB	2802	G	C6-N1-C2	-6.41	121.25	125.10
1	AA	90	C	N3-C4-C5	6.41	124.46	121.90
1	AA	126	G	N3-C4-C5	-6.41	125.40	128.60
1	AA	1041	G	C6-C5-N7	-6.41	126.56	130.40
26	BB	1209	U	C5-C6-N1	-6.41	119.50	122.70
26	BB	1874	C	C6-N1-C2	6.41	122.86	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2768	U	N3-C4-C5	6.41	118.44	114.60
1	AA	80	A	O4'-C1'-N9	6.41	113.32	108.20
1	AA	376	G	C1'-O4'-C4'	-6.41	104.78	109.90
1	AA	582	C	O4'-C1'-N1	6.41	113.33	108.20
1	AA	959	A	C1'-O4'-C4'	-6.41	104.78	109.90
1	AA	1048	G	N3-C4-C5	-6.41	125.40	128.60
1	AA	1172	C	C4-C5-C6	6.41	120.60	117.40
1	AA	1427	C	N3-C2-O2	-6.41	117.42	121.90
1	AA	1486	G	N3-C4-C5	-6.41	125.40	128.60
26	BB	351	C	C6-N1-C2	6.41	122.86	120.30
26	BB	470	A	C1'-O4'-C4'	-6.41	104.78	109.90
26	BB	1507	C	N3-C2-O2	-6.41	117.42	121.90
26	BB	1813	G	C6-N1-C2	-6.41	121.26	125.10
26	BB	2173	A	C6-C5-N7	6.41	136.78	132.30
26	BB	2897	U	N3-C4-C5	6.41	118.44	114.60
30	BF	19	PHE	CB-CG-CD2	-6.41	116.32	120.80
1	AA	21	G	C4-C5-N7	-6.40	108.24	110.80
1	AA	194	C	C5'-C4'-C3'	-6.40	105.75	116.00
1	AA	223	A	C2-N3-C4	6.40	113.80	110.60
1	AA	1373	G	C4-C5-N7	6.40	113.36	110.80
26	BB	936	A	N9-C4-C5	6.40	108.36	105.80
26	BB	1386	C	C4-C5-C6	-6.40	114.20	117.40
26	BB	2302	U	N3-C4-O4	6.40	123.88	119.40
26	BB	2554	U	C5'-C4'-O4'	6.40	116.78	109.10
45	BU	18	ARG	NE-CZ-NH2	-6.40	117.10	120.30
1	AA	207	C	C4'-C3'-C2'	-6.40	96.20	102.60
1	AA	360	G	O4'-C1'-N9	6.40	113.32	108.20
1	AA	436	C	N1-C2-O2	6.40	122.74	118.90
1	AA	1020	G	N3-C2-N2	-6.40	115.42	119.90
1	AA	1048	G	C1'-O4'-C4'	-6.40	104.78	109.90
1	AA	1190	G	C6-C5-N7	-6.40	126.56	130.40
26	BB	425	G	N7-C8-N9	6.40	116.30	113.10
26	BB	1206	G	C5-C6-O6	-6.40	124.76	128.60
26	BB	1352	U	P-O3'-C3'	6.40	127.38	119.70
26	BB	2131	U	C2-N3-C4	-6.40	123.16	127.00
26	BB	2134	A	N7-C8-N9	-6.40	110.60	113.80
28	BD	263	ASP	CB-CG-OD1	-6.40	112.54	118.30
1	AA	194	C	O4'-C4'-C3'	-6.40	97.60	104.00
1	AA	521	G	C4-C5-N7	-6.40	108.24	110.80
1	AA	819	A	C5-C6-N6	-6.40	118.58	123.70
8	AH	87	VAL	CG1-CB-CG2	-6.40	100.66	110.90
14	AN	68	ARG	NE-CZ-NH1	6.40	123.50	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	256	A	C4'-C3'-C2'	-6.40	96.20	102.60
26	BB	1085	A	P-O3'-C3'	6.40	127.38	119.70
26	BB	1138	G	N3-C4-N9	-6.40	122.16	126.00
26	BB	1185	G	C4-C5-C6	-6.40	114.96	118.80
26	BB	1976	U	C5'-C4'-O4'	6.40	116.78	109.10
26	BB	2027	G	N3-C4-N9	-6.40	122.16	126.00
26	BB	2303	G	C5'-C4'-O4'	6.40	116.78	109.10
26	BB	2493	U	N3-C4-C5	-6.40	110.76	114.60
26	BB	1106	G	N1-C6-O6	-6.40	116.06	119.90
26	BB	1284	A	C5-C6-N1	6.40	120.90	117.70
26	BB	2092	U	C2-N3-C4	-6.40	123.16	127.00
26	BB	2408	U	C5-C4-O4	-6.40	122.06	125.90
26	BB	2666	C	C3'-C2'-C1'	-6.40	96.38	101.50
41	BQ	36	TYR	CG-CD2-CE2	-6.40	116.18	121.30
1	AA	105	G	C3'-C2'-C1'	6.40	106.62	101.50
1	AA	247	G	C1'-O4'-C4'	-6.40	104.78	109.90
26	BB	244	A	N7-C8-N9	-6.40	110.60	113.80
26	BB	508	A	P-O3'-C3'	6.40	127.38	119.70
26	BB	826	U	N1-C2-N3	6.40	118.74	114.90
26	BB	881	G	C5-C6-O6	-6.40	124.76	128.60
26	BB	1036	G	C5-C6-O6	-6.40	124.76	128.60
26	BB	1316	U	N1-C1'-C2'	-6.40	104.96	112.00
26	BB	1442	U	O4'-C1'-N1	6.40	113.32	108.20
26	BB	1845	G	C5-C6-O6	6.40	132.44	128.60
26	BB	1853	A	C5-C6-N1	6.40	120.90	117.70
26	BB	2145	C	C1'-O4'-C4'	-6.40	104.78	109.90
26	BB	2645	G	O4'-C1'-N9	6.40	113.32	108.20
1	AA	168	G	C1'-O4'-C4'	-6.40	104.78	109.90
1	AA	971	G	O4'-C1'-N9	6.40	113.32	108.20
26	BB	638	G	C6-C5-N7	-6.40	126.56	130.40
26	BB	2340	A	C2-N3-C4	6.40	113.80	110.60
42	BR	52	ARG	NE-CZ-NH2	6.40	123.50	120.30
1	AA	627	G	C5-N7-C8	-6.39	101.10	104.30
1	AA	823	C	O4'-C4'-C3'	-6.39	97.61	104.00
1	AA	992	U	N1-C2-O2	6.39	127.28	122.80
1	AA	1056	U	O4'-C1'-N1	6.39	113.31	108.20
4	AD	71	G	C5-C6-O6	-6.39	124.76	128.60
26	BB	765	C	C3'-C2'-C1'	6.39	106.62	101.50
26	BB	922	C	C5-C6-N1	6.39	124.20	121.00
26	BB	931	U	C4-C5-C6	6.39	123.54	119.70
26	BB	1050	A	C6-N1-C2	-6.39	114.76	118.60
26	BB	1227	G	N1-C6-O6	-6.39	116.06	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1927	A	C2'-C3'-O3'	6.39	123.93	113.70
26	BB	2385	C	C6-N1-C2	-6.39	117.74	120.30
1	AA	491	G	C4'-C3'-C2'	-6.39	96.21	102.60
1	AA	1429	A	C8-N9-C4	-6.39	103.24	105.80
1	AA	1464	U	N3-C4-O4	-6.39	114.92	119.40
1	AA	1487	G	N3-C4-C5	-6.39	125.40	128.60
26	BB	75	G	C5-N7-C8	6.39	107.50	104.30
26	BB	1070	A	O4'-C1'-N9	6.39	113.31	108.20
26	BB	1099	G	N9-C1'-C2'	-6.39	104.97	112.00
26	BB	1218	G	C4'-C3'-C2'	-6.39	96.21	102.60
26	BB	2129	C	O4'-C1'-N1	6.39	113.31	108.20
26	BB	2389	G	C8-N9-C4	-6.39	103.84	106.40
26	BB	2459	A	O4'-C1'-N9	6.39	113.31	108.20
26	BB	2481	G	N1-C6-O6	6.39	123.73	119.90
26	BB	2594	C	C5'-C4'-C3'	-6.39	105.77	116.00
1	AA	240	G	N3-C4-N9	6.39	129.83	126.00
1	AA	768	A	N1-C6-N6	-6.39	114.77	118.60
1	AA	931	C	C5'-C4'-O4'	6.39	116.77	109.10
25	BA	42	C	C5-C4-N4	6.39	124.67	120.20
26	BB	538	A	C4'-C3'-C2'	-6.39	96.21	102.60
26	BB	779	U	C6-N1-C2	-6.39	117.17	121.00
26	BB	2326	C	N1-C2-O2	6.39	122.73	118.90
26	BB	2830	C	N3-C4-C5	6.39	124.46	121.90
2	AB	34	C	C2-N1-C1'	6.39	125.83	118.80
2	AB	57	G	C6-N1-C2	-6.39	121.27	125.10
25	BA	104	A	C1'-O4'-C4'	-6.39	104.79	109.90
26	BB	73	A	C5-C6-N6	-6.39	118.59	123.70
26	BB	757	G	N1-C2-N3	6.39	127.73	123.90
26	BB	1871	A	C2-N3-C4	6.39	113.80	110.60
26	BB	1934	C	C5'-C4'-O4'	6.39	116.77	109.10
26	BB	1968	G	C4-C5-C6	6.39	122.63	118.80
26	BB	2256	G	N1-C2-N2	6.39	121.95	116.20
26	BB	2447	G	N1-C6-O6	-6.39	116.07	119.90
26	BB	2686	G	C8-N9-C1'	6.39	135.31	127.00
26	BB	813	U	C5-C4-O4	-6.39	122.07	125.90
26	BB	1007	C	C6-N1-C2	6.39	122.86	120.30
26	BB	1100	C	N3-C2-O2	-6.39	117.43	121.90
26	BB	1487	U	N1-C2-N3	6.39	118.73	114.90
26	BB	2614	A	O4'-C1'-N9	6.39	113.31	108.20
1	AA	706	A	C4-C5-N7	-6.39	107.51	110.70
1	AA	755	G	C8-N9-C4	-6.39	103.85	106.40
25	BA	107	G	N3-C4-C5	-6.39	125.41	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	37	C	C5'-C4'-O4'	6.39	116.77	109.10
26	BB	613	A	C6-N1-C2	6.39	122.43	118.60
26	BB	812	C	C6-N1-C2	-6.39	117.75	120.30
26	BB	1025	G	N1-C2-N2	6.39	121.95	116.20
26	BB	1349	C	C5-C4-N4	-6.39	115.73	120.20
26	BB	2225	A	C5-C6-N6	6.39	128.81	123.70
26	BB	2378	A	C5-C6-N6	-6.39	118.59	123.70
26	BB	2808	G	C8-N9-C1'	6.39	135.30	127.00
1	AA	26	A	C4'-C3'-C2'	6.38	108.98	102.60
1	AA	80	A	C8-N9-C4	-6.38	103.25	105.80
1	AA	1095	U	C5'-C4'-C3'	-6.38	105.78	116.00
26	BB	731	C	C5-C4-N4	-6.38	115.73	120.20
26	BB	830	G	C5-C6-O6	-6.38	124.77	128.60
26	BB	1014	A	N9-C1'-C2'	-6.38	104.98	112.00
26	BB	1183	U	N1-C1'-C2'	-6.38	104.98	112.00
26	BB	1340	U	C5-C6-N1	-6.38	119.51	122.70
26	BB	2510	C	C5-C4-N4	-6.38	115.73	120.20
26	BB	2513	A	C5-C6-N1	6.38	120.89	117.70
26	BB	2571	U	N1-C2-O2	6.38	127.27	122.80
26	BB	2595	G	C5-C6-N1	-6.38	108.31	111.50
26	BB	2831	G	C6-C5-N7	-6.38	126.57	130.40
1	AA	772	U	N3-C2-O2	-6.38	117.73	122.20
1	AA	1255	G	C6-N1-C2	-6.38	121.27	125.10
1	AA	1467	C	C5-C4-N4	-6.38	115.73	120.20
26	BB	379	G	N7-C8-N9	6.38	116.29	113.10
26	BB	1054	A	N9-C4-C5	6.38	108.35	105.80
26	BB	1845	G	C8-N9-C4	-6.38	103.85	106.40
26	BB	2507	C	O5'-P-OP1	-6.38	99.95	105.70
26	BB	2647	U	N3-C2-O2	-6.38	117.73	122.20
26	BB	2760	C	C6-N1-C2	-6.38	117.75	120.30
1	AA	591	U	O4'-C1'-N1	6.38	113.31	108.20
1	AA	755	G	C4-C5-C6	6.38	122.63	118.80
1	AA	1487	G	P-O3'-C3'	6.38	127.36	119.70
26	BB	233	A	C8-N9-C4	-6.38	103.25	105.80
26	BB	249	C	C5'-C4'-C3'	-6.38	105.79	116.00
26	BB	744	U	C3'-C2'-C1'	6.38	106.61	101.50
26	BB	1535	A	P-O3'-C3'	6.38	127.36	119.70
26	BB	2672	U	N1-C1'-C2'	-6.38	104.98	112.00
3	AC	24	A	C5-C6-N6	-6.38	118.60	123.70
7	AG	203	TYR	CG-CD2-CE2	-6.38	116.20	121.30
26	BB	87	U	N3-C4-O4	6.38	123.87	119.40
26	BB	963	U	C2-N3-C4	-6.38	123.17	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2763	G	N1-C2-N3	-6.38	120.07	123.90
1	AA	278	G	C4-C5-C6	6.38	122.63	118.80
1	AA	358	U	C5'-C4'-O4'	6.38	116.75	109.10
1	AA	669	G	C6-C5-N7	-6.38	126.57	130.40
1	AA	777	A	N9-C4-C5	6.38	108.35	105.80
26	BB	45	G	N3-C4-N9	6.38	129.83	126.00
26	BB	165	A	N7-C8-N9	6.38	116.99	113.80
26	BB	224	U	C2-N3-C4	-6.38	123.17	127.00
26	BB	563	A	C8-N9-C4	-6.38	103.25	105.80
26	BB	844	A	C4'-C3'-C2'	-6.38	96.22	102.60
26	BB	2700	A	N7-C8-N9	6.38	116.99	113.80
1	AA	482	A	N7-C8-N9	6.38	116.99	113.80
15	AO	105	GLY	CA-C-N	-6.38	103.17	117.20
17	AQ	100	TRP	CD1-NE1-CE2	6.38	114.74	109.00
26	BB	61	C	C2-N3-C4	-6.38	116.71	119.90
26	BB	322	A	C3'-C2'-C1'	-6.38	96.40	101.50
26	BB	473	G	N3-C2-N2	-6.38	115.44	119.90
26	BB	724	U	N3-C4-O4	6.38	123.86	119.40
26	BB	932	U	N1-C2-O2	6.38	127.26	122.80
26	BB	1886	U	C2-N3-C4	6.38	130.83	127.00
26	BB	2732	G	C8-N9-C1'	-6.38	118.71	127.00
1	AA	227	G	N7-C8-N9	6.38	116.29	113.10
1	AA	263	A	N9-C4-C5	6.38	108.35	105.80
1	AA	835	U	C5'-C4'-O4'	-6.38	101.45	109.10
2	AB	53	G	C6-C5-N7	-6.38	126.58	130.40
26	BB	1291	C	O4'-C1'-N1	6.38	113.30	108.20
26	BB	1709	U	N3-C2-O2	-6.38	117.74	122.20
40	BP	4	ARG	NE-CZ-NH1	6.38	123.49	120.30
1	AA	35	G	N7-C8-N9	-6.37	109.91	113.10
1	AA	276	G	C2-N3-C4	6.37	115.09	111.90
1	AA	455	G	C5-C6-N1	6.37	114.69	111.50
1	AA	997	U	C4'-C3'-C2'	-6.37	96.23	102.60
1	AA	1328	C	N1-C2-O2	6.37	122.72	118.90
2	AB	4	G	C4'-C3'-C2'	-6.37	96.23	102.60
4	AD	17	C	C6-N1-C2	-6.37	117.75	120.30
26	BB	1356	G	O4'-C4'-C3'	-6.37	97.63	104.00
26	BB	1405	U	N1-C2-N3	6.37	118.72	114.90
26	BB	1477	A	C4'-C3'-C2'	6.37	108.97	102.60
26	BB	1693	U	O4'-C1'-C2'	-6.37	99.43	105.80
26	BB	2277	G	C6-N1-C2	-6.37	121.28	125.10
26	BB	2465	C	C2-N3-C4	-6.37	116.71	119.90
26	BB	2481	G	C2-N3-C4	6.37	115.09	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2542	A	C8-N9-C4	-6.37	103.25	105.80
1	AA	59	A	P-O3'-C3'	6.37	127.34	119.70
1	AA	448	A	N7-C8-N9	-6.37	110.61	113.80
1	AA	1050	G	N7-C8-N9	6.37	116.28	113.10
1	AA	1073	U	O4'-C1'-N1	6.37	113.30	108.20
25	BA	103	U	C3'-C2'-C1'	-6.37	96.40	101.50
26	BB	1626	A	N1-C2-N3	-6.37	126.11	129.30
26	BB	1869	G	N7-C8-N9	6.37	116.29	113.10
26	BB	2040	G	C3'-C2'-C1'	6.37	106.60	101.50
26	BB	2433	A	C5-N7-C8	6.37	107.09	103.90
1	AA	169	C	C6-N1-C2	-6.37	117.75	120.30
1	AA	420	U	C4-C5-C6	6.37	123.52	119.70
1	AA	497	G	C5-C6-N1	6.37	114.69	111.50
1	AA	674	G	C8-N9-C4	-6.37	103.85	106.40
25	BA	30	C	C4-C5-C6	-6.37	114.22	117.40
26	BB	1404	C	N3-C4-C5	6.37	124.45	121.90
26	BB	1849	G	C5-C6-O6	-6.37	124.78	128.60
26	BB	2286	G	N9-C4-C5	6.37	107.95	105.40
1	AA	23	C	C1'-O4'-C4'	6.37	114.99	109.90
1	AA	288	A	O4'-C1'-C2'	6.37	113.33	107.60
1	AA	1168	U	N1-C2-O2	-6.37	118.34	122.80
26	BB	805	G	C8-N9-C4	-6.37	103.85	106.40
26	BB	837	C	N1-C2-O2	6.37	122.72	118.90
26	BB	1478	G	C6-N1-C2	-6.37	121.28	125.10
26	BB	1804	C	N1-C2-O2	6.37	122.72	118.90
26	BB	2116	G	C5-C6-N1	6.37	114.68	111.50
26	BB	2872	A	C5-C6-N6	6.37	128.79	123.70
1	AA	1261	A	C5-N7-C8	-6.37	100.72	103.90
26	BB	1263	U	C5-C6-N1	6.37	125.88	122.70
26	BB	2088	A	C4-C5-N7	-6.37	107.52	110.70
1	AA	328	C	N3-C4-N4	6.37	122.45	118.00
1	AA	765	G	C4-C5-C6	6.37	122.62	118.80
1	AA	994	A	N1-C2-N3	-6.37	126.12	129.30
26	BB	104	A	N9-C1'-C2'	6.37	122.28	114.00
26	BB	238	C	N3-C4-C5	-6.37	119.35	121.90
26	BB	386	G	O4'-C1'-N9	6.37	113.29	108.20
26	BB	1096	A	N9-C4-C5	6.37	108.35	105.80
26	BB	1733	G	C6-C5-N7	6.37	134.22	130.40
26	BB	1883	U	O4'-C1'-N1	6.37	113.29	108.20
1	AA	567	G	C3'-C2'-C1'	-6.36	96.41	101.50
1	AA	603	U	N3-C4-C5	6.36	118.42	114.60
1	AA	1094	G	C5-N7-C8	-6.36	101.12	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	13	C	C5'-C4'-C3'	-6.36	105.82	116.00
25	BA	96	G	C1'-O4'-C4'	6.36	114.99	109.90
26	BB	1049	C	N1-C2-O2	6.36	122.72	118.90
26	BB	1630	A	C6-N1-C2	-6.36	114.78	118.60
26	BB	1751	U	N3-C4-O4	-6.36	114.95	119.40
26	BB	2308	G	C3'-C2'-C1'	6.36	106.59	101.50
1	AA	177	G	N9-C1'-C2'	-6.36	105.00	112.00
1	AA	602	A	C4-C5-N7	-6.36	107.52	110.70
25	BA	106	G	C2-N3-C4	6.36	115.08	111.90
26	BB	667	U	N3-C4-O4	-6.36	114.95	119.40
26	BB	922	C	N1-C2-O2	6.36	122.72	118.90
26	BB	1301	A	C2-N3-C4	6.36	113.78	110.60
26	BB	1544	A	C5-C6-N1	-6.36	114.52	117.70
26	BB	2140	G	C8-N9-C4	-6.36	103.86	106.40
1	AA	496	A	C5'-C4'-O4'	6.36	116.73	109.10
1	AA	986	U	C5-C6-N1	-6.36	119.52	122.70
26	BB	277	G	O3'-P-O5'	-6.36	91.92	104.00
26	BB	2278	A	C1'-O4'-C4'	-6.36	104.81	109.90
46	BV	95	PHE	CG-CD2-CE2	-6.36	113.80	120.80
3	AC	14	G	C6-N1-C2	-6.36	121.28	125.10
25	BA	66	A	N1-C2-N3	6.36	132.48	129.30
26	BB	436	C	N1-C2-N3	6.36	123.65	119.20
26	BB	461	C	C5-C6-N1	6.36	124.18	121.00
26	BB	1300	G	N1-C2-N3	6.36	127.72	123.90
26	BB	2107	G	N9-C4-C5	6.36	107.94	105.40
26	BB	2690	U	C6-N1-C2	6.36	124.81	121.00
26	BB	284	U	O4'-C1'-N1	6.36	113.29	108.20
26	BB	440	C	C4-C5-C6	-6.36	114.22	117.40
26	BB	513	A	N9-C4-C5	6.36	108.34	105.80
26	BB	606	U	C5-C6-N1	-6.36	119.52	122.70
26	BB	1268	A	C5-C6-N1	6.36	120.88	117.70
26	BB	1450	G	O4'-C1'-N9	6.36	113.29	108.20
26	BB	1771	C	C4'-C3'-C2'	-6.36	96.24	102.60
26	BB	2158	A	C5-C6-N1	6.36	120.88	117.70
26	BB	2446	G	C8-N9-C4	-6.36	103.86	106.40
27	BC	134	ARG	NE-CZ-NH1	6.36	123.48	120.30
1	AA	174	A	C4'-C3'-C2'	-6.36	96.25	102.60
1	AA	712	A	N7-C8-N9	6.36	116.98	113.80
1	AA	804	U	C3'-C2'-C1'	6.36	106.58	101.50
1	AA	1278	G	C5-C6-O6	6.36	132.41	128.60
4	AD	26	C	N3-C4-C5	-6.36	119.36	121.90
26	BB	417	C	N1-C2-O2	6.36	122.71	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	760	G	N7-C8-N9	6.36	116.28	113.10
26	BB	896	A	C4-C5-N7	-6.36	107.52	110.70
26	BB	1631	G	O4'-C1'-N9	-6.36	103.11	108.20
26	BB	1650	A	C5-C6-N1	6.36	120.88	117.70
26	BB	1662	U	C4'-C3'-C2'	-6.36	96.24	102.60
26	BB	1666	G	C4-C5-N7	-6.36	108.26	110.80
26	BB	1680	U	C6-N1-C2	-6.36	117.19	121.00
26	BB	1842	G	C5-N7-C8	-6.36	101.12	104.30
26	BB	2422	C	C5-C6-N1	6.36	124.18	121.00
26	BB	2811	G	N7-C8-N9	6.36	116.28	113.10
1	AA	383	A	C8-N9-C4	-6.35	103.26	105.80
6	AF	92	ASP	CB-CG-OD1	-6.35	112.58	118.30
26	BB	53	A	C5-C6-N6	-6.35	118.62	123.70
1	AA	188	C	N3-C4-C5	-6.35	119.36	121.90
1	AA	242	G	N3-C4-C5	-6.35	125.42	128.60
1	AA	1327	C	N1-C1'-C2'	-6.35	105.01	112.00
3	AC	24	A	O4'-C1'-N9	6.35	113.28	108.20
26	BB	97	C	C2-N3-C4	-6.35	116.72	119.90
26	BB	595	C	C4'-C3'-C2'	-6.35	96.25	102.60
26	BB	600	G	C6-C5-N7	-6.35	126.59	130.40
26	BB	809	G	N9-C4-C5	6.35	107.94	105.40
26	BB	1046	A	C5-C6-N1	6.35	120.88	117.70
26	BB	1131	G	C5-C6-O6	-6.35	124.79	128.60
26	BB	1892	C	O4'-C1'-N1	6.35	113.28	108.20
26	BB	2248	C	N3-C2-O2	-6.35	117.45	121.90
26	BB	2320	U	P-O3'-C3'	6.35	127.32	119.70
1	AA	362	G	C4-C5-N7	6.35	113.34	110.80
1	AA	649	A	C2-N3-C4	6.35	113.78	110.60
1	AA	866	C	C5-C6-N1	6.35	124.18	121.00
1	AA	1116	U	O4'-C4'-C3'	6.35	111.18	106.10
26	BB	423	A	C2-N3-C4	6.35	113.78	110.60
26	BB	1331	G	N1-C6-O6	-6.35	116.09	119.90
1	AA	241	G	C5-N7-C8	-6.35	101.12	104.30
1	AA	696	A	O4'-C1'-N9	6.35	113.28	108.20
1	AA	1084	G	N7-C8-N9	6.35	116.27	113.10
1	AA	1477	U	C5-C4-O4	-6.35	122.09	125.90
25	BA	110	C	O4'-C1'-N1	6.35	113.28	108.20
26	BB	389	G	N9-C1'-C2'	-6.35	105.02	112.00
26	BB	654	A	C4-C5-N7	-6.35	107.53	110.70
26	BB	706	A	C2-N3-C4	6.35	113.78	110.60
26	BB	929	U	C2'-C3'-O3'	6.35	123.86	113.70
26	BB	1123	C	N3-C4-C5	-6.35	119.36	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1923	U	N1-C2-N3	6.35	118.71	114.90
26	BB	2058	A	N3-C4-C5	-6.35	122.36	126.80
26	BB	2352	A	N1-C2-N3	-6.35	126.12	129.30
26	BB	2840	C	N1-C2-O2	6.35	122.71	118.90
1	AA	617	G	C8-N9-C1'	6.35	135.25	127.00
1	AA	980	C	C6-N1-C2	-6.35	117.76	120.30
1	AA	1416	G	C4'-C3'-C2'	6.35	108.95	102.60
26	BB	318	C	C4'-C3'-C2'	-6.35	96.25	102.60
26	BB	405	U	N1-C1'-C2'	6.35	122.25	114.00
26	BB	1167	C	C6-N1-C2	-6.35	117.76	120.30
26	BB	1336	A	N1-C6-N6	-6.35	114.79	118.60
1	AA	679	C	C4'-C3'-C2'	-6.35	96.25	102.60
1	AA	1212	U	C6-N1-C2	-6.35	117.19	121.00
26	BB	225	C	N3-C4-N4	6.35	122.44	118.00
26	BB	1638	C	C4'-C3'-C2'	-6.35	96.25	102.60
26	BB	2785	C	C2-N3-C4	6.35	123.07	119.90
1	AA	155	A	C2-N3-C4	6.34	113.77	110.60
1	AA	339	C	C2-N3-C4	6.34	123.07	119.90
1	AA	1090	U	C4'-C3'-C2'	-6.34	96.25	102.60
1	AA	1325	C	C2-N3-C4	6.34	123.07	119.90
26	BB	139	U	O4'-C1'-N1	6.34	113.28	108.20
26	BB	412	A	C5-C6-N1	6.34	120.87	117.70
26	BB	500	G	N7-C8-N9	6.34	116.27	113.10
26	BB	864	G	N9-C4-C5	6.34	107.94	105.40
26	BB	2132	U	O3'-P-O5'	-6.34	91.95	104.00
26	BB	2508	G	C6-N1-C2	-6.34	121.29	125.10
26	BB	2736	A	C6-N1-C2	-6.34	114.79	118.60
1	AA	1494	G	C3'-C2'-C1'	6.34	106.58	101.50
26	BB	454	A	O4'-C1'-N9	6.34	113.28	108.20
26	BB	869	G	O4'-C1'-N9	6.34	113.27	108.20
26	BB	1024	G	N3-C4-N9	-6.34	122.19	126.00
26	BB	1375	U	C2-N3-C4	-6.34	123.19	127.00
26	BB	1851	U	C2-N3-C4	-6.34	123.19	127.00
26	BB	2891	U	C3'-C2'-C1'	6.34	106.57	101.50
34	BJ	52	ARG	CD-NE-CZ	6.34	132.48	123.60
1	AA	565	U	O4'-C1'-N1	6.34	113.27	108.20
1	AA	976	G	C6-N1-C2	-6.34	121.30	125.10
1	AA	1235	U	O4'-C1'-N1	6.34	113.27	108.20
1	AA	1251	A	C2-N3-C4	6.34	113.77	110.60
26	BB	621	A	C5-C6-N1	6.34	120.87	117.70
26	BB	792	A	N1-C2-N3	-6.34	126.13	129.30
26	BB	1007	C	O4'-C1'-N1	6.34	113.27	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1135	C	C6-N1-C2	6.34	122.84	120.30
26	BB	1442	U	C1'-O4'-C4'	6.34	114.97	109.90
26	BB	2001	C	C4'-C3'-C2'	-6.34	96.26	102.60
26	BB	2403	C	C2-N3-C4	6.34	123.07	119.90
26	BB	2497	A	C4-C5-N7	-6.34	107.53	110.70
26	BB	2536	G	N3-C2-N2	6.34	124.34	119.90
1	AA	102	G	N9-C4-C5	6.34	107.94	105.40
1	AA	355	C	O4'-C1'-C2'	-6.34	99.46	105.80
1	AA	695	A	O4'-C1'-N9	6.34	113.27	108.20
1	AA	849	G	C5-C6-O6	-6.34	124.80	128.60
1	AA	1204	A	C5-C6-N1	6.34	120.87	117.70
1	AA	1349	A	O4'-C1'-N9	6.34	113.27	108.20
26	BB	156	A	C4'-C3'-C2'	-6.34	96.26	102.60
26	BB	202	U	C5'-C4'-C3'	-6.34	105.86	116.00
26	BB	859	G	C4-C5-N7	6.34	113.34	110.80
26	BB	1237	A	C5'-C4'-O4'	6.34	116.71	109.10
26	BB	2147	A	O4'-C1'-N9	6.34	113.27	108.20
26	BB	2541	A	N1-C2-N3	6.34	132.47	129.30
26	BB	2756	U	C6-N1-C2	6.34	124.80	121.00
1	AA	1409	C	C6-N1-C2	-6.34	117.77	120.30
26	BB	1	G	C2-N3-C4	6.34	115.07	111.90
26	BB	37	C	O4'-C1'-N1	6.34	113.27	108.20
26	BB	45	G	C5'-C4'-C3'	-6.34	105.86	116.00
26	BB	287	G	C3'-C2'-C1'	-6.34	96.43	101.50
26	BB	1264	A	N7-C8-N9	6.34	116.97	113.80
26	BB	1682	G	C8-N9-C4	6.34	108.94	106.40
26	BB	1722	A	C5-C6-N6	-6.34	118.63	123.70
26	BB	2665	A	C5-N7-C8	-6.34	100.73	103.90
1	AA	691	G	O4'-C4'-C3'	6.34	111.17	106.10
1	AA	1205	U	N1-C2-O2	-6.34	118.36	122.80
1	AA	1371	G	N1-C6-O6	6.34	123.70	119.90
1	AA	1486	G	N9-C4-C5	-6.34	102.87	105.40
2	AB	53	G	N1-C6-O6	-6.34	116.10	119.90
26	BB	816	C	C5'-C4'-O4'	6.34	116.70	109.10
26	BB	1276	A	N1-C6-N6	6.34	122.40	118.60
26	BB	1467	U	N3-C2-O2	-6.34	117.77	122.20
26	BB	2178	C	C2-N1-C1'	6.34	125.77	118.80
26	BB	2242	G	N9-C4-C5	6.34	107.94	105.40
26	BB	2413	G	N1-C2-N3	-6.34	120.10	123.90
26	BB	2651	C	N3-C2-O2	-6.34	117.47	121.90
35	BK	115	ASP	CB-CG-OD2	-6.34	112.60	118.30
1	AA	266	G	O5'-C5'-C4'	-6.33	99.66	111.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	948	C	C4'-C3'-C2'	-6.33	96.27	102.60
1	AA	1027	C	O4'-C1'-N1	6.33	113.27	108.20
1	AA	1047	G	N7-C8-N9	-6.33	109.93	113.10
1	AA	1403	C	C4'-C3'-C2'	-6.33	96.27	102.60
26	BB	285	G	N3-C4-N9	-6.33	122.20	126.00
26	BB	959	A	O5'-C5'-C4'	-6.33	99.66	111.70
26	BB	1699	G	N7-C8-N9	6.33	116.27	113.10
26	BB	1892	C	N1-C2-O2	6.33	122.70	118.90
26	BB	2610	C	N3-C4-N4	6.33	122.44	118.00
26	BB	2750	A	C4-C5-N7	-6.33	107.53	110.70
31	BG	5	ASP	CB-CG-OD2	-6.33	112.60	118.30
1	AA	74	A	O4'-C1'-C2'	6.33	113.30	107.60
1	AA	513	C	C6-N1-C2	-6.33	117.77	120.30
1	AA	859	G	C8-N9-C4	-6.33	103.87	106.40
26	BB	405	U	N1-C2-N3	6.33	118.70	114.90
26	BB	483	A	O4'-C1'-C2'	6.33	113.30	107.60
26	BB	1231	U	N3-C2-O2	-6.33	117.77	122.20
26	BB	1313	U	C2-N3-C4	6.33	130.80	127.00
26	BB	1730	C	N1-C2-O2	6.33	122.70	118.90
26	BB	1818	U	O4'-C1'-N1	6.33	113.27	108.20
26	BB	1947	C	C4-C5-C6	-6.33	114.23	117.40
26	BB	2425	A	N1-C2-N3	-6.33	126.13	129.30
26	BB	2617	U	C5-C6-N1	-6.33	119.53	122.70
26	BB	2736	A	C3'-C2'-C1'	-6.33	96.43	101.50
45	BU	11	ARG	NE-CZ-NH1	6.33	123.47	120.30
1	AA	167	A	C4'-C3'-C2'	-6.33	96.27	102.60
1	AA	954	G	N3-C4-C5	-6.33	125.43	128.60
1	AA	1167	A	C1'-O4'-C4'	6.33	114.97	109.90
1	AA	1423	G	C5'-C4'-O4'	6.33	116.70	109.10
2	AB	33	U	N1-C2-N3	6.33	118.70	114.90
4	AD	66	C	C5-C6-N1	-6.33	117.83	121.00
25	BA	79	G	C8-N9-C4	-6.33	103.87	106.40
25	BA	108	A	P-O3'-C3'	6.33	127.30	119.70
26	BB	551	G	C5-C6-O6	-6.33	124.80	128.60
26	BB	1068	G	C6-N1-C2	-6.33	121.30	125.10
26	BB	2192	U	O4'-C1'-N1	6.33	113.27	108.20
26	BB	2391	G	C2-N3-C4	6.33	115.06	111.90
26	BB	2397	G	O4'-C1'-N9	6.33	113.27	108.20
26	BB	2622	U	C5-C6-N1	6.33	125.87	122.70
1	AA	198	G	C2-N3-C4	6.33	115.06	111.90
1	AA	353	A	N3-C4-C5	-6.33	122.37	126.80
1	AA	878	A	N9-C4-C5	6.33	108.33	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1072	G	C3'-C2'-C1'	6.33	106.56	101.50
26	BB	793	A	O4'-C4'-C3'	6.33	111.16	106.10
26	BB	822	G	N1-C6-O6	6.33	123.70	119.90
26	BB	1104	C	C3'-C2'-C1'	6.33	106.56	101.50
26	BB	1121	C	O4'-C1'-N1	6.33	113.26	108.20
26	BB	1413	A	C5'-C4'-O4'	-6.33	101.50	109.10
26	BB	1779	U	O4'-C1'-N1	6.33	113.26	108.20
26	BB	1822	C	OP1-P-OP2	6.33	129.09	119.60
26	BB	2687	U	O4'-C1'-N1	6.33	113.26	108.20
26	BB	2825	G	C2-N3-C4	6.33	115.06	111.90
1	AA	284	C	C3'-C2'-C1'	6.33	106.56	101.50
1	AA	385	C	N1-C2-O2	6.33	122.70	118.90
1	AA	430	A	C4-C5-C6	6.33	120.16	117.00
1	AA	680	C	C3'-C2'-C1'	6.33	106.56	101.50
1	AA	1088	G	C5-C6-O6	-6.33	124.80	128.60
1	AA	1100	C	N3-C4-N4	-6.33	113.57	118.00
1	AA	1273	C	C2-N1-C1'	-6.33	111.84	118.80
1	AA	1370	G	O4'-C1'-N9	6.33	113.26	108.20
1	AA	1513	A	O4'-C4'-C3'	-6.33	97.67	104.00
26	BB	169	G	C5-N7-C8	6.33	107.47	104.30
26	BB	994	C	C3'-C2'-C1'	6.33	106.56	101.50
26	BB	1802	A	O4'-C1'-N9	6.33	113.26	108.20
26	BB	1833	C	O4'-C1'-N1	6.33	113.26	108.20
26	BB	2101	A	C5'-C4'-O4'	6.33	116.69	109.10
26	BB	2287	A	C5-C6-N1	6.33	120.86	117.70
26	BB	2319	G	C6-N1-C2	-6.33	121.30	125.10
26	BB	2342	C	O4'-C1'-C2'	6.33	113.30	107.60
43	BS	63	ARG	CD-NE-CZ	-6.33	114.74	123.60
1	AA	402	G	N9-C4-C5	6.33	107.93	105.40
26	BB	420	C	C1'-O4'-C4'	6.33	114.96	109.90
26	BB	617	G	C5-C6-N1	6.33	114.66	111.50
26	BB	1147	A	C8-N9-C4	-6.33	103.27	105.80
26	BB	1407	G	C6-N1-C2	-6.33	121.30	125.10
26	BB	2265	U	N3-C2-O2	-6.33	117.77	122.20
1	AA	468	A	N9-C4-C5	-6.33	103.27	105.80
1	AA	744	C	N3-C2-O2	-6.33	117.47	121.90
1	AA	1241	G	N9-C4-C5	-6.33	102.87	105.40
1	AA	1396	A	C5-N7-C8	6.33	107.06	103.90
26	BB	282	A	C8-N9-C4	-6.33	103.27	105.80
26	BB	597	G	N3-C4-C5	-6.33	125.44	128.60
26	BB	603	A	N7-C8-N9	6.33	116.96	113.80
26	BB	658	U	N3-C4-C5	-6.33	110.81	114.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	992	C	P-O3'-C3'	6.33	127.29	119.70
26	BB	1286	A	C1'-O4'-C4'	-6.33	104.84	109.90
26	BB	2423	U	O4'-C1'-N1	6.33	113.26	108.20
26	BB	2672	U	N3-C4-C5	-6.33	110.81	114.60
1	AA	230	G	O4'-C1'-N9	6.32	113.26	108.20
1	AA	309	A	N1-C6-N6	-6.32	114.81	118.60
26	BB	288	U	C2-N3-C4	6.32	130.79	127.00
26	BB	365	U	N3-C4-O4	-6.32	114.97	119.40
26	BB	1832	C	N3-C2-O2	-6.32	117.47	121.90
26	BB	1869	G	C2-N3-C4	-6.32	108.74	111.90
26	BB	2414	G	C5-N7-C8	6.32	107.46	104.30
1	AA	327	A	C4-C5-N7	-6.32	107.54	110.70
1	AA	867	G	C4'-C3'-C2'	-6.32	96.28	102.60
1	AA	1067	A	C8-N9-C4	6.32	108.33	105.80
1	AA	1163	A	O4'-C1'-N9	6.32	113.26	108.20
26	BB	1138	G	C4-C5-N7	-6.32	108.27	110.80
26	BB	1147	A	C5-N7-C8	-6.32	100.74	103.90
26	BB	2844	G	C5-N7-C8	-6.32	101.14	104.30
1	AA	488	C	C4'-C3'-C2'	-6.32	96.28	102.60
1	AA	518	C	C4'-C3'-C2'	-6.32	96.28	102.60
1	AA	819	A	O4'-C1'-C2'	-6.32	99.48	105.80
1	AA	1414	U	C6-N1-C2	-6.32	117.21	121.00
1	AA	1468	A	N9-C4-C5	6.32	108.33	105.80
26	BB	1977	A	C4-C5-C6	-6.32	113.84	117.00
26	BB	2152	G	C5'-C4'-O4'	6.32	116.69	109.10
26	BB	2199	A	N7-C8-N9	6.32	116.96	113.80
26	BB	2319	G	N3-C4-C5	6.32	131.76	128.60
26	BB	2577	A	C1'-O4'-C4'	6.32	114.96	109.90
34	BJ	67	PRO	CA-N-CD	-6.32	102.65	111.50
1	AA	1061	G	C5-N7-C8	6.32	107.46	104.30
26	BB	458	G	N3-C4-C5	-6.32	125.44	128.60
26	BB	1078	U	C5-C4-O4	6.32	129.69	125.90
26	BB	1572	A	N1-C6-N6	-6.32	114.81	118.60
26	BB	1832	C	C6-N1-C2	-6.32	117.77	120.30
1	AA	749	A	C4-C5-N7	6.32	113.86	110.70
1	AA	785	G	N3-C4-C5	-6.32	125.44	128.60
1	AA	905	U	O4'-C4'-C3'	6.32	111.15	106.10
1	AA	987	G	N3-C4-N9	-6.32	122.21	126.00
1	AA	1263	C	C6-N1-C2	-6.32	117.77	120.30
3	AC	52	U	C5-C4-O4	6.32	129.69	125.90
26	BB	451	U	C4'-C3'-C2'	-6.32	96.28	102.60
26	BB	478	A	C5-C6-N6	6.32	128.75	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1331	G	C5-C6-N1	6.32	114.66	111.50
26	BB	2088	A	N1-C2-N3	-6.32	126.14	129.30
1	AA	108	G	C4-C5-C6	6.32	122.59	118.80
1	AA	201	G	C4'-C3'-C2'	-6.32	96.28	102.60
1	AA	254	G	C8-N9-C4	-6.32	103.87	106.40
1	AA	269	C	C1'-O4'-C4'	6.32	114.95	109.90
1	AA	568	G	N9-C4-C5	6.32	107.93	105.40
1	AA	1149	C	C4-C5-C6	6.32	120.56	117.40
1	AA	1258	G	C5-N7-C8	-6.32	101.14	104.30
1	AA	1466	C	O4'-C1'-N1	6.32	113.25	108.20
1	AA	1542	A	C8-N9-C4	-6.32	103.27	105.80
2	AB	19	G	N7-C8-N9	6.32	116.26	113.10
25	BA	72	G	N3-C4-C5	-6.32	125.44	128.60
26	BB	634	C	C4-C5-C6	6.32	120.56	117.40
26	BB	688	U	O4'-C1'-N1	6.32	113.25	108.20
26	BB	1047	G	N3-C2-N2	6.32	124.32	119.90
26	BB	1332	G	C5-C6-N1	6.32	114.66	111.50
26	BB	1845	G	C6-N1-C2	-6.32	121.31	125.10
1	AA	466	A	N1-C6-N6	6.31	122.39	118.60
1	AA	900	A	O4'-C1'-N9	6.31	113.25	108.20
1	AA	1501	C	C5'-C4'-O4'	6.31	116.68	109.10
1	AA	1535	C	O4'-C1'-N1	6.31	113.25	108.20
26	BB	1241	A	C4-C5-C6	-6.31	113.84	117.00
26	BB	1855	U	N3-C4-C5	-6.31	110.81	114.60
26	BB	2025	C	C5-C4-N4	-6.31	115.78	120.20
1	AA	426	U	N1-C2-O2	-6.31	118.38	122.80
1	AA	977	A	C4-C5-N7	-6.31	107.54	110.70
1	AA	1153	G	N1-C2-N3	-6.31	120.11	123.90
1	AA	1233	G	C2-N3-C4	6.31	115.06	111.90
1	AA	1470	U	C5-C4-O4	-6.31	122.11	125.90
1	AA	1488	G	N7-C8-N9	-6.31	109.94	113.10
1	AA	1512	U	C5-C6-N1	-6.31	119.54	122.70
25	BA	88	C	C4-C5-C6	-6.31	114.24	117.40
26	BB	285	G	C2-N3-C4	6.31	115.06	111.90
26	BB	617	G	C2-N3-C4	6.31	115.06	111.90
26	BB	622	G	C5'-C4'-O4'	6.31	116.67	109.10
26	BB	798	G	N1-C2-N3	-6.31	120.11	123.90
26	BB	1358	G	N3-C4-C5	-6.31	125.44	128.60
26	BB	1408	G	N9-C4-C5	6.31	107.92	105.40
26	BB	1550	C	C5-C6-N1	-6.31	117.84	121.00
26	BB	1596	A	N9-C4-C5	6.31	108.33	105.80
26	BB	2249	U	N3-C4-C5	-6.31	110.81	114.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2866	U	C5-C4-O4	6.31	129.69	125.90
1	AA	792	A	C5-N7-C8	6.31	107.06	103.90
26	BB	901	C	N1-C1'-C2'	-6.31	105.06	112.00
26	BB	1625	C	C4-C5-C6	-6.31	114.25	117.40
26	BB	1716	U	C5-C4-O4	-6.31	122.11	125.90
26	BB	2112	G	N3-C4-C5	-6.31	125.44	128.60
26	BB	2658	C	C6-N1-C2	-6.31	117.78	120.30
1	AA	212	G	C5'-C4'-C3'	-6.31	105.90	116.00
1	AA	511	C	O4'-C1'-N1	6.31	113.25	108.20
1	AA	623	C	C3'-C2'-C1'	6.31	106.55	101.50
1	AA	998	C	C6-N1-C2	-6.31	117.78	120.30
26	BB	632	A	C8-N9-C4	-6.31	103.28	105.80
26	BB	672	C	C2-N3-C4	6.31	123.06	119.90
26	BB	793	A	C4-C5-N7	-6.31	107.55	110.70
26	BB	945	A	C3'-C2'-C1'	6.31	106.55	101.50
26	BB	1039	A	C5'-C4'-C3'	-6.31	105.90	116.00
26	BB	1498	C	N1-C2-O2	6.31	122.69	118.90
26	BB	1948	G	N7-C8-N9	-6.31	109.94	113.10
1	AA	86	G	C6-C5-N7	-6.31	126.61	130.40
1	AA	108	G	C6-N1-C2	-6.31	121.31	125.10
1	AA	474	G	N9-C1'-C2'	-6.31	105.06	112.00
1	AA	693	G	C4'-C3'-C2'	-6.31	96.29	102.60
1	AA	830	G	O4'-C1'-N9	6.31	113.25	108.20
1	AA	1020	G	C8-N9-C4	-6.31	103.88	106.40
3	AC	53	G	N3-C4-C5	-6.31	125.45	128.60
4	AD	70	C	C5-C6-N1	6.31	124.15	121.00
26	BB	1349	C	N3-C2-O2	-6.31	117.48	121.90
26	BB	2239	G	C5-C6-N1	6.31	114.65	111.50
26	BB	2410	G	C4-C5-C6	6.31	122.58	118.80
26	BB	2643	G	C6-C5-N7	-6.31	126.61	130.40
25	BA	61	G	O4'-C4'-C3'	-6.31	97.69	104.00
25	BA	106	G	P-O3'-C3'	6.31	127.27	119.70
26	BB	140	C	N3-C2-O2	-6.31	117.49	121.90
26	BB	475	C	N3-C4-C5	-6.31	119.38	121.90
26	BB	867	C	C2-N1-C1'	-6.31	111.86	118.80
26	BB	1300	G	C3'-C2'-C1'	6.31	106.55	101.50
26	BB	1619	G	C5-C6-N1	6.31	114.65	111.50
26	BB	1887	C	C4-C5-C6	-6.31	114.25	117.40
26	BB	2757	A	C1'-O4'-C4'	-6.31	104.86	109.90
1	AA	205	A	C4-C5-N7	-6.30	107.55	110.70
1	AA	252	U	C6-N1-C2	6.30	124.78	121.00
1	AA	388	G	C6-C5-N7	6.30	134.18	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	414	A	N9-C4-C5	-6.30	103.28	105.80
1	AA	499	A	C8-N9-C4	-6.30	103.28	105.80
1	AA	705	G	C6-N1-C2	-6.30	121.32	125.10
1	AA	1003	G	C6-N1-C2	-6.30	121.32	125.10
1	AA	1116	U	C3'-C2'-C1'	6.30	106.54	101.50
1	AA	1493	A	C5-N7-C8	6.30	107.05	103.90
3	AC	52	U	C5'-C4'-O4'	6.30	116.67	109.10
25	BA	112	G	N7-C8-N9	-6.30	109.95	113.10
26	BB	49	A	P-O5'-C5'	-6.30	110.81	120.90
26	BB	597	G	C8-N9-C4	-6.30	103.88	106.40
26	BB	1057	A	C2-N3-C4	6.30	113.75	110.60
26	BB	1164	C	C5-C6-N1	-6.30	117.85	121.00
26	BB	1501	G	C2-N3-C4	6.30	115.05	111.90
26	BB	2484	G	C5-N7-C8	6.30	107.45	104.30
1	AA	529	G	N1-C2-N3	6.30	127.68	123.90
1	AA	1200	C	C4'-C3'-C2'	-6.30	96.30	102.60
1	AA	1245	C	N1-C2-O2	6.30	122.68	118.90
3	AC	35	G	C8-N9-C4	-6.30	103.88	106.40
4	AD	43	G	N1-C2-N3	-6.30	120.12	123.90
4	AD	67	C	N1-C2-O2	6.30	122.68	118.90
26	BB	204	A	C6-N1-C2	6.30	122.38	118.60
26	BB	899	A	C6-N1-C2	6.30	122.38	118.60
26	BB	1408	G	C5-C6-N1	6.30	114.65	111.50
26	BB	1623	G	N1-C2-N3	6.30	127.68	123.90
26	BB	2733	A	P-O5'-C5'	6.30	130.98	120.90
1	AA	504	C	O4'-C1'-N1	6.30	113.24	108.20
1	AA	717	U	P-O3'-C3'	6.30	127.26	119.70
1	AA	1323	G	C8-N9-C4	6.30	108.92	106.40
26	BB	112	U	N3-C4-C5	6.30	118.38	114.60
26	BB	218	A	N9-C4-C5	6.30	108.32	105.80
26	BB	480	A	C3'-C2'-C1'	6.30	106.54	101.50
26	BB	1456	G	C2-N3-C4	6.30	115.05	111.90
26	BB	1558	C	N3-C4-C5	-6.30	119.38	121.90
26	BB	1795	C	C6-N1-C2	6.30	122.82	120.30
26	BB	2276	G	C5-C6-O6	-6.30	124.82	128.60
26	BB	2399	G	O4'-C1'-N9	6.30	113.24	108.20
1	AA	49	U	N1-C2-O2	6.30	127.21	122.80
1	AA	221	C	P-O3'-C3'	6.30	127.26	119.70
1	AA	491	G	O4'-C1'-N9	6.30	113.24	108.20
1	AA	811	C	C3'-C2'-C1'	6.30	106.54	101.50
5	AE	103	TRP	CD1-NE1-CE2	6.30	114.67	109.00
26	BB	163	C	N3-C4-N4	6.30	122.41	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1057	A	C6-N1-C2	-6.30	114.82	118.60
26	BB	1850	G	N7-C8-N9	6.30	116.25	113.10
26	BB	2216	G	N3-C4-N9	6.30	129.78	126.00
26	BB	2785	C	N1-C2-O2	6.30	122.68	118.90
1	AA	6	G	C3'-C2'-C1'	-6.30	96.46	101.50
1	AA	443	C	C6-N1-C2	-6.30	117.78	120.30
1	AA	969	A	C4-C5-N7	-6.30	107.55	110.70
12	AL	57	VAL	CA-CB-CG1	6.30	120.35	110.90
26	BB	492	A	C3'-C2'-C1'	6.30	106.54	101.50
26	BB	876	C	P-O3'-C3'	6.30	127.25	119.70
26	BB	2073	C	C6-N1-C2	6.30	122.82	120.30
1	AA	102	G	C4-C5-N7	-6.29	108.28	110.80
1	AA	375	U	C6-N1-C2	-6.29	117.22	121.00
1	AA	705	G	N3-C4-N9	6.29	129.78	126.00
26	BB	692	C	N3-C4-N4	6.29	122.41	118.00
26	BB	879	G	N9-C4-C5	6.29	107.92	105.40
1	AA	229	U	C4'-C3'-C2'	-6.29	96.31	102.60
1	AA	230	G	N1-C2-N3	6.29	127.68	123.90
1	AA	350	G	N7-C8-N9	6.29	116.25	113.10
1	AA	1092	A	C6-N1-C2	6.29	122.38	118.60
1	AA	1243	C	C4'-C3'-C2'	-6.29	96.31	102.60
1	AA	1251	A	N3-C4-C5	-6.29	122.39	126.80
1	AA	1460	C	C2-N3-C4	6.29	123.05	119.90
3	AC	59	A	N3-C4-N9	-6.29	122.37	127.40
25	BA	30	C	N1-C2-O2	6.29	122.68	118.90
25	BA	107	G	C3'-C2'-C1'	-6.29	96.47	101.50
26	BB	231	A	N1-C2-N3	-6.29	126.15	129.30
26	BB	691	C	C2-N3-C4	6.29	123.05	119.90
26	BB	1243	C	C2-N3-C4	-6.29	116.75	119.90
26	BB	1405	U	C6-N1-C2	-6.29	117.22	121.00
26	BB	1753	G	N1-C6-O6	-6.29	116.12	119.90
26	BB	2500	U	O4'-C1'-N1	6.29	113.23	108.20
1	AA	422	C	C3'-C2'-C1'	-6.29	96.47	101.50
1	AA	447	G	P-O3'-C3'	6.29	127.25	119.70
1	AA	472	U	C4-C5-C6	-6.29	115.92	119.70
1	AA	498	A	P-O3'-C3'	6.29	127.25	119.70
1	AA	714	G	N7-C8-N9	6.29	116.25	113.10
1	AA	1030	U	P-O5'-C5'	6.29	130.97	120.90
1	AA	1076	U	O4'-C1'-N1	6.29	113.23	108.20
25	BA	3	C	N3-C4-C5	-6.29	119.38	121.90
26	BB	73	A	N1-C6-N6	6.29	122.38	118.60
26	BB	584	C	C4'-C3'-C2'	-6.29	96.31	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	819	A	C8-N9-C4	6.29	108.32	105.80
26	BB	1029	A	N9-C1'-C2'	-6.29	105.08	112.00
26	BB	1463	C	N3-C4-N4	6.29	122.40	118.00
26	BB	1890	A	N9-C4-C5	6.29	108.32	105.80
26	BB	1891	G	N3-C2-N2	-6.29	115.50	119.90
26	BB	1981	A	P-O3'-C3'	6.29	127.25	119.70
26	BB	2388	A	C5'-C4'-O4'	6.29	116.65	109.10
26	BB	2633	G	N3-C2-N2	-6.29	115.50	119.90
1	AA	654	G	C6-N1-C2	-6.29	121.33	125.10
1	AA	1431	A	C2-N3-C4	6.29	113.75	110.60
25	BA	74	U	N1-C2-N3	6.29	118.67	114.90
26	BB	78	U	C3'-C2'-C1'	-6.29	96.47	101.50
26	BB	632	A	C6-N1-C2	6.29	122.37	118.60
26	BB	2285	C	P-O3'-C3'	6.29	127.25	119.70
26	BB	2542	A	O4'-C1'-N9	6.29	113.23	108.20
26	BB	2570	G	C5-N7-C8	-6.29	101.16	104.30
1	AA	715	A	C5'-C4'-O4'	6.29	116.64	109.10
1	AA	1000	A	C5'-C4'-C3'	-6.29	105.94	116.00
1	AA	1130	A	N1-C6-N6	6.29	122.37	118.60
1	AA	1530	G	C5'-C4'-O4'	6.29	116.65	109.10
26	BB	9	G	C5-N7-C8	-6.29	101.16	104.30
26	BB	165	A	O4'-C1'-N9	6.29	113.23	108.20
26	BB	178	G	O4'-C1'-N9	6.29	113.23	108.20
26	BB	251	A	C5-C6-N6	-6.29	118.67	123.70
26	BB	668	A	C4-C5-N7	-6.29	107.56	110.70
26	BB	1257	C	C6-N1-C2	-6.29	117.78	120.30
26	BB	2854	G	C5-C6-N1	-6.29	108.36	111.50
1	AA	813	U	N3-C2-O2	-6.29	117.80	122.20
1	AA	1082	A	N9-C4-C5	6.29	108.31	105.80
1	AA	1169	A	O5'-P-OP2	-6.29	100.04	105.70
26	BB	434	U	C4-C5-C6	6.29	123.47	119.70
26	BB	1086	A	C4-C5-C6	-6.29	113.86	117.00
26	BB	1701	A	C5-C6-N6	-6.29	118.67	123.70
26	BB	1843	C	N1-C2-O2	-6.29	115.13	118.90
26	BB	2066	C	N3-C2-O2	-6.29	117.50	121.90
26	BB	2161	C	O4'-C1'-N1	6.29	113.23	108.20
26	BB	2647	U	N1-C2-N3	6.29	118.67	114.90
26	BB	2863	C	C4-C5-C6	-6.29	114.26	117.40
26	BB	2902	C	C4-C5-C6	6.29	120.54	117.40
1	AA	298	A	C8-N9-C4	-6.29	103.29	105.80
1	AA	731	G	N3-C2-N2	-6.29	115.50	119.90
1	AA	1393	U	C2-N3-C4	-6.29	123.23	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	AG	24	VAL	CA-CB-CG1	-6.29	101.47	110.90
26	BB	108	G	N9-C1'-C2'	-6.29	105.08	112.00
26	BB	225	C	O4'-C1'-C2'	-6.29	99.51	105.80
26	BB	574	A	C6-N1-C2	-6.29	114.83	118.60
26	BB	600	G	C5'-C4'-O4'	6.29	116.64	109.10
26	BB	799	G	N3-C4-N9	6.29	129.77	126.00
26	BB	1933	G	N9-C1'-C2'	-6.29	105.09	112.00
26	BB	2202	U	N1-C2-N3	6.29	118.67	114.90
26	BB	2762	C	O4'-C4'-C3'	6.29	111.13	106.10
1	AA	40	C	C5-C6-N1	-6.28	117.86	121.00
1	AA	79	G	O4'-C1'-N9	6.28	113.23	108.20
1	AA	665	A	O4'-C1'-N9	6.28	113.23	108.20
1	AA	742	G	C6-C5-N7	-6.28	126.63	130.40
1	AA	1433	A	C8-N9-C4	-6.28	103.29	105.80
26	BB	579	G	C2-N3-C4	6.28	115.04	111.90
26	BB	1083	U	C4'-C3'-C2'	6.28	108.88	102.60
26	BB	1153	C	O4'-C1'-C2'	6.28	113.25	107.60
26	BB	1907	G	N3-C4-C5	-6.28	125.46	128.60
26	BB	2074	U	N3-C4-C5	-6.28	110.83	114.60
26	BB	2807	U	C2-N3-C4	-6.28	123.23	127.00
1	AA	74	A	C5-N7-C8	-6.28	100.76	103.90
26	BB	1459	G	N1-C2-N2	6.28	121.85	116.20
26	BB	2655	G	N1-C6-O6	-6.28	116.13	119.90
1	AA	158	G	C6-C5-N7	6.28	134.17	130.40
1	AA	547	A	C5'-C4'-C3'	-6.28	105.95	116.00
1	AA	565	U	N3-C4-C5	6.28	118.37	114.60
1	AA	968	A	C5-C6-N6	-6.28	118.68	123.70
1	AA	1003	G	C3'-C2'-C1'	6.28	106.52	101.50
5	AE	94	ARG	NE-CZ-NH2	-6.28	117.16	120.30
21	AU	42	ARG	NE-CZ-NH1	6.28	123.44	120.30
25	BA	46	A	C5-C6-N6	-6.28	118.67	123.70
26	BB	9	G	C2-N3-C4	-6.28	108.76	111.90
26	BB	55	G	C8-N9-C4	-6.28	103.89	106.40
26	BB	148	U	N1-C2-N3	6.28	118.67	114.90
26	BB	304	U	C5'-C4'-O4'	6.28	116.64	109.10
26	BB	360	U	N1-C2-O2	6.28	127.20	122.80
26	BB	737	C	C5-C4-N4	-6.28	115.80	120.20
26	BB	1682	G	O4'-C1'-N9	6.28	113.22	108.20
26	BB	1980	G	N9-C1'-C2'	-6.28	105.09	112.00
26	BB	2134	A	C6-N1-C2	6.28	122.37	118.60
26	BB	2322	A	C2-N3-C4	6.28	113.74	110.60
26	BB	2479	U	C5-C6-N1	-6.28	119.56	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	687	A	C8-N9-C4	-6.28	103.29	105.80
1	AA	1372	U	N1-C1'-C2'	-6.28	105.09	112.00
26	BB	303	G	C2-N3-C4	6.28	115.04	111.90
26	BB	1271	G	C8-N9-C4	6.28	108.91	106.40
26	BB	1949	G	C1'-O4'-C4'	-6.28	104.88	109.90
26	BB	2119	A	C8-N9-C4	-6.28	103.29	105.80
26	BB	2161	C	C1'-O4'-C4'	-6.28	104.88	109.90
26	BB	2800	A	C8-N9-C4	-6.28	103.29	105.80
1	AA	27	G	C1'-O4'-C4'	6.28	114.92	109.90
1	AA	271	C	N3-C2-O2	-6.28	117.51	121.90
1	AA	614	C	N3-C4-C5	6.28	124.41	121.90
1	AA	723	U	C4'-C3'-C2'	-6.28	96.32	102.60
1	AA	758	C	C5'-C4'-C3'	6.28	126.05	116.00
1	AA	1013	G	P-O3'-C3'	6.28	127.23	119.70
1	AA	1026	G	N3-C2-N2	6.28	124.30	119.90
26	BB	53	A	N3-C4-N9	-6.28	122.38	127.40
26	BB	935	C	C5'-C4'-C3'	-6.28	105.95	116.00
26	BB	1406	U	C5-C4-O4	-6.28	122.13	125.90
26	BB	1588	G	C5-C6-N1	6.28	114.64	111.50
26	BB	2635	A	C5-C6-N6	6.28	128.72	123.70
1	AA	22	G	C5-N7-C8	6.28	107.44	104.30
1	AA	240	G	O4'-C1'-N9	6.28	113.22	108.20
1	AA	401	C	N3-C2-O2	6.28	126.29	121.90
1	AA	657	U	C4-C5-C6	6.28	123.47	119.70
1	AA	940	C	C5-C4-N4	-6.28	115.81	120.20
1	AA	1128	C	O4'-C1'-N1	6.28	113.22	108.20
26	BB	831	G	C8-N9-C4	-6.28	103.89	106.40
26	BB	1288	G	C4-C5-C6	6.28	122.56	118.80
26	BB	1455	G	N1-C2-N2	6.28	121.85	116.20
26	BB	1664	A	C5-N7-C8	6.28	107.04	103.90
26	BB	2095	A	N7-C8-N9	6.28	116.94	113.80
26	BB	2184	A	OP2-P-O3'	6.28	119.01	105.20
26	BB	2573	C	O4'-C4'-C3'	6.28	111.12	106.10
26	BB	2732	G	C6-N1-C2	-6.28	121.33	125.10
1	AA	121	U	O4'-C1'-N1	6.27	113.22	108.20
1	AA	637	C	N1-C2-O2	6.27	122.66	118.90
26	BB	1336	A	C5-C6-N6	6.27	128.72	123.70
26	BB	2721	A	N7-C8-N9	-6.27	110.66	113.80
28	BD	13	ARG	NE-CZ-NH1	6.27	123.44	120.30
1	AA	73	C	N1-C2-N3	6.27	123.59	119.20
1	AA	127	G	N1-C2-N2	6.27	121.85	116.20
1	AA	423	G	N1-C6-O6	-6.27	116.14	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	626	G	C4'-C3'-C2'	-6.27	96.33	102.60
1	AA	1347	G	N3-C4-C5	-6.27	125.46	128.60
1	AA	1387	G	N1-C2-N2	6.27	121.84	116.20
25	BA	115	A	N1-C6-N6	-6.27	114.84	118.60
26	BB	516	C	N1-C2-O2	6.27	122.66	118.90
26	BB	1831	G	O4'-C1'-N9	6.27	113.22	108.20
26	BB	2001	C	C1'-O4'-C4'	6.27	114.92	109.90
1	AA	605	U	N3-C2-O2	-6.27	117.81	122.20
26	BB	382	A	N9-C1'-C2'	-6.27	105.10	112.00
26	BB	492	A	C8-N9-C4	-6.27	103.29	105.80
26	BB	2312	U	N1-C2-N3	6.27	118.66	114.90
26	BB	2769	U	N1-C2-N3	6.27	118.66	114.90
1	AA	320	A	C5-N7-C8	-6.27	100.77	103.90
1	AA	331	G	C2-N3-C4	6.27	115.03	111.90
1	AA	691	G	C5-C6-O6	-6.27	124.84	128.60
1	AA	732	C	N3-C4-C5	6.27	124.41	121.90
4	AD	4	G	O4'-C1'-N9	6.27	113.22	108.20
7	AG	98	ASP	CB-CA-C	6.27	122.94	110.40
26	BB	93	G	C4-C5-C6	6.27	122.56	118.80
26	BB	224	U	P-O3'-C3'	6.27	127.22	119.70
26	BB	2178	C	C2-N3-C4	6.27	123.03	119.90
26	BB	2204	G	C5-C6-O6	-6.27	124.84	128.60
26	BB	2786	U	N3-C2-O2	-6.27	117.81	122.20
26	BB	2857	G	P-O3'-C3'	6.27	127.22	119.70
36	BL	20	ALA	N-CA-CB	-6.27	101.32	110.10
1	AA	68	G	N3-C4-C5	-6.27	125.47	128.60
1	AA	343	U	N1-C1'-C2'	-6.27	105.11	112.00
1	AA	946	A	O4'-C1'-N9	6.27	113.21	108.20
1	AA	1316	G	N1-C2-N2	-6.27	110.56	116.20
1	AA	1385	G	C5-C6-O6	-6.27	124.84	128.60
1	AA	1406	U	O4'-C4'-C3'	6.27	111.11	106.10
1	AA	1419	G	C4-C5-N7	-6.27	108.29	110.80
1	AA	1458	G	O4'-C1'-N9	6.27	113.21	108.20
26	BB	1116	G	N1-C2-N2	-6.27	110.56	116.20
26	BB	2110	G	C6-N1-C2	-6.27	121.34	125.10
26	BB	2197	U	N1-C2-N3	6.27	118.66	114.90
1	AA	664	G	C4-C5-N7	-6.27	108.29	110.80
1	AA	1007	U	N3-C4-C5	-6.27	110.84	114.60
2	AB	6	C	C4-C5-C6	6.27	120.53	117.40
26	BB	723	C	C5'-C4'-O4'	6.27	116.62	109.10
26	BB	920	A	O4'-C1'-N9	6.27	113.21	108.20
26	BB	1042	G	C5-C6-O6	6.27	132.36	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1443	U	C1'-O4'-C4'	6.27	114.91	109.90
1	AA	599	C	N3-C4-C5	6.26	124.41	121.90
25	BA	75	G	C4-C5-N7	6.26	113.31	110.80
26	BB	247	G	O4'-C1'-N9	-6.26	103.19	108.20
26	BB	258	G	C5'-C4'-O4'	6.26	116.62	109.10
26	BB	574	A	O4'-C1'-C2'	6.26	113.24	107.60
26	BB	1442	U	O4'-C4'-C3'	-6.26	97.74	104.00
26	BB	2191	A	N7-C8-N9	6.26	116.93	113.80
26	BB	2240	U	N3-C2-O2	-6.26	117.81	122.20
26	BB	2351	G	C4-C5-N7	6.26	113.31	110.80
26	BB	2373	G	C6-C5-N7	-6.26	126.64	130.40
29	BE	80	TRP	CD1-CG-CD2	-6.26	101.29	106.30
1	AA	1111	A	C2-N3-C4	6.26	113.73	110.60
25	BA	25	U	C6-N1-C2	-6.26	117.24	121.00
26	BB	2756	U	O4'-C1'-N1	6.26	113.21	108.20
26	BB	2889	C	P-O5'-C5'	6.26	130.92	120.90
1	AA	280	C	C5-C6-N1	-6.26	117.87	121.00
1	AA	443	C	N3-C4-C5	-6.26	119.39	121.90
1	AA	1186	G	N1-C2-N2	-6.26	110.56	116.20
25	BA	29	A	N1-C2-N3	-6.26	126.17	129.30
25	BA	50	A	C2-N3-C4	6.26	113.73	110.60
26	BB	561	G	N3-C2-N2	6.26	124.28	119.90
26	BB	1140	C	C5-C6-N1	6.26	124.13	121.00
26	BB	1755	A	O4'-C1'-C2'	6.26	113.23	107.60
26	BB	2578	G	C5'-C4'-O4'	6.26	116.61	109.10
1	AA	384	G	N3-C2-N2	-6.26	115.52	119.90
1	AA	392	C	C5'-C4'-O4'	6.26	116.61	109.10
1	AA	394	G	N3-C2-N2	-6.26	115.52	119.90
1	AA	790	A	O4'-C1'-C2'	-6.26	99.54	105.80
25	BA	80	U	C4-C5-C6	6.26	123.46	119.70
26	BB	702	U	N1-C2-N3	6.26	118.66	114.90
26	BB	720	U	O4'-C1'-N1	6.26	113.21	108.20
26	BB	1216	G	N1-C2-N2	6.26	121.83	116.20
26	BB	1374	G	C6-C5-N7	6.26	134.16	130.40
26	BB	1695	G	C5-C6-N1	6.26	114.63	111.50
26	BB	1743	G	C4'-C3'-C2'	-6.26	96.34	102.60
26	BB	2056	G	N3-C4-C5	-6.26	125.47	128.60
26	BB	2632	A	N1-C6-N6	-6.26	114.84	118.60
26	BB	2790	U	N3-C4-C5	-6.26	110.84	114.60
30	BF	199	MET	CG-SD-CE	-6.26	90.19	100.20
1	AA	147	G	C8-N9-C4	-6.26	103.90	106.40
1	AA	1541	U	N3-C2-O2	-6.26	117.82	122.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	44	A	C2-N3-C4	6.26	113.73	110.60
26	BB	103	A	C1'-O4'-C4'	6.26	114.91	109.90
26	BB	1026	G	N1-C6-O6	-6.26	116.14	119.90
26	BB	1055	G	N7-C8-N9	6.26	116.23	113.10
26	BB	1378	A	C3'-C2'-C1'	-6.26	96.49	101.50
26	BB	1586	A	N9-C4-C5	6.26	108.30	105.80
1	AA	183	C	C3'-C2'-C1'	6.26	106.50	101.50
1	AA	276	G	N1-C2-N2	6.26	121.83	116.20
1	AA	642	A	N9-C4-C5	-6.26	103.30	105.80
1	AA	1054	C	P-O3'-C3'	6.26	127.21	119.70
1	AA	1141	C	N3-C4-C5	6.26	124.40	121.90
1	AA	1152	A	C5-N7-C8	6.26	107.03	103.90
2	AB	63	C	N1-C2-O2	-6.26	115.15	118.90
26	BB	993	G	N3-C4-C5	6.26	131.73	128.60
26	BB	1202	G	N7-C8-N9	-6.26	109.97	113.10
26	BB	1538	G	C6-N1-C2	-6.26	121.35	125.10
26	BB	1701	A	N3-C4-N9	6.26	132.41	127.40
26	BB	1853	A	C5'-C4'-O4'	6.26	116.61	109.10
26	BB	2253	G	N9-C4-C5	6.26	107.90	105.40
26	BB	2793	C	P-O3'-C3'	6.26	127.21	119.70
1	AA	401	C	N1-C2-O2	-6.25	115.15	118.90
1	AA	1351	U	C5-C4-O4	6.25	129.65	125.90
26	BB	1	G	C6-N1-C2	-6.25	121.35	125.10
26	BB	1721	G	C8-N9-C1'	6.25	135.13	127.00
26	BB	1854	A	N3-C4-C5	6.25	131.18	126.80
26	BB	1877	A	C4'-C3'-C2'	-6.25	96.34	102.60
26	BB	2399	G	C5'-C4'-C3'	-6.25	105.99	116.00
1	AA	393	A	O4'-C1'-N9	6.25	113.20	108.20
1	AA	1477	U	C1'-O4'-C4'	6.25	114.90	109.90
4	AD	36	A	C4-C5-C6	-6.25	113.87	117.00
4	AD	46	G	C5-C6-O6	-6.25	124.85	128.60
16	AP	97	ARG	NE-CZ-NH2	-6.25	117.17	120.30
26	BB	133	U	C5-C6-N1	-6.25	119.57	122.70
26	BB	242	G	C5-N7-C8	-6.25	101.17	104.30
26	BB	906	U	N3-C2-O2	-6.25	117.82	122.20
26	BB	976	G	C2-N3-C4	-6.25	108.77	111.90
26	BB	1087	G	C8-N9-C4	-6.25	103.90	106.40
37	BM	23	LYS	N-CA-CB	6.25	121.86	110.60
1	AA	167	A	N7-C8-N9	6.25	116.92	113.80
1	AA	325	A	C4-C5-C6	-6.25	113.87	117.00
1	AA	937	A	P-O3'-C3'	6.25	127.20	119.70
1	AA	958	A	C4-C5-C6	-6.25	113.87	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1291	U	C2-N3-C4	-6.25	123.25	127.00
25	BA	2	G	C5-N7-C8	6.25	107.43	104.30
26	BB	486	C	N3-C2-O2	-6.25	117.52	121.90
26	BB	1830	C	C4-C5-C6	-6.25	114.27	117.40
26	BB	1949	G	C6-N1-C2	-6.25	121.35	125.10
26	BB	2883	A	C3'-C2'-C1'	6.25	106.50	101.50
1	AA	163	C	O4'-C1'-N1	6.25	113.20	108.20
1	AA	297	G	N7-C8-N9	6.25	116.22	113.10
1	AA	1071	C	N3-C4-N4	-6.25	113.62	118.00
1	AA	1415	G	C5-C6-O6	6.25	132.35	128.60
13	AM	19	ASP	CB-CG-OD1	-6.25	112.67	118.30
26	BB	95	A	C5-N7-C8	-6.25	100.78	103.90
26	BB	294	A	C1'-O4'-C4'	6.25	114.90	109.90
26	BB	672	C	C5-C4-N4	-6.25	115.83	120.20
26	BB	673	C	C5-C4-N4	-6.25	115.83	120.20
26	BB	1794	A	C1'-O4'-C4'	-6.25	104.90	109.90
26	BB	2793	C	C5'-C4'-O4'	-6.25	101.60	109.10
1	AA	308	C	N1-C2-O2	6.25	122.65	118.90
1	AA	500	G	C4-C5-N7	-6.25	108.30	110.80
1	AA	987	G	C6-N1-C2	-6.25	121.35	125.10
3	AC	23	C	N1-C2-O2	6.25	122.65	118.90
26	BB	288	U	C4-C5-C6	6.25	123.45	119.70
26	BB	972	A	N7-C8-N9	-6.25	110.68	113.80
26	BB	1743	G	P-O3'-C3'	6.25	127.20	119.70
26	BB	2088	A	C5-C6-N1	-6.25	114.58	117.70
26	BB	2311	A	C6-C5-N7	6.25	136.67	132.30
26	BB	2470	G	C4-C5-N7	-6.25	108.30	110.80
1	AA	1115	U	N3-C4-C5	-6.25	110.85	114.60
26	BB	283	G	C6-N1-C2	-6.25	121.35	125.10
26	BB	881	G	C8-N9-C4	-6.25	103.90	106.40
26	BB	1151	A	C4-C5-C6	-6.25	113.88	117.00
26	BB	1179	G	N3-C4-C5	-6.25	125.48	128.60
26	BB	1662	U	N1-C2-N3	6.25	118.65	114.90
26	BB	2891	U	N3-C4-O4	6.25	123.77	119.40
37	BM	43	ILE	CA-CB-CG1	6.25	122.87	111.00
1	AA	656	G	C2-N3-C4	-6.25	108.78	111.90
2	AB	36	A	C4-C5-N7	-6.25	107.58	110.70
26	BB	2731	G	O4'-C1'-C2'	6.25	113.22	107.60
1	AA	50	A	C5'-C4'-O4'	-6.24	101.61	109.10
1	AA	333	U	C1'-O4'-C4'	6.24	114.89	109.90
1	AA	373	A	N7-C8-N9	6.24	116.92	113.80
1	AA	1093	A	C2-N3-C4	6.24	113.72	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	56	C	C6-N1-C2	6.24	122.80	120.30
4	AD	22	A	C5-C6-N1	6.24	120.82	117.70
4	AD	73	A	C5'-C4'-C3'	-6.24	106.01	116.00
9	AI	110	ARG	NE-CZ-NH2	-6.24	117.18	120.30
25	BA	116	G	C4-C5-C6	6.24	122.55	118.80
26	BB	37	C	N3-C2-O2	-6.24	117.53	121.90
26	BB	292	U	C4'-C3'-C2'	-6.24	96.36	102.60
26	BB	649	G	C4-C5-C6	-6.24	115.05	118.80
26	BB	2474	U	O4'-C1'-N1	6.24	113.19	108.20
26	BB	2556	C	C1'-O4'-C4'	-6.24	104.91	109.90
26	BB	2826	A	O4'-C1'-N9	6.24	113.19	108.20
1	AA	215	C	P-O3'-C3'	6.24	127.19	119.70
1	AA	280	C	N1-C2-N3	-6.24	114.83	119.20
1	AA	579	A	C5-N7-C8	6.24	107.02	103.90
1	AA	768	A	O4'-C1'-N9	6.24	113.19	108.20
26	BB	1634	A	O4'-C4'-C3'	6.24	111.09	106.10
26	BB	1728	C	N3-C2-O2	-6.24	117.53	121.90
26	BB	2021	C	N1-C2-N3	-6.24	114.83	119.20
26	BB	2328	A	C5'-C4'-O4'	6.24	116.59	109.10
26	BB	2749	A	P-O3'-C3'	6.24	127.19	119.70
53	B2	59	ARG	NE-CZ-NH2	6.24	123.42	120.30
1	AA	249	U	C2-N3-C4	-6.24	123.26	127.00
1	AA	1234	C	N3-C2-O2	-6.24	117.53	121.90
4	AD	15	G	N1-C6-O6	-6.24	116.16	119.90
25	BA	86	G	N3-C4-C5	-6.24	125.48	128.60
26	BB	949	G	C8-N9-C4	-6.24	103.90	106.40
26	BB	1379	U	C5'-C4'-O4'	6.24	116.59	109.10
26	BB	1475	G	C5-C6-N1	-6.24	108.38	111.50
26	BB	1574	C	C5'-C4'-O4'	6.24	116.59	109.10
26	BB	2128	G	C1'-O4'-C4'	6.24	114.89	109.90
26	BB	2600	A	C5-C6-N6	6.24	128.69	123.70
1	AA	7	A	N3-C4-N9	-6.24	122.41	127.40
1	AA	144	G	C6-C5-N7	6.24	134.14	130.40
25	BA	100	G	C4'-C3'-C2'	-6.24	96.36	102.60
26	BB	215	G	O4'-C1'-N9	6.24	113.19	108.20
26	BB	356	G	N1-C2-N2	-6.24	110.58	116.20
26	BB	622	G	C8-N9-C4	-6.24	103.90	106.40
26	BB	862	G	P-O3'-C3'	6.24	127.19	119.70
26	BB	1416	G	C5-C6-O6	-6.24	124.86	128.60
26	BB	1483	G	C3'-C2'-C1'	6.24	106.49	101.50
26	BB	1497	U	N1-C2-O2	6.24	127.17	122.80
26	BB	1576	U	C3'-C2'-C1'	-6.24	96.51	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1649	G	C4-C5-N7	6.24	113.30	110.80
26	BB	1722	A	C5-C6-N1	6.24	120.82	117.70
26	BB	2080	A	N1-C2-N3	-6.24	126.18	129.30
26	BB	2837	A	C4-C5-N7	6.24	113.82	110.70
1	AA	52	C	C5'-C4'-C3'	-6.24	106.02	116.00
1	AA	196	A	C5'-C4'-C3'	-6.24	106.02	116.00
1	AA	712	A	C4'-C3'-C2'	-6.24	96.36	102.60
1	AA	957	U	O4'-C1'-N1	-6.24	103.21	108.20
26	BB	921	C	C5-C4-N4	-6.24	115.83	120.20
26	BB	1205	A	C4-C5-N7	-6.24	107.58	110.70
26	BB	1294	U	N1-C1'-C2'	-6.24	105.14	112.00
26	BB	1528	A	C5-C6-N1	6.24	120.82	117.70
26	BB	2440	C	P-O3'-C3'	6.24	127.18	119.70
26	BB	2707	U	C5-C6-N1	-6.24	119.58	122.70
1	AA	191	G	C5-C6-O6	-6.24	124.86	128.60
1	AA	374	A	C6-N1-C2	6.24	122.34	118.60
1	AA	1150	A	O4'-C1'-N9	6.24	113.19	108.20
1	AA	1358	U	C6-N1-C2	-6.24	117.26	121.00
1	AA	1466	C	N3-C4-N4	6.24	122.36	118.00
26	BB	29	U	N1-C2-N3	6.24	118.64	114.90
26	BB	388	G	C3'-C2'-C1'	-6.24	96.51	101.50
26	BB	544	C	P-O3'-C3'	6.24	127.18	119.70
26	BB	944	C	N1-C2-O2	6.24	122.64	118.90
26	BB	1145	C	C6-N1-C2	-6.24	117.81	120.30
26	BB	1275	A	N3-C4-C5	-6.24	122.44	126.80
26	BB	1276	A	P-O3'-C3'	6.24	127.18	119.70
26	BB	1767	G	N9-C4-C5	6.24	107.89	105.40
26	BB	1902	C	C5'-C4'-O4'	-6.24	101.62	109.10
26	BB	2079	U	C5'-C4'-O4'	6.24	116.58	109.10
26	BB	2176	A	O4'-C4'-C3'	6.24	111.09	106.10
26	BB	2674	G	C1'-O4'-C4'	-6.24	104.91	109.90
26	BB	2846	G	N3-C4-N9	6.24	129.74	126.00
26	BB	2904	U	C5'-C4'-O4'	6.24	116.58	109.10
1	AA	651	C	C5'-C4'-C3'	-6.23	106.03	116.00
1	AA	1473	G	N9-C4-C5	6.23	107.89	105.40
26	BB	616	A	C5-C6-N6	-6.23	118.71	123.70
26	BB	1767	G	C2-N3-C4	-6.23	108.78	111.90
1	AA	241	G	N3-C2-N2	-6.23	115.54	119.90
1	AA	489	C	P-O3'-C3'	6.23	127.18	119.70
1	AA	524	G	C5-C6-N1	6.23	114.62	111.50
1	AA	1052	U	N1-C2-N3	6.23	118.64	114.90
1	AA	1106	G	N1-C6-O6	6.23	123.64	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1187	G	C6-N1-C2	-6.23	121.36	125.10
3	AC	14	G	C5-C6-N1	6.23	114.62	111.50
25	BA	85	G	C5-C6-N1	-6.23	108.38	111.50
26	BB	83	A	C8-N9-C4	-6.23	103.31	105.80
26	BB	95	A	N1-C6-N6	-6.23	114.86	118.60
26	BB	1771	C	C1'-O4'-C4'	-6.23	104.91	109.90
26	BB	2264	C	C5'-C4'-O4'	6.23	116.58	109.10
26	BB	2342	C	N3-C2-O2	-6.23	117.54	121.90
26	BB	2578	G	O5'-P-OP2	-6.23	100.09	105.70
26	BB	2824	C	C1'-O4'-C4'	-6.23	104.91	109.90
1	AA	80	A	C1'-O4'-C4'	6.23	114.89	109.90
1	AA	140	U	C5'-C4'-O4'	6.23	116.58	109.10
1	AA	1148	U	C6-N1-C2	-6.23	117.26	121.00
1	AA	1157	A	N1-C6-N6	-6.23	114.86	118.60
1	AA	1382	C	N3-C2-O2	-6.23	117.54	121.90
25	BA	103	U	N3-C2-O2	6.23	126.56	122.20
26	BB	214	G	C4-C5-C6	6.23	122.54	118.80
26	BB	555	G	N7-C8-N9	-6.23	109.98	113.10
26	BB	701	G	N3-C2-N2	-6.23	115.54	119.90
26	BB	780	G	N3-C4-C5	-6.23	125.48	128.60
26	BB	1079	C	N3-C2-O2	6.23	126.26	121.90
26	BB	1164	C	C3'-C2'-C1'	6.23	106.48	101.50
26	BB	1831	G	C5'-C4'-C3'	-6.23	106.03	116.00
26	BB	2806	C	C5-C6-N1	6.23	124.11	121.00
26	BB	2857	G	C2-N3-C4	-6.23	108.78	111.90
26	BB	2890	G	C4'-C3'-C2'	-6.23	96.37	102.60
28	BD	176	ARG	NE-CZ-NH2	6.23	123.42	120.30
32	BH	162	ARG	NE-CZ-NH2	6.23	123.42	120.30
1	AA	24	U	C6-N1-C1'	-6.23	112.48	121.20
26	BB	853	C	C2-N1-C1'	-6.23	111.95	118.80
26	BB	996	A	P-O3'-C3'	6.23	127.17	119.70
26	BB	1304	A	N7-C8-N9	6.23	116.91	113.80
26	BB	1582	C	C6-N1-C2	-6.23	117.81	120.30
1	AA	432	A	C4-C5-C6	-6.23	113.89	117.00
1	AA	608	A	N7-C8-N9	6.23	116.91	113.80
1	AA	979	C	N3-C4-N4	-6.23	113.64	118.00
1	AA	1066	C	C3'-C2'-C1'	6.23	106.48	101.50
1	AA	1155	A	C8-N9-C4	-6.23	103.31	105.80
1	AA	1295	U	C5-C6-N1	-6.23	119.59	122.70
1	AA	1436	U	N3-C4-O4	6.23	123.76	119.40
26	BB	198	C	N3-C4-C5	-6.23	119.41	121.90
26	BB	356	G	N3-C4-N9	6.23	129.74	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1331	G	C4'-C3'-C2'	-6.23	96.37	102.60
26	BB	1591	A	C4-C5-N7	-6.23	107.59	110.70
26	BB	1668	A	C3'-C2'-C1'	-6.23	96.52	101.50
26	BB	1701	A	C5'-C4'-C3'	-6.23	106.04	116.00
26	BB	1986	C	N3-C4-N4	6.23	122.36	118.00
26	BB	2100	G	C4-C5-C6	-6.23	115.06	118.80
26	BB	2226	C	C4-C5-C6	-6.23	114.29	117.40
26	BB	2699	C	N1-C2-N3	-6.23	114.84	119.20
31	BG	142	TYR	CG-CD2-CE2	-6.23	116.32	121.30
1	AA	183	C	C5-C4-N4	6.23	124.56	120.20
1	AA	193	C	O4'-C1'-N1	6.23	113.18	108.20
1	AA	490	C	C5'-C4'-O4'	6.23	116.57	109.10
1	AA	553	A	C5-C6-N1	6.23	120.81	117.70
1	AA	897	C	N1-C2-N3	-6.23	114.84	119.20
1	AA	1414	U	C4-C5-C6	-6.23	115.96	119.70
2	AB	11	U	C4-C5-C6	6.23	123.44	119.70
25	BA	100	G	C5-N7-C8	-6.23	101.19	104.30
1	AA	104	G	N1-C6-O6	6.22	123.63	119.90
1	AA	120	A	C4-C5-C6	6.22	120.11	117.00
1	AA	287	U	N1-C1'-C2'	-6.22	105.15	112.00
1	AA	1357	A	C4-C5-N7	-6.22	107.59	110.70
25	BA	10	G	O4'-C1'-N9	6.22	113.18	108.20
26	BB	933	A	C5-C6-N1	-6.22	114.59	117.70
26	BB	983	A	C3'-C2'-C1'	6.22	106.48	101.50
26	BB	2032	G	N3-C4-N9	6.22	129.74	126.00
26	BB	2037	A	N1-C2-N3	-6.22	126.19	129.30
26	BB	2274	A	N9-C4-C5	6.22	108.29	105.80
26	BB	2881	U	N3-C4-C5	6.22	118.33	114.60
1	AA	256	U	N3-C2-O2	-6.22	117.84	122.20
1	AA	587	G	N9-C4-C5	6.22	107.89	105.40
1	AA	613	C	C2-N3-C4	6.22	123.01	119.90
1	AA	632	U	N3-C4-O4	6.22	123.76	119.40
1	AA	1488	G	C8-N9-C4	6.22	108.89	106.40
26	BB	288	U	N3-C2-O2	6.22	126.56	122.20
26	BB	515	A	C6-C5-N7	-6.22	127.94	132.30
26	BB	1038	G	O4'-C1'-N9	6.22	113.18	108.20
26	BB	1074	G	C4-C5-N7	-6.22	108.31	110.80
26	BB	1574	C	N3-C4-C5	-6.22	119.41	121.90
26	BB	1930	G	C8-N9-C4	-6.22	103.91	106.40
26	BB	2179	C	C2-N3-C4	6.22	123.01	119.90
26	BB	2198	A	C6-C5-N7	6.22	136.66	132.30
26	BB	2549	G	C4'-C3'-C2'	-6.22	96.38	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	207	C	C6-N1-C1'	6.22	128.26	120.80
1	AA	1093	A	C5-C6-N1	6.22	120.81	117.70
1	AA	1426	G	C2-N3-C4	6.22	115.01	111.90
7	AG	55	ARG	NE-CZ-NH1	6.22	123.41	120.30
26	BB	649	G	C2-N3-C4	6.22	115.01	111.90
26	BB	791	C	C6-N1-C2	-6.22	117.81	120.30
26	BB	1416	G	N1-C2-N3	-6.22	120.17	123.90
26	BB	2557	G	C5-C6-N1	6.22	114.61	111.50
26	BB	2642	G	N3-C4-C5	-6.22	125.49	128.60
1	AA	17	U	N3-C4-O4	6.22	123.75	119.40
1	AA	201	G	N9-C4-C5	-6.22	102.91	105.40
1	AA	515	G	C2-N3-C4	6.22	115.01	111.90
1	AA	867	G	C4-C5-C6	6.22	122.53	118.80
1	AA	950	U	O4'-C1'-N1	6.22	113.18	108.20
1	AA	993	G	O4'-C1'-N9	6.22	113.18	108.20
1	AA	1169	A	C2-N3-C4	-6.22	107.49	110.60
1	AA	1487	G	N1-C6-O6	6.22	123.63	119.90
4	AD	43	G	C4-C5-C6	-6.22	115.07	118.80
26	BB	12	U	N1-C2-O2	6.22	127.15	122.80
26	BB	415	A	C4-C5-C6	-6.22	113.89	117.00
26	BB	479	A	P-O3'-C3'	6.22	127.17	119.70
26	BB	895	U	C5'-C4'-C3'	-6.22	106.05	116.00
26	BB	1472	C	C6-N1-C2	-6.22	117.81	120.30
26	BB	1487	U	N3-C4-O4	6.22	123.75	119.40
26	BB	1567	G	C1'-O4'-C4'	-6.22	104.92	109.90
26	BB	1580	A	C5'-C4'-C3'	-6.22	106.05	116.00
26	BB	1790	C	N1-C2-O2	6.22	122.63	118.90
26	BB	1808	A	N1-C2-N3	6.22	132.41	129.30
26	BB	1867	G	C5-N7-C8	-6.22	101.19	104.30
26	BB	2349	G	C4'-C3'-C2'	-6.22	96.38	102.60
1	AA	196	A	C3'-C2'-C1'	6.22	106.47	101.50
1	AA	1540	U	C4-C5-C6	6.22	123.43	119.70
26	BB	35	G	N7-C8-N9	6.22	116.21	113.10
26	BB	1026	G	C5'-C4'-O4'	6.22	116.56	109.10
26	BB	1139	G	C2-N3-C4	6.22	115.01	111.90
26	BB	1280	G	C6-N1-C2	-6.22	121.37	125.10
26	BB	1766	G	C5-C6-N1	6.22	114.61	111.50
26	BB	2011	U	C2-N3-C4	-6.22	123.27	127.00
26	BB	2180	U	N3-C2-O2	-6.22	117.85	122.20
26	BB	2820	A	C5-C6-N6	-6.22	118.72	123.70
26	BB	2889	C	N1-C2-N3	-6.22	114.85	119.20
1	AA	105	G	O4'-C1'-N9	6.22	113.17	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	915	A	N7-C8-N9	6.22	116.91	113.80
1	AA	1540	U	N3-C2-O2	-6.22	117.85	122.20
26	BB	244	A	N1-C2-N3	-6.22	126.19	129.30
26	BB	314	C	N3-C4-C5	-6.22	119.41	121.90
26	BB	780	G	C4'-C3'-C2'	-6.22	96.38	102.60
26	BB	992	C	N1-C2-O2	6.22	122.63	118.90
26	BB	1055	G	N3-C4-C5	-6.22	125.49	128.60
26	BB	1142	A	O3'-P-O5'	6.22	115.81	104.00
26	BB	1185	G	C5-N7-C8	6.22	107.41	104.30
26	BB	1922	G	C5-C6-O6	6.22	132.33	128.60
26	BB	2190	G	N3-C2-N2	-6.22	115.55	119.90
1	AA	243	A	C5-N7-C8	-6.21	100.79	103.90
1	AA	469	C	N1-C1'-C2'	-6.21	105.17	112.00
1	AA	514	C	C4'-C3'-C2'	-6.21	96.39	102.60
1	AA	620	C	C5'-C4'-O4'	6.21	116.56	109.10
26	BB	396	G	N9-C4-C5	6.21	107.89	105.40
26	BB	1927	A	C1'-O4'-C4'	-6.21	104.93	109.90
26	BB	2091	C	N3-C4-N4	6.21	122.35	118.00
26	BB	2255	G	C5-N7-C8	6.21	107.41	104.30
26	BB	2308	G	O4'-C4'-C3'	6.21	111.07	106.10
26	BB	2352	A	O4'-C1'-N9	6.21	113.17	108.20
26	BB	2900	A	N9-C4-C5	-6.21	103.31	105.80
50	BZ	67	LEU	CB-CG-CD1	6.21	121.57	111.00
1	AA	80	A	C3'-C2'-C1'	6.21	106.47	101.50
1	AA	453	G	C5-C6-N1	6.21	114.61	111.50
1	AA	515	G	N1-C6-O6	6.21	123.63	119.90
1	AA	726	C	N3-C4-N4	6.21	122.35	118.00
1	AA	845	A	N9-C1'-C2'	-6.21	105.17	112.00
1	AA	1442	G	O4'-C1'-N9	6.21	113.17	108.20
26	BB	1604	C	O4'-C1'-N1	6.21	113.17	108.20
26	BB	2372	U	C1'-O4'-C4'	6.21	114.87	109.90
1	AA	315	A	O4'-C1'-N9	6.21	113.17	108.20
1	AA	320	A	C1'-O4'-C4'	-6.21	104.93	109.90
1	AA	443	C	C1'-O4'-C4'	-6.21	104.93	109.90
1	AA	692	U	C4-C5-C6	6.21	123.43	119.70
1	AA	717	U	C6-N1-C2	-6.21	117.27	121.00
25	BA	50	A	O4'-C1'-N9	6.21	113.17	108.20
25	BA	105	G	N9-C4-C5	6.21	107.89	105.40
26	BB	174	U	C5-C6-N1	-6.21	119.59	122.70
26	BB	488	G	C5-C6-N1	6.21	114.61	111.50
26	BB	675	A	O4'-C4'-C3'	6.21	111.07	106.10
26	BB	939	G	C5-C6-N1	6.21	114.61	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1945	G	C5-C6-O6	-6.21	124.87	128.60
26	BB	2144	G	N7-C8-N9	6.21	116.21	113.10
26	BB	2274	A	O4'-C4'-C3'	6.21	111.07	106.10
26	BB	2761	A	N7-C8-N9	-6.21	110.69	113.80
33	BI	98	ASP	CB-CG-OD2	6.21	123.89	118.30
1	AA	48	C	N3-C2-O2	-6.21	117.55	121.90
1	AA	206	C	P-O3'-C3'	6.21	127.15	119.70
1	AA	506	G	O4'-C1'-C2'	6.21	113.19	107.60
1	AA	600	A	N1-C2-N3	-6.21	126.19	129.30
1	AA	1237	C	N3-C4-N4	6.21	122.35	118.00
2	AB	53	G	C6-N1-C2	-6.21	121.37	125.10
26	BB	1569	A	N7-C8-N9	6.21	116.91	113.80
26	BB	1823	G	N3-C4-C5	-6.21	125.50	128.60
26	BB	2284	A	C5-C6-N6	6.21	128.67	123.70
1	AA	180	U	C5'-C4'-O4'	6.21	116.55	109.10
1	AA	361	G	N9-C1'-C2'	-6.21	105.17	112.00
1	AA	432	A	C5-N7-C8	-6.21	100.80	103.90
1	AA	521	G	C5-C6-O6	6.21	132.32	128.60
1	AA	1143	G	C5'-C4'-O4'	6.21	116.55	109.10
3	AC	20	G	C5-C6-N1	6.21	114.61	111.50
5	AE	122	ASP	CB-CG-OD2	-6.21	112.71	118.30
25	BA	116	G	N1-C6-O6	6.21	123.62	119.90
26	BB	1313	U	C5-C6-N1	6.21	125.80	122.70
26	BB	1434	A	C4'-C3'-C2'	-6.21	96.39	102.60
26	BB	1884	G	N1-C6-O6	-6.21	116.17	119.90
26	BB	2236	U	C6-N1-C2	-6.21	117.27	121.00
26	BB	2889	C	C6-N1-C2	-6.21	117.82	120.30
28	BD	166	ARG	NE-CZ-NH2	-6.21	117.19	120.30
1	AA	358	U	C1'-O4'-C4'	-6.21	104.93	109.90
1	AA	753	A	N3-C4-C5	-6.21	122.45	126.80
1	AA	1377	A	C5-N7-C8	-6.21	100.80	103.90
1	AA	1400	C	N1-C2-O2	6.21	122.62	118.90
16	AP	85	TYR	CG-CD2-CE2	-6.21	116.33	121.30
26	BB	213	A	N1-C2-N3	-6.21	126.20	129.30
26	BB	636	G	N3-C4-C5	-6.21	125.50	128.60
26	BB	855	G	C5-C6-O6	-6.21	124.88	128.60
26	BB	1022	G	C8-N9-C4	-6.21	103.92	106.40
26	BB	1072	C	N3-C4-C5	6.21	124.38	121.90
26	BB	1306	C	N3-C2-O2	-6.21	117.56	121.90
26	BB	1327	A	C5-C6-N1	-6.21	114.60	117.70
26	BB	1520	U	C4'-C3'-C2'	-6.21	96.39	102.60
26	BB	2319	G	N9-C4-C5	-6.21	102.92	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2370	G	C4'-C3'-C2'	-6.21	96.39	102.60
1	AA	476	U	C3'-C2'-C1'	6.21	106.46	101.50
1	AA	631	C	C6-N1-C2	-6.21	117.82	120.30
26	BB	1754	A	N1-C6-N6	6.21	122.32	118.60
26	BB	1803	A	N3-C4-N9	-6.21	122.44	127.40
26	BB	2048	G	C6-C5-N7	-6.21	126.68	130.40
26	BB	2583	G	O4'-C1'-N9	6.21	113.16	108.20
1	AA	509	A	C4-C5-C6	-6.20	113.90	117.00
1	AA	993	G	O5'-P-OP2	-6.20	100.12	105.70
1	AA	1464	U	C5-C4-O4	6.20	129.62	125.90
1	AA	1525	G	C2-N3-C4	6.20	115.00	111.90
26	BB	967	U	C4-C5-C6	6.20	123.42	119.70
26	BB	2080	A	C4'-C3'-C2'	-6.20	96.40	102.60
26	BB	2109	U	N1-C2-N3	-6.20	111.18	114.90
1	AA	179	A	C6-C5-N7	6.20	136.64	132.30
26	BB	311	A	C8-N9-C4	-6.20	103.32	105.80
26	BB	1640	A	N3-C4-N9	6.20	132.36	127.40
26	BB	2479	U	N1-C1'-C2'	6.20	122.06	114.00
1	AA	248	C	C5-C6-N1	-6.20	117.90	121.00
1	AA	257	G	C4'-C3'-C2'	-6.20	96.40	102.60
1	AA	552	U	C6-N1-C2	-6.20	117.28	121.00
1	AA	644	U	C2-N3-C4	-6.20	123.28	127.00
1	AA	683	G	N7-C8-N9	6.20	116.20	113.10
1	AA	780	A	N7-C8-N9	-6.20	110.70	113.80
1	AA	884	U	C1'-O4'-C4'	-6.20	104.94	109.90
1	AA	1332	A	N7-C8-N9	6.20	116.90	113.80
8	AH	93	VAL	CA-CB-CG2	6.20	120.20	110.90
25	BA	9	G	C4-C5-N7	-6.20	108.32	110.80
26	BB	205	G	O5'-P-OP2	-6.20	100.12	105.70
26	BB	810	U	N1-C2-O2	6.20	127.14	122.80
26	BB	1177	G	C5-C6-N1	6.20	114.60	111.50
46	BV	77	ARG	NE-CZ-NH1	6.20	123.40	120.30
1	AA	182	A	C1'-O4'-C4'	-6.20	104.94	109.90
1	AA	761	G	C2-N3-C4	6.20	115.00	111.90
1	AA	1014	A	N3-C4-C5	-6.20	122.46	126.80
1	AA	1046	A	C4-C5-N7	-6.20	107.60	110.70
1	AA	1208	C	C2-N1-C1'	-6.20	111.98	118.80
1	AA	1511	G	N3-C4-C5	-6.20	125.50	128.60
2	AB	24	G	N9-C4-C5	-6.20	102.92	105.40
19	AS	23	ASP	CB-CG-OD2	-6.20	112.72	118.30
26	BB	70	G	OP1-P-OP2	-6.20	110.30	119.60
26	BB	80	G	C4'-C3'-C2'	-6.20	96.40	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	94	A	N9-C4-C5	6.20	108.28	105.80
26	BB	946	C	C1'-O4'-C4'	6.20	114.86	109.90
26	BB	1266	G	C3'-C2'-C1'	-6.20	96.54	101.50
26	BB	2073	C	N3-C4-C5	-6.20	119.42	121.90
26	BB	2092	U	O4'-C1'-C2'	-6.20	99.60	105.80
26	BB	2564	A	C2-N3-C4	6.20	113.70	110.60
1	AA	59	A	C6-N1-C2	6.20	122.32	118.60
1	AA	721	G	N3-C2-N2	-6.20	115.56	119.90
26	BB	520	G	C1'-O4'-C4'	-6.20	104.94	109.90
26	BB	1238	G	C4-C5-N7	6.20	113.28	110.80
1	AA	31	G	C1'-O4'-C4'	6.20	114.86	109.90
1	AA	211	G	C6-C5-N7	-6.20	126.68	130.40
1	AA	222	C	N3-C2-O2	-6.20	117.56	121.90
1	AA	434	U	C2-N3-C4	-6.20	123.28	127.00
1	AA	857	C	C5-C4-N4	-6.20	115.86	120.20
2	AB	28	C	C2-N3-C4	-6.20	116.80	119.90
26	BB	285	G	C5-C6-O6	-6.20	124.88	128.60
26	BB	725	G	O4'-C1'-N9	6.20	113.16	108.20
26	BB	2050	C	N1-C2-O2	6.20	122.62	118.90
26	BB	2091	C	C5'-C4'-O4'	6.20	116.53	109.10
26	BB	2119	A	C5-C6-N1	6.20	120.80	117.70
26	BB	2581	G	N1-C2-N3	6.20	127.62	123.90
26	BB	2607	G	N3-C4-C5	-6.20	125.50	128.60
26	BB	2742	G	N1-C2-N3	6.20	127.62	123.90
26	BB	2771	C	C2-N3-C4	-6.20	116.80	119.90
1	AA	59	A	C6-C5-N7	6.19	136.64	132.30
26	BB	991	C	C2-N3-C4	6.19	123.00	119.90
26	BB	1902	C	C6-N1-C2	-6.19	117.82	120.30
26	BB	2067	G	N9-C1'-C2'	-6.19	105.19	112.00
1	AA	371	A	N9-C4-C5	6.19	108.28	105.80
1	AA	474	G	C4-C5-N7	-6.19	108.32	110.80
1	AA	584	G	C4-C5-C6	6.19	122.52	118.80
1	AA	607	A	C5-N7-C8	-6.19	100.80	103.90
1	AA	1388	C	C5-C4-N4	-6.19	115.87	120.20
10	AJ	61	PHE	CB-CG-CD2	-6.19	116.47	120.80
25	BA	32	U	N1-C2-N3	6.19	118.62	114.90
26	BB	262	A	C5'-C4'-O4'	6.19	116.53	109.10
26	BB	559	G	N3-C4-N9	6.19	129.72	126.00
26	BB	694	U	P-O3'-C3'	6.19	127.13	119.70
26	BB	872	U	C4'-C3'-C2'	-6.19	96.41	102.60
26	BB	1505	A	C5'-C4'-C3'	-6.19	106.09	116.00
26	BB	1686	C	C2-N3-C4	-6.19	116.80	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2418	A	C3'-C2'-C1'	6.19	106.45	101.50
26	BB	2619	C	O5'-P-OP2	-6.19	100.13	105.70
26	BB	2874	C	O4'-C1'-N1	6.19	113.16	108.20
1	AA	31	G	C6-C5-N7	-6.19	126.69	130.40
1	AA	116	A	C3'-C2'-C1'	-6.19	96.55	101.50
1	AA	128	G	N3-C4-N9	6.19	129.71	126.00
1	AA	914	A	C4-C5-C6	-6.19	113.91	117.00
1	AA	1140	C	C6-N1-C2	-6.19	117.82	120.30
1	AA	1198	G	C5'-C4'-O4'	6.19	116.53	109.10
1	AA	1468	A	P-O3'-C3'	6.19	127.13	119.70
5	AE	221	ARG	NE-CZ-NH2	-6.19	117.20	120.30
25	BA	16	G	C1'-O4'-C4'	-6.19	104.95	109.90
26	BB	132	G	C1'-O4'-C4'	6.19	114.85	109.90
26	BB	168	G	C4-C5-N7	6.19	113.28	110.80
26	BB	479	A	C5-N7-C8	6.19	107.00	103.90
26	BB	524	G	N3-C2-N2	-6.19	115.57	119.90
26	BB	1216	G	N1-C6-O6	6.19	123.61	119.90
26	BB	1427	A	N9-C1'-C2'	6.19	122.05	114.00
26	BB	1595	C	C4-C5-C6	-6.19	114.30	117.40
26	BB	2029	G	N9-C1'-C2'	-6.19	105.19	112.00
26	BB	2059	A	O5'-C5'-C4'	-6.19	99.94	111.70
26	BB	2213	U	N1-C2-N3	6.19	118.61	114.90
26	BB	2663	G	C3'-C2'-C1'	-6.19	96.55	101.50
1	AA	378	G	C4-C5-N7	6.19	113.28	110.80
1	AA	408	A	C5-N7-C8	-6.19	100.81	103.90
1	AA	420	U	N1-C2-O2	6.19	127.13	122.80
1	AA	941	G	C5'-C4'-C3'	-6.19	106.10	116.00
1	AA	997	U	C6-N1-C2	-6.19	117.29	121.00
24	AX	54	ARG	NE-CZ-NH2	-6.19	117.20	120.30
26	BB	93	G	C4-C5-N7	-6.19	108.32	110.80
26	BB	1307	A	C5-C6-N1	6.19	120.79	117.70
26	BB	1801	A	C6-N1-C2	-6.19	114.89	118.60
26	BB	2501	C	C3'-C2'-C1'	6.19	106.45	101.50
26	BB	2619	C	C5-C6-N1	-6.19	117.91	121.00
26	BB	2732	G	C4-C5-C6	6.19	122.51	118.80
31	BG	109	ARG	CD-NE-CZ	6.19	132.26	123.60
49	BY	59	PHE	CB-CG-CD2	-6.19	116.47	120.80
1	AA	74	A	C5-C6-N1	6.19	120.79	117.70
14	AN	76	TYR	CG-CD2-CE2	-6.19	116.35	121.30
26	BB	801	G	O4'-C1'-N9	6.19	113.15	108.20
26	BB	1744	A	C1'-O4'-C4'	-6.19	104.95	109.90
26	BB	1851	U	O4'-C1'-N1	6.19	113.15	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1900	A	C5-C6-N6	-6.19	118.75	123.70
26	BB	2354	C	C5'-C4'-C3'	-6.19	106.10	116.00
26	BB	2564	A	N1-C2-N3	-6.19	126.21	129.30
26	BB	2820	A	O4'-C4'-C3'	6.19	111.05	106.10
1	AA	445	G	C4-C5-C6	6.19	122.51	118.80
1	AA	806	C	N1-C2-N3	6.19	123.53	119.20
2	AB	44	G	N9-C4-C5	6.19	107.88	105.40
26	BB	818	G	N3-C2-N2	6.19	124.23	119.90
26	BB	2767	C	N3-C4-C5	-6.19	119.43	121.90
1	AA	830	G	N9-C1'-C2'	-6.18	105.20	112.00
1	AA	1191	A	C5'-C4'-C3'	-6.18	106.10	116.00
1	AA	1530	G	C5'-C4'-C3'	-6.18	106.11	116.00
25	BA	54	G	C5'-C4'-O4'	6.18	116.52	109.10
26	BB	105	C	N1-C2-O2	6.18	122.61	118.90
26	BB	521	U	C5'-C4'-O4'	6.18	116.52	109.10
26	BB	670	A	N7-C8-N9	6.18	116.89	113.80
26	BB	2366	A	C2-N3-C4	6.18	113.69	110.60
26	BB	2511	U	C5'-C4'-O4'	6.18	116.52	109.10
26	BB	2648	G	N1-C6-O6	6.18	123.61	119.90
1	AA	14	U	C4'-C3'-C2'	-6.18	96.42	102.60
1	AA	242	G	C5-C6-N1	6.18	114.59	111.50
1	AA	1131	G	C8-N9-C4	-6.18	103.93	106.40
1	AA	1435	G	N3-C2-N2	-6.18	115.57	119.90
1	AA	1438	G	C1'-O4'-C4'	6.18	114.85	109.90
4	AD	1	C	O3'-P-O5'	6.18	115.75	104.00
13	AM	40	ILE	CA-CB-CG1	6.18	122.75	111.00
25	BA	61	G	N3-C2-N2	-6.18	115.57	119.90
26	BB	189	G	N3-C2-N2	-6.18	115.57	119.90
26	BB	570	G	N1-C6-O6	-6.18	116.19	119.90
26	BB	1082	U	C6-N1-C2	-6.18	117.29	121.00
26	BB	1546	G	O3'-P-O5'	-6.18	92.25	104.00
26	BB	1577	C	O4'-C1'-N1	6.18	113.14	108.20
26	BB	1711	A	N9-C1'-C2'	-6.18	105.20	112.00
26	BB	2234	G	N3-C4-C5	-6.18	125.51	128.60
26	BB	2385	C	C5'-C4'-O4'	6.18	116.52	109.10
32	BH	152	ARG	NE-CZ-NH1	6.18	123.39	120.30
1	AA	587	G	N3-C4-C5	-6.18	125.51	128.60
25	BA	52	A	C6-N1-C2	-6.18	114.89	118.60
26	BB	108	G	C6-C5-N7	-6.18	126.69	130.40
26	BB	389	G	N9-C4-C5	6.18	107.87	105.40
26	BB	857	G	N1-C2-N2	-6.18	110.64	116.20
26	BB	960	A	N3-C4-N9	-6.18	122.45	127.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1140	C	O3'-P-O5'	6.18	115.75	104.00
26	BB	1236	G	C5-C6-O6	-6.18	124.89	128.60
26	BB	1500	G	C4-C5-C6	6.18	122.51	118.80
26	BB	1540	G	N3-C2-N2	-6.18	115.57	119.90
26	BB	1825	U	P-O3'-C3'	6.18	127.12	119.70
26	BB	1954	G	N1-C2-N3	-6.18	120.19	123.90
26	BB	2300	C	O4'-C1'-N1	6.18	113.14	108.20
26	BB	2329	U	N3-C4-O4	6.18	123.73	119.40
26	BB	2592	G	C5-N7-C8	-6.18	101.21	104.30
1	AA	587	G	C4-C5-C6	6.18	122.51	118.80
1	AA	866	C	O4'-C1'-N1	6.18	113.14	108.20
1	AA	960	U	C2'-C3'-O3'	6.18	123.59	113.70
1	AA	1271	A	C4'-C3'-C2'	-6.18	96.42	102.60
1	AA	1356	G	C6-N1-C2	-6.18	121.39	125.10
26	BB	508	A	C5-C6-N1	6.18	120.79	117.70
26	BB	1186	G	C8-N9-C4	-6.18	103.93	106.40
26	BB	2022	U	C3'-C2'-C1'	6.18	106.44	101.50
26	BB	2160	C	C6-N1-C2	-6.18	117.83	120.30
26	BB	2164	C	N3-C2-O2	-6.18	117.58	121.90
26	BB	2234	G	C8-N9-C4	-6.18	103.93	106.40
26	BB	2694	G	C5-C6-N1	6.18	114.59	111.50
26	BB	2811	G	N1-C2-N3	-6.18	120.19	123.90
1	AA	291	U	O4'-C4'-C3'	6.18	111.04	106.10
1	AA	492	C	N3-C4-C5	-6.18	119.43	121.90
1	AA	1255	G	C8-N9-C4	-6.18	103.93	106.40
26	BB	443	A	O4'-C4'-C3'	6.18	111.04	106.10
26	BB	682	G	C4'-C3'-C2'	-6.18	96.42	102.60
26	BB	1111	A	C1'-O4'-C4'	-6.18	104.96	109.90
1	AA	658	C	N3-C4-C5	6.18	124.37	121.90
1	AA	700	G	N1-C6-O6	-6.18	116.19	119.90
1	AA	800	G	C6-N1-C2	-6.18	121.39	125.10
1	AA	913	A	C2-N3-C4	-6.18	107.51	110.60
1	AA	1394	A	C5-C6-N1	6.18	120.79	117.70
11	AK	116	ARG	NE-CZ-NH1	6.18	123.39	120.30
26	BB	704	G	N1-C2-N2	-6.18	110.64	116.20
26	BB	757	G	C6-C5-N7	6.18	134.11	130.40
26	BB	1367	A	C5-C6-N1	-6.18	114.61	117.70
26	BB	1699	G	P-O3'-C3'	6.18	127.11	119.70
26	BB	2124	G	C8-N9-C1'	6.18	135.03	127.00
26	BB	2147	A	C5-N7-C8	-6.18	100.81	103.90
26	BB	2152	G	O4'-C4'-C3'	6.18	111.04	106.10
26	BB	2236	U	N3-C4-O4	-6.18	115.08	119.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2784	U	C2-N3-C4	-6.18	123.29	127.00
1	AA	185	U	C5'-C4'-O4'	6.17	116.51	109.10
1	AA	914	A	C3'-C2'-C1'	6.17	106.44	101.50
26	BB	1312	U	C5-C6-N1	-6.17	119.61	122.70
26	BB	1474	U	C1'-O4'-C4'	-6.17	104.96	109.90
50	BZ	56	ARG	NE-CZ-NH2	6.17	123.39	120.30
1	AA	700	G	N3-C4-C5	-6.17	125.51	128.60
5	AE	126	ASP	CB-CG-OD1	-6.17	112.74	118.30
26	BB	50	U	N3-C4-C5	-6.17	110.90	114.60
26	BB	319	G	C6-N1-C2	-6.17	121.40	125.10
26	BB	2731	G	P-O5'-C5'	6.17	130.78	120.90
1	AA	269	C	C5'-C4'-O4'	6.17	116.51	109.10
1	AA	329	A	P-O3'-C3'	6.17	127.11	119.70
1	AA	718	A	N3-C4-C5	-6.17	122.48	126.80
1	AA	997	U	C5'-C4'-O4'	6.17	116.51	109.10
1	AA	1090	U	N3-C4-O4	6.17	123.72	119.40
1	AA	1197	A	C8-N9-C4	6.17	108.27	105.80
8	AH	56	PRO	N-CA-CB	6.17	110.71	103.30
9	AI	41	ASP	CB-CG-OD2	-6.17	112.75	118.30
25	BA	84	G	C4'-C3'-C2'	-6.17	96.43	102.60
26	BB	205	G	N1-C2-N3	6.17	127.60	123.90
26	BB	848	C	N1-C2-O2	6.17	122.60	118.90
26	BB	1279	G	N7-C8-N9	6.17	116.19	113.10
26	BB	1360	G	C5-C6-O6	6.17	132.30	128.60
26	BB	1466	U	C2-N3-C4	-6.17	123.30	127.00
26	BB	1538	G	O4'-C1'-N9	6.17	113.14	108.20
26	BB	1574	C	C5-C4-N4	-6.17	115.88	120.20
26	BB	1924	C	N1-C2-O2	6.17	122.60	118.90
48	BX	31	TYR	CD1-CE1-CZ	-6.17	114.25	119.80
1	AA	668	G	C5'-C4'-O4'	6.17	116.50	109.10
1	AA	1161	C	N3-C4-N4	-6.17	113.68	118.00
1	AA	1531	A	C6-N1-C2	-6.17	114.90	118.60
26	BB	279	A	C4'-C3'-C2'	-6.17	96.43	102.60
26	BB	695	G	N3-C4-C5	-6.17	125.52	128.60
26	BB	1137	G	C4'-C3'-C2'	-6.17	96.43	102.60
26	BB	2589	A	C5'-C4'-O4'	6.17	116.50	109.10
1	AA	310	G	C5-N7-C8	-6.17	101.22	104.30
1	AA	714	G	N3-C4-C5	-6.17	125.52	128.60
1	AA	1352	C	N1-C1'-C2'	-6.17	105.22	112.00
1	AA	1432	G	C4-C5-N7	-6.17	108.33	110.80
18	AR	53	ARG	NE-CZ-NH2	6.17	123.38	120.30
26	BB	79	C	C6-N1-C2	-6.17	117.83	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	447	A	N1-C6-N6	-6.17	114.90	118.60
26	BB	448	U	C5-C6-N1	-6.17	119.62	122.70
26	BB	562	U	C4-C5-C6	6.17	123.40	119.70
26	BB	735	A	N1-C2-N3	-6.17	126.22	129.30
26	BB	1209	U	O4'-C1'-N1	6.17	113.14	108.20
26	BB	1228	G	N9-C1'-C2'	6.17	122.02	114.00
26	BB	1274	A	O3'-P-O5'	-6.17	92.28	104.00
26	BB	1298	C	C3'-C2'-C1'	-6.17	96.56	101.50
26	BB	1515	A	C1'-O4'-C4'	-6.17	104.97	109.90
26	BB	1521	G	N3-C4-C5	-6.17	125.52	128.60
26	BB	1660	G	N3-C4-C5	-6.17	125.52	128.60
26	BB	1731	G	N3-C4-N9	-6.17	122.30	126.00
26	BB	1931	U	N3-C2-O2	-6.17	117.88	122.20
26	BB	2249	U	C4-C5-C6	6.17	123.40	119.70
26	BB	2363	G	C2-N3-C4	6.17	114.98	111.90
26	BB	2616	C	N1-C2-N3	-6.17	114.88	119.20
1	AA	16	A	C4-C5-N7	-6.17	107.62	110.70
1	AA	77	A	C1'-O4'-C4'	6.17	114.83	109.90
1	AA	767	A	N9-C4-C5	6.17	108.27	105.80
1	AA	1434	A	C8-N9-C4	-6.17	103.33	105.80
1	AA	1505	G	N1-C2-N2	6.17	121.75	116.20
26	BB	192	C	C5-C6-N1	6.17	124.08	121.00
26	BB	2424	C	C6-N1-C2	-6.17	117.83	120.30
26	BB	2561	U	C5-C4-O4	-6.17	122.20	125.90
26	BB	2730	C	N1-C2-O2	-6.17	115.20	118.90
26	BB	2749	A	C5'-C4'-O4'	6.17	116.50	109.10
26	BB	2762	C	C5-C4-N4	-6.17	115.88	120.20
1	AA	33	A	N7-C8-N9	-6.17	110.72	113.80
1	AA	205	A	O4'-C1'-C2'	-6.17	99.64	105.80
1	AA	450	G	C6-C5-N7	-6.17	126.70	130.40
1	AA	975	A	N1-C6-N6	-6.17	114.90	118.60
26	BB	1437	C	C3'-C2'-C1'	6.17	106.43	101.50
26	BB	2219	U	N1-C1'-C2'	-6.17	105.22	112.00
26	BB	2902	C	C4'-C3'-C2'	-6.17	96.44	102.60
1	AA	151	A	C4-C5-C6	6.16	120.08	117.00
1	AA	187	G	N3-C4-C5	-6.16	125.52	128.60
1	AA	286	C	C1'-O4'-C4'	-6.16	104.97	109.90
1	AA	692	U	C5-C4-O4	-6.16	122.20	125.90
1	AA	1064	G	C6-C5-N7	-6.16	126.70	130.40
1	AA	1236	A	C6-N1-C2	6.16	122.30	118.60
1	AA	1511	G	N9-C4-C5	6.16	107.87	105.40
26	BB	47	C	C4'-C3'-C2'	-6.16	96.44	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	75	G	N9-C1'-C2'	-6.16	105.22	112.00
26	BB	418	C	N3-C4-N4	-6.16	113.69	118.00
26	BB	489	G	O5'-P-OP2	-6.16	100.15	105.70
26	BB	524	G	C3'-C2'-C1'	-6.16	96.57	101.50
26	BB	747	5MU	P-O3'-C3'	6.16	127.10	119.70
26	BB	808	G	C3'-C2'-C1'	-6.16	96.57	101.50
26	BB	1594	U	C5-C4-O4	6.16	129.60	125.90
26	BB	1961	C	N3-C4-C5	-6.16	119.44	121.90
28	BD	270	ARG	NE-CZ-NH1	6.16	123.38	120.30
1	AA	364	A	C6-N1-C2	6.16	122.30	118.60
1	AA	842	U	C1'-O4'-C4'	-6.16	104.97	109.90
1	AA	882	C	P-O5'-C5'	6.16	130.76	120.90
1	AA	1053	G	C5-C6-N1	6.16	114.58	111.50
14	AN	97	ARG	NE-CZ-NH1	6.16	123.38	120.30
26	BB	968	C	C4'-C3'-C2'	-6.16	96.44	102.60
26	BB	1485	U	C5-C4-O4	6.16	129.60	125.90
1	AA	244	U	N3-C2-O2	-6.16	117.89	122.20
1	AA	283	U	C5'-C4'-O4'	6.16	116.49	109.10
26	BB	138	U	C3'-C2'-C1'	6.16	106.43	101.50
26	BB	845	A	N1-C2-N3	6.16	132.38	129.30
26	BB	2561	U	N1-C2-O2	-6.16	118.49	122.80
1	AA	122	G	C5-C6-N1	-6.16	108.42	111.50
1	AA	167	A	N9-C4-C5	-6.16	103.34	105.80
1	AA	788	U	C2'-C3'-O3'	6.16	123.55	113.70
1	AA	947	G	N9-C4-C5	6.16	107.86	105.40
1	AA	1170	A	C5-C6-N1	6.16	120.78	117.70
13	AM	95	GLY	O-C-N	6.16	132.56	122.70
17	AQ	80	ARG	NE-CZ-NH1	6.16	123.38	120.30
26	BB	400	G	O4'-C1'-N9	6.16	113.13	108.20
26	BB	635	C	N1-C2-O2	6.16	122.59	118.90
26	BB	724	U	C3'-C2'-C1'	-6.16	96.57	101.50
26	BB	900	A	C4-C5-N7	-6.16	107.62	110.70
26	BB	1554	U	C5-C6-N1	-6.16	119.62	122.70
26	BB	1720	U	N1-C2-N3	6.16	118.59	114.90
26	BB	2063	C	N1-C2-N3	-6.16	114.89	119.20
26	BB	2842	G	C5'-C4'-O4'	6.16	116.49	109.10
45	BU	99	ARG	NE-CZ-NH1	-6.16	117.22	120.30
46	BV	60	THR	CA-CB-CG2	6.16	121.02	112.40
1	AA	118	U	C1'-O4'-C4'	-6.16	104.97	109.90
1	AA	850	U	C1'-O4'-C4'	-6.16	104.97	109.90
5	AE	90	PHE	CB-CG-CD1	-6.16	116.49	120.80
18	AR	68	TYR	CG-CD2-CE2	-6.16	116.38	121.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	864	G	C4-C5-C6	6.16	122.49	118.80
26	BB	2880	C	C6-N1-C2	6.16	122.76	120.30
1	AA	287	U	N3-C4-C5	-6.16	110.91	114.60
1	AA	1371	G	O4'-C4'-C3'	-6.16	97.84	104.00
10	AJ	176	TYR	CB-CG-CD1	-6.16	117.31	121.00
26	BB	244	A	O4'-C4'-C3'	6.16	111.03	106.10
26	BB	1450	G	N9-C1'-C2'	-6.16	105.23	112.00
26	BB	1672	A	C4-C5-N7	-6.16	107.62	110.70
26	BB	1943	U	C2-N3-C4	-6.16	123.31	127.00
26	BB	2115	G	C5-N7-C8	-6.16	101.22	104.30
26	BB	1334	G	C8-N9-C4	-6.15	103.94	106.40
26	BB	2583	G	C2-N3-C4	6.15	114.98	111.90
1	AA	601	G	C3'-C2'-C1'	6.15	106.42	101.50
1	AA	756	C	N1-C2-N3	-6.15	114.89	119.20
1	AA	1430	A	C5-N7-C8	6.15	106.98	103.90
1	AA	1497	G	C3'-C2'-C1'	6.15	106.42	101.50
4	AD	66	C	C3'-C2'-C1'	6.15	106.42	101.50
26	BB	405	U	C5-C6-N1	-6.15	119.62	122.70
26	BB	668	A	C5-N7-C8	6.15	106.98	103.90
26	BB	875	G	C5-C6-O6	6.15	132.29	128.60
26	BB	1146	C	N1-C2-O2	6.15	122.59	118.90
26	BB	1242	U	C6-N1-C2	-6.15	117.31	121.00
26	BB	1547	C	C2-N3-C4	6.15	122.98	119.90
26	BB	1555	G	C5-N7-C8	-6.15	101.22	104.30
26	BB	1614	A	O4'-C1'-C2'	6.15	113.14	107.60
26	BB	2647	U	C2-N3-C4	-6.15	123.31	127.00
26	BB	2663	G	C8-N9-C1'	6.15	135.00	127.00
26	BB	2675	A	C5'-C4'-O4'	6.15	116.48	109.10
39	BO	92	TRP	CG-CD2-CE3	-6.15	128.36	133.90
1	AA	65	A	C5-N7-C8	6.15	106.97	103.90
1	AA	328	C	N3-C2-O2	-6.15	117.59	121.90
1	AA	540	G	N1-C2-N2	6.15	121.74	116.20
1	AA	628	G	C5-N7-C8	6.15	107.38	104.30
1	AA	755	G	N3-C4-C5	-6.15	125.53	128.60
1	AA	1536	C	N3-C2-O2	-6.15	117.59	121.90
26	BB	966	G	C4-C5-N7	-6.15	108.34	110.80
26	BB	1190	G	C3'-C2'-C1'	6.15	106.42	101.50
26	BB	2288	A	N1-C6-N6	6.15	122.29	118.60
1	AA	75	G	N9-C1'-C2'	-6.15	105.24	112.00
1	AA	419	C	C2-N3-C4	-6.15	116.83	119.90
1	AA	936	C	N3-C2-O2	-6.15	117.60	121.90
1	AA	1303	C	C5-C4-N4	-6.15	115.90	120.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	AQ	95	LEU	CB-CA-C	6.15	121.88	110.20
26	BB	827	U	C5-C6-N1	-6.15	119.62	122.70
26	BB	2340	A	C5'-C4'-O4'	6.15	116.48	109.10
26	BB	2741	A	N1-C2-N3	-6.15	126.23	129.30
29	BE	13	ARG	NE-CZ-NH1	6.15	123.37	120.30
1	AA	228	A	C4-C5-N7	6.15	113.77	110.70
1	AA	1219	A	C5'-C4'-C3'	-6.15	106.16	116.00
1	AA	1372	U	N1-C2-N3	6.15	118.59	114.90
26	BB	198	C	N1-C2-O2	6.15	122.59	118.90
26	BB	406	G	N7-C8-N9	6.15	116.17	113.10
26	BB	582	A	C1'-O4'-C4'	-6.15	104.98	109.90
26	BB	800	A	O4'-C1'-N9	6.15	113.12	108.20
26	BB	1233	C	N3-C2-O2	-6.15	117.60	121.90
26	BB	2459	A	C5-C6-N1	6.15	120.77	117.70
51	B0	23	ARG	NH1-CZ-NH2	-6.15	112.64	119.40
1	AA	567	G	N1-C2-N2	-6.15	110.67	116.20
26	BB	1739	A	O4'-C1'-N9	6.15	113.12	108.20
1	AA	630	A	C5'-C4'-O4'	6.14	116.47	109.10
1	AA	643	C	N1-C2-O2	6.14	122.59	118.90
1	AA	1011	C	C5-C6-N1	6.14	124.07	121.00
1	AA	1180	A	N1-C2-N3	-6.14	126.23	129.30
1	AA	1232	U	O4'-C1'-N1	6.14	113.12	108.20
1	AA	1315	U	C5-C6-N1	-6.14	119.63	122.70
1	AA	1511	G	N7-C8-N9	6.14	116.17	113.10
3	AC	48	C	N3-C2-O2	-6.14	117.60	121.90
26	BB	324	A	N9-C1'-C2'	-6.14	105.24	112.00
26	BB	2065	C	C5-C6-N1	6.14	124.07	121.00
26	BB	2208	C	N3-C4-C5	-6.14	119.44	121.90
26	BB	2598	A	P-O3'-C3'	6.14	127.07	119.70
26	BB	2755	C	O4'-C1'-N1	6.14	113.12	108.20
1	AA	89	U	N3-C2-O2	-6.14	117.90	122.20
1	AA	141	G	N1-C6-O6	-6.14	116.21	119.90
2	AB	9	A	C4-C5-N7	-6.14	107.63	110.70
2	AB	71	C	C4-C5-C6	-6.14	114.33	117.40
20	AT	32	ILE	CA-CB-CG1	6.14	122.67	111.00
25	BA	77	U	N1-C2-N3	6.14	118.58	114.90
25	BA	104	A	C6-C5-N7	6.14	136.60	132.30
26	BB	641	U	C5-C6-N1	-6.14	119.63	122.70
26	BB	661	A	N9-C4-C5	-6.14	103.34	105.80
26	BB	785	G	P-O3'-C3'	6.14	127.07	119.70
26	BB	828	U	C6-N1-C1'	-6.14	112.60	121.20
26	BB	869	G	C4'-C3'-C2'	-6.14	96.46	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1130	U	C5-C6-N1	-6.14	119.63	122.70
26	BB	1139	G	C4-C5-N7	-6.14	108.34	110.80
26	BB	1387	A	C8-N9-C4	-6.14	103.34	105.80
26	BB	1475	G	N1-C6-O6	6.14	123.58	119.90
26	BB	1549	A	C5'-C4'-O4'	6.14	116.47	109.10
26	BB	1677	A	C2-N3-C4	6.14	113.67	110.60
26	BB	1781	U	P-O3'-C3'	6.14	127.07	119.70
26	BB	2820	A	C4-C5-N7	-6.14	107.63	110.70
1	AA	945	G	N3-C4-C5	-6.14	125.53	128.60
1	AA	974	A	N1-C2-N3	-6.14	126.23	129.30
1	AA	1226	C	C2'-C3'-O3'	6.14	123.53	113.70
25	BA	14	U	O4'-C1'-N1	6.14	113.11	108.20
26	BB	1211	C	C5-C6-N1	6.14	124.07	121.00
26	BB	1505	A	C5-N7-C8	-6.14	100.83	103.90
26	BB	1789	A	C4-C5-N7	-6.14	107.63	110.70
26	BB	1937	A	C5-N7-C8	-6.14	100.83	103.90
26	BB	2614	A	P-O3'-C3'	6.14	127.07	119.70
1	AA	156	C	C5-C6-N1	6.14	124.07	121.00
1	AA	242	G	N9-C4-C5	6.14	107.86	105.40
1	AA	605	U	C5'-C4'-O4'	6.14	116.47	109.10
1	AA	700	G	N1-C2-N2	-6.14	110.67	116.20
26	BB	332	A	C5-C6-N1	-6.14	114.63	117.70
26	BB	371	A	C4-C5-C6	6.14	120.07	117.00
26	BB	635	C	N3-C4-N4	6.14	122.30	118.00
26	BB	1034	G	C5-N7-C8	-6.14	101.23	104.30
26	BB	1339	G	C3'-C2'-C1'	-6.14	96.59	101.50
26	BB	1550	C	N1-C1'-C2'	-6.14	105.25	112.00
26	BB	1672	A	C1'-O4'-C4'	-6.14	104.99	109.90
26	BB	1776	G	N1-C6-O6	6.14	123.58	119.90
26	BB	1776	G	C5-C6-O6	-6.14	124.92	128.60
26	BB	1932	A	C6-C5-N7	-6.14	128.00	132.30
26	BB	2028	U	C1'-O4'-C4'	6.14	114.81	109.90
26	BB	2408	U	O4'-C1'-N1	6.14	113.11	108.20
26	BB	2572	A	C8-N9-C4	-6.14	103.34	105.80
26	BB	2852	G	N1-C2-N3	-6.14	120.22	123.90
1	AA	139	A	C4-C5-N7	6.14	113.77	110.70
1	AA	588	G	C4'-C3'-C2'	-6.14	96.46	102.60
1	AA	767	A	C1'-O4'-C4'	6.14	114.81	109.90
26	BB	250	G	C4-C5-C6	6.14	122.48	118.80
1	AA	330	C	N3-C4-C5	-6.14	119.45	121.90
1	AA	605	U	C2-N1-C1'	-6.14	110.34	117.70
1	AA	724	G	N1-C6-O6	6.14	123.58	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1328	C	N1-C2-N3	-6.14	114.91	119.20
2	AB	2	G	N3-C4-N9	6.14	129.68	126.00
26	BB	335	C	N1-C2-N3	-6.14	114.90	119.20
26	BB	506	G	N7-C8-N9	6.14	116.17	113.10
26	BB	912	C	N3-C4-C5	-6.14	119.44	121.90
26	BB	1008	A	C6-C5-N7	6.14	136.60	132.30
26	BB	1074	G	C4-C5-C6	-6.14	115.12	118.80
26	BB	1387	A	N1-C2-N3	-6.14	126.23	129.30
26	BB	1475	G	C2-N3-C4	6.14	114.97	111.90
26	BB	1730	C	N3-C2-O2	-6.14	117.60	121.90
26	BB	1842	G	N7-C8-N9	6.14	116.17	113.10
26	BB	2145	C	N3-C2-O2	-6.14	117.60	121.90
26	BB	2344	U	C5'-C4'-O4'	6.14	116.46	109.10
29	BE	118	PHE	C-N-CA	6.14	137.04	121.70
1	AA	800	G	N9-C4-C5	6.13	107.85	105.40
1	AA	999	C	N3-C4-C5	-6.13	119.45	121.90
2	AB	71	C	N3-C2-O2	-6.13	117.61	121.90
26	BB	192	C	C5-C4-N4	-6.13	115.91	120.20
26	BB	361	G	C5-C6-N1	6.13	114.57	111.50
26	BB	513	A	N3-C4-C5	-6.13	122.51	126.80
26	BB	878	A	C4-C5-C6	-6.13	113.93	117.00
26	BB	1361	G	N7-C8-N9	6.13	116.17	113.10
26	BB	1831	G	C8-N9-C1'	6.13	134.97	127.00
26	BB	1913	A	C4-C5-N7	-6.13	107.63	110.70
1	AA	32	A	C4-C5-C6	6.13	120.07	117.00
1	AA	762	U	N3-C4-O4	6.13	123.69	119.40
4	AD	6	G	N3-C4-N9	6.13	129.68	126.00
26	BB	205	G	N9-C1'-C2'	6.13	121.97	114.00
26	BB	270	A	N7-C8-N9	6.13	116.87	113.80
26	BB	792	A	N7-C8-N9	6.13	116.87	113.80
26	BB	2239	G	N3-C2-N2	6.13	124.19	119.90
1	AA	221	C	N1-C1'-C2'	-6.13	105.25	112.00
1	AA	442	G	C6-N1-C2	-6.13	121.42	125.10
2	AB	23	A	C4-C5-N7	6.13	113.77	110.70
25	BA	10	G	N1-C2-N2	6.13	121.72	116.20
26	BB	214	G	N7-C8-N9	6.13	116.17	113.10
26	BB	605	G	C8-N9-C4	-6.13	103.95	106.40
26	BB	702	U	C5'-C4'-O4'	6.13	116.46	109.10
26	BB	834	G	N3-C2-N2	-6.13	115.61	119.90
26	BB	988	A	C2-N3-C4	-6.13	107.53	110.60
26	BB	1219	U	C4-C5-C6	6.13	123.38	119.70
26	BB	1361	G	C5-C6-N1	6.13	114.57	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1766	G	C6-N1-C2	-6.13	121.42	125.10
26	BB	2150	C	C5'-C4'-O4'	6.13	116.46	109.10
26	BB	2358	A	C1'-O4'-C4'	-6.13	105.00	109.90
26	BB	2584	U	C3'-C2'-C1'	6.13	106.41	101.50
26	BB	231	A	N1-C6-N6	6.13	122.28	118.60
26	BB	1266	G	C8-N9-C4	-6.13	103.95	106.40
26	BB	1269	A	N1-C2-N3	-6.13	126.23	129.30
26	BB	2659	G	C5-N7-C8	6.13	107.36	104.30
26	BB	2683	C	C5'-C4'-O4'	6.13	116.46	109.10
1	AA	166	U	C5-C6-N1	-6.13	119.64	122.70
1	AA	378	G	C5-N7-C8	-6.13	101.24	104.30
1	AA	1136	C	P-O3'-C3'	6.13	127.06	119.70
1	AA	1158	C	N3-C2-O2	-6.13	117.61	121.90
1	AA	1416	G	C3'-C2'-C1'	-6.13	96.60	101.50
15	AO	1	ALA	CB-CA-C	6.13	119.29	110.10
26	BB	305	C	N1-C2-N3	-6.13	114.91	119.20
26	BB	347	A	C2-N3-C4	6.13	113.66	110.60
26	BB	470	A	P-O3'-C3'	6.13	127.06	119.70
26	BB	875	G	C4-C5-C6	6.13	122.48	118.80
26	BB	1310	G	C3'-C2'-C1'	6.13	106.40	101.50
26	BB	1809	A	P-O3'-C3'	6.13	127.05	119.70
1	AA	577	G	C8-N9-C4	-6.13	103.95	106.40
1	AA	657	U	N3-C4-C5	-6.13	110.92	114.60
15	AO	34	THR	CA-CB-CG2	6.13	120.98	112.40
26	BB	261	G	C3'-C2'-C1'	6.13	106.40	101.50
26	BB	299	A	N3-C4-C5	-6.13	122.51	126.80
26	BB	471	A	C5-C6-N6	6.13	128.60	123.70
26	BB	694	U	C4-C5-C6	6.13	123.38	119.70
26	BB	878	A	C8-N9-C4	-6.13	103.35	105.80
26	BB	1038	G	C3'-C2'-C1'	6.13	106.40	101.50
26	BB	1120	G	C4-C5-C6	6.13	122.48	118.80
26	BB	1257	C	N3-C4-N4	6.13	122.29	118.00
26	BB	1554	U	C4-C5-C6	6.13	123.38	119.70
26	BB	1627	G	N1-C2-N2	6.13	121.71	116.20
26	BB	1749	A	N9-C4-C5	6.13	108.25	105.80
26	BB	2175	C	O3'-P-O5'	-6.13	92.36	104.00
26	BB	2336	A	C1'-O4'-C4'	-6.13	105.00	109.90
26	BB	2408	U	C2-N3-C4	-6.13	123.32	127.00
26	BB	2416	C	C2-N3-C4	6.13	122.96	119.90
26	BB	2779	U	P-O3'-C3'	6.13	127.05	119.70
1	AA	1535	C	C2-N3-C4	-6.12	116.84	119.90
5	AE	109	SER	CB-CA-C	6.12	121.74	110.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	421	C	O3'-P-O5'	-6.12	92.36	104.00
26	BB	1997	C	C6-N1-C2	-6.12	117.85	120.30
26	BB	2122	U	C2'-C3'-O3'	6.12	123.50	113.70
27	BC	146	THR	CA-CB-CG2	6.12	120.97	112.40
1	AA	186	C	C2-N3-C4	6.12	122.96	119.90
1	AA	458	U	C1'-O4'-C4'	-6.12	105.00	109.90
1	AA	491	G	O4'-C4'-C3'	6.12	111.00	106.10
1	AA	1068	G	C5'-C4'-O4'	6.12	116.45	109.10
1	AA	1211	U	N1-C2-N3	6.12	118.57	114.90
1	AA	1517	G	N7-C8-N9	6.12	116.16	113.10
4	AD	24	C	N3-C4-N4	6.12	122.29	118.00
26	BB	1548	A	C1'-O4'-C4'	-6.12	105.00	109.90
26	BB	1906	G	N3-C2-N2	-6.12	115.61	119.90
26	BB	2177	C	O4'-C1'-N1	6.12	113.10	108.20
42	BR	92	ARG	NH1-CZ-NH2	-6.12	112.66	119.40
1	AA	102	G	C4-C5-C6	6.12	122.47	118.80
1	AA	1105	A	C1'-O4'-C4'	-6.12	105.00	109.90
1	AA	1198	G	C4-C5-N7	-6.12	108.35	110.80
1	AA	1410	A	C5-C6-N6	6.12	128.60	123.70
25	BA	25	U	C5-C4-O4	-6.12	122.23	125.90
26	BB	226	A	N9-C4-C5	6.12	108.25	105.80
26	BB	572	A	C2-N3-C4	6.12	113.66	110.60
26	BB	608	A	C4'-C3'-C2'	-6.12	96.48	102.60
26	BB	902	C	N1-C2-O2	6.12	122.57	118.90
26	BB	967	U	C3'-C2'-C1'	6.12	106.40	101.50
26	BB	1114	C	C3'-C2'-C1'	6.12	106.40	101.50
26	BB	1677	A	C8-N9-C4	-6.12	103.35	105.80
26	BB	1678	A	N9-C1'-C2'	-6.12	105.27	112.00
26	BB	2228	G	C2-N3-C4	6.12	114.96	111.90
26	BB	2455	G	C8-N9-C4	-6.12	103.95	106.40
2	AB	58	A	C5-C6-N6	6.12	128.60	123.70
26	BB	32	C	C5-C4-N4	-6.12	115.92	120.20
26	BB	1691	C	C5-C6-N1	-6.12	117.94	121.00
1	AA	948	C	C3'-C2'-C1'	6.12	106.39	101.50
1	AA	1297	G	C6-C5-N7	6.12	134.07	130.40
1	AA	1341	U	N1-C2-O2	-6.12	118.52	122.80
26	BB	294	A	C6-N1-C2	6.12	122.27	118.60
26	BB	401	A	C3'-C2'-C1'	-6.12	96.61	101.50
26	BB	560	C	C6-N1-C2	6.12	122.75	120.30
26	BB	1098	A	C2-N3-C4	6.12	113.66	110.60
26	BB	1239	G	N3-C4-C5	-6.12	125.54	128.60
26	BB	1281	G	C5-C6-N1	6.12	114.56	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1549	A	C8-N9-C4	6.12	108.25	105.80
26	BB	2033	A	C4'-C3'-C2'	-6.12	96.48	102.60
26	BB	2109	U	N3-C4-O4	6.12	123.68	119.40
26	BB	2205	A	O4'-C1'-N9	6.12	113.09	108.20
26	BB	2293	G	C8-N9-C4	-6.12	103.95	106.40
26	BB	2544	G	C5-C6-O6	6.12	132.27	128.60
26	BB	2738	A	O4'-C1'-N9	6.12	113.09	108.20
26	BB	2757	A	C5'-C4'-C3'	-6.12	106.21	116.00
1	AA	282	A	C2-N3-C4	6.12	113.66	110.60
1	AA	576	C	O4'-C1'-N1	6.12	113.09	108.20
1	AA	751	U	N3-C4-O4	6.12	123.68	119.40
2	AB	31	U	C4'-C3'-C2'	-6.12	96.48	102.60
26	BB	852	U	P-O3'-C3'	6.12	127.04	119.70
26	BB	954	G	C2-N3-C4	6.12	114.96	111.90
26	BB	2344	U	O4'-C1'-N1	6.12	113.09	108.20
26	BB	2492	U	C5-C4-O4	6.12	129.57	125.90
1	AA	292	G	C5-C6-O6	-6.12	124.93	128.60
1	AA	347	G	C6-N1-C2	-6.12	121.43	125.10
1	AA	1238	A	C5-N7-C8	6.12	106.96	103.90
3	AC	16	A	C2-N3-C4	6.12	113.66	110.60
26	BB	293	U	C4-C5-C6	6.12	123.37	119.70
26	BB	737	C	N3-C4-N4	6.12	122.28	118.00
26	BB	808	G	C6-C5-N7	-6.12	126.73	130.40
26	BB	1212	G	N1-C2-N2	6.12	121.70	116.20
26	BB	1610	A	N1-C2-N3	-6.12	126.24	129.30
26	BB	1748	C	N3-C2-O2	6.12	126.18	121.90
26	BB	1842	G	C2-N3-C4	6.12	114.96	111.90
26	BB	2116	G	N3-C2-N2	6.12	124.18	119.90
26	BB	2798	U	C6-N1-C2	-6.12	117.33	121.00
1	AA	7	A	C4-C5-C6	-6.11	113.94	117.00
1	AA	455	G	C5-N7-C8	-6.11	101.24	104.30
1	AA	1059	C	C1'-O4'-C4'	-6.11	105.01	109.90
4	AD	12	G	C6-C5-N7	6.11	134.07	130.40
26	BB	1276	A	C5-C6-N1	-6.11	114.64	117.70
26	BB	1293	C	N1-C1'-C2'	-6.11	105.28	112.00
26	BB	1634	A	N7-C8-N9	-6.11	110.74	113.80
26	BB	2640	G	N3-C4-C5	-6.11	125.54	128.60
26	BB	2874	C	O4'-C1'-C2'	-6.11	99.69	105.80
1	AA	130	A	N1-C2-N3	-6.11	126.24	129.30
26	BB	1351	C	N1-C2-O2	6.11	122.57	118.90
49	BY	10	ARG	NE-CZ-NH1	6.11	123.36	120.30
1	AA	33	A	C5-N7-C8	6.11	106.95	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	510	A	N7-C8-N9	6.11	116.86	113.80
1	AA	530	G	C5-N7-C8	6.11	107.36	104.30
1	AA	630	A	C6-C5-N7	6.11	136.58	132.30
2	AB	52	A	N9-C4-C5	6.11	108.24	105.80
22	AV	49	ALA	CB-CA-C	6.11	119.27	110.10
26	BB	692	C	C5'-C4'-O4'	6.11	116.43	109.10
26	BB	975	A	N1-C2-N3	6.11	132.35	129.30
26	BB	1537	G	N3-C2-N2	-6.11	115.62	119.90
26	BB	1935	G	C4'-C3'-C2'	-6.11	96.49	102.60
26	BB	2882	A	C4'-C3'-C2'	-6.11	96.49	102.60
38	BN	89	VAL	CA-CB-CG1	6.11	120.07	110.90
1	AA	295	C	C2-N3-C4	6.11	122.95	119.90
1	AA	978	A	N7-C8-N9	6.11	116.86	113.80
2	AB	29	G	C5-C6-N1	6.11	114.55	111.50
3	AC	43	U	N1-C2-O2	-6.11	118.52	122.80
26	BB	1974	C	C5-C6-N1	6.11	124.05	121.00
26	BB	2039	U	O4'-C1'-N1	6.11	113.09	108.20
1	AA	21	G	C1'-O4'-C4'	6.11	114.79	109.90
1	AA	63	C	C5'-C4'-C3'	-6.11	106.23	116.00
1	AA	127	G	O5'-P-OP1	-6.11	100.20	105.70
1	AA	400	C	C1'-O4'-C4'	6.11	114.79	109.90
1	AA	656	G	C5-N7-C8	6.11	107.35	104.30
1	AA	1256	A	N1-C6-N6	-6.11	114.94	118.60
1	AA	1284	C	N1-C1'-C2'	-6.11	105.28	112.00
1	AA	1509	C	C3'-C2'-C1'	6.11	106.39	101.50
1	AA	1534	A	C4'-C3'-C2'	-6.11	96.49	102.60
8	AH	19	ARG	CD-NE-CZ	6.11	132.15	123.60
26	BB	158	U	O4'-C1'-N1	6.11	113.09	108.20
26	BB	371	A	N3-C4-C5	-6.11	122.52	126.80
26	BB	563	A	C1'-O4'-C4'	-6.11	105.01	109.90
26	BB	883	G	C2-N3-C4	6.11	114.95	111.90
26	BB	1506	U	C5-C4-O4	6.11	129.56	125.90
26	BB	2178	C	C4'-C3'-C2'	-6.11	96.49	102.60
26	BB	2469	A	C5'-C4'-O4'	6.11	116.43	109.10
26	BB	2525	G	C5'-C4'-C3'	-6.11	106.23	116.00
1	AA	213	G	N3-C4-C5	-6.11	125.55	128.60
1	AA	373	A	P-O3'-C3'	6.11	127.03	119.70
1	AA	1094	G	N3-C2-N2	-6.11	115.63	119.90
26	BB	50	U	N1-C2-O2	6.11	127.07	122.80
26	BB	171	U	C5-C6-N1	6.11	125.75	122.70
26	BB	479	A	N9-C4-C5	6.11	108.24	105.80
26	BB	923	G	C4-C5-C6	6.11	122.46	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1220	G	N3-C4-N9	-6.11	122.34	126.00
26	BB	1841	U	C5'-C4'-O4'	6.11	116.43	109.10
26	BB	1981	A	C8-N9-C4	-6.11	103.36	105.80
26	BB	2003	A	N1-C2-N3	-6.11	126.25	129.30
26	BB	2213	U	C5'-C4'-C3'	-6.11	106.23	116.00
26	BB	2224	G	N3-C4-C5	-6.11	125.55	128.60
26	BB	2351	G	C8-N9-C4	-6.11	103.96	106.40
26	BB	2525	G	N3-C4-C5	-6.11	125.55	128.60
26	BB	2775	G	C6-N1-C2	-6.11	121.44	125.10
30	BF	183	PHE	CB-CG-CD2	6.11	125.07	120.80
1	AA	358	U	O4'-C1'-N1	6.10	113.08	108.20
1	AA	484	G	O4'-C1'-C2'	6.10	113.09	107.60
26	BB	1833	C	N1-C2-O2	6.10	122.56	118.90
26	BB	2134	A	O4'-C1'-N9	6.10	113.08	108.20
26	BB	2368	C	N3-C4-N4	-6.10	113.73	118.00
39	BO	14	LYS	CA-CB-CG	6.10	126.83	113.40
1	AA	242	G	C5-N7-C8	-6.10	101.25	104.30
1	AA	690	G	C6-N1-C2	-6.10	121.44	125.10
26	BB	404	A	C5-C6-N1	6.10	120.75	117.70
26	BB	524	G	O4'-C1'-N9	-6.10	103.32	108.20
26	BB	786	C	N1-C2-O2	6.10	122.56	118.90
26	BB	1155	A	C4'-C3'-C2'	-6.10	96.50	102.60
26	BB	1427	A	C5-N7-C8	6.10	106.95	103.90
26	BB	2853	C	C5'-C4'-O4'	6.10	116.42	109.10
1	AA	616	G	C4-C5-C6	-6.10	115.14	118.80
1	AA	1322	C	C6-N1-C2	-6.10	117.86	120.30
2	AB	44	G	C1'-O4'-C4'	6.10	114.78	109.90
3	AC	37	G	C5-C6-N1	6.10	114.55	111.50
26	BB	409	G	C6-C5-N7	6.10	134.06	130.40
26	BB	809	G	C2-N3-C4	6.10	114.95	111.90
26	BB	1659	G	O4'-C1'-N9	6.10	113.08	108.20
26	BB	1902	C	N3-C4-N4	6.10	122.27	118.00
26	BB	2623	G	C5'-C4'-O4'	6.10	116.42	109.10
27	BC	208	TYR	CD1-CE1-CZ	6.10	125.29	119.80
1	AA	603	U	N1-C1'-C2'	-6.10	105.29	112.00
1	AA	1268	G	C6-N1-C2	6.10	128.76	125.10
1	AA	1324	A	N9-C4-C5	-6.10	103.36	105.80
26	BB	144	A	C1'-O4'-C4'	-6.10	105.02	109.90
26	BB	400	G	C5-C6-O6	-6.10	124.94	128.60
26	BB	509	C	O4'-C4'-C3'	6.10	110.98	106.10
26	BB	631	A	C4'-C3'-O3'	6.10	125.20	113.00
26	BB	842	U	N1-C1'-C2'	-6.10	105.29	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2193	G	N1-C2-N3	-6.10	120.24	123.90
41	BQ	30	ARG	NE-CZ-NH1	6.10	123.35	120.30
52	B1	15	ARG	NE-CZ-NH2	-6.10	117.25	120.30
1	AA	150	U	O4'-C4'-C3'	6.10	110.98	106.10
1	AA	593	U	C4-C5-C6	-6.10	116.04	119.70
1	AA	669	G	C6-N1-C2	-6.10	121.44	125.10
1	AA	730	G	C5-N7-C8	6.10	107.35	104.30
1	AA	914	A	C1'-O4'-C4'	6.10	114.78	109.90
1	AA	1266	G	N3-C4-N9	6.10	129.66	126.00
1	AA	1338	G	N3-C4-N9	6.10	129.66	126.00
20	AT	72	TRP	CH2-CZ2-CE2	6.10	123.50	117.40
26	BB	552	U	C3'-C2'-C1'	6.10	106.38	101.50
26	BB	817	C	O4'-C4'-C3'	6.10	110.98	106.10
26	BB	1003	G	O4'-C1'-N9	6.10	113.08	108.20
26	BB	1901	A	C8-N9-C4	6.10	108.24	105.80
26	BB	2228	G	C4-C5-C6	-6.10	115.14	118.80
26	BB	2749	A	C5-N7-C8	-6.10	100.85	103.90
1	AA	113	G	N1-C6-O6	6.10	123.56	119.90
1	AA	116	A	N1-C6-N6	6.10	122.26	118.60
1	AA	1450	U	N3-C4-C5	-6.10	110.94	114.60
26	BB	2662	A	N3-C4-C5	6.10	131.07	126.80
1	AA	840	C	C5'-C4'-C3'	-6.09	106.25	116.00
1	AA	1111	A	C5'-C4'-O4'	6.09	116.42	109.10
1	AA	1337	G	C4-C5-N7	-6.09	108.36	110.80
3	AC	44	U	C5-C6-N1	-6.09	119.65	122.70
4	AD	12	G	C5-N7-C8	6.09	107.35	104.30
20	AT	64	ARG	NE-CZ-NH1	6.09	123.35	120.30
26	BB	266	G	C1'-O4'-C4'	-6.09	105.03	109.90
26	BB	801	G	P-O3'-C3'	6.09	127.01	119.70
26	BB	849	A	C5-N7-C8	-6.09	100.85	103.90
26	BB	982	C	C2-N1-C1'	6.09	125.50	118.80
26	BB	2235	G	N3-C4-N9	6.09	129.66	126.00
26	BB	2539	C	C2-N3-C4	-6.09	116.85	119.90
26	BB	2663	G	C6-C5-N7	-6.09	126.74	130.40
26	BB	2853	C	N3-C4-C5	-6.09	119.46	121.90
1	AA	289	G	N1-C2-N3	-6.09	120.24	123.90
1	AA	1441	A	N1-C2-N3	-6.09	126.25	129.30
12	AL	89	TYR	C-N-CA	6.09	136.93	121.70
26	BB	347	A	N3-C4-C5	-6.09	122.53	126.80
26	BB	351	C	O4'-C1'-C2'	6.09	113.08	107.60
26	BB	466	A	C1'-O4'-C4'	6.09	114.78	109.90
26	BB	577	G	N3-C4-N9	6.09	129.66	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	130	A	O4'-C1'-N9	-6.09	103.33	108.20
1	AA	170	U	O4'-C1'-C2'	6.09	113.08	107.60
1	AA	465	A	C3'-C2'-C1'	6.09	106.37	101.50
1	AA	601	G	C5-N7-C8	-6.09	101.25	104.30
1	AA	814	A	N3-C4-C5	-6.09	122.54	126.80
1	AA	820	U	C5'-C4'-O4'	6.09	116.41	109.10
3	AC	18	A	C5-C6-N1	6.09	120.75	117.70
26	BB	686	U	N3-C4-C5	-6.09	110.94	114.60
26	BB	849	A	C4-C5-N7	6.09	113.75	110.70
26	BB	920	A	C1'-O4'-C4'	6.09	114.77	109.90
26	BB	1000	A	C2-N3-C4	6.09	113.65	110.60
1	AA	272	C	C5'-C4'-O4'	6.09	116.41	109.10
1	AA	1044	A	C5-C6-N1	6.09	120.75	117.70
1	AA	1260	G	O4'-C1'-N9	6.09	113.07	108.20
26	BB	93	G	C5-N7-C8	6.09	107.34	104.30
26	BB	596	U	N1-C2-N3	-6.09	111.25	114.90
26	BB	793	A	C6-N1-C2	6.09	122.25	118.60
26	BB	914	G	C2-N3-C4	6.09	114.94	111.90
26	BB	1000	A	P-O3'-C3'	6.09	127.01	119.70
26	BB	1018	U	N3-C2-O2	-6.09	117.94	122.20
26	BB	1524	G	C8-N9-C4	-6.09	103.97	106.40
26	BB	1927	A	O4'-C1'-N9	6.09	113.07	108.20
26	BB	1942	C	P-O3'-C3'	6.09	127.01	119.70
26	BB	2110	G	N9-C4-C5	6.09	107.84	105.40
1	AA	94	G	P-O5'-C5'	6.09	130.64	120.90
1	AA	275	G	C4-C5-C6	6.09	122.45	118.80
4	AD	63	C	C1'-O4'-C4'	6.09	114.77	109.90
25	BA	45	A	C6-C5-N7	6.09	136.56	132.30
26	BB	23	G	C5-C6-N1	-6.09	108.46	111.50
26	BB	299	A	N1-C6-N6	6.09	122.25	118.60
26	BB	1461	C	O4'-C4'-C3'	-6.09	97.91	104.00
26	BB	1523	U	O4'-C1'-N1	6.09	113.07	108.20
26	BB	1655	A	N3-C4-C5	-6.09	122.54	126.80
26	BB	2692	G	N3-C4-N9	6.09	129.65	126.00
26	BB	2769	U	N3-C4-O4	6.09	123.66	119.40
26	BB	2831	G	N1-C6-O6	-6.09	116.25	119.90
1	AA	96	U	N3-C2-O2	-6.09	117.94	122.20
1	AA	371	A	C4-C5-C6	-6.09	113.96	117.00
1	AA	431	A	C4-C5-N7	-6.09	107.66	110.70
1	AA	925	G	C4-C5-N7	-6.09	108.36	110.80
1	AA	980	C	C4-C5-C6	6.09	120.44	117.40
25	BA	21	G	C8-N9-C1'	6.09	134.91	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	109	C	N1-C1'-C2'	-6.09	105.31	112.00
26	BB	152	A	C8-N9-C4	6.09	108.23	105.80
26	BB	232	G	O4'-C1'-N9	6.09	113.07	108.20
26	BB	348	A	C4-C5-C6	-6.09	113.96	117.00
26	BB	830	G	N9-C4-C5	6.09	107.83	105.40
26	BB	1207	C	C5-C6-N1	6.09	124.04	121.00
26	BB	1577	C	N3-C2-O2	-6.09	117.64	121.90
26	BB	1800	C	C3'-C2'-C1'	-6.09	96.63	101.50
26	BB	1896	G	C5'-C4'-C3'	6.09	125.74	116.00
1	AA	598	U	P-O5'-C5'	6.08	130.64	120.90
1	AA	789	U	C1'-O4'-C4'	6.08	114.77	109.90
1	AA	817	C	C2-N3-C4	6.08	122.94	119.90
1	AA	1443	C	N3-C2-O2	-6.08	117.64	121.90
26	BB	1034	G	O4'-C1'-N9	6.08	113.07	108.20
26	BB	2290	G	C4-C5-N7	6.08	113.23	110.80
26	BB	2414	G	P-O3'-C3'	6.08	127.00	119.70
1	AA	137	U	C6-N1-C2	-6.08	117.35	121.00
1	AA	1006	G	C5'-C4'-O4'	6.08	116.40	109.10
1	AA	1382	C	C5-C4-N4	6.08	124.46	120.20
26	BB	75	G	C5-C6-O6	-6.08	124.95	128.60
26	BB	550	C	C3'-C2'-C1'	-6.08	96.63	101.50
26	BB	711	G	N3-C4-C5	-6.08	125.56	128.60
26	BB	1347	A	O4'-C1'-N9	6.08	113.07	108.20
26	BB	1685	C	C6-N1-C2	-6.08	117.87	120.30
26	BB	1791	A	C6-C5-N7	-6.08	128.04	132.30
26	BB	1812	U	O4'-C1'-N1	6.08	113.07	108.20
26	BB	1858	A	C4'-C3'-C2'	6.08	108.68	102.60
26	BB	1900	A	C1'-O4'-C4'	-6.08	105.03	109.90
26	BB	2285	C	N3-C2-O2	6.08	126.16	121.90
26	BB	2422	C	P-O3'-C3'	6.08	127.00	119.70
26	BB	2436	G	C5'-C4'-O4'	6.08	116.40	109.10
26	BB	2682	A	C5-N7-C8	6.08	106.94	103.90
29	BE	83	ARG	NE-CZ-NH1	-6.08	117.26	120.30
1	AA	484	G	C1'-O4'-C4'	-6.08	105.03	109.90
1	AA	819	A	C3'-C2'-C1'	6.08	106.36	101.50
1	AA	1497	G	C5-C6-N1	6.08	114.54	111.50
2	AB	65	C	O4'-C1'-N1	6.08	113.06	108.20
25	BA	33	G	C3'-C2'-C1'	6.08	106.36	101.50
26	BB	792	A	O4'-C1'-N9	6.08	113.07	108.20
26	BB	1074	G	N1-C2-N3	-6.08	120.25	123.90
26	BB	1497	U	C1'-O4'-C4'	-6.08	105.03	109.90
26	BB	1587	G	C6-C5-N7	-6.08	126.75	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1657	U	C6-N1-C2	6.08	124.65	121.00
26	BB	2076	U	C1'-O4'-C4'	-6.08	105.03	109.90
26	BB	2134	A	C5'-C4'-O4'	6.08	116.40	109.10
26	BB	2866	U	N3-C4-O4	-6.08	115.14	119.40
27	BC	71	ARG	NE-CZ-NH2	6.08	123.34	120.30
1	AA	144	G	N9-C4-C5	6.08	107.83	105.40
26	BB	1059	G	O4'-C1'-C2'	6.08	113.07	107.60
26	BB	1140	C	O4'-C4'-C3'	6.08	110.96	106.10
26	BB	1281	G	C6-C5-N7	-6.08	126.75	130.40
26	BB	2176	A	N3-C4-C5	6.08	131.06	126.80
1	AA	72	A	N3-C4-C5	-6.08	122.55	126.80
1	AA	590	U	C5-C6-N1	6.08	125.74	122.70
1	AA	690	G	N1-C6-O6	6.08	123.55	119.90
1	AA	1445	U	O4'-C1'-N1	6.08	113.06	108.20
1	AA	1515	G	C8-N9-C4	-6.08	103.97	106.40
2	AB	60	U	P-O3'-C3'	6.08	126.99	119.70
26	BB	45	G	C4-C5-N7	-6.08	108.37	110.80
26	BB	86	G	N3-C4-C5	-6.08	125.56	128.60
26	BB	204	A	C4-C5-C6	-6.08	113.96	117.00
26	BB	286	U	N3-C4-O4	6.08	123.66	119.40
26	BB	728	G	O4'-C1'-N9	6.08	113.06	108.20
26	BB	772	C	O4'-C1'-N1	6.08	113.06	108.20
26	BB	1900	A	N1-C2-N3	6.08	132.34	129.30
26	BB	2793	C	C2-N3-C4	6.08	122.94	119.90
1	AA	1217	C	N1-C2-O2	6.08	122.55	118.90
1	AA	1526	G	O3'-P-O5'	-6.08	92.45	104.00
1	AA	1530	G	C5-N7-C8	-6.08	101.26	104.30
3	AC	53	G	P-O3'-C3'	6.08	126.99	119.70
26	BB	365	U	C3'-C2'-C1'	6.08	106.36	101.50
26	BB	530	G	C6-C5-N7	-6.08	126.75	130.40
26	BB	633	A	C6-N1-C2	-6.08	114.95	118.60
26	BB	1492	G	O4'-C1'-N9	6.08	113.06	108.20
26	BB	2518	A	C5-C6-N1	6.08	120.74	117.70
26	BB	2569	G	N9-C1'-C2'	-6.08	105.31	112.00
26	BB	2600	A	C6-N1-C2	6.08	122.25	118.60
1	AA	199	A	C5'-C4'-O4'	6.08	116.39	109.10
1	AA	475	C	P-O3'-C3'	6.08	126.99	119.70
1	AA	849	G	N7-C8-N9	6.08	116.14	113.10
1	AA	1202	U	C1'-O4'-C4'	-6.08	105.04	109.90
1	AA	1486	G	C5-C6-O6	-6.08	124.95	128.60
26	BB	53	A	C2-N3-C4	-6.08	107.56	110.60
26	BB	767	U	C6-N1-C2	-6.08	117.36	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	782	A	C6-N1-C2	6.08	122.25	118.60
26	BB	856	G	N9-C4-C5	6.08	107.83	105.40
26	BB	1038	G	N3-C4-C5	-6.08	125.56	128.60
26	BB	1828	G	N1-C6-O6	6.08	123.55	119.90
26	BB	1964	G	O4'-C1'-N9	6.08	113.06	108.20
26	BB	2032	G	C1'-O4'-C4'	-6.08	105.04	109.90
26	BB	2444	G	C5-C6-O6	-6.08	124.95	128.60
1	AA	182	A	N9-C4-C5	6.07	108.23	105.80
1	AA	366	A	C5-C6-N1	6.07	120.74	117.70
1	AA	962	C	C5'-C4'-O4'	6.07	116.39	109.10
1	AA	1343	G	P-O3'-C3'	6.07	126.99	119.70
1	AA	1386	G	N7-C8-N9	6.07	116.14	113.10
2	AB	19	G	C5-N7-C8	-6.07	101.26	104.30
26	BB	389	G	N3-C4-C5	-6.07	125.56	128.60
26	BB	649	G	C3'-C2'-C1'	-6.07	96.64	101.50
26	BB	1180	U	N3-C2-O2	-6.07	117.95	122.20
26	BB	2839	G	N3-C4-C5	-6.07	125.56	128.60
1	AA	570	G	N3-C2-N2	-6.07	115.65	119.90
26	BB	171	U	C6-N1-C2	-6.07	117.36	121.00
26	BB	307	G	C3'-C2'-C1'	6.07	106.36	101.50
26	BB	332	A	C1'-O4'-C4'	-6.07	105.04	109.90
26	BB	2626	C	C5-C6-N1	6.07	124.04	121.00
1	AA	145	G	N1-C2-N3	6.07	127.54	123.90
1	AA	309	A	N3-C4-C5	6.07	131.05	126.80
1	AA	532	A	N3-C4-C5	6.07	131.05	126.80
1	AA	623	C	C4'-C3'-C2'	-6.07	96.53	102.60
1	AA	1189	U	N1-C1'-C2'	-6.07	105.32	112.00
1	AA	1224	U	C3'-C2'-C1'	-6.07	96.64	101.50
1	AA	1224	U	C4-C5-C6	6.07	123.34	119.70
26	BB	620	G	N3-C2-N2	-6.07	115.65	119.90
26	BB	635	C	C5-C6-N1	-6.07	117.97	121.00
26	BB	1075	C	O4'-C4'-C3'	6.07	110.96	106.10
26	BB	1263	U	N3-C4-O4	6.07	123.65	119.40
26	BB	1337	G	C4-C5-C6	6.07	122.44	118.80
26	BB	1458	U	C6-N1-C2	-6.07	117.36	121.00
26	BB	2120	G	P-O3'-C3'	6.07	126.98	119.70
26	BB	2378	A	C6-N1-C2	-6.07	114.96	118.60
26	BB	2695	U	N3-C2-O2	-6.07	117.95	122.20
1	AA	312	C	C2-N3-C4	6.07	122.94	119.90
26	BB	127	A	C5'-C4'-O4'	-6.07	101.82	109.10
26	BB	516	C	N1-C1'-C2'	-6.07	105.33	112.00
26	BB	2137	U	C5-C6-N1	-6.07	119.67	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2597	G	N3-C4-C5	-6.07	125.56	128.60
1	AA	139	A	O4'-C1'-N9	6.07	113.05	108.20
3	AC	37	G	C6-N1-C2	-6.07	121.46	125.10
26	BB	170	U	C5'-C4'-O4'	6.07	116.38	109.10
26	BB	2158	A	C4-C5-N7	-6.07	107.67	110.70
26	BB	2405	G	N9-C1'-C2'	-6.07	105.33	112.00
26	BB	2521	C	N1-C2-N3	-6.07	114.95	119.20
26	BB	2782	G	N7-C8-N9	6.07	116.13	113.10
49	BY	56	HIS	CB-CA-C	6.07	122.54	110.40
1	AA	279	A	C4'-C3'-C2'	6.07	108.67	102.60
1	AA	402	G	C8-N9-C1'	6.07	134.89	127.00
1	AA	542	G	C8-N9-C4	-6.07	103.97	106.40
1	AA	1140	C	C3'-C2'-C1'	6.07	106.35	101.50
1	AA	1263	C	N1-C2-O2	6.07	122.54	118.90
7	AG	4	LEU	CA-CB-CG	-6.07	101.35	115.30
26	BB	622	G	N3-C4-N9	6.07	129.64	126.00
26	BB	664	G	C2-N3-C4	6.07	114.93	111.90
26	BB	859	G	C4-C5-C6	-6.07	115.16	118.80
26	BB	1046	A	C4-C5-C6	-6.07	113.97	117.00
26	BB	1200	C	C5-C4-N4	6.07	124.44	120.20
26	BB	1310	G	C4-C5-C6	6.07	122.44	118.80
26	BB	1874	C	N1-C2-O2	6.07	122.54	118.90
26	BB	2046	G	N3-C4-N9	6.07	129.64	126.00
26	BB	2284	A	N9-C4-C5	-6.07	103.37	105.80
35	BK	21	PRO	N-CA-CB	6.07	110.58	103.30
1	AA	1166	G	C6-N1-C2	6.06	128.74	125.10
12	AL	112	ARG	NE-CZ-NH1	6.06	123.33	120.30
26	BB	463	G	C5'-C4'-O4'	6.06	116.38	109.10
26	BB	829	A	C1'-O4'-C4'	-6.06	105.05	109.90
26	BB	1066	U	C5-C6-N1	-6.06	119.67	122.70
26	BB	1103	A	P-O3'-C3'	6.06	126.98	119.70
26	BB	1701	A	N3-C4-C5	-6.06	122.56	126.80
26	BB	1833	C	C4-C5-C6	-6.06	114.37	117.40
1	AA	117	G	C1'-O4'-C4'	-6.06	105.05	109.90
1	AA	275	G	N3-C4-C5	-6.06	125.57	128.60
1	AA	569	C	C2-N3-C4	-6.06	116.87	119.90
1	AA	607	A	C4-C5-N7	6.06	113.73	110.70
1	AA	724	G	N9-C1'-C2'	-6.06	105.33	112.00
1	AA	1126	U	C2-N3-C4	-6.06	123.36	127.00
1	AA	1334	G	C4-C5-N7	6.06	113.22	110.80
2	AB	35	C	C6-N1-C2	6.06	122.72	120.30
25	BA	10	G	N3-C2-N2	-6.06	115.66	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	218	A	C3'-C2'-C1'	6.06	106.35	101.50
26	BB	463	G	N3-C4-C5	-6.06	125.57	128.60
26	BB	573	U	N1-C2-O2	-6.06	118.56	122.80
26	BB	585	G	C4-C5-N7	6.06	113.22	110.80
26	BB	856	G	C5'-C4'-O4'	6.06	116.38	109.10
26	BB	950	G	N1-C2-N3	-6.06	120.26	123.90
26	BB	1860	G	O4'-C4'-C3'	-6.06	97.94	104.00
26	BB	2050	C	N1-C2-N3	-6.06	114.96	119.20
26	BB	2370	G	N3-C4-N9	6.06	129.64	126.00
26	BB	2882	A	O4'-C4'-C3'	6.06	110.95	106.10
26	BB	2902	C	C5-C6-N1	-6.06	117.97	121.00
1	AA	694	A	C4'-C3'-C2'	-6.06	96.54	102.60
26	BB	70	G	C8-N9-C4	-6.06	103.97	106.40
26	BB	649	G	C6-C5-N7	6.06	134.04	130.40
26	BB	1978	A	N9-C4-C5	6.06	108.22	105.80
26	BB	2122	U	O4'-C1'-N1	6.06	113.05	108.20
1	AA	660	C	N3-C4-C5	-6.06	119.48	121.90
1	AA	882	C	C2-N3-C4	-6.06	116.87	119.90
1	AA	1213	A	C5-C6-N6	6.06	128.55	123.70
26	BB	438	G	C2-N3-C4	6.06	114.93	111.90
26	BB	808	G	C5-C6-N1	-6.06	108.47	111.50
26	BB	1306	C	O5'-C5'-C4'	6.06	123.21	111.70
26	BB	1393	A	C5-C6-N6	-6.06	118.85	123.70
26	BB	1555	G	N1-C2-N3	6.06	127.53	123.90
26	BB	1815	A	C6-N1-C2	-6.06	114.97	118.60
26	BB	1936	A	O4'-C1'-N9	6.06	113.05	108.20
26	BB	2392	A	N7-C8-N9	6.06	116.83	113.80
1	AA	214	C	C6-N1-C2	-6.06	117.88	120.30
1	AA	325	A	N3-C4-C5	6.06	131.04	126.80
1	AA	381	C	N3-C2-O2	6.06	126.14	121.90
1	AA	394	G	O4'-C1'-N9	6.06	113.05	108.20
1	AA	536	C	O5'-C5'-C4'	6.06	123.21	111.70
1	AA	1057	G	O4'-C1'-N9	6.06	113.05	108.20
1	AA	1542	A	C5'-C4'-O4'	6.06	116.37	109.10
2	AB	53	G	N7-C8-N9	6.06	116.13	113.10
3	AC	28	U	C2-N3-C4	6.06	130.63	127.00
26	BB	85	G	C5-N7-C8	-6.06	101.27	104.30
26	BB	241	A	C4-C5-C6	-6.06	113.97	117.00
26	BB	354	A	C2-N3-C4	6.06	113.63	110.60
26	BB	619	G	N7-C8-N9	6.06	116.13	113.10
26	BB	1347	A	C2-N3-C4	6.06	113.63	110.60
26	BB	1704	C	C5'-C4'-O4'	6.06	116.37	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1798	U	N3-C4-C5	-6.06	110.97	114.60
26	BB	2230	G	C3'-C2'-C1'	-6.06	96.65	101.50
26	BB	2452	C	C6-N1-C2	-6.06	117.88	120.30
26	BB	2621	G	N1-C6-O6	-6.06	116.27	119.90
26	BB	2790	U	N3-C4-O4	6.06	123.64	119.40
1	AA	127	G	O4'-C1'-N9	6.06	113.05	108.20
25	BA	50	A	N1-C2-N3	-6.06	126.27	129.30
25	BA	116	G	C4-C5-N7	-6.06	108.38	110.80
26	BB	54	G	C4-C5-N7	-6.06	108.38	110.80
26	BB	1127	A	C2-N3-C4	6.06	113.63	110.60
1	AA	20	U	C5-C6-N1	-6.05	119.67	122.70
1	AA	1331	G	C8-N9-C4	-6.05	103.98	106.40
1	AA	1423	G	C6-N1-C2	-6.05	121.47	125.10
4	AD	44	A	C6-N1-C2	-6.05	114.97	118.60
26	BB	90	U	C4'-C3'-C2'	-6.05	96.55	102.60
26	BB	231	A	C2-N3-C4	6.05	113.63	110.60
26	BB	236	C	C4-C5-C6	6.05	120.43	117.40
26	BB	455	C	C5-C4-N4	-6.05	115.96	120.20
26	BB	534	U	N1-C2-O2	-6.05	118.56	122.80
26	BB	592	A	N1-C6-N6	6.05	122.23	118.60
26	BB	652	U	C4-C5-C6	6.05	123.33	119.70
26	BB	728	G	C5'-C4'-C3'	-6.05	106.31	116.00
26	BB	1732	C	N1-C2-O2	6.05	122.53	118.90
26	BB	2693	G	C4-C5-C6	-6.05	115.17	118.80
26	BB	2777	G	P-O3'-C3'	6.05	126.97	119.70
26	BB	2875	C	O4'-C1'-N1	6.05	113.04	108.20
1	AA	93	U	N1-C1'-C2'	-6.05	105.34	112.00
1	AA	834	U	C5-C6-N1	-6.05	119.67	122.70
26	BB	159	G	C5-N7-C8	6.05	107.33	104.30
26	BB	895	U	C6-N1-C2	-6.05	117.37	121.00
26	BB	1395	A	O4'-C1'-C2'	-6.05	99.75	105.80
26	BB	1546	G	C3'-C2'-C1'	6.05	106.34	101.50
26	BB	1752	C	C6-N1-C2	-6.05	117.88	120.30
1	AA	17	U	C5-C4-O4	-6.05	122.27	125.90
1	AA	373	A	C5-C6-N1	-6.05	114.67	117.70
1	AA	410	G	O4'-C1'-N9	6.05	113.04	108.20
1	AA	570	G	C6-N1-C2	-6.05	121.47	125.10
1	AA	969	A	C5'-C4'-O4'	6.05	116.36	109.10
1	AA	1172	C	N3-C4-C5	-6.05	119.48	121.90
25	BA	33	G	O4'-C1'-N9	6.05	113.04	108.20
26	BB	46	G	C5-N7-C8	-6.05	101.27	104.30
26	BB	465	G	C4-C5-N7	-6.05	108.38	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	608	A	N9-C4-C5	-6.05	103.38	105.80
26	BB	1729	U	C1'-O4'-C4'	-6.05	105.06	109.90
26	BB	2279	G	C2-N3-C4	6.05	114.93	111.90
26	BB	2464	G	C8-N9-C4	-6.05	103.98	106.40
57	B6	41	ARG	NE-CZ-NH2	-6.05	117.27	120.30
1	AA	137	U	C5-C4-O4	6.05	129.53	125.90
1	AA	487	A	C6-N1-C2	-6.05	114.97	118.60
1	AA	529	G	C5-C6-O6	-6.05	124.97	128.60
26	BB	1638	C	C6-N1-C1'	-6.05	113.54	120.80
26	BB	2267	A	C8-N9-C4	-6.05	103.38	105.80
26	BB	2606	C	C5-C6-N1	6.05	124.03	121.00
1	AA	657	U	N1-C2-N3	6.05	118.53	114.90
1	AA	1179	A	N1-C2-N3	-6.05	126.28	129.30
26	BB	4	U	C1'-O4'-C4'	6.05	114.74	109.90
26	BB	881	G	N7-C8-N9	6.05	116.12	113.10
26	BB	1082	U	C3'-C2'-C1'	-6.05	96.66	101.50
26	BB	1283	G	N1-C2-N2	-6.05	110.76	116.20
26	BB	1307	A	N1-C2-N3	-6.05	126.28	129.30
26	BB	2444	G	C5-C6-N1	6.05	114.52	111.50
1	AA	782	A	C5-N7-C8	-6.05	100.88	103.90
1	AA	785	G	P-O3'-C3'	6.05	126.96	119.70
1	AA	888	G	N3-C4-C5	-6.05	125.58	128.60
26	BB	61	C	N3-C2-O2	-6.05	117.67	121.90
26	BB	80	G	N1-C2-N2	-6.05	110.76	116.20
26	BB	250	G	O4'-C1'-C2'	6.05	113.04	107.60
26	BB	680	C	O4'-C4'-C3'	6.05	110.94	106.10
26	BB	700	G	N3-C2-N2	-6.05	115.67	119.90
26	BB	1438	U	O4'-C1'-N1	6.05	113.04	108.20
26	BB	1603	A	C8-N9-C4	-6.05	103.38	105.80
26	BB	1857	G	N9-C4-C5	-6.05	102.98	105.40
26	BB	1952	A	O4'-C1'-N9	6.05	113.04	108.20
26	BB	2221	G	P-O5'-C5'	6.05	130.57	120.90
26	BB	2266	A	O4'-C1'-N9	6.05	113.04	108.20
26	BB	2683	C	C1'-O4'-C4'	6.05	114.74	109.90
1	AA	247	G	C4-C5-N7	6.04	113.22	110.80
1	AA	1277	C	O4'-C1'-N1	6.04	113.04	108.20
1	AA	1409	C	C2-N3-C4	6.04	122.92	119.90
26	BB	33	C	C3'-C2'-C1'	-6.04	96.66	101.50
26	BB	1507	C	C5-C4-N4	-6.04	115.97	120.20
34	BJ	67	PRO	N-CD-CG	6.04	112.27	103.20
1	AA	642	A	N7-C8-N9	6.04	116.82	113.80
26	BB	70	G	O4'-C1'-C2'	-6.04	99.76	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	252	G	C5'-C4'-O4'	6.04	116.35	109.10
26	BB	533	G	N1-C2-N2	6.04	121.64	116.20
26	BB	536	G	O4'-C4'-C3'	6.04	110.94	106.10
26	BB	741	U	N1-C2-O2	-6.04	118.57	122.80
26	BB	936	A	O4'-C4'-C3'	6.04	110.94	106.10
26	BB	1047	G	C8-N9-C4	-6.04	103.98	106.40
26	BB	1430	G	N3-C4-C5	-6.04	125.58	128.60
26	BB	2236	U	N3-C4-C5	6.04	118.23	114.60
26	BB	2729	G	N7-C8-N9	6.04	116.12	113.10
26	BB	2884	U	C4-C5-C6	6.04	123.33	119.70
1	AA	984	C	N3-C2-O2	6.04	126.13	121.90
1	AA	1183	U	C6-N1-C2	6.04	124.62	121.00
1	AA	1237	C	N1-C2-O2	6.04	122.53	118.90
2	AB	56	C	C5-C4-N4	6.04	124.43	120.20
3	AC	49	U	N3-C4-O4	6.04	123.63	119.40
19	AS	60	TRP	NE1-CE2-CD2	-6.04	101.26	107.30
25	BA	56	G	N7-C8-N9	6.04	116.12	113.10
25	BA	76	G	N1-C6-O6	6.04	123.53	119.90
26	BB	673	C	C1'-O4'-C4'	-6.04	105.07	109.90
26	BB	748	G	N9-C4-C5	6.04	107.82	105.40
26	BB	1368	G	C8-N9-C4	-6.04	103.98	106.40
26	BB	1889	A	C8-N9-C4	-6.04	103.38	105.80
26	BB	1914	C	O4'-C1'-C2'	-6.04	99.76	105.80
26	BB	2397	G	C4'-C3'-C2'	-6.04	96.56	102.60
26	BB	2710	C	C2-N3-C4	6.04	122.92	119.90
26	BB	2746	U	N1-C2-O2	6.04	127.03	122.80
1	AA	75	G	C4-C5-C6	6.04	122.42	118.80
1	AA	306	A	O4'-C1'-N9	-6.04	103.37	108.20
1	AA	639	G	N1-C2-N2	6.04	121.64	116.20
1	AA	656	G	N1-C6-O6	6.04	123.52	119.90
25	BA	78	A	N9-C4-C5	-6.04	103.38	105.80
26	BB	236	C	C1'-O4'-C4'	6.04	114.73	109.90
26	BB	1606	C	C5'-C4'-O4'	6.04	116.35	109.10
26	BB	1846	G	O4'-C1'-N9	6.04	113.03	108.20
26	BB	1907	G	C5'-C4'-O4'	6.04	116.35	109.10
26	BB	1998	A	C5-C6-N6	-6.04	118.87	123.70
26	BB	2678	C	N3-C2-O2	-6.04	117.67	121.90
26	BB	2848	G	N9-C4-C5	6.04	107.82	105.40
1	AA	177	G	O4'-C1'-N9	6.04	113.03	108.20
1	AA	723	U	C6-N1-C2	6.04	124.62	121.00
2	AB	14	A	C6-C5-N7	6.04	136.53	132.30
4	AD	73	A	N3-C4-C5	6.04	131.03	126.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	125	A	N3-C4-C5	-6.04	122.57	126.80
26	BB	407	G	C5'-C4'-C3'	6.04	125.66	116.00
26	BB	864	G	N3-C4-C5	-6.04	125.58	128.60
26	BB	1720	U	O4'-C1'-N1	6.04	113.03	108.20
42	BR	20	ARG	CD-NE-CZ	6.04	132.05	123.60
44	BT	92	TRP	CD1-NE1-CE2	6.04	114.43	109.00
26	BB	1580	A	C6-N1-C2	-6.04	114.98	118.60
26	BB	2270	A	C2-N3-C4	6.04	113.62	110.60
26	BB	2898	U	C3'-C2'-C1'	6.04	106.33	101.50
1	AA	378	G	N7-C8-N9	6.04	116.12	113.10
1	AA	449	G	C4-C5-C6	6.04	122.42	118.80
1	AA	1479	C	P-O5'-C5'	6.04	130.56	120.90
6	AF	210	MET	CA-CB-CG	-6.04	103.04	113.30
26	BB	168	G	C2-N3-C4	-6.04	108.88	111.90
26	BB	234	U	O4'-C1'-N1	6.04	113.03	108.20
26	BB	355	U	C4-C5-C6	6.04	123.32	119.70
26	BB	797	G	P-O3'-C3'	6.04	126.94	119.70
26	BB	1255	U	C5-C6-N1	-6.04	119.68	122.70
26	BB	1410	G	C4-C5-N7	-6.04	108.39	110.80
26	BB	1925	C	O4'-C4'-C3'	6.04	110.93	106.10
26	BB	2424	C	N3-C2-O2	6.04	126.12	121.90
26	BB	2625	G	C4-C5-N7	-6.04	108.39	110.80
26	BB	2692	G	N3-C4-C5	-6.04	125.58	128.60
40	BP	4	ARG	CB-CA-C	6.04	122.47	110.40
1	AA	147	G	N1-C6-O6	6.03	123.52	119.90
1	AA	281	G	N9-C1'-C2'	-6.03	105.36	112.00
1	AA	458	U	N1-C1'-C2'	-6.03	105.36	112.00
1	AA	672	U	C5'-C4'-O4'	6.03	116.34	109.10
1	AA	679	C	N3-C4-C5	-6.03	119.49	121.90
1	AA	778	G	N1-C2-N3	-6.03	120.28	123.90
1	AA	789	U	C3'-C2'-C1'	-6.03	96.67	101.50
1	AA	988	G	C2-N3-C4	6.03	114.92	111.90
1	AA	1059	C	P-O3'-C3'	6.03	126.94	119.70
1	AA	1257	A	N9-C4-C5	-6.03	103.39	105.80
4	AD	62	C	N3-C2-O2	-6.03	117.68	121.90
26	BB	843	G	N3-C4-N9	-6.03	122.38	126.00
26	BB	1220	G	O4'-C1'-N9	6.03	113.03	108.20
26	BB	1710	G	N1-C6-O6	-6.03	116.28	119.90
30	BF	35	TYR	CG-CD2-CE2	-6.03	116.47	121.30
1	AA	1000	A	N3-C4-C5	-6.03	122.58	126.80
26	BB	997	G	N1-C2-N3	-6.03	120.28	123.90
26	BB	1473	G	N1-C6-O6	6.03	123.52	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1742	U	O5'-C5'-C4'	-6.03	100.24	111.70
1	AA	284	C	C1'-O4'-C4'	6.03	114.72	109.90
1	AA	694	A	O4'-C1'-N9	6.03	113.03	108.20
1	AA	790	A	N1-C6-N6	6.03	122.22	118.60
1	AA	793	U	C5-C4-O4	-6.03	122.28	125.90
26	BB	645	C	N3-C4-N4	-6.03	113.78	118.00
26	BB	736	C	N3-C4-C5	6.03	124.31	121.90
26	BB	1022	G	N3-C4-N9	6.03	129.62	126.00
26	BB	1648	U	N3-C4-O4	6.03	123.62	119.40
1	AA	295	C	C6-N1-C2	-6.03	117.89	120.30
1	AA	684	U	C5'-C4'-O4'	6.03	116.33	109.10
1	AA	761	G	N3-C2-N2	-6.03	115.68	119.90
1	AA	936	C	C5'-C4'-C3'	-6.03	106.35	116.00
2	AB	15	A	O4'-C1'-N9	6.03	113.02	108.20
26	BB	706	A	N1-C6-N6	-6.03	114.98	118.60
26	BB	1362	C	C2-N3-C4	6.03	122.92	119.90
26	BB	2324	U	C3'-C2'-C1'	6.03	106.32	101.50
26	BB	2472	G	C5'-C4'-O4'	6.03	116.33	109.10
26	BB	2727	A	C5-C6-N6	-6.03	118.88	123.70
1	AA	976	G	C5-C6-O6	6.03	132.22	128.60
1	AA	1067	A	C5-N7-C8	-6.03	100.89	103.90
1	AA	1080	A	C1'-O4'-C4'	-6.03	105.08	109.90
25	BA	26	C	C4'-C3'-C2'	6.03	108.63	102.60
25	BA	72	G	O4'-C4'-C3'	6.03	110.92	106.10
26	BB	351	C	C4-C5-C6	6.03	120.41	117.40
26	BB	712	G	N9-C4-C5	6.03	107.81	105.40
26	BB	805	G	C1'-O4'-C4'	-6.03	105.08	109.90
26	BB	946	C	N1-C2-O2	6.03	122.52	118.90
26	BB	1425	G	C8-N9-C4	-6.03	103.99	106.40
26	BB	1538	G	N9-C4-C5	-6.03	102.99	105.40
26	BB	1658	C	N3-C4-C5	-6.03	119.49	121.90
26	BB	1676	A	C3'-C2'-C1'	-6.03	96.68	101.50
26	BB	1956	U	C5-C6-N1	-6.03	119.69	122.70
26	BB	1989	G	N3-C2-N2	6.03	124.12	119.90
1	AA	357	G	N7-C8-N9	6.03	116.11	113.10
1	AA	396	C	N3-C4-C5	-6.03	119.49	121.90
1	AA	638	U	C4'-C3'-C2'	-6.03	96.58	102.60
1	AA	998	C	O3'-P-O5'	-6.03	92.55	104.00
1	AA	1374	A	C4'-C3'-C2'	-6.03	96.58	102.60
4	AD	26	C	C2-N3-C4	6.03	122.91	119.90
15	AO	94	TYR	CZ-CE2-CD2	6.03	125.22	119.80
26	BB	39	G	N9-C4-C5	6.03	107.81	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	530	G	C8-N9-C4	-6.03	103.99	106.40
26	BB	744	U	N3-C2-O2	-6.03	117.98	122.20
26	BB	810	U	C5'-C4'-O4'	6.03	116.33	109.10
26	BB	833	A	C5'-C4'-O4'	6.03	116.33	109.10
26	BB	869	G	C5-C6-O6	-6.03	124.98	128.60
26	BB	1648	U	N3-C2-O2	-6.03	117.98	122.20
26	BB	2122	U	C3'-C2'-C1'	6.03	106.32	101.50
26	BB	2310	C	N1-C2-O2	-6.03	115.28	118.90
26	BB	2740	A	C4-C5-C6	6.03	120.01	117.00
26	BB	2846	G	N1-C2-N3	6.03	127.52	123.90
1	AA	165	G	C5-N7-C8	6.02	107.31	104.30
1	AA	1538	C	C4-C5-C6	-6.02	114.39	117.40
26	BB	509	C	N1-C1'-C2'	6.02	121.83	114.00
26	BB	1448	G	C3'-C2'-C1'	-6.02	96.68	101.50
26	BB	2856	A	C2-N3-C4	6.02	113.61	110.60
1	AA	583	A	O4'-C1'-N9	6.02	113.02	108.20
1	AA	683	G	C3'-C2'-C1'	-6.02	96.68	101.50
1	AA	1185	G	C5-C6-N1	6.02	114.51	111.50
1	AA	1373	G	C5'-C4'-O4'	6.02	116.33	109.10
26	BB	124	G	N3-C2-N2	6.02	124.11	119.90
26	BB	208	C	C2-N1-C1'	-6.02	112.17	118.80
26	BB	770	G	N9-C4-C5	-6.02	102.99	105.40
26	BB	1471	G	N9-C4-C5	6.02	107.81	105.40
26	BB	1841	U	C1'-O4'-C4'	-6.02	105.08	109.90
26	BB	2074	U	N3-C2-O2	-6.02	117.98	122.20
26	BB	2254	C	C5'-C4'-O4'	6.02	116.33	109.10
40	BP	114	GLU	OE1-CD-OE2	6.02	130.53	123.30
1	AA	579	A	C8-N9-C4	-6.02	103.39	105.80
1	AA	948	C	C4-C5-C6	-6.02	114.39	117.40
1	AA	1002	G	C2-N3-C4	6.02	114.91	111.90
1	AA	1180	A	C1'-O4'-C4'	-6.02	105.08	109.90
1	AA	1306	A	C2-N3-C4	-6.02	107.59	110.60
26	BB	280	U	C4-C5-C6	6.02	123.31	119.70
26	BB	944	C	C5'-C4'-O4'	6.02	116.33	109.10
26	BB	1252	G	C5-C6-O6	-6.02	124.99	128.60
26	BB	1341	G	O4'-C1'-N9	6.02	113.02	108.20
26	BB	2078	C	C5-C6-N1	6.02	124.01	121.00
28	BD	236	GLY	C-N-CA	6.02	136.75	121.70
30	BF	69	ARG	NE-CZ-NH1	6.02	123.31	120.30
1	AA	794	A	C3'-C2'-C1'	-6.02	96.69	101.50
1	AA	1366	C	C3'-C2'-C1'	6.02	106.31	101.50
25	BA	9	G	N1-C2-N3	-6.02	120.29	123.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	73	A	C4-C5-N7	6.02	113.71	110.70
26	BB	261	G	N3-C4-C5	-6.02	125.59	128.60
26	BB	483	A	C1'-O4'-C4'	-6.02	105.08	109.90
26	BB	579	G	C5'-C4'-C3'	-6.02	106.37	116.00
26	BB	1734	G	C8-N9-C4	-6.02	103.99	106.40
26	BB	1767	G	N1-C2-N2	6.02	121.62	116.20
26	BB	2054	A	C6-C5-N7	-6.02	128.09	132.30
26	BB	2079	U	O4'-C4'-C3'	-6.02	97.98	104.00
26	BB	2486	C	C6-N1-C2	-6.02	117.89	120.30
26	BB	2762	C	N3-C2-O2	-6.02	117.69	121.90
1	AA	166	U	C4-C5-C6	6.02	123.31	119.70
1	AA	501	C	C1'-O4'-C4'	6.02	114.71	109.90
1	AA	589	U	O4'-C1'-N1	6.02	113.01	108.20
1	AA	995	C	N1-C1'-C2'	-6.02	105.38	112.00
1	AA	1375	A	C5'-C4'-O4'	6.02	116.32	109.10
1	AA	1376	U	C4-C5-C6	-6.02	116.09	119.70
1	AA	1434	A	N1-C6-N6	-6.02	114.99	118.60
1	AA	1461	G	C5'-C4'-C3'	-6.02	106.37	116.00
25	BA	117	G	C4-C5-N7	-6.02	108.39	110.80
26	BB	169	G	C4-C5-N7	-6.02	108.39	110.80
26	BB	356	G	N3-C2-N2	6.02	124.11	119.90
26	BB	494	G	N3-C4-C5	-6.02	125.59	128.60
26	BB	622	G	C4-C5-C6	6.02	122.41	118.80
26	BB	669	G	N3-C2-N2	-6.02	115.69	119.90
26	BB	1086	A	C6-C5-N7	6.02	136.51	132.30
26	BB	1290	C	C3'-C2'-C1'	-6.02	96.69	101.50
26	BB	1730	C	O5'-C5'-C4'	6.02	123.13	111.70
26	BB	2254	C	C5-C4-N4	-6.02	115.99	120.20
26	BB	2891	U	C4-C5-C6	6.02	123.31	119.70
38	BN	56	PRO	N-CD-CG	6.02	112.23	103.20
1	AA	1288	A	N7-C8-N9	6.02	116.81	113.80
25	BA	81	G	C5'-C4'-O4'	6.02	116.32	109.10
26	BB	8	C	O4'-C4'-C3'	-6.02	97.98	104.00
26	BB	121	G	N1-C2-N3	-6.02	120.29	123.90
26	BB	1614	A	C3'-C2'-C1'	-6.02	96.69	101.50
26	BB	1823	G	C4-C5-N7	-6.02	108.39	110.80
26	BB	1873	G	N3-C4-C5	-6.02	125.59	128.60
26	BB	2163	A	C8-N9-C4	-6.02	103.39	105.80
26	BB	2166	U	P-O3'-C3'	6.02	126.92	119.70
26	BB	2748	A	C5-C6-N6	6.02	128.51	123.70
1	AA	536	C	N1-C1'-C2'	-6.01	105.39	112.00
1	AA	1233	G	C6-C5-N7	-6.01	126.79	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	44	G	C2-N3-C4	6.01	114.91	111.90
26	BB	91	A	C4-C5-N7	-6.01	107.69	110.70
26	BB	368	A	C6-C5-N7	6.01	136.51	132.30
26	BB	918	A	C8-N9-C4	-6.01	103.39	105.80
26	BB	1300	G	C4-C5-N7	-6.01	108.39	110.80
26	BB	1995	U	N1-C2-N3	6.01	118.51	114.90
26	BB	2593	U	C6-N1-C2	6.01	124.61	121.00
26	BB	2634	A	C8-N9-C4	-6.01	103.39	105.80
26	BB	2773	C	N3-C4-C5	-6.01	119.49	121.90
1	AA	106	C	N3-C4-C5	-6.01	119.50	121.90
1	AA	158	G	C5-C6-O6	-6.01	124.99	128.60
1	AA	883	C	C4'-C3'-C2'	-6.01	96.59	102.60
1	AA	1419	G	N3-C2-N2	6.01	124.11	119.90
26	BB	593	U	C4'-C3'-C2'	-6.01	96.59	102.60
26	BB	689	A	C5'-C4'-O4'	6.01	116.32	109.10
26	BB	2411	A	C5-C6-N1	6.01	120.71	117.70
1	AA	915	A	C5-N7-C8	-6.01	100.89	103.90
1	AA	1039	G	N1-C2-N2	6.01	121.61	116.20
3	AC	18	A	O4'-C1'-N9	6.01	113.01	108.20
26	BB	16	C	C5'-C4'-C3'	-6.01	106.38	116.00
26	BB	219	A	C5'-C4'-C3'	-6.01	106.38	116.00
26	BB	847	U	P-O5'-C5'	-6.01	111.28	120.90
26	BB	925	A	C5'-C4'-C3'	-6.01	106.38	116.00
26	BB	1143	A	O4'-C1'-N9	6.01	113.01	108.20
26	BB	1408	G	N1-C6-O6	-6.01	116.29	119.90
26	BB	1538	G	C5-C6-O6	-6.01	124.99	128.60
26	BB	2020	A	N1-C2-N3	-6.01	126.30	129.30
26	BB	2572	A	C5-N7-C8	-6.01	100.89	103.90
1	AA	293	G	C4-C5-C6	6.01	122.41	118.80
1	AA	442	G	N7-C8-N9	6.01	116.11	113.10
1	AA	954	G	O4'-C1'-N9	6.01	113.01	108.20
1	AA	1415	G	N3-C2-N2	6.01	124.11	119.90
1	AA	1440	U	N3-C2-O2	-6.01	117.99	122.20
1	AA	1514	G	O4'-C4'-C3'	6.01	110.91	106.10
26	BB	115	C	C6-N1-C2	6.01	122.70	120.30
26	BB	180	G	C1'-O4'-C4'	-6.01	105.09	109.90
26	BB	207	A	C5'-C4'-O4'	6.01	116.31	109.10
26	BB	280	U	N1-C2-O2	6.01	127.01	122.80
26	BB	797	G	C6-N1-C2	-6.01	121.49	125.10
26	BB	2702	G	N3-C2-N2	-6.01	115.69	119.90
26	BB	2876	G	N9-C1'-C2'	-6.01	105.39	112.00
39	BO	6	ARG	NE-CZ-NH2	-6.01	117.30	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
48	BX	69	GLU	OE1-CD-OE2	6.01	130.51	123.30
26	BB	126	A	C8-N9-C4	-6.01	103.40	105.80
26	BB	131	A	N7-C8-N9	6.01	116.80	113.80
26	BB	618	G	C3'-C2'-C1'	-6.01	96.69	101.50
26	BB	1270	C	N3-C4-N4	6.01	122.20	118.00
26	BB	1785	A	C4-C5-N7	-6.01	107.70	110.70
26	BB	1862	G	C8-N9-C4	-6.01	104.00	106.40
26	BB	2162	G	C4-C5-C6	6.01	122.41	118.80
26	BB	2783	U	O4'-C1'-N1	6.01	113.01	108.20
1	AA	528	C	C4-C5-C6	-6.01	114.40	117.40
1	AA	896	C	N1-C2-O2	-6.01	115.30	118.90
1	AA	1092	A	C1'-O4'-C4'	-6.01	105.09	109.90
1	AA	1185	G	C8-N9-C4	-6.01	104.00	106.40
1	AA	1357	A	N7-C8-N9	-6.01	110.80	113.80
1	AA	1399	C	O4'-C1'-C2'	-6.01	99.79	105.80
2	AB	3	G	C5-C6-N1	6.01	114.50	111.50
2	AB	45	U	N1-C1'-C2'	-6.01	105.39	112.00
25	BA	95	U	O4'-C4'-C3'	6.01	110.91	106.10
26	BB	47	C	C6-N1-C2	6.01	122.70	120.30
26	BB	314	C	C2-N3-C4	6.01	122.90	119.90
26	BB	474	G	N9-C4-C5	6.01	107.80	105.40
26	BB	601	C	C5-C6-N1	6.01	124.00	121.00
26	BB	962	G	C5-C6-O6	-6.01	125.00	128.60
26	BB	1278	C	O4'-C1'-N1	6.01	113.00	108.20
26	BB	1491	G	N1-C6-O6	-6.01	116.30	119.90
26	BB	1526	C	C2-N1-C1'	-6.01	112.19	118.80
26	BB	2053	G	N3-C4-C5	-6.01	125.60	128.60
26	BB	2238	G	N3-C4-C5	-6.01	125.60	128.60
26	BB	2567	G	N9-C4-C5	6.01	107.80	105.40
26	BB	2863	C	N1-C1'-C2'	-6.01	105.39	112.00
26	BB	2890	G	N3-C4-C5	-6.01	125.60	128.60
43	BS	27	ARG	CD-NE-CZ	6.01	132.01	123.60
26	BB	454	A	C5'-C4'-O4'	6.00	116.31	109.10
26	BB	2555	U	N1-C2-N3	6.00	118.50	114.90
1	AA	165	G	C5-C6-O6	6.00	132.20	128.60
1	AA	643	C	C5-C6-N1	6.00	124.00	121.00
1	AA	706	A	C6-N1-C2	6.00	122.20	118.60
1	AA	899	C	N1-C2-O2	6.00	122.50	118.90
1	AA	1365	G	C6-C5-N7	-6.00	126.80	130.40
3	AC	56	G	N1-C2-N3	6.00	127.50	123.90
25	BA	90	C	C3'-C2'-C1'	6.00	106.30	101.50
26	BB	269	C	OP2-P-O3'	6.00	118.41	105.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1307	A	C4-C5-N7	-6.00	107.70	110.70
26	BB	1404	C	C4-C5-C6	-6.00	114.40	117.40
26	BB	1534	U	P-O3'-C3'	6.00	126.91	119.70
26	BB	1815	A	C1'-O4'-C4'	6.00	114.70	109.90
26	BB	2323	G	C4-C5-C6	6.00	122.40	118.80
26	BB	2369	A	C8-N9-C4	-6.00	103.40	105.80
26	BB	2369	A	N1-C2-N3	-6.00	126.30	129.30
1	AA	514	C	C3'-C2'-C1'	6.00	106.30	101.50
1	AA	533	A	C5-C6-N1	6.00	120.70	117.70
1	AA	552	U	N3-C4-C5	6.00	118.20	114.60
1	AA	555	U	C5'-C4'-C3'	-6.00	106.40	116.00
1	AA	1255	G	C5-C6-N1	6.00	114.50	111.50
3	AC	26	U	C3'-C2'-C1'	6.00	106.30	101.50
26	BB	23	G	C2-N3-C4	-6.00	108.90	111.90
26	BB	134	G	O4'-C1'-N9	6.00	113.00	108.20
26	BB	638	G	C2-N3-C4	-6.00	108.90	111.90
26	BB	664	G	O4'-C1'-N9	6.00	113.00	108.20
26	BB	1091	G	C5-N7-C8	-6.00	101.30	104.30
26	BB	1348	C	O4'-C1'-N1	6.00	113.00	108.20
26	BB	1488	C	N3-C4-C5	-6.00	119.50	121.90
26	BB	1503	A	O4'-C1'-N9	6.00	113.00	108.20
26	BB	1920	C	C5-C6-N1	-6.00	118.00	121.00
26	BB	2048	G	N9-C4-C5	6.00	107.80	105.40
26	BB	2421	G	C6-N1-C2	-6.00	121.50	125.10
26	BB	2622	U	C4'-C3'-C2'	-6.00	96.60	102.60
26	BB	2681	C	C3'-C2'-C1'	6.00	106.30	101.50
26	BB	563	A	N3-C4-N9	-6.00	122.60	127.40
26	BB	642	U	O4'-C1'-C2'	-6.00	99.80	105.80
26	BB	896	A	O4'-C1'-C2'	-6.00	99.80	105.80
26	BB	907	G	C5'-C4'-O4'	6.00	116.30	109.10
26	BB	1097	U	N1-C2-O2	6.00	127.00	122.80
26	BB	1543	G	C5'-C4'-O4'	6.00	116.30	109.10
26	BB	1759	A	C6-N1-C2	6.00	122.20	118.60
26	BB	1903	G	N3-C4-N9	6.00	129.60	126.00
52	B1	52	PHE	CB-CG-CD2	-6.00	116.60	120.80
1	AA	850	U	C5'-C4'-C3'	-6.00	106.40	116.00
2	AB	67	G	C5-N7-C8	-6.00	101.30	104.30
4	AD	59	A	O4'-C1'-C2'	-6.00	99.80	105.80
9	AI	109	ARG	NE-CZ-NH1	6.00	123.30	120.30
25	BA	84	G	C6-C5-N7	-6.00	126.80	130.40
26	BB	122	G	N1-C2-N3	-6.00	120.30	123.90
26	BB	315	G	C4-C5-C6	6.00	122.40	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1264	A	C1'-O4'-C4'	-6.00	105.10	109.90
26	BB	1592	C	C2-N3-C4	-6.00	116.90	119.90
26	BB	1650	A	N1-C6-N6	-6.00	115.00	118.60
26	BB	2038	G	O4'-C1'-N9	-6.00	103.40	108.20
26	BB	2140	G	O4'-C1'-N9	6.00	113.00	108.20
26	BB	2254	C	N1-C2-N3	-6.00	115.00	119.20
26	BB	2343	U	O4'-C1'-N1	6.00	113.00	108.20
1	AA	159	G	N3-C4-C5	-6.00	125.60	128.60
1	AA	288	A	N7-C8-N9	6.00	116.80	113.80
1	AA	416	G	C8-N9-C4	-6.00	104.00	106.40
1	AA	418	C	C5-C6-N1	-6.00	118.00	121.00
1	AA	606	G	C4'-C3'-C2'	-6.00	96.60	102.60
1	AA	767	A	N9-C1'-C2'	-6.00	105.40	112.00
1	AA	983	A	N9-C4-C5	6.00	108.20	105.80
1	AA	1047	G	C6-C5-N7	-6.00	126.80	130.40
23	AW	50	PHE	CB-CG-CD1	-6.00	116.60	120.80
26	BB	260	G	N9-C1'-C2'	-6.00	105.40	112.00
26	BB	1023	U	N3-C4-O4	6.00	123.60	119.40
26	BB	1229	C	C6-N1-C2	-6.00	117.90	120.30
26	BB	2013	A	C5-C6-N1	6.00	120.70	117.70
26	BB	2115	G	N1-C6-O6	6.00	123.50	119.90
26	BB	2337	G	C5'-C4'-C3'	-6.00	106.41	116.00
26	BB	2493	U	N3-C4-O4	6.00	123.60	119.40
31	BG	21	TYR	CB-CG-CD2	-6.00	117.40	121.00
41	BQ	99	TYR	CB-CG-CD1	-6.00	117.40	121.00
1	AA	1095	U	C5'-C4'-O4'	6.00	116.29	109.10
1	AA	1137	C	C5-C4-N4	-6.00	116.00	120.20
5	AE	22	TRP	NE1-CE2-CZ2	6.00	137.00	130.40
26	BB	426	C	C5'-C4'-C3'	-6.00	106.41	116.00
26	BB	700	G	C4-C5-N7	-6.00	108.40	110.80
26	BB	1536	C	N1-C2-O2	6.00	122.50	118.90
26	BB	1888	G	C5'-C4'-O4'	6.00	116.29	109.10
26	BB	2045	C	N1-C2-N3	-6.00	115.00	119.20
1	AA	470	C	O4'-C1'-C2'	5.99	112.99	107.60
1	AA	601	G	C6-C5-N7	-5.99	126.80	130.40
1	AA	681	A	C5'-C4'-O4'	5.99	116.29	109.10
1	AA	706	A	C3'-C2'-C1'	-5.99	96.71	101.50
1	AA	759	A	C8-N9-C4	-5.99	103.40	105.80
1	AA	1066	C	C5-C6-N1	5.99	124.00	121.00
1	AA	1118	U	C3'-C2'-C1'	5.99	106.30	101.50
1	AA	1201	A	C1'-O4'-C4'	-5.99	105.11	109.90
1	AA	1256	A	N9-C4-C5	-5.99	103.40	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1451	U	C5-C4-O4	-5.99	122.30	125.90
3	AC	16	A	N9-C4-C5	5.99	108.20	105.80
6	AF	171	ARG	NE-CZ-NH2	-5.99	117.30	120.30
25	BA	84	G	C2-N3-C4	5.99	114.90	111.90
26	BB	56	A	C1'-O4'-C4'	-5.99	105.11	109.90
26	BB	61	C	N1-C2-O2	5.99	122.50	118.90
26	BB	675	A	N1-C2-N3	-5.99	126.30	129.30
26	BB	859	G	C8-N9-C4	-5.99	104.00	106.40
26	BB	984	A	N1-C6-N6	-5.99	115.00	118.60
26	BB	1874	C	C5'-C4'-O4'	5.99	116.29	109.10
26	BB	2384	U	C3'-C2'-C1'	5.99	106.30	101.50
26	BB	2402	U	C5-C6-N1	-5.99	119.70	122.70
30	BF	140	ASP	CB-CG-OD2	5.99	123.69	118.30
1	AA	238	A	C1'-O4'-C4'	5.99	114.69	109.90
1	AA	782	A	C5-C6-N1	5.99	120.70	117.70
1	AA	878	A	C8-N9-C4	-5.99	103.40	105.80
25	BA	30	C	C5-C6-N1	5.99	124.00	121.00
25	BA	33	G	N7-C8-N9	-5.99	110.10	113.10
26	BB	424	G	C5-N7-C8	-5.99	101.30	104.30
26	BB	967	U	C4'-C3'-C2'	-5.99	96.61	102.60
26	BB	2409	G	C4-C5-C6	-5.99	115.20	118.80
1	AA	503	C	C6-N1-C1'	5.99	127.99	120.80
1	AA	743	A	C5'-C4'-C3'	-5.99	106.42	116.00
3	AC	29	G	C8-N9-C4	-5.99	104.00	106.40
4	AD	71	G	N7-C8-N9	5.99	116.09	113.10
24	AX	46	ARG	NE-CZ-NH2	-5.99	117.31	120.30
26	BB	1044	C	O3'-P-O5'	-5.99	92.62	104.00
26	BB	1381	G	C4-C5-C6	5.99	122.39	118.80
26	BB	1439	A	N7-C8-N9	5.99	116.80	113.80
26	BB	2447	G	N3-C2-N2	5.99	124.09	119.90
1	AA	167	A	C1'-O4'-C4'	-5.99	105.11	109.90
1	AA	489	C	N1-C2-O2	5.99	122.49	118.90
1	AA	564	C	C6-N1-C2	-5.99	117.91	120.30
1	AA	758	C	N1-C2-O2	5.99	122.49	118.90
1	AA	758	C	C4'-C3'-C2'	-5.99	96.61	102.60
1	AA	838	G	N1-C6-O6	-5.99	116.31	119.90
1	AA	990	C	N1-C2-N3	-5.99	115.01	119.20
1	AA	1513	A	N1-C2-N3	-5.99	126.31	129.30
2	AB	73	G	C4-C5-C6	5.99	122.39	118.80
26	BB	295	G	C8-N9-C1'	5.99	134.79	127.00
26	BB	391	A	P-O3'-C3'	5.99	126.89	119.70
26	BB	610	C	N3-C4-N4	5.99	122.19	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1134	A	C5'-C4'-O4'	-5.99	101.91	109.10
26	BB	1844	C	C5'-C4'-O4'	5.99	116.29	109.10
1	AA	566	G	N3-C4-C5	-5.99	125.61	128.60
7	AG	173	ASP	CB-CG-OD2	-5.99	112.91	118.30
26	BB	1329	U	N3-C2-O2	-5.99	118.01	122.20
26	BB	1461	C	N3-C4-C5	5.99	124.30	121.90
26	BB	1934	C	C2-N3-C4	5.99	122.89	119.90
1	AA	579	A	C2-N3-C4	-5.99	107.61	110.60
1	AA	731	G	C5-C6-O6	-5.99	125.01	128.60
1	AA	793	U	C1'-O4'-C4'	-5.99	105.11	109.90
1	AA	1528	U	N1-C2-O2	5.99	126.99	122.80
26	BB	234	U	C3'-C2'-C1'	5.99	106.29	101.50
26	BB	284	U	C4'-C3'-C2'	-5.99	96.61	102.60
26	BB	487	C	O3'-P-O5'	-5.99	92.63	104.00
26	BB	597	G	C5-C6-O6	-5.99	125.01	128.60
26	BB	1433	A	N9-C1'-C2'	-5.99	105.42	112.00
26	BB	1632	A	N1-C2-N3	5.99	132.29	129.30
26	BB	1755	A	C4-C5-C6	-5.99	114.01	117.00
26	BB	1884	G	N3-C4-N9	-5.99	122.41	126.00
26	BB	2124	G	C4-N9-C1'	-5.99	118.72	126.50
26	BB	2572	A	C3'-C2'-C1'	5.99	106.29	101.50
1	AA	190	A	N7-C8-N9	5.98	116.79	113.80
1	AA	412	A	P-O5'-C5'	5.98	130.47	120.90
1	AA	585	G	C4'-C3'-C2'	-5.98	96.62	102.60
1	AA	990	C	P-O3'-C3'	5.98	126.88	119.70
1	AA	1446	A	C4-C5-C6	-5.98	114.01	117.00
2	AB	7	G	C8-N9-C1'	5.98	134.78	127.00
26	BB	827	U	N3-C2-O2	-5.98	118.01	122.20
26	BB	996	A	C4-C5-C6	-5.98	114.01	117.00
26	BB	1742	U	N3-C4-C5	-5.98	111.01	114.60
26	BB	2604	U	O4'-C1'-N1	5.98	112.99	108.20
48	BX	21	ARG	NE-CZ-NH1	5.98	123.29	120.30
1	AA	52	C	C5'-C4'-O4'	5.98	116.28	109.10
1	AA	427	U	O4'-C1'-N1	5.98	112.99	108.20
1	AA	658	C	O4'-C1'-N1	5.98	112.98	108.20
1	AA	823	C	N3-C4-C5	-5.98	119.51	121.90
1	AA	938	A	C2-N3-C4	5.98	113.59	110.60
1	AA	1024	G	C5-C6-O6	-5.98	125.01	128.60
1	AA	1115	U	C5-C4-O4	5.98	129.49	125.90
1	AA	1435	G	C4-C5-N7	5.98	113.19	110.80
2	AB	69	C	N1-C1'-C2'	-5.98	105.42	112.00
26	BB	345	A	C6-N1-C2	5.98	122.19	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	383	C	N1-C2-N3	-5.98	115.01	119.20
26	BB	571	U	N3-C4-C5	-5.98	111.01	114.60
26	BB	712	G	N3-C2-N2	-5.98	115.71	119.90
26	BB	1447	C	C5-C6-N1	5.98	123.99	121.00
26	BB	1633	G	C6-C5-N7	-5.98	126.81	130.40
26	BB	1930	G	C6-C5-N7	-5.98	126.81	130.40
26	BB	2054	A	N7-C8-N9	5.98	116.79	113.80
26	BB	2175	C	C2-N3-C4	-5.98	116.91	119.90
26	BB	2731	G	N1-C6-O6	5.98	123.49	119.90
26	BB	2855	C	C5-C6-N1	5.98	123.99	121.00
36	BL	49	ASP	CB-CG-OD1	-5.98	112.92	118.30
42	BR	90	ALA	N-CA-CB	-5.98	101.72	110.10
1	AA	458	U	C2-N1-C1'	-5.98	110.52	117.70
1	AA	1127	G	N1-C2-N2	5.98	121.58	116.20
1	AA	1362	A	C4-C5-C6	-5.98	114.01	117.00
4	AD	31	G	N3-C4-N9	-5.98	122.41	126.00
4	AD	32	G	C1'-O4'-C4'	-5.98	105.12	109.90
25	BA	50	A	C4'-C3'-C2'	-5.98	96.62	102.60
26	BB	253	C	C1'-O4'-C4'	-5.98	105.11	109.90
26	BB	345	A	C2-N3-C4	5.98	113.59	110.60
26	BB	383	C	C4'-C3'-C2'	-5.98	96.62	102.60
26	BB	980	A	N1-C2-N3	-5.98	126.31	129.30
26	BB	1280	G	C5-N7-C8	-5.98	101.31	104.30
26	BB	1304	A	N1-C2-N3	-5.98	126.31	129.30
26	BB	1553	A	C5-C6-N1	5.98	120.69	117.70
26	BB	1627	G	C4-C5-N7	-5.98	108.41	110.80
26	BB	1953	A	O4'-C1'-N9	5.98	112.98	108.20
26	BB	2081	U	N3-C4-O4	5.98	123.59	119.40
26	BB	2434	A	C2-N3-C4	5.98	113.59	110.60
26	BB	2564	A	N9-C4-C5	-5.98	103.41	105.80
26	BB	2573	C	C1'-O4'-C4'	-5.98	105.12	109.90
26	BB	2626	C	N3-C4-N4	5.98	122.19	118.00
1	AA	371	A	N1-C2-N3	-5.98	126.31	129.30
1	AA	887	G	N1-C2-N3	5.98	127.49	123.90
1	AA	1150	A	C8-N9-C4	5.98	108.19	105.80
4	AD	72	C	C6-N1-C1'	5.98	127.97	120.80
26	BB	725	G	C3'-C2'-C1'	5.98	106.28	101.50
26	BB	975	A	C5-C6-N1	-5.98	114.71	117.70
26	BB	1232	G	C3'-C2'-C1'	5.98	106.28	101.50
26	BB	1636	U	N3-C4-O4	5.98	123.58	119.40
26	BB	2056	G	O4'-C1'-N9	5.98	112.98	108.20
26	BB	2786	U	C4'-C3'-C2'	-5.98	96.62	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	247	G	C5-C6-O6	-5.98	125.01	128.60
1	AA	345	C	N1-C2-N3	-5.98	115.02	119.20
1	AA	992	U	N1-C2-N3	5.98	118.49	114.90
1	AA	1014	A	C8-N9-C4	-5.98	103.41	105.80
1	AA	1499	A	C4'-C3'-C2'	5.98	108.58	102.60
26	BB	125	A	N3-C4-N9	5.98	132.18	127.40
26	BB	1232	G	C1'-O4'-C4'	5.98	114.68	109.90
26	BB	1491	G	C5-C6-N1	5.98	114.49	111.50
26	BB	1821	A	C2-N3-C4	-5.98	107.61	110.60
26	BB	1844	C	C4-C5-C6	5.98	120.39	117.40
26	BB	2331	G	N3-C4-C5	5.98	131.59	128.60
1	AA	948	C	N3-C4-C5	-5.98	119.51	121.90
1	AA	1271	A	N9-C4-C5	-5.98	103.41	105.80
26	BB	266	G	C4-C5-N7	5.98	113.19	110.80
26	BB	1296	G	P-O3'-C3'	5.98	126.87	119.70
26	BB	2497	A	C6-N1-C2	5.98	122.19	118.60
1	AA	333	U	N3-C2-O2	5.97	126.38	122.20
1	AA	728	A	C3'-C2'-C1'	5.97	106.28	101.50
1	AA	1177	G	C5-C6-N1	5.97	114.49	111.50
10	AJ	102	TRP	NE1-CE2-CZ2	5.97	136.97	130.40
24	AX	18	PHE	CB-CG-CD2	-5.97	116.62	120.80
25	BA	94	A	C4-C5-C6	-5.97	114.01	117.00
26	BB	176	A	C8-N9-C4	-5.97	103.41	105.80
26	BB	644	A	O4'-C1'-N9	5.97	112.98	108.20
26	BB	926	G	N1-C6-O6	5.97	123.48	119.90
1	AA	53	A	O4'-C4'-C3'	5.97	110.88	106.10
1	AA	202	G	N3-C2-N2	5.97	124.08	119.90
1	AA	921	U	C5'-C4'-O4'	5.97	116.27	109.10
1	AA	954	G	C5-C6-O6	-5.97	125.02	128.60
1	AA	1038	C	C5-C4-N4	5.97	124.38	120.20
1	AA	1042	A	C6-C5-N7	5.97	136.48	132.30
1	AA	1239	A	N9-C1'-C2'	-5.97	105.43	112.00
2	AB	19	G	C5-C6-O6	-5.97	125.02	128.60
25	BA	90	C	O4'-C1'-C2'	-5.97	99.83	105.80
26	BB	96	C	C5-C6-N1	-5.97	118.01	121.00
26	BB	447	A	N3-C4-C5	-5.97	122.62	126.80
26	BB	603	A	C5-C6-N1	5.97	120.69	117.70
26	BB	759	G	N1-C2-N3	5.97	127.48	123.90
26	BB	1333	G	C5'-C4'-O4'	5.97	116.27	109.10
26	BB	1363	C	C6-N1-C2	5.97	122.69	120.30
26	BB	1479	G	C6-C5-N7	5.97	133.98	130.40
26	BB	2441	U	N1-C2-N3	5.97	118.48	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2479	U	N3-C4-C5	5.97	118.18	114.60
1	AA	570	G	N3-C4-N9	-5.97	122.42	126.00
26	BB	2581	G	N3-C4-N9	5.97	129.58	126.00
1	AA	787	A	N9-C4-C5	-5.97	103.41	105.80
1	AA	1102	A	C5'-C4'-O4'	5.97	116.26	109.10
1	AA	1276	G	C5-C6-N1	5.97	114.48	111.50
26	BB	655	A	O4'-C4'-C3'	5.97	110.88	106.10
26	BB	709	U	N1-C2-N3	-5.97	111.32	114.90
26	BB	796	C	C4-C5-C6	5.97	120.39	117.40
26	BB	823	C	C6-N1-C2	-5.97	117.91	120.30
26	BB	1165	A	N1-C2-N3	-5.97	126.31	129.30
26	BB	1194	A	N3-C4-C5	-5.97	122.62	126.80
26	BB	1423	G	C6-N1-C2	-5.97	121.52	125.10
26	BB	1569	A	O4'-C1'-N9	5.97	112.98	108.20
26	BB	1966	A	N9-C4-C5	5.97	108.19	105.80
26	BB	2067	G	C4-C5-C6	5.97	122.38	118.80
26	BB	2572	A	C4-C5-C6	5.97	119.98	117.00
26	BB	2638	G	C5'-C4'-O4'	5.97	116.26	109.10
26	BB	2831	G	C5'-C4'-C3'	-5.97	106.45	116.00
1	AA	973	G	N7-C8-N9	5.97	116.08	113.10
1	AA	988	G	C5-C6-N1	-5.97	108.52	111.50
1	AA	1304	G	P-O3'-C3'	5.97	126.86	119.70
1	AA	1416	G	C6-C5-N7	5.97	133.98	130.40
26	BB	460	A	C6-C5-N7	5.97	136.48	132.30
26	BB	1016	G	P-O3'-C3'	5.97	126.86	119.70
26	BB	1604	C	C5'-C4'-C3'	-5.97	106.45	116.00
26	BB	2720	U	N1-C2-O2	5.97	126.98	122.80
1	AA	399	G	N3-C2-N2	-5.97	115.72	119.90
1	AA	745	G	N7-C8-N9	5.97	116.08	113.10
1	AA	890	G	N3-C4-N9	-5.97	122.42	126.00
1	AA	944	G	C3'-C2'-C1'	-5.97	96.73	101.50
1	AA	1231	G	P-O3'-C3'	5.97	126.86	119.70
1	AA	1505	G	C5-C6-N1	-5.97	108.52	111.50
1	AA	1520	C	C5-C4-N4	-5.97	116.02	120.20
6	AF	140	ALA	CB-CA-C	5.97	119.05	110.10
7	AG	169	TRP	CD2-CE3-CZ3	5.97	126.56	118.80
25	BA	73	A	P-O3'-C3'	5.97	126.86	119.70
26	BB	205	G	C1'-O4'-C4'	-5.97	105.13	109.90
26	BB	235	U	C5-C6-N1	-5.97	119.72	122.70
26	BB	536	G	N3-C4-C5	-5.97	125.62	128.60
26	BB	1356	G	C5-N7-C8	-5.97	101.32	104.30
26	BB	2073	C	C1'-O4'-C4'	5.97	114.67	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2137	U	C1'-O4'-C4'	5.97	114.67	109.90
26	BB	2842	G	C5'-C4'-C3'	-5.97	106.45	116.00
1	AA	1044	A	C5-N7-C8	-5.96	100.92	103.90
1	AA	1137	C	C5-C6-N1	5.96	123.98	121.00
1	AA	1338	G	O4'-C1'-C2'	-5.96	99.83	105.80
1	AA	1384	C	C2-N3-C4	-5.96	116.92	119.90
1	AA	1431	A	C8-N9-C4	-5.96	103.42	105.80
26	BB	1	G	C4-C5-C6	5.96	122.38	118.80
26	BB	65	U	C2-N3-C4	-5.96	123.42	127.00
26	BB	119	A	C5-N7-C8	5.96	106.88	103.90
26	BB	491	G	N3-C2-N2	5.96	124.08	119.90
26	BB	669	G	O4'-C1'-C2'	-5.96	99.83	105.80
26	BB	836	G	C1'-O4'-C4'	-5.96	105.13	109.90
26	BB	2262	U	N1-C2-N3	5.96	118.48	114.90
26	BB	2339	C	N3-C2-O2	-5.96	117.72	121.90
26	BB	2839	G	C5'-C4'-O4'	5.96	116.26	109.10
1	AA	952	U	C4-C5-C6	5.96	123.28	119.70
26	BB	173	A	N1-C2-N3	5.96	132.28	129.30
26	BB	346	A	C6-N1-C2	5.96	122.18	118.60
26	BB	966	G	N7-C8-N9	5.96	116.08	113.10
26	BB	2072	C	N1-C2-N3	-5.96	115.03	119.20
26	BB	2110	G	C3'-C2'-C1'	-5.96	96.73	101.50
26	BB	2409	G	N1-C6-O6	-5.96	116.32	119.90
26	BB	2587	A	C5-C6-N1	-5.96	114.72	117.70
26	BB	2716	C	C3'-C2'-C1'	-5.96	96.73	101.50
26	BB	2762	C	C3'-C2'-C1'	5.96	106.27	101.50
1	AA	521	G	N1-C6-O6	-5.96	116.32	119.90
1	AA	565	U	N1-C2-N3	5.96	118.48	114.90
1	AA	725	G	O5'-C5'-C4'	-5.96	100.37	111.70
25	BA	33	G	N1-C2-N2	-5.96	110.83	116.20
26	BB	409	G	C5-C6-N1	5.96	114.48	111.50
26	BB	726	G	C5'-C4'-O4'	5.96	116.25	109.10
26	BB	1182	G	N1-C2-N2	5.96	121.56	116.20
26	BB	1747	U	N1-C1'-C2'	5.96	121.75	114.00
26	BB	1861	G	N9-C4-C5	5.96	107.78	105.40
26	BB	2153	C	C5-C6-N1	-5.96	118.02	121.00
26	BB	2396	G	N1-C2-N3	-5.96	120.32	123.90
26	BB	2416	C	C5-C4-N4	5.96	124.37	120.20
26	BB	2446	G	N1-C2-N3	5.96	127.48	123.90
26	BB	2825	G	O4'-C1'-N9	5.96	112.97	108.20
42	BR	20	ARG	NE-CZ-NH1	5.96	123.28	120.30
1	AA	399	G	N7-C8-N9	-5.96	110.12	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1348	C	P-O3'-C3'	5.96	126.85	119.70
26	BB	1375	U	C4-C5-C6	5.96	123.28	119.70
38	BN	48	ARG	CD-NE-CZ	5.96	131.94	123.60
1	AA	154	U	N1-C2-N3	5.96	118.47	114.90
1	AA	806	C	C1'-O4'-C4'	-5.96	105.13	109.90
1	AA	828	U	N1-C2-O2	5.96	126.97	122.80
1	AA	872	A	C6-C5-N7	5.96	136.47	132.30
1	AA	1029	U	N3-C4-C5	-5.96	111.03	114.60
1	AA	1112	C	N3-C4-C5	-5.96	119.52	121.90
1	AA	1201	A	C5-C6-N6	-5.96	118.93	123.70
1	AA	1201	A	C5'-C4'-O4'	5.96	116.25	109.10
1	AA	1223	C	C6-N1-C2	-5.96	117.92	120.30
1	AA	1252	A	N1-C6-N6	5.96	122.17	118.60
26	BB	68	G	C5'-C4'-C3'	-5.96	106.47	116.00
26	BB	757	G	C5'-C4'-O4'	5.96	116.25	109.10
26	BB	781	A	P-O3'-C3'	5.96	126.85	119.70
26	BB	1210	G	N3-C4-N9	-5.96	122.42	126.00
26	BB	1329	U	C2-N3-C4	-5.96	123.42	127.00
26	BB	1349	C	N3-C4-N4	5.96	122.17	118.00
26	BB	1426	G	N1-C6-O6	-5.96	116.32	119.90
26	BB	1719	G	N7-C8-N9	5.96	116.08	113.10
26	BB	1739	A	N3-C4-N9	-5.96	122.63	127.40
26	BB	1812	U	N3-C4-C5	5.96	118.17	114.60
26	BB	1893	C	C5-C4-N4	-5.96	116.03	120.20
26	BB	2273	A	C5-C6-N1	-5.96	114.72	117.70
26	BB	2488	G	C4'-C3'-C2'	-5.96	96.64	102.60
26	BB	2549	G	C4-C5-C6	-5.96	115.22	118.80
26	BB	2594	C	C6-N1-C1'	5.96	127.95	120.80
26	BB	2799	A	N9-C1'-C2'	5.96	121.75	114.00
26	BB	2812	G	C2-N3-C4	5.96	114.88	111.90
1	AA	119	A	C8-N9-C4	-5.96	103.42	105.80
1	AA	138	G	N9-C4-C5	5.96	107.78	105.40
1	AA	765	G	C5'-C4'-O4'	5.96	116.25	109.10
26	BB	245	G	C8-N9-C4	-5.96	104.02	106.40
26	BB	337	C	C2'-C3'-O3'	5.96	123.23	113.70
26	BB	431	U	O5'-C5'-C4'	-5.96	100.38	111.70
26	BB	502	A	C2-N3-C4	5.96	113.58	110.60
26	BB	914	G	C5'-C4'-O4'	5.96	116.25	109.10
26	BB	997	G	C3'-C2'-C1'	-5.96	96.73	101.50
26	BB	1698	A	C5'-C4'-O4'	5.96	116.25	109.10
26	BB	2217	G	N7-C8-N9	5.96	116.08	113.10
26	BB	2471	A	O4'-C4'-C3'	5.96	110.87	106.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	433	G	C5-C6-O6	5.96	132.17	128.60
2	AB	22	G	C4-C5-N7	5.96	113.18	110.80
3	AC	26	U	C5-C6-N1	5.96	125.68	122.70
26	BB	341	C	N3-C4-C5	-5.96	119.52	121.90
26	BB	1259	G	N7-C8-N9	5.96	116.08	113.10
26	BB	1445	G	N3-C4-C5	-5.96	125.62	128.60
26	BB	1908	C	C1'-O4'-C4'	-5.96	105.14	109.90
26	BB	1964	G	C1'-O4'-C4'	-5.96	105.14	109.90
26	BB	2321	U	P-O3'-C3'	5.96	126.85	119.70
1	AA	947	G	C5-C6-N1	5.95	114.48	111.50
1	AA	1036	A	N1-C2-N3	5.95	132.28	129.30
1	AA	1529	G	N9-C4-C5	-5.95	103.02	105.40
6	AF	39	ARG	NE-CZ-NH2	-5.95	117.32	120.30
26	BB	72	U	N3-C4-C5	-5.95	111.03	114.60
26	BB	188	G	O4'-C1'-N9	-5.95	103.44	108.20
26	BB	284	U	C4-C5-C6	5.95	123.27	119.70
26	BB	430	A	C5'-C4'-C3'	-5.95	106.47	116.00
26	BB	549	G	C3'-C2'-C1'	5.95	106.26	101.50
26	BB	1018	U	N1-C2-O2	5.95	126.97	122.80
26	BB	1032	A	N1-C6-N6	-5.95	115.03	118.60
26	BB	1150	C	N3-C4-N4	-5.95	113.83	118.00
26	BB	1216	G	C5-C6-N1	5.95	114.48	111.50
26	BB	1461	C	N1-C2-O2	5.95	122.47	118.90
26	BB	1654	A	C4-C5-N7	-5.95	107.72	110.70
26	BB	1842	G	C4-C5-N7	5.95	113.18	110.80
26	BB	1992	G	O4'-C1'-N9	-5.95	103.44	108.20
26	BB	2669	G	C3'-C2'-C1'	5.95	106.26	101.50
39	BO	9	PHE	CB-CG-CD2	-5.95	116.63	120.80
1	AA	135	C	N3-C4-N4	5.95	122.17	118.00
1	AA	1042	A	N1-C6-N6	-5.95	115.03	118.60
26	BB	48	G	C4'-C3'-C2'	-5.95	96.65	102.60
26	BB	680	C	N3-C2-O2	-5.95	117.73	121.90
1	AA	158	G	O4'-C1'-N9	5.95	112.96	108.20
1	AA	241	G	N9-C1'-C2'	-5.95	105.45	112.00
1	AA	763	G	C6-N1-C2	-5.95	121.53	125.10
1	AA	936	C	C5-C6-N1	5.95	123.97	121.00
1	AA	1430	A	N3-C4-C5	-5.95	122.64	126.80
26	BB	128	C	C5-C4-N4	5.95	124.36	120.20
26	BB	257	C	N3-C4-N4	-5.95	113.83	118.00
26	BB	846	U	N1-C2-N3	5.95	118.47	114.90
26	BB	1184	U	C5'-C4'-O4'	5.95	116.24	109.10
26	BB	1676	A	O4'-C1'-C2'	5.95	112.95	107.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2229	U	C5'-C4'-O4'	5.95	116.24	109.10
44	BT	83	TYR	O-C-N	5.95	132.22	122.70
1	AA	633	G	C4-C5-N7	5.95	113.18	110.80
1	AA	677	U	N1-C2-N3	5.95	118.47	114.90
1	AA	1148	U	C5'-C4'-O4'	5.95	116.24	109.10
4	AD	27	G	C6-C5-N7	-5.95	126.83	130.40
25	BA	67	G	N1-C6-O6	-5.95	116.33	119.90
26	BB	101	A	C6-N1-C2	5.95	122.17	118.60
26	BB	132	G	N3-C4-N9	-5.95	122.43	126.00
26	BB	205	G	N9-C4-C5	5.95	107.78	105.40
26	BB	358	U	C5'-C4'-C3'	-5.95	106.48	116.00
26	BB	799	G	N9-C1'-C2'	-5.95	105.46	112.00
26	BB	1188	U	C6-N1-C2	-5.95	117.43	121.00
26	BB	1668	A	C4-C5-C6	-5.95	114.03	117.00
26	BB	1856	U	C5'-C4'-O4'	5.95	116.24	109.10
26	BB	2276	G	C1'-O4'-C4'	5.95	114.66	109.90
28	BD	244	VAL	CA-CB-CG2	5.95	119.82	110.90
1	AA	15	G	N3-C4-C5	-5.95	125.63	128.60
1	AA	389	A	N7-C8-N9	5.95	116.77	113.80
1	AA	1322	C	C5-C4-N4	-5.95	116.04	120.20
25	BA	69	G	C3'-C2'-C1'	-5.95	96.74	101.50
26	BB	72	U	C4-C5-C6	5.95	123.27	119.70
26	BB	452	G	C6-N1-C2	-5.95	121.53	125.10
26	BB	751	A	N3-C4-C5	-5.95	122.64	126.80
26	BB	1308	A	C5'-C4'-O4'	5.95	116.24	109.10
26	BB	1665	A	N1-C6-N6	5.95	122.17	118.60
26	BB	2000	C	N3-C4-N4	5.95	122.16	118.00
26	BB	2775	G	C2-N3-C4	5.95	114.87	111.90
1	AA	48	C	N3-C4-N4	5.95	122.16	118.00
1	AA	729	A	C4-C5-C6	5.95	119.97	117.00
1	AA	1032	G	P-O3'-C3'	5.95	126.84	119.70
3	AC	55	A	N1-C6-N6	5.95	122.17	118.60
26	BB	34	U	C1'-O4'-C4'	-5.95	105.14	109.90
26	BB	278	A	C2-N3-C4	5.95	113.57	110.60
26	BB	724	U	N1-C1'-C2'	-5.95	105.46	112.00
26	BB	945	A	O4'-C1'-N9	5.95	112.96	108.20
26	BB	1084	A	C6-N1-C2	-5.95	115.03	118.60
26	BB	1877	A	N1-C2-N3	5.95	132.27	129.30
26	BB	1916	A	C4-C5-N7	-5.95	107.73	110.70
26	BB	1940	U	N1-C2-O2	5.95	126.96	122.80
26	BB	2038	G	O4'-C1'-C2'	5.95	112.95	107.60
26	BB	2272	U	C4-C5-C6	5.95	123.27	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
53	B2	43	PHE	CB-CG-CD2	5.95	124.96	120.80
1	AA	327	A	C5-C6-N6	5.94	128.46	123.70
26	BB	988	A	C4'-C3'-C2'	5.94	108.54	102.60
26	BB	1112	G	N3-C4-N9	-5.94	122.43	126.00
26	BB	1416	G	C6-N1-C2	-5.94	121.53	125.10
26	BB	2645	G	C8-N9-C4	-5.94	104.02	106.40
1	AA	30	U	P-O3'-C3'	5.94	126.83	119.70
1	AA	513	C	C4-C5-C6	-5.94	114.43	117.40
1	AA	863	U	C5'-C4'-O4'	5.94	116.23	109.10
3	AC	58	C	C2-N1-C1'	5.94	125.34	118.80
25	BA	19	C	C6-N1-C2	-5.94	117.92	120.30
26	BB	312	G	C5-C6-O6	-5.94	125.03	128.60
26	BB	646	U	C5-C6-N1	-5.94	119.73	122.70
26	BB	1028	A	C6-N1-C2	-5.94	115.03	118.60
26	BB	1054	A	C5-C6-N1	-5.94	114.73	117.70
26	BB	1144	A	N7-C8-N9	5.94	116.77	113.80
26	BB	1166	G	O4'-C1'-N9	5.94	112.95	108.20
26	BB	1358	G	N3-C4-N9	5.94	129.56	126.00
26	BB	1397	U	C5'-C4'-O4'	5.94	116.23	109.10
26	BB	1603	A	C6-N1-C2	-5.94	115.03	118.60
26	BB	2439	A	C4'-C3'-C2'	-5.94	96.66	102.60
26	BB	2484	G	N7-C8-N9	-5.94	110.13	113.10
26	BB	2695	U	O4'-C1'-N1	5.94	112.95	108.20
26	BB	2713	U	C4-C5-C6	5.94	123.27	119.70
1	AA	599	C	C4'-C3'-C2'	-5.94	96.66	102.60
1	AA	1087	G	O4'-C1'-N9	5.94	112.95	108.20
1	AA	1142	G	N3-C2-N2	-5.94	115.74	119.90
1	AA	1239	A	C3'-C2'-C1'	-5.94	96.75	101.50
1	AA	1504	G	C4-C5-N7	-5.94	108.42	110.80
3	AC	44	U	C6-N1-C2	-5.94	117.44	121.00
17	AQ	100	TRP	NE1-CE2-CD2	-5.94	101.36	107.30
26	BB	329	G	N3-C2-N2	-5.94	115.74	119.90
26	BB	854	C	N1-C2-O2	5.94	122.47	118.90
26	BB	1572	A	C5-N7-C8	5.94	106.87	103.90
26	BB	2265	U	N3-C4-C5	5.94	118.16	114.60
26	BB	2375	G	C1'-O4'-C4'	-5.94	105.15	109.90
26	BB	2836	U	N1-C2-O2	5.94	126.96	122.80
53	B2	51	VAL	CA-CB-CG1	5.94	119.81	110.90
1	AA	26	A	N7-C8-N9	5.94	116.77	113.80
1	AA	874	G	C2-N3-C4	5.94	114.87	111.90
20	AT	52	CYS	CA-CB-SG	-5.94	103.31	114.00
26	BB	25	U	N1-C2-O2	-5.94	118.64	122.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	740	C	N1-C1'-C2'	5.94	121.72	114.00
26	BB	1346	G	C2-N3-C4	-5.94	108.93	111.90
26	BB	2092	U	N1-C2-O2	5.94	126.96	122.80
1	AA	320	A	C3'-C2'-C1'	5.94	106.25	101.50
1	AA	722	G	N3-C4-C5	-5.94	125.63	128.60
1	AA	820	U	OP1-P-OP2	5.94	128.51	119.60
1	AA	865	A	N7-C8-N9	5.94	116.77	113.80
1	AA	983	A	C6-C5-N7	5.94	136.46	132.30
1	AA	1190	G	N3-C4-C5	-5.94	125.63	128.60
1	AA	1219	A	N9-C1'-C2'	-5.94	105.47	112.00
1	AA	1496	C	C5'-C4'-O4'	5.94	116.23	109.10
12	AL	11	ARG	NE-CZ-NH2	5.94	123.27	120.30
15	AO	65	TYR	CB-CG-CD2	-5.94	117.44	121.00
26	BB	105	C	C2-N3-C4	-5.94	116.93	119.90
26	BB	1117	C	C5-C4-N4	5.94	124.36	120.20
26	BB	1157	G	O5'-P-OP2	-5.94	100.36	105.70
26	BB	1672	A	C4-C5-C6	5.94	119.97	117.00
26	BB	1826	G	C5'-C4'-C3'	-5.94	106.50	116.00
26	BB	1938	A	N7-C8-N9	5.94	116.77	113.80
26	BB	2182	U	C5'-C4'-O4'	5.94	116.22	109.10
26	BB	2444	G	N3-C4-C5	-5.94	125.63	128.60
26	BB	2483	C	C1'-O4'-C4'	-5.94	105.15	109.90
1	AA	263	A	C4-C5-C6	5.94	119.97	117.00
1	AA	1139	G	N3-C4-C5	-5.94	125.63	128.60
1	AA	1291	U	C5'-C4'-O4'	5.94	116.22	109.10
1	AA	1421	G	N3-C2-N2	-5.94	115.75	119.90
4	AD	9	G	C6-N1-C2	-5.94	121.54	125.10
11	AK	8	ASP	CB-CG-OD2	-5.94	112.96	118.30
26	BB	121	G	O4'-C1'-N9	-5.94	103.45	108.20
26	BB	2256	G	O4'-C1'-N9	5.94	112.95	108.20
1	AA	93	U	N3-C2-O2	-5.93	118.05	122.20
1	AA	341	C	N1-C1'-C2'	-5.93	105.47	112.00
26	BB	72	U	N3-C4-O4	5.93	123.55	119.40
26	BB	652	U	C5-C4-O4	-5.93	122.34	125.90
26	BB	977	G	C5-C6-O6	-5.93	125.04	128.60
26	BB	987	C	N3-C2-O2	-5.93	117.75	121.90
26	BB	1261	C	O4'-C1'-N1	5.93	112.95	108.20
26	BB	1365	A	C2-N3-C4	5.93	113.57	110.60
26	BB	2194	U	C4'-C3'-C2'	-5.93	96.67	102.60
26	BB	2221	G	C4-C5-C6	-5.93	115.24	118.80
26	BB	2508	G	C5-C6-O6	-5.93	125.04	128.60
26	BB	2610	C	C2-N1-C1'	5.93	125.33	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	392	C	C3'-C2'-C1'	-5.93	96.75	101.50
2	AB	63	C	P-O3'-C3'	5.93	126.82	119.70
25	BA	18	G	N3-C2-N2	-5.93	115.75	119.90
25	BA	45	A	C4-C5-N7	-5.93	107.73	110.70
26	BB	242	G	C1'-O4'-C4'	-5.93	105.15	109.90
26	BB	308	G	C5-N7-C8	-5.93	101.33	104.30
26	BB	1300	G	C1'-O4'-C4'	-5.93	105.15	109.90
26	BB	2708	G	C5-N7-C8	-5.93	101.33	104.30
26	BB	2826	A	C4'-C3'-C2'	-5.93	96.67	102.60
1	AA	485	U	C2-N1-C1'	-5.93	110.58	117.70
1	AA	1035	A	C8-N9-C4	-5.93	103.43	105.80
1	AA	1181	G	C1'-O4'-C4'	-5.93	105.16	109.90
26	BB	775	G	C3'-C2'-C1'	-5.93	96.75	101.50
26	BB	2413	G	C5-N7-C8	-5.93	101.33	104.30
26	BB	2425	A	C5-N7-C8	5.93	106.86	103.90
26	BB	2455	G	C5-C6-N1	-5.93	108.53	111.50
26	BB	2719	G	C3'-C2'-C1'	5.93	106.25	101.50
50	BZ	51	SER	CB-CA-C	5.93	121.37	110.10
1	AA	517	G	C5'-C4'-C3'	-5.93	106.51	116.00
1	AA	673	A	N9-C4-C5	5.93	108.17	105.80
2	AB	5	G	N1-C2-N2	5.93	121.54	116.20
26	BB	109	C	C4-C5-C6	-5.93	114.44	117.40
26	BB	299	A	C5-C6-N1	-5.93	114.73	117.70
26	BB	604	G	C4-C5-N7	-5.93	108.43	110.80
26	BB	616	A	C2-N3-C4	5.93	113.56	110.60
26	BB	1216	G	C4-C5-N7	-5.93	108.43	110.80
26	BB	1470	A	C5-C6-N1	5.93	120.67	117.70
26	BB	1647	U	N3-C2-O2	-5.93	118.05	122.20
26	BB	1647	U	N1-C1'-C2'	5.93	121.71	114.00
26	BB	1734	G	C6-N1-C2	-5.93	121.54	125.10
26	BB	1807	G	C6-N1-C2	-5.93	121.54	125.10
26	BB	1988	G	C4-C5-C6	5.93	122.36	118.80
26	BB	2657	A	C5-N7-C8	-5.93	100.94	103.90
1	AA	151	A	N9-C4-C5	5.93	108.17	105.80
1	AA	318	G	C5-C6-O6	-5.93	125.04	128.60
1	AA	695	A	C4-C5-C6	5.93	119.96	117.00
1	AA	1527	U	N1-C2-O2	5.93	126.95	122.80
26	BB	578	G	C8-N9-C4	-5.93	104.03	106.40
26	BB	741	U	C6-N1-C2	-5.93	117.44	121.00
26	BB	1087	G	N1-C6-O6	-5.93	116.34	119.90
26	BB	1299	G	N9-C4-C5	5.93	107.77	105.40
26	BB	1531	C	C5'-C4'-O4'	5.93	116.21	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1791	A	C4'-C3'-C2'	-5.93	96.67	102.60
26	BB	2117	A	C5'-C4'-O4'	5.93	116.21	109.10
42	BR	90	ALA	CB-CA-C	5.93	118.99	110.10
1	AA	421	U	N1-C2-N3	5.93	118.46	114.90
1	AA	851	G	N9-C4-C5	-5.93	103.03	105.40
1	AA	901	A	N7-C8-N9	5.93	116.76	113.80
1	AA	1458	G	O4'-C4'-C3'	5.93	110.84	106.10
4	AD	18	U	C3'-C2'-C1'	-5.93	96.76	101.50
26	BB	164	C	C6-N1-C1'	5.93	127.91	120.80
26	BB	367	G	N1-C2-N3	-5.93	120.34	123.90
26	BB	821	A	O4'-C1'-N9	5.93	112.94	108.20
26	BB	918	A	N1-C6-N6	5.93	122.16	118.60
26	BB	1319	C	N1-C2-O2	5.93	122.45	118.90
26	BB	1377	G	N3-C2-N2	-5.93	115.75	119.90
26	BB	1523	U	C2-N1-C1'	-5.93	110.59	117.70
26	BB	1679	A	P-O3'-C3'	5.93	126.81	119.70
26	BB	2527	C	N3-C4-N4	5.93	122.15	118.00
26	BB	2782	G	C4-C5-N7	5.93	113.17	110.80
26	BB	2789	C	N3-C4-N4	5.93	122.15	118.00
1	AA	119	A	C6-C5-N7	5.92	136.45	132.30
1	AA	664	G	C5-N7-C8	5.92	107.26	104.30
1	AA	783	C	C3'-C2'-C1'	-5.92	96.76	101.50
1	AA	986	U	C3'-C2'-C1'	5.92	106.24	101.50
1	AA	1067	A	C1'-O4'-C4'	-5.92	105.16	109.90
1	AA	1093	A	O4'-C1'-N9	5.92	112.94	108.20
1	AA	1387	G	C6-N1-C2	-5.92	121.55	125.10
26	BB	429	A	C2-N3-C4	5.92	113.56	110.60
26	BB	488	G	C5-N7-C8	-5.92	101.34	104.30
26	BB	586	A	N7-C8-N9	-5.92	110.84	113.80
26	BB	1054	A	N7-C8-N9	5.92	116.76	113.80
26	BB	1172	C	N1-C2-O2	5.92	122.45	118.90
26	BB	1238	G	N1-C2-N2	5.92	121.53	116.20
26	BB	1337	G	C5-N7-C8	5.92	107.26	104.30
26	BB	2771	C	C6-N1-C2	-5.92	117.93	120.30
1	AA	658	C	C6-N1-C2	5.92	122.67	120.30
1	AA	1265	C	C5'-C4'-C3'	5.92	125.48	116.00
26	BB	1525	A	C1'-O4'-C4'	5.92	114.64	109.90
26	BB	1665	A	C2'-C3'-O3'	5.92	123.18	113.70
26	BB	1905	C	C5-C6-N1	-5.92	118.04	121.00
1	AA	186	C	C1'-O4'-C4'	5.92	114.64	109.90
1	AA	1053	G	N7-C8-N9	5.92	116.06	113.10
1	AA	1227	A	C5-C6-N6	-5.92	118.96	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	57	G	N7-C8-N9	5.92	116.06	113.10
26	BB	1153	C	C6-N1-C2	-5.92	117.93	120.30
26	BB	2034	U	O4'-C1'-N1	-5.92	103.46	108.20
26	BB	2158	A	N7-C8-N9	5.92	116.76	113.80
26	BB	2699	C	C1'-O4'-C4'	5.92	114.64	109.90
26	BB	1272	A	N7-C8-N9	-5.92	110.84	113.80
26	BB	1530	G	N9-C4-C5	-5.92	103.03	105.40
26	BB	1807	G	P-O3'-C3'	5.92	126.80	119.70
26	BB	1896	G	C5-N7-C8	-5.92	101.34	104.30
26	BB	2167	U	N1-C2-O2	5.92	126.94	122.80
32	BH	82	PHE	CD1-CG-CD2	5.92	126.00	118.30
1	AA	415	A	O4'-C4'-C3'	-5.92	98.08	104.00
1	AA	669	G	O4'-C1'-N9	5.92	112.94	108.20
1	AA	897	C	C2-N1-C1'	-5.92	112.29	118.80
1	AA	1013	G	C3'-C2'-C1'	-5.92	96.77	101.50
1	AA	1189	U	O5'-C5'-C4'	-5.92	100.46	111.70
1	AA	1191	A	N1-C2-N3	-5.92	126.34	129.30
1	AA	1193	G	C4-C5-N7	-5.92	108.43	110.80
1	AA	1362	A	N7-C8-N9	5.92	116.76	113.80
25	BA	36	C	C4'-C3'-C2'	-5.92	96.68	102.60
26	BB	82	U	C2-N3-C4	-5.92	123.45	127.00
26	BB	209	C	C6-N1-C2	5.92	122.67	120.30
26	BB	246	C	O4'-C1'-N1	5.92	112.94	108.20
26	BB	262	A	C2-N3-C4	5.92	113.56	110.60
26	BB	869	G	C5'-C4'-C3'	-5.92	106.53	116.00
26	BB	1000	A	N9-C4-C5	5.92	108.17	105.80
26	BB	1588	G	C6-N1-C2	-5.92	121.55	125.10
26	BB	2264	C	O4'-C1'-N1	5.92	112.93	108.20
26	BB	2627	G	C8-N9-C1'	5.92	134.69	127.00
26	BB	2703	C	C4'-C3'-C2'	-5.92	96.68	102.60
1	AA	303	A	N7-C8-N9	5.92	116.76	113.80
1	AA	314	C	N3-C2-O2	-5.92	117.76	121.90
1	AA	336	A	N9-C1'-C2'	-5.92	105.49	112.00
1	AA	475	C	N1-C2-N3	-5.92	115.06	119.20
1	AA	509	A	C4-C5-N7	5.92	113.66	110.70
1	AA	547	A	N9-C4-C5	5.92	108.17	105.80
1	AA	648	A	N9-C4-C5	5.92	108.17	105.80
1	AA	1069	C	N3-C4-N4	5.92	122.14	118.00
4	AD	44	A	N1-C6-N6	-5.92	115.05	118.60
26	BB	45	G	C5'-C4'-O4'	5.92	116.20	109.10
26	BB	87	U	N1-C1'-C2'	-5.92	105.49	112.00
26	BB	447	A	P-O3'-C3'	5.92	126.80	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	587	C	C5'-C4'-O4'	-5.92	102.00	109.10
26	BB	1116	G	C4-C5-N7	-5.92	108.43	110.80
26	BB	1389	G	N3-C4-C5	-5.92	125.64	128.60
26	BB	1440	U	N1-C1'-C2'	-5.92	105.49	112.00
26	BB	2627	G	N1-C2-N3	-5.92	120.35	123.90
40	BP	122	ALA	CB-CA-C	5.92	118.97	110.10
1	AA	894	G	C4-C5-N7	-5.92	108.43	110.80
4	AD	32	G	N3-C2-N2	-5.92	115.76	119.90
26	BB	486	C	C4-C5-C6	5.92	120.36	117.40
26	BB	765	C	C5-C6-N1	5.92	123.96	121.00
26	BB	982	C	N3-C4-C5	-5.92	119.53	121.90
26	BB	1064	C	C5'-C4'-O4'	5.92	116.20	109.10
26	BB	1192	G	C1'-O4'-C4'	-5.92	105.17	109.90
26	BB	1346	G	C5-C6-O6	5.92	132.15	128.60
26	BB	2380	C	O4'-C1'-N1	5.92	112.93	108.20
1	AA	139	A	C6-N1-C2	5.91	122.15	118.60
1	AA	980	C	C4'-C3'-C2'	-5.91	96.69	102.60
1	AA	1015	G	C1'-O4'-C4'	5.91	114.63	109.90
1	AA	1067	A	C3'-C2'-C1'	-5.91	96.77	101.50
6	AF	183	TYR	CG-CD1-CE1	-5.91	116.57	121.30
26	BB	783	A	C6-N1-C2	-5.91	115.05	118.60
26	BB	786	C	N1-C2-N3	-5.91	115.06	119.20
26	BB	1140	C	C2'-C3'-O3'	5.91	123.16	113.70
26	BB	2055	C	C5-C6-N1	-5.91	118.04	121.00
26	BB	2615	U	N1-C1'-C2'	-5.91	105.49	112.00
26	BB	2848	G	N3-C4-C5	-5.91	125.64	128.60
26	BB	2853	C	C5-C6-N1	-5.91	118.04	121.00
1	AA	467	U	C1'-O4'-C4'	-5.91	105.17	109.90
1	AA	580	C	N3-C2-O2	-5.91	117.76	121.90
1	AA	785	G	C2-N3-C4	5.91	114.86	111.90
1	AA	1088	G	N3-C2-N2	-5.91	115.76	119.90
26	BB	203	A	C6-N1-C2	5.91	122.15	118.60
26	BB	295	G	P-O5'-C5'	5.91	130.36	120.90
26	BB	575	A	N7-C8-N9	-5.91	110.84	113.80
26	BB	1975	G	N3-C4-N9	-5.91	122.45	126.00
26	BB	2717	C	N1-C2-N3	-5.91	115.06	119.20
1	AA	47	C	N3-C4-C5	-5.91	119.54	121.90
1	AA	231	U	N1-C2-O2	5.91	126.94	122.80
1	AA	296	U	C4'-C3'-C2'	5.91	108.51	102.60
1	AA	632	U	C1'-O4'-C4'	-5.91	105.17	109.90
1	AA	736	C	C5-C4-N4	-5.91	116.06	120.20
1	AA	741	G	N3-C4-C5	-5.91	125.64	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	763	G	N3-C4-C5	-5.91	125.64	128.60
1	AA	1358	U	C5'-C4'-C3'	5.91	125.46	116.00
26	BB	812	C	C3'-C2'-C1'	5.91	106.23	101.50
26	BB	857	G	N9-C4-C5	5.91	107.76	105.40
26	BB	1860	G	N9-C1'-C2'	-5.91	105.50	112.00
26	BB	2040	G	P-O3'-C3'	5.91	126.79	119.70
26	BB	2094	A	C8-N9-C4	-5.91	103.44	105.80
26	BB	2161	C	N3-C4-C5	-5.91	119.54	121.90
26	BB	2875	C	C5-C4-N4	5.91	124.34	120.20
1	AA	29	U	N1-C1'-C2'	-5.91	105.50	112.00
1	AA	724	G	N3-C4-C5	-5.91	125.64	128.60
1	AA	874	G	N9-C1'-C2'	-5.91	105.50	112.00
1	AA	1057	G	O4'-C1'-C2'	-5.91	99.89	105.80
1	AA	1278	G	C6-N1-C2	-5.91	121.56	125.10
1	AA	1288	A	C4'-C3'-C2'	-5.91	96.69	102.60
1	AA	1290	G	C6-N1-C2	-5.91	121.56	125.10
17	AQ	60	ARG	NE-CZ-NH2	-5.91	117.34	120.30
26	BB	356	G	C2-N3-C4	5.91	114.85	111.90
26	BB	1556	C	N3-C2-O2	-5.91	117.76	121.90
26	BB	1924	C	N3-C4-N4	5.91	122.14	118.00
26	BB	1938	A	O4'-C1'-N9	5.91	112.93	108.20
26	BB	1982	U	N1-C2-N3	5.91	118.44	114.90
26	BB	2020	A	C2-N3-C4	5.91	113.56	110.60
1	AA	1331	G	C4'-C3'-C2'	-5.91	96.69	102.60
2	AB	19	G	C8-N9-C4	-5.91	104.04	106.40
26	BB	784	G	C6-N1-C2	-5.91	121.56	125.10
26	BB	1259	G	N1-C2-N2	-5.91	110.88	116.20
26	BB	1465	G	N1-C6-O6	5.91	123.44	119.90
26	BB	2262	U	C1'-O4'-C4'	5.91	114.63	109.90
26	BB	2298	A	N1-C2-N3	5.91	132.25	129.30
1	AA	76	G	N9-C4-C5	-5.91	103.04	105.40
1	AA	158	G	C1'-O4'-C4'	-5.91	105.18	109.90
1	AA	561	U	C6-N1-C2	-5.91	117.46	121.00
1	AA	735	C	C1'-O4'-C4'	-5.91	105.18	109.90
1	AA	1094	G	C5'-C4'-C3'	-5.91	106.55	116.00
1	AA	1238	A	C8-N9-C4	-5.91	103.44	105.80
1	AA	1385	G	C4-C5-N7	5.91	113.16	110.80
26	BB	68	G	C4'-C3'-C2'	-5.91	96.69	102.60
26	BB	248	G	N3-C4-N9	-5.91	122.46	126.00
26	BB	372	G	N9-C1'-C2'	5.91	121.68	114.00
26	BB	722	A	C5-N7-C8	-5.91	100.95	103.90
26	BB	1316	U	O4'-C1'-N1	5.91	112.92	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1353	A	C5-C6-N1	5.91	120.65	117.70
26	BB	1467	U	C2-N3-C4	-5.91	123.46	127.00
26	BB	1582	C	O4'-C1'-C2'	-5.91	99.89	105.80
26	BB	1601	G	N3-C2-N2	5.91	124.03	119.90
26	BB	1796	U	N1-C2-O2	5.91	126.93	122.80
26	BB	2016	U	C6-N1-C2	-5.91	117.46	121.00
26	BB	2199	A	C6-C5-N7	-5.91	128.17	132.30
39	BO	117	PHE	CB-CG-CD1	5.91	124.93	120.80
1	AA	228	A	O4'-C1'-N9	5.90	112.92	108.20
1	AA	837	U	N1-C2-N3	5.90	118.44	114.90
10	AJ	116	ALA	N-CA-CB	-5.90	101.83	110.10
26	BB	1035	U	C5'-C4'-O4'	5.90	116.18	109.10
26	BB	1369	G	N1-C2-N3	-5.90	120.36	123.90
26	BB	1690	A	C6-N1-C2	-5.90	115.06	118.60
1	AA	747	A	C1'-O4'-C4'	5.90	114.62	109.90
1	AA	928	G	O4'-C1'-N9	5.90	112.92	108.20
26	BB	371	A	C5'-C4'-O4'	-5.90	102.02	109.10
26	BB	417	C	C6-N1-C2	-5.90	117.94	120.30
26	BB	509	C	N3-C4-C5	-5.90	119.54	121.90
26	BB	1183	U	C5-C6-N1	-5.90	119.75	122.70
26	BB	1201	U	O3'-P-O5'	-5.90	92.78	104.00
26	BB	1232	G	C8-N9-C4	-5.90	104.04	106.40
26	BB	1403	A	N9-C4-C5	-5.90	103.44	105.80
26	BB	1469	A	C4-C5-C6	-5.90	114.05	117.00
26	BB	2428	G	O4'-C1'-N9	5.90	112.92	108.20
26	BB	2669	G	N9-C1'-C2'	-5.90	105.51	112.00
1	AA	185	U	O4'-C1'-C2'	5.90	112.91	107.60
1	AA	301	G	N9-C4-C5	-5.90	103.04	105.40
1	AA	469	C	C2-N3-C4	-5.90	116.95	119.90
1	AA	486	U	C6-N1-C2	5.90	124.54	121.00
1	AA	561	U	O4'-C4'-C3'	5.90	110.82	106.10
1	AA	782	A	P-O3'-C3'	5.90	126.78	119.70
1	AA	1011	C	N1-C1'-C2'	-5.90	105.51	112.00
1	AA	1285	A	C2-N3-C4	5.90	113.55	110.60
1	AA	1522	U	N3-C2-O2	-5.90	118.07	122.20
25	BA	86	G	C3'-C2'-C1'	-5.90	96.78	101.50
26	BB	13	A	O4'-C1'-C2'	-5.90	99.90	105.80
26	BB	789	A	C4-C5-N7	-5.90	107.75	110.70
26	BB	1463	C	C4-C5-C6	-5.90	114.45	117.40
26	BB	1501	G	C5-C6-O6	-5.90	125.06	128.60
26	BB	1691	C	N1-C2-N3	5.90	123.33	119.20
26	BB	1908	C	C2-N1-C1'	5.90	125.29	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2207	C	C5'-C4'-C3'	-5.90	106.56	116.00
26	BB	2290	G	C6-C5-N7	-5.90	126.86	130.40
26	BB	2367	G	C4-C5-C6	5.90	122.34	118.80
26	BB	2521	C	N3-C4-N4	-5.90	113.87	118.00
26	BB	2637	U	C5-C4-O4	-5.90	122.36	125.90
26	BB	2745	C	C5-C4-N4	-5.90	116.07	120.20
26	BB	2862	G	N9-C1'-C2'	-5.90	105.51	112.00
1	AA	1269	A	N9-C1'-C2'	-5.90	105.51	112.00
1	AA	1362	A	P-O3'-C3'	5.90	126.78	119.70
26	BB	457	A	C5-N7-C8	5.90	106.85	103.90
26	BB	1168	G	C5-C6-O6	-5.90	125.06	128.60
26	BB	1619	G	N3-C4-N9	5.90	129.54	126.00
26	BB	1991	U	C1'-O4'-C4'	-5.90	105.18	109.90
1	AA	229	U	N1-C2-N3	5.90	118.44	114.90
1	AA	767	A	O4'-C1'-N9	5.90	112.92	108.20
1	AA	869	G	N3-C4-N9	5.90	129.54	126.00
10	AJ	95	ARG	NH1-CZ-NH2	5.90	125.89	119.40
25	BA	32	U	O4'-C1'-C2'	5.90	112.91	107.60
26	BB	282	A	C6-C5-N7	5.90	136.43	132.30
26	BB	425	G	C4-C5-C6	-5.90	115.26	118.80
26	BB	1102	C	O4'-C4'-C3'	-5.90	98.10	104.00
26	BB	1143	A	C4-C5-C6	-5.90	114.05	117.00
26	BB	1687	G	C4-C5-C6	-5.90	115.26	118.80
26	BB	1752	C	N1-C2-N3	5.90	123.33	119.20
26	BB	2663	G	C5-C6-N1	-5.90	108.55	111.50
1	AA	58	C	O4'-C1'-N1	5.90	112.92	108.20
1	AA	1141	C	C2-N3-C4	-5.90	116.95	119.90
1	AA	1186	G	O4'-C1'-N9	5.90	112.92	108.20
26	BB	119	A	C5-C6-N6	5.90	128.42	123.70
26	BB	819	A	C4-C5-N7	5.90	113.65	110.70
26	BB	1445	G	N3-C2-N2	-5.90	115.77	119.90
26	BB	1952	A	C5-N7-C8	-5.90	100.95	103.90
26	BB	1969	A	N9-C4-C5	5.90	108.16	105.80
26	BB	2094	A	P-O3'-C3'	5.90	126.78	119.70
1	AA	44	A	N7-C8-N9	-5.89	110.85	113.80
1	AA	139	A	C4-C5-C6	-5.89	114.05	117.00
1	AA	264	C	N3-C2-O2	-5.89	117.77	121.90
1	AA	292	G	N7-C8-N9	5.89	116.05	113.10
1	AA	1263	C	N1-C2-N3	5.89	123.33	119.20
2	AB	71	C	C5-C6-N1	5.89	123.95	121.00
14	AN	126	ARG	CD-NE-CZ	5.89	131.85	123.60
25	BA	2	G	N1-C2-N3	-5.89	120.36	123.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	364	C	N3-C4-N4	5.89	122.13	118.00
26	BB	457	A	N7-C8-N9	-5.89	110.85	113.80
26	BB	459	U	C2-N3-C4	5.89	130.54	127.00
26	BB	493	G	N1-C2-N3	5.89	127.44	123.90
26	BB	575	A	N1-C2-N3	-5.89	126.35	129.30
26	BB	732	C	C4'-C3'-C2'	-5.89	96.70	102.60
26	BB	1268	A	N1-C2-N3	-5.89	126.35	129.30
26	BB	1343	G	C1'-O4'-C4'	-5.89	105.18	109.90
26	BB	1684	G	C5-C6-O6	-5.89	125.06	128.60
26	BB	2047	C	N3-C4-N4	5.89	122.13	118.00
26	BB	2113	U	N3-C4-O4	5.89	123.53	119.40
26	BB	2213	U	C6-N1-C2	-5.89	117.46	121.00
26	BB	2225	A	C5'-C4'-C3'	-5.89	106.57	116.00
26	BB	2591	C	C4'-C3'-C2'	-5.89	96.71	102.60
26	BB	2725	A	C2-N3-C4	5.89	113.55	110.60
38	BN	64	PHE	CB-CG-CD2	5.89	124.93	120.80
1	AA	628	G	N1-C2-N3	5.89	127.44	123.90
1	AA	806	C	C3'-C2'-C1'	-5.89	96.79	101.50
1	AA	811	C	N3-C4-N4	5.89	122.12	118.00
1	AA	1039	G	C4'-C3'-C2'	-5.89	96.71	102.60
25	BA	86	G	O4'-C1'-C2'	5.89	112.90	107.60
26	BB	40	U	C2-N3-C4	-5.89	123.46	127.00
26	BB	145	C	C5-C6-N1	-5.89	118.05	121.00
26	BB	219	A	C2-N3-C4	-5.89	107.65	110.60
26	BB	515	A	C1'-O4'-C4'	5.89	114.61	109.90
26	BB	1408	G	N9-C1'-C2'	-5.89	105.52	112.00
26	BB	1622	G	C3'-C2'-C1'	5.89	106.22	101.50
26	BB	1844	C	C6-N1-C2	-5.89	117.94	120.30
26	BB	1996	C	N1-C2-N3	5.89	123.33	119.20
26	BB	2345	G	C4-C5-C6	5.89	122.34	118.80
26	BB	2443	C	N3-C4-N4	5.89	122.12	118.00
26	BB	2505	G	O3'-P-O5'	-5.89	92.80	104.00
26	BB	2764	A	C5'-C4'-O4'	5.89	116.17	109.10
1	AA	77	A	C5'-C4'-O4'	5.89	116.17	109.10
1	AA	103	U	O4'-C1'-N1	5.89	112.91	108.20
1	AA	455	G	N7-C8-N9	5.89	116.05	113.10
1	AA	1135	U	O3'-P-O5'	5.89	115.19	104.00
26	BB	193	U	N1-C1'-C2'	-5.89	105.52	112.00
26	BB	858	G	C8-N9-C4	-5.89	104.04	106.40
26	BB	1979	U	O4'-C1'-N1	5.89	112.91	108.20
26	BB	2167	U	P-O5'-C5'	5.89	130.33	120.90
26	BB	2613	U	C6-N1-C2	-5.89	117.47	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2722	G	C4-C5-N7	-5.89	108.44	110.80
1	AA	63	C	C2-N1-C1'	5.89	125.28	118.80
1	AA	366	A	C2'-C3'-O3'	5.89	123.12	113.70
1	AA	944	G	C5-C6-O6	-5.89	125.07	128.60
1	AA	1054	C	N3-C4-N4	5.89	122.12	118.00
1	AA	1162	C	C5'-C4'-O4'	5.89	116.17	109.10
4	AD	9	G	O4'-C1'-C2'	-5.89	99.91	105.80
25	BA	50	A	C5'-C4'-O4'	-5.89	102.03	109.10
25	BA	89	U	C3'-C2'-C1'	5.89	106.21	101.50
26	BB	484	C	N3-C2-O2	-5.89	117.78	121.90
26	BB	1212	G	C6-C5-N7	-5.89	126.87	130.40
26	BB	1868	C	N1-C2-N3	5.89	123.32	119.20
26	BB	2109	U	C5-C4-O4	-5.89	122.37	125.90
26	BB	2168	G	C4-N9-C1'	-5.89	118.84	126.50
26	BB	2196	C	N3-C2-O2	-5.89	117.78	121.90
26	BB	2263	C	N1-C2-O2	5.89	122.43	118.90
26	BB	2420	C	N3-C2-O2	-5.89	117.78	121.90
26	BB	2646	C	O4'-C1'-N1	5.89	112.91	108.20
26	BB	2755	C	C5-C6-N1	5.89	123.94	121.00
1	AA	856	C	C4-C5-C6	-5.89	114.46	117.40
1	AA	1195	C	P-O3'-C3'	5.89	126.77	119.70
1	AA	1452	C	C1'-O4'-C4'	-5.89	105.19	109.90
4	AD	30	G	O4'-C1'-N9	5.89	112.91	108.20
12	AL	40	ARG	NE-CZ-NH2	5.89	123.24	120.30
26	BB	108	G	C2-N3-C4	5.89	114.84	111.90
26	BB	138	U	N1-C2-O2	5.89	126.92	122.80
26	BB	229	C	C5'-C4'-C3'	5.89	125.42	116.00
26	BB	877	A	C1'-O4'-C4'	-5.89	105.19	109.90
26	BB	926	G	O4'-C1'-N9	5.89	112.91	108.20
26	BB	1670	C	P-O3'-C3'	5.89	126.77	119.70
26	BB	1968	G	N9-C1'-C2'	-5.89	105.52	112.00
26	BB	2681	C	C2-N3-C4	5.89	122.84	119.90
1	AA	224	U	C6-N1-C2	-5.89	117.47	121.00
1	AA	281	G	C6-N1-C2	-5.89	121.57	125.10
5	AE	76	SER	CB-CA-C	5.89	121.28	110.10
25	BA	117	G	C4-C5-C6	5.89	122.33	118.80
26	BB	12	U	C1'-O4'-C4'	5.89	114.61	109.90
26	BB	75	G	O5'-C5'-C4'	-5.89	100.52	111.70
26	BB	352	A	C4-C5-N7	5.89	113.64	110.70
26	BB	370	G	C5-C6-N1	5.89	114.44	111.50
26	BB	497	A	C4'-C3'-C2'	-5.89	96.71	102.60
26	BB	729	G	C5-C6-N1	-5.89	108.56	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	999	U	O4'-C1'-N1	5.89	112.91	108.20
26	BB	1190	G	N7-C8-N9	5.89	116.04	113.10
26	BB	1261	C	C5-C6-N1	5.89	123.94	121.00
26	BB	1857	G	C1'-O4'-C4'	-5.89	105.19	109.90
26	BB	2131	U	C3'-C2'-C1'	5.89	106.21	101.50
26	BB	2189	U	O4'-C4'-C3'	5.89	110.81	106.10
26	BB	2685	G	C5'-C4'-O4'	5.89	116.16	109.10
26	BB	2792	A	N1-C2-N3	-5.89	126.36	129.30
32	BH	41	GLU	OE1-CD-OE2	5.89	130.36	123.30
34	BJ	105	PHE	CB-CG-CD1	-5.89	116.68	120.80
48	BX	82	TYR	CB-CG-CD2	-5.89	117.47	121.00
1	AA	168	G	C6-C5-N7	-5.88	126.87	130.40
25	BA	11	C	N1-C2-O2	5.88	122.43	118.90
25	BA	98	G	N9-C4-C5	5.88	107.75	105.40
26	BB	45	G	C6-N1-C2	-5.88	121.57	125.10
26	BB	722	A	C5'-C4'-C3'	5.88	125.41	116.00
26	BB	828	U	C2-N1-C1'	5.88	124.76	117.70
26	BB	943	A	C8-N9-C4	-5.88	103.45	105.80
26	BB	1258	U	N3-C2-O2	-5.88	118.08	122.20
26	BB	1607	C	C4-C5-C6	5.88	120.34	117.40
5	AE	17	HIS	CA-CB-CG	5.88	123.60	113.60
26	BB	386	G	N3-C4-N9	5.88	129.53	126.00
26	BB	730	A	N1-C2-N3	5.88	132.24	129.30
26	BB	1009	A	P-O3'-C3'	5.88	126.76	119.70
26	BB	1173	U	P-O3'-C3'	5.88	126.76	119.70
26	BB	1921	G	C5-N7-C8	5.88	107.24	104.30
28	BD	211	ARG	O-C-N	5.88	132.11	122.70
1	AA	15	G	N9-C4-C5	5.88	107.75	105.40
1	AA	457	G	C5'-C4'-O4'	5.88	116.16	109.10
1	AA	561	U	C4'-C3'-C2'	-5.88	96.72	102.60
1	AA	618	C	P-O3'-C3'	5.88	126.76	119.70
1	AA	763	G	C2-N3-C4	5.88	114.84	111.90
1	AA	1282	C	C5-C6-N1	5.88	123.94	121.00
1	AA	1292	G	C5-N7-C8	-5.88	101.36	104.30
1	AA	1317	C	C4-C5-C6	-5.88	114.46	117.40
1	AA	1426	G	C4'-C3'-C2'	-5.88	96.72	102.60
26	BB	13	A	O4'-C1'-N9	-5.88	103.49	108.20
26	BB	55	G	C3'-C2'-C1'	5.88	106.20	101.50
26	BB	83	A	C3'-C2'-C1'	5.88	106.20	101.50
26	BB	290	U	C5'-C4'-C3'	-5.88	106.59	116.00
26	BB	2122	U	P-O3'-C3'	5.88	126.76	119.70
26	BB	2478	A	C2-N3-C4	-5.88	107.66	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	580	C	O4'-C1'-N1	5.88	112.90	108.20
1	AA	590	U	N3-C4-O4	-5.88	115.28	119.40
26	BB	561	G	C2'-C3'-O3'	5.88	123.11	113.70
26	BB	785	G	N1-C6-O6	-5.88	116.37	119.90
26	BB	809	G	C5-C6-N1	5.88	114.44	111.50
26	BB	907	G	C8-N9-C4	-5.88	104.05	106.40
26	BB	1031	G	C5-C6-N1	5.88	114.44	111.50
26	BB	1387	A	P-O3'-C3'	5.88	126.76	119.70
26	BB	1677	A	C4'-C3'-C2'	-5.88	96.72	102.60
26	BB	1743	G	C5-C6-O6	-5.88	125.07	128.60
26	BB	2506	U	N1-C1'-C2'	-5.88	105.53	112.00
26	BB	2611	C	C4'-C3'-C2'	-5.88	96.72	102.60
26	BB	2882	A	N9-C4-C5	-5.88	103.45	105.80
1	AA	226	G	N7-C8-N9	5.88	116.04	113.10
1	AA	666	G	N7-C8-N9	5.88	116.04	113.10
1	AA	763	G	N3-C4-N9	5.88	129.53	126.00
1	AA	1104	G	C5'-C4'-O4'	5.88	116.16	109.10
1	AA	1110	A	C2-N3-C4	5.88	113.54	110.60
1	AA	1245	C	P-O3'-C3'	5.88	126.75	119.70
4	AD	12	G	N1-C2-N3	5.88	127.43	123.90
4	AD	36	A	C5-C6-N6	-5.88	119.00	123.70
25	BA	89	U	C6-N1-C1'	-5.88	112.97	121.20
25	BA	98	G	O4'-C1'-N9	5.88	112.90	108.20
26	BB	488	G	N7-C8-N9	5.88	116.04	113.10
26	BB	1067	A	N3-C4-C5	-5.88	122.69	126.80
26	BB	1338	G	N1-C6-O6	5.88	123.43	119.90
26	BB	1341	G	C4-C5-N7	-5.88	108.45	110.80
26	BB	1353	A	C5'-C4'-O4'	5.88	116.15	109.10
26	BB	1403	A	C1'-O4'-C4'	5.88	114.60	109.90
26	BB	1559	U	N1-C2-N3	5.88	118.43	114.90
26	BB	1782	U	C1'-O4'-C4'	-5.88	105.20	109.90
26	BB	2217	G	C6-N1-C2	-5.88	121.57	125.10
26	BB	2465	C	O4'-C1'-N1	5.88	112.90	108.20
1	AA	318	G	N3-C4-N9	5.88	129.53	126.00
1	AA	404	G	N1-C2-N2	-5.88	110.91	116.20
1	AA	1019	A	N9-C4-C5	5.88	108.15	105.80
1	AA	1202	U	N3-C4-C5	-5.88	111.07	114.60
1	AA	1377	A	N1-C6-N6	-5.88	115.07	118.60
2	AB	9	A	O4'-C1'-N9	-5.88	103.50	108.20
3	AC	52	U	C5-C6-N1	5.88	125.64	122.70
4	AD	54	G	N1-C6-O6	5.88	123.43	119.90
4	AD	61	U	O3'-P-O5'	-5.88	92.83	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	16	G	N1-C2-N3	-5.88	120.37	123.90
26	BB	291	G	C4-C5-C6	5.88	122.33	118.80
26	BB	410	G	P-O3'-C3'	5.88	126.75	119.70
26	BB	560	C	N3-C2-O2	-5.88	117.79	121.90
26	BB	702	U	N1-C2-O2	-5.88	118.69	122.80
26	BB	912	C	C4'-C3'-C2'	-5.88	96.72	102.60
26	BB	1106	G	N3-C4-N9	-5.88	122.47	126.00
26	BB	1212	G	N7-C8-N9	5.88	116.04	113.10
26	BB	1308	A	N9-C1'-C2'	-5.88	105.53	112.00
26	BB	2818	U	C6-N1-C2	5.88	124.53	121.00
1	AA	699	C	C2-N3-C4	5.88	122.84	119.90
1	AA	1276	G	C4-C5-C6	-5.88	115.28	118.80
1	AA	1520	C	N3-C2-O2	-5.88	117.79	121.90
26	BB	494	G	C2-N3-C4	5.88	114.84	111.90
26	BB	580	U	N1-C2-N3	5.88	118.42	114.90
26	BB	1610	A	N9-C4-C5	-5.88	103.45	105.80
26	BB	2169	A	C8-N9-C4	-5.88	103.45	105.80
26	BB	2207	C	O4'-C1'-N1	5.88	112.90	108.20
26	BB	2532	G	C8-N9-C4	-5.88	104.05	106.40
1	AA	718	A	C3'-C2'-C1'	5.87	106.20	101.50
4	AD	39	A	N3-C4-C5	-5.87	122.69	126.80
18	AR	77	TYR	CG-CD2-CE2	-5.87	116.60	121.30
26	BB	672	C	C4-C5-C6	5.87	120.34	117.40
26	BB	1316	U	C5'-C4'-O4'	5.87	116.15	109.10
26	BB	1757	A	C2'-C3'-O3'	5.87	123.10	113.70
26	BB	1945	G	C4-C5-N7	-5.87	108.45	110.80
26	BB	2374	C	C2-N3-C4	5.87	122.84	119.90
26	BB	2389	G	C5-C6-N1	5.87	114.44	111.50
26	BB	2404	U	C4-C5-C6	5.87	123.22	119.70
1	AA	50	A	C3'-C2'-C1'	5.87	106.20	101.50
1	AA	128	G	C3'-C2'-C1'	-5.87	96.80	101.50
1	AA	399	G	O5'-C5'-C4'	-5.87	100.54	111.70
1	AA	754	C	N3-C2-O2	-5.87	117.79	121.90
1	AA	1201	A	P-O3'-C3'	5.87	126.75	119.70
1	AA	1443	C	P-O3'-C3'	5.87	126.75	119.70
18	AR	84	LEU	CA-CB-CG	5.87	128.81	115.30
26	BB	20	C	O4'-C1'-N1	5.87	112.90	108.20
26	BB	358	U	N1-C2-O2	5.87	126.91	122.80
26	BB	507	A	C5-C6-N1	5.87	120.64	117.70
26	BB	736	C	N1-C2-N3	5.87	123.31	119.20
26	BB	939	G	N1-C6-O6	-5.87	116.38	119.90
26	BB	954	G	N3-C4-N9	5.87	129.52	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1462	C	N1-C2-O2	5.87	122.42	118.90
26	BB	1684	G	C4'-C3'-C2'	-5.87	96.73	102.60
26	BB	2357	G	C6-N1-C2	-5.87	121.58	125.10
26	BB	2693	G	N7-C8-N9	5.87	116.04	113.10
26	BB	2765	A	C8-N9-C4	-5.87	103.45	105.80
25	BA	113	C	C5-C6-N1	5.87	123.94	121.00
26	BB	101	A	C4-C5-N7	-5.87	107.77	110.70
26	BB	339	U	O4'-C4'-C3'	5.87	110.80	106.10
26	BB	1423	G	C8-N9-C4	-5.87	104.05	106.40
26	BB	2032	G	C5-N7-C8	-5.87	101.36	104.30
26	BB	2218	G	C4-C5-C6	5.87	122.32	118.80
26	BB	2447	G	C5-C6-N1	5.87	114.44	111.50
34	BJ	78	PRO	N-CA-CB	5.87	110.34	103.30
41	BQ	92	PHE	CG-CD2-CE2	-5.87	114.34	120.80
1	AA	549	C	C5-C4-N4	-5.87	116.09	120.20
3	AC	25	U	N3-C4-O4	-5.87	115.29	119.40
25	BA	49	C	N3-C4-C5	-5.87	119.55	121.90
26	BB	438	G	N9-C4-C5	5.87	107.75	105.40
26	BB	534	U	C1'-O4'-C4'	-5.87	105.20	109.90
26	BB	751	A	N1-C6-N6	-5.87	115.08	118.60
26	BB	1475	G	C4-C5-C6	5.87	122.32	118.80
26	BB	2006	C	N3-C4-N4	5.87	122.11	118.00
26	BB	2191	A	C5-N7-C8	-5.87	100.97	103.90
26	BB	2768	U	N1-C2-O2	5.87	126.91	122.80
26	BB	2870	C	C5'-C4'-O4'	5.87	116.14	109.10
5	AE	34	ARG	NE-CZ-NH1	5.87	123.23	120.30
26	BB	559	G	N9-C4-C5	-5.87	103.05	105.40
26	BB	1011	G	O4'-C1'-N9	5.87	112.89	108.20
26	BB	2257	U	O4'-C1'-C2'	5.87	112.88	107.60
1	AA	342	C	N1-C2-O2	5.87	122.42	118.90
1	AA	388	G	N3-C4-C5	-5.87	125.67	128.60
1	AA	891	U	N3-C4-C5	-5.87	111.08	114.60
1	AA	1121	U	N1-C2-O2	-5.87	118.69	122.80
26	BB	963	U	N1-C2-N3	5.87	118.42	114.90
26	BB	1056	G	C5'-C4'-O4'	5.87	116.14	109.10
26	BB	1252	G	N9-C4-C5	5.87	107.75	105.40
26	BB	1579	A	C5'-C4'-O4'	5.87	116.14	109.10
26	BB	1650	A	C8-N9-C4	-5.87	103.45	105.80
26	BB	1913	A	C5-C6-N1	5.87	120.63	117.70
26	BB	2037	A	C6-N1-C2	-5.87	115.08	118.60
26	BB	2702	G	C8-N9-C4	-5.87	104.05	106.40
26	BB	2838	G	N3-C2-N2	5.87	124.01	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2888	C	O4'-C1'-N1	5.87	112.89	108.20
26	BB	2889	C	C4'-C3'-C2'	-5.87	96.73	102.60
27	BC	12	ARG	NH1-CZ-NH2	-5.87	112.95	119.40
1	AA	883	C	C5-C4-N4	-5.86	116.09	120.20
1	AA	887	G	O4'-C1'-N9	5.86	112.89	108.20
1	AA	912	C	C1'-O4'-C4'	-5.86	105.21	109.90
1	AA	1000	A	C2-N3-C4	5.86	113.53	110.60
2	AB	47	U	N3-C2-O2	-5.86	118.09	122.20
26	BB	74	A	C5-N7-C8	5.86	106.83	103.90
26	BB	629	G	C2-N3-C4	5.86	114.83	111.90
26	BB	1225	G	C2'-C3'-O3'	5.86	123.08	113.70
26	BB	2237	G	C1'-O4'-C4'	5.86	114.59	109.90
26	BB	2861	U	P-O3'-C3'	5.86	126.74	119.70
5	AE	236	PHE	CB-CG-CD1	5.86	124.90	120.80
26	BB	1600	C	C6-N1-C2	-5.86	117.95	120.30
26	BB	1710	G	C6-C5-N7	-5.86	126.88	130.40
26	BB	2189	U	C4'-C3'-C2'	-5.86	96.74	102.60
1	AA	575	G	C1'-O4'-C4'	-5.86	105.21	109.90
1	AA	1254	A	C6-C5-N7	5.86	136.40	132.30
2	AB	33	U	N3-C4-C5	-5.86	111.08	114.60
8	AH	9	GLU	OE1-CD-OE2	5.86	130.33	123.30
26	BB	8	C	C1'-O4'-C4'	5.86	114.59	109.90
26	BB	361	G	N1-C6-O6	5.86	123.42	119.90
26	BB	895	U	C5-C4-O4	-5.86	122.38	125.90
26	BB	1025	G	N1-C6-O6	5.86	123.42	119.90
26	BB	1484	U	O4'-C1'-N1	5.86	112.89	108.20
26	BB	1869	G	N3-C2-N2	-5.86	115.80	119.90
26	BB	1896	G	N3-C4-N9	5.86	129.52	126.00
26	BB	2095	A	C5-N7-C8	-5.86	100.97	103.90
26	BB	2319	G	C3'-C2'-C1'	-5.86	96.81	101.50
26	BB	2324	U	N1-C2-N3	5.86	118.42	114.90
26	BB	2372	U	N3-C4-O4	5.86	123.50	119.40
1	AA	209	U	N1-C2-N3	5.86	118.42	114.90
1	AA	945	G	C6-N1-C2	-5.86	121.58	125.10
1	AA	1127	G	C5'-C4'-O4'	5.86	116.13	109.10
1	AA	1441	A	C2-N3-C4	5.86	113.53	110.60
1	AA	1454	G	N1-C6-O6	5.86	123.42	119.90
26	BB	34	U	C6-N1-C2	5.86	124.52	121.00
26	BB	236	C	O4'-C1'-C2'	-5.86	99.94	105.80
26	BB	401	A	C6-N1-C2	5.86	122.11	118.60
31	BG	101	ARG	CD-NE-CZ	5.86	131.80	123.60
1	AA	146	G	N1-C6-O6	-5.86	116.39	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	249	U	C6-N1-C2	-5.86	117.49	121.00
1	AA	328	C	C1'-O4'-C4'	-5.86	105.21	109.90
1	AA	480	U	C6-N1-C2	-5.86	117.49	121.00
1	AA	1504	G	C5-C6-O6	5.86	132.12	128.60
1	AA	1532	U	C5'-C4'-O4'	5.86	116.13	109.10
26	BB	903	C	C2-N3-C4	5.86	122.83	119.90
26	BB	1120	G	N1-C2-N3	-5.86	120.39	123.90
26	BB	1270	C	N3-C4-C5	-5.86	119.56	121.90
26	BB	1408	G	C5-N7-C8	5.86	107.23	104.30
26	BB	2359	C	C1'-O4'-C4'	5.86	114.59	109.90
26	BB	2409	G	N7-C8-N9	5.86	116.03	113.10
1	AA	241	G	N1-C2-N2	5.86	121.47	116.20
1	AA	369	G	C5-N7-C8	5.86	107.23	104.30
1	AA	1074	G	N1-C2-N3	5.86	127.41	123.90
1	AA	1164	G	C4-C5-N7	-5.86	108.46	110.80
1	AA	1383	C	C4-C5-C6	-5.86	114.47	117.40
26	BB	156	A	O4'-C4'-C3'	5.86	110.78	106.10
26	BB	630	G	C4-C5-C6	5.86	122.31	118.80
26	BB	804	A	O4'-C1'-C2'	5.86	112.87	107.60
26	BB	1139	G	C5-C6-N1	5.86	114.43	111.50
26	BB	1384	A	N7-C8-N9	5.86	116.73	113.80
26	BB	2279	G	O4'-C1'-N9	5.86	112.88	108.20
26	BB	2336	A	C4-C5-C6	-5.86	114.07	117.00
1	AA	82	G	C6-N1-C2	-5.85	121.59	125.10
1	AA	538	G	N9-C1'-C2'	-5.85	105.56	112.00
1	AA	1100	C	C5-C6-N1	5.85	123.93	121.00
26	BB	2005	A	C4-C5-N7	5.85	113.63	110.70
26	BB	2256	G	N3-C4-C5	-5.85	125.67	128.60
26	BB	2553	G	N7-C8-N9	5.85	116.03	113.10
26	BB	2589	A	N9-C4-C5	-5.85	103.46	105.80
26	BB	2879	A	C6-N1-C2	-5.85	115.09	118.60
45	BU	38	TYR	CG-CD2-CE2	-5.85	116.62	121.30
1	AA	67	C	N3-C2-O2	-5.85	117.80	121.90
1	AA	346	G	C5'-C4'-C3'	-5.85	106.64	116.00
1	AA	710	G	C4-C5-C6	5.85	122.31	118.80
26	BB	1028	A	C4-C5-N7	5.85	113.63	110.70
26	BB	1390	U	N3-C4-O4	-5.85	115.30	119.40
26	BB	1423	G	O4'-C1'-N9	5.85	112.88	108.20
26	BB	1620	G	C6-N1-C2	-5.85	121.59	125.10
26	BB	2526	G	N3-C4-N9	5.85	129.51	126.00
1	AA	118	U	C4-C5-C6	-5.85	116.19	119.70
26	BB	589	U	N3-C4-O4	5.85	123.50	119.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	74	A	C3'-C2'-C1'	-5.85	96.82	101.50
1	AA	605	U	O4'-C1'-N1	5.85	112.88	108.20
1	AA	1265	C	C2-N3-C4	5.85	122.83	119.90
1	AA	1372	U	C5-C4-O4	5.85	129.41	125.90
3	AC	43	U	C5'-C4'-O4'	5.85	116.12	109.10
21	AU	44	THR	CA-CB-CG2	-5.85	104.21	112.40
22	AV	1	PRO	N-CD-CG	5.85	111.97	103.20
25	BA	51	G	N3-C4-C5	-5.85	125.68	128.60
26	BB	141	G	C3'-C2'-C1'	5.85	106.18	101.50
26	BB	867	C	O4'-C4'-C3'	-5.85	98.15	104.00
26	BB	1717	A	C2-N3-C4	5.85	113.53	110.60
26	BB	1750	G	C5-C6-N1	5.85	114.42	111.50
26	BB	2400	G	N3-C4-N9	5.85	129.51	126.00
26	BB	2603	G	C5-C6-N1	5.85	114.42	111.50
1	AA	483	C	C5-C6-N1	5.85	123.92	121.00
1	AA	550	G	O4'-C4'-C3'	5.85	110.78	106.10
1	AA	816	A	C1'-O4'-C4'	-5.85	105.22	109.90
1	AA	955	U	N1-C2-O2	5.85	126.89	122.80
1	AA	1047	G	C1'-O4'-C4'	-5.85	105.22	109.90
1	AA	1220	G	C2-N3-C4	5.85	114.82	111.90
1	AA	1242	G	N9-C1'-C2'	-5.85	105.57	112.00
1	AA	1400	C	P-O3'-C3'	5.85	126.72	119.70
4	AD	59	A	N9-C4-C5	5.85	108.14	105.80
26	BB	14	A	N9-C4-C5	5.85	108.14	105.80
26	BB	86	G	N3-C2-N2	5.85	123.99	119.90
26	BB	1463	C	C5-C4-N4	-5.85	116.11	120.20
26	BB	2370	G	C5-C6-N1	5.85	114.42	111.50
26	BB	2415	G	N9-C4-C5	5.85	107.74	105.40
26	BB	2524	G	C5-N7-C8	-5.85	101.38	104.30
26	BB	2677	G	C4-C5-C6	5.85	122.31	118.80
1	AA	91	U	N3-C4-O4	5.85	123.49	119.40
1	AA	397	A	N3-C4-C5	-5.85	122.71	126.80
1	AA	1018	G	C8-N9-C4	-5.85	104.06	106.40
1	AA	1299	A	N3-C4-N9	5.85	132.08	127.40
1	AA	1334	G	N3-C2-N2	5.85	123.99	119.90
26	BB	38	A	C3'-C2'-C1'	5.85	106.18	101.50
26	BB	1231	U	C4-C5-C6	5.85	123.21	119.70
26	BB	1349	C	C5'-C4'-O4'	5.85	116.11	109.10
26	BB	2262	U	N3-C4-O4	5.85	123.49	119.40
26	BB	2405	G	N3-C2-N2	5.85	123.99	119.90
1	AA	18	C	C2-N3-C4	-5.84	116.98	119.90
1	AA	72	A	C5'-C4'-O4'	5.84	116.11	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	130	A	N3-C4-N9	5.84	132.08	127.40
1	AA	432	A	N9-C1'-C2'	-5.84	105.57	112.00
1	AA	595	A	N1-C2-N3	5.84	132.22	129.30
1	AA	1238	A	C1'-O4'-C4'	-5.84	105.22	109.90
1	AA	1362	A	N1-C6-N6	-5.84	115.09	118.60
1	AA	1431	A	C4-C5-N7	5.84	113.62	110.70
4	AD	9	G	C5-C6-O6	-5.84	125.09	128.60
25	BA	120	U	C5-C4-O4	5.84	129.41	125.90
26	BB	181	A	C4-C5-C6	5.84	119.92	117.00
26	BB	469	G	N9-C4-C5	-5.84	103.06	105.40
26	BB	1160	G	N1-C2-N2	5.84	121.46	116.20
26	BB	1556	C	C1'-O4'-C4'	5.84	114.58	109.90
26	BB	1833	C	N1-C1'-C2'	-5.84	105.57	112.00
26	BB	2045	C	N1-C2-O2	5.84	122.41	118.90
26	BB	2366	A	C4'-C3'-C2'	-5.84	96.76	102.60
1	AA	327	A	C4-C5-C6	5.84	119.92	117.00
1	AA	615	G	C6-C5-N7	-5.84	126.89	130.40
1	AA	1141	C	O4'-C4'-C3'	5.84	110.78	106.10
1	AA	266	G	C4-N9-C1'	-5.84	118.91	126.50
1	AA	511	C	N3-C4-N4	5.84	122.09	118.00
1	AA	539	A	C6-N1-C2	-5.84	115.09	118.60
1	AA	633	G	N3-C4-N9	5.84	129.50	126.00
1	AA	760	G	N1-C2-N2	5.84	121.46	116.20
1	AA	808	C	O4'-C4'-C3'	5.84	110.77	106.10
1	AA	1099	G	N1-C6-O6	5.84	123.41	119.90
2	AB	70	C	N3-C4-C5	-5.84	119.56	121.90
12	AL	123	ARG	CD-NE-CZ	5.84	131.78	123.60
15	AO	113	ARG	NE-CZ-NH2	-5.84	117.38	120.30
26	BB	48	G	C4-C5-N7	5.84	113.14	110.80
26	BB	146	A	N1-C6-N6	-5.84	115.10	118.60
26	BB	419	U	C5-C4-O4	5.84	129.40	125.90
26	BB	1147	A	C5-C6-N1	5.84	120.62	117.70
26	BB	1569	A	C4-C5-C6	-5.84	114.08	117.00
26	BB	1750	G	C4-C5-C6	-5.84	115.30	118.80
26	BB	2295	C	N1-C2-O2	5.84	122.41	118.90
26	BB	2422	C	C5-C4-N4	5.84	124.29	120.20
26	BB	2493	U	N3-C2-O2	-5.84	118.11	122.20
26	BB	2768	U	O5'-C5'-C4'	5.84	122.80	111.70
26	BB	2824	C	C2-N3-C4	-5.84	116.98	119.90
48	BX	56	PHE	CB-CG-CD2	-5.84	116.71	120.80
1	AA	16	A	C5'-C4'-O4'	5.84	116.11	109.10
1	AA	277	C	C5-C6-N1	5.84	123.92	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	522	C	C1'-O4'-C4'	5.84	114.57	109.90
1	AA	523	A	N9-C4-C5	5.84	108.14	105.80
1	AA	730	G	N9-C4-C5	5.84	107.74	105.40
1	AA	987	G	N3-C2-N2	-5.84	115.81	119.90
1	AA	1434	A	C6-C5-N7	5.84	136.39	132.30
26	BB	83	A	O4'-C4'-C3'	5.84	110.77	106.10
26	BB	126	A	C5'-C4'-O4'	5.84	116.11	109.10
26	BB	224	U	C5'-C4'-C3'	-5.84	106.66	116.00
26	BB	252	G	C5-C6-N1	5.84	114.42	111.50
26	BB	304	U	N3-C2-O2	-5.84	118.11	122.20
26	BB	862	G	C4-C5-N7	-5.84	108.46	110.80
26	BB	1628	G	C2'-C3'-O3'	5.84	123.04	113.70
26	BB	2203	U	C4'-C3'-C2'	-5.84	96.76	102.60
26	BB	2278	A	C4'-C3'-O3'	5.84	124.68	113.00
26	BB	2306	C	N1-C1'-C2'	5.84	121.59	114.00
1	AA	810	C	C1'-O4'-C4'	-5.84	105.23	109.90
1	AA	852	G	C2-N3-C4	5.84	114.82	111.90
1	AA	1411	C	P-O3'-C3'	5.84	126.71	119.70
3	AC	57	C	N3-C2-O2	-5.84	117.81	121.90
4	AD	22	A	N7-C8-N9	5.84	116.72	113.80
26	BB	313	G	C5-C6-N1	5.84	114.42	111.50
26	BB	459	U	N3-C4-C5	-5.84	111.10	114.60
26	BB	1134	A	C2-N3-C4	-5.84	107.68	110.60
1	AA	168	G	C4-C5-N7	5.84	113.14	110.80
1	AA	242	G	N7-C8-N9	5.84	116.02	113.10
1	AA	438	U	O4'-C1'-N1	5.84	112.87	108.20
1	AA	1034	G	C3'-C2'-C1'	-5.84	96.83	101.50
1	AA	1287	A	O3'-P-O5'	5.84	115.09	104.00
1	AA	1494	G	C4-C5-N7	5.84	113.14	110.80
25	BA	49	C	P-O3'-C3'	5.84	126.70	119.70
26	BB	339	U	N1-C2-N3	5.84	118.40	114.90
26	BB	887	U	N1-C2-O2	5.84	126.89	122.80
26	BB	1126	A	C6-N1-C2	-5.84	115.10	118.60
26	BB	1464	G	C4-C5-N7	-5.84	108.47	110.80
26	BB	1526	C	C5-C6-N1	-5.84	118.08	121.00
26	BB	2093	G	C4-C5-N7	-5.84	108.47	110.80
26	BB	2104	C	C3'-C2'-C1'	5.84	106.17	101.50
26	BB	2517	C	C2-N3-C4	5.84	122.82	119.90
45	BU	25	ARG	NH1-CZ-NH2	-5.84	112.98	119.40
52	B1	56	VAL	CA-CB-CG1	5.84	119.66	110.90
1	AA	365	U	N1-C1'-C2'	-5.83	105.58	112.00
1	AA	689	C	N3-C4-C5	5.83	124.23	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	738	C	C6-N1-C2	-5.83	117.97	120.30
1	AA	1344	C	C2-N3-C4	5.83	122.82	119.90
1	AA	1458	G	C5-C6-O6	5.83	132.10	128.60
2	AB	49	G	C3'-C2'-C1'	5.83	106.17	101.50
25	BA	81	G	C5-N7-C8	-5.83	101.38	104.30
26	BB	499	U	C4-C5-C6	5.83	123.20	119.70
26	BB	1071	G	N3-C2-N2	5.83	123.98	119.90
26	BB	1701	A	C4'-C3'-C2'	-5.83	96.77	102.60
26	BB	1871	A	C6-N1-C2	-5.83	115.10	118.60
26	BB	2606	C	N3-C4-C5	-5.83	119.57	121.90
26	BB	2739	U	O4'-C4'-C3'	-5.83	98.17	104.00
1	AA	212	G	N1-C2-N2	5.83	121.45	116.20
1	AA	290	C	C1'-O4'-C4'	-5.83	105.23	109.90
1	AA	318	G	N1-C2-N2	5.83	121.45	116.20
1	AA	538	G	C5-C6-N1	5.83	114.42	111.50
1	AA	869	G	N1-C2-N2	-5.83	110.95	116.20
12	AL	93	LEU	CB-CG-CD1	5.83	120.92	111.00
26	BB	2	G	N7-C8-N9	5.83	116.02	113.10
26	BB	867	C	C5'-C4'-O4'	5.83	116.10	109.10
26	BB	997	G	C4-C5-C6	5.83	122.30	118.80
26	BB	1018	U	C4'-C3'-C2'	-5.83	96.77	102.60
26	BB	1217	U	C1'-O4'-C4'	5.83	114.57	109.90
26	BB	1352	U	C1'-O4'-C4'	-5.83	105.23	109.90
57	B6	57	VAL	CG1-CB-CG2	-5.83	101.57	110.90
1	AA	897	C	P-O3'-C3'	5.83	126.70	119.70
1	AA	970	C	C2-N1-C1'	5.83	125.22	118.80
1	AA	1257	A	C5-N7-C8	-5.83	100.98	103.90
1	AA	1403	C	N1-C2-O2	5.83	122.40	118.90
5	AE	9	LEU	CB-CG-CD2	-5.83	101.09	111.00
26	BB	261	G	C2-N3-C4	5.83	114.82	111.90
26	BB	526	A	N7-C8-N9	-5.83	110.88	113.80
26	BB	1048	A	N1-C6-N6	5.83	122.10	118.60
26	BB	1380	G	O4'-C1'-N9	5.83	112.87	108.20
26	BB	1410	G	C8-N9-C4	-5.83	104.07	106.40
26	BB	1797	G	C4-C5-C6	5.83	122.30	118.80
26	BB	2380	C	C4-C5-C6	-5.83	114.48	117.40
26	BB	2442	C	C4-C5-C6	-5.83	114.48	117.40
26	BB	2794	C	C4-C5-C6	5.83	120.32	117.40
26	BB	2811	G	C8-N9-C4	-5.83	104.07	106.40
31	BG	148	VAL	CG1-CB-CG2	-5.83	101.57	110.90
39	BO	103	TYR	CB-CG-CD1	-5.83	117.50	121.00
1	AA	21	G	O4'-C1'-N9	5.83	112.86	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	228	A	C5-C6-N1	-5.83	114.78	117.70
1	AA	384	G	C4-C5-C6	5.83	122.30	118.80
1	AA	490	C	C6-N1-C2	-5.83	117.97	120.30
1	AA	709	U	O5'-P-OP2	-5.83	100.45	105.70
1	AA	1276	G	C5-N7-C8	5.83	107.22	104.30
26	BB	13	A	N9-C4-C5	5.83	108.13	105.80
26	BB	23	G	N9-C4-C5	5.83	107.73	105.40
26	BB	459	U	C1'-O4'-C4'	5.83	114.56	109.90
26	BB	474	G	N3-C4-N9	-5.83	122.50	126.00
26	BB	1096	A	C5-N7-C8	5.83	106.81	103.90
26	BB	1401	G	C2-N3-C4	5.83	114.81	111.90
26	BB	2158	A	N3-C4-C5	-5.83	122.72	126.80
26	BB	2271	G	C8-N9-C4	-5.83	104.07	106.40
1	AA	137	U	C2-N3-C4	5.83	130.50	127.00
25	BA	66	A	N7-C8-N9	5.83	116.71	113.80
26	BB	145	C	N1-C1'-C2'	-5.83	105.59	112.00
26	BB	756	A	O4'-C1'-N9	5.83	112.86	108.20
26	BB	799	G	N1-C6-O6	-5.83	116.40	119.90
26	BB	981	A	C4-C5-C6	-5.83	114.09	117.00
26	BB	1113	U	C4'-C3'-C2'	-5.83	96.77	102.60
26	BB	1492	G	N3-C4-N9	-5.83	122.50	126.00
26	BB	1787	A	N9-C4-C5	5.83	108.13	105.80
26	BB	1790	C	C6-N1-C2	-5.83	117.97	120.30
26	BB	1940	U	C4-C5-C6	5.83	123.20	119.70
26	BB	2273	A	C8-N9-C4	-5.83	103.47	105.80
26	BB	2308	G	N1-C2-N2	5.83	121.44	116.20
26	BB	2426	A	N9-C1'-C2'	-5.83	105.59	112.00
1	AA	11	G	C5-C6-O6	-5.83	125.10	128.60
1	AA	977	A	C2-N3-C4	5.83	113.51	110.60
2	AB	26	A	C8-N9-C4	5.83	108.13	105.80
26	BB	1704	C	C1'-O4'-C4'	5.83	114.56	109.90
26	BB	2518	A	C3'-C2'-C1'	-5.83	96.84	101.50
1	AA	216	U	N1-C1'-C2'	-5.83	105.59	112.00
1	AA	576	C	P-O3'-C3'	5.83	126.69	119.70
1	AA	881	G	C1'-O4'-C4'	-5.83	105.24	109.90
1	AA	1292	G	C6-C5-N7	-5.83	126.91	130.40
1	AA	1358	U	C5-C4-O4	5.83	129.40	125.90
3	AC	53	G	N7-C8-N9	5.83	116.01	113.10
4	AD	12	G	C4-C5-N7	-5.83	108.47	110.80
26	BB	487	C	C2-N3-C4	-5.83	116.99	119.90
26	BB	990	A	C4-C5-C6	-5.83	114.09	117.00
26	BB	1118	C	C5'-C4'-O4'	5.83	116.09	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1496	A	C5-N7-C8	5.83	106.81	103.90
26	BB	1557	C	O4'-C1'-N1	5.83	112.86	108.20
26	BB	1769	U	N3-C4-O4	5.83	123.48	119.40
26	BB	2217	G	O4'-C1'-C2'	5.83	112.84	107.60
26	BB	2351	G	N3-C4-C5	-5.83	125.69	128.60
26	BB	2623	G	C8-N9-C4	-5.83	104.07	106.40
26	BB	2862	G	N1-C6-O6	-5.83	116.41	119.90
1	AA	6	G	N1-C2-N2	5.82	121.44	116.20
1	AA	48	C	C3'-C2'-C1'	5.82	106.16	101.50
1	AA	358	U	C5-C6-N1	-5.82	119.79	122.70
1	AA	476	U	C4-C5-C6	5.82	123.19	119.70
1	AA	513	C	O4'-C1'-N1	5.82	112.86	108.20
1	AA	1170	A	C5-C6-N6	-5.82	119.04	123.70
1	AA	1369	C	C6-N1-C2	-5.82	117.97	120.30
1	AA	1510	C	O4'-C4'-C3'	5.82	110.76	106.10
26	BB	379	G	N1-C6-O6	-5.82	116.41	119.90
26	BB	494	G	C8-N9-C1'	5.82	134.57	127.00
26	BB	1418	G	N3-C4-N9	-5.82	122.50	126.00
26	BB	1672	A	C2-N3-C4	5.82	113.51	110.60
26	BB	2073	C	C5-C6-N1	-5.82	118.09	121.00
1	AA	302	G	C2-N3-C4	5.82	114.81	111.90
25	BA	62	C	N3-C4-N4	5.82	122.08	118.00
26	BB	652	U	N1-C2-O2	5.82	126.88	122.80
26	BB	1227	G	N3-C4-N9	5.82	129.49	126.00
26	BB	1601	G	C5-C6-O6	5.82	132.09	128.60
26	BB	2841	C	C5-C6-N1	5.82	123.91	121.00
1	AA	114	U	N3-C2-O2	-5.82	118.12	122.20
1	AA	770	C	N1-C2-N3	5.82	123.28	119.20
1	AA	805	C	N1-C2-O2	5.82	122.39	118.90
1	AA	1015	G	N3-C4-C5	-5.82	125.69	128.60
4	AD	63	C	N3-C2-O2	-5.82	117.83	121.90
6	AF	21	TRP	CH2-CZ2-CE2	5.82	123.22	117.40
25	BA	18	G	N3-C4-N9	5.82	129.49	126.00
26	BB	164	C	N1-C2-O2	5.82	122.39	118.90
26	BB	941	A	C4-C5-N7	-5.82	107.79	110.70
26	BB	1120	G	O4'-C1'-C2'	-5.82	99.98	105.80
26	BB	1264	A	C4'-C3'-C2'	-5.82	96.78	102.60
26	BB	2059	A	C6-N1-C2	5.82	122.09	118.60
26	BB	2501	C	N3-C2-O2	-5.82	117.83	121.90
26	BB	2618	G	C5-N7-C8	-5.82	101.39	104.30
26	BB	2822	G	C5'-C4'-C3'	-5.82	106.69	116.00
26	BB	2845	U	C5-C4-O4	-5.82	122.41	125.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	238	A	C8-N9-C4	-5.82	103.47	105.80
1	AA	503	C	C5-C4-N4	-5.82	116.13	120.20
1	AA	685	G	O4'-C1'-N9	5.82	112.86	108.20
26	BB	23	G	N7-C8-N9	5.82	116.01	113.10
26	BB	103	A	C5-C6-N1	5.82	120.61	117.70
26	BB	167	A	O4'-C1'-C2'	-5.82	99.98	105.80
26	BB	302	C	C5'-C4'-O4'	5.82	116.08	109.10
26	BB	425	G	C5-C6-N1	5.82	114.41	111.50
26	BB	1812	U	C6-N1-C2	5.82	124.49	121.00
34	BJ	75	PHE	CB-CG-CD1	-5.82	116.73	120.80
58	B7	36	ARG	NE-CZ-NH1	5.82	123.21	120.30
1	AA	394	G	N1-C2-N2	5.82	121.44	116.20
1	AA	563	A	N9-C4-C5	-5.82	103.47	105.80
1	AA	777	A	C4-C5-N7	-5.82	107.79	110.70
1	AA	1053	G	N3-C2-N2	5.82	123.97	119.90
3	AC	17	U	C6-N1-C1'	5.82	129.35	121.20
26	BB	1356	G	C3'-C2'-C1'	-5.82	96.85	101.50
26	BB	1756	G	C5-C6-N1	5.82	114.41	111.50
26	BB	1878	G	N9-C1'-C2'	-5.82	105.60	112.00
26	BB	2317	A	C5'-C4'-O4'	5.82	116.08	109.10
26	BB	2373	G	N1-C6-O6	5.82	123.39	119.90
26	BB	2515	C	O4'-C1'-N1	5.82	112.86	108.20
35	BK	126	ARG	NE-CZ-NH1	5.82	123.21	120.30
1	AA	433	G	N9-C4-C5	5.82	107.73	105.40
1	AA	505	G	N3-C4-C5	-5.82	125.69	128.60
1	AA	1196	A	C5-C6-N1	5.82	120.61	117.70
1	AA	1295	U	C4'-C3'-C2'	-5.82	96.78	102.60
1	AA	1367	C	C6-N1-C1'	5.82	127.78	120.80
1	AA	1491	G	C8-N9-C4	5.82	108.73	106.40
2	AB	53	G	C4-C5-C6	5.82	122.29	118.80
3	AC	36	U	C4-C5-C6	5.82	123.19	119.70
21	AU	19	GLU	OE1-CD-OE2	5.82	130.28	123.30
26	BB	174	U	C4'-C3'-C2'	-5.82	96.78	102.60
26	BB	248	G	N1-C2-N3	5.82	127.39	123.90
26	BB	1251	C	C3'-C2'-C1'	5.82	106.15	101.50
26	BB	1507	C	N1-C2-O2	5.82	122.39	118.90
26	BB	1803	A	C6-C5-N7	5.82	136.37	132.30
26	BB	1998	A	C4'-C3'-C2'	-5.82	96.78	102.60
26	BB	2277	G	C5'-C4'-O4'	5.82	116.08	109.10
26	BB	2485	G	C4'-C3'-C2'	-5.82	96.78	102.60
26	BB	2513	A	N3-C4-C5	-5.82	122.73	126.80
1	AA	717	U	C2'-C3'-O3'	5.81	123.00	113.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	10	G	C4-C5-C6	5.81	122.29	118.80
26	BB	175	G	C5-C6-N1	5.81	114.41	111.50
26	BB	852	U	C4-C5-C6	5.81	123.19	119.70
26	BB	1485	U	C4-C5-C6	5.81	123.19	119.70
26	BB	1840	G	C6-N1-C2	-5.81	121.61	125.10
26	BB	2340	A	C4-C5-C6	-5.81	114.09	117.00
26	BB	2356	U	C5-C4-O4	-5.81	122.41	125.90
31	BG	137	PHE	CG-CD1-CE1	-5.81	114.40	120.80
1	AA	97	G	C5-C6-O6	5.81	132.09	128.60
1	AA	164	G	P-O3'-C3'	5.81	126.68	119.70
1	AA	211	G	C5'-C4'-O4'	5.81	116.08	109.10
1	AA	427	U	N1-C2-N3	5.81	118.39	114.90
1	AA	911	U	C5-C6-N1	-5.81	119.79	122.70
1	AA	1032	G	C5-N7-C8	5.81	107.21	104.30
1	AA	1298	U	N3-C4-C5	-5.81	111.11	114.60
9	AI	59	TYR	CG-CD2-CE2	-5.81	116.65	121.30
25	BA	61	G	C5-C6-N1	5.81	114.41	111.50
26	BB	305	C	N3-C4-N4	5.81	122.07	118.00
26	BB	819	A	C5'-C4'-C3'	-5.81	106.70	116.00
26	BB	2287	A	C6-C5-N7	5.81	136.37	132.30
1	AA	10	A	C5-C6-N1	-5.81	114.80	117.70
1	AA	1097	C	C1'-O4'-C4'	5.81	114.55	109.90
2	AB	2	G	C5-C6-N1	5.81	114.41	111.50
26	BB	333	G	C4-C5-N7	-5.81	108.48	110.80
26	BB	1888	G	C1'-O4'-C4'	5.81	114.55	109.90
26	BB	1925	C	C5'-C4'-C3'	-5.81	106.70	116.00
26	BB	2237	G	N3-C2-N2	-5.81	115.83	119.90
1	AA	97	G	P-O3'-C3'	5.81	126.67	119.70
1	AA	148	G	C3'-C2'-C1'	-5.81	96.85	101.50
1	AA	273	U	C5-C6-N1	5.81	125.61	122.70
1	AA	308	C	C4'-C3'-C2'	-5.81	96.79	102.60
1	AA	732	C	O4'-C1'-N1	5.81	112.85	108.20
1	AA	796	C	N3-C4-N4	5.81	122.07	118.00
1	AA	929	G	C2-N3-C4	5.81	114.81	111.90
1	AA	969	A	C6-C5-N7	5.81	136.37	132.30
1	AA	1016	A	C8-N9-C4	-5.81	103.48	105.80
1	AA	1177	G	C4-C5-C6	5.81	122.29	118.80
1	AA	1251	A	C1'-O4'-C4'	5.81	114.55	109.90
1	AA	1372	U	N3-C4-O4	-5.81	115.33	119.40
3	AC	26	U	O5'-P-OP1	5.81	117.67	110.70
4	AD	57	C	C5-C6-N1	-5.81	118.09	121.00
26	BB	61	C	O4'-C4'-C3'	-5.81	98.19	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	469	G	C3'-C2'-C1'	-5.81	96.85	101.50
26	BB	1125	G	C4-C5-N7	5.81	113.12	110.80
26	BB	1279	G	C2-N3-C4	5.81	114.81	111.90
26	BB	1378	A	N7-C8-N9	-5.81	110.89	113.80
26	BB	1682	G	C2-N3-C4	5.81	114.81	111.90
26	BB	2127	G	N1-C2-N2	-5.81	110.97	116.20
26	BB	2351	G	N3-C4-N9	5.81	129.49	126.00
26	BB	2471	A	O4'-C1'-N9	5.81	112.85	108.20
1	AA	257	G	C2-N3-C4	5.81	114.80	111.90
1	AA	421	U	C2-N3-C4	-5.81	123.52	127.00
1	AA	699	C	N1-C2-N3	-5.81	115.14	119.20
1	AA	700	G	C5-C6-O6	-5.81	125.11	128.60
1	AA	1200	C	N3-C4-N4	5.81	122.07	118.00
1	AA	1486	G	C5'-C4'-O4'	5.81	116.07	109.10
4	AD	23	G	N3-C4-N9	5.81	129.49	126.00
25	BA	13	G	P-O3'-C3'	5.81	126.67	119.70
26	BB	283	G	C4-C5-N7	-5.81	108.48	110.80
26	BB	575	A	C6-C5-N7	5.81	136.37	132.30
26	BB	815	C	C5-C4-N4	-5.81	116.13	120.20
26	BB	1559	U	N3-C4-O4	5.81	123.47	119.40
26	BB	1781	U	N1-C2-O2	5.81	126.86	122.80
26	BB	1806	C	N3-C4-C5	5.81	124.22	121.90
26	BB	2549	G	O4'-C1'-N9	5.81	112.85	108.20
26	BB	2572	A	N3-C4-C5	-5.81	122.73	126.80
26	BB	2812	G	N7-C8-N9	-5.81	110.20	113.10
26	BB	2840	C	N3-C4-N4	5.81	122.07	118.00
1	AA	271	C	N3-C4-N4	5.81	122.06	118.00
26	BB	193	U	C2-N1-C1'	5.81	124.67	117.70
26	BB	528	A	C4'-C3'-C2'	-5.81	96.79	102.60
26	BB	1051	G	C4-C5-N7	-5.81	108.48	110.80
26	BB	2102	G	C4'-C3'-C2'	-5.81	96.79	102.60
26	BB	2266	A	N7-C8-N9	5.81	116.70	113.80
26	BB	2451	A	C5-C6-N1	5.81	120.60	117.70
26	BB	2540	C	N1-C2-N3	-5.81	115.14	119.20
1	AA	787	A	N9-C1'-C2'	-5.80	105.61	112.00
1	AA	1138	G	N3-C2-N2	5.80	123.96	119.90
1	AA	1390	U	O4'-C1'-N1	5.80	112.84	108.20
1	AA	1489	G	N9-C4-C5	5.80	107.72	105.40
14	AN	6	ARG	NE-CZ-NH2	-5.80	117.40	120.30
25	BA	76	G	C5-C6-O6	-5.80	125.12	128.60
26	BB	34	U	OP2-P-O3'	5.80	117.97	105.20
26	BB	356	G	N9-C1'-C2'	-5.80	105.62	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1422	G	N3-C2-N2	5.80	123.96	119.90
26	BB	2123	G	N1-C6-O6	-5.80	116.42	119.90
26	BB	2220	U	N1-C2-O2	-5.80	118.74	122.80
26	BB	2291	U	N3-C2-O2	-5.80	118.14	122.20
26	BB	2434	A	N3-C4-C5	-5.80	122.74	126.80
26	BB	2454	G	N3-C4-C5	-5.80	125.70	128.60
31	BG	142	TYR	CB-CG-CD2	-5.80	117.52	121.00
1	AA	282	A	O4'-C1'-N9	5.80	112.84	108.20
3	AC	50	U	N1-C1'-C2'	5.80	121.54	114.00
26	BB	7	G	C8-N9-C4	-5.80	104.08	106.40
26	BB	217	A	C4-C5-N7	-5.80	107.80	110.70
26	BB	1510	G	C6-C5-N7	-5.80	126.92	130.40
26	BB	1974	C	C3'-C2'-C1'	5.80	106.14	101.50
26	BB	2126	A	C1'-O4'-C4'	-5.80	105.26	109.90
26	BB	2426	A	N9-C4-C5	-5.80	103.48	105.80
29	BE	132	ALA	C-N-CA	5.80	136.21	121.70
1	AA	397	A	O4'-C1'-N9	-5.80	103.56	108.20
1	AA	480	U	N1-C2-N3	5.80	118.38	114.90
1	AA	989	U	N3-C4-C5	5.80	118.08	114.60
1	AA	1475	G	O4'-C1'-C2'	5.80	112.82	107.60
2	AB	11	U	C6-N1-C1'	5.80	129.32	121.20
26	BB	638	G	N1-C6-O6	5.80	123.38	119.90
26	BB	884	U	C5'-C4'-O4'	5.80	116.06	109.10
26	BB	1104	C	C6-N1-C2	-5.80	117.98	120.30
26	BB	1138	G	O4'-C4'-C3'	5.80	110.74	106.10
26	BB	1239	G	N7-C8-N9	-5.80	110.20	113.10
26	BB	1851	U	C3'-C2'-C1'	-5.80	96.86	101.50
26	BB	1921	G	N1-C6-O6	5.80	123.38	119.90
26	BB	2105	U	C5-C4-O4	-5.80	122.42	125.90
26	BB	2191	A	C4-C5-N7	5.80	113.60	110.70
26	BB	2199	A	C5-C6-N1	-5.80	114.80	117.70
26	BB	2484	G	C4-C5-N7	-5.80	108.48	110.80
26	BB	2688	G	N1-C6-O6	5.80	123.38	119.90
26	BB	2740	A	C8-N9-C4	-5.80	103.48	105.80
1	AA	369	G	C5-C6-O6	-5.80	125.12	128.60
1	AA	598	U	C1'-O4'-C4'	5.80	114.54	109.90
1	AA	743	A	C1'-O4'-C4'	-5.80	105.26	109.90
1	AA	1048	G	C4-C5-C6	5.80	122.28	118.80
1	AA	1130	A	N9-C4-C5	5.80	108.12	105.80
2	AB	15	A	C5-C6-N6	-5.80	119.06	123.70
2	AB	66	C	C6-N1-C2	5.80	122.62	120.30
26	BB	30	G	C6-N1-C2	-5.80	121.62	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	112	U	O3'-P-O5'	5.80	115.02	104.00
26	BB	354	A	C5-C6-N6	-5.80	119.06	123.70
26	BB	375	G	C4-C5-C6	-5.80	115.32	118.80
26	BB	436	C	O4'-C1'-C2'	5.80	112.82	107.60
26	BB	777	G	C2-N3-C4	5.80	114.80	111.90
26	BB	1346	G	N1-C2-N3	5.80	127.38	123.90
26	BB	1410	G	C6-N1-C2	-5.80	121.62	125.10
26	BB	1486	U	C3'-C2'-C1'	5.80	106.14	101.50
26	BB	1596	A	C4-C5-N7	-5.80	107.80	110.70
26	BB	1927	A	P-O3'-C3'	5.80	126.66	119.70
41	BQ	117	PHE	CB-CG-CD2	5.80	124.86	120.80
1	AA	42	G	N1-C2-N3	-5.80	120.42	123.90
1	AA	635	A	C1'-O4'-C4'	5.80	114.54	109.90
1	AA	743	A	O4'-C4'-C3'	5.80	110.74	106.10
1	AA	923	A	C5-N7-C8	-5.80	101.00	103.90
1	AA	1028	C	P-O5'-C5'	5.80	130.18	120.90
1	AA	1062	U	N1-C1'-C2'	-5.80	105.62	112.00
26	BB	2310	C	N3-C4-C5	-5.80	119.58	121.90
51	B0	9	LYS	CB-CA-C	5.80	122.00	110.40
1	AA	330	C	C6-N1-C2	-5.80	117.98	120.30
1	AA	366	A	C4-C5-C6	-5.80	114.10	117.00
1	AA	435	A	P-O3'-C3'	5.80	126.66	119.70
1	AA	1226	C	C2-N3-C4	5.80	122.80	119.90
1	AA	1511	G	P-O3'-C3'	5.80	126.66	119.70
2	AB	1	A	C6-N1-C2	5.80	122.08	118.60
4	AD	47	A	C1'-O4'-C4'	-5.80	105.26	109.90
25	BA	104	A	N7-C8-N9	-5.80	110.90	113.80
26	BB	704	G	N1-C2-N3	5.80	127.38	123.90
26	BB	1023	U	C5-C4-O4	-5.80	122.42	125.90
26	BB	1105	U	N3-C2-O2	-5.80	118.14	122.20
26	BB	1266	G	C8-N9-C1'	5.80	134.53	127.00
26	BB	1453	A	C8-N9-C4	-5.80	103.48	105.80
26	BB	1485	U	N3-C4-C5	-5.80	111.12	114.60
26	BB	1608	A	C8-N9-C4	-5.80	103.48	105.80
26	BB	2119	A	C6-C5-N7	5.80	136.36	132.30
26	BB	2479	U	C5'-C4'-O4'	5.80	116.06	109.10
26	BB	2639	A	C4-C5-C6	5.80	119.90	117.00
26	BB	2867	G	N1-C2-N3	-5.80	120.42	123.90
1	AA	115	G	C2-N3-C4	5.79	114.80	111.90
2	AB	61	C	C5'-C4'-O4'	5.79	116.05	109.10
26	BB	370	G	C4-C5-N7	5.79	113.12	110.80
26	BB	386	G	P-O3'-C3'	5.79	126.65	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	602	A	N9-C1'-C2'	-5.79	105.63	112.00
26	BB	1242	U	N3-C4-C5	-5.79	111.12	114.60
26	BB	1906	G	C4-N9-C1'	-5.79	118.97	126.50
26	BB	2040	G	C5-N7-C8	5.79	107.20	104.30
27	BC	189	LEU	CB-CG-CD1	5.79	120.85	111.00
50	BZ	65	THR	CA-CB-OG1	5.79	121.17	109.00
1	AA	278	G	C2-N3-C4	5.79	114.80	111.90
1	AA	617	G	C5'-C4'-C3'	-5.79	106.73	116.00
1	AA	699	C	N3-C2-O2	-5.79	117.84	121.90
1	AA	713	G	C4-C5-N7	5.79	113.12	110.80
1	AA	1080	A	C4-C5-C6	5.79	119.90	117.00
1	AA	1272	G	C6-N1-C2	-5.79	121.62	125.10
3	AC	13	A	N1-C6-N6	-5.79	115.12	118.60
26	BB	69	C	C1'-O4'-C4'	-5.79	105.27	109.90
26	BB	289	G	N7-C8-N9	5.79	116.00	113.10
26	BB	691	C	N1-C2-O2	-5.79	115.42	118.90
26	BB	816	C	C1'-O4'-C4'	5.79	114.53	109.90
26	BB	1279	G	O4'-C1'-N9	5.79	112.83	108.20
26	BB	1294	U	C1'-O4'-C4'	5.79	114.53	109.90
26	BB	1582	C	C1'-O4'-C4'	5.79	114.53	109.90
26	BB	2764	A	C4'-C3'-C2'	-5.79	96.81	102.60
30	BF	191	ASP	CB-CG-OD1	-5.79	113.09	118.30
1	AA	1021	A	O4'-C1'-N9	5.79	112.83	108.20
1	AA	1147	C	C6-N1-C2	5.79	122.62	120.30
15	AO	120	ARG	NE-CZ-NH1	5.79	123.20	120.30
26	BB	162	U	O4'-C1'-N1	5.79	112.83	108.20
26	BB	310	A	C4'-C3'-C2'	5.79	108.39	102.60
26	BB	2201	G	N7-C8-N9	5.79	116.00	113.10
26	BB	2272	U	C5-C4-O4	-5.79	122.42	125.90
26	BB	2653	U	N1-C2-O2	5.79	126.86	122.80
1	AA	847	G	P-O3'-C3'	5.79	126.65	119.70
1	AA	1175	G	C5'-C4'-C3'	-5.79	106.74	116.00
25	BA	58	A	C4-C5-N7	5.79	113.59	110.70
26	BB	11	C	N3-C2-O2	-5.79	117.85	121.90
26	BB	117	G	N3-C4-C5	-5.79	125.70	128.60
26	BB	428	A	N9-C4-C5	5.79	108.12	105.80
26	BB	2581	G	N1-C2-N2	-5.79	110.99	116.20
1	AA	182	A	C8-N9-C4	-5.79	103.48	105.80
1	AA	673	A	N1-C2-N3	-5.79	126.41	129.30
1	AA	782	A	C8-N9-C4	-5.79	103.48	105.80
1	AA	1306	A	C5'-C4'-O4'	5.79	116.05	109.10
5	AE	46	VAL	CG1-CB-CG2	-5.79	101.64	110.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	21	G	N9-C4-C5	5.79	107.72	105.40
26	BB	19	A	C4-C5-N7	5.79	113.59	110.70
26	BB	52	A	N3-C4-C5	-5.79	122.75	126.80
26	BB	114	U	C5'-C4'-O4'	5.79	116.05	109.10
26	BB	362	A	N9-C4-C5	5.79	108.11	105.80
26	BB	481	G	C5'-C4'-O4'	-5.79	102.15	109.10
26	BB	546	U	C5-C6-N1	-5.79	119.81	122.70
26	BB	1487	U	C2-N3-C4	-5.79	123.53	127.00
26	BB	1727	C	O4'-C4'-C3'	5.79	110.73	106.10
26	BB	1888	G	C6-C5-N7	5.79	133.87	130.40
1	AA	655	A	C4'-C3'-C2'	-5.79	96.81	102.60
1	AA	1097	C	C5-C6-N1	5.79	123.89	121.00
1	AA	1359	C	C2-N1-C1'	5.79	125.17	118.80
26	BB	162	U	C4'-C3'-C2'	-5.79	96.81	102.60
26	BB	821	A	N1-C2-N3	-5.79	126.41	129.30
26	BB	1271	G	N9-C4-C5	-5.79	103.08	105.40
26	BB	1322	A	N7-C8-N9	-5.79	110.91	113.80
26	BB	2152	G	C3'-C2'-C1'	5.79	106.13	101.50
26	BB	2736	A	N1-C2-N3	5.79	132.19	129.30
1	AA	162	A	C5'-C4'-C3'	-5.79	106.74	116.00
1	AA	179	A	O4'-C1'-C2'	5.79	112.81	107.60
1	AA	201	G	C5-C6-N1	5.79	114.39	111.50
1	AA	886	G	N7-C8-N9	5.79	115.99	113.10
1	AA	1093	A	C8-N9-C4	-5.79	103.48	105.80
1	AA	1100	C	C4-C5-C6	-5.79	114.51	117.40
1	AA	1335	U	P-O3'-C3'	5.79	126.64	119.70
1	AA	1451	U	C3'-C2'-C1'	-5.79	96.87	101.50
2	AB	10	G	N3-C4-C5	-5.79	125.71	128.60
25	BA	7	G	N3-C2-N2	5.79	123.95	119.90
26	BB	1174	U	N3-C4-O4	5.79	123.45	119.40
26	BB	1334	G	N7-C8-N9	5.79	115.99	113.10
26	BB	1523	U	O4'-C1'-C2'	-5.79	100.02	105.80
26	BB	2333	A	N7-C8-N9	5.79	116.69	113.80
26	BB	2406	A	C5-N7-C8	5.79	106.79	103.90
26	BB	2582	G	C1'-O4'-C4'	5.79	114.53	109.90
26	BB	2643	G	N3-C4-C5	-5.79	125.71	128.60
42	BR	38	ARG	NE-CZ-NH2	5.79	123.19	120.30
1	AA	113	G	C5-C6-O6	-5.78	125.13	128.60
1	AA	562	U	C5-C6-N1	-5.78	119.81	122.70
1	AA	577	G	N1-C2-N3	-5.78	120.43	123.90
1	AA	688	G	N1-C6-O6	5.78	123.37	119.90
1	AA	890	G	C8-N9-C4	-5.78	104.09	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1078	U	N1-C1'-C2'	-5.78	105.64	112.00
1	AA	1370	G	C5-N7-C8	5.78	107.19	104.30
1	AA	1426	G	N9-C4-C5	5.78	107.71	105.40
2	AB	15	A	C1'-O4'-C4'	-5.78	105.27	109.90
2	AB	29	G	C6-C5-N7	5.78	133.87	130.40
18	AR	11	VAL	CA-CB-CG1	5.78	119.58	110.90
26	BB	76	C	C2-N3-C4	-5.78	117.01	119.90
26	BB	215	G	C5-C6-O6	5.78	132.07	128.60
26	BB	311	A	C5-N7-C8	-5.78	101.01	103.90
26	BB	923	G	N9-C1'-C2'	-5.78	105.64	112.00
26	BB	1008	A	C5-C6-N1	5.78	120.59	117.70
26	BB	1245	G	N1-C6-O6	5.78	123.37	119.90
26	BB	1454	C	C3'-C2'-C1'	-5.78	96.87	101.50
26	BB	2719	G	N3-C4-N9	5.78	129.47	126.00
1	AA	27	G	C6-C5-N7	5.78	133.87	130.40
1	AA	207	C	C2-N1-C1'	-5.78	112.44	118.80
1	AA	960	U	N1-C2-O2	5.78	126.85	122.80
1	AA	1046	A	C4'-C3'-C2'	-5.78	96.82	102.60
24	AX	66	ARG	CD-NE-CZ	5.78	131.69	123.60
26	BB	432	A	C5-N7-C8	-5.78	101.01	103.90
26	BB	990	A	C6-N1-C2	5.78	122.07	118.60
26	BB	1085	A	C5-N7-C8	-5.78	101.01	103.90
26	BB	1085	A	O4'-C1'-C2'	5.78	112.80	107.60
26	BB	1560	G	N3-C4-N9	5.78	129.47	126.00
26	BB	1606	C	N3-C4-C5	-5.78	119.59	121.90
26	BB	2323	G	C6-C5-N7	-5.78	126.93	130.40
26	BB	2818	U	C3'-C2'-C1'	5.78	106.13	101.50
26	BB	2856	A	C6-C5-N7	5.78	136.35	132.30
1	AA	570	G	N1-C2-N3	5.78	127.37	123.90
25	BA	42	C	N3-C4-C5	-5.78	119.59	121.90
25	BA	47	C	N1-C2-N3	-5.78	115.15	119.20
26	BB	293	U	P-O5'-C5'	5.78	130.15	120.90
26	BB	321	U	C5-C6-N1	-5.78	119.81	122.70
26	BB	696	G	C8-N9-C4	5.78	108.71	106.40
26	BB	882	G	O4'-C1'-N9	5.78	112.83	108.20
26	BB	1128	G	C4'-C3'-C2'	-5.78	96.82	102.60
26	BB	1202	G	N3-C2-N2	-5.78	115.85	119.90
26	BB	1340	U	C4-C5-C6	5.78	123.17	119.70
26	BB	1458	U	N3-C2-O2	-5.78	118.15	122.20
26	BB	1975	G	C4-C5-C6	-5.78	115.33	118.80
26	BB	2267	A	N7-C8-N9	5.78	116.69	113.80
26	BB	2294	G	C2-N3-C4	5.78	114.79	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2350	C	O4'-C4'-C3'	-5.78	98.22	104.00
26	BB	2524	G	C5-C6-O6	-5.78	125.13	128.60
26	BB	2801	G	C4-C5-C6	5.78	122.27	118.80
57	B6	63	TYR	CB-CG-CD2	5.78	124.47	121.00
1	AA	130	A	N9-C4-C5	-5.78	103.49	105.80
1	AA	959	A	C5-N7-C8	5.78	106.79	103.90
1	AA	1445	U	C5'-C4'-O4'	5.78	116.03	109.10
25	BA	52	A	C5-N7-C8	-5.78	101.01	103.90
26	BB	5	A	N7-C8-N9	5.78	116.69	113.80
26	BB	1349	C	O4'-C1'-N1	5.78	112.82	108.20
26	BB	1812	U	C5-C4-O4	-5.78	122.43	125.90
26	BB	1831	G	C1'-O4'-C4'	5.78	114.52	109.90
26	BB	2247	A	C3'-C2'-C1'	5.78	106.12	101.50
1	AA	111	G	C5'-C4'-O4'	5.78	116.03	109.10
1	AA	402	G	N3-C2-N2	-5.78	115.86	119.90
4	AD	19	G	C2-N3-C4	5.78	114.79	111.90
26	BB	55	G	N1-C2-N2	5.78	121.40	116.20
26	BB	140	C	N3-C4-N4	5.78	122.04	118.00
26	BB	320	A	C4-C5-N7	-5.78	107.81	110.70
26	BB	654	A	N1-C2-N3	-5.78	126.41	129.30
26	BB	1047	G	C4-C5-C6	5.78	122.27	118.80
26	BB	1256	G	C5-C6-O6	-5.78	125.13	128.60
26	BB	1883	U	N3-C4-C5	5.78	118.07	114.60
26	BB	2042	A	C4-C5-N7	5.78	113.59	110.70
26	BB	2045	C	P-O3'-C3'	5.78	126.63	119.70
26	BB	2458	G	C5-N7-C8	-5.78	101.41	104.30
26	BB	2681	C	C5'-C4'-C3'	-5.78	106.76	116.00
36	BL	74	TYR	CD1-CE1-CZ	-5.78	114.60	119.80
1	AA	46	G	P-O3'-C3'	5.78	126.63	119.70
1	AA	379	C	N3-C4-N4	5.78	122.04	118.00
1	AA	682	G	C6-N1-C2	-5.78	121.64	125.10
1	AA	990	C	O5'-P-OP2	-5.78	100.50	105.70
1	AA	1155	A	C5'-C4'-O4'	5.78	116.03	109.10
1	AA	1173	U	N3-C4-C5	-5.78	111.14	114.60
1	AA	1434	A	C4-C5-C6	-5.78	114.11	117.00
26	BB	10	A	O4'-C1'-N9	5.78	112.82	108.20
26	BB	317	G	O4'-C4'-C3'	5.78	110.72	106.10
26	BB	802	A	C6-N1-C2	-5.78	115.14	118.60
26	BB	815	C	C4-C5-C6	-5.78	114.51	117.40
26	BB	990	A	C5-C6-N6	5.78	128.32	123.70
26	BB	2110	G	C4-C5-C6	5.78	122.27	118.80
26	BB	2309	A	N1-C6-N6	5.78	122.06	118.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	323	U	P-O3'-C3'	5.77	126.63	119.70
1	AA	686	U	C4'-C3'-C2'	-5.77	96.83	102.60
1	AA	983	A	C1'-O4'-C4'	-5.77	105.28	109.90
1	AA	1213	A	O4'-C4'-C3'	-5.77	98.23	104.00
25	BA	63	C	C5-C6-N1	-5.77	118.11	121.00
26	BB	157	C	C2-N3-C4	-5.77	117.01	119.90
26	BB	577	G	N1-C6-O6	5.77	123.36	119.90
26	BB	908	C	C4-C5-C6	5.77	120.29	117.40
26	BB	1244	A	C6-C5-N7	-5.77	128.26	132.30
26	BB	1559	U	C5-C4-O4	-5.77	122.44	125.90
26	BB	1770	G	C5'-C4'-O4'	5.77	116.03	109.10
26	BB	1802	A	O5'-C5'-C4'	-5.77	100.73	111.70
26	BB	2042	A	N3-C4-C5	5.77	130.84	126.80
26	BB	2244	U	C4-C5-C6	5.77	123.16	119.70
26	BB	2671	G	N3-C2-N2	5.77	123.94	119.90
26	BB	2749	A	C5'-C4'-C3'	-5.77	106.76	116.00
26	BB	2822	G	N3-C4-C5	-5.77	125.71	128.60
1	AA	211	G	N1-C2-N3	5.77	127.36	123.90
1	AA	1155	A	C4-C5-C6	-5.77	114.11	117.00
1	AA	1430	A	N9-C1'-C2'	-5.77	105.65	112.00
1	AA	1481	U	O4'-C1'-N1	5.77	112.82	108.20
1	AA	1525	G	O4'-C1'-N9	5.77	112.82	108.20
25	BA	20	G	N7-C8-N9	5.77	115.99	113.10
25	BA	102	G	N3-C4-C5	-5.77	125.71	128.60
26	BB	28	A	N1-C6-N6	5.77	122.06	118.60
26	BB	929	U	N3-C2-O2	-5.77	118.16	122.20
26	BB	964	C	N1-C2-O2	5.77	122.36	118.90
26	BB	1641	A	C4'-C3'-C2'	-5.77	96.83	102.60
26	BB	1969	A	N1-C6-N6	5.77	122.06	118.60
26	BB	2007	U	C4'-C3'-C2'	-5.77	96.83	102.60
26	BB	2123	G	N3-C4-N9	-5.77	122.54	126.00
26	BB	2187	U	C1'-O4'-C4'	-5.77	105.28	109.90
26	BB	2234	G	N9-C4-C5	5.77	107.71	105.40
26	BB	2293	G	O4'-C1'-N9	5.77	112.82	108.20
26	BB	2569	G	C1'-O4'-C4'	-5.77	105.28	109.90
26	BB	2790	U	C4-C5-C6	5.77	123.16	119.70
26	BB	2795	C	O5'-P-OP2	-5.77	100.50	105.70
33	BI	100	ALA	O-C-N	5.77	131.94	122.70
1	AA	585	G	C4-C5-N7	-5.77	108.49	110.80
1	AA	1231	G	C3'-C2'-C1'	5.77	106.12	101.50
25	BA	5	U	O4'-C1'-N1	5.77	112.82	108.20
26	BB	71	A	C8-N9-C4	-5.77	103.49	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1072	C	C2-N1-C1'	-5.77	112.45	118.80
26	BB	2014	A	N1-C2-N3	-5.77	126.42	129.30
26	BB	2179	C	C5'-C4'-C3'	-5.77	106.77	116.00
1	AA	277	C	N1-C2-N3	-5.77	115.16	119.20
1	AA	420	U	N3-C4-O4	5.77	123.44	119.40
1	AA	1146	A	C3'-C2'-C1'	5.77	106.11	101.50
2	AB	28	C	N3-C2-O2	-5.77	117.86	121.90
2	AB	66	C	N3-C4-C5	5.77	124.21	121.90
4	AD	30	G	C2-N3-C4	5.77	114.78	111.90
4	AD	70	C	N3-C4-C5	5.77	124.21	121.90
6	AF	126	ARG	NE-CZ-NH2	-5.77	117.42	120.30
14	AN	10	ARG	NE-CZ-NH2	-5.77	117.42	120.30
25	BA	82	U	N1-C1'-C2'	-5.77	105.65	112.00
26	BB	688	U	O4'-C4'-C3'	5.77	110.72	106.10
26	BB	881	G	N1-C2-N3	-5.77	120.44	123.90
26	BB	940	G	C6-C5-N7	5.77	133.86	130.40
26	BB	1380	G	N1-C2-N3	5.77	127.36	123.90
26	BB	1515	A	C6-C5-N7	5.77	136.34	132.30
26	BB	2057	G	N1-C6-O6	-5.77	116.44	119.90
26	BB	2234	G	N9-C1'-C2'	-5.77	105.65	112.00
26	BB	2262	U	C2-N3-C4	-5.77	123.54	127.00
26	BB	2471	A	N9-C4-C5	5.77	108.11	105.80
1	AA	588	G	P-O3'-C3'	5.77	126.62	119.70
26	BB	15	G	C5-C6-O6	5.77	132.06	128.60
26	BB	110	G	C8-N9-C1'	5.77	134.50	127.00
26	BB	208	C	C6-N1-C1'	5.77	127.72	120.80
26	BB	509	C	C5-C4-N4	-5.77	116.16	120.20
26	BB	1411	U	C5-C4-O4	-5.77	122.44	125.90
26	BB	1581	G	O4'-C1'-N9	5.77	112.81	108.20
26	BB	1727	C	O4'-C1'-N1	5.77	112.81	108.20
26	BB	2565	A	C3'-C2'-C1'	5.77	106.11	101.50
26	BB	2823	A	N1-C6-N6	-5.77	115.14	118.60
26	BB	2824	C	N3-C4-C5	5.77	124.21	121.90
1	AA	382	A	C5'-C4'-C3'	5.77	125.23	116.00
1	AA	523	A	N1-C2-N3	-5.77	126.42	129.30
1	AA	764	C	N3-C4-C5	-5.77	119.59	121.90
1	AA	1028	C	N3-C2-O2	5.77	125.94	121.90
3	AC	58	C	C5-C4-N4	5.77	124.24	120.20
26	BB	236	C	N3-C4-N4	5.77	122.04	118.00
1	AA	652	U	O4'-C1'-N1	5.76	112.81	108.20
1	AA	897	C	N3-C2-O2	-5.76	117.86	121.90
2	AB	4	G	C6-C5-N7	-5.76	126.94	130.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	70	C	N1-C2-O2	5.76	122.36	118.90
26	BB	288	U	C5'-C4'-O4'	5.76	116.02	109.10
26	BB	303	G	N1-C2-N2	5.76	121.39	116.20
26	BB	485	C	C5'-C4'-O4'	5.76	116.02	109.10
26	BB	1068	G	C5'-C4'-O4'	5.76	116.02	109.10
26	BB	1779	U	C5-C6-N1	-5.76	119.82	122.70
26	BB	2132	U	O4'-C1'-N1	5.76	112.81	108.20
26	BB	2500	U	C6-N1-C2	-5.76	117.54	121.00
26	BB	2751	G	C5-C6-O6	-5.76	125.14	128.60
35	BK	92	PRO	N-CA-CB	5.76	110.22	103.30
39	BO	18	ARG	NE-CZ-NH2	5.76	123.18	120.30
1	AA	289	G	N9-C4-C5	-5.76	103.09	105.40
1	AA	563	A	C5-C6-N6	-5.76	119.09	123.70
1	AA	656	G	N3-C2-N2	-5.76	115.87	119.90
1	AA	773	G	C4-C5-N7	-5.76	108.50	110.80
26	BB	380	G	N3-C2-N2	-5.76	115.87	119.90
26	BB	710	U	N3-C4-O4	5.76	123.43	119.40
26	BB	977	G	O4'-C1'-N9	5.76	112.81	108.20
26	BB	2366	A	N1-C2-N3	-5.76	126.42	129.30
26	BB	2800	A	C6-C5-N7	-5.76	128.27	132.30
56	B5	18	PHE	CG-CD1-CE1	-5.76	114.46	120.80
1	AA	1196	A	N9-C4-C5	5.76	108.11	105.80
1	AA	1261	A	C5-C6-N6	5.76	128.31	123.70
26	BB	96	C	C5-C4-N4	5.76	124.23	120.20
26	BB	114	U	C4-C5-C6	5.76	123.16	119.70
26	BB	391	A	C5-C6-N1	5.76	120.58	117.70
26	BB	475	C	N3-C2-O2	-5.76	117.87	121.90
26	BB	1634	A	C2-N3-C4	-5.76	107.72	110.60
26	BB	2289	G	C6-C5-N7	-5.76	126.94	130.40
26	BB	2394	C	C2-N1-C1'	5.76	125.14	118.80
26	BB	2853	C	O5'-P-OP1	5.76	117.61	110.70
1	AA	471	U	N3-C4-C5	-5.76	111.14	114.60
1	AA	1171	A	C6-N1-C2	5.76	122.06	118.60
1	AA	1374	A	N9-C4-C5	-5.76	103.50	105.80
26	BB	563	A	C5-N7-C8	5.76	106.78	103.90
26	BB	1648	U	C4'-C3'-C2'	-5.76	96.84	102.60
26	BB	1717	A	C5-N7-C8	5.76	106.78	103.90
26	BB	1805	A	C5-C6-N6	5.76	128.31	123.70
26	BB	1829	A	C4'-C3'-C2'	-5.76	96.84	102.60
26	BB	2116	G	C8-N9-C4	-5.76	104.10	106.40
26	BB	2250	G	C6-N1-C2	-5.76	121.64	125.10
1	AA	942	G	C2-N3-C4	5.76	114.78	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	AD	23	G	O4'-C4'-C3'	5.76	110.71	106.10
26	BB	303	G	C3'-C2'-C1'	-5.76	96.89	101.50
26	BB	867	C	O4'-C1'-N1	-5.76	103.59	108.20
26	BB	1153	C	N1-C2-O2	5.76	122.36	118.90
26	BB	1192	G	N9-C4-C5	5.76	107.70	105.40
26	BB	2010	G	O4'-C1'-N9	5.76	112.81	108.20
26	BB	2231	U	N3-C2-O2	-5.76	118.17	122.20
29	BE	125	TRP	CD1-CG-CD2	-5.76	101.69	106.30
1	AA	77	A	N7-C8-N9	5.76	116.68	113.80
1	AA	534	U	C2-N1-C1'	5.76	124.61	117.70
1	AA	725	G	N3-C4-C5	5.76	131.48	128.60
1	AA	960	U	O4'-C1'-N1	5.76	112.81	108.20
1	AA	1166	G	O4'-C1'-N9	5.76	112.81	108.20
8	AH	40	ASP	OD1-CG-OD2	5.76	134.24	123.30
25	BA	106	G	N9-C4-C5	5.76	107.70	105.40
26	BB	98	G	N1-C2-N3	-5.76	120.45	123.90
26	BB	649	G	O4'-C4'-C3'	5.76	110.71	106.10
26	BB	816	C	C5-C4-N4	-5.76	116.17	120.20
26	BB	917	A	C5'-C4'-O4'	5.76	116.01	109.10
26	BB	1445	G	C8-N9-C4	-5.76	104.10	106.40
26	BB	2202	U	C3'-C2'-C1'	5.76	106.11	101.50
27	BC	53	ARG	NE-CZ-NH2	-5.76	117.42	120.30
43	BS	60	TRP	NE1-CE2-CZ2	5.76	136.73	130.40
1	AA	150	U	C4'-C3'-C2'	-5.75	96.84	102.60
1	AA	1092	A	C5-N7-C8	5.75	106.78	103.90
1	AA	1181	G	C8-N9-C1'	5.75	134.48	127.00
3	AC	26	U	N1-C1'-C2'	5.75	121.48	114.00
25	BA	100	G	C5-C6-N1	5.75	114.38	111.50
26	BB	629	G	C3'-C2'-C1'	5.75	106.10	101.50
26	BB	784	G	N7-C8-N9	5.75	115.98	113.10
26	BB	906	U	N1-C2-N3	5.75	118.35	114.90
26	BB	1916	A	N1-C2-N3	-5.75	126.42	129.30
26	BB	2131	U	N1-C1'-C2'	-5.75	105.67	112.00
1	AA	305	G	C5-N7-C8	-5.75	101.42	104.30
1	AA	351	G	N1-C2-N3	5.75	127.35	123.90
1	AA	451	A	N9-C4-C5	5.75	108.10	105.80
1	AA	508	U	O4'-C1'-C2'	-5.75	100.05	105.80
1	AA	1081	A	C2-N3-C4	5.75	113.48	110.60
1	AA	1144	G	C5'-C4'-O4'	5.75	116.00	109.10
1	AA	1261	A	C6-C5-N7	-5.75	128.27	132.30
2	AB	36	A	C3'-C2'-C1'	5.75	106.10	101.50
4	AD	7	G	C2-N3-C4	5.75	114.78	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	502	A	P-O3'-C3'	5.75	126.60	119.70
26	BB	901	C	C5'-C4'-C3'	-5.75	106.80	116.00
26	BB	1038	G	N9-C4-C5	-5.75	103.10	105.40
26	BB	1134	A	O3'-P-O5'	-5.75	93.07	104.00
26	BB	1340	U	C2-N3-C4	-5.75	123.55	127.00
26	BB	1376	C	OP1-P-OP2	5.75	128.23	119.60
26	BB	1468	U	N3-C4-C5	-5.75	111.15	114.60
26	BB	1823	G	C3'-C2'-C1'	5.75	106.10	101.50
26	BB	2772	C	N3-C4-N4	5.75	122.03	118.00
1	AA	97	G	C4-C5-C6	5.75	122.25	118.80
1	AA	217	C	N3-C4-C5	-5.75	119.60	121.90
1	AA	223	A	C4-C5-C6	-5.75	114.12	117.00
1	AA	318	G	C4'-C3'-C2'	-5.75	96.85	102.60
1	AA	520	A	N9-C4-C5	5.75	108.10	105.80
1	AA	1363	A	N1-C6-N6	5.75	122.05	118.60
19	AS	8	ARG	NE-CZ-NH1	5.75	123.18	120.30
25	BA	86	G	C8-N9-C4	-5.75	104.10	106.40
25	BA	96	G	C5-C6-N1	5.75	114.38	111.50
26	BB	251	A	C2-N3-C4	5.75	113.48	110.60
26	BB	444	C	N3-C4-C5	-5.75	119.60	121.90
26	BB	476	G	C5'-C4'-O4'	5.75	116.00	109.10
26	BB	711	G	C4-C5-N7	-5.75	108.50	110.80
26	BB	846	U	C5-C4-O4	-5.75	122.45	125.90
26	BB	878	A	C6-N1-C2	5.75	122.05	118.60
26	BB	1193	G	N1-C6-O6	5.75	123.35	119.90
26	BB	1291	C	C2-N3-C4	5.75	122.78	119.90
26	BB	1455	G	N9-C1'-C2'	-5.75	105.67	112.00
26	BB	1676	A	C6-C5-N7	5.75	136.33	132.30
26	BB	1940	U	O4'-C4'-C3'	5.75	110.70	106.10
26	BB	1988	G	C6-N1-C2	-5.75	121.65	125.10
26	BB	2386	A	N9-C4-C5	-5.75	103.50	105.80
26	BB	2728	U	C1'-O4'-C4'	-5.75	105.30	109.90
1	AA	406	G	N3-C4-C5	-5.75	125.72	128.60
1	AA	519	C	C2-N3-C4	-5.75	117.03	119.90
1	AA	1131	G	O4'-C1'-N9	5.75	112.80	108.20
1	AA	1352	C	C2-N3-C4	-5.75	117.03	119.90
16	AP	81	ASP	CB-CG-OD2	5.75	123.47	118.30
25	BA	16	G	C5-N7-C8	-5.75	101.42	104.30
26	BB	78	U	C5-C4-O4	-5.75	122.45	125.90
1	AA	49	U	N3-C2-O2	-5.75	118.18	122.20
1	AA	97	G	N3-C4-N9	5.75	129.45	126.00
1	AA	146	G	C2-N3-C4	5.75	114.77	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	329	A	C6-N1-C2	5.75	122.05	118.60
1	AA	474	G	C6-C5-N7	5.75	133.85	130.40
1	AA	841	C	C2-N3-C4	5.75	122.78	119.90
1	AA	1057	G	C5-C6-N1	5.75	114.38	111.50
1	AA	1124	G	N9-C4-C5	5.75	107.70	105.40
26	BB	70	G	N7-C8-N9	5.75	115.97	113.10
26	BB	87	U	N3-C2-O2	-5.75	118.17	122.20
26	BB	502	A	P-O5'-C5'	5.75	130.10	120.90
26	BB	748	G	N3-C4-C5	-5.75	125.73	128.60
26	BB	823	C	O4'-C1'-N1	5.75	112.80	108.20
26	BB	1030	C	N3-C4-C5	-5.75	119.60	121.90
26	BB	1623	G	C5-C6-O6	-5.75	125.15	128.60
26	BB	1922	G	N9-C4-C5	5.75	107.70	105.40
26	BB	2699	C	N1-C2-O2	5.75	122.35	118.90
26	BB	2719	G	C5-C6-N1	-5.75	108.63	111.50
1	AA	239	U	O4'-C4'-C3'	-5.75	98.25	104.00
25	BA	19	C	C2-N3-C4	5.75	122.77	119.90
25	BA	39	A	C8-N9-C4	5.75	108.10	105.80
26	BB	297	G	N1-C6-O6	5.75	123.35	119.90
26	BB	424	G	N1-C6-O6	5.75	123.35	119.90
26	BB	518	G	N1-C6-O6	-5.75	116.45	119.90
26	BB	1555	G	O4'-C1'-N9	5.75	112.80	108.20
26	BB	2339	C	C2-N3-C4	-5.75	117.03	119.90
26	BB	2593	U	N1-C1'-C2'	-5.75	105.68	112.00
39	BO	65	ILE	CA-CB-CG1	5.75	121.92	111.00
26	BB	1876	A	C8-N9-C4	-5.75	103.50	105.80
26	BB	2048	G	C3'-C2'-C1'	-5.75	96.90	101.50
26	BB	2618	G	O4'-C1'-N9	5.75	112.80	108.20
26	BB	2873	A	N9-C1'-C2'	5.75	121.47	114.00
39	BO	91	TYR	CD1-CE1-CZ	5.75	124.97	119.80
50	BZ	26	ARG	CD-NE-CZ	5.75	131.64	123.60
1	AA	8	A	N3-C4-C5	5.74	130.82	126.80
1	AA	267	C	C4-C5-C6	-5.74	114.53	117.40
1	AA	356	A	C5-N7-C8	5.74	106.77	103.90
1	AA	861	G	C5-C6-O6	-5.74	125.15	128.60
1	AA	1131	G	N1-C2-N3	-5.74	120.45	123.90
1	AA	1494	G	C5'-C4'-O4'	5.74	115.99	109.10
2	AB	11	U	C2-N1-C1'	-5.74	110.81	117.70
26	BB	145	C	C2-N1-C1'	-5.74	112.48	118.80
26	BB	359	G	C5'-C4'-O4'	5.74	115.99	109.10
26	BB	520	G	C5-C6-O6	-5.74	125.15	128.60
26	BB	715	A	C4-C5-N7	-5.74	107.83	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1000	A	C8-N9-C4	-5.74	103.50	105.80
26	BB	1309	G	N1-C6-O6	-5.74	116.45	119.90
26	BB	1385	A	C6-C5-N7	-5.74	128.28	132.30
26	BB	1641	A	C8-N9-C4	-5.74	103.50	105.80
26	BB	1755	A	O4'-C1'-N9	5.74	112.80	108.20
26	BB	2432	A	P-O3'-C3'	5.74	126.59	119.70
41	BQ	30	ARG	NH1-CZ-NH2	-5.74	113.08	119.40
1	AA	1318	A	C5-C6-N1	5.74	120.57	117.70
9	AI	64	VAL	CA-CB-CG1	5.74	119.51	110.90
26	BB	340	A	N7-C8-N9	-5.74	110.93	113.80
26	BB	342	A	N3-C4-C5	-5.74	122.78	126.80
26	BB	569	U	C5-C4-O4	5.74	129.34	125.90
26	BB	1423	G	C5-C6-N1	5.74	114.37	111.50
26	BB	2486	C	C5-C6-N1	5.74	123.87	121.00
26	BB	2611	C	N1-C2-O2	5.74	122.34	118.90
26	BB	2716	C	N1-C2-O2	5.74	122.34	118.90
1	AA	165	G	N1-C2-N3	-5.74	120.46	123.90
1	AA	631	C	C4'-C3'-C2'	5.74	108.34	102.60
1	AA	644	U	N3-C2-O2	-5.74	118.18	122.20
1	AA	1029	U	N1-C1'-C2'	-5.74	105.69	112.00
1	AA	1532	U	N3-C4-O4	-5.74	115.38	119.40
2	AB	9	A	C5-C6-N6	5.74	128.29	123.70
2	AB	47	U	C4'-C3'-C2'	-5.74	96.86	102.60
11	AK	73	SER	CB-CA-C	5.74	121.01	110.10
26	BB	144	A	C4-C5-C6	-5.74	114.13	117.00
26	BB	943	A	O5'-P-OP2	-5.74	100.53	105.70
26	BB	1269	A	C5'-C4'-C3'	-5.74	106.81	116.00
26	BB	1610	A	N9-C1'-C2'	-5.74	105.69	112.00
26	BB	1855	U	C5'-C4'-O4'	5.74	115.99	109.10
26	BB	2494	G	C5'-C4'-O4'	5.74	115.99	109.10
26	BB	2581	G	C1'-O4'-C4'	-5.74	105.31	109.90
1	AA	439	U	C2-N3-C4	-5.74	123.56	127.00
1	AA	802	A	N3-C4-N9	-5.74	122.81	127.40
1	AA	1155	A	C5-C6-N1	5.74	120.57	117.70
1	AA	1302	C	C6-N1-C2	-5.74	118.00	120.30
2	AB	40	C	N3-C4-N4	5.74	122.02	118.00
3	AC	59	A	C6-C5-N7	5.74	136.32	132.30
4	AD	37	U	C5-C6-N1	-5.74	119.83	122.70
26	BB	309	A	C5-C6-N1	5.74	120.57	117.70
26	BB	326	G	C4'-C3'-C2'	-5.74	96.86	102.60
26	BB	400	G	C6-N1-C2	-5.74	121.66	125.10
26	BB	427	U	C5-C4-O4	-5.74	122.46	125.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1774	C	C5-C4-N4	-5.74	116.18	120.20
26	BB	1837	C	C5'-C4'-C3'	-5.74	106.82	116.00
26	BB	2012	G	C8-N9-C4	-5.74	104.11	106.40
26	BB	2333	A	C5-C6-N6	-5.74	119.11	123.70
26	BB	2596	U	C6-N1-C2	-5.74	117.56	121.00
41	BQ	20	GLU	OE1-CD-OE2	5.74	130.19	123.30
1	AA	617	G	N3-C2-N2	5.74	123.92	119.90
1	AA	1255	G	C2-N3-C4	5.74	114.77	111.90
24	AX	22	CYS	CA-CB-SG	-5.74	103.67	114.00
26	BB	204	A	C5'-C4'-O4'	-5.74	102.22	109.10
26	BB	326	G	C2-N3-C4	-5.74	109.03	111.90
26	BB	1283	G	C1'-O4'-C4'	5.74	114.49	109.90
1	AA	262	A	C5-N7-C8	5.74	106.77	103.90
1	AA	544	G	N3-C4-N9	-5.74	122.56	126.00
1	AA	1035	A	C4'-C3'-C2'	-5.74	96.86	102.60
1	AA	1209	C	C5'-C4'-C3'	5.74	125.18	116.00
2	AB	53	G	C5-C6-O6	5.74	132.04	128.60
4	AD	51	U	N1-C2-O2	5.74	126.81	122.80
26	BB	96	C	P-O3'-C3'	5.74	126.58	119.70
26	BB	97	C	C4-C5-C6	5.74	120.27	117.40
26	BB	148	U	C1'-O4'-C4'	5.74	114.49	109.90
26	BB	248	G	C8-N9-C4	-5.74	104.11	106.40
26	BB	368	A	N3-C4-N9	-5.74	122.81	127.40
26	BB	690	G	C4'-C3'-C2'	-5.74	96.86	102.60
26	BB	1664	A	C4'-C3'-C2'	5.74	108.33	102.60
26	BB	2888	C	C4'-C3'-C2'	-5.74	96.86	102.60
1	AA	627	G	N3-C4-N9	5.73	129.44	126.00
1	AA	1201	A	N1-C6-N6	5.73	122.04	118.60
1	AA	1241	G	C8-N9-C4	5.73	108.69	106.40
1	AA	1523	G	C2-N3-C4	5.73	114.77	111.90
25	BA	51	G	N7-C8-N9	5.73	115.97	113.10
26	BB	172	A	C1'-O4'-C4'	5.73	114.49	109.90
26	BB	260	G	C8-N9-C4	-5.73	104.11	106.40
26	BB	1462	C	C6-N1-C2	-5.73	118.01	120.30
26	BB	1742	U	N3-C4-O4	5.73	123.41	119.40
26	BB	1875	G	C6-C5-N7	-5.73	126.96	130.40
26	BB	1919	A	O4'-C1'-C2'	-5.73	100.07	105.80
41	BQ	2	ASP	CB-CG-OD1	-5.73	113.14	118.30
1	AA	313	A	N7-C8-N9	5.73	116.67	113.80
1	AA	349	A	N1-C2-N3	-5.73	126.43	129.30
1	AA	380	G	C4'-C3'-C2'	-5.73	96.87	102.60
1	AA	401	C	C5'-C4'-O4'	5.73	115.98	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1173	U	N3-C4-O4	5.73	123.41	119.40
26	BB	26	G	C5-C6-N1	5.73	114.37	111.50
26	BB	159	G	C4-C5-N7	-5.73	108.51	110.80
26	BB	1126	A	C8-N9-C4	-5.73	103.51	105.80
26	BB	1150	C	N3-C4-C5	5.73	124.19	121.90
26	BB	1826	G	N3-C2-N2	-5.73	115.89	119.90
26	BB	2286	G	N1-C2-N3	-5.73	120.46	123.90
26	BB	2396	G	C5-N7-C8	-5.73	101.43	104.30
26	BB	2622	U	N3-C4-O4	5.73	123.41	119.40
26	BB	2879	A	P-O3'-C3'	5.73	126.58	119.70
29	BE	180	VAL	CG1-CB-CG2	-5.73	101.73	110.90
1	AA	451	A	C1'-O4'-C4'	5.73	114.48	109.90
1	AA	1356	G	N9-C1'-C2'	-5.73	105.69	112.00
2	AB	12	U	N1-C2-O2	5.73	126.81	122.80
26	BB	189	G	N3-C4-N9	-5.73	122.56	126.00
26	BB	215	G	C4'-C3'-C2'	-5.73	96.87	102.60
26	BB	288	U	C6-N1-C2	-5.73	117.56	121.00
26	BB	392	U	C2'-C3'-O3'	5.73	122.87	113.70
26	BB	924	G	C5-C6-O6	-5.73	125.16	128.60
26	BB	1005	C	O4'-C1'-N1	5.73	112.78	108.20
26	BB	1211	C	N1-C2-O2	5.73	122.34	118.90
26	BB	1239	G	P-O3'-C3'	5.73	126.58	119.70
26	BB	1509	A	C5-N7-C8	5.73	106.77	103.90
26	BB	1814	G	N3-C4-N9	-5.73	122.56	126.00
26	BB	2123	G	C6-N1-C2	-5.73	121.66	125.10
26	BB	2490	G	O4'-C4'-C3'	5.73	110.68	106.10
26	BB	2637	U	N3-C4-O4	5.73	123.41	119.40
27	BC	185	LEU	CB-CG-CD1	-5.73	101.26	111.00
1	AA	683	G	O4'-C1'-N9	5.73	112.78	108.20
4	AD	3	C	C5-C4-N4	-5.73	116.19	120.20
24	AX	20	ARG	NE-CZ-NH2	-5.73	117.44	120.30
26	BB	1009	A	C4-C5-N7	5.73	113.56	110.70
26	BB	1767	G	C4-C5-C6	5.73	122.24	118.80
26	BB	2056	G	C2-N3-C4	5.73	114.76	111.90
26	BB	2281	A	C6-N1-C2	-5.73	115.16	118.60
26	BB	2312	U	O5'-P-OP2	-5.73	100.54	105.70
39	BO	68	PHE	CB-CG-CD1	-5.73	116.79	120.80
1	AA	435	A	N1-C2-N3	-5.73	126.44	129.30
1	AA	448	A	C3'-C2'-C1'	5.73	106.08	101.50
1	AA	600	A	C5'-C4'-C3'	-5.73	106.84	116.00
1	AA	602	A	C6-N1-C2	5.73	122.04	118.60
1	AA	778	G	N3-C4-C5	5.73	131.46	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1040	U	N3-C2-O2	-5.73	118.19	122.20
1	AA	1371	G	C1'-O4'-C4'	5.73	114.48	109.90
1	AA	1376	U	N1-C2-N3	5.73	118.34	114.90
1	AA	1376	U	C3'-C2'-C1'	-5.73	96.92	101.50
1	AA	1412	C	O4'-C1'-N1	5.73	112.78	108.20
12	AL	79	ARG	NE-CZ-NH2	5.73	123.16	120.30
20	AT	10	ARG	NE-CZ-NH1	-5.73	117.44	120.30
21	AU	28	LEU	CB-CG-CD2	5.73	120.74	111.00
26	BB	179	C	N1-C1'-C2'	-5.73	105.70	112.00
26	BB	1789	A	C1'-O4'-C4'	-5.73	105.32	109.90
26	BB	1970	A	N3-C4-C5	-5.73	122.79	126.80
26	BB	2077	A	C1'-O4'-C4'	-5.73	105.32	109.90
26	BB	2740	A	C6-N1-C2	5.73	122.04	118.60
1	AA	62	U	N3-C4-O4	5.73	123.41	119.40
1	AA	134	G	C5-C6-N1	5.73	114.36	111.50
1	AA	1309	G	C5'-C4'-O4'	5.73	115.97	109.10
1	AA	1484	C	C2-N3-C4	-5.73	117.04	119.90
26	BB	124	G	O3'-P-O5'	-5.73	93.12	104.00
26	BB	566	U	C5-C4-O4	5.73	129.34	125.90
26	BB	866	A	O3'-P-O5'	-5.73	93.12	104.00
26	BB	1149	G	O4'-C1'-N9	5.73	112.78	108.20
26	BB	1537	G	N1-C2-N3	5.73	127.33	123.90
26	BB	1648	U	C5-C4-O4	-5.73	122.46	125.90
26	BB	1901	A	N7-C8-N9	-5.73	110.94	113.80
26	BB	2702	G	N1-C2-N2	5.73	121.35	116.20
1	AA	396	C	C4-C5-C6	5.72	120.26	117.40
1	AA	1098	C	N3-C4-N4	5.72	122.01	118.00
1	AA	1114	C	C6-N1-C2	5.72	122.59	120.30
1	AA	1229	A	C5-C6-N6	-5.72	119.12	123.70
1	AA	1477	U	N3-C4-O4	5.72	123.41	119.40
26	BB	10	A	C2-N3-C4	-5.72	107.74	110.60
26	BB	150	U	N1-C1'-C2'	-5.72	105.70	112.00
26	BB	1247	A	C8-N9-C4	-5.72	103.51	105.80
26	BB	1411	U	C4'-C3'-C2'	-5.72	96.88	102.60
26	BB	1463	C	C5-C6-N1	5.72	123.86	121.00
26	BB	1808	A	C3'-C2'-C1'	5.72	106.08	101.50
26	BB	1978	A	C5-N7-C8	5.72	106.76	103.90
26	BB	2081	U	O4'-C1'-N1	5.72	112.78	108.20
1	AA	178	C	C4'-C3'-C2'	-5.72	96.88	102.60
1	AA	269	C	C5-C4-N4	5.72	124.21	120.20
1	AA	1042	A	C4-C5-N7	-5.72	107.84	110.70
1	AA	1169	A	O4'-C1'-C2'	5.72	112.75	107.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1170	A	C4-C5-N7	-5.72	107.84	110.70
1	AA	1384	C	N3-C2-O2	-5.72	117.89	121.90
1	AA	1434	A	C3'-C2'-C1'	-5.72	96.92	101.50
1	AA	1512	U	N3-C4-O4	5.72	123.41	119.40
26	BB	175	G	N3-C2-N2	-5.72	115.89	119.90
26	BB	534	U	C3'-C2'-C1'	-5.72	96.92	101.50
26	BB	956	G	N3-C4-C5	-5.72	125.74	128.60
26	BB	1154	G	O4'-C1'-N9	5.72	112.78	108.20
26	BB	1529	G	N3-C4-N9	5.72	129.43	126.00
26	BB	1537	G	N7-C8-N9	5.72	115.96	113.10
26	BB	1687	G	C8-N9-C4	-5.72	104.11	106.40
26	BB	1932	A	N9-C1'-C2'	-5.72	105.70	112.00
49	BY	48	ALA	CB-CA-C	5.72	118.68	110.10
1	AA	1302	C	O3'-P-O5'	-5.72	93.13	104.00
25	BA	50	A	N3-C4-C5	-5.72	122.80	126.80
26	BB	582	A	C5-C6-N6	-5.72	119.12	123.70
26	BB	1143	A	O5'-P-OP1	-5.72	100.55	105.70
26	BB	1425	G	P-O3'-C3'	5.72	126.57	119.70
26	BB	2092	U	N3-C4-C5	5.72	118.03	114.60
26	BB	2208	C	C2-N3-C4	5.72	122.76	119.90
26	BB	2282	G	C6-N1-C2	-5.72	121.67	125.10
1	AA	456	A	N9-C4-C5	5.72	108.09	105.80
1	AA	667	G	N1-C2-N3	-5.72	120.47	123.90
1	AA	923	A	C5'-C4'-O4'	5.72	115.96	109.10
1	AA	976	G	N1-C6-O6	-5.72	116.47	119.90
1	AA	1318	A	C4'-C3'-C2'	5.72	108.32	102.60
1	AA	1343	G	N1-C6-O6	-5.72	116.47	119.90
25	BA	84	G	C5-C6-O6	-5.72	125.17	128.60
26	BB	90	U	P-O3'-C3'	5.72	126.56	119.70
26	BB	426	C	N1-C2-N3	-5.72	115.20	119.20
26	BB	774	G	O4'-C1'-N9	5.72	112.78	108.20
26	BB	1655	A	O4'-C1'-N9	5.72	112.78	108.20
26	BB	1828	G	C2-N3-C4	5.72	114.76	111.90
26	BB	2037	A	C5-N7-C8	-5.72	101.04	103.90
26	BB	2216	G	C4-C5-C6	5.72	122.23	118.80
26	BB	2622	U	N1-C2-N3	5.72	118.33	114.90
26	BB	2784	U	N1-C1'-C2'	-5.72	105.71	112.00
28	BD	229	HIS	N-CA-CB	-5.72	100.31	110.60
1	AA	1165	U	C3'-C2'-C1'	5.72	106.07	101.50
1	AA	1497	G	C2-N3-C4	5.72	114.76	111.90
3	AC	35	G	N7-C8-N9	5.72	115.96	113.10
26	BB	575	A	C4-C5-C6	-5.72	114.14	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1116	G	C5-N7-C8	5.72	107.16	104.30
26	BB	1586	A	N3-C4-N9	-5.72	122.83	127.40
26	BB	1595	C	N1-C2-O2	-5.72	115.47	118.90
26	BB	1891	G	C5-C6-O6	5.72	132.03	128.60
26	BB	1942	C	C5'-C4'-O4'	5.72	115.96	109.10
26	BB	2128	G	C4-C5-C6	5.72	122.23	118.80
26	BB	2595	G	N3-C2-N2	5.72	123.90	119.90
1	AA	332	G	C8-N9-C4	-5.72	104.11	106.40
1	AA	770	C	C5-C4-N4	5.72	124.20	120.20
1	AA	1117	A	C2-N3-C4	-5.72	107.74	110.60
1	AA	1167	A	C8-N9-C4	-5.72	103.51	105.80
1	AA	1398	A	C2-N3-C4	-5.72	107.74	110.60
1	AA	1529	G	C6-N1-C2	5.72	128.53	125.10
5	AE	15	PHE	CZ-CE2-CD2	-5.72	113.24	120.10
23	AW	23	ARG	NE-CZ-NH2	5.72	123.16	120.30
26	BB	12	U	N3-C2-O2	-5.72	118.20	122.20
26	BB	1010	A	C2-N3-C4	-5.72	107.74	110.60
26	BB	1091	G	N9-C1'-C2'	-5.72	105.71	112.00
26	BB	1378	A	C5-N7-C8	5.72	106.76	103.90
26	BB	1466	U	N3-C4-C5	5.72	118.03	114.60
26	BB	1724	G	N3-C4-N9	-5.72	122.57	126.00
26	BB	1791	A	C2'-C3'-O3'	5.72	122.85	113.70
26	BB	2149	U	N3-C4-O4	5.72	123.40	119.40
26	BB	2158	A	O5'-C5'-C4'	5.72	122.56	111.70
26	BB	2353	G	N3-C4-N9	-5.72	122.57	126.00
1	AA	274	A	C3'-C2'-C1'	5.71	106.07	101.50
1	AA	433	G	C8-N9-C1'	5.71	134.43	127.00
1	AA	553	A	N9-C4-C5	5.71	108.09	105.80
1	AA	1343	G	C5-C6-N1	5.71	114.36	111.50
2	AB	65	C	C6-N1-C2	-5.71	118.01	120.30
26	BB	470	A	C5'-C4'-O4'	5.71	115.96	109.10
26	BB	744	U	C2'-C3'-O3'	5.71	122.84	113.70
26	BB	894	U	P-O3'-C3'	5.71	126.56	119.70
26	BB	1167	C	C4-C5-C6	5.71	120.26	117.40
26	BB	1584	U	N1-C2-O2	-5.71	118.80	122.80
26	BB	1631	G	N7-C8-N9	5.71	115.96	113.10
26	BB	1760	C	N3-C4-N4	5.71	122.00	118.00
26	BB	1987	A	O3'-P-O5'	-5.71	93.14	104.00
26	BB	2640	G	C4-C5-N7	5.71	113.09	110.80
1	AA	1185	G	N9-C1'-C2'	-5.71	105.72	112.00
1	AA	1534	A	C6-N1-C2	5.71	122.03	118.60
26	BB	1245	G	C5'-C4'-C3'	-5.71	106.86	116.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1715	G	C3'-C2'-C1'	-5.71	96.93	101.50
26	BB	1958	C	C2-N3-C4	5.71	122.76	119.90
26	BB	2697	G	N7-C8-N9	5.71	115.96	113.10
1	AA	316	C	O3'-P-O5'	-5.71	93.15	104.00
1	AA	562	U	C4-C5-C6	5.71	123.13	119.70
1	AA	674	G	N3-C4-C5	-5.71	125.74	128.60
1	AA	825	A	C4'-C3'-C2'	-5.71	96.89	102.60
1	AA	897	C	O4'-C1'-N1	-5.71	103.63	108.20
1	AA	1220	G	O4'-C1'-N9	5.71	112.77	108.20
4	AD	69	C	N3-C4-C5	5.71	124.18	121.90
26	BB	169	G	C5-C6-O6	5.71	132.03	128.60
26	BB	316	C	O3'-P-O5'	-5.71	93.15	104.00
26	BB	376	G	C8-N9-C4	-5.71	104.11	106.40
26	BB	732	C	P-O3'-C3'	5.71	126.56	119.70
26	BB	1144	A	C8-N9-C4	-5.71	103.52	105.80
26	BB	1223	G	N3-C4-N9	5.71	129.43	126.00
26	BB	2270	A	C1'-O4'-C4'	5.71	114.47	109.90
26	BB	2668	G	C6-C5-N7	-5.71	126.97	130.40
1	AA	129	A	C4-C5-C6	-5.71	114.14	117.00
2	AB	76	A	C3'-C2'-C1'	-5.71	96.93	101.50
26	BB	54	G	C4-C5-C6	5.71	122.23	118.80
26	BB	495	G	C5-C6-O6	-5.71	125.17	128.60
26	BB	526	A	O4'-C1'-C2'	5.71	112.74	107.60
26	BB	786	C	C4-C5-C6	-5.71	114.55	117.40
26	BB	1009	A	N3-C4-N9	5.71	131.97	127.40
26	BB	1090	A	C6-C5-N7	-5.71	128.30	132.30
26	BB	1428	C	P-O3'-C3'	5.71	126.55	119.70
26	BB	1491	G	N3-C2-N2	-5.71	115.90	119.90
26	BB	2093	G	C5-N7-C8	5.71	107.16	104.30
1	AA	847	G	N3-C4-C5	-5.71	125.75	128.60
1	AA	850	U	C5-C6-N1	-5.71	119.85	122.70
1	AA	852	G	C5-N7-C8	5.71	107.15	104.30
1	AA	1025	U	C1'-O4'-C4'	5.71	114.47	109.90
1	AA	1481	U	C5-C4-O4	5.71	129.33	125.90
26	BB	383	C	C5'-C4'-C3'	-5.71	106.87	116.00
26	BB	787	C	C5-C6-N1	5.71	123.86	121.00
26	BB	826	U	C6-N1-C2	-5.71	117.57	121.00
26	BB	883	G	N1-C2-N3	-5.71	120.47	123.90
26	BB	1077	A	C6-N1-C2	-5.71	115.17	118.60
26	BB	1575	C	N1-C2-O2	-5.71	115.47	118.90
26	BB	2073	C	C2-N3-C4	5.71	122.75	119.90
26	BB	2235	G	N3-C2-N2	-5.71	115.90	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2821	A	N3-C4-N9	5.71	131.97	127.40
35	BK	19	PRO	N-CA-CB	5.71	110.15	103.30
1	AA	122	G	N1-C6-O6	5.71	123.32	119.90
1	AA	795	C	N3-C2-O2	-5.71	117.91	121.90
1	AA	860	A	N1-C6-N6	5.71	122.02	118.60
1	AA	887	G	C4-C5-N7	5.71	113.08	110.80
1	AA	1349	A	C8-N9-C4	5.71	108.08	105.80
3	AC	24	A	C3'-C2'-C1'	5.71	106.06	101.50
4	AD	24	C	C5-C6-N1	5.71	123.85	121.00
26	BB	784	G	C8-N9-C4	-5.71	104.12	106.40
26	BB	924	G	C5-C6-N1	5.71	114.35	111.50
26	BB	1017	G	N9-C4-C5	5.71	107.68	105.40
26	BB	1194	A	C5-C6-N1	-5.71	114.85	117.70
26	BB	1458	U	N3-C4-C5	-5.71	111.18	114.60
26	BB	2180	U	C6-N1-C2	-5.71	117.58	121.00
26	BB	2549	G	C2-N3-C4	5.71	114.75	111.90
26	BB	2576	G	O4'-C4'-C3'	-5.71	98.29	104.00
26	BB	2861	U	C4-C5-C6	5.71	123.12	119.70
1	AA	31	G	C4'-C3'-C2'	5.71	108.31	102.60
1	AA	48	C	N1-C2-O2	5.71	122.32	118.90
1	AA	1187	G	C3'-C2'-C1'	-5.71	96.94	101.50
1	AA	1330	U	O4'-C4'-C3'	5.71	110.66	106.10
24	AX	38	GLU	OE1-CD-OE2	5.71	130.15	123.30
25	BA	65	U	N1-C2-N3	5.71	118.32	114.90
26	BB	1916	A	N9-C4-C5	5.71	108.08	105.80
26	BB	2500	U	C2-N3-C4	-5.71	123.58	127.00
26	BB	2862	G	C5-C6-O6	-5.71	125.18	128.60
31	BG	168	LEU	CB-CG-CD2	-5.71	101.30	111.00
1	AA	4	U	P-O5'-C5'	5.70	130.02	120.90
1	AA	99	C	C5'-C4'-O4'	5.70	115.94	109.10
1	AA	438	U	O4'-C4'-C3'	5.70	110.66	106.10
1	AA	719	C	C1'-O4'-C4'	5.70	114.46	109.90
1	AA	895	G	C8-N9-C1'	5.70	134.41	127.00
26	BB	98	G	C8-N9-C4	-5.70	104.12	106.40
26	BB	363	G	N9-C4-C5	5.70	107.68	105.40
26	BB	534	U	C5-C4-O4	5.70	129.32	125.90
26	BB	1361	G	C5-C6-O6	-5.70	125.18	128.60
26	BB	1716	U	O4'-C1'-N1	5.70	112.76	108.20
26	BB	2052	A	C4'-C3'-C2'	-5.70	96.90	102.60
26	BB	2067	G	N3-C4-N9	5.70	129.42	126.00
26	BB	2198	A	P-O3'-C3'	5.70	126.55	119.70
26	BB	2276	G	N3-C4-N9	5.70	129.42	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	650	G	N3-C2-N2	-5.70	115.91	119.90
1	AA	955	U	C1'-O4'-C4'	-5.70	105.34	109.90
1	AA	1180	A	N3-C4-C5	-5.70	122.81	126.80
26	BB	1101	U	C5-C4-O4	-5.70	122.48	125.90
26	BB	1684	G	C3'-C2'-C1'	5.70	106.06	101.50
26	BB	2252	G	C4'-C3'-C2'	-5.70	96.90	102.60
26	BB	2678	C	C2-N3-C4	5.70	122.75	119.90
26	BB	2751	G	C5-C6-N1	5.70	114.35	111.50
30	BF	197	GLU	OE1-CD-OE2	5.70	130.14	123.30
1	AA	133	U	C6-N1-C2	-5.70	117.58	121.00
1	AA	202	G	C5'-C4'-O4'	5.70	115.94	109.10
1	AA	416	G	C5-C6-O6	-5.70	125.18	128.60
1	AA	619	U	N1-C2-N3	5.70	118.32	114.90
1	AA	721	G	C2-N3-C4	-5.70	109.05	111.90
1	AA	888	G	N1-C6-O6	-5.70	116.48	119.90
1	AA	1014	A	C5-N7-C8	-5.70	101.05	103.90
1	AA	1175	G	C4-C5-C6	5.70	122.22	118.80
25	BA	20	G	N3-C4-N9	-5.70	122.58	126.00
26	BB	110	G	C2-N3-C4	5.70	114.75	111.90
26	BB	119	A	P-O3'-C3'	5.70	126.54	119.70
26	BB	480	A	C6-N1-C2	5.70	122.02	118.60
26	BB	558	U	C2-N1-C1'	-5.70	110.86	117.70
26	BB	1062	G	N1-C2-N3	-5.70	120.48	123.90
26	BB	1171	G	N1-C6-O6	5.70	123.32	119.90
26	BB	1727	C	N3-C4-C5	-5.70	119.62	121.90
26	BB	1959	G	N3-C2-N2	5.70	123.89	119.90
1	AA	262	A	O4'-C4'-C3'	5.70	110.66	106.10
1	AA	554	A	C1'-O4'-C4'	5.70	114.46	109.90
1	AA	878	A	N1-C6-N6	5.70	122.02	118.60
1	AA	1005	A	O4'-C1'-N9	5.70	112.76	108.20
1	AA	1046	A	C5'-C4'-C3'	-5.70	106.88	116.00
1	AA	1228	C	O4'-C1'-N1	5.70	112.76	108.20
1	AA	1323	G	C5-N7-C8	-5.70	101.45	104.30
1	AA	1423	G	C3'-C2'-C1'	-5.70	96.94	101.50
2	AB	65	C	P-O3'-C3'	5.70	126.54	119.70
26	BB	918	A	C6-N1-C2	5.70	122.02	118.60
26	BB	944	C	C2-N1-C1'	-5.70	112.53	118.80
26	BB	1232	G	C5-N7-C8	-5.70	101.45	104.30
26	BB	1398	C	N1-C2-O2	5.70	122.32	118.90
26	BB	1651	G	C5'-C4'-O4'	5.70	115.94	109.10
26	BB	1820	U	N3-C2-O2	-5.70	118.21	122.20
26	BB	2317	A	O4'-C1'-N9	5.70	112.76	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2399	G	N1-C6-O6	-5.70	116.48	119.90
26	BB	2479	U	P-O3'-C3'	5.70	126.54	119.70
26	BB	2666	C	C5-C6-N1	-5.70	118.15	121.00
26	BB	2869	G	C4-C5-C6	5.70	122.22	118.80
46	BV	84	TYR	CB-CG-CD1	5.70	124.42	121.00
1	AA	705	G	N3-C4-C5	-5.70	125.75	128.60
1	AA	1330	U	C5-C6-N1	5.70	125.55	122.70
2	AB	13	C	C1'-O4'-C4'	5.70	114.46	109.90
4	AD	10	G	O4'-C1'-N9	5.70	112.76	108.20
12	AL	126	PHE	CB-CG-CD2	5.70	124.79	120.80
26	BB	20	C	C3'-C2'-C1'	-5.70	96.94	101.50
26	BB	1996	C	OP1-P-O3'	5.70	117.73	105.20
1	AA	494	G	N9-C4-C5	-5.70	103.12	105.40
1	AA	749	A	C4'-C3'-C2'	-5.70	96.91	102.60
1	AA	1274	A	C2-N3-C4	5.70	113.45	110.60
26	BB	304	U	C5'-C4'-C3'	-5.70	106.89	116.00
26	BB	317	G	C4-C5-N7	5.70	113.08	110.80
26	BB	639	U	C5-C6-N1	-5.70	119.85	122.70
26	BB	907	G	O4'-C1'-N9	5.70	112.76	108.20
26	BB	1074	G	C5-C6-O6	-5.70	125.18	128.60
26	BB	1458	U	N1-C2-N3	5.70	118.32	114.90
26	BB	1576	U	C6-N1-C2	-5.70	117.58	121.00
26	BB	1585	C	C2-N3-C4	-5.70	117.05	119.90
26	BB	1620	G	O3'-P-O5'	-5.70	93.18	104.00
26	BB	1624	U	N1-C2-O2	5.70	126.79	122.80
26	BB	1736	U	C5-C6-N1	-5.70	119.85	122.70
26	BB	2004	G	N3-C2-N2	5.70	123.89	119.90
26	BB	2669	G	C4'-C3'-O3'	5.70	124.39	113.00
1	AA	150	U	C3'-C2'-C1'	5.69	106.06	101.50
26	BB	1076	C	C4-C5-C6	5.69	120.25	117.40
26	BB	2105	U	O3'-P-O5'	-5.69	93.18	104.00
26	BB	2321	U	N1-C2-O2	5.69	126.79	122.80
39	BO	103	TYR	CD1-CG-CD2	5.69	124.16	117.90
1	AA	834	U	C2-N3-C4	-5.69	123.58	127.00
1	AA	1053	G	C5-C6-O6	-5.69	125.19	128.60
21	AU	11	ARG	NE-CZ-NH2	-5.69	117.45	120.30
25	BA	96	G	C4'-C3'-C2'	-5.69	96.91	102.60
26	BB	63	A	N9-C4-C5	5.69	108.08	105.80
26	BB	187	G	C4'-C3'-C2'	-5.69	96.91	102.60
26	BB	326	G	C4-C5-C6	-5.69	115.38	118.80
26	BB	761	A	O4'-C4'-C3'	-5.69	98.31	104.00
26	BB	1927	A	C2-N3-C4	5.69	113.45	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1930	G	C5-C6-O6	-5.69	125.19	128.60
26	BB	2215	C	C1'-O4'-C4'	-5.69	105.35	109.90
26	BB	2391	G	C4-C5-C6	5.69	122.22	118.80
26	BB	2606	C	P-O5'-C5'	5.69	130.01	120.90
31	BG	135	ILE	C-N-CA	5.69	135.93	121.70
1	AA	20	U	O4'-C1'-N1	5.69	112.75	108.20
1	AA	389	A	C2-N3-C4	5.69	113.45	110.60
1	AA	724	G	C4-C5-N7	5.69	113.08	110.80
1	AA	754	C	C3'-C2'-C1'	5.69	106.05	101.50
1	AA	1482	G	C2-N3-C4	5.69	114.75	111.90
4	AD	54	G	C6-N1-C2	-5.69	121.69	125.10
26	BB	6	A	C2-N3-C4	5.69	113.44	110.60
26	BB	182	A	O4'-C1'-N9	5.69	112.75	108.20
26	BB	311	A	O4'-C1'-C2'	-5.69	100.11	105.80
26	BB	1064	C	O4'-C1'-N1	5.69	112.75	108.20
26	BB	1733	G	N1-C2-N3	5.69	127.31	123.90
26	BB	1803	A	C5-C6-N6	-5.69	119.15	123.70
26	BB	2002	G	C2-N3-C4	5.69	114.75	111.90
26	BB	2002	G	C8-N9-C1'	5.69	134.40	127.00
26	BB	2295	C	N3-C2-O2	-5.69	117.92	121.90
26	BB	2470	G	C6-N1-C2	5.69	128.51	125.10
26	BB	2603	G	C6-N1-C2	-5.69	121.69	125.10
47	BW	96	LYS	C-N-CA	5.69	135.93	121.70
1	AA	167	A	C4-C5-N7	5.69	113.54	110.70
1	AA	1164	G	N1-C2-N3	-5.69	120.49	123.90
4	AD	73	A	C5'-C4'-O4'	5.69	115.93	109.10
26	BB	678	C	O4'-C1'-N1	5.69	112.75	108.20
26	BB	1672	A	C5-N7-C8	5.69	106.75	103.90
26	BB	1828	G	N3-C4-N9	5.69	129.41	126.00
26	BB	2623	G	N3-C4-C5	-5.69	125.76	128.60
26	BB	2808	G	C3'-C2'-C1'	-5.69	96.95	101.50
1	AA	240	G	N9-C1'-C2'	-5.69	105.74	112.00
1	AA	248	C	C4-C5-C6	5.69	120.24	117.40
1	AA	867	G	N1-C6-O6	5.69	123.31	119.90
1	AA	937	A	O4'-C1'-N9	5.69	112.75	108.20
1	AA	1024	G	C2-N3-C4	5.69	114.74	111.90
1	AA	1441	A	C5-N7-C8	-5.69	101.06	103.90
4	AD	54	G	O4'-C1'-N9	5.69	112.75	108.20
26	BB	38	A	O4'-C1'-N9	5.69	112.75	108.20
26	BB	471	A	N1-C6-N6	-5.69	115.19	118.60
26	BB	552	U	C5-C6-N1	5.69	125.54	122.70
26	BB	591	U	C4-C5-C6	5.69	123.11	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	728	G	C6-C5-N7	-5.69	126.99	130.40
26	BB	928	A	C4-C5-N7	-5.69	107.86	110.70
26	BB	1120	G	C3'-C2'-C1'	5.69	106.05	101.50
26	BB	1215	G	C4-C5-N7	5.69	113.08	110.80
26	BB	1821	A	C6-N1-C2	-5.69	115.19	118.60
26	BB	2304	G	C5-N7-C8	5.69	107.14	104.30
26	BB	2421	G	C8-N9-C4	-5.69	104.12	106.40
26	BB	2548	U	N1-C2-N3	5.69	118.31	114.90
26	BB	2762	C	O4'-C1'-N1	5.69	112.75	108.20
1	AA	113	G	O4'-C1'-N9	5.69	112.75	108.20
1	AA	497	G	N3-C4-C5	-5.69	125.76	128.60
26	BB	1071	G	N3-C4-C5	-5.69	125.76	128.60
26	BB	1964	G	C6-N1-C2	5.69	128.51	125.10
26	BB	2392	A	C3'-C2'-C1'	-5.69	96.95	101.50
26	BB	2708	G	C8-N9-C1'	5.69	134.39	127.00
26	BB	2761	A	C1'-O4'-C4'	-5.69	105.35	109.90
26	BB	2890	G	C3'-C2'-C1'	5.69	106.05	101.50
2	AB	51	G	C5-C6-N1	5.68	114.34	111.50
4	AD	23	G	C4-C5-C6	5.68	122.21	118.80
25	BA	36	C	C2'-C3'-O3'	5.68	122.80	113.70
26	BB	208	C	C5-C6-N1	5.68	123.84	121.00
26	BB	623	C	P-O3'-C3'	5.68	126.52	119.70
26	BB	1172	C	O4'-C1'-N1	5.68	112.75	108.20
26	BB	1511	G	N9-C1'-C2'	-5.68	105.75	112.00
26	BB	1590	A	C5-C6-N1	5.68	120.54	117.70
26	BB	2727	A	C5-N7-C8	5.68	106.74	103.90
26	BB	2753	A	C5-N7-C8	5.68	106.74	103.90
27	BC	179	ASP	CB-CG-OD2	5.68	123.42	118.30
1	AA	488	C	N1-C2-N3	5.68	123.18	119.20
4	AD	59	A	C3'-C2'-C1'	5.68	106.05	101.50
26	BB	153	U	O4'-C1'-N1	5.68	112.75	108.20
26	BB	221	A	C5'-C4'-O4'	5.68	115.92	109.10
26	BB	364	C	C5'-C4'-O4'	5.68	115.92	109.10
26	BB	400	G	N3-C4-C5	-5.68	125.76	128.60
26	BB	411	G	C4-N9-C1'	-5.68	119.11	126.50
26	BB	466	A	N1-C2-N3	-5.68	126.46	129.30
26	BB	742	A	N9-C4-C5	-5.68	103.53	105.80
26	BB	931	U	O3'-P-O5'	-5.68	93.20	104.00
26	BB	1597	A	N7-C8-N9	-5.68	110.96	113.80
26	BB	1626	A	C5'-C4'-O4'	-5.68	102.28	109.10
26	BB	1742	U	O4'-C4'-C3'	5.68	110.65	106.10
26	BB	1812	U	C2-N3-C4	-5.68	123.59	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2557	G	C8-N9-C4	-5.68	104.13	106.40
26	BB	2613	U	C5-C6-N1	5.68	125.54	122.70
1	AA	553	A	O4'-C1'-N9	5.68	112.75	108.20
1	AA	669	G	N3-C4-C5	-5.68	125.76	128.60
26	BB	572	A	C5-C6-N1	5.68	120.54	117.70
26	BB	1293	C	C5'-C4'-O4'	5.68	115.92	109.10
26	BB	1556	C	C4-C5-C6	-5.68	114.56	117.40
26	BB	1675	C	C4-C5-C6	-5.68	114.56	117.40
26	BB	2007	U	N3-C2-O2	-5.68	118.22	122.20
26	BB	2530	A	C4-C5-C6	-5.68	114.16	117.00
34	BJ	124	ARG	CD-NE-CZ	5.68	131.55	123.60
1	AA	26	A	C4-C5-N7	5.68	113.54	110.70
1	AA	349	A	O4'-C4'-C3'	5.68	110.64	106.10
1	AA	554	A	N9-C4-C5	-5.68	103.53	105.80
1	AA	571	U	C4-C5-C6	5.68	123.11	119.70
1	AA	573	A	C5'-C4'-C3'	-5.68	106.91	116.00
1	AA	1115	U	O4'-C4'-C3'	5.68	110.64	106.10
1	AA	1404	C	C5-C6-N1	5.68	123.84	121.00
19	AS	82	ALA	CB-CA-C	5.68	118.62	110.10
25	BA	85	G	N3-C2-N2	-5.68	115.92	119.90
26	BB	75	G	C5'-C4'-O4'	5.68	115.92	109.10
26	BB	174	U	O4'-C1'-N1	5.68	112.74	108.20
26	BB	1163	G	C4'-C3'-C2'	-5.68	96.92	102.60
26	BB	1872	A	C1'-O4'-C4'	-5.68	105.36	109.90
26	BB	2002	G	N9-C1'-C2'	-5.68	105.75	112.00
26	BB	2023	C	N3-C4-C5	-5.68	119.63	121.90
1	AA	962	C	C5-C4-N4	-5.68	116.22	120.20
26	BB	196	A	O4'-C1'-N9	5.68	112.74	108.20
26	BB	2127	G	N3-C4-N9	5.68	129.41	126.00
26	BB	2201	G	C6-C5-N7	5.68	133.81	130.40
26	BB	2366	A	C5-C6-N6	-5.68	119.16	123.70
26	BB	2778	A	C1'-O4'-C4'	5.68	114.44	109.90
26	BB	2823	A	N3-C4-C5	-5.68	122.83	126.80
1	AA	199	A	O4'-C1'-N9	5.68	112.74	108.20
1	AA	434	U	C5'-C4'-O4'	5.68	115.91	109.10
1	AA	640	A	C4-C5-N7	-5.68	107.86	110.70
1	AA	849	G	C2-N3-C4	5.68	114.74	111.90
1	AA	915	A	C5'-C4'-O4'	5.68	115.91	109.10
1	AA	937	A	C6-N1-C2	-5.68	115.19	118.60
1	AA	974	A	C5-C6-N6	5.68	128.24	123.70
1	AA	1199	U	N1-C2-O2	5.68	126.77	122.80
2	AB	18	G	N9-C4-C5	-5.68	103.13	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	AG	164	ARG	CD-NE-CZ	5.68	131.55	123.60
26	BB	9	G	N3-C4-N9	-5.68	122.59	126.00
26	BB	558	U	C5-C4-O4	5.68	129.31	125.90
26	BB	621	A	C3'-C2'-C1'	-5.68	96.96	101.50
26	BB	673	C	C6-N1-C2	-5.68	118.03	120.30
26	BB	1103	A	N1-C2-N3	-5.68	126.46	129.30
26	BB	1205	A	C6-C5-N7	5.68	136.27	132.30
26	BB	1224	U	O5'-P-OP1	-5.68	100.59	105.70
26	BB	1304	A	C3'-C2'-C1'	-5.68	96.96	101.50
26	BB	1381	G	N9-C1'-C2'	-5.68	105.76	112.00
26	BB	1501	G	C5-C6-N1	5.68	114.34	111.50
26	BB	1654	A	C1'-O4'-C4'	-5.68	105.36	109.90
26	BB	2344	U	C5-C4-O4	5.68	129.31	125.90
26	BB	2360	G	N9-C1'-C2'	-5.68	105.76	112.00
26	BB	2642	G	O4'-C1'-N9	5.68	112.74	108.20
26	BB	2671	G	C6-C5-N7	-5.68	126.99	130.40
26	BB	2752	C	N3-C4-C5	5.68	124.17	121.90
1	AA	114	U	N1-C2-O2	5.67	126.77	122.80
1	AA	169	C	P-O3'-C3'	5.67	126.51	119.70
1	AA	632	U	N3-C4-C5	5.67	118.00	114.60
1	AA	941	G	C8-N9-C4	-5.67	104.13	106.40
1	AA	1123	U	O4'-C4'-C3'	5.67	110.64	106.10
1	AA	1126	U	C4-C5-C6	-5.67	116.30	119.70
4	AD	50	G	P-O3'-C3'	5.67	126.51	119.70
5	AE	24	PRO	N-CA-CB	5.67	110.11	103.30
25	BA	55	U	C5'-C4'-O4'	5.67	115.91	109.10
26	BB	72	U	N3-C2-O2	-5.67	118.23	122.20
26	BB	581	C	C4'-C3'-C2'	-5.67	96.93	102.60
26	BB	1217	U	N3-C4-C5	-5.67	111.20	114.60
26	BB	1738	G	C6-C5-N7	-5.67	127.00	130.40
26	BB	1866	A	N9-C4-C5	5.67	108.07	105.80
26	BB	1953	A	N9-C4-C5	5.67	108.07	105.80
26	BB	2118	U	C1'-O4'-C4'	5.67	114.44	109.90
26	BB	2239	G	N1-C2-N3	-5.67	120.50	123.90
26	BB	2609	U	C3'-C2'-C1'	5.67	106.04	101.50
26	BB	2649	C	P-O3'-C3'	5.67	126.51	119.70
26	BB	2832	U	C3'-C2'-C1'	5.67	106.04	101.50
1	AA	1091	U	C6-N1-C2	5.67	124.40	121.00
1	AA	1401	G	C5-C6-O6	-5.67	125.20	128.60
3	AC	28	U	C4-C5-C6	5.67	123.10	119.70
26	BB	713	G	C4'-C3'-C2'	5.67	108.27	102.60
26	BB	2483	C	O3'-P-O5'	-5.67	93.22	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	31	G	N1-C6-O6	5.67	123.30	119.90
1	AA	261	U	C5-C4-O4	5.67	129.30	125.90
1	AA	726	C	C5-C4-N4	-5.67	116.23	120.20
6	AF	200	TRP	CA-CB-CG	5.67	124.48	113.70
25	BA	56	G	C4-C5-C6	5.67	122.20	118.80
26	BB	3	U	C2-N3-C4	-5.67	123.60	127.00
26	BB	36	G	C5-C6-O6	-5.67	125.20	128.60
26	BB	242	G	C8-N9-C4	-5.67	104.13	106.40
26	BB	274	C	N1-C2-O2	5.67	122.30	118.90
26	BB	627	A	O4'-C1'-C2'	5.67	112.70	107.60
26	BB	1112	G	C3'-C2'-C1'	-5.67	96.96	101.50
26	BB	1703	G	N3-C2-N2	5.67	123.87	119.90
26	BB	2054	A	C1'-O4'-C4'	-5.67	105.36	109.90
26	BB	2366	A	C5'-C4'-O4'	-5.67	102.29	109.10
26	BB	2640	G	C8-N9-C4	-5.67	104.13	106.40
30	BF	77	ILE	CA-CB-CG1	5.67	121.78	111.00
1	AA	576	C	C5'-C4'-C3'	-5.67	106.93	116.00
1	AA	719	C	O5'-P-OP2	-5.67	100.60	105.70
25	BA	53	A	C5-C6-N1	5.67	120.53	117.70
26	BB	203	A	C2-N3-C4	5.67	113.44	110.60
26	BB	982	C	C5-C6-N1	5.67	123.83	121.00
26	BB	1319	C	N3-C2-O2	-5.67	117.93	121.90
26	BB	1615	C	C6-N1-C2	5.67	122.57	120.30
26	BB	2232	C	C5'-C4'-C3'	-5.67	106.93	116.00
26	BB	2363	G	N1-C2-N2	5.67	121.30	116.20
28	BD	64	VAL	CA-CB-CG1	5.67	119.41	110.90
1	AA	259	G	C4-C5-C6	5.67	122.20	118.80
1	AA	326	G	P-O5'-C5'	5.67	129.97	120.90
1	AA	497	G	N3-C4-N9	5.67	129.40	126.00
1	AA	683	G	N3-C4-C5	-5.67	125.77	128.60
1	AA	700	G	C3'-C2'-C1'	-5.67	96.97	101.50
1	AA	729	A	P-O3'-C3'	5.67	126.50	119.70
1	AA	803	G	N9-C1'-C2'	-5.67	105.76	112.00
1	AA	929	G	N9-C1'-C2'	-5.67	105.76	112.00
20	AT	80	LYS	C-N-CA	5.67	135.87	121.70
25	BA	84	G	C2'-C3'-O3'	5.67	122.77	113.70
25	BA	106	G	C4-C5-N7	-5.67	108.53	110.80
26	BB	18	U	N1-C2-O2	5.67	126.77	122.80
26	BB	91	A	O4'-C1'-N9	5.67	112.73	108.20
26	BB	215	G	C4-N9-C1'	-5.67	119.13	126.50
26	BB	600	G	N3-C4-C5	-5.67	125.77	128.60
26	BB	860	U	N1-C2-N3	-5.67	111.50	114.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1098	A	N3-C4-C5	-5.67	122.83	126.80
26	BB	1225	G	O4'-C1'-N9	5.67	112.73	108.20
26	BB	2020	A	N3-C4-C5	-5.67	122.83	126.80
26	BB	2400	G	C5-N7-C8	-5.67	101.47	104.30
26	BB	2625	G	C4-C5-C6	5.67	122.20	118.80
26	BB	2747	G	N3-C4-N9	5.67	129.40	126.00
44	BT	58	VAL	CA-CB-CG1	5.67	119.40	110.90
1	AA	563	A	C4-C5-C6	-5.67	114.17	117.00
1	AA	1003	G	C5-C6-N1	5.67	114.33	111.50
25	BA	51	G	N1-C2-N2	5.67	121.30	116.20
25	BA	57	A	C5-N7-C8	5.67	106.73	103.90
26	BB	692	C	C4-C5-C6	5.67	120.23	117.40
26	BB	701	G	N7-C8-N9	-5.67	110.27	113.10
26	BB	916	G	C5'-C4'-C3'	-5.67	106.94	116.00
26	BB	1084	A	P-O3'-C3'	5.67	126.50	119.70
26	BB	1169	A	O4'-C1'-N9	5.67	112.73	108.20
26	BB	1452	G	O4'-C1'-N9	5.67	112.73	108.20
26	BB	1822	C	O5'-P-OP1	-5.67	100.60	105.70
26	BB	2341	G	C4-C5-N7	-5.67	108.53	110.80
26	BB	2557	G	O4'-C4'-C3'	5.67	110.63	106.10
26	BB	2886	A	O4'-C4'-C3'	5.67	110.63	106.10
1	AA	461	A	N1-C2-N3	-5.67	126.47	129.30
1	AA	703	G	N9-C4-C5	-5.67	103.13	105.40
1	AA	1053	G	P-O3'-C3'	5.67	126.50	119.70
1	AA	1418	A	C5'-C4'-O4'	5.67	115.90	109.10
26	BB	127	A	C1'-O4'-C4'	-5.67	105.37	109.90
26	BB	1012	U	N1-C1'-C2'	5.67	121.36	114.00
26	BB	1493	C	C6-N1-C2	-5.67	118.03	120.30
26	BB	2295	C	C4'-C3'-C2'	-5.67	96.94	102.60
26	BB	2537	U	N1-C1'-C2'	-5.67	105.77	112.00
26	BB	2581	G	C8-N9-C4	5.67	108.67	106.40
26	BB	2823	A	C5-N7-C8	-5.67	101.07	103.90
42	BR	78	PRO	N-CA-CB	5.67	110.10	103.30
1	AA	1045	C	C1'-O4'-C4'	5.66	114.43	109.90
1	AA	1118	U	C5'-C4'-C3'	-5.66	106.94	116.00
1	AA	1515	G	N1-C2-N3	-5.66	120.50	123.90
4	AD	16	C	C3'-C2'-C1'	5.66	106.03	101.50
15	AO	63	THR	CA-CB-OG1	5.66	120.89	109.00
25	BA	32	U	C2-N3-C4	-5.66	123.60	127.00
26	BB	525	U	C2-N3-C4	5.66	130.40	127.00
26	BB	776	G	C5'-C4'-O4'	5.66	115.90	109.10
26	BB	1637	A	C5-N7-C8	-5.66	101.07	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1846	G	C4-C5-C6	5.66	122.20	118.80
26	BB	1862	G	C6-C5-N7	-5.66	127.00	130.40
26	BB	2249	U	C5-C4-O4	5.66	129.30	125.90
45	BU	60	HIS	CA-CB-CG	5.66	123.23	113.60
1	AA	1108	G	P-O5'-C5'	-5.66	111.84	120.90
1	AA	1447	A	C5'-C4'-C3'	-5.66	106.94	116.00
2	AB	23	A	N1-C6-N6	5.66	122.00	118.60
26	BB	1192	G	N3-C4-N9	-5.66	122.60	126.00
26	BB	2297	A	N9-C1'-C2'	-5.66	105.77	112.00
1	AA	452	A	C5-N7-C8	-5.66	101.07	103.90
1	AA	596	A	N1-C6-N6	5.66	122.00	118.60
1	AA	1491	G	N3-C4-N9	5.66	129.40	126.00
10	AJ	71	THR	O-C-N	5.66	131.76	122.70
26	BB	552	U	C4'-C3'-C2'	-5.66	96.94	102.60
26	BB	853	C	N3-C4-C5	-5.66	119.64	121.90
26	BB	1774	C	C4-C5-C6	-5.66	114.57	117.40
26	BB	1904	G	O5'-C5'-C4'	5.66	122.45	111.70
26	BB	1922	G	C8-N9-C4	-5.66	104.14	106.40
26	BB	2252	G	N9-C1'-C2'	-5.66	105.77	112.00
26	BB	2292	U	N1-C2-O2	5.66	126.76	122.80
44	BT	13	ARG	NE-CZ-NH1	5.66	123.13	120.30
1	AA	52	C	N3-C4-C5	5.66	124.16	121.90
1	AA	177	G	N3-C4-C5	-5.66	125.77	128.60
1	AA	466	A	C5-C6-N1	-5.66	114.87	117.70
1	AA	497	G	C4-C5-N7	-5.66	108.54	110.80
1	AA	1537	U	N3-C4-O4	5.66	123.36	119.40
6	AF	178	ARG	NE-CZ-NH2	5.66	123.13	120.30
26	BB	582	A	C3'-C2'-C1'	5.66	106.03	101.50
26	BB	625	G	N3-C4-C5	-5.66	125.77	128.60
26	BB	739	A	C5'-C4'-O4'	-5.66	102.31	109.10
26	BB	938	G	C2-N3-C4	5.66	114.73	111.90
26	BB	954	G	N3-C4-C5	-5.66	125.77	128.60
26	BB	1250	G	C4-C5-C6	5.66	122.19	118.80
26	BB	1553	A	C1'-O4'-C4'	-5.66	105.37	109.90
26	BB	1599	U	N1-C2-O2	5.66	126.76	122.80
26	BB	2108	A	N3-C4-N9	5.66	131.93	127.40
26	BB	2604	U	N1-C1'-C2'	-5.66	105.78	112.00
26	BB	2857	G	N3-C4-C5	-5.66	125.77	128.60
1	AA	422	C	C2-N1-C1'	5.66	125.02	118.80
1	AA	508	U	C3'-C2'-C1'	5.66	106.03	101.50
1	AA	902	G	N3-C2-N2	5.66	123.86	119.90
1	AA	938	A	N7-C8-N9	-5.66	110.97	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1097	C	O4'-C1'-N1	5.66	112.73	108.20
2	AB	45	U	N1-C2-N3	5.66	118.29	114.90
26	BB	151	C	C4'-C3'-C2'	-5.66	96.94	102.60
26	BB	1856	U	N1-C2-N3	5.66	118.29	114.90
26	BB	2640	G	N1-C6-O6	-5.66	116.51	119.90
26	BB	2895	G	C5'-C4'-O4'	5.66	115.89	109.10
1	AA	19	A	C4-C5-N7	5.66	113.53	110.70
1	AA	272	C	N3-C2-O2	-5.66	117.94	121.90
1	AA	1053	G	N3-C4-N9	5.66	129.39	126.00
1	AA	1150	A	C5'-C4'-C3'	-5.66	106.95	116.00
1	AA	1165	U	N3-C4-O4	5.66	123.36	119.40
26	BB	59	U	C5-C4-O4	5.66	129.29	125.90
26	BB	240	C	N3-C4-N4	5.66	121.96	118.00
26	BB	799	G	N1-C2-N2	5.66	121.29	116.20
26	BB	850	U	P-O3'-C3'	5.66	126.49	119.70
26	BB	966	G	C4-N9-C1'	5.66	133.85	126.50
26	BB	1619	G	N7-C8-N9	5.66	115.93	113.10
26	BB	1794	A	C8-N9-C4	-5.66	103.54	105.80
26	BB	1822	C	C5-C4-N4	-5.66	116.24	120.20
26	BB	2133	G	N9-C4-C5	5.66	107.66	105.40
26	BB	2410	G	O4'-C1'-N9	5.66	112.72	108.20
26	BB	2578	G	C4-C5-C6	5.66	122.19	118.80
26	BB	2670	A	C5'-C4'-O4'	5.66	115.89	109.10
26	BB	2732	G	P-O5'-C5'	5.66	129.95	120.90
1	AA	295	C	C4'-C3'-C2'	-5.65	96.95	102.60
1	AA	320	A	N1-C6-N6	-5.65	115.21	118.60
1	AA	378	G	C5-C6-O6	5.65	131.99	128.60
1	AA	403	C	O4'-C1'-N1	5.65	112.72	108.20
1	AA	928	G	C3'-C2'-C1'	5.65	106.02	101.50
26	BB	1613	G	C4-C5-C6	5.65	122.19	118.80
54	B3	29	VAL	N-CA-CB	-5.65	99.06	111.50
1	AA	601	G	N1-C2-N3	-5.65	120.51	123.90
2	AB	10	G	C2-N3-C4	5.65	114.73	111.90
2	AB	47	U	C6-N1-C1'	-5.65	113.28	121.20
13	AM	62	ARG	NE-CZ-NH2	-5.65	117.47	120.30
25	BA	81	G	N1-C2-N3	-5.65	120.51	123.90
26	BB	673	C	C5-C6-N1	5.65	123.83	121.00
26	BB	718	A	C6-C5-N7	5.65	136.26	132.30
26	BB	1668	A	C2-N3-C4	5.65	113.43	110.60
26	BB	1706	C	C6-N1-C2	-5.65	118.04	120.30
26	BB	1788	C	N3-C4-C5	-5.65	119.64	121.90
26	BB	2261	C	N1-C2-O2	5.65	122.29	118.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2268	A	C5'-C4'-C3'	-5.65	106.95	116.00
26	BB	2365	G	C4-C5-C6	5.65	122.19	118.80
26	BB	2629	U	C2-N3-C4	-5.65	123.61	127.00
26	BB	2732	G	N1-C2-N2	-5.65	111.11	116.20
1	AA	648	A	C5-N7-C8	5.65	106.72	103.90
1	AA	1261	A	N3-C4-N9	5.65	131.92	127.40
1	AA	1330	U	C5-C4-O4	5.65	129.29	125.90
1	AA	1345	U	C4-C5-C6	-5.65	116.31	119.70
1	AA	1353	G	N1-C2-N3	5.65	127.29	123.90
4	AD	32	G	C5-C6-O6	-5.65	125.21	128.60
8	AH	56	PRO	CA-N-CD	-5.65	103.59	111.50
26	BB	88	G	C5-C6-N1	5.65	114.33	111.50
26	BB	297	G	C5-N7-C8	5.65	107.13	104.30
26	BB	304	U	C1'-O4'-C4'	-5.65	105.38	109.90
26	BB	361	G	O4'-C1'-N9	-5.65	103.68	108.20
26	BB	499	U	C6-N1-C2	-5.65	117.61	121.00
26	BB	909	A	C5-N7-C8	5.65	106.72	103.90
26	BB	1088	A	N7-C8-N9	5.65	116.62	113.80
26	BB	1304	A	C4-C5-N7	-5.65	107.88	110.70
26	BB	1444	G	N1-C6-O6	5.65	123.29	119.90
26	BB	1521	G	N9-C4-C5	-5.65	103.14	105.40
26	BB	1930	G	N1-C2-N2	5.65	121.29	116.20
26	BB	2307	G	C3'-C2'-C1'	5.65	106.02	101.50
1	AA	492	C	O3'-P-O5'	5.65	114.73	104.00
1	AA	1101	A	N3-C4-C5	-5.65	122.85	126.80
1	AA	1447	A	N9-C4-C5	5.65	108.06	105.80
26	BB	254	G	N3-C2-N2	-5.65	115.94	119.90
26	BB	779	U	C5'-C4'-O4'	-5.65	102.32	109.10
26	BB	802	A	N1-C2-N3	5.65	132.12	129.30
26	BB	1008	A	N9-C4-C5	5.65	108.06	105.80
26	BB	1243	C	C3'-C2'-C1'	-5.65	96.98	101.50
26	BB	1351	C	C1'-O4'-C4'	-5.65	105.38	109.90
26	BB	1436	G	N1-C2-N2	5.65	121.28	116.20
26	BB	1993	U	O4'-C1'-N1	5.65	112.72	108.20
26	BB	2660	A	N9-C1'-C2'	-5.65	105.79	112.00
1	AA	240	G	C1'-O4'-C4'	5.65	114.42	109.90
1	AA	864	A	N3-C4-C5	-5.65	122.85	126.80
1	AA	881	G	N9-C1'-C2'	-5.65	105.79	112.00
1	AA	1079	G	N3-C4-N9	5.65	129.39	126.00
26	BB	334	C	N3-C2-O2	-5.65	117.95	121.90
26	BB	726	G	N1-C2-N2	5.65	121.28	116.20
26	BB	1080	A	C2-N3-C4	5.65	113.42	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1124	G	N1-C6-O6	-5.65	116.51	119.90
26	BB	1258	U	N1-C1'-C2'	-5.65	105.79	112.00
26	BB	1405	U	C1'-O4'-C4'	-5.65	105.38	109.90
26	BB	1659	G	C5-C6-N1	5.65	114.32	111.50
26	BB	1899	A	C4'-C3'-C2'	-5.65	96.95	102.60
26	BB	2270	A	P-O5'-C5'	5.65	129.94	120.90
26	BB	2378	A	C5-C6-N1	5.65	120.52	117.70
26	BB	2524	G	N1-C2-N3	-5.65	120.51	123.90
26	BB	2529	G	N7-C8-N9	5.65	115.92	113.10
26	BB	2565	A	N1-C6-N6	5.65	121.99	118.60
1	AA	788	U	C5-C4-O4	-5.65	122.51	125.90
26	BB	577	G	C6-C5-N7	-5.65	127.01	130.40
26	BB	643	A	N3-C4-N9	-5.65	122.88	127.40
26	BB	734	A	N9-C4-C5	5.65	108.06	105.80
26	BB	832	U	C4-C5-C6	5.65	123.09	119.70
26	BB	1121	C	C2-N3-C4	-5.65	117.08	119.90
26	BB	2026	U	C4-C5-C6	5.65	123.09	119.70
1	AA	600	A	O4'-C4'-C3'	5.64	110.62	106.10
1	AA	759	A	C4-C5-C6	5.64	119.82	117.00
1	AA	771	G	C1'-O4'-C4'	-5.64	105.38	109.90
1	AA	944	G	N7-C8-N9	-5.64	110.28	113.10
1	AA	1138	G	C2-N3-C4	5.64	114.72	111.90
4	AD	51	U	C4-C5-C6	-5.64	116.31	119.70
4	AD	53	G	O4'-C1'-N9	5.64	112.72	108.20
19	AS	8	ARG	NE-CZ-NH2	-5.64	117.48	120.30
25	BA	102	G	O4'-C1'-N9	5.64	112.72	108.20
26	BB	182	A	N7-C8-N9	5.64	116.62	113.80
26	BB	339	U	C4-C5-C6	5.64	123.09	119.70
26	BB	386	G	C4-C5-N7	-5.64	108.54	110.80
26	BB	537	G	C4-C5-C6	5.64	122.19	118.80
26	BB	742	A	C4-C5-C6	-5.64	114.18	117.00
26	BB	915	C	C4-C5-C6	-5.64	114.58	117.40
26	BB	995	C	C6-N1-C1'	-5.64	114.03	120.80
26	BB	1189	A	C2-N3-C4	-5.64	107.78	110.60
26	BB	1796	U	C5-C6-N1	-5.64	119.88	122.70
26	BB	1877	A	C5-C6-N1	-5.64	114.88	117.70
26	BB	1885	A	C2-N3-C4	5.64	113.42	110.60
26	BB	1934	C	C6-N1-C2	5.64	122.56	120.30
26	BB	2027	G	C6-N1-C2	-5.64	121.71	125.10
26	BB	2113	U	N1-C2-N3	5.64	118.29	114.90
26	BB	2232	C	C5-C4-N4	-5.64	116.25	120.20
26	BB	2372	U	C4-C5-C6	5.64	123.09	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2499	C	P-O3'-C3'	5.64	126.47	119.70
26	BB	2570	G	C2'-C3'-O3'	5.64	122.73	113.70
26	BB	2786	U	C4-C5-C6	5.64	123.09	119.70
1	AA	18	C	P-O3'-C3'	5.64	126.47	119.70
1	AA	246	A	C6-N1-C2	5.64	121.99	118.60
1	AA	681	A	N1-C2-N3	-5.64	126.48	129.30
1	AA	728	A	N9-C4-C5	-5.64	103.54	105.80
1	AA	974	A	N9-C4-C5	5.64	108.06	105.80
4	AD	31	G	C6-N1-C2	5.64	128.49	125.10
12	AL	96	GLU	N-CA-CB	-5.64	100.44	110.60
20	AT	64	ARG	NE-CZ-NH2	-5.64	117.48	120.30
25	BA	25	U	O4'-C1'-N1	5.64	112.71	108.20
25	BA	89	U	C5-C4-O4	-5.64	122.52	125.90
25	BA	94	A	N7-C8-N9	5.64	116.62	113.80
26	BB	227	A	O4'-C1'-N9	5.64	112.71	108.20
26	BB	580	U	N3-C2-O2	-5.64	118.25	122.20
26	BB	899	A	C1'-O4'-C4'	5.64	114.41	109.90
26	BB	1082	U	O4'-C1'-C2'	5.64	112.68	107.60
26	BB	1200	C	N3-C2-O2	-5.64	117.95	121.90
26	BB	1385	A	C2-N3-C4	5.64	113.42	110.60
26	BB	1432	G	C5-C6-N1	5.64	114.32	111.50
26	BB	1847	A	O4'-C4'-C3'	-5.64	98.36	104.00
26	BB	1978	A	P-O3'-C3'	5.64	126.47	119.70
26	BB	2274	A	C4-C5-N7	-5.64	107.88	110.70
26	BB	2458	G	C4-N9-C1'	5.64	133.84	126.50
26	BB	2531	A	C2-N3-C4	5.64	113.42	110.60
26	BB	2534	A	N1-C2-N3	-5.64	126.48	129.30
26	BB	2789	C	P-O3'-C3'	5.64	126.47	119.70
1	AA	259	G	N3-C4-N9	5.64	129.38	126.00
1	AA	1019	A	C5-N7-C8	-5.64	101.08	103.90
14	AN	105	ARG	NE-CZ-NH1	5.64	123.12	120.30
26	BB	193	U	N3-C4-C5	-5.64	111.22	114.60
26	BB	2019	A	C3'-C2'-C1'	-5.64	96.99	101.50
47	BW	5	ARG	NH1-CZ-NH2	5.64	125.61	119.40
1	AA	443	C	N1-C2-O2	5.64	122.28	118.90
1	AA	596	A	O3'-P-O5'	-5.64	93.29	104.00
1	AA	697	U	O4'-C1'-N1	5.64	112.71	108.20
1	AA	801	U	O5'-C5'-C4'	5.64	122.41	111.70
1	AA	1336	C	N3-C2-O2	-5.64	117.95	121.90
26	BB	170	U	N3-C2-O2	-5.64	118.25	122.20
26	BB	630	G	N7-C8-N9	5.64	115.92	113.10
26	BB	979	A	C4-C5-N7	-5.64	107.88	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1681	G	N7-C8-N9	-5.64	110.28	113.10
26	BB	2247	A	N3-C4-C5	-5.64	122.85	126.80
26	BB	2618	G	OP2-P-O3'	5.64	117.61	105.20
26	BB	2651	C	P-O3'-C3'	5.64	126.47	119.70
26	BB	2798	U	C1'-O4'-C4'	5.64	114.41	109.90
26	BB	2871	U	C6-N1-C2	5.64	124.38	121.00
1	AA	234	C	O4'-C1'-N1	5.64	112.71	108.20
1	AA	880	C	C5-C6-N1	-5.64	118.18	121.00
1	AA	1134	G	P-O3'-C3'	5.64	126.47	119.70
1	AA	1241	G	C3'-C2'-C1'	-5.64	96.99	101.50
4	AD	48	U	C2-N3-C4	-5.64	123.62	127.00
26	BB	530	G	C5'-C4'-O4'	5.64	115.87	109.10
26	BB	1505	A	N1-C6-N6	-5.64	115.22	118.60
26	BB	2621	G	N9-C1'-C2'	-5.64	105.80	112.00
1	AA	346	G	C4'-C3'-C2'	-5.64	96.96	102.60
1	AA	1331	G	P-O3'-C3'	5.64	126.46	119.70
3	AC	54	U	C5-C4-O4	5.64	129.28	125.90
16	AP	89	ARG	NE-CZ-NH1	5.64	123.12	120.30
26	BB	170	U	C1'-O4'-C4'	-5.64	105.39	109.90
26	BB	283	G	C5-C6-O6	-5.64	125.22	128.60
26	BB	477	A	N1-C2-N3	-5.64	126.48	129.30
26	BB	704	G	C6-C5-N7	-5.64	127.02	130.40
26	BB	1513	U	O5'-P-OP2	-5.64	100.63	105.70
26	BB	1839	G	C5-C6-O6	-5.64	125.22	128.60
26	BB	2241	A	C4-C5-N7	-5.64	107.88	110.70
26	BB	2254	C	C5'-C4'-C3'	-5.64	106.98	116.00
26	BB	2281	A	C4-C5-C6	5.64	119.82	117.00
26	BB	2626	C	C3'-C2'-C1'	5.64	106.01	101.50
1	AA	94	G	N1-C6-O6	-5.63	116.52	119.90
1	AA	163	C	C2-N3-C4	5.63	122.72	119.90
1	AA	295	C	C5-C4-N4	-5.63	116.25	120.20
1	AA	615	G	N7-C8-N9	5.63	115.92	113.10
1	AA	630	A	C5-N7-C8	-5.63	101.08	103.90
1	AA	665	A	C1'-O4'-C4'	-5.63	105.39	109.90
1	AA	829	G	C4'-C3'-C2'	-5.63	96.97	102.60
1	AA	1093	A	C5'-C4'-O4'	5.63	115.86	109.10
1	AA	1105	A	O4'-C4'-C3'	5.63	110.61	106.10
26	BB	10	A	C4-C5-N7	-5.63	107.88	110.70
26	BB	821	A	P-O3'-C3'	5.63	126.46	119.70
26	BB	946	C	N3-C4-C5	5.63	124.15	121.90
26	BB	1518	C	C5'-C4'-C3'	-5.63	106.98	116.00
26	BB	2385	C	N3-C4-N4	5.63	121.94	118.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2536	G	N1-C2-N2	-5.63	111.13	116.20
26	BB	2758	A	C5'-C4'-O4'	5.63	115.86	109.10
40	BP	96	ARG	CD-NE-CZ	5.63	131.49	123.60
1	AA	231	U	C6-N1-C2	5.63	124.38	121.00
1	AA	1121	U	P-O3'-C3'	5.63	126.46	119.70
26	BB	266	G	O4'-C1'-N9	5.63	112.71	108.20
1	AA	188	C	C6-N1-C1'	-5.63	114.04	120.80
1	AA	320	A	N1-C2-N3	-5.63	126.48	129.30
1	AA	522	C	C5'-C4'-C3'	-5.63	106.99	116.00
1	AA	630	A	C6-N1-C2	-5.63	115.22	118.60
1	AA	689	C	C4-C5-C6	-5.63	114.58	117.40
1	AA	690	G	N3-C2-N2	-5.63	115.96	119.90
1	AA	883	C	N3-C4-N4	5.63	121.94	118.00
1	AA	958	A	C8-N9-C4	5.63	108.05	105.80
1	AA	1341	U	N3-C4-O4	-5.63	115.46	119.40
1	AA	1503	A	N1-C2-N3	-5.63	126.48	129.30
25	BA	23	G	C5-N7-C8	5.63	107.12	104.30
26	BB	215	G	N7-C8-N9	-5.63	110.28	113.10
26	BB	228	C	C2-N3-C4	5.63	122.72	119.90
26	BB	643	A	C5-C6-N6	-5.63	119.19	123.70
26	BB	858	G	C4'-C3'-C2'	-5.63	96.97	102.60
26	BB	956	G	C1'-O4'-C4'	-5.63	105.39	109.90
26	BB	1236	G	N1-C2-N3	-5.63	120.52	123.90
26	BB	1305	C	N3-C4-C5	5.63	124.15	121.90
26	BB	1874	C	N1-C2-N3	-5.63	115.26	119.20
26	BB	1887	C	C6-N1-C2	-5.63	118.05	120.30
26	BB	1929	G	C4-C5-C6	5.63	122.18	118.80
26	BB	2232	C	O4'-C1'-N1	5.63	112.70	108.20
26	BB	2564	A	P-O3'-C3'	5.63	126.46	119.70
49	BY	54	ARG	CD-NE-CZ	5.63	131.48	123.60
1	AA	411	A	C5-N7-C8	-5.63	101.08	103.90
1	AA	602	A	C8-N9-C4	-5.63	103.55	105.80
1	AA	1381	U	C5-C6-N1	5.63	125.52	122.70
5	AE	34	ARG	NE-CZ-NH2	-5.63	117.48	120.30
26	BB	760	G	C4'-C3'-C2'	5.63	108.23	102.60
26	BB	1160	G	N9-C1'-C2'	-5.63	105.81	112.00
26	BB	1203	U	N3-C4-C5	-5.63	111.22	114.60
26	BB	1273	U	C5'-C4'-C3'	-5.63	106.99	116.00
26	BB	1391	U	C6-N1-C2	-5.63	117.62	121.00
1	AA	49	U	C5'-C4'-O4'	5.63	115.86	109.10
1	AA	285	C	C5-C6-N1	5.63	123.81	121.00
1	AA	609	A	C2-N3-C4	5.63	113.41	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1102	A	N9-C4-C5	5.63	108.05	105.80
1	AA	1150	A	C5-N7-C8	-5.63	101.09	103.90
1	AA	1249	C	N1-C2-O2	5.63	122.28	118.90
26	BB	232	G	C8-N9-C4	-5.63	104.15	106.40
26	BB	590	A	N1-C6-N6	-5.63	115.22	118.60
26	BB	756	A	N7-C8-N9	5.63	116.61	113.80
26	BB	940	G	N3-C4-C5	-5.63	125.79	128.60
26	BB	1277	G	N1-C6-O6	5.63	123.28	119.90
26	BB	1394	U	C4-C5-C6	5.63	123.08	119.70
26	BB	1578	U	C4'-C3'-C2'	-5.63	96.97	102.60
26	BB	1880	U	C3'-C2'-C1'	-5.63	97.00	101.50
26	BB	1914	C	C5'-C4'-O4'	5.63	115.85	109.10
26	BB	1979	U	C4'-C3'-C2'	-5.63	96.97	102.60
26	BB	2441	U	C6-N1-C2	-5.63	117.62	121.00
26	BB	2675	A	N1-C2-N3	-5.63	126.49	129.30
26	BB	2735	G	O4'-C1'-N9	5.63	112.70	108.20
26	BB	2787	C	O4'-C1'-C2'	5.63	112.67	107.60
1	AA	68	G	N3-C4-N9	5.63	129.38	126.00
1	AA	98	A	P-O3'-C3'	5.63	126.45	119.70
1	AA	1041	G	C8-N9-C1'	5.63	134.31	127.00
1	AA	1172	C	N1-C2-N3	5.63	123.14	119.20
1	AA	1175	G	C4-C5-N7	5.63	113.05	110.80
1	AA	1441	A	N9-C4-C5	5.63	108.05	105.80
26	BB	660	C	C5-C4-N4	5.63	124.14	120.20
26	BB	1092	C	C6-N1-C2	-5.63	118.05	120.30
26	BB	1172	C	C2-N3-C4	5.63	122.71	119.90
26	BB	1180	U	C1'-O4'-C4'	5.63	114.40	109.90
26	BB	1828	G	C4-C5-C6	5.63	122.18	118.80
26	BB	2690	U	P-O3'-C3'	5.63	126.45	119.70
27	BC	39	VAL	CG1-CB-CG2	-5.63	101.90	110.90
44	BT	40	MET	CG-SD-CE	5.63	109.20	100.20
1	AA	743	A	C4-C5-C6	-5.62	114.19	117.00
2	AB	74	C	N3-C4-C5	-5.62	119.65	121.90
3	AC	35	G	C2-N3-C4	5.62	114.71	111.90
25	BA	106	G	C3'-C2'-C1'	-5.62	97.00	101.50
26	BB	354	A	C5-C6-N1	5.62	120.51	117.70
26	BB	894	U	C5-C4-O4	5.62	129.28	125.90
26	BB	2664	G	N3-C4-N9	5.62	129.38	126.00
26	BB	2899	A	N1-C6-N6	-5.62	115.22	118.60
1	AA	611	C	C4-C5-C6	5.62	120.21	117.40
12	AL	93	LEU	CB-CG-CD2	-5.62	101.44	111.00
26	BB	274	C	C5-C6-N1	5.62	123.81	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	366	C	O4'-C4'-C3'	5.62	110.60	106.10
26	BB	435	C	N1-C2-O2	5.62	122.27	118.90
26	BB	893	C	O4'-C1'-N1	5.62	112.70	108.20
26	BB	959	A	OP1-P-O3'	5.62	117.57	105.20
26	BB	1151	A	C6-N1-C2	5.62	121.97	118.60
26	BB	1433	A	C2-N3-C4	5.62	113.41	110.60
26	BB	1580	A	C4'-C3'-C2'	-5.62	96.98	102.60
26	BB	1726	C	N3-C4-C5	5.62	124.15	121.90
26	BB	1992	G	N3-C4-C5	-5.62	125.79	128.60
26	BB	2142	A	C5-C6-N1	-5.62	114.89	117.70
26	BB	2417	C	C4'-C3'-C2'	-5.62	96.98	102.60
26	BB	2544	G	N1-C2-N2	5.62	121.26	116.20
26	BB	2639	A	C4-C5-N7	-5.62	107.89	110.70
26	BB	2724	U	C3'-C2'-C1'	5.62	106.00	101.50
1	AA	24	U	N1-C2-O2	-5.62	118.86	122.80
1	AA	384	G	N3-C4-C5	-5.62	125.79	128.60
1	AA	579	A	N9-C1'-C2'	-5.62	105.82	112.00
1	AA	709	U	C2-N1-C1'	5.62	124.44	117.70
2	AB	27	C	C5'-C4'-O4'	5.62	115.84	109.10
4	AD	43	G	N3-C2-N2	5.62	123.83	119.90
14	AN	52	ARG	CB-CA-C	5.62	121.64	110.40
26	BB	108	G	C5-C6-N1	5.62	114.31	111.50
26	BB	700	G	N1-C2-N2	5.62	121.26	116.20
26	BB	1325	U	C5-C4-O4	-5.62	122.53	125.90
26	BB	1383	A	C5-N7-C8	-5.62	101.09	103.90
26	BB	1601	G	N9-C4-C5	-5.62	103.15	105.40
26	BB	1752	C	C5'-C4'-C3'	-5.62	107.01	116.00
26	BB	2023	C	O5'-C5'-C4'	-5.62	101.02	111.70
26	BB	2208	C	C3'-C2'-C1'	5.62	106.00	101.50
1	AA	221	C	C2-N3-C4	-5.62	117.09	119.90
1	AA	642	A	C6-N1-C2	-5.62	115.23	118.60
26	BB	573	U	C3'-C2'-C1'	-5.62	97.00	101.50
26	BB	821	A	O5'-C5'-C4'	5.62	122.38	111.70
26	BB	1588	G	C5-C6-O6	-5.62	125.23	128.60
1	AA	71	A	C6-N1-C2	5.62	121.97	118.60
1	AA	549	C	C3'-C2'-C1'	-5.62	97.01	101.50
1	AA	647	C	C4'-C3'-C2'	-5.62	96.98	102.60
1	AA	651	C	C2-N3-C4	5.62	122.71	119.90
1	AA	1018	G	N9-C4-C5	5.62	107.65	105.40
26	BB	29	U	C5-C4-O4	5.62	129.27	125.90
26	BB	334	C	N1-C2-O2	5.62	122.27	118.90
26	BB	679	C	C5'-C4'-O4'	5.62	115.84	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	844	A	C3'-C2'-C1'	5.62	106.00	101.50
26	BB	1166	G	N7-C8-N9	5.62	115.91	113.10
26	BB	1525	A	C6-N1-C2	5.62	121.97	118.60
26	BB	1822	C	N3-C4-C5	5.62	124.15	121.90
26	BB	1875	G	C5-C6-O6	-5.62	125.23	128.60
26	BB	2421	G	N9-C4-C5	5.62	107.65	105.40
26	BB	2475	C	C1'-O4'-C4'	5.62	114.39	109.90
26	BB	2884	U	C2-N3-C4	-5.62	123.63	127.00
33	BI	51	ARG	NE-CZ-NH2	-5.62	117.49	120.30
1	AA	265	G	C4-C5-N7	-5.62	108.55	110.80
1	AA	1090	U	C2-N3-C4	-5.62	123.63	127.00
25	BA	61	G	C5-C6-O6	-5.62	125.23	128.60
26	BB	533	G	N3-C4-N9	5.62	129.37	126.00
26	BB	833	A	C8-N9-C4	-5.62	103.55	105.80
26	BB	1304	A	C4-C5-C6	-5.62	114.19	117.00
26	BB	1368	G	N3-C4-C5	-5.62	125.79	128.60
26	BB	1637	A	O4'-C4'-C3'	5.62	110.59	106.10
26	BB	1935	G	N9-C4-C5	-5.62	103.15	105.40
26	BB	1969	A	C5-N7-C8	5.62	106.71	103.90
26	BB	2789	C	C5-C4-N4	-5.62	116.27	120.20
33	BI	132	PHE	CB-CG-CD1	-5.62	116.87	120.80
1	AA	494	G	C2-N3-C4	5.62	114.71	111.90
1	AA	576	C	N3-C2-O2	-5.62	117.97	121.90
1	AA	695	A	N7-C8-N9	-5.62	110.99	113.80
1	AA	855	U	N3-C4-O4	5.62	123.33	119.40
1	AA	1006	G	N3-C2-N2	-5.62	115.97	119.90
1	AA	1072	G	C1'-O4'-C4'	5.62	114.39	109.90
4	AD	26	C	C4'-C3'-C2'	-5.62	96.98	102.60
19	AS	14	ARG	NE-CZ-NH1	5.62	123.11	120.30
26	BB	750	A	N3-C4-N9	-5.62	122.91	127.40
26	BB	1321	A	C5-N7-C8	5.62	106.71	103.90
26	BB	1452	G	N3-C4-N9	-5.62	122.63	126.00
26	BB	1512	C	C5-C6-N1	-5.62	118.19	121.00
26	BB	1674	G	C4-C5-N7	-5.62	108.55	110.80
26	BB	1733	G	C4-C5-N7	-5.62	108.55	110.80
26	BB	2340	A	C5-N7-C8	-5.62	101.09	103.90
26	BB	2806	C	P-O3'-C3'	5.62	126.44	119.70
26	BB	2817	U	N3-C2-O2	-5.62	118.27	122.20
34	BJ	83	TYR	CA-CB-CG	5.62	124.07	113.40
1	AA	1180	A	C4-C5-N7	-5.61	107.89	110.70
1	AA	1534	A	C6-C5-N7	5.61	136.23	132.30
2	AB	27	C	P-O3'-C3'	5.61	126.44	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	300	A	N9-C4-C5	5.61	108.05	105.80
26	BB	367	G	N9-C1'-C2'	-5.61	105.83	112.00
26	BB	425	G	N9-C1'-C2'	-5.61	105.82	112.00
26	BB	601	C	O4'-C1'-N1	5.61	112.69	108.20
26	BB	1014	A	N3-C4-N9	5.61	131.89	127.40
26	BB	1408	G	C5'-C4'-O4'	-5.61	102.36	109.10
26	BB	2581	G	C4-C5-C6	5.61	122.17	118.80
26	BB	2884	U	C6-N1-C2	5.61	124.37	121.00
1	AA	250	A	C4'-C3'-C2'	-5.61	96.99	102.60
4	AD	20	G	C8-N9-C4	-5.61	104.16	106.40
26	BB	932	U	C5-C4-O4	-5.61	122.53	125.90
26	BB	1993	U	C4'-C3'-C2'	-5.61	96.99	102.60
26	BB	2029	G	C4-C5-N7	5.61	113.05	110.80
26	BB	2319	G	C4-C5-C6	-5.61	115.43	118.80
1	AA	678	U	C3'-C2'-C1'	-5.61	97.01	101.50
1	AA	909	A	O4'-C1'-N9	5.61	112.69	108.20
1	AA	1394	A	C4-C5-C6	-5.61	114.19	117.00
1	AA	1477	U	O4'-C1'-C2'	-5.61	100.19	105.80
1	AA	1533	C	C1'-O4'-C4'	-5.61	105.41	109.90
3	AC	30	U	O4'-C4'-C3'	5.61	110.59	106.10
25	BA	107	G	C4-C5-C6	5.61	122.17	118.80
26	BB	211	C	N3-C4-C5	-5.61	119.66	121.90
26	BB	834	G	N3-C4-N9	5.61	129.37	126.00
26	BB	1080	A	C4'-C3'-C2'	-5.61	96.99	102.60
26	BB	1209	U	N1-C2-N3	5.61	118.27	114.90
26	BB	1505	A	O3'-P-O5'	5.61	114.66	104.00
26	BB	1684	G	C4-C5-C6	5.61	122.17	118.80
26	BB	1892	C	N3-C2-O2	-5.61	117.97	121.90
26	BB	1936	A	C5-N7-C8	-5.61	101.09	103.90
26	BB	2621	G	N1-C2-N3	-5.61	120.53	123.90
26	BB	2827	C	O4'-C1'-N1	5.61	112.69	108.20
1	AA	108	G	C2-N3-C4	5.61	114.70	111.90
1	AA	771	G	C5-C6-N1	5.61	114.30	111.50
1	AA	872	A	C5'-C4'-O4'	-5.61	102.37	109.10
1	AA	1268	G	C4-C5-C6	5.61	122.17	118.80
26	BB	192	C	N3-C2-O2	-5.61	117.97	121.90
26	BB	578	G	N3-C2-N2	5.61	123.83	119.90
26	BB	638	G	C5'-C4'-C3'	-5.61	107.03	116.00
26	BB	744	U	N1-C1'-C2'	-5.61	105.83	112.00
26	BB	888	C	N3-C2-O2	-5.61	117.97	121.90
26	BB	1236	G	N7-C8-N9	5.61	115.90	113.10
26	BB	1240	U	O4'-C1'-N1	5.61	112.69	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	BH	2	ARG	NE-CZ-NH2	5.61	123.11	120.30
1	AA	177	G	C5-C6-N1	5.61	114.30	111.50
1	AA	247	G	O4'-C1'-C2'	5.61	112.65	107.60
1	AA	822	U	OP1-P-O3'	5.61	117.54	105.20
1	AA	963	G	C4-C5-N7	5.61	113.04	110.80
1	AA	1201	A	C8-N9-C4	-5.61	103.56	105.80
1	AA	1210	C	C4-C5-C6	5.61	120.20	117.40
1	AA	1269	A	N9-C4-C5	-5.61	103.56	105.80
1	AA	1538	C	O4'-C4'-C3'	5.61	110.58	106.10
6	AF	125	ARG	NH1-CZ-NH2	5.61	125.57	119.40
26	BB	81	G	C5-N7-C8	-5.61	101.50	104.30
26	BB	204	A	C6-C5-N7	5.61	136.22	132.30
26	BB	273	G	O4'-C1'-N9	5.61	112.69	108.20
26	BB	275	C	N1-C2-O2	5.61	122.27	118.90
26	BB	416	U	O4'-C1'-N1	5.61	112.69	108.20
26	BB	644	A	C6-N1-C2	5.61	121.97	118.60
26	BB	718	A	N7-C8-N9	5.61	116.60	113.80
26	BB	1115	G	C4'-C3'-C2'	-5.61	96.99	102.60
26	BB	1987	A	C1'-O4'-C4'	-5.61	105.41	109.90
26	BB	2366	A	N3-C4-C5	-5.61	122.88	126.80
26	BB	2415	G	C2'-C3'-O3'	5.61	122.67	113.70
36	BL	69	ARG	CD-NE-CZ	5.61	131.45	123.60
1	AA	316	C	O4'-C1'-C2'	-5.61	100.19	105.80
1	AA	528	C	P-O3'-C3'	5.61	126.43	119.70
1	AA	563	A	C5'-C4'-O4'	5.61	115.83	109.10
1	AA	1331	G	N3-C4-C5	-5.61	125.80	128.60
10	AJ	101	ARG	NE-CZ-NH1	5.61	123.10	120.30
26	BB	41	C	N1-C2-O2	5.61	122.26	118.90
26	BB	113	U	N3-C4-O4	5.61	123.32	119.40
26	BB	123	G	N3-C4-N9	-5.61	122.64	126.00
26	BB	365	U	C5'-C4'-C3'	-5.61	107.03	116.00
26	BB	493	G	N3-C4-C5	-5.61	125.80	128.60
26	BB	537	G	N3-C2-N2	5.61	123.82	119.90
26	BB	825	A	C4-C5-C6	-5.61	114.20	117.00
26	BB	883	G	N9-C4-C5	5.61	107.64	105.40
26	BB	935	C	N3-C4-N4	5.61	121.92	118.00
26	BB	1342	A	C4-C5-C6	-5.61	114.20	117.00
26	BB	1473	G	C8-N9-C1'	5.61	134.29	127.00
26	BB	1814	G	N1-C6-O6	5.61	123.26	119.90
26	BB	1866	A	C6-N1-C2	5.61	121.96	118.60
26	BB	2179	C	O4'-C1'-N1	5.61	112.68	108.20
26	BB	2459	A	C4-C5-C6	5.61	119.80	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2687	U	N3-C4-O4	5.61	123.32	119.40
26	BB	2900	A	P-O5'-C5'	5.61	129.87	120.90
28	BD	102	TYR	CB-CG-CD2	-5.61	117.64	121.00
33	BI	136	SER	N-CA-CB	-5.61	102.09	110.50
37	BM	3	GLN	O-C-N	5.61	131.67	122.70
1	AA	1260	G	C6-N1-C2	-5.60	121.74	125.10
26	BB	1471	G	C5-C6-O6	-5.60	125.24	128.60
26	BB	1509	A	C4-C5-C6	5.60	119.80	117.00
26	BB	2012	G	C5-C6-N1	5.60	114.30	111.50
26	BB	2019	A	C8-N9-C4	-5.60	103.56	105.80
26	BB	2454	G	C5'-C4'-O4'	5.60	115.83	109.10
28	BD	174	ARG	NE-CZ-NH1	5.60	123.10	120.30
1	AA	148	G	C4-C5-N7	-5.60	108.56	110.80
1	AA	588	G	C5-C6-N1	5.60	114.30	111.50
1	AA	633	G	C4-C5-C6	-5.60	115.44	118.80
1	AA	681	A	N3-C4-C5	-5.60	122.88	126.80
1	AA	778	G	C8-N9-C4	-5.60	104.16	106.40
1	AA	1058	G	N7-C8-N9	5.60	115.90	113.10
1	AA	1101	A	C5-N7-C8	5.60	106.70	103.90
1	AA	1154	G	C2-N3-C4	5.60	114.70	111.90
1	AA	1455	G	C6-N1-C2	-5.60	121.74	125.10
26	BB	103	A	C6-C5-N7	5.60	136.22	132.30
26	BB	145	C	N3-C2-O2	5.60	125.82	121.90
26	BB	353	C	C4'-C3'-C2'	-5.60	97.00	102.60
26	BB	1020	A	C8-N9-C4	-5.60	103.56	105.80
26	BB	2208	C	C6-N1-C2	-5.60	118.06	120.30
26	BB	2657	A	C6-C5-N7	-5.60	128.38	132.30
1	AA	11	G	N3-C4-C5	-5.60	125.80	128.60
1	AA	636	U	N3-C2-O2	-5.60	118.28	122.20
1	AA	817	C	N3-C4-C5	-5.60	119.66	121.90
1	AA	1259	C	O4'-C1'-N1	5.60	112.68	108.20
1	AA	1357	A	C6-C5-N7	5.60	136.22	132.30
4	AD	17	C	N3-C4-N4	5.60	121.92	118.00
6	AF	195	ILE	CA-CB-CG1	5.60	121.64	111.00
24	AX	65	ARG	CD-NE-CZ	5.60	131.44	123.60
26	BB	1048	A	N3-C4-C5	-5.60	122.88	126.80
26	BB	1799	G	C2-N3-C4	5.60	114.70	111.90
26	BB	2231	U	C4-C5-C6	5.60	123.06	119.70
26	BB	2638	G	C2-N3-C4	5.60	114.70	111.90
26	BB	2814	A	N1-C6-N6	5.60	121.96	118.60
28	BD	29	PHE	CB-CG-CD1	5.60	124.72	120.80
40	BP	94	TYR	CB-CG-CD2	5.60	124.36	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	97	G	C1'-O4'-C4'	5.60	114.38	109.90
1	AA	289	G	N9-C1'-C2'	-5.60	105.84	112.00
1	AA	597	G	N3-C2-N2	-5.60	115.98	119.90
1	AA	803	G	C5'-C4'-O4'	5.60	115.82	109.10
1	AA	818	G	O4'-C1'-N9	5.60	112.68	108.20
1	AA	1110	A	N1-C2-N3	-5.60	126.50	129.30
26	BB	190	A	C1'-O4'-C4'	5.60	114.38	109.90
26	BB	375	G	N1-C2-N3	5.60	127.26	123.90
26	BB	767	U	C2-N3-C4	-5.60	123.64	127.00
26	BB	1719	G	N3-C4-C5	-5.60	125.80	128.60
26	BB	2323	G	C4'-C3'-C2'	-5.60	97.00	102.60
52	B1	39	ASP	CB-CG-OD1	-5.60	113.26	118.30
1	AA	318	G	P-O3'-C3'	5.60	126.42	119.70
1	AA	532	A	C3'-C2'-C1'	-5.60	97.02	101.50
1	AA	635	A	C5-C6-N6	-5.60	119.22	123.70
1	AA	1123	U	C5'-C4'-C3'	-5.60	107.04	116.00
3	AC	18	A	C4-C5-N7	5.60	113.50	110.70
26	BB	413	C	C5-C4-N4	-5.60	116.28	120.20
26	BB	577	G	C2-N3-C4	5.60	114.70	111.90
26	BB	1168	G	C1'-O4'-C4'	5.60	114.38	109.90
26	BB	1193	G	C5'-C4'-C3'	-5.60	107.05	116.00
26	BB	1290	C	N1-C1'-C2'	-5.60	105.84	112.00
26	BB	1857	G	N3-C4-C5	-5.60	125.80	128.60
26	BB	2332	C	C1'-O4'-C4'	5.60	114.38	109.90
26	BB	2492	U	C1'-O4'-C4'	5.60	114.38	109.90
1	AA	1236	A	C5'-C4'-O4'	5.60	115.82	109.10
26	BB	2302	U	C4'-C3'-C2'	-5.60	97.00	102.60
1	AA	119	A	O4'-C4'-C3'	5.59	110.58	106.10
1	AA	597	G	N1-C2-N2	5.59	121.23	116.20
1	AA	703	G	O4'-C1'-C2'	-5.59	100.20	105.80
10	AJ	5	VAL	CA-CB-CG1	5.59	119.29	110.90
25	BA	28	C	C5'-C4'-C3'	-5.59	107.05	116.00
25	BA	51	G	C5'-C4'-C3'	-5.59	107.05	116.00
26	BB	131	A	N9-C4-C5	5.59	108.04	105.80
26	BB	270	A	C4-C5-C6	-5.59	114.20	117.00
26	BB	361	G	N3-C4-C5	-5.59	125.80	128.60
26	BB	425	G	N1-C2-N2	5.59	121.23	116.20
26	BB	609	A	O4'-C1'-N9	5.59	112.68	108.20
26	BB	1128	G	N3-C4-C5	-5.59	125.80	128.60
26	BB	1399	C	C5-C4-N4	-5.59	116.28	120.20
26	BB	2032	G	C3'-C2'-C1'	-5.59	97.03	101.50
26	BB	2336	A	C6-C5-N7	5.59	136.22	132.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2365	G	C5-C6-O6	-5.59	125.24	128.60
47	BW	1	ALA	CB-CA-C	-5.59	101.71	110.10
1	AA	179	A	OP1-P-O3'	5.59	117.51	105.20
1	AA	213	G	N7-C8-N9	5.59	115.90	113.10
1	AA	1457	G	N1-C6-O6	-5.59	116.54	119.90
26	BB	427	U	O4'-C1'-N1	5.59	112.67	108.20
26	BB	1051	G	C4-C5-C6	5.59	122.16	118.80
26	BB	1410	G	P-O3'-C3'	5.59	126.41	119.70
1	AA	247	G	P-O3'-C3'	5.59	126.41	119.70
1	AA	248	C	C5'-C4'-O4'	5.59	115.81	109.10
1	AA	417	G	C2'-C3'-O3'	5.59	122.65	113.70
1	AA	731	G	N1-C6-O6	5.59	123.25	119.90
1	AA	877	G	C3'-C2'-C1'	-5.59	97.03	101.50
1	AA	1354	U	N1-C1'-C2'	-5.59	105.85	112.00
1	AA	1420	U	C2-N3-C4	-5.59	123.64	127.00
20	AT	69	THR	CA-CB-CG2	-5.59	104.57	112.40
26	BB	92	U	C4'-C3'-C2'	-5.59	97.01	102.60
26	BB	313	G	O5'-P-OP1	5.59	117.41	110.70
26	BB	537	G	N9-C4-C5	5.59	107.64	105.40
26	BB	729	G	O5'-C5'-C4'	-5.59	101.08	111.70
26	BB	1214	A	C2-N3-C4	5.59	113.39	110.60
26	BB	2229	U	N1-C2-N3	5.59	118.25	114.90
26	BB	2288	A	O5'-P-OP1	-5.59	100.67	105.70
26	BB	2566	A	N1-C6-N6	-5.59	115.25	118.60
26	BB	2568	U	C2-N3-C4	-5.59	123.64	127.00
1	AA	37	U	O4'-C1'-N1	5.59	112.67	108.20
1	AA	624	C	C1'-O4'-C4'	-5.59	105.43	109.90
1	AA	745	G	N1-C6-O6	5.59	123.25	119.90
1	AA	919	A	P-O3'-C3'	5.59	126.41	119.70
1	AA	1438	G	N7-C8-N9	-5.59	110.31	113.10
7	AG	17	ASP	CB-CG-OD1	-5.59	113.27	118.30
10	AJ	9	ARG	NE-CZ-NH1	-5.59	117.50	120.30
26	BB	185	G	C6-N1-C2	-5.59	121.75	125.10
26	BB	670	A	C5-N7-C8	-5.59	101.11	103.90
26	BB	1232	G	N9-C1'-C2'	-5.59	105.85	112.00
26	BB	1261	C	N3-C4-C5	5.59	124.14	121.90
26	BB	1469	A	N7-C8-N9	5.59	116.59	113.80
26	BB	1829	A	N1-C2-N3	-5.59	126.51	129.30
26	BB	2138	G	O5'-C5'-C4'	-5.59	101.08	111.70
26	BB	2232	C	N3-C2-O2	-5.59	117.99	121.90
26	BB	2707	U	C4'-C3'-C2'	-5.59	97.01	102.60
26	BB	2734	A	C5'-C4'-O4'	5.59	115.81	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2819	G	N1-C2-N2	5.59	121.23	116.20
50	BZ	44	ARG	NE-CZ-NH2	-5.59	117.50	120.30
1	AA	409	U	N3-C2-O2	-5.59	118.29	122.20
1	AA	875	U	N1-C2-N3	5.59	118.25	114.90
1	AA	1256	A	C6-C5-N7	5.59	136.21	132.30
26	BB	56	A	O4'-C1'-N9	-5.59	103.73	108.20
26	BB	216	A	N7-C8-N9	-5.59	111.01	113.80
26	BB	299	A	P-O3'-C3'	5.59	126.41	119.70
26	BB	656	G	C2-N3-C4	-5.59	109.11	111.90
26	BB	2730	C	C5-C6-N1	5.59	123.79	121.00
1	AA	9	G	N9-C4-C5	-5.59	103.17	105.40
1	AA	597	G	C2-N3-C4	5.59	114.69	111.90
1	AA	729	A	N1-C2-N3	-5.59	126.51	129.30
1	AA	819	A	N7-C8-N9	5.59	116.59	113.80
1	AA	912	C	N3-C4-C5	-5.59	119.67	121.90
1	AA	988	G	C4'-C3'-C2'	-5.59	97.01	102.60
1	AA	1029	U	C6-N1-C2	-5.59	117.65	121.00
4	AD	31	G	N1-C2-N3	-5.59	120.55	123.90
26	BB	358	U	C4'-C3'-C2'	-5.59	97.01	102.60
26	BB	524	G	C1'-O4'-C4'	-5.59	105.43	109.90
26	BB	1615	C	C4-C5-C6	-5.59	114.61	117.40
26	BB	1667	G	C5-C6-O6	-5.59	125.25	128.60
26	BB	2352	A	C5'-C4'-O4'	5.59	115.80	109.10
31	BG	139	GLU	OE1-CD-OE2	5.59	130.00	123.30
37	BM	69	VAL	CG1-CB-CG2	-5.59	101.96	110.90
1	AA	184	G	N3-C4-C5	-5.58	125.81	128.60
1	AA	289	G	O4'-C1'-N9	5.58	112.67	108.20
1	AA	294	U	C5'-C4'-O4'	5.58	115.80	109.10
26	BB	478	A	N1-C6-N6	-5.58	115.25	118.60
26	BB	583	G	N1-C2-N3	-5.58	120.55	123.90
26	BB	1114	C	O4'-C1'-C2'	-5.58	100.22	105.80
26	BB	1431	A	O4'-C1'-N9	-5.58	103.73	108.20
1	AA	53	A	C6-N1-C2	5.58	121.95	118.60
1	AA	298	A	N9-C1'-C2'	-5.58	105.86	112.00
1	AA	562	U	C1'-O4'-C4'	-5.58	105.43	109.90
1	AA	1478	U	C1'-O4'-C4'	5.58	114.37	109.90
26	BB	126	A	N9-C4-C5	5.58	108.03	105.80
26	BB	1472	C	N1-C2-O2	5.58	122.25	118.90
26	BB	2094	A	N9-C4-C5	5.58	108.03	105.80
26	BB	2435	A	C1'-O4'-C4'	-5.58	105.43	109.90
1	AA	339	C	N3-C4-N4	5.58	121.91	118.00
1	AA	570	G	C8-N9-C4	-5.58	104.17	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	710	G	N1-C2-N2	5.58	121.22	116.20
1	AA	852	G	N1-C2-N3	-5.58	120.55	123.90
1	AA	1056	U	N3-C2-O2	-5.58	118.29	122.20
2	AB	49	G	N1-C2-N2	5.58	121.22	116.20
26	BB	57	C	C5-C6-N1	5.58	123.79	121.00
26	BB	75	G	C5-C6-N1	5.58	114.29	111.50
26	BB	94	A	C5'-C4'-O4'	5.58	115.80	109.10
26	BB	118	A	C5-N7-C8	5.58	106.69	103.90
26	BB	298	G	C5'-C4'-O4'	5.58	115.80	109.10
26	BB	414	C	C4'-C3'-C2'	-5.58	97.02	102.60
26	BB	807	U	C2-N3-C4	-5.58	123.65	127.00
26	BB	984	A	C8-N9-C4	-5.58	103.57	105.80
26	BB	1320	C	N3-C2-O2	-5.58	117.99	121.90
26	BB	1335	C	N1-C2-O2	5.58	122.25	118.90
26	BB	1826	G	C3'-C2'-C1'	-5.58	97.03	101.50
26	BB	1993	U	C5-C6-N1	-5.58	119.91	122.70
26	BB	2117	A	N9-C4-C5	-5.58	103.57	105.80
26	BB	2435	A	C4'-C3'-C2'	-5.58	97.02	102.60
1	AA	1413	A	N9-C4-C5	5.58	108.03	105.80
26	BB	6	A	C4-C5-N7	-5.58	107.91	110.70
26	BB	150	U	C2-N3-C4	-5.58	123.65	127.00
26	BB	207	A	C5-C6-N1	-5.58	114.91	117.70
26	BB	325	G	N1-C6-O6	5.58	123.25	119.90
26	BB	1943	U	C2-N1-C1'	5.58	124.40	117.70
1	AA	37	U	C5'-C4'-O4'	5.58	115.79	109.10
1	AA	640	A	C4'-C3'-C2'	-5.58	97.02	102.60
1	AA	647	C	C2'-C3'-O3'	5.58	122.62	113.70
1	AA	706	A	C1'-O4'-C4'	-5.58	105.44	109.90
1	AA	991	U	O3'-P-O5'	-5.58	93.40	104.00
1	AA	1427	C	C5'-C4'-O4'	5.58	115.79	109.10
6	AF	228	ARG	NE-CZ-NH1	-5.58	117.51	120.30
26	BB	474	G	N1-C2-N3	-5.58	120.55	123.90
26	BB	487	C	N1-C2-O2	5.58	122.25	118.90
26	BB	748	G	N1-C6-O6	5.58	123.25	119.90
26	BB	887	U	N1-C2-N3	5.58	118.25	114.90
26	BB	976	G	C5-C6-O6	5.58	131.95	128.60
26	BB	1093	G	N3-C4-N9	-5.58	122.65	126.00
26	BB	1301	A	O4'-C1'-C2'	-5.58	100.22	105.80
26	BB	1545	A	C6-N1-C2	-5.58	115.25	118.60
26	BB	1842	G	O4'-C1'-N9	5.58	112.66	108.20
26	BB	2142	A	C1'-O4'-C4'	5.58	114.36	109.90
26	BB	2312	U	C3'-C2'-C1'	5.58	105.96	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2362	C	C6-N1-C2	-5.58	118.07	120.30
26	BB	2802	G	N3-C4-N9	-5.58	122.65	126.00
1	AA	439	U	C3'-C2'-C1'	-5.58	97.04	101.50
4	AD	1	C	N3-C2-O2	-5.58	118.00	121.90
4	AD	68	C	P-O3'-C3'	5.58	126.39	119.70
26	BB	677	A	C2-N3-C4	-5.58	107.81	110.60
26	BB	819	A	C4-C5-C6	-5.58	114.21	117.00
26	BB	926	G	N9-C4-C5	5.58	107.63	105.40
26	BB	1116	G	C6-C5-N7	-5.58	127.05	130.40
26	BB	1454	C	C5-C6-N1	5.58	123.79	121.00
26	BB	1501	G	N3-C2-N2	-5.58	116.00	119.90
26	BB	1560	G	C4-C5-N7	-5.58	108.57	110.80
26	BB	1978	A	C4-C5-N7	-5.58	107.91	110.70
26	BB	2770	G	C5-C6-N1	5.58	114.29	111.50
30	BF	129	PRO	N-CD-CG	5.58	111.56	103.20
1	AA	213	G	C3'-C2'-C1'	5.58	105.96	101.50
1	AA	740	U	C4'-C3'-O3'	5.58	124.15	113.00
1	AA	1414	U	C6-N1-C1'	5.58	129.01	121.20
1	AA	1532	U	N1-C2-N3	5.58	118.25	114.90
2	AB	1	A	C2'-C3'-O3'	5.58	122.62	113.70
4	AD	31	G	N3-C2-N2	-5.58	116.00	119.90
22	AV	71	GLY	O-C-N	5.58	131.62	122.70
26	BB	107	G	N3-C2-N2	5.58	123.80	119.90
26	BB	574	A	N7-C8-N9	-5.58	111.01	113.80
26	BB	643	A	N3-C4-C5	5.58	130.70	126.80
26	BB	792	A	C6-C5-N7	5.58	136.20	132.30
26	BB	856	G	N3-C2-N2	-5.58	116.00	119.90
26	BB	908	C	C1'-O4'-C4'	-5.58	105.44	109.90
26	BB	1110	G	O5'-P-OP1	-5.58	100.68	105.70
26	BB	1281	G	O4'-C1'-N9	5.58	112.66	108.20
26	BB	1289	C	C1'-O4'-C4'	5.58	114.36	109.90
26	BB	2686	G	C2-N3-C4	5.58	114.69	111.90
26	BB	2821	A	N1-C2-N3	-5.58	126.51	129.30
30	BF	196	VAL	CG1-CB-CG2	-5.58	101.98	110.90
1	AA	257	G	N1-C2-N2	5.57	121.22	116.20
1	AA	397	A	C6-N1-C2	5.57	121.94	118.60
1	AA	701	U	N1-C2-N3	-5.57	111.56	114.90
1	AA	755	G	C6-N1-C2	-5.57	121.76	125.10
1	AA	815	A	C1'-O4'-C4'	-5.57	105.44	109.90
1	AA	1004	A	N9-C4-C5	5.57	108.03	105.80
1	AA	1179	A	N9-C4-C5	5.57	108.03	105.80
1	AA	1458	G	O3'-P-O5'	-5.57	93.41	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AC	42	U	O3'-P-O5'	5.57	114.59	104.00
26	BB	813	U	C1'-O4'-C4'	-5.57	105.44	109.90
26	BB	1129	A	N7-C8-N9	5.57	116.59	113.80
26	BB	1345	C	O3'-P-O5'	-5.57	93.41	104.00
26	BB	2047	C	C5-C6-N1	5.57	123.79	121.00
26	BB	2072	C	C6-N1-C2	5.57	122.53	120.30
26	BB	2209	G	O4'-C1'-N9	5.57	112.66	108.20
26	BB	2659	G	O4'-C1'-N9	5.57	112.66	108.20
26	BB	2663	G	N1-C2-N3	-5.57	120.56	123.90
1	AA	276	G	N3-C4-C5	-5.57	125.81	128.60
1	AA	1413	A	C5-C6-N6	-5.57	119.24	123.70
26	BB	35	G	C4-C5-C6	5.57	122.14	118.80
26	BB	1133	A	O4'-C1'-N9	5.57	112.66	108.20
26	BB	1292	G	C4'-C3'-C2'	-5.57	97.03	102.60
26	BB	1516	G	N9-C1'-C2'	-5.57	105.87	112.00
26	BB	1805	A	C8-N9-C4	-5.57	103.57	105.80
26	BB	1875	G	C5'-C4'-O4'	-5.57	102.41	109.10
26	BB	2295	C	C3'-C2'-C1'	5.57	105.96	101.50
1	AA	86	G	N1-C2-N3	5.57	127.24	123.90
1	AA	262	A	N7-C8-N9	-5.57	111.02	113.80
1	AA	368	U	N3-C4-O4	-5.57	115.50	119.40
1	AA	598	U	N3-C4-O4	5.57	123.30	119.40
1	AA	687	A	C4-C5-N7	-5.57	107.92	110.70
1	AA	1095	U	C4-C5-C6	5.57	123.04	119.70
1	AA	1290	G	O4'-C4'-C3'	-5.57	98.43	104.00
1	AA	1323	G	N9-C1'-C2'	-5.57	105.87	112.00
1	AA	1469	C	C1'-O4'-C4'	5.57	114.36	109.90
2	AB	2	G	O4'-C1'-N9	5.57	112.66	108.20
26	BB	155	A	C5-N7-C8	-5.57	101.11	103.90
26	BB	169	G	N3-C4-N9	5.57	129.34	126.00
26	BB	258	G	N9-C4-C5	5.57	107.63	105.40
26	BB	1060	U	C3'-C2'-C1'	5.57	105.96	101.50
26	BB	1813	G	N7-C8-N9	5.57	115.89	113.10
26	BB	2204	G	C5-N7-C8	-5.57	101.52	104.30
26	BB	2474	U	N3-C2-O2	-5.57	118.30	122.20
26	BB	2615	U	C2-N3-C4	-5.57	123.66	127.00
1	AA	733	G	P-O3'-C3'	5.57	126.38	119.70
26	BB	1558	C	O4'-C1'-N1	5.57	112.66	108.20
26	BB	1654	A	O5'-C5'-C4'	-5.57	101.12	111.70
1	AA	866	C	C1'-O4'-C4'	-5.57	105.45	109.90
1	AA	1316	G	C6-C5-N7	-5.57	127.06	130.40
1	AA	1371	G	N3-C2-N2	5.57	123.80	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1509	C	N1-C2-N3	5.57	123.10	119.20
1	AA	1524	C	P-O3'-C3'	5.57	126.38	119.70
25	BA	94	A	N1-C6-N6	-5.57	115.26	118.60
26	BB	347	A	P-O3'-C3'	5.57	126.38	119.70
26	BB	851	C	C6-N1-C1'	5.57	127.48	120.80
26	BB	965	C	C4'-C3'-C2'	-5.57	97.03	102.60
26	BB	1528	A	N9-C4-C5	5.57	108.03	105.80
26	BB	1885	A	C1'-O4'-C4'	-5.57	105.44	109.90
26	BB	2287	A	N3-C4-N9	-5.57	122.95	127.40
26	BB	2337	G	C5-C6-N1	5.57	114.28	111.50
26	BB	2374	C	O5'-P-OP2	-5.57	100.69	105.70
42	BR	69	VAL	CA-CB-CG1	5.57	119.25	110.90
1	AA	52	C	O4'-C4'-C3'	-5.57	98.43	104.00
1	AA	83	C	C4'-C3'-C2'	-5.57	97.03	102.60
1	AA	1119	C	C3'-C2'-C1'	5.57	105.95	101.50
1	AA	1502	A	C4'-C3'-C2'	-5.57	97.03	102.60
3	AC	57	C	C4'-C3'-C2'	-5.57	97.03	102.60
26	BB	1036	G	C2-N3-C4	5.57	114.68	111.90
26	BB	1187	G	O4'-C1'-N9	-5.57	103.75	108.20
26	BB	1324	G	N1-C6-O6	5.57	123.24	119.90
26	BB	1382	G	C4'-C3'-C2'	-5.57	97.03	102.60
26	BB	2032	G	C5'-C4'-C3'	-5.57	107.09	116.00
26	BB	2193	G	C5-N7-C8	5.57	107.08	104.30
26	BB	2299	U	C4'-C3'-C2'	-5.57	97.03	102.60
26	BB	2761	A	C4-C5-N7	-5.57	107.92	110.70
43	BS	10	ARG	NE-CZ-NH1	5.57	123.08	120.30
43	BS	44	TYR	CB-CG-CD2	5.57	124.34	121.00
1	AA	195	A	C4'-C3'-C2'	-5.56	97.04	102.60
1	AA	1459	G	C6-N1-C2	-5.56	121.76	125.10
4	AD	59	A	C4-C5-C6	5.56	119.78	117.00
26	BB	21	A	N1-C6-N6	5.56	121.94	118.60
26	BB	472	A	C8-N9-C4	-5.56	103.57	105.80
26	BB	614	A	C2-N3-C4	5.56	113.38	110.60
26	BB	1696	G	N3-C4-N9	-5.56	122.66	126.00
26	BB	2375	G	C4-C5-C6	5.56	122.14	118.80
26	BB	2387	U	N3-C4-O4	5.56	123.30	119.40
26	BB	2410	G	C2-N3-C4	5.56	114.68	111.90
1	AA	29	U	C4'-C3'-C2'	-5.56	97.04	102.60
1	AA	672	U	C5-C4-O4	5.56	129.24	125.90
1	AA	721	G	N3-C4-N9	-5.56	122.66	126.00
1	AA	841	C	C1'-O4'-C4'	5.56	114.35	109.90
26	BB	329	G	C5-N7-C8	-5.56	101.52	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	435	C	O4'-C4'-C3'	-5.56	98.44	104.00
26	BB	476	G	N3-C4-C5	-5.56	125.82	128.60
26	BB	529	A	P-O3'-C3'	5.56	126.37	119.70
26	BB	586	A	C4-C5-C6	5.56	119.78	117.00
26	BB	889	C	C5'-C4'-O4'	5.56	115.77	109.10
26	BB	1360	G	N1-C6-O6	-5.56	116.56	119.90
26	BB	1656	C	N3-C4-C5	-5.56	119.67	121.90
26	BB	1695	G	C6-N1-C2	-5.56	121.76	125.10
26	BB	2245	U	O4'-C4'-C3'	5.56	110.55	106.10
26	BB	2488	G	C4-C5-C6	5.56	122.14	118.80
26	BB	2709	G	C2-N3-C4	5.56	114.68	111.90
1	AA	37	U	P-O3'-C3'	5.56	126.37	119.70
1	AA	1296	C	C1'-O4'-C4'	-5.56	105.45	109.90
26	BB	606	U	O4'-C1'-N1	5.56	112.65	108.20
26	BB	881	G	C2-N3-C4	5.56	114.68	111.90
26	BB	929	U	C4'-C3'-C2'	-5.56	97.04	102.60
26	BB	2443	C	C5-C4-N4	-5.56	116.31	120.20
1	AA	150	U	N3-C4-C5	-5.56	111.26	114.60
1	AA	1252	A	C5-C6-N6	-5.56	119.25	123.70
1	AA	1260	G	N3-C2-N2	5.56	123.79	119.90
3	AC	51	C	C4-C5-C6	5.56	120.18	117.40
26	BB	54	G	C6-N1-C2	-5.56	121.77	125.10
26	BB	251	A	C4-C5-N7	-5.56	107.92	110.70
26	BB	501	A	N7-C8-N9	5.56	116.58	113.80
26	BB	873	C	C6-N1-C2	5.56	122.52	120.30
26	BB	897	C	C6-N1-C2	-5.56	118.08	120.30
26	BB	978	G	N1-C2-N3	5.56	127.24	123.90
26	BB	1138	G	C3'-C2'-C1'	5.56	105.95	101.50
26	BB	1659	G	N1-C2-N3	-5.56	120.56	123.90
26	BB	2161	C	C6-N1-C2	-5.56	118.08	120.30
26	BB	2307	G	N9-C4-C5	5.56	107.62	105.40
1	AA	423	G	C6-C5-N7	5.56	133.74	130.40
1	AA	447	G	C5-N7-C8	5.56	107.08	104.30
1	AA	506	G	C8-N9-C4	5.56	108.62	106.40
1	AA	779	C	N3-C4-C5	-5.56	119.68	121.90
1	AA	968	A	C4-C5-C6	-5.56	114.22	117.00
1	AA	1490	U	C5-C6-N1	-5.56	119.92	122.70
1	AA	1505	G	C1'-O4'-C4'	5.56	114.35	109.90
1	AA	1542	A	C5-C6-N6	-5.56	119.25	123.70
2	AB	24	G	C5-N7-C8	-5.56	101.52	104.30
26	BB	350	G	C5-C6-N1	5.56	114.28	111.50
26	BB	476	G	C5-N7-C8	-5.56	101.52	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	890	C	C5-C4-N4	5.56	124.09	120.20
26	BB	1480	C	C2-N3-C4	-5.56	117.12	119.90
26	BB	1519	G	C4-C5-C6	5.56	122.13	118.80
26	BB	1632	A	C5-C6-N1	5.56	120.48	117.70
26	BB	1671	U	C6-N1-C2	-5.56	117.67	121.00
26	BB	2521	C	C5-C6-N1	5.56	123.78	121.00
26	BB	2536	G	C8-N9-C4	-5.56	104.18	106.40
26	BB	2679	A	N9-C4-C5	5.56	108.02	105.80
26	BB	2693	G	C5-C6-N1	5.56	114.28	111.50
26	BB	2837	A	C4'-C3'-C2'	-5.56	97.04	102.60
26	BB	2894	G	N9-C4-C5	5.56	107.62	105.40
1	AA	119	A	C2-N3-C4	5.56	113.38	110.60
26	BB	92	U	C3'-C2'-C1'	5.56	105.94	101.50
26	BB	231	A	O5'-P-OP1	5.56	117.37	110.70
26	BB	778	G	N3-C2-N2	-5.56	116.01	119.90
26	BB	1052	C	O4'-C1'-N1	5.56	112.64	108.20
26	BB	1056	G	C4-C5-C6	5.56	122.13	118.80
26	BB	1557	C	C1'-O4'-C4'	5.56	114.34	109.90
26	BB	2071	A	N9-C4-C5	5.56	108.02	105.80
26	BB	2110	G	O4'-C1'-N9	5.56	112.64	108.20
26	BB	2303	G	C6-C5-N7	-5.56	127.07	130.40
26	BB	2604	U	N3-C4-O4	-5.56	115.51	119.40
56	B5	21	ARG	NE-CZ-NH1	-5.56	117.52	120.30
1	AA	52	C	C6-N1-C2	-5.55	118.08	120.30
1	AA	213	G	C4'-C3'-O3'	5.55	124.11	113.00
1	AA	510	A	C5'-C4'-O4'	5.55	115.77	109.10
1	AA	545	C	N3-C4-C5	-5.55	119.68	121.90
1	AA	1057	G	C5'-C4'-O4'	5.55	115.77	109.10
1	AA	1287	A	C4'-C3'-C2'	-5.55	97.05	102.60
18	AR	6	ALA	CB-CA-C	5.55	118.43	110.10
25	BA	44	G	O4'-C1'-N9	5.55	112.64	108.20
26	BB	278	A	C4'-C3'-C2'	5.55	108.15	102.60
26	BB	391	A	O4'-C1'-N9	5.55	112.64	108.20
26	BB	648	G	C5-C6-O6	-5.55	125.27	128.60
26	BB	1488	C	N3-C4-N4	5.55	121.89	118.00
26	BB	1853	A	O4'-C1'-N9	5.55	112.64	108.20
26	BB	2758	A	N3-C4-C5	5.55	130.69	126.80
30	BF	158	PHE	CB-CG-CD1	5.55	124.69	120.80
31	BG	54	ALA	N-CA-CB	-5.55	102.32	110.10
44	BT	92	TRP	CD1-CG-CD2	-5.55	101.86	106.30
50	BZ	17	ARG	NE-CZ-NH2	5.55	123.08	120.30
1	AA	377	G	O5'-P-OP2	-5.55	100.70	105.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	661	G	C5'-C4'-O4'	5.55	115.76	109.10
2	AB	48	U	C6-N1-C2	5.55	124.33	121.00
15	AO	24	GLU	OE1-CD-OE2	5.55	129.96	123.30
26	BB	295	G	N7-C8-N9	5.55	115.88	113.10
26	BB	506	G	O4'-C1'-N9	5.55	112.64	108.20
26	BB	865	C	N1-C2-N3	-5.55	115.31	119.20
26	BB	1190	G	N1-C6-O6	-5.55	116.57	119.90
26	BB	1307	A	N1-C6-N6	-5.55	115.27	118.60
26	BB	1395	A	C5-C6-N1	-5.55	114.92	117.70
26	BB	1448	G	C6-N1-C2	-5.55	121.77	125.10
26	BB	1949	G	C3'-C2'-C1'	-5.55	97.06	101.50
26	BB	2495	G	N9-C4-C5	-5.55	103.18	105.40
26	BB	2895	G	C5-N7-C8	-5.55	101.52	104.30
1	AA	1076	U	O4'-C1'-C2'	-5.55	100.25	105.80
1	AA	1147	C	N3-C4-N4	5.55	121.89	118.00
1	AA	1206	G	C1'-O4'-C4'	-5.55	105.46	109.90
1	AA	1235	U	N3-C4-C5	-5.55	111.27	114.60
1	AA	1322	C	C6-N1-C1'	5.55	127.46	120.80
26	BB	308	G	C5-C6-O6	5.55	131.93	128.60
26	BB	592	A	C2-N3-C4	5.55	113.38	110.60
26	BB	621	A	N1-C2-N3	-5.55	126.52	129.30
26	BB	639	U	N3-C4-C5	-5.55	111.27	114.60
26	BB	921	C	P-O3'-C3'	5.55	126.36	119.70
26	BB	2215	C	O4'-C4'-C3'	5.55	110.54	106.10
1	AA	88	U	C5-C6-N1	-5.55	119.92	122.70
1	AA	586	C	N1-C2-N3	-5.55	115.31	119.20
1	AA	710	G	N1-C2-N3	-5.55	120.57	123.90
1	AA	792	A	C2-N3-C4	-5.55	107.83	110.60
1	AA	813	U	N1-C2-N3	5.55	118.23	114.90
1	AA	937	A	C4'-C3'-C2'	-5.55	97.05	102.60
1	AA	1097	C	C6-N1-C2	-5.55	118.08	120.30
1	AA	1206	G	C6-N1-C2	-5.55	121.77	125.10
25	BA	119	A	C4'-C3'-C2'	-5.55	97.05	102.60
26	BB	383	C	C2-N3-C4	5.55	122.67	119.90
26	BB	408	G	C6-C5-N7	-5.55	127.07	130.40
26	BB	579	G	N1-C2-N2	5.55	121.19	116.20
26	BB	978	G	C4-C5-N7	-5.55	108.58	110.80
26	BB	988	A	N1-C2-N3	5.55	132.07	129.30
26	BB	1171	G	C4-C5-C6	5.55	122.13	118.80
26	BB	1276	A	C8-N9-C4	-5.55	103.58	105.80
26	BB	1279	G	C8-N9-C4	-5.55	104.18	106.40
26	BB	1355	G	P-O3'-C3'	5.55	126.36	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1880	U	N1-C2-O2	-5.55	118.92	122.80
26	BB	1933	G	N1-C2-N3	5.55	127.23	123.90
26	BB	2065	C	O4'-C1'-N1	5.55	112.64	108.20
26	BB	2174	C	C4'-C3'-C2'	-5.55	97.05	102.60
26	BB	2311	A	N9-C4-C5	5.55	108.02	105.80
26	BB	2325	G	C4-C5-C6	5.55	122.13	118.80
26	BB	2554	U	C4'-C3'-C2'	-5.55	97.05	102.60
51	B0	20	ASN	CB-CA-C	5.55	121.50	110.40
1	AA	188	C	C2-N1-C1'	5.55	124.90	118.80
26	BB	768	G	C6-N1-C2	-5.55	121.77	125.10
26	BB	2265	U	C4-C5-C6	5.55	123.03	119.70
26	BB	2265	U	N3-C4-O4	-5.55	115.52	119.40
26	BB	2290	G	C5-N7-C8	-5.55	101.53	104.30
1	AA	41	G	C6-N1-C2	-5.55	121.77	125.10
1	AA	55	A	C3'-C2'-C1'	5.55	105.94	101.50
1	AA	220	G	C1'-O4'-C4'	-5.55	105.46	109.90
1	AA	707	U	C6-N1-C2	-5.55	117.67	121.00
1	AA	946	A	C3'-C2'-C1'	5.55	105.94	101.50
1	AA	1119	C	C1'-O4'-C4'	-5.55	105.46	109.90
1	AA	1143	G	N1-C6-O6	-5.55	116.57	119.90
25	BA	50	A	C4-C5-C6	5.55	119.77	117.00
26	BB	627	A	OP2-P-O3'	5.55	117.40	105.20
26	BB	849	A	N1-C2-N3	-5.55	126.53	129.30
26	BB	2404	U	N3-C2-O2	-5.55	118.32	122.20
26	BB	2439	A	C3'-C2'-C1'	5.55	105.94	101.50
26	BB	2675	A	N9-C4-C5	5.55	108.02	105.80
29	BE	73	VAL	CA-CB-CG1	5.55	119.22	110.90
1	AA	212	G	C5-C6-N1	5.54	114.27	111.50
1	AA	326	G	O5'-P-OP1	-5.54	100.71	105.70
1	AA	1452	C	O4'-C1'-C2'	5.54	112.59	107.60
26	BB	2318	G	C6-N1-C2	-5.54	121.77	125.10
26	BB	2382	G	N3-C4-N9	-5.54	122.67	126.00
1	AA	324	G	C6-C5-N7	-5.54	127.07	130.40
1	AA	624	C	N3-C2-O2	-5.54	118.02	121.90
1	AA	963	G	C8-N9-C4	-5.54	104.18	106.40
1	AA	1356	G	N3-C4-N9	-5.54	122.67	126.00
4	AD	64	G	C5-N7-C8	5.54	107.07	104.30
26	BB	572	A	N1-C6-N6	-5.54	115.27	118.60
26	BB	691	C	N3-C4-N4	-5.54	114.12	118.00
26	BB	1021	A	C6-C5-N7	5.54	136.18	132.30
26	BB	1999	C	C5'-C4'-O4'	5.54	115.75	109.10
26	BB	2124	G	C4'-C3'-C2'	-5.54	97.06	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2447	G	N9-C4-C5	5.54	107.62	105.40
33	BI	51	ARG	NE-CZ-NH1	5.54	123.07	120.30
2	AB	40	C	C1'-O4'-C4'	-5.54	105.47	109.90
2	AB	57	G	C6-C5-N7	-5.54	127.08	130.40
26	BB	24	G	C5-N7-C8	-5.54	101.53	104.30
26	BB	24	G	N3-C4-C5	-5.54	125.83	128.60
26	BB	36	G	C4-N9-C1'	-5.54	119.30	126.50
26	BB	297	G	C6-N1-C2	-5.54	121.78	125.10
26	BB	434	U	C3'-C2'-C1'	-5.54	97.07	101.50
26	BB	1367	A	C5-C6-N6	5.54	128.13	123.70
26	BB	1657	U	C2-N3-C4	-5.54	123.67	127.00
26	BB	1935	G	C3'-C2'-C1'	5.54	105.93	101.50
26	BB	2242	G	C4-C5-C6	5.54	122.12	118.80
26	BB	2581	G	N9-C4-C5	-5.54	103.18	105.40
39	BO	81	ARG	NE-CZ-NH2	-5.54	117.53	120.30
1	AA	226	G	C4'-C3'-C2'	5.54	108.14	102.60
26	BB	36	G	C5-N7-C8	-5.54	101.53	104.30
26	BB	531	C	N1-C1'-C2'	5.54	121.20	114.00
26	BB	1034	G	N1-C2-N2	-5.54	111.21	116.20
26	BB	2168	G	C8-N9-C1'	5.54	134.20	127.00
26	BB	2304	G	C8-N9-C4	-5.54	104.18	106.40
26	BB	2345	G	N9-C4-C5	5.54	107.62	105.40
26	BB	2541	A	C5-N7-C8	5.54	106.67	103.90
26	BB	2826	A	C2-N3-C4	5.54	113.37	110.60
1	AA	286	C	C5'-C4'-O4'	5.54	115.75	109.10
1	AA	576	C	N1-C2-O2	5.54	122.22	118.90
1	AA	833	G	C8-N9-C1'	5.54	134.20	127.00
1	AA	1104	G	C5-C6-N1	5.54	114.27	111.50
1	AA	1249	C	P-O3'-C3'	5.54	126.35	119.70
1	AA	1255	G	C3'-C2'-C1'	5.54	105.93	101.50
1	AA	1423	G	N7-C8-N9	5.54	115.87	113.10
2	AB	49	G	C4'-C3'-C2'	-5.54	97.06	102.60
4	AD	46	G	N3-C2-N2	-5.54	116.02	119.90
22	AV	40	PHE	CB-CG-CD2	5.54	124.68	120.80
26	BB	27	G	O4'-C1'-N9	5.54	112.63	108.20
26	BB	177	G	N3-C2-N2	5.54	123.78	119.90
26	BB	302	C	C2-N1-C1'	-5.54	112.71	118.80
26	BB	374	A	O4'-C1'-N9	5.54	112.63	108.20
26	BB	778	G	C1'-O4'-C4'	5.54	114.33	109.90
26	BB	917	A	C3'-C2'-C1'	5.54	105.93	101.50
26	BB	1040	A	N1-C2-N3	5.54	132.07	129.30
26	BB	1195	G	C4'-C3'-C2'	-5.54	97.06	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1614	A	N9-C4-C5	5.54	108.02	105.80
26	BB	1781	U	O4'-C1'-N1	5.54	112.63	108.20
26	BB	2623	G	N1-C2-N2	5.54	121.19	116.20
33	BI	23	ALA	N-CA-CB	-5.54	102.35	110.10
1	AA	514	C	C4'-C3'-O3'	5.54	124.07	113.00
1	AA	1156	G	C8-N9-C4	-5.54	104.19	106.40
1	AA	1248	A	N1-C6-N6	5.54	121.92	118.60
4	AD	51	U	C5'-C4'-O4'	5.54	115.74	109.10
25	BA	66	A	C5'-C4'-O4'	5.54	115.75	109.10
25	BA	96	G	N1-C2-N3	5.54	127.22	123.90
26	BB	103	A	N1-C6-N6	-5.54	115.28	118.60
26	BB	599	A	C1'-O4'-C4'	-5.54	105.47	109.90
26	BB	975	A	P-O3'-C3'	5.54	126.34	119.70
26	BB	1054	A	C4-C5-C6	5.54	119.77	117.00
26	BB	1414	C	N1-C2-O2	5.54	122.22	118.90
26	BB	1896	G	O4'-C1'-C2'	-5.54	100.26	105.80
26	BB	2514	U	N3-C4-O4	5.54	123.28	119.40
26	BB	2526	G	N1-C2-N3	-5.54	120.58	123.90
26	BB	2608	G	C4'-C3'-C2'	-5.54	97.06	102.60
1	AA	294	U	N3-C2-O2	-5.54	118.33	122.20
1	AA	440	C	C4-C5-C6	-5.54	114.63	117.40
1	AA	767	A	C3'-C2'-C1'	5.54	105.93	101.50
1	AA	815	A	C6-N1-C2	-5.54	115.28	118.60
1	AA	891	U	N1-C2-N3	5.54	118.22	114.90
1	AA	1246	A	N3-C4-C5	-5.54	122.92	126.80
9	AI	42	TRP	CE3-CZ3-CH2	-5.54	115.11	121.20
25	BA	1	U	P-O3'-C3'	5.54	126.34	119.70
25	BA	103	U	C5'-C4'-O4'	5.54	115.74	109.10
26	BB	118	A	C2-N3-C4	5.54	113.37	110.60
26	BB	398	C	N3-C2-O2	-5.54	118.03	121.90
26	BB	1127	A	N1-C2-N3	-5.54	126.53	129.30
26	BB	1635	A	C2-N3-C4	5.54	113.37	110.60
26	BB	2209	G	C8-N9-C4	5.54	108.61	106.40
26	BB	2664	G	N1-C6-O6	-5.54	116.58	119.90
26	BB	2714	G	C2-N3-C4	5.54	114.67	111.90
28	BD	99	GLU	OE1-CD-OE2	5.54	129.94	123.30
1	AA	98	A	C6-C5-N7	5.53	136.17	132.30
1	AA	457	G	N9-C1'-C2'	-5.53	105.91	112.00
1	AA	558	G	N9-C4-C5	-5.53	103.19	105.40
1	AA	1171	A	N7-C8-N9	-5.53	111.03	113.80
1	AA	1505	G	C6-N1-C2	5.53	128.42	125.10
26	BB	346	A	C5'-C4'-O4'	5.53	115.74	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	672	C	C5-C6-N1	-5.53	118.23	121.00
26	BB	729	G	N7-C8-N9	-5.53	110.33	113.10
26	BB	991	C	N3-C4-N4	5.53	121.87	118.00
26	BB	1301	A	P-O3'-C3'	5.53	126.34	119.70
26	BB	1697	G	C6-C5-N7	5.53	133.72	130.40
26	BB	1753	G	P-O3'-C3'	5.53	126.34	119.70
26	BB	2566	A	C5'-C4'-O4'	5.53	115.74	109.10
31	BG	142	TYR	CZ-CE2-CD2	5.53	124.78	119.80
58	B7	22	VAL	CA-CB-CG1	5.53	119.20	110.90
1	AA	939	G	C5-C6-O6	5.53	131.92	128.60
1	AA	1469	C	C5'-C4'-C3'	5.53	124.85	116.00
26	BB	1288	G	C6-C5-N7	-5.53	127.08	130.40
26	BB	1765	U	OP2-P-O3'	5.53	117.37	105.20
1	AA	236	A	N1-C2-N3	-5.53	126.53	129.30
1	AA	1488	G	C4-N9-C1'	-5.53	119.31	126.50
1	AA	1536	C	C3'-C2'-C1'	5.53	105.92	101.50
23	AW	24	ARG	NE-CZ-NH1	5.53	123.06	120.30
26	BB	37	C	N1-C1'-C2'	-5.53	105.92	112.00
26	BB	96	C	C2-N3-C4	5.53	122.67	119.90
26	BB	159	G	N3-C2-N2	5.53	123.77	119.90
26	BB	223	A	O5'-C5'-C4'	-5.53	101.19	111.70
26	BB	288	U	O4'-C1'-N1	5.53	112.62	108.20
26	BB	1427	A	C3'-C2'-C1'	-5.53	97.08	101.50
26	BB	1449	G	N7-C8-N9	5.53	115.86	113.10
26	BB	1563	U	C4'-C3'-C2'	-5.53	97.07	102.60
26	BB	1861	G	N1-C6-O6	5.53	123.22	119.90
26	BB	2040	G	C6-N1-C2	-5.53	121.78	125.10
26	BB	2313	C	C5'-C4'-C3'	-5.53	107.15	116.00
26	BB	2351	G	C5'-C4'-O4'	5.53	115.73	109.10
26	BB	2563	U	C6-N1-C2	-5.53	117.68	121.00
26	BB	2707	U	C4-C5-C6	5.53	123.02	119.70
26	BB	2882	A	P-O3'-C3'	5.53	126.34	119.70
1	AA	47	C	N3-C2-O2	-5.53	118.03	121.90
1	AA	634	C	O5'-P-OP1	-5.53	100.72	105.70
1	AA	681	A	C1'-O4'-C4'	-5.53	105.48	109.90
1	AA	836	G	N9-C4-C5	-5.53	103.19	105.40
1	AA	882	C	C6-N1-C2	-5.53	118.09	120.30
1	AA	893	C	N3-C4-C5	5.53	124.11	121.90
1	AA	1270	G	N3-C2-N2	5.53	123.77	119.90
3	AC	18	A	C6-C5-N7	-5.53	128.43	132.30
26	BB	829	A	N1-C2-N3	-5.53	126.54	129.30
26	BB	983	A	N3-C4-N9	5.53	131.82	127.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2148	G	P-O3'-C3'	5.53	126.33	119.70
26	BB	2557	G	C4-C5-N7	5.53	113.01	110.80
1	AA	228	A	N3-C4-N9	5.53	131.82	127.40
1	AA	278	G	N7-C8-N9	5.53	115.86	113.10
1	AA	554	A	O4'-C1'-N9	5.53	112.62	108.20
1	AA	1019	A	C8-N9-C4	-5.53	103.59	105.80
1	AA	1082	A	N3-C4-C5	-5.53	122.93	126.80
1	AA	1467	C	C2-N3-C4	-5.53	117.14	119.90
1	AA	1487	G	N3-C2-N2	5.53	123.77	119.90
25	BA	120	U	C1'-O4'-C4'	-5.53	105.48	109.90
26	BB	287	G	N1-C2-N2	5.53	121.17	116.20
26	BB	805	G	N7-C8-N9	5.53	115.86	113.10
26	BB	1101	U	N1-C2-O2	5.53	126.67	122.80
26	BB	1397	U	N3-C4-O4	5.53	123.27	119.40
26	BB	1753	G	C6-C5-N7	-5.53	127.08	130.40
26	BB	1868	C	N3-C4-N4	-5.53	114.13	118.00
26	BB	2676	C	O4'-C1'-N1	5.53	112.62	108.20
28	BD	95	TYR	CB-CG-CD2	-5.53	117.68	121.00
28	BD	245	THR	CA-CB-CG2	5.53	120.14	112.40
1	AA	183	C	C2-N1-C1'	-5.53	112.72	118.80
1	AA	213	G	C6-N1-C2	-5.53	121.78	125.10
1	AA	1063	C	N1-C2-O2	5.53	122.22	118.90
1	AA	1406	U	N3-C4-C5	-5.53	111.28	114.60
3	AC	36	U	C2-N3-C4	-5.53	123.69	127.00
11	AK	85	TYR	CB-CG-CD2	5.53	124.31	121.00
26	BB	161	A	C8-N9-C4	5.53	108.01	105.80
26	BB	242	G	C2-N3-C4	5.53	114.66	111.90
26	BB	473	G	N9-C1'-C2'	5.53	121.18	114.00
26	BB	935	C	C4-C5-C6	5.53	120.16	117.40
26	BB	1497	U	O5'-C5'-C4'	5.53	122.20	111.70
26	BB	1560	G	N3-C2-N2	5.53	123.77	119.90
26	BB	1581	G	N1-C2-N3	-5.53	120.58	123.90
26	BB	2266	A	C4'-C3'-C2'	-5.53	97.08	102.60
26	BB	2350	C	C5'-C4'-C3'	-5.53	107.16	116.00
40	BP	47	VAL	CA-CB-CG1	5.53	119.19	110.90
1	AA	1052	U	C2-N3-C4	-5.52	123.69	127.00
1	AA	1292	G	N3-C4-N9	5.52	129.31	126.00
26	BB	24	G	N9-C4-C5	5.52	107.61	105.40
26	BB	558	U	C2-N3-C4	-5.52	123.69	127.00
26	BB	563	A	N1-C2-N3	5.52	132.06	129.30
26	BB	704	G	N1-C6-O6	5.52	123.21	119.90
26	BB	1476	U	C5-C6-N1	5.52	125.46	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1601	G	C4-C5-N7	5.52	113.01	110.80
26	BB	2049	G	N3-C2-N2	5.52	123.77	119.90
26	BB	2515	C	N3-C4-C5	-5.52	119.69	121.90
1	AA	99	C	C4-C5-C6	-5.52	114.64	117.40
1	AA	311	C	N3-C4-C5	5.52	124.11	121.90
1	AA	345	C	O5'-P-OP1	-5.52	100.73	105.70
1	AA	383	A	N3-C4-C5	-5.52	122.94	126.80
1	AA	521	G	C6-C5-N7	-5.52	127.09	130.40
1	AA	634	C	O3'-P-O5'	-5.52	93.51	104.00
1	AA	687	A	N7-C8-N9	5.52	116.56	113.80
1	AA	858	G	C5-C6-N1	-5.52	108.74	111.50
1	AA	1098	C	C5-C4-N4	-5.52	116.33	120.20
10	AJ	63	VAL	CA-CB-CG1	5.52	119.18	110.90
26	BB	6	A	C5-C6-N1	5.52	120.46	117.70
26	BB	225	C	N1-C2-O2	5.52	122.21	118.90
26	BB	344	A	C8-N9-C4	-5.52	103.59	105.80
26	BB	515	A	C5-C6-N6	-5.52	119.28	123.70
26	BB	716	A	N1-C6-N6	-5.52	115.29	118.60
26	BB	820	A	C1'-O4'-C4'	5.52	114.32	109.90
26	BB	947	A	C5-C6-N6	5.52	128.12	123.70
26	BB	1462	C	C6-N1-C1'	5.52	127.43	120.80
26	BB	1690	A	C8-N9-C4	-5.52	103.59	105.80
26	BB	1715	G	C4-C5-C6	5.52	122.11	118.80
26	BB	1718	G	N1-C2-N2	5.52	121.17	116.20
26	BB	1921	G	N9-C4-C5	-5.52	103.19	105.40
26	BB	2477	U	N3-C2-O2	-5.52	118.33	122.20
26	BB	2488	G	C5'-C4'-C3'	-5.52	107.16	116.00
1	AA	1031	C	O4'-C1'-C2'	-5.52	100.28	105.80
1	AA	1061	G	C4-C5-N7	-5.52	108.59	110.80
26	BB	1199	U	C5'-C4'-C3'	-5.52	107.17	116.00
26	BB	1291	C	N3-C4-N4	5.52	121.86	118.00
26	BB	1297	C	O5'-P-OP2	-5.52	100.73	105.70
26	BB	1648	U	O4'-C1'-N1	5.52	112.62	108.20
26	BB	2510	C	O4'-C1'-N1	5.52	112.62	108.20
1	AA	805	C	N3-C4-N4	5.52	121.86	118.00
1	AA	934	C	C1'-O4'-C4'	-5.52	105.48	109.90
1	AA	1203	C	C5-C4-N4	-5.52	116.34	120.20
1	AA	1364	U	C4-C5-C6	5.52	123.01	119.70
1	AA	1442	G	N3-C2-N2	5.52	123.76	119.90
1	AA	1465	A	N9-C1'-C2'	-5.52	105.93	112.00
1	AA	1490	U	N3-C4-C5	-5.52	111.29	114.60
2	AB	7	G	C5-C6-O6	-5.52	125.29	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	19	G	C8-N9-C1'	5.52	134.17	127.00
26	BB	80	G	N7-C8-N9	5.52	115.86	113.10
26	BB	740	C	N3-C4-N4	-5.52	114.14	118.00
26	BB	979	A	N9-C4-C5	5.52	108.01	105.80
26	BB	1106	G	C5'-C4'-O4'	5.52	115.72	109.10
26	BB	1517	G	C3'-C2'-C1'	5.52	105.92	101.50
26	BB	2529	G	C1'-O4'-C4'	5.52	114.31	109.90
1	AA	419	C	C6-N1-C2	-5.52	118.09	120.30
1	AA	646	G	O4'-C1'-C2'	-5.52	100.28	105.80
1	AA	1292	G	N9-C4-C5	-5.52	103.19	105.40
7	AG	119	HIS	C-N-CA	5.52	135.49	121.70
12	AL	6	TYR	CZ-CE2-CD2	5.52	124.77	119.80
25	BA	29	A	O4'-C1'-C2'	-5.52	100.28	105.80
26	BB	390	U	N3-C4-O4	5.52	123.26	119.40
26	BB	564	C	C6-N1-C2	5.52	122.51	120.30
26	BB	578	G	O3'-P-O5'	-5.52	93.52	104.00
26	BB	723	C	O4'-C1'-N1	5.52	112.61	108.20
26	BB	841	G	N3-C4-C5	-5.52	125.84	128.60
26	BB	950	G	N3-C4-C5	-5.52	125.84	128.60
26	BB	1146	C	C2-N3-C4	5.52	122.66	119.90
26	BB	1179	G	N1-C2-N3	-5.52	120.59	123.90
26	BB	1192	G	C4'-C3'-C2'	-5.52	97.08	102.60
26	BB	1381	G	C2-N3-C4	5.52	114.66	111.90
26	BB	1532	A	N1-C2-N3	-5.52	126.54	129.30
26	BB	1544	A	P-O5'-C5'	5.52	129.73	120.90
26	BB	2108	A	N3-C4-C5	-5.52	122.94	126.80
26	BB	2234	G	N1-C2-N3	-5.52	120.59	123.90
26	BB	2288	A	N7-C8-N9	5.52	116.56	113.80
1	AA	575	G	C5'-C4'-C3'	-5.52	107.17	116.00
1	AA	1234	C	C4'-C3'-C2'	-5.52	97.08	102.60
1	AA	1386	G	N1-C6-O6	-5.52	116.59	119.90
1	AA	1447	A	C4-C5-N7	-5.52	107.94	110.70
26	BB	220	G	N3-C2-N2	-5.52	116.04	119.90
26	BB	576	U	C5'-C4'-O4'	5.52	115.72	109.10
26	BB	1520	U	C5-C6-N1	5.52	125.46	122.70
26	BB	1606	C	O4'-C1'-N1	5.52	112.61	108.20
26	BB	1988	G	C1'-O4'-C4'	-5.52	105.49	109.90
26	BB	2197	U	C3'-C2'-C1'	5.52	105.91	101.50
26	BB	2363	G	C6-N1-C2	5.52	128.41	125.10
1	AA	10	A	N9-C1'-C2'	-5.51	105.94	112.00
1	AA	89	U	C2-N3-C4	-5.51	123.69	127.00
1	AA	619	U	C2-N3-C4	-5.51	123.69	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1523	G	N1-C6-O6	5.51	123.21	119.90
4	AD	22	A	N3-C4-C5	5.51	130.66	126.80
4	AD	38	A	O5'-C5'-C4'	5.51	122.18	111.70
23	AW	27	MET	CA-CB-CG	5.51	122.68	113.30
25	BA	10	G	C5'-C4'-C3'	-5.51	107.18	116.00
25	BA	69	G	C6-C5-N7	5.51	133.71	130.40
25	BA	114	C	C2-N3-C4	5.51	122.66	119.90
26	BB	71	A	C5-N7-C8	-5.51	101.14	103.90
26	BB	73	A	P-O3'-C3'	5.51	126.32	119.70
26	BB	77	G	C2-N3-C4	-5.51	109.14	111.90
26	BB	317	G	C5-C6-O6	5.51	131.91	128.60
26	BB	721	A	C3'-C2'-C1'	-5.51	97.09	101.50
26	BB	925	A	N1-C6-N6	5.51	121.91	118.60
26	BB	1443	U	O4'-C4'-C3'	-5.51	98.48	104.00
26	BB	1531	C	C3'-C2'-C1'	5.51	105.91	101.50
26	BB	1687	G	N7-C8-N9	5.51	115.86	113.10
26	BB	2039	U	C1'-O4'-C4'	-5.51	105.49	109.90
26	BB	2638	G	N9-C4-C5	5.51	107.61	105.40
1	AA	267	C	N1-C2-O2	5.51	122.21	118.90
1	AA	913	A	N3-C4-N9	-5.51	122.99	127.40
1	AA	1190	G	C6-N1-C2	-5.51	121.79	125.10
1	AA	1481	U	P-O3'-C3'	5.51	126.32	119.70
10	AJ	69	ARG	NE-CZ-NH2	5.51	123.06	120.30
26	BB	1312	U	C5'-C4'-O4'	-5.51	102.48	109.10
26	BB	1375	U	N1-C2-N3	5.51	118.21	114.90
26	BB	2764	A	O4'-C4'-C3'	5.51	110.51	106.10
26	BB	2804	U	C2-N3-C4	-5.51	123.69	127.00
29	BE	39	ASP	N-CA-CB	-5.51	100.68	110.60
30	BF	35	TYR	CB-CG-CD1	-5.51	117.69	121.00
1	AA	92	U	N3-C4-O4	5.51	123.26	119.40
1	AA	278	G	N3-C2-N2	5.51	123.76	119.90
1	AA	552	U	N1-C2-O2	5.51	126.66	122.80
1	AA	614	C	C6-N1-C2	-5.51	118.09	120.30
1	AA	626	G	C5-C6-N1	5.51	114.26	111.50
1	AA	698	G	C5-N7-C8	5.51	107.06	104.30
1	AA	865	A	C6-C5-N7	5.51	136.16	132.30
1	AA	1109	C	C5-C4-N4	-5.51	116.34	120.20
1	AA	1254	A	C4-C5-C6	-5.51	114.24	117.00
1	AA	1471	U	C2-N3-C4	-5.51	123.69	127.00
4	AD	53	G	C4'-C3'-C2'	-5.51	97.09	102.60
26	BB	75	G	N7-C8-N9	-5.51	110.34	113.10
26	BB	326	G	C6-N1-C2	-5.51	121.79	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	418	C	C5'-C4'-O4'	5.51	115.72	109.10
26	BB	999	U	C6-N1-C2	5.51	124.31	121.00
26	BB	1447	C	C1'-O4'-C4'	5.51	114.31	109.90
26	BB	1532	A	OP1-P-OP2	-5.51	111.33	119.60
26	BB	1674	G	O4'-C1'-N9	5.51	112.61	108.20
26	BB	1888	G	C5-C6-O6	5.51	131.91	128.60
26	BB	2344	U	N3-C4-O4	-5.51	115.54	119.40
26	BB	2376	A	C4-C5-C6	-5.51	114.24	117.00
26	BB	2773	C	N3-C4-N4	-5.51	114.14	118.00
26	BB	2868	A	N9-C4-C5	-5.51	103.59	105.80
1	AA	19	A	C1'-O4'-C4'	-5.51	105.49	109.90
1	AA	496	A	C5-N7-C8	5.51	106.66	103.90
1	AA	665	A	C4'-C3'-C2'	-5.51	97.09	102.60
1	AA	785	G	C4-C5-C6	5.51	122.11	118.80
1	AA	905	U	C1'-O4'-C4'	-5.51	105.49	109.90
1	AA	1542	A	C4-C5-C6	5.51	119.75	117.00
25	BA	27	C	C6-N1-C2	-5.51	118.10	120.30
26	BB	430	A	O4'-C1'-C2'	5.51	112.56	107.60
26	BB	493	G	C6-N1-C2	-5.51	121.80	125.10
26	BB	864	G	C5-N7-C8	-5.51	101.55	104.30
26	BB	1376	C	C1'-O4'-C4'	-5.51	105.49	109.90
26	BB	1527	G	N1-C6-O6	-5.51	116.59	119.90
26	BB	1889	A	C5-N7-C8	5.51	106.66	103.90
26	BB	2528	U	N3-C4-C5	-5.51	111.29	114.60
26	BB	2551	C	N3-C2-O2	-5.51	118.04	121.90
26	BB	2873	A	C2-N3-C4	-5.51	107.84	110.60
31	BG	50	ASP	CB-CG-OD1	-5.51	113.34	118.30
1	AA	605	U	C1'-O4'-C4'	5.51	114.31	109.90
1	AA	1112	C	N3-C4-N4	5.51	121.86	118.00
1	AA	1491	G	C4-C5-N7	5.51	113.00	110.80
26	BB	642	U	P-O3'-C3'	5.51	126.31	119.70
26	BB	1224	U	C2-N3-C4	-5.51	123.69	127.00
26	BB	1302	A	C4-C5-C6	-5.51	114.25	117.00
26	BB	1702	G	N9-C4-C5	5.51	107.60	105.40
1	AA	264	C	C2-N3-C4	5.51	122.65	119.90
1	AA	289	G	N3-C2-N2	-5.51	116.05	119.90
1	AA	398	U	C5-C4-O4	-5.51	122.60	125.90
1	AA	445	G	N9-C4-C5	5.51	107.60	105.40
1	AA	508	U	C5'-C4'-O4'	5.51	115.71	109.10
1	AA	1045	C	O3'-P-O5'	5.51	114.46	104.00
2	AB	64	U	N3-C2-O2	-5.51	118.34	122.20
16	AP	105	ALA	N-CA-CB	-5.51	102.39	110.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	382	A	N9-C4-C5	5.51	108.00	105.80
26	BB	470	A	N1-C2-N3	-5.51	126.55	129.30
26	BB	545	U	C1'-O4'-C4'	-5.51	105.50	109.90
26	BB	574	A	C2-N3-C4	5.51	113.35	110.60
26	BB	577	G	C4-C5-C6	5.51	122.10	118.80
26	BB	668	A	C4'-C3'-C2'	-5.51	97.09	102.60
26	BB	677	A	C5-C6-N6	-5.51	119.30	123.70
26	BB	704	G	C4-C5-C6	5.51	122.10	118.80
26	BB	775	G	C5-C6-N1	5.51	114.25	111.50
26	BB	1028	A	C5-C6-N6	-5.51	119.29	123.70
26	BB	1506	U	C3'-C2'-C1'	5.51	105.91	101.50
26	BB	1558	C	N3-C4-N4	5.51	121.85	118.00
26	BB	1707	G	C4-C5-N7	-5.51	108.60	110.80
26	BB	1891	G	C4-C5-N7	-5.51	108.60	110.80
26	BB	2450	A	O4'-C1'-C2'	-5.51	100.29	105.80
26	BB	2729	G	C1'-O4'-C4'	5.51	114.31	109.90
26	BB	2826	A	C8-N9-C4	-5.51	103.60	105.80
26	BB	2889	C	N3-C4-N4	5.51	121.85	118.00
1	AA	1214	C	N1-C1'-C2'	5.50	121.16	114.00
26	BB	147	C	N3-C4-N4	5.50	121.85	118.00
26	BB	151	C	P-O3'-C3'	5.50	126.31	119.70
26	BB	696	G	N9-C4-C5	-5.50	103.20	105.40
26	BB	971	G	O4'-C1'-N9	5.50	112.60	108.20
26	BB	1079	C	C4'-C3'-C2'	-5.50	97.09	102.60
26	BB	1942	C	N1-C2-O2	5.50	122.20	118.90
26	BB	2323	G	C3'-C2'-C1'	5.50	105.90	101.50
26	BB	2338	C	C4'-C3'-C2'	-5.50	97.09	102.60
1	AA	101	A	N1-C2-N3	-5.50	126.55	129.30
1	AA	175	C	C4-C5-C6	5.50	120.15	117.40
1	AA	208	U	O4'-C1'-C2'	5.50	112.55	107.60
1	AA	394	G	C2-N3-C4	5.50	114.65	111.90
1	AA	529	G	C5'-C4'-C3'	-5.50	107.19	116.00
1	AA	555	U	N1-C1'-C2'	-5.50	105.94	112.00
1	AA	597	G	N3-C4-C5	-5.50	125.85	128.60
1	AA	835	U	N3-C4-O4	-5.50	115.55	119.40
1	AA	845	A	C5'-C4'-O4'	-5.50	102.50	109.10
1	AA	861	G	C4-C5-N7	5.50	113.00	110.80
1	AA	1104	G	O4'-C4'-C3'	-5.50	98.50	104.00
1	AA	1145	A	N1-C6-N6	-5.50	115.30	118.60
3	AC	29	G	C4-C5-N7	-5.50	108.60	110.80
26	BB	101	A	C8-N9-C4	-5.50	103.60	105.80
26	BB	203	A	P-O3'-C3'	5.50	126.31	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	701	G	N3-C4-N9	5.50	129.30	126.00
26	BB	760	G	O4'-C1'-C2'	5.50	112.55	107.60
26	BB	769	U	C2-N3-C4	-5.50	123.70	127.00
26	BB	1022	G	C3'-C2'-C1'	-5.50	97.10	101.50
26	BB	1634	A	C5'-C4'-C3'	-5.50	107.19	116.00
26	BB	2034	U	C5-C6-N1	-5.50	119.95	122.70
26	BB	2098	U	N1-C2-O2	-5.50	118.95	122.80
26	BB	2447	G	C4'-C3'-C2'	-5.50	97.10	102.60
26	BB	2528	U	N3-C4-O4	5.50	123.25	119.40
26	BB	2825	G	C4'-C3'-C2'	-5.50	97.10	102.60
1	AA	83	C	C6-N1-C2	5.50	122.50	120.30
1	AA	263	A	C4-C5-N7	-5.50	107.95	110.70
1	AA	740	U	C4'-C3'-C2'	-5.50	97.10	102.60
1	AA	1060	U	N1-C2-N3	5.50	118.20	114.90
1	AA	1176	A	C6-N1-C2	-5.50	115.30	118.60
3	AC	50	U	C2-N3-C4	5.50	130.30	127.00
26	BB	26	G	C2'-C3'-O3'	5.50	122.50	113.70
26	BB	198	C	N1-C2-N3	-5.50	115.35	119.20
26	BB	357	C	N1-C2-O2	5.50	122.20	118.90
26	BB	2156	G	P-O3'-C3'	5.50	126.30	119.70
26	BB	2186	G	N3-C4-N9	-5.50	122.70	126.00
26	BB	2751	G	C2-N3-C4	-5.50	109.15	111.90
1	AA	712	A	N1-C6-N6	5.50	121.90	118.60
1	AA	868	C	N1-C2-O2	5.50	122.20	118.90
1	AA	1141	C	O4'-C1'-N1	5.50	112.60	108.20
1	AA	1510	C	N3-C2-O2	-5.50	118.05	121.90
1	AA	1529	G	N3-C4-N9	5.50	129.30	126.00
22	AV	60	PHE	CB-CG-CD2	-5.50	116.95	120.80
25	BA	118	C	C6-N1-C2	5.50	122.50	120.30
26	BB	401	A	C5'-C4'-O4'	5.50	115.70	109.10
26	BB	498	G	O4'-C1'-N9	5.50	112.60	108.20
26	BB	1256	G	C4-C5-C6	5.50	122.10	118.80
26	BB	1488	C	O4'-C1'-N1	5.50	112.60	108.20
26	BB	2148	G	C4'-C3'-C2'	-5.50	97.10	102.60
1	AA	18	C	C5-C4-N4	-5.50	116.35	120.20
1	AA	150	U	O5'-C5'-C4'	-5.50	101.25	111.70
4	AD	16	C	C4'-C3'-C2'	-5.50	97.10	102.60
26	BB	102	U	C1'-O4'-C4'	-5.50	105.50	109.90
26	BB	305	C	N1-C2-O2	5.50	122.20	118.90
26	BB	579	G	N9-C1'-C2'	-5.50	105.95	112.00
26	BB	1345	C	C5-C6-N1	5.50	123.75	121.00
26	BB	1365	A	C1'-O4'-C4'	-5.50	105.50	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1389	G	N1-C2-N2	5.50	121.15	116.20
26	BB	1829	A	O5'-P-OP1	-5.50	100.75	105.70
26	BB	1910	G	N1-C6-O6	5.50	123.20	119.90
26	BB	2028	U	O4'-C4'-C3'	-5.50	98.50	104.00
26	BB	2050	C	O4'-C1'-N1	5.50	112.60	108.20
26	BB	2374	C	N1-C1'-C2'	-5.50	105.95	112.00
26	BB	2456	C	N1-C2-O2	5.50	122.20	118.90
1	AA	654	G	C2-N3-C4	5.50	114.65	111.90
1	AA	1026	G	N9-C1'-C2'	-5.50	105.95	112.00
1	AA	1235	U	C2-N3-C4	-5.50	123.70	127.00
1	AA	1356	G	O4'-C4'-C3'	5.50	110.50	106.10
3	AC	19	A	C3'-C2'-C1'	-5.50	97.10	101.50
26	BB	46	G	N7-C8-N9	5.50	115.85	113.10
26	BB	392	U	C6-N1-C2	-5.50	117.70	121.00
26	BB	866	A	C2-N3-C4	5.50	113.35	110.60
26	BB	900	A	N7-C8-N9	-5.50	111.05	113.80
26	BB	1707	G	C5-N7-C8	5.50	107.05	104.30
26	BB	2281	A	N7-C8-N9	-5.50	111.05	113.80
26	BB	2409	G	C6-N1-C2	-5.50	121.80	125.10
26	BB	2798	U	O5'-P-OP1	-5.50	100.75	105.70
31	BG	69	ALA	N-CA-CB	5.50	117.80	110.10
1	AA	573	A	C4-C5-N7	-5.50	107.95	110.70
1	AA	608	A	C1'-O4'-C4'	5.50	114.30	109.90
1	AA	1506	U	O4'-C1'-C2'	-5.50	100.31	105.80
1	AA	1524	C	C6-N1-C1'	5.50	127.39	120.80
26	BB	470	A	C5'-C4'-C3'	-5.50	107.21	116.00
26	BB	1090	A	C1'-O4'-C4'	5.50	114.30	109.90
26	BB	2579	C	C1'-O4'-C4'	-5.50	105.50	109.90
37	BM	35	VAL	C-N-CA	5.50	133.84	122.30
1	AA	416	G	N7-C8-N9	5.49	115.85	113.10
1	AA	542	G	N3-C4-C5	-5.49	125.85	128.60
1	AA	1287	A	N7-C8-N9	5.49	116.55	113.80
1	AA	1421	G	N7-C8-N9	5.49	115.85	113.10
25	BA	44	G	C8-N9-C1'	5.49	134.14	127.00
26	BB	108	G	C1'-O4'-C4'	-5.49	105.50	109.90
26	BB	369	U	P-O3'-C3'	5.49	126.29	119.70
26	BB	648	G	N3-C2-N2	-5.49	116.05	119.90
26	BB	785	G	C5'-C4'-O4'	5.49	115.69	109.10
26	BB	861	A	N9-C1'-C2'	-5.49	105.96	112.00
26	BB	2025	C	C5'-C4'-O4'	5.49	115.69	109.10
37	BM	3	GLN	N-CA-CB	-5.49	100.71	110.60
1	AA	220	G	N9-C1'-C2'	-5.49	105.96	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	613	C	N3-C4-C5	-5.49	119.70	121.90
1	AA	1001	C	C5'-C4'-C3'	-5.49	107.21	116.00
1	AA	1089	G	C8-N9-C4	-5.49	104.20	106.40
2	AB	44	G	C6-N1-C2	-5.49	121.81	125.10
7	AG	6	PRO	N-CA-CB	5.49	109.89	103.30
26	BB	92	U	C2-N1-C1'	5.49	124.29	117.70
26	BB	1521	G	N3-C2-N2	-5.49	116.06	119.90
26	BB	2010	G	C6-N1-C2	-5.49	121.81	125.10
26	BB	2092	U	N3-C2-O2	-5.49	118.36	122.20
26	BB	2294	G	N9-C4-C5	5.49	107.60	105.40
1	AA	562	U	N3-C4-C5	-5.49	111.31	114.60
1	AA	703	G	C2-N3-C4	5.49	114.64	111.90
1	AA	1029	U	N3-C4-O4	5.49	123.24	119.40
1	AA	1239	A	N9-C4-C5	5.49	108.00	105.80
2	AB	4	G	N3-C4-C5	5.49	131.34	128.60
17	AQ	99	SER	O-C-N	5.49	131.49	122.70
26	BB	212	G	C5-C6-O6	-5.49	125.31	128.60
26	BB	699	A	C5-C6-N1	5.49	120.44	117.70
26	BB	711	G	O5'-C5'-C4'	5.49	122.13	111.70
26	BB	744	U	C4-C5-C6	5.49	122.99	119.70
26	BB	1784	A	C4-C5-N7	-5.49	107.95	110.70
26	BB	1994	C	N1-C1'-C2'	-5.49	105.96	112.00
26	BB	2530	A	O5'-P-OP1	5.49	117.29	110.70
26	BB	2633	G	N1-C6-O6	5.49	123.19	119.90
26	BB	2840	C	C4-C5-C6	5.49	120.14	117.40
1	AA	205	A	C5-C6-N1	5.49	120.44	117.70
1	AA	245	U	C4'-C3'-C2'	-5.49	97.11	102.60
1	AA	698	G	O4'-C1'-N9	5.49	112.59	108.20
1	AA	715	A	C5'-C4'-C3'	-5.49	107.22	116.00
1	AA	767	A	N1-C6-N6	5.49	121.89	118.60
1	AA	1195	C	N3-C4-N4	5.49	121.84	118.00
1	AA	1509	C	C2-N3-C4	-5.49	117.16	119.90
3	AC	15	G	P-O5'-C5'	5.49	129.68	120.90
26	BB	193	U	C5-C4-O4	5.49	129.19	125.90
26	BB	533	G	N1-C2-N3	-5.49	120.61	123.90
26	BB	1022	G	O4'-C1'-N9	5.49	112.59	108.20
26	BB	1055	G	C5'-C4'-C3'	-5.49	107.22	116.00
26	BB	1461	C	O4'-C1'-C2'	-5.49	100.31	105.80
26	BB	1723	G	N3-C4-C5	-5.49	125.86	128.60
26	BB	1821	A	C3'-C2'-C1'	-5.49	97.11	101.50
26	BB	2198	A	C5-C6-N1	5.49	120.44	117.70
26	BB	2578	G	C6-N1-C2	-5.49	121.81	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	436	C	C2-N1-C1'	-5.49	112.76	118.80
1	AA	1041	G	C4-C5-N7	-5.49	108.61	110.80
26	BB	465	G	C5-C6-N1	5.49	114.24	111.50
26	BB	632	A	N7-C8-N9	5.49	116.54	113.80
26	BB	1043	C	C2'-C3'-O3'	5.49	122.48	113.70
26	BB	1163	G	C5-C6-O6	-5.49	125.31	128.60
26	BB	1816	C	N1-C2-N3	-5.49	115.36	119.20
26	BB	1839	G	N9-C1'-C2'	-5.49	105.97	112.00
26	BB	2839	G	C2-N3-C4	5.49	114.64	111.90
1	AA	122	G	C5'-C4'-O4'	5.49	115.68	109.10
1	AA	166	U	C3'-C2'-C1'	-5.49	97.11	101.50
1	AA	476	U	C4'-C3'-O3'	5.49	123.97	113.00
1	AA	1081	A	C4-C5-C6	-5.49	114.26	117.00
1	AA	1179	A	C6-C5-N7	5.49	136.14	132.30
1	AA	1424	U	N1-C2-N3	5.49	118.19	114.90
1	AA	1513	A	C5-C6-N1	-5.49	114.96	117.70
8	AH	84	VAL	CG1-CB-CG2	-5.49	102.12	110.90
15	AO	98	ARG	NH1-CZ-NH2	5.49	125.43	119.40
23	AW	35	TYR	CB-CG-CD2	-5.49	117.71	121.00
25	BA	67	G	N3-C4-C5	-5.49	125.86	128.60
26	BB	199	A	N1-C2-N3	-5.49	126.56	129.30
26	BB	606	U	N3-C4-O4	5.49	123.24	119.40
26	BB	869	G	C5-N7-C8	-5.49	101.56	104.30
26	BB	928	A	C4-C5-C6	-5.49	114.26	117.00
26	BB	1451	C	C5-C6-N1	-5.49	118.26	121.00
26	BB	1716	U	C5'-C4'-O4'	5.49	115.68	109.10
26	BB	1933	G	C5'-C4'-C3'	5.49	124.78	116.00
26	BB	2395	C	C5-C6-N1	5.49	123.74	121.00
26	BB	2569	G	C5-C6-O6	5.49	131.89	128.60
26	BB	2693	G	C6-N1-C2	-5.49	121.81	125.10
26	BB	2747	G	N3-C4-C5	-5.49	125.86	128.60
26	BB	2755	C	C6-N1-C2	-5.49	118.11	120.30
26	BB	2904	U	C5-C6-N1	5.49	125.44	122.70
1	AA	361	G	N1-C6-O6	-5.48	116.61	119.90
1	AA	646	G	N7-C8-N9	5.48	115.84	113.10
1	AA	726	C	N1-C2-O2	-5.48	115.61	118.90
1	AA	1417	G	N9-C1'-C2'	-5.48	105.97	112.00
26	BB	255	A	C6-N1-C2	5.48	121.89	118.60
26	BB	483	A	N1-C6-N6	5.48	121.89	118.60
26	BB	793	A	P-O3'-C3'	5.48	126.28	119.70
26	BB	1184	U	C3'-C2'-C1'	-5.48	97.11	101.50
26	BB	1391	U	N3-C4-C5	-5.48	111.31	114.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1795	C	N1-C2-O2	5.48	122.19	118.90
1	AA	385	C	C4-C5-C6	-5.48	114.66	117.40
1	AA	442	G	C4'-C3'-C2'	-5.48	97.12	102.60
1	AA	920	U	C4'-C3'-C2'	-5.48	97.12	102.60
1	AA	1345	U	P-O3'-C3'	5.48	126.28	119.70
26	BB	110	G	C4-C5-C6	-5.48	115.51	118.80
26	BB	144	A	C4'-C3'-C2'	-5.48	97.12	102.60
26	BB	311	A	C4'-C3'-C2'	-5.48	97.12	102.60
26	BB	340	A	C5-N7-C8	5.48	106.64	103.90
26	BB	524	G	O5'-C5'-C4'	5.48	122.12	111.70
26	BB	753	A	C5'-C4'-C3'	-5.48	107.23	116.00
26	BB	1169	A	C5-C6-N1	5.48	120.44	117.70
26	BB	1690	A	N9-C1'-C2'	-5.48	105.97	112.00
26	BB	2168	G	N3-C4-N9	5.48	129.29	126.00
26	BB	2324	U	O4'-C4'-C3'	5.48	110.49	106.10
26	BB	2629	U	C5-C6-N1	5.48	125.44	122.70
26	BB	2686	G	C4-N9-C1'	-5.48	119.37	126.50
26	BB	2782	G	C5-C6-N1	5.48	114.24	111.50
28	BD	216	ARG	NE-CZ-NH1	5.48	123.04	120.30
1	AA	454	G	N7-C8-N9	5.48	115.84	113.10
1	AA	1241	G	C2-N3-C4	5.48	114.64	111.90
1	AA	1419	G	N9-C4-C5	5.48	107.59	105.40
1	AA	1488	G	C5-C6-O6	-5.48	125.31	128.60
2	AB	76	A	N3-C4-C5	5.48	130.64	126.80
25	BA	73	A	C3'-C2'-C1'	-5.48	97.11	101.50
26	BB	47	C	C2'-C3'-O3'	5.48	122.47	113.70
26	BB	470	A	C4-C5-C6	-5.48	114.26	117.00
26	BB	570	G	N3-C4-C5	-5.48	125.86	128.60
26	BB	774	G	O4'-C1'-C2'	5.48	112.53	107.60
26	BB	1572	A	C5-C6-N1	5.48	120.44	117.70
26	BB	1682	G	C5-C6-N1	5.48	114.24	111.50
26	BB	2028	U	C2-N3-C4	-5.48	123.71	127.00
26	BB	2139	U	N3-C2-O2	-5.48	118.36	122.20
26	BB	2186	G	C4'-C3'-C2'	-5.48	97.12	102.60
1	AA	5	U	O4'-C1'-C2'	-5.48	100.32	105.80
1	AA	391	G	N3-C4-C5	-5.48	125.86	128.60
1	AA	1198	G	C2-N3-C4	5.48	114.64	111.90
1	AA	1222	G	N9-C1'-C2'	5.48	121.12	114.00
26	BB	207	A	C6-C5-N7	-5.48	128.46	132.30
26	BB	508	A	N9-C1'-C2'	-5.48	105.97	112.00
26	BB	1073	A	C1'-O4'-C4'	-5.48	105.52	109.90
26	BB	1364	G	C2-N3-C4	5.48	114.64	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1528	A	C4-C5-N7	-5.48	107.96	110.70
26	BB	2626	C	N3-C4-C5	-5.48	119.71	121.90
26	BB	2831	G	C4-C5-N7	5.48	112.99	110.80
26	BB	2834	G	N7-C8-N9	5.48	115.84	113.10
28	BD	62	ARG	NE-CZ-NH2	5.48	123.04	120.30
1	AA	31	G	C5'-C4'-O4'	5.48	115.67	109.10
1	AA	526	C	C4-C5-C6	-5.48	114.66	117.40
1	AA	540	G	C8-N9-C1'	5.48	134.12	127.00
1	AA	782	A	N9-C4-C5	5.48	107.99	105.80
1	AA	1077	G	N9-C4-C5	5.48	107.59	105.40
1	AA	1334	G	C5-N7-C8	-5.48	101.56	104.30
1	AA	1401	G	N9-C1'-C2'	-5.48	105.97	112.00
6	AF	90	VAL	CG1-CB-CG2	-5.48	102.14	110.90
26	BB	75	G	C8-N9-C4	5.48	108.59	106.40
26	BB	388	G	C8-N9-C1'	5.48	134.12	127.00
26	BB	401	A	N3-C4-N9	-5.48	123.02	127.40
26	BB	784	G	C3'-C2'-C1'	5.48	105.88	101.50
26	BB	1001	A	N1-C2-N3	-5.48	126.56	129.30
26	BB	1252	G	N7-C8-N9	-5.48	110.36	113.10
26	BB	1719	G	C2-N3-C4	5.48	114.64	111.90
26	BB	1810	A	C6-C5-N7	-5.48	128.47	132.30
26	BB	1880	U	N1-C1'-C2'	-5.48	105.97	112.00
26	BB	2454	G	N3-C4-N9	-5.48	122.71	126.00
26	BB	2858	C	C5-C6-N1	5.48	123.74	121.00
1	AA	191	G	P-O3'-C3'	5.48	126.27	119.70
1	AA	542	G	C1'-O4'-C4'	-5.48	105.52	109.90
1	AA	1000	A	C4-C5-C6	5.48	119.74	117.00
1	AA	1333	A	C4'-C3'-C2'	-5.48	97.12	102.60
4	AD	23	G	C2-N3-C4	5.48	114.64	111.90
26	BB	143	C	N3-C4-C5	-5.48	119.71	121.90
26	BB	802	A	C6-C5-N7	-5.48	128.47	132.30
26	BB	2669	G	N1-C2-N2	-5.48	111.27	116.20
26	BB	2720	U	N3-C4-O4	-5.48	115.57	119.40
26	BB	2889	C	C1'-O4'-C4'	-5.48	105.52	109.90
47	BW	21	ARG	NE-CZ-NH2	-5.48	117.56	120.30
1	AA	305	G	O4'-C4'-C3'	5.47	110.48	106.10
1	AA	380	G	N3-C4-C5	-5.47	125.86	128.60
1	AA	513	C	P-O3'-C3'	5.47	126.27	119.70
1	AA	568	G	N3-C2-N2	-5.47	116.07	119.90
1	AA	1181	G	N9-C4-C5	5.47	107.59	105.40
1	AA	1285	A	N1-C2-N3	-5.47	126.56	129.30
5	AE	7	ASP	CB-CG-OD1	-5.47	113.37	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	AJ	142	ARG	NE-CZ-NH2	-5.47	117.56	120.30
25	BA	44	G	N7-C8-N9	-5.47	110.36	113.10
26	BB	80	G	C5'-C4'-C3'	-5.47	107.24	116.00
26	BB	173	A	C3'-C2'-C1'	5.47	105.88	101.50
26	BB	978	G	N3-C4-C5	-5.47	125.86	128.60
26	BB	986	C	C5-C4-N4	-5.47	116.37	120.20
26	BB	1451	C	C5'-C4'-C3'	-5.47	107.24	116.00
26	BB	1510	G	N9-C1'-C2'	5.47	121.12	114.00
26	BB	1543	G	O5'-P-OP1	-5.47	100.77	105.70
26	BB	1600	C	N3-C2-O2	-5.47	118.07	121.90
26	BB	1642	G	C4'-C3'-C2'	5.47	108.07	102.60
26	BB	1808	A	P-O3'-C3'	5.47	126.27	119.70
26	BB	2771	C	C5'-C4'-O4'	5.47	115.67	109.10
1	AA	680	C	C5'-C4'-O4'	5.47	115.67	109.10
1	AA	714	G	C4-C5-C6	5.47	122.08	118.80
1	AA	719	C	N3-C4-N4	5.47	121.83	118.00
1	AA	752	G	C5-N7-C8	-5.47	101.56	104.30
1	AA	1282	C	C5-C4-N4	-5.47	116.37	120.20
1	AA	1531	A	C1'-O4'-C4'	-5.47	105.52	109.90
25	BA	106	G	N3-C4-C5	-5.47	125.86	128.60
26	BB	242	G	N3-C2-N2	-5.47	116.07	119.90
26	BB	384	A	C5-N7-C8	-5.47	101.16	103.90
26	BB	858	G	N1-C2-N3	-5.47	120.62	123.90
26	BB	903	C	C5-C4-N4	5.47	124.03	120.20
26	BB	987	C	N1-C1'-C2'	-5.47	105.98	112.00
26	BB	1727	C	O3'-P-O5'	-5.47	93.60	104.00
26	BB	1770	G	O4'-C1'-N9	5.47	112.58	108.20
26	BB	1778	U	N1-C2-O2	-5.47	118.97	122.80
26	BB	1876	A	C6-N1-C2	5.47	121.88	118.60
26	BB	1888	G	C4-C5-N7	-5.47	108.61	110.80
26	BB	1925	C	C2-N3-C4	5.47	122.64	119.90
26	BB	2171	A	C2-N3-C4	5.47	113.34	110.60
26	BB	2280	G	C5-C6-N1	5.47	114.24	111.50
27	BC	51	ASP	CB-CG-OD2	5.47	123.22	118.30
45	BU	97	LEU	CB-CG-CD2	5.47	120.30	111.00
1	AA	495	A	N1-C2-N3	5.47	132.04	129.30
1	AA	497	G	C5-C6-O6	-5.47	125.32	128.60
1	AA	534	U	O4'-C1'-N1	5.47	112.58	108.20
1	AA	963	G	C1'-O4'-C4'	-5.47	105.52	109.90
1	AA	986	U	N3-C4-C5	5.47	117.88	114.60
1	AA	1300	G	C2-N3-C4	5.47	114.64	111.90
18	AR	77	TYR	CB-CG-CD2	5.47	124.28	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	51	G	C2-N3-C4	-5.47	109.16	111.90
26	BB	390	U	N1-C2-O2	5.47	126.63	122.80
26	BB	2019	A	O4'-C1'-C2'	5.47	112.52	107.60
26	BB	2138	G	N3-C2-N2	5.47	123.73	119.90
1	AA	193	C	C5-C4-N4	-5.47	116.37	120.20
1	AA	241	G	C3'-C2'-C1'	-5.47	97.12	101.50
1	AA	712	A	C2-N3-C4	5.47	113.33	110.60
1	AA	759	A	C2-N3-C4	5.47	113.33	110.60
1	AA	1024	G	C4'-C3'-C2'	-5.47	97.13	102.60
1	AA	1163	A	C6-N1-C2	5.47	121.88	118.60
1	AA	1310	G	C4'-C3'-C2'	-5.47	97.13	102.60
1	AA	1429	A	P-O3'-C3'	5.47	126.26	119.70
1	AA	1530	G	N7-C8-N9	5.47	115.83	113.10
4	AD	1	C	C3'-C2'-C1'	-5.47	97.12	101.50
25	BA	12	C	N3-C2-O2	-5.47	118.07	121.90
26	BB	200	U	N1-C2-N3	5.47	118.18	114.90
26	BB	273	G	C4'-C3'-C2'	-5.47	97.13	102.60
26	BB	461	C	C6-N1-C2	-5.47	118.11	120.30
26	BB	705	A	N9-C1'-C2'	-5.47	105.98	112.00
26	BB	1217	U	N1-C2-N3	5.47	118.18	114.90
26	BB	2186	G	O4'-C1'-N9	5.47	112.58	108.20
26	BB	2215	C	O5'-C5'-C4'	5.47	122.09	111.70
26	BB	2490	G	C4-C5-N7	-5.47	108.61	110.80
26	BB	2588	G	O4'-C1'-C2'	5.47	112.52	107.60
1	AA	996	A	N9-C4-C5	5.47	107.99	105.80
1	AA	1115	U	C1'-O4'-C4'	-5.47	105.53	109.90
26	BB	367	G	N9-C4-C5	5.47	107.59	105.40
26	BB	1026	G	C5-C6-N1	5.47	114.23	111.50
26	BB	1406	U	N1-C2-N3	5.47	118.18	114.90
26	BB	1903	G	C6-C5-N7	-5.47	127.12	130.40
26	BB	2144	G	O4'-C1'-N9	5.47	112.58	108.20
26	BB	2152	G	C2-N3-C4	5.47	114.63	111.90
28	BD	1	ALA	N-CA-CB	-5.47	102.44	110.10
43	BS	106	THR	CA-CB-CG2	5.47	120.06	112.40
47	BW	10	VAL	CA-CB-CG2	5.47	119.10	110.90
1	AA	201	G	C6-N1-C2	-5.47	121.82	125.10
1	AA	423	G	C2-N3-C4	5.47	114.63	111.90
1	AA	768	A	C6-C5-N7	5.47	136.13	132.30
1	AA	849	G	N3-C2-N2	5.47	123.73	119.90
1	AA	882	C	N1-C2-O2	-5.47	115.62	118.90
1	AA	906	A	N1-C2-N3	5.47	132.03	129.30
1	AA	929	G	C3'-C2'-C1'	5.47	105.87	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	978	A	O5'-C5'-C4'	5.47	122.09	111.70
1	AA	985	C	C1'-O4'-C4'	-5.47	105.53	109.90
1	AA	1058	G	N3-C4-C5	-5.47	125.87	128.60
1	AA	1270	G	O4'-C1'-N9	5.47	112.57	108.20
26	BB	89	A	C4-C5-C6	-5.47	114.27	117.00
26	BB	1236	G	C4-C5-N7	5.47	112.99	110.80
26	BB	1760	C	C5-C4-N4	-5.47	116.37	120.20
26	BB	1785	A	N9-C4-C5	5.47	107.99	105.80
26	BB	1867	G	C5-C6-N1	5.47	114.23	111.50
26	BB	1876	A	N3-C4-C5	-5.47	122.97	126.80
26	BB	2549	G	C1'-O4'-C4'	-5.47	105.53	109.90
26	BB	2721	A	N1-C6-N6	5.47	121.88	118.60
1	AA	77	A	C8-N9-C4	-5.46	103.61	105.80
1	AA	522	C	C4'-C3'-C2'	-5.46	97.14	102.60
1	AA	585	G	C8-N9-C1'	5.46	134.10	127.00
1	AA	1089	G	N9-C1'-C2'	-5.46	105.99	112.00
25	BA	57	A	C2'-C3'-O3'	5.46	122.44	113.70
26	BB	698	C	N3-C2-O2	-5.46	118.08	121.90
26	BB	733	G	C5-C6-N1	5.46	114.23	111.50
26	BB	1006	C	C5'-C4'-C3'	-5.46	107.26	116.00
26	BB	1595	C	N3-C2-O2	5.46	125.72	121.90
26	BB	2482	A	C4'-C3'-C2'	-5.46	97.14	102.60
43	BS	85	ALA	N-CA-CB	5.46	117.75	110.10
1	AA	204	G	C5-C6-O6	5.46	131.88	128.60
26	BB	943	A	N9-C4-C5	5.46	107.98	105.80
26	BB	988	A	C5-N7-C8	-5.46	101.17	103.90
26	BB	1395	A	C5'-C4'-O4'	5.46	115.66	109.10
26	BB	1919	A	C1'-O4'-C4'	5.46	114.27	109.90
26	BB	2611	C	N3-C4-C5	-5.46	119.72	121.90
1	AA	96	U	N3-C4-C5	-5.46	111.32	114.60
1	AA	121	U	C6-N1-C1'	-5.46	113.55	121.20
1	AA	152	A	P-O3'-C3'	5.46	126.25	119.70
1	AA	633	G	N3-C2-N2	5.46	123.72	119.90
1	AA	722	G	C6-C5-N7	-5.46	127.12	130.40
1	AA	767	A	C5-C6-N1	5.46	120.43	117.70
1	AA	837	U	C4'-C3'-O3'	5.46	123.92	113.00
1	AA	1041	G	N1-C2-N3	5.46	127.18	123.90
1	AA	1164	G	C8-N9-C4	-5.46	104.22	106.40
1	AA	1169	A	N3-C4-N9	-5.46	123.03	127.40
4	AD	4	G	N1-C6-O6	-5.46	116.62	119.90
4	AD	25	U	C4'-C3'-C2'	-5.46	97.14	102.60
4	AD	57	C	N1-C2-N3	5.46	123.02	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	242	G	C5'-C4'-C3'	-5.46	107.26	116.00
26	BB	308	G	N1-C6-O6	-5.46	116.62	119.90
26	BB	559	G	C1'-O4'-C4'	-5.46	105.53	109.90
26	BB	570	G	C5'-C4'-O4'	5.46	115.65	109.10
26	BB	752	A	N9-C4-C5	5.46	107.98	105.80
26	BB	785	G	C6-C5-N7	-5.46	127.12	130.40
26	BB	1630	A	C5-C6-N1	5.46	120.43	117.70
26	BB	1680	U	O4'-C1'-N1	5.46	112.57	108.20
26	BB	1972	G	N1-C2-N2	5.46	121.11	116.20
26	BB	2663	G	N9-C4-C5	5.46	107.58	105.40
26	BB	2780	G	C5-N7-C8	5.46	107.03	104.30
26	BB	2784	U	C4-C5-C6	5.46	122.98	119.70
57	B6	63	TYR	CB-CG-CD1	-5.46	117.72	121.00
1	AA	228	A	C6-C5-N7	-5.46	128.48	132.30
1	AA	530	G	O4'-C4'-C3'	5.46	110.47	106.10
1	AA	1000	A	C4-C5-N7	-5.46	107.97	110.70
1	AA	1458	G	C3'-C2'-C1'	5.46	105.87	101.50
25	BA	20	G	C5-C6-N1	5.46	114.23	111.50
26	BB	198	C	N1-C1'-C2'	-5.46	105.99	112.00
26	BB	365	U	N3-C4-C5	5.46	117.88	114.60
26	BB	369	U	C5'-C4'-O4'	5.46	115.65	109.10
26	BB	620	G	C4-C5-N7	-5.46	108.62	110.80
26	BB	1103	A	N9-C4-C5	5.46	107.98	105.80
26	BB	1402	U	C1'-O4'-C4'	-5.46	105.53	109.90
26	BB	2218	G	C5-C6-O6	-5.46	125.32	128.60
35	BK	63	ASP	CB-CG-OD2	-5.46	113.39	118.30
1	AA	522	C	C2-N3-C4	5.46	122.63	119.90
1	AA	670	G	C8-N9-C1'	5.46	134.10	127.00
1	AA	671	G	N3-C2-N2	-5.46	116.08	119.90
1	AA	1022	A	C3'-C2'-C1'	5.46	105.87	101.50
1	AA	1465	A	C5-C6-N6	5.46	128.07	123.70
26	BB	974	G	C4'-C3'-C2'	-5.46	97.14	102.60
26	BB	1025	G	N3-C2-N2	-5.46	116.08	119.90
26	BB	1319	C	C5'-C4'-C3'	-5.46	107.27	116.00
26	BB	1708	C	N1-C2-O2	5.46	122.17	118.90
26	BB	2731	G	C5-C6-O6	-5.46	125.33	128.60
26	BB	2803	G	C5-C6-O6	-5.46	125.33	128.60
1	AA	281	G	C8-N9-C4	-5.46	104.22	106.40
1	AA	548	G	N1-C2-N2	5.46	121.11	116.20
1	AA	588	G	O4'-C4'-C3'	5.46	110.47	106.10
1	AA	640	A	C5-N7-C8	5.46	106.63	103.90
1	AA	1048	G	N3-C4-N9	5.46	129.27	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1091	U	C1'-O4'-C4'	-5.46	105.53	109.90
1	AA	1222	G	C5-N7-C8	-5.46	101.57	104.30
3	AC	31	U	C4-C5-C6	5.46	122.97	119.70
23	AW	49	ALA	CB-CA-C	5.46	118.28	110.10
26	BB	785	G	O4'-C1'-C2'	-5.46	100.34	105.80
26	BB	1370	C	C4-C5-C6	-5.46	114.67	117.40
26	BB	1478	G	C8-N9-C4	5.46	108.58	106.40
26	BB	1631	G	N1-C2-N3	-5.46	120.63	123.90
26	BB	2562	U	N3-C2-O2	-5.46	118.38	122.20
1	AA	821	G	C4-C5-C6	-5.46	115.53	118.80
2	AB	70	C	C2'-C3'-O3'	5.46	122.43	113.70
4	AD	39	A	N1-C6-N6	5.46	121.87	118.60
26	BB	459	U	C6-N1-C2	-5.46	117.73	121.00
26	BB	1667	G	N7-C8-N9	5.46	115.83	113.10
26	BB	1910	G	C5-C6-O6	-5.46	125.33	128.60
26	BB	2628	C	C2-N3-C4	5.46	122.63	119.90
26	BB	2780	G	N3-C4-C5	-5.46	125.87	128.60
1	AA	8	A	C5-N7-C8	-5.45	101.17	103.90
1	AA	80	A	C6-N1-C2	5.45	121.87	118.60
1	AA	359	G	C1'-O4'-C4'	5.45	114.26	109.90
1	AA	524	G	N7-C8-N9	5.45	115.83	113.10
1	AA	712	A	C5-C6-N1	5.45	120.43	117.70
1	AA	810	C	N3-C2-O2	-5.45	118.08	121.90
1	AA	938	A	C5-C6-N6	5.45	128.06	123.70
1	AA	1106	G	C5-C6-N1	5.45	114.23	111.50
26	BB	31	C	C2-N3-C4	-5.45	117.17	119.90
26	BB	126	A	C1'-O4'-C4'	-5.45	105.54	109.90
26	BB	144	A	C5-C6-N1	5.45	120.43	117.70
26	BB	812	C	C5-C4-N4	-5.45	116.38	120.20
26	BB	1038	G	C5'-C4'-O4'	5.45	115.64	109.10
26	BB	1254	A	C2-N3-C4	5.45	113.33	110.60
26	BB	1326	U	C2-N3-C4	-5.45	123.73	127.00
26	BB	1418	G	O4'-C1'-N9	-5.45	103.84	108.20
26	BB	1611	C	N3-C4-C5	5.45	124.08	121.90
26	BB	1614	A	C4-C5-N7	-5.45	107.97	110.70
26	BB	2648	G	C4'-C3'-C2'	-5.45	97.15	102.60
26	BB	2649	C	C5-C6-N1	-5.45	118.27	121.00
1	AA	240	G	C4-C5-C6	5.45	122.07	118.80
1	AA	1236	A	N9-C1'-C2'	-5.45	106.00	112.00
26	BB	164	C	N3-C2-O2	-5.45	118.08	121.90
26	BB	663	G	C2-N3-C4	-5.45	109.17	111.90
26	BB	1222	U	C4'-C3'-C2'	-5.45	97.15	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1635	A	C6-N1-C2	-5.45	115.33	118.60
26	BB	1959	G	N1-C2-N2	-5.45	111.29	116.20
26	BB	2384	U	O3'-P-O5'	-5.45	93.64	104.00
26	BB	2690	U	C5-C4-O4	-5.45	122.63	125.90
1	AA	556	C	N3-C4-N4	5.45	121.82	118.00
1	AA	602	A	O4'-C1'-N9	5.45	112.56	108.20
1	AA	936	C	N1-C2-N3	5.45	123.02	119.20
1	AA	1051	C	C3'-C2'-C1'	5.45	105.86	101.50
1	AA	1052	U	C5-C6-N1	-5.45	119.97	122.70
1	AA	1104	G	N1-C6-O6	-5.45	116.63	119.90
1	AA	1348	U	C5'-C4'-C3'	-5.45	107.28	116.00
6	AF	198	LYS	N-CA-CB	-5.45	100.79	110.60
14	AN	85	VAL	CG1-CB-CG2	-5.45	102.18	110.90
15	AO	94	TYR	CD1-CG-CD2	5.45	123.89	117.90
25	BA	47	C	C5'-C4'-C3'	-5.45	107.28	116.00
26	BB	237	C	N3-C4-C5	-5.45	119.72	121.90
26	BB	1341	G	C3'-C2'-C1'	5.45	105.86	101.50
26	BB	1624	U	C2-N3-C4	-5.45	123.73	127.00
26	BB	1753	G	O4'-C1'-C2'	5.45	112.51	107.60
26	BB	1948	G	C8-N9-C4	5.45	108.58	106.40
26	BB	2217	G	C1'-O4'-C4'	-5.45	105.54	109.90
26	BB	2440	C	C2'-C3'-O3'	5.45	122.42	113.70
26	BB	2854	G	C6-N1-C2	5.45	128.37	125.10
26	BB	2861	U	C2-N3-C4	-5.45	123.73	127.00
1	AA	18	C	N3-C2-O2	-5.45	118.09	121.90
1	AA	1012	A	C5-C6-N1	5.45	120.42	117.70
1	AA	1058	G	C6-N1-C2	-5.45	121.83	125.10
7	AG	203	TYR	CB-CG-CD1	-5.45	117.73	121.00
25	BA	37	C	N1-C1'-C2'	-5.45	106.01	112.00
26	BB	496	G	C8-N9-C1'	5.45	134.08	127.00
26	BB	498	G	N1-C2-N3	-5.45	120.63	123.90
26	BB	656	G	C3'-C2'-C1'	-5.45	97.14	101.50
26	BB	1002	G	C5-C6-O6	-5.45	125.33	128.60
26	BB	1016	G	C8-N9-C4	-5.45	104.22	106.40
26	BB	1083	U	C5-C4-O4	-5.45	122.63	125.90
26	BB	1136	G	C5-C6-O6	-5.45	125.33	128.60
26	BB	1281	G	C4'-C3'-C2'	-5.45	97.15	102.60
26	BB	1385	A	O4'-C4'-C3'	5.45	110.46	106.10
26	BB	1394	U	C2-N3-C4	-5.45	123.73	127.00
26	BB	1840	G	C5'-C4'-C3'	-5.45	107.28	116.00
26	BB	2072	C	C2-N3-C4	5.45	122.62	119.90
26	BB	2274	A	N7-C8-N9	5.45	116.52	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2455	G	N3-C4-C5	-5.45	125.88	128.60
26	BB	2612	C	C4'-C3'-C2'	-5.45	97.15	102.60
1	AA	1288	A	N1-C2-N3	5.45	132.02	129.30
1	AA	1363	A	O3'-P-O5'	-5.45	93.65	104.00
1	AA	1471	U	C4-C5-C6	5.45	122.97	119.70
3	AC	33	A	C6-N1-C2	-5.45	115.33	118.60
26	BB	152	A	C3'-C2'-C1'	5.45	105.86	101.50
26	BB	371	A	C5'-C4'-C3'	5.45	124.72	116.00
26	BB	475	C	N1-C2-N3	5.45	123.01	119.20
26	BB	651	G	C5-N7-C8	5.45	107.02	104.30
26	BB	1306	C	N3-C4-N4	5.45	121.81	118.00
26	BB	2124	G	C3'-C2'-C1'	5.45	105.86	101.50
26	BB	2646	C	N3-C2-O2	5.45	125.71	121.90
45	BU	94	ASP	CB-CG-OD2	-5.45	113.40	118.30
1	AA	299	G	N3-C4-N9	5.45	129.27	126.00
1	AA	447	G	C4-C5-N7	-5.45	108.62	110.80
1	AA	464	U	N3-C2-O2	-5.45	118.39	122.20
1	AA	591	U	C6-N1-C2	-5.45	117.73	121.00
1	AA	935	A	N7-C8-N9	-5.45	111.08	113.80
26	BB	8	C	C3'-C2'-C1'	-5.45	97.14	101.50
26	BB	219	A	C5'-C4'-O4'	5.45	115.64	109.10
26	BB	292	U	C5-C6-N1	-5.45	119.98	122.70
26	BB	425	G	N3-C4-C5	5.45	131.32	128.60
26	BB	617	G	N3-C4-C5	-5.45	125.88	128.60
26	BB	841	G	O5'-P-OP2	-5.45	100.80	105.70
26	BB	876	C	C6-N1-C2	5.45	122.48	120.30
26	BB	1114	C	N3-C4-N4	5.45	121.81	118.00
26	BB	1424	G	N9-C4-C5	5.45	107.58	105.40
26	BB	1638	C	C4-C5-C6	5.45	120.12	117.40
26	BB	2096	C	N3-C4-C5	-5.45	119.72	121.90
26	BB	2374	C	C2'-C3'-O3'	5.45	122.41	113.70
26	BB	2510	C	C5-C6-N1	5.45	123.72	121.00
26	BB	2737	G	C2-N3-C4	5.45	114.62	111.90
1	AA	57	G	C5-C6-N1	5.44	114.22	111.50
1	AA	126	G	C2-N3-C4	5.44	114.62	111.90
1	AA	292	G	N1-C2-N2	5.44	121.10	116.20
1	AA	425	G	C3'-C2'-C1'	-5.44	97.14	101.50
1	AA	559	A	N9-C1'-C2'	-5.44	106.01	112.00
1	AA	794	A	N3-C4-C5	5.44	130.61	126.80
1	AA	1210	C	C3'-C2'-C1'	5.44	105.86	101.50
1	AA	1360	A	C5-N7-C8	5.44	106.62	103.90
2	AB	64	U	C5-C6-N1	-5.44	119.98	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	205	G	C5'-C4'-O4'	5.44	115.63	109.10
26	BB	385	C	C4-C5-C6	5.44	120.12	117.40
26	BB	476	G	C4-C5-C6	5.44	122.07	118.80
26	BB	629	G	C4'-C3'-C2'	-5.44	97.16	102.60
26	BB	910	A	C5'-C4'-C3'	-5.44	107.29	116.00
26	BB	1106	G	C4-C5-C6	-5.44	115.53	118.80
26	BB	2086	U	N3-C2-O2	-5.44	118.39	122.20
26	BB	2657	A	C1'-O4'-C4'	-5.44	105.55	109.90
1	AA	194	C	C5-C6-N1	5.44	123.72	121.00
1	AA	207	C	O4'-C4'-C3'	5.44	110.45	106.10
1	AA	1119	C	C5'-C4'-O4'	5.44	115.63	109.10
1	AA	1456	A	N3-C4-N9	5.44	131.75	127.40
2	AB	76	A	C8-N9-C4	5.44	107.98	105.80
25	BA	12	C	C4'-C3'-C2'	-5.44	97.16	102.60
25	BA	33	G	C4'-C3'-C2'	-5.44	97.16	102.60
26	BB	41	C	C2-N1-C1'	-5.44	112.81	118.80
26	BB	191	A	C6-N1-C2	-5.44	115.33	118.60
26	BB	263	G	O4'-C1'-N9	5.44	112.56	108.20
26	BB	601	C	N3-C4-C5	-5.44	119.72	121.90
26	BB	742	A	N9-C1'-C2'	-5.44	106.01	112.00
26	BB	842	U	P-O3'-C3'	5.44	126.23	119.70
26	BB	962	G	N3-C2-N2	-5.44	116.09	119.90
26	BB	1572	A	C5'-C4'-O4'	5.44	115.63	109.10
26	BB	1577	C	C5-C4-N4	-5.44	116.39	120.20
26	BB	1845	G	N1-C2-N2	-5.44	111.30	116.20
26	BB	1874	C	C4'-C3'-C2'	-5.44	97.16	102.60
26	BB	2086	U	O4'-C4'-C3'	5.44	110.45	106.10
26	BB	2703	C	C2-N3-C4	5.44	122.62	119.90
29	BE	52	THR	CA-CB-OG1	5.44	120.43	109.00
1	AA	210	C	C1'-O4'-C4'	-5.44	105.55	109.90
1	AA	229	U	N3-C4-O4	5.44	123.21	119.40
1	AA	394	G	P-O3'-C3'	5.44	126.23	119.70
1	AA	666	G	C4-C5-N7	-5.44	108.62	110.80
1	AA	823	C	OP2-P-O3'	5.44	117.17	105.20
1	AA	1095	U	N3-C4-C5	-5.44	111.33	114.60
1	AA	1279	G	C6-N1-C2	-5.44	121.84	125.10
1	AA	1309	G	N7-C8-N9	5.44	115.82	113.10
1	AA	1408	A	C4-C5-C6	-5.44	114.28	117.00
9	AI	102	MET	CB-CA-C	5.44	121.28	110.40
26	BB	103	A	C6-N1-C2	-5.44	115.34	118.60
26	BB	115	C	N3-C4-C5	5.44	124.08	121.90
26	BB	190	A	P-O3'-C3'	5.44	126.23	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	668	A	C1'-O4'-C4'	-5.44	105.55	109.90
26	BB	996	A	O5'-P-OP2	-5.44	100.80	105.70
26	BB	1453	A	C3'-C2'-C1'	5.44	105.85	101.50
26	BB	1771	C	N1-C2-O2	5.44	122.16	118.90
26	BB	2155	U	C3'-C2'-C1'	5.44	105.85	101.50
26	BB	2871	U	C3'-C2'-C1'	5.44	105.85	101.50
1	AA	268	U	C5'-C4'-C3'	-5.44	107.30	116.00
1	AA	1469	C	C3'-C2'-C1'	5.44	105.85	101.50
25	BA	10	G	N3-C4-C5	-5.44	125.88	128.60
26	BB	271	G	N1-C6-O6	5.44	123.16	119.90
26	BB	1337	G	N1-C6-O6	5.44	123.16	119.90
26	BB	2583	G	N1-C2-N2	-5.44	111.31	116.20
1	AA	144	G	C5-N7-C8	-5.44	101.58	104.30
1	AA	265	G	N1-C2-N3	-5.44	120.64	123.90
1	AA	947	G	C6-C5-N7	5.44	133.66	130.40
1	AA	991	U	N3-C4-C5	-5.44	111.34	114.60
1	AA	1044	A	C4-C5-N7	5.44	113.42	110.70
1	AA	1063	C	O4'-C1'-N1	5.44	112.55	108.20
1	AA	1066	C	N3-C2-O2	-5.44	118.09	121.90
1	AA	1347	G	P-O3'-C3'	5.44	126.23	119.70
2	AB	57	G	C4-C5-N7	5.44	112.97	110.80
26	BB	94	A	C6-N1-C2	5.44	121.86	118.60
26	BB	252	G	N3-C4-N9	5.44	129.26	126.00
26	BB	324	A	P-O3'-C3'	5.44	126.22	119.70
26	BB	1627	G	N3-C4-N9	-5.44	122.74	126.00
26	BB	1665	A	N9-C4-C5	-5.44	103.62	105.80
26	BB	2325	G	C2-N3-C4	5.44	114.62	111.90
26	BB	2471	A	C5-C6-N1	5.44	120.42	117.70
26	BB	2665	A	C6-C5-N7	-5.44	128.49	132.30
26	BB	2686	G	C8-N9-C4	-5.44	104.22	106.40
26	BB	2894	G	C4'-C3'-C2'	-5.44	97.16	102.60
1	AA	463	U	C5-C6-N1	-5.44	119.98	122.70
1	AA	1306	A	O4'-C1'-C2'	5.44	112.49	107.60
4	AD	36	A	N1-C6-N6	5.44	121.86	118.60
26	BB	222	A	C4-C5-C6	5.44	119.72	117.00
26	BB	242	G	N7-C8-N9	5.44	115.82	113.10
26	BB	247	G	N3-C4-C5	-5.44	125.88	128.60
26	BB	441	U	N3-C4-O4	-5.44	115.59	119.40
26	BB	2142	A	P-O3'-C3'	5.44	126.22	119.70
26	BB	2306	C	C6-N1-C2	-5.44	118.13	120.30
1	AA	197	A	O4'-C4'-C3'	5.43	110.45	106.10
1	AA	422	C	C6-N1-C1'	-5.43	114.28	120.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	521	G	O4'-C1'-N9	5.43	112.55	108.20
1	AA	991	U	OP2-P-O3'	5.43	117.15	105.20
1	AA	1003	G	C4-C5-N7	-5.43	108.63	110.80
1	AA	1286	U	P-O5'-C5'	5.43	129.60	120.90
1	AA	1456	A	N3-C4-C5	-5.43	123.00	126.80
10	AJ	116	ALA	CB-CA-C	5.43	118.25	110.10
26	BB	80	G	C5-C6-O6	-5.43	125.34	128.60
26	BB	172	A	N3-C4-N9	-5.43	123.05	127.40
26	BB	1190	G	O4'-C1'-N9	5.43	112.55	108.20
26	BB	2396	G	C6-C5-N7	-5.43	127.14	130.40
26	BB	2431	U	N3-C2-O2	-5.43	118.39	122.20
26	BB	2706	A	C6-C5-N7	-5.43	128.50	132.30
37	BM	72	PRO	N-CD-CG	5.43	111.35	103.20
58	B7	7	VAL	CA-CB-CG1	5.43	119.05	110.90
1	AA	91	U	C2'-C3'-O3'	5.43	122.39	113.70
1	AA	324	G	N3-C4-C5	5.43	131.32	128.60
1	AA	490	C	C1'-O4'-C4'	5.43	114.25	109.90
1	AA	600	A	N1-C6-N6	5.43	121.86	118.60
1	AA	639	G	C4-C5-C6	5.43	122.06	118.80
1	AA	665	A	P-O3'-C3'	5.43	126.22	119.70
1	AA	671	G	C4'-C3'-C2'	-5.43	97.17	102.60
1	AA	975	A	C5-N7-C8	-5.43	101.18	103.90
1	AA	1220	G	N3-C2-N2	-5.43	116.10	119.90
25	BA	74	U	C5-C6-N1	-5.43	119.98	122.70
26	BB	34	U	C2'-C3'-O3'	5.43	122.39	113.70
26	BB	645	C	C6-N1-C2	5.43	122.47	120.30
26	BB	1159	U	N3-C4-O4	5.43	123.20	119.40
26	BB	1722	A	C4'-C3'-C2'	-5.43	97.17	102.60
26	BB	2064	C	N1-C2-O2	5.43	122.16	118.90
26	BB	2195	U	N3-C2-O2	-5.43	118.40	122.20
26	BB	2315	G	N3-C4-C5	-5.43	125.88	128.60
26	BB	2565	A	C4-C5-N7	-5.43	107.98	110.70
2	AB	15	A	N9-C1'-C2'	-5.43	106.03	112.00
26	BB	577	G	C8-N9-C4	5.43	108.57	106.40
26	BB	1299	G	C8-N9-C4	-5.43	104.23	106.40
26	BB	1373	A	C2-N3-C4	5.43	113.31	110.60
26	BB	1529	G	C6-C5-N7	-5.43	127.14	130.40
1	AA	402	G	C3'-C2'-C1'	-5.43	97.16	101.50
1	AA	869	G	N7-C8-N9	5.43	115.81	113.10
1	AA	874	G	N3-C2-N2	-5.43	116.10	119.90
1	AA	1504	G	C8-N9-C4	-5.43	104.23	106.40
2	AB	36	A	C5-N7-C8	5.43	106.61	103.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	67	G	C5-C6-N1	5.43	114.22	111.50
6	AF	42	LEU	CB-CG-CD1	5.43	120.23	111.00
26	BB	231	A	C8-N9-C4	-5.43	103.63	105.80
26	BB	374	A	C4-C5-C6	5.43	119.71	117.00
26	BB	824	U	C3'-C2'-C1'	5.43	105.84	101.50
26	BB	910	A	C6-C5-N7	-5.43	128.50	132.30
26	BB	1068	G	N9-C4-C5	-5.43	103.23	105.40
26	BB	1091	G	N7-C8-N9	5.43	115.81	113.10
26	BB	1178	C	C6-N1-C2	-5.43	118.13	120.30
26	BB	2121	G	C5'-C4'-C3'	5.43	124.69	116.00
26	BB	2264	C	C4-C5-C6	5.43	120.11	117.40
26	BB	2315	G	C4'-C3'-C2'	-5.43	97.17	102.60
26	BB	2565	A	C5-C6-N6	-5.43	119.36	123.70
26	BB	2649	C	O4'-C1'-N1	5.43	112.54	108.20
26	BB	2689	U	N1-C2-N3	-5.43	111.64	114.90
52	B1	50	VAL	CA-CB-CG2	5.43	119.05	110.90
1	AA	731	G	C4-C5-C6	5.43	122.06	118.80
1	AA	893	C	N1-C2-N3	-5.43	115.40	119.20
10	AJ	9	ARG	NE-CZ-NH2	5.43	123.01	120.30
26	BB	779	U	C4'-C3'-C2'	-5.43	97.17	102.60
26	BB	863	A	P-O3'-C3'	5.43	126.21	119.70
26	BB	907	G	C5-C6-O6	-5.43	125.34	128.60
26	BB	2564	A	C4-C5-C6	-5.43	114.29	117.00
54	B3	45	ASP	CB-CG-OD1	-5.43	113.42	118.30
56	B5	9	VAL	CA-CB-CG1	-5.43	102.76	110.90
1	AA	107	G	C5-C6-O6	5.43	131.86	128.60
1	AA	769	G	N3-C4-N9	-5.43	122.75	126.00
1	AA	1171	A	N3-C4-C5	5.43	130.60	126.80
1	AA	1460	C	C6-N1-C2	-5.43	118.13	120.30
8	AH	116	VAL	CG1-CB-CG2	5.43	119.58	110.90
26	BB	58	G	O4'-C4'-C3'	5.43	110.44	106.10
26	BB	81	G	N1-C6-O6	-5.43	116.64	119.90
26	BB	291	G	C6-C5-N7	-5.43	127.14	130.40
26	BB	424	G	C6-N1-C2	-5.43	121.84	125.10
26	BB	701	G	C6-N1-C2	-5.43	121.84	125.10
26	BB	1794	A	C3'-C2'-C1'	-5.43	97.16	101.50
26	BB	1996	C	C5-C4-N4	-5.43	116.40	120.20
26	BB	2111	U	C5-C4-O4	5.43	129.16	125.90
26	BB	2199	A	O4'-C1'-N9	5.43	112.54	108.20
26	BB	2488	G	C8-N9-C4	-5.43	104.23	106.40
26	BB	2697	G	C5-N7-C8	-5.43	101.59	104.30
26	BB	2763	G	C4-C5-N7	5.43	112.97	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
50	BZ	17	ARG	CB-CA-C	5.43	121.25	110.40
1	AA	50	A	C4'-C3'-C2'	-5.42	97.18	102.60
1	AA	316	C	N3-C4-N4	5.42	121.80	118.00
1	AA	664	G	C8-N9-C4	-5.42	104.23	106.40
1	AA	917	G	C3'-C2'-C1'	-5.42	97.16	101.50
1	AA	1111	A	N1-C6-N6	-5.42	115.34	118.60
1	AA	1130	A	C6-C5-N7	5.42	136.10	132.30
1	AA	1218	C	N1-C1'-C2'	-5.42	106.03	112.00
3	AC	32	U	OP2-P-O3'	5.42	117.13	105.20
20	AT	79	GLU	OE1-CD-OE2	5.42	129.81	123.30
25	BA	107	G	C5'-C4'-O4'	5.42	115.61	109.10
26	BB	127	A	C6-C5-N7	5.42	136.10	132.30
26	BB	159	G	N1-C6-O6	-5.42	116.64	119.90
26	BB	222	A	C2-N3-C4	-5.42	107.89	110.60
26	BB	706	A	C5-C6-N6	5.42	128.04	123.70
26	BB	715	A	N7-C8-N9	5.42	116.51	113.80
26	BB	715	A	N9-C4-C5	5.42	107.97	105.80
26	BB	1035	U	O4'-C4'-C3'	-5.42	98.58	104.00
26	BB	1142	A	N3-C4-N9	-5.42	123.06	127.40
26	BB	1181	U	C2-N3-C4	-5.42	123.75	127.00
26	BB	1438	U	C5'-C4'-O4'	5.42	115.61	109.10
26	BB	1676	A	C4-C5-C6	-5.42	114.29	117.00
26	BB	1949	G	N7-C8-N9	-5.42	110.39	113.10
26	BB	2120	G	C5'-C4'-O4'	5.42	115.61	109.10
26	BB	2198	A	N7-C8-N9	-5.42	111.09	113.80
26	BB	2357	G	C4'-C3'-C2'	-5.42	97.18	102.60
26	BB	2589	A	C4-C5-N7	5.42	113.41	110.70
26	BB	2851	A	C8-N9-C4	-5.42	103.63	105.80
31	BG	104	THR	CA-CB-CG2	5.42	119.99	112.40
1	AA	17	U	C4'-C3'-C2'	-5.42	97.18	102.60
1	AA	371	A	N3-C4-C5	-5.42	123.00	126.80
1	AA	388	G	C5-N7-C8	5.42	107.01	104.30
1	AA	566	G	N7-C8-N9	5.42	115.81	113.10
1	AA	1329	A	C5-N7-C8	5.42	106.61	103.90
25	BA	10	G	C5'-C4'-O4'	5.42	115.61	109.10
26	BB	1013	C	C2-N3-C4	-5.42	117.19	119.90
26	BB	1842	G	N1-C2-N3	-5.42	120.65	123.90
26	BB	2593	U	N1-C2-N3	-5.42	111.65	114.90
40	BP	44	LEU	CB-CA-C	5.42	120.50	110.20
1	AA	212	G	O5'-P-OP2	-5.42	100.82	105.70
1	AA	590	U	C3'-C2'-C1'	5.42	105.84	101.50
1	AA	786	G	N3-C2-N2	-5.42	116.11	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	833	G	N3-C4-C5	-5.42	125.89	128.60
1	AA	1105	A	N7-C8-N9	5.42	116.51	113.80
1	AA	1379	G	N3-C2-N2	5.42	123.69	119.90
1	AA	1534	A	C4-C5-C6	-5.42	114.29	117.00
2	AB	67	G	C4'-C3'-C2'	-5.42	97.18	102.60
4	AD	25	U	N3-C2-O2	-5.42	118.40	122.20
26	BB	163	C	N3-C4-C5	-5.42	119.73	121.90
26	BB	466	A	C4-C5-N7	-5.42	107.99	110.70
26	BB	984	A	C1'-O4'-C4'	-5.42	105.56	109.90
26	BB	1272	A	P-O3'-C3'	5.42	126.20	119.70
26	BB	1440	U	C5'-C4'-O4'	5.42	115.61	109.10
26	BB	1513	U	C2-N3-C4	5.42	130.25	127.00
26	BB	1621	U	C6-N1-C2	-5.42	117.75	121.00
26	BB	1997	C	C4-C5-C6	5.42	120.11	117.40
26	BB	2435	A	C2-N3-C4	5.42	113.31	110.60
1	AA	305	G	N1-C6-O6	-5.42	116.65	119.90
1	AA	844	G	C8-N9-C4	-5.42	104.23	106.40
1	AA	1536	C	N3-C4-N4	5.42	121.79	118.00
26	BB	273	G	N1-C2-N2	5.42	121.08	116.20
26	BB	920	A	C5'-C4'-O4'	5.42	115.60	109.10
26	BB	1820	U	N1-C2-O2	5.42	126.59	122.80
26	BB	1918	A	C5-N7-C8	-5.42	101.19	103.90
1	AA	1415	G	N1-C2-N2	-5.42	111.32	116.20
1	AA	1442	G	N1-C2-N2	-5.42	111.32	116.20
1	AA	1449	C	N1-C2-O2	5.42	122.15	118.90
26	BB	377	G	C8-N9-C4	-5.42	104.23	106.40
26	BB	814	C	N3-C4-C5	-5.42	119.73	121.90
26	BB	838	C	C6-N1-C2	-5.42	118.13	120.30
26	BB	1197	G	C1'-O4'-C4'	5.42	114.23	109.90
26	BB	1437	C	N3-C2-O2	-5.42	118.11	121.90
26	BB	2631	G	N3-C4-N9	-5.42	122.75	126.00
26	BB	2678	C	N1-C1'-C2'	-5.42	106.04	112.00
26	BB	2679	A	C3'-C2'-C1'	-5.42	97.17	101.50
26	BB	2830	C	C1'-O4'-C4'	-5.42	105.56	109.90
28	BD	269	ARG	NE-CZ-NH2	-5.42	117.59	120.30
1	AA	67	C	C4'-C3'-C2'	-5.42	97.18	102.60
1	AA	211	G	C4-C5-N7	5.42	112.97	110.80
1	AA	517	G	N7-C8-N9	5.42	115.81	113.10
2	AB	60	U	C4-C5-C6	-5.42	116.45	119.70
14	AN	12	ARG	NH1-CZ-NH2	5.42	125.36	119.40
25	BA	72	G	C4'-C3'-C2'	-5.42	97.18	102.60
26	BB	341	C	O4'-C4'-C3'	5.42	110.43	106.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	468	G	C5-C6-O6	-5.42	125.35	128.60
26	BB	662	G	N3-C4-C5	-5.42	125.89	128.60
26	BB	722	A	N9-C4-C5	5.42	107.97	105.80
26	BB	1238	G	N9-C1'-C2'	-5.42	106.04	112.00
26	BB	1308	A	C1'-O4'-C4'	5.42	114.23	109.90
26	BB	1466	U	C5-C4-O4	-5.42	122.65	125.90
26	BB	1777	U	N3-C4-C5	5.42	117.85	114.60
26	BB	2010	G	C5'-C4'-C3'	-5.42	107.33	116.00
26	BB	2250	G	N9-C4-C5	5.42	107.57	105.40
26	BB	2808	G	C1'-O4'-C4'	5.42	114.23	109.90
1	AA	122	G	O4'-C1'-N9	5.42	112.53	108.20
1	AA	194	C	N1-C2-O2	5.42	122.15	118.90
1	AA	809	G	N1-C2-N2	5.42	121.07	116.20
26	BB	88	G	N9-C4-C5	5.42	107.57	105.40
26	BB	822	G	C4-C5-C6	5.42	122.05	118.80
26	BB	1184	U	N3-C4-O4	5.42	123.19	119.40
26	BB	1789	A	C5'-C4'-C3'	-5.42	107.34	116.00
26	BB	2377	A	C6-N1-C2	5.42	121.85	118.60
26	BB	2472	G	N1-C2-N3	5.42	127.15	123.90
1	AA	491	G	N9-C4-C5	5.41	107.57	105.40
1	AA	550	G	N3-C4-N9	-5.41	122.75	126.00
1	AA	561	U	N3-C2-O2	-5.41	118.41	122.20
1	AA	578	C	N3-C4-C5	-5.41	119.73	121.90
1	AA	890	G	N1-C2-N2	5.41	121.07	116.20
1	AA	1026	G	C5'-C4'-C3'	-5.41	107.34	116.00
26	BB	398	C	N1-C2-O2	5.41	122.15	118.90
26	BB	541	A	O4'-C1'-N9	5.41	112.53	108.20
26	BB	1006	C	C5-C6-N1	5.41	123.71	121.00
26	BB	1603	A	O4'-C1'-N9	5.41	112.53	108.20
26	BB	1751	U	C5-C6-N1	-5.41	119.99	122.70
26	BB	2048	G	N3-C4-N9	5.41	129.25	126.00
26	BB	2060	A	C3'-C2'-C1'	5.41	105.83	101.50
26	BB	2361	G	C5-N7-C8	-5.41	101.59	104.30
27	BC	74	ARG	N-CA-CB	5.41	120.34	110.60
1	AA	237	G	N3-C4-N9	-5.41	122.75	126.00
1	AA	779	C	N1-C2-O2	5.41	122.15	118.90
1	AA	1188	A	C3'-C2'-C1'	-5.41	97.17	101.50
1	AA	1242	G	O4'-C1'-N9	5.41	112.53	108.20
1	AA	1522	U	N3-C4-C5	-5.41	111.35	114.60
26	BB	373	U	N3-C4-O4	5.41	123.19	119.40
26	BB	424	G	C8-N9-C4	-5.41	104.23	106.40
26	BB	1173	U	N1-C2-O2	5.41	126.59	122.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1519	G	C2-N3-C4	5.41	114.61	111.90
26	BB	2686	G	C6-N1-C2	-5.41	121.85	125.10
26	BB	2703	C	O3'-P-O5'	-5.41	93.72	104.00
26	BB	2816	G	N1-C6-O6	-5.41	116.65	119.90
1	AA	117	G	C6-N1-C2	-5.41	121.85	125.10
1	AA	292	G	C6-C5-N7	5.41	133.65	130.40
1	AA	321	A	N3-C4-N9	-5.41	123.07	127.40
1	AA	442	G	C5'-C4'-C3'	-5.41	107.34	116.00
1	AA	483	C	C4-C5-C6	-5.41	114.69	117.40
1	AA	747	A	C6-C5-N7	5.41	136.09	132.30
1	AA	836	G	C4-C5-N7	5.41	112.96	110.80
1	AA	872	A	C5-N7-C8	5.41	106.61	103.90
1	AA	906	A	N9-C4-C5	-5.41	103.64	105.80
1	AA	927	G	N1-C2-N3	-5.41	120.65	123.90
9	AI	117	ALA	O-C-N	-5.41	114.04	122.70
22	AV	33	TRP	CG-CD2-CE3	5.41	138.77	133.90
24	AX	70	TYR	CG-CD1-CE1	-5.41	116.97	121.30
26	BB	118	A	C5'-C4'-O4'	5.41	115.59	109.10
26	BB	125	A	O4'-C1'-C2'	5.41	112.47	107.60
26	BB	539	G	O4'-C1'-C2'	5.41	112.47	107.60
26	BB	633	A	O3'-P-O5'	-5.41	93.72	104.00
26	BB	901	C	N1-C2-N3	5.41	122.99	119.20
26	BB	1274	A	C4-C5-C6	5.41	119.70	117.00
26	BB	1397	U	C5-C4-O4	5.41	129.15	125.90
26	BB	1458	U	C4-C5-C6	5.41	122.95	119.70
26	BB	1797	G	N1-C2-N2	5.41	121.07	116.20
26	BB	1877	A	O4'-C4'-C3'	5.41	110.43	106.10
26	BB	1966	A	N3-C4-C5	-5.41	123.01	126.80
26	BB	2400	G	O4'-C1'-N9	-5.41	103.87	108.20
26	BB	2549	G	N1-C2-N2	-5.41	111.33	116.20
26	BB	2743	U	N1-C2-O2	-5.41	119.01	122.80
28	BD	95	TYR	CG-CD1-CE1	-5.41	116.97	121.30
37	BM	59	LYS	N-CA-CB	-5.41	100.86	110.60
37	BM	100	PHE	CB-CG-CD1	-5.41	117.01	120.80
38	BN	70	LYS	C-N-CA	5.41	135.22	121.70
40	BP	80	PHE	CB-CG-CD1	-5.41	117.01	120.80
44	BT	68	ARG	NE-CZ-NH1	5.41	123.01	120.30
1	AA	210	C	N3-C4-C5	5.41	124.06	121.90
1	AA	259	G	C5-N7-C8	-5.41	101.60	104.30
1	AA	453	G	C6-C5-N7	5.41	133.65	130.40
1	AA	611	C	N3-C4-N4	5.41	121.78	118.00
1	AA	903	G	C3'-C2'-C1'	5.41	105.83	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	920	U	C3'-C2'-C1'	5.41	105.83	101.50
1	AA	1117	A	C5-C6-N6	5.41	128.03	123.70
2	AB	58	A	N1-C6-N6	-5.41	115.35	118.60
4	AD	6	G	N3-C2-N2	-5.41	116.11	119.90
5	AE	81	ASP	CB-CG-OD2	-5.41	113.43	118.30
7	AG	66	VAL	CA-CB-CG2	5.41	119.01	110.90
8	AH	136	VAL	CA-CB-CG2	5.41	119.01	110.90
26	BB	623	C	C5'-C4'-O4'	5.41	115.59	109.10
26	BB	636	G	O4'-C1'-N9	5.41	112.53	108.20
26	BB	997	G	C5'-C4'-O4'	5.41	115.59	109.10
26	BB	1048	A	C5-C6-N6	-5.41	119.37	123.70
26	BB	1355	G	C5'-C4'-O4'	5.41	115.59	109.10
26	BB	1763	G	N3-C4-C5	-5.41	125.90	128.60
26	BB	1804	C	N3-C2-O2	-5.41	118.11	121.90
26	BB	1980	G	C4-C5-C6	-5.41	115.56	118.80
26	BB	2427	C	C2-N1-C1'	-5.41	112.85	118.80
26	BB	2671	G	C2-N3-C4	5.41	114.60	111.90
1	AA	78	A	N7-C8-N9	5.41	116.50	113.80
1	AA	686	U	C5-C4-O4	5.41	129.14	125.90
26	BB	167	A	C6-N1-C2	5.41	121.84	118.60
26	BB	314	C	C4'-C3'-C2'	5.41	108.01	102.60
26	BB	1863	G	N1-C2-N3	5.41	127.14	123.90
37	BM	77	ILE	CG1-CB-CG2	-5.41	99.50	111.40
41	BQ	9	ARG	NE-CZ-NH2	5.41	123.00	120.30
1	AA	457	G	C4-C5-N7	-5.41	108.64	110.80
1	AA	1220	G	N9-C1'-C2'	-5.41	106.05	112.00
9	AI	26	THR	CA-CB-CG2	5.41	119.97	112.40
25	BA	100	G	C1'-O4'-C4'	-5.41	105.58	109.90
26	BB	67	U	C5'-C4'-C3'	5.41	124.65	116.00
26	BB	94	A	N1-C2-N3	-5.41	126.60	129.30
26	BB	522	A	C5'-C4'-O4'	5.41	115.59	109.10
26	BB	723	C	P-O3'-C3'	5.41	126.19	119.70
26	BB	1022	G	C1'-O4'-C4'	-5.41	105.58	109.90
26	BB	1598	A	C5'-C4'-C3'	-5.41	107.35	116.00
26	BB	1889	A	N1-C6-N6	-5.41	115.36	118.60
26	BB	1894	C	N3-C2-O2	-5.41	118.12	121.90
26	BB	1909	C	N1-C2-N3	-5.41	115.42	119.20
26	BB	1953	A	C5-N7-C8	-5.41	101.20	103.90
26	BB	2018	G	N1-C2-N3	-5.41	120.66	123.90
26	BB	2764	A	N3-C4-C5	-5.41	123.02	126.80
1	AA	152	A	C2-N3-C4	5.40	113.30	110.60
1	AA	225	C	C2-N3-C4	5.40	122.60	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	268	U	C4'-C3'-C2'	-5.40	97.20	102.60
26	BB	2581	G	C4'-C3'-C2'	-5.40	97.20	102.60
56	B5	41	ARG	NE-CZ-NH1	-5.40	117.60	120.30
1	AA	142	G	C5'-C4'-O4'	5.40	115.58	109.10
1	AA	152	A	C6-N1-C2	5.40	121.84	118.60
1	AA	204	G	N1-C6-O6	-5.40	116.66	119.90
1	AA	668	G	N3-C4-C5	5.40	131.30	128.60
1	AA	694	A	N9-C4-C5	-5.40	103.64	105.80
1	AA	861	G	O4'-C1'-N9	5.40	112.52	108.20
1	AA	991	U	N1-C1'-C2'	-5.40	106.06	112.00
1	AA	1260	G	N1-C2-N2	-5.40	111.34	116.20
25	BA	3	C	C3'-C2'-C1'	-5.40	97.18	101.50
25	BA	10	G	C5-C6-O6	-5.40	125.36	128.60
26	BB	678	C	C5'-C4'-O4'	5.40	115.58	109.10
26	BB	1056	G	N9-C1'-C2'	-5.40	106.06	112.00
26	BB	1468	U	C3'-C2'-C1'	5.40	105.82	101.50
26	BB	1970	A	C4-C5-C6	5.40	119.70	117.00
26	BB	2168	G	C5-N7-C8	5.40	107.00	104.30
26	BB	2776	A	N1-C2-N3	-5.40	126.60	129.30
32	BH	108	PHE	CB-CG-CD1	5.40	124.58	120.80
53	B2	42	PRO	N-CA-CB	5.40	109.78	103.30
1	AA	279	A	N1-C2-N3	5.40	132.00	129.30
1	AA	729	A	N3-C4-C5	-5.40	123.02	126.80
1	AA	796	C	C6-N1-C2	5.40	122.46	120.30
5	AE	20	ARG	N-CA-CB	-5.40	100.88	110.60
26	BB	185	G	O4'-C1'-N9	5.40	112.52	108.20
26	BB	340	A	N3-C4-C5	-5.40	123.02	126.80
26	BB	408	G	N7-C8-N9	5.40	115.80	113.10
26	BB	597	G	C6-N1-C2	-5.40	121.86	125.10
26	BB	623	C	C5-C4-N4	-5.40	116.42	120.20
26	BB	646	U	O4'-C1'-N1	5.40	112.52	108.20
26	BB	653	U	N3-C2-O2	-5.40	118.42	122.20
26	BB	901	C	C1'-O4'-C4'	-5.40	105.58	109.90
26	BB	908	C	C5-C6-N1	-5.40	118.30	121.00
26	BB	947	A	O5'-C5'-C4'	-5.40	101.44	111.70
26	BB	1136	G	C4'-C3'-C2'	-5.40	97.20	102.60
26	BB	2240	U	C2-N3-C4	-5.40	123.76	127.00
26	BB	2398	U	C5-C4-O4	5.40	129.14	125.90
26	BB	2425	A	N9-C4-C5	5.40	107.96	105.80
26	BB	2441	U	C2-N1-C1'	5.40	124.18	117.70
26	BB	2533	U	O3'-P-O5'	-5.40	93.74	104.00
26	BB	2645	G	C5-C6-N1	5.40	114.20	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2765	A	C4'-C3'-C2'	-5.40	97.20	102.60
1	AA	211	G	C5-C6-O6	5.40	131.84	128.60
1	AA	1250	A	C2-N3-C4	-5.40	107.90	110.60
1	AA	1488	G	N9-C4-C5	-5.40	103.24	105.40
1	AA	1491	G	C4'-C3'-C2'	-5.40	97.20	102.60
1	AA	1539	C	C2-N3-C4	-5.40	117.20	119.90
26	BB	122	G	C8-N9-C4	5.40	108.56	106.40
26	BB	470	A	C4'-C3'-C2'	-5.40	97.20	102.60
26	BB	1490	A	O4'-C1'-N9	5.40	112.52	108.20
26	BB	1544	A	O4'-C1'-N9	5.40	112.52	108.20
26	BB	2466	C	C1'-O4'-C4'	5.40	114.22	109.90
26	BB	2892	G	C5-C6-N1	5.40	114.20	111.50
29	BE	189	VAL	CG1-CB-CG2	-5.40	102.26	110.90
1	AA	82	G	O4'-C1'-N9	5.40	112.52	108.20
1	AA	398	U	C5'-C4'-O4'	5.40	115.58	109.10
1	AA	769	G	C1'-O4'-C4'	-5.40	105.58	109.90
1	AA	1328	C	N3-C4-N4	5.40	121.78	118.00
26	BB	213	A	C8-N9-C4	-5.40	103.64	105.80
26	BB	220	G	P-O3'-C3'	5.40	126.18	119.70
26	BB	342	A	O5'-C5'-C4'	-5.40	101.45	111.70
26	BB	954	G	N1-C6-O6	5.40	123.14	119.90
26	BB	1046	A	N9-C4-C5	5.40	107.96	105.80
26	BB	1061	U	C5'-C4'-O4'	5.40	115.58	109.10
26	BB	1144	A	O3'-P-O5'	-5.40	93.74	104.00
26	BB	1304	A	C5-C6-N6	-5.40	119.38	123.70
26	BB	1455	G	P-O5'-C5'	5.40	129.54	120.90
26	BB	1465	G	C8-N9-C4	-5.40	104.24	106.40
26	BB	1509	A	N7-C8-N9	-5.40	111.10	113.80
26	BB	1825	U	N3-C4-C5	-5.40	111.36	114.60
26	BB	1851	U	N1-C1'-C2'	-5.40	106.06	112.00
26	BB	2347	C	O5'-C5'-C4'	5.40	121.95	111.70
26	BB	2887	A	C6-N1-C2	-5.40	115.36	118.60
44	BT	92	TRP	NE1-CE2-CD2	-5.40	101.90	107.30
47	BW	72	PHE	CB-CG-CD2	5.40	124.58	120.80
50	BZ	27	ARG	CB-CA-C	5.40	121.20	110.40
1	AA	62	U	N3-C2-O2	-5.40	118.42	122.20
1	AA	551	U	O4'-C1'-N1	5.40	112.52	108.20
26	BB	130	C	C6-N1-C2	-5.40	118.14	120.30
26	BB	1009	A	C5-N7-C8	-5.40	101.20	103.90
26	BB	1245	G	C1'-O4'-C4'	5.40	114.22	109.90
26	BB	1600	C	C4-C5-C6	5.40	120.10	117.40
26	BB	1948	G	C5-C6-N1	5.40	114.20	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2115	G	C5-C6-O6	-5.40	125.36	128.60
1	AA	57	G	N7-C8-N9	5.39	115.80	113.10
1	AA	104	G	C5'-C4'-O4'	5.39	115.57	109.10
1	AA	498	A	C5-N7-C8	5.39	106.60	103.90
1	AA	501	C	O3'-P-O5'	5.39	114.25	104.00
1	AA	1004	A	N7-C8-N9	5.39	116.50	113.80
1	AA	1160	G	C5-N7-C8	-5.39	101.60	104.30
1	AA	1262	C	O4'-C1'-N1	5.39	112.52	108.20
1	AA	1276	G	C8-N9-C4	-5.39	104.24	106.40
1	AA	1385	G	N1-C6-O6	-5.39	116.66	119.90
1	AA	1406	U	N3-C4-O4	5.39	123.18	119.40
1	AA	1521	C	C2'-C3'-O3'	5.39	122.33	113.70
4	AD	65	G	N9-C4-C5	5.39	107.56	105.40
25	BA	10	G	C4'-C3'-C2'	-5.39	97.20	102.60
26	BB	301	G	C6-N1-C2	-5.39	121.86	125.10
26	BB	433	C	P-O3'-C3'	5.39	126.17	119.70
26	BB	567	U	C5'-C4'-O4'	5.39	115.57	109.10
26	BB	694	U	C2-N3-C4	-5.39	123.76	127.00
26	BB	1201	U	C5'-C4'-C3'	-5.39	107.37	116.00
26	BB	1892	C	P-O3'-C3'	5.39	126.17	119.70
26	BB	2216	G	C6-C5-N7	-5.39	127.16	130.40
26	BB	2249	U	O4'-C4'-C3'	5.39	110.42	106.10
26	BB	2314	A	C5'-C4'-C3'	-5.39	107.37	116.00
26	BB	2455	G	C4-C5-C6	5.39	122.04	118.80
26	BB	2462	C	N3-C4-C5	5.39	124.06	121.90
26	BB	2718	G	C3'-C2'-C1'	-5.39	97.19	101.50
29	BE	45	TYR	CB-CG-CD2	-5.39	117.76	121.00
1	AA	92	U	C6-N1-C2	5.39	124.24	121.00
1	AA	122	G	N1-C2-N2	5.39	121.05	116.20
1	AA	504	C	O4'-C1'-C2'	5.39	112.45	107.60
1	AA	573	A	N9-C4-C5	5.39	107.96	105.80
1	AA	1150	A	O4'-C4'-C3'	5.39	110.41	106.10
1	AA	1472	U	N1-C2-N3	5.39	118.14	114.90
3	AC	35	G	N1-C6-O6	-5.39	116.66	119.90
3	AC	42	U	N1-C1'-C2'	5.39	121.01	114.00
4	AD	46	G	N9-C4-C5	5.39	107.56	105.40
26	BB	207	A	C3'-C2'-C1'	-5.39	97.19	101.50
26	BB	824	U	C5'-C4'-C3'	-5.39	107.37	116.00
26	BB	981	A	O5'-C5'-C4'	5.39	121.94	111.70
26	BB	1236	G	C8-N9-C4	-5.39	104.24	106.40
26	BB	1358	G	O4'-C1'-N9	-5.39	103.89	108.20
26	BB	1416	G	OP2-P-O3'	5.39	117.06	105.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1588	G	N9-C4-C5	5.39	107.56	105.40
26	BB	2621	G	C5-N7-C8	5.39	107.00	104.30
26	BB	2729	G	C5-C6-N1	5.39	114.20	111.50
44	BT	79	ARG	CD-NE-CZ	5.39	131.15	123.60
1	AA	15	G	C5-C6-O6	-5.39	125.37	128.60
1	AA	1220	G	N1-C6-O6	-5.39	116.67	119.90
14	AN	76	TYR	CB-CG-CD2	-5.39	117.77	121.00
26	BB	563	A	C2-N3-C4	-5.39	107.91	110.60
26	BB	2319	G	C5-C6-O6	-5.39	125.37	128.60
26	BB	2398	U	C5-C6-N1	-5.39	120.00	122.70
1	AA	147	G	C4-C5-N7	-5.39	108.64	110.80
1	AA	281	G	N3-C4-C5	-5.39	125.91	128.60
1	AA	451	A	C4'-C3'-C2'	5.39	107.99	102.60
1	AA	559	A	C5'-C4'-C3'	-5.39	107.38	116.00
1	AA	1379	G	N1-C6-O6	5.39	123.13	119.90
26	BB	30	G	C4'-C3'-C2'	-5.39	97.21	102.60
26	BB	135	U	C6-N1-C2	-5.39	117.77	121.00
26	BB	245	G	C6-C5-N7	-5.39	127.17	130.40
26	BB	327	G	C4-C5-C6	5.39	122.03	118.80
26	BB	477	A	N1-C6-N6	-5.39	115.37	118.60
26	BB	617	G	C6-C5-N7	-5.39	127.17	130.40
26	BB	2233	U	P-O3'-C3'	5.39	126.17	119.70
26	BB	2278	A	N1-C6-N6	5.39	121.83	118.60
26	BB	2391	G	N9-C4-C5	5.39	107.56	105.40
26	BB	2476	A	C2-N3-C4	-5.39	107.91	110.60
26	BB	2624	G	N3-C2-N2	-5.39	116.13	119.90
26	BB	2669	G	N9-C4-C5	5.39	107.56	105.40
26	BB	2673	G	N3-C4-C5	-5.39	125.91	128.60
26	BB	2873	A	O4'-C1'-N9	5.39	112.51	108.20
26	BB	2883	A	C4-C5-N7	-5.39	108.00	110.70
1	AA	105	G	P-O5'-C5'	5.39	129.52	120.90
1	AA	413	G	C6-C5-N7	5.39	133.63	130.40
1	AA	900	A	N1-C6-N6	-5.39	115.37	118.60
26	BB	895	U	O4'-C1'-C2'	-5.39	100.41	105.80
26	BB	2110	G	C8-N9-C4	-5.39	104.25	106.40
1	AA	249	U	N1-C2-N3	5.39	118.13	114.90
1	AA	565	U	C5-C6-N1	-5.39	120.01	122.70
1	AA	616	G	C5-C6-N1	5.39	114.19	111.50
1	AA	794	A	C5-C6-N6	-5.39	119.39	123.70
1	AA	859	G	C5'-C4'-O4'	5.39	115.56	109.10
1	AA	886	G	N1-C2-N3	5.39	127.13	123.90
1	AA	963	G	C5-N7-C8	-5.39	101.61	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1011	C	N1-C2-O2	5.39	122.13	118.90
1	AA	1471	U	C6-N1-C2	-5.39	117.77	121.00
1	AA	1479	C	O3'-P-O5'	-5.39	93.77	104.00
18	AR	70	LYS	N-CA-CB	-5.39	100.90	110.60
18	AR	79	ARG	CD-NE-CZ	5.39	131.14	123.60
25	BA	97	C	C5-C4-N4	5.39	123.97	120.20
25	BA	112	G	C2-N3-C4	5.39	114.59	111.90
26	BB	55	G	C6-C5-N7	5.39	133.63	130.40
26	BB	327	G	C2-N3-C4	5.39	114.59	111.90
26	BB	1242	U	C5-C4-O4	-5.39	122.67	125.90
26	BB	2430	A	N9-C1'-C2'	5.39	121.00	114.00
26	BB	2758	A	C5-N7-C8	-5.39	101.21	103.90
26	BB	2821	A	C6-C5-N7	-5.39	128.53	132.30
28	BD	211	ARG	CA-C-O	-5.39	108.79	120.10
30	BF	52	VAL	CA-CB-CG1	-5.39	102.82	110.90
1	AA	501	C	O4'-C4'-C3'	-5.38	98.61	104.00
1	AA	804	U	C5'-C4'-C3'	-5.38	107.38	116.00
1	AA	864	A	N3-C4-N9	5.38	131.71	127.40
1	AA	1103	C	C4-C5-C6	5.38	120.09	117.40
1	AA	1337	G	N3-C4-C5	-5.38	125.91	128.60
1	AA	1401	G	N3-C4-N9	-5.38	122.77	126.00
1	AA	1536	C	C5-C4-N4	-5.38	116.43	120.20
26	BB	240	C	C4'-C3'-C2'	-5.38	97.22	102.60
26	BB	944	C	C6-N1-C2	5.38	122.45	120.30
26	BB	999	U	C2-N3-C4	-5.38	123.77	127.00
26	BB	1053	C	N1-C2-O2	5.38	122.13	118.90
26	BB	1147	A	P-O3'-C3'	5.38	126.16	119.70
26	BB	1402	U	C6-N1-C2	-5.38	117.77	121.00
26	BB	1620	G	P-O3'-C3'	5.38	126.16	119.70
26	BB	1836	C	O4'-C1'-N1	5.38	112.51	108.20
26	BB	1849	G	C5-N7-C8	5.38	106.99	104.30
26	BB	2046	G	C5-C6-N1	5.38	114.19	111.50
26	BB	2085	U	O4'-C1'-N1	5.38	112.51	108.20
26	BB	2331	G	C5'-C4'-O4'	5.38	115.56	109.10
26	BB	2501	C	C4'-C3'-O3'	5.38	123.77	113.00
31	BG	21	TYR	CG-CD2-CE2	-5.38	116.99	121.30
47	BW	13	LEU	CB-CG-CD1	-5.38	101.85	111.00
1	AA	317	U	C5-C6-N1	-5.38	120.01	122.70
1	AA	451	A	C5-N7-C8	5.38	106.59	103.90
1	AA	634	C	N3-C4-C5	5.38	124.05	121.90
1	AA	1197	A	N7-C8-N9	-5.38	111.11	113.80
6	AF	131	ARG	CD-NE-CZ	5.38	131.14	123.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	807	U	C5-C4-O4	-5.38	122.67	125.90
26	BB	863	A	N9-C4-C5	5.38	107.95	105.80
26	BB	1145	C	C5'-C4'-O4'	5.38	115.56	109.10
26	BB	2095	A	C8-N9-C4	-5.38	103.65	105.80
26	BB	2538	C	N1-C2-O2	5.38	122.13	118.90
26	BB	2672	U	C5-C4-O4	-5.38	122.67	125.90
1	AA	9	G	N1-C2-N3	-5.38	120.67	123.90
1	AA	485	U	C1'-O4'-C4'	-5.38	105.59	109.90
1	AA	580	C	C2-N1-C1'	-5.38	112.88	118.80
1	AA	877	G	C6-N1-C2	-5.38	121.87	125.10
1	AA	940	C	C2-N3-C4	5.38	122.59	119.90
1	AA	1058	G	C3'-C2'-C1'	-5.38	97.19	101.50
1	AA	1260	G	C5-C6-O6	-5.38	125.37	128.60
1	AA	1297	G	N7-C8-N9	-5.38	110.41	113.10
1	AA	1424	U	O4'-C1'-N1	5.38	112.50	108.20
2	AB	28	C	N3-C4-C5	5.38	124.05	121.90
20	AT	56	ASP	CB-CG-OD1	-5.38	113.46	118.30
26	BB	100	U	N3-C4-C5	-5.38	111.37	114.60
26	BB	184	C	C4-C5-C6	5.38	120.09	117.40
26	BB	453	A	O4'-C1'-N9	5.38	112.50	108.20
26	BB	500	G	C6-C5-N7	-5.38	127.17	130.40
26	BB	621	A	C1'-O4'-C4'	-5.38	105.59	109.90
26	BB	1174	U	C6-N1-C2	-5.38	117.77	121.00
26	BB	1432	G	C6-N1-C2	-5.38	121.87	125.10
26	BB	1587	G	N9-C4-C5	-5.38	103.25	105.40
26	BB	2032	G	N7-C8-N9	5.38	115.79	113.10
26	BB	2409	G	N3-C4-C5	5.38	131.29	128.60
26	BB	2439	A	C2-N3-C4	5.38	113.29	110.60
26	BB	2461	A	C8-N9-C4	5.38	107.95	105.80
26	BB	2867	G	C6-C5-N7	5.38	133.63	130.40
1	AA	521	G	N9-C1'-C2'	-5.38	106.08	112.00
1	AA	849	G	C1'-O4'-C4'	-5.38	105.60	109.90
1	AA	944	G	C4'-C3'-C2'	-5.38	97.22	102.60
1	AA	1156	G	O5'-P-OP2	-5.38	100.86	105.70
4	AD	59	A	P-O3'-C3'	5.38	126.16	119.70
26	BB	220	G	O4'-C1'-N9	5.38	112.50	108.20
26	BB	953	G	C6-N1-C2	-5.38	121.87	125.10
26	BB	1461	C	C5-C4-N4	-5.38	116.43	120.20
26	BB	1745	A	N9-C4-C5	5.38	107.95	105.80
26	BB	2186	G	C8-N9-C4	-5.38	104.25	106.40
41	BQ	94	ARG	NE-CZ-NH2	-5.38	117.61	120.30
1	AA	123	U	C4-C5-C6	5.38	122.93	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	429	U	C4'-C3'-C2'	-5.38	97.22	102.60
1	AA	484	G	P-O3'-C3'	5.38	126.16	119.70
1	AA	1070	U	C6-N1-C2	-5.38	117.77	121.00
1	AA	1318	A	C5'-C4'-C3'	-5.38	107.39	116.00
2	AB	59	G	C4-C5-N7	-5.38	108.65	110.80
22	AV	19	GLU	OE1-CD-OE2	5.38	129.75	123.30
25	BA	62	C	N1-C2-N3	5.38	122.97	119.20
26	BB	13	A	N1-C2-N3	5.38	131.99	129.30
26	BB	85	G	N9-C1'-C2'	-5.38	106.08	112.00
26	BB	101	A	C5-C6-N6	-5.38	119.40	123.70
26	BB	448	U	N1-C2-N3	5.38	118.13	114.90
26	BB	750	A	C4'-C3'-C2'	5.38	107.98	102.60
26	BB	1183	U	N3-C2-O2	-5.38	118.44	122.20
26	BB	1422	G	O4'-C1'-N9	5.38	112.50	108.20
26	BB	1551	A	C8-N9-C4	-5.38	103.65	105.80
26	BB	1945	G	P-O3'-C3'	5.38	126.15	119.70
1	AA	299	G	C5-C6-N1	-5.38	108.81	111.50
1	AA	500	G	N1-C2-N2	5.38	121.04	116.20
1	AA	564	C	C5-C4-N4	5.38	123.96	120.20
1	AA	682	G	N1-C2-N2	-5.38	111.36	116.20
1	AA	861	G	N3-C4-C5	-5.38	125.91	128.60
1	AA	884	U	C6-N1-C2	-5.38	117.78	121.00
1	AA	1022	A	C4'-C3'-C2'	-5.38	97.22	102.60
1	AA	1487	G	C4'-C3'-C2'	-5.38	97.22	102.60
2	AB	26	A	N3-C4-N9	5.38	131.70	127.40
3	AC	31	U	C5'-C4'-O4'	5.38	115.55	109.10
26	BB	81	G	C4-C5-N7	5.38	112.95	110.80
26	BB	170	U	C5-C6-N1	5.38	125.39	122.70
26	BB	490	C	C3'-C2'-C1'	-5.38	97.20	101.50
26	BB	597	G	C2-N3-C4	5.38	114.59	111.90
26	BB	673	C	N3-C4-N4	5.38	121.76	118.00
26	BB	832	U	N3-C2-O2	-5.38	118.44	122.20
26	BB	1657	U	C5-C6-N1	-5.38	120.01	122.70
26	BB	1741	C	O4'-C1'-N1	5.38	112.50	108.20
26	BB	1903	G	C2-N3-C4	5.38	114.59	111.90
26	BB	2371	G	C5'-C4'-O4'	5.38	115.55	109.10
26	BB	2553	G	C5'-C4'-O4'	-5.38	102.65	109.10
26	BB	2753	A	C6-C5-N7	5.38	136.06	132.30
1	AA	1072	G	N7-C8-N9	5.38	115.79	113.10
4	AD	67	C	N3-C2-O2	-5.38	118.14	121.90
26	BB	172	A	N9-C4-C5	5.38	107.95	105.80
26	BB	600	G	C8-N9-C4	-5.38	104.25	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	822	G	O4'-C1'-N9	5.38	112.50	108.20
26	BB	905	A	C5-C6-N6	-5.38	119.40	123.70
1	AA	291	U	C4'-C3'-C2'	-5.37	97.23	102.60
1	AA	342	C	C5'-C4'-O4'	5.37	115.55	109.10
1	AA	550	G	C4-C5-N7	-5.37	108.65	110.80
1	AA	994	A	C5'-C4'-O4'	5.37	115.55	109.10
1	AA	1456	A	C5-N7-C8	-5.37	101.21	103.90
2	AB	34	C	C4-C5-C6	5.37	120.09	117.40
26	BB	149	A	N3-C4-C5	-5.37	123.04	126.80
26	BB	204	A	N1-C2-N3	-5.37	126.61	129.30
26	BB	838	C	C5'-C4'-C3'	-5.37	107.40	116.00
26	BB	999	U	C1'-O4'-C4'	-5.37	105.60	109.90
26	BB	1246	A	N9-C1'-C2'	-5.37	106.09	112.00
26	BB	1349	C	C5-C6-N1	-5.37	118.31	121.00
26	BB	1448	G	C1'-O4'-C4'	-5.37	105.60	109.90
26	BB	1559	U	C4-C5-C6	5.37	122.92	119.70
26	BB	1937	A	O4'-C1'-N9	5.37	112.50	108.20
26	BB	1989	G	N3-C4-N9	5.37	129.22	126.00
26	BB	2341	G	N9-C4-C5	5.37	107.55	105.40
26	BB	2848	G	C6-N1-C2	-5.37	121.88	125.10
28	BD	66	PHE	CD1-CE1-CZ	-5.37	113.65	120.10
1	AA	44	A	C1'-O4'-C4'	-5.37	105.60	109.90
1	AA	146	G	N9-C1'-C2'	-5.37	106.09	112.00
1	AA	262	A	C8-N9-C4	5.37	107.95	105.80
1	AA	608	A	N3-C4-N9	5.37	131.70	127.40
1	AA	1113	C	O4'-C1'-N1	5.37	112.50	108.20
1	AA	1243	C	O4'-C1'-N1	5.37	112.50	108.20
1	AA	1336	C	N1-C1'-C2'	-5.37	106.09	112.00
1	AA	1477	U	C5-C6-N1	-5.37	120.01	122.70
4	AD	28	U	C2-N3-C4	-5.37	123.78	127.00
25	BA	117	G	O4'-C1'-N9	5.37	112.50	108.20
26	BB	41	C	C2-N3-C4	-5.37	117.22	119.90
26	BB	235	U	N3-C2-O2	-5.37	118.44	122.20
26	BB	359	G	N3-C4-N9	5.37	129.22	126.00
26	BB	750	A	N3-C4-C5	5.37	130.56	126.80
26	BB	849	A	N3-C4-N9	5.37	131.70	127.40
26	BB	1760	C	C4'-C3'-C2'	-5.37	97.23	102.60
26	BB	1886	U	N3-C4-O4	5.37	123.16	119.40
26	BB	1929	G	N7-C8-N9	5.37	115.79	113.10
26	BB	1993	U	OP1-P-OP2	-5.37	111.54	119.60
26	BB	2135	A	C1'-O4'-C4'	-5.37	105.60	109.90
26	BB	2150	C	C5-C6-N1	5.37	123.69	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2363	G	N1-C6-O6	-5.37	116.68	119.90
26	BB	2368	C	C5'-C4'-C3'	-5.37	107.41	116.00
26	BB	2688	G	C3'-C2'-C1'	5.37	105.80	101.50
1	AA	606	G	C4'-C3'-O3'	5.37	123.74	113.00
1	AA	828	U	C5-C4-O4	5.37	129.12	125.90
2	AB	33	U	C3'-C2'-C1'	5.37	105.80	101.50
25	BA	10	G	C2-N3-C4	5.37	114.58	111.90
26	BB	128	C	N3-C4-N4	-5.37	114.24	118.00
26	BB	930	G	C1'-O4'-C4'	-5.37	105.60	109.90
26	BB	1792	G	N3-C4-N9	-5.37	122.78	126.00
26	BB	1798	U	C5'-C4'-O4'	5.37	115.54	109.10
26	BB	2398	U	C3'-C2'-C1'	-5.37	97.20	101.50
26	BB	2622	U	C1'-O4'-C4'	-5.37	105.60	109.90
1	AA	252	U	N1-C2-O2	5.37	126.56	122.80
1	AA	293	G	C2-N3-C4	5.37	114.58	111.90
1	AA	537	G	O4'-C1'-N9	5.37	112.49	108.20
1	AA	654	G	C5-C6-N1	5.37	114.19	111.50
1	AA	939	G	N3-C4-N9	-5.37	122.78	126.00
1	AA	1270	G	N1-C6-O6	-5.37	116.68	119.90
1	AA	1277	C	P-O3'-C3'	5.37	126.14	119.70
2	AB	34	C	C5'-C4'-C3'	-5.37	107.41	116.00
26	BB	464	U	C2-N1-C1'	-5.37	111.26	117.70
26	BB	668	A	C6-C5-N7	5.37	136.06	132.30
26	BB	971	G	C2-N3-C4	5.37	114.58	111.90
26	BB	2543	G	C5'-C4'-C3'	-5.37	107.41	116.00
1	AA	23	C	C6-N1-C2	-5.37	118.15	120.30
1	AA	614	C	O4'-C1'-N1	5.37	112.49	108.20
4	AD	60	A	N3-C4-C5	-5.37	123.04	126.80
26	BB	249	C	C1'-O4'-C4'	5.37	114.19	109.90
26	BB	722	A	P-O3'-C3'	5.37	126.14	119.70
26	BB	1902	C	C5-C4-N4	-5.37	116.44	120.20
1	AA	28	A	C2-N3-C4	5.37	113.28	110.60
1	AA	39	G	C5-C6-O6	5.37	131.82	128.60
1	AA	335	C	C3'-C2'-C1'	5.37	105.79	101.50
1	AA	341	C	N3-C4-C5	5.37	124.05	121.90
1	AA	509	A	C4'-C3'-C2'	-5.37	97.23	102.60
1	AA	639	G	C2-N3-C4	5.37	114.58	111.90
1	AA	983	A	C4-C5-C6	-5.37	114.32	117.00
1	AA	1421	G	C3'-C2'-C1'	-5.37	97.21	101.50
25	BA	94	A	O4'-C1'-N9	5.37	112.49	108.20
26	BB	1028	A	C4'-C3'-C2'	-5.37	97.23	102.60
26	BB	1347	A	C4'-C3'-C2'	-5.37	97.23	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1350	C	C1'-O4'-C4'	5.37	114.19	109.90
26	BB	1491	G	C6-C5-N7	5.37	133.62	130.40
26	BB	1664	A	C5'-C4'-C3'	-5.37	107.41	116.00
26	BB	1702	G	N3-C2-N2	5.37	123.66	119.90
26	BB	2683	C	N1-C2-N3	-5.37	115.44	119.20
32	BH	9	VAL	CG1-CB-CG2	-5.37	102.32	110.90
1	AA	353	A	N9-C1'-C2'	-5.36	106.10	112.00
1	AA	423	G	C5-N7-C8	-5.36	101.62	104.30
1	AA	657	U	C4'-C3'-C2'	-5.36	97.24	102.60
1	AA	671	G	C3'-C2'-C1'	5.36	105.79	101.50
1	AA	713	G	N3-C2-N2	-5.36	116.15	119.90
1	AA	935	A	C8-N9-C4	5.36	107.95	105.80
1	AA	1056	U	N3-C4-C5	-5.36	111.38	114.60
1	AA	1388	C	C5'-C4'-O4'	5.36	115.54	109.10
1	AA	1412	C	C5'-C4'-O4'	5.36	115.54	109.10
13	AM	89	ARG	NE-CZ-NH1	5.36	122.98	120.30
17	AQ	64	ARG	NH1-CZ-NH2	5.36	125.30	119.40
26	BB	367	G	C6-C5-N7	5.36	133.62	130.40
26	BB	533	G	C6-C5-N7	-5.36	127.18	130.40
26	BB	787	C	O4'-C1'-N1	5.36	112.49	108.20
26	BB	1085	A	N7-C8-N9	5.36	116.48	113.80
26	BB	1293	C	N3-C2-O2	-5.36	118.14	121.90
26	BB	1646	C	C1'-O4'-C4'	-5.36	105.61	109.90
26	BB	2480	C	N1-C2-N3	5.36	122.95	119.20
44	BT	34	GLU	OE1-CD-OE2	5.36	129.74	123.30
26	BB	217	A	C6-C5-N7	5.36	136.05	132.30
26	BB	590	A	C3'-C2'-C1'	-5.36	97.21	101.50
26	BB	1084	A	N3-C4-C5	5.36	130.55	126.80
26	BB	1563	U	N1-C2-N3	5.36	118.12	114.90
26	BB	2013	A	C5'-C4'-C3'	-5.36	107.42	116.00
26	BB	2105	U	C5-C6-N1	-5.36	120.02	122.70
26	BB	2106	U	C4-C5-C6	5.36	122.92	119.70
1	AA	54	C	C2-N3-C4	-5.36	117.22	119.90
1	AA	446	G	C6-N1-C2	-5.36	121.88	125.10
1	AA	582	C	C2'-C3'-O3'	5.36	122.28	113.70
1	AA	611	C	N3-C2-O2	-5.36	118.15	121.90
1	AA	643	C	C5'-C4'-O4'	5.36	115.53	109.10
1	AA	1290	G	C8-N9-C4	-5.36	104.26	106.40
1	AA	1375	A	C4'-C3'-C2'	-5.36	97.24	102.60
3	AC	32	U	O4'-C1'-N1	5.36	112.49	108.20
26	BB	55	G	P-O3'-C3'	5.36	126.13	119.70
26	BB	655	A	C5-C6-N6	-5.36	119.41	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	768	G	C5'-C4'-O4'	5.36	115.53	109.10
26	BB	1029	A	N7-C8-N9	-5.36	111.12	113.80
26	BB	1110	G	C5'-C4'-O4'	5.36	115.53	109.10
26	BB	1548	A	P-O5'-C5'	5.36	129.48	120.90
26	BB	2860	A	N9-C4-C5	5.36	107.94	105.80
1	AA	357	G	C5-C6-O6	-5.36	125.39	128.60
1	AA	800	G	C2-N3-C4	5.36	114.58	111.90
26	BB	130	C	N1-C2-N3	-5.36	115.45	119.20
26	BB	304	U	N1-C2-N3	5.36	118.11	114.90
26	BB	513	A	N7-C8-N9	5.36	116.48	113.80
26	BB	757	G	C5-C6-N1	5.36	114.18	111.50
26	BB	808	G	C5-C6-O6	5.36	131.82	128.60
26	BB	1845	G	C4'-C3'-C2'	-5.36	97.24	102.60
1	AA	185	U	O4'-C4'-C3'	5.36	110.39	106.10
1	AA	321	A	C3'-C2'-C1'	5.36	105.78	101.50
1	AA	565	U	N1-C2-O2	-5.36	119.05	122.80
1	AA	575	G	O4'-C1'-C2'	5.36	112.42	107.60
1	AA	692	U	C5'-C4'-O4'	5.36	115.53	109.10
1	AA	717	U	C4-C5-C6	5.36	122.91	119.70
1	AA	786	G	O5'-P-OP1	5.36	117.13	110.70
1	AA	1010	U	C6-N1-C2	-5.36	117.78	121.00
1	AA	1361	G	N3-C4-C5	-5.36	125.92	128.60
1	AA	1401	G	C1'-O4'-C4'	5.36	114.19	109.90
15	AO	75	GLU	OE1-CD-OE2	5.36	129.73	123.30
26	BB	102	U	C5'-C4'-C3'	-5.36	107.43	116.00
26	BB	218	A	P-O3'-C3'	5.36	126.13	119.70
26	BB	286	U	O4'-C1'-N1	5.36	112.48	108.20
26	BB	327	G	C8-N9-C4	-5.36	104.26	106.40
26	BB	986	C	C4-C5-C6	-5.36	114.72	117.40
26	BB	1097	U	N1-C1'-C2'	5.36	120.97	114.00
26	BB	1987	A	N1-C6-N6	5.36	121.81	118.60
26	BB	2112	G	C4-C5-N7	-5.36	108.66	110.80
26	BB	2369	A	C4-C5-N7	5.36	113.38	110.70
26	BB	2593	U	C4'-C3'-C2'	-5.36	97.24	102.60
26	BB	2689	U	C5-C4-O4	5.36	129.11	125.90
26	BB	2851	A	N7-C8-N9	5.36	116.48	113.80
26	BB	2889	C	N3-C2-O2	5.36	125.65	121.90
34	BJ	28	ASP	N-CA-CB	-5.36	100.95	110.60
1	AA	85	U	O3'-P-O5'	-5.36	93.83	104.00
1	AA	137	U	C4-C5-C6	5.36	122.91	119.70
1	AA	1522	U	C5'-C4'-O4'	5.36	115.53	109.10
25	BA	64	G	C4-C5-N7	5.36	112.94	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	245	G	C8-N9-C1'	5.36	133.96	127.00
26	BB	625	G	N9-C1'-C2'	-5.36	106.11	112.00
26	BB	931	U	C5-C6-N1	-5.36	120.02	122.70
26	BB	932	U	C6-N1-C1'	-5.36	113.70	121.20
26	BB	1809	A	O4'-C4'-C3'	5.36	110.39	106.10
26	BB	1823	G	C4-C5-C6	5.36	122.01	118.80
26	BB	1839	G	C6-N1-C2	-5.36	121.89	125.10
26	BB	2450	A	C2'-C3'-O3'	5.36	122.27	113.70
26	BB	2821	A	N3-C4-C5	-5.36	123.05	126.80
1	AA	1064	G	C5-C6-N1	-5.35	108.82	111.50
1	AA	1124	G	C4-C5-N7	-5.35	108.66	110.80
1	AA	1239	A	C6-N1-C2	5.35	121.81	118.60
26	BB	522	A	N7-C8-N9	5.35	116.48	113.80
26	BB	626	A	C6-C5-N7	-5.35	128.55	132.30
26	BB	980	A	C4'-C3'-C2'	-5.35	97.25	102.60
26	BB	1112	G	C5-N7-C8	5.35	106.98	104.30
26	BB	1214	A	C1'-O4'-C4'	5.35	114.18	109.90
26	BB	1370	C	N3-C4-N4	-5.35	114.25	118.00
26	BB	2839	G	C6-N1-C2	-5.35	121.89	125.10
1	AA	211	G	O4'-C1'-N9	5.35	112.48	108.20
1	AA	689	C	N1-C1'-C2'	-5.35	106.11	112.00
1	AA	770	C	N1-C1'-C2'	-5.35	106.11	112.00
1	AA	771	G	C6-N1-C2	-5.35	121.89	125.10
1	AA	996	A	C4-C5-N7	-5.35	108.02	110.70
1	AA	1189	U	P-O3'-C3'	5.35	126.12	119.70
1	AA	1219	A	C8-N9-C4	-5.35	103.66	105.80
2	AB	10	G	N1-C6-O6	-5.35	116.69	119.90
2	AB	42	G	O4'-C1'-N9	5.35	112.48	108.20
4	AD	41	C	P-O3'-C3'	5.35	126.12	119.70
26	BB	168	G	C3'-C2'-C1'	5.35	105.78	101.50
26	BB	176	A	N1-C2-N3	-5.35	126.62	129.30
26	BB	1070	A	N1-C6-N6	-5.35	115.39	118.60
26	BB	1527	G	P-O3'-C3'	5.35	126.12	119.70
26	BB	1972	G	C8-N9-C4	-5.35	104.26	106.40
26	BB	2405	G	C8-N9-C1'	5.35	133.96	127.00
26	BB	2469	A	P-O3'-C3'	5.35	126.12	119.70
26	BB	2788	C	N3-C2-O2	-5.35	118.15	121.90
26	BB	2871	U	C5-C4-O4	-5.35	122.69	125.90
57	B6	29	ARG	NE-CZ-NH2	5.35	122.98	120.30
1	AA	388	G	C8-N9-C4	-5.35	104.26	106.40
1	AA	636	U	C2-N3-C4	-5.35	123.79	127.00
1	AA	1530	G	N3-C4-C5	-5.35	125.92	128.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	957	C	O4'-C1'-N1	5.35	112.48	108.20
26	BB	1148	U	C5-C6-N1	5.35	125.38	122.70
26	BB	1485	U	N3-C2-O2	-5.35	118.45	122.20
26	BB	1713	A	O4'-C1'-N9	5.35	112.48	108.20
26	BB	2383	G	C2-N3-C4	5.35	114.58	111.90
1	AA	1	A	C3'-C2'-C1'	5.35	105.78	101.50
1	AA	152	A	C8-N9-C4	-5.35	103.66	105.80
1	AA	288	A	C4-C5-C6	-5.35	114.33	117.00
1	AA	916	U	C5-C4-O4	-5.35	122.69	125.90
4	AD	31	G	C5-C6-N1	-5.35	108.83	111.50
14	AN	1	ALA	C-N-CA	5.35	135.07	121.70
26	BB	20	C	C5'-C4'-O4'	5.35	115.52	109.10
26	BB	26	G	N1-C2-N3	5.35	127.11	123.90
26	BB	30	G	C5-C6-O6	-5.35	125.39	128.60
26	BB	88	G	C3'-C2'-C1'	-5.35	97.22	101.50
26	BB	273	G	C4-C5-N7	5.35	112.94	110.80
26	BB	728	G	N9-C4-C5	5.35	107.54	105.40
26	BB	976	G	P-O3'-C3'	5.35	126.12	119.70
26	BB	1024	G	C1'-O4'-C4'	-5.35	105.62	109.90
26	BB	1032	A	N9-C4-C5	5.35	107.94	105.80
26	BB	1275	A	C4'-C3'-C2'	-5.35	97.25	102.60
26	BB	1330	C	N1-C2-O2	5.35	122.11	118.90
26	BB	1505	A	C2-N3-C4	5.35	113.27	110.60
26	BB	1702	G	C6-C5-N7	-5.35	127.19	130.40
26	BB	1960	A	N7-C8-N9	-5.35	111.12	113.80
26	BB	2368	C	C5-C4-N4	5.35	123.94	120.20
26	BB	2670	A	C5-C6-N6	5.35	127.98	123.70
26	BB	2711	A	P-O3'-C3'	5.35	126.12	119.70
26	BB	2796	U	C6-N1-C2	-5.35	117.79	121.00
1	AA	114	U	O4'-C1'-C2'	-5.35	100.45	105.80
1	AA	155	A	N7-C8-N9	5.35	116.47	113.80
1	AA	895	G	C5-N7-C8	-5.35	101.63	104.30
1	AA	991	U	P-O3'-C3'	5.35	126.12	119.70
1	AA	1298	U	N3-C2-O2	-5.35	118.46	122.20
25	BA	27	C	C4-C5-C6	-5.35	114.73	117.40
25	BA	75	G	C2-N3-C4	5.35	114.57	111.90
26	BB	32	C	C5-C6-N1	-5.35	118.33	121.00
26	BB	252	G	N9-C1'-C2'	-5.35	106.12	112.00
26	BB	712	G	C5-C6-O6	5.35	131.81	128.60
26	BB	819	A	N7-C8-N9	-5.35	111.13	113.80
26	BB	950	G	C8-N9-C1'	5.35	133.95	127.00
26	BB	972	A	C4-C5-C6	5.35	119.67	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1292	G	C5-N7-C8	-5.35	101.63	104.30
26	BB	1315	C	C6-N1-C2	-5.35	118.16	120.30
26	BB	1623	G	N7-C8-N9	5.35	115.77	113.10
26	BB	2225	A	C1'-O4'-C4'	5.35	114.18	109.90
26	BB	2250	G	O4'-C1'-N9	5.35	112.48	108.20
26	BB	2357	G	O4'-C1'-C2'	-5.35	100.45	105.80
26	BB	2382	G	C5-N7-C8	-5.35	101.63	104.30
26	BB	2419	U	C4'-C3'-C2'	-5.35	97.25	102.60
26	BB	2486	C	N1-C1'-C2'	-5.35	106.12	112.00
26	BB	2505	G	C4'-C3'-O3'	-5.35	98.17	109.40
26	BB	2576	G	N1-C2-N3	5.35	127.11	123.90
40	BP	89	SER	CB-CA-C	5.35	120.26	110.10
47	BW	85	ARG	NE-CZ-NH1	5.35	122.97	120.30
1	AA	127	G	C6-C5-N7	5.35	133.61	130.40
1	AA	135	C	C5'-C4'-O4'	5.35	115.52	109.10
1	AA	422	C	C5-C4-N4	-5.35	116.46	120.20
1	AA	661	G	P-O3'-C3'	5.35	126.11	119.70
1	AA	676	A	C4'-C3'-C2'	-5.35	97.25	102.60
1	AA	976	G	C8-N9-C1'	5.35	133.95	127.00
1	AA	1044	A	C5'-C4'-O4'	5.35	115.52	109.10
1	AA	1316	G	C6-N1-C2	-5.35	121.89	125.10
26	BB	224	U	C1'-O4'-C4'	5.35	114.18	109.90
26	BB	1164	C	N1-C2-O2	5.35	122.11	118.90
26	BB	1172	C	C5-C4-N4	5.35	123.94	120.20
26	BB	1434	A	O4'-C1'-N9	5.35	112.48	108.20
26	BB	1471	G	O4'-C4'-C3'	5.35	110.38	106.10
1	AA	641	U	N3-C4-O4	-5.34	115.66	119.40
1	AA	1472	U	C5-C6-N1	-5.34	120.03	122.70
1	AA	1512	U	N1-C2-N3	5.34	118.11	114.90
3	AC	58	C	C5'-C4'-O4'	5.34	115.51	109.10
25	BA	57	A	C8-N9-C4	5.34	107.94	105.80
25	BA	60	C	C3'-C2'-C1'	5.34	105.78	101.50
26	BB	45	G	N1-C6-O6	-5.34	116.69	119.90
26	BB	94	A	P-O3'-C3'	5.34	126.11	119.70
26	BB	408	G	C4-C5-N7	5.34	112.94	110.80
26	BB	569	U	C5-C6-N1	-5.34	120.03	122.70
26	BB	953	G	O5'-P-OP2	-5.34	100.89	105.70
26	BB	1389	G	C6-N1-C2	-5.34	121.89	125.10
26	BB	1608	A	C4-C5-N7	5.34	113.37	110.70
26	BB	1745	A	C4-C5-N7	-5.34	108.03	110.70
26	BB	1834	U	O4'-C4'-C3'	5.34	110.38	106.10
26	BB	2488	G	O5'-P-OP2	-5.34	100.89	105.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2511	U	C5-C6-N1	-5.34	120.03	122.70
26	BB	2595	G	N1-C6-O6	-5.34	116.69	119.90
26	BB	2627	G	O4'-C4'-C3'	5.34	110.38	106.10
26	BB	2742	G	C6-N1-C2	-5.34	121.89	125.10
26	BB	2848	G	C4'-C3'-C2'	-5.34	97.25	102.60
35	BK	125	THR	OG1-CB-CG2	-5.34	97.71	110.00
1	AA	278	G	N1-C2-N2	-5.34	111.39	116.20
1	AA	876	C	N3-C4-N4	5.34	121.74	118.00
1	AA	958	A	N3-C4-N9	5.34	131.67	127.40
2	AB	5	G	C5-C6-O6	-5.34	125.39	128.60
26	BB	268	C	C4-C5-C6	5.34	120.07	117.40
26	BB	946	C	O4'-C1'-C2'	-5.34	100.46	105.80
26	BB	1942	C	C5'-C4'-C3'	-5.34	107.45	116.00
26	BB	2195	U	N1-C2-O2	5.34	126.54	122.80
1	AA	76	G	N7-C8-N9	5.34	115.77	113.10
1	AA	231	U	C5'-C4'-O4'	5.34	115.51	109.10
1	AA	413	G	C5'-C4'-O4'	-5.34	102.69	109.10
1	AA	941	G	C6-C5-N7	5.34	133.60	130.40
1	AA	1211	U	C5-C4-O4	-5.34	122.69	125.90
3	AC	30	U	C6-N1-C1'	5.34	128.68	121.20
4	AD	6	G	C8-N9-C4	-5.34	104.26	106.40
9	AI	108	GLU	OE1-CD-OE2	5.34	129.71	123.30
26	BB	165	A	C4-C5-C6	-5.34	114.33	117.00
26	BB	667	U	C5-C4-O4	5.34	129.10	125.90
26	BB	689	A	C5-N7-C8	-5.34	101.23	103.90
26	BB	1100	C	C4'-C3'-C2'	-5.34	97.26	102.60
26	BB	1137	G	N1-C6-O6	5.34	123.11	119.90
26	BB	1270	C	N3-C2-O2	-5.34	118.16	121.90
26	BB	1298	C	N3-C4-C5	-5.34	119.76	121.90
26	BB	1421	G	C2'-C3'-O3'	5.34	122.25	113.70
26	BB	2026	U	N3-C2-O2	-5.34	118.46	122.20
26	BB	2236	U	C2-N3-C4	-5.34	123.80	127.00
26	BB	2489	U	C5'-C4'-C3'	-5.34	107.45	116.00
26	BB	2660	A	C4-C5-N7	-5.34	108.03	110.70
26	BB	2775	G	O4'-C4'-C3'	5.34	110.37	106.10
39	BO	79	ALA	CB-CA-C	5.34	118.11	110.10
1	AA	276	G	N1-C2-N3	-5.34	120.70	123.90
1	AA	595	A	O4'-C4'-C3'	5.34	110.37	106.10
1	AA	1248	A	N3-C4-N9	-5.34	123.13	127.40
2	AB	15	A	N1-C2-N3	5.34	131.97	129.30
6	AF	26	LYS	CA-CB-CG	5.34	125.15	113.40
26	BB	345	A	C8-N9-C4	-5.34	103.66	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	366	C	N1-C2-O2	5.34	122.10	118.90
26	BB	488	G	N9-C4-C5	5.34	107.54	105.40
26	BB	1233	C	C5-C4-N4	5.34	123.94	120.20
26	BB	1498	C	C5'-C4'-C3'	-5.34	107.46	116.00
26	BB	1538	G	C6-C5-N7	-5.34	127.20	130.40
26	BB	2386	A	O4'-C1'-C2'	-5.34	100.46	105.80
26	BB	2736	A	N9-C4-C5	-5.34	103.66	105.80
26	BB	2848	G	O4'-C1'-N9	5.34	112.47	108.20
26	BB	2892	G	C5'-C4'-O4'	5.34	115.51	109.10
32	BH	150	TYR	CD1-CG-CD2	5.34	123.77	117.90
1	AA	346	G	N1-C2-N3	5.34	127.10	123.90
1	AA	1179	A	C4-C5-N7	-5.34	108.03	110.70
1	AA	1284	C	C5'-C4'-C3'	-5.34	107.46	116.00
26	BB	503	A	C1'-O4'-C4'	-5.34	105.63	109.90
26	BB	1090	A	P-O3'-C3'	5.34	126.11	119.70
26	BB	1177	G	C2-N3-C4	5.34	114.57	111.90
26	BB	1497	U	C3'-C2'-C1'	-5.34	97.23	101.50
26	BB	2271	G	N3-C4-C5	-5.34	125.93	128.60
1	AA	71	A	O4'-C1'-N9	5.34	112.47	108.20
1	AA	125	U	P-O5'-C5'	5.34	129.44	120.90
1	AA	160	A	N1-C6-N6	-5.34	115.40	118.60
1	AA	350	G	C5-C6-O6	-5.34	125.40	128.60
1	AA	683	G	C6-C5-N7	-5.34	127.20	130.40
1	AA	828	U	C5-C6-N1	-5.34	120.03	122.70
1	AA	999	C	N1-C1'-C2'	-5.34	106.13	112.00
13	AM	68	ARG	NE-CZ-NH1	5.34	122.97	120.30
26	BB	19	A	C8-N9-C4	-5.34	103.67	105.80
26	BB	136	G	C5-C6-N1	5.34	114.17	111.50
26	BB	357	C	N3-C4-C5	5.34	124.03	121.90
26	BB	866	A	O4'-C1'-N9	5.34	112.47	108.20
26	BB	1404	C	C4'-C3'-C2'	-5.34	97.26	102.60
26	BB	1511	G	C6-C5-N7	5.34	133.60	130.40
26	BB	1514	G	N7-C8-N9	5.34	115.77	113.10
26	BB	1540	G	N9-C1'-C2'	-5.34	106.13	112.00
26	BB	1688	U	C2-N3-C4	-5.34	123.80	127.00
26	BB	2024	G	O3'-P-O5'	5.34	114.14	104.00
26	BB	2077	A	N1-C6-N6	-5.34	115.40	118.60
26	BB	2211	A	C5'-C4'-C3'	-5.34	107.46	116.00
26	BB	2395	C	C6-N1-C2	-5.34	118.17	120.30
26	BB	2416	C	C2-N1-C1'	5.34	124.67	118.80
26	BB	2718	G	N1-C6-O6	5.34	123.10	119.90
26	BB	2729	G	C3'-C2'-C1'	5.34	105.77	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
28	BD	237	ARG	NE-CZ-NH1	-5.34	117.63	120.30
29	BE	189	VAL	CA-CB-CG1	5.34	118.91	110.90
1	AA	9	G	C5-C6-N1	5.33	114.17	111.50
1	AA	146	G	C1'-O4'-C4'	5.33	114.17	109.90
1	AA	900	A	C4-C5-C6	-5.33	114.33	117.00
1	AA	970	C	C4'-C3'-C2'	-5.33	97.27	102.60
2	AB	23	A	C4'-C3'-C2'	-5.33	97.27	102.60
26	BB	885	C	N3-C4-C5	-5.33	119.77	121.90
26	BB	1307	A	P-O3'-C3'	5.33	126.10	119.70
26	BB	2500	U	C3'-C2'-C1'	5.33	105.77	101.50
26	BB	2834	G	C4-C5-N7	-5.33	108.67	110.80
1	AA	190	A	N9-C4-C5	5.33	107.93	105.80
1	AA	236	A	C8-N9-C4	-5.33	103.67	105.80
1	AA	242	G	N3-C2-N2	-5.33	116.17	119.90
1	AA	815	A	P-O3'-C3'	5.33	126.10	119.70
1	AA	1436	U	C6-N1-C2	-5.33	117.80	121.00
1	AA	1540	U	O4'-C1'-N1	5.33	112.47	108.20
25	BA	77	U	C5-C4-O4	-5.33	122.70	125.90
26	BB	95	A	C5'-C4'-C3'	-5.33	107.47	116.00
26	BB	259	G	C4-N9-C1'	-5.33	119.57	126.50
26	BB	1640	A	N3-C4-C5	-5.33	123.07	126.80
26	BB	1801	A	C5-C6-N1	5.33	120.37	117.70
26	BB	1876	A	N9-C4-C5	5.33	107.93	105.80
26	BB	2248	C	C2-N1-C1'	-5.33	112.93	118.80
26	BB	2280	G	C1'-O4'-C4'	-5.33	105.63	109.90
26	BB	2660	A	C8-N9-C4	-5.33	103.67	105.80
26	BB	2795	C	N3-C4-N4	5.33	121.73	118.00
31	BG	12	VAL	CA-CB-CG2	-5.33	102.90	110.90
37	BM	48	PRO	N-CD-CG	5.33	111.20	103.20
1	AA	408	A	C5-C6-N1	5.33	120.37	117.70
1	AA	567	G	C6-C5-N7	-5.33	127.20	130.40
1	AA	778	G	N7-C8-N9	5.33	115.77	113.10
1	AA	869	G	N3-C2-N2	5.33	123.63	119.90
1	AA	1105	A	C8-N9-C4	-5.33	103.67	105.80
1	AA	1111	A	C6-N1-C2	-5.33	115.40	118.60
1	AA	1319	A	C4'-C3'-C2'	-5.33	97.27	102.60
2	AB	57	G	C5-C6-N1	5.33	114.17	111.50
10	AJ	162	SER	N-CA-CB	-5.33	102.50	110.50
26	BB	435	C	O4'-C1'-N1	5.33	112.47	108.20
26	BB	695	G	C4-C5-N7	-5.33	108.67	110.80
26	BB	720	U	P-O3'-C3'	5.33	126.10	119.70
26	BB	991	C	C6-N1-C2	5.33	122.43	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	998	C	C5'-C4'-O4'	5.33	115.50	109.10
26	BB	1005	C	O3'-P-O5'	-5.33	93.87	104.00
26	BB	1031	G	P-O3'-C3'	5.33	126.10	119.70
26	BB	1833	C	C1'-O4'-C4'	-5.33	105.64	109.90
26	BB	1889	A	C6-C5-N7	5.33	136.03	132.30
26	BB	1945	G	O4'-C4'-C3'	5.33	110.36	106.10
26	BB	2238	G	N9-C1'-C2'	5.33	120.93	114.00
26	BB	2603	G	C2-N3-C4	5.33	114.56	111.90
39	BO	114	ARG	NH1-CZ-NH2	-5.33	113.53	119.40
1	AA	134	G	N9-C4-C5	-5.33	103.27	105.40
1	AA	397	A	C1'-O4'-C4'	-5.33	105.64	109.90
1	AA	1164	G	C8-N9-C1'	5.33	133.93	127.00
1	AA	1193	G	N3-C4-C5	-5.33	125.94	128.60
4	AD	30	G	C6-N1-C2	-5.33	121.90	125.10
9	AI	101	PRO	C-N-CA	5.33	135.03	121.70
25	BA	52	A	N9-C4-C5	5.33	107.93	105.80
26	BB	269	C	N1-C2-N3	5.33	122.93	119.20
26	BB	338	G	O4'-C1'-C2'	5.33	112.40	107.60
26	BB	777	G	N3-C4-N9	5.33	129.20	126.00
26	BB	1027	A	N1-C2-N3	5.33	131.97	129.30
26	BB	1038	G	P-O3'-C3'	5.33	126.10	119.70
26	BB	1281	G	C5-N7-C8	-5.33	101.64	104.30
26	BB	1573	G	C6-N1-C2	-5.33	121.90	125.10
26	BB	2303	G	N7-C8-N9	5.33	115.77	113.10
31	BG	149	ARG	NH1-CZ-NH2	5.33	125.26	119.40
1	AA	11	G	C6-C5-N7	-5.33	127.20	130.40
1	AA	387	U	N1-C2-O2	5.33	126.53	122.80
1	AA	470	C	N1-C1'-C2'	-5.33	106.14	112.00
1	AA	862	C	N3-C4-C5	5.33	124.03	121.90
1	AA	1063	C	C4'-C3'-C2'	-5.33	97.27	102.60
1	AA	1180	A	C5-C6-N6	-5.33	119.44	123.70
1	AA	1359	C	C6-N1-C2	-5.33	118.17	120.30
1	AA	1479	C	N1-C1'-C2'	-5.33	106.14	112.00
26	BB	36	G	O4'-C4'-C3'	-5.33	98.67	104.00
26	BB	716	A	C6-C5-N7	-5.33	128.57	132.30
26	BB	742	A	N1-C6-N6	5.33	121.80	118.60
26	BB	1108	U	N1-C2-N3	5.33	118.10	114.90
26	BB	1775	U	O5'-C5'-C4'	5.33	121.82	111.70
26	BB	2260	C	C4'-C3'-C2'	-5.33	97.27	102.60
26	BB	2377	A	C4'-C3'-C2'	-5.33	97.27	102.60
26	BB	2706	A	N3-C4-N9	5.33	131.66	127.40
1	AA	680	C	O4'-C1'-N1	5.33	112.46	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	984	C	C5'-C4'-C3'	5.33	124.52	116.00
2	AB	61	C	C4-C5-C6	-5.33	114.74	117.40
3	AC	23	C	O4'-C1'-N1	5.33	112.46	108.20
26	BB	565	C	C2-N3-C4	5.33	122.56	119.90
26	BB	1941	C	C4'-C3'-C2'	5.33	107.93	102.60
26	BB	2754	U	N1-C2-N3	5.33	118.10	114.90
1	AA	198	G	N9-C4-C5	-5.33	103.27	105.40
1	AA	295	C	C4'-C3'-O3'	5.33	123.65	113.00
1	AA	319	G	N1-C2-N2	5.33	120.99	116.20
1	AA	981	U	C2-N1-C1'	-5.33	111.31	117.70
1	AA	1289	A	C1'-O4'-C4'	5.33	114.16	109.90
26	BB	561	G	C4'-C3'-O3'	5.33	123.65	113.00
26	BB	863	A	C1'-O4'-C4'	5.33	114.16	109.90
26	BB	1014	A	C4-C5-N7	-5.33	108.04	110.70
26	BB	1115	G	C5'-C4'-O4'	5.33	115.49	109.10
26	BB	1156	A	C6-N1-C2	5.33	121.80	118.60
26	BB	2420	C	C5-C6-N1	-5.33	118.34	121.00
26	BB	2446	G	N3-C2-N2	-5.33	116.17	119.90
26	BB	2606	C	P-O3'-C3'	5.33	126.09	119.70
45	BU	45	VAL	CG1-CB-CG2	5.33	119.42	110.90
1	AA	76	G	C5-C6-O6	-5.32	125.41	128.60
1	AA	372	C	C1'-O4'-C4'	-5.32	105.64	109.90
1	AA	505	G	O4'-C4'-C3'	5.32	110.36	106.10
1	AA	1012	A	C1'-O4'-C4'	5.32	114.16	109.90
1	AA	1213	A	N7-C8-N9	5.32	116.46	113.80
1	AA	1283	U	O4'-C4'-C3'	5.32	110.36	106.10
1	AA	1456	A	C5'-C4'-C3'	5.32	124.52	116.00
17	AQ	1	ALA	C-N-CA	5.32	135.01	121.70
25	BA	70	C	O4'-C1'-N1	5.32	112.46	108.20
26	BB	721	A	C5-C6-N6	5.32	127.96	123.70
26	BB	1073	A	O4'-C4'-C3'	5.32	110.36	106.10
26	BB	1304	A	C5-C6-N1	5.32	120.36	117.70
26	BB	1519	G	C8-N9-C1'	5.32	133.92	127.00
26	BB	1914	C	C3'-C2'-C1'	-5.32	97.24	101.50
26	BB	2743	U	C6-N1-C2	-5.32	117.81	121.00
30	BF	9	GLN	CB-CA-C	5.32	121.05	110.40
36	BL	37	ARG	NE-CZ-NH2	5.32	122.96	120.30
1	AA	61	G	N1-C2-N3	5.32	127.09	123.90
1	AA	664	G	C6-N1-C2	-5.32	121.91	125.10
1	AA	1309	G	C8-N9-C4	-5.32	104.27	106.40
7	AG	75	TYR	CG-CD1-CE1	-5.32	117.04	121.30
25	BA	12	C	C5'-C4'-O4'	5.32	115.49	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1591	A	C5'-C4'-O4'	5.32	115.49	109.10
26	BB	1668	A	N1-C2-N3	-5.32	126.64	129.30
26	BB	2134	A	N1-C6-N6	-5.32	115.41	118.60
26	BB	2231	U	N1-C2-N3	5.32	118.09	114.90
35	BK	137	LEU	CB-CG-CD2	5.32	120.05	111.00
1	AA	39	G	C6-C5-N7	-5.32	127.21	130.40
1	AA	192	A	O3'-P-O5'	-5.32	93.89	104.00
1	AA	364	A	O5'-C5'-C4'	-5.32	101.59	111.70
1	AA	779	C	P-O3'-C3'	5.32	126.08	119.70
1	AA	923	A	N3-C4-C5	-5.32	123.08	126.80
1	AA	955	U	C4-C5-C6	5.32	122.89	119.70
1	AA	1351	U	C6-N1-C2	-5.32	117.81	121.00
2	AB	76	A	C6-C5-N7	5.32	136.02	132.30
4	AD	43	G	O4'-C1'-N9	5.32	112.46	108.20
4	AD	64	G	C5-C6-O6	5.32	131.79	128.60
4	AD	70	C	C5-C4-N4	-5.32	116.48	120.20
26	BB	79	C	C5-C6-N1	5.32	123.66	121.00
26	BB	243	U	C2-N3-C4	-5.32	123.81	127.00
26	BB	652	U	C2-N3-C4	-5.32	123.81	127.00
26	BB	1178	C	C5-C6-N1	5.32	123.66	121.00
26	BB	1365	A	N1-C6-N6	5.32	121.79	118.60
26	BB	1586	A	N9-C1'-C2'	-5.32	106.15	112.00
26	BB	1636	U	C2-N3-C4	-5.32	123.81	127.00
26	BB	2408	U	N1-C1'-C2'	-5.32	106.15	112.00
26	BB	2466	C	C4-C5-C6	-5.32	114.74	117.40
1	AA	415	A	C4-C5-N7	5.32	113.36	110.70
1	AA	694	A	P-O3'-C3'	5.32	126.08	119.70
3	AC	15	G	C2-N3-C4	-5.32	109.24	111.90
26	BB	495	G	N9-C4-C5	5.32	107.53	105.40
26	BB	674	G	C4-C5-C6	5.32	121.99	118.80
26	BB	941	A	C2-N3-C4	5.32	113.26	110.60
26	BB	1158	C	C2-N1-C1'	5.32	124.65	118.80
26	BB	1268	A	N9-C1'-C2'	-5.32	106.15	112.00
26	BB	1377	G	C8-N9-C4	-5.32	104.27	106.40
26	BB	2336	A	N1-C6-N6	5.32	121.79	118.60
1	AA	236	A	C5'-C4'-O4'	5.32	115.48	109.10
1	AA	285	C	O5'-C5'-C4'	5.32	121.80	111.70
1	AA	929	G	N1-C6-O6	-5.32	116.71	119.90
1	AA	958	A	N1-C2-N3	-5.32	126.64	129.30
1	AA	1045	C	N3-C4-N4	5.32	121.72	118.00
2	AB	40	C	N1-C1'-C2'	-5.32	106.15	112.00
4	AD	76	C	P-O3'-C3'	5.32	126.08	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	AN	52	ARG	NE-CZ-NH2	-5.32	117.64	120.30
26	BB	212	G	C8-N9-C1'	5.32	133.91	127.00
26	BB	781	A	N1-C2-N3	-5.32	126.64	129.30
26	BB	1416	G	C8-N9-C4	-5.32	104.27	106.40
26	BB	1543	G	C4-C5-N7	-5.32	108.67	110.80
26	BB	1586	A	C4-C5-C6	-5.32	114.34	117.00
26	BB	2269	G	N1-C6-O6	5.32	123.09	119.90
26	BB	2288	A	C5'-C4'-O4'	-5.32	102.72	109.10
26	BB	2424	C	O4'-C1'-N1	5.32	112.45	108.20
30	BF	141	MET	CA-CB-CG	-5.32	104.26	113.30
45	BU	107	VAL	CA-CB-CG2	-5.32	102.92	110.90
57	B6	57	VAL	CA-CB-CG1	5.32	118.88	110.90
1	AA	148	G	C5'-C4'-C3'	-5.32	107.49	116.00
1	AA	193	C	C5'-C4'-O4'	5.32	115.48	109.10
1	AA	831	A	C5-C6-N1	5.32	120.36	117.70
1	AA	933	G	C5'-C4'-C3'	-5.32	107.49	116.00
1	AA	1387	G	C4-C5-N7	-5.32	108.67	110.80
2	AB	31	U	C5-C4-O4	-5.32	122.71	125.90
18	AR	11	VAL	CG1-CB-CG2	-5.32	102.40	110.90
25	BA	113	C	N3-C4-N4	5.32	121.72	118.00
25	BA	113	C	N1-C2-N3	-5.32	115.48	119.20
26	BB	425	G	N3-C2-N2	-5.32	116.18	119.90
26	BB	811	U	C5'-C4'-C3'	-5.32	107.50	116.00
26	BB	1226	A	C5-C6-N6	-5.32	119.45	123.70
26	BB	1683	U	N3-C2-O2	-5.32	118.48	122.20
26	BB	2757	A	C8-N9-C4	5.32	107.93	105.80
1	AA	1500	A	C5-C6-N1	5.31	120.36	117.70
6	AF	74	ILE	O-C-N	5.31	131.20	122.70
26	BB	580	U	C5'-C4'-O4'	5.31	115.48	109.10
26	BB	1183	U	N1-C2-O2	5.31	126.52	122.80
26	BB	1340	U	C5-C4-O4	-5.31	122.71	125.90
26	BB	1566	A	O4'-C4'-C3'	5.31	110.35	106.10
26	BB	2427	C	C4-C5-C6	5.31	120.06	117.40
52	B1	58	GLU	OE1-CD-OE2	5.31	129.68	123.30
1	AA	578	C	N3-C4-N4	5.31	121.72	118.00
1	AA	863	U	N3-C2-O2	-5.31	118.48	122.20
1	AA	1113	C	P-O3'-C3'	5.31	126.07	119.70
1	AA	1144	G	N3-C4-C5	-5.31	125.94	128.60
26	BB	205	G	C6-C5-N7	-5.31	127.21	130.40
26	BB	244	A	C5-C6-N1	5.31	120.36	117.70
26	BB	412	A	N9-C1'-C2'	-5.31	106.16	112.00
26	BB	435	C	N3-C2-O2	-5.31	118.18	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1561	C	C1'-O4'-C4'	-5.31	105.65	109.90
26	BB	1972	G	N9-C1'-C2'	-5.31	106.16	112.00
26	BB	2134	A	N9-C4-C5	-5.31	103.67	105.80
26	BB	2194	U	C5'-C4'-O4'	5.31	115.48	109.10
26	BB	2439	A	P-O3'-C3'	5.31	126.08	119.70
26	BB	2648	G	C6-N1-C2	-5.31	121.91	125.10
1	AA	482	A	C4-C5-C6	-5.31	114.34	117.00
17	AQ	39	ASP	CB-CG-OD2	5.31	123.08	118.30
26	BB	426	C	N3-C4-C5	-5.31	119.78	121.90
26	BB	535	G	N7-C8-N9	5.31	115.76	113.10
26	BB	728	G	C1'-O4'-C4'	-5.31	105.65	109.90
26	BB	752	A	O4'-C1'-N9	5.31	112.45	108.20
26	BB	2398	U	N3-C4-O4	5.31	123.12	119.40
26	BB	2533	U	P-O3'-C3'	5.31	126.07	119.70
39	BO	110	GLU	CA-CB-CG	5.31	125.08	113.40
43	BS	90	ASP	CB-CG-OD1	-5.31	113.52	118.30
1	AA	32	A	C8-N9-C4	5.31	107.92	105.80
1	AA	108	G	C5-N7-C8	5.31	106.95	104.30
1	AA	346	G	C4-C5-C6	5.31	121.98	118.80
1	AA	425	G	C5'-C4'-O4'	5.31	115.47	109.10
26	BB	187	G	N1-C2-N3	5.31	127.09	123.90
26	BB	358	U	O4'-C4'-C3'	5.31	110.35	106.10
26	BB	441	U	P-O3'-C3'	5.31	126.07	119.70
26	BB	595	C	N1-C2-O2	5.31	122.09	118.90
26	BB	645	C	C5'-C4'-O4'	5.31	115.47	109.10
26	BB	800	A	C2-N3-C4	-5.31	107.94	110.60
26	BB	948	C	C4'-C3'-C2'	-5.31	97.29	102.60
26	BB	1491	G	C1'-O4'-C4'	5.31	114.15	109.90
26	BB	1514	G	C8-N9-C4	-5.31	104.28	106.40
26	BB	1516	G	C8-N9-C4	-5.31	104.28	106.40
26	BB	1753	G	N3-C4-C5	-5.31	125.94	128.60
26	BB	1796	U	C5'-C4'-O4'	5.31	115.47	109.10
26	BB	1955	U	P-O3'-C3'	5.31	126.07	119.70
26	BB	2037	A	C3'-C2'-C1'	-5.31	97.25	101.50
26	BB	2231	U	C1'-O4'-C4'	-5.31	105.65	109.90
26	BB	2234	G	C6-C5-N7	-5.31	127.21	130.40
26	BB	2477	U	C5-C6-N1	5.31	125.36	122.70
42	BR	41	ALA	N-CA-CB	-5.31	102.67	110.10
1	AA	21	G	C5'-C4'-O4'	5.31	115.47	109.10
1	AA	42	G	C5'-C4'-O4'	5.31	115.47	109.10
1	AA	374	A	C8-N9-C4	-5.31	103.68	105.80
1	AA	746	A	C2-N3-C4	5.31	113.25	110.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	800	G	C4'-C3'-C2'	-5.31	97.29	102.60
1	AA	1062	U	C3'-C2'-C1'	5.31	105.75	101.50
1	AA	1161	C	C3'-C2'-C1'	5.31	105.75	101.50
1	AA	1330	U	N3-C4-C5	-5.31	111.42	114.60
1	AA	1403	C	N3-C4-C5	-5.31	119.78	121.90
1	AA	1496	C	N3-C2-O2	-5.31	118.18	121.90
3	AC	52	U	N3-C4-C5	-5.31	111.42	114.60
19	AS	51	ARG	NE-CZ-NH1	5.31	122.95	120.30
25	BA	111	U	N1-C2-O2	-5.31	119.08	122.80
26	BB	200	U	C5-C4-O4	5.31	129.08	125.90
26	BB	770	G	C5'-C4'-O4'	5.31	115.47	109.10
26	BB	1069	A	C4-C5-C6	-5.31	114.35	117.00
26	BB	1179	G	P-O3'-C3'	5.31	126.07	119.70
26	BB	1401	G	O4'-C1'-N9	-5.31	103.95	108.20
26	BB	1688	U	C3'-C2'-C1'	-5.31	97.25	101.50
26	BB	2693	G	C5'-C4'-O4'	5.31	115.47	109.10
26	BB	2828	G	C3'-C2'-C1'	-5.31	97.25	101.50
1	AA	247	G	N3-C4-C5	-5.31	125.95	128.60
26	BB	1582	C	C4-C5-C6	-5.31	114.75	117.40
26	BB	1889	A	C1'-O4'-C4'	-5.31	105.66	109.90
26	BB	2019	A	C5-C6-N1	5.31	120.35	117.70
26	BB	2026	U	N1-C1'-C2'	-5.31	106.16	112.00
26	BB	2266	A	N9-C1'-C2'	5.31	120.90	114.00
26	BB	2562	U	C5'-C4'-O4'	5.31	115.47	109.10
1	AA	61	G	N1-C2-N2	-5.30	111.43	116.20
1	AA	65	A	N1-C6-N6	5.30	121.78	118.60
1	AA	142	G	C4'-C3'-C2'	-5.30	97.30	102.60
1	AA	143	A	C1'-O4'-C4'	-5.30	105.66	109.90
1	AA	297	G	C4-N9-C1'	-5.30	119.61	126.50
1	AA	566	G	C5-N7-C8	-5.30	101.65	104.30
1	AA	1202	U	C4'-C3'-C2'	-5.30	97.30	102.60
1	AA	1301	U	C2-N3-C4	-5.30	123.82	127.00
10	AJ	3	ARG	NH1-CZ-NH2	-5.30	113.56	119.40
25	BA	11	C	N1-C2-N3	-5.30	115.49	119.20
25	BA	92	C	N3-C2-O2	-5.30	118.19	121.90
25	BA	101	A	C5-N7-C8	-5.30	101.25	103.90
26	BB	379	G	C6-C5-N7	-5.30	127.22	130.40
26	BB	1061	U	P-O3'-C3'	5.30	126.06	119.70
26	BB	1098	A	C6-N1-C2	5.30	121.78	118.60
26	BB	1360	G	O4'-C1'-N9	5.30	112.44	108.20
26	BB	1374	G	C5-N7-C8	5.30	106.95	104.30
26	BB	1582	C	C5'-C4'-O4'	5.30	115.47	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1878	G	N1-C6-O6	5.30	123.08	119.90
26	BB	2042	A	N9-C4-C5	-5.30	103.68	105.80
26	BB	2584	U	P-O3'-C3'	5.30	126.06	119.70
26	BB	2770	G	N3-C2-N2	5.30	123.61	119.90
26	BB	2821	A	C4'-C3'-C2'	-5.30	97.30	102.60
32	BH	163	TYR	CB-CG-CD1	5.30	124.18	121.00
37	BM	80	ASP	CB-CG-OD1	-5.30	113.53	118.30
2	AB	9	A	C4'-C3'-O3'	5.30	123.61	113.00
3	AC	56	G	O4'-C1'-N9	5.30	112.44	108.20
26	BB	253	C	C4'-C3'-C2'	-5.30	97.30	102.60
26	BB	1680	U	N1-C2-N3	5.30	118.08	114.90
26	BB	1856	U	C4'-C3'-C2'	-5.30	97.30	102.60
26	BB	1991	U	O4'-C1'-N1	5.30	112.44	108.20
26	BB	2642	G	C2-N3-C4	5.30	114.55	111.90
26	BB	2653	U	C4'-C3'-C2'	-5.30	97.30	102.60
26	BB	2891	U	C2-N3-C4	-5.30	123.82	127.00
1	AA	93	U	C5-C6-N1	-5.30	120.05	122.70
1	AA	176	C	C5'-C4'-O4'	5.30	115.46	109.10
1	AA	436	C	O4'-C1'-N1	5.30	112.44	108.20
1	AA	1086	U	C5-C4-O4	-5.30	122.72	125.90
1	AA	1198	G	C4'-C3'-C2'	-5.30	97.30	102.60
1	AA	1403	C	N3-C4-N4	5.30	121.71	118.00
4	AD	41	C	N3-C2-O2	5.30	125.61	121.90
25	BA	1	U	N3-C4-C5	-5.30	111.42	114.60
25	BA	98	G	C5-C6-N1	-5.30	108.85	111.50
26	BB	5	A	C5'-C4'-O4'	5.30	115.46	109.10
26	BB	424	G	N3-C4-C5	-5.30	125.95	128.60
26	BB	735	A	C6-C5-N7	-5.30	128.59	132.30
26	BB	1074	G	C5'-C4'-O4'	5.30	115.46	109.10
26	BB	1084	A	C5-C6-N1	5.30	120.35	117.70
26	BB	1985	C	C6-N1-C2	-5.30	118.18	120.30
26	BB	2122	U	N3-C4-O4	-5.30	115.69	119.40
26	BB	2549	G	N3-C4-C5	-5.30	125.95	128.60
26	BB	2592	G	N3-C4-C5	-5.30	125.95	128.60
26	BB	2823	A	O4'-C1'-C2'	5.30	112.37	107.60
26	BB	2843	G	N9-C1'-C2'	-5.30	106.17	112.00
1	AA	391	G	C2-N3-C4	5.30	114.55	111.90
1	AA	660	C	OP1-P-O3'	5.30	116.86	105.20
1	AA	1062	U	P-O3'-C3'	5.30	126.06	119.70
1	AA	1294	G	C8-N9-C1'	5.30	133.89	127.00
1	AA	1297	G	O4'-C1'-N9	5.30	112.44	108.20
1	AA	1333	A	N9-C4-C5	5.30	107.92	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	44	G	N3-C4-N9	-5.30	122.82	126.00
25	BA	115	A	C2-N3-C4	-5.30	107.95	110.60
26	BB	503	A	N7-C8-N9	-5.30	111.15	113.80
26	BB	701	G	P-O3'-C3'	5.30	126.06	119.70
26	BB	1070	A	C5-C6-N1	5.30	120.35	117.70
26	BB	1884	G	C4-C5-N7	-5.30	108.68	110.80
26	BB	2505	G	C2-N3-C4	5.30	114.55	111.90
26	BB	2505	G	N3-C4-C5	-5.30	125.95	128.60
26	BB	2877	G	N1-C6-O6	5.30	123.08	119.90
1	AA	1100	C	N3-C2-O2	-5.30	118.19	121.90
1	AA	1169	A	N9-C4-C5	5.30	107.92	105.80
26	BB	583	G	C4-C5-N7	-5.30	108.68	110.80
26	BB	869	G	C4-C5-C6	5.30	121.98	118.80
26	BB	1525	A	N9-C4-C5	5.30	107.92	105.80
26	BB	1862	G	C6-N1-C2	-5.30	121.92	125.10
1	AA	393	A	C1'-O4'-C4'	5.30	114.14	109.90
1	AA	793	U	C2-N3-C4	-5.30	123.82	127.00
1	AA	815	A	O4'-C4'-C3'	5.30	110.34	106.10
1	AA	1507	A	C5'-C4'-C3'	-5.30	107.53	116.00
5	AE	107	ARG	NE-CZ-NH1	-5.30	117.65	120.30
22	AV	77	ARG	CD-NE-CZ	5.30	131.01	123.60
26	BB	24	G	C4-C5-C6	-5.30	115.62	118.80
26	BB	60	G	O4'-C1'-C2'	5.30	112.37	107.60
26	BB	288	U	C5-C4-O4	5.30	129.08	125.90
26	BB	624	C	C2-N3-C4	5.30	122.55	119.90
26	BB	1007	C	N1-C1'-C2'	-5.30	106.17	112.00
26	BB	1220	G	C2-N3-C4	-5.30	109.25	111.90
26	BB	1305	C	C5-C6-N1	5.30	123.65	121.00
26	BB	1408	G	N7-C8-N9	5.30	115.75	113.10
26	BB	2077	A	C4'-C3'-C2'	-5.30	97.30	102.60
26	BB	2225	A	C5'-C4'-O4'	5.30	115.46	109.10
57	B6	7	ARG	NE-CZ-NH1	5.30	122.95	120.30
1	AA	308	C	P-O3'-C3'	5.29	126.05	119.70
1	AA	759	A	N3-C4-N9	5.29	131.64	127.40
1	AA	873	A	O4'-C4'-C3'	5.29	110.34	106.10
3	AC	48	C	O4'-C1'-N1	5.29	112.44	108.20
4	AD	37	U	N3-C4-C5	-5.29	111.42	114.60
26	BB	470	A	C6-N1-C2	-5.29	115.42	118.60
26	BB	1101	U	N1-C2-N3	5.29	118.08	114.90
26	BB	1676	A	C8-N9-C4	-5.29	103.68	105.80
26	BB	2847	U	N1-C2-O2	-5.29	119.09	122.80
1	AA	339	C	C5'-C4'-O4'	5.29	115.45	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	549	C	N3-C4-C5	5.29	124.02	121.90
1	AA	1150	A	C2-N3-C4	5.29	113.25	110.60
1	AA	1428	A	C5-N7-C8	-5.29	101.25	103.90
1	AA	1460	C	C4-C5-C6	-5.29	114.75	117.40
25	BA	37	C	C1'-O4'-C4'	5.29	114.14	109.90
26	BB	355	U	N1-C2-N3	5.29	118.08	114.90
26	BB	372	G	C4-C5-C6	-5.29	115.62	118.80
26	BB	701	G	N1-C2-N2	5.29	120.96	116.20
26	BB	730	A	N9-C4-C5	5.29	107.92	105.80
26	BB	906	U	C5'-C4'-C3'	-5.29	107.53	116.00
26	BB	977	G	N3-C4-N9	5.29	129.18	126.00
26	BB	1464	G	C3'-C2'-C1'	-5.29	97.27	101.50
26	BB	1540	G	C1'-O4'-C4'	5.29	114.13	109.90
26	BB	1604	C	O4'-C1'-C2'	-5.29	100.51	105.80
26	BB	1649	G	C5-N7-C8	-5.29	101.65	104.30
26	BB	1967	C	C5-C4-N4	5.29	123.91	120.20
26	BB	2092	U	N3-C4-O4	-5.29	115.69	119.40
26	BB	2116	G	O4'-C1'-N9	5.29	112.44	108.20
26	BB	2253	G	N9-C1'-C2'	-5.29	106.18	112.00
26	BB	2281	A	N9-C1'-C2'	-5.29	106.18	112.00
26	BB	2538	C	N3-C4-C5	-5.29	119.78	121.90
1	AA	190	A	C2-N3-C4	-5.29	107.95	110.60
1	AA	320	A	N7-C8-N9	5.29	116.45	113.80
1	AA	408	A	C4-C5-N7	5.29	113.35	110.70
1	AA	792	A	C5-C6-N1	-5.29	115.05	117.70
1	AA	1295	U	C4-C5-C6	5.29	122.88	119.70
1	AA	1496	C	O4'-C4'-C3'	-5.29	98.71	104.00
3	AC	52	U	C2-N1-C1'	5.29	124.05	117.70
26	BB	307	G	C2-N3-C4	5.29	114.55	111.90
26	BB	706	A	N9-C1'-C2'	-5.29	106.18	112.00
26	BB	1425	G	C5'-C4'-O4'	5.29	115.45	109.10
26	BB	2055	C	N3-C2-O2	-5.29	118.20	121.90
26	BB	2166	U	C4'-C3'-C2'	-5.29	97.31	102.60
26	BB	2243	U	C4-C5-C6	5.29	122.88	119.70
26	BB	2369	A	C1'-O4'-C4'	5.29	114.13	109.90
26	BB	2495	G	C5-N7-C8	-5.29	101.66	104.30
26	BB	2565	A	C1'-O4'-C4'	-5.29	105.67	109.90
26	BB	2820	A	C5-C6-N1	5.29	120.35	117.70
1	AA	657	U	C3'-C2'-C1'	5.29	105.73	101.50
1	AA	1272	G	N3-C4-C5	-5.29	125.95	128.60
5	AE	77	GLU	OE1-CD-OE2	5.29	129.65	123.30
26	BB	354	A	C4-C5-N7	5.29	113.34	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	713	G	C6-N1-C2	-5.29	121.93	125.10
26	BB	836	G	N3-C4-C5	5.29	131.25	128.60
26	BB	883	G	N1-C2-N2	5.29	120.96	116.20
26	BB	1098	A	N1-C2-N3	-5.29	126.66	129.30
26	BB	1807	G	C2-N3-C4	5.29	114.55	111.90
26	BB	2892	G	C5-C6-O6	-5.29	125.43	128.60
1	AA	21	G	C6-N1-C2	-5.29	121.93	125.10
1	AA	85	U	C3'-C2'-C1'	-5.29	97.27	101.50
1	AA	88	U	C4-C5-C6	5.29	122.87	119.70
1	AA	246	A	N7-C8-N9	-5.29	111.16	113.80
1	AA	337	G	N3-C4-N9	-5.29	122.83	126.00
1	AA	636	U	N3-C4-O4	-5.29	115.70	119.40
1	AA	736	C	O4'-C1'-N1	5.29	112.43	108.20
25	BA	39	A	O4'-C4'-C3'	5.29	110.33	106.10
26	BB	312	G	N1-C6-O6	5.29	123.07	119.90
26	BB	1091	G	N3-C4-N9	-5.29	122.83	126.00
26	BB	1103	A	C6-N1-C2	5.29	121.77	118.60
26	BB	1368	G	C4-C5-C6	5.29	121.97	118.80
26	BB	1620	G	C8-N9-C1'	5.29	133.88	127.00
26	BB	2612	C	N3-C4-C5	-5.29	119.78	121.90
26	BB	2747	G	C4'-C3'-C2'	-5.29	97.31	102.60
26	BB	2816	G	C6-N1-C2	-5.29	121.93	125.10
1	AA	20	U	C2-N3-C4	5.29	130.17	127.00
1	AA	807	A	N1-C6-N6	-5.29	115.43	118.60
1	AA	1220	G	C3'-C2'-C1'	-5.29	97.27	101.50
4	AD	54	G	O4'-C4'-C3'	5.29	110.33	106.10
5	AE	190	SER	CB-CA-C	5.29	120.15	110.10
26	BB	216	A	N1-C6-N6	5.29	121.77	118.60
26	BB	396	G	N7-C8-N9	-5.29	110.46	113.10
26	BB	598	U	N1-C2-O2	5.29	126.50	122.80
26	BB	1254	A	C5-C6-N6	-5.29	119.47	123.70
26	BB	1412	U	C5'-C4'-O4'	5.29	115.44	109.10
26	BB	1934	C	O4'-C4'-C3'	-5.29	98.71	104.00
26	BB	1942	C	C2-N3-C4	5.29	122.54	119.90
32	BH	94	ARG	NE-CZ-NH1	5.29	122.94	120.30
56	B5	34	ARG	NE-CZ-NH1	5.29	122.94	120.30
1	AA	175	C	C5'-C4'-O4'	-5.29	102.76	109.10
1	AA	429	U	P-O3'-C3'	5.29	126.04	119.70
1	AA	902	G	P-O5'-C5'	5.29	129.36	120.90
1	AA	1514	G	O4'-C1'-N9	5.29	112.43	108.20
2	AB	52	A	C5'-C4'-C3'	-5.29	107.54	116.00
16	AP	97	ARG	NE-CZ-NH1	5.29	122.94	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
16	AP	100	ARG	CD-NE-CZ	5.29	131.00	123.60
17	AQ	10	VAL	CG1-CB-CG2	-5.29	102.44	110.90
25	BA	46	A	N1-C6-N6	5.29	121.77	118.60
25	BA	75	G	C1'-O4'-C4'	5.29	114.13	109.90
26	BB	73	A	N7-C8-N9	-5.29	111.16	113.80
26	BB	416	U	N3-C4-C5	-5.29	111.43	114.60
26	BB	447	A	C4-C5-N7	-5.29	108.06	110.70
26	BB	631	A	C6-C5-N7	5.29	136.00	132.30
26	BB	1026	G	P-O3'-C3'	5.29	126.04	119.70
26	BB	1072	C	N1-C2-O2	5.29	122.07	118.90
26	BB	1394	U	N1-C2-O2	-5.29	119.10	122.80
26	BB	1619	G	N3-C2-N2	-5.29	116.20	119.90
26	BB	2137	U	N3-C4-O4	-5.29	115.70	119.40
26	BB	2254	C	N3-C4-C5	5.29	124.01	121.90
26	BB	2337	G	N3-C4-N9	5.29	129.17	126.00
26	BB	2355	G	C1'-O4'-C4'	-5.29	105.67	109.90
26	BB	2606	C	N1-C2-N3	-5.29	115.50	119.20
30	BF	145	ASP	CB-CG-OD1	5.29	123.06	118.30
1	AA	533	A	C5'-C4'-O4'	5.28	115.44	109.10
1	AA	605	U	C6-N1-C1'	5.28	128.60	121.20
1	AA	802	A	N9-C1'-C2'	-5.28	106.19	112.00
1	AA	1542	A	C4'-C3'-C2'	-5.28	97.32	102.60
26	BB	545	U	C2-N3-C4	-5.28	123.83	127.00
26	BB	612	G	N7-C8-N9	-5.28	110.46	113.10
26	BB	649	G	C5-N7-C8	-5.28	101.66	104.30
26	BB	965	C	N3-C2-O2	5.28	125.60	121.90
26	BB	1339	G	N1-C2-N3	-5.28	120.73	123.90
26	BB	1481	U	C5-C6-N1	5.28	125.34	122.70
26	BB	1863	G	N3-C2-N2	-5.28	116.20	119.90
26	BB	2565	A	C6-N1-C2	5.28	121.77	118.60
1	AA	221	C	N1-C2-O2	5.28	122.07	118.90
1	AA	1410	A	P-O3'-C3'	5.28	126.04	119.70
1	AA	1411	C	C4-C5-C6	-5.28	114.76	117.40
1	AA	1458	G	N3-C4-C5	-5.28	125.96	128.60
26	BB	1132	U	O4'-C4'-C3'	5.28	110.33	106.10
26	BB	1403	A	O4'-C4'-C3'	-5.28	98.72	104.00
26	BB	2215	C	P-O3'-C3'	5.28	126.04	119.70
26	BB	2374	C	N3-C2-O2	-5.28	118.20	121.90
26	BB	2455	G	N1-C6-O6	5.28	123.07	119.90
1	AA	65	A	N1-C2-N3	-5.28	126.66	129.30
1	AA	197	A	O5'-C5'-C4'	5.28	121.73	111.70
1	AA	243	A	N1-C2-N3	-5.28	126.66	129.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	479	U	O4'-C1'-N1	5.28	112.42	108.20
1	AA	729	A	O5'-C5'-C4'	5.28	121.73	111.70
1	AA	749	A	N1-C2-N3	-5.28	126.66	129.30
1	AA	845	A	C6-N1-C2	-5.28	115.43	118.60
1	AA	1462	C	N3-C4-N4	5.28	121.70	118.00
1	AA	1472	U	N1-C2-O2	-5.28	119.10	122.80
10	AJ	153	TYR	CD1-CE1-CZ	-5.28	115.05	119.80
26	BB	209	C	N1-C2-O2	5.28	122.07	118.90
26	BB	481	G	N3-C4-C5	-5.28	125.96	128.60
26	BB	716	A	C5-N7-C8	-5.28	101.26	103.90
26	BB	1122	G	N1-C2-N3	5.28	127.07	123.90
26	BB	1551	A	N1-C2-N3	5.28	131.94	129.30
26	BB	1716	U	N3-C2-O2	-5.28	118.50	122.20
26	BB	2387	U	O4'-C1'-N1	-5.28	103.98	108.20
26	BB	2404	U	C3'-C2'-C1'	-5.28	97.28	101.50
26	BB	2901	C	N3-C4-C5	-5.28	119.79	121.90
28	BD	189	ALA	O-C-N	-5.28	114.25	122.70
40	BP	70	THR	CA-CB-CG2	-5.28	105.01	112.40
50	BZ	51	SER	N-CA-CB	-5.28	102.58	110.50
1	AA	381	C	N3-C4-C5	-5.28	119.79	121.90
2	AB	40	C	O4'-C4'-C3'	5.28	110.32	106.10
2	AB	49	G	C5-C6-N1	5.28	114.14	111.50
26	BB	1	G	N7-C8-N9	5.28	115.74	113.10
26	BB	782	A	N3-C4-N9	-5.28	123.18	127.40
26	BB	867	C	N3-C4-N4	5.28	121.70	118.00
26	BB	1256	G	C1'-O4'-C4'	5.28	114.12	109.90
26	BB	1480	C	C5-C6-N1	-5.28	118.36	121.00
26	BB	1553	A	N1-C6-N6	5.28	121.77	118.60
26	BB	1905	C	N3-C4-C5	-5.28	119.79	121.90
26	BB	2230	G	C5-C6-N1	-5.28	108.86	111.50
32	BH	136	ASP	CB-CG-OD2	-5.28	113.55	118.30
1	AA	99	C	N3-C4-C5	-5.28	119.79	121.90
1	AA	273	U	C6-N1-C2	-5.28	117.83	121.00
1	AA	338	A	O4'-C1'-N9	5.28	112.42	108.20
1	AA	398	U	N3-C4-O4	5.28	123.09	119.40
1	AA	434	U	O4'-C1'-N1	5.28	112.42	108.20
1	AA	598	U	O4'-C1'-N1	5.28	112.42	108.20
1	AA	1239	A	N7-C8-N9	-5.28	111.16	113.80
1	AA	1355	G	N3-C2-N2	-5.28	116.21	119.90
1	AA	1481	U	N1-C2-O2	-5.28	119.11	122.80
26	BB	500	G	C5'-C4'-O4'	5.28	115.43	109.10
26	BB	913	U	C5'-C4'-O4'	-5.28	102.77	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1024	G	O4'-C1'-N9	5.28	112.42	108.20
26	BB	1373	A	C3'-C2'-C1'	-5.28	97.28	101.50
26	BB	1449	G	C5-C6-O6	-5.28	125.43	128.60
26	BB	1715	G	N9-C4-C5	-5.28	103.29	105.40
26	BB	1765	U	C4-C5-C6	5.28	122.87	119.70
26	BB	2007	U	C6-N1-C2	-5.28	117.83	121.00
26	BB	2238	G	O3'-P-O5'	-5.28	93.97	104.00
26	BB	2360	G	C2-N3-C4	5.28	114.54	111.90
26	BB	2653	U	P-O3'-C3'	5.28	126.03	119.70
1	AA	142	G	C5'-C4'-C3'	-5.28	107.56	116.00
1	AA	525	C	OP1-P-OP2	-5.28	111.69	119.60
1	AA	928	G	C5-C6-O6	-5.28	125.44	128.60
1	AA	1198	G	O4'-C1'-N9	5.28	112.42	108.20
1	AA	1503	A	C2-N3-C4	5.28	113.24	110.60
25	BA	20	G	O4'-C4'-C3'	5.28	110.32	106.10
26	BB	52	A	C5-C6-N6	5.28	127.92	123.70
26	BB	507	A	C4-C5-C6	-5.28	114.36	117.00
26	BB	741	U	C5'-C4'-C3'	-5.28	107.56	116.00
26	BB	992	C	C6-N1-C2	-5.28	118.19	120.30
26	BB	1012	U	N1-C2-N3	5.28	118.07	114.90
26	BB	1517	G	N1-C2-N3	-5.28	120.73	123.90
26	BB	1697	G	C2'-C3'-O3'	5.28	122.14	113.70
26	BB	1701	A	N1-C2-N3	5.28	131.94	129.30
26	BB	1987	A	C5-C6-N6	-5.28	119.48	123.70
26	BB	2476	A	P-O3'-C3'	5.28	126.03	119.70
1	AA	554	A	C5-C6-N1	5.27	120.34	117.70
1	AA	992	U	C3'-C2'-C1'	-5.27	97.28	101.50
1	AA	1085	U	N1-C2-O2	5.27	126.49	122.80
26	BB	367	G	N3-C2-N2	5.27	123.59	119.90
26	BB	947	A	C6-C5-N7	5.27	135.99	132.30
26	BB	1347	A	N7-C8-N9	5.27	116.44	113.80
26	BB	2556	C	C4-C5-C6	5.27	120.04	117.40
50	BZ	26	ARG	NE-CZ-NH2	-5.27	117.66	120.30
56	B5	19	ARG	NE-CZ-NH1	-5.27	117.66	120.30
1	AA	37	U	C2-N3-C4	-5.27	123.84	127.00
1	AA	188	C	O5'-P-OP2	-5.27	100.96	105.70
1	AA	383	A	C4'-C3'-C2'	-5.27	97.33	102.60
1	AA	610	U	O5'-P-OP2	-5.27	100.95	105.70
1	AA	1272	G	C5'-C4'-O4'	-5.27	102.77	109.10
4	AD	72	C	N3-C4-N4	5.27	121.69	118.00
6	AF	21	TRP	NE1-CE2-CD2	-5.27	102.03	107.30
25	BA	84	G	N1-C6-O6	5.27	123.06	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	196	A	C8-N9-C4	-5.27	103.69	105.80
26	BB	233	A	C2-N3-C4	5.27	113.24	110.60
26	BB	391	A	C5-N7-C8	-5.27	101.26	103.90
26	BB	446	G	N9-C1'-C2'	-5.27	106.20	112.00
26	BB	621	A	O4'-C1'-N9	-5.27	103.98	108.20
26	BB	805	G	C6-N1-C2	-5.27	121.94	125.10
26	BB	896	A	P-O3'-C3'	5.27	126.03	119.70
26	BB	1121	C	N1-C1'-C2'	-5.27	106.20	112.00
26	BB	1410	G	C5-C6-O6	-5.27	125.44	128.60
26	BB	1531	C	N3-C4-N4	5.27	121.69	118.00
26	BB	1844	C	O4'-C4'-C3'	-5.27	98.73	104.00
26	BB	1912	A	C5-C6-N1	5.27	120.34	117.70
26	BB	1927	A	C6-C5-N7	5.27	135.99	132.30
26	BB	2363	G	N3-C4-C5	-5.27	125.96	128.60
26	BB	2464	G	N3-C4-N9	5.27	129.16	126.00
26	BB	2736	A	C8-N9-C4	5.27	107.91	105.80
1	AA	342	C	C3'-C2'-C1'	-5.27	97.28	101.50
1	AA	1385	G	N3-C2-N2	-5.27	116.21	119.90
1	AA	1392	G	C1'-O4'-C4'	-5.27	105.68	109.90
8	AH	17	VAL	CG1-CB-CG2	-5.27	102.47	110.90
9	AI	96	VAL	CA-CB-CG1	5.27	118.81	110.90
26	BB	196	A	C5'-C4'-O4'	5.27	115.42	109.10
26	BB	251	A	P-O5'-C5'	5.27	129.33	120.90
26	BB	993	G	C4'-C3'-C2'	-5.27	97.33	102.60
26	BB	1274	A	C4'-C3'-C2'	-5.27	97.33	102.60
26	BB	2042	A	N1-C6-N6	5.27	121.76	118.60
26	BB	2439	A	C8-N9-C4	5.27	107.91	105.80
26	BB	2763	G	C5-C6-N1	5.27	114.14	111.50
26	BB	2766	A	N1-C2-N3	-5.27	126.67	129.30
1	AA	168	G	C5'-C4'-C3'	-5.27	107.57	116.00
1	AA	204	G	O4'-C1'-N9	5.27	112.42	108.20
1	AA	383	A	N1-C6-N6	5.27	121.76	118.60
1	AA	720	C	C6-N1-C2	-5.27	118.19	120.30
1	AA	730	G	C8-N9-C1'	5.27	133.85	127.00
2	AB	43	G	C3'-C2'-C1'	5.27	105.72	101.50
9	AI	126	ALA	C-N-CA	5.27	133.36	122.30
26	BB	199	A	N1-C6-N6	5.27	121.76	118.60
26	BB	530	G	C2-N3-C4	-5.27	109.27	111.90
26	BB	1114	C	C4-C5-C6	5.27	120.03	117.40
26	BB	1279	G	C4-C5-C6	5.27	121.96	118.80
26	BB	1328	A	N3-C4-N9	-5.27	123.18	127.40
26	BB	1815	A	C4-C5-N7	-5.27	108.06	110.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2858	C	C6-N1-C2	-5.27	118.19	120.30
56	B5	14	ARG	NE-CZ-NH1	-5.27	117.67	120.30
1	AA	346	G	O3'-P-O5'	5.27	114.01	104.00
1	AA	349	A	C2-N3-C4	5.27	113.23	110.60
1	AA	436	C	C6-N1-C2	5.27	122.41	120.30
1	AA	794	A	C4-C5-N7	5.27	113.33	110.70
1	AA	897	C	C1'-O4'-C4'	-5.27	105.69	109.90
1	AA	1017	U	N3-C4-O4	-5.27	115.71	119.40
1	AA	1058	G	N1-C6-O6	-5.27	116.74	119.90
1	AA	1175	G	N3-C4-N9	5.27	129.16	126.00
1	AA	1539	C	C5-C6-N1	-5.27	118.37	121.00
2	AB	5	G	C4'-C3'-C2'	-5.27	97.33	102.60
2	AB	18	G	N9-C1'-C2'	5.27	120.85	114.00
4	AD	14	A	N1-C6-N6	-5.27	115.44	118.60
25	BA	64	G	N7-C8-N9	5.27	115.73	113.10
25	BA	73	A	C8-N9-C4	-5.27	103.69	105.80
26	BB	408	G	C3'-C2'-C1'	-5.27	97.29	101.50
26	BB	592	A	C4-C5-C6	5.27	119.63	117.00
26	BB	670	A	C5-C6-N6	-5.27	119.49	123.70
26	BB	927	A	C5-C6-N1	-5.27	115.07	117.70
26	BB	1170	C	C5'-C4'-C3'	-5.27	107.57	116.00
26	BB	1339	G	C5-C6-N1	5.27	114.13	111.50
26	BB	2242	G	C4'-C3'-C2'	-5.27	97.33	102.60
26	BB	2572	A	C6-N1-C2	5.27	121.76	118.60
26	BB	2699	C	C5-C6-N1	5.27	123.63	121.00
1	AA	173	U	C5-C6-N1	-5.27	120.07	122.70
1	AA	742	G	C8-N9-C1'	5.27	133.85	127.00
1	AA	1343	G	N1-C2-N2	5.27	120.94	116.20
3	AC	55	A	C1'-O4'-C4'	-5.27	105.69	109.90
25	BA	25	U	C3'-C2'-C1'	5.27	105.71	101.50
25	BA	112	G	C4'-C3'-C2'	-5.27	97.33	102.60
26	BB	238	C	C6-N1-C2	5.27	122.41	120.30
26	BB	1519	G	C5'-C4'-C3'	-5.27	107.58	116.00
26	BB	2407	A	C4-C5-C6	-5.27	114.37	117.00
1	AA	424	G	C6-N1-C2	-5.26	121.94	125.10
1	AA	1010	U	C4-C5-C6	5.26	122.86	119.70
1	AA	1234	C	C6-N1-C1'	5.26	127.12	120.80
1	AA	1410	A	C5'-C4'-C3'	-5.26	107.58	116.00
3	AC	42	U	C2-N3-C4	5.26	130.16	127.00
25	BA	39	A	C1'-O4'-C4'	-5.26	105.69	109.90
26	BB	690	G	N3-C4-N9	-5.26	122.84	126.00
26	BB	785	G	C8-N9-C1'	5.26	133.84	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1090	A	N3-C4-C5	-5.26	123.11	126.80
26	BB	1147	A	C5'-C4'-C3'	-5.26	107.58	116.00
26	BB	1203	U	O4'-C4'-C3'	5.26	110.31	106.10
26	BB	2035	G	N1-C6-O6	-5.26	116.74	119.90
26	BB	2062	A	C4-C5-C6	-5.26	114.37	117.00
26	BB	2133	G	C4-C5-N7	-5.26	108.69	110.80
26	BB	2227	A	N7-C8-N9	5.26	116.43	113.80
26	BB	2374	C	C5'-C4'-C3'	-5.26	107.58	116.00
26	BB	2595	G	C4-C5-C6	5.26	121.96	118.80
26	BB	2833	U	C3'-C2'-C1'	5.26	105.71	101.50
1	AA	112	G	O4'-C1'-N9	5.26	112.41	108.20
1	AA	394	G	C5'-C4'-O4'	5.26	115.42	109.10
1	AA	1251	A	C4'-C3'-C2'	-5.26	97.34	102.60
1	AA	1396	A	C2-N3-C4	5.26	113.23	110.60
26	BB	770	G	C5'-C4'-C3'	-5.26	107.58	116.00
26	BB	1619	G	C4-C5-N7	-5.26	108.69	110.80
26	BB	2087	G	C5-N7-C8	-5.26	101.67	104.30
26	BB	2849	U	N3-C4-C5	-5.26	111.44	114.60
1	AA	1124	G	C5-C6-O6	5.26	131.76	128.60
1	AA	1278	G	C2-N3-C4	5.26	114.53	111.90
1	AA	1337	G	C2-N3-C4	5.26	114.53	111.90
1	AA	1385	G	N7-C8-N9	5.26	115.73	113.10
15	AO	32	VAL	CA-CB-CG1	5.26	118.79	110.90
20	AT	61	ARG	NE-CZ-NH1	5.26	122.93	120.30
26	BB	326	G	C8-N9-C1'	5.26	133.84	127.00
26	BB	468	G	C8-N9-C1'	5.26	133.84	127.00
26	BB	892	A	O3'-P-O5'	-5.26	94.00	104.00
26	BB	1227	G	C4-C5-N7	5.26	112.91	110.80
26	BB	1517	G	C6-C5-N7	-5.26	127.24	130.40
26	BB	1544	A	C5'-C4'-C3'	-5.26	107.58	116.00
26	BB	1608	A	C6-C5-N7	-5.26	128.62	132.30
26	BB	1773	A	N3-C4-C5	-5.26	123.12	126.80
26	BB	2014	A	C1'-O4'-C4'	-5.26	105.69	109.90
26	BB	2358	A	N1-C6-N6	-5.26	115.44	118.60
26	BB	2566	A	N3-C4-N9	5.26	131.61	127.40
45	BU	95	ARG	NE-CZ-NH2	-5.26	117.67	120.30
1	AA	248	C	O4'-C1'-N1	5.26	112.41	108.20
1	AA	360	G	C5-C6-N1	5.26	114.13	111.50
1	AA	616	G	P-O3'-C3'	5.26	126.01	119.70
1	AA	817	C	O5'-C5'-C4'	-5.26	101.71	111.70
1	AA	942	G	O4'-C1'-C2'	5.26	112.33	107.60
1	AA	942	G	C4-C5-C6	5.26	121.96	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1051	C	C5-C6-N1	5.26	123.63	121.00
1	AA	1208	C	N3-C4-C5	5.26	124.00	121.90
1	AA	1280	A	C5-C6-N6	-5.26	119.49	123.70
4	AD	39	A	C5-C6-N6	-5.26	119.49	123.70
26	BB	1254	A	P-O3'-C3'	5.26	126.01	119.70
26	BB	1285	A	C6-N1-C2	5.26	121.75	118.60
26	BB	2472	G	C5-N7-C8	-5.26	101.67	104.30
26	BB	2588	G	N3-C4-C5	-5.26	125.97	128.60
43	BS	97	ILE	CB-CA-C	5.26	122.12	111.60
1	AA	681	A	C8-N9-C4	-5.26	103.70	105.80
1	AA	821	G	N3-C4-C5	5.26	131.23	128.60
25	BA	109	A	C5-C6-N6	-5.26	119.49	123.70
26	BB	1558	C	N1-C2-N3	-5.26	115.52	119.20
26	BB	1607	C	O4'-C4'-C3'	5.26	110.31	106.10
26	BB	1709	U	C6-N1-C2	-5.26	117.84	121.00
26	BB	2164	C	C1'-O4'-C4'	-5.26	105.69	109.90
30	BF	21	ARG	CD-NE-CZ	5.26	130.96	123.60
44	BT	74	ILE	CA-CB-CG1	5.26	120.99	111.00
1	AA	1287	A	C5'-C4'-O4'	5.26	115.41	109.10
2	AB	66	C	C5-C4-N4	-5.26	116.52	120.20
6	AF	167	TYR	CG-CD1-CE1	-5.26	117.09	121.30
25	BA	71	C	N3-C4-C5	5.26	124.00	121.90
26	BB	209	C	C5-C6-N1	-5.26	118.37	121.00
26	BB	836	G	C8-N9-C4	-5.26	104.30	106.40
26	BB	917	A	C4-C5-C6	5.26	119.63	117.00
26	BB	1441	G	N9-C1'-C2'	-5.26	106.22	112.00
26	BB	1609	A	C4-C5-N7	-5.26	108.07	110.70
26	BB	1651	G	C4'-C3'-C2'	-5.26	97.34	102.60
26	BB	1762	A	N3-C4-N9	-5.26	123.19	127.40
26	BB	1820	U	C4'-C3'-C2'	-5.26	97.34	102.60
26	BB	2811	G	C4-C5-N7	-5.26	108.70	110.80
34	BJ	55	ARG	NE-CZ-NH1	-5.26	117.67	120.30
1	AA	68	G	C5-N7-C8	-5.25	101.67	104.30
26	BB	80	G	O4'-C4'-C3'	5.25	110.30	106.10
26	BB	144	A	C6-C5-N7	5.25	135.98	132.30
26	BB	765	C	C5-C4-N4	5.25	123.88	120.20
1	AA	8	A	N3-C4-N9	-5.25	123.20	127.40
1	AA	241	G	N7-C8-N9	5.25	115.73	113.10
1	AA	470	C	C5-C4-N4	-5.25	116.52	120.20
1	AA	506	G	N3-C4-C5	-5.25	125.97	128.60
1	AA	775	G	C4'-C3'-C2'	-5.25	97.35	102.60
4	AD	52	C	C2-N3-C4	5.25	122.53	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
22	AV	13	HIS	CA-CB-CG	5.25	122.53	113.60
26	BB	364	C	N3-C2-O2	-5.25	118.22	121.90
26	BB	690	G	O4'-C1'-N9	5.25	112.40	108.20
26	BB	1246	A	N9-C4-C5	-5.25	103.70	105.80
26	BB	1722	A	O4'-C1'-N9	5.25	112.40	108.20
26	BB	1914	C	C6-N1-C2	-5.25	118.20	120.30
26	BB	2239	G	N1-C2-N2	-5.25	111.47	116.20
26	BB	2254	C	C2-N3-C4	5.25	122.53	119.90
26	BB	2455	G	C1'-O4'-C4'	-5.25	105.70	109.90
26	BB	2568	U	N3-C2-O2	-5.25	118.52	122.20
26	BB	2679	A	O5'-C5'-C4'	5.25	121.68	111.70
26	BB	2749	A	N3-C4-N9	5.25	131.60	127.40
26	BB	2821	A	C5-N7-C8	-5.25	101.27	103.90
1	AA	190	A	C4'-C3'-C2'	-5.25	97.35	102.60
1	AA	444	G	N9-C4-C5	5.25	107.50	105.40
1	AA	510	A	N9-C4-C5	-5.25	103.70	105.80
1	AA	1021	A	C5-C6-N1	5.25	120.33	117.70
1	AA	1037	C	N1-C2-N3	5.25	122.88	119.20
1	AA	1144	G	C5-N7-C8	-5.25	101.67	104.30
1	AA	1185	G	C4'-C3'-C2'	5.25	107.85	102.60
1	AA	1303	C	C6-N1-C1'	5.25	127.10	120.80
1	AA	1542	A	O4'-C1'-C2'	-5.25	100.55	105.80
7	AG	74	TYR	CB-CG-CD2	5.25	124.15	121.00
25	BA	6	G	C6-C5-N7	-5.25	127.25	130.40
26	BB	240	C	N3-C4-C5	-5.25	119.80	121.90
26	BB	330	A	N7-C8-N9	5.25	116.42	113.80
26	BB	584	C	C5'-C4'-C3'	-5.25	107.60	116.00
26	BB	804	A	C2-N3-C4	-5.25	107.97	110.60
26	BB	934	U	C1'-O4'-C4'	-5.25	105.70	109.90
26	BB	1009	A	C1'-O4'-C4'	-5.25	105.70	109.90
26	BB	1084	A	N1-C2-N3	5.25	131.93	129.30
26	BB	1429	G	N3-C4-C5	-5.25	125.97	128.60
26	BB	1687	G	C5-C6-O6	-5.25	125.45	128.60
26	BB	1989	G	C5'-C4'-O4'	5.25	115.40	109.10
26	BB	2049	G	O4'-C4'-C3'	5.25	110.30	106.10
26	BB	2325	G	O4'-C1'-N9	5.25	112.40	108.20
26	BB	2438	U	O4'-C1'-N1	5.25	112.40	108.20
26	BB	2607	G	P-O3'-C3'	5.25	126.00	119.70
26	BB	2701	U	C2-N3-C4	-5.25	123.85	127.00
26	BB	2901	C	C3'-C2'-C1'	-5.25	97.30	101.50
36	BL	141	ASP	CB-CG-OD1	-5.25	113.57	118.30
1	AA	254	G	C4-C5-C6	5.25	121.95	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	824	G	C3'-C2'-C1'	-5.25	97.30	101.50
1	AA	1053	G	N1-C2-N3	-5.25	120.75	123.90
1	AA	1122	U	N1-C1'-C2'	-5.25	106.22	112.00
2	AB	3	G	C8-N9-C4	5.25	108.50	106.40
7	AG	61	ARG	NH1-CZ-NH2	-5.25	113.62	119.40
26	BB	838	C	C5-C4-N4	5.25	123.88	120.20
26	BB	921	C	N3-C4-N4	5.25	121.67	118.00
26	BB	1072	C	C6-N1-C2	5.25	122.40	120.30
26	BB	1086	A	C5-C6-N1	5.25	120.33	117.70
26	BB	2478	A	C5-N7-C8	-5.25	101.28	103.90
1	AA	142	G	C8-N9-C4	5.25	108.50	106.40
1	AA	145	G	N3-C4-C5	-5.25	125.98	128.60
1	AA	167	A	N1-C2-N3	-5.25	126.67	129.30
1	AA	235	C	C4-C5-C6	5.25	120.02	117.40
1	AA	262	A	P-O3'-C3'	5.25	126.00	119.70
1	AA	473	U	C4-C5-C6	5.25	122.85	119.70
1	AA	1061	G	P-O3'-C3'	5.25	126.00	119.70
1	AA	1182	G	C5-C6-N1	-5.25	108.88	111.50
1	AA	1260	G	C2'-C3'-O3'	5.25	122.10	113.70
2	AB	35	C	N3-C4-C5	-5.25	119.80	121.90
3	AC	24	A	N1-C2-N3	-5.25	126.67	129.30
4	AD	26	C	N1-C2-O2	-5.25	115.75	118.90
4	AD	61	U	O4'-C1'-N1	5.25	112.40	108.20
21	AU	3	TYR	CB-CG-CD1	-5.25	117.85	121.00
26	BB	56	A	N9-C1'-C2'	-5.25	106.23	112.00
26	BB	99	U	N1-C2-N3	-5.25	111.75	114.90
26	BB	611	C	N1-C1'-C2'	-5.25	106.23	112.00
26	BB	815	C	P-O3'-C3'	5.25	126.00	119.70
26	BB	1973	G	C1'-O4'-C4'	-5.25	105.70	109.90
26	BB	2489	U	C5'-C4'-O4'	5.25	115.40	109.10
26	BB	2655	G	N3-C2-N2	5.25	123.57	119.90
26	BB	2697	G	C5'-C4'-O4'	5.25	115.40	109.10
56	B5	7	PRO	N-CD-CG	5.25	111.07	103.20
1	AA	118	U	O3'-P-O5'	5.25	113.97	104.00
1	AA	318	G	N9-C4-C5	-5.25	103.30	105.40
1	AA	782	A	N9-C1'-C2'	-5.25	106.23	112.00
1	AA	937	A	N3-C4-N9	5.25	131.60	127.40
2	AB	9	A	O5'-C5'-C4'	-5.25	101.73	111.70
14	AN	106	ILE	CB-CA-C	5.25	122.09	111.60
25	BA	11	C	C6-N1-C2	5.25	122.40	120.30
25	BA	70	C	C5'-C4'-O4'	5.25	115.39	109.10
26	BB	37	C	O4'-C4'-C3'	-5.25	98.75	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	787	C	N1-C2-N3	5.25	122.87	119.20
26	BB	1277	G	C1'-O4'-C4'	5.25	114.10	109.90
26	BB	1756	G	P-O3'-C3'	5.25	126.00	119.70
26	BB	1886	U	C5'-C4'-O4'	5.25	115.40	109.10
26	BB	1996	C	N3-C2-O2	-5.25	118.23	121.90
26	BB	2215	C	C5'-C4'-C3'	-5.25	107.61	116.00
26	BB	2301	C	C2'-C3'-O3'	5.25	122.09	113.70
26	BB	2329	U	O4'-C1'-N1	5.25	112.40	108.20
26	BB	2862	G	N7-C8-N9	5.25	115.72	113.10
28	BD	154	ALA	N-CA-CB	5.25	117.44	110.10
1	AA	795	C	C4-C5-C6	5.25	120.02	117.40
1	AA	1274	A	C4-C5-N7	-5.25	108.08	110.70
9	AI	80	PHE	CB-CG-CD2	-5.25	117.13	120.80
21	AU	5	ARG	NE-CZ-NH1	5.25	122.92	120.30
25	BA	90	C	N1-C2-O2	5.25	122.05	118.90
26	BB	1686	C	O5'-P-OP1	-5.25	100.98	105.70
33	BI	31	VAL	CG1-CB-CG2	-5.25	102.51	110.90
1	AA	306	A	N1-C2-N3	-5.24	126.68	129.30
1	AA	732	C	C3'-C2'-C1'	5.24	105.69	101.50
1	AA	972	C	N3-C4-N4	-5.24	114.33	118.00
4	AD	30	G	C4'-C3'-C2'	-5.24	97.36	102.60
26	BB	242	G	N3-C4-C5	-5.24	125.98	128.60
26	BB	339	U	C1'-O4'-C4'	-5.24	105.71	109.90
26	BB	402	A	C8-N9-C4	5.24	107.90	105.80
26	BB	531	C	O4'-C1'-C2'	-5.24	100.56	105.80
26	BB	1042	G	N9-C4-C5	-5.24	103.30	105.40
26	BB	1083	U	N1-C2-O2	5.24	126.47	122.80
26	BB	1705	A	C4-C5-C6	-5.24	114.38	117.00
26	BB	1731	G	O4'-C1'-N9	5.24	112.39	108.20
26	BB	1752	C	C3'-C2'-C1'	5.24	105.69	101.50
26	BB	2081	U	C2-N3-C4	-5.24	123.85	127.00
26	BB	2599	G	C6-N1-C2	-5.24	121.95	125.10
26	BB	2693	G	C6-C5-N7	5.24	133.55	130.40
26	BB	2874	C	O3'-P-O5'	-5.24	94.04	104.00
32	BH	148	ARG	N-CA-C	5.24	125.16	111.00
1	AA	191	G	C8-N9-C1'	5.24	133.81	127.00
1	AA	884	U	N1-C2-N3	5.24	118.05	114.90
1	AA	934	C	N3-C2-O2	-5.24	118.23	121.90
1	AA	1150	A	N1-C2-N3	-5.24	126.68	129.30
25	BA	21	G	C3'-C2'-C1'	-5.24	97.31	101.50
26	BB	40	U	N1-C1'-C2'	-5.24	106.23	112.00
26	BB	1309	G	C8-N9-C4	-5.24	104.30	106.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1758	U	C4'-C3'-C2'	5.24	107.84	102.60
26	BB	2108	A	P-O3'-C3'	5.24	125.99	119.70
26	BB	2415	G	N1-C6-O6	5.24	123.05	119.90
26	BB	2557	G	N3-C4-C5	-5.24	125.98	128.60
1	AA	248	C	N3-C4-N4	5.24	121.67	118.00
1	AA	332	G	C4-C5-N7	-5.24	108.70	110.80
1	AA	454	G	N9-C1'-C2'	5.24	120.81	114.00
1	AA	466	A	N3-C4-C5	-5.24	123.13	126.80
1	AA	493	A	N1-C6-N6	5.24	121.75	118.60
1	AA	690	G	P-O3'-C3'	5.24	125.99	119.70
1	AA	1077	G	C6-N1-C2	-5.24	121.95	125.10
1	AA	1134	G	C2-N3-C4	-5.24	109.28	111.90
14	AN	97	ARG	NH1-CZ-NH2	5.24	125.16	119.40
26	BB	320	A	C8-N9-C4	-5.24	103.70	105.80
26	BB	1241	A	O4'-C4'-C3'	5.24	110.29	106.10
26	BB	1432	G	N3-C4-C5	-5.24	125.98	128.60
26	BB	2332	C	O5'-C5'-C4'	-5.24	101.74	111.70
26	BB	2588	G	N3-C4-N9	5.24	129.14	126.00
26	BB	2899	A	N9-C4-C5	5.24	107.90	105.80
45	BU	68	ASP	CB-CG-OD2	-5.24	113.58	118.30
1	AA	8	A	N1-C6-N6	-5.24	115.46	118.60
1	AA	22	G	C5-C6-O6	-5.24	125.46	128.60
1	AA	134	G	N3-C4-N9	5.24	129.14	126.00
1	AA	173	U	C2'-C3'-O3'	5.24	122.08	113.70
1	AA	329	A	C3'-C2'-C1'	-5.24	97.31	101.50
1	AA	374	A	C4-C5-N7	-5.24	108.08	110.70
1	AA	467	U	C5-C4-O4	-5.24	122.76	125.90
1	AA	796	C	C5-C6-N1	-5.24	118.38	121.00
1	AA	938	A	OP2-P-O3'	5.24	116.73	105.20
1	AA	941	G	N3-C4-N9	-5.24	122.86	126.00
1	AA	1141	C	C3'-C2'-C1'	5.24	105.69	101.50
2	AB	44	G	N1-C2-N2	-5.24	111.48	116.20
26	BB	517	C	N3-C4-C5	-5.24	119.81	121.90
26	BB	767	U	N3-C4-O4	-5.24	115.73	119.40
26	BB	1075	C	C6-N1-C2	-5.24	118.20	120.30
26	BB	1464	G	O4'-C1'-N9	5.24	112.39	108.20
26	BB	1667	G	C5-C6-N1	5.24	114.12	111.50
26	BB	1879	C	N1-C2-O2	5.24	122.04	118.90
26	BB	1897	G	C8-N9-C4	-5.24	104.31	106.40
26	BB	1980	G	N1-C2-N2	5.24	120.92	116.20
26	BB	2073	C	P-O5'-C5'	-5.24	112.52	120.90
26	BB	2310	C	C6-N1-C2	5.24	122.39	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2864	G	O4'-C1'-N9	5.24	112.39	108.20
48	BX	29	ILE	CA-CB-CG1	5.24	120.95	111.00
1	AA	579	A	P-O3'-C3'	5.24	125.98	119.70
1	AA	992	U	N3-C4-C5	5.24	117.74	114.60
1	AA	1337	G	C5'-C4'-O4'	5.24	115.39	109.10
3	AC	35	G	N9-C1'-C2'	-5.24	106.24	112.00
16	AP	91	ARG	NE-CZ-NH1	5.24	122.92	120.30
26	BB	343	C	C3'-C2'-C1'	5.24	105.69	101.50
26	BB	1846	G	N9-C1'-C2'	-5.24	106.24	112.00
26	BB	2171	A	C5-N7-C8	5.24	106.52	103.90
26	BB	2366	A	O4'-C1'-N9	5.24	112.39	108.20
1	AA	140	U	N3-C4-O4	5.24	123.06	119.40
1	AA	233	C	OP1-P-O3'	5.24	116.72	105.20
1	AA	559	A	C1'-O4'-C4'	-5.24	105.71	109.90
1	AA	864	A	C6-N1-C2	-5.24	115.46	118.60
1	AA	1094	G	N3-C4-N9	-5.24	122.86	126.00
2	AB	76	A	O5'-P-OP1	5.24	116.98	110.70
4	AD	47	A	C5-C6-N6	-5.24	119.51	123.70
10	AJ	17	PHE	CB-CG-CD1	5.24	124.47	120.80
19	AS	33	ILE	CG1-CB-CG2	-5.24	99.88	111.40
26	BB	63	A	N1-C6-N6	5.24	121.74	118.60
26	BB	690	G	N3-C2-N2	-5.24	116.23	119.90
26	BB	1214	A	C6-N1-C2	5.24	121.74	118.60
26	BB	1313	U	N3-C4-O4	-5.24	115.73	119.40
26	BB	1425	G	C8-N9-C1'	5.24	133.81	127.00
26	BB	1740	G	O3'-P-O5'	5.24	113.95	104.00
26	BB	1981	A	C4-C5-C6	-5.24	114.38	117.00
26	BB	2235	G	C6-C5-N7	-5.24	127.26	130.40
26	BB	2319	G	C4'-C3'-C2'	5.24	107.84	102.60
28	BD	227	VAL	CA-CB-CG2	-5.24	103.05	110.90
1	AA	997	U	C5'-C4'-C3'	-5.23	107.62	116.00
1	AA	1191	A	O4'-C4'-C3'	5.23	110.29	106.10
26	BB	504	A	C1'-O4'-C4'	-5.23	105.71	109.90
26	BB	518	G	C6-N1-C2	-5.23	121.96	125.10
26	BB	630	G	C1'-O4'-C4'	-5.23	105.71	109.90
26	BB	1162	G	N3-C2-N2	-5.23	116.24	119.90
26	BB	2008	C	N1-C2-O2	5.23	122.04	118.90
26	BB	2550	G	N1-C2-N3	-5.23	120.76	123.90
1	AA	190	A	N1-C2-N3	5.23	131.92	129.30
1	AA	457	G	N7-C8-N9	-5.23	110.48	113.10
1	AA	476	U	C6-N1-C2	-5.23	117.86	121.00
1	AA	725	G	C4-C5-N7	-5.23	108.71	110.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	814	A	O4'-C1'-N9	5.23	112.39	108.20
26	BB	319	G	C2-N3-C4	5.23	114.52	111.90
26	BB	705	A	N7-C8-N9	5.23	116.42	113.80
26	BB	870	U	C5-C6-N1	5.23	125.32	122.70
26	BB	1112	G	C4-C5-N7	-5.23	108.71	110.80
26	BB	1150	C	C4-C5-C6	-5.23	114.78	117.40
26	BB	1204	A	P-O3'-C3'	5.23	125.98	119.70
26	BB	1784	A	N3-C4-C5	-5.23	123.14	126.80
26	BB	2266	A	C5-N7-C8	-5.23	101.28	103.90
26	BB	2391	G	O4'-C1'-N9	5.23	112.39	108.20
26	BB	2809	A	C5-C6-N6	5.23	127.89	123.70
1	AA	131	A	N1-C6-N6	-5.23	115.46	118.60
1	AA	197	A	N1-C2-N3	5.23	131.91	129.30
1	AA	299	G	C2-N3-C4	5.23	114.52	111.90
1	AA	850	U	O4'-C4'-C3'	5.23	110.28	106.10
1	AA	987	G	N1-C6-O6	5.23	123.04	119.90
1	AA	1018	G	C5'-C4'-O4'	5.23	115.38	109.10
21	AU	24	ASP	CB-CG-OD2	-5.23	113.59	118.30
26	BB	1147	A	C4-C5-N7	5.23	113.31	110.70
26	BB	1520	U	C2-N3-C4	5.23	130.14	127.00
26	BB	1601	G	N1-C2-N2	-5.23	111.49	116.20
26	BB	1701	A	C6-N1-C2	-5.23	115.46	118.60
26	BB	1840	G	N3-C2-N2	-5.23	116.24	119.90
26	BB	2130	U	C5'-C4'-C3'	-5.23	107.63	116.00
26	BB	2221	G	C4-C5-N7	5.23	112.89	110.80
26	BB	2380	C	C3'-C2'-C1'	-5.23	97.32	101.50
26	BB	2692	G	N1-C2-N3	5.23	127.04	123.90
1	AA	128	G	C2'-C3'-O3'	5.23	122.07	113.70
1	AA	756	C	C4'-C3'-C2'	-5.23	97.37	102.60
1	AA	1133	G	C8-N9-C1'	5.23	133.80	127.00
26	BB	864	G	P-O3'-C3'	5.23	125.97	119.70
26	BB	1459	G	C6-N1-C2	5.23	128.24	125.10
26	BB	1842	G	N9-C4-C5	-5.23	103.31	105.40
26	BB	2232	C	C1'-O4'-C4'	-5.23	105.72	109.90
1	AA	151	A	N1-C2-N3	-5.23	126.69	129.30
1	AA	169	C	O4'-C1'-C2'	5.23	112.31	107.60
1	AA	405	U	C5-C4-O4	5.23	129.04	125.90
1	AA	836	G	N1-C2-N2	5.23	120.91	116.20
1	AA	951	G	N1-C6-O6	5.23	123.04	119.90
1	AA	1012	A	C5-C6-N6	-5.23	119.52	123.70
1	AA	1279	G	N3-C4-C5	-5.23	125.99	128.60
4	AD	1	C	C5-C4-N4	5.23	123.86	120.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	319	G	C4-C5-N7	-5.23	108.71	110.80
26	BB	438	G	C5-C6-N1	5.23	114.11	111.50
26	BB	1612	C	O4'-C1'-N1	5.23	112.38	108.20
26	BB	1813	G	C3'-C2'-C1'	5.23	105.68	101.50
26	BB	2294	G	C3'-C2'-C1'	5.23	105.68	101.50
26	BB	2329	U	C2-N3-C4	-5.23	123.86	127.00
26	BB	2590	A	C4-C5-C6	5.23	119.61	117.00
26	BB	2789	C	N1-C2-O2	5.23	122.04	118.90
48	BX	82	TYR	CG-CD1-CE1	-5.23	117.12	121.30
1	AA	39	G	N3-C4-N9	5.23	129.14	126.00
1	AA	842	U	N1-C2-N3	5.23	118.04	114.90
1	AA	1255	G	C5-N7-C8	5.23	106.91	104.30
26	BB	899	A	O4'-C1'-C2'	-5.23	100.57	105.80
26	BB	2141	G	C4-C5-N7	5.23	112.89	110.80
26	BB	2161	C	C5-C6-N1	5.23	123.61	121.00
30	BF	60	TRP	CG-CD2-CE3	-5.23	129.20	133.90
1	AA	39	G	O4'-C4'-C3'	-5.22	98.78	104.00
1	AA	343	U	C5-C4-O4	-5.22	122.77	125.90
1	AA	416	G	N1-C6-O6	5.22	123.03	119.90
1	AA	436	C	N1-C2-N3	-5.22	115.54	119.20
1	AA	1352	C	C4-C5-C6	5.22	120.01	117.40
2	AB	49	G	O4'-C1'-C2'	-5.22	100.58	105.80
4	AD	29	C	C5'-C4'-O4'	5.22	115.37	109.10
22	AV	82	HIS	N-CA-CB	-5.22	101.19	110.60
25	BA	32	U	C4-C5-C6	5.22	122.83	119.70
25	BA	64	G	C2-N3-C4	5.22	114.51	111.90
25	BA	106	G	C5-N7-C8	5.22	106.91	104.30
26	BB	105	C	N1-C1'-C2'	-5.22	106.25	112.00
26	BB	186	G	O4'-C1'-N9	5.22	112.38	108.20
26	BB	273	G	C3'-C2'-O2'	-5.22	98.15	113.30
26	BB	481	G	C6-N1-C2	-5.22	121.97	125.10
26	BB	619	G	C4-C5-C6	5.22	121.94	118.80
26	BB	666	A	O5'-C5'-C4'	-5.22	101.78	111.70
26	BB	1138	G	N1-C2-N3	-5.22	120.77	123.90
26	BB	1286	A	C3'-C2'-C1'	-5.22	97.32	101.50
26	BB	1363	C	O4'-C1'-N1	5.22	112.38	108.20
26	BB	1389	G	C5'-C4'-O4'	5.22	115.37	109.10
26	BB	1756	G	N3-C4-C5	-5.22	125.99	128.60
26	BB	2043	C	N3-C2-O2	-5.22	118.24	121.90
26	BB	2157	G	N1-C2-N3	-5.22	120.77	123.90
26	BB	2373	G	C5-N7-C8	-5.22	101.69	104.30
26	BB	2845	U	C5'-C4'-O4'	5.22	115.37	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	BJ	131	TYR	CA-CB-CG	5.22	123.33	113.40
1	AA	219	U	C3'-C2'-C1'	-5.22	97.32	101.50
1	AA	804	U	C5'-C4'-O4'	5.22	115.37	109.10
1	AA	1118	U	C1'-O4'-C4'	5.22	114.08	109.90
1	AA	1136	C	O4'-C1'-N1	5.22	112.38	108.20
1	AA	1309	G	O4'-C1'-N9	5.22	112.38	108.20
1	AA	1398	A	C5-C6-N6	5.22	127.88	123.70
1	AA	1403	C	C3'-C2'-C1'	5.22	105.68	101.50
1	AA	1453	G	C6-N1-C2	-5.22	121.97	125.10
1	AA	1492	A	C3'-C2'-C1'	5.22	105.68	101.50
2	AB	59	G	C2-N3-C4	5.22	114.51	111.90
4	AD	6	G	N1-C2-N2	5.22	120.90	116.20
7	AG	64	TYR	CB-CG-CD1	-5.22	117.87	121.00
25	BA	3	C	C4'-C3'-O3'	5.22	123.44	113.00
26	BB	198	C	C6-N1-C2	5.22	122.39	120.30
26	BB	217	A	O4'-C1'-N9	5.22	112.38	108.20
26	BB	532	A	N3-C4-N9	-5.22	123.22	127.40
26	BB	577	G	N3-C2-N2	-5.22	116.25	119.90
26	BB	964	C	C2-N3-C4	5.22	122.51	119.90
26	BB	1405	U	O5'-P-OP2	-5.22	101.00	105.70
26	BB	1471	G	P-O5'-C5'	5.22	129.26	120.90
26	BB	1641	A	C5-C6-N1	5.22	120.31	117.70
26	BB	1733	G	C8-N9-C1'	5.22	133.79	127.00
29	BE	77	ARG	NE-CZ-NH2	5.22	122.91	120.30
1	AA	68	G	C1'-O4'-C4'	5.22	114.08	109.90
1	AA	207	C	C4-C5-C6	5.22	120.01	117.40
1	AA	267	C	N3-C4-C5	5.22	123.99	121.90
1	AA	1103	C	C6-N1-C2	5.22	122.39	120.30
3	AC	48	C	C5-C6-N1	-5.22	118.39	121.00
26	BB	2112	G	N1-C6-O6	5.22	123.03	119.90
26	BB	2547	A	C5-C6-N6	5.22	127.88	123.70
26	BB	2635	A	C5-C6-N1	-5.22	115.09	117.70
45	BU	66	ILE	CA-CB-CG1	5.22	120.92	111.00
1	AA	490	C	C5-C4-N4	-5.22	116.55	120.20
1	AA	558	G	C5'-C4'-C3'	-5.22	107.65	116.00
1	AA	828	U	C4-C5-C6	5.22	122.83	119.70
1	AA	939	G	O5'-P-OP1	-5.22	101.00	105.70
1	AA	942	G	O5'-P-OP2	-5.22	101.00	105.70
1	AA	1026	G	N1-C6-O6	-5.22	116.77	119.90
1	AA	1223	C	O4'-C1'-C2'	-5.22	100.58	105.80
1	AA	1365	G	N1-C6-O6	-5.22	116.77	119.90
4	AD	13	C	O4'-C1'-N1	5.22	112.38	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	AO	82	ARG	NH1-CZ-NH2	-5.22	113.66	119.40
26	BB	137	U	C2-N3-C4	-5.22	123.87	127.00
26	BB	290	U	C5-C4-O4	-5.22	122.77	125.90
26	BB	460	A	O4'-C1'-N9	5.22	112.38	108.20
26	BB	497	A	C2-N3-C4	5.22	113.21	110.60
26	BB	633	A	C8-N9-C4	-5.22	103.71	105.80
26	BB	738	G	C4-C5-C6	5.22	121.93	118.80
26	BB	1140	C	C5-C4-N4	-5.22	116.55	120.20
26	BB	1146	C	N1-C2-N3	-5.22	115.55	119.20
26	BB	1501	G	N3-C4-C5	-5.22	125.99	128.60
26	BB	2569	G	N1-C6-O6	-5.22	116.77	119.90
26	BB	2809	A	N9-C4-C5	5.22	107.89	105.80
26	BB	2826	A	N9-C4-C5	5.22	107.89	105.80
1	AA	498	A	C5-C6-N6	-5.22	119.53	123.70
1	AA	723	U	N1-C2-N3	-5.22	111.77	114.90
1	AA	932	C	N1-C2-N3	-5.22	115.55	119.20
1	AA	1198	G	N9-C1'-C2'	-5.22	106.26	112.00
2	AB	59	G	P-O3'-C3'	5.22	125.96	119.70
25	BA	10	G	O4'-C1'-C2'	-5.22	100.58	105.80
25	BA	48	U	C5'-C4'-C3'	-5.22	107.65	116.00
26	BB	807	U	O4'-C1'-N1	5.22	112.38	108.20
26	BB	1476	U	C4-C5-C6	-5.22	116.57	119.70
26	BB	2015	A	C4-C5-N7	-5.22	108.09	110.70
41	BQ	99	TYR	CB-CG-CD2	5.22	124.13	121.00
53	B2	25	ARG	NE-CZ-NH1	-5.22	117.69	120.30
1	AA	584	G	N1-C6-O6	5.22	123.03	119.90
1	AA	878	A	C5-C6-N6	-5.22	119.53	123.70
1	AA	982	U	O4'-C4'-C3'	5.22	110.27	106.10
1	AA	1011	C	C2-N3-C4	5.22	122.51	119.90
1	AA	1143	G	N1-C2-N2	5.22	120.89	116.20
26	BB	985	C	C5'-C4'-O4'	5.22	115.36	109.10
26	BB	1010	A	N1-C2-N3	5.22	131.91	129.30
26	BB	1086	A	C5-N7-C8	5.22	106.51	103.90
26	BB	1374	G	N7-C8-N9	5.22	115.71	113.10
26	BB	1504	A	C4'-C3'-C2'	-5.22	97.38	102.60
26	BB	1816	C	P-O5'-C5'	5.22	129.25	120.90
26	BB	2266	A	N1-C6-N6	-5.22	115.47	118.60
26	BB	2438	U	C4'-C3'-C2'	-5.22	97.38	102.60
26	BB	2684	U	C5-C4-O4	5.22	129.03	125.90
26	BB	2774	C	C6-N1-C2	-5.22	118.21	120.30
34	BJ	51	MET	O-C-N	5.22	131.05	122.70
1	AA	23	C	O5'-P-OP2	-5.21	101.01	105.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	169	C	C1'-O4'-C4'	-5.21	105.73	109.90
1	AA	190	A	O4'-C1'-N9	5.21	112.37	108.20
1	AA	233	C	O4'-C4'-C3'	5.21	110.27	106.10
1	AA	458	U	N1-C2-O2	5.21	126.45	122.80
1	AA	498	A	N3-C4-N9	5.21	131.57	127.40
1	AA	507	C	P-O5'-C5'	5.21	129.24	120.90
1	AA	618	C	C5'-C4'-O4'	5.21	115.36	109.10
1	AA	631	C	O4'-C1'-N1	5.21	112.37	108.20
1	AA	656	G	O4'-C1'-N9	5.21	112.37	108.20
1	AA	1434	A	C1'-O4'-C4'	-5.21	105.73	109.90
1	AA	1524	C	N3-C2-O2	-5.21	118.25	121.90
25	BA	114	C	P-O3'-C3'	5.21	125.96	119.70
26	BB	686	U	C2-N1-C1'	5.21	123.96	117.70
26	BB	832	U	OP1-P-OP2	-5.21	111.78	119.60
26	BB	966	G	C2-N3-C4	5.21	114.51	111.90
26	BB	1239	G	O4'-C1'-N9	5.21	112.37	108.20
26	BB	1504	A	C5-C6-N6	5.21	127.87	123.70
26	BB	1921	G	N7-C8-N9	-5.21	110.49	113.10
26	BB	1989	G	N1-C2-N2	-5.21	111.51	116.20
26	BB	2085	U	O4'-C4'-C3'	-5.21	98.78	104.00
26	BB	2152	G	C5'-C4'-C3'	-5.21	107.66	116.00
26	BB	2548	U	O4'-C1'-C2'	5.21	112.29	107.60
37	BM	64	ARG	NE-CZ-NH2	-5.21	117.69	120.30
1	AA	179	A	C5-N7-C8	-5.21	101.29	103.90
1	AA	638	U	C3'-C2'-C1'	5.21	105.67	101.50
4	AD	49	C	C4-C5-C6	-5.21	114.79	117.40
26	BB	400	G	O4'-C1'-C2'	-5.21	100.59	105.80
26	BB	1133	A	P-O3'-C3'	5.21	125.95	119.70
26	BB	2220	U	C4-C5-C6	5.21	122.83	119.70
26	BB	2375	G	C4-N9-C1'	-5.21	119.72	126.50
26	BB	2443	C	C6-N1-C2	-5.21	118.22	120.30
26	BB	2747	G	N1-C2-N3	5.21	127.03	123.90
26	BB	2898	U	C6-N1-C2	-5.21	117.87	121.00
41	BQ	29	HIS	O-C-N	5.21	131.04	122.70
1	AA	34	C	N1-C2-O2	5.21	122.03	118.90
1	AA	242	G	N1-C6-O6	-5.21	116.77	119.90
1	AA	563	A	OP2-P-O3'	5.21	116.66	105.20
1	AA	593	U	C5-C6-N1	5.21	125.31	122.70
1	AA	674	G	N1-C2-N2	-5.21	111.51	116.20
1	AA	870	U	C5'-C4'-C3'	-5.21	107.66	116.00
1	AA	1228	C	N1-C2-O2	5.21	122.03	118.90
1	AA	1323	G	N1-C6-O6	-5.21	116.77	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1345	U	C5-C4-O4	-5.21	122.77	125.90
1	AA	1375	A	C5-N7-C8	-5.21	101.29	103.90
1	AA	1390	U	C5'-C4'-C3'	-5.21	107.66	116.00
1	AA	1430	A	N9-C4-C5	5.21	107.89	105.80
1	AA	1512	U	N1-C2-O2	5.21	126.45	122.80
1	AA	1530	G	C2-N3-C4	-5.21	109.29	111.90
2	AB	43	G	N3-C4-C5	-5.21	125.99	128.60
3	AC	30	U	C5-C6-N1	5.21	125.31	122.70
26	BB	377	G	P-O3'-C3'	5.21	125.95	119.70
26	BB	435	C	C5-C6-N1	5.21	123.61	121.00
26	BB	1002	G	C4'-C3'-O3'	5.21	123.42	113.00
26	BB	1025	G	C4-C5-C6	5.21	121.93	118.80
26	BB	1243	C	O4'-C1'-C2'	5.21	112.29	107.60
26	BB	1277	G	C4-C5-C6	5.21	121.93	118.80
26	BB	1385	A	C5-C6-N1	-5.21	115.09	117.70
26	BB	1497	U	C5-C6-N1	-5.21	120.09	122.70
26	BB	1749	A	N9-C1'-C2'	-5.21	106.27	112.00
26	BB	1822	C	O4'-C4'-C3'	5.21	110.27	106.10
26	BB	2104	C	C2-N3-C4	5.21	122.51	119.90
26	BB	2290	G	O4'-C1'-C2'	5.21	112.29	107.60
26	BB	2296	U	O4'-C1'-N1	5.21	112.37	108.20
26	BB	2419	U	N3-C4-O4	5.21	123.05	119.40
26	BB	2853	C	C4-C5-C6	5.21	120.01	117.40
35	BK	95	ASP	CB-CG-OD2	-5.21	113.61	118.30
1	AA	123	U	N1-C2-N3	5.21	118.03	114.90
4	AD	22	A	C6-C5-N7	5.21	135.95	132.30
26	BB	550	C	OP2-P-O3'	5.21	116.66	105.20
26	BB	715	A	P-O3'-C3'	5.21	125.95	119.70
26	BB	1194	A	C5-N7-C8	5.21	106.50	103.90
26	BB	1322	A	C5-N7-C8	5.21	106.50	103.90
26	BB	1571	A	C5-N7-C8	-5.21	101.30	103.90
26	BB	2059	A	P-O3'-C3'	5.21	125.95	119.70
26	BB	2115	G	C6-C5-N7	-5.21	127.27	130.40
26	BB	2583	G	N1-C2-N3	-5.21	120.77	123.90
26	BB	2590	A	C4-C5-N7	-5.21	108.09	110.70
1	AA	162	A	C3'-C2'-C1'	-5.21	97.33	101.50
1	AA	171	A	N1-C6-N6	5.21	121.72	118.60
1	AA	578	C	C5'-C4'-O4'	5.21	115.35	109.10
1	AA	583	A	P-O3'-C3'	5.21	125.95	119.70
1	AA	985	C	C2-N3-C4	5.21	122.50	119.90
1	AA	1061	G	C4-C5-C6	5.21	121.92	118.80
1	AA	1062	U	C4'-C3'-C2'	-5.21	97.39	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1085	U	C5-C6-N1	5.21	125.30	122.70
1	AA	1475	G	C5-N7-C8	-5.21	101.70	104.30
25	BA	97	C	N3-C4-C5	-5.21	119.82	121.90
26	BB	200	U	C5'-C4'-C3'	-5.21	107.67	116.00
26	BB	285	G	C5-C6-N1	5.21	114.10	111.50
26	BB	486	C	C2-N3-C4	5.21	122.50	119.90
26	BB	504	A	C3'-C2'-C1'	-5.21	97.33	101.50
26	BB	532	A	N7-C8-N9	5.21	116.40	113.80
26	BB	683	U	N1-C2-O2	5.21	126.45	122.80
26	BB	1305	C	C3'-C2'-C1'	5.21	105.67	101.50
26	BB	1617	C	N1-C2-N3	-5.21	115.55	119.20
26	BB	1662	U	N1-C2-O2	-5.21	119.16	122.80
26	BB	1872	A	C5-C6-N6	5.21	127.87	123.70
26	BB	2216	G	N3-C4-C5	-5.21	126.00	128.60
26	BB	2358	A	C5'-C4'-C3'	-5.21	107.67	116.00
26	BB	2517	C	O3'-P-O5'	-5.21	94.11	104.00
26	BB	2781	A	C5-C6-N1	5.21	120.30	117.70
26	BB	2883	A	O4'-C1'-N9	5.21	112.37	108.20
26	BB	2892	G	N3-C4-C5	-5.21	126.00	128.60
29	BE	119	ALA	CB-CA-C	5.21	117.91	110.10
40	BP	45	ARG	NE-CZ-NH1	-5.21	117.70	120.30
41	BQ	30	ARG	CD-NE-CZ	5.21	130.89	123.60
1	AA	219	U	N1-C2-N3	5.21	118.02	114.90
1	AA	325	A	C6-N1-C2	5.21	121.72	118.60
1	AA	487	A	C4'-C3'-C2'	-5.21	97.39	102.60
1	AA	589	U	N1-C2-N3	5.21	118.02	114.90
1	AA	681	A	N9-C1'-C2'	-5.21	106.27	112.00
1	AA	725	G	C5-C6-N1	-5.21	108.90	111.50
1	AA	946	A	C1'-O4'-C4'	5.21	114.07	109.90
1	AA	1019	A	C5'-C4'-O4'	5.21	115.35	109.10
1	AA	1232	U	C5'-C4'-O4'	5.21	115.35	109.10
1	AA	1254	A	C6-N1-C2	5.21	121.72	118.60
1	AA	1474	U	C6-N1-C2	-5.21	117.88	121.00
26	BB	113	U	C5-C4-O4	-5.21	122.78	125.90
26	BB	149	A	C8-N9-C4	-5.21	103.72	105.80
26	BB	406	G	OP2-P-O3'	5.21	116.65	105.20
26	BB	1008	A	C4-C5-C6	-5.21	114.40	117.00
26	BB	1053	C	N3-C2-O2	-5.21	118.25	121.90
26	BB	1320	C	C6-N1-C2	-5.21	118.22	120.30
26	BB	1369	G	P-O3'-C3'	5.21	125.95	119.70
26	BB	1449	G	C2-N3-C4	5.21	114.50	111.90
26	BB	1502	A	C3'-C2'-C1'	5.21	105.67	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1633	G	N3-C2-N2	5.21	123.55	119.90
26	BB	1824	G	N7-C8-N9	5.21	115.70	113.10
26	BB	2201	G	C4-N9-C1'	-5.21	119.73	126.50
26	BB	2310	C	N1-C1'-C2'	5.21	120.77	114.00
26	BB	2426	A	C1'-O4'-C4'	-5.21	105.73	109.90
26	BB	2657	A	C4'-C3'-C2'	-5.21	97.39	102.60
26	BB	2770	G	P-O3'-C3'	5.21	125.95	119.70
31	BG	111	ARG	NE-CZ-NH2	5.21	122.90	120.30
32	BH	51	PHE	CB-CG-CD2	5.21	124.44	120.80
1	AA	315	A	C5-C6-N1	5.21	120.30	117.70
1	AA	627	G	N1-C6-O6	-5.21	116.78	119.90
1	AA	640	A	C5-C6-N6	-5.21	119.54	123.70
1	AA	1511	G	C2-N3-C4	5.21	114.50	111.90
15	AO	82	ARG	NE-CZ-NH1	5.21	122.90	120.30
26	BB	1335	C	N3-C4-N4	-5.21	114.36	118.00
26	BB	2242	G	C6-C5-N7	-5.21	127.28	130.40
26	BB	2527	C	N1-C2-O2	5.21	122.02	118.90
1	AA	753	A	C5'-C4'-O4'	5.20	115.34	109.10
1	AA	1248	A	C1'-O4'-C4'	5.20	114.06	109.90
1	AA	1319	A	C5'-C4'-C3'	-5.20	107.67	116.00
1	AA	1520	C	C3'-C2'-C1'	-5.20	97.34	101.50
2	AB	23	A	C3'-C2'-C1'	5.20	105.66	101.50
25	BA	93	C	C5-C6-N1	5.20	123.60	121.00
26	BB	306	U	O4'-C1'-N1	5.20	112.36	108.20
26	BB	465	G	C8-N9-C4	-5.20	104.32	106.40
26	BB	501	A	C5-N7-C8	-5.20	101.30	103.90
26	BB	807	U	N3-C4-C5	5.20	117.72	114.60
26	BB	1257	C	N3-C4-C5	-5.20	119.82	121.90
26	BB	1302	A	N1-C6-N6	-5.20	115.48	118.60
26	BB	1498	C	N3-C2-O2	-5.20	118.26	121.90
26	BB	1597	A	C6-C5-N7	-5.20	128.66	132.30
26	BB	1611	C	O4'-C1'-N1	5.20	112.36	108.20
26	BB	1721	G	C6-C5-N7	-5.20	127.28	130.40
26	BB	1823	G	O4'-C4'-C3'	5.20	110.26	106.10
26	BB	2280	G	N9-C4-C5	5.20	107.48	105.40
26	BB	2598	A	C4'-C3'-C2'	-5.20	97.40	102.60
26	BB	2662	A	N9-C4-C5	-5.20	103.72	105.80
26	BB	2727	A	C1'-O4'-C4'	5.20	114.06	109.90
26	BB	2851	A	C6-C5-N7	-5.20	128.66	132.30
55	B4	31	GLU	OE1-CD-OE2	5.20	129.54	123.30
1	AA	712	A	O4'-C1'-N9	5.20	112.36	108.20
15	AO	98	ARG	NE-CZ-NH1	-5.20	117.70	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	812	C	C1'-O4'-C4'	-5.20	105.74	109.90
26	BB	1651	G	O5'-C5'-C4'	-5.20	101.82	111.70
26	BB	2157	G	C6-C5-N7	-5.20	127.28	130.40
26	BB	2305	U	N3-C4-C5	-5.20	111.48	114.60
26	BB	2319	G	N1-C2-N2	-5.20	111.52	116.20
26	BB	2602	A	O5'-P-OP2	-5.20	101.02	105.70
1	AA	34	C	C2-N3-C4	5.20	122.50	119.90
1	AA	41	G	C5-C6-O6	5.20	131.72	128.60
1	AA	237	G	C8-N9-C1'	5.20	133.76	127.00
1	AA	421	U	P-O3'-C3'	5.20	125.94	119.70
1	AA	600	A	N7-C8-N9	5.20	116.40	113.80
1	AA	701	U	C2-N3-C4	-5.20	123.88	127.00
1	AA	751	U	O3'-P-O5'	-5.20	94.12	104.00
1	AA	757	U	C3'-C2'-C1'	5.20	105.66	101.50
1	AA	871	U	C2-N3-C4	-5.20	123.88	127.00
1	AA	1073	U	C5-C4-O4	5.20	129.02	125.90
1	AA	1084	G	C2-N3-C4	5.20	114.50	111.90
1	AA	1121	U	N1-C2-N3	5.20	118.02	114.90
1	AA	1238	A	O4'-C1'-N9	5.20	112.36	108.20
1	AA	1455	G	C6-C5-N7	5.20	133.52	130.40
1	AA	1482	G	N3-C4-N9	5.20	129.12	126.00
2	AB	61	C	O4'-C1'-N1	5.20	112.36	108.20
26	BB	1295	C	N3-C4-C5	-5.20	119.82	121.90
26	BB	1328	A	C4'-C3'-C2'	-5.20	97.40	102.60
26	BB	1436	G	C8-N9-C4	5.20	108.48	106.40
26	BB	1710	G	N3-C4-C5	-5.20	126.00	128.60
26	BB	1984	G	N3-C2-N2	5.20	123.54	119.90
26	BB	2123	G	N9-C4-C5	5.20	107.48	105.40
26	BB	2311	A	N1-C2-N3	-5.20	126.70	129.30
26	BB	2444	G	N3-C4-N9	5.20	129.12	126.00
26	BB	2453	A	C6-N1-C2	-5.20	115.48	118.60
26	BB	2495	G	O4'-C1'-N9	5.20	112.36	108.20
26	BB	2561	U	O4'-C4'-C3'	-5.20	98.80	104.00
26	BB	2701	U	N3-C4-O4	5.20	123.04	119.40
26	BB	2755	C	C2-N3-C4	5.20	122.50	119.90
1	AA	535	A	C6-N1-C2	5.20	121.72	118.60
1	AA	680	C	C6-N1-C2	-5.20	118.22	120.30
1	AA	1047	G	C5-C6-O6	-5.20	125.48	128.60
13	AM	77	VAL	CA-CB-CG1	5.20	118.70	110.90
25	BA	15	A	C2-N3-C4	-5.20	108.00	110.60
25	BA	57	A	P-O3'-C3'	5.20	125.94	119.70
25	BA	59	A	OP1-P-OP2	-5.20	111.80	119.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	111	U	O5'-P-OP1	5.20	116.94	110.70
26	BB	181	A	N9-C4-C5	-5.20	103.72	105.80
26	BB	543	G	C4-C5-C6	5.20	121.92	118.80
26	BB	804	A	N7-C8-N9	-5.20	111.20	113.80
26	BB	876	C	C4'-C3'-C2'	-5.20	97.40	102.60
26	BB	1187	G	C1'-O4'-C4'	-5.20	105.74	109.90
26	BB	1294	U	O4'-C4'-C3'	-5.20	98.80	104.00
26	BB	1347	A	C8-N9-C1'	5.20	137.06	127.70
26	BB	1686	C	N1-C2-O2	-5.20	115.78	118.90
26	BB	1974	C	N1-C2-N3	-5.20	115.56	119.20
26	BB	2428	G	N3-C2-N2	5.20	123.54	119.90
37	BM	110	GLU	OE1-CD-OE2	5.20	129.54	123.30
1	AA	251	G	N7-C8-N9	5.20	115.70	113.10
26	BB	669	G	O4'-C4'-C3'	-5.20	98.80	104.00
26	BB	926	G	C5'-C4'-O4'	5.20	115.34	109.10
26	BB	1351	C	N3-C2-O2	-5.20	118.26	121.90
26	BB	2207	C	C5-C4-N4	5.20	123.84	120.20
26	BB	2282	G	C6-C5-N7	-5.20	127.28	130.40
33	BI	28	ASN	CA-C-O	-5.20	109.19	120.10
1	AA	176	C	N3-C4-N4	5.20	121.64	118.00
1	AA	226	G	N3-C2-N2	5.20	123.54	119.90
1	AA	305	G	P-O5'-C5'	5.20	129.21	120.90
1	AA	457	G	O3'-P-O5'	5.20	113.87	104.00
1	AA	567	G	N1-C6-O6	-5.20	116.78	119.90
1	AA	1009	U	C5-C6-N1	-5.20	120.10	122.70
1	AA	1284	C	C2-N3-C4	5.20	122.50	119.90
26	BB	122	G	P-O5'-C5'	5.20	129.21	120.90
26	BB	322	A	C6-C5-N7	5.20	135.94	132.30
26	BB	505	A	C2-N3-C4	5.20	113.20	110.60
26	BB	655	A	C8-N9-C4	-5.20	103.72	105.80
26	BB	762	U	N3-C4-C5	-5.20	111.48	114.60
26	BB	1091	G	C8-N9-C1'	5.20	133.75	127.00
26	BB	1352	U	O4'-C1'-C2'	5.20	112.28	107.60
26	BB	1573	G	C5-C6-O6	-5.20	125.48	128.60
26	BB	1807	G	C3'-C2'-C1'	-5.20	97.34	101.50
26	BB	1873	G	C6-C5-N7	-5.20	127.28	130.40
26	BB	2201	G	C5-C6-N1	5.20	114.10	111.50
26	BB	2267	A	C4-C5-N7	-5.20	108.10	110.70
26	BB	2571	U	C2-N3-C4	-5.20	123.88	127.00
26	BB	2632	A	C5-C6-N1	5.20	120.30	117.70
26	BB	2847	U	C6-N1-C1'	5.20	128.47	121.20
41	BQ	13	ARG	NE-CZ-NH1	5.20	122.90	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
45	BU	110	ARG	N-CA-CB	5.20	119.95	110.60
1	AA	245	U	C3'-C2'-C1'	5.19	105.66	101.50
1	AA	303	A	N1-C6-N6	5.19	121.72	118.60
1	AA	1304	G	C4-C5-C6	5.19	121.92	118.80
3	AC	58	C	C2-N3-C4	-5.19	117.30	119.90
26	BB	539	G	C5-C6-O6	-5.19	125.48	128.60
26	BB	970	U	O4'-C1'-N1	5.19	112.36	108.20
26	BB	1653	G	N3-C4-N9	5.19	129.12	126.00
26	BB	2386	A	N1-C2-N3	-5.19	126.70	129.30
26	BB	2587	A	C2-N3-C4	5.19	113.20	110.60
26	BB	2714	G	N3-C2-N2	5.19	123.54	119.90
1	AA	529	G	N3-C4-N9	5.19	129.12	126.00
1	AA	720	C	N3-C4-C5	-5.19	119.82	121.90
1	AA	1175	G	C1'-O4'-C4'	-5.19	105.75	109.90
1	AA	1288	A	C1'-O4'-C4'	5.19	114.05	109.90
1	AA	1387	G	N7-C8-N9	5.19	115.70	113.10
1	AA	1474	U	C5'-C4'-O4'	5.19	115.33	109.10
1	AA	1491	G	C4'-C3'-O3'	5.19	123.38	113.00
3	AC	32	U	O4'-C1'-C2'	-5.19	100.61	105.80
26	BB	141	G	C5'-C4'-C3'	-5.19	107.69	116.00
26	BB	467	G	C5-N7-C8	5.19	106.90	104.30
26	BB	963	U	C1'-O4'-C4'	5.19	114.05	109.90
26	BB	1707	G	O4'-C1'-C2'	-5.19	100.61	105.80
26	BB	1719	G	C4'-C3'-C2'	-5.19	97.41	102.60
26	BB	2291	U	C2'-C3'-O3'	5.19	122.01	113.70
32	BH	19	ASN	O-C-N	-5.19	114.37	123.20
1	AA	60	A	C3'-C2'-C1'	-5.19	97.35	101.50
1	AA	561	U	C5'-C4'-C3'	-5.19	107.70	116.00
1	AA	685	G	O4'-C1'-C2'	-5.19	100.61	105.80
1	AA	781	A	O4'-C4'-C3'	-5.19	98.81	104.00
1	AA	813	U	O5'-P-OP1	-5.19	101.03	105.70
1	AA	880	C	N3-C4-C5	-5.19	119.82	121.90
1	AA	1444	U	N3-C4-C5	-5.19	111.48	114.60
25	BA	92	C	N1-C1'-C2'	-5.19	106.29	112.00
26	BB	441	U	N1-C2-N3	5.19	118.01	114.90
26	BB	546	U	C1'-O4'-C4'	5.19	114.05	109.90
26	BB	1162	G	O4'-C4'-C3'	-5.19	98.81	104.00
26	BB	1419	A	N1-C2-N3	-5.19	126.70	129.30
26	BB	2081	U	N1-C1'-C2'	-5.19	106.29	112.00
26	BB	2138	G	O4'-C1'-N9	5.19	112.35	108.20
26	BB	2508	G	N3-C4-N9	-5.19	122.89	126.00
26	BB	2810	A	C8-N9-C4	-5.19	103.72	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	50	A	C5-N7-C8	-5.19	101.31	103.90
1	AA	405	U	O4'-C1'-N1	5.19	112.35	108.20
1	AA	1062	U	C6-N1-C2	-5.19	117.89	121.00
26	BB	90	U	C5'-C4'-C3'	-5.19	107.70	116.00
26	BB	570	G	N3-C4-N9	5.19	129.11	126.00
26	BB	1460	U	C3'-C2'-C1'	-5.19	97.35	101.50
26	BB	1926	U	C1'-O4'-C4'	5.19	114.05	109.90
26	BB	2161	C	O5'-P-OP1	5.19	116.93	110.70
26	BB	2778	A	C4-C5-N7	-5.19	108.11	110.70
29	BE	80	TRP	CG-CD1-NE1	5.19	115.29	110.10
34	BJ	123	ASP	CB-CG-OD2	-5.19	113.63	118.30
1	AA	7	A	C4-C5-N7	5.19	113.29	110.70
1	AA	512	U	N3-C2-O2	-5.19	118.57	122.20
1	AA	796	C	C3'-C2'-C1'	5.19	105.65	101.50
1	AA	803	G	C5-N7-C8	-5.19	101.71	104.30
1	AA	1379	G	C5-C6-N1	-5.19	108.91	111.50
1	AA	1427	C	C5-C4-N4	-5.19	116.57	120.20
1	AA	1542	A	N9-C1'-C2'	5.19	120.74	114.00
26	BB	130	C	C4'-C3'-C2'	-5.19	97.41	102.60
26	BB	213	A	C5-C6-N1	5.19	120.29	117.70
26	BB	575	A	C6-N1-C2	5.19	121.71	118.60
26	BB	1227	G	C2-N3-C4	5.19	114.49	111.90
26	BB	1455	G	P-O3'-C3'	5.19	125.93	119.70
26	BB	1659	G	N3-C2-N2	-5.19	116.27	119.90
26	BB	1900	A	C3'-C2'-C1'	-5.19	97.35	101.50
26	BB	2212	A	C8-N9-C4	5.19	107.88	105.80
1	AA	156	C	P-O3'-C3'	5.19	125.92	119.70
1	AA	581	G	O4'-C1'-N9	5.19	112.35	108.20
1	AA	880	C	C4'-C3'-C2'	-5.19	97.41	102.60
26	BB	883	G	C6-C5-N7	-5.19	127.29	130.40
26	BB	1125	G	N3-C2-N2	5.19	123.53	119.90
26	BB	1879	C	C6-N1-C1'	5.19	127.02	120.80
26	BB	2205	A	C2-N3-C4	-5.19	108.01	110.60
26	BB	2419	U	C4-C5-C6	5.19	122.81	119.70
26	BB	2863	C	N1-C2-N3	-5.19	115.57	119.20
30	BF	45	ALA	CB-CA-C	5.19	117.88	110.10
1	AA	580	C	O5'-P-OP2	-5.18	101.03	105.70
1	AA	652	U	C5-C4-O4	5.18	129.01	125.90
1	AA	1385	G	C5-N7-C8	-5.18	101.71	104.30
2	AB	48	U	C5'-C4'-C3'	-5.18	107.71	116.00
3	AC	37	G	N7-C8-N9	5.18	115.69	113.10
23	AW	9	ARG	NH1-CZ-NH2	-5.18	113.70	119.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	95	U	O5'-P-OP2	-5.18	101.03	105.70
25	BA	98	G	C4-C5-C6	5.18	121.91	118.80
26	BB	47	C	N1-C1'-C2'	-5.18	106.30	112.00
26	BB	61	C	C3'-C2'-C1'	-5.18	97.35	101.50
26	BB	334	C	N3-C4-C5	-5.18	119.83	121.90
26	BB	407	G	C6-C5-N7	5.18	133.51	130.40
26	BB	848	C	N3-C4-C5	-5.18	119.83	121.90
26	BB	853	C	C4'-C3'-C2'	-5.18	97.42	102.60
26	BB	1129	A	N9-C4-C5	5.18	107.87	105.80
26	BB	1806	C	C4-C5-C6	-5.18	114.81	117.40
26	BB	1905	C	C2-N3-C4	5.18	122.49	119.90
26	BB	2806	C	C5-C4-N4	5.18	123.83	120.20
27	BC	194	VAL	CA-CB-CG2	5.18	118.68	110.90
28	BD	125	PRO	N-CA-CB	5.18	109.52	103.30
1	AA	216	U	C6-N1-C2	-5.18	117.89	121.00
1	AA	291	U	C5-C6-N1	-5.18	120.11	122.70
1	AA	469	C	C2-N1-C1'	5.18	124.50	118.80
1	AA	928	G	C5-N7-C8	-5.18	101.71	104.30
1	AA	1008	U	N1-C1'-C2'	-5.18	106.30	112.00
1	AA	1226	C	C1'-O4'-C4'	-5.18	105.75	109.90
1	AA	1321	U	C5'-C4'-O4'	-5.18	102.88	109.10
1	AA	1489	G	C6-C5-N7	5.18	133.51	130.40
25	BA	18	G	C2-N3-C4	5.18	114.49	111.90
26	BB	60	G	C5'-C4'-O4'	5.18	115.32	109.10
26	BB	286	U	C1'-O4'-C4'	5.18	114.05	109.90
26	BB	378	C	C3'-C2'-C1'	-5.18	97.35	101.50
26	BB	411	G	C3'-C2'-C1'	5.18	105.65	101.50
26	BB	428	A	O4'-C1'-N9	5.18	112.34	108.20
26	BB	627	A	C4-C5-C6	-5.18	114.41	117.00
26	BB	954	G	C4-C5-N7	5.18	112.87	110.80
26	BB	1107	G	C5-N7-C8	5.18	106.89	104.30
26	BB	1620	G	C5'-C4'-C3'	-5.18	107.71	116.00
26	BB	1836	C	C5'-C4'-O4'	5.18	115.32	109.10
26	BB	2469	A	C1'-O4'-C4'	-5.18	105.75	109.90
26	BB	2480	C	C4'-C3'-C2'	-5.18	97.42	102.60
39	BO	55	ARG	CD-NE-CZ	5.18	130.86	123.60
53	B2	22	MET	CG-SD-CE	-5.18	91.91	100.20
1	AA	794	A	N9-C1'-C2'	5.18	120.73	114.00
1	AA	885	G	N3-C4-C5	-5.18	126.01	128.60
1	AA	1155	A	C5-C6-N6	-5.18	119.56	123.70
3	AC	53	G	O4'-C1'-N9	5.18	112.34	108.20
26	BB	883	G	O4'-C4'-C3'	5.18	110.25	106.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1030	C	C5'-C4'-O4'	5.18	115.32	109.10
26	BB	1646	C	N1-C2-O2	5.18	122.01	118.90
26	BB	1702	G	N3-C4-C5	-5.18	126.01	128.60
36	BL	13	ARG	NE-CZ-NH1	-5.18	117.71	120.30
1	AA	173	U	N1-C2-N3	5.18	118.01	114.90
1	AA	426	U	O4'-C4'-C3'	5.18	110.24	106.10
1	AA	567	G	C5-N7-C8	-5.18	101.71	104.30
1	AA	620	C	C2-N3-C4	-5.18	117.31	119.90
1	AA	867	G	C5'-C4'-O4'	5.18	115.31	109.10
1	AA	1069	C	N1-C2-N3	5.18	122.83	119.20
1	AA	1198	G	N9-C4-C5	5.18	107.47	105.40
26	BB	332	A	O4'-C1'-C2'	-5.18	100.62	105.80
26	BB	366	C	N1-C2-N3	-5.18	115.58	119.20
26	BB	880	G	O4'-C1'-N9	-5.18	104.06	108.20
26	BB	901	C	C5-C4-N4	5.18	123.83	120.20
26	BB	1384	A	C5-N7-C8	-5.18	101.31	103.90
26	BB	1390	U	C5-C4-O4	5.18	129.01	125.90
26	BB	1524	G	N1-C2-N3	-5.18	120.79	123.90
26	BB	1665	A	C5-C6-N6	-5.18	119.56	123.70
26	BB	2111	U	C5'-C4'-O4'	5.18	115.31	109.10
26	BB	2322	A	N1-C2-N3	-5.18	126.71	129.30
26	BB	2336	A	C5-C6-N1	5.18	120.29	117.70
26	BB	2428	G	O5'-C5'-C4'	-5.18	101.86	111.70
26	BB	2583	G	O5'-P-OP2	-5.18	101.04	105.70
26	BB	2627	G	C4-N9-C1'	-5.18	119.77	126.50
26	BB	2637	U	O3'-P-O5'	5.18	113.84	104.00
26	BB	2754	U	C1'-O4'-C4'	5.18	114.04	109.90
1	AA	786	G	C6-N1-C2	-5.18	121.99	125.10
1	AA	1517	G	C5-N7-C8	-5.18	101.71	104.30
7	AG	190	LEU	CB-CG-CD1	5.18	119.80	111.00
26	BB	1114	C	N1-C2-N3	5.18	122.83	119.20
26	BB	2046	G	C3'-C2'-C1'	-5.18	97.36	101.50
26	BB	2115	G	N1-C2-N3	5.18	127.01	123.90
31	BG	87	LYS	CB-CA-C	5.18	120.76	110.40
39	BO	68	PHE	CD1-CE1-CZ	5.18	126.31	120.10
1	AA	113	G	N7-C8-N9	5.18	115.69	113.10
1	AA	505	G	C5'-C4'-C3'	-5.18	107.72	116.00
1	AA	593	U	C5'-C4'-O4'	-5.18	102.89	109.10
1	AA	942	G	C5-C6-N1	5.18	114.09	111.50
1	AA	1145	A	O4'-C1'-N9	-5.18	104.06	108.20
1	AA	1339	A	C1'-O4'-C4'	5.18	114.04	109.90
1	AA	1453	G	C1'-O4'-C4'	-5.18	105.76	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1470	U	C4'-C3'-C2'	-5.18	97.42	102.60
1	AA	1483	A	C3'-C2'-C1'	5.18	105.64	101.50
13	AM	13	PHE	CB-CG-CD2	-5.18	117.18	120.80
26	BB	362	A	C8-N9-C4	-5.18	103.73	105.80
26	BB	487	C	C4-C5-C6	-5.18	114.81	117.40
26	BB	515	A	N7-C8-N9	5.18	116.39	113.80
26	BB	688	U	N3-C4-O4	-5.18	115.78	119.40
26	BB	841	G	O4'-C1'-N9	5.18	112.34	108.20
26	BB	1763	G	C4-C5-C6	5.18	121.91	118.80
26	BB	1786	A	N3-C4-N9	-5.18	123.26	127.40
26	BB	2182	U	C3'-C2'-C1'	5.18	105.64	101.50
26	BB	2346	A	O4'-C4'-C3'	5.18	110.24	106.10
1	AA	1089	G	N3-C4-N9	-5.17	122.90	126.00
1	AA	1294	G	C5-C6-N1	5.17	114.09	111.50
2	AB	25	C	C2'-C3'-O3'	5.17	121.98	113.70
7	AG	141	VAL	CB-CA-C	-5.17	101.57	111.40
24	AX	16	ARG	N-CA-CB	-5.17	101.28	110.60
26	BB	85	G	N1-C2-N3	5.17	127.00	123.90
26	BB	480	A	C5'-C4'-O4'	5.17	115.31	109.10
26	BB	689	A	C5-C6-N6	-5.17	119.56	123.70
26	BB	826	U	O3'-P-O5'	-5.17	94.17	104.00
26	BB	1259	G	C4-C5-N7	-5.17	108.73	110.80
26	BB	1336	A	C6-C5-N7	-5.17	128.68	132.30
26	BB	2062	A	C3'-C2'-C1'	-5.17	97.36	101.50
26	BB	2627	G	C4-C5-C6	5.17	121.90	118.80
26	BB	2782	G	O5'-P-OP1	-5.17	101.04	105.70
32	BH	31	GLU	O-C-N	-5.17	114.42	122.70
1	AA	66	A	O4'-C1'-N9	5.17	112.34	108.20
4	AD	10	G	N3-C4-N9	5.17	129.10	126.00
26	BB	1568	G	C5'-C4'-C3'	-5.17	107.72	116.00
26	BB	1829	A	P-O3'-C3'	5.17	125.91	119.70
26	BB	2015	A	N1-C6-N6	-5.17	115.50	118.60
26	BB	2279	G	C4-C5-N7	-5.17	108.73	110.80
26	BB	2372	U	O4'-C1'-C2'	-5.17	100.63	105.80
1	AA	68	G	O4'-C1'-N9	5.17	112.34	108.20
1	AA	396	C	P-O5'-C5'	5.17	129.17	120.90
1	AA	1128	C	C6-N1-C2	-5.17	118.23	120.30
1	AA	1500	A	O4'-C1'-N9	5.17	112.34	108.20
5	AE	73	ARG	NE-CZ-NH1	5.17	122.89	120.30
6	AF	137	VAL	CA-CB-CG1	5.17	118.66	110.90
17	AQ	41	TRP	CB-CG-CD2	5.17	133.32	126.60
25	BA	67	G	N9-C4-C5	5.17	107.47	105.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	142	A	N1-C2-N3	-5.17	126.72	129.30
26	BB	428	A	C4-C5-N7	-5.17	108.11	110.70
26	BB	547	A	C5'-C4'-O4'	5.17	115.31	109.10
26	BB	675	A	P-O3'-C3'	5.17	125.91	119.70
26	BB	916	G	C4-C5-C6	5.17	121.90	118.80
26	BB	994	C	C4'-C3'-C2'	-5.17	97.43	102.60
26	BB	1027	A	N1-C6-N6	5.17	121.70	118.60
26	BB	1122	G	C6-C5-N7	5.17	133.50	130.40
26	BB	1217	U	C4-C5-C6	5.17	122.80	119.70
26	BB	1657	U	C4'-C3'-C2'	-5.17	97.43	102.60
26	BB	1812	U	N3-C2-O2	5.17	125.82	122.20
26	BB	2207	C	N1-C2-O2	5.17	122.00	118.90
26	BB	2586	U	C3'-C2'-C1'	5.17	105.64	101.50
26	BB	2884	U	O5'-C5'-C4'	5.17	121.53	111.70
48	BX	93	ARG	NH1-CZ-NH2	-5.17	113.71	119.40
1	AA	31	G	C5'-C4'-C3'	-5.17	107.73	116.00
1	AA	45	G	N3-C4-N9	-5.17	122.90	126.00
1	AA	486	U	C2-N3-C4	-5.17	123.90	127.00
1	AA	624	C	C4'-C3'-C2'	-5.17	97.43	102.60
25	BA	42	C	O4'-C1'-N1	5.17	112.34	108.20
26	BB	9	G	C8-N9-C4	-5.17	104.33	106.40
26	BB	177	G	N1-C2-N3	-5.17	120.80	123.90
26	BB	361	G	N7-C8-N9	5.17	115.69	113.10
26	BB	660	C	O4'-C1'-N1	5.17	112.34	108.20
26	BB	2000	C	C5-C4-N4	-5.17	116.58	120.20
1	AA	750	C	C4'-C3'-C2'	-5.17	97.43	102.60
6	AF	10	ARG	CD-NE-CZ	5.17	130.84	123.60
13	AM	27	GLU	CB-CA-C	5.17	120.74	110.40
26	BB	16	C	C5-C6-N1	-5.17	118.42	121.00
26	BB	357	C	O3'-P-O5'	-5.17	94.18	104.00
26	BB	656	G	C4-C5-C6	5.17	121.90	118.80
26	BB	1084	A	C5-C6-N6	-5.17	119.56	123.70
26	BB	1138	G	C2-N3-C4	5.17	114.48	111.90
26	BB	1160	G	N3-C2-N2	-5.17	116.28	119.90
26	BB	1509	A	C5-C6-N1	-5.17	115.12	117.70
26	BB	1597	A	C5'-C4'-C3'	-5.17	107.73	116.00
26	BB	1814	G	C6-C5-N7	5.17	133.50	130.40
26	BB	1875	G	C4-C5-C6	5.17	121.90	118.80
26	BB	2352	A	C6-C5-N7	-5.17	128.68	132.30
26	BB	2529	G	C5-C6-O6	-5.17	125.50	128.60
26	BB	2764	A	C5-C6-N1	5.17	120.28	117.70
26	BB	2850	A	C5-C6-N6	-5.17	119.57	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
27	BC	162	ARG	NE-CZ-NH1	-5.17	117.72	120.30
1	AA	165	G	C3'-C2'-C1'	5.17	105.63	101.50
1	AA	745	G	C4-C5-N7	-5.17	108.73	110.80
1	AA	1232	U	C2-N3-C4	-5.17	123.90	127.00
6	AF	33	ASP	CB-CG-OD1	5.17	122.95	118.30
16	AP	14	ALA	CB-CA-C	5.17	117.85	110.10
26	BB	922	C	O4'-C1'-C2'	-5.17	100.63	105.80
26	BB	1448	G	N3-C2-N2	-5.17	116.28	119.90
26	BB	1564	C	N1-C2-O2	5.17	122.00	118.90
26	BB	1824	G	N9-C1'-C2'	-5.17	106.32	112.00
26	BB	2348	U	O4'-C4'-C3'	-5.17	98.83	104.00
43	BS	75	TYR	CB-CG-CD2	-5.17	117.90	121.00
1	AA	745	G	C4-C5-C6	5.17	121.90	118.80
1	AA	842	U	O4'-C1'-N1	5.17	112.33	108.20
1	AA	862	C	O4'-C4'-C3'	-5.17	98.83	104.00
1	AA	886	G	C6-C5-N7	-5.17	127.30	130.40
1	AA	1127	G	N7-C8-N9	-5.17	110.52	113.10
1	AA	1494	G	C6-N1-C2	-5.17	122.00	125.10
28	BD	100	ARG	NH1-CZ-NH2	5.17	125.08	119.40
1	AA	38	G	C3'-C2'-C1'	-5.16	97.37	101.50
1	AA	245	U	C2-N3-C4	-5.16	123.90	127.00
1	AA	642	A	C4-C5-N7	5.16	113.28	110.70
1	AA	1488	G	P-O3'-C3'	5.16	125.89	119.70
1	AA	1504	G	C6-N1-C2	-5.16	122.00	125.10
26	BB	167	A	N1-C2-N3	-5.16	126.72	129.30
26	BB	1268	A	N9-C4-C5	-5.16	103.73	105.80
26	BB	1495	A	O4'-C1'-N9	5.16	112.33	108.20
26	BB	1544	A	O5'-C5'-C4'	5.16	121.51	111.70
26	BB	1909	C	C5'-C4'-O4'	5.16	115.30	109.10
26	BB	2024	G	C4-C5-C6	5.16	121.90	118.80
26	BB	2049	G	N9-C1'-C2'	-5.16	106.32	112.00
26	BB	2062	A	C6-C5-N7	5.16	135.91	132.30
26	BB	2096	C	N1-C1'-C2'	-5.16	106.32	112.00
26	BB	2112	G	C6-N1-C2	5.16	128.20	125.10
26	BB	2772	C	C4-C5-C6	5.16	119.98	117.40
29	BE	81	GLU	CB-CA-C	5.16	120.73	110.40
47	BW	95	PHE	CB-CG-CD2	5.16	124.41	120.80
1	AA	81	A	N9-C4-C5	5.16	107.86	105.80
1	AA	191	G	C4-C5-N7	5.16	112.86	110.80
1	AA	203	G	C1'-O4'-C4'	-5.16	105.77	109.90
1	AA	358	U	C5'-C4'-C3'	-5.16	107.74	116.00
1	AA	1000	A	O4'-C1'-C2'	5.16	112.25	107.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1003	G	C5-C6-O6	-5.16	125.50	128.60
1	AA	1102	A	O4'-C1'-C2'	-5.16	100.64	105.80
25	BA	13	G	N9-C4-C5	5.16	107.47	105.40
25	BA	50	A	C8-N9-C4	-5.16	103.73	105.80
26	BB	1975	G	C6-N1-C2	-5.16	122.00	125.10
26	BB	2083	G	C1'-O4'-C4'	5.16	114.03	109.90
26	BB	2404	U	N1-C2-N3	5.16	118.00	114.90
26	BB	2660	A	O4'-C1'-N9	5.16	112.33	108.20
30	BF	33	VAL	CA-CB-CG2	-5.16	103.16	110.90
30	BF	60	TRP	CD1-CG-CD2	-5.16	102.17	106.30
37	BM	64	ARG	NE-CZ-NH1	5.16	122.88	120.30
1	AA	320	A	O3'-P-O5'	5.16	113.80	104.00
1	AA	359	G	C4'-C3'-C2'	-5.16	97.44	102.60
1	AA	818	G	N7-C8-N9	5.16	115.68	113.10
1	AA	1466	C	C5-C6-N1	-5.16	118.42	121.00
2	AB	43	G	C8-N9-C4	-5.16	104.34	106.40
25	BA	112	G	N1-C2-N2	-5.16	111.56	116.20
26	BB	10	A	C5-C6-N1	5.16	120.28	117.70
26	BB	518	G	N7-C8-N9	5.16	115.68	113.10
26	BB	1233	C	C5'-C4'-O4'	5.16	115.29	109.10
26	BB	1836	C	C6-N1-C2	-5.16	118.24	120.30
26	BB	1913	A	C2-N3-C4	5.16	113.18	110.60
26	BB	1945	G	O4'-C1'-N9	5.16	112.33	108.20
26	BB	2091	C	N1-C2-O2	5.16	122.00	118.90
26	BB	2191	A	C5-C6-N1	5.16	120.28	117.70
26	BB	2297	A	P-O3'-C3'	5.16	125.89	119.70
26	BB	2461	A	N1-C2-N3	5.16	131.88	129.30
26	BB	2567	G	C6-N1-C2	-5.16	122.00	125.10
26	BB	2802	G	C3'-C2'-C1'	-5.16	97.37	101.50
1	AA	99	C	C4'-C3'-C2'	-5.16	97.44	102.60
1	AA	154	U	C6-N1-C2	-5.16	117.91	121.00
1	AA	217	C	C6-N1-C1'	5.16	126.99	120.80
1	AA	388	G	C5-C6-N1	5.16	114.08	111.50
1	AA	499	A	N9-C4-C5	5.16	107.86	105.80
1	AA	698	G	O5'-C5'-C4'	-5.16	101.90	111.70
1	AA	706	A	C2'-C3'-O3'	5.16	121.95	113.70
1	AA	1131	G	C4-C5-C6	5.16	121.89	118.80
1	AA	1187	G	N7-C8-N9	-5.16	110.52	113.10
1	AA	1424	U	O5'-C5'-C4'	-5.16	101.90	111.70
1	AA	1459	G	N9-C1'-C2'	-5.16	106.33	112.00
2	AB	10	G	P-O5'-C5'	5.16	129.15	120.90
3	AC	40	G	O4'-C1'-N9	-5.16	104.07	108.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	AJ	102	TRP	CD1-NE1-CE2	5.16	113.64	109.00
26	BB	323	C	C5'-C4'-C3'	-5.16	107.75	116.00
26	BB	871	U	C4'-C3'-C2'	-5.16	97.44	102.60
26	BB	1081	U	C5-C6-N1	5.16	125.28	122.70
26	BB	1085	A	C6-N1-C2	5.16	121.69	118.60
26	BB	1945	G	N9-C1'-C2'	-5.16	106.33	112.00
26	BB	1980	G	N3-C2-N2	-5.16	116.29	119.90
26	BB	2124	G	C8-N9-C4	-5.16	104.34	106.40
26	BB	2584	U	N1-C2-N3	5.16	118.00	114.90
26	BB	2619	C	C5-C4-N4	-5.16	116.59	120.20
26	BB	2728	U	C2-N3-C4	-5.16	123.91	127.00
37	BM	62	VAL	CA-CB-CG2	5.16	118.64	110.90
1	AA	587	G	O4'-C1'-N9	5.16	112.33	108.20
1	AA	1345	U	C1'-O4'-C4'	-5.16	105.77	109.90
1	AA	1491	G	O4'-C1'-N9	5.16	112.33	108.20
5	AE	156	LEU	CB-CG-CD1	-5.16	102.23	111.00
17	AQ	88	MET	CA-CB-CG	-5.16	104.53	113.30
26	BB	188	G	O4'-C4'-C3'	5.16	110.23	106.10
26	BB	230	G	C6-N1-C2	-5.16	122.01	125.10
26	BB	875	G	O4'-C1'-N9	5.16	112.33	108.20
26	BB	1511	G	N3-C2-N2	-5.16	116.29	119.90
26	BB	1521	G	N7-C8-N9	5.16	115.68	113.10
26	BB	1702	G	C4-C5-N7	-5.16	108.74	110.80
26	BB	1982	U	C4-C5-C6	5.16	122.79	119.70
26	BB	2083	G	N1-C6-O6	-5.16	116.81	119.90
1	AA	226	G	C6-N1-C2	5.16	128.19	125.10
1	AA	346	G	N7-C8-N9	-5.16	110.52	113.10
1	AA	669	G	C3'-C2'-C1'	5.16	105.62	101.50
1	AA	942	G	P-O3'-C3'	5.16	125.89	119.70
1	AA	1174	G	C4-C5-N7	5.16	112.86	110.80
1	AA	1302	C	C5-C4-N4	-5.16	116.59	120.20
1	AA	1440	U	C2-N3-C4	-5.16	123.91	127.00
15	AO	23	LEU	CB-CG-CD1	5.16	119.77	111.00
25	BA	108	A	C6-C5-N7	-5.16	128.69	132.30
26	BB	84	A	C5-C6-N1	5.16	120.28	117.70
26	BB	583	G	N1-C6-O6	5.16	122.99	119.90
26	BB	740	C	C4-C5-C6	-5.16	114.82	117.40
26	BB	1127	A	C8-N9-C4	-5.16	103.74	105.80
26	BB	1158	C	N1-C2-O2	5.16	121.99	118.90
26	BB	1429	G	C4-C5-N7	5.16	112.86	110.80
26	BB	1450	G	C5'-C4'-O4'	5.16	115.29	109.10
26	BB	1612	C	C2-N3-C4	5.16	122.48	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1659	G	N3-C4-C5	-5.16	126.02	128.60
26	BB	1879	C	N3-C4-C5	-5.16	119.84	121.90
26	BB	1946	U	C1'-O4'-C4'	-5.16	105.78	109.90
26	BB	2000	C	O5'-P-OP1	-5.16	101.06	105.70
26	BB	2177	C	C1'-O4'-C4'	5.16	114.03	109.90
26	BB	2273	A	C5-N7-C8	5.16	106.48	103.90
26	BB	2835	A	C6-N1-C2	5.16	121.69	118.60
1	AA	74	A	C4-C5-C6	-5.15	114.42	117.00
1	AA	308	C	C5-C6-N1	-5.15	118.42	121.00
1	AA	1082	A	C5-C6-N6	5.15	127.82	123.70
1	AA	1171	A	C2-N3-C4	-5.15	108.02	110.60
1	AA	1347	G	C5-C6-O6	5.15	131.69	128.60
16	AP	81	ASP	CB-CG-OD1	-5.15	113.66	118.30
26	BB	78	U	O4'-C4'-C3'	-5.15	98.85	104.00
26	BB	400	G	C5-N7-C8	-5.15	101.72	104.30
26	BB	1225	G	P-O5'-C5'	5.15	129.15	120.90
26	BB	1246	A	P-O3'-C3'	5.15	125.89	119.70
26	BB	2182	U	N1-C2-N3	5.15	117.99	114.90
26	BB	2543	G	C4'-C3'-C2'	-5.15	97.45	102.60
44	BT	90	ARG	NE-CZ-NH2	-5.15	117.72	120.30
1	AA	1	A	C6-C5-N7	5.15	135.91	132.30
1	AA	48	C	O4'-C1'-N1	5.15	112.32	108.20
1	AA	305	G	C6-N1-C2	-5.15	122.01	125.10
1	AA	1013	G	C6-N1-C2	5.15	128.19	125.10
1	AA	1180	A	O4'-C1'-N9	5.15	112.32	108.20
1	AA	1233	G	N1-C6-O6	-5.15	116.81	119.90
1	AA	1386	G	C4-C5-N7	5.15	112.86	110.80
26	BB	311	A	O4'-C1'-N9	5.15	112.32	108.20
26	BB	912	C	C5-C4-N4	5.15	123.81	120.20
26	BB	1097	U	C5-C4-O4	-5.15	122.81	125.90
26	BB	1327	A	C4-C5-N7	-5.15	108.12	110.70
26	BB	1360	G	C5'-C4'-O4'	5.15	115.28	109.10
26	BB	1586	A	C5-C6-N6	-5.15	119.58	123.70
26	BB	1657	U	N3-C4-C5	5.15	117.69	114.60
26	BB	1791	A	C3'-C2'-C1'	5.15	105.62	101.50
26	BB	1838	C	C6-N1-C2	-5.15	118.24	120.30
26	BB	1924	C	C3'-C2'-C1'	5.15	105.62	101.50
26	BB	2257	U	C4'-C3'-C2'	5.15	107.75	102.60
26	BB	2573	C	C5-C6-N1	5.15	123.58	121.00
26	BB	2661	G	C4'-C3'-C2'	-5.15	97.45	102.60
26	BB	2679	A	C5'-C4'-O4'	5.15	115.28	109.10
26	BB	2851	A	P-O3'-C3'	5.15	125.88	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	105	G	O4'-C1'-C2'	-5.15	100.65	105.80
1	AA	147	G	N1-C2-N3	5.15	126.99	123.90
1	AA	826	C	C5-C6-N1	-5.15	118.42	121.00
1	AA	830	G	C5-C6-N1	5.15	114.08	111.50
1	AA	843	U	O4'-C1'-N1	5.15	112.32	108.20
1	AA	1353	G	C5-C6-N1	5.15	114.08	111.50
1	AA	1512	U	C1'-O4'-C4'	-5.15	105.78	109.90
26	BB	175	G	OP1-P-O3'	5.15	116.53	105.20
26	BB	190	A	C6-C5-N7	5.15	135.91	132.30
26	BB	615	U	O4'-C1'-N1	5.15	112.32	108.20
26	BB	805	G	C4-C5-N7	-5.15	108.74	110.80
26	BB	1054	A	C5-N7-C8	-5.15	101.33	103.90
26	BB	1200	C	O5'-C5'-C4'	5.15	121.48	111.70
26	BB	1413	A	N1-C2-N3	-5.15	126.72	129.30
26	BB	1653	G	C6-C5-N7	-5.15	127.31	130.40
26	BB	1753	G	O5'-C5'-C4'	-5.15	101.91	111.70
26	BB	2283	C	N1-C2-O2	5.15	121.99	118.90
26	BB	2346	A	C5'-C4'-C3'	-5.15	107.76	116.00
26	BB	2513	A	C4-C5-N7	-5.15	108.12	110.70
1	AA	184	G	C2-N3-C4	5.15	114.47	111.90
1	AA	334	C	C5-C6-N1	-5.15	118.42	121.00
4	AD	62	C	C5-C6-N1	-5.15	118.42	121.00
26	BB	347	A	C6-N1-C2	5.15	121.69	118.60
26	BB	766	U	O4'-C1'-N1	5.15	112.32	108.20
26	BB	1570	A	N1-C6-N6	5.15	121.69	118.60
26	BB	2856	A	P-O3'-C3'	5.15	125.88	119.70
1	AA	328	C	P-O3'-C3'	5.15	125.88	119.70
1	AA	765	G	O4'-C1'-C2'	-5.15	100.65	105.80
1	AA	1049	U	N3-C4-C5	-5.15	111.51	114.60
1	AA	1056	U	N3-C4-O4	5.15	123.00	119.40
1	AA	1067	A	O4'-C4'-C3'	5.15	110.22	106.10
1	AA	1393	U	C5'-C4'-O4'	5.15	115.28	109.10
2	AB	38	A	C5'-C4'-O4'	5.15	115.28	109.10
22	AV	2	ARG	NE-CZ-NH2	-5.15	117.73	120.30
26	BB	188	G	C4-N9-C1'	-5.15	119.81	126.50
26	BB	222	A	C4-C5-N7	-5.15	108.13	110.70
26	BB	634	C	C6-N1-C2	-5.15	118.24	120.30
26	BB	643	A	C3'-C2'-C1'	5.15	105.62	101.50
26	BB	889	C	N1-C2-N3	-5.15	115.60	119.20
26	BB	926	G	C5-C6-O6	-5.15	125.51	128.60
26	BB	1158	C	C4-C5-C6	-5.15	114.83	117.40
26	BB	1371	G	N1-C2-N3	5.15	126.99	123.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1492	G	C4-C5-N7	-5.15	108.74	110.80
26	BB	1613	G	O4'-C4'-C3'	5.15	110.22	106.10
26	BB	1889	A	N3-C4-C5	-5.15	123.20	126.80
26	BB	2036	C	N3-C4-N4	5.15	121.60	118.00
26	BB	2317	A	C3'-C2'-C1'	5.15	105.62	101.50
26	BB	2577	A	P-O3'-C3'	5.15	125.88	119.70
26	BB	2633	G	C5-C6-O6	-5.15	125.51	128.60
26	BB	2730	C	C5'-C4'-O4'	5.15	115.28	109.10
26	BB	2816	G	N9-C4-C5	5.15	107.46	105.40
1	AA	1049	U	C1'-O4'-C4'	-5.15	105.78	109.90
1	AA	1400	C	C5'-C4'-C3'	-5.15	107.77	116.00
26	BB	411	G	C6-C5-N7	-5.15	127.31	130.40
26	BB	943	A	C5-C6-N1	5.15	120.27	117.70
26	BB	1210	G	C6-C5-N7	5.15	133.49	130.40
26	BB	1221	C	C3'-C2'-C1'	-5.15	97.38	101.50
26	BB	1654	A	C5-C6-N1	5.15	120.27	117.70
26	BB	1849	G	C5-C6-N1	5.15	114.07	111.50
26	BB	1866	A	C6-C5-N7	5.15	135.90	132.30
26	BB	2211	A	C4-C5-C6	-5.15	114.43	117.00
26	BB	2223	G	N3-C4-C5	-5.15	126.03	128.60
1	AA	64	G	P-O3'-C3'	5.14	125.87	119.70
1	AA	142	G	C4-C5-N7	5.14	112.86	110.80
1	AA	264	C	N3-C4-N4	5.14	121.60	118.00
1	AA	591	U	C4-C5-C6	5.14	122.79	119.70
1	AA	640	A	C6-C5-N7	5.14	135.90	132.30
1	AA	1156	G	C5'-C4'-O4'	5.14	115.27	109.10
1	AA	1493	A	C6-N1-C2	5.14	121.69	118.60
3	AC	57	C	O3'-P-O5'	5.14	113.78	104.00
5	AE	56	LEU	O-C-N	5.14	130.93	122.70
26	BB	585	G	O4'-C4'-C3'	5.14	110.22	106.10
26	BB	920	A	C6-N1-C2	5.14	121.69	118.60
26	BB	1153	C	C5'-C4'-C3'	-5.14	107.77	116.00
26	BB	1239	G	C5-N7-C8	5.14	106.87	104.30
26	BB	1664	A	C6-C5-N7	5.14	135.90	132.30
26	BB	1669	A	C2-N3-C4	-5.14	108.03	110.60
26	BB	1696	G	C4-N9-C1'	5.14	133.19	126.50
26	BB	1868	C	C5-C4-N4	5.14	123.80	120.20
26	BB	2203	U	N3-C4-C5	5.14	117.69	114.60
26	BB	2208	C	O4'-C4'-C3'	-5.14	98.86	104.00
26	BB	2286	G	C4-C5-C6	5.14	121.89	118.80
26	BB	2750	A	N1-C6-N6	5.14	121.69	118.60
37	BM	84	CYS	CA-CB-SG	-5.14	104.74	114.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	16	A	N9-C4-C5	5.14	107.86	105.80
1	AA	926	G	N1-C2-N2	-5.14	111.57	116.20
1	AA	1333	A	N1-C6-N6	-5.14	115.52	118.60
26	BB	557	C	N1-C2-O2	5.14	121.99	118.90
26	BB	728	G	C5-N7-C8	-5.14	101.73	104.30
26	BB	823	C	C5'-C4'-C3'	-5.14	107.77	116.00
26	BB	1590	A	C4-C5-N7	5.14	113.27	110.70
26	BB	1651	G	C4-C5-N7	-5.14	108.74	110.80
26	BB	1823	G	C4'-C3'-C2'	-5.14	97.46	102.60
26	BB	1978	A	N1-C2-N3	-5.14	126.73	129.30
26	BB	2043	C	N3-C4-N4	5.14	121.60	118.00
26	BB	2543	G	P-O5'-C5'	5.14	129.13	120.90
26	BB	2847	U	C5'-C4'-C3'	-5.14	107.77	116.00
34	BJ	131	TYR	CB-CG-CD2	-5.14	117.91	121.00
35	BK	36	GLU	OE1-CD-OE2	5.14	129.47	123.30
1	AA	130	A	C8-N9-C4	5.14	107.86	105.80
1	AA	209	U	C2-N1-C1'	5.14	123.87	117.70
1	AA	473	U	C5'-C4'-O4'	5.14	115.27	109.10
1	AA	638	U	C2-N1-C1'	-5.14	111.53	117.70
1	AA	1350	A	C5-C6-N1	-5.14	115.13	117.70
2	AB	67	G	C5'-C4'-C3'	-5.14	107.77	116.00
26	BB	299	A	C5-N7-C8	-5.14	101.33	103.90
26	BB	879	G	N3-C4-C5	-5.14	126.03	128.60
26	BB	1377	G	O4'-C1'-N9	5.14	112.31	108.20
26	BB	1690	A	C4'-C3'-C2'	-5.14	97.46	102.60
26	BB	1880	U	C1'-O4'-C4'	-5.14	105.79	109.90
26	BB	1912	A	C5-C6-N6	-5.14	119.59	123.70
26	BB	2660	A	C5'-C4'-C3'	5.14	124.22	116.00
26	BB	2719	G	N1-C2-N3	-5.14	120.81	123.90
1	AA	85	U	N1-C2-O2	5.14	126.40	122.80
1	AA	178	C	O4'-C1'-N1	5.14	112.31	108.20
1	AA	232	G	C5-C6-N1	5.14	114.07	111.50
1	AA	512	U	O4'-C1'-N1	5.14	112.31	108.20
1	AA	875	U	N3-C2-O2	-5.14	118.60	122.20
1	AA	1373	G	N9-C4-C5	-5.14	103.34	105.40
1	AA	1538	C	P-O3'-C3'	5.14	125.87	119.70
26	BB	68	G	C3'-C2'-C1'	5.14	105.61	101.50
26	BB	160	A	C8-N9-C4	5.14	107.86	105.80
26	BB	360	U	N3-C2-O2	-5.14	118.60	122.20
26	BB	528	A	N3-C4-C5	-5.14	123.20	126.80
26	BB	763	G	N3-C2-N2	-5.14	116.30	119.90
26	BB	905	A	N7-C8-N9	5.14	116.37	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1034	G	C6-N1-C2	-5.14	122.02	125.10
26	BB	1495	A	C5-C6-N6	5.14	127.81	123.70
26	BB	1581	G	C3'-C2'-C1'	5.14	105.61	101.50
26	BB	1943	U	N1-C2-N3	5.14	117.98	114.90
26	BB	2100	G	C5-C6-O6	-5.14	125.52	128.60
26	BB	2202	U	C2-N3-C4	-5.14	123.92	127.00
26	BB	2826	A	C4-C5-N7	-5.14	108.13	110.70
28	BD	143	VAL	CG1-CB-CG2	5.14	119.12	110.90
1	AA	757	U	C5'-C4'-C3'	-5.14	107.78	116.00
1	AA	1117	A	C8-N9-C4	-5.14	103.75	105.80
24	AX	57	LYS	CA-CB-CG	5.14	124.70	113.40
26	BB	655	A	C5'-C4'-C3'	-5.14	107.78	116.00
26	BB	810	U	N3-C2-O2	-5.14	118.60	122.20
26	BB	950	G	N9-C4-C5	5.14	107.45	105.40
26	BB	1097	U	O4'-C1'-N1	5.14	112.31	108.20
26	BB	1133	A	C5'-C4'-O4'	5.14	115.27	109.10
26	BB	1290	C	C4-C5-C6	-5.14	114.83	117.40
26	BB	1317	G	C8-N9-C4	-5.14	104.34	106.40
26	BB	1971	U	N3-C4-O4	5.14	123.00	119.40
26	BB	2317	A	C5'-C4'-C3'	-5.14	107.78	116.00
26	BB	2714	G	N3-C4-C5	-5.14	126.03	128.60
26	BB	2811	G	C1'-O4'-C4'	5.14	114.01	109.90
1	AA	285	C	C2'-C3'-O3'	5.14	121.92	113.70
1	AA	452	A	C4'-C3'-C2'	-5.14	97.46	102.60
1	AA	722	G	C6-N1-C2	-5.14	122.02	125.10
1	AA	767	A	O3'-P-O5'	5.14	113.76	104.00
1	AA	946	A	N3-C4-C5	-5.14	123.20	126.80
6	AF	223	PRO	N-CD-CG	5.14	110.90	103.20
26	BB	16	C	O5'-C5'-C4'	-5.14	101.94	111.70
26	BB	102	U	N1-C2-N3	5.14	117.98	114.90
26	BB	378	C	O4'-C1'-N1	5.14	112.31	108.20
26	BB	548	G	C3'-C2'-C1'	-5.14	97.39	101.50
26	BB	1002	G	C5-C6-N1	5.14	114.07	111.50
26	BB	1653	G	C8-N9-C4	-5.14	104.35	106.40
26	BB	1840	G	C5-C6-N1	5.14	114.07	111.50
26	BB	2056	G	C5-N7-C8	-5.14	101.73	104.30
26	BB	2120	G	C1'-O4'-C4'	5.14	114.01	109.90
26	BB	2395	C	N3-C4-N4	5.14	121.59	118.00
26	BB	2585	U	P-O3'-C3'	5.14	125.86	119.70
26	BB	2891	U	C5-C4-O4	-5.14	122.82	125.90
1	AA	202	G	N1-C2-N2	-5.13	111.58	116.20
1	AA	529	G	C5-N7-C8	5.13	106.87	104.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	579	A	C4'-C3'-C2'	-5.13	97.47	102.60
1	AA	585	G	C3'-C2'-C1'	5.13	105.61	101.50
1	AA	598	U	C5-C6-N1	-5.13	120.13	122.70
1	AA	660	C	C6-N1-C2	-5.13	118.25	120.30
1	AA	772	U	O4'-C1'-N1	5.13	112.31	108.20
1	AA	1036	A	N9-C1'-C2'	-5.13	106.35	112.00
1	AA	1091	U	C2-N3-C4	-5.13	123.92	127.00
1	AA	1119	C	C4'-C3'-C2'	-5.13	97.47	102.60
1	AA	1121	U	O4'-C1'-N1	5.13	112.31	108.20
1	AA	1323	G	C4-C5-N7	5.13	112.85	110.80
1	AA	1444	U	C4-C5-C6	5.13	122.78	119.70
1	AA	1531	A	C3'-C2'-C1'	-5.13	97.39	101.50
3	AC	15	G	N3-C2-N2	5.13	123.50	119.90
25	BA	28	C	C6-N1-C2	-5.13	118.25	120.30
25	BA	105	G	N3-C4-N9	-5.13	122.92	126.00
26	BB	565	C	C5'-C4'-O4'	5.13	115.26	109.10
26	BB	622	G	P-O3'-C3'	5.13	125.86	119.70
26	BB	865	C	C4-C5-C6	-5.13	114.83	117.40
26	BB	1292	G	C5-C6-N1	5.13	114.07	111.50
26	BB	1346	G	N7-C8-N9	-5.13	110.53	113.10
26	BB	1505	A	C4'-C3'-C2'	-5.13	97.47	102.60
26	BB	1507	C	C1'-C2'-O2'	-5.13	95.20	110.60
26	BB	2073	C	C2-N1-C1'	-5.13	113.15	118.80
26	BB	2259	U	O4'-C1'-N1	5.13	112.31	108.20
26	BB	2716	C	N3-C4-C5	-5.13	119.85	121.90
26	BB	2878	U	N1-C1'-C2'	-5.13	106.35	112.00
26	BB	2882	A	N1-C2-N3	5.13	131.87	129.30
1	AA	74	A	N7-C8-N9	5.13	116.37	113.80
1	AA	197	A	C5'-C4'-C3'	-5.13	107.79	116.00
1	AA	569	C	N1-C1'-C2'	-5.13	106.35	112.00
1	AA	1018	G	C5-C6-O6	-5.13	125.52	128.60
1	AA	1097	C	N3-C2-O2	-5.13	118.31	121.90
1	AA	1174	G	C1'-O4'-C4'	5.13	114.01	109.90
26	BB	195	A	C5-C6-N1	5.13	120.27	117.70
26	BB	588	U	O5'-P-OP1	-5.13	101.08	105.70
26	BB	931	U	C5-C4-O4	-5.13	122.82	125.90
26	BB	1473	G	N9-C4-C5	5.13	107.45	105.40
26	BB	2865	U	N1-C2-N3	5.13	117.98	114.90
1	AA	222	C	C3'-C2'-C1'	-5.13	97.39	101.50
1	AA	375	U	N1-C2-N3	5.13	117.98	114.90
1	AA	480	U	C3'-C2'-C1'	5.13	105.61	101.50
1	AA	530	G	N1-C2-N2	5.13	120.82	116.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	560	A	O5'-C5'-C4'	-5.13	101.95	111.70
1	AA	937	A	C6-C5-N7	-5.13	128.71	132.30
1	AA	1162	C	C5'-C4'-C3'	-5.13	107.79	116.00
1	AA	1384	C	C4-C5-C6	-5.13	114.83	117.40
26	BB	84	A	P-O3'-C3'	5.13	125.86	119.70
26	BB	207	A	C1'-O4'-C4'	5.13	114.01	109.90
26	BB	254	G	C5-C6-N1	-5.13	108.93	111.50
26	BB	319	G	N3-C4-C5	-5.13	126.03	128.60
26	BB	1382	G	C5-N7-C8	5.13	106.87	104.30
26	BB	1541	C	P-O3'-C3'	5.13	125.86	119.70
26	BB	1800	C	O4'-C1'-N1	5.13	112.31	108.20
26	BB	1924	C	O4'-C1'-C2'	-5.13	100.67	105.80
26	BB	1931	U	O4'-C1'-N1	-5.13	104.09	108.20
26	BB	2581	G	C2-N3-C4	-5.13	109.33	111.90
26	BB	2786	U	N3-C4-O4	5.13	122.99	119.40
38	BN	55	MET	CA-CB-CG	-5.13	104.58	113.30
46	BV	62	VAL	CA-CB-CG1	-5.13	103.20	110.90
51	B0	18	LEU	CB-CG-CD1	5.13	119.72	111.00
1	AA	307	C	C5-C6-N1	5.13	123.56	121.00
1	AA	1203	C	C3'-C2'-C1'	5.13	105.60	101.50
4	AD	31	G	C4-C5-C6	5.13	121.88	118.80
26	BB	194	G	C8-N9-C4	5.13	108.45	106.40
26	BB	587	C	N1-C2-N3	-5.13	115.61	119.20
26	BB	1355	G	N9-C4-C5	-5.13	103.35	105.40
26	BB	1520	U	C5'-C4'-C3'	-5.13	107.79	116.00
26	BB	1702	G	C4-C5-C6	5.13	121.88	118.80
26	BB	1837	C	N1-C1'-C2'	-5.13	106.36	112.00
26	BB	2434	A	OP1-P-OP2	-5.13	111.90	119.60
26	BB	2840	C	C4'-C3'-C2'	-5.13	97.47	102.60
1	AA	53	A	C4-C5-C6	5.13	119.56	117.00
1	AA	1072	G	C4'-C3'-C2'	-5.13	97.47	102.60
1	AA	1476	A	C2-N3-C4	5.13	113.16	110.60
4	AD	43	G	C5-C6-O6	-5.13	125.52	128.60
26	BB	16	C	C2-N3-C4	5.13	122.46	119.90
26	BB	151	C	C2'-C3'-O3'	5.13	121.91	113.70
26	BB	383	C	O4'-C1'-N1	5.13	112.30	108.20
26	BB	798	G	N1-C2-N2	5.13	120.82	116.20
26	BB	889	C	N3-C4-N4	5.13	121.59	118.00
26	BB	1287	A	C5'-C4'-C3'	-5.13	107.80	116.00
26	BB	1627	G	C8-N9-C4	-5.13	104.35	106.40
26	BB	1638	C	N3-C4-N4	5.13	121.59	118.00
26	BB	1662	U	C4-C5-C6	5.13	122.78	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2399	G	C4'-C3'-C2'	-5.13	97.47	102.60
26	BB	2625	G	C1'-O4'-C4'	5.13	114.00	109.90
42	BR	13	LYS	O-C-N	-5.13	114.49	122.70
48	BX	47	VAL	CA-CB-CG2	5.13	118.59	110.90
1	AA	501	C	N1-C2-O2	5.13	121.98	118.90
1	AA	935	A	C5-C6-N6	-5.13	119.60	123.70
25	BA	70	C	C2-N1-C1'	5.13	124.44	118.80
26	BB	35	G	C5'-C4'-O4'	5.13	115.25	109.10
26	BB	88	G	N3-C4-C5	-5.13	126.04	128.60
26	BB	198	C	C4-C5-C6	-5.13	114.84	117.40
26	BB	537	G	N1-C2-N2	-5.13	111.59	116.20
26	BB	835	C	C4'-C3'-C2'	-5.13	97.47	102.60
26	BB	905	A	C3'-C2'-C1'	-5.13	97.40	101.50
26	BB	945	A	N1-C2-N3	-5.13	126.74	129.30
26	BB	1093	G	P-O5'-C5'	5.13	129.10	120.90
26	BB	1423	G	OP1-P-OP2	-5.13	111.91	119.60
26	BB	1602	U	N3-C2-O2	-5.13	118.61	122.20
26	BB	1632	A	C3'-C2'-C1'	5.13	105.60	101.50
26	BB	1773	A	C5-C6-N6	-5.13	119.60	123.70
26	BB	2310	C	C4-C5-C6	5.13	119.96	117.40
26	BB	2450	A	P-O5'-C5'	5.13	129.10	120.90
26	BB	2536	G	N3-C4-C5	-5.13	126.04	128.60
1	AA	1534	A	O4'-C1'-C2'	-5.12	100.67	105.80
26	BB	1040	A	N9-C4-C5	-5.12	103.75	105.80
26	BB	1066	U	C5-C4-O4	-5.12	122.83	125.90
26	BB	1415	U	O4'-C4'-C3'	-5.12	98.88	104.00
26	BB	1546	G	P-O3'-C3'	5.12	125.85	119.70
26	BB	2283	C	N3-C4-C5	-5.12	119.85	121.90
26	BB	2411	A	N1-C2-N3	-5.12	126.74	129.30
37	BM	121	GLU	OE1-CD-OE2	5.12	129.45	123.30
1	AA	98	A	N7-C8-N9	-5.12	111.24	113.80
1	AA	105	G	C8-N9-C4	-5.12	104.35	106.40
1	AA	153	C	C4'-C3'-C2'	-5.12	97.48	102.60
1	AA	424	G	C5'-C4'-C3'	5.12	124.20	116.00
1	AA	474	G	O4'-C1'-N9	5.12	112.30	108.20
1	AA	542	G	N1-C6-O6	5.12	122.97	119.90
1	AA	1048	G	C4'-C3'-C2'	-5.12	97.48	102.60
1	AA	1260	G	C5-C6-N1	5.12	114.06	111.50
1	AA	1391	U	N3-C4-C5	5.12	117.67	114.60
1	AA	1471	U	C2-N1-C1'	5.12	123.85	117.70
26	BB	56	A	C5-C6-N6	5.12	127.80	123.70
26	BB	373	U	N1-C1'-C2'	-5.12	106.36	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	410	G	C4-C5-C6	5.12	121.87	118.80
26	BB	749	A	N9-C4-C5	5.12	107.85	105.80
26	BB	836	G	O4'-C1'-C2'	5.12	112.21	107.60
26	BB	1568	G	C8-N9-C1'	5.12	133.66	127.00
26	BB	2108	A	O3'-P-O5'	-5.12	94.27	104.00
26	BB	2174	C	C5-C6-N1	5.12	123.56	121.00
26	BB	2225	A	C8-N9-C4	-5.12	103.75	105.80
26	BB	2421	G	P-O3'-C3'	5.12	125.85	119.70
26	BB	2524	G	N3-C4-C5	-5.12	126.04	128.60
26	BB	2548	U	O4'-C4'-C3'	5.12	110.20	106.10
1	AA	284	C	C2-N3-C4	5.12	122.46	119.90
1	AA	338	A	C3'-C2'-C1'	-5.12	97.40	101.50
1	AA	1297	G	C1'-O4'-C4'	-5.12	105.80	109.90
4	AD	12	G	C5-C6-O6	-5.12	125.53	128.60
4	AD	71	G	C5-C6-N1	5.12	114.06	111.50
26	BB	1674	G	C4-C5-C6	5.12	121.87	118.80
26	BB	1916	A	C8-N9-C4	-5.12	103.75	105.80
26	BB	2239	G	C3'-C2'-C1'	-5.12	97.40	101.50
26	BB	2403	C	N1-C2-N3	-5.12	115.61	119.20
26	BB	2447	G	N3-C4-C5	-5.12	126.04	128.60
26	BB	2473	U	C1'-O4'-C4'	-5.12	105.80	109.90
26	BB	2897	U	O3'-P-O5'	5.12	113.73	104.00
1	AA	5	U	N1-C1'-C2'	5.12	120.66	114.00
1	AA	713	G	C2-N3-C4	-5.12	109.34	111.90
1	AA	878	A	N7-C8-N9	5.12	116.36	113.80
1	AA	1489	G	N3-C2-N2	5.12	123.48	119.90
26	BB	666	A	C5-C6-N1	5.12	120.26	117.70
26	BB	1429	G	C8-N9-C1'	5.12	133.66	127.00
26	BB	1650	A	N3-C4-C5	-5.12	123.22	126.80
26	BB	1987	A	C4-C5-C6	-5.12	114.44	117.00
26	BB	2224	G	N1-C2-N3	-5.12	120.83	123.90
26	BB	2342	C	C5-C4-N4	-5.12	116.62	120.20
26	BB	2848	G	C5-C6-N1	5.12	114.06	111.50
1	AA	43	C	O4'-C1'-C2'	-5.12	100.68	105.80
1	AA	62	U	O4'-C1'-N1	-5.12	104.11	108.20
1	AA	134	G	O3'-P-O5'	-5.12	94.27	104.00
1	AA	144	G	N1-C2-N3	-5.12	120.83	123.90
1	AA	514	C	N1-C2-N3	-5.12	115.62	119.20
1	AA	727	G	O4'-C1'-C2'	-5.12	100.68	105.80
1	AA	886	G	C5-C6-O6	5.12	131.67	128.60
1	AA	1373	G	C5-N7-C8	-5.12	101.74	104.30
4	AD	66	C	C6-N1-C2	5.12	122.35	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	181	A	C5-N7-C8	5.12	106.46	103.90
26	BB	570	G	C6-N1-C2	-5.12	122.03	125.10
26	BB	679	C	C4'-C3'-C2'	-5.12	97.48	102.60
26	BB	1026	G	O4'-C4'-C3'	-5.12	98.88	104.00
26	BB	1132	U	C1'-C2'-O2'	5.12	125.96	110.60
26	BB	1496	A	N3-C4-C5	-5.12	123.22	126.80
26	BB	1706	C	OP2-P-O3'	5.12	116.46	105.20
26	BB	2249	U	N1-C2-N3	5.12	117.97	114.90
26	BB	2856	A	N9-C4-C5	5.12	107.85	105.80
26	BB	2866	U	N1-C2-N3	5.12	117.97	114.90
1	AA	144	G	N1-C6-O6	-5.12	116.83	119.90
1	AA	271	C	C5-C4-N4	-5.12	116.62	120.20
1	AA	327	A	C2-N3-C4	5.12	113.16	110.60
25	BA	94	A	C6-N1-C2	5.12	121.67	118.60
26	BB	567	U	C2-N3-C4	5.12	130.07	127.00
26	BB	1142	A	C5-C6-N1	-5.12	115.14	117.70
26	BB	1929	G	P-O3'-C3'	5.12	125.84	119.70
26	BB	2309	A	C3'-C2'-C1'	5.12	105.59	101.50
26	BB	2682	A	C8-N9-C4	-5.12	103.75	105.80
1	AA	396	C	C3'-C2'-C1'	5.12	105.59	101.50
1	AA	638	U	C6-N1-C1'	5.12	128.36	121.20
1	AA	1071	C	N3-C4-C5	5.12	123.95	121.90
1	AA	1105	A	O4'-C1'-N9	5.12	112.29	108.20
1	AA	1142	G	C8-N9-C4	-5.12	104.35	106.40
1	AA	1205	U	N1-C2-N3	5.12	117.97	114.90
1	AA	1462	C	C4'-C3'-C2'	-5.12	97.48	102.60
25	BA	98	G	N3-C4-C5	-5.12	126.04	128.60
26	BB	674	G	N3-C2-N2	-5.12	116.32	119.90
26	BB	1165	A	C5-N7-C8	5.12	106.46	103.90
26	BB	1314	C	N3-C4-N4	5.12	121.58	118.00
26	BB	1875	G	N1-C2-N3	-5.12	120.83	123.90
26	BB	1920	C	C6-N1-C2	5.12	122.35	120.30
26	BB	2206	C	C4-C5-C6	-5.12	114.84	117.40
26	BB	2239	G	C4-C5-N7	5.12	112.85	110.80
26	BB	2260	C	C5-C6-N1	5.12	123.56	121.00
26	BB	2639	A	O5'-P-OP2	-5.12	101.10	105.70
26	BB	2714	G	C5-C6-N1	5.12	114.06	111.50
26	BB	2716	C	C6-N1-C1'	-5.12	114.66	120.80
26	BB	2883	A	C5-N7-C8	5.12	106.46	103.90
32	BH	103	ASN	O-C-N	5.12	130.89	122.70
40	BP	51	LEU	CB-CG-CD2	5.12	119.70	111.00
43	BS	24	TYR	CB-CG-CD1	-5.12	117.93	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	146	G	C8-N9-C4	-5.11	104.36	106.40
1	AA	333	U	C2'-C3'-O3'	5.11	121.88	113.70
1	AA	626	G	N1-C2-N2	5.11	120.80	116.20
1	AA	1233	G	O4'-C4'-C3'	5.11	110.19	106.10
7	AG	134	TYR	CB-CG-CD2	-5.11	117.93	121.00
26	BB	325	G	N3-C4-C5	-5.11	126.04	128.60
26	BB	625	G	N1-C6-O6	-5.11	116.83	119.90
26	BB	650	C	O4'-C1'-N1	5.11	112.29	108.20
26	BB	868	U	C6-N1-C2	-5.11	117.93	121.00
26	BB	1146	C	C6-N1-C2	5.11	122.34	120.30
26	BB	1522	A	C5-C6-N6	-5.11	119.61	123.70
26	BB	2119	A	C3'-C2'-C1'	-5.11	97.41	101.50
26	BB	2265	U	C4'-C3'-C2'	5.11	107.71	102.60
26	BB	2491	U	O4'-C1'-N1	5.11	112.29	108.20
26	BB	2586	U	P-O3'-C3'	5.11	125.83	119.70
26	BB	2743	U	C4'-C3'-C2'	-5.11	97.49	102.60
26	BB	2883	A	N1-C6-N6	-5.11	115.53	118.60
1	AA	416	G	N3-C4-C5	-5.11	126.04	128.60
1	AA	759	A	N7-C8-N9	5.11	116.36	113.80
1	AA	1352	C	C5-C6-N1	-5.11	118.44	121.00
1	AA	1530	G	N1-C6-O6	-5.11	116.83	119.90
21	AU	22	TYR	CB-CG-CD2	-5.11	117.93	121.00
25	BA	34	A	C8-N9-C4	-5.11	103.75	105.80
26	BB	70	G	C5-C6-N1	-5.11	108.94	111.50
26	BB	317	G	N1-C6-O6	-5.11	116.83	119.90
26	BB	1229	C	C3'-C2'-C1'	-5.11	97.41	101.50
26	BB	1278	C	N1-C1'-C2'	-5.11	106.38	112.00
26	BB	1396	U	C5-C4-O4	5.11	128.97	125.90
26	BB	2554	U	N1-C1'-C2'	-5.11	106.38	112.00
28	BD	30	ALA	N-CA-CB	-5.11	102.94	110.10
1	AA	215	C	C6-N1-C2	-5.11	118.25	120.30
1	AA	507	C	C4'-C3'-C2'	-5.11	97.49	102.60
1	AA	1069	C	O3'-P-O5'	5.11	113.71	104.00
1	AA	1185	G	N9-C4-C5	5.11	107.44	105.40
1	AA	1399	C	P-O3'-C3'	5.11	125.83	119.70
3	AC	34	U	N3-C4-O4	-5.11	115.82	119.40
4	AD	25	U	O4'-C1'-N1	5.11	112.29	108.20
26	BB	176	A	P-O3'-C3'	5.11	125.83	119.70
26	BB	704	G	P-O5'-C5'	-5.11	112.72	120.90
26	BB	731	C	C4'-C3'-C2'	-5.11	97.49	102.60
26	BB	885	C	N1-C1'-C2'	5.11	120.64	114.00
26	BB	966	G	C5-C6-N1	5.11	114.06	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1033	U	P-O3'-C3'	5.11	125.83	119.70
32	BH	59	ASP	CB-CG-OD2	-5.11	113.70	118.30
1	AA	503	C	N3-C2-O2	-5.11	118.32	121.90
1	AA	1539	C	C5-C4-N4	5.11	123.78	120.20
26	BB	953	G	C8-N9-C1'	5.11	133.64	127.00
26	BB	1068	G	C5-C6-O6	-5.11	125.53	128.60
26	BB	1381	G	N3-C2-N2	-5.11	116.32	119.90
26	BB	1508	A	C3'-C2'-C1'	-5.11	97.41	101.50
26	BB	1644	C	O4'-C4'-C3'	5.11	110.19	106.10
26	BB	2806	C	C2-N3-C4	-5.11	117.35	119.90
30	BF	135	ALA	N-CA-CB	-5.11	102.95	110.10
1	AA	893	C	O4'-C1'-N1	5.11	112.29	108.20
1	AA	913	A	N1-C6-N6	5.11	121.67	118.60
3	AC	41	A	C5'-C4'-O4'	5.11	115.23	109.10
12	AL	5	TYR	CB-CG-CD1	-5.11	117.94	121.00
26	BB	381	G	C3'-C2'-C1'	-5.11	97.41	101.50
26	BB	1091	G	C2-N3-C4	5.11	114.45	111.90
26	BB	1132	U	C5-C4-O4	5.11	128.96	125.90
26	BB	1438	U	N3-C4-O4	5.11	122.97	119.40
26	BB	1933	G	C6-N1-C2	-5.11	122.04	125.10
26	BB	2001	C	O4'-C1'-N1	5.11	112.29	108.20
26	BB	2087	G	N3-C4-N9	5.11	129.06	126.00
26	BB	2097	A	O4'-C1'-N9	5.11	112.29	108.20
26	BB	2123	G	N7-C8-N9	5.11	115.65	113.10
26	BB	2218	G	C8-N9-C4	-5.11	104.36	106.40
26	BB	2509	G	C5'-C4'-O4'	5.11	115.23	109.10
26	BB	2671	G	N7-C8-N9	-5.11	110.55	113.10
26	BB	2683	C	N3-C4-N4	-5.11	114.42	118.00
1	AA	32	A	O3'-P-O5'	5.11	113.70	104.00
1	AA	346	G	C3'-C2'-C1'	5.11	105.58	101.50
1	AA	548	G	N9-C1'-C2'	-5.11	106.38	112.00
1	AA	585	G	N7-C8-N9	5.11	115.65	113.10
1	AA	615	G	C5-C6-N1	5.11	114.05	111.50
1	AA	741	G	N9-C1'-C2'	-5.11	106.38	112.00
1	AA	1174	G	C3'-C2'-C1'	5.11	105.58	101.50
1	AA	1262	C	O5'-C5'-C4'	-5.11	102.00	111.70
1	AA	1529	G	C5-C6-O6	5.11	131.66	128.60
2	AB	7	G	N1-C2-N3	-5.11	120.84	123.90
9	AI	110	ARG	NE-CZ-NH1	5.11	122.85	120.30
25	BA	63	C	O4'-C1'-N1	5.11	112.28	108.20
26	BB	79	C	C5'-C4'-O4'	5.11	115.23	109.10
26	BB	653	U	P-O5'-C5'	5.11	129.07	120.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	832	U	C5-C6-N1	-5.11	120.15	122.70
26	BB	919	U	C5-C6-N1	-5.11	120.15	122.70
26	BB	1201	U	C6-N1-C2	-5.11	117.94	121.00
26	BB	1436	G	C2-N3-C4	5.11	114.45	111.90
26	BB	1470	A	C4'-C3'-C2'	-5.11	97.50	102.60
26	BB	1688	U	O4'-C1'-N1	5.11	112.28	108.20
26	BB	2368	C	C5'-C4'-O4'	5.11	115.23	109.10
26	BB	2408	U	N3-C4-O4	5.11	122.97	119.40
26	BB	2455	G	P-O3'-C3'	5.11	125.83	119.70
26	BB	2691	C	O4'-C1'-N1	5.11	112.28	108.20
26	BB	2873	A	N9-C4-C5	-5.11	103.76	105.80
27	BC	80	GLN	O-C-N	-5.11	114.52	123.20
1	AA	168	G	N9-C4-C5	-5.10	103.36	105.40
1	AA	315	A	N9-C1'-C2'	-5.10	106.39	112.00
1	AA	317	U	N3-C4-O4	5.10	122.97	119.40
1	AA	617	G	C3'-C2'-C1'	-5.10	97.42	101.50
3	AC	21	U	N3-C2-O2	-5.10	118.63	122.20
26	BB	25	U	N3-C2-O2	5.10	125.77	122.20
26	BB	986	C	C4'-C3'-C2'	-5.10	97.50	102.60
26	BB	1235	G	N3-C2-N2	5.10	123.47	119.90
26	BB	1298	C	C2-N3-C4	5.10	122.45	119.90
26	BB	1445	G	C8-N9-C1'	5.10	133.64	127.00
26	BB	1753	G	P-O5'-C5'	5.10	129.07	120.90
26	BB	2343	U	C5-C6-N1	-5.10	120.15	122.70
55	B4	50	GLU	CB-CA-C	5.10	120.61	110.40
1	AA	259	G	N7-C8-N9	5.10	115.65	113.10
1	AA	404	G	C5-C6-N1	5.10	114.05	111.50
1	AA	591	U	C5'-C4'-O4'	5.10	115.22	109.10
1	AA	1133	G	N3-C2-N2	-5.10	116.33	119.90
2	AB	41	C	C6-N1-C2	-5.10	118.26	120.30
4	AD	28	U	P-O3'-C3'	5.10	125.82	119.70
9	AI	42	TRP	NE1-CE2-CD2	-5.10	102.20	107.30
26	BB	106	C	C4'-C3'-C2'	-5.10	97.50	102.60
26	BB	218	A	C5-C6-N1	5.10	120.25	117.70
26	BB	481	G	C1'-O4'-C4'	-5.10	105.82	109.90
26	BB	573	U	C5'-C4'-C3'	-5.10	107.84	116.00
26	BB	1264	A	C5-C6-N1	5.10	120.25	117.70
26	BB	1372	U	N3-C4-C5	-5.10	111.54	114.60
26	BB	2028	U	C6-N1-C2	-5.10	117.94	121.00
26	BB	2158	A	N9-C1'-C2'	-5.10	106.39	112.00
26	BB	2256	G	C5-C6-O6	-5.10	125.54	128.60
26	BB	2341	G	C2-N3-C4	5.10	114.45	111.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2407	A	N1-C2-N3	5.10	131.85	129.30
26	BB	2546	U	C6-N1-C2	-5.10	117.94	121.00
26	BB	2600	A	N3-C4-N9	-5.10	123.32	127.40
26	BB	2698	U	N3-C4-C5	5.10	117.66	114.60
26	BB	2851	A	C4-C5-C6	5.10	119.55	117.00
1	AA	16	A	C5-N7-C8	5.10	106.45	103.90
1	AA	610	U	C6-N1-C1'	-5.10	114.06	121.20
1	AA	867	G	C3'-C2'-C1'	5.10	105.58	101.50
1	AA	1024	G	N9-C1'-C2'	-5.10	106.39	112.00
4	AD	11	A	C3'-C2'-C1'	-5.10	97.42	101.50
4	AD	15	G	N9-C4-C5	-5.10	103.36	105.40
25	BA	21	G	O3'-P-O5'	-5.10	94.31	104.00
26	BB	504	A	N3-C4-C5	-5.10	123.23	126.80
26	BB	1379	U	C5-C4-O4	-5.10	122.84	125.90
26	BB	1651	G	C8-N9-C1'	5.10	133.63	127.00
26	BB	1872	A	O4'-C1'-N9	5.10	112.28	108.20
26	BB	2282	G	C5'-C4'-C3'	-5.10	107.84	116.00
28	BD	13	ARG	CD-NE-CZ	5.10	130.74	123.60
38	BN	10	GLU	OE1-CD-OE2	5.10	129.42	123.30
1	AA	6	G	C6-C5-N7	-5.10	127.34	130.40
1	AA	288	A	C5-N7-C8	-5.10	101.35	103.90
1	AA	359	G	C5-N7-C8	-5.10	101.75	104.30
1	AA	432	A	N7-C8-N9	5.10	116.35	113.80
1	AA	1169	A	P-O3'-C3'	5.10	125.82	119.70
1	AA	1430	A	C2-N3-C4	5.10	113.15	110.60
1	AA	1459	G	C5-C6-O6	-5.10	125.54	128.60
26	BB	149	A	C5'-C4'-C3'	5.10	124.16	116.00
26	BB	230	G	N3-C4-C5	-5.10	126.05	128.60
26	BB	587	C	N3-C4-C5	5.10	123.94	121.90
26	BB	805	G	C4-C5-C6	-5.10	115.74	118.80
26	BB	807	U	C3'-C2'-C1'	-5.10	97.42	101.50
26	BB	1099	G	C6-N1-C2	-5.10	122.04	125.10
26	BB	1838	C	C2-N3-C4	5.10	122.45	119.90
26	BB	2314	A	C3'-C2'-C1'	5.10	105.58	101.50
26	BB	2408	U	C6-N1-C2	-5.10	117.94	121.00
26	BB	2667	C	C5'-C4'-C3'	-5.10	107.84	116.00
1	AA	82	G	P-O3'-C3'	5.10	125.82	119.70
1	AA	164	G	C4-C5-N7	-5.10	108.76	110.80
1	AA	272	C	C4'-C3'-C2'	-5.10	97.50	102.60
1	AA	721	G	C4-C5-N7	-5.10	108.76	110.80
1	AA	799	G	N3-C4-N9	5.10	129.06	126.00
1	AA	1138	G	C5'-C4'-O4'	5.10	115.22	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1156	G	N1-C2-N3	-5.10	120.84	123.90
1	AA	1328	C	C5'-C4'-C3'	-5.10	107.84	116.00
3	AC	21	U	N3-C4-O4	5.10	122.97	119.40
4	AD	27	G	C8-N9-C1'	5.10	133.63	127.00
6	AF	197	VAL	CA-CB-CG1	5.10	118.55	110.90
20	AT	47	ASP	CB-CG-OD2	5.10	122.89	118.30
25	BA	4	C	C6-N1-C2	-5.10	118.26	120.30
26	BB	345	A	O4'-C1'-N9	5.10	112.28	108.20
26	BB	391	A	N1-C6-N6	-5.10	115.54	118.60
26	BB	844	A	C2-N3-C4	-5.10	108.05	110.60
26	BB	877	A	N1-C6-N6	-5.10	115.54	118.60
26	BB	1283	G	C5'-C4'-O4'	5.10	115.22	109.10
26	BB	2591	C	C3'-C2'-C1'	5.10	105.58	101.50
26	BB	2681	C	C3'-C2'-O2'	-5.10	98.52	113.30
26	BB	2731	G	C2-N3-C4	-5.10	109.35	111.90
26	BB	2789	C	N1-C1'-C2'	-5.10	106.39	112.00
26	BB	2839	G	C5'-C4'-C3'	-5.10	107.84	116.00
26	BB	2853	C	N3-C2-O2	-5.10	118.33	121.90
32	BH	148	ARG	NE-CZ-NH1	5.10	122.85	120.30
1	AA	150	U	C6-N1-C2	-5.10	117.94	121.00
18	AR	41	HIS	CA-CB-CG	5.10	122.26	113.60
26	BB	135	U	C3'-C2'-C1'	-5.10	97.42	101.50
26	BB	785	G	O4'-C1'-N9	5.10	112.28	108.20
26	BB	1005	C	C4-C5-C6	-5.10	114.85	117.40
26	BB	1406	U	C4'-C3'-C2'	-5.10	97.50	102.60
26	BB	1952	A	C4-C5-C6	-5.10	114.45	117.00
26	BB	2208	C	O4'-C1'-N1	5.10	112.28	108.20
1	AA	1006	G	C5-C6-O6	-5.09	125.54	128.60
1	AA	1126	U	C4'-C3'-C2'	5.09	107.69	102.60
1	AA	1327	C	C5-C6-N1	-5.09	118.45	121.00
2	AB	11	U	N1-C1'-C2'	-5.09	106.40	112.00
4	AD	3	C	N1-C1'-C2'	-5.09	106.40	112.00
4	AD	5	G	C5-N7-C8	-5.09	101.75	104.30
25	BA	119	A	O4'-C1'-C2'	5.09	112.19	107.60
26	BB	211	C	C5-C6-N1	-5.09	118.45	121.00
26	BB	426	C	C3'-C2'-C1'	5.09	105.58	101.50
26	BB	674	G	N3-C4-C5	-5.09	126.05	128.60
26	BB	1055	G	C8-N9-C1'	5.09	133.62	127.00
26	BB	1498	C	C5'-C4'-O4'	5.09	115.21	109.10
26	BB	1577	C	N3-C4-N4	5.09	121.57	118.00
26	BB	1677	A	C5-C6-N1	5.09	120.25	117.70
26	BB	1739	A	N7-C8-N9	5.09	116.35	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1837	C	C6-N1-C1'	5.09	126.91	120.80
26	BB	1921	G	C8-N9-C4	5.09	108.44	106.40
26	BB	2415	G	N1-C2-N3	-5.09	120.84	123.90
30	BF	129	PRO	CA-N-CD	-5.09	104.37	111.50
37	BM	18	ARG	NE-CZ-NH2	-5.09	117.75	120.30
1	AA	446	G	C5-N7-C8	-5.09	101.75	104.30
1	AA	473	U	C3'-C2'-C1'	-5.09	97.43	101.50
1	AA	884	U	C5'-C4'-C3'	-5.09	107.85	116.00
1	AA	889	A	N1-C6-N6	5.09	121.66	118.60
1	AA	987	G	C5-C6-N1	5.09	114.05	111.50
18	AR	68	TYR	CD1-CE1-CZ	-5.09	115.22	119.80
25	BA	61	G	N1-C2-N3	5.09	126.96	123.90
26	BB	295	G	C3'-C2'-C1'	5.09	105.57	101.50
26	BB	1465	G	P-O5'-C5'	5.09	129.05	120.90
26	BB	2144	G	N9-C1'-C2'	5.09	120.62	114.00
52	B1	36	GLU	OE1-CD-OE2	5.09	129.41	123.30
1	AA	354	G	C6-N1-C2	-5.09	122.05	125.10
1	AA	937	A	C4-C5-C6	5.09	119.55	117.00
1	AA	1021	A	C5'-C4'-O4'	5.09	115.21	109.10
1	AA	1117	A	OP1-P-OP2	5.09	127.24	119.60
1	AA	1281	C	C5'-C4'-O4'	-5.09	102.99	109.10
2	AB	70	C	C1'-O4'-C4'	5.09	113.97	109.90
26	BB	245	G	C6-N1-C2	5.09	128.16	125.10
26	BB	337	C	C5-C4-N4	-5.09	116.64	120.20
26	BB	481	G	N9-C4-C5	-5.09	103.36	105.40
26	BB	625	G	C4-C5-C6	5.09	121.86	118.80
26	BB	924	G	C5'-C4'-O4'	5.09	115.21	109.10
26	BB	1338	G	C4'-C3'-C2'	-5.09	97.51	102.60
26	BB	1576	U	N1-C1'-C2'	-5.09	106.40	112.00
26	BB	1719	G	P-O3'-C3'	5.09	125.81	119.70
26	BB	1922	G	O4'-C1'-N9	5.09	112.27	108.20
26	BB	2289	G	P-O3'-C3'	-5.09	113.59	119.70
26	BB	2375	G	N9-C4-C5	5.09	107.44	105.40
26	BB	2446	G	O5'-C5'-C4'	-5.09	102.03	111.70
26	BB	2594	C	C4'-C3'-C2'	-5.09	97.51	102.60
26	BB	2628	C	O4'-C1'-N1	5.09	112.27	108.20
1	AA	52	C	O4'-C1'-C2'	5.09	112.18	107.60
1	AA	154	U	C1'-O4'-C4'	5.09	113.97	109.90
1	AA	447	G	C5'-C4'-C3'	-5.09	107.86	116.00
1	AA	610	U	O4'-C4'-C3'	-5.09	98.91	104.00
1	AA	717	U	C5'-C4'-C3'	-5.09	107.86	116.00
1	AA	1061	G	C1'-O4'-C4'	5.09	113.97	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1125	U	C4'-C3'-C2'	-5.09	97.51	102.60
1	AA	1401	G	C5-C6-N1	5.09	114.04	111.50
2	AB	52	A	N1-C2-N3	-5.09	126.75	129.30
4	AD	18	U	C5'-C4'-C3'	-5.09	107.86	116.00
24	AX	37	TYR	CG-CD1-CE1	-5.09	117.23	121.30
25	BA	18	G	C4-C5-C6	5.09	121.85	118.80
26	BB	67	U	N1-C2-O2	-5.09	119.24	122.80
26	BB	74	A	C5'-C4'-O4'	-5.09	102.99	109.10
26	BB	429	A	C5'-C4'-C3'	5.09	124.14	116.00
26	BB	1257	C	N1-C2-O2	5.09	121.95	118.90
26	BB	1353	A	N3-C4-C5	-5.09	123.24	126.80
26	BB	1406	U	C6-N1-C2	-5.09	117.95	121.00
26	BB	1560	G	C2-N3-C4	5.09	114.44	111.90
26	BB	1798	U	N3-C4-O4	5.09	122.96	119.40
26	BB	2331	G	C5-C6-N1	-5.09	108.95	111.50
26	BB	2333	A	C4-C5-N7	5.09	113.24	110.70
26	BB	2371	G	C4-C5-C6	-5.09	115.75	118.80
40	BP	86	ARG	NE-CZ-NH2	-5.09	117.75	120.30
55	B4	21	THR	C-N-CA	5.09	134.43	121.70
1	AA	616	G	N3-C4-C5	5.09	131.14	128.60
1	AA	832	G	O4'-C1'-C2'	-5.09	100.71	105.80
1	AA	1394	A	N1-C6-N6	-5.09	115.55	118.60
2	AB	18	G	N1-C6-O6	-5.09	116.85	119.90
18	AR	60	SER	N-CA-CB	5.09	118.13	110.50
26	BB	1901	A	C5-N7-C8	5.09	106.44	103.90
26	BB	1935	G	C5-C6-N1	5.09	114.04	111.50
26	BB	1953	A	O4'-C4'-C3'	-5.09	98.91	104.00
26	BB	2049	G	N1-C2-N3	-5.09	120.85	123.90
26	BB	2291	U	C5'-C4'-O4'	5.09	115.21	109.10
26	BB	2361	G	N7-C8-N9	5.09	115.64	113.10
26	BB	2692	G	N9-C1'-C2'	-5.09	106.40	112.00
26	BB	2826	A	C4-C5-C6	-5.09	114.46	117.00
42	BR	91	VAL	CA-CB-CG2	5.09	118.53	110.90
45	BU	14	ALA	N-CA-CB	-5.09	102.98	110.10
56	B5	7	PRO	CA-N-CD	-5.09	104.38	111.50
1	AA	419	C	O4'-C1'-C2'	-5.09	100.71	105.80
1	AA	1324	A	N1-C2-N3	5.09	131.84	129.30
4	AD	70	C	C4'-C3'-C2'	-5.09	97.51	102.60
26	BB	572	A	N1-C2-N3	-5.09	126.76	129.30
26	BB	1010	A	P-O3'-C3'	5.09	125.80	119.70
26	BB	1341	G	C4'-C3'-C2'	-5.09	97.51	102.60
26	BB	1746	A	O3'-P-O5'	-5.09	94.34	104.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1827	U	C4-C5-C6	5.09	122.75	119.70
26	BB	2401	U	N3-C4-O4	5.09	122.96	119.40
26	BB	2570	G	C6-C5-N7	-5.09	127.35	130.40
26	BB	2694	G	C4-C5-C6	-5.09	115.75	118.80
26	BB	2707	U	C3'-C2'-C1'	5.09	105.57	101.50
26	BB	2721	A	O4'-C4'-C3'	5.09	110.17	106.10
1	AA	450	G	C3'-C2'-C1'	5.08	105.57	101.50
1	AA	1206	G	C2-N3-C4	5.08	114.44	111.90
4	AD	62	C	C4-C5-C6	5.08	119.94	117.40
26	BB	88	G	C1'-O4'-C4'	-5.08	105.83	109.90
26	BB	267	C	C5-C4-N4	-5.08	116.64	120.20
26	BB	759	G	N9-C4-C5	5.08	107.43	105.40
26	BB	2021	C	N3-C2-O2	-5.08	118.34	121.90
1	AA	27	G	C8-N9-C4	-5.08	104.37	106.40
1	AA	132	C	N3-C4-N4	5.08	121.56	118.00
1	AA	218	U	N1-C2-O2	-5.08	119.24	122.80
1	AA	420	U	N3-C2-O2	-5.08	118.64	122.20
1	AA	526	C	C6-N1-C2	-5.08	118.27	120.30
1	AA	819	A	O3'-P-O5'	-5.08	94.34	104.00
1	AA	910	C	C6-N1-C2	-5.08	118.27	120.30
1	AA	1041	G	C6-N1-C2	-5.08	122.05	125.10
1	AA	1087	G	O4'-C1'-C2'	-5.08	100.72	105.80
1	AA	1148	U	C1'-O4'-C4'	5.08	113.97	109.90
1	AA	1429	A	O4'-C1'-N9	5.08	112.27	108.20
1	AA	1459	G	N1-C6-O6	5.08	122.95	119.90
15	AO	35	ARG	NE-CZ-NH1	5.08	122.84	120.30
26	BB	694	U	N1-C1'-C2'	-5.08	106.41	112.00
26	BB	697	G	C8-N9-C1'	5.08	133.61	127.00
26	BB	785	G	N7-C8-N9	5.08	115.64	113.10
26	BB	947	A	N9-C1'-C2'	-5.08	106.41	112.00
26	BB	1240	U	C2-N3-C4	-5.08	123.95	127.00
26	BB	1371	G	C5-C6-N1	5.08	114.04	111.50
26	BB	1520	U	C6-N1-C2	-5.08	117.95	121.00
26	BB	1589	U	C5-C6-N1	-5.08	120.16	122.70
26	BB	1740	G	C4-C5-C6	5.08	121.85	118.80
26	BB	1831	G	C2-N3-C4	5.08	114.44	111.90
26	BB	1974	C	C4-C5-C6	-5.08	114.86	117.40
26	BB	2294	G	N1-C2-N3	-5.08	120.85	123.90
26	BB	2398	U	C6-N1-C2	-5.08	117.95	121.00
26	BB	2534	A	N3-C4-C5	-5.08	123.24	126.80
26	BB	2807	U	C5-C4-O4	-5.08	122.85	125.90
36	BL	133	ALA	N-CA-CB	-5.08	102.98	110.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	138	G	C5-N7-C8	5.08	106.84	104.30
1	AA	151	A	C5-C6-N1	-5.08	115.16	117.70
1	AA	191	G	C5-N7-C8	-5.08	101.76	104.30
1	AA	807	A	P-O3'-C3'	5.08	125.80	119.70
1	AA	1047	G	O4'-C4'-C3'	5.08	110.17	106.10
1	AA	1072	G	N9-C4-C5	5.08	107.43	105.40
1	AA	1268	G	C6-C5-N7	-5.08	127.35	130.40
1	AA	1437	A	N1-C2-N3	-5.08	126.76	129.30
20	AT	34	GLY	N-CA-C	5.08	125.81	113.10
26	BB	208	C	O4'-C4'-C3'	-5.08	98.92	104.00
26	BB	1059	G	P-O3'-C3'	5.08	125.80	119.70
26	BB	1682	G	N9-C4-C5	-5.08	103.37	105.40
26	BB	1693	U	N3-C4-O4	-5.08	115.84	119.40
26	BB	1749	A	C8-N9-C4	-5.08	103.77	105.80
26	BB	1878	G	C1'-O4'-C4'	5.08	113.97	109.90
26	BB	2560	A	N9-C4-C5	5.08	107.83	105.80
1	AA	337	G	O4'-C1'-N9	5.08	112.26	108.20
1	AA	790	A	O4'-C1'-N9	5.08	112.26	108.20
1	AA	909	A	C3'-C2'-C1'	5.08	105.56	101.50
1	AA	979	C	C6-N1-C2	-5.08	118.27	120.30
26	BB	1270	C	C5-C6-N1	5.08	123.54	121.00
26	BB	1714	U	C1'-O4'-C4'	-5.08	105.84	109.90
26	BB	1860	G	C6-N1-C2	-5.08	122.05	125.10
26	BB	2168	G	N3-C4-C5	-5.08	126.06	128.60
26	BB	2185	U	P-O5'-C5'	5.08	129.03	120.90
26	BB	2466	C	C5'-C4'-O4'	5.08	115.20	109.10
26	BB	2892	G	O4'-C4'-C3'	5.08	110.16	106.10
1	AA	56	U	O4'-C1'-N1	5.08	112.26	108.20
1	AA	164	G	O3'-P-O5'	-5.08	94.35	104.00
1	AA	412	A	C2'-C3'-O3'	5.08	121.82	113.70
3	AC	21	U	O5'-P-OP2	-5.08	101.13	105.70
26	BB	153	U	N3-C2-O2	-5.08	118.64	122.20
26	BB	187	G	N7-C8-N9	-5.08	110.56	113.10
26	BB	255	A	N7-C8-N9	5.08	116.34	113.80
26	BB	560	C	C2-N1-C1'	-5.08	113.21	118.80
26	BB	662	G	N3-C2-N2	-5.08	116.35	119.90
26	BB	1210	G	C6-N1-C2	-5.08	122.05	125.10
26	BB	1518	C	N3-C4-N4	-5.08	114.44	118.00
26	BB	2125	G	C1'-O4'-C4'	-5.08	105.84	109.90
26	BB	2467	C	N1-C2-O2	5.08	121.95	118.90
26	BB	2870	C	P-O3'-C3'	5.08	125.80	119.70
26	BB	2895	G	N9-C1'-C2'	-5.08	106.41	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1250	A	C6-N1-C2	-5.08	115.55	118.60
1	AA	1283	U	N3-C4-C5	-5.08	111.55	114.60
1	AA	1375	A	C6-C5-N7	-5.08	128.75	132.30
2	AB	1	A	O4'-C1'-N9	5.08	112.26	108.20
18	AR	34	GLN	CG-CD-NE2	5.08	128.88	116.70
26	BB	233	A	O4'-C4'-C3'	5.08	110.16	106.10
26	BB	246	C	O4'-C1'-C2'	-5.08	100.72	105.80
26	BB	277	G	C5'-C4'-C3'	-5.08	107.88	116.00
26	BB	750	A	N7-C8-N9	-5.08	111.26	113.80
26	BB	1033	U	N1-C2-O2	5.08	126.35	122.80
26	BB	1261	C	C1'-O4'-C4'	-5.08	105.84	109.90
26	BB	1382	G	C5'-C4'-O4'	5.08	115.19	109.10
26	BB	1866	A	N7-C8-N9	-5.08	111.26	113.80
26	BB	2132	U	OP1-P-O3'	5.08	116.37	105.20
1	AA	197	A	C4'-C3'-O3'	-5.08	98.74	109.40
1	AA	353	A	C5'-C4'-O4'	5.08	115.19	109.10
1	AA	877	G	C4-C5-C6	5.08	121.84	118.80
1	AA	1117	A	C5-N7-C8	-5.08	101.36	103.90
1	AA	1441	A	O3'-P-O5'	-5.08	94.36	104.00
1	AA	1466	C	C2-N3-C4	-5.08	117.36	119.90
2	AB	30	G	C4-C5-N7	-5.08	108.77	110.80
4	AD	45	A	C1'-O4'-C4'	5.08	113.96	109.90
7	AG	18	LEU	CB-CG-CD2	5.08	119.63	111.00
26	BB	58	G	C4-C5-C6	5.08	121.84	118.80
26	BB	235	U	C3'-C2'-C1'	5.08	105.56	101.50
26	BB	1757	A	C1'-O4'-C4'	5.08	113.96	109.90
26	BB	1844	C	C5-C6-N1	-5.08	118.46	121.00
26	BB	2242	G	P-O3'-C3'	5.08	125.79	119.70
30	BF	76	PRO	N-CD-CG	5.08	110.81	103.20
42	BR	69	VAL	CG1-CB-CG2	-5.08	102.78	110.90
45	BU	84	ARG	NH1-CZ-NH2	-5.08	113.82	119.40
1	AA	95	C	C3'-C2'-C1'	-5.07	97.44	101.50
1	AA	191	G	C2-N3-C4	5.07	114.44	111.90
1	AA	477	C	O4'-C1'-N1	5.07	112.26	108.20
1	AA	551	U	N3-C4-O4	-5.07	115.85	119.40
1	AA	722	G	C4'-C3'-C2'	-5.07	97.53	102.60
1	AA	944	G	C8-N9-C4	-5.07	104.37	106.40
1	AA	976	G	C5'-C4'-O4'	-5.07	103.01	109.10
1	AA	1019	A	N7-C8-N9	5.07	116.34	113.80
1	AA	1044	A	C4'-C3'-C2'	-5.07	97.53	102.60
1	AA	1076	U	N1-C2-N3	5.07	117.94	114.90
1	AA	1082	A	C4'-C3'-C2'	-5.07	97.53	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1241	G	C5-C6-N1	5.07	114.04	111.50
1	AA	1510	C	C1'-O4'-C4'	-5.07	105.84	109.90
2	AB	18	G	N3-C4-C5	-5.07	126.06	128.60
13	AM	45	ARG	NE-CZ-NH2	-5.07	117.76	120.30
26	BB	112	U	N1-C2-N3	-5.07	111.86	114.90
26	BB	186	G	N3-C4-C5	-5.07	126.06	128.60
26	BB	189	G	O4'-C4'-C3'	5.07	110.16	106.10
26	BB	359	G	C2-N3-C4	5.07	114.44	111.90
26	BB	451	U	C5-C6-N1	-5.07	120.16	122.70
26	BB	455	C	C1'-O4'-C4'	-5.07	105.84	109.90
26	BB	1015	U	N3-C4-O4	5.07	122.95	119.40
26	BB	1353	A	C5'-C4'-C3'	-5.07	107.88	116.00
26	BB	2135	A	C4'-C3'-C2'	-5.07	97.53	102.60
26	BB	2158	A	C1'-O4'-C4'	-5.07	105.84	109.90
26	BB	2441	U	O5'-P-OP2	5.07	116.79	110.70
26	BB	2490	G	N1-C2-N2	5.07	120.77	116.20
26	BB	2587	A	C5-C6-N6	5.07	127.76	123.70
43	BS	86	SER	C-N-CA	5.07	134.38	121.70
50	BZ	28	PHE	CZ-CE2-CD2	-5.07	114.01	120.10
1	AA	531	U	C3'-C2'-C1'	-5.07	97.44	101.50
1	AA	657	U	N1-C2-O2	-5.07	119.25	122.80
1	AA	671	G	N7-C8-N9	-5.07	110.56	113.10
4	AD	16	C	C6-N1-C1'	-5.07	114.71	120.80
17	AQ	93	PRO	N-CA-CB	5.07	109.39	103.30
26	BB	1135	C	C4'-C3'-C2'	-5.07	97.53	102.60
26	BB	1812	U	N1-C2-O2	-5.07	119.25	122.80
26	BB	2060	A	C5'-C4'-O4'	-5.07	103.01	109.10
1	AA	130	A	C4-C5-N7	5.07	113.23	110.70
1	AA	207	C	O4'-C1'-N1	5.07	112.26	108.20
1	AA	562	U	O4'-C1'-C2'	5.07	112.16	107.60
1	AA	862	C	O4'-C1'-N1	5.07	112.26	108.20
1	AA	869	G	C2-N3-C4	5.07	114.44	111.90
1	AA	881	G	C5-C6-N1	5.07	114.03	111.50
25	BA	95	U	N1-C1'-C2'	-5.07	106.42	112.00
26	BB	186	G	C5'-C4'-C3'	-5.07	107.89	116.00
26	BB	340	A	C4-C5-C6	5.07	119.54	117.00
26	BB	471	A	N9-C4-C5	5.07	107.83	105.80
26	BB	572	A	O4'-C4'-C3'	5.07	110.16	106.10
26	BB	849	A	N7-C8-N9	5.07	116.33	113.80
26	BB	1415	U	C5'-C4'-O4'	5.07	115.19	109.10
26	BB	1667	G	C5-N7-C8	-5.07	101.77	104.30
26	BB	1684	G	N1-C2-N2	5.07	120.76	116.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1734	G	N7-C8-N9	5.07	115.64	113.10
26	BB	1744	A	C3'-C2'-C1'	5.07	105.56	101.50
26	BB	1839	G	C5-C6-N1	5.07	114.03	111.50
32	BH	151	ARG	NE-CZ-NH1	5.07	122.83	120.30
39	BO	89	VAL	CA-CB-CG2	-5.07	103.30	110.90
40	BP	80	PHE	CB-CG-CD2	5.07	124.35	120.80
47	BW	43	LYS	C-N-CA	5.07	134.38	121.70
1	AA	118	U	N3-C4-O4	5.07	122.95	119.40
1	AA	326	G	C5'-C4'-C3'	-5.07	107.89	116.00
1	AA	442	G	N9-C1'-C2'	-5.07	106.42	112.00
1	AA	467	U	C4-C5-C6	5.07	122.74	119.70
1	AA	989	U	N3-C4-O4	-5.07	115.85	119.40
1	AA	1142	G	C5'-C4'-C3'	-5.07	107.89	116.00
1	AA	1362	A	O4'-C1'-N9	5.07	112.25	108.20
1	AA	1374	A	C1'-O4'-C4'	-5.07	105.84	109.90
3	AC	46	C	C2-N3-C4	-5.07	117.36	119.90
18	AR	80	LEU	CB-CG-CD1	5.07	119.62	111.00
26	BB	54	G	C1'-O4'-C4'	-5.07	105.84	109.90
26	BB	328	U	C2-N3-C4	-5.07	123.96	127.00
26	BB	1310	G	N3-C4-C5	-5.07	126.06	128.60
26	BB	1762	A	C4-C5-N7	-5.07	108.17	110.70
26	BB	2469	A	C2-N3-C4	5.07	113.14	110.60
28	BD	155	ARG	NE-CZ-NH2	-5.07	117.77	120.30
1	AA	414	A	C4-N9-C1'	-5.07	117.18	126.30
1	AA	620	C	N3-C4-C5	5.07	123.93	121.90
1	AA	859	G	C5'-C4'-C3'	-5.07	107.89	116.00
1	AA	901	A	N9-C1'-C2'	-5.07	106.43	112.00
1	AA	1013	G	C5-C6-N1	-5.07	108.97	111.50
1	AA	1351	U	C2-N3-C4	5.07	130.04	127.00
1	AA	1473	G	C5-C6-N1	5.07	114.03	111.50
2	AB	33	U	C4-C5-C6	5.07	122.74	119.70
25	BA	83	G	N7-C8-N9	5.07	115.63	113.10
26	BB	233	A	C4'-C3'-C2'	-5.07	97.53	102.60
26	BB	485	C	C2-N3-C4	-5.07	117.37	119.90
26	BB	797	G	C3'-C2'-C1'	5.07	105.55	101.50
26	BB	826	U	OP2-P-O3'	5.07	116.35	105.20
26	BB	925	A	O4'-C4'-C3'	5.07	110.16	106.10
26	BB	1371	G	C2-N3-C4	-5.07	109.37	111.90
26	BB	1555	G	N3-C4-C5	-5.07	126.07	128.60
26	BB	1590	A	C5-C6-N6	-5.07	119.65	123.70
26	BB	2049	G	C4-C5-N7	-5.07	108.77	110.80
26	BB	2297	A	C1'-O4'-C4'	-5.07	105.85	109.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2324	U	P-O5'-C5'	5.07	129.01	120.90
26	BB	2653	U	O4'-C1'-C2'	-5.07	100.73	105.80
1	AA	92	U	C5-C6-N1	-5.07	120.17	122.70
1	AA	602	A	C5'-C4'-C3'	-5.07	107.89	116.00
1	AA	714	G	C2-N3-C4	5.07	114.43	111.90
1	AA	1096	C	P-O3'-C3'	5.07	125.78	119.70
1	AA	1390	U	O3'-P-O5'	-5.07	94.38	104.00
1	AA	1461	G	N7-C8-N9	-5.07	110.57	113.10
1	AA	1484	C	N3-C4-C5	5.07	123.93	121.90
3	AC	52	U	N3-C2-O2	-5.07	118.65	122.20
22	AV	54	ARG	NE-CZ-NH1	-5.07	117.77	120.30
26	BB	59	U	N3-C2-O2	5.07	125.75	122.20
26	BB	68	G	C4-N9-C1'	5.07	133.09	126.50
26	BB	227	A	P-O3'-C3'	5.07	125.78	119.70
26	BB	467	G	C6-C5-N7	5.07	133.44	130.40
26	BB	499	U	C5'-C4'-O4'	5.07	115.18	109.10
26	BB	971	G	C1'-O4'-C4'	-5.07	105.85	109.90
26	BB	1225	G	C5-N7-C8	5.07	106.83	104.30
26	BB	1326	U	C6-N1-C2	-5.07	117.96	121.00
26	BB	1381	G	C5-N7-C8	-5.07	101.77	104.30
26	BB	1462	C	N3-C4-C5	5.07	123.93	121.90
26	BB	1568	G	C4-C5-N7	-5.07	108.77	110.80
26	BB	1582	C	C2-N3-C4	5.07	122.43	119.90
26	BB	1862	G	N3-C4-N9	5.07	129.04	126.00
26	BB	1869	G	O4'-C1'-C2'	-5.07	100.73	105.80
26	BB	2609	U	N1-C1'-C2'	5.07	120.59	114.00
26	BB	2902	C	N3-C4-N4	5.07	121.55	118.00
49	BY	71	LYS	C-N-CA	5.07	132.94	122.30
1	AA	579	A	C3'-C2'-C1'	5.06	105.55	101.50
1	AA	1027	C	N1-C1'-C2'	-5.06	106.43	112.00
1	AA	1374	A	C4-C5-N7	5.06	113.23	110.70
1	AA	1379	G	C4'-C3'-C2'	-5.06	97.54	102.60
2	AB	58	A	C4'-C3'-O3'	5.06	123.13	113.00
26	BB	212	G	C5-N7-C8	-5.06	101.77	104.30
26	BB	802	A	P-O3'-C3'	5.06	125.78	119.70
26	BB	1406	U	C2-N3-C4	-5.06	123.96	127.00
26	BB	2245	U	O3'-P-O5'	-5.06	94.38	104.00
26	BB	2603	G	N1-C6-O6	-5.06	116.86	119.90
26	BB	2830	C	N3-C2-O2	-5.06	118.36	121.90
1	AA	69	G	C5-N7-C8	-5.06	101.77	104.30
1	AA	264	C	O4'-C1'-N1	5.06	112.25	108.20
1	AA	459	A	C8-N9-C4	5.06	107.83	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	785	G	C5-C6-N1	-5.06	108.97	111.50
1	AA	863	U	C5-C4-O4	-5.06	122.86	125.90
1	AA	1034	G	N9-C1'-C2'	-5.06	106.43	112.00
1	AA	1283	U	N1-C2-O2	-5.06	119.26	122.80
3	AC	34	U	C6-N1-C2	-5.06	117.96	121.00
6	AF	109	GLU	OE1-CD-OE2	5.06	129.38	123.30
26	BB	176	A	N1-C6-N6	5.06	121.64	118.60
26	BB	262	A	P-O3'-C3'	5.06	125.77	119.70
26	BB	271	G	C5'-C4'-C3'	-5.06	107.90	116.00
26	BB	739	A	O4'-C4'-C3'	5.06	110.15	106.10
26	BB	789	A	C6-C5-N7	5.06	135.84	132.30
26	BB	982	C	C4'-C3'-C2'	5.06	107.66	102.60
26	BB	1113	U	C5-C4-O4	-5.06	122.86	125.90
26	BB	1517	G	C4'-C3'-C2'	-5.06	97.54	102.60
26	BB	1585	C	C3'-C2'-C1'	5.06	105.55	101.50
26	BB	1769	U	C2-N3-C4	5.06	130.04	127.00
26	BB	2011	U	C3'-C2'-C1'	5.06	105.55	101.50
26	BB	2013	A	O4'-C1'-C2'	-5.06	100.74	105.80
26	BB	2188	U	N1-C2-N3	-5.06	111.86	114.90
26	BB	2618	G	C5'-C4'-O4'	5.06	115.18	109.10
26	BB	2696	U	O4'-C1'-N1	5.06	112.25	108.20
1	AA	590	U	C4'-C3'-C2'	-5.06	97.54	102.60
1	AA	843	U	O4'-C1'-C2'	-5.06	100.74	105.80
26	BB	409	G	C4-N9-C1'	5.06	133.08	126.50
26	BB	712	G	O4'-C1'-N9	5.06	112.25	108.20
26	BB	1160	G	N3-C4-C5	-5.06	126.07	128.60
26	BB	1730	C	N3-C4-N4	5.06	121.54	118.00
26	BB	2105	U	OP1-P-O3'	5.06	116.33	105.20
26	BB	2201	G	C4-C5-N7	-5.06	108.78	110.80
26	BB	2326	C	C2-N3-C4	5.06	122.43	119.90
26	BB	2644	G	C3'-C2'-C1'	-5.06	97.45	101.50
1	AA	179	A	C2-N3-C4	5.06	113.13	110.60
1	AA	197	A	C4-C5-N7	5.06	113.23	110.70
1	AA	229	U	O4'-C1'-C2'	-5.06	100.74	105.80
1	AA	260	G	N9-C4-C5	-5.06	103.38	105.40
1	AA	733	G	C8-N9-C4	-5.06	104.38	106.40
1	AA	800	G	C5-C6-N1	5.06	114.03	111.50
1	AA	907	A	N9-C4-C5	5.06	107.82	105.80
1	AA	1354	U	N1-C2-O2	5.06	126.34	122.80
2	AB	40	C	O5'-C5'-C4'	-5.06	102.09	111.70
10	AJ	174	LEU	CB-CA-C	5.06	119.81	110.20
26	BB	203	A	N7-C8-N9	-5.06	111.27	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	222	A	N9-C4-C5	5.06	107.82	105.80
26	BB	666	A	N9-C1'-C2'	-5.06	106.43	112.00
26	BB	1000	A	C5'-C4'-C3'	-5.06	107.91	116.00
26	BB	1443	U	O4'-C1'-N1	5.06	112.25	108.20
26	BB	1552	A	N9-C1'-C2'	-5.06	106.43	112.00
26	BB	1599	U	C6-N1-C2	-5.06	117.97	121.00
26	BB	1721	G	C4-C5-N7	-5.06	108.78	110.80
26	BB	1816	C	C5'-C4'-C3'	-5.06	107.91	116.00
26	BB	1951	U	C4-C5-C6	5.06	122.74	119.70
26	BB	2452	C	O4'-C1'-N1	5.06	112.25	108.20
26	BB	2610	C	N1-C2-O2	5.06	121.94	118.90
26	BB	2663	G	O4'-C1'-N9	-5.06	104.15	108.20
26	BB	2680	U	C2-N1-C1'	5.06	123.77	117.70
54	B3	53	VAL	CG1-CB-CG2	-5.06	102.81	110.90
1	AA	27	G	C5-C6-N1	5.06	114.03	111.50
1	AA	735	C	C5'-C4'-O4'	-5.06	103.03	109.10
1	AA	770	C	N3-C2-O2	-5.06	118.36	121.90
1	AA	1001	C	C5-C6-N1	-5.06	118.47	121.00
1	AA	1347	G	C2-N3-C4	5.06	114.43	111.90
6	AF	70	ALA	CA-C-O	-5.06	109.48	120.10
26	BB	85	G	C6-C5-N7	-5.06	127.36	130.40
26	BB	130	C	O4'-C1'-N1	5.06	112.25	108.20
26	BB	202	U	O3'-P-O5'	-5.06	94.39	104.00
26	BB	202	U	N3-C2-O2	-5.06	118.66	122.20
26	BB	209	C	C5'-C4'-O4'	5.06	115.17	109.10
26	BB	1235	G	P-O3'-C3'	5.06	125.77	119.70
26	BB	1454	C	O4'-C1'-N1	5.06	112.25	108.20
26	BB	1906	G	C8-N9-C4	5.06	108.42	106.40
26	BB	1942	C	N3-C4-C5	-5.06	119.88	121.90
26	BB	2297	A	O5'-P-OP2	-5.06	101.15	105.70
26	BB	2333	A	C5-C6-N1	5.06	120.23	117.70
26	BB	2526	G	N3-C4-C5	-5.06	126.07	128.60
29	BE	17	GLU	OE1-CD-OE2	5.06	129.37	123.30
1	AA	254	G	N1-C2-N3	-5.06	120.87	123.90
1	AA	451	A	N7-C8-N9	-5.06	111.27	113.80
1	AA	549	C	O5'-P-OP2	-5.06	101.15	105.70
1	AA	670	G	C2-N3-C4	5.06	114.43	111.90
1	AA	866	C	C4'-C3'-C2'	-5.06	97.54	102.60
2	AB	26	A	C5'-C4'-C3'	5.06	124.09	116.00
4	AD	20	G	C6-N1-C2	-5.06	122.07	125.10
4	AD	58	A	C6-C5-N7	5.06	135.84	132.30
26	BB	389	G	N3-C2-N2	-5.06	116.36	119.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1122	G	N3-C4-N9	-5.06	122.97	126.00
26	BB	2043	C	C3'-C2'-C1'	5.06	105.55	101.50
26	BB	2145	C	C4'-C3'-C2'	5.06	107.66	102.60
26	BB	2192	U	C3'-C2'-C1'	-5.06	97.45	101.50
26	BB	2373	G	C5-C6-O6	-5.06	125.57	128.60
26	BB	2389	G	O5'-P-OP1	-5.06	101.15	105.70
26	BB	2661	G	N9-C4-C5	-5.06	103.38	105.40
1	AA	170	U	C5'-C4'-O4'	5.05	115.17	109.10
1	AA	226	G	C8-N9-C1'	5.05	133.57	127.00
1	AA	916	U	N3-C4-O4	5.05	122.94	119.40
1	AA	1117	A	O4'-C1'-C2'	-5.05	100.75	105.80
1	AA	1427	C	O4'-C1'-N1	5.05	112.24	108.20
1	AA	1507	A	C5'-C4'-O4'	5.05	115.17	109.10
2	AB	69	C	C6-N1-C2	-5.05	118.28	120.30
26	BB	5	A	C5-N7-C8	-5.05	101.37	103.90
26	BB	141	G	P-O5'-C5'	5.05	128.99	120.90
26	BB	166	U	C3'-C2'-C1'	-5.05	97.46	101.50
26	BB	220	G	C8-N9-C4	-5.05	104.38	106.40
26	BB	240	C	C5'-C4'-O4'	5.05	115.17	109.10
26	BB	539	G	O4'-C1'-N9	5.05	112.24	108.20
26	BB	553	G	C5'-C4'-C3'	-5.05	107.91	116.00
26	BB	785	G	C5-N7-C8	-5.05	101.77	104.30
26	BB	1257	C	C5-C6-N1	5.05	123.53	121.00
26	BB	1697	G	N1-C2-N2	-5.05	111.65	116.20
26	BB	1749	A	N3-C4-C5	-5.05	123.26	126.80
26	BB	2759	G	N9-C4-C5	5.05	107.42	105.40
30	BF	195	GLN	CB-CA-C	5.05	120.51	110.40
1	AA	698	G	N3-C4-N9	5.05	129.03	126.00
6	AF	185	THR	CA-CB-CG2	5.05	119.47	112.40
26	BB	67	U	N1-C2-N3	5.05	117.93	114.90
26	BB	928	A	N1-C6-N6	-5.05	115.57	118.60
26	BB	1741	C	N3-C2-O2	-5.05	118.36	121.90
26	BB	2017	U	C2-N3-C4	-5.05	123.97	127.00
26	BB	2284	A	C4'-C3'-C2'	-5.05	97.55	102.60
26	BB	2623	G	C5-C6-O6	-5.05	125.57	128.60
26	BB	2831	G	C4'-C3'-C2'	-5.05	97.55	102.60
1	AA	18	C	N1-C1'-C2'	-5.05	106.44	112.00
1	AA	152	A	O4'-C1'-C2'	-5.05	100.75	105.80
1	AA	256	U	C2-N1-C1'	-5.05	111.64	117.70
1	AA	479	U	N1-C2-O2	-5.05	119.26	122.80
1	AA	626	G	N3-C2-N2	-5.05	116.36	119.90
1	AA	849	G	C5-C6-N1	5.05	114.03	111.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1044	A	O3'-P-O5'	5.05	113.60	104.00
1	AA	1152	A	C4'-C3'-C2'	-5.05	97.55	102.60
1	AA	1252	A	N9-C4-C5	5.05	107.82	105.80
1	AA	1513	A	N9-C1'-C2'	-5.05	106.44	112.00
8	AH	97	PRO	N-CA-CB	5.05	109.36	103.30
25	BA	29	A	N9-C1'-C2'	-5.05	106.44	112.00
25	BA	65	U	P-O3'-C3'	5.05	125.76	119.70
25	BA	102	G	N9-C1'-C2'	-5.05	106.44	112.00
26	BB	96	C	C5'-C4'-O4'	5.05	115.16	109.10
26	BB	100	U	O4'-C4'-C3'	5.05	110.14	106.10
26	BB	112	U	C4-C5-C6	-5.05	116.67	119.70
26	BB	808	G	N7-C8-N9	5.05	115.63	113.10
26	BB	1155	A	C6-C5-N7	5.05	135.84	132.30
26	BB	1400	U	C5'-C4'-O4'	5.05	115.16	109.10
26	BB	1477	A	C3'-C2'-C1'	-5.05	97.46	101.50
26	BB	1978	A	N9-C1'-C2'	-5.05	106.44	112.00
26	BB	2229	U	C2-N3-C4	-5.05	123.97	127.00
42	BR	46	VAL	CA-CB-CG1	5.05	118.48	110.90
1	AA	97	G	N1-C6-O6	-5.05	116.87	119.90
1	AA	232	G	C5-C6-O6	5.05	131.63	128.60
26	BB	90	U	N3-C2-O2	-5.05	118.67	122.20
26	BB	144	A	N7-C8-N9	-5.05	111.28	113.80
26	BB	287	G	N9-C1'-C2'	-5.05	106.45	112.00
26	BB	630	G	C4-C5-N7	-5.05	108.78	110.80
26	BB	965	C	N3-C4-N4	-5.05	114.47	118.00
26	BB	1109	C	C5-C4-N4	5.05	123.73	120.20
26	BB	1382	G	C5-C6-N1	5.05	114.03	111.50
26	BB	1698	A	C6-C5-N7	-5.05	128.76	132.30
26	BB	1779	U	N1-C2-N3	5.05	117.93	114.90
26	BB	2101	A	C4'-C3'-C2'	-5.05	97.55	102.60
26	BB	2490	G	C5-C6-N1	5.05	114.03	111.50
26	BB	2733	A	C1'-O4'-C4'	5.05	113.94	109.90
26	BB	2819	G	C4'-C3'-C2'	-5.05	97.55	102.60
26	BB	2824	C	O4'-C1'-C2'	5.05	112.14	107.60
1	AA	169	C	N1-C2-O2	5.05	121.93	118.90
1	AA	246	A	C2-N3-C4	5.05	113.12	110.60
1	AA	1185	G	OP2-P-O3'	5.05	116.31	105.20
1	AA	1320	C	P-O3'-C3'	5.05	125.76	119.70
1	AA	1339	A	C5-C6-N1	5.05	120.22	117.70
26	BB	406	G	N9-C4-C5	-5.05	103.38	105.40
26	BB	726	G	N3-C2-N2	-5.05	116.37	119.90
26	BB	727	A	C4-C5-C6	-5.05	114.48	117.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1084	A	C6-C5-N7	5.05	135.83	132.30
26	BB	2269	G	N9-C4-C5	5.05	107.42	105.40
26	BB	2643	G	C4'-C3'-C2'	-5.05	97.55	102.60
1	AA	3	A	C8-N9-C4	5.05	107.82	105.80
1	AA	446	G	P-O3'-C3'	5.05	125.76	119.70
1	AA	564	C	N1-C1'-C2'	-5.05	106.45	112.00
1	AA	661	G	C3'-C2'-C1'	5.05	105.54	101.50
1	AA	865	A	C5-N7-C8	-5.05	101.38	103.90
1	AA	1364	U	N3-C4-C5	-5.05	111.57	114.60
4	AD	65	G	C5-C6-O6	-5.05	125.57	128.60
5	AE	20	ARG	NE-CZ-NH1	5.05	122.82	120.30
26	BB	29	U	C5-C6-N1	-5.05	120.18	122.70
26	BB	813	U	C4'-C3'-C2'	-5.05	97.55	102.60
26	BB	1041	G	N3-C4-N9	-5.05	122.97	126.00
26	BB	1738	G	C1'-O4'-C4'	-5.05	105.86	109.90
26	BB	2695	U	C4-C5-C6	5.05	122.73	119.70
26	BB	2715	C	C5'-C4'-O4'	5.05	115.16	109.10
1	AA	12	U	C4'-C3'-C2'	5.04	107.64	102.60
1	AA	231	U	C4-C5-C6	5.04	122.73	119.70
1	AA	680	C	C2-N3-C4	5.04	122.42	119.90
1	AA	863	U	O4'-C1'-N1	5.04	112.24	108.20
1	AA	1043	G	C1'-O4'-C4'	-5.04	105.86	109.90
1	AA	1186	G	N3-C2-N2	5.04	123.43	119.90
1	AA	1438	G	O4'-C1'-C2'	-5.04	100.75	105.80
1	AA	1520	C	C1'-O4'-C4'	-5.04	105.86	109.90
26	BB	1160	G	C6-C5-N7	-5.04	127.37	130.40
26	BB	1237	A	C5'-C4'-C3'	-5.04	107.93	116.00
26	BB	1267	U	C5-C4-O4	-5.04	122.87	125.90
26	BB	1721	G	C2-N3-C4	5.04	114.42	111.90
26	BB	1799	G	C5-C6-O6	-5.04	125.57	128.60
26	BB	1909	C	N3-C2-O2	-5.04	118.37	121.90
26	BB	1938	A	N9-C4-C5	5.04	107.82	105.80
28	BD	235	GLU	OE1-CD-OE2	5.04	129.35	123.30
42	BR	83	ILE	CA-CB-CG2	5.04	120.99	110.90
1	AA	191	G	N3-C2-N2	-5.04	116.37	119.90
1	AA	385	C	C4'-C3'-C2'	-5.04	97.56	102.60
1	AA	955	U	N1-C2-N3	5.04	117.93	114.90
1	AA	1241	G	N1-C6-O6	-5.04	116.87	119.90
26	BB	248	G	N9-C4-C5	5.04	107.42	105.40
26	BB	285	G	C3'-C2'-C1'	-5.04	97.47	101.50
26	BB	637	A	C5'-C4'-C3'	-5.04	107.93	116.00
26	BB	663	G	N7-C8-N9	5.04	115.62	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	793	A	C4'-C3'-C2'	-5.04	97.56	102.60
26	BB	842	U	C5-C6-N1	-5.04	120.18	122.70
26	BB	877	A	P-O3'-C3'	5.04	125.75	119.70
26	BB	1113	U	C1'-O4'-C4'	-5.04	105.86	109.90
26	BB	1137	G	C6-C5-N7	-5.04	127.37	130.40
26	BB	1186	G	C3'-C2'-C1'	5.04	105.53	101.50
26	BB	1381	G	C8-N9-C4	-5.04	104.38	106.40
26	BB	1408	G	C8-N9-C1'	5.04	133.56	127.00
26	BB	2226	C	C4'-C3'-C2'	-5.04	97.56	102.60
26	BB	2299	U	N3-C4-O4	5.04	122.93	119.40
26	BB	2327	A	N3-C4-N9	5.04	131.44	127.40
26	BB	2444	G	C8-N9-C1'	5.04	133.56	127.00
26	BB	2530	A	P-O3'-C3'	5.04	125.75	119.70
26	BB	2690	U	N1-C2-N3	-5.04	111.87	114.90
1	AA	422	C	P-O3'-C3'	5.04	125.75	119.70
1	AA	487	A	C5-N7-C8	5.04	106.42	103.90
1	AA	629	A	N1-C6-N6	-5.04	115.58	118.60
1	AA	711	G	O4'-C1'-N9	5.04	112.23	108.20
1	AA	791	G	C2-N3-C4	5.04	114.42	111.90
1	AA	831	A	C6-C5-N7	5.04	135.83	132.30
1	AA	882	C	C3'-C2'-C1'	5.04	105.53	101.50
26	BB	19	A	C6-N1-C2	5.04	121.62	118.60
26	BB	213	A	P-O3'-C3'	5.04	125.75	119.70
26	BB	251	A	O5'-P-OP2	-5.04	101.16	105.70
26	BB	598	U	P-O3'-C3'	5.04	125.75	119.70
26	BB	614	A	C5'-C4'-C3'	-5.04	107.93	116.00
26	BB	1590	A	N9-C4-C5	5.04	107.82	105.80
26	BB	1831	G	C4-C5-C6	5.04	121.83	118.80
26	BB	2070	A	P-O3'-C3'	5.04	125.75	119.70
26	BB	2154	A	C5-C6-N1	5.04	120.22	117.70
26	BB	2357	G	O4'-C1'-N9	5.04	112.23	108.20
26	BB	2419	U	N1-C2-N3	5.04	117.92	114.90
26	BB	2463	C	N1-C2-N3	5.04	122.73	119.20
26	BB	2493	U	C4-C5-C6	5.04	122.72	119.70
26	BB	2682	A	C4'-C3'-O3'	5.04	123.08	113.00
30	BF	152	GLU	OE1-CD-OE2	5.04	129.35	123.30
1	AA	69	G	N7-C8-N9	5.04	115.62	113.10
1	AA	202	G	N9-C1'-C2'	-5.04	106.46	112.00
1	AA	244	U	N3-C4-C5	-5.04	111.58	114.60
1	AA	870	U	C6-N1-C2	-5.04	117.98	121.00
2	AB	22	G	C5-C6-O6	5.04	131.62	128.60
26	BB	263	G	N7-C8-N9	5.04	115.62	113.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	611	C	C4-C5-C6	5.04	119.92	117.40
26	BB	1231	U	C3'-C2'-C1'	5.04	105.53	101.50
26	BB	1506	U	P-O3'-C3'	5.04	125.75	119.70
26	BB	1575	C	C4'-C3'-C2'	-5.04	97.56	102.60
26	BB	2690	U	C5-C6-N1	-5.04	120.18	122.70
1	AA	62	U	C5'-C4'-O4'	5.04	115.14	109.10
1	AA	102	G	C2-N3-C4	5.04	114.42	111.90
1	AA	239	U	C5'-C4'-O4'	5.04	115.15	109.10
1	AA	290	C	O5'-P-OP1	-5.04	101.17	105.70
1	AA	771	G	C3'-C2'-C1'	-5.04	97.47	101.50
4	AD	29	C	C4'-C3'-O3'	5.04	123.08	113.00
4	AD	36	A	N3-C4-N9	5.04	131.43	127.40
25	BA	46	A	C6-C5-N7	5.04	135.83	132.30
25	BA	81	G	N3-C4-N9	5.04	129.02	126.00
26	BB	386	G	C3'-C2'-C1'	5.04	105.53	101.50
26	BB	713	G	O4'-C1'-C2'	5.04	112.13	107.60
26	BB	1109	C	C1'-O4'-C4'	5.04	113.93	109.90
26	BB	1219	U	O4'-C1'-N1	5.04	112.23	108.20
26	BB	1500	G	O5'-P-OP2	-5.04	101.17	105.70
26	BB	1696	G	N1-C2-N2	-5.04	111.67	116.20
26	BB	1791	A	C5-N7-C8	-5.04	101.38	103.90
26	BB	1799	G	C5-N7-C8	5.04	106.82	104.30
26	BB	2080	A	N9-C4-C5	5.04	107.81	105.80
26	BB	2214	C	C1'-O4'-C4'	-5.04	105.87	109.90
26	BB	2545	G	C5-N7-C8	-5.04	101.78	104.30
32	BH	2	ARG	CB-CG-CD	5.04	124.70	111.60
1	AA	610	U	C1'-O4'-C4'	-5.04	105.87	109.90
1	AA	728	A	C6-C5-N7	-5.04	128.77	132.30
1	AA	1064	G	N3-C4-N9	5.04	129.02	126.00
1	AA	1118	U	O5'-C5'-C4'	5.04	121.27	111.70
1	AA	1530	G	N3-C2-N2	-5.04	116.37	119.90
26	BB	1006	C	N1-C2-O2	5.04	121.92	118.90
26	BB	1972	G	N3-C4-C5	-5.04	126.08	128.60
26	BB	2272	U	C5'-C4'-C3'	-5.04	107.94	116.00
26	BB	2782	G	C5-C6-O6	-5.04	125.58	128.60
1	AA	92	U	O4'-C1'-N1	5.04	112.23	108.20
1	AA	308	C	C6-N1-C2	5.04	122.31	120.30
1	AA	532	A	C4-C5-N7	5.04	113.22	110.70
1	AA	771	G	C8-N9-C1'	5.04	133.55	127.00
1	AA	815	A	N3-C4-C5	-5.04	123.28	126.80
1	AA	919	A	C2-N3-C4	-5.04	108.08	110.60
1	AA	1008	U	C4-C5-C6	5.04	122.72	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1515	G	C6-C5-N7	-5.04	127.38	130.40
4	AD	13	C	N3-C4-N4	5.04	121.53	118.00
11	AK	2	MET	CA-CB-CG	-5.04	104.74	113.30
26	BB	185	G	C5-C6-N1	5.04	114.02	111.50
26	BB	730	A	N3-C4-C5	-5.04	123.28	126.80
26	BB	1284	A	C1'-O4'-C4'	-5.04	105.87	109.90
26	BB	1295	C	O4'-C1'-C2'	-5.04	100.76	105.80
26	BB	1421	G	C8-N9-C4	-5.04	104.39	106.40
26	BB	2387	U	C5'-C4'-O4'	5.04	115.14	109.10
26	BB	2509	G	O4'-C1'-C2'	-5.04	100.76	105.80
26	BB	2803	G	C1'-O4'-C4'	-5.04	105.87	109.90
45	BU	56	ALA	N-CA-CB	-5.04	103.05	110.10
47	BW	14	THR	CA-CB-OG1	5.04	119.57	109.00
1	AA	2	A	C5-C6-N6	-5.03	119.67	123.70
1	AA	23	C	O4'-C1'-N1	5.03	112.23	108.20
1	AA	416	G	C6-N1-C2	-5.03	122.08	125.10
1	AA	724	G	N3-C2-N2	-5.03	116.38	119.90
1	AA	885	G	C4-C5-N7	-5.03	108.79	110.80
7	AG	74	TYR	CB-CG-CD1	-5.03	117.98	121.00
26	BB	59	U	C4-C5-C6	5.03	122.72	119.70
26	BB	135	U	O4'-C1'-C2'	5.03	112.13	107.60
26	BB	233	A	N9-C4-C5	5.03	107.81	105.80
26	BB	620	G	O4'-C4'-C3'	5.03	110.13	106.10
26	BB	642	U	N3-C4-O4	5.03	122.92	119.40
26	BB	795	C	N1-C2-N3	-5.03	115.68	119.20
26	BB	1642	G	C5-C6-O6	5.03	131.62	128.60
26	BB	2070	A	C4-C5-N7	-5.03	108.18	110.70
26	BB	2277	G	N3-C2-N2	-5.03	116.38	119.90
26	BB	2444	G	C4-N9-C1'	-5.03	119.96	126.50
26	BB	2550	G	C3'-C2'-C1'	-5.03	97.47	101.50
26	BB	2835	A	N7-C8-N9	5.03	116.32	113.80
26	BB	2860	A	C5'-C4'-C3'	5.03	124.05	116.00
46	BV	95	PHE	CB-CG-CD2	-5.03	117.28	120.80
1	AA	97	G	N1-C2-N2	5.03	120.73	116.20
26	BB	509	C	C5'-C4'-O4'	5.03	115.14	109.10
26	BB	915	C	C2-N3-C4	5.03	122.42	119.90
26	BB	1100	C	C2-N3-C4	-5.03	117.38	119.90
26	BB	1147	A	N1-C2-N3	5.03	131.82	129.30
26	BB	1664	A	C4-C5-C6	-5.03	114.48	117.00
26	BB	2132	U	C3'-C2'-C1'	-5.03	97.47	101.50
26	BB	2567	G	C3'-C2'-C1'	-5.03	97.47	101.50
1	AA	201	G	N3-C4-N9	5.03	129.02	126.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	293	G	O4'-C1'-N9	5.03	112.22	108.20
1	AA	389	A	C5-C6-N1	5.03	120.22	117.70
1	AA	582	C	N3-C4-N4	5.03	121.52	118.00
1	AA	666	G	N1-C6-O6	5.03	122.92	119.90
1	AA	944	G	C2'-C3'-O3'	5.03	121.75	113.70
1	AA	1112	C	O4'-C4'-C3'	-5.03	98.97	104.00
1	AA	1288	A	OP1-P-O3'	5.03	116.27	105.20
1	AA	1346	A	C1'-O4'-C4'	-5.03	105.88	109.90
2	AB	31	U	N3-C4-O4	5.03	122.92	119.40
4	AD	53	G	C5-N7-C8	5.03	106.81	104.30
12	AL	123	ARG	CA-CB-CG	5.03	124.47	113.40
26	BB	410	G	C3'-C2'-C1'	-5.03	97.47	101.50
26	BB	503	A	N1-C2-N3	-5.03	126.78	129.30
26	BB	570	G	C5-N7-C8	-5.03	101.78	104.30
26	BB	714	U	C5'-C4'-C3'	-5.03	107.95	116.00
26	BB	923	G	N9-C4-C5	5.03	107.41	105.40
26	BB	1089	A	N9-C1'-C2'	-5.03	106.47	112.00
26	BB	1844	C	C3'-C2'-C1'	-5.03	97.48	101.50
26	BB	1976	U	C1'-O4'-C4'	5.03	113.92	109.90
26	BB	2136	G	C5-C6-N1	-5.03	108.98	111.50
26	BB	2558	C	C6-N1-C1'	5.03	126.84	120.80
26	BB	2625	G	N7-C8-N9	5.03	115.62	113.10
26	BB	2758	A	C8-N9-C4	-5.03	103.79	105.80
48	BX	57	TYR	CB-CA-C	-5.03	100.34	110.40
1	AA	677	U	C6-N1-C2	-5.03	117.98	121.00
1	AA	1271	A	C6-C5-N7	-5.03	128.78	132.30
2	AB	24	G	N7-C8-N9	5.03	115.61	113.10
5	AE	51	GLU	OE1-CD-OE2	5.03	129.34	123.30
26	BB	1025	G	C5-C6-O6	-5.03	125.58	128.60
26	BB	1127	A	O4'-C4'-C3'	5.03	110.12	106.10
26	BB	2748	A	C5'-C4'-O4'	5.03	115.14	109.10
26	BB	2881	U	N1-C2-N3	5.03	117.92	114.90
1	AA	51	A	N3-C4-N9	-5.03	123.38	127.40
1	AA	392	C	N1-C2-O2	-5.03	115.88	118.90
1	AA	730	G	C4-C5-C6	5.03	121.82	118.80
1	AA	938	A	C5'-C4'-O4'	5.03	115.13	109.10
1	AA	1230	C	C5'-C4'-C3'	-5.03	107.96	116.00
2	AB	27	C	C2-N3-C4	5.03	122.41	119.90
4	AD	27	G	N7-C8-N9	5.03	115.61	113.10
22	AV	6	LYS	N-CA-CB	-5.03	101.55	110.60
26	BB	45	G	O4'-C1'-N9	-5.03	104.18	108.20
26	BB	508	A	C5'-C4'-O4'	5.03	115.13	109.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	620	G	N1-C2-N2	5.03	120.72	116.20
26	BB	683	U	C2-N3-C4	5.03	130.02	127.00
26	BB	768	G	C2-N3-C4	5.03	114.41	111.90
26	BB	812	C	N1-C2-O2	-5.03	115.88	118.90
26	BB	899	A	C4-C5-N7	-5.03	108.19	110.70
26	BB	1146	C	OP1-P-OP2	5.03	127.14	119.60
26	BB	1256	G	C5-N7-C8	-5.03	101.79	104.30
26	BB	1392	A	C5'-C4'-C3'	-5.03	107.96	116.00
26	BB	1414	C	C5-C6-N1	5.03	123.51	121.00
26	BB	1717	A	C4-C5-C6	5.03	119.51	117.00
26	BB	1953	A	C6-N1-C2	5.03	121.62	118.60
26	BB	2243	U	C2-N3-C4	-5.03	123.98	127.00
26	BB	2442	C	N3-C4-C5	5.03	123.91	121.90
26	BB	2515	C	P-O5'-C5'	5.03	128.94	120.90
26	BB	2597	G	C6-C5-N7	-5.03	127.38	130.40
26	BB	2733	A	C4-C5-N7	5.03	113.21	110.70
30	BF	33	VAL	CG1-CB-CG2	-5.03	102.86	110.90
1	AA	81	A	C3'-C2'-C1'	-5.03	97.48	101.50
1	AA	361	G	C5-N7-C8	5.03	106.81	104.30
1	AA	555	U	C6-N1-C2	-5.03	117.98	121.00
1	AA	665	A	C8-N9-C4	-5.03	103.79	105.80
1	AA	742	G	C4-C5-N7	-5.03	108.79	110.80
1	AA	893	C	C5'-C4'-O4'	5.03	115.13	109.10
1	AA	1108	G	O4'-C1'-C2'	-5.03	100.77	105.80
1	AA	1204	A	N1-C6-N6	-5.03	115.58	118.60
1	AA	1293	C	N3-C4-C5	-5.03	119.89	121.90
1	AA	1540	U	P-O3'-C3'	5.03	125.73	119.70
4	AD	18	U	O4'-C1'-N1	5.03	112.22	108.20
9	AI	70	VAL	CA-CB-CG1	5.03	118.44	110.90
26	BB	35	G	O4'-C1'-N9	5.03	112.22	108.20
26	BB	169	G	C2'-C3'-O3'	5.03	121.74	113.70
26	BB	253	C	C5-C4-N4	5.03	123.72	120.20
26	BB	465	G	N7-C8-N9	5.03	115.61	113.10
26	BB	499	U	N3-C4-C5	-5.03	111.58	114.60
26	BB	852	U	C6-N1-C2	5.03	124.02	121.00
26	BB	1222	U	C1'-O4'-C4'	5.03	113.92	109.90
26	BB	1289	C	O4'-C1'-C2'	-5.03	100.78	105.80
26	BB	1291	C	N1-C2-O2	5.03	121.92	118.90
26	BB	1524	G	C5'-C4'-C3'	-5.03	107.96	116.00
26	BB	1779	U	P-O5'-C5'	5.03	128.94	120.90
26	BB	1937	A	C4-C5-C6	-5.03	114.49	117.00
26	BB	2079	U	N1-C2-O2	-5.03	119.28	122.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2304	G	P-O3'-C3'	5.03	125.73	119.70
26	BB	2628	C	C5-C6-N1	-5.03	118.49	121.00
26	BB	2801	G	N3-C4-C5	-5.03	126.09	128.60
37	BM	107	LEU	CB-CA-C	5.03	119.75	110.20
1	AA	39	G	C5-N7-C8	-5.02	101.79	104.30
1	AA	71	A	C4'-C3'-C2'	-5.02	97.58	102.60
1	AA	379	C	C6-N1-C2	-5.02	118.29	120.30
1	AA	1011	C	N3-C4-C5	5.02	123.91	121.90
1	AA	1059	C	O4'-C4'-C3'	5.02	110.12	106.10
20	AT	61	ARG	NE-CZ-NH2	-5.02	117.79	120.30
26	BB	297	G	C5-C6-O6	-5.02	125.59	128.60
26	BB	404	A	C4-C5-C6	-5.02	114.49	117.00
26	BB	432	A	N7-C8-N9	5.02	116.31	113.80
26	BB	741	U	C5-C4-O4	-5.02	122.89	125.90
26	BB	850	U	C5'-C4'-O4'	-5.02	103.07	109.10
26	BB	1956	U	C4-C5-C6	5.02	122.72	119.70
27	BC	63	THR	CA-CB-CG2	5.02	119.43	112.40
1	AA	58	C	O5'-C5'-C4'	5.02	121.24	111.70
1	AA	223	A	C4-C5-N7	5.02	113.21	110.70
1	AA	338	A	C5-C6-N1	5.02	120.21	117.70
1	AA	457	G	C1'-O4'-C4'	5.02	113.92	109.90
1	AA	777	A	C5-C6-N1	-5.02	115.19	117.70
1	AA	783	C	N1-C1'-C2'	-5.02	106.48	112.00
1	AA	845	A	C3'-C2'-C1'	5.02	105.52	101.50
1	AA	1073	U	C4'-C3'-C2'	-5.02	97.58	102.60
1	AA	1218	C	N1-C2-O2	-5.02	115.89	118.90
1	AA	1423	G	O4'-C1'-N9	5.02	112.22	108.20
2	AB	31	U	O4'-C1'-N1	5.02	112.22	108.20
26	BB	717	C	N3-C2-O2	-5.02	118.39	121.90
26	BB	771	G	C2-N3-C4	5.02	114.41	111.90
26	BB	1270	C	C4'-C3'-C2'	-5.02	97.58	102.60
26	BB	1276	A	C6-N1-C2	5.02	121.61	118.60
26	BB	1465	G	C4-C5-C6	5.02	121.81	118.80
26	BB	1983	G	C4-C5-N7	5.02	112.81	110.80
26	BB	2058	A	C5'-C4'-O4'	5.02	115.13	109.10
26	BB	2123	G	C5'-C4'-C3'	5.02	124.04	116.00
26	BB	2227	A	N3-C4-C5	5.02	130.32	126.80
26	BB	2393	U	C2'-C3'-O3'	5.02	121.74	113.70
26	BB	2424	C	C5-C6-N1	5.02	123.51	121.00
26	BB	2796	U	P-O3'-C3'	5.02	125.73	119.70
1	AA	303	A	N9-C1'-C2'	-5.02	106.48	112.00
1	AA	852	G	N9-C1'-C2'	-5.02	106.48	112.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1300	G	N3-C4-C5	-5.02	126.09	128.60
3	AC	35	G	C4-C5-N7	-5.02	108.79	110.80
25	BA	83	G	C6-N1-C2	-5.02	122.09	125.10
26	BB	68	G	N7-C8-N9	5.02	115.61	113.10
26	BB	187	G	C6-N1-C2	-5.02	122.09	125.10
26	BB	191	A	N3-C4-C5	-5.02	123.28	126.80
26	BB	763	G	N3-C4-C5	-5.02	126.09	128.60
26	BB	857	G	C5'-C4'-O4'	5.02	115.12	109.10
26	BB	884	U	C5'-C4'-C3'	-5.02	107.97	116.00
26	BB	1010	A	N1-C6-N6	-5.02	115.59	118.60
38	BN	112	LEU	CB-CG-CD1	5.02	119.53	111.00
40	BP	12	ARG	NH1-CZ-NH2	-5.02	113.88	119.40
1	AA	338	A	C2-N3-C4	5.02	113.11	110.60
1	AA	1203	C	C4-C5-C6	5.02	119.91	117.40
1	AA	1255	G	O4'-C1'-N9	5.02	112.22	108.20
1	AA	1465	A	C5'-C4'-O4'	-5.02	103.08	109.10
26	BB	26	G	C5-C6-O6	-5.02	125.59	128.60
26	BB	45	G	C5-C6-N1	5.02	114.01	111.50
26	BB	151	C	C4-C5-C6	5.02	119.91	117.40
26	BB	560	C	C5-C6-N1	-5.02	118.49	121.00
26	BB	675	A	O4'-C1'-N9	-5.02	104.18	108.20
26	BB	1278	C	N3-C4-C5	-5.02	119.89	121.90
26	BB	1421	G	N1-C2-N3	-5.02	120.89	123.90
26	BB	1557	C	C2-N3-C4	5.02	122.41	119.90
26	BB	1764	C	N3-C2-O2	-5.02	118.39	121.90
26	BB	1908	C	C6-N1-C1'	-5.02	114.78	120.80
26	BB	2067	G	C1'-O4'-C4'	-5.02	105.88	109.90
1	AA	141	G	O4'-C1'-C2'	-5.02	100.78	105.80
1	AA	149	A	N9-C1'-C2'	-5.02	106.48	112.00
1	AA	219	U	N1-C1'-C2'	-5.02	106.48	112.00
1	AA	446	G	N3-C4-C5	-5.02	126.09	128.60
1	AA	702	A	C6-N1-C2	-5.02	115.59	118.60
1	AA	1194	U	O4'-C1'-N1	5.02	112.22	108.20
13	AM	60	ASP	CB-CG-OD1	5.02	122.81	118.30
26	BB	157	C	C5-C4-N4	-5.02	116.69	120.20
26	BB	381	G	N3-C4-C5	-5.02	126.09	128.60
26	BB	553	G	C5-C6-O6	-5.02	125.59	128.60
26	BB	637	A	C4'-C3'-C2'	-5.02	97.58	102.60
26	BB	839	U	P-O3'-C3'	5.02	125.72	119.70
26	BB	960	A	O4'-C1'-N9	5.02	112.22	108.20
26	BB	1134	A	C6-N1-C2	-5.02	115.59	118.60
26	BB	1723	G	C8-N9-C1'	5.02	133.52	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1748	C	C4'-C3'-C2'	-5.02	97.58	102.60
26	BB	1753	G	C4-C5-C6	5.02	121.81	118.80
26	BB	1932	A	C1'-O4'-C4'	-5.02	105.89	109.90
26	BB	2222	C	C1'-O4'-C4'	5.02	113.91	109.90
26	BB	2302	U	P-O5'-C5'	5.02	128.93	120.90
26	BB	2571	U	C6-N1-C2	-5.02	117.99	121.00
26	BB	2741	A	N3-C4-C5	-5.02	123.29	126.80
26	BB	2846	G	C1'-O4'-C4'	5.02	113.91	109.90
30	BF	16	GLU	CA-CB-CG	5.02	124.44	113.40
32	BH	53	PRO	N-CD-CG	5.02	110.72	103.20
46	BV	80	TRP	CD1-NE1-CE2	5.02	113.52	109.00
1	AA	751	U	C6-N1-C2	-5.02	117.99	121.00
1	AA	946	A	N1-C6-N6	-5.02	115.59	118.60
26	BB	148	U	C5-C4-O4	-5.02	122.89	125.90
26	BB	378	C	C2-N3-C4	5.02	122.41	119.90
26	BB	608	A	C8-N9-C4	5.02	107.81	105.80
26	BB	1847	A	N9-C1'-C2'	-5.02	106.48	112.00
26	BB	1974	C	C5-C4-N4	-5.02	116.69	120.20
26	BB	2388	A	C4-C5-C6	-5.02	114.49	117.00
30	BF	142	ALA	CB-CA-C	5.02	117.62	110.10
1	AA	375	U	N3-C4-C5	5.01	117.61	114.60
1	AA	1309	G	N1-C2-N3	-5.01	120.89	123.90
20	AT	6	THR	CA-CB-CG2	5.01	119.42	112.40
25	BA	32	U	O4'-C1'-N1	5.01	112.21	108.20
26	BB	261	G	C5-C6-N1	5.01	114.01	111.50
26	BB	585	G	C5-N7-C8	-5.01	101.79	104.30
26	BB	639	U	N1-C2-O2	-5.01	119.29	122.80
26	BB	1067	A	C8-N9-C4	-5.01	103.79	105.80
26	BB	1186	G	N7-C8-N9	5.01	115.61	113.10
26	BB	1261	C	N1-C2-O2	-5.01	115.89	118.90
26	BB	1398	C	O4'-C4'-C3'	5.01	110.11	106.10
26	BB	1596	A	C8-N9-C4	-5.01	103.79	105.80
26	BB	1604	C	N3-C4-C5	-5.01	119.89	121.90
26	BB	1941	C	O4'-C1'-N1	5.01	112.21	108.20
26	BB	2457	PSU	P-O3'-C3'	5.01	125.72	119.70
46	BV	25	GLU	O-C-N	5.01	130.72	122.70
1	AA	1202	U	C4-C5-C6	5.01	122.71	119.70
1	AA	1212	U	C5-C6-N1	5.01	125.21	122.70
25	BA	2	G	C5'-C4'-O4'	5.01	115.11	109.10
26	BB	638	G	N3-C2-N2	-5.01	116.39	119.90
26	BB	806	C	N1-C2-N3	-5.01	115.69	119.20
26	BB	1184	U	N1-C2-O2	-5.01	119.29	122.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1354	A	C4'-C3'-C2'	-5.01	97.59	102.60
26	BB	1581	G	N1-C2-N2	5.01	120.71	116.20
26	BB	2029	G	C6-C5-N7	-5.01	127.39	130.40
26	BB	2056	G	N7-C8-N9	5.01	115.61	113.10
39	BO	10	ARG	CA-CB-CG	5.01	124.43	113.40
1	AA	109	A	C5'-C4'-C3'	-5.01	107.98	116.00
1	AA	236	A	C4'-C3'-O3'	5.01	123.02	113.00
1	AA	1193	G	C5'-C4'-O4'	5.01	115.11	109.10
1	AA	1267	C	N3-C4-N4	-5.01	114.49	118.00
1	AA	1336	C	O4'-C4'-C3'	5.01	110.11	106.10
4	AD	75	C	C6-N1-C1'	5.01	126.81	120.80
26	BB	468	G	C4-N9-C1'	-5.01	119.98	126.50
26	BB	536	G	N9-C4-C5	5.01	107.41	105.40
26	BB	731	C	N3-C4-C5	5.01	123.90	121.90
26	BB	839	U	N3-C4-C5	-5.01	111.59	114.60
26	BB	1186	G	N3-C4-C5	-5.01	126.09	128.60
26	BB	1259	G	C6-N1-C2	-5.01	122.09	125.10
26	BB	1744	A	C8-N9-C1'	5.01	136.72	127.70
26	BB	2081	U	C6-N1-C2	-5.01	117.99	121.00
26	BB	2083	G	C3'-C2'-C1'	5.01	105.51	101.50
26	BB	2205	A	N3-C4-N9	-5.01	123.39	127.40
26	BB	2394	C	P-O5'-C5'	5.01	128.92	120.90
35	BK	129	GLU	OE1-CD-OE2	5.01	129.31	123.30
1	AA	184	G	C5'-C4'-O4'	5.01	115.11	109.10
1	AA	227	G	C6-C5-N7	5.01	133.41	130.40
1	AA	267	C	N3-C2-O2	-5.01	118.39	121.90
1	AA	329	A	C5-C6-N1	-5.01	115.19	117.70
1	AA	782	A	OP1-P-OP2	-5.01	112.09	119.60
1	AA	880	C	N1-C2-O2	5.01	121.91	118.90
1	AA	909	A	C5'-C4'-O4'	5.01	115.11	109.10
1	AA	913	A	N1-C2-N3	5.01	131.81	129.30
1	AA	1345	U	O4'-C4'-C3'	5.01	110.11	106.10
1	AA	1417	G	N1-C2-N3	-5.01	120.89	123.90
12	AL	123	ARG	NE-CZ-NH2	5.01	122.81	120.30
26	BB	301	G	O4'-C4'-C3'	5.01	110.11	106.10
26	BB	498	G	N9-C1'-C2'	-5.01	106.49	112.00
26	BB	1019	U	N3-C4-O4	5.01	122.91	119.40
26	BB	1117	C	N3-C4-C5	-5.01	119.90	121.90
26	BB	1292	G	O4'-C1'-C2'	-5.01	100.79	105.80
26	BB	1304	A	O4'-C1'-C2'	5.01	112.11	107.60
26	BB	1408	G	C4'-C3'-C2'	-5.01	97.59	102.60
26	BB	1718	G	O4'-C1'-C2'	5.01	112.11	107.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2330	G	C5-N7-C8	-5.01	101.80	104.30
26	BB	2367	G	C8-N9-C1'	5.01	133.51	127.00
26	BB	2459	A	N1-C6-N6	5.01	121.61	118.60
26	BB	2533	U	C5'-C4'-C3'	-5.01	107.99	116.00
26	BB	2538	C	O4'-C1'-N1	5.01	112.21	108.20
26	BB	2611	C	C5'-C4'-C3'	-5.01	107.99	116.00
26	BB	2709	G	C5-C6-N1	5.01	114.00	111.50
40	BP	60	VAL	CA-CB-CG1	5.01	118.42	110.90
43	BS	67	ALA	CB-CA-C	5.01	117.62	110.10
1	AA	546	A	N9-C1'-C2'	-5.01	106.49	112.00
1	AA	743	A	C4'-C3'-C2'	-5.01	97.59	102.60
1	AA	1257	A	N3-C4-N9	5.01	131.41	127.40
26	BB	68	G	C6-C5-N7	5.01	133.41	130.40
26	BB	379	G	C5-C6-N1	5.01	114.00	111.50
26	BB	1131	G	C3'-C2'-C1'	-5.01	97.49	101.50
26	BB	2156	G	N1-C2-N2	5.01	120.71	116.20
26	BB	2369	A	C5-N7-C8	-5.01	101.40	103.90
26	BB	2542	A	C3'-C2'-C1'	5.01	105.51	101.50
32	BH	113	ASP	CB-CG-OD2	-5.01	113.79	118.30
49	BY	13	ARG	NH1-CZ-NH2	-5.01	113.89	119.40
1	AA	68	G	N3-C2-N2	-5.01	116.40	119.90
1	AA	367	U	N1-C1'-C2'	5.01	120.51	114.00
1	AA	1198	G	C8-N9-C4	-5.01	104.40	106.40
1	AA	1200	C	C3'-C2'-C1'	5.01	105.51	101.50
1	AA	1286	U	C5'-C4'-C3'	-5.01	107.99	116.00
1	AA	1368	A	O5'-C5'-C4'	5.01	121.21	111.70
4	AD	49	C	P-O5'-C5'	5.01	128.91	120.90
26	BB	10	A	C8-N9-C4	5.01	107.80	105.80
26	BB	273	G	N1-C2-N3	-5.01	120.90	123.90
26	BB	320	A	N1-C6-N6	-5.01	115.60	118.60
26	BB	413	C	C4'-C3'-C2'	-5.01	97.59	102.60
26	BB	551	G	C6-N1-C2	-5.01	122.10	125.10
26	BB	795	C	N3-C2-O2	5.01	125.40	121.90
26	BB	897	C	C4-C5-C6	-5.01	114.90	117.40
26	BB	1010	A	C5'-C4'-O4'	5.01	115.11	109.10
26	BB	1027	A	C5-C6-N1	-5.01	115.20	117.70
26	BB	1200	C	N1-C2-O2	5.01	121.90	118.90
26	BB	1274	A	C5-C6-N1	5.01	120.20	117.70
26	BB	1538	G	O5'-C5'-C4'	-5.01	102.19	111.70
26	BB	1609	A	N1-C2-N3	-5.01	126.80	129.30
26	BB	2557	G	C6-N1-C2	-5.01	122.10	125.10
26	BB	2728	U	C4'-C3'-C2'	-5.01	97.59	102.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2882	A	C1'-O4'-C4'	-5.01	105.89	109.90
26	BB	2892	G	P-O3'-C3'	5.01	125.71	119.70
1	AA	740	U	O4'-C1'-N1	5.00	112.20	108.20
1	AA	1136	C	O4'-C1'-C2'	-5.00	100.80	105.80
2	AB	64	U	N1-C1'-C2'	5.00	120.51	114.00
25	BA	46	A	N1-C2-N3	-5.00	126.80	129.30
25	BA	57	A	N3-C4-C5	-5.00	123.30	126.80
26	BB	344	A	N9-C1'-C2'	-5.00	106.49	112.00
26	BB	1107	G	C5'-C4'-O4'	5.00	115.11	109.10
26	BB	1643	G	C4-C5-N7	5.00	112.80	110.80
26	BB	1953	A	P-O3'-C3'	5.00	125.71	119.70
26	BB	2635	A	C5'-C4'-C3'	5.00	124.01	116.00
26	BB	2874	C	C6-N1-C2	-5.00	118.30	120.30
43	BS	8	ILE	CA-CB-CG1	5.00	120.51	111.00
1	AA	12	U	N1-C2-O2	-5.00	119.30	122.80
1	AA	126	G	C6-C5-N7	-5.00	127.40	130.40
1	AA	384	G	O3'-P-O5'	-5.00	94.49	104.00
1	AA	664	G	N3-C4-C5	-5.00	126.10	128.60
1	AA	689	C	N3-C4-N4	-5.00	114.50	118.00
1	AA	780	A	C5-N7-C8	5.00	106.40	103.90
1	AA	797	C	C4-C5-C6	5.00	119.90	117.40
1	AA	1014	A	N7-C8-N9	5.00	116.30	113.80
1	AA	1222	G	O5'-C5'-C4'	5.00	121.20	111.70
1	AA	1316	G	O5'-C5'-C4'	5.00	121.21	111.70
1	AA	1441	A	C5'-C4'-C3'	-5.00	107.99	116.00
4	AD	12	G	C6-N1-C2	-5.00	122.10	125.10
25	BA	9	G	N3-C4-N9	-5.00	123.00	126.00
26	BB	322	A	C4'-C3'-C2'	5.00	107.60	102.60
26	BB	417	C	O4'-C1'-N1	5.00	112.20	108.20
26	BB	569	U	N3-C2-O2	5.00	125.70	122.20
26	BB	728	G	C5'-C4'-O4'	5.00	115.11	109.10
26	BB	921	C	O4'-C1'-N1	5.00	112.20	108.20
26	BB	1245	G	N3-C2-N2	-5.00	116.40	119.90
26	BB	1296	G	N1-C2-N2	-5.00	111.70	116.20
26	BB	1672	A	C4'-C3'-O3'	5.00	123.01	113.00
26	BB	1814	G	C3'-C2'-C1'	5.00	105.50	101.50
26	BB	1985	C	O5'-C5'-C4'	5.00	121.21	111.70
26	BB	2168	G	N1-C2-N2	-5.00	111.70	116.20
26	BB	2525	G	C4-N9-C1'	-5.00	120.00	126.50
26	BB	2561	U	N3-C4-O4	5.00	122.90	119.40
1	AA	146	G	N3-C4-N9	5.00	129.00	126.00
1	AA	194	C	C3'-C2'-C1'	-5.00	97.50	101.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	483	C	C2-N3-C4	5.00	122.40	119.90
1	AA	1224	U	C5'-C4'-C3'	-5.00	108.00	116.00
21	AU	56	ARG	NE-CZ-NH1	5.00	122.80	120.30
23	AW	65	LEU	CB-CG-CD1	-5.00	102.50	111.00
26	BB	176	A	C5-C6-N6	-5.00	119.70	123.70
26	BB	221	A	N9-C4-C5	-5.00	103.80	105.80
26	BB	518	G	C5-C6-N1	5.00	114.00	111.50
26	BB	854	C	N1-C2-N3	5.00	122.70	119.20
26	BB	1554	U	C1'-O4'-C4'	-5.00	105.90	109.90
26	BB	2045	C	C6-N1-C2	5.00	122.30	120.30
26	BB	2063	C	O4'-C4'-C3'	5.00	110.10	106.10
26	BB	2355	G	N1-C2-N2	-5.00	111.70	116.20
26	BB	2411	A	C4-C5-C6	-5.00	114.50	117.00
26	BB	2581	G	O4'-C1'-N9	5.00	112.20	108.20
26	BB	2732	G	C3'-C2'-C1'	5.00	105.50	101.50

There are no chirality outliers.

All (2959) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	AA	1	A	Sidechain
1	AA	10	A	Sidechain
1	AA	100	G	Sidechain
1	AA	1000	A	Sidechain
1	AA	1001	C	Sidechain
1	AA	1002	G	Sidechain
1	AA	1003	G	Sidechain
1	AA	1004	A	Sidechain
1	AA	1007	U	Sidechain
1	AA	1008	U	Sidechain
1	AA	1010	U	Sidechain
1	AA	1011	C	Sidechain
1	AA	1014	A	Sidechain
1	AA	102	G	Sidechain
1	AA	1021	A	Sidechain
1	AA	1022	A	Sidechain
1	AA	1023	U	Sidechain
1	AA	1024	G	Sidechain
1	AA	1025	U	Sidechain
1	AA	1026	G	Sidechain
1	AA	1030	U	Sidechain
1	AA	1033	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	1035	A	Sidechain
1	AA	1036	A	Sidechain
1	AA	1037	C	Sidechain
1	AA	1039	G	Sidechain
1	AA	104	G	Sidechain
1	AA	1040	U	Sidechain
1	AA	1042	A	Sidechain
1	AA	1043	G	Sidechain
1	AA	1044	A	Sidechain
1	AA	1046	A	Sidechain
1	AA	1047	G	Sidechain
1	AA	105	G	Sidechain
1	AA	1050	G	Sidechain
1	AA	1051	C	Sidechain
1	AA	1053	G	Sidechain
1	AA	1055	A	Sidechain
1	AA	1056	U	Sidechain
1	AA	1057	G	Sidechain
1	AA	106	C	Sidechain
1	AA	1060	U	Sidechain
1	AA	1061	G	Sidechain
1	AA	1063	C	Sidechain
1	AA	1064	G	Sidechain
1	AA	1065	U	Sidechain
1	AA	1066	C	Sidechain
1	AA	1067	A	Sidechain
1	AA	1069	C	Sidechain
1	AA	107	G	Sidechain
1	AA	1070	U	Sidechain
1	AA	1071	C	Sidechain
1	AA	1072	G	Sidechain
1	AA	1073	U	Sidechain
1	AA	1074	G	Sidechain
1	AA	1076	U	Sidechain
1	AA	1077	G	Sidechain
1	AA	108	G	Sidechain
1	AA	1082	A	Sidechain
1	AA	1083	U	Sidechain
1	AA	1084	G	Sidechain
1	AA	1087	G	Sidechain
1	AA	1089	G	Sidechain
1	AA	109	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	1092	A	Sidechain
1	AA	1093	A	Sidechain
1	AA	1094	G	Sidechain
1	AA	1096	C	Sidechain
1	AA	1099	G	Sidechain
1	AA	1100	C	Sidechain
1	AA	1101	A	Sidechain
1	AA	1104	G	Sidechain
1	AA	1105	A	Sidechain
1	AA	1106	G	Sidechain
1	AA	1108	G	Sidechain
1	AA	111	G	Sidechain
1	AA	1114	C	Sidechain
1	AA	1115	U	Sidechain
1	AA	1116	U	Sidechain
1	AA	1119	C	Sidechain
1	AA	1120	C	Sidechain
1	AA	1121	U	Sidechain
1	AA	1124	G	Sidechain
1	AA	1125	U	Sidechain
1	AA	1126	U	Sidechain
1	AA	113	G	Sidechain
1	AA	1130	A	Sidechain
1	AA	1132	C	Sidechain
1	AA	1133	G	Sidechain
1	AA	1134	G	Sidechain
1	AA	1137	C	Sidechain
1	AA	1138	G	Sidechain
1	AA	1139	G	Sidechain
1	AA	114	U	Sidechain
1	AA	1141	C	Sidechain
1	AA	1143	G	Sidechain
1	AA	1145	A	Sidechain
1	AA	1148	U	Sidechain
1	AA	115	G	Sidechain
1	AA	1158	C	Sidechain
1	AA	1159	U	Sidechain
1	AA	116	A	Sidechain
1	AA	1163	A	Sidechain
1	AA	1166	G	Sidechain
1	AA	1167	A	Sidechain
1	AA	1168	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	1170	A	Sidechain
1	AA	1171	A	Sidechain
1	AA	1172	C	Sidechain
1	AA	1174	G	Sidechain
1	AA	1175	G	Sidechain
1	AA	1177	G	Sidechain
1	AA	1178	G	Sidechain
1	AA	1179	A	Sidechain
1	AA	118	U	Sidechain
1	AA	1180	A	Sidechain
1	AA	1181	G	Sidechain
1	AA	1184	G	Sidechain
1	AA	1185	G	Sidechain
1	AA	1186	G	Sidechain
1	AA	1187	G	Sidechain
1	AA	1188	A	Sidechain
1	AA	1189	U	Sidechain
1	AA	119	A	Sidechain
1	AA	1190	G	Sidechain
1	AA	1192	C	Sidechain
1	AA	1198	G	Sidechain
1	AA	1199	U	Sidechain
1	AA	120	A	Sidechain
1	AA	1200	C	Sidechain
1	AA	1201	A	Sidechain
1	AA	1204	A	Sidechain
1	AA	1208	C	Sidechain
1	AA	121	U	Sidechain
1	AA	1210	C	Sidechain
1	AA	1214	C	Sidechain
1	AA	1216	A	Sidechain
1	AA	1217	C	Sidechain
1	AA	1219	A	Sidechain
1	AA	122	G	Sidechain
1	AA	1221	G	Sidechain
1	AA	1222	G	Sidechain
1	AA	1223	C	Sidechain
1	AA	1224	U	Sidechain
1	AA	1225	A	Sidechain
1	AA	1227	A	Sidechain
1	AA	123	U	Sidechain
1	AA	1230	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	1232	U	Sidechain
1	AA	1233	G	Sidechain
1	AA	1235	U	Sidechain
1	AA	1236	A	Sidechain
1	AA	1239	A	Sidechain
1	AA	1240	U	Sidechain
1	AA	1241	G	Sidechain
1	AA	1243	C	Sidechain
1	AA	1244	G	Sidechain
1	AA	1245	C	Sidechain
1	AA	1246	A	Sidechain
1	AA	1248	A	Sidechain
1	AA	1249	C	Sidechain
1	AA	1250	A	Sidechain
1	AA	1253	G	Sidechain
1	AA	1255	G	Sidechain
1	AA	1256	A	Sidechain
1	AA	1257	A	Sidechain
1	AA	1258	G	Sidechain
1	AA	1261	A	Sidechain
1	AA	1266	G	Sidechain
1	AA	1267	C	Sidechain
1	AA	1268	G	Sidechain
1	AA	1269	A	Sidechain
1	AA	1270	G	Sidechain
1	AA	1271	A	Sidechain
1	AA	1272	G	Sidechain
1	AA	1273	C	Sidechain
1	AA	1277	C	Sidechain
1	AA	1278	G	Sidechain
1	AA	1279	G	Sidechain
1	AA	128	G	Sidechain
1	AA	1284	C	Sidechain
1	AA	1285	A	Sidechain
1	AA	1286	U	Sidechain
1	AA	1287	A	Sidechain
1	AA	1288	A	Sidechain
1	AA	1290	G	Sidechain
1	AA	1291	U	Sidechain
1	AA	1294	G	Sidechain
1	AA	1297	G	Sidechain
1	AA	1298	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	1300	G	Sidechain
1	AA	1302	C	Sidechain
1	AA	1303	C	Sidechain
1	AA	1304	G	Sidechain
1	AA	1305	G	Sidechain
1	AA	1306	A	Sidechain
1	AA	1308	U	Sidechain
1	AA	1309	G	Sidechain
1	AA	1312	G	Sidechain
1	AA	1313	U	Sidechain
1	AA	1314	C	Sidechain
1	AA	1316	G	Sidechain
1	AA	1319	A	Sidechain
1	AA	132	C	Sidechain
1	AA	1321	U	Sidechain
1	AA	1322	C	Sidechain
1	AA	1323	G	Sidechain
1	AA	1326	U	Sidechain
1	AA	1327	C	Sidechain
1	AA	1328	C	Sidechain
1	AA	133	U	Sidechain
1	AA	1331	G	Sidechain
1	AA	1333	A	Sidechain
1	AA	1335	U	Sidechain
1	AA	1338	G	Sidechain
1	AA	1339	A	Sidechain
1	AA	134	G	Sidechain
1	AA	1345	U	Sidechain
1	AA	1346	A	Sidechain
1	AA	1348	U	Sidechain
1	AA	1349	A	Sidechain
1	AA	1350	A	Sidechain
1	AA	1351	U	Sidechain
1	AA	1353	G	Sidechain
1	AA	1355	G	Sidechain
1	AA	1357	A	Sidechain
1	AA	1358	U	Sidechain
1	AA	1360	A	Sidechain
1	AA	1361	G	Sidechain
1	AA	1362	A	Sidechain
1	AA	1364	U	Sidechain
1	AA	1365	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	1366	C	Sidechain
1	AA	1367	C	Sidechain
1	AA	1368	A	Sidechain
1	AA	1369	C	Sidechain
1	AA	1370	G	Sidechain
1	AA	1371	G	Sidechain
1	AA	1373	G	Sidechain
1	AA	1375	A	Sidechain
1	AA	1376	U	Sidechain
1	AA	1377	A	Sidechain
1	AA	1379	G	Sidechain
1	AA	138	G	Sidechain
1	AA	1383	C	Sidechain
1	AA	1385	G	Sidechain
1	AA	1387	G	Sidechain
1	AA	1388	C	Sidechain
1	AA	1389	C	Sidechain
1	AA	139	A	Sidechain
1	AA	1390	U	Sidechain
1	AA	1391	U	Sidechain
1	AA	1392	G	Sidechain
1	AA	1393	U	Sidechain
1	AA	1395	C	Sidechain
1	AA	1396	A	Sidechain
1	AA	1399	C	Sidechain
1	AA	14	U	Sidechain
1	AA	1400	C	Sidechain
1	AA	1403	C	Sidechain
1	AA	1405	G	Sidechain
1	AA	141	G	Sidechain
1	AA	1410	A	Sidechain
1	AA	1411	C	Sidechain
1	AA	1412	C	Sidechain
1	AA	1415	G	Sidechain
1	AA	1416	G	Sidechain
1	AA	1417	G	Sidechain
1	AA	1418	A	Sidechain
1	AA	1419	G	Sidechain
1	AA	142	G	Sidechain
1	AA	1420	U	Sidechain
1	AA	1421	G	Sidechain
1	AA	1423	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	1424	U	Sidechain
1	AA	1425	U	Sidechain
1	AA	1427	C	Sidechain
1	AA	1429	A	Sidechain
1	AA	1430	A	Sidechain
1	AA	1431	A	Sidechain
1	AA	1435	G	Sidechain
1	AA	1436	U	Sidechain
1	AA	1438	G	Sidechain
1	AA	1439	G	Sidechain
1	AA	1440	U	Sidechain
1	AA	1442	G	Sidechain
1	AA	1445	U	Sidechain
1	AA	1446	A	Sidechain
1	AA	1447	A	Sidechain
1	AA	1449	C	Sidechain
1	AA	1450	U	Sidechain
1	AA	1452	C	Sidechain
1	AA	1454	G	Sidechain
1	AA	1455	G	Sidechain
1	AA	1456	A	Sidechain
1	AA	1457	G	Sidechain
1	AA	1458	G	Sidechain
1	AA	1459	G	Sidechain
1	AA	146	G	Sidechain
1	AA	1461	G	Sidechain
1	AA	1463	U	Sidechain
1	AA	1464	U	Sidechain
1	AA	1468	A	Sidechain
1	AA	1471	U	Sidechain
1	AA	1474	U	Sidechain
1	AA	1478	U	Sidechain
1	AA	1482	G	Sidechain
1	AA	1484	C	Sidechain
1	AA	1486	G	Sidechain
1	AA	1487	G	Sidechain
1	AA	1489	G	Sidechain
1	AA	1490	U	Sidechain
1	AA	1491	G	Sidechain
1	AA	1493	A	Sidechain
1	AA	1494	G	Sidechain
1	AA	1495	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	1496	C	Sidechain
1	AA	1497	G	Sidechain
1	AA	1499	A	Sidechain
1	AA	15	G	Sidechain
1	AA	1502	A	Sidechain
1	AA	1504	G	Sidechain
1	AA	1506	U	Sidechain
1	AA	1507	A	Sidechain
1	AA	1508	A	Sidechain
1	AA	1509	C	Sidechain
1	AA	1511	G	Sidechain
1	AA	1512	U	Sidechain
1	AA	1513	A	Sidechain
1	AA	1514	G	Sidechain
1	AA	1517	G	Sidechain
1	AA	152	A	Sidechain
1	AA	1520	C	Sidechain
1	AA	1523	G	Sidechain
1	AA	1524	C	Sidechain
1	AA	1525	G	Sidechain
1	AA	1526	G	Sidechain
1	AA	1528	U	Sidechain
1	AA	1529	G	Sidechain
1	AA	1530	G	Sidechain
1	AA	1531	A	Sidechain
1	AA	1532	U	Sidechain
1	AA	1533	C	Sidechain
1	AA	1535	C	Sidechain
1	AA	1537	U	Sidechain
1	AA	1539	C	Sidechain
1	AA	158	G	Sidechain
1	AA	16	A	Sidechain
1	AA	163	C	Sidechain
1	AA	164	G	Sidechain
1	AA	165	G	Sidechain
1	AA	168	G	Sidechain
1	AA	169	C	Sidechain
1	AA	172	A	Sidechain
1	AA	176	C	Sidechain
1	AA	177	G	Sidechain
1	AA	178	C	Sidechain
1	AA	179	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	182	A	Sidechain
1	AA	183	C	Sidechain
1	AA	184	G	Sidechain
1	AA	185	U	Sidechain
1	AA	186	C	Sidechain
1	AA	187	G	Sidechain
1	AA	188	C	Sidechain
1	AA	191	G	Sidechain
1	AA	193	C	Sidechain
1	AA	195	A	Sidechain
1	AA	196	A	Sidechain
1	AA	197	A	Sidechain
1	AA	198	G	Sidechain
1	AA	2	A	Sidechain
1	AA	200	G	Sidechain
1	AA	202	G	Sidechain
1	AA	203	G	Sidechain
1	AA	204	G	Sidechain
1	AA	205	A	Sidechain
1	AA	207	C	Sidechain
1	AA	208	U	Sidechain
1	AA	21	G	Sidechain
1	AA	211	G	Sidechain
1	AA	212	G	Sidechain
1	AA	215	C	Sidechain
1	AA	216	U	Sidechain
1	AA	218	U	Sidechain
1	AA	219	U	Sidechain
1	AA	22	G	Sidechain
1	AA	220	G	Sidechain
1	AA	222	C	Sidechain
1	AA	223	A	Sidechain
1	AA	224	U	Sidechain
1	AA	225	C	Sidechain
1	AA	226	G	Sidechain
1	AA	227	G	Sidechain
1	AA	228	A	Sidechain
1	AA	229	U	Sidechain
1	AA	230	G	Sidechain
1	AA	231	U	Sidechain
1	AA	232	G	Sidechain
1	AA	233	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	238	A	Sidechain
1	AA	239	U	Sidechain
1	AA	24	U	Sidechain
1	AA	240	G	Sidechain
1	AA	243	A	Sidechain
1	AA	244	U	Sidechain
1	AA	246	A	Sidechain
1	AA	249	U	Sidechain
1	AA	250	A	Sidechain
1	AA	251	G	Sidechain
1	AA	254	G	Sidechain
1	AA	257	G	Sidechain
1	AA	258	G	Sidechain
1	AA	259	G	Sidechain
1	AA	26	A	Sidechain
1	AA	260	G	Sidechain
1	AA	261	U	Sidechain
1	AA	263	A	Sidechain
1	AA	264	C	Sidechain
1	AA	265	G	Sidechain
1	AA	266	G	Sidechain
1	AA	269	C	Sidechain
1	AA	271	C	Sidechain
1	AA	272	C	Sidechain
1	AA	274	A	Sidechain
1	AA	278	G	Sidechain
1	AA	279	A	Sidechain
1	AA	283	U	Sidechain
1	AA	285	C	Sidechain
1	AA	287	U	Sidechain
1	AA	288	A	Sidechain
1	AA	289	G	Sidechain
1	AA	290	C	Sidechain
1	AA	292	G	Sidechain
1	AA	295	C	Sidechain
1	AA	296	U	Sidechain
1	AA	297	G	Sidechain
1	AA	298	A	Sidechain
1	AA	299	G	Sidechain
1	AA	3	A	Sidechain
1	AA	300	A	Sidechain
1	AA	302	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	303	A	Sidechain
1	AA	304	U	Sidechain
1	AA	305	G	Sidechain
1	AA	307	C	Sidechain
1	AA	310	G	Sidechain
1	AA	316	C	Sidechain
1	AA	317	U	Sidechain
1	AA	318	G	Sidechain
1	AA	319	G	Sidechain
1	AA	321	A	Sidechain
1	AA	322	C	Sidechain
1	AA	323	U	Sidechain
1	AA	326	G	Sidechain
1	AA	327	A	Sidechain
1	AA	328	C	Sidechain
1	AA	33	A	Sidechain
1	AA	330	C	Sidechain
1	AA	331	G	Sidechain
1	AA	335	C	Sidechain
1	AA	336	A	Sidechain
1	AA	337	G	Sidechain
1	AA	34	C	Sidechain
1	AA	345	C	Sidechain
1	AA	348	G	Sidechain
1	AA	35	G	Sidechain
1	AA	350	G	Sidechain
1	AA	351	G	Sidechain
1	AA	352	C	Sidechain
1	AA	353	A	Sidechain
1	AA	354	G	Sidechain
1	AA	355	C	Sidechain
1	AA	356	A	Sidechain
1	AA	358	U	Sidechain
1	AA	359	G	Sidechain
1	AA	361	G	Sidechain
1	AA	364	A	Sidechain
1	AA	365	U	Sidechain
1	AA	368	U	Sidechain
1	AA	369	G	Sidechain
1	AA	372	C	Sidechain
1	AA	373	A	Sidechain
1	AA	374	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	375	U	Sidechain
1	AA	377	G	Sidechain
1	AA	379	C	Sidechain
1	AA	38	G	Sidechain
1	AA	381	C	Sidechain
1	AA	382	A	Sidechain
1	AA	384	G	Sidechain
1	AA	385	C	Sidechain
1	AA	387	U	Sidechain
1	AA	388	G	Sidechain
1	AA	389	A	Sidechain
1	AA	390	U	Sidechain
1	AA	391	G	Sidechain
1	AA	392	C	Sidechain
1	AA	393	A	Sidechain
1	AA	394	G	Sidechain
1	AA	395	C	Sidechain
1	AA	396	C	Sidechain
1	AA	403	C	Sidechain
1	AA	404	G	Sidechain
1	AA	405	U	Sidechain
1	AA	406	G	Sidechain
1	AA	41	G	Sidechain
1	AA	410	G	Sidechain
1	AA	411	A	Sidechain
1	AA	413	G	Sidechain
1	AA	414	A	Sidechain
1	AA	416	G	Sidechain
1	AA	417	G	Sidechain
1	AA	418	C	Sidechain
1	AA	419	C	Sidechain
1	AA	421	U	Sidechain
1	AA	422	C	Sidechain
1	AA	423	G	Sidechain
1	AA	425	G	Sidechain
1	AA	426	U	Sidechain
1	AA	429	U	Sidechain
1	AA	430	A	Sidechain
1	AA	431	A	Sidechain
1	AA	433	G	Sidechain
1	AA	434	U	Sidechain
1	AA	437	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	438	U	Sidechain
1	AA	439	U	Sidechain
1	AA	440	C	Sidechain
1	AA	444	G	Sidechain
1	AA	445	G	Sidechain
1	AA	447	G	Sidechain
1	AA	448	A	Sidechain
1	AA	450	G	Sidechain
1	AA	452	A	Sidechain
1	AA	453	G	Sidechain
1	AA	454	G	Sidechain
1	AA	455	G	Sidechain
1	AA	457	G	Sidechain
1	AA	461	A	Sidechain
1	AA	462	G	Sidechain
1	AA	465	A	Sidechain
1	AA	466	A	Sidechain
1	AA	47	C	Sidechain
1	AA	471	U	Sidechain
1	AA	472	U	Sidechain
1	AA	473	U	Sidechain
1	AA	474	G	Sidechain
1	AA	476	U	Sidechain
1	AA	478	A	Sidechain
1	AA	48	C	Sidechain
1	AA	480	U	Sidechain
1	AA	481	G	Sidechain
1	AA	482	A	Sidechain
1	AA	488	C	Sidechain
1	AA	489	C	Sidechain
1	AA	49	U	Sidechain
1	AA	490	C	Sidechain
1	AA	495	A	Sidechain
1	AA	497	G	Sidechain
1	AA	498	A	Sidechain
1	AA	5	U	Sidechain
1	AA	50	A	Sidechain
1	AA	500	G	Sidechain
1	AA	501	C	Sidechain
1	AA	502	A	Sidechain
1	AA	503	C	Sidechain
1	AA	504	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	505	G	Sidechain
1	AA	506	G	Sidechain
1	AA	508	U	Sidechain
1	AA	509	A	Sidechain
1	AA	510	A	Sidechain
1	AA	511	C	Sidechain
1	AA	512	U	Sidechain
1	AA	515	G	Sidechain
1	AA	517	G	Sidechain
1	AA	518	C	Sidechain
1	AA	519	C	Sidechain
1	AA	520	A	Sidechain
1	AA	521	G	Sidechain
1	AA	523	A	Sidechain
1	AA	524	G	Sidechain
1	AA	525	C	Sidechain
1	AA	529	G	Sidechain
1	AA	53	A	Sidechain
1	AA	530	G	Sidechain
1	AA	531	U	Sidechain
1	AA	532	A	Sidechain
1	AA	534	U	Sidechain
1	AA	538	G	Sidechain
1	AA	539	A	Sidechain
1	AA	54	C	Sidechain
1	AA	541	G	Sidechain
1	AA	542	G	Sidechain
1	AA	544	G	Sidechain
1	AA	545	C	Sidechain
1	AA	546	A	Sidechain
1	AA	547	A	Sidechain
1	AA	55	A	Sidechain
1	AA	550	G	Sidechain
1	AA	551	U	Sidechain
1	AA	554	A	Sidechain
1	AA	556	C	Sidechain
1	AA	561	U	Sidechain
1	AA	562	U	Sidechain
1	AA	563	A	Sidechain
1	AA	564	C	Sidechain
1	AA	565	U	Sidechain
1	AA	566	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	567	G	Sidechain
1	AA	569	C	Sidechain
1	AA	57	G	Sidechain
1	AA	570	G	Sidechain
1	AA	571	U	Sidechain
1	AA	572	A	Sidechain
1	AA	573	A	Sidechain
1	AA	574	A	Sidechain
1	AA	576	C	Sidechain
1	AA	577	G	Sidechain
1	AA	579	A	Sidechain
1	AA	580	C	Sidechain
1	AA	582	C	Sidechain
1	AA	583	A	Sidechain
1	AA	584	G	Sidechain
1	AA	585	G	Sidechain
1	AA	587	G	Sidechain
1	AA	588	G	Sidechain
1	AA	59	A	Sidechain
1	AA	590	U	Sidechain
1	AA	592	G	Sidechain
1	AA	593	U	Sidechain
1	AA	594	U	Sidechain
1	AA	595	A	Sidechain
1	AA	598	U	Sidechain
1	AA	6	G	Sidechain
1	AA	600	A	Sidechain
1	AA	602	A	Sidechain
1	AA	603	U	Sidechain
1	AA	609	A	Sidechain
1	AA	61	G	Sidechain
1	AA	610	U	Sidechain
1	AA	611	C	Sidechain
1	AA	612	C	Sidechain
1	AA	615	G	Sidechain
1	AA	616	G	Sidechain
1	AA	617	G	Sidechain
1	AA	618	C	Sidechain
1	AA	619	U	Sidechain
1	AA	62	U	Sidechain
1	AA	622	A	Sidechain
1	AA	623	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	625	U	Sidechain
1	AA	626	G	Sidechain
1	AA	627	G	Sidechain
1	AA	628	G	Sidechain
1	AA	629	A	Sidechain
1	AA	630	A	Sidechain
1	AA	633	G	Sidechain
1	AA	634	C	Sidechain
1	AA	636	U	Sidechain
1	AA	637	C	Sidechain
1	AA	639	G	Sidechain
1	AA	640	A	Sidechain
1	AA	641	U	Sidechain
1	AA	642	A	Sidechain
1	AA	644	U	Sidechain
1	AA	645	G	Sidechain
1	AA	646	G	Sidechain
1	AA	647	C	Sidechain
1	AA	65	A	Sidechain
1	AA	650	G	Sidechain
1	AA	652	U	Sidechain
1	AA	653	U	Sidechain
1	AA	656	G	Sidechain
1	AA	66	A	Sidechain
1	AA	660	C	Sidechain
1	AA	661	G	Sidechain
1	AA	662	U	Sidechain
1	AA	664	G	Sidechain
1	AA	665	A	Sidechain
1	AA	666	G	Sidechain
1	AA	667	G	Sidechain
1	AA	668	G	Sidechain
1	AA	669	G	Sidechain
1	AA	670	G	Sidechain
1	AA	671	G	Sidechain
1	AA	672	U	Sidechain
1	AA	673	A	Sidechain
1	AA	674	G	Sidechain
1	AA	676	A	Sidechain
1	AA	677	U	Sidechain
1	AA	678	U	Sidechain
1	AA	68	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	681	A	Sidechain
1	AA	682	G	Sidechain
1	AA	684	U	Sidechain
1	AA	685	G	Sidechain
1	AA	686	U	Sidechain
1	AA	687	A	Sidechain
1	AA	688	G	Sidechain
1	AA	689	C	Sidechain
1	AA	690	G	Sidechain
1	AA	691	G	Sidechain
1	AA	693	G	Sidechain
1	AA	695	A	Sidechain
1	AA	696	A	Sidechain
1	AA	697	U	Sidechain
1	AA	7	A	Sidechain
1	AA	700	G	Sidechain
1	AA	703	G	Sidechain
1	AA	704	A	Sidechain
1	AA	705	G	Sidechain
1	AA	707	U	Sidechain
1	AA	709	U	Sidechain
1	AA	710	G	Sidechain
1	AA	712	A	Sidechain
1	AA	717	U	Sidechain
1	AA	718	A	Sidechain
1	AA	719	C	Sidechain
1	AA	72	A	Sidechain
1	AA	721	G	Sidechain
1	AA	722	G	Sidechain
1	AA	723	U	Sidechain
1	AA	725	G	Sidechain
1	AA	726	C	Sidechain
1	AA	727	G	Sidechain
1	AA	728	A	Sidechain
1	AA	729	A	Sidechain
1	AA	73	C	Sidechain
1	AA	730	G	Sidechain
1	AA	731	G	Sidechain
1	AA	732	C	Sidechain
1	AA	733	G	Sidechain
1	AA	734	G	Sidechain
1	AA	736	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	737	C	Sidechain
1	AA	738	C	Sidechain
1	AA	74	A	Sidechain
1	AA	740	U	Sidechain
1	AA	742	G	Sidechain
1	AA	744	C	Sidechain
1	AA	748	G	Sidechain
1	AA	75	G	Sidechain
1	AA	750	C	Sidechain
1	AA	751	U	Sidechain
1	AA	752	G	Sidechain
1	AA	755	G	Sidechain
1	AA	758	C	Sidechain
1	AA	76	G	Sidechain
1	AA	761	G	Sidechain
1	AA	762	U	Sidechain
1	AA	763	G	Sidechain
1	AA	764	C	Sidechain
1	AA	765	G	Sidechain
1	AA	767	A	Sidechain
1	AA	769	G	Sidechain
1	AA	770	C	Sidechain
1	AA	771	G	Sidechain
1	AA	772	U	Sidechain
1	AA	773	G	Sidechain
1	AA	775	G	Sidechain
1	AA	776	G	Sidechain
1	AA	778	G	Sidechain
1	AA	779	C	Sidechain
1	AA	78	A	Sidechain
1	AA	780	A	Sidechain
1	AA	785	G	Sidechain
1	AA	786	G	Sidechain
1	AA	787	A	Sidechain
1	AA	788	U	Sidechain
1	AA	789	U	Sidechain
1	AA	79	G	Sidechain
1	AA	790	A	Sidechain
1	AA	791	G	Sidechain
1	AA	793	U	Sidechain
1	AA	794	A	Sidechain
1	AA	796	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	798	U	Sidechain
1	AA	8	A	Sidechain
1	AA	800	G	Sidechain
1	AA	801	U	Sidechain
1	AA	803	G	Sidechain
1	AA	81	A	Sidechain
1	AA	810	C	Sidechain
1	AA	811	C	Sidechain
1	AA	812	G	Sidechain
1	AA	814	A	Sidechain
1	AA	815	A	Sidechain
1	AA	817	C	Sidechain
1	AA	818	G	Sidechain
1	AA	82	G	Sidechain
1	AA	821	G	Sidechain
1	AA	825	A	Sidechain
1	AA	827	U	Sidechain
1	AA	828	U	Sidechain
1	AA	829	G	Sidechain
1	AA	83	C	Sidechain
1	AA	830	G	Sidechain
1	AA	832	G	Sidechain
1	AA	833	G	Sidechain
1	AA	835	U	Sidechain
1	AA	836	G	Sidechain
1	AA	838	G	Sidechain
1	AA	84	U	Sidechain
1	AA	840	C	Sidechain
1	AA	841	C	Sidechain
1	AA	842	U	Sidechain
1	AA	844	G	Sidechain
1	AA	846	G	Sidechain
1	AA	849	G	Sidechain
1	AA	850	U	Sidechain
1	AA	851	G	Sidechain
1	AA	852	G	Sidechain
1	AA	853	C	Sidechain
1	AA	854	U	Sidechain
1	AA	855	U	Sidechain
1	AA	856	C	Sidechain
1	AA	857	C	Sidechain
1	AA	858	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	859	G	Sidechain
1	AA	86	G	Sidechain
1	AA	860	A	Sidechain
1	AA	861	G	Sidechain
1	AA	864	A	Sidechain
1	AA	865	A	Sidechain
1	AA	869	G	Sidechain
1	AA	87	C	Sidechain
1	AA	871	U	Sidechain
1	AA	873	A	Sidechain
1	AA	874	G	Sidechain
1	AA	876	C	Sidechain
1	AA	878	A	Sidechain
1	AA	88	U	Sidechain
1	AA	881	G	Sidechain
1	AA	883	C	Sidechain
1	AA	884	U	Sidechain
1	AA	885	G	Sidechain
1	AA	886	G	Sidechain
1	AA	887	G	Sidechain
1	AA	888	G	Sidechain
1	AA	889	A	Sidechain
1	AA	890	G	Sidechain
1	AA	891	U	Sidechain
1	AA	892	A	Sidechain
1	AA	894	G	Sidechain
1	AA	895	G	Sidechain
1	AA	896	C	Sidechain
1	AA	897	C	Sidechain
1	AA	9	G	Sidechain
1	AA	900	A	Sidechain
1	AA	902	G	Sidechain
1	AA	903	G	Sidechain
1	AA	908	A	Sidechain
1	AA	91	U	Sidechain
1	AA	912	C	Sidechain
1	AA	914	A	Sidechain
1	AA	915	A	Sidechain
1	AA	916	U	Sidechain
1	AA	917	G	Sidechain
1	AA	919	A	Sidechain
1	AA	921	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	922	G	Sidechain
1	AA	923	A	Sidechain
1	AA	924	C	Sidechain
1	AA	927	G	Sidechain
1	AA	928	G	Sidechain
1	AA	929	G	Sidechain
1	AA	93	U	Sidechain
1	AA	930	C	Sidechain
1	AA	932	C	Sidechain
1	AA	934	C	Sidechain
1	AA	937	A	Sidechain
1	AA	938	A	Sidechain
1	AA	94	G	Sidechain
1	AA	941	G	Sidechain
1	AA	942	G	Sidechain
1	AA	944	G	Sidechain
1	AA	945	G	Sidechain
1	AA	947	G	Sidechain
1	AA	950	U	Sidechain
1	AA	951	G	Sidechain
1	AA	952	U	Sidechain
1	AA	953	G	Sidechain
1	AA	958	A	Sidechain
1	AA	959	A	Sidechain
1	AA	961	U	Sidechain
1	AA	968	A	Sidechain
1	AA	969	A	Sidechain
1	AA	97	G	Sidechain
1	AA	970	C	Sidechain
1	AA	971	G	Sidechain
1	AA	972	C	Sidechain
1	AA	974	A	Sidechain
1	AA	975	A	Sidechain
1	AA	978	A	Sidechain
1	AA	979	C	Sidechain
1	AA	980	C	Sidechain
1	AA	981	U	Sidechain
1	AA	983	A	Sidechain
1	AA	984	C	Sidechain
1	AA	987	G	Sidechain
1	AA	988	G	Sidechain
1	AA	989	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	AA	99	C	Sidechain
1	AA	990	C	Sidechain
1	AA	992	U	Sidechain
1	AA	993	G	Sidechain
1	AA	995	C	Sidechain
1	AA	997	U	Sidechain
2	AB	1	A	Sidechain
2	AB	12	U	Sidechain
2	AB	18	G	Sidechain
2	AB	19	G	Sidechain
2	AB	21	A	Sidechain
2	AB	22	G	Sidechain
2	AB	24	G	Sidechain
2	AB	26	A	Sidechain
2	AB	27	C	Sidechain
2	AB	29	G	Sidechain
2	AB	30	G	Sidechain
2	AB	34	C	Sidechain
2	AB	35	C	Sidechain
2	AB	36	A	Sidechain
2	AB	38	A	Sidechain
2	AB	39	A	Sidechain
2	AB	4	G	Sidechain
2	AB	40	C	Sidechain
2	AB	42	G	Sidechain
2	AB	43	G	Sidechain
2	AB	44	G	Sidechain
2	AB	45	U	Sidechain
2	AB	47	U	Sidechain
2	AB	48	U	Sidechain
2	AB	49	G	Sidechain
2	AB	5	G	Sidechain
2	AB	51	G	Sidechain
2	AB	52	A	Sidechain
2	AB	53	G	Sidechain
2	AB	57	G	Sidechain
2	AB	58	A	Sidechain
2	AB	59	G	Sidechain
2	AB	61	C	Sidechain
2	AB	62	U	Sidechain
2	AB	64	U	Sidechain
2	AB	66	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
2	AB	67	G	Sidechain
2	AB	7	G	Sidechain
2	AB	70	C	Sidechain
2	AB	72	U	Sidechain
2	AB	73	G	Sidechain
2	AB	74	C	Sidechain
2	AB	76	A	Sidechain
3	AC	14	G	Sidechain
3	AC	15	G	Sidechain
3	AC	16	A	Sidechain
3	AC	17	U	Sidechain
3	AC	18	A	Sidechain
3	AC	20	G	Sidechain
3	AC	22	G	Sidechain
3	AC	23	C	Sidechain
3	AC	24	A	Sidechain
3	AC	25	U	Sidechain
3	AC	28	U	Sidechain
3	AC	29	G	Sidechain
3	AC	32	U	Sidechain
3	AC	33	A	Sidechain
3	AC	34	U	Sidechain
3	AC	35	G	Sidechain
3	AC	37	G	Sidechain
3	AC	38	G	Sidechain
3	AC	39	U	Sidechain
3	AC	40	G	Sidechain
3	AC	41	A	Sidechain
3	AC	44	U	Sidechain
3	AC	47	C	Sidechain
3	AC	48	C	Sidechain
3	AC	49	U	Sidechain
3	AC	51	C	Sidechain
3	AC	53	G	Sidechain
3	AC	55	A	Sidechain
3	AC	56	G	Sidechain
3	AC	58	C	Sidechain
4	AD	1	C	Sidechain
4	AD	10	G	Sidechain
4	AD	11	A	Sidechain
4	AD	12	G	Sidechain
4	AD	13	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
4	AD	14	A	Sidechain
4	AD	16	C	Sidechain
4	AD	19	G	Sidechain
4	AD	2	G	Sidechain
4	AD	22	A	Sidechain
4	AD	23	G	Sidechain
4	AD	24	C	Sidechain
4	AD	27	G	Sidechain
4	AD	35	C	Sidechain
4	AD	39	A	Sidechain
4	AD	4	G	Sidechain
4	AD	43	G	Sidechain
4	AD	47	A	Sidechain
4	AD	49	C	Sidechain
4	AD	5	G	Sidechain
4	AD	51	U	Sidechain
4	AD	53	G	Sidechain
4	AD	58	A	Sidechain
4	AD	59	A	Sidechain
4	AD	6	G	Sidechain
4	AD	60	A	Sidechain
4	AD	63	C	Sidechain
4	AD	64	G	Sidechain
4	AD	67	C	Sidechain
4	AD	69	C	Sidechain
4	AD	7	G	Sidechain
4	AD	70	C	Sidechain
4	AD	71	G	Sidechain
4	AD	72	C	Sidechain
4	AD	74	A	Sidechain
4	AD	77	A	Sidechain
4	AD	9	G	Sidechain
5	AE	15	PHE	Sidechain
6	AF	178	ARG	Sidechain
6	AF	28	PHE	Sidechain
6	AF	71	ARG	Sidechain
7	AG	103	ARG	Sidechain
7	AG	119	HIS	Mainchain
7	AG	12	ARG	Sidechain
7	AG	134	TYR	Sidechain
7	AG	163	GLN	Peptide
7	AG	202	LEU	Mainchain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
7	AG	203	TYR	Sidechain
7	AG	74	TYR	Sidechain
7	AG	75	TYR	Sidechain
8	AH	123	LEU	Mainchain
8	AH	49	TYR	Sidechain
9	AI	101	PRO	Mainchain
9	AI	111	GLU	Peptide
9	AI	116	PHE	Sidechain
9	AI	64	VAL	Peptide
9	AI	8	PHE	Sidechain
10	AJ	153	TYR	Sidechain
10	AJ	175	GLY	Peptide
10	AJ	3	ARG	Sidechain
10	AJ	52	ARG	Sidechain
10	AJ	69	ARG	Sidechain
10	AJ	95	ARG	Sidechain
11	AK	44	PHE	Peptide
11	AK	64	TYR	Sidechain
12	AL	121	ARG	Sidechain
12	AL	123	ARG	Sidechain
12	AL	129	ARG	Sidechain
13	AM	15	HIS	Sidechain
13	AM	65	TYR	Sidechain
14	AN	26	PHE	Sidechain
14	AN	36	ARG	Sidechain
14	AN	6	ARG	Sidechain
14	AN	97	ARG	Sidechain
15	AO	116	TYR	Sidechain,Peptide
15	AO	14	LYS	Peptide
15	AO	37	TYR	Peptide
15	AO	49	ARG	Sidechain
15	AO	53	ARG	Sidechain
15	AO	55	ARG	Sidechain
15	AO	65	TYR	Sidechain
15	AO	82	ARG	Sidechain
16	AP	101	THR	Mainchain
16	AP	7	ASN	Peptide
16	AP	85	TYR	Sidechain
16	AP	89	ARG	Sidechain
17	AQ	89	ARG	Sidechain
18	AR	42	PHE	Peptide
18	AR	57	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
18	AR	79	ARG	Sidechain
19	AS	16	PHE	Sidechain
19	AS	32	PHE	Sidechain
19	AS	56	ARG	Sidechain
20	AT	33	TYR	Sidechain
20	AT	39	ARG	Sidechain
21	AU	10	CYS	Peptide
21	AU	5	ARG	Sidechain
21	AU	56	ARG	Sidechain
21	AU	69	TYR	Sidechain,Peptide
22	AV	36	ARG	Sidechain
22	AV	77	ARG	Sidechain
22	AV	87	LYS	Peptide
23	AW	35	TYR	Sidechain
23	AW	9	ARG	Sidechain
24	AX	11	PHE	Sidechain
24	AX	17	ARG	Sidechain
24	AX	33	ARG	Sidechain
24	AX	69	LEU	Peptide
51	B0	41	HIS	Sidechain
53	B2	32	LEU	Mainchain
53	B2	43	PHE	Peptide
53	B2	44	PHE	Sidechain
53	B2	56	ARG	Sidechain
53	B2	9	TYR	Sidechain
54	B3	16	ARG	Sidechain
54	B3	18	HIS	Sidechain
54	B3	39	ARG	Sidechain
54	B3	47	TYR	Sidechain
55	B4	43	ARG	Sidechain
55	B4	48	TYR	Sidechain
55	B4	5	ARG	Sidechain
56	B5	15	SER	Peptide
56	B5	41	ARG	Sidechain
57	B6	1	PRO	Peptide
25	BA	1	U	Sidechain
25	BA	103	U	Sidechain
25	BA	106	G	Sidechain
25	BA	108	A	Sidechain
25	BA	109	A	Sidechain
25	BA	110	C	Sidechain
25	BA	112	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BA	113	C	Sidechain
25	BA	115	A	Sidechain
25	BA	117	G	Sidechain
25	BA	12	C	Sidechain
25	BA	13	G	Sidechain
25	BA	14	U	Sidechain
25	BA	15	A	Sidechain
25	BA	17	C	Sidechain
25	BA	19	C	Sidechain
25	BA	21	G	Sidechain
25	BA	24	G	Sidechain
25	BA	25	U	Sidechain
25	BA	26	C	Sidechain
25	BA	27	C	Sidechain
25	BA	29	A	Sidechain
25	BA	30	C	Sidechain
25	BA	32	U	Sidechain
25	BA	33	G	Sidechain
25	BA	34	A	Sidechain
25	BA	38	C	Sidechain
25	BA	4	C	Sidechain
25	BA	41	G	Sidechain
25	BA	43	C	Sidechain
25	BA	44	G	Sidechain
25	BA	45	A	Sidechain
25	BA	46	A	Sidechain
25	BA	48	U	Sidechain
25	BA	51	G	Sidechain
25	BA	52	A	Sidechain
25	BA	54	G	Sidechain
25	BA	60	C	Sidechain
25	BA	61	G	Sidechain
25	BA	64	G	Sidechain
25	BA	65	U	Sidechain
25	BA	66	A	Sidechain
25	BA	67	G	Sidechain
25	BA	68	C	Sidechain
25	BA	69	G	Sidechain
25	BA	71	C	Sidechain
25	BA	75	G	Sidechain
25	BA	76	G	Sidechain
25	BA	77	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
25	BA	78	A	Sidechain
25	BA	8	C	Sidechain
25	BA	80	U	Sidechain
25	BA	83	G	Sidechain
25	BA	84	G	Sidechain
25	BA	85	G	Sidechain
25	BA	86	G	Sidechain
25	BA	87	U	Sidechain
25	BA	89	U	Sidechain
25	BA	90	C	Sidechain
25	BA	91	C	Sidechain
25	BA	93	C	Sidechain
25	BA	94	A	Sidechain
25	BA	95	U	Sidechain
25	BA	98	G	Sidechain
25	BA	99	A	Sidechain
26	BB	1	G	Sidechain
26	BB	10	A	Sidechain
26	BB	1000	A	Sidechain
26	BB	1003	G	Sidechain
26	BB	1004	U	Sidechain
26	BB	1010	A	Sidechain
26	BB	1011	G	Sidechain
26	BB	1019	U	Sidechain
26	BB	102	U	Sidechain
26	BB	1020	A	Sidechain
26	BB	1022	G	Sidechain
26	BB	1024	G	Sidechain
26	BB	1025	G	Sidechain
26	BB	1029	A	Sidechain
26	BB	103	A	Sidechain
26	BB	1031	G	Sidechain
26	BB	1032	A	Sidechain
26	BB	1034	G	Sidechain
26	BB	1035	U	Sidechain
26	BB	1036	G	Sidechain
26	BB	1037	G	Sidechain
26	BB	1038	G	Sidechain
26	BB	1041	G	Sidechain
26	BB	1042	G	Sidechain
26	BB	1043	C	Sidechain
26	BB	1045	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1046	A	Sidechain
26	BB	1047	G	Sidechain
26	BB	1048	A	Sidechain
26	BB	1050	A	Sidechain
26	BB	1051	G	Sidechain
26	BB	1053	C	Sidechain
26	BB	1055	G	Sidechain
26	BB	1056	G	Sidechain
26	BB	1057	A	Sidechain
26	BB	1059	G	Sidechain
26	BB	106	C	Sidechain
26	BB	1060	U	Sidechain
26	BB	1061	U	Sidechain
26	BB	1062	G	Sidechain
26	BB	1063	G	Sidechain
26	BB	1067	A	Sidechain
26	BB	1068	G	Sidechain
26	BB	1069	A	Sidechain
26	BB	107	G	Sidechain
26	BB	1070	A	Sidechain
26	BB	1072	C	Sidechain
26	BB	1074	G	Sidechain
26	BB	1075	C	Sidechain
26	BB	1078	U	Sidechain
26	BB	1081	U	Sidechain
26	BB	1083	U	Sidechain
26	BB	1087	G	Sidechain
26	BB	1088	A	Sidechain
26	BB	1089	A	Sidechain
26	BB	1090	A	Sidechain
26	BB	1091	G	Sidechain
26	BB	1092	C	Sidechain
26	BB	1093	G	Sidechain
26	BB	1096	A	Sidechain
26	BB	1099	G	Sidechain
26	BB	110	G	Sidechain
26	BB	1100	C	Sidechain
26	BB	1101	U	Sidechain
26	BB	1102	C	Sidechain
26	BB	1104	C	Sidechain
26	BB	1105	U	Sidechain
26	BB	1106	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1109	C	Sidechain
26	BB	1110	G	Sidechain
26	BB	1111	A	Sidechain
26	BB	1114	C	Sidechain
26	BB	1115	G	Sidechain
26	BB	1116	G	Sidechain
26	BB	1117	C	Sidechain
26	BB	1118	C	Sidechain
26	BB	1119	U	Sidechain
26	BB	112	U	Sidechain
26	BB	1120	G	Sidechain
26	BB	1121	C	Sidechain
26	BB	1122	G	Sidechain
26	BB	1124	G	Sidechain
26	BB	1125	G	Sidechain
26	BB	1127	A	Sidechain
26	BB	1128	G	Sidechain
26	BB	1134	A	Sidechain
26	BB	1135	C	Sidechain
26	BB	1136	G	Sidechain
26	BB	1137	G	Sidechain
26	BB	1139	G	Sidechain
26	BB	114	U	Sidechain
26	BB	1141	U	Sidechain
26	BB	1147	A	Sidechain
26	BB	1149	G	Sidechain
26	BB	115	C	Sidechain
26	BB	1150	C	Sidechain
26	BB	1151	A	Sidechain
26	BB	1155	A	Sidechain
26	BB	1157	G	Sidechain
26	BB	116	C	Sidechain
26	BB	1163	G	Sidechain
26	BB	1164	C	Sidechain
26	BB	1165	A	Sidechain
26	BB	1166	G	Sidechain
26	BB	1169	A	Sidechain
26	BB	1171	G	Sidechain
26	BB	1173	U	Sidechain
26	BB	1174	U	Sidechain
26	BB	1176	U	Sidechain
26	BB	1177	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1178	C	Sidechain
26	BB	118	A	Sidechain
26	BB	1182	G	Sidechain
26	BB	1187	G	Sidechain
26	BB	119	A	Sidechain
26	BB	1190	G	Sidechain
26	BB	1192	G	Sidechain
26	BB	1197	G	Sidechain
26	BB	1199	U	Sidechain
26	BB	120	U	Sidechain
26	BB	1200	C	Sidechain
26	BB	1202	G	Sidechain
26	BB	1203	U	Sidechain
26	BB	1206	G	Sidechain
26	BB	1207	C	Sidechain
26	BB	1208	C	Sidechain
26	BB	1209	U	Sidechain
26	BB	1211	C	Sidechain
26	BB	1214	A	Sidechain
26	BB	1215	G	Sidechain
26	BB	1216	G	Sidechain
26	BB	1218	G	Sidechain
26	BB	122	G	Sidechain
26	BB	1220	G	Sidechain
26	BB	1223	G	Sidechain
26	BB	1224	U	Sidechain
26	BB	1225	G	Sidechain
26	BB	1226	A	Sidechain
26	BB	1227	G	Sidechain
26	BB	1228	G	Sidechain
26	BB	1229	C	Sidechain
26	BB	1231	U	Sidechain
26	BB	1232	G	Sidechain
26	BB	1237	A	Sidechain
26	BB	1238	G	Sidechain
26	BB	1239	G	Sidechain
26	BB	124	G	Sidechain
26	BB	1241	A	Sidechain
26	BB	1243	C	Sidechain
26	BB	1245	G	Sidechain
26	BB	1246	A	Sidechain
26	BB	1248	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	125	A	Sidechain
26	BB	1251	C	Sidechain
26	BB	1253	A	Sidechain
26	BB	1255	U	Sidechain
26	BB	1257	C	Sidechain
26	BB	1258	U	Sidechain
26	BB	1259	G	Sidechain
26	BB	126	A	Sidechain
26	BB	1260	A	Sidechain
26	BB	1261	C	Sidechain
26	BB	1263	U	Sidechain
26	BB	1265	A	Sidechain
26	BB	1266	G	Sidechain
26	BB	1268	A	Sidechain
26	BB	127	A	Sidechain
26	BB	1271	G	Sidechain
26	BB	1274	A	Sidechain
26	BB	1276	A	Sidechain
26	BB	1284	A	Sidechain
26	BB	1286	A	Sidechain
26	BB	1287	A	Sidechain
26	BB	1288	G	Sidechain
26	BB	129	C	Sidechain
26	BB	1292	G	Sidechain
26	BB	1295	C	Sidechain
26	BB	1296	G	Sidechain
26	BB	1297	C	Sidechain
26	BB	130	C	Sidechain
26	BB	1300	G	Sidechain
26	BB	1301	A	Sidechain
26	BB	1302	A	Sidechain
26	BB	1303	G	Sidechain
26	BB	1306	C	Sidechain
26	BB	1310	G	Sidechain
26	BB	1313	U	Sidechain
26	BB	1314	C	Sidechain
26	BB	1315	C	Sidechain
26	BB	1316	U	Sidechain
26	BB	132	G	Sidechain
26	BB	1321	A	Sidechain
26	BB	1322	A	Sidechain
26	BB	1323	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1324	G	Sidechain
26	BB	1325	U	Sidechain
26	BB	1326	U	Sidechain
26	BB	133	U	Sidechain
26	BB	1330	C	Sidechain
26	BB	1331	G	Sidechain
26	BB	1332	G	Sidechain
26	BB	1333	G	Sidechain
26	BB	1334	G	Sidechain
26	BB	1335	C	Sidechain
26	BB	1336	A	Sidechain
26	BB	1337	G	Sidechain
26	BB	1338	G	Sidechain
26	BB	1339	G	Sidechain
26	BB	134	G	Sidechain
26	BB	1340	U	Sidechain
26	BB	1341	G	Sidechain
26	BB	1342	A	Sidechain
26	BB	1343	G	Sidechain
26	BB	1344	U	Sidechain
26	BB	1351	C	Sidechain
26	BB	1357	C	Sidechain
26	BB	1359	A	Sidechain
26	BB	136	G	Sidechain
26	BB	1360	G	Sidechain
26	BB	1361	G	Sidechain
26	BB	1363	C	Sidechain
26	BB	1364	G	Sidechain
26	BB	1367	A	Sidechain
26	BB	1370	C	Sidechain
26	BB	1371	G	Sidechain
26	BB	1374	G	Sidechain
26	BB	1376	C	Sidechain
26	BB	1377	G	Sidechain
26	BB	1378	A	Sidechain
26	BB	1379	U	Sidechain
26	BB	138	U	Sidechain
26	BB	1381	G	Sidechain
26	BB	1384	A	Sidechain
26	BB	1385	A	Sidechain
26	BB	1386	C	Sidechain
26	BB	1387	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1388	G	Sidechain
26	BB	1389	G	Sidechain
26	BB	1390	U	Sidechain
26	BB	1393	A	Sidechain
26	BB	1396	U	Sidechain
26	BB	1398	C	Sidechain
26	BB	14	A	Sidechain
26	BB	140	C	Sidechain
26	BB	1400	U	Sidechain
26	BB	1401	G	Sidechain
26	BB	1402	U	Sidechain
26	BB	1403	A	Sidechain
26	BB	1405	U	Sidechain
26	BB	1406	U	Sidechain
26	BB	141	G	Sidechain
26	BB	1410	G	Sidechain
26	BB	1413	A	Sidechain
26	BB	1414	C	Sidechain
26	BB	1416	G	Sidechain
26	BB	1418	G	Sidechain
26	BB	1419	A	Sidechain
26	BB	142	A	Sidechain
26	BB	1421	G	Sidechain
26	BB	1423	G	Sidechain
26	BB	1424	G	Sidechain
26	BB	1425	G	Sidechain
26	BB	1429	G	Sidechain
26	BB	143	C	Sidechain
26	BB	1430	G	Sidechain
26	BB	1432	G	Sidechain
26	BB	1434	A	Sidechain
26	BB	1435	G	Sidechain
26	BB	1436	G	Sidechain
26	BB	1437	C	Sidechain
26	BB	144	A	Sidechain
26	BB	1442	U	Sidechain
26	BB	1444	G	Sidechain
26	BB	1446	C	Sidechain
26	BB	1447	C	Sidechain
26	BB	1448	G	Sidechain
26	BB	145	C	Sidechain
26	BB	1450	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1451	C	Sidechain
26	BB	1452	G	Sidechain
26	BB	1453	A	Sidechain
26	BB	1454	C	Sidechain
26	BB	1455	G	Sidechain
26	BB	1456	G	Sidechain
26	BB	1459	G	Sidechain
26	BB	1460	U	Sidechain
26	BB	1461	C	Sidechain
26	BB	1463	C	Sidechain
26	BB	1464	G	Sidechain
26	BB	1465	G	Sidechain
26	BB	1466	U	Sidechain
26	BB	1468	U	Sidechain
26	BB	147	C	Sidechain
26	BB	1470	A	Sidechain
26	BB	1471	G	Sidechain
26	BB	1473	G	Sidechain
26	BB	1477	A	Sidechain
26	BB	1478	G	Sidechain
26	BB	1480	C	Sidechain
26	BB	1481	U	Sidechain
26	BB	1482	G	Sidechain
26	BB	1483	G	Sidechain
26	BB	1486	U	Sidechain
26	BB	1487	U	Sidechain
26	BB	149	A	Sidechain
26	BB	1491	G	Sidechain
26	BB	1492	G	Sidechain
26	BB	1493	C	Sidechain
26	BB	15	G	Sidechain
26	BB	150	U	Sidechain
26	BB	1501	G	Sidechain
26	BB	1503	A	Sidechain
26	BB	1504	A	Sidechain
26	BB	1508	A	Sidechain
26	BB	1510	G	Sidechain
26	BB	1511	G	Sidechain
26	BB	1512	C	Sidechain
26	BB	1513	U	Sidechain
26	BB	1515	A	Sidechain
26	BB	1516	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1517	G	Sidechain
26	BB	1518	C	Sidechain
26	BB	1519	G	Sidechain
26	BB	1520	U	Sidechain
26	BB	1521	G	Sidechain
26	BB	1522	A	Sidechain
26	BB	1524	G	Sidechain
26	BB	1525	A	Sidechain
26	BB	1527	G	Sidechain
26	BB	1529	G	Sidechain
26	BB	1530	G	Sidechain
26	BB	1532	A	Sidechain
26	BB	1535	A	Sidechain
26	BB	1536	C	Sidechain
26	BB	1537	G	Sidechain
26	BB	1538	G	Sidechain
26	BB	1541	C	Sidechain
26	BB	1543	G	Sidechain
26	BB	1546	G	Sidechain
26	BB	1548	A	Sidechain
26	BB	1549	A	Sidechain
26	BB	1551	A	Sidechain
26	BB	1552	A	Sidechain
26	BB	1553	A	Sidechain
26	BB	1554	U	Sidechain
26	BB	1557	C	Sidechain
26	BB	1558	C	Sidechain
26	BB	156	A	Sidechain
26	BB	1560	G	Sidechain
26	BB	1561	C	Sidechain
26	BB	1562	U	Sidechain
26	BB	1565	C	Sidechain
26	BB	1568	G	Sidechain
26	BB	157	C	Sidechain
26	BB	1572	A	Sidechain
26	BB	1573	G	Sidechain
26	BB	1575	C	Sidechain
26	BB	1576	U	Sidechain
26	BB	1577	C	Sidechain
26	BB	158	U	Sidechain
26	BB	1580	A	Sidechain
26	BB	1581	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1583	A	Sidechain
26	BB	1584	U	Sidechain
26	BB	1585	C	Sidechain
26	BB	1588	G	Sidechain
26	BB	1589	U	Sidechain
26	BB	159	G	Sidechain
26	BB	1590	A	Sidechain
26	BB	1591	A	Sidechain
26	BB	1594	U	Sidechain
26	BB	1595	C	Sidechain
26	BB	1596	A	Sidechain
26	BB	1599	U	Sidechain
26	BB	1600	C	Sidechain
26	BB	1601	G	Sidechain
26	BB	1603	A	Sidechain
26	BB	1604	C	Sidechain
26	BB	1606	C	Sidechain
26	BB	1607	C	Sidechain
26	BB	1608	A	Sidechain
26	BB	1610	A	Sidechain
26	BB	1612	C	Sidechain
26	BB	1613	G	Sidechain
26	BB	1615	C	Sidechain
26	BB	1616	A	Sidechain
26	BB	162	U	Sidechain
26	BB	1620	G	Sidechain
26	BB	1621	U	Sidechain
26	BB	1624	U	Sidechain
26	BB	1625	C	Sidechain
26	BB	1626	A	Sidechain
26	BB	1627	G	Sidechain
26	BB	1629	U	Sidechain
26	BB	163	C	Sidechain
26	BB	1630	A	Sidechain
26	BB	1632	A	Sidechain
26	BB	1633	G	Sidechain
26	BB	1636	U	Sidechain
26	BB	1638	C	Sidechain
26	BB	164	C	Sidechain
26	BB	1642	G	Sidechain
26	BB	1643	G	Sidechain
26	BB	1644	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1645	G	Sidechain
26	BB	1647	U	Sidechain
26	BB	1650	A	Sidechain
26	BB	1652	A	Sidechain
26	BB	1653	G	Sidechain
26	BB	1655	A	Sidechain
26	BB	1656	C	Sidechain
26	BB	1657	U	Sidechain
26	BB	1659	G	Sidechain
26	BB	1660	G	Sidechain
26	BB	1661	G	Sidechain
26	BB	1664	A	Sidechain
26	BB	1665	A	Sidechain
26	BB	1666	G	Sidechain
26	BB	1667	G	Sidechain
26	BB	1668	A	Sidechain
26	BB	1669	A	Sidechain
26	BB	1671	U	Sidechain
26	BB	1672	A	Sidechain
26	BB	1673	G	Sidechain
26	BB	1676	A	Sidechain
26	BB	1677	A	Sidechain
26	BB	1678	A	Sidechain
26	BB	1679	A	Sidechain
26	BB	168	G	Sidechain
26	BB	1680	U	Sidechain
26	BB	1684	G	Sidechain
26	BB	1685	C	Sidechain
26	BB	1686	C	Sidechain
26	BB	1687	G	Sidechain
26	BB	1688	U	Sidechain
26	BB	1690	A	Sidechain
26	BB	1693	U	Sidechain
26	BB	1695	G	Sidechain
26	BB	1696	G	Sidechain
26	BB	1697	G	Sidechain
26	BB	1698	A	Sidechain
26	BB	17	G	Sidechain
26	BB	170	U	Sidechain
26	BB	1701	A	Sidechain
26	BB	1702	G	Sidechain
26	BB	1703	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1704	C	Sidechain
26	BB	1706	C	Sidechain
26	BB	1709	U	Sidechain
26	BB	1710	G	Sidechain
26	BB	1714	U	Sidechain
26	BB	1715	G	Sidechain
26	BB	1716	U	Sidechain
26	BB	1717	A	Sidechain
26	BB	1718	G	Sidechain
26	BB	1719	G	Sidechain
26	BB	1720	U	Sidechain
26	BB	1721	G	Sidechain
26	BB	1722	A	Sidechain
26	BB	1724	G	Sidechain
26	BB	1729	U	Sidechain
26	BB	1731	G	Sidechain
26	BB	1734	G	Sidechain
26	BB	1737	G	Sidechain
26	BB	1738	G	Sidechain
26	BB	1741	C	Sidechain
26	BB	1742	U	Sidechain
26	BB	1743	G	Sidechain
26	BB	1745	A	Sidechain
26	BB	1748	C	Sidechain
26	BB	175	G	Sidechain
26	BB	1750	G	Sidechain
26	BB	1751	U	Sidechain
26	BB	1753	G	Sidechain
26	BB	1754	A	Sidechain
26	BB	1755	A	Sidechain
26	BB	1756	G	Sidechain
26	BB	1757	A	Sidechain
26	BB	176	A	Sidechain
26	BB	1763	G	Sidechain
26	BB	1764	C	Sidechain
26	BB	1769	U	Sidechain
26	BB	177	G	Sidechain
26	BB	1771	C	Sidechain
26	BB	1772	A	Sidechain
26	BB	1775	U	Sidechain
26	BB	1777	U	Sidechain
26	BB	1779	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	178	G	Sidechain
26	BB	1780	A	Sidechain
26	BB	1781	U	Sidechain
26	BB	1782	U	Sidechain
26	BB	1783	A	Sidechain
26	BB	1784	A	Sidechain
26	BB	1785	A	Sidechain
26	BB	1786	A	Sidechain
26	BB	1789	A	Sidechain
26	BB	179	C	Sidechain
26	BB	1791	A	Sidechain
26	BB	1792	G	Sidechain
26	BB	1793	C	Sidechain
26	BB	1797	G	Sidechain
26	BB	1799	G	Sidechain
26	BB	18	U	Sidechain
26	BB	1801	A	Sidechain
26	BB	1804	C	Sidechain
26	BB	1805	A	Sidechain
26	BB	1807	G	Sidechain
26	BB	1808	A	Sidechain
26	BB	1809	A	Sidechain
26	BB	181	A	Sidechain
26	BB	1810	A	Sidechain
26	BB	1811	G	Sidechain
26	BB	1816	C	Sidechain
26	BB	1817	G	Sidechain
26	BB	1818	U	Sidechain
26	BB	1821	A	Sidechain
26	BB	1822	C	Sidechain
26	BB	1826	G	Sidechain
26	BB	1828	G	Sidechain
26	BB	1830	C	Sidechain
26	BB	1831	G	Sidechain
26	BB	1833	C	Sidechain
26	BB	1834	U	Sidechain
26	BB	1836	C	Sidechain
26	BB	1839	G	Sidechain
26	BB	1840	G	Sidechain
26	BB	1841	U	Sidechain
26	BB	1842	G	Sidechain
26	BB	1843	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1845	G	Sidechain
26	BB	1848	A	Sidechain
26	BB	1850	G	Sidechain
26	BB	1851	U	Sidechain
26	BB	1852	U	Sidechain
26	BB	1853	A	Sidechain
26	BB	1855	U	Sidechain
26	BB	1856	U	Sidechain
26	BB	1857	G	Sidechain
26	BB	186	G	Sidechain
26	BB	1860	G	Sidechain
26	BB	1862	G	Sidechain
26	BB	1864	U	Sidechain
26	BB	1865	U	Sidechain
26	BB	1866	A	Sidechain
26	BB	1867	G	Sidechain
26	BB	1871	A	Sidechain
26	BB	1873	G	Sidechain
26	BB	1876	A	Sidechain
26	BB	1883	U	Sidechain
26	BB	1885	A	Sidechain
26	BB	1886	U	Sidechain
26	BB	189	G	Sidechain
26	BB	1891	G	Sidechain
26	BB	1893	C	Sidechain
26	BB	1896	G	Sidechain
26	BB	1897	G	Sidechain
26	BB	1899	A	Sidechain
26	BB	190	A	Sidechain
26	BB	1900	A	Sidechain
26	BB	1902	C	Sidechain
26	BB	1904	G	Sidechain
26	BB	1906	G	Sidechain
26	BB	1907	G	Sidechain
26	BB	1908	C	Sidechain
26	BB	1909	C	Sidechain
26	BB	191	A	Sidechain
26	BB	1912	A	Sidechain
26	BB	1913	A	Sidechain
26	BB	1914	C	Sidechain
26	BB	1919	A	Sidechain
26	BB	1921	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1923	U	Sidechain
26	BB	1926	U	Sidechain
26	BB	1927	A	Sidechain
26	BB	1929	G	Sidechain
26	BB	193	U	Sidechain
26	BB	1930	G	Sidechain
26	BB	1932	A	Sidechain
26	BB	1933	G	Sidechain
26	BB	1938	A	Sidechain
26	BB	1940	U	Sidechain
26	BB	1945	G	Sidechain
26	BB	1946	U	Sidechain
26	BB	1947	C	Sidechain
26	BB	1949	G	Sidechain
26	BB	195	A	Sidechain
26	BB	1950	G	Sidechain
26	BB	1951	U	Sidechain
26	BB	1952	A	Sidechain
26	BB	1953	A	Sidechain
26	BB	1954	G	Sidechain
26	BB	1955	U	Sidechain
26	BB	1958	C	Sidechain
26	BB	1959	G	Sidechain
26	BB	1960	A	Sidechain
26	BB	1964	G	Sidechain
26	BB	1966	A	Sidechain
26	BB	1968	G	Sidechain
26	BB	1969	A	Sidechain
26	BB	197	A	Sidechain
26	BB	1970	A	Sidechain
26	BB	1971	U	Sidechain
26	BB	1973	G	Sidechain
26	BB	1975	G	Sidechain
26	BB	1976	U	Sidechain
26	BB	1977	A	Sidechain
26	BB	1978	A	Sidechain
26	BB	1979	U	Sidechain
26	BB	198	C	Sidechain
26	BB	1981	A	Sidechain
26	BB	1982	U	Sidechain
26	BB	1983	G	Sidechain
26	BB	1984	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	1986	C	Sidechain
26	BB	1987	A	Sidechain
26	BB	1988	G	Sidechain
26	BB	1989	G	Sidechain
26	BB	199	A	Sidechain
26	BB	1990	C	Sidechain
26	BB	1991	U	Sidechain
26	BB	1992	G	Sidechain
26	BB	1993	U	Sidechain
26	BB	1994	C	Sidechain
26	BB	1995	U	Sidechain
26	BB	1996	C	Sidechain
26	BB	1999	C	Sidechain
26	BB	2	G	Sidechain
26	BB	200	U	Sidechain
26	BB	2002	G	Sidechain
26	BB	2003	A	Sidechain
26	BB	2004	G	Sidechain
26	BB	2005	A	Sidechain
26	BB	2006	C	Sidechain
26	BB	2008	C	Sidechain
26	BB	201	C	Sidechain
26	BB	2010	G	Sidechain
26	BB	2014	A	Sidechain
26	BB	2015	A	Sidechain
26	BB	2016	U	Sidechain
26	BB	2023	C	Sidechain
26	BB	2025	C	Sidechain
26	BB	2027	G	Sidechain
26	BB	2029	G	Sidechain
26	BB	2031	A	Sidechain
26	BB	2032	G	Sidechain
26	BB	2035	G	Sidechain
26	BB	2038	G	Sidechain
26	BB	2039	U	Sidechain
26	BB	204	A	Sidechain
26	BB	2040	G	Sidechain
26	BB	2041	U	Sidechain
26	BB	2042	A	Sidechain
26	BB	2044	C	Sidechain
26	BB	2045	C	Sidechain
26	BB	2046	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2047	C	Sidechain
26	BB	2048	G	Sidechain
26	BB	2049	G	Sidechain
26	BB	205	G	Sidechain
26	BB	2051	A	Sidechain
26	BB	2054	A	Sidechain
26	BB	2058	A	Sidechain
26	BB	206	U	Sidechain
26	BB	2060	A	Sidechain
26	BB	2061	G	Sidechain
26	BB	2062	A	Sidechain
26	BB	2063	C	Sidechain
26	BB	2067	G	Sidechain
26	BB	2068	U	Sidechain
26	BB	207	A	Sidechain
26	BB	2070	A	Sidechain
26	BB	2073	C	Sidechain
26	BB	2074	U	Sidechain
26	BB	2076	U	Sidechain
26	BB	2077	A	Sidechain
26	BB	2078	C	Sidechain
26	BB	2081	U	Sidechain
26	BB	2082	A	Sidechain
26	BB	2083	G	Sidechain
26	BB	2085	U	Sidechain
26	BB	2087	G	Sidechain
26	BB	2088	A	Sidechain
26	BB	2089	C	Sidechain
26	BB	2090	A	Sidechain
26	BB	2091	C	Sidechain
26	BB	2093	G	Sidechain
26	BB	2094	A	Sidechain
26	BB	2095	A	Sidechain
26	BB	2098	U	Sidechain
26	BB	210	C	Sidechain
26	BB	2100	G	Sidechain
26	BB	2101	A	Sidechain
26	BB	2102	G	Sidechain
26	BB	2103	C	Sidechain
26	BB	2105	U	Sidechain
26	BB	2106	U	Sidechain
26	BB	2107	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2108	A	Sidechain
26	BB	2109	U	Sidechain
26	BB	211	C	Sidechain
26	BB	2110	G	Sidechain
26	BB	2115	G	Sidechain
26	BB	2116	G	Sidechain
26	BB	2117	A	Sidechain
26	BB	2119	A	Sidechain
26	BB	212	G	Sidechain
26	BB	2120	G	Sidechain
26	BB	2121	G	Sidechain
26	BB	2122	U	Sidechain
26	BB	2123	G	Sidechain
26	BB	2124	G	Sidechain
26	BB	2125	G	Sidechain
26	BB	2126	A	Sidechain
26	BB	2127	G	Sidechain
26	BB	2130	U	Sidechain
26	BB	2132	U	Sidechain
26	BB	2135	A	Sidechain
26	BB	2136	G	Sidechain
26	BB	2138	G	Sidechain
26	BB	214	G	Sidechain
26	BB	2140	G	Sidechain
26	BB	2142	A	Sidechain
26	BB	2143	C	Sidechain
26	BB	2146	C	Sidechain
26	BB	2148	G	Sidechain
26	BB	2149	U	Sidechain
26	BB	215	G	Sidechain
26	BB	2150	C	Sidechain
26	BB	2151	U	Sidechain
26	BB	2152	G	Sidechain
26	BB	2153	C	Sidechain
26	BB	2155	U	Sidechain
26	BB	2156	G	Sidechain
26	BB	2158	A	Sidechain
26	BB	2159	G	Sidechain
26	BB	216	A	Sidechain
26	BB	2160	C	Sidechain
26	BB	2161	C	Sidechain
26	BB	2163	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2166	U	Sidechain
26	BB	2168	G	Sidechain
26	BB	2169	A	Sidechain
26	BB	2170	A	Sidechain
26	BB	2171	A	Sidechain
26	BB	2172	U	Sidechain
26	BB	2173	A	Sidechain
26	BB	2174	C	Sidechain
26	BB	2175	C	Sidechain
26	BB	2179	C	Sidechain
26	BB	2181	U	Sidechain
26	BB	2182	U	Sidechain
26	BB	2183	A	Sidechain
26	BB	2184	A	Sidechain
26	BB	2186	G	Sidechain
26	BB	2187	U	Sidechain
26	BB	2188	U	Sidechain
26	BB	2189	U	Sidechain
26	BB	219	A	Sidechain
26	BB	2190	G	Sidechain
26	BB	2192	U	Sidechain
26	BB	2194	U	Sidechain
26	BB	2197	U	Sidechain
26	BB	2198	A	Sidechain
26	BB	220	G	Sidechain
26	BB	2201	G	Sidechain
26	BB	2203	U	Sidechain
26	BB	2204	G	Sidechain
26	BB	2205	A	Sidechain
26	BB	2208	C	Sidechain
26	BB	2209	G	Sidechain
26	BB	221	A	Sidechain
26	BB	2210	U	Sidechain
26	BB	2211	A	Sidechain
26	BB	2213	U	Sidechain
26	BB	2214	C	Sidechain
26	BB	2215	C	Sidechain
26	BB	2216	G	Sidechain
26	BB	2217	G	Sidechain
26	BB	2218	G	Sidechain
26	BB	222	A	Sidechain
26	BB	2220	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2221	G	Sidechain
26	BB	2222	C	Sidechain
26	BB	2224	G	Sidechain
26	BB	2225	A	Sidechain
26	BB	223	A	Sidechain
26	BB	2230	G	Sidechain
26	BB	2231	U	Sidechain
26	BB	2233	U	Sidechain
26	BB	2239	G	Sidechain
26	BB	2242	G	Sidechain
26	BB	2243	U	Sidechain
26	BB	2244	U	Sidechain
26	BB	2245	U	Sidechain
26	BB	2247	A	Sidechain
26	BB	2248	C	Sidechain
26	BB	2249	U	Sidechain
26	BB	2250	G	Sidechain
26	BB	2252	G	Sidechain
26	BB	2254	C	Sidechain
26	BB	2256	G	Sidechain
26	BB	2259	U	Sidechain
26	BB	2261	C	Sidechain
26	BB	2264	C	Sidechain
26	BB	2265	U	Sidechain
26	BB	2266	A	Sidechain
26	BB	2267	A	Sidechain
26	BB	2268	A	Sidechain
26	BB	2269	G	Sidechain
26	BB	227	A	Sidechain
26	BB	2270	A	Sidechain
26	BB	2272	U	Sidechain
26	BB	2273	A	Sidechain
26	BB	2274	A	Sidechain
26	BB	2276	G	Sidechain
26	BB	2277	G	Sidechain
26	BB	228	C	Sidechain
26	BB	2281	A	Sidechain
26	BB	2283	C	Sidechain
26	BB	2284	A	Sidechain
26	BB	2286	G	Sidechain
26	BB	2287	A	Sidechain
26	BB	2288	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2292	U	Sidechain
26	BB	2293	G	Sidechain
26	BB	2295	C	Sidechain
26	BB	2296	U	Sidechain
26	BB	2297	A	Sidechain
26	BB	2298	A	Sidechain
26	BB	23	G	Sidechain
26	BB	230	G	Sidechain
26	BB	2302	U	Sidechain
26	BB	2303	G	Sidechain
26	BB	2304	G	Sidechain
26	BB	2306	C	Sidechain
26	BB	2307	G	Sidechain
26	BB	2308	G	Sidechain
26	BB	231	A	Sidechain
26	BB	2311	A	Sidechain
26	BB	2312	U	Sidechain
26	BB	2315	G	Sidechain
26	BB	2316	G	Sidechain
26	BB	2318	G	Sidechain
26	BB	232	G	Sidechain
26	BB	2320	U	Sidechain
26	BB	2322	A	Sidechain
26	BB	2323	G	Sidechain
26	BB	2324	U	Sidechain
26	BB	2325	G	Sidechain
26	BB	2327	A	Sidechain
26	BB	2329	U	Sidechain
26	BB	233	A	Sidechain
26	BB	2331	G	Sidechain
26	BB	2332	C	Sidechain
26	BB	2335	A	Sidechain
26	BB	2337	G	Sidechain
26	BB	234	U	Sidechain
26	BB	2341	G	Sidechain
26	BB	2342	C	Sidechain
26	BB	2345	G	Sidechain
26	BB	2348	U	Sidechain
26	BB	2349	G	Sidechain
26	BB	2350	C	Sidechain
26	BB	2351	G	Sidechain
26	BB	2353	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2354	C	Sidechain
26	BB	2355	G	Sidechain
26	BB	2360	G	Sidechain
26	BB	2361	G	Sidechain
26	BB	2363	G	Sidechain
26	BB	2364	C	Sidechain
26	BB	2365	G	Sidechain
26	BB	2367	G	Sidechain
26	BB	2368	C	Sidechain
26	BB	2369	A	Sidechain
26	BB	2370	G	Sidechain
26	BB	2372	U	Sidechain
26	BB	2375	G	Sidechain
26	BB	2376	A	Sidechain
26	BB	2377	A	Sidechain
26	BB	2379	G	Sidechain
26	BB	2386	A	Sidechain
26	BB	2387	U	Sidechain
26	BB	2389	G	Sidechain
26	BB	2390	U	Sidechain
26	BB	2391	G	Sidechain
26	BB	2392	A	Sidechain
26	BB	2393	U	Sidechain
26	BB	2396	G	Sidechain
26	BB	2397	G	Sidechain
26	BB	2399	G	Sidechain
26	BB	2400	G	Sidechain
26	BB	2401	U	Sidechain
26	BB	2402	U	Sidechain
26	BB	2406	A	Sidechain
26	BB	2407	A	Sidechain
26	BB	2409	G	Sidechain
26	BB	2411	A	Sidechain
26	BB	2412	A	Sidechain
26	BB	2413	G	Sidechain
26	BB	2414	G	Sidechain
26	BB	2415	G	Sidechain
26	BB	2419	U	Sidechain
26	BB	2421	G	Sidechain
26	BB	2423	U	Sidechain
26	BB	2424	C	Sidechain
26	BB	2428	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2429	G	Sidechain
26	BB	243	U	Sidechain
26	BB	2432	A	Sidechain
26	BB	2434	A	Sidechain
26	BB	2437	G	Sidechain
26	BB	2442	C	Sidechain
26	BB	2444	G	Sidechain
26	BB	2446	G	Sidechain
26	BB	2447	G	Sidechain
26	BB	2455	G	Sidechain
26	BB	2458	G	Sidechain
26	BB	2461	A	Sidechain
26	BB	2464	G	Sidechain
26	BB	2466	C	Sidechain
26	BB	2467	C	Sidechain
26	BB	247	G	Sidechain
26	BB	2471	A	Sidechain
26	BB	2472	G	Sidechain
26	BB	2474	U	Sidechain
26	BB	2475	C	Sidechain
26	BB	2477	U	Sidechain
26	BB	2479	U	Sidechain
26	BB	248	G	Sidechain
26	BB	2481	G	Sidechain
26	BB	2482	A	Sidechain
26	BB	2483	C	Sidechain
26	BB	2484	G	Sidechain
26	BB	2488	G	Sidechain
26	BB	2489	U	Sidechain
26	BB	249	C	Sidechain
26	BB	2492	U	Sidechain
26	BB	2493	U	Sidechain
26	BB	2494	G	Sidechain
26	BB	2495	G	Sidechain
26	BB	2497	A	Sidechain
26	BB	25	U	Sidechain
26	BB	250	G	Sidechain
26	BB	2500	U	Sidechain
26	BB	2501	C	Sidechain
26	BB	2502	G	Sidechain
26	BB	2506	U	Sidechain
26	BB	2507	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2508	G	Sidechain
26	BB	2509	G	Sidechain
26	BB	251	A	Sidechain
26	BB	2510	C	Sidechain
26	BB	2512	C	Sidechain
26	BB	2515	C	Sidechain
26	BB	2517	C	Sidechain
26	BB	2519	U	Sidechain
26	BB	252	G	Sidechain
26	BB	2520	C	Sidechain
26	BB	2521	C	Sidechain
26	BB	2522	U	Sidechain
26	BB	2524	G	Sidechain
26	BB	2525	G	Sidechain
26	BB	2527	C	Sidechain
26	BB	2528	U	Sidechain
26	BB	2529	G	Sidechain
26	BB	2531	A	Sidechain
26	BB	2532	G	Sidechain
26	BB	2534	A	Sidechain
26	BB	2535	G	Sidechain
26	BB	2536	G	Sidechain
26	BB	2537	U	Sidechain
26	BB	2538	C	Sidechain
26	BB	254	G	Sidechain
26	BB	2542	A	Sidechain
26	BB	2543	G	Sidechain
26	BB	2545	G	Sidechain
26	BB	2546	U	Sidechain
26	BB	2548	U	Sidechain
26	BB	2549	G	Sidechain
26	BB	255	A	Sidechain
26	BB	2550	G	Sidechain
26	BB	2553	G	Sidechain
26	BB	2554	U	Sidechain
26	BB	2555	U	Sidechain
26	BB	2557	G	Sidechain
26	BB	2558	C	Sidechain
26	BB	2559	C	Sidechain
26	BB	256	A	Sidechain
26	BB	2561	U	Sidechain
26	BB	2562	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2563	U	Sidechain
26	BB	2564	A	Sidechain
26	BB	2566	A	Sidechain
26	BB	2567	G	Sidechain
26	BB	2568	U	Sidechain
26	BB	2569	G	Sidechain
26	BB	2570	G	Sidechain
26	BB	2571	U	Sidechain
26	BB	2574	G	Sidechain
26	BB	2576	G	Sidechain
26	BB	258	G	Sidechain
26	BB	2581	G	Sidechain
26	BB	2582	G	Sidechain
26	BB	2583	G	Sidechain
26	BB	2584	U	Sidechain
26	BB	2585	U	Sidechain
26	BB	2587	A	Sidechain
26	BB	2588	G	Sidechain
26	BB	2589	A	Sidechain
26	BB	259	G	Sidechain
26	BB	2590	A	Sidechain
26	BB	2591	C	Sidechain
26	BB	2593	U	Sidechain
26	BB	2597	G	Sidechain
26	BB	2598	A	Sidechain
26	BB	2599	G	Sidechain
26	BB	26	G	Sidechain
26	BB	260	G	Sidechain
26	BB	2601	C	Sidechain
26	BB	2602	A	Sidechain
26	BB	2606	C	Sidechain
26	BB	2607	G	Sidechain
26	BB	2608	G	Sidechain
26	BB	2609	U	Sidechain
26	BB	261	G	Sidechain
26	BB	2610	C	Sidechain
26	BB	2611	C	Sidechain
26	BB	2613	U	Sidechain
26	BB	2615	U	Sidechain
26	BB	2616	C	Sidechain
26	BB	2617	U	Sidechain
26	BB	2618	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	262	A	Sidechain
26	BB	2621	G	Sidechain
26	BB	2624	G	Sidechain
26	BB	2627	G	Sidechain
26	BB	2628	C	Sidechain
26	BB	263	G	Sidechain
26	BB	2630	G	Sidechain
26	BB	2633	G	Sidechain
26	BB	2636	C	Sidechain
26	BB	2637	U	Sidechain
26	BB	2638	G	Sidechain
26	BB	2639	A	Sidechain
26	BB	264	C	Sidechain
26	BB	2640	G	Sidechain
26	BB	2641	G	Sidechain
26	BB	2642	G	Sidechain
26	BB	2643	G	Sidechain
26	BB	2644	G	Sidechain
26	BB	2645	G	Sidechain
26	BB	2646	C	Sidechain
26	BB	2647	U	Sidechain
26	BB	2648	G	Sidechain
26	BB	265	A	Sidechain
26	BB	2651	C	Sidechain
26	BB	2653	U	Sidechain
26	BB	2654	A	Sidechain
26	BB	2655	G	Sidechain
26	BB	2659	G	Sidechain
26	BB	266	G	Sidechain
26	BB	2660	A	Sidechain
26	BB	2661	G	Sidechain
26	BB	2662	A	Sidechain
26	BB	2663	G	Sidechain
26	BB	2664	G	Sidechain
26	BB	2667	C	Sidechain
26	BB	267	C	Sidechain
26	BB	2671	G	Sidechain
26	BB	2673	G	Sidechain
26	BB	2674	G	Sidechain
26	BB	2675	A	Sidechain
26	BB	2677	G	Sidechain
26	BB	2679	A	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	268	C	Sidechain
26	BB	2680	U	Sidechain
26	BB	2681	C	Sidechain
26	BB	2682	A	Sidechain
26	BB	2685	G	Sidechain
26	BB	2687	U	Sidechain
26	BB	2688	G	Sidechain
26	BB	2689	U	Sidechain
26	BB	2690	U	Sidechain
26	BB	2691	C	Sidechain
26	BB	2692	G	Sidechain
26	BB	2694	G	Sidechain
26	BB	2695	U	Sidechain
26	BB	2697	G	Sidechain
26	BB	27	G	Sidechain
26	BB	2701	U	Sidechain
26	BB	2703	C	Sidechain
26	BB	2704	C	Sidechain
26	BB	2705	A	Sidechain
26	BB	2706	A	Sidechain
26	BB	2708	G	Sidechain
26	BB	2709	G	Sidechain
26	BB	271	G	Sidechain
26	BB	2712	C	Sidechain
26	BB	2713	U	Sidechain
26	BB	2715	C	Sidechain
26	BB	2716	C	Sidechain
26	BB	2717	C	Sidechain
26	BB	2718	G	Sidechain
26	BB	2720	U	Sidechain
26	BB	2724	U	Sidechain
26	BB	2725	A	Sidechain
26	BB	2726	A	Sidechain
26	BB	2728	U	Sidechain
26	BB	273	G	Sidechain
26	BB	2730	C	Sidechain
26	BB	2731	G	Sidechain
26	BB	2732	G	Sidechain
26	BB	2735	G	Sidechain
26	BB	2736	A	Sidechain
26	BB	2739	U	Sidechain
26	BB	274	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2741	A	Sidechain
26	BB	2742	G	Sidechain
26	BB	2743	U	Sidechain
26	BB	2744	G	Sidechain
26	BB	2745	C	Sidechain
26	BB	2746	U	Sidechain
26	BB	275	C	Sidechain
26	BB	2750	A	Sidechain
26	BB	2751	G	Sidechain
26	BB	2752	C	Sidechain
26	BB	2753	A	Sidechain
26	BB	2755	C	Sidechain
26	BB	2757	A	Sidechain
26	BB	2758	A	Sidechain
26	BB	276	U	Sidechain
26	BB	2760	C	Sidechain
26	BB	2761	A	Sidechain
26	BB	2763	G	Sidechain
26	BB	2765	A	Sidechain
26	BB	2766	A	Sidechain
26	BB	2767	C	Sidechain
26	BB	2769	U	Sidechain
26	BB	277	G	Sidechain
26	BB	2774	C	Sidechain
26	BB	2775	G	Sidechain
26	BB	2777	G	Sidechain
26	BB	2779	U	Sidechain
26	BB	2780	G	Sidechain
26	BB	2782	G	Sidechain
26	BB	2784	U	Sidechain
26	BB	2785	C	Sidechain
26	BB	2786	U	Sidechain
26	BB	279	A	Sidechain
26	BB	2790	U	Sidechain
26	BB	2791	G	Sidechain
26	BB	2792	A	Sidechain
26	BB	2793	C	Sidechain
26	BB	2794	C	Sidechain
26	BB	2795	C	Sidechain
26	BB	2796	U	Sidechain
26	BB	2797	U	Sidechain
26	BB	2798	U	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	28	A	Sidechain
26	BB	2801	G	Sidechain
26	BB	2803	G	Sidechain
26	BB	2805	C	Sidechain
26	BB	2806	C	Sidechain
26	BB	2807	U	Sidechain
26	BB	2808	G	Sidechain
26	BB	281	C	Sidechain
26	BB	2810	A	Sidechain
26	BB	2812	G	Sidechain
26	BB	2815	C	Sidechain
26	BB	2816	G	Sidechain
26	BB	2818	U	Sidechain
26	BB	2819	G	Sidechain
26	BB	2820	A	Sidechain
26	BB	2824	C	Sidechain
26	BB	2829	A	Sidechain
26	BB	2830	C	Sidechain
26	BB	2831	G	Sidechain
26	BB	2832	U	Sidechain
26	BB	2835	A	Sidechain
26	BB	2836	U	Sidechain
26	BB	2837	A	Sidechain
26	BB	284	U	Sidechain
26	BB	2840	C	Sidechain
26	BB	2841	C	Sidechain
26	BB	2845	U	Sidechain
26	BB	2847	U	Sidechain
26	BB	2848	G	Sidechain
26	BB	285	G	Sidechain
26	BB	2850	A	Sidechain
26	BB	2852	G	Sidechain
26	BB	2854	G	Sidechain
26	BB	2856	A	Sidechain
26	BB	2857	G	Sidechain
26	BB	2859	G	Sidechain
26	BB	2860	A	Sidechain
26	BB	2861	U	Sidechain
26	BB	2862	G	Sidechain
26	BB	2864	G	Sidechain
26	BB	2866	U	Sidechain
26	BB	287	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	2870	C	Sidechain
26	BB	2872	A	Sidechain
26	BB	2873	A	Sidechain
26	BB	2874	C	Sidechain
26	BB	2877	G	Sidechain
26	BB	2879	A	Sidechain
26	BB	288	U	Sidechain
26	BB	2882	A	Sidechain
26	BB	2884	U	Sidechain
26	BB	2885	G	Sidechain
26	BB	2886	A	Sidechain
26	BB	2890	G	Sidechain
26	BB	2893	A	Sidechain
26	BB	2894	G	Sidechain
26	BB	2896	C	Sidechain
26	BB	2899	A	Sidechain
26	BB	29	U	Sidechain
26	BB	290	U	Sidechain
26	BB	2900	A	Sidechain
26	BB	2902	C	Sidechain
26	BB	2903	U	Sidechain
26	BB	291	G	Sidechain
26	BB	293	U	Sidechain
26	BB	294	A	Sidechain
26	BB	295	G	Sidechain
26	BB	296	U	Sidechain
26	BB	297	G	Sidechain
26	BB	298	G	Sidechain
26	BB	299	A	Sidechain
26	BB	3	U	Sidechain
26	BB	30	G	Sidechain
26	BB	300	A	Sidechain
26	BB	301	G	Sidechain
26	BB	302	C	Sidechain
26	BB	303	G	Sidechain
26	BB	308	G	Sidechain
26	BB	309	A	Sidechain
26	BB	31	C	Sidechain
26	BB	310	A	Sidechain
26	BB	311	A	Sidechain
26	BB	312	G	Sidechain
26	BB	313	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	315	G	Sidechain
26	BB	316	C	Sidechain
26	BB	317	G	Sidechain
26	BB	318	C	Sidechain
26	BB	319	G	Sidechain
26	BB	321	U	Sidechain
26	BB	322	A	Sidechain
26	BB	327	G	Sidechain
26	BB	328	U	Sidechain
26	BB	329	G	Sidechain
26	BB	331	C	Sidechain
26	BB	333	G	Sidechain
26	BB	336	C	Sidechain
26	BB	338	G	Sidechain
26	BB	339	U	Sidechain
26	BB	342	A	Sidechain
26	BB	343	C	Sidechain
26	BB	347	A	Sidechain
26	BB	35	G	Sidechain
26	BB	350	G	Sidechain
26	BB	358	U	Sidechain
26	BB	359	G	Sidechain
26	BB	36	G	Sidechain
26	BB	361	G	Sidechain
26	BB	365	U	Sidechain
26	BB	366	C	Sidechain
26	BB	367	G	Sidechain
26	BB	368	A	Sidechain
26	BB	369	U	Sidechain
26	BB	370	G	Sidechain
26	BB	371	A	Sidechain
26	BB	372	G	Sidechain
26	BB	373	U	Sidechain
26	BB	374	A	Sidechain
26	BB	375	G	Sidechain
26	BB	377	G	Sidechain
26	BB	378	C	Sidechain
26	BB	380	G	Sidechain
26	BB	384	A	Sidechain
26	BB	386	G	Sidechain
26	BB	387	U	Sidechain
26	BB	388	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	389	G	Sidechain
26	BB	390	U	Sidechain
26	BB	391	A	Sidechain
26	BB	392	U	Sidechain
26	BB	393	C	Sidechain
26	BB	395	U	Sidechain
26	BB	396	G	Sidechain
26	BB	397	U	Sidechain
26	BB	4	U	Sidechain
26	BB	40	U	Sidechain
26	BB	401	A	Sidechain
26	BB	403	U	Sidechain
26	BB	406	G	Sidechain
26	BB	407	G	Sidechain
26	BB	409	G	Sidechain
26	BB	411	G	Sidechain
26	BB	415	A	Sidechain
26	BB	417	C	Sidechain
26	BB	421	C	Sidechain
26	BB	422	A	Sidechain
26	BB	426	C	Sidechain
26	BB	427	U	Sidechain
26	BB	428	A	Sidechain
26	BB	430	A	Sidechain
26	BB	432	A	Sidechain
26	BB	434	U	Sidechain
26	BB	435	C	Sidechain
26	BB	436	C	Sidechain
26	BB	437	U	Sidechain
26	BB	441	U	Sidechain
26	BB	443	A	Sidechain
26	BB	446	G	Sidechain
26	BB	447	A	Sidechain
26	BB	448	U	Sidechain
26	BB	45	G	Sidechain
26	BB	451	U	Sidechain
26	BB	453	A	Sidechain
26	BB	454	A	Sidechain
26	BB	455	C	Sidechain
26	BB	457	A	Sidechain
26	BB	458	G	Sidechain
26	BB	46	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	461	C	Sidechain
26	BB	462	C	Sidechain
26	BB	463	G	Sidechain
26	BB	464	U	Sidechain
26	BB	465	G	Sidechain
26	BB	466	A	Sidechain
26	BB	467	G	Sidechain
26	BB	468	G	Sidechain
26	BB	47	C	Sidechain
26	BB	470	A	Sidechain
26	BB	472	A	Sidechain
26	BB	473	G	Sidechain
26	BB	474	G	Sidechain
26	BB	475	C	Sidechain
26	BB	476	G	Sidechain
26	BB	477	A	Sidechain
26	BB	480	A	Sidechain
26	BB	481	G	Sidechain
26	BB	483	A	Sidechain
26	BB	484	C	Sidechain
26	BB	485	C	Sidechain
26	BB	488	G	Sidechain
26	BB	490	C	Sidechain
26	BB	493	G	Sidechain
26	BB	496	G	Sidechain
26	BB	497	A	Sidechain
26	BB	498	G	Sidechain
26	BB	50	U	Sidechain
26	BB	500	G	Sidechain
26	BB	501	A	Sidechain
26	BB	502	A	Sidechain
26	BB	506	G	Sidechain
26	BB	508	A	Sidechain
26	BB	513	A	Sidechain
26	BB	514	A	Sidechain
26	BB	515	A	Sidechain
26	BB	516	C	Sidechain
26	BB	518	G	Sidechain
26	BB	519	U	Sidechain
26	BB	521	U	Sidechain
26	BB	522	A	Sidechain
26	BB	523	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	524	G	Sidechain
26	BB	525	U	Sidechain
26	BB	526	A	Sidechain
26	BB	527	C	Sidechain
26	BB	528	A	Sidechain
26	BB	53	A	Sidechain
26	BB	530	G	Sidechain
26	BB	532	A	Sidechain
26	BB	533	G	Sidechain
26	BB	534	U	Sidechain
26	BB	538	A	Sidechain
26	BB	539	G	Sidechain
26	BB	54	G	Sidechain
26	BB	540	C	Sidechain
26	BB	543	G	Sidechain
26	BB	544	C	Sidechain
26	BB	545	U	Sidechain
26	BB	546	U	Sidechain
26	BB	547	A	Sidechain
26	BB	548	G	Sidechain
26	BB	549	G	Sidechain
26	BB	55	G	Sidechain
26	BB	550	C	Sidechain
26	BB	551	G	Sidechain
26	BB	552	U	Sidechain
26	BB	553	G	Sidechain
26	BB	554	U	Sidechain
26	BB	555	G	Sidechain
26	BB	556	A	Sidechain
26	BB	557	C	Sidechain
26	BB	558	U	Sidechain
26	BB	559	G	Sidechain
26	BB	56	A	Sidechain
26	BB	563	A	Sidechain
26	BB	565	C	Sidechain
26	BB	566	U	Sidechain
26	BB	567	U	Sidechain
26	BB	569	U	Sidechain
26	BB	572	A	Sidechain
26	BB	576	U	Sidechain
26	BB	577	G	Sidechain
26	BB	579	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	583	G	Sidechain
26	BB	584	C	Sidechain
26	BB	587	C	Sidechain
26	BB	588	U	Sidechain
26	BB	591	U	Sidechain
26	BB	592	A	Sidechain
26	BB	593	U	Sidechain
26	BB	599	A	Sidechain
26	BB	60	G	Sidechain
26	BB	600	G	Sidechain
26	BB	601	C	Sidechain
26	BB	604	G	Sidechain
26	BB	605	G	Sidechain
26	BB	606	U	Sidechain
26	BB	608	A	Sidechain
26	BB	609	A	Sidechain
26	BB	61	C	Sidechain
26	BB	611	C	Sidechain
26	BB	612	G	Sidechain
26	BB	614	A	Sidechain
26	BB	616	A	Sidechain
26	BB	62	U	Sidechain
26	BB	621	A	Sidechain
26	BB	623	C	Sidechain
26	BB	624	C	Sidechain
26	BB	627	A	Sidechain
26	BB	628	G	Sidechain
26	BB	629	G	Sidechain
26	BB	63	A	Sidechain
26	BB	630	G	Sidechain
26	BB	631	A	Sidechain
26	BB	634	C	Sidechain
26	BB	636	G	Sidechain
26	BB	637	A	Sidechain
26	BB	638	G	Sidechain
26	BB	64	A	Sidechain
26	BB	640	C	Sidechain
26	BB	641	U	Sidechain
26	BB	642	U	Sidechain
26	BB	643	A	Sidechain
26	BB	646	U	Sidechain
26	BB	647	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	65	U	Sidechain
26	BB	651	G	Sidechain
26	BB	653	U	Sidechain
26	BB	654	A	Sidechain
26	BB	656	G	Sidechain
26	BB	658	U	Sidechain
26	BB	659	G	Sidechain
26	BB	66	C	Sidechain
26	BB	663	G	Sidechain
26	BB	664	G	Sidechain
26	BB	666	A	Sidechain
26	BB	667	U	Sidechain
26	BB	672	C	Sidechain
26	BB	673	C	Sidechain
26	BB	674	G	Sidechain
26	BB	676	A	Sidechain
26	BB	677	A	Sidechain
26	BB	679	C	Sidechain
26	BB	68	G	Sidechain
26	BB	680	C	Sidechain
26	BB	681	G	Sidechain
26	BB	682	G	Sidechain
26	BB	683	U	Sidechain
26	BB	684	G	Sidechain
26	BB	685	A	Sidechain
26	BB	686	U	Sidechain
26	BB	688	U	Sidechain
26	BB	693	A	Sidechain
26	BB	695	G	Sidechain
26	BB	696	G	Sidechain
26	BB	697	G	Sidechain
26	BB	698	C	Sidechain
26	BB	699	A	Sidechain
26	BB	70	G	Sidechain
26	BB	700	G	Sidechain
26	BB	705	A	Sidechain
26	BB	706	A	Sidechain
26	BB	707	G	Sidechain
26	BB	708	G	Sidechain
26	BB	710	U	Sidechain
26	BB	711	G	Sidechain
26	BB	713	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	715	A	Sidechain
26	BB	717	C	Sidechain
26	BB	719	C	Sidechain
26	BB	720	U	Sidechain
26	BB	721	A	Sidechain
26	BB	725	G	Sidechain
26	BB	726	G	Sidechain
26	BB	729	G	Sidechain
26	BB	734	A	Sidechain
26	BB	738	G	Sidechain
26	BB	739	A	Sidechain
26	BB	74	A	Sidechain
26	BB	740	C	Sidechain
26	BB	743	A	Sidechain
26	BB	744	U	Sidechain
26	BB	748	G	Sidechain
26	BB	749	A	Sidechain
26	BB	750	A	Sidechain
26	BB	751	A	Sidechain
26	BB	752	A	Sidechain
26	BB	755	U	Sidechain
26	BB	756	A	Sidechain
26	BB	758	C	Sidechain
26	BB	759	G	Sidechain
26	BB	76	C	Sidechain
26	BB	761	A	Sidechain
26	BB	762	U	Sidechain
26	BB	763	G	Sidechain
26	BB	765	C	Sidechain
26	BB	767	U	Sidechain
26	BB	768	G	Sidechain
26	BB	77	G	Sidechain
26	BB	770	G	Sidechain
26	BB	771	G	Sidechain
26	BB	772	C	Sidechain
26	BB	774	G	Sidechain
26	BB	775	G	Sidechain
26	BB	777	G	Sidechain
26	BB	778	G	Sidechain
26	BB	779	U	Sidechain
26	BB	78	U	Sidechain
26	BB	780	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	781	A	Sidechain
26	BB	783	A	Sidechain
26	BB	784	G	Sidechain
26	BB	785	G	Sidechain
26	BB	787	C	Sidechain
26	BB	788	A	Sidechain
26	BB	789	A	Sidechain
26	BB	79	C	Sidechain
26	BB	790	U	Sidechain
26	BB	794	A	Sidechain
26	BB	797	G	Sidechain
26	BB	8	C	Sidechain
26	BB	800	A	Sidechain
26	BB	801	G	Sidechain
26	BB	802	A	Sidechain
26	BB	803	U	Sidechain
26	BB	804	A	Sidechain
26	BB	805	G	Sidechain
26	BB	806	C	Sidechain
26	BB	807	U	Sidechain
26	BB	809	G	Sidechain
26	BB	81	G	Sidechain
26	BB	811	U	Sidechain
26	BB	812	C	Sidechain
26	BB	813	U	Sidechain
26	BB	814	C	Sidechain
26	BB	815	C	Sidechain
26	BB	816	C	Sidechain
26	BB	817	C	Sidechain
26	BB	818	G	Sidechain
26	BB	819	A	Sidechain
26	BB	820	A	Sidechain
26	BB	821	A	Sidechain
26	BB	822	G	Sidechain
26	BB	823	C	Sidechain
26	BB	825	A	Sidechain
26	BB	827	U	Sidechain
26	BB	828	U	Sidechain
26	BB	829	A	Sidechain
26	BB	83	A	Sidechain
26	BB	831	G	Sidechain
26	BB	834	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	835	C	Sidechain
26	BB	836	G	Sidechain
26	BB	837	C	Sidechain
26	BB	838	C	Sidechain
26	BB	839	U	Sidechain
26	BB	841	G	Sidechain
26	BB	842	U	Sidechain
26	BB	844	A	Sidechain
26	BB	846	U	Sidechain
26	BB	849	A	Sidechain
26	BB	85	G	Sidechain
26	BB	850	U	Sidechain
26	BB	851	C	Sidechain
26	BB	852	U	Sidechain
26	BB	853	C	Sidechain
26	BB	856	G	Sidechain
26	BB	858	G	Sidechain
26	BB	859	G	Sidechain
26	BB	86	G	Sidechain
26	BB	864	G	Sidechain
26	BB	865	C	Sidechain
26	BB	867	C	Sidechain
26	BB	868	U	Sidechain
26	BB	870	U	Sidechain
26	BB	872	U	Sidechain
26	BB	874	G	Sidechain
26	BB	875	G	Sidechain
26	BB	877	A	Sidechain
26	BB	881	G	Sidechain
26	BB	882	G	Sidechain
26	BB	884	U	Sidechain
26	BB	885	C	Sidechain
26	BB	887	U	Sidechain
26	BB	888	C	Sidechain
26	BB	889	C	Sidechain
26	BB	890	C	Sidechain
26	BB	891	G	Sidechain
26	BB	892	A	Sidechain
26	BB	894	U	Sidechain
26	BB	896	A	Sidechain
26	BB	898	C	Sidechain
26	BB	9	G	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	90	U	Sidechain
26	BB	900	A	Sidechain
26	BB	901	C	Sidechain
26	BB	903	C	Sidechain
26	BB	904	G	Sidechain
26	BB	906	U	Sidechain
26	BB	907	G	Sidechain
26	BB	909	A	Sidechain
26	BB	91	A	Sidechain
26	BB	910	A	Sidechain
26	BB	913	U	Sidechain
26	BB	914	G	Sidechain
26	BB	915	C	Sidechain
26	BB	916	G	Sidechain
26	BB	917	A	Sidechain
26	BB	919	U	Sidechain
26	BB	921	C	Sidechain
26	BB	922	C	Sidechain
26	BB	923	G	Sidechain
26	BB	924	G	Sidechain
26	BB	925	A	Sidechain
26	BB	929	U	Sidechain
26	BB	93	G	Sidechain
26	BB	930	G	Sidechain
26	BB	931	U	Sidechain
26	BB	934	U	Sidechain
26	BB	935	C	Sidechain
26	BB	936	A	Sidechain
26	BB	938	G	Sidechain
26	BB	939	G	Sidechain
26	BB	940	G	Sidechain
26	BB	942	G	Sidechain
26	BB	943	A	Sidechain
26	BB	944	C	Sidechain
26	BB	948	C	Sidechain
26	BB	949	G	Sidechain
26	BB	954	G	Sidechain
26	BB	956	G	Sidechain
26	BB	957	C	Sidechain
26	BB	958	U	Sidechain
26	BB	959	A	Sidechain
26	BB	96	C	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
26	BB	966	G	Sidechain
26	BB	968	C	Sidechain
26	BB	969	G	Sidechain
26	BB	970	U	Sidechain
26	BB	971	G	Sidechain
26	BB	973	A	Sidechain
26	BB	975	A	Sidechain
26	BB	976	G	Sidechain
26	BB	978	G	Sidechain
26	BB	979	A	Sidechain
26	BB	980	A	Sidechain
26	BB	982	C	Sidechain
26	BB	983	A	Sidechain
26	BB	985	C	Sidechain
26	BB	989	G	Sidechain
26	BB	991	C	Sidechain
26	BB	993	G	Sidechain
26	BB	995	C	Sidechain
26	BB	996	A	Sidechain
26	BB	997	G	Sidechain
26	BB	998	C	Sidechain
27	BC	71	ARG	Sidechain
28	BD	101	ARG	Sidechain,Peptide
28	BD	102	TYR	Sidechain
28	BD	166	ARG	Sidechain
28	BD	216	ARG	Sidechain
28	BD	237	ARG	Sidechain
28	BD	24	HIS	Sidechain
28	BD	242	HIS	Sidechain
28	BD	38	LYS	Mainchain
28	BD	95	TYR	Sidechain
29	BE	113	SER	Peptide
29	BE	176	ASP	Peptide
29	BE	45	TYR	Sidechain
29	BE	46	ARG	Sidechain
29	BE	59	ARG	Sidechain
29	BE	67	HIS	Sidechain
29	BE	75	ALA	Peptide
29	BE	90	PHE	Peptide
30	BF	101	TYR	Sidechain
30	BF	22	ASP	Mainchain
30	BF	35	TYR	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
30	BF	40	ARG	Sidechain
30	BF	67	ARG	Sidechain
30	BF	85	PHE	Sidechain
31	BG	102	LEU	Peptide
31	BG	116	LEU	Peptide
31	BG	124	ARG	Peptide
31	BG	149	ARG	Peptide
31	BG	6	TYR	Sidechain
31	BG	76	PHE	Sidechain
31	BG	82	TYR	Sidechain
32	BH	150	TYR	Sidechain
32	BH	164	ALA	Mainchain
32	BH	2	ARG	Sidechain
32	BH	54	ARG	Sidechain
32	BH	68	ARG	Sidechain
32	BH	83	THR	Peptide
33	BI	109	GLU	Mainchain,Peptide
33	BI	25	TYR	Sidechain
34	BJ	127	THR	Peptide
34	BJ	129	PRO	Mainchain
34	BJ	68	PHE	Sidechain
34	BJ	79	THR	Peptide
35	BK	37	PHE	Sidechain
35	BK	4	VAL	Mainchain
35	BK	41	PHE	Sidechain
35	BK	61	TYR	Sidechain
35	BK	74	PRO	Mainchain
36	BL	119	PHE	Sidechain
36	BL	125	TYR	Sidechain
36	BL	13	ARG	Sidechain
36	BL	16	TYR	Sidechain
36	BL	75	TYR	Sidechain
36	BL	77	HIS	Sidechain
36	BL	83	GLY	Peptide
36	BL	98	GLU	Peptide
37	BM	30	ARG	Sidechain
37	BM	31	ARG	Sidechain
37	BM	38	ILE	Mainchain
37	BM	98	ARG	Sidechain
38	BN	100	ILE	Mainchain
38	BN	2	ARG	Sidechain
39	BO	18	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
39	BO	44	ARG	Sidechain
39	BO	68	PHE	Sidechain
39	BO	81	ARG	Sidechain
40	BP	112	TYR	Sidechain
40	BP	46	ARG	Sidechain
41	BQ	64	TYR	Sidechain
41	BQ	94	ARG	Sidechain
42	BR	100	ARG	Sidechain
42	BR	108	ARG	Sidechain
42	BR	55	HIS	Sidechain
42	BR	88	ARG	Sidechain
42	BR	97	TYR	Sidechain
43	BS	47	ARG	Sidechain
43	BS	5	ARG	Sidechain
43	BS	63	ARG	Sidechain
43	BS	75	TYR	Sidechain
43	BS	78	PHE	Sidechain
43	BS	95	ALA	Peptide
44	BT	13	ARG	Sidechain
44	BT	79	ARG	Sidechain
44	BT	83	TYR	Sidechain
45	BU	60	HIS	Sidechain
46	BV	13	ALA	Peptide
46	BV	49	LYS	Peptide
47	BW	21	ARG	Sidechain
48	BX	31	TYR	Sidechain
48	BX	52	ALA	Mainchain
48	BX	82	TYR	Sidechain
48	BX	91	PHE	Sidechain
48	BX	93	ARG	Sidechain
49	BY	13	ARG	Peptide
49	BY	14	ASP	Peptide
49	BY	16	GLU	Peptide
49	BY	81	ILE	Peptide
50	BZ	73	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	33089	0	16599	0	0
2	AB	1627	0	841	0	0
3	AC	993	0	498	0	0
4	AD	1641	0	839	0	0
5	AE	1872	0	1885	0	0
6	AF	1822	0	1913	0	0
7	AG	1643	0	1710	0	0
8	AH	1225	0	1273	0	0
9	AI	1101	0	1050	0	0
10	AJ	1400	0	1449	0	0
11	AK	979	0	1034	0	0
12	AL	1036	0	1084	0	0
13	AM	825	0	865	0	0
14	AN	965	0	997	0	0
15	AO	955	0	1019	0	0
16	AP	910	0	981	0	0
17	AQ	805	0	847	0	0
18	AR	716	0	742	0	0
19	AS	649	0	666	0	0
20	AT	672	0	716	0	0
21	AU	626	0	651	0	0
22	AV	727	0	769	0	0
23	AW	670	0	722	0	0
24	AX	590	0	631	0	0
25	BA	2566	0	1294	0	0
26	BB	62351	0	31277	0	0
27	BC	1733	0	1824	0	0
28	BD	2092	0	2170	0	0
29	BE	1565	0	1616	0	0
30	BF	1552	0	1619	0	0
31	BG	1420	0	1460	0	0
32	BH	1323	0	1374	0	0
33	BI	1111	0	1148	0	0
34	BJ	1233	0	1283	0	0
35	BK	1032	0	1088	0	0
36	BL	1129	0	1162	0	0
37	BM	947	0	1023	0	0
38	BN	1053	0	1129	0	0
39	BO	1074	0	1157	0	0
40	BP	1008	0	1045	0	0
41	BQ	900	0	935	0	0
42	BR	917	0	965	0	0
43	BS	947	0	1022	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
44	BT	816	0	839	0	0
45	BU	857	0	922	0	0
46	BV	787	0	846	0	0
47	BW	789	0	847	0	0
48	BX	753	0	780	0	0
49	BY	634	0	656	0	0
50	BZ	625	0	655	0	0
51	B0	509	0	543	0	0
52	B1	449	0	491	0	0
53	B2	549	0	552	0	0
54	B3	444	0	461	0	0
55	B4	441	0	485	0	0
56	B5	377	0	418	0	0
57	B6	504	0	574	0	0
58	B7	302	0	343	0	0
59	AB	14	0	9	0	0
60	BB	10	0	10	0	0
All	All	152351	0	103803	0	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). Clashscore could not be calculated for this entry.

There are no clashes within the asymmetric unit.

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	AE	238/240 (99%)	219 (92%)	10 (4%)	9 (4%)	4	37
6	AF	230/232 (99%)	215 (94%)	10 (4%)	5 (2%)	8	49
7	AG	203/205 (99%)	187 (92%)	13 (6%)	3 (2%)	13	57
8	AH	164/166 (99%)	151 (92%)	11 (7%)	2 (1%)	16	61

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
9	AI	133/135 (98%)	122 (92%)	10 (8%)	1 (1%)	24	69
10	AJ	176/178 (99%)	164 (93%)	10 (6%)	2 (1%)	17	63
11	AK	127/129 (98%)	119 (94%)	7 (6%)	1 (1%)	24	69
12	AL	127/129 (98%)	114 (90%)	10 (8%)	3 (2%)	7	47
13	AM	101/103 (98%)	92 (91%)	4 (4%)	5 (5%)	3	31
14	AN	126/128 (98%)	111 (88%)	13 (10%)	2 (2%)	12	56
15	AO	121/123 (98%)	105 (87%)	13 (11%)	3 (2%)	7	46
16	AP	115/117 (98%)	109 (95%)	4 (4%)	2 (2%)	11	55
17	AQ	98/100 (98%)	85 (87%)	6 (6%)	7 (7%)	1	22
18	AR	86/88 (98%)	80 (93%)	5 (6%)	1 (1%)	16	61
19	AS	80/82 (98%)	77 (96%)	3 (4%)	0	100	100
20	AT	81/83 (98%)	72 (89%)	7 (9%)	2 (2%)	7	46
21	AU	72/74 (97%)	61 (85%)	7 (10%)	4 (6%)	2	28
22	AV	89/91 (98%)	82 (92%)	6 (7%)	1 (1%)	17	63
23	AW	84/86 (98%)	79 (94%)	4 (5%)	1 (1%)	16	61
24	AX	68/70 (97%)	61 (90%)	4 (6%)	3 (4%)	3	33
27	BC	232/234 (99%)	215 (93%)	13 (6%)	4 (2%)	11	55
28	BD	270/272 (99%)	238 (88%)	23 (8%)	9 (3%)	5	40
29	BE	207/209 (99%)	173 (84%)	27 (13%)	7 (3%)	5	40
30	BF	199/201 (99%)	173 (87%)	17 (8%)	9 (4%)	3	33
31	BG	176/178 (99%)	152 (86%)	13 (7%)	11 (6%)	2	25
32	BH	174/176 (99%)	158 (91%)	13 (8%)	3 (2%)	11	55
33	BI	147/149 (99%)	131 (89%)	11 (8%)	5 (3%)	5	40
34	BJ	162/164 (99%)	157 (97%)	4 (2%)	1 (1%)	30	74
35	BK	139/141 (99%)	133 (96%)	5 (4%)	1 (1%)	26	71
36	BL	140/142 (99%)	119 (85%)	14 (10%)	7 (5%)	3	31
37	BM	121/123 (98%)	109 (90%)	9 (7%)	3 (2%)	7	46
38	BN	142/144 (99%)	126 (89%)	13 (9%)	3 (2%)	9	50
39	BO	134/136 (98%)	122 (91%)	10 (8%)	2 (2%)	13	57
40	BP	125/127 (98%)	116 (93%)	8 (6%)	1 (1%)	24	69
41	BQ	115/117 (98%)	109 (95%)	6 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
42	BR	112/114 (98%)	97 (87%)	12 (11%)	3 (3%)	6	45
43	BS	115/117 (98%)	107 (93%)	5 (4%)	3 (3%)	7	45
44	BT	101/103 (98%)	89 (88%)	7 (7%)	5 (5%)	3	31
45	BU	108/110 (98%)	99 (92%)	6 (6%)	3 (3%)	6	44
46	BV	98/100 (98%)	75 (76%)	19 (19%)	4 (4%)	3	35
47	BW	101/103 (98%)	89 (88%)	10 (10%)	2 (2%)	9	51
48	BX	92/94 (98%)	86 (94%)	5 (5%)	1 (1%)	17	63
49	BY	82/84 (98%)	65 (79%)	12 (15%)	5 (6%)	2	26
50	BZ	75/77 (97%)	67 (89%)	5 (7%)	3 (4%)	4	35
51	B0	61/63 (97%)	56 (92%)	3 (5%)	2 (3%)	5	40
52	B1	56/58 (97%)	54 (96%)	2 (4%)	0	100	100
53	B2	68/70 (97%)	63 (93%)	4 (6%)	1 (2%)	13	57
54	B3	54/56 (96%)	48 (89%)	3 (6%)	3 (6%)	2	28
55	B4	52/54 (96%)	49 (94%)	1 (2%)	2 (4%)	4	37
56	B5	44/46 (96%)	40 (91%)	2 (4%)	2 (4%)	3	33
57	B6	62/64 (97%)	58 (94%)	3 (5%)	1 (2%)	12	56
58	B7	36/38 (95%)	29 (81%)	5 (14%)	2 (6%)	2	28
All	All	6319/6423 (98%)	5707 (90%)	447 (7%)	165 (3%)	11	45

All (165) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
8	AH	77	ASN
13	AM	57	VAL
17	AQ	2	LYS
17	AQ	61	ASN
17	AQ	70	HIS
21	AU	11	ARG
28	BD	64	VAL
28	BD	94	LEU
28	BD	142	ASN
30	BF	62	GLN
30	BF	68	ALA
30	BF	188	MET
31	BG	136	ILE
33	BI	3	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
42	BR	25	VAL
43	BS	88	GLU
45	BU	41	LYS
46	BV	39	THR
47	BW	97	SER
50	BZ	18	SER
55	B4	35	LEU
5	AE	17	HIS
5	AE	22	TRP
6	AF	14	VAL
6	AF	163	ARG
6	AF	179	ALA
7	AG	47	LEU
12	AL	106	ASP
13	AM	62	ARG
13	AM	74	VAL
14	AN	52	ARG
22	AV	11	ASP
27	BC	217	THR
28	BD	35	LYS
28	BD	140	VAL
29	BE	119	ALA
29	BE	162	ALA
30	BF	44	ARG
30	BF	79	ARG
36	BL	81	ILE
37	BM	71	ARG
38	BN	19	LEU
40	BP	107	ASN
45	BU	65	ASP
46	BV	9	LYS
46	BV	86	THR
55	B4	52	LYS
58	B7	6	SER
5	AE	127	LYS
11	AK	80	PRO
12	AL	122	ARG
13	AM	42	LEU
15	AO	23	LEU
17	AQ	32	ASP
17	AQ	62	ARG
20	AT	34	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
21	AU	5	ARG
24	AX	3	ILE
24	AX	9	GLU
24	AX	24	LYS
27	BC	159	GLY
28	BD	123	ILE
29	BE	173	GLN
30	BF	78	TRP
31	BG	99	PHE
31	BG	132	ARG
31	BG	148	VAL
32	BH	9	VAL
32	BH	61	TRP
33	BI	27	ARG
33	BI	113	SER
33	BI	122	LEU
35	BK	93	ASN
37	BM	6	THR
38	BN	36	LYS
43	BS	5	ARG
43	BS	87	VAL
46	BV	69	ARG
47	BW	74	ALA
53	B2	43	PHE
56	B5	7	PRO
58	B7	16	ILE
5	AE	19	THR
6	AF	145	ALA
7	AG	27	ILE
7	AG	37	PRO
12	AL	128	LYS
13	AM	75	ASP
16	AP	22	TYR
17	AQ	37	ASP
18	AR	87	ARG
28	BD	37	SER
30	BF	96	VAL
30	BF	183	PHE
31	BG	38	GLY
32	BH	170	THR
34	BJ	33	THR
36	BL	65	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
36	BL	111	LYS
36	BL	120	ARG
39	BO	36	VAL
44	BT	91	GLN
45	BU	89	ALA
49	BY	23	LYS
49	BY	52	CYS
50	BZ	27	ARG
50	BZ	53	LYS
54	B3	2	VAL
54	B3	48	TYR
5	AE	84	LEU
5	AE	205	ALA
6	AF	3	LYS
8	AH	26	GLY
9	AI	54	LEU
10	AJ	13	PRO
10	AJ	84	TYR
14	AN	118	ASN
17	AQ	80	ARG
20	AT	81	ALA
21	AU	18	GLN
27	BC	73	VAL
28	BD	254	LYS
29	BE	109	VAL
29	BE	113	SER
29	BE	170	VAL
30	BF	60	TRP
31	BG	32	LYS
31	BG	66	ILE
31	BG	88	VAL
31	BG	145	VAL
33	BI	93	SER
36	BL	13	ARG
36	BL	44	TYR
38	BN	117	THR
44	BT	101	ILE
48	BX	71	LYS
49	BY	36	ILE
51	B0	23	ARG
5	AE	35	ASN
15	AO	43	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
21	AU	33	THR
23	AW	67	HIS
27	BC	55	SER
31	BG	103	ILE
44	BT	43	ASN
49	BY	14	ASP
49	BY	56	HIS
16	AP	6	ILE
39	BO	69	PRO
5	AE	13	VAL
5	AE	123	GLY
29	BE	152	PRO
31	BG	84	ILE
44	BT	54	VAL
56	B5	44	VAL
15	AO	68	GLY
57	B6	31	ILE
28	BD	240	GLY
37	BM	93	GLN
42	BR	91	VAL
44	BT	69	GLY
54	B3	54	ILE
36	BL	79	GLY
42	BR	32	VAL
51	B0	46	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	AE	198/198 (100%)	186 (94%)	12 (6%)	23	60
6	AF	189/189 (100%)	180 (95%)	9 (5%)	31	67
7	AG	172/172 (100%)	166 (96%)	6 (4%)	43	74
8	AH	125/125 (100%)	116 (93%)	9 (7%)	18	55
9	AI	116/116 (100%)	109 (94%)	7 (6%)	24	60

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
10	AJ	146/146 (100%)	138 (94%)	8 (6%)	27	63
11	AK	104/104 (100%)	100 (96%)	4 (4%)	40	73
12	AL	106/106 (100%)	102 (96%)	4 (4%)	40	73
13	AM	90/90 (100%)	84 (93%)	6 (7%)	20	57
14	AN	98/98 (100%)	95 (97%)	3 (3%)	47	77
15	AO	103/103 (100%)	98 (95%)	5 (5%)	31	67
16	AP	95/95 (100%)	94 (99%)	1 (1%)	80	91
17	AQ	83/83 (100%)	79 (95%)	4 (5%)	31	67
18	AR	76/76 (100%)	74 (97%)	2 (3%)	54	80
19	AS	65/65 (100%)	60 (92%)	5 (8%)	16	52
20	AT	77/77 (100%)	71 (92%)	6 (8%)	16	51
21	AU	64/64 (100%)	60 (94%)	4 (6%)	22	59
22	AV	78/78 (100%)	70 (90%)	8 (10%)	9	37
23	AW	65/65 (100%)	62 (95%)	3 (5%)	33	68
24	AX	60/60 (100%)	57 (95%)	3 (5%)	30	66
27	BC	181/181 (100%)	173 (96%)	8 (4%)	35	69
28	BD	217/217 (100%)	210 (97%)	7 (3%)	46	76
29	BE	164/164 (100%)	153 (93%)	11 (7%)	20	57
30	BF	165/165 (100%)	157 (95%)	8 (5%)	31	67
31	BG	149/149 (100%)	141 (95%)	8 (5%)	27	64
32	BH	137/137 (100%)	129 (94%)	8 (6%)	25	61
33	BI	114/114 (100%)	107 (94%)	7 (6%)	23	60
34	BJ	122/122 (100%)	115 (94%)	7 (6%)	25	62
35	BK	109/109 (100%)	106 (97%)	3 (3%)	51	78
36	BL	116/116 (100%)	111 (96%)	5 (4%)	35	70
37	BM	104/104 (100%)	96 (92%)	8 (8%)	16	52
38	BN	103/103 (100%)	96 (93%)	7 (7%)	20	57
39	BO	109/109 (100%)	102 (94%)	7 (6%)	22	58
40	BP	103/103 (100%)	98 (95%)	5 (5%)	31	67
41	BQ	87/87 (100%)	84 (97%)	3 (3%)	44	75
42	BR	99/99 (100%)	94 (95%)	5 (5%)	29	66

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
43	BS	89/89 (100%)	88 (99%)	1 (1%)	80	91
44	BT	84/84 (100%)	79 (94%)	5 (6%)	24	60
45	BU	93/93 (100%)	90 (97%)	3 (3%)	46	76
46	BV	84/84 (100%)	77 (92%)	7 (8%)	14	49
47	BW	84/84 (100%)	79 (94%)	5 (6%)	24	60
48	BX	78/78 (100%)	73 (94%)	5 (6%)	22	58
49	BY	62/62 (100%)	57 (92%)	5 (8%)	15	50
50	BZ	67/67 (100%)	66 (98%)	1 (2%)	72	88
51	B0	55/55 (100%)	50 (91%)	5 (9%)	12	43
52	B1	48/48 (100%)	43 (90%)	5 (10%)	9	36
53	B2	62/62 (100%)	55 (89%)	7 (11%)	7	33
54	B3	47/47 (100%)	44 (94%)	3 (6%)	22	58
55	B4	48/48 (100%)	47 (98%)	1 (2%)	61	84
56	B5	38/38 (100%)	35 (92%)	3 (8%)	15	51
57	B6	51/51 (100%)	46 (90%)	5 (10%)	10	39
58	B7	34/34 (100%)	32 (94%)	2 (6%)	24	61
All	All	5213/5213 (100%)	4934 (95%)	279 (5%)	32	64

All (279) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	AE	6	ARG
5	AE	20	ARG
5	AE	23	ASN
5	AE	43	GLU
5	AE	63	LYS
5	AE	69	VAL
5	AE	108	GLN
5	AE	113	LEU
5	AE	115	ASP
5	AE	131	LYS
5	AE	136	ARG
5	AE	202	ASN
6	AF	13	ILE
6	AF	48	LYS
6	AF	78	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	AF	96	VAL
6	AF	109	GLU
6	AF	167	TYR
6	AF	178	ARG
6	AF	180	ASP
6	AF	224	LYS
7	AG	9	LYS
7	AG	21	LYS
7	AG	25	ARG
7	AG	48	SER
7	AG	155	LYS
7	AG	199	ILE
8	AH	40	ASP
8	AH	54	GLU
8	AH	82	HIS
8	AH	96	GLN
8	AH	110	MET
8	AH	125	LYS
8	AH	141	ASP
8	AH	146	MET
8	AH	155	LYS
9	AI	1	MET
9	AI	2	ARG
9	AI	5	GLU
9	AI	9	MET
9	AI	88	MET
9	AI	104	LYS
9	AI	132	GLU
10	AJ	6	ILE
10	AJ	9	ARG
10	AJ	13	PRO
10	AJ	42	VAL
10	AJ	49	LEU
10	AJ	57	GLU
10	AJ	91	ARG
10	AJ	152	HIS
11	AK	51	GLU
11	AK	64	TYR
11	AK	72	GLU
11	AK	80	PRO
12	AL	45	MET
12	AL	58	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	AL	88	GLU
12	AL	105	ARG
13	AM	40	ILE
13	AM	48	ARG
13	AM	59	LYS
13	AM	82	LYS
13	AM	88	MET
13	AM	100	ILE
14	AN	9	LYS
14	AN	45	THR
14	AN	124	LYS
15	AO	28	GLN
15	AO	37	TYR
15	AO	63	THR
15	AO	73	LEU
15	AO	113	ARG
16	AP	10	ASP
17	AQ	31	SER
17	AQ	45	LEU
17	AQ	62	ARG
17	AQ	82	LYS
18	AR	9	LYS
18	AR	49	HIS
19	AS	1	MET
19	AS	12	LYS
19	AS	16	PHE
19	AS	51	ARG
19	AS	52	LEU
20	AT	1	THR
20	AT	3	LYS
20	AT	6	THR
20	AT	64	ARG
20	AT	79	GLU
20	AT	82	VAL
21	AU	8	LYS
21	AU	18	GLN
21	AU	42	ARG
21	AU	65	SER
22	AV	1	PRO
22	AV	6	LYS
22	AV	13	HIS
22	AV	28	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
22	AV	33	TRP
22	AV	38	THR
22	AV	76	THR
22	AV	80	ARG
23	AW	30	PHE
23	AW	42	ASP
23	AW	67	HIS
24	AX	1	PRO
24	AX	16	ARG
24	AX	38	GLU
27	BC	22	ASP
27	BC	51	ASP
27	BC	97	MET
27	BC	102	ASP
27	BC	131	LEU
27	BC	174	THR
27	BC	194	VAL
27	BC	205	LYS
28	BD	5	CYS
28	BD	22	GLU
28	BD	76	VAL
28	BD	167	ASP
28	BD	212	TRP
28	BD	244	VAL
28	BD	263	ASP
29	BE	4	LEU
29	BE	33	ARG
29	BE	40	LEU
29	BE	59	ARG
29	BE	67	HIS
29	BE	74	GLU
29	BE	142	VAL
29	BE	159	LYS
29	BE	201	LEU
29	BE	203	VAL
29	BE	207	VAL
30	BF	9	GLN
30	BF	16	GLU
30	BF	41	GLN
30	BF	105	LEU
30	BF	126	VAL
30	BF	140	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
30	BF	154	ASP
30	BF	165	HIS
31	BG	20	ASN
31	BG	29	ARG
31	BG	91	ARG
31	BG	116	LEU
31	BG	134	GLN
31	BG	145	VAL
31	BG	148	VAL
31	BG	160	LYS
32	BH	34	ARG
32	BH	37	ASN
32	BH	130	ILE
32	BH	148	ARG
32	BH	152	ARG
32	BH	156	TYR
32	BH	167	VAL
32	BH	175	LYS
33	BI	5	LEU
33	BI	45	GLU
33	BI	75	LEU
33	BI	76	GLU
33	BI	87	GLU
33	BI	94	ILE
33	BI	97	ARG
34	BJ	56	ASN
34	BJ	80	LEU
34	BJ	84	SER
34	BJ	94	LEU
34	BJ	125	LEU
34	BJ	128	LEU
34	BJ	131	TYR
35	BK	9	LYS
35	BK	39	LYS
35	BK	107	GLU
36	BL	15	TRP
36	BL	37	ARG
36	BL	39	LYS
36	BL	86	GLN
36	BL	106	LYS
37	BM	10	VAL
37	BM	32	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
37	BM	37	ASP
37	BM	49	ARG
37	BM	51	LYS
37	BM	94	PRO
37	BM	103	VAL
37	BM	104	THR
38	BN	1	MET
38	BN	55	MET
38	BN	66	PHE
38	BN	69	ARG
38	BN	126	ARG
38	BN	141	LYS
38	BN	143	GLU
39	BO	20	LEU
39	BO	22	GLN
39	BO	31	PHE
39	BO	59	ARG
39	BO	73	ILE
39	BO	108	VAL
39	BO	132	THR
40	BP	3	HIS
40	BP	70	THR
40	BP	94	TYR
40	BP	107	ASN
40	BP	118	ARG
41	BQ	56	LYS
41	BQ	88	LYS
41	BQ	117	PHE
42	BR	20	ARG
42	BR	39	LEU
42	BR	43	GLU
42	BR	50	ARG
42	BR	102	ARG
43	BS	56	PHE
44	BT	10	LYS
44	BT	11	GLN
44	BT	47	VAL
44	BT	84	ARG
44	BT	94	THR
45	BU	50	VAL
45	BU	70	LYS
45	BU	95	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
46	BV	9	LYS
46	BV	15	HIS
46	BV	39	THR
46	BV	61	LEU
46	BV	72	GLN
46	BV	80	TRP
46	BV	87	LEU
47	BW	71	ILE
47	BW	86	PHE
47	BW	93	ARG
47	BW	94	PHE
47	BW	96	LYS
48	BX	1	MET
48	BX	10	LYS
48	BX	19	ARG
48	BX	49	ASN
48	BX	73	LYS
49	BY	10	ARG
49	BY	13	ARG
49	BY	29	SER
49	BY	42	THR
49	BY	59	PHE
50	BZ	32	LEU
51	B0	1	MET
51	B0	6	LEU
51	B0	24	GLU
51	B0	56	LEU
51	B0	60	LYS
52	B1	5	LYS
52	B1	15	ARG
52	B1	29	ARG
52	B1	33	HIS
52	B1	43	ILE
53	B2	11	GLU
53	B2	24	ILE
53	B2	31	ASP
53	B2	41	HIS
53	B2	43	PHE
53	B2	49	ARG
53	B2	58	ASP
54	B3	2	VAL
54	B3	27	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
54	B3	47	TYR
55	B4	37	LYS
56	B5	7	PRO
56	B5	41	ARG
56	B5	42	LEU
57	B6	1	PRO
57	B6	34	LYS
57	B6	46	LYS
57	B6	49	VAL
57	B6	60	CYS
58	B7	1	MET
58	B7	12	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AA	1538/1542 (99%)	300 (19%)	101 (6%)
2	AB	74/76 (97%)	24 (32%)	7 (9%)
25	BA	119/120 (99%)	17 (14%)	10 (8%)
26	BB	2898/2904 (99%)	525 (18%)	177 (6%)
3	AC	46/47 (97%)	23 (50%)	12 (26%)
4	AD	76/77 (98%)	10 (13%)	5 (6%)
All	All	4751/4766 (99%)	899 (18%)	312 (6%)

All (899) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AA	3	A
1	AA	4	U
1	AA	5	U
1	AA	6	G
1	AA	7	A
1	AA	8	A
1	AA	9	G
1	AA	32	A
1	AA	36	C
1	AA	48	C
1	AA	51	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	52	C
1	AA	53	A
1	AA	54	C
1	AA	61	G
1	AA	83	C
1	AA	87	C
1	AA	98	A
1	AA	108	G
1	AA	109	A
1	AA	121	U
1	AA	123	U
1	AA	129	A
1	AA	131	A
1	AA	153	C
1	AA	164	G
1	AA	166	U
1	AA	171	A
1	AA	174	A
1	AA	182	A
1	AA	184	G
1	AA	188	C
1	AA	197	A
1	AA	204	G
1	AA	209	U
1	AA	210	C
1	AA	212	G
1	AA	225	C
1	AA	228	A
1	AA	229	U
1	AA	239	U
1	AA	244	U
1	AA	245	U
1	AA	247	G
1	AA	250	A
1	AA	251	G
1	AA	252	U
1	AA	262	A
1	AA	266	G
1	AA	267	C
1	AA	272	C
1	AA	280	C
1	AA	281	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	282	A
1	AA	289	G
1	AA	293	G
1	AA	306	A
1	AA	307	C
1	AA	316	C
1	AA	317	U
1	AA	319	G
1	AA	328	C
1	AA	329	A
1	AA	332	G
1	AA	344	A
1	AA	345	C
1	AA	352	C
1	AA	353	A
1	AA	354	G
1	AA	360	G
1	AA	367	U
1	AA	372	C
1	AA	373	A
1	AA	374	A
1	AA	381	C
1	AA	384	G
1	AA	389	A
1	AA	390	U
1	AA	392	C
1	AA	395	C
1	AA	398	U
1	AA	406	G
1	AA	411	A
1	AA	412	A
1	AA	413	G
1	AA	415	A
1	AA	421	U
1	AA	422	C
1	AA	429	U
1	AA	444	G
1	AA	463	U
1	AA	464	U
1	AA	466	A
1	AA	467	U
1	AA	468	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	479	U
1	AA	481	G
1	AA	485	U
1	AA	486	U
1	AA	496	A
1	AA	497	G
1	AA	498	A
1	AA	505	G
1	AA	508	U
1	AA	510	A
1	AA	518	C
1	AA	528	C
1	AA	532	A
1	AA	533	A
1	AA	534	U
1	AA	535	A
1	AA	547	A
1	AA	552	U
1	AA	553	A
1	AA	560	A
1	AA	561	U
1	AA	566	G
1	AA	572	A
1	AA	573	A
1	AA	575	G
1	AA	576	C
1	AA	577	G
1	AA	578	C
1	AA	583	A
1	AA	615	G
1	AA	631	C
1	AA	632	U
1	AA	633	G
1	AA	636	U
1	AA	642	A
1	AA	650	G
1	AA	653	U
1	AA	682	G
1	AA	687	A
1	AA	688	G
1	AA	702	A
1	AA	718	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	719	C
1	AA	724	G
1	AA	729	A
1	AA	755	G
1	AA	760	G
1	AA	765	G
1	AA	766	A
1	AA	783	C
1	AA	791	G
1	AA	793	U
1	AA	805	C
1	AA	810	C
1	AA	812	G
1	AA	815	A
1	AA	816	A
1	AA	817	C
1	AA	820	U
1	AA	821	G
1	AA	828	U
1	AA	829	G
1	AA	834	U
1	AA	841	C
1	AA	842	U
1	AA	843	U
1	AA	844	G
1	AA	845	A
1	AA	846	G
1	AA	870	U
1	AA	871	U
1	AA	873	A
1	AA	874	G
1	AA	876	C
1	AA	890	G
1	AA	899	C
1	AA	900	A
1	AA	910	C
1	AA	914	A
1	AA	926	G
1	AA	927	G
1	AA	933	G
1	AA	938	A
1	AA	939	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	945	G
1	AA	960	U
1	AA	961	U
1	AA	962	C
1	AA	966	2MG
1	AA	968	A
1	AA	969	A
1	AA	973	G
1	AA	974	A
1	AA	975	A
1	AA	977	A
1	AA	978	A
1	AA	981	U
1	AA	984	C
1	AA	992	U
1	AA	993	G
1	AA	994	A
1	AA	995	C
1	AA	1004	A
1	AA	1006	G
1	AA	1015	G
1	AA	1026	G
1	AA	1028	C
1	AA	1030	U
1	AA	1031	C
1	AA	1050	G
1	AA	1054	C
1	AA	1055	A
1	AA	1064	G
1	AA	1065	U
1	AA	1081	A
1	AA	1094	G
1	AA	1095	U
1	AA	1101	A
1	AA	1109	C
1	AA	1118	U
1	AA	1130	A
1	AA	1135	U
1	AA	1137	C
1	AA	1139	G
1	AA	1149	C
1	AA	1152	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	1154	G
1	AA	1159	U
1	AA	1168	U
1	AA	1181	G
1	AA	1197	A
1	AA	1198	G
1	AA	1200	C
1	AA	1201	A
1	AA	1202	U
1	AA	1208	C
1	AA	1212	U
1	AA	1213	A
1	AA	1214	C
1	AA	1215	G
1	AA	1223	C
1	AA	1224	U
1	AA	1226	C
1	AA	1227	A
1	AA	1228	C
1	AA	1238	A
1	AA	1240	U
1	AA	1250	A
1	AA	1254	A
1	AA	1256	A
1	AA	1258	G
1	AA	1264	U
1	AA	1267	C
1	AA	1270	G
1	AA	1278	G
1	AA	1280	A
1	AA	1286	U
1	AA	1290	G
1	AA	1297	G
1	AA	1300	G
1	AA	1301	U
1	AA	1303	C
1	AA	1305	G
1	AA	1315	U
1	AA	1317	C
1	AA	1318	A
1	AA	1319	A
1	AA	1322	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	1336	C
1	AA	1340	A
1	AA	1345	U
1	AA	1346	A
1	AA	1347	G
1	AA	1348	U
1	AA	1360	A
1	AA	1362	A
1	AA	1364	U
1	AA	1368	A
1	AA	1378	C
1	AA	1397	C
1	AA	1401	G
1	AA	1431	A
1	AA	1432	G
1	AA	1437	A
1	AA	1446	A
1	AA	1448	C
1	AA	1452	C
1	AA	1453	G
1	AA	1454	G
1	AA	1457	G
1	AA	1490	U
1	AA	1492	A
1	AA	1493	A
1	AA	1494	G
1	AA	1502	A
1	AA	1503	A
1	AA	1505	G
1	AA	1506	U
1	AA	1529	G
1	AA	1530	G
1	AA	1534	A
1	AA	1535	C
1	AA	1537	U
1	AA	1539	C
1	AA	1540	U
2	AB	8	4SU
2	AB	9	A
2	AB	10	G
2	AB	11	U
2	AB	17	H2U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	AB	20	H2U
2	AB	21	A
2	AB	23	A
2	AB	24	G
2	AB	34	C
2	AB	35	C
2	AB	36	A
2	AB	46	7MG
2	AB	47	U
2	AB	48	U
2	AB	49	G
2	AB	58	A
2	AB	59	G
2	AB	60	U
2	AB	61	C
2	AB	73	G
2	AB	74	C
2	AB	75	C
2	AB	76	A
3	AC	14	G
3	AC	15	G
3	AC	16	A
3	AC	20	G
3	AC	21	U
3	AC	23	C
3	AC	25	U
3	AC	26	U
3	AC	27	A
3	AC	28	U
3	AC	29	G
3	AC	31	U
3	AC	33	A
3	AC	34	U
3	AC	40	G
3	AC	42	U
3	AC	43	U
3	AC	46	C
3	AC	47	C
3	AC	48	C
3	AC	50	U
3	AC	51	C
3	AC	53	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	AD	8	4SU
4	AD	18	U
4	AD	20	G
4	AD	22	A
4	AD	38	A
4	AD	49	C
4	AD	50	G
4	AD	75	C
4	AD	76	C
4	AD	77	A
25	BA	9	G
25	BA	13	G
25	BA	14	U
25	BA	25	U
25	BA	26	C
25	BA	35	C
25	BA	41	G
25	BA	42	C
25	BA	44	G
25	BA	51	G
25	BA	58	A
25	BA	66	A
25	BA	67	G
25	BA	73	A
25	BA	88	C
25	BA	99	A
25	BA	120	U
26	BB	13	A
26	BB	14	A
26	BB	18	U
26	BB	30	G
26	BB	34	U
26	BB	35	G
26	BB	42	A
26	BB	43	G
26	BB	45	G
26	BB	46	G
26	BB	49	A
26	BB	71	A
26	BB	72	U
26	BB	75	G
26	BB	85	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	91	A
26	BB	92	U
26	BB	95	A
26	BB	98	G
26	BB	100	U
26	BB	101	A
26	BB	102	U
26	BB	103	A
26	BB	113	U
26	BB	115	C
26	BB	119	A
26	BB	120	U
26	BB	128	C
26	BB	155	A
26	BB	181	A
26	BB	194	G
26	BB	196	A
26	BB	197	A
26	BB	199	A
26	BB	204	A
26	BB	205	G
26	BB	215	G
26	BB	216	A
26	BB	218	A
26	BB	222	A
26	BB	224	U
26	BB	225	C
26	BB	232	G
26	BB	242	G
26	BB	243	U
26	BB	248	G
26	BB	250	G
26	BB	255	A
26	BB	265	A
26	BB	266	G
26	BB	267	C
26	BB	271	G
26	BB	277	G
26	BB	294	A
26	BB	295	G
26	BB	311	A
26	BB	330	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	332	A
26	BB	333	G
26	BB	338	G
26	BB	369	U
26	BB	370	G
26	BB	371	A
26	BB	372	G
26	BB	386	G
26	BB	391	A
26	BB	396	G
26	BB	403	U
26	BB	405	U
26	BB	406	G
26	BB	411	G
26	BB	418	C
26	BB	424	G
26	BB	431	U
26	BB	436	C
26	BB	443	A
26	BB	444	C
26	BB	452	G
26	BB	454	A
26	BB	456	C
26	BB	472	A
26	BB	479	A
26	BB	480	A
26	BB	481	G
26	BB	484	C
26	BB	489	G
26	BB	504	A
26	BB	505	A
26	BB	508	A
26	BB	509	C
26	BB	527	C
26	BB	530	G
26	BB	531	C
26	BB	532	A
26	BB	546	U
26	BB	547	A
26	BB	548	G
26	BB	550	C
26	BB	562	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	563	A
26	BB	571	U
26	BB	573	U
26	BB	574	A
26	BB	575	A
26	BB	603	A
26	BB	604	G
26	BB	612	G
26	BB	613	A
26	BB	615	U
26	BB	621	A
26	BB	635	C
26	BB	637	A
26	BB	642	U
26	BB	643	A
26	BB	644	A
26	BB	645	C
26	BB	646	U
26	BB	654	A
26	BB	655	A
26	BB	671	C
26	BB	675	A
26	BB	686	U
26	BB	696	G
26	BB	718	A
26	BB	719	C
26	BB	728	G
26	BB	730	A
26	BB	732	C
26	BB	736	C
26	BB	746	PSU
26	BB	747	5MU
26	BB	748	G
26	BB	749	A
26	BB	753	A
26	BB	758	C
26	BB	762	U
26	BB	763	G
26	BB	764	A
26	BB	775	G
26	BB	776	G
26	BB	777	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	782	A
26	BB	784	G
26	BB	786	C
26	BB	789	A
26	BB	793	A
26	BB	802	A
26	BB	805	G
26	BB	806	C
26	BB	812	C
26	BB	846	U
26	BB	847	U
26	BB	848	C
26	BB	859	G
26	BB	870	U
26	BB	888	C
26	BB	889	C
26	BB	894	U
26	BB	896	A
26	BB	897	C
26	BB	901	C
26	BB	910	A
26	BB	915	C
26	BB	925	A
26	BB	932	U
26	BB	933	A
26	BB	938	G
26	BB	941	A
26	BB	945	A
26	BB	946	C
26	BB	958	U
26	BB	959	A
26	BB	961	C
26	BB	973	A
26	BB	974	G
26	BB	981	A
26	BB	982	C
26	BB	984	A
26	BB	985	C
26	BB	986	C
26	BB	990	A
26	BB	991	C
26	BB	995	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	996	A
26	BB	1002	G
26	BB	1005	C
26	BB	1008	A
26	BB	1010	A
26	BB	1013	C
26	BB	1022	G
26	BB	1025	G
26	BB	1026	G
26	BB	1044	C
26	BB	1045	C
26	BB	1048	A
26	BB	1060	U
26	BB	1061	U
26	BB	1062	G
26	BB	1070	A
26	BB	1073	A
26	BB	1079	C
26	BB	1081	U
26	BB	1083	U
26	BB	1084	A
26	BB	1087	G
26	BB	1094	U
26	BB	1095	A
26	BB	1098	A
26	BB	1104	C
26	BB	1109	C
26	BB	1110	G
26	BB	1112	G
26	BB	1123	C
26	BB	1128	G
26	BB	1129	A
26	BB	1130	U
26	BB	1132	U
26	BB	1135	C
26	BB	1143	A
26	BB	1157	G
26	BB	1158	C
26	BB	1173	U
26	BB	1177	G
26	BB	1184	U
26	BB	1204	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	1211	C
26	BB	1236	G
26	BB	1237	A
26	BB	1238	G
26	BB	1239	G
26	BB	1241	A
26	BB	1253	A
26	BB	1254	A
26	BB	1255	U
26	BB	1256	G
26	BB	1266	G
26	BB	1272	A
26	BB	1274	A
26	BB	1275	A
26	BB	1283	G
26	BB	1284	A
26	BB	1300	G
26	BB	1301	A
26	BB	1302	A
26	BB	1303	G
26	BB	1307	A
26	BB	1308	A
26	BB	1318	U
26	BB	1323	C
26	BB	1329	U
26	BB	1341	G
26	BB	1349	C
26	BB	1362	C
26	BB	1363	C
26	BB	1365	A
26	BB	1368	G
26	BB	1378	A
26	BB	1379	U
26	BB	1383	A
26	BB	1385	A
26	BB	1386	C
26	BB	1392	A
26	BB	1395	A
26	BB	1396	U
26	BB	1416	G
26	BB	1417	C
26	BB	1420	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	1421	G
26	BB	1452	G
26	BB	1453	A
26	BB	1454	C
26	BB	1458	U
26	BB	1459	G
26	BB	1460	U
26	BB	1461	C
26	BB	1482	G
26	BB	1509	A
26	BB	1514	G
26	BB	1522	A
26	BB	1523	U
26	BB	1524	G
26	BB	1552	A
26	BB	1558	C
26	BB	1565	C
26	BB	1566	A
26	BB	1567	G
26	BB	1568	G
26	BB	1578	U
26	BB	1584	U
26	BB	1585	C
26	BB	1608	A
26	BB	1610	A
26	BB	1612	C
26	BB	1614	A
26	BB	1616	A
26	BB	1617	C
26	BB	1635	A
26	BB	1636	U
26	BB	1646	C
26	BB	1648	U
26	BB	1649	G
26	BB	1653	G
26	BB	1669	A
26	BB	1674	G
26	BB	1675	C
26	BB	1713	A
26	BB	1715	G
26	BB	1724	G
26	BB	1730	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	1737	G
26	BB	1753	G
26	BB	1758	U
26	BB	1760	C
26	BB	1762	A
26	BB	1763	G
26	BB	1764	C
26	BB	1773	A
26	BB	1780	A
26	BB	1782	U
26	BB	1800	C
26	BB	1801	A
26	BB	1808	A
26	BB	1809	A
26	BB	1815	A
26	BB	1825	U
26	BB	1830	C
26	BB	1831	G
26	BB	1833	C
26	BB	1838	C
26	BB	1851	U
26	BB	1873	G
26	BB	1899	A
26	BB	1912	A
26	BB	1913	A
26	BB	1914	C
26	BB	1916	A
26	BB	1928	A
26	BB	1930	G
26	BB	1937	A
26	BB	1938	A
26	BB	1941	C
26	BB	1944	U
26	BB	1952	A
26	BB	1955	U
26	BB	1963	U
26	BB	1964	G
26	BB	1965	C
26	BB	1967	C
26	BB	1968	G
26	BB	1970	A
26	BB	1971	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	1972	G
26	BB	1982	U
26	BB	1993	U
26	BB	1996	C
26	BB	2004	G
26	BB	2012	G
26	BB	2020	A
26	BB	2021	C
26	BB	2023	C
26	BB	2032	G
26	BB	2034	U
26	BB	2040	G
26	BB	2043	C
26	BB	2056	G
26	BB	2059	A
26	BB	2061	G
26	BB	2062	A
26	BB	2069	7MG
26	BB	2077	A
26	BB	2084	C
26	BB	2095	A
26	BB	2107	G
26	BB	2111	U
26	BB	2112	G
26	BB	2118	U
26	BB	2119	A
26	BB	2127	G
26	BB	2128	G
26	BB	2129	C
26	BB	2130	U
26	BB	2134	A
26	BB	2137	U
26	BB	2143	C
26	BB	2145	C
26	BB	2148	G
26	BB	2154	A
26	BB	2158	A
26	BB	2163	A
26	BB	2164	C
26	BB	2165	C
26	BB	2198	A
26	BB	2199	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	2203	U
26	BB	2204	G
26	BB	2211	A
26	BB	2212	A
26	BB	2213	U
26	BB	2214	C
26	BB	2215	C
26	BB	2224	G
26	BB	2225	A
26	BB	2237	G
26	BB	2238	G
26	BB	2239	G
26	BB	2246	G
26	BB	2249	U
26	BB	2250	G
26	BB	2254	C
26	BB	2266	A
26	BB	2282	G
26	BB	2283	C
26	BB	2287	A
26	BB	2288	A
26	BB	2306	C
26	BB	2307	G
26	BB	2308	G
26	BB	2312	U
26	BB	2321	U
26	BB	2322	A
26	BB	2325	G
26	BB	2334	U
26	BB	2335	A
26	BB	2340	A
26	BB	2345	G
26	BB	2346	A
26	BB	2347	C
26	BB	2350	C
26	BB	2354	C
26	BB	2358	A
26	BB	2383	G
26	BB	2385	C
26	BB	2389	G
26	BB	2390	U
26	BB	2402	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	2406	A
26	BB	2407	A
26	BB	2411	A
26	BB	2426	A
26	BB	2427	C
26	BB	2428	G
26	BB	2429	G
26	BB	2433	A
26	BB	2435	A
26	BB	2441	U
26	BB	2448	A
26	BB	2449	H2U
26	BB	2450	A
26	BB	2472	G
26	BB	2473	U
26	BB	2476	A
26	BB	2478	A
26	BB	2486	C
26	BB	2491	U
26	BB	2493	U
26	BB	2494	G
26	BB	2502	G
26	BB	2504	PSU
26	BB	2505	G
26	BB	2515	C
26	BB	2516	A
26	BB	2518	A
26	BB	2519	U
26	BB	2530	A
26	BB	2547	A
26	BB	2566	A
26	BB	2567	G
26	BB	2572	A
26	BB	2573	C
26	BB	2574	G
26	BB	2581	G
26	BB	2585	U
26	BB	2587	A
26	BB	2599	G
26	BB	2603	G
26	BB	2610	C
26	BB	2613	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	2616	C
26	BB	2629	U
26	BB	2639	A
26	BB	2654	A
26	BB	2655	G
26	BB	2656	U
26	BB	2664	G
26	BB	2665	A
26	BB	2685	G
26	BB	2689	U
26	BB	2690	U
26	BB	2714	G
26	BB	2737	G
26	BB	2739	U
26	BB	2742	G
26	BB	2744	G
26	BB	2757	A
26	BB	2765	A
26	BB	2766	A
26	BB	2769	U
26	BB	2771	C
26	BB	2774	C
26	BB	2777	G
26	BB	2778	A
26	BB	2779	U
26	BB	2782	G
26	BB	2791	G
26	BB	2797	U
26	BB	2800	A
26	BB	2807	U
26	BB	2823	A
26	BB	2825	G
26	BB	2832	U
26	BB	2833	U
26	BB	2842	G
26	BB	2858	C
26	BB	2861	U
26	BB	2864	G
26	BB	2867	G
26	BB	2868	A
26	BB	2879	A
26	BB	2880	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	2883	A
26	BB	2885	G
26	BB	2889	C
26	BB	2893	A
26	BB	2895	G
26	BB	2903	U

All (312) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	AA	3	A
1	AA	4	U
1	AA	5	U
1	AA	39	G
1	AA	50	A
1	AA	51	A
1	AA	84	U
1	AA	101	A
1	AA	110	C
1	AA	128	G
1	AA	129	A
1	AA	173	U
1	AA	178	C
1	AA	181	A
1	AA	187	G
1	AA	206	C
1	AA	224	U
1	AA	243	A
1	AA	244	U
1	AA	249	U
1	AA	251	G
1	AA	272	C
1	AA	279	A
1	AA	280	C
1	AA	281	G
1	AA	290	C
1	AA	328	C
1	AA	337	G
1	AA	366	A
1	AA	372	C
1	AA	410	G
1	AA	421	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	429	U
1	AA	481	G
1	AA	485	U
1	AA	497	G
1	AA	509	A
1	AA	533	A
1	AA	534	U
1	AA	548	G
1	AA	552	U
1	AA	560	A
1	AA	582	C
1	AA	631	C
1	AA	653	U
1	AA	681	A
1	AA	682	G
1	AA	700	G
1	AA	717	U
1	AA	744	C
1	AA	764	C
1	AA	765	G
1	AA	782	A
1	AA	803	G
1	AA	815	A
1	AA	816	A
1	AA	840	C
1	AA	842	U
1	AA	845	A
1	AA	870	U
1	AA	897	C
1	AA	899	C
1	AA	926	G
1	AA	931	C
1	AA	937	A
1	AA	944	G
1	AA	960	U
1	AA	968	A
1	AA	974	A
1	AA	977	A
1	AA	987	G
1	AA	992	U
1	AA	993	G
1	AA	1014	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	1029	U
1	AA	1030	U
1	AA	1042	A
1	AA	1054	C
1	AA	1126	U
1	AA	1129	C
1	AA	1167	A
1	AA	1190	G
1	AA	1201	A
1	AA	1213	A
1	AA	1214	C
1	AA	1226	C
1	AA	1227	A
1	AA	1253	G
1	AA	1278	G
1	AA	1289	A
1	AA	1302	C
1	AA	1310	G
1	AA	1329	A
1	AA	1335	U
1	AA	1346	A
1	AA	1347	G
1	AA	1364	U
1	AA	1451	U
1	AA	1491	G
1	AA	1502	A
1	AA	1536	C
2	AB	8	4SU
2	AB	9	A
2	AB	15	A
2	AB	34	C
2	AB	58	A
2	AB	59	G
2	AB	74	C
3	AC	14	G
3	AC	15	G
3	AC	16	A
3	AC	20	G
3	AC	22	G
3	AC	26	U
3	AC	27	A
3	AC	39	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	AC	41	A
3	AC	45	G
3	AC	47	C
3	AC	50	U
4	AD	9	G
4	AD	22	A
4	AD	74	A
4	AD	75	C
4	AD	76	C
25	BA	11	C
25	BA	25	U
25	BA	34	A
25	BA	35	C
25	BA	41	G
25	BA	44	G
25	BA	57	A
25	BA	66	A
25	BA	87	U
25	BA	106	G
26	BB	13	A
26	BB	26	G
26	BB	29	U
26	BB	34	U
26	BB	48	G
26	BB	49	A
26	BB	54	G
26	BB	57	C
26	BB	71	A
26	BB	91	A
26	BB	94	A
26	BB	100	U
26	BB	114	U
26	BB	125	A
26	BB	140	C
26	BB	180	G
26	BB	181	A
26	BB	196	A
26	BB	199	A
26	BB	228	C
26	BB	231	A
26	BB	241	A
26	BB	242	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	253	C
26	BB	265	A
26	BB	311	A
26	BB	332	A
26	BB	374	A
26	BB	428	A
26	BB	443	A
26	BB	451	U
26	BB	453	A
26	BB	463	G
26	BB	479	A
26	BB	505	A
26	BB	530	G
26	BB	534	U
26	BB	561	G
26	BB	574	A
26	BB	575	A
26	BB	603	A
26	BB	611	C
26	BB	620	G
26	BB	628	G
26	BB	635	C
26	BB	642	U
26	BB	671	C
26	BB	680	C
26	BB	743	A
26	BB	748	G
26	BB	776	G
26	BB	787	C
26	BB	788	A
26	BB	847	U
26	BB	870	U
26	BB	888	C
26	BB	900	A
26	BB	940	G
26	BB	945	A
26	BB	981	A
26	BB	984	A
26	BB	990	A
26	BB	1012	U
26	BB	1020	A
26	BB	1035	U

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	1043	C
26	BB	1045	C
26	BB	1056	G
26	BB	1061	U
26	BB	1067	A
26	BB	1069	A
26	BB	1070	A
26	BB	1083	U
26	BB	1133	A
26	BB	1134	A
26	BB	1142	A
26	BB	1157	G
26	BB	1210	G
26	BB	1239	G
26	BB	1254	A
26	BB	1288	G
26	BB	1300	G
26	BB	1323	C
26	BB	1329	U
26	BB	1339	G
26	BB	1349	C
26	BB	1355	G
26	BB	1386	C
26	BB	1391	U
26	BB	1395	A
26	BB	1416	G
26	BB	1451	C
26	BB	1452	G
26	BB	1460	U
26	BB	1476	U
26	BB	1566	A
26	BB	1567	G
26	BB	1608	A
26	BB	1616	A
26	BB	1634	A
26	BB	1648	U
26	BB	1653	G
26	BB	1693	U
26	BB	1697	G
26	BB	1699	G
26	BB	1714	U
26	BB	1715	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	1723	G
26	BB	1753	G
26	BB	1758	U
26	BB	1778	U
26	BB	1799	G
26	BB	1807	G
26	BB	1828	G
26	BB	1888	G
26	BB	1912	A
26	BB	1919	A
26	BB	1927	A
26	BB	1934	C
26	BB	1940	U
26	BB	1944	U
26	BB	1955	U
26	BB	2019	A
26	BB	2033	A
26	BB	2055	C
26	BB	2068	U
26	BB	2079	U
26	BB	2106	U
26	BB	2111	U
26	BB	2112	G
26	BB	2118	U
26	BB	2129	C
26	BB	2198	A
26	BB	2223	G
26	BB	2236	U
26	BB	2238	G
26	BB	2249	U
26	BB	2282	G
26	BB	2287	A
26	BB	2307	G
26	BB	2370	G
26	BB	2374	C
26	BB	2384	U
26	BB	2385	C
26	BB	2388	A
26	BB	2395	C
26	BB	2406	A
26	BB	2411	A
26	BB	2425	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	BB	2427	C
26	BB	2432	A
26	BB	2434	A
26	BB	2440	C
26	BB	2447	G
26	BB	2515	C
26	BB	2571	U
26	BB	2573	C
26	BB	2585	U
26	BB	2586	U
26	BB	2613	U
26	BB	2616	C
26	BB	2627	G
26	BB	2655	G
26	BB	2663	G
26	BB	2697	G
26	BB	2756	U
26	BB	2765	A
26	BB	2771	C
26	BB	2791	G
26	BB	2802	G
26	BB	2806	C
26	BB	2833	U
26	BB	2835	A
26	BB	2842	G
26	BB	2867	G
26	BB	2879	A
26	BB	2893	A

5.4 Non-standard residues in protein, DNA, RNA chains

49 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	2MG	AA	1207	1	18,26,27	2.01	6 (33%)	21,38,41	3.30	8 (38%)
1	4OC	AA	1402	1	15,23,24	2.05	5 (33%)	21,32,35	2.84	8 (38%)
1	5MC	AA	1407	1	14,22,23	1.45	3 (21%)	17,32,35	1.97	4 (23%)
1	UR3	AA	1498	1	13,22,23	1.05	0	18,32,35	1.38	3 (16%)
1	2MG	AA	1516	1	18,26,27	1.62	4 (22%)	21,38,41	3.51	9 (42%)
1	MA6	AA	1518	1	18,26,27	1.73	4 (22%)	15,38,41	1.81	3 (20%)
1	MA6	AA	1519	1	18,26,27	2.07	8 (44%)	15,38,41	2.05	5 (33%)
1	PSU	AA	516	1	15,21,22	2.25	5 (33%)	16,30,33	4.06	4 (25%)
1	7MG	AA	527	1	20,26,27	3.01	6 (30%)	23,39,42	3.05	6 (26%)
1	2MG	AA	966	1	18,26,27	1.73	6 (33%)	21,38,41	3.82	10 (47%)
1	5MC	AA	967	1	14,22,23	1.71	4 (28%)	17,32,35	2.36	6 (35%)
2	H2U	AB	16	2	17,21,22	1.47	3 (17%)	23,30,33	1.23	2 (8%)
2	H2U	AB	17	2	17,21,22	1.44	1 (5%)	23,30,33	1.94	4 (17%)
2	H2U	AB	20	2	17,21,22	1.28	2 (11%)	23,30,33	1.70	4 (17%)
2	OMC	AB	32	2	15,22,23	1.11	2 (13%)	20,31,34	2.27	4 (20%)
2	MIA	AB	37	2	22,31,32	1.90	4 (18%)	26,44,47	3.07	6 (23%)
2	7MG	AB	46	2	20,26,27	3.11	8 (40%)	23,39,42	2.75	5 (21%)
2	5MU	AB	54	2	13,22,23	2.08	7 (53%)	16,32,35	3.04	2 (12%)
2	PSU	AB	55	2	15,21,22	2.21	3 (20%)	16,30,33	4.85	6 (37%)
2	4SU	AB	8	2	12,21,22	2.23	5 (41%)	15,30,33	2.18	4 (26%)
4	H2U	AD	21	4	17,21,22	1.82	4 (23%)	23,30,33	1.96	7 (30%)
4	OMC	AD	33	4	15,22,23	1.49	3 (20%)	20,31,34	3.24	5 (25%)
4	5MU	AD	55	4	13,22,23	2.12	3 (23%)	16,32,35	4.19	4 (25%)
4	PSU	AD	56	4	15,21,22	1.69	6 (40%)	16,30,33	3.84	6 (37%)
4	4SU	AD	8	4	12,21,22	1.83	3 (25%)	15,30,33	1.99	4 (26%)
26	6MZ	BB	1618	26	17,25,26	2.03	6 (35%)	15,36,39	2.05	4 (26%)
26	2MG	BB	1835	26	18,26,27	2.07	5 (27%)	21,38,41	2.37	6 (28%)
26	PSU	BB	1911	26	15,21,22	2.15	4 (26%)	16,30,33	2.79	6 (37%)
26	3TD	BB	1915	26	15,22,23	1.74	4 (26%)	17,32,35	1.74	3 (17%)
26	PSU	BB	1917	26	15,21,22	3.07	7 (46%)	16,30,33	3.89	9 (56%)
26	5MU	BB	1939	26	13,22,23	1.73	1 (7%)	16,32,35	6.08	2 (12%)
26	5MC	BB	1962	26	14,22,23	1.43	3 (21%)	17,32,35	1.29	1 (5%)
26	6MZ	BB	2030	26	17,25,26	1.61	3 (17%)	15,36,39	2.43	4 (26%)
26	7MG	BB	2069	26	20,26,27	2.16	4 (20%)	23,39,42	2.62	6 (26%)
26	OMG	BB	2251	26	18,26,27	1.66	5 (27%)	21,38,41	2.19	9 (42%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
26	2MG	BB	2445	26	18,26,27	1.43	3 (16%)	21,38,41	3.06	8 (38%)
26	H2U	BB	2449	26	17,21,22	1.50	3 (17%)	23,30,33	1.72	4 (17%)
26	PSU	BB	2457	26	15,21,22	1.92	5 (33%)	16,30,33	5.07	7 (43%)
26	OMC	BB	2498	26	15,22,23	1.41	3 (20%)	20,31,34	1.19	2 (10%)
26	2MA	BB	2503	26	17,25,26	1.74	3 (17%)	18,37,40	2.24	5 (27%)
26	PSU	BB	2504	26	15,21,22	2.47	6 (40%)	16,30,33	4.51	9 (56%)
26	OMU	BB	2552	26	14,22,23	1.55	2 (14%)	19,31,34	2.93	6 (31%)
26	CH	BB	2575	26	14,21,22	2.16	4 (28%)	18,30,33	2.63	6 (33%)
26	PSU	BB	2580	26	15,21,22	2.03	4 (26%)	16,30,33	3.69	7 (43%)
26	PSU	BB	2605	26	15,21,22	2.64	5 (33%)	16,30,33	3.48	5 (31%)
26	1MG	BB	745	26	17,26,27	1.88	5 (29%)	19,39,42	2.45	7 (36%)
26	PSU	BB	746	26	15,21,22	3.03	5 (33%)	16,30,33	3.41	5 (31%)
26	5MU	BB	747	26	13,22,23	1.75	4 (30%)	16,32,35	4.52	7 (43%)
26	PSU	BB	955	26	15,21,22	2.12	3 (20%)	16,30,33	5.29	6 (37%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	2MG	AA	1207	1	-	0/5/27/28	0/3/3/3
1	4OC	AA	1402	1	-	0/7/29/30	0/2/2/2
1	5MC	AA	1407	1	-	0/3/25/26	0/2/2/2
1	UR3	AA	1498	1	-	0/3/25/26	0/2/2/2
1	2MG	AA	1516	1	-	0/5/27/28	0/3/3/3
1	MA6	AA	1518	1	-	0/7/29/30	0/3/3/3
1	MA6	AA	1519	1	-	0/7/29/30	0/3/3/3
1	PSU	AA	516	1	-	0/7/25/26	0/2/2/2
1	7MG	AA	527	1	-	0/7/37/38	0/3/3/3
1	2MG	AA	966	1	-	0/5/27/28	0/3/3/3
1	5MC	AA	967	1	-	0/3/25/26	0/2/2/2
2	H2U	AB	16	2	-	0/7/38/39	0/2/2/2
2	H2U	AB	17	2	-	0/7/38/39	0/2/2/2
2	H2U	AB	20	2	-	0/7/38/39	0/2/2/2
2	OMC	AB	32	2	-	0/5/27/28	0/2/2/2
2	MIA	AB	37	2	-	0/11/33/34	0/3/3/3
2	7MG	AB	46	2	-	0/7/37/38	0/3/3/3
2	5MU	AB	54	2	-	0/3/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PSU	AB	55	2	-	0/7/25/26	0/2/2/2
2	4SU	AB	8	2	-	0/3/25/26	0/2/2/2
4	H2U	AD	21	4	-	0/7/38/39	0/2/2/2
4	OMC	AD	33	4	-	0/5/27/28	0/2/2/2
4	5MU	AD	55	4	-	0/3/25/26	0/2/2/2
4	PSU	AD	56	4	-	0/7/25/26	0/2/2/2
4	4SU	AD	8	4	-	0/3/25/26	0/2/2/2
26	6MZ	BB	1618	26	-	0/5/27/28	0/3/3/3
26	2MG	BB	1835	26	-	0/5/27/28	0/3/3/3
26	PSU	BB	1911	26	-	0/7/25/26	0/2/2/2
26	3TD	BB	1915	26	-	0/7/25/26	0/2/2/2
26	PSU	BB	1917	26	-	0/7/25/26	0/2/2/2
26	5MU	BB	1939	26	-	0/3/25/26	0/2/2/2
26	5MC	BB	1962	26	-	0/3/25/26	0/2/2/2
26	6MZ	BB	2030	26	-	0/5/27/28	0/3/3/3
26	7MG	BB	2069	26	-	0/7/37/38	0/3/3/3
26	OMG	BB	2251	26	-	0/5/27/28	0/3/3/3
26	2MG	BB	2445	26	-	0/5/27/28	0/3/3/3
26	H2U	BB	2449	26	-	0/7/38/39	0/2/2/2
26	PSU	BB	2457	26	-	0/7/25/26	0/2/2/2
26	OMC	BB	2498	26	-	0/5/27/28	0/2/2/2
26	2MA	BB	2503	26	-	0/3/25/26	0/3/3/3
26	PSU	BB	2504	26	-	0/7/25/26	0/2/2/2
26	OMU	BB	2552	26	-	0/5/27/28	0/2/2/2
26	CH	BB	2575	26	-	0/3/25/26	0/2/2/2
26	PSU	BB	2580	26	-	0/7/25/26	0/2/2/2
26	PSU	BB	2605	26	-	0/7/25/26	0/2/2/2
26	1MG	BB	745	26	-	0/3/25/26	0/3/3/3
26	PSU	BB	746	26	-	0/7/25/26	0/2/2/2
26	5MU	BB	747	26	-	0/3/25/26	0/2/2/2
26	PSU	BB	955	26	-	0/7/25/26	0/2/2/2

All (202) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	527	7MG	C8-N9	-10.96	1.29	1.45
2	AB	46	7MG	C8-N9	-9.33	1.31	1.45
26	BB	2069	7MG	C8-N9	-6.81	1.35	1.45
26	BB	2504	PSU	C2'-C1'	-5.67	1.48	1.53
26	BB	746	PSU	C6-C5	-4.75	1.31	1.38
1	AA	516	PSU	C2'-C1'	-4.64	1.49	1.53
26	BB	745	1MG	O4'-C4'	-4.29	1.35	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	1207	2MG	O4'-C1'	-4.15	1.35	1.41
26	BB	2457	PSU	C2'-C1'	-4.15	1.49	1.53
2	AB	17	H2U	C4-N3	-4.08	1.31	1.37
26	BB	2504	PSU	O4'-C1'	-3.85	1.38	1.44
26	BB	2504	PSU	C5-C1'	-3.74	1.49	1.52
26	BB	2251	OMG	C8-N7	-3.73	1.27	1.34
4	AD	8	4SU	C5-C4	-3.55	1.33	1.38
26	BB	746	PSU	C2'-C1'	-3.51	1.50	1.53
1	AA	1516	2MG	C2'-C1'	-3.46	1.48	1.53
1	AA	527	7MG	C8-N7	-3.46	1.27	1.43
26	BB	2575	CH	O4'-C4'	-3.39	1.37	1.45
1	AA	1518	MA6	C8-N7	-3.23	1.28	1.34
26	BB	2030	6MZ	C2'-C1'	-3.23	1.48	1.53
2	AB	20	H2U	O2'-C2'	-3.16	1.35	1.43
26	BB	2449	H2U	C6-C5	-3.14	1.47	1.52
4	AD	21	H2U	C2-N3	-3.09	1.32	1.38
26	BB	745	1MG	C2'-C1'	-3.07	1.48	1.53
26	BB	745	1MG	C8-N7	-3.01	1.28	1.34
2	AB	46	7MG	C8-N7	-3.01	1.29	1.43
1	AA	1516	2MG	C2-N2	-3.00	1.30	1.34
26	BB	1962	5MC	O4'-C4'	-3.00	1.38	1.45
26	BB	1911	PSU	O4'-C4'	-2.98	1.38	1.45
4	AD	55	5MU	O4'-C4'	-2.97	1.38	1.45
26	BB	2605	PSU	O4'-C4'	-2.93	1.38	1.45
26	BB	2504	PSU	O4'-C4'	-2.92	1.38	1.45
26	BB	2605	PSU	C2'-C1'	-2.85	1.51	1.53
26	BB	1915	3TD	C2'-C1'	-2.83	1.51	1.53
26	BB	2580	PSU	C5-C1'	-2.83	1.49	1.52
26	BB	747	5MU	O4'-C1'	-2.81	1.37	1.41
26	BB	1618	6MZ	O4'-C4'	-2.77	1.38	1.45
2	AB	20	H2U	C4-N3	-2.74	1.33	1.37
2	AB	37	MIA	C8-N7	-2.71	1.29	1.34
26	BB	1618	6MZ	C4-N3	-2.66	1.31	1.35
2	AB	54	5MU	C2'-C1'	-2.60	1.49	1.53
1	AA	1207	2MG	C5-C4	-2.59	1.34	1.40
26	BB	2498	OMC	O2'-C2'	-2.58	1.35	1.42
2	AB	46	7MG	O4'-C4'	-2.53	1.39	1.45
1	AA	966	2MG	C8-N7	-2.50	1.29	1.34
26	BB	2449	H2U	C6-N1	-2.49	1.43	1.47
26	BB	1917	PSU	O4'-C4'	-2.49	1.39	1.45
26	BB	2605	PSU	C6-C5	-2.48	1.35	1.38
2	AB	16	H2U	C2-N3	-2.47	1.33	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	2030	6MZ	C2-N1	-2.46	1.29	1.33
26	BB	2069	7MG	C8-N7	-2.43	1.32	1.43
1	AA	967	5MC	C5'-C4'	-2.41	1.43	1.51
1	AA	967	5MC	O2'-C2'	-2.40	1.37	1.43
1	AA	1402	4OC	C6-C5	-2.40	1.32	1.38
26	BB	2580	PSU	O4'-C1'	-2.36	1.40	1.44
1	AA	966	2MG	O2'-C2'	-2.35	1.37	1.43
1	AA	1518	MA6	O2'-C2'	-2.35	1.37	1.43
4	AD	56	PSU	O4-C4	-2.34	1.18	1.24
26	BB	2251	OMG	O3'-C3'	-2.33	1.37	1.43
26	BB	2575	CH	C6-C5	-2.32	1.33	1.38
2	AB	8	4SU	C5-C4	-2.32	1.35	1.38
1	AA	1207	2MG	C2-N2	-2.30	1.31	1.34
1	AA	966	2MG	C3'-C4'	-2.28	1.46	1.53
1	AA	1407	5MC	C2-N3	-2.27	1.33	1.38
26	BB	2503	2MA	O2'-C2'	-2.25	1.37	1.43
1	AA	1402	4OC	O4'-C4'	-2.25	1.39	1.45
1	AA	1518	MA6	O4'-C4'	-2.25	1.39	1.45
2	AB	54	5MU	O3'-C3'	-2.23	1.37	1.43
26	BB	1835	2MG	O2'-C2'	-2.21	1.37	1.43
26	BB	1835	2MG	O3'-C3'	-2.21	1.37	1.43
26	BB	2445	2MG	O4'-C4'	-2.20	1.40	1.45
26	BB	1618	6MZ	O2'-C2'	-2.18	1.37	1.43
2	AB	54	5MU	O2'-C2'	-2.18	1.37	1.43
26	BB	1911	PSU	O4'-C1'	-2.18	1.41	1.44
1	AA	967	5MC	O4'-C1'	-2.16	1.38	1.41
26	BB	955	PSU	O4'-C1'	-2.16	1.41	1.44
26	BB	1962	5MC	CM5-C5	-2.16	1.46	1.51
2	AB	8	4SU	C6-C5	-2.15	1.33	1.38
26	BB	2251	OMG	O4'-C1'	-2.15	1.38	1.41
4	AD	55	5MU	C3'-C4'	-2.10	1.47	1.53
4	AD	33	OMC	C6-C5	-2.06	1.33	1.38
1	AA	527	7MG	C2'-C1'	-2.05	1.47	1.53
26	BB	2457	PSU	O4'-C4'	-2.04	1.40	1.45
1	AA	1402	4OC	O3'-C3'	-2.03	1.38	1.43
1	AA	1407	5MC	O4'-C4'	-2.03	1.40	1.45
26	BB	2504	PSU	C6-C5	-2.03	1.35	1.38
2	AB	32	OMC	O3'-C3'	-2.01	1.38	1.43
2	AB	55	PSU	O4'-C1'	-2.01	1.41	1.44
1	AA	1519	MA6	O4'-C4'	-2.01	1.40	1.45
26	BB	747	5MU	O4'-C4'	-2.00	1.40	1.45
4	AD	56	PSU	O4'-C1'	-2.00	1.41	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	516	PSU	C5-C1'	2.01	1.54	1.52
1	AA	516	PSU	C6-N1	2.01	1.38	1.34
26	BB	2030	6MZ	O4'-C1'	2.03	1.44	1.41
4	AD	56	PSU	C4-N3	2.03	1.36	1.33
4	AD	56	PSU	C5'-C4'	2.04	1.58	1.51
26	BB	2445	2MG	CM2-N2	2.05	1.49	1.45
2	AB	54	5MU	O4'-C1'	2.06	1.44	1.41
26	BB	1917	PSU	C5'-C4'	2.07	1.58	1.51
26	BB	2449	H2U	O2-C2	2.08	1.27	1.23
26	BB	1911	PSU	C2-N1	2.09	1.42	1.38
1	AA	527	7MG	CM7-N7	2.09	1.49	1.46
26	BB	1618	6MZ	C5'-C4'	2.09	1.58	1.51
1	AA	966	2MG	C5'-C4'	2.14	1.58	1.51
1	AA	1519	MA6	O2'-C2'	2.17	1.48	1.43
26	BB	2457	PSU	C6-N1	2.18	1.39	1.34
26	BB	2457	PSU	C5'-C4'	2.20	1.58	1.51
1	AA	966	2MG	C6-C5	2.21	1.45	1.41
2	AB	54	5MU	C5'-C4'	2.23	1.58	1.51
2	AB	54	5MU	C5M-C5	2.23	1.55	1.51
2	AB	32	OMC	C5'-C4'	2.25	1.58	1.51
4	AD	33	OMC	O4'-C1'	2.28	1.44	1.41
26	BB	1917	PSU	C3'-C4'	2.28	1.59	1.53
26	BB	2069	7MG	C5'-C4'	2.29	1.59	1.51
4	AD	56	PSU	C2-N1	2.34	1.43	1.38
1	AA	1519	MA6	C5'-C4'	2.35	1.59	1.51
1	AA	1519	MA6	C9-N6	2.38	1.51	1.45
1	AA	1516	2MG	C6-C5	2.38	1.46	1.41
2	AB	16	H2U	C5-C4	2.39	1.55	1.50
26	BB	1962	5MC	C5-C4	2.39	1.45	1.41
2	AB	8	4SU	O2'-C2'	2.45	1.48	1.43
26	BB	2503	2MA	C2'-C1'	2.48	1.57	1.53
4	AD	21	H2U	C5-C4	2.53	1.56	1.50
1	AA	516	PSU	C2-N3	2.56	1.43	1.38
1	AA	1407	5MC	C5-C4	2.57	1.45	1.41
4	AD	56	PSU	C2'-C1'	2.59	1.56	1.53
2	AB	37	MIA	C6-N1	2.60	1.36	1.33
26	BB	1917	PSU	C6-N1	2.60	1.39	1.34
26	BB	747	5MU	C4-N3	2.62	1.37	1.33
26	BB	2251	OMG	C2-N1	2.62	1.40	1.35
26	BB	955	PSU	C6-N1	2.65	1.40	1.34
26	BB	745	1MG	C4-N3	2.65	1.39	1.35
26	BB	1915	3TD	C5-C1'	2.70	1.54	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BB	1835	2MG	C5'-C4'	2.73	1.60	1.51
1	AA	1516	2MG	C6-N1	2.74	1.38	1.33
2	AB	46	7MG	C6-C5	2.74	1.45	1.41
26	BB	2575	CH	C4-N3	2.75	1.40	1.35
26	BB	2498	OMC	C5'-C4'	2.75	1.60	1.51
4	AD	8	4SU	O4'-C1'	2.77	1.45	1.41
1	AA	1207	2MG	C4-N3	2.77	1.40	1.35
2	AB	37	MIA	C2-N3	2.79	1.38	1.34
1	AA	1207	2MG	CM2-N2	2.83	1.50	1.45
26	BB	2498	OMC	C6-N1	2.92	1.39	1.35
26	BB	1915	3TD	C4-N3	2.93	1.42	1.38
26	BB	2504	PSU	C3'-C4'	2.94	1.60	1.53
26	BB	2552	OMU	O4'-C1'	2.95	1.45	1.41
2	AB	46	7MG	C4-N3	2.97	1.38	1.34
1	AA	1519	MA6	C10-N6	3.01	1.52	1.45
26	BB	1915	3TD	C5'-C4'	3.02	1.61	1.51
26	BB	1835	2MG	O4'-C1'	3.12	1.45	1.41
26	BB	746	PSU	C4-N3	3.13	1.38	1.33
26	BB	2445	2MG	C6-N1	3.15	1.38	1.33
1	AA	1519	MA6	C6-N1	3.17	1.38	1.34
1	AA	527	7MG	C6-N1	3.20	1.38	1.33
26	BB	745	1MG	C6-N1	3.23	1.43	1.38
4	AD	8	4SU	C6-N1	3.31	1.40	1.35
26	BB	747	5MU	C2-N3	3.32	1.45	1.38
26	BB	1618	6MZ	C9-N6	3.37	1.51	1.45
26	BB	746	PSU	C6-N1	3.37	1.41	1.34
2	AB	16	H2U	O2-C2	3.39	1.29	1.23
1	AA	967	5MC	C5-C4	3.40	1.46	1.41
26	BB	2251	OMG	C6-N1	3.45	1.39	1.33
26	BB	2580	PSU	C6-N1	3.45	1.41	1.34
1	AA	1519	MA6	C2'-C1'	3.54	1.59	1.53
2	AB	46	7MG	C2-N1	3.54	1.42	1.35
2	AB	55	PSU	C4-N3	3.61	1.39	1.33
1	AA	527	7MG	C4-N3	3.66	1.39	1.34
1	AA	1207	2MG	C6-N1	3.74	1.39	1.33
1	AA	966	2MG	C6-N1	3.84	1.40	1.33
1	AA	1402	4OC	C6-N1	3.87	1.40	1.35
1	AA	1402	4OC	O4'-C1'	3.89	1.46	1.41
4	AD	33	OMC	C6-N1	3.93	1.40	1.35
4	AD	21	H2U	C1'-N1	3.93	1.54	1.45
26	BB	2457	PSU	C4-N3	3.94	1.40	1.33
2	AB	8	4SU	O4'-C1'	3.94	1.46	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	AD	21	H2U	C6-N1	3.95	1.52	1.47
1	AA	1519	MA6	C4-N3	3.99	1.41	1.35
26	BB	2069	7MG	C6-N1	4.06	1.40	1.33
2	AB	46	7MG	CM7-N7	4.11	1.53	1.46
26	BB	1917	PSU	C4-N3	4.15	1.40	1.33
26	BB	2552	OMU	C4-N3	4.30	1.40	1.33
26	BB	2580	PSU	C4-N3	4.37	1.40	1.33
2	AB	54	5MU	C4-N3	4.41	1.41	1.33
1	AA	1518	MA6	C6-N1	4.46	1.40	1.34
2	AB	8	4SU	C6-N1	4.61	1.41	1.35
26	BB	2503	2MA	C6-N6	4.80	1.37	1.29
1	AA	516	PSU	C4-N3	4.99	1.42	1.33
26	BB	1618	6MZ	O4'-C1'	5.10	1.48	1.41
26	BB	1939	5MU	C4-N3	5.17	1.42	1.33
26	BB	2605	PSU	C4-N3	5.20	1.42	1.33
4	AD	55	5MU	C4-N3	5.47	1.42	1.33
2	AB	37	MIA	C2-S10	5.54	1.80	1.75
26	BB	2575	CH	O4'-C1'	5.62	1.49	1.41
2	AB	46	7MG	C6-N1	5.66	1.43	1.33
26	BB	1835	2MG	C6-N1	5.87	1.43	1.33
26	BB	1911	PSU	C4-N3	6.19	1.44	1.33
2	AB	55	PSU	C5-C1'	6.36	1.57	1.52
26	BB	1917	PSU	C5-C1'	6.41	1.57	1.52
26	BB	2605	PSU	C5-C1'	6.61	1.58	1.52
26	BB	955	PSU	C5-C1'	6.75	1.58	1.52
26	BB	1917	PSU	C2'-C1'	7.51	1.60	1.53
26	BB	746	PSU	C5-C1'	8.43	1.59	1.52

All (263) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	1939	5MU	C5-C4-N3	-17.64	110.54	125.35
26	BB	747	5MU	C5-C4-N3	-11.62	115.60	125.35
4	AD	55	5MU	C5-C4-N3	-11.33	115.84	125.35
1	AA	966	2MG	C4'-O4'-C1'	-9.56	99.51	109.64
1	AA	1207	2MG	C5-C6-N1	-9.52	111.08	123.52
1	AA	1516	2MG	C5-C6-N1	-9.51	111.09	123.52
26	BB	2445	2MG	C5-C6-N1	-9.30	111.36	123.52
1	AA	527	7MG	C5-C6-N1	-9.25	109.62	123.39
1	AA	966	2MG	C5-C6-N1	-9.17	111.54	123.52
2	AB	54	5MU	C5-C4-N3	-8.68	118.06	125.35
2	AB	46	7MG	C5-C6-N1	-8.26	111.10	123.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2069	7MG	C5-C6-N1	-7.40	112.37	123.39
26	BB	2503	2MA	C2-N3-C4	-7.10	111.87	115.29
26	BB	1835	2MG	C5-C6-N1	-6.64	114.84	123.52
2	AB	8	4SU	C5-C4-N3	-5.79	117.42	123.56
2	AB	55	PSU	C5-C1'-C2'	-5.78	105.61	115.44
26	BB	745	1MG	C5-C6-N1	-5.73	110.85	118.35
26	BB	1917	PSU	C5-C6-N1	-5.53	116.67	124.38
1	AA	1402	4OC	CM4-N4-C4	-5.52	118.22	122.87
1	AA	527	7MG	C5-C4-N3	-5.26	121.38	126.74
26	BB	2030	6MZ	C4'-O4'-C1'	-5.14	104.20	109.64
26	BB	2552	OMU	C5-C4-N3	-5.08	110.82	123.28
4	AD	8	4SU	C5-C4-N3	-5.03	118.23	123.56
26	BB	1915	3TD	C5-C6-N1	-4.83	117.64	124.38
26	BB	2575	CH	C5-C4-N3	-4.78	115.73	121.79
4	AD	56	PSU	C5-C6-N1	-4.61	117.95	124.38
26	BB	1917	PSU	C4'-O4'-C1'	-4.57	104.84	109.54
26	BB	2251	OMG	C5-C6-N1	-4.46	117.70	123.52
4	AD	56	PSU	C5-C1'-C2'	-4.41	107.94	115.44
26	BB	1917	PSU	C5-C1'-C2'	-4.29	108.14	115.44
26	BB	2449	H2U	C6-N1-C2	-4.25	115.59	122.16
2	AB	55	PSU	C4-C5-C1'	-4.05	114.40	121.22
26	BB	1917	PSU	C4-C5-C1'	-4.04	114.41	121.22
26	BB	2251	OMG	N3-C2-N1	-4.04	122.06	127.56
26	BB	955	PSU	C4'-O4'-C1'	-4.01	105.41	109.54
26	BB	955	PSU	C5-C1'-C2'	-4.01	108.63	115.44
26	BB	2580	PSU	O2'-C2'-C1'	-3.99	103.25	111.93
26	BB	2504	PSU	C4-C5-C1'	-3.88	114.68	121.22
26	BB	2457	PSU	C5-C1'-C2'	-3.86	108.88	115.44
4	AD	21	H2U	O2-C2-N1	-3.84	118.14	123.17
2	AB	32	OMC	C6-N1-C2	-3.81	115.11	121.33
26	BB	747	5MU	C2'-C3'-C4'	-3.73	95.00	102.64
1	AA	1402	4OC	C5-C4-N3	-3.73	116.49	123.22
26	BB	1917	PSU	O2'-C2'-C1'	-3.73	103.82	111.93
26	BB	955	PSU	C3'-C2'-C1'	-3.69	97.34	101.71
26	BB	2457	PSU	O4'-C1'-C2'	-3.68	100.71	104.69
26	BB	2449	H2U	O2-C2-N1	-3.63	118.42	123.17
1	AA	1207	2MG	N2-C2-N1	-3.61	112.75	116.94
26	BB	745	1MG	C1'-N9-C4	-3.60	122.79	126.81
26	BB	2504	PSU	C5-C6-N1	-3.56	119.42	124.38
2	AB	20	H2U	C6-N1-C2	-3.55	116.67	122.16
26	BB	2575	CH	O2'-C2'-C1'	-3.52	100.61	111.61
4	AD	21	H2U	C5-C4-N3	-3.48	112.94	116.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	AB	8	4SU	C2'-C3'-C4'	-3.47	95.54	102.64
26	BB	746	PSU	O2'-C2'-C1'	-3.39	104.56	111.93
1	AA	1516	2MG	C4'-O4'-C1'	-3.33	106.11	109.64
2	AB	17	H2U	C4'-O4'-C1'	-3.21	102.45	109.52
2	AB	8	4SU	C4'-O4'-C1'	-3.20	106.25	109.64
1	AA	1402	4OC	C3'-C2'-C1'	-3.15	96.59	102.63
26	BB	2069	7MG	N1-C2-N3	-3.13	120.41	125.51
4	AD	21	H2U	C5-C6-N1	-3.12	107.34	110.76
1	AA	1516	2MG	C2-N3-C4	-3.10	111.59	114.99
4	AD	33	OMC	C5-C4-N3	-3.08	117.89	121.79
1	AA	966	2MG	C2'-C3'-C4'	-3.06	96.38	102.64
1	AA	1407	5MC	C2'-C3'-C4'	-3.05	96.39	102.64
26	BB	745	1MG	N3-C2-N1	-2.98	119.28	124.16
26	BB	2445	2MG	C4'-O4'-C1'	-2.97	106.49	109.64
2	AB	17	H2U	C2'-C3'-C4'	-2.91	96.68	102.64
1	AA	1518	MA6	C2'-C3'-C4'	-2.88	96.74	102.64
1	AA	967	5MC	C4'-O4'-C1'	-2.85	106.62	109.64
4	AD	8	4SU	C6-N1-C2	-2.85	116.69	121.33
26	BB	2580	PSU	C5-C1'-C2'	-2.84	110.61	115.44
1	AA	1407	5MC	C4'-O4'-C1'	-2.83	106.64	109.64
2	AB	46	7MG	N1-C2-N3	-2.82	120.91	125.51
26	BB	2457	PSU	C2'-C3'-C4'	-2.80	96.90	102.64
26	BB	2575	CH	C6-N1-C2	-2.78	116.80	121.33
4	AD	33	OMC	C6-N1-C2	-2.77	116.82	121.33
26	BB	2503	2MA	C1'-N9-C4	-2.73	123.76	126.81
26	BB	1835	2MG	C4'-O4'-C1'	-2.69	106.79	109.64
26	BB	1618	6MZ	C2'-C1'-N9	-2.67	106.33	113.47
26	BB	1911	PSU	C4-C5-C1'	-2.62	116.80	121.22
26	BB	1915	3TD	O4'-C1'-C2'	-2.62	101.86	104.69
2	AB	16	H2U	C3'-C2'-C1'	-2.61	96.18	101.44
1	AA	967	5MC	C2'-C3'-C4'	-2.59	97.33	102.64
2	AB	55	PSU	O2'-C2'-C1'	-2.59	106.29	111.93
26	BB	2498	OMC	C6-C5-C4	-2.59	116.42	117.44
1	AA	966	2MG	N2-C2-N1	-2.56	113.97	116.94
26	BB	2605	PSU	C5-C6-N1	-2.55	120.82	124.38
26	BB	955	PSU	C5-C6-N1	-2.55	120.83	124.38
26	BB	2445	2MG	O2'-C2'-C1'	-2.53	103.71	111.61
26	BB	2251	OMG	C6-C5-C4	-2.53	117.97	120.86
26	BB	1911	PSU	C5-C1'-C2'	-2.48	111.23	115.44
26	BB	2503	2MA	C6-C5-C4	-2.40	115.36	119.67
2	AB	37	MIA	N3-C2-N1	-2.39	122.43	126.84
4	AD	8	4SU	C2'-C1'-N1	-2.35	107.15	113.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1519	MA6	O2'-C2'-C1'	-2.33	104.32	111.61
1	AA	967	5MC	N4-C4-N3	-2.31	113.53	116.92
26	BB	2605	PSU	C5-C1'-C2'	-2.31	111.51	115.44
26	BB	747	5MU	O2'-C2'-C1'	-2.31	104.38	111.61
1	AA	1207	2MG	N3-C2-N1	-2.30	122.75	126.19
1	AA	966	2MG	C2'-C1'-N9	-2.30	107.31	113.47
26	BB	746	PSU	C5-C6-N1	-2.30	121.18	124.38
4	AD	56	PSU	C3'-C2'-C1'	-2.29	99.00	101.71
26	BB	2580	PSU	C4-C5-C1'	-2.28	117.37	121.22
2	AB	20	H2U	C4'-O4'-C1'	-2.28	104.49	109.52
1	AA	966	2MG	C6-C5-C4	-2.28	118.25	120.86
2	AB	55	PSU	C5-C6-N1	-2.26	121.23	124.38
26	BB	745	1MG	CM1-N1-C6	-2.24	110.87	118.06
26	BB	2575	CH	C4'-O4'-C1'	-2.23	107.28	109.64
4	AD	56	PSU	C2'-C3'-C4'	-2.21	98.12	102.64
1	AA	1518	MA6	C2'-C1'-N9	-2.20	107.58	113.47
26	BB	2445	2MG	N3-C2-N1	-2.19	122.91	126.19
26	BB	2504	PSU	O4'-C4'-C3'	-2.19	100.71	105.16
26	BB	2498	OMC	C2'-C3'-C4'	-2.18	96.68	101.85
1	AA	1516	2MG	C6-C5-C4	-2.17	118.37	120.86
4	AD	33	OMC	C5-C4-N4	-2.17	117.70	121.19
4	AD	21	H2U	C1'-N1-C2	-2.17	115.15	118.19
26	BB	2251	OMG	O2'-C2'-C3'	-2.16	105.68	111.23
1	AA	1519	MA6	N3-C2-N1	-2.12	127.20	128.87
1	AA	1498	UR3	O3'-C3'-C2'	-2.12	105.00	111.86
26	BB	1911	PSU	O2'-C2'-C1'	-2.10	107.36	111.93
26	BB	2069	7MG	C5-C4-N3	-2.09	124.61	126.74
26	BB	2504	PSU	C2'-C3'-C4'	-2.09	98.36	102.64
26	BB	1917	PSU	C2'-C3'-C4'	-2.08	98.37	102.64
1	AA	1407	5MC	C2'-C1'-N1	-2.08	107.87	113.46
26	BB	2251	OMG	O4'-C4'-C3'	-2.04	101.02	105.16
26	BB	2503	2MA	C5'-C4'-C3'	-2.03	107.36	115.20
1	AA	516	PSU	C4'-O4'-C1'	-2.01	107.47	109.54
26	BB	2445	2MG	C2-N3-C4	-2.00	112.79	114.99
1	AA	527	7MG	C8-N9-C1'	2.02	128.48	122.43
1	AA	967	5MC	O4'-C1'-N1	2.02	111.95	108.10
26	BB	2504	PSU	C5-C1'-C2'	2.03	118.88	115.44
26	BB	1835	2MG	C1'-N9-C4	2.03	129.07	126.81
26	BB	1618	6MZ	O4'-C1'-N9	2.03	111.94	108.11
4	AD	55	5MU	O4'-C1'-N1	2.03	111.97	108.10
26	BB	2457	PSU	C4'-O4'-C1'	2.07	111.68	109.54
2	AB	32	OMC	N4-C4-N3	2.08	120.14	116.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	527	7MG	C5-C4-N9	2.08	109.61	106.25
4	AD	21	H2U	O2-C2-N3	2.10	125.56	121.44
2	AB	20	H2U	C5-C4-N3	2.14	118.88	116.62
26	BB	745	1MG	O4'-C4'-C3'	2.14	109.51	105.16
2	AB	8	4SU	O4'-C4'-C5'	2.17	117.07	109.29
1	AA	1207	2MG	O4'-C1'-N9	2.18	112.22	108.11
1	AA	1402	4OC	O5'-C5'-C4'	2.20	116.98	109.09
26	BB	2449	H2U	O3'-C3'-C4'	2.20	117.59	111.01
26	BB	2575	CH	C5-C4-N4	2.24	124.78	121.19
26	BB	2251	OMG	O4'-C1'-C2'	2.24	110.63	106.60
26	BB	2580	PSU	C3'-C2'-C1'	2.26	104.39	101.71
26	BB	745	1MG	N2-C2-N1	2.26	120.93	118.26
26	BB	747	5MU	C5M-C5-C6	2.27	123.23	118.63
1	AA	1402	4OC	O2'-C2'-C3'	2.30	117.14	111.23
26	BB	2251	OMG	O4'-C4'-C5'	2.31	117.56	109.29
1	AA	527	7MG	N2-C2-N3	2.32	121.02	117.20
26	BB	2552	OMU	C2'-C3'-C4'	2.35	107.42	101.85
1	AA	516	PSU	O3'-C3'-C2'	2.35	119.46	111.86
1	AA	1498	UR3	O2'-C2'-C1'	2.36	118.98	111.61
1	AA	967	5MC	O4'-C4'-C3'	2.40	110.02	105.16
26	BB	2457	PSU	O4'-C4'-C5'	2.41	117.92	109.29
26	BB	2504	PSU	O3'-C3'-C2'	2.41	119.65	111.86
26	BB	1911	PSU	O3'-C3'-C4'	2.42	118.22	111.01
26	BB	746	PSU	C3'-C2'-C1'	2.47	104.65	101.71
4	AD	8	4SU	O4'-C1'-N1	2.50	112.86	108.10
2	AB	46	7MG	C8-N9-C1'	2.56	130.12	122.43
26	BB	2445	2MG	O5'-C5'-C4'	2.58	118.35	109.09
26	BB	1618	6MZ	C2-N1-C6	2.62	118.36	116.47
1	AA	1207	2MG	O3'-C3'-C4'	2.64	118.90	111.01
26	BB	2580	PSU	C4'-O4'-C1'	2.67	112.30	109.54
26	BB	2605	PSU	C4'-O4'-C1'	2.70	112.33	109.54
26	BB	2605	PSU	O2'-C2'-C1'	2.71	117.83	111.93
26	BB	2069	7MG	O3'-C3'-C4'	2.74	119.18	111.01
2	AB	46	7MG	N2-C2-N3	2.81	121.84	117.20
26	BB	746	PSU	C4'-O4'-C1'	2.82	112.45	109.54
26	BB	1917	PSU	O4'-C4'-C3'	2.86	110.95	105.16
26	BB	2030	6MZ	O2'-C2'-C1'	2.87	120.59	111.61
26	BB	2552	OMU	O4'-C1'-C2'	2.89	111.80	106.60
26	BB	2251	OMG	C1'-N9-C4	2.97	130.12	126.81
1	AA	966	2MG	O4'-C4'-C3'	3.01	111.27	105.16
26	BB	1915	3TD	C4'-O4'-C1'	3.03	112.67	109.54
2	AB	37	MIA	C2-N1-C6	3.03	121.46	113.13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2449	H2U	O4-C4-N3	3.04	125.20	120.46
1	AA	1402	4OC	O4'-C1'-N1	3.05	113.89	108.10
26	BB	2504	PSU	C4'-O4'-C1'	3.08	112.72	109.54
2	AB	16	H2U	N3-C2-N1	3.10	119.51	116.64
26	BB	747	5MU	C4'-O4'-C1'	3.18	113.02	109.64
4	AD	21	H2U	C4-N3-C2	3.21	128.67	125.77
1	AA	516	PSU	O4'-C1'-C2'	3.27	108.23	104.69
2	AB	37	MIA	O4'-C1'-N9	3.28	114.30	108.11
26	BB	1911	PSU	C4'-O4'-C1'	3.41	113.06	109.54
26	BB	1835	2MG	C6-N1-C2	3.42	120.14	115.24
26	BB	2503	2MA	O4'-C1'-N9	3.43	114.59	108.11
1	AA	1516	2MG	N2-C2-N3	3.43	120.93	116.94
2	AB	55	PSU	C3'-C2'-C1'	3.44	105.79	101.71
1	AA	1498	UR3	O4'-C1'-N1	3.46	114.68	108.10
26	BB	2580	PSU	O3'-C3'-C4'	3.63	121.85	111.01
4	AD	21	H2U	O4-C4-N3	3.66	126.18	120.46
26	BB	1835	2MG	N2-C2-N3	3.68	121.21	116.94
26	BB	2069	7MG	N2-C2-N3	3.71	123.32	117.20
26	BB	2445	2MG	N2-C2-N3	3.72	121.26	116.94
1	AA	966	2MG	N2-C2-N3	3.76	121.30	116.94
26	BB	1835	2MG	CM2-N2-C2	3.78	127.29	123.03
4	AD	56	PSU	O4'-C1'-C2'	3.78	108.78	104.69
1	AA	1516	2MG	O3'-C3'-C2'	3.79	124.11	111.86
2	AB	37	MIA	O4'-C4'-C5'	3.84	123.03	109.29
26	BB	2552	OMU	C6-C5-C4	3.86	124.44	117.30
1	AA	1519	MA6	C2-N1-C6	3.86	120.75	111.64
26	BB	2552	OMU	O4'-C1'-N1	3.87	115.46	108.10
26	BB	2251	OMG	C6-N1-C2	3.91	120.47	115.88
2	AB	17	H2U	C5-C6-N1	3.91	115.05	110.76
1	AA	1516	2MG	CM2-N2-C2	3.93	127.45	123.03
1	AA	1519	MA6	O4'-C1'-N9	3.95	115.56	108.11
1	AA	1207	2MG	C6-C5-C4	3.99	125.42	120.86
1	AA	1518	MA6	C2-N1-C6	4.09	121.29	111.64
26	BB	1962	5MC	N4-C4-N3	4.15	123.00	116.92
1	AA	1519	MA6	C4'-O4'-C1'	4.16	114.05	109.64
1	AA	966	2MG	CM2-N2-C2	4.23	127.80	123.03
2	AB	20	H2U	C1'-N1-C2	4.33	124.26	118.19
26	BB	2030	6MZ	C2-N1-C6	4.37	119.61	116.47
4	AD	55	5MU	C4'-O4'-C1'	4.40	114.31	109.64
1	AA	1516	2MG	O4'-C1'-N9	4.40	116.42	108.11
4	AD	33	OMC	N4-C4-N3	4.41	124.20	116.50
2	AB	17	H2U	C4-N3-C2	4.42	129.77	125.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
26	BB	2030	6MZ	O4'-C1'-N9	4.71	117.01	108.11
26	BB	955	PSU	O4'-C1'-C2'	4.84	109.92	104.69
2	AB	32	OMC	O4'-C1'-N1	5.01	117.61	108.10
26	BB	2504	PSU	C3'-C2'-C1'	5.01	107.65	101.71
26	BB	1917	PSU	O4'-C1'-C2'	5.08	110.19	104.69
26	BB	1618	6MZ	C1'-N9-C4	5.44	132.88	126.81
26	BB	2457	PSU	C3'-C2'-C1'	5.52	108.25	101.71
26	BB	747	5MU	O4'-C1'-N1	5.52	118.60	108.10
2	AB	37	MIA	C12-N6-C6	5.65	129.99	123.46
1	AA	1407	5MC	N4-C4-N3	5.74	125.34	116.92
1	AA	1402	4OC	C6-C5-C4	5.87	119.73	117.42
1	AA	1207	2MG	N2-C2-N3	6.04	123.95	116.94
1	AA	1207	2MG	C6-N1-C2	6.14	124.03	115.24
26	BB	745	1MG	O4'-C1'-N9	6.26	119.93	108.11
1	AA	1402	4OC	C2-N3-C4	6.34	123.49	115.43
1	AA	966	2MG	C6-N1-C2	6.46	124.50	115.24
26	BB	2069	7MG	C6-N1-C2	6.50	123.50	115.88
2	AB	32	OMC	C6-C5-C4	6.67	120.05	117.44
26	BB	2445	2MG	C6-N1-C2	7.14	125.47	115.24
1	AA	967	5MC	CM5-C5-C4	7.43	129.33	121.47
26	BB	2575	CH	C6-C5-C4	7.56	120.40	117.44
2	AB	54	5MU	C4-N3-C2	7.86	121.71	115.16
2	AB	46	7MG	C6-N1-C2	7.91	125.15	115.88
1	AA	1516	2MG	C6-N1-C2	7.98	126.66	115.24
1	AA	527	7MG	C6-N1-C2	8.65	126.02	115.88
26	BB	2552	OMU	C4-N3-C2	8.87	123.55	114.21
26	BB	1911	PSU	C4-N3-C2	9.04	122.70	115.16
26	BB	1917	PSU	C4-N3-C2	10.01	123.51	115.16
26	BB	747	5MU	C4-N3-C2	10.70	124.08	115.16
4	AD	55	5MU	C4-N3-C2	10.76	124.13	115.16
26	BB	746	PSU	C4-N3-C2	12.06	125.22	115.16
4	AD	33	OMC	C6-C5-C4	12.24	122.23	117.44
2	AB	37	MIA	C11-S10-C2	12.40	111.06	102.31
4	AD	56	PSU	C4-N3-C2	12.43	125.53	115.16
26	BB	2605	PSU	C4-N3-C2	12.47	125.56	115.16
26	BB	2580	PSU	C4-N3-C2	12.58	125.65	115.16
1	AA	516	PSU	C4-N3-C2	15.01	127.68	115.16
26	BB	2504	PSU	C4-N3-C2	15.40	128.01	115.16
26	BB	1939	5MU	C4-N3-C2	16.08	128.58	115.16
2	AB	55	PSU	C4-N3-C2	17.17	129.49	115.16
26	BB	2457	PSU	C4-N3-C2	18.00	130.18	115.16
26	BB	955	PSU	C4-N3-C2	19.01	131.02	115.16

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
59	TRP	AB	101	60,2	14,15,16	1.64	3 (21%)	8,20,22	1.60	2 (25%)
60	FME	BB	3001	59	8,9,10	0.97	0	5,9,11	2.34	3 (60%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
59	TRP	AB	101	60,2	-	0/5/6/8	0/2/2/2
60	FME	BB	3001	59	-	1/6/9/11	0/0/0/0

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
59	AB	101	TRP	OXT-C	-4.61	1.22	1.42
59	AB	101	TRP	CE3-CD2	-2.21	1.37	1.42
59	AB	101	TRP	CH2-CZ2	2.22	1.41	1.36

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
60	BB	3001	FME	O1-CN-N	-3.74	119.08	124.80
59	AB	101	TRP	CZ3-CH2-CZ2	-2.31	117.12	120.45
60	BB	3001	FME	O-C-CA	-2.22	119.61	125.69
60	BB	3001	FME	CG-CB-CA	-2.06	106.89	113.07
59	AB	101	TRP	OXT-C-CA	3.22	120.29	111.77

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
60	BB	3001	FME	O1-CN-N-CA

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.