



# wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 1, 2016 – 10:28 PM GMT

PDB ID : 4W2H  
Title : Crystal structure of the *Thermus thermophilus* 70S ribosome in complex with pactamycin (co-crystallized), mRNA and deacylated tRNA in the P site  
Authors : Polikanov, Y.S.; Osterman, I.A.; Szal, T.; Tashlitsky, V.N.; Serebryakova, M.V.; Kusochev, P.; Bulkley, D.; Malanicheva, I.A.; Efimenko, T.A.; Efremenkova, O.V.; Konevega, A.L.; Shaw, K.J.; Bogdanov, A.A.; Rodnina, M.V.; Dontsova, O.A.; Mankin, A.S.; Steitz, T.A.; Sergiev, P.V.  
Deposited on : 2014-09-12  
Resolution : 2.70 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865




# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2103 (2.70-2.70)
Clashscore	102246	2422 (2.70-2.70)
Ramachandran outliers	100387	2382 (2.70-2.70)
Sidechain outliers	100360	2382 (2.70-2.70)
RSRZ outliers	91569	2107 (2.70-2.70)
RNA backbone	2183	1069 (3.10-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	1521	<div> <div>45%</div> <div>40%</div> <div>12%</div> <div>..</div> </div>
1	CA	1521	<div> <div>2%</div> <div>44%</div> <div>40%</div> <div>14%</div> <div>..</div> </div>
2	AB	256	<div> <div>5%</div> <div>43%</div> <div>36%</div> <div>12%</div> <div>10%</div> </div>
2	CB	256	<div> <div>23%</div> <div>43%</div> <div>39%</div> <div>8%</div> <div>10%</div> </div>

*Continued on next page...*



Continued from previous page...

Mol	Chain	Length	Quality of chain
3	AC	239	
3	CC	239	
4	AD	209	
4	CD	209	
5	AE	162	
5	CE	162	
6	AF	101	
6	CF	101	
7	AG	156	
7	CG	156	
8	AH	138	
8	CH	138	
9	AI	128	
9	CI	128	
10	AJ	105	
10	CJ	105	
11	AK	129	
11	CK	129	
12	AL	132	
12	CL	132	
13	AM	126	
13	CM	126	
14	AN	61	
14	CN	61	
15	AO	89	

Continued on next page...



Continued from previous page...

Mol	Chain	Length	Quality of chain
15	CO	89	
16	AP	88	
16	CP	88	
17	AQ	105	
17	CQ	105	
18	AR	88	
18	CR	88	
19	AS	93	
19	CS	93	
20	AT	106	
20	CT	106	
21	AU	27	
21	CU	27	
22	AV	24	
22	CV	24	
23	AX	77	
23	CX	77	
24	AY	76	
24	CY	76	
25	BA	2915	
25	DA	2915	
26	BB	121	
26	DB	121	
27	BD	276	
27	DD	276	

Continued on next page...



Continued from previous page...

Mol	Chain	Length	Quality of chain
28	BE	206	
28	DE	206	
29	BF	210	
29	DF	210	
30	BG	182	
30	DG	182	
31	BH	180	
31	DH	180	
32	BI	148	
32	DI	148	
33	BN	140	
33	DN	140	
34	BO	122	
34	DO	122	
35	BP	150	
35	DP	150	
36	BQ	141	
36	DQ	141	
37	BR	118	
37	DR	118	
38	BS	112	
38	DS	112	
39	BT	146	
39	DT	146	
40	BU	118	

Continued on next page...



Continued from previous page...

Mol	Chain	Length	Quality of chain
40	DU	118	
41	BV	101	
41	DV	101	
42	BW	113	
42	DW	113	
43	BX	96	
43	DX	96	
44	BY	110	
44	DY	110	
45	BZ	206	
45	DZ	206	
46	B0	85	
46	D0	85	
47	B1	98	
47	D1	98	
48	B2	72	
48	D2	72	
49	B3	60	
49	D3	60	
50	B4	71	
50	D4	71	
51	B5	60	
51	D5	60	
52	B6	54	
52	D6	54	

Continued on next page...



Continued from previous page...

Mol	Chain	Length	Quality of chain
53	B7	49	
53	D7	49	
54	B8	65	
54	D8	65	
55	B9	37	
55	D9	37	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
56	MG	AA	3006	-	-	-	X
56	MG	AA	3073	-	-	-	X
56	MG	AA	3092	-	-	-	X
56	MG	AA	3141	-	-	-	X
56	MG	AE	203	-	-	-	X
56	MG	B5	101	-	-	-	X
56	MG	B5	102	-	-	-	X
56	MG	BA	3012	-	-	-	X
56	MG	BA	3024	-	-	-	X
56	MG	BA	3033	-	-	-	X
56	MG	BA	3035	-	-	-	X
56	MG	BA	3037	-	-	-	X
56	MG	BA	3038	-	-	-	X
56	MG	BA	3048	-	-	-	X
56	MG	BA	3060	-	-	-	X
56	MG	BA	3076	-	-	-	X
56	MG	BA	3085	-	-	-	X
56	MG	BA	3102	-	-	-	X
56	MG	BA	3104	-	-	-	X
56	MG	BA	3113	-	-	-	X
56	MG	BA	3118	-	-	-	X
56	MG	BA	3121	-	-	-	X
56	MG	BA	3126	-	-	-	X
56	MG	BA	3127	-	-	-	X
56	MG	BA	3130	-	-	-	X
56	MG	BA	3137	-	-	-	X
56	MG	BA	3138	-	-	-	X

Continued on next page...



*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
56	MG	BA	3154	-	-	-	X
56	MG	BA	3157	-	-	-	X
56	MG	BA	3167	-	-	-	X
56	MG	BA	3173	-	-	-	X
56	MG	BA	3175	-	-	-	X
56	MG	BA	3178	-	-	-	X
56	MG	BA	3184	-	-	-	X
56	MG	BA	3190	-	-	-	X
56	MG	BA	3201	-	-	-	X
56	MG	BA	3203	-	-	-	X
56	MG	BA	3205	-	-	-	X
56	MG	BA	3210	-	-	-	X
56	MG	BA	3226	-	-	-	X
56	MG	BA	3230	-	-	-	X
56	MG	BA	3270	-	-	-	X
56	MG	BA	3273	-	-	-	X
56	MG	BA	3278	-	-	-	X
56	MG	BA	3300	-	-	-	X
56	MG	BA	3364	-	-	-	X
56	MG	BA	3411	-	-	-	X
56	MG	BA	3427	-	-	-	X
56	MG	BA	3476	-	-	-	X
56	MG	BA	3521	-	-	-	X
56	MG	BA	3528	-	-	-	X
56	MG	BA	3531	-	-	-	X
56	MG	BA	3532	-	-	-	X
56	MG	BA	3570	-	-	-	X
56	MG	BA	3595	-	-	-	X
56	MG	BA	3678	-	-	-	X
56	MG	BA	3709	-	-	-	X
56	MG	BA	3711	-	-	-	X
56	MG	BA	3716	-	-	-	X
56	MG	BA	3747	-	-	-	X
56	MG	BA	3789	-	-	-	X
56	MG	BA	3793	-	-	-	X
56	MG	BA	3795	-	-	-	X
56	MG	BA	3796	-	-	-	X
56	MG	BA	3799	-	-	-	X
56	MG	BA	3801	-	-	-	X
56	MG	BA	3802	-	-	-	X
56	MG	BA	3806	-	-	-	X
56	MG	BA	3812	-	-	-	X

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
56	MG	BA	3814	-	-	-	X
56	MG	BD	3301	-	-	-	X
56	MG	BD	3302	-	-	-	X
56	MG	BD	3305	-	-	-	X
56	MG	BD	3306	-	-	-	X
56	MG	BD	3307	-	-	-	X
56	MG	BD	3308	-	-	-	X
56	MG	BE	303	-	-	-	X
56	MG	BF	301	-	-	-	X
56	MG	BF	303	-	-	-	X
56	MG	BF	306	-	-	-	X
56	MG	BF	307	-	-	-	X
56	MG	BN	3001	-	-	-	X
56	MG	BN	3004	-	-	-	X
56	MG	BN	3006	-	-	-	X
56	MG	BP	201	-	-	-	X
56	MG	BR	203	-	-	-	X
56	MG	BU	205	-	-	-	X
56	MG	BU	206	-	-	-	X
56	MG	BU	207	-	-	-	X
56	MG	BU	209	-	-	-	X
56	MG	BV	201	-	-	-	X
56	MG	BV	202	-	-	-	X
56	MG	BV	203	-	-	-	X
56	MG	BW	203	-	-	-	X
56	MG	CA	3082	-	-	-	X
56	MG	D3	3001	-	-	-	X
56	MG	DA	3015	-	-	-	X
56	MG	DA	3021	-	-	-	X
56	MG	DA	3028	-	-	-	X
56	MG	DA	3029	-	-	-	X
56	MG	DA	3033	-	-	-	X
56	MG	DA	3040	-	-	-	X
56	MG	DA	3053	-	-	-	X
56	MG	DA	3076	-	-	-	X
56	MG	DA	3102	-	-	-	X
56	MG	DA	3108	-	-	-	X
56	MG	DA	3117	-	-	-	X
56	MG	DA	3143	-	-	-	X
56	MG	DA	3149	-	-	-	X
56	MG	DA	3153	-	-	-	X
56	MG	DA	3176	-	-	-	X

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
56	MG	DA	3180	-	-	-	X
56	MG	DA	3196	-	-	-	X
56	MG	DA	3205	-	-	-	X
56	MG	DA	3231	-	-	-	X
56	MG	DA	3257	-	-	-	X
56	MG	DA	3261	-	-	-	X
56	MG	DA	3264	-	-	-	X
56	MG	DA	3270	-	-	-	X
56	MG	DA	3309	-	-	-	X
56	MG	DA	3319	-	-	-	X
56	MG	DA	3325	-	-	-	X
56	MG	DA	3345	-	-	-	X
56	MG	DA	3476	-	-	-	X
56	MG	DA	3486	-	-	-	X
56	MG	DA	3496	-	-	-	X
56	MG	DA	3514	-	-	-	X
56	MG	DA	3521	-	-	-	X
56	MG	DA	3526	-	-	-	X
56	MG	DA	3621	-	-	-	X
56	MG	DA	3624	-	-	-	X
56	MG	DA	3626	-	-	-	X
56	MG	DA	3664	-	-	-	X
56	MG	DA	3665	-	-	-	X
56	MG	DA	3666	-	-	-	X
56	MG	DA	3672	-	-	-	X
56	MG	DA	3673	-	-	-	X
56	MG	DD	301	-	-	-	X
56	MG	DD	303	-	-	-	X
56	MG	DD	305	-	-	-	X
56	MG	DD	306	-	-	-	X
56	MG	DD	307	-	-	-	X
56	MG	DF	304	-	-	-	X
56	MG	DF	305	-	-	-	X
56	MG	DQ	3003	-	-	-	X
56	MG	DU	3001	-	-	-	X
56	MG	DU	3003	-	-	-	X
56	MG	DV	3002	-	-	-	X
57	PCY	AA	3191	-	-	-	X
57	PCY	CA	3176	-	-	-	X



## 2 Entry composition

There are 61 unique types of molecules in this entry. The entry contains 290807 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	AA	1497	Total	C	N	O	P	0	0	0
			32183	14323	5965	10398	1497			
1	CA	1503	Total	C	N	O	P	0	0	0
			32312	14381	5990	10438	1503			

- Molecule 2 is a protein called 30S Ribosomal Protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	AB	231	Total	C	N	O	S	0	0	0
			1846	1179	331	331	5			
2	CB	231	Total	C	N	O	S	0	0	0
			1825	1167	326	327	5			

- Molecule 3 is a protein called 30S Ribosomal Protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	AC	206	Total	C	N	O	S	0	0	0
			1552	976	302	273	1			
3	CC	206	Total	C	N	O	S	0	0	0
			1542	968	300	273	1			

- Molecule 4 is a protein called 30S Ribosomal Protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	AD	208	Total	C	N	O	S	0	0	0
			1659	1040	326	286	7			
4	CD	208	Total	C	N	O	S	0	0	0
			1674	1050	333	284	7			

- Molecule 5 is a protein called 30S Ribosomal Protein S5.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	AE	148	Total	C	N	O	S	0	0	0
			1129	714	213	198	4			
5	CE	148	Total	C	N	O	S	0	0	0
			1133	716	214	199	4			

- Molecule 6 is a protein called 30S Ribosomal Protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	AF	100	Total	C	N	O	S	0	0	0
			806	511	143	149	3			
6	CF	100	Total	C	N	O	S	0	0	0
			816	516	146	151	3			

- Molecule 7 is a protein called 30S Ribosomal Protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	AG	155	Total	C	N	O	S	0	0	0
			1231	766	243	216	6			
7	CG	155	Total	C	N	O	S	0	0	0
			1235	769	244	216	6			

- Molecule 8 is a protein called 30S Ribosomal Protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	AH	137	Total	C	N	O	S	0	0	0
			1088	689	206	191	2			
8	CH	137	Total	C	N	O	S	0	0	0
			1088	689	206	191	2			

- Molecule 9 is a protein called 30S Ribosomal Protein S9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	AI	127	Total	C	N	O		0	0	0
			983	623	193	167				
9	CI	127	Total	C	N	O		0	0	0
			978	619	190	169				

- Molecule 10 is a protein called 30S Ribosomal Protein S10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	AJ	97	Total	C	N	O		0	0	0
			709	440	138	131				

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
10	CJ	96	Total	C	N	O			
			714	445	138	131	0	0	0

- Molecule 11 is a protein called 30S Ribosomal Protein S11.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
11	AK	114	Total	C	N	O	S		
			829	516	155	155	3	0	0
11	CK	114	Total	C	N	O	S		
			833	519	156	155	3	0	0

- Molecule 12 is a protein called 30S Ribosomal Protein S12.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
12	AL	122	Total	C	N	O	S		
			930	585	185	159	1	0	0
12	CL	122	Total	C	N	O	S		
			930	585	185	159	1	0	0

- Molecule 13 is a protein called 30S Ribosomal Protein S13.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
13	AM	120	Total	C	N	O	S		
			937	578	194	163	2	0	0
13	CM	118	Total	C	N	O	S		
			920	566	191	161	2	0	0

- Molecule 14 is a protein called 30S Ribosomal Protein S14.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
14	AN	60	Total	C	N	O	S		
			492	312	104	72	4	0	0
14	CN	60	Total	C	N	O	S		
			492	312	104	72	4	0	0

- Molecule 15 is a protein called 30S Ribosomal Protein S15.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
15	AO	88	Total	C	N	O	S		
			728	456	144	126	2	0	0
15	CO	88	Total	C	N	O	S		
			728	456	144	126	2	0	0



- Molecule 16 is a protein called 30S Ribosomal Protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	AP	82	Total	C	N	O	S	0	0	0
			681	433	134	113	1			
16	CP	82	Total	C	N	O	S	0	0	0
			677	430	133	113	1			

- Molecule 17 is a protein called 30S Ribosomal Protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	AQ	99	Total	C	N	O	S	0	0	0
			823	528	151	142	2			
17	CQ	99	Total	C	N	O	S	0	0	0
			823	528	151	142	2			

- Molecule 18 is a protein called 30S Ribosomal Protein S18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
18	AR	68	Total	C	N	O	0	0	0
			555	355	108	92			
18	CR	68	Total	C	N	O	0	0	0
			555	355	108	92			

- Molecule 19 is a protein called 30S Ribosomal Protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	AS	83	Total	C	N	O	S	0	0	0
			652	417	120	113	2			
19	CS	83	Total	C	N	O	S	0	0	0
			646	412	119	113	2			

- Molecule 20 is a protein called 30S Ribosomal Protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	AT	96	Total	C	N	O	S	0	0	0
			728	446	156	124	2			
20	CT	96	Total	C	N	O	S	0	0	0
			727	446	155	124	2			

- Molecule 21 is a protein called 30S Ribosomal Protein THX.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
21	AU	23	Total	C	N	O	0	0	0
			199	122	48	29			
21	CU	23	Total	C	N	O	0	0	0
			199	122	48	29			

- Molecule 22 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	AV	8	Total	C	N	O	P	0	0	0
			169	76	29	56	8			
22	CV	5	Total	C	N	O	P	0	0	0
			109	49	22	33	5			

- Molecule 23 is a RNA chain called P-site tRNA.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
23	AX	76	Total	C	N	O	P	S	0	0	0
			1625	725	294	529	76	1			
23	CX	76	Total	C	N	O	P	S	0	0	0
			1625	725	294	529	76	1			

- Molecule 24 is a RNA chain called E-site tRNA Acceptor Stem.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	AY	18	Total	C	N	O	P	0	0	0
			385	171	71	125	18			
24	CY	5	Total	C	N	O	P	0	0	0
			104	47	19	33	5			

- Molecule 25 is a RNA chain called 23S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
25	BA	2822	Total	C	N	O	P	0	0	0
			60792	27054	11380	19537	2821			
25	DA	2800	Total	C	N	O	P	0	0	0
			60311	26840	11284	19388	2799			

- Molecule 26 is a RNA chain called 5S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	BB	120	Total	C	N	O	P	0	0	0
			2573	1146	476	832	119			

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	DB	120	Total	C	N	O	P	0	0	0
			2573	1146	476	832	119			

- Molecule 27 is a protein called 50S Ribosomal Protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	BD	275	Total	C	N	O	S	0	0	0
			2136	1349	423	361	3			
27	DD	275	Total	C	N	O	S	0	0	0
			2136	1349	423	361	3			

- Molecule 28 is a protein called 50S Ribosomal Protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	BE	204	Total	C	N	O	S	0	0	0
			1559	985	298	270	6			
28	DE	204	Total	C	N	O	S	0	0	0
			1559	985	298	270	6			

- Molecule 29 is a protein called 50S Ribosomal Protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	BF	203	Total	C	N	O	S	0	0	1
			1584	1009	298	275	2			
29	DF	203	Total	C	N	O	S	0	0	1
			1580	1007	297	274	2			

- Molecule 30 is a protein called 50S Ribosomal Protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	BG	181	Total	C	N	O	S	0	0	0
			1425	914	256	251	4			
30	DG	181	Total	C	N	O	S	0	0	0
			1424	911	258	251	4			

- Molecule 31 is a protein called 50S Ribosomal Protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	BH	174	Total	C	N	O	S	0	0	0
			1330	845	248	236	1			
31	DH	174	Total	C	N	O	S	0	0	0
			1330	845	248	236	1			



- Molecule 32 is a protein called 50S Ribosomal Protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	BI	146	Total	C	N	O	S	0	0	0
			1085	693	189	202	1			
32	DI	146	Total	C	N	O	S	0	0	0
			1061	680	186	194	1			

- Molecule 33 is a protein called 50S Ribosomal Protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	BN	140	Total	C	N	O	S	0	0	0
			1117	719	207	187	4			
33	DN	140	Total	C	N	O	S	0	0	0
			1117	719	207	187	4			

- Molecule 34 is a protein called 50S Ribosomal Protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	BO	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			
34	DO	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			

- Molecule 35 is a protein called 50S Ribosomal Protein L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
35	BP	149	Total	C	N	O	S	0	0	0
			1135	706	230	196	3			
35	DP	149	Total	C	N	O	S	0	0	0
			1135	706	230	196	3			

- Molecule 36 is a protein called 50S Ribosomal Protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
36	BQ	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			
36	DQ	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			

- Molecule 37 is a protein called 50S Ribosomal Protein L17.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	BR	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			
37	DR	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			

- Molecule 38 is a protein called 50S Ribosomal Protein L18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	BS	110	Total	C	N	O	S	0	0	0
			877	553	175	149				
38	DS	110	Total	C	N	O	S	0	0	0
			870	549	173	148				

- Molecule 39 is a protein called 50S Ribosomal Protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	BT	131	Total	C	N	O	S	0	0	0
			1091	680	225	185	1			
39	DT	131	Total	C	N	O	S	0	0	0
			1083	675	224	183	1			

- Molecule 40 is a protein called 50S Ribosomal Protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
40	BU	116	Total	C	N	O	S	0	0	0
			959	608	201	149	1			
40	DU	116	Total	C	N	O	S	0	0	0
			959	608	201	149	1			

- Molecule 41 is a protein called 50S Ribosomal Protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
41	BV	101	Total	C	N	O	S	0	0	0
			771	495	140	135	1			
41	DV	101	Total	C	N	O	S	0	0	0
			771	495	140	135	1			

- Molecule 42 is a protein called 50S Ribosomal Protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	BW	112	Total	C	N	O	S	0	0	0
			886	557	174	153	2			

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	DW	112	Total	C	N	O	S	0	0	0
			886	557	174	153	2			

- Molecule 43 is a protein called 50S Ribosomal Protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
43	BX	95	Total	C	N	O	S	0	0	0
			750	488	135	126	1			
43	DX	95	Total	C	N	O	S	0	0	0
			750	488	135	126	1			

- Molecule 44 is a protein called 50S Ribosomal Protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
44	BY	107	Total	C	N	O	S	0	0	0
			806	517	152	131	6			
44	DY	107	Total	C	N	O	S	0	0	0
			806	517	152	131	6			

- Molecule 45 is a protein called 50S Ribosomal Protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
45	BZ	171	Total	C	N	O	S	0	0	0
			1349	862	243	242	2			
45	DZ	174	Total	C	N	O	S	0	0	0
			1360	870	243	245	2			

- Molecule 46 is a protein called 50S Ribosomal Protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
46	B0	83	Total	C	N	O	S	0	0	0
			653	404	139	109	1			
46	D0	83	Total	C	N	O	S	0	0	0
			653	404	139	109	1			

- Molecule 47 is a protein called 50S Ribosomal Protein L28.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
47	B1	97	Total	C	N	O	S	0	0	0
			755	475	148	131	1			
47	D1	97	Total	C	N	O	S	0	0	0
			755	475	148	131	1			



- Molecule 48 is a protein called 50S Ribosomal Protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	B2	70	Total	C	N	O	S	0	0	0
			588	365	118	103	2			
48	D2	70	Total	C	N	O	S	0	0	0
			588	365	118	103	2			

- Molecule 49 is a protein called 50S Ribosomal Protein L30.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
49	B3	59	Total	C	N	O	0	0	0
			469	298	90	81			
49	D3	59	Total	C	N	O	0	0	0
			464	296	90	78			

- Molecule 50 is a protein called 50S Ribosomal Protein L31.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	B4	69	Total	C	N	O	S	0	0	0
			558	352	102	99	5			
50	D4	69	Total	C	N	O	S	0	0	0
			532	339	97	91	5			

- Molecule 51 is a protein called 50S Ribosomal Protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
51	B5	59	Total	C	N	O	S	0	0	0
			455	285	89	76	5			
51	D5	59	Total	C	N	O	S	0	0	0
			455	285	89	76	5			

- Molecule 52 is a protein called 50S Ribosomal Protein L33.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
52	B6	53	Total	C	N	O	S	0	0	0
			453	281	91	77	4			
52	D6	53	Total	C	N	O	S	0	0	0
			449	279	91	75	4			

- Molecule 53 is a protein called 50S Ribosomal Protein L34.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
53	B7	48	Total	C	N	O	S	0	0	0
			418	257	104	55	2			
53	D7	48	Total	C	N	O	S	0	0	0
			418	257	104	55	2			

- Molecule 54 is a protein called 50S Ribosomal Protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
54	B8	64	Total	C	N	O	S	0	0	0
			511	328	99	82	2			
54	D8	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			

- Molecule 55 is a protein called 50S Ribosomal Protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
55	B9	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			
55	D9	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			

- Molecule 56 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	B4	1	Total	Mg	0	0
			1	1		
56	BA	814	Total	Mg	0	0
			814	814		
56	CA	175	Total	Mg	0	0
			175	175		
56	DQ	3	Total	Mg	0	0
			3	3		
56	D3	1	Total	Mg	0	0
			1	1		
56	DF	5	Total	Mg	0	0
			5	5		
56	B8	2	Total	Mg	0	0
			2	2		
56	BE	7	Total	Mg	0	0
			7	7		
56	DU	4	Total	Mg	0	0
			4	4		

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	AN	1	Total 1	Mg 1	0	0
56	BP	4	Total 4	Mg 4	0	0
56	AX	9	Total 9	Mg 9	0	0
56	DN	1	Total 1	Mg 1	0	0
56	DD	8	Total 8	Mg 8	0	0
56	B5	4	Total 4	Mg 4	0	0
56	BB	22	Total 22	Mg 22	0	0
56	D8	1	Total 1	Mg 1	0	0
56	AE	3	Total 3	Mg 3	0	0
56	DG	1	Total 1	Mg 1	0	0
56	B9	1	Total 1	Mg 1	0	0
56	BF	9	Total 9	Mg 9	0	0
56	BX	2	Total 2	Mg 2	0	0
56	B2	1	Total 1	Mg 1	0	0
56	AA	190	Total 190	Mg 190	0	0
56	BQ	4	Total 4	Mg 4	0	0
56	CX	2	Total 2	Mg 2	0	0
56	DV	3	Total 3	Mg 3	0	0
56	B6	2	Total 2	Mg 2	0	0
56	AM	1	Total 1	Mg 1	0	0
56	BU	9	Total 9	Mg 9	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	DR	1	Total 1	Mg 1	0	0
56	AD	1	Total 1	Mg 1	0	0
56	BN	7	Total 7	Mg 7	0	0
56	CT	1	Total 1	Mg 1	0	0
56	D0	2	Total 2	Mg 2	0	0
56	BG	2	Total 2	Mg 2	0	0
56	BY	3	Total 3	Mg 3	0	0
56	DE	5	Total 5	Mg 5	0	0
56	B3	1	Total 1	Mg 1	0	0
56	CJ	1	Total 1	Mg 1	0	0
56	BR	3	Total 3	Mg 3	0	0
56	DA	674	Total 674	Mg 674	0	0
56	DP	2	Total 2	Mg 2	0	0
56	DW	2	Total 2	Mg 2	0	0
56	B7	5	Total 5	Mg 5	0	0
56	CF	1	Total 1	Mg 1	0	0
56	BV	4	Total 4	Mg 4	0	0
56	DO	1	Total 1	Mg 1	0	0
56	BO	1	Total 1	Mg 1	0	0
56	AQ	1	Total 1	Mg 1	0	0
56	D1	1	Total 1	Mg 1	0	0


*Continued on next page...*



Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	BZ	2	Total	Mg	0	0
			2	2		
56	DY	1	Total	Mg	0	0
			1	1		
56	BD	9	Total	Mg	0	0
			9	9		
56	B0	5	Total	Mg	0	0
			5	5		
56	CE	2	Total	Mg	0	0
			2	2		
56	BW	4	Total	Mg	0	0
			4	4		
56	AF	1	Total	Mg	0	0
			1	1		
56	DB	10	Total	Mg	0	0
			10	10		


- Molecule 57 is Pactamycin (three-letter code: PCY) (formula:  $C_{28}H_{38}N_4O_8$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
57	AA	1	Total	C	N	O	0	0
			40	28	4	8		
57	CA	1	Total	C	N	O	0	0
			40	28	4	8		

- Molecule 58 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula:  $Fe_4S_4$ ).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
58	AD	1	Total	Fe	S	0	0
			8	4	4		
58	CD	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 59 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
59	B5	1	Total	Zn	0	0
			1	1		
59	B4	1	Total	Zn	0	0
			1	1		
59	CN	1	Total	Zn	0	0
			1	1		
59	BY	1	Total	Zn	0	0
			1	1		
59	B9	1	Total	Zn	0	0
			1	1		
59	DY	1	Total	Zn	0	0
			1	1		
59	D5	1	Total	Zn	0	0
			1	1		
59	D4	1	Total	Zn	0	0
			1	1		
59	AN	1	Total	Zn	0	0
			1	1		
59	D6	1	Total	Zn	0	0
			1	1		

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
59	D9	1	Total 1	Zn 1	0	0
59	B6	1	Total 1	Zn 1	0	0

- Molecule 60 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
60	AX	1	Total 1	K 1	0	0
60	CX	1	Total 1	K 1	0	0

- Molecule 61 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	AA	175	Total 175	O 175	0	0
61	AJ	2	Total 2	O 2	0	0
61	AL	1	Total 1	O 1	0	0
61	AM	1	Total 1	O 1	0	0
61	AO	1	Total 1	O 1	0	0
61	AV	1	Total 1	O 1	0	0
61	AX	8	Total 8	O 8	0	0
61	BA	1294	Total 1294	O 1294	0	0
61	BB	34	Total 34	O 34	0	0
61	BD	16	Total 16	O 16	0	0
61	BE	12	Total 12	O 12	0	0
61	BF	7	Total 7	O 7	0	0
61	BG	3	Total 3	O 3	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	BI	1	Total 1	O 1	0	0
61	BN	1	Total 1	O 1	0	0
61	BO	4	Total 4	O 4	0	0
61	BP	15	Total 15	O 15	0	0
61	BQ	5	Total 5	O 5	0	0
61	BR	1	Total 1	O 1	0	0
61	BU	2	Total 2	O 2	0	0
61	BV	2	Total 2	O 2	0	0
61	BW	3	Total 3	O 3	0	0
61	BX	5	Total 5	O 5	0	0
61	B0	4	Total 4	O 4	0	0
61	B1	1	Total 1	O 1	0	0
61	B3	1	Total 1	O 1	0	0
61	B5	4	Total 4	O 4	0	0
61	B6	1	Total 1	O 1	0	0
61	B7	1	Total 1	O 1	0	0
61	B8	10	Total 10	O 10	0	0
61	CA	137	Total 137	O 137	0	0
61	CD	1	Total 1	O 1	0	0
61	CJ	2	Total 2	O 2	0	0
61	CL	1	Total 1	O 1	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	CN	1	Total 1	O 1	0	0
61	CT	1	Total 1	O 1	0	0
61	CX	2	Total 2	O 2	0	0
61	DA	924	Total 924	O 924	0	0
61	DB	8	Total 8	O 8	0	0
61	DD	18	Total 18	O 18	0	0
61	DE	9	Total 9	O 9	0	0
61	DF	5	Total 5	O 5	0	0
61	DN	1	Total 1	O 1	0	0
61	DO	1	Total 1	O 1	0	0
61	DP	14	Total 14	O 14	0	0
61	DR	1	Total 1	O 1	0	0
61	DT	1	Total 1	O 1	0	0
61	DU	3	Total 3	O 3	0	0
61	DV	1	Total 1	O 1	0	0
61	DW	1	Total 1	O 1	0	0
61	DX	1	Total 1	O 1	0	0
61	DY	1	Total 1	O 1	0	0
61	D0	7	Total 7	O 7	0	0
61	D1	1	Total 1	O 1	0	0
61	D3	1	Total 1	O 1	0	0

*Continued on next page...*



*Continued from previous page...*


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	D8	4	Total	O	0	0
			4	4		




### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: 16S Ribosomal RNA









## • Molecule 1: 16S Ribosomal RNA









• Molecule 2: 30S Ribosomal Protein S2









• Molecule 2: 30S Ribosomal Protein S2




• Molecule 3: 30S Ribosomal Protein S3




• Molecule 3: 30S Ribosomal Protein S3









• Molecule 4: 30S Ribosomal Protein S4



• Molecule 4: 30S Ribosomal Protein S4




• Molecule 5: 30S Ribosomal Protein S5




• Molecule 5: 30S Ribosomal Protein S5









- Molecule 6: 30S Ribosomal Protein S6




- Molecule 6: 30S Ribosomal Protein S6




- Molecule 7: 30S Ribosomal Protein S7




- Molecule 7: 30S Ribosomal Protein S7





- Molecule 8: 30S Ribosomal Protein S8









• Molecule 8: 30S Ribosomal Protein S8




• Molecule 9: 30S Ribosomal Protein S9



• Molecule 9: 30S Ribosomal Protein S9




• Molecule 10: 30S Ribosomal Protein S10




• Molecule 10: 30S Ribosomal Protein S10







- Molecule 11: 30S Ribosomal Protein S11




- Molecule 11: 30S Ribosomal Protein S11



- Molecule 12: 30S Ribosomal Protein S12




- Molecule 12: 30S Ribosomal Protein S12




- Molecule 13: 30S Ribosomal Protein S13






• Molecule 13: 30S Ribosomal Protein S13







## ● Molecule 16: 30S Ribosomal Protein S16




## ● Molecule 16: 30S Ribosomal Protein S16




## ● Molecule 17: 30S Ribosomal Protein S17




## ● Molecule 17: 30S Ribosomal Protein S17



## ● Molecule 18: 30S Ribosomal Protein S18




## ● Molecule 18: 30S Ribosomal Protein S18







- Molecule 19: 30S Ribosomal Protein S19




- Molecule 19: 30S Ribosomal Protein S19




- Molecule 20: 30S Ribosomal Protein S20




- Molecule 20: 30S Ribosomal Protein S20




- Molecule 21: 30S Ribosomal Protein THX



- Molecule 21: 30S Ribosomal Protein THX








- Molecule 22: mRNA



- Molecule 22: mRNA




- Molecule 23: P-site tRNA



- Molecule 23: P-site tRNA



- Molecule 24: E-site tRNA Acceptor Stem




- Molecule 24: E-site tRNA Acceptor Stem








• Molecule 25: 23S Ribosomal RNA





C2798	C2799	C2800	C2801	C2802	C2803	C2804	C2805	C2806	C2807	C2808	C2809	C2810	C2811	C2812	C2813	C2814	C2815	C2816	C2817	C2818	C2819	C2820	C2821	C2822	C2823	C2824	C2825	C2826	C2827	C2828	C2829	C2830	C2831	C2832	C2833	C2834	C2835	C2836	C2837	C2838	C2839	C2840	C2841	C2842	C2843	C2844	C2845	C2846	C2847	C2848	C2849	C2850	C2851	C2852	C2853	C2854	C2855	C2856	C2857	C2858	C2859	C2860	C2861	C2862	C2863	C2864	C2865	C2866	C2867	C2868	C2869	C2870	C2871	C2872	C2873	C2874	C2875	C2876	C2877	C2878	C2879	C2880	C2881	C2882	C2883	C2884	C2885	C2886	C2887	C2888	C2889	C2890	C2891	C2892	C2893	C2894	C2895	C2896	C2897	C2898	C2899																																																																																																																																																																																																																												
G2703	C2707	U2708	G2709	U2710	C2711	C2712	U2713	U2714	C2715	C2716	C2717	C2718	C2719	C2720	C2721	C2722	C2723	C2724	C2725	C2726	C2727	C2728	C2729	C2730	C2731	C2732	C2733	C2734	C2735	C2736	C2737	C2738	C2739	C2740	C2741	C2742	C2743	C2744	C2745	C2746	C2747	C2748	C2749	C2750	C2751	C2752	C2753	C2754	C2755	C2756	C2757	C2758	C2759	C2760	C2761	C2762	C2763	C2764	C2765	C2766	C2767	C2768	C2769	C2770	C2771	C2772	C2773	C2774	C2775	C2776	C2777	C2778	C2779	C2780	C2781	C2782	C2783	C2784	C2785	C2786	C2787	C2788	C2789	C2790	C2791	C2792	C2793	C2794	C2795	C2796	C2797																																																																																																																																																																																																																																						
A2488	C2489	A2490	C2491	C2492	C2493	C2494	C2495	C2496	C2497	C2498	C2499	C2500	C2501	C2502	C2503	C2504	C2505	C2506	C2507	C2508	C2509	C2510	C2511	C2512	C2513	C2514	C2515	C2516	C2517	C2518	C2519	C2520	C2521	C2522	C2523	C2524	C2525	C2526	C2527	C2528	C2529	C2530	C2531	C2532	C2533	C2534	C2535	C2536	C2537	C2538	C2539	C2540	C2541	C2542	C2543	C2544	C2545	C2546	C2547	C2548	C2549	C2550	C2551	C2552	C2553	C2554	C2555	C2556	C2557	C2558	C2559	C2560	C2561	C2562	C2563	C2564	C2565	C2566	C2567	C2568	C2569	C2570	C2571	C2572	C2573	C2574	C2575	C2576	C2577	C2578	C2579	C2580	C2581	C2582	C2583	C2584	C2585	C2586	C2587	C2588	C2589	C2590	C2591	C2592	C2593																																																																																																																																																																																																																								
G2594	C2595	U2596	U2597	C2598	C2599	C2600	C2601	C2602	C2603	C2604	C2605	C2606	C2607	C2608	C2609	C2610	C2611	C2612	C2613	C2614	C2615	C2616	C2617	C2618	C2619	C2620	C2621	C2622	C2623	C2624	C2625	C2626	C2627	C2628	C2629	C2630	C2631	C2632	C2633	C2634	C2635	C2636	C2637	C2638	C2639	C2640	C2641	C2642	C2643	C2644	C2645	C2646	C2647	C2648	C2649	C2650	C2651	C2652	C2653	C2654	C2655	C2656	C2657	C2658	C2659	C2660	C2661	C2662	C2663	C2664	C2665	C2666	C2667	C2668	C2669	C2670	C2671	C2672	C2673	C2674	C2675	C2676	C2677	C2678	C2679	C2680	C2681	C2682	C2683	C2684	C2685	C2686	C2687	C2688	C2689	C2690	C2691	C2692	C2693	C2694	C2695	C2696	C2697	C2698	C2699	C2700	C2701	C2702																																																																																																																																																																																																																					
A2488	C2489	A2490	C2491	C2492	C2493	C2494	C2495	C2496	C2497	C2498	C2499	C2500	C2501	C2502	C2503	C2504	C2505	C2506	C2507	C2508	C2509	C2510	C2511	C2512	C2513	C2514	C2515	C2516	C2517	C2518	C2519	C2520	C2521	C2522	C2523	C2524	C2525	C2526	C2527	C2528	C2529	C2530	C2531	C2532	C2533	C2534	C2535	C2536	C2537	C2538	C2539	C2540	C2541	C2542	C2543	C2544	C2545	C2546	C2547	C2548	C2549	C2550	C2551	C2552	C2553	C2554	C2555	C2556	C2557	C2558	C2559	C2560	C2561	C2562	C2563	C2564	C2565	C2566	C2567	C2568	C2569	C2570	C2571	C2572	C2573	C2574	C2575	C2576	C2577	C2578	C2579	C2580	C2581	C2582	C2583	C2584	C2585	C2586	C2587	C2588	C2589	C2590	C2591	C2592	C2593																																																																																																																																																																																																																								
G2594	C2595	U2596	U2597	C2598	C2599	C2600	C2601	C2602	C2603	C2604	C2605	C2606	C2607	C2608	C2609	C2610	C2611	C2612	C2613	C2614	C2615	C2616	C2617	C2618	C2619	C2620	C2621	C2622	C2623	C2624	C2625	C2626	C2627	C2628	C2629	C2630	C2631	C2632	C2633	C2634	C2635	C2636	C2637	C2638	C2639	C2640	C2641	C2642	C2643	C2644	C2645	C2646	C2647	C2648	C2649	C2650	C2651	C2652	C2653	C2654	C2655	C2656	C2657	C2658	C2659	C2660	C2661	C2662	C2663	C2664	C2665	C2666	C2667	C2668	C2669	C2670	C2671	C2672	C2673	C2674	C2675	C2676	C2677	C2678	C2679	C2680	C2681	C2682	C2683	C2684	C2685	C2686	C2687	C2688	C2689	C2690	C2691	C2692	C2693	C2694	C2695	C2696	C2697	C2698	C2699	C2700	C2701	C2702																																																																																																																																																																																																																					
C2703	C2707	U2708	G2709	U2710	C2711	C2712	U2713	U2714	C2715	C2716	C2717	C2718	C2719	C2720	C2721	C2722	C2723	C2724	C2725	C2726	C2727	C2728	C2729	C2730	C2731	C2732	C2733	C2734	C2735	C2736	C2737	C2738	C2739	C2740	C2741	C2742	C2743	C2744	C2745	C2746	C2747	C2748	C2749	C2750	C2751	C2752	C2753	C2754	C2755	C2756	C2757	C2758	C2759	C2760	C2761	C2762	C2763	C2764	C2765	C2766	C2767	C2768	C2769	C2770	C2771	C2772	C2773	C2774	C2775	C2776	C2777	C2778	C2779	C2780	C2781	C2782	C2783	C2784	C2785	C2786	C2787	C2788	C2789	C2790	C2791	C2792	C2793	C2794	C2795	C2796	C2797																																																																																																																																																																																																																																						
G2798	U2799	C2800	C2801	C2802	C2803	C2804	C2805	C2806	C2807	C2808	C2809	C2810	C2811	C2812	C2813	C2814	C2815	C2816	C2817	C2818	C2819	C2820	C2821	C2822	C2823	C2824	C2825	C2826	C2827	C2828	C2829	C2830	C2831	C2832	C2833	C2834	C2835	C2836	C2837	C2838	C2839	C2840	C2841	C2842	C2843	C2844	C2845	C2846	C2847	C2848	C2849	C2850	C2851	C2852	C2853	C2854	C2855	C2856	C2857	C2858	C2859	C2860	C2861	C2862	C2863	C2864	C2865	C2866	C2867	C2868	C2869	C2870	C2871	C2872	C2873	C2874	C2875	C2876	C2877	C2878	C2879	C2880	C2881	C2882	C2883	C2884	C2885	C2886	C2887	C2888	C2889	C2890	C2891	C2892	C2893	C2894	C2895	C2896	C2897	C2898	C2899																																																																																																																																																																																																																												
A1411	C1416	G1417	U1418	A1425	G1426	A1430	G1431	C1432	C1433	U1440	A1441	U1442	U1443	C1444	U1451	U1452	C1453	C1454	G1462	C1463	U1466	G1467	G1468	C1474	G1475	C1476	A1480	A1491	G1495	A1496	G1497	A1500	U1501	G1502	G1503	A1507	G1513	C1514	G1517	A1518	G1525	A1529	U1535	A1536	C1539	A1540	A1541	A1542	U1549	C1550	G1551	C1552	A1553	C1554	A1555	A1556	G1563	C1564	G1565	U1566	G1567	G1568	G1576	C1577	C1578	G1579	G1580	G1581	A1582	C1583	G1584	G1585	G1586	U1587	C1588	A1589	C1593	A1594	C1595	C1596	C1597	A1601	C1604	A1605	A1613	A1614	G1615	A1616	A1617	U1625	A1626	A1627																																																																																																																																																																																																																																					
G1628	C1629	A1630	C1631	C1632	C1633	C1634	C1635	U1636	C1637	C1638	C1639	C1640	C1641	C1642	C1643	C1644	C1645	C1646	C1647	C1648	C1649	C1650	C1651	C1652	C1653	C1654	C1655	C1656	C1657	C1658	C1659	C1660	C1661	C1662	C1663	C1664	C1665	C1666	C1667	C1668	C1669	C1670	C1671	C1672	C1673	C1674	C1675	C1676	C1677	C1678	C1679	C1680	C1681	C1682	C1683	C1684	C1685	C1686	C1687	C1688	C1689	C1690	C1691	C1692	C1693	C1694	C1695	C1696	C1697	C1698	C1699	C1700	C1701	C1702	C1703	C1704	C1705	C1706	C1707	C1708	C1709	C1710	C1711	C1712	C1713	C1714	C1715	C1716	C1717	C1718	C1719	C1720	C1721	C1722	C1723	C1724	C1725	C1726	C1727	C1728	C1729	C1730	C1731	C1732	C1733	C1734	C1735	C1736	C1737	C1738	C1739	C1740	C1741	C1742	C1743	C1744	C1745	C1746	C1747	C1748																																																																																																																																																																																																									
G1749	G1750	U1756	C1757	C1758	C1759	U1760	U1765	C1766	A1767	C1768	G1776	G1781	C1785	A1786	U1788	C1789	A1790	A1793	C1794	C1795	C1796	C1797	C1798	C1799	G1800	A1804	G1807	C1808	U1809	A1811	C1812	C1813	A1814	A1815	C1816	A1817	A1820	C1821	A1822	G1823	U1827	C1828	U1829	G1830	C1831	C1832	A1833	A1834	A1835	A1836	A1837	A1838	A1839	A1840	A1841	A1842	A1843	A1844	A1845	A1846	A1847	A1848	A1849	A1850	A1851	A1852	A1853	A1854	A1855	A1856	A1857	A1858	A1859	A1860	A1861	A1862	A1863	A1864	A1865	A1866	A1867	A1868	A1869	A1870	A1871	A1872	A1873	A1874	A1875	A1876	A1877	A1878	A1879	A1880	A1881	A1882	A1883	A1884	A1885	A1886	A1887	A1888	A1889	A1890	A1891	A1892	A1893	A1894	A1895	A1896	A1897	A1898	A1899	A1900	A1901	A1902	A1903	A1904	A1905	A1906	A1907	A1908	A1909	A1910	A1911	A1912	A1913	A1914	A1915	A1916	A1917	A1918	A1919	A1920	A1921	A1922	A1923	A1924	A1925	A1926	A1927	A1928	A1929	A1930	A1931	A1932	A1933	A1934	A1935	A1936	A1937	A1938	A1939	A1940	A1941	A1942	A1943	A1944	A1945	A1946	A1947	A1948	A1949	A1950	A1951	A1952	A1953	A1954	A1955	A1956	A1957	A1958	A1959	A1960	A1961	A1962	A1963	A1964	A1965	A1966	A1967	A1968	A1969	A1970	A1971	A1972	A1973	A1974	A1975	A1976	A1977	A1978	A1979	A1980	A1981	A1982	A1983	A1984	A1985	A1986	A1987	A1988	A1989	A1990	A1991	A1992	A1993	A1994	A1995	A1996	A1997	A1998	A1999	A2000	A2001	A2002	A2003	A2004	A2005	A2006	A2007	A2008	A2009	A2010	A2011	A2012	A2013	A2014	A2015	A2016	A2017	A2018	A2019	A2020	A2021	A2022	A2023	A2024	A2025	A2026	A2027	A2028	A2029	A2030	A2031	A2032	A2033	A2034	A2035	A2036	A2037	A2038	A2039	A2040	A2041	A2042	A2043	A2044	A2045	A2046	A2047	A2048	A2049	A2050	A2051	A2052	A2053	A2054	A2055	A2056	A2057	A2058	A2059	A2060	A2061	A2062	A2063	A2064	A2065	A2066	A2067	A2068	A2069	A2070	A2071	A2072	A2073	A2074	A2075	A2076	A2077	A2078	A2079	A2080	A2081	A2082	A2083	A2084	A2085	A2086	A2087	A2088	A2089	A2090	A2091	A2092	A2093	A2094	A2095	A2096	A2097	A2098	A2099	A2100	A2101	A2102	A2103	A2104	A2105	A2106	A









C2326	G2285	C2160	G2100	A2020	A1815	G1705	A1610	C1530	G1447	G1368	A1272	G1193	G
A2327	G2256	C2161	G2101	G2021	G1816	C1705	A1614	C1531	G1448	G1369	A1273	C1196	G
A2328	G2257	C2162	U2102	U2022	G1822	C1711	A1615	C1532	G1449	G1370	A1278	C1197	U
G2329	C2258	C2163	C2103	G2023	G1823	C1710	A1616	G1533	G1450	G1371	G1279	C1198	C
G2330		C2164	G2104	G2024	G1823	G1721	A1617	A	A1452	G1372			G
G2331		G2165	C2105	G2025	G1826	A1722	A1618	C1536	U1453	A1373	U1282	C1201	A
U2332		G2166	C2106	C2026	G1827	A1722	A1618	G1537	U1454		U1283		G1112
		G2167	C2107		G1828	A1722	A1618	G1538	U1455				G1113
A2335		C2168	C2108	G2029	G1828	A1722	A1618	G1539					G1114
A2336		A2169	U2109	A2030	G1829	A1722	A1618	U1540					G1115
G2337		A2170	G2110	A2031	G1835	A1722	A1618	U1541					G1116
G2338		A2171	C2111	G2032	G1836	A1722	A1618	G1542					G1117
		A2172	C2112	A2033	C1837	A1722	A1618	C1543					G1118
		A2173	U2113	U2034	G1842	A1722	A1618						
		C2174	G2114	G2035	G1846	A1722	A1618	C1546					
A2273		C2175	G2115	G2036	G1847	A1722	A1618	C1547					
A2274		C2176	G2116	G2037	G1848	A1722	A1618	C1548					
A2275		A2177	A2117	G2038	G1849	A1722	A1618	C1549					
A2276		C2178	U2118	C2039	G1850	A1722	A1618	C1550					
A2277		C2179	A2119	C2040	G1851	A1722	A1618	C1551					
A2278		U2180	G2120	U2041	C1852	A1722	A1618	C1552					
A2279		G2181	U2121	A2042	C1853	A1722	A1618	C1553					
A2280		G2182	U2122	C2043	C1854	A1722	A1618	C1554					
A2281		G2183	G2123	C2044	A1859	A1722	A1618	C1555					
A2282		C2184	G2124	C2045	G1865	A1722	A1618	C1556					
A2283		G2185	G2125	G2046	G1866	A1722	A1618	C1557					
A2284		G2186	A2126	A2051	G1867	A1722	A1618	C1558					
A2285		G2187	C2127	A2052	G1868	A1722	A1618	C1559					
A2286		C2188	C2128	A2053	G1869	A1722	A1618	C1560					
A2287		G2189	G2129	A2054	G1870	A1722	A1618	C1561					
A2288		U2189	U2130	A2055	G1871	A1722	A1618	C1562					
			G2131	A2056	G1872	A1722	A1618	C1563					
			U2132	A2057	G1873	A1722	A1618	C1564					
			G2133	A2058	G1874	A1722	A1618	C1565					
			A2134	A2059	G1875	A1722	A1618	C1566					
			A2135	A2060	G1876	A1722	A1618	C1567					
			G2136	A2061	G1877	A1722	A1618	C1568					
			C2137	A2062	G1878	A1722	A1618	C1569					
			G2138	C2063	G1879	A1722	A1618	C1570					
			C2139	C2064	G1880	A1722	A1618	C1571					
			C2140	C2065	G1881	A1722	A1618	C1572					
			C2141	C2066	G1882	A1722	A1618	C1573					
			C2142	C2067	G1883	A1722	A1618	C1574					
			C2143	G2069	G1884	A1722	A1618	C1575					
			U2144	G2070	G1885	A1722	A1618	C1576					
			C2145	U2074	G1886	A1722	A1618	C1577					
			G2146	U2075	G1887	A1722	A1618	C1578					
			C2147	C2076	G1888	A1722	A1618	C1579					
			G2148	C2077	G1889	A1722	A1618	C1580					
			C2149	C2078	G1890	A1722	A1618	C1581					
			U2150	C2079	G1891	A1722	A1618	C1582					
			G2151	C2080	G1892	A1722	A1618	C1583					
			C2152	C2081	G1893	A1722	A1618	C1584					
			G2153	G2082	G1894	A1722	A1618	C1585					
			C2154	G2083	G1895	A1722	A1618	C1586					
			G2155	C2084	G1896	A1722	A1618	C1587					
			C2156	C2085	G1897	A1722	A1618	C1588					
			G2157	U2086	G1898	A1722	A1618	C1589					
			A2158	C2087	G1899	A1722	A1618	C1590					
			C2159	C2088	G1900	A1722	A1618	C1591					
				C2089	G1901	A1722	A1618	C1592					
				C2090	G1902	A1722	A1618	C1593					
				C2091	G1903	A1722	A1618	C1594					
				C2092	G1904	A1722	A1618	C1595					
				C2093	G1905	A1722	A1618	C1596					
				C2094	G1906	A1722	A1618	C1597					
				C2095	G1907	A1722	A1618	C1598					
				C2096	G1908	A1722	A1618	C1599					
				C2097	G1909	A1722	A1618	C1600					
				C2098	G1910	A1722	A1618	C1601					
				C2099	G1911	A1722	A1618	C1602					
				C2100	G1912	A1722	A1618	C1603					
				C2101	G1913	A1722	A1618	C1604					
				C2102	G1914	A1722	A1618	C1605					
				C2103	G1915	A1722	A1618	C1606					
				C2104	G1916	A1722	A1618	C1607					
				C2105	G1917	A1722	A1618	C1608					
				C2106	G1918	A1722	A1618	C1609					
				C2107	G1919	A1722	A1618	C1610					
				C2108	G1920	A1722	A1618	C1611					
				C2109	G1921	A1722	A1618	C1612					
				C2110	G1922	A1722	A1618	C1613					
				C2111	G1923	A1722	A1618	C1614					
				C2112	G1924	A1722	A1618	C1615					
				C2113	G1925	A1722	A1618	C1616					
				C2114	G1926	A1722	A1618	C1617					
				C2115	G1927	A1722	A1618	C1618					
				C2116	G1928	A1722	A1618	C1619					
				C2117	G1929	A1722	A1618	C1620					
				C2118	G1930	A1722	A1618	C1621					
				C2119	G1931	A1722	A1618	C1622					
				C2120	G1932	A1722	A1618	C1623					
				C2121	G1933	A1722	A1618	C1624					
				C2122	G1934	A1722	A1618	C1625					
				C2123	G1935	A1722	A1618	C1626					
				C2124	G1936	A1722	A1618	C1627					
				C2125	G1937	A1722	A1618	C1628					
				C2126	G1938	A1722	A1618	C1629					
				C2127	G1939	A1722	A1618	C1630					
				C2128	G1940	A1722	A1618	C1631					
				C2129	G1941	A1722	A1618	C1632					
				C2130	G1942	A1722	A1618	C1633					
				C2131	G1943	A1722	A1618	C1634					
				C2132	G1944	A1722	A1618	C1635					
				C2133	G1945	A1722	A1618	C1636					
				C2134	G1946	A1722	A1618	C1637					
				C2135	G1947	A1722	A1618	C1638					
				C2136	G1948	A1722	A1618	C1639					
				C2137	G1949	A1722	A1618	C1640					
				C2138	G1950	A1722	A1618	C1641					
				C2139	G1951	A1722	A1618	C1642					
				C2140	G1952	A1722	A1618	C1643					
				C2141	G1953	A1722	A1618	C1644					
				C2142	G1954	A1722	A1618	C1645					
				C2143	G1955	A1722	A1618	C1646					
				C2144	G1956	A1722	A1618	C1647					
				C2145	G1957	A1722	A1618	C1648					
				C2146	G1958	A1722	A1618	C1649					
				C2147	G1959	A1722	A1618	C1650					
				C2148	G1960	A1722	A1618	C1651					
				C2149	G1961	A1722	A1618	C1652					
				C2150	G1962	A1722	A1618	C1653					
				C2151	G1963	A1722	A1618	C1654					
				C2152	G1964	A1722	A1618	C1655					
				C2153	G1965	A1722	A1618	C1656					
				C2154	G1966	A1722	A1618	C1657					
				C2155	G1967	A1722	A1618	C1658					
				C2156	G1968	A1722	A1618	C1659					
				C2157	G1969	A1722	A1618	C1660					
				C2158	G1970	A1722	A1618	C1661					
				C2159	G1971	A1722	A1618	C1662					
				C2160	G1972	A1722	A1618	C1663					
				C2161	G1973	A1722	A1618	C1664					
				C2162	G1974	A1722	A1618	C1665					
				C2163	G1975	A1722	A1618	C1666					







• Molecule 26: 5S Ribosomal RNA




• Molecule 26: 5S Ribosomal RNA





• Molecule 27: 50S Ribosomal Protein L2











• Molecule 27: 50S Ribosomal Protein L2




• Molecule 28: 50S Ribosomal Protein L3



• Molecule 28: 50S Ribosomal Protein L3




• Molecule 29: 50S Ribosomal Protein L4






- Molecule 29: 50S Ribosomal Protein L4




- Molecule 30: 50S Ribosomal Protein L5




- Molecule 30: 50S Ribosomal Protein L5




- Molecule 31: 50S Ribosomal Protein L6



- Molecule 31: 50S Ribosomal Protein L6











L122


## ● Molecule 34: 50S Ribosomal Protein L14




## ● Molecule 35: 50S Ribosomal Protein L15




## ● Molecule 35: 50S Ribosomal Protein L15



## ● Molecule 36: 50S Ribosomal Protein L16



## ● Molecule 36: 50S Ribosomal Protein L16








• Molecule 37: 50S Ribosomal Protein L17

Chain BR: 69% 26% 5%




• Molecule 37: 50S Ribosomal Protein L17

Chain DR: 11% 67% 31%




• Molecule 38: 50S Ribosomal Protein L18

Chain BS: 72% 22%




• Molecule 38: 50S Ribosomal Protein L18

Chain DS: 21% 60% 35%




• Molecule 39: 50S Ribosomal Protein L19

Chain BT: 60% 25% 5% 10%







- Molecule 39: 50S Ribosomal Protein L19




- Molecule 40: 50S Ribosomal Protein L20




- Molecule 40: 50S Ribosomal Protein L20




- Molecule 41: 50S Ribosomal Protein L21




- Molecule 41: 50S Ribosomal Protein L21




- Molecule 42: 50S Ribosomal Protein L22



- Molecule 42: 50S Ribosomal Protein L22









• Molecule 43: 50S Ribosomal Protein L23

Chain BX: 70% 27% ..




• Molecule 43: 50S Ribosomal Protein L23

Chain DX: 33% 67% 30% ..




• Molecule 44: 50S Ribosomal Protein L24

Chain BY: 2% 68% 26% ..




• Molecule 44: 50S Ribosomal Protein L24

Chain DY: 20% 68% 24% 5% .




• Molecule 45: 50S Ribosomal Protein L25

Chain BZ: 50% 30% 17%







- Molecule 45: 50S Ribosomal Protein L25




- Molecule 46: 50S Ribosomal Protein L27




- Molecule 46: 50S Ribosomal Protein L27




- Molecule 47: 50S Ribosomal Protein L28



- Molecule 47: 50S Ribosomal Protein L28




- Molecule 48: 50S Ribosomal Protein L29




- Molecule 48: 50S Ribosomal Protein L29







- Molecule 49: 50S Ribosomal Protein L30




- Molecule 49: 50S Ribosomal Protein L30




- Molecule 50: 50S Ribosomal Protein L31




- Molecule 50: 50S Ribosomal Protein L31



- Molecule 51: 50S Ribosomal Protein L32




- Molecule 51: 50S Ribosomal Protein L32



- Molecule 52: 50S Ribosomal Protein L33









- Molecule 52: 50S Ribosomal Protein L33




- Molecule 53: 50S Ribosomal Protein L34



- Molecule 53: 50S Ribosomal Protein L34




- Molecule 54: 50S Ribosomal Protein L35



- Molecule 54: 50S Ribosomal Protein L35




- Molecule 55: 50S Ribosomal Protein L36



- Molecule 55: 50S Ribosomal Protein L36









## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	208.93Å 446.95Å 619.78Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	144.86 – 2.70 254.67 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.6 (144.86-2.70) 99.6 (254.67-2.70)	Depositor EDS
$R_{merge}$	0.18	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.32 (at 2.69Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.2_1309)	Depositor
R, $R_{free}$	0.215 , 0.262 0.223 , 0.268	Depositor DCC
$R_{free}$ test set	78302 reflections (5.29%)	DCC
Wilson B-factor (Å <sup>2</sup> )	53.5	Xtriage
Anisotropy	0.258	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 59.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.41$ , $\langle L^2 \rangle = 0.23$	Xtriage
Outliers	0 of 1559766 reflections	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	290807	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.51% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.



## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 5MU, MG, PCY, K, ZN, 5MC, 4SU, SF4, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	AA	1.31	15/36024 (0.0%)	1.16	60/56222 (0.1%)
1	CA	0.43	0/36170	0.97	61/56452 (0.1%)
2	AB	0.34	0/1881	0.62	1/2542 (0.0%)
2	CB	0.35	0/1860	0.62	1/2518 (0.0%)
3	AC	0.30	0/1576	0.51	0/2130
3	CC	0.33	0/1566	0.59	1/2119 (0.0%)
4	AD	0.31	0/1689	0.55	0/2267
4	CD	0.31	0/1704	0.55	0/2284
5	AE	0.31	0/1145	0.53	0/1543
5	CE	0.33	0/1149	0.57	0/1548
6	AF	0.30	0/819	0.52	0/1111
6	CF	0.32	0/829	0.54	0/1123
7	AG	0.29	0/1250	0.50	0/1679
7	CG	0.31	0/1254	0.53	0/1683
8	AH	0.30	0/1108	0.52	0/1494
8	CH	0.29	0/1108	0.52	0/1494
9	AI	0.29	0/1002	0.55	0/1346
9	CI	0.33	0/997	0.58	1/1343 (0.1%)
10	AJ	0.29	0/722	0.54	0/982
10	CJ	0.34	0/727	0.59	0/988
11	AK	0.32	0/844	0.51	0/1145
11	CK	0.30	0/848	0.53	0/1149
12	AL	0.33	0/946	0.51	0/1274
12	CL	0.33	0/946	0.60	1/1274 (0.1%)
13	AM	0.29	0/947	0.58	0/1272
13	CM	0.31	0/930	0.55	0/1250
14	AN	0.31	0/501	0.54	0/664
14	CN	0.34	0/501	0.52	0/664
15	AO	0.31	0/739	0.53	0/985
15	CO	0.32	0/739	0.53	0/985
16	AP	0.31	0/697	0.53	0/939
16	CP	0.32	0/693	0.51	0/935



Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
17	AQ	0.32	0/836	0.52	0/1117
17	CQ	0.31	0/836	0.48	0/1117
18	AR	0.32	0/560	0.53	0/746
18	CR	0.30	0/560	0.51	0/746
19	AS	0.31	0/667	0.53	0/900
19	CS	0.33	0/661	0.65	1/893 (0.1%)
20	AT	0.31	0/730	0.56	0/965
20	CT	0.29	0/729	0.53	0/965
21	AU	0.29	0/203	0.51	0/266
21	CU	0.35	0/203	0.55	0/266
22	AV	0.56	0/188	1.13	0/290
22	CV	0.62	0/122	1.18	0/188
23	AX	0.56	2/1725 (0.1%)	1.16	18/2689 (0.7%)
23	CX	0.55	1/1725 (0.1%)	1.20	18/2689 (0.7%)
24	AY	0.72	1/428 (0.2%)	0.91	0/661
24	CY	0.48	0/115	1.02	0/176
25	BA	0.67	6/68083 (0.0%)	1.04	144/106274 (0.1%)
25	DA	0.51	3/67542 (0.0%)	1.00	78/105428 (0.1%)
26	BB	0.51	0/2878	0.91	0/4490
26	DB	0.57	0/2878	1.01	2/4490 (0.0%)
27	BD	0.44	0/2186	0.60	0/2944
27	DD	0.39	0/2186	0.59	0/2944
28	BE	0.45	0/1592	0.60	0/2149
28	DE	0.38	0/1592	0.62	0/2149
29	BF	0.43	0/1619	0.58	0/2193
29	DF	0.36	0/1615	0.59	0/2188
30	BG	0.33	0/1450	0.55	1/1959 (0.1%)
30	DG	0.36	0/1449	0.57	0/1958
31	BH	0.36	0/1356	0.54	0/1834
31	DH	0.34	0/1356	0.54	0/1834
32	BI	0.32	0/1100	0.58	0/1501
32	DI	0.32	0/1076	0.57	0/1471
33	BN	0.39	0/1144	0.54	0/1543
33	DN	0.36	0/1144	0.57	0/1543
34	BO	0.45	0/943	0.59	1/1269 (0.1%)
34	DO	0.37	0/943	0.60	1/1269 (0.1%)
35	BP	0.42	0/1152	0.60	0/1533
35	DP	0.38	0/1152	0.64	1/1533 (0.1%)
36	BQ	0.44	0/1143	0.58	0/1527
36	DQ	0.36	0/1143	0.57	0/1527
37	BR	0.44	0/982	0.66	0/1312
37	DR	0.33	0/982	0.57	0/1312
38	BS	0.39	0/887	0.62	0/1180



Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
38	DS	0.33	0/880	0.55	0/1172
39	BT	0.38	0/1105	0.60	0/1477
39	DT	0.35	0/1097	0.57	1/1468 (0.1%)
40	BU	0.48	0/977	0.61	0/1301
40	DU	0.33	0/977	0.53	0/1301
41	BV	0.44	0/782	0.64	0/1049
41	DV	0.34	0/782	0.55	1/1049 (0.1%)
42	BW	0.50	0/897	0.62	0/1205
42	DW	0.34	0/897	0.53	0/1205
43	BX	0.45	0/764	0.58	0/1025
43	DX	0.34	0/764	0.54	1/1025 (0.1%)
44	BY	0.40	0/819	0.62	0/1095
44	DY	0.33	0/819	0.57	0/1095
45	BZ	0.35	0/1379	0.62	0/1873
45	DZ	0.31	0/1390	0.54	0/1890
46	B0	0.45	0/662	0.65	0/881
46	D0	0.33	0/662	0.55	0/881
47	B1	0.40	0/762	0.55	0/1014
47	D1	0.36	0/762	0.56	0/1014
48	B2	0.39	0/590	0.59	0/781
48	D2	0.29	0/590	0.50	0/781
49	B3	0.41	0/474	0.59	0/635
49	D3	0.30	0/469	0.53	0/630
50	B4	0.36	0/571	0.68	0/768
50	D4	0.34	0/545	0.62	0/737
51	B5	0.50	1/469 (0.2%)	0.77	0/635
51	D5	0.35	0/469	0.59	1/635 (0.2%)
52	B6	0.60	1/460 (0.2%)	0.67	1/613 (0.2%)
52	D6	0.36	0/456	0.52	0/608
53	B7	0.48	0/426	0.62	0/561
53	D7	0.37	0/426	0.57	0/561
54	B8	0.44	0/519	0.61	0/684
54	D8	0.36	0/525	0.54	0/691
55	B9	0.50	0/310	0.65	1/407 (0.2%)
55	D9	0.38	0/310	0.62	0/407
All	All	0.65	30/310558 (0.0%)	0.94	397/464586 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.



Mol	Chain	#Chirality outliers	#Planarity outliers
1	AA	0	1
7	CG	0	2
38	BS	0	1
50	B4	0	1
50	D4	0	1
All	All	0	6

The worst 5 of 30 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	AA	439	A	C5-C4	145.31	2.40	1.38
1	AA	496	A	C6-N1	114.63	2.15	1.35
1	AA	439	A	N3-C4	59.27	1.70	1.34
1	AA	496	A	C2-N3	54.84	1.82	1.33
1	AA	439	A	C6-N1	53.24	1.72	1.35

The worst 5 of 397 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	496	A	C2-N3-C4	97.04	159.12	110.60
1	AA	496	A	N1-C2-N3	-89.99	84.31	129.30
1	AA	496	A	C5-C6-N6	-36.75	94.30	123.70
1	AA	496	A	C5-C6-N1	31.98	133.69	117.70
1	AA	496	A	C4-C5-C6	-28.65	102.68	117.00

There are no chirality outliers.

5 of 6 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	AA	439	A	Sidechain
50	B4	59	PHE	Peptide
38	BS	58	LEU	Peptide
7	CG	78	ARG	Peptide
7	CG	79	ARG	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	32183	0	16244	640	0
1	CA	32312	0	16308	675	0
2	AB	1846	0	1867	88	0
2	CB	1825	0	1828	91	0
3	AC	1552	0	1546	53	0
3	CC	1542	0	1517	52	0
4	AD	1659	0	1676	71	0
4	CD	1674	0	1714	52	0
5	AE	1129	0	1185	32	0
5	CE	1133	0	1191	37	0
6	AF	806	0	793	19	0
6	CF	816	0	808	16	0
7	AG	1231	0	1238	22	0
7	CG	1235	0	1249	37	0
8	AH	1088	0	1126	28	0
8	CH	1088	0	1126	26	0
9	AI	983	0	986	30	0
9	CI	978	0	966	47	0
10	AJ	709	0	650	34	0
10	CJ	714	0	672	34	0
11	AK	829	0	825	20	0
11	CK	833	0	836	16	0
12	AL	930	0	980	25	0
12	CL	930	0	980	28	0
13	AM	937	0	977	27	0
13	CM	920	0	950	37	0
14	AN	492	0	529	21	0
14	CN	492	0	529	25	0
15	AO	728	0	760	22	0
15	CO	728	0	760	24	0
16	AP	681	0	697	23	0
16	CP	677	0	686	17	0
17	AQ	823	0	891	11	0
17	CQ	823	0	891	10	0
18	AR	555	0	618	13	0
18	CR	555	0	618	12	0
19	AS	652	0	662	25	0
19	CS	646	0	644	39	0
20	AT	728	0	798	21	0
20	CT	727	0	796	16	0
21	AU	199	0	208	4	0
21	CU	199	0	208	9	0
22	AV	169	0	86	4	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
22	CV	109	0	55	5	0
23	AX	1625	0	828	21	0
23	CX	1625	0	829	27	0
24	AY	385	0	199	11	0
24	CY	104	0	56	6	0
25	BA	60792	0	30653	698	0
25	DA	60311	0	30414	981	0
26	BB	2573	0	1306	23	0
26	DB	2573	0	1306	73	0
27	BD	2136	0	2218	60	0
27	DD	2136	0	2218	66	0
28	BE	1559	0	1618	27	0
28	DE	1559	0	1618	41	0
29	BF	1584	0	1625	45	0
29	DF	1580	0	1619	51	0
30	BG	1425	0	1443	43	0
30	DG	1424	0	1434	67	0
31	BH	1330	0	1407	24	0
31	DH	1330	0	1407	49	0
32	BI	1085	0	1114	35	0
32	DI	1061	0	1080	30	0
33	BN	1117	0	1183	19	0
33	DN	1117	0	1184	17	0
34	BO	933	0	996	23	0
34	DO	933	0	996	29	0
35	BP	1135	0	1212	34	0
35	DP	1135	0	1212	53	0
36	BQ	1122	0	1179	26	0
36	DQ	1122	0	1179	37	0
37	BR	968	0	1033	20	0
37	DR	968	0	1033	25	0
38	BS	877	0	938	26	0
38	DS	870	0	923	29	0
39	BT	1091	0	1151	38	0
39	DT	1083	0	1136	36	0
40	BU	959	0	1019	18	0
40	DU	959	0	1019	18	0
41	BV	771	0	830	13	0
41	DV	771	0	830	20	0
42	BW	886	0	940	18	0
42	DW	886	0	940	16	0
43	BX	750	0	814	22	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
43	DX	750	0	814	18	0
44	BY	806	0	881	21	0
44	DY	806	0	881	21	0
45	BZ	1349	0	1355	45	0
45	DZ	1360	0	1363	44	0
46	B0	653	0	674	15	0
46	D0	653	0	674	22	0
47	B1	755	0	826	21	0
47	D1	755	0	826	19	0
48	B2	588	0	643	10	0
48	D2	588	0	643	12	0
49	B3	469	0	518	10	0
49	D3	464	0	514	12	0
50	B4	558	0	544	36	0
50	D4	532	0	503	27	0
51	B5	455	0	465	9	0
51	D5	455	0	465	9	0
52	B6	453	0	473	10	0
52	D6	449	0	469	10	0
53	B7	418	0	467	7	0
53	D7	418	0	467	9	0
54	B8	511	0	571	22	0
54	D8	517	0	582	16	0
55	B9	307	0	335	8	0
55	D9	307	0	335	7	0
56	AA	190	0	0	0	0
56	AD	1	0	0	0	0
56	AE	3	0	0	0	0
56	AF	1	0	0	0	0
56	AM	1	0	0	0	0
56	AN	1	0	0	0	0
56	AQ	1	0	0	0	0
56	AX	9	0	0	0	0
56	B0	5	0	0	0	0
56	B2	1	0	0	0	0
56	B3	1	0	0	0	0
56	B4	1	0	0	0	0
56	B5	4	0	0	0	0
56	B6	2	0	0	0	0
56	B7	5	0	0	0	0
56	B8	2	0	0	0	0
56	B9	1	0	0	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
56	BA	814	0	0	0	0
56	BB	22	0	0	0	0
56	BD	9	0	0	0	0
56	BE	7	0	0	0	0
56	BF	9	0	0	0	0
56	BG	2	0	0	0	0
56	BN	7	0	0	0	0
56	BO	1	0	0	0	0
56	BP	4	0	0	0	0
56	BQ	4	0	0	0	0
56	BR	3	0	0	0	0
56	BU	9	0	0	0	0
56	BV	4	0	0	0	0
56	BW	4	0	0	0	0
56	BX	2	0	0	0	0
56	BY	3	0	0	0	0
56	BZ	2	0	0	0	0
56	CA	175	0	0	0	0
56	CE	2	0	0	0	0
56	CF	1	0	0	0	0
56	CJ	1	0	0	0	0
56	CT	1	0	0	0	0
56	CX	2	0	0	0	0
56	D0	2	0	0	0	0
56	D1	1	0	0	0	0
56	D3	1	0	0	0	0
56	D8	1	0	0	0	0
56	DA	674	0	0	0	0
56	DB	10	0	0	0	0
56	DD	8	0	0	0	0
56	DE	5	0	0	0	0
56	DF	5	0	0	0	0
56	DG	1	0	0	0	0
56	DN	1	0	0	0	0
56	DO	1	0	0	0	0
56	DP	2	0	0	0	0
56	DQ	3	0	0	0	0
56	DR	1	0	0	0	0
56	DU	4	0	0	0	0
56	DV	3	0	0	0	0
56	DW	2	0	0	0	0
56	DY	1	0	0	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
57	AA	40	0	38	6	0
57	CA	40	0	38	4	0
58	AD	8	0	0	1	0
58	CD	8	0	0	0	0
59	AN	1	0	0	0	0
59	B4	1	0	0	0	0
59	B5	1	0	0	0	0
59	B6	1	0	0	0	0
59	B9	1	0	0	0	0
59	BY	1	0	0	0	0
59	CN	1	0	0	0	0
59	D4	1	0	0	0	0
59	D5	1	0	0	0	0
59	D6	1	0	0	0	0
59	D9	1	0	0	0	0
59	DY	1	0	0	0	0
60	AX	1	0	0	0	0
60	CX	1	0	0	0	0
61	AA	175	0	0	13	0
61	AJ	2	0	0	0	0
61	AL	1	0	0	0	0
61	AM	1	0	0	0	0
61	AO	1	0	0	0	0
61	AV	1	0	0	0	0
61	AX	8	0	0	0	0
61	B0	4	0	0	0	0
61	B1	1	0	0	0	0
61	B3	1	0	0	0	0
61	B5	4	0	0	1	0
61	B6	1	0	0	0	0
61	B7	1	0	0	0	0
61	B8	10	0	0	1	0
61	BA	1294	0	0	49	0
61	BB	34	0	0	1	0
61	BD	16	0	0	1	0
61	BE	12	0	0	1	0
61	BF	7	0	0	1	0
61	BG	3	0	0	0	0
61	BI	1	0	0	0	0
61	BN	1	0	0	0	0
61	BO	4	0	0	0	0
61	BP	15	0	0	1	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
61	BQ	5	0	0	0	0
61	BR	1	0	0	0	0
61	BU	2	0	0	0	0
61	BV	2	0	0	0	0
61	BW	3	0	0	0	0
61	BX	5	0	0	0	0
61	CA	137	0	0	12	0
61	CD	1	0	0	0	0
61	CJ	2	0	0	0	0
61	CL	1	0	0	1	0
61	CN	1	0	0	0	0
61	CT	1	0	0	0	0
61	CX	2	0	0	0	0
61	D0	7	0	0	0	0
61	D1	1	0	0	0	0
61	D3	1	0	0	0	0
61	D8	4	0	0	0	0
61	DA	924	0	0	75	0
61	DB	8	0	0	0	0
61	DD	18	0	0	3	0
61	DE	9	0	0	1	0
61	DF	5	0	0	0	0
61	DN	1	0	0	0	0
61	DO	1	0	0	0	0
61	DP	14	0	0	1	0
61	DR	1	0	0	0	0
61	DT	1	0	0	0	0
61	DU	3	0	0	0	0
61	DV	1	0	0	0	0
61	DW	1	0	0	0	0
61	DX	1	0	0	0	0
61	DY	1	0	0	0	0
All	All	290807	0	193177	5129	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

The worst 5 of 5129 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:AA:439:A:C2	1:AA:439:A:N3	1.68	1.62

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:AA:439:A:C5	1:AA:439:A:C6	1.79	1.62
1:AA:439:A:C4	1:AA:439:A:N3	1.70	1.56
1:AA:439:A:N1	1:AA:439:A:C6	1.72	1.55
1:AA:439:A:N1	1:AA:439:A:C2	1.70	1.54

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	AB	229/256 (90%)	194 (85%)	24 (10%)	11 (5%)	3	5
2	CB	229/256 (90%)	195 (85%)	24 (10%)	10 (4%)	3	6
3	AC	204/239 (85%)	179 (88%)	23 (11%)	2 (1%)	19	45
3	CC	204/239 (85%)	178 (87%)	23 (11%)	3 (2%)	13	32
4	AD	206/209 (99%)	189 (92%)	15 (7%)	2 (1%)	19	45
4	CD	206/209 (99%)	190 (92%)	14 (7%)	2 (1%)	19	45
5	AE	146/162 (90%)	139 (95%)	5 (3%)	2 (1%)	14	35
5	CE	146/162 (90%)	136 (93%)	8 (6%)	2 (1%)	14	35
6	AF	98/101 (97%)	88 (90%)	10 (10%)	0	100	100
6	CF	98/101 (97%)	91 (93%)	7 (7%)	0	100	100
7	AG	153/156 (98%)	139 (91%)	11 (7%)	3 (2%)	9	24
7	CG	153/156 (98%)	137 (90%)	15 (10%)	1 (1%)	26	55
8	AH	135/138 (98%)	130 (96%)	5 (4%)	0	100	100
8	CH	135/138 (98%)	129 (96%)	5 (4%)	1 (1%)	26	55
9	AI	125/128 (98%)	107 (86%)	14 (11%)	4 (3%)	5	12
9	CI	125/128 (98%)	109 (87%)	12 (10%)	4 (3%)	5	12

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
10	AJ	95/105 (90%)	80 (84%)	9 (10%)	6 (6%)	2	2
10	CJ	94/105 (90%)	83 (88%)	6 (6%)	5 (5%)	2	4
11	AK	112/129 (87%)	103 (92%)	7 (6%)	2 (2%)	11	27
11	CK	112/129 (87%)	101 (90%)	8 (7%)	3 (3%)	6	16
12	AL	120/132 (91%)	111 (92%)	9 (8%)	0	100	100
12	CL	120/132 (91%)	113 (94%)	7 (6%)	0	100	100
13	AM	118/126 (94%)	103 (87%)	13 (11%)	2 (2%)	11	29
13	CM	116/126 (92%)	101 (87%)	11 (10%)	4 (3%)	5	10
14	AN	58/61 (95%)	55 (95%)	3 (5%)	0	100	100
14	CN	58/61 (95%)	55 (95%)	3 (5%)	0	100	100
15	AO	86/89 (97%)	80 (93%)	6 (7%)	0	100	100
15	CO	86/89 (97%)	78 (91%)	7 (8%)	1 (1%)	16	39
16	AP	80/88 (91%)	73 (91%)	7 (9%)	0	100	100
16	CP	80/88 (91%)	74 (92%)	5 (6%)	1 (1%)	15	37
17	AQ	97/105 (92%)	92 (95%)	5 (5%)	0	100	100
17	CQ	97/105 (92%)	90 (93%)	7 (7%)	0	100	100
18	AR	66/88 (75%)	63 (96%)	3 (4%)	0	100	100
18	CR	66/88 (75%)	64 (97%)	1 (2%)	1 (2%)	13	32
19	AS	81/93 (87%)	70 (86%)	11 (14%)	0	100	100
19	CS	81/93 (87%)	68 (84%)	11 (14%)	2 (2%)	7	18
20	AT	94/106 (89%)	82 (87%)	6 (6%)	6 (6%)	2	2
20	CT	94/106 (89%)	84 (89%)	5 (5%)	5 (5%)	2	4
21	AU	21/27 (78%)	17 (81%)	4 (19%)	0	100	100
21	CU	21/27 (78%)	16 (76%)	4 (19%)	1 (5%)	3	5
27	BD	273/276 (99%)	258 (94%)	14 (5%)	1 (0%)	39	69
27	DD	273/276 (99%)	257 (94%)	14 (5%)	2 (1%)	26	55
28	BE	202/206 (98%)	194 (96%)	7 (4%)	1 (0%)	34	63
28	DE	202/206 (98%)	193 (96%)	7 (4%)	2 (1%)	19	45
29	BF	201/210 (96%)	196 (98%)	4 (2%)	1 (0%)	34	63
29	DF	201/210 (96%)	195 (97%)	4 (2%)	2 (1%)	19	45
30	BG	179/182 (98%)	165 (92%)	11 (6%)	3 (2%)	11	29

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
30	DG	179/182 (98%)	161 (90%)	14 (8%)	4 (2%)	8	22
31	BH	172/180 (96%)	161 (94%)	10 (6%)	1 (1%)	30	59
31	DH	172/180 (96%)	160 (93%)	11 (6%)	1 (1%)	30	59
32	BI	144/148 (97%)	129 (90%)	12 (8%)	3 (2%)	9	23
32	DI	144/148 (97%)	130 (90%)	12 (8%)	2 (1%)	14	35
33	BN	138/140 (99%)	135 (98%)	3 (2%)	0	100	100
33	DN	138/140 (99%)	133 (96%)	4 (3%)	1 (1%)	26	55
34	BO	120/122 (98%)	114 (95%)	5 (4%)	1 (1%)	24	51
34	DO	120/122 (98%)	115 (96%)	5 (4%)	0	100	100
35	BP	147/150 (98%)	140 (95%)	6 (4%)	1 (1%)	26	55
35	DP	147/150 (98%)	137 (93%)	9 (6%)	1 (1%)	26	55
36	BQ	139/141 (99%)	132 (95%)	6 (4%)	1 (1%)	26	55
36	DQ	139/141 (99%)	132 (95%)	5 (4%)	2 (1%)	14	35
37	BR	116/118 (98%)	109 (94%)	7 (6%)	0	100	100
37	DR	116/118 (98%)	110 (95%)	5 (4%)	1 (1%)	21	49
38	BS	108/112 (96%)	98 (91%)	9 (8%)	1 (1%)	21	49
38	DS	108/112 (96%)	98 (91%)	9 (8%)	1 (1%)	21	49
39	BT	129/146 (88%)	122 (95%)	5 (4%)	2 (2%)	12	30
39	DT	129/146 (88%)	125 (97%)	4 (3%)	0	100	100
40	BU	114/118 (97%)	113 (99%)	1 (1%)	0	100	100
40	DU	114/118 (97%)	112 (98%)	2 (2%)	0	100	100
41	BV	99/101 (98%)	92 (93%)	5 (5%)	2 (2%)	9	24
41	DV	99/101 (98%)	94 (95%)	4 (4%)	1 (1%)	19	45
42	BW	110/113 (97%)	109 (99%)	1 (1%)	0	100	100
42	DW	110/113 (97%)	109 (99%)	1 (1%)	0	100	100
43	BX	93/96 (97%)	88 (95%)	4 (4%)	1 (1%)	17	42
43	DX	93/96 (97%)	88 (95%)	3 (3%)	2 (2%)	8	22
44	BY	105/110 (96%)	97 (92%)	6 (6%)	2 (2%)	10	25
44	DY	105/110 (96%)	99 (94%)	5 (5%)	1 (1%)	19	45
45	BZ	169/206 (82%)	147 (87%)	18 (11%)	4 (2%)	7	19
45	DZ	172/206 (84%)	154 (90%)	17 (10%)	1 (1%)	30	59

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
46	B0	81/85 (95%)	76 (94%)	4 (5%)	1 (1%)	16	39
46	D0	81/85 (95%)	76 (94%)	5 (6%)	0	100	100
47	B1	95/98 (97%)	92 (97%)	2 (2%)	1 (1%)	17	42
47	D1	95/98 (97%)	92 (97%)	2 (2%)	1 (1%)	17	42
48	B2	68/72 (94%)	68 (100%)	0	0	100	100
48	D2	68/72 (94%)	68 (100%)	0	0	100	100
49	B3	57/60 (95%)	55 (96%)	2 (4%)	0	100	100
49	D3	57/60 (95%)	54 (95%)	3 (5%)	0	100	100
50	B4	67/71 (94%)	50 (75%)	10 (15%)	7 (10%)	1	0
50	D4	67/71 (94%)	53 (79%)	7 (10%)	7 (10%)	1	0
51	B5	57/60 (95%)	56 (98%)	1 (2%)	0	100	100
51	D5	57/60 (95%)	56 (98%)	1 (2%)	0	100	100
52	B6	51/54 (94%)	49 (96%)	1 (2%)	1 (2%)	9	24
52	D6	51/54 (94%)	48 (94%)	3 (6%)	0	100	100
53	B7	46/49 (94%)	45 (98%)	1 (2%)	0	100	100
53	D7	46/49 (94%)	45 (98%)	0	1 (2%)	8	22
54	B8	62/65 (95%)	62 (100%)	0	0	100	100
54	D8	62/65 (95%)	62 (100%)	0	0	100	100
55	B9	35/37 (95%)	34 (97%)	1 (3%)	0	100	100
55	D9	35/37 (95%)	33 (94%)	2 (6%)	0	100	100
All	All	11402/12128 (94%)	10561 (93%)	687 (6%)	154 (1%)	14	35

5 of 154 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	AB	9	GLU
2	AB	10	LEU
2	AB	125	PRO
4	AD	166	LYS
7	AG	80	VAL

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar



resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	AB	192/220 (87%)	158 (82%)	34 (18%)	2	5
2	CB	187/220 (85%)	161 (86%)	26 (14%)	4	10
3	AC	143/188 (76%)	134 (94%)	9 (6%)	22	48
3	CC	140/188 (74%)	127 (91%)	13 (9%)	11	25
4	AD	170/181 (94%)	154 (91%)	16 (9%)	11	25
4	CD	173/181 (96%)	158 (91%)	15 (9%)	13	29
5	AE	113/123 (92%)	106 (94%)	7 (6%)	23	49
5	CE	114/123 (93%)	103 (90%)	11 (10%)	10	24
6	AF	83/90 (92%)	79 (95%)	4 (5%)	31	62
6	CF	85/90 (94%)	82 (96%)	3 (4%)	43	74
7	AG	119/127 (94%)	108 (91%)	11 (9%)	11	25
7	CG	120/127 (94%)	113 (94%)	7 (6%)	25	52
8	AH	114/119 (96%)	108 (95%)	6 (5%)	28	57
8	CH	114/119 (96%)	109 (96%)	5 (4%)	35	65
9	AI	90/99 (91%)	79 (88%)	11 (12%)	6	14
9	CI	89/99 (90%)	81 (91%)	8 (9%)	12	27
10	AJ	66/92 (72%)	63 (96%)	3 (4%)	34	65
10	CJ	69/92 (75%)	64 (93%)	5 (7%)	18	41
11	AK	82/99 (83%)	78 (95%)	4 (5%)	31	61
11	CK	83/99 (84%)	79 (95%)	4 (5%)	31	62
12	AL	97/109 (89%)	92 (95%)	5 (5%)	29	58
12	CL	97/109 (89%)	93 (96%)	4 (4%)	37	69
13	AM	91/101 (90%)	83 (91%)	8 (9%)	12	28
13	CM	89/101 (88%)	80 (90%)	9 (10%)	9	21
14	AN	49/50 (98%)	43 (88%)	6 (12%)	6	14
14	CN	49/50 (98%)	42 (86%)	7 (14%)	4	10
15	AO	78/80 (98%)	68 (87%)	10 (13%)	5	12
15	CO	78/80 (98%)	73 (94%)	5 (6%)	22	47
16	AP	69/74 (93%)	59 (86%)	10 (14%)	4	10

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
16	CP	68/74 (92%)	60 (88%)	8 (12%)	6	15
17	AQ	94/97 (97%)	88 (94%)	6 (6%)	22	47
17	CQ	94/97 (97%)	89 (95%)	5 (5%)	28	57
18	AR	59/77 (77%)	54 (92%)	5 (8%)	13	30
18	CR	59/77 (77%)	55 (93%)	4 (7%)	20	43
19	AS	69/80 (86%)	63 (91%)	6 (9%)	13	29
19	CS	67/80 (84%)	58 (87%)	9 (13%)	5	11
20	AT	70/82 (85%)	62 (89%)	8 (11%)	7	16
20	CT	70/82 (85%)	62 (89%)	8 (11%)	7	16
21	AU	18/22 (82%)	16 (89%)	2 (11%)	8	17
21	CU	18/22 (82%)	17 (94%)	1 (6%)	26	54
27	BD	215/218 (99%)	200 (93%)	15 (7%)	19	42
27	DD	215/218 (99%)	200 (93%)	15 (7%)	19	42
28	BE	164/166 (99%)	150 (92%)	14 (8%)	13	30
28	DE	164/166 (99%)	147 (90%)	17 (10%)	9	20
29	BF	160/166 (96%)	145 (91%)	15 (9%)	11	25
29	DF	159/166 (96%)	144 (91%)	15 (9%)	11	25
30	BG	143/156 (92%)	128 (90%)	15 (10%)	8	19
30	DG	142/156 (91%)	128 (90%)	14 (10%)	10	22
31	BH	144/148 (97%)	133 (92%)	11 (8%)	16	37
31	DH	144/148 (97%)	134 (93%)	10 (7%)	19	43
32	BI	110/124 (89%)	88 (80%)	22 (20%)	1	4
32	DI	104/124 (84%)	90 (86%)	14 (14%)	5	11
33	BN	118/119 (99%)	103 (87%)	15 (13%)	5	13
33	DN	118/119 (99%)	106 (90%)	12 (10%)	9	21
34	BO	100/100 (100%)	95 (95%)	5 (5%)	30	60
34	DO	100/100 (100%)	96 (96%)	4 (4%)	38	69
35	BP	115/116 (99%)	105 (91%)	10 (9%)	13	29
35	DP	115/116 (99%)	106 (92%)	9 (8%)	16	35
36	BQ	111/111 (100%)	100 (90%)	11 (10%)	10	22
36	DQ	111/111 (100%)	103 (93%)	8 (7%)	18	41

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
37	BR	101/101 (100%)	87 (86%)	14 (14%)	4	10
37	DR	101/101 (100%)	88 (87%)	13 (13%)	5	12
38	BS	87/88 (99%)	83 (95%)	4 (5%)	33	64
38	DS	85/88 (97%)	77 (91%)	8 (9%)	11	25
39	BT	115/127 (91%)	106 (92%)	9 (8%)	16	35
39	DT	113/127 (89%)	104 (92%)	9 (8%)	15	33
40	BU	93/94 (99%)	87 (94%)	6 (6%)	21	46
40	DU	93/94 (99%)	87 (94%)	6 (6%)	21	46
41	BV	80/82 (98%)	72 (90%)	8 (10%)	9	22
41	DV	80/82 (98%)	72 (90%)	8 (10%)	9	22
42	BW	90/92 (98%)	85 (94%)	5 (6%)	26	54
42	DW	90/92 (98%)	84 (93%)	6 (7%)	20	44
43	BX	77/78 (99%)	73 (95%)	4 (5%)	29	58
43	DX	77/78 (99%)	73 (95%)	4 (5%)	29	58
44	BY	85/91 (93%)	81 (95%)	4 (5%)	32	63
44	DY	85/91 (93%)	78 (92%)	7 (8%)	14	32
45	BZ	145/179 (81%)	131 (90%)	14 (10%)	10	23
45	DZ	145/179 (81%)	132 (91%)	13 (9%)	12	27
46	B0	65/67 (97%)	62 (95%)	3 (5%)	33	64
46	D0	65/67 (97%)	62 (95%)	3 (5%)	33	64
47	B1	80/83 (96%)	74 (92%)	6 (8%)	17	38
47	D1	80/83 (96%)	75 (94%)	5 (6%)	22	48
48	B2	65/67 (97%)	61 (94%)	4 (6%)	23	49
48	D2	65/67 (97%)	60 (92%)	5 (8%)	16	36
49	B3	51/52 (98%)	46 (90%)	5 (10%)	10	23
49	D3	50/52 (96%)	45 (90%)	5 (10%)	9	22
50	B4	60/63 (95%)	51 (85%)	9 (15%)	3	9
50	D4	53/63 (84%)	46 (87%)	7 (13%)	5	12
51	B5	50/52 (96%)	42 (84%)	8 (16%)	3	8
51	D5	50/52 (96%)	47 (94%)	3 (6%)	24	50
52	B6	51/52 (98%)	45 (88%)	6 (12%)	6	15

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
52	D6	50/52 (96%)	49 (98%)	1 (2%)	63	87
53	B7	41/42 (98%)	38 (93%)	3 (7%)	17	39
53	D7	41/42 (98%)	41 (100%)	0	100	100
54	B8	53/55 (96%)	49 (92%)	4 (8%)	17	38
54	D8	54/55 (98%)	52 (96%)	2 (4%)	41	72
55	B9	34/34 (100%)	33 (97%)	1 (3%)	50	80
55	D9	34/34 (100%)	33 (97%)	1 (3%)	50	80
All	All	9315/10066 (92%)	8513 (91%)	802 (9%)	13	29

5 of 802 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
45	BZ	61	LEU
3	CC	21	ARG
42	DW	15	ARG
46	B0	20	ARG
52	B6	4	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 147 such sidechains are listed below:

Mol	Chain	Res	Type
49	B3	32	GLN
4	CD	123	HIS
41	DV	80	GLN
52	B6	20	ASN
3	CC	28	GLN

### 5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AA	1494/1521 (98%)	363 (24%)	26 (1%)
1	CA	1501/1521 (98%)	372 (24%)	32 (2%)
22	AV	7/24 (29%)	0	0
22	CV	4/24 (16%)	1 (25%)	0
23	AX	75/77 (97%)	25 (33%)	0
23	CX	75/77 (97%)	23 (30%)	0
24	AY	16/76 (21%)	7 (43%)	0

*Continued on next page...*



Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
24	CY	4/76 (5%)	0	0
25	BA	2814/2915 (96%)	473 (16%)	31 (1%)
25	DA	2791/2915 (95%)	523 (18%)	27 (0%)
26	BB	119/121 (98%)	24 (20%)	0
26	DB	119/121 (98%)	25 (21%)	0
All	All	9019/9468 (95%)	1836 (20%)	116 (1%)

5 of 1836 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AA	6	G
1	AA	7	G
1	AA	9	G
1	AA	22	G
1	AA	32	A

5 of 116 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
25	BA	2442	A
1	CA	560	U
25	DA	1913	A
25	BA	2701	U
1	CA	65	U

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
23	5MC	AX	32	23	13,22,23	1.42	1 (7%)	15,32,35	1.03	1 (6%)
23	5MU	AX	54	23	12,22,23	0.29	0	14,32,35	2.89	2 (14%)
23	PSU	AX	55	23	13,21,22	1.59	1 (7%)	18,30,33	3.44	6 (33%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
23	4SU	AX	8	23	11,21,22	1.22	1 (9%)	13,30,33	1.63	1 (7%)
23	5MC	CX	32	23	13,22,23	1.28	1 (7%)	15,32,35	1.08	1 (6%)
23	5MU	CX	54	23	12,22,23	0.30	0	14,32,35	2.48	2 (14%)
23	PSU	CX	55	23	13,21,22	1.29	1 (7%)	18,30,33	3.41	6 (33%)
23	4SU	CX	8	23	11,21,22	1.00	1 (9%)	13,30,33	2.03	2 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
23	5MC	AX	32	23	-	0/3/25/26	0/2/2/2
23	5MU	AX	54	23	-	0/3/25/26	0/2/2/2
23	PSU	AX	55	23	-	0/7/25/26	0/2/2/2
23	4SU	AX	8	23	-	0/3/25/26	0/2/2/2
23	5MC	CX	32	23	-	0/3/25/26	0/2/2/2
23	5MU	CX	54	23	-	0/3/25/26	0/2/2/2
23	PSU	CX	55	23	-	0/7/25/26	0/2/2/2
23	4SU	CX	8	23	-	0/3/25/26	0/2/2/2

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
23	AX	55	PSU	C5-C1'	-5.09	1.47	1.52
23	CX	55	PSU	C5-C1'	-4.03	1.48	1.52
23	AX	8	4SU	C4-S4	-3.89	1.59	1.67
23	CX	8	4SU	C4-S4	-3.15	1.61	1.67
23	CX	32	5MC	C5-C4	4.45	1.48	1.41

The worst 5 of 21 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
23	CX	55	PSU	N1-C2-N3	-10.50	121.63	128.33
23	AX	55	PSU	N1-C2-N3	-10.42	121.68	128.33
23	CX	8	4SU	C5-C4-N3	-6.80	116.97	123.63
23	AX	54	5MU	C5-C4-N3	-6.15	118.28	125.14
23	CX	54	5MU	C5-C4-N3	-5.79	118.69	125.14

There are no chirality outliers.

There are no torsion outliers.



There are no ring outliers.

5 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
23	AX	32	5MC	1	0
23	AX	8	4SU	1	0
23	CX	32	5MC	1	0
23	CX	54	5MU	1	0
23	CX	8	4SU	1	0

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 2061 ligands modelled in this entry, 2057 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
57	PCY	AA	3191	-	36,42,42	1.80	5 (13%)	41,65,65	1.72	8 (19%)
58	SF4	AD	501	4	0,12,12	0.00	-	0,24,24	0.00	-
57	PCY	CA	3176	-	36,42,42	1.62	5 (13%)	41,65,65	0.93	3 (7%)
58	SF4	CD	501	4	0,12,12	0.00	-	0,24,24	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
57	PCY	AA	3191	-	-	0/33/67/67	0/3/3/3
58	SF4	AD	501	4	-	0/0/48/48	0/6/5/5
57	PCY	CA	3176	-	-	0/33/67/67	0/3/3/3
58	SF4	CD	501	4	-	0/0/48/48	0/6/5/5



The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
57	AA	3191	PCY	C34-C30	-5.61	1.39	1.51
57	AA	3191	PCY	C28-C32	-5.41	1.39	1.49
57	CA	3176	PCY	C34-C30	-5.32	1.40	1.51
57	CA	3176	PCY	C28-C32	-4.76	1.40	1.49
57	CA	3176	PCY	C27-C23	-4.17	1.39	1.50

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
57	AA	3191	PCY	C18-O21-C23	-2.64	110.93	116.64
57	CA	3176	PCY	C18-O21-C23	-2.19	111.90	116.64
57	AA	3191	PCY	O36-C31-C27	-2.18	116.88	121.10
57	CA	3176	PCY	O36-C31-C27	-2.11	117.01	121.10
57	AA	3191	PCY	C30-C27-C23	2.35	127.43	120.42

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
57	AA	3191	PCY	6	0
58	AD	501	SF4	1	0
57	CA	3176	PCY	4	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	AA	1497/1521 (98%)	0.15	21 (1%) 78 77	40, 76, 97, 113	0
1	CA	1503/1521 (98%)	0.14	38 (2%) 61 61	42, 77, 97, 113	0
2	AB	231/256 (90%)	0.34	14 (6%) 25 23	71, 85, 93, 98	0
2	CB	231/256 (90%)	1.24	58 (25%) 1 1	71, 86, 94, 98	0
3	AC	206/239 (86%)	1.07	43 (20%) 1 1	69, 83, 91, 95	0
3	CC	206/239 (86%)	1.38	61 (29%) 1 0	69, 84, 92, 96	0
4	AD	208/209 (99%)	1.22	50 (24%) 1 1	60, 76, 86, 91	0
4	CD	208/209 (99%)	1.02	29 (13%) 4 3	60, 76, 84, 89	0
5	AE	148/162 (91%)	0.96	16 (10%) 8 6	56, 72, 81, 88	0
5	CE	148/162 (91%)	1.28	38 (25%) 1 1	58, 74, 83, 89	0
6	AF	100/101 (99%)	0.69	9 (9%) 12 9	61, 74, 82, 85	0
6	CF	100/101 (99%)	0.51	8 (8%) 15 13	62, 75, 83, 86	0
7	AG	155/156 (99%)	1.14	30 (19%) 1 1	69, 79, 89, 98	0
7	CG	155/156 (99%)	1.37	38 (24%) 1 1	70, 80, 90, 99	0
8	AH	137/138 (99%)	0.90	21 (15%) 3 2	61, 74, 81, 85	0
8	CH	137/138 (99%)	0.98	21 (15%) 3 2	63, 75, 83, 88	0
9	AI	127/128 (99%)	1.17	27 (21%) 1 1	63, 85, 91, 94	0
9	CI	127/128 (99%)	2.34	67 (52%) 0 0	70, 86, 92, 96	0
10	AJ	97/105 (92%)	1.25	26 (26%) 1 1	73, 87, 94, 97	0
10	CJ	96/105 (91%)	2.04	45 (46%) 0 0	76, 89, 95, 96	0
11	AK	114/129 (88%)	0.62	5 (4%) 38 37	52, 72, 84, 87	0
11	CK	114/129 (88%)	0.43	5 (4%) 38 37	54, 74, 84, 87	0
12	AL	122/132 (92%)	0.69	17 (13%) 4 3	52, 67, 77, 81	0
12	CL	122/132 (92%)	1.25	29 (23%) 1 1	53, 67, 76, 81	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9	
13	AM	120/126 (95%)	0.92	17 (14%)	4	3	53, 75, 85, 93	0
13	CM	118/126 (93%)	1.67	41 (34%)	0	0	71, 88, 94, 98	0
14	AN	60/61 (98%)	1.89	28 (46%)	0	0	74, 80, 88, 90	0
14	CN	60/61 (98%)	3.58	44 (73%)	0	0	75, 83, 88, 92	0
15	AO	88/89 (98%)	0.81	7 (7%)	15	13	55, 69, 81, 85	0
15	CO	88/89 (98%)	1.13	16 (18%)	2	1	58, 71, 82, 86	0
16	AP	82/88 (93%)	1.32	20 (24%)	1	1	64, 75, 84, 91	0
16	CP	82/88 (93%)	1.13	14 (17%)	2	1	63, 73, 83, 89	0
17	AQ	99/105 (94%)	0.81	7 (7%)	19	17	55, 70, 79, 81	0
17	CQ	99/105 (94%)	1.64	36 (36%)	0	0	58, 71, 80, 84	0
18	AR	68/88 (77%)	0.62	5 (7%)	17	15	62, 74, 84, 89	0
18	CR	68/88 (77%)	0.67	5 (7%)	17	15	64, 74, 84, 91	0
19	AS	83/93 (89%)	0.91	8 (9%)	10	8	75, 85, 93, 94	0
19	CS	83/93 (89%)	2.02	40 (48%)	0	0	78, 87, 93, 96	0
20	AT	96/106 (90%)	0.65	5 (5%)	31	30	63, 72, 82, 87	0
20	CT	96/106 (90%)	0.73	14 (14%)	3	2	61, 73, 82, 87	0
21	AU	23/27 (85%)	1.16	4 (17%)	2	1	71, 77, 79, 81	0
21	CU	23/27 (85%)	2.31	11 (47%)	0	0	72, 79, 81, 83	0
22	AV	8/24 (33%)	3.73	5 (62%)	0	0	62, 89, 94, 97	0
22	CV	5/24 (20%)	2.83	3 (60%)	0	0	65, 73, 91, 96	0
23	AX	72/77 (93%)	0.31	1 (1%)	78	77	40, 71, 88, 98	0
23	CX	72/77 (93%)	0.23	3 (4%)	40	39	43, 74, 90, 97	0
24	AY	18/76 (23%)	3.89	15 (83%)	0	0	62, 104, 109, 109	0
24	CY	5/76 (6%)	6.05	5 (100%)	0	0	74, 101, 102, 106	0
25	BA	2822/2915 (96%)	0.68	58 (2%)	67	68	18, 41, 91, 109	0
25	DA	2800/2915 (96%)	0.09	59 (2%)	67	68	22, 45, 91, 112	0
26	BB	120/121 (99%)	0.49	0	100	100	31, 63, 75, 88	0
26	DB	120/121 (99%)	0.08	8 (6%)	21	19	38, 69, 81, 91	0
27	BD	275/276 (99%)	0.80	11 (4%)	42	41	20, 39, 58, 77	0
27	DD	275/276 (99%)	0.76	20 (7%)	18	16	22, 42, 60, 78	0
28	BE	204/206 (99%)	0.69	2 (0%)	84	85	19, 44, 64, 86	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
28	DE	204/206 (99%)	0.56	9 (4%) 38 37	22, 48, 66, 86	0
29	BF	203/210 (96%)	0.66	2 (0%) 84 85	21, 50, 74, 91	0
29	DF	203/210 (96%)	0.49	6 (2%) 54 54	24, 55, 77, 90	0
30	BG	181/182 (99%)	0.63	6 (3%) 50 50	55, 71, 83, 96	0
30	DG	181/182 (99%)	1.53	58 (32%) 1 0	60, 75, 84, 95	0
31	BH	174/180 (96%)	0.56	1 (0%) 90 91	45, 64, 75, 84	0
31	DH	174/180 (96%)	0.89	29 (16%) 2 2	53, 68, 79, 86	0
32	BI	146/148 (98%)	0.37	4 (2%) 58 58	48, 75, 84, 88	0
32	DI	146/148 (98%)	0.38	12 (8%) 14 11	51, 75, 84, 88	0
33	BN	140/140 (100%)	0.73	0 100 100	28, 45, 69, 79	0
33	DN	140/140 (100%)	0.56	3 (2%) 67 68	33, 49, 71, 81	0
34	BO	122/122 (100%)	0.69	3 (2%) 61 61	31, 45, 63, 70	0
34	DO	122/122 (100%)	0.60	7 (5%) 27 26	34, 48, 64, 70	0
35	BP	149/150 (99%)	0.67	2 (1%) 79 79	18, 53, 74, 82	0
35	DP	149/150 (99%)	0.65	12 (8%) 15 12	20, 56, 76, 84	0
36	BQ	141/141 (100%)	0.75	2 (1%) 78 77	29, 48, 65, 77	0
36	DQ	141/141 (100%)	1.11	23 (16%) 2 2	32, 52, 69, 78	0
37	BR	118/118 (100%)	0.52	0 100 100	19, 32, 49, 62	0
37	DR	118/118 (100%)	1.01	13 (11%) 7 5	35, 53, 66, 78	0
38	BS	110/112 (98%)	0.37	0 100 100	30, 47, 65, 70	0
38	DS	110/112 (98%)	1.26	24 (21%) 1 1	63, 77, 88, 93	0
39	BT	131/146 (89%)	0.38	1 (0%) 87 88	30, 43, 71, 85	0
39	DT	131/146 (89%)	0.56	8 (6%) 25 23	43, 59, 78, 88	0
40	BU	116/118 (98%)	0.44	0 100 100	15, 27, 48, 62	0
40	DU	116/118 (98%)	0.86	10 (8%) 13 10	38, 59, 76, 87	0
41	BV	101/101 (100%)	0.27	0 100 100	14, 35, 57, 76	0
41	DV	101/101 (100%)	0.49	3 (2%) 54 54	43, 71, 84, 90	0
42	BW	112/113 (99%)	0.41	0 100 100	17, 28, 50, 75	0
42	DW	112/113 (99%)	0.94	12 (10%) 8 6	34, 50, 68, 92	0
43	BX	95/96 (98%)	0.41	0 100 100	17, 35, 65, 78	0
43	DX	95/96 (98%)	1.66	32 (33%) 0 0	44, 62, 77, 90	0

*Continued on next page...*



Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
44	BY	107/110 (97%)	0.43	2 (1%) 70 70	28, 47, 67, 85	0
44	DY	107/110 (97%)	1.32	22 (20%) 1 1	51, 72, 83, 88	0
45	BZ	171/206 (83%)	0.29	2 (1%) 81 81	36, 62, 81, 90	0
45	DZ	174/206 (84%)	1.13	28 (16%) 3 2	66, 83, 93, 96	0
46	B0	83/85 (97%)	0.78	7 (8%) 14 11	12, 33, 66, 84	0
46	D0	83/85 (97%)	1.86	25 (30%) 1 0	34, 64, 78, 91	0
47	B1	97/98 (98%)	0.73	5 (5%) 31 30	19, 43, 69, 72	0
47	D1	97/98 (98%)	0.95	10 (10%) 9 6	37, 57, 78, 82	0
48	B2	70/72 (97%)	0.38	1 (1%) 78 77	30, 46, 63, 77	0
48	D2	70/72 (97%)	0.58	2 (2%) 55 55	56, 71, 80, 85	0
49	B3	59/60 (98%)	0.33	0 100 100	20, 31, 56, 83	0
49	D3	59/60 (98%)	1.72	22 (37%) 0 0	47, 62, 77, 91	0
50	B4	69/71 (97%)	0.78	6 (8%) 13 10	55, 77, 92, 99	0
50	D4	69/71 (97%)	1.58	22 (31%) 1 0	77, 91, 99, 105	0
51	B5	59/60 (98%)	0.53	2 (3%) 49 49	11, 28, 53, 67	0
51	D5	59/60 (98%)	0.54	3 (5%) 32 30	27, 52, 68, 81	0
52	B6	53/54 (98%)	0.31	0 100 100	27, 39, 56, 67	0
52	D6	53/54 (98%)	0.38	2 (3%) 44 44	45, 62, 73, 79	0
53	B7	48/49 (97%)	0.85	5 (10%) 8 6	16, 23, 52, 68	0
53	D7	48/49 (97%)	1.08	6 (12%) 5 4	29, 40, 64, 77	0
54	B8	64/65 (98%)	0.70	1 (1%) 74 75	24, 31, 43, 61	0
54	D8	64/65 (98%)	1.20	11 (17%) 2 1	44, 53, 63, 72	0
55	B9	37/37 (100%)	0.75	2 (5%) 29 28	28, 45, 67, 72	0
55	D9	37/37 (100%)	1.15	8 (21%) 1 1	44, 55, 68, 75	0
All	All	20640/21596 (95%)	0.64	1704 (8%) 14 11	11, 64, 91, 113	0

The worst 5 of 1704 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
7	CG	82	GLY	13.2
2	CB	165	VAL	10.7
13	AM	2	ALA	10.1
1	CA	1030(B)	C	10.1
10	CJ	47	PHE	9.9



## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
23	PSU	AX	55	20/21	0.95	0.17	-	56,70,78,80	0
23	5MU	AX	54	21/22	0.94	0.16	-	60,72,80,91	0
23	PSU	CX	55	20/21	0.91	0.12	-	56,73,80,86	0
23	5MC	AX	32	21/22	0.96	0.24	-	38,59,69,83	0
23	4SU	CX	8	20/21	0.90	0.15	-	73,81,98,100	0
23	5MU	CX	54	21/22	0.93	0.18	-	69,80,93,106	0
23	5MC	CX	32	21/22	0.95	0.21	-	66,75,83,86	0
23	4SU	AX	8	20/21	0.96	0.18	-	47,67,77,84	0

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
56	MG	BA	3178	1/1	0.93	0.65	52.24	42,42,42,42	0
56	MG	DA	3149	1/1	0.91	0.62	40.04	37,37,37,37	0
56	MG	BA	3157	1/1	0.91	0.83	38.96	36,36,36,36	0
56	MG	BA	3595	1/1	0.93	0.61	37.79	43,43,43,43	0
56	MG	AE	203	1/1	0.86	0.76	33.58	73,73,73,73	0
56	MG	BN	3004	1/1	0.98	0.59	33.43	61,61,61,61	0
56	MG	BD	3307	1/1	0.95	1.01	32.07	56,56,56,56	0
56	MG	DA	3040	1/1	0.97	0.58	29.50	58,58,58,58	0
56	MG	BU	206	1/1	0.80	1.08	25.78	61,61,61,61	0
56	MG	BA	3806	1/1	0.87	0.71	25.25	33,33,33,33	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	BA	3118	1/1	0.97	0.55	24.70	37,37,37,37	0
56	MG	BA	3033	1/1	0.92	0.60	21.60	42,42,42,42	0
56	MG	BA	3678	1/1	0.88	0.47	21.17	35,35,35,35	0
56	MG	DA	3196	1/1	0.96	0.48	21.13	45,45,45,45	0
56	MG	DD	306	1/1	0.96	0.85	21.10	48,48,48,48	0
56	MG	DA	3021	1/1	0.97	0.44	20.98	40,40,40,40	0
56	MG	B5	102	1/1	0.90	0.38	20.32	45,45,45,45	0
56	MG	BE	303	1/1	0.98	0.58	19.04	32,32,32,32	0
56	MG	BF	307	1/1	0.97	0.65	18.63	40,40,40,40	0
56	MG	BA	3793	1/1	0.89	0.39	17.53	52,52,52,52	0
56	MG	BA	3230	1/1	0.96	0.51	17.14	36,36,36,36	0
56	MG	DA	3180	1/1	0.83	0.77	16.96	58,58,58,58	0
56	MG	BA	3205	1/1	0.95	0.39	16.10	40,40,40,40	0
56	MG	DD	305	1/1	0.97	0.92	15.78	39,39,39,39	0
56	MG	DA	3143	1/1	0.93	0.60	15.54	36,36,36,36	0
56	MG	DA	3666	1/1	0.92	0.59	15.52	47,47,47,47	0
56	MG	BA	3716	1/1	0.95	0.37	15.49	39,39,39,39	0
56	MG	BA	3113	1/1	0.96	0.45	15.37	39,39,39,39	0
56	MG	BA	3273	1/1	0.96	0.33	14.70	41,41,41,41	0
56	MG	BA	3035	1/1	0.98	0.48	14.67	42,42,42,42	0
56	MG	BN	3001	1/1	0.98	0.72	14.55	52,52,52,52	0
56	MG	DA	3486	1/1	0.94	0.34	13.77	50,50,50,50	0
56	MG	BA	3037	1/1	0.99	0.54	12.95	29,29,29,29	0
56	MG	DA	3664	1/1	0.95	0.86	12.33	50,50,50,50	0
56	MG	DA	3673	1/1	0.83	0.52	12.22	68,68,68,68	0
56	MG	DD	307	1/1	0.93	0.40	11.75	50,50,50,50	0
56	MG	BV	203	1/1	0.95	0.48	11.70	31,31,31,31	0
56	MG	BF	301	1/1	0.97	0.48	11.41	32,32,32,32	0
56	MG	DU	3001	1/1	0.98	0.56	11.40	55,55,55,55	0
56	MG	DA	3521	1/1	0.90	0.45	11.23	55,55,55,55	0
56	MG	BA	3138	1/1	0.93	0.45	11.17	40,40,40,40	0
56	MG	BA	3048	1/1	0.77	0.42	10.89	47,47,47,47	0
56	MG	BP	201	1/1	0.97	0.37	10.80	28,28,28,28	0
56	MG	BF	306	1/1	0.92	0.52	10.75	30,30,30,30	0
56	MG	BA	3137	1/1	0.87	0.41	10.68	40,40,40,40	0
56	MG	DA	3117	1/1	0.98	0.34	10.57	42,42,42,42	0
56	MG	DA	3053	1/1	0.87	0.51	10.51	37,37,37,37	0
56	MG	BA	3121	1/1	0.94	0.43	10.36	45,45,45,45	0
56	MG	BA	3814	1/1	0.95	0.27	10.33	42,42,42,42	0
56	MG	BA	3201	1/1	0.97	0.39	10.30	41,41,41,41	0
56	MG	BU	209	1/1	0.98	0.38	10.16	27,27,27,27	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	DA	3526	1/1	0.99	0.30	10.12	28,28,28,28	0
56	MG	BA	3038	1/1	0.97	0.39	10.12	40,40,40,40	0
56	MG	BA	3476	1/1	0.96	0.36	9.90	48,48,48,48	0
56	MG	BA	3167	1/1	0.98	0.33	9.66	43,43,43,43	0
56	MG	BA	3076	1/1	0.86	0.34	9.44	34,34,34,34	0
56	MG	DA	3514	1/1	0.96	0.26	8.99	45,45,45,45	0
56	MG	BA	3300	1/1	0.97	0.30	8.95	28,28,28,28	0
56	MG	BA	3795	1/1	0.93	0.28	8.83	43,43,43,43	0
56	MG	DF	304	1/1	0.97	0.89	8.81	40,40,40,40	0
56	MG	BA	3711	1/1	0.80	0.40	8.78	51,51,51,51	0
56	MG	BA	3173	1/1	0.97	0.54	8.57	41,41,41,41	0
56	MG	DA	3231	1/1	0.97	0.28	8.35	38,38,38,38	0
56	MG	BV	201	1/1	0.97	0.41	8.23	27,27,27,27	0
56	MG	BA	3203	1/1	0.96	0.50	8.03	38,38,38,38	0
56	MG	BA	3024	1/1	0.98	0.41	8.00	45,45,45,45	0
56	MG	DA	3319	1/1	0.93	0.26	7.84	52,52,52,52	0
56	MG	BN	3006	1/1	0.96	0.53	7.66	47,47,47,47	0
56	MG	BA	3130	1/1	0.94	0.57	7.61	41,41,41,41	0
56	MG	BD	3308	1/1	0.93	0.63	7.55	60,60,60,60	0
56	MG	DV	3002	1/1	0.92	0.65	7.41	48,48,48,48	0
56	MG	DA	3102	1/1	0.91	0.26	7.35	49,49,49,49	0
56	MG	AA	3092	1/1	0.96	0.31	7.25	54,54,54,54	0
56	MG	BA	3270	1/1	0.95	0.29	7.21	40,40,40,40	0
56	MG	DA	3176	1/1	0.94	0.35	6.82	44,44,44,44	0
56	MG	BA	3709	1/1	0.96	0.29	6.80	28,28,28,28	0
56	MG	AA	3141	1/1	0.90	0.25	6.62	50,50,50,50	0
56	MG	BU	207	1/1	0.98	0.43	6.42	29,29,29,29	0
56	MG	BA	3532	1/1	0.91	0.29	6.30	30,30,30,30	0
56	MG	BA	3226	1/1	0.97	0.28	6.28	25,25,25,25	0
56	MG	DA	3028	1/1	0.95	0.54	6.25	45,45,45,45	0
56	MG	DA	3626	1/1	0.89	0.28	6.23	56,56,56,56	0
56	MG	BA	3364	1/1	0.97	0.26	5.80	29,29,29,29	0
56	MG	DA	3270	1/1	0.92	0.25	5.76	56,56,56,56	0
56	MG	DA	3309	1/1	0.93	0.31	5.73	46,46,46,46	0
56	MG	DD	303	1/1	0.95	0.57	5.67	51,51,51,51	0
56	MG	DA	3496	1/1	0.96	0.41	5.66	35,35,35,35	0
56	MG	BA	3278	1/1	0.98	0.36	5.66	30,30,30,30	0
56	MG	DA	3015	1/1	0.94	0.54	5.59	48,48,48,48	0
56	MG	AA	3006	1/1	0.87	0.30	5.43	71,71,71,71	0
56	MG	DU	3003	1/1	0.92	0.46	5.38	53,53,53,53	0
56	MG	DA	3076	1/1	0.89	0.34	5.27	39,39,39,39	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	BA	3060	1/1	0.93	0.27	5.20	26,26,26,26	0
56	MG	BA	3085	1/1	0.98	0.27	5.06	23,23,23,23	0
56	MG	BA	3427	1/1	0.88	0.26	4.97	52,52,52,52	0
56	MG	BA	3127	1/1	0.97	0.28	4.76	36,36,36,36	0
56	MG	BA	3747	1/1	0.90	0.33	4.74	33,33,33,33	0
56	MG	BD	3302	1/1	0.99	0.41	4.63	46,46,46,46	0
56	MG	BA	3802	1/1	0.98	0.28	4.45	23,23,23,23	0
56	MG	BA	3528	1/1	0.97	0.29	4.42	46,46,46,46	0
56	MG	B5	101	1/1	0.92	0.41	4.36	39,39,39,39	0
56	MG	BA	3411	1/1	0.94	0.27	4.14	30,30,30,30	0
56	MG	BA	3799	1/1	0.94	0.56	4.13	50,50,50,50	0
56	MG	BD	3306	1/1	0.95	0.43	4.11	38,38,38,38	0
56	MG	BA	3126	1/1	0.89	0.26	4.08	47,47,47,47	0
56	MG	BA	3104	1/1	0.96	0.25	3.99	23,23,23,23	0
56	MG	DA	3029	1/1	0.97	0.26	3.97	36,36,36,36	0
56	MG	BA	3175	1/1	0.84	0.28	3.96	57,57,57,57	0
56	MG	BW	203	1/1	0.97	0.30	3.95	37,37,37,37	0
56	MG	BD	3301	1/1	0.94	0.27	3.83	37,37,37,37	0
56	MG	BV	202	1/1	0.97	0.33	3.77	33,33,33,33	0
56	MG	BF	303	1/1	0.94	0.30	3.73	43,43,43,43	0
56	MG	BA	3796	1/1	0.95	0.29	3.70	47,47,47,47	0
56	MG	DQ	3003	1/1	0.94	0.50	3.48	52,52,52,52	0
56	MG	DF	305	1/1	0.95	0.45	3.44	44,44,44,44	0
56	MG	BA	3531	1/1	0.92	0.29	3.43	43,43,43,43	0
56	MG	DA	3033	1/1	0.83	0.55	3.39	54,54,54,54	0
56	MG	DA	3345	1/1	0.92	0.22	3.33	38,38,38,38	0
56	MG	BD	3305	1/1	0.99	0.27	3.26	31,31,31,31	0
56	MG	BA	3521	1/1	0.80	0.29	3.20	29,29,29,29	0
56	MG	DA	3621	1/1	0.95	0.25	3.20	50,50,50,50	0
56	MG	DA	3672	1/1	0.96	0.27	3.16	59,59,59,59	0
56	MG	BA	3102	1/1	0.91	0.23	3.07	61,61,61,61	0
56	MG	DA	3325	1/1	0.94	0.23	3.06	37,37,37,37	0
56	MG	BU	205	1/1	0.92	0.27	3.06	43,43,43,43	0
56	MG	BA	3570	1/1	0.95	0.23	3.04	35,35,35,35	0
56	MG	BA	3210	1/1	0.94	0.24	3.01	43,43,43,43	0
56	MG	DA	3261	1/1	0.97	0.22	3.00	36,36,36,36	0
56	MG	DD	301	1/1	0.87	0.24	2.98	43,43,43,43	0
56	MG	BA	3801	1/1	0.89	0.27	2.96	39,39,39,39	0
56	MG	DA	3624	1/1	0.87	0.49	2.96	46,46,46,46	0
56	MG	DA	3257	1/1	0.95	0.22	2.94	57,57,57,57	0
56	MG	DA	3108	1/1	0.96	0.21	2.90	46,46,46,46	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	CA	3082	1/1	0.74	0.23	2.74	73,73,73,73	0
56	MG	BR	203	1/1	0.98	0.30	2.73	34,34,34,34	0
56	MG	BA	3190	1/1	0.94	0.25	2.64	50,50,50,50	0
56	MG	DA	3205	1/1	0.98	0.21	2.54	34,34,34,34	0
56	MG	DA	3264	1/1	0.85	0.18	2.48	50,50,50,50	0
56	MG	BA	3812	1/1	0.97	0.27	2.47	31,31,31,31	0
56	MG	DA	3665	1/1	0.93	0.42	2.46	48,48,48,48	0
56	MG	DA	3153	1/1	0.92	0.17	2.46	38,38,38,38	0
56	MG	BA	3184	1/1	0.98	0.23	2.45	37,37,37,37	0
56	MG	DA	3476	1/1	0.98	0.24	2.45	53,53,53,53	0
56	MG	BA	3789	1/1	0.93	0.28	2.23	37,37,37,37	0
56	MG	AA	3073	1/1	0.88	0.23	2.15	71,71,71,71	0
56	MG	BA	3154	1/1	0.89	0.31	2.08	37,37,37,37	0
56	MG	BA	3012	1/1	0.94	0.33	2.05	33,33,33,33	0
56	MG	BA	3705	1/1	0.95	0.25	1.97	28,28,28,28	0
56	MG	BA	3675	1/1	0.99	0.23	1.91	29,29,29,29	0
56	MG	BA	3177	1/1	0.96	0.29	1.87	44,44,44,44	0
56	MG	DA	3120	1/1	0.99	0.16	1.82	34,34,34,34	0
56	MG	BA	3786	1/1	0.85	0.19	1.75	58,58,58,58	0
56	MG	BA	3523	1/1	0.93	0.25	1.75	47,47,47,47	0
56	MG	DA	3387	1/1	0.94	0.23	1.58	39,39,39,39	0
56	MG	BQ	203	1/1	0.98	0.33	1.56	36,36,36,36	0
56	MG	BA	3810	1/1	0.96	0.23	1.42	43,43,43,43	0
56	MG	BX	101	1/1	0.90	0.24	1.37	36,36,36,36	0
59	ZN	D5	501	1/1	1.00	0.20	1.34	52,52,52,52	0
56	MG	BA	3695	1/1	0.94	0.27	1.34	37,37,37,37	0
56	MG	D3	3001	1/1	0.96	0.42	1.28	60,60,60,60	0
56	MG	BA	3041	1/1	0.92	0.25	1.27	35,35,35,35	0
56	MG	DA	3669	1/1	0.97	0.38	1.26	38,38,38,38	0
56	MG	BA	3068	1/1	0.91	0.25	1.26	46,46,46,46	0
56	MG	CA	3053	1/1	0.76	0.18	1.24	55,55,55,55	0
56	MG	DA	3092	1/1	0.97	0.36	1.20	48,48,48,48	0
56	MG	AA	3185	1/1	0.80	0.19	1.13	61,61,61,61	0
56	MG	BA	3194	1/1	0.90	0.17	1.07	62,62,62,62	0
56	MG	AA	3077	1/1	0.99	0.22	1.07	54,54,54,54	0
56	MG	BA	3388	1/1	0.96	0.23	1.01	27,27,27,27	0
56	MG	DA	3522	1/1	0.93	0.27	0.98	53,53,53,53	0
56	MG	DA	3377	1/1	0.90	0.15	0.96	62,62,62,62	0
57	PCY	AA	3191	40/40	0.83	0.43	0.93	59,86,97,99	0
56	MG	BA	3179	1/1	0.91	0.23	0.87	41,41,41,41	0
56	MG	CA	3090	1/1	0.94	0.21	0.85	67,67,67,67	0
56	MG	DA	3155	1/1	0.97	0.21	0.79	38,38,38,38	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	BA	3140	1/1	0.97	0.25	0.77	34,34,34,34	0
56	MG	BQ	201	1/1	0.91	0.23	0.76	35,35,35,35	0
56	MG	BU	201	1/1	0.89	0.23	0.65	36,36,36,36	0
56	MG	AX	3002	1/1	0.78	0.19	0.65	69,69,69,69	0
56	MG	DA	3128	1/1	0.95	0.35	0.64	57,57,57,57	0
59	ZN	D6	501	1/1	0.99	0.20	0.63	66,66,66,66	0
56	MG	DA	3341	1/1	0.92	0.23	0.62	67,67,67,67	0
56	MG	BA	3335	1/1	0.95	0.20	0.61	42,42,42,42	0
56	MG	BA	3069	1/1	0.98	0.20	0.60	39,39,39,39	0
57	PCY	CA	3176	40/40	0.80	0.44	0.59	72,89,98,102	0
59	ZN	DY	501	1/1	0.93	0.16	0.54	97,97,97,97	0
56	MG	CA	3124	1/1	0.78	0.20	0.53	75,75,75,75	0
56	MG	BA	3362	1/1	0.97	0.19	0.51	40,40,40,40	0
59	ZN	B5	104	1/1	0.98	0.20	0.51	82,82,82,82	0
56	MG	BA	3181	1/1	0.97	0.20	0.48	26,26,26,26	0
56	MG	BA	3404	1/1	0.88	0.24	0.46	23,23,23,23	0
56	MG	BR	201	1/1	0.91	0.26	0.45	40,40,40,40	0
56	MG	DB	3005	1/1	0.91	0.14	0.43	48,48,48,48	0
56	MG	AA	3059	1/1	0.79	0.16	0.42	64,64,64,64	0
56	MG	DA	3158	1/1	0.94	0.19	0.37	30,30,30,30	0
56	MG	BA	3668	1/1	0.96	0.21	0.31	48,48,48,48	0
56	MG	B7	101	1/1	0.96	0.23	0.26	47,47,47,47	0
56	MG	BA	3332	1/1	0.97	0.21	0.25	36,36,36,36	0
56	MG	DE	301	1/1	0.98	0.26	0.19	35,35,35,35	0
56	MG	AA	3161	1/1	0.90	0.20	0.18	59,59,59,59	0
59	ZN	BY	203	1/1	0.98	0.19	0.16	54,54,54,54	0
56	MG	DA	3453	1/1	0.92	0.21	0.16	56,56,56,56	0
56	MG	BY	201	1/1	0.91	0.22	0.15	52,52,52,52	0
56	MG	BA	3790	1/1	0.92	0.23	0.14	29,29,29,29	0
56	MG	DA	3611	1/1	0.94	0.20	0.13	45,45,45,45	0
56	MG	DA	3234	1/1	0.97	0.18	0.12	56,56,56,56	0
56	MG	DA	3005	1/1	0.99	0.21	0.12	26,26,26,26	0
56	MG	AA	3126	1/1	0.96	0.18	0.11	57,57,57,57	0
56	MG	DA	3479	1/1	0.88	0.19	0.10	35,35,35,35	0
56	MG	B6	101	1/1	0.95	0.20	0.08	47,47,47,47	0
56	MG	B7	102	1/1	0.98	0.23	0.07	28,28,28,28	0
56	MG	BA	3115	1/1	0.97	0.25	0.05	33,33,33,33	0
56	MG	DA	3445	1/1	0.94	0.17	0.05	50,50,50,50	0
56	MG	DA	3388	1/1	0.92	0.14	-0.03	52,52,52,52	0
56	MG	BA	3580	1/1	0.86	0.21	-0.05	48,48,48,48	0
56	MG	CA	3175	1/1	0.97	0.21	-0.05	46,46,46,46	0
56	MG	AA	3019	1/1	0.93	0.20	-0.07	66,66,66,66	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	BA	3536	1/1	0.96	0.23	-0.07	36,36,36,36	0
56	MG	DB	3004	1/1	0.92	0.14	-0.08	53,53,53,53	0
56	MG	BA	3269	1/1	0.95	0.21	-0.08	42,42,42,42	0
56	MG	BU	208	1/1	0.92	0.22	-0.12	28,28,28,28	0
56	MG	BA	3119	1/1	0.94	0.22	-0.15	29,29,29,29	0
56	MG	DA	3060	1/1	0.87	0.15	-0.17	48,48,48,48	0
56	MG	BA	3525	1/1	0.83	0.23	-0.21	23,23,23,23	0
56	MG	BA	3350	1/1	0.92	0.21	-0.21	28,28,28,28	0
56	MG	DA	3439	1/1	0.95	0.20	-0.23	46,46,46,46	0
56	MG	CA	3037	1/1	0.98	0.19	-0.26	46,46,46,46	0
56	MG	DA	3160	1/1	0.96	0.20	-0.29	38,38,38,38	0
56	MG	DA	3324	1/1	0.89	0.21	-0.30	32,32,32,32	0
56	MG	BA	3500	1/1	0.96	0.22	-0.33	32,32,32,32	0
56	MG	DU	3004	1/1	0.91	0.20	-0.33	59,59,59,59	0
56	MG	DA	3509	1/1	0.96	0.13	-0.35	55,55,55,55	0
56	MG	AA	3127	1/1	0.92	0.13	-0.35	79,79,79,79	0
56	MG	BA	3568	1/1	0.96	0.23	-0.35	26,26,26,26	0
56	MG	BA	3392	1/1	0.84	0.21	-0.35	41,41,41,41	0
56	MG	AQ	3001	1/1	0.89	0.19	-0.37	52,52,52,52	0
56	MG	B0	103	1/1	0.90	0.20	-0.38	38,38,38,38	0
56	MG	CA	3138	1/1	0.85	0.17	-0.41	65,65,65,65	0
56	MG	B3	3001	1/1	0.97	0.20	-0.41	38,38,38,38	0
56	MG	BA	3023	1/1	0.97	0.23	-0.43	35,35,35,35	0
56	MG	B7	103	1/1	0.91	0.21	-0.46	35,35,35,35	0
56	MG	BA	3530	1/1	0.98	0.20	-0.46	25,25,25,25	0
56	MG	BB	202	1/1	0.92	0.20	-0.47	45,45,45,45	0
56	MG	CA	3055	1/1	0.95	0.21	-0.49	55,55,55,55	0
56	MG	BA	3368	1/1	0.91	0.21	-0.52	35,35,35,35	0
56	MG	DA	3670	1/1	0.90	0.18	-0.52	49,49,49,49	0
56	MG	AA	3136	1/1	0.99	0.20	-0.52	62,62,62,62	0
56	MG	DA	3465	1/1	0.93	0.16	-0.54	49,49,49,49	0
56	MG	CE	201	1/1	0.79	0.20	-0.54	73,73,73,73	0
56	MG	BA	3198	1/1	0.86	0.22	-0.56	28,28,28,28	0
56	MG	DA	3243	1/1	0.96	0.15	-0.60	47,47,47,47	0
56	MG	DA	3533	1/1	0.74	0.14	-0.62	52,52,52,52	0
56	MG	DA	3344	1/1	0.96	0.18	-0.62	46,46,46,46	0
58	SF4	AD	501	8/8	0.98	0.18	-0.64	62,74,91,95	0
56	MG	DA	3284	1/1	0.94	0.18	-0.66	37,37,37,37	0
56	MG	BA	3112	1/1	0.88	0.20	-0.68	42,42,42,42	0
56	MG	DF	301	1/1	0.96	0.17	-0.70	47,47,47,47	0
56	MG	DA	3278	1/1	0.95	0.14	-0.71	37,37,37,37	0
56	MG	CA	3121	1/1	0.93	0.16	-0.76	81,81,81,81	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	AA	3001	1/1	0.89	0.17	-0.78	77,77,77,77	0
59	ZN	D9	501	1/1	0.98	0.14	-0.79	65,65,65,65	0
56	MG	AA	3039	1/1	0.91	0.16	-0.80	46,46,46,46	0
59	ZN	B9	501	1/1	0.98	0.18	-0.81	49,49,49,49	0
56	MG	DA	3485	1/1	0.87	0.16	-0.84	43,43,43,43	0
56	MG	DA	3547	1/1	0.91	0.14	-0.85	45,45,45,45	0
56	MG	BG	3001	1/1	0.86	0.21	-0.85	51,51,51,51	0
56	MG	AA	3187	1/1	0.87	0.12	-0.85	54,54,54,54	0
56	MG	BA	3409	1/1	0.97	0.21	-0.88	21,21,21,21	0
56	MG	B9	502	1/1	0.87	0.21	-0.90	47,47,47,47	0
56	MG	DA	3230	1/1	0.88	0.13	-0.91	52,52,52,52	0
56	MG	DA	3591	1/1	0.90	0.11	-0.92	59,59,59,59	0
56	MG	DV	3001	1/1	0.94	0.17	-0.92	61,61,61,61	0
56	MG	BA	3640	1/1	0.96	0.21	-0.95	42,42,42,42	0
56	MG	BA	3448	1/1	0.97	0.22	-1.01	23,23,23,23	0
56	MG	BA	3398	1/1	0.96	0.12	-1.01	51,51,51,51	0
59	ZN	AN	501	1/1	0.94	0.15	-1.03	86,86,86,86	0
56	MG	AA	3003	1/1	0.96	0.16	-1.03	63,63,63,63	0
56	MG	DA	3131	1/1	0.91	0.19	-1.04	52,52,52,52	0
56	MG	DA	3653	1/1	0.80	0.18	-1.05	32,32,32,32	0
56	MG	AA	3097	1/1	0.92	0.18	-1.06	71,71,71,71	0
56	MG	AA	3107	1/1	0.88	0.14	-1.06	63,63,63,63	0
56	MG	DA	3104	1/1	0.93	0.16	-1.12	39,39,39,39	0
56	MG	BU	203	1/1	0.98	0.22	-1.15	27,27,27,27	0
56	MG	DA	3191	1/1	0.93	0.16	-1.17	46,46,46,46	0
56	MG	CA	3150	1/1	0.95	0.12	-1.18	47,47,47,47	0
56	MG	DA	3072	1/1	0.94	0.13	-1.19	52,52,52,52	0
56	MG	BA	3499	1/1	0.88	0.22	-1.20	19,19,19,19	0
58	SF4	CD	501	8/8	0.98	0.15	-1.26	64,77,89,111	0
56	MG	CA	3074	1/1	0.95	0.11	-1.26	57,57,57,57	0
59	ZN	D4	501	1/1	0.73	0.07	-1.26	151,151,151,151	0
56	MG	CA	3059	1/1	0.92	0.12	-1.29	75,75,75,75	0
56	MG	BA	3331	1/1	0.97	0.17	-1.30	38,38,38,38	0
56	MG	BA	3701	1/1	0.95	0.20	-1.32	20,20,20,20	0
56	MG	DA	3081	1/1	0.98	0.17	-1.32	48,48,48,48	0
59	ZN	B4	501	1/1	0.93	0.12	-1.35	99,99,99,99	0
56	MG	DA	3177	1/1	0.93	0.12	-1.35	46,46,46,46	0
56	MG	DA	3203	1/1	0.84	0.10	-1.36	50,50,50,50	0
56	MG	AA	3117	1/1	0.96	0.19	-1.37	34,34,34,34	0
56	MG	BA	3266	1/1	0.90	0.20	-1.37	27,27,27,27	0
56	MG	BA	3690	1/1	0.86	0.19	-1.37	52,52,52,52	0
56	MG	DA	3115	1/1	0.82	0.13	-1.38	46,46,46,46	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	BA	3590	1/1	0.93	0.16	-1.39	60,60,60,60	0
59	ZN	CN	501	1/1	0.86	0.10	-1.40	103,103,103,103	0
56	MG	DA	3038	1/1	0.94	0.16	-1.40	28,28,28,28	0
56	MG	BA	3321	1/1	0.96	0.19	-1.42	21,21,21,21	0
56	MG	DA	3127	1/1	0.98	0.17	-1.43	36,36,36,36	0
56	MG	DA	3003	1/1	0.95	0.12	-1.45	48,48,48,48	0
56	MG	DA	3368	1/1	0.97	0.14	-1.47	24,24,24,24	0
56	MG	CA	3048	1/1	0.95	0.12	-1.48	77,77,77,77	0
56	MG	DA	3100	1/1	0.85	0.13	-1.51	66,66,66,66	0
56	MG	DA	3444	1/1	0.96	0.13	-1.51	46,46,46,46	0
56	MG	D8	5001	1/1	0.92	0.20	-1.52	52,52,52,52	0
56	MG	DA	3548	1/1	0.96	0.16	-1.55	55,55,55,55	0
56	MG	CA	3032	1/1	0.82	0.10	-1.55	57,57,57,57	0
56	MG	DA	3384	1/1	0.97	0.17	-1.61	39,39,39,39	0
56	MG	BA	3213	1/1	0.92	0.20	-1.62	35,35,35,35	0
56	MG	CE	202	1/1	0.97	0.07	-1.62	74,74,74,74	0
56	MG	AA	3190	1/1	0.96	0.13	-1.64	48,48,48,48	0
56	MG	BA	3734	1/1	0.98	0.17	-1.64	18,18,18,18	0
56	MG	AA	3098	1/1	0.38	0.14	-1.65	71,71,71,71	0
56	MG	AX	3006	1/1	0.90	0.11	-1.66	71,71,71,71	0
56	MG	AN	502	1/1	0.90	0.17	-1.70	56,56,56,56	0
56	MG	BD	3303	1/1	0.96	0.17	-1.74	33,33,33,33	0
56	MG	CA	3042	1/1	0.91	0.13	-1.75	70,70,70,70	0
56	MG	BN	3003	1/1	0.94	0.19	-1.75	44,44,44,44	0
56	MG	AA	3134	1/1	0.84	0.14	-1.77	65,65,65,65	0
56	MG	BA	3426	1/1	0.93	0.18	-1.80	20,20,20,20	0
56	MG	BA	3384	1/1	0.90	0.19	-1.80	63,63,63,63	0
56	MG	BA	3051	1/1	0.97	0.19	-1.80	18,18,18,18	0
56	MG	BA	3052	1/1	0.99	0.20	-1.82	23,23,23,23	0
56	MG	DA	3271	1/1	0.97	0.13	-1.82	51,51,51,51	0
56	MG	BA	3791	1/1	0.96	0.18	-1.83	18,18,18,18	0
56	MG	DA	3437	1/1	0.89	0.16	-1.85	36,36,36,36	0
56	MG	DA	3349	1/1	0.97	0.15	-1.85	31,31,31,31	0
56	MG	AA	3112	1/1	0.95	0.14	-1.86	60,60,60,60	0
56	MG	AA	3186	1/1	0.99	0.13	-1.87	42,42,42,42	0
56	MG	DA	3337	1/1	0.94	0.13	-1.89	44,44,44,44	0
56	MG	D1	101	1/1	0.90	0.10	-1.89	50,50,50,50	0
56	MG	DB	3002	1/1	0.86	0.15	-1.89	58,58,58,58	0
56	MG	BA	3255	1/1	0.96	0.16	-1.91	41,41,41,41	0
56	MG	DE	304	1/1	0.85	0.14	-1.92	40,40,40,40	0
56	MG	BA	3405	1/1	0.95	0.19	-1.92	22,22,22,22	0
56	MG	BA	3204	1/1	0.91	0.15	-1.96	55,55,55,55	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	CX	3003	1/1	0.94	0.16	-1.97	58,58,58,58	0
56	MG	DA	3282	1/1	0.89	0.16	-1.97	42,42,42,42	0
56	MG	DA	3014	1/1	0.90	0.15	-2.01	43,43,43,43	0
59	ZN	B6	103	1/1	0.99	0.16	-2.01	62,62,62,62	0
56	MG	BA	3803	1/1	0.96	0.17	-2.08	33,33,33,33	0
56	MG	DA	3304	1/1	0.94	0.14	-2.09	40,40,40,40	0
56	MG	DA	3545	1/1	0.92	0.09	-2.10	51,51,51,51	0
56	MG	DA	3346	1/1	0.98	0.12	-2.11	48,48,48,48	0
56	MG	BA	3352	1/1	0.97	0.17	-2.12	45,45,45,45	0
56	MG	CA	3148	1/1	0.76	0.11	-2.13	88,88,88,88	0
56	MG	BA	3419	1/1	0.91	0.17	-2.15	25,25,25,25	0
56	MG	BA	3399	1/1	0.93	0.16	-2.16	61,61,61,61	0
56	MG	CA	3127	1/1	0.93	0.18	-2.17	65,65,65,65	0
56	MG	CA	3035	1/1	0.99	0.14	-2.21	52,52,52,52	0
56	MG	DA	3067	1/1	0.94	0.12	-2.24	45,45,45,45	0
56	MG	BA	3574	1/1	0.95	0.17	-2.25	28,28,28,28	0
56	MG	DA	3667	1/1	0.96	0.13	-2.25	66,66,66,66	0
56	MG	CA	3113	1/1	0.92	0.16	-2.28	49,49,49,49	0
56	MG	AX	3008	1/1	0.95	0.19	-2.33	37,37,37,37	0
56	MG	BA	3488	1/1	0.99	0.19	-2.33	16,16,16,16	0
56	MG	BA	3808	1/1	0.92	0.10	-2.33	40,40,40,40	0
56	MG	BA	3395	1/1	0.91	0.21	-2.33	36,36,36,36	0
56	MG	DA	3112	1/1	0.99	0.16	-2.34	37,37,37,37	0
56	MG	CA	3140	1/1	0.97	0.11	-2.34	75,75,75,75	0
56	MG	BA	3471	1/1	0.89	0.20	-2.35	27,27,27,27	0
56	MG	BD	3309	1/1	0.97	0.15	-2.37	40,40,40,40	0
56	MG	AA	3188	1/1	0.93	0.12	-2.41	49,49,49,49	0
56	MG	BA	3620	1/1	0.98	0.19	-2.42	62,62,62,62	0
56	MG	BA	3042	1/1	0.98	0.15	-2.44	41,41,41,41	0
56	MG	DA	3473	1/1	0.95	0.09	-2.45	30,30,30,30	0
56	MG	AA	3109	1/1	0.92	0.14	-2.46	67,67,67,67	0
56	MG	BA	3324	1/1	0.91	0.19	-2.46	42,42,42,42	0
56	MG	AA	3119	1/1	0.94	0.04	-2.47	65,65,65,65	0
56	MG	DA	3302	1/1	0.96	0.12	-2.50	32,32,32,32	0
56	MG	DA	3481	1/1	0.95	0.12	-2.51	24,24,24,24	0
56	MG	AA	3128	1/1	0.92	0.12	-2.52	67,67,67,67	0
56	MG	BA	3386	1/1	0.96	0.15	-2.53	47,47,47,47	0
56	MG	BA	3423	1/1	0.96	0.12	-2.55	31,31,31,31	0
56	MG	BA	3036	1/1	0.99	0.18	-2.55	19,19,19,19	0
56	MG	BA	3418	1/1	0.94	0.16	-2.56	34,34,34,34	0
56	MG	CA	3065	1/1	0.95	0.17	-2.56	64,64,64,64	0
56	MG	DA	3017	1/1	0.88	0.12	-2.59	56,56,56,56	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	DA	3371	1/1	0.96	0.16	-2.59	22,22,22,22	0
56	MG	BA	3416	1/1	0.91	0.17	-2.62	36,36,36,36	0
56	MG	BA	3457	1/1	0.85	0.17	-2.63	47,47,47,47	0
56	MG	CA	3012	1/1	0.94	0.12	-2.63	51,51,51,51	0
56	MG	DA	3182	1/1	0.91	0.09	-2.64	43,43,43,43	0
56	MG	DA	3614	1/1	0.96	0.16	-2.65	61,61,61,61	0
56	MG	BA	3676	1/1	0.97	0.17	-2.66	37,37,37,37	0
56	MG	CA	3023	1/1	0.93	0.12	-2.67	39,39,39,39	0
56	MG	DA	3107	1/1	0.87	0.12	-2.67	43,43,43,43	0
56	MG	DA	3305	1/1	0.93	0.12	-2.70	45,45,45,45	0
56	MG	BA	3034	1/1	0.91	0.17	-2.70	34,34,34,34	0
56	MG	DA	3300	1/1	0.92	0.10	-2.70	41,41,41,41	0
56	MG	BA	3354	1/1	0.97	0.17	-2.73	20,20,20,20	0
56	MG	BA	3208	1/1	0.97	0.17	-2.73	19,19,19,19	0
56	MG	BA	3338	1/1	0.96	0.20	-2.74	43,43,43,43	0
56	MG	DA	3552	1/1	0.98	0.12	-2.74	36,36,36,36	0
56	MG	CA	3058	1/1	0.92	0.06	-2.74	59,59,59,59	0
56	MG	CA	3103	1/1	0.92	0.11	-2.76	79,79,79,79	0
56	MG	BA	3334	1/1	0.97	0.17	-2.78	26,26,26,26	0
56	MG	DA	3482	1/1	0.87	0.13	-2.79	42,42,42,42	0
56	MG	DA	3663	1/1	0.90	0.12	-2.80	37,37,37,37	0
56	MG	BA	3784	1/1	0.98	0.17	-2.80	23,23,23,23	0
56	MG	DA	3416	1/1	0.90	0.13	-2.82	22,22,22,22	0
56	MG	BU	202	1/1	0.97	0.14	-2.83	29,29,29,29	0
56	MG	DA	3299	1/1	0.92	0.12	-2.84	40,40,40,40	0
56	MG	DA	3246	1/1	0.99	0.13	-2.85	31,31,31,31	0
56	MG	BA	3713	1/1	0.93	0.18	-2.86	26,26,26,26	0
56	MG	DA	3267	1/1	0.89	0.15	-2.87	41,41,41,41	0
56	MG	DA	3440	1/1	0.91	0.12	-2.90	51,51,51,51	0
56	MG	BA	3573	1/1	0.98	0.17	-2.92	24,24,24,24	0
56	MG	DA	3103	1/1	0.88	0.07	-2.93	71,71,71,71	0
56	MG	DA	3351	1/1	0.98	0.12	-2.93	32,32,32,32	0
56	MG	BA	3046	1/1	0.98	0.16	-2.93	34,34,34,34	0
56	MG	DA	3467	1/1	0.85	0.14	-2.95	48,48,48,48	0
56	MG	AM	201	1/1	0.90	0.06	-2.95	59,59,59,59	0
56	MG	BA	3520	1/1	0.93	0.17	-2.97	50,50,50,50	0
56	MG	BA	3008	1/1	0.96	0.15	-2.98	26,26,26,26	0
56	MG	DA	3303	1/1	0.95	0.15	-3.00	55,55,55,55	0
56	MG	AA	3047	1/1	0.85	0.17	-3.01	63,63,63,63	0
56	MG	BA	3393	1/1	0.95	0.18	-3.01	22,22,22,22	0
56	MG	DQ	3001	1/1	0.96	0.07	-3.02	45,45,45,45	0
56	MG	CA	3029	1/1	0.86	0.09	-3.05	58,58,58,58	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	DA	3139	1/1	0.98	0.12	-3.06	41,41,41,41	0
56	MG	BA	3707	1/1	0.94	0.10	-3.07	43,43,43,43	0
56	MG	DA	3353	1/1	0.98	0.15	-3.08	42,42,42,42	0
56	MG	DA	3020	1/1	0.92	0.17	-3.12	32,32,32,32	0
56	MG	BA	3020	1/1	0.91	0.14	-3.14	36,36,36,36	0
56	MG	BE	301	1/1	0.89	0.19	-3.14	27,27,27,27	0
56	MG	BA	3074	1/1	0.97	0.16	-3.14	31,31,31,31	0
56	MG	BA	3463	1/1	0.98	0.13	-3.15	10,10,10,10	0
56	MG	BX	102	1/1	0.96	0.15	-3.19	36,36,36,36	0
56	MG	DF	303	1/1	0.93	0.08	-3.19	52,52,52,52	0
56	MG	DA	3457	1/1	0.93	0.16	-3.23	43,43,43,43	0
56	MG	DA	3620	1/1	0.96	0.16	-3.24	59,59,59,59	0
56	MG	BA	3522	1/1	0.89	0.19	-3.25	16,16,16,16	0
56	MG	BA	3134	1/1	0.96	0.18	-3.25	36,36,36,36	0
56	MG	CA	3165	1/1	0.92	0.13	-3.26	60,60,60,60	0
56	MG	AA	3170	1/1	0.77	0.12	-3.27	73,73,73,73	0
56	MG	BA	3474	1/1	0.95	0.18	-3.28	20,20,20,20	0
56	MG	BA	3009	1/1	0.97	0.16	-3.28	25,25,25,25	0
56	MG	BA	3589	1/1	0.95	0.18	-3.29	42,42,42,42	0
56	MG	DA	3375	1/1	0.92	0.13	-3.29	37,37,37,37	0
56	MG	DA	3317	1/1	0.96	0.14	-3.32	38,38,38,38	0
56	MG	CA	3057	1/1	0.94	0.13	-3.32	52,52,52,52	0
56	MG	CA	3102	1/1	0.96	0.12	-3.34	49,49,49,49	0
56	MG	BA	3527	1/1	0.96	0.19	-3.35	27,27,27,27	0
56	MG	BA	3567	1/1	0.90	0.17	-3.36	45,45,45,45	0
56	MG	DA	3369	1/1	0.92	0.10	-3.36	37,37,37,37	0
56	MG	CF	3001	1/1	0.92	0.10	-3.37	55,55,55,55	0
56	MG	DA	3167	1/1	0.98	0.14	-3.38	38,38,38,38	0
56	MG	DA	3004	1/1	0.98	0.12	-3.38	25,25,25,25	0
56	MG	DA	3564	1/1	0.93	0.10	-3.40	50,50,50,50	0
56	MG	BA	3304	1/1	0.96	0.13	-3.40	37,37,37,37	0
56	MG	DA	3631	1/1	0.94	0.10	-3.40	57,57,57,57	0
56	MG	BA	3433	1/1	0.94	0.17	-3.41	31,31,31,31	0
56	MG	DA	3366	1/1	0.88	0.11	-3.43	38,38,38,38	0
56	MG	DA	3315	1/1	0.96	0.12	-3.43	44,44,44,44	0
56	MG	CA	3060	1/1	0.97	0.09	-3.45	47,47,47,47	0
56	MG	DA	3074	1/1	0.79	0.11	-3.47	56,56,56,56	0
56	MG	DA	3442	1/1	0.93	0.09	-3.51	37,37,37,37	0
56	MG	DG	3001	1/1	0.88	0.07	-3.52	57,57,57,57	0
56	MG	DA	3449	1/1	0.95	0.10	-3.53	33,33,33,33	0
56	MG	AA	3069	1/1	0.92	0.15	-3.53	52,52,52,52	0
56	MG	BA	3612	1/1	0.93	0.16	-3.53	58,58,58,58	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	CA	3122	1/1	0.96	0.10	-3.53	65,65,65,65	0
56	MG	BA	3550	1/1	0.95	0.14	-3.53	25,25,25,25	0
56	MG	AA	3078	1/1	0.95	0.07	-3.54	72,72,72,72	0
56	MG	CA	3172	1/1	0.98	0.07	-3.63	50,50,50,50	0
56	MG	BA	3572	1/1	0.96	0.15	-3.65	52,52,52,52	0
56	MG	DA	3539	1/1	0.94	0.10	-3.69	38,38,38,38	0
56	MG	CA	3153	1/1	0.96	0.11	-3.76	52,52,52,52	0
56	MG	DA	3206	1/1	0.94	0.10	-3.77	46,46,46,46	0
56	MG	AA	3058	1/1	0.94	0.11	-3.79	61,61,61,61	0
56	MG	BA	3721	1/1	0.88	0.17	-3.80	9,9,9,9	0
56	MG	DD	304	1/1	0.96	0.08	-3.80	33,33,33,33	0
56	MG	BA	3655	1/1	0.96	0.14	-3.82	54,54,54,54	0
56	MG	CA	3080	1/1	0.92	0.10	-3.82	56,56,56,56	0
56	MG	DA	3501	1/1	0.95	0.08	-3.85	46,46,46,46	0
56	MG	AA	3180	1/1	0.87	0.14	-3.86	49,49,49,49	0
56	MG	BF	305	1/1	0.91	0.12	-3.87	45,45,45,45	0
56	MG	AA	3121	1/1	0.89	0.13	-3.88	33,33,33,33	0
56	MG	DA	3452	1/1	0.93	0.10	-3.92	37,37,37,37	0
56	MG	DA	3054	1/1	0.87	0.09	-3.92	39,39,39,39	0
56	MG	DA	3395	1/1	0.90	0.11	-3.93	33,33,33,33	0
56	MG	BA	3769	1/1	0.97	0.11	-3.95	24,24,24,24	0
56	MG	DA	3660	1/1	0.84	0.08	-3.96	28,28,28,28	0
56	MG	BA	3805	1/1	0.97	0.16	-3.97	30,30,30,30	0
56	MG	BA	3552	1/1	0.98	0.16	-4.03	46,46,46,46	0
56	MG	DA	3088	1/1	0.97	0.10	-4.04	30,30,30,30	0
56	MG	DA	3151	1/1	0.93	0.10	-4.06	33,33,33,33	0
56	MG	BA	3797	1/1	0.95	0.17	-4.08	19,19,19,19	0
56	MG	AA	3140	1/1	0.90	0.18	-4.09	36,36,36,36	0
56	MG	BA	3357	1/1	0.95	0.19	-4.09	46,46,46,46	0
56	MG	BA	3435	1/1	0.90	0.19	-4.11	26,26,26,26	0
56	MG	BA	3740	1/1	0.92	0.15	-4.13	35,35,35,35	0
56	MG	BA	3610	1/1	0.90	0.18	-4.14	39,39,39,39	0
56	MG	AA	3063	1/1	0.98	0.10	-4.15	42,42,42,42	0
56	MG	DA	3424	1/1	0.90	0.08	-4.15	41,41,41,41	0
56	MG	DA	3089	1/1	0.91	0.12	-4.18	47,47,47,47	0
56	MG	BE	307	1/1	0.97	0.12	-4.19	31,31,31,31	0
56	MG	DA	3012	1/1	0.93	0.10	-4.25	39,39,39,39	0
56	MG	BA	3537	1/1	0.94	0.19	-4.26	21,21,21,21	0
56	MG	AA	3021	1/1	0.87	0.13	-4.27	62,62,62,62	0
56	MG	CA	3018	1/1	0.93	0.09	-4.29	52,52,52,52	0
56	MG	BA	3043	1/1	0.97	0.15	-4.31	35,35,35,35	0
56	MG	CA	3170	1/1	0.96	0.10	-4.32	53,53,53,53	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	DA	3464	1/1	0.97	0.10	-4.33	24,24,24,24	0
56	MG	BA	3196	1/1	0.93	0.16	-4.37	40,40,40,40	0
56	MG	DA	3434	1/1	0.94	0.12	-4.37	27,27,27,27	0
56	MG	DO	5001	1/1	0.92	0.12	-4.37	55,55,55,55	0
56	MG	DA	3161	1/1	0.93	0.13	-4.38	37,37,37,37	0
56	MG	CA	3126	1/1	0.94	0.09	-4.42	57,57,57,57	0
56	MG	BA	3650	1/1	0.92	0.14	-4.45	48,48,48,48	0
56	MG	DA	3297	1/1	0.95	0.12	-4.46	24,24,24,24	0
56	MG	BA	3408	1/1	0.93	0.14	-4.46	21,21,21,21	0
56	MG	DA	3007	1/1	0.96	0.08	-4.54	43,43,43,43	0
56	MG	AA	3124	1/1	0.78	0.10	-4.55	71,71,71,71	0
56	MG	DA	3433	1/1	0.86	0.13	-4.56	34,34,34,34	0
56	MG	BA	3071	1/1	0.94	0.16	-4.56	40,40,40,40	0
56	MG	DA	3090	1/1	0.84	0.11	-4.67	48,48,48,48	0
56	MG	BA	3360	1/1	0.92	0.14	-4.67	21,21,21,21	0
56	MG	DA	3172	1/1	0.95	0.11	-4.67	31,31,31,31	0
56	MG	BA	3602	1/1	0.96	0.18	-4.67	32,32,32,32	0
56	MG	CA	3016	1/1	0.80	0.15	-4.73	53,53,53,53	0
56	MG	BA	3347	1/1	0.93	0.16	-4.77	37,37,37,37	0
56	MG	DA	3450	1/1	0.97	0.08	-4.78	41,41,41,41	0
56	MG	DA	3593	1/1	0.84	0.11	-4.80	50,50,50,50	0
56	MG	BA	3015	1/1	0.95	0.15	-4.80	50,50,50,50	0
56	MG	BA	3591	1/1	0.96	0.13	-4.80	48,48,48,48	0
56	MG	DA	3361	1/1	0.94	0.11	-4.87	25,25,25,25	0
56	MG	BA	3551	1/1	0.89	0.15	-4.87	49,49,49,49	0
56	MG	BA	3400	1/1	0.98	0.12	-4.89	34,34,34,34	0
56	MG	DA	3362	1/1	0.97	0.09	-4.91	59,59,59,59	0
56	MG	DA	3592	1/1	0.89	0.11	-4.93	40,40,40,40	0
56	MG	BA	3608	1/1	0.97	0.16	-4.94	34,34,34,34	0
56	MG	BA	3788	1/1	0.98	0.13	-5.05	10,10,10,10	0
56	MG	AA	3053	1/1	0.98	0.11	-5.08	46,46,46,46	0
56	MG	BA	3391	1/1	0.98	0.17	-5.09	26,26,26,26	0
56	MG	AA	3030	1/1	0.94	0.12	-5.09	63,63,63,63	0
56	MG	CA	3028	1/1	0.98	0.11	-5.10	55,55,55,55	0
56	MG	DA	3571	1/1	0.93	0.12	-5.11	51,51,51,51	0
56	MG	BA	3545	1/1	0.84	0.15	-5.12	36,36,36,36	0
56	MG	BA	3553	1/1	0.88	0.14	-5.14	53,53,53,53	0
56	MG	AA	3060	1/1	0.99	0.10	-5.17	52,52,52,52	0
56	MG	BA	3763	1/1	0.94	0.11	-5.17	39,39,39,39	0
56	MG	DA	3525	1/1	0.96	0.12	-5.19	44,44,44,44	0
56	MG	DE	302	1/1	0.94	0.12	-5.20	33,33,33,33	0
56	MG	BA	3291	1/1	0.97	0.12	-5.25	50,50,50,50	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	BA	3549	1/1	0.96	0.15	-5.25	36,36,36,36	0
56	MG	BA	3688	1/1	0.97	0.12	-5.29	16,16,16,16	0
56	MG	BA	3429	1/1	0.95	0.16	-5.32	23,23,23,23	0
56	MG	BA	3413	1/1	0.98	0.16	-5.36	27,27,27,27	0
56	MG	DA	3458	1/1	0.93	0.07	-5.40	57,57,57,57	0
56	MG	CA	3044	1/1	0.90	0.10	-5.41	44,44,44,44	0
56	MG	BA	3571	1/1	0.91	0.12	-5.41	46,46,46,46	0
56	MG	DA	3047	1/1	0.97	0.09	-5.42	39,39,39,39	0
56	MG	DA	3477	1/1	0.98	0.08	-5.43	30,30,30,30	0
56	MG	AA	3132	1/1	0.98	0.14	-5.45	36,36,36,36	0
56	MG	BA	3001	1/1	0.97	0.14	-5.45	31,31,31,31	0
56	MG	BA	3325	1/1	0.73	0.15	-5.47	51,51,51,51	0
56	MG	BA	3330	1/1	0.93	0.14	-5.50	52,52,52,52	0
56	MG	DA	3274	1/1	0.91	0.07	-5.51	54,54,54,54	0
56	MG	AA	3071	1/1	0.94	0.15	-5.54	51,51,51,51	0
56	MG	AA	3143	1/1	0.93	0.09	-5.55	57,57,57,57	0
56	MG	BA	3770	1/1	0.93	0.14	-5.59	47,47,47,47	0
56	MG	DA	3352	1/1	0.96	0.11	-5.63	27,27,27,27	0
56	MG	CA	3056	1/1	0.96	0.11	-5.65	60,60,60,60	0
56	MG	AA	3072	1/1	0.93	0.14	-5.76	45,45,45,45	0
56	MG	BA	3556	1/1	0.95	0.11	-5.77	48,48,48,48	0
56	MG	BA	3380	1/1	0.92	0.11	-5.80	36,36,36,36	0
56	MG	DA	3022	1/1	0.97	0.10	-5.80	29,29,29,29	0
56	MG	DA	3035	1/1	0.89	0.08	-5.81	40,40,40,40	0
56	MG	DA	3348	1/1	0.97	0.11	-5.84	32,32,32,32	0
56	MG	BB	204	1/1	0.94	0.15	-5.85	42,42,42,42	0
56	MG	BA	3146	1/1	0.95	0.13	-5.94	19,19,19,19	0
56	MG	BA	3011	1/1	0.98	0.10	-5.94	33,33,33,33	0
56	MG	BA	3502	1/1	0.96	0.11	-6.00	20,20,20,20	0
56	MG	CA	3033	1/1	0.89	0.15	-6.15	60,60,60,60	0
56	MG	DA	3219	1/1	0.94	0.11	-6.21	36,36,36,36	0
56	MG	BA	3313	1/1	0.96	0.16	-6.26	34,34,34,34	0
56	MG	DA	3185	1/1	0.89	0.07	-6.28	55,55,55,55	0
56	MG	AA	3035	1/1	0.96	0.14	-6.29	26,26,26,26	0
56	MG	BA	3271	1/1	0.96	0.14	-6.29	38,38,38,38	0
56	MG	BA	3176	1/1	0.94	0.10	-6.36	44,44,44,44	0
56	MG	BA	3622	1/1	0.91	0.14	-6.40	29,29,29,29	0
56	MG	DA	3334	1/1	0.98	0.10	-6.48	45,45,45,45	0
56	MG	DA	3546	1/1	0.97	0.08	-6.50	47,47,47,47	0
56	MG	DA	3520	1/1	0.95	0.07	-6.53	44,44,44,44	0
56	MG	BA	3021	1/1	0.94	0.17	-6.53	22,22,22,22	0
56	MG	BA	3319	1/1	0.85	0.17	-6.54	39,39,39,39	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	DA	3472	1/1	0.89	0.11	-6.58	60,60,60,60	0
56	MG	BA	3221	1/1	0.75	0.13	-6.59	39,39,39,39	0
56	MG	BA	3753	1/1	0.96	0.13	-6.60	27,27,27,27	0
56	MG	DA	3355	1/1	0.97	0.12	-6.68	35,35,35,35	0
56	MG	DA	3390	1/1	0.97	0.11	-6.70	19,19,19,19	0
56	MG	DA	3378	1/1	0.96	0.10	-6.75	34,34,34,34	0
56	MG	DA	3340	1/1	0.95	0.10	-6.77	30,30,30,30	0
56	MG	BA	3723	1/1	0.93	0.15	-6.80	25,25,25,25	0
56	MG	DA	3359	1/1	0.97	0.12	-6.88	39,39,39,39	0
56	MG	DA	3581	1/1	0.94	0.10	-6.93	35,35,35,35	0
56	MG	BA	3022	1/1	0.96	0.14	-6.98	25,25,25,25	0
56	MG	CA	3111	1/1	0.96	0.10	-7.02	56,56,56,56	0
56	MG	BA	3627	1/1	0.92	0.14	-7.06	57,57,57,57	0
56	MG	DA	3645	1/1	0.96	0.08	-7.45	38,38,38,38	0
56	MG	DA	3374	1/1	0.93	0.07	-7.49	31,31,31,31	0
56	MG	BB	208	1/1	0.95	0.11	-7.63	36,36,36,36	0
56	MG	BA	3376	1/1	0.96	0.12	-7.72	43,43,43,43	0
56	MG	BA	3272	1/1	0.93	0.15	-7.75	22,22,22,22	0
56	MG	DA	3314	1/1	0.89	0.08	-7.93	45,45,45,45	0
56	MG	DA	3606	1/1	0.89	0.09	-7.95	48,48,48,48	0
56	MG	BA	3216	1/1	0.97	0.10	-7.97	62,62,62,62	0
56	MG	DA	3595	1/1	0.98	0.07	-8.07	39,39,39,39	0
56	MG	BA	3583	1/1	0.89	0.14	-8.07	56,56,56,56	0
56	MG	BA	3366	1/1	0.94	0.11	-8.09	42,42,42,42	0
56	MG	BA	3759	1/1	0.91	0.07	-8.11	36,36,36,36	0
56	MG	BA	3403	1/1	0.96	0.13	-8.11	22,22,22,22	0
56	MG	BA	3374	1/1	0.99	0.13	-8.13	21,21,21,21	0
56	MG	DA	3331	1/1	0.87	0.07	-8.13	49,49,49,49	0
56	MG	DA	3492	1/1	0.97	0.07	-8.14	44,44,44,44	0
56	MG	AA	3015	1/1	0.85	0.12	-8.16	65,65,65,65	0
56	MG	BA	3774	1/1	0.92	0.09	-8.18	37,37,37,37	0
56	MG	BA	3081	1/1	0.93	0.14	-8.21	33,33,33,33	0
56	MG	BA	3341	1/1	0.98	0.11	-8.23	43,43,43,43	0
56	MG	BA	3450	1/1	0.96	0.16	-8.25	10,10,10,10	0
56	MG	BA	3792	1/1	0.98	0.13	-8.25	52,52,52,52	0
56	MG	BA	3301	1/1	0.96	0.10	-8.43	48,48,48,48	0
56	MG	AA	3013	1/1	0.94	0.07	-8.44	57,57,57,57	0
56	MG	BA	3381	1/1	0.86	0.13	-8.50	45,45,45,45	0
56	MG	B0	101	1/1	0.91	0.09	-8.58	55,55,55,55	0
56	MG	D0	102	1/1	0.97	0.12	-8.63	51,51,51,51	0
56	MG	BA	3623	1/1	0.97	0.11	-8.65	33,33,33,33	0
56	MG	DA	3573	1/1	0.97	0.10	-8.76	27,27,27,27	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	BA	3333	1/1	0.98	0.11	-8.78	23,23,23,23	0
56	MG	BA	3736	1/1	0.96	0.08	-8.83	42,42,42,42	0
56	MG	DA	3513	1/1	0.95	0.09	-8.96	30,30,30,30	0
56	MG	BA	3240	1/1	0.94	0.10	-8.99	30,30,30,30	0
56	MG	DA	3013	1/1	0.97	0.07	-9.04	32,32,32,32	0
56	MG	BA	3058	1/1	0.96	0.14	-9.14	27,27,27,27	0
56	MG	BA	3735	1/1	0.94	0.15	-9.21	20,20,20,20	0
56	MG	BA	3049	1/1	0.94	0.14	-9.34	34,34,34,34	0
56	MG	BD	3304	1/1	0.95	0.10	-9.49	25,25,25,25	0
56	MG	BB	219	1/1	0.94	0.10	-9.76	74,74,74,74	0
56	MG	DA	3380	1/1	0.97	0.06	-9.87	35,35,35,35	0
56	MG	BB	218	1/1	0.90	0.16	-10.00	31,31,31,31	0
56	MG	BA	3397	1/1	0.92	0.15	-10.06	25,25,25,25	0
56	MG	BA	3455	1/1	0.84	0.14	-10.26	32,32,32,32	0
56	MG	BA	3007	1/1	0.95	0.11	-10.31	35,35,35,35	0
56	MG	BB	216	1/1	0.93	0.12	-10.43	63,63,63,63	0
56	MG	BA	3508	1/1	0.97	0.09	-10.44	34,34,34,34	0
56	MG	BA	3775	1/1	0.96	0.07	-10.45	34,34,34,34	0
56	MG	BA	3752	1/1	0.95	0.08	-10.56	32,32,32,32	0
56	MG	BA	3669	1/1	0.95	0.12	-10.63	36,36,36,36	0
56	MG	DA	3463	1/1	0.94	0.06	-10.76	32,32,32,32	0
56	MG	BA	3019	1/1	0.85	0.15	-10.92	39,39,39,39	0
56	MG	AA	3009	1/1	0.94	0.11	-11.44	24,24,24,24	0
56	MG	DA	3174	1/1	0.98	0.07	-11.85	50,50,50,50	0
56	MG	BA	3323	1/1	0.94	0.15	-11.94	43,43,43,43	0
56	MG	DA	3407	1/1	0.98	0.07	-12.28	28,28,28,28	0
56	MG	BA	3628	1/1	0.95	0.11	-12.40	34,34,34,34	0
56	MG	BA	3691	1/1	0.89	0.10	-12.94	68,68,68,68	0
56	MG	BA	3557	1/1	0.99	0.11	-13.14	37,37,37,37	0
56	MG	DA	3318	1/1	0.92	0.07	-13.31	33,33,33,33	0
56	MG	DA	3342	1/1	0.85	0.06	-13.54	46,46,46,46	0
56	MG	BA	3402	1/1	0.94	0.14	-14.24	25,25,25,25	0
56	MG	BA	3513	1/1	0.99	0.10	-14.98	43,43,43,43	0
56	MG	DA	3397	1/1	0.96	0.09	-15.38	30,30,30,30	0
56	MG	DA	3312	1/1	0.95	0.09	-15.75	41,41,41,41	0
56	MG	DA	3289	1/1	0.98	0.07	-18.38	39,39,39,39	0
56	MG	BA	3625	1/1	0.98	0.08	-18.57	31,31,31,31	0
56	MG	BA	3101	1/1	0.88	0.11	-26.48	39,39,39,39	0
56	MG	AA	3175	1/1	0.94	0.10	-	66,66,66,66	0
56	MG	BA	3577	1/1	0.92	0.24	-	18,18,18,18	0
56	MG	DA	3360	1/1	0.90	0.13	-	37,37,37,37	0
56	MG	BA	3764	1/1	0.94	0.22	-	44,44,44,44	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	BA	3050	1/1	0.80	0.17	-	46,46,46,46	0
56	MG	DP	202	1/1	0.89	0.38	-	55,55,55,55	0
56	MG	BA	3670	1/1	0.95	0.14	-	47,47,47,47	0
56	MG	DA	3190	1/1	0.95	0.14	-	41,41,41,41	0
56	MG	DA	3073	1/1	0.91	0.08	-	55,55,55,55	0
56	MG	AF	3001	1/1	0.81	0.16	-	56,56,56,56	0
56	MG	BA	3044	1/1	0.67	0.30	-	61,61,61,61	0
56	MG	BA	3776	1/1	0.92	0.10	-	48,48,48,48	0
56	MG	AX	3005	1/1	0.97	0.10	-	64,64,64,64	0
56	MG	DA	3207	1/1	0.97	0.23	-	36,36,36,36	0
56	MG	AA	3080	1/1	0.88	0.25	-	71,71,71,71	0
56	MG	CA	3162	1/1	0.98	0.09	-	42,42,42,42	0
56	MG	AA	3011	1/1	0.90	0.21	-	56,56,56,56	0
56	MG	BA	3028	1/1	0.79	0.25	-	52,52,52,52	0
56	MG	BA	3227	1/1	0.93	0.18	-	34,34,34,34	0
56	MG	DA	3478	1/1	0.96	0.15	-	67,67,67,67	0
56	MG	AA	3032	1/1	0.96	0.19	-	59,59,59,59	0
56	MG	CA	3094	1/1	0.98	0.20	-	68,68,68,68	0
56	MG	BA	3447	1/1	0.79	0.15	-	59,59,59,59	0
56	MG	DA	3048	1/1	0.98	0.17	-	51,51,51,51	0
56	MG	BA	3237	1/1	0.63	0.32	-	63,63,63,63	0
56	MG	DA	3414	1/1	0.97	0.07	-	38,38,38,38	0
56	MG	BA	3505	1/1	0.87	0.24	-	33,33,33,33	0
56	MG	DA	3532	1/1	0.98	0.12	-	61,61,61,61	0
56	MG	DA	3221	1/1	0.88	0.12	-	52,52,52,52	0
56	MG	CA	3168	1/1	0.84	0.15	-	60,60,60,60	0
56	MG	AA	3026	1/1	0.87	0.09	-	71,71,71,71	0
56	MG	BA	3606	1/1	0.93	0.08	-	67,67,67,67	0
56	MG	BA	3377	1/1	0.91	0.12	-	48,48,48,48	0
56	MG	BA	3040	1/1	0.82	0.19	-	52,52,52,52	0
56	MG	AA	3113	1/1	0.95	0.07	-	67,67,67,67	0
56	MG	DA	3609	1/1	0.90	0.11	-	61,61,61,61	0
56	MG	BA	3727	1/1	0.98	0.20	-	34,34,34,34	0
56	MG	DA	3650	1/1	0.95	0.16	-	46,46,46,46	0
56	MG	DA	3399	1/1	0.95	0.11	-	55,55,55,55	0
56	MG	BA	3139	1/1	0.74	0.33	-	53,53,53,53	0
56	MG	BA	3245	1/1	0.98	0.14	-	61,61,61,61	0
56	MG	DA	3083	1/1	0.81	0.20	-	63,63,63,63	0
60	K	AX	3001	1/1	0.96	0.15	-	65,65,65,65	0
56	MG	BA	3683	1/1	0.94	0.15	-	43,43,43,43	0
56	MG	DA	3308	1/1	0.94	0.10	-	49,49,49,49	0
56	MG	CA	3136	1/1	0.91	0.08	-	55,55,55,55	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	DA	3152	1/1	0.86	0.24	-	62,62,62,62	0
56	MG	DA	3233	1/1	0.96	0.14	-	40,40,40,40	0
56	MG	AE	201	1/1	0.85	0.20	-	64,64,64,64	0
56	MG	AA	3048	1/1	0.82	0.22	-	59,59,59,59	0
56	MG	BA	3686	1/1	0.95	0.14	-	41,41,41,41	0
56	MG	BA	3744	1/1	0.89	0.16	-	61,61,61,61	0
56	MG	DA	3540	1/1	0.96	0.08	-	56,56,56,56	0
56	MG	BA	3293	1/1	0.96	0.17	-	40,40,40,40	0
56	MG	BB	211	1/1	0.74	0.16	-	81,81,81,81	0
60	K	CX	3001	1/1	0.95	0.31	-	77,77,77,77	0
56	MG	DA	3396	1/1	0.93	0.15	-	47,47,47,47	0
56	MG	DA	3062	1/1	0.83	0.16	-	51,51,51,51	0
56	MG	DA	3058	1/1	0.93	0.37	-	50,50,50,50	0
56	MG	BA	3481	1/1	0.99	0.19	-	44,44,44,44	0
56	MG	DA	3484	1/1	0.65	0.16	-	32,32,32,32	0
56	MG	BA	3110	1/1	0.92	0.17	-	46,46,46,46	0
56	MG	DA	3163	1/1	0.88	0.13	-	54,54,54,54	0
56	MG	DA	3232	1/1	0.98	0.08	-	45,45,45,45	0
56	MG	DA	3135	1/1	0.90	0.14	-	46,46,46,46	0
56	MG	BA	3642	1/1	0.95	0.15	-	36,36,36,36	0
56	MG	BA	3186	1/1	0.92	0.15	-	47,47,47,47	0
56	MG	AA	3054	1/1	0.94	0.07	-	62,62,62,62	0
56	MG	DA	3034	1/1	0.84	0.13	-	45,45,45,45	0
56	MG	DA	3338	1/1	0.88	0.19	-	43,43,43,43	0
56	MG	BA	3633	1/1	0.93	0.25	-	59,59,59,59	0
56	MG	DA	3469	1/1	0.79	0.10	-	53,53,53,53	0
56	MG	BA	3766	1/1	0.92	0.18	-	59,59,59,59	0
56	MG	BA	3506	1/1	0.89	0.14	-	31,31,31,31	0
56	MG	BA	3760	1/1	0.91	0.17	-	43,43,43,43	0
56	MG	BA	3598	1/1	0.84	0.29	-	53,53,53,53	0
56	MG	BA	3268	1/1	0.94	0.32	-	57,57,57,57	0
56	MG	BA	3501	1/1	0.94	0.13	-	43,43,43,43	0
56	MG	DA	3446	1/1	0.95	0.17	-	44,44,44,44	0
56	MG	DA	3326	1/1	0.95	0.18	-	47,47,47,47	0
56	MG	BA	3582	1/1	0.93	0.20	-	19,19,19,19	0
56	MG	BA	3454	1/1	0.95	0.12	-	29,29,29,29	0
56	MG	BA	3777	1/1	0.94	0.15	-	44,44,44,44	0
56	MG	BA	3065	1/1	0.93	0.20	-	41,41,41,41	0
56	MG	DA	3518	1/1	0.95	0.13	-	58,58,58,58	0
56	MG	DA	3640	1/1	0.74	0.43	-	64,64,64,64	0
56	MG	BA	3027	1/1	0.86	0.12	-	45,45,45,45	0
56	MG	CT	3001	1/1	0.79	0.14	-	59,59,59,59	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	AA	3167	1/1	0.86	0.15	-	61,61,61,61	0
56	MG	CA	3045	1/1	0.70	0.27	-	68,68,68,68	0
56	MG	DA	3098	1/1	0.94	0.10	-	57,57,57,57	0
56	MG	BA	3307	1/1	0.94	0.30	-	50,50,50,50	0
56	MG	DE	305	1/1	0.93	0.14	-	38,38,38,38	0
56	MG	BA	3383	1/1	0.96	0.19	-	20,20,20,20	0
56	MG	DA	3493	1/1	0.87	0.15	-	63,63,63,63	0
56	MG	DA	3211	1/1	0.91	0.09	-	53,53,53,53	0
56	MG	AA	3108	1/1	0.97	0.15	-	58,58,58,58	0
56	MG	DA	3078	1/1	0.96	0.19	-	35,35,35,35	0
56	MG	DN	5001	1/1	0.94	0.10	-	54,54,54,54	0
56	MG	BA	3314	1/1	0.93	0.13	-	44,44,44,44	0
56	MG	BA	3361	1/1	0.96	0.16	-	61,61,61,61	0
56	MG	BA	3407	1/1	0.99	0.17	-	40,40,40,40	0
56	MG	BA	3564	1/1	0.96	0.18	-	50,50,50,50	0
56	MG	AA	3173	1/1	0.91	0.21	-	60,60,60,60	0
56	MG	CA	3133	1/1	0.97	0.11	-	45,45,45,45	0
56	MG	CA	3002	1/1	0.84	0.09	-	62,62,62,62	0
56	MG	DA	3420	1/1	0.85	0.13	-	40,40,40,40	0
56	MG	BA	3444	1/1	0.96	0.23	-	43,43,43,43	0
56	MG	DA	3587	1/1	0.96	0.13	-	52,52,52,52	0
56	MG	BA	3519	1/1	0.97	0.26	-	53,53,53,53	0
56	MG	DA	3632	1/1	0.95	0.11	-	50,50,50,50	0
56	MG	CA	3051	1/1	0.96	0.15	-	55,55,55,55	0
56	MG	AA	3102	1/1	0.91	0.24	-	64,64,64,64	0
56	MG	BA	3229	1/1	0.94	0.32	-	44,44,44,44	0
56	MG	DA	3065	1/1	0.97	0.09	-	41,41,41,41	0
56	MG	BA	3077	1/1	0.98	0.37	-	29,29,29,29	0
56	MG	BA	3207	1/1	0.92	0.31	-	44,44,44,44	0
56	MG	BA	3187	1/1	0.97	0.22	-	48,48,48,48	0
56	MG	B7	105	1/1	0.96	0.28	-	46,46,46,46	0
56	MG	BA	3656	1/1	0.96	0.10	-	64,64,64,64	0
56	MG	AA	3174	1/1	0.93	0.06	-	54,54,54,54	0
56	MG	DA	3071	1/1	0.93	0.09	-	48,48,48,48	0
56	MG	AA	3046	1/1	0.95	0.15	-	56,56,56,56	0
56	MG	DA	3051	1/1	0.94	0.08	-	45,45,45,45	0
56	MG	DA	3579	1/1	0.94	0.15	-	52,52,52,52	0
56	MG	DA	3553	1/1	0.91	0.06	-	46,46,46,46	0
56	MG	BA	3581	1/1	0.98	0.09	-	37,37,37,37	0
56	MG	BB	205	1/1	0.56	0.18	-	76,76,76,76	0
56	MG	BA	3465	1/1	0.96	0.23	-	47,47,47,47	0
56	MG	BA	3761	1/1	0.95	0.22	-	53,53,53,53	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	AA	3014	1/1	0.90	0.09	-	62,62,62,62	0
56	MG	BA	3486	1/1	0.97	0.13	-	22,22,22,22	0
56	MG	BA	3010	1/1	0.90	0.16	-	41,41,41,41	0
56	MG	BA	3123	1/1	0.95	0.23	-	28,28,28,28	0
56	MG	DA	3495	1/1	0.92	0.15	-	39,39,39,39	0
56	MG	CA	3010	1/1	0.97	0.13	-	57,57,57,57	0
56	MG	DA	3238	1/1	0.87	0.13	-	54,54,54,54	0
56	MG	DA	3290	1/1	0.95	0.10	-	46,46,46,46	0
56	MG	BA	3477	1/1	0.92	0.12	-	59,59,59,59	0
56	MG	BA	3282	1/1	0.96	0.20	-	41,41,41,41	0
56	MG	BA	3232	1/1	0.88	0.18	-	51,51,51,51	0
56	MG	CA	3046	1/1	0.98	0.10	-	50,50,50,50	0
56	MG	DA	3408	1/1	0.96	0.28	-	51,51,51,51	0
56	MG	CA	3109	1/1	0.96	0.17	-	41,41,41,41	0
56	MG	BA	3406	1/1	0.95	0.09	-	32,32,32,32	0
56	MG	BA	3094	1/1	0.94	0.18	-	44,44,44,44	0
56	MG	AA	3089	1/1	0.89	0.14	-	57,57,57,57	0
56	MG	CA	3070	1/1	0.96	0.07	-	49,49,49,49	0
56	MG	BA	3263	1/1	0.92	0.26	-	56,56,56,56	0
56	MG	BA	3215	1/1	0.96	0.22	-	47,47,47,47	0
56	MG	AA	3038	1/1	0.67	0.20	-	61,61,61,61	0
56	MG	CA	3076	1/1	0.97	0.18	-	35,35,35,35	0
56	MG	DA	3641	1/1	0.97	0.14	-	49,49,49,49	0
56	MG	DA	3063	1/1	0.91	0.08	-	54,54,54,54	0
56	MG	DA	3313	1/1	0.91	0.05	-	46,46,46,46	0
56	MG	BA	3746	1/1	0.91	0.16	-	55,55,55,55	0
56	MG	BA	3430	1/1	0.88	0.15	-	31,31,31,31	0
56	MG	DA	3515	1/1	0.97	0.09	-	39,39,39,39	0
56	MG	DA	3064	1/1	0.89	0.28	-	56,56,56,56	0
56	MG	BA	3681	1/1	0.96	0.16	-	50,50,50,50	0
56	MG	AA	3133	1/1	0.93	0.24	-	66,66,66,66	0
56	MG	BA	3296	1/1	0.81	0.21	-	47,47,47,47	0
56	MG	DA	3251	1/1	0.93	0.12	-	46,46,46,46	0
56	MG	DA	3622	1/1	0.93	0.14	-	35,35,35,35	0
56	MG	BA	3645	1/1	0.98	0.07	-	50,50,50,50	0
56	MG	BA	3680	1/1	0.99	0.07	-	53,53,53,53	0
56	MG	BA	3767	1/1	0.90	0.24	-	57,57,57,57	0
56	MG	BA	3487	1/1	0.97	0.21	-	23,23,23,23	0
56	MG	BA	3684	1/1	0.95	0.18	-	51,51,51,51	0
56	MG	BA	3599	1/1	0.93	0.11	-	45,45,45,45	0
56	MG	BA	3258	1/1	0.91	0.28	-	61,61,61,61	0
56	MG	DA	3096	1/1	0.91	0.82	-	48,48,48,48	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	DA	3561	1/1	0.98	0.40	-	58,58,58,58	0
56	MG	BA	3592	1/1	0.91	0.10	-	64,64,64,64	0
56	MG	BA	3161	1/1	0.90	0.48	-	46,46,46,46	0
56	MG	AA	3162	1/1	0.94	0.15	-	59,59,59,59	0
56	MG	BA	3646	1/1	0.92	0.20	-	57,57,57,57	0
56	MG	BA	3493	1/1	0.95	0.12	-	49,49,49,49	0
56	MG	BA	3303	1/1	0.96	0.32	-	37,37,37,37	0
56	MG	DA	3567	1/1	0.90	0.06	-	57,57,57,57	0
56	MG	BA	3804	1/1	0.89	0.13	-	35,35,35,35	0
56	MG	BA	3514	1/1	0.74	0.15	-	45,45,45,45	0
56	MG	CA	3062	1/1	0.96	0.18	-	67,67,67,67	0
56	MG	DA	3347	1/1	0.85	0.13	-	46,46,46,46	0
56	MG	DA	3122	1/1	0.88	0.08	-	53,53,53,53	0
56	MG	BR	202	1/1	0.93	0.22	-	42,42,42,42	0
56	MG	DA	3210	1/1	0.78	0.20	-	53,53,53,53	0
56	MG	BA	3373	1/1	0.95	0.09	-	42,42,42,42	0
56	MG	DA	3391	1/1	0.92	0.10	-	44,44,44,44	0
56	MG	DA	3250	1/1	0.98	0.21	-	40,40,40,40	0
56	MG	AA	3045	1/1	0.87	0.32	-	54,54,54,54	0
56	MG	BA	3421	1/1	0.97	0.19	-	48,48,48,48	0
56	MG	DA	3157	1/1	0.98	0.09	-	42,42,42,42	0
56	MG	BA	3292	1/1	0.78	0.27	-	40,40,40,40	0
56	MG	DA	3296	1/1	0.96	0.12	-	35,35,35,35	0
56	MG	BA	3372	1/1	0.97	0.15	-	56,56,56,56	0
56	MG	AA	3155	1/1	0.94	0.11	-	49,49,49,49	0
56	MG	BA	3472	1/1	0.97	0.17	-	38,38,38,38	0
56	MG	DA	3332	1/1	0.90	0.22	-	50,50,50,50	0
56	MG	BA	3584	1/1	0.95	0.22	-	34,34,34,34	0
56	MG	BA	3236	1/1	0.95	0.35	-	34,34,34,34	0
56	MG	AA	3176	1/1	0.89	0.30	-	57,57,57,57	0
56	MG	DB	3001	1/1	0.81	0.16	-	77,77,77,77	0
56	MG	BA	3225	1/1	0.89	0.19	-	31,31,31,31	0
56	MG	BA	3722	1/1	0.93	0.19	-	17,17,17,17	0
56	MG	DA	3066	1/1	0.97	0.17	-	47,47,47,47	0
56	MG	DA	3508	1/1	0.91	0.08	-	41,41,41,41	0
56	MG	BA	3106	1/1	0.95	0.17	-	44,44,44,44	0
56	MG	DA	3260	1/1	0.91	0.11	-	55,55,55,55	0
56	MG	D0	101	1/1	0.95	0.16	-	50,50,50,50	0
56	MG	DA	3356	1/1	0.96	0.17	-	37,37,37,37	0
56	MG	BA	3781	1/1	0.96	0.24	-	47,47,47,47	0
56	MG	AA	3116	1/1	0.96	0.12	-	32,32,32,32	0
56	MG	DA	3276	1/1	0.88	0.14	-	54,54,54,54	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	BA	3163	1/1	0.93	0.33	-	34,34,34,34	0
56	MG	BA	3257	1/1	0.95	0.20	-	54,54,54,54	0
56	MG	BA	3193	1/1	0.89	0.35	-	62,62,62,62	0
56	MG	BA	3367	1/1	0.92	0.16	-	34,34,34,34	0
56	MG	CA	3132	1/1	0.91	0.22	-	55,55,55,55	0
56	MG	BA	3671	1/1	0.90	0.19	-	59,59,59,59	0
56	MG	BA	3616	1/1	0.84	0.15	-	51,51,51,51	0
56	MG	BA	3235	1/1	0.96	0.22	-	26,26,26,26	0
56	MG	DA	3024	1/1	0.81	0.61	-	37,37,37,37	0
56	MG	BA	3247	1/1	0.90	0.17	-	50,50,50,50	0
56	MG	DA	3364	1/1	0.87	0.21	-	57,57,57,57	0
56	MG	AA	3189	1/1	0.91	0.25	-	62,62,62,62	0
56	MG	DA	3119	1/1	0.96	0.09	-	40,40,40,40	0
56	MG	BA	3129	1/1	0.94	0.55	-	38,38,38,38	0
56	MG	DA	3144	1/1	0.95	0.15	-	39,39,39,39	0
56	MG	DA	3608	1/1	0.90	0.20	-	47,47,47,47	0
56	MG	BA	3607	1/1	0.81	0.17	-	51,51,51,51	0
56	MG	DA	3617	1/1	0.93	0.10	-	45,45,45,45	0
56	MG	BA	3452	1/1	0.90	0.29	-	55,55,55,55	0
56	MG	BA	3446	1/1	0.95	0.20	-	31,31,31,31	0
56	MG	BA	3133	1/1	0.93	0.16	-	48,48,48,48	0
56	MG	BA	3135	1/1	0.84	0.12	-	61,61,61,61	0
56	MG	BA	3243	1/1	0.95	0.30	-	56,56,56,56	0
56	MG	CA	3067	1/1	0.81	0.18	-	72,72,72,72	0
56	MG	BA	3083	1/1	0.86	0.20	-	51,51,51,51	0
56	MG	BA	3251	1/1	0.93	0.39	-	52,52,52,52	0
56	MG	DA	3162	1/1	0.87	0.22	-	37,37,37,37	0
56	MG	CA	3039	1/1	0.96	0.15	-	55,55,55,55	0
56	MG	DA	3503	1/1	0.93	0.09	-	31,31,31,31	0
56	MG	CA	3105	1/1	0.86	0.12	-	51,51,51,51	0
56	MG	DA	3197	1/1	0.92	0.82	-	55,55,55,55	0
56	MG	DA	3489	1/1	0.93	0.14	-	45,45,45,45	0
56	MG	DA	3534	1/1	0.93	0.15	-	67,67,67,67	0
56	MG	CA	3156	1/1	0.95	0.16	-	41,41,41,41	0
56	MG	BA	3387	1/1	0.88	0.15	-	45,45,45,45	0
56	MG	DA	3241	1/1	0.84	0.12	-	48,48,48,48	0
56	MG	DA	3475	1/1	0.96	0.14	-	38,38,38,38	0
56	MG	AA	3004	1/1	0.89	0.19	-	66,66,66,66	0
56	MG	BA	3336	1/1	0.98	0.17	-	50,50,50,50	0
56	MG	BA	3597	1/1	0.93	0.11	-	40,40,40,40	0
56	MG	BA	3637	1/1	0.94	0.10	-	54,54,54,54	0
56	MG	CA	3100	1/1	0.86	0.08	-	69,69,69,69	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	BE	306	1/1	0.74	0.71	-	93,93,93,93	0
56	MG	DA	3339	1/1	0.96	0.12	-	60,60,60,60	0
56	MG	DA	3544	1/1	0.92	0.21	-	39,39,39,39	0
56	MG	BA	3755	1/1	0.88	0.16	-	52,52,52,52	0
56	MG	DA	3383	1/1	0.93	0.11	-	31,31,31,31	0
56	MG	BA	3535	1/1	0.99	0.21	-	31,31,31,31	0
56	MG	BA	3086	1/1	0.91	0.55	-	49,49,49,49	0
56	MG	DA	3044	1/1	0.85	0.15	-	49,49,49,49	0
56	MG	BA	3438	1/1	0.96	0.14	-	21,21,21,21	0
56	MG	DA	3277	1/1	0.87	0.18	-	54,54,54,54	0
56	MG	DA	3249	1/1	0.88	0.23	-	65,65,65,65	0
56	MG	CA	3119	1/1	0.97	0.13	-	51,51,51,51	0
56	MG	CA	3149	1/1	0.90	0.24	-	74,74,74,74	0
56	MG	BA	3224	1/1	0.93	0.43	-	50,50,50,50	0
56	MG	BA	3706	1/1	0.87	0.11	-	63,63,63,63	0
56	MG	BA	3396	1/1	0.90	0.12	-	41,41,41,41	0
56	MG	DA	3658	1/1	0.95	0.33	-	55,55,55,55	0
56	MG	DA	3655	1/1	0.40	1.85	-	74,74,74,74	0
56	MG	DA	3517	1/1	0.96	0.08	-	57,57,57,57	0
56	MG	BA	3004	1/1	0.98	0.16	-	26,26,26,26	0
56	MG	BA	3462	1/1	0.91	0.18	-	49,49,49,49	0
56	MG	DA	3394	1/1	0.97	0.15	-	40,40,40,40	0
56	MG	DA	3111	1/1	0.89	0.25	-	53,53,53,53	0
56	MG	CA	3099	1/1	0.93	0.09	-	58,58,58,58	0
56	MG	BV	204	1/1	0.88	0.22	-	47,47,47,47	0
56	MG	DA	3145	1/1	0.97	0.10	-	38,38,38,38	0
56	MG	CA	3098	1/1	0.95	0.15	-	44,44,44,44	0
56	MG	DV	3003	1/1	0.82	0.10	-	55,55,55,55	0
56	MG	BA	3322	1/1	0.92	0.28	-	48,48,48,48	0
56	MG	DA	3370	1/1	0.87	0.10	-	50,50,50,50	0
56	MG	CA	3077	1/1	0.85	0.18	-	61,61,61,61	0
56	MG	AA	3088	1/1	0.96	0.10	-	42,42,42,42	0
56	MG	DA	3329	1/1	0.98	0.12	-	47,47,47,47	0
56	MG	DA	3240	1/1	0.94	0.09	-	42,42,42,42	0
56	MG	BA	3169	1/1	0.92	0.40	-	50,50,50,50	0
56	MG	CA	3160	1/1	0.93	0.17	-	61,61,61,61	0
56	MG	DA	3335	1/1	0.93	0.11	-	43,43,43,43	0
56	MG	DA	3607	1/1	0.83	0.17	-	63,63,63,63	0
56	MG	BA	3495	1/1	0.91	0.15	-	58,58,58,58	0
56	MG	BA	3057	1/1	0.89	0.10	-	53,53,53,53	0
56	MG	DA	3168	1/1	0.88	0.07	-	47,47,47,47	0
56	MG	DA	3668	1/1	0.90	1.78	-	51,51,51,51	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	BA	3062	1/1	0.88	0.17	-	48,48,48,48	0
56	MG	BA	3370	1/1	0.96	0.14	-	27,27,27,27	0
56	MG	DA	3499	1/1	0.91	0.06	-	61,61,61,61	0
56	MG	DA	3328	1/1	0.97	0.16	-	41,41,41,41	0
56	MG	BA	3611	1/1	0.95	0.12	-	45,45,45,45	0
56	MG	CA	3014	1/1	0.87	0.13	-	57,57,57,57	0
56	MG	BA	3378	1/1	0.95	0.13	-	47,47,47,47	0
56	MG	AA	3056	1/1	0.94	0.27	-	54,54,54,54	0
56	MG	DA	3275	1/1	0.94	0.09	-	58,58,58,58	0
56	MG	DA	3114	1/1	0.88	0.11	-	55,55,55,55	0
56	MG	BA	3248	1/1	0.91	0.21	-	52,52,52,52	0
56	MG	DA	3043	1/1	0.82	0.11	-	52,52,52,52	0
56	MG	BN	3005	1/1	0.95	0.22	-	35,35,35,35	0
56	MG	DA	3376	1/1	0.93	0.15	-	51,51,51,51	0
56	MG	BA	3439	1/1	0.92	0.14	-	71,71,71,71	0
56	MG	DA	3343	1/1	0.87	0.17	-	42,42,42,42	0
56	MG	AA	3138	1/1	0.90	0.09	-	73,73,73,73	0
56	MG	BA	3631	1/1	0.97	0.17	-	49,49,49,49	0
56	MG	BA	3729	1/1	0.99	0.12	-	27,27,27,27	0
56	MG	CA	3038	1/1	0.98	0.09	-	63,63,63,63	0
56	MG	DA	3150	1/1	0.91	0.18	-	52,52,52,52	0
56	MG	BA	3440	1/1	0.89	0.25	-	29,29,29,29	0
56	MG	DQ	3002	1/1	0.97	0.12	-	41,41,41,41	0
56	MG	DA	3316	1/1	0.91	0.09	-	34,34,34,34	0
56	MG	DA	3657	1/1	0.80	0.19	-	56,56,56,56	0
56	MG	CA	3171	1/1	0.77	0.18	-	65,65,65,65	0
56	MG	DA	3129	1/1	0.88	0.20	-	42,42,42,42	0
56	MG	BA	3504	1/1	0.92	0.13	-	40,40,40,40	0
56	MG	BA	3613	1/1	0.93	0.18	-	55,55,55,55	0
56	MG	AA	3031	1/1	0.93	0.12	-	54,54,54,54	0
56	MG	DA	3113	1/1	0.90	0.13	-	50,50,50,50	0
56	MG	DA	3623	1/1	0.88	0.41	-	66,66,66,66	0
56	MG	DA	3381	1/1	0.96	0.19	-	34,34,34,34	0
56	MG	BA	3749	1/1	0.98	0.11	-	29,29,29,29	0
56	MG	CA	3093	1/1	0.93	0.18	-	65,65,65,65	0
56	MG	DA	3292	1/1	0.89	0.18	-	40,40,40,40	0
56	MG	CA	3024	1/1	0.88	0.11	-	58,58,58,58	0
56	MG	BA	3503	1/1	0.89	0.25	-	64,64,64,64	0
56	MG	BZ	301	1/1	0.78	0.23	-	58,58,58,58	0
56	MG	BA	3468	1/1	0.86	0.15	-	45,45,45,45	0
56	MG	BA	3013	1/1	0.93	0.17	-	26,26,26,26	0
56	MG	BA	3498	1/1	0.80	0.20	-	43,43,43,43	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	BE	302	1/1	0.95	0.30	-	40,40,40,40	0
56	MG	BA	3737	1/1	0.91	0.10	-	70,70,70,70	0
56	MG	BA	3517	1/1	0.94	0.11	-	49,49,49,49	0
56	MG	DA	3406	1/1	0.96	0.12	-	33,33,33,33	0
56	MG	BA	3708	1/1	0.98	0.23	-	36,36,36,36	0
56	MG	DA	3541	1/1	0.87	0.12	-	40,40,40,40	0
56	MG	B8	101	1/1	0.96	0.15	-	36,36,36,36	0
56	MG	DA	3642	1/1	0.95	0.09	-	48,48,48,48	0
56	MG	BA	3632	1/1	0.97	0.24	-	43,43,43,43	0
56	MG	BA	3142	1/1	0.98	0.32	-	29,29,29,29	0
56	MG	BA	3621	1/1	0.91	0.16	-	39,39,39,39	0
56	MG	BA	3305	1/1	0.91	0.13	-	46,46,46,46	0
56	MG	BA	3658	1/1	0.96	0.16	-	51,51,51,51	0
56	MG	DA	3389	1/1	0.81	0.10	-	50,50,50,50	0
56	MG	AA	3076	1/1	0.83	0.16	-	56,56,56,56	0
56	MG	CA	3141	1/1	0.97	0.17	-	53,53,53,53	0
56	MG	BA	3660	1/1	0.96	0.17	-	51,51,51,51	0
56	MG	BB	221	1/1	0.90	0.12	-	43,43,43,43	0
56	MG	DA	3032	1/1	0.80	0.17	-	47,47,47,47	0
56	MG	BA	3644	1/1	0.98	0.24	-	50,50,50,50	0
56	MG	DA	3429	1/1	0.94	0.14	-	45,45,45,45	0
56	MG	BA	3443	1/1	0.93	0.17	-	27,27,27,27	0
56	MG	DA	3535	1/1	0.94	0.08	-	59,59,59,59	0
56	MG	DA	3164	1/1	0.83	0.20	-	47,47,47,47	0
56	MG	BA	3288	1/1	0.81	0.11	-	44,44,44,44	0
56	MG	BA	3497	1/1	0.95	0.13	-	44,44,44,44	0
56	MG	BA	3601	1/1	0.99	0.14	-	49,49,49,49	0
56	MG	BN	3007	1/1	0.87	0.21	-	50,50,50,50	0
56	MG	BA	3228	1/1	0.87	0.21	-	56,56,56,56	0
56	MG	AA	3150	1/1	0.89	0.14	-	66,66,66,66	0
56	MG	AA	3099	1/1	0.95	0.21	-	47,47,47,47	0
56	MG	AA	3067	1/1	0.78	0.19	-	72,72,72,72	0
56	MG	BA	3030	1/1	0.81	0.15	-	40,40,40,40	0
56	MG	BA	3199	1/1	0.81	0.44	-	51,51,51,51	0
56	MG	DA	3436	1/1	0.93	0.11	-	70,70,70,70	0
56	MG	DA	3209	1/1	0.91	0.28	-	46,46,46,46	0
56	MG	BA	3192	1/1	0.92	0.21	-	53,53,53,53	0
56	MG	BA	3294	1/1	0.80	0.36	-	67,67,67,67	0
56	MG	BB	212	1/1	0.98	0.19	-	42,42,42,42	0
56	MG	BA	3496	1/1	0.97	0.06	-	59,59,59,59	0
56	MG	DA	3527	1/1	0.86	0.19	-	61,61,61,61	0
56	MG	DA	3543	1/1	0.95	0.14	-	52,52,52,52	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	DA	3142	1/1	0.89	0.11	-	50,50,50,50	0
56	MG	BA	3652	1/1	0.93	0.13	-	61,61,61,61	0
56	MG	DA	3183	1/1	0.94	0.13	-	40,40,40,40	0
56	MG	BA	3202	1/1	0.95	0.29	-	38,38,38,38	0
56	MG	DB	3003	1/1	0.85	0.18	-	56,56,56,56	0
56	MG	DA	3652	1/1	0.87	0.13	-	53,53,53,53	0
56	MG	BA	3507	1/1	0.98	0.22	-	35,35,35,35	0
56	MG	BA	3233	1/1	0.86	0.18	-	61,61,61,61	0
56	MG	BA	3267	1/1	0.95	0.15	-	45,45,45,45	0
56	MG	DA	3293	1/1	0.96	0.14	-	57,57,57,57	0
56	MG	AA	3169	1/1	0.78	0.25	-	73,73,73,73	0
56	MG	BA	3422	1/1	0.91	0.17	-	53,53,53,53	0
56	MG	BA	3348	1/1	0.95	0.19	-	24,24,24,24	0
56	MG	AA	3018	1/1	0.96	0.15	-	50,50,50,50	0
56	MG	DA	3610	1/1	0.92	0.17	-	49,49,49,49	0
56	MG	BA	3617	1/1	0.85	0.25	-	44,44,44,44	0
56	MG	DA	3218	1/1	0.90	0.27	-	30,30,30,30	0
56	MG	BA	3059	1/1	0.73	0.13	-	49,49,49,49	0
56	MG	AA	3036	1/1	0.94	0.19	-	69,69,69,69	0
56	MG	BA	3264	1/1	0.90	0.34	-	45,45,45,45	0
56	MG	BQ	204	1/1	0.89	0.19	-	43,43,43,43	0
56	MG	DA	3531	1/1	0.96	0.17	-	62,62,62,62	0
56	MG	DA	3087	1/1	0.83	0.32	-	50,50,50,50	0
56	MG	DA	3671	1/1	0.97	0.25	-	37,37,37,37	0
56	MG	DA	3536	1/1	0.74	0.10	-	44,44,44,44	0
56	MG	BA	3615	1/1	0.96	0.09	-	60,60,60,60	0
56	MG	DA	3079	1/1	0.86	0.11	-	32,32,32,32	0
56	MG	CA	3020	1/1	0.87	0.12	-	46,46,46,46	0
56	MG	DA	3169	1/1	0.96	0.18	-	44,44,44,44	0
56	MG	BA	3783	1/1	0.93	0.15	-	43,43,43,43	0
56	MG	CA	3143	1/1	0.88	0.14	-	77,77,77,77	0
56	MG	BP	202	1/1	0.98	0.13	-	27,27,27,27	0
56	MG	CA	3081	1/1	0.62	0.17	-	58,58,58,58	0
56	MG	BN	3002	1/1	0.86	0.24	-	57,57,57,57	0
56	MG	BA	3365	1/1	0.96	0.28	-	37,37,37,37	0
56	MG	AE	202	1/1	0.88	0.07	-	74,74,74,74	0
56	MG	BA	3256	1/1	0.82	0.24	-	54,54,54,54	0
56	MG	DA	3204	1/1	0.96	0.37	-	50,50,50,50	0
56	MG	DA	3367	1/1	0.96	0.15	-	55,55,55,55	0
56	MG	DA	3229	1/1	0.86	0.10	-	64,64,64,64	0
56	MG	BA	3080	1/1	0.94	0.27	-	51,51,51,51	0
56	MG	DA	3198	1/1	0.95	0.30	-	49,49,49,49	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	DA	3045	1/1	0.96	0.10	-	60,60,60,60	0
56	MG	BA	3188	1/1	0.95	0.21	-	46,46,46,46	0
56	MG	CA	3101	1/1	0.98	0.11	-	54,54,54,54	0
56	MG	DA	3629	1/1	0.96	0.05	-	61,61,61,61	0
56	MG	DA	3656	1/1	0.96	0.07	-	57,57,57,57	0
56	MG	DA	3178	1/1	0.94	0.28	-	53,53,53,53	0
56	MG	AA	3068	1/1	0.88	0.24	-	62,62,62,62	0
56	MG	BA	3717	1/1	0.92	0.14	-	54,54,54,54	0
56	MG	BA	3772	1/1	0.93	0.19	-	56,56,56,56	0
56	MG	DA	3262	1/1	0.94	0.07	-	46,46,46,46	0
56	MG	DA	3212	1/1	0.89	0.07	-	54,54,54,54	0
56	MG	AA	3115	1/1	0.98	0.24	-	45,45,45,45	0
56	MG	DA	3084	1/1	0.99	0.32	-	47,47,47,47	0
56	MG	BA	3490	1/1	0.87	0.12	-	60,60,60,60	0
56	MG	DA	3435	1/1	0.94	0.15	-	55,55,55,55	0
56	MG	BA	3122	1/1	0.92	0.41	-	46,46,46,46	0
56	MG	BA	3262	1/1	0.92	0.28	-	54,54,54,54	0
56	MG	DA	3401	1/1	0.95	0.08	-	43,43,43,43	0
56	MG	CA	3071	1/1	0.87	0.11	-	57,57,57,57	0
56	MG	DA	3175	1/1	0.89	0.44	-	51,51,51,51	0
56	MG	BA	3124	1/1	0.94	0.20	-	35,35,35,35	0
56	MG	CA	3129	1/1	0.80	0.10	-	69,69,69,69	0
56	MG	BA	3002	1/1	0.87	0.17	-	57,57,57,57	0
56	MG	BB	213	1/1	0.96	0.23	-	30,30,30,30	0
56	MG	DA	3237	1/1	0.94	0.18	-	43,43,43,43	0
56	MG	BA	3159	1/1	0.93	0.25	-	40,40,40,40	0
56	MG	BA	3417	1/1	0.92	0.17	-	32,32,32,32	0
56	MG	AA	3123	1/1	0.96	0.18	-	51,51,51,51	0
56	MG	BA	3424	1/1	0.97	0.16	-	55,55,55,55	0
56	MG	DA	3333	1/1	0.91	0.09	-	51,51,51,51	0
56	MG	AA	3086	1/1	0.94	0.10	-	48,48,48,48	0
56	MG	AA	3057	1/1	0.94	0.21	-	66,66,66,66	0
56	MG	CA	3166	1/1	0.95	0.16	-	52,52,52,52	0
56	MG	DA	3019	1/1	0.79	0.14	-	48,48,48,48	0
56	MG	BB	206	1/1	0.83	0.32	-	58,58,58,58	0
56	MG	BA	3543	1/1	0.98	0.23	-	23,23,23,23	0
56	MG	BA	3311	1/1	0.96	0.17	-	23,23,23,23	0
56	MG	BA	3238	1/1	0.86	0.32	-	41,41,41,41	0
56	MG	DA	3455	1/1	0.81	0.20	-	46,46,46,46	0
56	MG	DA	3505	1/1	0.97	0.12	-	45,45,45,45	0
56	MG	DF	302	1/1	0.82	0.28	-	44,44,44,44	0
56	MG	AA	3082	1/1	0.96	0.34	-	51,51,51,51	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	BA	3541	1/1	0.95	0.18	-	55,55,55,55	0
56	MG	BA	3259	1/1	0.88	0.23	-	59,59,59,59	0
56	MG	DA	3095	1/1	0.93	0.11	-	43,43,43,43	0
56	MG	DA	3010	1/1	0.90	0.14	-	45,45,45,45	0
56	MG	BA	3099	1/1	0.78	0.21	-	67,67,67,67	0
56	MG	DA	3537	1/1	0.87	0.15	-	58,58,58,58	0
56	MG	CA	3069	1/1	0.91	0.06	-	59,59,59,59	0
56	MG	BA	3739	1/1	0.89	0.27	-	46,46,46,46	0
56	MG	DA	3166	1/1	0.96	0.19	-	35,35,35,35	0
56	MG	DA	3147	1/1	0.91	0.12	-	53,53,53,53	0
56	MG	DA	3644	1/1	0.82	0.12	-	40,40,40,40	0
56	MG	DA	3601	1/1	0.99	0.10	-	26,26,26,26	0
56	MG	BU	204	1/1	0.91	0.32	-	43,43,43,43	0
56	MG	BA	3456	1/1	0.94	0.12	-	32,32,32,32	0
56	MG	DA	3627	1/1	0.75	0.18	-	64,64,64,64	0
56	MG	DA	3184	1/1	0.92	0.10	-	49,49,49,49	0
56	MG	AA	3002	1/1	0.90	0.08	-	63,63,63,63	0
56	MG	BA	3149	1/1	0.92	0.39	-	36,36,36,36	0
56	MG	CA	3005	1/1	0.88	0.10	-	73,73,73,73	0
56	MG	AA	3165	1/1	0.95	0.08	-	49,49,49,49	0
56	MG	DA	3086	1/1	0.91	0.45	-	36,36,36,36	0
56	MG	CA	3075	1/1	0.95	0.21	-	67,67,67,67	0
56	MG	AA	3050	1/1	0.91	0.22	-	77,77,77,77	0
56	MG	AA	3106	1/1	0.96	0.09	-	61,61,61,61	0
56	MG	BA	3554	1/1	0.90	0.15	-	24,24,24,24	0
56	MG	DA	3272	1/1	0.92	0.10	-	45,45,45,45	0
56	MG	BA	3141	1/1	0.95	0.14	-	42,42,42,42	0
56	MG	DA	3215	1/1	0.97	0.06	-	49,49,49,49	0
56	MG	BA	3667	1/1	0.92	0.19	-	39,39,39,39	0
56	MG	AA	3079	1/1	0.86	0.21	-	55,55,55,55	0
56	MG	AA	3085	1/1	0.98	0.17	-	66,66,66,66	0
56	MG	BA	3748	1/1	0.94	0.11	-	69,69,69,69	0
56	MG	BA	3345	1/1	0.96	0.11	-	28,28,28,28	0
56	MG	BA	3437	1/1	0.83	0.24	-	61,61,61,61	0
56	MG	DA	3336	1/1	0.99	0.09	-	39,39,39,39	0
56	MG	BB	210	1/1	0.86	0.25	-	55,55,55,55	0
56	MG	BA	3039	1/1	0.91	0.25	-	58,58,58,58	0
56	MG	BA	3475	1/1	0.82	0.12	-	45,45,45,45	0
56	MG	DA	3217	1/1	0.97	0.21	-	34,34,34,34	0
56	MG	AA	3023	1/1	0.95	0.18	-	48,48,48,48	0
56	MG	DA	3279	1/1	0.93	0.10	-	54,54,54,54	0
56	MG	DA	3124	1/1	0.90	0.10	-	50,50,50,50	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	BA	3261	1/1	0.94	0.11	-	46,46,46,46	0
56	MG	BA	3343	1/1	0.96	0.17	-	30,30,30,30	0
56	MG	DA	3165	1/1	0.90	0.12	-	42,42,42,42	0
56	MG	DA	3633	1/1	0.95	0.06	-	56,56,56,56	0
56	MG	DA	3057	1/1	0.90	0.31	-	55,55,55,55	0
56	MG	DA	3373	1/1	0.98	0.09	-	39,39,39,39	0
56	MG	BB	201	1/1	0.96	0.12	-	65,65,65,65	0
56	MG	DA	3594	1/1	0.94	0.18	-	54,54,54,54	0
56	MG	BA	3206	1/1	0.95	0.23	-	37,37,37,37	0
56	MG	CA	3174	1/1	0.79	0.57	-	80,80,80,80	0
56	MG	AA	3163	1/1	0.84	0.18	-	58,58,58,58	0
56	MG	AA	3152	1/1	0.95	0.08	-	48,48,48,48	0
56	MG	AA	3033	1/1	0.97	0.23	-	58,58,58,58	0
56	MG	DA	3179	1/1	0.90	0.20	-	57,57,57,57	0
56	MG	BA	3277	1/1	0.87	0.28	-	54,54,54,54	0
56	MG	DA	3094	1/1	0.97	0.15	-	52,52,52,52	0
56	MG	DA	3549	1/1	0.92	0.14	-	32,32,32,32	0
56	MG	BE	304	1/1	0.96	0.49	-	43,43,43,43	0
56	MG	CA	3084	1/1	0.65	0.15	-	71,71,71,71	0
56	MG	BA	3491	1/1	0.97	0.19	-	45,45,45,45	0
56	MG	AA	3105	1/1	0.94	0.14	-	71,71,71,71	0
56	MG	AA	3042	1/1	0.93	0.10	-	55,55,55,55	0
56	MG	DA	3422	1/1	0.92	0.11	-	51,51,51,51	0
56	MG	DA	3462	1/1	0.98	0.09	-	31,31,31,31	0
56	MG	DA	3227	1/1	0.92	0.39	-	49,49,49,49	0
56	MG	AA	3168	1/1	0.89	0.11	-	57,57,57,57	0
56	MG	CA	3097	1/1	0.81	0.22	-	64,64,64,64	0
56	MG	BA	3153	1/1	0.94	0.14	-	50,50,50,50	0
56	MG	BA	3107	1/1	0.95	0.19	-	50,50,50,50	0
56	MG	BA	3478	1/1	0.91	0.14	-	59,59,59,59	0
56	MG	BA	3096	1/1	0.93	0.31	-	61,61,61,61	0
56	MG	DD	302	1/1	0.90	0.44	-	73,73,73,73	0
56	MG	BA	3355	1/1	0.96	0.26	-	28,28,28,28	0
56	MG	CA	3161	1/1	0.99	0.05	-	51,51,51,51	0
56	MG	BA	3412	1/1	0.95	0.27	-	19,19,19,19	0
56	MG	CA	3036	1/1	0.84	0.18	-	72,72,72,72	0
56	MG	BA	3569	1/1	0.96	0.17	-	56,56,56,56	0
56	MG	BA	3480	1/1	0.85	0.12	-	50,50,50,50	0
56	MG	BA	3451	1/1	0.98	0.15	-	31,31,31,31	0
56	MG	BA	3682	1/1	0.90	0.30	-	39,39,39,39	0
56	MG	BA	3442	1/1	0.96	0.14	-	36,36,36,36	0
56	MG	BA	3358	1/1	0.92	0.13	-	40,40,40,40	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	DA	3189	1/1	0.92	0.13	-	41,41,41,41	0
56	MG	DA	3110	1/1	0.74	0.16	-	64,64,64,64	0
56	MG	DA	3443	1/1	0.94	0.11	-	38,38,38,38	0
56	MG	DA	3585	1/1	0.95	0.21	-	43,43,43,43	0
56	MG	AA	3182	1/1	0.94	0.14	-	64,64,64,64	0
56	MG	BA	3120	1/1	0.85	0.20	-	50,50,50,50	0
56	MG	BA	3643	1/1	0.92	0.15	-	58,58,58,58	0
56	MG	BA	3647	1/1	0.91	0.21	-	49,49,49,49	0
56	MG	DA	3075	1/1	0.83	0.30	-	43,43,43,43	0
56	MG	BA	3458	1/1	0.97	0.14	-	66,66,66,66	0
56	MG	DA	3602	1/1	0.95	0.17	-	51,51,51,51	0
56	MG	AA	3146	1/1	0.96	0.13	-	53,53,53,53	0
56	MG	BA	3542	1/1	0.97	0.17	-	20,20,20,20	0
56	MG	BA	3594	1/1	0.89	0.17	-	33,33,33,33	0
56	MG	DA	3134	1/1	0.93	0.07	-	48,48,48,48	0
56	MG	CA	3155	1/1	0.91	0.09	-	76,76,76,76	0
56	MG	CA	3017	1/1	0.92	0.14	-	76,76,76,76	0
56	MG	BA	3170	1/1	0.98	0.18	-	52,52,52,52	0
56	MG	DA	3637	1/1	0.98	0.11	-	70,70,70,70	0
56	MG	CA	3114	1/1	0.97	0.09	-	52,52,52,52	0
56	MG	BA	3596	1/1	0.96	0.08	-	68,68,68,68	0
56	MG	AA	3010	1/1	0.95	0.12	-	63,63,63,63	0
56	MG	AA	3037	1/1	0.91	0.20	-	46,46,46,46	0
56	MG	BA	3162	1/1	0.92	0.34	-	53,53,53,53	0
56	MG	DA	3265	1/1	0.96	0.18	-	37,37,37,37	0
56	MG	BA	3329	1/1	0.98	0.19	-	24,24,24,24	0
56	MG	DA	3105	1/1	0.96	0.10	-	41,41,41,41	0
56	MG	DA	3635	1/1	0.97	0.18	-	47,47,47,47	0
56	MG	DA	3576	1/1	0.92	0.09	-	50,50,50,50	0
56	MG	DA	3049	1/1	0.90	0.13	-	53,53,53,53	0
56	MG	BA	3143	1/1	0.92	0.27	-	39,39,39,39	0
56	MG	BA	3730	1/1	0.98	0.20	-	13,13,13,13	0
56	MG	BA	3098	1/1	0.99	0.27	-	38,38,38,38	0
56	MG	BA	3055	1/1	0.88	0.21	-	55,55,55,55	0
56	MG	BA	3785	1/1	0.92	0.13	-	81,81,81,81	0
56	MG	BA	3732	1/1	0.94	0.18	-	41,41,41,41	0
56	MG	BA	3326	1/1	0.89	0.14	-	22,22,22,22	0
56	MG	BA	3298	1/1	0.97	0.20	-	49,49,49,49	0
56	MG	BA	3624	1/1	0.87	0.13	-	37,37,37,37	0
56	MG	DA	3254	1/1	0.97	0.21	-	35,35,35,35	0
56	MG	DA	3613	1/1	0.90	0.07	-	55,55,55,55	0
56	MG	BA	3787	1/1	0.92	0.16	-	57,57,57,57	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	BA	3165	1/1	0.89	0.18	-	50,50,50,50	0
56	MG	AA	3151	1/1	0.92	0.12	-	56,56,56,56	0
56	MG	DA	3136	1/1	0.99	0.19	-	43,43,43,43	0
56	MG	BA	3638	1/1	0.92	0.11	-	56,56,56,56	0
56	MG	BY	204	1/1	0.96	0.31	-	52,52,52,52	0
56	MG	AA	3093	1/1	0.96	0.14	-	51,51,51,51	0
56	MG	DA	3037	1/1	0.83	0.16	-	34,34,34,34	0
56	MG	BA	3327	1/1	0.85	0.18	-	37,37,37,37	0
56	MG	DA	3470	1/1	0.98	0.15	-	31,31,31,31	0
56	MG	BA	3369	1/1	0.91	0.20	-	40,40,40,40	0
56	MG	BA	3105	1/1	0.89	0.17	-	39,39,39,39	0
56	MG	DA	3572	1/1	0.85	0.06	-	68,68,68,68	0
56	MG	DA	3026	1/1	0.77	0.22	-	52,52,52,52	0
56	MG	CA	3087	1/1	0.83	0.12	-	62,62,62,62	0
56	MG	CA	3167	1/1	0.96	0.06	-	47,47,47,47	0
56	MG	BA	3390	1/1	0.97	0.21	-	25,25,25,25	0
56	MG	DA	3252	1/1	0.94	0.10	-	38,38,38,38	0
56	MG	BA	3066	1/1	0.88	0.16	-	52,52,52,52	0
56	MG	BA	3054	1/1	0.88	0.23	-	43,43,43,43	0
56	MG	BA	3214	1/1	0.93	0.29	-	44,44,44,44	0
56	MG	DA	3248	1/1	0.86	0.14	-	49,49,49,49	0
56	MG	DA	3423	1/1	0.78	0.15	-	56,56,56,56	0
56	MG	DA	3245	1/1	0.86	0.15	-	47,47,47,47	0
56	MG	DA	3474	1/1	0.98	0.06	-	30,30,30,30	0
56	MG	BA	3718	1/1	0.96	0.14	-	53,53,53,53	0
56	MG	BP	203	1/1	0.88	0.14	-	49,49,49,49	0
56	MG	BA	3600	1/1	0.94	0.18	-	50,50,50,50	0
56	MG	AA	3052	1/1	0.94	0.16	-	49,49,49,49	0
56	MG	AA	3101	1/1	0.97	0.18	-	49,49,49,49	0
56	MG	BA	3665	1/1	0.97	0.20	-	40,40,40,40	0
56	MG	DA	3281	1/1	0.88	0.15	-	49,49,49,49	0
56	MG	BB	207	1/1	0.93	0.18	-	39,39,39,39	0
56	MG	DA	3082	1/1	0.90	0.17	-	40,40,40,40	0
56	MG	AA	3184	1/1	0.75	0.12	-	66,66,66,66	0
56	MG	BA	3699	1/1	0.90	0.13	-	48,48,48,48	0
56	MG	DA	3551	1/1	0.94	0.07	-	47,47,47,47	0
56	MG	DA	3148	1/1	0.95	0.42	-	43,43,43,43	0
56	MG	BA	3428	1/1	0.97	0.27	-	36,36,36,36	0
56	MG	BA	3218	1/1	0.87	0.21	-	34,34,34,34	0
56	MG	BA	3558	1/1	0.86	0.21	-	57,57,57,57	0
56	MG	BA	3585	1/1	0.85	0.08	-	58,58,58,58	0
56	MG	CA	3011	1/1	0.81	0.13	-	69,69,69,69	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	DA	3542	1/1	0.98	0.10	-	58,58,58,58	0
56	MG	BA	3494	1/1	0.94	0.13	-	47,47,47,47	0
56	MG	DA	3557	1/1	0.95	0.17	-	44,44,44,44	0
56	MG	BY	202	1/1	0.97	0.18	-	48,48,48,48	0
56	MG	CA	3021	1/1	0.85	0.22	-	65,65,65,65	0
56	MG	BA	3045	1/1	0.93	0.17	-	38,38,38,38	0
56	MG	BB	215	1/1	0.94	0.20	-	35,35,35,35	0
56	MG	AA	3153	1/1	0.85	0.12	-	81,81,81,81	0
56	MG	BA	3414	1/1	0.95	0.22	-	33,33,33,33	0
56	MG	DA	3487	1/1	0.97	0.16	-	37,37,37,37	0
56	MG	CA	3095	1/1	0.99	0.04	-	56,56,56,56	0
56	MG	DA	3619	1/1	0.87	0.23	-	54,54,54,54	0
56	MG	DA	3560	1/1	0.94	0.07	-	47,47,47,47	0
56	MG	DA	3350	1/1	0.94	0.06	-	53,53,53,53	0
56	MG	AX	3009	1/1	0.84	0.15	-	74,74,74,74	0
56	MG	DA	3428	1/1	0.95	0.06	-	26,26,26,26	0
56	MG	CA	3001	1/1	0.74	0.10	-	59,59,59,59	0
56	MG	BA	3618	1/1	0.91	0.17	-	56,56,56,56	0
56	MG	CA	3079	1/1	0.72	0.16	-	67,67,67,67	0
56	MG	DB	3006	1/1	0.87	0.10	-	60,60,60,60	0
56	MG	DA	3498	1/1	0.98	0.08	-	44,44,44,44	0
56	MG	BA	3131	1/1	0.88	0.35	-	39,39,39,39	0
56	MG	DA	3569	1/1	0.94	0.23	-	59,59,59,59	0
56	MG	AA	3005	1/1	0.88	0.22	-	77,77,77,77	0
56	MG	CA	3152	1/1	0.84	0.23	-	54,54,54,54	0
56	MG	CA	3130	1/1	0.98	0.17	-	51,51,51,51	0
56	MG	BA	3209	1/1	0.98	0.17	-	35,35,35,35	0
56	MG	AA	3074	1/1	0.89	0.12	-	51,51,51,51	0
56	MG	DB	3010	1/1	0.93	0.20	-	53,53,53,53	0
56	MG	DA	3041	1/1	0.91	0.10	-	56,56,56,56	0
56	MG	AA	3066	1/1	0.89	0.14	-	58,58,58,58	0
56	MG	BA	3561	1/1	0.94	0.18	-	55,55,55,55	0
56	MG	DA	3575	1/1	0.93	0.14	-	51,51,51,51	0
56	MG	DA	3280	1/1	0.91	0.07	-	62,62,62,62	0
56	MG	DA	3628	1/1	0.92	0.08	-	47,47,47,47	0
56	MG	BA	3026	1/1	0.84	0.27	-	49,49,49,49	0
56	MG	BA	3302	1/1	0.93	0.20	-	24,24,24,24	0
56	MG	BA	3183	1/1	0.97	0.17	-	35,35,35,35	0
56	MG	BA	3239	1/1	0.94	0.18	-	40,40,40,40	0
56	MG	BF	308	1/1	0.86	0.37	-	45,45,45,45	0
56	MG	DA	3636	1/1	0.98	0.11	-	52,52,52,52	0
56	MG	DA	3480	1/1	0.95	0.15	-	38,38,38,38	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	DA	3461	1/1	0.98	0.23	-	57,57,57,57	0
56	MG	DA	3647	1/1	0.73	0.45	-	53,53,53,53	0
56	MG	AA	3131	1/1	0.95	0.14	-	29,29,29,29	0
56	MG	BA	3100	1/1	0.93	0.27	-	53,53,53,53	0
56	MG	DA	3500	1/1	0.85	0.11	-	51,51,51,51	0
56	MG	DA	3301	1/1	0.96	0.11	-	51,51,51,51	0
56	MG	BA	3754	1/1	0.96	0.10	-	60,60,60,60	0
56	MG	BA	3172	1/1	0.79	0.24	-	52,52,52,52	0
56	MG	CA	3026	1/1	0.93	0.12	-	55,55,55,55	0
56	MG	BA	3280	1/1	0.97	0.15	-	32,32,32,32	0
56	MG	BA	3692	1/1	0.80	0.12	-	51,51,51,51	0
56	MG	DA	3235	1/1	0.95	0.16	-	35,35,35,35	0
56	MG	BA	3778	1/1	0.94	0.11	-	41,41,41,41	0
56	MG	DA	3137	1/1	0.98	0.23	-	43,43,43,43	0
56	MG	BB	217	1/1	0.96	0.17	-	41,41,41,41	0
56	MG	DA	3186	1/1	0.96	0.16	-	54,54,54,54	0
56	MG	BA	3714	1/1	0.93	0.36	-	41,41,41,41	0
56	MG	AA	3020	1/1	0.71	0.14	-	71,71,71,71	0
56	MG	BA	3375	1/1	0.80	0.13	-	38,38,38,38	0
56	MG	DA	3030	1/1	0.94	0.09	-	46,46,46,46	0
56	MG	BA	3441	1/1	0.99	0.17	-	32,32,32,32	0
56	MG	BA	3195	1/1	0.97	0.34	-	52,52,52,52	0
56	MG	BA	3250	1/1	0.92	0.28	-	42,42,42,42	0
56	MG	DA	3042	1/1	0.86	0.11	-	46,46,46,46	0
56	MG	B8	102	1/1	0.92	0.16	-	41,41,41,41	0
56	MG	DA	3002	1/1	0.89	0.27	-	55,55,55,55	0
56	MG	CA	3154	1/1	0.94	0.19	-	54,54,54,54	0
56	MG	AA	3094	1/1	0.81	0.12	-	66,66,66,66	0
56	MG	BA	3109	1/1	0.82	0.21	-	56,56,56,56	0
56	MG	BA	3559	1/1	0.93	0.04	-	59,59,59,59	0
56	MG	BA	3382	1/1	0.94	0.13	-	41,41,41,41	0
56	MG	DA	3273	1/1	0.94	0.10	-	39,39,39,39	0
56	MG	DA	3173	1/1	0.94	0.20	-	51,51,51,51	0
56	MG	AA	3096	1/1	0.88	0.23	-	60,60,60,60	0
56	MG	CA	3063	1/1	0.89	0.10	-	70,70,70,70	0
56	MG	DA	3431	1/1	0.93	0.09	-	64,64,64,64	0
56	MG	BA	3587	1/1	0.94	0.09	-	54,54,54,54	0
56	MG	DA	3322	1/1	0.92	0.12	-	53,53,53,53	0
56	MG	DA	3392	1/1	0.89	0.09	-	50,50,50,50	0
56	MG	DA	3638	1/1	0.91	0.12	-	42,42,42,42	0
56	MG	AA	3024	1/1	0.95	0.21	-	55,55,55,55	0
56	MG	BA	3389	1/1	0.84	0.18	-	56,56,56,56	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	AA	3044	1/1	0.91	0.24	-	55,55,55,55	0
56	MG	DA	3563	1/1	0.93	0.13	-	61,61,61,61	0
56	MG	BP	204	1/1	0.95	0.15	-	54,54,54,54	0
56	MG	AA	3049	1/1	0.81	0.27	-	64,64,64,64	0
56	MG	DB	3008	1/1	0.92	0.13	-	64,64,64,64	0
56	MG	DA	3357	1/1	0.92	0.09	-	38,38,38,38	0
56	MG	CA	3106	1/1	0.92	0.08	-	58,58,58,58	0
56	MG	DA	3502	1/1	0.84	0.09	-	48,48,48,48	0
56	MG	DA	3294	1/1	0.85	0.08	-	36,36,36,36	0
56	MG	BA	3609	1/1	0.86	0.14	-	54,54,54,54	0
56	MG	BA	3128	1/1	0.91	0.14	-	44,44,44,44	0
56	MG	BQ	202	1/1	0.95	0.27	-	37,37,37,37	0
56	MG	BA	3663	1/1	0.90	0.23	-	65,65,65,65	0
56	MG	BA	3032	1/1	0.97	0.42	-	42,42,42,42	0
56	MG	BA	3148	1/1	0.92	0.08	-	49,49,49,49	0
56	MG	DA	3413	1/1	0.92	0.08	-	34,34,34,34	0
56	MG	CA	3108	1/1	0.97	0.07	-	52,52,52,52	0
56	MG	BA	3064	1/1	0.91	0.17	-	33,33,33,33	0
56	MG	BA	3061	1/1	0.93	0.31	-	49,49,49,49	0
56	MG	BA	3731	1/1	0.92	0.14	-	26,26,26,26	0
56	MG	BA	3285	1/1	0.97	0.14	-	54,54,54,54	0
56	MG	BA	3565	1/1	0.95	0.09	-	43,43,43,43	0
56	MG	AA	3008	1/1	0.94	0.14	-	56,56,56,56	0
56	MG	CA	3117	1/1	0.87	0.11	-	58,58,58,58	0
56	MG	BA	3244	1/1	0.96	0.52	-	39,39,39,39	0
56	MG	BA	3649	1/1	0.89	0.11	-	44,44,44,44	0
56	MG	CA	3107	1/1	0.77	0.18	-	77,77,77,77	0
56	MG	BW	204	1/1	0.98	0.38	-	31,31,31,31	0
56	MG	DA	3225	1/1	0.86	0.11	-	49,49,49,49	0
56	MG	DA	3597	1/1	0.92	0.09	-	49,49,49,49	0
56	MG	DA	3055	1/1	0.97	0.07	-	54,54,54,54	0
56	MG	CA	3085	1/1	0.91	0.21	-	73,73,73,73	0
56	MG	BA	3720	1/1	0.88	0.11	-	45,45,45,45	0
56	MG	BA	3724	1/1	0.93	0.17	-	25,25,25,25	0
56	MG	DA	3404	1/1	0.95	0.09	-	40,40,40,40	0
56	MG	BA	3685	1/1	0.96	0.14	-	51,51,51,51	0
56	MG	BA	3079	1/1	0.85	0.34	-	49,49,49,49	0
56	MG	DA	3454	1/1	0.91	0.09	-	56,56,56,56	0
56	MG	AA	3177	1/1	0.86	0.10	-	80,80,80,80	0
56	MG	DU	3002	1/1	0.95	0.44	-	52,52,52,52	0
56	MG	DA	3202	1/1	0.91	0.43	-	52,52,52,52	0
56	MG	AX	3004	1/1	0.94	0.12	-	53,53,53,53	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	BA	3219	1/1	0.89	0.15	-	62,62,62,62	0
56	MG	DA	3320	1/1	0.97	0.15	-	34,34,34,34	0
56	MG	BA	3544	1/1	0.96	0.31	-	45,45,45,45	0
56	MG	BA	3677	1/1	0.87	0.17	-	56,56,56,56	0
56	MG	BA	3253	1/1	0.92	0.20	-	47,47,47,47	0
56	MG	AA	3144	1/1	0.96	0.11	-	59,59,59,59	0
56	MG	AA	3083	1/1	0.90	0.13	-	53,53,53,53	0
56	MG	BA	3664	1/1	0.96	0.19	-	17,17,17,17	0
56	MG	BA	3794	1/1	0.99	0.14	-	29,29,29,29	0
56	MG	AA	3166	1/1	0.73	0.49	-	74,74,74,74	0
56	MG	BA	3515	1/1	0.96	0.17	-	35,35,35,35	0
56	MG	BA	3295	1/1	0.89	0.23	-	49,49,49,49	0
56	MG	B5	103	1/1	0.91	0.16	-	41,41,41,41	0
56	MG	CA	3006	1/1	0.72	0.18	-	59,59,59,59	0
56	MG	BA	3687	1/1	0.90	0.22	-	53,53,53,53	0
56	MG	DA	3415	1/1	0.91	0.15	-	59,59,59,59	0
56	MG	CA	3142	1/1	0.86	0.13	-	81,81,81,81	0
56	MG	CA	3089	1/1	0.83	0.09	-	67,67,67,67	0
56	MG	BA	3693	1/1	0.87	0.15	-	74,74,74,74	0
56	MG	BA	3779	1/1	0.92	0.16	-	45,45,45,45	0
56	MG	AA	3159	1/1	0.97	0.07	-	59,59,59,59	0
56	MG	DW	201	1/1	0.71	0.28	-	67,67,67,67	0
56	MG	BA	3290	1/1	0.80	0.34	-	50,50,50,50	0
56	MG	DA	3615	1/1	0.94	0.08	-	50,50,50,50	0
56	MG	CA	3118	1/1	0.97	0.09	-	60,60,60,60	0
56	MG	DA	3258	1/1	0.89	0.18	-	51,51,51,51	0
56	MG	CA	3139	1/1	0.90	0.15	-	69,69,69,69	0
56	MG	DB	3007	1/1	0.97	0.17	-	42,42,42,42	0
56	MG	CA	3019	1/1	0.87	0.06	-	62,62,62,62	0
56	MG	BA	3025	1/1	0.91	0.11	-	48,48,48,48	0
56	MG	BA	3751	1/1	0.91	0.36	-	55,55,55,55	0
56	MG	DA	3268	1/1	0.93	0.14	-	56,56,56,56	0
56	MG	CA	3025	1/1	0.90	0.21	-	61,61,61,61	0
56	MG	BA	3093	1/1	0.85	0.16	-	48,48,48,48	0
56	MG	BA	3529	1/1	0.91	0.20	-	25,25,25,25	0
56	MG	BA	3482	1/1	0.96	0.14	-	42,42,42,42	0
56	MG	DA	3200	1/1	0.91	0.11	-	57,57,57,57	0
56	MG	BA	3538	1/1	0.93	0.18	-	26,26,26,26	0
56	MG	AA	3158	1/1	0.94	0.09	-	71,71,71,71	0
56	MG	BA	3339	1/1	0.96	0.19	-	23,23,23,23	0
56	MG	BA	3017	1/1	0.86	0.17	-	52,52,52,52	0
56	MG	BA	3719	1/1	0.94	0.16	-	36,36,36,36	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	DA	3409	1/1	0.85	0.14	-	55,55,55,55	0
56	MG	BA	3145	1/1	0.98	0.25	-	41,41,41,41	0
56	MG	CA	3066	1/1	0.96	0.11	-	47,47,47,47	0
56	MG	DA	3438	1/1	0.91	0.15	-	55,55,55,55	0
56	MG	BA	3088	1/1	0.84	0.54	-	49,49,49,49	0
56	MG	DA	3523	1/1	0.97	0.28	-	52,52,52,52	0
56	MG	AA	3154	1/1	0.93	0.10	-	50,50,50,50	0
56	MG	DA	3403	1/1	0.98	0.15	-	56,56,56,56	0
56	MG	BA	3464	1/1	0.91	0.16	-	46,46,46,46	0
56	MG	DB	3009	1/1	0.93	0.13	-	58,58,58,58	0
56	MG	DA	3097	1/1	0.79	0.26	-	57,57,57,57	0
56	MG	BA	3299	1/1	0.93	0.15	-	44,44,44,44	0
56	MG	CA	3146	1/1	0.96	0.20	-	65,65,65,65	0
56	MG	DA	3101	1/1	0.84	0.26	-	55,55,55,55	0
56	MG	BA	3222	1/1	0.90	0.11	-	48,48,48,48	0
56	MG	CA	3159	1/1	0.84	0.12	-	71,71,71,71	0
56	MG	BA	3087	1/1	0.96	0.57	-	40,40,40,40	0
56	MG	CA	3068	1/1	0.90	0.23	-	64,64,64,64	0
56	MG	DA	3363	1/1	0.90	0.15	-	49,49,49,49	0
56	MG	DA	3512	1/1	0.97	0.11	-	48,48,48,48	0
56	MG	BA	3492	1/1	0.93	0.15	-	47,47,47,47	0
56	MG	BA	3526	1/1	0.98	0.21	-	35,35,35,35	0
56	MG	DP	201	1/1	0.91	0.14	-	58,58,58,58	0
56	MG	DA	3584	1/1	0.93	0.14	-	31,31,31,31	0
56	MG	DA	3025	1/1	0.94	0.15	-	52,52,52,52	0
56	MG	CA	3061	1/1	0.91	0.24	-	64,64,64,64	0
56	MG	BA	3231	1/1	0.89	0.16	-	51,51,51,51	0
56	MG	DA	3648	1/1	0.93	0.18	-	31,31,31,31	0
56	MG	BA	3275	1/1	0.95	0.16	-	34,34,34,34	0
56	MG	DA	3214	1/1	0.96	0.11	-	51,51,51,51	0
56	MG	DA	3616	1/1	0.95	0.25	-	43,43,43,43	0
56	MG	AA	3171	1/1	0.82	0.17	-	67,67,67,67	0
56	MG	BA	3014	1/1	0.91	0.25	-	38,38,38,38	0
56	MG	BE	305	1/1	0.96	0.21	-	19,19,19,19	0
56	MG	BA	3449	1/1	0.94	0.19	-	32,32,32,32	0
56	MG	BA	3340	1/1	0.90	0.11	-	40,40,40,40	0
56	MG	DA	3410	1/1	0.94	0.10	-	46,46,46,46	0
56	MG	CA	3135	1/1	0.96	0.14	-	63,63,63,63	0
56	MG	CA	3163	1/1	0.96	0.11	-	78,78,78,78	0
56	MG	BA	3516	1/1	0.99	0.19	-	28,28,28,28	0
56	MG	BA	3152	1/1	0.96	0.31	-	42,42,42,42	0
56	MG	BF	302	1/1	0.91	0.25	-	56,56,56,56	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	BA	3756	1/1	0.96	0.06	-	56,56,56,56	0
56	MG	CA	3004	1/1	0.94	0.09	-	67,67,67,67	0
56	MG	BA	3548	1/1	0.90	0.13	-	40,40,40,40	0
56	MG	DA	3516	1/1	0.94	0.28	-	52,52,52,52	0
56	MG	CA	3125	1/1	0.85	0.10	-	63,63,63,63	0
56	MG	BA	3562	1/1	0.91	0.28	-	44,44,44,44	0
56	MG	BA	3191	1/1	0.98	0.13	-	43,43,43,43	0
56	MG	BA	3728	1/1	0.92	0.30	-	60,60,60,60	0
56	MG	BA	3560	1/1	0.99	0.21	-	38,38,38,38	0
56	MG	BA	3626	1/1	0.88	0.14	-	43,43,43,43	0
56	MG	AA	3179	1/1	0.88	0.27	-	61,61,61,61	0
56	MG	CA	3047	1/1	0.86	0.12	-	59,59,59,59	0
56	MG	CA	3128	1/1	0.95	0.14	-	68,68,68,68	0
56	MG	DA	3365	1/1	0.94	0.08	-	56,56,56,56	0
56	MG	BA	3466	1/1	0.94	0.19	-	44,44,44,44	0
56	MG	BA	3726	1/1	0.97	0.09	-	65,65,65,65	0
56	MG	BA	3197	1/1	0.95	0.82	-	51,51,51,51	0
56	MG	CA	3008	1/1	0.90	0.26	-	60,60,60,60	0
56	MG	BA	3534	1/1	0.89	0.16	-	44,44,44,44	0
56	MG	DA	3188	1/1	0.97	0.07	-	26,26,26,26	0
56	MG	DA	3589	1/1	0.90	0.07	-	53,53,53,53	0
56	MG	AA	3016	1/1	0.94	0.15	-	55,55,55,55	0
56	MG	AA	3090	1/1	0.96	0.23	-	41,41,41,41	0
56	MG	BA	3566	1/1	0.93	0.19	-	50,50,50,50	0
56	MG	DA	3138	1/1	0.86	0.22	-	63,63,63,63	0
56	MG	BA	3078	1/1	0.97	0.17	-	15,15,15,15	0
56	MG	AA	3145	1/1	0.93	0.12	-	65,65,65,65	0
56	MG	BA	3308	1/1	0.94	0.12	-	49,49,49,49	0
56	MG	DA	3242	1/1	0.65	0.17	-	68,68,68,68	0
56	MG	AA	3084	1/1	0.81	0.11	-	62,62,62,62	0
56	MG	AA	3095	1/1	0.94	0.13	-	50,50,50,50	0
56	MG	CX	3002	1/1	0.61	0.16	-	81,81,81,81	0
56	MG	BA	3712	1/1	0.97	0.34	-	29,29,29,29	0
56	MG	B7	104	1/1	0.75	0.19	-	64,64,64,64	0
56	MG	BA	3614	1/1	0.90	0.21	-	59,59,59,59	0
56	MG	BA	3782	1/1	0.98	0.42	-	30,30,30,30	0
56	MG	BA	3510	1/1	0.94	0.11	-	42,42,42,42	0
56	MG	BA	3103	1/1	0.85	0.17	-	44,44,44,44	0
56	MG	DA	3504	1/1	0.91	0.09	-	41,41,41,41	0
56	MG	BA	3710	1/1	0.96	0.27	-	28,28,28,28	0
56	MG	DA	3154	1/1	0.98	0.20	-	52,52,52,52	0
56	MG	DA	3285	1/1	0.84	0.15	-	52,52,52,52	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	BA	3018	1/1	0.85	0.23	-	63,63,63,63	0
56	MG	CA	3031	1/1	0.98	0.10	-	59,59,59,59	0
56	MG	DA	3430	1/1	0.94	0.11	-	52,52,52,52	0
56	MG	DA	3583	1/1	0.89	0.09	-	56,56,56,56	0
56	MG	BA	3211	1/1	0.91	0.28	-	41,41,41,41	0
56	MG	DA	3471	1/1	0.99	0.18	-	54,54,54,54	0
56	MG	BA	3031	1/1	0.95	0.23	-	28,28,28,28	0
56	MG	DA	3291	1/1	0.85	0.13	-	41,41,41,41	0
56	MG	BA	3234	1/1	0.98	0.31	-	32,32,32,32	0
56	MG	BA	3385	1/1	0.97	0.23	-	41,41,41,41	0
56	MG	CA	3034	1/1	0.98	0.13	-	51,51,51,51	0
56	MG	CA	3134	1/1	0.92	0.13	-	65,65,65,65	0
56	MG	DA	3426	1/1	0.88	0.10	-	39,39,39,39	0
56	MG	DA	3223	1/1	0.97	0.20	-	41,41,41,41	0
56	MG	BA	3320	1/1	0.97	0.17	-	55,55,55,55	0
56	MG	BA	3359	1/1	0.89	0.23	-	40,40,40,40	0
56	MG	DA	3068	1/1	0.95	0.33	-	47,47,47,47	0
56	MG	BA	3185	1/1	0.85	0.18	-	52,52,52,52	0
56	MG	DA	3354	1/1	0.92	0.05	-	48,48,48,48	0
56	MG	BA	3742	1/1	0.98	0.28	-	21,21,21,21	0
56	MG	AA	3087	1/1	0.92	0.26	-	53,53,53,53	0
56	MG	BA	3151	1/1	0.92	0.26	-	37,37,37,37	0
56	MG	DA	3116	1/1	0.91	0.10	-	48,48,48,48	0
56	MG	BA	3704	1/1	0.87	0.33	-	36,36,36,36	0
56	MG	DA	3099	1/1	0.91	0.17	-	45,45,45,45	0
56	MG	BA	3082	1/1	0.91	0.27	-	55,55,55,55	0
56	MG	DA	3599	1/1	0.90	0.07	-	47,47,47,47	0
56	MG	BA	3249	1/1	0.86	0.28	-	40,40,40,40	0
56	MG	DA	3421	1/1	0.96	0.07	-	31,31,31,31	0
56	MG	DA	3556	1/1	0.85	0.16	-	55,55,55,55	0
56	MG	CA	3137	1/1	0.98	0.15	-	50,50,50,50	0
56	MG	BA	3306	1/1	0.98	0.21	-	18,18,18,18	0
56	MG	AA	3081	1/1	0.96	0.23	-	51,51,51,51	0
56	MG	BA	3483	1/1	0.96	0.20	-	41,41,41,41	0
56	MG	DA	3323	1/1	0.98	0.15	-	29,29,29,29	0
56	MG	DA	3554	1/1	0.93	0.10	-	47,47,47,47	0
56	MG	AA	3070	1/1	0.92	0.12	-	65,65,65,65	0
56	MG	BA	3342	1/1	0.91	0.10	-	33,33,33,33	0
56	MG	BA	3593	1/1	0.94	0.19	-	47,47,47,47	0
56	MG	BA	3484	1/1	0.94	0.16	-	51,51,51,51	0
56	MG	BA	3509	1/1	0.90	0.12	-	39,39,39,39	0
56	MG	BA	3212	1/1	0.89	0.17	-	26,26,26,26	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	AA	3148	1/1	0.96	0.09	-	58,58,58,58	0
56	MG	BA	3344	1/1	0.95	0.21	-	55,55,55,55	0
56	MG	DA	3639	1/1	0.93	0.07	-	52,52,52,52	0
56	MG	CA	3112	1/1	0.94	0.10	-	56,56,56,56	0
56	MG	DA	3070	1/1	0.88	0.11	-	51,51,51,51	0
56	MG	AA	3172	1/1	0.93	0.22	-	55,55,55,55	0
56	MG	BA	3147	1/1	0.98	0.12	-	41,41,41,41	0
56	MG	DA	3494	1/1	0.84	0.30	-	57,57,57,57	0
56	MG	BA	3698	1/1	0.87	0.17	-	50,50,50,50	0
56	MG	BA	3217	1/1	0.92	0.20	-	47,47,47,47	0
56	MG	BA	3180	1/1	0.97	0.32	-	46,46,46,46	0
56	MG	DA	3059	1/1	0.93	0.16	-	40,40,40,40	0
56	MG	BW	202	1/1	0.93	0.20	-	41,41,41,41	0
56	MG	BA	3586	1/1	0.91	0.11	-	60,60,60,60	0
56	MG	CA	3052	1/1	0.88	0.13	-	69,69,69,69	0
56	MG	BA	3200	1/1	0.90	0.18	-	41,41,41,41	0
56	MG	DA	3468	1/1	0.86	0.15	-	37,37,37,37	0
56	MG	BA	3420	1/1	0.93	0.30	-	46,46,46,46	0
56	MG	AX	3010	1/1	0.95	0.09	-	59,59,59,59	0
56	MG	BA	3171	1/1	0.96	0.19	-	54,54,54,54	0
56	MG	BA	3636	1/1	0.85	0.21	-	52,52,52,52	0
56	MG	DA	3039	1/1	0.92	0.12	-	44,44,44,44	0
56	MG	DA	3447	1/1	0.94	0.15	-	41,41,41,41	0
56	MG	BA	3619	1/1	0.98	0.12	-	33,33,33,33	0
56	MG	DA	3400	1/1	0.89	0.21	-	56,56,56,56	0
56	MG	BA	3485	1/1	0.97	0.13	-	55,55,55,55	0
56	MG	DA	3524	1/1	0.89	0.20	-	59,59,59,59	0
56	MG	BA	3168	1/1	0.82	0.23	-	39,39,39,39	0
56	MG	BA	3461	1/1	0.90	0.09	-	62,62,62,62	0
56	MG	DA	3220	1/1	0.94	0.07	-	50,50,50,50	0
56	MG	DA	3195	1/1	0.91	0.23	-	58,58,58,58	0
56	MG	CA	3131	1/1	0.81	0.14	-	81,81,81,81	0
56	MG	AA	3103	1/1	0.94	0.17	-	48,48,48,48	0
56	MG	BA	3512	1/1	0.80	0.33	-	47,47,47,47	0
56	MG	BA	3780	1/1	0.93	0.23	-	54,54,54,54	0
56	MG	BA	3097	1/1	0.84	0.18	-	52,52,52,52	0
56	MG	BA	3328	1/1	0.98	0.15	-	11,11,11,11	0
56	MG	DA	3310	1/1	0.92	0.21	-	49,49,49,49	0
56	MG	DA	3193	1/1	0.92	0.08	-	46,46,46,46	0
56	MG	DA	3510	1/1	0.90	0.18	-	55,55,55,55	0
56	MG	BA	3579	1/1	0.94	0.26	-	43,43,43,43	0
56	MG	AA	3029	1/1	0.90	0.18	-	43,43,43,43	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	DA	3192	1/1	0.69	0.16	-	57,57,57,57	0
56	MG	DA	3588	1/1	0.86	0.10	-	65,65,65,65	0
56	MG	BA	3160	1/1	0.90	0.41	-	40,40,40,40	0
56	MG	AA	3142	1/1	0.93	0.09	-	46,46,46,46	0
56	MG	BA	3029	1/1	0.95	0.18	-	30,30,30,30	0
56	MG	AA	3120	1/1	0.91	0.12	-	49,49,49,49	0
56	MG	CA	3027	1/1	0.94	0.18	-	61,61,61,61	0
56	MG	BA	3353	1/1	0.96	0.21	-	49,49,49,49	0
56	MG	BA	3459	1/1	0.92	0.20	-	47,47,47,47	0
56	MG	CA	3088	1/1	0.95	0.15	-	66,66,66,66	0
56	MG	BA	3016	1/1	0.85	0.12	-	37,37,37,37	0
56	MG	BA	3089	1/1	0.91	0.30	-	42,42,42,42	0
56	MG	BA	3316	1/1	0.96	0.23	-	25,25,25,25	0
56	MG	B0	104	1/1	0.96	0.18	-	41,41,41,41	0
56	MG	DA	3295	1/1	0.92	0.10	-	30,30,30,30	0
56	MG	AX	3003	1/1	0.83	0.23	-	66,66,66,66	0
56	MG	DA	3327	1/1	0.97	0.11	-	47,47,47,47	0
56	MG	BA	3310	1/1	0.94	0.17	-	42,42,42,42	0
56	MG	DA	3194	1/1	0.86	0.12	-	54,54,54,54	0
56	MG	DA	3255	1/1	0.79	0.12	-	62,62,62,62	0
56	MG	DA	3125	1/1	0.86	0.18	-	40,40,40,40	0
56	MG	BA	3696	1/1	0.85	0.10	-	45,45,45,45	0
56	MG	CA	3147	1/1	0.96	0.13	-	70,70,70,70	0
56	MG	DA	3140	1/1	0.93	0.35	-	44,44,44,44	0
56	MG	BA	3073	1/1	0.94	0.21	-	45,45,45,45	0
56	MG	DA	3559	1/1	0.90	0.17	-	61,61,61,61	0
56	MG	DA	3562	1/1	0.88	0.21	-	72,72,72,72	0
56	MG	B5	105	1/1	0.94	0.14	-	66,66,66,66	0
56	MG	AA	3114	1/1	0.96	0.17	-	45,45,45,45	0
56	MG	BA	3431	1/1	0.91	0.13	-	63,63,63,63	0
56	MG	BA	3733	1/1	0.96	0.10	-	46,46,46,46	0
56	MG	AA	3055	1/1	0.92	0.19	-	69,69,69,69	0
56	MG	BA	3460	1/1	0.86	0.15	-	58,58,58,58	0
56	MG	DA	3027	1/1	0.98	0.47	-	42,42,42,42	0
56	MG	BA	3673	1/1	0.85	0.15	-	28,28,28,28	0
56	MG	BA	3588	1/1	0.89	0.12	-	29,29,29,29	0
56	MG	DA	3483	1/1	0.97	0.12	-	32,32,32,32	0
56	MG	BA	3220	1/1	0.94	0.32	-	40,40,40,40	0
56	MG	BA	3604	1/1	0.83	0.26	-	46,46,46,46	0
56	MG	DA	3393	1/1	0.92	0.20	-	48,48,48,48	0
56	MG	DA	3578	1/1	0.92	0.06	-	40,40,40,40	0
56	MG	B2	3001	1/1	0.78	0.19	-	49,49,49,49	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	DA	3106	1/1	0.96	0.06	-	52,52,52,52	0
56	MG	DA	3222	1/1	0.73	0.15	-	46,46,46,46	0
56	MG	BA	3252	1/1	0.92	0.15	-	44,44,44,44	0
56	MG	DA	3466	1/1	0.85	0.27	-	66,66,66,66	0
56	MG	BA	3286	1/1	0.97	0.34	-	41,41,41,41	0
56	MG	DA	3379	1/1	0.94	0.09	-	50,50,50,50	0
56	MG	DA	3651	1/1	0.90	0.12	-	40,40,40,40	0
56	MG	AA	3137	1/1	0.96	0.11	-	42,42,42,42	0
56	MG	DA	3208	1/1	0.84	0.19	-	44,44,44,44	0
56	MG	DA	3036	1/1	0.83	0.10	-	46,46,46,46	0
56	MG	DA	3306	1/1	0.97	0.28	-	35,35,35,35	0
56	MG	BA	3702	1/1	0.94	0.22	-	53,53,53,53	0
56	MG	BA	3174	1/1	0.93	0.16	-	50,50,50,50	0
56	MG	DA	3093	1/1	0.94	0.39	-	54,54,54,54	0
56	MG	BA	3410	1/1	0.94	0.26	-	31,31,31,31	0
56	MG	DA	3385	1/1	0.92	0.10	-	32,32,32,32	0
56	MG	DA	3570	1/1	0.85	0.19	-	59,59,59,59	0
56	MG	BA	3813	1/1	0.73	0.10	-	58,58,58,58	0
56	MG	AA	3149	1/1	0.91	0.12	-	68,68,68,68	0
56	MG	AA	3034	1/1	0.68	0.20	-	70,70,70,70	0
56	MG	DA	3643	1/1	0.83	0.18	-	49,49,49,49	0
56	MG	DA	3491	1/1	0.84	0.12	-	42,42,42,42	0
56	MG	DA	3582	1/1	0.94	0.14	-	64,64,64,64	0
56	MG	DA	3618	1/1	0.96	0.16	-	64,64,64,64	0
56	MG	DA	3121	1/1	0.96	0.15	-	40,40,40,40	0
56	MG	CA	3157	1/1	0.97	0.09	-	61,61,61,61	0
56	MG	AA	3061	1/1	0.96	0.23	-	54,54,54,54	0
56	MG	AA	3075	1/1	0.96	0.24	-	49,49,49,49	0
56	MG	DA	3566	1/1	0.95	0.09	-	62,62,62,62	0
56	MG	AA	3040	1/1	0.80	0.13	-	72,72,72,72	0
56	MG	DA	3418	1/1	0.92	0.11	-	44,44,44,44	0
56	MG	BA	3605	1/1	0.77	0.17	-	44,44,44,44	0
56	MG	AA	3157	1/1	0.84	0.19	-	84,84,84,84	0
56	MG	BA	3694	1/1	0.94	0.14	-	54,54,54,54	0
56	MG	DA	3550	1/1	0.99	0.16	-	22,22,22,22	0
56	MG	DA	3077	1/1	0.97	0.16	-	47,47,47,47	0
56	MG	BA	3158	1/1	0.94	0.30	-	40,40,40,40	0
56	MG	BA	3425	1/1	0.93	0.14	-	48,48,48,48	0
56	MG	BA	3116	1/1	0.94	0.11	-	35,35,35,35	0
56	MG	BA	3111	1/1	0.82	0.09	-	57,57,57,57	0
56	MG	DA	3538	1/1	0.91	0.15	-	44,44,44,44	0
56	MG	BA	3394	1/1	0.91	0.20	-	20,20,20,20	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	DA	3405	1/1	0.90	0.13	-	41,41,41,41	0
56	MG	BA	3603	1/1	0.96	0.20	-	42,42,42,42	0
56	MG	AA	3164	1/1	0.92	0.23	-	51,51,51,51	0
56	MG	DA	3529	1/1	0.96	0.11	-	57,57,57,57	0
56	MG	CA	3009	1/1	0.81	0.27	-	66,66,66,66	0
56	MG	BA	3703	1/1	0.53	0.21	-	57,57,57,57	0
56	MG	BG	3002	1/1	0.88	0.08	-	50,50,50,50	0
56	MG	BA	3539	1/1	0.89	0.27	-	29,29,29,29	0
56	MG	AX	3007	1/1	0.84	0.13	-	69,69,69,69	0
56	MG	BA	3741	1/1	0.86	0.14	-	50,50,50,50	0
56	MG	AA	3135	1/1	0.98	0.09	-	60,60,60,60	0
56	MG	DA	3321	1/1	0.96	0.10	-	30,30,30,30	0
56	MG	DA	3247	1/1	0.91	0.19	-	34,34,34,34	0
56	MG	BF	304	1/1	0.89	0.13	-	35,35,35,35	0
56	MG	BA	3674	1/1	0.91	0.17	-	55,55,55,55	0
56	MG	DA	3259	1/1	0.94	0.15	-	53,53,53,53	0
56	MG	CA	3003	1/1	0.93	0.12	-	51,51,51,51	0
56	MG	BA	3807	1/1	0.87	0.71	-	66,66,66,66	0
56	MG	BA	3555	1/1	0.86	0.15	-	61,61,61,61	0
56	MG	CA	3013	1/1	0.90	0.10	-	54,54,54,54	0
56	MG	DA	3646	1/1	0.98	0.11	-	54,54,54,54	0
56	MG	BA	3132	1/1	0.95	0.23	-	49,49,49,49	0
56	MG	BA	3072	1/1	0.94	0.14	-	58,58,58,58	0
56	MG	BA	3379	1/1	0.96	0.19	-	39,39,39,39	0
56	MG	BA	3479	1/1	0.91	0.13	-	53,53,53,53	0
56	MG	B0	105	1/1	0.95	0.07	-	64,64,64,64	0
56	MG	AD	502	1/1	0.93	0.18	-	56,56,56,56	0
56	MG	BA	3651	1/1	0.90	0.33	-	52,52,52,52	0
56	MG	DA	3050	1/1	0.95	0.11	-	37,37,37,37	0
56	MG	CA	3104	1/1	0.91	0.09	-	60,60,60,60	0
56	MG	DA	3604	1/1	0.94	0.14	-	47,47,47,47	0
56	MG	B6	102	1/1	0.91	0.20	-	51,51,51,51	0
56	MG	DA	3456	1/1	0.97	0.16	-	54,54,54,54	0
56	MG	BA	3337	1/1	0.93	0.25	-	46,46,46,46	0
56	MG	DA	3091	1/1	0.94	0.11	-	46,46,46,46	0
56	MG	BA	3351	1/1	0.88	0.19	-	59,59,59,59	0
56	MG	DA	3052	1/1	0.96	0.19	-	26,26,26,26	0
56	MG	AA	3065	1/1	0.96	0.08	-	55,55,55,55	0
56	MG	AA	3111	1/1	0.98	0.13	-	61,61,61,61	0
56	MG	DA	3199	1/1	0.90	0.10	-	55,55,55,55	0
56	MG	BA	3798	1/1	0.94	0.09	-	51,51,51,51	0
56	MG	BA	3768	1/1	0.89	0.10	-	61,61,61,61	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	AA	3028	1/1	0.98	0.17	-	49,49,49,49	0
56	MG	DA	3577	1/1	0.97	0.16	-	49,49,49,49	0
56	MG	CA	3086	1/1	0.95	0.13	-	76,76,76,76	0
56	MG	DA	3008	1/1	0.94	0.14	-	40,40,40,40	0
56	MG	DA	3001	1/1	0.87	0.24	-	40,40,40,40	0
56	MG	DA	3649	1/1	0.71	0.23	-	53,53,53,53	0
56	MG	DA	3625	1/1	0.94	0.18	-	56,56,56,56	0
56	MG	DA	3283	1/1	0.92	0.14	-	43,43,43,43	0
56	MG	DA	3046	1/1	0.89	0.13	-	56,56,56,56	0
56	MG	BA	3679	1/1	0.91	0.23	-	56,56,56,56	0
56	MG	DA	3506	1/1	0.98	0.11	-	40,40,40,40	0
56	MG	BA	3274	1/1	0.95	0.21	-	51,51,51,51	0
56	MG	BA	3005	1/1	0.97	0.18	-	33,33,33,33	0
56	MG	DA	3612	1/1	0.82	0.16	-	58,58,58,58	0
56	MG	BA	3469	1/1	0.96	0.13	-	41,41,41,41	0
56	MG	DA	3123	1/1	0.90	0.14	-	52,52,52,52	0
56	MG	BA	3432	1/1	0.96	0.13	-	35,35,35,35	0
56	MG	DA	3213	1/1	0.90	0.42	-	46,46,46,46	0
56	MG	BA	3489	1/1	0.95	0.32	-	44,44,44,44	0
56	MG	B4	502	1/1	0.84	0.10	-	77,77,77,77	0
56	MG	DA	3398	1/1	0.94	0.15	-	52,52,52,52	0
56	MG	AA	3007	1/1	0.90	0.12	-	54,54,54,54	0
56	MG	BA	3092	1/1	0.78	0.22	-	53,53,53,53	0
56	MG	BA	3639	1/1	0.94	0.15	-	54,54,54,54	0
56	MG	DR	5001	1/1	0.91	0.13	-	51,51,51,51	0
56	MG	DA	3170	1/1	0.95	0.22	-	46,46,46,46	0
56	MG	BA	3260	1/1	0.94	0.10	-	42,42,42,42	0
56	MG	DA	3528	1/1	0.93	0.08	-	39,39,39,39	0
56	MG	BA	3576	1/1	0.91	0.17	-	36,36,36,36	0
56	MG	DA	3451	1/1	0.96	0.15	-	20,20,20,20	0
56	MG	AA	3043	1/1	0.88	0.11	-	76,76,76,76	0
56	MG	DA	3239	1/1	0.96	0.08	-	51,51,51,51	0
56	MG	DA	3659	1/1	0.94	0.48	-	39,39,39,39	0
56	MG	DA	3605	1/1	0.90	0.16	-	54,54,54,54	0
56	MG	BA	3738	1/1	0.92	0.26	-	60,60,60,60	0
56	MG	DA	3372	1/1	0.86	0.13	-	24,24,24,24	0
56	MG	AA	3017	1/1	0.94	0.13	-	69,69,69,69	0
56	MG	DA	3171	1/1	0.95	0.14	-	53,53,53,53	0
56	MG	AA	3147	1/1	0.69	0.14	-	72,72,72,72	0
56	MG	BA	3800	1/1	0.97	0.09	-	41,41,41,41	0
56	MG	AA	3027	1/1	0.97	0.11	-	46,46,46,46	0
56	MG	BA	3653	1/1	0.97	0.15	-	39,39,39,39	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	CA	3169	1/1	0.92	0.10	-	52,52,52,52	0
56	MG	DA	3630	1/1	0.88	0.10	-	51,51,51,51	0
56	MG	BA	3283	1/1	0.90	0.16	-	30,30,30,30	0
56	MG	BA	3284	1/1	0.89	0.28	-	33,33,33,33	0
56	MG	BA	3287	1/1	0.96	0.27	-	28,28,28,28	0
56	MG	BA	3371	1/1	0.98	0.10	-	40,40,40,40	0
56	MG	BA	3540	1/1	0.93	0.12	-	57,57,57,57	0
56	MG	DA	3130	1/1	0.88	0.19	-	54,54,54,54	0
56	MG	BA	3725	1/1	0.91	0.20	-	44,44,44,44	0
56	MG	CA	3073	1/1	0.89	0.10	-	55,55,55,55	0
56	MG	DA	3448	1/1	0.97	0.18	-	45,45,45,45	0
56	MG	DA	3358	1/1	0.90	0.14	-	28,28,28,28	0
56	MG	DA	3490	1/1	0.94	0.12	-	43,43,43,43	0
56	MG	DA	3507	1/1	0.88	0.29	-	57,57,57,57	0
56	MG	BA	3809	1/1	0.95	0.13	-	41,41,41,41	0
56	MG	CA	3164	1/1	0.94	0.07	-	73,73,73,73	0
56	MG	DA	3590	1/1	0.93	0.09	-	66,66,66,66	0
56	MG	DA	3411	1/1	0.95	0.25	-	46,46,46,46	0
56	MG	CA	3151	1/1	0.90	0.21	-	60,60,60,60	0
56	MG	DA	3558	1/1	0.97	0.04	-	43,43,43,43	0
56	MG	BA	3166	1/1	0.94	0.16	-	46,46,46,46	0
56	MG	BA	3750	1/1	0.95	0.25	-	42,42,42,42	0
56	MG	BA	3108	1/1	0.92	0.25	-	64,64,64,64	0
56	MG	DA	3118	1/1	0.91	0.14	-	43,43,43,43	0
56	MG	DA	3141	1/1	0.93	0.12	-	46,46,46,46	0
56	MG	AA	3091	1/1	0.95	0.17	-	40,40,40,40	0
56	MG	BA	3700	1/1	0.85	0.13	-	53,53,53,53	0
56	MG	BA	3246	1/1	0.96	0.12	-	47,47,47,47	0
56	MG	DA	3311	1/1	0.96	0.12	-	19,19,19,19	0
56	MG	BA	3075	1/1	0.94	0.18	-	21,21,21,21	0
56	MG	CA	3054	1/1	0.92	0.12	-	70,70,70,70	0
56	MG	BA	3114	1/1	0.88	0.15	-	34,34,34,34	0
56	MG	BA	3155	1/1	0.99	0.44	-	30,30,30,30	0
56	MG	BA	3363	1/1	0.95	0.09	-	66,66,66,66	0
56	MG	BA	3003	1/1	0.97	0.13	-	30,30,30,30	0
56	MG	BA	3279	1/1	0.92	0.25	-	45,45,45,45	0
56	MG	BA	3312	1/1	0.94	0.18	-	35,35,35,35	0
56	MG	DA	3080	1/1	0.76	0.15	-	49,49,49,49	0
56	MG	BA	3056	1/1	0.95	0.23	-	50,50,50,50	0
56	MG	DA	3224	1/1	0.89	0.42	-	47,47,47,47	0
56	MG	BA	3309	1/1	0.98	0.06	-	50,50,50,50	0
56	MG	BA	3156	1/1	0.93	0.20	-	32,32,32,32	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	BA	3630	1/1	0.98	0.20	-	43,43,43,43	0
56	MG	BA	3743	1/1	0.95	0.15	-	43,43,43,43	0
56	MG	BA	3657	1/1	0.78	0.16	-	52,52,52,52	0
56	MG	DA	3586	1/1	0.82	0.12	-	39,39,39,39	0
56	MG	BA	3136	1/1	0.96	0.30	-	42,42,42,42	0
56	MG	DA	3236	1/1	0.87	0.11	-	42,42,42,42	0
56	MG	AA	3100	1/1	0.83	0.13	-	66,66,66,66	0
56	MG	DA	3519	1/1	0.98	0.14	-	32,32,32,32	0
56	MG	BA	3436	1/1	0.97	0.20	-	17,17,17,17	0
56	MG	DA	3511	1/1	0.94	0.14	-	54,54,54,54	0
56	MG	BA	3715	1/1	0.94	0.25	-	51,51,51,51	0
56	MG	DA	3298	1/1	0.93	0.12	-	55,55,55,55	0
56	MG	DA	3459	1/1	0.88	0.11	-	44,44,44,44	0
56	MG	BA	3470	1/1	0.99	0.17	-	37,37,37,37	0
56	MG	BA	3773	1/1	0.92	0.13	-	38,38,38,38	0
56	MG	CA	3110	1/1	0.98	0.13	-	48,48,48,48	0
56	MG	CA	3144	1/1	0.87	0.06	-	68,68,68,68	0
56	MG	DA	3266	1/1	0.90	0.18	-	56,56,56,56	0
56	MG	DE	303	1/1	0.74	0.40	-	62,62,62,62	0
56	MG	DA	3427	1/1	0.94	0.07	-	45,45,45,45	0
56	MG	BA	3629	1/1	0.93	0.16	-	57,57,57,57	0
56	MG	DA	3286	1/1	0.82	0.15	-	54,54,54,54	0
56	MG	DA	3146	1/1	0.87	0.19	-	49,49,49,49	0
56	MG	BA	3641	1/1	0.95	0.08	-	54,54,54,54	0
56	MG	BA	3164	1/1	0.98	0.44	-	35,35,35,35	0
56	MG	DA	3133	1/1	0.97	0.12	-	52,52,52,52	0
56	MG	DA	3555	1/1	0.93	0.08	-	56,56,56,56	0
56	MG	AA	3156	1/1	0.88	0.12	-	67,67,67,67	0
56	MG	CA	3043	1/1	0.59	0.14	-	67,67,67,67	0
56	MG	BA	3150	1/1	0.94	0.19	-	56,56,56,56	0
56	MG	BA	3518	1/1	0.92	0.17	-	65,65,65,65	0
56	MG	DA	3056	1/1	0.92	0.13	-	60,60,60,60	0
56	MG	AA	3130	1/1	0.95	0.06	-	56,56,56,56	0
56	MG	DA	3661	1/1	0.95	0.22	-	54,54,54,54	0
56	MG	BA	3144	1/1	0.91	0.31	-	43,43,43,43	0
56	MG	DA	3109	1/1	0.84	0.11	-	68,68,68,68	0
56	MG	BA	3349	1/1	0.98	0.21	-	49,49,49,49	0
56	MG	AA	3129	1/1	0.97	0.14	-	70,70,70,70	0
56	MG	AA	3118	1/1	0.97	0.08	-	39,39,39,39	0
56	MG	CA	3030	1/1	0.87	0.18	-	56,56,56,56	0
56	MG	BA	3315	1/1	0.90	0.23	-	59,59,59,59	0
56	MG	BA	3811	1/1	0.96	0.48	-	41,41,41,41	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	BA	3053	1/1	0.96	0.22	-	23,23,23,23	0
56	MG	AA	3022	1/1	0.90	0.11	-	54,54,54,54	0
56	MG	BB	203	1/1	0.98	0.27	-	44,44,44,44	0
56	MG	BA	3289	1/1	0.97	0.42	-	35,35,35,35	0
56	MG	BA	3117	1/1	0.94	0.34	-	35,35,35,35	0
56	MG	DA	3402	1/1	0.80	0.11	-	56,56,56,56	0
56	MG	DA	3598	1/1	0.97	0.25	-	30,30,30,30	0
56	MG	BB	222	1/1	0.96	0.19	-	50,50,50,50	0
56	MG	DA	3497	1/1	0.92	0.13	-	36,36,36,36	0
56	MG	BZ	302	1/1	0.80	0.27	-	56,56,56,56	0
56	MG	BA	3095	1/1	0.98	0.15	-	30,30,30,30	0
56	MG	CA	3091	1/1	0.93	0.20	-	70,70,70,70	0
56	MG	BA	3672	1/1	0.85	0.11	-	62,62,62,62	0
56	MG	BA	3241	1/1	0.73	0.13	-	45,45,45,45	0
56	MG	BA	3189	1/1	0.95	0.24	-	46,46,46,46	0
56	MG	DA	3159	1/1	0.90	0.10	-	42,42,42,42	0
56	MG	DA	3600	1/1	0.96	0.14	-	43,43,43,43	0
56	MG	DA	3244	1/1	0.86	0.27	-	59,59,59,59	0
56	MG	BA	3666	1/1	0.90	0.14	-	47,47,47,47	0
56	MG	AA	3139	1/1	0.88	0.16	-	72,72,72,72	0
56	MG	BA	3434	1/1	0.87	0.26	-	40,40,40,40	0
56	MG	CA	3083	1/1	0.78	0.17	-	72,72,72,72	0
56	MG	AA	3051	1/1	0.98	0.17	-	60,60,60,60	0
56	MG	CA	3015	1/1	0.89	0.10	-	58,58,58,58	0
56	MG	DA	3330	1/1	0.97	0.14	-	54,54,54,54	0
56	MG	AA	3064	1/1	0.90	0.20	-	54,54,54,54	0
56	MG	DA	3009	1/1	0.98	0.15	-	29,29,29,29	0
56	MG	AA	3104	1/1	0.95	0.25	-	70,70,70,70	0
56	MG	AA	3181	1/1	0.97	0.14	-	63,63,63,63	0
56	MG	DA	3307	1/1	0.95	0.13	-	27,27,27,27	0
56	MG	CA	3116	1/1	0.94	0.08	-	54,54,54,54	0
56	MG	CA	3040	1/1	0.94	0.14	-	45,45,45,45	0
56	MG	DY	502	1/1	0.96	0.15	-	58,58,58,58	0
56	MG	CA	3072	1/1	0.92	0.22	-	62,62,62,62	0
56	MG	DA	3568	1/1	0.93	0.12	-	66,66,66,66	0
56	MG	BA	3757	1/1	0.94	0.18	-	45,45,45,45	0
56	MG	BA	3318	1/1	0.93	0.16	-	25,25,25,25	0
56	MG	BA	3276	1/1	0.84	0.16	-	42,42,42,42	0
56	MG	DA	3256	1/1	0.87	0.12	-	46,46,46,46	0
56	MG	BA	3090	1/1	0.95	0.22	-	27,27,27,27	0
56	MG	AA	3012	1/1	0.92	0.14	-	50,50,50,50	0
56	MG	BA	3356	1/1	0.99	0.25	-	52,52,52,52	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	DA	3596	1/1	0.94	0.07	-	65,65,65,65	0
56	MG	BA	3070	1/1	0.98	0.21	-	39,39,39,39	0
56	MG	DA	3565	1/1	0.92	0.09	-	45,45,45,45	0
56	MG	DA	3085	1/1	0.89	0.11	-	38,38,38,38	0
56	MG	DA	3253	1/1	0.93	0.11	-	47,47,47,47	0
56	MG	DA	3187	1/1	0.89	0.22	-	51,51,51,51	0
56	MG	DA	3016	1/1	0.88	0.32	-	42,42,42,42	0
56	MG	DA	3441	1/1	0.90	0.06	-	30,30,30,30	0
56	MG	DW	202	1/1	0.92	0.44	-	46,46,46,46	0
56	MG	DA	3201	1/1	0.94	0.20	-	64,64,64,64	0
56	MG	AA	3110	1/1	0.98	0.14	-	46,46,46,46	0
56	MG	DA	3412	1/1	0.91	0.11	-	56,56,56,56	0
56	MG	BA	3533	1/1	0.95	0.18	-	38,38,38,38	0
56	MG	DA	3156	1/1	0.94	0.13	-	50,50,50,50	0
56	MG	BA	3091	1/1	0.93	0.21	-	40,40,40,40	0
56	MG	DA	3425	1/1	0.94	0.12	-	52,52,52,52	0
56	MG	CA	3041	1/1	0.86	0.17	-	62,62,62,62	0
56	MG	DA	3288	1/1	0.94	0.11	-	48,48,48,48	0
56	MG	BW	201	1/1	0.94	0.25	-	45,45,45,45	0
56	MG	BA	3223	1/1	0.97	0.09	-	39,39,39,39	0
56	MG	DA	3226	1/1	0.89	0.16	-	57,57,57,57	0
56	MG	DA	3018	1/1	0.88	0.23	-	51,51,51,51	0
56	MG	DA	3263	1/1	0.97	0.27	-	44,44,44,44	0
56	MG	BA	3453	1/1	0.95	0.19	-	52,52,52,52	0
56	MG	DA	3603	1/1	0.80	0.20	-	55,55,55,55	0
56	MG	DA	3674	1/1	0.96	0.80	-	43,43,43,43	0
56	MG	DA	3181	1/1	0.83	0.18	-	54,54,54,54	0
56	MG	DA	3654	1/1	0.98	0.07	-	50,50,50,50	0
56	MG	BA	3511	1/1	0.97	0.22	-	43,43,43,43	0
56	MG	DA	3031	1/1	0.85	0.11	-	44,44,44,44	0
56	MG	BA	3765	1/1	0.95	0.10	-	53,53,53,53	0
56	MG	DA	3023	1/1	0.94	0.19	-	44,44,44,44	0
56	MG	BA	3006	1/1	0.88	0.25	-	52,52,52,52	0
56	MG	BA	3473	1/1	0.98	0.14	-	52,52,52,52	0
56	MG	BA	3689	1/1	0.91	0.10	-	53,53,53,53	0
56	MG	BA	3648	1/1	0.91	0.26	-	65,65,65,65	0
56	MG	DA	3417	1/1	0.96	0.14	-	62,62,62,62	0
56	MG	BA	3182	1/1	0.94	0.20	-	21,21,21,21	0
56	MG	CA	3049	1/1	0.86	0.17	-	71,71,71,71	0
56	MG	AA	3160	1/1	0.93	0.15	-	54,54,54,54	0
56	MG	B0	102	1/1	0.91	0.17	-	50,50,50,50	0
56	MG	DA	3011	1/1	0.96	0.53	-	51,51,51,51	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	AA	3025	1/1	0.88	0.25	-	69,69,69,69	0
56	MG	BB	220	1/1	0.92	0.10	-	51,51,51,51	0
56	MG	CA	3022	1/1	0.83	0.19	-	60,60,60,60	0
56	MG	CA	3173	1/1	0.93	0.10	-	58,58,58,58	0
56	MG	BA	3346	1/1	0.92	0.15	-	29,29,29,29	0
56	MG	BA	3445	1/1	0.96	0.26	-	48,48,48,48	0
56	MG	BA	3415	1/1	0.97	0.18	-	34,34,34,34	0
56	MG	BA	3758	1/1	0.97	0.15	-	44,44,44,44	0
56	MG	BA	3635	1/1	0.96	0.08	-	51,51,51,51	0
56	MG	CA	3050	1/1	0.85	0.17	-	52,52,52,52	0
56	MG	BA	3242	1/1	0.94	0.11	-	47,47,47,47	0
56	MG	CA	3158	1/1	0.66	0.14	-	75,75,75,75	0
56	MG	BA	3281	1/1	0.93	0.15	-	56,56,56,56	0
56	MG	DA	3488	1/1	0.75	0.19	-	51,51,51,51	0
56	MG	BA	3524	1/1	0.94	0.16	-	53,53,53,53	0
56	MG	BA	3265	1/1	0.93	0.10	-	49,49,49,49	0
56	MG	DD	308	1/1	0.84	0.81	-	72,72,72,72	0
56	MG	DA	3216	1/1	0.97	0.11	-	41,41,41,41	0
56	MG	BA	3547	1/1	0.68	0.14	-	64,64,64,64	0
56	MG	BA	3697	1/1	0.92	0.12	-	46,46,46,46	0
56	MG	DA	3580	1/1	0.95	0.08	-	46,46,46,46	0
56	MG	CA	3120	1/1	0.87	0.10	-	65,65,65,65	0
56	MG	BA	3762	1/1	0.96	0.16	-	53,53,53,53	0
56	MG	CA	3078	1/1	0.71	0.15	-	64,64,64,64	0
56	MG	BA	3401	1/1	0.90	0.20	-	34,34,34,34	0
56	MG	BA	3546	1/1	0.97	0.14	-	38,38,38,38	0
56	MG	AA	3041	1/1	0.94	0.08	-	64,64,64,64	0
56	MG	BA	3654	1/1	0.95	0.12	-	49,49,49,49	0
56	MG	BF	309	1/1	0.94	0.11	-	45,45,45,45	0
56	MG	DA	3460	1/1	0.93	0.10	-	42,42,42,42	0
56	MG	DA	3530	1/1	0.98	0.19	-	47,47,47,47	0
56	MG	DA	3061	1/1	0.93	0.20	-	41,41,41,41	0
56	MG	CA	3096	1/1	0.91	0.15	-	65,65,65,65	0
56	MG	BA	3563	1/1	0.93	0.09	-	44,44,44,44	0
56	MG	DA	3386	1/1	0.94	0.08	-	23,23,23,23	0
56	MG	CA	3115	1/1	0.90	0.09	-	60,60,60,60	0
56	MG	DA	3006	1/1	0.92	0.19	-	58,58,58,58	0
56	MG	AA	3178	1/1	0.96	0.12	-	59,59,59,59	0
56	MG	BA	3662	1/1	0.95	0.17	-	52,52,52,52	0
56	MG	BA	3661	1/1	0.97	0.11	-	48,48,48,48	0
56	MG	BA	3634	1/1	0.94	0.20	-	47,47,47,47	0
56	MG	BA	3084	1/1	0.99	0.25	-	33,33,33,33	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	BA	3254	1/1	0.93	0.15	-	55,55,55,55	0
56	MG	DA	3419	1/1	0.92	0.12	-	45,45,45,45	0
56	MG	BA	3297	1/1	0.95	0.15	-	46,46,46,46	0
56	MG	DA	3132	1/1	0.88	0.15	-	54,54,54,54	0
56	MG	CA	3064	1/1	0.89	0.07	-	59,59,59,59	0
56	MG	BA	3125	1/1	0.88	0.48	-	49,49,49,49	0
56	MG	BA	3467	1/1	0.91	0.18	-	49,49,49,49	0
56	MG	BB	214	1/1	0.99	0.20	-	53,53,53,53	0
56	MG	CA	3092	1/1	0.80	0.25	-	61,61,61,61	0
56	MG	DA	3069	1/1	0.82	0.13	-	55,55,55,55	0
56	MG	DA	3126	1/1	0.84	0.20	-	46,46,46,46	0
56	MG	CA	3145	1/1	0.89	0.09	-	68,68,68,68	0
56	MG	BA	3317	1/1	0.94	0.21	-	41,41,41,41	0
56	MG	DA	3228	1/1	0.89	0.10	-	46,46,46,46	0
56	MG	AA	3062	1/1	0.79	0.20	-	67,67,67,67	0
56	MG	AA	3125	1/1	0.68	0.34	-	72,72,72,72	0
56	MG	BB	209	1/1	0.68	0.19	-	69,69,69,69	0
56	MG	DA	3574	1/1	0.92	0.09	-	55,55,55,55	0
56	MG	BA	3575	1/1	0.93	0.18	-	27,27,27,27	0
56	MG	DA	3382	1/1	0.95	0.14	-	31,31,31,31	0
56	MG	BA	3047	1/1	0.94	0.12	-	43,43,43,43	0
56	MG	DA	3287	1/1	0.92	0.07	-	39,39,39,39	0
56	MG	BA	3067	1/1	0.94	0.21	-	49,49,49,49	0
56	MG	DA	3432	1/1	0.98	0.11	-	37,37,37,37	0
56	MG	CA	3123	1/1	0.94	0.16	-	67,67,67,67	0
56	MG	CJ	5001	1/1	0.77	0.12	-	94,94,94,94	0
56	MG	BA	3745	1/1	0.86	0.25	-	58,58,58,58	0
56	MG	BO	5001	1/1	0.95	0.11	-	55,55,55,55	0
56	MG	BA	3578	1/1	0.91	0.20	-	20,20,20,20	0
56	MG	DA	3269	1/1	0.86	0.16	-	54,54,54,54	0
56	MG	BA	3659	1/1	0.89	0.17	-	67,67,67,67	0
56	MG	DA	3634	1/1	0.92	0.27	-	61,61,61,61	0
56	MG	AA	3183	1/1	0.97	0.08	-	73,73,73,73	0
56	MG	DA	3662	1/1	0.95	0.14	-	38,38,38,38	0
56	MG	BA	3771	1/1	0.91	0.20	-	52,52,52,52	0
56	MG	CA	3007	1/1	0.95	0.20	-	42,42,42,42	0
56	MG	AA	3122	1/1	0.88	0.22	-	80,80,80,80	0
56	MG	BA	3063	1/1	0.87	0.27	-	54,54,54,54	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.