



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:16 AM GMT

PDB ID : 2WIK
Title : NONAGED FORM OF HUMAN BUTYRYLCHOLINESTERASE INHIBITED BY TABUN ANALOGUE TA6
Authors : Carletti, E.; Aurbek, N.; Gillon, E.; Loiodice, M.; Nicolet, Y.; Fontecilla, J.; Masson, P.; Thiermann, H.; Nachon, F.; Worek, F.
Deposited on : 2009-05-12
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3939 (2.10-2.10)
Clashscore	102246	4460 (2.10-2.10)
Ramachandran outliers	100387	4413 (2.10-2.10)
Sidechain outliers	100360	4414 (2.10-2.10)
RSRZ outliers	91569	3948 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	529	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	FUL	A	1541	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
8	NAG	A	1543	-	-	-	X
8	NAG	A	1544	X	-	-	-

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 4754 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called CHOLINESTERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	527	4205	2713	709	768	15	0	2	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	17	GLN	ASN	ENGINEERED MUTATION	UNP P06276
A	455	GLN	ASN	ENGINEERED MUTATION	UNP P06276
A	481	GLN	ASN	ENGINEERED MUTATION	UNP P06276

- Molecule 2 is ETHYL HYDROGEN PROPYLAMIDOPHOSPHATE (three-letter code: TC5) (formula: $C_5H_{14}NO_3P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	9	5	1	2	1	0	0

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	3	Total Cl 3 3	0	0

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0

- Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Na 1 1	0	0

- Molecule 6 is a polymer of unknown type called SUGAR (3-MER).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	3	Total C N O 38 22 2 14	0	0
6	A	3	Total C N O 38 22 2 14	0	0

- Molecule 7 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	2	Total	C	N	O	0	0
			24	14	1	9		

- Molecule 8 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	N	O	0	0
			14	8	1	5		
8	A	1	Total	C	N	O	0	0
			14	8	1	5		
8	A	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	384	Total	O	0	0
			384	384		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: CHOLINESTERASE



4 Data and refinement statistics

Property	Value	Source
Space group	I 4 2 2	Depositor
Cell constants a, b, c, α , β , γ	155.24Å 155.24Å 127.25Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	55.05 – 2.10 55.05 – 2.10	Depositor EDS
% Data completeness (in resolution range)	100.0 (55.05-2.10) 99.7 (55.05-2.10)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.43 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.4.0069	Depositor
R, R_{free}	0.213 , 0.276 0.214 , 0.276	Depositor DCC
R_{free} test set	1358 reflections (3.09%)	DCC
Wilson B-factor (Å ²)	27.3	Xtriage
Anisotropy	0.166	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 73.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 45255 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4754	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.27% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, CL, NA, TC5, SO4, FUL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.59	45/4330 (1.0%)	1.36	36/5879 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	1

All (45) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	367	GLU	CG-CD	10.03	1.67	1.51
1	A	398	PHE	CE2-CZ	9.74	1.55	1.37
1	A	419	TYR	CD1-CE1	8.64	1.52	1.39
1	A	371	PHE	CE1-CZ	8.53	1.53	1.37
1	A	118	PHE	CE2-CZ	7.85	1.52	1.37
1	A	197	GLU	CB-CG	7.45	1.66	1.52
1	A	255	GLU	CG-CD	7.17	1.62	1.51
1	A	404	GLU	CG-CD	7.00	1.62	1.51
1	A	255	GLU	CB-CG	6.97	1.65	1.52
1	A	231	TRP	CE3-CZ3	6.77	1.50	1.38
1	A	371	PHE	CD2-CE2	6.64	1.52	1.39
1	A	114	TYR	CE2-CZ	-6.47	1.30	1.38
1	A	90	GLU	CG-CD	-6.46	1.42	1.51
1	A	61	TYR	CD1-CE1	6.42	1.49	1.39
1	A	443	GLU	CD-OE1	6.40	1.32	1.25
1	A	268	ASP	CB-CG	6.39	1.65	1.51
1	A	419	TYR	CZ-OH	6.25	1.48	1.37
1	A	419	TYR	CD2-CE2	6.23	1.48	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	392	VAL	CB-CG2	-6.13	1.40	1.52
1	A	128	TYR	CD1-CE1	6.11	1.48	1.39
1	A	56	TRP	CB-CG	-5.92	1.39	1.50
1	A	474	PHE	CE2-CZ	5.88	1.48	1.37
1	A	501	LEU	C-O	5.85	1.34	1.23
1	A	490	TRP	CE3-CZ3	5.84	1.48	1.38
1	A	440	TYR	CE1-CZ	5.75	1.46	1.38
1	A	521	PHE	CE1-CZ	5.74	1.48	1.37
1	A	60	LYS	CD-CE	5.61	1.65	1.51
1	A	510	ILE	C-O	5.49	1.33	1.23
1	A	349	GLU	CB-CG	5.46	1.62	1.52
1	A	497	GLU	CD-OE2	5.38	1.31	1.25
1	A	392	VAL	CB-CG1	-5.33	1.41	1.52
1	A	115	GLY	CA-C	5.21	1.60	1.51
1	A	290	PHE	CE1-CZ	5.18	1.47	1.37
1	A	137	GLU	CD-OE2	5.17	1.31	1.25
1	A	337	PHE	CD1-CE1	5.15	1.49	1.39
1	A	232	ALA	CA-CB	-5.14	1.41	1.52
1	A	419	TYR	CB-CG	5.09	1.59	1.51
1	A	363	GLU	CG-CD	5.08	1.59	1.51
1	A	404	GLU	CD-OE1	5.08	1.31	1.25
1	A	436	VAL	CB-CG2	5.06	1.63	1.52
1	A	418	PHE	CG-CD2	5.06	1.46	1.38
1	A	332	TYR	CE1-CZ	5.04	1.45	1.38
1	A	516	ALA	CA-CB	5.01	1.62	1.52
1	A	521	PHE	CG-CD1	5.01	1.46	1.38
1	A	456	TYR	CD1-CE1	5.01	1.46	1.39

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	242	ARG	NE-CZ-NH1	9.46	125.03	120.30
1	A	509	ARG	NE-CZ-NH1	8.86	124.73	120.30
1	A	170	ASP	CB-CG-OD1	8.33	125.80	118.30
1	A	520	ARG	NE-CZ-NH1	-8.18	116.21	120.30
1	A	242	ARG	NE-CZ-NH2	-8.11	116.25	120.30
1	A	501	LEU	CB-CG-CD1	-7.71	97.89	111.00
1	A	424	ARG	NE-CZ-NH2	-7.71	116.44	120.30
1	A	395	ASP	CB-CG-OD1	-7.19	111.83	118.30
1	A	359	PRO	C-N-CA	-7.08	107.43	122.30
1	A	434	MET	CG-SD-CE	6.72	110.96	100.20
1	A	91	ASP	CB-CG-OD1	6.57	124.22	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	324	ASP	CB-CG-OD1	-6.45	112.50	118.30
1	A	156	LEU	CB-CG-CD2	-6.38	100.16	111.00
1	A	515	ARG	NE-CZ-NH2	-6.14	117.23	120.30
1	A	509	ARG	CG-CD-NE	6.11	124.63	111.80
1	A	49	LEU	CA-CB-CG	-5.75	102.09	115.30
1	A	319	VAL	CG1-CB-CG2	-5.68	101.82	110.90
1	A	14	ARG	NE-CZ-NH2	-5.61	117.50	120.30
1	A	44	LYS	CD-CE-NZ	-5.60	98.83	111.70
1	A	147	ARG	NE-CZ-NH1	5.57	123.09	120.30
1	A	424	ARG	NE-CZ-NH1	5.55	123.08	120.30
1	A	509	ARG	CD-NE-CZ	5.51	131.32	123.60
1	A	103	LYS	CD-CE-NZ	-5.44	99.18	111.70
1	A	470	ARG	NE-CZ-NH2	5.38	122.99	120.30
1	A	91	ASP	CB-CG-OD2	-5.35	113.49	118.30
1	A	301	ASP	CB-CG-OD2	5.29	123.06	118.30
1	A	466	SER	CA-CB-OG	-5.28	96.94	111.20
1	A	520	ARG	NE-CZ-NH2	5.25	122.92	120.30
1	A	87	ASP	CB-CA-C	-5.24	99.92	110.40
1	A	325	GLU	C-N-CA	-5.23	111.31	122.30
1	A	135	ARG	NE-CZ-NH1	5.19	122.90	120.30
1	A	156	LEU	N-CA-C	-5.19	96.99	111.00
1	A	412	TRP	C-N-CA	-5.15	111.48	122.30
1	A	360	GLY	C-N-CA	5.12	134.51	121.70
1	A	324	ASP	CB-CG-OD2	5.05	122.84	118.30
1	A	389	LEU	CB-CG-CD1	5.03	119.55	111.00

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	361	VAL	CA

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	360	GLY	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4205	0	4104	158	1
2	A	9	0	13	2	0
3	A	3	0	0	1	0
4	A	10	0	0	1	0
5	A	1	0	0	0	0
6	A	76	0	68	0	0
7	A	24	0	22	0	0
8	A	42	0	39	1	0
9	A	384	0	0	37	0
All	All	4754	0	4246	160	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (160) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:495:SER:HA	9:A:2331:HOH:O	1.36	1.21
1:A:176:GLN:HB3	9:A:2147:HOH:O	1.01	1.16
1:A:50:THR:HG21	9:A:2053:HOH:O	1.41	1.16
1:A:4:ILE:N	1:A:4:ILE:HD12	1.51	1.14
1:A:4:ILE:H	1:A:4:ILE:HD12	0.92	1.07
1:A:4:ILE:CD1	1:A:4:ILE:H	1.69	1.06
1:A:518:GLN:H	1:A:518:GLN:NE2	1.66	0.93
2:A:1530:TC5:H32C	2:A:1530:TC5:H11C	1.52	0.92
1:A:48:SER:HA	9:A:2050:HOH:O	1.69	0.91
1:A:50:THR:O	1:A:51:LYS:HB3	1.71	0.91
1:A:495:SER:CA	9:A:2331:HOH:O	2.02	0.90
1:A:4:ILE:N	1:A:4:ILE:CD1	2.22	0.89
1:A:3:ASP:N	9:A:2001:HOH:O	2.04	0.88
1:A:496:THR:N	9:A:2331:HOH:O	2.05	0.86
1:A:518:GLN:H	1:A:518:GLN:HE21	0.87	0.86
1:A:518:GLN:HE21	1:A:518:GLN:N	1.72	0.85
1:A:494:LYS:HB2	9:A:2334:HOH:O	1.76	0.85
1:A:156:LEU:CD2	1:A:261:ILE:HD11	2.08	0.82
1:A:453:ARG:HG3	9:A:2304:HOH:O	1.80	0.82
1:A:372[A]:HIS:CE1	9:A:2256:HOH:O	2.32	0.81
1:A:377:VAL:O	1:A:377:VAL:HG23	1.78	0.81
1:A:42:ARG:HH22	1:A:269:PRO:HD3	1.45	0.81
1:A:277:ALA:HB2	9:A:2199:HOH:O	1.81	0.81

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:161:GLU:HG3	1:A:258:THR:HG23	1.64	0.80
1:A:495:SER:O	1:A:496:THR:HG23	1.83	0.79
1:A:320:GLY:HA3	1:A:419:TYR:CE1	2.17	0.79
1:A:156:LEU:HD13	1:A:243:THR:HG21	1.66	0.77
1:A:4:ILE:HG22	9:A:2008:HOH:O	1.84	0.76
1:A:347:ARG:HB2	1:A:385:TYR:CZ	2.20	0.76
1:A:254:ARG:HB2	1:A:260:ILE:HG12	1.68	0.74
1:A:453:ARG:HA	1:A:453:ARG:HE	1.53	0.74
1:A:489:SER:HB2	9:A:2324:HOH:O	1.90	0.72
1:A:377:VAL:CG2	1:A:377:VAL:O	2.39	0.70
1:A:522:TRP:O	1:A:527:PRO:HD3	1.93	0.69
1:A:270:GLN:O	1:A:274:LEU:HB2	1.93	0.68
1:A:320:GLY:HA3	1:A:419:TYR:CZ	2.29	0.68
1:A:42:ARG:NH2	1:A:269:PRO:HD3	2.08	0.67
1:A:284:THR:HG22	1:A:359:PRO:HG2	1.75	0.67
1:A:380:GLN:HB2	3:A:1534:CL:CL	2.32	0.66
1:A:214:HIS:HB2	9:A:2166:HOH:O	1.95	0.66
1:A:509:ARG:HD3	9:A:2342:HOH:O	1.95	0.65
1:A:358:PHE:N	1:A:359:PRO:HD3	2.11	0.64
1:A:48:SER:CA	9:A:2050:HOH:O	2.36	0.64
1:A:156:LEU:HD22	1:A:261:ILE:HD11	1.80	0.63
1:A:157:PRO:HD2	1:A:240:ARG:CD	2.29	0.63
1:A:425:SER:O	9:A:2289:HOH:O	2.16	0.63
1:A:284:THR:CG2	1:A:359:PRO:HG2	2.28	0.63
1:A:454:ASP:O	1:A:455:GLN:HB2	1.98	0.63
1:A:227:PHE:CD2	1:A:227:PHE:C	2.72	0.62
1:A:105:LYS:HG3	9:A:2110:HOH:O	1.99	0.61
1:A:403:LEU:O	1:A:407:LYS:HG3	2.01	0.61
1:A:55:ILE:HD11	9:A:2012:HOH:O	2.01	0.60
1:A:49:LEU:HD12	1:A:50:THR:H	1.67	0.60
1:A:355:LYS:HG2	1:A:366:LYS:HE3	1.83	0.60
1:A:262:LYS:HG2	1:A:265:ARG:HH22	1.65	0.60
1:A:105:LYS:NZ	9:A:2110:HOH:O	2.34	0.59
1:A:425:SER:HB3	1:A:428:LEU:HD23	1.84	0.59
1:A:69:ILE:HG22	1:A:70:ASP:N	2.17	0.59
1:A:361:VAL:O	1:A:366:LYS:NZ	2.36	0.59
1:A:510:ILE:HD13	1:A:510:ILE:N	2.15	0.58
1:A:277:ALA:CB	9:A:2199:HOH:O	2.47	0.58
1:A:156:LEU:HD23	1:A:261:ILE:HD11	1.83	0.58
1:A:39:GLY:O	1:A:265:ARG:HD3	2.04	0.57
1:A:404:GLU:HG2	9:A:2175:HOH:O	2.05	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:176:GLN:NE2	9:A:2148:HOH:O	2.38	0.57
1:A:372[A]:HIS:HE1	1:A:518:GLN:HA	1.70	0.57
2:A:1530:TC5:H32C	2:A:1530:TC5:C1	2.32	0.57
1:A:276:GLU:O	1:A:279:VAL:HG22	2.04	0.57
1:A:378:ASP:O	1:A:380:GLN:N	2.37	0.56
1:A:116:GLY:HA3	1:A:120:THR:O	2.06	0.56
1:A:4:ILE:HG12	1:A:17:GLN:OE1	2.06	0.56
1:A:378:ASP:C	1:A:380:GLN:H	2.10	0.55
1:A:256:ASN:OD1	8:A:1544:NAG:H3	2.07	0.55
1:A:457:THR:OG1	1:A:460:GLU:HG3	2.06	0.55
1:A:357:PHE:C	1:A:359:PRO:HD3	2.27	0.55
1:A:509:ARG:HG2	9:A:2342:HOH:O	2.06	0.55
1:A:253:SER:O	1:A:254:ARG:HD3	2.06	0.55
1:A:17:GLN:HE21	1:A:24:THR:HG21	1.72	0.55
1:A:69:ILE:CG2	1:A:70:ASP:N	2.70	0.54
1:A:278:PHE:C	1:A:280:VAL:H	2.11	0.54
1:A:251:GLY:HA2	9:A:2185:HOH:O	2.07	0.53
1:A:383:GLU:CD	1:A:383:GLU:H	2.11	0.53
1:A:453:ARG:HE	1:A:453:ARG:CA	2.19	0.53
1:A:234:THR:O	1:A:293:THR:HG22	2.08	0.53
1:A:502:THR:OG1	1:A:509:ARG:NH1	2.42	0.53
1:A:214:HIS:HE1	9:A:2219:HOH:O	1.92	0.53
1:A:137:GLU:OE2	1:A:465:ARG:NH1	2.40	0.52
1:A:495:SER:O	1:A:496:THR:CG2	2.57	0.52
1:A:280:VAL:HG13	1:A:282:TYR:O	2.10	0.52
1:A:500:TYR:CE1	1:A:511:MET:HB2	2.45	0.51
1:A:176:GLN:CG	9:A:2147:HOH:O	2.44	0.51
1:A:198:SER:HA	1:A:224:SER:O	2.10	0.50
1:A:385:TYR:HD2	9:A:2263:HOH:O	1.94	0.50
1:A:262:LYS:O	1:A:262:LYS:HD2	2.12	0.50
1:A:74:PRO:HA	9:A:2086:HOH:O	2.11	0.50
1:A:205:SER:HB3	1:A:222:LEU:HD21	1.94	0.50
1:A:372[A]:HIS:CE1	1:A:518:GLN:HA	2.47	0.50
1:A:280:VAL:CG1	1:A:282:TYR:O	2.60	0.50
1:A:430:TRP:HB3	1:A:431:PRO:HD2	1.93	0.49
1:A:452:ARG:C	1:A:454:ASP:H	2.16	0.49
1:A:240:ARG:O	1:A:241:ASN:C	2.51	0.49
1:A:500:TYR:CZ	1:A:511:MET:HB2	2.48	0.48
1:A:393:VAL:O	1:A:397:ASN:HB2	2.13	0.48
1:A:502:THR:O	1:A:508:THR:HB	2.14	0.48
1:A:347:ARG:HD2	1:A:385:TYR:OH	2.14	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:224:SER:OG	1:A:325:GLU:OE2	2.22	0.48
1:A:61:TYR:CD1	1:A:124:SER:HB3	2.49	0.48
1:A:3:ASP:HA	1:A:4:ILE:HD12	1.96	0.47
1:A:495:SER:C	9:A:2331:HOH:O	2.33	0.47
1:A:238:GLU:O	1:A:242:ARG:HG3	2.15	0.47
1:A:448:LEU:N	1:A:449:PRO:CD	2.78	0.47
1:A:295:ASP:OD1	1:A:295:ASP:N	2.44	0.47
1:A:320:GLY:HA3	1:A:419:TYR:CD1	2.51	0.46
1:A:245:ASN:O	1:A:249:LEU:HD12	2.16	0.46
1:A:48:SER:CB	9:A:2050:HOH:O	2.61	0.46
1:A:310:GLY:HA3	1:A:412:TRP:CE2	2.51	0.46
1:A:154:LEU:HD23	1:A:162:ALA:HB1	1.97	0.45
1:A:117:GLY:O	1:A:118:PHE:HB2	2.16	0.45
1:A:524:SER:O	1:A:528:LYS:HE3	2.16	0.45
1:A:209:LEU:CD2	1:A:312:PHE:HB3	2.46	0.45
1:A:458:LYS:HD2	1:A:458:LYS:HA	1.58	0.45
1:A:322:ASN:O	1:A:325:GLU:HG2	2.16	0.45
1:A:176:GLN:CB	9:A:2147:HOH:O	1.87	0.45
1:A:17:GLN:NE2	1:A:24:THR:HG21	2.32	0.45
1:A:452:ARG:O	1:A:454:ASP:N	2.50	0.45
1:A:18:LEU:HD11	1:A:27:ALA:HB2	1.98	0.44
1:A:157:PRO:HG2	1:A:236:LEU:HG	2.00	0.44
1:A:25:VAL:HG13	1:A:99:ILE:O	2.18	0.43
1:A:248:LYS:O	1:A:251:GLY:N	2.52	0.43
1:A:262:LYS:C	1:A:262:LYS:HD2	2.39	0.43
1:A:279:VAL:HG21	1:A:290:PHE:CE2	2.54	0.43
1:A:348:LYS:HB3	9:A:2245:HOH:O	2.18	0.43
1:A:13:VAL:HG23	1:A:28:PHE:HD2	1.84	0.43
1:A:49:LEU:HD12	1:A:50:THR:N	2.33	0.42
1:A:247:ALA:O	1:A:248:LYS:C	2.57	0.42
1:A:21:PHE:N	9:A:2019:HOH:O	2.23	0.42
1:A:415:ASN:HB2	4:A:1535:SO4:O3	2.20	0.42
1:A:217:PHE:O	1:A:313:LYS:HE2	2.20	0.42
1:A:509:ARG:CG	9:A:2342:HOH:O	2.66	0.42
1:A:497:GLU:HG3	1:A:497:GLU:H	1.34	0.42
1:A:197:GLU:HA	1:A:223:GLN:O	2.20	0.42
1:A:165:ASN:OD1	1:A:292:PRO:HA	2.20	0.41
1:A:28:PHE:N	1:A:28:PHE:CD1	2.88	0.41
1:A:459:ALA:HB1	1:A:505:THR:HB	2.00	0.41
1:A:391:ASP:O	1:A:392:VAL:C	2.58	0.41
1:A:341:ASN:C	1:A:341:ASN:OD1	2.59	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:509:ARG:CD	9:A:2342:HOH:O	2.63	0.41
1:A:328:ALA:HA	1:A:434:MET:CE	2.51	0.41
1:A:110:LEU:HB3	1:A:195:PHE:CE1	2.56	0.41
1:A:378:ASP:CG	1:A:379:ASP:H	2.24	0.41
1:A:518:GLN:NE2	1:A:518:GLN:N	2.47	0.41
1:A:347:ARG:HB2	1:A:385:TYR:OH	2.21	0.41
1:A:407:LYS:HG2	1:A:493:PHE:HE1	1.85	0.41
1:A:140:ILE:HG22	1:A:141:VAL:N	2.36	0.41
1:A:157:PRO:HD2	1:A:240:ARG:HD3	2.04	0.40
1:A:24:THR:O	1:A:101:ALA:HB3	2.21	0.40
1:A:184:ALA:N	9:A:2154:HOH:O	2.45	0.40
1:A:268:ASP:HA	1:A:269:PRO:HD2	1.84	0.40
1:A:495:SER:O	1:A:496:THR:CB	2.70	0.40
1:A:39:GLY:O	1:A:265:ARG:CD	2.69	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:367:GLU:OE1	1:A:367:GLU:OE1[5_555]	2.17	0.03

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	527/529 (100%)	475 (90%)	40 (8%)	12 (2%)	8 3

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	51	LYS
1	A	248	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	379	ASP
1	A	496	THR
1	A	249	LEU
1	A	453	ARG
1	A	506	GLU
1	A	281	PRO
1	A	9	LYS
1	A	361	VAL
1	A	279	VAL
1	A	251	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	452/454 (100%)	415 (92%)	37 (8%)	14	10

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	ILE
1	A	9	LYS
1	A	13	VAL
1	A	16	MET
1	A	51	LYS
1	A	69	ILE
1	A	91	ASP
1	A	138	ARG
1	A	156	LEU
1	A	195	PHE
1	A	214	HIS
1	A	236	LEU
1	A	240	ARG
1	A	248	LYS
1	A	254	ARG
1	A	262	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	265	ARG
1	A	274	LEU
1	A	280	VAL
1	A	286	LEU
1	A	299	LEU
1	A	359	PRO
1	A	361	VAL
1	A	375	ASP
1	A	376	TRP
1	A	387	GLU
1	A	428	LEU
1	A	453	ARG
1	A	454	ASP
1	A	455	GLN
1	A	489	SER
1	A	492	VAL
1	A	497	GLU
1	A	506	GLU
1	A	509	ARG
1	A	518	GLN
1	A	529	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	63	ASN
1	A	289	ASN
1	A	380	GLN
1	A	518	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

8 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
6	NAG	A	1537	1,6	14,14,15	1.18	1 (7%)	15,19,21	2.83	8 (53%)
6	NAG	A	1538	6	14,14,15	0.72	0	15,19,21	3.23	7 (46%)
6	FUL	A	1539	6	10,10,11	1.38	2 (20%)	14,14,16	4.00	5 (35%)
7	NAG	A	1540	1,7	14,14,15	1.80	4 (28%)	15,19,21	2.67	7 (46%)
7	FUL	A	1541	7	10,10,11	0.70	0	14,14,16	3.85	7 (50%)
6	NAG	A	1545	1,6	14,14,15	0.99	0	15,19,21	2.80	8 (53%)
6	NAG	A	1546	6	14,14,15	1.50	4 (28%)	15,19,21	1.88	4 (26%)
6	FUL	A	1547	6	10,10,11	0.70	0	14,14,16	4.69	8 (57%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	A	1537	1,6	-	0/6/23/26	0/1/1/1
6	NAG	A	1538	6	-	0/6/23/26	0/1/1/1
6	FUL	A	1539	6	-	0/0/17/20	0/1/1/1
7	NAG	A	1540	1,7	-	0/6/23/26	0/1/1/1
7	FUL	A	1541	7	-	0/0/17/20	0/1/1/1
6	NAG	A	1545	1,6	-	0/6/23/26	0/1/1/1
6	NAG	A	1546	6	-	0/6/23/26	0/1/1/1
6	FUL	A	1547	6	-	0/0/17/20	0/1/1/1

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	1537	NAG	C2-N2	-2.61	1.41	1.46
6	A	1546	NAG	C8-C7	2.04	1.54	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	1546	NAG	O7-C7	2.06	1.28	1.23
7	A	1540	NAG	C4-C5	2.06	1.57	1.53
6	A	1539	FUL	C6-C5	2.18	1.56	1.51
6	A	1546	NAG	C4-C5	2.18	1.57	1.53
7	A	1540	NAG	O5-C1	2.22	1.47	1.43
7	A	1540	NAG	C3-C2	2.47	1.58	1.52
6	A	1539	FUL	C4-C5	2.73	1.58	1.52
6	A	1546	NAG	C1-C2	3.07	1.56	1.52
7	A	1540	NAG	C1-C2	4.35	1.58	1.52

All (54) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	1547	FUL	C1-C2-C3	-13.24	93.88	109.54
7	A	1541	FUL	C1-C2-C3	-10.13	97.56	109.54
6	A	1539	FUL	C1-O5-C5	-8.37	99.44	112.38
6	A	1538	NAG	C3-C4-C5	-8.00	96.26	110.20
6	A	1547	FUL	C1-O5-C5	-7.68	100.51	112.38
6	A	1539	FUL	C1-C2-C3	-7.46	100.72	109.54
7	A	1541	FUL	C1-O5-C5	-6.23	102.75	112.38
6	A	1538	NAG	O6-C6-C5	-6.00	91.49	111.33
6	A	1537	NAG	C3-C4-C5	-5.52	100.57	110.20
7	A	1540	NAG	C3-C4-C5	-4.78	101.87	110.20
6	A	1545	NAG	O3-C3-C4	-4.69	99.78	110.34
6	A	1537	NAG	O4-C4-C3	-4.42	100.38	110.34
6	A	1538	NAG	C4-C3-C2	-4.34	104.48	111.23
6	A	1545	NAG	C3-C4-C5	-3.97	103.28	110.20
6	A	1545	NAG	O7-C7-C8	-3.55	115.54	122.06
7	A	1540	NAG	O7-C7-C8	-2.96	116.64	122.06
7	A	1541	FUL	C2-C3-C4	-2.76	106.35	111.04
6	A	1537	NAG	O3-C3-C4	-2.76	104.13	110.34
6	A	1547	FUL	O4-C4-C5	-2.73	103.44	109.84
6	A	1547	FUL	C2-C3-C4	-2.57	106.67	111.04
7	A	1541	FUL	O5-C1-C2	-2.19	107.31	110.86
6	A	1537	NAG	O7-C7-N2	-2.14	117.50	121.86
6	A	1547	FUL	O5-C5-C6	2.21	109.79	106.13
6	A	1537	NAG	O4-C4-C5	2.26	115.23	109.24
6	A	1538	NAG	C2-N2-C7	2.27	125.95	123.04
7	A	1540	NAG	C6-C5-C4	2.33	118.76	113.02
6	A	1545	NAG	C4-C3-C2	2.36	114.90	111.23
6	A	1545	NAG	C2-N2-C7	2.36	126.08	123.04
6	A	1538	NAG	O3-C3-C2	2.41	113.88	109.11

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	1537	NAG	O6-C6-C5	2.41	119.30	111.33
7	A	1541	FUL	O2-C2-C1	2.50	114.22	109.21
6	A	1538	NAG	O4-C4-C3	2.72	116.45	110.34
6	A	1546	NAG	O3-C3-C2	2.73	114.52	109.11
6	A	1547	FUL	O2-C2-C1	2.87	114.95	109.21
7	A	1540	NAG	C3-C2-N2	3.04	117.83	110.56
6	A	1545	NAG	O7-C7-N2	3.06	128.10	121.86
6	A	1546	NAG	C2-N2-C7	3.12	127.05	123.04
6	A	1546	NAG	O4-C4-C5	3.26	117.87	109.24
6	A	1538	NAG	O4-C4-C5	3.37	118.16	109.24
6	A	1537	NAG	C2-N2-C7	3.39	127.40	123.04
7	A	1541	FUL	C3-C4-C5	3.45	115.53	109.72
6	A	1545	NAG	C3-C2-N2	3.54	119.03	110.56
7	A	1540	NAG	O3-C3-C2	3.75	116.54	109.11
6	A	1546	NAG	C1-O5-C5	3.76	117.02	112.25
7	A	1540	NAG	O4-C4-C5	4.05	119.97	109.24
6	A	1537	NAG	C8-C7-N2	4.10	123.95	116.11
7	A	1540	NAG	O5-C5-C6	4.10	116.23	107.35
6	A	1547	FUL	O3-C3-C4	4.32	120.06	110.34
7	A	1541	FUL	O5-C5-C6	4.60	113.74	106.13
6	A	1539	FUL	C6-C5-C4	4.97	122.87	113.08
6	A	1547	FUL	C3-C4-C5	5.06	118.25	109.72
6	A	1539	FUL	O5-C5-C6	5.33	114.94	106.13
6	A	1545	NAG	C1-O5-C5	5.33	119.02	112.25
6	A	1539	FUL	C3-C4-C5	5.94	119.74	109.72

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.6 Ligand geometry ⓘ

Of 10 ligands modelled in this entry, 4 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	TC5	A	1530	1	4,8,9	1.02	0	3,8,11	2.52	1 (33%)
4	SO4	A	1532	-	4,4,4	0.24	0	6,6,6	0.39	0
4	SO4	A	1535	-	4,4,4	0.42	0	6,6,6	0.95	1 (16%)
8	NAG	A	1542	1	14,14,15	0.84	0	15,19,21	2.19	7 (46%)
8	NAG	A	1543	1	14,14,15	1.59	3 (21%)	15,19,21	3.12	8 (53%)
8	NAG	A	1544	1	14,14,15	1.03	0	15,19,21	2.29	5 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TC5	A	1530	1	-	0/2/7/9	0/0/0/0
4	SO4	A	1532	-	-	0/0/0/0	0/0/0/0
4	SO4	A	1535	-	-	0/0/0/0	0/0/0/0
8	NAG	A	1542	1	-	0/6/23/26	0/1/1/1
8	NAG	A	1543	1	-	0/6/23/26	0/1/1/1
8	NAG	A	1544	1	1/1/5/7	0/6/23/26	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	A	1543	NAG	C2-N2	2.31	1.50	1.46
8	A	1543	NAG	C1-C2	2.45	1.55	1.52
8	A	1543	NAG	C3-C2	3.52	1.60	1.52

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	A	1543	NAG	O7-C7-C8	-5.88	111.27	122.06
8	A	1543	NAG	C2-N2-C7	-5.17	116.39	123.04
2	A	1530	TC5	C4-C3-N	-4.21	101.54	113.23
8	A	1543	NAG	C1-O5-C5	-3.61	107.66	112.25
8	A	1544	NAG	O7-C7-C8	-3.05	116.46	122.06
8	A	1542	NAG	C4-C3-C2	-2.24	107.74	111.23
8	A	1542	NAG	O6-C6-C5	2.04	118.09	111.33
8	A	1542	NAG	O3-C3-C4	2.15	115.19	110.34
8	A	1542	NAG	C6-C5-C4	2.19	118.42	113.02
4	A	1535	SO4	O2-S-O1	2.21	116.50	109.50
8	A	1543	NAG	C4-C3-C2	2.35	114.88	111.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	A	1543	NAG	O3-C3-C2	2.35	113.77	109.11
8	A	1544	NAG	C3-C4-C5	2.52	114.59	110.20
8	A	1544	NAG	C2-N2-C7	2.64	126.43	123.04
8	A	1542	NAG	C3-C2-N2	2.86	117.41	110.56
8	A	1543	NAG	C3-C4-C5	3.03	115.49	110.20
8	A	1544	NAG	C3-C2-N2	3.40	118.69	110.56
8	A	1542	NAG	C1-O5-C5	3.43	116.60	112.25
8	A	1542	NAG	C8-C7-N2	3.95	123.66	116.11
8	A	1543	NAG	C8-C7-N2	4.40	124.53	116.11
8	A	1543	NAG	C3-C2-N2	4.43	121.18	110.56
8	A	1544	NAG	C1-O5-C5	5.84	119.66	112.25

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
8	A	1544	NAG	C1

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1530	TC5	2	0
4	A	1535	SO4	1	0
8	A	1544	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	527/529 (99%)	-0.09	17 (3%)	51 60	17, 32, 59, 80	11 (2%)

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	40	ARG	3.2
1	A	380	GLN	3.2
1	A	51	LYS	3.1
1	A	453	ARG	2.9
1	A	378	ASP	2.9
1	A	377	VAL	2.7
1	A	3	ASP	2.7
1	A	255	GLU	2.6
1	A	253	SER	2.6
1	A	50	THR	2.6
1	A	256	ASN	2.5
1	A	54	ASP	2.4
1	A	52	TRP	2.4
1	A	53	SER	2.3
1	A	270	GLN	2.3
1	A	259	GLU	2.2
1	A	262	LYS	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron

density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
7	FUL	A	1541	10/11	0.78	0.24	10.77	39,44,49,50	10
6	FUL	A	1547	10/11	0.88	0.20	0.89	64,70,74,77	0
6	NAG	A	1537	14/15	0.96	0.11	0.37	43,47,61,69	0
6	FUL	A	1539	10/11	0.86	0.15	-	72,76,78,79	0
6	NAG	A	1538	14/15	0.85	0.21	-	65,72,75,75	0
7	NAG	A	1540	14/15	0.77	0.23	-	59,66,68,69	0
6	NAG	A	1545	14/15	0.90	0.20	-	70,74,83,84	0
6	NAG	A	1546	14/15	0.71	0.28	-	70,79,81,82	0

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
8	NAG	A	1543	14/15	0.71	0.22	5.97	53,73,80,81	0
2	TC5	A	1530	9/10	0.98	0.14	0.67	27,32,45,51	0
3	CL	A	1534	1/1	0.76	0.12	-1.22	81,81,81,81	0
3	CL	A	1536	1/1	0.91	0.14	-	73,73,73,73	0
4	SO4	A	1532	5/5	0.94	0.12	-	51,57,59,60	5
8	NAG	A	1542	14/15	0.73	0.32	-	81,87,89,90	0
4	SO4	A	1535	5/5	0.97	0.11	-	39,41,45,48	5
3	CL	A	1531	1/1	0.95	0.16	-	51,51,51,51	0
5	NA	A	1533	1/1	0.96	0.11	-	43,43,43,43	1
8	NAG	A	1544	14/15	0.65	0.45	-	89,91,97,98	0

6.5 Other polymers ⓘ

There are no such residues in this entry.