



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 10:01 PM GMT

PDB ID : 4WNT  
Title : Human Cytochrome P450 2D6 Ajmalicine Complex  
Authors : Wang, A.; Stout, C.D.; Johnson, E.F.  
Deposited on : 2014-10-14  
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2328 (2.60-2.60)
Clashscore	102246	2679 (2.60-2.60)
Ramachandran outliers	100387	2635 (2.60-2.60)
Sidechain outliers	100360	2635 (2.60-2.60)
RSRZ outliers	91569	2334 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	479	<div> <div>6%</div> <div> <div></div> <div>79%</div> <div>16%</div> <div>5%</div> </div> </div>
1	B	479	<div> <div>5%</div> <div> <div></div> <div>82%</div> <div>13%</div> <div>5%</div> </div> </div>

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 7426 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome P450 2D6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	457	Total	C	N	O	S	0	0	0
			3618	2319	641	644	14			
1	B	455	Total	C	N	O	S	0	0	0
			3599	2306	639	640	14			

There are 30 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	23	MET	-	initiating methionine	UNP P10635
A	24	ALA	-	expression tag	UNP P10635
A	25	LYS	-	expression tag	UNP P10635
A	26	LYS	-	expression tag	UNP P10635
A	27	THR	-	expression tag	UNP P10635
A	28	SER	-	expression tag	UNP P10635
A	29	SER	-	expression tag	UNP P10635
A	30	LYS	-	expression tag	UNP P10635
A	31	GLY	-	expression tag	UNP P10635
A	32	LYS	-	expression tag	UNP P10635
A	33	LEU	-	expression tag	UNP P10635
A	498	HIS	-	expression tag	UNP P10635
A	499	HIS	-	expression tag	UNP P10635
A	500	HIS	-	expression tag	UNP P10635
A	501	HIS	-	expression tag	UNP P10635
B	23	MET	-	initiating methionine	UNP P10635
B	24	ALA	-	expression tag	UNP P10635
B	25	LYS	-	expression tag	UNP P10635
B	26	LYS	-	expression tag	UNP P10635
B	27	THR	-	expression tag	UNP P10635
B	28	SER	-	expression tag	UNP P10635
B	29	SER	-	expression tag	UNP P10635
B	30	LYS	-	expression tag	UNP P10635
B	31	GLY	-	expression tag	UNP P10635
B	32	LYS	-	expression tag	UNP P10635

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
B	33	LEU	-	expression tag	UNP P10635
B	498	HIS	-	expression tag	UNP P10635
B	499	HIS	-	expression tag	UNP P10635
B	500	HIS	-	expression tag	UNP P10635
B	501	HIS	-	expression tag	UNP P10635

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 3 is Ajmalicine (three-letter code: AJN) (formula:  $C_{21}H_{24}N_2O_3$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			26	21	2	3		
3	B	1	Total	C	N	O	0	0
			26	21	2	3		

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Zn	0	0
			1	1		
4	A	2	Total	Zn	0	0
			2	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	29	Total	O	0	0
			29	29		
5	B	39	Total	O	0	0
			39	39		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Cytochrome P450 2D6



#### • Molecule 1: Cytochrome P450 2D6



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	57.31Å 126.81Å 191.73Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.67 – 2.60 42.67 – 2.60	Depositor EDS
% Data completeness (in resolution range)	97.6 (42.67-2.60) 97.5 (42.67-2.60)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	0.07	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.70 (at 2.61Å)	Xtriage
Refinement program	PHENIX	Depositor
R, $R_{free}$	0.192 , 0.237 0.205 , 0.244	Depositor DCC
$R_{free}$ test set	2141 reflections (5.26%)	DCC
Wilson B-factor (Å <sup>2</sup> )	45.9	Xtriage
Anisotropy	0.645	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 51.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	1 of 42947 reflections (0.002%)	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	7426	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 22.52 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 5.6058e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, ZN, AJN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.43	0/3715	0.57	0/5050
1	B	0.42	0/3695	0.55	0/5023
All	All	0.42	0/7410	0.56	0/10073

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3618	0	3599	44	0
1	B	3599	0	3586	40	0
2	A	43	0	30	2	0
2	B	43	0	30	1	0
3	A	26	0	24	1	0
3	B	26	0	24	1	0
4	A	2	0	0	0	0
4	B	1	0	0	0	0
5	A	29	0	0	0	0
5	B	39	0	0	1	0
All	All	7426	0	7293	84	0



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (84) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:276:LEU:HD23	1:B:279:MET:HE3	1.58	0.82
1:B:328:GLN:HE22	1:B:466:PHE:H	1.37	0.71
1:A:233:ILE:HB	1:A:236:LEU:HB3	1.75	0.69
1:A:411:LYS:HB3	1:A:414:ARG:HG3	1.76	0.68
1:B:39:PRO:HB3	1:B:72:GLN:HG2	1.77	0.67
1:A:39:PRO:HG3	1:A:72:GLN:HG2	1.77	0.67
1:B:104:VAL:HG12	1:B:106:ILE:HG22	1.76	0.66
1:B:144:LEU:HD21	1:B:447:PRO:HB2	1.77	0.66
1:B:143:GLY:HA2	1:B:146:LYS:HD2	1.77	0.66
1:A:224:LEU:HG	1:A:230:LEU:HB2	1.80	0.64
1:A:259:ARG:NH2	1:A:292:ASP:OD2	2.34	0.60
1:B:328:GLN:NE2	1:B:466:PHE:H	2.01	0.59
1:A:211:GLU:HB3	1:A:243:PHE:CD2	2.38	0.58
1:B:52:GLN:HG3	1:B:53:ASN:H	1.68	0.58
1:A:122:ALA:O	1:A:441:ARG:NH2	2.28	0.56
1:A:213:LEU:HD13	1:A:308:VAL:HG11	1.87	0.55
1:A:406:GLU:HB2	1:B:414:ARG:HD2	1.87	0.55
1:A:279:MET:HG3	1:A:290:PHE:O	2.07	0.55
1:A:227:VAL:HG12	1:A:229:VAL:HG22	1.89	0.55
1:A:443:CYS:HB2	2:A:601:HEM:NA	2.22	0.55
1:A:143:GLY:HA2	1:A:146:LYS:HE2	1.89	0.55
1:B:91:LEU:HD11	1:B:397:THR:HG21	1.89	0.54
1:B:328:GLN:HE22	1:B:466:PHE:N	2.06	0.52
1:A:276:LEU:HA	1:A:279:MET:HE3	1.91	0.52
2:A:601:HEM:HMB2	2:A:601:HEM:HBB2	1.90	0.52
1:B:369:ILE:HG13	1:B:370:VAL:HG23	1.91	0.52
1:A:451:MET:HG3	1:A:452:GLU:N	2.24	0.51
1:B:331:VAL:HG13	1:B:356:THR:OG1	2.11	0.51
1:A:212:GLY:HA3	3:A:602:AJN:H1	1.91	0.51
1:A:406:GLU:O	1:B:411:LYS:HE3	2.10	0.50
1:A:37:PRO:HD3	1:A:65:PHE:CE1	2.46	0.50
1:A:424:GLN:HG2	1:A:426:HIS:CE1	2.47	0.50
2:B:601:HEM:HBC2	2:B:601:HEM:HMC2	1.94	0.50
1:A:64:ARG:HD2	1:A:65:PHE:CE1	2.47	0.50
1:A:232:HIS:O	1:A:234:PRO:HD3	2.11	0.49
1:B:173:ARG:HD3	5:B:724:HOH:O	2.11	0.49
1:A:100:ASP:HA	1:A:124:TYR:HB2	1.95	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:55:PRO:HD3	1:B:481:PHE:CE1	2.47	0.49
1:A:160:LEU:HD13	1:A:181:ALA:HB2	1.95	0.48
1:A:449:ALA:O	1:A:453:LEU:HG	2.14	0.47
1:A:323:LEU:HD21	1:A:475:PRO:HG2	1.96	0.47
1:B:78:VAL:HG11	1:B:396:ILE:HD12	1.97	0.47
1:B:424:GLN:OE1	1:B:426:HIS:NE2	2.48	0.46
1:A:100:ASP:OD1	1:A:123:ARG:NH2	2.48	0.46
1:B:54:THR:HB	1:B:481:PHE:CZ	2.51	0.46
1:A:106:ILE:O	1:A:109:ILE:HG13	2.16	0.45
1:A:369:ILE:HG13	1:A:370:VAL:HG23	1.98	0.45
1:B:180:LYS:HE2	1:B:203:LEU:HD21	1.99	0.45
1:A:219:PHE:O	1:A:223:VAL:HG23	2.16	0.45
1:B:192:GLY:O	1:B:269:ARG:NH2	2.50	0.44
1:B:74:ALA:HB1	1:B:75:TRP:CE3	2.52	0.44
1:B:121:LEU:HG	3:B:602:AJN:H21	1.99	0.44
1:B:183:SER:OG	1:B:307:MET:HG3	2.17	0.44
1:B:152:TRP:O	1:B:155:GLU:HB2	2.17	0.44
1:A:251:LEU:HD21	1:A:299:VAL:HG12	2.00	0.43
1:B:76:THR:HG22	1:B:78:VAL:HG23	2.00	0.43
1:A:317:GLY:O	1:A:321:MET:HG2	2.19	0.43
1:A:117:GLN:HB3	1:A:122:ALA:HA	2.01	0.43
1:A:369:ILE:HG13	1:A:370:VAL:CG2	2.49	0.43
1:B:149:LEU:HD21	1:B:189:LEU:HD11	2.01	0.43
1:B:279:MET:HB2	1:B:279:MET:HE2	1.78	0.42
1:B:251:LEU:HA	1:B:251:LEU:HD12	1.80	0.42
1:B:55:PRO:HD3	1:B:481:PHE:CZ	2.54	0.42
1:A:253:GLU:O	1:A:257:GLU:HG3	2.19	0.42
1:A:50:ASP:OD1	1:A:51:PHE:N	2.53	0.41
1:A:104:VAL:HG12	1:A:106:ILE:HG12	2.02	0.41
1:A:106:ILE:HD13	1:A:221:ARG:HG3	2.02	0.41
1:B:474:ARG:HA	1:B:475:PRO:HD3	1.95	0.41
1:B:177:LEU:HA	1:B:177:LEU:HD23	1.83	0.41
1:B:120:PHE:HE1	1:B:305:ALA:HB2	1.85	0.41
1:B:448:LEU:HA	1:B:448:LEU:HD12	1.84	0.41
1:B:120:PHE:CE1	1:B:305:ALA:HB2	2.54	0.41
1:A:78:VAL:HG22	1:A:394:THR:HB	2.03	0.41
1:A:31:GLY:HA2	1:A:388:ARG:HD3	2.03	0.41
1:A:107:THR:O	1:A:112:PHE:HB2	2.21	0.41
1:A:239:LYS:HG3	1:A:242:ARG:HD3	2.02	0.41
1:A:245:LYS:HB2	1:A:245:LYS:HE3	1.75	0.41
1:B:140:ARG:HA	1:B:144:LEU:HB3	2.03	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:177:LEU:HA	1:A:177:LEU:HD23	1.87	0.40
1:B:35:PRO:HG2	1:B:65:PHE:HB3	2.03	0.40
1:B:344:ARG:HA	1:B:345:PRO:HD3	1.96	0.40
1:A:275:PHE:CD2	1:A:279:MET:HE2	2.55	0.40
1:B:186:ILE:HD12	1:B:186:ILE:HA	1.79	0.40
1:B:495:VAL:HA	1:B:496:PRO:HD3	1.93	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	453/479 (95%)	439 (97%)	14 (3%)	0	100	100
1	B	451/479 (94%)	435 (96%)	16 (4%)	0	100	100
All	All	904/958 (94%)	874 (97%)	30 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	390/409 (95%)	385 (99%)	5 (1%)	76	91
1	B	388/409 (95%)	384 (99%)	4 (1%)	82	94

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	778/818 (95%)	769 (99%)	9 (1%)	78 92

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	54	THR
1	A	137	SER
1	A	461	LEU
1	A	474	ARG
1	A	480	VAL
1	B	270	ASP
1	B	307	MET
1	B	382	ILE
1	B	484	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	328	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 7 ligands modelled in this entry, 3 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link

column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	HEM	A	601	1	30,50,50	2.53	9 (30%)	24,82,82	2.37	9 (37%)
3	AJN	A	602	-	28,30,30	0.74	0	33,45,45	0.92	2 (6%)
2	HEM	B	601	1	30,50,50	2.56	8 (26%)	24,82,82	2.54	9 (37%)
3	AJN	B	602	-	28,30,30	0.72	0	33,45,45	0.83	2 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	601	1	-	0/10/54/54	0/0/8/8
3	AJN	A	602	-	-	0/6/44/44	0/5/5/5
2	HEM	B	601	1	-	0/10/54/54	0/0/8/8
3	AJN	B	602	-	-	0/6/44/44	0/5/5/5

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	601	HEM	C3B-C4B	-8.03	1.44	1.51
2	A	601	HEM	C3B-C4B	-6.85	1.45	1.51
2	A	601	HEM	C2D-C3D	-6.75	1.34	1.54
2	B	601	HEM	C2D-C3D	-6.65	1.34	1.54
2	B	601	HEM	C3D-C4D	-4.96	1.45	1.51
2	A	601	HEM	C3D-C4D	-4.85	1.45	1.51
2	B	601	HEM	C2C-C1C	-3.76	1.45	1.52
2	A	601	HEM	C2C-C1C	-3.62	1.45	1.52
2	B	601	HEM	C2B-C1B	-2.07	1.45	1.51
2	B	601	HEM	C3C-CAC	2.22	1.55	1.51
2	A	601	HEM	C3B-CAB	2.32	1.55	1.51
2	A	601	HEM	C4C-NC	2.45	1.39	1.36
2	B	601	HEM	FE-ND	2.49	2.10	1.97
2	A	601	HEM	C3C-CAC	2.94	1.56	1.51
2	A	601	HEM	FE-ND	3.14	2.14	1.97
2	A	601	HEM	FE-NC	3.31	2.08	1.95
2	B	601	HEM	FE-NC	3.35	2.09	1.95

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	HEM	CAA-CBA-CGA	-3.77	105.83	112.75
3	A	602	AJN	C10-C2-C1	-3.07	105.62	110.70
3	B	602	AJN	C10-C2-C1	-2.65	106.31	110.70
2	B	601	HEM	CBD-CAD-C3D	-2.48	106.33	113.55
2	A	601	HEM	CBD-CAD-C3D	-2.30	106.85	113.55
2	A	601	HEM	C3B-C4B-NB	-2.20	107.42	111.63
2	B	601	HEM	C3B-C4B-NB	-2.07	107.68	111.63
3	B	602	AJN	C7-C8-N	-2.03	108.18	111.53
2	A	601	HEM	C3B-C4B-CHC	2.46	126.63	123.16
2	A	601	HEM	CMD-C2D-C3D	2.72	126.40	114.35
2	B	601	HEM	CMD-C2D-C3D	2.76	126.57	114.35
3	A	602	AJN	O-C1-C2	2.95	113.54	109.95
2	A	601	HEM	CAD-C3D-C4D	3.52	124.88	112.47
2	B	601	HEM	C2D-C3D-C4D	3.62	107.64	101.50
2	B	601	HEM	CAD-C3D-C4D	3.84	126.02	112.47
2	A	601	HEM	C2D-C3D-C4D	4.10	108.45	101.50
2	B	601	HEM	CAD-C3D-C2D	4.55	126.31	113.22
2	A	601	HEM	CMC-C2C-C3C	4.61	128.04	116.53
2	A	601	HEM	CMB-C2B-C3B	4.65	128.15	116.53
2	A	601	HEM	CAD-C3D-C2D	4.68	126.66	113.22
2	B	601	HEM	CMC-C2C-C3C	5.24	129.61	116.53
2	B	601	HEM	CMB-C2B-C3B	5.39	129.98	116.53

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	HEM	2	0
3	A	602	AJN	1	0
2	B	601	HEM	1	0
3	B	602	AJN	1	0

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	457/479 (95%)	0.05	28 (6%)	25 18	28, 52, 117, 143	0
1	B	455/479 (94%)	0.10	25 (5%)	29 21	29, 53, 105, 147	0
All	All	912/958 (95%)	0.07	53 (5%)	26 20	28, 52, 109, 147	0

All (53) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	145	GLY	9.3
1	A	231	LEU	7.0
1	B	75	TRP	5.5
1	B	147	LYS	5.0
1	A	38	LEU	5.0
1	B	144	LEU	4.8
1	B	56	TYR	4.6
1	B	38	LEU	4.4
1	A	233	ILE	4.3
1	A	342	VAL	4.1
1	A	75	TRP	4.1
1	A	232	HIS	3.8
1	A	237	ALA	3.7
1	B	219	PHE	3.7
1	B	37	PRO	3.7
1	A	51	PHE	3.6
1	A	147	LYS	3.5
1	B	229	VAL	3.5
1	A	236	LEU	3.5
1	A	235	ALA	3.4
1	A	56	TYR	3.4
1	B	64	ARG	3.3
1	A	229	VAL	3.1
1	A	145	GLY	3.1

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	219	PHE	3.0
1	A	234	PRO	2.9
1	B	73	LEU	2.9
1	B	151	GLN	2.8
1	B	234	PRO	2.8
1	B	239	LYS	2.7
1	B	341	GLN	2.7
1	A	230	LEU	2.6
1	A	238	GLY	2.6
1	B	480	VAL	2.6
1	B	342	VAL	2.5
1	B	65	PHE	2.5
1	A	146	LYS	2.4
1	A	242	ARG	2.4
1	B	483	PHE	2.4
1	A	60	GLN	2.3
1	A	64	ARG	2.3
1	A	226	ALA	2.3
1	A	214	LYS	2.3
1	B	471	GLY	2.3
1	A	240	VAL	2.3
1	B	482	ALA	2.2
1	B	236	LEU	2.2
1	A	53	ASN	2.1
1	B	63	ARG	2.1
1	B	60	GLN	2.0
1	B	39	PRO	2.0
1	A	31	GLY	2.0
1	A	473	PRO	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	AJN	B	602	26/26	0.88	0.27	1.49	75,81,87,87	0
2	HEM	B	601	43/43	0.98	0.17	0.23	27,35,39,41	0
4	ZN	B	603	1/1	0.99	0.14	0.12	44,44,44,44	0
2	HEM	A	601	43/43	0.98	0.16	-0.02	29,41,49,52	0
3	AJN	A	602	26/26	0.93	0.18	-0.18	49,51,59,60	0
4	ZN	A	603	1/1	1.00	0.14	-0.25	48,48,48,48	0
4	ZN	A	604	1/1	0.99	0.12	-	54,54,54,54	1

## 6.5 Other polymers

There are no such residues in this entry.