



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:25 AM GMT

PDB ID : 2X09  
Title : INHIBITION OF THE EXO-BETA-D-GLUCOSAMINIDASE CSXA BY A GLUCOSAMINE-CONFIGURED CASTANOSPERMINE AND AN AMINO-AUSTRALINE ANALOGUE  
Authors : Pluvinage, B.; Ghinet, M.G.; Brzezinski, R.; Boraston, A.B.; Stubbs, K.A.  
Deposited on : 2009-12-07  
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2919 (2.40-2.40)
Clashscore	102246	3407 (2.40-2.40)
Ramachandran outliers	100387	3351 (2.40-2.40)
Sidechain outliers	100360	3352 (2.40-2.40)
RSRZ outliers	91569	2928 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1032	<div> <div></div> <div>72% 9% • 18%</div> </div>
1	B	1032	<div> <div></div> <div>71% 10% • 18%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	CD	A	1902	-	-	X	-

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 14500 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called EXO-BETA-D-GLUCOSAMINIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	851	Total	C	N	O	S	15	1	1
			6518	4095	1127	1279	17			
1	B	851	Total	C	N	O	S	9	0	1
			6512	4090	1126	1279	17			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	750	ASN	TRP	CONFLICT	UNP Q56F26
B	750	ASN	TRP	CONFLICT	UNP Q56F26

- Molecule 2 is AMINO-AUSTRALINE (three-letter code: X09) (formula: C<sub>8</sub>H<sub>16</sub>N<sub>2</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			13	8	2	3		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			13	8	2	3		


- Molecule 3 is CADMIUM ION (three-letter code: CD) (formula: Cd).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Cd	0	0
			1	1		
3	A	2	Total	Cd	0	0
			2	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	733	Total	O	0	0
			733	733		
4	B	708	Total	O	0	0
			708	708		





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	86.75Å 121.95Å 92.05Å 90.00° 90.65° 90.00°	Depositor
Resolution (Å)	20.00 – 2.40 19.99 – 2.40	Depositor EDS
% Data completeness (in resolution range)	97.5 (20.00-2.40) 96.7 (19.99-2.40)	Depositor EDS
$R_{merge}$	0.14	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.06 (at 2.41Å)	Xtriage
Refinement program	REFMAC 5.5.0072	Depositor
R, $R_{free}$	0.176 , 0.240 0.175 , 0.236	Depositor DCC
$R_{free}$ test set	3682 reflections (5.37%)	DCC
Wilson B-factor (Å <sup>2</sup> )	19.9	Xtriage
Anisotropy	0.182	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 34.7	EDS
Estimated twinning fraction	0.028 for h,-k,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 72247 reflections	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	14500	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	16.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.96% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: X09, CD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.61	4/6684 (0.1%)	0.74	10/9119 (0.1%)
1	B	0.84	4/6675 (0.1%)	0.77	10/9108 (0.1%)
All	All	0.73	8/13359 (0.1%)	0.75	20/18227 (0.1%)

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	297	ARG	CD-NE	-34.45	0.87	1.46
1	B	530	LYS	CD-CE	24.63	2.12	1.51
1	B	758	LYS	CD-CE	-22.07	0.96	1.51
1	B	573	LYS	CE-NZ	-16.59	1.07	1.49
1	A	127	LEU	CG-CD1	-15.65	0.94	1.51
1	A	432	LYS	CG-CD	-10.54	1.16	1.52
1	A	898	ALA	CA-CB	-9.59	1.32	1.52
1	A	127	LEU	CG-CD2	7.76	1.80	1.51

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	297	ARG	CG-CD-NE	23.39	160.91	111.80
1	A	127	LEU	CB-CG-CD1	23.14	150.35	111.00
1	B	297	ARG	CD-NE-CZ	14.76	144.27	123.60
1	A	127	LEU	CB-CG-CD2	-14.21	86.84	111.00
1	B	573	LYS	CD-CE-NZ	11.70	138.61	111.70
1	B	530	LYS	CG-CD-CE	-10.81	79.48	111.90
1	A	573	LYS	CB-CG-CD	-9.18	87.75	111.60
1	A	898	ALA	N-CA-CB	7.06	119.99	110.10
1	A	144	LEU	CA-CB-CG	7.00	131.39	115.30
1	A	335	ARG	NE-CZ-NH2	-6.70	116.95	120.30
1	B	335	ARG	NE-CZ-NH2	-6.37	117.11	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	758	LYS	CD-CE-NZ	-6.19	97.46	111.70
1	B	144	LEU	CA-CB-CG	6.09	129.30	115.30
1	B	454	ARG	NE-CZ-NH2	-5.82	117.39	120.30
1	A	573	LYS	CG-CD-CE	-5.77	94.60	111.90
1	A	230	ARG	NE-CZ-NH2	-5.76	117.42	120.30
1	A	238	LEU	CA-CB-CG	5.43	127.79	115.30
1	B	774	LEU	CA-CB-CG	-5.27	103.19	115.30
1	B	230	ARG	NE-CZ-NH2	-5.23	117.69	120.30
1	B	335	ARG	NE-CZ-NH1	5.19	122.89	120.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6518	0	6298	58	0
1	B	6512	0	6285	63	2
2	A	13	0	16	5	0
2	B	13	0	16	4	0
3	A	2	0	0	0	2
3	B	1	0	0	0	0
4	A	733	0	0	2	0
4	B	708	0	0	11	0
All	All	14500	0	12615	123	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:109:MET:CE	1:B:368:PHE:HE1	1.68	1.06
1:B:201:TRP:HE1	1:B:212:ASN:HD21	1.04	0.98
1:A:201:TRP:HE1	1:A:212:ASN:HD21	1.10	0.96

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:179:THR:CA	4:B:2149:HOH:O	2.14	0.95
1:B:109:MET:CE	1:B:368:PHE:CE1	2.50	0.94
1:B:109:MET:HE1	1:B:368:PHE:CE1	2.07	0.90
1:B:109:MET:HE1	1:B:368:PHE:HE1	1.36	0.89
1:A:577:ARG:HG2	1:A:583:PHE:O	1.74	0.88
1:A:297:ARG:HG3	4:B:2010:HOH:O	1.74	0.87
1:B:336:ASP:H	1:B:352:ASN:ND2	1.77	0.82
1:B:109:MET:HE2	1:B:208:PRO:HA	1.61	0.82
1:B:469:ASP:OD2	2:B:1900:X09:HAE1	1.81	0.81
1:A:608:ARG:HG3	1:A:889:TRP:CZ3	2.19	0.77
1:B:109:MET:HE2	1:B:209:PRO:HD3	1.65	0.77
1:B:109:MET:HE3	1:B:368:PHE:CE1	2.21	0.76
2:B:1900:X09:HAG1	4:B:2415:HOH:O	1.88	0.73
1:B:776:TRP:O	1:B:779:SER:HB2	1.89	0.72
1:B:548:ILE:H	1:B:614:GLN:HE22	1.38	0.72
1:B:336:ASP:H	1:B:352:ASN:HD22	1.37	0.70
1:A:541:GLU:OE1	2:A:1900:X09:HAE2	1.92	0.69
1:A:139:ASP:OD2	1:A:222:ARG:NH1	2.28	0.67
1:A:131:ASP:OD2	1:A:133:SER:HB2	1.95	0.65
1:B:335:ARG:HA	1:B:352:ASN:HD21	1.62	0.65
1:A:201:TRP:HE1	1:A:212:ASN:ND2	1.89	0.64
1:B:311:ARG:HD2	1:B:407:ASP:HB3	1.79	0.64
1:A:469:ASP:OD1	2:A:1900:X09:HAE1	1.98	0.64
1:A:335:ARG:HA	1:A:352:ASN:HD21	1.63	0.63
1:A:803:VAL:O	1:A:894:GLN:NE2	2.30	0.63
1:B:201:TRP:HE1	1:B:212:ASN:ND2	1.86	0.62
1:B:548:ILE:H	1:B:614:GLN:NE2	1.97	0.62
1:B:349:TYR:OH	1:B:494:ILE:HD11	1.99	0.62
1:A:336:ASP:H	1:A:352:ASN:ND2	1.98	0.61
1:B:754:ASP:OD2	1:B:758:LYS:HG2	2.00	0.61
1:A:680:TYR:OH	1:A:685:ARG:HG2	2.02	0.60
1:A:577:ARG:HD2	1:A:652:HIS:CG	2.37	0.59
1:B:605:ASP:HA	1:B:608:ARG:HD3	1.85	0.57
1:B:398:GLU:O	1:B:454:ARG:NH2	2.37	0.57
1:B:704:THR:HG23	4:B:2572:HOH:O	2.06	0.56
1:A:577:ARG:HD2	1:A:652:HIS:ND1	2.19	0.56
1:B:899:ASP:N	4:B:2707:HOH:O	2.40	0.55
1:B:311:ARG:HD3	4:B:2360:HOH:O	2.07	0.54
1:A:623:GLU:HG2	1:A:679:GLN:NE2	2.23	0.54
1:A:237:LYS:HE3	1:A:238:LEU:H	1.73	0.53
2:A:1900:X09:HAG1	4:A:2437:HOH:O	2.09	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:608:ARG:HG3	1:B:889:TRP:CZ3	2.43	0.52
1:B:605:ASP:O	1:B:608:ARG:HG2	2.11	0.50
1:B:682:HIS:HE1	4:B:2524:HOH:O	1.94	0.50
1:B:704:THR:CG2	4:B:2572:HOH:O	2.59	0.49
1:A:139:ASP:HA	1:A:169:HIS:O	2.12	0.49
1:B:364:THR:HG21	1:B:647:PRO:HD3	1.93	0.48
1:A:464:PHE:HB3	1:A:484:MET:HE1	1.95	0.48
1:B:642:TRP:CD2	1:B:643:MET:HG2	2.48	0.48
1:A:677:HIS:CD2	1:A:679:GLN:HE21	2.31	0.48
1:A:377:ALA:HA	1:A:405:ILE:HG21	1.95	0.47
1:A:194:ASN:HD22	1:A:421:ASP:HA	1.79	0.47
1:B:526:ASP:O	1:B:534:GLY:HA3	2.14	0.47
1:A:770:LYS:O	1:A:790:ALA:HA	2.14	0.47
1:A:137:TYR:HB2	1:A:222:ARG:HB2	1.95	0.47
1:A:701:THR:HB	1:A:720:THR:HA	1.95	0.47
1:B:623:GLU:HG2	1:B:679:GLN:OE1	2.14	0.47
1:A:140:PHE:HB3	1:A:219:VAL:HA	1.97	0.47
1:A:821:VAL:HG13	1:A:868:LEU:HB2	1.97	0.47
1:B:246:ASP:HB3	1:B:292:LEU:HD11	1.96	0.47
1:B:452:ALA:HB1	1:B:489:PHE:HB2	1.97	0.47
1:A:58:VAL:HB	1:A:81:TRP:HB3	1.96	0.47
1:A:362:GLY:O	1:A:643:MET:HB3	2.15	0.47
1:A:452:ALA:HB1	1:A:489:PHE:HB2	1.97	0.46
1:B:109:MET:CE	1:B:209:PRO:HD3	2.41	0.46
1:B:691:ASN:HB3	1:B:724:VAL:HG22	1.97	0.46
1:A:144:LEU:HA	1:A:145:SER:HA	1.68	0.46
1:A:541:GLU:CD	2:A:1900:X09:HAE2	2.36	0.45
1:B:411:VAL:O	1:B:460:SER:HB2	2.17	0.45
1:B:394:GLU:OE2	2:B:1900:X09:NAA	2.50	0.45
1:A:529:GLN:HG3	1:A:776:TRP:CD2	2.51	0.45
1:B:196:ASP:HB3	4:B:2104:HOH:O	2.17	0.45
1:B:144:LEU:HD22	1:B:165:ALA:HB2	1.99	0.45
1:B:144:LEU:HD22	1:B:165:ALA:CB	2.47	0.44
1:B:661:ASP:OD1	1:B:839:LYS:NZ	2.49	0.44
1:A:49:GLY:HA2	1:A:327:ALA:H	1.83	0.44
1:A:532:ARG:HA	1:A:532:ARG:HD3	1.75	0.44
1:A:301:TRP:CZ2	1:A:410:GLY:HA2	2.52	0.44
1:A:748:ALA:HB3	1:A:765:TYR:HB2	2.00	0.43
1:A:781:TRP:CE3	1:A:782:TYR:HB3	2.54	0.43
1:A:677:HIS:HD2	1:A:679:GLN:HE21	1.67	0.43
1:B:394:GLU:HG2	1:B:418:GLU:HA	1.99	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:744:THR:O	1:B:768:SER:HA	2.18	0.43
1:A:237:LYS:O	1:A:245:ALA:HA	2.18	0.43
1:B:775:ASN:HB3	1:B:785:PRO:HG2	2.01	0.42
1:A:818:THR:HG23	1:A:869:THR:HG23	2.01	0.42
1:A:381:LYS:HB3	1:A:852:GLU:OE2	2.19	0.42
1:B:144:LEU:HA	1:B:145:SER:HA	1.62	0.42
1:B:72:SER:O	1:B:152:ASN:HA	2.20	0.42
1:B:220:LEU:CD1	1:B:222:ARG:NH1	2.82	0.42
1:A:513:ASN:HB3	1:A:531:ASP:O	2.19	0.42
1:A:337:VAL:CG1	1:A:491:LEU:HD23	2.49	0.42
1:A:577:ARG:HD2	1:A:652:HIS:CB	2.49	0.42
1:A:605:ASP:HA	1:A:608:ARG:HD3	2.01	0.42
1:B:220:LEU:HD13	1:B:222:ARG:NH1	2.35	0.42
1:B:339:ALA:HB1	1:B:347:ARG:HD2	2.01	0.42
1:B:49:GLY:HA2	1:B:326:ASP:HA	2.02	0.42
1:B:888:GLY:HA3	1:B:891:THR:OG1	2.19	0.42
1:A:656:PHE:CE1	1:A:660:MET:HE1	2.54	0.42
1:B:529:GLN:HG3	1:B:776:TRP:CE3	2.54	0.42
1:B:235:ILE:HB	1:B:248:THR:HB	2.02	0.42
1:B:465:HIS:HD2	4:B:2364:HOH:O	2.03	0.42
1:A:577:ARG:CD	1:A:652:HIS:HB3	2.50	0.41
1:B:457:ASP:OD2	4:B:2411:HOH:O	2.22	0.41
1:A:473:ASP:OD1	1:A:473:ASP:C	2.59	0.41
1:B:781:TRP:HZ3	2:B:1900:X09:HAF1	1.85	0.41
1:A:59:ILE:HA	1:A:122:TRP:O	2.20	0.41
1:A:516:TYR:CE2	2:A:1900:X09:HAF2	2.56	0.41
1:A:804:GLY:HA3	1:A:824:LYS:O	2.22	0.40
1:B:464:PHE:HB3	1:B:484:MET:HE1	2.03	0.40
1:B:377:ALA:HA	1:B:405:ILE:HG21	2.03	0.40
1:B:109:MET:CE	1:B:368:PHE:CZ	3.03	0.40
1:A:684:ASN:O	1:A:685:ARG:HB2	2.22	0.40
1:A:520:PRO:HD2	1:A:774:LEU:HD21	2.02	0.40
1:A:72:SER:O	1:A:183:SER:HB2	2.21	0.40
1:A:337:VAL:HG11	1:A:491:LEU:CD2	2.50	0.40
1:A:530[A]:LYS:HG2	4:A:2489:HOH:O	2.21	0.40
1:B:106:SER:OG	1:B:107:THR:N	2.55	0.40
1:B:458:HIS:HA	1:B:459:PRO:HD2	1.84	0.40
1:A:611:GLN:OE1	1:A:663:ASN:HB2	2.21	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:246:ASP:OD1	3:A:1902:CD:CD[2_557]	1.94	0.26
1:B:244:HIS:NE2	3:A:1902:CD:CD[2_557]	2.10	0.10

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	850/1032 (82%)	821 (97%)	27 (3%)	2 (0%)	52 69
1	B	849/1032 (82%)	819 (96%)	28 (3%)	2 (0%)	52 69
All	All	1699/2064 (82%)	1640 (96%)	55 (3%)	4 (0%)	52 69

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	541	GLU
1	A	202	ILE
1	B	202	ILE
1	B	541	GLU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	700/834 (84%)	674 (96%)	26 (4%)	41 62
1	B	699/834 (84%)	664 (95%)	35 (5%)	30 48
All	All	1399/1668 (84%)	1338 (96%)	61 (4%)	35 53

All (61) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	127	LEU
1	A	133	SER
1	A	144	LEU
1	A	159	LYS
1	A	211	GLN
1	A	237	LYS
1	A	238	LEU
1	A	335	ARG
1	A	356	LEU
1	A	428	ASN
1	A	430	GLU
1	A	577	ARG
1	A	580	SER
1	A	595	LYS
1	A	608	ARG
1	A	648	TRP
1	A	652	HIS
1	A	701	THR
1	A	704	THR
1	A	744	THR
1	A	783	TYR
1	A	821	VAL
1	A	846	LYS
1	A	866	THR
1	A	877	LEU
1	A	895	THR
1	B	50	ASN
1	B	79	SER
1	B	131	ASP
1	B	143	VAL
1	B	144	LEU
1	B	211	GLN
1	B	230	ARG
1	B	236	GLN
1	B	237	LYS
1	B	247	LEU
1	B	272	LYS
1	B	335	ARG
1	B	337	VAL
1	B	356	LEU
1	B	517	ASP
1	B	587	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	634	ASN
1	B	648	TRP
1	B	652	HIS
1	B	660	MET
1	B	701	THR
1	B	704	THR
1	B	724	VAL
1	B	756	SER
1	B	758	LYS
1	B	774	LEU
1	B	779	SER
1	B	783	TYR
1	B	808	ASN
1	B	821	VAL
1	B	830	ARG
1	B	865	THR
1	B	866	THR
1	B	877	LEU
1	B	895	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	194	ASN
1	A	211	GLN
1	A	212	ASN
1	A	276	GLN
1	A	352	ASN
1	A	428	ASN
1	A	465	HIS
1	A	529	GLN
1	A	679	GLN
1	A	750	ASN
1	A	796	ASN
1	B	128	ASN
1	B	176	GLN
1	B	194	ASN
1	B	212	ASN
1	B	299	ASN
1	B	348	GLN
1	B	352	ASN
1	B	465	HIS

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	B	614	GLN
1	B	682	HIS
1	B	750	ASN
1	B	796	ASN
1	B	808	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 3 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	X09	A	1900	-	14,14,14	0.75	0	12,21,21	1.81	1 (8%)
2	X09	B	1900	-	14,14,14	0.59	0	12,21,21	1.68	1 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	X09	A	1900	-	-	0/0/31/31	0/2/2/2
2	X09	B	1900	-	-	0/0/31/31	0/2/2/2

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
2	A	1900	X09	CAJ-CAI-CAK	-5.21	94.15	103.14
2	B	1900	X09	CAJ-CAI-CAK	-4.88	94.71	103.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1900	X09	5	0
2	B	1900	X09	4	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	851/1032 (82%)	-0.37	8 (0%) 85 85	6, 16, 27, 40	7 (0%)
1	B	851/1032 (82%)	-0.41	6 (0%) 89 88	4, 15, 26, 37	4 (0%)
All	All	1702/2064 (82%)	-0.39	14 (0%) 87 87	4, 15, 26, 40	11 (0%)

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	130	ASP	4.1
1	A	130	ASP	4.0
1	B	899	ASP	2.9
1	B	840	VAL	2.8
1	A	259	ASN	2.6
1	A	131	ASP	2.5
1	A	740	SER	2.5
1	B	79	SER	2.5
1	B	811	ALA	2.2
1	A	79	SER	2.2
1	B	50	ASN	2.1
1	A	258	ALA	2.1
1	A	828	GLY	2.1
1	A	49	GLY	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	CD	B	1901	1/1	0.98	0.22	0.79	66,66,66,66	0
2	X09	B	1900	13/13	0.95	0.12	0.63	12,14,15,15	0
2	X09	A	1900	13/13	0.93	0.13	0.58	13,16,17,19	0
3	CD	A	1901	1/1	1.00	0.04	-4.53	11,11,11,11	0
3	CD	A	1902	1/1	1.00	0.03	-4.73	9,9,9,9	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.