



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:29 AM GMT

PDB ID : 2X9K
Title : STRUCTURE OF A E.COLI PORIN
Authors : Korkmaz-Ozkan, F.; Koster, S.; Kuhlbrandt, W.; Mantele, W.; Yildiz, O.
Deposited on : 2010-03-21
Resolution : 2.18 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.18 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	5130 (2.20-2.16)
Clashscore	102246	5965 (2.20-2.16)
Ramachandran outliers	100387	5863 (2.20-2.16)
Sidechain outliers	100360	5864 (2.20-2.16)
RSRZ outliers	91569	5142 (2.20-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	280	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	BOG	A	1283	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	BOG	A	1285	X	-	-	X
2	BOG	A	1286	-	-	-	X
2	BOG	A	1287	-	-	X	-
2	BOG	A	1288	-	-	-	X
2	BOG	A	1289	X	-	-	-

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 2549 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called OUTER MEMBRANE PROTEIN G.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	278	Total	C	N	O	S	0	0	0
			2294	1458	378	453	5			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	231	ALA	HIS	ENGINEERED MUTATION	UNP P76045
A	261	ALA	HIS	ENGINEERED MUTATION	UNP P76045

- Molecule 2 is SUGAR (B-OCTYLGLUCOSIDE) (three-letter code: BOG) (formula: C₁₄H₂₈O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			20	14	6		
2	A	1	Total	C	O	0	0
			20	14	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			20	14	6		
2	A	1	Total	C	O	0	0
			20	14	6		
2	A	1	Total	C	O	0	0
			20	14	6		
2	A	1	Total	C	O	0	0
			20	14	6		
2	A	1	Total	C	O	0	0
			20	14	6		
2	A	1	Total	C	O	0	0
			20	14	6		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	75	Total	O	0	0
			75	75		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

● Molecule 1: OUTER MEMBRANE PROTEIN G



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	55.61Å 70.96Å 119.17Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.63 – 2.18 45.63 – 2.18	Depositor EDS
% Data completeness (in resolution range)	99.5 (45.63-2.18) 99.5 (45.63-2.18)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.92 (at 2.18Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE: 1.5_2)	Depositor
R, R_{free}	0.213 , 0.248 0.210 , 0.246	Depositor DCC
R_{free} test set	1261 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	35.4	Xtriage
Anisotropy	0.716	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 61.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 25206 reflections	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	2549	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.13% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BOG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.71	0/2366	0.77	2/3217 (0.1%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	235	ARG	NE-CZ-NH2	-6.97	116.81	120.30
1	A	235	ARG	CB-CG-CD	-5.99	96.03	111.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2294	0	2037	103	0
2	A	180	0	252	24	0
3	A	75	0	0	6	0
All	All	2549	0	2289	109	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:23:GLY:HA2	2:A:1287:BOG:H6'1	1.30	1.08
1:A:223:GLN:HB2	1:A:228:ARG:HA	1.48	0.92
1:A:223:GLN:HE21	1:A:223:GLN:HA	1.39	0.87
1:A:56:ASP:H	1:A:62:ARG:HH11	1.21	0.87
1:A:227:GLU:O	1:A:228:ARG:HB3	1.74	0.85
2:A:1287:BOG:O2	2:A:1287:BOG:C1'	2.30	0.80
1:A:262:ASP:O	1:A:263:GLU:HB2	1.82	0.80
1:A:226:ILE:HG12	1:A:226:ILE:O	1.83	0.79
1:A:259:GLN:HE21	1:A:261:ALA:CB	1.97	0.78
1:A:175:ARG:HD3	1:A:189:SER:HB2	1.66	0.78
1:A:54:PRO:HG2	1:A:63:GLY:H	1.49	0.78
1:A:259:GLN:HE21	1:A:261:ALA:HB3	1.50	0.76
2:A:1283:BOG:H5	3:A:2024:HOH:O	1.84	0.76
2:A:1287:BOG:O2	2:A:1287:BOG:H1'2	1.86	0.75
1:A:223:GLN:CB	1:A:228:ARG:HA	2.15	0.75
1:A:55:VAL:HG12	1:A:62:ARG:NH1	2.03	0.73
1:A:184:ASN:HB3	1:A:220:TRP:HZ2	1.53	0.73
1:A:185:ASN:H	1:A:185:ASN:ND2	1.88	0.71
1:A:237:GLY:HA2	2:A:1285:BOG:H8'1	1.74	0.70
1:A:67:ASP:OD1	2:A:1283:BOG:H61	1.91	0.70
1:A:186:GLY:H	1:A:221:ASP:HB3	1.58	0.69
1:A:263:GLU:HG2	1:A:264:GLY:H	1.58	0.69
1:A:258:TRP:CD1	2:A:1288:BOG:H5	2.29	0.67
1:A:41:GLY:N	3:A:2010:HOH:O	1.86	0.67
1:A:93:ASN:HD21	1:A:108:ASN:HD22	1.44	0.66
1:A:55:VAL:HG12	1:A:62:ARG:HH12	1.60	0.66
1:A:101:GLU:HG2	1:A:104:LYS:NZ	2.10	0.66
1:A:135:TYR:HH	2:A:1286:BOG:HO2	1.42	0.65
2:A:1285:BOG:H62	2:A:1288:BOG:H2'1	1.78	0.65
1:A:236:VAL:HG12	2:A:1285:BOG:H8'2	1.79	0.64
2:A:1287:BOG:H2'2	3:A:2004:HOH:O	1.97	0.64
1:A:220:TRP:HA	1:A:228:ARG:HD2	1.80	0.64
1:A:219:ASN:CA	1:A:228:ARG:HG3	2.28	0.63
1:A:187:GLU:HB2	1:A:219:ASN:HD21	1.64	0.62
1:A:23:GLY:HA2	2:A:1287:BOG:C6'	2.18	0.61
1:A:23:GLY:CA	2:A:1287:BOG:H6'1	2.21	0.61
1:A:237:GLY:CA	2:A:1285:BOG:H8'1	2.29	0.61
1:A:184:ASN:CB	1:A:220:TRP:HZ2	2.14	0.60
1:A:106:THR:HG23	3:A:2028:HOH:O	2.02	0.60
1:A:265:ASP:HB2	2:A:1287:BOG:H2	1.84	0.58
1:A:4:ASN:OD1	1:A:4:ASN:N	2.35	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:259:GLN:NE2	1:A:261:ALA:HB3	2.18	0.58
1:A:219:ASN:HA	1:A:228:ARG:HG3	1.85	0.57
1:A:184:ASN:HB3	1:A:220:TRP:CZ2	2.39	0.57
1:A:239:PHE:HD2	3:A:2059:HOH:O	1.89	0.54
1:A:203:ASN:ND2	1:A:245:GLN:OE1	2.40	0.54
1:A:224:ASP:O	1:A:226:ILE:N	2.41	0.53
1:A:180:ASP:HB3	1:A:183:ARG:HG3	1.89	0.53
1:A:104:LYS:HG2	1:A:143:THR:HG23	1.91	0.53
1:A:170:ASN:HD21	2:A:1284:BOG:H4'1	1.74	0.52
1:A:229:GLU:HG2	1:A:230:GLY:H	1.74	0.52
1:A:223:GLN:NE2	1:A:223:GLN:HA	2.17	0.52
1:A:223:GLN:HB2	1:A:228:ARG:CA	2.30	0.51
1:A:185:ASN:H	1:A:185:ASN:HD22	1.57	0.51
1:A:258:TRP:NE1	2:A:1288:BOG:H5	2.26	0.51
1:A:220:TRP:N	1:A:228:ARG:HD2	2.26	0.51
1:A:222:TRP:CG	1:A:223:GLN:N	2.78	0.50
1:A:259:GLN:HG2	1:A:261:ALA:HB3	1.93	0.50
1:A:101:GLU:HB3	1:A:104:LYS:HB2	1.91	0.50
1:A:61:LYS:O	1:A:62:ARG:HB2	2.11	0.50
1:A:185:ASN:ND2	1:A:185:ASN:N	2.58	0.50
1:A:101:GLU:HG2	1:A:104:LYS:CE	2.41	0.50
1:A:74:HIS:HE1	1:A:76:GLN:NE2	2.10	0.50
1:A:193:ILE:HG12	1:A:214:LEU:HD11	1.93	0.49
1:A:170:ASN:ND2	2:A:1284:BOG:H4'1	2.27	0.49
1:A:219:ASN:ND2	3:A:2061:HOH:O	2.44	0.49
1:A:112:TRP:O	1:A:135:TYR:HA	2.12	0.49
1:A:219:ASN:C	1:A:228:ARG:HG3	2.32	0.49
1:A:132:LEU:HD23	1:A:132:LEU:C	2.34	0.49
1:A:42:PRO:HB2	1:A:75:TYR:CE2	2.49	0.48
1:A:68:ARG:HA	1:A:93:ASN:O	2.14	0.48
1:A:55:VAL:N	1:A:62:ARG:NH1	2.61	0.47
1:A:165:VAL:HB	1:A:199:LEU:HD23	1.97	0.47
1:A:218:SER:O	1:A:228:ARG:HG3	2.16	0.46
1:A:134:MET:HG2	1:A:134:MET:H	1.62	0.46
1:A:229:GLU:HG2	1:A:230:GLY:N	2.30	0.46
1:A:218:SER:O	1:A:228:ARG:CG	2.64	0.46
1:A:4:ASN:HB2	1:A:5:ASP:H	1.60	0.46
1:A:259:GLN:HG2	1:A:261:ALA:CB	2.46	0.46
1:A:220:TRP:CA	1:A:228:ARG:HD2	2.45	0.45
1:A:226:ILE:O	1:A:227:GLU:HB2	2.16	0.45
2:A:1287:BOG:O2	2:A:1287:BOG:H1'1	2.13	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:30:ALA:HB2	1:A:55:VAL:HG23	1.99	0.45
1:A:116:PRO:HD2	1:A:132:LEU:O	2.16	0.45
1:A:132:LEU:HD23	1:A:133:SER:N	2.31	0.45
1:A:100:ASP:N	1:A:100:ASP:OD1	2.50	0.45
1:A:216:ARG:HD2	1:A:231:ALA:O	2.18	0.44
1:A:71:LEU:C	1:A:71:LEU:HD13	2.38	0.44
1:A:223:GLN:HB3	1:A:224:ASP:H	1.54	0.44
1:A:218:SER:C	1:A:228:ARG:HG3	2.39	0.44
1:A:164:THR:HG23	1:A:200:THR:O	2.18	0.43
1:A:229:GLU:CG	1:A:230:GLY:H	2.30	0.43
1:A:186:GLY:H	1:A:221:ASP:CB	2.30	0.43
1:A:101:GLU:HG2	1:A:104:LYS:HE2	1.98	0.43
1:A:185:ASN:HD22	1:A:185:ASN:N	2.15	0.43
1:A:267:ASP:OD2	2:A:1287:BOG:H62	2.19	0.42
1:A:268:LYS:HE2	2:A:1288:BOG:O2	2.18	0.42
1:A:31:GLU:HA	1:A:51:GLN:O	2.19	0.42
1:A:223:GLN:CB	1:A:228:ARG:CA	2.93	0.42
1:A:265:ASP:CB	2:A:1287:BOG:H2	2.47	0.42
1:A:20:GLU:OE1	2:A:1285:BOG:O3	2.36	0.42
1:A:9:ASN:HB3	1:A:277:ASN:HD21	1.85	0.42
1:A:26:MET:O	1:A:27:ASP:HB3	2.20	0.41
1:A:6:TRP:HB3	1:A:8:PHE:CZ	2.55	0.41
1:A:101:GLU:HG2	1:A:104:LYS:HZ1	1.85	0.41
1:A:45:ILE:HD11	1:A:71:LEU:HD21	2.01	0.41
1:A:54:PRO:CB	1:A:62:ARG:HB3	2.51	0.41
1:A:219:ASN:HD22	1:A:219:ASN:C	2.23	0.41
1:A:254:TYR:HE1	2:A:1285:BOG:H5'2	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	276/280 (99%)	250 (91%)	16 (6%)	10 (4%)	4 1

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	228	ARG
1	A	263	GLU
1	A	62	ARG
1	A	81	ASP
1	A	223	GLN
1	A	225	ASP
1	A	226	ILE
1	A	220	TRP
1	A	227	GLU
1	A	230	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	233/236 (99%)	210 (90%)	23 (10%)	10 8

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	ASN
1	A	26	MET
1	A	27	ASP
1	A	62	ARG
1	A	78	LEU
1	A	81	ASP
1	A	100	ASP
1	A	105	ASP
1	A	134	MET
1	A	165	VAL
1	A	169	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	175	ARG
1	A	181	ASP
1	A	182	SER
1	A	185	ASN
1	A	201	LEU
1	A	216	ARG
1	A	219	ASN
1	A	223	GLN
1	A	226	ILE
1	A	228	ARG
1	A	262	ASP
1	A	265	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	ASN
1	A	76	GLN
1	A	108	ASN
1	A	203	ASN
1	A	219	ASN
1	A	223	GLN
1	A	259	GLN
1	A	277	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	BOG	A	1281	-	20,20,20	0.51	0	25,25,25	0.59	0
2	BOG	A	1282	-	20,20,20	0.61	1 (5%)	25,25,25	1.29	3 (12%)
2	BOG	A	1283	-	20,20,20	0.93	1 (5%)	25,25,25	1.36	5 (20%)
2	BOG	A	1284	-	20,20,20	0.54	0	25,25,25	0.88	0
2	BOG	A	1285	-	20,20,20	0.47	0	25,25,25	1.93	5 (20%)
2	BOG	A	1286	-	20,20,20	0.70	0	25,25,25	1.60	8 (32%)
2	BOG	A	1287	-	20,20,20	0.47	0	25,25,25	1.26	4 (16%)
2	BOG	A	1288	-	20,20,20	0.56	0	25,25,25	1.48	4 (16%)
2	BOG	A	1289	-	20,20,20	0.53	0	25,25,25	1.46	5 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	BOG	A	1281	-	-	0/11/31/31	0/1/1/1
2	BOG	A	1282	-	-	0/11/31/31	0/1/1/1
2	BOG	A	1283	-	-	0/11/31/31	0/1/1/1
2	BOG	A	1284	-	-	0/11/31/31	0/1/1/1
2	BOG	A	1285	-	5/5/5/5	0/11/31/31	0/1/1/1
2	BOG	A	1286	-	-	0/11/31/31	0/1/1/1
2	BOG	A	1287	-	-	0/11/31/31	0/1/1/1
2	BOG	A	1288	-	-	0/11/31/31	0/1/1/1
2	BOG	A	1289	-	5/5/5/5	0/11/31/31	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1282	BOG	O1-C1	2.15	1.44	1.40
2	A	1283	BOG	O1-C1	3.38	1.46	1.40

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1285	BOG	C3-C4-C5	-5.33	100.90	110.20
2	A	1288	BOG	C1'-O1-C1	-4.54	106.02	113.94
2	A	1286	BOG	C3-C4-C5	-3.88	103.43	110.20
2	A	1288	BOG	O3-C3-C4	-3.65	102.11	110.34
2	A	1285	BOG	C4-C3-C2	-3.25	104.73	110.79
2	A	1289	BOG	C1'-O1-C1	-3.22	108.32	113.94
2	A	1287	BOG	C4-C3-C2	-2.81	105.55	110.79
2	A	1282	BOG	C4-C3-C2	-2.57	106.00	110.79
2	A	1286	BOG	O6-C6-C5	-2.55	102.91	111.33
2	A	1287	BOG	C3-C4-C5	-2.54	105.77	110.20
2	A	1289	BOG	C4-C3-C2	-2.50	106.13	110.79
2	A	1287	BOG	C1-O5-C5	-2.49	108.91	113.75
2	A	1286	BOG	C1-O5-C5	-2.46	108.97	113.75
2	A	1288	BOG	O5-C1-O1	-2.38	104.32	110.05
2	A	1283	BOG	O5-C1-C2	-2.36	105.44	110.28
2	A	1286	BOG	O5-C1-C2	-2.33	105.49	110.28
2	A	1286	BOG	O4-C4-C3	-2.31	105.14	110.34
2	A	1286	BOG	O2-C2-C3	-2.29	105.19	110.34
2	A	1282	BOG	C1-C2-C3	-2.26	105.51	109.97
2	A	1288	BOG	O4-C4-C3	-2.10	105.61	110.34
2	A	1286	BOG	C1-C2-C3	-2.04	105.96	109.97
2	A	1289	BOG	O5-C5-C6	2.04	111.52	106.36
2	A	1285	BOG	O4-C4-C5	2.14	114.92	109.24
2	A	1289	BOG	O1-C1-C2	2.24	110.87	108.04
2	A	1286	BOG	O1-C1-C2	2.26	110.89	108.04
2	A	1287	BOG	O5-C5-C6	2.47	112.60	106.36
2	A	1283	BOG	O1-C1-C2	2.61	111.34	108.04
2	A	1285	BOG	O3-C3-C2	2.68	116.37	110.34
2	A	1283	BOG	C1'-O1-C1	2.69	118.64	113.94
2	A	1283	BOG	C1-O5-C5	2.69	118.97	113.75
2	A	1283	BOG	O5-C5-C4	2.72	114.79	109.68
2	A	1289	BOG	C1-O5-C5	3.47	120.48	113.75
2	A	1282	BOG	O1-C1-C2	3.82	112.86	108.04
2	A	1285	BOG	O1-C1-C2	4.76	114.05	108.04

All (10) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	1289	BOG	C2
2	A	1289	BOG	C5
2	A	1289	BOG	C3
2	A	1289	BOG	C1
2	A	1289	BOG	C4
2	A	1285	BOG	C2
2	A	1285	BOG	C5
2	A	1285	BOG	C3
2	A	1285	BOG	C1
2	A	1285	BOG	C4

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 24 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1283	BOG	2	0
2	A	1284	BOG	2	0
2	A	1285	BOG	6	0
2	A	1286	BOG	1	0
2	A	1287	BOG	10	0
2	A	1288	BOG	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	278/280 (99%)	0.99	43 (15%) 3 3	25, 42, 115, 170	8 (2%)

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	262	ASP	8.2
1	A	59	ALA	7.5
1	A	60	GLY	5.5
1	A	103	GLY	5.3
1	A	26	MET	5.2
1	A	260	ASP	4.9
1	A	264	GLY	4.8
1	A	229	GLU	4.6
1	A	4	ASN	4.5
1	A	57	TYR	4.4
1	A	62	ARG	4.4
1	A	261	ALA	4.0
1	A	265	ASP	3.8
1	A	58	SER	3.8
1	A	232	ASP	3.7
1	A	100	ASP	3.6
1	A	220	TRP	3.4
1	A	244	PHE	3.3
1	A	280	PHE	3.0
1	A	263	GLU	3.0
1	A	242	TYR	3.0
1	A	56	ASP	2.9
1	A	230	GLY	2.9
1	A	231	ALA	2.9
1	A	177	PHE	2.6
1	A	21	GLY	2.6
1	A	227	GLU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	61	LYS	2.6
1	A	99	VAL	2.5
1	A	258	TRP	2.5
1	A	8	PHE	2.3
1	A	3	ARG	2.3
1	A	6	TRP	2.3
1	A	181	ASP	2.3
1	A	226	ILE	2.3
1	A	25	ASP	2.3
1	A	102	PRO	2.2
1	A	55	VAL	2.2
1	A	256	PHE	2.2
1	A	233	PHE	2.1
1	A	20	GLU	2.1
1	A	228	ARG	2.1
1	A	63	GLY	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	BOG	A	1283	20/20	0.65	0.28	5.49	46,78,95,97	0
2	BOG	A	1286	20/20	0.86	0.23	4.25	63,78,87,91	0
2	BOG	A	1285	20/20	0.92	0.35	3.62	63,68,79,81	0
2	BOG	A	1288	20/20	0.89	0.40	2.05	68,82,88,89	0
2	BOG	A	1281	20/20	0.85	0.25	1.54	39,65,74,74	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	BOG	A	1287	20/20	0.71	0.31	1.44	89,98,106,107	0
2	BOG	A	1284	20/20	0.86	0.18	1.39	53,61,71,75	0
2	BOG	A	1289	20/20	0.81	0.28	0.87	58,96,108,108	0
2	BOG	A	1282	20/20	0.79	0.21	0.34	53,90,109,110	0

6.5 Other polymers [i](#)

There are no such residues in this entry.