



# wwPDB X-ray Structure Validation Summary Report ⓘ

Apr 25, 2016 – 03:05 PM EDT

PDB ID : 4Y4M  
Title : Thiazole synthase Thi4 from Methanocaldococcus jannaschii  
Authors : Zhang, X.; Ealick, S.E.  
Deposited on : 2015-02-10  
Resolution : 2.71 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.1 (RC1), CSD as537be (2016)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20027257  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20027257


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.71 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2439 (2.74-2.70)
Clashscore	102246	2771 (2.74-2.70)
Ramachandran outliers	100387	2726 (2.74-2.70)
Sidechain outliers	100360	2727 (2.74-2.70)
RSRZ outliers	91569	2443 (2.74-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	290	<div> <div>84%</div> <div>6%</div> <div>10%</div> </div>
1	B	290	<div> <div>81%</div> <div>6%</div> <div>12%</div> </div>
1	C	290	<div> <div>82%</div> <div>6%</div> <div>12%</div> </div>
1	D	290	<div> <div>83%</div> <div>•</div> <div>12%</div> </div>
1	E	290	<div> <div>83%</div> <div>5%</div> <div>12%</div> </div>
1	F	290	<div> <div>85%</div> <div>6%</div> <div>10%</div> </div>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	G	290	
1	H	290	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	NHE	A	302	-	-	-	X
3	NHE	C	302	-	-	-	X
3	NHE	H	302	-	-	-	X

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 15644 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative ribose 1,5-bisphosphate isomerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	260	Total	C	N	O	S	0	0	0
			1924	1230	322	360	12			
1	B	256	Total	C	N	O	S	0	0	0
			1888	1208	316	353	11			
1	C	255	Total	C	N	O	S	0	0	0
			1887	1207	315	354	11			
1	D	255	Total	C	N	O	S	0	0	0
			1887	1207	315	354	11			
1	E	256	Total	C	N	O	S	0	0	0
			1895	1212	317	355	11			
1	F	262	Total	C	N	O	S	0	0	0
			1941	1239	325	365	12			
1	G	262	Total	C	N	O	S	0	0	0
			1940	1239	324	365	12			
1	H	259	Total	C	N	O	S	0	0	0
			1908	1219	319	359	11			

There are 184 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-22	MET	-	initiating methionine	UNP Q58018
A	-21	GLY	-	expression tag	UNP Q58018
A	-20	SER	-	expression tag	UNP Q58018
A	-19	ASP	-	expression tag	UNP Q58018
A	-18	LYS	-	expression tag	UNP Q58018
A	-17	ILE	-	expression tag	UNP Q58018
A	-16	HIS	-	expression tag	UNP Q58018
A	-15	HIS	-	expression tag	UNP Q58018
A	-14	HIS	-	expression tag	UNP Q58018
A	-13	HIS	-	expression tag	UNP Q58018
A	-12	HIS	-	expression tag	UNP Q58018
A	-11	HIS	-	expression tag	UNP Q58018
A	-10	SER	-	expression tag	UNP Q58018

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	-9	SER	-	expression tag	UNP Q58018
A	-8	GLY	-	expression tag	UNP Q58018
A	-7	GLU	-	expression tag	UNP Q58018
A	-6	ASN	-	expression tag	UNP Q58018
A	-5	LEU	-	expression tag	UNP Q58018
A	-4	TYR	-	expression tag	UNP Q58018
A	-3	PHE	-	expression tag	UNP Q58018
A	-2	GLN	-	expression tag	UNP Q58018
A	-1	GLY	-	expression tag	UNP Q58018
A	0	HIS	-	expression tag	UNP Q58018
B	-22	MET	-	initiating methionine	UNP Q58018
B	-21	GLY	-	expression tag	UNP Q58018
B	-20	SER	-	expression tag	UNP Q58018
B	-19	ASP	-	expression tag	UNP Q58018
B	-18	LYS	-	expression tag	UNP Q58018
B	-17	ILE	-	expression tag	UNP Q58018
B	-16	HIS	-	expression tag	UNP Q58018
B	-15	HIS	-	expression tag	UNP Q58018
B	-14	HIS	-	expression tag	UNP Q58018
B	-13	HIS	-	expression tag	UNP Q58018
B	-12	HIS	-	expression tag	UNP Q58018
B	-11	HIS	-	expression tag	UNP Q58018
B	-10	SER	-	expression tag	UNP Q58018
B	-9	SER	-	expression tag	UNP Q58018
B	-8	GLY	-	expression tag	UNP Q58018
B	-7	GLU	-	expression tag	UNP Q58018
B	-6	ASN	-	expression tag	UNP Q58018
B	-5	LEU	-	expression tag	UNP Q58018
B	-4	TYR	-	expression tag	UNP Q58018
B	-3	PHE	-	expression tag	UNP Q58018
B	-2	GLN	-	expression tag	UNP Q58018
B	-1	GLY	-	expression tag	UNP Q58018
B	0	HIS	-	expression tag	UNP Q58018
C	-22	MET	-	initiating methionine	UNP Q58018
C	-21	GLY	-	expression tag	UNP Q58018
C	-20	SER	-	expression tag	UNP Q58018
C	-19	ASP	-	expression tag	UNP Q58018
C	-18	LYS	-	expression tag	UNP Q58018
C	-17	ILE	-	expression tag	UNP Q58018
C	-16	HIS	-	expression tag	UNP Q58018
C	-15	HIS	-	expression tag	UNP Q58018
C	-14	HIS	-	expression tag	UNP Q58018

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	-13	HIS	-	expression tag	UNP Q58018
C	-12	HIS	-	expression tag	UNP Q58018
C	-11	HIS	-	expression tag	UNP Q58018
C	-10	SER	-	expression tag	UNP Q58018
C	-9	SER	-	expression tag	UNP Q58018
C	-8	GLY	-	expression tag	UNP Q58018
C	-7	GLU	-	expression tag	UNP Q58018
C	-6	ASN	-	expression tag	UNP Q58018
C	-5	LEU	-	expression tag	UNP Q58018
C	-4	TYR	-	expression tag	UNP Q58018
C	-3	PHE	-	expression tag	UNP Q58018
C	-2	GLN	-	expression tag	UNP Q58018
C	-1	GLY	-	expression tag	UNP Q58018
C	0	HIS	-	expression tag	UNP Q58018
D	-22	MET	-	initiating methionine	UNP Q58018
D	-21	GLY	-	expression tag	UNP Q58018
D	-20	SER	-	expression tag	UNP Q58018
D	-19	ASP	-	expression tag	UNP Q58018
D	-18	LYS	-	expression tag	UNP Q58018
D	-17	ILE	-	expression tag	UNP Q58018
D	-16	HIS	-	expression tag	UNP Q58018
D	-15	HIS	-	expression tag	UNP Q58018
D	-14	HIS	-	expression tag	UNP Q58018
D	-13	HIS	-	expression tag	UNP Q58018
D	-12	HIS	-	expression tag	UNP Q58018
D	-11	HIS	-	expression tag	UNP Q58018
D	-10	SER	-	expression tag	UNP Q58018
D	-9	SER	-	expression tag	UNP Q58018
D	-8	GLY	-	expression tag	UNP Q58018
D	-7	GLU	-	expression tag	UNP Q58018
D	-6	ASN	-	expression tag	UNP Q58018
D	-5	LEU	-	expression tag	UNP Q58018
D	-4	TYR	-	expression tag	UNP Q58018
D	-3	PHE	-	expression tag	UNP Q58018
D	-2	GLN	-	expression tag	UNP Q58018
D	-1	GLY	-	expression tag	UNP Q58018
D	0	HIS	-	expression tag	UNP Q58018
E	-22	MET	-	initiating methionine	UNP Q58018
E	-21	GLY	-	expression tag	UNP Q58018
E	-20	SER	-	expression tag	UNP Q58018
E	-19	ASP	-	expression tag	UNP Q58018
E	-18	LYS	-	expression tag	UNP Q58018

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	-17	ILE	-	expression tag	UNP Q58018
E	-16	HIS	-	expression tag	UNP Q58018
E	-15	HIS	-	expression tag	UNP Q58018
E	-14	HIS	-	expression tag	UNP Q58018
E	-13	HIS	-	expression tag	UNP Q58018
E	-12	HIS	-	expression tag	UNP Q58018
E	-11	HIS	-	expression tag	UNP Q58018
E	-10	SER	-	expression tag	UNP Q58018
E	-9	SER	-	expression tag	UNP Q58018
E	-8	GLY	-	expression tag	UNP Q58018
E	-7	GLU	-	expression tag	UNP Q58018
E	-6	ASN	-	expression tag	UNP Q58018
E	-5	LEU	-	expression tag	UNP Q58018
E	-4	TYR	-	expression tag	UNP Q58018
E	-3	PHE	-	expression tag	UNP Q58018
E	-2	GLN	-	expression tag	UNP Q58018
E	-1	GLY	-	expression tag	UNP Q58018
E	0	HIS	-	expression tag	UNP Q58018
F	-22	MET	-	initiating methionine	UNP Q58018
F	-21	GLY	-	expression tag	UNP Q58018
F	-20	SER	-	expression tag	UNP Q58018
F	-19	ASP	-	expression tag	UNP Q58018
F	-18	LYS	-	expression tag	UNP Q58018
F	-17	ILE	-	expression tag	UNP Q58018
F	-16	HIS	-	expression tag	UNP Q58018
F	-15	HIS	-	expression tag	UNP Q58018
F	-14	HIS	-	expression tag	UNP Q58018
F	-13	HIS	-	expression tag	UNP Q58018
F	-12	HIS	-	expression tag	UNP Q58018
F	-11	HIS	-	expression tag	UNP Q58018
F	-10	SER	-	expression tag	UNP Q58018
F	-9	SER	-	expression tag	UNP Q58018
F	-8	GLY	-	expression tag	UNP Q58018
F	-7	GLU	-	expression tag	UNP Q58018
F	-6	ASN	-	expression tag	UNP Q58018
F	-5	LEU	-	expression tag	UNP Q58018
F	-4	TYR	-	expression tag	UNP Q58018
F	-3	PHE	-	expression tag	UNP Q58018
F	-2	GLN	-	expression tag	UNP Q58018
F	-1	GLY	-	expression tag	UNP Q58018
F	0	HIS	-	expression tag	UNP Q58018
G	-22	MET	-	initiating methionine	UNP Q58018

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
G	-21	GLY	-	expression tag	UNP Q58018
G	-20	SER	-	expression tag	UNP Q58018
G	-19	ASP	-	expression tag	UNP Q58018
G	-18	LYS	-	expression tag	UNP Q58018
G	-17	ILE	-	expression tag	UNP Q58018
G	-16	HIS	-	expression tag	UNP Q58018
G	-15	HIS	-	expression tag	UNP Q58018
G	-14	HIS	-	expression tag	UNP Q58018
G	-13	HIS	-	expression tag	UNP Q58018
G	-12	HIS	-	expression tag	UNP Q58018
G	-11	HIS	-	expression tag	UNP Q58018
G	-10	SER	-	expression tag	UNP Q58018
G	-9	SER	-	expression tag	UNP Q58018
G	-8	GLY	-	expression tag	UNP Q58018
G	-7	GLU	-	expression tag	UNP Q58018
G	-6	ASN	-	expression tag	UNP Q58018
G	-5	LEU	-	expression tag	UNP Q58018
G	-4	TYR	-	expression tag	UNP Q58018
G	-3	PHE	-	expression tag	UNP Q58018
G	-2	GLN	-	expression tag	UNP Q58018
G	-1	GLY	-	expression tag	UNP Q58018
G	0	HIS	-	expression tag	UNP Q58018
H	-22	MET	-	initiating methionine	UNP Q58018
H	-21	GLY	-	expression tag	UNP Q58018
H	-20	SER	-	expression tag	UNP Q58018
H	-19	ASP	-	expression tag	UNP Q58018
H	-18	LYS	-	expression tag	UNP Q58018
H	-17	ILE	-	expression tag	UNP Q58018
H	-16	HIS	-	expression tag	UNP Q58018
H	-15	HIS	-	expression tag	UNP Q58018
H	-14	HIS	-	expression tag	UNP Q58018
H	-13	HIS	-	expression tag	UNP Q58018
H	-12	HIS	-	expression tag	UNP Q58018
H	-11	HIS	-	expression tag	UNP Q58018
H	-10	SER	-	expression tag	UNP Q58018
H	-9	SER	-	expression tag	UNP Q58018
H	-8	GLY	-	expression tag	UNP Q58018
H	-7	GLU	-	expression tag	UNP Q58018
H	-6	ASN	-	expression tag	UNP Q58018
H	-5	LEU	-	expression tag	UNP Q58018
H	-4	TYR	-	expression tag	UNP Q58018
H	-3	PHE	-	expression tag	UNP Q58018

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	-2	GLN	-	expression tag	UNP Q58018
H	-1	GLY	-	expression tag	UNP Q58018
H	0	HIS	-	expression tag	UNP Q58018


- Molecule 2 is [[(2R,3S,4R,5R)-5-(6-aminopurin-9-yl)-3,4-bis(oxidanyl)oxolan-2-yl]methoxy-oxidanyl-phosphoryl] [(2R,3R)-2,3,5-tris(oxidanyl)-4-oxidanylidene-pentyl] hydrogen phosphate (three-letter code: 48F) (formula: C<sub>15</sub>H<sub>23</sub>N<sub>5</sub>O<sub>14</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	B	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	C	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	D	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	E	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	F	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	G	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	H	1	Total	C	N	O	P	0	0
			36	15	5	14	2		

- Molecule 3 is 2-[N-CYCLOHEXYLAMINO]ETHANE SULFONIC ACID (three-letter code:

NHE) (formula: C<sub>8</sub>H<sub>17</sub>NO<sub>3</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			13	8	1	3	1		
3	C	1	Total	C	N	O	S	0	0
			13	8	1	3	1		
3	F	1	Total	C	N	O	S	0	0
			13	8	1	3	1		
3	G	1	Total	C	N	O	S	0	0
			13	8	1	3	1		
3	H	1	Total	C	N	O	S	0	0
			13	8	1	3	1		


- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	3	Total	O	0	0
			3	3		
4	C	2	Total	O	0	0
			2	2		
4	D	2	Total	O	0	0
			2	2		
4	E	1	Total	O	0	0
			1	1		
4	F	5	Total	O	0	0
			5	5		
4	G	8	Total	O	0	0
			8	8		

### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Putative ribose 1,5-bisphosphate isomerase

Chain A: 





- Molecule 1: Putative ribose 1,5-bisphosphate isomerase

Chain B: 





- Molecule 1: Putative ribose 1,5-bisphosphate isomerase

Chain C: 



- Molecule 1: Putative ribose 1,5-bisphosphate isomerase

Chain D: 



ASN  
LYS  
GLU


- Molecule 1: Putative ribose 1,5-bisphosphate isomerase

Chain E: 

83%

5%

12%



- Molecule 1: Putative ribose 1,5-bisphosphate isomerase

Chain F: 

85%

6%

10%



- Molecule 1: Putative ribose 1,5-bisphosphate isomerase

Chain G: 

85%

5%

10%



LYS  
GLU


- Molecule 1: Putative ribose 1,5-bisphosphate isomerase

Chain H: 

84%

6%

11%



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 32	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	180.76 Å   180.76 Å   73.33 Å 90.00°   90.00°   120.00°	Depositor
Resolution (Å)	40.00 – 2.71 39.14 – 2.71	Depositor EDS
% Data completeness (in resolution range)	99.0 (40.00-2.71) 99.1 (39.14-2.71)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	0.07	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.40 (at 2.73 Å)	Xtriage
Refinement program	REFMAC 5.8.0103	Depositor
R, $R_{free}$	0.177 , 0.203 0.180 , 0.202	Depositor DCC
$R_{free}$ test set	3646 reflections (5.31%)	DCC
Wilson B-factor (Å <sup>2</sup> )	55.6	Xtriage
Anisotropy	0.071	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 26.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.016 for -h,-k,l 0.477 for h,-h-k,-l 0.017 for -k,-h,-l	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	15644	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.93% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NHE, 48F

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.46	0/1954	0.65	1/2647 (0.0%)
1	B	0.51	0/1918	0.67	1/2600 (0.0%)
1	C	0.46	0/1917	0.63	0/2598
1	D	0.47	0/1917	0.64	0/2598
1	E	0.53	0/1925	0.66	1/2608 (0.0%)
1	F	0.48	0/1971	0.65	0/2670
1	G	0.49	0/1970	0.65	1/2670 (0.0%)
1	H	0.46	0/1938	0.65	1/2629 (0.0%)
All	All	0.48	0/15510	0.65	5/21020 (0.0%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	240	ARG	NE-CZ-NH2	6.07	123.33	120.30
1	A	240	ARG	NE-CZ-NH2	5.98	123.29	120.30
1	E	240	ARG	NE-CZ-NH2	5.95	123.28	120.30
1	H	240	ARG	NE-CZ-NH2	5.77	123.18	120.30
1	G	240	ARG	NE-CZ-NH2	5.08	122.84	120.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1924	0	1946	36	0
1	B	1888	0	1905	41	0
1	C	1887	0	1907	39	0
1	D	1887	0	1907	40	0
1	E	1895	0	1918	14	0
1	F	1941	0	1958	22	0
1	G	1940	0	1956	23	0
1	H	1908	0	1915	18	0
2	A	36	0	0	1	0
2	B	36	0	0	0	0
2	C	36	0	0	0	0
2	D	36	0	0	0	0
2	E	36	0	0	0	0
2	F	36	0	0	0	0
2	G	36	0	0	0	0
2	H	36	0	0	0	0
3	A	13	0	16	0	0
3	C	13	0	17	0	0
3	F	13	0	16	0	0
3	G	13	0	16	0	0
3	H	13	0	16	0	0
4	B	3	0	0	0	0
4	C	2	0	0	0	0
4	D	2	0	0	0	0
4	E	1	0	0	0	0
4	F	5	0	0	0	0
4	G	8	0	0	2	0
All	All	15644	0	15493	155	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 155 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:28:PHE:CE1	1:B:28:PHE:HB2	1.08	1.61
1:A:28:PHE:CD2	1:B:28:PHE:CD1	1.91	1.56
1:C:28:PHE:CD2	1:D:28:PHE:CD1	1.96	1.53
1:A:28:PHE:CZ	1:B:28:PHE:HA	1.42	1.50
1:A:28:PHE:CZ	1:B:28:PHE:CA	1.97	1.44

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	258/290 (89%)	249 (96%)	9 (4%)	0	100	100
1	B	254/290 (88%)	246 (97%)	8 (3%)	0	100	100
1	C	253/290 (87%)	245 (97%)	8 (3%)	0	100	100
1	D	253/290 (87%)	245 (97%)	8 (3%)	0	100	100
1	E	254/290 (88%)	246 (97%)	8 (3%)	0	100	100
1	F	260/290 (90%)	251 (96%)	9 (4%)	0	100	100
1	G	260/290 (90%)	250 (96%)	10 (4%)	0	100	100
1	H	257/290 (89%)	248 (96%)	9 (4%)	0	100	100
All	All	2049/2320 (88%)	1980 (97%)	69 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	195/229 (85%)	194 (100%)	1 (0%)	92	97
1	B	190/229 (83%)	188 (99%)	2 (1%)	80	94
1	C	191/229 (83%)	189 (99%)	2 (1%)	82	94
1	D	191/229 (83%)	188 (98%)	3 (2%)	70	90
1	E	192/229 (84%)	191 (100%)	1 (0%)	92	97
1	F	197/229 (86%)	195 (99%)	2 (1%)	82	94

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	197/229 (86%)	196 (100%)	1 (0%)	92	97
1	H	192/229 (84%)	191 (100%)	1 (0%)	92	97
All	All	1545/1832 (84%)	1532 (99%)	13 (1%)	86	95

5 of 13 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	28	PHE
1	D	97	GLU
1	F	241	MET
1	C	155	SER
1	F	155	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 11 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	236	HIS
1	E	236	HIS
1	G	236	HIS
1	C	236	HIS
1	F	236	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

13 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	48F	A	301	-	32,38,38	1.08	3 (9%)	32,57,57	2.17	4 (12%)
3	NHE	A	302	-	13,13,13	2.78	2 (15%)	16,17,17	2.30	3 (18%)
2	48F	B	301	-	32,38,38	1.22	3 (9%)	32,57,57	1.73	2 (6%)
2	48F	C	301	-	32,38,38	1.07	2 (6%)	32,57,57	1.75	4 (12%)
3	NHE	C	302	-	13,13,13	2.28	2 (15%)	16,17,17	1.93	3 (18%)
2	48F	D	301	-	32,38,38	1.05	1 (3%)	32,57,57	1.81	3 (9%)
2	48F	E	301	-	32,38,38	1.24	3 (9%)	32,57,57	1.72	4 (12%)
2	48F	F	301	-	32,38,38	1.08	2 (6%)	32,57,57	2.06	5 (15%)
3	NHE	F	302	-	13,13,13	2.77	2 (15%)	16,17,17	2.48	3 (18%)
2	48F	G	301	-	32,38,38	1.17	3 (9%)	32,57,57	2.13	6 (18%)
3	NHE	G	302	-	13,13,13	2.91	2 (15%)	16,17,17	1.37	2 (12%)
2	48F	H	301	-	32,38,38	1.03	1 (3%)	32,57,57	1.87	5 (15%)
3	NHE	H	302	-	13,13,13	2.79	2 (15%)	16,17,17	1.40	3 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	48F	A	301	-	-	0/28/48/48	0/3/3/3
3	NHE	A	302	-	-	0/7/15/15	0/1/1/1
2	48F	B	301	-	-	0/28/48/48	0/3/3/3
2	48F	C	301	-	-	0/28/48/48	0/3/3/3
3	NHE	C	302	-	-	0/7/15/15	0/1/1/1
2	48F	D	301	-	-	0/28/48/48	0/3/3/3
2	48F	E	301	-	-	0/28/48/48	0/3/3/3
2	48F	F	301	-	-	1/28/48/48	0/3/3/3
3	NHE	F	302	-	-	0/7/15/15	0/1/1/1
2	48F	G	301	-	-	1/28/48/48	0/3/3/3
3	NHE	G	302	-	-	0/7/15/15	0/1/1/1
2	48F	H	301	-	-	0/28/48/48	0/3/3/3

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NHE	H	302	-	-	0/7/15/15	0/1/1/1

The worst 5 of 28 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	G	302	NHE	C2-S	-7.76	1.65	1.77
3	A	302	NHE	C2-S	-7.37	1.66	1.77
3	F	302	NHE	C2-S	-7.28	1.66	1.77
3	H	302	NHE	C2-S	-7.21	1.66	1.77
3	C	302	NHE	C2-S	-6.36	1.68	1.77

The worst 5 of 47 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	301	48F	N3-C2-N1	-9.06	121.76	128.87
2	A	301	48F	N3-C2-N1	-8.84	121.93	128.87
2	F	301	48F	N3-C2-N1	-8.80	121.96	128.87
2	H	301	48F	N3-C2-N1	-8.20	122.43	128.87
2	B	301	48F	N3-C2-N1	-8.00	122.58	128.87

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	G	301	48F	O2D-C2D-C1D-O1D
2	F	301	48F	O2D-C2D-C1D-O1D

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	48F	1	0

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	260/290 (89%)	-0.11	1 (0%) 93 94	39, 55, 80, 121	0
1	B	256/290 (88%)	-0.19	0 100 100	37, 47, 70, 116	0
1	C	255/290 (87%)	-0.09	1 (0%) 93 94	40, 54, 80, 143	0
1	D	255/290 (87%)	-0.09	1 (0%) 93 94	37, 55, 81, 139	0
1	E	256/290 (88%)	-0.15	0 100 100	37, 47, 71, 114	0
1	F	262/290 (90%)	-0.17	0 100 100	37, 51, 72, 115	0
1	G	262/290 (90%)	-0.19	0 100 100	37, 50, 73, 115	0
1	H	259/290 (89%)	-0.11	1 (0%) 93 94	39, 55, 79, 120	0
All	All	2065/2320 (89%)	-0.14	4 (0%) 95 96	37, 52, 78, 143	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	28	PHE	2.7
1	A	7	ILE	2.2
1	H	28	PHE	2.1
1	D	28	PHE	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	NHE	H	302	13/13	0.88	0.33	4.71	89,94,111,112	0
3	NHE	A	302	13/13	0.89	0.30	2.57	94,99,116,119	0
3	NHE	C	302	13/13	0.87	0.26	2.28	108,115,122,131	0
3	NHE	G	302	13/13	0.95	0.24	1.98	64,75,83,87	0
3	NHE	F	302	13/13	0.96	0.24	1.70	69,72,81,83	0
2	48F	B	301	36/36	0.95	0.20	1.00	50,63,88,101	0
2	48F	E	301	36/36	0.96	0.19	0.67	49,64,89,106	0
2	48F	G	301	36/36	0.97	0.16	0.06	44,57,75,91	0
2	48F	H	301	36/36	0.96	0.17	0.04	52,61,80,81	0
2	48F	F	301	36/36	0.97	0.16	-0.13	45,58,78,96	0
2	48F	A	301	36/36	0.97	0.16	-0.25	47,61,78,81	0
2	48F	D	301	36/36	0.97	0.14	-0.88	56,68,79,87	0
2	48F	C	301	36/36	0.97	0.14	-0.90	56,68,79,84	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.