



wwPDB X-ray Structure Validation Summary Report ⓘ

Jan 31, 2016 – 11:57 PM GMT

PDB ID : 1YHQ
Title : Crystal Structure Of Azithromycin Bound To The G2099A Mutant 50S Ribosomal Subunit Of Haloarcula Marismortui
Authors : Tu, D.; Blaha, G.; Moore, P.B.; Steitz, T.A.
Deposited on : 2005-01-10
Resolution : 2.40 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2919 (2.40-2.40)
Clashscore	102246	3407 (2.40-2.40)
Ramachandran outliers	100387	3351 (2.40-2.40)
Sidechain outliers	100360	3352 (2.40-2.40)
RSRZ outliers	91569	2928 (2.40-2.40)
RNA backbone	2183	1073 (2.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	2922	<div> <div>3%</div> <div> <div></div> <div>65%</div> <div>24%</div> <div>6%</div> </div> </div>
2	9	122	<div> <div>5%</div> <div> <div></div> <div>60%</div> <div>30%</div> <div>9%</div> </div> </div>
3	A	240	<div> <div>6%</div> <div> <div></div> <div>63%</div> <div>30%</div> <div>5%</div> </div> </div>
4	B	338	<div> <div>3%</div> <div> <div></div> <div>60%</div> <div>36%</div> <div></div> </div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	C	246	
6	D	177	
7	E	178	
8	F	120	
9	G	348	
10	H	177	
11	I	162	
12	J	145	
13	K	132	
14	L	165	
15	M	194	
16	N	187	
17	O	116	
18	P	149	
19	Q	96	
20	R	155	
21	S	85	
22	T	120	
23	U	66	
24	V	71	
25	W	154	
26	X	92	
27	Y	241	
28	Z	83	
29	1	57	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
30	2	50	
31	3	92	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
35	NA	0	8517	-	-	-	X
35	NA	0	8521	-	-	-	X
35	NA	0	8523	-	-	-	X
35	NA	0	8527	-	-	-	X
35	NA	0	8528	-	-	-	X
35	NA	0	8534	-	-	-	X
35	NA	0	8535	-	-	-	X
35	NA	0	8542	-	-	-	X
35	NA	0	8547	-	-	-	X
35	NA	0	8550	-	-	-	X
35	NA	0	8553	-	-	-	X
35	NA	0	8555	-	-	-	X
35	NA	0	8559	-	-	-	X
35	NA	0	8560	-	-	-	X
35	NA	0	8562	-	-	-	X
35	NA	0	8563	-	-	-	X
35	NA	0	8564	-	-	-	X
35	NA	0	8565	-	-	-	X
35	NA	0	8568	-	-	-	X
35	NA	0	8571	-	-	-	X
35	NA	9	8572	-	-	-	X
35	NA	R	8575	-	-	-	X
36	CL	M	8818	-	-	-	X
37	SR	0	8903	-	-	-	X
37	SR	0	8969	-	-	-	X
37	SR	0	8992	-	-	-	X
37	SR	A	8929	-	-	-	X
37	SR	B	8987	-	-	-	X

2 Entry composition

There are 39 unique types of molecules in this entry. The entry contains 99116 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	0	2754	Total	C	N	O	P	0	0	0
			59020	26349	10873	19053	2745			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
0	628	1MA	A	MODIFIED RESIDUE	GB 55229667
0	2099	A	G	ENGINEERED	GB 55229667
0	2587	OMU	U	MODIFIED RESIDUE	GB 55229667
0	2588	OMG	G	MODIFIED RESIDUE	GB 55229667
0	2619	UR3	U	MODIFIED RESIDUE	GB 55229667
0	2621	PSU	U	MODIFIED RESIDUE	GB 55229667

- Molecule 2 is a RNA chain called 5S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	9	122	Total	C	N	O	P	0	0	0
			2599	1160	471	847	121			

- Molecule 3 is a protein called 50S ribosomal protein L2P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	A	237	Total	C	N	O	S	0	0	0
			1753	1072	352	324	5			

- Molecule 4 is a protein called 50S ribosomal protein L3P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	B	337	Total	C	N	O	S	0	0	0
			2625	1616	493	511	5			

- Molecule 5 is a protein called 50S ribosomal protein L4E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	C	246	Total	C	N	O	S	0	0	0
			1859	1131	344	383	1			

- Molecule 6 is a protein called 50S ribosomal protein L5P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	D	140	Total	C	N	O	S	0	0	0
			1094	685	195	210	4			

- Molecule 7 is a protein called 50S ribosomal protein L6P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	E	172	Total	C	N	O	S	0	0	0
			1357	840	224	289	4			

- Molecule 8 is a protein called 50S ribosomal protein L7AE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	F	119	Total	C	N	O	S	0	0	0
			890	551	141	197	1			

- Molecule 9 is a protein called ACIDIC RIBOSOMAL PROTEIN P0 HOMOLOG.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	G	29	Total	C	N	O	S	0	0	0
			240	149	39	51	1			

- Molecule 10 is a protein called 50S RIBOSOMAL PROTEIN L10E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	H	160	Total	C	N	O	S	0	0	0
			1282	798	240	238	6			

- Molecule 11 is a protein called 50S RIBOSOMAL PROTEIN L11P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	I	70	Total	C	N	O	S	0	0	0
			519	323	81	114	1			

- Molecule 12 is a protein called 50S ribosomal protein L13P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	J	142	Total	C	N	O	S	0	0	0
			1120	696	199	222	3			

- Molecule 13 is a protein called 50S ribosomal protein L14P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	K	132	Total	C	N	O	S	0	0	0
			992	609	187	192	4			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	44	LEU	HIS	CONFLICT	UNP P22450

- Molecule 14 is a protein called 50S ribosomal protein L15P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	L	145	Total	C	N	O	S	0	0	0
			1118	670	222	226				

- Molecule 15 is a protein called 50S Ribosomal Protein L15E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	M	194	Total	C	N	O	S	0	0	0
			1558	942	332	283	1			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
M	13	GLU	LYS	CONFLICT	GB 55231501

- Molecule 16 is a protein called 50S ribosomal protein L18P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	N	186	Total	C	N	O	S	0	0	0
			1445	895	262	286	2			

- Molecule 17 is a protein called 50S ribosomal protein L18e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	O	115	Total	C	N	O	S	0	0	0
			865	529	161	175				

- Molecule 18 is a protein called 50S ribosomal protein L19E.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
18	P	143	Total	C	N	O	0	0	0
			1136	683	229	224			

- Molecule 19 is a protein called 50S ribosomal protein L21e.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
19	Q	95	Total	C	N	O	0	0	0
			735	450	141	144			

- Molecule 20 is a protein called 50S ribosomal protein L22P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	R	150	Total	C	N	O	S	0	0	0
			1149	713	209	223	4			

- Molecule 21 is a protein called 50S ribosomal protein L23P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	S	81	Total	C	N	O	S	0	0	0
			641	389	111	138	3			

- Molecule 22 is a protein called 50S ribosomal protein L24P.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
22	T	119	Total	C	N	O	0	0	0
			950	568	180	202			

- Molecule 23 is a protein called 50S ribosomal protein L24E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	U	53	Total	C	N	O	S	0	0	0
			410	244	75	86	5			

- Molecule 24 is a protein called 50S ribosomal protein L29P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	V	65	Total	C	N	O	S	0	0	0
			499	304	94	100	1			

- Molecule 25 is a protein called 50S ribosomal protein L30P.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
25	W	154	Total	C	N	O	S	0	0	0
			1196	737	209	244	6			

- Molecule 26 is a protein called 50S ribosomal protein L31e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	X	82	Total	C	N	O	S	0	0	0
			654	402	129	122	1			

- Molecule 27 is a protein called 50S ribosomal protein L32E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	Y	142	Total	C	N	O	S	0	0	0
			1130	686	228	216				

- Molecule 28 is a protein called 50S ribosomal protein L37Ae.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	Z	73	Total	C	N	O	S	0	0	0
			578	346	116	111	5			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Z	10	ARG	SER	CONFLICT	GB 55231162

- Molecule 29 is a protein called 50S ribosomal protein L37e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	1	56	Total	C	N	O	S	0	0	0
			431	258	86	83	4			


- Molecule 30 is a protein called 50S ribosomal protein L39e.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	2	46	Total	C	N	O	S	0	0	0
			396	239	89	67	1			

- Molecule 31 is a protein called 50S ribosomal protein L44E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	3	92	Total	C	N	O	S	0	0	0
			755	458	153	137	7			

- Molecule 32 is AZITHROMYCIN (three-letter code: ZIT) (formula: C₃₈H₇₂N₂O₁₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
32	0	1	Total	C	N	O	0	0
			52	38	2	12		

- Molecule 33 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
33	0	86	Total	Mg	0	0
			86	86		
33	Y	1	Total	Mg	0	0
			1	1		
33	K	1	Total	Mg	0	0
			1	1		
33	B	1	Total	Mg	0	0
			1	1		
33	A	2	Total	Mg	0	0
			2	2		
33	T	1	Total	Mg	0	0
			1	1		
33	9	1	Total	Mg	0	0
			1	1		

- Molecule 34 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
34	0	2	Total K 2 2	0	0

- Molecule 35 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
35	0	65	Total Na 65 65	0	0
35	J	1	Total Na 1 1	0	0
35	Q	1	Total Na 1 1	0	0
35	H	1	Total Na 1 1	0	0
35	C	1	Total Na 1 1	0	0
35	R	2	Total Na 2 2	0	0
35	9	2	Total Na 2 2	0	0
35	S	1	Total Na 1 1	0	0
35	M	1	Total Na 1 1	0	0

- Molecule 36 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
36	0	10	Total Cl 10 10	0	0
36	J	3	Total Cl 3 3	0	0
36	B	1	Total Cl 1 1	0	0
36	A	1	Total Cl 1 1	0	0
36	N	1	Total Cl 1 1	0	0
36	O	1	Total Cl 1 1	0	0
36	R	1	Total Cl 1 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
36	Y	1	Total 1	Cl 1	0	0
36	L	1	Total 1	Cl 1	0	0
36	3	1	Total 1	Cl 1	0	0
36	M	1	Total 1	Cl 1	0	0

- Molecule 37 is STRONTIUM ION (three-letter code: SR) (formula: Sr).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
37	0	94	Total 94	Sr 94	0	0
37	1	2	Total 2	Sr 2	0	0
37	H	1	Total 1	Sr 1	0	0
37	B	2	Total 2	Sr 2	0	0
37	3	1	Total 1	Sr 1	0	0
37	A	3	Total 3	Sr 3	0	0
37	R	1	Total 1	Sr 1	0	0
37	9	2	Total 2	Sr 2	0	0
37	S	1	Total 1	Sr 1	0	0
37	F	1	Total 1	Sr 1	0	0

- Molecule 38 is CADMIUM ION (three-letter code: CD) (formula: Cd).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
38	O	1	Total 1	Cd 1	0	0
38	Z	1	Total 1	Cd 1	0	0
38	1	1	Total 1	Cd 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
38	3	1	Total	Cd	0	0
			1	1		
38	U	1	Total	Cd	0	0
			1	1		

- Molecule 39 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
39	0	5845	Total	O	0	0
			5845	5845		
39	9	145	Total	O	0	0
			145	145		
39	A	118	Total	O	0	0
			118	118		
39	B	151	Total	O	0	0
			151	151		
39	C	176	Total	O	0	0
			176	176		
39	D	49	Total	O	0	0
			49	49		
39	E	40	Total	O	0	0
			40	40		
39	F	26	Total	O	0	0
			26	26		
39	G	18	Total	O	0	0
			18	18		
39	H	72	Total	O	0	0
			72	72		
39	I	8	Total	O	0	0
			8	8		
39	J	59	Total	O	0	0
			59	59		
39	K	58	Total	O	0	0
			58	58		
39	L	72	Total	O	0	0
			72	72		
39	M	124	Total	O	0	0
			124	124		
39	N	61	Total	O	0	0
			61	61		
39	O	38	Total	O	0	0
			38	38		


Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
39	P	66	Total 66	O 66	0	0
39	Q	53	Total 53	O 53	0	0
39	R	87	Total 87	O 87	0	0
39	S	32	Total 32	O 32	0	0
39	T	41	Total 41	O 41	0	0
39	U	28	Total 28	O 28	0	0
39	V	12	Total 12	O 12	0	0
39	W	68	Total 68	O 68	0	0
39	X	24	Total 24	O 24	0	0
39	Y	95	Total 95	O 95	0	0
39	Z	32	Total 32	O 32	0	0
39	1	50	Total 50	O 50	0	0
39	2	44	Total 44	O 44	0	0
39	3	71	Total 71	O 71	0	0




- Molecule 2: 5S Ribosomal RNA




- Molecule 3: 50S ribosomal protein L2P




- Molecule 4: 50S ribosomal protein L3P




- Molecule 5: 50S ribosomal protein L4E







• Molecule 6: 50S ribosomal protein L5P




• Molecule 7: 50S ribosomal protein L6P




• Molecule 8: 50S ribosomal protein L7AE




• Molecule 9: ACIDIC RIBOSOMAL PROTEIN P0 HOMOLOG







- Molecule 10: 50S RIBOSOMAL PROTEIN L10E



- Molecule 11: 50S RIBOSOMAL PROTEIN L11P




- Molecule 12: 50S ribosomal protein L13P




- Molecule 13: 50S ribosomal protein L14P








• Molecule 14: 50S ribosomal protein L15P




• Molecule 15: 50S Ribosomal Protein L15E




• Molecule 16: 50S ribosomal protein L18P




• Molecule 17: 50S ribosomal protein L18e




- Molecule 18: 50S ribosomal protein L19E




- Molecule 19: 50S ribosomal protein L21e




- Molecule 20: 50S ribosomal protein L22P



- Molecule 21: 50S ribosomal protein L23P




- Molecule 22: 50S ribosomal protein L24P



- Molecule 23: 50S ribosomal protein L24E







- Molecule 24: 50S ribosomal protein L29P




- Molecule 25: 50S ribosomal protein L30P



- Molecule 26: 50S ribosomal protein L31e



- Molecule 27: 50S ribosomal protein L32E



- Molecule 28: 50S ribosomal protein L37Ae







- Molecule 29: 50S ribosomal protein L37e



- Molecule 30: 50S ribosomal protein L39e



- Molecule 31: 50S ribosomal protein L44E



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	212.08Å 298.91Å 574.82Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.96 – 2.40 49.82 – 2.40	Depositor EDS
% Data completeness (in resolution range)	90.2 (29.96-2.40) 90.2 (49.82-2.40)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.01 (at 2.39Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.190 , 0.229 0.190 , 0.227	Depositor DCC
R_{free} test set	6149 reflections (0.98%)	DCC
Wilson B-factor (Å ²)	41.0	Xtriage
Anisotropy	0.173	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 48.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 634402 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	99116	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.53% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG, OMG, CL, SR, NA, K, ZIT, CD, OMU, UR3, 1MA, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.35	0/65957	0.69	25/102867 (0.0%)
2	9	0.32	0/2904	0.70	1/4526 (0.0%)
3	A	0.33	0/1786	0.66	0/2408
4	B	0.31	0/2690	0.64	0/3652
5	C	0.37	0/1884	0.64	0/2551
6	D	0.29	0/1111	0.53	0/1498
7	E	0.31	0/1382	0.57	0/1880
8	F	0.31	0/901	0.55	0/1224
9	G	0.27	0/241	0.47	0/324
10	H	0.35	0/1302	0.65	0/1743
11	I	0.28	0/526	0.48	0/716
12	J	0.34	0/1136	0.59	0/1530
13	K	0.33	0/1001	0.65	0/1347
14	L	0.32	0/1130	0.64	0/1509
15	M	0.33	0/1582	0.61	0/2117
16	N	0.28	0/1474	0.60	0/1999
17	O	0.32	0/874	0.59	0/1181
18	P	0.32	0/1147	0.53	0/1528
19	Q	0.34	0/749	0.69	0/1005
20	R	0.34	0/1172	0.64	0/1578
21	S	0.32	0/648	0.58	1/875 (0.1%)
22	T	0.30	0/958	0.62	0/1289
23	U	0.32	0/417	0.53	0/562
24	V	0.29	0/502	0.53	0/675
25	W	0.33	0/1219	0.62	0/1655
26	X	0.31	0/664	0.56	0/895
27	Y	0.34	0/1146	0.62	0/1536
28	Z	0.34	0/589	0.64	0/787
29	1	0.40	0/438	0.64	0/578
30	2	0.33	0/401	0.55	0/529
31	3	0.36	0/771	0.58	0/1024
All	All	0.34	0/98702	0.67	27/147588 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	0	0	53
2	9	0	2
All	All	0	55

There are no bond length outliers.

The worst 5 of 27 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	0	1942	A	C5'-C4'-C3'	8.34	129.34	116.00
1	0	871	G	C5'-C4'-O4'	-7.87	99.66	109.10
2	9	39	U	N1-C1'-C2'	6.90	122.97	114.00
1	0	1979	G	C2'-C3'-O3'	6.61	124.27	113.70
1	0	1504	A	C1'-O4'-C4'	-6.48	104.71	109.90

There are no chirality outliers.

5 of 55 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	0	221	G	Sidechain
1	0	246	G	Sidechain
1	0	270	U	Sidechain
1	0	324	G	Sidechain
1	0	333	G	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	59020	0	29808	686	0
2	9	2599	0	1325	53	0
3	A	1753	0	1766	109	0
4	B	2625	0	2533	125	0
5	C	1859	0	1816	97	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	D	1094	0	1085	91	0
7	E	1357	0	1266	55	0
8	F	890	0	843	51	0
9	G	240	0	231	18	0
10	H	1282	0	1292	53	0
11	I	519	0	500	47	0
12	J	1120	0	1098	58	0
13	K	992	0	1031	56	0
14	L	1118	0	1076	52	0
15	M	1558	0	1566	63	0
16	N	1445	0	1401	100	0
17	O	865	0	873	30	0
18	P	1136	0	1123	34	0
19	Q	735	0	728	14	0
20	R	1149	0	1122	41	0
21	S	641	0	605	20	0
22	T	950	0	923	51	0
23	U	410	0	364	24	0
24	V	499	0	511	35	0
25	W	1196	0	1137	88	0
26	X	654	0	653	42	0
27	Y	1130	0	1133	58	0
28	Z	578	0	539	19	0
29	1	431	0	426	22	0
30	2	396	0	413	25	0
31	3	755	0	728	24	0
32	0	52	0	72	0	0
33	0	86	0	0	0	0
33	9	1	0	0	0	0
33	A	2	0	0	0	0
33	B	1	0	0	0	0
33	K	1	0	0	0	0
33	T	1	0	0	0	0
33	Y	1	0	0	0	0
34	0	2	0	0	0	0
35	0	65	0	0	0	0
35	9	2	0	0	0	0
35	C	1	0	0	0	0
35	H	1	0	0	0	0
35	J	1	0	0	0	0
35	M	1	0	0	0	0
35	Q	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
35	R	2	0	0	0	0
35	S	1	0	0	0	0
36	0	10	0	0	0	0
36	3	1	0	0	0	0
36	A	1	0	0	0	0
36	B	1	0	0	0	0
36	J	3	0	0	2	0
36	L	1	0	0	0	0
36	M	1	0	0	0	0
36	N	1	0	0	0	0
36	O	1	0	0	0	0
36	R	1	0	0	0	0
36	Y	1	0	0	0	0
37	0	94	0	0	0	0
37	1	2	0	0	0	0
37	3	1	0	0	0	0
37	9	2	0	0	0	0
37	A	3	0	0	0	0
37	B	2	0	0	0	0
37	F	1	0	0	0	0
37	H	1	0	0	0	0
37	R	1	0	0	0	0
37	S	1	0	0	0	0
38	1	1	0	0	0	0
38	3	1	0	0	0	0
38	O	1	0	0	0	0
38	U	1	0	0	0	0
38	Z	1	0	0	0	0
39	0	5845	0	0	120	0
39	1	50	0	0	2	0
39	2	44	0	0	3	0
39	3	71	0	0	5	0
39	9	145	0	0	4	0
39	A	118	0	0	19	0
39	B	151	0	0	25	0
39	C	176	0	0	24	0
39	D	49	0	0	19	0
39	E	40	0	0	5	0
39	F	26	0	0	7	0
39	G	18	0	0	2	0
39	H	72	0	0	12	0
39	I	8	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
39	J	59	0	0	2	0
39	K	58	0	0	7	0
39	L	72	0	0	15	0
39	M	124	0	0	8	0
39	N	61	0	0	12	0
39	O	38	0	0	6	0
39	P	66	0	0	4	0
39	Q	53	0	0	4	0
39	R	87	0	0	7	0
39	S	32	0	0	3	0
39	T	41	0	0	4	0
39	U	28	0	0	3	0
39	V	12	0	0	2	0
39	W	68	0	0	7	0
39	X	24	0	0	8	0
39	Y	95	0	0	13	0
39	Z	32	0	0	2	0
All	All	99116	0	59987	2007	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

The worst 5 of 2007 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:0:1160:G:H5'	1:0:1161:A:H5'	1.18	1.10
26:X:37:LEU:HD13	26:X:85:VAL:HG21	1.32	1.09
5:C:236:THR:HG22	5:C:239:ALA:H	1.10	1.06
6:D:25:MET:HE3	6:D:37:ALA:HB1	1.34	1.04
1:0:1242:A:H5'	12:J:82:THR:HG23	1.39	1.04

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	A	235/240 (98%)	218 (93%)	13 (6%)	4 (2%)	11	14
4	B	335/338 (99%)	314 (94%)	14 (4%)	7 (2%)	9	10
5	C	244/246 (99%)	226 (93%)	18 (7%)	0	100	100
6	D	134/177 (76%)	103 (77%)	20 (15%)	11 (8%)	1	0
7	E	170/178 (96%)	163 (96%)	7 (4%)	0	100	100
8	F	117/120 (98%)	104 (89%)	10 (8%)	3 (3%)	7	6
9	G	25/348 (7%)	25 (100%)	0	0	100	100
10	H	156/177 (88%)	143 (92%)	13 (8%)	0	100	100
11	I	68/162 (42%)	49 (72%)	17 (25%)	2 (3%)	6	5
12	J	140/145 (97%)	130 (93%)	8 (6%)	2 (1%)	14	19
13	K	130/132 (98%)	122 (94%)	8 (6%)	0	100	100
14	L	141/165 (86%)	124 (88%)	16 (11%)	1 (1%)	26	38
15	M	192/194 (99%)	181 (94%)	11 (6%)	0	100	100
16	N	184/187 (98%)	166 (90%)	13 (7%)	5 (3%)	6	6
17	O	113/116 (97%)	110 (97%)	3 (3%)	0	100	100
18	P	141/149 (95%)	139 (99%)	2 (1%)	0	100	100
19	Q	93/96 (97%)	89 (96%)	4 (4%)	0	100	100
20	R	148/155 (96%)	142 (96%)	6 (4%)	0	100	100
21	S	79/85 (93%)	74 (94%)	5 (6%)	0	100	100
22	T	117/120 (98%)	111 (95%)	5 (4%)	1 (1%)	21	30
23	U	51/66 (77%)	49 (96%)	2 (4%)	0	100	100
24	V	63/71 (89%)	58 (92%)	2 (3%)	3 (5%)	3	1
25	W	152/154 (99%)	147 (97%)	3 (2%)	2 (1%)	15	21
26	X	80/92 (87%)	73 (91%)	7 (9%)	0	100	100
27	Y	140/241 (58%)	139 (99%)	1 (1%)	0	100	100
28	Z	71/83 (86%)	61 (86%)	7 (10%)	3 (4%)	3	2
29	1	54/57 (95%)	52 (96%)	2 (4%)	0	100	100
30	2	42/50 (84%)	40 (95%)	1 (2%)	1 (2%)	7	7
31	3	90/92 (98%)	85 (94%)	5 (6%)	0	100	100
All	All	3705/4436 (84%)	3437 (93%)	223 (6%)	45 (1%)	16	23

5 of 45 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	A	27	LEU
3	A	37	VAL
6	D	171	ASP
8	F	101	ALA
12	J	5	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	A	179/182 (98%)	167 (93%)	12 (7%)	20	31
4	B	282/283 (100%)	268 (95%)	14 (5%)	30	48
5	C	193/193 (100%)	175 (91%)	18 (9%)	11	16
6	D	117/148 (79%)	113 (97%)	4 (3%)	44	65
7	E	152/156 (97%)	147 (97%)	5 (3%)	45	66
8	F	93/94 (99%)	92 (99%)	1 (1%)	80	92
9	G	27/283 (10%)	27 (100%)	0	100	100
10	H	134/145 (92%)	129 (96%)	5 (4%)	41	62
11	I	58/130 (45%)	58 (100%)	0	100	100
12	J	118/121 (98%)	110 (93%)	8 (7%)	20	31
13	K	106/106 (100%)	105 (99%)	1 (1%)	84	93
14	L	113/127 (89%)	110 (97%)	3 (3%)	52	73
15	M	158/158 (100%)	151 (96%)	7 (4%)	35	53
16	N	149/150 (99%)	145 (97%)	4 (3%)	52	73
17	O	93/94 (99%)	91 (98%)	2 (2%)	60	79
18	P	113/117 (97%)	112 (99%)	1 (1%)	84	93
19	Q	79/80 (99%)	76 (96%)	3 (4%)	40	60
20	R	117/122 (96%)	115 (98%)	2 (2%)	68	85
21	S	71/74 (96%)	69 (97%)	2 (3%)	51	72

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
22	T	105/106 (99%)	100 (95%)	5 (5%)	31	49
23	U	44/52 (85%)	44 (100%)	0	100	100
24	V	51/57 (90%)	49 (96%)	2 (4%)	39	59
25	W	130/130 (100%)	125 (96%)	5 (4%)	40	60
26	X	66/74 (89%)	59 (89%)	7 (11%)	8	12
27	Y	120/196 (61%)	111 (92%)	9 (8%)	17	26
28	Z	60/68 (88%)	58 (97%)	2 (3%)	45	66
29	1	46/47 (98%)	46 (100%)	0	100	100
30	2	42/46 (91%)	41 (98%)	1 (2%)	57	76
31	3	79/79 (100%)	79 (100%)	0	100	100
All	All	3095/3618 (86%)	2972 (96%)	123 (4%)	38	58

5 of 123 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
10	H	91	ARG
14	L	35	ARG
27	Y	141	THR
10	H	157	TYR
12	J	74	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 87 such sidechains are listed below:

Mol	Chain	Res	Type
15	M	26	GLN
18	P	66	GLN
30	2	16	ASN
15	M	58	GLN
16	N	93	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	0	2745/2922 (93%)	226 (8%)	34 (1%)
2	9	121/122 (99%)	16 (13%)	1 (0%)
All	All	2866/3044 (94%)	242 (8%)	35 (1%)

5 of 242 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	0	31	C
1	0	67	A
1	0	69	A
1	0	70	A
1	0	71	G

5 of 35 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	0	1377	C
1	0	1856	C
1	0	2761	A
1	0	1684	A
1	0	1685	A

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

5 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	OMU	0	2587	1	12,22,23	1.06	1 (8%)	19,31,34	3.14	2 (10%)
1	OMG	0	2588	1	17,26,27	1.06	1 (5%)	21,38,41	2.57	3 (14%)
1	UR3	0	2619	1	12,22,23	0.81	0	16,32,35	0.79	0
1	PSU	0	2621	1	13,21,22	1.56	2 (15%)	18,30,33	6.09	3 (16%)
1	1MA	0	628	1	14,25,26	1.00	1 (7%)	15,37,40	1.16	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	OMU	0	2587	1	-	0/5/27/28	0/2/2/2
1	OMG	0	2588	1	-	0/5/27/28	0/3/3/3
1	UR3	0	2619	1	-	0/3/25/26	0/2/2/2
1	PSU	0	2621	1	-	0/7/25/26	0/2/2/2
1	1MA	0	628	1	-	0/3/25/26	0/3/3/3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	0	2621	PSU	C5-C1'	-4.69	1.48	1.52
1	0	2587	OMU	C4-N3	2.51	1.37	1.33
1	0	2621	PSU	C4-N3	2.63	1.38	1.33
1	0	628	1MA	C6-N6	2.64	1.33	1.29
1	0	2588	OMG	C6-N1	3.22	1.39	1.33

The worst 5 of 9 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	0	2621	PSU	N1-C2-N3	-21.41	114.67	128.33
1	0	2588	OMG	C5-C6-N1	-8.89	111.44	123.59
1	0	628	1MA	C2-N3-C4	-3.61	110.81	116.40
1	0	2587	OMU	C5-C4-N3	-3.23	114.84	123.12
1	0	2588	OMG	N3-C2-N1	-2.28	123.97	127.44

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	0	2587	OMU	1	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 306 ligands modelled in this entry, 305 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
32	ZIT	0	9500	-	54,54,54	1.33	5 (9%)	76,83,83	1.06	5 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
32	ZIT	0	9500	-	-	0/72/107/107	0/3/3/3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
32	0	9500	ZIT	C6-C5	2.13	1.60	1.55
32	0	9500	ZIT	C13-C12	2.23	1.61	1.55
32	0	9500	ZIT	O13-C13	2.51	1.48	1.44
32	0	9500	ZIT	C13-C14	3.00	1.60	1.54
32	0	9500	ZIT	C22-C11	3.48	1.58	1.52

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	0	9500	ZIT	C2B-C3B-C4B	-2.54	104.64	107.81
32	0	9500	ZIT	C4A-C3A-C2A	-2.15	106.90	110.03
32	0	9500	ZIT	O6-C6-C7	2.05	113.87	108.34
32	0	9500	ZIT	C14-O14-C1	2.07	121.61	118.12
32	0	9500	ZIT	C7-C8-C9	2.58	116.14	112.39

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	0	2749/2922 (94%)	-0.28	98 (3%) 46 47	15, 38, 82, 157	0
2	9	122/122 (100%)	0.05	6 (4%) 33 34	32, 58, 80, 139	0
3	A	237/240 (98%)	0.31	14 (5%) 26 26	19, 40, 75, 96	0
4	B	337/338 (99%)	0.24	10 (2%) 54 53	21, 47, 73, 84	0
5	C	246/246 (100%)	-0.09	3 (1%) 81 81	17, 36, 60, 69	0
6	D	140/177 (79%)	2.24	71 (50%) 0 0	51, 88, 114, 122	0
7	E	172/178 (96%)	0.95	29 (16%) 2 2	39, 61, 80, 84	0
8	F	119/120 (99%)	0.89	23 (19%) 2 1	38, 62, 88, 103	0
9	G	29/348 (8%)	3.36	25 (86%) 0 0	71, 87, 93, 95	0
10	H	160/177 (90%)	0.50	17 (10%) 8 8	31, 50, 83, 91	0
11	I	70/162 (43%)	7.19	70 (100%) 0 0	122, 135, 154, 155	0
12	J	142/145 (97%)	0.12	4 (2%) 56 55	29, 44, 65, 88	0
13	K	132/132 (100%)	-0.05	4 (3%) 54 53	24, 43, 65, 77	0
14	L	145/165 (87%)	0.67	19 (13%) 5 4	18, 56, 101, 115	0
15	M	194/194 (100%)	0.08	1 (0%) 91 91	21, 33, 49, 56	0
16	N	186/187 (99%)	0.80	27 (14%) 3 3	34, 55, 102, 112	0
17	O	115/116 (99%)	0.09	4 (3%) 48 48	30, 45, 61, 69	0
18	P	143/149 (95%)	0.00	0 100 100	30, 44, 57, 68	0
19	Q	95/96 (98%)	0.01	1 (1%) 82 82	30, 37, 54, 68	0
20	R	150/155 (96%)	-0.10	1 (0%) 89 88	25, 38, 58, 66	0
21	S	81/85 (95%)	0.17	2 (2%) 61 60	34, 50, 71, 81	0
22	T	119/120 (99%)	0.47	8 (6%) 21 21	29, 47, 76, 103	0
23	U	53/66 (80%)	0.35	2 (3%) 44 45	35, 48, 66, 78	0
24	V	65/71 (91%)	1.55	13 (20%) 1 1	43, 62, 107, 113	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
25	W	154/154 (100%)	0.02	1 (0%) 90 90	29, 43, 58, 69	0
26	X	82/92 (89%)	0.61	10 (12%) 5 5	37, 50, 78, 94	0
27	Y	142/241 (58%)	0.18	5 (3%) 48 48	21, 36, 59, 80	0
28	Z	73/83 (87%)	0.12	2 (2%) 58 57	35, 51, 68, 86	0
29	1	56/57 (98%)	-0.40	0 100 100	18, 24, 32, 43	0
30	2	46/50 (92%)	0.55	5 (10%) 7 7	26, 51, 75, 89	0
31	3	92/92 (100%)	0.28	2 (2%) 65 64	26, 48, 62, 77	0
All	All	6646/7480 (88%)	0.18	477 (7%) 18 18	15, 43, 89, 157	0

The worst 5 of 477 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
11	I	74	ILE	16.0
11	I	91	PHE	15.6
11	I	66	GLY	15.1
11	I	128	THR	14.7
11	I	88	GLN	14.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	OMU	0	2587	21/22	0.98	0.12	-	26,28,29,32	0
1	UR3	0	2619	21/22	0.98	0.13	-	29,33,35,41	0
1	PSU	0	2621	20/21	0.98	0.13	-	22,25,33,33	0
1	1MA	0	628	23/24	0.98	0.15	-	22,24,25,28	0
1	OMG	0	2588	24/25	0.98	0.12	-	23,27,29,30	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
35	NA	0	8555	1/1	0.82	0.49	93.70	43,43,43,43	0
35	NA	0	8542	1/1	0.85	0.43	32.60	51,51,51,51	0
35	NA	0	8563	1/1	0.84	0.39	21.85	56,56,56,56	0
35	NA	0	8565	1/1	0.89	0.29	21.02	46,46,46,46	0
37	SR	B	8987	1/1	0.14	0.48	14.67	189,189,189,189	0
35	NA	0	8553	1/1	0.93	0.24	14.54	48,48,48,48	0
37	SR	0	8969	1/1	0.97	0.25	13.74	115,115,115,115	0
35	NA	0	8550	1/1	0.92	0.21	12.73	41,41,41,41	0
35	NA	0	8564	1/1	0.86	0.37	12.07	55,55,55,55	0
35	NA	0	8517	1/1	0.94	0.21	11.56	36,36,36,36	0
35	NA	0	8562	1/1	0.72	0.27	10.20	59,59,59,59	0
35	NA	0	8560	1/1	0.98	0.36	9.84	54,54,54,54	0
35	NA	0	8521	1/1	0.87	0.24	9.60	55,55,55,55	0
35	NA	0	8571	1/1	0.55	0.25	7.35	79,79,79,79	0
37	SR	0	8903	1/1	0.99	0.17	6.41	41,41,41,41	0
35	NA	0	8528	1/1	0.98	0.20	6.38	32,32,32,32	0
35	NA	9	8572	1/1	0.89	0.29	6.06	59,59,59,59	0
37	SR	0	8992	1/1	0.97	0.22	5.02	111,111,111,111	0
35	NA	0	8568	1/1	0.91	0.24	4.60	42,42,42,42	0
35	NA	0	8535	1/1	0.94	0.26	4.20	40,40,40,40	0
37	SR	A	8929	1/1	0.68	0.25	4.05	123,123,123,123	0
35	NA	0	8547	1/1	0.94	0.19	3.81	42,42,42,42	0
35	NA	0	8559	1/1	0.92	0.15	2.69	51,51,51,51	0
35	NA	0	8527	1/1	0.95	0.17	2.49	31,31,31,31	0
35	NA	0	8534	1/1	0.95	0.15	2.43	29,29,29,29	0
35	NA	0	8523	1/1	0.93	0.16	2.29	31,31,31,31	0
35	NA	R	8575	1/1	0.90	0.21	2.22	73,73,73,73	0
36	CL	M	8818	1/1	0.97	0.23	2.16	36,36,36,36	0
37	SR	0	8991	1/1	0.79	0.15	1.94	167,167,167,167	0
35	NA	M	8539	1/1	0.95	0.18	1.60	28,28,28,28	0
35	NA	0	8530	1/1	0.97	0.16	1.53	37,37,37,37	0
35	NA	0	8556	1/1	0.94	0.22	1.31	37,37,37,37	0
35	NA	0	8552	1/1	0.96	0.14	0.98	48,48,48,48	0
35	NA	0	8515	1/1	0.97	0.17	0.48	30,30,30,30	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
35	NA	0	8508	1/1	0.92	0.13	0.20	40,40,40,40	0
37	SR	0	8959	1/1	0.86	0.17	0.19	132,132,132,132	0
37	SR	0	8975	1/1	0.94	0.13	0.08	99,99,99,99	0
33	MG	A	8051	1/1	0.97	0.17	-0.01	55,55,55,55	0
35	NA	0	8569	1/1	0.91	0.13	-0.02	61,61,61,61	0
36	CL	0	8812	1/1	0.99	0.13	-0.20	39,39,39,39	0
32	ZIT	0	9500	52/52	0.95	0.14	-0.35	28,38,42,44	0
36	CL	J	8821	1/1	0.92	0.17	-0.36	52,52,52,52	0
35	NA	Q	8540	1/1	0.98	0.17	-0.37	39,39,39,39	0
35	NA	C	8503	1/1	0.92	0.14	-0.38	29,29,29,29	0
35	NA	0	8504	1/1	0.95	0.13	-0.50	26,26,26,26	0
35	NA	0	8557	1/1	0.92	0.12	-0.57	54,54,54,54	0
37	SR	0	8993	1/1	0.69	0.10	-0.73	143,143,143,143	0
37	SR	H	8972	1/1	0.84	0.12	-0.76	112,112,112,112	0
35	NA	0	8519	1/1	0.99	0.15	-0.78	36,36,36,36	0
37	SR	R	8912	1/1	0.95	0.12	-0.79	77,77,77,77	0
33	MG	0	8047	1/1	0.98	0.13	-0.84	46,46,46,46	0
35	NA	0	8520	1/1	0.98	0.09	-0.99	50,50,50,50	0
37	SR	0	8985	1/1	0.94	0.11	-1.02	104,104,104,104	0
36	CL	0	8815	1/1	0.95	0.11	-1.04	47,47,47,47	0
35	NA	0	8512	1/1	0.97	0.11	-1.05	36,36,36,36	0
33	MG	0	8044	1/1	0.97	0.15	-1.10	40,40,40,40	0
35	NA	0	8537	1/1	0.99	0.13	-1.28	32,32,32,32	0
38	CD	U	8701	1/1	0.99	0.09	-1.35	55,55,55,55	0
37	SR	0	8947	1/1	0.83	0.10	-1.46	148,148,148,148	0
37	SR	0	8922	1/1	0.55	0.12	-1.47	161,161,161,161	0
35	NA	J	8538	1/1	0.95	0.10	-1.50	48,48,48,48	0
36	CL	O	8808	1/1	0.97	0.10	-1.52	54,54,54,54	0
37	SR	0	8981	1/1	0.94	0.11	-1.52	141,141,141,141	0
38	CD	Z	8703	1/1	0.98	0.08	-1.53	44,44,44,44	0
36	CL	0	8816	1/1	0.98	0.11	-1.57	53,53,53,53	0
33	MG	0	8009	1/1	0.98	0.13	-1.63	26,26,26,26	0
35	NA	0	8513	1/1	0.94	0.13	-1.70	33,33,33,33	0
33	MG	0	8084	1/1	0.95	0.04	-1.70	36,36,36,36	0
33	MG	0	8008	1/1	0.97	0.12	-1.77	26,26,26,26	0
33	MG	A	8050	1/1	0.96	0.13	-1.82	33,33,33,33	0
36	CL	B	8819	1/1	0.98	0.09	-1.85	46,46,46,46	0
33	MG	0	8058	1/1	0.99	0.08	-1.92	26,26,26,26	0
37	SR	0	8964	1/1	0.90	0.09	-1.92	109,109,109,109	0
37	SR	A	8930	1/1	0.96	0.05	-2.11	82,82,82,82	0
33	MG	0	8011	1/1	0.99	0.09	-2.15	24,24,24,24	0
33	MG	T	8057	1/1	0.94	0.08	-2.42	51,51,51,51	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
33	MG	0	8028	1/1	0.98	0.11	-2.45	19,19,19,19	0
38	CD	3	8704	1/1	0.99	0.07	-2.57	53,53,53,53	0
37	SR	0	8970	1/1	0.81	0.09	-2.61	109,109,109,109	0
37	SR	0	8984	1/1	0.96	0.10	-2.63	98,98,98,98	0
37	SR	0	8943	1/1	0.86	0.09	-2.65	108,108,108,108	0
37	SR	F	9005	1/1	0.91	0.05	-2.74	106,106,106,106	0
35	NA	0	8533	1/1	0.97	0.08	-2.78	50,50,50,50	0
33	MG	0	8070	1/1	0.96	0.10	-3.02	36,36,36,36	0
33	MG	0	8045	1/1	0.97	0.09	-3.08	29,29,29,29	0
33	MG	0	8003	1/1	0.97	0.11	-3.23	23,23,23,23	0
37	SR	0	8918	1/1	0.99	0.12	-3.50	66,66,66,66	0
33	MG	0	8041	1/1	0.98	0.10	-3.68	18,18,18,18	0
33	MG	0	8052	1/1	0.95	0.09	-3.72	23,23,23,23	0
37	SR	3	8932	1/1	0.99	0.07	-3.74	58,58,58,58	0
37	SR	0	8936	1/1	0.99	0.09	-3.74	67,67,67,67	0
33	MG	0	8025	1/1	0.94	0.08	-3.80	24,24,24,24	0
33	MG	Y	8086	1/1	0.97	0.11	-3.82	35,35,35,35	0
33	MG	0	8062	1/1	0.89	0.08	-3.94	46,46,46,46	0
33	MG	0	8075	1/1	0.97	0.07	-4.06	31,31,31,31	0
37	SR	0	8904	1/1	0.99	0.08	-4.23	34,34,34,34	0
33	MG	0	8065	1/1	0.95	0.07	-4.27	45,45,45,45	0
36	CL	3	8804	1/1	0.97	0.09	-4.29	47,47,47,47	0
35	NA	0	8558	1/1	0.98	0.08	-4.53	46,46,46,46	0
33	MG	0	8014	1/1	0.99	0.09	-4.56	25,25,25,25	0
33	MG	0	8043	1/1	0.98	0.09	-4.58	46,46,46,46	0
36	CL	0	8805	1/1	0.97	0.09	-4.58	45,45,45,45	0
33	MG	0	8012	1/1	0.98	0.07	-4.59	13,13,13,13	0
33	MG	B	8042	1/1	0.97	0.05	-4.60	52,52,52,52	0
34	K	0	8402	1/1	0.99	0.09	-4.84	46,46,46,46	0
37	SR	1	8913	1/1	0.98	0.07	-4.84	70,70,70,70	0
38	CD	1	8702	1/1	0.99	0.06	-4.90	44,44,44,44	0
33	MG	0	8001	1/1	0.99	0.08	-5.57	25,25,25,25	0
33	MG	0	8034	1/1	0.98	0.08	-5.64	35,35,35,35	0
33	MG	0	8029	1/1	0.92	0.08	-5.97	40,40,40,40	0
33	MG	0	8088	1/1	0.98	0.05	-6.93	29,29,29,29	0
33	MG	0	8013	1/1	0.99	0.04	-6.97	24,24,24,24	0
33	MG	0	8040	1/1	0.93	0.09	-6.98	78,78,78,78	0
33	MG	0	8015	1/1	0.98	0.09	-7.69	31,31,31,31	0
33	MG	0	8002	1/1	0.97	0.08	-7.69	27,27,27,27	0
33	MG	0	8087	1/1	0.99	0.08	-9.06	26,26,26,26	0
33	MG	0	8006	1/1	0.99	0.06	-9.12	30,30,30,30	0
37	SR	0	8902	1/1	0.99	0.07	-9.12	49,49,49,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
33	MG	0	8004	1/1	0.98	0.05	-9.82	22,22,22,22	0
37	SR	0	8945	1/1	0.98	0.04	-9.98	92,92,92,92	0
37	SR	0	8910	1/1	0.96	0.04	-10.59	80,80,80,80	0
37	SR	0	8949	1/1	0.95	0.05	-11.20	93,93,93,93	0
37	SR	0	8978	1/1	0.96	0.05	-13.07	82,82,82,82	0
37	SR	0	8948	1/1	0.97	0.07	-14.93	69,69,69,69	0
37	SR	A	8977	1/1	0.89	0.07	-	143,143,143,143	0
37	SR	0	8955	1/1	0.59	0.37	-	169,169,169,169	0
33	MG	0	8007	1/1	0.97	0.10	-	24,24,24,24	0
35	NA	0	8574	1/1	0.85	0.44	-	48,48,48,48	0
35	NA	0	8511	1/1	0.96	0.11	-	59,59,59,59	0
33	MG	0	8032	1/1	0.99	0.08	-	36,36,36,36	0
33	MG	0	8053	1/1	0.93	0.09	-	58,58,58,58	0
33	MG	0	8022	1/1	0.93	0.15	-	30,30,30,30	0
33	MG	0	8021	1/1	0.97	0.09	-	28,28,28,28	0
35	NA	0	8549	1/1	0.95	0.47	-	74,74,74,74	0
33	MG	0	8079	1/1	0.89	0.08	-	40,40,40,40	0
33	MG	0	8073	1/1	0.86	0.19	-	76,76,76,76	0
35	NA	0	8551	1/1	0.93	0.20	-	39,39,39,39	0
35	NA	0	8505	1/1	0.98	0.14	-	33,33,33,33	0
37	SR	0	8958	1/1	0.96	0.07	-	83,83,83,83	0
33	MG	0	8081	1/1	0.70	0.20	-	55,55,55,55	0
37	SR	0	8960	1/1	0.73	0.09	-	128,128,128,128	0
37	SR	0	8944	1/1	0.72	0.16	-	146,146,146,146	0
33	MG	0	8072	1/1	0.97	0.09	-	37,37,37,37	0
33	MG	0	8082	1/1	0.90	0.23	-	44,44,44,44	0
37	SR	0	8920	1/1	0.95	0.08	-	96,96,96,96	0
37	SR	0	8921	1/1	0.98	0.07	-	66,66,66,66	0
37	SR	0	8927	1/1	0.80	0.12	-	133,133,133,133	0
37	SR	B	8950	1/1	0.90	0.06	-	90,90,90,90	0
35	NA	0	8570	1/1	0.97	0.09	-	35,35,35,35	0
36	CL	N	8807	1/1	0.98	0.12	-	46,46,46,46	0
33	MG	0	8061	1/1	0.97	0.12	-	23,23,23,23	0
37	SR	0	9008	1/1	0.95	0.07	-	83,83,83,83	0
33	MG	0	8019	1/1	0.96	0.07	-	22,22,22,22	0
37	SR	0	8946	1/1	0.93	0.09	-	87,87,87,87	0
36	CL	Y	8820	1/1	0.97	0.17	-	35,35,35,35	0
37	SR	0	8907	1/1	0.99	0.11	-	33,33,33,33	0
37	SR	0	8937	1/1	0.96	0.09	-	94,94,94,94	0
33	MG	0	8024	1/1	0.92	0.09	-	53,53,53,53	0
35	NA	0	8522	1/1	0.91	0.28	-	46,46,46,46	0
37	SR	0	8963	1/1	0.91	0.06	-	103,103,103,103	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
37	SR	0	8999	1/1	0.94	0.04	-	78,78,78,78	0
33	MG	0	8068	1/1	0.97	0.15	-	48,48,48,48	0
33	MG	0	8071	1/1	0.86	0.36	-	54,54,54,54	0
35	NA	S	8510	1/1	0.94	0.17	-	24,24,24,24	0
35	NA	0	8573	1/1	0.88	0.09	-	55,55,55,55	0
33	MG	0	8083	1/1	0.95	0.08	-	41,41,41,41	0
35	NA	0	8506	1/1	0.79	0.18	-	50,50,50,50	0
37	SR	0	8905	1/1	0.99	0.23	-	48,48,48,48	0
33	MG	0	8067	1/1	0.96	0.09	-	29,29,29,29	0
35	NA	0	8531	1/1	0.94	0.06	-	29,29,29,29	0
37	SR	0	9007	1/1	0.91	0.27	-	154,154,154,154	0
37	SR	0	8962	1/1	0.80	0.19	-	139,139,139,139	0
33	MG	0	8010	1/1	0.98	0.09	-	29,29,29,29	0
37	SR	0	8917	1/1	0.97	0.09	-	90,90,90,90	0
33	MG	0	8038	1/1	0.92	0.12	-	65,65,65,65	0
37	SR	0	8973	1/1	0.90	0.11	-	113,113,113,113	0
33	MG	0	8037	1/1	0.79	0.22	-	77,77,77,77	0
36	CL	0	8813	1/1	0.98	0.14	-	45,45,45,45	0
33	MG	0	8076	1/1	0.94	0.08	-	28,28,28,28	0
33	MG	0	8036	1/1	0.94	0.10	-	36,36,36,36	0
35	NA	0	8536	1/1	0.72	0.14	-	46,46,46,46	0
37	SR	0	8911	1/1	0.97	0.08	-	65,65,65,65	0
35	NA	0	8548	1/1	0.78	0.09	-	50,50,50,50	0
33	MG	0	8048	1/1	0.99	0.07	-	33,33,33,33	0
37	SR	0	9000	1/1	0.79	0.18	-	150,150,150,150	0
33	MG	0	8077	1/1	0.96	0.08	-	26,26,26,26	0
33	MG	0	8090	1/1	0.98	0.09	-	49,49,49,49	0
33	MG	0	8018	1/1	0.99	0.13	-	38,38,38,38	0
33	MG	0	8016	1/1	0.96	0.06	-	35,35,35,35	0
33	MG	0	8023	1/1	0.98	0.06	-	24,24,24,24	0
33	MG	0	8069	1/1	0.78	0.17	-	58,58,58,58	0
37	SR	0	8956	1/1	0.92	0.06	-	127,127,127,127	0
37	SR	0	8971	1/1	0.75	0.09	-	158,158,158,158	0
35	NA	0	8561	1/1	0.87	0.55	-	62,62,62,62	0
37	SR	9	8980	1/1	0.65	0.20	-	162,162,162,162	0
37	SR	0	8990	1/1	0.93	0.10	-	106,106,106,106	0
33	MG	0	8046	1/1	0.93	0.10	-	25,25,25,25	0
36	CL	J	8802	1/1	0.97	0.09	-	51,51,51,51	0
37	SR	0	8967	1/1	0.97	0.04	-	116,116,116,116	0
37	SR	0	8938	1/1	0.97	0.05	-	147,147,147,147	0
33	MG	9	8074	1/1	0.75	0.10	-	64,64,64,64	0
35	NA	0	8554	1/1	0.76	0.31	-	52,52,52,52	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
35	NA	0	8507	1/1	0.93	0.10	-	27,27,27,27	0
33	MG	0	8093	1/1	0.94	0.09	-	29,29,29,29	0
37	SR	0	8957	1/1	0.67	0.33	-	176,176,176,176	0
37	SR	0	8979	1/1	0.49	0.29	-	184,184,184,184	0
38	CD	O	8705	1/1	0.99	0.06	-	58,58,58,58	0
37	SR	0	8995	1/1	0.95	0.07	-	112,112,112,112	0
33	MG	0	8017	1/1	0.94	0.21	-	26,26,26,26	0
37	SR	0	8906	1/1	0.99	0.10	-	40,40,40,40	0
37	SR	0	8988	1/1	0.82	0.10	-	149,149,149,149	0
33	MG	0	8027	1/1	0.95	0.04	-	32,32,32,32	0
35	NA	0	8502	1/1	0.95	0.18	-	43,43,43,43	0
37	SR	0	8909	1/1	1.00	0.08	-	70,70,70,70	0
35	NA	0	8501	1/1	0.99	0.19	-	26,26,26,26	0
37	SR	0	8982	1/1	0.91	0.19	-	152,152,152,152	0
35	NA	0	8524	1/1	0.98	0.20	-	31,31,31,31	0
37	SR	0	8931	1/1	0.96	0.06	-	86,86,86,86	0
33	MG	0	8049	1/1	0.96	0.11	-	64,64,64,64	0
36	CL	0	8814	1/1	0.97	0.11	-	40,40,40,40	0
33	MG	0	8089	1/1	0.95	0.19	-	37,37,37,37	0
36	CL	0	8811	1/1	0.97	0.11	-	45,45,45,45	0
33	MG	0	8031	1/1	0.89	0.09	-	41,41,41,41	0
37	SR	S	8961	1/1	0.89	0.09	-	113,113,113,113	0
37	SR	0	8933	1/1	0.94	0.14	-	108,108,108,108	0
36	CL	0	8803	1/1	0.99	0.16	-	41,41,41,41	0
37	SR	0	8965	1/1	0.92	0.05	-	109,109,109,109	0
33	MG	0	8092	1/1	0.96	0.09	-	47,47,47,47	0
33	MG	0	8080	1/1	0.88	0.08	-	53,53,53,53	0
35	NA	0	8526	1/1	0.95	0.10	-	36,36,36,36	0
37	SR	0	8928	1/1	0.72	0.11	-	112,112,112,112	0
35	NA	0	8525	1/1	0.67	0.21	-	65,65,65,65	0
35	NA	0	8529	1/1	0.97	0.09	-	32,32,32,32	0
33	MG	K	8054	1/1	0.97	0.10	-	34,34,34,34	0
37	SR	0	8942	1/1	0.96	0.06	-	110,110,110,110	0
37	SR	0	8983	1/1	0.71	0.15	-	149,149,149,149	0
37	SR	0	8935	1/1	0.99	0.13	-	60,60,60,60	0
36	CL	0	8817	1/1	0.99	0.08	-	46,46,46,46	0
37	SR	1	8952	1/1	0.99	0.06	-	62,62,62,62	0
35	NA	0	8566	1/1	0.97	0.15	-	44,44,44,44	0
37	SR	0	8901	1/1	0.99	0.05	-	71,71,71,71	0
33	MG	0	8039	1/1	0.89	0.13	-	60,60,60,60	0
35	NA	0	8514	1/1	0.92	0.16	-	41,41,41,41	0
33	MG	0	8056	1/1	0.94	0.17	-	49,49,49,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
35	NA	0	8567	1/1	0.87	0.31	-	53,53,53,53	0
35	NA	0	8546	1/1	0.93	0.25	-	63,63,63,63	0
36	CL	A	8809	1/1	0.97	0.23	-	52,52,52,52	0
33	MG	0	8064	1/1	0.99	0.04	-	34,34,34,34	0
37	SR	0	8940	1/1	0.97	0.05	-	66,66,66,66	0
37	SR	0	8976	1/1	0.43	0.25	-	159,159,159,159	0
33	MG	0	8066	1/1	0.83	0.11	-	47,47,47,47	0
37	SR	0	8994	1/1	0.94	0.27	-	168,168,168,168	0
37	SR	0	8919	1/1	0.77	0.16	-	169,169,169,169	0
37	SR	0	9004	1/1	0.61	0.23	-	176,176,176,176	0
36	CL	L	8810	1/1	0.96	0.08	-	43,43,43,43	0
33	MG	0	8091	1/1	0.98	0.12	-	42,42,42,42	0
35	NA	0	8516	1/1	0.96	0.14	-	44,44,44,44	0
37	SR	0	8951	1/1	0.85	0.05	-	137,137,137,137	0
33	MG	0	8055	1/1	0.99	0.11	-	29,29,29,29	0
37	SR	0	8916	1/1	0.91	0.06	-	95,95,95,95	0
37	SR	0	9006	1/1	-0.01	0.99	-	200,200,200,200	0
35	NA	0	8509	1/1	0.90	0.15	-	47,47,47,47	0
37	SR	0	9002	1/1	0.63	0.17	-	162,162,162,162	0
35	NA	H	8518	1/1	0.73	0.23	-	66,66,66,66	0
37	SR	0	8989	1/1	0.87	0.18	-	148,148,148,148	0
37	SR	0	8998	1/1	0.84	0.13	-	133,133,133,133	0
33	MG	0	8063	1/1	0.91	0.19	-	71,71,71,71	0
37	SR	0	8924	1/1	0.88	0.13	-	123,123,123,123	0
33	MG	0	8078	1/1	0.97	0.09	-	40,40,40,40	0
33	MG	0	8020	1/1	0.97	0.12	-	37,37,37,37	0
37	SR	0	8996	1/1	0.17	0.59	-	185,185,185,185	0
33	MG	0	8060	1/1	0.94	0.07	-	45,45,45,45	0
33	MG	0	8030	1/1	0.86	0.24	-	48,48,48,48	0
36	CL	J	8801	1/1	0.94	0.11	-	49,49,49,49	0
37	SR	0	8986	1/1	0.59	0.81	-	169,169,169,169	0
37	SR	0	8966	1/1	0.96	0.03	-	89,89,89,89	0
33	MG	0	8026	1/1	0.99	0.07	-	28,28,28,28	0
35	NA	9	8543	1/1	0.90	0.24	-	41,41,41,41	0
33	MG	0	8033	1/1	0.97	0.07	-	32,32,32,32	0
37	SR	0	8997	1/1	0.89	0.56	-	171,171,171,171	0
37	SR	0	8968	1/1	0.76	0.09	-	142,142,142,142	0
34	K	0	8401	1/1	0.93	0.11	-	58,58,58,58	0
37	SR	0	8926	1/1	0.94	0.06	-	95,95,95,95	0
37	SR	0	8908	1/1	0.97	0.09	-	71,71,71,71	0
37	SR	0	8915	1/1	0.96	0.06	-	85,85,85,85	0
35	NA	0	8544	1/1	0.89	0.20	-	49,49,49,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
37	SR	0	8953	1/1	0.96	0.07	-	121,121,121,121	0
37	SR	0	8941	1/1	0.93	0.05	-	90,90,90,90	0
33	MG	0	8035	1/1	0.95	0.07	-	52,52,52,52	0
37	SR	0	8925	1/1	0.99	0.06	-	75,75,75,75	0
33	MG	0	8059	1/1	0.99	0.04	-	27,27,27,27	0
33	MG	0	8085	1/1	0.73	0.12	-	90,90,90,90	0
36	CL	R	8806	1/1	0.97	0.16	-	40,40,40,40	0
35	NA	0	8545	1/1	0.99	0.13	-	29,29,29,29	0
37	SR	0	8939	1/1	0.91	0.09	-	108,108,108,108	0
36	CL	0	8822	1/1	0.98	0.15	-	48,48,48,48	0
37	SR	0	9001	1/1	0.36	0.26	-	160,160,160,160	0
37	SR	0	8923	1/1	0.98	0.08	-	78,78,78,78	0
37	SR	0	8914	1/1	0.97	0.10	-	88,88,88,88	0
33	MG	0	8005	1/1	0.98	0.10	-	23,23,23,23	0
35	NA	R	8532	1/1	0.93	0.09	-	37,37,37,37	0
37	SR	9	9003	1/1	0.90	0.08	-	141,141,141,141	0
35	NA	0	8541	1/1	0.88	0.15	-	41,41,41,41	0
37	SR	0	8934	1/1	0.96	0.12	-	116,116,116,116	0
37	SR	0	8974	1/1	0.56	0.20	-	159,159,159,159	0
37	SR	0	8954	1/1	0.95	0.11	-	88,88,88,88	0

6.5 Other polymers

There are no such residues in this entry.