



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 07:28 am GMT

PDB ID : 2AE7  
Title : Crystal Structure of Human M340H-Beta1,4-Galactosyltransferase-I (M340H-B4GAL-T1) in Complex with Pentasaccharide  
Authors : Ramasamy, V.; Ramakrishnan, B.; Boeggeman, E.; Ratner, D.M.; Seeberger, P.H.; Qasba, P.K.  
Deposited on : 2005-07-21  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	trunk28620
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	7775 (2.00-2.00)
Ramachandran outliers	110173	7679 (2.00-2.00)
Sidechain outliers	110143	7678 (2.00-2.00)
RSRZ outliers	101464	6696 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	287	<div> <div>82%</div> <div>13%</div> <div>5%</div> </div>
1	B	287	<div> <div>83%</div> <div>11%</div> <div>5%</div> </div>
1	C	287	<div> <div>73%</div> <div>21%</div> <div>5%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	MAN	B	409	X	-	-	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	SO4	B	430	-	-	-	X
8	GOL	B	413	-	-	-	X
8	GOL	B	414	-	-	-	X
8	GOL	B	418	-	-	-	X

## 2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 7413 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-1,4-galactosyltransferase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	272	Total	C	N	O	S	0	0	0
			2212	1417	385	399	11			
1	B	272	Total	C	N	O	S	0	0	0
			2212	1417	385	399	11			
1	C	272	Total	C	N	O	S	0	0	0
			2212	1417	385	399	11			

There are 51 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	112	ALA	-	SEE REMARK 999	UNP P15291
A	113	SER	-	SEE REMARK 999	UNP P15291
A	114	MET	-	SEE REMARK 999	UNP P15291
A	115	THR	-	SEE REMARK 999	UNP P15291
A	116	GLY	-	SEE REMARK 999	UNP P15291
A	117	GLY	-	SEE REMARK 999	UNP P15291
A	118	GLN	-	SEE REMARK 999	UNP P15291
A	119	GLN	-	SEE REMARK 999	UNP P15291
A	120	MET	-	SEE REMARK 999	UNP P15291
A	121	GLY	-	SEE REMARK 999	UNP P15291
A	122	ARG	-	SEE REMARK 999	UNP P15291
A	123	GLY	-	SEE REMARK 999	UNP P15291
A	124	SER	-	SEE REMARK 999	UNP P15291
A	125	ALA	-	SEE REMARK 999	UNP P15291
A	337	THR	ARG	ENGINEERED	UNP P15291
A	338	THR	CYS	ENGINEERED	UNP P15291
A	340	HIS	MET	ENGINEERED	UNP P15291
B	112	ALA	-	SEE REMARK 999	UNP P15291
B	113	SER	-	SEE REMARK 999	UNP P15291
B	114	MET	-	SEE REMARK 999	UNP P15291
B	115	THR	-	SEE REMARK 999	UNP P15291
B	116	GLY	-	SEE REMARK 999	UNP P15291
B	117	GLY	-	SEE REMARK 999	UNP P15291

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	118	GLN	-	SEE REMARK 999	UNP P15291
B	119	GLN	-	SEE REMARK 999	UNP P15291
B	120	MET	-	SEE REMARK 999	UNP P15291
B	121	GLY	-	SEE REMARK 999	UNP P15291
B	122	ARG	-	SEE REMARK 999	UNP P15291
B	123	GLY	-	SEE REMARK 999	UNP P15291
B	124	SER	-	SEE REMARK 999	UNP P15291
B	125	ALA	-	SEE REMARK 999	UNP P15291
B	337	THR	ARG	ENGINEERED	UNP P15291
B	338	THR	CYS	ENGINEERED	UNP P15291
B	340	HIS	MET	ENGINEERED	UNP P15291
C	112	ALA	-	SEE REMARK 999	UNP P15291
C	113	SER	-	SEE REMARK 999	UNP P15291
C	114	MET	-	SEE REMARK 999	UNP P15291
C	115	THR	-	SEE REMARK 999	UNP P15291
C	116	GLY	-	SEE REMARK 999	UNP P15291
C	117	GLY	-	SEE REMARK 999	UNP P15291
C	118	GLN	-	SEE REMARK 999	UNP P15291
C	119	GLN	-	SEE REMARK 999	UNP P15291
C	120	MET	-	SEE REMARK 999	UNP P15291
C	121	GLY	-	SEE REMARK 999	UNP P15291
C	122	ARG	-	SEE REMARK 999	UNP P15291
C	123	GLY	-	SEE REMARK 999	UNP P15291
C	124	SER	-	SEE REMARK 999	UNP P15291
C	125	ALA	-	SEE REMARK 999	UNP P15291
C	337	THR	ARG	ENGINEERED	UNP P15291
C	338	THR	CYS	ENGINEERED	UNP P15291
C	340	HIS	MET	ENGINEERED	UNP P15291

- Molecule 2 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	2	Total	C	N	O	0	0
			26	14	1	11		
2	C	2	Total	C	N	O	0	0
			26	14	1	11		


- Molecule 3 is a polymer of unknown type called SUGAR (3-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	B	3	Total	C	N	O	0	0
			37	20	1	16		

- Molecule 4 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Mn	0	0
			1	1		
4	A	1	Total	Mn	0	0
			1	1		
4	C	1	Total	Mn	0	0
			1	1		

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	C	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	C	1	Total	O	S	0	0
			5	4	1		

*Continued on next page...*

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	C	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 6 is 6-AMINOHEXYL-URIDINE-C1,5'-DIPHOSPHATE (three-letter code: UDH) (formula:  $C_{15}H_{27}N_3O_{12}P_2$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	N	O	P	0	0
			32	15	3	12	2		
6	B	1	Total	C	N	O	P	0	0
			32	15	3	12	2		
6	C	1	Total	C	N	O	P	0	0
			32	15	3	12	2		

- Molecule 7 is 1,4-DIETHYLENE DIOXIDE (three-letter code: DIO) (formula:  $C_4H_8O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	C	1	Total	C	O	0	0
			6	4	2		

- Molecule 8 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	C	O	0	0
			6	3	3		
8	B	1	Total	C	O	0	0
			6	3	3		
8	B	1	Total	C	O	0	0
			6	3	3		

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total 6	C 3	O 3	0	0
8	C	1	Total 6	C 3	O 3	0	0
8	B	1	Total 6	C 3	O 3	0	0
8	B	1	Total 6	C 3	O 3	0	0


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	157	Total 157	O 157	0	0
9	B	192	Total 192	O 192	0	0
9	C	122	Total 122	O 122	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Beta-1,4-galactosyltransferase 1



#### • Molecule 1: Beta-1,4-galactosyltransferase 1



#### • Molecule 1: Beta-1,4-galactosyltransferase 1



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	106.98Å 195.17Å 143.92Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 2.00 36.67 – 1.98	Depositor EDS
% Data completeness (in resolution range)	96.5 (40.00-2.00) 96.2 (36.67-1.98)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.09	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.05 (at 1.98Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.219 , 0.246 0.234 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	DCC
Wilson B-factor (Å <sup>2</sup> )	26.3	Xtriage
Anisotropy	0.737	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 48.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	0.000 for 1/2*h-1/2*k,-3/2*h-1/2*k,-l 0.020 for 1/2*h+1/2*k,3/2*h-1/2*k,-l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	7413	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.12% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, DIO, NAG, MN, SO4, UDH, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.44	0/2274	0.71	2/3089 (0.1%)
1	B	0.46	0/2274	0.70	1/3089 (0.0%)
1	C	0.42	0/2274	0.66	1/3089 (0.0%)
All	All	0.44	0/6822	0.69	4/9267 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	B	1	0

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	208	ASP	N-CA-C	-5.80	95.33	111.00
1	C	208	ASP	N-CA-C	-5.30	96.69	111.00
1	A	311	GLY	N-CA-C	5.11	125.88	113.10
1	A	208	ASP	N-CA-C	-5.03	97.41	111.00

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	B	409	MAN	C1

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2212	0	2157	32	0
1	B	2212	0	2157	32	0
1	C	2212	0	2157	52	0
2	A	26	0	24	0	0
2	C	26	0	24	0	0
3	B	37	0	33	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
5	A	20	0	0	0	0
5	B	30	0	0	0	0
5	C	20	0	0	0	0
6	A	32	0	25	0	0
6	B	32	0	25	4	0
6	C	32	0	25	2	0
7	C	6	0	8	2	0
8	A	6	0	8	1	0
8	B	30	0	40	6	0
8	C	6	0	8	1	0
9	A	157	0	0	0	0
9	B	192	0	0	3	0
9	C	122	0	0	1	0
All	All	7413	0	6691	113	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:337:THR:HG21	1:C:135:PRO:HB2	1.57	0.86
1:B:324:ARG:HH12	1:B:367:LEU:HD21	1.43	0.84
1:C:332:ASN:ND2	1:C:335:VAL:H	1.82	0.78
1:B:324:ARG:NH1	1:B:367:LEU:HD21	1.98	0.78
1:A:332:ASN:HD22	1:A:334:VAL:H	1.31	0.77

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:320:ARG:O	1:C:324:ARG:HG2	1.86	0.75
1:A:150:ASP:OD1	1:A:153:LEU:HD13	1.89	0.73
1:A:254:MET:HE3	1:A:337:THR:HG22	1.71	0.73
1:C:300:ILE:HG22	1:C:324:ARG:HG3	1.72	0.72
1:C:153:LEU:O	1:C:157:GLN:HG3	1.90	0.71
1:C:332:ASN:HD21	1:C:335:VAL:H	1.38	0.71
1:A:273:MET:CE	1:A:275:LYS:HE2	2.21	0.70
1:A:254:MET:HE3	1:A:337:THR:CG2	2.23	0.69
1:B:149:VAL:HA	8:B:418:GOL:H32	1.74	0.69
1:B:186:ASN:ND2	8:B:414:GOL:H32	2.10	0.67
1:B:273:MET:CE	1:B:275:LYS:HE2	2.24	0.67
1:C:300:ILE:HG22	1:C:324:ARG:CG	2.25	0.66
1:A:332:ASN:ND2	1:A:335:VAL:H	1.93	0.66
1:C:308:TRP:HE1	7:C:433:DIO:H1'1	1.64	0.63
1:B:268:HIS:HB3	1:B:330:ARG:HG2	1.79	0.63
1:B:342:ARG:HE	1:C:170:ARG:NH1	1.96	0.63
1:A:332:ASN:HD21	1:A:335:VAL:H	1.45	0.62
1:A:268:HIS:HB3	1:A:330:ARG:HG2	1.82	0.61
1:B:351:PRO:HG3	6:B:401:UDH:H6'1	1.83	0.61
1:A:273:MET:HE1	1:A:275:LYS:HE2	1.82	0.61
1:C:266:PRO:HG2	1:C:321:LEU:HD22	1.82	0.60
1:C:345:ARG:HG2	6:C:403:UDH:H4'2	1.83	0.60
1:A:157:GLN:C	1:A:159:PRO:HD3	2.22	0.59
1:A:139:GLY:HA2	1:A:257:HIS:HD2	1.68	0.58
1:B:306:ASN:HD22	1:B:306:ASN:H	1.50	0.58
1:A:332:ASN:HD22	1:A:334:VAL:N	2.01	0.58
1:C:273:MET:CE	1:C:275:LYS:HE2	2.34	0.58
1:C:268:HIS:HB3	1:C:330:ARG:HG2	1.86	0.57
1:A:254:MET:CE	1:A:337:THR:HG22	2.34	0.57
8:B:412:GOL:H31	9:B:445:HOH:O	2.06	0.56
1:C:323:PHE:CE1	1:C:363:LYS:HB2	2.41	0.55
1:B:254:MET:HB3	9:B:568:HOH:O	2.07	0.55
1:B:156:LYS:N	1:B:156:LYS:HE2	2.21	0.55
1:B:345:ARG:HE	6:B:401:UDH:H5B	1.73	0.54
1:C:274:ASP:OD1	1:C:275:LYS:N	2.41	0.54
1:C:160:ASN:OD1	1:C:170:ARG:NH2	2.41	0.53
1:C:157:GLN:C	1:C:159:PRO:HD3	2.28	0.53
1:B:310:TRP:CD1	8:B:412:GOL:H12	2.44	0.53
1:C:271:VAL:CG1	1:C:330:ARG:HD3	2.40	0.52
1:A:398:SER:OXT	1:B:348:LYS:HG3	2.08	0.52
1:B:271:VAL:HG22	1:B:336:GLY:HA3	1.90	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:332:ASN:ND2	1:A:334:VAL:H	2.03	0.52
1:B:306:ASN:ND2	1:B:306:ASN:H	2.08	0.51
1:A:352:ASN:OD1	1:A:354:GLN:HG2	2.11	0.51
1:A:254:MET:CE	1:A:339:ARG:HG2	2.42	0.50
1:C:332:ASN:HD22	1:C:334:VAL:N	2.10	0.50
1:B:306:ASN:HD22	1:B:306:ASN:N	2.08	0.50
1:C:352:ASN:OD1	1:C:354:GLN:HG2	2.12	0.49
1:C:271:VAL:HG12	1:C:330:ARG:HD3	1.95	0.48
1:C:273:MET:HE1	1:C:275:LYS:HE2	1.95	0.48
1:A:139:GLY:HA2	1:A:257:HIS:CD2	2.47	0.48
1:B:273:MET:HE1	1:B:275:LYS:HE2	1.94	0.48
1:C:271:VAL:HG22	1:C:336:GLY:HA3	1.94	0.48
1:B:306:ASN:HB2	8:B:417:GOL:H2	1.94	0.48
1:C:324:ARG:HD3	1:C:366:MET:CE	2.44	0.48
1:C:273:MET:HE2	1:C:275:LYS:HE2	1.95	0.48
1:C:347:LYS:O	1:C:348:LYS:HB2	2.13	0.48
1:A:303:PHE:HB3	1:A:304:PRO:HD2	1.96	0.48
1:B:345:ARG:NE	6:B:401:UDH:H5B	2.29	0.47
1:C:271:VAL:CG2	1:C:336:GLY:HA3	2.44	0.47
1:B:274:ASP:O	1:C:171:ASP:HB3	2.14	0.47
1:C:304:PRO:HB3	1:C:320:ARG:HH21	1.79	0.47
1:C:332:ASN:HD22	1:C:334:VAL:H	1.63	0.47
1:B:310:TRP:NE1	8:B:412:GOL:H12	2.30	0.47
1:A:139:GLY:HA3	1:A:140:PRO:HD3	1.81	0.46
1:A:271:VAL:HG22	1:A:336:GLY:HA3	1.97	0.46
1:C:248:ASP:HB3	6:C:403:UDH:O3'	2.15	0.46
1:C:300:ILE:HG22	1:C:324:ARG:HG2	1.98	0.46
1:A:398:SER:HB2	1:B:347:LYS:HB2	1.98	0.46
1:C:396:THR:HB	1:C:397:PRO:HD2	1.98	0.45
1:A:254:MET:HE1	1:A:339:ARG:HG2	1.98	0.45
1:C:163:MET:CE	1:C:383:ARG:O	2.65	0.45
1:A:153:LEU:O	1:A:157:GLN:HG3	2.16	0.45
1:A:266:PRO:HG2	1:A:321:LEU:HD22	1.99	0.45
1:A:194:TRP:CZ2	1:A:198:LEU:HG	2.52	0.44
8:C:416:GOL:H31	9:C:829:HOH:O	2.17	0.44
1:C:266:PRO:CG	1:C:321:LEU:HD22	2.45	0.44
1:C:351:PRO:O	1:C:353:PRO:HD3	2.16	0.44
1:C:352:ASN:O	1:C:355:ARG:HG2	2.17	0.44
1:C:303:PHE:HB3	1:C:304:PRO:HD2	2.00	0.44
1:A:254:MET:SD	1:A:337:THR:HG22	2.57	0.44
1:A:273:MET:HE2	1:A:275:LYS:HE2	1.98	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:334:VAL:O	1:B:337:THR:HG23	2.18	0.43
1:C:223:ASN:HB3	1:C:394:ILE:CD1	2.48	0.43
1:C:220:THR:HG23	1:C:221:ILE:N	2.33	0.43
1:C:183:PRO:HD3	1:C:228:LEU:HD21	2.01	0.43
1:B:303:PHE:HB3	1:B:304:PRO:HD2	2.00	0.43
1:C:324:ARG:HD3	1:C:366:MET:HE2	2.00	0.43
1:B:272:ALA:HB3	1:B:337:THR:HA	2.01	0.42
1:C:271:VAL:HG11	1:C:330:ARG:HB3	2.01	0.42
1:B:314:ASP:OD1	1:B:314:ASP:N	2.52	0.42
1:C:319:ASN:HB2	1:C:362:THR:HG21	2.00	0.42
1:A:310:TRP:CE2	8:A:415:GOL:H12	2.55	0.42
1:C:273:MET:HE2	1:C:275:LYS:HG2	2.02	0.42
1:C:163:MET:HE3	1:C:383:ARG:O	2.19	0.42
1:B:351:PRO:CG	6:B:401:UDH:H6'1	2.49	0.41
1:C:308:TRP:NE1	7:C:433:DIO:H1'1	2.33	0.41
1:A:158:ASN:N	1:A:159:PRO:HD3	2.36	0.41
1:C:143:ILE:HG13	1:C:254:MET:HG2	2.03	0.41
1:C:201:VAL:O	1:C:205:GLN:HG3	2.21	0.41
1:A:223:ASN:HB3	1:A:394:ILE:CD1	2.51	0.41
1:C:345:ARG:HG3	1:C:345:ARG:HH11	1.86	0.41
1:B:300:ILE:HB	1:B:320:ARG:HB3	2.03	0.40
1:B:306:ASN:ND2	1:B:306:ASN:N	2.68	0.40
1:C:220:THR:CG2	1:C:221:ILE:N	2.84	0.40
1:A:177:LYS:NZ	1:A:240:ASP:OD2	2.55	0.40
1:B:157:GLN:NE2	9:B:492:HOH:O	2.53	0.40
1:C:225:ALA:HB2	1:C:313:GLU:HG3	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	270/287 (94%)	263 (97%)	7 (3%)	0	100	100
1	B	270/287 (94%)	264 (98%)	6 (2%)	0	100	100
1	C	270/287 (94%)	261 (97%)	8 (3%)	1 (0%)	38	33
All	All	810/861 (94%)	788 (97%)	21 (3%)	1 (0%)	55	52

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	312	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	243/252 (96%)	240 (99%)	3 (1%)	75	80
1	B	243/252 (96%)	238 (98%)	5 (2%)	59	62
1	C	243/252 (96%)	235 (97%)	8 (3%)	43	41
All	All	729/756 (96%)	713 (98%)	16 (2%)	57	60

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	147	MET
1	A	332	ASN
1	A	364	GLU
1	B	147	MET
1	B	153	LEU
1	B	156	LYS
1	B	306	ASN
1	B	350	GLU
1	C	133	GLU
1	C	147	MET
1	C	220	THR
1	C	233	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	332	ASN
1	C	348	LYS
1	C	357	ASP
1	C	364	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	157	GLN
1	A	186	ASN
1	A	295	GLN
1	A	332	ASN
1	B	186	ASN
1	B	306	ASN
1	C	295	GLN
1	C	332	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

7 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	NAG	A	405	2	14,14,15	1.32	3 (21%)	15,19,21	0.82	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	MAN	A	406	2	12,12,12	1.69	3 (25%)	17,17,17	0.93	0
3	NAG	B	407	3	14,14,15	1.71	4 (28%)	15,19,21	0.94	1 (6%)
3	MAN	B	408	3	11,11,12	2.90	7 (63%)	13,15,17	1.45	2 (15%)
3	MAN	B	409	3	12,12,12	2.66	5 (41%)	17,17,17	0.75	0
2	NAG	C	410	2	14,14,15	1.45	3 (21%)	15,19,21	0.86	0
2	MAN	C	411	2	12,12,12	1.69	2 (16%)	17,17,17	0.80	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	405	2	-	0/6/23/26	0/1/1/1
2	MAN	A	406	2	-	0/2/22/22	0/1/1/1
3	NAG	B	407	3	-	0/6/23/26	0/1/1/1
3	MAN	B	408	3	-	0/2/19/22	0/1/1/1
3	MAN	B	409	3	1/1/5/5	0/2/22/22	0/1/1/1
2	NAG	C	410	2	-	0/6/23/26	0/1/1/1
2	MAN	C	411	2	-	0/2/22/22	0/1/1/1

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	405	NAG	C8-C7	2.06	1.55	1.50
2	C	410	NAG	C2-N2	2.13	1.50	1.46
2	A	405	NAG	C2-N2	2.18	1.50	1.46
2	C	411	MAN	C1-C2	2.18	1.57	1.52
2	C	410	NAG	C1-C2	2.30	1.55	1.52
3	B	407	NAG	C1-C2	2.34	1.55	1.52
3	B	407	NAG	O5-C5	2.48	1.48	1.43
2	A	406	MAN	C4-C5	2.52	1.58	1.53
2	A	406	MAN	O5-C1	2.54	1.47	1.43
2	A	405	NAG	O5-C1	2.57	1.47	1.43
3	B	408	MAN	C4-C3	2.59	1.58	1.52
3	B	408	MAN	C4-C5	2.64	1.58	1.53
3	B	407	NAG	O5-C1	2.67	1.48	1.43
3	B	409	MAN	O5-C5	2.69	1.50	1.44
2	C	410	NAG	O5-C1	2.75	1.48	1.43
2	A	406	MAN	C1-C2	2.97	1.58	1.52
3	B	408	MAN	O2-C2	3.03	1.50	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	409	MAN	C3-C2	3.10	1.60	1.52
3	B	408	MAN	O5-C5	3.14	1.50	1.43
3	B	407	NAG	C4-C5	3.19	1.59	1.53
3	B	408	MAN	C1-C2	3.27	1.59	1.52
2	C	411	MAN	O5-C1	3.31	1.49	1.43
3	B	408	MAN	O5-C1	3.85	1.50	1.43
3	B	409	MAN	O5-C1	3.90	1.50	1.43
3	B	409	MAN	C1-C2	4.33	1.61	1.52
3	B	409	MAN	C4-C5	4.90	1.63	1.53
3	B	408	MAN	C2-C3	5.79	1.60	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	408	MAN	C3-C4-C5	-2.29	106.17	110.22
3	B	407	NAG	C4-C3-C2	-2.21	107.78	111.02
3	B	408	MAN	C1-O5-C5	3.49	116.98	112.17

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	B	409	MAN	C1

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.6 Ligand geometry

Of 28 ligands modelled in this entry, 3 are monoatomic - leaving 25 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	UDH	A	399	4	27,33,33	1.75	5 (18%)	28,47,47	3.20	7 (25%)
8	GOL	A	415	-	5,5,5	0.64	0	5,5,5	0.90	0
5	SO4	A	419	-	4,4,4	1.83	1 (25%)	6,6,6	0.88	0
5	SO4	A	420	-	4,4,4	1.79	1 (25%)	6,6,6	0.87	0
5	SO4	A	421	-	4,4,4	1.83	1 (25%)	6,6,6	0.85	0
5	SO4	A	429	-	4,4,4	1.89	1 (25%)	6,6,6	0.87	0
6	UDH	B	401	4	27,33,33	1.65	3 (11%)	28,47,47	3.15	4 (14%)
8	GOL	B	412	-	5,5,5	0.54	0	5,5,5	0.97	0
8	GOL	B	413	-	5,5,5	0.46	0	5,5,5	0.83	0
8	GOL	B	414	-	5,5,5	0.52	0	5,5,5	0.69	0
8	GOL	B	417	-	5,5,5	0.38	0	5,5,5	0.75	0
8	GOL	B	418	-	5,5,5	0.37	0	5,5,5	0.70	0
5	SO4	B	422	-	4,4,4	1.84	1 (25%)	6,6,6	0.90	0
5	SO4	B	424	-	4,4,4	1.80	1 (25%)	6,6,6	0.89	0
5	SO4	B	425	-	4,4,4	1.81	1 (25%)	6,6,6	0.85	0
5	SO4	B	428	-	4,4,4	1.86	1 (25%)	6,6,6	0.87	0
5	SO4	B	430	-	4,4,4	1.85	1 (25%)	6,6,6	0.85	0
5	SO4	B	432	-	4,4,4	1.82	1 (25%)	6,6,6	0.87	0
6	UDH	C	403	4	27,33,33	1.74	5 (18%)	28,47,47	3.19	5 (17%)
8	GOL	C	416	-	5,5,5	0.46	0	5,5,5	0.77	0
5	SO4	C	423	-	4,4,4	1.77	1 (25%)	6,6,6	0.86	0
5	SO4	C	426	-	4,4,4	1.88	1 (25%)	6,6,6	0.88	0
5	SO4	C	427	-	4,4,4	1.92	1 (25%)	6,6,6	0.83	0
5	SO4	C	431	-	4,4,4	1.91	1 (25%)	6,6,6	0.85	0
7	DIO	C	433	-	6,6,6	0.91	0	6,6,6	0.66	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	UDH	A	399	4	-	0/21/41/41	0/2/2/2
8	GOL	A	415	-	-	0/4/4/4	0/0/0/0
5	SO4	A	419	-	-	0/0/0/0	0/0/0/0
5	SO4	A	420	-	-	0/0/0/0	0/0/0/0
5	SO4	A	421	-	-	0/0/0/0	0/0/0/0
5	SO4	A	429	-	-	0/0/0/0	0/0/0/0
6	UDH	B	401	4	-	0/21/41/41	0/2/2/2

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	GOL	B	412	-	-	0/4/4/4	0/0/0/0
8	GOL	B	413	-	-	0/4/4/4	0/0/0/0
8	GOL	B	414	-	-	0/4/4/4	0/0/0/0
8	GOL	B	417	-	-	0/4/4/4	0/0/0/0
8	GOL	B	418	-	-	0/4/4/4	0/0/0/0
5	SO4	B	422	-	-	0/0/0/0	0/0/0/0
5	SO4	B	424	-	-	0/0/0/0	0/0/0/0
5	SO4	B	425	-	-	0/0/0/0	0/0/0/0
5	SO4	B	428	-	-	0/0/0/0	0/0/0/0
5	SO4	B	430	-	-	0/0/0/0	0/0/0/0
5	SO4	B	432	-	-	0/0/0/0	0/0/0/0
6	UDH	C	403	4	-	0/21/41/41	0/2/2/2
8	GOL	C	416	-	-	0/4/4/4	0/0/0/0
5	SO4	C	423	-	-	0/0/0/0	0/0/0/0
5	SO4	C	426	-	-	0/0/0/0	0/0/0/0
5	SO4	C	427	-	-	0/0/0/0	0/0/0/0
5	SO4	C	431	-	-	0/0/0/0	0/0/0/0
7	DIO	C	433	-	-	0/0/6/6	0/1/1/1

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	C	403	UDH	C6-C5	-2.49	1.32	1.38
6	A	399	UDH	C2B-C1B	-2.47	1.49	1.53
6	A	399	UDH	C6-C5	-2.33	1.33	1.38
6	C	403	UDH	PB-O2B	-2.29	1.49	1.59
6	C	403	UDH	PB-O1B	2.32	1.59	1.50
6	A	399	UDH	PB-O1B	2.38	1.59	1.50
6	B	401	UDH	PB-O1B	2.61	1.60	1.50
5	C	423	SO4	O1-S	2.99	1.61	1.45
5	A	420	SO4	O1-S	3.03	1.62	1.45
5	B	424	SO4	O1-S	3.05	1.62	1.45
5	B	425	SO4	O1-S	3.08	1.62	1.45
5	B	432	SO4	O1-S	3.11	1.62	1.45
5	A	419	SO4	O1-S	3.12	1.62	1.45
5	B	428	SO4	O1-S	3.13	1.62	1.45
5	A	421	SO4	O1-S	3.14	1.62	1.45
5	B	430	SO4	O1-S	3.15	1.62	1.45
5	C	426	SO4	O1-S	3.17	1.62	1.45
5	B	422	SO4	O1-S	3.17	1.62	1.45
5	A	429	SO4	O1-S	3.27	1.63	1.45
5	C	431	SO4	O1-S	3.33	1.63	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	C	427	SO4	O1-S	3.36	1.63	1.45
6	B	401	UDH	C4-N3	4.30	1.40	1.33
6	A	399	UDH	C4-N3	4.44	1.41	1.33
6	C	403	UDH	C4-N3	4.89	1.41	1.33
6	B	401	UDH	C6-N1	5.07	1.42	1.35
6	C	403	UDH	C6-N1	5.16	1.42	1.35
6	A	399	UDH	C6-N1	5.46	1.43	1.35

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	403	UDH	C5-C4-N3	-3.46	114.87	123.12
6	A	399	UDH	O4'-C4B-C3B	-3.45	98.31	105.17
6	A	399	UDH	C5-C4-N3	-3.33	115.17	123.12
6	B	401	UDH	O4'-C4B-C3B	-3.27	98.67	105.17
6	B	401	UDH	C5-C4-N3	-3.23	115.42	123.12
6	C	403	UDH	O4'-C4B-C3B	-2.97	99.26	105.17
6	A	399	UDH	C3'-C2'-C1'	-2.26	103.34	113.48
6	A	399	UDH	C5'-C4'-C3'	-2.21	103.07	114.45
6	C	403	UDH	C5'-C4'-C3'	-2.16	103.31	114.45
6	A	399	UDH	C4'-C3'-C2'	-2.03	104.02	114.45
6	B	401	UDH	O3B-PB-O1B	2.51	125.28	112.28
6	A	399	UDH	O3B-PB-O1B	2.72	126.38	112.28
6	C	403	UDH	O3B-PB-O1B	2.82	126.86	112.28
6	C	403	UDH	C4-N3-C2	14.68	126.74	114.13
6	A	399	UDH	C4-N3-C2	14.74	126.79	114.13
6	B	401	UDH	C4-N3-C2	14.94	126.97	114.13

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

9 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	A	415	GOL	1	0
6	B	401	UDH	4	0
8	B	412	GOL	3	0
8	B	414	GOL	1	0
8	B	417	GOL	1	0
8	B	418	GOL	1	0
6	C	403	UDH	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	C	416	GOL	1	0
7	C	433	DIO	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	272/287 (94%)	-0.02	4 (1%) 74 73	20, 28, 45, 54	0
1	B	272/287 (94%)	-0.02	6 (2%) 62 61	17, 25, 38, 51	0
1	C	272/287 (94%)	0.20	15 (5%) 26 26	22, 35, 56, 65	0
All	All	816/861 (94%)	0.05	25 (3%) 49 49	17, 29, 49, 65	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	398	SER	4.7
1	C	347	LYS	3.6
1	B	398	SER	3.3
1	A	347	LYS	3.2
1	A	398	SER	3.0
1	A	153	LEU	2.9
1	B	367	LEU	2.8
1	C	153	LEU	2.6
1	C	220	THR	2.6
1	B	228	LEU	2.5
1	C	148	PRO	2.4
1	C	397	PRO	2.4
1	B	132	GLU	2.3
1	C	152	GLU	2.2
1	A	345	ARG	2.2
1	C	354	GLN	2.2
1	B	181	ILE	2.2
1	C	219	ASP	2.2
1	C	350	GLU	2.2
1	B	182	ILE	2.1
1	C	156	LYS	2.1
1	C	144	GLU	2.1
1	C	182	ILE	2.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	357	ASP	2.0
1	C	396	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	NAG	C	410	14/15	0.92	0.11	-0.36	45,48,49,51	0
2	NAG	A	405	14/15	0.96	0.09	-0.44	26,30,32,33	0
3	NAG	B	407	14/15	0.98	0.09	-0.83	24,26,27,29	0
2	MAN	A	406	12/12	0.83	0.20	-	39,51,54,56	0
3	MAN	B	408	11/12	0.89	0.21	-	34,46,50,55	0
3	MAN	B	409	12/12	0.32	0.47	-	49,57,57,58	12
2	MAN	C	411	12/12	0.75	0.22	-	54,61,64,66	0

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
8	GOL	B	413	6/6	0.84	0.29	10.95	41,44,48,51	0
8	GOL	B	414	6/6	0.90	0.22	5.40	31,35,37,37	0
8	GOL	B	418	6/6	0.79	0.29	3.57	62,65,65,65	0
5	SO4	B	430	5/5	0.90	0.27	2.28	81,81,81,82	0
8	GOL	C	416	6/6	0.91	0.17	1.76	45,47,48,50	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
8	GOL	A	415	6/6	0.91	0.16	1.73	35,40,41,45	0
5	SO4	B	425	5/5	0.90	0.21	1.13	65,67,67,68	0
8	GOL	B	417	6/6	0.74	0.22	0.92	47,49,50,53	0
8	GOL	B	412	6/6	0.90	0.17	0.78	32,38,39,40	0
5	SO4	A	420	5/5	0.88	0.19	0.62	71,73,73,74	0
5	SO4	C	423	5/5	0.96	0.15	0.59	48,50,51,52	0
7	DIO	C	433	6/6	0.76	0.29	0.51	70,70,70,71	0
5	SO4	B	424	5/5	0.96	0.18	0.38	80,80,80,81	0
6	UDH	B	401	32/32	0.96	0.14	-0.37	18,22,51,55	0
6	UDH	C	403	32/32	0.94	0.15	-0.51	30,38,56,60	0
6	UDH	A	399	32/32	0.96	0.12	-0.53	26,30,53,56	0
5	SO4	A	419	5/5	0.91	0.12	-0.99	79,79,80,80	0
5	SO4	C	426	5/5	0.91	0.12	-1.06	88,88,88,88	0
4	MN	A	400	1/1	1.00	0.09	-	31,31,31,31	0
5	SO4	A	421	5/5	0.89	0.20	-	84,85,85,85	0
5	SO4	B	428	5/5	0.95	0.17	-	81,81,81,82	0
4	MN	C	404	1/1	0.95	0.07	-	38,38,38,38	0
5	SO4	A	429	5/5	0.92	0.30	-	72,72,73,74	0
5	SO4	C	427	5/5	0.91	0.20	-	73,73,75,75	0
4	MN	B	402	1/1	0.99	0.10	-	25,25,25,25	0
5	SO4	B	432	5/5	0.90	0.37	-	89,89,89,90	0
5	SO4	C	431	5/5	0.86	0.49	-	88,88,89,90	0
5	SO4	B	422	5/5	0.89	0.20	-	73,73,74,74	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.