



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 12:30 am GMT

PDB ID : 2AHF
Title : Unsaturated glucuronyl hydrolase mutant D88N
Authors : Itoh, T.; Hashimoto, W.; Mikami, B.; Murata, K.
Deposited on : 2005-07-28
Resolution : 1.52 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.52 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	2964 (1.54-1.50)
Clashscore	112137	3216 (1.54-1.50)
Ramachandran outliers	110173	3145 (1.54-1.50)
Sidechain outliers	110143	3143 (1.54-1.50)
RSRZ outliers	101464	2990 (1.54-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	377	<div> <div>5%</div> <div> <div></div> <div>86%</div> <div>13%</div> <div>.</div> </div> </div>
1	B	377	<div> <div>15%</div> <div> <div></div> <div>82%</div> <div>17%</div> <div>.</div> </div> </div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6982 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called unsaturated glucuronyl hydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	377	Total	C	N	O	S	0	7	0
			3071	1930	555	580	6			
1	B	377	Total	C	N	O	S	0	2	0
			3045	1913	547	579	6			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	88	ASN	ASP	ENGINEERED	UNP Q9RC92
B	88	ASN	ASP	ENGINEERED	UNP Q9RC92


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	478	Total	O	0	0
			478	478		
2	B	388	Total	O	0	0
			388	388		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: unsaturated glucuronyl hydrolase



• Molecule 1: unsaturated glucuronyl hydrolase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	87.91Å 95.39Å 95.28Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	14.95 – 1.52 41.89 – 1.52	Depositor EDS
% Data completeness (in resolution range)	97.1 (14.95-1.52) 97.2 (41.89-1.52)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.45 (at 1.52Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.186 , 0.211 0.188 , 0.213	Depositor DCC
R_{free} test set	11983 reflections (10.02%)	DCC
Wilson B-factor (Å ²)	13.3	Xtriage
Anisotropy	0.245	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 51.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.013 for -h,l,k	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6982	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.89% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.29	0/3177	0.58	1/4301 (0.0%)
1	B	0.29	0/3132	0.57	1/4244 (0.0%)
All	All	0.29	0/6309	0.57	2/8545 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	336	GLY	N-CA-C	-5.29	99.86	113.10
1	B	336	GLY	N-CA-C	-5.12	100.30	113.10

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	355	TYR	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3071	0	2905	58	0
1	B	3045	0	2865	57	0
2	A	478	0	0	7	0
2	B	388	0	0	3	0
All	All	6982	0	5770	114	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:230:PHE:HD1	1:B:249:MET:HE1	1.22	1.01
1:B:85:ASP:HA	1:B:122:ARG:HH12	1.34	0.91
1:B:230:PHE:CD1	1:B:249:MET:HE1	2.11	0.84
1:B:119:VAL:O	1:B:122:ARG:HD2	1.78	0.83
1:B:87:HIS:ND1	1:B:150:CYS:SG	2.54	0.81
1:A:168:GLU:O	1:A:172[A]:VAL:HG12	1.86	0.76
1:B:85:ASP:HA	1:B:122:ARG:NH1	2.02	0.73
1:A:124:TRP:CE3	1:A:172[A]:VAL:HG23	2.23	0.73
1:B:75:ARG:HH22	1:B:108:SER:HB2	1.55	0.72
1:B:302:GLU:HA	1:B:305:ARG:HD2	1.71	0.71
1:A:171:ARG:HB3	1:A:171:ARG:HH21	1.53	0.71
1:A:123[B]:ARG:HH21	1:A:132:GLN:HB3	1.55	0.71
1:A:17:LEU:HD11	1:A:69[A]:ARG:HH22	1.54	0.71
1:A:131:ILE:H	1:A:176:HIS:HD2	1.39	0.70
1:B:122:ARG:HD3	1:B:123:ARG:HG2	1.73	0.69
1:A:69[A]:ARG:HD2	2:A:1305:HOH:O	1.93	0.68
1:B:328:GLU:HG3	2:B:1322:HOH:O	1.94	0.66
1:A:86:HIS:HD2	1:A:88:ASN:H	1.46	0.64
1:A:131:ILE:H	1:A:176:HIS:CD2	2.15	0.64
1:A:140:PRO:HG2	1:A:141:GLU:OE2	1.98	0.64
1:B:28:SER:OG	1:B:348:ASP:HB3	1.98	0.64
1:B:111:LYS:HD2	2:B:1757:HOH:O	1.97	0.62
1:A:86:HIS:HA	1:A:123[B]:ARG:NH1	2.15	0.62
1:A:86:HIS:HA	1:A:123[B]:ARG:HH11	1.65	0.61
1:A:377:ARG:HD3	1:A:377:ARG:O	1.99	0.61
1:B:131:ILE:HG22	1:B:176:HIS:CD2	2.35	0.61
1:A:107[A]:GLU:OE1	1:A:110:ARG:HD3	2.01	0.61
1:A:121:MET:SD	1:A:172[A]:VAL:HG11	2.41	0.61
1:A:86:HIS:O	1:A:89:ILE:HD13	2.01	0.61
1:B:132:GLN:NE2	1:B:143:GLY:HA2	2.17	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:22:ASP:OD1	1:A:69[A]:ARG:HD3	2.03	0.59
1:B:145:ARG:HH12	1:B:210:HIS:HD2	1.49	0.59
1:B:101:TRP:O	1:B:105:LYS:HD3	2.04	0.58
1:B:115:ASP:O	1:B:119:VAL:HG23	2.05	0.57
1:A:121:MET:SD	1:A:172[B]:VAL:HG21	2.45	0.56
1:A:86:HIS:CD2	1:A:88:ASN:HB2	2.41	0.55
1:B:86:HIS:CD2	1:B:88:ASN:HB2	2.42	0.55
1:A:377:ARG:HD3	1:A:377:ARG:C	2.27	0.54
1:A:176:HIS:HE1	2:A:1077:HOH:O	1.90	0.53
1:B:205:ILE:HG22	1:B:206:ARG:HG2	1.89	0.53
1:B:186:ARG:NE	1:B:190:SER:OG	2.42	0.53
1:B:301:PRO:O	1:B:305:ARG:HG3	2.07	0.53
1:B:123:ARG:NH1	1:B:132:GLN:HG2	2.23	0.53
1:A:28:SER:OG	1:A:348:ASP:HB3	2.08	0.52
1:A:85:ASP:O	1:A:123[B]:ARG:NH1	2.42	0.52
1:B:302:GLU:HA	1:B:305:ARG:CD	2.39	0.52
1:A:211:GLN:HG2	1:A:339:HIS:ND1	2.24	0.52
1:B:174:GLU:HG3	1:B:237:LEU:HD13	1.91	0.52
1:B:131:ILE:HG22	1:B:176:HIS:NE2	2.25	0.51
1:A:39:ASN:ND2	1:A:77:ARG:HH11	2.08	0.51
1:B:193:HIS:HB3	1:B:209:THR:HB	1.93	0.51
1:B:75:ARG:NH2	1:B:108:SER:HB2	2.24	0.51
1:B:122:ARG:HH21	1:B:122:ARG:HG2	1.76	0.51
1:B:86:HIS:HD2	1:B:88:ASN:N	2.09	0.51
1:A:123[B]:ARG:HH12	1:A:134:TRP:C	2.15	0.50
1:A:17:LEU:CD1	1:A:69[A]:ARG:HH22	2.21	0.50
1:B:158:LEU:O	1:B:162:GLU:HG3	2.11	0.50
1:B:87:HIS:CD2	1:B:87:HIS:H	2.29	0.49
1:B:211:GLN:NE2	1:B:339[B]:HIS:CD2	2.80	0.49
1:B:131:ILE:O	1:B:131:ILE:HG23	2.12	0.49
1:B:32:ASN:HD21	1:B:33:LYS:NZ	2.10	0.48
1:A:171:ARG:HH22	1:A:172[B]:VAL:HG13	1.78	0.48
1:A:123[B]:ARG:HD2	1:A:132:GLN:O	2.14	0.48
1:A:87:HIS:CE1	1:A:150:CYS:HB2	2.49	0.48
1:B:78:LEU:HD11	1:B:119:VAL:HG21	1.96	0.48
1:A:123[B]:ARG:HH12	1:A:135:GLY:N	2.12	0.47
1:B:120:LEU:C	1:B:122:ARG:H	2.17	0.47
1:A:80:ARG:HG3	2:A:1442:HOH:O	2.13	0.46
1:B:86:HIS:HD2	1:B:88:ASN:H	1.61	0.46
1:A:141:GLU:N	1:A:141:GLU:OE2	2.48	0.46
1:B:145:ARG:HH12	1:B:210:HIS:CD2	2.32	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:124:TRP:HA	1:A:131:ILE:HD13	1.99	0.45
1:A:154:LEU:N	1:A:155:PRO:CD	2.79	0.45
1:B:176:HIS:HE1	2:B:1042:HOH:O	1.99	0.45
1:B:147:ILE:HG12	1:B:194:THR:HG22	1.98	0.45
1:A:123[B]:ARG:HH12	1:A:134:TRP:HA	1.80	0.45
1:A:123[B]:ARG:NH1	1:A:134:TRP:HA	2.31	0.45
1:A:120:LEU:O	1:A:123[B]:ARG:HB2	2.16	0.45
1:A:264:TYR:HA	1:A:277:ARG:HA	1.99	0.45
1:A:171:ARG:CB	1:A:171:ARG:HH21	2.27	0.45
1:A:86:HIS:CD2	1:A:88:ASN:H	2.31	0.45
1:A:69[A]:ARG:HG2	2:A:1715:HOH:O	2.18	0.44
1:A:85:ASP:C	1:A:123[B]:ARG:HH11	2.20	0.44
1:A:86:HIS:HD2	1:A:88:ASN:HB2	1.82	0.44
1:A:33[A]:LYS:HE3	2:A:1423:HOH:O	2.17	0.44
1:A:339:HIS:CD2	1:A:342:GLY:HA3	2.53	0.44
1:A:341:ARG:HG2	2:A:1801:HOH:O	2.17	0.44
1:A:193:HIS:HB3	1:A:209:THR:HB	1.99	0.44
1:B:39:ASN:HA	1:B:44:ASP:OD1	2.18	0.43
1:A:188:ASP:O	1:A:189:ASP:HB2	2.18	0.43
1:A:83:ASN:O	1:A:86:HIS:HE1	2.01	0.43
1:A:123[B]:ARG:HH21	1:A:132:GLN:CB	2.28	0.43
1:A:19:LYS:HE2	2:A:1752:HOH:O	2.18	0.43
1:B:130:ILE:HG22	1:B:179:LYS:HD3	2.01	0.43
1:B:211:GLN:HG2	1:B:339[A]:HIS:ND1	2.34	0.43
1:B:32:ASN:HD21	1:B:33:LYS:HZ2	1.65	0.43
1:B:87:HIS:CD2	1:B:87:HIS:N	2.86	0.43
1:B:124:TRP:HA	1:B:131:ILE:HA	2.01	0.42
1:B:339[B]:HIS:HB2	1:B:344:ILE:HB	2.00	0.42
1:A:149:ASP:HB3	1:A:225:TRP:CD1	2.54	0.42
1:B:131:ILE:O	1:B:131:ILE:CG2	2.67	0.42
1:B:154:LEU:N	1:B:155:PRO:CD	2.82	0.42
1:B:88:ASN:HA	1:B:153:ASN:OD1	2.19	0.42
1:A:182:ARG:NH1	1:B:186:ARG:NH2	2.67	0.42
1:A:212:GLY:O	1:A:341:ARG:HD2	2.19	0.41
1:A:87:HIS:ND1	1:A:150:CYS:HB2	2.35	0.41
1:B:134:TRP:CG	1:B:135:GLY:N	2.88	0.41
1:B:145:ARG:NH1	1:B:210:HIS:HD2	2.16	0.41
1:B:198:ASP:HB3	1:B:201:ASN:OD1	2.21	0.41
1:B:75:ARG:HD3	1:B:112:LEU:HD13	2.01	0.40
1:A:131:ILE:HD11	1:A:172[A]:VAL:HG21	2.03	0.40
1:A:123[B]:ARG:HH12	1:A:134:TRP:CA	2.35	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:81:PHE:HZ	1:B:122:ARG:NH1	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	382/377 (101%)	370 (97%)	12 (3%)	0	100	100
1	B	377/377 (100%)	360 (96%)	13 (3%)	4 (1%)	17	3
All	All	759/754 (101%)	730 (96%)	25 (3%)	4 (0%)	32	10

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	88	ASN
1	B	141	GLU
1	B	121	MET
1	B	140	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	311/304 (102%)	305 (98%)	6 (2%)	62	30

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	306/304 (101%)	302 (99%)	4 (1%)	73	47
All	All	617/608 (102%)	607 (98%)	10 (2%)	68	38

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	ASN
1	A	87	HIS
1	A	118	ASP
1	A	171	ARG
1	A	228	TYR
1	A	377	ARG
1	B	32	ASN
1	B	87	HIS
1	B	122	ARG
1	B	228	TYR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	39	ASN
1	A	83	ASN
1	A	86	HIS
1	A	176	HIS
1	A	193	HIS
1	A	223	GLN
1	A	304	GLN
1	B	3	GLN
1	B	16	ASN
1	B	32	ASN
1	B	62	GLN
1	B	83	ASN
1	B	86	HIS
1	B	88	ASN
1	B	176	HIS
1	B	210	HIS
1	B	223	GLN
1	B	295	GLN
1	B	304	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	377/377 (100%)	0.36	17 (4%) 34 38	7, 12, 26, 42	0
1	B	377/377 (100%)	1.12	57 (15%) 3 3	6, 15, 36, 41	0
All	All	754/754 (100%)	0.74	74 (9%) 8 9	6, 13, 34, 42	0

All (74) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	134	TRP	17.6
1	B	131	ILE	11.9
1	B	376	GLY	11.7
1	B	140	PRO	11.7
1	B	136	PRO	11.5
1	B	124	TRP	9.8
1	B	138	GLY	9.2
1	A	134	TRP	8.7
1	B	137	LYS	8.3
1	B	141	GLU	7.9
1	A	376	GLY	7.8
1	B	135	GLY	7.6
1	B	126	ALA	7.2
1	B	143	GLY	7.0
1	B	130	ILE	6.9
1	B	128	ALA	6.7
1	B	377	ARG	6.3
1	B	133	ALA	6.2
1	B	142	ASN	5.9
1	B	199	PRO	5.9
1	A	140	PRO	5.8
1	B	139	ASP	5.7
1	B	129	GLY	5.5
1	A	136	PRO	5.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	200	GLU	5.2
1	B	87	HIS	4.9
1	B	127	ASP	4.6
1	B	298	GLU	4.4
1	B	85	ASP	4.4
1	B	201	ASN	4.1
1	B	297	ASP	4.0
1	B	81	PHE	3.9
1	B	80	ARG	3.9
1	B	210	HIS	3.7
1	B	144	GLY	3.7
1	B	132	GLN	3.6
1	A	141	GLU	3.6
1	B	301	PRO	3.6
1	B	125	ARG	3.6
1	B	123	ARG	3.4
1	B	167	PRO	3.4
1	A	1	MET	3.3
1	A	377	ARG	3.2
1	B	122	ARG	3.2
1	A	139	ASP	3.2
1	B	1	MET	3.0
1	B	101	TRP	2.9
1	B	86	HIS	2.8
1	B	333	ILE	2.8
1	B	202	GLY	2.8
1	A	135	GLY	2.8
1	A	131	ILE	2.7
1	B	88	ASN	2.6
1	B	169	TYR	2.5
1	B	299	SER	2.5
1	B	305	ARG	2.4
1	B	196	TYR	2.4
1	A	137	LYS	2.4
1	B	83	ASN	2.4
1	B	145	ARG	2.3
1	A	138	GLY	2.3
1	B	262	VAL	2.3
1	B	120	LEU	2.3
1	B	339[A]	HIS	2.2
1	B	321	TYR	2.2
1	B	121	MET	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	126	ALA	2.1
1	A	298	GLU	2.1
1	B	263	VAL	2.1
1	B	171	ARG	2.1
1	A	172[A]	VAL	2.1
1	A	200	GLU	2.1
1	A	124	TRP	2.1
1	B	317	LEU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.