



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 18, 2018 – 05:57 PM EST

PDB ID : 6APL  
Title : Crystal Structure of human ST6GALNAC2 in complex with CMP  
Authors : Forouhar, F.; Moremen, K.W.; Northeast Structural Genomics Consortium (NESG); Tong, L.  
Deposited on : 2017-08-17  
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20030736  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20030736


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	1522 (2.38-2.34)
Clashscore	112137	1626 (2.38-2.34)
Ramachandran outliers	110173	1605 (2.38-2.34)
Sidechain outliers	110143	1606 (2.38-2.34)
RSRZ outliers	101464	1528 (2.38-2.34)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	374	<div> <div>4%</div> <div>64% 13% • 21%</div> </div>
1	B	374	<div> <div>4%</div> <div>61% 15% • 20%</div> </div>
1	C	374	<div> <div>7%</div> <div>67% 12% • 18%</div> </div>
1	D	374	<div> <div>9%</div> <div>65% 14% • 19%</div> </div>
1	E	374	<div> <div>7%</div> <div>58% 15% • 24%</div> </div>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	374	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	NAG	C	403	-	-	-	X

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 14650 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Alpha-N-acetylgalactosaminide alpha-2,6-sialyltransferase 2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	294	Total	C	N	O	S	Se	0	0	0
			2349	1523	410	407	4	5			
1	B	300	Total	C	N	O	S	Se	0	0	0
			2399	1553	419	418	4	5			
1	C	306	Total	C	N	O	S	Se	0	0	0
			2450	1591	425	425	4	5			
1	D	302	Total	C	N	O	S	Se	0	0	0
			2420	1571	420	420	4	5			
1	E	285	Total	C	N	O	S	Se	0	0	0
			2279	1476	396	399	4	4			
1	F	285	Total	C	N	O	S	Se	0	0	0
			2272	1472	391	402	3	4			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	-	initiating methionine	UNP Q9UJ37
B	1	MSE	-	initiating methionine	UNP Q9UJ37
C	1	MSE	-	initiating methionine	UNP Q9UJ37
D	1	MSE	-	initiating methionine	UNP Q9UJ37
E	1	MSE	-	initiating methionine	UNP Q9UJ37
F	1	MSE	-	initiating methionine	UNP Q9UJ37

- Molecule 2 is CYTIDINE-5'-MONOPHOSPHATE (three-letter code: C5P) (formula:  $C_9H_{14}N_3O_8P$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			21	9	3	8	1		
2	B	1	Total	C	N	O	P	0	0
			21	9	3	8	1		
2	C	1	Total	C	N	O	P	0	0
			21	9	3	8	1		
2	D	1	Total	C	N	O	P	0	0
			21	9	3	8	1		
2	E	1	Total	C	N	O	P	0	0
			21	9	3	8	1		
2	F	1	Total	C	N	O	P	0	0
			21	9	3	8	1		

- Molecule 3 is N-ACETYL-D-GLUCOSAMINE (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		
3	F	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	48	Total	O	0	0
			48	48		
4	B	52	Total	O	0	0
			52	52		

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	32	Total 32	O 32	0	0
4	D	38	Total 38	O 38	0	0
4	E	21	Total 21	O 21	0	0
4	F	24	Total 24	O 24	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Alpha-N-acetylgalactosaminide alpha-2,6-sialyltransferase 2



- Molecule 1: Alpha-N-acetylgalactosaminide alpha-2,6-sialyltransferase 2



- Molecule 1: Alpha-N-acetylgalactosaminide alpha-2,6-sialyltransferase 2





- Molecule 1: Alpha-N-acetylgalactosaminide alpha-2,6-sialyltransferase 2




- Molecule 1: Alpha-N-acetylgalactosaminide alpha-2,6-sialyltransferase 2



- Molecule 1: Alpha-N-acetylgalactosaminide alpha-2,6-sialyltransferase 2





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	71.17Å 71.12Å 138.61Å 103.69° 97.26° 103.03°	Depositor
Resolution (Å)	41.60 – 2.35 41.61 – 2.35	Depositor EDS
% Data completeness (in resolution range)	97.9 (41.60-2.35) 89.4 (41.61-2.35)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.23 (at 2.34Å)	Xtriage
Refinement program	PHENIX (1.12_2829: ???)	Depositor
R, $R_{free}$	0.196 , 0.236 0.194 , 0.235	Depositor DCC
$R_{free}$ test set	10326 reflections (10.03%)	DCC
Wilson B-factor (Å <sup>2</sup> )	58.6	Xtriage
Anisotropy	0.281	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 57.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.074 for k,h,-h-k-l	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	14650	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	79.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.27% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, C5P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.29	0/2411	0.49	0/3257
1	B	0.28	0/2463	0.50	2/3329 (0.1%)
1	C	0.26	0/2519	0.46	0/3410
1	D	0.27	0/2487	0.46	0/3365
1	E	0.27	0/2339	0.45	0/3164
1	F	0.27	0/2332	0.47	0/3157
All	All	0.28	0/14551	0.47	2/19682 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	146	PRO	N-CA-CB	6.39	110.97	103.30
1	B	178	LEU	CA-CB-CG	6.05	129.22	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2349	0	2328	25	0
1	B	2399	0	2362	37	0
1	C	2450	0	2419	28	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	2420	0	2384	31	0
1	E	2279	0	2241	37	0
1	F	2272	0	2231	28	0
2	A	21	0	12	2	0
2	B	21	0	12	2	0
2	C	21	0	12	1	0
2	D	21	0	12	0	0
2	E	21	0	12	2	0
2	F	21	0	12	1	0
3	A	28	0	26	0	0
3	B	28	0	26	0	0
3	C	28	0	26	1	0
3	D	42	0	39	0	0
3	F	14	0	13	0	0
4	A	48	0	0	0	0
4	B	52	0	0	0	0
4	C	32	0	0	0	0
4	D	38	0	0	0	0
4	E	21	0	0	0	0
4	F	24	0	0	0	0
All	All	14650	0	14167	179	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (179) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:125:THR:HG22	1:E:241:ARG:HB2	1.54	0.89
1:D:125:THR:HG22	1:D:241:ARG:HB2	1.56	0.85
1:F:125:THR:HG22	1:F:241:ARG:HB2	1.59	0.83
1:A:125:THR:HG22	1:A:241:ARG:HB2	1.59	0.82
1:C:125:THR:HG22	1:C:241:ARG:HB2	1.60	0.82
1:E:110:ALA:HB1	1:E:111:PRO:HD2	1.64	0.79
1:F:110:ALA:HB1	1:F:111:PRO:HD2	1.68	0.75
1:B:125:THR:HG22	1:B:241:ARG:HB2	1.68	0.75
1:D:110:ALA:HB1	1:D:111:PRO:HD2	1.69	0.74
1:A:110:ALA:HB1	1:A:111:PRO:HD2	1.72	0.71
1:C:179:ASN:ND2	2:C:401:C5P:O2P	2.20	0.70
1:D:101:LEU:HD12	1:D:104:ARG:HH22	1.54	0.70
1:C:110:ALA:HB1	1:C:111:PRO:HD2	1.73	0.69

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:94:GLY:HA3	1:D:130:ASN:HB3	1.74	0.69
1:B:110:ALA:HB1	1:B:111:PRO:HD2	1.75	0.68
1:B:336:HIS:HB2	1:B:339:GLU:HG2	1.74	0.68
1:C:176:PHE:HD2	1:C:309:MSE:HE3	1.58	0.68
1:F:200:THR:HG22	1:F:230:ILE:HB	1.79	0.65
1:E:228:ILE:HD11	1:E:275:LEU:HB2	1.77	0.65
1:A:187:GLU:HG3	1:F:331:TRP:CE2	2.32	0.65
1:B:117:LEU:HG	1:B:234:ILE:HG23	1.78	0.65
1:D:204:MSE:HE2	1:D:219:VAL:HG11	1.79	0.64
1:F:314:LEU:HD22	1:F:320:VAL:HG21	1.82	0.62
1:E:303:PRO:HB2	1:E:308:LEU:HD13	1.82	0.61
1:A:228:ILE:HD12	1:A:309:MSE:HE1	1.83	0.61
1:F:363:LEU:HB3	1:F:369:LEU:HB3	1.82	0.60
1:B:67:ARG:HD3	1:B:71:HIS:HB2	1.83	0.60
1:B:331:TRP:CE2	1:D:187:GLU:HG3	2.36	0.60
1:A:121:VAL:O	1:A:125:THR:HG23	2.02	0.60
1:F:97:PHE:HB2	1:F:126:LEU:HD23	1.84	0.60
1:A:97:PHE:HB2	1:A:126:LEU:HD23	1.85	0.58
1:D:97:PHE:HB2	1:D:126:LEU:HD23	1.84	0.58
1:C:111:PRO:HG3	1:C:302:MSE:SE	2.54	0.58
1:F:121:VAL:O	1:F:125:THR:HG23	2.03	0.58
1:E:200:THR:HG22	1:E:230:ILE:HB	1.86	0.57
1:E:124:SER:OG	1:E:241:ARG:NH2	2.37	0.56
1:E:121:VAL:O	1:E:125:THR:HG23	2.06	0.56
1:B:182:VAL:HG22	1:B:216:PHE:HB2	1.88	0.55
1:D:359:LEU:HD22	1:D:363:LEU:HD22	1.88	0.55
1:E:162:GLY:HA2	1:E:164:ARG:HH11	1.70	0.55
1:C:75:GLN:HG3	1:C:81:ARG:HD3	1.87	0.55
1:D:70:LEU:HB2	1:D:318:ASP:O	2.07	0.55
1:F:303:PRO:HB2	1:F:308:LEU:HD13	1.88	0.55
1:D:88:ILE:HG13	1:D:89:PRO:HD2	1.88	0.54
1:C:359:LEU:HD22	1:C:363:LEU:HD22	1.88	0.54
1:A:343:LYS:HD2	1:A:344:PRO:HD2	1.90	0.54
1:B:173:ASP:N	1:B:173:ASP:OD1	2.28	0.54
1:C:228:ILE:HD11	1:C:275:LEU:HD13	1.89	0.54
1:D:204:MSE:HE1	1:D:263:PHE:HE1	1.72	0.54
1:D:283:LEU:HD22	1:D:311:LEU:HD13	1.89	0.54
1:E:212:TRP:HZ3	1:E:217:THR:HA	1.73	0.53
1:B:102:TRP:O	1:B:106:SER:HB2	2.08	0.53
1:B:121:VAL:O	1:B:125:THR:HG23	2.08	0.53
1:B:204:MSE:HE2	1:B:219:VAL:HG11	1.91	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:111:PRO:HG3	1:D:302:MSE:SE	2.58	0.52
1:E:363:LEU:HB3	1:E:369:LEU:HB3	1.90	0.52
1:B:303:PRO:HB2	1:B:308:LEU:HD13	1.91	0.52
1:F:352:ASP:OD1	1:F:355:LEU:HB2	2.09	0.52
1:C:93:TRP:CE2	1:C:135:ALA:HB2	2.45	0.52
1:E:336:HIS:NE2	2:E:401:C5P:O3P	2.38	0.52
1:A:249:VAL:HG22	1:A:255:LYS:HA	1.91	0.52
1:A:168:ASN:HD21	1:F:352:ASP:HB2	1.74	0.51
1:C:227:TYR:HE2	1:C:271:LYS:HE3	1.76	0.51
1:B:109:LYS:HG2	1:B:110:ALA:H	1.76	0.51
1:E:67:ARG:HD3	1:E:318:ASP:OD2	2.10	0.51
1:A:336:HIS:NE2	2:A:401:C5P:O2P	2.43	0.51
1:A:182:VAL:HG22	1:A:216:PHE:HB2	1.94	0.50
1:E:335:ASP:N	1:E:335:ASP:OD1	2.44	0.50
1:D:199:PHE:CG	1:D:204:MSE:HE3	2.47	0.50
1:B:204:MSE:HE1	1:B:263:PHE:HE1	1.78	0.49
1:B:331:TRP:CD2	1:D:187:GLU:HG3	2.48	0.49
1:F:310:LEU:HD23	1:F:314:LEU:HD23	1.94	0.49
1:B:168:ASN:HD21	1:E:352:ASP:HB2	1.77	0.49
1:B:200:THR:HG22	1:B:230:ILE:HB	1.94	0.49
1:E:310:LEU:HD23	1:E:314:LEU:HD23	1.93	0.49
1:E:208:LEU:O	1:E:212:TRP:HB2	2.11	0.49
1:B:197:TYR:HE1	1:B:204:MSE:HE2	1.78	0.49
1:B:70:LEU:HB2	1:B:318:ASP:O	2.12	0.49
1:D:363:LEU:HB3	1:D:369:LEU:HB3	1.94	0.49
1:B:199:PHE:CG	1:B:204:MSE:HE3	2.49	0.48
1:C:178:LEU:HD12	1:C:309:MSE:HG3	1.96	0.48
1:A:168:ASN:ND2	1:F:352:ASP:HB2	2.28	0.48
1:C:110:ALA:HB2	1:C:300:LEU:HD13	1.95	0.48
1:F:136:LYS:O	1:F:273:LYS:NZ	2.45	0.48
1:B:249:VAL:HG22	1:B:255:LYS:HA	1.95	0.48
1:C:104:ARG:HB3	1:C:104:ARG:HH21	1.78	0.48
1:C:70:LEU:HB2	1:C:318:ASP:O	2.13	0.48
1:E:204:MSE:HE1	1:E:263:PHE:HE1	1.79	0.48
1:C:149:ILE:N	1:C:318:ASP:OD1	2.43	0.48
1:B:186:PHE:CZ	1:B:338:PHE:HA	2.49	0.47
1:B:309:MSE:HA	1:B:309:MSE:HE3	1.96	0.47
1:F:310:LEU:HD22	1:F:360:TRP:CZ3	2.49	0.47
1:C:121:VAL:O	1:C:125:THR:HG23	2.14	0.47
1:C:186:PHE:CZ	1:C:338:PHE:HA	2.50	0.47
1:F:230:ILE:HD11	1:F:309:MSE:HE3	1.96	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:336:HIS:HB2	1:D:339:GLU:HG2	1.96	0.47
1:A:228:ILE:HD12	1:A:309:MSE:CE	2.45	0.47
1:D:228:ILE:HD11	1:D:275:LEU:HB2	1.96	0.46
1:C:67:ARG:NH2	1:C:86:LEU:HD21	2.31	0.46
1:E:314:LEU:HD22	1:E:320:VAL:HG21	1.96	0.46
1:B:343:LYS:NZ	1:B:343:LYS:HB3	2.30	0.46
1:D:222:GLY:O	1:D:271:LYS:NZ	2.48	0.46
1:F:336:HIS:NE2	2:F:401:C5P:O2P	2.48	0.46
1:D:104:ARG:HB3	1:D:104:ARG:NH2	2.31	0.46
1:F:110:ALA:HB1	1:F:111:PRO:CD	2.40	0.46
1:C:162:GLY:HA3	3:C:403:NAG:H82	1.98	0.46
1:C:101:LEU:HD12	1:C:104:ARG:HH22	1.80	0.46
1:B:97:PHE:CD1	1:B:126:LEU:HD23	2.51	0.45
1:D:235:ARG:HB3	1:D:254:ASP:OD2	2.17	0.45
1:E:162:GLY:HA2	1:E:164:ARG:NH1	2.31	0.45
1:E:70:LEU:HB2	1:E:318:ASP:O	2.16	0.45
1:A:125:THR:HG21	1:A:237:TYR:HB3	1.99	0.45
1:F:162:GLY:HA2	1:F:164:ARG:HH11	1.82	0.45
1:C:67:ARG:HD2	1:C:318:ASP:HA	1.97	0.45
1:E:352:ASP:OD1	1:E:355:LEU:HB2	2.17	0.45
1:E:156:ASN:ND2	2:E:401:C5P:O1P	2.48	0.45
1:E:156:ASN:O	1:E:336:HIS:HA	2.17	0.45
1:D:242:SER:HB3	1:D:247:VAL:O	2.17	0.44
1:F:204:MSE:HE1	1:F:263:PHE:CE1	2.52	0.44
1:B:253:LEU:HA	1:B:253:LEU:HD22	1.86	0.44
1:E:204:MSE:HE2	1:E:219:VAL:HG11	1.99	0.44
1:E:353:LEU:H	1:E:353:LEU:HD22	1.81	0.44
1:F:204:MSE:HE1	1:F:263:PHE:HE1	1.83	0.44
1:E:93:TRP:CH2	1:E:95:ASP:HB2	2.52	0.44
1:A:78:PRO:HB3	1:A:81:ARG:HH11	1.82	0.44
1:E:230:ILE:HD11	1:E:309:MSE:HE1	2.00	0.44
1:E:67:ARG:HA	1:E:318:ASP:HB3	1.99	0.44
1:A:187:GLU:HG3	1:F:331:TRP:CD2	2.53	0.44
1:C:92:LEU:HG	1:C:126:LEU:HD11	2.00	0.44
1:D:186:PHE:O	1:D:190:VAL:HG22	2.18	0.44
1:E:292:LEU:HD11	1:E:352:ASP:HB3	1.99	0.44
1:A:343:LYS:NZ	1:A:343:LYS:HB3	2.33	0.44
1:A:359:LEU:HD22	1:A:363:LEU:HD22	2.00	0.43
1:B:343:LYS:HD2	1:B:344:PRO:HD2	2.00	0.43
1:F:250:PRO:HG2	1:F:251:GLU:HG2	2.00	0.43
1:E:77:HIS:CD2	1:E:79:HIS:HB3	2.52	0.43

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:156:ASN:ND2	2:A:401:C5P:H5'1	2.33	0.43
1:E:93:TRP:CE2	1:E:135:ALA:HB2	2.54	0.43
1:C:303:PRO:HB2	1:C:308:LEU:HD13	2.00	0.43
1:A:155:GLY:N	1:A:323:TYR:O	2.46	0.43
1:B:88:ILE:HG13	1:B:89:PRO:HD2	1.99	0.43
1:C:70:LEU:HD11	1:C:368:ILE:HG23	2.00	0.43
1:C:77:HIS:CD2	1:C:79:HIS:HB3	2.54	0.43
1:D:178:LEU:HD12	1:D:309:MSE:HG3	2.01	0.43
1:D:352:ASP:OD1	1:D:355:LEU:HB2	2.19	0.43
1:A:200:THR:HG22	1:A:230:ILE:HB	2.01	0.43
1:B:78:PRO:HA	1:B:81:ARG:HB2	2.01	0.43
1:F:105:LEU:HG	1:F:113:GLY:HA2	2.01	0.43
1:D:186:PHE:CZ	1:D:338:PHE:HA	2.53	0.43
1:B:178:LEU:HD21	2:B:401:C5P:H4'	2.01	0.43
1:D:77:HIS:CG	1:D:78:PRO:HD2	2.54	0.43
1:F:331:TRP:CZ2	1:F:332:LYS:HE3	2.54	0.43
1:D:197:TYR:HE1	1:D:204:MSE:HE2	1.84	0.43
1:F:199:PHE:O	1:F:230:ILE:HG12	2.18	0.43
1:E:136:LYS:O	1:E:273:LYS:NZ	2.52	0.42
1:A:67:ARG:HB2	1:A:318:ASP:OD2	2.19	0.42
1:B:234:ILE:H	1:B:234:ILE:HG13	1.52	0.42
1:E:179:ASN:O	1:E:181:ALA:N	2.51	0.42
1:E:186:PHE:N	1:E:187:GLU:OE1	2.52	0.42
1:A:186:PHE:CZ	1:A:338:PHE:HA	2.55	0.42
1:B:352:ASP:CG	1:B:355:LEU:HB2	2.40	0.42
1:C:283:LEU:HD22	1:C:311:LEU:HD13	2.02	0.41
1:D:121:VAL:O	1:D:125:THR:HG23	2.21	0.41
1:D:258:ARG:HG2	1:D:258:ARG:H	1.69	0.41
1:F:114:TRP:HB2	1:F:117:LEU:HB2	2.02	0.41
1:B:197:TYR:HE1	1:B:204:MSE:CE	2.33	0.41
1:B:288:LEU:HD21	1:B:359:LEU:HD12	2.02	0.41
1:E:285:GLU:O	1:E:289:LYS:HD2	2.21	0.41
1:B:336:HIS:NE2	2:B:401:C5P:O3P	2.54	0.41
1:C:363:LEU:HD12	1:C:363:LEU:HA	1.89	0.41
1:E:110:ALA:HB1	1:E:111:PRO:CD	2.43	0.41
1:B:208:LEU:O	1:B:212:TRP:HB2	2.21	0.40
1:D:161:ASN:O	1:D:374:ARG:NH1	2.54	0.40
1:A:352:ASP:CG	1:A:355:LEU:HB2	2.42	0.40
1:A:176:PHE:HD2	1:A:309:MSE:HE3	1.86	0.40
1:C:320:VAL:HG23	1:C:369:LEU:HD13	2.03	0.40
1:B:197:TYR:CE1	1:B:204:MSE:HE2	2.57	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:97:PHE:HB2	1:E:126:LEU:HD23	2.02	0.40
1:F:137:LEU:HD12	1:F:316:THR:HG21	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	286/374 (76%)	271 (95%)	14 (5%)	1 (0%)	44	53
1	B	292/374 (78%)	273 (94%)	16 (6%)	3 (1%)	18	18
1	C	302/374 (81%)	286 (95%)	14 (5%)	2 (1%)	25	27
1	D	298/374 (80%)	277 (93%)	20 (7%)	1 (0%)	44	53
1	E	277/374 (74%)	261 (94%)	14 (5%)	2 (1%)	25	27
1	F	277/374 (74%)	266 (96%)	9 (3%)	2 (1%)	25	27
All	All	1732/2244 (77%)	1634 (94%)	87 (5%)	11 (1%)	28	32

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	110	ALA
1	A	110	ALA
1	B	110	ALA
1	B	342	MSE
1	C	110	ALA
1	C	133	GLU
1	D	110	ALA
1	E	110	ALA
1	E	255	LYS
1	F	184	LYS
1	B	146	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	251/307 (82%)	225 (90%)	26 (10%)	8	7
1	B	256/307 (83%)	226 (88%)	30 (12%)	6	5
1	C	262/307 (85%)	241 (92%)	21 (8%)	14	15
1	D	258/307 (84%)	242 (94%)	16 (6%)	21	24
1	E	244/307 (80%)	219 (90%)	25 (10%)	8	8
1	F	243/307 (79%)	220 (90%)	23 (10%)	10	9
All	All	1514/1842 (82%)	1373 (91%)	141 (9%)	10	10

All (141) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	67	ARG
1	A	75	GLN
1	A	91	LEU
1	A	114	TRP
1	A	128	LEU
1	A	148	CYS
1	A	164	ARG
1	A	178	LEU
1	A	184	LYS
1	A	234	ILE
1	A	249	VAL
1	A	253	LEU
1	A	282	TYR
1	A	289	LYS
1	A	290	SER
1	A	300	LEU
1	A	308	LEU
1	A	310	LEU
1	A	314	LEU
1	A	319	GLN
1	A	320	VAL
1	A	326	ILE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	343	LYS
1	A	355	LEU
1	A	359	LEU
1	A	363	LEU
1	B	76	ARG
1	B	81	ARG
1	B	91	LEU
1	B	95	ASP
1	B	104	ARG
1	B	106	SER
1	B	114	TRP
1	B	126	LEU
1	B	128	LEU
1	B	148	CYS
1	B	164	ARG
1	B	173	ASP
1	B	178	LEU
1	B	233	ASP
1	B	234	ILE
1	B	249	VAL
1	B	253	LEU
1	B	258	ARG
1	B	308	LEU
1	B	309	MSE
1	B	310	LEU
1	B	314	LEU
1	B	319	GLN
1	B	326	ILE
1	B	334	SER
1	B	343	LYS
1	B	355	LEU
1	B	359	LEU
1	B	363	LEU
1	B	370	GLN
1	C	75	GLN
1	C	88	ILE
1	C	96	LEU
1	C	104	ARG
1	C	114	TRP
1	C	133	GLU
1	C	178	LEU
1	C	187	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	228	ILE
1	C	249	VAL
1	C	282	TYR
1	C	289	LYS
1	C	300	LEU
1	C	308	LEU
1	C	310	LEU
1	C	319	GLN
1	C	340	ARG
1	C	342	MSE
1	C	345	LEU
1	C	359	LEU
1	C	363	LEU
1	D	91	LEU
1	D	114	TRP
1	D	148	CYS
1	D	164	ARG
1	D	178	LEU
1	D	184	LYS
1	D	228	ILE
1	D	249	VAL
1	D	258	ARG
1	D	308	LEU
1	D	310	LEU
1	D	345	LEU
1	D	355	LEU
1	D	359	LEU
1	D	363	LEU
1	D	370	GLN
1	E	76	ARG
1	E	91	LEU
1	E	114	TRP
1	E	118	SER
1	E	133	GLU
1	E	168	ASN
1	E	178	LEU
1	E	184	LYS
1	E	187	GLU
1	E	213	ASN
1	E	217	THR
1	E	228	ILE
1	E	249	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	E	253	LEU
1	E	266	GLU
1	E	282	TYR
1	E	289	LYS
1	E	308	LEU
1	E	318	ASP
1	E	335	ASP
1	E	351	HIS
1	E	353	LEU
1	E	355	LEU
1	E	359	LEU
1	E	363	LEU
1	F	75	GLN
1	F	86	LEU
1	F	91	LEU
1	F	114	TRP
1	F	133	GLU
1	F	148	CYS
1	F	168	ASN
1	F	178	LEU
1	F	192	THR
1	F	228	ILE
1	F	234	ILE
1	F	249	VAL
1	F	258	ARG
1	F	266	GLU
1	F	282	TYR
1	F	308	LEU
1	F	314	LEU
1	F	351	HIS
1	F	353	LEU
1	F	355	LEU
1	F	359	LEU
1	F	363	LEU
1	F	374	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	75	GLN
1	B	319	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	C5P	A	401	-	19,22,22	0.77	1 (5%)	23,33,33	1.17	2 (8%)
3	NAG	A	402	1	14,14,15	0.31	0	15,19,21	0.51	0
3	NAG	A	403	1	14,14,15	0.76	1 (7%)	15,19,21	0.74	1 (6%)
2	C5P	B	401	-	19,22,22	0.75	1 (5%)	23,33,33	1.26	3 (13%)
3	NAG	B	402	1	14,14,15	0.17	0	15,19,21	0.59	0
3	NAG	B	403	1	14,14,15	0.48	0	15,19,21	1.13	1 (6%)
2	C5P	C	401	-	19,22,22	0.77	1 (5%)	23,33,33	0.93	2 (8%)
3	NAG	C	402	1	14,14,15	0.24	0	15,19,21	0.43	0
3	NAG	C	403	1	14,14,15	0.67	0	15,19,21	0.47	0
2	C5P	D	401	-	19,22,22	0.86	1 (5%)	23,33,33	1.13	1 (4%)
3	NAG	D	402	1	14,14,15	0.24	0	15,19,21	0.45	0
3	NAG	D	403	1	14,14,15	0.51	0	15,19,21	0.40	0
3	NAG	D	404	1	14,14,15	0.26	0	15,19,21	0.71	1 (6%)
2	C5P	E	401	-	19,22,22	0.74	1 (5%)	23,33,33	1.07	2 (8%)
2	C5P	F	401	-	19,22,22	0.79	1 (5%)	23,33,33	0.98	2 (8%)
3	NAG	F	402	1	14,14,15	0.17	0	15,19,21	0.54	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	C5P	A	401	-	-	0/6/26/26	0/2/2/2
3	NAG	A	402	1	-	0/6/23/26	0/1/1/1
3	NAG	A	403	1	-	0/6/23/26	0/1/1/1
2	C5P	B	401	-	-	0/6/26/26	0/2/2/2
3	NAG	B	402	1	-	0/6/23/26	0/1/1/1
3	NAG	B	403	1	-	0/6/23/26	0/1/1/1
2	C5P	C	401	-	-	0/6/26/26	0/2/2/2
3	NAG	C	402	1	-	0/6/23/26	0/1/1/1
3	NAG	C	403	1	-	0/6/23/26	0/1/1/1
2	C5P	D	401	-	-	0/6/26/26	0/2/2/2
3	NAG	D	402	1	-	0/6/23/26	0/1/1/1
3	NAG	D	403	1	-	0/6/23/26	0/1/1/1
3	NAG	D	404	1	-	0/6/23/26	0/1/1/1
2	C5P	E	401	-	-	0/6/26/26	0/2/2/2
2	C5P	F	401	-	-	0/6/26/26	0/2/2/2
3	NAG	F	402	1	-	0/6/23/26	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	403	NAG	O5-C1	-2.19	1.40	1.43
2	C	401	C5P	C4-N4	2.27	1.42	1.35
2	E	401	C5P	C4-N4	2.42	1.43	1.35
2	D	401	C5P	C4-N4	2.51	1.43	1.35
2	F	401	C5P	C4-N4	2.58	1.43	1.35
2	A	401	C5P	C4-N4	2.64	1.43	1.35
2	B	401	C5P	C4-N4	2.65	1.43	1.35

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	C5P	C5-C4-N3	-2.04	119.25	121.68
2	E	401	C5P	N4-C4-N3	2.03	120.06	116.64
3	D	404	NAG	C1-O5-C5	2.10	115.06	112.17
2	C	401	C5P	O2P-P-O1P	2.11	118.75	110.50
2	F	401	C5P	O2P-P-O1P	2.27	119.37	110.50
2	C	401	C5P	N4-C4-N3	2.33	120.57	116.64
2	F	401	C5P	N4-C4-N3	2.36	120.62	116.64

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	403	NAG	C1-O5-C5	2.41	115.49	112.17
2	A	401	C5P	O2P-P-O1P	2.55	120.47	110.50
2	E	401	C5P	O2P-P-O3P	2.96	119.54	107.61
2	B	401	C5P	N4-C4-N3	3.12	121.90	116.64
2	A	401	C5P	N4-C4-N3	3.13	121.92	116.64
2	B	401	C5P	O2P-P-O3P	3.21	120.57	107.61
2	D	401	C5P	O2P-P-O3P	3.50	121.73	107.61
3	B	403	NAG	C1-O5-C5	3.91	117.55	112.17

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	C5P	2	0
2	B	401	C5P	2	0
2	C	401	C5P	1	0
3	C	403	NAG	1	0
2	E	401	C5P	2	0
2	F	401	C5P	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	289/374 (77%)	0.23	14 (4%)	31 43	41, 60, 114, 156	0
1	B	295/374 (78%)	0.26	15 (5%)	29 41	41, 61, 130, 183	0
1	C	301/374 (80%)	0.53	28 (9%)	9 15	46, 73, 123, 187	0
1	D	297/374 (79%)	0.58	35 (11%)	5 9	44, 76, 129, 181	0
1	E	281/374 (75%)	0.48	26 (9%)	9 15	46, 84, 142, 193	0
1	F	281/374 (75%)	0.44	20 (7%)	17 24	45, 84, 134, 172	0
All	All	1744/2244 (77%)	0.42	138 (7%)	13 20	41, 72, 132, 193	0

All (138) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	340	ARG	10.5
1	C	145	PRO	8.0
1	A	340	ARG	7.9
1	C	77	HIS	6.1
1	D	71	HIS	5.9
1	D	72	LEU	5.9
1	E	209	VAL	5.5
1	B	348	TYR	5.4
1	C	68	HIS	5.4
1	C	71	HIS	5.4
1	A	68	HIS	5.4
1	E	212	TRP	5.1
1	E	67	ARG	5.0
1	C	67	ARG	4.9
1	B	344	PRO	4.8
1	F	213	ASN	4.8
1	F	214	LEU	4.8
1	F	212	TRP	4.7
1	A	344	PRO	4.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	E	214	LEU	4.7
1	B	140	PRO	4.6
1	D	83	LEU	4.6
1	C	69	LEU	4.6
1	D	77	HIS	4.5
1	A	349	ALA	4.4
1	E	213	ASN	4.4
1	C	74	ILE	4.4
1	E	68	HIS	4.1
1	D	73	ALA	4.0
1	C	110	ALA	4.0
1	D	82	GLY	3.9
1	D	88	ILE	3.8
1	E	299	ASP	3.8
1	D	67	ARG	3.7
1	D	101	LEU	3.7
1	B	77	HIS	3.7
1	A	71	HIS	3.6
1	F	140	PRO	3.6
1	C	146	PRO	3.6
1	C	76	ARG	3.5
1	D	80	PHE	3.5
1	D	148	CYS	3.5
1	C	72	LEU	3.5
1	E	83	LEU	3.4
1	E	184	LYS	3.4
1	E	253	LEU	3.4
1	D	81	ARG	3.4
1	D	75	GLN	3.3
1	A	110	ALA	3.3
1	A	67	ARG	3.3
1	B	71	HIS	3.3
1	C	75	GLN	3.3
1	C	82	GLY	3.2
1	F	77	HIS	3.1
1	F	149	ILE	3.1
1	B	145	PRO	3.1
1	D	76	ARG	3.0
1	D	66	CYS	3.0
1	D	97	PHE	3.0
1	C	297	PHE	3.0
1	F	72	LEU	3.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	78	PRO	3.0
1	E	78	PRO	3.0
1	F	78	PRO	3.0
1	E	74	ILE	3.0
1	A	66	CYS	2.9
1	F	70	LEU	2.9
1	B	66	CYS	2.8
1	D	104	ARG	2.8
1	F	209	VAL	2.8
1	D	74	ILE	2.8
1	C	84	PHE	2.8
1	D	102	TRP	2.8
1	F	84	PHE	2.8
1	C	247	VAL	2.8
1	F	269	ALA	2.8
1	D	103	ASP	2.8
1	F	110	ALA	2.7
1	C	78	PRO	2.7
1	C	80	PHE	2.7
1	C	305	THR	2.6
1	F	228	ILE	2.6
1	D	68	HIS	2.6
1	E	269	ALA	2.6
1	E	215	GLY	2.6
1	E	72	LEU	2.6
1	D	114	TRP	2.6
1	E	217	THR	2.5
1	C	365	LYS	2.5
1	B	146	PRO	2.5
1	A	214	LEU	2.5
1	F	80	PHE	2.5
1	D	100	ALA	2.5
1	F	74	ILE	2.5
1	B	69	LEU	2.5
1	C	70	LEU	2.5
1	D	178	LEU	2.5
1	C	73	ALA	2.5
1	D	267	ALA	2.5
1	F	217	THR	2.4
1	C	81	ARG	2.4
1	C	122	ILE	2.4
1	E	66	CYS	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	E	370	GLN	2.4
1	B	110	ALA	2.4
1	B	121	VAL	2.4
1	C	140	PRO	2.3
1	F	370	GLN	2.3
1	A	146	PRO	2.3
1	B	310	LEU	2.3
1	E	75	GLN	2.3
1	D	86	LEU	2.3
1	C	298	GLY	2.3
1	B	147	LYS	2.3
1	E	210	SER	2.2
1	A	69	LEU	2.2
1	D	69	LEU	2.2
1	E	77	HIS	2.2
1	D	110	ALA	2.2
1	F	210	SER	2.2
1	E	84	PHE	2.2
1	D	305	THR	2.1
1	D	247	VAL	2.1
1	F	76	ARG	2.1
1	A	310	LEU	2.1
1	D	70	LEU	2.1
1	E	182	VAL	2.1
1	A	140	PRO	2.1
1	B	68	HIS	2.1
1	D	79	HIS	2.1
1	E	216	PHE	2.1
1	E	82	GLY	2.0
1	E	80	PHE	2.0
1	D	228	ILE	2.0
1	A	339	GLU	2.0
1	C	152	ALA	2.0
1	C	103	ASP	2.0
1	D	84	PHE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

### 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	NAG	C	403	14/15	0.85	0.32	2.45	102,122,124,130	0
2	C5P	F	401	21/21	0.84	0.18	0.83	66,99,126,139	0
2	C5P	B	401	21/21	0.88	0.17	0.41	63,79,97,100	0
3	NAG	A	403	14/15	0.80	0.28	0.41	88,117,130,133	0
3	NAG	B	403	14/15	0.70	0.23	0.00	113,125,136,137	0
2	C5P	C	401	21/21	0.97	0.15	-0.05	51,58,63,70	0
2	C5P	A	401	21/21	0.90	0.15	-0.05	62,79,91,97	0
2	C5P	D	401	21/21	0.97	0.17	-0.05	52,63,68,70	0
2	C5P	E	401	21/21	0.87	0.15	-0.06	68,93,118,127	0
3	NAG	A	402	14/15	0.88	0.18	-	102,115,122,123	0
3	NAG	D	402	14/15	0.85	0.29	-	129,135,143,148	0
3	NAG	D	403	14/15	0.72	0.25	-	123,149,155,159	0
3	NAG	B	402	14/15	0.93	0.11	-	98,106,116,122	0
3	NAG	D	404	14/15	0.77	0.21	-	78,95,102,103	0
3	NAG	F	402	14/15	0.94	0.19	-	111,130,141,142	0
3	NAG	C	402	14/15	0.83	0.25	-	127,133,138,144	0

### 6.5 Other polymers ⓘ

There are no such residues in this entry.