



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 04:10 pm GMT

PDB ID : 1ASP
Title : X-RAY STRUCTURES AND MECHANISTIC IMPLICATIONS OF THREE FUNCTIONAL DERIVATIVES OF ASCORBATE OXIDASE FROM ZUCCHINI: REDUCED-, PEROXIDE-, AND AZIDE-FORMS
Authors : Messerschmidt, A.; Luecke, H.; Huber, R.
Deposited on : 1992-11-25
Resolution : 2.59 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.59 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	2895 (2.60-2.60)
Ramachandran outliers	110173	2848 (2.60-2.60)
Sidechain outliers	110143	2848 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	552	 84% 13% ..
1	B	552	 81% 16% .

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 9742 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ASCORBATE OXIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	552	Total	C	N	O	S	0	0	0
			4366	2803	746	801	16			
1	B	552	Total	C	N	O	S	0	0	0
			4366	2803	746	801	16			

- Molecule 2 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is COPPER (II) ION (three-letter code: CU) (formula: Cu).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	4	Total 4	Cu 4	0	0
3	A	5	Total 5	Cu 5	0	0

- Molecule 4 is HYDROXIDE ION (three-letter code: OH) (formula: HO).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total 1	O 1	0	0
4	B	1	Total 1	O 1	0	0

- Molecule 5 is HYDROGEN PEROXIDE (three-letter code: PEO) (formula: H₂O₂).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	O	0	0
			2	2		
5	B	1	Total	O	0	0
			2	2		

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	518	Total	O	0	0
			518	518		
6	B	449	Total	O	0	0
			449	449		

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: ASCORBATE OXIDASE



• Molecule 1: ASCORBATE OXIDASE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	106.33Å 105.32Å 112.84Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	(Not available) – 2.59	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-2.59)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.160 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	9742	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PEO, NAG, CU, OH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.83	4/4508 (0.1%)	1.52	78/6159 (1.3%)
1	B	0.79	1/4508 (0.0%)	1.43	57/6159 (0.9%)
All	All	0.81	5/9016 (0.1%)	1.48	135/12318 (1.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	506	HIS	ND1-CE1	-8.14	1.14	1.34
1	A	506	HIS	ND1-CE1	-7.52	1.16	1.34
1	A	506	HIS	CG-ND1	-5.90	1.25	1.38
1	A	106	HIS	CG-ND1	-5.29	1.27	1.38
1	A	510	GLU	CD-OE1	-5.02	1.20	1.25

All (135) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	215	ARG	NE-CZ-NH1	11.62	126.11	120.30
1	A	175	ARG	NE-CZ-NH1	9.85	125.22	120.30
1	A	455	TRP	CD1-CG-CD2	9.66	114.03	106.30
1	B	277	TRP	CD1-CG-CD2	9.61	113.98	106.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	490	TRP	CD1-CG-CD2	9.48	113.88	106.30
1	A	163	TRP	CD1-CG-CD2	9.17	113.63	106.30
1	B	144	TRP	CD1-CG-CD2	9.07	113.56	106.30
1	B	144	TRP	CE2-CD2-CG	-8.87	100.20	107.30
1	A	503	TRP	CD1-CG-CD2	8.84	113.37	106.30
1	B	283	ARG	NE-CZ-NH1	8.66	124.63	120.30
1	A	494	ARG	NE-CZ-NH1	8.59	124.59	120.30
1	A	163	TRP	CE2-CD2-CG	-8.51	100.49	107.30
1	B	447	TRP	CD1-CG-CD2	8.51	113.10	106.30
1	A	317	TRP	CD1-CG-CD2	8.48	113.09	106.30
1	A	106	HIS	ND1-CE1-NE2	8.47	128.53	109.90
1	B	455	TRP	CD1-CG-CD2	8.30	112.94	106.30
1	B	144	TRP	CG-CD2-CE3	8.23	141.31	133.90
1	A	490	TRP	CE2-CD2-CG	-8.18	100.76	107.30
1	B	490	TRP	CD1-CG-CD2	8.16	112.83	106.30
1	B	163	TRP	CD1-CG-CD2	8.16	112.83	106.30
1	B	71	TRP	CD1-CG-CD2	8.12	112.80	106.30
1	A	413	ARG	NE-CZ-NH2	-8.07	116.26	120.30
1	A	283	ARG	NE-CZ-NH2	-8.00	116.30	120.30
1	A	455	TRP	CE2-CD2-CG	-7.98	100.92	107.30
1	B	277	TRP	CE2-CD2-CG	-7.97	100.93	107.30
1	A	144	TRP	CE2-CD2-CG	-7.92	100.96	107.30
1	B	15	TRP	CD1-CG-CD2	7.90	112.62	106.30
1	A	503	TRP	CE2-CD2-CG	-7.88	101.00	107.30
1	B	61	TRP	CD1-CG-CD2	7.84	112.57	106.30
1	A	15	TRP	CD1-CG-CD2	7.80	112.54	106.30
1	A	71	TRP	CD1-CG-CD2	7.74	112.49	106.30
1	A	144	TRP	CD1-CG-CD2	7.74	112.49	106.30
1	A	145	TRP	CD1-CG-CD2	7.72	112.48	106.30
1	A	8	TRP	CD1-CG-CD2	7.70	112.46	106.30
1	A	447	TRP	CD1-CG-CD2	7.64	112.41	106.30
1	A	328	TYR	CB-CG-CD2	-7.60	116.44	121.00
1	B	145	TRP	CE2-CD2-CG	-7.60	101.22	107.30
1	B	145	TRP	CD1-CG-CD2	7.59	112.38	106.30
1	A	71	TRP	CE2-CD2-CG	-7.57	101.24	107.30
1	B	362	TRP	CD1-CG-CD2	7.57	112.36	106.30
1	B	503	TRP	CD1-CG-CD2	7.57	112.36	106.30
1	B	71	TRP	CE2-CD2-CG	-7.55	101.26	107.30
1	A	503	TRP	CG-CD2-CE3	7.53	140.68	133.90
1	B	163	TRP	CE2-CD2-CG	-7.52	101.28	107.30
1	A	329	ARG	NE-CZ-NH1	7.50	124.05	120.30
1	B	283	ARG	NE-CZ-NH2	-7.50	116.55	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	447	TRP	CE2-CD2-CG	-7.50	101.30	107.30
1	A	67	ARG	NE-CZ-NH2	-7.46	116.57	120.30
1	B	317	TRP	CD1-CG-CD2	7.46	112.27	106.30
1	B	503	TRP	CE2-CD2-CG	-7.45	101.34	107.30
1	B	15	TRP	CE2-CD2-CG	-7.41	101.38	107.30
1	B	8	TRP	CD1-CG-CD2	7.31	112.15	106.30
1	B	175	ARG	NE-CZ-NH1	7.29	123.95	120.30
1	A	262	TYR	CB-CG-CD1	-7.22	116.67	121.00
1	A	317	TRP	CE2-CD2-CG	-7.16	101.57	107.30
1	B	490	TRP	CE2-CD2-CG	-7.12	101.60	107.30
1	A	447	TRP	CE2-CD2-CG	-7.10	101.62	107.30
1	A	71	TRP	CB-CG-CD1	-7.07	117.81	127.00
1	B	317	TRP	CE2-CD2-CG	-7.07	101.65	107.30
1	A	277	TRP	CE2-CD2-CG	-7.06	101.65	107.30
1	A	61	TRP	CD1-CG-CD2	7.06	111.95	106.30
1	A	15	TRP	CE2-CD2-CG	-7.06	101.65	107.30
1	A	277	TRP	CD1-CG-CD2	7.05	111.94	106.30
1	A	494	ARG	NE-CZ-NH2	-7.04	116.78	120.30
1	A	362	TRP	CD1-CG-CD2	7.02	111.92	106.30
1	B	298	TYR	CB-CG-CD2	-6.95	116.83	121.00
1	B	61	TRP	CE2-CD2-CG	-6.93	101.75	107.30
1	A	145	TRP	CE2-CD2-CG	-6.91	101.77	107.30
1	B	362	TRP	CE2-CD2-CG	-6.87	101.81	107.30
1	B	455	TRP	CE2-CD2-CG	-6.73	101.92	107.30
1	A	175	ARG	NE-CZ-NH2	-6.68	116.96	120.30
1	B	334	MET	CA-CB-CG	6.67	124.64	113.30
1	A	362	TRP	CE2-CD2-CG	-6.67	101.97	107.30
1	A	71	TRP	CG-CD2-CE3	6.63	139.87	133.90
1	A	503	TRP	CB-CG-CD1	-6.61	118.41	127.00
1	B	8	TRP	CE2-CD2-CG	-6.52	102.09	107.30
1	A	455	TRP	CG-CD1-NE1	-6.50	103.60	110.10
1	A	8	TRP	CE2-CD2-CG	-6.50	102.10	107.30
1	B	277	TRP	CG-CD1-NE1	-6.39	103.71	110.10
1	B	116	TYR	CB-CG-CD2	-6.37	117.18	121.00
1	A	345	ARG	NE-CZ-NH2	-6.26	117.17	120.30
1	B	67	ARG	NE-CZ-NH2	-6.21	117.19	120.30
1	A	536	LEU	CA-CB-CG	6.19	129.53	115.30
1	A	61	TRP	CE2-CD2-CG	-6.18	102.36	107.30
1	A	503	TRP	CG-CD1-NE1	-6.16	103.94	110.10
1	A	163	TRP	CG-CD2-CE3	6.14	139.43	133.90
1	A	490	TRP	CG-CD1-NE1	-6.13	103.97	110.10
1	A	163	TRP	CG-CD1-NE1	-6.11	103.99	110.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	413	ARG	NE-CZ-NH2	-6.08	117.26	120.30
1	A	455	TRP	CB-CG-CD1	-6.00	119.19	127.00
1	B	328	TYR	CB-CG-CD2	-5.99	117.41	121.00
1	B	503	TRP	CG-CD2-CE3	5.99	139.29	133.90
1	A	144	TRP	CG-CD2-CE3	5.94	139.25	133.90
1	B	144	TRP	CG-CD1-NE1	-5.94	104.16	110.10
1	A	322	ARG	NE-CZ-NH1	5.93	123.27	120.30
1	A	317	TRP	CG-CD1-NE1	-5.89	104.21	110.10
1	A	211	LYS	CA-CB-CG	5.88	126.34	113.40
1	A	447	TRP	CG-CD2-CE3	5.74	139.07	133.90
1	A	506	HIS	ND1-CE1-NE2	5.73	122.51	109.90
1	B	245	TYR	CB-CG-CD2	-5.70	117.58	121.00
1	B	447	TRP	CG-CD1-NE1	-5.70	104.40	110.10
1	B	455	TRP	CG-CD1-NE1	-5.68	104.42	110.10
1	B	490	TRP	CG-CD1-NE1	-5.66	104.44	110.10
1	A	283	ARG	NE-CZ-NH1	5.64	123.12	120.30
1	A	145	TRP	CG-CD1-NE1	-5.58	104.52	110.10
1	B	71	TRP	CG-CD2-CE3	5.57	138.91	133.90
1	B	71	TRP	CG-CD1-NE1	-5.51	104.59	110.10
1	A	413	ARG	NE-CZ-NH1	5.49	123.05	120.30
1	B	277	TRP	CB-CG-CD1	-5.46	119.91	127.00
1	A	490	TRP	CB-CG-CD1	-5.45	119.91	127.00
1	B	71	TRP	CB-CG-CD1	-5.41	119.97	127.00
1	B	413	ARG	NE-CZ-NH1	5.40	123.00	120.30
1	B	37	ARG	NE-CZ-NH1	5.39	122.99	120.30
1	A	8	TRP	CG-CD1-NE1	-5.38	104.72	110.10
1	A	455	TRP	CG-CD2-CE3	5.34	138.71	133.90
1	A	447	TRP	CG-CD1-NE1	-5.34	104.76	110.10
1	A	285	ARG	NE-CZ-NH1	5.30	122.95	120.30
1	A	67	ARG	NE-CZ-NH1	5.28	122.94	120.30
1	A	362	TRP	CG-CD2-CE3	5.25	138.63	133.90
1	B	15	TRP	CG-CD1-NE1	-5.25	104.85	110.10
1	A	317	TRP	CG-CD2-CE3	5.24	138.62	133.90
1	A	329	ARG	CA-CB-CG	5.23	124.91	113.40
1	A	405	THR	N-CA-CB	-5.22	100.38	110.30
1	A	490	TRP	CG-CD2-CE3	5.22	138.60	133.90
1	B	536	LEU	CA-CB-CG	5.19	127.25	115.30
1	A	106	HIS	CE1-NE2-CD2	-5.19	93.62	106.60
1	B	163	TRP	CG-CD1-NE1	-5.19	104.91	110.10
1	B	362	TRP	CG-CD2-CE3	5.14	138.53	133.90
1	B	503	TRP	CB-CG-CD1	-5.10	120.37	127.00
1	A	447	TRP	CB-CG-CD1	-5.09	120.38	127.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	71	TRP	CG-CD1-NE1	-5.08	105.02	110.10
1	A	159	LYS	CA-CB-CG	5.07	124.55	113.40
1	A	37	ARG	NE-CZ-NH1	5.06	122.83	120.30
1	A	46	VAL	CG1-CB-CG2	-5.03	102.85	110.90
1	B	362	TRP	CB-CG-CD1	-5.01	120.49	127.00

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	551	ASN	Peptide
1	B	551	ASN	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4366	0	4211	31	4
1	B	4366	0	4211	42	4
2	A	14	0	13	0	0
2	B	14	0	13	0	0
3	A	5	0	0	0	0
3	B	4	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	2	0	0	1	0
5	B	2	0	0	0	0
6	A	518	0	0	10	0
6	B	449	0	0	9	0
All	All	9742	0	8448	73	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (73) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:240:GLU:HB3	1:B:263:SER:HB2	1.65	0.78
1:A:436:MET:HA	6:A:878:HOH:O	1.92	0.69
1:B:205:ILE:HD13	1:B:303:VAL:HG21	1.76	0.67
1:A:146:HIS:H	1:A:168:GLN:NE2	1.96	0.63
1:A:147:GLN:HE21	1:A:152:GLN:HG2	1.63	0.63
1:A:449:LEU:HD13	1:A:452:HIS:HB2	1.83	0.59
1:A:18:ASN:ND2	1:A:20:ASN:HB2	2.19	0.58
1:B:389:ASP:H	1:B:416:ASN:ND2	2.03	0.57
1:A:138:ASN:HD22	1:A:217:ARG:HB2	1.71	0.55
1:B:146:HIS:H	1:B:168:GLN:HE21	1.53	0.55
1:B:205:ILE:HD13	1:B:303:VAL:CG2	2.37	0.54
1:B:147:GLN:HE21	1:B:152:GLN:HG2	1.73	0.54
1:A:379:ALA:HA	1:A:384:LEU:HD12	1.91	0.53
1:B:113:ALA:HB2	1:B:149:ILE:HG13	1.90	0.53
1:B:449:LEU:HD13	1:B:452:HIS:HB2	1.91	0.53
1:B:47:GLU:HB3	1:B:90:PHE:CE1	2.44	0.53
1:A:145:TRP:HA	1:A:168:GLN:HE21	1.74	0.52
1:B:440:ASN:HA	6:B:869:HOH:O	2.09	0.52
1:A:145:TRP:HA	1:A:168:GLN:NE2	2.25	0.52
1:B:146:HIS:H	1:B:168:GLN:NE2	2.07	0.52
1:B:1:SER:N	1:B:125:GLN:OE1	2.40	0.51
1:B:27:ILE:O	1:B:30:GLN:HG2	2.10	0.51
1:A:5:HIS:HB2	6:A:782:HOH:O	2.10	0.51
1:B:300:PRO:HD2	6:B:893:HOH:O	2.10	0.51
1:B:468:GLU:HG2	1:B:490:TRP:CZ2	2.45	0.51
1:A:506:HIS:HE1	5:A:560:PEO:O2	1.93	0.51
1:A:240:GLU:HB3	1:A:263:SER:HB2	1.93	0.50
1:A:215:ARG:HD2	1:A:263:SER:HB3	1.93	0.49
1:A:510:GLU:HB3	6:A:738:HOH:O	2.12	0.49
1:B:123:PRO:HB3	6:B:822:HOH:O	2.13	0.48
1:A:245:TYR:HD2	6:A:750:HOH:O	1.97	0.47
1:B:418:VAL:HG22	1:B:520:VAL:HB	1.96	0.47
1:B:228:ASN:HB2	1:B:283:ARG:HG3	1.97	0.46
1:A:257:TYR:CD2	1:A:484:VAL:HG21	2.51	0.46
1:A:188:SER:HB2	6:A:1072:HOH:O	2.15	0.46
1:B:127:LYS:HB3	1:B:127:LYS:HE2	1.71	0.46
1:A:47:GLU:HB3	1:A:90:PHE:CE1	2.50	0.46
1:B:148:SER:HB3	6:B:999:HOH:O	2.15	0.46
1:B:132:HIS:HA	6:B:786:HOH:O	2.16	0.45
1:B:189:ASN:ND2	6:B:569:HOH:O	2.49	0.45
1:B:48:LEU:O	1:B:88:THR:HA	2.17	0.45
1:B:106:HIS:HE1	6:B:718:HOH:O	2.00	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:159:LYS:HB2	1:B:359:TYR:CE1	2.51	0.44
1:B:399:GLU:HB3	6:B:813:HOH:O	2.17	0.44
1:A:106:HIS:HE1	6:A:812:HOH:O	2.01	0.44
1:B:275:ASN:O	1:B:307:PRO:HG3	2.18	0.43
1:A:370:ALA:O	1:A:416:ASN:HB3	2.18	0.43
1:B:550:LYS:N	1:B:550:LYS:HD3	2.34	0.43
1:A:10:VAL:CG2	1:A:48:LEU:HD11	2.48	0.42
1:B:146:HIS:N	1:B:168:GLN:HE21	2.16	0.42
1:B:286:HIS:HA	1:B:287:PRO:HD3	1.70	0.42
1:B:231:ILE:HG21	1:B:296:LEU:HD22	2.01	0.42
1:B:348:PHE:HD2	1:B:396:VAL:HG12	1.83	0.42
1:A:84:ASN:ND2	6:A:869:HOH:O	2.53	0.42
1:B:18:ASN:HD21	1:B:20:ASN:HB2	1.85	0.42
1:B:271:ASN:HA	1:B:272:PRO:HD3	1.75	0.42
1:A:196:LYS:HB2	1:A:196:LYS:HE3	1.91	0.42
1:A:150:HIS:CE1	6:A:660:HOH:O	2.72	0.42
1:A:18:ASN:HD21	1:A:20:ASN:HB2	1.85	0.42
1:A:389:ASP:H	1:A:416:ASN:ND2	2.17	0.42
1:B:18:ASN:ND2	6:B:665:HOH:O	2.51	0.42
1:A:109:MET:HE2	6:A:738:HOH:O	2.19	0.42
1:B:465:SER:O	1:B:468:GLU:HB2	2.20	0.42
1:A:18:ASN:HA	1:A:176:GLY:O	2.21	0.41
1:B:35:THR:HG23	1:B:118:SER:HB2	2.02	0.41
1:B:239:VAL:HG21	1:B:265:LEU:HD13	2.02	0.41
1:B:348:PHE:CD2	1:B:396:VAL:HG12	2.56	0.41
1:B:45:VAL:HG13	1:B:92:ASN:OD1	2.21	0.41
1:B:406:PRO:HA	1:B:407:PRO:HD3	2.00	0.40
1:A:78:ILE:HD13	1:A:504:ALA:HB2	2.02	0.40
1:A:67:ARG:HH22	1:A:498:ASP:CG	2.24	0.40
1:B:59:ILE:O	1:B:74:GLY:HA3	2.21	0.40
1:A:316:ALA:HA	6:A:671:HOH:O	2.21	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:551:ASN:OD1	1:B:386:HIS:NE2[2_654]	1.94	0.26
1:A:386:HIS:NE2	1:B:551:ASN:O[2_654]	2.11	0.09
1:A:386:HIS:NE2	1:B:551:ASN:OD1[2_654]	2.16	0.04
1:A:544:SER:O	1:B:547:ASN:ND2[2_654]	2.19	0.01

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	550/552 (100%)	535 (97%)	13 (2%)	2 (0%)	38	63
1	B	550/552 (100%)	531 (96%)	15 (3%)	4 (1%)	25	49
All	All	1100/1104 (100%)	1066 (97%)	28 (2%)	6 (0%)	32	58

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	551	ASN
1	B	551	ASN
1	B	537	ALA
1	B	130	PRO
1	A	476	ASN
1	B	423	ILE

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	475/475 (100%)	455 (96%)	20 (4%)	34	62
1	B	475/475 (100%)	451 (95%)	24 (5%)	28	52
All	All	950/950 (100%)	906 (95%)	44 (5%)	31	58

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	18	ASN
1	A	24	VAL
1	A	50	ASN
1	A	67	ARG
1	A	171	LEU
1	A	175	ARG
1	A	188	SER
1	A	215	ARG
1	A	221	THR
1	A	300	PRO
1	A	325	ASN
1	A	396	VAL
1	A	413	ARG
1	A	416	ASN
1	A	422	LYS
1	A	449	LEU
1	A	457	LEU
1	A	536	LEU
1	A	541	THR
1	A	545	LEU
1	B	18	ASN
1	B	24	VAL
1	B	50	ASN
1	B	67	ARG
1	B	125	GLN
1	B	148	SER
1	B	175	ARG
1	B	188	SER
1	B	221	THR
1	B	264	VAL
1	B	300	PRO
1	B	308	THR
1	B	351	ASN
1	B	357	ASN
1	B	413	ARG
1	B	416	ASN
1	B	428	ASP
1	B	449	LEU
1	B	470	SER
1	B	484	VAL
1	B	536	LEU
1	B	541	THR
1	B	550	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	551	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	18	ASN
1	A	39	ASN
1	A	50	ASN
1	A	138	ASN
1	A	147	GLN
1	A	168	GLN
1	A	353	GLN
1	A	416	ASN
1	A	420	GLN
1	A	476	ASN
1	B	2	GLN
1	B	18	ASN
1	B	50	ASN
1	B	138	ASN
1	B	147	GLN
1	B	168	GLN
1	B	353	GLN
1	B	386	HIS
1	B	390	GLN
1	B	416	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 15 ligands modelled in this entry, 2 are modelled with single atom and 9 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAG	A	553	1	14,14,15	0.91	1 (7%)	15,19,21	0.81	1 (6%)
5	PEO	A	560	3	1,1,1	0.79	0	0,0,0	0.00	-
2	NAG	B	553	1	14,14,15	1.29	2 (14%)	15,19,21	1.36	2 (13%)
5	PEO	B	559	3	1,1,1	1.08	0	0,0,0	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	553	1	-	0/6/23/26	0/1/1/1
5	PEO	A	560	3	-	0/0/0/0	0/0/0/0
2	NAG	B	553	1	-	0/6/23/26	0/1/1/1
5	PEO	B	559	3	-	0/0/0/0	0/0/0/0

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	553	NAG	C1-C2	-2.28	1.49	1.52
2	A	553	NAG	C1-C2	-2.18	1.49	1.52
2	B	553	NAG	O5-C5	2.49	1.48	1.43

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	553	NAG	C2-N2-C7	-3.43	117.94	122.94
2	B	553	NAG	C4-C3-C2	-2.99	106.63	111.02
2	A	553	NAG	C2-N2-C7	-2.02	120.00	122.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	560	PEO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.