



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 15, 2017 – 01:24 am GMT

PDB ID : 2B35  
Title : Crystal structure of Mycobacterium tuberculosis enoyl reductase (InhA) inhibited by triclosan  
Authors : Sullivan, T.J.; Truglio, J.J.; Novichenok, P.; Stratton, C.; Zhang, X.; Kaur, T.; Johnson, F.; Boyne, M.S.; Amin, A.  
Deposited on : 2005-09-19  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : trunk28620  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	4130 (2.30-2.30)
Clashscore	112137	4751 (2.30-2.30)
Ramachandran outliers	110173	4705 (2.30-2.30)
Sidechain outliers	110143	4704 (2.30-2.30)
RSRZ outliers	101464	4156 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	269	<div> <div>2%</div> <div>74% 17% 6%</div> </div>
1	B	269	<div> <div>2%</div> <div>72% 17% 9%</div> </div>
1	C	269	<div> <div>11%</div> <div>66% 23% 8%</div> </div>
1	D	269	<div> <div>8%</div> <div>72% 18% 8%</div> </div>
1	E	269	<div> <div>9%</div> <div>74% 18% 6%</div> </div>
1	F	269	<div> <div>10%</div> <div>73% 18% 7%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	TCL	A	300	-	-	-	X
2	TCL	B	302	-	-	-	X
2	TCL	F	311	-	-	-	X

## 2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 11637 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Enoyl-[acyl-carrier-protein] reductase [NADH].


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	253	Total	C	N	O	S	0	0	0
			1900	1205	333	353	9			
1	B	246	Total	C	N	O	S	0	0	0
			1849	1172	324	344	9			
1	C	248	Total	C	N	O	S	0	0	0
			1865	1184	326	346	9			
1	D	248	Total	C	N	O	S	0	0	0
			1861	1181	326	344	10			
1	E	254	Total	C	N	O	S	0	0	0
			1905	1208	334	354	9			
1	F	251	Total	C	N	O	S	0	0	0
			1891	1200	331	351	9			

- Molecule 2 is TRICLOSAN (three-letter code: TCL) (formula: C<sub>12</sub>H<sub>7</sub>Cl<sub>3</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	Cl	O	0	0
			17	12	3	2		
2	B	1	Total	C	Cl	O	0	0
			17	12	3	2		
2	C	1	Total	C	Cl	O	0	0
			17	12	3	2		
2	D	1	Total	C	Cl	O	0	0
			17	12	3	2		
2	E	1	Total	C	Cl	O	0	0
			17	12	3	2		
2	F	1	Total	C	Cl	O	0	0
			17	12	3	2		

- Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C<sub>21</sub>H<sub>27</sub>N<sub>7</sub>O<sub>14</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 44	C 21	N 7	O 14	P 2	0	0
3	B	1	Total 44	C 21	N 7	O 14	P 2	0	0
3	C	1	Total 44	C 21	N 7	O 14	P 2	0	0
3	D	1	Total 44	C 21	N 7	O 14	P 2	0	0
3	E	1	Total 44	C 21	N 7	O 14	P 2	0	0

Continued on next page...


*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	F	1	Total	C	N	O	P	0	0
			44	21	7	14	2		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]




#### • Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]




#### • Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]




#### • Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]






- Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]



- Molecule 1: Enoyl-[acyl-carrier-protein] reductase [NADH]





## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	99.95Å 81.83Å 188.66Å 90.00° 95.69° 90.00°	Depositor
Resolution (Å)	10.00 – 2.30 46.93 – 2.10	Depositor EDS
% Data completeness (in resolution range)	87.1 (10.00-2.30) 82.2 (46.93-2.10)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.03 (at 2.10Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.268 , 0.334 0.277 , 0.339	Depositor DCC
$R_{free}$ test set	2883 reflections (4.97%)	DCC
Wilson B-factor (Å <sup>2</sup> )	28.9	Xtriage
Anisotropy	0.130	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 40.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.40$ , $\langle L^2 \rangle = 0.23$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.86	EDS
Total number of atoms	11637	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 13.25% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TCL, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.68	0/1937	0.74	1/2630 (0.0%)
1	B	0.67	0/1886	0.77	3/2561 (0.1%)
1	C	0.62	0/1902	0.67	0/2583
1	D	0.63	0/1898	0.71	0/2577
1	E	0.60	0/1942	0.71	1/2637 (0.0%)
1	F	0.62	0/1928	0.71	0/2618
All	All	0.64	0/11493	0.72	5/15606 (0.0%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	177	ARG	NE-CZ-NH2	-6.29	117.16	120.30
1	B	4	LEU	CA-CB-CG	6.00	129.09	115.30
1	E	177	ARG	NE-CZ-NH1	5.94	123.27	120.30
1	B	173	ARG	NE-CZ-NH2	-5.70	117.45	120.30
1	A	173	ARG	NE-CZ-NH2	-5.65	117.48	120.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1900	0	1915	27	0
1	B	1849	0	1858	18	0
1	C	1865	0	1880	38	0
1	D	1861	0	1877	28	0
1	E	1905	0	1920	34	0
1	F	1891	0	1907	29	0
2	A	17	0	6	2	0
2	B	17	0	6	1	0
2	C	17	0	6	1	0
2	D	17	0	6	2	0
2	E	17	0	6	1	0
2	F	17	0	6	2	0
3	A	44	0	26	1	0
3	B	44	0	26	0	0
3	C	44	0	26	0	0
3	D	44	0	26	2	0
3	E	44	0	26	2	0
3	F	44	0	26	2	0
All	All	11637	0	11549	160	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (160) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:103:MET:SD	2:C:304:TCL:H121	2.25	0.77
1:A:173:ARG:HB3	1:B:154:ALA:HB2	1.69	0.74
1:E:173:ARG:HB3	1:F:154:ALA:HB2	1.70	0.74
1:F:215:ILE:HG23	1:F:218:LEU:HD12	1.70	0.72
1:C:265:HIS:O	1:E:153:ARG:NH1	2.22	0.72
1:B:47:ILE:HD11	1:B:60:LEU:HD21	1.72	0.70
1:F:64:ASP:H	1:F:70:HIS:HD2	1.38	0.70
1:C:265:HIS:O	1:E:153:ARG:HD3	1.92	0.69
1:D:64:ASP:H	1:D:70:HIS:HD2	1.41	0.69
1:F:131:ALA:O	1:F:135:LEU:HB2	1.93	0.68
1:D:199:MET:HB3	2:D:306:TCL:H31	1.77	0.66
1:F:103:MET:SD	2:F:311:TCL:H121	2.35	0.66
1:C:101:THR:O	1:C:106:ASN:ND2	2.28	0.65
1:F:215:ILE:HG22	1:F:216:GLN:H	1.60	0.65
1:C:168:LEU:HD13	1:C:188:LEU:HD21	1.78	0.65
1:A:38:LEU:HB2	1:A:60:LEU:HD23	1.81	0.63

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:64:ASP:H	1:A:70:HIS:HD2	1.43	0.63
1:E:67:ASN:HD21	1:E:69:GLU:HB2	1.65	0.62
1:B:103:MET:SD	2:B:302:TCL:H121	2.41	0.60
1:F:67:ASN:HD21	1:F:69:GLU:HB2	1.66	0.60
1:C:265:HIS:O	1:E:153:ARG:CZ	2.51	0.58
1:E:131:ALA:O	1:E:135:LEU:HB2	2.04	0.58
1:D:67:ASN:OD1	1:D:70:HIS:CE1	2.57	0.57
1:E:4:LEU:HD13	1:E:5:LEU:HD13	1.87	0.57
1:B:24:HIS:HD2	1:B:27:ARG:HH21	1.53	0.57
1:F:249:TRP:O	1:F:250:LEU:HG	2.05	0.56
1:B:158:TYR:HD2	1:B:162:THR:HG1	1.53	0.56
1:E:24:HIS:HD2	1:E:27:ARG:HH21	1.53	0.56
1:A:45:ARG:HG2	1:C:136:PRO:HB3	1.88	0.56
1:A:86:ASN:OD1	1:F:233:LYS:HE3	2.05	0.56
1:D:250:LEU:HD23	1:E:241:THR:HG23	1.89	0.54
1:F:258:ILE:HD12	1:F:258:ILE:N	2.23	0.54
1:D:4:LEU:HD13	1:D:5:LEU:HD13	1.90	0.53
1:D:67:ASN:HD22	1:D:68:GLU:N	2.05	0.53
1:A:74:LEU:O	1:A:78:VAL:HG23	2.08	0.53
1:B:18:ASP:OD2	1:B:53:ARG:NH2	2.41	0.53
1:C:48:GLN:HG2	1:C:60:LEU:HD12	1.90	0.53
1:F:236:THR:HB	1:F:237:PRO:HD3	1.91	0.53
1:E:158:TYR:CE1	2:E:309:TCL:C1	2.92	0.53
1:E:158:TYR:HD2	1:E:162:THR:HG1	1.57	0.53
1:C:145:VAL:HG11	1:C:242:VAL:HG13	1.90	0.52
2:F:311:TCL:CL16	3:F:312:NAD:O3	2.66	0.51
1:E:67:ASN:HD22	1:E:70:HIS:H	1.58	0.51
1:B:93:HIS:O	1:B:146:GLY:HA2	2.11	0.51
1:C:122:ILE:O	1:C:126:SER:OG	2.29	0.51
1:A:93:HIS:O	1:A:146:GLY:HA2	2.10	0.51
1:D:135:LEU:HG	1:D:182:TYR:CD1	2.45	0.51
1:F:99:PRO:HB2	1:F:101:THR:HG22	1.93	0.50
1:E:74:LEU:HD13	1:E:134:LEU:HD21	1.92	0.50
1:E:149:PHE:HD2	3:E:310:NAD:H5N	1.76	0.50
1:E:122:ILE:HG12	3:E:310:NAD:H61A	1.76	0.50
1:E:135:LEU:HD13	1:E:144:ILE:HD11	1.93	0.50
1:F:169:GLU:HG2	1:F:257:ILE:HD11	1.93	0.50
1:D:64:ASP:OD1	3:D:307:NAD:N6A	2.44	0.50
1:F:215:ILE:O	1:F:217:LEU:N	2.44	0.49
1:D:158:TYR:OH	2:D:306:TCL:O17	2.30	0.49
1:F:36:LEU:O	1:F:58:ALA:HB1	2.12	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:134:LEU:O	1:D:138:MET:HG3	2.13	0.49
1:C:131:ALA:O	1:C:135:LEU:HB2	2.13	0.49
1:A:103:MET:SD	2:A:300:TCL:H121	2.53	0.49
1:F:135:LEU:HD13	1:F:144:ILE:HD11	1.94	0.48
1:B:131:ALA:O	1:B:135:LEU:HB2	2.13	0.48
1:E:48:GLN:HE21	1:E:60:LEU:HB3	1.78	0.48
1:C:17:THR:H	1:C:20:SER:HG	1.62	0.48
1:D:147:MET:HE1	1:D:189:VAL:HB	1.96	0.48
1:A:63:LEU:O	3:A:301:NAD:H2A	2.14	0.48
1:A:101:THR:HG21	1:A:115:ASP:OD1	2.14	0.47
1:C:11:LEU:HA	1:C:37:VAL:O	2.14	0.47
1:C:225:ARG:HG2	1:C:267:GLN:HB2	1.96	0.47
1:C:93:HIS:O	1:C:146:GLY:HA2	2.14	0.47
1:D:156:PRO:O	1:D:157:ALA:HB3	2.15	0.47
1:E:187:ASN:ND2	1:E:253:THR:O	2.32	0.47
1:C:153:ARG:HH21	1:E:153:ARG:NE	2.13	0.47
1:D:67:ASN:HD22	1:D:67:ASN:C	2.18	0.47
1:F:250:LEU:N	1:F:251:PRO:HD3	2.30	0.47
1:E:135:LEU:N	1:E:136:PRO:CD	2.78	0.46
1:E:12:VAL:HA	1:E:92:VAL:HB	1.97	0.46
1:C:227:PRO:HD2	1:C:262:GLY:O	2.15	0.46
1:C:79:THR:O	1:C:83:GLY:N	2.46	0.46
1:D:127:TYR:CD2	1:D:175:VAL:HG21	2.51	0.46
1:E:236:THR:O	1:E:240:LYS:HG3	2.16	0.46
1:D:27:ARG:NH2	1:D:236:THR:OG1	2.49	0.46
1:A:148:ASP:HB2	1:A:188:LEU:HG	1.98	0.46
1:B:9:ARG:HA	1:B:35:GLN:O	2.15	0.46
1:C:153:ARG:NH1	1:E:265:HIS:O	2.47	0.46
1:D:131:ALA:O	1:D:135:LEU:HB2	2.17	0.45
1:D:12:VAL:O	1:D:38:LEU:HA	2.17	0.45
1:C:97:PHE:O	1:C:119:GLY:HA2	2.17	0.45
1:D:65:VAL:HG22	3:D:307:NAD:N1A	2.32	0.45
1:D:101:THR:HG21	1:D:115:ASP:OD1	2.15	0.45
1:D:265:HIS:O	1:F:153:ARG:NH1	2.50	0.45
1:C:265:HIS:O	1:E:153:ARG:CD	2.63	0.45
1:C:4:LEU:HD13	1:C:5:LEU:HD13	1.98	0.45
1:B:43:ARG:O	1:B:47:ILE:HG23	2.18	0.44
1:C:186:SER:O	1:C:255:GLY:N	2.48	0.44
1:E:67:ASN:ND2	1:E:69:GLU:HB2	2.31	0.44
1:B:82:ILE:O	1:B:86:ASN:ND2	2.50	0.44
1:E:78:VAL:O	1:E:82:ILE:HG12	2.16	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:250:LEU:HB3	1:E:253:THR:CG2	2.47	0.44
1:F:67:ASN:ND2	1:F:69:GLU:HB2	2.31	0.44
1:A:253:THR:O	1:A:253:THR:HG23	2.17	0.44
1:E:187:ASN:OD1	1:E:254:THR:HA	2.17	0.44
1:A:193:PRO:HD3	1:A:222:TRP:CE2	2.53	0.44
1:B:64:ASP:H	1:B:70:HIS:HD2	1.66	0.44
1:C:46:LEU:HG	1:C:49:ARG:HH12	1.83	0.43
1:F:266:THR:OG1	1:F:267:GLN:NE2	2.47	0.43
1:A:135:LEU:N	1:A:136:PRO:CD	2.81	0.43
1:C:135:LEU:HD13	1:C:144:ILE:HD11	2.00	0.43
1:F:169:GLU:HB3	1:F:173:ARG:NH2	2.33	0.43
1:A:155:MET:HB2	1:A:156:PRO:HD2	2.01	0.43
1:D:178:GLU:OE1	1:D:181:LYS:NZ	2.49	0.43
1:A:222:TRP:HE1	1:A:261:ASP:HB2	1.84	0.43
1:B:10:ILE:HG12	1:B:90:GLY:HA3	2.01	0.43
1:B:90:GLY:HA2	1:B:143:SER:O	2.19	0.43
1:E:165:LYS:O	1:E:169:GLU:HG3	2.18	0.43
1:C:134:LEU:O	1:C:138:MET:HG3	2.18	0.43
1:D:6:ASP:OD1	1:D:33:GLY:HA3	2.18	0.43
1:E:47:ILE:HD11	1:E:60:LEU:HD21	2.00	0.43
1:A:167:ALA:O	1:A:171:VAL:HG23	2.19	0.43
1:A:39:THR:HA	1:A:61:LEU:O	2.18	0.43
1:C:78:VAL:O	1:C:82:ILE:HG12	2.18	0.43
1:F:67:ASN:HD22	1:F:67:ASN:C	2.22	0.43
1:C:187:ASN:ND2	1:C:253:THR:O	2.39	0.42
1:B:144:ILE:O	1:B:186:SER:HA	2.19	0.42
1:D:167:ALA:O	1:D:171:VAL:HG23	2.19	0.42
1:A:41:PHE:C	1:A:41:PHE:CD1	2.91	0.42
1:F:93:HIS:O	1:F:146:GLY:HA2	2.19	0.42
1:F:135:LEU:N	1:F:136:PRO:CD	2.83	0.42
1:A:82:ILE:O	1:A:86:ASN:ND2	2.53	0.42
1:D:59:PRO:HG2	1:D:81:ALA:HB1	2.01	0.42
1:A:90:GLY:HA2	1:A:143:SER:O	2.20	0.42
1:D:5:LEU:HB3	1:D:34:ALA:HB2	2.02	0.42
1:C:88:LEU:O	1:C:138:MET:HA	2.20	0.41
1:C:153:ARG:HH21	1:E:153:ARG:CZ	2.33	0.41
1:B:250:LEU:HB3	1:B:253:THR:CG2	2.50	0.41
1:F:135:LEU:HG	1:F:182:TYR:CD1	2.55	0.41
1:A:156:PRO:O	1:A:157:ALA:HB3	2.20	0.41
1:D:241:THR:O	1:D:245:LEU:HD23	2.18	0.41
1:F:24:HIS:HD2	1:F:27:ARG:HH21	1.69	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:64:ASP:H	1:E:70:HIS:HD2	1.69	0.41
1:C:245:LEU:HD22	1:C:250:LEU:CD1	2.50	0.41
1:D:11:LEU:HA	1:D:37:VAL:O	2.20	0.41
1:F:75:ALA:HA	1:F:137:ILE:HD11	2.02	0.41
1:C:236:THR:HB	1:C:237:PRO:HD3	2.02	0.41
1:A:111:ALA:HA	1:A:112:PRO:HD3	1.97	0.41
1:B:225:ARG:HG2	1:B:267:GLN:HB2	2.02	0.41
1:C:145:VAL:HA	1:C:187:ASN:O	2.21	0.41
1:E:245:LEU:HD11	1:E:258:ILE:HD13	2.02	0.41
1:C:258:ILE:N	1:C:258:ILE:HD12	2.36	0.41
1:D:10:ILE:O	1:D:36:LEU:HA	2.21	0.41
1:A:250:LEU:O	1:A:253:THR:HG22	2.20	0.41
1:C:2:THR:HG1	1:F:2:THR:N	2.19	0.41
1:E:93:HIS:O	1:E:146:GLY:HA2	2.21	0.41
1:A:47:ILE:HD11	1:A:60:LEU:HD11	2.03	0.41
1:C:126:SER:HA	1:C:129:SER:OG	2.21	0.41
1:A:174:PHE:CE2	1:B:159:ASN:HA	2.55	0.40
1:F:165:LYS:NZ	3:F:312:NAD:O2D	2.50	0.40
1:C:73:SER:OG	1:C:77:ARG:NE	2.54	0.40
1:A:158:TYR:OH	2:A:300:TCL:O17	2.34	0.40
1:C:135:LEU:N	1:C:136:PRO:CD	2.85	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	249/269 (93%)	235 (94%)	13 (5%)	1 (0%)	38	47
1	B	242/269 (90%)	233 (96%)	9 (4%)	0	100	100
1	C	244/269 (91%)	227 (93%)	16 (7%)	1 (0%)	38	47
1	D	244/269 (91%)	224 (92%)	18 (7%)	2 (1%)	22	26

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	250/269 (93%)	241 (96%)	9 (4%)	0	100	100
1	F	247/269 (92%)	229 (93%)	17 (7%)	1 (0%)	38	47
All	All	1476/1614 (91%)	1389 (94%)	82 (6%)	5 (0%)	44	55

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	195	ARG
1	A	195	ARG
1	D	229	GLY
1	F	215	ILE
1	D	65	VAL

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	196/205 (96%)	178 (91%)	18 (9%)	11	12
1	B	191/205 (93%)	166 (87%)	25 (13%)	5	5
1	C	193/205 (94%)	168 (87%)	25 (13%)	5	5
1	D	192/205 (94%)	176 (92%)	16 (8%)	13	16
1	E	196/205 (96%)	174 (89%)	22 (11%)	7	7
1	F	196/205 (96%)	178 (91%)	18 (9%)	11	12
All	All	1164/1230 (95%)	1040 (89%)	124 (11%)	8	8

All (124) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	LEU
1	A	5	LEU
1	A	6	ASP
1	A	60	LEU
1	A	67	ASN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	A	69	GLU
1	A	70	HIS
1	A	71	LEU
1	A	74	LEU
1	A	101	THR
1	A	135	LEU
1	A	162	THR
1	A	168	LEU
1	A	188	LEU
1	A	215	ILE
1	A	218	LEU
1	A	224	GLN
1	A	269	LEU
1	B	4	LEU
1	B	5	LEU
1	B	6	ASP
1	B	11	LEU
1	B	19	SER
1	B	44	LEU
1	B	47	ILE
1	B	60	LEU
1	B	67	ASN
1	B	68	GLU
1	B	70	HIS
1	B	71	LEU
1	B	74	LEU
1	B	101	THR
1	B	103	MET
1	B	105	ILE
1	B	123	SER
1	B	135	LEU
1	B	145	VAL
1	B	168	LEU
1	B	188	LEU
1	B	224	GLN
1	B	232	MET
1	B	253	THR
1	B	269	LEU
1	C	4	LEU
1	C	5	LEU
1	C	6	ASP
1	C	19	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	60	LEU
1	C	67	ASN
1	C	71	LEU
1	C	74	LEU
1	C	80	GLU
1	C	89	ASP
1	C	101	THR
1	C	105	ILE
1	C	130	MET
1	C	135	LEU
1	C	162	THR
1	C	168	LEU
1	C	170	SER
1	C	177	ARG
1	C	188	LEU
1	C	218	LEU
1	C	219	GLU
1	C	232	MET
1	C	251	PRO
1	C	253	THR
1	C	269	LEU
1	D	4	LEU
1	D	5	LEU
1	D	35	GLN
1	D	53	ARG
1	D	67	ASN
1	D	71	LEU
1	D	74	LEU
1	D	101	THR
1	D	103	MET
1	D	135	LEU
1	D	162	THR
1	D	168	LEU
1	D	170	SER
1	D	188	LEU
1	D	228	ILE
1	D	269	LEU
1	E	5	LEU
1	E	6	ASP
1	E	18	ASP
1	E	60	LEU
1	E	67	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	E	68	GLU
1	E	71	LEU
1	E	74	LEU
1	E	80	GLU
1	E	101	THR
1	E	135	LEU
1	E	162	THR
1	E	168	LEU
1	E	170	SER
1	E	188	LEU
1	E	217	LEU
1	E	218	LEU
1	E	224	GLN
1	E	232	MET
1	E	245	LEU
1	E	253	THR
1	E	269	LEU
1	F	4	LEU
1	F	5	LEU
1	F	6	ASP
1	F	19	SER
1	F	60	LEU
1	F	67	ASN
1	F	69	GLU
1	F	71	LEU
1	F	74	LEU
1	F	135	LEU
1	F	168	LEU
1	F	188	LEU
1	F	217	LEU
1	F	232	MET
1	F	245	LEU
1	F	253	THR
1	F	256	ASP
1	F	269	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	67	ASN
1	A	70	HIS
1	A	139	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	24	HIS
1	B	67	ASN
1	B	70	HIS
1	B	139	ASN
1	C	67	ASN
1	C	70	HIS
1	D	67	ASN
1	D	70	HIS
1	D	106	ASN
1	D	139	ASN
1	E	24	HIS
1	E	48	GLN
1	E	67	ASN
1	E	70	HIS
1	E	139	ASN
1	F	24	HIS
1	F	67	ASN
1	F	70	HIS
1	F	139	ASN
1	F	216	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length

(or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	TCL	A	300	-	18,18,18	2.32	5 (27%)	25,25,25	1.42	3 (12%)
3	NAD	A	301	-	41,48,48	1.59	3 (7%)	43,73,73	2.23	4 (9%)
2	TCL	B	302	-	18,18,18	2.06	4 (22%)	25,25,25	1.37	2 (8%)
3	NAD	B	303	-	41,48,48	1.53	3 (7%)	43,73,73	2.23	5 (11%)
2	TCL	C	304	-	18,18,18	2.12	4 (22%)	25,25,25	1.38	4 (16%)
3	NAD	C	305	-	41,48,48	1.60	3 (7%)	43,73,73	2.07	4 (9%)
2	TCL	D	306	-	18,18,18	2.13	5 (27%)	25,25,25	1.27	3 (12%)
3	NAD	D	307	-	41,48,48	1.56	3 (7%)	43,73,73	2.12	5 (11%)
2	TCL	E	309	-	18,18,18	2.21	5 (27%)	25,25,25	1.09	1 (4%)
3	NAD	E	310	-	41,48,48	1.56	3 (7%)	43,73,73	2.39	5 (11%)
2	TCL	F	311	-	18,18,18	2.11	3 (16%)	25,25,25	1.01	2 (8%)
3	NAD	F	312	-	41,48,48	1.58	3 (7%)	43,73,73	2.12	3 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TCL	A	300	-	-	0/4/4/4	0/2/2/2
3	NAD	A	301	-	-	0/22/62/62	0/5/5/5
2	TCL	B	302	-	-	0/4/4/4	0/2/2/2
3	NAD	B	303	-	-	0/22/62/62	0/5/5/5
2	TCL	C	304	-	-	0/4/4/4	0/2/2/2
3	NAD	C	305	-	-	0/22/62/62	0/5/5/5
2	TCL	D	306	-	-	0/4/4/4	0/2/2/2
3	NAD	D	307	-	-	0/22/62/62	0/5/5/5
2	TCL	E	309	-	-	0/4/4/4	0/2/2/2
3	NAD	E	310	-	-	0/22/62/62	0/5/5/5
2	TCL	F	311	-	-	0/4/4/4	0/2/2/2
3	NAD	F	312	-	-	0/22/62/62	0/5/5/5

All (44) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	312	NAD	O4B-C4B	-2.42	1.39	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	300	TCL	C9-CL16	2.01	1.78	1.73
3	A	301	NAD	C2A-N1A	2.24	1.38	1.33
2	E	309	TCL	C9-CL16	2.26	1.79	1.73
2	A	300	TCL	C11-CL15	2.35	1.79	1.74
3	E	310	NAD	C2A-N1A	2.40	1.38	1.33
2	D	306	TCL	C11-CL15	2.41	1.79	1.74
2	E	309	TCL	C11-CL15	2.47	1.79	1.74
2	B	302	TCL	C2-CL14	2.49	1.79	1.74
3	D	307	NAD	C2A-N1A	2.62	1.38	1.33
2	A	300	TCL	C2-CL14	2.65	1.80	1.74
2	D	306	TCL	C9-CL16	2.70	1.80	1.73
2	F	311	TCL	C2-CL14	2.79	1.80	1.74
3	C	305	NAD	C2A-N1A	2.86	1.39	1.33
2	D	306	TCL	C2-CL14	2.89	1.80	1.74
2	C	304	TCL	C11-CL15	2.89	1.80	1.74
2	B	302	TCL	C11-CL15	2.89	1.80	1.74
2	C	304	TCL	C2-CL14	2.92	1.80	1.74
2	E	309	TCL	C2-CL14	3.02	1.81	1.74
3	B	303	NAD	C2A-N1A	3.12	1.39	1.33
3	F	312	NAD	C2A-N3A	3.51	1.38	1.32
3	E	310	NAD	C2A-N3A	3.62	1.38	1.32
3	A	301	NAD	C2A-N3A	3.86	1.38	1.32
3	C	305	NAD	C2A-N3A	3.86	1.38	1.32
3	D	307	NAD	C2A-N3A	3.88	1.38	1.32
3	B	303	NAD	C2A-N3A	4.29	1.39	1.32
2	B	302	TCL	C8-C9	4.41	1.47	1.39
2	C	304	TCL	C8-C9	4.44	1.47	1.39
2	D	306	TCL	C8-C9	4.67	1.47	1.39
2	F	311	TCL	C6-C5	4.97	1.48	1.40
2	E	309	TCL	C8-C9	5.01	1.48	1.39
2	A	300	TCL	C8-C9	5.58	1.49	1.39
2	F	311	TCL	C8-C9	5.59	1.49	1.39
2	E	309	TCL	C6-C5	5.68	1.49	1.40
2	C	304	TCL	C6-C5	5.70	1.49	1.40
2	D	306	TCL	C6-C5	5.74	1.49	1.40
2	B	302	TCL	C6-C5	5.81	1.49	1.40
2	A	300	TCL	C6-C5	6.21	1.49	1.40
3	B	303	NAD	O7N-C7N	7.01	1.38	1.24
3	C	305	NAD	O7N-C7N	7.54	1.39	1.24
3	D	307	NAD	O7N-C7N	7.55	1.39	1.24
3	E	310	NAD	O7N-C7N	7.68	1.40	1.24
3	A	301	NAD	O7N-C7N	7.69	1.40	1.24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	312	NAD	O7N-C7N	8.03	1.40	1.24

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	310	NAD	N3A-C2A-N1A	-12.71	117.79	128.86
3	A	301	NAD	N3A-C2A-N1A	-12.50	117.97	128.86
3	C	305	NAD	N3A-C2A-N1A	-11.76	118.62	128.86
3	B	303	NAD	N3A-C2A-N1A	-11.60	118.75	128.86
3	D	307	NAD	N3A-C2A-N1A	-11.36	118.96	128.86
3	F	312	NAD	N3A-C2A-N1A	-11.34	118.98	128.86
3	E	310	NAD	C4B-O4B-C1B	-5.74	103.66	109.77
3	D	307	NAD	C4B-O4B-C1B	-4.65	104.82	109.77
3	A	301	NAD	C4B-O4B-C1B	-3.86	105.66	109.77
3	B	303	NAD	C4B-O4B-C1B	-3.61	105.93	109.77
3	F	312	NAD	C4B-O4B-C1B	-3.44	106.10	109.77
3	C	305	NAD	C4B-O4B-C1B	-3.36	106.19	109.77
3	D	307	NAD	C1B-N9A-C4A	-2.67	122.03	126.64
3	E	310	NAD	C1B-N9A-C4A	-2.64	122.07	126.64
3	A	301	NAD	O7N-C7N-N7N	-2.57	118.93	122.58
3	E	310	NAD	C4A-C5A-N7A	-2.37	107.12	109.41
3	C	305	NAD	C1B-N9A-C4A	-2.34	122.60	126.64
3	B	303	NAD	O7N-C7N-N7N	-2.22	119.42	122.58
3	B	303	NAD	O7N-C7N-C3N	-2.20	117.05	119.62
3	E	310	NAD	O3B-C3B-C2B	-2.04	105.28	111.83
2	C	304	TCL	C8-O7-C5	2.02	122.87	117.98
2	C	304	TCL	C12-C11-CL15	2.06	122.60	119.35
2	D	306	TCL	C10-C9-CL16	2.27	122.08	118.50
2	C	304	TCL	C4-C3-C2	2.29	121.68	119.24
2	A	300	TCL	C13-C12-C11	2.31	121.70	119.24
3	A	301	NAD	O2N-PN-O1N	2.31	124.26	112.28
3	D	307	NAD	O2N-PN-O1N	2.32	124.26	112.28
3	D	307	NAD	C3N-C7N-N7N	2.38	120.50	117.77
2	F	311	TCL	C8-O7-C5	2.39	123.77	117.98
3	C	305	NAD	C3N-C7N-N7N	2.40	120.51	117.77
2	E	309	TCL	C13-C12-C11	2.40	121.80	119.24
2	F	311	TCL	C13-C12-C11	2.58	121.99	119.24
2	D	306	TCL	C4-C3-C2	2.60	122.01	119.24
2	D	306	TCL	O7-C5-C6	3.11	122.49	116.24
3	F	312	NAD	C3N-C7N-N7N	3.18	121.40	117.77
2	A	300	TCL	C8-C9-CL16	3.40	123.34	119.42
2	B	302	TCL	C13-C12-C11	3.42	122.88	119.24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	304	TCL	C13-C12-C11	3.43	122.89	119.24
2	A	300	TCL	C8-O7-C5	3.59	126.68	117.98
2	B	302	TCL	C8-O7-C5	3.68	126.89	117.98
3	B	303	NAD	C3N-C7N-N7N	5.00	123.48	117.77

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

10 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	300	TCL	2	0
3	A	301	NAD	1	0
2	B	302	TCL	1	0
2	C	304	TCL	1	0
2	D	306	TCL	2	0
3	D	307	NAD	2	0
2	E	309	TCL	1	0
3	E	310	NAD	2	0
2	F	311	TCL	2	0
3	F	312	NAD	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	253/269 (94%)	0.40	6 (2%) 59 66	13, 25, 45, 53	0
1	B	246/269 (91%)	0.52	5 (2%) 65 72	14, 25, 43, 54	0
1	C	248/269 (92%)	0.99	29 (11%) 5 7	23, 34, 51, 58	0
1	D	248/269 (92%)	0.88	22 (8%) 10 14	22, 34, 50, 55	0
1	E	254/269 (94%)	0.74	24 (9%) 9 12	21, 33, 46, 50	0
1	F	251/269 (93%)	0.97	27 (10%) 6 9	20, 35, 51, 57	0
All	All	1500/1614 (92%)	0.75	113 (7%) 15 20	13, 32, 48, 58	0

All (113) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	79	THR	6.3
1	D	55	PRO	5.5
1	C	58	ALA	5.2
1	E	2	THR	5.1
1	C	21	ILE	5.0
1	F	81	ALA	4.9
1	C	2	THR	4.4
1	F	2	THR	4.4
1	D	44	LEU	4.3
1	C	50	ILE	4.3
1	C	46	LEU	4.3
1	C	85	GLY	4.0
1	D	54	LEU	3.8
1	A	46	LEU	3.7
1	D	38	LEU	3.6
1	F	44	LEU	3.6
1	E	84	ALA	3.5
1	E	105	ILE	3.5
1	F	47	ILE	3.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	70	HIS	3.4
1	F	76	GLY	3.4
1	D	37	VAL	3.4
1	F	86	ASN	3.3
1	E	35	GLN	3.2
1	B	45	ARG	3.2
1	C	36	LEU	3.1
1	E	103	MET	3.1
1	C	52	ASP	3.1
1	C	140	PRO	3.1
1	F	221	GLY	3.0
1	D	196	THR	3.0
1	E	46	LEU	3.0
1	D	45	ARG	3.0
1	C	63	LEU	2.9
1	B	2	THR	2.9
1	E	7	GLY	2.8
1	F	73	SER	2.8
1	F	58	ALA	2.8
1	C	59	PRO	2.8
1	C	60	LEU	2.8
1	F	51	THR	2.8
1	C	57	LYS	2.8
1	E	157	ALA	2.7
1	F	71	LEU	2.7
1	B	47	ILE	2.7
1	A	2	THR	2.7
1	C	81	ALA	2.6
1	C	3	GLY	2.6
1	D	198	ALA	2.6
1	D	42	ASP	2.6
1	E	58	ALA	2.6
1	F	69	GLU	2.6
1	D	134	LEU	2.6
1	C	269	LEU	2.5
1	F	57	LYS	2.5
1	D	84	ALA	2.5
1	E	72	ALA	2.5
1	C	16	ILE	2.5
1	E	257	ILE	2.5
1	C	37	VAL	2.5
1	F	33	GLY	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	28	VAL	2.4
1	F	215	ILE	2.4
1	E	42	ASP	2.4
1	D	199	MET	2.4
1	E	12	VAL	2.4
1	F	72	ALA	2.4
1	F	59	PRO	2.4
1	E	57	LYS	2.4
1	D	49	ARG	2.4
1	E	158	TYR	2.4
1	D	197	LEU	2.4
1	E	106	ASN	2.4
1	F	49	ARG	2.3
1	F	135	LEU	2.3
1	D	193	PRO	2.3
1	B	46	LEU	2.3
1	E	38	LEU	2.3
1	E	44	LEU	2.3
1	E	156	PRO	2.3
1	A	215	ILE	2.3
1	C	103	MET	2.2
1	C	47	ILE	2.2
1	F	7	GLY	2.2
1	C	105	ILE	2.2
1	E	215	ILE	2.2
1	A	219	GLU	2.2
1	E	47	ILE	2.2
1	C	255	GLY	2.2
1	D	7	GLY	2.2
1	F	85	GLY	2.2
1	F	264	ALA	2.2
1	F	41	PHE	2.1
1	C	258	ILE	2.1
1	E	63	LEU	2.1
1	F	217	LEU	2.1
1	C	43	ARG	2.1
1	D	2	THR	2.1
1	A	45	ARG	2.1
1	C	228	ILE	2.1
1	D	195	ARG	2.1
1	E	45	ARG	2.1
1	A	188	LEU	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	32	GLN	2.1
1	B	105	ILE	2.1
1	F	140	PRO	2.1
1	C	145	VAL	2.1
1	C	53	ARG	2.0
1	F	15	ILE	2.0
1	C	264	ALA	2.0
1	D	43	ARG	2.0
1	D	83	GLY	2.0
1	E	252	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	TCL	F	311	17/17	0.75	0.30	8.51	53,55,58,58	0
2	TCL	B	302	17/17	0.80	0.25	2.83	54,55,59,60	0
2	TCL	A	300	17/17	0.83	0.22	2.26	43,44,49,51	0
2	TCL	E	309	17/17	0.60	0.29	1.74	61,62,62,63	0
2	TCL	C	304	17/17	0.76	0.23	0.89	48,50,51,52	0
3	NAD	F	312	44/44	0.88	0.20	0.38	28,36,42,44	0
3	NAD	A	301	44/44	0.91	0.15	-0.25	25,30,34,37	0
2	TCL	D	306	17/17	0.86	0.19	-0.44	46,46,48,49	0
3	NAD	C	305	44/44	0.86	0.16	-0.68	28,37,40,43	0
3	NAD	D	307	44/44	0.88	0.16	-0.73	28,34,37,40	0
3	NAD	E	310	44/44	0.90	0.15	-0.84	25,29,33,34	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	NAD	B	303	44/44	0.90	0.15	-1.03	22,27,30,32	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.