



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 07:30 pm GMT

PDB ID : 4B3F
Title : crystal structure of Ighmbp2 helicase
Authors : Lim, S.C.; Song, H.
Deposited on : 2012-07-24
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	3846 (2.50-2.50)
Clashscore	112137	4554 (2.50-2.50)
Ramachandran outliers	110173	4463 (2.50-2.50)
Sidechain outliers	110143	4465 (2.50-2.50)
RSRZ outliers	101464	3876 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	X	646	<div> <div></div> <div>56%</div> <div>32%</div> <div>9%</div> <div>.</div> </div>

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 4957 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA-BINDING PROTEIN SMUBP-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	X	625	Total	C	N	O	S	0	0	0
			4853	3057	873	908	15			

- Molecule 2 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	X	1	Total	O	P	0	0
			5	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	X	99	Total	O	0	0
			99	99		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: DNA-BINDING PROTEIN SMUBP-2



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	116.57Å 76.72Å 88.54Å 90.00° 107.33° 90.00°	Depositor
Resolution (Å)	55.64 – 2.50 84.52 – 2.50	Depositor EDS
% Data completeness (in resolution range)	92.4 (55.64-2.50) 99.4 (84.52-2.50)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.40 (at 2.51Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.190 , 0.252 0.187 , 0.252	Depositor DCC
R_{free} test set	1313 reflections (5.09%)	DCC
Wilson B-factor (Å ²)	55.1	Xtriage
Anisotropy	0.681	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 65.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	4957	wwPDB-VP
Average B, all atoms (Å ²)	75.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.94% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	X	0.41	0/4923	0.60	0/6660

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	X	4853	0	4981	240	0
2	X	5	0	0	0	0
3	X	99	0	0	20	0
All	All	4957	0	4981	240	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

All (240) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:93:ASP:HB3	1:X:96:ASN:HB2	1.31	1.13

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:481:THR:HG22	1:X:484:THR:H	1.16	1.03
1:X:603:ARG:N	1:X:603:ARG:HD2	1.83	0.93
1:X:217:GLY:HA3	3:X:2024:HOH:O	1.70	0.91
1:X:481:THR:CG2	1:X:483:GLU:H	1.84	0.90
1:X:201:LEU:HD21	3:X:2018:HOH:O	1.74	0.86
1:X:184:PRO:HG2	3:X:2017:HOH:O	1.77	0.84
1:X:403:GLN:HE21	1:X:599:VAL:HG22	1.43	0.83
1:X:617:VAL:HG13	1:X:623:LEU:HB3	1.59	0.83
1:X:481:THR:HG23	1:X:483:GLU:H	1.42	0.81
1:X:65:VAL:HB	3:X:2006:HOH:O	1.82	0.80
1:X:116:VAL:HB	3:X:2006:HOH:O	1.81	0.79
1:X:481:THR:HG22	1:X:484:THR:N	1.97	0.79
1:X:584:ARG:CD	1:X:584:ARG:H	1.96	0.78
1:X:287:SER:HB3	1:X:288:ASP:HA	1.63	0.78
1:X:493:THR:HG22	3:X:2068:HOH:O	1.84	0.77
1:X:344:SER:HB3	3:X:2042:HOH:O	1.86	0.75
1:X:31:TRP:O	1:X:35:ILE:HB	1.88	0.74
1:X:31:TRP:HA	1:X:35:ILE:HD13	1.69	0.74
1:X:185:LEU:HD11	1:X:204:LEU:HD12	1.69	0.73
1:X:298:LYS:HE3	1:X:298:LYS:HA	1.69	0.72
1:X:489:LEU:HD21	1:X:491:VAL:HG12	1.71	0.72
1:X:493:THR:HG23	1:X:498:LEU:HB2	1.71	0.72
1:X:460:GLN:HE21	1:X:460:GLN:HA	1.53	0.72
1:X:584:ARG:H	1:X:584:ARG:HD3	1.52	0.71
1:X:291:GLN:N	1:X:291:GLN:HE21	1.89	0.71
1:X:617:VAL:CG1	1:X:623:LEU:HB3	2.21	0.71
1:X:289:SER:HB3	1:X:292:ILE:HG23	1.72	0.70
1:X:634:GLY:HA2	3:X:2067:HOH:O	1.91	0.70
1:X:153:ILE:HG22	1:X:157:LYS:HE2	1.71	0.70
1:X:584:ARG:N	1:X:584:ARG:HD3	2.08	0.69
1:X:472:LEU:HD13	1:X:606:ARG:HB2	1.73	0.69
1:X:142:ASP:HB3	1:X:146:ARG:NH1	2.07	0.69
1:X:339:LEU:O	1:X:343:THR:HB	1.94	0.68
1:X:57:THR:OG1	1:X:300:ILE:HB	1.94	0.68
1:X:57:THR:H	1:X:300:ILE:HG13	1.59	0.68
1:X:385:CYS:O	1:X:389:LEU:HB2	1.94	0.68
1:X:193:ASP:H	1:X:196:GLN:HE21	1.42	0.67
1:X:264:ARG:HH11	1:X:264:ARG:HG3	1.59	0.67
1:X:317:SER:C	1:X:319:PHE:H	1.98	0.66
1:X:589:GLY:O	1:X:590:PHE:HB3	1.94	0.66
1:X:35:ILE:HG22	1:X:40:LEU:HG	1.77	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:303:VAL:HA	1:X:306:LYS:HB2	1.78	0.66
1:X:451:TRP:O	1:X:455:THR:HG23	1.96	0.65
1:X:536:ALA:HB2	1:X:572:LYS:HG3	1.78	0.65
1:X:370:ASP:O	1:X:392:ALA:HB1	1.97	0.65
1:X:411:HIS:NE2	1:X:415:LEU:HD11	2.12	0.65
1:X:488:LEU:HB2	1:X:634:GLY:HA3	1.79	0.65
1:X:221:THR:HG22	3:X:2025:HOH:O	1.97	0.64
1:X:132:ASN:HB3	1:X:133:SER:CA	2.26	0.64
1:X:443:ARG:HB3	3:X:2024:HOH:O	1.97	0.64
1:X:93:ASP:HB2	1:X:101:LEU:HD11	1.80	0.63
1:X:213:HIS:HE1	1:X:400:ASP:OD1	1.83	0.62
1:X:185:LEU:HD11	1:X:204:LEU:CD1	2.29	0.62
1:X:142:ASP:HB3	1:X:146:ARG:HH11	1.62	0.62
1:X:481:THR:HG22	1:X:483:GLU:H	1.62	0.62
1:X:39:GLU:HA	1:X:42:SER:OG	2.00	0.61
1:X:460:GLN:HE21	1:X:460:GLN:CA	2.13	0.61
1:X:37:LEU:HD23	1:X:135:ARG:HD3	1.83	0.61
1:X:34:ASN:H	1:X:34:ASN:ND2	1.99	0.60
1:X:132:ASN:HB3	1:X:133:SER:HB2	1.82	0.60
1:X:287:SER:CB	1:X:288:ASP:HA	2.27	0.60
1:X:511:ASN:CG	1:X:514:GLU:HG3	2.21	0.60
1:X:132:ASN:HB3	1:X:133:SER:CB	2.31	0.60
1:X:539:SER:O	1:X:563:SER:HA	2.02	0.59
1:X:59:LEU:HD12	1:X:60:TYR:H	1.68	0.59
1:X:374:ILE:HD11	1:X:389:LEU:HD13	1.84	0.59
1:X:132:ASN:CB	1:X:133:SER:HA	2.32	0.58
1:X:90:GLY:HA3	1:X:139:LEU:HD11	1.85	0.58
1:X:264:ARG:NH1	1:X:264:ARG:HG3	2.17	0.58
1:X:487:PRO:HD2	3:X:2067:HOH:O	2.04	0.58
1:X:481:THR:CG2	1:X:483:GLU:N	2.63	0.58
1:X:481:THR:HG22	1:X:483:GLU:N	2.18	0.58
1:X:297:ARG:O	1:X:301:ASP:N	2.36	0.57
1:X:193:ASP:N	1:X:196:GLN:HE21	2.02	0.57
1:X:489:LEU:C	1:X:489:LEU:HD23	2.23	0.57
1:X:47:LEU:HD23	1:X:83:PHE:CE2	2.39	0.57
1:X:192:LEU:O	1:X:197:LYS:HE3	2.04	0.57
1:X:287:SER:HA	1:X:289:SER:H	1.70	0.57
1:X:90:GLY:CA	1:X:139:LEU:HD11	2.35	0.57
1:X:87:ASP:HB2	1:X:106:LEU:HD22	1.85	0.57
1:X:304:PHE:C	1:X:306:LYS:H	2.06	0.57
1:X:294:ALA:O	1:X:298:LYS:HG2	2.03	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:297:ARG:O	1:X:301:ASP:CB	2.53	0.57
1:X:305:VAL:O	1:X:319:PHE:HE2	1.88	0.56
1:X:390:LEU:CD2	1:X:390:LEU:H	2.17	0.56
1:X:109:VAL:HG13	1:X:114:VAL:HG22	1.86	0.56
1:X:264:ARG:HD3	1:X:265:LEU:C	2.25	0.56
1:X:45:VAL:HG13	1:X:45:VAL:O	2.04	0.56
1:X:83:PHE:CE1	1:X:138:LYS:HG3	2.40	0.56
1:X:169:VAL:HG21	1:X:208:GLU:HG2	1.85	0.56
1:X:390:LEU:H	1:X:390:LEU:HD22	1.70	0.56
1:X:193:ASP:H	1:X:196:GLN:NE2	2.03	0.56
1:X:88:ILE:HD13	1:X:141:ASN:ND2	2.21	0.56
1:X:132:ASN:HB3	1:X:133:SER:HA	1.88	0.56
1:X:442:TYR:O	1:X:467:VAL:HG11	2.06	0.56
1:X:342:LEU:HD13	1:X:364:LEU:HD22	1.87	0.55
1:X:77:ALA:HA	1:X:112:LYS:HB3	1.87	0.55
1:X:59:LEU:HD12	1:X:60:TYR:N	2.22	0.55
1:X:640:PHE:CE1	1:X:646:ILE:HD12	2.41	0.55
1:X:97:GLU:HG3	1:X:99:SER:OG	2.07	0.55
1:X:111:GLN:H	1:X:111:GLN:CD	2.10	0.55
1:X:496:CYS:HB3	1:X:646:ILE:HD11	1.88	0.54
1:X:193:ASP:OD1	1:X:195:SER:HB3	2.08	0.54
1:X:498:LEU:HG	1:X:513:GLY:HA3	1.90	0.54
1:X:158:TYR:CZ	1:X:163:ALA:HB3	2.43	0.54
1:X:193:ASP:OD1	1:X:196:GLN:HG3	2.08	0.54
1:X:69:PRO:HG3	1:X:78:LEU:HD23	1.90	0.54
1:X:137:LEU:O	1:X:139:LEU:HG	2.09	0.53
1:X:287:SER:HB3	1:X:288:ASP:OD1	2.08	0.53
1:X:599:VAL:O	1:X:603:ARG:HD3	2.08	0.53
1:X:48:LEU:HD23	1:X:135:ARG:HG2	1.90	0.53
1:X:623:LEU:O	1:X:627:VAL:HG12	2.09	0.53
1:X:163:ALA:O	1:X:167:ILE:HG13	2.09	0.53
1:X:290:ALA:HB1	3:X:2039:HOH:O	2.09	0.53
1:X:296:ILE:HD11	3:X:2004:HOH:O	2.09	0.52
1:X:472:LEU:HD22	1:X:607:HIS:HB2	1.91	0.52
1:X:149:LYS:O	1:X:153:ILE:HG13	2.08	0.52
1:X:57:THR:HG23	1:X:300:ILE:HG12	1.91	0.52
1:X:327:ARG:HD2	3:X:2005:HOH:O	2.10	0.52
1:X:265:LEU:HG	1:X:360:PRO:HG2	1.92	0.52
1:X:57:THR:OG1	1:X:296:ILE:HG23	2.10	0.52
1:X:391:LYS:HA	1:X:391:LYS:HE2	1.92	0.51
1:X:94:ALA:HB3	1:X:133:SER:HB3	1.91	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:603:ARG:H	1:X:603:ARG:HD2	1.69	0.51
1:X:67:PHE:HE2	3:X:2006:HOH:O	1.93	0.51
1:X:589:GLY:C	1:X:591:LEU:H	2.12	0.51
1:X:47:LEU:HB3	1:X:50:LEU:HD11	1.93	0.51
1:X:296:ILE:HG22	1:X:297:ARG:N	2.25	0.50
1:X:317:SER:C	1:X:319:PHE:N	2.65	0.50
1:X:142:ASP:O	1:X:146:ARG:HD3	2.11	0.50
1:X:381:LEU:H	1:X:381:LEU:CD2	2.23	0.50
1:X:59:LEU:HG	1:X:60:TYR:CE2	2.47	0.50
1:X:309:LYS:HB2	1:X:309:LYS:NZ	2.26	0.50
1:X:44:GLY:HA3	1:X:81:ASN:HA	1.94	0.50
1:X:10:VAL:HG21	1:X:156:LYS:HB3	1.94	0.49
1:X:34:ASN:C	1:X:35:ILE:HD12	2.33	0.49
1:X:35:ILE:HG23	1:X:39:GLU:OE1	2.12	0.49
1:X:471:LEU:O	1:X:606:ARG:HD3	2.13	0.49
1:X:77:ALA:HA	1:X:112:LYS:CB	2.43	0.49
1:X:241:CYS:HB3	1:X:352:ASN:HD22	1.77	0.49
1:X:404:LEU:HD11	1:X:596:ARG:HA	1.94	0.48
1:X:182:ILE:HG22	1:X:205:SER:OG	2.13	0.48
1:X:378:ALA:HB1	1:X:401:HIS:HA	1.95	0.48
1:X:19:LEU:HD23	1:X:413:ALA:HB2	1.96	0.48
1:X:328:LYS:O	1:X:332:GLU:HG2	2.13	0.48
1:X:404:LEU:HD13	1:X:599:VAL:HG21	1.95	0.47
1:X:264:ARG:HD3	1:X:265:LEU:O	2.14	0.47
1:X:401:HIS:HB2	1:X:424:GLU:HB2	1.97	0.47
1:X:362:LYS:HG3	1:X:363:LEU:HD13	1.95	0.47
1:X:523:GLN:HG3	1:X:527:ASP:OD2	2.15	0.47
1:X:494:ALA:HB2	1:X:615:ARG:H	1.79	0.47
1:X:9:PHE:O	1:X:13:GLN:HG2	2.14	0.47
1:X:31:TRP:HZ3	1:X:43:ARG:HD2	1.79	0.47
1:X:323:ILE:HG13	1:X:324:LYS:N	2.30	0.47
1:X:472:LEU:O	1:X:475:LEU:HB2	2.15	0.47
1:X:599:VAL:O	1:X:603:ARG:CD	2.63	0.46
1:X:241:CYS:HB3	1:X:352:ASN:ND2	2.30	0.46
1:X:468:ALA:O	1:X:469:ARG:HB2	2.16	0.46
1:X:111:GLN:HE21	1:X:112:LYS:HG2	1.81	0.46
1:X:87:ASP:HB2	1:X:106:LEU:CD2	2.45	0.46
1:X:475:LEU:HD13	1:X:606:ARG:CZ	2.46	0.46
1:X:292:ILE:HD12	1:X:296:ILE:HD12	1.97	0.46
1:X:39:GLU:O	1:X:42:SER:HB2	2.15	0.46
1:X:548:LEU:O	1:X:552:LEU:HB2	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:646:ILE:HD13	1:X:647:VAL:N	2.31	0.46
1:X:138:LYS:HB3	1:X:138:LYS:HE2	1.85	0.46
1:X:291:GLN:CA	1:X:291:GLN:HE21	2.27	0.45
1:X:472:LEU:HD22	1:X:607:HIS:CB	2.46	0.45
1:X:194:THR:O	1:X:198:GLU:HG3	2.16	0.45
1:X:48:LEU:HD23	1:X:135:ARG:CG	2.45	0.45
1:X:450:ARG:HB3	1:X:629:TYR:OH	2.17	0.45
1:X:215:PRO:HG2	1:X:461:LEU:HD21	1.98	0.45
1:X:296:ILE:CD1	3:X:2004:HOH:O	2.64	0.45
1:X:296:ILE:O	1:X:297:ARG:C	2.54	0.45
1:X:630:PHE:O	1:X:633:HIS:O	2.34	0.45
1:X:361:LEU:HA	1:X:361:LEU:HD12	1.76	0.45
1:X:304:PHE:C	1:X:306:LYS:N	2.70	0.45
1:X:440:VAL:HG12	3:X:2020:HOH:O	2.16	0.45
1:X:493:THR:CG2	1:X:498:LEU:HB2	2.46	0.44
1:X:166:LEU:HD13	1:X:208:GLU:O	2.18	0.44
1:X:243:PRO:HB3	1:X:380:ALA:HB2	2.00	0.44
1:X:460:GLN:NE2	1:X:460:GLN:CA	2.81	0.43
1:X:647:VAL:HA	1:X:648:PRO:HD3	1.83	0.43
1:X:63:LEU:HD13	1:X:65:VAL:CG2	2.48	0.43
1:X:303:VAL:CA	1:X:306:LYS:HB2	2.47	0.43
1:X:387:ILE:HB	1:X:388:PRO:CD	2.48	0.43
1:X:587:GLU:OE1	1:X:587:GLU:HA	2.18	0.43
1:X:322:GLU:O	1:X:326:LEU:HD23	2.18	0.43
1:X:340:GLU:OE1	1:X:343:THR:HG22	2.18	0.43
1:X:442:TYR:C	1:X:467:VAL:HG11	2.39	0.43
1:X:518:VAL:O	1:X:522:ILE:HG12	2.17	0.43
1:X:265:LEU:HD21	1:X:361:LEU:HD13	2.01	0.43
1:X:39:GLU:HA	1:X:42:SER:CB	2.49	0.43
1:X:200:VAL:HG22	1:X:227:ILE:HG13	2.00	0.43
1:X:207:LYS:HA	1:X:207:LYS:HD2	1.77	0.43
1:X:29:ARG:O	1:X:33:GLU:OE1	2.37	0.43
1:X:327:ARG:HD2	3:X:2002:HOH:O	2.18	0.42
1:X:263:LEU:HD13	1:X:283:VAL:HG21	2.01	0.42
1:X:472:LEU:HA	1:X:472:LEU:HD12	1.88	0.42
1:X:626:LEU:HD23	1:X:626:LEU:C	2.39	0.42
1:X:249:ASP:HB3	1:X:275:ILE:HD13	2.00	0.42
1:X:446:GLN:O	1:X:450:ARG:HB2	2.19	0.42
1:X:389:LEU:HD12	1:X:389:LEU:HA	1.94	0.42
1:X:300:ILE:HA	1:X:303:VAL:HG12	2.00	0.42
1:X:306:LYS:HD2	1:X:306:LYS:HA	1.71	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:554:HIS:H	1:X:554:HIS:CD2	2.37	0.42
1:X:261:ARG:HG3	1:X:346:ASN:ND2	2.35	0.42
1:X:55:GLN:O	1:X:56:ARG:HD3	2.20	0.42
1:X:254:ARG:HD2	3:X:2033:HOH:O	2.20	0.42
1:X:390:LEU:CD2	1:X:390:LEU:N	2.81	0.42
1:X:440:VAL:HG13	1:X:440:VAL:O	2.19	0.42
1:X:316:LYS:O	1:X:319:PHE:HB2	2.18	0.42
1:X:263:LEU:HD11	1:X:280:LEU:HA	2.03	0.41
1:X:287:SER:HA	1:X:289:SER:N	2.34	0.41
1:X:291:GLN:CA	1:X:291:GLN:NE2	2.83	0.41
1:X:213:HIS:O	1:X:437:THR:HA	2.20	0.41
1:X:318:ASN:HA	1:X:321:ASN:OD1	2.21	0.41
1:X:366:GLU:HG2	1:X:367:SER:H	1.86	0.41
1:X:379:GLN:CG	3:X:2045:HOH:O	2.69	0.41
1:X:440:VAL:HG13	1:X:442:TYR:CE1	2.56	0.41
1:X:264:ARG:HD2	1:X:266:GLY:HA2	2.03	0.41
1:X:300:ILE:O	1:X:300:ILE:HD13	2.20	0.41
1:X:72:TYR:HB2	1:X:76:ALA:HB2	2.01	0.41
1:X:290:ALA:C	1:X:291:GLN:HE21	2.24	0.41
1:X:169:VAL:HG21	1:X:208:GLU:CG	2.51	0.41
1:X:473:ARG:HG2	1:X:485:GLY:HA2	2.02	0.41
1:X:212:ILE:HG13	1:X:212:ILE:O	2.21	0.41
1:X:69:PRO:O	1:X:70:ARG:C	2.60	0.41
1:X:251:LEU:HA	1:X:251:LEU:HD12	1.79	0.41
1:X:24:GLU:O	1:X:27:GLU:HB3	2.21	0.40
1:X:51:GLN:HB2	1:X:132:ASN:OD1	2.21	0.40
1:X:109:VAL:HG13	1:X:114:VAL:CG2	2.51	0.40
1:X:303:VAL:O	1:X:306:LYS:HB3	2.21	0.40
1:X:494:ALA:HA	1:X:495:GLY:HA2	1.64	0.40
1:X:243:PRO:HG3	1:X:380:ALA:HB2	2.02	0.40
1:X:297:ARG:O	1:X:301:ASP:HB3	2.20	0.40
1:X:618:ASN:OD1	1:X:627:VAL:HG11	2.21	0.40
1:X:182:ILE:HG12	1:X:182:ILE:H	1.67	0.40
1:X:35:ILE:CG2	1:X:39:GLU:OE1	2.69	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	X	615/646 (95%)	548 (89%)	59 (10%)	8 (1%)	14 25

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	X	208	GLU
1	X	180	SER
1	X	184	PRO
1	X	60	TYR
1	X	70	ARG
1	X	305	VAL
1	X	434	VAL
1	X	360	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	X	530/551 (96%)	451 (85%)	79 (15%)	3 6

All (79) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	X	14	LEU
1	X	33	GLU
1	X	34	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	X	39	GLU
1	X	45	VAL
1	X	46	CYS
1	X	48	LEU
1	X	59	LEU
1	X	63	LEU
1	X	71	ARG
1	X	72	TYR
1	X	89	VAL
1	X	96	ASN
1	X	103	THR
1	X	106	LEU
1	X	110	THR
1	X	131	GLU
1	X	139	LEU
1	X	142	ASP
1	X	170	LEU
1	X	182	ILE
1	X	190	THR
1	X	208	GLU
1	X	212	ILE
1	X	246	ILE
1	X	251	LEU
1	X	255	LEU
1	X	261	ARG
1	X	264	ARG
1	X	280	LEU
1	X	291	GLN
1	X	297	ARG
1	X	298	LYS
1	X	300	ILE
1	X	304	PHE
1	X	306	LYS
1	X	318	ASN
1	X	327	ARG
1	X	333	ARG
1	X	343	THR
1	X	358	ASP
1	X	361	LEU
1	X	363	LEU
1	X	364	LEU
1	X	371	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	X	381	LEU
1	X	390	LEU
1	X	391	LYS
1	X	397	LEU
1	X	404	LEU
1	X	434	VAL
1	X	437	THR
1	X	460	GLN
1	X	462	THR
1	X	469	ARG
1	X	470	HIS
1	X	472	LEU
1	X	473	ARG
1	X	475	LEU
1	X	481	THR
1	X	490	LEU
1	X	491	VAL
1	X	501	LEU
1	X	518	VAL
1	X	547	LEU
1	X	552	LEU
1	X	567	PHE
1	X	584	ARG
1	X	585	LYS
1	X	588	VAL
1	X	590	PHE
1	X	591	LEU
1	X	603	ARG
1	X	623	LEU
1	X	625	THR
1	X	627	VAL
1	X	636	VAL
1	X	643	LEU
1	X	646	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	X	34	ASN
1	X	100	GLN
1	X	111	GLN
1	X	196	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	X	213	HIS
1	X	245	ASN
1	X	267	HIS
1	X	291	GLN
1	X	307	ASN
1	X	352	ASN
1	X	379	GLN
1	X	403	GLN
1	X	460	GLN
1	X	554	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PO4	X	1649	-	4,4,4	0.60	0	6,6,6	0.61	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical

component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PO4	X	1649	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	X	625/646 (96%)	0.21	9 (1%) 75 76	34, 71, 122, 168	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	X	316	LYS	7.3
1	X	72	TYR	5.5
1	X	304	PHE	3.6
1	X	38	LYS	2.8
1	X	37	LEU	2.7
1	X	319	PHE	2.7
1	X	292	ILE	2.3
1	X	76	ALA	2.1
1	X	387	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	PO4	X	1649	5/5	0.92	0.20	1.16	73,90,93,97	0

6.5 Other polymers [i](#)

There are no such residues in this entry.