



# Full wwPDB NMR Structure Validation Report ⓘ

Feb 12, 2017 – 05:35 pm GMT

PDB ID : 1BAL  
Title : THREE-DIMENSIONAL SOLUTION STRUCTURE OF THE E3-BINDING DOMAIN OF THE DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE CORE FROM THE 2-OXOGLUTARATE DEHYDROGENASE MULTIENZYME COMPLEX OF (ESCHERICHIA COLI)  
Authors : Clore, G.M.; Robien, M.A.; Gronenborn, A.M.  
Deposited on : 1992-02-20

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)  
NmrClust : Kelley et al. (1996)  
MolProbity : 4.02b-467  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : trunk28760  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	125131	11601
Ramachandran outliers	121729	10391
Sidechain outliers	121581	10367

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	51	

## 2 Ensemble composition and analysis

This entry contains 56 models. Model 20 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:13-A:48 (36)	0.68	20

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 6 clusters and 4 single-model clusters were found.

Cluster number	Models
1	2, 10, 14, 15, 16, 18, 21, 23, 25, 26, 27, 30, 32, 33, 38, 40, 41, 44, 47, 49
2	4, 5, 8, 9, 12, 19, 20, 34, 35, 39, 48, 53, 54, 55, 56
3	1, 3, 22, 31, 37, 51
4	24, 28, 29, 42, 50
5	6, 7, 11, 13
6	43, 52
Single-model clusters	17; 36; 45; 46

### 3 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 776 atoms, of which 389 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE.


Mol	Chain	Residues	Atoms					Trace
1	A	51	Total	C	H	N	O	0
			776	235	389	74	78	

## 4 Residue-property plots [i](#)

### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


#### 4.2.1 Score per residue for model 1

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




#### 4.2.2 Score per residue for model 2

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.3 Score per residue for model 3

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.4 Score per residue for model 4

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.5 Score per residue for model 5

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.6 Score per residue for model 6

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.7 Score per residue for model 7

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.8 Score per residue for model 8

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.9 Score per residue for model 9

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.10 Score per residue for model 10

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.11 Score per residue for model 11

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.12 Score per residue for model 12

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.13 Score per residue for model 13

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.14 Score per residue for model 14

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.15 Score per residue for model 15

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.16 Score per residue for model 16

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE



### 4.2.17 Score per residue for model 17


- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE






#### 4.2.18 Score per residue for model 18

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




#### 4.2.19 Score per residue for model 19

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




#### 4.2.20 Score per residue for model 20 (medoid)

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




#### 4.2.21 Score per residue for model 21

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




#### 4.2.22 Score per residue for model 22

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.23 Score per residue for model 23

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.24 Score per residue for model 24

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.25 Score per residue for model 25

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.26 Score per residue for model 26

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.27 Score per residue for model 27

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




#### 4.2.28 Score per residue for model 28

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




#### 4.2.29 Score per residue for model 29

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




#### 4.2.30 Score per residue for model 30

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




#### 4.2.31 Score per residue for model 31

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




#### 4.2.32 Score per residue for model 32

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.33 Score per residue for model 33

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.34 Score per residue for model 34

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.35 Score per residue for model 35

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.36 Score per residue for model 36

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.37 Score per residue for model 37

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




#### 4.2.38 Score per residue for model 38

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




#### 4.2.39 Score per residue for model 39

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




#### 4.2.40 Score per residue for model 40

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




#### 4.2.41 Score per residue for model 41

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




#### 4.2.42 Score per residue for model 42

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




#### 4.2.43 Score per residue for model 43

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




#### 4.2.44 Score per residue for model 44

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




#### 4.2.45 Score per residue for model 45

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




#### 4.2.46 Score per residue for model 46

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




#### 4.2.47 Score per residue for model 47

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




#### 4.2.48 Score per residue for model 48

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




#### 4.2.49 Score per residue for model 49

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




#### 4.2.50 Score per residue for model 50

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




#### 4.2.51 Score per residue for model 51

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




#### 4.2.52 Score per residue for model 52

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.53 Score per residue for model 53

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.54 Score per residue for model 54

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE




### 4.2.55 Score per residue for model 55

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE



### 4.2.56 Score per residue for model 56

- Molecule 1: DIHYDROLIPOAMIDE SUCCINYLTRANSFERASE





## 5 Refinement protocol and experimental data overview ⓘ

The models were refined using the following method: ?.

Of the ? calculated structures, 56 were deposited, based on the following criterion: ?.

The authors did not provide any information on software used for structure solution, optimization or refinement.

No chemical shift data was provided. No validations of the models with respect to experimental NMR restraints is performed at this time.

## 6 Model quality

### 6.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	1.24±0.00	2±0/275 (0.7±0.0%)	1.15±0.00	0±0/370 (0.0±0.0%)
All	All	1.24	112/15400 (0.7%)	1.15	0/20720 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.0±0.0	3.7±0.5
All	All	0	207

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	47	HIS	CG-ND1	-5.95	1.25	1.38	10	56
1	A	23	HIS	CG-ND1	-5.94	1.25	1.38	54	56

There are no bond-angle outliers.

There are no chirality outliers.

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
1	A	17	ARG	Sidechain	54
1	A	41	ARG	Sidechain	53
1	A	38	ARG	Sidechain	52
1	A	18	ARG	Sidechain	48

## 6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	272	282	282	6±3
All	All	15232	15792	15792	321

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:30:ILE:HG22	1:A:31:LYS:H	0.72	1.44	5	5
1:A:35:VAL:HG12	1:A:35:VAL:O	0.63	1.94	37	2
1:A:30:ILE:HG22	1:A:31:LYS:N	0.62	2.08	5	7
1:A:23:HIS:CD2	1:A:48:LEU:HD21	0.60	2.31	2	3
1:A:24:ASN:ND2	1:A:24:ASN:N	0.60	2.49	31	3
1:A:35:VAL:H	1:A:38:ARG:NH1	0.59	1.96	51	1
1:A:38:ARG:NE	1:A:38:ARG:CA	0.58	2.66	26	1
1:A:38:ARG:N	1:A:38:ARG:CD	0.57	2.67	36	1
1:A:16:ILE:HG23	1:A:17:ARG:N	0.56	2.16	51	3
1:A:13:SER:O	1:A:16:ILE:HG22	0.55	2.00	21	15
1:A:27:ALA:HB1	1:A:39:LEU:CD2	0.54	2.32	10	2
1:A:18:ARG:CD	1:A:18:ARG:N	0.54	2.70	9	2
1:A:24:ASN:ND2	1:A:24:ASN:O	0.53	2.41	29	1
1:A:15:ALA:O	1:A:17:ARG:N	0.53	2.42	5	14
1:A:34:GLY:O	1:A:36:GLY:N	0.52	2.42	50	6
1:A:31:LYS:O	1:A:33:THR:N	0.52	2.42	26	2
1:A:20:LEU:O	1:A:24:ASN:N	0.52	2.42	32	8
1:A:42:GLU:CD	1:A:42:GLU:H	0.52	2.08	20	3
1:A:26:ASP:OD1	1:A:26:ASP:N	0.51	2.43	49	7
1:A:45:GLU:OE1	1:A:46:LYS:N	0.51	2.43	28	1
1:A:31:LYS:NZ	1:A:31:LYS:CB	0.51	2.72	42	1
1:A:30:ILE:CD1	1:A:47:HIS:CG	0.51	2.94	38	1
1:A:47:HIS:O	1:A:47:HIS:CG	0.50	2.64	54	1
1:A:46:LYS:H	1:A:46:LYS:CD	0.50	2.18	22	1
1:A:40:THR:OG1	1:A:41:ARG:N	0.50	2.42	34	4
1:A:15:ALA:O	1:A:19:LEU:N	0.50	2.45	30	7
1:A:26:ASP:O	1:A:28:SER:N	0.49	2.45	5	7

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:14:PRO:O	1:A:16:ILE:N	0.49	2.46	33	3
1:A:16:ILE:CG2	1:A:17:ARG:N	0.49	2.76	51	3
1:A:38:ARG:NE	1:A:38:ARG:N	0.48	2.61	26	1
1:A:24:ASN:OD1	1:A:24:ASN:N	0.48	2.44	46	1
1:A:23:HIS:CG	1:A:48:LEU:HD21	0.48	2.44	21	3
1:A:23:HIS:O	1:A:24:ASN:CB	0.48	2.62	26	6
1:A:24:ASN:HD22	1:A:24:ASN:N	0.48	2.07	43	1
1:A:26:ASP:N	1:A:26:ASP:OD1	0.48	2.45	23	3
1:A:45:GLU:CG	1:A:46:LYS:N	0.48	2.77	52	1
1:A:15:ALA:C	1:A:17:ARG:N	0.47	2.67	49	17
1:A:25:LEU:HD22	1:A:47:HIS:NE2	0.47	2.23	39	1
1:A:13:SER:CB	1:A:41:ARG:NH2	0.47	2.77	6	1
1:A:45:GLU:C	1:A:47:HIS:N	0.47	2.68	25	9
1:A:26:ASP:C	1:A:28:SER:N	0.47	2.68	5	13
1:A:42:GLU:OE1	1:A:42:GLU:N	0.47	2.48	12	1
1:A:17:ARG:O	1:A:19:LEU:N	0.47	2.48	53	1
1:A:31:LYS:CD	1:A:31:LYS:O	0.47	2.62	47	1
1:A:30:ILE:CG2	1:A:31:LYS:H	0.47	2.20	5	2
1:A:20:LEU:HD13	1:A:27:ALA:HB2	0.47	1.86	43	2
1:A:41:ARG:NH2	1:A:45:GLU:OE2	0.47	2.48	11	1
1:A:27:ALA:C	1:A:29:ALA:N	0.47	2.68	19	5
1:A:45:GLU:O	1:A:47:HIS:N	0.47	2.47	45	7
1:A:30:ILE:CG2	1:A:31:LYS:N	0.47	2.78	5	3
1:A:17:ARG:C	1:A:19:LEU:N	0.46	2.67	53	3
1:A:41:ARG:C	1:A:43:ASP:N	0.46	2.68	18	5
1:A:42:GLU:O	1:A:42:GLU:CG	0.46	2.63	27	1
1:A:24:ASN:ND2	1:A:24:ASN:C	0.46	2.69	23	1
1:A:14:PRO:C	1:A:16:ILE:N	0.46	2.68	33	5
1:A:43:ASP:N	1:A:43:ASP:OD1	0.46	2.46	34	1
1:A:13:SER:OG	1:A:41:ARG:NH2	0.46	2.48	6	1
1:A:47:HIS:CD2	1:A:47:HIS:C	0.46	2.89	39	1
1:A:27:ALA:O	1:A:29:ALA:N	0.46	2.49	19	4
1:A:34:GLY:C	1:A:36:GLY:N	0.46	2.68	33	3
1:A:43:ASP:C	1:A:45:GLU:N	0.46	2.69	24	1
1:A:19:LEU:C	1:A:21:ALA:N	0.45	2.70	47	1
1:A:13:SER:O	1:A:16:ILE:CG2	0.45	2.63	8	2
1:A:42:GLU:CD	1:A:42:GLU:N	0.45	2.70	20	3
1:A:21:ALA:O	1:A:23:HIS:N	0.45	2.50	32	1
1:A:22:GLU:CG	1:A:22:GLU:O	0.45	2.64	3	1
1:A:18:ARG:C	1:A:20:LEU:N	0.45	2.70	3	1
1:A:33:THR:OG1	1:A:34:GLY:N	0.45	2.50	37	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:44:VAL:O	1:A:44:VAL:HG12	0.45	2.12	50	2
1:A:38:ARG:CB	1:A:38:ARG:CZ	0.45	2.95	11	1
1:A:22:GLU:OE1	1:A:23:HIS:CE1	0.44	2.71	53	1
1:A:35:VAL:O	1:A:35:VAL:HG12	0.44	2.11	15	2
1:A:41:ARG:CZ	1:A:45:GLU:OE1	0.44	2.65	3	1
1:A:44:VAL:O	1:A:47:HIS:N	0.44	2.49	12	3
1:A:21:ALA:C	1:A:23:HIS:N	0.44	2.70	32	1
1:A:23:HIS:O	1:A:24:ASN:O	0.44	2.36	11	5
1:A:44:VAL:O	1:A:46:LYS:N	0.44	2.50	35	1
1:A:41:ARG:O	1:A:43:ASP:N	0.44	2.51	18	3
1:A:18:ARG:O	1:A:21:ALA:N	0.44	2.51	28	1
1:A:27:ALA:O	1:A:30:ILE:N	0.44	2.51	46	4
1:A:47:HIS:O	1:A:47:HIS:CD2	0.44	2.71	54	1
1:A:31:LYS:HZ3	1:A:31:LYS:CB	0.43	2.25	42	1
1:A:14:PRO:C	1:A:16:ILE:H	0.43	2.17	21	1
1:A:24:ASN:HD22	1:A:24:ASN:C	0.43	2.16	50	2
1:A:44:VAL:C	1:A:46:LYS:N	0.43	2.71	35	1
1:A:41:ARG:O	1:A:45:GLU:N	0.43	2.52	25	1
1:A:33:THR:O	1:A:34:GLY:O	0.43	2.37	50	14
1:A:43:ASP:O	1:A:45:GLU:N	0.43	2.51	24	1
1:A:41:ARG:NE	1:A:45:GLU:OE1	0.43	2.51	3	1
1:A:42:GLU:O	1:A:42:GLU:OE2	0.43	2.37	1	1
1:A:40:THR:OG1	1:A:43:ASP:OD2	0.43	2.37	20	2
1:A:21:ALA:O	1:A:24:ASN:OD1	0.43	2.37	24	1
1:A:20:LEU:C	1:A:22:GLU:N	0.42	2.72	45	1
1:A:35:VAL:N	1:A:38:ARG:NH1	0.42	2.67	51	1
1:A:33:THR:O	1:A:38:ARG:N	0.42	2.52	9	1
1:A:45:GLU:O	1:A:48:LEU:N	0.42	2.52	11	1
1:A:31:LYS:O	1:A:43:ASP:OD2	0.42	2.37	31	3
1:A:45:GLU:C	1:A:47:HIS:H	0.42	2.18	45	3
1:A:27:ALA:HB1	1:A:39:LEU:HD22	0.42	1.91	18	1
1:A:13:SER:C	1:A:15:ALA:H	0.42	2.18	50	1
1:A:40:THR:OG1	1:A:43:ASP:OD1	0.41	2.38	37	1
1:A:45:GLU:OE2	1:A:45:GLU:O	0.41	2.37	2	2
1:A:45:GLU:O	1:A:45:GLU:OE1	0.41	2.37	14	1
1:A:33:THR:O	1:A:37:GLY:N	0.41	2.53	12	1
1:A:41:ARG:C	1:A:43:ASP:H	0.41	2.18	18	3
1:A:33:THR:OG1	1:A:43:ASP:OD2	0.41	2.37	35	1
1:A:15:ALA:O	1:A:18:ARG:N	0.41	2.52	16	2
1:A:19:LEU:C	1:A:21:ALA:H	0.41	2.18	47	1
1:A:27:ALA:O	1:A:30:ILE:O	0.41	2.39	38	1

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:19:LEU:O	1:A:22:GLU:N	0.41	2.53	9	1
1:A:15:ALA:C	1:A:17:ARG:H	0.41	2.19	5	1
1:A:26:ASP:C	1:A:28:SER:H	0.41	2.19	4	3
1:A:19:LEU:O	1:A:21:ALA:N	0.41	2.54	47	1
1:A:24:ASN:OD1	1:A:24:ASN:O	0.41	2.39	8	1
1:A:13:SER:C	1:A:15:ALA:N	0.40	2.75	50	1
1:A:18:ARG:C	1:A:20:LEU:H	0.40	2.19	3	1
1:A:32:GLY:C	1:A:34:GLY:H	0.40	2.20	34	1
1:A:32:GLY:C	1:A:34:GLY:N	0.40	2.75	34	1
1:A:23:HIS:O	1:A:24:ASN:C	0.40	2.59	8	1
1:A:47:HIS:C	1:A:47:HIS:CD2	0.40	2.94	54	1

## 6.3 Torsion angles [i](#)

### 6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	36/51 (71%)	27±3 (75±7%)	8±2 (21±7%)	1±1 (4±3%)	7	36
All	All	2016/2856 (71%)	1512 (75%)	432 (21%)	72 (4%)	7	36

All 15 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	34	GLY	17
1	A	24	ASN	13
1	A	48	LEU	10
1	A	37	GLY	9
1	A	36	GLY	5
1	A	35	VAL	4
1	A	32	GLY	3
1	A	27	ALA	2
1	A	16	ILE	2
1	A	15	ALA	2
1	A	38	ARG	1

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	A	33	THR	1
1	A	30	ILE	1
1	A	31	LYS	1
1	A	26	ASP	1

### 6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	28/39 (72%)	24±2 (86±7%)	4±2 (14±7%)	8	49
All	All	1568/2184 (72%)	1355 (86%)	213 (14%)	8	49

All 17 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	13	SER	45
1	A	26	ASP	28
1	A	28	SER	23
1	A	38	ARG	17
1	A	24	ASN	16
1	A	31	LYS	16
1	A	46	LYS	10
1	A	41	ARG	9
1	A	43	ASP	9
1	A	33	THR	8
1	A	18	ARG	8
1	A	45	GLU	8
1	A	17	ARG	6
1	A	22	GLU	5
1	A	42	GLU	3
1	A	14	PRO	1
1	A	40	THR	1

### 6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 6.7 Other polymers [i](#)

There are no such molecules in this entry.

## 6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 7 Chemical shift validation

No chemical shift data were provided