



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 08:38 am GMT

PDB ID : 3BBF  
Title : Crystal structure of the NM23-H2 transcription factor complex with GDP  
Authors : Weichsel, A.; Montfort, W.R.  
Deposited on : 2007-11-09  
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : trunk28620  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	3453 (1.70-1.70)
Clashscore	112137	3876 (1.70-1.70)
Ramachandran outliers	110173	3815 (1.70-1.70)
Sidechain outliers	110143	3815 (1.70-1.70)
RSRZ outliers	101464	3491 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	151	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 11%, green 89%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>%</span> <span>89%</span> <span>11%</span> </div> </div>
1	B	151	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 7%, green 91%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>%</span> <span>91%</span> <span>7%</span> </div> </div>
1	C	151	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 3%, orange 3%, yellow 11%, green 88%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>3%</span> <span>88%</span> <span>11%</span> </div> </div>
1	D	151	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 6%, orange 6%, yellow 5%, green 91%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>6%</span> <span>91%</span> <span>5%</span> </div> </div>
1	E	151	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 2%, orange 2%, yellow 9%, green 89%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>2%</span> <span>89%</span> <span>9%</span> </div> </div>
1	F	151	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 4%, orange 4%, yellow 6%, green 93%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>4%</span> <span>93%</span> <span>6%</span> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	DTT	B	162[A]	-	-	X	-
4	DTT	F	162[A]	-	-	X	X
4	DTT	F	162[B]	-	-	X	X

## 2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 8276 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nucleoside diphosphate kinase B.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	151	Total	C	N	O	S	0	4	0
			1236	794	215	220	7			
1	B	151	Total	C	N	O	S	0	5	0
			1245	797	218	222	8			
1	C	151	Total	C	N	O	S	0	5	0
			1250	799	221	222	8			
1	D	151	Total	C	N	O	S	0	2	0
			1222	783	213	219	7			
1	E	151	Total	C	N	O	S	0	2	0
			1225	784	214	220	7			
1	F	151	Total	C	N	O	S	0	3	0
			1233	789	216	221	7			

- Molecule 2 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula:  $C_{10}H_{15}N_5O_{11}P_2$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			28	10	5	11	2		
2	B	1	Total	C	N	O	P	0	0
			28	10	5	11	2		
2	C	1	Total	C	N	O	P	0	0
			28	10	5	11	2		
2	D	1	Total	C	N	O	P	0	0
			28	10	5	11	2		
2	E	1	Total	C	N	O	P	0	0
			28	10	5	11	2		
2	F	1	Total	C	N	O	P	0	0
			28	10	5	11	2		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	D	1	Total	Mg	0	0
			1	1		
3	E	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		
3	A	1	Total	Mg	0	0
			1	1		
3	F	1	Total	Mg	0	0
			1	1		

- Molecule 4 is 2,3-DIHYDROXY-1,4-DITHIOBUTANE (three-letter code: DTT) (formula: C<sub>4</sub>H<sub>10</sub>O<sub>2</sub>S<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	O	S	0	1
			16	8	4	4		
4	F	1	Total	C	O	S	0	1
			16	8	4	4		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	149	Total	O	0	0
			149	149		
5	B	144	Total	O	0	0
			144	144		
5	C	106	Total	O	0	0
			106	106		
5	D	96	Total	O	0	0
			96	96		
5	E	83	Total	O	0	1
			84	84		
5	F	80	Total	O	0	0
			80	80		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Nucleoside diphosphate kinase B




- Molecule 1: Nucleoside diphosphate kinase B




- Molecule 1: Nucleoside diphosphate kinase B




- Molecule 1: Nucleoside diphosphate kinase B



- Molecule 1: Nucleoside diphosphate kinase B



- Molecule 1: Nucleoside diphosphate kinase B





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	69.75Å 86.78Å 159.12Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 1.70 29.88 – 1.70	Depositor EDS
% Data completeness (in resolution range)	96.5 (30.00-1.70) 96.5 (29.88-1.70)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.20 (at 1.70Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.196 , 0.236 0.200 , 0.240	Depositor DCC
$R_{free}$ test set	5172 reflections (5.28%)	DCC
Wilson B-factor (Å <sup>2</sup> )	20.6	Xtriage
Anisotropy	0.047	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 40.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	8276	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.09% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GDP, MG, DTT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.83	0/1270	0.80	1/1708 (0.1%)
1	B	0.83	0/1279	0.82	2/1719 (0.1%)
1	C	0.80	0/1281	0.85	2/1722 (0.1%)
1	D	0.76	0/1253	0.80	6/1686 (0.4%)
1	E	0.78	0/1253	0.77	1/1686 (0.1%)
1	F	0.70	0/1264	0.75	1/1700 (0.1%)
All	All	0.78	0/7600	0.80	13/10221 (0.1%)

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	88	ARG	NE-CZ-NH2	-6.52	117.04	120.30
1	D	42	ARG	NE-CZ-NH2	-6.46	117.07	120.30
1	C	88[A]	ARG	NE-CZ-NH2	-6.31	117.15	120.30
1	C	88[B]	ARG	NE-CZ-NH2	-6.31	117.15	120.30
1	A	27	ARG	NE-CZ-NH2	-6.17	117.22	120.30
1	B	121	ASP	CB-CG-OD1	6.09	123.78	118.30
1	D	88	ARG	NE-CZ-NH2	-6.05	117.28	120.30
1	D	42	ARG	NE-CZ-NH1	6.01	123.31	120.30
1	F	88	ARG	NE-CZ-NH2	-5.68	117.46	120.30
1	D	27	ARG	NE-CZ-NH2	-5.62	117.49	120.30
1	D	73	VAL	CG1-CB-CG2	5.50	119.70	110.90
1	D	88	ARG	NE-CZ-NH1	5.40	123.00	120.30
1	B	73	VAL	CG1-CB-CG2	5.01	118.92	110.90

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1236	0	1251	8	0
1	B	1245	0	1253	9	0
1	C	1250	0	1257	20	0
1	D	1222	0	1227	7	0
1	E	1225	0	1226	14	0
1	F	1233	0	1238	6	0
2	A	28	0	12	0	0
2	B	28	0	12	0	0
2	C	28	0	12	1	0
2	D	28	0	12	0	0
2	E	28	0	12	1	0
2	F	28	0	12	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
4	B	16	0	18	5	0
4	F	16	0	18	13	0
5	A	149	0	0	1	0
5	B	144	0	0	5	0
5	C	106	0	0	5	0
5	D	96	0	0	3	0
5	E	84	0	0	2	0
5	F	80	0	0	1	0
All	All	8276	0	7560	65	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (65) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:145[B]:CYS:SG	4:F:162[B]:DTT:C4	2.46	1.03

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:145[B]:CYS:SG	4:F:162[B]:DTT:H41	2.04	0.96
1:E:145[A]:CYS:SG	4:F:162[A]:DTT:S4	2.64	0.95
1:C:146:ALA:HB2	4:F:162[B]:DTT:O2	1.66	0.94
1:E:145[A]:CYS:HG	4:F:162[A]:DTT:C4	1.96	0.78
1:C:145[B]:CYS:SG	4:F:162[B]:DTT:S4	2.83	0.76
1:E:145[A]:CYS:SG	4:F:162[A]:DTT:C4	2.77	0.73
5:C:226:HOH:O	4:F:162[B]:DTT:S1	2.49	0.71
1:B:50:GLN:HG3	5:B:290:HOH:O	1.93	0.68
1:E:30[A]:GLN:HG2	5:E:221:HOH:O	1.94	0.66
1:A:2:ALA:HB1	5:A:211:HOH:O	1.99	0.62
1:B:50:GLN:HG3	5:B:270:HOH:O	2.01	0.60
1:B:47:HIS:HE1	5:B:275:HOH:O	1.84	0.60
1:F:49:LYS:NZ	1:F:49:LYS:HB2	2.16	0.60
1:B:109[B]:CYS:SG	1:B:116:ILE:HG12	2.42	0.60
5:C:241:HOH:O	4:F:162[B]:DTT:S1	2.23	0.60
4:B:162[A]:DTT:H42	1:D:145[A]:CYS:HG	1.67	0.58
1:E:145[A]:CYS:SG	4:F:162[A]:DTT:H41	2.43	0.58
4:B:162[A]:DTT:H2	1:E:17:GLN:O	2.04	0.57
1:C:104:ILE:HG22	1:C:116:ILE:HD11	1.86	0.57
1:C:88[A]:ARG:NH2	2:C:160:GDP:O1B	2.39	0.56
1:A:36:VAL:HG11	1:A:139:LEU:HD12	1.88	0.56
1:C:145[B]:CYS:SG	1:E:145[B]:CYS:SG	3.04	0.55
1:C:146:ALA:CB	4:F:162[B]:DTT:O2	2.47	0.55
1:C:145[B]:CYS:SG	4:F:162[B]:DTT:H42	2.41	0.55
1:C:146:ALA:HB2	4:F:162[B]:DTT:HO2	1.66	0.54
1:C:88[B]:ARG:HD3	1:C:121:ASP:HA	1.90	0.54
1:B:146:ALA:HB2	4:B:162[A]:DTT:H41	1.91	0.53
1:D:104:ILE:HG22	1:D:116:ILE:HD11	1.91	0.53
1:E:85:LYS:O	1:E:85:LYS:HE2	2.09	0.53
5:B:254:HOH:O	1:C:90[A]:MET:HG2	2.08	0.52
1:F:88:ARG:HD3	5:F:218:HOH:O	2.09	0.52
1:C:124:LYS:HE2	5:C:223:HOH:O	2.09	0.52
1:C:91:LEU:HD22	1:C:117:ILE:HD13	1.92	0.51
1:A:36:VAL:CG1	1:A:139:LEU:HD12	2.41	0.50
1:E:95:ASN:ND2	1:E:97:ALA:HB3	2.27	0.49
1:C:109:CYS:SG	1:C:116:ILE:HG12	2.53	0.49
1:F:91:LEU:HD22	1:F:117:ILE:HD13	1.94	0.48
1:A:61:PHE:HB3	1:A:62:PRO:HD3	1.95	0.48
1:B:146:ALA:HB2	4:B:162[A]:DTT:C4	2.43	0.48
1:D:85:LYS:HE2	5:D:231:HOH:O	2.13	0.48
1:E:95:ASN:HD21	1:E:97:ALA:HB3	1.79	0.47

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:49:LYS:NZ	1:F:49:LYS:CB	2.78	0.47
1:E:91:LEU:HD22	1:E:117:ILE:HD13	1.97	0.46
1:E:62:PRO:O	1:E:66:LYS:HG2	2.15	0.46
1:A:19:GLY:HA3	4:B:162[B]:DTT:S1	2.56	0.46
1:E:61:PHE:HB3	1:E:62:PRO:HD3	1.98	0.46
1:C:12:LYS:HG2	1:C:68:MET:SD	2.56	0.45
1:D:152:GLU:OE1	2:E:160:GDP:N2	2.49	0.45
1:D:88:ARG:HD3	5:D:238:HOH:O	2.17	0.45
1:F:49:LYS:HZ2	1:F:49:LYS:HB2	1.81	0.44
1:A:12:LYS:HG2	1:A:68:MET:SD	2.58	0.44
1:C:86[A]:THR:O	1:C:90[A]:MET:HG3	2.16	0.44
1:B:61:PHE:HB3	1:B:62:PRO:HD3	2.00	0.44
1:D:4:LEU:HD23	5:D:200:HOH:O	2.18	0.43
1:B:104:ILE:HG22	1:B:116:ILE:HD11	2.01	0.43
1:F:95:ASN:ND2	1:F:97:ALA:HB3	2.33	0.43
1:A:104:ILE:HG22	1:A:116:ILE:HD11	2.01	0.43
1:B:143:LYS:NZ	5:B:267:HOH:O	2.44	0.43
1:D:61:PHE:HB3	1:D:62:PRO:HD3	2.01	0.42
1:C:88[A]:ARG:NH2	1:C:121:ASP:HB3	2.35	0.42
1:A:10:ALA:HA	1:A:74:VAL:O	2.20	0.41
1:C:90[B]:MET:HG3	5:C:188:HOH:O	2.18	0.41
1:C:124:LYS:HE3	5:C:235:HOH:O	2.21	0.40
1:E:30[A]:GLN:CG	5:E:221:HOH:O	2.60	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	153/151 (101%)	147 (96%)	5 (3%)	1 (1%)	25 9
1	B	154/151 (102%)	149 (97%)	4 (3%)	1 (1%)	28 12

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	154/151 (102%)	150 (97%)	3 (2%)	1 (1%)	28	12
1	D	151/151 (100%)	148 (98%)	2 (1%)	1 (1%)	25	9
1	E	151/151 (100%)	148 (98%)	2 (1%)	1 (1%)	25	9
1	F	152/151 (101%)	148 (97%)	3 (2%)	1 (1%)	25	9
All	All	915/906 (101%)	890 (97%)	19 (2%)	6 (1%)	25	9

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	116	ILE
1	B	116	ILE
1	C	116	ILE
1	D	116	ILE
1	E	116	ILE
1	F	116	ILE

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	134/130 (103%)	129 (96%)	5 (4%)	39	17
1	B	135/130 (104%)	131 (97%)	4 (3%)	46	25
1	C	135/130 (104%)	131 (97%)	4 (3%)	46	25
1	D	132/130 (102%)	128 (97%)	4 (3%)	46	25
1	E	132/130 (102%)	127 (96%)	5 (4%)	38	16
1	F	133/130 (102%)	130 (98%)	3 (2%)	56	36
All	All	801/780 (103%)	776 (97%)	25 (3%)	45	24

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	56	LYS
1	A	67	TYR
1	A	145[A]	CYS
1	A	145[B]	CYS
1	B	6	ARG
1	B	67	TYR
1	B	73	VAL
1	B	143	LYS
1	C	3	ASN
1	C	50	GLN
1	C	67	TYR
1	C	73	VAL
1	D	42	ARG
1	D	67	TYR
1	D	73	VAL
1	D	85	LYS
1	E	6	ARG
1	E	67	TYR
1	E	85	LYS
1	E	88	ARG
1	E	139	LEU
1	F	67	TYR
1	F	73	VAL
1	F	85	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	ASN
1	B	47	HIS
1	C	82	ASN
1	E	3	ASN
1	F	3	ASN
1	F	82	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 6 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	GDP	A	160	3	25,30,30	1.25	2 (8%)	26,47,47	2.32	8 (30%)
2	GDP	B	160	3	25,30,30	1.27	3 (12%)	26,47,47	2.04	7 (26%)
4	DTT	B	162[A]	1	7,7,7	0.74	0	4,8,8	1.16	0
4	DTT	B	162[B]	1	7,7,7	0.64	0	4,8,8	1.11	1 (25%)
2	GDP	C	160	3	25,30,30	1.16	2 (8%)	26,47,47	2.05	5 (19%)
2	GDP	D	160	3	25,30,30	1.10	2 (8%)	26,47,47	2.35	6 (23%)
2	GDP	E	160	3	25,30,30	1.18	2 (8%)	26,47,47	2.10	8 (30%)
2	GDP	F	160	3	25,30,30	1.12	2 (8%)	26,47,47	1.96	7 (26%)
4	DTT	F	162[A]	1	7,7,7	0.86	0	4,8,8	0.77	0
4	DTT	F	162[B]	1	7,7,7	0.54	0	4,8,8	1.33	1 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GDP	A	160	3	-	0/12/32/32	0/3/3/3
2	GDP	B	160	3	-	0/12/32/32	0/3/3/3
4	DTT	B	162[A]	1	-	0/8/8/8	0/0/0/0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	DTT	B	162[B]	1	-	0/8/8/8	0/0/0/0
2	GDP	C	160	3	-	0/12/32/32	0/3/3/3
2	GDP	D	160	3	-	0/12/32/32	0/3/3/3
2	GDP	E	160	3	-	0/12/32/32	0/3/3/3
2	GDP	F	160	3	-	0/12/32/32	0/3/3/3
4	DTT	F	162[A]	1	-	0/8/8/8	0/0/0/0
4	DTT	F	162[B]	1	-	0/8/8/8	0/0/0/0

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	160	GDP	C5-C4	2.07	1.45	1.40
2	C	160	GDP	C5-C4	2.51	1.46	1.40
2	D	160	GDP	C5-C4	2.55	1.46	1.40
2	E	160	GDP	C5-C4	2.57	1.46	1.40
2	F	160	GDP	C5-C4	2.75	1.46	1.40
2	B	160	GDP	PB-O3A	3.02	1.64	1.60
2	D	160	GDP	C6-C5	3.03	1.47	1.41
2	A	160	GDP	C5-C4	3.08	1.47	1.40
2	C	160	GDP	C6-C5	3.83	1.48	1.41
2	A	160	GDP	C6-C5	3.91	1.48	1.41
2	B	160	GDP	C6-C5	3.92	1.48	1.41
2	F	160	GDP	C6-C5	4.02	1.49	1.41
2	E	160	GDP	C6-C5	4.03	1.49	1.41

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	160	GDP	C6-C5-C4	-7.10	113.78	120.84
2	A	160	GDP	C6-C5-C4	-5.95	114.93	120.84
2	B	160	GDP	C6-C5-C4	-5.64	115.24	120.84
2	E	160	GDP	C6-C5-C4	-4.96	115.91	120.84
2	C	160	GDP	C5-C6-N1	-4.84	116.59	123.48
2	F	160	GDP	C6-C5-C4	-4.71	116.16	120.84
2	D	160	GDP	C1'-N9-C4	-4.47	118.92	126.64
2	A	160	GDP	C5-C6-N1	-4.39	117.23	123.48
2	C	160	GDP	C6-C5-C4	-4.33	116.54	120.84
2	B	160	GDP	C1'-N9-C4	-3.79	120.09	126.64
2	E	160	GDP	C5-C6-N1	-3.78	118.11	123.48
2	F	160	GDP	C5-C6-N1	-3.71	118.21	123.48
2	D	160	GDP	N3-C2-N1	-3.66	122.11	127.46
2	E	160	GDP	C1'-N9-C4	-3.62	120.39	126.64

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	160	GDP	C4-C5-N7	-3.60	105.94	109.41
2	C	160	GDP	C1'-N9-C4	-3.56	120.48	126.64
2	A	160	GDP	N3-C2-N1	-3.41	122.48	127.46
2	F	160	GDP	C4-C5-N7	-3.35	106.17	109.41
2	B	160	GDP	N3-C2-N1	-3.14	122.87	127.46
2	D	160	GDP	C5-C6-N1	-2.91	119.35	123.48
2	A	160	GDP	C1'-N9-C4	-2.69	121.98	126.64
2	A	160	GDP	C4'-O4'-C1'	-2.54	107.06	109.77
2	F	160	GDP	C1'-N9-C4	-2.53	122.26	126.64
2	F	160	GDP	N3-C2-N1	-2.33	124.05	127.46
2	E	160	GDP	C4'-O4'-C1'	-2.32	107.30	109.77
2	E	160	GDP	N3-C2-N1	-2.31	124.08	127.46
2	A	160	GDP	C4-C5-N7	-2.28	107.20	109.41
2	B	160	GDP	C5-C6-N1	-2.17	120.40	123.48
4	B	162[B]	DTT	C2-C1-S1	-2.12	107.93	114.43
4	F	162[B]	DTT	C2-C1-S1	-2.11	107.97	114.43
2	B	160	GDP	N2-C2-N1	2.08	120.56	117.24
2	C	160	GDP	O2A-PA-O1A	2.22	123.79	112.28
2	A	160	GDP	C2-N3-C4	2.56	118.15	115.16
2	B	160	GDP	C6-N1-C2	3.31	120.82	116.06
2	E	160	GDP	C2-N3-C4	3.57	119.33	115.16
2	F	160	GDP	C6-N1-C2	3.82	121.55	116.06
2	D	160	GDP	C2-N3-C4	3.85	119.65	115.16
2	F	160	GDP	C2-N3-C4	3.92	119.74	115.16
2	E	160	GDP	C6-N1-C2	3.95	121.74	116.06
2	B	160	GDP	C2-N3-C4	4.42	120.32	115.16
2	D	160	GDP	C6-N1-C2	4.71	122.83	116.06
2	C	160	GDP	C6-N1-C2	4.72	122.85	116.06
2	A	160	GDP	C6-N1-C2	6.17	124.94	116.06

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 20 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	162[A]	DTT	4	0
4	B	162[B]	DTT	1	0
2	C	160	GDP	1	0
2	E	160	GDP	1	0
4	F	162[A]	DTT	4	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	F	162[B]	DTT	9	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	151/151 (100%)	0.03	1 (0%) 87 90	10, 16, 23, 27	0
1	B	151/151 (100%)	0.06	1 (0%) 87 90	10, 15, 25, 31	0
1	C	151/151 (100%)	0.23	5 (3%) 47 53	11, 17, 30, 38	0
1	D	151/151 (100%)	0.36	9 (5%) 23 25	12, 18, 34, 40	0
1	E	151/151 (100%)	0.23	3 (1%) 65 71	12, 19, 31, 38	0
1	F	151/151 (100%)	0.30	6 (3%) 39 44	13, 22, 32, 40	0
All	All	906/906 (100%)	0.20	25 (2%) 53 59	10, 18, 30, 40	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	2	ALA	15.2
1	C	2	ALA	9.9
1	D	3	ASN	7.7
1	E	2	ALA	7.5
1	D	145[A]	CYS	5.9
1	C	3	ASN	5.6
1	A	2	ALA	5.0
1	D	146	ALA	4.0
1	F	2	ALA	3.9
1	C	145[A]	CYS	3.2
1	D	144	SER	2.7
1	D	143	LYS	2.6
1	F	74	VAL	2.6
1	C	4	LEU	2.4
1	F	145[A]	CYS	2.4
1	C	143	LYS	2.3
1	E	66	LYS	2.3
1	E	57	ASP	2.3
1	F	3	ASN	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	147	HIS	2.2
1	D	152	GLU	2.2
1	D	4	LEU	2.2
1	F	57	ASP	2.2
1	F	66	LYS	2.1
1	B	57	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	DTT	F	162[A]	8/8	0.88	0.32	4.97	30,32,32,32	8
4	DTT	F	162[B]	8/8	0.88	0.32	4.89	26,33,35,36	8
4	DTT	B	162[A]	8/8	0.93	0.27	1.70	26,34,36,38	8
4	DTT	B	162[B]	8/8	0.93	0.27	1.61	31,35,36,37	8
2	GDP	E	160	28/28	0.85	0.13	0.32	32,34,40,43	0
2	GDP	B	160	28/28	0.95	0.10	-0.07	17,23,26,27	0
2	GDP	F	160	28/28	0.94	0.10	-0.33	24,28,32,33	0
2	GDP	A	160	28/28	0.96	0.08	-0.61	16,18,21,22	0
2	GDP	C	160	28/28	0.97	0.07	-0.99	12,18,22,22	0
2	GDP	D	160	28/28	0.95	0.08	-1.31	20,23,25,26	0
3	MG	C	161	1/1	0.98	0.05	-	17,17,17,17	0
3	MG	E	161	1/1	0.86	0.15	-	46,46,46,46	0
3	MG	B	161	1/1	0.96	0.07	-	25,25,25,25	0
3	MG	D	161	1/1	0.98	0.03	-	29,29,29,29	0
3	MG	F	161	1/1	0.91	0.24	-	46,46,46,46	0
3	MG	A	161	1/1	0.97	0.06	-	25,25,25,25	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.