



# Full wwPDB X-ray Structure Validation Report i

Jan 16, 2018 – 04:03 AM EST

PDB ID : 3BCX  
Title : E1 Dehydrase  
Authors : Tsai, S.-C.; Smith, P.  
Deposited on : 2007-11-13  
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20030736
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20030736


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	3166 (2.40-2.40)
Clashscore	112137	3674 (2.40-2.40)
Ramachandran outliers	110173	3616 (2.40-2.40)
Sidechain outliers	110143	3617 (2.40-2.40)
RSRZ outliers	101464	3195 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	BEN	A	502[A]	-	-	-	X
3	BEN	A	503[B]	-	-	-	X

## 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 6771 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CDP-6-deoxy-L-threo-D-glycero-4-hexulose-3-dehydrase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	421	3284	2108	535	628	13	0	0	0
1	B	419	3266	2096	533	625	12	0	0	0


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	305	ARG	PRO	SEE REMARK 999	UNP Q57174
B	305	ARG	PRO	SEE REMARK 999	UNP Q57174

- Molecule 2 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Fe 1 1	0	0

- Molecule 3 is BENZAMIDINE (three-letter code: BEN) (formula: C<sub>7</sub>H<sub>8</sub>N<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N 9 7 2	0	1
3	A	1	Total C N 9 7 2	0	1
3	B	1	Total C N 9 7 2	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	101	Total O 101 101	0	0
4	B	92	Total O 92 92	0	0


### 3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: CDP-6-deoxy-L-threo-D-glycero-4-hexulose-3-dehydrase



- Molecule 1: CDP-6-deoxy-L-threo-D-glycero-4-hexulose-3-dehydrase



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 32	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	97.31Å 97.31Å 142.35Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 2.40 48.66 – 2.38	Depositor EDS
% Data completeness (in resolution range)	99.0 (50.00-2.40) 98.5 (48.66-2.38)	Depositor EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	1.44 (at 2.37Å)	Xtriage
Refinement program	CNS	Depositor
$R$ , $R_{free}$	0.208 , 0.231 0.219 , 0.241	Depositor DCC
$R_{free}$ test set	5719 reflections (9.79%)	DCC
Wilson B-factor (Å <sup>2</sup> )	46.7	Xtriage
Anisotropy	0.200	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 27.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.014 for -h,-k,l 0.447 for h,-h-k,-l 0.014 for -k,-h,-l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	6771	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.99% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: BEN, FE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.35	0/3359	0.59	0/4558
1	B	0.36	0/3340	0.59	0/4532
All	All	0.36	0/6699	0.59	0/9090

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	285	LEU	Peptide
1	B	285	LEU	Peptide

### 5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3284	0	3229	106	0
1	B	3266	0	3215	94	0
2	A	1	0	0	0	0
3	A	18	0	16	2	0
3	B	9	0	8	2	0
4	A	101	0	0	15	0
4	B	92	0	0	6	0
All	All	6771	0	6468	184	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (184) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:430:GLU:HA	4:A:589:HOH:O	1.66	0.95
1:B:171:LEU:HD13	1:B:340:SER:HB2	1.59	0.85
1:A:171:LEU:HD13	1:A:340:SER:HB2	1.63	0.81
1:A:164:ILE:HG12	4:A:578:HOH:O	1.83	0.79
1:A:287:TYR:HB3	4:A:506:HOH:O	1.82	0.78
1:A:171:LEU:HD22	1:A:200:TYR:HB2	1.66	0.78
1:A:435:LEU:HD12	4:A:589:HOH:O	1.84	0.76
1:A:223:THR:H	1:A:302:GLN:HE21	1.31	0.76
1:B:223:THR:H	1:B:302:GLN:HE21	1.34	0.76
1:B:171:LEU:HD22	1:B:200:TYR:HB2	1.66	0.75
1:A:324:LEU:HD13	1:A:426:VAL:HG22	1.70	0.74
1:A:174:LEU:O	1:A:178:ARG:HB2	1.90	0.72
1:B:203:LYS:HE2	1:B:207:THR:OG1	1.90	0.71
1:B:10:ILE:O	1:B:14:VAL:HG13	1.91	0.71
1:B:380:ASN:HD22	1:B:380:ASN:C	1.93	0.70
1:A:327:CYS:SG	4:A:589:HOH:O	2.49	0.70
1:B:418:THR:H	1:B:421:HIS:HD2	1.40	0.70
1:A:418:THR:H	1:A:421:HIS:CD2	2.10	0.69
1:A:114:ILE:HD11	4:A:574:HOH:O	1.93	0.69
1:B:174:LEU:O	1:B:178:ARG:HG2	1.94	0.68
1:A:116:VAL:HG22	4:A:578:HOH:O	1.94	0.67
1:A:418:THR:H	1:A:421:HIS:HD2	1.40	0.66
1:B:166:HIS:HD2	1:B:172:PHE:H	1.43	0.66
1:A:193:CYS:O	1:A:220:HIS:HD2	1.78	0.66
1:A:166:HIS:HD2	1:A:172:PHE:H	1.43	0.66
1:B:418:THR:H	1:B:421:HIS:CD2	2.14	0.66
1:A:9:GLN:HG2	1:B:13:LEU:HD13	1.76	0.66

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:380:ASN:HD22	1:A:380:ASN:C	2.00	0.64
1:A:15:ALA:HA	1:A:43:THR:HG23	1.79	0.64
1:A:282:TYR:H	1:B:384:GLN:NE2	1.96	0.64
1:A:252:TYR:O	1:A:253:CYS:SG	2.56	0.63
1:A:365:PHE:CE2	1:A:432:PHE:HB2	2.34	0.63
1:A:154:ALA:HA	1:A:395:VAL:HG21	1.82	0.62
1:B:287:TYR:HB3	4:B:504:HOH:O	2.00	0.62
1:B:8:GLN:O	1:B:12:GLU:HG2	2.00	0.62
1:A:429:PHE:O	1:A:433:PHE:HD2	1.84	0.61
1:B:433:PHE:HA	3:B:502:BEN:C3	2.31	0.61
1:A:104:VAL:HG12	3:A:502[A]:BEN:H5	1.83	0.61
1:A:105:ARG:HG3	1:A:187:TRP:NE1	2.16	0.60
1:B:170:ASN:HA	1:B:342:PRO:HB3	1.83	0.59
1:A:8:GLN:O	1:A:12:GLU:HG2	2.03	0.59
1:A:384:GLN:NE2	1:B:282:TYR:H	2.01	0.59
1:A:166:HIS:HE1	1:A:190:GLU:OE2	1.85	0.59
1:A:105:ARG:HG3	1:A:187:TRP:HE1	1.68	0.58
1:A:105:ARG:O	1:A:105:ARG:HG3	2.04	0.58
1:B:193:CYS:O	1:B:220:HIS:HD2	1.87	0.58
1:B:237:LEU:O	1:B:241:ILE:HG12	2.04	0.57
1:A:51:GLU:HG2	4:A:601:HOH:O	2.03	0.57
1:A:15:ALA:O	1:A:19:GLU:HG2	2.04	0.57
1:B:218:PRO:HD3	1:B:225:GLY:O	2.05	0.57
1:A:6:LEU:O	1:A:10:ILE:HG13	2.05	0.56
1:A:334:PRO:HB3	1:A:348:PRO:HG2	1.87	0.56
1:B:6:LEU:O	1:B:10:ILE:HG13	2.05	0.56
1:B:432:PHE:O	3:B:502:BEN:H3	2.05	0.56
1:A:164:ILE:HB	4:A:579:HOH:O	2.06	0.56
1:A:164:ILE:HD12	4:A:579:HOH:O	2.05	0.56
1:B:69:LYS:O	1:B:73:GLU:HG3	2.06	0.55
1:B:77:VAL:HA	4:B:576:HOH:O	2.06	0.54
1:B:203:LYS:HB3	1:B:208:PHE:CZ	2.42	0.54
1:A:176:GLU:O	1:A:180:VAL:HG23	2.07	0.54
1:A:310:VAL:HG12	1:A:314:LYS:HE3	1.90	0.54
1:B:166:HIS:HE1	1:B:190:GLU:OE2	1.91	0.54
1:A:218:PRO:HD3	1:A:225:GLY:O	2.09	0.52
1:A:285:LEU:HD21	1:B:129:GLN:CG	2.40	0.52
1:B:164:ILE:HG13	1:B:172:PHE:CE2	2.44	0.52
1:A:376:LEU:HD23	1:A:404:ILE:HG21	1.91	0.51
1:B:250:ASP:O	1:B:251:CYS:CB	2.58	0.51
1:A:252:TYR:O	1:A:253:CYS:CB	2.58	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:324:LEU:HD13	1:B:426:VAL:HG22	1.92	0.51
1:A:10:ILE:HD13	1:B:14:VAL:HG12	1.93	0.51
1:A:6:LEU:HD21	1:B:16:GLN:NE2	2.26	0.51
1:A:39:LYS:HE3	1:B:56:GLY:O	2.11	0.51
1:A:285:LEU:HD21	1:B:129:GLN:HG3	1.92	0.50
1:B:408:THR:HG22	1:B:409:PHE:N	2.27	0.50
1:B:42:GLY:O	1:B:46:LEU:HD13	2.12	0.50
1:B:154:ALA:HA	1:B:395:VAL:HG21	1.93	0.50
1:A:277:ASP:OD1	1:A:279:LYS:HB2	2.11	0.50
1:A:6:LEU:HD11	1:B:16:GLN:HE21	1.75	0.50
1:B:288:ASN:HD21	1:B:290:LYS:NZ	2.10	0.50
1:B:306:ILE:O	1:B:310:VAL:HG23	2.12	0.50
1:A:107:LEU:HG	1:A:132:LEU:HD21	1.94	0.50
1:A:147:ASN:HD22	1:A:147:ASN:C	2.14	0.50
1:B:33:VAL:HG23	1:B:35:PRO:HD3	1.93	0.50
1:A:306:ILE:HG23	1:A:307:GLU:N	2.27	0.49
1:A:142:PRO:HG2	1:A:335:GLU:HB2	1.94	0.49
1:A:77:VAL:HA	4:A:604:HOH:O	2.12	0.49
1:A:105:ARG:O	1:A:105:ARG:CG	2.60	0.49
1:B:380:ASN:C	1:B:380:ASN:ND2	2.63	0.49
1:A:44:LYS:HE2	1:A:304:GLU:OE2	2.13	0.49
1:A:90:ASN:HD22	1:A:213:THR:HG21	1.78	0.49
1:B:376:LEU:HD23	1:B:404:ILE:HG21	1.94	0.49
1:A:408:THR:HG22	1:A:409:PHE:N	2.28	0.49
1:A:166:HIS:CD2	1:A:172:PHE:H	2.28	0.49
1:B:334:PRO:HB3	1:B:348:PRO:HG2	1.95	0.48
1:A:16:GLN:HA	1:A:19:GLU:HG3	1.95	0.48
1:B:86:GLY:HA3	1:B:215:SER:HB2	1.95	0.48
1:A:282:TYR:H	1:B:384:GLN:HE22	1.60	0.48
1:B:91:LEU:HA	1:B:126:PRO:HB3	1.95	0.48
1:A:172:PHE:O	1:A:174:LEU:N	2.47	0.48
1:B:288:ASN:HD21	1:B:290:LYS:HZ2	1.61	0.48
1:A:105:ARG:HA	1:A:160:LYS:NZ	2.28	0.48
1:A:398:LEU:HB3	1:A:401:THR:HB	1.95	0.48
1:A:193:CYS:HA	1:A:214:VAL:HA	1.94	0.47
1:B:243:SER:OG	1:B:284:HIS:HD2	1.97	0.47
1:B:320:LEU:O	1:B:324:LEU:HB2	2.14	0.47
1:A:86:GLY:HA3	1:A:215:SER:HB2	1.95	0.47
1:B:35:PRO:HG2	1:B:414:TYR:OH	2.14	0.47
1:B:165:ALA:HB2	1:B:191:ASP:HB3	1.97	0.47
1:A:13:LEU:HD11	1:B:9:GLN:HE21	1.81	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:15:ALA:HA	1:B:43:THR:HG23	1.96	0.46
1:B:193:CYS:HA	1:B:214:VAL:HA	1.97	0.46
1:A:288:ASN:HD21	1:A:290:LYS:NZ	2.13	0.46
1:B:165:ALA:HA	1:B:191:ASP:HB3	1.98	0.46
1:B:96:ALA:CB	1:B:241:ILE:HD13	2.46	0.46
1:A:102:LEU:O	3:A:502[A]:BEN:H6	2.16	0.46
1:B:384:GLN:NE2	1:B:385:PRO:HD2	2.31	0.46
1:A:221:HIS:HD2	4:A:511:HOH:O	1.99	0.46
1:B:221:HIS:HD2	4:B:507:HOH:O	1.99	0.46
1:B:99:SER:OG	1:B:284:HIS:HE1	1.98	0.46
1:A:364:LYS:O	1:A:368:GLU:HG3	2.16	0.45
1:B:398:LEU:HB3	1:B:401:THR:HB	1.98	0.45
1:A:60:THR:HG23	1:A:291:ILE:O	2.17	0.45
1:B:310:VAL:HG12	1:B:314:LYS:HE3	1.99	0.45
1:A:152:GLU:OE1	1:A:179:ARG:NH2	2.49	0.45
1:A:164:ILE:HG22	1:A:165:ALA:N	2.31	0.45
1:B:96:ALA:HB2	1:B:241:ILE:HD13	1.99	0.45
1:A:148:ALA:HB2	1:A:173:ASP:HB3	1.99	0.45
1:A:223:THR:HG22	1:A:302:GLN:NE2	2.32	0.45
1:A:70:LYS:HB3	1:A:303:LEU:HD13	1.99	0.45
1:A:170:ASN:HA	1:A:342:PRO:HB3	1.99	0.44
1:A:33:VAL:HG23	1:A:35:PRO:HD3	1.99	0.44
1:A:125:ASN:ND2	1:B:286:GLY:H	2.14	0.44
1:B:43:THR:O	1:B:47:GLN:HG3	2.17	0.44
1:B:223:THR:N	1:B:302:GLN:HE21	2.07	0.44
1:B:147:ASN:HD22	1:B:147:ASN:C	2.20	0.44
1:B:152:GLU:OE1	1:B:179:ARG:NH2	2.51	0.44
1:B:148:ALA:HB1	1:B:176:GLU:CG	2.47	0.44
1:B:2:SER:O	1:B:5:GLU:HB2	2.17	0.44
1:B:77:VAL:HG12	4:B:576:HOH:O	2.16	0.44
1:A:288:ASN:HD21	1:A:290:LYS:HZ2	1.66	0.43
1:A:282:TYR:O	1:B:385:PRO:HG2	2.18	0.43
1:A:384:GLN:HE22	1:B:282:TYR:H	1.65	0.43
1:B:193:CYS:O	1:B:220:HIS:CD2	2.70	0.43
1:B:310:VAL:O	1:B:314:LYS:HG3	2.19	0.43
1:B:305:ARG:HH21	1:B:308:GLU:CD	2.22	0.43
1:A:155:VAL:HA	4:A:574:HOH:O	2.17	0.43
1:A:203:LYS:HB3	1:A:208:PHE:CZ	2.54	0.43
1:A:133:ILE:HD12	1:A:391:LYS:HG2	2.00	0.43
1:A:129:GLN:HG3	1:B:285:LEU:HD21	2.01	0.43
1:A:178:ARG:NH1	1:A:178:ARG:HG3	2.33	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:70:LYS:HE2	1:B:300:LEU:HD12	2.01	0.43
1:B:107:LEU:HB3	1:B:132:LEU:HD21	2.01	0.42
1:A:429:PHE:O	1:A:433:PHE:CD2	2.69	0.42
1:B:165:ALA:CB	1:B:191:ASP:HB3	2.49	0.42
1:A:13:LEU:HD11	1:B:9:GLN:NE2	2.35	0.42
1:A:164:ILE:HG23	4:A:578:HOH:O	2.19	0.42
1:A:57:TRP:HD1	1:A:59:THR:O	2.03	0.42
1:A:383:ARG:HD2	1:A:405:MET:SD	2.59	0.42
1:A:165:ALA:HA	1:A:191:ASP:HB3	2.01	0.42
1:B:383:ARG:HD2	1:B:405:MET:SD	2.59	0.42
1:A:320:LEU:O	1:A:324:LEU:HB2	2.20	0.41
1:A:43:THR:O	1:A:47:GLN:HG3	2.20	0.41
1:B:172:PHE:O	1:B:174:LEU:N	2.53	0.41
1:B:413:ILE:C	1:B:413:ILE:HD12	2.41	0.41
1:A:105:ARG:HA	1:A:160:LYS:HZ2	1.85	0.41
1:A:380:ASN:ND2	1:A:380:ASN:C	2.71	0.41
1:B:217:TYR:O	1:B:220:HIS:HB2	2.20	0.41
1:A:369:ALA:O	1:A:370:LYS:HB2	2.20	0.41
1:B:312:LYS:HE3	1:B:312:LYS:HB2	1.92	0.41
1:B:126:PRO:HG2	4:B:535:HOH:O	2.21	0.41
1:B:166:HIS:CD2	1:B:171:LEU:HA	2.55	0.41
1:B:90:ASN:HD22	1:B:213:THR:HG21	1.85	0.41
1:A:404:ILE:HA	1:A:408:THR:OG1	2.20	0.41
1:B:125:ASN:N	1:B:126:PRO:HD2	2.35	0.41
1:B:250:ASP:O	1:B:251:CYS:HB3	2.20	0.41
1:A:413:ILE:HD12	1:A:413:ILE:C	2.41	0.41
1:B:165:ALA:CA	1:B:191:ASP:HB3	2.50	0.41
1:A:171:LEU:N	1:A:171:LEU:HD12	2.36	0.41
1:B:108:LYS:HB3	1:B:108:LYS:HE2	1.84	0.41
1:B:233:GLN:HG2	4:B:576:HOH:O	2.21	0.40
1:A:380:ASN:ND2	1:A:382:THR:OG1	2.54	0.40
1:A:421:HIS:HE1	4:A:596:HOH:O	2.05	0.40
1:A:147:ASN:C	1:A:147:ASN:ND2	2.74	0.40
1:A:287:TYR:N	1:A:287:TYR:CD1	2.89	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	417/437 (95%)	395 (95%)	19 (5%)	3 (1%)	25 37
1	B	415/437 (95%)	397 (96%)	16 (4%)	2 (0%)	32 46
All	All	832/874 (95%)	792 (95%)	35 (4%)	5 (1%)	28 41

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	173	ASP
1	B	173	ASP
1	A	148	ALA
1	A	413	ILE
1	B	413	ILE

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	352/365 (96%)	334 (95%)	18 (5%)	28 44
1	B	350/365 (96%)	339 (97%)	11 (3%)	45 66
All	All	702/730 (96%)	673 (96%)	29 (4%)	35 54

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	MET

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	105	ARG
1	A	142	PRO
1	A	147	ASN
1	A	152	GLU
1	A	178	ARG
1	A	251	CYS
1	A	252	TYR
1	A	288	ASN
1	A	293	ASP
1	A	324	LEU
1	A	357	VAL
1	A	380	ASN
1	A	387	PHE
1	A	394	VAL
1	A	417	LEU
1	A	419	HIS
1	A	420	ASP
1	B	22	MET
1	B	39	LYS
1	B	102	LEU
1	B	147	ASN
1	B	288	ASN
1	B	311	GLU
1	B	380	ASN
1	B	387	PHE
1	B	394	VAL
1	B	417	LEU
1	B	419	HIS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (40) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	GLN
1	A	8	GLN
1	A	16	GLN
1	A	90	ASN
1	A	130	ASN
1	A	145	ASN
1	A	147	ASN
1	A	166	HIS
1	A	220	HIS
1	A	221	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	284	HIS
1	A	288	ASN
1	A	302	GLN
1	A	316	ASN
1	A	325	GLN
1	A	380	ASN
1	A	384	GLN
1	A	400	ASN
1	A	407	GLN
1	A	421	HIS
1	B	8	GLN
1	B	9	GLN
1	B	16	GLN
1	B	90	ASN
1	B	130	ASN
1	B	145	ASN
1	B	147	ASN
1	B	166	HIS
1	B	220	HIS
1	B	221	HIS
1	B	284	HIS
1	B	288	ASN
1	B	302	GLN
1	B	316	ASN
1	B	325	GLN
1	B	380	ASN
1	B	384	GLN
1	B	400	ASN
1	B	407	GLN
1	B	421	HIS

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [\(i\)](#)

Of 4 ligands modelled in this entry, 1 is monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	BEN	A	502[A]	-	9,9,9	3.61	8 (88%)	9,11,11	1.03	1 (11%)
3	BEN	A	503[B]	-	9,9,9	3.59	8 (88%)	9,11,11	0.96	1 (11%)
3	BEN	B	502	-	9,9,9	3.61	8 (88%)	9,11,11	0.96	1 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BEN	A	502[A]	-	-	0/4/4/4	0/1/1/1
3	BEN	A	503[B]	-	-	0/4/4/4	0/1/1/1
3	BEN	B	502	-	-	0/4/4/4	0/1/1/1

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502[A]	BEN	C5-C4	2.86	1.45	1.38
3	A	503[B]	BEN	C4-C3	2.89	1.45	1.38
3	A	503[B]	BEN	C5-C4	2.89	1.45	1.38
3	B	502	BEN	C4-C3	2.90	1.45	1.38
3	B	502	BEN	C5-C4	2.93	1.45	1.38
3	A	502[A]	BEN	C4-C3	2.93	1.45	1.38
3	A	502[A]	BEN	C5-C6	3.49	1.45	1.38
3	A	502[A]	BEN	C3-C2	3.55	1.45	1.38
3	A	503[B]	BEN	C1-C	3.55	1.53	1.47

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	503[B]	BEN	C3-C2	3.60	1.45	1.38
3	B	502	BEN	C1-C	3.61	1.53	1.47
3	B	502	BEN	C3-C2	3.63	1.45	1.38
3	A	503[B]	BEN	C5-C6	3.64	1.45	1.38
3	B	502	BEN	C5-C6	3.69	1.45	1.38
3	A	502[A]	BEN	C1-C	3.82	1.53	1.47
3	B	502	BEN	C2-C1	4.12	1.46	1.39
3	A	503[B]	BEN	C2-C1	4.14	1.46	1.39
3	A	502[A]	BEN	C6-C1	4.17	1.46	1.39
3	B	502	BEN	C6-C1	4.25	1.46	1.39
3	A	502[A]	BEN	C2-C1	4.26	1.46	1.39
3	A	503[B]	BEN	C6-C1	4.27	1.46	1.39
3	B	502	BEN	C-N1	5.02	1.46	1.28
3	A	503[B]	BEN	C-N1	5.04	1.46	1.28
3	A	502[A]	BEN	C-N1	5.09	1.46	1.28

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	502	BEN	C1-C-N2	2.36	121.75	118.12
3	A	503[B]	BEN	C1-C-N2	2.38	121.77	118.12
3	A	502[A]	BEN	C1-C-N2	2.61	122.12	118.12

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	502[A]	BEN	2	0
3	B	502	BEN	2	0

## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [\(i\)](#)

### 6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	421/437 (96%)	-0.36	0	100	100	20, 46, 77, 99
1	B	419/437 (95%)	-0.33	1 (0%)	94	94	28, 47, 76, 98
All	All	840/874 (96%)	-0.35	1 (0%)	95	95	20, 47, 77, 99

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	251	CYS	3.7

### 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	BEN	A	503[B]	9/9	0.96	0.21	4.43	37,39,43,44	9
3	BEN	A	502[A]	9/9	0.96	0.18	2.38	47,48,50,52	9

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	BEN	B	502	9/9	0.96	0.18	1.66	37,39,43,44	0
2	FE	A	501	1/1	0.73	0.15	-	127,127,127,127	0

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.