



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 06:35 pm GMT

PDB ID : 3BMQ
Title : Structure of Pteridine Reductase 1 (PTR1) from Trypanosoma brucei in ternary complex with cofactor (NADP+) and inhibitor (Compound AX5)
Authors : Martini, V.P.; Iulek, J.; Hunter, W.N.
Deposited on : 2007-12-13
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	3876 (1.70-1.70)
Ramachandran outliers	110173	3815 (1.70-1.70)
Sidechain outliers	110143	3815 (1.70-1.70)
RSRZ outliers	101464	3491 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	288	<div> <div>2%</div> <div> <div></div> <div>77%</div> <div>10%</div> <div>12%</div> </div> </div>
1	D	288	<div> <div>3%</div> <div> <div></div> <div>77%</div> <div>11%</div> <div>12%</div> </div> </div>
2	B	288	<div> <div>2%</div> <div> <div></div> <div>79%</div> <div>8%</div> <div>13%</div> </div> </div>
2	C	288	<div> <div>2%</div> <div> <div></div> <div>77%</div> <div>9%</div> <div>13%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
1	CSX	D	168	-	-	X	-
6	DTT	A	271[A]	-	-	-	X
6	DTT	D	271	X	-	X	X
7	GOL	B	272	-	-	X	X
7	GOL	C	272	-	-	X	X
7	GOL	C	273	-	-	X	X

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 9392 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pteridine reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	253	Total	C	N	O	S	0	10	0
			1929	1220	335	362	12			
1	D	253	Total	C	N	O	S	0	14	0
			1961	1240	342	368	11			

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	EXPRESSION TAG	UNP O76290
A	-18	GLY	-	EXPRESSION TAG	UNP O76290
A	-17	SER	-	EXPRESSION TAG	UNP O76290
A	-16	SER	-	EXPRESSION TAG	UNP O76290
A	-15	HIS	-	EXPRESSION TAG	UNP O76290
A	-14	HIS	-	EXPRESSION TAG	UNP O76290
A	-13	HIS	-	EXPRESSION TAG	UNP O76290
A	-12	HIS	-	EXPRESSION TAG	UNP O76290
A	-11	HIS	-	EXPRESSION TAG	UNP O76290
A	-10	HIS	-	EXPRESSION TAG	UNP O76290
A	-9	SER	-	EXPRESSION TAG	UNP O76290
A	-8	SER	-	EXPRESSION TAG	UNP O76290
A	-7	GLY	-	EXPRESSION TAG	UNP O76290
A	-6	LEU	-	EXPRESSION TAG	UNP O76290
A	-5	VAL	-	EXPRESSION TAG	UNP O76290
A	-4	PRO	-	EXPRESSION TAG	UNP O76290
A	-3	ARG	-	EXPRESSION TAG	UNP O76290
A	-2	GLY	-	EXPRESSION TAG	UNP O76290
A	-1	SER	-	EXPRESSION TAG	UNP O76290
A	0	HIS	-	EXPRESSION TAG	UNP O76290
D	-19	MET	-	EXPRESSION TAG	UNP O76290
D	-18	GLY	-	EXPRESSION TAG	UNP O76290
D	-17	SER	-	EXPRESSION TAG	UNP O76290
D	-16	SER	-	EXPRESSION TAG	UNP O76290
D	-15	HIS	-	EXPRESSION TAG	UNP O76290

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-14	HIS	-	EXPRESSION TAG	UNP O76290
D	-13	HIS	-	EXPRESSION TAG	UNP O76290
D	-12	HIS	-	EXPRESSION TAG	UNP O76290
D	-11	HIS	-	EXPRESSION TAG	UNP O76290
D	-10	HIS	-	EXPRESSION TAG	UNP O76290
D	-9	SER	-	EXPRESSION TAG	UNP O76290
D	-8	SER	-	EXPRESSION TAG	UNP O76290
D	-7	GLY	-	EXPRESSION TAG	UNP O76290
D	-6	LEU	-	EXPRESSION TAG	UNP O76290
D	-5	VAL	-	EXPRESSION TAG	UNP O76290
D	-4	PRO	-	EXPRESSION TAG	UNP O76290
D	-3	ARG	-	EXPRESSION TAG	UNP O76290
D	-2	GLY	-	EXPRESSION TAG	UNP O76290
D	-1	SER	-	EXPRESSION TAG	UNP O76290
D	0	HIS	-	EXPRESSION TAG	UNP O76290

- Molecule 2 is a protein called Pteridine reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	252	Total	C	N	O	S	0	11	0
			1930	1221	337	361	11			
2	C	251	Total	C	N	O	S	0	9	0
			1913	1205	336	361	11			

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	-19	MET	-	EXPRESSION TAG	UNP O76290
B	-18	GLY	-	EXPRESSION TAG	UNP O76290
B	-17	SER	-	EXPRESSION TAG	UNP O76290
B	-16	SER	-	EXPRESSION TAG	UNP O76290
B	-15	HIS	-	EXPRESSION TAG	UNP O76290
B	-14	HIS	-	EXPRESSION TAG	UNP O76290
B	-13	HIS	-	EXPRESSION TAG	UNP O76290
B	-12	HIS	-	EXPRESSION TAG	UNP O76290
B	-11	HIS	-	EXPRESSION TAG	UNP O76290
B	-10	HIS	-	EXPRESSION TAG	UNP O76290
B	-9	SER	-	EXPRESSION TAG	UNP O76290
B	-8	SER	-	EXPRESSION TAG	UNP O76290
B	-7	GLY	-	EXPRESSION TAG	UNP O76290
B	-6	LEU	-	EXPRESSION TAG	UNP O76290
B	-5	VAL	-	EXPRESSION TAG	UNP O76290

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-4	PRO	-	EXPRESSION TAG	UNP O76290
B	-3	ARG	-	EXPRESSION TAG	UNP O76290
B	-2	GLY	-	EXPRESSION TAG	UNP O76290
B	-1	SER	-	EXPRESSION TAG	UNP O76290
B	0	HIS	-	EXPRESSION TAG	UNP O76290
C	-19	MET	-	EXPRESSION TAG	UNP O76290
C	-18	GLY	-	EXPRESSION TAG	UNP O76290
C	-17	SER	-	EXPRESSION TAG	UNP O76290
C	-16	SER	-	EXPRESSION TAG	UNP O76290
C	-15	HIS	-	EXPRESSION TAG	UNP O76290
C	-14	HIS	-	EXPRESSION TAG	UNP O76290
C	-13	HIS	-	EXPRESSION TAG	UNP O76290
C	-12	HIS	-	EXPRESSION TAG	UNP O76290
C	-11	HIS	-	EXPRESSION TAG	UNP O76290
C	-10	HIS	-	EXPRESSION TAG	UNP O76290
C	-9	SER	-	EXPRESSION TAG	UNP O76290
C	-8	SER	-	EXPRESSION TAG	UNP O76290
C	-7	GLY	-	EXPRESSION TAG	UNP O76290
C	-6	LEU	-	EXPRESSION TAG	UNP O76290
C	-5	VAL	-	EXPRESSION TAG	UNP O76290
C	-4	PRO	-	EXPRESSION TAG	UNP O76290
C	-3	ARG	-	EXPRESSION TAG	UNP O76290
C	-2	GLY	-	EXPRESSION TAG	UNP O76290
C	-1	SER	-	EXPRESSION TAG	UNP O76290
C	0	HIS	-	EXPRESSION TAG	UNP O76290

- Molecule 3 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			4	2	2		
3	C	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: $C_{21}H_{28}N_7O_{17}P_3$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
4	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
4	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
4	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 5 is 6-(BENZYL SULFANYL)PYRIMIDINE-2,4-DIAMINE (three-letter code: AX5) (formula: $C_{11}H_{12}N_4S$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	S	0	0
			16	11	4	1		
5	B	1	Total	C	N	S	0	0
			16	11	4	1		
5	C	1	Total	C	N	S	0	0
			16	11	4	1		
5	D	1	Total	C	N	S	0	0
			16	11	4	1		

- Molecule 6 is 2,3-DIHYDROXY-1,4-DITHIOBUTANE (three-letter code: DTT) (formula: $C_4H_{10}O_2S_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	O	S	0	1
			8	4	2	2		
6	D	1	Total	C	O	S	0	0
			8	4	2	2		

- Molecule 7 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	C	O	0	0
			6	3	3		
7	C	1	Total	C	O	0	0
			6	3	3		
7	C	1	Total	C	O	0	0
			6	3	3		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	350	Total	O	0	0
			350	350		
8	B	382	Total	O	0	0
			382	382		
8	C	319	Total	O	0	0
			319	319		
8	D	310	Total	O	0	2
			310	310		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Pteridine reductase




• Molecule 1: Pteridine reductase




• Molecule 2: Pteridine reductase



• Molecule 2: Pteridine reductase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	74.72Å 91.16Å 82.83Å 90.00° 115.72° 90.00°	Depositor
Resolution (Å)	74.54 – 1.70 13.28 – 1.70	Depositor EDS
% Data completeness (in resolution range)	85.5 (74.54-1.70) 85.3 (13.28-1.70)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.68 (at 1.70Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.131 , 0.178 0.142 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	14.0	Xtriage
Anisotropy	0.511	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 59.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.015 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	9392	wwPDB-VP
Average B, all atoms (Å ²)	13.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 14.25% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, AX5, NAP, CSX, ACT, DTT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.89	3/1972 (0.2%)	0.79	2/2670 (0.1%)
1	D	0.84	0/2022	0.83	3/2736 (0.1%)
2	B	0.86	0/1989	0.83	4/2694 (0.1%)
2	C	0.84	0/1967	0.81	3/2665 (0.1%)
All	All	0.86	3/7950 (0.0%)	0.82	12/10765 (0.1%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	117	GLU	CB-CG	5.82	1.63	1.52
1	A	117	GLU	CG-CD	5.23	1.59	1.51
1	A	182	VAL	CB-CG2	5.00	1.63	1.52

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	198	ARG	NE-CZ-NH2	-6.90	116.85	120.30
2	C	14	ARG	NE-CZ-NH2	-6.29	117.15	120.30
1	D	62	ASP	CB-CG-OD1	6.27	123.94	118.30
2	B	198	ARG	NE-CZ-NH1	6.21	123.41	120.30
1	D	82	ARG	NE-CZ-NH1	5.99	123.30	120.30
2	C	29	ARG	CG-CD-NE	5.75	123.88	111.80
2	C	29	ARG	NE-CZ-NH1	5.62	123.11	120.30
2	B	165	ASP	CB-CG-OD1	5.57	123.31	118.30
1	D	82	ARG	NE-CZ-NH2	-5.15	117.72	120.30
2	B	165	ASP	CB-CG-OD2	-5.03	113.77	118.30
1	A	198	ARG	NE-CZ-NH1	5.02	122.81	120.30
1	A	198	ARG	NE-CZ-NH2	-5.01	117.79	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1929	0	1994	29	0
1	D	1961	0	2033	33	0
2	B	1930	0	1999	25	0
2	C	1913	0	1962	29	0
3	B	4	0	3	0	0
3	C	4	0	3	0	0
4	A	48	0	25	1	0
4	B	48	0	25	1	0
4	C	48	0	25	1	0
4	D	48	0	25	1	0
5	A	16	0	12	0	0
5	B	16	0	12	0	0
5	C	16	0	12	0	0
5	D	16	0	12	1	0
6	A	8	0	4	0	0
6	D	8	0	10	7	0
7	B	6	0	8	6	0
7	C	12	0	16	10	0
8	A	350	0	0	15	3
8	B	382	0	0	16	3
8	C	319	0	0	10	1
8	D	310	0	0	12	1
All	All	9392	0	8180	119	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:A:620:HOH:O	1:D:265:LEU:HD23	1.22	1.29
1:A:142:GLN:NE2	8:A:603:HOH:O	1.74	1.16

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:140[B]:GLN:NE2	8:C:473:HOH:O	1.88	1.06
1:D:164:VAL:CG2	8:D:893:HOH:O	2.05	1.03
1:D:164:VAL:HG22	8:D:893:HOH:O	1.58	1.01
6:D:271:DTT:H3	8:D:718:HOH:O	1.63	0.99
2:B:175:ASN:ND2	8:B:722:HOH:O	1.88	0.97
2:B:142:GLN:OE1	8:B:521:HOH:O	1.87	0.91
1:D:168:CSX:SG	6:D:271:DTT:S1	2.70	0.88
8:A:620:HOH:O	1:D:265:LEU:CD2	1.89	0.86
7:B:272:GOL:H12	8:B:729:HOH:O	1.74	0.86
1:D:168:CSX:HB3	6:D:271:DTT:S1	2.18	0.84
2:C:136:MET:O	2:C:140[A]:GLN:HG2	1.78	0.83
1:D:3:ALA:HB3	1:D:29[A]:ARG:HD2	1.61	0.81
1:D:175:ASN:ND2	8:D:891:HOH:O	2.05	0.80
7:C:272:GOL:O3	7:C:273:GOL:H2	1.82	0.79
2:B:250:GLN:HG3	8:B:667:HOH:O	1.82	0.79
2:B:164:VAL:HG22	2:B:179:HIS:CD2	2.23	0.73
1:D:168:CSX:CB	6:D:271:DTT:S1	2.78	0.71
1:A:169:MET:HE2	8:A:549:HOH:O	1.91	0.70
1:A:216[A]:GLU:HG2	8:A:515:HOH:O	1.91	0.69
1:A:190[B]:LEU:HD11	2:B:265:LEU:HB3	1.74	0.69
2:C:163:MET:CE	7:C:272:GOL:H11	2.23	0.68
2:B:112:ASN:N	8:B:602:HOH:O	2.27	0.67
1:D:168:CSX:CB	6:D:271:DTT:HS1	2.08	0.67
2:C:104[B]:GLN:NE2	8:C:531:HOH:O	2.25	0.67
2:B:161:ASP:OD2	7:B:272:GOL:H31	1.96	0.66
1:D:175:ASN:HB2	8:D:757:HOH:O	1.96	0.66
1:A:250:GLN:HG3	8:A:463:HOH:O	1.98	0.64
1:D:211:VAL:HG13	8:D:805:HOH:O	1.96	0.64
2:C:168:CYS:SG	7:C:272:GOL:O2	2.41	0.63
1:D:164:VAL:HG23	8:D:893:HOH:O	1.80	0.63
7:B:272:GOL:H2	8:B:732:HOH:O	2.00	0.62
2:B:142:GLN:NE2	8:B:719:HOH:O	1.74	0.62
2:C:161:ASP:OD2	7:C:273:GOL:H31	2.00	0.62
1:D:215:GLU:HB2	8:D:587:HOH:O	1.99	0.62
1:A:179:HIS:HD2	8:C:494:HOH:O	1.81	0.61
1:A:190[B]:LEU:HD21	2:B:265:LEU:HB2	1.82	0.61
7:B:272:GOL:H11	8:B:730:HOH:O	2.01	0.61
1:D:47[B]:GLU:OE2	8:D:890:HOH:O	2.16	0.61
2:C:217[A]:GLU:HG3	8:C:519:HOH:O	2.01	0.59
2:C:140[B]:GLN:CD	8:C:473:HOH:O	2.29	0.59
2:B:2:GLU:HB3	8:B:571:HOH:O	2.02	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:B:272:GOL:H2	8:B:731:HOH:O	2.02	0.59
1:D:168:CSX:OD	6:D:271:DTT:S4	2.60	0.59
2:C:163:MET:HE2	7:C:272:GOL:H11	1.84	0.58
2:C:175:ASN:ND2	8:C:581:HOH:O	2.27	0.56
1:D:39[A]:GLU:CD	1:D:39[A]:GLU:H	2.09	0.55
1:D:224:LYS:NZ	8:D:794:HOH:O	2.33	0.55
1:A:265:LEU:HB3	2:B:190[A]:LEU:HD11	1.87	0.55
2:C:163:MET:HE3	7:C:272:GOL:H11	1.89	0.54
7:C:272:GOL:O3	7:C:273:GOL:C2	2.54	0.54
1:A:65:ASN:HA	1:A:69:LEU:HD22	1.90	0.54
1:A:153:ASN:CG	1:A:250:GLN:HE22	2.13	0.52
1:A:175:ASN:HB2	8:A:437:HOH:O	2.09	0.52
1:A:11:ALA:HB3	1:A:32[A]:ILE:HG23	1.91	0.51
1:D:219:ASP:HB3	1:D:223[B]:ARG:NH2	2.26	0.51
1:D:115:THR:OG1	1:D:118:THR:HG23	2.10	0.51
1:A:220[B]:LYS:NZ	8:A:560:HOH:O	2.41	0.50
2:B:153:ASN:HA	8:B:653:HOH:O	2.12	0.50
1:D:104:GLN:C	8:D:811:HOH:O	2.49	0.50
2:C:164:VAL:HG11	8:C:587:HOH:O	2.12	0.49
2:C:250:GLN:NE2	8:C:478:HOH:O	2.45	0.49
1:D:168:CSX:OD	6:D:271:DTT:S1	2.70	0.49
2:B:247:GLY:O	2:B:250:GLN:HG2	2.13	0.48
1:D:161:ASP:HB3	1:D:164:VAL:HG13	1.96	0.48
2:C:221:TRP:CH2	7:C:272:GOL:H32	2.49	0.47
2:B:142:GLN:CG	8:B:521:HOH:O	2.63	0.46
2:B:142:GLN:HG2	8:B:521:HOH:O	2.15	0.46
8:A:429:HOH:O	2:C:103:VAL:HG22	2.15	0.46
1:A:151[B]:SER:HA	8:A:580:HOH:O	2.16	0.46
7:B:272:GOL:C2	8:B:731:HOH:O	2.63	0.46
8:B:724:HOH:O	1:D:190[A]:LEU:HD21	2.17	0.45
2:C:29:ARG:HH11	2:C:29:ARG:HG3	1.80	0.45
1:A:247:GLY:O	1:A:250:GLN:HG2	2.17	0.45
1:A:235:GLU:OE1	8:A:480:HOH:O	2.21	0.45
2:B:104[A]:GLN:HA	2:B:104[A]:GLN:HE21	1.82	0.45
1:D:47[A]:GLU:HG3	8:D:713:HOH:O	2.16	0.44
2:C:136:MET:O	2:C:140[A]:GLN:CG	2.58	0.44
1:A:216[B]:GLU:HG2	8:A:542:HOH:O	2.17	0.44
2:C:193:ALA:HB3	2:C:194:PRO:HD3	1.99	0.44
2:C:219:ASP:O	2:C:223[B]:ARG:HG3	2.17	0.43
2:C:232:ALA:HB2	1:D:251:TYR:CE2	2.53	0.43
2:B:190[B]:LEU:HG	1:D:169:MET:CE	2.49	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:153:ASN:ND2	8:C:535:HOH:O	2.49	0.43
1:A:232:ALA:HB2	2:B:251:TYR:CE2	2.53	0.43
2:B:35:HIS:HB2	4:B:270:NAP:C2A	2.49	0.43
1:A:216[A]:GLU:CG	8:A:515:HOH:O	2.60	0.43
1:A:265:LEU:HB2	2:B:190[A]:LEU:HD21	2.01	0.42
2:B:64:THR:HG22	2:B:121:ALA:HB1	2.01	0.42
2:C:3:ALA:O	2:C:29:ARG:NH1	2.52	0.42
1:A:251:TYR:CE2	2:B:232:ALA:HB2	2.55	0.42
7:C:272:GOL:C2	7:C:273:GOL:H2	2.50	0.42
1:A:22:LYS:HG2	1:A:242:ILE:HG12	2.02	0.42
1:D:9:THR:HA	1:D:33:HIS:HB3	2.01	0.42
1:A:233:SER:H	1:A:236:GLN:NE2	2.18	0.41
1:D:65:ASN:HA	1:D:69:LEU:HD22	2.02	0.41
2:C:65:ASN:HA	2:C:69:LEU:HD22	2.03	0.41
1:D:151:SER:OG	1:D:152:SER:N	2.53	0.41
2:B:216:GLU:HG2	8:B:568:HOH:O	2.20	0.41
2:B:9:THR:HA	2:B:33:HIS:HB3	2.02	0.41
2:C:251:TYR:CE2	1:D:232:ALA:HB2	2.55	0.41
4:D:269:NAP:C7N	5:D:270:AX5:HAI	2.51	0.41
1:D:78:ASN:OD1	1:D:141:ARG:NH1	2.46	0.41
1:A:190[A]:LEU:HG	2:C:169:MET:CE	2.51	0.41
1:A:9:THR:O	1:A:93:ASN:HB3	2.20	0.41
7:C:272:GOL:C3	7:C:273:GOL:H2	2.51	0.41
2:C:29:ARG:HH11	2:C:29:ARG:CG	2.33	0.41
2:C:141:ARG:HG2	8:C:305:HOH:O	2.20	0.40
2:C:15:ILE:HB	4:C:270:NAP:H51N	2.02	0.40
1:D:161:ASP:O	1:D:164:VAL:HG13	2.21	0.40
1:A:247:GLY:HA2	1:A:250:GLN:CD	2.42	0.40
2:C:221:TRP:CE3	2:C:224[A]:LYS:HD2	2.57	0.40
1:A:15:ILE:HB	4:A:269:NAP:H51N	2.03	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:C:375:HOH:O	8:D:587:HOH:O[2_556]	1.91	0.29
8:A:401:HOH:O	8:B:703:HOH:O[2_545]	2.09	0.11
8:A:612:HOH:O	8:B:364:HOH:O[2_545]	2.11	0.09
8:A:597:HOH:O	8:B:568:HOH:O[2_545]	2.16	0.04

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	254/288 (88%)	245 (96%)	9 (4%)	0	100	100
1	D	260/288 (90%)	251 (96%)	9 (4%)	0	100	100
2	B	256/288 (89%)	248 (97%)	8 (3%)	0	100	100
2	C	254/288 (88%)	246 (97%)	8 (3%)	0	100	100
All	All	1024/1152 (89%)	990 (97%)	34 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	208/230 (90%)	206 (99%)	2 (1%)	80	71
1	D	213/230 (93%)	211 (99%)	2 (1%)	82	74
2	B	211/231 (91%)	207 (98%)	4 (2%)	62	45
2	C	207/231 (90%)	204 (99%)	3 (1%)	71	58
All	All	839/922 (91%)	828 (99%)	11 (1%)	78	60

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	216[A]	GLU
1	A	216[B]	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	2	GLU
2	B	104[A]	GLN
2	B	104[B]	GLN
2	B	143	LYS
2	C	29	ARG
2	C	67	ASN
2	C	250	GLN
1	D	118	THR
1	D	143	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	119	GLN
1	A	142	GLN
1	A	179	HIS
1	A	236	GLN
1	A	250	GLN
2	B	142	GLN
2	C	67	ASN
2	C	250	GLN
1	D	65	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	CSX	A	168[A]	-	5,5,7	1.49	1 (20%)	2,5,8	0.44	0
1	CSX	A	168[B]	-	4,6,7	1.41	1 (25%)	2,6,8	2.23	1 (50%)
1	CSX	D	168	1	4,6,7	0.88	0	2,6,8	1.35	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSX	A	168[A]	-	-	0/1/4/7	0/0/0/0
1	CSX	A	168[B]	-	-	0/1/5/7	0/0/0/0
1	CSX	D	168	1	-	0/1/5/7	0/0/0/0

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	168[B]	CSX	CA-C	2.12	1.53	1.50
1	A	168[A]	CSX	CA-C	2.77	1.53	1.50

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	168[B]	CSX	CA-CB-SG	2.57	119.23	113.47

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	168[B]	CSX	1	0
1	D	168	CSX	6	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry

15 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAP	A	269	-	44,52,52	1.51	4 (9%)	51,80,80	2.45	9 (17%)
5	AX5	A	270	-	17,17,17	1.69	3 (17%)	21,22,22	2.13	6 (28%)
6	DTT	A	271[A]	-	7,7,7	0.80	0	4,8,8	0.97	0
3	ACT	B	269	-	1,3,3	1.66	0	0,3,3	0.00	-
4	NAP	B	270	-	44,52,52	1.30	5 (11%)	51,80,80	2.47	10 (19%)
5	AX5	B	271	-	17,17,17	1.04	1 (5%)	21,22,22	2.44	5 (23%)
7	GOL	B	272	-	5,5,5	0.43	0	5,5,5	0.99	0
3	ACT	C	269	-	1,3,3	3.38	1 (100%)	0,3,3	0.00	-
4	NAP	C	270	-	44,52,52	1.51	5 (11%)	51,80,80	2.03	8 (15%)
5	AX5	C	271	-	17,17,17	1.79	3 (17%)	21,22,22	2.67	11 (52%)
7	GOL	C	272	-	5,5,5	0.41	0	5,5,5	0.64	0
7	GOL	C	273	-	5,5,5	0.59	0	5,5,5	0.62	0
4	NAP	D	269	-	44,52,52	1.37	4 (9%)	51,80,80	2.22	9 (17%)
5	AX5	D	270	-	17,17,17	1.66	4 (23%)	21,22,22	2.56	8 (38%)
6	DTT	D	271	-	7,7,7	0.99	0	4,8,8	1.92	1 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAP	A	269	-	-	0/27/67/67	0/5/5/5
5	AX5	A	270	-	-	0/5/5/5	0/2/2/2
6	DTT	A	271[A]	-	-	0/8/8/8	0/0/0/0
3	ACT	B	269	-	-	0/0/0/0	0/0/0/0
4	NAP	B	270	-	-	0/27/67/67	0/5/5/5
5	AX5	B	271	-	-	0/5/5/5	0/2/2/2
7	GOL	B	272	-	-	0/4/4/4	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ACT	C	269	-	-	0/0/0/0	0/0/0/0
4	NAP	C	270	-	-	0/27/67/67	0/5/5/5
5	AX5	C	271	-	-	0/5/5/5	0/2/2/2
7	GOL	C	272	-	-	0/4/4/4	0/0/0/0
7	GOL	C	273	-	-	0/4/4/4	0/0/0/0
4	NAP	D	269	-	-	0/27/67/67	0/5/5/5
5	AX5	D	270	-	-	0/5/5/5	0/2/2/2
6	DTT	D	271	-	1/1/2/2	0/8/8/8	0/0/0/0

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	270	NAP	O4B-C4B	-2.69	1.38	1.45
5	C	271	AX5	C5-C4	-2.28	1.36	1.38
5	D	270	AX5	C5-C4	-2.05	1.36	1.38
4	C	270	NAP	C4N-C3N	2.15	1.42	1.39
4	C	270	NAP	P2B-O2B	2.25	1.63	1.59
5	B	271	AX5	C5-C6	2.30	1.44	1.40
5	C	271	AX5	C4-SAL	2.33	1.80	1.76
4	D	269	NAP	C2A-N1A	2.36	1.38	1.33
4	A	269	NAP	C2A-N1A	2.38	1.38	1.33
5	D	270	AX5	C2-N3	2.40	1.39	1.35
5	A	270	AX5	C2-N3	2.45	1.39	1.35
4	C	270	NAP	C2A-N1A	2.83	1.39	1.33
5	A	270	AX5	C4-SAL	2.92	1.81	1.76
4	D	269	NAP	C2A-N3A	2.97	1.37	1.32
4	B	270	NAP	C2A-N3A	2.98	1.37	1.32
4	B	270	NAP	C4N-C3N	3.07	1.44	1.39
4	B	270	NAP	P2B-O2B	3.15	1.65	1.59
3	C	269	ACT	CH3-C	3.38	1.53	1.48
4	C	270	NAP	C2A-N3A	3.40	1.37	1.32
4	D	269	NAP	P2B-O2B	3.65	1.65	1.59
5	D	270	AX5	C4-N3	3.76	1.37	1.34
5	D	270	AX5	C4-SAL	3.82	1.82	1.76
4	A	269	NAP	C2A-N3A	3.83	1.38	1.32
4	B	270	NAP	O7N-C7N	4.07	1.32	1.24
4	A	269	NAP	P2B-O2B	4.22	1.66	1.59
5	A	270	AX5	C4-N3	4.84	1.38	1.34
4	D	269	NAP	O7N-C7N	5.02	1.34	1.24
5	C	271	AX5	C4-N3	5.63	1.39	1.34
4	A	269	NAP	O7N-C7N	6.57	1.37	1.24
4	C	270	NAP	O7N-C7N	6.98	1.38	1.24

All (67) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	269	NAP	N3A-C2A-N1A	-12.76	117.74	128.86
4	B	270	NAP	N3A-C2A-N1A	-11.59	118.76	128.86
4	D	269	NAP	N3A-C2A-N1A	-9.84	120.29	128.86
4	C	270	NAP	N3A-C2A-N1A	-9.02	121.00	128.86
4	B	270	NAP	O7N-C7N-C3N	-6.43	112.11	119.62
4	D	269	NAP	C4B-O4B-C1B	-6.33	103.03	109.77
5	C	271	AX5	N3-C2-N1	-5.65	116.29	125.45
4	D	269	NAP	O7N-C7N-C3N	-5.19	113.56	119.62
4	C	270	NAP	C4B-O4B-C1B	-4.92	104.53	109.77
5	D	270	AX5	N3-C2-N1	-4.67	117.88	125.45
4	A	269	NAP	O7N-C7N-C3N	-4.57	114.28	119.62
4	A	269	NAP	C4B-O4B-C1B	-4.52	104.96	109.77
5	A	270	AX5	N3-C2-N1	-4.19	118.65	125.45
4	A	269	NAP	C1B-N9A-C4A	-4.13	119.49	126.64
4	C	270	NAP	C1B-N9A-C4A	-3.75	120.15	126.64
5	B	271	AX5	N3-C2-N1	-3.70	119.45	125.45
4	C	270	NAP	O7N-C7N-C3N	-3.49	115.55	119.62
4	B	270	NAP	C3N-C2N-N1N	-3.42	116.98	120.43
4	D	269	NAP	C1B-N9A-C4A	-3.41	120.75	126.64
6	D	271	DTT	C2-C1-S1	-3.15	104.79	114.43
4	C	270	NAP	C3N-C2N-N1N	-3.13	117.27	120.43
4	B	270	NAP	C1B-N9A-C4A	-2.81	121.78	126.64
4	B	270	NAP	C4B-O4B-C1B	-2.67	106.92	109.77
4	A	269	NAP	C5N-C4N-C3N	-2.63	117.26	120.35
5	C	271	AX5	C5-C4-SAL	-2.56	111.52	118.33
5	B	271	AX5	CAI-SAL-C4	-2.46	99.38	102.49
5	C	271	AX5	C5-C6-NAA	-2.18	115.61	121.56
5	D	270	AX5	C5-C4-N3	-2.17	121.86	123.58
4	B	270	NAP	C4A-C5A-N7A	-2.12	107.36	109.41
5	A	270	AX5	CAI-SAL-C4	2.04	105.07	102.49
4	D	269	NAP	O3B-C3B-C2B	2.12	117.20	111.18
4	C	270	NAP	O3X-P2B-O2X	2.12	116.18	107.61
5	C	271	AX5	NAB-C2-N1	2.13	120.64	117.24
5	C	271	AX5	CAN-CAI-SAL	2.16	119.31	110.80
4	D	269	NAP	N6A-C6A-N1A	2.19	123.10	118.77
4	D	269	NAP	C2A-N1A-C6A	2.20	122.62	118.77
4	B	270	NAP	O3B-C3B-C2B	2.20	117.45	111.18
4	D	269	NAP	C2N-C3N-C4N	2.34	120.93	118.26
5	D	270	AX5	SAL-C4-N3	2.39	123.06	118.50
5	D	270	AX5	CAN-CAI-SAL	2.44	120.39	110.80
4	A	269	NAP	O3X-P2B-O2X	2.50	117.72	107.61
4	C	270	NAP	C2N-C3N-C4N	2.60	121.23	118.26

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	271	AX5	C2-N1-C6	2.79	124.33	117.58
4	B	270	NAP	C2N-C3N-C4N	2.81	121.47	118.26
4	A	269	NAP	C3N-C7N-N7N	2.83	121.01	117.77
5	B	271	AX5	CAN-CAI-SAL	2.84	121.99	110.80
5	D	270	AX5	CAI-SAL-C4	2.86	106.10	102.49
4	A	269	NAP	C2N-C3N-C4N	2.87	121.54	118.26
5	A	270	AX5	SAL-C4-N3	2.96	124.14	118.50
5	C	271	AX5	SAL-C4-N3	3.03	124.27	118.50
5	A	270	AX5	NAB-C2-N3	3.16	122.29	117.24
5	D	270	AX5	NAA-C6-N1	3.22	122.06	116.64
5	A	270	AX5	NAA-C6-N1	3.33	122.24	116.64
5	B	271	AX5	NAB-C2-N1	3.51	122.85	117.24
5	C	271	AX5	NAB-C2-N3	3.65	123.07	117.24
4	B	270	NAP	C2A-N1A-C6A	3.78	125.39	118.77
5	C	271	AX5	NAA-C6-N1	3.85	123.12	116.64
4	A	269	NAP	C2A-N1A-C6A	3.96	125.69	118.77
5	C	271	AX5	CAI-SAL-C4	4.25	107.86	102.49
5	D	270	AX5	NAB-C2-N3	4.53	124.49	117.24
4	C	270	NAP	C3N-C7N-N7N	5.02	123.50	117.77
5	C	271	AX5	C2-N3-C4	5.13	119.06	115.40
5	A	270	AX5	C2-N3-C4	5.28	119.16	115.40
4	D	269	NAP	C3N-C7N-N7N	5.44	123.98	117.77
5	D	270	AX5	C2-N3-C4	7.03	120.41	115.40
4	B	270	NAP	C3N-C7N-N7N	7.27	126.07	117.77
5	B	271	AX5	C2-N3-C4	8.83	121.69	115.40

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
6	D	271	DTT	C2

There are no torsion outliers.

There are no ring outliers.

9 monomers are involved in 27 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	269	NAP	1	0
4	B	270	NAP	1	0
7	B	272	GOL	6	0
4	C	270	NAP	1	0
7	C	272	GOL	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	C	273	GOL	5	0
4	D	269	NAP	1	0
5	D	270	AX5	1	0
6	D	271	DTT	7	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	252/288 (87%)	-0.38	5 (1%) 65 71	6, 9, 20, 37	0
1	D	252/288 (87%)	-0.29	8 (3%) 48 54	6, 9, 21, 41	0
2	B	252/288 (87%)	-0.44	7 (2%) 53 59	6, 8, 19, 44	0
2	C	251/288 (87%)	-0.38	7 (2%) 53 59	5, 9, 21, 32	0
All	All	1007/1152 (87%)	-0.37	27 (2%) 55 60	5, 9, 20, 44	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	105	GLY	8.5
1	D	144	GLY	8.2
2	B	112	ASN	7.0
1	D	113	GLY	6.7
1	D	151	SER	6.6
1	D	104	GLN	5.8
1	A	151[A]	SER	5.8
2	B	113	GLY	5.5
1	A	113	GLY	5.0
2	C	212	ALA	4.9
1	A	144	GLY	4.8
2	C	113	GLY	4.6
2	B	104[A]	GLN	4.5
1	D	212	ALA	4.4
2	B	143	LYS	4.3
1	A	104	GLN	4.3
2	B	152	SER	4.3
2	C	2	GLU	4.1
1	D	143	LYS	4.1
1	A	143	LYS	3.4
2	C	211	VAL	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	C	104[A]	GLN	3.3
1	D	211	VAL	3.2
2	C	152	SER	3.1
1	D	2	GLU	2.6
2	B	2	GLU	2.4
2	B	211	VAL	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	CSX	D	168	7/8	0.96	0.07	-	11,15,29,29	0
1	CSX	A	168[B]	7/8	0.96	0.09	-	11,12,13,18	4
1	CSX	A	168[A]	6/8	0.96	0.09	-	12,13,14,19	3

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
6	DTT	A	271[A]	8/8	0.82	0.20	15.29	44,49,51,56	0
7	GOL	C	272	6/6	0.81	0.23	12.86	39,41,42,44	0
7	GOL	B	272	6/6	0.92	0.16	8.01	28,28,31,32	0
6	DTT	D	271	8/8	0.86	0.14	4.47	23,36,38,47	0
7	GOL	C	273	6/6	0.92	0.09	3.48	25,30,32,34	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	ACT	C	269	4/4	0.95	0.09	1.34	13,16,19,20	0
5	AX5	B	271	16/16	0.97	0.07	-0.17	6,10,20,20	0
5	AX5	C	271	16/16	0.96	0.07	-0.43	7,12,24,25	0
5	AX5	D	270	16/16	0.97	0.06	-1.16	8,12,25,27	0
4	NAP	D	269	48/48	0.99	0.04	-1.49	4,7,10,13	0
4	NAP	A	269	48/48	0.99	0.05	-1.51	2,6,9,12	0
3	ACT	B	269	4/4	0.99	0.04	-1.58	10,10,11,12	0
5	AX5	A	270	16/16	0.98	0.05	-1.80	5,10,19,21	0
4	NAP	C	270	48/48	0.99	0.04	-1.83	4,7,9,11	0
4	NAP	B	270	48/48	0.99	0.04	-1.99	2,6,8,8	0

6.5 Other polymers [i](#)

There are no such residues in this entry.