



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 03:55 am GMT

PDB ID : 2BNQ  
Title : Structural and kinetic basis for heightened immunogenicity of T cell vaccines  
Authors : Chen, J.-L.; Stewart-Jones, G.; Bossi, G.; Lissin, N.M.; Wooldridge, L.; Choi, E.M.L.; Held, G.; Dunbar, P.R.; Esnouf, R.M.; Sami, M.; Boulter, J.M.; Rizkallah, P.J.; Renner, C.; Sewell, A.; van der Merwe, P.A.; Jackobsen, B.K.; Griffiths, G.; Jones, E.Y.; Cerundolo, V.  
Deposited on : 2005-03-31  
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.9-1692  
EDS : trunk28620  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	3876 (1.70-1.70)
Ramachandran outliers	110173	3815 (1.70-1.70)
Sidechain outliers	110143	3815 (1.70-1.70)
RSRZ outliers	101464	3491 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	276	
2	B	100	
3	C	9	
4	D	203	
5	E	241	

## 2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 7153 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HLA CLASS I HISTOCOMPATIBILITY ANTIGEN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	276	Total	C	N	O	S	1	0	0
			2254	1408	410	427	9			

- Molecule 2 is a protein called BETA-2-MICROGLOBULIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	100	Total	C	N	O	S	0	0	0
			837	533	141	159	4			

- Molecule 3 is a protein called SYNTHETIC PEPTIDE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	9	Total	C	N	O	S	0	0	0
			76	51	11	13	1			

- Molecule 4 is a protein called T-CELL RECEPTOR ALPHA CHAIN V REGION.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	203	Total	C	N	O	S	0	0	0
			1557	968	262	320	7			

- Molecule 5 is a protein called T-CELL RECEPTOR BETA CHAIN C REGION.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	241	Total	C	N	O	S	0	0	0
			1902	1196	327	370	9			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	116	LYS	ASN	CONFLICT	UNP P01850
E	117	ASN	LYS	CONFLICT	UNP P01850

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	149	TYR	PHE	CONFLICT	UNP P01850
E	169	CYS	SER	CONFLICT	UNP P01850
E	187	ALA	CYS	CONFLICT	UNP P01850
E	201	ASP	ASN	CONFLICT	UNP P01850


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	153	Total 153	O 153	0	0
6	B	45	Total 45	O 45	0	0
6	C	7	Total 7	O 7	0	0
6	D	161	Total 161	O 161	0	0
6	E	161	Total 161	O 161	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: HLA CLASS I HISTOCOMPATIBILITY ANTIGEN




- Molecule 2: BETA-2-MICROGLOBULIN




- Molecule 3: SYNTHETIC PEPTIDE





- Molecule 4: T-CELL RECEPTOR ALPHA CHAIN V REGION





● Molecule 5: T-CELL RECEPTOR BETA CHAIN C REGION



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	72.56Å 62.49Å 116.95Å 90.00° 105.34° 90.00°	Depositor
Resolution (Å)	19.81 – 1.70 19.81 – 1.69	Depositor EDS
% Data completeness (in resolution range)	84.6 (19.81-1.70) 83.5 (19.81-1.69)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.96 (at 1.69Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.226 , 0.253 0.226 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	DCC
Wilson B-factor (Å <sup>2</sup> )	25.1	Xtriage
Anisotropy	0.563	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 43.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.016 for h,-k,-h-l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	7153	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.34% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.32	0/2320	0.59	0/3149
2	B	0.31	0/860	0.57	0/1162
3	C	0.45	0/77	0.79	0/103
4	D	0.33	0/1589	0.62	0/2159
5	E	0.33	0/1953	0.63	0/2659
All	All	0.33	0/6799	0.61	0/9232

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2254	0	2103	46	0
2	B	837	0	803	25	0
3	C	76	0	83	2	0
4	D	1557	0	1489	62	0
5	E	1902	0	1796	49	0
6	A	153	0	0	5	0
6	B	45	0	0	1	0
6	C	7	0	0	1	0
6	D	161	0	0	3	0
6	E	161	0	0	5	0
All	All	7153	0	6274	164	0



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (164) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:47:GLU:HG3	2:B:48:LYS:H	1.35	0.90
1:A:119:ASP:HB3	2:B:0:MET:HG3	1.51	0.90
4:D:42:LYS:HG2	4:D:43:GLY:H	1.33	0.90
1:A:68:LYS:HD3	5:E:53:ILE:HG12	1.57	0.87
4:D:114:PRO:HG2	4:D:163:VAL:HG11	1.56	0.85
2:B:79:ALA:HB2	2:B:94:LYS:HD3	1.60	0.83
4:D:42:LYS:HG2	4:D:43:GLY:N	1.91	0.82
4:D:136:VAL:HG21	5:E:142:VAL:HG21	1.63	0.81
4:D:38:GLN:HB2	4:D:44:LEU:HD23	1.64	0.80
5:E:126:PHE:HB2	5:E:142:VAL:CG2	2.13	0.78
1:A:124:ILE:HD12	1:A:134:THR:O	1.84	0.78
5:E:126:PHE:HB2	5:E:142:VAL:HG23	1.66	0.78
4:D:196:ILE:HG23	4:D:197:PRO:HD2	1.65	0.77
5:E:10:GLN:HG2	5:E:18:MET:SD	2.26	0.75
4:D:19:LEU:HD11	4:D:77:ILE:HD12	1.71	0.72
5:E:223:GLN:HG3	5:E:224:ASP:OD1	1.90	0.72
4:D:93:ARG:HD3	4:D:102:PRO:HG3	1.72	0.71
1:A:234:ARG:HE	1:A:242:GLN:HE21	1.38	0.70
5:E:147:GLY:O	5:E:185:ARG:HD3	1.91	0.69
4:D:131:SER:C	4:D:133:ASP:H	1.97	0.68
1:A:108:ARG:HH11	1:A:108:ARG:HG2	1.58	0.68
1:A:43:GLN:O	1:A:68:LYS:HE3	1.93	0.68
1:A:111:ARG:NH2	1:A:128:GLU:HG2	2.09	0.67
4:D:163:VAL:HG12	4:D:174:ASN:OD1	1.93	0.67
1:A:52:ILE:O	1:A:52:ILE:HD13	1.95	0.66
4:D:116:ILE:N	4:D:116:ILE:HD12	2.10	0.66
4:D:156:VAL:HG12	4:D:158:ILE:HD11	1.78	0.66
4:D:128:ASP:OD2	4:D:134:LYS:HE2	1.95	0.66
1:A:176:LYS:HG2	1:A:180:GLN:NE2	2.11	0.65
1:A:124:ILE:HD11	1:A:133:TRP:HB3	1.79	0.64
4:D:114:PRO:HG2	4:D:163:VAL:CG1	2.28	0.64
2:B:47:GLU:CG	2:B:48:LYS:H	2.09	0.64
4:D:126:LEU:HD21	6:E:2093:HOH:O	1.96	0.64
4:D:157:TYR:C	4:D:158:ILE:HD12	2.17	0.64
1:A:173:GLU:O	1:A:176:LYS:HG3	1.99	0.63
5:E:137:GLN:HG3	6:E:2094:HOH:O	1.99	0.63
1:A:234:ARG:HE	1:A:242:GLN:NE2	1.98	0.62

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:58:LYS:NZ	2:B:58:LYS:HB3	2.15	0.62
4:D:93:ARG:NH2	5:E:93:SER:OG	2.25	0.61
5:E:151:ASP:OD1	5:E:174:PRO:HG2	1.99	0.61
1:A:6:ARG:NH2	1:A:113:TYR:CD1	2.65	0.60
1:A:3:HIS:HD2	1:A:29:ASP:OD2	1.84	0.60
1:A:232:GLU:OE2	2:B:6:LYS:HE3	2.02	0.60
1:A:52:ILE:HD12	1:A:60:TRP:CH2	2.37	0.59
5:E:85:THR:HG23	5:E:110:THR:HA	1.85	0.59
5:E:35:ARG:HG2	5:E:45:ILE:HD11	1.85	0.59
4:D:128:ASP:HB3	4:D:131:SER:O	2.03	0.58
4:D:114:PRO:CG	4:D:163:VAL:HG11	2.31	0.58
5:E:45:ILE:N	5:E:45:ILE:HD12	2.19	0.58
4:D:30:ILE:C	4:D:95:THR:HG23	2.24	0.58
4:D:44:LEU:HD11	5:E:42:LEU:HD11	1.86	0.58
4:D:2:GLN:HG3	6:D:2015:HOH:O	2.04	0.57
5:E:18:MET:HG2	5:E:19:THR:N	2.20	0.57
1:A:117:ALA:HB2	2:B:60:TRP:CE2	2.40	0.56
1:A:28:VAL:HG11	1:A:179:LEU:HD13	1.88	0.56
1:A:68:LYS:CD	5:E:53:ILE:HG12	2.33	0.56
4:D:126:LEU:HD22	5:E:127:GLU:O	2.06	0.55
5:E:125:VAL:HG23	5:E:235:ALA:HB3	1.89	0.55
4:D:18:ASN:ND2	4:D:79:ALA:H	2.04	0.55
1:A:162:GLY:O	1:A:166:GLU:HG3	2.07	0.55
1:A:191:HIS:HE1	1:A:254:GLU:OE2	1.90	0.55
5:E:120:PRO:HD3	5:E:228:PRO:HB3	1.89	0.54
4:D:195:ILE:O	4:D:195:ILE:HG23	2.07	0.54
2:B:92:ILE:HD12	2:B:92:ILE:N	2.21	0.54
4:D:156:VAL:HG12	4:D:158:ILE:CD1	2.38	0.53
5:E:196:ALA:O	5:E:200:GLN:HG3	2.08	0.53
4:D:18:ASN:HD22	4:D:78:ALA:HA	1.73	0.53
4:D:55:ARG:HH11	4:D:55:ARG:HG3	1.74	0.53
4:D:158:ILE:N	4:D:158:ILE:HD12	2.23	0.53
1:A:146:LYS:HE2	6:C:2006:HOH:O	2.08	0.53
1:A:52:ILE:HD12	1:A:60:TRP:CZ2	2.43	0.52
1:A:219:ARG:O	1:A:222:GLU:HG2	2.09	0.52
1:A:82:ARG:CZ	1:A:89:GLU:HG3	2.39	0.52
4:D:196:ILE:HG23	4:D:197:PRO:CD	2.37	0.52
5:E:181:LEU:N	5:E:181:LEU:HD12	2.25	0.52
4:D:131:SER:C	4:D:133:ASP:N	2.63	0.51
1:A:74:HIS:CE1	1:A:97:ARG:HE	2.28	0.51
1:A:108:ARG:NH1	1:A:108:ARG:HG2	2.25	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:255:GLN:HB2	6:A:2143:HOH:O	2.11	0.51
1:A:144:LYS:O	1:A:148:GLU:HG3	2.11	0.50
2:B:47:GLU:OE1	2:B:48:LYS:HE2	2.12	0.50
5:E:24:GLN:OE1	5:E:27:ASN:N	2.44	0.50
2:B:51:HIS:HD2	2:B:52:SER:O	1.94	0.50
4:D:152:LYS:HD3	4:D:152:LYS:C	2.32	0.50
1:A:96:GLN:OE1	2:B:31:HIS:HE1	1.95	0.50
5:E:114:ASP:OD1	5:E:116:LYS:HG2	2.13	0.49
1:A:128:GLU:HG3	6:A:2091:HOH:O	2.12	0.49
5:E:76:ARG:NE	5:E:78:LEU:HD23	2.28	0.49
1:A:202:ARG:HD2	2:B:99:MET:OXT	2.12	0.48
4:D:25:PHE:CE1	4:D:71:GLY:HA2	2.48	0.48
2:B:58:LYS:HZ2	2:B:58:LYS:HB3	1.78	0.48
4:D:151:SER:HB2	4:D:158:ILE:CD1	2.44	0.48
2:B:85:VAL:HG13	6:B:2024:HOH:O	2.14	0.48
4:D:160:ASP:HB2	6:D:2120:HOH:O	2.13	0.48
4:D:50:ILE:HD13	4:D:66:LEU:CB	2.44	0.48
5:E:43:ARG:O	5:E:45:ILE:HD12	2.14	0.47
2:B:1:ILE:HD12	2:B:1:ILE:N	2.29	0.47
2:B:97:ARG:HD2	2:B:98:ASP:N	2.29	0.47
4:D:161:LYS:HE3	6:D:2131:HOH:O	2.15	0.47
5:E:9:PHE:CE1	5:E:108:ARG:HD3	2.49	0.47
2:B:25:CYS:HB2	2:B:39:LEU:HD21	1.97	0.47
4:D:50:ILE:HD13	4:D:66:LEU:HB2	1.97	0.47
5:E:87:VAL:HG22	5:E:108:ARG:HG2	1.96	0.47
1:A:52:ILE:HD11	1:A:59:TYR:CE2	2.50	0.46
1:A:17:ARG:NE	6:A:2010:HOH:O	2.48	0.46
5:E:181:LEU:N	5:E:181:LEU:CD1	2.79	0.46
5:E:19:THR:HG22	5:E:76:ARG:HB2	1.98	0.46
1:A:169:ARG:O	1:A:173:GLU:HG3	2.16	0.46
1:A:124:ILE:HD12	1:A:134:THR:C	2.37	0.46
2:B:19:LYS:O	2:B:72:PRO:HD2	2.16	0.45
5:E:8:LYS:NZ	5:E:105:GLU:HG2	2.30	0.45
4:D:102:PRO:HG2	5:E:101:LEU:HD11	1.98	0.45
2:B:97:ARG:HH11	2:B:97:ARG:HG3	1.82	0.45
4:D:49:LEU:HD13	4:D:49:LEU:C	2.37	0.45
2:B:21:ASN:HB3	2:B:70:PHE:CE1	2.52	0.45
4:D:37:ARG:HG2	4:D:47:LEU:HD21	1.98	0.45
5:E:160:ASN:HD21	5:E:204:ASN:ND2	2.14	0.45
1:A:6:ARG:HG3	6:A:2015:HOH:O	2.16	0.44
4:D:19:LEU:HG	4:D:77:ILE:HB	1.99	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:85:SER:O	4:D:86:ALA:HB2	2.17	0.44
4:D:102:PRO:CG	5:E:101:LEU:HD11	2.47	0.44
2:B:47:GLU:CG	2:B:48:LYS:N	2.78	0.44
4:D:18:ASN:HD22	4:D:79:ALA:H	1.63	0.44
4:D:101:ILE:HD11	5:E:47:TYR:CE1	2.52	0.44
5:E:209:GLN:HG3	5:E:232:ILE:CG2	2.47	0.44
2:B:0:MET:HG2	2:B:1:ILE:N	2.33	0.43
2:B:9:VAL:HG13	2:B:9:VAL:O	2.16	0.43
4:D:159:THR:HG21	5:E:189:SER:OG	2.18	0.43
1:A:19:GLU:OE1	1:A:19:GLU:N	2.51	0.43
1:A:273:ARG:O	1:A:275:GLU:HG3	2.18	0.43
5:E:221:TRP:O	5:E:222:THR:C	2.57	0.43
2:B:96:ASP:O	2:B:99:MET:HG2	2.17	0.43
4:D:55:ARG:NH1	4:D:55:ARG:HG3	2.32	0.43
4:D:151:SER:HB2	4:D:158:ILE:HD11	2.01	0.43
4:D:126:LEU:HD22	5:E:128:PRO:HA	1.99	0.43
4:D:131:SER:O	4:D:133:ASP:N	2.52	0.43
1:A:188:HIS:HD2	6:A:2112:HOH:O	2.02	0.43
4:D:44:LEU:HD12	5:E:103:PHE:CE2	2.54	0.43
1:A:95:VAL:HG11	1:A:116:TYR:OH	2.19	0.42
2:B:47:GLU:HG3	2:B:48:LYS:N	2.18	0.42
4:D:127:ARG:HD3	4:D:132:SER:HB3	2.02	0.42
1:A:45:MET:CE	3:C:2:LEU:HD11	2.49	0.42
4:D:39:ASP:OD1	4:D:86:ALA:HB2	2.20	0.42
5:E:197:THR:HG23	6:E:2135:HOH:O	2.19	0.42
4:D:101:ILE:HA	4:D:102:PRO:HD3	1.91	0.42
4:D:50:ILE:O	4:D:50:ILE:HG23	2.20	0.42
5:E:19:THR:HG23	6:E:2014:HOH:O	2.20	0.41
5:E:160:ASN:HD21	5:E:204:ASN:HD22	1.66	0.41
3:C:6:ILE:H	3:C:6:ILE:HD12	1.84	0.41
5:E:53:ILE:HD12	5:E:53:ILE:N	2.34	0.41
5:E:51:ALA:HA	5:E:67:ARG:HG3	2.01	0.41
4:D:152:LYS:HD3	4:D:153:ASP:N	2.34	0.41
5:E:119:PHE:CE2	5:E:185:ARG:NH2	2.89	0.41
5:E:4:THR:HG23	6:E:2002:HOH:O	2.21	0.41
1:A:11:SER:OG	1:A:95:VAL:HB	2.21	0.41
5:E:9:PHE:HE1	5:E:108:ARG:HD3	1.85	0.41
1:A:129:ASP:O	1:A:131:ARG:HG3	2.21	0.41
4:D:113:HIS:HA	4:D:114:PRO:HD3	1.93	0.41
4:D:136:VAL:CG2	5:E:142:VAL:HG21	2.44	0.41
4:D:42:LYS:CG	4:D:43:GLY:H	2.19	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:155:GLN:HE22	4:D:53:SER:H	1.69	0.40
4:D:20:VAL:HG13	4:D:74:THR:CG2	2.51	0.40
1:A:141:GLN:HE21	1:A:141:GLN:HB3	1.70	0.40
5:E:51:ALA:O	5:E:53:ILE:HD12	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	274/276 (99%)	266 (97%)	7 (3%)	1 (0%)	38	20
2	B	98/100 (98%)	94 (96%)	3 (3%)	1 (1%)	18	4
3	C	7/9 (78%)	7 (100%)	0	0	100	100
4	D	201/203 (99%)	193 (96%)	7 (4%)	1 (0%)	32	15
5	E	239/241 (99%)	230 (96%)	8 (3%)	1 (0%)	38	20
All	All	819/829 (99%)	790 (96%)	25 (3%)	4 (0%)	32	15

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	47	GLU
5	E	224	ASP
1	A	195	SER
4	D	132	SER

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	232/232 (100%)	227 (98%)	5 (2%)	57	38
2	B	95/95 (100%)	90 (95%)	5 (5%)	26	9
3	C	9/9 (100%)	8 (89%)	1 (11%)	7	1
4	D	179/179 (100%)	176 (98%)	3 (2%)	66	50
5	E	208/208 (100%)	205 (99%)	3 (1%)	71	58
All	All	723/723 (100%)	706 (98%)	17 (2%)	54	35

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	ARG
1	A	52	ILE
1	A	58	GLU
1	A	207	SER
1	A	255	GLN
2	B	0	MET
2	B	48	LYS
2	B	70	PHE
2	B	83	ASN
2	B	97	ARG
3	C	6	ILE
4	D	117	GLN
4	D	146	THR
4	D	152	LYS
5	E	24	GLN
5	E	53	ILE
5	E	191	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	HIS
1	A	43	GLN
1	A	141	GLN
1	A	155	GLN
1	A	174	ASN
1	A	180	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	188	HIS
1	A	191	HIS
1	A	242	GLN
1	A	253	GLN
2	B	31	HIS
2	B	51	HIS
2	B	83	ASN
3	C	8	GLN
4	D	18	ASN
4	D	38	GLN
4	D	192	ASN
5	E	36	GLN
5	E	56	GLN
5	E	61	ASN
5	E	152	HIS
5	E	204	ASN
5	E	231	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	276/276 (100%)	0.39	18 (6%) 20 23	17, 29, 48, 64	1 (0%)
2	B	100/100 (100%)	0.95	16 (16%) 2 2	20, 37, 57, 66	0
3	C	9/9 (100%)	0.15	0 100 100	21, 24, 27, 29	0
4	D	203/203 (100%)	0.53	15 (7%) 15 18	19, 31, 43, 56	0
5	E	241/241 (100%)	0.34	11 (4%) 33 38	20, 28, 42, 62	0
All	All	829/829 (100%)	0.47	60 (7%) 16 19	17, 30, 49, 66	1 (0%)

All (60) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	1	ILE	9.4
2	B	98	ASP	6.6
5	E	222	THR	6.5
4	D	132	SER	6.4
1	A	276	PRO	5.4
5	E	224	ASP	5.2
2	B	0	MET	5.1
1	A	196	ASP	4.6
1	A	195	SER	4.5
1	A	226	GLN	4.4
1	A	275	GLU	4.2
1	A	197	HIS	3.9
4	D	133	ASP	3.9
1	A	267	PRO	3.9
5	E	218	ASN	3.8
2	B	47	GLU	3.7
4	D	117	GLN	3.6
2	B	89	GLN	3.6
1	A	268	LYS	3.5
5	E	33	TRP	3.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
5	E	217	GLU	3.4
4	D	69	SER	3.4
1	A	220	ASP	3.4
4	D	42	LYS	3.3
4	D	167	ARG	3.3
5	E	76	ARG	3.3
1	A	138	MET	3.2
4	D	55	ARG	3.1
2	B	69	GLU	3.1
4	D	40	PRO	3.0
4	D	195	ILE	3.0
4	D	181	ASN	2.9
5	E	182	ASN	2.9
2	B	88	SER	2.8
1	A	108	ARG	2.8
2	B	80	CYS	2.7
1	A	113	TYR	2.6
5	E	223	GLN	2.6
5	E	242	ASP	2.6
2	B	27	VAL	2.5
1	A	177	GLU	2.4
1	A	252	GLY	2.4
1	A	222	GLU	2.4
1	A	52	ILE	2.4
2	B	30	PHE	2.4
1	A	225	THR	2.4
2	B	74	GLU	2.4
5	E	53	ILE	2.3
4	D	72	ARG	2.3
2	B	77	GLU	2.3
2	B	48	LYS	2.3
4	D	131	SER	2.2
2	B	23	LEU	2.2
4	D	184	ASP	2.2
2	B	19	LYS	2.2
5	E	45	ILE	2.2
4	D	152	LYS	2.1
1	A	176	LYS	2.0
4	D	198	GLU	2.0
2	B	34	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.