



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 11:50 am GMT

PDB ID : 5BUR  
Title : O-succinylbenzoate Coenzyme A Synthetase (MenE) from Bacillus Subtilis, in Complex with ATP and Magnesium Ion  
Authors : Chen, Y.; Sun, Y.; Song, H.; Guo, Z.  
Deposited on : 2015-06-04  
Resolution : 2.82 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : trunk28620  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.82 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	2917 (2.84-2.80)
Clashscore	112137	3382 (2.84-2.80)
Ramachandran outliers	110173	3324 (2.84-2.80)
Sidechain outliers	110143	3326 (2.84-2.80)
RSRZ outliers	101464	2948 (2.84-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	494	<div> <div style="width: 100%; height: 10px; position: relative;"> <div style="position: absolute; top: -10px; left: 0; width: 100%;"></div> <div style="position: absolute; top: 10px; left: 0; width: 100%;"></div> <div style="position: absolute; left: 0; top: 0; width: 100%; height: 100%; background: linear-gradient(to right, red 0%, orange 15%, yellow 15%, green 80%, grey 80%);"></div> <div style="position: absolute; left: 0; top: 0; width: 100%; height: 100%; background: linear-gradient(to right, red 0%, orange 15%, yellow 15%, green 80%, grey 80%);"></div> </div> <div> <span style="position: absolute; left: 0; top: 0;">%</span> <span style="position: absolute; left: 80%; top: 0;">80%</span> <span style="position: absolute; left: 95%; top: 0;">15%</span> <span style="position: absolute; left: 100%; top: 0;">• •</span> </div> </div>
1	B	494	<div> <div style="width: 100%; height: 10px; position: relative;"> <div style="position: absolute; top: -10px; left: 0; width: 100%;"></div> <div style="position: absolute; top: 10px; left: 0; width: 100%;"></div> <div style="position: absolute; left: 0; top: 0; width: 100%; height: 100%; background: linear-gradient(to right, red 0%, orange 2%, yellow 17%, green 57%, grey 86%);"></div> <div style="position: absolute; left: 0; top: 0; width: 100%; height: 100%; background: linear-gradient(to right, red 0%, orange 2%, yellow 17%, green 57%, grey 86%);"></div> </div> <div> <span style="position: absolute; left: 0; top: 0;">2%</span> <span style="position: absolute; left: 57%; top: 0;">57%</span> <span style="position: absolute; left: 86%; top: 0;">17%</span> <span style="position: absolute; left: 100%; top: 0;">26%</span> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CL	B	502	-	-	-	X
2	CL	B	503	-	-	-	X
6	EDO	A	507	-	-	-	X

## 2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 6269 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 2-succinylbenzoate--CoA ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	475	Total	C	N	O	S	0	1	0
			3514	2241	590	660	23			
1	B	365	Total	C	N	O	S	0	0	0
			2632	1680	439	493	20			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MET	-	initiating methionine	UNP P23971
A	0	GLY	-	expression tag	UNP P23971
A	487	HIS	-	expression tag	UNP P23971
A	488	HIS	-	expression tag	UNP P23971
A	489	HIS	-	expression tag	UNP P23971
A	490	HIS	-	expression tag	UNP P23971
A	491	HIS	-	expression tag	UNP P23971
A	492	HIS	-	expression tag	UNP P23971
B	-1	MET	-	initiating methionine	UNP P23971
B	0	GLY	-	expression tag	UNP P23971
B	487	HIS	-	expression tag	UNP P23971
B	488	HIS	-	expression tag	UNP P23971
B	489	HIS	-	expression tag	UNP P23971
B	490	HIS	-	expression tag	UNP P23971
B	491	HIS	-	expression tag	UNP P23971
B	492	HIS	-	expression tag	UNP P23971

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	3	Total	Cl	0	0
			3	3		
2	A	3	Total	Cl	0	0
			3	3		

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Mg	0	0
			1	1		

- Molecule 5 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula:  $C_{10}H_{16}N_5O_{13}P_3$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total 31	C 10	N 5	O 13	P 3	0	0
5	B	1	Total 31	C 10	N 5	O 13	P 3	0	0

- Molecule 6 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula:  $\text{C}_2\text{H}_6\text{O}_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	2	2		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	29	Total 29	O 29	0	0
7	B	15	Total 15	O 15	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: 2-succinylbenzoate--CoA ligase



#### • Molecule 1: 2-succinylbenzoate--CoA ligase





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 43	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	121.83Å 121.83Å 97.80Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	36.39 – 2.82 36.39 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.8 (36.39-2.82) 99.7 (36.39-2.50)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	0.09	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.72 (at 2.51Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.9_1692)	Depositor
R, $R_{free}$	0.204 , 0.252 0.211 , 0.258	Depositor DCC
$R_{free}$ test set	1402 reflections (4.06%)	DCC
Wilson B-factor (Å <sup>2</sup> )	69.2	Xtriage
Anisotropy	0.212	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.28 , 53.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.028 for h,-k,-l	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	6269	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	70.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.24% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MG, EDO, ATP, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.50	0/3585	0.63	2/4877 (0.0%)
1	B	0.55	1/2677 (0.0%)	0.63	2/3636 (0.1%)
All	All	0.52	1/6262 (0.0%)	0.63	4/8513 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	254	PRO	N-CD	5.25	1.55	1.47

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	47	ALA	N-CA-C	-5.99	94.83	111.00
1	A	454	ILE	C-N-CD	5.96	140.91	128.40
1	B	253	CYS	C-N-CD	5.59	140.13	128.40
1	A	389	SER	N-CA-C	-5.37	96.51	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	389	SER	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3514	0	3314	59	0
1	B	2632	0	2362	108	0
2	A	3	0	0	0	0
2	B	3	0	0	0	0
3	A	6	0	8	0	0
4	A	1	0	0	0	0
5	A	31	0	12	5	0
5	B	31	0	12	7	0
6	A	4	0	6	0	0
7	A	29	0	0	1	0
7	B	15	0	0	1	0
All	All	6269	0	5714	166	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (166) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:23:ILE:HD11	1:B:214:VAL:HG22	1.21	1.16
1:B:23:ILE:HD11	1:B:214:VAL:CG2	1.76	1.15
1:B:152:THR:CB	5:B:504:ATP:O3G	1.95	1.15
1:B:23:ILE:CD1	1:B:214:VAL:HG13	1.75	1.15
1:B:344:MET:CE	1:B:346:SER:C	2.15	1.14
1:A:392:GLU:CB	1:A:393:ASN:HA	1.75	1.13
1:B:152:THR:HB	5:B:504:ATP:O3G	1.53	1.08
1:B:306:LYS:CB	1:B:309:SER:CB	2.34	1.06
1:B:152:THR:OG1	5:B:504:ATP:O3G	1.77	1.02
1:B:274:GLU:HA	1:B:275:CYS:C	1.78	1.01
1:B:274:GLU:HA	1:B:275:CYS:O	1.62	1.00
1:B:23:ILE:HD11	1:B:214:VAL:HG13	1.45	0.98

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:23:ILE:HD11	1:B:214:VAL:CG1	1.93	0.98
1:B:23:ILE:CD1	1:B:214:VAL:HG22	1.93	0.97
1:A:455:PRO:HB2	1:A:458:PHE:HE1	1.32	0.93
1:B:274:GLU:CA	1:B:275:CYS:C	2.37	0.93
1:B:344:MET:HE1	1:B:346:SER:C	1.89	0.92
1:A:440:GLU:HA	1:A:442:THR:H	1.36	0.91
1:A:386:LEU:HD11	1:A:393:ASN:HB3	1.58	0.85
1:B:23:ILE:HD11	1:B:214:VAL:CB	2.07	0.84
1:A:455:PRO:HB2	1:A:458:PHE:CE1	2.13	0.82
1:B:87:LEU:O	1:B:92:ARG:NH2	2.13	0.81
1:A:392:GLU:CB	1:A:393:ASN:CA	2.57	0.81
1:B:23:ILE:HD12	1:B:214:VAL:HG13	1.63	0.80
1:B:353:ALA:O	1:B:357:SER:OG	1.98	0.79
1:B:344:MET:CE	1:B:347:TYR:N	2.45	0.79
1:B:45:LEU:O	1:B:47:ALA:O	2.01	0.78
1:B:93:LEU:HD22	1:B:118:ILE:HD11	1.66	0.78
1:A:410:ALA:HB2	1:A:433:HIS:HD2	1.46	0.78
1:B:23:ILE:CG1	1:B:214:VAL:HA	2.16	0.75
1:A:84:ASN:HB3	1:A:87:LEU:HG	1.68	0.75
1:A:440:GLU:HA	1:A:442:THR:N	2.03	0.74
1:B:92:ARG:NH1	1:B:115:TYR:OH	2.21	0.74
1:A:152:THR:OG1	5:A:506:ATP:O3G	2.06	0.73
1:B:23:ILE:HG13	1:B:214:VAL:HA	1.69	0.72
1:B:274:GLU:CB	1:B:275:CYS:C	2.57	0.72
1:B:344:MET:HE3	1:B:346:SER:C	2.10	0.71
1:B:248:GLU:HA	1:B:249:GLU:CB	2.21	0.70
1:A:187:ARG:HG2	1:A:212:THR:HB	1.74	0.70
1:B:344:MET:HE1	1:B:346:SER:O	1.93	0.69
1:B:45:LEU:C	1:B:47:ALA:O	2.30	0.69
5:A:506:ATP:O2B	7:A:601:HOH:O	2.09	0.69
1:B:344:MET:HE1	1:B:347:TYR:N	2.07	0.68
1:B:8:TRP:CE2	1:B:141:MET:HE1	2.30	0.67
1:B:93:LEU:HD23	1:B:118:ILE:HD12	1.77	0.67
1:B:344:MET:HE2	1:B:347:TYR:N	2.11	0.66
1:B:344:MET:HE2	1:B:346:SER:C	2.14	0.66
1:B:328:CYS:HB3	1:B:332:GLU:HG3	1.76	0.66
1:A:439:GLY:HA3	1:A:442:THR:N	2.10	0.66
1:A:247:LEU:O	1:A:278:LYS:NZ	2.30	0.65
1:B:47:ALA:O	1:B:48:HIS:HB2	1.97	0.65
1:B:93:LEU:HD22	1:B:118:ILE:CD1	2.26	0.65
1:B:183:THR:HG22	1:B:185:GLN:H	1.62	0.64

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:367:ASP:OD2	5:B:504:ATP:O2'	2.13	0.63
1:A:437:SER:OG	1:A:440:GLU:O	2.11	0.63
1:A:410:ALA:HB2	1:A:433:HIS:CD2	2.31	0.63
1:A:4:GLU:OE1	1:B:339:LYS:NZ	2.31	0.63
1:B:344:MET:CE	1:B:346:SER:O	2.45	0.63
1:A:445:CYS:HB3	1:A:454:ILE:HG23	1.81	0.63
1:B:330:PRO:O	1:B:331:TYR:HB2	1.99	0.61
1:B:274:GLU:CA	1:B:275:CYS:O	2.41	0.61
1:B:93:LEU:CD2	1:B:118:ILE:CD1	2.79	0.61
1:B:23:ILE:HG13	1:B:23:ILE:O	2.01	0.61
1:B:58:ILE:HB	1:B:82:LEU:HD23	1.84	0.59
1:B:23:ILE:CD1	1:B:214:VAL:CG1	2.55	0.59
1:B:253:CYS:SG	1:B:257:ILE:HB	2.42	0.59
1:B:349:ASN:O	1:B:350:ARG:HD3	2.02	0.59
1:B:93:LEU:CD2	1:B:118:ILE:HD12	2.32	0.59
1:B:315:PHE:O	1:B:316:SER:CB	2.51	0.58
1:B:344:MET:CE	1:B:346:SER:CA	2.81	0.58
1:A:121:THR:O	1:A:122:ILE:HG13	2.05	0.57
1:B:344:MET:HE3	1:B:346:SER:N	2.20	0.57
1:B:7:ASN:HA	1:B:141:MET:HG3	1.87	0.57
1:A:388:ILE:HA	1:A:392:GLU:CB	2.35	0.57
1:B:306:LYS:CB	1:B:309:SER:CA	2.81	0.56
1:B:336:ILE:O	1:B:365:THR:HG22	2.05	0.56
1:A:439:GLY:HA2	1:A:440:GLU:C	2.26	0.56
1:B:326:GLN:HG3	1:B:327:VAL:H	1.71	0.56
1:B:23:ILE:CG1	1:B:214:VAL:HG13	2.34	0.55
1:A:406:HIS:NE2	1:A:441:LEU:CB	2.69	0.55
1:B:274:GLU:HA	1:B:275:CYS:CB	2.35	0.55
1:B:248:GLU:CA	1:B:249:GLU:CB	2.85	0.54
1:B:275:CYS:N	1:B:276:ARG:HA	2.23	0.54
1:B:8:TRP:CZ2	1:B:141:MET:HE1	2.42	0.54
1:B:288:MET:HB2	5:B:504:ATP:H5'1	1.89	0.53
1:A:152:THR:CB	5:A:506:ATP:O3G	2.57	0.53
1:A:106:THR:OG1	1:A:107:ASP:N	2.41	0.53
1:B:344:MET:HG3	1:B:344:MET:O	2.07	0.53
1:B:79:LYS:HD3	1:B:146:THR:HB	1.91	0.52
1:B:74:PHE:HE2	1:B:204:PHE:HE1	1.57	0.52
1:B:344:MET:HE3	1:B:346:SER:CA	2.39	0.52
1:A:19:ARG:NH2	1:A:184:GLU:HG2	2.24	0.52
1:B:306:LYS:CB	1:B:309:SER:HA	2.38	0.52
1:A:140:TYR:OH	1:B:318:GLU:OE1	2.14	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:328:CYS:HB3	1:B:332:GLU:CG	2.39	0.51
1:B:325:GLY:N	1:B:326:GLN:OE1	2.44	0.51
1:A:25:GLU:OE2	1:A:25:GLU:HA	2.10	0.51
1:A:466:ARG:HD3	1:A:470:ASN:O	2.11	0.51
1:B:274:GLU:CB	1:B:275:CYS:O	2.59	0.51
1:B:81:VAL:HG22	1:B:149:LEU:HB3	1.94	0.49
1:B:274:GLU:CB	1:B:276:ARG:N	2.75	0.49
1:A:455:PRO:CB	1:A:458:PHE:HE1	2.16	0.49
1:B:297:THR:O	1:B:311:GLY:HA3	2.13	0.49
1:B:59:LEU:HD12	1:B:85:THR:HG22	1.95	0.49
1:A:309:SER:HB2	1:A:378:TYR:CE2	2.48	0.48
1:B:133:GLU:O	1:B:135:ILE:N	2.46	0.48
1:B:344:MET:HE1	1:B:347:TYR:CA	2.43	0.48
1:B:189:LEU:HD22	1:B:236:ILE:HD13	1.95	0.48
1:A:187:ARG:NH1	1:A:231:HIS:O	2.39	0.48
1:B:277:GLU:O	1:B:279:GLY:HA2	2.14	0.48
1:B:332:GLU:HG3	1:B:332:GLU:O	2.12	0.48
1:B:192:LEU:HD21	1:B:242:MET:SD	2.54	0.48
1:B:344:MET:HE1	1:B:347:TYR:HA	1.96	0.48
1:A:197:ILE:HG12	1:A:292:CYS:HA	1.96	0.47
1:B:350:ARG:HB3	1:B:353:ALA:HB3	1.95	0.47
1:A:285:SER:O	5:A:506:ATP:N6	2.45	0.47
1:A:136:GLU:CD	1:A:137:ILE:HA	2.35	0.47
1:A:440:GLU:CA	1:A:442:THR:H	2.19	0.46
1:B:253:CYS:HB3	1:B:279:GLY:O	2.15	0.46
1:A:193:PRO:HG2	1:A:196:HIS:ND1	2.32	0.45
1:A:62:ASN:O	1:A:217:GLN:HG3	2.16	0.45
5:B:504:ATP:H5'2	5:B:504:ATP:H8	1.82	0.45
1:A:182:ILE:HG13	1:B:181:GLY:HA2	1.99	0.45
1:B:336:ILE:HB	1:B:365:THR:HG21	1.98	0.45
1:A:62:ASN:HB2	1:A:217:GLN:HA	1.99	0.44
1:A:404:LEU:O	1:A:405:SER:OG	2.29	0.44
1:B:74:PHE:CE2	1:B:204:PHE:HE1	2.34	0.44
1:A:406:HIS:HB3	1:A:408:ALA:N	2.32	0.44
1:A:439:GLY:CA	1:A:440:GLU:C	2.85	0.44
1:B:294:GLN:CD	1:B:294:GLN:H	2.21	0.44
1:A:253:CYS:HB2	1:A:280:PHE:CD1	2.53	0.44
1:B:318:GLU:HB2	1:B:339:LYS:HB3	2.00	0.44
1:B:4:GLU:N	7:B:603:HOH:O	2.35	0.44
1:B:358:PHE:CE1	1:B:363:LEU:HD13	2.53	0.44
1:B:62:ASN:HB2	1:B:217:GLN:HA	1.98	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:337:MET:HE2	1:A:364:LYS:HG2	2.00	0.43
1:B:149:LEU:HD12	1:B:162:VAL:O	2.18	0.43
1:B:62:ASN:O	1:B:217:GLN:HG2	2.17	0.43
1:B:162:VAL:HG13	1:B:344:MET:SD	2.59	0.43
1:A:295:ILE:HG23	1:A:296:VAL:HG23	2.00	0.43
1:A:24:TYR:O	1:A:25:GLU:HB2	2.17	0.43
1:A:292:CYS:O	1:A:293:SER:OG	2.30	0.43
1:B:367:ASP:CG	5:B:504:ATP:O2'	2.57	0.43
1:A:406:HIS:N	1:A:407:PRO:HA	2.33	0.43
1:B:365:THR:HG23	1:B:367:ASP:N	2.34	0.43
1:A:464:LEU:O	1:A:466:ARG:HG3	2.19	0.42
1:B:220:SER:O	1:B:224:VAL:HB	2.19	0.42
1:B:9:LEU:HD21	1:B:35:PHE:HA	2.01	0.42
1:A:136:GLU:HA	1:A:137:ILE:HA	1.68	0.42
1:A:74:PHE:HE2	1:A:204:PHE:HE1	1.68	0.42
1:A:114:GLU:O	1:A:117:HIS:HE1	2.03	0.42
1:A:59:LEU:HD12	1:A:85:THR:HG22	2.02	0.42
1:B:315:PHE:O	1:B:316:SER:HB2	2.20	0.41
1:A:400:GLU:O	1:A:404:LEU:HD13	2.20	0.41
1:B:118:ILE:HD13	1:B:118:ILE:HG21	1.85	0.41
1:A:152:THR:HB	5:A:506:ATP:O3G	2.20	0.41
1:B:59:LEU:HD13	1:B:92:ARG:HD3	2.02	0.41
1:B:318:GLU:OE2	1:B:339:LYS:HD3	2.21	0.41
1:A:79:LYS:HE3	1:A:146:THR:HB	2.03	0.41
1:B:288:MET:HG3	1:B:290:GLU:H	1.86	0.41
1:A:188:TRP:CZ3	1:A:235:MET:HE2	2.57	0.40
1:A:321:ILE:HD12	1:A:370:TYR:HA	2.02	0.40
1:B:158:LYS:HA	1:B:159:PRO:HD2	1.88	0.40
1:B:347:TYR:HB2	1:B:350:ARG:HB2	2.03	0.40
1:A:269:LEU:O	1:A:273:GLU:HG3	2.21	0.40
1:A:472:LEU:HD22	1:A:474:ARG:HG3	2.02	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	472/494 (96%)	438 (93%)	32 (7%)	2 (0%)	38	70
1	B	351/494 (71%)	324 (92%)	26 (7%)	1 (0%)	44	76
All	All	823/988 (83%)	762 (93%)	58 (7%)	3 (0%)	38	70

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	293	SER
1	B	293	SER
1	A	465	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	347/421 (82%)	346 (100%)	1 (0%)	94	98
1	B	240/421 (57%)	240 (100%)	0	100	100
All	All	587/842 (70%)	586 (100%)	1 (0%)	94	98

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	321	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	433	HIS



### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 7 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	GOL	A	504	-	5,5,5	0.29	0	5,5,5	0.31	0
5	ATP	A	506	4	27,33,33	1.34	2 (7%)	25,52,52	1.82	4 (16%)
6	EDO	A	507	-	3,3,3	0.37	0	2,2,2	0.22	0
5	ATP	B	504	-	27,33,33	0.99	1 (3%)	25,52,52	1.76	3 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	504	-	-	0/4/4/4	0/0/0/0
5	ATP	A	506	4	-	0/18/38/38	0/3/3/3
6	EDO	A	507	-	-	0/1/1/1	0/0/0/0
5	ATP	B	504	-	-	0/18/38/38	0/3/3/3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	506	ATP	C2'-C1'	-3.05	1.48	1.53
5	A	506	ATP	C5-N7	-2.28	1.31	1.39
5	B	504	ATP	C5-C4	2.49	1.46	1.40

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	506	ATP	N3-C2-N1	-6.19	123.47	128.86
5	B	504	ATP	N3-C2-N1	-5.78	123.82	128.86
5	A	506	ATP	C4-C5-N7	-2.97	106.55	109.41
5	B	504	ATP	C4-C5-N7	-2.80	106.71	109.41
5	A	506	ATP	O3G-PG-O2G	2.08	115.99	107.61
5	A	506	ATP	C4'-O4'-C1'	2.80	112.75	109.77
5	B	504	ATP	C4'-O4'-C1'	3.20	113.17	109.77

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	506	ATP	5	0
5	B	504	ATP	7	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	475/494 (96%)	-0.42	6 (1%) 77 71	41, 68, 99, 115	0
1	B	365/494 (73%)	-0.20	8 (2%) 62 52	46, 72, 108, 132	0
All	All	840/988 (85%)	-0.33	14 (1%) 70 63	41, 69, 102, 132	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	456	ALA	2.8
1	A	419	ASP	2.7
1	A	464	LEU	2.6
1	B	320	LYS	2.6
1	B	253	CYS	2.5
1	B	371	LEU	2.5
1	B	222	SER	2.4
1	B	275	CYS	2.3
1	A	388	ILE	2.3
1	B	172	SER	2.2
1	A	477	LEU	2.2
1	B	272	LEU	2.1
1	B	270	PRO	2.1
1	A	459	PHE	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
6	EDO	A	507	4/4	0.82	0.31	3.40	58,70,70,79	0
2	CL	B	502	1/1	0.65	0.28	2.75	93,93,93,93	0
2	CL	B	503	1/1	0.82	0.33	2.71	96,96,96,96	0
5	ATP	A	506	31/31	0.96	0.18	0.94	46,58,73,75	0
2	CL	A	502	1/1	0.94	0.21	0.20	80,80,80,80	0
5	ATP	B	504	31/31	0.90	0.13	-0.49	90,108,118,122	0
2	CL	B	501	1/1	0.93	0.09	-	74,74,74,74	0
3	GOL	A	504	6/6	0.91	0.08	-	86,91,92,94	0
2	CL	A	503	1/1	0.63	0.09	-	100,100,100,100	0
4	MG	A	505	1/1	0.96	0.22	-	64,64,64,64	0
2	CL	A	501	1/1	0.80	0.11	-	88,88,88,88	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.