



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 11:11 pm GMT

PDB ID : 1C1D  
Title : L-PHENYLALANINE DEHYDROGENASE STRUCTURE IN TERNARY  
COMPLEX WITH NADH AND L-PHENYLALANINE  
Authors : Vanhooke, J.L.; Thoden, J.B.  
Deposited on : 1999-07-21  
Resolution : 1.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	1781 (1.30-1.22)
Ramachandran outliers	110173	1716 (1.30-1.22)
Sidechain outliers	110143	1714 (1.30-1.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	355	
2	B	355	

## 2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 6119 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called L-PHENYLALANINE DEHYDROGENASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	349	Total	C	N	O	S	0	5	0
			2530	1562	448	508	12			


- Molecule 2 is a protein called L-PHENYLALANINE DEHYDROGENASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	348	Total	C	N	O	S	0	9	0
			2534	1565	447	510	12			

- Molecule 3 is POTASSIUM ION (three-letter code: K) (formula: K).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	2	Total	K	0	0
			2	2		
3	A	2	Total	K	0	0
			2	2		

- Molecule 4 is PHENYLALANINE (three-letter code: PHE) (formula: C<sub>9</sub>H<sub>11</sub>NO<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			12	9	1	2		
4	B	1	Total	C	N	O	0	0
			12	9	1	2		

- Molecule 5 is 1,4-DIHYDRONICOTINAMIDE ADENINE DINUCLEOTIDE (three-letter code: NAI) (formula: C<sub>21</sub>H<sub>29</sub>N<sub>7</sub>O<sub>14</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 6 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	2	Total	Na	0	0
			2	2		

- Molecule 7 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 8 is ISOPROPYL ALCOHOL (three-letter code: IPA) (formula: C<sub>3</sub>H<sub>8</sub>O).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	C	O	0	0
			4	3	1		

- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	448	Total	O	0	0
			448	448		
9	B	480	Total	O	0	0
			480	480		



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	64.80Å 110.60Å 113.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 1.25	Depositor
% Data completeness (in resolution range)	96.0 (30.00-1.25)	Depositor
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	TNT V. 5-E	Depositor
R, $R_{free}$	0.193 , 0.238	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6119	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	20.0	wwPDB-VP



## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: NAI, NA, K, IPA, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.96	13/2590 (0.5%)	1.42	37/3527 (1.0%)
2	B	0.97	11/2610 (0.4%)	1.45	37/3554 (1.0%)
All	All	0.96	24/5200 (0.5%)	1.43	74/7081 (1.0%)

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	104	GLU	CD-OE2	7.91	1.34	1.25
1	A	104	GLU	CD-OE2	7.46	1.33	1.25
2	B	305	GLU	CD-OE2	6.82	1.33	1.25
1	A	324	GLU	CD-OE2	6.67	1.32	1.25
1	A	299	GLU	CD-OE2	6.36	1.32	1.25
2	B	310	GLU	CD-OE2	6.09	1.32	1.25
1	A	142	GLU	CD-OE2	6.05	1.32	1.25
2	B	196	GLU	CD-OE2	6.04	1.32	1.25
1	A	225	GLU	CD-OE2	6.04	1.32	1.25
1	A	11	GLU	CD-OE2	5.83	1.32	1.25
1	A	159	GLU	CD-OE2	5.80	1.32	1.25
1	A	247[A]	GLU	CD-OE2	5.78	1.32	1.25
1	A	247[B]	GLU	CD-OE2	5.78	1.32	1.25
2	B	159	GLU	CD-OE2	5.74	1.31	1.25
2	B	324	GLU	CD-OE2	5.65	1.31	1.25
2	B	268	GLU	CD-OE2	5.59	1.31	1.25
1	A	310	GLU	CD-OE2	5.56	1.31	1.25
2	B	347	GLU	CD-OE2	5.45	1.31	1.25
2	B	142	GLU	CD-OE2	5.34	1.31	1.25
1	A	347[A]	GLU	CD-OE2	5.25	1.31	1.25
1	A	347[B]	GLU	CD-OE2	5.25	1.31	1.25
1	A	209	GLU	CD-OE2	5.18	1.31	1.25
2	B	209	GLU	CD-OE2	5.14	1.31	1.25
2	B	225	GLU	CD-OE2	5.01	1.31	1.25

All (74) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	16	ARG	NE-CZ-NH2	-14.40	113.10	120.30
2	B	97	ARG	NE-CZ-NH2	-10.81	114.89	120.30
2	B	267	ASP	CB-CG-OD1	10.63	127.86	118.30
2	B	267	ASP	CB-CG-OD2	-10.07	109.24	118.30
1	A	168	ARG	NE-CZ-NH2	-9.93	115.33	120.30
2	B	205	ASP	CB-CG-OD1	9.90	127.21	118.30
2	B	210	ARG	NE-CZ-NH1	9.86	125.23	120.30
2	B	311	ARG	NE-CZ-NH1	9.79	125.19	120.30
1	A	91	ASP	CB-CG-OD2	-9.47	109.77	118.30
1	A	338	ARG	NE-CZ-NH1	8.86	124.73	120.30
2	B	344	ARG	NE-CZ-NH2	-8.70	115.95	120.30
2	B	97	ARG	NE-CZ-NH1	8.45	124.53	120.30
1	A	317	ASP	CB-CG-OD1	8.32	125.79	118.30
1	A	127	ASP	CB-CG-OD1	8.31	125.78	118.30
1	A	42	ARG	NE-CZ-NH1	8.23	124.42	120.30
1	A	16	ARG	NE-CZ-NH1	8.15	124.38	120.30
1	A	118	ASP	CB-CG-OD1	7.71	125.24	118.30
2	B	272	ASP	CB-CG-OD1	7.60	125.14	118.30
2	B	298	ARG	NE-CZ-NH1	7.58	124.09	120.30
2	B	205	ASP	CB-CG-OD2	-7.54	111.52	118.30
1	A	317	ASP	CB-CG-OD2	-7.53	111.52	118.30
1	A	253	ASP	CB-CG-OD1	7.44	124.99	118.30
1	A	30	ASP	CB-CG-OD2	-7.31	111.72	118.30
2	B	213	HIS	CA-CB-CG	7.19	125.83	113.60
2	B	317	ASP	CB-CG-OD1	7.02	124.62	118.30
2	B	3	ASP	CB-CG-OD2	-6.85	112.13	118.30
1	A	89	SER	N-CA-CB	-6.75	100.37	110.50
2	B	344	ARG	NE-CZ-NH1	6.67	123.64	120.30
1	A	97	ARG	NE-CZ-NH2	-6.64	116.98	120.30
2	B	233	ASP	CB-CG-OD2	-6.58	112.38	118.30
2	B	28	ARG	NE-CZ-NH2	-6.56	117.02	120.30
1	A	51	ASP	CB-CG-OD1	6.54	124.19	118.30
2	B	18	ASP	CB-CG-OD1	6.51	124.16	118.30
2	B	118	ASP	CB-CG-OD1	6.47	124.12	118.30
2	B	9	ASP	CB-CG-OD1	6.44	124.10	118.30
1	A	253	ASP	CB-CG-OD2	-6.42	112.52	118.30
2	B	18	ASP	CB-CG-OD2	-6.38	112.55	118.30
1	A	107	ASP	CB-CG-OD1	6.35	124.01	118.30
2	B	250	ARG	NE-CZ-NH2	-6.32	117.14	120.30
1	A	346	ARG	NE-CZ-NH2	-6.21	117.20	120.30
2	B	165	VAL	CA-CB-CG1	6.08	120.02	110.90
2	B	268	GLU	N-CA-CB	6.06	121.50	110.60

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	338	ARG	NE-CZ-NH2	-5.97	117.31	120.30
2	B	91	ASP	CB-CG-OD2	-5.95	112.94	118.30
2	B	327	ASP	CB-CG-OD1	5.90	123.61	118.30
1	A	74[A]	MET	CG-SD-CE	5.86	109.58	100.20
1	A	74[B]	MET	CG-SD-CE	5.86	109.58	100.20
1	A	210	ARG	NE-CZ-NH1	5.84	123.22	120.30
1	A	334	ASP	CB-CG-OD1	5.84	123.56	118.30
1	A	91	ASP	CB-CG-OD1	5.83	123.55	118.30
2	B	139	ARG	NE-CZ-NH2	-5.79	117.41	120.30
1	A	277	ARG	NE-CZ-NH1	5.68	123.14	120.30
1	A	9	ASP	CB-CG-OD2	-5.60	113.26	118.30
2	B	87	ARG	NE-CZ-NH1	5.59	123.09	120.30
1	A	3	ASP	CB-CG-OD2	-5.50	113.35	118.30
2	B	346	ARG	NE-CZ-NH2	-5.48	117.56	120.30
2	B	334	ASP	CB-CG-OD1	5.47	123.23	118.30
1	A	347[A]	GLU	CB-CA-C	5.45	121.30	110.40
1	A	347[B]	GLU	CB-CA-C	5.45	121.30	110.40
1	A	51	ASP	CB-CG-OD2	-5.44	113.40	118.30
1	A	168	ARG	NE-CZ-NH1	5.43	123.01	120.30
1	A	233	ASP	CB-CG-OD1	5.41	123.17	118.30
2	B	269	ALA	N-CA-CB	5.41	117.67	110.10
2	B	125	ASP	CB-CG-OD2	-5.33	113.51	118.30
2	B	329	ASP	CB-CG-OD2	-5.28	113.55	118.30
2	B	118	ASP	N-CA-CB	5.24	120.02	110.60
1	A	97	ARG	NE-CZ-NH1	5.18	122.89	120.30
2	B	91	ASP	CB-CG-OD1	5.18	122.97	118.30
2	B	329	ASP	CB-CG-OD1	5.15	122.94	118.30
1	A	233	ASP	CB-CG-OD2	-5.09	113.72	118.30
2	B	311	ARG	NE-CZ-NH2	-5.08	117.76	120.30
1	A	226	ASP	CB-CG-OD1	5.07	122.86	118.30
1	A	219	HIS	CA-CB-CG	-5.03	105.06	113.60
1	A	12	MET	CG-SD-CE	-5.01	92.18	100.20

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2530	0	2474	12	0
2	B	2534	0	2478	35	1
3	A	2	0	0	0	0
3	B	2	0	0	0	0
4	A	12	0	8	0	0
4	B	12	0	8	0	0
5	A	44	0	27	0	0
5	B	44	0	27	3	0
6	B	2	0	0	0	0
7	B	5	0	0	0	0
8	B	4	0	8	0	0
9	A	448	0	0	4	0
9	B	480	0	0	8	1
All	All	6119	0	5030	47	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (47) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:311:ARG:HG3	2:B:311:ARG:HH11	1.42	0.81
2:B:209:GLU:HB2	9:B:1724:HOH:O	1.87	0.74
2:B:309:HIS:HB3	9:B:1854:HOH:O	1.88	0.73
2:B:335:GLU:HG3	9:B:1509:HOH:O	1.90	0.72
2:B:24:HIS:CG	2:B:49:LEU:HD21	2.28	0.69
1:A:243:VAL:HG23	1:A:244:ILE:HG13	1.75	0.66
2:B:240:MET:HB2	9:B:1518:HOH:O	1.95	0.64
1:A:311:ARG:HD3	9:A:1973:HOH:O	1.98	0.62
2:B:168:ARG:HG3	2:B:170[B]:LEU:HD21	1.84	0.59
2:B:45:GLN:HG2	9:B:1902:HOH:O	2.04	0.57
2:B:55[B]:ASP:OD1	9:B:1911:HOH:O	2.17	0.56
2:B:201:LEU:HD22	2:B:219:HIS:CE1	2.42	0.55
2:B:85:ALA:HB1	2:B:86:PRO:HD2	1.89	0.54
2:B:168:ARG:HG3	2:B:170[B]:LEU:CD2	2.37	0.54
2:B:168:ARG:HB3	2:B:170[B]:LEU:HD23	1.90	0.53
2:B:39:GLY:HA3	2:B:77:GLY:O	2.10	0.51
2:B:91:ASP:HB2	2:B:92:PRO:HD2	1.93	0.50
2:B:232:CYS:O	2:B:254:CYS:HA	2.12	0.50
1:A:7:ASN:ND2	9:A:1372:HOH:O	2.29	0.49
2:B:311:ARG:CG	2:B:311:ARG:HH11	2.19	0.49
1:A:159:GLU:HG3	1:A:313:VAL:HA	1.94	0.49

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:39:GLY:HA3	1:A:77:GLY:O	2.13	0.49
2:B:268:GLU:O	9:B:1884:HOH:O	2.21	0.47
2:B:8:TRP:CH2	2:B:10:GLY:HA3	2.49	0.47
2:B:184:GLY:HA3	5:B:760:NAI:O5B	2.15	0.47
2:B:311:ARG:CG	2:B:311:ARG:NH1	2.78	0.47
2:B:245:THR:HA	2:B:266:ALA:HB3	1.98	0.46
2:B:311:ARG:HG3	2:B:311:ARG:NH1	2.18	0.45
2:B:24:HIS:CD2	2:B:49:LEU:HD21	2.51	0.45
1:A:311:ARG:NH2	9:A:1127:HOH:O	2.47	0.45
2:B:205:ASP:HA	5:B:760:NAI:N3A	2.31	0.45
1:A:345:ALA:O	1:A:349:SER:OG	2.35	0.44
2:B:191:ALA:HB1	2:B:201:LEU:CD2	2.47	0.44
2:B:149:SER:HB3	2:B:294:HIS:CD2	2.52	0.44
1:A:307:VAL:O	1:A:311:ARG:HG2	2.17	0.44
2:B:205:ASP:OD1	5:B:760:NAI:H1B	2.17	0.44
2:B:149:SER:HB3	2:B:294:HIS:HD2	1.83	0.43
1:A:165:VAL:HG12	1:A:171:GLY:O	2.18	0.42
1:A:79:SER:HB3	9:A:1764:HOH:O	2.18	0.42
2:B:85:ALA:HB1	2:B:86:PRO:CD	2.50	0.42
2:B:191:ALA:HB1	2:B:201:LEU:HD23	2.00	0.41
2:B:191:ALA:O	2:B:201:LEU:HD21	2.21	0.41
2:B:240:MET:SD	2:B:240:MET:N	2.87	0.41
2:B:213:HIS:CE1	9:B:1981:HOH:O	2.73	0.41
1:A:132:THR:O	1:A:132:THR:HG22	2.21	0.40
1:A:165:VAL:HG13	1:A:170:LEU:HB2	2.02	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:247:GLU:OE1	9:B:1929:HOH:O[4_556]	2.02	0.18

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	352/355 (99%)	348 (99%)	4 (1%)	0	100	100
2	B	355/355 (100%)	344 (97%)	9 (2%)	2 (1%)	28	5
All	All	707/710 (100%)	692 (98%)	13 (2%)	2 (0%)	44	16

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	347	GLU
2	B	269	ALA

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	260/259 (100%)	254 (98%)	6 (2%)	56	14
2	B	264/260 (102%)	255 (97%)	9 (3%)	42	6
All	All	524/519 (101%)	509 (97%)	15 (3%)	50	8

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	48	ASN
1	A	69	VAL
1	A	88	HIS
1	A	347[A]	GLU
1	A	347[B]	GLU
1	A	349	SER
2	B	45	GLN
2	B	49	LEU
2	B	165	VAL
2	B	170[A]	LEU
2	B	170[B]	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	213	HIS
2	B	217	LEU
2	B	240	MET
2	B	310	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	71	ASN
1	A	88	HIS
1	A	167	HIS
1	A	181	GLN
1	A	200	GLN
1	A	309	HIS
2	B	45	GLN
2	B	181	GLN
2	B	200	GLN
2	B	263	ASN
2	B	294	HIS
2	B	320	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 6 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	NAI	A	360	-	40,48,48	1.13	3 (7%)	41,73,73	0.94	4 (9%)
4	PHE	A	361	-	8,12,12	0.63	0	10,15,15	1.56	2 (20%)
5	NAI	B	760	-	40,48,48	1.16	4 (10%)	41,73,73	1.16	3 (7%)
4	PHE	B	761	-	8,12,12	0.70	0	10,15,15	1.94	3 (30%)
8	IPA	B	860	-	3,3,3	0.37	0	3,3,3	0.38	0
7	PO4	B	880	3	4,4,4	1.26	0	6,6,6	0.89	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAI	A	360	-	-	0/25/72/72	0/5/5/5
4	PHE	A	361	-	-	0/4/8/8	0/1/1/1
5	NAI	B	760	-	-	0/25/72/72	0/5/5/5
4	PHE	B	761	-	-	0/4/8/8	0/1/1/1
8	IPA	B	860	-	-	0/0/0/0	0/0/0/0
7	PO4	B	880	3	-	0/0/0/0	0/0/0/0

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	360	NAI	O4B-C1B	-3.85	1.35	1.41
5	B	760	NAI	O4D-C1D	-2.25	1.36	1.42
5	A	360	NAI	C4A-N3A	-2.21	1.32	1.35
5	B	760	NAI	O4B-C1B	-2.15	1.38	1.41
5	B	760	NAI	C2A-N1A	2.07	1.37	1.33
5	A	360	NAI	C2N-C3N	3.87	1.45	1.34
5	B	760	NAI	C2N-C3N	4.93	1.49	1.34

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	761	PHE	CB-CG-CD2	-2.78	115.28	120.91

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	760	NAI	O4D-C1D-C2D	-2.40	101.34	106.64
5	A	360	NAI	O5B-C5B-C4B	-2.38	100.55	109.00
5	B	760	NAI	C2B-C3B-C4B	-2.11	98.50	102.62
5	B	760	NAI	C2D-C3D-C4D	-2.11	98.51	102.62
5	A	360	NAI	O3D-C3D-C2D	-2.00	105.41	111.83
4	A	361	PHE	CB-CG-CD1	2.00	124.95	120.91
5	A	360	NAI	C4A-C5A-N7A	2.06	111.40	109.41
5	A	360	NAI	C5A-C6A-N6A	2.15	124.86	120.47
4	B	761	PHE	CG-CB-CA	3.19	121.02	114.43
4	A	361	PHE	CG-CB-CA	3.39	121.44	114.43
4	B	761	PHE	CB-CG-CD1	3.52	128.01	120.91

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	760	NAI	3	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

### 6.4 Ligands

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers

EDS was not executed - this section is therefore empty.