



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 15, 2017 – 12:49 am GMT

PDB ID : 4C49
Title : Reactive loop cleaved human CBG in complex with cortisol
Authors : Chan, W.L.; Zhou, A.; Read, R.J.
Deposited on : 2013-09-02
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28683
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	2259 (2.70-2.70)
Clashscore	112137	2590 (2.70-2.70)
Ramachandran outliers	110173	2550 (2.70-2.70)
Sidechain outliers	110143	2550 (2.70-2.70)
RSRZ outliers	101464	2275 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	373	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 14%, green 83%, grey 12%);"></div> <div style="display: flex; justify-content: space-between; font-size: 0.8em;"> % 83% 14% •• </div> </div>
1	B	373	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 3%, orange 1%, yellow 12%, green 84%, grey 1%);"></div> <div style="display: flex; justify-content: space-between; font-size: 0.8em;"> 3% 84% 12% •• </div> </div>
1	C	373	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 2%, orange 1%, yellow 9%, green 88%, grey 1%);"></div> <div style="display: flex; justify-content: space-between; font-size: 0.8em;"> 2% 88% 9% •• </div> </div>
1	D	373	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 11%, orange 1%, yellow 16%, green 79%, grey 1%);"></div> <div style="display: flex; justify-content: space-between; font-size: 0.8em;"> 11% 79% 16% • 5% </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	HCY	A	1384	-	-	-	X

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 22751 atoms, of which 11319 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called CORTICOSTEROID-BINDING GLOBULIN.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	367	Total	C	H	N	O	S	0	0	0
			5652	1828	2804	469	537	14			
1	B	362	Total	C	H	N	O	S	1	0	0
			5621	1810	2804	467	526	14			
1	C	363	Total	C	H	N	O	S	14	0	0
			5684	1830	2834	471	535	14			
1	D	356	Total	C	H	N	O	S	1	0	0
			5532	1786	2757	461	514	14			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	349	ARG	THR	ENGINEERED MUTATION	UNP P08185
B	349	ARG	THR	ENGINEERED MUTATION	UNP P08185
C	349	ARG	THR	ENGINEERED MUTATION	UNP P08185
D	349	ARG	THR	ENGINEERED MUTATION	UNP P08185

- Molecule 2 is (11ALPHA,14BETA)-11,17,21-TRIHYDROXPREGN-4-ENE-3,20-DIONE (three-letter code: HCY) (formula: C₂₁H₃₀O₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	H	O	0	0
			56	21	30	5		
2	B	1	Total	C	H	O	0	0
			56	21	30	5		
2	C	1	Total	C	H	O	0	0
			56	21	30	5		
2	D	1	Total	C	H	O	0	0
			56	21	30	5		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	10	Total	O	0	0
			10	10		
3	B	5	Total	O	0	0
			5	5		
3	C	13	Total	O	0	0
			13	13		
3	D	10	Total	O	0	0
			10	10		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: CORTICOSTEROID-BINDING GLOBULIN




• Molecule 1: CORTICOSTEROID-BINDING GLOBULIN




• Molecule 1: CORTICOSTEROID-BINDING GLOBULIN



• Molecule 1: CORTICOSTEROID-BINDING GLOBULIN





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	72.82Å 110.42Å 92.54Å 90.00° 102.52° 90.00°	Depositor
Resolution (Å)	69.92 – 2.70 69.92 – 2.70	Depositor EDS
% Data completeness (in resolution range)	94.9 (69.92-2.70) 94.6 (69.92-2.70)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.22 (at 2.69Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE: 1.8.4_1488)	Depositor
R, R_{free}	0.221 , 0.268 0.234 , 0.272	Depositor DCC
R_{free} test set	1887 reflections (5.34%)	DCC
Wilson B-factor (Å ²)	58.9	Xtriage
Anisotropy	0.478	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 48.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	22751	wwPDB-VP
Average B, all atoms (Å ²)	76.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.30% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HCY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.30	0/2907	3.91	5/3944 (0.1%)
1	B	0.30	0/2873	3.53	4/3890 (0.1%)
1	C	0.28	0/2908	3.51	4/3938 (0.1%)
1	D	0.29	0/2830	3.56	6/3831 (0.2%)
All	All	0.29	0/11518	3.63	19/15603 (0.1%)

There are no bond length outliers.

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	78	ARG	NH1-CZ-NH2	-108.55	0.00	119.40
1	A	146	ARG	NH1-CZ-NH2	-108.55	0.00	119.40
1	A	260	ARG	NH1-CZ-NH2	-108.55	0.00	119.40
1	A	349	ARG	NH1-CZ-NH2	-108.55	0.00	119.40
1	A	378	ARG	NH1-CZ-NH2	-108.55	0.00	119.40
1	B	146	ARG	NH1-CZ-NH2	-108.55	0.00	119.40
1	B	260	ARG	NH1-CZ-NH2	-108.55	0.00	119.40
1	B	349	ARG	NH1-CZ-NH2	-108.55	0.00	119.40
1	B	378	ARG	NH1-CZ-NH2	-108.55	0.00	119.40
1	C	146	ARG	NH1-CZ-NH2	-108.55	0.00	119.40
1	C	260	ARG	NH1-CZ-NH2	-108.55	0.00	119.40
1	C	349	ARG	NH1-CZ-NH2	-108.55	0.00	119.40
1	C	378	ARG	NH1-CZ-NH2	-108.55	0.00	119.40
1	D	146	ARG	NH1-CZ-NH2	-108.55	0.00	119.40
1	D	260	ARG	NH1-CZ-NH2	-108.55	0.00	119.40
1	D	349	ARG	NH1-CZ-NH2	-108.55	0.00	119.40
1	D	378	ARG	NH1-CZ-NH2	-108.55	0.00	119.40
1	D	201	VAL	N-CA-C	-5.67	95.70	111.00
1	D	200	TYR	N-CA-C	5.62	126.18	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2848	2804	2801	33	0
1	B	2817	2804	2803	33	0
1	C	2850	2834	2834	23	1
1	D	2775	2757	2757	33	1
2	A	26	30	29	3	0
2	B	26	30	29	5	0
2	C	26	30	29	3	0
2	D	26	30	29	6	0
3	A	10	0	0	1	0
3	B	5	0	0	2	0
3	C	13	0	0	5	0
3	D	10	0	0	1	0
All	All	11432	11319	11311	127	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:112:ASP:OD1	3:C:2004:HOH:O	1.86	0.94
1:A:136:MET:SD	1:A:147:GLN:NE2	2.49	0.86
1:A:317:GLN:OE1	1:A:349:ARG:NH1	2.24	0.71
1:A:317:GLN:OE1	1:A:349:ARG:NH2	2.24	0.71
1:C:64:ARG:NH2	3:C:2002:HOH:O	2.16	0.70
1:B:263:ILE:HD11	2:B:1384:HCY:H191	1.73	0.70
1:C:60:CYS:SG	1:C:61:GLY:N	2.64	0.70
1:A:225:GLU:O	3:A:2005:HOH:O	2.09	0.69
1:B:170:PRO:O	1:B:347:ASN:ND2	2.26	0.69
2:D:1384:HCY:O5	3:D:2004:HOH:O	2.11	0.68
1:D:110:PHE:HB3	1:D:136:MET:SD	2.34	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:229:GLN:NE2	3:B:2002:HOH:O	2.28	0.65
1:B:74:ASN:HB3	1:B:77:GLU:HG2	1.79	0.63
1:C:60:CYS:SG	3:C:2002:HOH:O	2.55	0.63
1:A:201:VAL:HG13	1:A:205:THR:HB	1.80	0.62
1:B:64:ARG:NH1	1:B:80:GLU:OE1	2.35	0.59
1:A:95:ALA:O	1:A:100:SER:OG	2.21	0.59
1:C:263:ILE:CD1	2:C:1384:HCY:H191	2.32	0.59
2:D:1384:HCY:H193	2:D:1384:HCY:O2	2.03	0.58
1:C:263:ILE:HD11	2:C:1384:HCY:H191	1.86	0.58
1:B:278:TYR:OH	3:B:2003:HOH:O	2.18	0.57
1:D:263:ILE:CD1	2:D:1384:HCY:H191	2.36	0.56
1:A:371:TRP:HB3	2:A:1384:HCY:H7C1	1.87	0.55
1:B:263:ILE:CD1	2:B:1384:HCY:H191	2.35	0.55
1:D:81:THR:O	1:D:85:GLN:HG3	2.07	0.54
1:C:15:ARG:HD3	1:C:371:TRP:CD2	2.43	0.54
1:B:39:LYS:O	1:B:378:ARG:NH2	2.42	0.53
1:D:351:LYS:N	1:D:352:PRO:CD	2.72	0.52
1:D:33:VAL:HA	1:D:41:ILE:CD1	2.39	0.52
1:C:146:ARG:NH1	3:C:2007:HOH:O	2.42	0.51
1:C:146:ARG:NH2	3:C:2007:HOH:O	2.42	0.51
1:A:201:VAL:HG13	1:A:205:THR:O	2.11	0.51
1:C:69:GLN:NE2	1:D:189:PHE:O	2.42	0.51
1:B:141:TRP:HA	1:B:144:ALA:HB3	1.92	0.51
1:D:263:ILE:HD11	2:D:1384:HCY:H191	1.92	0.50
2:C:1384:HCY:O2	2:C:1384:HCY:H193	2.11	0.49
1:C:142:ALA:O	1:C:146:ARG:HG3	2.12	0.49
1:A:118:LEU:HD21	1:A:314:GLN:HB3	1.94	0.49
1:D:115:LEU:HD11	1:D:172:ILE:HD13	1.94	0.49
1:A:282:VAL:HB	1:A:331:LEU:HD12	1.94	0.49
1:B:363:ILE:HB	1:B:377:ALA:HB3	1.94	0.49
1:D:171:ALA:HB2	1:D:345:THR:HB	1.94	0.48
1:D:331:LEU:CD2	1:D:336:VAL:HG22	2.43	0.48
1:D:279:ILE:HG22	1:D:357:PHE:CD1	2.49	0.48
1:B:60:CYS:SG	1:B:61:GLY:N	2.87	0.48
2:A:1384:HCY:H193	2:A:1384:HCY:O2	2.13	0.48
2:B:1384:HCY:O2	2:B:1384:HCY:H193	2.14	0.47
1:B:141:TRP:CD1	1:B:169:SER:HB3	2.50	0.47
1:D:245:LEU:HB2	1:D:357:PHE:CE2	2.49	0.47
1:B:359:GLN:HB2	1:B:360:PRO:HD2	1.97	0.47
1:D:209:VAL:HG21	1:D:382:PRO:HB2	1.97	0.47
1:B:209:VAL:HG21	1:B:382:PRO:HB2	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:39:LYS:O	1:B:378:ARG:NH1	2.42	0.47
1:B:287:VAL:CG1	1:B:326:LYS:HD2	2.45	0.47
1:D:172:ILE:HG13	1:D:347:ASN:HA	1.96	0.47
1:C:317:GLN:OE1	1:C:349:ARG:NH2	2.48	0.46
1:C:317:GLN:OE1	1:C:349:ARG:NH1	2.48	0.46
1:A:192:ALA:HB3	1:B:62:HIS:CE1	2.51	0.46
1:D:228:CYS:HB3	1:D:254:VAL:HG21	1.98	0.46
1:D:42:PHE:HD1	1:D:377:ALA:HB2	1.81	0.46
1:A:201:VAL:CG1	1:A:205:THR:O	2.64	0.46
1:D:351:LYS:N	1:D:352:PRO:HD2	2.30	0.46
1:A:201:VAL:HG11	1:A:205:THR:HG22	1.98	0.46
1:A:62:HIS:ND1	1:A:301:ASP:OD2	2.48	0.46
1:B:203:GLU:HG3	1:B:204:THR:HG23	1.98	0.46
1:D:17:LEU:HD13	1:D:86:GLY:HA3	1.98	0.46
1:A:164:PHE:O	1:A:165:SER:OG	2.23	0.45
1:A:223:ASP:OD2	1:A:265:ARG:NH2	2.49	0.45
1:B:263:ILE:HD12	2:B:1384:HCY:H8	1.98	0.45
1:A:118:LEU:HG	1:A:313:THR:HA	1.98	0.45
1:A:33:VAL:HA	1:A:41:ILE:CD1	2.46	0.45
1:B:42:PHE:HD1	1:B:377:ALA:HB2	1.81	0.45
2:D:1384:HCY:H211	2:D:1384:HCY:H121	1.98	0.45
1:D:363:ILE:HB	1:D:377:ALA:HB3	1.98	0.45
1:D:91:HIS:CE1	1:D:130:GLU:HB3	2.52	0.45
1:D:161:VAL:O	1:D:326:LYS:NZ	2.40	0.45
1:A:363:ILE:HB	1:A:377:ALA:HB3	1.98	0.44
1:A:54:MET:HG3	1:A:129:TYR:CD1	2.53	0.44
1:C:363:ILE:HB	1:C:377:ALA:HB3	2.00	0.44
1:B:317:GLN:OE1	1:B:349:ARG:NH2	2.51	0.44
1:B:317:GLN:OE1	1:B:349:ARG:NH1	2.51	0.44
1:C:279:ILE:HG23	1:C:280:PRO:HD2	1.98	0.44
1:C:62:HIS:O	1:C:66:GLN:HB2	2.17	0.44
1:B:287:VAL:HG13	1:B:326:LYS:NZ	2.31	0.44
1:B:171:ALA:HA	1:B:347:ASN:ND2	2.33	0.44
1:C:359:GLN:HB2	1:C:360:PRO:HD2	1.97	0.44
1:C:331:LEU:HD23	1:C:336:VAL:HG22	1.98	0.44
1:A:112:ASP:CB	1:A:172:ILE:HG22	2.48	0.44
1:B:202:ASP:HB2	1:B:205:THR:OG1	2.18	0.44
1:A:40:ASN:OD1	1:A:380:MET:N	2.46	0.43
1:A:238:ASN:OD1	1:A:369:PHE:CD1	2.72	0.43
1:B:371:TRP:CE3	2:B:1384:HCY:H1C2	2.54	0.43
1:A:359:GLN:HB2	1:A:360:PRO:HD2	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:1384:HCY:H211	2:A:1384:HCY:H121	2.00	0.43
1:B:42:PHE:CZ	1:B:329:LEU:HB2	2.54	0.43
1:D:235:TYR:OH	1:D:336:VAL:HG21	2.19	0.42
1:D:198:ASN:HB3	1:D:200:TYR:CE1	2.54	0.42
1:D:331:LEU:HD23	1:D:336:VAL:HG22	2.01	0.42
1:D:359:GLN:HB2	1:D:360:PRO:HD2	2.00	0.42
1:A:279:ILE:HG23	1:A:280:PRO:HD2	2.02	0.42
1:A:230:LEU:HD12	1:A:270:LEU:HD21	2.00	0.42
1:B:143:THR:O	1:B:147:GLN:HG3	2.20	0.42
1:D:185:TRP:HZ3	1:D:241:VAL:HG11	1.84	0.42
1:C:20:ALA:HB3	1:C:73:PHE:CE1	2.54	0.42
1:D:164:PHE:HE2	1:D:345:THR:CG2	2.33	0.42
1:D:244:ILE:HB	1:D:362:ILE:HB	2.01	0.42
1:A:331:LEU:CD2	1:A:336:VAL:HG22	2.49	0.42
1:B:279:ILE:HG23	1:B:280:PRO:HD2	2.01	0.42
1:C:282:VAL:HB	1:C:331:LEU:HD12	2.00	0.42
1:A:74:ASN:OD1	1:A:77:GLU:HG2	2.20	0.42
1:B:136:MET:HE3	1:B:144:ALA:CB	2.50	0.42
1:D:230:LEU:HD12	1:D:270:LEU:HD21	2.01	0.42
1:A:314:GLN:CG	1:A:315:ASP:N	2.83	0.41
1:A:171:ALA:HB1	1:A:346:LEU:O	2.19	0.41
1:C:110:PHE:CD1	1:C:136:MET:SD	3.14	0.41
2:D:1384:HCY:C12	2:D:1384:HCY:H211	2.51	0.41
1:D:245:LEU:HD11	1:D:359:GLN:CG	2.50	0.41
1:D:278:TYR:HB2	1:D:356:ARG:HA	2.01	0.41
1:B:282:VAL:HB	1:B:331:LEU:HD12	2.02	0.41
1:C:69:GLN:HG3	1:D:191:LEU:HD12	2.01	0.41
1:A:63:THR:CG2	1:A:302:LEU:HD23	2.51	0.41
1:A:141:TRP:HA	1:A:144:ALA:HB3	2.02	0.41
1:B:136:MET:HE3	1:B:144:ALA:HB1	2.02	0.41
1:A:74:ASN:HB3	1:A:77:GLU:HG2	2.03	0.41
1:B:331:LEU:HD23	1:B:336:VAL:HG22	2.02	0.40
1:C:244:ILE:HB	1:C:362:ILE:HB	2.04	0.40
1:D:322:LYS:N	1:D:345:THR:OG1	2.54	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:60:CYS:HG	1:D:60:CYS:SG[2_546]	1.28	0.32

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	363/373 (97%)	358 (99%)	4 (1%)	1 (0%)	44	73
1	B	354/373 (95%)	350 (99%)	3 (1%)	1 (0%)	44	73
1	C	357/373 (96%)	353 (99%)	4 (1%)	0	100	100
1	D	346/373 (93%)	339 (98%)	5 (1%)	2 (1%)	28	56
All	All	1420/1492 (95%)	1400 (99%)	16 (1%)	4 (0%)	44	73

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	202	ASP
1	A	316	ALA
1	D	205	THR
1	B	170	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	313/328 (95%)	308 (98%)	5 (2%)	68	89
1	B	312/328 (95%)	309 (99%)	3 (1%)	80	93
1	C	318/328 (97%)	315 (99%)	3 (1%)	82	94
1	D	305/328 (93%)	301 (99%)	4 (1%)	73	91
All	All	1248/1312 (95%)	1233 (99%)	15 (1%)	75	92

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	60	CYS
1	A	78	ARG
1	A	79	SER
1	A	172	ILE
1	A	314	GLN
1	B	78	ARG
1	B	205	THR
1	B	230	LEU
1	C	78	ARG
1	C	89	HIS
1	C	230	LEU
1	D	78	ARG
1	D	85	GLN
1	D	234	ASN
1	D	330	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	31	HIS
1	A	147	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	HCY	A	1384	-	29,29,29	3.89	13 (44%)	48,48,48	5.29	21 (43%)
2	HCY	B	1384	-	29,29,29	3.86	13 (44%)	48,48,48	5.22	26 (54%)
2	HCY	C	1384	-	29,29,29	3.84	13 (44%)	48,48,48	5.26	22 (45%)
2	HCY	D	1384	-	29,29,29	3.85	13 (44%)	48,48,48	5.27	21 (43%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HCY	A	1384	-	-	2/8/73/73	0/4/4/4
2	HCY	B	1384	-	-	2/8/73/73	0/4/4/4
2	HCY	C	1384	-	-	0/8/73/73	0/4/4/4
2	HCY	D	1384	-	-	0/8/73/73	0/4/4/4

All (52) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1384	HCY	O2-C11	-8.50	1.24	1.43
2	C	1384	HCY	O2-C11	-8.49	1.24	1.43
2	A	1384	HCY	O2-C11	-8.47	1.24	1.43
2	B	1384	HCY	O2-C11	-8.31	1.25	1.43
2	A	1384	HCY	C10-C9	-7.37	1.41	1.56
2	D	1384	HCY	C10-C9	-7.08	1.42	1.56
2	C	1384	HCY	C10-C9	-7.00	1.42	1.56
2	B	1384	HCY	C10-C9	-6.85	1.43	1.56
2	D	1384	HCY	C13-C14	-5.51	1.44	1.54
2	B	1384	HCY	C13-C14	-5.49	1.44	1.54
2	A	1384	HCY	C13-C14	-5.37	1.45	1.54
2	C	1384	HCY	C13-C14	-5.17	1.45	1.54
2	A	1384	HCY	C17-C20	-5.06	1.44	1.53
2	B	1384	HCY	C17-C20	-4.89	1.44	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	1384	HCY	C17-C20	-4.86	1.44	1.53
2	D	1384	HCY	C17-C20	-4.73	1.44	1.53
2	D	1384	HCY	C12-C13	-3.49	1.47	1.53
2	C	1384	HCY	C12-C13	-3.41	1.47	1.53
2	B	1384	HCY	C12-C13	-3.39	1.48	1.53
2	D	1384	HCY	C8-C14	-3.34	1.47	1.53
2	C	1384	HCY	C8-C14	-3.30	1.47	1.53
2	A	1384	HCY	C8-C14	-3.28	1.47	1.53
2	B	1384	HCY	C8-C14	-3.24	1.47	1.53
2	A	1384	HCY	C12-C13	-2.95	1.48	1.53
2	B	1384	HCY	C16-C15	2.17	1.61	1.54
2	D	1384	HCY	C16-C15	2.17	1.61	1.54
2	A	1384	HCY	C16-C15	2.18	1.61	1.54
2	B	1384	HCY	C1-C10	2.28	1.58	1.54
2	C	1384	HCY	C16-C15	2.31	1.62	1.54
2	C	1384	HCY	C1-C10	2.35	1.58	1.54
2	D	1384	HCY	C7-C6	2.51	1.58	1.52
2	B	1384	HCY	C7-C6	2.53	1.58	1.52
2	D	1384	HCY	C1-C10	2.55	1.59	1.54
2	C	1384	HCY	C7-C6	2.56	1.58	1.52
2	A	1384	HCY	C1-C10	2.66	1.59	1.54
2	A	1384	HCY	C7-C6	2.95	1.59	1.52
2	C	1384	HCY	C6-C5	5.34	1.59	1.50
2	B	1384	HCY	C6-C5	5.39	1.59	1.50
2	A	1384	HCY	C6-C5	5.42	1.59	1.50
2	D	1384	HCY	C6-C5	5.46	1.59	1.50
2	B	1384	HCY	C16-C17	5.55	1.63	1.54
2	D	1384	HCY	C16-C17	5.56	1.63	1.54
2	C	1384	HCY	C16-C17	5.60	1.63	1.54
2	A	1384	HCY	C16-C17	5.64	1.63	1.54
2	C	1384	HCY	C12-C11	7.70	1.65	1.53
2	D	1384	HCY	C12-C11	7.71	1.65	1.53
2	B	1384	HCY	C12-C11	7.96	1.65	1.53
2	A	1384	HCY	C12-C11	8.02	1.65	1.53
2	A	1384	HCY	C9-C11	9.20	1.69	1.54
2	D	1384	HCY	C9-C11	9.27	1.69	1.54
2	C	1384	HCY	C9-C11	9.51	1.70	1.54
2	B	1384	HCY	C9-C11	9.60	1.70	1.54

All (90) bond angle outliers are listed below:

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1384	HCY	O3-C17-C20	-24.16	75.26	107.75
2	C	1384	HCY	O3-C17-C20	-23.46	76.19	107.75
2	D	1384	HCY	O3-C17-C20	-22.77	77.13	107.75
2	B	1384	HCY	O3-C17-C20	-22.13	77.99	107.75
2	B	1384	HCY	O3-C17-C16	-9.65	88.57	110.53
2	D	1384	HCY	O3-C17-C16	-9.06	89.91	110.53
2	C	1384	HCY	O3-C17-C16	-8.89	90.31	110.53
2	A	1384	HCY	O3-C17-C16	-8.77	90.58	110.53
2	A	1384	HCY	O3-C17-C13	-6.34	94.74	107.91
2	D	1384	HCY	O3-C17-C13	-6.30	94.81	107.91
2	C	1384	HCY	C18-C13-C17	-6.05	102.17	109.09
2	A	1384	HCY	C18-C13-C17	-5.84	102.41	109.09
2	B	1384	HCY	C18-C13-C17	-5.77	102.50	109.09
2	B	1384	HCY	O3-C17-C13	-5.59	96.30	107.91
2	D	1384	HCY	C18-C13-C17	-5.14	103.21	109.09
2	C	1384	HCY	C7-C6-C5	-5.05	102.44	111.93
2	C	1384	HCY	O3-C17-C13	-4.81	97.92	107.91
2	D	1384	HCY	C7-C6-C5	-4.75	103.00	111.93
2	D	1384	HCY	C15-C14-C8	-4.57	111.80	119.07
2	A	1384	HCY	C15-C14-C8	-4.43	112.02	119.07
2	B	1384	HCY	C7-C6-C5	-4.42	103.62	111.93
2	B	1384	HCY	C15-C14-C8	-4.13	112.50	119.07
2	C	1384	HCY	O4-C20-C17	-4.11	115.67	122.24
2	B	1384	HCY	O4-C20-C17	-4.11	115.68	122.24
2	D	1384	HCY	O4-C20-C17	-3.81	116.15	122.24
2	C	1384	HCY	C1-C2-C3	-3.44	104.16	111.64
2	C	1384	HCY	C15-C14-C8	-3.41	113.64	119.07
2	A	1384	HCY	C7-C6-C5	-3.27	105.79	111.93
2	A	1384	HCY	O4-C20-C17	-2.99	117.46	122.24
2	C	1384	HCY	C13-C12-C11	-2.96	109.62	113.78
2	B	1384	HCY	C1-C2-C3	-2.89	105.36	111.64
2	B	1384	HCY	C13-C12-C11	-2.81	109.84	113.78
2	D	1384	HCY	C1-C10-C9	-2.69	105.16	109.39
2	B	1384	HCY	C7-C8-C14	-2.42	107.99	112.05
2	D	1384	HCY	O1-C3-C4	-2.39	116.98	121.61
2	A	1384	HCY	C1-C10-C9	-2.38	105.66	109.39
2	B	1384	HCY	C6-C5-C4	-2.37	116.94	120.87
2	D	1384	HCY	C10-C9-C11	-2.36	112.06	114.48
2	C	1384	HCY	C7-C8-C14	-2.31	108.17	112.05
2	B	1384	HCY	C12-C13-C17	-2.24	114.58	116.20
2	A	1384	HCY	C19-C10-C5	-2.21	104.68	108.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1384	HCY	C6-C5-C4	-2.19	117.24	120.87
2	B	1384	HCY	O4-C20-C21	-2.19	115.61	119.73
2	C	1384	HCY	C12-C13-C17	-2.18	114.62	116.20
2	C	1384	HCY	C12-C11-C9	-2.15	109.68	112.67
2	A	1384	HCY	C7-C8-C14	-2.14	108.45	112.05
2	A	1384	HCY	O1-C3-C4	-2.14	117.46	121.61
2	B	1384	HCY	C12-C11-C9	-2.14	109.70	112.67
2	C	1384	HCY	C15-C16-C17	-2.08	102.40	105.99
2	B	1384	HCY	O1-C3-C4	-2.07	117.59	121.61
2	D	1384	HCY	O1-C3-C2	-2.07	117.21	121.57
2	A	1384	HCY	O1-C3-C2	-2.07	117.22	121.57
2	B	1384	HCY	C9-C10-C5	2.19	111.83	108.20
2	B	1384	HCY	C19-C10-C9	2.25	116.26	112.63
2	C	1384	HCY	C16-C17-C13	2.27	105.32	103.19
2	B	1384	HCY	C16-C17-C13	2.31	105.36	103.19
2	C	1384	HCY	C15-C14-C13	2.35	107.03	103.74
2	A	1384	HCY	C16-C17-C13	2.37	105.41	103.19
2	D	1384	HCY	C12-C13-C14	2.38	110.15	108.01
2	B	1384	HCY	C15-C14-C13	2.41	107.12	103.74
2	C	1384	HCY	C6-C5-C10	2.54	121.46	116.76
2	D	1384	HCY	C15-C14-C13	2.57	107.33	103.74
2	D	1384	HCY	C6-C5-C10	2.85	122.03	116.76
2	A	1384	HCY	C6-C7-C8	2.94	117.14	111.71
2	C	1384	HCY	C12-C13-C14	3.15	110.84	108.01
2	B	1384	HCY	C12-C13-C14	3.17	110.86	108.01
2	B	1384	HCY	C6-C5-C10	3.29	122.83	116.76
2	A	1384	HCY	C15-C14-C13	3.36	108.44	103.74
2	D	1384	HCY	C2-C1-C10	3.64	120.45	113.42
2	A	1384	HCY	C2-C1-C10	3.73	120.62	113.42
2	C	1384	HCY	C2-C3-C4	4.21	123.37	116.74
2	B	1384	HCY	C2-C3-C4	4.97	124.58	116.74
2	B	1384	HCY	C17-C13-C14	5.40	105.73	99.80
2	A	1384	HCY	C2-C3-C4	5.43	125.29	116.74
2	A	1384	HCY	C17-C13-C14	5.60	105.95	99.80
2	D	1384	HCY	C2-C3-C4	5.75	125.81	116.74
2	D	1384	HCY	C17-C13-C14	5.90	106.27	99.80
2	A	1384	HCY	C21-C20-C17	5.95	124.81	117.76
2	C	1384	HCY	C17-C13-C14	5.95	106.33	99.80
2	D	1384	HCY	C21-C20-C17	7.83	127.05	117.76
2	A	1384	HCY	C16-C17-C20	7.93	123.28	113.86
2	D	1384	HCY	C16-C17-C20	8.51	123.97	113.86
2	C	1384	HCY	C21-C20-C17	8.57	127.93	117.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1384	HCY	C21-C20-C17	9.23	128.70	117.76
2	B	1384	HCY	C16-C17-C20	9.61	125.28	113.86
2	C	1384	HCY	C16-C17-C20	9.87	125.59	113.86
2	C	1384	HCY	C13-C17-C20	15.90	128.45	112.87
2	B	1384	HCY	C13-C17-C20	15.99	128.54	112.87
2	A	1384	HCY	C13-C17-C20	17.40	129.93	112.87
2	D	1384	HCY	C13-C17-C20	17.43	129.95	112.87

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1384	HCY	O4-C20-C17-C13
2	B	1384	HCY	O4-C20-C21-O5
2	B	1384	HCY	O5-C21-C20-C17
2	A	1384	HCY	C13-C17-C20-C21

There are no ring outliers.

4 monomers are involved in 17 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1384	HCY	3	0
2	B	1384	HCY	5	0
2	C	1384	HCY	3	0
2	D	1384	HCY	6	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	367/373 (98%)	0.06	5 (1%) 75 76	33, 58, 94, 149	0
1	B	362/373 (97%)	0.19	10 (2%) 53 54	36, 61, 95, 129	1 (0%)
1	C	363/373 (97%)	0.22	9 (2%) 58 58	37, 66, 97, 128	1 (0%)
1	D	356/373 (95%)	0.70	42 (11%) 5 4	45, 83, 114, 127	1 (0%)
All	All	1448/1492 (97%)	0.29	66 (4%) 33 31	33, 66, 106, 149	3 (0%)

All (66) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	16	GLY	6.8
1	C	351	LYS	5.9
1	D	241	VAL	5.8
1	D	164	PHE	4.8
1	D	220	TYR	4.5
1	D	75	LEU	4.4
1	D	283	THR	4.3
1	D	236	VAL	4.2
1	D	178	TYR	4.0
1	D	16	GLY	3.9
1	D	182	LYS	3.9
1	D	195	ARG	3.9
1	D	383	VAL	3.8
1	D	249	GLY	3.8
1	D	136	MET	3.8
1	D	79	SER	3.6
1	B	203	GLU	3.5
1	A	138	PHE	3.5
1	D	180	PHE	3.5
1	D	287	VAL	3.4
1	D	218	ILE	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	75	LEU	3.3
1	D	233	MET	3.2
1	D	73	PHE	3.1
1	B	202	ASP	3.1
1	D	132	GLU	3.1
1	C	101	LEU	3.0
1	D	282	VAL	3.0
1	D	284	ILE	2.9
1	C	315	ASP	2.9
1	D	94	PHE	2.8
1	D	205	THR	2.8
1	A	98	ASP	2.8
1	C	75	LEU	2.7
1	D	103	MET	2.7
1	D	38	LYS	2.7
1	D	315	ASP	2.7
1	D	276	ASP	2.7
1	D	36	SER	2.7
1	D	280	PRO	2.6
1	D	372	SER	2.6
1	D	324	VAL	2.5
1	B	32	LEU	2.4
1	D	328	VAL	2.4
1	D	105	MET	2.4
1	C	111	LEU	2.4
1	D	224	SER	2.4
1	B	351	LYS	2.4
1	C	166	GLY	2.3
1	D	209	VAL	2.3
1	D	160	ILE	2.2
1	D	229	GLN	2.2
1	B	248	LYS	2.2
1	D	92	GLN	2.2
1	A	369	PHE	2.2
1	B	316	ALA	2.2
1	D	78	ARG	2.1
1	C	173	LEU	2.1
1	A	203	GLU	2.1
1	D	339	ALA	2.1
1	B	52	LEU	2.1
1	B	172	ILE	2.1
1	C	312	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	288	TYR	2.1
1	C	249	GLY	2.1
1	B	115	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	HCY	A	1384	26/26	0.82	0.36	6.00	93,125,180,262	0
2	HCY	B	1384	26/26	0.82	0.23	1.63	75,103,240,265	0
2	HCY	D	1384	26/26	0.70	0.31	1.61	91,207,367,377	0
2	HCY	C	1384	26/26	0.93	0.16	-0.45	60,79,94,101	0

6.5 Other polymers [i](#)

There are no such residues in this entry.