



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 07:52 am GMT

PDB ID : 2C5B
Title : X-RAY CRYSTAL STRUCTURE OF 5'-FLUORODEOXYADENOSINE SYNTHASE FROM STREPTOMYCES CATTLEYA COMPLEXED WITH 2'DEOXY-5'DEOXY-FLUOROADENOSINE.
Authors : Mcewan, A.R.; Deng, H.; McGlinchey, R.P.; Robinson, D.A.; O'Hagan, D.; Naismith, J.H.; Spencer, J.
Deposited on : 2005-10-26
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	4554 (2.50-2.50)
Ramachandran outliers	110173	4463 (2.50-2.50)
Sidechain outliers	110143	4465 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	299	
1	B	299	
1	C	299	

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 6937 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 5'-FLUORO-5'-DEOXYADENOSINE SYNTHASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	291	Total	C	N	O	S	0	0	0
			2220	1410	378	424	8			
1	B	291	Total	C	N	O	S	0	0	0
			2220	1410	378	424	8			
1	C	291	Total	C	N	O	S	0	0	0
			2220	1410	378	424	8			

- Molecule 2 is METHIONINE (three-letter code: MET) (formula: C₅H₁₁NO₂S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			9	5	1	2	1		
2	B	1	Total	C	N	O	S	0	0
			9	5	1	2	1		
2	C	1	Total	C	N	O	S	0	0
			9	5	1	2	1		

- Molecule 3 is 5'-FLUORO-2',5'-DIDEOXYADENOSINE (three-letter code: 5F1) (formula: $C_{10}H_{12}FN_5O_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	F	N	O	0	0
			18	10	1	5	2		
3	B	1	Total	C	F	N	O	0	0
			18	10	1	5	2		
3	C	1	Total	C	F	N	O	0	0
			18	10	1	5	2		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	67	Total	O	0	0
			67	67		
4	B	68	Total	O	0	0
			68	68		
4	C	61	Total	O	0	0
			61	61		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: 5'-FLUORO-5'-DEOXYADENOSINE SYNTHASE



• Molecule 1: 5'-FLUORO-5'-DEOXYADENOSINE SYNTHASE



• Molecule 1: 5'-FLUORO-5'-DEOXYADENOSINE SYNTHASE



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	76.15Å 129.67Å 183.16Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	37.00 – 2.50	Depositor
% Data completeness (in resolution range)	86.3 (37.00-2.50)	Depositor
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.189 , 0.267	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	6937	wwPDB-VP
Average B, all atoms (Å ²)	10.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 5F1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.55	0/2276	0.66	0/3106
1	B	0.56	0/2276	0.68	0/3106
1	C	0.56	0/2276	0.68	1/3106 (0.0%)
All	All	0.56	0/6828	0.67	1/9318 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	1
All	All	0	2

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	238	LEU	CA-CB-CG	5.66	128.32	115.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	75	THR	Peptide
1	C	227	LYS	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2220	0	2163	39	0
1	B	2220	0	2163	32	0
1	C	2220	0	2163	43	0
2	A	9	0	8	0	0
2	B	9	0	8	1	0
2	C	9	0	8	0	0
3	A	18	0	12	3	0
3	B	18	0	12	2	0
3	C	18	0	12	0	0
4	A	67	0	0	2	0
4	B	68	0	0	1	0
4	C	61	0	0	1	0
All	All	6937	0	6549	112	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (112) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:221:HIS:HD2	1:C:223:THR:HG23	1.39	0.88
1:C:221:HIS:CD2	1:C:223:THR:HG23	2.15	0.81
1:B:261:GLY:O	1:B:277:ARG:HD2	1.84	0.78
1:B:98:GLY:HA2	1:B:269:SER:O	1.85	0.74
1:A:128:THR:HG23	1:A:189:ARG:HG3	1.70	0.74
1:A:210:ASP:HB3	1:A:215:ASN:HB2	1.70	0.73
1:C:252:PRO:HD2	1:C:256:ASP:OD2	1.89	0.72
1:C:180:ARG:NH2	1:C:186:GLU:OE2	2.26	0.69
1:C:210:ASP:HB3	1:C:215:ASN:HB2	1.76	0.68
1:A:84:THR:O	1:A:85:ARG:NH1	2.30	0.65
1:B:200:GLU:HB2	4:B:2044:HOH:O	1.96	0.64
1:C:148:ILE:HG22	1:C:165:PRO:HG3	1.79	0.64
1:C:244:LEU:HD12	1:C:288:LEU:HD21	1.82	0.61
1:A:50:TRP:O	4:A:2012:HOH:O	2.16	0.60
1:A:243:VAL:O	1:A:245:PRO:HD3	2.02	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:234:ALA:O	1:C:249:PRO:HA	2.02	0.58
1:A:241:ASP:OD1	1:A:292:MET:HG2	2.03	0.58
1:C:191:ASN:HD22	1:C:191:ASN:H	1.52	0.57
1:C:281:SER:HG	1:C:284:TYR:HD2	1.51	0.57
1:A:93:GLN:NE2	4:A:2025:HOH:O	2.37	0.56
1:B:241:ASP:HB2	1:B:292:MET:HE3	1.88	0.56
1:C:68:GLU:HG2	1:C:116:SER:HB3	1.88	0.55
1:A:250:LEU:HD12	1:A:265:ILE:HG22	1.89	0.55
1:C:141:GLU:O	1:C:179:GLY:HA3	2.07	0.55
1:A:222:ARG:HB3	1:A:267:LEU:HD11	1.89	0.54
1:A:174:PRO:HB2	1:A:177:GLU:HG3	1.90	0.54
1:A:147:VAL:HA	1:A:168:HIS:CD2	2.43	0.53
1:A:87:VAL:HG23	1:A:182:LEU:HD12	1.91	0.53
1:B:12:ALA:HB3	1:B:72:PHE:CD1	2.45	0.52
1:C:190:PHE:HB2	4:C:2038:HOH:O	2.09	0.52
1:A:158:SER:HB2	3:A:500:5F1:H5'2	1.91	0.51
1:C:243:VAL:O	1:C:245:PRO:HD3	2.10	0.51
1:A:222:ARG:HB3	1:A:267:LEU:CD1	2.41	0.51
1:C:281:SER:OG	1:C:284:TYR:CD2	2.64	0.51
1:B:262:ASN:O	1:B:277:ARG:HA	2.11	0.51
1:A:60:VAL:HA	1:A:130:VAL:HG22	1.93	0.51
1:B:210:ASP:HB3	1:B:215:ASN:HB2	1.94	0.50
1:B:263:ILE:HD13	1:B:277:ARG:HG2	1.94	0.50
1:A:223:THR:O	1:A:227:LYS:HB3	2.10	0.50
1:A:253:THR:HG21	1:C:81:GLY:HA3	1.93	0.50
1:B:241:ASP:HB2	1:B:292:MET:CE	2.41	0.50
1:B:127:LEU:O	1:B:131:LEU:HG	2.12	0.49
1:B:180:ARG:HH12	1:B:182:LEU:HD23	1.78	0.49
1:A:91:ILE:O	1:A:115:GLY:HA2	2.12	0.49
1:C:89:VAL:O	1:C:118:ILE:HA	2.12	0.49
1:B:221:HIS:CD2	1:B:223:THR:H	2.31	0.49
1:C:63:PRO:HG2	1:C:134:HIS:CE1	2.48	0.49
1:B:22:ASP:CG	1:C:270:ARG:HH12	2.17	0.48
1:A:21:ASP:OD2	1:A:23:SER:OG	2.31	0.48
1:A:12:ALA:HA	1:A:41:VAL:O	2.14	0.48
1:C:183:GLU:OE1	1:C:185:HIS:HE1	1.97	0.47
1:C:288:LEU:HD22	1:C:292:MET:HE1	1.96	0.47
1:B:128:THR:HG23	1:B:189:ARG:HB3	1.96	0.47
1:C:99:ALA:HA	1:C:271:GLY:HA2	1.96	0.47
1:C:75:THR:HB	1:C:162:VAL:HG11	1.95	0.47
1:B:95:ALA:HB3	1:B:134:HIS:CE1	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:15:SER:O	1:B:45:HIS:HA	2.14	0.47
1:C:89:VAL:HG21	1:C:131:LEU:HD21	1.95	0.47
1:B:225:LEU:HD12	1:B:267:LEU:HD21	1.96	0.47
1:A:240:LEU:O	1:A:242:GLY:N	2.48	0.47
1:A:234:ALA:O	1:A:249:PRO:HA	2.14	0.46
1:C:27:CYS:O	1:C:31:MET:HG3	2.15	0.46
1:C:89:VAL:HG12	1:C:139:ALA:HB2	1.96	0.46
1:C:11:ILE:HG13	1:C:38:VAL:HG21	1.96	0.46
1:B:75:THR:HB	1:B:162:VAL:HG21	1.98	0.46
1:B:77:TYR:HB3	1:B:80:THR:HB	1.98	0.45
1:C:268:ASN:C	1:C:270:ARG:H	2.20	0.45
1:A:27:CYS:HB3	1:A:163:ALA:CB	2.47	0.45
1:B:275:ILE:HG12	1:B:282:LEU:CD2	2.47	0.45
1:A:57:ARG:NH1	1:A:57:ARG:HB2	2.32	0.45
1:C:62:LEU:N	1:C:63:PRO:CD	2.81	0.44
1:C:221:HIS:CD2	1:C:223:THR:H	2.36	0.44
1:A:257:ALA:HB2	1:A:264:ALA:HB2	2.00	0.44
1:C:8:ARG:NE	1:C:8:ARG:N	2.65	0.44
1:C:184:ASP:HA	1:C:187:ILE:HD12	2.00	0.44
1:A:15:SER:O	1:A:47:MET:HG2	2.18	0.44
1:C:238:LEU:HA	1:C:295:ARG:O	2.18	0.43
1:B:162:VAL:C	1:B:165:PRO:HD2	2.39	0.43
1:B:23:SER:HG	2:B:600:MET:N	2.17	0.43
1:C:132:GLU:OE2	1:C:192:ARG:NH2	2.51	0.43
1:C:24:VAL:O	1:C:28:LYS:HG3	2.18	0.43
1:C:80:THR:HA	1:C:157:TYR:CD2	2.54	0.43
1:A:22:ASP:O	1:A:26:GLN:HG3	2.18	0.43
1:A:78:PRO:HA	3:A:500:5F1:N3	2.34	0.43
1:B:180:ARG:NH1	1:B:182:LEU:HD23	2.34	0.43
1:C:141:GLU:HB2	1:C:182:LEU:HD21	2.00	0.43
1:B:78:PRO:HA	3:B:500:5F1:N3	2.34	0.42
1:C:11:ILE:HG13	1:C:38:VAL:CG2	2.49	0.42
1:B:160:GLU:HA	1:B:164:ILE:HD12	2.00	0.42
1:A:15:SER:O	1:A:45:HIS:HA	2.19	0.42
1:C:164:ILE:HB	1:C:165:PRO:HD3	2.01	0.42
1:C:28:LYS:O	1:C:31:MET:HB2	2.20	0.42
1:C:120:ILE:HD13	1:C:165:PRO:HB2	2.01	0.42
1:A:76:THR:O	1:A:122:PRO:HG3	2.20	0.41
1:A:59:ILE:HG21	1:A:74:THR:CG2	2.51	0.41
1:B:252:PRO:HD2	1:B:256:ASP:OD2	2.20	0.41
1:A:74:THR:O	1:A:122:PRO:HD2	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:24:VAL:O	1:A:28:LYS:HG3	2.20	0.41
1:B:248:ALA:HB3	1:B:265:ILE:HG13	2.02	0.41
1:A:173:PHE:CE2	1:A:177:GLU:HB2	2.56	0.41
1:B:263:ILE:HA	1:B:263:ILE:HD13	1.86	0.41
1:B:225:LEU:C	1:B:227:LYS:H	2.24	0.41
1:A:62:LEU:N	1:A:63:PRO:CD	2.83	0.41
1:A:156:PHE:HA	3:A:500:5F1:F19	2.10	0.41
1:B:77:TYR:CD1	1:B:122:PRO:HG3	2.56	0.41
1:B:216:VAL:HB	1:B:275:ILE:HG23	2.03	0.41
1:C:96:LYS:HE2	1:C:103:TRP:NE1	2.36	0.41
1:A:144:SER:HA	1:A:145:PRO:HD3	1.89	0.40
1:A:57:ARG:HH11	1:A:57:ARG:CB	2.33	0.40
1:C:248:ALA:HB3	1:C:265:ILE:HD12	2.04	0.40
1:A:222:ARG:CB	1:A:267:LEU:HD11	2.49	0.40
1:B:50:TRP:HE1	3:B:500:5F1:C4	2.35	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	289/299 (97%)	275 (95%)	11 (4%)	3 (1%)	18	32
1	B	289/299 (97%)	272 (94%)	14 (5%)	3 (1%)	18	32
1	C	289/299 (97%)	274 (95%)	12 (4%)	3 (1%)	18	32
All	All	867/897 (97%)	821 (95%)	37 (4%)	9 (1%)	18	32

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	92	LYS
1	A	241	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	95	ALA
1	B	226	GLU
1	C	269	SER
1	C	95	ALA
1	A	95	ALA
1	C	43	VAL
1	B	242	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	231/237 (98%)	219 (95%)	12 (5%)	27	49
1	B	231/237 (98%)	222 (96%)	9 (4%)	37	63
1	C	231/237 (98%)	223 (96%)	8 (4%)	41	68
All	All	693/711 (98%)	664 (96%)	29 (4%)	34	59

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	ARG
1	A	50	TRP
1	A	77	TYR
1	A	93	GLN
1	A	111	GLU
1	A	156	PHE
1	A	160	GLU
1	A	198	ASP
1	A	205	VAL
1	A	227	LYS
1	A	237	ARG
1	A	289	LYS
1	B	8	ARG
1	B	50	TRP
1	B	52	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	77	TYR
1	B	156	PHE
1	B	191	ASN
1	B	196	GLU
1	B	269	SER
1	B	296	VAL
1	C	8	ARG
1	C	20	THR
1	C	50	TRP
1	C	77	TYR
1	C	156	PHE
1	C	191	ASN
1	C	227	LYS
1	C	245	PRO

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	221	HIS
1	B	151	GLN
1	B	185	HIS
1	B	221	HIS
1	C	102	GLN
1	C	185	HIS
1	C	191	ASN
1	C	197	GLN
1	C	221	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	5F1	A	500	-	16,20,20	0.66	0	18,29,29	2.55	4 (22%)
2	MET	A	600	-	3,8,8	0.24	0	3,9,9	0.61	0
3	5F1	B	500	-	16,20,20	0.73	0	18,29,29	2.62	2 (11%)
2	MET	B	600	-	3,8,8	0.45	0	3,9,9	0.53	0
3	5F1	C	500	-	16,20,20	0.86	1 (6%)	18,29,29	2.61	6 (33%)
2	MET	C	600	-	3,8,8	0.20	0	3,9,9	0.44	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	5F1	A	500	-	-	0/0/18/18	0/3/3/3
2	MET	A	600	-	-	0/4/8/8	0/0/0/0
3	5F1	B	500	-	-	0/0/18/18	0/3/3/3
2	MET	B	600	-	-	0/4/8/8	0/0/0/0
3	5F1	C	500	-	-	0/0/18/18	0/3/3/3
2	MET	C	600	-	-	0/4/8/8	0/0/0/0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	500	5F1	O4'-C1'	2.01	1.46	1.42

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	500	5F1	N3-C2-N1	-9.96	120.18	128.86
3	A	500	5F1	N3-C2-N1	-8.58	121.39	128.86

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	500	5F1	N3-C2-N1	-8.01	121.88	128.86
3	C	500	5F1	C2'-C1'-N9	-3.35	106.33	114.23
3	A	500	5F1	C4'-O4'-C1'	-3.18	101.63	109.42
3	A	500	5F1	C2'-C1'-N9	-3.18	106.73	114.23
3	B	500	5F1	F19-C5'-C4'	-3.10	105.74	109.57
3	C	500	5F1	C4-C5-N7	-2.82	106.69	109.41
3	C	500	5F1	C4'-O4'-C1'	-2.38	103.58	109.42
3	C	500	5F1	O4'-C4'-C3'	-2.32	100.11	105.68
3	A	500	5F1	O4'-C1'-N9	2.24	111.55	107.78
3	C	500	5F1	O4'-C1'-N9	4.40	115.19	107.78

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	500	5F1	3	0
3	B	500	5F1	2	0
2	B	600	MET	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.