



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 29, 2017 – 11:08 AM EDT

PDB ID : 5C6F
Title : Crystal structures of ferritin mutants reveal side-on binding to diiron and end-on cleavage of oxygen
Authors : Kim, S.; Kim, K.H.; Seok, J.H.; Park, Y.H.; Jung, S.W.; Chung, Y.B.; Lee, D.B.; Lee, J.H.; Han, K.R.; Cho, A.E.; Lee, C.; Chung, M.S.
Deposited on : 2015-06-23
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20029077
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20029077


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	6609 (2.00-2.00)
Clashscore	112137	7775 (2.00-2.00)
Ramachandran outliers	110173	7679 (2.00-2.00)
Sidechain outliers	110143	7678 (2.00-2.00)
RSRZ outliers	101464	6696 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	173	<div> <div>0.2%</div> <div>91%</div> <div>8%</div> <div>.</div> </div>
1	B	173	<div> <div>2%</div> <div>91%</div> <div>9%</div> <div>.</div> </div>
1	C	173	<div> <div>2%</div> <div>92%</div> <div>7%</div> <div>.</div> </div>
1	D	173	<div> <div>2%</div> <div>92%</div> <div>7%</div> <div>.</div> </div>
1	E	173	<div> <div>0.2%</div> <div>92%</div> <div>8%</div> <div>.</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain	
1	F	173	88%	10% ..
1	G	173	88%	12% .
1	H	173	87%	12% ..
1	I	173	84%	14% ..
1	J	173	94%	5% ..
1	K	173	88%	11% .
1	L	173	90%	9% ..

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 19666 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bacterial non-heme ferritin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	172	Total	C	N	O	S	0	6	0
			1452	923	242	282	5			
1	B	172	Total	C	N	O	S	0	3	0
			1431	912	240	274	5			
1	C	172	Total	C	N	O	S	0	5	0
			1446	920	242	279	5			
1	D	172	Total	C	N	O	S	0	1	0
			1414	901	237	271	5			
1	E	172	Total	C	N	O	S	0	3	0
			1430	911	240	274	5			
1	F	172	Total	C	N	O	S	0	3	0
			1431	910	241	275	5			
1	G	172	Total	C	N	O	S	0	1	0
			1414	901	237	271	5			
1	H	172	Total	C	N	O	S	0	4	0
			1437	915	240	277	5			
1	I	172	Total	C	N	O	S	0	2	0
			1422	907	238	272	5			
1	J	172	Total	C	N	O	S	0	1	0
			1414	901	237	271	5			
1	K	172	Total	C	N	O	S	0	2	0
			1424	907	240	272	5			
1	L	172	Total	C	N	O	S	0	1	0
			1414	901	237	271	5			

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	HIS	-	expression tag	UNP Q9ZLI1
A	-4	HIS	-	expression tag	UNP Q9ZLI1
A	-3	SER	-	expression tag	UNP Q9ZLI1
A	-2	GLN	-	expression tag	UNP Q9ZLI1
A	-1	ASP	-	expression tag	UNP Q9ZLI1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	PRO	-	expression tag	UNP Q9ZLI1
A	93	LEU	HIS	engineered mutation	UNP Q9ZLI1
B	-5	HIS	-	expression tag	UNP Q9ZLI1
B	-4	HIS	-	expression tag	UNP Q9ZLI1
B	-3	SER	-	expression tag	UNP Q9ZLI1
B	-2	GLN	-	expression tag	UNP Q9ZLI1
B	-1	ASP	-	expression tag	UNP Q9ZLI1
B	0	PRO	-	expression tag	UNP Q9ZLI1
B	93	LEU	HIS	engineered mutation	UNP Q9ZLI1
C	-5	HIS	-	expression tag	UNP Q9ZLI1
C	-4	HIS	-	expression tag	UNP Q9ZLI1
C	-3	SER	-	expression tag	UNP Q9ZLI1
C	-2	GLN	-	expression tag	UNP Q9ZLI1
C	-1	ASP	-	expression tag	UNP Q9ZLI1
C	0	PRO	-	expression tag	UNP Q9ZLI1
C	93	LEU	HIS	engineered mutation	UNP Q9ZLI1
D	-5	HIS	-	expression tag	UNP Q9ZLI1
D	-4	HIS	-	expression tag	UNP Q9ZLI1
D	-3	SER	-	expression tag	UNP Q9ZLI1
D	-2	GLN	-	expression tag	UNP Q9ZLI1
D	-1	ASP	-	expression tag	UNP Q9ZLI1
D	0	PRO	-	expression tag	UNP Q9ZLI1
D	93	LEU	HIS	engineered mutation	UNP Q9ZLI1
E	-5	HIS	-	expression tag	UNP Q9ZLI1
E	-4	HIS	-	expression tag	UNP Q9ZLI1
E	-3	SER	-	expression tag	UNP Q9ZLI1
E	-2	GLN	-	expression tag	UNP Q9ZLI1
E	-1	ASP	-	expression tag	UNP Q9ZLI1
E	0	PRO	-	expression tag	UNP Q9ZLI1
E	93	LEU	HIS	engineered mutation	UNP Q9ZLI1
F	-5	HIS	-	expression tag	UNP Q9ZLI1
F	-4	HIS	-	expression tag	UNP Q9ZLI1
F	-3	SER	-	expression tag	UNP Q9ZLI1
F	-2	GLN	-	expression tag	UNP Q9ZLI1
F	-1	ASP	-	expression tag	UNP Q9ZLI1
F	0	PRO	-	expression tag	UNP Q9ZLI1
F	93	LEU	HIS	engineered mutation	UNP Q9ZLI1
G	-5	HIS	-	expression tag	UNP Q9ZLI1
G	-4	HIS	-	expression tag	UNP Q9ZLI1
G	-3	SER	-	expression tag	UNP Q9ZLI1
G	-2	GLN	-	expression tag	UNP Q9ZLI1
G	-1	ASP	-	expression tag	UNP Q9ZLI1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	0	PRO	-	expression tag	UNP Q9ZLI1
G	93	LEU	HIS	engineered mutation	UNP Q9ZLI1
H	-5	HIS	-	expression tag	UNP Q9ZLI1
H	-4	HIS	-	expression tag	UNP Q9ZLI1
H	-3	SER	-	expression tag	UNP Q9ZLI1
H	-2	GLN	-	expression tag	UNP Q9ZLI1
H	-1	ASP	-	expression tag	UNP Q9ZLI1
H	0	PRO	-	expression tag	UNP Q9ZLI1
H	93	LEU	HIS	engineered mutation	UNP Q9ZLI1
I	-5	HIS	-	expression tag	UNP Q9ZLI1
I	-4	HIS	-	expression tag	UNP Q9ZLI1
I	-3	SER	-	expression tag	UNP Q9ZLI1
I	-2	GLN	-	expression tag	UNP Q9ZLI1
I	-1	ASP	-	expression tag	UNP Q9ZLI1
I	0	PRO	-	expression tag	UNP Q9ZLI1
I	93	LEU	HIS	engineered mutation	UNP Q9ZLI1
J	-5	HIS	-	expression tag	UNP Q9ZLI1
J	-4	HIS	-	expression tag	UNP Q9ZLI1
J	-3	SER	-	expression tag	UNP Q9ZLI1
J	-2	GLN	-	expression tag	UNP Q9ZLI1
J	-1	ASP	-	expression tag	UNP Q9ZLI1
J	0	PRO	-	expression tag	UNP Q9ZLI1
J	93	LEU	HIS	engineered mutation	UNP Q9ZLI1
K	-5	HIS	-	expression tag	UNP Q9ZLI1
K	-4	HIS	-	expression tag	UNP Q9ZLI1
K	-3	SER	-	expression tag	UNP Q9ZLI1
K	-2	GLN	-	expression tag	UNP Q9ZLI1
K	-1	ASP	-	expression tag	UNP Q9ZLI1
K	0	PRO	-	expression tag	UNP Q9ZLI1
K	93	LEU	HIS	engineered mutation	UNP Q9ZLI1
L	-5	HIS	-	expression tag	UNP Q9ZLI1
L	-4	HIS	-	expression tag	UNP Q9ZLI1
L	-3	SER	-	expression tag	UNP Q9ZLI1
L	-2	GLN	-	expression tag	UNP Q9ZLI1
L	-1	ASP	-	expression tag	UNP Q9ZLI1
L	0	PRO	-	expression tag	UNP Q9ZLI1
L	93	LEU	HIS	engineered mutation	UNP Q9ZLI1

- Molecule 2 is FE (III) ION (three-letter code: FE) (formula: Fe).


Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
-----	-------	----------	-------	---------	---------

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	G	1	Total Fe 1 1	0	0
2	J	1	Total Fe 1 1	0	0
2	K	1	Total Fe 1 1	0	0
2	B	1	Total Fe 1 1	0	0
2	I	1	Total Fe 1 1	0	0
2	A	3	Total Fe 3 3	0	0
2	F	1	Total Fe 1 1	0	0

- Molecule 3 is IMIDAZOLE (three-letter code: IMD) (formula: $C_3H_5N_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N 5 3 2	0	0
3	B	1	Total C N 5 3 2	0	0
3	C	1	Total C N 5 3 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	D	1	Total	C	N	0	0
			5	3	2		
3	E	1	Total	C	N	0	0
			5	3	2		
3	G	1	Total	C	N	0	0
			5	3	2		
3	H	1	Total	C	N	0	0
			5	3	2		
3	I	1	Total	C	N	0	0
			5	3	2		
3	J	1	Total	C	N	0	0
			5	3	2		
3	K	1	Total	C	N	0	0
			5	3	2		
3	L	1	Total	C	N	0	0
			5	3	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	198	Total	O	0	0
			198	198		
4	B	180	Total	O	0	0
			180	180		
4	C	180	Total	O	0	0
			180	180		
4	D	163	Total	O	0	0
			163	163		
4	E	194	Total	O	0	0
			194	194		
4	F	211	Total	O	0	0
			211	211		
4	G	217	Total	O	0	0
			217	217		
4	H	225	Total	O	0	0
			225	225		
4	I	229	Total	O	0	0
			229	229		
4	J	242	Total	O	0	0
			242	242		
4	K	203	Total	O	0	0
			203	203		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	L	231	Total 231	O 231	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bacterial non-heme ferritin



- Molecule 1: Bacterial non-heme ferritin



- Molecule 1: Bacterial non-heme ferritin




- Molecule 1: Bacterial non-heme ferritin



- Molecule 1: Bacterial non-heme ferritin





- Molecule 1: Bacterial non-heme ferritin







- Molecule 1: Bacterial non-heme ferritin




- Molecule 1: Bacterial non-heme ferritin




- Molecule 1: Bacterial non-heme ferritin




- Molecule 1: Bacterial non-heme ferritin



- Molecule 1: Bacterial non-heme ferritin



- Molecule 1: Bacterial non-heme ferritin



4 Data and refinement statistics

Property	Value	Source
Space group	P 4	Depositor
Cell constants a, b, c, α , β , γ	128.05Å 128.05Å 165.10Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.00 47.05 – 2.00	Depositor EDS
% Data completeness (in resolution range)	100.0 (50.00-2.00) 100.0 (47.05-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.24 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.149 , 0.195 0.159 , 0.202	Depositor DCC
R_{free} test set	8947 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	20.1	Xtriage
Anisotropy	0.060	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 62.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.025 for h,-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	19666	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 41.77 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 2.2504e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: IMD, FE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.88	1/1485 (0.1%)	0.83	1/2004 (0.0%)
1	B	0.95	3/1464 (0.2%)	0.86	0/1976
1	C	0.87	0/1479	0.85	3/1996 (0.2%)
1	D	0.87	0/1447	0.83	1/1953 (0.1%)
1	E	0.94	1/1463 (0.1%)	0.84	2/1975 (0.1%)
1	F	0.92	2/1464 (0.1%)	0.84	1/1976 (0.1%)
1	G	0.94	1/1447 (0.1%)	0.85	3/1953 (0.2%)
1	H	1.02	1/1470 (0.1%)	0.89	2/1984 (0.1%)
1	I	1.01	1/1455 (0.1%)	0.90	1/1964 (0.1%)
1	J	1.02	1/1447 (0.1%)	0.90	2/1953 (0.1%)
1	K	0.99	0/1458	0.90	1/1968 (0.1%)
1	L	0.98	1/1447 (0.1%)	0.84	1/1953 (0.1%)
All	All	0.95	12/17526 (0.1%)	0.86	18/23655 (0.1%)

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	H	50	GLU	CD-OE2	-7.47	1.17	1.25
1	J	50	GLU	CD-OE1	7.42	1.33	1.25
1	L	122	TRP	CB-CG	7.11	1.63	1.50
1	B	51	TYR	CZ-OH	6.50	1.49	1.37
1	G	50	GLU	CD-OE2	-5.88	1.19	1.25
1	B	99	GLU	CG-CD	5.69	1.60	1.51
1	E	52	GLU	CD-OE1	5.59	1.31	1.25
1	F	63	GLU	CD-OE1	5.54	1.31	1.25
1	I	49	GLU	CD-OE2	5.37	1.31	1.25
1	A	50	GLU	CD-OE2	-5.35	1.19	1.25
1	F	122	TRP	CB-CG	5.21	1.59	1.50
1	B	51	TYR	CB-CG	5.05	1.59	1.51

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	-1	ASP	CB-CG-OD2	-6.42	112.53	118.30
1	E	37	ASP	CB-CG-OD1	6.39	124.05	118.30
1	J	25	MET	CG-SD-CE	-6.32	90.09	100.20
1	G	25	MET	CG-SD-CE	-6.30	90.13	100.20
1	C	37	ASP	CB-CG-OD1	5.79	123.52	118.30
1	C	25	MET	CG-SD-CE	-5.72	91.05	100.20
1	G	37	ASP	CB-CG-OD1	5.52	123.27	118.30
1	J	50	GLU	CG-CD-OE2	-5.48	107.33	118.30
1	C	147	GLU	N-CA-C	-5.47	96.24	111.00
1	H	37	ASP	CB-CG-OD1	5.45	123.20	118.30
1	L	37	ASP	CB-CG-OD1	5.36	123.12	118.30
1	D	37	ASP	CB-CG-OD1	5.32	123.09	118.30
1	F	113	ASP	CB-CG-OD1	5.31	123.08	118.30
1	H	25	MET	CG-SD-CE	-5.29	91.73	100.20
1	A	25	MET	CG-SD-CE	-5.26	91.78	100.20
1	K	157	TYR	CB-CG-CD2	5.25	124.15	121.00
1	G	123	TYR	CB-CG-CD2	-5.03	117.98	121.00
1	I	106	ASP	CB-CG-OD2	-5.03	113.77	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1452	0	1393	12	0
1	B	1431	0	1382	8	0
1	C	1446	0	1391	5	0
1	D	1414	0	1365	11	0
1	E	1430	0	1380	10	0
1	F	1431	0	1378	15	0
1	G	1414	0	1365	14	0
1	H	1437	0	1384	17	0
1	I	1422	0	1375	22	0
1	J	1414	0	1365	4	0
1	K	1424	0	1371	14	0
1	L	1414	0	1365	15	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	3	0	0	0	0
2	B	1	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
2	I	1	0	0	0	0
2	J	1	0	0	0	0
2	K	1	0	0	0	0
3	A	5	0	5	0	0
3	B	5	0	5	0	0
3	C	5	0	5	0	0
3	D	5	0	5	1	0
3	E	5	0	5	0	0
3	G	5	0	5	2	0
3	H	5	0	5	0	0
3	I	5	0	5	0	0
3	J	5	0	5	0	0
3	K	5	0	5	1	0
3	L	5	0	5	0	0
4	A	198	0	0	4	0
4	B	180	0	0	3	0
4	C	180	0	0	3	0
4	D	163	0	0	1	0
4	E	194	0	0	9	0
4	F	211	0	0	10	0
4	G	217	0	0	8	0
4	H	225	0	0	9	0
4	I	229	0	0	11	0
4	J	242	0	0	2	0
4	K	203	0	0	7	0
4	L	231	0	0	9	0
All	All	19666	0	16569	134	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (134) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:149[B]:HIS:HE1	4:E:435:HOH:O	1.26	1.16
1:L:149[B]:HIS:HE1	4:L:442:HOH:O	1.31	1.11
1:L:73:ILE:CD1	4:L:305:HOH:O	2.13	0.95

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:73:ILE:HD11	4:L:305:HOH:O	1.67	0.94
1:H:149[B]:HIS:HE1	4:H:402:HOH:O	1.51	0.92
1:H:149[B]:HIS:CE1	4:H:402:HOH:O	2.25	0.89
1:K:96[B]:HIS:CE1	4:K:308:HOH:O	2.27	0.88
3:G:202:IMD:H4	4:G:386:HOH:O	1.78	0.83
1:E:97[B]:ILE:HD13	4:E:308:HOH:O	1.77	0.83
1:D:45:ASP:OD2	1:D:166:LYS:HE2	1.83	0.79
1:L:3:SER:HB2	4:L:451:HOH:O	1.84	0.77
1:C:50:GLU:OE2	4:C:301:HOH:O	2.02	0.77
1:A:147:GLU:O	1:D:149[B]:HIS:CE1	2.39	0.75
1:G:157:TYR:OH	4:G:301:HOH:O	2.07	0.73
1:B:78:HIS:HB2	4:B:433:HOH:O	1.88	0.72
1:I:-5:HIS:N	4:I:302:HOH:O	2.21	0.72
1:G:53:HIS:ND1	3:G:202:IMD:H2	2.05	0.71
1:I:45:ASP:OD2	1:I:166:LYS:HE3	1.93	0.69
1:K:96[B]:HIS:HD2	4:K:453:HOH:O	1.74	0.69
1:H:130:GLU:OE1	4:H:301:HOH:O	2.12	0.68
1:K:121:GLN:NE2	4:K:302:HOH:O	2.17	0.67
1:A:163:LYS:NZ	4:A:302:HOH:O	2.24	0.67
1:I:50:GLU:OE2	4:I:301:HOH:O	2.14	0.66
1:E:3:SER:OG	4:E:301:HOH:O	2.14	0.66
1:G:12:GLU:OE1	4:G:303:HOH:O	2.14	0.66
1:G:121:GLN:NE2	4:G:302:HOH:O	2.11	0.65
1:H:-5:HIS:N	4:H:303:HOH:O	2.29	0.65
1:A:77:GLU:OE1	4:A:301:HOH:O	2.15	0.64
1:L:50:GLU:OE1	4:L:301:HOH:O	2.14	0.64
1:C:17:GLU:OE1	1:C:50:GLU:OE1	2.15	0.64
1:A:144:ILE:O	1:D:149[B]:HIS:HD2	1.82	0.63
1:K:12:GLU:OE2	4:K:301:HOH:O	2.15	0.63
1:I:15:ASN:HB2	4:I:431:HOH:O	2.00	0.62
1:I:140:LYS:HD3	4:I:308:HOH:O	2.00	0.61
1:K:15:ASN:HB3	4:K:418:HOH:O	2.00	0.61
1:E:130:GLU:OE1	4:E:302:HOH:O	2.16	0.60
1:L:149[B]:HIS:CE1	4:L:442:HOH:O	2.19	0.60
1:F:15:ASN:HB3	4:F:386:HOH:O	2.02	0.60
1:F:-5:HIS:N	4:F:306:HOH:O	2.34	0.60
1:H:52:GLU:HG2	4:H:323:HOH:O	2.01	0.59
1:F:166:LYS:CG	4:F:427:HOH:O	2.50	0.59
1:B:149[B]:HIS:HD2	1:D:144:ILE:O	1.85	0.59
1:C:163:LYS:HG3	4:C:370:HOH:O	2.02	0.59
1:E:15:ASN:HB2	4:E:420:HOH:O	2.03	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:144:ILE:O	1:I:149[A]:HIS:HD2	1.86	0.58
1:F:49:GLU:OE2	4:F:301:HOH:O	2.18	0.57
1:C:68:VAL:O	4:C:302:HOH:O	2.18	0.56
1:I:130:GLU:OE1	4:I:301:HOH:O	2.18	0.56
1:A:147:GLU:O	1:D:149[B]:HIS:HE1	1.89	0.55
1:B:121:GLN:NE2	4:B:301:HOH:O	2.10	0.54
1:E:149[B]:HIS:CE1	4:E:435:HOH:O	2.17	0.54
1:H:63[A]:GLU:OE2	1:I:128:HIS:HE1	1.88	0.54
1:F:147:GLU:O	1:F:148[A]:ASN:CB	2.55	0.54
1:J:111:SER:O	4:J:301:HOH:O	2.18	0.54
1:F:166:LYS:HG2	4:F:427:HOH:O	2.07	0.54
1:H:59:ILE:O	1:H:63[B]:GLU:HG3	2.08	0.54
1:I:17:GLU:OE1	1:I:50:GLU:OE1	2.27	0.53
1:J:-5:HIS:N	4:J:309:HOH:O	2.41	0.52
1:L:-4:HIS:CE1	4:L:385:HOH:O	2.62	0.52
1:B:45:ASP:OD2	1:B:166:LYS:HE3	2.10	0.52
1:D:85:GLN:HG2	4:D:348:HOH:O	2.10	0.52
1:L:78:HIS:ND1	4:L:303:HOH:O	2.34	0.51
1:F:53:HIS:CE1	4:F:365:HOH:O	2.62	0.51
1:I:140:LYS:HG2	1:I:157:TYR:CE2	2.46	0.51
1:F:166:LYS:HG3	4:F:427:HOH:O	2.08	0.51
1:H:77:GLU:HG2	4:H:462:HOH:O	2.10	0.51
1:F:149[B]:HIS:HA	4:F:443:HOH:O	2.11	0.50
1:G:79:LYS:NZ	4:G:308:HOH:O	2.32	0.50
1:B:17:GLU:OE1	1:B:50:GLU:OE1	2.30	0.49
1:F:147:GLU:O	1:F:148[A]:ASN:HB3	2.12	0.49
1:B:149[B]:HIS:CD2	1:D:144:ILE:O	2.64	0.49
1:A:157:TYR:CZ	1:A:161:ILE:HD11	2.47	0.49
1:G:85:GLN:HG2	4:G:402:HOH:O	2.12	0.49
1:K:17:GLU:OE1	1:K:50:GLU:HG3	2.13	0.49
1:L:73:ILE:HD12	4:L:412:HOH:O	2.13	0.48
1:I:121:GLN:NE2	4:I:303:HOH:O	2.27	0.48
1:I:140:LYS:CE	4:I:308:HOH:O	2.61	0.48
1:I:148:ASN:OD1	1:I:148:ASN:N	2.47	0.48
1:I:15:ASN:HB2	4:I:343:HOH:O	2.14	0.47
1:E:149[B]:HIS:HA	4:E:438:HOH:O	2.14	0.47
1:D:53:HIS:ND1	3:D:201:IMD:H4	2.30	0.47
1:K:114:HIS:HA	1:K:117:PHE:HB3	1.95	0.47
1:B:45:ASP:OD2	1:B:166:LYS:CE	2.63	0.47
1:J:17:GLU:OE1	1:J:50:GLU:OE1	2.31	0.47
1:I:144:ILE:O	1:K:149[A]:HIS:HD2	1.98	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:93:LEU:O	1:I:97[A]:ILE:HG12	2.14	0.46
1:C:157:TYR:CZ	1:C:161:ILE:HD11	2.51	0.46
1:J:45:ASP:OD2	1:J:166:LYS:HE3	2.16	0.46
1:L:140:LYS:HG2	1:L:157:TYR:CZ	2.51	0.46
1:K:17:GLU:OE1	1:K:50:GLU:OE1	2.33	0.46
1:H:-5:HIS:N	4:H:312:HOH:O	2.48	0.46
1:K:-4:HIS:CE1	4:K:409:HOH:O	2.69	0.45
1:I:146:ASN:O	1:I:148:ASN:N	2.45	0.45
1:F:162:ALA:O	1:F:166:LYS:HD2	2.16	0.45
1:H:101:ILE:HD12	1:H:127:GLN:HG2	1.98	0.45
1:A:79:LYS:HG2	1:H:78:HIS:CG	2.52	0.45
1:F:50:GLU:OE1	4:F:302:HOH:O	2.20	0.45
1:H:140:LYS:HD3	1:H:140:LYS:HA	1.76	0.45
1:D:6:ILE:HD13	1:D:6:ILE:HA	1.84	0.44
1:E:49:GLU:HG3	4:E:324:HOH:O	2.16	0.44
1:K:85:GLN:O	1:K:85:GLN:HG2	2.16	0.44
1:F:84:THR:O	1:F:88[B]:GLN:HG3	2.17	0.44
1:B:121:GLN:NE2	4:B:309:HOH:O	2.50	0.44
1:E:159:LYS:HD3	4:E:394:HOH:O	2.16	0.44
3:K:202:IMD:H5	4:K:403:HOH:O	2.16	0.44
1:K:95:GLN:O	1:K:99:GLU:HG3	2.18	0.44
1:L:147:GLU:HG2	1:L:148:ASN:ND2	2.33	0.44
1:A:89:LYS:HE3	4:A:354:HOH:O	2.18	0.43
4:I:434:HOH:O	1:K:149[B]:HIS:HA	2.17	0.43
1:F:85:GLN:HG3	4:F:435:HOH:O	2.17	0.43
1:K:101:ILE:HD12	1:K:127:GLN:HG2	2.00	0.43
1:G:140:LYS:HA	1:G:140:LYS:HD3	1.78	0.43
1:F:140:LYS:HG2	1:F:157:TYR:CZ	2.53	0.43
1:G:166:LYS:HB3	4:G:466:HOH:O	2.17	0.43
1:I:5:ASP:HB2	4:I:471:HOH:O	2.19	0.43
1:G:166:LYS:CB	4:G:466:HOH:O	2.66	0.43
1:G:73:ILE:HB	1:L:73:ILE:HG12	2.00	0.43
4:A:417:HOH:O	1:D:149[A]:HIS:HA	2.19	0.42
1:G:144:ILE:O	1:I:149[A]:HIS:CD2	2.68	0.42
1:H:63[B]:GLU:HG3	4:H:423:HOH:O	2.20	0.42
1:L:140:LYS:HD3	1:L:140:LYS:HA	1.75	0.42
1:L:148:ASN:CG	1:L:149[A]:HIS:H	2.23	0.42
1:A:147:GLU:O	1:D:149[B]:HIS:NE2	2.52	0.42
1:G:17:GLU:HA	1:G:17:GLU:OE1	2.20	0.42
1:L:101:ILE:HD12	1:L:127:GLN:HG2	2.02	0.41
1:H:89:LYS:HE2	4:H:417:HOH:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:101:ILE:HD12	1:A:127:GLN:HG2	2.03	0.41
1:H:159:LYS:O	1:H:163:LYS:HG2	2.21	0.41
1:I:109:ILE:HG13	1:I:117:PHE:CD2	2.56	0.41
1:A:79:LYS:HG2	1:H:78:HIS:CD2	2.56	0.40
1:A:79:LYS:HG2	1:H:78:HIS:CE1	2.55	0.40
1:G:153:LEU:HD11	1:I:149[B]:HIS:CE1	2.56	0.40
1:E:140:LYS:HD3	1:E:140:LYS:HA	1.77	0.40
1:I:4:LYS:HG3	4:I:452:HOH:O	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	176/173 (102%)	174 (99%)	1 (1%)	1 (1%)	28	21
1	B	173/173 (100%)	171 (99%)	1 (1%)	1 (1%)	28	21
1	C	175/173 (101%)	173 (99%)	2 (1%)	0	100	100
1	D	171/173 (99%)	169 (99%)	1 (1%)	1 (1%)	28	21
1	E	173/173 (100%)	170 (98%)	2 (1%)	1 (1%)	28	21
1	F	173/173 (100%)	170 (98%)	3 (2%)	0	100	100
1	G	171/173 (99%)	169 (99%)	1 (1%)	1 (1%)	28	21
1	H	174/173 (101%)	171 (98%)	2 (1%)	1 (1%)	28	21
1	I	172/173 (99%)	168 (98%)	4 (2%)	0	100	100
1	J	171/173 (99%)	169 (99%)	1 (1%)	1 (1%)	28	21
1	K	172/173 (99%)	170 (99%)	1 (1%)	1 (1%)	28	21
1	L	171/173 (99%)	169 (99%)	1 (1%)	1 (1%)	28	21
All	All	2072/2076 (100%)	2043 (99%)	20 (1%)	9 (0%)	38	33

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	J	148	ASN
1	D	148	ASN
1	E	148	ASN
1	G	148	ASN
1	H	148	ASN
1	A	148	ASN
1	K	148	ASN
1	L	148	ASN
1	B	148	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	161/156 (103%)	160 (99%)	1 (1%)	89	92
1	B	158/156 (101%)	153 (97%)	5 (3%)	44	42
1	C	160/156 (103%)	157 (98%)	3 (2%)	62	66
1	D	156/156 (100%)	153 (98%)	3 (2%)	62	66
1	E	158/156 (101%)	157 (99%)	1 (1%)	89	92
1	F	158/156 (101%)	156 (99%)	2 (1%)	73	78
1	G	156/156 (100%)	153 (98%)	3 (2%)	62	66
1	H	159/156 (102%)	155 (98%)	4 (2%)	53	54
1	I	157/156 (101%)	153 (98%)	4 (2%)	53	54
1	J	156/156 (100%)	155 (99%)	1 (1%)	89	92
1	K	157/156 (101%)	155 (99%)	2 (1%)	73	78
1	L	156/156 (100%)	154 (99%)	2 (1%)	73	78
All	All	1892/1872 (101%)	1861 (98%)	31 (2%)	66	72

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	140	LYS
1	B	49	GLU
1	B	110	LYS
1	B	112	LYS
1	B	135	LYS
1	B	140	LYS
1	C	63	GLU
1	C	135	LYS
1	C	148	ASN
1	D	4	LYS
1	D	112	LYS
1	D	135	LYS
1	E	146	ASN
1	F	6	ILE
1	F	147	GLU
1	G	19	ASN
1	G	77	GLU
1	G	135	LYS
1	H	79	LYS
1	H	135	LYS
1	H	147	GLU
1	H	148	ASN
1	I	6	ILE
1	I	19	ASN
1	I	135	LYS
1	I	148	ASN
1	J	135	LYS
1	K	4	LYS
1	K	135	LYS
1	L	6	ILE
1	L	110	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	148	ASN
1	E	15	ASN
1	H	96	HIS
1	I	15	ASN
1	I	128	HIS
1	J	-4	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 20 ligands modelled in this entry, 9 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	IMD	A	204	-	3,5,5	0.50	0	4,5,5	0.63	0
3	IMD	B	202	-	3,5,5	0.64	0	4,5,5	0.39	0
3	IMD	C	201	-	3,5,5	0.25	0	4,5,5	0.94	0
3	IMD	D	201	-	3,5,5	0.17	0	4,5,5	0.95	0
3	IMD	E	201	-	3,5,5	0.56	0	4,5,5	0.56	0
3	IMD	G	202	-	3,5,5	0.81	0	4,5,5	0.75	0
3	IMD	H	201	-	3,5,5	0.63	0	4,5,5	0.76	0
3	IMD	I	202	-	3,5,5	0.63	0	4,5,5	0.45	0
3	IMD	J	202	-	3,5,5	0.53	0	4,5,5	0.79	0
3	IMD	K	202	-	3,5,5	0.47	0	4,5,5	0.59	0
3	IMD	L	201	-	3,5,5	0.65	0	4,5,5	0.78	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	IMD	A	204	-	-	0/0/0/0	0/1/1/1
3	IMD	B	202	-	-	0/0/0/0	0/1/1/1
3	IMD	C	201	-	-	0/0/0/0	0/1/1/1
3	IMD	D	201	-	-	0/0/0/0	0/1/1/1
3	IMD	E	201	-	-	0/0/0/0	0/1/1/1
3	IMD	G	202	-	-	0/0/0/0	0/1/1/1
3	IMD	H	201	-	-	0/0/0/0	0/1/1/1
3	IMD	I	202	-	-	0/0/0/0	0/1/1/1
3	IMD	J	202	-	-	0/0/0/0	0/1/1/1
3	IMD	K	202	-	-	0/0/0/0	0/1/1/1
3	IMD	L	201	-	-	0/0/0/0	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	201	IMD	1	0
3	G	202	IMD	2	0
3	K	202	IMD	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	172/173 (99%)	-0.70	2 (1%) 79 78	14, 22, 40, 91	0
1	B	172/173 (99%)	-0.56	3 (1%) 70 69	16, 23, 44, 85	0
1	C	172/173 (99%)	-0.60	3 (1%) 70 69	17, 24, 43, 85	0
1	D	172/173 (99%)	-0.54	3 (1%) 70 69	17, 27, 48, 75	0
1	E	172/173 (99%)	-0.63	2 (1%) 79 78	14, 22, 42, 80	0
1	F	172/173 (99%)	-0.71	1 (0%) 89 88	14, 20, 36, 71	0
1	G	172/173 (99%)	-0.75	3 (1%) 70 69	12, 19, 37, 81	0
1	H	172/173 (99%)	-0.67	2 (1%) 79 78	12, 19, 39, 79	0
1	I	172/173 (99%)	-0.64	3 (1%) 70 69	12, 22, 42, 77	0
1	J	172/173 (99%)	-0.75	3 (1%) 70 69	13, 19, 37, 73	0
1	K	172/173 (99%)	-0.58	2 (1%) 79 78	12, 20, 40, 76	0
1	L	172/173 (99%)	-0.67	4 (2%) 61 60	11, 18, 35, 73	0
All	All	2064/2076 (99%)	-0.65	31 (1%) 74 73	11, 21, 42, 91	0

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	148	ASN	4.7
1	C	147	GLU	4.6
1	D	148	ASN	4.5
1	I	147	GLU	4.4
1	E	146	ASN	4.2
1	J	146	ASN	4.0
1	C	146	ASN	3.9
1	I	148	ASN	3.9
1	A	147	GLU	3.8
1	G	148	ASN	3.8
1	H	146	ASN	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	147	GLU	3.5
1	L	146	ASN	3.5
1	J	148	ASN	3.5
1	E	147	GLU	3.3
1	G	146	ASN	3.3
1	D	147	GLU	3.1
1	G	147	GLU	3.1
1	K	147	GLU	3.1
1	A	148	ASN	3.1
1	D	146	ASN	3.0
1	J	147	GLU	2.9
1	C	148	ASN	2.9
1	B	146	ASN	2.8
1	K	148	ASN	2.6
1	L	147	GLU	2.5
1	H	147	GLU	2.5
1	F	146	ASN	2.5
1	L	122	TRP	2.3
1	L	148	ASN	2.3
1	I	122	TRP	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	IMD	G	202	5/5	0.96	0.09	0.70	16,16,20,21	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	IMD	C	201	5/5	0.94	0.11	0.66	26,27,28,32	0
2	FE	K	201	1/1	0.99	0.10	0.41	18,18,18,18	1
3	IMD	B	202	5/5	0.98	0.09	0.28	23,25,30,30	0
2	FE	J	201	1/1	0.99	0.08	0.23	19,19,19,19	1
3	IMD	D	201	5/5	0.94	0.10	0.05	28,29,34,35	0
3	IMD	E	201	5/5	0.96	0.08	0.02	25,26,27,29	0
3	IMD	H	201	5/5	0.97	0.07	-0.04	19,20,20,21	0
3	IMD	I	202	5/5	0.94	0.08	-0.57	25,27,28,30	0
3	IMD	L	201	5/5	0.96	0.08	-0.61	25,26,27,30	0
3	IMD	J	202	5/5	0.97	0.07	-0.72	21,22,23,25	0
3	IMD	A	204	5/5	0.98	0.07	-0.80	23,23,25,25	0
2	FE	A	202	1/1	0.95	0.07	-0.85	53,53,53,53	1
2	FE	I	201	1/1	0.97	0.08	-0.86	41,41,41,41	1
3	IMD	K	202	5/5	0.96	0.08	-1.08	28,28,33,35	0
2	FE	G	201	1/1	0.99	0.05	-1.26	36,36,36,36	1
2	FE	A	201	1/1	0.98	0.04	-1.47	41,41,41,41	1
2	FE	A	203	1/1	0.99	0.05	-2.26	22,22,22,22	1
2	FE	B	201	1/1	0.99	0.04	-2.57	18,18,18,18	1
2	FE	F	201	1/1	0.96	0.09	-	59,59,59,59	1

6.5 Other polymers [i](#)

There are no such residues in this entry.