



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 05:57 am GMT

PDB ID : 4C7H
Title : Leishmania major N-myristoyltransferase in complex with a peptidomimetic (-NH₂) molecule
Authors : Olaleye, T.O.; Brannigan, J.A.; Goncalves, V.; Roberts, S.M.; Leatherbarrow, R.J.; Wilkinson, A.J.; Tate, E.W.
Deposited on : 2013-09-20
Resolution : 1.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	trunk28620
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1307 (1.40-1.40)
Clashscore	112137	1411 (1.40-1.40)
Ramachandran outliers	110173	1373 (1.40-1.40)
Sidechain outliers	110143	1372 (1.40-1.40)
RSRZ outliers	101464	1315 (1.40-1.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	411	<div> <div>5%</div> <div>81%</div> <div>17%</div> <div>.</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	DMS	A	1427	-	-	-	X
7	DMS	A	1428	-	-	X	X

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 4223 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called GLYCYLPEPTIDE N-TETRADECANOYLTRANSFERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	411	Total	C	N	O	S	0	23	0
			3476	2253	582	623	18			

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		

- Molecule 3 is N-(10-AMINODECANOYL)-L-SERYL-N-(2-CYCLOHEXYLETHYL)-L-LYSINAMIDE (three-letter code: EN5) (formula: C₂₇H₅₃N₅O₄).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	1
			36	27	5	4		

- Molecule 4 is COENZYME A (three-letter code: COA) (formula: C₂₁H₃₆N₇O₁₆P₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
4	A	1	Total	C	N	O	P	S	0	1
			48	21	7	16	3	1		


- Molecule 5 is TETRADECANOYL-COA (three-letter code: MYA) (formula: C₃₅H₆₂N₇O₁₇P₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
5	A	1	Total	C	N	O	P	S	0	1
			63	35	7	17	3	1		


- Molecule 6 is N-{(5E)-10-[(9E)-TETRADEC-9-ENOYLAMINO]DEC-5-ENOYL}-L-SE

RYL-N-(2-CYCLOHEXYLETHYL)-L-LYSINAMIDE (three-letter code: ENF) (formula: $C_{41}H_{79}N_5O_5$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	1
			51	41	5	5		

- Molecule 7 is DIMETHYL SULFOXIDE (three-letter code: DMS) (formula: C_2H_6OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	O	S	0	0
			4	2	1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	O	S	0	0
			4	2	1	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	540	Total	O	0	0
			540	540		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: GLYCYLPEPTIDE N-TETRADECANOYLTRANSFERASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	48.66Å 91.13Å 53.78Å 90.00° 113.85° 90.00°	Depositor
Resolution (Å)	22.26 – 1.40 22.25 – 1.40	Depositor EDS
% Data completeness (in resolution range)	98.6 (22.26-1.40) 98.7 (22.25-1.40)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.08 (at 1.40Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.173 , 0.205 0.171 , 0.203	Depositor DCC
R_{free} test set	4168 reflections (5.28%)	DCC
Wilson B-factor (Å ²)	14.4	Xtriage
Anisotropy	0.429	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 43.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	4223	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.10% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ENF, COA, DMS, EN5, MYA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.48	19/3641 (0.5%)	1.48	38/4945 (0.8%)

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	191[A]	ARG	CZ-NH1	8.30	1.43	1.33
1	A	191[B]	ARG	CZ-NH1	8.30	1.43	1.33
1	A	110	TRP	CZ3-CH2	7.33	1.51	1.40
1	A	257	SER	CA-CB	6.89	1.63	1.52
1	A	153	GLU	CD-OE1	6.50	1.32	1.25
1	A	414	SER	CB-OG	6.43	1.50	1.42
1	A	262[A]	SER	C-N	-6.30	1.21	1.33
1	A	262[B]	SER	C-N	-6.30	1.21	1.33
1	A	110	TRP	CG-CD1	6.22	1.45	1.36
1	A	34	GLY	N-CA	-5.58	1.37	1.46
1	A	140	TYR	CE1-CZ	5.58	1.45	1.38
1	A	140	TYR	CG-CD2	5.52	1.46	1.39
1	A	160	PRO	N-CA	5.51	1.56	1.47
1	A	134	ARG	CZ-NH2	-5.26	1.26	1.33
1	A	110	TRP	CD2-CE2	5.24	1.47	1.41
1	A	261	ASN	CB-CG	5.21	1.63	1.51
1	A	95	GLU	CD-OE1	5.16	1.31	1.25
1	A	322	PHE	CG-CD2	5.09	1.46	1.38
1	A	38	GLU	CD-OE2	5.02	1.31	1.25

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	194[A]	ARG	NE-CZ-NH2	-12.78	113.91	120.30
1	A	194[B]	ARG	NE-CZ-NH2	-12.78	113.91	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	85	ASP	CB-CG-OD2	11.56	128.71	118.30
1	A	334	GLY	N-CA-C	11.15	140.98	113.10
1	A	384	ARG	NE-CZ-NH2	-11.10	114.75	120.30
1	A	80	TYR	CB-CG-CD2	-9.48	115.31	121.00
1	A	158	ASP	CB-CG-OD1	7.94	125.45	118.30
1	A	89	ARG	NE-CZ-NH1	7.58	124.09	120.30
1	A	89	ARG	NE-CZ-NH2	-7.42	116.59	120.30
1	A	191[A]	ARG	NE-CZ-NH2	-7.30	116.65	120.30
1	A	191[B]	ARG	NE-CZ-NH2	-7.30	116.65	120.30
1	A	400	ARG	NE-CZ-NH2	-7.11	116.75	120.30
1	A	41	THR	N-CA-CB	7.00	123.59	110.30
1	A	84[A]	ASP	CB-CG-OD1	6.96	124.57	118.30
1	A	84[B]	ASP	CB-CG-OD1	6.96	124.57	118.30
1	A	294	ASP	CB-CG-OD1	6.36	124.03	118.30
1	A	85	ASP	CB-CG-OD1	-6.21	112.71	118.30
1	A	218	PHE	CB-CG-CD2	-6.21	116.46	120.80
1	A	184	LEU	CB-CG-CD1	5.96	121.12	111.00
1	A	265	ARG	NE-CZ-NH1	-5.84	117.38	120.30
1	A	44	ASP	CB-CG-OD2	-5.81	113.07	118.30
1	A	220	ARG	NE-CZ-NH2	-5.81	117.40	120.30
1	A	125	PHE	CB-CG-CD1	5.79	124.85	120.80
1	A	95	GLU	CG-CD-OE1	5.72	129.75	118.30
1	A	304	ARG	NE-CZ-NH2	-5.72	117.44	120.30
1	A	294	ASP	CB-CG-OD2	-5.58	113.28	118.30
1	A	311	TYR	CB-CG-CD1	5.55	124.33	121.00
1	A	141	MET	CG-SD-CE	-5.44	91.50	100.20
1	A	262[A]	SER	CA-C-O	5.38	131.40	120.10
1	A	262[B]	SER	CA-C-O	5.38	131.40	120.10
1	A	78	ASP	CB-CG-OD1	5.35	123.11	118.30
1	A	41	THR	CB-CA-C	-5.27	97.38	111.60
1	A	284	ASP	CB-CG-OD2	-5.21	113.61	118.30
1	A	194[A]	ARG	NE-CZ-NH1	5.17	122.89	120.30
1	A	194[B]	ARG	NE-CZ-NH1	5.17	122.89	120.30
1	A	286	PHE	CB-CG-CD1	5.12	124.38	120.80
1	A	262[A]	SER	CA-C-N	-5.05	106.10	116.20
1	A	262[B]	SER	CA-C-N	-5.05	106.10	116.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3476	0	3477	62	0
2	A	1	0	0	0	0
3	A	36	0	53	4	0
4	A	48	0	32	11	0
5	A	63	0	58	0	0
6	A	51	0	79	15	0
7	A	8	0	12	8	0
8	A	540	0	0	17	0
All	All	4223	0	3711	81	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (81) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:63[B]:MET:HE1	1:A:72:ILE:CD1	1.45	1.41
1:A:63[B]:MET:CE	1:A:72:ILE:HD12	1.58	1.31
1:A:63[B]:MET:CE	1:A:72:ILE:CD1	2.11	1.28
4:A:1424[A]:COA:S1P	6:A:1426[A]:ENF:H	1.73	1.26
4:A:1424[A]:COA:S1P	6:A:1426[A]:ENF:C27	2.30	1.19
4:A:1424[A]:COA:S1P	6:A:1426[A]:ENF:C	2.29	1.19
1:A:194[B]:ARG:CG	1:A:194[B]:ARG:HH11	1.57	1.14
1:A:231[B]:ARG:NH1	8:A:2361:HOH:O	1.83	1.11
1:A:63[B]:MET:HG3	1:A:69[B]:ILE:HD11	1.33	1.11
1:A:194[B]:ARG:NH1	1:A:194[B]:ARG:HG3	1.62	1.07
1:A:63[B]:MET:HE1	1:A:72:ILE:HD11	1.32	1.06
1:A:63[B]:MET:HE1	1:A:72:ILE:HD12	1.17	1.02
4:A:1424[A]:COA:S1P	6:A:1426[A]:ENF:N	2.32	1.01
1:A:231[B]:ARG:CZ	8:A:2361:HOH:O	2.08	1.00
1:A:194[B]:ARG:HG3	1:A:194[B]:ARG:HH11	0.78	0.93
1:A:63[B]:MET:HE2	1:A:72:ILE:CD1	2.06	0.84
4:A:1424[A]:COA:HS1	6:A:1426[A]:ENF:H	1.46	0.79
1:A:231[B]:ARG:NH2	8:A:2361:HOH:O	2.15	0.78
1:A:63[B]:MET:HE3	1:A:69[B]:ILE:HD13	1.66	0.78

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:260:LYS:HD3	8:A:2390:HOH:O	1.85	0.76
1:A:63[B]:MET:HG3	1:A:69[B]:ILE:CD1	2.14	0.76
1:A:41:THR:HB	8:A:2078:HOH:O	1.86	0.76
1:A:11:ALA:HB3	8:A:2009:HOH:O	1.85	0.75
1:A:24[A]:GLU:OE2	1:A:28[A]:GLU:OE2	2.05	0.74
1:A:98[B]:GLN:NE2	8:A:2197:HOH:O	2.26	0.68
1:A:240:GLN:HA	1:A:240:GLN:OE1	1.95	0.67
1:A:147:GLU:HG3	8:A:2264:HOH:O	1.95	0.65
1:A:63[B]:MET:CE	1:A:72:ILE:HD13	2.23	0.64
4:A:1424[A]:COA:C2P	6:A:1426[A]:ENF:C	2.76	0.63
1:A:63[B]:MET:CE	1:A:69[B]:ILE:HD13	2.28	0.62
1:A:261:ASN:HD21	1:A:358:GLN:HE21	1.48	0.62
1:A:63[B]:MET:HE2	1:A:72:ILE:HD13	1.81	0.61
1:A:84[B]:ASP:OD2	8:A:2181:HOH:O	2.16	0.61
4:A:1424[A]:COA:S1P	6:A:1426[A]:ENF:C29	2.89	0.60
4:A:1424[A]:COA:C2P	6:A:1426[A]:ENF:H	2.32	0.59
1:A:261:ASN:ND2	1:A:358:GLN:HE21	1.99	0.58
1:A:16:SER:HA	1:A:22:GLN:HE22	1.69	0.58
1:A:146:GLN:HG2	8:A:2262:HOH:O	2.05	0.57
1:A:63[B]:MET:HE2	1:A:72:ILE:HD12	1.67	0.56
1:A:231[B]:ARG:NH1	8:A:2357:HOH:O	2.29	0.55
1:A:63[A]:MET:HB3	1:A:102:CYS:SG	2.47	0.54
1:A:41:THR:HG22	8:A:2079:HOH:O	2.07	0.54
1:A:194[B]:ARG:NH1	1:A:194[B]:ARG:CG	2.32	0.54
1:A:251[A]:ARG:HH11	1:A:251[A]:ARG:CG	2.21	0.53
1:A:242:PHE:CD2	1:A:248[B]:MET:HG2	2.44	0.52
1:A:98[B]:GLN:NE2	8:A:2198:HOH:O	2.42	0.52
4:A:1424[A]:COA:H22	6:A:1426[A]:ENF:HA	1.92	0.52
6:A:1426[A]:ENF:HN1	7:A:1428:DMS:C1	2.24	0.51
1:A:16:SER:HA	1:A:22:GLN:NE2	2.26	0.51
1:A:239:TYR:O	1:A:245:PRO:HG3	2.10	0.51
4:A:1424[A]:COA:C2P	6:A:1426[A]:ENF:HA	2.40	0.50
3:A:1423[B]:EN5:HN1	7:A:1428:DMS:C1	2.27	0.48
1:A:251[A]:ARG:HH11	1:A:251[A]:ARG:HG2	1.78	0.48
1:A:63[B]:MET:HB3	1:A:102:CYS:SG	2.52	0.48
3:A:1423[B]:EN5:H8A	7:A:1428:DMS:C1	2.44	0.47
6:A:1426[A]:ENF:H8A	7:A:1428:DMS:C1	2.44	0.47
1:A:24[A]:GLU:OE2	1:A:410:LYS:HE2	2.15	0.47
3:A:1423[B]:EN5:H8A	7:A:1428:DMS:H12	1.96	0.47
1:A:109:ASP:O	1:A:191[A]:ARG:HD3	2.16	0.46
1:A:178:LYS:HE2	8:A:2305:HOH:O	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:112:VAL:HG22	1:A:191[B]:ARG:HD2	2.00	0.43
1:A:22:GLN:NE2	8:A:2013:HOH:O	2.52	0.43
1:A:251[A]:ARG:NH1	8:A:2373:HOH:O	2.52	0.42
1:A:25:ASP:O	1:A:29:LYS:HD3	2.18	0.42
4:A:1424[A]:COA:S1P	6:A:1426[A]:ENF:H29	2.58	0.42
6:A:1426[A]:ENF:HN1	7:A:1428:DMS:H12	1.83	0.42
1:A:31:VAL:O	1:A:141:MET:HE2	2.19	0.42
1:A:276[A]:ARG:HB2	1:A:297:ILE:HG13	2.01	0.42
1:A:276[A]:ARG:HD2	1:A:276[A]:ARG:HH11	1.69	0.42
1:A:123:LEU:HD22	1:A:175[A]:LEU:CD1	2.50	0.42
6:A:1426[A]:ENF:H8A	7:A:1428:DMS:H12	2.02	0.42
1:A:311:TYR:CE1	1:A:366:VAL:HG11	2.56	0.41
1:A:112:VAL:HG22	1:A:191[A]:ARG:HD2	2.03	0.41
1:A:420:MET:HE2	1:A:420:MET:HB3	1.88	0.41
1:A:181:ALA:HB3	1:A:182:PRO:HD3	2.01	0.41
1:A:115:ARG:CZ	1:A:120:LYS:HD2	2.51	0.41
1:A:40:LYS:HE2	8:A:2071:HOH:O	2.19	0.41
3:A:1423[B]:EN5:HN1	7:A:1428:DMS:H12	1.85	0.41
1:A:238:GLN:C	1:A:240:GLN:H	2.25	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	432/411 (105%)	420 (97%)	11 (2%)	1 (0%)	51 21

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	241	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	385/362 (106%)	381 (99%)	4 (1%)	80	57

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	238	GLN
1	A	243	GLN
1	A	262[A]	SER
1	A	262[B]	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	22	GLN
1	A	91	ASN
1	A	243	GLN
1	A	252	ASN
1	A	261	ASN
1	A	339	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 7 ligands modelled in this entry, 1 is monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	EN5	A	1423[B]	-	36,36,36	0.87	1 (2%)	42,42,42	1.63	9 (21%)
4	COA	A	1424[A]	2	43,50,50	1.43	9 (20%)	48,75,75	1.15	3 (6%)
5	MYA	A	1425[B]	2	55,65,65	1.22	6 (10%)	63,91,91	1.85	13 (20%)
6	ENF	A	1426[A]	-	51,51,51	1.19	3 (5%)	58,58,58	1.27	4 (6%)
7	DMS	A	1427	-	3,3,3	0.53	0	3,3,3	0.73	0
7	DMS	A	1428	-	3,3,3	1.60	1 (33%)	3,3,3	1.52	1 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EN5	A	1423[B]	-	-	0/39/47/47	0/1/1/1
4	COA	A	1424[A]	2	-	0/44/64/64	0/3/3/3
5	MYA	A	1425[B]	2	-	0/59/80/80	0/3/3/3
6	ENF	A	1426[A]	-	-	0/55/63/63	0/1/1/1
7	DMS	A	1427	-	-	0/0/0/0	0/0/0/0
7	DMS	A	1428	-	-	0/0/0/0	0/0/0/0

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	1426[A]	ENF	O28-C27	-4.85	1.13	1.23
6	A	1426[A]	ENF	O3-C18	-4.08	1.15	1.23
6	A	1426[A]	ENF	O2-C12	-3.43	1.16	1.23
4	A	1424[A]	COA	C4A-N3A	-3.33	1.30	1.35
4	A	1424[A]	COA	O9P-C9P	-2.96	1.17	1.23
4	A	1424[A]	COA	P2A-O4A	-2.92	1.39	1.50
4	A	1424[A]	COA	O5P-C5P	-2.63	1.17	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1424[A]	COA	P3B-O8A	-2.50	1.44	1.54
4	A	1424[A]	COA	P2A-O5A	-2.18	1.44	1.55
4	A	1424[A]	COA	C2B-C1B	-2.13	1.50	1.53
4	A	1424[A]	COA	C5A-N7A	-2.13	1.32	1.39
5	A	1425[B]	MYA	P2A-O4A	-2.12	1.43	1.50
5	A	1425[B]	MYA	C2X-C1X	-2.07	1.50	1.53
4	A	1424[A]	COA	C5P-N4P	-2.01	1.28	1.33
3	A	1423[B]	EN5	O-C9	2.03	1.27	1.23
5	A	1425[B]	MYA	O10-C10	2.06	1.46	1.42
7	A	1428	DMS	O-S	2.20	1.65	1.50
5	A	1425[B]	MYA	P3X-O3X	2.32	1.63	1.59
5	A	1425[B]	MYA	C13-C11	2.80	1.60	1.53
5	A	1425[B]	MYA	C2A-N1A	3.49	1.40	1.33

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1425[B]	MYA	O6A-C12-C11	-5.35	101.94	110.55
6	A	1426[A]	ENF	C29-C27-N	-4.99	107.88	116.49
3	A	1423[B]	EN5	C7-C8-C9	-4.87	99.63	113.32
4	A	1424[A]	COA	C6P-C5P-N4P	-3.47	110.51	116.49
4	A	1424[A]	COA	N3A-C2A-N1A	-3.41	125.89	128.86
3	A	1423[B]	EN5	O-C9-N1	-3.18	117.48	122.97
4	A	1424[A]	COA	C4A-C5A-N7A	-3.05	106.46	109.41
5	A	1425[B]	MYA	C4X-O4X-C1X	-3.04	106.54	109.77
3	A	1423[B]	EN5	C25-C26-C21	-2.90	106.86	112.19
5	A	1425[B]	MYA	C4M-C3M-C2M	-2.89	105.66	113.97
3	A	1423[B]	EN5	C3-C2-C1	-2.84	99.80	114.45
5	A	1425[B]	MYA	C4A-C5A-N7A	-2.76	106.75	109.41
6	A	1426[A]	ENF	C7-C8-C9	-2.64	105.89	113.32
5	A	1425[B]	MYA	C13-C11-C12	-2.52	104.67	108.37
3	A	1423[B]	EN5	C18-C13-N2	-2.36	104.72	111.20
3	A	1423[B]	EN5	C20-C21-C26	-2.34	106.77	112.11
5	A	1425[B]	MYA	C1X-N9A-C4A	-2.27	122.72	126.64
5	A	1425[B]	MYA	C2-C3-N4	-2.19	107.66	112.49
5	A	1425[B]	MYA	C3-C2-S1	-2.09	105.58	114.54
5	A	1425[B]	MYA	N3A-C2A-N1A	-2.08	127.05	128.86
3	A	1423[B]	EN5	C6-C7-C8	2.09	120.92	113.24
5	A	1425[B]	MYA	C13-C11-C10	2.16	112.56	108.82
6	A	1426[A]	ENF	C6-C7-C8	2.59	122.75	113.24
7	A	1428	DMS	C2-S-C1	2.62	112.03	98.44
5	A	1425[B]	MYA	C5A-C6A-N6A	2.62	125.82	120.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1423[B]	EN5	O3-C18-C13	2.66	126.14	120.43
3	A	1423[B]	EN5	C8-C9-N1	2.79	120.73	115.82
6	A	1426[A]	ENF	O28-C27-C29	3.84	129.23	122.01
5	A	1425[B]	MYA	C2-S1-C2M	4.63	107.44	100.36
5	A	1425[B]	MYA	O2M-C2M-C3M	7.42	122.94	109.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1423[B]	EN5	4	0
4	A	1424[A]	COA	11	0
6	A	1426[A]	ENF	15	0
7	A	1428	DMS	8	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	411/411 (100%)	0.07	19 (4%) 33 33	9, 16, 35, 58	0

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	242	PHE	6.5
1	A	25	ASP	5.1
1	A	11	ALA	3.9
1	A	241	LYS	3.8
1	A	336	SER	3.8
1	A	30	ILE	3.4
1	A	337	ASN	3.3
1	A	237	ALA	3.1
1	A	244	ASN	3.0
1	A	240	GLN	2.9
1	A	243	GLN	2.9
1	A	28[A]	GLU	2.6
1	A	238	GLN	2.6
1	A	23	THR	2.6
1	A	334	GLY	2.5
1	A	262[A]	SER	2.1
1	A	239	TYR	2.0
1	A	32	PHE	2.0
1	A	29	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
7	DMS	A	1427	4/4	0.91	0.18	10.23	13,14,15,17	4
7	DMS	A	1428	4/4	0.93	0.16	8.07	12,18,18,20	4
6	ENF	A	1426[A]	51/51	0.95	0.09	0.35	10,16,21,21	51
3	EN5	A	1423[B]	36/36	0.95	0.08	-0.02	9,12,27,31	36
5	MYA	A	1425[B]	63/63	0.94	0.08	-0.18	10,13,16,18	63
4	COA	A	1424[A]	48/48	0.95	0.08	-0.41	19,34,39,42	48
2	MG	A	1422	1/1	0.96	0.07	-1.04	26,26,26,26	0

6.5 Other polymers [i](#)

There are no such residues in this entry.