



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 15, 2017 – 12:47 am GMT

PDB ID : 2CCA
Title : Crystal structure of the catalase-peroxidase (KatG) and S315T mutant from Mycobacterium tuberculosis
Authors : Yu, H.; Sacchettini, J.C.
Deposited on : 2006-01-16
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	7775 (2.00-2.00)
Ramachandran outliers	110173	7679 (2.00-2.00)
Sidechain outliers	110143	7678 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	740	
1	B	740	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 12063 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PEROXIDASE/CATALASE T.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	715	Total	C	N	O	S	0	1	0
			5523	3511	952	1041	19			
1	B	715	Total	C	N	O	S	0	0	0
			5516	3507	949	1041	19			

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	486	Total 486	O 486	0	0
3	B	452	Total 452	O 452	0	0

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: PEROXIDASE/CATALASE T



• Molecule 1: PEROXIDASE/CATALASE T



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 42 21 2	Depositor
Cell constants a, b, c, α , β , γ	150.10Å 150.10Å 153.72Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.00	Depositor
% Data completeness (in resolution range)	99.0 (20.00-2.00)	Depositor
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.199 , 0.225	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	12063	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.38	0/5677	0.52	0/7726
1	B	0.39	0/5666	0.52	0/7712
All	All	0.38	0/11343	0.52	0/15438

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5523	0	5354	39	0
1	B	5516	0	5345	60	0
2	A	43	0	30	0	0
2	B	43	0	30	0	0
3	A	486	0	0	1	0
3	B	452	0	0	3	0
All	All	12063	0	10759	93	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (93) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:107:TRP:CH2	1:A:229:TYR:HE1	1.12	1.64
1:B:107:TRP:CH2	1:B:229:TYR:HE1	1.08	1.59
1:A:107:TRP:HH2	1:A:229:TYR:CE1	1.20	1.56
1:B:107:TRP:HH2	1:B:229:TYR:CE1	1.22	1.53
1:B:107:TRP:CH2	1:B:229:TYR:CE1	2.01	1.39
1:A:107:TRP:CH2	1:A:229:TYR:CE1	2.02	1.22
1:B:552:ILE:HG23	1:B:565:VAL:HG21	1.48	0.95
1:B:655:ASN:H	1:B:655:ASN:HD22	1.31	0.78
1:B:450:VAL:HG12	1:B:455:ILE:HG13	1.64	0.76
1:B:575:SER:H	1:B:578:GLN:HE21	1.32	0.75
1:B:45:LEU:HD23	1:B:611:LEU:HD21	1.68	0.73
1:B:318:GLU:H	1:B:352:GLN:HE22	1.38	0.70
1:A:318:GLU:H	1:A:352:GLN:HE22	1.41	0.68
1:B:450:VAL:CG1	1:B:455:ILE:HG13	2.23	0.68
1:A:51:ASN:HD21	1:A:191:TRP:H	1.39	0.68
1:B:323:ASN:H	1:B:323:ASN:HD22	1.42	0.67
1:B:701:ASN:HD22	1:B:704:LEU:H	1.43	0.65
1:B:385:ARG:O	1:B:391:GLU:HG3	1.97	0.65
1:A:701:ASN:HD22	1:A:704:LEU:H	1.45	0.65
1:A:258:ASN:HD22	1:A:258:ASN:C	2.01	0.64
1:B:170:ASN:HD22	1:B:412:TRP:HE1	1.46	0.64
1:B:447:HIS:HB2	1:B:537:LYS:HE2	1.82	0.60
1:B:568:THR:HG22	3:B:2443:HOH:O	2.00	0.60
1:B:107:TRP:CZ2	1:B:229:TYR:CE1	2.84	0.60
1:B:258:ASN:C	1:B:258:ASN:HD22	2.05	0.59
1:A:46:LYS:HG2	1:A:49:HIS:NE2	2.18	0.59
1:A:561:HIS:HE1	1:A:717:GLN:HE21	1.50	0.57
1:B:655:ASN:N	1:B:655:ASN:HD22	1.99	0.56
1:A:415:LEU:O	1:A:418[B]:ARG:HD2	2.08	0.54
1:A:133:ASN:HD22	1:A:134:SER:N	2.05	0.53
1:B:575:SER:H	1:B:578:GLN:NE2	2.02	0.53
1:A:650:SER:O	1:A:651:GLU:HB3	2.09	0.53
1:B:450:VAL:HG13	1:B:454:GLU:HB2	1.90	0.53
1:B:45:LEU:CD2	1:B:611:LEU:HD21	2.38	0.51
1:A:107:TRP:CZ2	1:A:229:TYR:CE1	2.88	0.50
1:A:119:ARG:HH21	1:A:615:ASN:ND2	2.10	0.50
1:A:200:LYS:O	1:B:26:MET:HG3	2.11	0.50
1:A:696:LEU:O	1:B:296:MET:HE1	2.10	0.50
1:A:318:GLU:H	1:A:352:GLN:NE2	2.07	0.50
1:B:26:MET:N	3:B:2001:HOH:O	2.45	0.50
1:B:43:LEU:HG	1:B:611:LEU:HD22	1.94	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:258:ASN:ND2	1:B:261:GLU:H	2.10	0.49
1:B:134:SER:HB3	1:B:287:GLU:HG3	1.94	0.49
1:A:296:MET:HE1	1:B:696:LEU:HB3	1.93	0.49
1:A:258:ASN:ND2	1:A:261:GLU:H	2.11	0.49
1:B:655:ASN:H	1:B:655:ASN:ND2	2.06	0.48
1:A:666:ILE:HD11	1:A:688:LYS:HE3	1.95	0.48
1:A:26:MET:HA	1:B:200:LYS:O	2.14	0.48
1:A:45:LEU:HD23	1:A:611:LEU:HD21	1.96	0.48
1:A:133:ASN:C	1:A:133:ASN:HD22	2.16	0.48
1:A:46:LYS:HG2	1:A:49:HIS:CE1	2.49	0.48
1:A:610:LEU:HD22	1:A:694:VAL:HG13	1.96	0.48
1:A:131:PRO:HD3	1:B:35:ASN:HD21	1.80	0.47
1:A:420:MET:O	1:A:425:ARG:HD3	2.14	0.47
1:B:323:ASN:H	1:B:323:ASN:ND2	2.10	0.47
1:A:36:GLN:O	1:A:40:PRO:HA	2.15	0.47
1:A:43:LEU:HG	1:A:611:LEU:HD22	1.98	0.46
1:B:107:TRP:CD1	1:B:108:HIS:HD2	2.33	0.45
1:B:447:HIS:CB	1:B:537:LYS:HE2	2.46	0.45
1:B:293:LEU:O	1:B:296:MET:HE3	2.15	0.45
1:A:255:MET:O	1:A:418[B]:ARG:NH2	2.50	0.45
1:B:71:ILE:CG2	1:B:158:LYS:HB3	2.45	0.45
1:A:245:ALA:HB2	1:A:383:SER:HB3	1.99	0.45
1:B:733:ASN:O	1:B:740:ARG:NH1	2.48	0.45
1:B:296:MET:HA	1:B:296:MET:HE2	1.98	0.45
1:B:553:GLU:HG3	1:B:565:VAL:HG23	1.98	0.44
1:B:447:HIS:CD2	1:B:535:ASN:HB3	2.53	0.44
1:A:263:ALA:O	1:A:267:VAL:HG13	2.18	0.44
1:B:658:PHE:HD2	1:B:708:VAL:HB	1.82	0.44
1:A:418[A]:ARG:NH2	3:A:2272:HOH:O	2.51	0.43
1:B:462:ILE:HG21	1:B:547:GLY:HA2	2.00	0.43
1:B:415:LEU:O	1:B:418:ARG:HG3	2.19	0.43
1:B:737:PHE:HA	1:B:740:ARG:HG2	2.00	0.43
1:B:126:MET:HE1	1:B:190:GLN:HG3	2.01	0.43
1:B:346:SER:HB3	1:B:352:GLN:NE2	2.34	0.43
1:A:108:HIS:CE1	1:A:137:ASP:O	2.72	0.43
1:A:119:ARG:HH21	1:A:615:ASN:HD22	1.65	0.43
1:B:36:GLN:O	1:B:40:PRO:HA	2.19	0.43
1:A:629:GLY:HA3	1:A:658:PHE:CZ	2.54	0.42
1:B:629:GLY:HA3	1:B:658:PHE:CZ	2.54	0.42
1:B:68:VAL:O	1:B:71:ILE:HG12	2.19	0.42
1:B:662:LEU:HD21	1:B:708:VAL:HG22	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:610:LEU:HD22	1:B:694:VAL:HG13	2.01	0.42
1:B:321:TRP:NE1	1:B:381:ASP:OD2	2.53	0.41
1:A:715:ASP:OD2	1:B:157:LYS:HG2	2.20	0.41
1:B:596:ASN:ND2	3:B:2372:HOH:O	2.49	0.41
1:B:245:ALA:HB2	1:B:383:SER:HB3	2.03	0.41
1:B:36:GLN:NE2	1:B:36:GLN:H	2.19	0.41
1:B:391:GLU:O	1:B:395:ARG:HB2	2.20	0.41
1:A:84:MET:HA	1:A:98:TYR:HB2	2.03	0.40
1:A:139:ALA:HA	1:A:300:TRP:CZ3	2.57	0.40
1:B:324:THR:HB	1:B:327:LYS:HB3	2.04	0.40
1:B:467:LEU:HD22	1:B:517:VAL:HG22	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	714/740 (96%)	700 (98%)	13 (2%)	1 (0%)	55	52
1	B	713/740 (96%)	700 (98%)	12 (2%)	1 (0%)	55	52
All	All	1427/1480 (96%)	1400 (98%)	25 (2%)	2 (0%)	55	52

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	533	PRO
1	B	533	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	565/584 (97%)	550 (97%)	15 (3%)	50	51
1	B	564/584 (97%)	536 (95%)	28 (5%)	28	23
All	All	1129/1168 (97%)	1086 (96%)	43 (4%)	39	35

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	36	GLN
1	A	114	ARG
1	A	133	ASN
1	A	137	ASP
1	A	213	LYS
1	A	258	ASN
1	A	267	VAL
1	A	310	LYS
1	A	378	LEU
1	A	385	ARG
1	A	418[A]	ARG
1	A	418[B]	ARG
1	A	426	TYR
1	A	543	LEU
1	A	650	SER
1	B	36	GLN
1	B	54	VAL
1	B	137	ASP
1	B	195	GLU
1	B	258	ASN
1	B	313	ILE
1	B	323	ASN
1	B	330	ASN
1	B	373	ARG
1	B	378	LEU
1	B	391	GLU
1	B	395	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	418	ARG
1	B	435	THR
1	B	447	HIS
1	B	449	LEU
1	B	474	SER
1	B	511	ASP
1	B	543	LEU
1	B	552	ILE
1	B	568	THR
1	B	596	ASN
1	B	627	LEU
1	B	648	GLU
1	B	655	ASN
1	B	684	SER
1	B	686	LYS
1	B	688	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (35) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	50	GLN
1	A	51	ASN
1	A	116	HIS
1	A	133	ASN
1	A	218	ASN
1	A	238	ASN
1	A	258	ASN
1	A	330	ASN
1	A	352	GLN
1	A	434	GLN
1	A	447	HIS
1	A	535	ASN
1	A	561	HIS
1	A	562	ASN
1	A	602	ASN
1	A	615	ASN
1	A	701	ASN
1	B	35	ASN
1	B	36	GLN
1	B	50	GLN
1	B	170	ASN
1	B	218	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	258	ASN
1	B	323	ASN
1	B	330	ASN
1	B	352	GLN
1	B	434	GLN
1	B	439	GLN
1	B	525	GLN
1	B	562	ASN
1	B	578	GLN
1	B	596	ASN
1	B	655	ASN
1	B	701	ASN
1	B	717	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	HEM	A	1741	1,3	28,50,50	2.17	6 (21%)	17,82,82	1.65	4 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEM	B	1741	1,3	28,50,50	2.20	6 (21%)	17,82,82	1.57	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	1741	1,3	-	0/6/54/54	0/0/8/8
2	HEM	B	1741	1,3	-	0/6/54/54	0/0/8/8

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1741	HEM	C3B-C2B	-4.49	1.34	1.40
2	A	1741	HEM	C3B-C2B	-4.36	1.34	1.40
2	B	1741	HEM	C3C-C2C	-4.28	1.34	1.40
2	A	1741	HEM	C3C-C2C	-4.03	1.35	1.40
2	A	1741	HEM	C4D-ND	2.20	1.39	1.36
2	B	1741	HEM	C4D-ND	2.96	1.40	1.36
2	A	1741	HEM	C3B-CAB	3.76	1.55	1.47
2	B	1741	HEM	C3B-CAB	3.78	1.55	1.47
2	B	1741	HEM	C3C-CAC	3.96	1.55	1.47
2	A	1741	HEM	C3C-CAC	4.16	1.56	1.47
2	B	1741	HEM	C3D-C2D	5.08	1.52	1.37
2	A	1741	HEM	C3D-C2D	5.13	1.52	1.37

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1741	HEM	CAA-CBA-CGA	-4.00	105.83	112.66
2	A	1741	HEM	CAA-CBA-CGA	-3.54	106.61	112.66
2	A	1741	HEM	C1D-C2D-C3D	-3.05	104.88	107.00
2	A	1741	HEM	CMA-C3A-C4A	-2.25	125.01	128.46
2	A	1741	HEM	CBD-CAD-C3D	-2.20	108.27	112.47

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.