



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 10:25 am GMT

PDB ID : 3CGB
Title : Pyridine Nucleotide Complexes with Bacillus anthracis Coenzyme A-Disulfide Reductase: A Structural Analysis of Dual NAD(P)H Specificity
Authors : Wallen, J.R.
Deposited on : 2008-03-05
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	5047 (1.90-1.90)
Clashscore	112137	5731 (1.90-1.90)
Ramachandran outliers	110173	5669 (1.90-1.90)
Sidechain outliers	110143	5670 (1.90-1.90)
RSRZ outliers	101464	5100 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	480	<div> <div>3%</div> <div> <div></div> <div>80%</div> <div>12%</div> <div>•</div> <div>8%</div> </div> </div>
1	B	480	<div> <div>3%</div> <div> <div></div> <div>79%</div> <div>13%</div> <div>•</div> <div>8%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	COA	B	445[B]	-	-	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7773 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyridine nucleotide-disulfide oxidoreductase, class I.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	444	Total	C	N	O	S	Se	0	5	0
			3502	2213	604	669	3	13			
1	B	444	Total	C	N	O	S	Se	0	4	0
			3496	2209	602	669	3	13			

There are 74 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-35	MSE	-	EXPRESSION TAG	UNP Q81TK8
A	-34	GLY	-	EXPRESSION TAG	UNP Q81TK8
A	-33	GLY	-	EXPRESSION TAG	UNP Q81TK8
A	-32	SER	-	EXPRESSION TAG	UNP Q81TK8
A	-31	HIS	-	EXPRESSION TAG	UNP Q81TK8
A	-30	HIS	-	EXPRESSION TAG	UNP Q81TK8
A	-29	HIS	-	EXPRESSION TAG	UNP Q81TK8
A	-28	HIS	-	EXPRESSION TAG	UNP Q81TK8
A	-27	HIS	-	EXPRESSION TAG	UNP Q81TK8
A	-26	HIS	-	EXPRESSION TAG	UNP Q81TK8
A	-25	GLY	-	EXPRESSION TAG	UNP Q81TK8
A	-24	MSE	-	EXPRESSION TAG	UNP Q81TK8
A	-23	ALA	-	EXPRESSION TAG	UNP Q81TK8
A	-22	SER	-	EXPRESSION TAG	UNP Q81TK8
A	-21	MSE	-	EXPRESSION TAG	UNP Q81TK8
A	-20	THR	-	EXPRESSION TAG	UNP Q81TK8
A	-19	GLY	-	EXPRESSION TAG	UNP Q81TK8
A	-18	GLY	-	EXPRESSION TAG	UNP Q81TK8
A	-17	GLN	-	EXPRESSION TAG	UNP Q81TK8
A	-16	GLN	-	EXPRESSION TAG	UNP Q81TK8
A	-15	MSE	-	EXPRESSION TAG	UNP Q81TK8
A	-14	GLY	-	EXPRESSION TAG	UNP Q81TK8
A	-13	ARG	-	EXPRESSION TAG	UNP Q81TK8
A	-12	THR	-	EXPRESSION TAG	UNP Q81TK8
A	-11	LEU	-	EXPRESSION TAG	UNP Q81TK8

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	-10	TYR	-	EXPRESSION TAG	UNP Q81TK8
A	-9	ASP	-	EXPRESSION TAG	UNP Q81TK8
A	-8	ASP	-	EXPRESSION TAG	UNP Q81TK8
A	-7	ASP	-	EXPRESSION TAG	UNP Q81TK8
A	-6	ASP	-	EXPRESSION TAG	UNP Q81TK8
A	-5	LYS	-	EXPRESSION TAG	UNP Q81TK8
A	-4	ASP	-	EXPRESSION TAG	UNP Q81TK8
A	-3	ARG	-	EXPRESSION TAG	UNP Q81TK8
A	-2	TRP	-	EXPRESSION TAG	UNP Q81TK8
A	-1	GLY	-	EXPRESSION TAG	UNP Q81TK8
A	0	SER	-	EXPRESSION TAG	UNP Q81TK8
A	1	MSE	-	EXPRESSION TAG	UNP Q81TK8
B	-35	MSE	-	EXPRESSION TAG	UNP Q81TK8
B	-34	GLY	-	EXPRESSION TAG	UNP Q81TK8
B	-33	GLY	-	EXPRESSION TAG	UNP Q81TK8
B	-32	SER	-	EXPRESSION TAG	UNP Q81TK8
B	-31	HIS	-	EXPRESSION TAG	UNP Q81TK8
B	-30	HIS	-	EXPRESSION TAG	UNP Q81TK8
B	-29	HIS	-	EXPRESSION TAG	UNP Q81TK8
B	-28	HIS	-	EXPRESSION TAG	UNP Q81TK8
B	-27	HIS	-	EXPRESSION TAG	UNP Q81TK8
B	-26	HIS	-	EXPRESSION TAG	UNP Q81TK8
B	-25	GLY	-	EXPRESSION TAG	UNP Q81TK8
B	-24	MSE	-	EXPRESSION TAG	UNP Q81TK8
B	-23	ALA	-	EXPRESSION TAG	UNP Q81TK8
B	-22	SER	-	EXPRESSION TAG	UNP Q81TK8
B	-21	MSE	-	EXPRESSION TAG	UNP Q81TK8
B	-20	THR	-	EXPRESSION TAG	UNP Q81TK8
B	-19	GLY	-	EXPRESSION TAG	UNP Q81TK8
B	-18	GLY	-	EXPRESSION TAG	UNP Q81TK8
B	-17	GLN	-	EXPRESSION TAG	UNP Q81TK8
B	-16	GLN	-	EXPRESSION TAG	UNP Q81TK8
B	-15	MSE	-	EXPRESSION TAG	UNP Q81TK8
B	-14	GLY	-	EXPRESSION TAG	UNP Q81TK8
B	-13	ARG	-	EXPRESSION TAG	UNP Q81TK8
B	-12	THR	-	EXPRESSION TAG	UNP Q81TK8
B	-11	LEU	-	EXPRESSION TAG	UNP Q81TK8
B	-10	TYR	-	ENGINEERED	UNP Q81TK8
B	-9	ASP	-	EXPRESSION TAG	UNP Q81TK8
B	-8	ASP	-	EXPRESSION TAG	UNP Q81TK8
B	-7	ASP	-	EXPRESSION TAG	UNP Q81TK8
B	-6	ASP	-	EXPRESSION TAG	UNP Q81TK8

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-5	LYS	-	EXPRESSION TAG	UNP Q81TK8
B	-4	ASP	-	EXPRESSION TAG	UNP Q81TK8
B	-3	ARG	-	EXPRESSION TAG	UNP Q81TK8
B	-2	TRP	-	EXPRESSION TAG	UNP Q81TK8
B	-1	GLY	-	EXPRESSION TAG	UNP Q81TK8
B	0	SER	-	EXPRESSION TAG	UNP Q81TK8
B	1	MSE	-	EXPRESSION TAG	UNP Q81TK8

- Molecule 2 is COENZYME A (three-letter code: COA) (formula: C₂₁H₃₆N₇O₁₆P₃S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	S	0	1
			59	23	7	23	5	1		
2	B	1	Total	C	N	O	P	S	0	1
			59	23	7	23	5	1		

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	280	Total	O	0	0
			280	280		
4	B	271	Total	O	0	0
			271	271		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Pyridine nucleotide-disulfide oxidoreductase, class I



- Molecule 1: Pyridine nucleotide-disulfide oxidoreductase, class I



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	170.26Å 80.76Å 98.37Å 90.00° 103.98° 90.00°	Depositor
Resolution (Å)	38.22 – 1.90 38.22 – 1.90	Depositor EDS
% Data completeness (in resolution range)	97.4 (38.22-1.90) 97.4 (38.22-1.90)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.02 (at 1.89Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.199 , 0.230 0.201 , 0.232	Depositor DCC
R_{free} test set	5014 reflections (5.32%)	DCC
Wilson B-factor (Å ²)	26.2	Xtriage
Anisotropy	0.166	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 47.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7773	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: COA, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.55	0/3563	0.67	0/4793
1	B	0.56	0/3554	0.67	0/4781
All	All	0.56	0/7117	0.67	0/9574

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3502	0	3540	31	0
1	B	3496	0	3530	40	0
2	A	59	0	22	0	0
2	B	59	0	22	0	0
3	A	53	0	31	2	0
3	B	53	0	31	1	0
4	A	280	0	0	3	0
4	B	271	0	0	3	0
All	All	7773	0	7176	69	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (69) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:121:TRP:O	1:A:124:ARG:HG3	1.58	1.03
1:B:121:TRP:O	1:B:124:ARG:HG3	1.62	0.99
1:A:181:ARG:H	1:A:181:ARG:HE	1.11	0.94
1:B:182:ASN:HD21	1:B:211:ASN:HA	1.44	0.81
1:B:291:LYS:HG2	1:B:350:LEU:HD11	1.67	0.74
1:A:181:ARG:H	1:A:181:ARG:NE	1.84	0.72
1:A:1:MSE:HG3	4:A:607:HOH:O	1.90	0.71
1:A:220[A]:ASN:CG	1:A:221:GLU:H	1.94	0.70
1:A:137:ASP:OD1	1:A:140:ARG:NH2	2.25	0.70
1:A:299:ILE:HG12	3:A:446:FAD:O2	1.95	0.67
1:B:193:MSE:HE1	1:B:358:LYS:CE	2.24	0.67
1:A:413:MSE:SE	1:B:407:MSE:HE1	2.50	0.62
1:B:254:THR:O	1:B:255:ASN:HB3	2.02	0.59
1:B:73:ASP:OD1	1:B:75:LYS:HE3	2.02	0.59
1:B:193:MSE:HE1	1:B:358:LYS:HE3	1.84	0.59
1:B:113:GLY:HA2	1:B:282:ASP:HB2	1.85	0.58
1:B:137:ASP:OD1	1:B:140:ARG:NH2	2.36	0.58
1:B:359:VAL:HG12	1:B:361:SER:HB2	1.86	0.58
1:A:19:ILE:HA	1:A:315:LEU:HD11	1.86	0.57
1:A:291:LYS:HG2	1:A:350:LEU:HD11	1.87	0.57
1:B:363:ASN:ND2	1:B:364:MSE:HE3	2.21	0.56
1:A:115:ARG:NH2	1:A:245:LYS:HD3	2.22	0.55
1:A:113:GLY:HA2	1:A:282:ASP:HB2	1.89	0.54
1:B:62:ASN:C	1:B:62:ASN:HD22	2.10	0.54
1:B:19:ILE:HA	1:B:315:LEU:HD11	1.91	0.52
1:B:62:ASN:ND2	1:B:65:THR:H	2.07	0.52
1:A:363:ASN:ND2	1:A:364:MSE:HE3	2.24	0.52
1:B:258:THR:HG23	1:B:262:GLY:HA2	1.92	0.52
4:A:601:HOH:O	1:B:299:ILE:HD11	2.09	0.52
1:B:33:LYS:HG3	1:B:79:GLU:HB2	1.92	0.51
1:A:291:LYS:HG2	1:A:350:LEU:CD1	2.40	0.51
1:A:148:ASN:ND2	4:A:522:HOH:O	2.43	0.51
1:B:41:GLN:HA	1:B:44:LEU:HD22	1.93	0.51
1:B:442:ARG:HD3	4:B:460:HOH:O	2.11	0.50
1:A:359:VAL:HG12	1:A:361:SER:HB2	1.94	0.50
1:B:115:ARG:NH2	1:B:245:LYS:HD3	2.27	0.49
1:A:220[A]:ASN:CG	1:A:221:GLU:N	2.65	0.49
1:B:220:ASN:OD1	1:B:221:GLU:N	2.37	0.48
1:A:356:THR:HG22	1:A:379:LEU:HG	1.95	0.48
1:A:181:ARG:N	1:A:181:ARG:HE	1.94	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:291:LYS:HG2	1:B:350:LEU:CD1	2.41	0.47
1:A:40:ALA:HB1	1:A:42[A]:CYS:SG	2.54	0.47
1:A:33:LYS:O	1:A:77:ARG:HA	2.15	0.47
1:B:299:ILE:HD12	1:B:301:THR:OG1	2.15	0.47
1:B:196:TYR:OH	1:B:358:LYS:NZ	2.44	0.46
1:A:219:GLY:HA2	1:A:224:GLU:HG2	1.96	0.46
1:B:258:THR:CG2	1:B:262:GLY:HA2	2.46	0.46
1:A:258:THR:HG23	1:A:259:ASN:O	2.15	0.46
1:A:407:MSE:HE1	1:B:413:MSE:SE	2.66	0.45
1:A:190:ASP:OD1	1:A:343:ASN:HB2	2.17	0.44
1:B:381:ARG:HD2	4:B:540:HOH:O	2.18	0.43
1:A:299:ILE:HG12	3:A:446:FAD:C2	2.48	0.43
1:B:42[B]:CYS:SG	3:B:446:FAD:C4X	3.06	0.43
1:A:153:VAL:HG11	1:A:169:PHE:CD2	2.54	0.43
1:B:218:LYS:NZ	1:B:227:GLU:OE1	2.52	0.43
1:B:23:ASP:HB2	1:B:315:LEU:HD22	2.01	0.42
1:B:193:MSE:CE	1:B:358:LYS:HD2	2.49	0.42
1:B:64:LYS:HD3	4:B:703:HOH:O	2.18	0.42
1:A:281:GLY:HA2	1:A:303:ALA:HA	2.02	0.42
1:B:254:THR:O	1:B:255:ASN:CB	2.66	0.42
1:B:322:LYS:HD3	1:B:322:LYS:HA	1.84	0.42
1:B:288:HIS:HB3	1:B:291:LYS:HB2	2.02	0.42
1:B:64:LYS:HE3	1:B:64:LYS:HB2	1.79	0.42
1:A:377:LYS:O	1:A:390:GLY:HA2	2.20	0.41
1:A:182:ASN:HD21	1:A:211:ASN:HA	1.86	0.41
1:B:153:VAL:HG11	1:B:169:PHE:CD2	2.56	0.41
1:B:348:LYS:HE3	1:B:354:TYR:OH	2.21	0.41
1:A:355:LYS:HG3	1:A:382:SER:HB3	2.04	0.40
1:B:368:TYR:CG	1:B:369:PRO:HD2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	447/480 (93%)	426 (95%)	20 (4%)	1 (0%)	51	41
1	B	446/480 (93%)	430 (96%)	16 (4%)	0	100	100
All	All	893/960 (93%)	856 (96%)	36 (4%)	1 (0%)	55	45

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	148	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	375/381 (98%)	355 (95%)	20 (5%)	26	15
1	B	374/381 (98%)	355 (95%)	19 (5%)	28	16
All	All	749/762 (98%)	710 (95%)	39 (5%)	28	16

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	GLU
1	A	104	SER
1	A	127	GLN
1	A	143	LYS
1	A	163	LEU
1	A	180	GLU
1	A	181	ARG
1	A	222	ARG
1	A	249[A]	ASP
1	A	249[B]	ASP
1	A	258	THR
1	A	293	ILE
1	A	309	LEU
1	A	339	ARG
1	A	350	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	396	GLU
1	A	412	LYS
1	A	414	SER
1	A	432	VAL
1	A	442	ARG
1	B	20	VAL
1	B	44	LEU
1	B	62	ASN
1	B	86	GLU
1	B	143	LYS
1	B	149	LYS
1	B	221	GLU
1	B	223	VAL
1	B	249[A]	ASP
1	B	249[B]	ASP
1	B	258	THR
1	B	293	ILE
1	B	339	ARG
1	B	350	LEU
1	B	372	LYS
1	B	412	LYS
1	B	414	SER
1	B	432	VAL
1	B	442	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	22	ASN
1	A	184	HIS
1	A	370	ASN
1	B	25	ASN
1	B	62	ASN
1	B	148	ASN
1	B	182	ASN
1	B	211	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	COA	A	445[A]	-	43,50,50	0.68	1 (2%)	48,75,75	1.94	6 (12%)
2	COA	A	445[B]	-	43,50,50	0.68	1 (2%)	48,75,75	2.07	8 (16%)
3	FAD	A	446	-	51,58,58	1.12	3 (5%)	54,89,89	2.19	10 (18%)
2	COA	B	445[A]	-	43,50,50	0.69	1 (2%)	48,75,75	1.96	5 (10%)
2	COA	B	445[B]	-	43,50,50	0.69	1 (2%)	48,75,75	1.99	7 (14%)
3	FAD	B	446	-	51,58,58	1.08	2 (3%)	54,89,89	2.11	11 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	COA	A	445[A]	-	-	0/44/64/64	0/3/3/3
2	COA	A	445[B]	-	-	0/44/64/64	0/3/3/3
3	FAD	A	446	-	-	0/28/50/50	0/6/6/6
2	COA	B	445[A]	-	-	0/44/64/64	0/3/3/3
2	COA	B	445[B]	-	-	0/44/64/64	0/3/3/3
3	FAD	B	446	-	-	0/28/50/50	0/6/6/6

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	446	FAD	O4B-C1B	2.15	1.44	1.41
2	B	445[A]	COA	C2A-N3A	2.18	1.35	1.32
2	B	445[B]	COA	C2A-N3A	2.18	1.35	1.32
2	A	445[B]	COA	C2A-N3A	2.29	1.36	1.32
2	A	445[A]	COA	C2A-N3A	2.29	1.36	1.32
3	A	446	FAD	C4X-N5	2.93	1.37	1.33
3	B	446	FAD	C4X-N5	2.98	1.37	1.33
3	A	446	FAD	C9A-N10	3.83	1.43	1.38
3	B	446	FAD	C9A-N10	3.99	1.44	1.38

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	445[A]	COA	N3A-C2A-N1A	-9.79	120.33	128.86
2	B	445[B]	COA	N3A-C2A-N1A	-9.79	120.33	128.86
3	A	446	FAD	N3A-C2A-N1A	-9.60	120.50	128.86
2	A	445[B]	COA	N3A-C2A-N1A	-9.33	120.73	128.86
2	A	445[A]	COA	N3A-C2A-N1A	-9.33	120.73	128.86
3	B	446	FAD	N3A-C2A-N1A	-8.13	121.78	128.86
2	B	445[A]	COA	C2P-C3P-N4P	-5.36	100.83	112.50
2	B	445[B]	COA	C2P-C3P-N4P	-5.36	100.83	112.50
2	A	445[B]	COA	C2P-C3P-N4P	-5.32	100.92	112.50
2	A	445[A]	COA	C2P-C3P-N4P	-5.32	100.92	112.50
2	A	445[B]	COA	C7P-C6P-C5P	-4.21	105.45	112.22
2	A	445[A]	COA	C7P-C6P-C5P	-4.21	105.45	112.22
2	B	445[A]	COA	C7P-C6P-C5P	-3.71	106.25	112.22
2	B	445[B]	COA	C7P-C6P-C5P	-3.71	106.25	112.22
2	B	445[A]	COA	C6P-C7P-N8P	-3.47	104.69	111.87
2	B	445[B]	COA	C6P-C7P-N8P	-3.47	104.69	111.87
2	A	445[B]	COA	C6P-C7P-N8P	-3.33	104.98	111.87
2	A	445[A]	COA	C6P-C7P-N8P	-3.33	104.98	111.87
2	A	445[B]	COA	CDP-CBP-CCP	-3.25	103.59	108.37
3	A	446	FAD	O2'-C2'-C1'	-3.24	102.29	109.79
3	B	446	FAD	C4X-C4-N3	-2.92	119.32	123.48
2	B	445[B]	COA	CDP-CBP-CCP	-2.75	104.33	108.37
3	A	446	FAD	C4X-C4-N3	-2.55	119.86	123.48
3	A	446	FAD	C4-C4X-C10	-2.53	117.92	119.96
3	B	446	FAD	O2'-C2'-C1'	-2.52	103.97	109.79
3	B	446	FAD	C4-C4X-C10	-2.31	118.10	119.96
3	B	446	FAD	O3B-C3B-C4B	-2.06	105.08	111.09
2	B	445[A]	COA	O9P-C9P-N8P	-2.04	119.15	123.07
2	B	445[B]	COA	O9P-C9P-N8P	-2.04	119.15	123.07
2	A	445[A]	COA	C5B-C4B-C3B	-2.03	107.43	114.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	445[B]	COA	CDP-CBP-CAP	2.02	112.32	108.82
2	A	445[A]	COA	CDP-CBP-CAP	2.02	112.32	108.82
3	B	446	FAD	C4-C4X-N5	2.10	120.98	118.68
3	B	446	FAD	C2B-C3B-C4B	2.12	106.74	102.62
2	B	445[B]	COA	O6A-CCP-CBP	2.22	114.11	110.55
3	A	446	FAD	O2P-P-O5'	2.22	118.64	108.14
3	A	446	FAD	C5X-C9A-N10	2.41	119.44	117.66
2	A	445[B]	COA	CEP-CBP-CCP	2.69	112.32	108.37
3	A	446	FAD	C4-C4X-N5	3.06	122.04	118.68
3	A	446	FAD	C1'-N10-C9A	3.24	121.32	118.35
2	A	445[B]	COA	O6A-CCP-CBP	3.68	116.46	110.55
3	B	446	FAD	C5X-C9A-N10	3.75	120.44	117.66
3	B	446	FAD	C4X-N5-C5X	4.46	121.47	116.76
3	B	446	FAD	C1'-N10-C9A	4.60	122.57	118.35
3	A	446	FAD	C4X-N5-C5X	5.50	122.57	116.76
3	A	446	FAD	C4-N3-C2	6.77	121.08	115.16
3	B	446	FAD	C4-N3-C2	7.53	121.75	115.16

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	446	FAD	2	0
3	B	446	FAD	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	431/480 (89%)	-0.17	16 (3%) 42 46	18, 31, 48, 66	0
1	B	431/480 (89%)	-0.17	13 (3%) 51 54	17, 31, 49, 66	0
All	All	862/960 (89%)	-0.17	29 (3%) 46 49	17, 31, 49, 66	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	221	GLU	4.4
1	B	370	ASN	4.4
1	B	147	THR	3.8
1	B	25	ASN	3.5
1	A	221	GLU	3.5
1	A	220[A]	ASN	3.5
1	B	149	LYS	3.4
1	B	183	ASP	3.3
1	A	370	ASN	3.3
1	B	220	ASN	3.2
1	A	184	HIS	3.2
1	A	260	HIS	3.1
1	A	183	ASP	2.9
1	A	24	GLU	2.9
1	B	260	HIS	2.8
1	A	25	ASN	2.8
1	B	24	GLU	2.8
1	A	182	ASN	2.8
1	A	222	ARG	2.7
1	A	149	LYS	2.6
1	B	146	GLU	2.6
1	A	148	ASN	2.4
1	B	222	ARG	2.4
1	A	147	THR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	146	GLU	2.4
1	B	96	LYS	2.3
1	A	120	GLU	2.2
1	A	96	LYS	2.2
1	B	185	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	COA	A	445[A]	48/48	0.93	0.11	0.97	26,31,43,48	11
2	COA	B	445[A]	48/48	0.93	0.11	0.18	27,32,46,46	11
2	COA	B	445[B]	48/48	0.93	0.11	0.18	22,31,46,46	11
2	COA	A	445[B]	48/48	0.93	0.11	0.15	27,31,43,48	11
3	FAD	A	446	53/53	0.98	0.10	-0.22	18,24,26,27	0
3	FAD	B	446	53/53	0.98	0.10	-0.27	18,23,26,26	0

6.5 Other polymers [i](#)

There are no such residues in this entry.