



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 09:08 pm GMT

PDB ID : 4CGT  
Title : DELETION MUTANT DELTA(145-150), F151D OF CYCLODEXTRIN  
GLYCOSYLTRANSFERASE  
Authors : Parsiegla, G.; Schulz, G.E.  
Deposited on : 1998-06-06  
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.9-1692  
EDS : trunk28620  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*


The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	2895 (2.60-2.60)
Ramachandran outliers	110173	2848 (2.60-2.60)
Sidechain outliers	110143	2848 (2.60-2.60)
RSRZ outliers	101464	2550 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	678	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CA	A	685	-	-	-	X

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5381 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CYCLODEXTRIN GLYCOSYLTRANSFERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	678	Total	C	N	O	S	0	0	0
			5219	3293	885	1029	12			

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	MET	DELETION	UNP P30920
A	?	-	GLU	DELETION	UNP P30920
A	?	-	THR	DELETION	UNP P30920
A	?	-	ASP	DELETION	UNP P30920
A	?	-	THR	DELETION	UNP P30920
A	?	-	SER	DELETION	UNP P30920
A	151	ASP	PHE	ENGINEERED	UNP P30920

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Ca	0	0
			2	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	160	Total	O	0	0
			160	160		

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: CYCLODEXTRIN GLYCOSYLTRANSFERASE



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	94.50Å 104.60Å 113.40Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 2.60 26.63 – 2.60	Depositor EDS
% Data completeness (in resolution range)	91.7 (10.00-2.60) 87.2 (26.63-2.60)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.11	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.14 (at 2.60Å)	Xtriage
Refinement program	X-PLOR 3.1	Depositor
R, $R_{free}$	0.194 , 0.272 0.188 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	DCC
Wilson B-factor (Å <sup>2</sup> )	14.4	Xtriage
Anisotropy	0.463	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.26 , 43.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.42$ , $\langle L^2 \rangle = 0.25$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	5381	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	12.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.41% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.60	0/5349	0.82	3/7300 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	342	LEU	CA-CB-CG	5.72	128.45	115.30
1	A	325	ASP	CB-CG-OD1	5.09	122.88	118.30
1	A	423	ARG	NE-CZ-NH2	-5.03	117.79	120.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	360	TYR	Sidechain
1	A	49	TYR	Sidechain
1	A	491	TYR	Sidechain

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5219	0	4965	176	0
2	A	2	0	0	0	0
3	A	160	0	0	9	0
All	All	5381	0	4965	176	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (176) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:285:PHE:CE1	1:A:289:VAL:HG21	2.16	0.81
1:A:650:LYS:HE2	1:A:662:GLU:O	1.81	0.79
1:A:263:ALA:O	1:A:284:ARG:HD2	1.82	0.79
1:A:600:GLN:HA	1:A:655:ASN:HB3	1.64	0.78
1:A:154:ASN:HD21	1:A:168:THR:HB	1.50	0.77
1:A:273:ALA:HB2	1:A:280:LEU:HD23	1.70	0.73
1:A:597:THR:HG22	1:A:600:GLN:HB2	1.72	0.70
1:A:157:LEU:HD11	1:A:210:TYR:CZ	2.27	0.69
1:A:219:LEU:HA	1:A:223:VAL:HG22	1.73	0.69
1:A:403:ALA:O	1:A:407:GLY:HA3	1.94	0.68
1:A:334:THR:HG22	1:A:335:SER:H	1.58	0.68
1:A:530:PHE:HD1	1:A:535:VAL:HG21	1.59	0.67
1:A:429:VAL:HG12	1:A:430:ALA:N	2.10	0.67
1:A:334:THR:HG22	1:A:335:SER:N	2.12	0.65
1:A:264:ALA:O	1:A:284:ARG:HD3	1.97	0.65
1:A:429:VAL:HG12	1:A:430:ALA:H	1.62	0.65
1:A:395:ALA:HB3	1:A:396:PRO:HD3	1.77	0.64
1:A:585:VAL:HG13	1:A:643:ALA:HB2	1.80	0.62
1:A:182:ASP:H	1:A:188:ASN:HD21	1.47	0.61
1:A:78:GLN:HG2	1:A:80:VAL:HG22	1.83	0.60
1:A:34:PRO:HB2	1:A:39:TYR:HB2	1.82	0.60
1:A:220:ASP:OD1	1:A:249:HIS:HE1	1.84	0.60
1:A:144:ALA:O	1:A:151:ASP:HB2	2.01	0.60
1:A:182:ASP:N	1:A:188:ASN:HD21	2.01	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:157:LEU:HD22	1:A:200:PHE:CE1	2.38	0.59
1:A:331:ARG:HG2	1:A:368:GLY:O	2.02	0.59
1:A:621:ILE:HG21	1:A:639:VAL:HG22	1.83	0.59
1:A:172:ASN:H	1:A:172:ASN:ND2	1.99	0.59
1:A:530:PHE:CD1	1:A:535:VAL:HG21	2.37	0.58
1:A:266:ASP:HB3	1:A:269:ASN:HB3	1.86	0.58
1:A:641:VAL:HG22	1:A:642:PRO:HD2	1.85	0.57
1:A:662:GLU:HG2	1:A:683:TRP:CE3	2.40	0.57
1:A:510:PRO:HB3	1:A:554:SER:HA	1.87	0.57
1:A:512:ASN:HB2	1:A:552:ILE:HD12	1.88	0.56
1:A:589:PHE:O	1:A:636:TYR:HA	2.06	0.56
1:A:89:TYR:O	1:A:92:VAL:HG12	2.05	0.56
1:A:624:ALA:HA	1:A:637:TYR:CD1	2.40	0.55
1:A:621:ILE:HG21	1:A:639:VAL:CG2	2.35	0.55
1:A:509:LYS:H	1:A:512:ASN:ND2	2.05	0.55
1:A:529:TYR:HB2	1:A:563:LYS:HB3	1.89	0.54
1:A:232:LYS:O	1:A:232:LYS:HG2	2.06	0.54
1:A:154:ASN:HD21	1:A:168:THR:H	1.56	0.54
1:A:559:ASN:HD21	1:A:576:ASN:HA	1.73	0.54
1:A:498:PRO:HB2	1:A:571:SER:HB3	1.90	0.54
1:A:186:LEU:O	1:A:190:ILE:HG13	2.07	0.53
1:A:57:LEU:O	1:A:61:ILE:HG13	2.07	0.53
1:A:140:HIS:CD2	1:A:197:LEU:HD13	2.44	0.53
1:A:383:LYS:HA	1:A:388:PHE:CD2	2.44	0.53
1:A:154:ASN:ND2	1:A:168:THR:HB	2.20	0.52
1:A:646:GLN:HA	1:A:670:THR:HA	1.89	0.52
1:A:46:LEU:HD23	1:A:373:ASP:HA	1.91	0.52
1:A:507:MET:HA	1:A:578:THR:O	2.10	0.52
1:A:255:PHE:N	1:A:255:PHE:CD1	2.78	0.52
1:A:460:LEU:HD13	1:A:464:LEU:HD12	1.92	0.51
1:A:508:GLY:HA3	3:A:750:HOH:O	2.08	0.51
1:A:86:THR:CG2	1:A:93:THR:HG23	2.40	0.51
1:A:108:THR:HG23	1:A:115:MET:CE	2.41	0.51
1:A:86:THR:HG21	1:A:93:THR:HG23	1.92	0.51
1:A:433:ALA:O	1:A:486:THR:HA	2.10	0.51
1:A:144:ALA:O	1:A:151:ASP:CB	2.60	0.50
1:A:64:ASN:HA	3:A:770:HOH:O	2.11	0.50
1:A:527:THR:HB	1:A:536:THR:CG2	2.41	0.50
1:A:420:VAL:HA	1:A:432:VAL:O	2.11	0.50
1:A:645:LYS:HG3	1:A:646:GLN:N	2.27	0.50
1:A:601:ASN:O	1:A:653:LYS:HA	2.12	0.50

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:248:ALA:HA	1:A:512:ASN:OD1	2.11	0.50
1:A:140:HIS:HD2	1:A:141:THR:O	1.94	0.50
1:A:284:ARG:HG3	3:A:700:HOH:O	2.11	0.50
1:A:510:PRO:HA	1:A:552:ILE:HG22	1.93	0.49
1:A:255:PHE:CD2	1:A:321:VAL:HG21	2.47	0.49
1:A:60:LYS:HE3	1:A:60:LYS:HA	1.93	0.49
1:A:242:TRP:O	1:A:245:SER:HB3	2.13	0.49
1:A:586:THR:HG22	3:A:828:HOH:O	2.11	0.49
1:A:333:LYS:HB2	1:A:342:LEU:HD23	1.95	0.49
1:A:321:VAL:HA	1:A:355:VAL:O	2.13	0.49
1:A:401:ASN:OD1	1:A:403:ALA:HB3	2.12	0.49
1:A:261:GLY:O	1:A:262:SER:HB3	2.13	0.49
1:A:503:VAL:HA	1:A:515:THR:O	2.13	0.49
1:A:334:THR:CG2	1:A:335:SER:H	2.24	0.49
1:A:45:ASN:ND2	1:A:48:LEU:HG	2.28	0.48
1:A:92:VAL:HG13	1:A:94:ASN:HD21	1.79	0.48
1:A:197:LEU:HD23	1:A:197:LEU:HA	1.61	0.48
1:A:525:LYS:HE3	1:A:540:ILE:HB	1.95	0.48
1:A:527:THR:HB	1:A:536:THR:HG23	1.95	0.48
1:A:204:ASN:ND2	1:A:206:THR:H	2.12	0.48
1:A:653:LYS:HE3	1:A:683:TRP:CZ2	2.48	0.47
1:A:420:VAL:HG22	1:A:433:ALA:HA	1.96	0.47
1:A:187:GLU:CD	1:A:625:PHE:HB3	2.34	0.47
1:A:217:LEU:C	1:A:217:LEU:HD23	2.34	0.47
1:A:303:LEU:HD11	1:A:348:PHE:CZ	2.49	0.47
1:A:463:VAL:HG23	1:A:464:LEU:HG	1.96	0.47
1:A:366:LEU:HA	3:A:758:HOH:O	2.14	0.47
1:A:24:ARG:NH2	1:A:48:LEU:O	2.47	0.47
1:A:624:ALA:HA	1:A:637:TYR:HD1	1.77	0.47
1:A:363:GLU:OE1	1:A:363:GLU:N	2.47	0.47
1:A:284:ARG:NH2	1:A:313:ASP:OD2	2.48	0.47
1:A:12:PHE:HA	1:A:15:ASP:OD2	2.15	0.47
1:A:340:ARG:HH12	1:A:465:ASN:ND2	2.13	0.46
1:A:498:PRO:O	1:A:571:SER:HA	2.14	0.46
1:A:115:MET:HE1	1:A:218:TRP:CH2	2.51	0.46
1:A:30:PRO:HA	1:A:33:ASN:ND2	2.30	0.46
1:A:334:THR:CG2	1:A:335:SER:N	2.78	0.46
1:A:19:GLN:HG3	1:A:75:TRP:CD2	2.51	0.45
1:A:608:VAL:HG12	1:A:645:LYS:HE3	1.98	0.45
1:A:371:ASP:HA	1:A:372:PRO:HA	1.78	0.45
1:A:528:VAL:HG12	1:A:529:TYR:N	2.31	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:635:TRP:CD1	1:A:635:TRP:N	2.84	0.45
1:A:26:LEU:HB3	1:A:56:GLY:HA3	1.99	0.45
1:A:303:LEU:HD11	1:A:348:PHE:CE2	2.51	0.45
1:A:415:ASN:C	1:A:415:ASN:OD1	2.55	0.45
1:A:76:ILE:HD11	1:A:134:ILE:HG22	1.99	0.45
1:A:115:MET:O	1:A:119:GLN:HG3	2.17	0.45
1:A:193:ASN:OD1	1:A:199:ASP:HB2	2.17	0.45
1:A:431:VAL:HB	1:A:489:TRP:HE3	1.82	0.45
1:A:167:TYR:O	1:A:177:HIS:HE1	1.99	0.44
1:A:293:PHE:O	1:A:341:ARG:HD2	2.17	0.44
1:A:408:SER:O	1:A:423:ARG:HA	2.17	0.44
1:A:458:ASP:O	1:A:460:LEU:N	2.50	0.44
1:A:566:ALA:O	1:A:569:VAL:HG23	2.17	0.44
1:A:181:SER:HB2	1:A:188:ASN:O	2.17	0.44
1:A:512:ASN:HB3	3:A:717:HOH:O	2.16	0.44
1:A:525:LYS:HG3	1:A:543:TRP:HB3	1.99	0.44
1:A:231:VAL:HB	1:A:272:PHE:CZ	2.53	0.44
1:A:543:TRP:C	1:A:543:TRP:CD1	2.91	0.44
1:A:157:LEU:HD22	1:A:200:PHE:HE1	1.80	0.44
1:A:262:SER:OG	1:A:264:ALA:HB3	2.18	0.44
1:A:528:VAL:HB	1:A:535:VAL:HB	2.00	0.43
1:A:83:ILE:HA	1:A:103:ARG:HD3	2.00	0.43
1:A:559:ASN:ND2	1:A:576:ASN:HA	2.33	0.43
1:A:669:PHE:CE1	1:A:679:VAL:HB	2.53	0.43
1:A:294:ARG:HG3	1:A:337:VAL:HG21	2.00	0.43
1:A:340:ARG:HD3	1:A:340:ARG:HA	1.77	0.43
1:A:628:VAL:HG12	1:A:629:ILE:HD13	2.01	0.43
1:A:87:ILE:HD12	1:A:87:ILE:N	2.34	0.43
1:A:367:THR:HB	3:A:753:HOH:O	2.18	0.43
1:A:429:VAL:CG1	1:A:430:ALA:N	2.79	0.43
1:A:560:TYR:N	1:A:560:TYR:CD1	2.87	0.43
1:A:625:PHE:O	1:A:635:TRP:HA	2.19	0.43
1:A:75:TRP:CZ2	1:A:227:ARG:HG3	2.53	0.43
1:A:83:ILE:HD12	1:A:152:ALA:HB1	2.00	0.42
1:A:25:PHE:CE2	1:A:60:LYS:HG3	2.54	0.42
1:A:240:LYS:HD3	1:A:640:SER:HB3	2.00	0.42
1:A:212:LYS:O	1:A:216:LYS:HD3	2.19	0.42
1:A:298:SER:HB3	1:A:302:ALA:CB	2.49	0.42
1:A:639:VAL:HG12	1:A:640:SER:O	2.19	0.42
1:A:30:PRO:HA	1:A:33:ASN:HD21	1.83	0.42
1:A:19:GLN:HG3	1:A:75:TRP:CE3	2.55	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:194:LEU:HA	1:A:194:LEU:HD22	1.89	0.42
1:A:14:THR:O	1:A:399:LYS:HE2	2.20	0.42
1:A:217:LEU:O	1:A:217:LEU:HD23	2.19	0.42
1:A:255:PHE:N	1:A:255:PHE:HD1	2.17	0.42
1:A:339:ASN:HB3	1:A:343:GLU:OE2	2.20	0.42
1:A:121:LEU:O	1:A:121:LEU:HD22	2.19	0.42
1:A:207:ILE:HA	1:A:207:ILE:HD13	1.79	0.42
1:A:368:GLY:HA3	1:A:373:ASP:O	2.20	0.42
1:A:662:GLU:CD	1:A:667:HIS:HE2	2.23	0.42
1:A:492:THR:HG22	1:A:493:THR:N	2.35	0.41
1:A:64:ASN:HB3	1:A:67:SER:HB2	2.01	0.41
1:A:141:THR:OG1	1:A:198:ALA:HB3	2.20	0.41
1:A:383:LYS:HA	1:A:388:PHE:CE2	2.55	0.41
1:A:215:ILE:O	1:A:219:LEU:HG	2.19	0.41
1:A:591:VAL:HB	1:A:651:PHE:CE1	2.55	0.41
1:A:273:ALA:CB	1:A:280:LEU:HD23	2.47	0.41
1:A:527:THR:CB	1:A:536:THR:HG23	2.51	0.41
1:A:353:ARG:HA	3:A:803:HOH:O	2.20	0.41
1:A:12:PHE:HB3	1:A:355:VAL:HG11	2.03	0.41
1:A:8:ASN:HB3	3:A:699:HOH:O	2.20	0.41
1:A:114:THR:H	1:A:117:ASP:HB2	1.85	0.41
1:A:117:ASP:O	1:A:120:ASN:HB3	2.21	0.41
1:A:509:LYS:N	1:A:512:ASN:ND2	2.69	0.41
1:A:75:TRP:C	1:A:75:TRP:CD1	2.93	0.41
1:A:464:LEU:HB3	1:A:486:THR:HG23	2.01	0.41
1:A:601:ASN:ND2	1:A:623:PRO:HB2	2.37	0.40
1:A:157:LEU:HD22	1:A:200:PHE:CZ	2.56	0.40
1:A:108:THR:HG22	1:A:218:TRP:HH2	1.87	0.40
1:A:414:ILE:HD13	1:A:414:ILE:HG21	1.86	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	676/678 (100%)	612 (90%)	56 (8%)	8 (1%)	15	32

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	8	ASN
1	A	151	ASP
1	A	459	VAL
1	A	262	SER
1	A	458	ASP
1	A	607	ASN
1	A	85	ALA
1	A	379	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	560/560 (100%)	516 (92%)	44 (8%)	14	28

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	PHE
1	A	26	LEU
1	A	42	THR
1	A	46	LEU
1	A	75	TRP
1	A	86	THR
1	A	120	ASN
1	A	121	LEU
1	A	136	PHE
1	A	168	THR
1	A	172	ASN
1	A	194	LEU
1	A	199	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	204	ASN
1	A	206	THR
1	A	209	LYS
1	A	229	ASP
1	A	255	PHE
1	A	279	SER
1	A	312	THR
1	A	342	LEU
1	A	353	ARG
1	A	366	LEU
1	A	375	ARG
1	A	397	LEU
1	A	411	GLN
1	A	440	THR
1	A	445	THR
1	A	457	THR
1	A	458	ASP
1	A	472	THR
1	A	486	THR
1	A	497	THR
1	A	527	THR
1	A	536	THR
1	A	554	SER
1	A	569	VAL
1	A	597	THR
1	A	601	ASN
1	A	615	SER
1	A	618	SER
1	A	619	THR
1	A	641	VAL
1	A	647	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	120	ASN
1	A	140	HIS
1	A	154	ASN
1	A	172	ASN
1	A	188	ASN
1	A	204	ASN
1	A	249	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	318	ASN
1	A	369	ASN
1	A	416	ASN
1	A	465	ASN
1	A	477	ASN
1	A	512	ASN
1	A	601	ASN
1	A	684	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	678/678 (100%)	-1.27	0 100 100	2, 10, 31, 53	0

There are no RSRZ outliers to report.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	CA	A	685	1/1	0.98	0.10	3.84	22,22,22,22	0
2	CA	A	686	1/1	0.99	0.04	-2.19	10,10,10,10	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.