



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 10:01 pm GMT

PDB ID : 3CMF
Title : Crystal structure of human liver 5beta-reductase (AKR1D1) in complex with NADP and CORTISONE. Resolution 1.90 Å.
Authors : Di Costanzo, L.; Drury, J.; Penning, T.M.; Christianson, D.W.
Deposited on : 2008-03-21
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	5047 (1.90-1.90)
Clashscore	112137	5731 (1.90-1.90)
Ramachandran outliers	110173	5669 (1.90-1.90)
Sidechain outliers	110143	5670 (1.90-1.90)
RSRZ outliers	101464	5100 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	346	<div> <div>5%</div> <div> <div></div> <div>78%</div> <div>16%</div> <div>6%</div> </div> </div>
1	B	346	<div> <div>%</div> <div> <div></div> <div>80%</div> <div>14%</div> <div>6%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	PDN	A	946	-	-	-	X
3	PDN	B	945	-	-	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6018 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3-oxo-5-beta-steroid 4-dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	325	Total	C	N	O	S	0	0	0
			2627	1680	455	481	11			
1	B	325	Total	C	N	O	S	0	0	0
			2627	1680	455	481	11			

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	EXPRESSION TAG	UNP P51857
A	-18	GLY	-	EXPRESSION TAG	UNP P51857
A	-17	SER	-	EXPRESSION TAG	UNP P51857
A	-16	SER	-	EXPRESSION TAG	UNP P51857
A	-15	HIS	-	EXPRESSION TAG	UNP P51857
A	-14	HIS	-	EXPRESSION TAG	UNP P51857
A	-13	HIS	-	EXPRESSION TAG	UNP P51857
A	-12	HIS	-	EXPRESSION TAG	UNP P51857
A	-11	HIS	-	EXPRESSION TAG	UNP P51857
A	-10	HIS	-	EXPRESSION TAG	UNP P51857
A	-9	SER	-	EXPRESSION TAG	UNP P51857
A	-8	SER	-	EXPRESSION TAG	UNP P51857
A	-7	GLY	-	EXPRESSION TAG	UNP P51857
A	-6	LEU	-	EXPRESSION TAG	UNP P51857
A	-5	VAL	-	EXPRESSION TAG	UNP P51857
A	-4	PRO	-	EXPRESSION TAG	UNP P51857
A	-3	ARG	-	EXPRESSION TAG	UNP P51857
A	-2	GLY	-	EXPRESSION TAG	UNP P51857
A	-1	SER	-	EXPRESSION TAG	UNP P51857
A	0	HIS	-	EXPRESSION TAG	UNP P51857
B	-19	MET	-	EXPRESSION TAG	UNP P51857
B	-18	GLY	-	EXPRESSION TAG	UNP P51857
B	-17	SER	-	EXPRESSION TAG	UNP P51857
B	-16	SER	-	EXPRESSION TAG	UNP P51857
B	-15	HIS	-	EXPRESSION TAG	UNP P51857

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-14	HIS	-	EXPRESSION TAG	UNP P51857
B	-13	HIS	-	EXPRESSION TAG	UNP P51857
B	-12	HIS	-	EXPRESSION TAG	UNP P51857
B	-11	HIS	-	EXPRESSION TAG	UNP P51857
B	-10	HIS	-	EXPRESSION TAG	UNP P51857
B	-9	SER	-	EXPRESSION TAG	UNP P51857
B	-8	SER	-	EXPRESSION TAG	UNP P51857
B	-7	GLY	-	EXPRESSION TAG	UNP P51857
B	-6	LEU	-	EXPRESSION TAG	UNP P51857
B	-5	VAL	-	EXPRESSION TAG	UNP P51857
B	-4	PRO	-	EXPRESSION TAG	UNP P51857
B	-3	ARG	-	EXPRESSION TAG	UNP P51857
B	-2	GLY	-	EXPRESSION TAG	UNP P51857
B	-1	SER	-	EXPRESSION TAG	UNP P51857
B	0	HIS	-	EXPRESSION TAG	UNP P51857

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: $C_{21}H_{28}N_7O_{17}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is 17,21-DIHYDROXPREGNA-1,4-DIENE-3,11,20-TRIONE (three-letter code: PDN) (formula: $C_{21}H_{26}O_5$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total 26	C 21	O 5	0	0
3	B	1	Total 26	C 21	O 5	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	292	Total O 292 292	0	0
4	B	324	Total O 324 324	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 3-oxo-5-beta-steroid 4-dehydrogenase



- Molecule 1: 3-oxo-5-beta-steroid 4-dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	49.72Å 109.20Å 127.84Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	26.11 – 1.90 26.11 – 1.90	Depositor EDS
% Data completeness (in resolution range)	88.2 (26.11-1.90) 93.6 (26.11-1.90)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.61 (at 1.91Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R, R_{free}	0.195 , 0.223 0.202 , 0.199	Depositor DCC
R_{free} test set	2678 reflections (5.15%)	DCC
Wilson B-factor (Å ²)	14.9	Xtriage
Anisotropy	0.175	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 56.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6018	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.47% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PDN, NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.31	0/2692	0.54	0/3649
1	B	0.32	0/2692	0.56	0/3649
All	All	0.32	0/5384	0.55	0/7298

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2627	0	2622	37	0
1	B	2627	0	2622	30	0
2	A	48	0	25	2	0
2	B	48	0	25	1	0
3	A	26	0	25	0	0
3	B	26	0	25	0	0
4	A	292	0	0	8	0
4	B	324	0	0	2	0
All	All	6018	0	5344	67	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (67) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:177:GLU:HG2	4:A:1083:HOH:O	1.87	0.73
1:A:304:LYS:HD2	4:A:964:HOH:O	1.92	0.69
1:B:207:LYS:O	1:B:211:GLN:HG3	1.92	0.69
1:A:263:ASN:O	1:A:266:ARG:HG2	1.96	0.66
1:B:134:ARG:HD3	1:B:140:TRP:CE2	2.34	0.62
1:B:152:GLU:HG3	1:B:182:LYS:HE3	1.82	0.61
1:B:292:THR:OG1	1:B:295:GLU:HG3	2.01	0.60
1:B:273:LYS:HD3	1:B:273:LYS:C	2.22	0.59
1:B:226:ARG:O	1:B:228:PRO:HD3	2.02	0.59
1:A:235:SER:HB3	4:A:964:HOH:O	2.03	0.59
1:A:104:ARG:HD2	4:A:1161:HOH:O	2.04	0.57
1:B:208:PHE:CE1	1:B:212:HIS:CE1	2.93	0.57
1:B:206:LEU:O	1:B:210:GLN:HG3	2.06	0.56
1:A:256:ALA:O	1:A:259:VAL:HG22	2.06	0.56
1:B:188:LYS:HE2	4:B:999:HOH:O	2.06	0.55
1:B:99:ARG:HB3	1:B:100:PRO:HD3	1.88	0.55
1:A:276:ASN:O	1:A:280:ILE:HG13	2.08	0.54
1:A:148:CYS:SG	1:A:182:LYS:HG3	2.48	0.54
1:A:293:GLU:HG3	4:A:1166:HOH:O	2.08	0.53
1:A:273:LYS:HD3	1:A:273:LYS:C	2.29	0.52
1:A:99:ARG:HB3	1:A:100:PRO:HD3	1.92	0.51
1:B:296:MET:O	1:B:300:GLU:HG3	2.11	0.51
1:A:226:ARG:HA	1:A:231:VAL:HG11	1.93	0.51
1:A:2:ASP:HB3	4:A:1137:HOH:O	2.09	0.50
1:A:255:ALA:O	1:A:259:VAL:HG13	2.11	0.50
1:B:114:VAL:HG23	1:B:163:VAL:HG23	1.94	0.50
1:A:99:ARG:O	1:A:103:GLU:HG3	2.12	0.49
1:A:220:SER:N	1:A:221:PRO:CD	2.76	0.49
1:A:104:ARG:O	1:A:108:VAL:HG23	2.12	0.48
1:A:28:GLU:HB3	1:A:31:SER:OG	2.13	0.48
1:B:19:PRO:HB2	1:B:51:HIS:HB2	1.96	0.48
1:B:202:GLN:N	1:B:203:PRO:HD3	2.28	0.48
1:B:62:HIS:HE1	4:B:1051:HOH:O	1.96	0.48
1:B:43:VAL:HG11	1:B:277:LEU:HD12	1.96	0.47
1:A:19:PRO:HB2	1:A:51:HIS:HB2	1.96	0.47
1:B:264:ILE:HD13	1:B:286:ILE:HD12	1.96	0.47
1:A:88:LEU:HD12	1:A:101:THR:HG21	1.98	0.46
1:A:172:ASN:HD22	1:A:321:PRO:HA	1.81	0.46
1:B:220:SER:N	1:B:221:PRO:CD	2.78	0.46
1:A:71:LYS:HA	1:A:71:LYS:HD3	1.75	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:206:LEU:HA	1:B:216:ILE:HD12	1.98	0.45
1:B:235:SER:HB3	1:B:308:PHE:CE2	2.52	0.45
1:A:206:LEU:O	1:A:210:GLN:HG3	2.16	0.45
1:A:197:HIS:HB2	1:A:198:PRO:HD2	2.00	0.44
4:A:1062:HOH:O	1:B:104:ARG:HD2	2.18	0.44
1:A:197:HIS:HB2	1:A:198:PRO:CD	2.47	0.44
1:A:266:ARG:HG3	1:A:268:VAL:HG23	1.99	0.44
1:A:56:TYR:CE1	1:A:104:ARG:HD3	2.53	0.43
1:B:71:LYS:HA	1:B:71:LYS:HD3	1.84	0.43
1:B:315:ARG:HA	1:B:320:TYR:CD2	2.54	0.43
1:A:320:TYR:CE2	1:A:322:PHE:HB2	2.53	0.43
1:B:208:PHE:CE1	1:B:212:HIS:HE1	2.36	0.43
1:A:207:LYS:O	1:A:211:GLN:HG3	2.19	0.43
1:B:273:LYS:O	2:B:943:NAP:H8A	2.19	0.43
1:A:93:HIS:HE1	1:A:121:VAL:O	2.01	0.43
1:B:188:LYS:NZ	1:B:188:LYS:HB3	2.33	0.43
1:B:264:ILE:HG13	1:B:265:GLN:N	2.35	0.42
1:A:273:LYS:O	2:A:944:NAP:H8A	2.19	0.42
1:A:193:GLN:OE1	2:A:944:NAP:H2N	2.19	0.42
1:A:320:TYR:CZ	1:A:322:PHE:HB2	2.55	0.42
1:B:134:ARG:HD2	1:B:138:GLY:O	2.20	0.42
1:A:320:TYR:HD2	1:A:323:HIS:CD2	2.38	0.41
1:A:76:LYS:HE2	4:A:1147:HOH:O	2.20	0.41
1:B:33:PRO:HG2	1:B:36:ALA:HB2	2.04	0.40
1:A:89:TRP:CG	1:A:90:ALA:N	2.90	0.40
1:B:236:PRO:HA	1:B:237:PRO:HD3	1.96	0.40
1:A:222:LEU:C	1:A:238:LEU:HD23	2.42	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	323/346 (93%)	310 (96%)	13 (4%)	0	100	100
1	B	323/346 (93%)	309 (96%)	14 (4%)	0	100	100
All	All	646/692 (93%)	619 (96%)	27 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	289/307 (94%)	284 (98%)	5 (2%)	66	62
1	B	289/307 (94%)	285 (99%)	4 (1%)	71	69
All	All	578/614 (94%)	569 (98%)	9 (2%)	68	65

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	173	ARG
1	A	219	TYR
1	A	266	ARG
1	A	300	GLU
1	A	313	MET
1	B	136	GLU
1	B	219	TYR
1	B	235	SER
1	B	313	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	92	ASN
1	A	110	GLN
1	A	211	GLN
1	A	305	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	16	ASN
1	B	62	HIS
1	B	143	HIS
1	B	212	HIS
1	B	303	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAP	A	944	-	44,52,52	2.36	16 (36%)	51,80,80	2.41	11 (21%)
3	PDN	A	946	-	26,29,29	4.01	11 (42%)	38,48,48	2.11	9 (23%)
2	NAP	B	943	-	44,52,52	2.45	17 (38%)	51,80,80	2.41	12 (23%)
3	PDN	B	945	-	26,29,29	4.04	11 (42%)	38,48,48	2.16	9 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means

no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	A	944	-	-	0/27/67/67	0/5/5/5
3	PDN	A	946	-	-	0/0/73/73	0/4/4/4
2	NAP	B	943	-	-	0/27/67/67	0/5/5/5
3	PDN	B	945	-	-	0/0/73/73	0/4/4/4

All (55) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	946	PDN	O4-C20	-7.03	1.18	1.31
3	B	945	PDN	O4-C20	-7.00	1.18	1.31
2	B	943	NAP	O5B-C5B	-4.94	1.25	1.44
2	A	944	NAP	O5B-C5B	-4.82	1.25	1.44
3	B	945	PDN	C7-C8	-4.49	1.45	1.53
3	A	946	PDN	C7-C8	-4.42	1.45	1.53
2	B	943	NAP	PN-O1N	-3.08	1.39	1.50
2	A	944	NAP	PN-O5D	-3.01	1.46	1.59
2	B	943	NAP	PN-O5D	-2.86	1.47	1.59
2	A	944	NAP	PA-O1A	-2.80	1.40	1.50
2	A	944	NAP	PN-O1N	-2.78	1.40	1.50
2	B	943	NAP	PA-O1A	-2.75	1.40	1.50
3	B	945	PDN	C17-C13	2.03	1.60	1.57
3	A	946	PDN	C16-C17	2.06	1.57	1.54
2	B	943	NAP	C2A-N3A	2.08	1.35	1.32
3	B	945	PDN	C16-C17	2.08	1.57	1.54
2	A	944	NAP	C3D-C4D	2.10	1.58	1.53
2	B	943	NAP	C3N-C7N	2.11	1.53	1.50
3	A	946	PDN	C17-C13	2.15	1.60	1.57
2	B	943	NAP	C3D-C4D	2.21	1.58	1.53
2	A	944	NAP	O4D-C1D	2.22	1.44	1.41
2	A	944	NAP	C3N-C7N	2.24	1.54	1.50
2	B	943	NAP	O3D-C3D	2.27	1.48	1.43
3	A	946	PDN	C12-C13	2.27	1.57	1.54
2	A	944	NAP	C2A-N3A	2.31	1.36	1.32
2	A	944	NAP	C8A-N7A	2.38	1.39	1.34
3	B	945	PDN	C12-C13	2.46	1.57	1.54
3	B	945	PDN	C9-C11	2.58	1.56	1.52
2	B	943	NAP	O4D-C1D	2.63	1.44	1.41
2	B	943	NAP	C8A-N7A	2.67	1.39	1.34
3	A	946	PDN	C9-C11	2.75	1.56	1.52
2	A	944	NAP	C2A-N1A	2.79	1.39	1.33
2	B	943	NAP	C2A-N1A	2.81	1.39	1.33
3	B	945	PDN	O5-C21	2.82	1.45	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	946	PDN	O5-C21	2.88	1.45	1.33
2	A	944	NAP	O4B-C1B	2.97	1.45	1.41
2	B	943	NAP	O4B-C1B	3.02	1.45	1.41
3	B	945	PDN	C10-C1	3.31	1.55	1.50
3	A	946	PDN	C10-C1	3.35	1.55	1.50
2	A	944	NAP	C2N-C3N	3.52	1.44	1.39
2	B	943	NAP	C2N-C3N	3.74	1.44	1.39
2	A	944	NAP	C5N-C4N	3.97	1.46	1.38
2	B	943	NAP	C5N-C4N	4.11	1.46	1.38
2	A	944	NAP	C4N-C3N	4.14	1.46	1.39
3	A	946	PDN	C10-C5	4.16	1.56	1.51
3	B	945	PDN	C10-C5	4.20	1.56	1.51
2	B	943	NAP	C4N-C3N	4.48	1.46	1.39
2	A	944	NAP	C6N-N1N	5.76	1.50	1.35
2	B	943	NAP	C6N-N1N	5.80	1.50	1.35
2	A	944	NAP	C4A-N3A	6.91	1.45	1.35
2	B	943	NAP	C4A-N3A	6.94	1.45	1.35
3	B	945	PDN	C7-C6	7.05	1.68	1.52
3	A	946	PDN	C7-C6	7.16	1.69	1.52
3	A	946	PDN	C2-C1	14.83	1.59	1.33
3	B	945	PDN	C2-C1	15.13	1.59	1.33

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	943	NAP	N3A-C2A-N1A	-11.48	118.86	128.86
2	A	944	NAP	N3A-C2A-N1A	-11.02	119.26	128.86
3	B	945	PDN	C1-C2-C3	-7.11	115.28	121.44
3	A	946	PDN	C1-C2-C3	-6.80	115.55	121.44
3	B	945	PDN	C10-C1-C2	-5.68	116.42	124.37
2	A	944	NAP	C3N-C7N-N7N	-5.36	111.66	117.77
2	B	943	NAP	C3N-C7N-N7N	-5.36	111.66	117.77
3	A	946	PDN	C10-C1-C2	-5.30	116.94	124.37
3	A	946	PDN	C7-C8-C14	-3.91	105.49	112.05
3	B	945	PDN	C7-C8-C14	-3.87	105.56	112.05
3	A	946	PDN	C17-C13-C14	-3.65	95.79	99.80
3	B	945	PDN	C17-C13-C14	-3.33	96.15	99.80
2	B	943	NAP	O4D-C4D-C3D	-3.04	99.11	105.17
2	A	944	NAP	O4D-C4D-C3D	-2.85	99.50	105.17
3	B	945	PDN	C8-C9-C11	-2.69	106.57	110.84
3	A	946	PDN	C8-C9-C11	-2.61	106.69	110.84
2	A	944	NAP	C6N-C5N-C4N	-2.29	115.98	119.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	946	PDN	C15-C14-C8	-2.29	115.43	119.07
3	B	945	PDN	C15-C14-C8	-2.24	115.50	119.07
2	B	943	NAP	C6N-C5N-C4N	-2.20	116.12	119.44
3	B	945	PDN	C18-C13-C17	2.32	111.73	109.09
2	B	943	NAP	O5D-C5D-C4D	2.33	117.26	109.00
2	A	944	NAP	C4A-C5A-N7A	2.33	111.66	109.41
3	A	946	PDN	C10-C5-C4	2.36	124.02	122.32
3	B	945	PDN	C10-C5-C4	2.36	124.03	122.32
2	B	943	NAP	C4A-C5A-N7A	2.39	111.72	109.41
2	B	943	NAP	O3D-C3D-C2D	2.41	119.53	111.83
3	A	946	PDN	C18-C13-C17	2.43	111.86	109.09
2	B	943	NAP	O2D-C2D-C1D	2.47	119.35	111.61
2	A	944	NAP	O5D-C5D-C4D	2.52	117.95	109.00
2	A	944	NAP	C2A-N1A-C6A	2.72	123.53	118.77
2	B	943	NAP	C2A-N1A-C6A	2.79	123.65	118.77
2	A	944	NAP	O3D-C3D-C2D	2.93	121.21	111.83
2	B	943	NAP	C4B-O4B-C1B	3.49	113.49	109.77
2	B	943	NAP	C5A-C6A-N6A	3.68	127.98	120.47
2	A	944	NAP	C5A-C6A-N6A	3.94	128.51	120.47
3	A	946	PDN	C2-C3-C4	4.10	121.45	117.14
2	A	944	NAP	C4B-O4B-C1B	4.14	114.18	109.77
2	A	944	NAP	O7N-C7N-N7N	4.29	128.68	122.58
2	B	943	NAP	O7N-C7N-N7N	4.32	128.73	122.58
3	B	945	PDN	C2-C3-C4	4.35	121.72	117.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	944	NAP	2	0
2	B	943	NAP	1	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	325/346 (93%)	0.30	17 (5%) 28 31	5, 15, 35, 63	0
1	B	325/346 (93%)	0.04	3 (0%) 84 86	5, 12, 25, 36	0
All	All	650/692 (93%)	0.17	20 (3%) 49 53	5, 13, 31, 63	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	228	PRO	3.9
1	A	136	GLU	3.8
1	A	30	LYS	3.6
1	A	138	GLY	3.4
1	A	2	ASP	3.3
1	B	2	ASP	3.3
1	A	137	ASN	3.1
1	A	129	ASP	3.1
1	A	229	ILE	3.1
1	A	228	PRO	2.7
1	B	73	ALA	2.7
1	A	141	LEU	2.5
1	A	135	ASP	2.4
1	A	316	ASP	2.3
1	A	177	GLU	2.2
1	A	234	SER	2.1
1	A	140	TRP	2.1
1	A	230	TRP	2.1
1	A	139	LYS	2.0
1	A	31	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	PDN	B	945	26/26	0.69	0.25	4.02	28,36,37,39	0
3	PDN	A	946	26/26	0.46	0.34	3.96	41,47,49,50	0
2	NAP	A	944	48/48	0.95	0.11	-0.30	5,11,13,14	0
2	NAP	B	943	48/48	0.96	0.09	-0.64	4,9,10,12	0

6.5 Other polymers [i](#)

There are no such residues in this entry.