



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2018 – 01:00 PM EDT

PDB ID : 6CMZ
Title : 2.3 Angstrom Resolution Crystal Structure of Dihydrolipoamide Dehydrogenase from Burkholderia cenocepacia in Complex with FAD and NAD
Authors : Minasov, G.; Shuvalova, L.; Dubrovskaya, I.; Kiryukhina, O.; Grimshaw, S.; Kwon, K.; Anderson, W.F.; Satchell, K.J.F.; Joachimiak, A.; Center for Structural Genomics of Infectious Diseases (CSGID)
Deposited on : 2018-03-06
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20030736
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20030736


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	4130 (2.30-2.30)
Clashscore	112137	4751 (2.30-2.30)
Ramachandran outliers	110173	4705 (2.30-2.30)
Sidechain outliers	110143	4704 (2.30-2.30)
RSRZ outliers	101464	4156 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	466	<div> <div>2%</div> <div> <div></div> <div>93%</div> <div>6%</div> <div>.</div> </div> </div>
1	B	466	<div> <div>6%</div> <div> <div></div> <div>93%</div> <div>6%</div> <div>.</div> </div> </div>
1	C	466	<div> <div>5%</div> <div> <div></div> <div>90%</div> <div>8%</div> <div>.</div> </div> </div>
1	D	466	<div> <div>8%</div> <div> <div></div> <div>90%</div> <div>8%</div> <div>.</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NAD	A	504	-	-	-	X
5	FMN	A	505	-	-	-	X
6	ADP	B	502	-	-	-	X
7	MLT	D	501	-	-	-	X

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 14440 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dihydrolipoyl dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	462	Total	C	N	O	S	0	4	0
			3442	2155	641	630	16			
1	B	459	Total	C	N	O	S	0	1	0
			3390	2122	633	619	16			
1	C	462	Total	C	N	O	S	0	1	0
			3416	2139	639	622	16			
1	D	459	Total	C	N	O	S	0	1	0
			3389	2122	633	617	17			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	expression tag	UNP B4EEF2
A	-1	ASN	-	expression tag	UNP B4EEF2
A	0	ALA	-	expression tag	UNP B4EEF2
B	-2	SER	-	expression tag	UNP B4EEF2
B	-1	ASN	-	expression tag	UNP B4EEF2
B	0	ALA	-	expression tag	UNP B4EEF2
C	-2	SER	-	expression tag	UNP B4EEF2
C	-1	ASN	-	expression tag	UNP B4EEF2
C	0	ALA	-	expression tag	UNP B4EEF2
D	-2	SER	-	expression tag	UNP B4EEF2
D	-1	ASN	-	expression tag	UNP B4EEF2
D	0	ALA	-	expression tag	UNP B4EEF2

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Cl	0	0
			1	1		
2	C	1	Total	Cl	0	0
			1	1		


- # FAD

- Molecule 4 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: $\text{C}_{21}\text{H}_{27}\text{N}_7\text{O}_{14}\text{P}_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 5 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: C₁₇H₂₁N₄O₉P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			31	17	4	9	1		

- Molecule 6 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: C₁₀H₁₅N₅O₁₀P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
6	C	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
6	D	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 7 is D-MALATE (three-letter code: MLT) (formula: C₄H₆O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	D	1	Total	C	O	0	0
			9	4	5		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	115	Total 117	O 117	0	2
8	B	90	Total 92	O 92	0	2
8	C	79	Total 82	O 82	0	3
8	D	76	Total 80	O 80	0	4


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Dihydrolipoyl dehydrogenase



• Molecule 1: Dihydrolipoyl dehydrogenase




• Molecule 1: Dihydrolipoyl dehydrogenase



• Molecule 1: Dihydrolipoyl dehydrogenase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	83.56Å 107.25Å 105.43Å 90.00° 106.09° 90.00°	Depositor
Resolution (Å)	29.21 – 2.30 29.21 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.7 (29.21-2.30) 99.8 (29.21-2.30)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.80 (at 2.31Å)	Xtriage
Refinement program	REFMAC 5.8.0189	Depositor
R, R_{free}	0.199 , 0.253 0.200 , 0.254	Depositor DCC
R_{free} test set	3962 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	42.0	Xtriage
Anisotropy	0.056	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 38.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	14440	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.29% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ADP, NAD, CL, FMN, MLT, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.44	0/3500	0.75	2/4750 (0.0%)
1	B	0.42	0/3447	0.71	0/4679
1	C	0.42	0/3474	0.70	0/4714
1	D	0.43	0/3446	0.72	0/4676
All	All	0.43	0/13867	0.72	2/18819 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	271	ARG	NE-CZ-NH1	6.06	123.33	120.30
1	A	271	ARG	NE-CZ-NH2	-5.13	117.73	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3442	0	3496	17	0
1	B	3390	0	3451	20	0
1	C	3416	0	3479	25	0
1	D	3389	0	3451	26	0
2	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	1	0	0	0	0
3	A	106	0	62	0	0
3	B	53	0	31	0	0
3	C	53	0	31	0	0
3	D	53	0	31	0	0
4	A	44	0	26	0	0
5	A	31	0	19	0	0
6	B	27	0	12	0	0
6	C	27	0	12	0	0
6	D	27	0	12	0	0
7	D	9	0	4	0	0
8	A	117	0	0	1	0
8	B	92	0	0	1	0
8	C	82	0	0	1	0
8	D	80	0	0	0	0
All	All	14440	0	14117	83	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (83) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:6:THR:HG21	1:A:32:VAL:HG23	1.57	0.84
1:B:43:CYS:HG	1:B:48:CYS:HG	0.83	0.82
1:D:6:THR:HG21	1:D:32:VAL:HG23	1.66	0.77
1:C:43:CYS:HG	1:C:48:CYS:HG	1.38	0.71
1:B:52:LYS:HD2	1:B:349:PHE:CD1	2.30	0.66
1:B:408:TRP:HZ2	1:B:435:ILE:HD13	1.61	0.64
1:D:188:LEU:HD11	1:D:210:VAL:HG22	1.84	0.60
1:A:52:LYS:HD2	1:A:349:PHE:CD1	2.37	0.60
1:C:156:MET:CE	1:C:265:VAL:HG11	2.33	0.59
1:D:163:VAL:HB	1:D:167:ASP:HB2	1.83	0.59
1:D:234:TRP:CZ2	1:D:260:LEU:HD21	2.39	0.58
1:A:90:TRP:CZ2	1:A:94:ILE:HD11	2.39	0.57
1:B:405:ILE:HD12	1:B:435:ILE:HD12	1.86	0.57
1:C:156:MET:HE2	1:C:265:VAL:HG11	1.86	0.56
1:D:52:LYS:HE3	1:D:349:PHE:CD1	2.42	0.54
1:D:52:LYS:HD2	1:D:52:LYS:N	2.21	0.54
1:C:73:LEU:HD22	1:D:57:VAL:HG12	1.90	0.53
1:C:331:LEU:HD23	1:C:336:ARG:HB3	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:100:ARG:NH2	1:D:224:ASP:OD1	2.42	0.52
1:D:48:CYS:O	1:D:52:LYS:HD3	2.10	0.52
1:B:120:VAL:HG11	1:B:283:LEU:HD11	1.92	0.52
1:B:48:CYS:O	1:B:52:LYS:HE2	2.10	0.51
1:B:52:LYS:HD2	1:B:349:PHE:CG	2.45	0.51
1:A:217[B]:GLU:OE2	1:A:217[B]:GLU:HA	2.11	0.51
1:B:200:ASP:OD1	1:B:232:ARG:NH2	2.44	0.51
1:C:52:LYS:HD2	1:C:349:PHE:CD1	2.46	0.51
1:B:405:ILE:CD1	1:B:435:ILE:HD12	2.40	0.50
1:B:179:VAL:HG23	1:B:262:ALA:HB2	1.93	0.50
1:C:100:ARG:HA	1:C:100:ARG:HE	1.76	0.50
1:C:403:HIS:ND1	1:C:433:GLU:OE1	2.42	0.49
1:C:52:LYS:HD2	1:C:349:PHE:CG	2.47	0.49
1:C:179:VAL:HG23	1:C:262:ALA:HB2	1.93	0.49
1:C:34:VAL:HG11	1:C:118:ALA:HB2	1.94	0.49
1:D:188:LEU:HD11	1:D:210:VAL:CG2	2.43	0.48
1:C:394:VAL:HG11	1:C:449:LEU:HD22	1.95	0.48
1:D:49:ILE:HB	1:D:50:PRO:HD3	1.95	0.48
1:A:355:VAL:HG23	1:A:415:VAL:HG23	1.95	0.48
8:C:673[A]:HOH:O	1:D:428[A]:MET:HE1	2.13	0.48
1:C:95:VAL:O	1:C:99:THR:HG23	2.14	0.47
1:A:338:GLN:HG3	1:A:339:PHE:CD2	2.49	0.47
1:B:280:LEU:HD21	1:B:285:LEU:HD12	1.96	0.47
1:D:90:TRP:CZ2	1:D:94:ILE:HD11	2.50	0.47
1:C:385:MET:HE2	1:D:94:ILE:HG23	1.96	0.47
1:C:121:ILE:HD11	1:C:127:GLU:HB2	1.96	0.46
1:D:104:ALA:HA	1:D:107:LYS:HE3	1.97	0.46
1:A:169:LEU:HD21	1:A:190:LEU:HD21	1.97	0.46
1:B:49:ILE:HB	1:B:50:PRO:HD3	1.97	0.46
1:C:394:VAL:HG11	1:C:449:LEU:CD2	2.45	0.46
1:C:237:HIS:HB3	1:C:250:VAL:CG1	2.46	0.46
1:C:86:LYS:HD3	1:D:74:GLY:HA2	1.99	0.45
1:A:19:VAL:HG21	1:A:322:MET:HG2	1.99	0.45
1:C:319:HIS:NE2	1:C:345:PRO:O	2.44	0.45
1:D:52:LYS:CD	1:D:52:LYS:N	2.79	0.45
1:A:52:LYS:HD2	1:A:349:PHE:CG	2.52	0.45
1:D:82:ILE:HD13	1:D:197:LEU:HD22	1.99	0.45
1:A:209:ARG:NE	8:A:601:HOH:O	2.49	0.44
1:B:408:TRP:CZ2	1:B:435:ILE:HD13	2.46	0.44
1:B:34:VAL:HG11	1:B:118:ALA:HB2	1.98	0.44
1:A:48:CYS:O	1:A:52:LYS:HE2	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:40:GLY:HA3	1:C:44:LEU:HD22	2.00	0.43
1:D:34:VAL:HG11	1:D:118:ALA:HB2	1.99	0.43
1:C:156:MET:HE1	1:C:265:VAL:HG11	2.01	0.42
1:A:220:ARG:HB3	1:A:221:PRO:HD3	2.00	0.42
1:B:372:LEU:C	1:B:372:LEU:HD12	2.40	0.42
1:D:183:ALA:HB1	1:D:210:VAL:HG23	2.01	0.42
1:A:146:THR:HG21	1:A:278:PHE:CZ	2.55	0.42
1:D:315:PRO:O	1:D:320:ARG:HD2	2.19	0.42
1:D:40:GLY:HA3	1:D:44:LEU:HD12	2.01	0.42
1:C:36:ARG:HD3	1:C:117:GLU:OE1	2.20	0.41
1:A:148:SER:OG	1:A:271:ARG:NH1	2.53	0.41
1:A:424:GLN:HE22	1:B:449:LEU:HD23	1.85	0.41
1:C:392:GLY:HA3	1:C:411:VAL:O	2.21	0.41
1:B:408:TRP:HZ2	1:B:435:ILE:CD1	2.30	0.41
1:B:228:ARG:NH2	1:B:391:ASP:OD2	2.53	0.41
1:D:392:GLY:HA3	1:D:411:VAL:O	2.20	0.41
1:B:156:MET:HE1	1:B:248:VAL:HG22	2.02	0.41
1:C:169:LEU:HD21	1:C:190:LEU:HD21	2.03	0.41
1:B:271:ARG:HD3	8:B:610:HOH:O	2.22	0.40
1:D:107:LYS:HD2	1:D:108:LYS:N	2.37	0.40
1:A:446:GLY:HA2	1:A:449:LEU:HD13	2.04	0.40
1:C:378:PHE:CZ	1:C:394:VAL:HG23	2.56	0.40
1:D:226:LEU:HD13	1:D:233:LEU:HD21	2.03	0.40
1:D:237:HIS:HB3	1:D:250:VAL:CG1	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	464/466 (100%)	448 (97%)	16 (3%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	458/466 (98%)	437 (95%)	21 (5%)	0	100	100
1	C	461/466 (99%)	446 (97%)	15 (3%)	0	100	100
1	D	458/466 (98%)	440 (96%)	18 (4%)	0	100	100
All	All	1841/1864 (99%)	1771 (96%)	70 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	347/346 (100%)	343 (99%)	4 (1%)	75	87
1	B	341/346 (99%)	339 (99%)	2 (1%)	89	95
1	C	344/346 (99%)	338 (98%)	6 (2%)	66	81
1	D	341/346 (99%)	338 (99%)	3 (1%)	82	91
All	All	1373/1384 (99%)	1358 (99%)	15 (1%)	78	89

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	52	LYS
1	A	91	LYS
1	A	263	ASP
1	A	264	ARG
1	B	52	LYS
1	B	91	LYS
1	C	52	LYS
1	C	91	LYS
1	C	100	ARG
1	C	124	LYS
1	C	232	ARG
1	C	264	ARG
1	D	91	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	107	LYS
1	D	335	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 13 ligands modelled in this entry, 2 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	FAD	A	502	-	51,58,58	1.45	7 (13%)	54,89,89	2.11	8 (14%)
3	FAD	A	503	-	51,58,58	1.57	7 (13%)	54,89,89	2.01	8 (14%)
4	NAD	A	504	-	41,48,48	0.94	3 (7%)	43,73,73	1.46	4 (9%)
5	FMN	A	505	-	31,33,33	1.91	6 (19%)	38,50,50	1.98	7 (18%)
3	FAD	B	501	-	51,58,58	1.50	7 (13%)	54,89,89	2.11	8 (14%)
6	ADP	B	502	-	25,29,29	1.10	2 (8%)	24,45,45	1.81	2 (8%)
3	FAD	C	502	-	51,58,58	1.48	7 (13%)	54,89,89	2.03	8 (14%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	ADP	C	503	-	25,29,29	1.10	2 (8%)	24,45,45	1.82	2 (8%)
7	MLT	D	501	-	2,8,8	0.88	0	4,10,10	1.56	1 (25%)
3	FAD	D	502	-	51,58,58	1.41	6 (11%)	54,89,89	2.12	8 (14%)
6	ADP	D	503	-	25,29,29	1.04	2 (8%)	24,45,45	1.82	2 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FAD	A	502	-	-	0/28/50/50	0/6/6/6
3	FAD	A	503	-	-	0/28/50/50	0/6/6/6
4	NAD	A	504	-	-	0/22/62/62	0/5/5/5
5	FMN	A	505	-	-	0/16/18/18	0/3/3/3
3	FAD	B	501	-	-	0/28/50/50	0/6/6/6
6	ADP	B	502	-	-	0/12/32/32	0/3/3/3
3	FAD	C	502	-	-	0/28/50/50	0/6/6/6
6	ADP	C	503	-	-	0/12/32/32	0/3/3/3
7	MLT	D	501	-	-	0/2/8/8	0/0/0/0
3	FAD	D	502	-	-	0/28/50/50	0/6/6/6
6	ADP	D	503	-	-	0/12/32/32	0/3/3/3

All (49) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	503	FAD	C10-N1	2.06	1.36	1.33
6	D	503	ADP	C2-N3	2.06	1.35	1.32
4	A	504	NAD	O4D-C1D	2.09	1.44	1.41
6	B	502	ADP	C2-N3	2.12	1.35	1.32
4	A	504	NAD	C2A-N3A	2.18	1.35	1.32
5	A	505	FMN	C10-N1	2.23	1.36	1.33
6	C	503	ADP	C2-N3	2.24	1.35	1.32
3	A	502	FAD	C2A-N3A	2.29	1.36	1.32
3	C	502	FAD	C10-N1	2.32	1.36	1.33
3	B	501	FAD	C10-N1	2.59	1.36	1.33
3	D	502	FAD	C9A-N10	2.61	1.42	1.38
3	C	502	FAD	C5A-C4A	2.79	1.46	1.40
3	A	502	FAD	C5A-C4A	2.80	1.46	1.40
3	D	502	FAD	C5A-C4A	2.86	1.46	1.40
3	B	501	FAD	C5A-C4A	2.88	1.47	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	502	ADP	C5-C4	3.02	1.47	1.40
6	D	503	ADP	C5-C4	3.05	1.47	1.40
3	A	503	FAD	C5A-C4A	3.10	1.47	1.40
6	C	503	ADP	C5-C4	3.11	1.47	1.40
4	A	504	NAD	C5A-C4A	3.24	1.47	1.40
3	A	502	FAD	C8-C7	3.27	1.49	1.41
3	B	501	FAD	C8-C7	3.34	1.49	1.41
5	A	505	FMN	C8-C7	3.34	1.49	1.41
3	B	501	FAD	C9A-N10	3.36	1.43	1.38
3	C	502	FAD	C8-C7	3.36	1.49	1.41
3	A	502	FAD	C9A-N10	3.37	1.43	1.38
3	D	502	FAD	C8-C7	3.40	1.49	1.41
3	A	502	FAD	C9A-C5X	3.51	1.49	1.42
3	A	503	FAD	C8-C7	3.55	1.49	1.41
3	A	502	FAD	C4-C4X	3.55	1.48	1.41
3	D	502	FAD	C9A-C5X	3.63	1.50	1.42
3	C	502	FAD	C9A-N10	3.65	1.43	1.38
3	D	502	FAD	C4-C4X	3.66	1.48	1.41
3	B	501	FAD	C9A-C5X	3.72	1.50	1.42
3	C	502	FAD	C9A-C5X	3.79	1.50	1.42
3	C	502	FAD	C4-C4X	3.88	1.48	1.41
3	A	503	FAD	C9A-N10	3.90	1.43	1.38
3	D	502	FAD	C4X-C10	3.96	1.48	1.41
3	B	501	FAD	C4-C4X	4.07	1.49	1.41
3	A	503	FAD	C9A-C5X	4.14	1.51	1.42
3	C	502	FAD	C4X-C10	4.15	1.48	1.41
3	A	502	FAD	C4X-C10	4.20	1.48	1.41
3	A	503	FAD	C4-C4X	4.22	1.49	1.41
5	A	505	FMN	C9A-C5A	4.24	1.51	1.42
5	A	505	FMN	C4-C4A	4.29	1.49	1.41
3	A	503	FAD	C4X-C10	4.57	1.49	1.41
3	B	501	FAD	C4X-C10	4.58	1.49	1.41
5	A	505	FMN	C9A-N10	4.62	1.44	1.38
5	A	505	FMN	C4A-C10	4.98	1.49	1.41

All (58) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	502	ADP	N3-C2-N1	-7.23	122.56	128.86
4	A	504	NAD	N3A-C2A-N1A	-7.03	122.73	128.86
3	A	502	FAD	N3A-C2A-N1A	-7.03	122.73	128.86
3	A	503	FAD	N3A-C2A-N1A	-7.03	122.74	128.86

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	D	503	ADP	N3-C2-N1	-6.94	122.81	128.86
3	C	502	FAD	N3A-C2A-N1A	-6.91	122.84	128.86
3	D	502	FAD	N3A-C2A-N1A	-6.91	122.84	128.86
6	C	503	ADP	N3-C2-N1	-6.90	122.85	128.86
3	B	501	FAD	N3A-C2A-N1A	-6.89	122.86	128.86
3	A	502	FAD	C4-C4X-C10	-5.02	115.90	119.96
3	D	502	FAD	C4-C4X-C10	-4.75	116.12	119.96
3	B	501	FAD	C4-C4X-C10	-4.36	116.44	119.96
3	A	503	FAD	C4-C4X-C10	-3.91	116.80	119.96
3	C	502	FAD	C4-C4X-C10	-3.90	116.81	119.96
5	A	505	FMN	C4A-C4-N3	-3.39	118.66	123.48
3	A	503	FAD	C4A-C5A-N7A	-3.27	106.25	109.41
5	A	505	FMN	C4-C4A-C10	-3.26	117.33	119.96
6	C	503	ADP	C4-C5-N7	-3.21	106.31	109.41
3	A	503	FAD	C4X-C4-N3	-3.19	118.94	123.48
3	D	502	FAD	C4X-C4-N3	-3.14	119.02	123.48
6	D	503	ADP	C4-C5-N7	-3.12	106.40	109.41
3	C	502	FAD	C4A-C5A-N7A	-3.04	106.48	109.41
3	B	501	FAD	C4X-C4-N3	-3.01	119.20	123.48
3	C	502	FAD	C4X-C4-N3	-2.97	119.26	123.48
3	A	502	FAD	C4X-C4-N3	-2.93	119.32	123.48
6	B	502	ADP	C4-C5-N7	-2.89	106.62	109.41
3	B	501	FAD	C4A-C5A-N7A	-2.88	106.63	109.41
4	A	504	NAD	C4A-C5A-N7A	-2.88	106.63	109.41
3	D	502	FAD	C4A-C5A-N7A	-2.66	106.84	109.41
3	A	502	FAD	C4A-C5A-N7A	-2.55	106.95	109.41
4	A	504	NAD	C4B-O4B-C1B	2.04	111.94	109.77
4	A	504	NAD	C4D-O4D-C1D	2.13	112.04	109.77
7	D	501	MLT	C3-C2-C1	2.41	114.29	111.11
5	A	505	FMN	C4-C4A-N5	2.57	121.50	118.68
5	A	505	FMN	C1'-N10-C10	2.66	121.23	118.50
3	A	503	FAD	C4-C4X-N5	3.11	122.09	118.68
3	C	502	FAD	C4-C4X-N5	3.21	122.19	118.68
5	A	505	FMN	C1'-N10-C9A	3.44	121.50	118.35
3	D	502	FAD	C4-C4X-N5	3.47	122.48	118.68
3	A	502	FAD	C4-C4X-N5	3.70	122.73	118.68
3	B	501	FAD	C4-C4X-N5	3.78	122.82	118.68
3	D	502	FAD	C4X-N5-C5X	3.86	120.84	116.76
3	A	502	FAD	C4X-N5-C5X	4.20	121.20	116.76
3	A	503	FAD	C4X-N5-C5X	4.31	121.31	116.76
5	A	505	FMN	C4A-N5-C5A	4.36	121.36	116.76
3	A	503	FAD	C1'-N10-C9A	4.60	122.56	118.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	502	FAD	C4X-N5-C5X	4.63	121.65	116.76
3	B	501	FAD	C4X-N5-C5X	4.74	121.76	116.76
3	C	502	FAD	C1'-N10-C9A	5.22	123.14	118.35
3	B	501	FAD	C1'-N10-C9A	5.52	123.40	118.35
3	A	502	FAD	C1'-N10-C9A	5.77	123.64	118.35
3	D	502	FAD	C1'-N10-C9A	6.25	124.08	118.35
3	A	502	FAD	C4-N3-C2	7.24	121.50	115.16
3	C	502	FAD	C4-N3-C2	7.56	121.77	115.16
3	A	503	FAD	C4-N3-C2	7.60	121.81	115.16
3	D	502	FAD	C4-N3-C2	7.63	121.83	115.16
5	A	505	FMN	C4-N3-C2	7.76	121.94	115.16
3	B	501	FAD	C4-N3-C2	7.77	121.95	115.16

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	462/466 (99%)	0.05	11 (2%) 59 66	27, 42, 71, 103	0
1	B	459/466 (98%)	0.24	27 (5%) 23 30	27, 45, 85, 116	0
1	C	462/466 (99%)	0.11	21 (4%) 34 41	32, 49, 77, 120	0
1	D	459/466 (98%)	0.29	36 (7%) 14 19	30, 49, 93, 123	0
All	All	1842/1864 (98%)	0.17	95 (5%) 28 35	27, 47, 81, 123	0

All (95) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	342	ALA	8.3
1	D	254	ASP	6.9
1	B	253	ALA	6.7
1	B	460	ALA	6.6
1	B	337	ARG	6.2
1	D	459	HIS	5.6
1	D	132	GLY	5.6
1	B	133	HIS	5.5
1	C	244	LYS	5.2
1	B	459	HIS	5.1
1	D	337	ARG	4.9
1	B	2	LYS	4.9
1	B	244	LYS	4.4
1	D	339	PHE	4.4
1	B	132	GLY	4.3
1	A	253	ALA	4.3
1	D	253	ALA	4.1
1	D	244	LYS	4.1
1	D	290	ARG	4.1
1	D	2	LYS	4.0
1	A	336	ARG	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	458	GLY	3.8
1	C	131	ALA	3.8
1	B	342	ALA	3.7
1	C	78	ARG	3.6
1	A	284	MET	3.6
1	B	366	ALA	3.5
1	B	339	PHE	3.5
1	D	133	HIS	3.5
1	C	79	ALA	3.4
1	B	254	ASP	3.4
1	A	2	LYS	3.4
1	A	244	LYS	3.3
1	D	76	ARG	3.3
1	B	365	HIS	3.2
1	D	366	ALA	3.2
1	D	245	HIS	3.1
1	C	240	LEU	3.1
1	D	161	HIS	3.1
1	D	367	ALA	3.1
1	B	78	ARG	3.0
1	C	366	ALA	3.0
1	C	208	GLU	3.0
1	C	342	ALA	3.0
1	D	336	ARG	2.9
1	D	369	VAL	2.9
1	C	5	HIS	2.9
1	A	337	ARG	2.8
1	D	338	GLN	2.8
1	D	368	GLY	2.8
1	C	253	ALA	2.7
1	D	79	ALA	2.7
1	D	97	ARG	2.7
1	B	336	ARG	2.6
1	D	10	VAL	2.6
1	C	132	GLY	2.5
1	C	2	LYS	2.5
1	A	131	ALA	2.5
1	B	341	PRO	2.5
1	C	176	LYS	2.5
1	B	245	HIS	2.5
1	C	296	ASP	2.5
1	D	284	MET	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	143	LEU	2.5
1	B	252	ALA	2.4
1	D	131	ALA	2.4
1	A	145	ALA	2.3
1	B	284	MET	2.3
1	D	281	GLU	2.3
1	D	257	GLU	2.3
1	A	245	HIS	2.3
1	B	10	VAL	2.3
1	B	371	CYS	2.2
1	D	301	SER	2.2
1	A	3	ASN	2.2
1	B	16	GLY	2.2
1	C	143	LEU	2.2
1	B	208	GLU	2.2
1	B	246	GLY	2.2
1	B	20	ALA	2.2
1	D	11	ILE	2.1
1	A	461	LEU	2.1
1	D	78	ARG	2.1
1	C	162	VAL	2.1
1	D	340	MET	2.1
1	C	245	HIS	2.1
1	D	237	HIS	2.1
1	C	10	VAL	2.1
1	C	15	PRO	2.1
1	B	136	ARG	2.1
1	D	12	GLY	2.0
1	D	145	ALA	2.0
1	D	460	ALA	2.0
1	C	255	GLY	2.0
1	C	130	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
6	ADP	B	502	27/27	0.69	0.34	7.39	98,117,130,138	0
5	FMN	A	505	31/31	0.69	0.48	6.53	82,101,136,141	0
7	MLT	D	501	9/9	0.85	0.20	2.62	61,69,77,79	0
4	NAD	A	504	44/44	0.63	0.31	2.07	85,122,155,161	0
6	ADP	D	503	27/27	0.90	0.22	1.17	60,68,85,91	0
3	FAD	A	503	53/53	0.90	0.19	1.14	48,64,85,86	0
6	ADP	C	503	27/27	0.90	0.14	0.46	56,60,89,94	0
3	FAD	D	502	53/53	0.95	0.15	0.09	31,36,53,57	0
3	FAD	A	502	53/53	0.96	0.15	0.05	28,33,40,45	0
3	FAD	C	502	53/53	0.96	0.12	-0.62	36,41,47,47	0
3	FAD	B	501	53/53	0.97	0.12	-0.67	31,38,42,43	0
2	CL	A	501	1/1	0.94	0.12	-0.81	64,64,64,64	0
2	CL	C	501	1/1	0.75	0.09	-	81,81,81,81	0

6.5 Other polymers [i](#)

There are no such residues in this entry.