



# Full wwPDB/EMDatabank EM Map/Model Validation Report ⓘ

Mar 2, 2017 – 11:09 am GMT

PDB ID : 2CSE  
Title : Features of Reovirus Outer-Capsid Protein  $\mu$ 1 Revealed by Electron and Image Reconstruction of the virion at 7.0-Å Resolution  
Authors : Zhang, X.; Ji, Y.; Zhang, L.; Harrison, S.C.; Marinescu, D.C.; Nibert, M.L.; Baker, T.S.  
Deposited on : 2005-05-21  
Resolution : 7.00 Å (reported)  
Based on PDB ID : 1EJ6, 1JMU, 1N35

This is a Full wwPDB/EMDatabank EM Map/Model Validation Report  
for a publicly released PDB/EMDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

MolProbity : 4.02b-467  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc29047


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*








The reported resolution of this entry is 7.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	125131	1336

The table below summarises the geometric issues observed across the polymeric chains. The red, orange, yellow and green segments on the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	708	 90% 9%
1	B	708	 91% 9%
1	C	708	 90% 9%
1	J	708	 91% 9%
1	K	708	 90% 9%
1	L	708	 91% 9%
1	P	708	 91% 9%
1	Q	708	 91% 9%
1	R	708	 91% 9%
1	T	708	 91% 9%
2	D	365	 100%
2	E	365	 100%

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	F	365	 100%
2	G	365	 100%
2	H	365	 100%
2	I	365	 100%
2	M	365	 100%
2	N	365	 100%
2	O	365	 100%
2	S	365	 100%
3	U	1289	 99%
4	V	1275	 81% 19%
4	W	1275	 96% .
5	X	418	 100%
5	Y	418	 100%
5	Z	418	 100%
6	1	1267	 100%

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 16111 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called major outer-capsid protein mu1.

Mol	Chain	Residues	Atoms	AltConf	Trace
1	A	641	Total C 641 641	0	641
1	B	641	Total C 641 641	0	641
1	C	641	Total C 641 641	0	641
1	P	641	Total C 641 641	0	641
1	Q	641	Total C 641 641	0	641
1	R	641	Total C 641 641	0	641
1	J	641	Total C 641 641	0	641
1	K	641	Total C 641 641	0	641
1	L	641	Total C 641 641	0	641
1	T	641	Total C 641 641	0	641

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	344	LEU	PRO	CONFLICT	UNP P11077
A	359	PHE	LEU	CONFLICT	UNP P11077
B	344	LEU	PRO	CONFLICT	UNP P11077
B	359	PHE	LEU	CONFLICT	UNP P11077
C	344	LEU	PRO	CONFLICT	UNP P11077
C	359	PHE	LEU	CONFLICT	UNP P11077
J	344	LEU	PRO	CONFLICT	UNP P11077
J	359	PHE	LEU	CONFLICT	UNP P11077
K	344	LEU	PRO	CONFLICT	UNP P11077
K	359	PHE	LEU	CONFLICT	UNP P11077

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
L	344	LEU	PRO	CONFLICT	UNP P11077
L	359	PHE	LEU	CONFLICT	UNP P11077
P	344	LEU	PRO	CONFLICT	UNP P11077
P	359	PHE	LEU	CONFLICT	UNP P11077
Q	344	LEU	PRO	CONFLICT	UNP P11077
Q	359	PHE	LEU	CONFLICT	UNP P11077
R	344	LEU	PRO	CONFLICT	UNP P11077
R	359	PHE	LEU	CONFLICT	UNP P11077
T	344	LEU	PRO	CONFLICT	UNP P11077
T	359	PHE	LEU	CONFLICT	UNP P11077

- Molecule 2 is a protein called major capsid surface protein sigma-3.

Mol	Chain	Residues	Atoms	AltConf	Trace
2	S	365	Total C 365 365	0	365
2	D	365	Total C 365 365	0	365
2	E	365	Total C 365 365	0	365
2	F	365	Total C 365 365	0	365
2	M	365	Total C 365 365	0	365
2	N	365	Total C 365 365	0	365
2	O	365	Total C 365 365	0	365
2	G	365	Total C 365 365	0	365
2	H	365	Total C 365 365	0	365
2	I	365	Total C 365 365	0	365

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	104	CYS	ALA	CONFLICT	UNP P07939
D	325	ASN	ASP	CONFLICT	UNP P07939
E	104	CYS	ALA	CONFLICT	UNP P07939
E	325	ASN	ASP	CONFLICT	UNP P07939

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	104	CYS	ALA	CONFLICT	UNP P07939
F	325	ASN	ASP	CONFLICT	UNP P07939
G	104	CYS	ALA	CONFLICT	UNP P07939
G	325	ASN	ASP	CONFLICT	UNP P07939
H	104	CYS	ALA	CONFLICT	UNP P07939
H	325	ASN	ASP	CONFLICT	UNP P07939
I	104	CYS	ALA	CONFLICT	UNP P07939
I	325	ASN	ASP	CONFLICT	UNP P07939
M	104	CYS	ALA	CONFLICT	UNP P07939
M	325	ASN	ASP	CONFLICT	UNP P07939
N	104	CYS	ALA	CONFLICT	UNP P07939
N	325	ASN	ASP	CONFLICT	UNP P07939
O	104	CYS	ALA	CONFLICT	UNP P07939
O	325	ASN	ASP	CONFLICT	UNP P07939
S	104	CYS	ALA	CONFLICT	UNP P07939
S	325	ASN	ASP	CONFLICT	UNP P07939

- Molecule 3 is a protein called guanylyltransferase.

Mol	Chain	Residues	Atoms	AltConf	Trace
3	U	1284	Total C 1284 1284	0	1284

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
U	609	GLY	PHE	CONFLICT	UNP P11079

- Molecule 4 is a protein called major core protein lambda 1.

Mol	Chain	Residues	Atoms	AltConf	Trace
4	V	1031	Total C 1031 1031	0	1031
4	W	1221	Total C 1221 1221	0	1221

- Molecule 5 is a protein called Sigma 2 protein.

Mol	Chain	Residues	Atoms	AltConf	Trace
5	X	417	Total C 417 417	0	417

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms	AltConf	Trace
5	Y	417	Total C 417 417	0	417
5	Z	417	Total C 417 417	0	417


- Molecule 6 is a protein called Minor core protein lambda 3.

Mol	Chain	Residues	Atoms	AltConf	Trace
6	1	1264	Total C 1264 1264	0	1264


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: major outer-capsid protein mu1




- Molecule 1: major outer-capsid protein mu1



- Molecule 1: major outer-capsid protein mu1



- Molecule 1: major outer-capsid protein mu1



- Molecule 1: major outer-capsid protein mu1



- Molecule 1: major outer-capsid protein mu1

- Molecule 1: major outer-capsid protein mu1

- Molecule 1: major outer-capsid protein mu1

- Molecule 1: major outer-capsid protein mu1

- Molecule 1: major outer-capsid protein mu1

MET	GLY	ASN	ALA	SER	THR	ILE	VAL	GLN	T10	PRO	THR	ILE	ASN	THR	ASP	ASN	SER	GLY	ALA	VAL	PRO	SER	GLU	SER	ALA	LEU	VAL	PRO	TYR	ASN	D97	P675	LYS	PRO	ASP	CYS	PRO	THR	ASN	GLY	ASP	GLY	SER	GLU	PRO	SER	ALA	ARG	ARG	VAL	LYS	ARG
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

ASP	SER	TYR	ALA	GLY	VAL	VAL	LYS	ARG	GLY	THR	ARG
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- Molecule 2: major capsid surface protein sigma-3

Chain S:  100%

There are no outlier residues recorded for this chain.

- Molecule 2: major capsid surface protein sigma-3

Chain D:  100%

There are no outlier residues recorded for this chain.

- Molecule 2: major capsid surface protein sigma-3

Chain E:  100%

There are no outlier residues recorded for this chain.

- Molecule 2: major capsid surface protein sigma-3

Chain F:  100%

There are no outlier residues recorded for this chain.

- Molecule 2: major capsid surface protein sigma-3

Chain M:  100%

There are no outlier residues recorded for this chain.

- Molecule 2: major capsid surface protein sigma-3

Chain N:  100%

There are no outlier residues recorded for this chain.

- Molecule 2: major capsid surface protein sigma-3

Chain O:  100%

There are no outlier residues recorded for this chain.

- Molecule 2: major capsid surface protein sigma-3

Chain G:  100%

There are no outlier residues recorded for this chain.

- Molecule 2: major capsid surface protein sigma-3

Chain H:  100%

There are no outlier residues recorded for this chain.


- Molecule 2: major capsid surface protein sigma-3

Chain I:  100%


There are no outlier residues recorded for this chain.


- Molecule 3: guanylyltransferase

Chain U:  99%




- Molecule 4: major core protein lambda 1

Chain V:  81% 19%



- Molecule 4: major core protein lambda 1

Chain W:  96%



- Molecule 5: Sigma 2 protein

Chain X:  100%



- Molecule 5: Sigma 2 protein

Chain Y:  100%



- Molecule 5: Sigma 2 protein

Chain Z:  100%



- Molecule 6: Minor core protein lambda 3

Chain 1:  100%



## 4 Experimental information

Property	Value	Source
Reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, I	Depositor
Number of particles used	Not provided	Depositor
Resolution determination method	Not provided	Depositor
CTF correction method	CTF correction of each particle	Depositor
Microscope	PHILIPS CM200 FEG, PHILIPS CM300 FEG	Depositor
Voltage (kV)	200, 300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	2000, Not provided	Depositor
Minimum defocus (nm)	1300, Not provided	Depositor
Maximum defocus (nm)	3200, Not provided	Depositor
Magnification	45000, 47440	Depositor
Image detector	SO-163 FILM	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

There are no protein, RNA or DNA chains available to summarize Z scores of covalent bonds and angles.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	641	0	0	1	0
1	B	641	0	0	0	0
1	C	641	0	0	1	0
1	J	641	0	0	0	0
1	K	641	0	0	1	0
1	L	641	0	0	0	0
1	P	641	0	0	0	0
1	Q	641	0	0	0	0
1	R	641	0	0	0	0
1	T	641	0	0	0	0
2	D	365	0	0	0	0
2	E	365	0	0	0	0
2	F	365	0	0	0	0
2	G	365	0	0	0	0
2	H	365	0	0	0	0
2	I	365	0	0	0	0
2	M	365	0	0	0	0
2	N	365	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	O	365	0	0	0	0
2	S	365	0	0	0	0
3	U	1284	0	0	2	0
4	V	1031	0	0	2	0
4	W	1221	0	0	1	0
5	X	417	0	0	0	0
5	Y	417	0	0	1	0
5	Z	417	0	0	0	0
6	1	1264	0	0	1	0
All	All	16111	0	0	9	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (9) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:56:SER:CA	5:Y:15:GLY:CA	2.13	1.25
1:C:51:ILE:CA	1:C:62:ALA:CA	2.63	0.77
3:U:245:PRO:CA	3:U:246:PRO:CA	2.83	0.56
4:V:1247:LEU:CA	4:V:1248:PRO:CA	2.84	0.56
1:K:51:ILE:CA	1:K:62:ALA:CA	2.85	0.55
4:W:1247:LEU:CA	4:W:1248:PRO:CA	2.86	0.53
6:1:301:GLU:CA	6:1:302:PRO:CA	2.89	0.51
3:U:420:LEU:CA	3:U:421:PRO:CA	2.90	0.49
4:V:276:VAL:CA	4:V:277:PRO:CA	2.95	0.44

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

There are no protein backbone outliers to report in this entry.

### 5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.