



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 13, 2017 – 01:45 pm GMT

PDB ID : 1CWQ
Title : M INTERMEDIATE STRUCTURE OF THE WILD TYPE BACTERIORHODOPSIN IN COMBINATION WITH THE GROUND STATE STRUCTURE
Authors : Sass, H.J.; Berendzen, J.; Neff, D.; Gessenich, R.; Ormos, P.; Bueldt, G.
Deposited on : 1999-08-26
Resolution : 2.25 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	1178 (2.26-2.26)
Ramachandran outliers	110173	1145 (2.26-2.26)
Sidechain outliers	110143	1146 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	248	
1	B	248	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	RET	A	601	-	-	X	-
2	RET	B	601	-	-	X	-
3	UND	A	1604	-	-	X	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	UND	A	604	-	-	X	-
3	UND	B	1616	-	-	X	-
3	UND	B	614	-	-	X	-
4	OCT	A	1605	-	-	X	-
4	OCT	A	1621	-	-	X	-
4	OCT	A	1623	-	-	X	-
4	OCT	A	623	-	-	X	-
4	OCT	B	1607	-	-	X	-
4	OCT	B	1609	-	-	X	-
4	OCT	B	1613	-	-	X	-
4	OCT	B	1618	-	-	X	-
4	OCT	B	607	-	-	X	-
4	OCT	B	609	-	-	X	-
4	OCT	B	618	-	-	X	-
4	OCT	B	621	-	-	X	-
5	HEX	A	1606	-	-	X	-
5	HEX	A	1610	-	-	X	-
5	HEX	A	1622	-	-	X	-
5	HEX	A	606	-	-	X	-
5	HEX	A	620	-	-	X	-
5	HEX	B	1620	-	-	X	-
5	HEX	B	622	-	-	X	-
6	TRD	A	1615	-	-	X	-
6	TRD	B	611	-	-	X	-
6	TRD	B	615	-	-	X	-

2 Entry composition [i](#)


There are 7 unique types of molecules in this entry. The entry contains 4230 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BACTERIORHODOPSIN ("M" STATE INTERMEDIATE IN COMBINATION WITH GROUND STATE).


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	238	Total	C	N	O	S	0	0	0
			1835	1228	280	318	9			
1	B	238	Total	C	N	O	S	0	0	0
			1835	1228	280	318	9			

- Molecule 2 is RETINAL (three-letter code: RET) (formula: C₂₀H₂₈O).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	C	0	0
			20	20		
2	B	1	Total	C	0	0
			20	20		

- Molecule 3 is UNDECANE (three-letter code: UND) (formula: C₁₁H₂₄).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C 11 11	0	0
3	B	1	Total C 11 11	0	0
3	B	1	Total C 11 11	0	0
3	A	1	Total C 11 11	0	0
3	A	1	Total C 11 11	0	0
3	B	1	Total C 11 11	0	0
3	B	1	Total C 11 11	0	0
3	A	1	Total C 11 11	0	0

- Molecule 4 is N-OCTANE (three-letter code: OCT) (formula: C₈H₁₈).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C 8 8	0	0
4	B	1	Total C 8 8	0	0
4	B	1	Total C 8 8	0	0
4	B	1	Total C 8 8	0	0
4	A	1	Total C 8 8	0	0
4	B	1	Total C 8 8	0	0
4	B	1	Total C 8 8	0	0
4	A	1	Total C 8 8	0	0
4	A	1	Total C 8 8	0	0
4	B	1	Total C 8 8	0	0
4	B	1	Total C 8 8	0	0
4	B	1	Total C 8 8	0	0
4	A	1	Total C 8 8	0	0
4	B	1	Total C 8 8	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C 8 8	0	0
4	A	1	Total C 8 8	0	0

- Molecule 5 is HEXANE (three-letter code: HEX) (formula: C₆H₁₄).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C 6 6	0	0
5	A	1	Total C 6 6	0	0
5	A	1	Total C 6 6	0	0
5	B	1	Total C 6 6	0	0
5	A	1	Total C 6 6	0	0
5	B	1	Total C 6 6	0	0
5	A	1	Total C 6 6	0	0
5	A	1	Total C 6 6	0	0
5	A	1	Total C 6 6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total C 6 6	0	0
5	B	1	Total C 6 6	0	0
5	A	1	Total C 6 6	0	0

- Molecule 6 is TRIDECANE (three-letter code: TRD) (formula: $C_{13}H_{28}$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	1	Total C 13 13	0	0
6	A	1	Total C 13 13	0	0
6	B	1	Total C 13 13	0	0
6	B	1	Total C 13 13	0	0
6	A	1	Total C 13 13	0	0
6	A	1	Total C 13 13	0	0

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	79	Total 79	O 79	0	0
7	B	75	Total 75	O 75	0	0

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: BACTERIORHODOPSIN ("M" STATE INTERMEDIATE IN COMBINATION WITH GROUND STATE)



• Molecule 1: BACTERIORHODOPSIN ("M" STATE INTERMEDIATE IN COMBINATION WITH GROUND STATE)



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, α , β , γ	61.08 Å 61.08 Å 110.40 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	13.00 – 2.25	Depositor
% Data completeness (in resolution range)	97.5 (13.00-2.25)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	8.20	Depositor
Refinement program	CNS 0.4	Depositor
R, R_{free}	0.167 , 0.236	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4230	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: UND, HEX, TRD, RET, OCT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/1885	0.53	0/2576
1	B	0.46	0/1885	0.66	0/2576
All	All	0.41	0/3770	0.60	0/5152

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	43	TYR	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1835	0	1706	1222	0
1	B	1835	0	1721	1347	0
2	A	20	0	20	9	0
2	B	20	0	21	11	0
3	A	44	0	49	33	0
3	B	44	0	49	17	0
4	A	56	0	66	42	0
4	B	72	0	112	96	0
5	A	48	0	55	53	0
5	B	24	0	31	31	0
6	A	39	0	46	11	0
6	B	39	0	50	28	0
7	A	79	0	0	39	0
7	B	75	0	0	53	0
All	All	4230	0	3926	1634	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 205.

The worst 5 of 1634 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:74:GLU:HG3	1:B:74:GLU:CG	1.23	1.64
4:A:623:OCT:C8	4:A:1623:OCT:H83	1.18	1.61
4:A:623:OCT:H82	4:A:1623:OCT:C8	1.15	1.61
1:A:153:PHE:CD1	1:B:175:ARG:HD2	1.26	1.60
1:A:74:GLU:CG	1:B:74:GLU:CG	1.81	1.58

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	236/248 (95%)	218 (92%)	14 (6%)	4 (2%)	11	6
1	B	236/248 (95%)	184 (78%)	37 (16%)	15 (6%)	1	0
All	All	472/496 (95%)	402 (85%)	51 (11%)	19 (4%)	3	1

5 of 19 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	158	SER
1	B	159	LYS
1	B	165	PRO
1	B	166	GLU
1	B	238	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	190/195 (97%)	178 (94%)	12 (6%)	21	20
1	B	190/195 (97%)	171 (90%)	19 (10%)	9	6
All	All	380/390 (97%)	349 (92%)	31 (8%)	13	12

5 of 31 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	61	LEU
1	B	109	LEU
1	B	225	ARG
1	B	90	THR
1	B	124	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	75	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	76	ASN
1	B	3	GLN
1	B	105	GLN
1	B	176	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

44 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	UND	A	1604	3	10,10,10	0.19	0	9,9,9	0.27	0
4	OCT	A	1605	4	7,7,7	0.21	0	6,6,6	0.21	0
5	HEX	A	1606	5	5,5,5	0.22	0	4,4,4	0.14	0
5	HEX	A	1608	5	5,5,5	0.26	0	4,4,4	0.16	0
5	HEX	A	1610	5	5,5,5	0.31	0	4,4,4	0.19	0
6	TRD	A	1612	6	12,12,12	0.20	0	11,11,11	0.23	0
6	TRD	A	1615	6	12,12,12	0.21	0	11,11,11	0.38	0
4	OCT	A	1617	4	7,7,7	0.15	0	6,6,6	0.18	0
4	OCT	A	1621	4	7,7,7	0.21	0	6,6,6	0.15	0
5	HEX	A	1622	5	5,5,5	0.21	0	4,4,4	0.19	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	OCT	A	1623	4	7,7,7	0.26	0	6,6,6	0.12	0
3	UND	A	1624	3	10,10,10	0.24	0	9,9,9	0.31	0
2	RET	A	601	1,2	19,20,21	2.23	5 (26%)	27,27,28	1.68	5 (18%)
3	UND	A	604	3	10,10,10	0.51	0	9,9,9	0.68	0
4	OCT	A	605	4	7,7,7	0.15	0	6,6,6	0.40	0
5	HEX	A	606	5	5,5,5	0.24	0	4,4,4	0.12	0
5	HEX	A	608	5	5,5,5	0.57	0	4,4,4	0.16	0
5	HEX	A	610	5	5,5,5	0.37	0	4,4,4	0.27	0
6	TRD	A	612	6	12,12,12	0.25	0	11,11,11	0.41	0
4	OCT	A	617	4	7,7,7	0.41	0	6,6,6	0.67	0
5	HEX	A	620	5	5,5,5	0.39	0	4,4,4	0.19	0
4	OCT	A	623	4	7,7,7	0.41	0	6,6,6	0.44	0
3	UND	A	624	3	10,10,10	0.31	0	9,9,9	0.68	0
4	OCT	B	1607	4	7,7,7	0.17	0	6,6,6	0.23	0
4	OCT	B	1609	4	7,7,7	0.16	0	6,6,6	0.19	0
6	TRD	B	1611	6	12,12,12	0.22	0	11,11,11	0.35	0
4	OCT	B	1613	4	7,7,7	0.20	0	6,6,6	0.12	0
3	UND	B	1614	3	10,10,10	0.24	0	9,9,9	0.28	0
3	UND	B	1616	3	10,10,10	0.22	0	9,9,9	0.10	0
4	OCT	B	1618	4	7,7,7	0.20	0	6,6,6	0.12	0
5	HEX	B	1619	5	5,5,5	0.18	0	4,4,4	0.18	0
5	HEX	B	1620	5	5,5,5	0.28	0	4,4,4	0.16	0
2	RET	B	601	1,2	19,20,21	2.09	5 (26%)	27,27,28	2.18	10 (37%)
4	OCT	B	607	4	7,7,7	0.42	0	6,6,6	0.49	0
4	OCT	B	609	4	7,7,7	0.44	0	6,6,6	0.46	0
6	TRD	B	611	1,6	12,12,12	0.31	0	11,11,11	0.91	0
4	OCT	B	613	4	7,7,7	0.18	0	6,6,6	0.31	0
3	UND	B	614	3	10,10,10	0.31	0	9,9,9	0.48	0
6	TRD	B	615	6	12,12,12	0.28	0	11,11,11	0.31	0
3	UND	B	616	3	10,10,10	0.26	0	9,9,9	0.44	0
4	OCT	B	618	4	7,7,7	0.50	0	6,6,6	0.51	0
5	HEX	B	619	5	5,5,5	0.61	0	4,4,4	0.24	0
4	OCT	B	621	4	7,7,7	0.39	0	6,6,6	0.53	0
5	HEX	B	622	5	5,5,5	0.19	0	4,4,4	0.27	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	UND	A	1604	3	-	0/8/8/8	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	OCT	A	1605	4	-	0/5/5/5	0/0/0/0
5	HEX	A	1606	5	-	0/3/3/3	0/0/0/0
5	HEX	A	1608	5	-	0/3/3/3	0/0/0/0
5	HEX	A	1610	5	-	0/3/3/3	0/0/0/0
6	TRD	A	1612	6	-	0/10/10/10	0/0/0/0
6	TRD	A	1615	6	-	0/10/10/10	0/0/0/0
4	OCT	A	1617	4	-	0/5/5/5	0/0/0/0
4	OCT	A	1621	4	-	0/5/5/5	0/0/0/0
5	HEX	A	1622	5	-	0/3/3/3	0/0/0/0
4	OCT	A	1623	4	-	0/5/5/5	0/0/0/0
3	UND	A	1624	3	-	0/8/8/8	0/0/0/0
2	RET	A	601	1,2	-	0/13/30/31	0/1/1/1
3	UND	A	604	3	-	0/8/8/8	0/0/0/0
4	OCT	A	605	4	-	0/5/5/5	0/0/0/0
5	HEX	A	606	5	-	0/3/3/3	0/0/0/0
5	HEX	A	608	5	-	0/3/3/3	0/0/0/0
5	HEX	A	610	5	-	0/3/3/3	0/0/0/0
6	TRD	A	612	6	-	0/10/10/10	0/0/0/0
4	OCT	A	617	4	-	0/5/5/5	0/0/0/0
5	HEX	A	620	5	-	0/3/3/3	0/0/0/0
4	OCT	A	623	4	-	0/5/5/5	0/0/0/0
3	UND	A	624	3	-	0/8/8/8	0/0/0/0
4	OCT	B	1607	4	-	0/5/5/5	0/0/0/0
4	OCT	B	1609	4	-	0/5/5/5	0/0/0/0
6	TRD	B	1611	6	-	0/10/10/10	0/0/0/0
4	OCT	B	1613	4	-	0/5/5/5	0/0/0/0
3	UND	B	1614	3	-	0/8/8/8	0/0/0/0
3	UND	B	1616	3	-	0/8/8/8	0/0/0/0
4	OCT	B	1618	4	-	0/5/5/5	0/0/0/0
5	HEX	B	1619	5	-	0/3/3/3	0/0/0/0
5	HEX	B	1620	5	-	0/3/3/3	0/0/0/0
2	RET	B	601	1,2	-	0/13/30/31	0/1/1/1
4	OCT	B	607	4	-	0/5/5/5	0/0/0/0
4	OCT	B	609	4	-	0/5/5/5	0/0/0/0
6	TRD	B	611	1,6	-	0/10/10/10	0/0/0/0
4	OCT	B	613	4	-	0/5/5/5	0/0/0/0
3	UND	B	614	3	-	0/8/8/8	0/0/0/0
6	TRD	B	615	6	-	0/10/10/10	0/0/0/0
3	UND	B	616	3	-	0/8/8/8	0/0/0/0
4	OCT	B	618	4	-	0/5/5/5	0/0/0/0
5	HEX	B	619	5	-	0/3/3/3	0/0/0/0
4	OCT	B	621	4	-	0/5/5/5	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	HEX	B	622	5	-	0/3/3/3	0/0/0/0

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	RET	C2-C3	-2.65	1.45	1.52
2	B	601	RET	C2-C3	-2.17	1.46	1.52
2	B	601	RET	C2-C1	2.19	1.59	1.54
2	B	601	RET	C20-C13	2.23	1.55	1.50
2	A	601	RET	C2-C1	2.62	1.60	1.54

The worst 5 of 15 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	RET	C18-C5-C4	-3.30	107.19	113.45
2	A	601	RET	C18-C5-C4	-2.44	108.82	113.45
2	B	601	RET	C8-C9-C10	-2.34	115.35	118.94
2	B	601	RET	C17-C1-C2	-2.21	100.07	108.80
2	B	601	RET	C2-C1-C6	2.19	113.91	110.48

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

39 monomers are involved in 274 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1604	UND	32	0
4	A	1605	OCT	7	0
5	A	1606	HEX	6	0
5	A	1610	HEX	13	0
6	A	1612	TRD	2	0
6	A	1615	TRD	9	0
4	A	1617	OCT	4	0
4	A	1621	OCT	13	0
5	A	1622	HEX	14	0
4	A	1623	OCT	16	0
2	A	601	RET	9	0
3	A	604	UND	15	0
4	A	605	OCT	3	0
5	A	606	HEX	7	0
5	A	608	HEX	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	610	HEX	2	0
6	A	612	TRD	1	0
5	A	620	HEX	14	0
4	A	623	OCT	16	0
4	B	1607	OCT	9	0
4	B	1609	OCT	30	0
4	B	1613	OCT	6	0
3	B	1614	UND	1	0
3	B	1616	UND	7	0
4	B	1618	OCT	18	0
5	B	1619	HEX	2	0
5	B	1620	HEX	12	0
2	B	601	RET	11	0
4	B	607	OCT	11	0
4	B	609	OCT	32	0
6	B	611	TRD	19	0
4	B	613	OCT	4	0
3	B	614	UND	9	0
6	B	615	TRD	9	0
3	B	616	UND	1	0
4	B	618	OCT	33	0
5	B	619	HEX	3	0
4	B	621	OCT	13	0
5	B	622	HEX	16	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.