



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 26, 2017 – 11:51 AM EDT

PDB ID : 1CXK
Title : COMPLEX BETWEEN A MALTONONAOSE SUBSTRATE AND BACILLUS CIRCULANS STRAIN 251 CGTASE E257Q/D229N
Authors : Uitdehaag, J.C.M.; Kalk, K.H.; Dijkstra, B.W.
Deposited on : unknown
Resolution : 2.09 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20030345


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.09 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	4788 (2.10-2.10)
Ramachandran outliers	110173	4740 (2.10-2.10)
Sidechain outliers	110143	4741 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	686	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6112 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called PROTEIN (CYCLODEXTRIN-GLYCOSYLTRANSFERASE).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	686	5264	3321	902	1025	16	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	257	GLN	GLU	ENGINEERED	UNP P43379
A	229	ASN	ASP	ENGINEERED	UNP P43379

- Molecule 2 is ALPHA-D-GLUCOSE (three-letter code: GLC) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			11	6	5		
2	A	1	Total	C	O	0	0
			12	6	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			11	6	5		
2	A	1	Total	C	O	0	0
			11	6	5		
2	A	1	Total	C	O	0	0
			11	6	5		
2	A	1	Total	C	O	0	0
			11	6	5		
2	A	1	Total	C	O	0	0
			11	6	5		
2	A	1	Total	C	O	0	0
			11	6	5		
2	A	1	Total	C	O	0	0
			12	6	6		
2	A	1	Total	C	O	0	0
			11	6	5		
2	A	1	Total	C	O	0	0
			11	6	5		
2	A	1	Total	C	O	0	0
			12	6	6		
2	A	1	Total	C	O	0	0
			11	6	5		
2	A	1	Total	C	O	0	0
			11	6	5		
2	A	1	Total	C	O	0	0
			12	6	6		

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Ca	0	0
			2	2		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	633	Total 633	O 633	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: PROTEIN (CYCLODEXTRIN-GLYCOSYLTRANSFERASE)



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	117.12Å 110.91Å 67.59Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 2.09	Depositor
% Data completeness (in resolution range)	84.9 (8.00-2.09)	Depositor
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	TNT	Depositor
R, R_{free}	0.158 , 0.210	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6112	wwPDB-VP
Average B, all atoms (Å ²)	13.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, GLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.60	10/5394 (0.2%)	1.00	71/7352 (1.0%)

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	545	GLU	CD-OE1	5.64	1.31	1.25
1	A	580	GLU	CD-OE2	5.43	1.31	1.25
1	A	411	GLU	CD-OE2	5.37	1.31	1.25
1	A	275	GLU	CD-OE2	5.32	1.31	1.25
1	A	649	GLU	CD-OE2	5.21	1.31	1.25
1	A	308	GLU	CD-OE2	5.20	1.31	1.25
1	A	268	GLU	CD-OE2	5.20	1.31	1.25
1	A	153	GLU	CD-OE2	5.19	1.31	1.25
1	A	330	GLU	CD-OE2	5.16	1.31	1.25
1	A	663	GLU	CD-OE2	5.15	1.31	1.25

All (71) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	27	ASP	CB-CG-OD2	-6.91	112.08	118.30
1	A	290	ARG	NE-CZ-NH2	-6.91	116.85	120.30
1	A	135	ASP	CB-CG-OD1	6.85	124.46	118.30
1	A	371	ASP	CB-CG-OD2	-6.81	112.17	118.30
1	A	290	ARG	NE-CZ-NH1	6.56	123.58	120.30
1	A	458	ASP	CB-CG-OD2	-6.45	112.50	118.30
1	A	295	ASP	CB-CG-OD2	-6.41	112.53	118.30
1	A	577	ASP	CB-CG-OD2	-6.38	112.56	118.30
1	A	117	ASP	CB-CG-OD2	-6.38	112.56	118.30
1	A	103	ARG	NE-CZ-NH1	6.37	123.48	120.30
1	A	135	ASP	CB-CG-OD2	-6.37	112.57	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	617	ASP	CB-CG-OD1	6.34	124.01	118.30
1	A	328	ASP	CB-CG-OD2	-6.31	112.62	118.30
1	A	298	ASP	CB-CG-OD1	6.29	123.96	118.30
1	A	208	ASP	CB-CG-OD2	-6.28	112.65	118.30
1	A	40	ASP	CB-CG-OD2	-6.17	112.74	118.30
1	A	199	ASP	CB-CG-OD2	-6.16	112.75	118.30
1	A	518	ASP	CB-CG-OD2	-6.14	112.78	118.30
1	A	63	ASP	CB-CG-OD2	-6.10	112.81	118.30
1	A	104	ASP	CB-CG-OD2	-6.09	112.82	118.30
1	A	282	ASP	CB-CG-OD2	-6.09	112.82	118.30
1	A	373	ASP	CB-CG-OD2	-6.07	112.83	118.30
1	A	617	ASP	CB-CG-OD2	-6.07	112.83	118.30
1	A	224	ASP	CB-CG-OD2	-6.05	112.85	118.30
1	A	518	ASP	CB-CG-OD1	6.05	123.74	118.30
1	A	27	ASP	CB-CG-OD1	6.01	123.71	118.30
1	A	458	ASP	CB-CG-OD1	5.97	123.67	118.30
1	A	117	ASP	CB-CG-OD1	5.96	123.67	118.30
1	A	53	ASP	CB-CG-OD2	-5.95	112.95	118.30
1	A	318	ASP	CB-CG-OD2	-5.90	112.99	118.30
1	A	196	ASP	CB-CG-OD2	-5.88	113.01	118.30
1	A	295	ASP	CB-CG-OD1	5.88	123.59	118.30
1	A	371	ASP	CB-CG-OD1	5.86	123.57	118.30
1	A	220	ASP	CB-CG-OD2	-5.84	113.05	118.30
1	A	213	ASP	CB-CG-OD2	-5.84	113.05	118.30
1	A	585	ASP	CB-CG-OD1	5.83	123.55	118.30
1	A	15	ASP	CB-CG-OD1	5.83	123.54	118.30
1	A	585	ASP	CB-CG-OD2	-5.79	113.08	118.30
1	A	373	ASP	CB-CG-OD1	5.71	123.44	118.30
1	A	208	ASP	CB-CG-OD1	5.71	123.44	118.30
1	A	40	ASP	CB-CG-OD1	5.69	123.42	118.30
1	A	3	ASP	CB-CG-OD1	5.68	123.42	118.30
1	A	53	ASP	CB-CG-OD1	5.67	123.40	118.30
1	A	328	ASP	CB-CG-OD1	5.66	123.39	118.30
1	A	213	ASP	CB-CG-OD1	5.57	123.31	118.30
1	A	159	ASP	CB-CG-OD1	5.56	123.31	118.30
1	A	23	ASP	CB-CG-OD2	-5.56	113.30	118.30
1	A	540	ASP	CB-CG-OD2	-5.49	113.36	118.30
1	A	182	ASP	CB-CG-OD1	-5.42	113.43	118.30
1	A	298	ASP	CB-CG-OD2	-5.42	113.43	118.30
1	A	3	ASP	CB-CG-OD2	-5.41	113.43	118.30
1	A	170	ASP	CB-CG-OD2	-5.40	113.44	118.30
1	A	639	ASP	CB-CG-OD2	-5.40	113.44	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	318	ASP	CB-CG-OD1	5.39	123.15	118.30
1	A	15	ASP	CB-CG-OD2	-5.38	113.45	118.30
1	A	282	ASP	CB-CG-OD1	5.36	123.13	118.30
1	A	159	ASP	CB-CG-OD2	-5.34	113.49	118.30
1	A	546	ASP	CB-CG-OD2	-5.29	113.54	118.30
1	A	147	ASP	CB-CG-OD1	-5.27	113.56	118.30
1	A	199	ASP	CB-CG-OD1	5.18	122.97	118.30
1	A	325	ASP	CB-CG-OD2	-5.18	113.63	118.30
1	A	325	ASP	CB-CG-OD1	5.18	122.96	118.30
1	A	104	ASP	CB-CG-OD1	5.16	122.94	118.30
1	A	319	ASP	CB-CG-OD2	-5.14	113.67	118.30
1	A	224	ASP	CB-CG-OD1	5.13	122.92	118.30
1	A	398	ARG	NE-CZ-NH1	5.10	122.85	120.30
1	A	63	ASP	CB-CG-OD1	5.09	122.88	118.30
1	A	577	ASP	CB-CG-OD1	5.08	122.87	118.30
1	A	220	ASP	CB-CG-OD1	5.06	122.85	118.30
1	A	313	ASP	CB-CG-OD2	-5.04	113.77	118.30
1	A	313	ASP	CB-CG-OD1	5.01	122.81	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5264	0	5029	54	0
2	A	213	0	183	5	0
3	A	2	0	0	0	0
4	A	633	0	0	5	0
All	All	6112	0	5212	57	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (57) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:643:PRO:HB2	1:A:646:LYS:HG3	1.61	0.82
1:A:290:ARG:HH21	1:A:325:ASP:HB3	1.54	0.73
1:A:142:SER:HB2	1:A:143:PRO:HD2	1.71	0.72
1:A:560:ASN:HD21	1:A:578:ASN:HA	1.54	0.70
1:A:323:PHE:HE2	1:A:329:MET:HE3	1.57	0.69
1:A:172:GLN:HG3	4:A:1153:HOH:O	1.93	0.68
1:A:81:GLU:CD	1:A:103:ARG:HD2	2.14	0.68
1:A:643:PRO:HB2	1:A:646:LYS:CG	2.26	0.64
1:A:617:ASP:HB3	1:A:620:LYS:HE2	1.80	0.63
1:A:643:PRO:HB2	1:A:646:LYS:HD2	1.80	0.62
1:A:643:PRO:HB2	1:A:646:LYS:CD	2.29	0.61
1:A:259:PHE:CD1	2:A:692:GLC:H3	2.36	0.60
1:A:595:ASN:HB2	4:A:1162:HOH:O	2.03	0.58
1:A:444:ILE:CD1	1:A:482:LEU:HB2	2.34	0.56
1:A:230:ALA:HB1	1:A:233:HIS:HD2	1.70	0.56
1:A:142:SER:HB2	1:A:143:PRO:CD	2.34	0.56
1:A:232:LYS:HD2	4:A:1283:HOH:O	2.06	0.55
1:A:286:ALA:O	1:A:290:ARG:HG3	2.10	0.52
1:A:107:LYS:HE3	4:A:1046:HOH:O	2.11	0.51
1:A:361:GLY:HA3	1:A:366:MET:SD	2.50	0.50
1:A:642:VAL:HB	1:A:643:PRO:HD2	1.94	0.49
1:A:395:ALA:HB3	1:A:396:PRO:HD3	1.94	0.49
2:A:697:GLC:H61	2:A:698:GLC:H5	1.95	0.48
1:A:499:PRO:HB2	1:A:573:SER:HB3	1.95	0.48
1:A:172:GLN:O	1:A:173:ASN:HB2	2.14	0.48
1:A:26:SER:O	1:A:56:GLY:HA3	2.14	0.47
1:A:230:ALA:HB1	1:A:233:HIS:CD2	2.50	0.47
1:A:34:PRO:HG2	1:A:49:TYR:CG	2.50	0.47
1:A:193:ASN:OD1	1:A:199:ASP:HB2	2.15	0.46
1:A:294:ARG:HB2	1:A:332:PHE:CZ	2.52	0.45
1:A:342:LEU:HD23	1:A:342:LEU:C	2.36	0.45
1:A:81:GLU:OE1	1:A:103:ARG:HD2	2.17	0.45
1:A:520:ARG:HD3	1:A:547:THR:HG22	1.99	0.45
1:A:644:ALA:O	1:A:646:LYS:HG2	2.17	0.45
2:A:698:GLC:O3	2:A:699:GLC:H1	2.17	0.44
1:A:340:ARG:O	1:A:344:GLN:HG3	2.18	0.44
1:A:616:TRP:O	1:A:618:PRO:HD3	2.18	0.44
1:A:397:LEU:HA	1:A:400:CYS:SG	2.58	0.43
1:A:371:ASP:HA	1:A:372:PRO:HA	1.68	0.43
1:A:600:LEU:HD11	2:A:705:GLC:H3	2.00	0.43
1:A:625:MET:HG2	1:A:638:TYR:HB2	1.99	0.43
1:A:643:PRO:O	1:A:646:LYS:HG3	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:12:PHE:CE2	1:A:133:ILE:HD11	2.54	0.42
2:A:708:GLC:H61	4:A:948:HOH:O	2.18	0.42
1:A:211:LEU:HA	1:A:211:LEU:HD12	1.86	0.42
1:A:620:LYS:HE2	1:A:620:LYS:HB2	1.80	0.42
1:A:643:PRO:CB	1:A:646:LYS:HG3	2.42	0.42
1:A:429:VAL:HG12	1:A:430:ALA:N	2.35	0.41
1:A:290:ARG:NH2	1:A:325:ASP:HB3	2.30	0.41
1:A:397:LEU:HD23	1:A:397:LEU:HA	1.76	0.41
1:A:566:ALA:HA	1:A:571:THR:O	2.20	0.41
1:A:60:LYS:HD2	1:A:60:LYS:HA	1.75	0.41
1:A:148:GLN:HA	1:A:149:PRO:HD2	1.97	0.41
1:A:562:ASN:HB3	1:A:575:VAL:CG1	2.51	0.41
1:A:414:ILE:HG12	1:A:415:ASN:N	2.36	0.41
1:A:435:ASN:O	1:A:485:GLY:HA2	2.20	0.40
1:A:444:ILE:CD1	1:A:482:LEU:CB	2.99	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	684/686 (100%)	660 (96%)	23 (3%)	1 (0%)	55 57

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	629	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	556/556 (100%)	538 (97%)	18 (3%)	44	46

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	PHE
1	A	75	TRP
1	A	103	ARG
1	A	169	ASN
1	A	172	GLN
1	A	205	SER
1	A	211	LEU
1	A	216	LYS
1	A	290	ARG
1	A	335	SER
1	A	353	ARG
1	A	380	SER
1	A	413	TRP
1	A	455	SER
1	A	498	THR
1	A	545	GLU
1	A	646	LYS
1	A	656	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	10	GLN
1	A	19	GLN
1	A	62	ASN
1	A	120	ASN
1	A	296	ASN
1	A	416	ASN
1	A	453	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	479	ASN
1	A	560	ASN
1	A	578	ASN
1	A	656	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 21 ligands modelled in this entry, 2 are monoatomic - leaving 19 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GLC	A	690	2	11,11,12	0.44	0	15,15,17	0.79	0
2	GLC	A	691	2	12,12,12	0.35	0	17,17,17	0.79	0
2	GLC	A	692	2	11,11,12	0.37	0	15,15,17	0.63	0
2	GLC	A	693	2	11,11,12	0.37	0	15,15,17	1.01	1 (6%)
2	GLC	A	694	2	11,11,12	1.80	5 (45%)	15,15,17	2.29	3 (20%)
2	GLC	A	695	2	11,11,12	0.39	0	15,15,17	0.71	0
2	GLC	A	696	2	11,11,12	0.42	0	15,15,17	1.09	1 (6%)
2	GLC	A	697	2	11,11,12	0.41	0	15,15,17	0.79	0
2	GLC	A	698	2	11,11,12	0.41	0	15,15,17	0.55	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GLC	A	699	2	11,11,12	0.39	0	15,15,17	0.78	0
2	GLC	A	700	2	12,12,12	0.33	0	17,17,17	0.79	0
2	GLC	A	701	2	11,11,12	0.40	0	15,15,17	0.66	0
2	GLC	A	702	2	11,11,12	0.42	0	15,15,17	0.85	1 (6%)
2	GLC	A	703	2	11,11,12	0.41	0	15,15,17	0.86	0
2	GLC	A	704	2	12,12,12	0.36	0	17,17,17	0.94	0
2	GLC	A	705	2	11,11,12	0.39	0	15,15,17	0.69	0
2	GLC	A	706	2	11,11,12	0.40	0	15,15,17	0.41	0
2	GLC	A	707	2	11,11,12	0.40	0	15,15,17	0.52	0
2	GLC	A	708	2	12,12,12	0.36	0	17,17,17	1.47	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	A	690	2	-	0/2/18/22	0/1/1/1
2	GLC	A	691	2	-	0/2/22/22	0/1/1/1
2	GLC	A	692	2	-	0/2/18/22	0/1/1/1
2	GLC	A	693	2	-	0/2/18/22	0/1/1/1
2	GLC	A	694	2	-	0/2/18/22	0/1/1/1
2	GLC	A	695	2	-	0/2/18/22	0/1/1/1
2	GLC	A	696	2	-	0/2/18/22	0/1/1/1
2	GLC	A	697	2	-	0/2/18/22	0/1/1/1
2	GLC	A	698	2	-	0/2/18/22	0/1/1/1
2	GLC	A	699	2	-	0/2/18/22	0/1/1/1
2	GLC	A	700	2	-	0/2/22/22	0/1/1/1
2	GLC	A	701	2	-	0/2/18/22	0/1/1/1
2	GLC	A	702	2	-	0/2/18/22	0/1/1/1
2	GLC	A	703	2	-	0/2/18/22	0/1/1/1
2	GLC	A	704	2	-	0/2/22/22	0/1/1/1
2	GLC	A	705	2	-	0/2/18/22	0/1/1/1
2	GLC	A	706	2	-	0/2/18/22	0/1/1/1
2	GLC	A	707	2	-	0/2/18/22	0/1/1/1
2	GLC	A	708	2	-	0/2/22/22	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	694	GLC	O5-C1	-2.05	1.39	1.43
2	A	694	GLC	O3-C3	2.04	1.47	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	694	GLC	O2-C2	2.23	1.48	1.43
2	A	694	GLC	O1-C1	2.39	1.47	1.39
2	A	694	GLC	O5-C5	2.86	1.49	1.44

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	694	GLC	C4-C3-C2	-7.13	101.27	110.59
2	A	693	GLC	O5-C1-C2	2.15	113.61	110.04
2	A	702	GLC	C1-O5-C5	2.21	117.34	113.39
2	A	694	GLC	O3-C3-C2	2.27	114.64	110.17
2	A	696	GLC	C4-C3-C2	2.30	113.60	110.59
2	A	708	GLC	C1-O5-C5	2.47	117.86	113.39
2	A	708	GLC	C3-C4-C5	2.65	114.89	110.22
2	A	708	GLC	O5-C5-C4	3.66	116.40	109.66
2	A	694	GLC	C1-O5-C5	3.80	120.17	113.39

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	692	GLC	1	0
2	A	697	GLC	1	0
2	A	698	GLC	2	0
2	A	699	GLC	1	0
2	A	705	GLC	1	0
2	A	708	GLC	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.