



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 15, 2017 – 12:29 am GMT

PDB ID : 4D2T
Title : Structure of MELK in complex with inhibitors
Authors : Johnson, C.N.; Berdini, V.; Beke, L.; Bonnet, P.; Brehmer, D.; Coyle, J.E.; Day, P.J.; Frederickson, M.; Freyne, E.J.E.; Gilissen, R.A.H.J.; Hamlett, C.C.F.; Howard, S.; Meerpoel, L.; McMenamin, R.; Patel, S.; Rees, D.C.; Sharff, A.; Sommen, F.; Wu, T.; Linders, J.T.M.
Deposited on : 2014-05-13
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	2259 (2.70-2.70)
Clashscore	112137	2590 (2.70-2.70)
Ramachandran outliers	110173	2550 (2.70-2.70)
Sidechain outliers	110143	2550 (2.70-2.70)
RSRZ outliers	101464	2275 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	356	<div> <div>17%</div> <div>71%</div> <div>16%</div> <div>•</div> <div>11%</div> </div>
1	B	356	<div> <div>7%</div> <div>74%</div> <div>16%</div> <div>•</div> <div>9%</div> </div>
1	C	356	<div> <div>20%</div> <div>66%</div> <div>19%</div> <div>• •</div> <div>12%</div> </div>
1	D	356	<div> <div>6%</div> <div>70%</div> <div>16%</div> <div>•</div> <div>10%</div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 10865 atoms, of which 84 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MATERNAL EMBRYONIC LEUCINE ZIPPER KINASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	316	Total	C	N	O	S	0	0	0
			2554	1645	431	460	18			
1	B	323	Total	C	N	O	S	0	0	0
			2610	1677	444	471	18			
1	C	313	Total	C	N	O	S	0	1	0
			2544	1641	429	457	17			
1	D	319	Total	C	N	O	S	0	0	0
			2577	1666	430	465	16			

There are 108 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	EXPRESSION TAG	UNP Q14680
A	-18	GLY	-	EXPRESSION TAG	UNP Q14680
A	-17	SER	-	EXPRESSION TAG	UNP Q14680
A	-16	SER	-	EXPRESSION TAG	UNP Q14680
A	-15	HIS	-	EXPRESSION TAG	UNP Q14680
A	-14	HIS	-	EXPRESSION TAG	UNP Q14680
A	-13	HIS	-	EXPRESSION TAG	UNP Q14680
A	-12	HIS	-	EXPRESSION TAG	UNP Q14680
A	-11	HIS	-	EXPRESSION TAG	UNP Q14680
A	-10	HIS	-	EXPRESSION TAG	UNP Q14680
A	-9	SER	-	EXPRESSION TAG	UNP Q14680
A	-8	SER	-	EXPRESSION TAG	UNP Q14680
A	-7	GLY	-	EXPRESSION TAG	UNP Q14680
A	-6	LEU	-	EXPRESSION TAG	UNP Q14680
A	-5	VAL	-	EXPRESSION TAG	UNP Q14680
A	-4	PRO	-	EXPRESSION TAG	UNP Q14680
A	-3	ARG	-	EXPRESSION TAG	UNP Q14680
A	-2	GLY	-	EXPRESSION TAG	UNP Q14680
A	-1	SER	-	EXPRESSION TAG	UNP Q14680
A	0	HIS	-	EXPRESSION TAG	UNP Q14680
A	167	ALA	THR	ENGINEERED MUTATION	UNP Q14680

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	171	ALA	SER	ENGINEERED MUTATION	UNP Q14680
A	213	THR	ASN	ENGINEERED MUTATION	UNP Q14680
A	214	ALA	VAL	ENGINEERED MUTATION	UNP Q14680
A	215	ALA	MET	ENGINEERED MUTATION	UNP Q14680
A	218	VAL	TYR	ENGINEERED MUTATION	UNP Q14680
A	219	ALA	LYS	ENGINEERED MUTATION	UNP Q14680
B	-19	MET	-	EXPRESSION TAG	UNP Q14680
B	-18	GLY	-	EXPRESSION TAG	UNP Q14680
B	-17	SER	-	EXPRESSION TAG	UNP Q14680
B	-16	SER	-	EXPRESSION TAG	UNP Q14680
B	-15	HIS	-	EXPRESSION TAG	UNP Q14680
B	-14	HIS	-	EXPRESSION TAG	UNP Q14680
B	-13	HIS	-	EXPRESSION TAG	UNP Q14680
B	-12	HIS	-	EXPRESSION TAG	UNP Q14680
B	-11	HIS	-	EXPRESSION TAG	UNP Q14680
B	-10	HIS	-	EXPRESSION TAG	UNP Q14680
B	-9	SER	-	EXPRESSION TAG	UNP Q14680
B	-8	SER	-	EXPRESSION TAG	UNP Q14680
B	-7	GLY	-	EXPRESSION TAG	UNP Q14680
B	-6	LEU	-	EXPRESSION TAG	UNP Q14680
B	-5	VAL	-	EXPRESSION TAG	UNP Q14680
B	-4	PRO	-	EXPRESSION TAG	UNP Q14680
B	-3	ARG	-	EXPRESSION TAG	UNP Q14680
B	-2	GLY	-	EXPRESSION TAG	UNP Q14680
B	-1	SER	-	EXPRESSION TAG	UNP Q14680
B	0	HIS	-	EXPRESSION TAG	UNP Q14680
B	167	ALA	THR	ENGINEERED MUTATION	UNP Q14680
B	171	ALA	SER	ENGINEERED MUTATION	UNP Q14680
B	213	THR	ASN	ENGINEERED MUTATION	UNP Q14680
B	214	ALA	VAL	ENGINEERED MUTATION	UNP Q14680
B	215	ALA	MET	ENGINEERED MUTATION	UNP Q14680
B	218	VAL	TYR	ENGINEERED MUTATION	UNP Q14680
B	219	ALA	LYS	ENGINEERED MUTATION	UNP Q14680
C	-19	MET	-	EXPRESSION TAG	UNP Q14680
C	-18	GLY	-	EXPRESSION TAG	UNP Q14680
C	-17	SER	-	EXPRESSION TAG	UNP Q14680
C	-16	SER	-	EXPRESSION TAG	UNP Q14680
C	-15	HIS	-	EXPRESSION TAG	UNP Q14680
C	-14	HIS	-	EXPRESSION TAG	UNP Q14680
C	-13	HIS	-	EXPRESSION TAG	UNP Q14680
C	-12	HIS	-	EXPRESSION TAG	UNP Q14680
C	-11	HIS	-	EXPRESSION TAG	UNP Q14680

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	-10	HIS	-	EXPRESSION TAG	UNP Q14680
C	-9	SER	-	EXPRESSION TAG	UNP Q14680
C	-8	SER	-	EXPRESSION TAG	UNP Q14680
C	-7	GLY	-	EXPRESSION TAG	UNP Q14680
C	-6	LEU	-	EXPRESSION TAG	UNP Q14680
C	-5	VAL	-	EXPRESSION TAG	UNP Q14680
C	-4	PRO	-	EXPRESSION TAG	UNP Q14680
C	-3	ARG	-	EXPRESSION TAG	UNP Q14680
C	-2	GLY	-	EXPRESSION TAG	UNP Q14680
C	-1	SER	-	EXPRESSION TAG	UNP Q14680
C	0	HIS	-	EXPRESSION TAG	UNP Q14680
C	167	ALA	THR	ENGINEERED MUTATION	UNP Q14680
C	171	ALA	SER	ENGINEERED MUTATION	UNP Q14680
C	213	THR	ASN	ENGINEERED MUTATION	UNP Q14680
C	214	ALA	VAL	ENGINEERED MUTATION	UNP Q14680
C	215	ALA	MET	ENGINEERED MUTATION	UNP Q14680
C	218	VAL	TYR	ENGINEERED MUTATION	UNP Q14680
C	219	ALA	LYS	ENGINEERED MUTATION	UNP Q14680
D	-19	MET	-	EXPRESSION TAG	UNP Q14680
D	-18	GLY	-	EXPRESSION TAG	UNP Q14680
D	-17	SER	-	EXPRESSION TAG	UNP Q14680
D	-16	SER	-	EXPRESSION TAG	UNP Q14680
D	-15	HIS	-	EXPRESSION TAG	UNP Q14680
D	-14	HIS	-	EXPRESSION TAG	UNP Q14680
D	-13	HIS	-	EXPRESSION TAG	UNP Q14680
D	-12	HIS	-	EXPRESSION TAG	UNP Q14680
D	-11	HIS	-	EXPRESSION TAG	UNP Q14680
D	-10	HIS	-	EXPRESSION TAG	UNP Q14680
D	-9	SER	-	EXPRESSION TAG	UNP Q14680
D	-8	SER	-	EXPRESSION TAG	UNP Q14680
D	-7	GLY	-	EXPRESSION TAG	UNP Q14680
D	-6	LEU	-	EXPRESSION TAG	UNP Q14680
D	-5	VAL	-	EXPRESSION TAG	UNP Q14680
D	-4	PRO	-	EXPRESSION TAG	UNP Q14680
D	-3	ARG	-	EXPRESSION TAG	UNP Q14680
D	-2	GLY	-	EXPRESSION TAG	UNP Q14680
D	-1	SER	-	EXPRESSION TAG	UNP Q14680
D	0	HIS	-	EXPRESSION TAG	UNP Q14680
D	167	ALA	THR	ENGINEERED MUTATION	UNP Q14680
D	171	ALA	SER	ENGINEERED MUTATION	UNP Q14680
D	213	THR	ASN	ENGINEERED MUTATION	UNP Q14680
D	214	ALA	VAL	ENGINEERED MUTATION	UNP Q14680

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	215	ALA	MET	ENGINEERED MUTATION	UNP Q14680
D	218	VAL	TYR	ENGINEERED MUTATION	UNP Q14680
D	219	ALA	LYS	ENGINEERED MUTATION	UNP Q14680

- Molecule 2 is 3-[2-(PHENYLCARBAMOYL)-5-(1H-PYRAZOL-4-YL)PHENOXY]PROPA N-1-AMINIUM (three-letter code: 3I7) (formula: C₁₉H₂₁N₄O₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	H	N	O	0	0
			46	19	21	4	2		
2	B	1	Total	C	H	N	O	0	0
			46	19	21	4	2		
2	C	1	Total	C	H	N	O	0	0
			46	19	21	4	2		
2	D	1	Total	C	H	N	O	0	0
			46	19	21	4	2		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	93	Total	O	0	0
			93	93		
3	B	126	Total	O	0	0
			126	126		
3	C	76	Total	O	0	0
			76	76		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	D	101	Total 101	O 101	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: MATERNAL EMBRYONIC LEUCINE ZIPPER KINASE




• Molecule 1: MATERNAL EMBRYONIC LEUCINE ZIPPER KINASE




• Molecule 1: MATERNAL EMBRYONIC LEUCINE ZIPPER KINASE





• Molecule 1: MATERNAL EMBRYONIC LEUCINE ZIPPER KINASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	66.53Å 75.41Å 79.74Å 86.03° 69.05° 90.03°	Depositor
Resolution (Å)	48.54 – 2.70 48.54 – 2.70	Depositor EDS
% Data completeness (in resolution range)	93.1 (48.54-2.70) 91.2 (48.54-2.70)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.47 (at 2.69Å)	Xtriage
Refinement program	BUSTER 2.11.5	Depositor
R, R_{free}	0.270 , 0.340 0.272 , 0.349	Depositor DCC
R_{free} test set	1870 reflections (5.34%)	DCC
Wilson B-factor (Å ²)	71.0	Xtriage
Anisotropy	0.364	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 95.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.53$, $\langle L^2 \rangle = 0.37$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	10865	wwPDB-VP
Average B, all atoms (Å ²)	89.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.51% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 3I7

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.51	0/2610	0.68	0/3529
1	B	0.52	0/2667	0.68	0/3603
1	C	0.49	0/2603	0.66	0/3517
1	D	0.52	0/2636	0.70	0/3565
All	All	0.51	0/10516	0.68	0/14214

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2554	0	2560	26	0
1	B	2610	0	2630	19	0
1	C	2544	0	2564	36	0
1	D	2577	0	2599	25	0
2	A	25	21	21	1	0
2	B	25	21	21	0	0
2	C	25	21	21	1	0
2	D	25	21	21	0	0
3	A	93	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	126	0	0	2	0
3	C	76	0	0	0	0
3	D	101	0	0	0	0
All	All	10781	84	10437	105	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (105) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:302:GLU:HA	1:D:303:ASP:HB2	1.71	0.73
1:A:132:ASP:HB2	1:A:153:LEU:HD12	1.72	0.71
1:D:57:GLU:HG3	1:D:61:LEU:HD23	1.73	0.71
1:B:7:LEU:HD11	1:B:39:ILE:HD13	1.73	0.70
1:D:302:GLU:HB2	1:D:304:LEU:N	2.07	0.70
1:D:302:GLU:HB2	1:D:304:LEU:H	1.56	0.69
1:D:32:LEU:HD22	1:D:332:LEU:HG	1.74	0.69
1:A:25:VAL:HG21	2:A:1334:3I7:H3	1.77	0.67
1:B:47:LEU:HB3	1:B:50:ASP:HB2	1.79	0.65
1:D:7:LEU:HD11	1:D:39:ILE:HD13	1.80	0.64
1:B:109:THR:HG21	1:B:203:MET:HG2	1.80	0.63
1:A:22:PHE:HB2	1:A:42:MET:HA	1.80	0.63
1:A:109:THR:HG21	1:A:203:MET:HG2	1.81	0.63
1:C:76:LEU:HB3	1:C:83:PHE:HB2	1.81	0.62
1:B:104:LEU:HB2	1:B:109:THR:HG22	1.79	0.62
1:A:264:MET:O	1:A:267:TYR:O	2.17	0.61
1:C:105:SER:O	1:C:109:THR:HG23	2.01	0.60
1:B:105:SER:O	1:B:109:THR:HG23	2.01	0.60
1:C:109:THR:HG21	1:C:203:MET:HG2	1.83	0.60
1:A:22:PHE:C	1:A:24:LYS:H	2.06	0.59
1:B:45:ASN:HD21	1:B:80:ASN:HB3	1.66	0.59
1:D:185:TYR:HD2	1:D:187:GLY:HA2	1.68	0.58
1:B:50:ASP:O	1:B:54:ILE:HG12	2.04	0.57
1:A:105:SER:O	1:A:109:THR:HG23	2.04	0.57
1:C:324:LYS:HD3	1:C:330:VAL:HG22	1.87	0.56
1:C:104:LEU:HB2	1:C:109:THR:HG22	1.87	0.56
1:C:243:MET:HG3	1:C:252:ILE:HD11	1.88	0.56
1:C:296:ASN:HD22	1:C:297:ASN:H	1.53	0.56
1:D:322:ALA:O	1:D:326:ARG:HG3	2.06	0.55
1:C:197:ILE:HD13	1:C:244:LEU:HD21	1.90	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:50:ASP:O	1:D:54:ILE:HG12	2.09	0.52
1:A:22:PHE:CD2	1:A:42:MET:HG3	2.44	0.52
1:C:39:ILE:HG12	1:C:85:VAL:HG22	1.93	0.51
1:D:28:ALA:HB3	1:D:37:VAL:HG12	1.92	0.51
1:D:320:LEU:HD22	1:D:330:VAL:HG13	1.93	0.51
1:C:219:ALA:HB1	1:D:107:GLU:HB2	1.93	0.51
1:A:18:GLY:HA3	1:A:25:VAL:H	1.77	0.50
1:C:242:GLN:HB3	1:C:252:ILE:HD13	1.93	0.50
1:C:242:GLN:HE21	1:C:252:ILE:HG21	1.75	0.50
1:B:288:THR:HB	1:B:298:ARG:HH12	1.76	0.50
1:C:61:LEU:HD11	1:C:151:PHE:CD1	2.46	0.50
1:C:229:PRO:HD2	1:C:232:LEU:HD22	1.94	0.50
1:B:283:ASP:O	1:B:287:VAL:HG23	2.12	0.49
1:A:65:ARG:HH21	1:A:279:PHE:HA	1.77	0.49
1:C:32:LEU:HB3	1:C:332:LEU:HD23	1.94	0.49
1:C:65:ARG:HG3	1:C:71:GLN:HE22	1.77	0.49
1:D:65:ARG:HG3	1:D:71:GLN:HE22	1.77	0.48
1:A:65:ARG:HG3	1:A:71:GLN:HE22	1.78	0.48
1:A:229:PRO:HD2	1:A:232:LEU:HD22	1.95	0.48
1:A:28:ALA:HB3	1:A:37:VAL:HG23	1.94	0.47
1:B:104:LEU:HB2	1:B:109:THR:CG2	2.45	0.47
1:D:229:PRO:HD2	1:D:232:LEU:HD22	1.96	0.47
1:A:320:LEU:HD22	1:A:330:VAL:HG13	1.96	0.47
1:D:143:TYR:OH	1:D:326:ARG:HG2	2.14	0.47
1:C:294:HIS:O	1:C:295:ARG:HB2	2.15	0.47
1:A:24:LYS:HD2	1:A:41:ILE:HB	1.97	0.47
1:C:280:ILE:H	1:C:280:ILE:HG13	1.59	0.47
1:A:289:GLU:HG3	1:A:332:LEU:HD22	1.97	0.46
1:C:243:MET:O	1:C:251:ARG:HD2	2.15	0.46
1:B:153:LEU:HD22	1:B:169:CYS:HB2	1.98	0.46
1:B:229:PRO:HD2	1:B:232:LEU:HD22	1.96	0.46
1:C:90:PRO:HA	2:C:1334:3I7:C17	2.47	0.45
1:C:104:LEU:HB2	1:C:109:THR:CG2	2.46	0.45
1:C:286:CYS:SG	1:C:321:LEU:HD12	2.57	0.45
1:C:324:LYS:HB2	1:C:330:VAL:HG13	2.00	0.44
1:B:307:LEU:HB3	1:B:309:GLN:HG3	1.99	0.44
1:C:42:MET:HG2	1:C:54:ILE:HG13	1.99	0.44
1:C:307:LEU:HB3	1:C:309:GLN:HG3	2.00	0.44
1:C:101:GLN:HG2	1:C:101:GLN:H	1.65	0.44
1:B:320:LEU:HD22	1:B:330:VAL:HG13	1.99	0.43
1:C:285:ASP:HB3	1:C:330:VAL:HG21	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:132:ASP:HB2	1:A:153:LEU:CD1	2.46	0.43
1:C:297:ASN:HD22	1:C:299:GLN:HB3	1.83	0.43
1:D:39:ILE:HG12	1:D:85:VAL:HG22	2.01	0.43
1:A:74:HIS:HB2	1:A:315:ALA:HB2	2.00	0.43
1:B:253:SER:HB2	3:B:2100:HOH:O	2.18	0.43
1:B:2:LYS:HG2	3:B:2003:HOH:O	2.18	0.43
1:C:33:THR:HG22	1:C:320:LEU:HG	2.01	0.43
1:D:183:LYS:O	1:D:185:TYR:HD1	2.01	0.43
1:A:22:PHE:CG	1:A:42:MET:HG3	2.54	0.42
1:C:7:LEU:HD11	1:C:39:ILE:HD13	2.01	0.42
1:A:280:ILE:HG13	1:A:280:ILE:H	1.62	0.42
1:B:331:ARG:HH11	1:B:331:ARG:HA	1.84	0.42
1:C:242:GLN:NE2	1:C:252:ILE:HG21	2.34	0.42
1:A:65:ARG:HB2	1:A:279:PHE:CE2	2.55	0.42
1:B:44:LYS:HE3	1:B:79:ALA:O	2.19	0.42
1:D:42:MET:HB3	1:D:47:LEU:HD13	2.02	0.41
1:A:112:VAL:HG13	1:A:146:LEU:HD11	2.03	0.41
1:A:322:ALA:O	1:A:326:ARG:HG3	2.20	0.41
1:D:307:LEU:HB3	1:D:309:GLN:HG3	2.02	0.41
1:C:4:TYR:HB3	1:C:8:LEU:HD12	2.03	0.41
1:D:139:LEU:HD12	1:D:149:ILE:CD1	2.51	0.41
1:A:39:ILE:HG12	1:A:85:VAL:HG22	2.02	0.41
1:D:4:TYR:HB3	1:D:8:LEU:HD12	2.03	0.41
1:C:243:MET:CG	1:C:252:ILE:HD11	2.51	0.41
1:A:243:MET:O	1:A:251:ARG:HD2	2.21	0.41
1:D:112:VAL:HG13	1:D:146:LEU:HD11	2.03	0.41
1:C:287:VAL:HG11	1:C:302:GLU:HG2	2.02	0.40
1:D:103:ARG:HD3	1:D:231:TRP:CE2	2.56	0.40
1:D:186:LEU:HB3	1:D:189:GLU:OE2	2.21	0.40
1:C:112:VAL:HG13	1:C:146:LEU:HD11	2.04	0.40
1:A:307:LEU:HB3	1:A:309:GLN:HG3	2.03	0.40
1:C:197:ILE:CD1	1:C:244:LEU:HD21	2.51	0.40
1:B:74:HIS:HB2	1:B:315:ALA:HB2	2.02	0.40
1:D:26:LYS:HE2	1:D:41:ILE:HD13	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	308/356 (86%)	285 (92%)	21 (7%)	2 (1%)	28	56
1	B	315/356 (88%)	296 (94%)	17 (5%)	2 (1%)	28	56
1	C	306/356 (86%)	280 (92%)	19 (6%)	7 (2%)	7	19
1	D	313/356 (88%)	285 (91%)	21 (7%)	7 (2%)	8	20
All	All	1242/1424 (87%)	1146 (92%)	78 (6%)	18 (1%)	12	33

All (18) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	19	THR
1	C	295	ARG
1	D	183	LYS
1	D	302	GLU
1	A	23	ALA
1	D	21	GLY
1	D	184	SER
1	C	265	GLN
1	C	330	VAL
1	D	304	LEU
1	C	225	LYS
1	D	306	SER
1	B	330	VAL
1	C	18	GLY
1	D	19	THR
1	C	51	LEU
1	A	20	GLY
1	C	20	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	277/314 (88%)	244 (88%)	33 (12%)	6	14
1	B	285/314 (91%)	255 (90%)	30 (10%)	8	18
1	C	277/314 (88%)	243 (88%)	34 (12%)	5	13
1	D	281/314 (90%)	250 (89%)	31 (11%)	7	17
All	All	1120/1256 (89%)	992 (89%)	128 (11%)	7	15

All (128) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	7	LEU
1	A	17	ILE
1	A	22	PHE
1	A	24	LYS
1	A	27	LEU
1	A	43	ASP
1	A	53	ARG
1	A	65	ARG
1	A	102	ASP
1	A	103	ARG
1	A	107	GLU
1	A	141	ASP
1	A	153	LEU
1	A	169	CYS
1	A	179	LEU
1	A	198	LEU
1	A	211	ASP
1	A	217	LEU
1	A	228	VAL
1	A	235	SER
1	A	251	ARG
1	A	264	MET
1	A	265	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	268	ASN
1	A	274	GLN
1	A	280	ILE
1	A	290	LEU
1	A	295	ARG
1	A	296	ASN
1	A	304	LEU
1	A	313	LEU
1	A	333	ARG
1	B	8	LEU
1	B	17	ILE
1	B	27	LEU
1	B	42	MET
1	B	43	ASP
1	B	45	ASN
1	B	46	THR
1	B	59	GLU
1	B	65	ARG
1	B	76	LEU
1	B	101	GLN
1	B	102	ASP
1	B	107	GLU
1	B	139	LEU
1	B	179	LEU
1	B	181	GLN
1	B	211	ASP
1	B	217	LEU
1	B	228	VAL
1	B	230	LYS
1	B	264	MET
1	B	265	GLN
1	B	274	GLN
1	B	280	ILE
1	B	299	GLN
1	B	302	GLU
1	B	304	LEU
1	B	306	SER
1	B	313	LEU
1	B	331	ARG
1	C	3	ASP
1	C	8	LEU
1	C	16	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	19	THR
1	C	27	LEU
1	C	37	VAL
1	C	44	LYS
1	C	51	LEU
1	C	101	GLN
1	C	107	GLU
1	C	154	CYS
1	C	156	LYS
1	C	179	LEU
1	C	198	LEU
1	C	211	ASP
1	C	217	LEU
1	C	223	ARG
1	C	225	LYS
1	C	228	VAL
1	C	245	GLN
1	C	249	LYS
1	C	264	MET
1	C	274	GLN
1	C	280	ILE
1	C	295	ARG
1	C	296	ASN
1	C	297	ASN
1	C	300	THR
1	C	304	LEU
1	C	307	LEU
1	C	313	LEU
1	C	321	LEU
1	C	330	VAL
1	C	333	ARG
1	D	3	ASP
1	D	8	LEU
1	D	27	LEU
1	D	37	VAL
1	D	42	MET
1	D	45	ASN
1	D	47	LEU
1	D	102	ASP
1	D	103	ARG
1	D	107	GLU
1	D	144	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	149	ILE
1	D	179	LEU
1	D	186	LEU
1	D	198	LEU
1	D	211	ASP
1	D	217	LEU
1	D	228	VAL
1	D	235	SER
1	D	238	LEU
1	D	251	ARG
1	D	264	MET
1	D	274	GLN
1	D	284	ASP
1	D	285	ASP
1	D	300	THR
1	D	301	MET
1	D	302	GLU
1	D	313	LEU
1	D	331	ARG
1	D	333	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	71	GLN
1	A	137	ASN
1	A	181	GLN
1	A	277	ASN
1	A	309	GLN
1	A	312	HIS
1	B	45	ASN
1	B	137	ASN
1	B	245	GLN
1	B	277	ASN
1	B	299	GLN
1	B	312	HIS
1	C	71	GLN
1	C	137	ASN
1	C	241	GLN
1	C	242	GLN
1	C	245	GLN
1	C	260	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	296	ASN
1	C	297	ASN
1	C	312	HIS
1	D	71	GLN
1	D	137	ASN
1	D	245	GLN
1	D	277	ASN
1	D	312	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	3I7	A	1334	-	25,27,27	0.39	0	30,35,35	0.50	0
2	3I7	B	1334	-	25,27,27	0.50	0	30,35,35	0.61	0
2	3I7	C	1334	-	25,27,27	0.43	0	30,35,35	0.49	0
2	3I7	D	1334	-	25,27,27	0.43	0	30,35,35	0.51	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	3I7	A	1334	-	-	0/17/17/17	0/3/3/3
2	3I7	B	1334	-	-	0/17/17/17	0/3/3/3
2	3I7	C	1334	-	-	0/17/17/17	0/3/3/3
2	3I7	D	1334	-	-	0/17/17/17	0/3/3/3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1334	3I7	1	0
2	C	1334	3I7	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	316/356 (88%)	1.06	60 (18%) 1 1	47, 90, 135, 151	0
1	B	323/356 (90%)	0.61	25 (7%) 14 12	44, 80, 116, 139	0
1	C	313/356 (87%)	1.35	70 (22%) 1 1	53, 101, 142, 154	0
1	D	319/356 (89%)	0.64	23 (7%) 16 14	46, 82, 127, 164	0
All	All	1271/1424 (89%)	0.91	178 (14%) 3 2	44, 88, 132, 164	0

All (178) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	307	LEU	8.3
1	A	4	TYR	7.1
1	A	21	GLY	7.0
1	C	18	GLY	6.9
1	C	290	LEU	6.6
1	A	23	ALA	6.0
1	A	82	ILE	6.0
1	C	292	VAL	5.4
1	A	282	LEU	5.4
1	D	332	LEU	5.3
1	C	10	TYR	5.3
1	C	305	ILE	5.3
1	C	84	MET	5.2
1	C	303	ASP	5.1
1	C	74	HIS	4.9
1	A	75	VAL	4.8
1	A	18	GLY	4.8
1	C	229	PRO	4.8
1	C	267	TYR	4.8
1	C	298	ARG	4.7
1	A	53	ARG	4.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	18	GLY	4.6
1	C	60	ALA	4.6
1	A	290	LEU	4.4
1	C	82	ILE	4.3
1	C	293	HIS	4.3
1	C	72	LEU	4.3
1	A	7	LEU	4.2
1	B	162	ASP	4.2
1	A	314	THR	4.1
1	C	21	GLY	4.0
1	D	186	LEU	3.9
1	D	290	LEU	3.9
1	C	283	ASP	3.9
1	C	324	LYS	3.8
1	C	75	VAL	3.8
1	A	292	VAL	3.8
1	D	328	LYS	3.8
1	C	308	TRP	3.8
1	A	155	ALA	3.7
1	C	155	ALA	3.7
1	B	296	ASN	3.7
1	A	168	CYS	3.6
1	A	76	LEU	3.6
1	A	84	MET	3.6
1	A	17	ILE	3.6
1	A	179	LEU	3.6
1	A	46	THR	3.6
1	A	10	TYR	3.6
1	C	306	SER	3.5
1	C	85	VAL	3.5
1	A	293	HIS	3.4
1	C	313	LEU	3.4
1	C	301	MET	3.4
1	D	281	HIS	3.4
1	A	286	CYS	3.4
1	C	56	THR	3.4
1	A	5	ASP	3.4
1	C	291	SER	3.3
1	C	63	ASN	3.3
1	C	107	GLU	3.3
1	C	309	GLN	3.3
1	A	305	ILE	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	83	PHE	3.2
1	C	31	ILE	3.2
1	C	76	LEU	3.2
1	A	244	LEU	3.2
1	A	192	VAL	3.1
1	C	232	LEU	3.1
1	A	313	LEU	3.1
1	C	17	ILE	3.1
1	A	307	LEU	3.1
1	C	7	LEU	3.1
1	C	61	LEU	3.1
1	D	49	SER	3.0
1	C	284	ASP	3.0
1	D	180	ILE	3.0
1	D	294	HIS	2.9
1	D	320	LEU	2.9
1	B	290	LEU	2.9
1	C	4	TYR	2.9
1	C	315	ALA	2.9
1	C	282	LEU	2.8
1	C	53	ARG	2.8
1	A	248	PRO	2.8
1	D	291	SER	2.8
1	B	286	CYS	2.8
1	A	85	VAL	2.8
1	C	66	HIS	2.8
1	B	243	MET	2.7
1	C	54	ILE	2.7
1	C	281	HIS	2.7
1	D	19	THR	2.7
1	C	192	VAL	2.7
1	A	42	MET	2.7
1	B	206	PHE	2.7
1	A	2	LYS	2.7
1	C	106	GLU	2.7
1	C	259	ASN	2.6
1	B	331	ARG	2.6
1	A	41	ILE	2.6
1	C	5	ASP	2.6
1	B	180	ILE	2.6
1	D	205	GLY	2.6
1	B	292	VAL	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	22	PHE	2.6
1	B	291	SER	2.6
1	A	74	HIS	2.6
1	D	48	GLY	2.6
1	A	308	TRP	2.6
1	C	277	ASN	2.6
1	C	1	MET	2.6
1	A	284	ASP	2.5
1	B	297	ASN	2.5
1	C	311	ASP	2.5
1	A	287	VAL	2.5
1	B	332	LEU	2.5
1	C	86	LEU	2.5
1	C	219	ALA	2.5
1	D	33	THR	2.5
1	A	31	ILE	2.4
1	D	185	TYR	2.4
1	A	54	ILE	2.4
1	A	45	ASN	2.4
1	C	22	PHE	2.4
1	A	19	THR	2.3
1	A	217	LEU	2.3
1	B	47	LEU	2.3
1	C	272	GLU	2.3
1	B	305	ILE	2.3
1	B	324	LYS	2.3
1	A	269	TYR	2.3
1	D	161	LYS	2.3
1	A	51	LEU	2.3
1	C	299	GLN	2.3
1	C	20	GLY	2.3
1	C	238	LEU	2.3
1	D	282	LEU	2.3
1	B	302	GLU	2.3
1	A	20	GLY	2.3
1	C	265	GLN	2.3
1	A	174	TYR	2.3
1	B	211	ASP	2.3
1	D	47	LEU	2.2
1	D	219	ALA	2.2
1	C	19	THR	2.2
1	C	317	TYR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	187	GLY	2.2
1	C	263	ILE	2.2
1	D	305	ILE	2.2
1	A	291	SER	2.2
1	C	55	LYS	2.2
1	A	226	TYR	2.2
1	A	39	ILE	2.2
1	D	333	ARG	2.2
1	B	294	HIS	2.2
1	A	56	THR	2.2
1	A	72	LEU	2.2
1	C	129	ALA	2.2
1	B	320	LEU	2.2
1	A	28	ALA	2.2
1	A	246	VAL	2.2
1	A	239	LEU	2.2
1	C	42	MET	2.2
1	C	316	THR	2.2
1	A	133	LEU	2.1
1	A	221	ILE	2.1
1	B	329	PRO	2.1
1	C	314	THR	2.1
1	B	217	LEU	2.1
1	A	259	ASN	2.1
1	B	169	CYS	2.1
1	B	200	TYR	2.1
1	B	19	THR	2.1
1	C	83	PHE	2.1
1	A	176	ALA	2.0
1	D	184	SER	2.0
1	D	327	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	3I7	C	1334	25/25	0.88	0.38	0.81	64,76,93,93	46
2	3I7	A	1334	25/25	0.86	0.30	0.47	68,86,98,98	46
2	3I7	D	1334	25/25	0.90	0.23	0.13	49,83,94,95	0
2	3I7	B	1334	25/25	0.89	0.21	-0.20	49,76,94,94	0

6.5 Other polymers [i](#)

There are no such residues in this entry.