



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 15, 2018 – 06:49 AM EST

PDB ID : 2D4H
Title : Crystal-structure of the N-terminal large GTPase Domain of human Guanylate Binding protein 1 (hGBP1) in complex with GMP
Authors : Ghosh, A.; Praefcke, G.J.K.; Renault, L.; Wittinghofer, A.; Herrmann, C.
Deposited on : 2005-10-19
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030736
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030736


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1586 (2.90-2.90)
Clashscore	112137	1807 (2.90-2.90)
Ramachandran outliers	110173	1768 (2.90-2.90)
Sidechain outliers	110143	1770 (2.90-2.90)
RSRZ outliers	101464	1596 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	328	<div> <div>3%</div> <div> <div></div> <div>57%</div> <div>28%</div> <div>5%</div> <div>9%</div> </div> </div>
1	B	328	<div> <div>2%</div> <div> <div></div> <div>59%</div> <div>24%</div> <div>•</div> <div>13%</div> </div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4778 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Interferon-induced guanylate-binding protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	299	Total	C	N	O	S	0	0	0
			2366	1519	394	439	14			
1	B	284	Total	C	N	O	S	0	0	0
			2245	1447	375	410	13			

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-10	MET	-	CLONING ARTIFACT	UNP P32455
A	-9	HIS	-	EXPRESSION TAG	UNP P32455
A	-8	HIS	-	EXPRESSION TAG	UNP P32455
A	-7	HIS	-	EXPRESSION TAG	UNP P32455
A	-6	HIS	-	EXPRESSION TAG	UNP P32455
A	-5	HIS	-	EXPRESSION TAG	UNP P32455
A	-4	HIS	-	EXPRESSION TAG	UNP P32455
A	-3	MET	-	CLONING ARTIFACT	UNP P32455
A	-2	ARG	-	CLONING ARTIFACT	UNP P32455
A	-1	GLY	-	CLONING ARTIFACT	UNP P32455
A	0	SER	-	CLONING ARTIFACT	UNP P32455
B	-10	MET	-	CLONING ARTIFACT	UNP P32455
B	-9	HIS	-	EXPRESSION TAG	UNP P32455
B	-8	HIS	-	EXPRESSION TAG	UNP P32455
B	-7	HIS	-	EXPRESSION TAG	UNP P32455
B	-6	HIS	-	EXPRESSION TAG	UNP P32455
B	-5	HIS	-	EXPRESSION TAG	UNP P32455
B	-4	HIS	-	EXPRESSION TAG	UNP P32455
B	-3	MET	-	CLONING ARTIFACT	UNP P32455
B	-2	ARG	-	CLONING ARTIFACT	UNP P32455
B	-1	GLY	-	CLONING ARTIFACT	UNP P32455
B	0	SER	-	CLONING ARTIFACT	UNP P32455

- Molecule 2 is GUANOSINE-5'-MONOPHOSPHATE (three-letter code: 5GP) (formula: $C_{10}H_{14}N_5O_8P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			24	10	5	8	1		
2	B	1	Total	C	N	O	P	0	0
			24	10	5	8	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	63	Total	O	0	0
			63	63		
3	B	56	Total	O	0	0
			56	56		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Interferon-induced guanylate-binding protein 1



• Molecule 1: Interferon-induced guanylate-binding protein 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	39.92Å 173.45Å 49.63Å 90.00° 110.85° 90.00°	Depositor
Resolution (Å)	19.92 – 2.90 19.64 – 2.90	Depositor EDS
% Data completeness (in resolution range)	99.2 (19.92-2.90) 99.2 (19.64-2.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.53 (at 2.88Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.233 , 0.275 0.224 , 0.225	Depositor DCC
R_{free} test set	697 reflections (5.31%)	DCC
Wilson B-factor (Å ²)	41.4	Xtriage
Anisotropy	0.135	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 44.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.057 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	4778	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.48% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 5GP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.31	0/2416	0.67	8/3267 (0.2%)
1	B	0.32	0/2294	0.67	4/3100 (0.1%)
All	All	0.31	0/4710	0.67	12/6367 (0.2%)

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	216	ASP	CB-CG-OD2	6.21	123.89	118.30
1	A	308	ASP	CB-CG-OD2	5.91	123.62	118.30
1	B	199	ASP	CB-CG-OD2	5.87	123.59	118.30
1	A	199	ASP	CB-CG-OD2	5.86	123.57	118.30
1	B	239	ASP	CB-CG-OD2	5.73	123.46	118.30
1	A	239	ASP	CB-CG-OD2	5.67	123.41	118.30
1	A	170	ASP	CB-CG-OD2	5.43	123.18	118.30
1	A	177	ASP	CB-CG-OD2	5.42	123.18	118.30
1	A	192	ASP	CB-CG-OD2	5.42	123.18	118.30
1	A	268	ASP	CB-CG-OD2	5.28	123.05	118.30
1	B	268	ASP	CB-CG-OD2	5.14	122.92	118.30
1	B	112	ASP	CB-CG-OD2	5.13	122.92	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2366	0	2383	70	0
1	B	2245	0	2266	45	0
2	A	24	0	12	1	0
2	B	24	0	12	2	0
3	A	63	0	0	0	0
3	B	56	0	0	1	0
All	All	4778	0	4673	113	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:306:SER:HA	1:B:20:ARG:HH21	1.39	0.87
1:A:246:LYS:HE2	1:A:251:GLU:HG2	1.63	0.80
1:A:62:LYS:H	1:A:62:LYS:HD2	1.58	0.68
1:B:222:PRO:O	1:B:226:ILE:HG12	1.93	0.68
1:B:190:GLU:O	1:B:195:PRO:HA	1.94	0.68
1:B:144:TYR:HE1	1:B:148:LEU:HD13	1.59	0.67
1:B:129:ASN:HD21	1:B:183:ARG:HD3	1.62	0.63
1:A:66:SER:HB3	1:A:252:LYS:HD2	1.81	0.63
1:B:231:PRO:HD2	3:B:610:HOH:O	1.99	0.61
1:B:190:GLU:HG3	1:B:196:LEU:HD12	1.81	0.61
1:A:16:ASN:HD22	1:A:115:ILE:HD11	1.66	0.60
1:A:191:ALA:HB2	1:A:195:PRO:HA	1.84	0.59
1:A:186:SER:HB3	1:A:239:ASP:HA	1.85	0.58
1:B:246:LYS:HG2	1:B:248:ALA:H	1.68	0.58
1:A:282:LEU:HD21	1:A:296:LEU:HD21	1.85	0.57
1:A:20:ARG:HH22	1:A:305:SER:HB2	1.69	0.57
1:A:20:ARG:HH12	1:A:305:SER:HB2	1.70	0.57
1:A:246:LYS:CE	1:A:251:GLU:HG2	2.35	0.57
1:A:24:ASN:O	1:A:28:LEU:HG	2.05	0.56
1:B:12:CYS:SG	1:B:15:GLU:HG3	2.45	0.56
1:B:289:ASN:ND2	1:B:291:PRO:HD2	2.20	0.56
1:A:192:ASP:CG	1:A:193:GLY:N	2.59	0.55
1:B:127:VAL:HG22	1:B:179:VAL:HB	1.89	0.55
1:A:110:GLN:HA	1:A:110:GLN:HE21	1.70	0.55
1:A:198:PRO:HG3	1:A:237:VAL:HG22	1.87	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:302:ASN:O	1:A:306:SER:HB2	2.07	0.55
1:B:261:GLU:OE2	1:B:261:GLU:HA	2.07	0.55
1:A:175:PHE:CD2	1:A:176:PRO:HD2	2.43	0.54
1:B:88:LYS:O	1:B:91:HIS:HB2	2.07	0.54
1:B:58:LEU:HD13	1:B:270:CYS:SG	2.49	0.53
1:B:289:ASN:H	1:B:292:ARG:HB2	1.74	0.53
1:B:24:ASN:HD21	1:B:26:GLU:HB2	1.74	0.52
1:A:67:LEU:HG	1:A:246:LYS:NZ	2.25	0.52
1:A:62:LYS:H	1:A:62:LYS:CD	2.23	0.52
1:A:64:GLY:HA2	1:A:252:LYS:HE2	1.92	0.51
1:A:171:PHE:CZ	1:A:175:PHE:HE1	2.29	0.51
1:A:44:VAL:HG21	1:A:116:PHE:CE1	2.45	0.51
1:A:186:SER:HB3	1:A:240:ARG:H	1.76	0.51
1:A:67:LEU:CD2	1:A:253:LEU:HG	2.41	0.50
1:A:182:LEU:HD12	1:A:237:VAL:HG12	1.93	0.50
1:A:40:VAL:HB	1:A:123:SER:HA	1.93	0.50
1:A:249:GLN:HB3	1:A:250:LEU:HD13	1.94	0.50
1:A:16:ASN:HD21	1:A:111:ASN:HB2	1.76	0.50
1:A:62:LYS:HD2	1:A:62:LYS:N	2.24	0.50
1:A:54:LEU:O	1:A:58:LEU:HB2	2.12	0.49
1:B:172:VAL:HG21	1:B:228:LYS:HE3	1.92	0.49
1:B:31:LEU:HD21	1:B:293:LEU:HD23	1.94	0.49
1:A:153:ARG:CZ	1:A:174:PHE:HB3	2.42	0.49
1:A:246:LYS:NZ	1:A:246:LYS:HA	2.27	0.49
1:A:306:SER:HA	1:B:20:ARG:NH2	2.19	0.49
1:A:155:LYS:HE2	1:A:308:ASP:HB3	1.94	0.48
1:A:67:LEU:HD23	1:A:253:LEU:HG	1.95	0.48
1:B:185:PHE:HD2	1:B:237:VAL:HG13	1.78	0.48
1:A:202:LEU:O	1:A:206:LEU:HB2	2.14	0.48
1:A:16:ASN:ND2	1:A:111:ASN:HB2	2.29	0.48
1:B:226:ILE:HG22	1:B:233:LYS:NZ	2.30	0.47
1:B:80:MET:HA	1:B:95:LEU:O	2.14	0.47
1:B:197:THR:HB	1:B:200:GLU:HG3	1.96	0.47
1:A:31:LEU:HD12	1:A:38:MET:HE1	1.97	0.47
1:A:174:PHE:HZ	1:A:283:SER:HG	1.63	0.47
1:B:178:PHE:HB3	1:B:233:LYS:HA	1.97	0.46
1:B:44:VAL:HA	1:B:98:THR:OG1	2.15	0.46
1:B:63:LYS:HB3	1:B:64:GLY:H	1.57	0.46
1:A:171:PHE:CE2	1:A:175:PHE:HE1	2.34	0.46
1:A:127:VAL:HG22	1:A:179:VAL:HB	1.98	0.46
1:A:136:GLN:HE22	1:A:222:PRO:HG3	1.81	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:246:LYS:HE2	1:B:248:ALA:HA	1.99	0.45
1:A:47:TYR:CE2	1:A:103:ASP:HA	2.52	0.45
1:A:153:ARG:HE	1:A:171:PHE:HE1	1.63	0.45
1:B:238:PHE:CD2	1:B:265:GLN:HB3	2.51	0.45
1:A:288:VAL:HG13	1:A:292:ARG:HB3	1.98	0.45
1:A:80:MET:HA	1:A:95:LEU:O	2.17	0.44
1:B:226:ILE:HG22	1:B:233:LYS:HZ1	1.82	0.44
1:A:54:LEU:HG	1:A:183:ARG:HH21	1.82	0.44
1:B:67:LEU:HD11	1:B:253:LEU:HD11	1.99	0.44
1:A:221:LEU:N	1:A:222:PRO:HD2	2.33	0.44
1:A:38:MET:HG3	1:A:289:ASN:HA	1.99	0.44
1:A:31:LEU:O	1:A:290:GLY:HA3	2.17	0.44
1:A:247:LEU:HD23	1:A:247:LEU:H	1.83	0.44
1:A:147:GLU:HG2	1:A:314:ASN:HD21	1.83	0.44
1:A:191:ALA:HA	1:A:196:LEU:HD13	1.99	0.43
1:B:78:ILE:HA	1:B:97:ASP:O	2.17	0.43
1:B:48:ARG:HA	2:B:593:5GP:O5'	2.18	0.43
1:A:183:ARG:NH1	2:A:593:5GP:O6	2.52	0.43
1:A:12:CYS:SG	1:A:15:GLU:HB3	2.58	0.43
1:A:192:ASP:CG	1:A:193:GLY:H	2.21	0.43
1:B:243:HIS:HB3	1:B:258:LEU:HD23	2.01	0.43
1:B:114:TRP:O	1:B:118:LEU:HB2	2.19	0.43
1:B:188:ASP:O	1:B:189:LEU:HB2	2.19	0.43
1:A:78:ILE:HG13	1:A:115:ILE:HG23	2.01	0.43
1:A:6:HIS:O	1:A:7:MET:C	2.57	0.42
1:B:79:TRP:O	1:B:96:LEU:HA	2.19	0.42
1:B:217:GLU:C	1:B:219:PHE:H	2.22	0.42
1:A:134:ILE:HD12	1:A:205:SER:OG	2.19	0.42
1:A:19:GLY:C	1:A:111:ASN:HD21	2.23	0.42
1:B:127:VAL:HA	1:B:179:VAL:O	2.19	0.42
1:A:314:ASN:HA	1:A:314:ASN:HD22	1.61	0.41
1:B:18:ASN:HD22	1:B:18:ASN:HA	1.61	0.41
1:B:56:ASN:HD22	1:B:56:ASN:N	2.19	0.41
1:A:147:GLU:OE2	1:A:151:ARG:HD3	2.21	0.41
1:A:217:GLU:C	1:A:219:PHE:H	2.24	0.41
1:A:58:LEU:HD13	1:A:270:CYS:SG	2.61	0.41
1:B:36:GLN:HB3	1:B:90:GLY:O	2.20	0.41
1:A:118:LEU:HA	1:A:121:LEU:HD12	2.03	0.41
1:A:171:PHE:CZ	1:A:175:PHE:CE1	3.08	0.41
1:B:221:LEU:HB2	1:B:222:PRO:CD	2.51	0.41
1:B:273:ILE:O	1:B:277:SER:HB2	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:197:THR:CG2	1:B:198:PRO:HD2	2.51	0.40
1:A:183:ARG:C	1:A:185:PHE:N	2.75	0.40
1:A:183:ARG:C	1:A:185:PHE:H	2.25	0.40
1:A:226:ILE:HG22	1:A:233:LYS:HZ1	1.86	0.40
1:B:183:ARG:NH2	2:B:593:5GP:N7	2.69	0.40
1:A:190:GLU:HG3	1:A:196:LEU:HD22	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	291/328 (89%)	265 (91%)	16 (6%)	10 (3%)	4	18
1	B	276/328 (84%)	249 (90%)	21 (8%)	6 (2%)	8	29
All	All	567/656 (86%)	514 (91%)	37 (6%)	16 (3%)	6	22

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	6	HIS
1	B	245	ARG
1	A	7	MET
1	B	63	LYS
1	B	169	ALA
1	B	186	SER
1	A	187	LEU
1	A	248	ALA
1	B	18	ASN
1	A	68	GLY
1	A	71	VAL
1	A	184	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	309	LEU
1	B	168	SER
1	A	250	LEU
1	A	246	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	267/293 (91%)	233 (87%)	34 (13%)	5	15
1	B	251/293 (86%)	226 (90%)	25 (10%)	9	27
All	All	518/586 (88%)	459 (89%)	59 (11%)	7	20

All (59) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	HIS
1	A	17	THR
1	A	21	LEU
1	A	26	GLU
1	A	31	LEU
1	A	44	VAL
1	A	57	LYS
1	A	58	LEU
1	A	62	LYS
1	A	63	LYS
1	A	69	SER
1	A	93	LEU
1	A	110	GLN
1	A	112	ASP
1	A	113	SER
1	A	116	PHE
1	A	124	SER
1	A	148	LEU
1	A	159	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	175	PHE
1	A	192	ASP
1	A	212	THR
1	A	216	ASP
1	A	223	ARG
1	A	233	LYS
1	A	240	ARG
1	A	246	LYS
1	A	250	LEU
1	A	252	LYS
1	A	283	SER
1	A	292	ARG
1	A	311	CYS
1	A	312	MET
1	A	314	ASN
1	B	18	ASN
1	B	44	VAL
1	B	58	LEU
1	B	61	LYS
1	B	62	LYS
1	B	116	PHE
1	B	118	LEU
1	B	135	ASN
1	B	144	TYR
1	B	153	ARG
1	B	173	SER
1	B	174	PHE
1	B	189	LEU
1	B	190	GLU
1	B	206	LEU
1	B	207	LYS
1	B	208	LEU
1	B	215	LYS
1	B	223	ARG
1	B	233	LYS
1	B	240	ARG
1	B	254	GLN
1	B	265	GLN
1	B	292	ARG
1	B	305	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	16	ASN
1	A	110	GLN
1	A	111	ASN
1	A	136	GLN
1	A	137	GLN
1	A	141	GLN
1	A	264	GLN
1	A	314	ASN
1	B	16	ASN
1	B	18	ASN
1	B	56	ASN
1	B	129	ASN
1	B	243	HIS
1	B	254	GLN
1	B	265	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	5GP	A	593	1	22,26,26	1.58	4 (18%)	26,40,40	1.88	8 (30%)
2	5GP	B	593	1	22,26,26	1.65	4 (18%)	26,40,40	1.75	6 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	5GP	A	593	1	-	0/6/26/26	0/3/3/3
2	5GP	B	593	1	-	0/6/26/26	0/3/3/3

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	593	5GP	C2-N1	2.67	1.40	1.35
2	A	593	5GP	C4-N3	2.80	1.40	1.35
2	B	593	5GP	C4-N3	2.82	1.40	1.35
2	A	593	5GP	C2-N1	2.85	1.40	1.35
2	A	593	5GP	O4'-C1'	3.12	1.45	1.41
2	B	593	5GP	O4'-C1'	3.99	1.46	1.41
2	B	593	5GP	C6-N1	4.22	1.40	1.33
2	A	593	5GP	C6-N1	4.40	1.41	1.33

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	593	5GP	N3-C2-N1	-5.23	119.82	127.46
2	B	593	5GP	N3-C2-N1	-5.11	120.00	127.46
2	B	593	5GP	C5-C6-N1	-2.72	119.61	123.48
2	A	593	5GP	C4-C5-N7	-2.52	106.98	109.41
2	A	593	5GP	C1'-N9-C4	-2.51	122.29	126.64
2	A	593	5GP	C5-C6-N1	-2.46	119.99	123.48
2	B	593	5GP	C4-C5-N7	-2.34	107.15	109.41
2	A	593	5GP	N2-C2-N1	2.18	120.73	117.24
2	B	593	5GP	O5'-P-O1P	2.67	113.97	106.47
2	A	593	5GP	C6-N1-C2	2.71	119.95	116.06
2	B	593	5GP	C6-N1-C2	2.82	120.12	116.06
2	A	593	5GP	O5'-P-O1P	3.09	115.15	106.47
2	B	593	5GP	C2-N3-C4	3.68	119.46	115.16
2	A	593	5GP	C2-N3-C4	3.82	119.62	115.16

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	593	5GP	1	0
2	B	593	5GP	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	299/328 (91%)	-0.19	10 (3%) 47 40	13, 28, 49, 66	0
1	B	284/328 (86%)	-0.02	7 (2%) 58 53	21, 35, 55, 76	0
All	All	583/656 (88%)	-0.10	17 (2%) 52 46	13, 32, 51, 76	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	311	CYS	5.4
1	A	109	ASN	5.2
1	A	71	VAL	4.5
1	A	6	HIS	4.0
1	A	69	SER	3.5
1	A	70	THR	3.1
1	B	102	GLY	2.9
1	B	188	ASP	2.9
1	A	284	GLY	2.8
1	A	18	ASN	2.7
1	A	160	GLU	2.6
1	A	72	GLN	2.4
1	B	310	PRO	2.4
1	B	283	SER	2.4
1	B	187	LEU	2.3
1	A	105	GLU	2.3
1	B	20	ARG	2.3

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	5GP	B	593	24/24	0.96	0.12	-1.22	22,29,34,34	0
2	5GP	A	593	24/24	0.97	0.11	-1.23	18,24,28,28	0

6.5 Other polymers [i](#)

There are no such residues in this entry.