



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 11:43 am GMT

PDB ID : 1DDZ  
Title : X-RAY STRUCTURE OF A BETA-CARBONIC ANHYDRASE FROM THE RED ALGA, PORPHYRIDIIUM PURPUREUM R-1  
Authors : Mitsunashi, S.; Mizushima, T.; Yamashita, E.; Miyachi, S.; Tsukihara, T.  
Deposited on : 1999-11-12  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	4730 (2.20-2.20)
Ramachandran outliers	110173	4656 (2.20-2.20)
Sidechain outliers	110143	4657 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	496	
1	B	496	

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 8100 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CARBONIC ANHYDRASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	481	Total	C	N	O	S	0	0	0
			3742	2339	676	706	21			
1	B	481	Total	C	N	O	S	0	0	0
			3742	2339	676	706	21			

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Zn	0	0
			2	2		
2	A	2	Total	Zn	0	0
			2	2		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	310	Total	O	0	0
			310	310		
3	B	302	Total	O	0	0
			302	302		

### 3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

#### • Molecule 1: CARBONIC ANHYDRASE



#### • Molecule 1: CARBONIC ANHYDRASE



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	63.50Å 112.80Å 73.20Å 90.00° 103.60° 90.00°	Depositor
Resolution (Å)	10.00 – 2.20	Depositor
% Data completeness (in resolution range)	(Not available) (10.00-2.20)	Depositor
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	X-PLOR 3.843	Depositor
R, $R_{free}$	0.208 , 0.274	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	8100	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	23.0	wwPDB-VP

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.53	0/3807	0.76	5/5153 (0.1%)
1	B	0.52	0/3807	0.77	5/5153 (0.1%)
All	All	0.52	0/7614	0.77	10/10306 (0.1%)

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	141	SER	CB-CA-C	-7.25	96.32	110.10
1	A	288	VAL	CB-CA-C	-6.60	98.86	111.40
1	B	288	VAL	CB-CA-C	-6.50	99.06	111.40
1	A	222	LEU	CA-CB-CG	5.76	128.54	115.30
1	B	222	LEU	CA-CB-CG	5.75	128.52	115.30
1	B	108	MET	CG-SD-CE	5.57	109.12	100.20
1	B	231	ARG	NE-CZ-NH2	-5.52	117.54	120.30
1	A	108	MET	CG-SD-CE	5.52	109.03	100.20
1	A	231	ARG	NE-CZ-NH2	-5.35	117.63	120.30
1	A	141	SER	N-CA-CB	5.23	118.34	110.50

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3742	0	3705	72	0
1	B	3742	0	3705	72	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	310	0	0	9	0
3	B	302	0	0	15	0
All	All	8100	0	7410	138	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (138) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:108:MET:CE	1:B:108:MET:SD	2.02	1.47
1:A:288:VAL:HG22	1:A:299:LEU:HD21	1.57	0.86
1:B:288:VAL:HG22	1:B:299:LEU:HD21	1.58	0.85
1:B:367:ARG:HA	1:B:370:VAL:HG12	1.60	0.84
1:A:367:ARG:HA	1:A:370:VAL:HG12	1.59	0.83
1:A:381:LYS:HE2	1:A:381:LYS:HA	1.66	0.78
1:B:381:LYS:HA	1:B:381:LYS:HE2	1.66	0.77
1:B:179:HIS:HD2	3:B:607:HOH:O	1.68	0.76
1:B:285:GLN:HB2	1:B:301:VAL:HG22	1.74	0.69
1:A:201:LEU:HD23	1:A:285:GLN:HG2	1.75	0.66
1:A:288:VAL:HG22	1:A:299:LEU:CD2	2.25	0.65
1:B:261:GLU:HG3	3:B:752:HOH:O	1.97	0.65
1:B:288:VAL:HG22	1:B:299:LEU:CD2	2.25	0.64
1:A:285:GLN:HB2	1:A:301:VAL:HG22	1.78	0.64
1:B:367:ARG:HA	1:B:370:VAL:CG1	2.29	0.63
1:A:323:LYS:HG3	3:A:730:HOH:O	1.99	0.62
1:B:201:LEU:HD23	1:B:285:GLN:HG2	1.81	0.62
1:A:264:HIS:HD2	1:A:346:MET:HG3	1.63	0.62
1:B:314:ARG:HH21	1:B:329:ALA:HB3	1.64	0.62
1:B:264:HIS:HD2	1:B:346:MET:HG3	1.65	0.61
1:A:367:ARG:HA	1:A:370:VAL:CG1	2.29	0.60
1:A:563:ILE:HG13	1:A:564:GLY:N	2.17	0.60
1:B:313:TYR:HB3	1:B:331:LEU:HD22	1.83	0.60
1:A:512:ASN:O	1:A:516:GLN:HG2	2.02	0.59
1:B:563:ILE:HG13	1:B:564:GLY:N	2.18	0.59
1:A:314:ARG:HH21	1:A:329:ALA:HB3	1.67	0.59
1:A:453:ARG:HG3	1:A:537:GLU:HB3	1.84	0.59
1:B:383:ASP:HB3	1:B:386:PHE:HB2	1.85	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:512:ASN:O	1:B:516:GLN:HG2	2.03	0.59
1:A:201:LEU:CD2	1:A:285:GLN:HG2	2.33	0.58
1:B:199:HIS:HD2	1:B:283:THR:OG1	1.85	0.58
1:A:376:ARG:O	1:A:380:LEU:HD22	2.03	0.58
1:A:136:LEU:O	1:A:407:ARG:HD3	2.03	0.58
1:A:199:HIS:HD2	1:A:283:THR:OG1	1.86	0.58
1:A:179:HIS:HD2	3:A:596:HOH:O	1.85	0.58
1:A:331:LEU:HD12	1:B:251:LEU:HG	1.86	0.57
1:A:483:HIS:HD2	3:A:717:HOH:O	1.86	0.57
1:B:376:ARG:O	1:B:380:LEU:HD22	2.04	0.57
1:A:434:SER:OG	1:B:483:HIS:HE1	1.88	0.56
1:A:383:ASP:HB3	1:A:386:PHE:HB2	1.86	0.56
1:A:313:TYR:HB3	1:A:331:LEU:HD22	1.86	0.55
1:A:105:GLY:HA2	1:A:460:TYR:CZ	2.41	0.55
1:B:136:LEU:O	1:B:407:ARG:HD3	2.07	0.55
1:B:453:ARG:HG3	1:B:537:GLU:HB3	1.89	0.55
1:B:185:LEU:HD13	1:B:476:LEU:HD22	1.87	0.55
1:A:216:GLY:HA3	1:B:314:ARG:HH11	1.71	0.55
1:A:483:HIS:HE1	1:B:434:SER:OG	1.90	0.55
1:A:485:ARG:NH2	1:B:561:ASP:O	2.38	0.54
1:B:407:ARG:HB2	3:B:787:HOH:O	2.07	0.54
1:B:201:LEU:CD2	1:B:285:GLN:HG2	2.37	0.54
1:B:105:GLY:HA2	1:B:460:TYR:CZ	2.43	0.54
1:A:185:LEU:HD13	1:A:476:LEU:HD22	1.89	0.54
1:A:170:HIS:HB2	1:A:187:VAL:HG11	1.90	0.53
1:B:218:SER:HA	3:B:758:HOH:O	2.08	0.53
1:A:263:VAL:HG11	3:A:793:HOH:O	2.08	0.53
1:A:314:ARG:HH11	1:B:216:GLY:HA3	1.74	0.53
1:A:264:HIS:CD2	1:A:346:MET:HG3	2.43	0.52
1:A:288:VAL:CG2	1:A:299:LEU:HD21	2.35	0.52
3:A:857:HOH:O	1:B:84:VAL:HG21	2.08	0.52
1:B:407:ARG:HB3	3:B:663:HOH:O	2.09	0.52
1:A:260:LEU:HD22	1:A:346:MET:HE3	1.93	0.51
1:A:295:LYS:HA	1:A:372:ASN:HD21	1.75	0.51
1:A:338:GLY:HA2	3:A:776:HOH:O	2.10	0.51
1:A:260:LEU:HD22	1:A:346:MET:CE	2.41	0.51
1:A:379:MET:HB3	1:A:386:PHE:CD1	2.45	0.51
1:A:517:MET:SD	1:A:540:GLY:HA3	2.50	0.51
1:B:379:MET:HB3	1:B:386:PHE:CD1	2.46	0.51
1:B:260:LEU:HD22	1:B:346:MET:HE3	1.93	0.50
1:B:264:HIS:CD2	1:B:346:MET:HG3	2.46	0.50

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:260:LEU:HD22	1:B:346:MET:CE	2.42	0.49
1:A:432:ILE:HB	1:A:435:ASP:HB2	1.94	0.49
1:B:517:MET:SD	1:B:540:GLY:HA3	2.52	0.49
1:A:296:LEU:H	1:A:372:ASN:ND2	2.11	0.49
1:A:325:GLY:O	1:A:327:PRO:HD3	2.13	0.49
1:B:118:ASN:O	1:B:122:ARG:HG3	2.14	0.48
1:B:502:LYS:HE2	1:B:503:ASP:OD1	2.13	0.48
1:A:111:LYS:HD3	3:A:751:HOH:O	2.13	0.48
1:B:295:LYS:HA	1:B:372:ASN:HD21	1.78	0.48
1:B:99:LEU:HD12	3:B:810:HOH:O	2.13	0.47
1:A:118:ASN:O	1:A:122:ARG:HG3	2.15	0.47
1:B:189:GLN:HG3	1:B:193:GLN:OE1	2.15	0.47
1:B:381:LYS:HA	1:B:381:LYS:CE	2.43	0.47
1:B:311:LYS:HE3	1:B:312:PHE:CZ	2.49	0.47
1:A:381:LYS:CE	1:A:381:LYS:HA	2.42	0.47
1:A:189:GLN:HG3	1:A:193:GLN:OE1	2.15	0.46
1:A:312:PHE:HD2	1:A:335:THR:HG23	1.81	0.46
1:A:557:ALA:O	1:A:558:LYS:HB2	2.15	0.46
1:B:151:ASP:HB3	1:B:422:PHE:HE1	1.81	0.46
1:B:347:GLU:HA	3:B:830:HOH:O	2.16	0.46
1:A:563:ILE:HG13	1:A:564:GLY:H	1.81	0.46
1:B:424:HIS:HB2	1:B:441:VAL:HG11	1.98	0.46
1:A:139:GLY:HA3	1:A:407:ARG:NH1	2.31	0.45
1:A:151:ASP:HB3	1:A:422:PHE:HE1	1.81	0.45
1:B:170:HIS:HB2	1:B:187:VAL:HG11	1.97	0.45
1:A:297:ARG:HB3	1:A:361:LEU:HB2	1.98	0.45
1:B:154:VAL:HG22	1:B:390:LEU:HD21	1.98	0.45
1:A:312:PHE:HD2	1:A:335:THR:CG2	2.30	0.45
1:B:325:GLY:O	1:B:327:PRO:HD3	2.16	0.45
1:B:285:GLN:NE2	1:B:298:ASP:OD1	2.50	0.45
1:B:288:VAL:CG2	1:B:299:LEU:HD21	2.38	0.44
1:B:507:ARG:HD3	1:B:510:GLU:OE1	2.16	0.44
1:B:353:LEU:HA	3:B:606:HOH:O	2.18	0.44
1:A:271:ILE:HD11	1:A:476:LEU:HD13	2.00	0.44
1:B:297:ARG:HB3	1:B:361:LEU:HB2	2.00	0.44
1:B:432:ILE:HB	1:B:435:ASP:HB2	1.98	0.44
1:B:187:VAL:HG23	3:B:629:HOH:O	2.18	0.43
1:A:311:LYS:HE3	1:A:312:PHE:CZ	2.53	0.43
1:B:165:GLY:N	3:B:711:HOH:O	2.49	0.43
1:B:452:LYS:HG2	3:B:773:HOH:O	2.18	0.43
1:B:296:LEU:H	1:B:372:ASN:ND2	2.16	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:544:GLY:HA3	3:B:659:HOH:O	2.18	0.43
1:A:507:ARG:HD3	1:A:510:GLU:OE1	2.19	0.42
1:B:312:PHE:HD2	1:B:335:THR:CG2	2.32	0.42
1:A:154:VAL:HG22	1:A:390:LEU:HD21	2.02	0.42
1:B:103:PRO:HD2	1:B:106:GLN:HB2	2.02	0.42
1:A:219:ARG:HG2	3:B:599:HOH:O	2.19	0.42
1:B:249:GLU:HG3	1:B:358:PRO:HB2	2.02	0.41
1:A:108:MET:HB3	1:A:108:MET:HE2	1.98	0.41
1:A:129:ASP:HA	1:A:130:PRO:HD2	1.89	0.41
1:A:424:HIS:HB2	1:A:441:VAL:HG11	2.01	0.41
1:B:312:PHE:HD2	1:B:335:THR:HG23	1.86	0.41
1:B:398:ILE:HD11	1:B:416:LEU:CD1	2.50	0.41
1:A:353:LEU:C	1:A:353:LEU:HD22	2.40	0.41
1:A:378:LYS:O	1:A:382:GLN:HG2	2.20	0.41
1:A:506:ASN:ND2	3:A:614:HOH:O	2.53	0.41
1:B:331:LEU:HA	1:B:331:LEU:HD23	1.86	0.41
1:A:249:GLU:HG3	1:A:358:PRO:HB2	2.03	0.41
1:B:205:HIS:HE1	3:B:822:HOH:O	2.03	0.41
1:A:398:ILE:HD11	1:A:416:LEU:CD1	2.51	0.41
1:A:85:MET:HG2	3:B:581:HOH:O	2.20	0.40
1:B:500:ASP:HA	1:B:501:PRO:HD3	1.86	0.40
1:A:198:LYS:HG2	3:A:760:HOH:O	2.20	0.40
1:B:557:ALA:O	1:B:558:LYS:HB2	2.21	0.40
1:A:182:ILE:HG13	1:A:182:ILE:O	2.21	0.40
1:A:241:LEU:HD13	1:A:253:ARG:HG2	2.03	0.40
1:A:502:LYS:HE2	1:A:503:ASP:OD1	2.22	0.40
1:B:563:ILE:HG13	1:B:564:GLY:H	1.85	0.40
1:A:331:LEU:HA	1:A:331:LEU:HD23	1.85	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	479/496 (97%)	460 (96%)	17 (4%)	2 (0%)	38	41
1	B	479/496 (97%)	459 (96%)	18 (4%)	2 (0%)	38	41
All	All	958/992 (97%)	919 (96%)	35 (4%)	4 (0%)	38	41

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	336	LYS
1	A	336	LYS
1	B	112	SER
1	A	112	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	403/414 (97%)	368 (91%)	35 (9%)	12	12
1	B	403/414 (97%)	371 (92%)	32 (8%)	14	14
All	All	806/828 (97%)	739 (92%)	67 (8%)	13	13

All (67) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	88	LEU
1	A	108	MET
1	A	113	ASN
1	A	145	LEU
1	A	151	ASP
1	A	166	GLU
1	A	188	LEU
1	A	197	VAL
1	A	228	ARG
1	A	241	LEU
1	A	251	LEU
1	A	253	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	254	LEU
1	A	281	GLU
1	A	285	GLN
1	A	287	VAL
1	A	288	VAL
1	A	302	VAL
1	A	314	ARG
1	A	335	THR
1	A	342	LEU
1	A	353	LEU
1	A	380	LEU
1	A	398	ILE
1	A	399	LEU
1	A	406	SER
1	A	421	VAL
1	A	442	LEU
1	A	453	ARG
1	A	485	ARG
1	A	499	THR
1	A	505	LEU
1	A	507	ARG
1	A	508	LEU
1	A	541	VAL
1	B	88	LEU
1	B	113	ASN
1	B	145	LEU
1	B	151	ASP
1	B	166	GLU
1	B	188	LEU
1	B	197	VAL
1	B	228	ARG
1	B	241	LEU
1	B	251	LEU
1	B	253	ARG
1	B	254	LEU
1	B	281	GLU
1	B	285	GLN
1	B	287	VAL
1	B	288	VAL
1	B	302	VAL
1	B	314	ARG
1	B	335	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	342	LEU
1	B	353	LEU
1	B	380	LEU
1	B	398	ILE
1	B	399	LEU
1	B	406	SER
1	B	421	VAL
1	B	442	LEU
1	B	453	ARG
1	B	499	THR
1	B	505	LEU
1	B	508	LEU
1	B	541	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	123	GLN
1	A	138	ASN
1	A	176	GLN
1	A	179	HIS
1	A	199	HIS
1	A	285	GLN
1	A	355	GLN
1	A	372	ASN
1	A	374	ASN
1	A	389	ASN
1	A	394	GLN
1	A	430	GLN
1	A	483	HIS
1	A	506	ASN
1	A	512	ASN
1	A	539	GLN
1	B	138	ASN
1	B	176	GLN
1	B	179	HIS
1	B	199	HIS
1	B	285	GLN
1	B	355	GLN
1	B	372	ASN
1	B	374	ASN
1	B	389	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	394	GLN
1	B	430	GLN
1	B	483	HIS
1	B	506	ASN
1	B	512	ASN
1	B	539	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

### 6.4 Ligands

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers

EDS was not executed - this section is therefore empty.