



Full wwPDB NMR Structure Validation Report ⓘ

Feb 12, 2017 – 06:26 pm GMT

PDB ID : 1DO9
Title : SOLUTION STRUCTURE OF OXIDIZED MICROSOMAL RABBIT CYTOCHROME B5. FACTORS DETERMINING THE HETEROGENEOUS BINDING OF THE HEME.
Authors : Banci, L.; Bertini, I.; Rosato, A.; Scacchieri, S.
Deposited on : 1999-12-20

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange	:	Kirchner and Güntert (2011)
NmrClust	:	Kelley et al. (1996)
MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
RCI	:	v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV	:	Wang et al. (2010)
ShiftChecker	:	trunk28760
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 49%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	125131	11601
Ramachandran outliers	121729	10391
Sidechain outliers	121581	10367

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	94	

2 Ensemble composition and analysis

This entry contains 40 models. Model 22 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:5-A:80 (76)	0.31	22

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 2 single-model clusters were found.

Cluster number	Models
1	1, 2, 4, 5, 7, 8, 9, 10, 11, 12, 14, 15, 16, 17, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 38, 39
2	6, 18
3	3, 37
Single-model clusters	13; 40


3 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 1580 atoms, of which 770 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called CYTOCHROME B5.

Mol	Chain	Residues	Atoms						Trace
1	A	94	Total	C	H	N	O	S	0
			1507	481	740	131	154	1	

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					
2	A	1	Total	C	Fe	H	N	O
			73	34	1	30	4	4

4 Residue-property plots [i](#)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

• Molecule 1: CYTOCHROME B5




4.2 Scores per residue for each member of the ensemble

Colouring as in section [4.1](#) above.

4.2.1 Score per residue for model 1


• Molecule 1: CYTOCHROME B5



4.2.2 Score per residue for model 2

• Molecule 1: CYTOCHROME B5






4.2.3 Score per residue for model 3

- Molecule 1: CYTOCHROME B5

Chain A: 44% 33% 19%



4.2.4 Score per residue for model 4

- Molecule 1: CYTOCHROME B5


Chain A: 45% 34% 19%



4.2.5 Score per residue for model 5

- Molecule 1: CYTOCHROME B5


Chain A: 41% 36% 19%



4.2.6 Score per residue for model 6

- Molecule 1: CYTOCHROME B5


Chain A: 43% 32% 6% 19%



4.2.7 Score per residue for model 7

- Molecule 1: CYTOCHROME B5


Chain A: 45% 32% 19%



4.2.8 Score per residue for model 8

- Molecule 1: CYTOCHROME B5


Chain A: 44% 35% 19%



4.2.9 Score per residue for model 9

- Molecule 1: CYTOCHROME B5

Chain A: 45% 32% 19%



4.2.10 Score per residue for model 10

- Molecule 1: CYTOCHROME B5


Chain A: 45% 32% 19%



4.2.11 Score per residue for model 11

- Molecule 1: CYTOCHROME B5


Chain A: 56% 21% 19%



4.2.12 Score per residue for model 12

- Molecule 1: CYTOCHROME B5


Chain A: 50% 27% 19%



4.2.13 Score per residue for model 13

- Molecule 1: CYTOCHROME B5

Chain A: 33% 40% 7% 19%



4.2.14 Score per residue for model 14

- Molecule 1: CYTOCHROME B5

Chain A: 56% 23% 19%




4.2.15 Score per residue for model 15

- Molecule 1: CYTOCHROME B5




4.2.16 Score per residue for model 16

- Molecule 1: CYTOCHROME B5




4.2.17 Score per residue for model 17

- Molecule 1: CYTOCHROME B5




4.2.18 Score per residue for model 18

- Molecule 1: CYTOCHROME B5




4.2.19 Score per residue for model 19

- Molecule 1: CYTOCHROME B5




4.2.20 Score per residue for model 20

- Molecule 1: CYTOCHROME B5




4.2.21 Score per residue for model 21

- Molecule 1: CYTOCHROME B5




4.2.22 Score per residue for model 22 (medoid)

- Molecule 1: CYTOCHROME B5




4.2.23 Score per residue for model 23

- Molecule 1: CYTOCHROME B5




4.2.24 Score per residue for model 24

- Molecule 1: CYTOCHROME B5




4.2.25 Score per residue for model 25

- Molecule 1: CYTOCHROME B5




4.2.26 Score per residue for model 26

- Molecule 1: CYTOCHROME B5




4.2.27 Score per residue for model 27

- Molecule 1: CYTOCHROME B5




4.2.28 Score per residue for model 28

- Molecule 1: CYTOCHROME B5




4.2.29 Score per residue for model 29

- Molecule 1: CYTOCHROME B5



4.2.30 Score per residue for model 30

- Molecule 1: CYTOCHROME B5



4.2.31 Score per residue for model 31

- Molecule 1: CYTOCHROME B5






4.2.32 Score per residue for model 32

- Molecule 1: CYTOCHROME B5


Chain A: 50% 26% 5% 19%



4.2.33 Score per residue for model 33

- Molecule 1: CYTOCHROME B5

Chain A: 46% 33% 19%



4.2.34 Score per residue for model 34

- Molecule 1: CYTOCHROME B5

Chain A: 54% 24% 19%



4.2.35 Score per residue for model 35

- Molecule 1: CYTOCHROME B5

Chain A: 51% 29% 19%





4.2.36 Score per residue for model 36

- Molecule 1: CYTOCHROME B5



4.2.37 Score per residue for model 37

- Molecule 1: CYTOCHROME B5




4.2.38 Score per residue for model 38

- Molecule 1: CYTOCHROME B5




4.2.39 Score per residue for model 39

- Molecule 1: CYTOCHROME B5



4.2.40 Score per residue for model 40

● Molecule 1: CYTOCHROME B5



5 Refinement protocol and experimental data overview

The models were refined using the following method: *TORSION ANGLE DYNAMICS*.

Of the 150 calculated structures, 40 were deposited, based on the following criterion: *STRUCTURES WITH THE LEAST RESTRAINT VIOLATIONS*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
DYANA	structure solution	1.5 MODIFIED FOR USING PSEUDOCONTACT SHIFTS AS CO
AMBER	refinement	4.0

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 4602
Number of chemical shift lists	1
Total number of shifts	608
Number of shifts mapped to atoms	608
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	49%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality [i](#)

6.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.62±0.06	0±0/639 (0.0±0.1%)	0.94±0.03	1±1/863 (0.1±0.1%)
All	All	0.62	5/25560 (0.0%)	0.94	24/34520 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.0±0.0	0.1±0.2
All	All	0	2

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	67	ALA	CA-CB	15.93	1.85	1.52	39	3
1	A	67	ALA	CA-C	6.59	1.70	1.52	39	2

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	67	ALA	CB-CA-C	13.43	130.25	110.10	39	3
1	A	74	PHE	CB-CG-CD2	-7.24	115.73	120.80	28	14
1	A	67	ALA	O-C-N	-6.63	112.09	122.70	39	2
1	A	67	ALA	N-CA-C	-5.56	95.99	111.00	39	2
1	A	39	HIS	CA-CB-CG	5.42	122.81	113.60	9	3

There are no chirality outliers.

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
1	A	30	TYR	Sidechain	1
1	A	7	TYR	Sidechain	1

6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	623	593	593	13±8
2	A	43	30	30	2±2
All	All	26640	24920	24920	540

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:67:ALA:CB	1:A:67:ALA:CA	1.60	1.78	25	1
1:A:67:ALA:CA	1:A:67:ALA:CB	1.51	1.85	39	1
1:A:32:LEU:HD12	1:A:46:LEU:HD13	0.91	1.42	24	20
1:A:30:TYR:CE1	1:A:75:ILE:HD12	0.77	2.14	18	1
1:A:21:THR:HG21	1:A:36:LEU:HD21	0.76	1.55	18	12
1:A:67:ALA:HB2	2:A:95:HEM:HMA3	0.76	1.56	39	2
1:A:36:LEU:CD2	1:A:46:LEU:HD12	0.74	2.12	5	1
1:A:23:LEU:HD21	1:A:32:LEU:HD11	0.73	1.56	24	21
1:A:70:LEU:HD11	2:A:95:HEM:HMB1	0.71	1.61	13	2
1:A:74:PHE:CE2	2:A:95:HEM:HMB1	0.70	2.21	22	8
1:A:36:LEU:HD11	1:A:46:LEU:HB2	0.70	1.64	39	2
1:A:9:LEU:H	1:A:9:LEU:HD22	0.69	1.46	36	18
1:A:67:ALA:CB	1:A:67:ALA:HA	0.68	2.07	25	2
1:A:36:LEU:HD23	1:A:46:LEU:HD12	0.68	1.62	5	9
1:A:9:LEU:HD22	1:A:9:LEU:H	0.68	1.47	14	17
1:A:39:HIS:CE1	1:A:46:LEU:HD21	0.67	2.25	5	2
1:A:70:LEU:O	1:A:73:THR:HG22	0.67	1.90	25	4

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:16:ASN:HB3	1:A:50:ALA:HB1	0.67	1.66	25	1
1:A:29:VAL:HG23	1:A:79:LEU:HD12	0.66	1.65	13	5
1:A:32:LEU:CD1	1:A:46:LEU:HD13	0.66	2.20	34	7
1:A:29:VAL:HG23	1:A:79:LEU:HD22	0.65	1.68	38	2
1:A:67:ALA:HB2	2:A:95:HEM:CMA	0.65	2.21	39	2
1:A:23:LEU:HD21	1:A:32:LEU:HG	0.63	1.69	25	2
1:A:23:LEU:HD21	1:A:32:LEU:CD1	0.63	2.23	5	19
2:A:95:HEM:HMC1	2:A:95:HEM:HBC2	0.63	1.69	31	5
1:A:24:ILE:HD12	1:A:79:LEU:HD11	0.62	1.71	12	5
1:A:71:SER:OG	2:A:95:HEM:HBB2	0.62	1.95	18	4
1:A:8:THR:O	1:A:12:ILE:HD12	0.61	1.95	9	15
1:A:32:LEU:O	1:A:36:LEU:HD23	0.61	1.95	15	1
1:A:67:ALA:HA	1:A:70:LEU:HD12	0.61	1.71	18	4
1:A:29:VAL:CG1	1:A:76:ILE:HD11	0.61	2.26	25	7
1:A:45:VAL:HG23	1:A:46:LEU:HD23	0.61	1.73	33	7
1:A:26:HIS:CE1	1:A:55:THR:HG23	0.61	2.30	25	2
1:A:12:ILE:HG22	1:A:51:GLY:HA2	0.61	1.71	6	21
1:A:29:VAL:HG12	1:A:76:ILE:HG13	0.61	1.73	9	7
1:A:25:LEU:CD2	1:A:54:ALA:HB3	0.60	2.26	40	4
1:A:31:ASP:C	1:A:32:LEU:HD23	0.60	2.16	10	11
1:A:57:ASN:O	1:A:61:VAL:HG23	0.60	1.95	40	1
1:A:79:LEU:HD12	1:A:80:HIS:N	0.59	2.12	19	1
1:A:28:LYS:CG	1:A:75:ILE:HD11	0.59	2.27	25	2
1:A:49:GLN:CB	1:A:54:ALA:HB2	0.59	2.28	39	11
1:A:9:LEU:CD1	1:A:79:LEU:HD12	0.58	2.28	33	3
1:A:70:LEU:HD22	1:A:70:LEU:C	0.58	2.18	18	2
1:A:70:LEU:HD13	1:A:71:SER:N	0.58	2.14	18	4
1:A:74:PHE:CE2	2:A:95:HEM:HMB3	0.57	2.33	27	12
1:A:29:VAL:HG12	1:A:76:ILE:HD11	0.57	1.76	25	3
1:A:49:GLN:HB3	1:A:54:ALA:HB2	0.56	1.77	8	9
1:A:75:ILE:H	1:A:75:ILE:HD13	0.56	1.60	34	1
1:A:67:ALA:CB	1:A:67:ALA:N	0.56	2.64	25	2
1:A:15:HIS:CD2	1:A:22:TRP:CZ3	0.56	2.93	39	10
1:A:39:HIS:CG	1:A:40:PRO:HD2	0.56	2.35	39	3
1:A:32:LEU:HD11	2:A:95:HEM:HAB	0.56	1.78	25	3
1:A:12:ILE:HG21	1:A:24:ILE:HD11	0.55	1.77	32	2
1:A:23:LEU:CD1	1:A:25:LEU:HD12	0.55	2.31	8	2
1:A:28:LYS:HB3	1:A:75:ILE:HD11	0.55	1.78	1	1
1:A:25:LEU:O	1:A:55:THR:HG23	0.55	2.01	35	3
1:A:32:LEU:O	1:A:36:LEU:HD13	0.55	2.01	39	1
1:A:12:ILE:HD13	1:A:24:ILE:HD11	0.55	1.77	34	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:72:LYS:HA	1:A:75:ILE:HD12	0.55	1.78	34	1
1:A:24:ILE:HG12	1:A:79:LEU:HD11	0.54	1.79	31	2
1:A:25:LEU:HD21	1:A:54:ALA:HB3	0.54	1.79	40	4
1:A:8:THR:HG23	1:A:80:HIS:ND1	0.54	2.18	12	1
1:A:70:LEU:C	1:A:70:LEU:HD22	0.54	2.22	6	2
1:A:32:LEU:HD22	1:A:74:PHE:CD2	0.54	2.38	4	9
1:A:76:ILE:C	1:A:76:ILE:HD12	0.53	2.24	25	1
1:A:35:PHE:CD1	1:A:74:PHE:CZ	0.53	2.96	14	4
1:A:24:ILE:CD1	1:A:79:LEU:HD11	0.53	2.33	12	1
2:A:95:HEM:CMC	2:A:95:HEM:HBC2	0.53	2.34	7	2
1:A:71:SER:HB3	2:A:95:HEM:HBB2	0.53	1.79	39	1
1:A:16:ASN:CB	1:A:50:ALA:HB1	0.52	2.33	25	1
1:A:30:TYR:CE2	1:A:71:SER:HB3	0.52	2.39	20	2
1:A:25:LEU:HD23	1:A:55:THR:HA	0.52	1.81	16	7
1:A:32:LEU:HD12	1:A:46:LEU:CD1	0.52	2.29	24	1
1:A:36:LEU:HD22	1:A:46:LEU:HD12	0.52	1.81	15	1
1:A:15:HIS:CD2	1:A:22:TRP:CE3	0.52	2.98	27	4
1:A:54:ALA:HB1	2:A:95:HEM:CMC	0.52	2.34	33	1
1:A:24:ILE:HD12	1:A:79:LEU:CD1	0.51	2.35	39	1
1:A:32:LEU:HB3	1:A:46:LEU:HD13	0.51	1.83	11	3
1:A:25:LEU:HD11	2:A:95:HEM:HMC2	0.51	1.83	8	3
1:A:28:LYS:HG2	1:A:75:ILE:HD11	0.51	1.81	25	3
1:A:36:LEU:HD12	1:A:46:LEU:HD12	0.51	1.83	32	1
1:A:67:ALA:HB2	2:A:95:HEM:C3A	0.51	2.41	39	1
1:A:74:PHE:O	1:A:76:ILE:HG23	0.51	2.05	39	1
2:A:95:HEM:HBC2	2:A:95:HEM:CMC	0.50	2.35	17	1
1:A:36:LEU:CD2	1:A:46:LEU:HB2	0.50	2.37	18	5
1:A:40:PRO:HG3	2:A:95:HEM:C2A	0.50	2.42	39	3
1:A:67:ALA:HB1	2:A:95:HEM:C4A	0.50	2.42	39	2
1:A:15:HIS:CE1	1:A:22:TRP:CE2	0.50	3.00	10	2
1:A:36:LEU:HA	1:A:46:LEU:HD12	0.50	1.83	8	1
1:A:39:HIS:CD2	1:A:40:PRO:CD	0.49	2.94	31	4
1:A:39:HIS:HD1	1:A:46:LEU:HD11	0.49	1.67	30	1
1:A:23:LEU:HD11	1:A:25:LEU:HD12	0.49	1.84	12	2
1:A:39:HIS:CD2	1:A:40:PRO:HD2	0.49	2.42	5	3
1:A:22:TRP:CZ2	1:A:76:ILE:HD13	0.49	2.41	39	5
1:A:45:VAL:HG23	1:A:46:LEU:CD2	0.49	2.37	27	2
1:A:35:PHE:CG	1:A:74:PHE:CZ	0.49	3.01	7	5
1:A:32:LEU:HD23	1:A:32:LEU:N	0.49	2.22	13	5
1:A:15:HIS:O	1:A:17:HIS:CD2	0.49	2.66	24	1
1:A:29:VAL:HG12	1:A:76:ILE:CD1	0.48	2.37	25	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:12:ILE:HG12	1:A:29:VAL:HG22	0.48	1.84	13	2
1:A:12:ILE:HG12	1:A:29:VAL:HG13	0.48	1.84	12	1
1:A:5:LYS:O	1:A:7:TYR:CD2	0.48	2.66	25	1
1:A:30:TYR:CE1	1:A:71:SER:CB	0.48	2.97	11	1
1:A:67:ALA:HB1	2:A:95:HEM:CHB	0.48	2.38	39	1
1:A:26:HIS:CD2	1:A:55:THR:HG23	0.48	2.44	33	1
1:A:23:LEU:C	1:A:23:LEU:HD12	0.48	2.29	33	3
1:A:29:VAL:HG22	1:A:79:LEU:HD12	0.48	1.84	12	2
1:A:11:GLU:O	1:A:15:HIS:CD2	0.48	2.66	39	2
1:A:9:LEU:H	1:A:9:LEU:HD12	0.48	1.68	16	1
1:A:9:LEU:HD13	1:A:79:LEU:HD13	0.47	1.85	19	1
1:A:46:LEU:HD23	1:A:46:LEU:N	0.47	2.24	4	1
1:A:15:HIS:CD2	1:A:22:TRP:CD2	0.47	3.02	25	1
1:A:23:LEU:HD21	1:A:32:LEU:CG	0.47	2.39	25	1
1:A:71:SER:CB	2:A:95:HEM:CBB	0.47	2.93	39	1
1:A:35:PHE:CD1	1:A:38:GLU:HB2	0.47	2.44	13	3
1:A:71:SER:OG	2:A:95:HEM:HMB3	0.47	2.10	6	1
1:A:23:LEU:HD13	1:A:25:LEU:HD21	0.47	1.86	40	1
1:A:8:THR:HG23	1:A:80:HIS:CE1	0.47	2.44	39	1
1:A:22:TRP:CZ2	1:A:76:ILE:CD1	0.46	2.98	39	4
1:A:12:ILE:HD11	1:A:79:LEU:HB2	0.46	1.88	40	1
1:A:21:THR:OG1	1:A:36:LEU:HD11	0.46	2.09	19	3
1:A:22:TRP:CE2	1:A:76:ILE:CD1	0.46	2.98	5	3
1:A:23:LEU:HD21	1:A:32:LEU:HD12	0.46	1.86	19	1
1:A:7:TYR:CD2	1:A:29:VAL:HG11	0.46	2.46	2	1
1:A:35:PHE:CD1	1:A:38:GLU:CB	0.46	2.98	39	1
1:A:24:ILE:HG12	1:A:79:LEU:HD21	0.46	1.87	15	2
1:A:47:ARG:HA	1:A:50:ALA:HB2	0.46	1.88	22	3
1:A:39:HIS:ND1	1:A:46:LEU:HD11	0.46	2.25	30	1
1:A:70:LEU:HD13	1:A:71:SER:H	0.45	1.71	13	1
1:A:32:LEU:HD22	1:A:74:PHE:HD2	0.45	1.71	13	1
1:A:24:ILE:HG23	1:A:28:LYS:O	0.45	2.11	18	1
1:A:71:SER:HB3	2:A:95:HEM:CBB	0.45	2.42	39	1
1:A:24:ILE:CD1	1:A:79:LEU:HD13	0.45	2.41	27	1
1:A:25:LEU:HD12	1:A:30:TYR:CD2	0.45	2.46	37	1
1:A:30:TYR:CE1	1:A:71:SER:HB3	0.45	2.47	25	1
1:A:29:VAL:CG2	1:A:79:LEU:HD22	0.45	2.42	16	1
1:A:32:LEU:N	1:A:32:LEU:HD23	0.45	2.26	4	2
1:A:70:LEU:HD22	1:A:70:LEU:O	0.45	2.12	18	1
1:A:45:VAL:HG13	1:A:46:LEU:HD23	0.45	1.88	5	1
1:A:29:VAL:HG22	1:A:79:LEU:HD22	0.44	1.88	16	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:29:VAL:HG23	1:A:79:LEU:CD1	0.44	2.43	32	1
1:A:26:HIS:CG	1:A:26:HIS:O	0.44	2.70	32	1
1:A:23:LEU:HD13	1:A:25:LEU:HG	0.44	1.90	4	1
1:A:43:GLU:H	1:A:43:GLU:CD	0.44	2.16	8	1
1:A:19:LYS:C	1:A:33:THR:HG23	0.44	2.33	3	2
1:A:46:LEU:N	1:A:46:LEU:HD23	0.44	2.28	10	1
1:A:29:VAL:HG23	1:A:79:LEU:N	0.44	2.28	40	1
1:A:74:PHE:CZ	2:A:95:HEM:HMB3	0.44	2.48	13	1
1:A:9:LEU:HA	1:A:12:ILE:HD12	0.44	1.89	40	1
1:A:30:TYR:CZ	1:A:71:SER:HB3	0.44	2.48	40	1
1:A:5:LYS:CB	1:A:7:TYR:CE2	0.43	3.02	11	1
1:A:30:TYR:HB3	1:A:32:LEU:HD21	0.43	1.91	6	1
1:A:58:PHE:CE1	1:A:63:HIS:HB2	0.43	2.49	6	1
1:A:39:HIS:ND1	1:A:46:LEU:HD21	0.43	2.28	5	1
1:A:67:ALA:CB	2:A:95:HEM:C4A	0.43	3.02	39	1
1:A:40:PRO:HG2	2:A:95:HEM:C3A	0.43	2.49	24	1
2:A:95:HEM:HMB2	2:A:95:HEM:HBB2	0.42	1.90	27	1
1:A:45:VAL:CG1	1:A:46:LEU:HD23	0.42	2.44	5	1
1:A:30:TYR:CE1	1:A:71:SER:O	0.42	2.72	39	1
1:A:30:TYR:CZ	1:A:71:SER:CB	0.42	3.03	40	1
1:A:74:PHE:CE2	2:A:95:HEM:CMB	0.42	3.01	27	4
1:A:8:THR:CG2	1:A:80:HIS:CE1	0.42	3.02	39	1
1:A:57:ASN:ND2	2:A:95:HEM:HBC1	0.42	2.30	21	1
1:A:12:ILE:HD11	1:A:79:LEU:CB	0.42	2.44	40	1
1:A:39:HIS:CG	1:A:40:PRO:CD	0.42	3.03	39	1
1:A:29:VAL:CG1	1:A:76:ILE:CD1	0.41	2.97	39	1
1:A:5:LYS:CE	1:A:5:LYS:HA	0.41	2.45	27	1
1:A:71:SER:HB2	2:A:95:HEM:CBB	0.41	2.45	27	1
1:A:20:SER:O	1:A:22:TRP:CD1	0.41	2.74	38	1
1:A:27:HIS:HA	1:A:79:LEU:HD22	0.41	1.92	24	2
1:A:23:LEU:HD12	1:A:23:LEU:C	0.41	2.36	10	1
1:A:25:LEU:HD11	2:A:95:HEM:HMC1	0.41	1.91	29	1
1:A:35:PHE:CD2	1:A:74:PHE:CE2	0.41	3.09	28	2
1:A:9:LEU:N	1:A:9:LEU:HD22	0.41	2.30	37	1
1:A:17:HIS:CE1	1:A:20:SER:HB2	0.41	2.51	39	1
1:A:15:HIS:CE1	1:A:22:TRP:CZ2	0.41	3.09	10	1
1:A:15:HIS:CE1	1:A:22:TRP:CH2	0.41	3.09	21	1
1:A:31:ASP:HB2	1:A:76:ILE:HG21	0.40	1.93	10	1
1:A:25:LEU:HD11	2:A:95:HEM:CMC	0.40	2.45	8	1
1:A:30:TYR:CE2	2:A:95:HEM:HBB1	0.40	2.51	37	1
1:A:25:LEU:HB2	1:A:30:TYR:CD2	0.40	2.50	7	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:12:ILE:HG21	1:A:24:ILE:CD1	0.40	2.46	9	1
1:A:61:VAL:HG11	1:A:63:HIS:CE1	0.40	2.52	40	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	76/94 (81%)	62±3 (81±4%)	11±3 (14±4%)	4±1 (5±2%)	4	25
All	All	3040/3760 (81%)	2463 (81%)	423 (14%)	154 (5%)	4	25

All 15 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	6	TYR	32
1	A	27	HIS	20
1	A	21	THR	19
1	A	63	HIS	16
1	A	19	LYS	14
1	A	18	SER	12
1	A	26	HIS	10
1	A	20	SER	9
1	A	36	LEU	7
1	A	41	GLY	6
1	A	64	SER	3
1	A	43	GLU	2
1	A	15	HIS	2
1	A	75	ILE	1
1	A	16	ASN	1

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR

entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	67/85 (79%)	52±3 (77±4%)	15±3 (23±4%)	3	30
All	All	2680/3400 (79%)	2075 (77%)	605 (23%)	3	30

All 50 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	75	ILE	39
1	A	48	GLU	29
1	A	33	THR	28
1	A	53	ASP	27
1	A	71	SER	26
1	A	32	LEU	26
1	A	73	THR	26
1	A	80	HIS	24
1	A	19	LYS	24
1	A	34	LYS	23
1	A	68	ARG	22
1	A	60	ASP	21
1	A	5	LYS	20
1	A	66	ASP	20
1	A	70	LEU	16
1	A	72	LYS	15
1	A	14	LYS	15
1	A	38	GLU	15
1	A	43	GLU	15
1	A	57	ASN	14
1	A	28	LYS	13
1	A	69	GLU	12
1	A	16	ASN	11
1	A	47	ARG	10
1	A	18	SER	9
1	A	13	LYS	9
1	A	20	SER	9
1	A	44	GLU	8
1	A	45	VAL	8
1	A	79	LEU	8
1	A	55	THR	8
1	A	59	GLU	6
1	A	56	GLU	5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	15	HIS	5
1	A	10	GLU	4
1	A	6	TYR	4
1	A	26	HIS	4
1	A	8	THR	3
1	A	9	LEU	3
1	A	78	GLU	3
1	A	39	HIS	3
1	A	64	SER	3
1	A	29	VAL	2
1	A	37	GLU	2
1	A	36	LEU	2
1	A	27	HIS	2
1	A	58	PHE	1
1	A	11	GLU	1
1	A	24	ILE	1
1	A	61	VAL	1

6.3.3 RNA ⓘ

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds for which Mogul statistics could be retrieved, the number of bonds that are observed in the model and the number of bonds that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length is the number of standard deviations the observed value is removed from the expected value. A bond length with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond lengths.

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
2	HEM	A	95	1	28,50,50	0.90±0.03	0±0 (0±0%)

In the following table, the Counts columns list the number of angles for which Mogul statistics could be retrieved, the number of angles that are observed in the model and the number of angles that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond angle is the number of standard deviations the observed value is removed from the expected value. A bond angle with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond angles.

Mol	Type	Chain	Res	Link	Bond angles		
					Counts	RMSZ	#Z>2
2	HEM	A	95	1	17,82,82	1.50±0.12	0±0 (0±0%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	95	1	-	0±0,6,54,54	0±0,0,8,8

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 49% for the well-defined parts and 44% for the entire structure.

7.1 Chemical shift list 1

File name: BMRB entry 4602

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	608
Number of shifts mapped to atoms	608
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	32

7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	0	—	None (insufficient data)
$^{13}\text{C}_\beta$	0	—	None (insufficient data)
$^{13}\text{C}'$	0	—	None (insufficient data)
^{15}N	70	-6.47 ± 1.04	Should be applied

7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 49%, i.e. 470 atoms were assigned a chemical shift out of a possible 953. 0 out of 11 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	213/378 (56%)	148/151 (98%)	0/152 (0%)	65/75 (87%)
Sidechain	219/463 (47%)	219/270 (81%)	0/177 (0%)	0/16 (0%)

Continued on next page...

Continued from previous page...

	Total	¹H	¹³C	¹⁵N
Aromatic	38/112 (34%)	38/61 (62%)	0/43 (0%)	0/8 (0%)
Overall	470/953 (49%)	405/482 (84%)	0/372 (0%)	65/99 (66%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 44%, i.e. 523 atoms were assigned a chemical shift out of a possible 1179. 0 out of 14 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹H	¹³C	¹⁵N
Backbone	240/464 (52%)	170/185 (92%)	0/188 (0%)	70/91 (77%)
Sidechain	245/603 (41%)	245/353 (69%)	0/228 (0%)	0/22 (0%)
Aromatic	38/112 (34%)	38/61 (62%)	0/43 (0%)	0/8 (0%)
Overall	523/1179 (44%)	453/599 (76%)	0/459 (0%)	70/121 (58%)

7.1.4 Statistically unusual chemical shifts ⓘ

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	63	HIS	HE1	-14.00	10.53 – 5.43	-43.1
1	A	39	HIS	HB2	16.61	4.91 – 1.31	37.5
1	A	63	HIS	HB2	10.45	4.91 – 1.31	20.4
1	A	63	HIS	HB3	10.01	5.00 – 1.10	17.8
1	A	40	PRO	HB3	-3.41	3.81 – 0.21	-15.1
1	A	63	HIS	HD2	13.00	9.28 – 4.78	13.3
1	A	39	HIS	HB3	7.42	5.00 – 1.10	11.2
1	A	25	LEU	HD13	-2.17	2.16 – -0.64	-10.5
1	A	25	LEU	HD12	-2.17	2.16 – -0.64	-10.5
1	A	25	LEU	HD11	-2.17	2.16 – -0.64	-10.5
1	A	65	THR	HB	1.57	5.82 – 2.52	-7.9
1	A	40	PRO	HG3	-0.62	3.56 – 0.26	-7.7
1	A	63	HIS	HA	7.54	6.81 – 2.41	6.7
1	A	76	ILE	HD13	-1.21	2.13 – -0.77	-6.5
1	A	76	ILE	HD12	-1.21	2.13 – -0.77	-6.5
1	A	76	ILE	HD11	-1.21	2.13 – -0.77	-6.5
1	A	64	SER	H	11.80	11.23 – 5.33	6.0
1	A	41	GLY	HA3	6.15	5.80 – 2.00	5.9
1	A	25	LEU	HD23	-0.90	2.14 – -0.66	-5.9
1	A	25	LEU	HD22	-0.90	2.14 – -0.66	-5.9
1	A	25	LEU	HD21	-0.90	2.14 – -0.66	-5.9
1	A	58	PHE	HB3	0.75	4.85 – 1.05	-5.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	41	GLY	HA2	6.15	5.87 – 2.07	5.7
1	A	42	GLY	HA2	6.14	5.87 – 2.07	5.7
1	A	23	LEU	HD23	-0.80	2.14 – -0.66	-5.5
1	A	23	LEU	HD22	-0.80	2.14 – -0.66	-5.5
1	A	23	LEU	HD21	-0.80	2.14 – -0.66	-5.5
1	A	54	ALA	HB3	0.01	2.61 – 0.11	-5.4
1	A	54	ALA	HB1	0.01	2.61 – 0.11	-5.4
1	A	54	ALA	HB2	0.01	2.61 – 0.11	-5.4
1	A	25	LEU	HG	-0.22	3.16 – -0.14	-5.2
1	A	42	GLY	HA3	5.80	5.80 – 2.00	5.0

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

