



wwPDB X-ray Structure Validation Summary Report ⓘ

Sep 17, 2017 – 05:35 PM EDT

PDB ID : 5DOY
Title : Crystal structure of the *Thermus thermophilus* 70S ribosome in complex with antibiotic Hygromycin A, mRNA and three tRNAs in the A, P and E sites at 2.6Å resolution
Authors : Polikanov, Y.S.; Starosta, A.L.; Juetten, M.F.; Altman, R.B.; Terry, D.S.; Lu, W.; Burnett, B.J.; Dinos, G.; Reynolds, K.; Blanchard, S.C.; Steitz, T.A.; Wilson, D.N.
Deposited on : unknown
Resolution : 2.60 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20029824
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20029824


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	2542 (2.60-2.60)
Clashscore	112137	2895 (2.60-2.60)
Ramachandran outliers	110173	2848 (2.60-2.60)
Sidechain outliers	110143	2848 (2.60-2.60)
RSRZ outliers	101464	2550 (2.60-2.60)
RNA backbone	2435	1140 (3.00-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1A	2915	<div> <div>2%</div> <div> <div></div> <div>57%</div> <div>33%</div> <div>8%</div> <div>.</div> </div> </div>
1	2A	2915	<div> <div>2%</div> <div> <div></div> <div>45%</div> <div>41%</div> <div>9%</div> <div>.</div> </div> </div>
2	1B	121	<div> <div></div> <div> <div>64%</div> <div>31%</div> <div>...</div> </div> </div>
2	2B	121	<div> <div>2%</div> <div> <div></div> <div>28%</div> <div>53%</div> <div>18%</div> <div>.</div> </div> </div>


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	1D	276	
3	2D	276	
4	1E	206	
4	2E	206	
5	1F	210	
5	2F	210	
6	1G	182	
6	2G	182	
7	1H	180	
7	2H	180	
8	1I	148	
8	2I	148	
9	1N	140	
9	2N	140	
10	1O	122	
10	2O	122	
11	1P	150	
11	2P	150	
12	1Q	141	
12	2Q	141	
13	1R	118	
13	2R	118	
14	1S	112	
14	2S	112	
15	1T	146	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
15	2T	146	
16	1U	118	
16	2U	118	
17	1V	101	
17	2V	101	
18	1W	113	
18	2W	113	
19	1X	96	
19	2X	96	
20	1Y	110	
20	2Y	110	
21	1Z	206	
21	2Z	206	
22	10	85	
22	20	85	
23	11	98	
23	21	98	
24	12	72	
24	22	72	
25	13	60	
25	23	60	
26	14	71	
26	24	71	
27	15	60	
27	25	60	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
28	16	54	
28	26	54	
29	17	49	
29	27	49	
30	18	65	
30	28	65	
31	19	37	
31	29	37	
32	1a	1521	
32	2a	1521	
33	1b	256	
33	2b	256	
34	1c	239	
34	2c	239	
35	1d	209	
35	2d	209	
36	1e	162	
36	2e	162	
37	1f	101	
37	2f	101	
38	1g	156	
38	2g	156	
39	1h	138	
39	2h	138	
40	1i	128	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
40	2i	128	
41	1j	105	
41	2j	105	
42	1k	129	
42	2k	129	
43	1l	132	
43	2l	132	
44	1m	126	
44	2m	126	
45	1n	61	
45	2n	61	
46	1o	89	
46	2o	89	
47	1p	88	
47	2p	88	
48	1q	105	
48	2q	105	
49	1r	88	
49	2r	88	
50	1s	93	
50	2s	93	
51	1t	106	
51	2t	106	
52	1u	27	
52	2u	27	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
53	1v	27	
53	2v	27	
54	1w	76	
54	1y	76	
54	2w	76	
54	2y	76	
55	1x	77	
55	2x	77	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
56	MG	17	101	-	-	-	X
56	MG	18	101	-	-	-	X
56	MG	1A	3030	-	-	-	X
56	MG	1A	3039	-	-	-	X
56	MG	1A	3094	-	-	-	X
56	MG	1A	3121	-	-	-	X
56	MG	1A	3123	-	-	-	X
56	MG	1A	3125	-	-	-	X
56	MG	1A	3126	-	-	-	X
56	MG	1A	3159	-	-	-	X
56	MG	1A	3162	-	-	-	X
56	MG	1A	3178	-	-	-	X
56	MG	1A	3192	-	-	-	X
56	MG	1A	3198	-	-	-	X
56	MG	1A	3199	-	-	-	X
56	MG	1A	3202	-	-	-	X
56	MG	1A	3234	-	-	-	X
56	MG	1A	3235	-	-	-	X
56	MG	1A	3249	-	-	-	X
56	MG	1A	3251	-	-	-	X
56	MG	1A	3268	-	-	-	X
56	MG	1A	3296	-	-	-	X
56	MG	1A	3313	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
56	MG	1A	3314	-	-	-	X
56	MG	1A	3315	-	-	-	X
56	MG	1A	3317	-	-	-	X
56	MG	1A	3319	-	-	-	X
56	MG	1A	3362	-	-	-	X
56	MG	1A	3604	-	-	-	X
56	MG	1A	3652	-	-	-	X
56	MG	1A	3658	-	-	-	X
56	MG	1A	3670	-	-	-	X
56	MG	1A	3680	-	-	-	X
56	MG	1A	3736	-	-	-	X
56	MG	1A	3738	-	-	-	X
56	MG	1A	3762	-	-	-	X
56	MG	1A	3769	-	-	-	X
56	MG	1A	3770	-	-	-	X
56	MG	1A	3827	-	-	-	X
56	MG	1A	3897	-	-	-	X
56	MG	1A	3908	-	-	-	X
56	MG	1A	3910	-	-	-	X
56	MG	1A	3917	-	-	-	X
56	MG	1A	3919	-	-	-	X
56	MG	1A	3926	-	-	-	X
56	MG	1A	3929	-	-	-	X
56	MG	1A	3930	-	-	-	X
56	MG	1A	3934	-	-	-	X
56	MG	1A	3935	-	-	-	X
56	MG	1A	3940	-	-	-	X
56	MG	1A	3944	-	-	-	X
56	MG	1A	3947	-	-	-	X
56	MG	1A	3957	-	-	-	X
56	MG	1A	3958	-	-	-	X
56	MG	1A	3965	-	-	-	X
56	MG	1B	3003	-	-	-	X
56	MG	1B	3011	-	-	-	X
56	MG	1B	3024	-	-	-	X
56	MG	1F	304	-	-	-	X
56	MG	1F	307	-	-	-	X
56	MG	1N	3001	-	-	-	X
56	MG	1N	3004	-	-	-	X
56	MG	1N	3006	-	-	-	X
56	MG	1S	3001	-	-	-	X
56	MG	1X	3004	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
56	MG	1a	1608	-	-	-	X
56	MG	1a	1625	-	-	-	X
56	MG	1a	1644	-	-	-	X
56	MG	1a	1649	-	-	-	X
56	MG	1a	1653	-	-	-	X
56	MG	1a	1656	-	-	-	X
56	MG	1a	1669	-	-	-	X
56	MG	1a	1713	-	-	-	X
56	MG	1a	1730	-	-	-	X
56	MG	1a	1761	-	-	-	X
56	MG	1a	1837	-	-	-	X
56	MG	2A	3015	-	-	-	X
56	MG	2A	3022	-	-	-	X
56	MG	2A	3048	-	-	-	X
56	MG	2A	3071	-	-	-	X
56	MG	2A	3090	-	-	-	X
56	MG	2A	3104	-	-	-	X
56	MG	2A	3123	-	-	-	X
56	MG	2A	3159	-	-	-	X
56	MG	2A	3167	-	-	-	X
56	MG	2A	3201	-	-	-	X
56	MG	2A	3202	-	-	-	X
56	MG	2A	3205	-	-	-	X
56	MG	2A	3215	-	-	-	X
56	MG	2A	3264	-	-	-	X
56	MG	2A	3303	-	-	-	X
56	MG	2A	3304	-	-	-	X
56	MG	2A	3405	-	-	-	X
56	MG	2A	3421	-	-	-	X
56	MG	2A	3451	-	-	-	X
56	MG	2A	3481	-	-	-	X
56	MG	2A	3482	-	-	-	X
56	MG	2A	3495	-	-	-	X
56	MG	2A	3497	-	-	-	X
56	MG	2A	3559	-	-	-	X
56	MG	2A	3598	-	-	-	X
56	MG	2A	3622	-	-	-	X
56	MG	2A	3656	-	-	-	X
56	MG	2A	3659	-	-	-	X
56	MG	2A	3662	-	-	-	X
56	MG	2A	3664	-	-	-	X
56	MG	2A	3668	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
56	MG	2A	3669	-	-	-	X
56	MG	2D	301	-	-	-	X
56	MG	2D	303	-	-	-	X
56	MG	2F	302	-	-	-	X
56	MG	2Q	201	-	-	-	X
56	MG	2U	204	-	-	-	X
56	MG	2a	1633	-	-	-	X
56	MG	2a	1659	-	-	-	X
56	MG	2a	1679	-	-	-	X
56	MG	2a	1715	-	-	-	X
56	MG	2a	1738	-	-	-	X
56	MG	2a	1747	-	-	-	X
56	MG	2a	1787	-	-	-	X

2 Entry composition

There are 61 unique types of molecules in this entry. The entry contains 298925 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	1A	2871	Total	C	N	O	P	0	0	0
			61852	27531	11572	19878	2871			
1	2A	2800	Total	C	N	O	P	0	0	0
			60322	26848	11284	19390	2800			

- Molecule 2 is a RNA chain called 5S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	1B	120	Total	C	N	O	P	0	0	0
			2577	1146	476	835	120			
2	2B	120	Total	C	N	O	P	0	0	0
			2575	1146	476	833	120			

- Molecule 3 is a protein called 50S Ribosomal Protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	1D	275	Total	C	N	O	S	0	0	0
			2136	1349	423	361	3			
3	2D	275	Total	C	N	O	S	0	0	0
			2136	1349	423	361	3			

- Molecule 4 is a protein called 50S Ribosomal Protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	1E	204	Total	C	N	O	S	0	0	0
			1559	985	298	270	6			
4	2E	204	Total	C	N	O	S	0	0	0
			1559	985	298	270	6			

- Molecule 5 is a protein called 50S Ribosomal Protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	1F	203	Total	C	N	O	S	0	0	1
			1584	1009	298	275	2			
5	2F	203	Total	C	N	O	S	0	0	1
			1580	1007	297	274	2			

- Molecule 6 is a protein called 50S Ribosomal Protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	1G	181	Total	C	N	O	S	0	0	0
			1429	916	256	253	4			
6	2G	181	Total	C	N	O	S	0	0	0
			1428	913	258	253	4			

- Molecule 7 is a protein called 50S Ribosomal Protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	1H	174	Total	C	N	O	S	0	0	0
			1330	845	248	236	1			
7	2H	174	Total	C	N	O	S	0	0	0
			1330	845	248	236	1			

- Molecule 8 is a protein called 50S Ribosomal Protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	1I	146	Total	C	N	O	S	0	0	0
			1097	701	191	204	1			
8	2I	146	Total	C	N	O	S	0	0	0
			1064	681	186	196	1			

- Molecule 9 is a protein called 50S Ribosomal Protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	1N	140	Total	C	N	O	S	0	0	0
			1117	719	207	187	4			
9	2N	140	Total	C	N	O	S	0	0	0
			1117	719	207	187	4			

- Molecule 10 is a protein called 50S Ribosomal Protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	1O	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	2O	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			

- Molecule 11 is a protein called 50S Ribosomal Protein L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	1P	149	Total	C	N	O	S	0	0	0
			1135	706	230	196	3			
11	2P	149	Total	C	N	O	S	0	0	0
			1135	706	230	196	3			

- Molecule 12 is a protein called 50S Ribosomal Protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	1Q	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			
12	2Q	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			

- Molecule 13 is a protein called 50S Ribosomal Protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	1R	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			
13	2R	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			

- Molecule 14 is a protein called 50S Ribosomal Protein L18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
14	1S	110	Total	C	N	O	0	0	0
			873	550	174	149			
14	2S	110	Total	C	N	O	0	0	0
			870	549	173	148			

- Molecule 15 is a protein called 50S Ribosomal Protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	1T	131	Total	C	N	O	S	0	0	0
			1091	680	225	185	1			
15	2T	131	Total	C	N	O	S	0	0	0
			1083	675	224	183	1			

- Molecule 16 is a protein called 50S Ribosomal Protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	1U	116	Total	C	N	O	S	0	0	0
			959	608	201	149	1			
16	2U	116	Total	C	N	O	S	0	0	0
			959	608	201	149	1			

- Molecule 17 is a protein called 50S Ribosomal Protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	1V	101	Total	C	N	O	S	0	0	0
			771	495	140	135	1			
17	2V	101	Total	C	N	O	S	0	0	0
			771	495	140	135	1			

- Molecule 18 is a protein called 50S Ribosomal Protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
18	1W	112	Total	C	N	O	S	0	0	0
			886	557	174	153	2			
18	2W	112	Total	C	N	O	S	0	0	0
			886	557	174	153	2			

- Molecule 19 is a protein called 50S Ribosomal Protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	1X	95	Total	C	N	O	S	0	0	0
			750	488	135	126	1			
19	2X	95	Total	C	N	O	S	0	0	0
			750	488	135	126	1			

- Molecule 20 is a protein called 50S Ribosomal Protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	1Y	107	Total	C	N	O	S	0	0	0
			806	517	152	131	6			
20	2Y	107	Total	C	N	O	S	0	0	0
			806	517	152	131	6			

- Molecule 21 is a protein called 50S Ribosomal Protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	1Z	154	Total	C	N	O	S	0	0	0
			1240	795	222	220	3			
21	2Z	160	Total	C	N	O	S	0	0	0
			1271	814	228	227	2			

- Molecule 22 is a protein called 50S Ribosomal Protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	10	83	Total	C	N	O	S	0	0	0
			653	404	139	109	1			
22	20	83	Total	C	N	O	S	0	0	0
			653	404	139	109	1			

- Molecule 23 is a protein called 50S Ribosomal Protein L28.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	11	97	Total	C	N	O	S	0	0	0
			755	475	148	131	1			
23	21	97	Total	C	N	O	S	0	0	0
			755	475	148	131	1			

- Molecule 24 is a protein called 50S Ribosomal Protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	12	70	Total	C	N	O	S	0	0	0
			588	365	118	103	2			
24	22	70	Total	C	N	O	S	0	0	0
			588	365	118	103	2			

- Molecule 25 is a protein called 50S Ribosomal Protein L30.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
25	13	59	Total	C	N	O	0	0	0
			469	298	90	81			
25	23	59	Total	C	N	O	0	0	0
			464	296	90	78			

- Molecule 26 is a protein called 50S Ribosomal Protein L31.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	14	69	Total	C	N	O	S	0	0	0
			552	349	99	99	5			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	24	69	Total	C	N	O	S	0	0	0
			532	339	97	91	5			

- Molecule 27 is a protein called 50S Ribosomal Protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	15	59	Total	C	N	O	S	0	0	0
			455	285	89	76	5			
27	25	59	Total	C	N	O	S	0	0	0
			455	285	89	76	5			

- Molecule 28 is a protein called 50S Ribosomal Protein L33.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	16	53	Total	C	N	O	S	0	0	0
			453	281	91	77	4			
28	26	53	Total	C	N	O	S	0	0	0
			449	279	91	75	4			

- Molecule 29 is a protein called 50S Ribosomal Protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	17	48	Total	C	N	O	S	0	0	0
			418	257	104	55	2			
29	27	48	Total	C	N	O	S	0	0	0
			418	257	104	55	2			

- Molecule 30 is a protein called 50S Ribosomal Protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	18	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			
30	28	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			

- Molecule 31 is a protein called 50S Ribosomal Protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	19	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			
31	29	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			

- Molecule 32 is a RNA chain called 16S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	1a	1500	Total	C	N	O	P	0	0	0
			32246	14358	5975	10413	1500			
32	2a	1503	Total	C	N	O	P	0	0	0
			32327	14396	5990	10438	1503			

- Molecule 33 is a protein called 30S Ribosomal Protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	1b	231	Total	C	N	O	S	0	0	0
			1846	1179	331	331	5			
33	2b	231	Total	C	N	O	S	0	0	0
			1825	1167	326	327	5			

- Molecule 34 is a protein called 30S Ribosomal Protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	1c	206	Total	C	N	O	S	0	0	0
			1548	973	301	273	1			
34	2c	206	Total	C	N	O	S	0	0	0
			1542	968	300	273	1			

- Molecule 35 is a protein called 30S Ribosomal Protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
35	1d	208	Total	C	N	O	S	0	0	0
			1655	1038	326	284	7			
35	2d	208	Total	C	N	O	S	0	0	0
			1674	1050	333	284	7			

- Molecule 36 is a protein called 30S Ribosomal Protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
36	1e	148	Total	C	N	O	S	0	0	0
			1129	714	213	198	4			
36	2e	148	Total	C	N	O	S	0	0	0
			1133	716	214	199	4			

- Molecule 37 is a protein called 30S Ribosomal Protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	1f	100	Total	C	N	O	S	0	0	0
			810	514	144	149	3			
37	2f	100	Total	C	N	O	S	0	0	0
			816	516	146	151	3			

- Molecule 38 is a protein called 30S Ribosomal Protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	1g	155	Total	C	N	O	S	0	0	0
			1231	766	243	216	6			
38	2g	155	Total	C	N	O	S	0	0	0
			1235	769	244	216	6			

- Molecule 39 is a protein called 30S Ribosomal Protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	1h	137	Total	C	N	O	S	0	0	0
			1088	689	206	191	2			
39	2h	137	Total	C	N	O	S	0	0	0
			1088	689	206	191	2			

- Molecule 40 is a protein called 30S Ribosomal Protein S9.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
40	1i	127	Total	C	N	O	0	0	0
			983	623	193	167			
40	2i	127	Total	C	N	O	0	0	0
			978	619	190	169			

- Molecule 41 is a protein called 30S Ribosomal Protein S10.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
41	1j	97	Total	C	N	O	0	0	0
			709	440	138	131			
41	2j	96	Total	C	N	O	0	0	0
			714	445	138	131			

- Molecule 42 is a protein called 30S Ribosomal Protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	1k	114	Total	C	N	O	S	0	0	0
			829	516	155	155	3			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	2k	114	Total	C	N	O	S	0	0	0
			833	519	156	155	3			

- Molecule 43 is a protein called 30S Ribosomal Protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
43	1l	122	Total	C	N	O	S	0	0	0
			932	586	185	159	2			
43	2l	122	Total	C	N	O	S	0	0	0
			932	586	185	159	2			

- Molecule 44 is a protein called 30S Ribosomal Protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
44	1m	123	Total	C	N	O	S	0	0	0
			958	592	198	166	2			
44	2m	122	Total	C	N	O	S	0	0	0
			950	586	197	165	2			

- Molecule 45 is a protein called 30S Ribosomal Protein S14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
45	1n	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			
45	2n	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			

- Molecule 46 is a protein called 30S Ribosomal Protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
46	1o	88	Total	C	N	O	S	0	0	0
			728	456	144	126	2			
46	2o	88	Total	C	N	O	S	0	0	0
			728	456	144	126	2			

- Molecule 47 is a protein called 30S Ribosomal Protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
47	1p	82	Total	C	N	O	S	0	0	0
			681	433	134	113	1			
47	2p	82	Total	C	N	O	S	0	0	0
			677	430	133	113	1			

- Molecule 48 is a protein called 30S Ribosomal Protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	1q	99	Total	C	N	O	S	0	0	0
			823	528	151	142	2			
48	2q	99	Total	C	N	O	S	0	0	0
			823	528	151	142	2			

- Molecule 49 is a protein called 30S Ribosomal Protein S18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
49	1r	68	Total	C	N	O		0	0	0
			555	355	108	92				
49	2r	68	Total	C	N	O		0	0	0
			555	355	108	92				

- Molecule 50 is a protein called 30S Ribosomal Protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	1s	83	Total	C	N	O	S	0	0	0
			652	417	120	113	2			
50	2s	83	Total	C	N	O	S	0	0	0
			646	412	119	113	2			

- Molecule 51 is a protein called 30S Ribosomal Protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
51	1t	96	Total	C	N	O	S	0	0	0
			728	446	156	124	2			
51	2t	96	Total	C	N	O	S	0	0	0
			727	446	155	124	2			

- Molecule 52 is a protein called 30S Ribosomal Protein THX.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
52	1u	23	Total	C	N	O	0	0	0
			199	122	48	29			
52	2u	23	Total	C	N	O	0	0	0
			199	122	48	29			

- Molecule 53 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
53	1v	14	Total	C	N	O	P	0	0	0
			281	125	51	91	14			
53	2v	13	Total	C	N	O	P	0	0	0
			277	125	51	88	13			

- Molecule 54 is a RNA chain called A-site and E-site tRNAs.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
54	1w	75	Total 1574	C 704	N 283	O 512	P 73	S 2	0	0	1
54	1y	74	Total 1581	C 707	N 285	O 515	P 73	S 1	0	0	0
54	2w	74	Total 1547	C 688	N 278	O 507	P 73	S 1	0	0	1
54	2y	73	Total 1561	C 698	N 283	O 507	P 72	S 1	0	0	0

- Molecule 55 is a RNA chain called P-site tRNA.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
55	1x	76	Total	C	N	O	P	S	0	0	0
			1635	731	295	531	76	2			
55	2x	76	Total	C	N	O	P	S	0	0	0
			1635	731	295	531	76	2			

- Molecule 56 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	2E	5	Total	Mg	0	0
			5	5		
56	17	2	Total	Mg	0	0
			2	2		
56	2d	1	Total	Mg	0	0
			1	1		
56	1T	3	Total	Mg	0	0
			3	3		
56	1N	7	Total	Mg	0	0
			7	7		
56	20	3	Total	Mg	0	0
			3	3		
56	18	2	Total	Mg	0	0
			2	2		
56	1Y	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	13	3	Total 3	Mg 3	0	0
56	1f	2	Total 2	Mg 2	0	0
56	1P	4	Total 4	Mg 4	0	0
56	2B	18	Total 18	Mg 18	0	0
56	2a	196	Total 196	Mg 196	0	0
56	1E	6	Total 6	Mg 6	0	0
56	1b	2	Total 2	Mg 2	0	0
56	2l	2	Total 2	Mg 2	0	0
56	2F	4	Total 4	Mg 4	0	0
56	16	1	Total 1	Mg 1	0	0
56	28	1	Total 1	Mg 1	0	0
56	2e	1	Total 1	Mg 1	0	0
56	1W	6	Total 6	Mg 6	0	0
56	1A	963	Total 963	Mg 963	0	0
56	1t	1	Total 1	Mg 1	0	0
56	2p	1	Total 1	Mg 1	0	0
56	2P	1	Total 1	Mg 1	0	0
56	1X	4	Total 4	Mg 4	0	0
56	12	1	Total 1	Mg 1	0	0
56	1y	2	Total 2	Mg 2	0	0
56	1S	2	Total 2	Mg 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	2T	1	Total 1	Mg 1	0	0
56	1D	5	Total 5	Mg 5	0	0
56	23	1	Total 1	Mg 1	0	0
56	1e	1	Total 1	Mg 1	0	0
56	2G	1	Total 1	Mg 1	0	0
56	1I	1	Total 1	Mg 1	0	0
56	2f	2	Total 2	Mg 2	0	0
56	1V	2	Total 2	Mg 2	0	0
56	2X	1	Total 1	Mg 1	0	0
56	1w	6	Total 6	Mg 6	0	0
56	1a	239	Total 239	Mg 239	0	0
56	2Q	4	Total 4	Mg 4	0	0
56	15	2	Total 2	Mg 2	0	0
56	1x	10	Total 10	Mg 10	0	0
56	2j	2	Total 2	Mg 2	0	0
56	1R	3	Total 3	Mg 3	0	0
56	26	1	Total 1	Mg 1	0	0
56	2v	1	Total 1	Mg 1	0	0
56	2U	4	Total 4	Mg 4	0	0
56	1G	4	Total 4	Mg 4	0	0
56	2O	2	Total 2	Mg 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	1l	3	Total 3	Mg 3	0	0
56	1d	2	Total 2	Mg 2	0	0
56	2r	1	Total 1	Mg 1	0	0
56	2g	1	Total 1	Mg 1	0	0
56	1v	1	Total 1	Mg 1	0	0
56	2x	2	Total 2	Mg 2	0	0
56	2R	1	Total 1	Mg 1	0	0
56	1Z	5	Total 5	Mg 5	0	0
56	2D	4	Total 4	Mg 4	0	0
56	2q	2	Total 2	Mg 2	0	0
56	1U	5	Total 5	Mg 5	0	0
56	1O	6	Total 6	Mg 6	0	0
56	19	2	Total 2	Mg 2	0	0
56	1l	3	Total 3	Mg 3	0	0
56	2V	1	Total 1	Mg 1	0	0
56	1F	7	Total 7	Mg 7	0	0
56	10	4	Total 4	Mg 4	0	0
56	2t	1	Total 1	Mg 1	0	0
56	1Q	6	Total 6	Mg 6	0	0
56	2A	673	Total 673	Mg 673	0	0
56	2Z	1	Total 1	Mg 1	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	1B	29	Total	Mg	0	0
			29	29		
56	2w	3	Total	Mg	0	0
			3	3		

- Molecule 57 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	1A	1	Total	K	0	0
			1	1		
57	2A	1	Total	K	0	0
			1	1		

- Molecule 58 is Hygromycin A (three-letter code: HGR) (formula: C₂₃H₂₉NO₁₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
58	1A	1	Total	C	N	O	0	0
			36	23	1	12		
58	2A	1	Total	C	N	O	0	0
			36	23	1	12		

- Molecule 59 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
59	1Y	1	Total	Zn	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
59	14	1	Total	Zn	0	0
			1	1		
59	1n	1	Total	Zn	0	0
			1	1		
59	15	1	Total	Zn	0	0
			1	1		
59	29	1	Total	Zn	0	0
			1	1		
59	19	1	Total	Zn	0	0
			1	1		
59	26	1	Total	Zn	0	0
			1	1		
59	25	1	Total	Zn	0	0
			1	1		
59	24	1	Total	Zn	0	0
			1	1		
59	2n	1	Total	Zn	0	0
			1	1		
59	2Y	1	Total	Zn	0	0
			1	1		
59	16	1	Total	Zn	0	0
			1	1		

- Molecule 60 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe₄S₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
60	1d	1	Total	Fe	S	0	0
			8	4	4		
60	2d	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 61 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	1A	1577	Total	O	0	0
			1577	1577		
61	1B	43	Total	O	0	0
			43	43		
61	1D	23	Total	O	0	0
			23	23		
61	1E	25	Total	O	0	0
			25	25		
61	1F	17	Total	O	0	0
			17	17		
61	1G	3	Total	O	0	0
			3	3		
61	1H	1	Total	O	0	0
			1	1		
61	1N	3	Total	O	0	0
			3	3		
61	1O	4	Total	O	0	0
			4	4		
61	1P	20	Total	O	0	0
			20	20		
61	1Q	4	Total	O	0	0
			4	4		
61	1R	5	Total	O	0	0
			5	5		
61	1S	3	Total	O	0	0
			3	3		
61	1T	4	Total	O	0	0
			4	4		
61	1U	9	Total	O	0	0
			9	9		
61	1V	5	Total	O	0	0
			5	5		
61	1W	8	Total	O	0	0
			8	8		
61	1X	7	Total	O	0	0
			7	7		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	1Y	2	Total 2	O 2	0	0
61	1Z	1	Total 1	O 1	0	0
61	10	9	Total 9	O 9	0	0
61	11	3	Total 3	O 3	0	0
61	12	4	Total 4	O 4	0	0
61	13	3	Total 3	O 3	0	0
61	14	1	Total 1	O 1	0	0
61	15	4	Total 4	O 4	0	0
61	16	2	Total 2	O 2	0	0
61	17	5	Total 5	O 5	0	0
61	18	10	Total 10	O 10	0	0
61	19	1	Total 1	O 1	0	0
61	1a	287	Total 287	O 287	0	0
61	1e	1	Total 1	O 1	0	0
61	1h	1	Total 1	O 1	0	0
61	1i	1	Total 1	O 1	0	0
61	1l	4	Total 4	O 4	0	0
61	1m	1	Total 1	O 1	0	0
61	1n	1	Total 1	O 1	0	0
61	1o	1	Total 1	O 1	0	0
61	1p	1	Total 1	O 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	1q	1	Total 1	O 1	0	0
61	1s	1	Total 1	O 1	0	0
61	1v	3	Total 3	O 3	0	0
61	1w	8	Total 8	O 8	0	0
61	1x	6	Total 6	O 6	0	0
61	1y	1	Total 1	O 1	0	0
61	2A	1063	Total 1063	O 1063	0	0
61	2B	10	Total 10	O 10	0	0
61	2D	20	Total 20	O 20	0	0
61	2E	9	Total 9	O 9	0	0
61	2F	7	Total 7	O 7	0	0
61	2I	1	Total 1	O 1	0	0
61	2N	2	Total 2	O 2	0	0
61	2O	1	Total 1	O 1	0	0
61	2P	14	Total 14	O 14	0	0
61	2Q	1	Total 1	O 1	0	0
61	2R	3	Total 3	O 3	0	0
61	2T	2	Total 2	O 2	0	0
61	2U	1	Total 1	O 1	0	0
61	2V	2	Total 2	O 2	0	0
61	2W	2	Total 2	O 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	2X	3	Total 3	O 3	0	0
61	2Y	1	Total 1	O 1	0	0
61	2Z	1	Total 1	O 1	0	0
61	20	4	Total 4	O 4	0	0
61	21	3	Total 3	O 3	0	0
61	23	1	Total 1	O 1	0	0
61	25	2	Total 2	O 2	0	0
61	26	2	Total 2	O 2	0	0
61	28	5	Total 5	O 5	0	0
61	29	1	Total 1	O 1	0	0
61	2a	213	Total 213	O 213	0	0
61	2d	3	Total 3	O 3	0	0
61	2g	2	Total 2	O 2	0	0
61	2i	2	Total 2	O 2	0	0
61	2j	5	Total 5	O 5	0	0
61	2l	3	Total 3	O 3	0	0
61	2n	1	Total 1	O 1	0	0
61	2o	1	Total 1	O 1	0	0
61	2p	3	Total 3	O 3	0	0
61	2r	1	Total 1	O 1	0	0
61	2t	2	Total 2	O 2	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	2v	1	Total	O	0	0
			1	1		
61	2w	2	Total	O	0	0
			2	2		
61	2x	6	Total	O	0	0
			6	6		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 23S Ribosomal RNA




C2441	A2386	G2252	G2155	U2086	U1963	U1833	U1602	G1484	C1386	U1292	C1201	U1108	G1047
G2445	G2340	A2267	G2156	G2087	C1967	C1837	A1608	C1493	C1387	C1293	G1201	C1109	A1048
G2446	G2341	A2268	G2157	G2093	G1968	C1837	A1609	A1494	U1394	A1494	A1204	G1110	G1051
G2447	G2342	A2269	G2158	G2096	A1969	C1837	A1610	A1495	U1395	C1297	U1205	G1111	C1052
A2448	C2347	G2270	G2159	U2096	A1970	C1843	G1746	A1508	U1396	C1299	G1206	G1112	C1053
G2458	C2350	G2271	C2161	C2097	A1971	G1846	G1756	C1509	G1400	U1300	A1210	G1113	A1054
G2459	G2351	U2272	C2162	U2098	A1972	A1847	G1766	C1509A	G1401	A1301	U1211	G1114	G1055
C2461	A2352	A2273	C2163	U2099	G1985	G1848	A1759	A1509B	C1402	C1302	G1218	G1115	A1057
U2462	G2353	A2274	C2164	G2100	A1986	G1849	G1762	U1512	C1403	G1303	G1219	G1116	U1060
G2468	G2354	G2275	G2165	G2101	G1987	U1850	G1763	U1513	G1404	C1306	A1220	G1122	G1059
A2469	C2355	A2276	U2167	U2102	G1989	U1851	G1764	U1514	U1405	U1301	G1219	G1125	U
G2470	G2356	G2277	G2168	C2105	G1992	C1852	G1765	U1517	U1406	C1302	G1219	G1125	G1062
G2471	C2357	C2283	A2169	G2106	U1993	A1854	U1766	G1517	C1407	G1303	G1219	G1125	G1063
A2476	A2360	C2284	A2170	C2107	G1994	A1854	U1766	U1518	G1410	U1314	G1223	A1128	U1062
C2483	C2361	C2285	A2171	C2108	C1996	G1861	C1767	U1519	G1411	C1315	G1223	A1129	C1064
G2487	G2362	A2286	A2172	U2109	C1997	G1861	A1773	G1519	C1411	U1316	G1223	G1131	U1065
G2488	G2363	A2287	C2175	G2110	G1987	C1866	G1645	G1526	G1416	A1317	G1223	G1131	U1066
G2489	G2364	A2288	C2176	U2113	A2001	A1876	C1646	G1527	C1417	C1318	G1223	G1135	U1067
G2490	G2365	A2289	A2177	G2114	G2002	A1877	C1647	A1528	C1418	U1319	G1223	G1136	G1068
U2491	C2372	G2290	C2177	G2116	G2003	G1878	C1648	U1531	A1418	C1320	G1235	U1141	A1069
G2497	G2373	U2291	C2178	G2117	A2012	C1881	G1663	C1531	A1419	G1324	G1238	G1143	G1071
C2499	A2376	C2292	U2178	U2118	A2013	C1882	A1654	C1532	G1421	U1329	G1238	A1143	G1072
G2502	G2377	G2293	G2181	U2119	A2014	C1883	A1654	G	G1422	C1330	U1240	G1149	G1073
A2503	A2378	U2294	G2182	G2120	G2018	A1889	A1664	U	G1423	C1331	U1241	C1150	G1074
U2504	G2383	C2295	C2183	G2121	G2019	A1890	A1664	C	G1424	C1332	G1244	G1153	G1075
G2505	C2384	A2296	G2184	U2122	U2022	A1891	A1664	G1537	C1425	A1331	G1244	G1154	G1076
U2506	G2385	G2297	C2185	G2123	G2023	G1899	C1670	U1540	C1426	C1332	G1244	A1155	G1077
G2512	C2386	A2305	C2186	G2124	G2024	A1900	G1678	C1547	G1441	U1341	G1257	A1156	G1078
G2513	G2387	C2306	C2187	G2125	U2028	A1901	C1679	A1554	G1442	A1342	C1258	G1164	G1079
A2518	U2387	G2307	C2188	A2126	G2029	G1906	G1679	A1557	U1352	U1352	G1259	U1165	U1083
G2525	G2406	G2308	C2189	C2128	A2030	A1913	C1679	A1558	A1354	C1354	G1260	G1169	A1085
C2512	U2407	A2309	C2190	C2129	A2031	C1914	C1679	A1566	G1448	G1355	G1261	G1170	A1086
G2513	U2408	A2310	C2191	U2130	A2032	C1914	C1679	A1566	G1449	G1356	G1261	G1171	A1087
A2518	G2409	A2311	U2197	U2131	A2033	U1915	C1683	A1566	G1450	U1357	G1261	G1172	U1088
G2529	U2410	U2312	C2198	G2132	A2042	A1919	C1684	A1566	G1451	G1358	G1261	G1173	U1089
G2532	G2411	C2313	A2199	U2133	C2043	G1921	U1688	A1566	U1452	A1359	G1261	G1174	U1090
A2533	A2412	C2314	G2206	A2135	G2043	G1921	U1688	A1566	U1453	A1360	G1261	G1175	U1091
G2534	G2413	C2315	G2207	C2136	G2049	A1927	U1688	A1566	G1454	G1359	G1261	G1176	U1092
U2537	G2414	C2316	G2207	C2137	G2050	A1927	U1688	A1566	G1455	A1360	G1261	G1177	A1095
C2538	G2415	G2317	G2220	C2138	A2051	A1927	U1688	A1566	G1456	G1361	G1261	G1178	U1096
G2539	A2418	C2318	G2221	C2139	A2052	A1927	U1688	A1566	G1457	G1362	G1261	G1179	U1097
G2540	U2419	C2319	G2222	C2140	G2053	G1929	U1688	A1566	U1458	A1361	G1261	G1180	A1098
A2544	G2420	C2320	G2223	C2141	A2054	G1929	U1688	A1566	U1459	G1362	G1261	G1181	U1099
U2549	U2421	G2321	G2224	C2142	A2055	A1937	U1688	A1566	G1460	G1363	G1261	G1182	G1100
G2550	A2425	C2322	G2225	C2143	C2056	A1937	U1688	A1566	G1461	G1364	G1261	G1183	U1101
C2551	G2426	G2323	G2226	C2144	G2057	A1937	U1688	A1566	G1462	G1365	G1261	G1184	G1102
U2552	G2427	C2324	G2227	U2145	A2058	A1937	U1688	A1566	G1463	G1366	G1261	G1185	A1103
U2553	A2428	G2325	G2228	C2146	A2059	A1937	U1688	A1566	G1464	G1367	G1261	G1186	C1104
U2554	G2429	C2326	G2229	C2147	A2060	A1937	U1688	A1566	G1465	G1368	G1261	G1187	U1105
G2555	U2430	A2327	G2230	C2148	G2061	U1946	U1688	A1566	G1466	G1369	G1261	G1188	G1106
U2556	A2431	G2328	G2231	C2149	G2062	U1947	U1688	A1566	G1467	G1370	G1261	G1189	G1107
G2557	G2432	C2329	G2232	G2150	G2063	A1947	U1688	A1566	G1468	U1371	G1261	G1190	
	A2435	G2330	G2233	U2151	G2064	A1947	U1688	A1566	G1469	U1372	G1261	G1191	
	U2436	C2331	G2234	C2152	U2074	A1947	U1688	A1566	G1470	A1373	G1261	G1192	
	A2437	G2332	G2235	G2153	U2075	A1947	U1688	A1566	G1471	G1374	G1261	G1193	
	U2438	C2333	G2236	U2154	U2076	A1947	U1688	A1566	G1472	A1375	G1261	G1194	
	G2439	A2334	G2237	C2155	U2077	A1947	U1688	A1566	G1473	G1376	G1261	G1195	
	U2440	G2335	G2238	G2156	U2078	A1947	U1688	A1566	G1474	G1377	G1261	G1196	
	A2441	C2336	G2239	U2157	U2079	A1947	U1688	A1566	G1475	U1378	G1261	G1197	
	U2442	G2337	G2240	C2158	U2080	A1947	U1688	A1566	G1476	G1379	G1261	G1198	
	G2443	A2338	G2241	G2159	U2081	A1947	U1688	A1566	G1477	G1380	G1261	G1199	
	U2444	C2339	G2242	U2160	G2082	A1947	U1688	A1566	G1478	A1381	G1261	G1200	
	A2445	G2340	G2243	C2161	U2083	A1947	U1688	A1566	G1479	G1382	G1261	G1201	
	U2446	C2341	G2244	U2162	U2084	A1947	U1688	A1566	G1480	U1383	G1261	G1202	
	G2447	A2342	G2245	G2163	U2085	A1947	U1688	A1566	G1481	G1384	G1261	G1203	
	U2448	C2343	G2246	C2164	U2086	A1947	U1688	A1566	G1482	A1385	G1261	G1204	
	A2449	G2344	G2247	U2165	U2087	A1947	U1688	A1566	G1483	G1386	G1261	G1205	
	U2450	C2345	G2248	C2166	U2088	A1947	U1688	A1566	G1484	G1387	G1261	G1206	
	G2451	A2346	G2249	G2167	U2089	A1947	U1688	A1566	G1485	U1388	G1261	G1207	
	U2452	C2347	G2250	U2168	U2090	A1947	U1688	A1566	G1486	A1389	G1261	G1208	
	A2453	G2348	G2251	C2169	U2091	A1947	U1688	A1566	G1487	G1390	G1261	G1209	
	U2454	C2349	G2252	U2169	U2092	A1947	U1688	A1566	G1488	U1391	G1261	G1210	
	G2455	A2350	G2253	C2170	U2093	A1947	U1688	A1566	G1489	G1392	G1261	G1211	
	U2456	C2351	G2254	U2170	U2094	A1947	U1688	A1566	G1490	U1393	G1261	G1212	
	A2457	G2352	G2255	G2171	U2095	A1947	U1688	A1566	G1491	G1394	G1261	G1213	
	U2458	C2353	G2256	C2172	U2096	A1947	U1688	A1566	G1492	U1395	G1261	G1214	
	G2459	A2354	G2257	U2173	U2097	A1947	U1688	A1566	G1493	G1396	G1261	G1215	
	U2460	C2355	G2258	U2174	U2098	A1947	U1688	A1566	G1494	U1397	G1261	G1216	
	A2461	G2356	G2259	C2175	U2099	A1947	U1688	A1566	G1495	G1398	G1261	G1217	
	U2462	C2357	G2260	G2176	U2100	A1947	U1688	A1566	G1496	U1399	G1261	G1218	
	G2463	A2358	G2261	U2177	U2101	A1947	U1688	A1566	G1497	G1400	G1261	G1219	
	U2464	C2359	G2262	U2178	U2102	A1947	U1688	A1566	G1498	U1401	G1261	G1220	
	A2465	G2360	G2263	C2179	U2103	A1947	U1688	A1566	G1499	G1402	G1261	G1221	
	U2466	C2361	G2264	U2180	U2104	A1947	U1688	A1566	G1500	U1403	G1261	G1222	
	G2467	A2362	G2265	G2181	U2105	A1947	U1688	A1566	G1501	G1404	G1261	G1223	
	U2468	C2363	G2266	U2182	U2106	A1947	U1688	A1566	G1502	U1405	G1261	G1224	
	A2469	G2364	G2267	C2183	U2107	A1947	U1688	A1566	G1503	G1406	G1261	G1225	
	U2470	C2365	G2268	U2184	U2108	A1947	U1688	A1566	G1504	U1407	G1261	G1226	
	G2471	A2366	G2269	G2185	U2109	A1947	U1688	A1566	G1505	G1408	G1261	G1227	
	U2472	C2367	G2270	U2186	U2110	A1947	U1688	A1566	G1506	U1409	G1261	G1228	
	A2473	G2368	G2271	C2187	U2111	A1947	U1688	A1566	G1507	G1410	G1261	G1229	
	U2474	C2369	G2272	G2188	U2112	A1947	U1688	A1566	G1508	U1411	G1261	G1230	
	G2475	A2370	G2273	U2189	U2113	A1947	U1688	A1566	G1509	G1412	G1261	G1231	
	U2476	C2371	G2274	C2189	U2114	A1947	U1688	A1566	G1510	U1413	G1261	G1232	
	A2477	G2372	G2275	U2190	U2115	A1947	U1688	A1566	G1511	G1414	G1261	G1233	
	U2478	C2373	G2276	G2191	U2116	A1947	U1688	A1566	G1512	U			



U1955	G1835	G1756	C1636	A1545	A1469	G1389	G1309	G1225	A1148	A	G1024	C951	A878	C806
U1963	G1839	U1767	A1637	C1546	A1471	U1394	G1310	A1226	G1149	A	G1025	C952	A879	U807
G1967	A1847	G1762	C1638	C1547	G1474	U1396	U1312	G1227	C1150	A	U1026	A953	G880	G808
A1848	G1763	A1762	C1639	C1557	G1475	G1400	U1313	G1229	G1153	G	A1028	G956	G881	U810
A1853	G1764	G1764	A1641	A1558	G1479	G1401	C1314	C1230	G1154	U	A1029	G957	G882	U811
A1970	A1853	G1772	G1642	G1559	G1479	G1401	C1315	G1231	A1155	C	G1030	U958	G883	C812
G1987	G1857	G1772	G1643	G1560	G1482	G1404	C1318	G1232	G1160	G	A1032	C959	G884	U813
G1988	G1877	U1777	G1644	G1561	G1482	U1405	G1319	C1233	G1161	U	U1033	C961	A886	C817
G1989	G1878	U1778	G1645	G1562	G1484	U1406	C1320	G1235	G1162	A	G1036	G966	A887	C818
U1991	C1882	U1779	G1646	G1563	G1485	U1407	G1324	G1236	C1166	U	G1037	G967	A888	A819
G1992	G1883	U1780	G1647	G1564	G1486	G1407	G1327	A1237	U1167	A	C1038	C971	A889	A820
U1993	A1889	C1781	G1648	A1572	G1493	G1413	G1330	G1238	G1168	G	G1039	G972	A890	A821
C1996	A1890	C1782	A1654	A1573	C1493	G1414	C1331	G1239	U1169	A	G1040	G973	C982	A824
G1997	A1783	A1783	A1655	C1575	A1495	G1415	A1332	G1240	A	C	G1041	C974	U895	U827
G1998	A1785	A1785	C1656	U1576	A1496	G1416	A1333	G1241	G	C	C1042	C975	A896	U828
C1999	A1786	A1786	C1657	U1577	U1497	G1417	A1334	G1242	A	C	C1043	C976	C987	U829
C2000	A1787	A1787	C1658	U1578	U1498	G1418	A1335	G1243	U	C	G	C977	C988	A830
A2001	A1788	A1788	C1659	U1579	G1500	G1419	A1336	G1244	A	C	A	C978	C989	G831
G2002	A1800	C1790	A1664	G1580	C1501	G1420	G1337	A1251	G	C	A	C979	A900	U832
C2006	G1906	A1791	A1665	G1581	C1502	G1421	G1338	A1252	C1178	U	A	C980	C901	U833
G2010	A1912	U1794	C1666	A1582	U1503	G1422	G1339	U1253	C1181	C	A	C981	C902	C834
U2011	A1913	C1795	A1667	A1583	C1504	G1423	A1340	G1254	A1182	A	A	C982	C903	A835
G2012	C1914	U1796	U1671	A1584	A1507	G1424	G1341	G1255	G1183	C	C	C983	C904	U839
A2013	C1914	C1797	G1674	A1585	A1508	G1425	G1342	G1256	G1184	C	C	C984	A910	C840
A2014	A1919	U1798	C1675	C1586	C1509	G1426	G1343	G1257	G1185	C	A	C985	A911	A841
A2019	G1921	C1800	C1676	A1587	A1509A	U1431	C1344	A1264	G1186	C	A	C986	C912	U845
A2020	G1922	G1801	C1677	C1588	A1509B	U1432	U1352	U1267	U1187	C	G	C987	U913	C846
G2021	U1923	A1803	C1678	C1589	C1510	G1433	A1353	A1268	A1189	C	A	C988	A917	C847
A2022	C2024	C1804	C1679	U1590	G1511	A1434	A1354	A1269	G1118	C	G	C989	A918	U848
G2023	A1927	U1805	A1697	C1600	C1512	G1435	G1356	G1271	C1119	C	U	C990	G919	A849
C2025	G1928	U1806	A1698	A1603	U1513	C1436	U1357	A1272	C1121	C	U	C991	G920	U852
A2030	G1929	A1810	A1700	C1607	U1514	C1437	A1358	U1273	G1122	C	G	C992	C921	G853
A2031	U1931	A1811	A1701	C1608	G1515	G1441	A1359	U1199	G1125	C	G	C993	U922	G854
A2032	A1932	G1812	G1702	A1609	U1516	G1442	A1360	C1200	A1126	C	C	C994	G923	G855
A2033	G1933	G1813	G1703	C1607	U1517	A1445	G1364	C1201	C1202	C	U	C995	C924	C856
G2037	A1936	A1814	C1711	C1608	G1529	G1446	A1365	G1203	A1129	C	A	C996	C925	C857
G2038	A1937	A1815	C1712	A1610	G1530	C1450A	A1366	A1204	G1130	C	A	C1006	A926	U858
C2039	A1938	G1816	U1713	C1611	C1531	G1451	A1367	U1205	G1131	C	A	C1007	G927	G859
C2040	C1941	U1817	G1714	A1616	C1532	U1452	G1368	G1206	U1132	C	A	C1008	G928	U860
U2041	C1942	U1818	C1715	G1622	U1533	U1453	A1370	C1207	U1133	C	A	C1009	G932	A861
A2042	C1943	G1824	A1721	U1623	U	G1454	A1371	U1211	G1136	C	A	A1010	A933	G862
C2043	U1946	C1825	C1722	C1625	A	G1455	A1372	G1212	U1137	C	A	A1011	G938	A863
C2044	C1947	A1826	U1739	G1626	C1536	U1456	A1373	A1213	G1138	C	C	A1012	G939	G864
C2045	C1948	A1827	G1627	G1627	G1537	G1461	A1384	G1219	U1140	C	C	A1013	G940	A866
G2046	U1951	C1830	A1741	G1628	G1538	C1462	A1385	A1220	U1142	C	C	A1014	G941	U868
G2047	A1952	U1833	G1746	U1629	U1540	C1467	G1386	G1221	A1143	C	U	A1015	G942	G869
G2049	C1952	U1834	U1834	A1632	A1542	C1468	C1387	C1221A	G1144	C	U	A1016	G943	U870
							C1388	A1308	C1147	C	U	A1017	G944	A870
												A1018	A945	G873
												A1019	G946	G874
												A1020	G947	G875
												A1021	G948	
												U1023		




Chain 1B:




Chain 2B:







• Molecule 3: 50S Ribosomal Protein L2




• Molecule 4: 50S Ribosomal Protein L3




• Molecule 4: 50S Ribosomal Protein L3




- Molecule 7: 50S Ribosomal Protein L6




- Molecule 7: 50S Ribosomal Protein L6




- Molecule 8: 50S Ribosomal Protein L9




- Molecule 8: 50S Ribosomal Protein L9




- Molecule 9: 50S Ribosomal Protein L13




- Molecule 9: 50S Ribosomal Protein L13




- Molecule 10: 50S Ribosomal Protein L14




- Molecule 10: 50S Ribosomal Protein L14




- Molecule 11: 50S Ribosomal Protein L15



- Molecule 11: 50S Ribosomal Protein L15




- Molecule 12: 50S Ribosomal Protein L16







• Molecule 12: 50S Ribosomal Protein L16





• Molecule 13: 50S Ribosomal Protein L17



• Molecule 13: 50S Ribosomal Protein L17




• Molecule 14: 50S Ribosomal Protein L18



• Molecule 14: 50S Ribosomal Protein L18








• Molecule 15: 50S Ribosomal Protein L19



• Molecule 15: 50S Ribosomal Protein L19




• Molecule 16: 50S Ribosomal Protein L20



• Molecule 16: 50S Ribosomal Protein L20





• Molecule 17: 50S Ribosomal Protein L21







- Molecule 17: 50S Ribosomal Protein L21




- Molecule 18: 50S Ribosomal Protein L22




- Molecule 18: 50S Ribosomal Protein L22




- Molecule 19: 50S Ribosomal Protein L23



- Molecule 19: 50S Ribosomal Protein L23




- Molecule 20: 50S Ribosomal Protein L24




- Molecule 20: 50S Ribosomal Protein L24







• Molecule 21: 50S Ribosomal Protein L25




• Molecule 21: 50S Ribosomal Protein L25




• Molecule 22: 50S Ribosomal Protein L27




• Molecule 22: 50S Ribosomal Protein L27





• Molecule 23: 50S Ribosomal Protein L28








• Molecule 23: 50S Ribosomal Protein L28



• Molecule 24: 50S Ribosomal Protein L29





• Molecule 24: 50S Ribosomal Protein L29



• Molecule 25: 50S Ribosomal Protein L30




• Molecule 25: 50S Ribosomal Protein L30





• Molecule 26: 50S Ribosomal Protein L31



• Molecule 26: 50S Ribosomal Protein L31




● Molecule 27: 50S Ribosomal Protein L32



● Molecule 27: 50S Ribosomal Protein L32




● Molecule 28: 50S Ribosomal Protein L33





● Molecule 28: 50S Ribosomal Protein L33




● Molecule 29: 50S Ribosomal Protein L34




● Molecule 29: 50S Ribosomal Protein L34




● Molecule 30: 50S Ribosomal Protein L35



● Molecule 30: 50S Ribosomal Protein L35






• Molecule 33: 30S Ribosomal Protein S2

Chain 1b: 86% 10%




• Molecule 33: 30S Ribosomal Protein S2

Chain 2b: 13% 85% 5% 10%




• Molecule 34: 30S Ribosomal Protein S3

Chain 1c: 9% 84% 14%




ARG
PRO
GLU
LEU
PRO
LYS
LYS
ALA
GLU
ARG
PRO
ARG
ARG
ARG
ARG
PRO
ALA
VAL
ARG
VAL
LYS
LYS
GLU
GLU


• Molecule 34: 30S Ribosomal Protein S3




• Molecule 35: 30S Ribosomal Protein S4




• Molecule 35: 30S Ribosomal Protein S4




• Molecule 36: 30S Ribosomal Protein S5




• Molecule 36: 30S Ribosomal Protein S5







- Molecule 37: 30S Ribosomal Protein S6




- Molecule 37: 30S Ribosomal Protein S6




- Molecule 38: 30S Ribosomal Protein S7




- Molecule 38: 30S Ribosomal Protein S7



- Molecule 39: 30S Ribosomal Protein S8




- Molecule 39: 30S Ribosomal Protein S8



- Molecule 40: 30S Ribosomal Protein S9








- Molecule 40: 30S Ribosomal Protein S9





- Molecule 41: 30S Ribosomal Protein S10





- Molecule 41: 30S Ribosomal Protein S10




- Molecule 42: 30S Ribosomal Protein S11




- Molecule 42: 30S Ribosomal Protein S11



- Molecule 43: 30S Ribosomal Protein S12







- Molecule 43: 30S Ribosomal Protein S12




- Molecule 44: 30S Ribosomal Protein S13





- Molecule 44: 30S Ribosomal Protein S13




- Molecule 45: 30S Ribosomal Protein S14




- Molecule 45: 30S Ribosomal Protein S14




- Molecule 46: 30S Ribosomal Protein S15




- Molecule 46: 30S Ribosomal Protein S15




- Molecule 47: 30S Ribosomal Protein S16




- Molecule 47: 30S Ribosomal Protein S16




- Molecule 48: 30S Ribosomal Protein S17




- Molecule 48: 30S Ribosomal Protein S17





- Molecule 49: 30S Ribosomal Protein S18





- Molecule 49: 30S Ribosomal Protein S18





- Molecule 50: 30S Ribosomal Protein S19




• Molecule 50: 30S Ribosomal Protein S19





• Molecule 51: 30S Ribosomal Protein S20





• Molecule 51: 30S Ribosomal Protein S20




• Molecule 52: 30S Ribosomal Protein THX




• Molecule 52: 30S Ribosomal Protein THX




• Molecule 53: mRNA




- Molecule 53: mRNA




- Molecule 54: A-site and E-site tRNAs




- Molecule 54: A-site and E-site tRNAs




- Molecule 54: A-site and E-site tRNAs




- Molecule 54: A-site and E-site tRNAs



- Molecule 55: P-site tRNA



- Molecule 55: P-site tRNA





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	208.39Å 444.58Å 619.20Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	361.14 – 2.60 361.14 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.3 (361.14-2.60) 99.3 (361.14-2.60)	Depositor EDS
R_{merge}	0.19	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.29 (at 2.62Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.233 , 0.283 0.244 , 0.291	Depositor DCC
R_{free} test set	86608 reflections (5.29%)	DCC
Wilson B-factor (Å ²)	51.7	Xtriage
Anisotropy	0.120	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 61.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.37$, $\langle L^2 \rangle = 0.19$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	298925	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.63% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 5MU, ZN, 4SU, OMG, 2MU, MIA, SF4, 0TD, HGR, MG, M3O, 2MA, 2MG, 5MC, UR3, MA6, 4OC, M2G, 7MG, K, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1A	0.52	0/69009	0.95	67/107712 (0.1%)
1	2A	0.43	0/67293	0.93	46/105034 (0.0%)
2	1B	0.46	1/2882 (0.0%)	0.85	0/4494
2	2B	0.49	1/2879 (0.0%)	0.93	2/4487 (0.0%)
3	1D	0.38	0/2186	0.59	0/2944
3	2D	0.34	0/2186	0.59	0/2944
4	1E	0.37	0/1592	0.57	0/2149
4	2E	0.33	0/1592	0.56	1/2149 (0.0%)
5	1F	0.36	0/1619	0.55	0/2193
5	2F	0.33	0/1615	0.56	0/2188
6	1G	0.32	0/1454	0.53	0/1964
6	2G	0.31	0/1453	0.56	0/1963
7	1H	0.33	0/1356	0.52	0/1834
7	2H	0.29	0/1356	0.52	0/1834
8	1I	0.29	0/1112	0.54	0/1514
8	2I	0.28	0/1079	0.54	0/1475
9	1N	0.34	0/1144	0.55	0/1543
9	2N	0.28	0/1144	0.53	0/1543
10	1O	0.37	0/943	0.55	0/1269
10	2O	0.33	0/943	0.52	0/1269
11	1P	0.35	0/1152	0.55	0/1533
11	2P	0.32	0/1152	0.60	0/1533
12	1Q	0.39	0/1143	0.54	0/1527
12	2Q	0.33	0/1143	0.58	0/1527
13	1R	0.37	0/982	0.59	0/1312
13	2R	0.33	0/982	0.56	0/1312
14	1S	0.32	0/883	0.53	0/1176
14	2S	0.32	0/880	0.57	0/1172
15	1T	0.34	0/1105	0.52	0/1477
15	2T	0.31	0/1097	0.53	0/1468
16	1U	0.41	0/977	0.55	0/1301

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
16	2U	0.34	0/977	0.53	0/1301
17	1V	0.39	0/782	0.54	0/1049
17	2V	0.33	0/782	0.53	0/1049
18	1W	0.40	0/897	0.56	0/1205
18	2W	0.34	0/897	0.52	0/1205
19	1X	0.41	0/764	0.59	0/1025
19	2X	0.34	0/764	0.53	0/1025
20	1Y	0.35	0/819	0.55	0/1095
20	2Y	0.32	0/819	0.55	0/1095
21	1Z	0.32	0/1267	0.54	0/1717
21	2Z	0.28	0/1299	0.53	0/1763
22	10	0.38	0/662	0.57	0/881
22	20	0.31	0/662	0.54	0/881
23	11	0.35	0/762	0.54	0/1014
23	21	0.32	0/762	0.53	0/1014
24	12	0.31	0/590	0.53	0/781
24	22	0.29	0/590	0.45	0/781
25	13	0.34	0/474	0.53	0/635
25	23	0.30	0/469	0.52	0/630
26	14	0.34	0/565	0.66	0/761
26	24	0.31	0/545	0.66	0/737
27	15	0.39	0/469	0.62	0/635
27	25	0.31	0/469	0.57	1/635 (0.2%)
28	16	0.38	0/460	0.54	0/613
28	26	0.31	0/456	0.51	0/608
29	17	0.39	0/426	0.54	0/561
29	27	0.32	0/426	0.54	0/561
30	18	0.38	0/525	0.56	0/691
30	28	0.33	0/525	0.53	0/691
31	19	0.36	0/310	0.50	0/407
31	29	0.32	0/310	0.58	0/407
32	1a	0.38	0/35795	0.88	27/55864 (0.0%)
32	2a	0.37	0/35886	0.91	33/56005 (0.1%)
33	1b	0.29	0/1881	0.59	0/2542
33	2b	0.31	0/1860	0.57	0/2518
34	1c	0.28	0/1572	0.52	2/2126 (0.1%)
34	2c	0.29	0/1566	0.55	0/2119
35	1d	0.28	0/1685	0.51	0/2262
35	2d	0.28	0/1704	0.49	0/2284
36	1e	0.31	0/1145	0.54	0/1543
36	2e	0.29	0/1149	0.57	0/1548
37	1f	0.30	0/823	0.50	0/1115
37	2f	0.30	0/829	0.48	0/1123

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
38	1g	0.29	0/1250	0.53	0/1679
38	2g	0.29	0/1254	0.55	0/1683
39	1h	0.27	0/1108	0.54	0/1494
39	2h	0.27	0/1108	0.54	0/1494
40	1i	0.28	0/1002	0.57	1/1346 (0.1%)
40	2i	0.28	0/997	0.56	0/1343
41	1j	0.27	0/722	0.53	0/982
41	2j	0.29	0/727	0.56	0/988
42	1k	0.28	0/844	0.52	0/1145
42	2k	0.27	0/848	0.48	0/1149
43	1l	0.32	0/937	0.53	0/1260
43	2l	0.30	0/937	0.56	0/1260
44	1m	0.29	0/969	0.54	0/1302
44	2m	0.30	0/961	0.56	0/1291
45	1n	0.31	0/501	0.48	0/664
45	2n	0.29	0/501	0.48	0/664
46	1o	0.29	0/739	0.52	0/985
46	2o	0.27	0/739	0.54	0/985
47	1p	0.28	0/697	0.52	0/939
47	2p	0.29	0/693	0.52	0/935
48	1q	0.29	0/836	0.51	0/1117
48	2q	0.28	0/836	0.52	0/1117
49	1r	0.29	0/560	0.49	0/746
49	2r	0.28	0/560	0.52	0/746
50	1s	0.28	0/667	0.56	0/900
50	2s	0.32	0/661	0.62	0/893
51	1t	0.27	0/730	0.52	0/965
51	2t	0.27	0/729	0.53	0/965
52	1u	0.27	0/203	0.47	0/266
52	2u	0.30	0/203	0.50	0/266
53	1v	0.40	0/314	0.90	0/487
53	2v	0.40	0/310	0.87	0/480
54	1w	0.45	0/1585	1.14	11/2468 (0.4%)
54	1y	0.39	0/1602	1.02	3/2493 (0.1%)
54	2w	0.52	0/1562	1.21	5/2431 (0.2%)
54	2y	0.46	0/1579	1.10	4/2455 (0.2%)
55	1x	0.53	2/1700 (0.1%)	1.15	22/2650 (0.8%)
55	2x	0.45	0/1700	1.09	8/2650 (0.3%)
All	All	0.41	4/316623 (0.0%)	0.85	233/474025 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a

sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
26	14	0	1
50	2s	0	1
All	All	0	2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	2B	1	U	OP3-P	-10.32	1.48	1.61
2	1B	1	U	OP3-P	-10.29	1.48	1.61
55	1x	22	G	N7-C5	7.16	1.43	1.39
55	1x	46	G	C6-N1	5.15	1.43	1.39

The worst 5 of 233 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	2B	80	U	O4'-C1'-N1	11.58	117.47	108.20
32	2a	1420	C	OP1-P-O3'	-11.56	79.77	105.20
55	1x	46	G	C6-N1-C2	-10.60	118.74	125.10
32	1a	1027	C	C2-N1-C1'	10.47	130.32	118.80
1	1A	975	C	N1-C2-O2	-10.11	112.83	118.90

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
26	14	67	TYR	Peptide
50	2s	28	LYS	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1A	61852	0	31191	833	0
1	2A	60322	0	30426	1115	0
2	1B	2577	0	1305	34	0
2	2B	2575	0	1303	76	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	1D	2136	0	2218	59	0
3	2D	2136	0	2218	63	0
4	1E	1559	0	1618	40	0
4	2E	1559	0	1618	39	0
5	1F	1584	0	1625	39	0
5	2F	1580	0	1619	50	0
6	1G	1429	0	1447	39	0
6	2G	1428	0	1438	70	0
7	1H	1330	0	1407	35	0
7	2H	1330	0	1407	48	0
8	1I	1097	0	1140	33	0
8	2I	1064	0	1082	33	1
9	1N	1117	0	1184	23	0
9	2N	1117	0	1184	28	0
10	1O	933	0	996	20	0
10	2O	933	0	996	34	0
11	1P	1135	0	1212	33	0
11	2P	1135	0	1212	48	0
12	1Q	1122	0	1179	22	0
12	2Q	1122	0	1179	44	0
13	1R	968	0	1033	29	0
13	2R	968	0	1033	31	0
14	1S	873	0	927	19	0
14	2S	870	0	923	42	0
15	1T	1091	0	1151	21	0
15	2T	1083	0	1136	33	0
16	1U	959	0	1019	28	0
16	2U	959	0	1019	37	0
17	1V	771	0	830	15	0
17	2V	771	0	829	24	0
18	1W	886	0	940	14	0
18	2W	886	0	940	15	0
19	1X	750	0	814	21	0
19	2X	750	0	814	31	0
20	1Y	806	0	881	24	0
20	2Y	806	0	881	25	0
21	1Z	1240	0	1240	32	0
21	2Z	1271	0	1273	49	0
22	10	653	0	674	18	0
22	20	653	0	674	15	0
23	11	755	0	826	18	0
23	21	755	0	826	17	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
24	12	588	0	643	7	0
24	22	588	0	643	12	0
25	13	469	0	518	8	0
25	23	464	0	514	13	0
26	14	552	0	533	23	0
26	24	532	0	503	19	0
27	15	455	0	465	13	0
27	25	455	0	465	17	0
28	16	453	0	472	8	0
28	26	449	0	469	12	0
29	17	418	0	467	8	0
29	27	418	0	467	9	0
30	18	517	0	582	18	0
30	28	517	0	582	19	0
31	19	307	0	335	6	0
31	29	307	0	335	15	0
32	1a	32246	0	16296	0	1
32	2a	32327	0	16340	0	0
33	1b	1846	0	1867	0	0
33	2b	1825	0	1828	0	0
34	1c	1548	0	1535	0	0
34	2c	1542	0	1517	0	0
35	1d	1655	0	1671	0	0
35	2d	1674	0	1714	0	0
36	1e	1129	0	1185	0	0
36	2e	1133	0	1191	0	0
37	1f	810	0	804	0	0
37	2f	816	0	808	0	0
38	1g	1231	0	1238	0	0
38	2g	1235	0	1249	0	0
39	1h	1088	0	1126	0	0
39	2h	1088	0	1126	0	0
40	1i	983	0	986	0	0
40	2i	978	0	966	0	0
41	1j	709	0	650	0	0
41	2j	714	0	672	0	0
42	1k	829	0	825	0	0
42	2k	833	0	836	0	0
43	1l	932	0	981	0	0
43	2l	932	0	980	0	0
44	1m	958	0	1002	0	0
44	2m	950	0	988	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
45	1n	492	0	529	0	0
45	2n	492	0	529	0	0
46	1o	728	0	760	0	0
46	2o	728	0	760	0	0
47	1p	681	0	697	0	0
47	2p	677	0	686	0	0
48	1q	823	0	891	0	0
48	2q	823	0	891	0	0
49	1r	555	0	618	0	0
49	2r	555	0	618	0	0
50	1s	652	0	662	0	0
50	2s	646	0	644	0	0
51	1t	728	0	798	0	0
51	2t	727	0	796	0	0
52	1u	199	0	208	0	0
52	2u	199	0	208	0	0
53	1v	281	0	139	0	0
53	2v	277	0	140	0	0
54	1w	1574	0	810	0	0
54	1y	1581	0	805	0	0
54	2w	1547	0	783	0	0
54	2y	1561	0	796	0	0
55	1x	1635	0	838	0	0
55	2x	1635	0	838	0	0
56	10	4	0	0	0	0
56	11	3	0	0	0	0
56	12	1	0	0	0	0
56	13	3	0	0	0	0
56	15	2	0	0	0	0
56	16	1	0	0	0	0
56	17	2	0	0	0	0
56	18	2	0	0	0	0
56	19	2	0	0	0	0
56	1A	963	0	0	1	0
56	1B	29	0	0	0	0
56	1D	5	0	0	0	0
56	1E	6	0	0	0	0
56	1F	7	0	0	0	0
56	1G	4	0	0	0	0
56	1I	1	0	0	0	0
56	1N	7	0	0	0	0
56	1O	6	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
56	1P	4	0	0	0	0
56	1Q	6	0	0	0	0
56	1R	3	0	0	0	0
56	1S	2	0	0	0	0
56	1T	3	0	0	0	0
56	1U	5	0	0	0	0
56	1V	2	0	0	0	0
56	1W	6	0	0	0	0
56	1X	4	0	0	0	0
56	1Y	1	0	0	0	0
56	1Z	5	0	0	0	0
56	1a	239	0	0	0	0
56	1b	2	0	0	0	0
56	1d	2	0	0	0	0
56	1e	1	0	0	0	0
56	1f	2	0	0	0	0
56	1l	3	0	0	0	0
56	1t	1	0	0	0	0
56	1v	1	0	0	0	0
56	1w	6	0	0	0	0
56	1x	10	0	0	0	0
56	1y	2	0	0	0	0
56	20	3	0	0	0	0
56	23	1	0	0	0	0
56	26	1	0	0	0	0
56	28	1	0	0	0	0
56	2A	673	0	0	0	0
56	2B	18	0	0	0	0
56	2D	4	0	0	0	0
56	2E	5	0	0	0	0
56	2F	4	0	0	0	0
56	2G	1	0	0	0	0
56	2O	2	0	0	0	0
56	2P	1	0	0	0	0
56	2Q	4	0	0	0	0
56	2R	1	0	0	0	0
56	2T	1	0	0	0	0
56	2U	4	0	0	0	0
56	2V	1	0	0	0	0
56	2X	1	0	0	0	0
56	2Z	1	0	0	0	0
56	2a	196	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
56	2d	1	0	0	0	0
56	2e	1	0	0	0	0
56	2f	2	0	0	0	0
56	2g	1	0	0	0	0
56	2j	2	0	0	0	0
56	2l	2	0	0	0	0
56	2p	1	0	0	0	0
56	2q	2	0	0	0	0
56	2r	1	0	0	0	0
56	2t	1	0	0	0	0
56	2v	1	0	0	0	0
56	2w	3	0	0	0	0
56	2x	2	0	0	0	0
57	1A	1	0	0	0	0
57	2A	1	0	0	0	0
58	1A	36	0	29	2	0
58	2A	36	0	29	4	0
59	14	1	0	0	0	0
59	15	1	0	0	0	0
59	16	1	0	0	0	0
59	19	1	0	0	0	0
59	1Y	1	0	0	0	0
59	1n	1	0	0	0	0
59	24	1	0	0	0	0
59	25	1	0	0	0	0
59	26	1	0	0	0	0
59	29	1	0	0	0	0
59	2Y	1	0	0	0	0
59	2n	1	0	0	0	0
60	1d	8	0	0	0	0
60	2d	8	0	0	0	0
61	10	9	0	0	2	0
61	11	3	0	0	0	0
61	12	4	0	0	0	0
61	13	3	0	0	0	0
61	14	1	0	0	0	0
61	15	4	0	0	0	0
61	16	2	0	0	0	0
61	17	5	0	0	0	0
61	18	10	0	0	0	0
61	19	1	0	0	0	0
61	1A	1577	0	0	94	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
61	1B	43	0	0	2	0
61	1D	23	0	0	0	0
61	1E	25	0	0	2	0
61	1F	17	0	0	0	0
61	1G	3	0	0	1	0
61	1H	1	0	0	0	0
61	1N	3	0	0	1	0
61	1O	4	0	0	1	0
61	1P	20	0	0	3	0
61	1Q	4	0	0	0	0
61	1R	5	0	0	0	0
61	1S	3	0	0	0	0
61	1T	4	0	0	0	0
61	1U	9	0	0	0	0
61	1V	5	0	0	0	0
61	1W	8	0	0	2	0
61	1X	7	0	0	0	0
61	1Y	2	0	0	1	0
61	1Z	1	0	0	0	0
61	1a	287	0	0	0	0
61	1e	1	0	0	0	0
61	1h	1	0	0	0	0
61	1i	1	0	0	0	0
61	1l	4	0	0	0	0
61	1m	1	0	0	0	0
61	1n	1	0	0	0	0
61	1o	1	0	0	0	0
61	1p	1	0	0	0	0
61	1q	1	0	0	0	0
61	1s	1	0	0	0	0
61	1v	3	0	0	0	0
61	1w	8	0	0	0	0
61	1x	6	0	0	0	0
61	1y	1	0	0	0	0
61	20	4	0	0	0	0
61	21	3	0	0	0	0
61	23	1	0	0	0	0
61	25	2	0	0	0	0
61	26	2	0	0	1	0
61	28	5	0	0	0	0
61	29	1	0	0	0	0
61	2A	1063	0	0	90	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
61	2B	10	0	0	1	0
61	2D	20	0	0	0	0
61	2E	9	0	0	1	0
61	2F	7	0	0	0	0
61	2I	1	0	0	0	0
61	2N	2	0	0	1	0
61	2O	1	0	0	0	0
61	2P	14	0	0	1	0
61	2Q	1	0	0	0	0
61	2R	3	0	0	0	0
61	2T	2	0	0	0	0
61	2U	1	0	0	0	0
61	2V	2	0	0	0	0
61	2W	2	0	0	0	0
61	2X	3	0	0	0	0
61	2Y	1	0	0	1	0
61	2Z	1	0	0	0	0
61	2a	213	0	0	0	0
61	2d	3	0	0	0	0
61	2g	2	0	0	0	0
61	2i	2	0	0	0	0
61	2j	5	0	0	0	0
61	2l	3	0	0	0	0
61	2n	1	0	0	0	0
61	2o	1	0	0	0	0
61	2p	3	0	0	0	0
61	2r	1	0	0	0	0
61	2t	2	0	0	0	0
61	2v	1	0	0	0	0
61	2w	2	0	0	0	0
61	2x	6	0	0	0	0
All	All	298925	0	196763	3133	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 3133 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:1A:1082:U:H3	1:1A:1086:A:N6	1.44	1.14
1:2A:79:G:H1	1:2A:90:U:H3	28.99	1.03

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:1A:1059:G:H1	1:1A:1079:C:N4	1.61	0.97
1:1A:2499:C:OP1	61:1A:4001:HOH:O	1.82	0.97
1:1A:631:A:OP1	11:1P:65:ARG:NH1	1.98	0.97

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
32:1a:358:U:OP1	8:2I:121:LYS:NZ[2_655]	2.11	0.09

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	1D	273/276 (99%)	259 (95%)	13 (5%)	1 (0%)	38	63
3	2D	273/276 (99%)	261 (96%)	11 (4%)	1 (0%)	38	63
4	1E	202/206 (98%)	194 (96%)	7 (4%)	1 (0%)	32	58
4	2E	202/206 (98%)	194 (96%)	6 (3%)	2 (1%)	18	37
5	1F	201/210 (96%)	195 (97%)	5 (2%)	1 (0%)	32	58
5	2F	201/210 (96%)	195 (97%)	4 (2%)	2 (1%)	18	37
6	1G	179/182 (98%)	167 (93%)	10 (6%)	2 (1%)	17	35
6	2G	179/182 (98%)	165 (92%)	12 (7%)	2 (1%)	17	35
7	1H	172/180 (96%)	162 (94%)	9 (5%)	1 (1%)	28	53
7	2H	172/180 (96%)	160 (93%)	11 (6%)	1 (1%)	28	53
8	1I	144/148 (97%)	126 (88%)	13 (9%)	5 (4%)	4	6
8	2I	144/148 (97%)	129 (90%)	14 (10%)	1 (1%)	25	49
9	1N	138/140 (99%)	130 (94%)	8 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
9	2N	138/140 (99%)	128 (93%)	10 (7%)	0	100	100
10	1O	120/122 (98%)	112 (93%)	7 (6%)	1 (1%)	22	44
10	2O	120/122 (98%)	112 (93%)	8 (7%)	0	100	100
11	1P	147/150 (98%)	139 (95%)	7 (5%)	1 (1%)	25	49
11	2P	147/150 (98%)	135 (92%)	10 (7%)	2 (1%)	13	26
12	1Q	139/141 (99%)	130 (94%)	9 (6%)	0	100	100
12	2Q	139/141 (99%)	131 (94%)	7 (5%)	1 (1%)	25	49
13	1R	116/118 (98%)	109 (94%)	7 (6%)	0	100	100
13	2R	116/118 (98%)	109 (94%)	7 (6%)	0	100	100
14	1S	108/112 (96%)	106 (98%)	2 (2%)	0	100	100
14	2S	108/112 (96%)	104 (96%)	3 (3%)	1 (1%)	20	40
15	1T	129/146 (88%)	119 (92%)	9 (7%)	1 (1%)	22	44
15	2T	129/146 (88%)	121 (94%)	8 (6%)	0	100	100
16	1U	114/118 (97%)	114 (100%)	0	0	100	100
16	2U	114/118 (97%)	114 (100%)	0	0	100	100
17	1V	99/101 (98%)	94 (95%)	4 (4%)	1 (1%)	18	37
17	2V	99/101 (98%)	96 (97%)	2 (2%)	1 (1%)	18	37
18	1W	110/113 (97%)	109 (99%)	1 (1%)	0	100	100
18	2W	110/113 (97%)	110 (100%)	0	0	100	100
19	1X	93/96 (97%)	89 (96%)	4 (4%)	0	100	100
19	2X	93/96 (97%)	88 (95%)	4 (4%)	1 (1%)	17	35
20	1Y	105/110 (96%)	97 (92%)	6 (6%)	2 (2%)	9	18
20	2Y	105/110 (96%)	99 (94%)	5 (5%)	1 (1%)	18	37
21	1Z	148/206 (72%)	128 (86%)	16 (11%)	4 (3%)	6	10
21	2Z	156/206 (76%)	131 (84%)	22 (14%)	3 (2%)	9	18
22	10	81/85 (95%)	78 (96%)	3 (4%)	0	100	100
22	20	81/85 (95%)	76 (94%)	3 (4%)	2 (2%)	6	11
23	11	95/98 (97%)	92 (97%)	2 (2%)	1 (1%)	17	35
23	21	95/98 (97%)	91 (96%)	3 (3%)	1 (1%)	17	35
24	12	68/72 (94%)	67 (98%)	1 (2%)	0	100	100
24	22	68/72 (94%)	66 (97%)	2 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
25	13	57/60 (95%)	56 (98%)	1 (2%)	0	100	100
25	23	57/60 (95%)	55 (96%)	2 (4%)	0	100	100
26	14	67/71 (94%)	53 (79%)	8 (12%)	6 (9%)	1	1
26	24	67/71 (94%)	52 (78%)	8 (12%)	7 (10%)	0	0
27	15	57/60 (95%)	55 (96%)	2 (4%)	0	100	100
27	25	57/60 (95%)	56 (98%)	1 (2%)	0	100	100
28	16	51/54 (94%)	49 (96%)	2 (4%)	0	100	100
28	26	51/54 (94%)	50 (98%)	1 (2%)	0	100	100
29	17	46/49 (94%)	44 (96%)	2 (4%)	0	100	100
29	27	46/49 (94%)	44 (96%)	1 (2%)	1 (2%)	8	14
30	18	62/65 (95%)	61 (98%)	1 (2%)	0	100	100
30	28	62/65 (95%)	60 (97%)	2 (3%)	0	100	100
31	19	35/37 (95%)	35 (100%)	0	0	100	100
31	29	35/37 (95%)	35 (100%)	0	0	100	100
33	1b	229/256 (90%)	197 (86%)	27 (12%)	5 (2%)	8	14
33	2b	229/256 (90%)	199 (87%)	21 (9%)	9 (4%)	3	4
34	1c	204/239 (85%)	183 (90%)	19 (9%)	2 (1%)	18	37
34	2c	204/239 (85%)	181 (89%)	20 (10%)	3 (2%)	12	24
35	1d	206/209 (99%)	191 (93%)	15 (7%)	0	100	100
35	2d	206/209 (99%)	191 (93%)	15 (7%)	0	100	100
36	1e	146/162 (90%)	142 (97%)	2 (1%)	2 (1%)	13	26
36	2e	146/162 (90%)	141 (97%)	5 (3%)	0	100	100
37	1f	98/101 (97%)	95 (97%)	3 (3%)	0	100	100
37	2f	98/101 (97%)	95 (97%)	3 (3%)	0	100	100
38	1g	153/156 (98%)	142 (93%)	9 (6%)	2 (1%)	14	29
38	2g	153/156 (98%)	140 (92%)	11 (7%)	2 (1%)	14	29
39	1h	135/138 (98%)	131 (97%)	4 (3%)	0	100	100
39	2h	135/138 (98%)	128 (95%)	6 (4%)	1 (1%)	25	49
40	1i	125/128 (98%)	108 (86%)	17 (14%)	0	100	100
40	2i	125/128 (98%)	107 (86%)	17 (14%)	1 (1%)	22	44
41	1j	95/105 (90%)	81 (85%)	8 (8%)	6 (6%)	1	1

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
41	2j	94/105 (90%)	80 (85%)	9 (10%)	5 (5%)	2	2
42	1k	112/129 (87%)	105 (94%)	7 (6%)	0	100	100
42	2k	112/129 (87%)	105 (94%)	7 (6%)	0	100	100
43	1l	119/132 (90%)	113 (95%)	6 (5%)	0	100	100
43	2l	119/132 (90%)	112 (94%)	7 (6%)	0	100	100
44	1m	121/126 (96%)	113 (93%)	6 (5%)	2 (2%)	11	21
44	2m	120/126 (95%)	110 (92%)	7 (6%)	3 (2%)	6	11
45	1n	58/61 (95%)	54 (93%)	4 (7%)	0	100	100
45	2n	58/61 (95%)	54 (93%)	4 (7%)	0	100	100
46	1o	86/89 (97%)	85 (99%)	1 (1%)	0	100	100
46	2o	86/89 (97%)	80 (93%)	4 (5%)	2 (2%)	7	13
47	1p	80/88 (91%)	75 (94%)	4 (5%)	1 (1%)	14	29
47	2p	80/88 (91%)	74 (92%)	5 (6%)	1 (1%)	14	29
48	1q	97/105 (92%)	90 (93%)	6 (6%)	1 (1%)	18	37
48	2q	97/105 (92%)	91 (94%)	6 (6%)	0	100	100
49	1r	66/88 (75%)	63 (96%)	3 (4%)	0	100	100
49	2r	66/88 (75%)	64 (97%)	2 (3%)	0	100	100
50	1s	81/93 (87%)	73 (90%)	6 (7%)	2 (2%)	6	11
50	2s	81/93 (87%)	72 (89%)	7 (9%)	2 (2%)	6	11
51	1t	94/106 (89%)	87 (93%)	2 (2%)	5 (5%)	2	2
51	2t	94/106 (89%)	87 (93%)	1 (1%)	6 (6%)	1	1
52	1u	21/27 (78%)	19 (90%)	2 (10%)	0	100	100
52	2u	21/27 (78%)	19 (90%)	2 (10%)	0	100	100
All	All	11370/12128 (94%)	10613 (93%)	636 (6%)	121 (1%)	17	35

5 of 121 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	1D	275	LYS
5	1F	130	ALA
6	1G	47	LYS
6	1G	51	ARG
7	1H	126	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	1D	215/218 (99%)	208 (97%)	7 (3%)	43	70
3	2D	215/218 (99%)	207 (96%)	8 (4%)	39	66
4	1E	164/166 (99%)	154 (94%)	10 (6%)	22	43
4	2E	164/166 (99%)	151 (92%)	13 (8%)	14	28
5	1F	160/166 (96%)	149 (93%)	11 (7%)	18	36
5	2F	159/166 (96%)	149 (94%)	10 (6%)	21	42
6	1G	144/156 (92%)	136 (94%)	8 (6%)	25	48
6	2G	143/156 (92%)	135 (94%)	8 (6%)	25	48
7	1H	144/148 (97%)	140 (97%)	4 (3%)	49	76
7	2H	144/148 (97%)	140 (97%)	4 (3%)	49	76
8	1I	113/124 (91%)	110 (97%)	3 (3%)	50	77
8	2I	105/124 (85%)	102 (97%)	3 (3%)	48	75
9	1N	118/119 (99%)	114 (97%)	4 (3%)	42	69
9	2N	118/119 (99%)	115 (98%)	3 (2%)	53	79
10	1O	100/100 (100%)	98 (98%)	2 (2%)	60	83
10	2O	100/100 (100%)	99 (99%)	1 (1%)	80	93
11	1P	115/116 (99%)	110 (96%)	5 (4%)	33	61
11	2P	115/116 (99%)	113 (98%)	2 (2%)	66	86
12	1Q	111/111 (100%)	110 (99%)	1 (1%)	82	93
12	2Q	111/111 (100%)	109 (98%)	2 (2%)	64	85
13	1R	101/101 (100%)	90 (89%)	11 (11%)	7	13
13	2R	101/101 (100%)	92 (91%)	9 (9%)	11	22
14	1S	86/88 (98%)	84 (98%)	2 (2%)	56	81
14	2S	85/88 (97%)	82 (96%)	3 (4%)	41	68
15	1T	115/127 (91%)	113 (98%)	2 (2%)	66	86
15	2T	113/127 (89%)	112 (99%)	1 (1%)	82	93

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
16	1U	93/94 (99%)	90 (97%)	3 (3%)	44	72
16	2U	93/94 (99%)	92 (99%)	1 (1%)	78	92
17	1V	80/82 (98%)	73 (91%)	7 (9%)	12	22
17	2V	80/82 (98%)	76 (95%)	4 (5%)	28	53
18	1W	90/92 (98%)	86 (96%)	4 (4%)	33	60
18	2W	90/92 (98%)	87 (97%)	3 (3%)	43	70
19	1X	77/78 (99%)	75 (97%)	2 (3%)	51	78
19	2X	77/78 (99%)	75 (97%)	2 (3%)	51	78
20	1Y	85/91 (93%)	81 (95%)	4 (5%)	30	57
20	2Y	85/91 (93%)	84 (99%)	1 (1%)	75	91
21	1Z	135/179 (75%)	131 (97%)	4 (3%)	46	74
21	2Z	137/179 (76%)	134 (98%)	3 (2%)	57	81
22	10	65/67 (97%)	64 (98%)	1 (2%)	70	88
22	20	65/67 (97%)	65 (100%)	0	100	100
23	11	80/83 (96%)	79 (99%)	1 (1%)	73	90
23	21	80/83 (96%)	80 (100%)	0	100	100
24	12	65/67 (97%)	64 (98%)	1 (2%)	70	88
24	22	65/67 (97%)	63 (97%)	2 (3%)	45	73
25	13	51/52 (98%)	49 (96%)	2 (4%)	37	65
25	23	50/52 (96%)	48 (96%)	2 (4%)	36	64
26	14	59/63 (94%)	53 (90%)	6 (10%)	8	16
26	24	53/63 (84%)	49 (92%)	4 (8%)	16	31
27	15	50/52 (96%)	46 (92%)	4 (8%)	14	27
27	25	50/52 (96%)	47 (94%)	3 (6%)	22	44
28	16	51/52 (98%)	49 (96%)	2 (4%)	37	65
28	26	50/52 (96%)	47 (94%)	3 (6%)	22	44
29	17	41/42 (98%)	40 (98%)	1 (2%)	54	80
29	27	41/42 (98%)	40 (98%)	1 (2%)	54	80
30	18	54/55 (98%)	52 (96%)	2 (4%)	39	66
30	28	54/55 (98%)	52 (96%)	2 (4%)	39	66
31	19	34/34 (100%)	34 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
31	29	34/34 (100%)	32 (94%)	2 (6%)	23	45
33	1b	192/220 (87%)	186 (97%)	6 (3%)	45	73
33	2b	187/220 (85%)	183 (98%)	4 (2%)	59	83
34	1c	142/188 (76%)	139 (98%)	3 (2%)	59	83
34	2c	140/188 (74%)	139 (99%)	1 (1%)	87	96
35	1d	169/181 (93%)	164 (97%)	5 (3%)	46	74
35	2d	173/181 (96%)	170 (98%)	3 (2%)	66	86
36	1e	113/123 (92%)	110 (97%)	3 (3%)	50	77
36	2e	114/123 (93%)	112 (98%)	2 (2%)	64	85
37	1f	84/90 (93%)	84 (100%)	0	100	100
37	2f	85/90 (94%)	85 (100%)	0	100	100
38	1g	119/127 (94%)	119 (100%)	0	100	100
38	2g	120/127 (94%)	117 (98%)	3 (2%)	53	79
39	1h	114/119 (96%)	112 (98%)	2 (2%)	64	85
39	2h	114/119 (96%)	113 (99%)	1 (1%)	82	93
40	1i	90/99 (91%)	86 (96%)	4 (4%)	33	60
40	2i	89/99 (90%)	85 (96%)	4 (4%)	32	59
41	1j	66/92 (72%)	65 (98%)	1 (2%)	70	88
41	2j	69/92 (75%)	68 (99%)	1 (1%)	71	89
42	1k	82/99 (83%)	80 (98%)	2 (2%)	54	80
42	2k	83/99 (84%)	82 (99%)	1 (1%)	75	91
43	1l	96/108 (89%)	92 (96%)	4 (4%)	34	62
43	2l	96/108 (89%)	94 (98%)	2 (2%)	59	83
44	1m	93/101 (92%)	91 (98%)	2 (2%)	57	81
44	2m	92/101 (91%)	90 (98%)	2 (2%)	57	81
45	1n	49/50 (98%)	45 (92%)	4 (8%)	13	26
45	2n	49/50 (98%)	45 (92%)	4 (8%)	13	26
46	1o	78/80 (98%)	78 (100%)	0	100	100
46	2o	78/80 (98%)	75 (96%)	3 (4%)	38	66
47	1p	69/74 (93%)	65 (94%)	4 (6%)	23	46
47	2p	68/74 (92%)	64 (94%)	4 (6%)	23	45

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
48	1q	94/97 (97%)	93 (99%)	1 (1%)	78	92
48	2q	94/97 (97%)	92 (98%)	2 (2%)	59	83
49	1r	59/77 (77%)	56 (95%)	3 (5%)	28	52
49	2r	59/77 (77%)	55 (93%)	4 (7%)	18	37
50	1s	69/80 (86%)	69 (100%)	0	100	100
50	2s	67/80 (84%)	67 (100%)	0	100	100
51	1t	70/82 (85%)	67 (96%)	3 (4%)	33	61
51	2t	70/82 (85%)	68 (97%)	2 (3%)	48	75
52	1u	18/22 (82%)	18 (100%)	0	100	100
52	2u	18/22 (82%)	18 (100%)	0	100	100
All	All	9304/10064 (92%)	9000 (97%)	304 (3%)	43	70

5 of 304 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
41	1j	92	THR
4	2E	12	THR
42	2k	114	VAL
43	1l	83	VAL
48	1q	78	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 100 such sidechains are listed below:

Mol	Chain	Res	Type
3	2D	116	GLN
12	2Q	13	GLN
40	2i	31	GLN
4	2E	48	GLN
9	2N	38	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	1A	2861/2915 (98%)	440 (15%)	33 (1%)
1	2A	2788/2915 (95%)	516 (18%)	30 (1%)
2	1B	120/121 (99%)	8 (6%)	1 (0%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	2B	118/121 (97%)	36 (30%)	0
32	1a	1494/1521 (98%)	226 (15%)	0
32	2a	1498/1521 (98%)	240 (16%)	0
53	1v	12/27 (44%)	3 (25%)	0
53	2v	12/27 (44%)	3 (25%)	0
54	1w	70/76 (92%)	18 (25%)	0
54	1y	71/76 (93%)	23 (32%)	0
54	2w	69/76 (90%)	20 (28%)	0
54	2y	69/76 (90%)	17 (24%)	0
55	1x	74/77 (96%)	9 (12%)	0
55	2x	74/77 (96%)	8 (10%)	0
All	All	9330/9626 (96%)	1567 (16%)	64 (0%)

5 of 1567 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	1A	10	G
1	1A	12	U
1	1A	13	A
1	1A	34	C
1	1A	45	C

5 of 64 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	1A	2183	C
1	2A	228	A
1	2A	2126	A
1	1A	2430	A
1	1A	2756	U

5.4 Non-standard residues in protein, DNA, RNA chains

86 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	PSU	1A	1911	1	16,21,22	1.42	2 (12%)	20,30,33	3.59	6 (30%)
1	5MU	1A	1915	1	14,22,23	0.72	0	16,32,35	2.16	2 (12%)
1	PSU	1A	1917	1	16,21,22	1.43	2 (12%)	20,30,33	3.49	6 (30%)
1	4OC	1A	1920	1	15,22,24	0.78	0	19,31,35	0.96	2 (10%)
1	5MU	1A	1939	1,56	14,22,23	0.72	0	16,32,35	2.19	3 (18%)
1	5MC	1A	1942	1	15,22,23	1.29	1 (6%)	17,32,35	1.24	2 (11%)
1	5MC	1A	1962	1	15,22,23	1.44	1 (6%)	17,32,35	0.99	2 (11%)
1	OMG	1A	2251	1,55,56	18,26,27	1.30	2 (11%)	22,38,41	2.29	6 (27%)
1	2MA	1A	2503	1,56	18,25,26	1.57	4 (22%)	17,37,40	1.82	2 (11%)
1	2MU	1A	2552	1,56	14,22,24	0.97	1 (7%)	18,31,36	1.86	1 (5%)
1	PSU	1A	2605	1	16,21,22	1.52	2 (12%)	20,30,33	3.54	6 (30%)
32	2MG	1a	1207	32	19,26,27	1.30	2 (10%)	20,38,41	2.49	9 (45%)
32	5MC	1a	1400	32	15,22,23	1.53	1 (6%)	17,32,35	0.99	2 (11%)
32	4OC	1a	1402	32	16,23,24	0.71	0	19,32,35	1.18	1 (5%)
32	5MC	1a	1404	32	15,22,23	1.46	2 (13%)	17,32,35	1.09	2 (11%)
32	5MC	1a	1407	32	15,22,23	1.40	1 (6%)	17,32,35	1.04	1 (5%)
32	UR3	1a	1498	32	14,22,23	0.87	1 (7%)	16,32,35	0.84	1 (6%)
32	MA6	1a	1518	32	16,26,27	0.97	1 (6%)	18,38,41	2.42	6 (33%)
32	MA6	1a	1519	32	16,26,27	1.01	1 (6%)	18,38,41	2.38	5 (27%)
32	PSU	1a	516	32,56	16,21,22	1.34	2 (12%)	20,30,33	3.42	6 (30%)
32	7MG	1a	527	32,56	20,26,27	1.63	2 (10%)	22,39,42	2.77	5 (22%)
32	M2G	1a	966	32	20,27,28	1.38	3 (15%)	21,40,43	2.19	6 (28%)
32	5MC	1a	967	32	15,22,23	1.44	1 (6%)	17,32,35	1.00	2 (11%)
43	0TD	1l	92	43	5,9,10	3.10	2 (40%)	3,11,13	11.33	1 (33%)
54	PSU	1w	32	54	16,21,22	1.21	1 (6%)	20,30,33	3.54	5 (25%)
54	MIA	1w	37	54	23,31,32	1.74	2 (8%)	25,44,47	1.34	5 (20%)
54	PSU	1w	39	54	16,21,22	1.37	1 (6%)	20,30,33	3.61	6 (30%)
54	7MG	1w	46	54	20,26,27	1.49	2 (10%)	22,39,42	2.82	5 (22%)
54	5MU	1w	54	54	14,22,23	0.78	1 (7%)	16,32,35	2.44	3 (18%)
54	PSU	1w	55	54	16,21,22	1.24	1 (6%)	20,30,33	3.71	6 (30%)
54	4SU	1w	8	54	14,21,22	1.22	1 (7%)	15,30,33	1.56	2 (13%)
55	5MC	1x	32	55	15,22,23	1.46	1 (6%)	17,32,35	1.12	2 (11%)
55	5MU	1x	54	55,56	14,22,23	0.77	0	16,32,35	2.50	3 (18%)
55	PSU	1x	55	55	16,21,22	1.64	2 (12%)	20,30,33	3.70	7 (35%)
55	M3O	1x	76	55,56	28,34,35	1.29	3 (10%)	29,47,50	2.37	5 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
55	4SU	1x	8	55	14,21,22	1.43	2 (14%)	15,30,33	2.40	2 (13%)
54	PSU	1y	32	54	16,21,22	1.20	1 (6%)	20,30,33	3.59	5 (25%)
54	MIA	1y	37	54	18,24,32	1.23	2 (11%)	17,35,47	1.85	2 (11%)
54	PSU	1y	39	54	16,21,22	1.41	3 (18%)	20,30,33	3.69	6 (30%)
54	7MG	1y	46	54	20,26,27	1.74	2 (10%)	22,39,42	2.83	5 (22%)
54	5MU	1y	54	54	14,22,23	0.66	0	16,32,35	2.91	2 (12%)
54	PSU	1y	55	54	16,21,22	1.28	2 (12%)	20,30,33	3.58	5 (25%)
54	4SU	1y	8	54	14,21,22	1.36	2 (14%)	15,30,33	1.48	2 (13%)
1	PSU	2A	1911	1	16,21,22	1.41	1 (6%)	20,30,33	3.59	7 (35%)
1	5MU	2A	1915	1	14,22,23	0.74	0	16,32,35	2.27	3 (18%)
1	PSU	2A	1917	1	16,21,22	1.33	1 (6%)	20,30,33	3.71	6 (30%)
1	4OC	2A	1920	1	15,22,24	0.71	0	19,31,35	0.80	0
1	5MU	2A	1939	1,56	14,22,23	0.82	1 (7%)	16,32,35	2.09	3 (18%)
1	5MC	2A	1942	1	15,22,23	1.40	1 (6%)	17,32,35	1.16	2 (11%)
1	5MC	2A	1962	1,56	15,22,23	1.37	1 (6%)	17,32,35	1.11	2 (11%)
1	OMG	2A	2251	1,55,56	18,26,27	1.29	3 (16%)	22,38,41	1.99	6 (27%)
1	2MA	2A	2503	1,56	18,25,26	1.51	3 (16%)	17,37,40	1.68	3 (17%)
1	2MU	2A	2552	1,56	14,22,24	1.03	1 (7%)	18,31,36	1.94	1 (5%)
1	PSU	2A	2605	1	16,21,22	1.40	1 (6%)	20,30,33	3.15	6 (30%)
32	2MG	2a	1207	32	19,26,27	1.25	2 (10%)	20,38,41	2.33	8 (40%)
32	5MC	2a	1400	32	15,22,23	1.35	1 (6%)	17,32,35	0.99	1 (5%)
32	4OC	2a	1402	32	16,23,24	0.67	0	19,32,35	1.41	1 (5%)
32	5MC	2a	1404	32	15,22,23	1.47	1 (6%)	17,32,35	1.08	2 (11%)
32	5MC	2a	1407	32	15,22,23	1.41	1 (6%)	17,32,35	1.07	1 (5%)
32	UR3	2a	1498	32	14,22,23	0.86	1 (7%)	16,32,35	0.76	1 (6%)
32	MA6	2a	1518	32	16,26,27	0.97	1 (6%)	18,38,41	2.43	5 (27%)
32	MA6	2a	1519	32	16,26,27	1.02	1 (6%)	18,38,41	2.29	4 (22%)
32	PSU	2a	516	32	16,21,22	1.28	1 (6%)	20,30,33	3.50	6 (30%)
32	7MG	2a	527	32,56	20,26,27	1.69	2 (10%)	22,39,42	2.68	6 (27%)
32	M2G	2a	966	32	20,27,28	1.46	3 (15%)	21,40,43	2.22	5 (23%)
32	5MC	2a	967	32,56	15,22,23	1.43	1 (6%)	17,32,35	1.07	2 (11%)
43	0TD	2l	92	43	5,9,10	3.18	2 (40%)	3,11,13	6.85	1 (33%)
54	PSU	2w	32	54	16,21,22	1.36	1 (6%)	20,30,33	3.64	6 (30%)
54	MIA	2w	37	54	18,24,32	1.19	2 (11%)	17,35,47	1.80	2 (11%)
54	PSU	2w	39	54	16,21,22	1.32	1 (6%)	20,30,33	3.86	5 (25%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
54	7MG	2w	46	54	20,26,27	1.69	2 (10%)	22,39,42	2.49	6 (27%)
54	5MU	2w	54	54	14,22,23	0.75	0	16,32,35	2.62	2 (12%)
54	PSU	2w	55	54	16,21,22	1.17	1 (6%)	20,30,33	3.72	6 (30%)
54	4SU	2w	8	54,56	14,21,22	1.23	1 (7%)	15,30,33	1.65	2 (13%)
55	5MC	2x	32	55	15,22,23	1.38	1 (6%)	17,32,35	1.03	1 (5%)
55	5MU	2x	54	55	14,22,23	0.77	0	16,32,35	2.22	3 (18%)
55	PSU	2x	55	55	16,21,22	1.38	1 (6%)	20,30,33	3.58	6 (30%)
55	M3O	2x	76	55,56	28,34,35	1.24	3 (10%)	29,47,50	2.35	5 (17%)
55	4SU	2x	8	55	14,21,22	1.24	2 (14%)	15,30,33	2.45	2 (13%)
54	PSU	2y	32	54	16,21,22	1.20	1 (6%)	20,30,33	3.64	6 (30%)
54	MIA	2y	37	54	18,24,32	1.28	2 (11%)	17,35,47	1.82	2 (11%)
54	PSU	2y	39	54	16,21,22	1.42	2 (12%)	20,30,33	3.25	7 (35%)
54	7MG	2y	46	54	20,26,27	1.72	2 (10%)	22,39,42	2.78	8 (36%)
54	5MU	2y	54	54	14,22,23	0.78	0	16,32,35	2.49	2 (12%)
54	PSU	2y	55	54	16,21,22	1.35	1 (6%)	20,30,33	3.56	6 (30%)
54	4SU	2y	8	54	14,21,22	1.28	1 (7%)	15,30,33	1.49	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PSU	1A	1911	1	-	0/7/25/26	0/2/2/2
1	5MU	1A	1915	1	-	0/3/25/26	0/2/2/2
1	PSU	1A	1917	1	-	0/7/25/26	0/2/2/2
1	4OC	1A	1920	1	-	0/5/27/30	0/2/2/2
1	5MU	1A	1939	1,56	-	0/3/25/26	0/2/2/2
1	5MC	1A	1942	1	-	0/3/25/26	0/2/2/2
1	5MC	1A	1962	1	-	0/3/25/26	0/2/2/2
1	OMG	1A	2251	1,55,56	-	0/5/27/28	0/3/3/3
1	2MA	1A	2503	1,56	-	0/3/25/26	0/3/3/3
1	2MU	1A	2552	1,56	-	0/5/27/28	0/2/2/2
1	PSU	1A	2605	1	-	0/7/25/26	0/2/2/2
32	2MG	1a	1207	32	-	0/5/27/28	0/3/3/3
32	5MC	1a	1400	32	-	0/3/25/26	0/2/2/2
32	4OC	1a	1402	32	-	0/7/29/30	0/2/2/2
32	5MC	1a	1404	32	-	0/3/25/26	0/2/2/2
32	5MC	1a	1407	32	-	0/3/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
32	UR3	1a	1498	32	-	0/3/25/26	0/2/2/2
32	MA6	1a	1518	32	-	0/7/29/30	0/3/3/3
32	MA6	1a	1519	32	-	0/7/29/30	0/3/3/3
32	PSU	1a	516	32,56	-	0/7/25/26	0/2/2/2
32	7MG	1a	527	32,56	-	0/7/37/38	0/3/3/3
32	M2G	1a	966	32	-	0/7/29/30	0/3/3/3
32	5MC	1a	967	32	-	0/3/25/26	0/2/2/2
43	0TD	1l	92	43	-	0/2/12/14	0/0/0/0
54	PSU	1w	32	54	-	0/7/25/26	0/2/2/2
54	MIA	1w	37	54	-	0/11/33/34	0/3/3/3
54	PSU	1w	39	54	-	0/7/25/26	0/2/2/2
54	7MG	1w	46	54	-	0/7/37/38	0/3/3/3
54	5MU	1w	54	54	-	0/3/25/26	0/2/2/2
54	PSU	1w	55	54	-	0/7/25/26	0/2/2/2
54	4SU	1w	8	54	-	0/3/25/26	0/2/2/2
55	5MC	1x	32	55	-	0/3/25/26	0/2/2/2
55	5MU	1x	54	55,56	-	0/3/25/26	0/2/2/2
55	PSU	1x	55	55	-	0/7/25/26	0/2/2/2
55	M3O	1x	76	55,56	-	1/18/40/41	0/3/3/3
55	4SU	1x	8	55	-	0/3/25/26	0/2/2/2
54	PSU	1y	32	54	-	0/7/25/26	0/2/2/2
54	MIA	1y	37	54	-	0/3/25/34	0/3/3/3
54	PSU	1y	39	54	-	0/7/25/26	0/2/2/2
54	7MG	1y	46	54	-	0/7/37/38	0/3/3/3
54	5MU	1y	54	54	-	0/3/25/26	0/2/2/2
54	PSU	1y	55	54	-	0/7/25/26	0/2/2/2
54	4SU	1y	8	54	-	0/3/25/26	0/2/2/2
1	PSU	2A	1911	1	-	0/7/25/26	0/2/2/2
1	5MU	2A	1915	1	-	0/3/25/26	0/2/2/2
1	PSU	2A	1917	1	-	0/7/25/26	0/2/2/2
1	4OC	2A	1920	1	-	0/5/27/30	0/2/2/2
1	5MU	2A	1939	1,56	-	0/3/25/26	0/2/2/2
1	5MC	2A	1942	1	-	0/3/25/26	0/2/2/2
1	5MC	2A	1962	1,56	-	0/3/25/26	0/2/2/2
1	OMG	2A	2251	1,55,56	-	0/5/27/28	0/3/3/3
1	2MA	2A	2503	1,56	-	0/3/25/26	0/3/3/3
1	2MU	2A	2552	1,56	-	0/5/27/28	0/2/2/2
1	PSU	2A	2605	1	-	0/7/25/26	0/2/2/2
32	2MG	2a	1207	32	-	0/5/27/28	0/3/3/3
32	5MC	2a	1400	32	-	0/3/25/26	0/2/2/2
32	4OC	2a	1402	32	-	0/7/29/30	0/2/2/2
32	5MC	2a	1404	32	-	0/3/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
32	5MC	2a	1407	32	-	0/3/25/26	0/2/2/2
32	UR3	2a	1498	32	-	0/3/25/26	0/2/2/2
32	MA6	2a	1518	32	-	0/7/29/30	0/3/3/3
32	MA6	2a	1519	32	-	0/7/29/30	0/3/3/3
32	PSU	2a	516	32	-	0/7/25/26	0/2/2/2
32	7MG	2a	527	32,56	-	0/7/37/38	0/3/3/3
32	M2G	2a	966	32	-	0/7/29/30	0/3/3/3
32	5MC	2a	967	32,56	-	0/3/25/26	0/2/2/2
43	0TD	2l	92	43	-	0/2/12/14	0/0/0/0
54	PSU	2w	32	54	-	0/7/25/26	0/2/2/2
54	MIA	2w	37	54	-	0/3/25/34	0/3/3/3
54	PSU	2w	39	54	-	0/7/25/26	0/2/2/2
54	7MG	2w	46	54	-	0/7/37/38	0/3/3/3
54	5MU	2w	54	54	-	0/3/25/26	0/2/2/2
54	PSU	2w	55	54	-	0/7/25/26	0/2/2/2
54	4SU	2w	8	54,56	-	0/3/25/26	0/2/2/2
55	5MC	2x	32	55	-	0/3/25/26	0/2/2/2
55	5MU	2x	54	55	-	0/3/25/26	0/2/2/2
55	PSU	2x	55	55	-	0/7/25/26	0/2/2/2
55	M3O	2x	76	55,56	-	1/18/40/41	0/3/3/3
55	4SU	2x	8	55	-	0/3/25/26	0/2/2/2
54	PSU	2y	32	54	-	0/7/25/26	0/2/2/2
54	MIA	2y	37	54	-	0/3/25/34	0/3/3/3
54	PSU	2y	39	54	-	0/7/25/26	0/2/2/2
54	7MG	2y	46	54	-	0/7/37/38	0/3/3/3
54	5MU	2y	54	54	-	0/3/25/26	0/2/2/2
54	PSU	2y	55	54	-	0/7/25/26	0/2/2/2
54	4SU	2y	8	54	-	0/3/25/26	0/2/2/2

The worst 5 of 117 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
54	1w	37	MIA	C2-S10	-6.80	1.70	1.75
43	2l	92	0TD	CB-SB	-6.03	1.69	1.84
43	1l	92	0TD	CB-SB	-5.99	1.69	1.84
55	1x	55	PSU	C5-C1'	-5.21	1.47	1.52
1	1A	2605	PSU	C5-C1'	-4.47	1.48	1.52

The worst 5 of 324 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
43	2l	92	0TD	CSB-SB-CB	-11.72	79.73	101.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
54	2w	39	PSU	N1-C2-N3	-10.71	120.70	128.40
55	1x	76	M3O	N3-C2-N1	-10.52	119.69	128.86
55	2x	76	M3O	N3-C2-N1	-10.30	119.89	128.86
54	2y	32	PSU	N1-C2-N3	-9.97	121.23	128.40

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
55	1x	76	M3O	OCN-CN-N-CA
55	2x	76	M3O	OCN-CN-N-CA

There are no ring outliers.

8 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	1A	1915	5MU	1	0
1	1A	1920	4OC	1	0
1	1A	2503	2MA	1	0
1	1A	2552	2MU	1	0
1	2A	1942	5MC	1	0
1	2A	2251	OMG	1	0
1	2A	2503	2MA	2	0
1	2A	2552	2MU	2	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 2319 ligands modelled in this entry, 2315 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
58	HGR	1A	3915	56	39,39,39	2.35	7 (17%)	48,58,58	1.76	12 (25%)
60	SF4	1d	501	35	0,12,12	0.00	-	0,24,24	0.00	-
58	HGR	2A	3652	-	39,39,39	2.34	7 (17%)	48,58,58	1.67	12 (25%)
60	SF4	2d	301	35	0,12,12	0.00	-	0,24,24	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
58	HGR	1A	3915	56	-	0/20/79/79	0/4/4/4
60	SF4	1d	501	35	-	0/0/48/48	0/6/5/5
58	HGR	2A	3652	-	-	0/20/79/79	0/4/4/4
60	SF4	2d	301	35	-	0/0/48/48	0/6/5/5

The worst 5 of 14 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
58	1A	3915	HGR	C5-C6	-5.63	1.39	1.50
58	2A	3652	HGR	C5-C6	-5.57	1.39	1.50
58	2A	3652	HGR	C5-C4	-5.37	1.39	1.49
58	1A	3915	HGR	C5-C4	-5.28	1.39	1.49
58	1A	3915	HGR	C3-C2	-4.75	1.39	1.48

The worst 5 of 24 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
58	1A	3915	HGR	C12-C6-C1	-4.71	114.97	119.33
58	2A	3652	HGR	C10-C9-C8	-4.51	96.50	102.29
58	1A	3915	HGR	C23-O9-C22	-4.05	99.88	106.22
58	1A	3915	HGR	C10-C9-C8	-3.58	97.70	102.29
58	1A	3915	HGR	O8-C18-C22	-3.43	98.05	105.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
58	1A	3915	HGR	2	0
58	2A	3652	HGR	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	1A	2860/2915 (98%)	0.56	46 (1%) 72 67	22, 42, 90, 106	0
1	2A	2789/2915 (95%)	0.05	51 (1%) 69 63	26, 45, 87, 104	0
2	1B	120/121 (99%)	0.36	0 100 100	37, 58, 69, 86	0
2	2B	120/121 (99%)	-0.02	2 (1%) 70 65	44, 65, 74, 87	0
3	1D	275/276 (99%)	0.83	10 (3%) 43 35	21, 41, 58, 73	0
3	2D	275/276 (99%)	0.51	9 (3%) 47 39	25, 42, 61, 72	0
4	1E	204/206 (99%)	0.63	2 (0%) 82 79	22, 46, 65, 78	0
4	2E	204/206 (99%)	0.40	4 (1%) 65 59	25, 49, 66, 79	0
5	1F	203/210 (96%)	0.55	3 (1%) 74 69	21, 50, 72, 83	0
5	2F	203/210 (96%)	0.41	6 (2%) 51 43	24, 54, 74, 85	0
6	1G	181/182 (99%)	0.67	9 (4%) 30 23	49, 66, 77, 91	0
6	2G	181/182 (99%)	1.04	34 (18%) 1 1	53, 69, 80, 93	0
7	1H	174/180 (96%)	0.63	3 (1%) 70 65	47, 63, 73, 81	0
7	2H	174/180 (96%)	0.97	25 (14%) 3 1	53, 67, 76, 82	0
8	1I	146/148 (98%)	0.13	1 (0%) 87 85	44, 72, 81, 85	0
8	2I	146/148 (98%)	0.04	1 (0%) 87 85	47, 72, 81, 84	0
9	1N	140/140 (100%)	0.42	0 100 100	23, 37, 59, 69	0
9	2N	140/140 (100%)	1.31	30 (21%) 1 0	37, 64, 76, 84	0
10	1O	122/122 (100%)	0.68	4 (3%) 47 39	26, 39, 58, 66	0
10	2O	122/122 (100%)	0.95	15 (12%) 5 2	39, 56, 68, 78	0
11	1P	149/150 (99%)	0.66	4 (2%) 55 48	22, 52, 71, 81	0
11	2P	149/150 (99%)	0.28	4 (2%) 55 48	27, 55, 77, 82	0
12	1Q	141/141 (100%)	0.95	9 (6%) 20 15	32, 49, 63, 76	0
12	2Q	141/141 (100%)	1.80	53 (37%) 0 0	36, 53, 66, 77	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	1R	118/118 (100%)	0.66	3 (2%) 58 50	28, 39, 54, 64	0
13	2R	118/118 (100%)	0.33	1 (0%) 86 83	31, 41, 57, 64	0
14	1S	110/112 (98%)	0.60	1 (0%) 84 81	46, 58, 70, 74	0
14	2S	110/112 (98%)	0.50	9 (8%) 12 8	51, 61, 73, 77	0
15	1T	131/146 (89%)	0.64	2 (1%) 74 69	39, 51, 69, 75	0
15	2T	131/146 (89%)	0.31	1 (0%) 86 83	41, 53, 70, 74	0
16	1U	116/118 (98%)	0.67	4 (3%) 46 38	26, 39, 57, 71	0
16	2U	116/118 (98%)	0.48	4 (3%) 46 38	29, 45, 63, 72	0
17	1V	101/101 (100%)	0.46	0 100 100	26, 49, 66, 70	0
17	2V	101/101 (100%)	0.49	4 (3%) 39 31	30, 54, 69, 73	0
18	1W	112/113 (99%)	0.53	0 100 100	26, 36, 55, 83	0
18	2W	112/113 (99%)	0.50	2 (1%) 69 63	29, 39, 59, 86	0
19	1X	95/96 (98%)	0.63	0 100 100	30, 43, 63, 80	0
19	2X	95/96 (98%)	0.45	5 (5%) 27 20	34, 47, 65, 80	0
20	1Y	107/110 (97%)	0.47	0 100 100	44, 55, 71, 79	0
20	2Y	107/110 (97%)	0.80	12 (11%) 6 3	49, 59, 73, 81	0
21	1Z	154/206 (74%)	1.01	27 (17%) 2 1	37, 61, 82, 94	0
21	2Z	160/206 (77%)	1.69	56 (35%) 0 0	65, 80, 91, 97	0
22	10	83/85 (97%)	1.02	7 (8%) 12 8	24, 36, 65, 88	0
22	20	83/85 (97%)	1.28	13 (15%) 2 1	48, 64, 80, 89	0
23	11	97/98 (98%)	0.57	4 (4%) 38 30	23, 43, 67, 74	0
23	21	97/98 (98%)	0.54	5 (5%) 28 21	35, 55, 72, 76	0
24	12	70/72 (97%)	0.40	0 100 100	41, 56, 65, 68	0
24	22	70/72 (97%)	-0.02	0 100 100	45, 59, 68, 78	0
25	13	59/60 (98%)	0.45	0 100 100	28, 44, 65, 72	0
25	23	59/60 (98%)	1.51	15 (25%) 1 0	36, 49, 69, 76	0
26	14	69/71 (97%)	0.35	1 (1%) 75 71	49, 71, 85, 89	0
26	24	69/71 (97%)	1.26	16 (23%) 1 0	72, 83, 93, 97	0
27	15	59/60 (98%)	0.47	2 (3%) 46 38	17, 28, 46, 72	0
27	25	59/60 (98%)	0.44	1 (1%) 70 65	32, 49, 63, 72	0
28	16	53/54 (98%)	0.56	1 (1%) 67 61	33, 47, 60, 64	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
28	26	53/54 (98%)	0.55	6 (11%) 6 3	35, 51, 61, 67	0
29	17	48/49 (97%)	0.68	4 (8%) 12 8	16, 25, 49, 72	0
29	27	48/49 (97%)	0.71	4 (8%) 12 8	31, 38, 63, 69	0
30	18	64/65 (98%)	0.63	0 100 100	32, 40, 49, 60	0
30	28	64/65 (98%)	0.49	0 100 100	36, 44, 52, 61	0
31	19	37/37 (100%)	1.01	4 (10%) 6 4	36, 47, 61, 70	0
31	29	37/37 (100%)	1.33	11 (29%) 1 0	42, 52, 64, 74	0
32	1a	1488/1521 (97%)	0.21	19 (1%) 77 73	39, 70, 90, 105	0
32	2a	1491/1521 (98%)	0.02	21 (1%) 75 71	42, 72, 91, 104	0
33	1b	231/256 (90%)	0.15	1 (0%) 92 91	67, 79, 88, 92	0
33	2b	231/256 (90%)	0.85	32 (13%) 3 2	67, 81, 88, 93	0
34	1c	206/239 (86%)	0.85	21 (10%) 7 4	66, 76, 83, 92	0
34	2c	206/239 (86%)	1.54	66 (32%) 0 0	69, 78, 85, 92	0
35	1d	208/209 (99%)	0.95	29 (13%) 3 2	57, 71, 79, 84	0
35	2d	208/209 (99%)	1.51	62 (29%) 1 0	58, 71, 79, 84	0
36	1e	148/162 (91%)	0.76	8 (5%) 26 20	48, 63, 73, 83	0
36	2e	148/162 (91%)	1.34	38 (25%) 1 0	67, 78, 85, 90	0
37	1f	100/101 (99%)	0.71	8 (8%) 13 9	46, 65, 74, 76	0
37	2f	100/101 (99%)	0.26	1 (1%) 82 79	55, 70, 79, 87	0
38	1g	155/156 (99%)	0.80	18 (11%) 5 3	61, 72, 81, 88	0
38	2g	155/156 (99%)	0.66	19 (12%) 5 2	64, 74, 82, 87	0
39	1h	137/138 (99%)	0.29	5 (3%) 43 35	52, 64, 73, 86	0
39	2h	137/138 (99%)	1.05	25 (18%) 1 1	60, 77, 84, 89	0
40	1i	127/128 (99%)	0.44	8 (6%) 21 15	59, 77, 85, 88	0
40	2i	127/128 (99%)	1.27	30 (23%) 1 0	64, 79, 86, 89	0
41	1j	97/105 (92%)	0.45	5 (5%) 28 21	56, 75, 85, 92	0
41	2j	96/105 (91%)	1.47	31 (32%) 0 0	68, 85, 92, 94	0
42	1k	114/129 (88%)	1.56	35 (30%) 0 0	37, 64, 73, 77	0
42	2k	114/129 (88%)	1.18	18 (15%) 2 1	44, 73, 81, 85	0
43	1l	121/132 (91%)	0.56	5 (4%) 38 30	41, 55, 68, 75	0
43	2l	121/132 (91%)	1.34	33 (27%) 1 0	50, 70, 79, 83	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
44	1m	123/126 (97%)	0.92	13 (10%) 7 4	58, 73, 81, 84	0
44	2m	122/126 (96%)	1.47	35 (28%) 1 0	63, 76, 82, 85	0
45	1n	60/61 (98%)	1.05	6 (10%) 8 5	55, 64, 74, 80	0
45	2n	60/61 (98%)	3.63	49 (81%) 0 0	73, 85, 90, 94	0
46	1o	88/89 (98%)	0.96	13 (14%) 3 1	52, 66, 76, 83	0
46	2o	88/89 (98%)	0.22	2 (2%) 61 54	56, 68, 78, 85	0
47	1p	82/88 (93%)	0.73	6 (7%) 16 11	56, 68, 76, 81	0
47	2p	82/88 (93%)	0.80	5 (6%) 22 16	58, 68, 76, 82	0
48	1q	99/105 (94%)	0.65	4 (4%) 39 31	59, 68, 76, 78	0
48	2q	99/105 (94%)	0.90	17 (17%) 2 1	60, 69, 77, 80	0
49	1r	68/88 (77%)	0.84	8 (11%) 5 3	57, 67, 76, 82	0
49	2r	68/88 (77%)	0.33	4 (5%) 23 17	57, 68, 77, 83	0
50	1s	83/93 (89%)	0.67	5 (6%) 23 17	64, 76, 84, 91	0
50	2s	83/93 (89%)	2.09	42 (50%) 0 0	67, 79, 86, 93	0
51	1t	96/106 (90%)	0.45	2 (2%) 64 58	56, 67, 77, 81	0
51	2t	96/106 (90%)	0.27	2 (2%) 64 58	56, 68, 78, 80	0
52	1u	23/27 (85%)	0.90	4 (17%) 2 1	62, 70, 74, 75	0
52	2u	23/27 (85%)	1.22	6 (26%) 1 0	65, 72, 76, 76	0
53	1v	14/27 (51%)	2.03	7 (50%) 0 0	55, 73, 97, 105	0
53	2v	13/27 (48%)	2.08	5 (38%) 0 0	60, 75, 89, 98	0
54	1w	68/76 (89%)	1.71	23 (33%) 0 0	67, 86, 97, 105	0
54	1y	67/76 (88%)	1.22	11 (16%) 2 1	40, 91, 97, 99	0
54	2w	67/76 (88%)	3.48	47 (70%) 0 0	73, 88, 97, 99	0
54	2y	66/76 (86%)	1.16	11 (16%) 2 1	43, 93, 97, 99	0
55	1x	71/77 (92%)	0.35	2 (2%) 53 46	27, 56, 81, 85	0
55	2x	71/77 (92%)	0.63	5 (7%) 17 12	44, 77, 88, 94	0
All	All	20877/21754 (95%)	0.56	1422 (6%) 18 13	16, 61, 86, 106	0

The worst 5 of 1422 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
45	2n	38	GLY	13.6
54	2w	74	C	12.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
22	10	6	GLY	10.9
54	2w	73	A	10.4
22	20	7	LEU	10.4

6.2 Non-standard residues in protein, DNA, RNA chains

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
54	MIA	2y	37	22/30	0.84	0.34	-	68,84,93,122	0
1	2MU	1A	2552	21/23	0.98	0.21	-	24,30,37,41	0
1	5MU	1A	1915	21/22	0.96	0.20	-	54,67,70,77	0
32	M2G	1a	966	25/26	0.97	0.20	-	39,49,58,74	0
32	5MC	2a	1400	21/22	0.94	0.23	-	61,73,83,87	0
54	7MG	2w	46	24/25	0.82	0.41	-	73,93,103,114	0
54	7MG	1y	46	24/25	0.84	0.22	-	81,96,103,124	0
54	4SU	1y	8	20/21	0.87	0.18	-	79,87,95,95	0
32	5MC	1a	1404	21/22	0.98	0.20	-	30,40,45,48	0
54	PSU	1y	32	20/21	0.85	0.36	-	72,86,96,100	0
54	4SU	1w	8	20/21	0.93	0.18	-	63,75,89,89	0
1	2MA	2A	2503	23/24	0.98	0.20	-	21,28,35,40	0
1	5MU	1A	1939	21/22	0.98	0.21	-	24,31,38,39	0
54	PSU	2y	32	20/21	0.81	0.32	-	74,85,99,103	0
1	PSU	1A	1917	20/21	0.95	0.18	-	44,58,66,67	0
1	5MC	1A	1962	21/22	0.97	0.22	-	25,36,43,50	0
1	5MU	2A	1915	21/22	0.94	0.14	-	59,69,77,91	0
54	PSU	1y	55	20/21	0.79	0.29	-	80,96,105,117	0
32	4OC	1a	1402	22/23	0.96	0.21	-	35,45,57,62	0
32	5MC	1a	967	21/22	0.96	0.21	-	42,52,66,70	0
54	MIA	1w	37	29/30	0.95	0.26	-	41,59,74,84	0
54	PSU	2w	39	20/21	0.92	0.39	-	68,76,83,83	0
54	7MG	1w	46	24/25	0.86	0.20	-	66,84,103,123	0
1	PSU	2A	1911	20/21	0.94	0.18	-	40,58,64,67	0
55	4SU	1x	8	20/21	0.95	0.19	-	41,59,76,88	0
32	UR3	1a	1498	21/22	0.98	0.22	-	35,43,51,52	0
1	PSU	2A	1917	20/21	0.95	0.16	-	48,61,71,72	0
32	7MG	2a	527	24/25	0.96	0.19	-	54,66,75,89	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
54	PSU	2w	32	20/21	0.90	0.35	-	69,80,91,97	0
1	OMG	1A	2251	24/25	0.98	0.22	-	25,29,37,40	0
32	MA6	1a	1518	24/25	0.98	0.23	-	28,42,50,51	0
55	4SU	2x	8	20/21	0.89	0.15	-	65,81,88,92	0
32	PSU	1a	516	20/21	0.94	0.15	-	58,67,74,78	0
1	4OC	1A	1920	21/23	0.97	0.24	-	37,52,60,63	0
55	5MU	1x	54	21/22	0.96	0.18	-	40,62,68,69	0
55	5MC	1x	32	21/22	0.97	0.23	-	44,53,60,62	0
54	5MU	2y	54	21/22	0.80	0.27	-	81,94,101,117	0
54	4SU	2w	8	20/21	0.82	0.28	-	68,89,101,117	0
54	PSU	2y	39	20/21	0.84	0.30	-	75,83,94,99	0
54	5MU	1w	54	21/22	0.94	0.24	-	48,66,72,87	0
32	MA6	2a	1519	24/25	0.96	0.25	-	48,62,68,73	0
43	0TD	2l	92	10/11	0.89	0.20	-	62,70,72,90	0
1	2MA	1A	2503	23/24	0.98	0.24	-	18,26,31,35	0
54	PSU	1w	39	20/21	0.94	0.24	-	65,73,79,81	0
54	5MU	2w	54	21/22	0.88	0.25	-	55,78,91,98	0
55	PSU	1x	55	20/21	0.95	0.18	-	48,55,72,72	0
32	5MC	1a	1400	21/22	0.97	0.19	-	36,52,62,67	0
1	PSU	2A	2605	20/21	0.97	0.19	-	20,31,35,36	0
32	UR3	2a	1498	21/22	0.96	0.21	-	36,56,67,69	0
54	5MU	1y	54	21/22	0.84	0.21	-	70,86,99,113	0
43	0TD	1l	92	10/11	0.93	0.21	-	48,55,61,77	0
54	7MG	2y	46	24/25	0.76	0.17	-	84,98,104,130	0
32	5MC	2a	1404	21/22	0.94	0.19	-	50,61,68,76	0
32	PSU	2a	516	20/21	0.92	0.16	-	56,70,76,84	0
54	PSU	2w	55	20/21	0.82	0.35	-	63,84,92,92	0
1	5MU	2A	1939	21/22	0.97	0.18	-	25,32,39,43	0
54	MIA	1y	37	22/30	0.91	0.27	-	64,78,83,86	0
32	2MG	2a	1207	24/25	0.92	0.17	-	69,80,93,94	0
32	5MC	2a	1407	21/22	0.96	0.18	-	38,51,59,70	0
54	PSU	2y	55	20/21	0.68	0.23	-	80,96,106,120	0
55	M3O	1x	76	32/33	0.96	0.25	-	21,39,51,79	10
32	M2G	2a	966	25/26	0.88	0.22	-	52,72,85,96	0
54	MIA	2w	37	22/30	0.89	0.26	-	60,78,83,89	0
54	PSU	1w	55	20/21	0.84	0.28	-	61,81,88,95	0
1	PSU	1A	1911	20/21	0.97	0.21	-	41,51,62,64	0
1	5MC	2A	1942	21/22	0.97	0.18	-	41,51,58,67	0
55	5MU	2x	54	21/22	0.89	0.23	-	68,79,84,102	0
55	PSU	2x	55	20/21	0.91	0.20	-	63,74,87,92	0
54	4SU	2y	8	20/21	0.80	0.14	-	80,97,107,114	0
54	PSU	1y	39	20/21	0.90	0.27	-	73,83,89,90	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
32	MA6	2a	1518	24/25	0.96	0.20	-	44,63,70,76	0
1	5MC	2A	1962	21/22	0.97	0.17	-	27,40,49,52	0
32	2MG	1a	1207	24/25	0.95	0.15	-	49,69,77,81	0
55	M3O	2x	76	32/33	0.94	0.26	-	35,55,69,90	10
1	OMG	2A	2251	24/25	0.98	0.21	-	28,33,40,42	0
1	2MU	2A	2552	21/23	0.97	0.20	-	26,32,38,49	0
1	PSU	1A	2605	20/21	0.98	0.20	-	19,24,34,35	0
54	PSU	1w	32	20/21	0.91	0.24	-	67,79,90,93	0
55	5MC	2x	32	21/22	0.96	0.19	-	63,73,82,83	0
1	4OC	2A	1920	21/23	0.95	0.20	-	46,54,60,72	0
1	5MC	1A	1942	21/22	0.97	0.19	-	37,49,54,58	0
32	4OC	2a	1402	22/23	0.91	0.19	-	48,64,76,83	0
32	5MC	2a	967	21/22	0.93	0.19	-	61,67,75,87	0
32	7MG	1a	527	24/25	0.96	0.17	-	35,51,55,62	0
32	MA6	1a	1519	24/25	0.97	0.24	-	24,42,50,65	0
32	5MC	1a	1407	21/22	0.98	0.22	-	32,46,51,62	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1A	3162	1/1	0.99	0.64	30.36	33,33,33,33	0
56	MG	1A	3958	1/1	0.93	0.73	25.82	49,49,49,49	0
56	MG	2A	3048	1/1	0.94	0.55	25.38	44,44,44,44	0
56	MG	1A	3917	1/1	0.95	0.56	23.47	40,40,40,40	0
56	MG	2A	3668	1/1	0.98	0.77	22.92	48,48,48,48	0
56	MG	1A	3235	1/1	0.91	0.47	22.16	32,32,32,32	0
56	MG	2a	1738	1/1	0.90	0.61	21.46	76,76,76,76	0
56	MG	1A	3769	1/1	0.94	0.43	18.58	39,39,39,39	0
56	MG	2A	3104	1/1	0.98	0.38	18.44	46,46,46,46	0
56	MG	1A	3030	1/1	0.98	0.46	17.65	33,33,33,33	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1A	3317	1/1	0.91	0.58	17.24	39,39,39,39	0
56	MG	1N	3006	1/1	0.84	0.63	17.23	50,50,50,50	0
56	MG	1A	3897	1/1	0.97	0.49	15.77	38,38,38,38	0
56	MG	2A	3482	1/1	0.90	0.29	14.74	46,46,46,46	0
56	MG	1A	3362	1/1	0.93	0.33	14.29	36,36,36,36	0
56	MG	2A	3090	1/1	0.92	0.47	13.75	53,53,53,53	0
56	MG	1A	3930	1/1	0.95	0.52	13.64	36,36,36,36	0
56	MG	1A	3770	1/1	0.65	0.52	13.61	63,63,63,63	0
56	MG	2a	1633	1/1	0.81	0.55	13.58	61,61,61,61	0
56	MG	1A	3202	1/1	0.98	0.33	13.45	31,31,31,31	0
56	MG	2D	303	1/1	0.91	0.63	13.21	45,45,45,45	0
56	MG	1A	3940	1/1	0.97	0.51	12.50	33,33,33,33	0
56	MG	2A	3659	1/1	0.96	0.58	12.46	43,43,43,43	0
56	MG	2A	3071	1/1	0.93	0.42	12.18	34,34,34,34	0
56	MG	1A	3680	1/1	0.96	0.33	12.04	36,36,36,36	0
56	MG	1A	3908	1/1	0.96	0.42	10.82	38,38,38,38	0
56	MG	2A	3022	1/1	0.97	0.34	10.79	43,43,43,43	0
56	MG	1A	3234	1/1	0.96	0.31	10.42	34,34,34,34	0
56	MG	1a	1761	1/1	0.78	0.30	10.25	72,72,72,72	0
56	MG	1N	3004	1/1	0.96	0.48	9.77	56,56,56,56	0
56	MG	1A	3738	1/1	0.84	0.39	9.62	44,44,44,44	0
56	MG	1A	3159	1/1	0.93	0.31	9.61	34,34,34,34	0
56	MG	2A	3497	1/1	0.71	0.25	9.11	56,56,56,56	0
56	MG	2A	3656	1/1	0.96	0.46	8.96	44,44,44,44	0
56	MG	1A	3934	1/1	0.92	0.32	8.94	30,30,30,30	0
56	MG	1A	3314	1/1	0.93	0.36	8.71	42,42,42,42	0
56	MG	2A	3421	1/1	0.92	0.23	8.68	52,52,52,52	0
56	MG	2D	301	1/1	0.85	0.49	8.43	39,39,39,39	0
56	MG	1A	3319	1/1	0.97	0.42	7.99	28,28,28,28	0
56	MG	2U	204	1/1	0.90	0.45	7.92	45,45,45,45	0
56	MG	1B	3011	1/1	0.89	0.33	7.90	54,54,54,54	0
56	MG	1a	1656	1/1	0.80	0.28	7.83	46,46,46,46	0
56	MG	2A	3167	1/1	0.96	0.24	7.66	39,39,39,39	0
56	MG	1N	3001	1/1	0.97	0.42	7.63	38,38,38,38	0
56	MG	1A	3249	1/1	0.98	0.40	7.49	29,29,29,29	0
56	MG	2A	3304	1/1	0.95	0.23	7.43	53,53,53,53	0
56	MG	1a	1608	1/1	0.88	0.33	7.40	57,57,57,57	0
56	MG	2a	1715	1/1	0.93	0.29	7.12	53,53,53,53	0
56	MG	1S	3001	1/1	0.92	0.47	7.04	52,52,52,52	0
56	MG	2Q	201	1/1	0.91	1.00	7.02	61,61,61,61	0
56	MG	1A	3929	1/1	0.98	0.43	6.98	45,45,45,45	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	2A	3159	1/1	0.95	0.23	6.97	41,41,41,41	0
56	MG	1A	3296	1/1	0.90	0.26	6.58	40,40,40,40	0
56	MG	1A	3919	1/1	0.92	0.34	6.53	33,33,33,33	0
56	MG	2A	3123	1/1	0.93	0.26	6.52	47,47,47,47	0
56	MG	1A	3315	1/1	0.97	0.36	6.42	37,37,37,37	0
56	MG	2A	3405	1/1	0.94	0.21	6.23	49,49,49,49	0
56	MG	1F	304	1/1	0.98	0.32	5.97	37,37,37,37	0
56	MG	1A	3957	1/1	0.97	0.32	5.79	37,37,37,37	0
56	MG	2A	3015	1/1	0.97	0.24	5.70	36,36,36,36	0
56	MG	1a	1837	1/1	0.88	0.41	5.69	60,60,60,60	0
56	MG	1B	3003	1/1	0.92	0.28	5.58	62,62,62,62	0
56	MG	1a	1653	1/1	0.92	0.19	5.57	59,59,59,59	0
56	MG	1a	1669	1/1	0.87	0.26	5.43	58,58,58,58	0
56	MG	2A	3664	1/1	0.97	0.51	5.38	46,46,46,46	0
56	MG	1A	3199	1/1	0.90	0.30	5.38	35,35,35,35	0
56	MG	1A	3121	1/1	0.84	0.31	5.26	55,55,55,55	0
56	MG	2A	3264	1/1	0.96	0.25	5.16	40,40,40,40	0
56	MG	2A	3201	1/1	0.78	0.23	5.09	61,61,61,61	0
56	MG	2a	1679	1/1	0.92	0.19	5.02	64,64,64,64	0
56	MG	1A	3126	1/1	0.99	0.36	5.01	39,39,39,39	0
56	MG	2a	1659	1/1	0.87	0.33	4.82	66,66,66,66	0
56	MG	1A	3935	1/1	0.94	0.32	4.77	48,48,48,48	0
56	MG	1A	3125	1/1	0.95	0.32	4.50	36,36,36,36	0
56	MG	2A	3481	1/1	0.94	0.24	4.45	58,58,58,58	0
56	MG	1A	3094	1/1	0.95	0.26	4.34	58,58,58,58	0
56	MG	1F	307	1/1	0.91	0.38	4.12	57,57,57,57	0
56	MG	1B	3024	1/1	0.89	0.27	4.05	63,63,63,63	0
56	MG	1a	1713	1/1	0.98	0.25	3.91	53,53,53,53	0
56	MG	1A	3652	1/1	0.98	0.25	3.90	25,25,25,25	0
56	MG	1A	3192	1/1	0.90	0.29	3.85	39,39,39,39	0
56	MG	1A	3910	1/1	0.90	0.30	3.79	40,40,40,40	0
56	MG	1A	3198	1/1	0.94	0.29	3.74	34,34,34,34	0
56	MG	2A	3662	1/1	0.96	0.27	3.65	29,29,29,29	0
56	MG	2a	1747	1/1	0.92	0.22	3.59	72,72,72,72	0
56	MG	1A	3178	1/1	0.90	0.27	3.55	36,36,36,36	0
56	MG	2A	3622	1/1	0.88	0.26	3.46	41,41,41,41	0
56	MG	1A	3658	1/1	0.98	0.33	3.45	35,35,35,35	0
56	MG	1A	3123	1/1	0.95	0.24	3.39	43,43,43,43	0
56	MG	1A	3827	1/1	0.88	0.25	3.37	51,51,51,51	0
56	MG	1A	3268	1/1	0.97	0.23	3.36	33,33,33,33	0
56	MG	2A	3215	1/1	0.91	0.24	3.34	50,50,50,50	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1a	1644	1/1	0.79	0.23	3.23	56,56,56,56	0
56	MG	1A	3251	1/1	0.94	0.29	3.22	25,25,25,25	0
56	MG	2A	3303	1/1	0.94	0.21	3.21	60,60,60,60	0
56	MG	1A	3604	1/1	0.95	0.25	3.20	29,29,29,29	0
56	MG	1a	1625	1/1	0.97	0.22	3.11	53,53,53,53	0
56	MG	2A	3451	1/1	0.96	0.32	3.05	36,36,36,36	0
56	MG	1A	3944	1/1	0.97	0.30	3.02	33,33,33,33	0
56	MG	2A	3598	1/1	0.91	0.20	2.89	45,45,45,45	0
56	MG	1a	1649	1/1	0.89	0.19	2.74	56,56,56,56	0
56	MG	1A	3965	1/1	0.98	0.28	2.69	38,38,38,38	0
56	MG	1A	3313	1/1	0.92	0.32	2.69	41,41,41,41	0
56	MG	2A	3495	1/1	0.91	0.23	2.69	61,61,61,61	0
56	MG	1A	3926	1/1	0.97	0.27	2.59	29,29,29,29	0
56	MG	18	101	1/1	0.96	0.31	2.59	45,45,45,45	0
56	MG	1A	3736	1/1	0.96	0.23	2.53	38,38,38,38	0
56	MG	2A	3559	1/1	0.74	0.23	2.50	59,59,59,59	0
56	MG	1A	3762	1/1	0.90	0.27	2.44	31,31,31,31	0
56	MG	1A	3670	1/1	0.83	0.23	2.39	58,58,58,58	0
56	MG	2F	302	1/1	0.96	0.24	2.29	50,50,50,50	0
56	MG	2A	3205	1/1	0.96	0.29	2.27	53,53,53,53	0
56	MG	1A	3039	1/1	0.93	0.26	2.24	50,50,50,50	0
56	MG	2A	3669	1/1	0.95	0.33	2.21	44,44,44,44	0
56	MG	1A	3947	1/1	0.93	0.28	2.16	49,49,49,49	0
56	MG	17	101	1/1	0.94	0.27	2.16	48,48,48,48	0
56	MG	2A	3202	1/1	0.97	0.19	2.06	44,44,44,44	0
56	MG	1X	3004	1/1	0.94	0.27	2.05	64,64,64,64	0
56	MG	1a	1730	1/1	0.94	0.22	2.03	71,71,71,71	0
56	MG	2a	1787	1/1	0.96	0.23	2.02	51,51,51,51	0
56	MG	2A	3057	1/1	0.94	0.22	1.99	57,57,57,57	0
56	MG	2A	3189	1/1	0.99	0.20	1.98	31,31,31,31	0
56	MG	1A	3013	1/1	0.96	0.26	1.97	24,24,24,24	0
56	MG	2a	1616	1/1	0.90	0.20	1.95	52,52,52,52	0
56	MG	1N	3005	1/1	0.95	0.20	1.93	51,51,51,51	0
56	MG	2A	3567	1/1	0.89	0.23	1.92	58,58,58,58	0
56	MG	1b	3002	1/1	0.80	0.22	1.87	74,74,74,74	0
56	MG	1A	3939	1/1	0.94	0.31	1.86	42,42,42,42	0
56	MG	2A	3310	1/1	0.96	0.21	1.79	34,34,34,34	0
56	MG	2A	3088	1/1	0.92	0.17	1.78	53,53,53,53	0
56	MG	1A	3601	1/1	0.91	0.24	1.75	45,45,45,45	0
56	MG	1A	3914	1/1	0.88	0.23	1.74	38,38,38,38	0
56	MG	1P	203	1/1	0.96	0.29	1.59	27,27,27,27	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1N	3002	1/1	0.94	0.25	1.56	49,49,49,49	0
56	MG	1A	3936	1/1	0.97	0.28	1.54	29,29,29,29	0
56	MG	1A	3945	1/1	0.91	0.24	1.47	39,39,39,39	0
56	MG	2A	3389	1/1	0.94	0.24	1.40	52,52,52,52	0
56	MG	1A	3924	1/1	0.98	0.26	1.38	28,28,28,28	0
56	MG	2A	3381	1/1	0.92	0.19	1.35	46,46,46,46	0
56	MG	1A	3564	1/1	0.87	0.26	1.31	24,24,24,24	0
56	MG	2A	3150	1/1	0.88	0.22	1.31	35,35,35,35	0
56	MG	1A	3129	1/1	0.86	0.22	1.30	38,38,38,38	0
56	MG	2A	3663	1/1	0.98	0.28	1.28	42,42,42,42	0
56	MG	1a	1708	1/1	0.97	0.21	1.27	34,34,34,34	0
56	MG	1A	3900	1/1	0.88	0.24	1.20	28,28,28,28	0
56	MG	1X	3001	1/1	0.96	0.27	1.14	33,33,33,33	0
56	MG	2A	3039	1/1	0.89	0.17	1.09	46,46,46,46	0
56	MG	2A	3461	1/1	0.95	0.17	1.09	39,39,39,39	0
56	MG	1A	3265	1/1	0.92	0.21	1.08	40,40,40,40	0
56	MG	1A	3073	1/1	0.95	0.22	1.04	29,29,29,29	0
56	MG	2A	3342	1/1	0.98	0.22	1.02	31,31,31,31	0
56	MG	1A	3485	1/1	0.97	0.23	0.94	38,38,38,38	0
56	MG	2A	3223	1/1	0.90	0.18	0.92	51,51,51,51	0
56	MG	1a	1717	1/1	0.78	0.31	0.89	80,80,80,80	0
56	MG	1A	3432	1/1	0.99	0.21	0.89	22,22,22,22	0
56	MG	1a	1680	1/1	0.95	0.22	0.84	56,56,56,56	0
56	MG	1P	202	1/1	0.92	0.26	0.79	33,33,33,33	0
56	MG	1A	3765	1/1	0.91	0.30	0.77	46,46,46,46	0
56	MG	1A	3920	1/1	0.92	0.24	0.75	33,33,33,33	0
56	MG	1a	1833	1/1	0.94	0.27	0.73	52,52,52,52	0
56	MG	1A	3772	1/1	0.95	0.27	0.72	29,29,29,29	0
56	MG	2A	3165	1/1	0.95	0.21	0.71	36,36,36,36	0
56	MG	2D	304	1/1	0.99	0.23	0.70	42,42,42,42	0
56	MG	1A	3952	1/1	0.94	0.23	0.64	33,33,33,33	0
56	MG	2A	3549	1/1	0.92	0.21	0.59	45,45,45,45	0
56	MG	1A	3949	1/1	0.99	0.27	0.58	28,28,28,28	0
56	MG	1U	203	1/1	0.98	0.27	0.55	27,27,27,27	0
56	MG	2A	3347	1/1	0.82	0.16	0.52	45,45,45,45	0
56	MG	1A	3955	1/1	0.93	0.24	0.52	29,29,29,29	0
56	MG	2a	1745	1/1	0.93	0.20	0.50	78,78,78,78	0
56	MG	2A	3542	1/1	0.91	0.21	0.48	37,37,37,37	0
59	ZN	26	501	1/1	0.99	0.19	0.47	54,54,54,54	0
56	MG	2A	3585	1/1	0.85	0.27	0.44	44,44,44,44	0
56	MG	1Y	502	1/1	0.96	0.28	0.42	50,50,50,50	0
59	ZN	19	103	1/1	0.98	0.26	0.39	61,61,61,61	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1A	3801	1/1	0.95	0.24	0.35	45,45,45,45	0
56	MG	2A	3151	1/1	0.95	0.19	0.35	31,31,31,31	0
56	MG	2a	1774	1/1	0.83	0.17	0.35	72,72,72,72	0
56	MG	1A	3903	1/1	0.84	0.23	0.35	51,51,51,51	0
56	MG	2a	1696	1/1	0.86	0.20	0.32	50,50,50,50	0
56	MG	1A	3060	1/1	0.92	0.18	0.32	31,31,31,31	0
56	MG	1A	3398	1/1	0.99	0.19	0.29	27,27,27,27	0
59	ZN	25	101	1/1	0.99	0.18	0.28	64,64,64,64	0
56	MG	1A	3222	1/1	0.87	0.26	0.28	37,37,37,37	0
56	MG	1A	3956	1/1	0.98	0.26	0.25	35,35,35,35	0
56	MG	2a	1662	1/1	0.96	0.21	0.22	42,42,42,42	0
56	MG	2A	3505	1/1	0.98	0.20	0.22	48,48,48,48	0
56	MG	2A	3309	1/1	0.91	0.19	0.21	31,31,31,31	0
56	MG	2B	3004	1/1	0.95	0.23	0.20	62,62,62,62	0
56	MG	2A	3423	1/1	0.96	0.19	0.19	47,47,47,47	0
59	ZN	1Y	501	1/1	0.98	0.18	0.18	67,67,67,67	0
56	MG	2A	3311	1/1	0.94	0.18	0.18	45,45,45,45	0
56	MG	1A	3061	1/1	0.94	0.20	0.15	36,36,36,36	0
56	MG	1X	3003	1/1	0.97	0.23	0.13	32,32,32,32	0
56	MG	2A	3168	1/1	0.93	0.20	0.11	46,46,46,46	0
56	MG	1A	3921	1/1	0.98	0.26	0.10	40,40,40,40	0
56	MG	1D	305	1/1	0.97	0.23	0.06	31,31,31,31	0
56	MG	2A	3108	1/1	0.95	0.15	0.04	30,30,30,30	0
56	MG	2A	3653	1/1	0.89	0.20	0.04	36,36,36,36	0
56	MG	1B	3009	1/1	0.95	0.19	0.04	42,42,42,42	0
56	MG	1A	3931	1/1	0.86	0.19	0.01	57,57,57,57	0
56	MG	1A	3084	1/1	0.81	0.23	0.00	42,42,42,42	0
58	HGR	2A	3652	36/36	0.96	0.24	-0.01	21,36,48,50	0
56	MG	1Z	3001	1/1	0.83	0.24	-0.05	50,50,50,50	0
56	MG	2a	1631	1/1	0.72	0.18	-0.07	58,58,58,58	0
56	MG	2a	1776	1/1	0.95	0.18	-0.10	66,66,66,66	0
58	HGR	1A	3915	36/36	0.97	0.23	-0.17	15,30,37,44	0
56	MG	2A	3550	1/1	0.88	0.18	-0.21	52,52,52,52	0
56	MG	2q	3002	1/1	0.97	0.18	-0.21	63,63,63,63	0
56	MG	1a	1603	1/1	0.90	0.21	-0.21	66,66,66,66	0
56	MG	1A	3064	1/1	0.98	0.20	-0.25	35,35,35,35	0
56	MG	1A	3342	1/1	0.98	0.27	-0.26	33,33,33,33	0
56	MG	1a	1794	1/1	0.90	0.17	-0.27	45,45,45,45	0
56	MG	2t	3001	1/1	0.80	0.19	-0.28	48,48,48,48	0
56	MG	2A	3302	1/1	0.92	0.20	-0.30	38,38,38,38	0
56	MG	2A	3092	1/1	0.93	0.15	-0.30	38,38,38,38	0
56	MG	1a	1806	1/1	0.65	0.18	-0.31	68,68,68,68	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	2A	3504	1/1	0.88	0.17	-0.33	45,45,45,45	0
56	MG	1a	1639	1/1	0.92	0.18	-0.34	45,45,45,45	0
56	MG	2A	3570	1/1	0.81	0.15	-0.36	57,57,57,57	0
56	MG	1A	3173	1/1	0.95	0.22	-0.37	36,36,36,36	0
56	MG	1Q	201	1/1	0.91	0.23	-0.39	30,30,30,30	0
56	MG	2a	1650	1/1	0.92	0.17	-0.40	47,47,47,47	0
56	MG	2A	3066	1/1	0.87	0.14	-0.43	46,46,46,46	0
56	MG	1A	3458	1/1	0.94	0.19	-0.44	42,42,42,42	0
59	ZN	16	501	1/1	0.99	0.20	-0.44	35,35,35,35	0
56	MG	2X	101	1/1	0.92	0.16	-0.45	37,37,37,37	0
56	MG	1A	3174	1/1	0.96	0.22	-0.49	34,34,34,34	0
59	ZN	2Y	501	1/1	0.97	0.14	-0.53	83,83,83,83	0
56	MG	1A	3493	1/1	0.95	0.21	-0.53	21,21,21,21	0
56	MG	1A	3522	1/1	0.76	0.21	-0.54	38,38,38,38	0
56	MG	2A	3144	1/1	0.94	0.13	-0.57	43,43,43,43	0
56	MG	1U	205	1/1	0.96	0.21	-0.60	29,29,29,29	0
56	MG	1A	3457	1/1	0.93	0.19	-0.60	30,30,30,30	0
56	MG	1a	1765	1/1	0.97	0.18	-0.63	69,69,69,69	0
56	MG	2A	3354	1/1	0.96	0.18	-0.63	43,43,43,43	0
56	MG	2A	3254	1/1	0.99	0.16	-0.65	38,38,38,38	0
56	MG	2a	1758	1/1	0.96	0.16	-0.67	46,46,46,46	0
56	MG	2a	1779	1/1	0.82	0.16	-0.67	74,74,74,74	0
56	MG	1A	3467	1/1	0.98	0.17	-0.68	43,43,43,43	0
56	MG	1a	1818	1/1	0.95	0.21	-0.68	55,55,55,55	0
56	MG	1O	202	1/1	0.93	0.21	-0.69	63,63,63,63	0
56	MG	1A	3029	1/1	0.94	0.23	-0.69	28,28,28,28	0
56	MG	2A	3267	1/1	0.98	0.17	-0.70	53,53,53,53	0
56	MG	1A	3300	1/1	0.97	0.21	-0.72	31,31,31,31	0
56	MG	1a	1666	1/1	0.98	0.17	-0.78	36,36,36,36	0
56	MG	1a	1752	1/1	0.89	0.18	-0.79	59,59,59,59	0
56	MG	1A	3113	1/1	0.90	0.20	-0.79	40,40,40,40	0
56	MG	2a	1643	1/1	0.90	0.18	-0.83	58,58,58,58	0
56	MG	1a	1642	1/1	0.91	0.18	-0.84	42,42,42,42	0
56	MG	1a	1712	1/1	0.97	0.20	-0.85	49,49,49,49	0
56	MG	2A	3021	1/1	0.99	0.19	-0.86	38,38,38,38	0
56	MG	2A	3190	1/1	0.76	0.18	-0.89	44,44,44,44	0
56	MG	1A	3946	1/1	0.93	0.21	-0.90	38,38,38,38	0
56	MG	1A	3911	1/1	0.98	0.20	-0.90	53,53,53,53	0
56	MG	2U	201	1/1	0.95	0.17	-0.91	39,39,39,39	0
56	MG	2d	302	1/1	0.93	0.21	-0.95	67,67,67,67	0
56	MG	1E	305	1/1	0.96	0.20	-0.96	37,37,37,37	0
56	MG	2U	203	1/1	0.96	0.24	-0.97	42,42,42,42	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
59	ZN	1n	501	1/1	0.98	0.16	-0.98	58,58,58,58	0
56	MG	2A	3406	1/1	0.95	0.17	-0.99	47,47,47,47	0
56	MG	2A	3396	1/1	0.78	0.16	-1.00	36,36,36,36	0
56	MG	1a	1836	1/1	0.89	0.17	-1.00	60,60,60,60	0
56	MG	1A	3595	1/1	0.94	0.20	-1.01	26,26,26,26	0
56	MG	1A	3183	1/1	0.69	0.21	-1.04	50,50,50,50	0
56	MG	1a	1722	1/1	0.97	0.13	-1.04	50,50,50,50	0
56	MG	1A	3089	1/1	0.97	0.15	-1.07	40,40,40,40	0
56	MG	20	101	1/1	0.84	0.12	-1.08	57,57,57,57	0
56	MG	2A	3443	1/1	0.96	0.14	-1.09	36,36,36,36	0
56	MG	1A	3171	1/1	0.93	0.20	-1.09	43,43,43,43	0
56	MG	2a	1705	1/1	0.94	0.12	-1.09	60,60,60,60	0
56	MG	2A	3431	1/1	0.98	0.16	-1.10	52,52,52,52	0
56	MG	1G	203	1/1	0.92	0.18	-1.10	71,71,71,71	0
56	MG	2A	3094	1/1	0.91	0.15	-1.10	43,43,43,43	0
56	MG	1a	1747	1/1	0.94	0.17	-1.14	55,55,55,55	0
56	MG	1A	3566	1/1	0.91	0.16	-1.15	55,55,55,55	0
56	MG	2A	3391	1/1	0.89	0.16	-1.16	53,53,53,53	0
56	MG	2a	1639	1/1	0.94	0.17	-1.17	52,52,52,52	0
56	MG	2A	3091	1/1	0.95	0.17	-1.17	29,29,29,29	0
56	MG	1A	3898	1/1	0.86	0.20	-1.21	25,25,25,25	0
56	MG	1a	1834	1/1	0.97	0.21	-1.21	44,44,44,44	0
56	MG	2A	3647	1/1	0.97	0.19	-1.22	41,41,41,41	0
56	MG	1a	1611	1/1	0.87	0.16	-1.23	57,57,57,57	0
60	SF4	1d	501	8/8	0.98	0.16	-1.24	55,66,73,80	0
56	MG	2a	1671	1/1	0.81	0.15	-1.24	54,54,54,54	0
56	MG	1A	3488	1/1	0.94	0.19	-1.25	28,28,28,28	0
56	MG	1A	3038	1/1	0.96	0.21	-1.25	36,36,36,36	0
56	MG	1N	3003	1/1	0.99	0.17	-1.26	36,36,36,36	0
56	MG	19	101	1/1	0.83	0.20	-1.27	41,41,41,41	0
56	MG	1A	3729	1/1	0.89	0.20	-1.27	39,39,39,39	0
56	MG	1A	3735	1/1	0.96	0.19	-1.28	25,25,25,25	0
56	MG	1A	3637	1/1	0.89	0.20	-1.28	39,39,39,39	0
56	MG	1D	302	1/1	0.94	0.18	-1.30	21,21,21,21	0
56	MG	1A	3456	1/1	0.97	0.18	-1.31	28,28,28,28	0
56	MG	2A	3666	1/1	0.97	0.18	-1.32	48,48,48,48	0
56	MG	1A	3193	1/1	0.93	0.19	-1.33	33,33,33,33	0
56	MG	2a	1688	1/1	0.94	0.17	-1.33	56,56,56,56	0
56	MG	2a	1697	1/1	0.96	0.14	-1.33	37,37,37,37	0
56	MG	2A	3016	1/1	0.97	0.15	-1.33	41,41,41,41	0
56	MG	2A	3146	1/1	0.98	0.16	-1.34	33,33,33,33	0
56	MG	1B	3027	1/1	0.95	0.16	-1.36	48,48,48,48	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1A	3591	1/1	0.95	0.20	-1.37	49,49,49,49	0
56	MG	2A	3169	1/1	0.85	0.14	-1.37	41,41,41,41	0
56	MG	2A	3081	1/1	0.93	0.15	-1.38	39,39,39,39	0
56	MG	1A	3245	1/1	0.96	0.20	-1.38	29,29,29,29	0
56	MG	2a	1792	1/1	0.94	0.15	-1.38	50,50,50,50	0
56	MG	2A	3024	1/1	0.83	0.16	-1.39	33,33,33,33	0
56	MG	2A	3436	1/1	0.96	0.17	-1.40	39,39,39,39	0
56	MG	1A	3443	1/1	0.98	0.19	-1.40	26,26,26,26	0
56	MG	2A	3291	1/1	0.92	0.17	-1.41	49,49,49,49	0
56	MG	1A	3796	1/1	0.88	0.16	-1.44	47,47,47,47	0
56	MG	2A	3140	1/1	0.90	0.14	-1.45	50,50,50,50	0
56	MG	2A	3064	1/1	0.85	0.15	-1.46	58,58,58,58	0
56	MG	1U	201	1/1	0.95	0.19	-1.47	33,33,33,33	0
56	MG	2a	1739	1/1	0.89	0.15	-1.49	74,74,74,74	0
56	MG	2A	3556	1/1	0.88	0.07	-1.49	49,49,49,49	0
56	MG	2A	3042	1/1	0.98	0.15	-1.49	37,37,37,37	0
56	MG	2A	3569	1/1	0.95	0.14	-1.49	51,51,51,51	0
56	MG	2R	201	1/1	0.96	0.15	-1.54	48,48,48,48	0
56	MG	1A	3912	1/1	0.87	0.15	-1.57	35,35,35,35	0
56	MG	2a	1648	1/1	0.85	0.12	-1.57	61,61,61,61	0
56	MG	2A	3587	1/1	0.94	0.17	-1.59	48,48,48,48	0
56	MG	2j	8002	1/1	0.88	0.10	-1.60	66,66,66,66	0
56	MG	1A	3837	1/1	0.93	0.18	-1.60	21,21,21,21	0
56	MG	2A	3621	1/1	0.92	0.15	-1.61	57,57,57,57	0
56	MG	2A	3531	1/1	0.94	0.18	-1.66	45,45,45,45	0
56	MG	2a	1757	1/1	0.94	0.10	-1.72	70,70,70,70	0
56	MG	1A	3668	1/1	0.95	0.20	-1.72	35,35,35,35	0
56	MG	1A	3848	1/1	0.87	0.19	-1.72	29,29,29,29	0
60	SF4	2d	301	8/8	0.98	0.12	-1.73	51,72,83,98	0
56	MG	1A	3045	1/1	0.97	0.19	-1.74	19,19,19,19	0
59	ZN	29	501	1/1	0.92	0.12	-1.77	62,62,62,62	0
56	MG	1D	304	1/1	0.93	0.19	-1.77	44,44,44,44	0
56	MG	2A	3345	1/1	0.85	0.15	-1.81	40,40,40,40	0
56	MG	1a	1805	1/1	0.95	0.16	-1.82	49,49,49,49	0
56	MG	1a	1760	1/1	0.95	0.17	-1.83	36,36,36,36	0
56	MG	2A	3095	1/1	0.98	0.16	-1.85	47,47,47,47	0
56	MG	2A	3163	1/1	0.97	0.17	-1.86	32,32,32,32	0
56	MG	1A	3592	1/1	0.80	0.18	-1.88	32,32,32,32	0
56	MG	1A	3954	1/1	0.97	0.19	-1.89	28,28,28,28	0
56	MG	2G	3001	1/1	0.88	0.14	-1.90	54,54,54,54	0
56	MG	2A	3337	1/1	0.96	0.16	-1.90	42,42,42,42	0
56	MG	2A	3281	1/1	0.86	0.14	-1.90	40,40,40,40	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1A	3933	1/1	0.97	0.17	-1.91	28,28,28,28	0
56	MG	2a	1773	1/1	0.91	0.13	-1.91	66,66,66,66	0
56	MG	1A	3899	1/1	0.95	0.18	-1.95	14,14,14,14	0
56	MG	1A	3010	1/1	0.98	0.15	-1.95	29,29,29,29	0
56	MG	1a	1808	1/1	0.77	0.16	-1.96	67,67,67,67	0
56	MG	2A	3642	1/1	0.96	0.17	-1.98	32,32,32,32	0
56	MG	1l	201	1/1	0.96	0.14	-1.98	34,34,34,34	0
56	MG	2A	3428	1/1	0.97	0.14	-1.99	27,27,27,27	0
56	MG	1x	3001	1/1	0.84	0.13	-1.99	44,44,44,44	0
56	MG	1A	3477	1/1	0.93	0.17	-2.02	23,23,23,23	0
56	MG	1A	3953	1/1	0.95	0.19	-2.03	48,48,48,48	0
56	MG	2A	3533	1/1	0.87	0.16	-2.03	26,26,26,26	0
56	MG	2A	3173	1/1	0.80	0.14	-2.03	45,45,45,45	0
56	MG	1A	3269	1/1	0.91	0.16	-2.04	30,30,30,30	0
56	MG	2A	3401	1/1	0.93	0.12	-2.08	45,45,45,45	0
56	MG	2A	3478	1/1	0.91	0.15	-2.08	56,56,56,56	0
59	ZN	2n	501	1/1	0.93	0.08	-2.10	108,108,108,108	0
56	MG	1A	3875	1/1	0.90	0.16	-2.11	32,32,32,32	0
56	MG	2A	3459	1/1	0.96	0.15	-2.13	49,49,49,49	0
56	MG	1A	3913	1/1	0.95	0.15	-2.14	39,39,39,39	0
56	MG	1A	3942	1/1	0.98	0.19	-2.16	32,32,32,32	0
56	MG	2f	3001	1/1	0.96	0.13	-2.17	39,39,39,39	0
56	MG	2A	3395	1/1	0.92	0.14	-2.17	46,46,46,46	0
56	MG	2A	3285	1/1	0.78	0.12	-2.18	64,64,64,64	0
56	MG	1A	3290	1/1	0.87	0.19	-2.18	33,33,33,33	0
56	MG	1A	3106	1/1	0.96	0.18	-2.19	37,37,37,37	0
56	MG	2A	3298	1/1	0.82	0.12	-2.19	39,39,39,39	0
56	MG	1A	3687	1/1	0.95	0.20	-2.21	39,39,39,39	0
56	MG	2a	1702	1/1	0.93	0.12	-2.21	60,60,60,60	0
56	MG	2B	3008	1/1	0.89	0.12	-2.22	55,55,55,55	0
56	MG	26	502	1/1	0.92	0.14	-2.23	45,45,45,45	0
56	MG	1A	3948	1/1	0.90	0.18	-2.23	34,34,34,34	0
56	MG	2A	3400	1/1	0.96	0.12	-2.24	49,49,49,49	0
56	MG	2A	3434	1/1	0.88	0.15	-2.24	39,39,39,39	0
56	MG	1x	3003	1/1	0.90	0.13	-2.25	53,53,53,53	0
56	MG	2a	1667	1/1	0.61	0.14	-2.26	73,73,73,73	0
56	MG	2A	3402	1/1	0.82	0.14	-2.26	53,53,53,53	0
56	MG	1t	3001	1/1	0.97	0.15	-2.26	47,47,47,47	0
56	MG	2A	3643	1/1	0.81	0.15	-2.27	38,38,38,38	0
56	MG	2A	3413	1/1	0.91	0.10	-2.28	50,50,50,50	0
56	MG	2Q	202	1/1	0.98	0.14	-2.29	46,46,46,46	0
56	MG	1a	1601	1/1	0.94	0.14	-2.29	53,53,53,53	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1A	3502	1/1	0.91	0.18	-2.30	23,23,23,23	0
56	MG	1A	3535	1/1	0.95	0.18	-2.32	45,45,45,45	0
56	MG	2A	3349	1/1	0.96	0.18	-2.33	18,18,18,18	0
56	MG	1a	1602	1/1	0.93	0.17	-2.33	68,68,68,68	0
56	MG	1A	3103	1/1	0.94	0.18	-2.35	36,36,36,36	0
56	MG	1A	3110	1/1	0.97	0.19	-2.37	29,29,29,29	0
56	MG	2a	1794	1/1	0.92	0.13	-2.37	51,51,51,51	0
56	MG	1A	3468	1/1	0.92	0.18	-2.38	44,44,44,44	0
56	MG	2A	3294	1/1	0.97	0.13	-2.38	38,38,38,38	0
56	MG	2A	3033	1/1	0.96	0.14	-2.38	29,29,29,29	0
56	MG	1b	3001	1/1	0.95	0.10	-2.40	75,75,75,75	0
56	MG	1a	1689	1/1	0.78	0.13	-2.40	63,63,63,63	0
56	MG	1A	3487	1/1	0.98	0.18	-2.42	24,24,24,24	0
56	MG	19	102	1/1	0.94	0.12	-2.42	50,50,50,50	0
56	MG	2A	3599	1/1	0.94	0.14	-2.44	54,54,54,54	0
56	MG	2a	1632	1/1	0.96	0.13	-2.45	59,59,59,59	0
56	MG	1A	3474	1/1	0.88	0.20	-2.49	29,29,29,29	0
56	MG	2A	3317	1/1	0.98	0.15	-2.51	38,38,38,38	0
56	MG	1A	3402	1/1	0.95	0.15	-2.52	38,38,38,38	0
56	MG	2A	3609	1/1	0.97	0.16	-2.53	36,36,36,36	0
56	MG	1A	3841	1/1	0.98	0.18	-2.54	22,22,22,22	0
56	MG	2A	3142	1/1	0.92	0.18	-2.54	37,37,37,37	0
56	MG	1a	1628	1/1	0.94	0.14	-2.55	43,43,43,43	0
56	MG	1A	3885	1/1	0.93	0.19	-2.58	44,44,44,44	0
56	MG	2l	201	1/1	0.96	0.09	-2.59	61,61,61,61	0
56	MG	1A	3190	1/1	0.93	0.19	-2.59	43,43,43,43	0
56	MG	1A	3918	1/1	0.93	0.18	-2.59	35,35,35,35	0
56	MG	2A	3620	1/1	0.96	0.14	-2.60	39,39,39,39	0
56	MG	1A	3469	1/1	0.97	0.16	-2.62	33,33,33,33	0
56	MG	1A	3577	1/1	0.95	0.18	-2.62	47,47,47,47	0
56	MG	1A	3384	1/1	0.90	0.19	-2.63	52,52,52,52	0
56	MG	1B	3025	1/1	0.86	0.14	-2.63	49,49,49,49	0
56	MG	1a	1621	1/1	0.91	0.15	-2.64	49,49,49,49	0
56	MG	1A	3472	1/1	0.98	0.17	-2.65	32,32,32,32	0
56	MG	2A	3006	1/1	0.93	0.13	-2.67	53,53,53,53	0
56	MG	2A	3658	1/1	0.95	0.11	-2.68	39,39,39,39	0
56	MG	1a	1727	1/1	0.91	0.07	-2.68	65,65,65,65	0
59	ZN	24	501	1/1	0.69	0.07	-2.68	143,143,143,143	0
56	MG	2a	1672	1/1	0.76	0.16	-2.68	72,72,72,72	0
56	MG	1A	3950	1/1	0.95	0.16	-2.68	35,35,35,35	0
56	MG	1a	1753	1/1	0.91	0.13	-2.69	58,58,58,58	0
56	MG	1A	3700	1/1	0.93	0.17	-2.70	40,40,40,40	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1R	201	1/1	0.88	0.14	-2.71	34,34,34,34	0
56	MG	1A	3688	1/1	0.97	0.15	-2.73	41,41,41,41	0
56	MG	1A	3012	1/1	0.98	0.16	-2.74	28,28,28,28	0
59	ZN	14	501	1/1	0.94	0.07	-2.75	97,97,97,97	0
56	MG	2E	302	1/1	0.88	0.12	-2.75	39,39,39,39	0
56	MG	2A	3099	1/1	0.95	0.15	-2.79	24,24,24,24	0
56	MG	1A	3630	1/1	0.90	0.19	-2.80	35,35,35,35	0
56	MG	1A	3008	1/1	0.96	0.17	-2.84	26,26,26,26	0
56	MG	1A	3814	1/1	0.96	0.19	-2.87	16,16,16,16	0
56	MG	1A	3583	1/1	0.97	0.18	-2.88	57,57,57,57	0
56	MG	2A	3307	1/1	0.94	0.14	-2.92	31,31,31,31	0
56	MG	1A	3071	1/1	0.96	0.16	-2.93	47,47,47,47	0
56	MG	2A	3373	1/1	0.86	0.15	-2.93	27,27,27,27	0
56	MG	1A	3377	1/1	0.96	0.17	-2.94	36,36,36,36	0
56	MG	1A	3127	1/1	0.98	0.18	-2.96	47,47,47,47	0
56	MG	2A	3001	1/1	0.94	0.16	-2.98	28,28,28,28	0
56	MG	2A	3418	1/1	0.95	0.17	-2.98	44,44,44,44	0
56	MG	1A	3464	1/1	0.95	0.16	-2.98	35,35,35,35	0
56	MG	2A	3035	1/1	0.95	0.12	-2.99	41,41,41,41	0
56	MG	1A	3403	1/1	0.95	0.16	-3.00	52,52,52,52	0
56	MG	1F	303	1/1	0.84	0.18	-3.02	34,34,34,34	0
56	MG	2A	3327	1/1	0.96	0.14	-3.03	33,33,33,33	0
56	MG	1a	1629	1/1	0.88	0.13	-3.03	58,58,58,58	0
56	MG	2A	3465	1/1	0.94	0.12	-3.04	39,39,39,39	0
56	MG	2A	3380	1/1	0.94	0.09	-3.04	35,35,35,35	0
56	MG	1A	3229	1/1	0.94	0.15	-3.05	40,40,40,40	0
56	MG	1A	3750	1/1	0.76	0.14	-3.05	53,53,53,53	0
56	MG	2A	3576	1/1	0.89	0.09	-3.06	59,59,59,59	0
56	MG	1A	3767	1/1	0.96	0.14	-3.06	39,39,39,39	0
56	MG	1a	1757	1/1	0.96	0.14	-3.08	39,39,39,39	0
56	MG	2A	3419	1/1	0.95	0.14	-3.08	37,37,37,37	0
56	MG	1d	503	1/1	0.85	0.08	-3.11	66,66,66,66	0
56	MG	2a	1606	1/1	0.92	0.12	-3.12	61,61,61,61	0
56	MG	2A	3319	1/1	0.95	0.16	-3.12	29,29,29,29	0
56	MG	1A	3397	1/1	0.95	0.18	-3.13	56,56,56,56	0
56	MG	1A	3508	1/1	0.95	0.17	-3.18	38,38,38,38	0
56	MG	2A	3009	1/1	0.94	0.13	-3.21	41,41,41,41	0
56	MG	1U	202	1/1	0.94	0.13	-3.22	31,31,31,31	0
56	MG	1A	3187	1/1	0.92	0.12	-3.23	60,60,60,60	0
56	MG	1a	1674	1/1	0.94	0.13	-3.26	42,42,42,42	0
56	MG	1a	1838	1/1	0.94	0.10	-3.26	51,51,51,51	0
56	MG	1A	3922	1/1	0.98	0.15	-3.28	41,41,41,41	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1a	1830	1/1	0.98	0.15	-3.28	44,44,44,44	0
56	MG	2A	3522	1/1	0.86	0.13	-3.32	53,53,53,53	0
56	MG	2A	3568	1/1	0.97	0.11	-3.33	54,54,54,54	0
56	MG	1A	3963	1/1	0.95	0.18	-3.38	34,34,34,34	0
56	MG	1A	3858	1/1	0.97	0.13	-3.42	36,36,36,36	0
56	MG	1A	3584	1/1	0.89	0.17	-3.42	19,19,19,19	0
56	MG	1A	3715	1/1	0.79	0.12	-3.44	50,50,50,50	0
56	MG	2A	3117	1/1	0.91	0.14	-3.46	43,43,43,43	0
56	MG	1A	3462	1/1	0.86	0.14	-3.47	53,53,53,53	0
56	MG	1A	3200	1/1	0.90	0.14	-3.47	49,49,49,49	0
56	MG	2A	3058	1/1	0.86	0.12	-3.48	47,47,47,47	0
56	MG	2A	3253	1/1	0.97	0.11	-3.49	47,47,47,47	0
56	MG	1A	3452	1/1	0.91	0.15	-3.52	43,43,43,43	0
56	MG	1A	3046	1/1	0.98	0.17	-3.52	29,29,29,29	0
56	MG	1A	3962	1/1	0.93	0.15	-3.58	35,35,35,35	0
56	MG	2e	3001	1/1	0.97	0.10	-3.59	53,53,53,53	0
56	MG	1A	3775	1/1	0.90	0.12	-3.59	47,47,47,47	0
56	MG	1A	3691	1/1	0.92	0.17	-3.62	41,41,41,41	0
56	MG	1A	3901	1/1	0.98	0.16	-3.63	46,46,46,46	0
56	MG	2A	3282	1/1	0.92	0.13	-3.65	33,33,33,33	0
56	MG	1A	3842	1/1	0.92	0.15	-3.65	39,39,39,39	0
56	MG	2A	3118	1/1	0.98	0.11	-3.65	37,37,37,37	0
56	MG	1A	3461	1/1	0.89	0.16	-3.67	27,27,27,27	0
56	MG	1A	3479	1/1	0.94	0.19	-3.67	48,48,48,48	0
56	MG	2A	3061	1/1	0.84	0.15	-3.67	43,43,43,43	0
56	MG	2A	3010	1/1	0.97	0.13	-3.68	30,30,30,30	0
56	MG	2A	3017	1/1	0.96	0.14	-3.73	26,26,26,26	0
56	MG	1A	3434	1/1	0.86	0.10	-3.73	39,39,39,39	0
56	MG	2A	3650	1/1	0.97	0.12	-3.73	37,37,37,37	0
56	MG	1a	1832	1/1	0.94	0.10	-3.75	47,47,47,47	0
59	ZN	15	101	1/1	0.99	0.12	-3.77	25,25,25,25	0
56	MG	1A	3854	1/1	0.96	0.15	-3.77	33,33,33,33	0
56	MG	2O	8001	1/1	0.91	0.12	-3.79	52,52,52,52	0
56	MG	1a	1646	1/1	0.94	0.19	-3.80	25,25,25,25	0
56	MG	1a	1745	1/1	0.96	0.13	-3.81	43,43,43,43	0
56	MG	1A	3896	1/1	0.99	0.20	-3.82	13,13,13,13	0
56	MG	1A	3401	1/1	0.86	0.16	-3.82	38,38,38,38	0
56	MG	1l	202	1/1	0.96	0.14	-3.82	52,52,52,52	0
56	MG	2a	1732	1/1	0.98	0.10	-3.83	45,45,45,45	0
56	MG	1G	201	1/1	0.94	0.10	-3.84	37,37,37,37	0
56	MG	1A	3553	1/1	0.95	0.14	-3.85	28,28,28,28	0
56	MG	1A	3600	1/1	0.76	0.16	-3.85	41,41,41,41	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1A	3838	1/1	0.91	0.17	-3.88	38,38,38,38	0
56	MG	1A	3097	1/1	0.95	0.18	-3.89	16,16,16,16	0
56	MG	2A	3489	1/1	0.94	0.12	-3.92	57,57,57,57	0
56	MG	2A	3541	1/1	0.98	0.11	-3.93	51,51,51,51	0
56	MG	1A	3394	1/1	0.98	0.18	-3.94	12,12,12,12	0
56	MG	2A	3256	1/1	0.93	0.11	-3.97	33,33,33,33	0
56	MG	2D	302	1/1	0.99	0.10	-3.98	27,27,27,27	0
56	MG	1W	3005	1/1	0.96	0.09	-3.98	30,30,30,30	0
56	MG	1A	3316	1/1	0.89	0.11	-3.99	44,44,44,44	0
56	MG	2A	3012	1/1	0.89	0.12	-4.04	40,40,40,40	0
56	MG	2a	1611	1/1	0.77	0.11	-4.05	62,62,62,62	0
56	MG	2a	1692	1/1	0.98	0.14	-4.08	54,54,54,54	0
56	MG	1A	3614	1/1	0.97	0.16	-4.08	42,42,42,42	0
56	MG	1A	3794	1/1	0.90	0.10	-4.08	21,21,21,21	0
56	MG	2A	3472	1/1	0.97	0.15	-4.10	55,55,55,55	0
56	MG	2A	3275	1/1	0.97	0.13	-4.10	46,46,46,46	0
56	MG	1A	3613	1/1	0.89	0.15	-4.11	36,36,36,36	0
56	MG	2a	1622	1/1	0.86	0.13	-4.11	44,44,44,44	0
56	MG	2A	3654	1/1	0.96	0.13	-4.11	34,34,34,34	0
56	MG	1A	3593	1/1	0.91	0.14	-4.12	29,29,29,29	0
56	MG	1A	3033	1/1	0.98	0.16	-4.12	22,22,22,22	0
56	MG	1a	1679	1/1	0.92	0.16	-4.14	48,48,48,48	0
56	MG	2A	3660	1/1	0.93	0.08	-4.15	42,42,42,42	0
56	MG	2A	3132	1/1	0.97	0.13	-4.15	44,44,44,44	0
56	MG	2a	1714	1/1	0.94	0.13	-4.17	55,55,55,55	0
56	MG	2a	1733	1/1	0.95	0.16	-4.18	61,61,61,61	0
56	MG	2a	1687	1/1	0.93	0.12	-4.18	52,52,52,52	0
56	MG	1a	1813	1/1	0.94	0.14	-4.18	72,72,72,72	0
56	MG	2a	1795	1/1	0.94	0.07	-4.19	55,55,55,55	0
56	MG	2A	3526	1/1	0.97	0.13	-4.20	49,49,49,49	0
56	MG	1A	3902	1/1	0.94	0.17	-4.21	28,28,28,28	0
56	MG	1A	3804	1/1	0.98	0.16	-4.21	26,26,26,26	0
56	MG	1A	3632	1/1	0.97	0.17	-4.23	57,57,57,57	0
56	MG	1A	3447	1/1	0.93	0.17	-4.24	36,36,36,36	0
56	MG	1A	3572	1/1	0.96	0.12	-4.24	33,33,33,33	0
56	MG	1A	3960	1/1	0.83	0.16	-4.29	38,38,38,38	0
56	MG	1W	3003	1/1	0.98	0.14	-4.30	25,25,25,25	0
56	MG	1A	3620	1/1	0.96	0.15	-4.34	32,32,32,32	0
56	MG	1A	3927	1/1	0.92	0.15	-4.35	40,40,40,40	0
56	MG	1A	3473	1/1	0.85	0.18	-4.39	26,26,26,26	0
56	MG	2A	3301	1/1	0.97	0.09	-4.39	35,35,35,35	0
56	MG	1A	3664	1/1	0.96	0.15	-4.40	39,39,39,39	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1a	1734	1/1	0.90	0.16	-4.40	30,30,30,30	0
56	MG	1A	3792	1/1	0.98	0.11	-4.41	17,17,17,17	0
56	MG	2A	3655	1/1	0.87	0.10	-4.45	31,31,31,31	0
56	MG	2A	3119	1/1	0.92	0.12	-4.48	37,37,37,37	0
56	MG	1A	3389	1/1	0.94	0.14	-4.50	50,50,50,50	0
56	MG	2A	3470	1/1	0.93	0.13	-4.55	30,30,30,30	0
56	MG	1A	3165	1/1	0.85	0.15	-4.58	38,38,38,38	0
56	MG	1A	3892	1/1	0.84	0.15	-4.61	41,41,41,41	0
56	MG	1w	3001	1/1	0.94	0.10	-4.61	44,44,44,44	0
56	MG	1A	3217	1/1	0.89	0.10	-4.62	42,42,42,42	0
56	MG	1A	3043	1/1	0.96	0.12	-4.64	27,27,27,27	0
56	MG	1A	3417	1/1	0.87	0.17	-4.67	32,32,32,32	0
56	MG	1l	102	1/1	0.97	0.14	-4.70	38,38,38,38	0
56	MG	1A	3396	1/1	0.95	0.15	-4.71	45,45,45,45	0
56	MG	1A	3774	1/1	0.91	0.17	-4.71	42,42,42,42	0
56	MG	1l	101	1/1	0.95	0.07	-4.72	41,41,41,41	0
56	MG	1A	3905	1/1	0.97	0.12	-4.73	35,35,35,35	0
56	MG	1A	3212	1/1	0.90	0.10	-4.73	67,67,67,67	0
56	MG	2A	3385	1/1	0.81	0.13	-4.74	43,43,43,43	0
56	MG	2A	3543	1/1	0.98	0.11	-4.74	28,28,28,28	0
56	MG	2A	3240	1/1	0.94	0.12	-4.79	46,46,46,46	0
56	MG	1E	303	1/1	0.98	0.12	-4.84	26,26,26,26	0
56	MG	1a	1741	1/1	0.94	0.11	-4.84	47,47,47,47	0
56	MG	2A	3028	1/1	0.91	0.10	-4.87	43,43,43,43	0
56	MG	1A	3781	1/1	0.99	0.13	-4.91	23,23,23,23	0
56	MG	1a	1672	1/1	0.85	0.11	-4.94	55,55,55,55	0
56	MG	1A	3585	1/1	0.98	0.13	-4.94	49,49,49,49	0
56	MG	1a	1619	1/1	0.98	0.09	-4.99	56,56,56,56	0
56	MG	1a	1771	1/1	0.95	0.10	-5.00	54,54,54,54	0
56	MG	2a	1647	1/1	0.83	0.13	-5.01	64,64,64,64	0
56	MG	2A	3571	1/1	0.96	0.14	-5.01	47,47,47,47	0
56	MG	1A	3780	1/1	0.94	0.16	-5.01	26,26,26,26	0
56	MG	1A	3819	1/1	0.87	0.10	-5.03	51,51,51,51	0
56	MG	1A	3209	1/1	0.93	0.16	-5.04	35,35,35,35	0
56	MG	2a	1700	1/1	0.92	0.09	-5.07	60,60,60,60	0
56	MG	1A	3093	1/1	0.90	0.14	-5.08	43,43,43,43	0
56	MG	1a	1677	1/1	0.91	0.12	-5.11	56,56,56,56	0
56	MG	2A	3561	1/1	0.88	0.05	-5.12	71,71,71,71	0
56	MG	1A	3590	1/1	0.95	0.16	-5.13	24,24,24,24	0
56	MG	1A	3684	1/1	0.96	0.16	-5.16	29,29,29,29	0
56	MG	1A	3051	1/1	0.91	0.15	-5.18	38,38,38,38	0
56	MG	2A	3640	1/1	0.91	0.12	-5.25	45,45,45,45	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1A	3040	1/1	0.96	0.12	-5.26	32,32,32,32	0
56	MG	1B	3017	1/1	0.96	0.12	-5.27	44,44,44,44	0
56	MG	1A	3203	1/1	0.92	0.14	-5.27	44,44,44,44	0
56	MG	1A	3612	1/1	0.91	0.14	-5.32	30,30,30,30	0
56	MG	2a	1704	1/1	0.88	0.13	-5.34	40,40,40,40	0
56	MG	1A	3714	1/1	0.93	0.13	-5.42	48,48,48,48	0
56	MG	1A	3530	1/1	0.97	0.13	-5.42	14,14,14,14	0
56	MG	1A	3134	1/1	0.96	0.12	-5.43	35,35,35,35	0
56	MG	2a	1619	1/1	0.93	0.08	-5.46	46,46,46,46	0
56	MG	1a	1831	1/1	0.79	0.11	-5.48	58,58,58,58	0
56	MG	1A	3515	1/1	0.79	0.17	-5.49	37,37,37,37	0
56	MG	2A	3646	1/1	0.93	0.11	-5.49	39,39,39,39	0
56	MG	1a	1839	1/1	0.92	0.10	-5.50	37,37,37,37	0
56	MG	2A	3560	1/1	0.98	0.11	-5.50	51,51,51,51	0
56	MG	1B	3029	1/1	0.96	0.12	-5.51	28,28,28,28	0
56	MG	2A	3548	1/1	0.91	0.10	-5.52	35,35,35,35	0
56	MG	2A	3390	1/1	0.93	0.11	-5.55	30,30,30,30	0
56	MG	2A	3325	1/1	0.96	0.09	-5.56	25,25,25,25	0
56	MG	1A	3496	1/1	0.96	0.16	-5.56	28,28,28,28	0
56	MG	1A	3873	1/1	0.95	0.15	-5.59	39,39,39,39	0
56	MG	1A	3856	1/1	0.95	0.14	-5.63	29,29,29,29	0
56	MG	2A	3469	1/1	0.92	0.09	-5.63	46,46,46,46	0
56	MG	1A	3019	1/1	0.97	0.13	-5.64	27,27,27,27	0
56	MG	1A	3602	1/1	0.84	0.18	-5.72	22,22,22,22	0
56	MG	1A	3188	1/1	0.95	0.13	-5.72	39,39,39,39	0
56	MG	1a	1661	1/1	0.87	0.13	-5.72	56,56,56,56	0
56	MG	1A	3358	1/1	0.97	0.14	-5.74	33,33,33,33	0
56	MG	2A	3479	1/1	0.98	0.11	-5.80	39,39,39,39	0
56	MG	1F	302	1/1	0.91	0.10	-5.80	54,54,54,54	0
56	MG	1A	3442	1/1	0.97	0.16	-5.81	36,36,36,36	0
56	MG	2A	3457	1/1	0.97	0.09	-5.81	48,48,48,48	0
56	MG	2a	1641	1/1	0.95	0.11	-5.81	65,65,65,65	0
56	MG	1A	3748	1/1	0.94	0.13	-5.82	29,29,29,29	0
56	MG	2A	3523	1/1	0.91	0.14	-5.83	54,54,54,54	0
56	MG	1a	1673	1/1	0.89	0.09	-5.89	65,65,65,65	0
56	MG	2A	3358	1/1	0.96	0.10	-5.89	52,52,52,52	0
56	MG	1A	3471	1/1	0.97	0.13	-5.92	26,26,26,26	0
56	MG	1a	1763	1/1	0.95	0.07	-5.98	56,56,56,56	0
56	MG	1A	3928	1/1	0.98	0.13	-5.99	24,24,24,24	0
56	MG	1A	3629	1/1	0.92	0.13	-6.02	42,42,42,42	0
56	MG	2A	3398	1/1	0.90	0.04	-6.03	47,47,47,47	0
56	MG	2a	1717	1/1	0.92	0.15	-6.07	59,59,59,59	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1A	3594	1/1	0.89	0.13	-6.09	35,35,35,35	0
56	MG	2A	3356	1/1	0.98	0.07	-6.10	29,29,29,29	0
56	MG	1A	3172	1/1	0.99	0.12	-6.12	32,32,32,32	0
56	MG	1A	3478	1/1	0.96	0.16	-6.15	20,20,20,20	0
56	MG	1A	3500	1/1	0.98	0.13	-6.20	26,26,26,26	0
56	MG	2A	3157	1/1	0.98	0.10	-6.22	29,29,29,29	0
56	MG	1A	3540	1/1	0.93	0.14	-6.31	33,33,33,33	0
56	MG	1A	3682	1/1	0.97	0.14	-6.31	50,50,50,50	0
56	MG	2A	3502	1/1	0.97	0.05	-6.32	35,35,35,35	0
56	MG	1A	3431	1/1	0.92	0.12	-6.40	45,45,45,45	0
56	MG	1A	3175	1/1	0.94	0.15	-6.41	31,31,31,31	0
56	MG	1A	3445	1/1	0.96	0.11	-6.42	53,53,53,53	0
56	MG	1A	3104	1/1	0.95	0.15	-6.42	33,33,33,33	0
56	MG	2A	3124	1/1	0.94	0.10	-6.46	50,50,50,50	0
56	MG	2a	1707	1/1	0.92	0.07	-6.51	60,60,60,60	0
56	MG	1A	3400	1/1	0.98	0.14	-6.53	28,28,28,28	0
56	MG	1A	3480	1/1	0.94	0.16	-6.53	26,26,26,26	0
56	MG	1A	3941	1/1	0.96	0.10	-6.54	43,43,43,43	0
56	MG	1B	3019	1/1	0.97	0.14	-6.54	22,22,22,22	0
56	MG	1a	1631	1/1	0.95	0.14	-6.63	59,59,59,59	0
56	MG	2A	3299	1/1	0.95	0.09	-6.65	36,36,36,36	0
56	MG	2A	3579	1/1	0.92	0.13	-6.69	65,65,65,65	0
56	MG	2A	3552	1/1	0.97	0.10	-6.70	57,57,57,57	0
56	MG	1T	203	1/1	0.93	0.09	-6.76	42,42,42,42	0
56	MG	1A	3031	1/1	0.94	0.14	-6.76	31,31,31,31	0
56	MG	1A	3751	1/1	0.74	0.11	-6.77	63,63,63,63	0
56	MG	2A	3078	1/1	0.92	0.14	-6.77	47,47,47,47	0
56	MG	2A	3297	1/1	0.86	0.15	-6.79	32,32,32,32	0
56	MG	2A	3238	1/1	0.91	0.10	-6.83	42,42,42,42	0
56	MG	1a	1670	1/1	0.92	0.15	-6.84	40,40,40,40	0
56	MG	2A	3030	1/1	0.97	0.11	-6.88	28,28,28,28	0
56	MG	1A	3862	1/1	0.99	0.11	-6.88	19,19,19,19	0
56	MG	1A	3386	1/1	0.96	0.16	-6.92	42,42,42,42	0
56	MG	2A	3508	1/1	0.97	0.09	-6.92	38,38,38,38	0
56	MG	1A	3421	1/1	0.88	0.08	-7.01	60,60,60,60	0
56	MG	2A	3393	1/1	0.90	0.09	-7.03	21,21,21,21	0
56	MG	2A	3258	1/1	0.98	0.06	-7.04	35,35,35,35	0
56	MG	1A	3871	1/1	0.96	0.16	-7.23	18,18,18,18	0
56	MG	2A	3572	1/1	0.98	0.09	-7.27	43,43,43,43	0
56	MG	2A	3228	1/1	0.93	0.11	-7.29	43,43,43,43	0
56	MG	2A	3031	1/1	0.97	0.07	-7.31	24,24,24,24	0
56	MG	2A	3273	1/1	0.96	0.12	-7.38	35,35,35,35	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1A	3793	1/1	0.89	0.17	-7.47	28,28,28,28	0
56	MG	2A	3447	1/1	0.95	0.07	-7.62	46,46,46,46	0
56	MG	1A	3565	1/1	0.97	0.14	-7.76	28,28,28,28	0
56	MG	1A	3204	1/1	0.96	0.15	-7.87	24,24,24,24	0
56	MG	1A	3482	1/1	0.93	0.14	-7.90	27,27,27,27	0
56	MG	2A	3265	1/1	0.98	0.11	-7.92	51,51,51,51	0
56	MG	1A	3070	1/1	0.90	0.11	-7.95	33,33,33,33	0
56	MG	1A	3517	1/1	0.98	0.12	-8.00	9,9,9,9	0
56	MG	1A	3369	1/1	0.91	0.14	-8.10	40,40,40,40	0
56	MG	1A	3651	1/1	0.94	0.13	-8.33	41,41,41,41	0
56	MG	1A	3567	1/1	0.98	0.13	-8.35	15,15,15,15	0
56	MG	1A	3690	1/1	0.96	0.11	-8.36	48,48,48,48	0
56	MG	1A	3587	1/1	0.95	0.15	-8.39	25,25,25,25	0
56	MG	1a	1615	1/1	0.95	0.11	-8.41	65,65,65,65	0
56	MG	1A	3436	1/1	0.95	0.15	-8.48	31,31,31,31	0
56	MG	1A	3363	1/1	0.85	0.15	-8.63	58,58,58,58	0
56	MG	2A	3673	1/1	0.96	0.12	-8.65	33,33,33,33	0
56	MG	1A	3861	1/1	0.91	0.11	-8.80	26,26,26,26	0
56	MG	2A	3432	1/1	0.98	0.12	-8.88	36,36,36,36	0
56	MG	1a	1652	1/1	0.92	0.12	-9.05	51,51,51,51	0
56	MG	2A	3323	1/1	0.88	0.09	-9.08	47,47,47,47	0
56	MG	1A	3430	1/1	0.96	0.10	-9.11	21,21,21,21	0
56	MG	1A	3248	1/1	0.88	0.10	-9.11	32,32,32,32	0
56	MG	2a	1727	1/1	0.95	0.09	-9.22	62,62,62,62	0
56	MG	2A	3365	1/1	0.94	0.09	-9.30	29,29,29,29	0
56	MG	2A	3007	1/1	0.95	0.12	-9.32	38,38,38,38	0
56	MG	1A	3419	1/1	0.90	0.15	-9.49	43,43,43,43	0
56	MG	1A	3160	1/1	0.98	0.13	-9.83	26,26,26,26	0
56	MG	2A	3196	1/1	0.96	0.10	-9.84	35,35,35,35	0
56	MG	1A	3865	1/1	0.92	0.13	-9.91	41,41,41,41	0
56	MG	1A	3020	1/1	0.91	0.11	-10.06	23,23,23,23	0
56	MG	2A	3314	1/1	0.96	0.15	-10.10	40,40,40,40	0
56	MG	1A	3615	1/1	0.97	0.12	-10.11	45,45,45,45	0
56	MG	1a	1815	1/1	0.82	0.08	-10.26	76,76,76,76	0
56	MG	1A	3206	1/1	0.93	0.15	-10.34	36,36,36,36	0
56	MG	2A	3152	1/1	0.96	0.12	-10.41	32,32,32,32	0
56	MG	1a	1690	1/1	0.92	0.14	-10.46	47,47,47,47	0
56	MG	1A	3642	1/1	0.86	0.12	-10.85	39,39,39,39	0
56	MG	2A	3510	1/1	0.95	0.11	-10.94	31,31,31,31	0
56	MG	1a	1715	1/1	0.94	0.13	-10.98	51,51,51,51	0
56	MG	1A	3580	1/1	0.97	0.11	-11.00	32,32,32,32	0
56	MG	1A	3044	1/1	0.91	0.13	-11.02	23,23,23,23	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	2A	3442	1/1	0.94	0.08	-11.23	46,46,46,46	0
56	MG	2A	3224	1/1	0.89	0.10	-11.33	46,46,46,46	0
56	MG	1a	1610	1/1	0.97	0.10	-11.42	22,22,22,22	0
56	MG	1a	1660	1/1	0.94	0.13	-11.55	47,47,47,47	0
56	MG	2A	3332	1/1	0.92	0.06	-12.42	37,37,37,37	0
56	MG	1A	3207	1/1	0.84	0.12	-12.45	52,52,52,52	0
56	MG	1a	1738	1/1	0.94	0.05	-12.51	43,43,43,43	0
56	MG	1A	3685	1/1	0.95	0.14	-12.54	26,26,26,26	0
56	MG	1A	3654	1/1	0.97	0.10	-12.64	40,40,40,40	0
56	MG	2A	3366	1/1	0.89	0.11	-12.78	41,41,41,41	0
56	MG	1A	3001	1/1	0.97	0.10	-12.87	33,33,33,33	0
56	MG	1A	3650	1/1	0.98	0.14	-12.98	31,31,31,31	0
56	MG	1A	3644	1/1	0.86	0.07	-13.18	57,57,57,57	0
56	MG	2A	3089	1/1	0.97	0.10	-14.52	27,27,27,27	0
56	MG	2A	3306	1/1	0.94	0.11	-14.76	33,33,33,33	0
56	MG	1A	3111	1/1	0.95	0.15	-15.59	40,40,40,40	0
56	MG	1A	3576	1/1	0.97	0.10	-16.60	41,41,41,41	0
56	MG	1A	3518	1/1	0.95	0.17	-16.66	40,40,40,40	0
56	MG	1A	3388	1/1	0.94	0.12	-17.48	49,49,49,49	0
56	MG	2A	3511	1/1	0.95	0.11	-17.95	68,68,68,68	0
56	MG	1a	1804	1/1	0.94	0.09	-19.03	65,65,65,65	0
56	MG	1A	3561	1/1	0.96	0.16	-	54,54,54,54	0
56	MG	1a	1612	1/1	0.74	0.17	-	63,63,63,63	0
56	MG	2A	3627	1/1	0.94	0.11	-	56,56,56,56	0
56	MG	1A	3586	1/1	0.99	0.17	-	41,41,41,41	0
56	MG	2A	3453	1/1	0.96	0.10	-	37,37,37,37	0
56	MG	2A	3415	1/1	0.99	0.16	-	30,30,30,30	0
56	MG	2A	3295	1/1	0.95	0.11	-	39,39,39,39	0
56	MG	2A	3412	1/1	0.92	0.17	-	40,40,40,40	0
56	MG	1a	1793	1/1	0.93	0.09	-	45,45,45,45	0
56	MG	1A	3374	1/1	0.89	0.13	-	47,47,47,47	0
56	MG	2a	1793	1/1	0.94	0.13	-	41,41,41,41	0
56	MG	2A	3293	1/1	0.94	0.09	-	33,33,33,33	0
56	MG	1A	3425	1/1	0.98	0.17	-	36,36,36,36	0
56	MG	1A	3139	1/1	0.95	0.17	-	33,33,33,33	0
56	MG	1A	3698	1/1	0.92	0.21	-	43,43,43,43	0
56	MG	1A	3554	1/1	0.94	0.27	-	32,32,32,32	0
56	MG	2A	3341	1/1	0.91	0.19	-	45,45,45,45	0
56	MG	1A	3641	1/1	0.90	0.26	-	35,35,35,35	0
56	MG	1A	3608	1/1	0.81	0.15	-	40,40,40,40	0
56	MG	1a	1696	1/1	0.89	0.15	-	66,66,66,66	0
56	MG	1A	3305	1/1	0.93	0.17	-	42,42,42,42	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1A	3525	1/1	0.90	0.09	-	53,53,53,53	0
56	MG	2A	3578	1/1	0.74	0.30	-	65,65,65,65	0
56	MG	1A	3291	1/1	0.95	0.27	-	28,28,28,28	0
56	MG	2A	3222	1/1	0.78	0.17	-	47,47,47,47	0
56	MG	2A	3631	1/1	0.95	0.14	-	51,51,51,51	0
56	MG	2a	1725	1/1	0.88	0.07	-	69,69,69,69	0
56	MG	1a	1651	1/1	0.75	0.21	-	62,62,62,62	0
56	MG	1A	3244	1/1	0.85	0.34	-	39,39,39,39	0
56	MG	2A	3308	1/1	0.92	0.08	-	45,45,45,45	0
56	MG	2A	3586	1/1	0.98	0.11	-	44,44,44,44	0
56	MG	1A	3782	1/1	0.93	0.16	-	34,34,34,34	0
56	MG	2A	3133	1/1	0.93	0.17	-	49,49,49,49	0
56	MG	1A	3145	1/1	0.93	0.28	-	36,36,36,36	0
56	MG	2A	3339	1/1	0.93	0.16	-	38,38,38,38	0
56	MG	1A	3707	1/1	0.95	0.16	-	54,54,54,54	0
56	MG	2A	3375	1/1	0.92	0.10	-	53,53,53,53	0
56	MG	1B	3002	1/1	0.89	0.19	-	48,48,48,48	0
56	MG	2a	1723	1/1	0.95	0.07	-	54,54,54,54	0
56	MG	1A	3274	1/1	0.94	0.28	-	66,66,66,66	0
56	MG	2A	3067	1/1	0.93	0.09	-	32,32,32,32	0
56	MG	2a	1718	1/1	0.91	0.09	-	51,51,51,51	0
56	MG	1A	3130	1/1	0.94	0.12	-	50,50,50,50	0
56	MG	1A	3150	1/1	0.90	0.29	-	41,41,41,41	0
56	MG	2A	3362	1/1	0.98	0.19	-	44,44,44,44	0
56	MG	1A	3798	1/1	0.92	0.11	-	43,43,43,43	0
56	MG	1A	3052	1/1	0.93	0.21	-	39,39,39,39	0
56	MG	1A	3761	1/1	0.83	0.13	-	56,56,56,56	0
56	MG	1a	1811	1/1	0.95	0.22	-	57,57,57,57	0
56	MG	1A	3541	1/1	0.96	0.08	-	42,42,42,42	0
56	MG	1a	1714	1/1	0.97	0.23	-	42,42,42,42	0
56	MG	1A	3355	1/1	0.97	0.22	-	46,46,46,46	0
56	MG	1G	204	1/1	0.99	0.03	-	48,48,48,48	0
56	MG	1A	3864	1/1	0.97	0.09	-	38,38,38,38	0
56	MG	1A	3259	1/1	0.87	0.16	-	61,61,61,61	0
56	MG	1A	3116	1/1	0.81	0.28	-	47,47,47,47	0
56	MG	1A	3831	1/1	0.95	0.25	-	62,62,62,62	0
56	MG	1A	3640	1/1	0.93	0.20	-	21,21,21,21	0
56	MG	2A	3227	1/1	0.84	0.16	-	48,48,48,48	0
56	MG	2A	3320	1/1	0.89	0.13	-	42,42,42,42	0
56	MG	1A	3304	1/1	0.96	0.12	-	48,48,48,48	0
56	MG	1A	3455	1/1	0.94	0.14	-	45,45,45,45	0
56	MG	2A	3547	1/1	0.90	0.17	-	37,37,37,37	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1A	3239	1/1	0.85	0.13	-	56,56,56,56	0
56	MG	2A	3500	1/1	0.96	0.11	-	38,38,38,38	0
56	MG	1x	3007	1/1	0.96	0.28	-	51,51,51,51	0
56	MG	2a	1636	1/1	0.97	0.08	-	60,60,60,60	0
56	MG	2A	3507	1/1	0.96	0.16	-	19,19,19,19	0
56	MG	2A	3408	1/1	0.94	0.08	-	50,50,50,50	0
56	MG	2A	3214	1/1	0.88	0.23	-	41,41,41,41	0
56	MG	2A	3161	1/1	0.96	0.25	-	49,49,49,49	0
56	MG	1A	3545	1/1	0.98	0.08	-	57,57,57,57	0
56	MG	1A	3818	1/1	0.95	0.16	-	30,30,30,30	0
56	MG	2A	3454	1/1	0.99	0.09	-	36,36,36,36	0
56	MG	2B	3003	1/1	0.86	0.17	-	48,48,48,48	0
56	MG	1B	3010	1/1	0.83	0.11	-	68,68,68,68	0
56	MG	2a	1764	1/1	0.92	0.17	-	53,53,53,53	0
56	MG	2a	1684	1/1	0.95	0.31	-	48,48,48,48	0
56	MG	1A	3904	1/1	0.87	0.13	-	55,55,55,55	0
56	MG	2B	3001	1/1	0.78	0.27	-	69,69,69,69	0
56	MG	1A	3437	1/1	0.92	0.15	-	28,28,28,28	0
56	MG	2A	3562	1/1	0.98	0.14	-	42,42,42,42	0
56	MG	2A	3266	1/1	0.93	0.13	-	34,34,34,34	0
56	MG	1F	306	1/1	0.79	0.18	-	46,46,46,46	0
56	MG	1A	3448	1/1	0.96	0.11	-	57,57,57,57	0
56	MG	1A	3843	1/1	0.95	0.17	-	33,33,33,33	0
56	MG	2A	3336	1/1	0.99	0.09	-	47,47,47,47	0
56	MG	2A	3247	1/1	0.94	0.12	-	51,51,51,51	0
56	MG	2E	305	1/1	0.98	0.13	-	39,39,39,39	0
56	MG	1A	3542	1/1	0.94	0.14	-	52,52,52,52	0
56	MG	2a	1630	1/1	0.98	0.21	-	55,55,55,55	0
56	MG	1l	203	1/1	0.87	0.17	-	58,58,58,58	0
56	MG	2a	1673	1/1	0.90	0.26	-	60,60,60,60	0
56	MG	2A	3625	1/1	0.92	0.08	-	56,56,56,56	0
56	MG	2a	1602	1/1	0.98	0.25	-	60,60,60,60	0
56	MG	1A	3538	1/1	0.97	0.14	-	40,40,40,40	0
56	MG	2A	3529	1/1	0.89	0.22	-	57,57,57,57	0
56	MG	1A	3078	1/1	0.97	0.25	-	38,38,38,38	0
56	MG	1B	3016	1/1	0.93	0.19	-	61,61,61,61	0
56	MG	1A	3874	1/1	0.86	0.19	-	63,63,63,63	0
56	MG	1A	3211	1/1	0.93	0.17	-	38,38,38,38	0
56	MG	2A	3582	1/1	0.93	0.14	-	47,47,47,47	0
56	MG	1A	3820	1/1	0.98	0.21	-	45,45,45,45	0
56	MG	1A	3742	1/1	0.85	0.22	-	37,37,37,37	0
56	MG	1A	3196	1/1	0.89	0.15	-	52,52,52,52	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1A	3806	1/1	0.87	0.12	-	73,73,73,73	0
56	MG	1A	3307	1/1	0.94	0.17	-	55,55,55,55	0
56	MG	1U	204	1/1	0.94	0.20	-	44,44,44,44	0
56	MG	2A	3036	1/1	0.95	0.20	-	43,43,43,43	0
56	MG	2a	1680	1/1	0.82	0.15	-	73,73,73,73	0
56	MG	1A	3278	1/1	0.91	0.18	-	60,60,60,60	0
56	MG	2A	3384	1/1	0.97	0.10	-	39,39,39,39	0
56	MG	1a	1764	1/1	0.93	0.12	-	38,38,38,38	0
56	MG	2O	8002	1/1	0.68	1.29	-	112,112,112,112	0
56	MG	2A	3444	1/1	0.96	0.21	-	50,50,50,50	0
56	MG	1A	3551	1/1	0.98	0.18	-	26,26,26,26	0
56	MG	1A	3232	1/1	0.94	0.12	-	49,49,49,49	0
56	MG	1A	3581	1/1	0.93	0.21	-	50,50,50,50	0
56	MG	2A	3612	1/1	0.96	0.13	-	57,57,57,57	0
56	MG	1a	1825	1/1	0.96	0.11	-	46,46,46,46	0
56	MG	2A	3260	1/1	0.94	0.10	-	52,52,52,52	0
56	MG	1A	3230	1/1	0.87	0.17	-	39,39,39,39	0
56	MG	2A	3630	1/1	0.97	0.12	-	41,41,41,41	0
56	MG	1a	1662	1/1	0.98	0.22	-	51,51,51,51	0
56	MG	1A	3568	1/1	0.95	0.21	-	53,53,53,53	0
56	MG	1a	1823	1/1	0.95	0.10	-	58,58,58,58	0
56	MG	2A	3514	1/1	0.78	0.17	-	59,59,59,59	0
56	MG	2A	3593	1/1	0.91	0.28	-	56,56,56,56	0
56	MG	1A	3716	1/1	0.95	0.36	-	59,59,59,59	0
56	MG	1A	3069	1/1	0.96	0.13	-	27,27,27,27	0
56	MG	1A	3771	1/1	0.95	0.20	-	39,39,39,39	0
56	MG	2A	3399	1/1	0.87	0.16	-	47,47,47,47	0
56	MG	1A	3059	1/1	0.93	0.18	-	50,50,50,50	0
56	MG	2a	1676	1/1	0.97	0.21	-	40,40,40,40	0
56	MG	1A	3186	1/1	0.98	0.35	-	56,56,56,56	0
56	MG	2A	3503	1/1	0.94	0.11	-	47,47,47,47	0
56	MG	1A	3361	1/1	0.96	0.11	-	33,33,33,33	0
56	MG	1A	3053	1/1	0.87	0.23	-	52,52,52,52	0
56	MG	2A	3651	1/1	0.81	0.14	-	55,55,55,55	0
56	MG	2a	1736	1/1	0.83	0.10	-	68,68,68,68	0
56	MG	1A	3724	1/1	0.97	0.18	-	23,23,23,23	0
56	MG	1A	3366	1/1	0.94	0.14	-	61,61,61,61	0
56	MG	2A	3209	1/1	0.93	0.08	-	41,41,41,41	0
56	MG	13	103	1/1	0.92	0.15	-	50,50,50,50	0
56	MG	2A	3555	1/1	0.95	0.12	-	53,53,53,53	0
56	MG	2a	1748	1/1	0.90	0.12	-	77,77,77,77	0
56	MG	2A	3135	1/1	0.94	0.17	-	33,33,33,33	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	2a	1624	1/1	0.89	0.26	-	54,54,54,54	0
56	MG	1A	3332	1/1	0.94	0.17	-	31,31,31,31	0
56	MG	1A	3270	1/1	0.92	0.18	-	57,57,57,57	0
56	MG	1a	1759	1/1	0.90	0.13	-	57,57,57,57	0
56	MG	1A	3638	1/1	0.93	0.18	-	27,27,27,27	0
56	MG	1d	502	1/1	0.92	0.18	-	51,51,51,51	0
56	MG	1A	3880	1/1	0.83	0.12	-	37,37,37,37	0
56	MG	1A	3733	1/1	0.96	0.15	-	25,25,25,25	0
56	MG	1A	3661	1/1	0.97	0.20	-	45,45,45,45	0
56	MG	2A	3367	1/1	0.94	0.22	-	42,42,42,42	0
56	MG	1A	3749	1/1	0.94	0.14	-	52,52,52,52	0
56	MG	2A	3075	1/1	0.77	0.27	-	41,41,41,41	0
56	MG	2A	3003	1/1	0.93	0.10	-	43,43,43,43	0
56	MG	2A	3493	1/1	0.84	0.12	-	62,62,62,62	0
56	MG	1A	3450	1/1	0.97	0.13	-	42,42,42,42	0
56	MG	1a	1710	1/1	0.91	0.16	-	61,61,61,61	0
56	MG	2A	3410	1/1	0.98	0.10	-	43,43,43,43	0
56	MG	1A	3310	1/1	0.95	0.13	-	54,54,54,54	0
56	MG	1A	3725	1/1	0.95	0.15	-	28,28,28,28	0
56	MG	1A	3136	1/1	0.96	0.12	-	39,39,39,39	0
56	MG	2A	3438	1/1	0.90	0.15	-	44,44,44,44	0
56	MG	1A	3872	1/1	0.79	0.11	-	50,50,50,50	0
56	MG	1x	3006	1/1	0.93	0.13	-	51,51,51,51	0
56	MG	20	103	1/1	0.91	0.08	-	49,49,49,49	0
56	MG	2A	3667	1/1	0.83	0.14	-	53,53,53,53	0
56	MG	1a	1635	1/1	0.89	0.31	-	50,50,50,50	0
56	MG	1A	3627	1/1	0.94	0.07	-	44,44,44,44	0
56	MG	2A	3230	1/1	0.87	0.22	-	57,57,57,57	0
56	MG	1A	3364	1/1	0.96	0.16	-	55,55,55,55	0
56	MG	2a	1642	1/1	0.74	0.16	-	66,66,66,66	0
56	MG	1A	3260	1/1	0.89	0.15	-	40,40,40,40	0
56	MG	2B	3002	1/1	0.89	0.17	-	55,55,55,55	0
56	MG	2A	3595	1/1	0.98	0.08	-	57,57,57,57	0
56	MG	2A	3020	1/1	0.97	0.08	-	43,43,43,43	0
56	MG	1A	3349	1/1	0.91	0.30	-	38,38,38,38	0
56	MG	2A	3156	1/1	0.98	0.24	-	31,31,31,31	0
56	MG	1A	3867	1/1	0.97	0.09	-	31,31,31,31	0
56	MG	1W	3002	1/1	0.94	0.17	-	49,49,49,49	0
56	MG	2w	3001	1/1	0.88	0.20	-	67,67,67,67	0
56	MG	1A	3079	1/1	0.97	0.35	-	30,30,30,30	0
56	MG	1A	3303	1/1	0.91	0.15	-	34,34,34,34	0
56	MG	1A	3681	1/1	0.94	0.11	-	32,32,32,32	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	2A	3262	1/1	0.96	0.14	-	41,41,41,41	0
56	MG	2a	1744	1/1	0.97	0.11	-	47,47,47,47	0
56	MG	1A	3072	1/1	0.96	0.17	-	40,40,40,40	0
56	MG	1a	1824	1/1	0.94	0.17	-	48,48,48,48	0
56	MG	1a	1746	1/1	0.64	0.12	-	85,85,85,85	0
56	MG	2A	3329	1/1	0.98	0.07	-	43,43,43,43	0
56	MG	1a	1702	1/1	0.89	0.26	-	60,60,60,60	0
56	MG	18	102	1/1	0.96	0.17	-	33,33,33,33	0
56	MG	1A	3387	1/1	0.96	0.13	-	38,38,38,38	0
56	MG	1A	3371	1/1	0.94	0.21	-	56,56,56,56	0
56	MG	1A	3042	1/1	0.92	0.16	-	27,27,27,27	0
56	MG	2A	3564	1/1	0.89	0.17	-	45,45,45,45	0
56	MG	1A	3218	1/1	0.94	0.12	-	51,51,51,51	0
56	MG	2A	3235	1/1	0.94	0.20	-	49,49,49,49	0
56	MG	2a	1637	1/1	0.93	0.14	-	60,60,60,60	0
56	MG	1A	3659	1/1	0.92	0.06	-	64,64,64,64	0
56	MG	1A	3275	1/1	0.87	0.14	-	39,39,39,39	0
56	MG	1A	3596	1/1	0.99	0.16	-	32,32,32,32	0
56	MG	1A	3666	1/1	0.95	0.28	-	44,44,44,44	0
56	MG	2A	3097	1/1	0.92	0.14	-	57,57,57,57	0
56	MG	1A	3208	1/1	0.98	0.24	-	24,24,24,24	0
56	MG	2A	3617	1/1	0.83	0.09	-	54,54,54,54	0
56	MG	2A	3219	1/1	0.97	0.24	-	45,45,45,45	0
56	MG	1A	3836	1/1	0.73	0.29	-	54,54,54,54	0
56	MG	1A	3144	1/1	0.93	0.29	-	40,40,40,40	0
56	MG	2A	3038	1/1	0.97	0.23	-	48,48,48,48	0
56	MG	1a	1667	1/1	0.77	0.17	-	68,68,68,68	0
56	MG	2a	1708	1/1	0.97	0.07	-	52,52,52,52	0
56	MG	2A	3316	1/1	0.94	0.17	-	25,25,25,25	0
56	MG	2A	3558	1/1	0.90	0.13	-	54,54,54,54	0
56	MG	1a	1614	1/1	0.95	0.19	-	37,37,37,37	0
56	MG	1A	3451	1/1	0.97	0.15	-	40,40,40,40	0
56	MG	2A	3130	1/1	0.94	0.30	-	54,54,54,54	0
56	MG	1a	1637	1/1	0.92	0.10	-	47,47,47,47	0
56	MG	1A	3334	1/1	0.90	0.23	-	54,54,54,54	0
56	MG	1A	3391	1/1	0.95	0.17	-	18,18,18,18	0
56	MG	1A	3675	1/1	0.95	0.17	-	56,56,56,56	0
56	MG	1A	3151	1/1	0.96	0.22	-	34,34,34,34	0
56	MG	1A	3197	1/1	0.93	0.22	-	51,51,51,51	0
56	MG	1B	3018	1/1	0.97	0.20	-	41,41,41,41	0
56	MG	2a	1761	1/1	0.96	0.09	-	82,82,82,82	0
56	MG	2A	3101	1/1	0.94	0.21	-	53,53,53,53	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1A	3441	1/1	0.84	0.15	-	48,48,48,48	0
56	MG	23	3001	1/1	0.92	0.20	-	54,54,54,54	0
56	MG	1A	3074	1/1	0.82	0.18	-	45,45,45,45	0
56	MG	1A	3605	1/1	0.78	0.09	-	74,74,74,74	0
56	MG	2a	1693	1/1	0.91	0.23	-	47,47,47,47	0
56	MG	2a	1629	1/1	0.79	0.19	-	55,55,55,55	0
56	MG	2a	1743	1/1	0.92	0.10	-	54,54,54,54	0
56	MG	2A	3374	1/1	0.95	0.17	-	54,54,54,54	0
56	MG	1A	3498	1/1	0.86	0.14	-	50,50,50,50	0
56	MG	2A	3536	1/1	0.97	0.11	-	46,46,46,46	0
56	MG	1A	3672	1/1	0.98	0.08	-	57,57,57,57	0
56	MG	1A	3149	1/1	0.99	0.30	-	30,30,30,30	0
56	MG	2A	3054	1/1	0.96	0.09	-	41,41,41,41	0
56	MG	1A	3726	1/1	0.87	0.15	-	62,62,62,62	0
56	MG	2A	3272	1/1	0.94	0.15	-	42,42,42,42	0
56	MG	2A	3047	1/1	0.94	0.10	-	22,22,22,22	0
56	MG	1A	3122	1/1	0.98	0.29	-	40,40,40,40	0
56	MG	1A	3378	1/1	0.96	0.21	-	43,43,43,43	0
56	MG	2A	3477	1/1	0.97	0.16	-	44,44,44,44	0
56	MG	1A	3420	1/1	0.95	0.08	-	59,59,59,59	0
56	MG	1F	305	1/1	0.89	0.16	-	46,46,46,46	0
56	MG	1A	3633	1/1	0.92	0.20	-	40,40,40,40	0
56	MG	1A	3787	1/1	0.95	0.09	-	34,34,34,34	0
56	MG	1X	3002	1/1	0.94	0.17	-	45,45,45,45	0
56	MG	1A	3411	1/1	0.93	0.15	-	51,51,51,51	0
56	MG	1A	3344	1/1	0.96	0.23	-	48,48,48,48	0
56	MG	2A	3162	1/1	0.86	0.10	-	45,45,45,45	0
56	MG	1A	3280	1/1	0.80	0.20	-	50,50,50,50	0
56	MG	1a	1810	1/1	0.42	0.14	-	90,90,90,90	0
56	MG	1A	3636	1/1	0.97	0.17	-	53,53,53,53	0
56	MG	1A	3324	1/1	0.96	0.12	-	43,43,43,43	0
56	MG	1B	3007	1/1	0.84	0.20	-	53,53,53,53	0
56	MG	1A	3185	1/1	0.95	0.20	-	50,50,50,50	0
56	MG	2A	3251	1/1	0.95	0.18	-	27,27,27,27	0
56	MG	2A	3466	1/1	0.95	0.11	-	50,50,50,50	0
56	MG	1A	3137	1/1	0.94	0.21	-	32,32,32,32	0
56	MG	1A	3335	1/1	0.92	0.26	-	47,47,47,47	0
56	MG	1A	3616	1/1	0.95	0.22	-	55,55,55,55	0
56	MG	2A	3290	1/1	0.97	0.12	-	40,40,40,40	0
56	MG	2A	3437	1/1	0.98	0.13	-	34,34,34,34	0
56	MG	1a	1655	1/1	0.93	0.20	-	63,63,63,63	0
56	MG	1A	3184	1/1	0.96	0.14	-	34,34,34,34	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	2a	1699	1/1	0.96	0.12	-	38,38,38,38	0
56	MG	2A	3096	1/1	0.90	0.17	-	56,56,56,56	0
56	MG	1A	3888	1/1	0.44	0.14	-	89,89,89,89	0
56	MG	2A	3049	1/1	0.93	0.12	-	42,42,42,42	0
56	MG	2A	3645	1/1	0.91	0.14	-	41,41,41,41	0
56	MG	2A	3218	1/1	0.93	0.29	-	49,49,49,49	0
56	MG	1A	3943	1/1	0.85	0.17	-	42,42,42,42	0
56	MG	1A	3063	1/1	0.90	0.22	-	36,36,36,36	0
56	MG	2A	3305	1/1	0.89	0.17	-	37,37,37,37	0
56	MG	1A	3509	1/1	0.96	0.13	-	31,31,31,31	0
56	MG	1A	3007	1/1	0.95	0.21	-	29,29,29,29	0
56	MG	1a	1648	1/1	0.97	0.24	-	43,43,43,43	0
56	MG	2A	3499	1/1	0.91	0.09	-	52,52,52,52	0
56	MG	1A	3446	1/1	0.96	0.03	-	48,48,48,48	0
57	K	2A	3207	1/1	0.86	0.26	-	75,75,75,75	0
56	MG	2A	3158	1/1	0.96	0.14	-	49,49,49,49	0
56	MG	1y	101	1/1	0.97	0.29	-	38,38,38,38	0
56	MG	1A	3306	1/1	0.96	0.30	-	55,55,55,55	0
56	MG	1a	1827	1/1	0.80	0.13	-	55,55,55,55	0
56	MG	2A	3065	1/1	0.88	0.19	-	43,43,43,43	0
56	MG	1A	3696	1/1	0.91	0.28	-	38,38,38,38	0
56	MG	2a	1728	1/1	0.93	0.13	-	52,52,52,52	0
56	MG	1A	3426	1/1	0.90	0.16	-	51,51,51,51	0
56	MG	1A	3215	1/1	0.97	0.19	-	56,56,56,56	0
56	MG	2A	3441	1/1	0.80	0.17	-	33,33,33,33	0
56	MG	2A	3618	1/1	0.94	0.12	-	44,44,44,44	0
56	MG	2a	1601	1/1	0.97	0.25	-	45,45,45,45	0
56	MG	1A	3683	1/1	0.93	0.15	-	50,50,50,50	0
56	MG	2A	3276	1/1	0.93	0.09	-	48,48,48,48	0
56	MG	2a	1675	1/1	0.94	0.05	-	66,66,66,66	0
56	MG	1a	1692	1/1	0.85	0.17	-	60,60,60,60	0
56	MG	1A	3766	1/1	0.88	0.10	-	57,57,57,57	0
56	MG	1A	3673	1/1	0.94	0.12	-	59,59,59,59	0
56	MG	2a	1789	1/1	0.87	0.17	-	58,58,58,58	0
56	MG	2a	1656	1/1	0.95	0.16	-	62,62,62,62	0
56	MG	1a	1627	1/1	0.95	0.20	-	58,58,58,58	0
56	MG	1A	3883	1/1	0.94	0.09	-	60,60,60,60	0
56	MG	1A	3639	1/1	0.85	0.16	-	39,39,39,39	0
56	MG	1A	3625	1/1	0.92	0.10	-	51,51,51,51	0
56	MG	2a	1778	1/1	0.98	0.05	-	51,51,51,51	0
56	MG	1A	3273	1/1	0.90	0.20	-	42,42,42,42	0
56	MG	1a	1736	1/1	0.92	0.07	-	58,58,58,58	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	2A	3116	1/1	0.80	0.19	-	56,56,56,56	0
56	MG	1A	3597	1/1	0.79	0.18	-	50,50,50,50	0
56	MG	1A	3550	1/1	0.96	0.16	-	40,40,40,40	0
56	MG	2A	3535	1/1	0.80	0.07	-	62,62,62,62	0
56	MG	1a	1709	1/1	0.94	0.23	-	60,60,60,60	0
56	MG	2a	1661	1/1	0.81	0.28	-	65,65,65,65	0
56	MG	2A	3639	1/1	0.92	0.11	-	52,52,52,52	0
56	MG	2F	304	1/1	0.82	0.14	-	54,54,54,54	0
56	MG	1A	3503	1/1	0.90	0.18	-	33,33,33,33	0
56	MG	2A	3671	1/1	0.97	0.05	-	51,51,51,51	0
56	MG	2A	3027	1/1	0.92	0.11	-	44,44,44,44	0
56	MG	2a	1682	1/1	0.94	0.29	-	64,64,64,64	0
56	MG	2A	3236	1/1	0.91	0.16	-	55,55,55,55	0
56	MG	2A	3644	1/1	0.89	0.40	-	42,42,42,42	0
56	MG	1A	3424	1/1	0.94	0.18	-	14,14,14,14	0
56	MG	1A	3267	1/1	0.85	0.15	-	53,53,53,53	0
56	MG	1a	1724	1/1	0.95	0.15	-	52,52,52,52	0
56	MG	2A	3079	1/1	0.93	0.17	-	49,49,49,49	0
56	MG	1A	3098	1/1	0.82	0.17	-	56,56,56,56	0
56	MG	1a	1800	1/1	0.88	0.13	-	50,50,50,50	0
56	MG	1A	3343	1/1	0.92	0.20	-	54,54,54,54	0
56	MG	1a	1798	1/1	0.77	0.13	-	71,71,71,71	0
56	MG	1a	1821	1/1	0.95	0.09	-	68,68,68,68	0
56	MG	1A	3656	1/1	0.97	0.12	-	48,48,48,48	0
56	MG	1A	3453	1/1	0.96	0.10	-	31,31,31,31	0
56	MG	1A	3773	1/1	0.82	0.25	-	41,41,41,41	0
56	MG	1a	1658	1/1	0.98	0.30	-	51,51,51,51	0
56	MG	2A	3463	1/1	0.96	0.09	-	45,45,45,45	0
56	MG	1A	3289	1/1	0.94	0.13	-	29,29,29,29	0
56	MG	1E	304	1/1	0.93	0.06	-	57,57,57,57	0
56	MG	1A	3839	1/1	0.94	0.12	-	70,70,70,70	0
56	MG	1A	3221	1/1	0.87	0.16	-	48,48,48,48	0
56	MG	1a	1790	1/1	0.92	0.13	-	46,46,46,46	0
56	MG	2a	1655	1/1	0.70	0.24	-	64,64,64,64	0
56	MG	2A	3452	1/1	0.94	0.30	-	54,54,54,54	0
56	MG	1a	1773	1/1	0.81	0.10	-	64,64,64,64	0
56	MG	2a	1786	1/1	0.92	0.10	-	59,59,59,59	0
56	MG	1A	3266	1/1	0.78	0.18	-	61,61,61,61	0
56	MG	1T	202	1/1	0.97	0.09	-	46,46,46,46	0
56	MG	2a	1712	1/1	0.97	0.21	-	58,58,58,58	0
56	MG	1a	1803	1/1	0.95	0.06	-	64,64,64,64	0
56	MG	1A	3329	1/1	0.94	0.20	-	38,38,38,38	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1A	3768	1/1	0.94	0.23	-	50,50,50,50	0
56	MG	1A	3790	1/1	0.89	0.15	-	49,49,49,49	0
56	MG	1A	3840	1/1	0.97	0.26	-	36,36,36,36	0
56	MG	2A	3583	1/1	0.94	0.13	-	41,41,41,41	0
56	MG	2A	3353	1/1	0.94	0.10	-	49,49,49,49	0
56	MG	1A	3413	1/1	0.97	0.13	-	30,30,30,30	0
56	MG	1A	3560	1/1	0.92	0.16	-	49,49,49,49	0
56	MG	2A	3069	1/1	0.95	0.16	-	30,30,30,30	0
56	MG	2A	3287	1/1	0.95	0.07	-	31,31,31,31	0
56	MG	2A	3519	1/1	0.93	0.15	-	43,43,43,43	0
56	MG	2A	3084	1/1	0.90	0.10	-	40,40,40,40	0
56	MG	1P	201	1/1	0.95	0.07	-	50,50,50,50	0
56	MG	1a	1604	1/1	0.90	0.11	-	47,47,47,47	0
56	MG	1A	3285	1/1	0.81	0.18	-	49,49,49,49	0
56	MG	1A	3118	1/1	0.95	0.18	-	30,30,30,30	0
56	MG	2A	3492	1/1	0.79	0.14	-	50,50,50,50	0
56	MG	1A	3516	1/1	0.96	0.16	-	25,25,25,25	0
56	MG	1A	3406	1/1	0.96	0.18	-	23,23,23,23	0
56	MG	1A	3539	1/1	0.97	0.25	-	51,51,51,51	0
56	MG	28	101	1/1	0.86	0.20	-	57,57,57,57	0
56	MG	2A	3114	1/1	0.95	0.25	-	51,51,51,51	0
56	MG	1A	3410	1/1	0.96	0.21	-	42,42,42,42	0
56	MG	2A	3404	1/1	0.90	0.14	-	37,37,37,37	0
56	MG	1A	3255	1/1	0.97	0.21	-	50,50,50,50	0
56	MG	1a	1654	1/1	0.89	0.09	-	54,54,54,54	0
56	MG	2A	3326	1/1	0.98	0.06	-	42,42,42,42	0
56	MG	1a	1755	1/1	0.89	0.13	-	57,57,57,57	0
56	MG	2A	3237	1/1	0.84	0.18	-	57,57,57,57	0
56	MG	1E	306	1/1	0.97	0.16	-	56,56,56,56	0
56	MG	10	104	1/1	0.98	0.04	-	55,55,55,55	0
56	MG	1a	1809	1/1	0.88	0.10	-	83,83,83,83	0
56	MG	1A	3100	1/1	0.94	0.11	-	57,57,57,57	0
56	MG	1A	3527	1/1	0.96	0.11	-	41,41,41,41	0
56	MG	2A	3074	1/1	0.61	0.18	-	54,54,54,54	0
56	MG	2A	3665	1/1	0.96	0.09	-	57,57,57,57	0
56	MG	1A	3028	1/1	0.95	0.17	-	20,20,20,20	0
56	MG	1A	3693	1/1	0.92	0.21	-	48,48,48,48	0
56	MG	1a	1729	1/1	0.94	0.16	-	53,53,53,53	0
56	MG	1A	3728	1/1	0.96	0.20	-	50,50,50,50	0
56	MG	1A	3287	1/1	0.87	0.17	-	47,47,47,47	0
56	MG	1A	3821	1/1	0.92	0.22	-	47,47,47,47	0
56	MG	1A	3167	1/1	0.94	0.38	-	42,42,42,42	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1A	3279	1/1	0.89	0.12	-	52,52,52,52	0
56	MG	2A	3155	1/1	0.90	0.22	-	43,43,43,43	0
56	MG	2a	1695	1/1	0.86	0.18	-	54,54,54,54	0
56	MG	1A	3679	1/1	0.95	0.15	-	52,52,52,52	0
56	MG	1w	3006	1/1	0.94	0.06	-	67,67,67,67	0
56	MG	2A	3487	1/1	0.92	0.09	-	56,56,56,56	0
56	MG	1a	1817	1/1	0.96	0.19	-	48,48,48,48	0
56	MG	2A	3439	1/1	0.96	0.12	-	36,36,36,36	0
56	MG	2B	3016	1/1	0.92	0.27	-	66,66,66,66	0
56	MG	2A	3269	1/1	0.92	0.15	-	38,38,38,38	0
56	MG	2A	3476	1/1	0.98	0.13	-	47,47,47,47	0
56	MG	1A	3589	1/1	0.92	0.17	-	29,29,29,29	0
56	MG	1A	3795	1/1	0.98	0.13	-	20,20,20,20	0
56	MG	2a	1649	1/1	0.62	0.21	-	71,71,71,71	0
56	MG	1A	3226	1/1	0.87	0.37	-	35,35,35,35	0
56	MG	1a	1657	1/1	0.73	0.26	-	56,56,56,56	0
56	MG	1A	3824	1/1	0.92	0.16	-	36,36,36,36	0
56	MG	1A	3648	1/1	0.88	0.10	-	46,46,46,46	0
56	MG	2A	3486	1/1	0.95	0.06	-	54,54,54,54	0
56	MG	2A	3525	1/1	0.93	0.10	-	52,52,52,52	0
56	MG	1A	3102	1/1	0.96	0.28	-	44,44,44,44	0
56	MG	1A	3891	1/1	0.89	0.26	-	76,76,76,76	0
56	MG	2A	3131	1/1	0.90	0.22	-	49,49,49,49	0
56	MG	2A	3565	1/1	0.97	0.15	-	50,50,50,50	0
56	MG	1A	3808	1/1	0.96	0.23	-	41,41,41,41	0
56	MG	2a	1735	1/1	0.96	0.22	-	42,42,42,42	0
56	MG	1A	3261	1/1	0.94	0.74	-	51,51,51,51	0
56	MG	2A	3198	1/1	0.89	0.13	-	42,42,42,42	0
56	MG	1A	3408	1/1	0.95	0.15	-	43,43,43,43	0
56	MG	2A	3211	1/1	0.96	0.13	-	43,43,43,43	0
56	MG	1A	3556	1/1	0.94	0.13	-	43,43,43,43	0
56	MG	2A	3183	1/1	0.98	0.08	-	44,44,44,44	0
56	MG	1A	3088	1/1	0.90	0.24	-	54,54,54,54	0
56	MG	2A	3018	1/1	0.98	0.26	-	52,52,52,52	0
56	MG	1A	3893	1/1	0.79	0.08	-	47,47,47,47	0
56	MG	2A	3425	1/1	0.84	0.16	-	38,38,38,38	0
56	MG	1A	3117	1/1	0.87	0.26	-	38,38,38,38	0
56	MG	1A	3141	1/1	0.99	0.25	-	27,27,27,27	0
56	MG	1A	3825	1/1	0.97	0.17	-	47,47,47,47	0
56	MG	2x	101	1/1	0.93	0.22	-	56,56,56,56	0
56	MG	1A	3003	1/1	0.95	0.14	-	32,32,32,32	0
56	MG	1Z	3003	1/1	0.88	0.18	-	61,61,61,61	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	2A	3473	1/1	0.92	0.08	-	51,51,51,51	0
56	MG	1A	3205	1/1	0.96	0.15	-	33,33,33,33	0
56	MG	1A	3018	1/1	0.87	0.21	-	52,52,52,52	0
56	MG	1A	3511	1/1	0.96	0.15	-	49,49,49,49	0
56	MG	1a	1617	1/1	0.89	0.17	-	47,47,47,47	0
56	MG	1A	3326	1/1	0.95	0.23	-	43,43,43,43	0
56	MG	1A	3380	1/1	0.86	0.20	-	30,30,30,30	0
56	MG	2A	3255	1/1	0.93	0.15	-	43,43,43,43	0
56	MG	1A	3811	1/1	0.87	0.12	-	64,64,64,64	0
56	MG	1A	3701	1/1	0.88	0.14	-	47,47,47,47	0
56	MG	2A	3333	1/1	0.91	0.20	-	35,35,35,35	0
56	MG	1A	3549	1/1	0.97	0.17	-	41,41,41,41	0
56	MG	1a	1772	1/1	0.96	0.10	-	60,60,60,60	0
56	MG	15	102	1/1	0.96	0.10	-	37,37,37,37	0
56	MG	1A	3333	1/1	0.76	0.17	-	51,51,51,51	0
56	MG	1a	1606	1/1	0.91	0.18	-	54,54,54,54	0
56	MG	2A	3343	1/1	0.89	0.10	-	33,33,33,33	0
56	MG	1a	1659	1/1	0.97	0.23	-	55,55,55,55	0
56	MG	1f	3001	1/1	0.95	0.18	-	38,38,38,38	0
56	MG	1A	3846	1/1	0.94	0.17	-	51,51,51,51	0
56	MG	2a	1689	1/1	0.91	0.12	-	61,61,61,61	0
56	MG	2A	3217	1/1	0.86	0.23	-	60,60,60,60	0
56	MG	1A	3859	1/1	0.93	0.14	-	53,53,53,53	0
56	MG	1A	3210	1/1	0.78	0.12	-	55,55,55,55	0
56	MG	1a	1703	1/1	0.97	0.15	-	50,50,50,50	0
56	MG	2A	3292	1/1	0.94	0.15	-	45,45,45,45	0
56	MG	2A	3377	1/1	0.95	0.08	-	43,43,43,43	0
56	MG	1A	3405	1/1	0.97	0.16	-	40,40,40,40	0
56	MG	1A	3288	1/1	0.97	0.18	-	36,36,36,36	0
56	MG	2A	3467	1/1	0.95	0.09	-	65,65,65,65	0
56	MG	1O	205	1/1	0.85	0.15	-	55,55,55,55	0
56	MG	1A	3823	1/1	0.87	0.13	-	67,67,67,67	0
56	MG	2A	3241	1/1	0.90	0.08	-	42,42,42,42	0
56	MG	1a	1779	1/1	0.95	0.14	-	36,36,36,36	0
56	MG	1A	3292	1/1	0.80	0.14	-	49,49,49,49	0
56	MG	1A	3284	1/1	0.93	0.22	-	42,42,42,42	0
56	MG	1A	3090	1/1	0.93	0.18	-	39,39,39,39	0
56	MG	1A	3006	1/1	0.93	0.13	-	53,53,53,53	0
56	MG	2A	3394	1/1	0.91	0.15	-	45,45,45,45	0
56	MG	2A	3107	1/1	0.93	0.13	-	47,47,47,47	0
56	MG	1A	3372	1/1	0.91	0.17	-	52,52,52,52	0
56	MG	1a	1732	1/1	0.98	0.26	-	42,42,42,42	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	2Z	8001	1/1	0.94	0.13	-	70,70,70,70	0
56	MG	1A	3513	1/1	0.98	0.23	-	29,29,29,29	0
56	MG	2a	1605	1/1	0.92	0.12	-	81,81,81,81	0
56	MG	2Q	203	1/1	0.96	0.16	-	37,37,37,37	0
56	MG	1A	3713	1/1	0.95	0.13	-	36,36,36,36	0
56	MG	1A	3353	1/1	0.94	0.26	-	36,36,36,36	0
56	MG	1A	3309	1/1	0.98	0.19	-	36,36,36,36	0
56	MG	1A	3807	1/1	0.97	0.21	-	49,49,49,49	0
56	MG	2a	1706	1/1	0.63	0.14	-	75,75,75,75	0
56	MG	2A	3357	1/1	0.85	0.16	-	49,49,49,49	0
56	MG	1A	3105	1/1	0.95	0.20	-	31,31,31,31	0
56	MG	2A	3340	1/1	0.94	0.10	-	27,27,27,27	0
56	MG	1A	3890	1/1	0.98	0.16	-	38,38,38,38	0
56	MG	2A	3592	1/1	0.80	0.14	-	57,57,57,57	0
56	MG	2a	1614	1/1	0.91	0.15	-	71,71,71,71	0
56	MG	1A	3704	1/1	0.94	0.10	-	43,43,43,43	0
56	MG	1A	3336	1/1	0.97	0.17	-	40,40,40,40	0
56	MG	1A	3286	1/1	0.94	0.40	-	41,41,41,41	0
56	MG	1A	3849	1/1	0.98	0.20	-	29,29,29,29	0
56	MG	2B	3006	1/1	0.89	0.14	-	51,51,51,51	0
56	MG	1A	3524	1/1	0.94	0.16	-	50,50,50,50	0
56	MG	2A	3546	1/1	0.96	0.14	-	33,33,33,33	0
56	MG	2A	3177	1/1	0.91	0.11	-	37,37,37,37	0
56	MG	1A	3906	1/1	0.96	0.15	-	42,42,42,42	0
56	MG	2A	3637	1/1	0.94	0.13	-	41,41,41,41	0
56	MG	2P	201	1/1	0.87	0.12	-	47,47,47,47	0
56	MG	1A	3056	1/1	0.77	0.19	-	48,48,48,48	0
56	MG	1a	1733	1/1	0.91	0.11	-	33,33,33,33	0
56	MG	1A	3213	1/1	0.83	0.24	-	42,42,42,42	0
56	MG	1A	3161	1/1	0.97	0.20	-	41,41,41,41	0
56	MG	1w	3002	1/1	0.87	0.09	-	56,56,56,56	0
56	MG	1A	3376	1/1	0.77	0.15	-	42,42,42,42	0
56	MG	2A	3187	1/1	0.86	0.14	-	60,60,60,60	0
56	MG	2a	1722	1/1	0.91	0.21	-	57,57,57,57	0
56	MG	20	102	1/1	0.69	0.23	-	57,57,57,57	0
56	MG	1A	3635	1/1	0.81	0.09	-	49,49,49,49	0
56	MG	2a	1677	1/1	0.95	0.18	-	51,51,51,51	0
56	MG	2A	3184	1/1	0.91	0.17	-	46,46,46,46	0
56	MG	1A	3783	1/1	0.78	0.15	-	27,27,27,27	0
56	MG	2A	3111	1/1	0.93	0.15	-	43,43,43,43	0
56	MG	1A	3168	1/1	0.95	0.23	-	47,47,47,47	0
56	MG	2a	1726	1/1	0.94	0.11	-	64,64,64,64	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	10	103	1/1	0.94	0.10	-	60,60,60,60	0
56	MG	2A	3590	1/1	0.95	0.21	-	41,41,41,41	0
56	MG	1A	3272	1/1	0.93	0.17	-	38,38,38,38	0
56	MG	2A	3080	1/1	0.96	0.17	-	50,50,50,50	0
56	MG	2A	3573	1/1	0.93	0.08	-	54,54,54,54	0
56	MG	2A	3488	1/1	0.95	0.10	-	52,52,52,52	0
56	MG	1A	3628	1/1	0.94	0.19	-	47,47,47,47	0
56	MG	2A	3300	1/1	0.87	0.13	-	29,29,29,29	0
56	MG	1A	3293	1/1	0.89	0.17	-	26,26,26,26	0
56	MG	1A	3444	1/1	0.96	0.10	-	37,37,37,37	0
56	MG	2a	1760	1/1	0.91	0.10	-	54,54,54,54	0
56	MG	1A	3182	1/1	0.78	0.24	-	65,65,65,65	0
56	MG	1A	3179	1/1	0.96	0.22	-	31,31,31,31	0
56	MG	1A	3886	1/1	0.90	0.16	-	50,50,50,50	0
56	MG	1A	3756	1/1	0.95	0.14	-	39,39,39,39	0
56	MG	2A	3458	1/1	0.97	0.17	-	57,57,57,57	0
56	MG	1A	3619	1/1	0.93	0.20	-	53,53,53,53	0
56	MG	1A	3860	1/1	0.98	0.14	-	38,38,38,38	0
56	MG	1A	3083	1/1	0.89	0.24	-	27,27,27,27	0
56	MG	1A	3459	1/1	0.99	0.15	-	40,40,40,40	0
56	MG	1A	3486	1/1	0.84	0.17	-	46,46,46,46	0
56	MG	2A	3034	1/1	0.96	0.15	-	40,40,40,40	0
56	MG	2V	201	1/1	0.90	0.11	-	44,44,44,44	0
56	MG	1A	3483	1/1	0.88	0.17	-	29,29,29,29	0
56	MG	1A	3295	1/1	0.96	0.15	-	43,43,43,43	0
56	MG	1a	1638	1/1	0.95	0.24	-	42,42,42,42	0
56	MG	2A	3455	1/1	0.97	0.20	-	44,44,44,44	0
56	MG	2A	3277	1/1	0.98	0.17	-	35,35,35,35	0
56	MG	2A	3346	1/1	0.97	0.07	-	36,36,36,36	0
56	MG	2A	3318	1/1	0.96	0.19	-	38,38,38,38	0
56	MG	2A	3520	1/1	0.83	0.11	-	51,51,51,51	0
56	MG	1A	3066	1/1	0.95	0.39	-	31,31,31,31	0
56	MG	1A	3546	1/1	0.95	0.13	-	45,45,45,45	0
56	MG	2A	3212	1/1	0.86	0.18	-	55,55,55,55	0
56	MG	2A	3501	1/1	0.84	0.07	-	46,46,46,46	0
56	MG	1a	1682	1/1	0.91	0.22	-	57,57,57,57	0
56	MG	1A	3322	1/1	0.89	0.34	-	55,55,55,55	0
56	MG	1A	3740	1/1	0.97	0.06	-	39,39,39,39	0
56	MG	1a	1775	1/1	0.96	0.07	-	52,52,52,52	0
56	MG	1A	3737	1/1	0.97	0.19	-	50,50,50,50	0
56	MG	2a	1626	1/1	0.89	0.24	-	50,50,50,50	0
56	MG	2w	3003	1/1	0.75	0.10	-	70,70,70,70	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1A	3027	1/1	0.97	0.28	-	33,33,33,33	0
56	MG	1A	3514	1/1	0.92	0.16	-	40,40,40,40	0
56	MG	1a	1650	1/1	0.91	0.21	-	55,55,55,55	0
56	MG	1A	3879	1/1	0.90	0.21	-	54,54,54,54	0
56	MG	1a	1816	1/1	0.95	0.17	-	49,49,49,49	0
56	MG	1A	3438	1/1	0.94	0.14	-	30,30,30,30	0
56	MG	1A	3195	1/1	0.97	0.10	-	39,39,39,39	0
56	MG	2A	3040	1/1	0.95	0.13	-	43,43,43,43	0
56	MG	2a	1683	1/1	0.95	0.25	-	57,57,57,57	0
56	MG	1A	3863	1/1	0.92	0.12	-	31,31,31,31	0
56	MG	1A	3091	1/1	0.92	0.15	-	48,48,48,48	0
56	MG	1A	3075	1/1	0.84	0.25	-	43,43,43,43	0
56	MG	2A	3025	1/1	0.79	0.20	-	61,61,61,61	0
56	MG	1A	3236	1/1	0.82	0.17	-	52,52,52,52	0
56	MG	1A	3423	1/1	0.93	0.13	-	42,42,42,42	0
56	MG	2a	1701	1/1	0.94	0.15	-	62,62,62,62	0
56	MG	1A	3016	1/1	0.94	0.12	-	34,34,34,34	0
56	MG	2A	3574	1/1	0.91	0.14	-	43,43,43,43	0
56	MG	2A	3540	1/1	0.91	0.17	-	43,43,43,43	0
56	MG	1A	3258	1/1	0.98	0.17	-	32,32,32,32	0
56	MG	1A	3623	1/1	0.95	0.18	-	53,53,53,53	0
56	MG	2A	3139	1/1	0.97	0.22	-	38,38,38,38	0
56	MG	1A	3032	1/1	0.99	0.21	-	41,41,41,41	0
56	MG	1A	3562	1/1	0.94	0.10	-	42,42,42,42	0
56	MG	1B	3015	1/1	0.98	0.15	-	31,31,31,31	0
56	MG	1A	3870	1/1	0.91	0.12	-	44,44,44,44	0
56	MG	10	102	1/1	0.98	0.20	-	62,62,62,62	0
56	MG	1A	3531	1/1	0.94	0.14	-	53,53,53,53	0
56	MG	1A	3852	1/1	0.90	0.15	-	38,38,38,38	0
56	MG	2A	3052	1/1	0.87	0.19	-	50,50,50,50	0
56	MG	1a	1634	1/1	0.85	0.17	-	61,61,61,61	0
56	MG	1A	3365	1/1	0.93	0.17	-	48,48,48,48	0
56	MG	1A	3784	1/1	0.73	0.14	-	63,63,63,63	0
56	MG	2A	3070	1/1	0.93	0.15	-	28,28,28,28	0
56	MG	1A	3128	1/1	0.97	0.27	-	49,49,49,49	0
56	MG	1A	3346	1/1	0.98	0.20	-	41,41,41,41	0
56	MG	1A	3643	1/1	0.93	0.19	-	30,30,30,30	0
56	MG	10	101	1/1	0.74	0.31	-	59,59,59,59	0
56	MG	1A	3802	1/1	0.97	0.10	-	60,60,60,60	0
56	MG	1A	3884	1/1	0.93	0.13	-	52,52,52,52	0
56	MG	1A	3081	1/1	0.89	0.20	-	43,43,43,43	0
56	MG	1A	3492	1/1	0.93	0.11	-	49,49,49,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	2a	1620	1/1	0.96	0.09	-	58,58,58,58	0
56	MG	1A	3135	1/1	0.87	0.14	-	49,49,49,49	0
56	MG	2A	3331	1/1	0.98	0.20	-	39,39,39,39	0
56	MG	2A	3105	1/1	0.93	0.19	-	49,49,49,49	0
56	MG	2q	3001	1/1	0.91	0.05	-	66,66,66,66	0
56	MG	1A	3757	1/1	0.77	0.09	-	44,44,44,44	0
56	MG	1A	3708	1/1	0.96	0.20	-	47,47,47,47	0
56	MG	1D	303	1/1	0.97	0.30	-	25,25,25,25	0
56	MG	2a	1654	1/1	0.94	0.13	-	64,64,64,64	0
56	MG	2A	3248	1/1	0.83	0.12	-	52,52,52,52	0
56	MG	1a	1807	1/1	0.88	0.15	-	84,84,84,84	0
56	MG	2A	3002	1/1	0.89	0.23	-	53,53,53,53	0
56	MG	2a	1765	1/1	0.95	0.10	-	53,53,53,53	0
56	MG	1A	3552	1/1	0.97	0.16	-	22,22,22,22	0
56	MG	2A	3370	1/1	0.94	0.11	-	42,42,42,42	0
56	MG	1A	3588	1/1	0.97	0.29	-	39,39,39,39	0
56	MG	1A	3961	1/1	0.93	0.34	-	45,45,45,45	0
56	MG	2A	3600	1/1	0.97	0.10	-	42,42,42,42	0
56	MG	1A	3799	1/1	0.86	0.36	-	55,55,55,55	0
56	MG	1a	1749	1/1	0.95	0.09	-	56,56,56,56	0
56	MG	2A	3274	1/1	0.94	0.15	-	48,48,48,48	0
56	MG	1A	3180	1/1	0.94	0.13	-	56,56,56,56	0
56	MG	1R	202	1/1	0.97	0.22	-	36,36,36,36	0
56	MG	1A	3025	1/1	0.80	0.12	-	44,44,44,44	0
56	MG	2a	1751	1/1	0.95	0.15	-	65,65,65,65	0
56	MG	2A	3532	1/1	0.76	0.11	-	69,69,69,69	0
56	MG	1a	1739	1/1	0.92	0.11	-	51,51,51,51	0
56	MG	1a	1828	1/1	0.83	0.12	-	62,62,62,62	0
56	MG	2A	3626	1/1	0.93	0.12	-	49,49,49,49	0
56	MG	1A	3537	1/1	0.95	0.14	-	40,40,40,40	0
56	MG	1A	3889	1/1	0.94	0.13	-	36,36,36,36	0
56	MG	1A	3360	1/1	0.86	0.21	-	50,50,50,50	0
56	MG	2a	1678	1/1	0.90	0.12	-	64,64,64,64	0
56	MG	1A	3558	1/1	0.71	0.12	-	51,51,51,51	0
56	MG	2A	3077	1/1	0.90	0.12	-	43,43,43,43	0
56	MG	2E	303	1/1	0.90	0.13	-	42,42,42,42	0
56	MG	2A	3063	1/1	0.93	0.16	-	43,43,43,43	0
56	MG	1A	3745	1/1	0.95	0.14	-	61,61,61,61	0
56	MG	1B	3013	1/1	0.94	0.09	-	53,53,53,53	0
56	MG	1A	3370	1/1	0.88	0.21	-	42,42,42,42	0
56	MG	1A	3375	1/1	0.96	0.16	-	32,32,32,32	0
56	MG	2a	1664	1/1	0.84	0.15	-	71,71,71,71	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	2A	3506	1/1	0.94	0.12	-	50,50,50,50	0
56	MG	1a	1784	1/1	0.94	0.08	-	58,58,58,58	0
56	MG	2A	3386	1/1	0.80	0.11	-	50,50,50,50	0
56	MG	2A	3411	1/1	0.98	0.23	-	50,50,50,50	0
56	MG	1a	1758	1/1	0.89	0.14	-	55,55,55,55	0
56	MG	1A	3951	1/1	0.97	0.22	-	33,33,33,33	0
56	MG	2a	1753	1/1	0.89	0.07	-	80,80,80,80	0
56	MG	2A	3628	1/1	0.94	0.16	-	46,46,46,46	0
56	MG	1A	3711	1/1	0.97	0.17	-	41,41,41,41	0
56	MG	1A	3014	1/1	0.95	0.18	-	32,32,32,32	0
56	MG	2A	3136	1/1	0.92	0.20	-	45,45,45,45	0
56	MG	2a	1709	1/1	0.85	0.12	-	68,68,68,68	0
56	MG	1A	3140	1/1	0.97	0.22	-	41,41,41,41	0
56	MG	17	102	1/1	0.87	0.11	-	50,50,50,50	0
56	MG	1A	3797	1/1	0.92	0.15	-	57,57,57,57	0
56	MG	2A	3259	1/1	0.94	0.15	-	43,43,43,43	0
56	MG	1A	3534	1/1	0.94	0.08	-	47,47,47,47	0
56	MG	15	103	1/1	0.97	0.09	-	53,53,53,53	0
56	MG	1A	3543	1/1	0.92	0.17	-	55,55,55,55	0
56	MG	1A	3023	1/1	0.82	0.36	-	57,57,57,57	0
56	MG	1A	3037	1/1	0.96	0.09	-	38,38,38,38	0
56	MG	1A	3263	1/1	0.96	0.23	-	41,41,41,41	0
56	MG	1A	3147	1/1	0.92	0.18	-	34,34,34,34	0
56	MG	1a	1774	1/1	0.90	0.09	-	48,48,48,48	0
56	MG	2A	3062	1/1	0.97	0.16	-	42,42,42,42	0
56	MG	1A	3662	1/1	0.79	0.20	-	55,55,55,55	0
56	MG	2A	3178	1/1	0.97	0.20	-	43,43,43,43	0
56	MG	1a	1751	1/1	0.93	0.18	-	45,45,45,45	0
56	MG	2A	3636	1/1	0.81	0.17	-	55,55,55,55	0
56	MG	1a	1721	1/1	0.82	0.17	-	66,66,66,66	0
56	MG	1A	3776	1/1	0.96	0.21	-	45,45,45,45	0
56	MG	2a	1791	1/1	0.81	0.13	-	63,63,63,63	0
56	MG	1x	3008	1/1	0.89	0.22	-	61,61,61,61	0
56	MG	1A	3490	1/1	0.87	0.10	-	53,53,53,53	0
56	MG	1a	1609	1/1	0.90	0.12	-	54,54,54,54	0
56	MG	2a	1691	1/1	0.94	0.14	-	57,57,57,57	0
56	MG	1a	1685	1/1	0.90	0.07	-	66,66,66,66	0
56	MG	1A	3155	1/1	0.96	0.14	-	48,48,48,48	0
56	MG	1a	1728	1/1	0.98	0.15	-	49,49,49,49	0
56	MG	2a	1770	1/1	0.96	0.20	-	41,41,41,41	0
56	MG	1a	1647	1/1	0.92	0.16	-	60,60,60,60	0
56	MG	1A	3649	1/1	0.62	0.15	-	58,58,58,58	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	2A	3544	1/1	0.97	0.10	-	53,53,53,53	0
56	MG	2a	1625	1/1	0.79	0.15	-	71,71,71,71	0
56	MG	2A	3244	1/1	0.85	0.14	-	43,43,43,43	0
56	MG	1A	3034	1/1	0.95	0.25	-	35,35,35,35	0
56	MG	2a	1783	1/1	0.86	0.18	-	60,60,60,60	0
56	MG	2A	3213	1/1	0.94	0.14	-	45,45,45,45	0
56	MG	2A	3100	1/1	0.87	0.10	-	52,52,52,52	0
56	MG	1A	3418	1/1	0.93	0.20	-	34,34,34,34	0
56	MG	1A	3626	1/1	0.90	0.12	-	56,56,56,56	0
56	MG	1A	3385	1/1	0.86	0.18	-	42,42,42,42	0
56	MG	1A	3415	1/1	0.94	0.16	-	28,28,28,28	0
56	MG	2A	3141	1/1	0.91	0.12	-	29,29,29,29	0
56	MG	1A	3099	1/1	0.82	0.17	-	51,51,51,51	0
56	MG	1A	3763	1/1	0.97	0.19	-	39,39,39,39	0
56	MG	1A	3800	1/1	0.87	0.19	-	54,54,54,54	0
56	MG	1A	3254	1/1	0.89	0.26	-	58,58,58,58	0
56	MG	1a	1783	1/1	0.94	0.12	-	63,63,63,63	0
56	MG	2A	3422	1/1	0.96	0.12	-	43,43,43,43	0
56	MG	2A	3480	1/1	0.94	0.19	-	72,72,72,72	0
56	MG	1a	1668	1/1	0.89	0.12	-	52,52,52,52	0
56	MG	1A	3338	1/1	0.96	0.08	-	36,36,36,36	0
56	MG	2a	1627	1/1	0.97	0.08	-	46,46,46,46	0
56	MG	2A	3350	1/1	0.96	0.12	-	38,38,38,38	0
56	MG	2A	3427	1/1	0.97	0.14	-	42,42,42,42	0
56	MG	2a	1604	1/1	0.93	0.08	-	60,60,60,60	0
56	MG	2A	3584	1/1	0.90	0.27	-	58,58,58,58	0
56	MG	12	3001	1/1	0.93	0.17	-	53,53,53,53	0
56	MG	1A	3709	1/1	0.89	0.16	-	43,43,43,43	0
56	MG	1A	3201	1/1	0.96	0.20	-	39,39,39,39	0
56	MG	1a	1716	1/1	0.95	0.14	-	62,62,62,62	0
56	MG	1A	3225	1/1	0.82	0.23	-	55,55,55,55	0
56	MG	1A	3277	1/1	0.93	0.22	-	57,57,57,57	0
56	MG	1A	3510	1/1	0.94	0.17	-	25,25,25,25	0
56	MG	1A	3157	1/1	0.89	0.18	-	39,39,39,39	0
56	MG	2a	1724	1/1	0.78	0.16	-	83,83,83,83	0
56	MG	1A	3302	1/1	0.93	0.28	-	30,30,30,30	0
56	MG	2A	3170	1/1	0.92	0.13	-	58,58,58,58	0
56	MG	2A	3186	1/1	0.95	0.19	-	43,43,43,43	0
56	MG	2a	1759	1/1	0.93	0.10	-	76,76,76,76	0
56	MG	1w	3003	1/1	0.85	0.32	-	78,78,78,78	0
56	MG	1A	3689	1/1	0.94	0.16	-	35,35,35,35	0
56	MG	2a	1713	1/1	0.97	0.11	-	49,49,49,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	2A	3577	1/1	0.81	0.23	-	61,61,61,61	0
56	MG	2a	1769	1/1	0.83	0.11	-	73,73,73,73	0
56	MG	2B	3017	1/1	0.95	0.31	-	63,63,63,63	0
56	MG	1a	1694	1/1	0.96	0.20	-	66,66,66,66	0
56	MG	1A	3504	1/1	0.95	0.17	-	50,50,50,50	0
56	MG	2A	3554	1/1	0.94	0.07	-	45,45,45,45	0
56	MG	2A	3364	1/1	0.96	0.14	-	31,31,31,31	0
56	MG	2a	1660	1/1	0.95	0.09	-	61,61,61,61	0
56	MG	2A	3392	1/1	0.95	0.17	-	55,55,55,55	0
56	MG	2A	3312	1/1	0.93	0.16	-	48,48,48,48	0
56	MG	2A	3344	1/1	0.97	0.10	-	30,30,30,30	0
56	MG	2a	1788	1/1	0.93	0.16	-	68,68,68,68	0
56	MG	1w	3004	1/1	0.86	0.16	-	51,51,51,51	0
56	MG	2A	3014	1/1	0.94	0.12	-	38,38,38,38	0
56	MG	2a	1670	1/1	0.88	0.19	-	53,53,53,53	0
56	MG	1a	1785	1/1	0.97	0.20	-	41,41,41,41	0
56	MG	2A	3129	1/1	0.96	0.23	-	41,41,41,41	0
56	MG	1x	3005	1/1	0.81	0.20	-	66,66,66,66	0
56	MG	2A	3137	1/1	0.89	0.34	-	42,42,42,42	0
56	MG	2A	3634	1/1	0.92	0.17	-	38,38,38,38	0
56	MG	1a	1630	1/1	0.86	0.19	-	57,57,57,57	0
56	MG	1a	1782	1/1	0.92	0.17	-	44,44,44,44	0
56	MG	1a	1688	1/1	0.93	0.12	-	44,44,44,44	0
56	MG	2A	3672	1/1	0.98	0.25	-	41,41,41,41	0
56	MG	1Q	206	1/1	0.74	0.22	-	54,54,54,54	0
56	MG	2A	3635	1/1	0.96	0.11	-	38,38,38,38	0
56	MG	1A	3907	1/1	0.92	0.24	-	40,40,40,40	0
56	MG	2A	3602	1/1	0.94	0.07	-	50,50,50,50	0
56	MG	2A	3372	1/1	0.98	0.22	-	41,41,41,41	0
56	MG	2A	3445	1/1	0.96	0.08	-	39,39,39,39	0
56	MG	2a	1686	1/1	0.94	0.32	-	66,66,66,66	0
56	MG	1a	1766	1/1	0.94	0.16	-	59,59,59,59	0
56	MG	1A	3544	1/1	0.95	0.09	-	54,54,54,54	0
56	MG	1A	3730	1/1	0.95	0.12	-	47,47,47,47	0
56	MG	1A	3224	1/1	0.89	0.17	-	51,51,51,51	0
56	MG	1A	3022	1/1	0.95	0.15	-	27,27,27,27	0
56	MG	2A	3530	1/1	0.78	0.10	-	52,52,52,52	0
56	MG	1A	3495	1/1	0.95	0.20	-	43,43,43,43	0
56	MG	1S	3002	1/1	0.95	0.13	-	53,53,53,53	0
56	MG	1A	3393	1/1	0.93	0.14	-	35,35,35,35	0
56	MG	1a	1776	1/1	0.90	0.14	-	63,63,63,63	0
56	MG	2A	3462	1/1	0.95	0.13	-	57,57,57,57	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1A	3563	1/1	0.95	0.09	-	33,33,33,33	0
56	MG	2A	3234	1/1	0.79	0.11	-	54,54,54,54	0
56	MG	1A	3786	1/1	0.98	0.16	-	36,36,36,36	0
56	MG	1A	3054	1/1	0.91	0.22	-	54,54,54,54	0
56	MG	1A	3694	1/1	0.95	0.17	-	47,47,47,47	0
56	MG	2A	3334	1/1	0.94	0.12	-	44,44,44,44	0
56	MG	2E	304	1/1	0.95	0.12	-	47,47,47,47	0
56	MG	1A	3667	1/1	0.75	0.11	-	45,45,45,45	0
56	MG	1A	3298	1/1	0.98	0.21	-	33,33,33,33	0
56	MG	1A	3047	1/1	0.97	0.16	-	35,35,35,35	0
56	MG	1I	3001	1/1	0.91	0.09	-	58,58,58,58	0
56	MG	1v	3001	1/1	0.92	0.12	-	56,56,56,56	0
56	MG	1A	3706	1/1	0.88	0.13	-	51,51,51,51	0
56	MG	2a	1666	1/1	0.95	0.13	-	49,49,49,49	0
56	MG	1A	3194	1/1	0.94	0.18	-	38,38,38,38	0
56	MG	1A	3739	1/1	0.95	0.09	-	48,48,48,48	0
56	MG	1A	3404	1/1	0.98	0.14	-	44,44,44,44	0
56	MG	2B	3010	1/1	0.95	0.10	-	50,50,50,50	0
56	MG	1A	3699	1/1	0.88	0.16	-	66,66,66,66	0
56	MG	1A	3382	1/1	0.96	0.18	-	47,47,47,47	0
56	MG	2A	3351	1/1	0.92	0.12	-	46,46,46,46	0
56	MG	1A	3529	1/1	0.89	0.21	-	54,54,54,54	0
56	MG	2A	3528	1/1	0.95	0.10	-	55,55,55,55	0
56	MG	1a	1613	1/1	0.86	0.20	-	62,62,62,62	0
56	MG	2A	3059	1/1	0.98	0.10	-	46,46,46,46	0
56	MG	1A	3427	1/1	0.92	0.16	-	39,39,39,39	0
56	MG	2B	3012	1/1	0.98	0.19	-	51,51,51,51	0
56	MG	1A	3341	1/1	0.74	0.22	-	60,60,60,60	0
56	MG	1a	1740	1/1	0.96	0.11	-	45,45,45,45	0
56	MG	2A	3271	1/1	0.87	0.14	-	34,34,34,34	0
56	MG	2a	1603	1/1	0.90	0.20	-	65,65,65,65	0
56	MG	2A	3175	1/1	0.94	0.24	-	54,54,54,54	0
56	MG	1A	3109	1/1	0.96	0.56	-	34,34,34,34	0
56	MG	2a	1777	1/1	0.83	0.18	-	77,77,77,77	0
56	MG	2A	3160	1/1	0.94	0.12	-	47,47,47,47	0
56	MG	2a	1749	1/1	0.96	0.19	-	58,58,58,58	0
56	MG	1A	3055	1/1	0.92	0.18	-	50,50,50,50	0
56	MG	1P	204	1/1	0.90	0.27	-	42,42,42,42	0
56	MG	2A	3126	1/1	0.86	0.21	-	53,53,53,53	0
56	MG	1A	3847	1/1	0.78	0.52	-	74,74,74,74	0
56	MG	2A	3322	1/1	0.97	0.13	-	49,49,49,49	0
56	MG	2a	1771	1/1	0.85	0.23	-	63,63,63,63	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	2a	1610	1/1	0.96	0.33	-	52,52,52,52	0
56	MG	2A	3446	1/1	0.92	0.10	-	43,43,43,43	0
56	MG	1a	1814	1/1	0.93	0.19	-	57,57,57,57	0
56	MG	2A	3221	1/1	0.96	0.20	-	43,43,43,43	0
56	MG	1A	3216	1/1	0.97	0.41	-	36,36,36,36	0
56	MG	2A	3403	1/1	0.97	0.17	-	37,37,37,37	0
56	MG	1a	1675	1/1	0.98	0.08	-	40,40,40,40	0
56	MG	1a	1697	1/1	0.79	0.14	-	63,63,63,63	0
56	MG	2a	1796	1/1	0.94	0.15	-	60,60,60,60	0
56	MG	2A	3122	1/1	0.93	0.19	-	60,60,60,60	0
56	MG	1a	1748	1/1	0.90	0.10	-	58,58,58,58	0
56	MG	1A	3101	1/1	0.92	0.29	-	47,47,47,47	0
56	MG	1A	3124	1/1	0.91	0.17	-	51,51,51,51	0
56	MG	1A	3557	1/1	0.94	0.11	-	44,44,44,44	0
56	MG	1A	3788	1/1	0.84	0.16	-	24,24,24,24	0
56	MG	1e	201	1/1	0.93	0.30	-	60,60,60,60	0
56	MG	2a	1694	1/1	0.96	0.21	-	62,62,62,62	0
56	MG	2A	3460	1/1	0.98	0.12	-	40,40,40,40	0
56	MG	2A	3670	1/1	0.97	0.16	-	57,57,57,57	0
56	MG	1A	3755	1/1	0.79	0.13	-	55,55,55,55	0
56	MG	1A	3177	1/1	0.92	0.13	-	44,44,44,44	0
56	MG	1A	3526	1/1	0.92	0.11	-	49,49,49,49	0
56	MG	1A	3646	1/1	0.95	0.24	-	36,36,36,36	0
56	MG	1A	3096	1/1	0.96	0.15	-	22,22,22,22	0
56	MG	2A	3490	1/1	0.95	0.22	-	48,48,48,48	0
56	MG	2A	3208	1/1	0.81	0.14	-	45,45,45,45	0
56	MG	1A	3082	1/1	0.94	0.16	-	41,41,41,41	0
56	MG	1A	3439	1/1	0.94	0.17	-	43,43,43,43	0
56	MG	2a	1698	1/1	0.95	0.16	-	57,57,57,57	0
56	MG	1A	3243	1/1	0.80	0.12	-	56,56,56,56	0
56	MG	2A	3246	1/1	0.95	0.11	-	56,56,56,56	0
56	MG	2A	3243	1/1	0.89	0.22	-	53,53,53,53	0
56	MG	2x	102	1/1	0.87	0.11	-	58,58,58,58	0
56	MG	1A	3803	1/1	0.81	0.15	-	60,60,60,60	0
56	MG	2A	3379	1/1	0.93	0.15	-	42,42,42,42	0
56	MG	1A	3937	1/1	0.96	0.25	-	39,39,39,39	0
56	MG	1a	1691	1/1	0.67	0.21	-	66,66,66,66	0
56	MG	1E	302	1/1	0.85	0.26	-	43,43,43,43	0
56	MG	2A	3174	1/1	0.98	0.08	-	42,42,42,42	0
56	MG	2A	3249	1/1	0.91	0.17	-	30,30,30,30	0
56	MG	2a	1755	1/1	0.97	0.12	-	61,61,61,61	0
56	MG	2A	3289	1/1	0.95	0.12	-	60,60,60,60	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	2a	1772	1/1	0.95	0.11	-	52,52,52,52	0
56	MG	1A	3048	1/1	0.96	0.23	-	32,32,32,32	0
56	MG	1B	3005	1/1	0.82	0.18	-	58,58,58,58	0
56	MG	1x	3004	1/1	0.93	0.26	-	47,47,47,47	0
56	MG	1B	3001	1/1	0.98	0.25	-	39,39,39,39	0
56	MG	2A	3335	1/1	0.99	0.09	-	25,25,25,25	0
56	MG	2E	301	1/1	0.87	0.11	-	36,36,36,36	0
56	MG	1a	1777	1/1	0.95	0.14	-	47,47,47,47	0
57	K	1A	3321	1/1	0.93	0.14	-	84,84,84,84	0
56	MG	1a	1643	1/1	0.95	0.33	-	51,51,51,51	0
56	MG	2A	3232	1/1	0.94	0.12	-	41,41,41,41	0
56	MG	1A	3294	1/1	0.97	0.17	-	32,32,32,32	0
56	MG	1A	3189	1/1	0.97	0.15	-	32,32,32,32	0
56	MG	2a	1663	1/1	0.96	0.24	-	62,62,62,62	0
56	MG	2A	3591	1/1	0.95	0.20	-	45,45,45,45	0
56	MG	1A	3830	1/1	0.91	0.14	-	53,53,53,53	0
56	MG	2a	1608	1/1	0.76	0.14	-	65,65,65,65	0
56	MG	1a	1665	1/1	0.77	0.25	-	56,56,56,56	0
56	MG	1A	3523	1/1	0.92	0.15	-	57,57,57,57	0
56	MG	1A	3348	1/1	0.92	0.23	-	54,54,54,54	0
56	MG	2A	3053	1/1	0.89	0.18	-	44,44,44,44	0
56	MG	1B	3021	1/1	0.86	0.10	-	48,48,48,48	0
56	MG	2a	1711	1/1	0.94	0.18	-	57,57,57,57	0
56	MG	2A	3268	1/1	0.96	0.12	-	37,37,37,37	0
56	MG	2A	3019	1/1	0.94	0.17	-	52,52,52,52	0
56	MG	1a	1769	1/1	0.93	0.15	-	69,69,69,69	0
56	MG	2A	3220	1/1	0.94	0.20	-	55,55,55,55	0
56	MG	2A	3032	1/1	0.92	0.15	-	35,35,35,35	0
56	MG	13	102	1/1	0.88	0.16	-	52,52,52,52	0
56	MG	2A	3557	1/1	0.94	0.14	-	49,49,49,49	0
56	MG	1A	3676	1/1	0.98	0.25	-	50,50,50,50	0
56	MG	1O	204	1/1	0.89	0.14	-	52,52,52,52	0
56	MG	2A	3225	1/1	0.91	0.22	-	53,53,53,53	0
56	MG	2a	1767	1/1	0.76	0.15	-	74,74,74,74	0
56	MG	1A	3463	1/1	0.92	0.16	-	25,25,25,25	0
56	MG	11	103	1/1	0.95	0.25	-	45,45,45,45	0
56	MG	1A	3695	1/1	0.98	0.26	-	42,42,42,42	0
56	MG	2A	3082	1/1	0.81	0.25	-	45,45,45,45	0
56	MG	2A	3164	1/1	0.89	0.15	-	47,47,47,47	0
56	MG	1A	3318	1/1	0.99	0.18	-	53,53,53,53	0
56	MG	2A	3231	1/1	0.91	0.14	-	49,49,49,49	0
56	MG	2a	1742	1/1	0.94	0.16	-	62,62,62,62	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	2A	3675	1/1	0.93	0.26	-	55,55,55,55	0
56	MG	2g	8001	1/1	0.94	0.10	-	57,57,57,57	0
56	MG	2A	3409	1/1	0.97	0.24	-	42,42,42,42	0
56	MG	2A	3288	1/1	0.96	0.10	-	44,44,44,44	0
56	MG	1A	3460	1/1	0.86	0.15	-	37,37,37,37	0
56	MG	1a	1711	1/1	0.87	0.11	-	49,49,49,49	0
56	MG	2A	3352	1/1	0.96	0.20	-	55,55,55,55	0
56	MG	1A	3813	1/1	0.95	0.31	-	40,40,40,40	0
56	MG	1A	3214	1/1	0.72	0.18	-	59,59,59,59	0
56	MG	1A	3002	1/1	0.96	0.31	-	61,61,61,61	0
56	MG	1A	3250	1/1	0.94	0.36	-	30,30,30,30	0
56	MG	1a	1699	1/1	0.94	0.08	-	46,46,46,46	0
56	MG	1A	3618	1/1	0.88	0.07	-	70,70,70,70	0
56	MG	2A	3433	1/1	0.97	0.16	-	41,41,41,41	0
56	MG	1a	1820	1/1	0.88	0.15	-	62,62,62,62	0
56	MG	2l	202	1/1	0.86	0.19	-	62,62,62,62	0
56	MG	2A	3087	1/1	0.85	0.16	-	55,55,55,55	0
56	MG	1A	3156	1/1	0.98	0.24	-	34,34,34,34	0
56	MG	1Q	204	1/1	0.97	0.12	-	55,55,55,55	0
56	MG	2A	3383	1/1	0.98	0.11	-	46,46,46,46	0
56	MG	1A	3163	1/1	0.93	0.14	-	41,41,41,41	0
56	MG	1A	3655	1/1	0.97	0.17	-	52,52,52,52	0
56	MG	1A	3631	1/1	0.91	0.09	-	67,67,67,67	0
56	MG	2A	3614	1/1	0.97	0.10	-	54,54,54,54	0
56	MG	1A	3717	1/1	0.87	0.19	-	60,60,60,60	0
56	MG	2A	3580	1/1	0.94	0.12	-	38,38,38,38	0
56	MG	1A	3131	1/1	0.91	0.16	-	44,44,44,44	0
56	MG	2A	3430	1/1	0.96	0.14	-	56,56,56,56	0
56	MG	2a	1618	1/1	0.91	0.26	-	67,67,67,67	0
56	MG	2a	1756	1/1	0.75	0.12	-	49,49,49,49	0
56	MG	1A	3428	1/1	0.93	0.13	-	43,43,43,43	0
56	MG	2A	3106	1/1	0.96	0.13	-	28,28,28,28	0
56	MG	1A	3829	1/1	0.95	0.24	-	59,59,59,59	0
56	MG	2A	3041	1/1	0.89	0.10	-	59,59,59,59	0
56	MG	2a	1730	1/1	0.74	0.17	-	71,71,71,71	0
56	MG	2A	3328	1/1	0.79	0.12	-	39,39,39,39	0
56	MG	1B	3012	1/1	0.76	0.16	-	66,66,66,66	0
56	MG	1a	1705	1/1	0.87	0.13	-	56,56,56,56	0
56	MG	1A	3142	1/1	0.95	0.26	-	17,17,17,17	0
56	MG	2A	3204	1/1	0.93	0.23	-	47,47,47,47	0
56	MG	2A	3261	1/1	0.93	0.19	-	34,34,34,34	0
56	MG	1a	1676	1/1	0.74	0.17	-	64,64,64,64	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	2F	303	1/1	0.86	0.19	-	58,58,58,58	0
56	MG	2a	1635	1/1	0.92	0.15	-	49,49,49,49	0
56	MG	2A	3521	1/1	0.86	0.16	-	63,63,63,63	0
56	MG	1A	3169	1/1	0.80	0.15	-	44,44,44,44	0
56	MG	1a	1819	1/1	0.91	0.14	-	61,61,61,61	0
56	MG	1a	1750	1/1	0.89	0.11	-	41,41,41,41	0
56	MG	1T	201	1/1	0.94	0.19	-	43,43,43,43	0
56	MG	1W	3006	1/1	0.93	0.15	-	46,46,46,46	0
56	MG	2a	1646	1/1	0.91	0.14	-	55,55,55,55	0
56	MG	1a	1787	1/1	0.98	0.14	-	48,48,48,48	0
56	MG	1A	3262	1/1	0.89	0.23	-	48,48,48,48	0
56	MG	1D	301	1/1	0.91	0.22	-	46,46,46,46	0
56	MG	2A	3397	1/1	0.97	0.14	-	36,36,36,36	0
56	MG	1F	301	1/1	0.96	0.15	-	51,51,51,51	0
56	MG	1A	3166	1/1	0.95	0.25	-	44,44,44,44	0
56	MG	1a	1663	1/1	0.97	0.10	-	59,59,59,59	0
56	MG	1A	3107	1/1	0.94	0.12	-	26,26,26,26	0
56	MG	1A	3758	1/1	0.72	0.14	-	40,40,40,40	0
56	MG	1R	203	1/1	0.85	0.19	-	44,44,44,44	0
56	MG	1A	3611	1/1	0.95	0.18	-	46,46,46,46	0
56	MG	1a	1744	1/1	0.89	0.09	-	53,53,53,53	0
56	MG	1A	3764	1/1	0.87	0.10	-	40,40,40,40	0
56	MG	1W	3001	1/1	0.91	0.24	-	43,43,43,43	0
56	MG	2A	3601	1/1	0.93	0.14	-	49,49,49,49	0
56	MG	1A	3617	1/1	0.98	0.17	-	26,26,26,26	0
56	MG	1A	3276	1/1	0.87	0.24	-	51,51,51,51	0
56	MG	1A	3833	1/1	0.98	0.13	-	54,54,54,54	0
56	MG	2a	1741	1/1	0.96	0.25	-	48,48,48,48	0
56	MG	1a	1768	1/1	0.91	0.13	-	56,56,56,56	0
56	MG	1A	3881	1/1	0.94	0.10	-	48,48,48,48	0
56	MG	1A	3674	1/1	0.88	0.12	-	53,53,53,53	0
56	MG	1a	1633	1/1	0.98	0.24	-	52,52,52,52	0
56	MG	2A	3594	1/1	0.95	0.06	-	48,48,48,48	0
56	MG	1a	1826	1/1	0.78	0.20	-	72,72,72,72	0
56	MG	2A	3518	1/1	0.95	0.07	-	50,50,50,50	0
56	MG	1A	3240	1/1	0.97	0.19	-	40,40,40,40	0
56	MG	2A	3361	1/1	0.91	0.07	-	58,58,58,58	0
56	MG	1A	3844	1/1	0.90	0.16	-	64,64,64,64	0
56	MG	2a	1651	1/1	0.76	0.25	-	70,70,70,70	0
56	MG	2A	3154	1/1	0.98	0.22	-	41,41,41,41	0
56	MG	2A	3200	1/1	0.90	0.10	-	46,46,46,46	0
56	MG	2A	3607	1/1	0.95	0.17	-	60,60,60,60	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1A	3356	1/1	0.88	0.13	-	35,35,35,35	0
56	MG	1A	3017	1/1	0.88	0.23	-	31,31,31,31	0
56	MG	1A	3815	1/1	0.91	0.14	-	60,60,60,60	0
56	MG	1a	1640	1/1	0.95	0.21	-	41,41,41,41	0
56	MG	1a	1683	1/1	0.93	0.25	-	64,64,64,64	0
56	MG	2A	3613	1/1	0.95	0.15	-	64,64,64,64	0
56	MG	1G	202	1/1	0.96	0.15	-	45,45,45,45	0
56	MG	1a	1742	1/1	0.86	0.16	-	68,68,68,68	0
56	MG	1A	3119	1/1	0.96	0.43	-	36,36,36,36	0
56	MG	1Q	202	1/1	0.94	0.26	-	41,41,41,41	0
56	MG	2A	3369	1/1	0.93	0.10	-	50,50,50,50	0
56	MG	2A	3138	1/1	0.94	0.14	-	47,47,47,47	0
56	MG	1A	3895	1/1	0.88	0.19	-	40,40,40,40	0
56	MG	1a	1743	1/1	0.84	0.25	-	63,63,63,63	0
56	MG	16	502	1/1	0.94	0.19	-	51,51,51,51	0
56	MG	1x	3009	1/1	0.90	0.12	-	58,58,58,58	0
56	MG	2A	3098	1/1	0.98	0.07	-	37,37,37,37	0
56	MG	1A	3571	1/1	0.96	0.19	-	39,39,39,39	0
56	MG	1Q	203	1/1	0.97	0.22	-	33,33,33,33	0
56	MG	2A	3619	1/1	0.91	0.12	-	55,55,55,55	0
56	MG	2A	3566	1/1	0.91	0.11	-	38,38,38,38	0
56	MG	2A	3596	1/1	0.96	0.10	-	42,42,42,42	0
56	MG	1A	3407	1/1	0.93	0.09	-	34,34,34,34	0
56	MG	1A	3569	1/1	0.92	0.14	-	50,50,50,50	0
56	MG	1a	1664	1/1	0.85	0.10	-	57,57,57,57	0
56	MG	2A	3324	1/1	0.95	0.15	-	50,50,50,50	0
56	MG	1A	3752	1/1	0.97	0.10	-	37,37,37,37	0
56	MG	2a	1734	1/1	0.88	0.13	-	70,70,70,70	0
56	MG	1A	3345	1/1	0.91	0.20	-	35,35,35,35	0
56	MG	2B	3014	1/1	0.89	0.26	-	65,65,65,65	0
56	MG	2A	3210	1/1	0.87	0.14	-	40,40,40,40	0
56	MG	2A	3102	1/1	0.83	0.15	-	49,49,49,49	0
56	MG	1a	1626	1/1	0.95	0.28	-	45,45,45,45	0
56	MG	2a	1716	1/1	0.94	0.07	-	52,52,52,52	0
56	MG	2Q	204	1/1	0.85	0.29	-	44,44,44,44	0
56	MG	1A	3697	1/1	0.90	0.12	-	57,57,57,57	0
56	MG	1A	3412	1/1	0.92	0.13	-	35,35,35,35	0
56	MG	1A	3271	1/1	0.70	0.14	-	71,71,71,71	0
56	MG	2A	3606	1/1	0.96	0.06	-	51,51,51,51	0
56	MG	2B	3011	1/1	0.95	0.20	-	55,55,55,55	0
56	MG	2A	3648	1/1	0.95	0.27	-	47,47,47,47	0
56	MG	2A	3194	1/1	0.95	0.21	-	40,40,40,40	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	2A	3611	1/1	0.97	0.08	-	60,60,60,60	0
56	MG	1A	3916	1/1	0.99	0.31	-	34,34,34,34	0
56	MG	2A	3537	1/1	0.92	0.09	-	57,57,57,57	0
56	MG	1A	3828	1/1	0.93	0.16	-	58,58,58,58	0
56	MG	2A	3629	1/1	0.97	0.07	-	56,56,56,56	0
56	MG	1A	3036	1/1	0.92	0.23	-	49,49,49,49	0
56	MG	1A	3158	1/1	0.97	0.14	-	49,49,49,49	0
56	MG	2A	3491	1/1	0.82	0.17	-	49,49,49,49	0
56	MG	1A	3133	1/1	0.91	0.20	-	44,44,44,44	0
56	MG	1A	3816	1/1	0.94	0.47	-	62,62,62,62	0
56	MG	2A	3005	1/1	0.89	0.19	-	50,50,50,50	0
56	MG	1a	1671	1/1	0.94	0.18	-	42,42,42,42	0
56	MG	2a	1766	1/1	0.95	0.11	-	56,56,56,56	0
56	MG	2A	3498	1/1	0.87	0.11	-	37,37,37,37	0
56	MG	1A	3383	1/1	0.92	0.21	-	33,33,33,33	0
56	MG	2A	3110	1/1	0.89	0.34	-	46,46,46,46	0
56	MG	2A	3011	1/1	0.84	0.18	-	41,41,41,41	0
56	MG	1A	3712	1/1	0.97	0.22	-	50,50,50,50	0
56	MG	2A	3321	1/1	0.95	0.24	-	53,53,53,53	0
56	MG	2A	3360	1/1	0.94	0.09	-	35,35,35,35	0
56	MG	1A	3085	1/1	0.84	0.18	-	51,51,51,51	0
56	MG	2a	1623	1/1	0.88	0.15	-	65,65,65,65	0
56	MG	1E	301	1/1	0.87	0.19	-	27,27,27,27	0
56	MG	2A	3551	1/1	0.80	0.17	-	51,51,51,51	0
56	MG	2A	3128	1/1	0.91	0.12	-	49,49,49,49	0
56	MG	2A	3527	1/1	0.89	0.08	-	53,53,53,53	0
56	MG	1B	3026	1/1	0.92	0.10	-	62,62,62,62	0
56	MG	1A	3148	1/1	0.94	0.32	-	31,31,31,31	0
56	MG	2A	3072	1/1	0.93	0.12	-	40,40,40,40	0
56	MG	1A	3507	1/1	0.91	0.19	-	34,34,34,34	0
56	MG	2A	3363	1/1	0.90	0.14	-	30,30,30,30	0
56	MG	1A	3475	1/1	0.90	0.15	-	37,37,37,37	0
56	MG	1a	1726	1/1	0.88	0.06	-	57,57,57,57	0
56	MG	2a	1784	1/1	0.98	0.11	-	56,56,56,56	0
56	MG	2A	3330	1/1	0.88	0.14	-	44,44,44,44	0
56	MG	1A	3610	1/1	0.85	0.08	-	56,56,56,56	0
56	MG	2a	1721	1/1	0.91	0.13	-	61,61,61,61	0
56	MG	1a	1770	1/1	0.99	0.14	-	44,44,44,44	0
56	MG	1A	3743	1/1	0.93	0.17	-	38,38,38,38	0
56	MG	2A	3229	1/1	0.92	0.19	-	53,53,53,53	0
56	MG	1A	3647	1/1	0.93	0.07	-	45,45,45,45	0
56	MG	1A	3004	1/1	0.92	0.17	-	28,28,28,28	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1A	3663	1/1	0.88	0.14	-	46,46,46,46	0
56	MG	1a	1781	1/1	0.96	0.17	-	63,63,63,63	0
56	MG	1A	3746	1/1	0.94	0.07	-	45,45,45,45	0
56	MG	1A	3853	1/1	0.94	0.07	-	41,41,41,41	0
56	MG	1a	1707	1/1	0.80	0.20	-	62,62,62,62	0
56	MG	1A	3465	1/1	0.89	0.12	-	32,32,32,32	0
56	MG	1A	3219	1/1	0.93	0.22	-	40,40,40,40	0
56	MG	2a	1645	1/1	0.99	0.15	-	50,50,50,50	0
56	MG	2a	1782	1/1	0.95	0.23	-	71,71,71,71	0
56	MG	2A	3176	1/1	0.80	0.24	-	52,52,52,52	0
56	MG	2p	3001	1/1	0.95	0.13	-	52,52,52,52	0
56	MG	2a	1652	1/1	0.88	0.14	-	62,62,62,62	0
56	MG	2a	1653	1/1	0.91	0.13	-	51,51,51,51	0
56	MG	1A	3152	1/1	0.92	0.19	-	37,37,37,37	0
56	MG	1A	3501	1/1	0.94	0.18	-	32,32,32,32	0
56	MG	1A	3810	1/1	0.93	0.13	-	36,36,36,36	0
56	MG	1A	3041	1/1	0.97	0.16	-	35,35,35,35	0
56	MG	2A	3193	1/1	0.96	0.11	-	40,40,40,40	0
56	MG	2a	1681	1/1	0.92	0.26	-	47,47,47,47	0
56	MG	1A	3347	1/1	0.86	0.27	-	54,54,54,54	0
56	MG	2A	3597	1/1	0.96	0.16	-	46,46,46,46	0
56	MG	2a	1634	1/1	0.86	0.16	-	53,53,53,53	0
56	MG	1a	1623	1/1	0.95	0.14	-	59,59,59,59	0
56	MG	1A	3579	1/1	0.96	0.19	-	21,21,21,21	0
56	MG	1A	3723	1/1	0.95	0.15	-	62,62,62,62	0
56	MG	1A	3429	1/1	0.89	0.23	-	53,53,53,53	0
56	MG	2a	1752	1/1	0.95	0.10	-	68,68,68,68	0
56	MG	1A	3238	1/1	0.91	0.22	-	28,28,28,28	0
56	MG	1a	1678	1/1	0.98	0.14	-	57,57,57,57	0
56	MG	2A	3283	1/1	0.95	0.17	-	51,51,51,51	0
56	MG	1a	1616	1/1	0.84	0.19	-	62,62,62,62	0
56	MG	1A	3454	1/1	0.98	0.20	-	35,35,35,35	0
56	MG	2B	3005	1/1	0.96	0.20	-	54,54,54,54	0
56	MG	2a	1731	1/1	0.73	0.10	-	65,65,65,65	0
56	MG	2A	3414	1/1	0.85	0.15	-	40,40,40,40	0
56	MG	2A	3044	1/1	0.94	0.17	-	36,36,36,36	0
56	MG	1A	3143	1/1	0.90	0.11	-	30,30,30,30	0
56	MG	1A	3120	1/1	0.95	0.12	-	38,38,38,38	0
56	MG	1A	3489	1/1	0.96	0.17	-	40,40,40,40	0
56	MG	1B	3014	1/1	0.82	0.22	-	63,63,63,63	0
56	MG	2A	3216	1/1	0.88	0.10	-	43,43,43,43	0
56	MG	2a	1615	1/1	0.97	0.18	-	63,63,63,63	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1A	3575	1/1	0.92	0.20	-	38,38,38,38	0
56	MG	1A	3785	1/1	0.97	0.15	-	37,37,37,37	0
56	MG	2A	3046	1/1	0.90	0.12	-	38,38,38,38	0
56	MG	2A	3056	1/1	0.86	0.12	-	54,54,54,54	0
56	MG	2a	1617	1/1	0.71	0.15	-	52,52,52,52	0
56	MG	2A	3368	1/1	0.82	0.14	-	38,38,38,38	0
56	MG	1A	3779	1/1	0.84	0.34	-	44,44,44,44	0
56	MG	1A	3283	1/1	0.96	0.16	-	37,37,37,37	0
56	MG	1A	3256	1/1	0.95	0.14	-	49,49,49,49	0
56	MG	2A	3125	1/1	0.88	0.12	-	56,56,56,56	0
56	MG	2a	1763	1/1	0.98	0.16	-	46,46,46,46	0
56	MG	2a	1790	1/1	0.91	0.19	-	66,66,66,66	0
56	MG	1A	3866	1/1	0.87	0.13	-	44,44,44,44	0
56	MG	2a	1674	1/1	0.80	0.14	-	58,58,58,58	0
56	MG	1A	3528	1/1	0.88	0.10	-	64,64,64,64	0
56	MG	1A	3555	1/1	0.87	0.12	-	55,55,55,55	0
56	MG	1A	3330	1/1	0.96	0.21	-	42,42,42,42	0
56	MG	1A	3354	1/1	0.93	0.19	-	45,45,45,45	0
56	MG	1Z	3002	1/1	0.91	0.24	-	56,56,56,56	0
56	MG	1A	3092	1/1	0.95	0.16	-	41,41,41,41	0
56	MG	1A	3574	1/1	0.96	0.16	-	47,47,47,47	0
56	MG	2U	202	1/1	0.97	0.09	-	35,35,35,35	0
56	MG	1A	3220	1/1	0.86	0.36	-	48,48,48,48	0
56	MG	1A	3301	1/1	0.91	0.44	-	38,38,38,38	0
56	MG	2A	3534	1/1	0.95	0.06	-	62,62,62,62	0
56	MG	1a	1796	1/1	0.91	0.13	-	40,40,40,40	0
56	MG	1a	1624	1/1	0.72	0.11	-	65,65,65,65	0
56	MG	1A	3598	1/1	0.91	0.19	-	42,42,42,42	0
56	MG	1A	3320	1/1	0.93	0.23	-	59,59,59,59	0
56	MG	2A	3166	1/1	0.88	0.17	-	43,43,43,43	0
56	MG	1A	3851	1/1	0.86	0.23	-	45,45,45,45	0
56	MG	1a	1795	1/1	0.91	0.07	-	64,64,64,64	0
56	MG	1A	3308	1/1	0.84	0.21	-	58,58,58,58	0
56	MG	1A	3909	1/1	0.97	0.13	-	36,36,36,36	0
56	MG	1A	3791	1/1	0.99	0.18	-	43,43,43,43	0
56	MG	2A	3382	1/1	0.87	0.10	-	48,48,48,48	0
56	MG	2A	3172	1/1	0.85	0.11	-	59,59,59,59	0
56	MG	1A	3494	1/1	0.84	0.10	-	47,47,47,47	0
56	MG	2A	3483	1/1	0.90	0.07	-	61,61,61,61	0
56	MG	2A	3179	1/1	0.83	0.12	-	45,45,45,45	0
56	MG	2A	3103	1/1	0.93	0.25	-	49,49,49,49	0
56	MG	1A	3176	1/1	0.93	0.16	-	27,27,27,27	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	2A	3181	1/1	0.94	0.11	-	44,44,44,44	0
56	MG	1A	3339	1/1	0.98	0.23	-	46,46,46,46	0
56	MG	1A	3246	1/1	0.93	0.21	-	48,48,48,48	0
56	MG	2A	3661	1/1	0.91	0.11	-	41,41,41,41	0
56	MG	2A	3134	1/1	0.95	0.09	-	44,44,44,44	0
56	MG	1A	3379	1/1	0.95	0.18	-	52,52,52,52	0
56	MG	1A	3351	1/1	0.94	0.09	-	51,51,51,51	0
56	MG	2a	1720	1/1	0.90	0.10	-	53,53,53,53	0
56	MG	2a	1628	1/1	0.90	0.13	-	65,65,65,65	0
56	MG	1a	1780	1/1	0.98	0.07	-	47,47,47,47	0
56	MG	2a	1754	1/1	0.98	0.08	-	67,67,67,67	0
56	MG	2A	3641	1/1	0.91	0.10	-	46,46,46,46	0
56	MG	1A	3181	1/1	0.92	0.22	-	48,48,48,48	0
56	MG	2B	3009	1/1	0.80	0.19	-	62,62,62,62	0
56	MG	2A	3464	1/1	0.92	0.09	-	41,41,41,41	0
56	MG	1A	3024	1/1	0.99	0.17	-	27,27,27,27	0
56	MG	1A	3311	1/1	0.96	0.26	-	50,50,50,50	0
56	MG	1A	3923	1/1	0.92	0.21	-	39,39,39,39	0
56	MG	1A	3809	1/1	0.92	0.14	-	42,42,42,42	0
56	MG	2v	3001	1/1	0.93	0.12	-	56,56,56,56	0
56	MG	2A	3605	1/1	0.93	0.11	-	45,45,45,45	0
56	MG	1A	3778	1/1	0.84	0.10	-	48,48,48,48	0
56	MG	2A	3051	1/1	0.81	0.15	-	61,61,61,61	0
56	MG	1A	3390	1/1	0.93	0.15	-	42,42,42,42	0
56	MG	2A	3286	1/1	0.97	0.18	-	55,55,55,55	0
56	MG	2A	3008	1/1	0.97	0.20	-	39,39,39,39	0
56	MG	1a	1802	1/1	0.91	0.10	-	50,50,50,50	0
56	MG	1A	3080	1/1	0.90	0.24	-	31,31,31,31	0
56	MG	1a	1687	1/1	0.96	0.11	-	55,55,55,55	0
56	MG	2A	3143	1/1	0.97	0.13	-	47,47,47,47	0
56	MG	2A	3192	1/1	0.94	0.21	-	51,51,51,51	0
56	MG	1A	3499	1/1	0.97	0.12	-	34,34,34,34	0
56	MG	2A	3553	1/1	0.94	0.06	-	53,53,53,53	0
56	MG	1A	3536	1/1	0.98	0.11	-	48,48,48,48	0
56	MG	1A	3877	1/1	0.97	0.11	-	49,49,49,49	0
56	MG	2a	1719	1/1	0.96	0.17	-	44,44,44,44	0
56	MG	2A	3242	1/1	0.94	0.13	-	54,54,54,54	0
56	MG	1A	3532	1/1	0.90	0.18	-	59,59,59,59	0
56	MG	1A	3805	1/1	0.87	0.19	-	64,64,64,64	0
56	MG	2A	3448	1/1	0.90	0.13	-	47,47,47,47	0
56	MG	1A	3138	1/1	0.98	0.26	-	32,32,32,32	0
56	MG	1a	1698	1/1	0.97	0.18	-	51,51,51,51	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1A	3264	1/1	0.82	0.15	-	64,64,64,64	0
56	MG	1A	3603	1/1	0.94	0.13	-	31,31,31,31	0
56	MG	2A	3471	1/1	0.93	0.10	-	47,47,47,47	0
56	MG	2a	1775	1/1	0.90	0.10	-	71,71,71,71	0
56	MG	1B	3006	1/1	0.90	0.23	-	44,44,44,44	0
56	MG	1O	201	1/1	0.96	0.15	-	39,39,39,39	0
56	MG	1A	3086	1/1	0.93	0.15	-	41,41,41,41	0
56	MG	1A	3660	1/1	0.76	0.14	-	50,50,50,50	0
56	MG	1A	3227	1/1	0.95	0.10	-	42,42,42,42	0
56	MG	1A	3719	1/1	0.93	0.17	-	41,41,41,41	0
56	MG	2a	1669	1/1	0.95	0.16	-	44,44,44,44	0
56	MG	2A	3147	1/1	0.98	0.12	-	38,38,38,38	0
56	MG	2a	1785	1/1	0.93	0.14	-	66,66,66,66	0
56	MG	2A	3073	1/1	0.88	0.14	-	46,46,46,46	0
56	MG	1A	3067	1/1	0.97	0.16	-	18,18,18,18	0
56	MG	1Q	205	1/1	0.82	0.24	-	58,58,58,58	0
56	MG	1a	1812	1/1	0.93	0.16	-	51,51,51,51	0
56	MG	1A	3223	1/1	0.93	0.29	-	42,42,42,42	0
56	MG	1A	3582	1/1	0.93	0.16	-	45,45,45,45	0
56	MG	1A	3422	1/1	0.96	0.14	-	45,45,45,45	0
56	MG	2A	3037	1/1	0.91	0.13	-	42,42,42,42	0
56	MG	2A	3252	1/1	0.89	0.09	-	58,58,58,58	0
56	MG	1A	3005	1/1	0.98	0.15	-	43,43,43,43	0
56	MG	2A	3588	1/1	0.93	0.09	-	60,60,60,60	0
56	MG	2a	1762	1/1	0.94	0.13	-	55,55,55,55	0
56	MG	2A	3515	1/1	0.96	0.12	-	35,35,35,35	0
56	MG	1A	3731	1/1	0.96	0.15	-	58,58,58,58	0
56	MG	2a	1690	1/1	0.94	0.26	-	50,50,50,50	0
56	MG	1A	3011	1/1	0.93	0.21	-	41,41,41,41	0
56	MG	2A	3624	1/1	0.94	0.08	-	44,44,44,44	0
56	MG	1A	3634	1/1	0.92	0.14	-	56,56,56,56	0
56	MG	1A	3359	1/1	0.94	0.09	-	44,44,44,44	0
56	MG	1a	1645	1/1	0.84	0.14	-	56,56,56,56	0
56	MG	2j	8001	1/1	0.97	0.13	-	69,69,69,69	0
56	MG	1A	3727	1/1	0.96	0.16	-	45,45,45,45	0
56	MG	1A	3228	1/1	0.88	0.17	-	39,39,39,39	0
56	MG	1A	3231	1/1	0.92	0.20	-	53,53,53,53	0
56	MG	2A	3378	1/1	0.95	0.16	-	48,48,48,48	0
56	MG	1x	3010	1/1	0.94	0.07	-	74,74,74,74	0
56	MG	1a	1693	1/1	0.72	0.16	-	60,60,60,60	0
56	MG	2a	1658	1/1	0.91	0.09	-	69,69,69,69	0
56	MG	2a	1607	1/1	0.95	0.18	-	48,48,48,48	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	2A	3638	1/1	0.98	0.10	-	55,55,55,55	0
56	MG	2A	3545	1/1	0.95	0.24	-	47,47,47,47	0
56	MG	1A	3368	1/1	0.93	0.14	-	41,41,41,41	0
56	MG	1A	3938	1/1	0.88	0.35	-	43,43,43,43	0
56	MG	2B	3013	1/1	0.94	0.16	-	45,45,45,45	0
56	MG	2A	3538	1/1	0.85	0.10	-	53,53,53,53	0
56	MG	1A	3076	1/1	0.88	0.14	-	43,43,43,43	0
56	MG	1A	3484	1/1	0.95	0.23	-	30,30,30,30	0
56	MG	1A	3357	1/1	0.96	0.28	-	52,52,52,52	0
56	MG	1A	3703	1/1	0.94	0.10	-	50,50,50,50	0
56	MG	2a	1685	1/1	0.92	0.11	-	53,53,53,53	0
56	MG	1A	3702	1/1	0.96	0.14	-	45,45,45,45	0
56	MG	2A	3468	1/1	0.95	0.10	-	38,38,38,38	0
56	MG	2A	3420	1/1	0.96	0.10	-	43,43,43,43	0
56	MG	1B	3028	1/1	0.93	0.15	-	39,39,39,39	0
56	MG	1A	3325	1/1	0.92	0.15	-	38,38,38,38	0
56	MG	1A	3282	1/1	0.92	0.13	-	53,53,53,53	0
56	MG	2A	3188	1/1	0.89	0.18	-	50,50,50,50	0
56	MG	2A	3171	1/1	0.93	0.13	-	43,43,43,43	0
56	MG	2A	3149	1/1	0.94	0.13	-	49,49,49,49	0
56	MG	2A	3278	1/1	0.95	0.13	-	31,31,31,31	0
56	MG	1A	3233	1/1	0.95	0.39	-	35,35,35,35	0
56	MG	1A	3759	1/1	0.94	0.17	-	45,45,45,45	0
56	MG	2A	3093	1/1	0.94	0.11	-	51,51,51,51	0
56	MG	2A	3516	1/1	0.97	0.15	-	46,46,46,46	0
56	MG	1A	3058	1/1	0.98	0.21	-	44,44,44,44	0
56	MG	1A	3868	1/1	0.84	0.09	-	48,48,48,48	0
56	MG	2A	3085	1/1	0.93	0.13	-	37,37,37,37	0
56	MG	1A	3505	1/1	0.89	0.15	-	28,28,28,28	0
56	MG	1A	3645	1/1	0.93	0.11	-	23,23,23,23	0
56	MG	1A	3164	1/1	0.89	0.14	-	51,51,51,51	0
56	MG	1Z	3004	1/1	0.91	0.17	-	52,52,52,52	0
56	MG	2A	3524	1/1	0.90	0.09	-	56,56,56,56	0
56	MG	1a	1695	1/1	0.92	0.09	-	55,55,55,55	0
56	MG	2A	3109	1/1	0.94	0.09	-	49,49,49,49	0
56	MG	2A	3604	1/1	0.89	0.12	-	45,45,45,45	0
56	MG	1a	1641	1/1	0.87	0.16	-	50,50,50,50	0
56	MG	2A	3539	1/1	0.97	0.10	-	51,51,51,51	0
56	MG	2A	3440	1/1	0.95	0.20	-	42,42,42,42	0
56	MG	1A	3624	1/1	0.88	0.16	-	57,57,57,57	0
56	MG	1A	3677	1/1	0.85	0.13	-	57,57,57,57	0
56	MG	1a	1618	1/1	0.89	0.13	-	64,64,64,64	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1A	3894	1/1	0.93	0.15	-	47,47,47,47	0
56	MG	2A	3280	1/1	0.97	0.21	-	42,42,42,42	0
56	MG	1A	3609	1/1	0.91	0.06	-	43,43,43,43	0
56	MG	1A	3009	1/1	0.95	0.12	-	30,30,30,30	0
56	MG	1A	3621	1/1	0.98	0.12	-	48,48,48,48	0
56	MG	1A	3435	1/1	0.95	0.14	-	35,35,35,35	0
56	MG	2A	3313	1/1	0.97	0.11	-	37,37,37,37	0
56	MG	1A	3669	1/1	0.93	0.18	-	34,34,34,34	0
56	MG	1a	1681	1/1	0.83	0.27	-	54,54,54,54	0
56	MG	1a	1791	1/1	0.93	0.16	-	62,62,62,62	0
56	MG	1a	1737	1/1	0.97	0.14	-	33,33,33,33	0
56	MG	2A	3029	1/1	0.90	0.18	-	47,47,47,47	0
56	MG	1a	1788	1/1	0.92	0.13	-	64,64,64,64	0
56	MG	1A	3146	1/1	0.99	0.22	-	31,31,31,31	0
56	MG	1A	3114	1/1	0.92	0.26	-	32,32,32,32	0
56	MG	2A	3484	1/1	0.95	0.11	-	53,53,53,53	0
56	MG	2A	3623	1/1	0.95	0.09	-	46,46,46,46	0
56	MG	2r	101	1/1	0.84	0.14	-	66,66,66,66	0
56	MG	1a	1686	1/1	0.87	0.16	-	47,47,47,47	0
56	MG	1A	3399	1/1	0.96	0.16	-	42,42,42,42	0
56	MG	1A	3026	1/1	0.95	0.19	-	29,29,29,29	0
56	MG	1A	3850	1/1	0.89	0.25	-	60,60,60,60	0
56	MG	2A	3416	1/1	0.90	0.20	-	44,44,44,44	0
56	MG	2a	1746	1/1	0.97	0.11	-	59,59,59,59	0
56	MG	1A	3153	1/1	0.96	0.18	-	31,31,31,31	0
56	MG	1A	3547	1/1	0.98	0.08	-	36,36,36,36	0
56	MG	1A	3845	1/1	0.99	0.25	-	47,47,47,47	0
56	MG	2A	3086	1/1	0.83	0.13	-	43,43,43,43	0
56	MG	1A	3241	1/1	0.95	0.13	-	51,51,51,51	0
56	MG	1A	3570	1/1	0.92	0.14	-	43,43,43,43	0
56	MG	2A	3185	1/1	0.97	0.25	-	55,55,55,55	0
56	MG	1a	1799	1/1	0.90	0.33	-	85,85,85,85	0
56	MG	1a	1700	1/1	0.93	0.28	-	51,51,51,51	0
56	MG	1A	3331	1/1	0.94	0.25	-	53,53,53,53	0
56	MG	2T	3001	1/1	0.97	0.14	-	50,50,50,50	0
56	MG	2a	1612	1/1	0.93	0.14	-	54,54,54,54	0
56	MG	2A	3426	1/1	0.93	0.12	-	38,38,38,38	0
56	MG	2A	3449	1/1	0.97	0.12	-	42,42,42,42	0
56	MG	2B	3015	1/1	0.96	0.17	-	48,48,48,48	0
56	MG	1a	1636	1/1	0.90	0.11	-	53,53,53,53	0
56	MG	1A	3855	1/1	0.98	0.17	-	23,23,23,23	0
56	MG	1A	3665	1/1	0.90	0.09	-	53,53,53,53	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1A	3352	1/1	0.91	0.20	-	58,58,58,58	0
56	MG	1A	3578	1/1	0.76	0.12	-	39,39,39,39	0
56	MG	2A	3513	1/1	0.89	0.07	-	50,50,50,50	0
56	MG	1y	102	1/1	0.96	0.12	-	63,63,63,63	0
56	MG	1A	3959	1/1	0.96	0.38	-	53,53,53,53	0
56	MG	1A	3925	1/1	0.99	0.07	-	59,59,59,59	0
56	MG	1A	3832	1/1	0.98	0.10	-	57,57,57,57	0
56	MG	2A	3517	1/1	0.97	0.11	-	54,54,54,54	0
56	MG	1A	3299	1/1	0.96	0.25	-	40,40,40,40	0
56	MG	2A	3068	1/1	0.90	0.12	-	39,39,39,39	0
56	MG	2A	3115	1/1	0.88	0.15	-	38,38,38,38	0
56	MG	1A	3878	1/1	0.97	0.13	-	40,40,40,40	0
56	MG	1A	3734	1/1	0.86	0.17	-	48,48,48,48	0
56	MG	1A	3754	1/1	0.97	0.11	-	53,53,53,53	0
56	MG	1a	1797	1/1	0.98	0.19	-	52,52,52,52	0
56	MG	2A	3127	1/1	0.87	0.12	-	50,50,50,50	0
56	MG	2A	3182	1/1	0.81	0.10	-	53,53,53,53	0
56	MG	1A	3328	1/1	0.98	0.12	-	27,27,27,27	0
56	MG	2a	1740	1/1	0.81	0.14	-	82,82,82,82	0
56	MG	1B	3020	1/1	0.97	0.15	-	48,48,48,48	0
56	MG	1A	3964	1/1	0.90	0.18	-	26,26,26,26	0
56	MG	1a	1792	1/1	0.95	0.11	-	75,75,75,75	0
56	MG	2A	3121	1/1	0.92	0.16	-	41,41,41,41	0
56	MG	1Z	3005	1/1	0.88	0.26	-	56,56,56,56	0
56	MG	1A	3112	1/1	0.93	0.26	-	43,43,43,43	0
56	MG	1a	1835	1/1	0.88	0.15	-	57,57,57,57	0
56	MG	1a	1605	1/1	0.94	0.11	-	50,50,50,50	0
56	MG	1A	3657	1/1	0.96	0.09	-	29,29,29,29	0
56	MG	1a	1718	1/1	0.91	0.16	-	54,54,54,54	0
56	MG	1A	3519	1/1	0.94	0.08	-	41,41,41,41	0
56	MG	1A	3057	1/1	0.83	0.12	-	44,44,44,44	0
56	MG	1A	3115	1/1	0.94	0.12	-	37,37,37,37	0
56	MG	1a	1720	1/1	0.98	0.17	-	64,64,64,64	0
56	MG	2A	3148	1/1	0.96	0.21	-	43,43,43,43	0
56	MG	2A	3239	1/1	0.96	0.10	-	43,43,43,43	0
56	MG	2A	3603	1/1	0.79	0.18	-	65,65,65,65	0
56	MG	1A	3440	1/1	0.90	0.16	-	72,72,72,72	0
56	MG	1A	3337	1/1	0.91	0.15	-	39,39,39,39	0
56	MG	1A	3077	1/1	0.96	0.15	-	39,39,39,39	0
56	MG	1a	1701	1/1	0.87	0.11	-	52,52,52,52	0
56	MG	1A	3777	1/1	0.85	0.10	-	42,42,42,42	0
56	MG	2a	1665	1/1	0.93	0.14	-	55,55,55,55	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1A	3409	1/1	0.86	0.08	-	34,34,34,34	0
56	MG	2A	3270	1/1	0.68	0.08	-	38,38,38,38	0
56	MG	2A	3407	1/1	0.80	0.11	-	44,44,44,44	0
56	MG	1A	3741	1/1	0.92	0.14	-	58,58,58,58	0
56	MG	2B	3018	1/1	0.94	0.06	-	57,57,57,57	0
56	MG	2a	1703	1/1	0.95	0.18	-	61,61,61,61	0
56	MG	2A	3475	1/1	0.94	0.06	-	52,52,52,52	0
56	MG	2F	301	1/1	0.79	0.23	-	37,37,37,37	0
56	MG	1A	3812	1/1	0.94	0.15	-	41,41,41,41	0
56	MG	1w	3005	1/1	0.92	0.18	-	82,82,82,82	0
56	MG	2a	1729	1/1	0.82	0.12	-	65,65,65,65	0
56	MG	1a	1801	1/1	0.89	0.16	-	54,54,54,54	0
56	MG	1A	3753	1/1	0.97	0.05	-	49,49,49,49	0
56	MG	2A	3050	1/1	0.94	0.18	-	43,43,43,43	0
56	MG	1a	1719	1/1	0.94	0.14	-	45,45,45,45	0
56	MG	1A	3607	1/1	0.95	0.21	-	30,30,30,30	0
56	MG	1A	3191	1/1	0.95	0.06	-	38,38,38,38	0
56	MG	1B	3023	1/1	0.98	0.19	-	51,51,51,51	0
56	MG	2A	3376	1/1	0.85	0.12	-	41,41,41,41	0
56	MG	2A	3657	1/1	0.95	0.06	-	36,36,36,36	0
56	MG	2A	3633	1/1	0.95	0.11	-	49,49,49,49	0
56	MG	2A	3496	1/1	0.95	0.13	-	53,53,53,53	0
56	MG	1a	1822	1/1	0.97	0.14	-	62,62,62,62	0
56	MG	1A	3671	1/1	0.93	0.14	-	38,38,38,38	0
56	MG	1A	3170	1/1	0.87	0.20	-	39,39,39,39	0
56	MG	1a	1731	1/1	0.97	0.15	-	61,61,61,61	0
56	MG	2A	3485	1/1	0.94	0.10	-	59,59,59,59	0
56	MG	1A	3470	1/1	0.96	0.17	-	27,27,27,27	0
56	MG	1A	3154	1/1	0.97	0.35	-	36,36,36,36	0
56	MG	2A	3083	1/1	0.91	0.14	-	48,48,48,48	0
56	MG	1A	3721	1/1	0.97	0.10	-	50,50,50,50	0
56	MG	1a	1684	1/1	0.89	0.14	-	54,54,54,54	0
56	MG	2A	3203	1/1	0.93	0.14	-	40,40,40,40	0
56	MG	2a	1781	1/1	0.89	0.17	-	66,66,66,66	0
56	MG	1A	3252	1/1	0.96	0.17	-	41,41,41,41	0
56	MG	1A	3876	1/1	0.93	0.13	-	55,55,55,55	0
56	MG	1A	3834	1/1	0.96	0.37	-	46,46,46,46	0
56	MG	2B	3007	1/1	0.95	0.13	-	46,46,46,46	0
56	MG	1A	3718	1/1	0.84	0.16	-	69,69,69,69	0
56	MG	1A	3433	1/1	0.98	0.18	-	42,42,42,42	0
56	MG	2A	3589	1/1	0.96	0.08	-	41,41,41,41	0
56	MG	2A	3456	1/1	0.95	0.16	-	39,39,39,39	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1a	1706	1/1	0.91	0.17	-	66,66,66,66	0
56	MG	2A	3388	1/1	0.89	0.11	-	52,52,52,52	0
56	MG	2A	3371	1/1	0.84	0.10	-	49,49,49,49	0
56	MG	2a	1640	1/1	0.96	0.11	-	56,56,56,56	0
56	MG	1A	3312	1/1	0.97	0.22	-	41,41,41,41	0
56	MG	2A	3257	1/1	0.97	0.13	-	47,47,47,47	0
56	MG	1A	3237	1/1	0.88	0.16	-	44,44,44,44	0
56	MG	1O	203	1/1	0.86	0.11	-	52,52,52,52	0
56	MG	1A	3857	1/1	0.94	0.11	-	39,39,39,39	0
56	MG	2A	3026	1/1	0.87	0.09	-	35,35,35,35	0
56	MG	1a	1607	1/1	0.87	0.21	-	68,68,68,68	0
56	MG	2A	3004	1/1	0.96	0.14	-	36,36,36,36	0
56	MG	2A	3226	1/1	0.90	0.32	-	42,42,42,42	0
56	MG	1a	1620	1/1	0.88	0.13	-	50,50,50,50	0
56	MG	1a	1778	1/1	0.94	0.15	-	66,66,66,66	0
56	MG	2a	1638	1/1	0.96	0.10	-	50,50,50,50	0
56	MG	1A	3367	1/1	0.82	0.20	-	55,55,55,55	0
56	MG	2A	3180	1/1	0.96	0.19	-	39,39,39,39	0
56	MG	2A	3615	1/1	0.89	0.13	-	46,46,46,46	0
56	MG	1A	3132	1/1	0.92	0.22	-	37,37,37,37	0
56	MG	1a	1622	1/1	0.97	0.13	-	49,49,49,49	0
56	MG	1A	3068	1/1	0.95	0.18	-	43,43,43,43	0
56	MG	1A	3932	1/1	0.68	0.22	-	56,56,56,56	0
56	MG	1a	1704	1/1	0.89	0.22	-	73,73,73,73	0
56	MG	2A	3145	1/1	0.95	0.10	-	35,35,35,35	0
56	MG	2A	3610	1/1	0.90	0.20	-	32,32,32,32	0
56	MG	1a	1735	1/1	0.92	0.16	-	58,58,58,58	0
56	MG	2A	3076	1/1	0.94	0.21	-	31,31,31,31	0
56	MG	1A	3416	1/1	0.95	0.14	-	54,54,54,54	0
56	MG	2A	3387	1/1	0.96	0.28	-	50,50,50,50	0
56	MG	2A	3013	1/1	0.95	0.12	-	36,36,36,36	0
56	MG	2f	3002	1/1	0.89	0.21	-	61,61,61,61	0
56	MG	2a	1737	1/1	0.95	0.22	-	51,51,51,51	0
56	MG	2a	1609	1/1	0.94	0.08	-	60,60,60,60	0
56	MG	1A	3395	1/1	0.98	0.20	-	31,31,31,31	0
56	MG	1A	3747	1/1	0.85	0.18	-	49,49,49,49	0
56	MG	2A	3023	1/1	0.94	0.61	-	49,49,49,49	0
56	MG	1A	3789	1/1	0.96	0.09	-	33,33,33,33	0
56	MG	2A	3649	1/1	0.98	0.18	-	30,30,30,30	0
56	MG	2a	1768	1/1	0.96	0.13	-	54,54,54,54	0
56	MG	1A	3760	1/1	0.90	0.12	-	57,57,57,57	0
56	MG	2A	3284	1/1	0.95	0.17	-	49,49,49,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1A	3414	1/1	0.76	0.13	-	31,31,31,31	0
56	MG	2A	3250	1/1	0.88	0.12	-	43,43,43,43	0
56	MG	2a	1668	1/1	0.90	0.12	-	64,64,64,64	0
56	MG	1a	1754	1/1	0.96	0.10	-	45,45,45,45	0
56	MG	1V	201	1/1	0.88	0.15	-	52,52,52,52	0
56	MG	1B	3008	1/1	0.85	0.17	-	57,57,57,57	0
56	MG	2A	3043	1/1	0.88	0.26	-	39,39,39,39	0
56	MG	2A	3195	1/1	0.93	0.19	-	47,47,47,47	0
56	MG	1V	202	1/1	0.95	0.15	-	59,59,59,59	0
56	MG	2A	3263	1/1	0.94	0.17	-	45,45,45,45	0
56	MG	1a	1756	1/1	0.84	0.06	-	65,65,65,65	0
56	MG	2A	3509	1/1	0.89	0.21	-	50,50,50,50	0
56	MG	2a	1657	1/1	0.85	0.14	-	54,54,54,54	0
56	MG	1A	3108	1/1	0.92	0.33	-	39,39,39,39	0
56	MG	1A	3559	1/1	0.95	0.07	-	41,41,41,41	0
56	MG	1A	3705	1/1	0.88	0.10	-	52,52,52,52	0
56	MG	2a	1750	1/1	0.96	0.17	-	72,72,72,72	0
56	MG	1A	3015	1/1	0.82	0.20	-	43,43,43,43	0
56	MG	2A	3112	1/1	0.90	0.31	-	49,49,49,49	0
56	MG	2A	3581	1/1	0.97	0.14	-	66,66,66,66	0
56	MG	1A	3521	1/1	0.95	0.11	-	35,35,35,35	0
56	MG	1A	3297	1/1	0.96	0.16	-	19,19,19,19	0
56	MG	1A	3242	1/1	0.81	0.19	-	47,47,47,47	0
56	MG	1B	3004	1/1	0.94	0.22	-	68,68,68,68	0
56	MG	2a	1710	1/1	0.97	0.09	-	61,61,61,61	0
56	MG	1A	3887	1/1	0.97	0.08	-	49,49,49,49	0
56	MG	1A	3512	1/1	0.89	0.20	-	53,53,53,53	0
56	MG	1A	3692	1/1	0.93	0.21	-	44,44,44,44	0
56	MG	1A	3466	1/1	0.95	0.11	-	50,50,50,50	0
56	MG	1a	1762	1/1	0.98	0.14	-	42,42,42,42	0
56	MG	1A	3710	1/1	0.94	0.10	-	43,43,43,43	0
56	MG	1A	3281	1/1	0.93	0.14	-	48,48,48,48	0
56	MG	1A	3722	1/1	0.77	0.48	-	48,48,48,48	0
56	MG	1a	1723	1/1	0.94	0.12	-	62,62,62,62	0
56	MG	1A	3323	1/1	0.94	0.26	-	50,50,50,50	0
56	MG	13	101	1/1	0.96	0.11	-	50,50,50,50	0
56	MG	1A	3350	1/1	0.95	0.15	-	44,44,44,44	0
56	MG	2A	3512	1/1	0.84	0.12	-	52,52,52,52	0
56	MG	1N	3007	1/1	0.96	0.19	-	25,25,25,25	0
56	MG	1A	3491	1/1	0.96	0.09	-	53,53,53,53	0
56	MG	1O	206	1/1	0.90	0.12	-	62,62,62,62	0
56	MG	2A	3120	1/1	0.94	0.10	-	53,53,53,53	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	2A	3563	1/1	0.96	0.09	-	36,36,36,36	0
56	MG	1A	3817	1/1	0.91	0.11	-	45,45,45,45	0
56	MG	1A	3497	1/1	0.92	0.07	-	29,29,29,29	0
56	MG	1A	3732	1/1	0.85	0.08	-	60,60,60,60	0
56	MG	1A	3373	1/1	0.97	0.20	-	53,53,53,53	0
56	MG	1B	3022	1/1	0.96	0.09	-	53,53,53,53	0
56	MG	1A	3247	1/1	0.96	0.24	-	27,27,27,27	0
56	MG	1A	3253	1/1	0.71	0.13	-	51,51,51,51	0
56	MG	2a	1780	1/1	0.93	0.17	-	64,64,64,64	0
56	MG	2A	3474	1/1	0.84	0.10	-	44,44,44,44	0
56	MG	2A	3206	1/1	0.94	0.23	-	38,38,38,38	0
56	MG	1a	1786	1/1	0.97	0.11	-	56,56,56,56	0
56	MG	1A	3506	1/1	0.96	0.14	-	62,62,62,62	0
56	MG	1a	1829	1/1	0.87	0.19	-	57,57,57,57	0
56	MG	2A	3197	1/1	0.75	0.49	-	50,50,50,50	0
56	MG	2A	3338	1/1	0.96	0.10	-	42,42,42,42	0
56	MG	2A	3060	1/1	0.92	0.12	-	42,42,42,42	0
56	MG	1A	3678	1/1	0.97	0.15	-	36,36,36,36	0
56	MG	2A	3348	1/1	0.95	0.17	-	55,55,55,55	0
56	MG	1a	1725	1/1	0.91	0.15	-	54,54,54,54	0
56	MG	1A	3065	1/1	0.96	0.17	-	14,14,14,14	0
56	MG	1a	1632	1/1	0.93	0.14	-	54,54,54,54	0
56	MG	1A	3599	1/1	0.97	0.21	-	28,28,28,28	0
56	MG	1A	3049	1/1	0.87	0.14	-	60,60,60,60	0
56	MG	1A	3835	1/1	0.97	0.33	-	30,30,30,30	0
56	MG	1A	3021	1/1	0.88	0.20	-	50,50,50,50	0
56	MG	2a	1621	1/1	0.60	0.13	-	74,74,74,74	0
56	MG	2A	3055	1/1	0.89	0.18	-	54,54,54,54	0
56	MG	2A	3199	1/1	0.96	0.23	-	43,43,43,43	0
56	MG	1A	3686	1/1	0.89	0.10	-	29,29,29,29	0
56	MG	1A	3087	1/1	0.94	0.14	-	20,20,20,20	0
56	MG	2A	3296	1/1	0.90	0.18	-	47,47,47,47	0
56	MG	2w	3002	1/1	0.91	0.11	-	63,63,63,63	0
56	MG	1A	3050	1/1	0.94	0.21	-	46,46,46,46	0
56	MG	1A	3476	1/1	0.93	0.07	-	31,31,31,31	0
56	MG	1A	3340	1/1	0.92	0.15	-	51,51,51,51	0
56	MG	2A	3233	1/1	0.83	0.22	-	44,44,44,44	0
56	MG	2A	3153	1/1	0.98	0.14	-	42,42,42,42	0
56	MG	1A	3822	1/1	0.95	0.08	-	52,52,52,52	0
56	MG	2A	3429	1/1	0.92	0.11	-	29,29,29,29	0
56	MG	1A	3520	1/1	0.97	0.11	-	47,47,47,47	0
56	MG	1A	3533	1/1	0.98	0.08	-	28,28,28,28	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	2A	3355	1/1	0.93	0.19	-	49,49,49,49	0
56	MG	1A	3548	1/1	0.90	0.22	-	47,47,47,47	0
56	MG	1A	3062	1/1	0.91	0.18	-	50,50,50,50	0
56	MG	2A	3191	1/1	0.89	0.23	-	58,58,58,58	0
56	MG	1A	3869	1/1	0.93	0.13	-	52,52,52,52	0
56	MG	1A	3882	1/1	0.92	0.13	-	52,52,52,52	0
56	MG	1A	3744	1/1	0.96	0.15	-	50,50,50,50	0
56	MG	2A	3632	1/1	0.82	0.21	-	58,58,58,58	0
56	MG	1A	3481	1/1	0.91	0.17	-	26,26,26,26	0
56	MG	2A	3359	1/1	0.93	0.11	-	44,44,44,44	0
56	MG	2a	1613	1/1	0.81	0.18	-	58,58,58,58	0
56	MG	1A	3327	1/1	0.90	0.17	-	44,44,44,44	0
56	MG	2A	3435	1/1	0.95	0.14	-	43,43,43,43	0
56	MG	2A	3575	1/1	0.85	0.08	-	57,57,57,57	0
56	MG	2A	3279	1/1	0.97	0.13	-	43,43,43,43	0
56	MG	1W	3004	1/1	0.92	0.16	-	33,33,33,33	0
56	MG	1a	1789	1/1	0.88	0.16	-	45,45,45,45	0
56	MG	2A	3113	1/1	0.90	0.22	-	51,51,51,51	0
56	MG	2A	3450	1/1	0.97	0.12	-	24,24,24,24	0
56	MG	1A	3449	1/1	0.95	0.21	-	37,37,37,37	0
56	MG	2A	3608	1/1	0.94	0.14	-	27,27,27,27	0
56	MG	2A	3674	1/1	0.92	0.16	-	47,47,47,47	0
56	MG	1A	3622	1/1	0.96	0.12	-	52,52,52,52	0
56	MG	1A	3257	1/1	0.69	0.26	-	65,65,65,65	0
56	MG	1A	3720	1/1	0.59	0.26	-	71,71,71,71	0
56	MG	1A	3095	1/1	0.86	0.22	-	54,54,54,54	0
56	MG	2A	3315	1/1	0.92	0.18	-	40,40,40,40	0
56	MG	2a	1644	1/1	0.97	0.10	-	66,66,66,66	0
56	MG	1A	3606	1/1	0.99	0.17	-	19,19,19,19	0
56	MG	2A	3417	1/1	0.98	0.12	-	43,43,43,43	0
56	MG	1A	3573	1/1	0.98	0.14	-	34,34,34,34	0
56	MG	1f	3002	1/1	0.96	0.15	-	54,54,54,54	0
56	MG	1a	1767	1/1	0.99	0.24	-	67,67,67,67	0
56	MG	2A	3616	1/1	0.89	0.17	-	55,55,55,55	0
56	MG	2A	3245	1/1	0.90	0.15	-	42,42,42,42	0
56	MG	2A	3045	1/1	0.99	0.17	-	36,36,36,36	0
56	MG	1A	3381	1/1	0.95	0.23	-	57,57,57,57	0
56	MG	2A	3424	1/1	0.86	0.22	-	43,43,43,43	0
56	MG	2A	3494	1/1	0.94	0.14	-	45,45,45,45	0
56	MG	1A	3653	1/1	0.96	0.13	-	47,47,47,47	0
56	MG	1A	3826	1/1	0.89	0.20	-	37,37,37,37	0
56	MG	1A	3035	1/1	0.97	0.33	-	32,32,32,32	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
56	MG	1x	3002	1/1	0.96	0.15	-	56,56,56,56	0
56	MG	1A	3392	1/1	0.94	0.19	-	39,39,39,39	0

6.5 Other polymers [i](#)

There are no such residues in this entry.