



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 03:50 pm GMT

PDB ID : 5DPD  
Title : The structure of PKMT1 from Rickettsia prowazekii in complex with AdoMet  
Authors : Noinaj, N.; Abeykoon, A.; He, Y.; Yang, D.C.; Buchanan, S.K.  
Deposited on : 2015-09-12  
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : trunk28620  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	1692 (3.00-3.00)
Clashscore	112137	2037 (3.00-3.00)
Ramachandran outliers	110173	1973 (3.00-3.00)
Sidechain outliers	110143	1976 (3.00-3.00)
RSRZ outliers	101464	1716 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	554	<div> <div></div> <div>57%</div> <div>30%</div> <div>5%</div> <div>8%</div> </div>
1	B	554	<div> <div></div> <div>58%</div> <div>29%</div> <div>6%</div> <div>8%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SAM	A	601	-	-	-	X

## 2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 8141 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called protein lysine methyltransferase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	511	Total	C	N	O	S	0	1	0
			4071	2592	699	760	20			
1	B	511	Total	C	N	O	S	0	1	0
			4016	2557	689	750	20			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	GLY	-	expression tag	UNP O05979
B	0	GLY	-	expression tag	UNP O05979

- Molecule 2 is S-ADENOSYLMETHIONINE (three-letter code: SAM) (formula: C<sub>15</sub>H<sub>22</sub>N<sub>6</sub>O<sub>5</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			27	15	6	5	1		

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	S	0	0
			27	15	6	5	1		


### 3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: protein lysine methyltransferase 1



#### • Molecule 1: protein lysine methyltransferase 1





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	98.03Å 62.94Å 107.63Å 90.00° 100.42° 90.00°	Depositor
Resolution (Å)	48.21 – 3.00 48.21 – 2.99	Depositor EDS
% Data completeness (in resolution range)	94.7 (48.21-3.00) 92.4 (48.21-2.99)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.12	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.16 (at 3.01Å)	Xtriage
Refinement program	PHENIX	Depositor
R, $R_{free}$	0.197 , 0.234 0.198 , 0.233	Depositor DCC
$R_{free}$ test set	1981 reflections (7.95%)	DCC
Wilson B-factor (Å <sup>2</sup> )	49.1	Xtriage
Anisotropy	0.307	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.23 , 23.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.43$ , $\langle L^2 \rangle = 0.25$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	8141	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	60.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.62% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SAM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.40	0/4155	0.67	1/5633 (0.0%)
1	B	0.38	0/4100	0.63	1/5568 (0.0%)
All	All	0.39	0/8255	0.65	2/11201 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3
1	B	0	3
All	All	0	6

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	213	LEU	CA-CB-CG	7.47	132.49	115.30
1	B	288	GLY	N-CA-C	5.60	127.11	113.10

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	288	GLY	Peptide
1	A	374	ASN	Peptide
1	A	525	ILE	Peptide
1	B	244	THR	Peptide

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	B	310[B]	TYR	Mainchain
1	B	526	GLU	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4071	0	4007	118	0
1	B	4016	0	3892	125	0
2	A	27	0	22	5	0
2	B	27	0	22	2	0
All	All	8141	0	7943	235	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (235) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:310[B]:TYR:O	1:B:311:MET:C	1.86	1.07
1:B:310[B]:TYR:O	1:B:312:ASP:N	1.91	1.03
1:A:165:ASN:ND2	1:A:272:HIS:O	1.97	0.96
1:B:212:ARG:NH2	1:B:245:ASP:OD1	1.98	0.95
1:B:165:ASN:ND2	1:B:272:HIS:O	2.03	0.92
1:B:69:GLU:O	1:B:73:SER:OG	1.97	0.83
1:B:131:THR:HA	1:B:159:LYS:HG2	1.59	0.83
1:B:148:VAL:HG12	2:B:601:SAM:H5'2	1.60	0.82
1:A:374:ASN:ND2	1:A:375:LYS:O	2.12	0.81
1:A:69:GLU:O	1:A:73:SER:OG	1.99	0.81
1:B:407:THR:HG23	1:B:419:LEU:HD11	1.64	0.80
1:B:310[B]:TYR:O	1:B:313:PHE:N	2.15	0.80
1:B:81:ALA:HB1	1:B:107:GLN:HB2	1.62	0.79
1:A:521:GLU:N	1:A:522:GLY:HA3	1.97	0.79
1:B:484:ASN:O	1:B:486:PHE:N	2.12	0.78
1:A:80:CYS:SG	1:A:81:ALA:N	2.58	0.77
1:A:484:ASN:O	1:A:486:PHE:N	2.13	0.77

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:466:LYS:HG2	1:A:492:ARG:HG2	1.67	0.76
1:B:466:LYS:HG2	1:B:492:ARG:HG2	1.67	0.76
1:A:481:ILE:HD11	1:A:551:LEU:HD11	1.68	0.75
1:A:368:GLN:OE1	1:A:378:ASN:ND2	2.20	0.75
1:B:54:TYR:OH	1:B:71:GLU:OE2	2.03	0.75
1:B:493:TYR:OH	1:B:510:HIS:NE2	2.19	0.74
1:A:470:SER:O	1:A:488:LYS:NZ	2.20	0.74
1:A:146:HIS:O	2:A:601:SAM:N	2.20	0.74
1:A:373:GLY:HA3	1:A:374:ASN:HB2	1.71	0.73
1:B:56:LEU:HD22	1:B:323:LEU:HD21	1.71	0.73
1:A:404:LYS:O	1:A:408:SER:HB3	1.90	0.71
1:A:102:ASP:OD1	2:A:601:SAM:O2'	2.09	0.71
1:B:204:ILE:HD12	1:B:249:ARG:HD3	1.74	0.69
1:A:346:ILE:HD11	1:A:400:PRO:HG3	1.75	0.69
1:B:403:PHE:O	1:B:407:THR:HB	1.92	0.68
1:A:185:ASN:OD1	1:A:188:ARG:NH2	2.25	0.68
1:A:51:THR:HG21	1:A:85:ASN:HD21	1.58	0.68
1:B:526:GLU:O	1:B:528:LYS:N	2.21	0.67
1:B:468:THR:HG22	1:B:470:SER:H	1.59	0.67
1:B:288:GLY:HA2	1:B:290:MET:N	2.11	0.66
1:B:401:LEU:HD23	1:B:406:VAL:HG22	1.77	0.66
1:B:508:LEU:O	1:B:511:VAL:HG12	1.96	0.65
1:A:403:PHE:O	1:A:407:THR:HB	1.96	0.65
1:A:191:ARG:NH2	1:A:252:HIS:O	2.30	0.64
1:A:212:ARG:NH2	1:A:244:THR:HA	2.12	0.64
1:A:250:HIS:O	1:A:250:HIS:ND1	2.30	0.64
1:B:51:THR:HG21	1:B:85:ASN:HD21	1.61	0.64
1:B:102:ASP:HB3	1:B:108:ILE:HD11	1.80	0.63
1:B:293:LYS:H	1:B:293:LYS:HD3	1.65	0.62
1:A:288:GLY:HA2	1:A:290:MET:N	2.14	0.62
1:B:212:ARG:HH22	1:B:245:ASP:CG	2.01	0.62
1:B:185:ASN:OD1	1:B:188:ARG:NH2	2.32	0.61
1:B:519:SER:O	1:B:523:GLN:N	2.24	0.61
1:A:236:GLU:OE2	1:A:318:ARG:NH2	2.23	0.60
1:B:346:ILE:HD11	1:B:400:PRO:HG3	1.82	0.60
1:B:514:GLY:HA2	1:B:515:GLU:CB	2.32	0.60
1:A:529:GLU:HA	1:A:531:ILE:O	2.02	0.60
1:A:134:ASP:HB3	1:A:136:SER:H	1.67	0.60
1:A:308:GLU:HB3	1:A:320:ARG:NH2	2.17	0.60
1:A:508:LEU:O	1:A:511:VAL:HG12	2.01	0.59
1:A:546:PHE:HB3	1:A:552:LEU:HD13	1.85	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:102:ASP:OD1	1:B:103:LEU:N	2.36	0.58
1:A:454:LYS:HG2	1:A:499:ASP:HB3	1.85	0.58
1:B:104:SER:HB3	1:B:107:GLN:HG3	1.84	0.58
1:B:509:GLY:O	1:B:512:GLU:HG3	2.03	0.58
1:A:149:ILE:HG12	1:A:157:ARG:HG2	1.86	0.57
1:A:504:ILE:HG23	1:A:535:LEU:HD23	1.86	0.57
1:B:504:ILE:HG23	1:B:535:LEU:HD23	1.85	0.57
1:A:514:GLY:HA2	1:A:515:GLU:CB	2.34	0.57
1:B:191:ARG:NH2	1:B:252:HIS:O	2.37	0.57
1:B:392:THR:O	1:B:396:ASN:ND2	2.31	0.57
1:B:500:LYS:HG2	1:B:539:PHE:CE2	2.39	0.57
1:B:197:HIS:HD2	1:B:214:LEU:HB2	1.70	0.57
1:B:331:ILE:HD11	1:B:333:ARG:CZ	2.35	0.57
1:B:367:LEU:HD12	1:B:387:LYS:HD3	1.87	0.56
1:A:373:GLY:HA3	1:A:374:ASN:CB	2.36	0.56
1:A:282:ILE:HD12	1:A:282:ILE:H	1.69	0.56
1:A:493:TYR:HH	1:A:510:HIS:HE2	0.61	0.56
1:A:131:THR:HA	1:A:159:LYS:HG2	1.88	0.56
1:B:293:LYS:HB2	1:B:293:LYS:HZ3	1.71	0.55
1:B:521:GLU:N	1:B:522:GLY:HA3	2.21	0.55
1:A:293:LYS:HD3	1:A:293:LYS:H	1.72	0.55
1:B:340:ILE:HG13	1:B:430:ALA:HB1	1.89	0.55
1:A:230:ALA:O	1:A:234:LYS:HB2	2.06	0.55
1:B:289:ASN:O	1:B:290:MET:HG2	2.06	0.55
1:B:77:GLU:OE1	1:B:86:LEU:HB2	2.07	0.55
1:B:212:ARG:HH21	1:B:244:THR:HA	1.72	0.55
1:B:72:ASN:O	1:B:72:ASN:ND2	2.40	0.54
1:A:360:LEU:HD22	1:A:387:LYS:HB3	1.88	0.54
1:B:129:SER:OG	1:B:131:THR:OG1	2.24	0.54
1:B:230:ALA:O	1:B:234:LYS:HB2	2.08	0.53
1:B:373:GLY:HA3	1:B:374:ASN:OD1	2.08	0.53
1:B:458:THR:OG1	1:B:461:VAL:HG12	2.08	0.53
1:B:464:GLN:O	1:B:468:THR:HB	2.07	0.53
1:B:155:ILE:HD12	1:B:155:ILE:H	1.72	0.53
1:B:489:PHE:O	1:B:492:ARG:HB2	2.09	0.53
1:B:546:PHE:HB3	1:B:552:LEU:HD13	1.91	0.53
1:B:475:ASN:ND2	1:B:479:GLU:OE1	2.38	0.52
1:A:180:THR:HG21	1:A:320:ARG:HD2	1.90	0.52
1:B:468:THR:CG2	1:B:470:SER:H	2.23	0.52
1:B:465:ALA:O	1:B:488:LYS:NZ	2.42	0.52
1:A:145:CYS:SG	1:A:148:VAL:HG22	2.49	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:51:THR:HG21	1:B:85:ASN:ND2	2.23	0.52
1:B:282:ILE:H	1:B:282:ILE:HD12	1.75	0.51
1:B:490:ALA:O	1:B:494:MET:HG3	2.10	0.51
1:B:197:HIS:CD2	1:B:214:LEU:HB2	2.45	0.51
1:A:212:ARG:NH2	1:A:243:GLN:O	2.41	0.51
1:A:197:HIS:CD2	1:A:214:LEU:HB2	2.45	0.51
1:B:481:ILE:HD11	1:B:551:LEU:HD11	1.91	0.51
1:A:508:LEU:HD21	1:A:528:LYS:NZ	2.25	0.51
1:A:155:ILE:H	1:A:155:ILE:HD12	1.76	0.51
1:A:531:ILE:C	1:A:533:LYS:H	2.14	0.51
1:A:51:THR:HG21	1:A:85:ASN:ND2	2.26	0.50
1:A:494:MET:HE1	1:A:552:LEU:HD11	1.92	0.50
1:A:336:ASN:HB2	1:A:338:ASP:OD1	2.11	0.50
1:B:426:LEU:O	1:B:430:ALA:HB2	2.12	0.50
1:B:133:ILE:O	1:B:159:LYS:NZ	2.36	0.50
1:B:244:THR:O	1:B:246:HIS:N	2.43	0.50
1:A:266:MET:O	1:A:270:ARG:HG3	2.12	0.50
1:A:294:VAL:HG11	1:B:221:SER:HB3	1.94	0.50
1:B:51:THR:HG23	1:B:144:ILE:HD13	1.93	0.49
1:B:402:SER:OG	1:B:405:GLN:OE1	2.25	0.49
1:A:102:ASP:HB3	1:A:108:ILE:HD11	1.95	0.49
1:A:146:HIS:HD2	2:A:601:SAM:HN1	1.59	0.49
1:A:62:LEU:HA	1:A:343:PHE:HZ	1.77	0.49
1:A:159:LYS:O	1:A:163:VAL:HG13	2.13	0.49
1:A:303:ASP:HB3	1:A:306:ARG:HG2	1.95	0.49
1:B:405:GLN:O	1:B:409:GLU:HB2	2.13	0.49
1:B:236:GLU:OE1	1:B:318:ARG:NH2	2.46	0.48
1:B:291:PRO:HB2	1:B:293:LYS:NZ	2.29	0.48
1:A:104:SER:HB3	1:A:107:GLN:HG3	1.95	0.48
1:B:159:LYS:O	1:B:163:VAL:HG13	2.13	0.48
1:B:59:LEU:HD12	1:B:59:LEU:HA	1.73	0.48
1:A:508:LEU:HD22	1:A:532:ARG:HH21	1.79	0.48
1:A:458:THR:OG1	1:A:461:VAL:HG13	2.14	0.47
1:A:521:GLU:N	1:A:522:GLY:CA	2.74	0.47
1:B:62:LEU:HA	1:B:343:PHE:HZ	1.79	0.47
1:A:308:GLU:HB3	1:A:320:ARG:HH22	1.78	0.47
1:B:350:ILE:HD12	1:B:373:GLY:O	2.13	0.47
1:A:148:VAL:HG12	2:A:601:SAM:HG1	1.96	0.47
1:A:408:SER:O	1:A:412:THR:HG23	2.14	0.47
1:A:458:THR:HG21	1:A:476:LEU:HD21	1.96	0.47
1:A:229:TYR:CE2	1:B:316:ASN:HB2	2.50	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:146:HIS:CD2	2:A:601:SAM:HN1	2.32	0.47
1:B:514:GLY:CA	1:B:516:LEU:H	2.27	0.47
1:A:56:LEU:HD22	1:A:323:LEU:HD21	1.97	0.46
1:A:85:ASN:OD1	1:A:478:HIS:HE1	1.98	0.46
1:B:373:GLY:HA3	1:B:374:ASN:CG	2.36	0.46
1:A:337:ASN:HB3	1:A:427:LEU:O	2.15	0.46
1:A:401:LEU:HD23	1:A:406:VAL:HG22	1.97	0.46
1:B:442:THR:OG1	1:B:444:GLN:HG3	2.16	0.46
1:A:202:THR:O	1:A:202:THR:OG1	2.34	0.46
1:B:102:ASP:OD1	2:B:601:SAM:O2'	2.27	0.46
1:B:385:TYR:O	1:B:389:ILE:HG13	2.16	0.46
1:A:510:HIS:O	1:A:514:GLY:N	2.49	0.45
1:A:191:ARG:HG2	1:A:253:LEU:HD22	1.98	0.45
1:A:481:ILE:O	1:A:481:ILE:HG13	2.17	0.45
1:A:427:LEU:HA	1:A:427:LEU:HD22	1.82	0.45
1:A:506:ALA:O	1:A:510:HIS:HD2	2.00	0.45
1:B:293:LYS:H	1:B:293:LYS:CD	2.28	0.45
1:B:427:LEU:HD22	1:B:427:LEU:HA	1.77	0.45
1:A:102:ASP:OD1	1:A:103:LEU:N	2.50	0.45
1:B:135:ASP:OD2	1:B:166:ARG:NH2	2.50	0.45
1:B:59:LEU:HD11	1:B:282:ILE:HG12	1.99	0.45
1:A:495:ASP:C	1:A:497:ARG:H	2.20	0.44
1:B:339:ASP:O	1:B:342:LYS:HG3	2.17	0.44
1:B:484:ASN:C	1:B:486:PHE:H	2.12	0.44
1:B:498:ASN:HB3	1:B:503:ILE:HG13	1.99	0.44
1:B:503:ILE:O	1:B:507:ILE:HG13	2.16	0.44
1:A:350:ILE:HD12	1:A:373:GLY:O	2.18	0.44
1:A:532:ARG:O	1:A:536:GLU:HG3	2.18	0.44
1:A:509:GLY:O	1:A:513:LYS:HG3	2.18	0.44
1:A:288:GLY:HA2	1:A:289:ASN:C	2.36	0.44
1:A:442:THR:OG1	1:A:444:GLN:HG3	2.18	0.44
1:B:74:LYS:HB3	1:B:140:PHE:CD2	2.52	0.44
1:A:209:ALA:HA	1:A:212:ARG:HB2	2.00	0.43
1:A:512:GLU:HG2	1:A:513:LYS:N	2.32	0.43
1:B:266:MET:O	1:B:270:ARG:HG3	2.18	0.43
1:B:489:PHE:CE2	1:B:516:LEU:HG	2.53	0.43
1:B:45:SER:HB2	1:B:82:ALA:HB3	1.99	0.43
1:A:383:SER:O	1:A:387:LYS:HG3	2.19	0.43
1:B:308:GLU:HB3	1:B:320:ARG:HH22	1.84	0.43
1:A:459:GLN:H	1:A:459:GLN:HG3	1.50	0.43
1:B:101:VAL:HG21	1:B:133:ILE:HD11	2.00	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:222:LEU:HA	1:B:222:LEU:HD23	1.76	0.43
1:A:367:LEU:HD12	1:A:387:LYS:HD3	2.00	0.43
1:A:221:SER:HB3	1:B:294:VAL:HG11	1.99	0.43
1:A:193:MET:SD	1:B:313:PHE:HB3	2.59	0.43
1:A:518:LEU:HD23	1:A:518:LEU:HA	1.76	0.43
1:A:288:GLY:CA	1:A:290:MET:N	2.81	0.43
1:A:222:LEU:HA	1:A:222:LEU:HD23	1.82	0.42
1:A:196:TYR:CE2	1:B:309:GLN:HG2	2.55	0.42
1:B:149:ILE:HG12	1:B:157:ARG:HG2	2.01	0.42
1:A:187:VAL:HG12	1:A:191:ARG:HD2	2.01	0.42
1:B:489:PHE:CD2	1:B:516:LEU:HG	2.54	0.42
1:A:105:LYS:HB2	1:A:127:HIS:CE1	2.53	0.42
1:A:276:TYR:CE1	1:A:322:THR:HG23	2.54	0.42
1:A:458:THR:O	1:A:462:ILE:HG13	2.19	0.42
1:A:96:ALA:O	1:A:122:ASN:HB2	2.20	0.42
1:B:501:LYS:HG2	1:B:501:LYS:H	1.50	0.42
1:A:313:PHE:HB3	1:B:193:MET:SD	2.60	0.42
1:B:346:ILE:HD13	1:B:477:LYS:HE3	2.02	0.42
1:B:184:TRP:CZ3	1:B:188:ARG:HG3	2.54	0.42
1:B:387:LYS:O	1:B:391:TYR:HD2	2.03	0.42
1:A:323:LEU:HD23	1:A:323:LEU:HA	1.86	0.42
1:B:351:PRO:HD3	1:B:394:SER:HB2	2.02	0.42
1:A:402:SER:OG	1:A:405:GLN:HG3	2.19	0.41
1:A:310[A]:TYR:OH	1:B:197:HIS:HA	2.20	0.41
1:B:81:ALA:HB1	1:B:107:GLN:CB	2.42	0.41
1:A:500:LYS:HE2	1:A:536:GLU:OE1	2.19	0.41
1:A:229:TYR:CD2	1:B:316:ASN:HB2	2.55	0.41
1:B:96:ALA:O	1:B:122:ASN:HB2	2.20	0.41
1:A:525:ILE:HG22	1:A:526:GLU:HA	2.02	0.41
1:B:80:CYS:SG	1:B:81:ALA:N	2.92	0.41
1:A:514:GLY:CA	1:A:516:LEU:H	2.34	0.41
1:A:81:ALA:HA	1:A:83:GLY:N	2.35	0.41
1:B:102:ASP:CB	1:B:108:ILE:HD11	2.50	0.41
1:B:78:LEU:HD21	1:B:163:VAL:HG21	2.03	0.41
1:B:193:MET:HG2	1:B:214:LEU:HD11	2.03	0.41
1:B:526:GLU:C	1:B:528:LYS:H	2.17	0.41
1:A:432:LYS:O	1:A:436:GLN:HG3	2.21	0.41
1:A:98:PHE:O	1:A:123:ILE:HA	2.20	0.41
1:A:360:LEU:O	1:A:384:PRO:HB3	2.21	0.41
1:B:155:ILE:N	1:B:155:ILE:HD12	2.36	0.41
1:B:308:GLU:HB3	1:B:320:ARG:NH2	2.36	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:86:LEU:HA	1:B:86:LEU:HD12	1.77	0.41
1:A:426:LEU:HD22	1:A:430:ALA:HB2	2.02	0.41
1:A:331:ILE:O	1:A:331:ILE:HG13	2.19	0.40
1:A:405:GLN:O	1:A:409:GLU:HB2	2.21	0.40
1:B:291:PRO:HB2	1:B:293:LYS:HZ1	1.86	0.40
1:B:346:ILE:CD1	1:B:477:LYS:HE3	2.51	0.40
1:B:376:GLU:OE2	1:B:377:SER:N	2.45	0.40
1:B:493:TYR:HH	1:B:510:HIS:CD2	2.27	0.40
1:A:101:VAL:HG13	1:A:128:CYS:SG	2.62	0.40
1:A:367:LEU:HA	1:A:367:LEU:HD23	1.79	0.40
1:B:215:LEU:HD23	1:B:215:LEU:HA	1.93	0.40
1:A:331:ILE:HD11	1:A:333:ARG:NE	2.37	0.40
1:A:340:ILE:HG13	1:A:340:ILE:O	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	510/554 (92%)	473 (93%)	36 (7%)	1 (0%)	51	86
1	B	510/554 (92%)	470 (92%)	35 (7%)	5 (1%)	18	59
All	All	1020/1108 (92%)	943 (92%)	71 (7%)	6 (1%)	28	70

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	485	PHE
1	B	527	ASN
1	A	485	PHE
1	B	289	ASN
1	B	245	ASP

Continued on next page...



*Continued from previous page...*

Mol	Chain	Res	Type
1	B	468	THR

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	446/504 (88%)	384 (86%)	62 (14%)	4	18
1	B	431/504 (86%)	375 (87%)	56 (13%)	5	21
All	All	877/1008 (87%)	759 (86%)	118 (14%)	4	19

All (118) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	51	THR
1	A	54	TYR
1	A	59	LEU
1	A	71	GLU
1	A	76	LEU
1	A	78	LEU
1	A	150	SER
1	A	166	ARG
1	A	169	SER
1	A	179	ASN
1	A	191	ARG
1	A	193	MET
1	A	201	PHE
1	A	202	THR
1	A	212	ARG
1	A	213	LEU
1	A	216	GLU
1	A	223	GLU
1	A	226	LYS
1	A	227	THR
1	A	234	LYS
1	A	240	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	243	GLN
1	A	248	LEU
1	A	250	HIS
1	A	283	SER
1	A	293	LYS
1	A	297	GLN
1	A	324	LEU
1	A	327	ASN
1	A	328	ASP
1	A	330	LYS
1	A	331	ILE
1	A	336	ASN
1	A	342	LYS
1	A	347	PHE
1	A	355	LEU
1	A	372	ASN
1	A	377	SER
1	A	379	LEU
1	A	397	LEU
1	A	404	LYS
1	A	407	THR
1	A	408	SER
1	A	426	LEU
1	A	427	LEU
1	A	448	SER
1	A	461	VAL
1	A	481	ILE
1	A	487	GLU
1	A	497	ARG
1	A	500	LYS
1	A	501	LYS
1	A	512	GLU
1	A	513	LYS
1	A	516	LEU
1	A	526	GLU
1	A	528	LYS
1	A	529	GLU
1	A	538	LEU
1	A	544	GLU
1	A	553	VAL
1	B	51	THR
1	B	54	TYR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	59	LEU
1	B	72	ASN
1	B	76	LEU
1	B	78	LEU
1	B	107	GLN
1	B	129	SER
1	B	134	ASP
1	B	137	PHE
1	B	139	LYS
1	B	150	SER
1	B	162	LYS
1	B	166	ARG
1	B	179	ASN
1	B	193	MET
1	B	234	LYS
1	B	239	LEU
1	B	249	ARG
1	B	250	HIS
1	B	267	ASN
1	B	282	ILE
1	B	293	LYS
1	B	301	VAL
1	B	324	LEU
1	B	328	ASP
1	B	331	ILE
1	B	334	ASN
1	B	336	ASN
1	B	340	ILE
1	B	347	PHE
1	B	355	LEU
1	B	364	THR
1	B	371	LEU
1	B	372	ASN
1	B	374	ASN
1	B	376	GLU
1	B	377	SER
1	B	379	LEU
1	B	380	SER
1	B	382	THR
1	B	402	SER
1	B	407	THR
1	B	426	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	427	LEU
1	B	431	MET
1	B	448	SER
1	B	471	MET
1	B	477	LYS
1	B	479	GLU
1	B	487	GLU
1	B	505	GLU
1	B	512	GLU
1	B	516	LEU
1	B	517	THR
1	B	544	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	297	GLN
1	A	326	HIS
1	A	368	GLN
1	A	378	ASN
1	A	478	HIS
1	B	197	HIS
1	B	210	GLN
1	B	252	HIS
1	B	326	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	SAM	A	601	-	21,29,29	1.28	3 (14%)	17,42,42	2.66	3 (17%)
2	SAM	B	601	-	21,29,29	1.22	3 (14%)	17,42,42	2.89	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SAM	A	601	-	-	0/8/33/33	0/3/3/3
2	SAM	B	601	-	-	0/8/33/33	0/3/3/3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	SAM	O4'-C4'	-2.66	1.39	1.45
2	B	601	SAM	O4'-C4'	-2.31	1.39	1.45
2	B	601	SAM	C2-N1	2.56	1.38	1.33
2	A	601	SAM	C2-N1	2.71	1.39	1.33
2	A	601	SAM	C2-N3	3.50	1.38	1.32
2	B	601	SAM	C2-N3	3.65	1.38	1.32

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	SAM	N3-C2-N1	-9.63	120.47	128.86
2	A	601	SAM	N3-C2-N1	-9.56	120.53	128.86
2	B	601	SAM	O4'-C4'-C5'	-3.82	99.00	108.87
2	A	601	SAM	O4'-C4'-C5'	-3.50	99.82	108.87
2	A	601	SAM	O4'-C4'-C3'	2.22	109.58	105.17
2	B	601	SAM	C4'-O4'-C1'	5.09	115.19	109.77

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	SAM	5	0
2	B	601	SAM	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	511/554 (92%)	-0.58	3 (0%)	89 71	22, 48, 99, 164	0
1	B	511/554 (92%)	-0.45	2 (0%)	92 77	31, 61, 122, 172	0
All	All	1022/1108 (92%)	-0.51	5 (0%)	90 74	22, 55, 111, 172	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	527	ASN	4.5
1	B	523	GLN	2.8
1	A	527	ASN	2.3
1	A	523	GLN	2.3
1	A	373	GLY	2.2

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	SAM	A	601	27/27	0.93	0.23	2.16	31,56,76,83	0
2	SAM	B	601	27/27	0.92	0.20	0.78	43,61,90,96	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.