



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 09:38 am GMT

PDB ID : 4DUD
Title : cytochrome P450 BM3h-2G9C6 MRI sensor, no ligand
Authors : Brustad, E.M.; Lelyveld, V.S.; Snow, C.D.; Crook, N.; Martinez, F.M.; Scholl, T.J.; Jasanoff, A.; Arnold, F.H.
Deposited on : 2012-02-21
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1923 (1.86-1.86)
Clashscore	112137	2083 (1.86-1.86)
Ramachandran outliers	110173	2060 (1.86-1.86)
Sidechain outliers	110143	2060 (1.86-1.86)
RSRZ outliers	101464	1932 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	471	<div> <div>2%</div> <div> <div></div> <div>85%</div> <div>11%</div> <div>•</div> </div> </div>
1	B	471	<div> <div>4%</div> <div> <div></div> <div>84%</div> <div>12%</div> <div>••</div> </div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 8137 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cytochrome P450 BM3 variant 2G9C6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	456	Total	C	N	O	S	0	12	0
			3743	2382	638	704	19			
1	B	456	Total	C	N	O	S	0	13	0
			3746	2391	640	696	19			

There are 26 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	50	CYS	ARG	ENGINEERED MUTATION	UNP P14779
A	87	LEU	PHE	ENGINEERED MUTATION	UNP P14779
A	268	SER	THR	ENGINEERED MUTATION	UNP P14779
A	437	GLN	LEU	ENGINEERED MUTATION	UNP P14779
A	438	LEU	THR	ENGINEERED MUTATION	UNP P14779
A	464	LEU	-	EXPRESSION TAG	UNP P14779
A	465	GLU	-	EXPRESSION TAG	UNP P14779
A	466	HIS	-	EXPRESSION TAG	UNP P14779
A	467	HIS	-	EXPRESSION TAG	UNP P14779
A	468	HIS	-	EXPRESSION TAG	UNP P14779
A	469	HIS	-	EXPRESSION TAG	UNP P14779
A	470	HIS	-	EXPRESSION TAG	UNP P14779
A	471	HIS	-	EXPRESSION TAG	UNP P14779
B	50	CYS	ARG	ENGINEERED MUTATION	UNP P14779
B	87	LEU	PHE	ENGINEERED MUTATION	UNP P14779
B	268	SER	THR	ENGINEERED MUTATION	UNP P14779
B	437	GLN	LEU	ENGINEERED MUTATION	UNP P14779
B	438	LEU	THR	ENGINEERED MUTATION	UNP P14779
B	464	LEU	-	EXPRESSION TAG	UNP P14779
B	465	GLU	-	EXPRESSION TAG	UNP P14779
B	466	HIS	-	EXPRESSION TAG	UNP P14779
B	467	HIS	-	EXPRESSION TAG	UNP P14779
B	468	HIS	-	EXPRESSION TAG	UNP P14779
B	469	HIS	-	EXPRESSION TAG	UNP P14779
B	470	HIS	-	EXPRESSION TAG	UNP P14779

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	471	HIS	-	EXPRESSION TAG	UNP P14779

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
2	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	289	Total	O	0	0
			289	289		
3	B	273	Total	O	0	0
			273	273		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: cytochrome P450 BM3 variant 2G9C6



- Molecule 1: cytochrome P450 BM3 variant 2G9C6



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	58.73Å 153.30Å 60.98Å 90.00° 94.68° 90.00°	Depositor
Resolution (Å)	29.81 – 1.85 29.81 – 1.85	Depositor EDS
% Data completeness (in resolution range)	97.4 (29.81-1.85) 97.4 (29.81-1.85)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.08 (at 1.85Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.166 , 0.208 0.168 , 0.209	Depositor DCC
R_{free} test set	4428 reflections (5.24%)	DCC
Wilson B-factor (Å ²)	24.4	Xtriage
Anisotropy	0.048	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 52.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.027 for l,-k,h	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	8137	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.69% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.13	9/3830 (0.2%)	0.97	6/5180 (0.1%)
1	B	1.11	6/3841 (0.2%)	0.97	8/5192 (0.2%)
All	All	1.12	15/7671 (0.2%)	0.97	14/10372 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	90	TRP	CE3-CZ3	7.28	1.50	1.38
1	B	393	PHE	CE1-CZ	7.20	1.51	1.37
1	A	50[A]	CYS	CB-SG	-7.18	1.70	1.82
1	A	50[B]	CYS	CB-SG	-7.18	1.70	1.82
1	A	390	PHE	CE1-CZ	6.92	1.50	1.37
1	B	107	PHE	CE2-CZ	6.48	1.49	1.37
1	B	380	GLU	CG-CD	6.32	1.61	1.51
1	A	330	ALA	CA-CB	6.07	1.65	1.52
1	A	393	PHE	CE2-CZ	6.06	1.48	1.37
1	A	289	LYS	CE-NZ	5.36	1.62	1.49
1	A	143	GLU	CG-CD	5.26	1.59	1.51
1	B	278	TYR	CG-CD1	5.15	1.45	1.39
1	A	293	GLU	CD-OE2	5.14	1.31	1.25
1	B	244	GLU	CB-CG	5.08	1.61	1.52
1	A	398	ARG	CG-CD	5.01	1.64	1.51

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	323	ARG	NE-CZ-NH2	-7.78	116.41	120.30
1	B	68	ASP	CB-CG-OD2	-6.28	112.65	118.30
1	B	71	LEU	CB-CG-CD2	-5.74	101.25	111.00
1	B	121	ASP	CB-CG-OD2	5.71	123.44	118.30
1	A	68	ASP	CB-CG-OD2	-5.68	113.19	118.30
1	B	232	ASP	CB-CG-OD1	5.38	123.15	118.30
1	A	104	LEU	CB-CG-CD1	-5.38	101.86	111.00
1	A	362	ARG	NE-CZ-NH2	-5.18	117.71	120.30
1	B	323	ARG	NE-CZ-NH2	-5.18	117.71	120.30
1	B	68	ASP	CB-CG-OD1	5.14	122.92	118.30
1	B	323	ARG	NE-CZ-NH1	5.12	122.86	120.30
1	B	96	TRP	CA-CB-CG	-5.09	104.03	113.70
1	A	369	ASP	CB-CG-OD1	5.08	122.87	118.30
1	A	398	ARG	NE-CZ-NH1	-5.06	117.77	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	136	ASP	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3743	0	3674	40	0
1	B	3746	0	3693	43	0
2	A	43	0	30	1	0
2	B	43	0	30	1	0
3	A	289	0	0	0	0
3	B	273	0	0	3	0
All	All	8137	0	7427	83	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (83) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:150[B]:LEU:HD21	1:B:174:ILE:HD11	1.31	1.08
1:B:150[B]:LEU:HD21	1:B:174:ILE:CD1	1.98	0.94
1:A:268:SER:HA	1:A:327[B]:THR:HG21	1.52	0.92
1:A:277[B]:LEU:HD11	1:A:417:MET:CE	2.06	0.85
1:B:266[A]:HIS:NE2	1:B:267:GLU:HG2	1.91	0.84
1:B:207:GLU:O	1:B:211:VAL:HG23	1.77	0.84
1:A:268:SER:HA	1:A:327[B]:THR:CG2	2.08	0.83
1:A:277[B]:LEU:HD21	1:A:417:MET:HE1	1.62	0.81
1:A:277[B]:LEU:HD11	1:A:417:MET:HE3	1.63	0.80
1:B:92[A]:HIS:CD2	1:B:92[A]:HIS:H	2.05	0.74
1:B:2:ILE:CG2	1:B:344:GLU:HG2	2.19	0.72
1:A:277[B]:LEU:HD21	1:A:417:MET:CE	2.23	0.69
1:A:370:ASP:OD2	1:A:375:ARG:NH2	2.24	0.68
1:B:266[A]:HIS:CD2	1:B:267:GLU:HG2	2.28	0.68
1:A:277[B]:LEU:CD1	1:A:417:MET:HE3	2.23	0.67
1:A:267:GLU:HB3	1:A:438:LEU:HD13	1.77	0.65
1:B:150[B]:LEU:CD2	1:B:174:ILE:CD1	2.72	0.65
1:A:150:LEU:HD13	1:A:174:ILE:HD13	1.80	0.64
1:A:81:PHE:HB3	1:A:209:ILE:HG12	1.78	0.64
1:B:266[A]:HIS:CE1	1:B:267:GLU:HG2	2.32	0.64
1:A:268:SER:CA	1:A:327[B]:THR:HG21	2.27	0.64
1:B:266[A]:HIS:CG	1:B:267:GLU:N	2.69	0.60
1:B:2:ILE:HG22	1:B:344:GLU:HG2	1.82	0.60
1:A:201:ASN:HD22	1:A:201:ASN:H	1.49	0.60
1:A:38:GLU:HB2	1:A:54:SER:HB3	1.85	0.58
1:A:268:SER:O	1:A:327[A]:THR:HG21	2.04	0.57
1:B:127:VAL:HG12	1:B:455:LEU:HD22	1.84	0.57
1:A:277[B]:LEU:CD1	1:A:417:MET:CE	2.82	0.56
1:B:171:HIS:HB3	1:B:174:ILE:HD12	1.87	0.56
1:B:127:VAL:CG1	1:B:455:LEU:HD22	2.37	0.54
1:B:110:GLN:HB2	3:B:866:HOH:O	2.08	0.54
1:B:81:PHE:CE2	1:B:263:ILE:HD11	2.43	0.53
1:B:149:THR:OG1	1:B:266[B]:HIS:HD2	1.91	0.53
1:B:104:LEU:N	1:B:105:PRO:HD2	2.23	0.53
1:B:150[B]:LEU:CD2	1:B:174:ILE:HD13	2.39	0.52
1:A:158:PHE:CE1	1:A:219:ILE:HD13	2.45	0.52
1:A:81:PHE:CE2	1:A:263:ILE:HD11	2.45	0.52
1:B:97:LYS:HB2	3:B:826:HOH:O	2.09	0.52
1:B:211:VAL:O	1:B:215:LEU:HG	2.09	0.51
1:A:47:ARG:HH11	1:A:47:ARG:HG3	1.74	0.51
1:A:81:PHE:HE2	1:A:263:ILE:HD11	1.76	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:287:LEU:HD12	1:A:287:LEU:O	2.11	0.50
1:A:141:VAL:O	1:A:145:MET:HG2	2.12	0.50
1:A:431:LEU:HD21	1:A:433:ILE:HD11	1.93	0.49
1:A:277[B]:LEU:HD11	1:A:417:MET:HE1	1.88	0.49
1:A:158:PHE:HE1	1:A:219:ILE:HD13	1.77	0.48
1:A:191:ALA:O	1:A:193:PRO:HD3	2.14	0.48
1:B:92[A]:HIS:N	1:B:92[A]:HIS:CD2	2.79	0.48
1:A:301:PRO:HB2	1:A:456:GLY:HA3	1.95	0.47
1:A:277[B]:LEU:CD2	1:A:417:MET:HE1	2.41	0.47
1:B:128[B]:GLN:OE1	1:B:128[B]:GLN:HA	2.13	0.47
1:A:316:MET:CE	1:A:377:GLU:HA	2.45	0.47
2:A:500:HEM:HMC2	2:A:500:HEM:HBC2	1.97	0.47
1:B:104:LEU:N	1:B:105:PRO:CD	2.78	0.46
1:B:434:LYS:HD3	1:B:440:LYS:HE3	1.96	0.46
1:B:81:PHE:HE2	1:B:263:ILE:HD11	1.80	0.46
1:B:288:GLN:O	1:B:292:GLU:HG3	2.15	0.46
1:B:310[B]:GLN:HG2	3:B:648:HOH:O	2.15	0.46
1:A:277[B]:LEU:CD2	1:A:417:MET:CE	2.94	0.45
1:A:457:GLY:HA2	1:B:457:GLY:O	2.17	0.44
1:A:38:GLU:HB2	1:A:54:SER:CB	2.47	0.44
1:B:51:TYR:CE2	1:B:354:MET:HG2	2.52	0.44
1:B:198:TYR:HA	1:B:201:ASN:OD1	2.18	0.44
1:B:253:ASN:O	1:B:257:GLN:HG2	2.19	0.43
1:B:81:PHE:HB3	1:B:209:ILE:HG12	1.99	0.43
1:A:326:PRO:HG3	1:A:357:ILE:HG22	1.99	0.43
1:A:109:GLN:HE22	1:A:309:LYS:NZ	2.17	0.43
1:B:265:GLY:HA2	2:B:500:HEM:C2C	2.54	0.43
1:B:289[B]:LYS:HE2	1:B:289[B]:LYS:HB2	1.40	0.42
1:A:60:GLU:OE2	1:A:342:GLY:HA2	2.19	0.42
1:A:38:GLU:CB	1:A:54:SER:HB3	2.48	0.42
1:B:110:GLN:O	1:B:110:GLN:HG3	2.19	0.42
1:A:59:LYS:CG	1:A:387:GLN:HE21	2.31	0.42
1:B:195:ASP:HB3	1:B:198:TYR:CD2	2.55	0.42
1:A:367:TRP:HB2	1:A:371:VAL:HG12	2.02	0.42
1:B:272:LEU:HD13	1:B:322:LEU:HG	2.02	0.41
1:A:158:PHE:HD1	1:A:219:ILE:HG21	1.86	0.41
1:B:302:VAL:HA	1:B:303:PRO:HD3	1.88	0.41
1:B:357:ILE:N	1:B:358:PRO:CD	2.83	0.41
1:A:268:SER:O	1:A:327[B]:THR:HG21	2.20	0.41
1:B:92[B]:HIS:N	1:B:92[B]:HIS:CD2	2.89	0.41
1:B:2:ILE:HG21	1:B:344:GLU:HG2	1.99	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	466/471 (99%)	454 (97%)	12 (3%)	0	100	100
1	B	467/471 (99%)	455 (97%)	12 (3%)	0	100	100
All	All	933/942 (99%)	909 (97%)	24 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	405/413 (98%)	401 (99%)	4 (1%)	80	74
1	B	404/413 (98%)	396 (98%)	8 (2%)	60	45
All	All	809/826 (98%)	797 (98%)	12 (2%)	70	58

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	148	LEU
1	A	158	PHE
1	A	194	ASP
1	A	287	LEU
1	B	2	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	48	VAL
1	B	110	GLN
1	B	148	LEU
1	B	176	SER
1	B	190	ARG
1	B	203	ARG
1	B	302	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	109	GLN
1	A	201	ASN
1	A	387	GLN
1	A	437	GLN
1	B	109	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEM	A	500	1,3	28,50,50	1.76	6 (21%)	17,82,82	2.36	6 (35%)
2	HEM	B	500	1,3	28,50,50	1.79	6 (21%)	17,82,82	2.17	5 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	500	1,3	-	0/6/54/54	0/0/8/8
2	HEM	B	500	1,3	-	0/6/54/54	0/0/8/8

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	500	HEM	C3C-C2C	-4.52	1.34	1.40
2	A	500	HEM	C3C-C2C	-3.42	1.35	1.40
2	A	500	HEM	C3B-C2B	-3.37	1.35	1.40
2	B	500	HEM	C3B-C2B	-2.79	1.36	1.40
2	B	500	HEM	CMA-C3A	2.31	1.56	1.51
2	B	500	HEM	C4A-NA	2.37	1.41	1.36
2	A	500	HEM	C3C-CAC	2.39	1.52	1.47
2	B	500	HEM	CMC-C2C	2.62	1.57	1.51
2	A	500	HEM	C3B-CAB	2.71	1.53	1.47
2	A	500	HEM	C1C-NC	2.95	1.40	1.36
2	A	500	HEM	C3D-C2D	3.98	1.49	1.37
2	B	500	HEM	C3D-C2D	4.51	1.51	1.37

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	500	HEM	CBD-CAD-C3D	-6.05	100.93	112.47
2	B	500	HEM	CBD-CAD-C3D	-4.43	104.01	112.47
2	B	500	HEM	CBA-CAA-C2A	-4.33	104.21	112.48
2	B	500	HEM	C1D-C2D-C3D	-2.90	104.98	107.00
2	A	500	HEM	CBA-CAA-C2A	-2.53	107.66	112.48
2	B	500	HEM	CMA-C3A-C4A	-2.46	124.68	128.46
2	A	500	HEM	CMA-C3A-C4A	-2.17	125.13	128.46
2	A	500	HEM	CAD-CBD-CGD	-2.04	109.18	112.66
2	B	500	HEM	CMB-C2B-C3B	2.75	130.00	124.89
2	A	500	HEM	CMB-C2B-C3B	3.19	130.81	124.89
2	A	500	HEM	C4C-C3C-C2C	3.95	109.66	106.90

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	500	HEM	1	0
2	B	500	HEM	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	456/471 (96%)	-0.19	11 (2%) 59 57	13, 27, 46, 65	0
1	B	456/471 (96%)	-0.01	20 (4%) 35 34	13, 26, 50, 77	0
All	All	912/942 (96%)	-0.10	31 (3%) 46 43	13, 26, 48, 77	0

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	2	ILE	5.9
1	B	191	ALA	5.3
1	A	196	PRO	5.3
1	A	191	ALA	5.1
1	B	197	ALA	4.8
1	A	192	ASN	4.7
1	B	192	ASN	4.5
1	B	225	ALA	3.8
1	A	2	ILE	3.5
1	B	203	ARG	3.3
1	B	201	ASN	3.3
1	A	197	ALA	3.2
1	B	198	TYR	3.0
1	A	195	ASP	2.9
1	B	228	GLU	2.8
1	A	199	ASP	2.8
1	B	369	ASP	2.7
1	B	136	ASP	2.7
1	B	195	ASP	2.6
1	A	194	ASP	2.5
1	B	13	GLU	2.4
1	B	383	SER	2.4
1	B	231	ASP	2.3
1	B	169	GLN	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	227	GLY	2.2
1	B	196	PRO	2.2
1	A	231	ASP	2.2
1	A	46	GLY	2.0
1	A	457	GLY	2.0
1	B	226	SER	2.0
1	B	210	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	HEM	B	500	43/43	0.99	0.13	0.33	8,14,17,25	0
2	HEM	A	500	43/43	0.99	0.11	0.20	9,14,19,25	0

6.5 Other polymers [i](#)

There are no such residues in this entry.