



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 03:02 am GMT

PDB ID : 2DVC  
Title : Structure of the bovine lactoferrin C-lobe complex with sucrose at 3.0 Å resolution  
Authors : Mir, R.; Prem Kumar, R.; Bhardwaj, R.; Ethayathulla, A.S.; Sinha, M.; Singh, N.; Bhushan, A.; Sharma, S.; Kaur, P.; Singh, T.P.  
Deposited on : 2006-07-31  
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.00 Å.


Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	2037 (3.00-3.00)
Ramachandran outliers	110173	1973 (3.00-3.00)
Sidechain outliers	110143	1976 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	345	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MAN	A	4	X	-	-	-

## 2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 2986 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lactotransferrin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	341	Total	C	N	O	S	0	0	0
			2605	1622	454	508	21			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	565	LYS	ASN	ENGINEERED	UNP P24627
A	608	GLU	LYS	ENGINEERED	UNP P24627

- Molecule 2 is a polymer of unknown type called SUGAR (5-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	5	Total	C	N	O	0	0
			61	34	2	25		


- Molecule 3 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 4 is a polymer of unknown type called SUGAR (6-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	6	Total	C	N	O	0	0
			72	40	2	30		

- Molecule 5 is SUGAR (SUCROSE) (three-letter code: SUC) (formula: C<sub>12</sub>H<sub>22</sub>O<sub>11</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			23	12	11		

- Molecule 6 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Fe	0	0
			1	1		

- Molecule 7 is CARBONATE ION (three-letter code: CO3) (formula: CO<sub>3</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			4	1	3		

- Molecule 8 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	2	Total	Zn	0	0
			2	2		

- Molecule 9 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 10 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	185	Total	O	0	0
			185	185		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

#### • Molecule 1: Lactotransferrin



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	63.46 Å   50.40 Å   65.92 Å 90.00°   107.79°   90.00°	Depositor
Resolution (Å)	19.84 – 3.00	Depositor
% Data completeness (in resolution range)	87.7 (19.84-3.00)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.12	Depositor
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.180 , 0.218	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2986	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	30.0	wwPDB-VP

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CO3, BMA, SUC, NAG, ZN, SO4, MAN, FE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.39	0/2653	0.69	3/3591 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	A	1	0

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	683	ALA	N-CA-C	9.11	135.60	111.00
1	A	683	ALA	CB-CA-C	-7.16	99.36	110.10
1	A	343	THR	N-CA-C	5.29	125.29	111.00

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	4	MAN	C1

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2605	0	2519	88	0
2	A	61	0	52	5	0
3	A	28	0	25	0	0
4	A	72	0	61	8	0
5	A	23	0	21	6	0
6	A	1	0	0	0	0
7	A	4	0	0	0	0
8	A	2	0	0	0	0
9	A	5	0	0	0	0
10	A	185	0	0	9	0
All	All	2986	0	2678	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:2:NAG:O3	2:A:3:BMA:H2	1.44	1.16
1:A:662:GLY:HA2	5:A:1001:SUC:H61	1.23	1.09
1:A:343:THR:HA	1:A:606:HIS:NE2	1.76	0.99
1:A:662:GLY:CA	5:A:1001:SUC:H61	1.97	0.94
1:A:430:THR:HB	1:A:594:ASN:HD22	1.38	0.89
1:A:549:TRP:HB3	4:A:690:NAG:H82	1.56	0.86
1:A:625:CYS:HA	1:A:629:PHE:O	1.75	0.86
1:A:430:THR:HB	1:A:594:ASN:ND2	1.98	0.77
4:A:691:BMA:H5	4:A:692:BMA:O2	1.85	0.77
1:A:662:GLY:HA2	5:A:1001:SUC:C6	2.13	0.72
1:A:565:LYS:HD3	1:A:566:ARG:N	2.07	0.70
2:A:2:NAG:C3	2:A:3:BMA:H2	2.24	0.68
1:A:402:ALA:HB1	1:A:407:LEU:HD12	1.78	0.65
1:A:478:THR:HG22	1:A:480:SER:HB3	1.79	0.65
1:A:395:ASP:HA	1:A:595:HIS:CD2	2.31	0.64
1:A:343:THR:CA	1:A:606:HIS:NE2	2.56	0.63
1:A:625:CYS:C	1:A:630:CYS:SG	2.77	0.63
1:A:625:CYS:HB3	1:A:626:PRO:HD3	1.80	0.63
1:A:682:GLU:HG3	1:A:682:GLU:O	1.97	0.63
1:A:464:THR:HG21	1:A:592:ALA:HB1	1.80	0.63
1:A:663:THR:H	5:A:1001:SUC:C6	2.12	0.63

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:692:BMA:O3	4:A:693:MAN:H2	1.99	0.62
1:A:638:ASN:HD22	1:A:643:ASP:H	1.46	0.62
1:A:464:THR:HG21	1:A:592:ALA:CB	2.29	0.62
1:A:565:LYS:CD	1:A:567:GLU:H	2.13	0.61
2:A:2:NAG:HO3	2:A:3:BMA:H2	1.58	0.61
1:A:565:LYS:HD2	1:A:567:GLU:HB2	1.85	0.59
1:A:577:THR:CG2	1:A:578:ARG:N	2.66	0.58
4:A:689:NAG:H61	4:A:690:NAG:HN2	1.70	0.57
1:A:663:THR:H	5:A:1001:SUC:H61	1.69	0.56
1:A:452:LYS:O	1:A:453:ASP:HB2	2.06	0.56
4:A:691:BMA:H3	4:A:692:BMA:O2	2.06	0.56
1:A:625:CYS:CB	1:A:626:PRO:HD3	2.36	0.55
1:A:410:VAL:HG12	1:A:411:LEU:HG	1.89	0.54
1:A:343:THR:O	1:A:343:THR:HG23	2.06	0.54
1:A:638:ASN:ND2	1:A:643:ASP:H	2.05	0.54
1:A:460:ALA:HA	1:A:493:PRO:HD2	1.90	0.54
1:A:565:LYS:HD2	1:A:567:GLU:H	1.73	0.54
1:A:343:THR:N	1:A:606:HIS:NE2	2.57	0.52
1:A:663:THR:N	5:A:1001:SUC:H61	2.25	0.52
4:A:689:NAG:H61	4:A:690:NAG:N2	2.25	0.52
1:A:577:THR:HG22	1:A:578:ARG:N	2.24	0.51
1:A:392:LEU:HD11	1:A:394:LEU:HD21	1.92	0.51
1:A:662:GLY:O	1:A:666:VAL:HG23	2.10	0.51
1:A:478:THR:CG2	1:A:480:SER:HB3	2.40	0.51
1:A:475:VAL:HG13	1:A:480:SER:O	2.11	0.51
1:A:621:ASN:HB2	10:A:1155:HOH:O	2.09	0.51
1:A:440:LYS:HB2	10:A:1028:HOH:O	2.11	0.50
1:A:625:CYS:O	1:A:630:CYS:SG	2.69	0.50
1:A:548:VAL:HG11	1:A:581:VAL:HG11	1.93	0.50
1:A:635:GLU:O	1:A:636:THR:HG22	2.12	0.50
1:A:653:GLY:O	1:A:654:ARG:C	2.50	0.50
1:A:375:SER:O	1:A:376:THR:CG2	2.60	0.49
1:A:356:LYS:HG3	1:A:357:LYS:N	2.27	0.49
1:A:342:TYR:O	1:A:344:ARG:N	2.46	0.49
1:A:419:LYS:HG2	1:A:420:HIS:N	2.27	0.49
1:A:665:TYR:CZ	1:A:669:ILE:HD11	2.48	0.49
1:A:585:GLN:HG2	10:A:1091:HOH:O	2.12	0.48
1:A:355:GLN:O	1:A:359:GLN:HG3	2.14	0.47
1:A:471:MET:HE1	1:A:487:PHE:HE2	1.79	0.47
1:A:512:LEU:O	1:A:513:ASP:HB2	2.13	0.47
1:A:565:LYS:HD3	1:A:567:GLU:H	1.79	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:636:THR:HG23	1:A:636:THR:O	2.14	0.47
1:A:561:ALA:HA	1:A:564:LEU:HG	1.98	0.47
1:A:473:LEU:O	1:A:477:GLN:HG3	2.15	0.46
1:A:518:ASN:O	1:A:520:LYS:N	2.49	0.46
1:A:342:TYR:C	1:A:606:HIS:NE2	2.69	0.46
1:A:376:THR:HG22	1:A:517:PRO:HG2	1.98	0.45
1:A:669:ILE:O	1:A:673:LYS:HG2	2.15	0.45
1:A:681:LEU:HD12	10:A:1078:HOH:O	2.15	0.45
1:A:549:TRP:HB3	4:A:690:NAG:C8	2.37	0.45
1:A:575:ASP:OD1	1:A:577:THR:HB	2.17	0.44
1:A:345:VAL:HG23	1:A:610:VAL:HG21	1.98	0.44
1:A:668:ALA:HB1	2:A:1:NAG:H83	1.99	0.44
1:A:631:LEU:HD22	1:A:641:PHE:CE2	2.53	0.44
1:A:353:GLU:HB2	10:A:1010:HOH:O	2.17	0.43
1:A:565:LYS:C	1:A:565:LYS:HD3	2.39	0.43
1:A:513:ASP:OD2	1:A:520:LYS:HD3	2.18	0.43
1:A:583:GLU:HG3	10:A:1065:HOH:O	2.19	0.43
1:A:464:THR:HG21	1:A:592:ALA:HB2	2.00	0.43
2:A:2:NAG:O3	2:A:3:BMA:C2	2.38	0.42
1:A:543:VAL:HG23	1:A:544:LYS:N	2.34	0.42
1:A:458:HIS:HB3	1:A:466:GLY:O	2.20	0.42
1:A:683:ALA:HA	10:A:1063:HOH:O	2.19	0.42
1:A:342:TYR:O	1:A:606:HIS:CE1	2.73	0.42
1:A:375:SER:C	1:A:376:THR:HG23	2.40	0.42
1:A:459:THR:O	1:A:460:ALA:HB2	2.20	0.41
1:A:684:CYS:O	1:A:686:PHE:N	2.53	0.41
1:A:673:LYS:HA	1:A:673:LYS:HD3	1.92	0.41
1:A:514:LYS:HB2	1:A:514:LYS:HE3	1.81	0.41
1:A:652:GLY:N	10:A:1049:HOH:O	2.50	0.40
1:A:428:ARG:HA	1:A:429:PRO:HD3	1.92	0.40
1:A:433:TYR:CE1	1:A:592:ALA:HB3	2.56	0.40
1:A:380:CYS:HB3	1:A:392:LEU:HD13	2.03	0.40
1:A:416:LYS:HB3	10:A:1094:HOH:O	2.21	0.40
1:A:474:ILE:HD13	1:A:486:PHE:CD2	2.56	0.40
1:A:474:ILE:HD13	1:A:486:PHE:CE2	2.57	0.40
4:A:691:BMA:C5	4:A:692:BMA:O2	2.63	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	337/345 (98%)	315 (94%)	16 (5%)	6 (2%)	10	43

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	343	THR
1	A	519	SER
1	A	685	ALA
1	A	559	ASP
1	A	652	GLY
1	A	543	VAL

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	282/286 (99%)	267 (95%)	15 (5%)	26	65

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	343	THR
1	A	356	LYS
1	A	414	ASN
1	A	490	SER
1	A	500	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	515	CYS
1	A	546	ASP
1	A	559	ASP
1	A	583	GLU
1	A	591	VAL
1	A	625	CYS
1	A	631	LEU
1	A	636	THR
1	A	664	GLU
1	A	674	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	355	GLN
1	A	414	ASN
1	A	594	ASN
1	A	621	ASN
1	A	638	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

13 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAG	A	1	1,2	14,14,15	0.54	0	15,19,21	0.68	0
2	NAG	A	2	2	14,14,15	0.52	0	15,19,21	0.81	0
2	BMA	A	3	2	11,11,12	0.54	0	13,15,17	1.91	3 (23%)
2	MAN	A	4	2	11,11,12	0.56	0	13,15,17	0.86	1 (7%)
2	MAN	A	5	2	11,11,12	0.57	0	13,15,17	1.43	2 (15%)
3	NAG	A	687	1,3	14,14,15	0.49	0	15,19,21	1.47	2 (13%)
3	NAG	A	688	3	14,14,15	0.51	0	15,19,21	2.16	4 (26%)
4	NAG	A	689	1,4	14,14,15	0.54	0	15,19,21	1.04	1 (6%)
4	NAG	A	690	4	14,14,15	0.64	0	15,19,21	0.77	0
4	BMA	A	691	4	11,11,12	0.82	0	13,15,17	0.70	0
4	BMA	A	692	4	11,11,12	0.68	0	13,15,17	0.93	0
4	MAN	A	693	4	11,11,12	0.59	0	13,15,17	0.78	1 (7%)
4	BMA	A	694	4	11,11,12	0.95	1 (9%)	13,15,17	1.46	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	A	2	2	-	0/6/23/26	0/1/1/1
2	BMA	A	3	2	-	0/2/19/22	0/1/1/1
2	MAN	A	4	2	1/1/4/5	0/2/19/22	0/1/1/1
2	MAN	A	5	2	-	0/2/19/22	0/1/1/1
3	NAG	A	687	1,3	-	0/6/23/26	0/1/1/1
3	NAG	A	688	3	-	0/6/23/26	0/1/1/1
4	NAG	A	689	1,4	-	0/6/23/26	0/1/1/1
4	NAG	A	690	4	-	0/6/23/26	0/1/1/1
4	BMA	A	691	4	-	0/2/19/22	0/1/1/1
4	BMA	A	692	4	-	0/2/19/22	0/1/1/1
4	MAN	A	693	4	-	0/2/19/22	0/1/1/1
4	BMA	A	694	4	-	0/2/19/22	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	694	BMA	C2-C3	2.47	1.55	1.52

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	689	NAG	C2-N2-C7	-3.00	118.56	122.94
2	A	4	MAN	C1-C2-C3	2.11	112.32	109.65
3	A	688	NAG	C8-C7-N2	2.29	120.25	116.11
4	A	693	MAN	C1-C2-C3	2.41	112.71	109.65
3	A	687	NAG	C4-C3-C2	2.43	114.58	111.02
2	A	3	BMA	O5-C1-C2	2.67	114.98	110.79
2	A	5	MAN	C1-C2-C3	2.79	113.19	109.65
3	A	688	NAG	C1-C2-N2	2.83	115.32	110.49
3	A	687	NAG	C1-O5-C5	2.89	116.15	112.17
2	A	3	BMA	C1-C2-C3	2.96	113.41	109.65
2	A	5	MAN	C1-O5-C5	3.33	116.76	112.17
3	A	688	NAG	C2-N2-C7	4.33	129.26	122.94
4	A	694	BMA	C1-C2-C3	4.68	115.58	109.65
2	A	3	BMA	C1-O5-C5	5.21	119.34	112.17
3	A	688	NAG	C1-O5-C5	5.34	119.53	112.17

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	4	MAN	C1

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1	NAG	1	0
2	A	2	NAG	4	0
2	A	3	BMA	4	0
4	A	689	NAG	2	0
4	A	690	NAG	4	0
4	A	691	BMA	3	0
4	A	692	BMA	4	0
4	A	693	MAN	1	0

## 5.6 Ligand geometry

Of 6 ligands modelled in this entry, 3 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link

column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
5	SUC	A	1001	-	24,24,24	1.10	3 (12%)	36,36,36	0.96	1 (2%)
7	CO3	A	1003	6	0,3,3	0.00	-	0,3,3	0.00	-
9	SO4	A	1006	-	4,4,4	0.18	0	6,6,6	0.27	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	SUC	A	1001	-	-	0/12/51/51	0/2/2/2
7	CO3	A	1003	6	-	0/0/0/0	0/0/0/0
9	SO4	A	1006	-	-	0/0/0/0	0/0/0/0

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	1001	SUC	O1'-C1'	-2.24	1.35	1.42
5	A	1001	SUC	O5-C5	2.43	1.50	1.44
5	A	1001	SUC	O5-C1	2.79	1.48	1.41

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1001	SUC	C6-C5-C4	2.94	119.88	113.00

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1001	SUC	6	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

### 6.4 Ligands

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers

EDS was not executed - this section is therefore empty.