



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 05:33 am GMT

PDB ID : 1DY8  
Title : Inhibition of the Hepatitis C Virus NS3/4A Protease. The Crystal Structures of Two Protease-Inhibitor Complexes (inhibitor II)  
Authors : Di Marco, S.; Rizzi, M.; Volpari, C.; Walsh, M.; Narjes, F.; Colarusso, S.; De Francesco, R.; Matassa, V.G.; Sollazzo, M.  
Deposited on : 2000-01-31  
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	trunk28620
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	3166 (2.40-2.40)
Clashscore	112137	3674 (2.40-2.40)
Ramachandran outliers	110173	3616 (2.40-2.40)
Sidechain outliers	110143	3617 (2.40-2.40)
RSRZ outliers	101464	3195 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	187	 7% 57% 26% 11% 6%
1	B	187	 5% 58% 27% 8% 6%
2	C	16	 63% 6% 6% 25%
2	D	16	 38% 31% 6% 25%

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 2903 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROTEASE/HELICASE NS3 (P70).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	175	Total	C	N	O	S	0	0	0
			1283	801	231	241	10			
1	B	175	Total	C	N	O	S	0	0	0
			1283	801	231	241	10			


- Molecule 2 is a protein called NONSTRUCTURAL PROTEIN NS4A (P4).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	12	Total	C	N	O	0	0	0
			84	55	15	14			
2	D	12	Total	C	N	O	0	0	0
			84	55	15	14			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	220	LYS	THR	ENGINEERED MUTATION	UNP Q81755
C	235	LYS	PRO	ENGINEERED MUTATION	UNP Q81755
D	220	LYS	THR	ENGINEERED MUTATION	UNP Q81755
D	235	LYS	PRO	ENGINEERED MUTATION	UNP Q81755

- Molecule 3 is N-[(BENZYLOXY)CARBONYL]-L-ISOLEUCYL-N-[(1R)-1-(CARBOXYCARBONYL)-3,3-DIFLUOROPROPYL]-L-LEUCINAMIDE (three-letter code: 0F7) (formula: C<sub>25</sub>H<sub>35</sub>F<sub>2</sub>N<sub>3</sub>O<sub>7</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	F	N	O	0	0
			37	25	2	3	7		
3	B	1	Total	C	F	N	O	0	0
			37	25	2	3	7		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	43	Total	O	0	0
			43	43		
4	B	48	Total	O	0	0
			48	48		
4	C	2	Total	O	0	0
			2	2		
4	D	2	Total	O	0	0
			2	2		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: PROTEASE/HELICASE NS3 (P70)



- Molecule 1: PROTEASE/HELICASE NS3 (P70)



- Molecule 2: NONSTRUCTURAL PROTEIN NS4A (P4)



- Molecule 2: NONSTRUCTURAL PROTEIN NS4A (P4)



LYS	G221	R228	I229	L230	GLY	
S222		I229	L230	L231	ARG	
Y223		I229	L230	S232	LYS	

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	93.82Å 93.82Å 80.95Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 2.40 28.71 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.8 (20.00-2.40) 99.6 (28.71-2.40)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.14	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.74 (at 2.39Å)	Xtriage
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.221 , 0.318 0.195 , 0.189	Depositor DCC
$R_{free}$ test set	790 reflections (5.25%)	DCC
Wilson B-factor (Å <sup>2</sup> )	36.0	Xtriage
Anisotropy	0.405	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.40 , 72.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.064 for h,-h-k,-l	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	2903	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.32% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 0F7

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.49	0/1310	1.45	13/1786 (0.7%)
1	B	0.53	0/1310	1.64	11/1786 (0.6%)
2	C	0.71	0/83	1.69	2/111 (1.8%)
2	D	0.60	0/83	1.25	1/111 (0.9%)
All	All	0.52	0/2786	1.54	27/3794 (0.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5
1	B	0	2
All	All	0	7

There are no bond length outliers.

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	130	ARG	NE-CZ-NH1	25.58	133.09	120.30
1	B	130	ARG	NE-CZ-NH2	-22.37	109.12	120.30
1	B	11	ARG	NE-CZ-NH2	-17.73	111.44	120.30
1	A	155	ARG	NE-CZ-NH2	-13.84	113.38	120.30
1	B	130	ARG	CD-NE-CZ	13.36	142.31	123.60
1	A	11	ARG	NE-CZ-NH1	11.89	126.25	120.30
1	A	130	ARG	NE-CZ-NH1	-9.59	115.51	120.30
1	A	119	ARG	NE-CZ-NH1	-7.96	116.32	120.30
1	A	155	ARG	NH1-CZ-NH2	6.92	127.01	119.40
1	A	112	ASP	CB-CG-OD1	-6.88	112.11	118.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	6	TYR	CB-CG-CD2	6.83	125.10	121.00
1	A	130	ARG	NE-CZ-NH2	6.75	123.67	120.30
1	A	92	ARG	NE-CZ-NH1	-6.59	117.00	120.30
2	C	228	ARG	NE-CZ-NH1	6.59	123.59	120.30
1	B	11	ARG	NE-CZ-NH1	6.46	123.53	120.30
1	A	109	ARG	NE-CZ-NH1	-6.30	117.15	120.30
1	A	6	TYR	CB-CG-CD1	-6.21	117.28	121.00
1	A	166	ALA	CB-CA-C	6.18	119.38	110.10
1	B	155	ARG	CD-NE-CZ	6.07	132.09	123.60
2	D	228	ARG	NE-CZ-NH2	-5.81	117.40	120.30
1	B	118	ARG	NE-CZ-NH1	5.60	123.10	120.30
1	A	123	ARG	NE-CZ-NH1	5.55	123.08	120.30
1	B	103	ASP	CB-CG-OD1	5.27	123.04	118.30
1	B	135	LEU	CA-CB-CG	5.19	127.24	115.30
1	B	36	LEU	O-C-N	5.16	130.95	122.70
1	B	11	ARG	NH1-CZ-NH2	5.11	125.02	119.40
2	C	228	ARG	NE-CZ-NH2	-5.07	117.77	120.30

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	11	ARG	Mainchain
1	A	110	HIS	Mainchain
1	A	166	ALA	Mainchain
1	A	22	THR	Mainchain
1	A	36	LEU	Mainchain
1	B	105	TYR	Mainchain
1	B	8	GLN	Mainchain

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1283	0	1296	57	0
1	B	1283	0	1296	57	0
2	C	84	0	99	4	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	84	0	99	4	0
3	A	37	0	34	12	0
3	B	37	0	34	13	0
4	A	43	0	0	5	0
4	B	48	0	0	3	0
4	C	2	0	0	0	0
4	D	2	0	0	0	0
All	All	2903	0	2858	130	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All (130) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:401:0F7:CD11	3:A:401:0F7:HD16	0.97	1.13
3:B:401:0F7:HD14	3:B:401:0F7:CD11	0.97	1.10
3:A:401:0F7:HD14	3:A:401:0F7:CD11	0.97	1.10
3:B:401:0F7:HD16	3:B:401:0F7:CD11	0.97	1.10
3:A:401:0F7:HD15	3:A:401:0F7:CD11	0.97	1.09
3:B:401:0F7:CD11	3:B:401:0F7:HD15	0.97	1.05
1:B:80:GLN:NE2	1:B:82:LEU:HD23	1.78	0.97
1:A:153:ILE:HG21	4:A:2014:HOH:O	1.66	0.94
3:A:401:0F7:HD14	3:A:401:0F7:HD15	1.58	0.85
3:B:401:0F7:HD14	3:B:401:0F7:HD15	1.58	0.84
3:A:401:0F7:CG	3:A:401:0F7:HD16	2.07	0.84
3:A:401:0F7:CG	3:A:401:0F7:HD15	2.07	0.84
1:A:8:GLN:HE21	2:C:228:ARG:HE	1.25	0.84
3:A:401:0F7:CG	3:A:401:0F7:HD14	2.07	0.84
3:B:401:0F7:HD16	3:B:401:0F7:HD15	1.58	0.84
3:B:401:0F7:HD16	3:B:401:0F7:CG	2.08	0.83
3:B:401:0F7:HD15	3:B:401:0F7:CG	2.08	0.83
3:A:401:0F7:HD15	3:A:401:0F7:HD16	1.58	0.83
3:A:401:0F7:HD14	3:A:401:0F7:HD16	1.58	0.83
3:B:401:0F7:HD14	3:B:401:0F7:HD16	1.58	0.83
3:B:401:0F7:HD14	3:B:401:0F7:CG	2.08	0.82
1:B:80:GLN:HE22	1:B:82:LEU:HD23	1.44	0.79
1:B:13:LEU:HD22	1:B:17:ILE:HD11	1.64	0.78
1:A:123:ARG:HG3	1:A:123:ARG:HH11	1.48	0.77
1:B:51:VAL:HG11	1:B:74:MET:HE2	1.68	0.75
1:B:77:ASN:C	1:B:77:ASN:HD22	1.87	0.75

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:36:LEU:HD11	1:A:45:ALA:HB2	1.69	0.72
1:B:80:GLN:OE1	1:B:174:SER:HB3	1.88	0.72
1:B:8:GLN:HE21	2:D:228:ARG:HE	1.39	0.71
1:A:42:SER:OG	1:A:109:ARG:NH2	2.24	0.71
1:A:80:GLN:OE1	1:A:174:SER:HB3	1.89	0.70
1:A:156:ALA:HB3	3:A:401:0F7:H41	1.75	0.68
1:A:77:ASN:OD1	1:A:80:GLN:NE2	2.22	0.68
1:B:122:SER:HB2	1:B:169:PHE:O	1.94	0.66
1:A:159:CYS:HB3	1:A:163:VAL:O	1.96	0.65
1:B:123:ARG:HH12	3:B:401:0F7:H71	1.61	0.65
1:A:159:CYS:SG	3:A:401:0F7:HD13	2.36	0.64
1:B:42:SER:OG	1:B:109:ARG:NH2	2.30	0.64
1:B:46:THR:CB	1:B:153:ILE:HD11	2.28	0.63
1:B:20:SER:OG	1:B:21:LEU:HD23	1.96	0.63
1:B:11:ARG:HH22	1:B:25:ASP:CG	2.02	0.63
1:A:18:ILE:O	1:A:22:THR:HG23	1.99	0.62
1:A:156:ALA:CB	3:A:401:0F7:H41	2.30	0.62
1:A:97:CYS:HB2	1:A:149:HIS:HB2	1.81	0.61
1:B:11:ARG:NH2	1:B:25:ASP:OD1	2.29	0.61
1:B:46:THR:HB	1:B:153:ILE:HD11	1.83	0.60
1:B:13:LEU:HD22	1:B:17:ILE:CD1	2.29	0.60
1:A:118:ARG:HD2	1:A:120:GLY:O	2.02	0.60
1:A:77:ASN:CG	1:A:80:GLN:HE21	2.05	0.60
1:A:51:VAL:HG11	1:A:74:MET:HE2	1.84	0.59
1:A:119:ARG:NH2	1:B:102:SER:OG	2.28	0.59
1:A:119:ARG:O	1:B:117:ARG:NH2	2.35	0.59
1:A:77:ASN:C	1:A:77:ASN:HD22	2.05	0.59
1:A:123:ARG:HG3	1:A:123:ARG:NH1	2.10	0.59
1:B:74:MET:CE	1:B:75:TYR:HB3	2.33	0.58
1:A:46:THR:HB	1:A:153:ILE:HD11	1.86	0.58
1:B:75:TYR:OH	1:B:80:GLN:NE2	2.36	0.58
1:A:153:ILE:HD13	4:A:2014:HOH:O	2.03	0.57
1:A:97:CYS:HG	1:A:145:CYS:HG	0.86	0.57
3:B:401:0F7:HD11	4:B:2018:HOH:O	2.06	0.56
1:A:28:GLN:HE22	2:C:228:ARG:HH22	1.52	0.56
1:A:8:GLN:NE2	2:C:228:ARG:HE	2.00	0.55
1:B:156:ALA:HB3	1:B:168:ASP:HB3	1.88	0.55
1:A:48:VAL:HG21	1:A:175:MET:HE1	1.89	0.55
1:B:57:HIS:ND1	1:B:81:ASP:OD2	2.41	0.54
1:B:3:ILE:HD12	1:B:105:TYR:CD2	2.42	0.54
1:A:39:ALA:HB2	4:A:2013:HOH:O	2.08	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:75:TYR:OH	1:A:80:GLN:NE2	2.41	0.53
1:B:74:MET:HE1	1:B:75:TYR:HB3	1.90	0.53
1:A:104:LEU:HD11	1:A:118:ARG:HB2	1.90	0.53
1:B:119:ARG:NH1	1:B:125:SER:OG	2.41	0.52
1:A:44:LEU:O	1:A:140:GLY:HA3	2.10	0.52
1:A:116:VAL:HG22	1:A:126:LEU:HD12	1.91	0.52
1:A:24:ARG:HD3	1:A:26:LYS:HE3	1.92	0.51
1:B:104:LEU:HD22	1:B:151:VAL:HG11	1.92	0.51
1:B:36:LEU:HD11	1:B:45:ALA:HB2	1.93	0.51
1:B:123:ARG:NH1	3:B:401:0F7:H71	2.27	0.50
1:B:77:ASN:ND2	1:B:77:ASN:C	2.60	0.50
1:A:123:ARG:CG	1:A:123:ARG:HH11	2.22	0.50
1:B:145:CYS:SG	1:B:149:HIS:HB2	2.52	0.50
1:B:33:VAL:HB	2:D:229:ILE:HB	1.93	0.50
1:B:23:GLY:HA3	1:B:70:PRO:HG3	1.94	0.50
1:B:2:PRO:HD2	1:B:105:TYR:OH	2.11	0.50
1:A:103:ASP:N	1:A:103:ASP:OD1	2.45	0.50
1:A:142:PRO:HB2	1:A:144:LEU:HD13	1.93	0.49
1:B:112:ASP:HB2	1:B:134:TYR:OH	2.12	0.49
1:A:115:PRO:HB2	1:A:127:LEU:HD12	1.95	0.49
1:A:15:GLY:HA3	4:A:2006:HOH:O	2.12	0.48
1:A:25:ASP:O	1:A:67:PRO:HA	2.12	0.48
1:B:51:VAL:CG1	1:B:74:MET:HE2	2.42	0.48
1:A:46:THR:HG23	1:A:94:MET:CE	2.43	0.48
1:B:97:CYS:SG	1:B:145:CYS:SG	3.11	0.48
1:A:54:THR:OG1	1:A:55:VAL:N	2.45	0.47
1:A:51:VAL:HG11	1:A:74:MET:CE	2.44	0.47
1:B:11:ARG:HG2	4:B:2010:HOH:O	2.13	0.47
1:B:118:ARG:NH2	1:B:121:ASP:O	2.44	0.47
1:B:104:LEU:HD13	1:B:151:VAL:HG21	1.96	0.47
1:A:82:LEU:HD21	1:A:175:MET:HG2	1.96	0.47
1:A:160:THR:HB	4:A:2040:HOH:O	2.15	0.47
1:A:5:ALA:HB2	2:C:231:LEU:HD12	1.96	0.47
1:B:36:LEU:HD12	1:B:43:PHE:CE2	2.51	0.46
1:B:119:ARG:HD3	1:B:125:SER:OG	2.16	0.46
1:B:11:ARG:NH2	1:B:25:ASP:CG	2.67	0.45
1:A:127:LEU:HD13	1:B:2:PRO:HG2	1.97	0.45
1:A:127:LEU:HD23	1:A:127:LEU:HA	1.80	0.44
1:A:99:CYS:SG	1:A:100:GLY:N	2.90	0.44
1:B:156:ALA:HB2	3:B:401:0F7:HD22	1.97	0.44
1:B:97:CYS:SG	1:B:145:CYS:HB3	2.57	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:77:ASN:CG	1:B:80:GLN:HG2	2.38	0.44
1:A:97:CYS:HB2	1:A:149:HIS:CB	2.47	0.44
1:B:72:THR:HG22	1:B:73:GLN:O	2.17	0.44
1:A:13:LEU:HA	1:A:13:LEU:HD23	1.88	0.44
1:B:39:ALA:HB2	4:B:2015:HOH:O	2.18	0.44
1:A:26:LYS:NZ	1:A:26:LYS:HB2	2.33	0.43
1:A:101:SER:OG	1:A:102:SER:N	2.52	0.43
1:A:80:GLN:HG3	1:A:82:LEU:HB2	2.01	0.42
1:A:48:VAL:CG2	1:A:175:MET:HE1	2.50	0.41
1:A:77:ASN:HB3	1:A:80:GLN:HG2	2.01	0.41
1:B:106:LEU:HB3	1:B:114:ILE:HG12	2.02	0.41
1:B:46:THR:OG1	1:B:153:ILE:HD11	2.19	0.41
1:B:105:TYR:O	1:B:143:LEU:HA	2.20	0.41
1:A:136:LYS:HD3	1:A:136:LYS:HA	1.75	0.41
1:B:38:THR:HG22	2:D:223:VAL:HG22	2.03	0.41
1:A:48:VAL:HG21	1:A:175:MET:CE	2.50	0.41
1:A:175:MET:HB3	1:A:175:MET:HE3	1.84	0.41
1:B:2:PRO:CD	1:B:105:TYR:OH	2.69	0.41
1:B:8:GLN:NE2	2:D:228:ARG:HH21	2.18	0.41
1:B:74:MET:HE1	1:B:75:TYR:CB	2.51	0.40
1:B:2:PRO:HD2	1:B:105:TYR:CZ	2.56	0.40
1:B:114:ILE:HA	1:B:115:PRO:HD3	1.82	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	173/187 (92%)	164 (95%)	9 (5%)	0	100	100
1	B	173/187 (92%)	163 (94%)	10 (6%)	0	100	100
2	C	10/16 (62%)	10 (100%)	0	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	D	10/16 (62%)	10 (100%)	0	0	100	100
All	All	366/406 (90%)	347 (95%)	19 (5%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	142/154 (92%)	122 (86%)	20 (14%)	4	4
1	B	142/154 (92%)	125 (88%)	17 (12%)	6	7
2	C	10/13 (77%)	8 (80%)	2 (20%)	1	1
2	D	10/13 (77%)	6 (60%)	4 (40%)	0	0
All	All	304/334 (91%)	261 (86%)	43 (14%)	4	4

All (43) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	20	SER
1	A	28	GLN
1	A	37	SER
1	A	42	SER
1	A	55	VAL
1	A	74	MET
1	A	77	ASN
1	A	95	THR
1	A	99	CYS
1	A	102	SER
1	A	103	ASP
1	A	118	ARG
1	A	123	ARG
1	A	126	LEU
1	A	135	LEU
1	A	144	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	153	ILE
1	A	158	VAL
1	A	159	CYS
1	A	163	VAL
1	B	13	LEU
1	B	14	LEU
1	B	21	LEU
1	B	42	SER
1	B	74	MET
1	B	77	ASN
1	B	89	PRO
1	B	93	SER
1	B	95	THR
1	B	119	ARG
1	B	125	SER
1	B	126	LEU
1	B	135	LEU
1	B	143	LEU
1	B	144	LEU
1	B	153	ILE
1	B	158	VAL
2	C	228	ARG
2	C	231	LEU
2	D	222	SER
2	D	228	ARG
2	D	231	LEU
2	D	232	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	8	GLN
1	A	27	ASN
1	A	28	GLN
1	A	34	GLN
1	A	77	ASN
1	A	80	GLN
1	A	149	HIS
1	B	8	GLN
1	B	27	ASN
1	B	34	GLN
1	B	77	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	80	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	0F7	A	401	1	33,37,37	2.74	2 (6%)	39,49,49	1.73	6 (15%)
3	0F7	B	401	1	33,37,37	2.80	2 (6%)	39,49,49	2.05	5 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	0F7	A	401	1	-	0/43/47/47	0/1/1/1
3	0F7	B	401	1	-	0/43/47/47	0/1/1/1



All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	401	0F7	CA2-CC	2.70	1.58	1.53
3	A	401	0F7	CA2-CC	2.71	1.58	1.53
3	A	401	0F7	O4-CC	14.96	1.44	1.22
3	B	401	0F7	O4-CC	15.15	1.44	1.22

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	401	0F7	O4-CC-CA2	-8.35	105.57	119.55
3	A	401	0F7	O4-CC-CA2	-6.86	108.07	119.55
3	B	401	0F7	O3-C9-N2	-5.50	112.56	122.90
3	B	401	0F7	CA2-N2-C9	-4.38	112.06	121.66
3	A	401	0F7	O1-C1-N	-3.67	118.55	124.87
3	A	401	0F7	C9-CA1-N1	-2.79	103.53	111.20
3	A	401	0F7	CA2-N2-C9	-2.03	117.21	121.66
3	B	401	0F7	O3-C9-CA1	2.31	125.41	120.43
3	A	401	0F7	O-C-CA	3.04	126.82	120.67
3	A	401	0F7	C2-O2-C1	3.13	123.29	115.91
3	B	401	0F7	O-C-CA	3.47	127.68	120.67

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 25 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	401	0F7	12	0
3	B	401	0F7	13	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	175/187 (93%)	0.21	13 (7%) 15 14	28, 42, 70, 90	0
1	B	175/187 (93%)	0.10	10 (5%) 24 23	30, 42, 66, 79	0
2	C	12/16 (75%)	-0.18	0 100 100	31, 38, 51, 61	0
2	D	12/16 (75%)	-0.20	0 100 100	31, 36, 43, 64	0
All	All	374/406 (92%)	0.13	23 (6%) 22 20	28, 42, 68, 90	0

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	1	ALA	7.0
1	A	1	ALA	6.9
1	A	99	CYS	5.9
1	B	40	THR	4.1
1	A	39	ALA	4.0
1	A	140	GLY	3.4
1	A	142	PRO	2.9
1	B	98	THR	2.8
1	A	44	LEU	2.7
1	A	100	GLY	2.7
1	B	28	GLN	2.6
1	A	98	THR	2.5
1	A	45	ALA	2.5
1	B	45	ALA	2.5
1	A	79	ASP	2.5
1	A	2	PRO	2.5
1	A	141	GLY	2.4
1	B	13	LEU	2.4
1	A	14	LEU	2.4
1	B	44	LEU	2.3
1	B	141	GLY	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	140	GLY	2.1
1	B	14	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	0F7	A	401	37/37	0.89	0.23	1.64	36,47,84,86	0
3	0F7	B	401	37/37	0.88	0.17	0.19	34,43,62,65	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.