



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 08:30 pm GMT

PDB ID : 2DYV
Title : Helicobacter pylori formamidase AmiF contains a fine-tuned cysteine-glutamate-lysine catalytic triad
Authors : Wang, W.C.; Hung, C.L.
Deposited on : 2006-09-18
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	6609 (2.00-2.00)
Clashscore	112137	7775 (2.00-2.00)
Ramachandran outliers	110173	7679 (2.00-2.00)
Sidechain outliers	110143	7678 (2.00-2.00)
RSRZ outliers	101464	6696 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	334	<div> <div>4%</div> <div> <div></div> <div>81%</div> <div>14%</div> <div>• •</div> </div> </div>
1	B	334	<div> <div>7%</div> <div> <div></div> <div>76%</div> <div>19%</div> <div>• •</div> </div> </div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 5702 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Formamidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	322	Total	C	N	O	S	0	0	0
			2549	1641	427	469	12			
1	B	322	Total	C	N	O	S	0	0	0
			2549	1641	427	469	12			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	359	Total	O	0	0
			359	359		
2	B	245	Total	O	0	0
			245	245		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Formamidase



• Molecule 1: Formamidase



4 Data and refinement statistics

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	147.36Å 147.36Å 72.49Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	30.00 – 2.00 27.15 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.5 (30.00-2.00) 99.5 (27.15-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.42 (at 1.99Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.173 , 0.221 0.174 , 0.223	Depositor DCC
R_{free} test set	1988 reflections (5.30%)	DCC
Wilson B-factor (Å ²)	25.2	Xtriage
Anisotropy	0.010	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 62.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.015 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5702	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.48	0/2623	0.59	0/3567
1	B	0.45	0/2623	0.61	3/3567 (0.1%)
All	All	0.47	0/5246	0.60	3/7134 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	B	282	ARG	NE-CZ-NH2	-7.53	116.53	120.30
1	B	282	ARG	NE-CZ-NH1	5.68	123.14	120.30
1	B	296	LEU	N-CA-C	-5.14	97.13	111.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	295	GLY	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2549	0	2480	93	0
1	B	2549	0	2480	102	0
2	A	359	0	0	41	0
2	B	245	0	0	43	0
All	All	5702	0	4960	166	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (166) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:170:MET:CE	1:A:203:THR:HG21	1.61	1.28
1:A:170:MET:HA	1:A:170:MET:HE3	1.26	1.15
1:B:170:MET:HA	1:B:170:MET:HE3	1.30	1.10
1:A:170:MET:HA	1:A:170:MET:CE	1.84	1.07
1:A:170:MET:HE1	1:A:203:THR:CG2	1.85	1.05
1:A:170:MET:HE1	1:A:203:THR:HG21	1.09	1.05
1:B:283:GLY:O	2:B:343:HOH:O	1.74	1.05
1:A:170:MET:SD	2:A:681:HOH:O	2.16	1.04
1:B:170:MET:CE	1:B:203:THR:HG21	1.88	1.03
1:A:209:TRP:HE1	1:B:170:MET:CE	1.74	1.00
1:B:302:LEU:HB3	2:B:560:HOH:O	1.65	0.94
1:B:170:MET:HE1	1:B:203:THR:HG21	1.47	0.93
1:A:177:GLU:HB2	2:A:361:HOH:O	1.69	0.92
2:A:336:HOH:O	1:B:299:ILE:CG2	2.16	0.92
1:A:167:HIS:HE1	1:B:275:ASN:ND2	1.69	0.90
1:B:19:ILE:HD11	1:B:56:ILE:HG23	1.57	0.87
1:A:302:LEU:HB3	2:A:336:HOH:O	1.73	0.87
1:B:170:MET:CE	1:B:170:MET:HA	2.06	0.85
1:A:173:GLU:HG2	2:A:638:HOH:O	1.77	0.85
1:A:296:LEU:HD13	2:B:574:HOH:O	1.77	0.84
1:A:167:HIS:CE1	1:B:275:ASN:ND2	2.44	0.84
2:A:527:HOH:O	1:B:145:PRO:HD3	1.79	0.83
1:B:298:TYR:HD1	2:B:348:HOH:O	1.62	0.82
1:A:299:ILE:CG2	2:B:560:HOH:O	2.27	0.82
1:A:170:MET:HE3	1:A:203:THR:HG21	1.61	0.82
1:B:170:MET:HE3	1:B:203:THR:HG21	1.61	0.81
1:A:145:PRO:HD3	2:B:343:HOH:O	1.79	0.81
1:B:317:ILE:HG22	2:B:513:HOH:O	1.81	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:145:PRO:HD2	2:B:493:HOH:O	1.82	0.79
1:A:209:TRP:HE1	1:B:170:MET:HE1	1.47	0.79
1:B:287:LYS:HB2	2:B:493:HOH:O	1.83	0.78
1:B:170:MET:SD	2:B:407:HOH:O	2.41	0.77
1:A:209:TRP:HE1	1:B:170:MET:HE2	1.50	0.76
1:A:143:TRP:O	2:A:683:HOH:O	2.02	0.76
2:A:361:HOH:O	1:B:296:LEU:HD13	1.85	0.74
1:B:302:LEU:HB2	2:B:348:HOH:O	1.86	0.74
1:A:138:ASN:HA	2:A:428:HOH:O	1.87	0.74
1:A:138:ASN:ND2	2:A:678:HOH:O	2.21	0.74
1:A:13:GLY:N	2:A:657:HOH:O	2.20	0.74
1:B:170:MET:HE1	1:B:203:THR:CG2	2.19	0.73
1:A:283:GLY:O	2:A:629:HOH:O	2.06	0.72
1:A:275:ASN:ND2	1:B:167:HIS:CE1	2.58	0.72
1:B:19:ILE:HD11	1:B:56:ILE:CG2	2.20	0.72
1:B:287:LYS:HB3	2:B:338:HOH:O	1.88	0.71
1:A:19:ILE:HD11	1:A:56:ILE:HG23	1.71	0.70
1:A:192:TYR:HA	2:A:692:HOH:O	1.89	0.70
1:A:167:HIS:CE1	1:B:275:ASN:HD21	2.10	0.70
2:A:336:HOH:O	1:B:299:ILE:HG23	1.86	0.70
1:A:170:MET:CE	1:A:203:THR:CG2	2.53	0.69
1:B:167:HIS:HB3	2:B:578:HOH:O	1.93	0.68
1:B:281:HIS:O	2:B:352:HOH:O	2.12	0.67
1:A:295:GLY:HA3	1:A:296:LEU:HG	1.78	0.66
1:A:272:LEU:HD21	1:B:140:ILE:HG23	1.78	0.65
1:B:282:ARG:HG3	2:B:498:HOH:O	1.97	0.64
1:A:194:THR:O	1:A:195:GLN:HB2	1.96	0.64
1:A:167:HIS:HE1	1:B:275:ASN:HD21	1.45	0.64
1:A:286:ALA:N	2:A:629:HOH:O	2.25	0.64
1:B:177:GLU:HB2	2:B:574:HOH:O	1.98	0.63
2:A:336:HOH:O	1:B:299:ILE:HG21	1.92	0.63
1:B:173:GLU:HG2	2:B:344:HOH:O	1.98	0.62
2:A:492:HOH:O	1:B:138:ASN:CG	2.38	0.62
1:A:284:TYR:OH	2:A:430:HOH:O	2.14	0.61
1:A:275:ASN:ND2	1:B:167:HIS:HE1	1.99	0.61
1:A:295:GLY:HA3	1:A:296:LEU:CG	2.31	0.61
1:A:167:HIS:CE1	1:B:275:ASN:HD22	2.20	0.60
1:B:39:ILE:HD11	1:B:62:SER:O	2.02	0.59
1:B:232:GLU:OE1	2:B:391:HOH:O	2.15	0.59
1:A:209:TRP:NE1	1:B:170:MET:HE1	2.18	0.58
2:A:663:HOH:O	1:B:298:TYR:CD2	2.52	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:145:PRO:HG3	2:B:338:HOH:O	2.03	0.57
2:A:663:HOH:O	1:B:296:LEU:HB3	2.04	0.57
1:B:292:HIS:HD2	2:B:355:HOH:O	1.88	0.57
1:A:19:ILE:N	1:A:19:ILE:HD12	2.19	0.56
1:A:283:GLY:HA3	1:B:145:PRO:HG3	1.87	0.56
1:A:283:GLY:HA2	1:B:138:ASN:HD21	1.70	0.56
1:A:275:ASN:HD21	1:B:167:HIS:CE1	2.23	0.56
1:A:299:ILE:HG23	2:B:560:HOH:O	1.99	0.56
1:B:140:ILE:HD13	1:B:192:TYR:OH	2.06	0.56
1:A:170:MET:CA	1:A:170:MET:CE	2.62	0.55
1:B:133:LYS:HE2	2:B:578:HOH:O	2.05	0.55
1:A:170:MET:HE2	1:A:170:MET:HA	1.85	0.55
1:A:170:MET:CE	1:B:209:TRP:HE1	2.20	0.54
1:A:282:ARG:HG2	1:B:135:PHE:CE1	2.42	0.54
1:A:209:TRP:NE1	1:B:170:MET:CE	2.58	0.54
1:A:299:ILE:O	2:A:336:HOH:O	2.18	0.54
1:B:298:TYR:HE1	2:B:344:HOH:O	1.90	0.54
1:B:170:MET:CA	1:B:170:MET:HE3	2.19	0.54
2:A:654:HOH:O	1:B:299:ILE:HD12	2.08	0.54
1:B:307:TYR:HD1	2:B:348:HOH:O	1.91	0.53
1:B:299:ILE:O	2:B:560:HOH:O	2.18	0.53
1:A:138:ASN:ND2	2:B:352:HOH:O	2.40	0.53
2:A:693:HOH:O	1:B:287:LYS:HE2	2.08	0.53
1:A:209:TRP:NE1	1:B:170:MET:HE2	2.23	0.53
1:B:286:ALA:HB3	2:B:343:HOH:O	2.09	0.53
1:A:135:PHE:CE1	1:B:282:ARG:HG2	2.44	0.52
1:B:298:TYR:CD1	2:B:348:HOH:O	2.47	0.52
1:A:167:HIS:HE1	1:B:275:ASN:HD22	1.52	0.52
1:B:301:ASP:HB2	2:B:573:HOH:O	2.10	0.52
1:B:281:HIS:HD2	1:B:289:GLY:O	1.93	0.52
1:A:181:LYS:HG3	2:A:340:HOH:O	2.09	0.51
2:A:527:HOH:O	1:B:145:PRO:CD	2.48	0.51
1:A:181:LYS:HD2	2:A:474:HOH:O	2.09	0.51
1:B:139:PRO:HG3	1:B:317:ILE:HG21	1.94	0.50
1:B:181:LYS:HG3	2:B:342:HOH:O	2.11	0.50
1:A:301:ASP:HB2	2:A:342:HOH:O	2.11	0.50
1:A:284:TYR:N	2:A:492:HOH:O	2.44	0.50
1:A:180:TYR:HD2	2:A:340:HOH:O	1.95	0.50
1:B:282:ARG:HD2	1:B:294:ALA:HA	1.93	0.49
1:B:133:LYS:HD3	1:B:136:PRO:HA	1.94	0.49
1:A:312:GLU:OE2	1:B:281:HIS:HE1	1.96	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:299:ILE:HA	2:A:654:HOH:O	2.12	0.49
1:A:334:LYS:HD3	1:A:334:LYS:H	1.78	0.48
1:A:170:MET:CA	1:A:170:MET:HE2	2.43	0.48
1:B:135:PHE:O	1:B:167:HIS:HD2	1.97	0.48
1:B:180:TYR:HB3	2:B:342:HOH:O	2.12	0.48
1:B:284:TYR:OH	2:B:353:HOH:O	2.20	0.48
1:A:141:GLU:N	2:A:428:HOH:O	2.46	0.48
1:A:282:ARG:HG3	2:A:508:HOH:O	2.14	0.47
1:B:133:LYS:HE3	1:B:165:ILE:HG22	1.95	0.47
1:A:281:HIS:HE1	1:B:312:GLU:OE2	1.98	0.47
1:A:285:VAL:HG23	2:A:492:HOH:O	2.14	0.47
1:A:89:ALA:HA	1:A:121:ILE:HG21	1.97	0.47
1:A:135:PHE:O	1:A:167:HIS:HD2	1.98	0.47
1:A:334:LYS:CD	1:A:334:LYS:H	2.26	0.47
1:B:296:LEU:HB2	2:B:374:HOH:O	2.13	0.47
1:B:50:TYR:O	1:B:53:VAL:HG12	2.15	0.47
1:A:29:ARG:HD2	2:A:359:HOH:O	2.14	0.46
1:A:282:ARG:NH1	2:A:688:HOH:O	2.48	0.46
1:A:286:ALA:HB3	2:A:527:HOH:O	2.15	0.46
1:A:282:ARG:HD2	1:A:294:ALA:HA	1.97	0.46
1:A:298:TYR:CZ	1:B:176:ARG:HG2	2.51	0.46
2:A:474:HOH:O	1:B:297:THR:HG23	2.16	0.46
1:A:19:ILE:HD11	1:A:56:ILE:CG2	2.43	0.45
1:A:138:ASN:HD21	1:B:283:GLY:HA2	1.82	0.45
1:B:108:PRO:HG2	2:B:425:HOH:O	2.16	0.45
1:A:24:PRO:HG2	2:A:517:HOH:O	2.17	0.45
1:B:13:GLY:N	2:B:400:HOH:O	2.50	0.45
1:B:227:PHE:CZ	1:B:229:TYR:HB2	2.52	0.44
1:B:325:TYR:HD1	1:B:332:PHE:HE1	1.64	0.44
1:B:18:ALA:HB1	1:B:218:VAL:HB	1.98	0.44
1:A:285:VAL:N	2:A:492:HOH:O	2.41	0.44
1:A:284:TYR:HA	1:A:287:LYS:O	2.18	0.44
1:A:50:TYR:O	1:A:53:VAL:HG12	2.18	0.44
1:B:325:TYR:HD1	1:B:332:PHE:CE1	2.36	0.44
1:B:140:ILE:HG22	1:B:323:TYR:CE2	2.53	0.43
1:A:137:TRP:HZ3	1:A:192:TYR:CE1	2.36	0.43
1:A:275:ASN:HD22	1:B:167:HIS:CE1	2.35	0.43
1:A:138:ASN:HB3	1:B:284:TYR:CZ	2.53	0.43
1:B:89:ALA:HA	1:B:121:ILE:HG21	2.00	0.43
2:A:660:HOH:O	1:B:176:ARG:HG3	2.18	0.43
1:A:145:PRO:HD3	2:A:683:HOH:O	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:144:TYR:CD1	2:B:493:HOH:O	2.70	0.42
1:B:122:ASP:HB2	1:B:123:PRO:CD	2.49	0.42
1:A:299:ILE:HG21	2:B:560:HOH:O	2.04	0.42
1:B:144:TYR:CD2	1:B:145:PRO:HD2	2.54	0.42
1:A:296:LEU:HD11	2:B:413:HOH:O	2.20	0.42
1:B:277:TYR:HE2	2:B:515:HOH:O	2.03	0.42
1:B:145:PRO:HD3	2:B:426:HOH:O	2.18	0.42
1:A:176:ARG:HG2	1:B:298:TYR:CZ	2.55	0.42
1:A:164:CYS:HB2	1:A:168:ASP:HB3	2.02	0.41
1:B:283:GLY:N	2:B:352:HOH:O	2.52	0.41
1:B:299:ILE:HA	2:B:368:HOH:O	2.21	0.41
1:A:61:TYR:CE2	1:A:192:TYR:HE2	2.38	0.41
1:B:29:ARG:HD2	2:B:410:HOH:O	2.19	0.41
1:A:296:LEU:HD22	1:B:177:GLU:HG2	2.03	0.40
1:B:194:THR:O	1:B:195:GLN:HB2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	320/334 (96%)	305 (95%)	14 (4%)	1 (0%)	44	40
1	B	320/334 (96%)	305 (95%)	15 (5%)	0	100	100
All	All	640/668 (96%)	610 (95%)	29 (4%)	1 (0%)	51	48

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	296	LEU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	268/277 (97%)	261 (97%)	7 (3%)	51	52
1	B	268/277 (97%)	262 (98%)	6 (2%)	57	60
All	All	536/554 (97%)	523 (98%)	13 (2%)	54	56

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	LYS
1	A	71	TRP
1	A	170	MET
1	A	192	TYR
1	A	296	LEU
1	A	298	TYR
1	A	334	LYS
1	B	30	LYS
1	B	71	TRP
1	B	111	ASN
1	B	196	VAL
1	B	298	TYR
1	B	334	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	138	ASN
1	A	167	HIS
1	A	197	ASN
1	A	210	HIS
1	A	275	ASN
1	A	281	HIS
1	A	292	HIS
1	B	138	ASN
1	B	167	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	210	HIS
1	B	275	ASN
1	B	281	HIS
1	B	292	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	322/334 (96%)	-0.26	12 (3%) 42 43	14, 22, 40, 50	0
1	B	322/334 (96%)	0.06	25 (7%) 14 14	15, 28, 53, 85	0
All	All	644/668 (96%)	-0.10	37 (5%) 24 25	14, 24, 47, 85	0

All (37) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	192	TYR	6.4
1	B	333	GLY	5.7
1	A	192	TYR	5.1
1	B	324	GLY	5.1
1	B	334	LYS	5.0
1	B	323	TYR	5.0
1	B	196	VAL	4.9
1	B	332	PHE	4.8
1	A	295	GLY	4.8
1	A	194	THR	4.6
1	B	195	GLN	4.4
1	B	111	ASN	3.9
1	A	195	GLN	3.9
1	B	330	GLY	3.9
1	B	321	SER	3.9
1	B	191	GLY	3.7
1	B	327	THR	3.4
1	A	223	TYR	3.2
1	B	193	SER	3.0
1	A	196	VAL	3.0
1	B	194	THR	2.9
1	B	34	HIS	2.8
1	B	326	PRO	2.7
1	B	322	ILE	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	285	VAL	2.5
1	A	294	ALA	2.5
1	B	320	GLY	2.4
1	B	48	ALA	2.4
1	A	323	TYR	2.4
1	B	110	SER	2.3
1	B	137	TRP	2.3
1	A	248	ARG	2.3
1	A	247	HIS	2.1
1	B	325	TYR	2.1
1	B	69	ALA	2.0
1	B	30	LYS	2.0
1	A	286	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.