



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 09:36 am GMT

PDB ID : 5DYP
Title : Crystal structure of Asp251Gly/Gln307His mutant of cytochrome P450 BM3
Authors : Di Nardo, G.; Dell'Angelo, V.; Gilardi, G.
Deposited on : 2015-09-25
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	3166 (2.40-2.40)
Clashscore	112137	3674 (2.40-2.40)
Ramachandran outliers	110173	3616 (2.40-2.40)
Sidechain outliers	110143	3617 (2.40-2.40)
RSRZ outliers	101464	3195 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	470	<div> <div>6%</div> <div> <div></div> <div>75%</div> <div>18%</div> <div>• 6%</div> </div> </div>
1	C	470	<div> <div>6%</div> <div> <div></div> <div>77%</div> <div>17%</div> <div>• •</div> </div> </div>

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 7411 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bifunctional P-450/NADPH-P450 reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	440	Total	C	N	O	S	0	0	0
			3550	2276	604	653	17			
1	C	450	Total	C	N	O	S	0	0	0
			3627	2321	615	674	17			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	251	GLY	ASP	engineered mutation	UNP P14779
A	307	HIS	GLN	engineered mutation	UNP P14779
C	251	GLY	ASP	engineered mutation	UNP P14779
C	307	HIS	GLN	engineered mutation	UNP P14779

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	C	1	Total 43	C 34	Fe 1	N 4	O 4	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	98	Total 98	O 98	0	0
3	C	50	Total 50	O 50	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bifunctional P-450/NADPH-P450 reductase



- Molecule 1: Bifunctional P-450/NADPH-P450 reductase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	61.13Å 118.45Å 146.95Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.00 – 2.40 46.99 – 2.40	Depositor EDS
% Data completeness (in resolution range)	98.3 (47.00-2.40) 98.3 (46.99-2.40)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.33 (at 2.39Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.9_1692)	Depositor
R, R_{free}	0.220 , 0.257 0.220 , 0.257	Depositor DCC
R_{free} test set	2070 reflections (4.95%)	DCC
Wilson B-factor (Å ²)	49.4	Xtriage
Anisotropy	0.312	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 47.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7411	wwPDB-VP
Average B, all atoms (Å ²)	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.20% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.32	0/3631	0.59	1/4903 (0.0%)
1	C	0.32	0/3710	0.58	3/5012 (0.1%)
All	All	0.32	0/7341	0.59	4/9915 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	210	LYS	CA-CB-CG	6.10	126.82	113.40
1	C	215	LEU	CA-CB-CG	-5.17	103.41	115.30
1	C	199	ASP	N-CA-CB	5.11	119.79	110.60
1	C	369	ASP	CB-CG-OD1	5.00	122.80	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3550	0	3544	72	0
1	C	3627	0	3604	67	0
2	A	43	0	30	1	0
2	C	43	0	30	3	0
3	A	98	0	0	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	50	0	0	16	0
All	All	7411	0	7208	141	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (141) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:113:LYS:O	3:A:601:HOH:O	1.81	0.99
1:C:84:ASP:O	3:C:601:HOH:O	1.81	0.95
1:A:125:GLN:OE1	3:A:602:HOH:O	1.87	0.91
1:A:401:ILE:O	3:A:603:HOH:O	1.90	0.88
1:C:349:LYS:O	3:C:602:HOH:O	1.96	0.81
1:C:196:PRO:O	1:C:199:ASP:N	2.20	0.73
1:C:440:LYS:NZ	3:C:605:HOH:O	2.11	0.73
1:A:304:SER:OG	1:A:307:HIS:ND1	2.22	0.70
1:C:348:GLU:OE2	3:C:604:HOH:O	2.10	0.69
1:A:252:GLU:HG2	1:A:256:TYR:CE2	2.27	0.69
1:C:219:ILE:O	3:C:603:HOH:O	2.10	0.68
1:C:7:GLN:OE1	1:C:41:LYS:NZ	2.26	0.68
1:C:84:ASP:OD2	3:C:606:HOH:O	2.12	0.67
1:C:2:ILE:O	1:C:3:LYS:HD3	1.96	0.65
1:C:389:ALA:O	3:C:607:HOH:O	2.15	0.64
1:A:179:ARG:HH21	1:A:204:GLN:HG3	1.62	0.64
1:C:195:ASP:O	1:C:198:TYR:HB2	1.97	0.64
1:C:343:GLY:N	3:C:610:HOH:O	2.26	0.63
1:C:112:MET:HB3	1:C:305:TYR:OH	1.99	0.62
1:C:280:LEU:HB3	1:C:287:LEU:HD13	1.82	0.62
1:A:74:ALA:HB1	1:A:437:LEU:HD21	1.82	0.62
1:A:217:ASP:OD1	1:A:255:ARG:NH2	2.34	0.60
1:C:388:HIS:HA	1:C:391:LYS:HE2	1.84	0.60
1:C:3:LYS:HG2	1:C:344:GLU:HB3	1.84	0.60
1:C:148:LEU:HD21	1:C:413:VAL:HG21	1.84	0.59
1:A:206:GLN:O	1:A:210:LYS:HD3	2.01	0.59
2:C:501:HEM:HMB2	2:C:501:HEM:HBB2	1.85	0.59
1:C:241:LYS:HZ2	1:C:242:ASP:N	2.01	0.57
1:C:253:ASN:O	1:C:257:GLN:HG2	2.04	0.57
1:A:231:ASP:OD1	1:A:236:HIS:NE2	2.37	0.57
1:A:214:ASP:HB3	1:A:218:LYS:NZ	2.20	0.57
1:C:241:LYS:HZ3	1:C:247:GLU:N	2.03	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:2:ILE:C	1:C:3:LYS:HD3	2.25	0.57
1:C:8:PRO:O	1:C:16:ASN:ND2	2.33	0.56
1:A:211:VAL:HA	1:A:214:ASP:CG	2.25	0.56
1:A:253:ASN:HA	1:A:256:TYR:HD2	1.70	0.55
1:C:217:ASP:OD1	1:C:255:ARG:NH2	2.36	0.55
1:A:252:GLU:HG2	1:A:256:TYR:HE2	1.71	0.55
1:A:253:ASN:O	1:A:257:GLN:HG2	2.07	0.55
1:C:162:PHE:CE1	1:C:215:LEU:HD21	2.43	0.54
1:A:220:ILE:HD11	1:A:255:ARG:HG2	1.89	0.54
1:C:5:MET:SD	1:C:50:ARG:HG2	2.47	0.54
1:A:203:ARG:HB3	1:A:206:GLN:HB3	1.90	0.54
1:A:282:LYS:NZ	1:A:425:ASP:OD2	2.26	0.54
2:A:501:HEM:HMC2	2:A:501:HEM:HBC2	1.89	0.54
1:C:98:LYS:NZ	3:C:617:HOH:O	2.39	0.54
1:C:161:ARG:HA	3:C:630:HOH:O	2.07	0.53
1:A:207:GLU:HA	1:A:210:LYS:HG2	1.90	0.53
1:C:232:ASP:O	1:C:236:HIS:ND1	2.33	0.53
1:A:204:GLN:HA	1:A:207:GLU:HB3	1.91	0.53
1:A:242:ASP:O	1:A:246:GLY:N	2.38	0.52
1:A:162:PHE:HE1	1:A:215:LEU:HD11	1.75	0.52
1:A:179:ARG:HH21	1:A:204:GLN:CG	2.22	0.52
1:C:116:HIS:HB2	1:C:305:TYR:CD2	2.44	0.52
1:A:436:THR:C	1:A:438:THR:H	2.13	0.51
1:C:1:THR:O	1:C:344:GLU:HA	2.11	0.51
1:A:255:ARG:HA	1:A:258:ILE:HD12	1.93	0.51
1:C:298:LEU:HB2	1:C:419:LYS:HD2	1.93	0.51
1:C:436:THR:C	1:C:438:THR:H	2.13	0.50
1:C:185:MET:HE3	3:C:634:HOH:O	2.10	0.50
1:C:434:LYS:NZ	3:C:619:HOH:O	2.44	0.50
2:C:501:HEM:HBC2	2:C:501:HEM:HMC2	1.94	0.49
1:A:204:GLN:O	1:A:207:GLU:HB3	2.11	0.49
1:A:207:GLU:HA	1:A:210:LYS:CD	2.42	0.49
1:A:167:ARG:HB3	1:A:169:GLN:NE2	2.27	0.49
1:A:148:LEU:HD21	1:A:413:VAL:HG21	1.95	0.49
1:A:202:LYS:C	1:A:203:ARG:HD3	2.33	0.49
1:A:169:GLN:OE1	1:A:169:GLN:N	2.47	0.48
1:C:7:GLN:HG2	1:C:8:PRO:O	2.13	0.48
1:A:206:GLN:O	1:A:209:ILE:HB	2.14	0.48
1:C:243:PRO:HA	1:C:246:GLY:H	1.78	0.48
1:C:158:PHE:HE1	1:C:237:MET:HE1	1.78	0.47
1:A:109:GLN:HA	1:A:112:MET:HB2	1.95	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:173:PHE:CE1	1:A:212:MET:HG2	2.48	0.47
1:A:68:ASP:HB3	1:A:334:TYR:CE1	2.49	0.47
1:A:208:ASP:HA	1:A:211:VAL:HG13	1.96	0.47
1:C:118:MET:SD	3:C:648:HOH:O	2.61	0.47
1:A:226:SER:O	1:A:226:SER:OG	2.32	0.47
1:A:203:ARG:HA	1:A:206:GLN:H	1.80	0.46
1:A:204:GLN:HA	1:A:207:GLU:CB	2.45	0.46
1:A:306:LYS:O	1:A:310:GLN:HG3	2.15	0.46
1:C:50:ARG:HB2	1:C:353:LEU:HD23	1.98	0.46
1:A:331:PHE:HD1	1:A:357:ILE:HD11	1.81	0.46
1:C:151:ASP:OD1	1:C:162:PHE:HB2	2.16	0.46
1:A:185:MET:O	1:A:188:LEU:HG	2.16	0.45
1:C:183:GLU:O	1:C:187:LYS:HG3	2.16	0.45
1:C:399:ALA:O	3:C:608:HOH:O	2.21	0.45
1:A:211:VAL:HA	1:A:214:ASP:OD2	2.16	0.45
1:A:169:GLN:NE2	1:C:168:ASP:OD1	2.45	0.45
1:C:79:ARG:HG3	1:C:83:GLY:O	2.16	0.45
1:C:112:MET:HE1	1:C:405:PHE:HA	1.98	0.45
1:A:149:THR:O	1:A:153:ILE:HG22	2.17	0.45
1:A:173:PHE:HE1	1:A:212:MET:HG2	1.81	0.45
1:C:201:ASN:OD1	1:C:202:LYS:N	2.50	0.45
1:A:47:ARG:NH2	1:A:73:GLN:HB2	2.32	0.45
1:A:266:HIS:CG	1:A:267:GLU:N	2.85	0.44
1:A:73:GLN:HG3	1:A:77:PHE:CE2	2.52	0.44
1:C:196:PRO:C	1:C:198:TYR:N	2.69	0.44
1:A:207:GLU:HA	1:A:210:LYS:CG	2.48	0.44
1:A:7:GLN:HG3	1:A:41:LYS:O	2.18	0.44
1:C:113:LYS:HE3	1:C:306:LYS:HE3	2.00	0.43
1:C:199:ASP:O	1:C:202:LYS:HB3	2.19	0.43
1:A:183:GLU:O	1:A:187:LYS:HG3	2.18	0.43
1:A:173:PHE:CD1	1:A:215:LEU:HD22	2.53	0.43
1:A:81:PHE:HB3	1:A:209:ILE:HG12	1.99	0.43
1:C:104:LEU:HA	1:C:401:ILE:HD11	2.00	0.43
1:A:201:ASN:OD1	1:A:204:GLN:HB3	2.18	0.43
1:C:215:LEU:HD12	1:C:215:LEU:HA	1.77	0.43
1:C:241:LYS:HB3	1:C:241:LYS:HE3	1.46	0.43
1:A:174:ILE:O	1:A:178:VAL:HG23	2.19	0.43
1:C:31:LYS:HE2	1:C:31:LYS:HB2	1.57	0.43
1:A:449:LYS:HE2	1:A:449:LYS:HB3	1.76	0.42
1:A:183:GLU:OE1	1:A:205:PHE:HB2	2.20	0.42
1:C:304:SER:OG	1:C:307:HIS:CE1	2.73	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:262:LEU:HD23	1:A:262:LEU:HA	1.81	0.42
1:A:76:LYS:O	1:A:79:ARG:HB3	2.18	0.42
1:C:116:HIS:HB2	1:C:305:TYR:HD2	1.83	0.42
1:C:304:SER:HG	1:C:307:HIS:CE1	2.38	0.42
1:A:232:ASP:O	1:A:236:HIS:HD2	2.01	0.42
1:A:68:ASP:HB3	1:A:334:TYR:CZ	2.54	0.42
1:C:202:LYS:HD2	1:C:206:GLN:HG2	2.00	0.42
1:C:257:GLN:O	1:C:261:PHE:HD2	2.02	0.42
1:A:207:GLU:HA	1:A:210:LYS:HE2	2.01	0.42
1:C:400:CYS:HB2	2:C:501:HEM:NA	2.34	0.42
1:C:169:GLN:HG2	1:C:170:PRO:O	2.19	0.42
1:C:435:GLU:HB3	3:C:634:HOH:O	2.20	0.42
1:A:203:ARG:HA	1:A:206:GLN:HB3	2.03	0.41
1:A:331:PHE:CD1	1:A:357:ILE:HD11	2.55	0.41
1:A:342:GLY:O	1:A:344:GLU:HG3	2.20	0.41
1:A:329:PRO:O	1:A:358:PRO:HD3	2.21	0.41
1:C:198:TYR:N	1:C:198:TYR:CD1	2.86	0.41
1:C:250:ASP:O	1:C:254:ILE:HG13	2.21	0.41
1:A:66:ARG:NH2	1:A:340:VAL:O	2.53	0.41
1:C:113:LYS:HD3	1:C:305:TYR:CG	2.56	0.41
1:A:7:GLN:HA	1:A:8:PRO:HD3	1.95	0.41
1:A:104:LEU:N	1:A:105:PRO:HD2	2.36	0.41
1:C:378:ARG:N	3:C:622:HOH:O	2.53	0.41
1:A:47:ARG:HB2	1:A:47:ARG:HE	1.67	0.40
1:C:414:LEU:O	1:C:418:LEU:HG	2.21	0.40
1:C:7:GLN:HG3	1:C:41:LYS:O	2.21	0.40
1:A:298:LEU:HD22	1:A:303:PRO:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	434/470 (92%)	422 (97%)	11 (2%)	1 (0%)	51	67
1	C	444/470 (94%)	430 (97%)	14 (3%)	0	100	100
All	All	878/940 (93%)	852 (97%)	25 (3%)	1 (0%)	55	72

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	202	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	386/410 (94%)	381 (99%)	5 (1%)	73	87
1	C	394/410 (96%)	390 (99%)	4 (1%)	80	91
All	All	780/820 (95%)	771 (99%)	9 (1%)	75	88

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	136	ASP
1	A	179	ARG
1	A	183	GLU
1	A	210	LYS
1	A	213	ASN
1	C	136	ASP
1	C	196	PRO
1	C	241	LYS
1	C	375	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	206	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	HEM	A	501	1	28,50,50	2.16	6 (21%)	17,82,82	1.53	3 (17%)
2	HEM	C	501	1	28,50,50	2.17	6 (21%)	17,82,82	1.55	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	501	1	-	0/6/54/54	0/0/8/8
2	HEM	C	501	1	-	0/6/54/54	0/0/8/8

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	501	HEM	C3B-C2B	-4.08	1.35	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	HEM	C3C-C2C	-4.02	1.35	1.40
2	A	501	HEM	C3B-C2B	-3.99	1.35	1.40
2	C	501	HEM	C3C-C2C	-3.98	1.35	1.40
2	C	501	HEM	C4D-ND	2.37	1.39	1.36
2	A	501	HEM	C4D-ND	2.45	1.39	1.36
2	A	501	HEM	C3B-CAB	3.80	1.55	1.47
2	C	501	HEM	C3B-CAB	3.88	1.55	1.47
2	A	501	HEM	C3C-CAC	3.92	1.55	1.47
2	C	501	HEM	C3C-CAC	3.93	1.55	1.47
2	A	501	HEM	C3D-C2D	5.30	1.53	1.37
2	C	501	HEM	C3D-C2D	5.50	1.54	1.37

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	HEM	CBD-CAD-C3D	-3.39	106.00	112.47
2	C	501	HEM	C1D-C2D-C3D	-2.36	105.36	107.00
2	A	501	HEM	C1D-C2D-C3D	-2.30	105.39	107.00
2	C	501	HEM	CMC-C2C-C3C	2.12	128.83	124.89
2	C	501	HEM	CMB-C2B-C3B	2.15	128.88	124.89
2	A	501	HEM	CMC-C2C-C3C	2.17	128.92	124.89

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	HEM	1	0
2	C	501	HEM	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	440/470 (93%)	0.11	29 (6%) 19 17	36, 62, 125, 191	0
1	C	450/470 (95%)	0.21	28 (6%) 21 20	48, 76, 118, 150	0
All	All	890/940 (94%)	0.16	57 (6%) 20 18	36, 70, 120, 191	0

All (57) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	1	THR	6.6
1	A	238	LEU	6.2
1	A	178	VAL	5.3
1	C	110	GLN	5.1
1	C	305	TYR	4.9
1	C	456	GLY	4.8
1	C	197	ALA	4.5
1	A	225	ALA	4.4
1	A	2	ILE	4.4
1	A	222	ASP	4.4
1	A	185	MET	4.4
1	C	243	PRO	4.2
1	A	184	ALA	4.1
1	A	209	ILE	4.0
1	A	216	VAL	3.9
1	C	382	PRO	3.5
1	A	205	PHE	3.5
1	C	294	ALA	3.4
1	A	111	ALA	3.3
1	C	310	GLN	3.1
1	C	301	PRO	3.1
1	C	247	GLU	3.1
1	A	218	LYS	3.1
1	A	234	LEU	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	199	ASP	3.0
1	A	204	GLN	3.0
1	A	223	ARG	2.9
1	A	173	PHE	2.9
1	C	109	GLN	2.8
1	A	239	ASN	2.8
1	C	136	ASP	2.7
1	C	246	GLY	2.7
1	A	187	LYS	2.7
1	C	302	VAL	2.7
1	C	111	ALA	2.6
1	C	240	GLY	2.6
1	A	186	ASN	2.6
1	A	110	GLN	2.5
1	A	437	LEU	2.5
1	A	212	MET	2.5
1	C	189	GLN	2.5
1	A	219	ILE	2.5
1	A	224	LYS	2.4
1	A	229	GLN	2.4
1	C	295	ALA	2.3
1	A	181	LEU	2.3
1	C	2	ILE	2.3
1	A	221	ALA	2.2
1	C	198	TYR	2.1
1	A	208	ASP	2.1
1	C	214	ASP	2.1
1	C	342	GLY	2.1
1	C	9	LYS	2.1
1	C	203	ARG	2.1
1	C	225	ALA	2.1
1	C	307	HIS	2.1
1	A	220	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	HEM	A	501	43/43	0.93	0.18	1.22	20,41,52,88	0
2	HEM	C	501	43/43	0.97	0.14	-0.01	27,49,64,67	0

6.5 Other polymers [i](#)

There are no such residues in this entry.