



Full wwPDB NMR Structure Validation Report ⓘ

Feb 12, 2017 – 05:57 pm GMT

PDB ID : 1E4U
Title : N-TERMINAL RING FINGER DOMAIN OF HUMAN NOT-4
Authors : Hanzawa, H.; De Ruwe, M.J.; Albert, T.K.; Van Der Vliet, P.C.; Timmers, H.T.; Boelens, R.
Deposited on : 2000-07-12

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : trunk28760
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 82%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	125131	11601
Ramachandran outliers	121729	10391
Sidechain outliers	121581	10367

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	78	

2 Ensemble composition and analysis

This entry contains 30 models. Model 29 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:12-A:61 (50)	0.41	29

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 1 single-model cluster was found.

Cluster number	Models
1	3, 5, 6, 7, 9, 10, 12, 13, 15, 16, 17, 18, 19, 20, 22, 23, 25, 26, 28, 29, 30
2	1, 2, 4, 14, 27
3	8, 11, 21
Single-model clusters	24

3 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 1231 atoms, of which 596 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called TRANSCRIPTIONAL REPRESSOR NOT4.

Mol	Chain	Residues	Atoms						Trace
1	A	78	Total	C	H	N	O	S	0
			1229	396	596	107	120	10	

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms	
2	A	2	Total	Zn
			2	2

4 Residue-property plots

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1


- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4



4.2.2 Score per residue for model 2

- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4






4.2.3 Score per residue for model 3

- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4


Chain A: 26% 26% 13% 36%



4.2.4 Score per residue for model 4

- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4


Chain A: 28% 27% 8% 36%



4.2.5 Score per residue for model 5

- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4


Chain A: 23% 31% 9% 36%



4.2.6 Score per residue for model 6


- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4

Chain A: 32% 24% 6% 36%




4.2.7 Score per residue for model 7

- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4




4.2.8 Score per residue for model 8

- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4



4.2.9 Score per residue for model 9


- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4



4.2.10 Score per residue for model 10

- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4






4.2.11 Score per residue for model 11

- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4


Chain A: 28% 22% 13% • 36%



4.2.12 Score per residue for model 12

- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4


Chain A: 19% 37% 8% 36%



4.2.13 Score per residue for model 13

- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4


Chain A: 22% 36% 5% • 36%



4.2.14 Score per residue for model 14

- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4


Chain A: 23% 31% 5% 5% 36%



4.2.15 Score per residue for model 15

- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4


Chain A: 27% 28% 8% • 36%



4.2.16 Score per residue for model 16

- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4


Chain A: 23% 31% 9% • 36%



4.2.17 Score per residue for model 17

- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4


Chain A: 19% 37% 6% • 36%



4.2.18 Score per residue for model 18


- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4


Chain A: 24% 29% 9% • 36%



4.2.19 Score per residue for model 19


- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4


Chain A: 



4.2.20 Score per residue for model 20


- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4


Chain A: 



4.2.21 Score per residue for model 21


- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4


Chain A: 



4.2.22 Score per residue for model 22

- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4


Chain A: 



4.2.23 Score per residue for model 23

- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4


Chain A: 35% 22% 6% • 36%



4.2.24 Score per residue for model 24

- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4


Chain A: 23% 35% 5% • 36%



4.2.25 Score per residue for model 25

- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4


Chain A: 32% 22% 9% • 36%



4.2.26 Score per residue for model 26

- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4


Chain A: 27% 29% 6% • 36%



4.2.27 Score per residue for model 27

- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4


Chain A: 23% 28% 12% 36%



4.2.28 Score per residue for model 28

- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4


Chain A: 26% 28% 9% 36%



4.2.29 Score per residue for model 29 (medoid)

- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4


Chain A: 32% 26% 5% 36%



4.2.30 Score per residue for model 30

- Molecule 1: TRANSCRIPTIONAL REPRESSOR NOT4

Chain A: 19% 37% 6% 36%



5 Refinement protocol and experimental data overview

Of the 200 calculated structures, 30 were deposited, based on the following criterion: *TOTAL ENERGY*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
X-PLOR	refinement	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 4621
Number of chemical shift lists	1
Total number of shifts	892
Number of shifts mapped to atoms	847
Number of unparsed shifts	0
Number of shifts with mapping errors	45
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	82%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality [i](#)

6.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

There are no covalent bond-length or bond-angle outliers.

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.0±0.0	3.9±0.3
All	All	0	116

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
1	A	57	ARG	Sidechain	30
1	A	44	ARG	Sidechain	29
1	A	39	ARG	Sidechain	29
1	A	46	ARG	Sidechain	28

6.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	407	377	377	31±7
All	All	12270	11310	11310	933

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 40.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:16:LEU:HD11	1:A:37:ILE:HG21	1.02	1.31	16	6
1:A:16:LEU:HD11	1:A:37:ILE:CG2	0.92	1.92	13	7
1:A:16:LEU:HD21	1:A:35:TYR:CE2	0.91	2.01	23	9
1:A:45:ILE:HG21	1:A:60:TYR:OH	0.90	1.67	1	14
1:A:16:LEU:HD11	1:A:37:ILE:HG22	0.88	1.42	2	9
1:A:16:LEU:HD13	1:A:37:ILE:CG2	0.88	1.99	23	4
1:A:45:ILE:HG22	1:A:51:GLY:HA2	0.87	1.47	26	9
1:A:12:VAL:HG12	1:A:21:LEU:HD13	0.85	1.48	27	2
1:A:16:LEU:CD1	1:A:37:ILE:HG22	0.84	2.03	12	8
1:A:41:CYS:O	1:A:45:ILE:HD12	0.84	1.71	19	6
1:A:16:LEU:HD13	1:A:37:ILE:HG22	0.83	1.48	23	6
1:A:37:ILE:HD12	1:A:41:CYS:CB	0.83	2.04	7	4
1:A:37:ILE:HD12	1:A:41:CYS:HB2	0.79	1.53	7	2
1:A:35:TYR:CD2	1:A:55:ALA:HB2	0.78	2.13	13	12
1:A:37:ILE:CD1	1:A:45:ILE:HD12	0.76	2.11	21	1
1:A:16:LEU:CD1	1:A:37:ILE:HG21	0.75	2.10	24	1
1:A:26:ILE:HG22	1:A:26:ILE:O	0.74	1.82	5	1
1:A:16:LEU:HD12	1:A:37:ILE:HG22	0.73	1.58	11	2
1:A:12:VAL:HG13	1:A:12:VAL:O	0.71	1.84	24	2
1:A:35:TYR:CG	1:A:55:ALA:HB2	0.70	2.21	13	10
1:A:37:ILE:HD11	1:A:42:TRP:HB2	0.69	1.63	9	4
1:A:30:PRO:HG3	1:A:37:ILE:HD11	0.69	1.64	14	3
1:A:12:VAL:HG22	1:A:21:LEU:HD12	0.68	1.66	24	1
1:A:35:TYR:O	1:A:35:TYR:CG	0.68	2.47	27	1
1:A:12:VAL:HG12	1:A:21:LEU:CD1	0.67	2.19	27	4
1:A:23:ILE:N	1:A:23:ILE:HD12	0.66	2.05	14	7
1:A:16:LEU:HD11	1:A:35:TYR:CE1	0.65	2.27	11	2
1:A:30:PRO:HG3	1:A:37:ILE:HD13	0.65	1.67	17	2
1:A:12:VAL:HG12	1:A:21:LEU:HD12	0.64	1.68	2	2
1:A:35:TYR:CD1	1:A:55:ALA:HB2	0.64	2.27	9	3
1:A:12:VAL:HG11	1:A:26:ILE:HG12	0.64	1.69	11	1
1:A:16:LEU:HG	1:A:37:ILE:HG22	0.64	1.70	1	1
1:A:12:VAL:C	1:A:21:LEU:HD12	0.64	2.13	27	5
1:A:22:GLU:O	1:A:26:ILE:HD12	0.64	1.92	5	4
1:A:37:ILE:HD12	1:A:45:ILE:HD12	0.64	1.69	21	1
1:A:16:LEU:HD21	1:A:35:TYR:HE2	0.64	1.48	23	5
1:A:28:PHE:CE2	1:A:39:ARG:NH1	0.63	2.67	1	1
1:A:37:ILE:HD12	1:A:38:CYS:O	0.62	1.94	13	2
1:A:30:PRO:O	1:A:60:TYR:CG	0.62	2.52	18	20
1:A:23:ILE:HD12	1:A:23:ILE:N	0.61	2.10	30	5
1:A:56:CYS:O	1:A:57:ARG:CB	0.61	2.49	20	11

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:21:LEU:HD22	1:A:36:GLN:OE1	0.60	1.96	24	1
1:A:35:TYR:CG	1:A:55:ALA:CB	0.60	2.84	13	9
1:A:30:PRO:O	1:A:60:TYR:CD1	0.60	2.55	14	29
1:A:16:LEU:HD23	1:A:16:LEU:N	0.60	2.12	30	1
1:A:30:PRO:HG3	1:A:37:ILE:HD12	0.60	1.73	6	2
1:A:29:PHE:CD1	1:A:31:CYS:O	0.59	2.55	13	8
1:A:35:TYR:CE2	1:A:55:ALA:HB2	0.59	2.33	22	7
1:A:26:ILE:HG22	1:A:27:ASN:N	0.59	2.13	3	2
1:A:37:ILE:HD12	1:A:41:CYS:HB3	0.58	1.75	27	5
1:A:16:LEU:HD12	1:A:37:ILE:CG2	0.58	2.28	11	1
1:A:26:ILE:O	1:A:27:ASN:CB	0.57	2.52	14	1
1:A:27:ASN:O	1:A:29:PHE:CD2	0.57	2.56	30	8
1:A:21:LEU:HD13	1:A:36:GLN:OE1	0.57	1.98	24	1
1:A:52:LEU:HD23	1:A:59:PRO:HA	0.57	1.76	3	3
1:A:17:CYS:O	1:A:18:MET:CB	0.57	2.52	1	9
1:A:16:LEU:N	1:A:16:LEU:CD2	0.57	2.67	19	5
1:A:12:VAL:HB	1:A:21:LEU:HD12	0.57	1.76	5	2
1:A:34:GLY:O	1:A:36:GLN:N	0.57	2.38	1	10
1:A:43:HIS:O	1:A:47:THR:HG22	0.57	2.00	27	1
1:A:51:GLY:O	1:A:60:TYR:CE1	0.56	2.57	8	6
1:A:39:ARG:O	1:A:43:HIS:CD2	0.56	2.58	22	3
1:A:28:PHE:CG	1:A:28:PHE:O	0.56	2.58	14	4
1:A:51:GLY:O	1:A:60:TYR:CD1	0.56	2.58	8	5
1:A:28:PHE:CD1	1:A:28:PHE:C	0.56	2.77	1	2
1:A:35:TYR:O	1:A:37:ILE:HG23	0.56	2.01	22	6
1:A:28:PHE:C	1:A:28:PHE:CD1	0.56	2.80	2	3
1:A:30:PRO:HB2	1:A:60:TYR:CG	0.55	2.37	10	2
1:A:42:TRP:CE2	1:A:46:ARG:CD	0.55	2.90	17	1
1:A:51:GLY:O	1:A:60:TYR:CE2	0.55	2.59	9	5
1:A:32:THR:HG23	1:A:32:THR:O	0.55	2.02	21	2
1:A:12:VAL:HG11	1:A:36:GLN:OE1	0.55	2.02	20	2
1:A:45:ILE:CG2	1:A:50:ASN:O	0.55	2.55	8	4
1:A:51:GLY:O	1:A:60:TYR:CZ	0.55	2.58	9	4
1:A:30:PRO:O	1:A:60:TYR:CB	0.55	2.55	7	14
1:A:34:GLY:O	1:A:36:GLN:CG	0.55	2.55	29	5
1:A:23:ILE:N	1:A:23:ILE:CD1	0.54	2.70	17	2
1:A:56:CYS:O	1:A:57:ARG:CG	0.54	2.56	13	3
1:A:16:LEU:CD1	1:A:37:ILE:CG2	0.54	2.86	17	9
1:A:14:CYS:SG	1:A:16:LEU:HD12	0.54	2.42	17	2
1:A:47:THR:CG2	1:A:48:ASP:N	0.54	2.70	10	1
1:A:45:ILE:HG22	1:A:51:GLY:CA	0.53	2.28	26	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:47:THR:HG23	1:A:48:ASP:N	0.53	2.17	10	1
1:A:28:PHE:CZ	1:A:39:ARG:NH1	0.53	2.77	1	1
1:A:44:ARG:O	1:A:48:ASP:CB	0.53	2.57	7	3
1:A:30:PRO:O	1:A:61:PRO:CD	0.53	2.57	24	9
1:A:27:ASN:CA	1:A:36:GLN:OE1	0.53	2.56	5	1
1:A:23:ILE:O	1:A:26:ILE:CG2	0.53	2.56	20	1
1:A:30:PRO:HB2	1:A:60:TYR:CE2	0.53	2.38	3	9
1:A:35:TYR:CE2	1:A:54:PRO:HD2	0.53	2.39	1	3
1:A:30:PRO:HD3	1:A:37:ILE:HD11	0.53	1.79	13	1
1:A:12:VAL:CG1	1:A:21:LEU:HD12	0.53	2.34	12	1
1:A:52:LEU:O	1:A:60:TYR:CE1	0.53	2.62	17	6
1:A:43:HIS:O	1:A:47:THR:CG2	0.53	2.57	27	4
1:A:26:ILE:O	1:A:36:GLN:NE2	0.53	2.42	3	14
1:A:51:GLY:O	1:A:60:TYR:CG	0.52	2.62	18	8
1:A:29:PHE:HB3	1:A:36:GLN:CB	0.52	2.34	11	3
1:A:32:THR:HG23	1:A:61:PRO:HG3	0.52	1.80	12	1
1:A:17:CYS:SG	1:A:19:GLU:CG	0.52	2.97	9	2
1:A:22:GLU:O	1:A:26:ILE:CD1	0.52	2.57	13	4
1:A:56:CYS:SG	1:A:58:LYS:CG	0.52	2.97	18	1
1:A:45:ILE:CG2	1:A:51:GLY:HA2	0.52	2.35	24	2
1:A:52:LEU:O	1:A:60:TYR:CZ	0.52	2.63	25	13
1:A:28:PHE:CE2	1:A:39:ARG:CZ	0.52	2.91	1	1
1:A:30:PRO:HB2	1:A:60:TYR:CD2	0.52	2.40	1	3
1:A:23:ILE:CD1	1:A:23:ILE:N	0.52	2.72	10	3
1:A:45:ILE:O	1:A:49:GLU:CB	0.52	2.57	4	4
1:A:29:PHE:CB	1:A:36:GLN:HB3	0.51	2.35	11	1
1:A:27:ASN:O	1:A:29:PHE:CE2	0.51	2.62	4	8
1:A:51:GLY:CA	1:A:60:TYR:CE2	0.51	2.93	24	3
1:A:28:PHE:O	1:A:36:GLN:NE2	0.51	2.43	10	1
1:A:35:TYR:CZ	1:A:54:PRO:HG2	0.51	2.41	27	2
1:A:42:TRP:CZ2	1:A:46:ARG:CZ	0.51	2.93	17	1
1:A:12:VAL:HG22	1:A:21:LEU:CD1	0.51	2.35	24	1
1:A:30:PRO:HB3	1:A:42:TRP:CD1	0.51	2.41	20	7
1:A:60:TYR:CD1	1:A:60:TYR:N	0.51	2.76	3	9
1:A:30:PRO:HB2	1:A:60:TYR:CZ	0.51	2.41	19	10
1:A:51:GLY:C	1:A:60:TYR:CZ	0.51	2.85	9	2
1:A:41:CYS:O	1:A:45:ILE:CD1	0.50	2.59	9	4
1:A:28:PHE:CD2	1:A:39:ARG:NH2	0.50	2.79	1	1
1:A:44:ARG:O	1:A:48:ASP:N	0.50	2.45	8	2
1:A:30:PRO:HD3	1:A:37:ILE:CG1	0.50	2.35	13	1
1:A:26:ILE:O	1:A:26:ILE:CG2	0.49	2.55	5	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:42:TRP:CZ2	1:A:46:ARG:HD3	0.49	2.42	27	2
1:A:60:TYR:N	1:A:60:TYR:CD1	0.49	2.79	9	5
1:A:35:TYR:CD1	1:A:55:ALA:CB	0.49	2.96	9	4
1:A:31:CYS:SG	1:A:58:LYS:CB	0.49	3.01	10	1
1:A:12:VAL:O	1:A:21:LEU:HD12	0.49	2.07	17	3
1:A:29:PHE:CB	1:A:36:GLN:CB	0.49	2.90	11	1
1:A:45:ILE:HG23	1:A:49:GLU:CG	0.49	2.36	19	1
1:A:30:PRO:HB2	1:A:60:TYR:CD1	0.49	2.43	10	2
1:A:35:TYR:CD2	1:A:55:ALA:CB	0.49	2.95	23	3
1:A:45:ILE:HG21	1:A:60:TYR:HH	0.49	1.65	26	1
1:A:19:GLU:CG	1:A:20:PRO:HD2	0.49	2.37	26	3
1:A:33:CYS:SG	1:A:34:GLY:N	0.49	2.85	5	3
1:A:13:GLU:CB	1:A:19:GLU:O	0.48	2.61	11	3
1:A:34:GLY:O	1:A:36:GLN:HG2	0.48	2.08	8	5
1:A:13:GLU:O	1:A:14:CYS:C	0.48	2.52	2	12
1:A:51:GLY:O	1:A:60:TYR:CD2	0.48	2.65	9	6
1:A:37:ILE:H	1:A:37:ILE:HD13	0.48	1.68	22	1
1:A:17:CYS:C	1:A:18:MET:CG	0.48	2.81	3	2
1:A:45:ILE:CG2	1:A:46:ARG:N	0.48	2.76	24	1
1:A:29:PHE:C	1:A:29:PHE:CD1	0.48	2.87	10	1
1:A:30:PRO:O	1:A:60:TYR:HA	0.48	2.09	24	27
1:A:30:PRO:O	1:A:61:PRO:HD3	0.48	2.09	13	2
1:A:17:CYS:O	1:A:18:MET:O	0.48	2.32	26	4
1:A:44:ARG:O	1:A:47:THR:OG1	0.48	2.32	9	1
1:A:43:HIS:O	1:A:47:THR:HG21	0.47	2.09	3	1
1:A:51:GLY:HA2	1:A:60:TYR:CE2	0.47	2.44	9	1
1:A:42:TRP:CZ2	1:A:46:ARG:CD	0.47	2.98	6	1
1:A:36:GLN:O	1:A:36:GLN:OE1	0.47	2.33	7	1
1:A:16:LEU:HD23	1:A:37:ILE:HG22	0.47	1.87	15	1
1:A:52:LEU:O	1:A:60:TYR:OH	0.47	2.31	3	8
1:A:28:PHE:O	1:A:36:GLN:CG	0.47	2.62	9	1
1:A:30:PRO:HB3	1:A:37:ILE:CD1	0.47	2.40	18	1
1:A:18:MET:O	1:A:19:GLU:C	0.47	2.53	3	2
1:A:28:PHE:CD2	1:A:39:ARG:CZ	0.47	2.97	1	1
1:A:30:PRO:HB2	1:A:60:TYR:CE1	0.47	2.45	14	3
1:A:45:ILE:HG23	1:A:49:GLU:CB	0.46	2.40	21	1
1:A:51:GLY:HA3	1:A:60:TYR:CE2	0.46	2.45	24	1
1:A:31:CYS:SG	1:A:32:THR:N	0.46	2.87	18	3
1:A:52:LEU:C	1:A:60:TYR:CE1	0.46	2.89	18	3
1:A:35:TYR:O	1:A:36:GLN:O	0.46	2.33	23	1
1:A:23:ILE:O	1:A:26:ILE:HG22	0.46	2.10	20	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:17:CYS:O	1:A:18:MET:CG	0.46	2.63	3	1
1:A:36:GLN:C	1:A:37:ILE:CG2	0.46	2.83	17	1
1:A:15:PRO:C	1:A:16:LEU:HD23	0.46	2.30	30	1
1:A:37:ILE:CD1	1:A:41:CYS:HB3	0.46	2.40	7	1
1:A:45:ILE:O	1:A:49:GLU:HG2	0.46	2.11	26	1
1:A:56:CYS:O	1:A:57:ARG:HG3	0.46	2.10	16	1
1:A:57:ARG:HG3	1:A:58:LYS:N	0.46	2.24	16	2
1:A:29:PHE:HB3	1:A:36:GLN:CA	0.46	2.40	7	3
1:A:37:ILE:CD1	1:A:41:CYS:CB	0.46	2.88	7	1
1:A:13:GLU:N	1:A:21:LEU:HD12	0.46	2.25	18	2
1:A:30:PRO:O	1:A:61:PRO:HD2	0.46	2.11	24	10
1:A:59:PRO:O	1:A:60:TYR:C	0.46	2.54	20	19
1:A:49:GLU:CG	1:A:50:ASN:N	0.46	2.78	19	1
1:A:34:GLY:O	1:A:35:TYR:C	0.46	2.55	8	8
1:A:45:ILE:O	1:A:49:GLU:HB3	0.46	2.11	4	4
1:A:12:VAL:HG22	1:A:12:VAL:O	0.46	2.11	17	1
1:A:29:PHE:CD1	1:A:29:PHE:O	0.46	2.69	8	2
1:A:17:CYS:O	1:A:18:MET:HB2	0.46	2.11	22	4
1:A:57:ARG:O	1:A:58:LYS:C	0.46	2.54	17	3
1:A:56:CYS:O	1:A:57:ARG:O	0.46	2.34	11	2
1:A:16:LEU:CD2	1:A:35:TYR:CE2	0.46	2.99	26	2
1:A:18:MET:O	1:A:19:GLU:O	0.46	2.34	3	1
1:A:12:VAL:HG21	1:A:26:ILE:HG12	0.46	1.87	17	1
1:A:49:GLU:HG3	1:A:50:ASN:N	0.45	2.26	24	2
1:A:22:GLU:O	1:A:26:ILE:CG1	0.45	2.64	13	3
1:A:17:CYS:O	1:A:18:MET:C	0.45	2.54	15	2
1:A:29:PHE:CB	1:A:36:GLN:HA	0.45	2.40	30	1
1:A:42:TRP:CZ3	1:A:43:HIS:CD2	0.45	3.04	19	1
1:A:30:PRO:C	1:A:61:PRO:HD2	0.45	2.31	10	1
1:A:40:PHE:HD1	1:A:43:HIS:HE2	0.45	1.55	28	1
1:A:43:HIS:ND1	1:A:43:HIS:C	0.45	2.69	17	1
1:A:30:PRO:HG3	1:A:37:ILE:CD1	0.45	2.42	3	6
1:A:46:ARG:O	1:A:46:ARG:NH1	0.45	2.50	1	1
1:A:30:PRO:HD3	1:A:37:ILE:CD1	0.45	2.42	13	1
1:A:25:ASP:O	1:A:36:GLN:OE1	0.45	2.35	9	2
1:A:58:LYS:CG	1:A:59:PRO:HD2	0.45	2.41	16	1
1:A:37:ILE:HG12	1:A:38:CYS:N	0.45	2.27	6	1
1:A:16:LEU:HD22	1:A:16:LEU:N	0.45	2.26	19	1
1:A:13:GLU:HB2	1:A:19:GLU:O	0.45	2.12	11	3
1:A:37:ILE:HB	1:A:41:CYS:CB	0.45	2.42	11	3
1:A:29:PHE:CA	1:A:36:GLN:HB3	0.45	2.42	8	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:51:GLY:C	1:A:60:TYR:CE2	0.45	2.90	9	3
1:A:13:GLU:CA	1:A:19:GLU:O	0.45	2.64	2	2
1:A:16:LEU:HG	1:A:37:ILE:CG2	0.45	2.42	4	1
1:A:28:PHE:CD2	1:A:28:PHE:O	0.45	2.70	3	1
1:A:26:ILE:O	1:A:27:ASN:HB2	0.44	2.12	5	2
1:A:56:CYS:O	1:A:57:ARG:HB2	0.44	2.12	18	7
1:A:30:PRO:HG3	1:A:37:ILE:HG12	0.44	1.89	28	1
1:A:53:CYS:O	1:A:57:ARG:HA	0.44	2.13	4	3
1:A:44:ARG:O	1:A:48:ASP:HB3	0.44	2.11	18	2
1:A:18:MET:O	1:A:18:MET:HG2	0.44	2.12	15	1
1:A:57:ARG:N	1:A:57:ARG:HD3	0.44	2.28	14	1
1:A:24:ASP:N	1:A:24:ASP:OD1	0.44	2.51	9	1
1:A:56:CYS:O	1:A:57:ARG:C	0.44	2.55	15	5
1:A:21:LEU:HD22	1:A:25:ASP:O	0.44	2.12	30	1
1:A:14:CYS:O	1:A:18:MET:HA	0.44	2.12	15	3
1:A:12:VAL:CG1	1:A:21:LEU:HD13	0.44	2.31	27	1
1:A:29:PHE:HB2	1:A:36:GLN:HB3	0.44	1.90	11	1
1:A:19:GLU:CB	1:A:20:PRO:CD	0.44	2.95	1	1
1:A:35:TYR:CG	1:A:35:TYR:O	0.44	2.71	4	1
1:A:45:ILE:HA	1:A:49:GLU:CB	0.44	2.42	11	1
1:A:28:PHE:O	1:A:36:GLN:HG3	0.44	2.12	24	2
1:A:59:PRO:O	1:A:60:TYR:O	0.44	2.35	18	4
1:A:24:ASP:O	1:A:28:PHE:HB2	0.44	2.13	4	1
1:A:57:ARG:O	1:A:58:LYS:HB2	0.44	2.13	11	1
1:A:45:ILE:HG23	1:A:51:GLY:CA	0.44	2.43	24	1
1:A:32:THR:O	1:A:33:CYS:C	0.44	2.56	28	4
1:A:17:CYS:O	1:A:18:MET:HG2	0.44	2.12	9	2
1:A:26:ILE:O	1:A:26:ILE:HG22	0.44	2.13	14	1
1:A:12:VAL:HG12	1:A:13:GLU:H	0.44	1.73	18	1
1:A:34:GLY:O	1:A:36:GLN:HG3	0.43	2.13	18	2
1:A:35:TYR:O	1:A:36:GLN:C	0.43	2.56	30	4
1:A:25:ASP:O	1:A:36:GLN:NE2	0.43	2.51	10	1
1:A:29:PHE:O	1:A:29:PHE:CD1	0.43	2.71	30	3
1:A:37:ILE:O	1:A:38:CYS:C	0.43	2.57	16	2
1:A:39:ARG:HG3	1:A:39:ARG:NH1	0.43	2.29	24	1
1:A:30:PRO:CD	1:A:37:ILE:CG1	0.43	2.96	13	1
1:A:36:GLN:HG2	1:A:37:ILE:N	0.43	2.28	28	3
1:A:30:PRO:HG3	1:A:37:ILE:CG2	0.43	2.43	17	1
1:A:13:GLU:HG2	1:A:19:GLU:O	0.43	2.14	18	1
1:A:26:ILE:HA	1:A:36:GLN:NE2	0.43	2.28	3	2
1:A:35:TYR:O	1:A:35:TYR:CD2	0.43	2.72	27	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:28:PHE:O	1:A:36:GLN:HG2	0.43	2.13	9	1
1:A:54:PRO:HD3	1:A:60:TYR:OH	0.43	2.14	21	1
1:A:19:GLU:CB	1:A:20:PRO:HD2	0.43	2.43	1	1
1:A:45:ILE:O	1:A:49:GLU:CG	0.43	2.66	26	1
1:A:37:ILE:O	1:A:38:CYS:O	0.43	2.36	14	1
1:A:37:ILE:C	1:A:37:ILE:HD12	0.43	2.34	23	1
1:A:48:ASP:C	1:A:48:ASP:OD1	0.42	2.57	21	1
1:A:42:TRP:O	1:A:42:TRP:CG	0.42	2.72	14	3
1:A:30:PRO:HG3	1:A:37:ILE:CG1	0.42	2.44	28	1
1:A:42:TRP:CE2	1:A:46:ARG:HD2	0.42	2.49	17	1
1:A:17:CYS:C	1:A:18:MET:SD	0.42	2.98	15	1
1:A:30:PRO:O	1:A:60:TYR:HB3	0.42	2.14	16	2
1:A:13:GLU:CG	1:A:19:GLU:O	0.42	2.67	18	1
1:A:23:ILE:HA	1:A:26:ILE:HD12	0.42	1.90	9	1
1:A:31:CYS:SG	1:A:58:LYS:HB3	0.42	2.55	10	2
1:A:19:GLU:HG2	1:A:20:PRO:CD	0.42	2.44	1	1
1:A:16:LEU:HD12	1:A:41:CYS:HB3	0.42	1.91	16	1
1:A:43:HIS:O	1:A:47:THR:OG1	0.42	2.34	2	1
1:A:30:PRO:CG	1:A:37:ILE:HD12	0.42	2.43	6	1
1:A:24:ASP:O	1:A:28:PHE:CB	0.42	2.67	20	2
1:A:30:PRO:O	1:A:31:CYS:C	0.42	2.57	10	1
1:A:35:TYR:CZ	1:A:37:ILE:CG2	0.42	3.02	2	1
1:A:17:CYS:SG	1:A:19:GLU:HB2	0.42	2.54	9	1
1:A:46:ARG:HA	1:A:51:GLY:CA	0.42	2.45	28	1
1:A:45:ILE:HG23	1:A:51:GLY:HA2	0.42	1.92	24	1
1:A:37:ILE:HD12	1:A:42:TRP:N	0.42	2.30	8	1
1:A:16:LEU:N	1:A:16:LEU:HD23	0.42	2.29	16	1
1:A:30:PRO:CD	1:A:37:ILE:HG23	0.42	2.44	17	1
1:A:26:ILE:O	1:A:36:GLN:CD	0.42	2.58	30	2
1:A:26:ILE:O	1:A:36:GLN:OE1	0.42	2.38	1	1
1:A:22:GLU:O	1:A:26:ILE:HG13	0.41	2.15	13	2
1:A:36:GLN:O	1:A:37:ILE:HG23	0.41	2.15	23	1
1:A:37:ILE:HD13	1:A:37:ILE:H	0.41	1.73	6	1
1:A:35:TYR:CD2	1:A:35:TYR:O	0.41	2.73	11	2
1:A:12:VAL:CG1	1:A:12:VAL:O	0.41	2.57	24	1
1:A:37:ILE:HD11	1:A:42:TRP:CB	0.41	2.45	30	1
1:A:37:ILE:HD12	1:A:42:TRP:CA	0.41	2.45	8	1
1:A:21:LEU:CD1	1:A:36:GLN:OE1	0.41	2.67	24	1
1:A:21:LEU:CD2	1:A:36:GLN:OE1	0.41	2.66	24	1
1:A:29:PHE:HB3	1:A:36:GLN:HA	0.41	1.92	9	2
1:A:30:PRO:CB	1:A:60:TYR:CD2	0.41	3.03	3	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:16:LEU:CD2	1:A:16:LEU:N	0.41	2.82	15	1
1:A:26:ILE:O	1:A:27:ASN:C	0.41	2.57	3	1
1:A:53:CYS:HB2	1:A:58:LYS:O	0.41	2.15	16	1
1:A:47:THR:O	1:A:48:ASP:C	0.41	2.57	15	1
1:A:13:GLU:HA	1:A:19:GLU:O	0.41	2.16	16	1
1:A:16:LEU:HD11	1:A:37:ILE:HD13	0.41	1.91	16	1
1:A:35:TYR:CZ	1:A:54:PRO:CG	0.41	3.03	1	1
1:A:28:PHE:CE2	1:A:39:ARG:HG2	0.41	2.51	8	1
1:A:35:TYR:CE1	1:A:37:ILE:CG2	0.41	3.04	4	1
1:A:15:PRO:C	1:A:16:LEU:HD22	0.41	2.36	25	1
1:A:42:TRP:NE1	1:A:46:ARG:HG3	0.41	2.31	27	1
1:A:56:CYS:SG	1:A:58:LYS:HB2	0.41	2.56	29	2
1:A:14:CYS:HB2	1:A:38:CYS:SG	0.41	2.56	21	1
1:A:14:CYS:O	1:A:18:MET:N	0.41	2.53	15	1
1:A:35:TYR:O	1:A:37:ILE:CG2	0.40	2.69	22	1
1:A:35:TYR:CE2	1:A:54:PRO:CD	0.40	3.04	1	1
1:A:27:ASN:C	1:A:36:GLN:OE1	0.40	2.59	5	1
1:A:24:ASP:O	1:A:24:ASP:OD1	0.40	2.39	4	1
1:A:26:ILE:CG2	1:A:27:ASN:N	0.40	2.82	3	1
1:A:27:ASN:OD1	1:A:27:ASN:N	0.40	2.54	19	1
1:A:30:PRO:HG3	1:A:37:ILE:HG23	0.40	1.92	18	1
1:A:28:PHE:O	1:A:28:PHE:CG	0.40	2.74	2	1
1:A:16:LEU:HD11	1:A:35:TYR:CZ	0.40	2.52	11	1
1:A:37:ILE:HD11	1:A:42:TRP:CA	0.40	2.47	30	1
1:A:16:LEU:HD21	1:A:35:TYR:CE1	0.40	2.52	1	1
1:A:12:VAL:HG12	1:A:13:GLU:N	0.40	2.31	20	1
1:A:35:TYR:OH	1:A:37:ILE:HG21	0.40	2.16	4	1
1:A:56:CYS:SG	1:A:58:LYS:CB	0.40	3.10	16	1
1:A:43:HIS:C	1:A:47:THR:CG2	0.40	2.90	3	1
1:A:28:PHE:O	1:A:28:PHE:CD2	0.40	2.75	14	1

6.3 Torsion angles ⓘ

6.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	50/78 (64%)	38±2 (76±5%)	10±2 (20±5%)	2±1 (5±3%)	5	28
All	All	1500/2340 (64%)	1136 (76%)	294 (20%)	70 (5%)	5	28

All 15 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	18	MET	16
1	A	35	TYR	12
1	A	57	ARG	9
1	A	22	GLU	7
1	A	49	GLU	5
1	A	61	PRO	5
1	A	26	ILE	3
1	A	48	ASP	2
1	A	30	PRO	2
1	A	27	ASN	2
1	A	12	VAL	2
1	A	38	CYS	2
1	A	36	GLN	1
1	A	21	LEU	1
1	A	37	ILE	1

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	47/73 (64%)	37±2 (80±5%)	10±2 (20±5%)	4	34
All	All	1410/2190 (64%)	1124 (80%)	286 (20%)	4	34

All 26 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	18	MET	21
1	A	36	GLN	20
1	A	57	ARG	18

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	16	LEU	17
1	A	46	ARG	17
1	A	44	ARG	16
1	A	29	PHE	16
1	A	49	GLU	16
1	A	19	GLU	16
1	A	39	ARG	15
1	A	43	HIS	13
1	A	22	GLU	12
1	A	32	THR	11
1	A	58	LYS	10
1	A	40	PHE	10
1	A	24	ASP	9
1	A	27	ASN	9
1	A	47	THR	7
1	A	13	GLU	7
1	A	50	ASN	5
1	A	56	CYS	5
1	A	48	ASP	5
1	A	12	VAL	4
1	A	25	ASP	3
1	A	37	ILE	3
1	A	28	PHE	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 82% for the well-defined parts and 79% for the entire structure.

7.1 Chemical shift list 1

File name: BMRB entry 4621

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	892
Number of shifts mapped to atoms	847
Number of unparsed shifts	0
Number of shifts with mapping errors	45
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	1

The following assigned chemical shifts were not mapped to the molecules present in the coordinate file.

- Residue not found in structure. All 45 occurrences are reported below.

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	5	ARG	H	8.45	-1.0	1
A	11	GLU	CA	54.4	-1.0	1
A	84	GLN	H	8.45	-1.0	1
A	84	GLN	CA	55.7	-1.0	1
A	5	ARG	CB	28.6	-1.0	1
A	7	SER	N	115.3	-1.0	1
A	7	SER	CB	61.2	-1.0	1
A	3	VAL	H	8.05	-1.0	1
A	2	LEU	H	8.01	-1.0	1
A	1	GLY	CA	43.0	-1.0	1
A	7	SER	H	8.22	-1.0	1
A	3	VAL	CB	30.5	-1.0	1
A	84	GLN	HB2	1.97	-1.0	1
A	2	LEU	N	121.2	-1.0	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
A	2	LEU	CB	40.2	-1.0	1
A	10	LEU	N	122.2	-1.0	1
A	84	GLN	CG	34.2	-1.0	1
A	1	GLY	N	110.2	-1.0	1
A	84	GLN	HG2	2.25	-1.0	1
A	6	GLY	N	109.9	-1.0	1
A	3	VAL	CA	57.4	-1.0	1
A	9	MET	CA	53.7	-1.0	1
A	11	GLU	CB	28.0	-1.0	1
A	11	GLU	N	120.8	-1.0	1
A	6	GLY	H	8.48	-1.0	1
A	1	GLY	H	8.37	-1.0	1
A	9	MET	N	120.5	-1.0	1
A	10	LEU	CB	40.0	-1.0	1
A	11	GLU	H	8.31	-1.0	1
A	4	PRO	CA	60.9	-1.0	1
A	5	ARG	N	121.6	-1.0	1
A	10	LEU	H	8.18	-1.0	1
A	84	GLN	C	175.2	-1.0	1
A	5	ARG	CA	54.1	-1.0	1
A	2	LEU	CA	52.7	-1.0	1
A	84	GLN	HA	4.14	-1.0	1
A	10	LEU	CA	53.2	-1.0	1
A	9	MET	H	8.25	-1.0	1
A	4	PRO	CB	29.8	-1.0	1
A	84	GLN	CB	27.6	-1.0	1
A	6	GLY	CA	43.1	-1.0	1
A	3	VAL	N	122.0	-1.0	1
A	84	GLN	N	120.0	-1.0	1
A	9	MET	CB	30.8	-1.0	1
A	7	SER	CA	56.2	-1.0	1

7.1.2 Chemical shift referencing ⓘ

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	88	2.29 ± 0.24	Should be applied
$^{13}\text{C}_\beta$	84	2.38 ± 0.18	Should be applied
$^{13}\text{C}'$	67	2.29 ± 0.22	Should be applied
^{15}N	77	0.05 ± 0.43	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 82%, i.e. 519 atoms were assigned a chemical shift out of a possible 635. 4 out of 4 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	232/238 (97%)	94/94 (100%)	94/100 (94%)	44/44 (100%)
Sidechain	266/335 (79%)	163/202 (81%)	101/117 (86%)	2/16 (12%)
Aromatic	21/62 (34%)	20/33 (61%)	0/27 (0%)	1/2 (50%)
Overall	519/635 (82%)	277/329 (84%)	195/244 (80%)	47/62 (76%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 79%, i.e. 781 atoms were assigned a chemical shift out of a possible 990. 7 out of 7 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	353/370 (95%)	143/146 (98%)	143/156 (92%)	67/68 (99%)
Sidechain	405/550 (74%)	243/331 (73%)	160/193 (83%)	2/26 (8%)
Aromatic	23/70 (33%)	22/37 (59%)	0/31 (0%)	1/2 (50%)
Overall	781/990 (79%)	408/514 (79%)	303/380 (80%)	70/96 (73%)

7.1.4 Statistically unusual chemical shifts [i](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	76	GLN	HB3	20.90	3.37 – 0.67	69.9

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

