



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 01:30 pm GMT

PDB ID : 1E71
Title : MYROSINASE FROM SINAPIS ALBA WITH BOUND ASCORBATE
Authors : Burmeister, W.P.
Deposited on : 2000-08-23
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	2279 (1.50-1.50)
Clashscore	112137	2503 (1.50-1.50)
Ramachandran outliers	110173	2445 (1.50-1.50)
Sidechain outliers	110143	2443 (1.50-1.50)
RSRZ outliers	101464	2305 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	M	501	<div> <div>2%</div> <div>86%</div> <div>12%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	M	931	-	-	X	X
2	NAG	M	961	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	BMA	M	954	-	-	X	-
5	MAN	M	957	X	-	X	-
6	ASC	M	995	-	-	-	X
7	GOL	M	1502	-	-	-	X
7	GOL	M	1512	-	-	-	X
7	GOL	M	1513[A]	-	-	-	X
7	GOL	M	1513[B]	-	-	-	X
7	GOL	M	1514	-	-	-	X
9	SO4	M	1504	-	-	-	X
9	SO4	M	1506	-	-	X	-
9	SO4	M	1511	-	-	X	X

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 5214 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MYROSINASE MA1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	M	499	Total	C	N	O	S	0	21	0
			4082	2618	660	788	16			

- Molecule 2 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	M	1	Total	C	N	O	0	0
			14	8	1	5		
2	M	1	Total	C	N	O	0	0
			14	8	1	5		
2	M	1	Total	C	N	O	0	0
			14	8	1	5		
2	M	1	Total	C	N	O	0	0
			14	8	1	5		
2	M	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	M	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	M	2	Total	C	N	O	0	0
			28	16	2	10		


- Molecule 4 is a polymer of unknown type called SUGAR (5-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	M	5	Total	C	N	O	0	0
			58	33	2	23		

- Molecule 5 is a polymer of unknown type called SUGAR (7-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	M	7	Total	C	N	O	0	0
			80	45	2	33		

- Molecule 6 is ASCORBIC ACID (three-letter code: ASC) (formula: $C_6H_8O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	M	1	Total	C	O	0	0
			12	6	6		

- Molecule 7 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	M	1	Total	C	O	0	0
			6	3	3		
7	M	1	Total	C	O	0	0
			6	3	3		
7	M	1	Total	C	O	0	1
			7	3	4		
7	M	1	Total	C	O	0	0
			6	3	3		
7	M	1	Total	C	O	0	0
			6	3	3		

- Molecule 8 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	M	1	Total	Zn	0	0
			1	1		

- Molecule 9 is SULFATE ION (three-letter code: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	M	1	Total	O	S	0	0
			5	4	1		
9	M	1	Total	O	S	0	0
			5	4	1		
9	M	1	Total	O	S	0	0
			5	4	1		
9	M	1	Total	O	S	0	0
			5	4	1		
9	M	1	Total	O	S	0	0
			5	4	1		
9	M	1	Total	O	S	0	0
			5	4	1		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	M	798	Total	O	0	0
			798	798		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: MYROSINASE MA1



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	135.30Å 137.20Å 80.60Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 1.50 9.99 – 1.52	Depositor EDS
% Data completeness (in resolution range)	89.7 (10.00-1.50) 92.7 (9.99-1.52)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.99 (at 1.51Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.127 , 0.152 0.138 , 0.159	Depositor DCC
R_{free} test set	5441 reflections (5.37%)	DCC
Wilson B-factor (Å ²)	13.4	Xtriage
Anisotropy	0.069	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.49 , 61.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.010 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	5214	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: XYP, GOL, ZN, BMA, NAG, ASC, SO4, MAN, FUC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	M	0.74	1/4290 (0.0%)	1.43	53/5833 (0.9%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
5	M	1	0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	M	501	PRO	N-CD	6.60	1.57	1.47

All (53) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	M	109	ARG	NE-CZ-NH2	-18.34	111.13	120.30
1	M	242	ARG	NE-CZ-NH2	-14.39	113.10	120.30
1	M	115	GLU	OE1-CD-OE2	-13.46	107.15	123.30
1	M	109	ARG	NH1-CZ-NH2	10.20	130.62	119.40
1	M	482	ASN	CB-CG-OD1	8.58	138.76	121.60
1	M	420	ARG	CD-NE-CZ	8.56	135.58	123.60
1	M	269	ARG	NE-CZ-NH2	-8.46	116.07	120.30
1	M	366[A]	TYR	CB-CG-CD2	-7.93	116.24	121.00
1	M	366[B]	TYR	CB-CG-CD2	-7.93	116.24	121.00
1	M	95	ARG	NE-CZ-NH2	-7.65	116.47	120.30
1	M	366[A]	TYR	CB-CG-CD1	7.64	125.58	121.00
1	M	366[B]	TYR	CB-CG-CD1	7.64	125.58	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	M	429	ARG	NE-CZ-NH2	-7.52	116.54	120.30
1	M	277	ARG	NE-CZ-NH2	-7.36	116.62	120.30
1	M	246	THR	OG1-CB-CG2	-7.20	93.44	110.00
1	M	70	ASP	CB-CG-OD2	-7.17	111.85	118.30
1	M	194	ARG	NE-CZ-NH1	7.09	123.85	120.30
1	M	268	ASP	CB-CG-OD1	7.00	124.60	118.30
1	M	87	ASP	CB-CG-OD2	-6.97	112.02	118.30
1	M	482	ASN	CA-CB-CG	-6.96	98.08	113.40
1	M	88[A]	GLU	OE1-CD-OE2	-6.85	115.08	123.30
1	M	88[B]	GLU	OE1-CD-OE2	-6.85	115.08	123.30
1	M	172	PHE	CB-CG-CD2	-6.61	116.17	120.80
1	M	269	ARG	NE-CZ-NH1	6.44	123.52	120.30
1	M	87	ASP	CB-CG-OD1	6.41	124.07	118.30
1	M	372	GLU	OE1-CD-OE2	-6.41	115.61	123.30
1	M	306	ARG	NE-CZ-NH2	-6.35	117.13	120.30
1	M	429	ARG	NE-CZ-NH1	6.33	123.46	120.30
1	M	102	ARG	NE-CZ-NH1	-6.22	117.19	120.30
1	M	95	ARG	NE-CZ-NH1	6.20	123.40	120.30
1	M	215	TYR	CB-CG-CD1	-6.14	117.31	121.00
1	M	162	ASP	CB-CG-OD2	-6.12	112.79	118.30
1	M	162	ASP	CB-CG-OD1	5.88	123.60	118.30
1	M	169[A]	ASP	CB-CG-OD2	-5.75	113.12	118.30
1	M	169[B]	ASP	CB-CG-OD2	-5.75	113.12	118.30
1	M	115	GLU	CG-CD-OE2	5.68	129.67	118.30
1	M	12	PHE	CB-CG-CD2	5.67	124.77	120.80
1	M	111	ARG	NE-CZ-NH2	-5.59	117.50	120.30
1	M	102	ARG	NE-CZ-NH2	5.52	123.06	120.30
1	M	306	ARG	NE-CZ-NH1	5.43	123.02	120.30
1	M	383	TYR	CB-CG-CD2	-5.41	117.76	121.00
1	M	242	ARG	NE-CZ-NH1	5.40	123.00	120.30
1	M	199	ALA	N-CA-CB	5.35	117.59	110.10
1	M	23	SER	CA-CB-OG	-5.29	96.93	111.20
1	M	322	TYR	CG-CD1-CE1	-5.27	117.08	121.30
1	M	109	ARG	CD-NE-CZ	-5.26	116.24	123.60
1	M	177	ASP	CB-CG-OD1	5.25	123.02	118.30
1	M	119	ASP	CB-CG-OD1	-5.16	113.66	118.30
1	M	215	TYR	CG-CD1-CE1	-5.13	117.19	121.30
1	M	305[A]	GLU	CB-CG-CD	5.06	127.87	114.20
1	M	305[B]	GLU	CB-CG-CD	5.06	127.87	114.20
1	M	372	GLU	CG-CD-OE2	5.03	128.37	118.30
1	M	74	ASP	CB-CG-OD2	-5.02	113.78	118.30

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	M	957	MAN	C5

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	M	4082	0	3836	85	0
2	M	84	0	77	18	0
3	M	28	0	25	4	0
4	M	58	0	50	5	0
5	M	80	0	65	19	0
6	M	12	0	7	1	0
7	M	31	0	38	2	0
8	M	1	0	0	0	0
9	M	40	0	0	7	0
10	M	798	0	0	31	0
All	All	5214	0	4098	109	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:M:90:ASN:HD21	2:M:911:NAG:C1	0.94	1.57
1:M:21:ASN:HD21	2:M:901:NAG:C1	0.95	1.56
1:M:244:ASN:HD21	2:M:931:NAG:C1	0.97	1.56
1:M:360[B]:ILE:HD11	1:M:366[B]:TYR:CZ	1.40	1.55
1:M:292:ASN:HD21	5:M:951:NAG:C1	0.91	1.53
1:M:218:ASN:HD21	3:M:921:NAG:C1	0.91	1.52
1:M:265:ASN:HD21	4:M:942:NAG:C1	0.92	1.52
1:M:360[B]:ILE:CD1	1:M:366[B]:TYR:CZ	1.97	1.46
1:M:360[B]:ILE:HD11	1:M:366[B]:TYR:CE1	1.58	1.37
1:M:360[B]:ILE:CG1	1:M:366[B]:TYR:CE1	2.22	1.23
1:M:360[B]:ILE:HD11	1:M:366[B]:TYR:OH	1.37	1.23

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:M:360[B]:ILE:CD1	1:M:366[B]:TYR:CE1	2.19	1.19
1:M:360[B]:ILE:CD1	1:M:366[B]:TYR:OH	1.96	1.06
5:M:957:MAN:H61	10:M:2739:HOH:O	1.56	1.05
1:M:360[B]:ILE:HG12	1:M:366[B]:TYR:CD1	1.94	1.02
1:M:360[B]:ILE:HG12	1:M:366[B]:TYR:CE1	1.93	1.02
1:M:246:THR:HG22	10:M:2386:HOH:O	1.62	0.98
1:M:165:LYS:NZ	2:M:931:NAG:H82	1.78	0.98
1:M:360[B]:ILE:HD13	1:M:366[B]:TYR:CZ	2.00	0.97
5:M:954:BMA:H61	5:M:957:MAN:C6	1.98	0.93
6:M:995:ASC:H4	10:M:2757:HOH:O	1.70	0.92
5:M:954:BMA:H61	5:M:957:MAN:H62	1.53	0.89
5:M:954:BMA:C6	5:M:957:MAN:C6	2.54	0.86
5:M:954:BMA:C6	5:M:957:MAN:H61	2.08	0.84
1:M:165:LYS:HZ1	2:M:931:NAG:H82	1.39	0.83
1:M:265:ASN:HD21	4:M:942:NAG:C2	1.91	0.81
1:M:116:LYS:HG2	10:M:2229:HOH:O	1.82	0.80
1:M:21:ASN:HD21	2:M:901:NAG:C2	1.90	0.80
1:M:218:ASN:HD21	3:M:921:NAG:C2	1.93	0.79
5:M:954:BMA:C4	10:M:2739:HOH:O	2.31	0.78
1:M:130:LYS:HG3	10:M:2251:HOH:O	1.84	0.77
1:M:360[B]:ILE:CG1	1:M:366[B]:TYR:CD1	2.63	0.76
9:M:1506:SO4:S	9:M:1511:SO4:O3	2.44	0.76
1:M:377:ASP:HB3	10:M:2558:HOH:O	1.87	0.74
1:M:130:LYS:HB3	10:M:2098:HOH:O	1.88	0.74
5:M:954:BMA:O6	5:M:957:MAN:C6	2.33	0.73
5:M:957:MAN:C5	10:M:2748:HOH:O	2.37	0.71
1:M:244:ASN:HD21	2:M:931:NAG:C2	1.97	0.71
1:M:360[B]:ILE:HG13	1:M:366[B]:TYR:CE1	2.24	0.70
5:M:954:BMA:C5	10:M:2739:HOH:O	2.40	0.69
1:M:360[B]:ILE:HD13	1:M:366[B]:TYR:OH	1.90	0.68
1:M:90:ASN:HD21	2:M:911:NAG:C2	2.00	0.68
9:M:1511:SO4:O1	10:M:2789:HOH:O	2.12	0.67
1:M:130:LYS:HB3	10:M:2262:HOH:O	1.94	0.66
1:M:218:ASN:ND2	3:M:921:NAG:C2	2.56	0.66
1:M:360[B]:ILE:CG1	1:M:366[B]:TYR:CZ	2.62	0.66
5:M:954:BMA:C6	5:M:957:MAN:H62	2.22	0.66
1:M:376:ALA:O	1:M:377:ASP:OD1	2.15	0.64
5:M:954:BMA:H61	5:M:957:MAN:H61	1.68	0.63
1:M:365:HIS:HD2	10:M:2254:HOH:O	1.81	0.62
9:M:1506:SO4:O2	9:M:1511:SO4:S	2.58	0.62
9:M:1506:SO4:O1	9:M:1511:SO4:O3	2.18	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:M:90:ASN:ND2	2:M:911:NAG:C2	2.59	0.61
1:M:365:HIS:HE1	10:M:2541:HOH:O	1.83	0.60
1:M:265:ASN:ND2	4:M:942:NAG:C2	2.59	0.59
1:M:493:GLN:NE2	10:M:2691:HOH:O	2.34	0.59
1:M:360[B]:ILE:HG12	1:M:366[B]:TYR:CG	2.37	0.59
1:M:169[B]:ASP:HB2	1:M:240:LEU:HD21	1.85	0.58
1:M:165:LYS:HZ2	2:M:931:NAG:H82	1.67	0.58
1:M:360[B]:ILE:HG12	1:M:366[B]:TYR:CZ	2.32	0.57
1:M:292:ASN:ND2	5:M:951:NAG:C2	2.62	0.57
1:M:4:ILE:HD11	1:M:445:LYS:HD2	1.87	0.56
1:M:244:ASN:ND2	2:M:931:NAG:O5	2.37	0.56
1:M:115:GLU:HG3	10:M:2226:HOH:O	2.04	0.55
1:M:4:ILE:HD11	1:M:445:LYS:CD	2.36	0.55
1:M:115:GLU:CD	10:M:2226:HOH:O	2.46	0.55
1:M:115:GLU:OE2	10:M:2226:HOH:O	2.19	0.54
1:M:21:ASN:CG	2:M:901:NAG:C1	2.70	0.53
1:M:265:ASN:CG	4:M:942:NAG:C1	2.68	0.53
5:M:954:BMA:O6	5:M:957:MAN:H61	2.04	0.53
1:M:218:ASN:ND2	3:M:921:NAG:O5	2.39	0.52
1:M:265:ASN:ND2	4:M:942:NAG:O5	2.37	0.51
1:M:376:ALA:C	1:M:377:ASP:OD1	2.49	0.51
1:M:292:ASN:CG	5:M:951:NAG:C1	2.71	0.50
1:M:95:ARG:HB2	1:M:455:LEU:HD13	1.95	0.49
1:M:360[A]:ILE:HG23	10:M:2528:HOH:O	2.12	0.48
1:M:95:ARG:HA	1:M:136:PHE:O	2.14	0.48
1:M:373:LYS:NZ	1:M:378:SER:OG	2.43	0.48
1:M:21:ASN:ND2	2:M:901:NAG:C2	2.62	0.47
1:M:420:ARG:O	1:M:424:MET:HG2	2.14	0.46
5:M:957:MAN:C6	10:M:2750:HOH:O	2.63	0.46
1:M:360[A]:ILE:CG2	10:M:2528:HOH:O	2.63	0.46
9:M:1506:SO4:O2	9:M:1511:SO4:O3	2.34	0.45
1:M:292:ASN:ND2	5:M:951:NAG:O5	2.38	0.45
1:M:32:GLY:HA3	1:M:93:GLY:O	2.16	0.45
1:M:159:GLN:NE2	10:M:2305:HOH:O	2.49	0.45
9:M:1506:SO4:S	9:M:1511:SO4:S	3.15	0.44
1:M:90:ASN:ND2	2:M:911:NAG:O5	2.42	0.44
1:M:118[B]:ILE:HD12	1:M:174:GLU:HG3	1.99	0.44
1:M:115:GLU:CG	10:M:2226:HOH:O	2.65	0.44
1:M:122:HIS:HE1	1:M:174:GLU:O	2.00	0.43
1:M:375:LYS:CE	10:M:2555:HOH:O	2.66	0.43
1:M:119:ASP:OD1	10:M:2226:HOH:O	2.21	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:M:194:ARG:NH1	9:M:1511:SO4:O4	2.53	0.42
1:M:165:LYS:CE	2:M:931:NAG:H82	2.47	0.42
7:M:1512:GOL:H11	10:M:2790:HOH:O	2.19	0.42
1:M:249:GLY:HA3	7:M:1514:GOL:H31	2.01	0.41
1:M:368:GLY:HA3	1:M:384:TYR:O	2.20	0.41
2:M:931:NAG:H81	10:M:2379:HOH:O	2.19	0.41
1:M:240:LEU:HD13	2:M:931:NAG:H83	2.02	0.41
1:M:360[B]:ILE:HD11	1:M:366[B]:TYR:HE1	1.56	0.41
1:M:116:LYS:HB3	1:M:116:LYS:HE3	1.97	0.41
1:M:375:LYS:HE2	10:M:2555:HOH:O	2.20	0.41
5:M:957:MAN:C6	10:M:2749:HOH:O	2.68	0.41
1:M:240:LEU:CD1	2:M:931:NAG:H83	2.51	0.41
1:M:424:MET:HE3	10:M:2691:HOH:O	2.21	0.41
1:M:21:ASN:OD1	1:M:23:SER:HB2	2.22	0.40
5:M:957:MAN:C4	10:M:2748:HOH:O	2.69	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	M	518/501 (103%)	504 (97%)	13 (2%)	1 (0%)	51	24

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	M	187	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	M	456/437 (104%)	455 (100%)	1 (0%)	94	87

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	M	3	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	M	90	ASN
1	M	218	ASN
1	M	244	ASN
1	M	265	ASN
1	M	292	ASN
1	M	365	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

14 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link

column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	M	921	1,3	14,14,15	1.57	4 (28%)	15,19,21	3.37	7 (46%)
3	NAG	M	923	3	14,14,15	1.29	0	15,19,21	4.33	8 (53%)
4	FUC	M	941	4	9,10,11	1.52	1 (11%)	13,14,16	2.12	5 (38%)
4	NAG	M	942	1,4	14,14,15	0.86	0	15,19,21	2.59	6 (40%)
4	NAG	M	943	4	14,14,15	1.11	1 (7%)	15,19,21	1.32	2 (13%)
4	BMA	M	944	4	11,11,12	2.08	3 (27%)	13,15,17	1.76	3 (23%)
4	XYP	M	945	4	9,9,10	0.95	0	10,12,14	2.05	3 (30%)
5	NAG	M	951	1,5	14,14,15	1.33	3 (21%)	15,19,21	3.14	6 (40%)
5	FUC	M	952	5	9,10,11	1.97	4 (44%)	13,14,16	2.50	6 (46%)
5	NAG	M	953	5	14,14,15	1.19	2 (14%)	15,19,21	1.96	5 (33%)
5	BMA	M	954	5	11,11,12	2.43	3 (27%)	13,15,17	5.62	9 (69%)
5	XYP	M	955	5	9,9,10	1.42	1 (11%)	10,12,14	3.86	5 (50%)
5	MAN	M	956	5	11,11,12	1.25	2 (18%)	13,15,17	2.96	8 (61%)
5	MAN	M	957	5	11,11,12	2.59	4 (36%)	13,15,17	6.35	10 (76%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	M	921	1,3	-	0/6/23/26	0/1/1/1
3	NAG	M	923	3	-	0/6/23/26	0/1/1/1
4	FUC	M	941	4	-	0/0/17/20	0/1/1/1
4	NAG	M	942	1,4	-	0/6/23/26	0/1/1/1
4	NAG	M	943	4	-	0/6/23/26	0/1/1/1
4	BMA	M	944	4	-	0/2/19/22	0/1/1/1
4	XYP	M	945	4	-	0/0/14/17	0/1/1/1
5	NAG	M	951	1,5	-	0/6/23/26	0/1/1/1
5	FUC	M	952	5	-	0/0/17/20	0/1/1/1
5	NAG	M	953	5	-	0/6/23/26	0/1/1/1
5	BMA	M	954	5	-	0/2/19/22	0/1/1/1
5	XYP	M	955	5	-	0/0/14/17	0/1/1/1
5	MAN	M	956	5	-	0/2/19/22	0/1/1/1
5	MAN	M	957	5	1/1/4/5	0/2/19/22	0/1/1/1

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	M	954	BMA	C2-C3	-6.95	1.43	1.52
4	M	944	BMA	C2-C3	-5.32	1.45	1.52
5	M	952	FUC	O5-C1	-2.55	1.39	1.43
5	M	953	NAG	C3-C2	-2.49	1.47	1.52
5	M	951	NAG	C1-C2	-2.41	1.49	1.52
3	M	921	NAG	O7-C7	-2.40	1.17	1.23
5	M	951	NAG	C2-N2	-2.33	1.42	1.46
4	M	944	BMA	O5-C1	2.08	1.47	1.43
5	M	956	MAN	C4-C5	2.08	1.57	1.53
5	M	951	NAG	O5-C5	2.13	1.47	1.43
5	M	952	FUC	C6-C5	2.17	1.56	1.51
5	M	952	FUC	C1-C2	2.22	1.57	1.52
3	M	921	NAG	C3-C2	2.24	1.57	1.52
5	M	954	BMA	O3-C3	2.31	1.48	1.43
5	M	953	NAG	C1-C2	2.32	1.55	1.52
5	M	956	MAN	O5-C5	2.33	1.48	1.43
3	M	921	NAG	O4-C4	2.43	1.48	1.43
4	M	943	NAG	C1-C2	2.50	1.55	1.52
5	M	954	BMA	C4-C5	2.58	1.58	1.53
4	M	944	BMA	C4-C5	2.82	1.59	1.53
5	M	955	XYP	C2B-C3B	2.88	1.56	1.52
3	M	921	NAG	O5-C5	2.90	1.49	1.43
5	M	957	MAN	O5-C1	3.17	1.48	1.43
5	M	952	FUC	C2-C3	3.32	1.57	1.52
4	M	941	FUC	C2-C3	3.40	1.57	1.52
5	M	957	MAN	C1-C2	4.01	1.61	1.52
5	M	957	MAN	C2-C3	4.32	1.58	1.52
5	M	957	MAN	O5-C5	4.94	1.53	1.43

All (83) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	M	923	NAG	C1-O5-C5	-13.55	93.49	112.17
5	M	957	MAN	C1-O5-C5	-12.50	94.93	112.17
3	M	921	NAG	C1-O5-C5	-9.36	99.27	112.17
5	M	954	BMA	O4-C4-C3	-8.99	90.79	110.36
5	M	951	NAG	C1-O5-C5	-8.37	100.63	112.17
5	M	957	MAN	O5-C1-C2	-6.77	100.18	110.79
5	M	955	XYP	C4B-C3B-C2B	-6.64	103.14	110.86
4	M	942	NAG	C1-O5-C5	-6.14	103.70	112.17
5	M	952	FUC	C1-C2-C3	-5.73	102.39	109.65
3	M	921	NAG	C2-N2-C7	-5.65	114.71	122.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	M	955	XYP	C5B-C4B-C3B	-5.17	103.10	109.65
4	M	942	NAG	C2-N2-C7	-4.96	115.71	122.94
5	M	954	BMA	O2-C2-C3	-4.60	101.14	110.17
3	M	923	NAG	C6-C5-C4	-4.59	102.26	113.00
5	M	957	MAN	C2-C3-C4	-4.33	103.31	110.88
3	M	923	NAG	C2-N2-C7	-4.28	116.70	122.94
4	M	941	FUC	O2-C2-C3	-4.28	101.77	110.17
5	M	957	MAN	O2-C2-C1	-4.16	100.72	109.18
5	M	957	MAN	O4-C4-C3	-4.14	101.35	110.36
5	M	953	NAG	C2-N2-C7	-4.06	117.02	122.94
4	M	941	FUC	C1-C2-C3	-3.91	104.70	109.65
4	M	942	NAG	C1-C2-N2	-3.72	104.14	110.49
5	M	956	MAN	C2-C3-C4	-3.65	104.51	110.88
3	M	921	NAG	C8-C7-N2	-3.55	109.70	116.11
5	M	952	FUC	O2-C2-C1	-3.48	102.11	109.18
5	M	953	NAG	C8-C7-N2	-3.43	109.91	116.11
5	M	952	FUC	C6-C5-C4	-3.39	107.03	113.07
3	M	921	NAG	O4-C4-C5	-3.30	100.96	109.28
5	M	954	BMA	C1-C2-C3	-3.16	105.64	109.65
5	M	953	NAG	O4-C4-C3	-3.14	103.53	110.36
5	M	956	MAN	C3-C4-C5	-3.06	104.82	110.22
5	M	956	MAN	O2-C2-C3	-2.96	104.37	110.17
5	M	955	XYP	O2B-C2B-C3B	-2.94	104.39	110.17
3	M	923	NAG	O6-C6-C5	-2.91	101.54	111.34
4	M	941	FUC	O3-C3-C2	-2.83	104.88	110.02
5	M	951	NAG	C3-C4-C5	-2.67	105.51	110.22
5	M	956	MAN	C6-C5-C4	-2.67	106.76	113.00
4	M	943	NAG	O6-C6-C5	-2.59	102.63	111.34
5	M	954	BMA	C2-C3-C4	-2.56	106.42	110.88
4	M	942	NAG	C8-C7-N2	-2.55	111.50	116.11
3	M	921	NAG	C1-C2-N2	-2.52	106.19	110.49
4	M	941	FUC	O3-C3-C4	-2.51	104.89	110.36
3	M	921	NAG	O3-C3-C2	-2.48	104.08	109.39
4	M	945	XYP	O2B-C2B-C3B	-2.43	105.41	110.17
4	M	943	NAG	O3-C3-C2	-2.39	104.27	109.39
5	M	954	BMA	C1-O5-C5	-2.36	108.92	112.17
5	M	951	NAG	C6-C5-C4	-2.36	107.48	113.00
3	M	923	NAG	O4-C4-C3	-2.31	105.32	110.36
5	M	953	NAG	O4-C4-C5	-2.29	103.51	109.28
4	M	945	XYP	O3B-C3B-C2B	-2.22	105.98	110.02
5	M	951	NAG	O3-C3-C2	-2.17	104.74	109.39
5	M	953	NAG	O5-C1-C2	-2.15	108.49	111.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	M	942	NAG	O4-C4-C3	-2.10	105.80	110.36
5	M	956	MAN	O3-C3-C2	-2.07	106.25	110.02
5	M	952	FUC	O4-C4-C3	-2.05	105.90	110.36
5	M	952	FUC	O3-C3-C4	-2.04	105.92	110.36
4	M	941	FUC	C3-C4-C5	2.10	112.99	109.68
5	M	954	BMA	O2-C2-C1	2.31	113.88	109.18
3	M	921	NAG	O7-C7-C8	2.34	126.31	122.06
4	M	942	NAG	O7-C7-N2	2.34	126.42	121.92
5	M	956	MAN	O4-C4-C3	2.46	115.71	110.36
3	M	923	NAG	O3-C3-C4	2.48	115.75	110.36
5	M	951	NAG	O7-C7-C8	2.58	126.75	122.06
3	M	923	NAG	C3-C4-C5	2.68	114.94	110.22
4	M	944	BMA	O3-C3-C4	2.77	116.38	110.36
5	M	952	FUC	C1-O5-C5	2.92	118.85	112.39
5	M	955	XYP	O3B-C3B-C4B	2.95	115.39	110.02
5	M	957	MAN	O6-C6-C5	3.49	123.10	111.34
4	M	944	BMA	C2-C3-C4	3.58	117.12	110.88
4	M	944	BMA	O3-C3-C2	3.64	116.64	110.02
5	M	956	MAN	O2-C2-C1	3.86	117.02	109.18
5	M	957	MAN	O3-C3-C2	4.29	117.83	110.02
5	M	957	MAN	C1-C2-C3	4.54	115.41	109.65
4	M	945	XYP	C1B-C2B-C3B	4.81	115.75	109.65
3	M	923	NAG	O5-C1-C2	5.11	118.58	111.47
5	M	951	NAG	O5-C1-C2	6.16	120.04	111.47
5	M	956	MAN	C1-C2-C3	6.82	118.29	109.65
5	M	955	XYP	C1B-C2B-C3B	7.29	118.89	109.65
5	M	954	BMA	C3-C4-C5	7.37	123.20	110.22
5	M	957	MAN	C6-C5-C4	7.75	131.13	113.00
5	M	954	BMA	C6-C5-C4	9.68	135.66	113.00
5	M	954	BMA	O4-C4-C5	11.24	137.61	109.28
5	M	957	MAN	O4-C4-C5	12.29	140.25	109.28

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	M	957	MAN	C5

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 28 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	M	921	NAG	4	0
4	M	942	NAG	5	0
5	M	951	NAG	4	0
5	M	954	BMA	10	0
5	M	957	MAN	13	0

5.6 Ligand geometry

Of 22 ligands modelled in this entry, 1 is monoatomic - leaving 21 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	GOL	M	1502	-	5,5,5	0.47	0	5,5,5	1.12	1 (20%)
9	SO4	M	1504	-	4,4,4	0.68	0	6,6,6	0.94	0
9	SO4	M	1505	-	4,4,4	0.71	0	6,6,6	0.37	0
9	SO4	M	1506	9	4,4,4	1.16	0	6,6,6	1.42	2 (33%)
9	SO4	M	1507	-	4,4,4	0.52	0	6,6,6	0.50	0
9	SO4	M	1508	-	4,4,4	1.31	1 (25%)	6,6,6	1.61	1 (16%)
9	SO4	M	1509	-	4,4,4	0.88	0	6,6,6	1.14	1 (16%)
9	SO4	M	1510	-	4,4,4	0.72	0	6,6,6	0.32	0
9	SO4	M	1511	9	4,4,4	1.23	1 (25%)	6,6,6	2.10	2 (33%)
7	GOL	M	1512	-	5,5,5	0.45	0	5,5,5	0.70	0
7	GOL	M	1513[A]	-	5,5,5	0.94	0	5,5,5	1.48	1 (20%)
7	GOL	M	1513[B]	-	5,5,5	0.93	0	5,5,5	2.41	2 (40%)
7	GOL	M	1514	-	5,5,5	0.46	0	5,5,5	1.37	1 (20%)
7	GOL	M	1515	-	5,5,5	0.56	0	5,5,5	1.59	2 (40%)
2	NAG	M	901	1	14,14,15	1.12	1 (7%)	15,19,21	2.30	4 (26%)
2	NAG	M	911	1	14,14,15	1.22	1 (7%)	15,19,21	2.11	3 (20%)
2	NAG	M	931	1	14,14,15	1.73	3 (21%)	15,19,21	8.66	9 (60%)
2	NAG	M	961	1	14,14,15	1.33	1 (7%)	15,19,21	2.66	5 (33%)
2	NAG	M	971	1	14,14,15	1.33	1 (7%)	15,19,21	3.37	4 (26%)
2	NAG	M	991	1	14,14,15	1.23	1 (7%)	15,19,21	2.06	4 (26%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	ASC	M	995	-	12,12,12	4.65	9 (75%)	17,17,17	4.06	10 (58%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	GOL	M	1502	-	-	0/4/4/4	0/0/0/0
9	SO4	M	1504	-	-	0/0/0/0	0/0/0/0
9	SO4	M	1505	-	-	0/0/0/0	0/0/0/0
9	SO4	M	1506	9	-	0/0/0/0	0/0/0/0
9	SO4	M	1507	-	-	0/0/0/0	0/0/0/0
9	SO4	M	1508	-	-	0/0/0/0	0/0/0/0
9	SO4	M	1509	-	-	0/0/0/0	0/0/0/0
9	SO4	M	1510	-	-	0/0/0/0	0/0/0/0
9	SO4	M	1511	9	-	0/0/0/0	0/0/0/0
7	GOL	M	1512	-	-	0/4/4/4	0/0/0/0
7	GOL	M	1513[A]	-	-	0/4/4/4	0/0/0/0
7	GOL	M	1513[B]	-	-	0/4/4/4	0/0/0/0
7	GOL	M	1514	-	-	0/4/4/4	0/0/0/0
7	GOL	M	1515	-	-	0/4/4/4	0/0/0/0
2	NAG	M	901	1	-	0/6/23/26	0/1/1/1
2	NAG	M	911	1	-	0/6/23/26	0/1/1/1
2	NAG	M	931	1	-	0/6/23/26	0/1/1/1
2	NAG	M	961	1	-	0/6/23/26	0/1/1/1
2	NAG	M	971	1	-	0/6/23/26	0/1/1/1
2	NAG	M	991	1	-	0/6/23/26	0/1/1/1
6	ASC	M	995	-	-	0/6/22/22	0/1/1/1

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	M	995	ASC	O1-C1	-8.30	1.03	1.21
6	M	995	ASC	O4-C4	-4.46	1.37	1.45
2	M	911	NAG	O7-C7	-3.81	1.14	1.23
2	M	971	NAG	O7-C7	-3.75	1.14	1.23
2	M	931	NAG	O7-C7	-3.72	1.14	1.23
2	M	991	NAG	O7-C7	-3.69	1.14	1.23
2	M	931	NAG	C2-N2	-3.60	1.40	1.46
2	M	961	NAG	O7-C7	-3.41	1.15	1.23
2	M	901	NAG	O7-C7	-3.17	1.15	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	M	995	ASC	O2-C2	-2.73	1.24	1.33
2	M	931	NAG	C8-C7	-2.50	1.45	1.50
9	M	1511	SO4	O1-S	2.13	1.57	1.45
6	M	995	ASC	C5-C4	2.48	1.56	1.53
9	M	1508	SO4	O2-S	2.48	1.59	1.45
6	M	995	ASC	C2-C3	2.64	1.42	1.35
6	M	995	ASC	O3-C3	3.60	1.45	1.33
6	M	995	ASC	C4-C3	5.19	1.57	1.50
6	M	995	ASC	O4-C1	5.84	1.44	1.35
6	M	995	ASC	C2-C1	8.59	1.65	1.45

All (52) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	M	995	ASC	O4-C1-C2	-10.70	101.02	109.91
2	M	931	NAG	O7-C7-N2	-8.33	105.87	121.92
2	M	971	NAG	O5-C1-C2	-8.23	100.02	111.47
2	M	931	NAG	C1-O5-C5	-7.78	101.44	112.17
2	M	911	NAG	C1-O5-C5	-6.61	103.06	112.17
2	M	991	NAG	C4-C3-C2	-5.56	102.87	111.02
2	M	901	NAG	C1-O5-C5	-5.27	104.90	112.17
2	M	961	NAG	C1-C2-N2	-5.17	101.65	110.49
2	M	971	NAG	O3-C3-C2	-3.46	101.97	109.39
2	M	901	NAG	C4-C3-C2	-3.28	106.21	111.02
2	M	901	NAG	O3-C3-C2	-3.13	102.67	109.39
2	M	931	NAG	O7-C7-C8	-2.96	116.67	122.06
2	M	961	NAG	O4-C4-C5	-2.82	102.17	109.28
9	M	1511	SO4	O2-S-O1	-2.61	91.43	109.64
2	M	991	NAG	O3-C3-C2	-2.60	103.82	109.39
2	M	911	NAG	O3-C3-C2	-2.58	103.87	109.39
2	M	991	NAG	C1-C2-N2	-2.49	106.24	110.49
6	M	995	ASC	O2-C2-C3	-2.46	120.59	128.96
7	M	1515	GOL	C3-C2-C1	-2.37	102.11	111.52
2	M	931	NAG	O4-C4-C5	-2.28	103.54	109.28
2	M	961	NAG	O3-C3-C2	-2.19	104.70	109.39
2	M	961	NAG	C6-C5-C4	-2.13	108.02	113.00
9	M	1508	SO4	O3-S-O2	-2.10	97.71	109.26
9	M	1506	SO4	O3-S-O2	-2.07	97.83	109.26
7	M	1515	GOL	O3-C3-C2	-2.07	99.65	110.07
2	M	911	NAG	C4-C3-C2	-2.03	108.04	111.02
7	M	1502	GOL	O3-C3-C2	2.02	120.24	110.07
6	M	995	ASC	C6-C5-C4	2.10	115.34	111.93

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	M	1514	GOL	O2-C2-C3	2.36	119.99	108.84
9	M	1509	SO4	O4-S-O1	2.38	122.40	109.26
6	M	995	ASC	O3-C3-C2	2.43	139.38	132.45
9	M	1506	SO4	O4-S-O3	2.57	120.56	108.96
2	M	971	NAG	O4-C4-C3	2.80	116.45	110.36
2	M	931	NAG	C3-C4-C5	2.88	115.29	110.22
6	M	995	ASC	C5-C4-C3	2.95	118.12	114.23
2	M	991	NAG	O5-C1-C2	3.01	115.67	111.47
7	M	1513[B]	GOL	O2-C2-C1	3.12	123.59	108.84
7	M	1513[A]	GOL	O2-C2-C1	3.12	123.59	108.84
9	M	1511	SO4	O4-S-O3	3.39	124.24	108.96
6	M	995	ASC	O4-C4-C5	3.40	115.35	109.67
2	M	931	NAG	C1-C2-N2	3.54	116.53	110.49
6	M	995	ASC	O2-C2-C1	3.54	130.92	121.87
6	M	995	ASC	O4-C4-C3	4.09	107.08	104.03
7	M	1513[B]	GOL	O1-C1-C2	4.26	131.53	110.07
2	M	901	NAG	O5-C1-C2	4.50	117.73	111.47
6	M	995	ASC	O1-C1-C2	6.45	137.71	129.44
6	M	995	ASC	C4-O4-C1	6.99	116.46	109.25
2	M	961	NAG	C1-O5-C5	7.38	122.34	112.17
2	M	931	NAG	O5-C1-C2	8.26	122.97	111.47
2	M	971	NAG	C1-O5-C5	8.54	123.94	112.17
2	M	931	NAG	C8-C7-N2	11.81	137.43	116.11
2	M	931	NAG	C2-N2-C7	27.26	162.71	122.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 28 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	M	1506	SO4	5	0
9	M	1511	SO4	7	0
7	M	1512	GOL	1	0
7	M	1514	GOL	1	0
2	M	901	NAG	4	0
2	M	911	NAG	4	0
2	M	931	NAG	10	0
6	M	995	ASC	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	M	499/501 (99%)	-0.34	11 (2%) 62 68	10, 14, 27, 54	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	M	376	ALA	6.5
1	M	377	ASP	6.3
1	M	375	LYS	4.3
1	M	380	ASP	4.2
1	M	417	ASP	3.5
1	M	3	GLU	3.4
1	M	378	SER	2.8
1	M	374	ASP	2.8
1	M	481	ASN	2.7
1	M	19	ALA	2.1
1	M	379	THR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	NAG	M	942	14/15	0.93	0.09	1.32	18,21,24,24	0
3	NAG	M	921	14/15	0.91	0.08	0.98	19,24,29,31	0
5	FUC	M	952	10/11	0.86	0.14	-	21,23,26,27	0
5	BMA	M	954	11/12	0.81	0.12	-	23,29,32,36	0
4	BMA	M	944	11/12	0.65	0.31	-	36,39,43,46	0
5	NAG	M	951	14/15	0.92	0.09	-	18,19,22,25	0
5	MAN	M	957	11/12	0.60	0.48	-	38,44,50,53	0
5	NAG	M	953	14/15	0.91	0.11	-	21,23,29,32	0
4	XYP	M	945	9/10	0.73	0.32	-	40,43,44,45	0
3	NAG	M	923	14/15	0.47	0.34	-	37,42,51,52	0
4	FUC	M	941	10/11	0.88	0.18	-	28,32,35,36	0
4	NAG	M	943	14/15	0.91	0.10	-	25,28,33,34	0
5	XYP	M	955	9/10	0.49	0.34	-	37,40,44,46	0
5	MAN	M	956	11/12	0.54	0.36	-	27,39,44,45	0

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	NAG	M	961	14/15	0.62	0.43	58.05	36,41,52,52	0
9	SO4	M	1511	5/5	0.84	0.33	29.23	39,39,42,42	1
7	GOL	M	1513[B]	6/6	0.88	0.14	14.50	12,15,17,17	2
7	GOL	M	1513[A]	6/6	0.88	0.14	12.18	12,15,17,17	2
2	NAG	M	931	14/15	0.57	0.35	11.24	38,45,49,50	0
7	GOL	M	1512	6/6	0.56	0.24	10.71	37,39,40,40	6
9	SO4	M	1504	5/5	0.98	0.15	7.31	22,23,27,28	5
7	GOL	M	1514	6/6	0.92	0.11	4.30	15,19,24,30	6
6	ASC	M	995	12/12	0.89	0.12	3.78	17,20,22,23	0
7	GOL	M	1502	6/6	0.96	0.09	2.98	14,19,23,23	0
2	NAG	M	901	14/15	0.77	0.16	1.42	30,35,37,40	0
9	SO4	M	1505	5/5	0.93	0.16	-	23,27,30,30	5
9	SO4	M	1509	5/5	0.53	0.26	-	27,33,34,36	5
2	NAG	M	971	14/15	0.43	0.48	-	56,63,66,66	0
9	SO4	M	1510	5/5	0.83	0.22	-	38,38,39,39	5
2	NAG	M	911	14/15	0.84	0.17	-	25,28,31,31	0
9	SO4	M	1506	5/5	0.72	0.30	-	25,32,33,35	5
9	SO4	M	1507	5/5	0.99	0.05	-	17,18,23,25	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
8	ZN	M	1503	1/1	1.00	0.03	-	11,11,11,11	1
2	NAG	M	991	14/15	0.68	0.40	-	35,38,48,49	0
9	SO4	M	1508	5/5	0.69	0.31	-	29,32,36,36	5
7	GOL	M	1515	6/6	0.71	0.23	-	33,35,36,38	6

6.5 Other polymers [i](#)

There are no such residues in this entry.